

Computer algebra independent integration tests

4-Trig-functions/4.5-Secant/4.5.4.2-a+b-sec^m-d-secⁿ-A+B-sec+C-sec²-

Nasser M. Abbasi

May 23, 2020

Compiled on May 23, 2020 at 4:47am

Contents

1	Introduction	53
1.1	Listing of CAS systems tested	53
1.2	Results	54
1.3	Performance	57
1.4	list of integrals that has no closed form antiderivative	58
1.5	list of integrals solved by CAS but has no known antiderivative	58
1.6	list of integrals solved by CAS but failed verification	58
1.7	Timing	59
1.8	Verification	60
1.9	Important notes about some of the results	60
1.10	Design of the test system	62
2	detailed summary tables of results	63
2.1	List of integrals sorted by grade for each CAS	63
2.2	Detailed conclusion table per each integral for all CAS systems	75
2.3	Detailed conclusion table specific for Rubi results	350
3	Listing of integrals	395
3.1	$\int \sec^2(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$	395
3.2	$\int \sec(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$	399
3.3	$\int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$	403
3.4	$\int \cos(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$	407

3.5	$\int \cos^2(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$	411
3.6	$\int \sec^2(c + dx) (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx$	415
3.7	$\int \sec(c + dx) (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx$	419
3.8	$\int (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx$	423
3.9	$\int \cos(c + dx) (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx$	427
3.10	$\int \cos^2(c + dx) (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx$	431
3.11	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$	435
3.12	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$	439
3.13	$\int \frac{A+C \sec^2(c+dx)}{\sqrt[3]{b \sec(c+dx)}} dx$	443
3.14	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$	447
3.15	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$	451
3.16	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	455
3.17	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	459
3.18	$\int \frac{A+C \sec^2(c+dx)}{(b \sec(c+dx))^{4/3}} dx$	463
3.19	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	467
3.20	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	471
3.21	$\int \sec^m(c + dx) (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx$	475
3.22	$\int \sec^m(c + dx) (b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx$	479
3.23	$\int \sec^m(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$	483
3.24	$\int \frac{\sec^m(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$	487
3.25	$\int \frac{\sec^m(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	491
3.26	$\int \frac{\sec^m(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	495
3.27	$\int \sec^m(c + dx) (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$	499
3.28	$\int \sec^2(c + dx) (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$	503
3.29	$\int \sec(c + dx) (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$	507
3.30	$\int (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$	511
3.31	$\int \cos(c + dx) (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$	515
3.32	$\int \cos^2(c + dx) (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$	519
3.33	$\int \cos^3(c + dx) (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$	523
3.34	$\int \sec^{\frac{5}{2}}(c + dx) (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$	527

3.35	$\int \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n (A+C \sec^2(c+dx)) dx$	531
3.36	$\int \sqrt{\sec(c+dx)}(b \sec(c+dx))^n (A+C \sec^2(c+dx)) dx$	535
3.37	$\int \frac{(b \sec(c+dx))^n (A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$	539
3.38	$\int \frac{(b \sec(c+dx))^n (A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	543
3.39	$\int \frac{(b \sec(c+dx))^n (A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$	547
3.40	$\int \sec^m(c+dx)(b \sec(c+dx))^n (B \sec(c+dx)+C \sec^2(c+dx)) dx$	551
3.41	$\int \sec^2(c+dx)(b \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	555
3.42	$\int \sec(c+dx)(b \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	560
3.43	$\int (b \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	564
3.44	$\int \cos(c+dx)(b \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	568
3.45	$\int \cos^2(c+dx)(b \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	572
3.46	$\int \cos^3(c+dx)(b \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	576
3.47	$\int \sec^2(c+dx)(b \sec(c+dx))^{4/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	580
3.48	$\int \sec(c+dx)(b \sec(c+dx))^{4/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	585
3.49	$\int (b \sec(c+dx))^{4/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	590
3.50	$\int \cos(c+dx)(b \sec(c+dx))^{4/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	594
3.51	$\int \cos^2(c+dx)(b \sec(c+dx))^{4/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	599
3.52	$\int \cos^3(c+dx)(b \sec(c+dx))^{4/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	603
3.53	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	607
3.54	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	612
3.55	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(b \sec(c+dx))^{2/3}} dx$	617
3.56	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	621
3.57	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	626
3.58	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	631
3.59	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	636
3.60	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	641
3.61	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(b \sec(c+dx))^{4/3}} dx$	646
3.62	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	650
3.63	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	655
3.64	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	660

3.65	$\int \sec^m(c+dx)(b \sec(c+dx))^{4/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	665
3.66	$\int \sec^m(c+dx)(b \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	670
3.67	$\int \sec^m(c+dx)\sqrt[3]{b \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	675
3.68	$\int \frac{\sec^m(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$	680
3.69	$\int \frac{\sec^m(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	685
3.70	$\int \frac{\sec^m(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	690
3.71	$\int \sec^m(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	695
3.72	$\int \sec^2(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	700
3.73	$\int \sec(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	705
3.74	$\int (b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	710
3.75	$\int \cos(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	714
3.76	$\int \cos^2(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	718
3.77	$\int \cos^3(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	722
3.78	$\int \sec^{\frac{5}{2}}(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	726
3.79	$\int \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	731
3.80	$\int \sqrt{\sec(c+dx)}(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	736
3.81	$\int \frac{(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$	741
3.82	$\int \frac{(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	746
3.83	$\int \frac{(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$	751
3.84	$\int \sec^3(c+dx)(a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$	756
3.85	$\int \sec^2(c+dx)(a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$	761
3.86	$\int \sec(c+dx)(a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$	766
3.87	$\int (a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$	770
3.88	$\int \cos(c+dx)(a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$	774
3.89	$\int \cos^2(c+dx)(a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$	778
3.90	$\int \cos^3(c+dx)(a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$	782
3.91	$\int \cos^4(c+dx)(a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$	786
3.92	$\int \cos^5(c+dx)(a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$	790
3.93	$\int \sec^2(c+dx)(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx$	795
3.94	$\int \sec(c+dx)(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx$	800
3.95	$\int (a+a \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx$	805
3.96	$\int \cos(c+dx)(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx$	810
3.97	$\int \cos^2(c+dx)(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx$	815

3.98	$\int \cos^3(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx$	819
3.99	$\int \cos^4(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx$	823
3.100	$\int \cos^5(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx$	828
3.101	$\int \cos^6(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx$	833
3.102	$\int \sec^2(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	838
3.103	$\int \sec(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	844
3.104	$\int (a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	849
3.105	$\int \cos(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	854
3.106	$\int \cos^2(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	859
3.107	$\int \cos^3(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	864
3.108	$\int \cos^4(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	870
3.109	$\int \cos^5(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	875
3.110	$\int \cos^6(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	880
3.111	$\int \sec^2(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	885
3.112	$\int \sec(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	891
3.113	$\int (a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	897
3.114	$\int \cos(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	903
3.115	$\int \cos^2(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	909
3.116	$\int \cos^3(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	914
3.117	$\int \cos^4(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	920
3.118	$\int \cos^5(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	925
3.119	$\int \cos^6(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	930
3.120	$\int \cos^7(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	935
3.121	$\int \frac{\sec^4(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	940
3.122	$\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	945
3.123	$\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	950
3.124	$\int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	955
3.125	$\int \frac{A+C\sec^2(c+dx)}{a+a\sec(c+dx)}dx$	959
3.126	$\int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	963
3.127	$\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	967
3.128	$\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	971
3.129	$\int \frac{\cos^4(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	976
3.130	$\int \frac{\sec^4(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2}dx$	981

3.131	$\int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$	987
3.132	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$	993
3.133	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$	998
3.134	$\int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^2} dx$	1002
3.135	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$	1006
3.136	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$	1011
3.137	$\int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$	1016
3.138	$\int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$	1021
3.139	$\int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$	1027
3.140	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$	1033
3.141	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$	1038
3.142	$\int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^3} dx$	1042
3.143	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$	1046
3.144	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$	1051
3.145	$\int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$	1057
3.146	$\int \frac{\sec^5(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$	1063
3.147	$\int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$	1069
3.148	$\int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$	1075
3.149	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$	1080
3.150	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$	1085
3.151	$\int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^4} dx$	1090
3.152	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$	1095
3.153	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$	1100
3.154	$\int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$	1106
3.155	$\int \sec^4(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx$	1112
3.156	$\int \sec^3(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx$	1117
3.157	$\int \sec^2(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx$	1122

3.158	$\int \sec(c + dx)\sqrt{a + a \sec(c + dx)}(A + C \sec^2(c + dx)) dx$.1126
3.159	$\int \sqrt{a + a \sec(c + dx)}(A + C \sec^2(c + dx)) dx$.1130
3.160	$\int \cos(c + dx)\sqrt{a + a \sec(c + dx)}(A + C \sec^2(c + dx)) dx$.1134
3.161	$\int \cos^2(c + dx)\sqrt{a + a \sec(c + dx)}(A + C \sec^2(c + dx)) dx$.1139
3.162	$\int \cos^3(c + dx)\sqrt{a + a \sec(c + dx)}(A + C \sec^2(c + dx)) dx$.1145
3.163	$\int \cos^4(c + dx)\sqrt{a + a \sec(c + dx)}(A + C \sec^2(c + dx)) dx$.1152
3.164	$\int \sec^3(c + dx)(a + a \sec(c + dx))^{3/2}(A + C \sec^2(c + dx)) dx$.1163
3.165	$\int \sec^2(c + dx)(a + a \sec(c + dx))^{3/2}(A + C \sec^2(c + dx)) dx$.1168
3.166	$\int \sec(c + dx)(a + a \sec(c + dx))^{3/2}(A + C \sec^2(c + dx)) dx$.1173
3.167	$\int (a + a \sec(c + dx))^{3/2}(A + C \sec^2(c + dx)) dx$.1177
3.168	$\int \cos(c + dx)(a + a \sec(c + dx))^{3/2}(A + C \sec^2(c + dx)) dx$.1182
3.169	$\int \cos^2(c + dx)(a + a \sec(c + dx))^{3/2}(A + C \sec^2(c + dx)) dx$.1188
3.170	$\int \cos^3(c + dx)(a + a \sec(c + dx))^{3/2}(A + C \sec^2(c + dx)) dx$.1193
3.171	$\int \cos^4(c + dx)(a + a \sec(c + dx))^{3/2}(A + C \sec^2(c + dx)) dx$.1199
3.172	$\int \cos^5(c + dx)(a + a \sec(c + dx))^{3/2}(A + C \sec^2(c + dx)) dx$.1205
3.173	$\int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1211
3.174	$\int \sec^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1216
3.175	$\int \sec(c + dx)(a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1221
3.176	$\int (a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1225
3.177	$\int \cos(c + dx)(a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1230
3.178	$\int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1236
3.179	$\int \cos^3(c + dx)(a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1242
3.180	$\int \cos^4(c + dx)(a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1248
3.181	$\int \cos^5(c + dx)(a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1254
3.182	$\int \cos^6(c + dx)(a + a \sec(c + dx))^{5/2}(A + C \sec^2(c + dx)) dx$.1260
3.183	$\int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1267
3.184	$\int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1273
3.185	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1279
3.186	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1285
3.187	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx$.1290
3.188	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1295
3.189	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1300
3.190	$\int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1306

3.191	$\int \frac{\cos^4(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$1312
3.192	$\int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$1319
3.193	$\int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$1325
3.194	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$1331
3.195	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$1337
3.196	$\int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx$1342
3.197	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$1347
3.198	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$1352
3.199	$\int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$1358
3.200	$\int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$1364
3.201	$\int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$1370
3.202	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$1376
3.203	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$1382
3.204	$\int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/2}} dx$1387
3.205	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$1393
3.206	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$1399
3.207	$\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))(A+C \sec^2(c+dx)) dx$1405
3.208	$\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))(A+C \sec^2(c+dx)) dx$1410
3.209	$\int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$1415
3.210	$\int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$1420
3.211	$\int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$1425
3.212	$\int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$1430
3.213	$\int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$1435
3.214	$\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2(A+C \sec^2(c+dx)) dx$1440
3.215	$\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2(A+C \sec^2(c+dx)) dx$1446
3.216	$\int \frac{(a+a \sec(c+dx))^2(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$1452

- 3.217 $\int \frac{(a+a \sec(c+dx))^2(A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots .1457$
- 3.218 $\int \frac{(a+a \sec(c+dx))^2(A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots .1462$
- 3.219 $\int \frac{(a+a \sec(c+dx))^2(A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots .1467$
- 3.220 $\int \frac{(a+a \sec(c+dx))^2(A+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots\dots\dots .1472$
- 3.221 $\int \frac{(a+a \sec(c+dx))^2(A+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \dots\dots\dots .1478$
- 3.222 $\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx \dots\dots\dots .1484$
- 3.223 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx \dots\dots\dots .1490$
- 3.224 $\int \frac{(a+a \sec(c+dx))^3(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots\dots\dots .1496$
- 3.225 $\int \frac{(a+a \sec(c+dx))^3(A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots .1502$
- 3.226 $\int \frac{(a+a \sec(c+dx))^3(A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots .1508$
- 3.227 $\int \frac{(a+a \sec(c+dx))^3(A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots .1514$
- 3.228 $\int \frac{(a+a \sec(c+dx))^3(A+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots\dots\dots .1520$
- 3.229 $\int \frac{(a+a \sec(c+dx))^3(A+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \dots\dots\dots .1525$
- 3.230 $\int \frac{(a+a \sec(c+dx))^3(A+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx \dots\dots\dots .1531$
- 3.231 $\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx \dots\dots\dots .1538$
- 3.232 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx \dots\dots\dots .1543$
- 3.233 $\int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx \dots\dots\dots .1548$
- 3.234 $\int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx \dots\dots\dots .1553$
- 3.235 $\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx \dots\dots\dots .1558$
- 3.236 $\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx \dots\dots\dots .1563$
- 3.237 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx \dots\dots\dots .1568$
- 3.238 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx \dots\dots\dots .1574$

3.239	$\int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$.1579
3.240	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx$.1584
3.241	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$.1589
3.242	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$.1595
3.243	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$.1600
3.244	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$.1606
3.245	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$.1612
3.246	$\int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$.1618
3.247	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3} dx$.1624
3.248	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$.1630
3.249	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$.1636
3.250	$\int \sec^{\frac{3}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx)) dx$.1642
3.251	$\int \sec^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx)) dx$.1650
3.252	$\int \sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx)) dx$.1657
3.253	$\int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$.1663
3.254	$\int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$.1668
3.255	$\int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$.1673
3.256	$\int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$.1677
3.257	$\int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$.1682
3.258	$\int \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx)) dx$.1687
3.259	$\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx)) dx$.1697
3.260	$\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx)) dx$.1706
3.261	$\int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$.1714
3.262	$\int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$.1721

3.263	$\int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$.1727
3.264	$\int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$.1733
3.265	$\int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$.1738
3.266	$\int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$.1743
3.267	$\int \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx)) dx$.1749
3.268	$\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx)) dx$.1761
3.269	$\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx)) dx$.1772
3.270	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$.1782
3.271	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$.1788
3.272	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$.1796
3.273	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$.1802
3.274	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$.1808
3.275	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$.1813
3.276	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx$.1819
3.277	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1825
3.278	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1833
3.279	$\int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1840
3.280	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}} dx$.1846
3.281	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx$.1852
3.282	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx$.1857
3.283	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx$.1863
3.284	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$.1869

3.285	$\int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$	1875
3.286	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)(a+a \sec(c+dx))^{3/2}}} dx$	1883
3.287	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}} dx$	1888
3.288	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}} dx$	1893
3.289	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$	1899
3.290	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$	1906
3.291	$\int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$	1917
3.292	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)(a+a \sec(c+dx))^{5/2}}} dx$	1922
3.293	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}} dx$	1928
3.294	$\int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}} dx$	1934
3.295	$\int (a+a \sec(c+dx))^{2/3} (A+C \sec^2(c+dx)) dx$	1940
3.296	$\int \frac{A+C \sec^2(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx$	1946
3.297	$\int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{4/3}} dx$	1952
3.298	$\int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{7/3}} dx$	1958
3.299	$\int (a+a \sec(c+dx))^{4/3} (A+C \sec^2(c+dx)) dx$	1964
3.300	$\int \sqrt[3]{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx$	1971
3.301	$\int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{2/3}} dx$	1978
3.302	$\int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/3}} dx$	1985
3.303	$\int \sec^n(c+dx)(a+a \sec(c+dx))^n (A+C \sec^2(c+dx)) dx$	1992
3.304	$\int \sec^{-1-n}(c+dx)(a+a \sec(c+dx))^n (A+C \sec^2(c+dx)) dx$	1997
3.305	$\int \left(\frac{\sec^{-n}(c+dx)(a+a \sec(c+dx))^{n(-aAn-aC(1+n) \sec(c+dx))}}{a(1+n)} + \sec^{-1-n}(c+dx)(a+a \sec(c+dx))^n (A+C \sec^2(c+dx)) \right) dx$	
3.306	$\int \sec^2(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	2007
3.307	$\int \sec(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	2012
3.308	$\int (a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	2017
3.309	$\int \cos(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	2021
3.310	$\int \cos^2(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	2025
3.311	$\int \cos^3(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	2029
3.312	$\int \cos^4(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	2033
3.313	$\int \cos^5(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	2037

3.314	$\int \sec^2(c+dx)(a+a\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx$	2041
3.315	$\int \sec(c+dx)(a+a\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx$	2046
3.316	$\int (a+a\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx$	2051
3.317	$\int \cos(c+dx)(a+a\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx$	2056
3.318	$\int \cos^2(c+dx)(a+a\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx$	2061
3.319	$\int \cos^3(c+dx)(a+a\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx$	2065
3.320	$\int \cos^4(c+dx)(a+a\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx$	2069
3.321	$\int \cos^5(c+dx)(a+a\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx$	2073
3.322	$\int \cos^6(c+dx)(a+a\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx$	2078
3.323	$\int \sec(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx$	2083
3.324	$\int (a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx$	2089
3.325	$\int \cos(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx$	2094
3.326	$\int \cos^2(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx$	2099
3.327	$\int \cos^3(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx$	2103
3.328	$\int \cos^4(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx$	2108
3.329	$\int \cos^5(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx$	2113
3.330	$\int \cos^6(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx$	2118
3.331	$\int \cos^7(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx$	2123
3.332	$\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	2128
3.333	$\int \frac{\sec^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	2134
3.334	$\int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	2139
3.335	$\int \frac{B\sec(c+dx)+C\sec^2(c+dx)}{a+a\sec(c+dx)}dx$	2144
3.336	$\int \frac{\cos(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	2148
3.337	$\int \frac{\cos^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	2152
3.338	$\int \frac{\cos^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	2156
3.339	$\int \frac{\cos^4(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)}dx$	2161
3.340	$\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2}dx$	2166
3.341	$\int \frac{\sec^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2}dx$	2172
3.342	$\int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2}dx$	2177
3.343	$\int \frac{B\sec(c+dx)+C\sec^2(c+dx)}{(a+a\sec(c+dx))^2}dx$	2182
3.344	$\int \frac{\cos(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2}dx$	2186

3.345	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2190
3.346	$\int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2195
3.347	$\int \frac{\cos^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2200
3.348	$\int \frac{\sec^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2206
3.349	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2212
3.350	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2218
3.351	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2223
3.352	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^3} dx$2227
3.353	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2231
3.354	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2236
3.355	$\int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2241
3.356	$\int \sec^4(c+dx)\sqrt{a+a \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2247
3.357	$\int \sec^3(c+dx)\sqrt{a+a \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2252
3.358	$\int \sec^2(c+dx)\sqrt{a+a \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2257
3.359	$\int \sec(c+dx)\sqrt{a+a \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2262
3.360	$\int \sqrt{a+a \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2266
3.361	$\int \cos(c+dx)\sqrt{a+a \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2270
3.362	$\int \cos^2(c+dx)\sqrt{a+a \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2275
3.363	$\int \cos^3(c+dx)\sqrt{a+a \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2280
3.364	$\int \cos^4(c+dx)\sqrt{a+a \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2286
3.365	$\int \sec^3(c+dx)(a+a \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2294
3.366	$\int \sec^2(c+dx)(a+a \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2299
3.367	$\int \sec(c+dx)(a+a \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2304
3.368	$\int (a+a \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2309
3.369	$\int \cos(c+dx)(a+a \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2313
3.370	$\int \cos^2(c+dx)(a+a \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2318
3.371	$\int \cos^3(c+dx)(a+a \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2324
3.372	$\int \cos^4(c+dx)(a+a \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2329
3.373	$\int \cos^5(c+dx)(a+a \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2335
3.374	$\int \sec^3(c+dx)(a+a \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2342
3.375	$\int \sec^2(c+dx)(a+a \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2348
3.376	$\int \sec(c+dx)(a+a \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$2354

3.377	$\int (a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx$ 2359
3.378	$\int \cos(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx$ 2363
3.379	$\int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx$ 2369
3.380	$\int \cos^3(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx$ 2376
3.381	$\int \cos^4(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx$ 2382
3.382	$\int \cos^5(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx$ 2388
3.383	$\int \cos^6(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx$ 2394
3.384	$\int \frac{\sec^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$ 2401
3.385	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$ 2407
3.386	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$ 2413
3.387	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$ 2419
3.388	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx$ 2424
3.389	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$ 2428
3.390	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$ 2433
3.391	$\int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$ 2439
3.392	$\int \frac{\cos^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$ 2445
3.393	$\int \frac{\sec^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$ 2451
3.394	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$ 2457
3.395	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$ 2463
3.396	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$ 2469
3.397	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx$ 2474
3.398	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$ 2479
3.399	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$ 2485
3.400	$\int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$ 2490
3.401	$\int \frac{\sec^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$ 2496
3.402	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$ 2502
3.403	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$ 2508
3.404	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$ 2514

3.405	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/2}} dx$2520
3.406	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$2525
3.407	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$2531
3.408	$\int \sec^3(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2537
3.409	$\int \sec^2(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2542
3.410	$\int \sec(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2547
3.411	$\int (a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2552
3.412	$\int \cos(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2556
3.413	$\int \cos^2(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2560
3.414	$\int \cos^3(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2564
3.415	$\int \cos^4(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2568
3.416	$\int \cos^5(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2573
3.417	$\int \sec^3(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2578
3.418	$\int \sec^2(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2584
3.419	$\int \sec(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2590
3.420	$\int (a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2596
3.421	$\int \cos(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2601
3.422	$\int \cos^2(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2606
3.423	$\int \cos^3(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2611
3.424	$\int \cos^4(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2616
3.425	$\int \cos^5(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2621
3.426	$\int \cos^6(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2626
3.427	$\int \sec^3(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2631
3.428	$\int \sec^2(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2637
3.429	$\int \sec(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2643
3.430	$\int (a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2649
3.431	$\int \cos(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2654
3.432	$\int \cos^2(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2660
3.433	$\int \cos^3(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2665
3.434	$\int \cos^4(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2670
3.435	$\int \cos^5(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2675
3.436	$\int \cos^6(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2680
3.437	$\int \cos^7(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2686
3.438	$\int \sec^2(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2692
3.439	$\int \sec(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2699
3.440	$\int (a+a \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$2705

3.441	$\int \cos(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$2711
3.442	$\int \cos^2(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$2717
3.443	$\int \cos^3(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$2723
3.444	$\int \cos^4(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$2729
3.445	$\int \cos^5(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$2735
3.446	$\int \cos^6(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$2740
3.447	$\int \cos^7(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$2746
3.448	$\int \cos^8(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$2752
3.449	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$2758
3.450	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$2764
3.451	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$2769
3.452	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$2774
3.453	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{a+a \sec(c+dx)} dx$2778
3.454	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$2782
3.455	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$2786
3.456	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$2791
3.457	$\int \frac{\cos^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$2796
3.458	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2801
3.459	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2807
3.460	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2813
3.461	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2818
3.462	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^2} dx$2822
3.463	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2826
3.464	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2831
3.465	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$2836
3.466	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2842
3.467	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2848
3.468	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$2854

3.469	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$ 2859
3.470	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^3} dx$ 2863
3.471	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$ 2868
3.472	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$ 2873
3.473	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$ 2879
3.474	$\int \frac{\sec^5(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$ 2885
3.475	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$ 2892
3.476	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$ 2898
3.477	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$ 2904
3.478	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$ 2909
3.479	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^4} dx$ 2914
3.480	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$ 2919
3.481	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$ 2925
3.482	$\int \sec^4(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2931
3.483	$\int \sec^3(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2936
3.484	$\int \sec^2(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2941
3.485	$\int \sec(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2946
3.486	$\int \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2950
3.487	$\int \cos(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2955
3.488	$\int \cos^2(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2960
3.489	$\int \cos^3(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2966
3.490	$\int \cos^4(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2974
3.491	$\int \sec^3(c+dx)(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2981
3.492	$\int \sec^2(c+dx)(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2986
3.493	$\int \sec(c+dx)(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2991
3.494	$\int (a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 2995
3.495	$\int \cos(c+dx)(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 3000
3.496	$\int \cos^2(c+dx)(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 3007
3.497	$\int \cos^3(c+dx)(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 3013
3.498	$\int \cos^4(c+dx)(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 3019
3.499	$\int \cos^5(c+dx)(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 3026
3.500	$\int \sec^3(c+dx)(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$ 3033

3.501	$\int \sec^2(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$	3039
3.502	$\int \sec(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$	3044
3.503	$\int (a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$	3049
3.504	$\int \cos(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$	3054
3.505	$\int \cos^2(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$	3061
3.506	$\int \cos^3(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$	3067
3.507	$\int \cos^4(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$	3073
3.508	$\int \cos^5(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$	3080
3.509	$\int \cos^6(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$	3087
3.510	$\int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}}dx$	3095
3.511	$\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}}dx$	3101
3.512	$\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}}dx$	3107
3.513	$\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}}dx$	3114
3.514	$\int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sqrt{a+a\sec(c+dx)}}dx$	3119
3.515	$\int \frac{\cos(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}}dx$	3124
3.516	$\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}}dx$	3129
3.517	$\int \frac{\cos^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}}dx$	3135
3.518	$\int \frac{\cos^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}}dx$	3142
3.519	$\int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}}dx$	3149
3.520	$\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}}dx$	3157
3.521	$\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}}dx$	3164
3.522	$\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}}dx$	3170
3.523	$\int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{(a+a\sec(c+dx))^{3/2}}dx$	3176
3.524	$\int \frac{\cos(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}}dx$	3181
3.525	$\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}}dx$	3187
3.526	$\int \frac{\cos^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}}dx$	3193
3.527	$\int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}}dx$	3200
3.528	$\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}}dx$	3207

- 3.529 $\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3213$
- 3.530 $\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3219$
- 3.531 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3224$
- 3.532 $\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3230$
- 3.533 $\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3236$
- 3.534 $\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3242$
- 3.535 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3248$
- 3.536 $\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots\dots\dots .3253$
- 3.537 $\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots .3258$
- 3.538 $\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots .3263$
- 3.539 $\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots .3268$
- 3.540 $\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots\dots\dots .3273$
- 3.541 $\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3278$
- 3.542 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3284$
- 3.543 $\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots\dots\dots .3290$
- 3.544 $\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots .3296$
- 3.545 $\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots .3302$
- 3.546 $\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots .3308$
- 3.547 $\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots\dots\dots .3313$
- 3.548 $\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \dots\dots\dots .3319$
- 3.549 $\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3325$
- 3.550 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3332$
- 3.551 $\int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots\dots\dots .3339$
- 3.552 $\int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots .3345$

- 3.553 $\int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots 3351$
- 3.554 $\int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots 3357$
- 3.555 $\int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots\dots\dots 3363$
- 3.556 $\int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \dots\dots\dots 3368$
- 3.557 $\int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx \dots\dots\dots 3375$
- 3.558 $\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx \dots\dots\dots 3382$
- 3.559 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx \dots\dots\dots 3388$
- 3.560 $\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx \dots\dots\dots 3394$
- 3.561 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx \dots\dots\dots 3400$
- 3.562 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx \dots\dots\dots 3405$
- 3.563 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx \dots\dots\dots 3411$
- 3.564 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))} dx \dots\dots\dots 3417$
- 3.565 $\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx \dots\dots\dots 3423$
- 3.566 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx \dots\dots\dots 3429$
- 3.567 $\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx \dots\dots\dots 3435$
- 3.568 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx \dots\dots\dots 3441$
- 3.569 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx \dots\dots\dots 3447$
- 3.570 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx \dots\dots\dots 3453$
- 3.571 $\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx \dots\dots\dots 3459$
- 3.572 $\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx \dots\dots\dots 3465$
- 3.573 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx \dots\dots\dots 3471$
- 3.574 $\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx \dots\dots\dots 3477$

- 3.575 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3} dx \dots\dots\dots .3483$
- 3.576 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3} dx \dots\dots\dots .3489$
- 3.577 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3} dx \dots\dots\dots .3495$
- 3.578 $\int \sec^{\frac{3}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3501$
- 3.579 $\int \sec^{\frac{3}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3511$
- 3.580 $\int \sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3519$
- 3.581 $\int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots\dots\dots .3525$
- 3.582 $\int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots .3530$
- 3.583 $\int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots .3535$
- 3.584 $\int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots .3539$
- 3.585 $\int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots\dots\dots .3544$
- 3.586 $\int \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3550$
- 3.587 $\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3556$
- 3.588 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3567$
- 3.589 $\int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots\dots\dots .3576$
- 3.590 $\int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots .3584$
- 3.591 $\int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots .3590$
- 3.592 $\int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots .3596$
- 3.593 $\int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots\dots\dots .3601$
- 3.594 $\int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \dots\dots\dots .3607$
- 3.595 $\int \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3613$
- 3.596 $\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3619$
- 3.597 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3625$
- 3.598 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots\dots\dots .3631$

- 3.599 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots 3637$
- 3.600 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots 3643$
- 3.601 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots 3649$
- 3.602 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots\dots\dots 3655$
- 3.603 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \dots\dots\dots 3661$
- 3.604 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx \dots\dots\dots 3667$
- 3.605 $\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots 3674$
- 3.606 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots 3683$
- 3.607 $\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots 3691$
- 3.608 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots 3697$
- 3.609 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots 3703$
- 3.610 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots 3708$
- 3.611 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots 3714$
- 3.612 $\int \frac{\sqrt{\sec(c+dx)}(aA+(Ab+aB) \sec(c+dx)+bB \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots 3720$
- 3.613 $\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots 3727$
- 3.614 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots 3733$
- 3.615 $\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots 3739$
- 3.616 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots 3744$
- 3.617 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots 3749$
- 3.618 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots 3754$
- 3.619 $\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots 3760$
- 3.620 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots 3766$

- 3.621 $\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3772$
- 3.622 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3777$
- 3.623 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt[3]{\sec^2(c+dx)}(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3782$
- 3.624 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt[5]{\sec^2(c+dx)}(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3788$
- 3.625 $\int (a+a \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots\dots .3794$
- 3.626 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx \dots\dots\dots .3800$
- 3.627 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{4/3}} dx \dots\dots\dots .3807$
- 3.628 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{7/3}} dx \dots\dots\dots .3814$
- 3.629 $\int (a+a \sec(c+dx))^{4/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots\dots .3822$
- 3.630 $\int \sqrt[3]{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots\dots .3832$
- 3.631 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{2/3}} dx \dots\dots\dots .3841$
- 3.632 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/3}} dx \dots\dots\dots .3850$
- 3.633 $\int \sec^m(c+dx)(a+a \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .3859$
- 3.634 $\int \sec^{-1-n}(c+dx)(a+a \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .3864$
- 3.635 $\int \left(\frac{\sec^{-n}(c+dx)(a+a \sec(c+dx))^n (-a(B+An+Bn)-aC(1+n) \sec(c+dx))}{a(1+n)} + \sec^{-1-n}(c+dx)(a+a \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) \right) dx \dots\dots\dots$
- 3.636 $\int (a+a \sec(c+dx))^m (B-C+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots\dots .3874$
- 3.637 $\int \sec^3(c+dx)(a+b \sec(c+dx)) (A+C \sec^2(c+dx)) dx \dots\dots\dots .3880$
- 3.638 $\int \sec^2(c+dx)(a+b \sec(c+dx)) (A+C \sec^2(c+dx)) dx \dots\dots\dots .3885$
- 3.639 $\int \sec(c+dx)(a+b \sec(c+dx)) (A+C \sec^2(c+dx)) dx \dots\dots\dots .3890$
- 3.640 $\int (a+b \sec(c+dx)) (A+C \sec^2(c+dx)) dx \dots\dots\dots .3894$
- 3.641 $\int \cos(c+dx)(a+b \sec(c+dx)) (A+C \sec^2(c+dx)) dx \dots\dots\dots .3898$
- 3.642 $\int \cos^2(c+dx)(a+b \sec(c+dx)) (A+C \sec^2(c+dx)) dx \dots\dots\dots .3902$
- 3.643 $\int \cos^3(c+dx)(a+b \sec(c+dx)) (A+C \sec^2(c+dx)) dx \dots\dots\dots .3906$
- 3.644 $\int \cos^4(c+dx)(a+b \sec(c+dx)) (A+C \sec^2(c+dx)) dx \dots\dots\dots .3910$
- 3.645 $\int \cos^5(c+dx)(a+b \sec(c+dx)) (A+C \sec^2(c+dx)) dx \dots\dots\dots .3914$
- 3.646 $\int \sec^2(c+dx)(a+b \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx \dots\dots\dots .3919$
- 3.647 $\int \sec(c+dx)(a+b \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx \dots\dots\dots .3925$
- 3.648 $\int (a+b \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx \dots\dots\dots .3931$
- 3.649 $\int \cos(c+dx)(a+b \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx \dots\dots\dots .3935$
- 3.650 $\int \cos^2(c+dx)(a+b \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx \dots\dots\dots .3940$
- 3.651 $\int \cos^3(c+dx)(a+b \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx \dots\dots\dots .3945$
- 3.652 $\int \cos^4(c+dx)(a+b \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx \dots\dots\dots .3950$
- 3.653 $\int \cos^5(c+dx)(a+b \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx \dots\dots\dots .3955$

3.654	$\int \sec^2(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	3960
3.655	$\int \sec(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	3966
3.656	$\int (a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	3972
3.657	$\int \cos(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	3978
3.658	$\int \cos^2(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	3983
3.659	$\int \cos^3(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	3988
3.660	$\int \cos^4(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	3993
3.661	$\int \cos^5(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	3998
3.662	$\int \cos^6(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx$	4003
3.663	$\int \sec^2(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4009
3.664	$\int \sec(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4016
3.665	$\int (a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4022
3.666	$\int \cos(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4028
3.667	$\int \cos^2(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4034
3.668	$\int \cos^3(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4039
3.669	$\int \cos^4(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4044
3.670	$\int \cos^5(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4049
3.671	$\int \cos^6(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4055
3.672	$\int \cos^7(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx$	4061
3.673	$\int (a+b\sec(c+dx))^3(a^2-b^2\sec^2(c+dx))dx$	4067
3.674	$\int (a+b\sec(c+dx))^2(a^2-b^2\sec^2(c+dx))dx$	4073
3.675	$\int (a+b\sec(c+dx))(a^2-b^2\sec^2(c+dx))dx$	4077
3.676	$\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)}dx$	4081
3.677	$\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)}dx$	4087
3.678	$\int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)}dx$	4093
3.679	$\int \frac{A+C\sec^2(c+dx)}{a+b\sec(c+dx)}dx$	4098
3.680	$\int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)}dx$	4103
3.681	$\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)}dx$	4108
3.682	$\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)}dx$	4113
3.683	$\int \frac{\cos^4(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)}dx$	4119
3.684	$\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2}dx$	4125
3.685	$\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2}dx$	4132

3.686	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4138
3.687	$\int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$.4144
3.688	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4149
3.689	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4155
3.690	$\int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4161
3.691	$\int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.4167
3.692	$\int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.4176
3.693	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.4183
3.694	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.4190
3.695	$\int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx$.4196
3.696	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.4202
3.697	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.4209
3.698	$\int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.4216
3.699	$\int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.4225
3.700	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.4233
3.701	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.4239
3.702	$\int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^4} dx$.4245
3.703	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.4253
3.704	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.4261
3.705	$\int \frac{a^2-b^2 \sec^2(c+dx)}{a+b \sec(c+dx)} dx$.4271
3.706	$\int \frac{a^2-b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$.4274
3.707	$\int \frac{a^2-b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx$.4278
3.708	$\int \frac{a^2-b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^4} dx$.4283
3.709	$\int \sec^3(c+dx) \sqrt{a+b \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.4289
3.710	$\int \sec^2(c+dx) \sqrt{a+b \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.4299
3.711	$\int \sec(c+dx) \sqrt{a+b \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.4306
3.712	$\int \sqrt{a+b \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.4312
3.713	$\int \cos(c+dx) \sqrt{a+b \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.4318

3.714	$\int \cos^2(c+dx)\sqrt{a+b\sec(c+dx)}(A+C\sec^2(c+dx))dx$.4324
3.715	$\int \cos^3(c+dx)\sqrt{a+b\sec(c+dx)}(A+C\sec^2(c+dx))dx$.4331
3.716	$\int \cos^4(c+dx)\sqrt{a+b\sec(c+dx)}(A+C\sec^2(c+dx))dx$.4338
3.717	$\int \sec^3(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx$.4347
3.718	$\int \sec^2(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx$.4357
3.719	$\int \sec(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx$.4366
3.720	$\int (a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx$.4374
3.721	$\int \cos(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx$.4380
3.722	$\int \cos^2(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx$.4388
3.723	$\int \cos^3(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx$.4395
3.724	$\int \cos^4(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx$.4403
3.725	$\int \sec^3(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx$.4411
3.726	$\int \sec^2(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx$.4419
3.727	$\int \sec(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx$.4429
3.728	$\int (a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx$.4436
3.729	$\int \cos(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx$.4445
3.730	$\int \cos^2(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx$.4452
3.731	$\int \cos^3(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx$.4462
3.732	$\int \cos^4(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx$.4470
3.733	$\int (a+b\sec(c+dx))^{3/2}(a^2-b^2\sec^2(c+dx))dx$.4478
3.734	$\int \sqrt{a+b\sec(c+dx)}(a^2-b^2\sec^2(c+dx))dx$.4485
3.735	$\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}}dx$.4491
3.736	$\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}}dx$.4499
3.737	$\int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}}dx$.4506
3.738	$\int \frac{A+C\sec^2(c+dx)}{\sqrt{a+b\sec(c+dx)}}dx$.4511
3.739	$\int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}}dx$.4517
3.740	$\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}}dx$.4522
3.741	$\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}}dx$.4529
3.742	$\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}}dx$.4536
3.743	$\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}}dx$.4545
3.744	$\int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}}dx$.4553
3.745	$\int \frac{A+C\sec^2(c+dx)}{(a+b\sec(c+dx))^{3/2}}dx$.4559

3.746	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	4565
3.747	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	4572
3.748	$\int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	4581
3.749	$\int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	4588
3.750	$\int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	4593
3.751	$\int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$	4602
3.752	$\int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	4608
3.753	$\int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	4615
3.754	$\int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{7/2}} dx$	4622
3.755	$\int \frac{a^2-b^2 \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$	4629
3.756	$\int \frac{a^2-b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$	4635
3.757	$\int \frac{a^2-b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$	4639
3.758	$\int \frac{a^2-b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^{7/2}} dx$	4645
3.759	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)(a+b \sec(c+dx))}} dx$	4654
3.760	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)\sqrt{a+b \sec(c+dx)}}} dx$	4659
3.761	$\int (a+b \sec(c+dx))^{2/3} (A+C \sec^2(c+dx)) dx$	4665
3.762	$\int \sqrt[3]{a+b \sec(c+dx)} (A+C \sec^2(c+dx)) dx$	4669
3.763	$\int \frac{A+C \sec^2(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx$	4673
3.764	$\int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{2/3}} dx$	4677
3.765	$\int \sec^3(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4681
3.766	$\int \sec^2(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4686
3.767	$\int \sec(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4691
3.768	$\int (a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4696
3.769	$\int \cos(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4700
3.770	$\int \cos^2(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4704
3.771	$\int \cos^3(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4708
3.772	$\int \cos^4(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4712
3.773	$\int \cos^5(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4716
3.774	$\int \cos^6(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4721
3.775	$\int \sec^2(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4726
3.776	$\int \sec(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$	4731

3.777	$\int (a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4736
3.778	$\int \cos(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4741
3.779	$\int \cos^2(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4745
3.780	$\int \cos^3(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4749
3.781	$\int \cos^4(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4753
3.782	$\int \cos^5(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4758
3.783	$\int \cos^6(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4763
3.784	$\int \sec^2(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4768
3.785	$\int \sec(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4774
3.786	$\int (a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4780
3.787	$\int \cos(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4785
3.788	$\int \cos^2(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4790
3.789	$\int \cos^3(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4795
3.790	$\int \cos^4(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4800
3.791	$\int \cos^5(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4805
3.792	$\int \cos^6(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$.4810
3.793	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.4816
3.794	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.4822
3.795	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.4828
3.796	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{a+b \sec(c+dx)} dx$.4833
3.797	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.4838
3.798	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.4843
3.799	$\int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.4848
3.800	$\int \frac{\cos^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.4854
3.801	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4860
3.802	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4867
3.803	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4873
3.804	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$.4879
3.805	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4884
3.806	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4889
3.807	$\int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.4895

3.808	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$	4901
3.809	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$	4909
3.810	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$	4916
3.811	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx$	4922
3.812	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$	4928
3.813	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$	4934
3.814	$\int \sec^3(c+dx)\sqrt{a+b \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	4942
3.815	$\int \sec^2(c+dx)\sqrt{a+b \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	4952
3.816	$\int \sec(c+dx)\sqrt{a+b \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	4961
3.817	$\int \sqrt{a+b \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	4967
3.818	$\int \cos(c+dx)\sqrt{a+b \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	4973
3.819	$\int \cos^2(c+dx)\sqrt{a+b \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	4979
3.820	$\int \cos^3(c+dx)\sqrt{a+b \sec(c+dx)}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	4985
3.821	$\int \sec^3(c+dx)(a+b \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	4992
3.822	$\int \sec^2(c+dx)(a+b \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5000
3.823	$\int \sec(c+dx)(a+b \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5010
3.824	$\int (a+b \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5018
3.825	$\int \cos(c+dx)(a+b \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5024
3.826	$\int \cos^2(c+dx)(a+b \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5030
3.827	$\int \cos^3(c+dx)(a+b \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5037
3.828	$\int \cos^4(c+dx)(a+b \sec(c+dx))^{3/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5045
3.829	$\int \sec^2(c+dx)(a+b \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5053
3.830	$\int \sec(c+dx)(a+b \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5061
3.831	$\int (a+b \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5070
3.832	$\int \cos(c+dx)(a+b \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5078
3.833	$\int \cos^2(c+dx)(a+b \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5085
3.834	$\int \cos^3(c+dx)(a+b \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5093
3.835	$\int \cos^4(c+dx)(a+b \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5101
3.836	$\int \cos^5(c+dx)(a+b \sec(c+dx))^{5/2}(B \sec(c+dx)+C \sec^2(c+dx)) dx$	5109
3.837	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	5117
3.838	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	5126
3.839	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	5134
3.840	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$	5140

3.841	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	5145
3.842	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	5149
3.843	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	5155
3.844	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	5165
3.845	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	5174
3.846	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$	5180
3.847	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	5186
3.848	$\int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	5193
3.849	$\int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	5201
3.850	$\int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	5209
3.851	$\int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	5216
3.852	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$	5223
3.853	$\int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	5230
3.854	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{7/2}} dx$	5237
3.855	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))} dx$	5244
3.856	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}} dx$	5249
3.857	$\int (a+b \sec(c+dx))^{2/3} (B \sec(c+dx)+C \sec^2(c+dx)) dx$	5254
3.858	$\int \sqrt[3]{a+b \sec(c+dx)} (B \sec(c+dx)+C \sec^2(c+dx)) dx$	5259
3.859	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx$	5264
3.860	$\int \frac{B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{2/3}} dx$	5269
3.861	$\int \sec^3(c+dx)(a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5274
3.862	$\int \sec^2(c+dx)(a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5279
3.863	$\int \sec(c+dx)(a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5284
3.864	$\int (a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5289
3.865	$\int \cos(c+dx)(a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5293
3.866	$\int \cos^2(c+dx)(a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5297
3.867	$\int \cos^3(c+dx)(a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5301
3.868	$\int \cos^4(c+dx)(a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5305
3.869	$\int \cos^5(c+dx)(a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5310
3.870	$\int \sec^2(c+dx)(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$	5315

3.871	$\int \sec(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5321
3.872	$\int (a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5327
3.873	$\int \cos(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5332
3.874	$\int \cos^2(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5337
3.875	$\int \cos^3(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5342
3.876	$\int \cos^4(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5347
3.877	$\int \cos^5(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5352
3.878	$\int \sec^2(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5358
3.879	$\int \sec(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5365
3.880	$\int (a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5371
3.881	$\int \cos(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5376
3.882	$\int \cos^2(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5382
3.883	$\int \cos^3(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5387
3.884	$\int \cos^4(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5392
3.885	$\int \cos^5(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5398
3.886	$\int \cos^6(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5404
3.887	$\int \sec^2(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5410
3.888	$\int \sec(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5418
3.889	$\int (a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5425
3.890	$\int \cos(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5432
3.891	$\int \cos^2(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5438
3.892	$\int \cos^3(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5444
3.893	$\int \cos^4(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5450
3.894	$\int \cos^5(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5456
3.895	$\int \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5462
3.896	$\int \cos^7(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$5468
3.897	$\int (a + b \sec(c + dx))^3 (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx$5475
3.898	$\int (a + b \sec(c + dx))^2 (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx$5481
3.899	$\int (a + b \sec(c + dx)) (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx$5486
3.900	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$5491
3.901	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$5497
3.902	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$5503
3.903	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{a+b \sec(c+dx)} dx$5509
3.904	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$5514
3.905	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$5519

3.906	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.5525
3.907	$\int \frac{\cos^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.5531
3.908	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.5538
3.909	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.5545
3.910	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.5552
3.911	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.5558
3.912	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$.5564
3.913	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.5569
3.914	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.5575
3.915	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.5581
3.916	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.5588
3.917	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.5597
3.918	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.5604
3.919	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.5611
3.920	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx$.5617
3.921	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.5624
3.922	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.5631
3.923	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.5640
3.924	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.5649
3.925	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.5658
3.926	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.5665
3.927	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^4} dx$.5672
3.928	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.5681
3.929	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$.5691
3.930	$\int \frac{abB-a^2C+b^2B \sec(c+dx)+b^2C \sec^2(c+dx)}{a+b \sec(c+dx)} dx$.5702
3.931	$\int \frac{abB-a^2C+b^2B \sec(c+dx)+b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$.5706

3.932	$\int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx \dots$.5711
3.933	$\int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^4} dx \dots$.5717
3.934	$\int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^5} dx \dots$.5724
3.935	$\int \sec^3(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5733
3.936	$\int \sec^2(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5741
3.937	$\int \sec(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5750
3.938	$\int \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5757
3.939	$\int \cos(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5763
3.940	$\int \cos^2(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5769
3.941	$\int \cos^3(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5776
3.942	$\int \sec^3(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5784
3.943	$\int \sec^2(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5791
3.944	$\int \sec(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5798
3.945	$\int (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5807
3.946	$\int \cos(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5814
3.947	$\int \cos^2(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5821
3.948	$\int \cos^3(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5830
3.949	$\int \cos^4(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5837
3.950	$\int \sec^2(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5843
3.951	$\int \sec(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5849
3.952	$\int (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5856
3.953	$\int \cos(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5862
3.954	$\int \cos^2(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5871
3.955	$\int \cos^3(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5881
3.956	$\int \cos^4(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5886
3.957	$\int \cos^5(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx \dots$.5892
3.958	$\int \frac{\sec^3(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots$.5898
3.959	$\int \frac{\sec^2(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots$.5907
3.960	$\int \frac{\sec(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots$.5915
3.961	$\int \frac{A+B \sec(c+dx) + C \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx \dots$.5922
3.962	$\int \frac{\cos(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots$.5928
3.963	$\int \frac{\cos^2(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots$.5934
3.964	$\int \frac{\sec^3(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx \dots$.5941

3.965	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$.5947
3.966	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$.5956
3.967	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$.5963
3.968	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$.5970
3.969	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$.5978
3.970	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$.5984
3.971	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$.5990
3.972	$\int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$.5997
3.973	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$.6004
3.974	$\int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$.6009
3.975	$\int (a+b \sec(c+dx))^{3/2} (abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)) dx$.6015
3.976	$\int \sqrt{a+b \sec(c+dx)} (abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)) dx$.6025
3.977	$\int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$.6032
3.978	$\int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$.6038
3.979	$\int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$.6042
3.980	$\int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^{7/2}} dx$.6050
3.981	$\int \sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$.6056
3.982	$\int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$.6062
3.983	$\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx$.6068
3.984	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$.6074
3.985	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$.6079
3.986	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$.6084
3.987	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$.6089
3.988	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$.6094
3.989	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$.6099
3.990	$\int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$.6105

- 3.991 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots \dots .6111$
- 3.992 $\int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots \dots \dots .6117$
- 3.993 $\int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots \dots \dots .6123$
- 3.994 $\int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots \dots \dots .6129$
- 3.995 $\int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots \dots \dots .6135$
- 3.996 $\int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots \dots \dots .6140$
- 3.997 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots \dots .6146$
- 3.998 $\int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots \dots \dots .6152$
- 3.999 $\int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots \dots \dots .6158$
- 3.1000 $\int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots \dots \dots .6164$
- 3.1001 $\int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots \dots \dots .6170$
- 3.1002 $\int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots \dots \dots .6176$
- 3.1003 $\int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \dots \dots \dots .6182$
- 3.1004 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots \dots .6188$
- 3.1005 $\int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots \dots \dots .6195$
- 3.1006 $\int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots \dots \dots .6201$
- 3.1007 $\int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots \dots \dots .6208$
- 3.1008 $\int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots \dots \dots .6215$
- 3.1009 $\int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots \dots \dots .6222$
- 3.1010 $\int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \dots \dots \dots .6229$
- 3.1011 $\int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx \dots \dots \dots .6235$
- 3.1012 $\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx \dots \dots \dots .6242$

3.1013	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.6248
3.1014	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$.6253
3.1015	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))} dx$.6258
3.1016	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))} dx$.6263
3.1017	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))} dx$.6268
3.1018	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))} dx$.6274
3.1019	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.6280
3.1020	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.6287
3.1021	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$.6294
3.1022	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^2} dx$.6300
3.1023	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2} dx$.6306
3.1024	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^2} dx$.6313
3.1025	$\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.6320
3.1026	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.6328
3.1027	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.6336
3.1028	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$.6343
3.1029	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^3} dx$.6350
3.1030	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$.6357
3.1031	$\int \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$.6365
3.1032	$\int \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$.6375
3.1033	$\int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$.6383
3.1034	$\int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$.6390
3.1035	$\int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$.6397

- 3.1036 $\int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots \dots \dots .6407$
- 3.1037 $\int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots \dots \dots .6418$
- 3.1038 $\int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .6424$
- 3.1039 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .6432$
- 3.1040 $\int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots \dots \dots .6439$
- 3.1041 $\int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots \dots \dots .6448$
- 3.1042 $\int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots \dots \dots .6457$
- 3.1043 $\int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots \dots \dots .6465$
- 3.1044 $\int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots \dots \dots .6476$
- 3.1045 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .6482$
- 3.1046 $\int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots \dots \dots .6490$
- 3.1047 $\int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \dots \dots \dots .6497$
- 3.1048 $\int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \dots \dots \dots .6504$
- 3.1049 $\int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \dots \dots \dots .6512$
- 3.1050 $\int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \dots \dots \dots .6518$
- 3.1051 $\int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \dots \dots \dots .6524$
- 3.1052 $\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots \dots \dots .6530$
- 3.1053 $\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots \dots \dots .6538$
- 3.1054 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}} dx \dots \dots \dots .6545$
- 3.1055 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} dx \dots \dots \dots .6552$
- 3.1056 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} dx \dots \dots \dots .6559$
- 3.1057 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{7}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} dx \dots \dots \dots .6568$
- 3.1058 $\int \frac{\sqrt{\sec(c+dx)}(aA+(Ab+aB) \sec(c+dx)+bB \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots \dots \dots .6579$

3.1059	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{\frac{3}{2}}} dx$.6586
3.1060	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{\frac{3}{2}}} dx$.6595
3.1061	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{\frac{3}{2}}} dx$.6602
3.1062	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{\frac{3}{2}}} dx$.6610
3.1063	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{\frac{3}{2}}} dx$.6620
3.1064	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{\frac{5}{2}}} dx$.6628
3.1065	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{\frac{5}{2}}} dx$.6636
3.1066	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{\frac{5}{2}}} dx$.6642
3.1067	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{\frac{5}{2}}} dx$.6648
3.1068	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{\frac{5}{2}}} dx$.6653
3.1069	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{\frac{5}{2}}} dx$.6659
3.1070	$\int (a+b \sec(c+dx))^{\frac{2}{3}} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$.6665
3.1071	$\int \sqrt[3]{a+b \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$.6669
3.1072	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx$.6673
3.1073	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{\frac{2}{3}}} dx$.6677
3.1074	$\int (a+b \sec(c+dx))^m (abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)) dx$.6681
3.1075	$\int \cos^{\frac{9}{2}}(c+dx) (A+C \sec^2(c+dx)) dx$.6685
3.1076	$\int \cos^{\frac{7}{2}}(c+dx) (A+C \sec^2(c+dx)) dx$.6689
3.1077	$\int \cos^{\frac{5}{2}}(c+dx) (A+C \sec^2(c+dx)) dx$.6693
3.1078	$\int \cos^{\frac{3}{2}}(c+dx) (A+C \sec^2(c+dx)) dx$.6697
3.1079	$\int \sqrt{\cos(c+dx)} (A+C \sec^2(c+dx)) dx$.6701
3.1080	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx$.6705
3.1081	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx$.6709
3.1082	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx$.6713
3.1083	$\int \cos^{\frac{9}{2}}(c+dx) (a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$.6717
3.1084	$\int \cos^{\frac{7}{2}}(c+dx) (a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$.6723

3.1085	$\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))(A+C \sec^2(c+dx)) dx$.6729
3.1086	$\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))(A+C \sec^2(c+dx)) dx$.6735
3.1087	$\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))(A+C \sec^2(c+dx)) dx$.6741
3.1088	$\int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$.6747
3.1089	$\int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$.6753
3.1090	$\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^2(A+C \sec^2(c+dx)) dx$.6759
3.1091	$\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^2(A+C \sec^2(c+dx)) dx$.6765
3.1092	$\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^2(A+C \sec^2(c+dx)) dx$.6771
3.1093	$\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2(A+C \sec^2(c+dx)) dx$.6777
3.1094	$\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2(A+C \sec^2(c+dx)) dx$.6783
3.1095	$\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2(A+C \sec^2(c+dx)) dx$.6789
3.1096	$\int \frac{(a+a \sec(c+dx))^2(A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$.6795
3.1097	$\int \frac{(a+a \sec(c+dx))^2(A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$.6802
3.1098	$\int \cos^{\frac{13}{2}}(c+dx)(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx$.6809
3.1099	$\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx$.6816
3.1100	$\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx$.6823
3.1101	$\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx$.6829
3.1102	$\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx$.6835
3.1103	$\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx$.6842
3.1104	$\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx$.6849
3.1105	$\int \frac{(a+a \sec(c+dx))^3(A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$.6856
3.1106	$\int \frac{(a+a \sec(c+dx))^3(A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$.6864
3.1107	$\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$.6872
3.1108	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$.6878
3.1109	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$.6884
3.1110	$\int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$.6890
3.1111	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))} dx$.6895

3.1112	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx$.6901
3.1113	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx$.6907
3.1114	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$.6913
3.1115	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$.6919
3.1116	$\int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$.6925
3.1117	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2} dx$.6931
3.1118	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$.6937
3.1119	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$.6943
3.1120	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$.6949
3.1121	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$.6955
3.1122	$\int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$.6961
3.1123	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^3} dx$.6967
3.1124	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$.6973
3.1125	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$.6979
3.1126	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$.6985
3.1127	$\int \cos^{\frac{9}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.6991
3.1128	$\int \cos^{\frac{7}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.6996
3.1129	$\int \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.7001
3.1130	$\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.7005
3.1131	$\int \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx$.7010
3.1132	$\int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$.7016
3.1133	$\int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$.7022
3.1134	$\int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$.7029
3.1135	$\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx)) dx$.7037

3.1136	$\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx)) dx$.7043
3.1137	$\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx)) dx$.7048
3.1138	$\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx)) dx$.7053
3.1139	$\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx)) dx$.7059
3.1140	$\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx)) dx$.7065
3.1141	$\int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$.7072
3.1142	$\int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$.7080
3.1143	$\int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$.7090
3.1144	$\int \cos^{\frac{13}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx)) dx$.7100
3.1145	$\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx)) dx$.7106
3.1146	$\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx)) dx$.7112
3.1147	$\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx)) dx$.7117
3.1148	$\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx)) dx$.7123
3.1149	$\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx)) dx$.7134
3.1150	$\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx)) dx$.7142
3.1151	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$.7148
3.1152	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$.7158
3.1153	$\int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$.7169
3.1154	$\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.7182
3.1155	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.7188
3.1156	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.7194
3.1157	$\int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.7199
3.1158	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} dx$.7205
3.1159	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx$.7210
3.1160	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx$.7217

3.1161	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{3}{2}}} dx$.7225
3.1162	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{3}{2}}} dx$.7230
3.1163	$\int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{3}{2}}} dx$.7235
3.1164	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{\frac{3}{2}}} dx$.7240
3.1165	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{\frac{3}{2}}} dx$.7247
3.1166	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{\frac{3}{2}}} dx$.7253
3.1167	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{5}{2}}} dx$.7259
3.1168	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{5}{2}}} dx$.7265
3.1169	$\int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{5}{2}}} dx$.7271
3.1170	$\int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{\frac{5}{2}}} dx$.7276
3.1171	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{\frac{5}{2}}} dx$.7285
3.1172	$\int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{\frac{5}{2}}} dx$.7296
3.1173	$\int \cos^{\frac{9}{2}}(c+dx) (B \sec(c+dx) + C \sec^2(c+dx)) dx$.7303
3.1174	$\int \cos^{\frac{7}{2}}(c+dx) (B \sec(c+dx) + C \sec^2(c+dx)) dx$.7307
3.1175	$\int \cos^{\frac{5}{2}}(c+dx) (B \sec(c+dx) + C \sec^2(c+dx)) dx$.7311
3.1176	$\int \cos^{\frac{3}{2}}(c+dx) (B \sec(c+dx) + C \sec^2(c+dx)) dx$.7315
3.1177	$\int \sqrt{\cos(c+dx)} (B \sec(c+dx) + C \sec^2(c+dx)) dx$.7319
3.1178	$\int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx$.7323
3.1179	$\int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx$.7327
3.1180	$\int \cos^{\frac{7}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx)) dx$.7331
3.1181	$\int \cos^{\frac{5}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx)) dx$.7336
3.1182	$\int \cos^{\frac{3}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx)) dx$.7340
3.1183	$\int \sqrt{\cos(c+dx)} (A + B \sec(c+dx) + C \sec^2(c+dx)) dx$.7345
3.1184	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx$.7350
3.1185	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx$.7355

- 3.1186 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx \dots \dots \dots .7360$
- 3.1187 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7365$
- 3.1188 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7371$
- 3.1189 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7377$
- 3.1190 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7383$
- 3.1191 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7389$
- 3.1192 $\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots \dots \dots .7395$
- 3.1193 $\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots \dots \dots .7401$
- 3.1194 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7407$
- 3.1195 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7414$
- 3.1196 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7421$
- 3.1197 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7428$
- 3.1198 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7434$
- 3.1199 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7441$
- 3.1200 $\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots \dots \dots .7448$
- 3.1201 $\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots \dots \dots .7456$
- 3.1202 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7464$
- 3.1203 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7471$
- 3.1204 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7478$
- 3.1205 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7485$
- 3.1206 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7493$
- 3.1207 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7501$
- 3.1208 $\int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots \dots \dots .7509$
- 3.1209 $\int \cos^{\frac{13}{2}}(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7517$
- 3.1210 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7524$
- 3.1211 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7531$
- 3.1212 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7539$
- 3.1213 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7547$
- 3.1214 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots \dots .7555$

3.1215	$\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx$7563
3.1216	$\int \frac{(a+a \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$7571
3.1217	$\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$7579
3.1218	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$7585
3.1219	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$7591
3.1220	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$7597
3.1221	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))} dx$7603
3.1222	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx$7609
3.1223	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx$7615
3.1224	$\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$7622
3.1225	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$7629
3.1226	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$7635
3.1227	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$7641
3.1228	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2} dx$7647
3.1229	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$7653
3.1230	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$7659
3.1231	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$7666
3.1232	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$7673
3.1233	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$7680
3.1234	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$7687
3.1235	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^3} dx$7693
3.1236	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$7700
3.1237	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$7706

- 3.1238 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3} dx \dots\dots\dots .7713$
- 3.1239 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx \dots\dots\dots .7720$
- 3.1240 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx \dots\dots\dots .7727$
- 3.1241 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^4} dx \dots\dots\dots .7734$
- 3.1242 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^4} dx \dots\dots\dots .7741$
- 3.1243 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^4} dx \dots\dots\dots .7748$
- 3.1244 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^4} dx \dots\dots\dots .7754$
- 3.1245 $\int \cos^{\frac{7}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7761$
- 3.1246 $\int \cos^{\frac{7}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7766$
- 3.1247 $\int \cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7771$
- 3.1248 $\int \cos^{\frac{3}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7776$
- 3.1249 $\int \sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7781$
- 3.1250 $\int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots .7787$
- 3.1251 $\int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots .7794$
- 3.1252 $\int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots .7802$
- 3.1253 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7812$
- 3.1254 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7818$
- 3.1255 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7824$
- 3.1256 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7829$
- 3.1257 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7835$
- 3.1258 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7842$
- 3.1259 $\int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots .7850$
- 3.1260 $\int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots .7859$
- 3.1261 $\int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots .7870$
- 3.1262 $\int \cos^{\frac{13}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7876$
- 3.1263 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots\dots .7882$

- 3.1264 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .7888$
- 3.1265 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .7894$
- 3.1266 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .7900$
- 3.1267 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .7911$
- 3.1268 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .7920$
- 3.1269 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots .7926$
- 3.1270 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots .7932$
- 3.1271 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \dots .7938$
- 3.1272 $\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots .7945$
- 3.1273 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots .7951$
- 3.1274 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots .7957$
- 3.1275 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots .7963$
- 3.1276 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} dx \dots .7969$
- 3.1277 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx \dots .7974$
- 3.1278 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx \dots .7982$
- 3.1279 $\int \frac{\sqrt{\cos(c+dx)}(aA+(Ab+aB) \sec(c+dx)+bB \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots .7992$
- 3.1280 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx \dots .7998$
- 3.1281 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx \dots .8004$
- 3.1282 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx \dots .8009$
- 3.1283 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2}} dx \dots .8014$
- 3.1284 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}} dx \dots .8022$
- 3.1285 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}} dx \dots .8028$
- 3.1286 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots .8034$
- 3.1287 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots .8040$

3.1288	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots$.8046
3.1289	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2}} dx \dots$.8052
3.1290	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}} dx \dots$.8063
3.1291	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}} dx \dots$.8069
3.1292	$\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8076
3.1293	$\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8081
3.1294	$\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8086
3.1295	$\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8092
3.1296	$\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8098
3.1297	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots$.8104
3.1298	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots$.8109
3.1299	$\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8115
3.1300	$\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8121
3.1301	$\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8128
3.1302	$\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8135
3.1303	$\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8142
3.1304	$\int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots$.8149
3.1305	$\int \cos^{\frac{11}{2}}(c+dx)(a+b \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8155
3.1306	$\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8161
3.1307	$\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8169
3.1308	$\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8178
3.1309	$\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8187
3.1310	$\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8195
3.1311	$\int \frac{(a+b \sec(c+dx))^3(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots$.8203
3.1312	$\int \cos^{\frac{11}{2}}(c+dx)(a+b \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8212
3.1313	$\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8218
3.1314	$\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8228
3.1315	$\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^4(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots$.8238

- 3.1316 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots 8248$
- 3.1317 $\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots 8258$
- 3.1318 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx \dots 8268$
- 3.1319 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx \dots 8274$
- 3.1320 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx \dots 8280$
- 3.1321 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))} dx \dots 8285$
- 3.1322 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))} dx \dots 8290$
- 3.1323 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))} dx \dots 8295$
- 3.1324 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx \dots 8301$
- 3.1325 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx \dots 8308$
- 3.1326 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^2} dx \dots 8314$
- 3.1327 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2} dx \dots 8320$
- 3.1328 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^2} dx \dots 8326$
- 3.1329 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx \dots 8333$
- 3.1330 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx \dots 8341$
- 3.1331 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^3} dx \dots 8348$
- 3.1332 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^3} dx \dots 8355$
- 3.1333 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^3} dx \dots 8362$
- 3.1334 $\int \cos^{\frac{9}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots 8369$
- 3.1335 $\int \cos^{\frac{7}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots 8379$
- 3.1336 $\int \cos^{\frac{5}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots 8388$
- 3.1337 $\int \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots 8395$
- 3.1338 $\int \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots 8402$
- 3.1339 $\int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots 8409$
- 3.1340 $\int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots 8417$

- 3.1341 $\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8425$
- 3.1342 $\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8435$
- 3.1343 $\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8444$
- 3.1344 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8451$
- 3.1345 $\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8459$
- 3.1346 $\int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots .8466$
- 3.1347 $\int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots .8474$
- 3.1348 $\int \cos^{\frac{11}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8483$
- 3.1349 $\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8491$
- 3.1350 $\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8501$
- 3.1351 $\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8510$
- 3.1352 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8518$
- 3.1353 $\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx \dots .8526$
- 3.1354 $\int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots .8534$
- 3.1355 $\int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots .8543$
- 3.1356 $\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots .8550$
- 3.1357 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots .8558$
- 3.1358 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots .8565$
- 3.1359 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots .8571$
- 3.1360 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} dx \dots .8578$
- 3.1361 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} dx \dots .8585$
- 3.1362 $\int \frac{\sqrt{\cos(c+dx)}(aA+(Ab+aB) \sec(c+dx)+bB \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx \dots .8593$
- 3.1363 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx \dots .8600$
- 3.1364 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx \dots .8609$
- 3.1365 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx \dots .8617$
- 3.1366 $\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{3/2}} dx \dots .8623$

3.1367	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{5}}(c+dx)(a+b \sec(c+dx))^{3/2}} dx$8630
3.1368	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$8638
3.1369	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$8647
3.1370	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$8655
3.1371	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{5/2}} dx$8665
3.1372	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}} dx$8673
3.1373	$\int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}} dx$8682

4 Listing of Grading functions

8689

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [1373]. This is test number [125].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100. (1373)	% 0. (0)
Mathematica	% 97.82 (1343)	% 2.18 (30)
Maple	% 91.99 (1263)	% 8.01 (110)
Maxima	% 33.43 (459)	% 66.57 (914)
Fricas	% 53.02 (728)	% 46.98 (645)
Sympy	% 0.8 (11)	% 99.2 (1362)
Giac	% 38.67 (531)	% 61.33 (842)


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	100.	0.	0.	0.
Mathematica	46.83	18.72	32.27	2.18
Maple	35.18	53.39	3.42	8.01
Maxima	17.12	16.31	0.	66.57
Fricas	47.56	5.46	0.	46.98
Sympy	0.8	0.	0.	99.2
Giac	20.54	18.14	0.	61.33

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.63	233.36	0.99	208.	1.
Mathematica	6.59	2839.5	8.42	311.	1.58
Maple	1.54	1097.44	3.59	476.	2.59
Maxima	1.85	1283.95	6.69	400.	2.47
Fricas	3.28	939.42	5.02	700.	4.64
Sympy	0.61	10.55	0.5	0.	0.
Giac	2.91	539.41	2.94	386.	2.4

1.4 list of integrals that has no closed form antiderivative

{761, 762, 763, 764, 1070, 1071, 1072, 1073, 1074}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {5, 10, 15, 21, 22, 23, 27, 28, 29, 30, 32, 33, 34, 35, 36, 39, 45, 46, 51, 52, 65, 66, 67, 68, 69, 72, 73, 74, 76, 77, 78, 79, 80, 81, 122, 130, 131, 138, 146, 147, 189, 198, 206, 216, 218, 222, 246, 247, 248, 249, 250, 251, 252, 254, 258, 259, 260, 261, 262, 263, 267, 268, 269, 270, 271, 272, 273, 277, 278, 279, 280, 282, 283, 284, 285, 289, 290, 390, 399, 406, 407, 510, 511, 512, 513, 516, 519, 520, 521, 522, 523, 525, 527, 528, 529, 530, 531, 533, 541, 549, 550, 558, 559, 561, 562, 563, 564, 565, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 625, 626, 627, 628, 629, 630, 631, 632, 636, 684, 686, 687, 691, 692, 693, 694, 695, 696, 698, 699, 701, 702, 703, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 735, 736, 737, 738, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 758, 801, 808, 814, 815, 816, 817, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830,

831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 842, 843, 844, 845, 846, 848, 849, 850, 851, 852, 853, 854, 857, 858, 859, 860, 908, 909, 910, 911, 912, 917, 918, 919, 920, 921, 924, 926, 927, 928, 935, 936, 937, 938, 939, 940, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 970, 971, 972, 973, 974, 975, 976, 979, 981, 982, 983, 989, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1043, 1044, 1045, 1046, 1047, 1048, 1050, 1051, 1052, 1055, 1056, 1057, 1059, 1061, 1062, 1063, 1064, 1066, 1067, 1068, 1069, 1078, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1182, 1183, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1271, 1294, 1295, 1296, 1300, 1301, 1302, 1303, 1306, 1307, 1308, 1309, 1310, 1311, 1313, 1314, 1315, 1316, 1317, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each `integrate` call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the `integrate` command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using sagemath (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```

from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')

```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail with error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For FriCAS, Giac and Maxima (all called via `sagemath`) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in>

```

def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())

try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    # what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount = 1

```

For Sympy, called directly from Python, the following code is used

try:

```
# 1.7 is a fudge factor since it is low side from actual leaf count
leafCount = round(1.7*count_ops(anti))
```


```
except Exception as ee:
```

```
leafCount = 1
```

When these cas systems have a buildin function to find the leaf size of expressions, it will be used instead, and these tests run again.

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer. the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507,

508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365,

1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 4, 5, 10, 15, 19, 20, 31, 32, 33, 40, 44, 45, 46, 51, 52, 75, 76, 77, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 98, 99, 100, 101, 102, 108, 109, 110, 111, 117, 118, 119, 120, 127, 128, 129, 140, 141, 148, 149, 150, 155, 156, 157, 158, 159, 160, 161, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 184, 185, 186, 187, 188, 190, 191, 193, 194, 195, 196, 197, 199, 200, 201, 202, 203, 204, 205, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 264, 265, 266, 267, 268, 269, 270, 271, 274, 275, 276, 277, 286, 287, 288, 291, 292, 293, 294, 305, 308, 309, 310, 311, 312, 313, 316, 318, 319, 320, 321, 322, 324, 326, 328, 329, 330, 331, 337, 342, 343, 349, 350, 351, 352, 356, 357, 358, 359, 360, 361, 362, 365, 366, 367, 368, 369, 370, 371, 374, 376, 377, 378, 379, 380, 381, 384, 385, 386, 387, 388, 389, 391, 392, 393, 394, 395, 396, 397, 398, 401, 402, 403, 404, 408, 409, 412, 413, 414, 415, 416, 417, 423, 424, 425, 426, 427, 428, 434, 435, 436, 437, 439, 445, 446, 447, 448, 454, 455, 469, 476, 477, 478, 481, 482, 483, 484, 485, 486, 487, 488, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 514, 515, 517, 518, 524, 526, 532, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 635, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 650, 651, 652, 653, 654, 655, 657, 658, 659, 660, 661, 662, 663, 664, 667, 668, 669, 670, 671, 672, 674, 675, 680, 681, 682, 683, 684, 688, 689, 690, 691, 692, 697, 698, 700, 705, 706, 707, 708, 710, 711, 724, 727, 737, 739, 744, 749, 753, 756, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 789, 790, 791, 792, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 816, 817, 824, 839, 840, 841, 845, 846, 852, 855, 856, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 874, 875, 876, 877, 878, 879, 882, 883, 884, 885, 886, 887, 888, 891, 892, 893, 894, 895, 896, 897, 898, 899, 904, 905, 906, 907, 908, 909, 913, 914, 915, 917, 922, 925, 930, 931, 932, 933, 937, 941, 942, 949, 950, 964, 970, 978, 980, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1024, 1025, 1026, 1030, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1080, 1081, 1082, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1184, 1185, 1186, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1297, 1298, 1299, 1304, 1305, 1312, 1318, 1319, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333 }

B grade: { 94, 95, 96, 97, 103, 104, 105, 106, 107, 112, 113, 114, 115, 116, 121, 122, 123, 124, 125, 126, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 142, 143, 144, 145, 146, 147, 151, 152, 153, 154,

183, 192, 262, 263, 272, 273, 278, 279, 280, 281, 282, 283, 284, 285, 289, 290, 306, 307, 314, 315, 317, 323, 325, 327, 332, 333, 334, 335, 336, 338, 339, 340, 341, 344, 345, 346, 347, 348, 353, 354, 355, 375, 410, 411, 418, 419, 420, 421, 422, 429, 430, 431, 432, 433, 438, 440, 441, 442, 443, 444, 449, 450, 451, 452, 453, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 470, 471, 472, 473, 474, 475, 479, 480, 625, 626, 627, 628, 629, 630, 631, 632, 636, 647, 648, 649, 656, 665, 666, 673, 685, 704, 709, 713, 715, 716, 717, 718, 719, 720, 721, 723, 725, 726, 728, 729, 730, 731, 732, 733, 735, 736, 741, 742, 743, 745, 746, 748, 750, 751, 752, 754, 788, 793, 794, 814, 815, 820, 821, 822, 823, 825, 826, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 843, 844, 848, 849, 850, 851, 854, 857, 858, 859, 860, 872, 873, 880, 881, 889, 890, 910, 916, 923, 934, 935, 936, 938, 939, 943, 944, 945, 946, 947, 948, 951, 952, 953, 954, 955, 956, 958, 959, 960, 961, 962, 965, 966, 967, 968, 971, 972, 973, 974, 975, 976, 1019, 1020, 1021, 1022, 1023, 1027, 1028, 1029, 1271 }

C grade: { 1, 2, 3, 6, 7, 8, 9, 11, 12, 13, 14, 16, 17, 18, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 34, 35, 36, 37, 38, 39, 41, 42, 43, 47, 48, 49, 50, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 78, 79, 80, 81, 162, 163, 189, 198, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 363, 364, 372, 373, 382, 383, 390, 399, 400, 405, 406, 407, 489, 490, 510, 511, 512, 513, 516, 519, 520, 521, 522, 523, 525, 527, 528, 529, 530, 531, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 676, 677, 678, 679, 686, 687, 693, 694, 695, 696, 699, 701, 702, 703, 712, 714, 722, 734, 738, 740, 747, 755, 757, 758, 818, 819, 827, 842, 847, 853, 900, 901, 902, 903, 911, 912, 918, 919, 920, 921, 924, 926, 927, 928, 929, 940, 957, 963, 969, 977, 979, 981, 982, 983, 984, 985, 986, 987, 988, 989, 1031, 1032, 1033, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1043, 1044, 1045, 1046, 1047, 1048, 1050, 1051, 1052, 1053, 1055, 1056, 1057, 1058, 1059, 1061, 1062, 1063, 1064, 1066, 1067, 1068, 1069, 1078, 1079, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1182, 1183, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1294, 1295, 1296, 1300, 1301, 1302, 1303, 1306, 1307, 1308, 1309, 1310, 1311, 1313, 1314, 1315, 1316, 1317, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373 }

F grade: { 82, 83, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 633, 634, 759, 760, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1034, 1042, 1049, 1054, 1060, 1065, 1320 }

2.1.3 Maple

A grade: { 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 125, 126, 127, 131, 132, 133, 134, 135, 136, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 160, 164, 165, 166, 168, 173, 174, 175, 211, 212, 213, 218, 219, 220, 221, 228, 229, 230, }

233, 234, 235, 236, 240, 241, 242, 245, 246, 247, 248, 249, 255, 256, 257, 262, 263, 264, 265, 266, 271, 272, 273, 274, 275, 276, 281, 282, 283, 287, 288, 294, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 335, 336, 337, 341, 342, 343, 344, 345, 346, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 365, 366, 367, 368, 374, 375, 376, 377, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 447, 454, 462, 463, 467, 468, 469, 470, 471, 472, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 491, 492, 493, 500, 501, 502, 546, 547, 548, 555, 556, 557, 560, 561, 562, 563, 564, 569, 570, 577, 583, 584, 585, 591, 592, 593, 594, 601, 602, 603, 604, 609, 610, 611, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 679, 680, 694, 700, 701, 705, 706, 756, 759, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 796, 797, 804, 810, 811, 841, 855, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 919, 925, 926, 930, 931, 978, 1013, 1014, 1015, 1070, 1071, 1072, 1073, 1074, 1090, 1091, 1092, 1098, 1099, 1100, 1107, 1108, 1109, 1110, 1111, 1114, 1120, 1121, 1127, 1128, 1129, 1130, 1131, 1135, 1136, 1137, 1138, 1139, 1144, 1145, 1146, 1147, 1148, 1149, 1153, 1154, 1155, 1156, 1157, 1158, 1161, 1162, 1163, 1164, 1165, 1167, 1168, 1169, 1173, 1176, 1177, 1183, 1194, 1202, 1203, 1209, 1210, 1217, 1218, 1219, 1220, 1224, 1225, 1245, 1246, 1247, 1248, 1253, 1254, 1255, 1256, 1262, 1263, 1264, 1265, 1266, 1272, 1273, 1274, 1275, 1279, 1280, 1281, 1320 }

B grade: { 121, 122, 123, 124, 128, 129, 130, 137, 159, 161, 162, 163, 167, 169, 170, 171, 172, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 214, 215, 216, 217, 222, 223, 224, 225, 226, 227, 231, 232, 237, 238, 239, 243, 244, 250, 251, 252, 253, 254, 258, 259, 260, 261, 267, 268, 269, 270, 277, 278, 279, 280, 284, 285, 286, 289, 290, 291, 292, 293, 332, 333, 334, 338, 339, 340, 347, 361, 362, 363, 364, 369, 370, 371, 372, 373, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 446, 448, 449, 450, 451, 452, 453, 455, 456, 457, 458, 459, 460, 461, 464, 465, 466, 473, 474, 486, 487, 488, 489, 490, 494, 495, 496, 497, 498, 499, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 549, 550, 551, 552, 553, 554, 558, 559, 565, 566, 567, 568, 571, 572, 573, 574, 575, 576, 578, 579, 580, 581, 582, 586, 587, 588, 589, 590, 595, 596, 597, 598, 599, 600, 605, 606, 607, 608, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 676, 677, 678, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 695, 696, 697, 698, 699, 702, 703, 704, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 757, 758, 793, 794, 795, 798, 799, 800, 801, 802, 803, 805, 806, 807, 808, 809, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 888, 889, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 920, 921, 922, 923, 924, 927, 928, 929, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006,

1007, 1008, 1009, 1010, 1011, 1012, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1035, 1036, 1037, 1043, 1044, 1050, 1051, 1055, 1056, 1057, 1061, 1062, 1063, 1066, 1067, 1068, 1069, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1093, 1094, 1095, 1096, 1097, 1101, 1102, 1103, 1104, 1105, 1106, 1112, 1113, 1115, 1116, 1117, 1118, 1119, 1122, 1123, 1124, 1125, 1126, 1132, 1133, 1134, 1140, 1141, 1142, 1143, 1150, 1151, 1152, 1159, 1160, 1166, 1170, 1171, 1172, 1174, 1175, 1178, 1179, 1180, 1181, 1182, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1204, 1205, 1206, 1207, 1208, 1211, 1212, 1213, 1214, 1215, 1216, 1221, 1222, 1223, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1249, 1250, 1251, 1252, 1257, 1258, 1259, 1260, 1261, 1267, 1268, 1269, 1270, 1271, 1276, 1277, 1278, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1341, 1342, 1348, 1349, 1356, 1357, 1358, 1363, 1364, 1365, 1368, 1369, 1370, 1371 }

C grade: { 760, 856, 1031, 1032, 1033, 1034, 1038, 1039, 1040, 1041, 1042, 1045, 1046, 1047, 1048, 1049, 1052, 1053, 1054, 1058, 1059, 1060, 1064, 1065, 1337, 1338, 1339, 1340, 1343, 1344, 1345, 1346, 1347, 1350, 1351, 1352, 1353, 1354, 1355, 1359, 1360, 1361, 1362, 1366, 1367, 1372, 1373 }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 857, 858, 859, 860 }

2.1.4 Maxima

A grade: { 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 108, 109, 110, 113, 114, 115, 116, 117, 118, 119, 120, 127, 134, 136, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 306, 307, 308, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 326, 327, 328, 329, 330, 331, 342, 343, 344, 348, 349, 350, 351, 352, 353, 354, 355, 408, 409, 410, 411, 412, 413, 414, 415, 416, 420, 421, 422, 423, 424, 425, 426, 431, 432, 433, 434, 435, 436, 437, 442, 443, 444, 445, 447, 468, 469, 470, 476, 477, 478, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 761, 762, 763, 764, 765, 766, 767, 768, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 1070, 1071, 1072, 1073, 1074 }

B grade: { 102, 111, 112, 121, 122, 123, 124, 125, 126, 128, 129, 130, 131, 132, 133, 135, 137, 160, 161, 162, 163, 168, 177, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 271, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 285, 290, 305, 309, 323, 324, 325, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 345, 346, 347, 361, 362, 363, 364, 369, 370, 378, 379, 417, 418, 419, 427, 428, 429, 430, 438, 439, 440, 441, 446, 448, 449, 450, 451, 452, 453, 454, }

455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 471, 472, 473, 474, 475, 479, 480, 481, 487, 488, 489, 495, 504, 578, 579, 580, 581, 582, 583, 584, 585, 587, 588, 589, 590, 591, 592, 593, 594, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 635, 769, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1159, 1160, 1164, 1170, 1171, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1262, 1263, 1264, 1265, 1266, 1267, 1272, 1273, 1274, 1275, 1277, 1278, 1279, 1283, 1289 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 155, 156, 157, 158, 159, 164, 165, 166, 167, 169, 170, 171, 172, 173, 174, 175, 176, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 270, 272, 284, 286, 287, 288, 289, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 356, 357, 358, 359, 360, 365, 366, 367, 368, 371, 372, 373, 374, 375, 376, 377, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 482, 483, 484, 485, 486, 490, 491, 492, 493, 494, 496, 497, 498, 499, 500, 501, 502, 503, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 586, 595, 596, 597, 598, 599, 600, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 636, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1150, 1158, 1161, 1162, 1163, 1165, 1166, 1167, 1168, 1169, 1172,

1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1261, 1268, 1269, 1270, 1271, 1276, 1280, 1281, 1282, 1284, 1285, 1286, 1287, 1288, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373
}

2.1.5 FriCAS

A grade: { 84, 85, 86, 87, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 197, 198, 199, 200, 201, 202, 203, 205, 206, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 286, 287, 288, 289, 291, 292, 293, 294, 305, 306, 307, 308, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 399, 400, 401, 402, 403, 404, 405, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 524, 525, 526, 527, 528, 529, 530, 532, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 613, 614, 616, 617, 618, 619, 621, 622, 623, 624, 635, 637, 638, 639, 640, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 679, 680, 681, 682, 683, 688, 689, 690, 706, 765, 766, 767, 768, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 796, 797, 798, 799, 800, 804, 807, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 903, 904, 905, 906, 907, 914, 915, 930, 931, 1074, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255,

1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291 }

B grade: { 88, 196, 204, 285, 290, 309, 334, 397, 398, 406, 452, 523, 531, 612, 615, 620, 641, 677, 678, 684, 685, 686, 687, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 707, 708, 769, 793, 794, 795, 801, 802, 803, 805, 806, 808, 809, 810, 811, 812, 813, 901, 902, 909, 910, 911, 912, 913, 918, 919, 920, 921, 922, 925, 926, 927, 928, 929, 932, 933, 934 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 636, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 908, 916, 917, 923, 924, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373 }

2.1.6 Sympy

A grade: { 705, 761, 762, 763, 764, 930, 1070, 1071, 1072, 1073, 1074 }

B grade: { }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827,

828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373 }

2.1.7 Giac

A grade: { 84, 85, 87, 89, 90, 91, 92, 93, 94, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 164, 165, 166, 173, 174, 175, 183, 184, 186, 192, 193, 195, 200, 201, 203, 306, 307, 312, 313, 314, 315, 316, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 365, 366, 367, 368, 374, 375, 376, 377, 384, 385, 386, 387, 393, 394, 395, 396, 401, 402, 403, 404, 405, 416, 417, 418, 421, 422, 423, 424, 425, 426, 427, 428, 430, 431, 432, 433, 434, 435, 436, 437, 438, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 491, 500, 501, 511, 513, 520, 522, 528, 530, 649, 650, 659, 667,

668, 674, 677, 678, 679, 680, 681, 684, 686, 687, 689, 690, 696, 706, 707, 761, 762, 763, 764, 788, 789, 795, 796, 797, 798, 799, 801, 803, 804, 805, 807, 813, 873, 892, 902, 903, 904, 905, 908, 909, 911, 912, 914, 915, 931, 932, 1070, 1071, 1072, 1073, 1074 }

B grade: { 86, 88, 95, 158, 160, 161, 162, 163, 169, 170, 171, 172, 177, 178, 179, 180, 181, 182, 185, 187, 188, 189, 190, 191, 194, 196, 202, 204, 308, 309, 310, 311, 317, 318, 360, 362, 363, 364, 370, 371, 372, 373, 379, 380, 381, 382, 383, 388, 389, 390, 391, 392, 397, 398, 406, 408, 409, 410, 411, 412, 413, 414, 415, 419, 420, 429, 439, 483, 484, 485, 487, 488, 489, 490, 492, 493, 495, 496, 497, 498, 499, 502, 504, 505, 506, 507, 508, 509, 510, 512, 514, 515, 516, 517, 518, 519, 521, 523, 527, 529, 531, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 651, 652, 653, 654, 655, 656, 657, 658, 660, 661, 662, 663, 664, 665, 666, 669, 670, 671, 672, 673, 676, 682, 683, 685, 688, 691, 692, 693, 694, 695, 697, 698, 699, 700, 701, 702, 703, 704, 705, 708, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 790, 791, 792, 793, 794, 800, 802, 806, 808, 809, 810, 811, 812, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 893, 894, 895, 896, 897, 898, 899, 900, 901, 906, 907, 910, 913, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 933, 934 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 159, 167, 168, 176, 197, 198, 199, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 361, 369, 378, 399, 400, 407, 486, 494, 503, 524, 525, 526, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 675, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096,

1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	189	0	0	0	0	0
normalized size	1	1.	1.99	0.	0.	0.	0.	0.
time (sec)	N/A	0.08	2.091	0.135	0.	0.	0.	0.

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	185	0	0	0	0	0
normalized size	1	1.	2.01	0.	0.	0.	0.	0.
time (sec)	N/A	0.08	1.507	0.134	0.	0.	0.	0.

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	162	0	0	0	0	0
normalized size	1	1.	1.84	0.	0.	0.	0.	0.
time (sec)	N/A	0.064	1.178	0.119	0.	0.	0.	0.

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	93	0	0	0	0	0
normalized size	1	1.	1.04	0.	0.	0.	0.	0.
time (sec)	N/A	0.087	0.138	0.199	0.	0.	0.	0.

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	93	93	89	0	0	0	0	0
normalized size	1	1.	0.96	0.	0.	0.	0.	0.
time (sec)	N/A	0.104	0.102	0.311	0.	0.	0.	0.

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	236	0	0	0	0	0
normalized size	1	1.	2.48	0.	0.	0.	0.	0.
time (sec)	N/A	0.086	1.741	0.136	0.	0.	0.	0.

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	192	0	0	0	0	0
normalized size	1	1.	2.09	0.	0.	0.	0.	0.
time (sec)	N/A	0.08	2.511	0.136	0.	0.	0.	0.

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	182	0	0	0	0	0
normalized size	1	1.	2.02	0.	0.	0.	0.	0.
time (sec)	N/A	0.084	1.036	0.119	0.	0.	0.	0.

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	91	91	163	0	0	0	0	0
normalized size	1	1.	1.79	0.	0.	0.	0.	0.
time (sec)	N/A	0.094	1.05	0.23	0.	0.	0.	0.

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	91	91	90	0	0	0	0	0
normalized size	1	1.	0.99	0.	0.	0.	0.	0.
time (sec)	N/A	0.115	0.13	0.313	0.	0.	0.	0.

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	207	0	0	0	0	0
normalized size	1	1.	2.18	0.	0.	0.	0.	0.
time (sec)	N/A	0.087	2.725	0.141	0.	0.	0.	0.

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	168	0	0	0	0	0
normalized size	1	1.	1.83	0.	0.	0.	0.	0.
time (sec)	N/A	0.084	1.253	0.132	0.	0.	0.	0.

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	127	0	0	0	0	0
normalized size	1	1.	1.41	0.	0.	0.	0.	0.
time (sec)	N/A	0.074	0.724	0.115	0.	0.	0.	0.

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	121	0	0	0	0	0
normalized size	1	1.	1.38	0.	0.	0.	0.	0.
time (sec)	N/A	0.097	0.552	0.184	0.	0.	0.	0.

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	93	93	89	0	0	0	0	0
normalized size	1	1.	0.96	0.	0.	0.	0.	0.
time (sec)	N/A	0.109	0.107	0.295	0.	0.	0.	0.

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	165	0	0	0	0	0
normalized size	1	1.	1.74	0.	0.	0.	0.	0.
time (sec)	N/A	0.079	0.958	0.14	0.	0.	0.	0.

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	130	0	0	0	0	0
normalized size	1	1.	1.41	0.	0.	0.	0.	0.
time (sec)	N/A	0.075	0.591	0.162	0.	0.	0.	0.

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	124	0	0	0	0	0
normalized size	1	1.	1.38	0.	0.	0.	0.	0.
time (sec)	N/A	0.071	0.434	0.121	0.	0.	0.	0.

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	92	0	0	0	0	0
normalized size	1	1.	1.02	0.	0.	0.	0.	0.
time (sec)	N/A	0.09	0.109	0.197	0.	0.	0.	0.

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	96	0	0	0	0	0
normalized size	1	1.	1.03	0.	0.	0.	0.	0.
time (sec)	N/A	0.109	0.671	0.305	0.	0.	0.	0.

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	146	146	303	0	0	0	0	0
normalized size	1	1.	2.08	0.	0.	0.	0.	0.
time (sec)	N/A	0.116	3.403	0.167	0.	0.	0.	0.

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	146	146	303	0	0	0	0	0
normalized size	1	1.	2.08	0.	0.	0.	0.	0.
time (sec)	N/A	0.118	2.584	0.156	0.	0.	0.	0.

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	144	144	303	0	0	0	0	0
normalized size	1	1.	2.1	0.	0.	0.	0.	0.
time (sec)	N/A	0.117	2.588	0.174	0.	0.	0.	0.

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	311	0	0	0	0	0
normalized size	1	1.	2.12	0.	0.	0.	0.	0.
time (sec)	N/A	0.12	6.829	0.151	0.	0.	0.	0.

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	311	0	0	0	0	0
normalized size	1	1.	2.14	0.	0.	0.	0.	0.
time (sec)	N/A	0.127	8.244	0.149	0.	0.	0.	0.

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	340	0	0	0	0	0
normalized size	1	1.	2.3	0.	0.	0.	0.	0.
time (sec)	N/A	0.134	3.511	0.155	0.	0.	0.	0.

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	145	145	289	0	0	0	0	0
normalized size	1	1.	1.99	0.	0.	0.	0.	0.
time (sec)	N/A	0.111	7.792	1.011	0.	0.	0.	0.

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	120	120	274	0	0	0	0	0
normalized size	1	1.	2.28	0.	0.	0.	0.	0.
time (sec)	N/A	0.112	6.9	0.533	0.	0.	0.	0.

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	109	109	282	0	0	0	0	0
normalized size	1	1.	2.59	0.	0.	0.	0.	0.
time (sec)	N/A	0.102	6.587	0.712	0.	0.	0.	0.

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	113	113	273	0	0	0	0	0
normalized size	1	1.	2.42	0.	0.	0.	0.	0.
time (sec)	N/A	0.083	5.61	0.687	0.	0.	0.	0.

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	119	0	0	0	0	0
normalized size	1	1.	1.02	0.	0.	0.	0.	0.
time (sec)	N/A	0.118	0.232	0.752	0.	0.	0.	0.

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	132	132	107	0	0	0	0	0
normalized size	1	1.	0.81	0.	0.	0.	0.	0.
time (sec)	N/A	0.146	0.185	0.948	0.	0.	0.	0.

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	132	132	118	0	0	0	0	0
normalized size	1	1.	0.89	0.	0.	0.	0.	0.
time (sec)	N/A	0.143	0.249	1.328	0.	0.	0.	0.

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	142	142	341	0	0	0	0	0
normalized size	1	1.	2.4	0.	0.	0.	0.	0.
time (sec)	N/A	0.124	3.163	0.213	0.	0.	0.	0.

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	142	142	303	0	0	0	0	0
normalized size	1	1.	2.13	0.	0.	0.	0.	0.
time (sec)	N/A	0.127	2.273	0.234	0.	0.	0.	0.

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	140	140	303	0	0	0	0	0
normalized size	1	1.	2.16	0.	0.	0.	0.	0.
time (sec)	N/A	0.12	2.331	0.222	0.	0.	0.	0.

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	311	0	0	0	0	0
normalized size	1	1.	2.21	0.	0.	0.	0.	0.
time (sec)	N/A	0.114	4.565	0.234	0.	0.	0.	0.

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	343	0	0	0	0	0
normalized size	1	1.	2.45	0.	0.	0.	0.	0.
time (sec)	N/A	0.126	2.859	0.222	0.	0.	0.	0.

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	142	142	338	0	0	0	0	0
normalized size	1	1.	2.38	0.	0.	0.	0.	0.
time (sec)	N/A	0.129	3.671	0.22	0.	0.	0.	0.

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	129	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.125	0.237	1.178	0.	0.	0.	0.

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	346	0	0	0	0	0
normalized size	1	1.	2.25	0.	0.	0.	0.	0.
time (sec)	N/A	0.159	4.85	0.153	0.	0.	0.	0.

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	265	0	0	0	0	0
normalized size	1	1.	1.75	0.	0.	0.	0.	0.
time (sec)	N/A	0.16	5.635	0.149	0.	0.	0.	0.

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	311	0	0	0	0	0
normalized size	1	1.	2.13	0.	0.	0.	0.	0.
time (sec)	N/A	0.14	2.052	0.138	0.	0.	0.	0.

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	120	0	0	0	0	0
normalized size	1	1.	0.81	0.	0.	0.	0.	0.
time (sec)	N/A	0.163	0.204	0.247	0.	0.	0.	0.

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	150	150	116	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.195	0.168	0.36	0.	0.	0.	0.

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	154	154	118	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.192	0.225	0.638	0.	0.	0.	0.

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	444	0	0	0	0	0
normalized size	1	1.	2.88	0.	0.	0.	0.	0.
time (sec)	N/A	0.153	6.486	0.177	0.	0.	0.	0.

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	465	0	0	0	0	0
normalized size	1	1.	3.08	0.	0.	0.	0.	0.
time (sec)	N/A	0.154	6.981	0.155	0.	0.	0.	0.

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	290	0	0	0	0	0
normalized size	1	1.	1.99	0.	0.	0.	0.	0.
time (sec)	N/A	0.137	2.397	0.139	0.	0.	0.	0.

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	303	0	0	0	0	0
normalized size	1	1.	2.08	0.	0.	0.	0.	0.
time (sec)	N/A	0.159	2.351	0.24	0.	0.	0.	0.

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	150	150	117	0	0	0	0	0
normalized size	1	1.	0.78	0.	0.	0.	0.	0.
time (sec)	N/A	0.186	0.206	0.36	0.	0.	0.	0.

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	154	154	118	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.191	0.173	0.64	0.	0.	0.	0.

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	304	0	0	0	0	0
normalized size	1	1.	1.97	0.	0.	0.	0.	0.
time (sec)	N/A	0.152	2.979	0.161	0.	0.	0.	0.

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	305	0	0	0	0	0
normalized size	1	1.	2.07	0.	0.	0.	0.	0.
time (sec)	N/A	0.146	1.905	0.15	0.	0.	0.	0.

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	173	0	0	0	0	0
normalized size	1	1.	1.22	0.	0.	0.	0.	0.
time (sec)	N/A	0.135	1.831	0.131	0.	0.	0.	0.

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	305	0	0	0	0	0
normalized size	1	1.	2.07	0.	0.	0.	0.	0.
time (sec)	N/A	0.14	1.463	0.006	0.	0.	0.	0.

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	304	0	0	0	0	0
normalized size	1	1.	1.97	0.	0.	0.	0.	0.
time (sec)	N/A	0.148	2.899	0.006	0.	0.	0.	0.

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	333	0	0	0	0	0
normalized size	1	1.	2.16	0.	0.	0.	0.	0.
time (sec)	N/A	0.157	2.441	0.169	0.	0.	0.	0.

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	299	0	0	0	0	0
normalized size	1	1.	1.94	0.	0.	0.	0.	0.
time (sec)	N/A	0.151	1.667	0.151	0.	0.	0.	0.

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	175	0	0	0	0	0
normalized size	1	1.	1.17	0.	0.	0.	0.	0.
time (sec)	N/A	0.144	1.921	0.154	0.	0.	0.	0.

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	298	0	0	0	0	0
normalized size	1	1.	2.04	0.	0.	0.	0.	0.
time (sec)	N/A	0.138	1.931	0.143	0.	0.	0.	0.

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	175	0	0	0	0	0
normalized size	1	1.	1.17	0.	0.	0.	0.	0.
time (sec)	N/A	0.141	1.196	0.008	0.	0.	0.	0.

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	299	0	0	0	0	0
normalized size	1	1.	1.94	0.	0.	0.	0.	0.
time (sec)	N/A	0.148	1.676	0.006	0.	0.	0.	0.

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	699	0	0	0	0	0
normalized size	1	1.	4.54	0.	0.	0.	0.	0.
time (sec)	N/A	0.151	6.342	0.164	0.	0.	0.	0.

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	230	230	484	0	0	0	0	0
normalized size	1	1.	2.1	0.	0.	0.	0.	0.
time (sec)	N/A	0.188	7.95	0.194	0.	0.	0.	0.

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	227	227	547	0	0	0	0	0
normalized size	1	1.	2.41	0.	0.	0.	0.	0.
time (sec)	N/A	0.191	6.706	0.18	0.	0.	0.	0.

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	225	225	494	0	0	0	0	0
normalized size	1	1.	2.2	0.	0.	0.	0.	0.
time (sec)	N/A	0.189	7.231	0.184	0.	0.	0.	0.

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	228	228	548	0	0	0	0	0
normalized size	1	1.	2.4	0.	0.	0.	0.	0.
time (sec)	N/A	0.191	11.555	0.179	0.	0.	0.	0.

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	226	226	545	0	0	0	0	0
normalized size	1	1.	2.41	0.	0.	0.	0.	0.
time (sec)	N/A	0.192	10.529	0.178	0.	0.	0.	0.

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	492	0	0	0	0	0
normalized size	1	1.	2.1	0.	0.	0.	0.	0.
time (sec)	N/A	0.205	8.8	0.184	0.	0.	0.	0.

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	226	226	436	0	0	0	0	0
normalized size	1	1.	1.93	0.	0.	0.	0.	0.
time (sec)	N/A	0.181	6.471	1.165	0.	0.	0.	0.

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	189	189	462	0	0	0	0	0
normalized size	1	1.	2.44	0.	0.	0.	0.	0.
time (sec)	N/A	0.195	5.514	0.679	0.	0.	0.	0.

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	182	182	460	0	0	0	0	0
normalized size	1	1.	2.53	0.	0.	0.	0.	0.
time (sec)	N/A	0.185	5.171	0.871	0.	0.	0.	0.

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	175	175	401	0	0	0	0	0
normalized size	1	1.	2.29	0.	0.	0.	0.	0.
time (sec)	N/A	0.143	4.83	0.612	0.	0.	0.	0.

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	161	0	0	0	0	0
normalized size	1	1.	0.84	0.	0.	0.	0.	0.
time (sec)	N/A	0.194	0.34	0.822	0.	0.	0.	0.

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	208	208	155	0	0	0	0	0
normalized size	1	1.	0.75	0.	0.	0.	0.	0.
time (sec)	N/A	0.217	0.273	1.056	0.	0.	0.	0.

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	208	208	168	0	0	0	0	0
normalized size	1	1.	0.81	0.	0.	0.	0.	0.
time (sec)	N/A	0.21	0.452	1.424	0.	0.	0.	0.

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	223	223	493	0	0	0	0	0
normalized size	1	1.	2.21	0.	0.	0.	0.	0.
time (sec)	N/A	0.196	7.877	0.236	0.	0.	0.	0.

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	223	223	487	0	0	0	0	0
normalized size	1	1.	2.18	0.	0.	0.	0.	0.
time (sec)	N/A	0.188	7.225	0.234	0.	0.	0.	0.

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	221	221	492	0	0	0	0	0
normalized size	1	1.	2.23	0.	0.	0.	0.	0.
time (sec)	N/A	0.179	7.962	0.242	0.	0.	0.	0.

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	222	222	548	0	0	0	0	0
normalized size	1	1.	2.47	0.	0.	0.	0.	0.
time (sec)	N/A	0.181	8.534	0.247	0.	0.	0.	0.

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	221	221	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.199	180.001	0.255	0.	0.	0.	0.

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	223	223	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.201	180.001	0.24	0.	0.	0.	0.

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	93	192	236	389	0	294
normalized size	1	1.	0.66	1.37	1.69	2.78	0.	2.1
time (sec)	N/A	0.185	0.718	0.048	0.942	0.517	0.	1.24

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	75	149	205	335	0	254
normalized size	1	1.	0.64	1.27	1.75	2.86	0.	2.17
time (sec)	N/A	0.17	0.428	0.043	0.941	0.509	0.	1.257

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	56	108	135	285	0	211
normalized size	1	1.	0.65	1.26	1.57	3.31	0.	2.45
time (sec)	N/A	0.108	0.27	0.046	0.931	0.508	0.	1.184

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	67	85	119	267	0	142
normalized size	1	1.	1.16	1.47	2.05	4.6	0.	2.45
time (sec)	N/A	0.054	0.027	0.041	0.926	0.516	0.	1.212

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	54	57	80	232	0	161
normalized size	1	1.	1.29	1.36	1.9	5.52	0.	3.83
time (sec)	N/A	0.101	0.027	0.071	0.929	0.53	0.	1.271

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	52	77	95	167	0	134
normalized size	1	1.	0.9	1.33	1.64	2.88	0.	2.31
time (sec)	N/A	0.127	0.081	0.081	0.93	0.52	0.	1.299

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	59	68	90	140	0	169
normalized size	1	1.	0.77	0.88	1.17	1.82	0.	2.19
time (sec)	N/A	0.145	0.128	0.082	0.929	0.485	0.	1.254

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	77	96	122	189	0	211
normalized size	1	1.	0.81	1.01	1.28	1.99	0.	2.22
time (sec)	N/A	0.177	0.231	0.089	0.929	0.496	0.	1.155

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	86	117	153	242	0	251
normalized size	1	1.	0.66	0.89	1.17	1.85	0.	1.92
time (sec)	N/A	0.187	0.278	0.107	0.933	0.501	0.	1.19

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	321	210	294	409	0	332
normalized size	1	1.	1.87	1.22	1.71	2.38	0.	1.93
time (sec)	N/A	0.385	1.79	0.119	0.944	0.52	0.	1.269

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	291	166	306	356	0	286
normalized size	1	1.	2.2	1.26	2.32	2.7	0.	2.17
time (sec)	N/A	0.212	1.408	0.049	0.944	0.512	0.	1.244

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	96	96	1090	134	177	331	0	252
normalized size	1	1.	11.35	1.4	1.84	3.45	0.	2.62
time (sec)	N/A	0.14	6.512	0.051	0.931	0.517	0.	1.203

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	330	114	192	320	0	205
normalized size	1	1.	2.95	1.02	1.71	2.86	0.	1.83
time (sec)	N/A	0.19	2.612	0.086	0.939	0.526	0.	1.231

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	292	107	136	296	0	193
normalized size	1	1.	2.45	0.9	1.14	2.49	0.	1.62
time (sec)	N/A	0.29	1.06	0.079	0.94	0.525	0.	1.228

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	109	128	154	236	0	242
normalized size	1	1.	0.99	1.16	1.4	2.15	0.	2.2
time (sec)	N/A	0.268	0.212	0.091	0.94	0.527	0.	1.223

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	73	142	178	207	0	238
normalized size	1	1.	0.54	1.04	1.31	1.52	0.	1.75
time (sec)	N/A	0.307	0.23	0.097	0.943	0.491	0.	1.2

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	97	160	211	258	0	284
normalized size	1	1.	0.57	0.95	1.25	1.53	0.	1.68
time (sec)	N/A	0.387	0.397	0.111	0.942	0.499	0.	1.189

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	123	211	275	315	0	329
normalized size	1	1.	0.63	1.09	1.42	1.62	0.	1.7
time (sec)	N/A	0.412	0.633	0.111	0.945	0.512	0.	1.208

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	197	197	387	257	516	474	0	378
normalized size	1	1.	1.96	1.3	2.62	2.41	0.	1.92
time (sec)	N/A	0.417	2.787	0.06	0.961	0.531	0.	1.247

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	323	212	385	419	0	332
normalized size	1	1.	2.06	1.35	2.45	2.67	0.	2.11
time (sec)	N/A	0.256	1.993	0.066	0.952	0.52	0.	1.252

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	363	180	338	386	0	300
normalized size	1	1.	2.47	1.22	2.3	2.63	0.	2.04
time (sec)	N/A	0.219	1.945	0.054	0.944	0.534	0.	1.258

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	1250	152	239	379	0	296
normalized size	1	1.	8.62	1.05	1.65	2.61	0.	2.04
time (sec)	N/A	0.25	6.395	0.098	0.942	0.53	0.	1.243

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	364	151	236	365	0	311
normalized size	1	1.	2.25	0.93	1.46	2.25	0.	1.92
time (sec)	N/A	0.414	4.245	0.093	0.945	0.531	0.	1.303

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	1014	146	185	350	0	284
normalized size	1	1.	6.5	0.94	1.19	2.24	0.	1.82
time (sec)	N/A	0.397	6.175	0.103	0.945	0.53	0.	1.255

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	124	175	231	284	0	288
normalized size	1	1.	0.73	1.04	1.37	1.68	0.	1.7
time (sec)	N/A	0.41	0.305	0.095	0.95	0.532	0.	1.292

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	97	197	257	266	0	284
normalized size	1	1.	0.6	1.22	1.6	1.65	0.	1.76
time (sec)	N/A	0.33	0.321	0.101	0.945	0.504	0.	1.235

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	123	245	323	321	0	329
normalized size	1	1.	0.57	1.13	1.5	1.49	0.	1.52
time (sec)	N/A	0.551	0.456	0.134	0.956	0.515	0.	1.261

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	419	303	624	531	0	424
normalized size	1	1.	1.84	1.33	2.74	2.33	0.	1.86
time (sec)	N/A	0.481	4.948	0.065	0.966	0.542	0.	1.267

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	188	188	387	258	606	471	0	378
normalized size	1	1.	2.06	1.37	3.22	2.51	0.	2.01
time (sec)	N/A	0.303	3.456	0.072	0.964	0.533	0.	1.238

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	177	177	418	226	416	452	0	347
normalized size	1	1.	2.36	1.28	2.35	2.55	0.	1.96
time (sec)	N/A	0.294	2.918	0.066	0.956	0.539	0.	1.254

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	379	197	400	437	0	342
normalized size	1	1.	2.09	1.09	2.21	2.41	0.	1.89
time (sec)	N/A	0.342	2.459	0.112	0.956	0.547	0.	1.311

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	1420	189	285	425	0	335
normalized size	1	1.	7.4	0.98	1.48	2.21	0.	1.74
time (sec)	N/A	0.528	6.412	0.102	0.953	0.543	0.	1.261

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	198	198	1250	190	285	432	0	335
normalized size	1	1.	6.31	0.96	1.44	2.18	0.	1.69
time (sec)	N/A	0.546	6.218	0.108	0.953	0.547	0.	1.245

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	375	191	262	408	0	329
normalized size	1	1.	1.88	0.96	1.31	2.04	0.	1.64
time (sec)	N/A	0.574	2.283	0.095	0.95	0.548	0.	1.275

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	207	207	147	221	309	351	0	335
normalized size	1	1.	0.71	1.07	1.49	1.7	0.	1.62
time (sec)	N/A	0.552	0.423	0.132	0.955	0.551	0.	1.327

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	119	284	369	319	0	329
normalized size	1	1.	0.62	1.48	1.92	1.66	0.	1.71
time (sec)	N/A	0.366	0.344	0.118	0.957	0.512	0.	1.242

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	254	254	145	322	431	377	0	375
normalized size	1	1.	0.57	1.27	1.7	1.48	0.	1.48
time (sec)	N/A	0.719	0.638	0.119	0.956	0.525	0.	1.255

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	792	386	551	477	0	288
normalized size	1	1.	4.8	2.34	3.34	2.89	0.	1.75
time (sec)	N/A	0.202	6.333	0.068	0.957	0.517	0.	1.211

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	133	133	1090	294	439	429	0	250
normalized size	1	1.	8.2	2.21	3.3	3.23	0.	1.88
time (sec)	N/A	0.179	6.518	0.061	0.95	0.519	0.	1.224

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	316	209	323	377	0	176
normalized size	1	1.	2.95	1.95	3.02	3.52	0.	1.64
time (sec)	N/A	0.167	3.011	0.059	0.944	0.504	0.	1.221

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	57	57	227	121	194	288	0	136
normalized size	1	1.	3.98	2.12	3.4	5.05	0.	2.39
time (sec)	N/A	0.152	1.792	0.051	0.94	0.497	0.	1.209

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	143	98	169	242	0	108
normalized size	1	1.	2.92	2.	3.45	4.94	0.	2.2
time (sec)	N/A	0.108	0.435	0.06	1.407	0.507	0.	1.22

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	52	52	108	88	158	132	0	100
normalized size	1	1.	2.08	1.69	3.04	2.54	0.	1.92
time (sec)	N/A	0.109	0.279	0.08	1.425	0.478	0.	1.172

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	96	96	159	144	248	192	0	130
normalized size	1	1.	1.66	1.5	2.58	2.	0.	1.35
time (sec)	N/A	0.153	0.351	0.099	1.416	0.484	0.	1.168

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	225	280	363	243	0	205
normalized size	1	1.	1.81	2.26	2.93	1.96	0.	1.65
time (sec)	N/A	0.169	0.795	0.092	1.426	0.49	0.	1.173

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	283	352	474	290	0	243
normalized size	1	1.	1.81	2.26	3.04	1.86	0.	1.56
time (sec)	N/A	0.187	0.696	0.1	1.435	0.498	0.	1.166

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	172	172	623	338	512	591	0	304
normalized size	1	1.	3.62	1.97	2.98	3.44	0.	1.77
time (sec)	N/A	0.329	2.94	0.071	0.966	0.526	0.	1.182

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	150	150	513	249	389	554	0	231
normalized size	1	1.	3.42	1.66	2.59	3.69	0.	1.54
time (sec)	N/A	0.305	2.115	0.069	0.957	0.517	0.	1.252

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	280	164	258	429	0	192
normalized size	1	1.	2.83	1.66	2.61	4.33	0.	1.94
time (sec)	N/A	0.252	1.475	0.056	0.953	0.505	0.	1.196

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	81	377	119	197	338	0	151
normalized size	1	1.08	5.03	1.59	2.63	4.51	0.	2.01
time (sec)	N/A	0.162	0.831	0.059	0.945	0.498	0.	1.216

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	141	97	161	228	0	113
normalized size	1	1.	2.07	1.43	2.37	3.35	0.	1.66
time (sec)	N/A	0.121	0.496	0.057	1.416	0.469	0.	1.194

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	195	130	223	261	0	154
normalized size	1	1.	2.38	1.59	2.72	3.18	0.	1.88
time (sec)	N/A	0.218	0.765	0.088	1.429	0.483	0.	1.219

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	281	184	319	332	0	185
normalized size	1	1.	2.05	1.34	2.33	2.42	0.	1.35
time (sec)	N/A	0.31	1.141	0.094	1.43	0.491	0.	1.217

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	349	322	439	369	0	258
normalized size	1	1.	2.14	1.98	2.69	2.26	0.	1.58
time (sec)	N/A	0.325	0.911	0.095	1.434	0.504	0.	1.235

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	198	198	632	289	446	740	0	279
normalized size	1	1.	3.19	1.46	2.25	3.74	0.	1.41
time (sec)	N/A	0.49	2.867	0.074	0.963	0.523	0.	1.232

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	457	204	315	576	0	240
normalized size	1	1.	3.15	1.41	2.17	3.97	0.	1.66
time (sec)	N/A	0.427	3.012	0.062	0.959	0.513	0.	1.246

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	236	139	225	481	0	177
normalized size	1	1.	1.92	1.13	1.83	3.91	0.	1.44
time (sec)	N/A	0.33	1.589	0.059	0.957	0.503	0.	1.255

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	121	88	181	221	0	120
normalized size	1	1.	1.16	0.85	1.74	2.12	0.	1.15
time (sec)	N/A	0.187	0.541	0.059	0.952	0.464	0.	1.227

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	106	106	227	117	189	351	0	140
normalized size	1	1.	2.14	1.1	1.78	3.31	0.	1.32
time (sec)	N/A	0.18	0.844	0.068	1.424	0.476	0.	1.216

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	120	120	283	170	277	386	0	204
normalized size	1	1.	2.36	1.42	2.31	3.22	0.	1.7
time (sec)	N/A	0.355	1.82	0.092	1.442	0.49	0.	1.239

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	385	224	373	478	0	235
normalized size	1	1.	2.1	1.22	2.04	2.61	0.	1.28
time (sec)	N/A	0.466	1.416	0.107	1.434	0.507	0.	1.196

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	455	362	493	525	0	308
normalized size	1	1.	2.11	1.68	2.28	2.43	0.	1.43
time (sec)	N/A	0.497	1.817	0.105	1.441	0.511	0.	1.209

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	232	232	746	329	502	923	0	325
normalized size	1	1.	3.22	1.42	2.16	3.98	0.	1.4
time (sec)	N/A	0.649	4.229	0.08	0.974	0.534	0.	1.233

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	183	183	544	244	370	722	0	286
normalized size	1	1.	2.97	1.33	2.02	3.95	0.	1.56
time (sec)	N/A	0.589	2.604	0.067	0.97	0.52	0.	1.217

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	283	199	308	624	0	246
normalized size	1	1.	1.76	1.24	1.91	3.88	0.	1.53
time (sec)	N/A	0.484	2.193	0.068	0.961	0.512	0.	1.246

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	151	88	236	308	0	158
normalized size	1	1.	1.09	0.64	1.71	2.23	0.	1.14
time (sec)	N/A	0.374	0.641	0.067	0.974	0.463	0.	1.232

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	171	90	236	309	0	158
normalized size	1	1.	1.2	0.63	1.66	2.18	0.	1.11
time (sec)	N/A	0.247	0.718	0.064	0.965	0.467	0.	1.212

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	315	177	271	477	0	208
normalized size	1	1.	2.32	1.3	1.99	3.51	0.	1.53
time (sec)	N/A	0.262	1.05	0.071	1.438	0.489	0.	1.215

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	371	210	332	516	0	248
normalized size	1	1.	2.44	1.38	2.18	3.39	0.	1.63
time (sec)	N/A	0.499	1.228	0.104	1.448	0.5	0.	1.204

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	505	264	429	632	0	279
normalized size	1	1.	2.35	1.23	2.	2.94	0.	1.3
time (sec)	N/A	0.627	2.317	0.117	1.448	0.517	0.	1.191

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	248	248	575	402	547	676	0	352
normalized size	1	1.	2.32	1.62	2.21	2.73	0.	1.42
time (sec)	N/A	0.687	2.756	0.111	1.456	0.53	0.	1.197

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	143	151	0	352	0	424
normalized size	1	1.	0.64	0.68	0.	1.58	0.	1.9
time (sec)	N/A	0.516	1.065	0.406	0.	0.506	0.	4.71

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	122	129	0	302	0	362
normalized size	1	1.	0.68	0.72	0.	1.68	0.	2.01
time (sec)	N/A	0.445	0.986	0.352	0.	0.496	0.	4.62

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	99	107	0	255	0	300
normalized size	1	1.	0.72	0.78	0.	1.86	0.	2.19
time (sec)	N/A	0.391	0.784	0.331	0.	0.486	0.	4.56

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	71	85	0	205	0	238
normalized size	1	1.	0.75	0.89	0.	2.16	0.	2.51
time (sec)	N/A	0.198	0.987	0.309	0.	0.483	0.	4.587

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	96	96	96	216	0	771	0	0
normalized size	1	1.	1.	2.25	0.	8.03	0.	0.
time (sec)	N/A	0.146	0.638	0.327	0.	0.547	0.	0.

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	94	94	84	138	1069	679	0	485
normalized size	1	1.	0.89	1.47	11.37	7.22	0.	5.16
time (sec)	N/A	0.201	0.328	0.348	1.819	0.544	0.	6.338

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	108	376	1629	779	0	602
normalized size	1	1.	0.98	3.42	14.81	7.08	0.	5.47
time (sec)	N/A	0.251	0.414	0.376	2.086	0.638	0.	6.441

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	117	569	3663	873	0	1156
normalized size	1	1.	0.76	3.72	23.94	5.71	0.	7.56
time (sec)	N/A	0.351	0.36	0.444	2.704	0.649	0.	6.697

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	70	751	10394	984	0	1458
normalized size	1	1.	0.36	3.83	53.03	5.02	0.	7.44
time (sec)	N/A	0.42	0.191	0.375	3.507	0.737	0.	6.814

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	144	152	0	375	0	424
normalized size	1	1.	0.64	0.68	0.	1.67	0.	1.88
time (sec)	N/A	0.655	1.365	0.327	0.	0.516	0.	4.828

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	174	174	121	130	0	319	0	362
normalized size	1	1.	0.7	0.75	0.	1.83	0.	2.08
time (sec)	N/A	0.477	1.24	0.29	0.	0.504	0.	4.735

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	100	108	0	266	0	300
normalized size	1	1.	0.76	0.82	0.	2.02	0.	2.27
time (sec)	N/A	0.263	1.172	0.286	0.	0.499	0.	4.7

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	133	133	122	330	0	887	0	0
normalized size	1	1.	0.92	2.48	0.	6.67	0.	0.
time (sec)	N/A	0.223	1.198	0.295	0.	0.567	0.	0.

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	113	239	1085	863	0	0
normalized size	1	1.	0.83	1.76	7.98	6.35	0.	0.
time (sec)	N/A	0.289	1.195	0.332	1.862	0.566	0.	0.

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	109	397	0	828	0	695
normalized size	1	1.	0.72	2.63	0.	5.48	0.	4.6
time (sec)	N/A	0.428	0.754	0.356	0.	0.651	0.	6.649

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	118	570	0	919	0	1166
normalized size	1	1.	0.76	3.68	0.	5.93	0.	7.52
time (sec)	N/A	0.462	1.201	0.393	0.	0.652	0.	6.934

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	140	752	0	1018	0	1467
normalized size	1	1.	0.7	3.76	0.	5.09	0.	7.34
time (sec)	N/A	0.571	1.402	0.329	0.	0.744	0.	7.437

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	245	245	159	934	0	1157	0	1771
normalized size	1	1.	0.65	3.81	0.	4.72	0.	7.23
time (sec)	N/A	0.639	2.154	0.366	0.	0.763	0.	7.638

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	273	273	169	176	0	470	0	486
normalized size	1	1.	0.62	0.64	0.	1.72	0.	1.78
time (sec)	N/A	0.865	1.924	0.359	0.	0.527	0.	5.317

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	147	154	0	382	0	424
normalized size	1	1.	0.7	0.73	0.	1.81	0.	2.01
time (sec)	N/A	0.533	1.494	0.301	0.	0.517	0.	5.134

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	125	132	0	333	0	362
normalized size	1	1.	0.74	0.78	0.	1.97	0.	2.14
time (sec)	N/A	0.316	1.397	0.287	0.	0.507	0.	5.182

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	151	434	0	1030	0	0
normalized size	1	1.	0.89	2.55	0.	6.06	0.	0.
time (sec)	N/A	0.308	1.836	0.314	0.	0.583	0.	0.

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	173	173	145	343	1868	1008	0	649
normalized size	1	1.	0.84	1.98	10.8	5.83	0.	3.75
time (sec)	N/A	0.369	1.783	0.339	1.948	0.582	0.	6.882

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	188	188	137	402	0	1022	0	748
normalized size	1	1.	0.73	2.14	0.	5.44	0.	3.98
time (sec)	N/A	0.598	0.886	0.361	0.	0.672	0.	7.031

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	132	583	0	968	0	1261
normalized size	1	1.	0.69	3.04	0.	5.04	0.	6.57
time (sec)	N/A	0.619	1.481	0.406	0.	0.67	0.	7.348

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	143	754	0	1076	0	1480
normalized size	1	1.	0.72	3.77	0.	5.38	0.	7.4
time (sec)	N/A	0.655	1.6	0.29	0.	0.751	0.	7.726

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	245	245	160	936	0	1197	0	1782
normalized size	1	1.	0.65	3.82	0.	4.89	0.	7.27
time (sec)	N/A	0.761	2.478	0.329	0.	0.766	0.	8.166

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	290	290	182	1118	0	1311	0	2084
normalized size	1	1.	0.63	3.86	0.	4.52	0.	7.19
time (sec)	N/A	0.858	2.228	0.371	0.	0.802	0.	8.535

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	474	966	0	1189	0	556
normalized size	1	1.	2.01	4.09	0.	5.04	0.	2.36
time (sec)	N/A	0.803	6.67	0.429	0.	0.648	0.	9.485

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	193	193	173	776	0	1098	0	333
normalized size	1	1.	0.9	4.02	0.	5.69	0.	1.73
time (sec)	N/A	0.594	6.119	0.366	0.	0.611	0.	9.31

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	160	586	0	998	0	394
normalized size	1	1.	1.05	3.86	0.	6.57	0.	2.59
time (sec)	N/A	0.417	4.339	0.346	0.	0.605	0.	8.929

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	125	385	0	895	0	193
normalized size	1	1.	1.15	3.53	0.	8.21	0.	1.77
time (sec)	N/A	0.206	1.519	0.326	0.	0.6	0.	9.11

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	126	271	0	1150	0	405
normalized size	1	1.	1.1	2.36	0.	10.	0.	3.52
time (sec)	N/A	0.162	0.923	0.289	0.	2.602	0.	11.005

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	113	113	113	282	0	1177	0	531
normalized size	1	1.	1.	2.5	0.	10.42	0.	4.7
time (sec)	N/A	0.224	0.773	0.339	0.	2.584	0.	11.608

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	159	159	10837	695	0	1299	0	680
normalized size	1	1.	68.16	4.37	0.	8.17	0.	4.28
time (sec)	N/A	0.369	26.409	0.37	0.	5.886	0.	11.746

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	145	1056	0	1399	0	1153
normalized size	1	1.	0.72	5.28	0.	7.	0.	5.76
time (sec)	N/A	0.563	0.556	0.332	0.	5.901	0.	12.093

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	160	1406	0	1523	0	1418
normalized size	1	1.	0.66	5.79	0.	6.27	0.	5.84
time (sec)	N/A	0.729	0.764	0.379	0.	8.696	0.	14.307

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	259	259	527	974	0	1392	0	593
normalized size	1	1.	2.03	3.76	0.	5.37	0.	2.29
time (sec)	N/A	0.845	6.802	0.438	0.	0.65	0.	9.31

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	189	784	0	1268	0	420
normalized size	1	1.	0.88	3.66	0.	5.93	0.	1.96
time (sec)	N/A	0.627	4.906	0.339	0.	0.627	0.	9.494

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	162	594	0	1173	0	398
normalized size	1	1.	0.96	3.51	0.	6.94	0.	2.36
time (sec)	N/A	0.448	3.645	0.311	0.	0.62	0.	9.102

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	126	127	405	0	987	0	251
normalized size	1	1.	1.01	3.21	0.	7.83	0.	1.99
time (sec)	N/A	0.23	1.813	0.275	0.	0.608	0.	9.059

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	154	554	0	1432	0	416
normalized size	1	1.	1.23	4.43	0.	11.46	0.	3.33
time (sec)	N/A	0.19	1.388	0.232	0.	7.925	0.	11.228

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	167	561	0	1486	0	0
normalized size	1	1.	1.06	3.55	0.	9.41	0.	0.
time (sec)	N/A	0.386	1.577	0.333	0.	7.982	0.	0.

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	217	217	12015	1064	0	1646	0	0
normalized size	1	1.	55.37	4.9	0.	7.59	0.	0.
time (sec)	N/A	0.588	26.764	0.369	0.	15.148	0.	0.

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	266	266	204	1414	0	1756	0	0
normalized size	1	1.	0.77	5.32	0.	6.6	0.	0.
time (sec)	N/A	0.776	2.921	0.325	0.	15.046	0.	0.

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	259	259	220	976	0	1567	0	591
normalized size	1	1.	0.85	3.77	0.	6.05	0.	2.28
time (sec)	N/A	0.837	3.373	0.356	0.	0.662	0.	9.373

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	212	212	196	786	0	1447	0	419
normalized size	1	1.	0.92	3.71	0.	6.83	0.	1.98
time (sec)	N/A	0.659	2.336	0.365	0.	0.62	0.	9.619

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	136	597	0	1238	0	386
normalized size	1	1.	0.82	3.62	0.	7.5	0.	2.34
time (sec)	N/A	0.456	3.203	0.301	0.	0.602	0.	9.088

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	130	130	120	602	0	1238	0	257
normalized size	1	1.	0.92	4.63	0.	9.52	0.	1.98
time (sec)	N/A	0.261	2.274	0.278	0.	0.612	0.	9.272

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	153	824	0	1748	0	470
normalized size	1	1.	0.94	5.09	0.	10.79	0.	2.9
time (sec)	N/A	0.261	3.54	0.242	0.	16.525	0.	11.129

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	199	199	166	835	0	1829	0	0
normalized size	1	1.	0.83	4.2	0.	9.19	0.	0.
time (sec)	N/A	0.558	3.857	0.366	0.	16.696	0.	0.

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	262	262	12059	1416	0	2013	0	0
normalized size	1	1.	46.03	5.4	0.	7.68	0.	0.
time (sec)	N/A	0.803	27.027	0.429	0.	28.733	0.	0.

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	409	838	0	0	0	0
normalized size	1	1.	2.	4.09	0.	0.	0.	0.
time (sec)	N/A	0.222	4.634	7.056	0.	0.	0.	0.

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	286	729	0	0	0	0
normalized size	1	1.	1.66	4.24	0.	0.	0.	0.
time (sec)	N/A	0.202	2.304	5.874	0.	0.	0.	0.

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	168	437	0	0	0	0
normalized size	1	1.	1.24	3.24	0.	0.	0.	0.
time (sec)	N/A	0.183	1.317	4.953	0.	0.	0.	0.

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	169	458	0	0	0	0
normalized size	1	1.	1.25	3.39	0.	0.	0.	0.
time (sec)	N/A	0.185	1.354	2.349	0.	0.	0.	0.

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	169	345	0	0	0	0
normalized size	1	1.	1.2	2.45	0.	0.	0.	0.
time (sec)	N/A	0.188	1.709	2.079	0.	0.	0.	0.

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	174	174	188	378	0	0	0	0
normalized size	1	1.	1.08	2.17	0.	0.	0.	0.
time (sec)	N/A	0.204	2.221	2.322	0.	0.	0.	0.

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	204	406	0	0	0	0
normalized size	1	1.	1.	1.98	0.	0.	0.	0.
time (sec)	N/A	0.232	2.838	2.351	0.	0.	0.	0.

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	270	270	821	1168	0	0	0	0
normalized size	1	1.	3.04	4.33	0.	0.	0.	0.
time (sec)	N/A	0.439	6.802	9.129	0.	0.	0.	0.

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	436	919	0	0	0	0
normalized size	1	1.	1.84	3.88	0.	0.	0.	0.
time (sec)	N/A	0.414	5.885	7.912	0.	0.	0.	0.

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	196	196	312	756	0	0	0	0
normalized size	1	1.	1.59	3.86	0.	0.	0.	0.
time (sec)	N/A	0.389	5.883	6.369	0.	0.	0.	0.

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	198	198	191	651	0	0	0	0
normalized size	1	1.	0.96	3.29	0.	0.	0.	0.
time (sec)	N/A	0.402	2.006	5.308	0.	0.	0.	0.

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	196	196	318	440	0	0	0	0
normalized size	1	1.	1.62	2.24	0.	0.	0.	0.
time (sec)	N/A	0.392	4.641	2.163	0.	0.	0.	0.

Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	204	204	189	380	0	0	0	0
normalized size	1	1.	0.93	1.86	0.	0.	0.	0.
time (sec)	N/A	0.421	2.38	1.952	0.	0.	0.	0.

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	206	408	0	0	0	0
normalized size	1	1.	0.87	1.72	0.	0.	0.	0.
time (sec)	N/A	0.436	2.911	1.928	0.	0.	0.	0.

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	270	270	228	436	0	0	0	0
normalized size	1	1.	0.84	1.61	0.	0.	0.	0.
time (sec)	N/A	0.473	3.223	2.097	0.	0.	0.	0.

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	319	319	863	1409	0	0	0	0
normalized size	1	1.	2.71	4.42	0.	0.	0.	0.
time (sec)	N/A	0.618	7.001	10.123	0.	0.	0.	0.

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	286	286	818	1247	0	0	0	0
normalized size	1	1.	2.86	4.36	0.	0.	0.	0.
time (sec)	N/A	0.59	6.845	9.044	0.	0.	0.	0.

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	280	1014	0	0	0	0
normalized size	1	1.	1.11	4.01	0.	0.	0.	0.
time (sec)	N/A	0.563	3.497	7.518	0.	0.	0.	0.

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	259	259	255	939	0	0	0	0
normalized size	1	1.	0.98	3.63	0.	0.	0.	0.
time (sec)	N/A	0.565	2.86	6.838	0.	0.	0.	0.

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	221	704	0	0	0	0
normalized size	1	1.	0.87	2.78	0.	0.	0.	0.
time (sec)	N/A	0.57	2.271	2.469	0.	0.	0.	0.

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	218	569	0	0	0	0
normalized size	1	1.	0.86	2.25	0.	0.	0.	0.
time (sec)	N/A	0.573	2.231	2.406	0.	0.	0.	0.

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	206	408	0	0	0	0
normalized size	1	1.	0.81	1.61	0.	0.	0.	0.
time (sec)	N/A	0.58	2.879	1.934	0.	0.	0.	0.

Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	286	286	228	436	0	0	0	0
normalized size	1	1.	0.8	1.52	0.	0.	0.	0.
time (sec)	N/A	0.605	3.294	2.077	0.	0.	0.	0.

Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	319	319	250	464	0	0	0	0
normalized size	1	1.	0.78	1.45	0.	0.	0.	0.
time (sec)	N/A	0.655	4.209	1.992	0.	0.	0.	0.

Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	232	232	342	803	0	0	0	0
normalized size	1	1.	1.47	3.46	0.	0.	0.	0.
time (sec)	N/A	0.236	6.245	7.168	0.	0.	0.	0.

Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	190	190	324	486	0	0	0	0
normalized size	1	1.	1.71	2.56	0.	0.	0.	0.
time (sec)	N/A	0.217	4.307	5.797	0.	0.	0.	0.

Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	776	316	0	0	0	0
normalized size	1	1.	5.11	2.08	0.	0.	0.	0.
time (sec)	N/A	0.189	6.636	4.051	0.	0.	0.	0.

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	795	245	0	0	0	0
normalized size	1	1.	6.41	1.98	0.	0.	0.	0.
time (sec)	N/A	0.171	6.42	2.075	0.	0.	0.	0.

Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	232	262	0	0	0	0
normalized size	1	1.	1.43	1.62	0.	0.	0.	0.
time (sec)	N/A	0.2	2.722	2.204	0.	0.	0.	0.

Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	199	199	248	277	0	0	0	0
normalized size	1	1.	1.25	1.39	0.	0.	0.	0.
time (sec)	N/A	0.214	3.234	2.206	0.	0.	0.	0.

Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	884	738	0	0	0	0
normalized size	1	1.	3.86	3.22	0.	0.	0.	0.
time (sec)	N/A	0.379	7.447	7.02	0.	0.	0.	0.

Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	293	450	0	0	0	0
normalized size	1	1.	1.53	2.36	0.	0.	0.	0.
time (sec)	N/A	0.336	4.611	2.339	0.	0.	0.	0.

Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	859	423	0	0	0	0
normalized size	1	1.	5.21	2.56	0.	0.	0.	0.
time (sec)	N/A	0.316	6.662	2.28	0.	0.	0.	0.

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	298	352	0	0	0	0
normalized size	1	1.	1.75	2.07	0.	0.	0.	0.
time (sec)	N/A	0.317	3.497	2.348	0.	0.	0.	0.

Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	912	437	0	0	0	0
normalized size	1	1.	4.54	2.17	0.	0.	0.	0.
time (sec)	N/A	0.362	6.782	2.401	0.	0.	0.	0.

Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	301	451	0	0	0	0
normalized size	1	1.	1.28	1.91	0.	0.	0.	0.
time (sec)	N/A	0.376	6.343	2.474	0.	0.	0.	0.

Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	282	282	984	876	0	0	0	0
normalized size	1	1.	3.49	3.11	0.	0.	0.	0.
time (sec)	N/A	0.537	7.778	3.141	0.	0.	0.	0.

Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	249	249	953	679	0	0	0	0
normalized size	1	1.	3.83	2.73	0.	0.	0.	0.
time (sec)	N/A	0.524	7.049	2.905	0.	0.	0.	0.

Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	220	952	451	0	0	0	0
normalized size	1	1.	4.33	2.05	0.	0.	0.	0.
time (sec)	N/A	0.51	6.89	2.594	0.	0.	0.	0.

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	222	222	954	451	0	0	0	0
normalized size	1	1.	4.3	2.03	0.	0.	0.	0.
time (sec)	N/A	0.492	6.946	2.405	0.	0.	0.	0.

Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	226	226	975	451	0	0	0	0
normalized size	1	1.	4.31	2.	0.	0.	0.	0.
time (sec)	N/A	0.506	6.955	2.395	0.	0.	0.	0.

Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	249	249	1008	465	0	0	0	0
normalized size	1	1.	4.05	1.87	0.	0.	0.	0.
time (sec)	N/A	0.533	7.111	2.18	0.	0.	0.	0.

Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	290	290	1052	479	0	0	0	0
normalized size	1	1.	3.63	1.65	0.	0.	0.	0.
time (sec)	N/A	0.57	7.267	2.701	0.	0.	0.	0.

Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	214	214	238	449	5963	1238	0	0
normalized size	1	1.	1.11	2.1	27.86	5.79	0.	0.
time (sec)	N/A	0.46	2.16	0.387	3.377	1.025	0.	0.

Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	169	169	211	385	3699	1127	0	0
normalized size	1	1.	1.25	2.28	21.89	6.67	0.	0.
time (sec)	N/A	0.388	1.668	0.369	2.552	0.786	0.	0.

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	124	124	202	325	2034	1023	0	0
normalized size	1	1.	1.63	2.62	16.4	8.25	0.	0.
time (sec)	N/A	0.306	2.323	0.403	2.219	0.774	0.	0.

Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	177	210	923	882	0	0
normalized size	1	1.	1.54	1.83	8.03	7.67	0.	0.
time (sec)	N/A	0.304	2.54	0.403	2.044	0.587	0.	0.

Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	116	116	179	198	479	927	0	0
normalized size	1	1.	1.54	1.71	4.13	7.99	0.	0.
time (sec)	N/A	0.291	1.601	0.382	2.023	0.596	0.	0.

Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	122	122	68	87	302	231	0	0
normalized size	1	1.	0.56	0.71	2.48	1.89	0.	0.
time (sec)	N/A	0.315	0.532	0.371	1.944	0.486	0.	0.

Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	84	107	551	281	0	0
normalized size	1	1.	0.5	0.64	3.28	1.67	0.	0.
time (sec)	N/A	0.388	0.775	0.417	2.032	0.483	0.	0.

Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	102	129	792	328	0	0
normalized size	1	1.	0.48	0.61	3.72	1.54	0.	0.
time (sec)	N/A	0.459	1.184	0.394	2.088	0.491	0.	0.

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	265	265	273	512	9767	1405	0	0
normalized size	1	1.	1.03	1.93	36.86	5.3	0.	0.
time (sec)	N/A	0.672	3.275	0.359	5.86	1.056	0.	0.

Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	218	218	251	448	7777	1268	0	0
normalized size	1	1.	1.15	2.06	35.67	5.82	0.	0.
time (sec)	N/A	0.601	2.902	0.349	3.664	1.041	0.	0.

Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	171	171	223	388	4733	1168	0	0
normalized size	1	1.	1.3	2.27	27.68	6.83	0.	0.
time (sec)	N/A	0.505	2.239	0.346	2.615	0.786	0.	0.

Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	171	171	209	375	3402	1107	0	0
normalized size	1	1.	1.22	2.19	19.89	6.47	0.	0.
time (sec)	N/A	0.49	4.624	0.378	2.408	0.792	0.	0.

Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	169	169	382	229	1597	980	0	0
normalized size	1	1.	2.26	1.36	9.45	5.8	0.	0.
time (sec)	N/A	0.467	6.427	0.362	2.058	0.608	0.	0.

Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	163	163	428	222	655	1034	0	0
normalized size	1	1.	2.63	1.36	4.02	6.34	0.	0.
time (sec)	N/A	0.464	6.291	0.592	2.107	0.604	0.	0.

Problem 264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	85	108	462	292	0	0
normalized size	1	1.	0.5	0.64	2.73	1.73	0.	0.
time (sec)	N/A	0.414	1.075	0.329	2.005	0.487	0.	0.

Problem 265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	103	130	819	344	0	0
normalized size	1	1.	0.47	0.59	3.74	1.57	0.	0.
time (sec)	N/A	0.586	1.372	0.375	2.101	0.494	0.	0.

Problem 266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	266	266	125	152	1072	401	0	0
normalized size	1	1.	0.47	0.57	4.03	1.51	0.	0.
time (sec)	N/A	0.677	1.905	0.365	2.152	0.5	0.	0.

Problem 267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	312	312	295	576	14959	1559	0	0
normalized size	1	1.	0.95	1.85	47.95	5.	0.	0.
time (sec)	N/A	0.897	4.076	0.394	11.056	1.07	0.	0.

Problem 268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	265	265	273	512	11950	1446	0	0
normalized size	1	1.	1.03	1.93	45.09	5.46	0.	0.
time (sec)	N/A	0.783	3.792	0.391	6.27	1.051	0.	0.

Problem 269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	218	218	250	452	9027	1324	0	0
normalized size	1	1.	1.15	2.07	41.41	6.07	0.	0.
time (sec)	N/A	0.677	3.382	0.445	22.036	1.043	0.	0.

Problem 270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	218	218	411	399	0	1257	0	0
normalized size	1	1.	1.89	1.83	0.	5.77	0.	0.
time (sec)	N/A	0.658	6.707	0.375	0.	0.805	0.	0.

Problem 271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	224	224	416	380	4618	1219	0	0
normalized size	1	1.	1.86	1.7	20.62	5.44	0.	0.
time (sec)	N/A	0.674	6.899	0.444	20.847	0.818	0.	0.

Problem 272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	210	210	428	255	0	1114	0	0
normalized size	1	1.	2.04	1.21	0.	5.3	0.	0.
time (sec)	N/A	0.657	6.58	0.413	0.	0.637	0.	0.

Problem 273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	210	210	474	246	1238	1176	0	0
normalized size	1	1.	2.26	1.17	5.9	5.6	0.	0.
time (sec)	N/A	0.64	6.417	0.409	2.241	0.631	0.	0.

Problem 274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	105	132	652	359	0	0
normalized size	1	1.	0.49	0.61	3.02	1.66	0.	0.
time (sec)	N/A	0.5	1.563	0.436	2.035	0.488	0.	0.

Problem 275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	266	266	127	154	1141	408	0	0
normalized size	1	1.	0.48	0.58	4.29	1.53	0.	0.
time (sec)	N/A	0.797	2.077	0.384	2.16	0.506	0.	0.

Problem 276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	313	313	148	176	1408	495	0	0
normalized size	1	1.	0.47	0.56	4.5	1.58	0.	0.
time (sec)	N/A	0.865	2.175	0.394	2.213	0.512	0.	0.

Problem 277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	226	226	368	448	4809	1712	0	0
normalized size	1	1.	1.63	1.98	21.28	7.58	0.	0.
time (sec)	N/A	0.718	4.92	0.395	2.772	0.902	0.	0.

Problem 278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	183	183	730	388	2867	1596	0	0
normalized size	1	1.	3.99	2.12	15.67	8.72	0.	0.
time (sec)	N/A	0.546	6.664	0.402	2.384	0.881	0.	0.

Problem 279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	133	133	717	252	1307	1364	0	0
normalized size	1	1.	5.39	1.89	9.83	10.26	0.	0.
time (sec)	N/A	0.368	6.665	0.375	2.123	0.66	0.	0.

Problem 280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	135	135	504	273	783	1351	0	0
normalized size	1	1.	3.73	2.02	5.8	10.01	0.	0.
time (sec)	N/A	0.364	2.972	0.35	2.108	0.661	0.	0.

Problem 281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	273	171	504	917	0	0
normalized size	1	1.	2.01	1.26	3.71	6.74	0.	0.
time (sec)	N/A	0.337	3.882	0.378	2.019	0.532	0.	0.

Problem 282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	181	181	528	194	624	1010	0	0
normalized size	1	1.	2.92	1.07	3.45	5.58	0.	0.
time (sec)	N/A	0.486	6.393	0.394	2.085	0.536	0.	0.

Problem 283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	224	224	573	216	986	1108	0	0
normalized size	1	1.	2.56	0.96	4.4	4.95	0.	0.
time (sec)	N/A	0.675	6.48	0.431	2.188	0.547	0.	0.

Problem 284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	188	188	800	370	0	1658	0	0
normalized size	1	1.	4.26	1.97	0.	8.82	0.	0.
time (sec)	N/A	0.562	7.068	0.388	0.	0.703	0.	0.

Problem 285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	145	145	795	314	4257	1613	0	0
normalized size	1	1.	5.48	2.17	29.36	11.12	0.	0.
time (sec)	N/A	0.392	7.243	0.364	2.327	0.687	0.	0.

Problem 286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	303	285	0	1098	0	0
normalized size	1	1.	1.99	1.88	0.	7.22	0.	0.
time (sec)	N/A	0.351	3.114	0.347	0.	0.543	0.	0.

Problem 287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	316	306	0	1197	0	0
normalized size	1	1.	1.57	1.52	0.	5.96	0.	0.
time (sec)	N/A	0.515	3.007	0.381	0.	0.539	0.	0.

Problem 288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	248	248	331	328	0	1280	0	0
normalized size	1	1.	1.33	1.32	0.	5.16	0.	0.
time (sec)	N/A	0.702	5.239	0.391	0.	0.556	0.	0.

Problem 289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	237	237	903	615	0	2001	0	0
normalized size	1	1.	3.81	2.59	0.	8.44	0.	0.
time (sec)	N/A	0.768	7.309	0.375	0.	0.749	0.	0.

Problem 290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	192	192	445	550	10615	1967	0	0
normalized size	1	1.	2.32	2.86	55.29	10.24	0.	0.
time (sec)	N/A	0.561	6.655	0.352	4.434	0.736	0.	0.

Problem 291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	308	348	0	1308	0	0
normalized size	1	1.	2.	2.26	0.	8.49	0.	0.
time (sec)	N/A	0.369	2.84	0.364	0.	0.54	0.	0.

Problem 292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	199	199	317	419	0	1349	0	0
normalized size	1	1.	1.59	2.11	0.	6.78	0.	0.
time (sec)	N/A	0.546	2.849	0.35	0.	0.551	0.	0.

Problem 293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	246	246	331	438	0	1472	0	0
normalized size	1	1.	1.35	1.78	0.	5.98	0.	0.
time (sec)	N/A	0.703	3.226	0.345	0.	0.561	0.	0.

Problem 294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	295	295	349	460	0	1580	0	0
normalized size	1	1.	1.18	1.56	0.	5.36	0.	0.
time (sec)	N/A	0.909	4.068	0.385	0.	0.579	0.	0.

Problem 295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	434	434	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.704	4.525	0.178	0.	0.	0.	0.

Problem 296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	384	384	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.434	2.803	0.161	0.	0.	0.	0.

Problem 297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	396	396	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.458	3.134	0.161	0.	0.	0.	0.

Problem 298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	457	457	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.504	3.864	0.163	0.	0.	0.	0.

Problem 299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	815	815	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	1.016	27.529	0.173	0.	0.	0.	0.

Problem 300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	774	774	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.827	14.999	0.159	0.	0.	0.	0.

Problem 301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	791	791	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.879	17.881	0.176	0.	0.	0.	0.

Problem 302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	841	841	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.927	9.657	0.16	0.	0.	0.	0.

Problem 303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	244	244	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.533	18.196	1.099	0.	0.	0.	0.

Problem 304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	253	253	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.522	24.651	0.376	0.	0.	0.	0.

Problem 305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	38	38	38	0	419	142	0	0
normalized size	1	1.	1.	0.	11.03	3.74	0.	0.
time (sec)	N/A	0.928	0.162	1.27	11.131	0.909	0.	0.

Problem 306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	106	106	337	171	220	339	0	254
normalized size	1	1.	3.18	1.61	2.08	3.2	0.	2.4
time (sec)	N/A	0.176	0.628	0.043	0.945	0.521	0.	1.145

Problem 307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	181	128	171	288	0	208
normalized size	1	1.	2.1	1.49	1.99	3.35	0.	2.42
time (sec)	N/A	0.145	0.518	0.039	0.942	0.541	0.	1.173

Problem 308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	56	56	75	86	119	239	0	167
normalized size	1	1.	1.34	1.54	2.12	4.27	0.	2.98
time (sec)	N/A	0.059	0.038	0.035	0.931	0.501	0.	1.154

Problem 309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	43	65	99	220	0	113
normalized size	1	1.	1.34	2.03	3.09	6.88	0.	3.53
time (sec)	N/A	0.072	0.014	0.065	0.94	0.525	0.	1.136

Problem 310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	46	56	78	139	0	107
normalized size	1	1.	1.44	1.75	2.44	4.34	0.	3.34
time (sec)	N/A	0.097	0.024	0.069	0.937	0.509	0.	1.175

Problem 311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	47	47	44	57	74	99	0	126
normalized size	1	1.	0.94	1.21	1.57	2.11	0.	2.68
time (sec)	N/A	0.135	0.094	0.077	0.936	0.479	0.	1.148

Problem 312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	65	85	107	146	0	167
normalized size	1	1.	0.84	1.1	1.39	1.9	0.	2.17
time (sec)	N/A	0.157	0.171	0.082	0.938	0.484	0.	1.128

Problem 313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	97	97	75	107	136	193	0	211
normalized size	1	1.	0.77	1.1	1.4	1.99	0.	2.18
time (sec)	N/A	0.169	0.23	0.091	0.937	0.493	0.	1.122

Problem 314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	391	235	375	421	0	332
normalized size	1	1.	2.31	1.39	2.22	2.49	0.	1.96
time (sec)	N/A	0.323	0.769	0.05	0.952	0.532	0.	1.177

Problem 315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	339	187	311	362	0	286
normalized size	1	1.	2.46	1.36	2.25	2.62	0.	2.07
time (sec)	N/A	0.268	0.617	0.044	0.947	0.539	0.	1.197

Problem 316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	63	141	225	315	0	240
normalized size	1	1.	0.61	1.37	2.18	3.06	0.	2.33
time (sec)	N/A	0.107	0.335	0.041	0.942	0.509	0.	1.189

Problem 317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	277	113	192	297	0	208
normalized size	1	1.	3.38	1.38	2.34	3.62	0.	2.54
time (sec)	N/A	0.146	1.186	0.074	0.946	0.517	0.	1.173

Problem 318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	73	73	143	107	142	278	0	212
normalized size	1	1.	1.96	1.47	1.95	3.81	0.	2.9
time (sec)	N/A	0.206	0.318	0.072	0.941	0.516	0.	1.163

Problem 319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	96	108	136	194	0	196
normalized size	1	1.	1.09	1.23	1.55	2.2	0.	2.23
time (sec)	N/A	0.22	0.152	0.084	0.942	0.516	0.	1.177

Problem 320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	61	116	149	165	0	192
normalized size	1	1.	0.6	1.14	1.46	1.62	0.	1.88
time (sec)	N/A	0.23	0.169	0.084	0.94	0.483	0.	1.178

Problem 321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	86	154	194	213	0	238
normalized size	1	1.	0.64	1.14	1.44	1.58	0.	1.76
time (sec)	N/A	0.307	0.36	0.091	0.946	0.494	0.	1.155

Problem 322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	108	186	240	271	0	284
normalized size	1	1.	0.68	1.16	1.5	1.69	0.	1.78
time (sec)	N/A	0.329	0.374	0.099	0.948	0.526	0.	1.203

Problem 323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	391	234	455	431	0	332
normalized size	1	1.	2.4	1.44	2.79	2.64	0.	2.04
time (sec)	N/A	0.313	0.808	0.049	0.958	0.523	0.	1.192

Problem 324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	81	188	354	366	0	286
normalized size	1	1.	0.65	1.5	2.83	2.93	0.	2.29
time (sec)	N/A	0.139	0.45	0.051	0.954	0.524	0.	1.193

Problem 325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	772	158	286	356	0	255
normalized size	1	1.	6.95	1.42	2.58	3.21	0.	2.3
time (sec)	N/A	0.205	6.401	0.084	0.956	0.526	0.	1.202

Problem 326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	208	144	223	342	0	259
normalized size	1	1.	1.93	1.33	2.06	3.17	0.	2.4
time (sec)	N/A	0.312	1.938	0.085	0.945	0.569	0.	1.219

Problem 327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	272	145	189	323	0	259
normalized size	1	1.	2.32	1.24	1.62	2.76	0.	2.21
time (sec)	N/A	0.335	1.682	0.079	0.945	0.559	0.	1.218

Problem 328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	113	153	200	254	0	243
normalized size	1	1.	0.9	1.22	1.6	2.03	0.	1.94
time (sec)	N/A	0.339	0.249	0.088	0.949	0.53	0.	1.238

Problem 329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	86	176	225	216	0	238
normalized size	1	1.	0.69	1.42	1.81	1.74	0.	1.92
time (sec)	N/A	0.252	0.274	0.089	0.949	0.504	0.	1.207

Problem 330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	176	176	108	223	288	278	0	284
normalized size	1	1.	0.61	1.27	1.64	1.58	0.	1.61
time (sec)	N/A	0.447	0.43	0.104	0.943	0.501	0.	1.209

Problem 331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	134	266	354	332	0	329
normalized size	1	1.	0.67	1.32	1.76	1.65	0.	1.64
time (sec)	N/A	0.479	0.481	0.105	0.953	0.513	0.	1.227

Problem 332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	550	340	497	417	0	246
normalized size	1	1.	4.2	2.6	3.79	3.18	0.	1.88
time (sec)	N/A	0.253	1.119	0.062	0.954	0.519	0.	1.185

Problem 333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	383	252	381	386	0	211
normalized size	1	1.	3.55	2.33	3.53	3.57	0.	1.95
time (sec)	N/A	0.24	0.665	0.054	0.949	0.514	0.	1.155

Problem 334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	234	163	265	319	0	147
normalized size	1	1.	3.77	2.63	4.27	5.15	0.	2.37
time (sec)	N/A	0.166	0.482	0.046	0.942	0.506	0.	1.15

Problem 335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	44	44	106	78	134	197	0	95
normalized size	1	1.	2.41	1.77	3.05	4.48	0.	2.16
time (sec)	N/A	0.073	0.185	0.044	0.932	0.495	0.	1.148

Problem 336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	35	35	72	56	99	105	0	59
normalized size	1	1.	2.06	1.6	2.83	3.	0.	1.69
time (sec)	N/A	0.132	0.131	0.069	1.43	0.47	0.	1.149

Problem 337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	76	108	193	149	0	107
normalized size	1	1.	1.27	1.8	3.22	2.48	0.	1.78
time (sec)	N/A	0.196	0.343	0.083	1.417	0.476	0.	1.121

Problem 338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	197	211	304	203	0	166
normalized size	1	1.	2.01	2.15	3.1	2.07	0.	1.69
time (sec)	N/A	0.232	0.41	0.093	1.434	0.484	0.	1.131

Problem 339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	122	122	249	281	419	243	0	204
normalized size	1	1.	2.04	2.3	3.43	1.99	0.	1.67
time (sec)	N/A	0.241	0.604	0.096	1.433	0.493	0.	1.153

Problem 340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	379	294	454	566	0	267
normalized size	1	1.	2.43	1.88	2.91	3.63	0.	1.71
time (sec)	N/A	0.381	1.488	0.066	0.963	0.518	0.	1.22

Problem 341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	245	205	329	501	0	204
normalized size	1	1.	2.27	1.9	3.05	4.64	0.	1.89
time (sec)	N/A	0.336	1.049	0.053	0.953	0.504	0.	1.18

Problem 342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	106	119	196	338	0	151
normalized size	1	1.	1.34	1.51	2.48	4.28	0.	1.91
time (sec)	N/A	0.233	0.758	0.049	0.958	0.502	0.	1.169

Problem 343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	46	60	126	144	0	81
normalized size	1	1.	0.74	0.97	2.03	2.32	0.	1.31
time (sec)	N/A	0.074	0.287	0.052	0.948	0.467	0.	1.126

Problem 344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	153	97	162	228	0	115
normalized size	1	1.	2.19	1.39	2.31	3.26	0.	1.64
time (sec)	N/A	0.178	0.394	0.079	1.435	0.481	0.	1.122

Problem 345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	245	149	258	296	0	163
normalized size	1	1.	2.5	1.52	2.63	3.02	0.	1.66
time (sec)	N/A	0.315	0.609	0.086	1.43	0.521	0.	1.156

Problem 346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	315	252	382	342	0	221
normalized size	1	1.	2.2	1.76	2.67	2.39	0.	1.55
time (sec)	N/A	0.378	0.754	0.091	1.434	0.496	0.	1.137

Problem 347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	369	322	502	389	0	259
normalized size	1	1.	2.17	1.89	2.95	2.29	0.	1.52
time (sec)	N/A	0.402	0.709	0.089	1.456	0.503	0.	1.141

Problem 348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	202	202	428	334	509	757	0	315
normalized size	1	1.	2.12	1.65	2.52	3.75	0.	1.56
time (sec)	N/A	0.553	1.972	0.069	0.976	0.526	0.	1.192

Problem 349	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	294	245	386	668	0	251
normalized size	1	1.	1.88	1.57	2.47	4.28	0.	1.61
time (sec)	N/A	0.498	1.645	0.057	0.969	0.521	0.	1.212

Problem 350	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	136	159	252	481	0	198
normalized size	1	1.	1.09	1.27	2.02	3.85	0.	1.58
time (sec)	N/A	0.403	0.66	0.054	0.953	0.502	0.	1.169

Problem 351	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	70	64	155	227	0	101
normalized size	1	1.	0.69	0.63	1.52	2.23	0.	0.99
time (sec)	N/A	0.251	0.172	0.053	0.959	0.461	0.	1.178

Problem 352	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	70	64	155	227	0	101
normalized size	1	1.	0.69	0.63	1.52	2.23	0.	0.99
time (sec)	N/A	0.11	0.359	0.056	0.958	0.462	0.	1.164

Problem 353	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	241	137	216	351	0	163
normalized size	1	1.	2.23	1.27	2.	3.25	0.	1.51
time (sec)	N/A	0.252	0.571	0.088	1.456	0.481	0.	1.157

Problem 354	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	365	189	312	431	0	212
normalized size	1	1.	2.68	1.39	2.29	3.17	0.	1.56
time (sec)	N/A	0.444	1.01	0.109	1.444	0.493	0.	1.179

Problem 355	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	435	292	435	495	0	270
normalized size	1	1.	2.33	1.56	2.33	2.65	0.	1.44
time (sec)	N/A	0.545	0.719	0.102	1.458	0.521	0.	1.159

Problem 356	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	230	230	115	160	0	373	0	424
normalized size	1	1.	0.5	0.7	0.	1.62	0.	1.84
time (sec)	N/A	0.485	5.886	0.403	0.	0.506	0.	4.627

Problem 357	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	98	138	0	308	0	362
normalized size	1	1.	0.52	0.74	0.	1.65	0.	1.94
time (sec)	N/A	0.419	0.537	0.398	0.	0.506	0.	4.562

Problem 358	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	81	116	0	265	0	300
normalized size	1	1.	0.56	0.81	0.	1.84	0.	2.08
time (sec)	N/A	0.359	0.281	0.317	0.	0.494	0.	4.453

Problem 359	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	80	94	0	217	0	238
normalized size	1	1.	0.79	0.93	0.	2.15	0.	2.36
time (sec)	N/A	0.277	0.306	0.285	0.	0.493	0.	4.412

Problem 360	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	43	70	0	169	0	174
normalized size	1	1.	0.69	1.13	0.	2.73	0.	2.81
time (sec)	N/A	0.084	0.16	0.275	0.	0.496	0.	4.313

Problem 361	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	76	118	198	620	0	0
normalized size	1	1.	1.15	1.79	3.	9.39	0.	0.
time (sec)	N/A	0.171	0.276	0.255	1.639	0.554	0.	0.

Problem 362	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	93	198	1268	694	0	450
normalized size	1	1.	1.37	2.91	18.65	10.21	0.	6.62
time (sec)	N/A	0.21	0.242	0.316	1.971	0.636	0.	6.321

Problem 363	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	117	398	2499	801	0	851
normalized size	1	1.	1.	3.4	21.36	6.85	0.	7.27
time (sec)	N/A	0.281	0.367	0.379	2.257	0.646	0.	6.616

Problem 364	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	70	580	4024	898	0	1156
normalized size	1	1.	0.44	3.62	25.15	5.61	0.	7.22
time (sec)	N/A	0.336	0.188	0.42	2.845	0.652	0.	6.707

Problem 365	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	113	161	0	394	0	424
normalized size	1	1.	0.48	0.69	0.	1.68	0.	1.81
time (sec)	N/A	0.638	6.104	0.463	0.	0.519	0.	4.91

Problem 366	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	189	189	100	139	0	329	0	362
normalized size	1	1.	0.53	0.74	0.	1.74	0.	1.92
time (sec)	N/A	0.564	0.687	0.287	0.	0.538	0.	4.775

Problem 367	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	82	117	0	279	0	300
normalized size	1	1.	0.59	0.85	0.	2.02	0.	2.17
time (sec)	N/A	0.353	0.373	0.265	0.	0.511	0.	4.676

Problem 368	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	62	95	0	225	0	238
normalized size	1	1.	0.61	0.94	0.	2.23	0.	2.36
time (sec)	N/A	0.129	0.254	0.253	0.	0.499	0.	4.526

Problem 369	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	102	237	1347	814	0	0
normalized size	1	1.	0.97	2.26	12.83	7.75	0.	0.
time (sec)	N/A	0.243	0.483	0.267	1.849	0.557	0.	0.

Problem 370	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	97	212	2431	755	0	544
normalized size	1	1.	0.94	2.06	23.6	7.33	0.	5.28
time (sec)	N/A	0.357	0.427	0.289	2.186	0.653	0.	6.384

Problem 371	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	101	399	0	833	0	863
normalized size	1	1.	0.85	3.35	0.	7.	0.	7.25
time (sec)	N/A	0.378	0.711	0.3	0.	0.693	0.	6.688

Problem 372	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	740	581	0	949	0	1166
normalized size	1	1.	4.51	3.54	0.	5.79	0.	7.11
time (sec)	N/A	0.47	11.387	0.381	0.	0.679	0.	7.014

Problem 373	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	1031	763	0	1049	0	1469
normalized size	1	1.	4.93	3.65	0.	5.02	0.	7.03
time (sec)	N/A	0.558	11.991	0.332	0.	0.767	0.	7.268

Problem 374	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	282	282	131	185	0	479	0	486
normalized size	1	1.	0.46	0.66	0.	1.7	0.	1.72
time (sec)	N/A	0.84	0.479	0.365	0.	0.538	0.	5.253

Problem 375	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	487	163	0	409	0	424
normalized size	1	1.	2.05	0.69	0.	1.73	0.	1.79
time (sec)	N/A	0.759	6.166	0.382	0.	0.562	0.	5.104

Problem 376	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	96	141	0	346	0	362
normalized size	1	1.	0.55	0.81	0.	1.98	0.	2.07
time (sec)	N/A	0.41	0.647	0.295	0.	0.511	0.	5.028

Problem 377	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	79	119	0	292	0	300
normalized size	1	1.	0.57	0.86	0.	2.12	0.	2.17
time (sec)	N/A	0.175	0.351	0.271	0.	0.495	0.	4.793

Problem 378	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	128	341	1885	954	0	0
normalized size	1	1.	0.9	2.4	13.27	6.72	0.	0.
time (sec)	N/A	0.317	0.858	0.281	1.935	0.573	0.	0.

Problem 379	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	126	256	3753	968	0	644
normalized size	1	1.	0.88	1.79	26.24	6.77	0.	4.5
time (sec)	N/A	0.515	0.806	0.364	2.37	0.659	0.	6.689

Problem 380	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	116	410	0	890	0	957
normalized size	1	1.	0.75	2.66	0.	5.78	0.	6.21
time (sec)	N/A	0.529	0.824	0.388	0.	0.656	0.	7.092

Problem 381	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	121	583	0	976	0	1177
normalized size	1	1.	0.74	3.55	0.	5.95	0.	7.18
time (sec)	N/A	0.567	1.298	0.567	0.	0.655	0.	7.608

Problem 382	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	366	765	0	1103	0	1480
normalized size	1	1.	1.75	3.66	0.	5.28	0.	7.08
time (sec)	N/A	0.667	1.291	0.42	0.	0.749	0.	7.964

Problem 383	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	254	254	416	947	0	1227	0	1782
normalized size	1	1.	1.64	3.73	0.	4.83	0.	7.02
time (sec)	N/A	0.749	1.747	0.366	0.	0.765	0.	8.223

Problem 384	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	183	975	0	1211	0	528
normalized size	1	1.	0.75	4.01	0.	4.98	0.	2.17
time (sec)	N/A	0.876	1.17	0.43	0.	0.662	0.	9.223

Problem 385	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	202	202	140	785	0	1116	0	387
normalized size	1	1.	0.69	3.89	0.	5.52	0.	1.92
time (sec)	N/A	0.694	0.527	0.371	0.	0.623	0.	9.109

Problem 386	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	123	595	0	1019	0	366
normalized size	1	1.	0.77	3.74	0.	6.41	0.	2.3
time (sec)	N/A	0.514	0.377	0.332	0.	0.652	0.	8.94

Problem 387	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	106	405	0	917	0	251
normalized size	1	1.	0.9	3.43	0.	7.77	0.	2.13
time (sec)	N/A	0.304	0.296	0.303	0.	0.642	0.	8.89

Problem 388	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	88	200	0	751	0	194
normalized size	1	1.	1.13	2.56	0.	9.63	0.	2.49
time (sec)	N/A	0.095	0.172	0.252	0.	0.587	0.	8.822

Problem 389	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	91	91	92	194	0	814	0	302
normalized size	1	1.	1.01	2.13	0.	8.95	0.	3.32
time (sec)	N/A	0.186	0.3	0.249	0.	2.618	0.	10.862

Problem 390	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	119	119	10104	353	0	1214	0	531
normalized size	1	1.	84.91	2.97	0.	10.2	0.	4.46
time (sec)	N/A	0.32	26.438	0.345	0.	3.241	0.	11.376

Problem 391	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	135	717	0	1323	0	876
normalized size	1	1.	0.82	4.35	0.	8.02	0.	5.31
time (sec)	N/A	0.471	0.411	0.388	0.	5.95	0.	11.557

Problem 392	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	206	206	150	1067	0	1426	0	1142
normalized size	1	1.	0.73	5.18	0.	6.92	0.	5.54
time (sec)	N/A	0.645	0.763	0.349	0.	5.971	0.	11.726

Problem 393	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	204	983	0	1419	0	593
normalized size	1	1.	0.78	3.77	0.	5.44	0.	2.27
time (sec)	N/A	0.919	1.23	0.37	0.	0.672	0.	9.288

Problem 394	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	160	793	0	1315	0	421
normalized size	1	1.	0.74	3.67	0.	6.09	0.	1.95
time (sec)	N/A	0.725	2.349	0.335	0.	0.65	0.	9.14

Problem 395	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	141	603	0	1189	0	400
normalized size	1	1.	0.82	3.53	0.	6.95	0.	2.34
time (sec)	N/A	0.556	1.399	0.295	0.	0.618	0.	9.03

Problem 396	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	125	405	0	1003	0	257
normalized size	1	1.	1.06	3.43	0.	8.5	0.	2.18
time (sec)	N/A	0.319	0.727	0.26	0.	0.597	0.	8.796

Problem 397	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	127	402	0	957	0	208
normalized size	1	1.	1.46	4.62	0.	11.	0.	2.39
time (sec)	N/A	0.106	0.784	0.24	0.	0.605	0.	8.649

Problem 398	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	147	552	0	1416	0	417
normalized size	1	1.	1.16	4.35	0.	11.15	0.	3.28
time (sec)	N/A	0.27	1.576	0.234	0.	7.923	0.	11.05

Problem 399	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	170	170	10898	713	0	1575	0	0
normalized size	1	1.	64.11	4.19	0.	9.26	0.	0.
time (sec)	N/A	0.494	27.014	0.291	0.	10.519	0.	0.

Problem 400	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	221	221	395	1075	0	1673	0	0
normalized size	1	1.	1.79	4.86	0.	7.57	0.	0.
time (sec)	N/A	0.685	2.329	0.351	0.	15.29	0.	0.

Problem 401	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	177	985	0	1597	0	593
normalized size	1	1.	0.68	3.77	0.	6.12	0.	2.27
time (sec)	N/A	0.928	2.603	0.325	0.	0.687	0.	10.03

Problem 402	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	161	795	0	1474	0	420
normalized size	1	1.	0.75	3.68	0.	6.82	0.	1.94
time (sec)	N/A	0.748	2.598	0.306	0.	0.653	0.	9.785

Problem 403	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	144	597	0	1273	0	390
normalized size	1	1.	0.85	3.53	0.	7.53	0.	2.31
time (sec)	N/A	0.564	1.471	0.281	0.	0.627	0.	9.553

Problem 404	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	126	131	602	0	1233	0	258
normalized size	1	1.	1.04	4.78	0.	9.79	0.	2.05
time (sec)	N/A	0.334	1.433	0.261	0.	0.617	0.	9.294

Problem 405	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	126	206	594	0	1219	0	258
normalized size	1	1.	1.63	4.71	0.	9.67	0.	2.05
time (sec)	N/A	0.152	1.488	0.207	0.	0.616	0.	8.976

Problem 406	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	164	164	10133	824	0	1754	0	471
normalized size	1	1.	61.79	5.02	0.	10.7	0.	2.87
time (sec)	N/A	0.346	26.663	0.24	0.	16.806	0.	11.751

Problem 407	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	207	207	10956	1065	0	1948	0	0
normalized size	1	1.	52.93	5.14	0.	9.41	0.	0.
time (sec)	N/A	0.672	26.915	0.348	0.	22.253	0.	0.

Problem 408	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	101	287	359	437	0	404
normalized size	1	1.	0.66	1.89	2.36	2.88	0.	2.66
time (sec)	N/A	0.213	1.006	0.056	0.953	0.532	0.	1.302

Problem 409	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	84	223	294	375	0	343
normalized size	1	1.	0.66	1.76	2.31	2.95	0.	2.7
time (sec)	N/A	0.191	0.623	0.049	0.961	0.514	0.	1.299

Problem 410	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	485	160	209	312	0	277
normalized size	1	1.	5.27	1.74	2.27	3.39	0.	3.01
time (sec)	N/A	0.12	4.351	0.048	0.948	0.517	0.	1.245

Problem 411	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	305	117	157	292	0	190
normalized size	1	1.	4.84	1.86	2.49	4.63	0.	3.02
time (sec)	N/A	0.064	1.763	0.048	0.938	0.534	0.	1.3

Problem 412	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	71	88	124	257	0	181
normalized size	1	1.	1.54	1.91	2.7	5.59	0.	3.93
time (sec)	N/A	0.116	0.042	0.076	0.948	0.523	0.	1.189

Problem 413	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	59	100	120	184	0	177
normalized size	1	1.	0.95	1.61	1.94	2.97	0.	2.85
time (sec)	N/A	0.15	0.141	0.09	0.94	0.52	0.	1.249

Problem 414	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	64	102	132	162	0	231
normalized size	1	1.	0.78	1.24	1.61	1.98	0.	2.82
time (sec)	N/A	0.176	0.229	0.087	0.937	0.498	0.	1.249

Problem 415	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	97	141	178	221	0	294
normalized size	1	1.	0.95	1.38	1.75	2.17	0.	2.88
time (sec)	N/A	0.211	0.403	0.109	0.937	0.504	0.	1.243

Problem 416	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	94	173	224	282	0	355
normalized size	1	1.	0.67	1.23	1.59	2.	0.	2.52
time (sec)	N/A	0.225	0.442	0.105	0.948	0.513	0.	1.28

Problem 417	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	222	222	359	386	644	535	0	529
normalized size	1	1.	1.62	1.74	2.9	2.41	0.	2.38
time (sec)	N/A	0.43	3.298	0.068	0.977	0.555	0.	1.367

Problem 418	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	190	190	417	315	486	463	0	460
normalized size	1	1.	2.19	1.66	2.56	2.44	0.	2.42
time (sec)	N/A	0.41	3.066	0.061	0.967	0.536	0.	1.312

Problem 419	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	386	246	417	397	0	392
normalized size	1	1.	2.63	1.67	2.84	2.7	0.	2.67
time (sec)	N/A	0.235	2.414	0.057	0.959	0.519	0.	1.269

Problem 420	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	120	120	542	193	284	379	0	338
normalized size	1	1.	4.52	1.61	2.37	3.16	0.	2.82
time (sec)	N/A	0.157	5.685	0.056	0.952	0.526	0.	1.293

Problem 421	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	121	121	365	166	259	358	0	275
normalized size	1	1.	3.02	1.37	2.14	2.96	0.	2.27
time (sec)	N/A	0.217	3.57	0.103	0.955	0.53	0.	1.235

Problem 422	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	128	128	329	160	204	331	0	267
normalized size	1	1.	2.57	1.25	1.59	2.59	0.	2.09
time (sec)	N/A	0.287	3.654	0.091	0.959	0.529	0.	1.295

Problem 423	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	121	181	216	269	0	317
normalized size	1	1.	0.9	1.35	1.61	2.01	0.	2.37
time (sec)	N/A	0.292	0.29	0.103	0.947	0.528	0.	1.28

Problem 424	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	95	203	257	239	0	335
normalized size	1	1.	0.64	1.36	1.72	1.6	0.	2.25
time (sec)	N/A	0.328	0.331	0.102	0.951	0.504	0.	1.265

Problem 425	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	132	247	319	305	0	404
normalized size	1	1.	0.71	1.32	1.71	1.63	0.	2.16
time (sec)	N/A	0.415	0.603	0.11	0.958	0.51	0.	1.243

Problem 426	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	170	304	400	373	0	473
normalized size	1	1.	0.8	1.43	1.88	1.75	0.	2.22
time (sec)	N/A	0.441	0.966	0.122	0.96	0.523	0.	1.303

Problem 427	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	274	274	402	455	876	617	0	598
normalized size	1	1.	1.47	1.66	3.2	2.25	0.	2.18
time (sec)	N/A	0.598	6.162	0.074	0.989	0.557	0.	1.351

Problem 428	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	359	385	755	540	0	529
normalized size	1	1.	1.66	1.78	3.5	2.5	0.	2.45
time (sec)	N/A	0.455	4.241	0.067	0.982	0.544	0.	1.369

Problem 429	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	431	316	593	477	0	460
normalized size	1	1.	2.46	1.81	3.39	2.73	0.	2.63
time (sec)	N/A	0.277	3.608	0.069	0.975	0.528	0.	1.341

Problem 430	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	464	262	475	447	0	406
normalized size	1	1.	2.86	1.62	2.93	2.76	0.	2.51
time (sec)	N/A	0.237	3.093	0.065	0.96	0.558	0.	1.328

Problem 431	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	1503	226	370	425	0	389
normalized size	1	1.	9.63	1.45	2.37	2.72	0.	2.49
time (sec)	N/A	0.284	6.455	0.107	0.965	0.558	0.	1.369

Problem 432	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	406	219	320	410	0	378
normalized size	1	1.	2.37	1.28	1.87	2.4	0.	2.21
time (sec)	N/A	0.425	5.891	0.108	0.964	0.554	0.	1.25

Problem 433	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	379	221	284	398	0	379
normalized size	1	1.	2.24	1.31	1.68	2.36	0.	2.24
time (sec)	N/A	0.442	2.185	0.099	0.963	0.537	0.	1.3

Problem 434	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	147	251	324	336	0	386
normalized size	1	1.	0.8	1.37	1.77	1.84	0.	2.11
time (sec)	N/A	0.441	0.42	0.116	0.955	0.538	0.	1.336

Problem 435	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	179	179	130	295	381	315	0	404
normalized size	1	1.	0.73	1.65	2.13	1.76	0.	2.26
time (sec)	N/A	0.365	0.43	0.109	0.961	0.53	0.	1.294

Problem 436	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	235	235	170	364	478	378	0	473
normalized size	1	1.	0.72	1.55	2.03	1.61	0.	2.01
time (sec)	N/A	0.591	0.753	0.125	0.972	0.584	0.	1.327

Problem 437	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	265	265	204	427	574	454	0	541
normalized size	1	1.	0.77	1.61	2.17	1.71	0.	2.04
time (sec)	N/A	0.611	1.391	0.132	0.983	0.579	0.	1.333

Problem 438	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	252	252	1087	454	987	617	0	598
normalized size	1	1.	4.31	1.8	3.92	2.45	0.	2.37
time (sec)	N/A	0.52	6.456	0.077	1.003	0.556	0.	1.305

Problem 439	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	359	385	861	539	0	529
normalized size	1	1.	1.72	1.84	4.12	2.58	0.	2.53
time (sec)	N/A	0.328	5.923	0.08	0.984	0.544	0.	1.33

Problem 440	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	195	195	538	331	651	521	0	475
normalized size	1	1.	2.76	1.7	3.34	2.67	0.	2.44
time (sec)	N/A	0.304	5.091	0.074	0.967	0.561	0.	1.294

Problem 441	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	530	294	562	493	0	458
normalized size	1	1.	2.7	1.5	2.87	2.52	0.	2.34
time (sec)	N/A	0.382	4.656	0.117	0.979	0.566	0.	1.326

Problem 442	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	524	279	432	487	0	468
normalized size	1	1.	2.51	1.33	2.07	2.33	0.	2.24
time (sec)	N/A	0.566	4.627	0.125	0.966	0.56	0.	1.318

Problem 443	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	217	217	1518	280	400	486	0	468
normalized size	1	1.	7.	1.29	1.84	2.24	0.	2.16
time (sec)	N/A	0.602	6.312	0.122	0.965	0.565	0.	1.306

Problem 444	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	217	217	1436	289	392	466	0	448
normalized size	1	1.	6.62	1.33	1.81	2.15	0.	2.06
time (sec)	N/A	0.622	6.229	0.11	0.969	0.553	0.	1.295

Problem 445	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	182	320	448	408	0	455
normalized size	1	1.	0.81	1.42	1.99	1.81	0.	2.02
time (sec)	N/A	0.583	0.617	0.125	0.968	0.561	0.	1.343

Problem 446	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	163	416	540	378	0	473
normalized size	1	1.	0.77	1.95	2.54	1.77	0.	2.22
time (sec)	N/A	0.409	0.497	0.13	0.973	0.529	0.	1.336

Problem 447	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	204	490	652	454	0	541
normalized size	1	1.	0.73	1.76	2.35	1.63	0.	1.95
time (sec)	N/A	0.763	1.007	0.141	0.985	0.53	0.	1.325

Problem 448	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	303	303	237	577	782	536	0	610
normalized size	1	1.	0.78	1.9	2.58	1.77	0.	2.01
time (sec)	N/A	0.794	1.934	0.221	0.993	0.547	0.	1.318

Problem 449	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	1099	576	825	545	0	385
normalized size	1	1.	6.01	3.15	4.51	2.98	0.	2.1
time (sec)	N/A	0.218	6.393	0.074	0.979	0.543	0.	1.315

Problem 450	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	898	442	655	489	0	328
normalized size	1	1.	6.07	2.99	4.43	3.3	0.	2.22
time (sec)	N/A	0.198	6.314	0.073	0.965	0.531	0.	1.259

Problem 451	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	392	311	481	428	0	234
normalized size	1	1.	3.29	2.61	4.04	3.6	0.	1.97
time (sec)	N/A	0.192	4.289	0.064	0.957	0.51	0.	1.244

Problem 452	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	255	180	294	324	0	161
normalized size	1	1.	4.05	2.86	4.67	5.14	0.	2.56
time (sec)	N/A	0.168	1.396	0.059	0.943	0.513	0.	1.283

Problem 453	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	52	52	163	115	197	247	0	124
normalized size	1	1.	3.13	2.21	3.79	4.75	0.	2.38
time (sec)	N/A	0.116	0.493	0.063	1.416	0.508	0.	1.208

Problem 454	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	77	125	223	154	0	122
normalized size	1	1.	1.24	2.02	3.6	2.48	0.	1.97
time (sec)	N/A	0.13	0.402	0.093	1.429	0.48	0.	1.189

Problem 455	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	213	248	369	227	0	185
normalized size	1	1.	1.97	2.3	3.42	2.1	0.	1.71
time (sec)	N/A	0.182	0.505	0.099	1.433	0.486	0.	1.187

Problem 456	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	139	139	307	420	540	288	0	279
normalized size	1	1.	2.21	3.02	3.88	2.07	0.	2.01
time (sec)	N/A	0.197	1.025	0.102	1.437	0.496	0.	1.244

Problem 457	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	174	174	393	526	709	344	0	336
normalized size	1	1.	2.26	3.02	4.07	1.98	0.	1.93
time (sec)	N/A	0.212	1.01	0.111	1.452	0.509	0.	1.279

Problem 458	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	1069	506	765	689	0	409
normalized size	1	1.	5.51	2.61	3.94	3.55	0.	2.11
time (sec)	N/A	0.363	6.422	0.079	0.981	0.529	0.	1.271

Problem 459	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	901	373	582	630	0	317
normalized size	1	1.	5.33	2.21	3.44	3.73	0.	1.88
time (sec)	N/A	0.337	6.326	0.074	0.972	0.526	0.	1.269

Problem 460	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	312	243	387	513	0	244
normalized size	1	1.	2.79	2.17	3.46	4.58	0.	2.18
time (sec)	N/A	0.283	2.076	0.063	0.965	0.522	0.	1.224

Problem 461	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	81	87	219	157	257	351	0	194
normalized size	1	1.07	2.7	1.94	3.17	4.33	0.	2.4
time (sec)	N/A	0.172	0.828	0.066	0.96	0.527	0.	1.293

Problem 462	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	74	74	175	135	221	242	0	157
normalized size	1	1.	2.36	1.82	2.99	3.27	0.	2.12
time (sec)	N/A	0.129	0.505	0.069	1.428	0.473	0.	1.286

Problem 463	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	100	100	279	187	317	309	0	205
normalized size	1	1.	2.79	1.87	3.17	3.09	0.	2.05
time (sec)	N/A	0.259	0.831	0.098	1.448	0.487	0.	1.265

Problem 464	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	377	309	475	383	0	267
normalized size	1	1.	2.42	1.98	3.04	2.46	0.	1.71
time (sec)	N/A	0.335	1.518	0.106	1.442	0.497	0.	1.243

Problem 465	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	185	185	473	482	657	437	0	359
normalized size	1	1.	2.56	2.61	3.55	2.36	0.	1.94
time (sec)	N/A	0.363	1.819	0.112	1.456	0.512	0.	1.251

Problem 466	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	1081	433	666	849	0	389
normalized size	1	1.	5.	2.	3.08	3.93	0.	1.8
time (sec)	N/A	0.516	6.453	0.082	0.989	0.533	0.	1.259

Problem 467	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	839	303	473	690	0	316
normalized size	1	1.	5.21	1.88	2.94	4.29	0.	1.96
time (sec)	N/A	0.45	6.367	0.072	0.982	0.522	0.	1.28

Problem 468	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	277	197	313	505	0	243
normalized size	1	1.	2.1	1.49	2.37	3.83	0.	1.84
time (sec)	N/A	0.351	1.614	0.069	0.967	0.511	0.	1.311

Problem 469	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	156	113	242	251	0	155
normalized size	1	1.	1.42	1.03	2.2	2.28	0.	1.41
time (sec)	N/A	0.207	0.566	0.068	0.977	0.46	0.	1.278

Problem 470	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	289	175	277	375	0	207
normalized size	1	1.	2.51	1.52	2.41	3.26	0.	1.8
time (sec)	N/A	0.196	0.908	0.079	1.439	0.485	0.	1.307

Problem 471	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	419	247	398	455	0	278
normalized size	1	1.	2.97	1.75	2.82	3.23	0.	1.97
time (sec)	N/A	0.404	1.636	0.11	1.459	0.498	0.	1.23

Problem 472	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	557	369	555	556	0	340
normalized size	1	1.	2.77	1.84	2.76	2.77	0.	1.69
time (sec)	N/A	0.517	1.585	0.128	1.465	0.511	0.	1.229

Problem 473	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	655	542	738	613	0	432
normalized size	1	1.	2.76	2.29	3.11	2.59	0.	1.82
time (sec)	N/A	0.545	2.648	0.122	1.465	0.52	0.	1.194

Problem 474	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	254	254	1322	493	751	1062	0	458
normalized size	1	1.	5.2	1.94	2.96	4.18	0.	1.8
time (sec)	N/A	0.69	6.476	0.086	1.003	0.547	0.	1.325

Problem 475	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	204	204	1208	363	555	872	0	385
normalized size	1	1.	5.92	1.78	2.72	4.27	0.	1.89
time (sec)	N/A	0.629	6.394	0.076	0.994	0.531	0.	1.362

Problem 476	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	173	173	335	277	423	660	0	335
normalized size	1	1.	1.94	1.6	2.45	3.82	0.	1.94
time (sec)	N/A	0.497	2.814	0.077	0.991	0.537	0.	1.235

Problem 477	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	200	106	350	343	0	231
normalized size	1	1.	1.35	0.72	2.36	2.32	0.	1.56
time (sec)	N/A	0.406	0.684	0.075	0.986	0.472	0.	1.211

Problem 478	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	231	108	350	343	0	231
normalized size	1	1.	1.5	0.7	2.27	2.23	0.	1.5
time (sec)	N/A	0.26	0.762	0.078	0.99	0.474	0.	1.206

Problem 479	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	405	255	386	512	0	297
normalized size	1	1.	2.74	1.72	2.61	3.46	0.	2.01
time (sec)	N/A	0.284	1.362	0.085	1.458	0.498	0.	1.179

Problem 480	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	176	176	567	307	481	608	0	346
normalized size	1	1.	3.22	1.74	2.73	3.45	0.	1.97
time (sec)	N/A	0.559	1.928	0.122	1.468	0.512	0.	1.16

Problem 481	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	239	239	345	429	640	730	0	408
normalized size	1	1.	1.44	1.79	2.68	3.05	0.	1.71
time (sec)	N/A	0.699	5.253	0.128	1.474	0.525	0.	1.166

Problem 482	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	239	239	185	204	0	405	0	554
normalized size	1	1.	0.77	0.85	0.	1.69	0.	2.32
time (sec)	N/A	0.558	1.73	0.433	0.	0.518	0.	4.981

Problem 483	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	193	193	153	171	0	343	0	470
normalized size	1	1.	0.79	0.89	0.	1.78	0.	2.44
time (sec)	N/A	0.473	1.847	0.37	0.	0.506	0.	4.838

Problem 484	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	119	138	0	286	0	386
normalized size	1	1.	0.81	0.94	0.	1.95	0.	2.63
time (sec)	N/A	0.428	1.317	0.334	0.	0.495	0.	4.65

Problem 485	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	83	105	0	225	0	302
normalized size	1	1.	0.8	1.01	0.	2.16	0.	2.9
time (sec)	N/A	0.209	0.786	0.319	0.	0.495	0.	4.542

Problem 486	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	100	100	101	236	0	792	0	0
normalized size	1	1.	1.01	2.36	0.	7.92	0.	0.
time (sec)	N/A	0.152	0.688	0.321	0.	0.551	0.	0.

Problem 487	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	94	210	1268	717	0	531
normalized size	1	1.	0.96	2.14	12.94	7.32	0.	5.42
time (sec)	N/A	0.211	0.396	0.351	1.97	0.667	0.	6.387

Problem 488	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	113	548	2695	833	0	891
normalized size	1	1.	0.97	4.68	23.03	7.12	0.	7.62
time (sec)	N/A	0.277	0.489	0.383	2.407	0.913	0.	6.677

Problem 489	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	152	832	5090	946	0	1596
normalized size	1	1.	0.93	5.1	31.23	5.8	0.	9.79
time (sec)	N/A	0.37	0.482	0.362	3.143	0.913	0.	6.983

Problem 490	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	90	1105	0	1084	0	2049
normalized size	1	1.	0.43	5.29	0.	5.19	0.	9.8
time (sec)	N/A	0.454	0.239	0.398	0.	1.292	0.	7.167

Problem 491	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	185	205	0	435	0	554
normalized size	1	1.	0.76	0.84	0.	1.79	0.	2.28
time (sec)	N/A	0.695	2.04	0.36	0.	0.523	0.	5.191

Problem 492	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	152	172	0	363	0	470
normalized size	1	1.	0.81	0.92	0.	1.94	0.	2.51
time (sec)	N/A	0.516	2.148	0.315	0.	0.509	0.	5.033

Problem 493	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	120	139	0	300	0	386
normalized size	1	1.	0.83	0.97	0.	2.08	0.	2.68
time (sec)	N/A	0.283	1.633	0.296	0.	0.501	0.	4.892

Problem 494	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	132	361	0	944	0	0
normalized size	1	1.	0.93	2.54	0.	6.65	0.	0.
time (sec)	N/A	0.236	1.353	0.322	0.	0.573	0.	0.

Problem 495	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	115	409	2431	941	0	633
normalized size	1	1.	0.8	2.84	16.88	6.53	0.	4.4
time (sec)	N/A	0.31	1.949	0.371	2.193	0.654	0.	6.542

Problem 496	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	117	569	0	887	0	990
normalized size	1	1.	0.75	3.62	0.	5.65	0.	6.31
time (sec)	N/A	0.451	0.761	0.395	0.	0.924	0.	6.764

Problem 497	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	124	833	0	1003	0	1612
normalized size	1	1.	0.75	5.05	0.	6.08	0.	9.77
time (sec)	N/A	0.481	1.671	0.297	0.	0.916	0.	7.285

Problem 498	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	157	1106	0	1133	0	2066
normalized size	1	1.	0.73	5.14	0.	5.27	0.	9.61
time (sec)	N/A	0.586	1.749	0.342	0.	1.304	0.	7.695

Problem 499	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	263	263	182	1379	0	1295	0	2519
normalized size	1	1.	0.69	5.24	0.	4.92	0.	9.58
time (sec)	N/A	0.673	2.67	0.365	0.	1.319	0.	8.007

Problem 500	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	294	294	222	240	0	541	0	637
normalized size	1	1.	0.76	0.82	0.	1.84	0.	2.17
time (sec)	N/A	0.905	2.143	0.37	0.	0.571	0.	5.707

Problem 501	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	188	207	0	456	0	554
normalized size	1	1.	0.82	0.9	0.	1.99	0.	2.42
time (sec)	N/A	0.587	1.669	0.33	0.	0.544	0.	5.526

Problem 502	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	184	184	156	174	0	374	0	470
normalized size	1	1.	0.85	0.95	0.	2.03	0.	2.55
time (sec)	N/A	0.345	2.45	0.29	0.	0.534	0.	5.363

Problem 503	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	170	476	0	1111	0	0
normalized size	1	1.	0.93	2.62	0.	6.1	0.	0.
time (sec)	N/A	0.324	2.436	0.355	0.	0.595	0.	0.

Problem 504	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	184	184	209	604	3753	1108	0	771
normalized size	1	1.	1.14	3.28	20.4	6.02	0.	4.19
time (sec)	N/A	0.404	1.754	0.368	2.403	0.682	0.	6.865

Problem 505	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	197	197	152	583	0	1111	0	1095
normalized size	1	1.	0.77	2.96	0.	5.64	0.	5.56
time (sec)	N/A	0.631	1.191	0.388	0.	0.956	0.	7.082

Problem 506	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	207	207	140	846	0	1060	0	1712
normalized size	1	1.	0.68	4.09	0.	5.12	0.	8.27
time (sec)	N/A	0.658	1.704	0.323	0.	0.927	0.	7.799

Problem 507	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	156	1108	0	1187	0	2082
normalized size	1	1.	0.73	5.15	0.	5.52	0.	9.68
time (sec)	N/A	0.699	2.335	0.309	0.	1.295	0.	8.354

Problem 508	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	183	1381	0	1332	0	2535
normalized size	1	1.	0.7	5.29	0.	5.1	0.	9.71
time (sec)	N/A	0.81	2.391	0.368	0.	1.327	0.	8.927

Problem 509	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	311	311	217	1654	0	1507	0	2989
normalized size	1	1.	0.7	5.32	0.	4.85	0.	9.61
time (sec)	N/A	0.895	3.421	0.404	0.	1.336	0.	9.335

Problem 510	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	254	254	7186	1429	0	1289	0	689
normalized size	1	1.	28.29	5.63	0.	5.07	0.	2.71
time (sec)	N/A	0.857	29.625	0.45	0.	0.649	0.	9.53

Problem 511	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	208	208	7134	1144	0	1176	0	412
normalized size	1	1.	34.3	5.5	0.	5.65	0.	1.98
time (sec)	N/A	0.637	29.546	0.39	0.	0.634	0.	9.265

Problem 512	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	164	164	1666	859	0	1057	0	464
normalized size	1	1.	10.16	5.24	0.	6.45	0.	2.83
time (sec)	N/A	0.452	10.657	0.353	0.	0.619	0.	9.157

Problem 513	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	118	118	628	563	0	937	0	252
normalized size	1	1.	5.32	4.77	0.	7.94	0.	2.14
time (sec)	N/A	0.225	7.132	0.339	0.	0.616	0.	8.955

Problem 514	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	123	347	0	1172	0	396
normalized size	1	1.	1.04	2.94	0.	9.93	0.	3.36
time (sec)	N/A	0.172	1.184	0.299	0.	12.625	0.	10.992

Problem 515	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	120	120	120	430	0	1237	0	532
normalized size	1	1.	1.	3.58	0.	10.31	0.	4.43
time (sec)	N/A	0.239	1.147	0.352	0.	16.585	0.	11.119

Problem 516	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	169	169	16865	1025	0	1374	0	886
normalized size	1	1.	99.79	6.07	0.	8.13	0.	5.24
time (sec)	N/A	0.397	27.668	0.33	0.	43.098	0.	11.804

Problem 517	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	161	1561	0	1496	0	1490
normalized size	1	1.	0.76	7.33	0.	7.02	0.	7.
time (sec)	N/A	0.589	0.81	0.361	0.	42.795	0.	11.857

Problem 518	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	259	259	178	2086	0	1639	0	1887
normalized size	1	1.	0.69	8.05	0.	6.33	0.	7.29
time (sec)	N/A	0.777	0.969	0.413	0.	64.537	0.	12.302

Problem 519	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	277	277	2746	1437	0	1535	0	756
normalized size	1	1.	9.91	5.19	0.	5.54	0.	2.73
time (sec)	N/A	0.877	11.774	0.407	0.	0.695	0.	9.753

Problem 520	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	229	229	2025	1152	0	1399	0	456
normalized size	1	1.	8.84	5.03	0.	6.11	0.	1.99
time (sec)	N/A	0.683	8.847	0.376	0.	0.653	0.	9.618

Problem 521	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	181	181	7119	867	0	1257	0	491
normalized size	1	1.	39.33	4.79	0.	6.94	0.	2.71
time (sec)	N/A	0.476	25.268	0.321	0.	0.637	0.	9.286

Problem 522	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	120	135	748	583	0	1046	0	271
normalized size	1	1.12	6.23	4.86	0.	8.72	0.	2.26
time (sec)	N/A	0.246	6.481	0.306	0.	0.612	0.	8.983

Problem 523	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	131	131	16094	732	0	1625	0	448
normalized size	1	1.	122.85	5.59	0.	12.4	0.	3.42
time (sec)	N/A	0.195	28.184	0.249	0.	24.714	0.	10.926

Problem 524	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	173	173	179	889	0	1619	0	0
normalized size	1	1.	1.03	5.14	0.	9.36	0.	0.
time (sec)	N/A	0.417	2.374	0.352	0.	60.345	0.	0.

Problem 525	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	232	232	17669	1569	0	1789	0	0
normalized size	1	1.	76.16	6.76	0.	7.71	0.	0.
time (sec)	N/A	0.623	28.2	0.319	0.	118.304	0.	0.

Problem 526	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	221	2094	0	1935	0	0
normalized size	1	1.	0.78	7.37	0.	6.81	0.	0.
time (sec)	N/A	0.834	2.97	0.357	0.	118.417	0.	0.

Problem 527	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	277	277	7237	1439	0	1735	0	755
normalized size	1	1.	26.13	5.19	0.	6.26	0.	2.73
time (sec)	N/A	0.902	25.175	0.421	0.	0.698	0.	10.461

Problem 528	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	227	227	7197	1154	0	1590	0	455
normalized size	1	1.	31.7	5.08	0.	7.	0.	2.
time (sec)	N/A	0.695	25.693	0.356	0.	0.651	0.	10.032

Problem 529	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	179	179	7172	870	0	1365	0	487
normalized size	1	1.	40.07	4.86	0.	7.63	0.	2.72
time (sec)	N/A	0.491	25.03	0.319	0.	0.626	0.	9.764

Problem 530	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	137	137	7163	875	0	1330	0	277
normalized size	1	1.	52.28	6.39	0.	9.71	0.	2.02
time (sec)	N/A	0.273	24.931	0.292	0.	0.624	0.	9.414

Problem 531	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	171	171	16181	1097	0	1845	0	490
normalized size	1	1.	94.63	6.42	0.	10.79	0.	2.87
time (sec)	N/A	0.278	28.272	0.244	0.	96.835	0.	11.259

Problem 532	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	217	217	181	1338	0	2043	0	0
normalized size	1	1.	0.83	6.17	0.	9.41	0.	0.
time (sec)	N/A	0.61	5.283	0.39	0.	129.546	0.	0.

Problem 533	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	280	280	17747	2096	0	0	0	0
normalized size	1	1.	63.38	7.49	0.	0.	0.	0.
time (sec)	N/A	0.869	28.428	0.367	0.	0.	0.	0.

Problem 534	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	217	217	527	850	0	0	0	0
normalized size	1	1.	2.43	3.92	0.	0.	0.	0.
time (sec)	N/A	0.256	6.696	8.038	0.	0.	0.	0.

Problem 535	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	366	741	0	0	0	0
normalized size	1	1.	2.02	4.09	0.	0.	0.	0.
time (sec)	N/A	0.221	6.26	6.857	0.	0.	0.	0.

Problem 536	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	208	516	0	0	0	0
normalized size	1	1.	1.45	3.61	0.	0.	0.	0.
time (sec)	N/A	0.219	1.847	5.522	0.	0.	0.	0.

Problem 537	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	183	380	0	0	0	0
normalized size	1	1.	1.33	2.75	0.	0.	0.	0.
time (sec)	N/A	0.209	1.873	2.306	0.	0.	0.	0.

Problem 538	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	177	447	0	0	0	0
normalized size	1	1.	1.21	3.06	0.	0.	0.	0.
time (sec)	N/A	0.217	1.801	2.182	0.	0.	0.	0.

Problem 539	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	201	481	0	0	0	0
normalized size	1	1.	1.1	2.64	0.	0.	0.	0.
time (sec)	N/A	0.244	2.202	2.415	0.	0.	0.	0.

Problem 540	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	231	512	0	0	0	0
normalized size	1	1.	1.07	2.38	0.	0.	0.	0.
time (sec)	N/A	0.282	2.511	2.228	0.	0.	0.	0.

Problem 541	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	291	291	1270	1183	0	0	0	0
normalized size	1	1.	4.36	4.07	0.	0.	0.	0.
time (sec)	N/A	0.495	7.149	10.199	0.	0.	0.	0.

Problem 542	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	255	255	1216	934	0	0	0	0
normalized size	1	1.	4.77	3.66	0.	0.	0.	0.
time (sec)	N/A	0.506	7.008	9.	0.	0.	0.	0.

Problem 543	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	265	908	0	0	0	0
normalized size	1	1.	1.24	4.24	0.	0.	0.	0.
time (sec)	N/A	0.453	3.508	6.886	0.	0.	0.	0.

Problem 544	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	209	801	0	0	0	0
normalized size	1	1.	1.	3.85	0.	0.	0.	0.
time (sec)	N/A	0.446	2.451	6.223	0.	0.	0.	0.

Problem 545	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	187	595	0	0	0	0
normalized size	1	1.	0.87	2.78	0.	0.	0.	0.
time (sec)	N/A	0.493	2.063	2.448	0.	0.	0.	0.

Problem 546	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	189	483	0	0	0	0
normalized size	1	1.	0.86	2.21	0.	0.	0.	0.
time (sec)	N/A	0.497	2.255	2.378	0.	0.	0.	0.

Problem 547	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	255	255	234	514	0	0	0	0
normalized size	1	1.	0.92	2.02	0.	0.	0.	0.
time (sec)	N/A	0.502	3.564	2.476	0.	0.	0.	0.

Problem 548	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	291	291	270	545	0	0	0	0
normalized size	1	1.	0.93	1.87	0.	0.	0.	0.
time (sec)	N/A	0.524	4.546	2.298	0.	0.	0.	0.

Problem 549	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	343	343	1324	1427	0	0	0	0
normalized size	1	1.	3.86	4.16	0.	0.	0.	0.
time (sec)	N/A	0.699	7.354	12.427	0.	0.	0.	0.

Problem 550	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	307	307	1267	1265	0	0	0	0
normalized size	1	1.	4.13	4.12	0.	0.	0.	0.
time (sec)	N/A	0.646	7.195	11.043	0.	0.	0.	0.

Problem 551	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	271	271	359	1099	0	0	0	0
normalized size	1	1.	1.32	4.06	0.	0.	0.	0.
time (sec)	N/A	0.631	5.47	9.23	0.	0.	0.	0.

Problem 552	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	271	271	316	1328	0	0	0	0
normalized size	1	1.	1.17	4.9	0.	0.	0.	0.
time (sec)	N/A	0.631	4.721	8.219	0.	0.	0.	0.

Problem 553	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	270	270	275	950	0	0	0	0
normalized size	1	1.	1.02	3.52	0.	0.	0.	0.
time (sec)	N/A	0.658	3.068	7.704	0.	0.	0.	0.

Problem 554	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	271	271	266	727	0	0	0	0
normalized size	1	1.	0.98	2.68	0.	0.	0.	0.
time (sec)	N/A	0.633	3.089	2.711	0.	0.	0.	0.

Problem 555	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	271	271	214	514	0	0	0	0
normalized size	1	1.	0.79	1.9	0.	0.	0.	0.
time (sec)	N/A	0.647	3.048	2.337	0.	0.	0.	0.

Problem 556	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	307	307	246	545	0	0	0	0
normalized size	1	1.	0.8	1.78	0.	0.	0.	0.
time (sec)	N/A	0.675	5.181	2.188	0.	0.	0.	0.

Problem 557	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	343	343	300	576	0	0	0	0
normalized size	1	1.	0.87	1.68	0.	0.	0.	0.
time (sec)	N/A	0.718	6.501	2.474	0.	0.	0.	0.

Problem 558	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	250	250	1307	812	0	0	0	0
normalized size	1	1.	5.23	3.25	0.	0.	0.	0.
time (sec)	N/A	0.276	7.872	8.685	0.	0.	0.	0.

Problem 559	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	205	205	1261	494	0	0	0	0
normalized size	1	1.	6.15	2.41	0.	0.	0.	0.
time (sec)	N/A	0.248	7.435	6.934	0.	0.	0.	0.

Problem 560	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	1224	353	0	0	0	0
normalized size	1	1.	7.56	2.18	0.	0.	0.	0.
time (sec)	N/A	0.214	6.808	4.813	0.	0.	0.	0.

Problem 561	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	133	133	1243	281	0	0	0	0
normalized size	1	1.	9.35	2.11	0.	0.	0.	0.
time (sec)	N/A	0.209	6.543	1.951	0.	0.	0.	0.

Problem 562	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	174	174	1287	300	0	0	0	0
normalized size	1	1.	7.4	1.72	0.	0.	0.	0.
time (sec)	N/A	0.234	6.684	2.449	0.	0.	0.	0.

Problem 563	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	214	214	1350	320	0	0	0	0
normalized size	1	1.	6.31	1.5	0.	0.	0.	0.
time (sec)	N/A	0.254	6.772	2.247	0.	0.	0.	0.

Problem 564	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	250	250	1406	341	0	0	0	0
normalized size	1	1.	5.62	1.36	0.	0.	0.	0.
time (sec)	N/A	0.282	6.904	2.282	0.	0.	0.	0.

Problem 565	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	251	251	1347	751	0	0	0	0
normalized size	1	1.	5.37	2.99	0.	0.	0.	0.
time (sec)	N/A	0.412	7.84	8.239	0.	0.	0.	0.

Problem 566	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	207	207	567	559	0	0	0	0
normalized size	1	1.	2.74	2.7	0.	0.	0.	0.
time (sec)	N/A	0.381	4.449	5.62	0.	0.	0.	0.

Problem 567	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	173	173	1097	509	0	0	0	0
normalized size	1	1.	6.34	2.94	0.	0.	0.	0.
time (sec)	N/A	0.363	6.822	2.318	0.	0.	0.	0.

Problem 568	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	184	184	1114	509	0	0	0	0
normalized size	1	1.	6.05	2.77	0.	0.	0.	0.
time (sec)	N/A	0.364	6.893	2.51	0.	0.	0.	0.

Problem 569	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	220	220	762	472	0	0	0	0
normalized size	1	1.	3.46	2.15	0.	0.	0.	0.
time (sec)	N/A	0.403	6.744	3.004	0.	0.	0.	0.

Problem 570	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	254	254	1442	491	0	0	0	0
normalized size	1	1.	5.68	1.93	0.	0.	0.	0.
time (sec)	N/A	0.425	7.229	2.749	0.	0.	0.	0.

Problem 571	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	308	308	1462	1040	0	0	0	0
normalized size	1	1.	4.75	3.38	0.	0.	0.	0.
time (sec)	N/A	0.621	8.608	10.019	0.	0.	0.	0.

Problem 572	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	269	269	1430	789	0	0	0	0
normalized size	1	1.	5.32	2.93	0.	0.	0.	0.
time (sec)	N/A	0.584	7.404	3.349	0.	0.	0.	0.

Problem 573	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	231	231	1425	624	0	0	0	0
normalized size	1	1.	6.17	2.7	0.	0.	0.	0.
time (sec)	N/A	0.549	7.104	2.55	0.	0.	0.	0.

Problem 574	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	231	231	1431	624	0	0	0	0
normalized size	1	1.	6.19	2.7	0.	0.	0.	0.
time (sec)	N/A	0.555	7.206	2.505	0.	0.	0.	0.

Problem 575	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	241	241	1449	624	0	0	0	0
normalized size	1	1.	6.01	2.59	0.	0.	0.	0.
time (sec)	N/A	0.562	7.533	2.616	0.	0.	0.	0.

Problem 576	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	274	274	1497	638	0	0	0	0
normalized size	1	1.	5.46	2.33	0.	0.	0.	0.
time (sec)	N/A	0.6	7.552	2.704	0.	0.	0.	0.

Problem 577	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	313	313	1555	666	0	0	0	0
normalized size	1	1.	4.97	2.13	0.	0.	0.	0.
time (sec)	N/A	0.639	7.743	2.47	0.	0.	0.	0.

Problem 578	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	227	227	179	638	8764	1338	0	0
normalized size	1	1.	0.79	2.81	38.61	5.89	0.	0.
time (sec)	N/A	0.518	2.105	0.443	4.196	2.4	0.	0.

Problem 579	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	179	179	141	543	5403	1200	0	0
normalized size	1	1.	0.79	3.03	30.18	6.7	0.	0.
time (sec)	N/A	0.423	1.19	0.433	3.026	1.493	0.	0.

Problem 580	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	109	452	2925	1077	0	0
normalized size	1	1.	0.83	3.45	22.33	8.22	0.	0.
time (sec)	N/A	0.338	0.839	0.47	2.605	1.486	0.	0.

Problem 581	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	94	344	1246	919	0	0
normalized size	1	1.	0.79	2.89	10.47	7.72	0.	0.
time (sec)	N/A	0.331	0.583	0.445	2.353	0.783	0.	0.

Problem 582	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	120	120	94	210	504	949	0	0
normalized size	1	1.	0.78	1.75	4.2	7.91	0.	0.
time (sec)	N/A	0.321	0.723	0.431	2.233	0.597	0.	0.

Problem 583	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	129	129	77	99	452	251	0	0
normalized size	1	1.	0.6	0.77	3.5	1.95	0.	0.
time (sec)	N/A	0.354	0.5	0.426	2.226	0.483	0.	0.

Problem 584	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	99	130	822	312	0	0
normalized size	1	1.	0.56	0.73	4.62	1.75	0.	0.
time (sec)	N/A	0.426	0.866	0.422	2.348	0.489	0.	0.

Problem 585	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	226	226	121	163	1185	369	0	0
normalized size	1	1.	0.54	0.72	5.24	1.63	0.	0.
time (sec)	N/A	0.51	1.352	0.441	2.37	0.495	0.	0.

Problem 586	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	283	283	211	732	0	1543	0	0
normalized size	1	1.	0.75	2.59	0.	5.45	0.	0.
time (sec)	N/A	0.748	3.899	0.417	0.	2.415	0.	0.

Problem 587	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	233	233	177	637	10963	1381	0	0
normalized size	1	1.	0.76	2.73	47.05	5.93	0.	0.
time (sec)	N/A	0.646	2.441	0.394	4.528	2.389	0.	0.

Problem 588	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	142	546	7760	1251	0	0
normalized size	1	1.	0.78	3.02	42.87	6.91	0.	0.
time (sec)	N/A	0.548	1.48	0.379	3.273	1.502	0.	0.

Problem 589	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	129	533	4942	1166	0	0
normalized size	1	1.	0.7	2.91	27.01	6.37	0.	0.
time (sec)	N/A	0.525	1.236	0.388	2.801	1.496	0.	0.

Problem 590	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	177	177	122	383	1964	1058	0	0
normalized size	1	1.	0.69	2.16	11.1	5.98	0.	0.
time (sec)	N/A	0.523	1.074	0.405	2.44	0.799	0.	0.

Problem 591	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	162	245	705	1089	0	0
normalized size	1	1.	0.94	1.42	4.1	6.33	0.	0.
time (sec)	N/A	0.512	1.849	0.411	2.319	0.627	0.	0.

Problem 592	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	100	131	743	325	0	0
normalized size	1	1.	0.55	0.72	4.1	1.8	0.	0.
time (sec)	N/A	0.466	0.965	0.361	2.316	0.489	0.	0.

Problem 593	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	232	232	123	164	1226	389	0	0
normalized size	1	1.	0.53	0.71	5.28	1.68	0.	0.
time (sec)	N/A	0.653	1.558	0.402	2.452	0.499	0.	0.

Problem 594	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	158	197	1604	460	0	0
normalized size	1	1.	0.56	0.69	5.65	1.62	0.	0.
time (sec)	N/A	0.739	2.334	0.403	2.514	0.507	0.	0.

Problem 595	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	333	333	245	827	0	1756	0	0
normalized size	1	1.	0.74	2.48	0.	5.27	0.	0.
time (sec)	N/A	0.949	4.687	0.451	0.	2.405	0.	0.

Problem 596	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	281	281	213	732	0	1581	0	0
normalized size	1	1.	0.76	2.6	0.	5.63	0.	0.
time (sec)	N/A	0.858	3.217	0.402	0.	2.435	0.	0.

Problem 597	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	233	233	179	641	0	1435	0	0
normalized size	1	1.	0.77	2.75	0.	6.16	0.	0.
time (sec)	N/A	0.752	2.159	0.375	0.	2.378	0.	0.

Problem 598	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	233	233	158	568	0	1349	0	0
normalized size	1	1.	0.68	2.44	0.	5.79	0.	0.
time (sec)	N/A	0.726	1.755	0.399	0.	1.539	0.	0.

Problem 599	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	233	233	155	549	0	1308	0	0
normalized size	1	1.	0.67	2.36	0.	5.61	0.	0.
time (sec)	N/A	0.741	1.273	0.351	0.	1.501	0.	0.

Problem 600	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	149	420	0	1214	0	0
normalized size	1	1.	0.67	1.88	0.	5.44	0.	0.
time (sec)	N/A	0.719	1.136	0.36	0.	0.819	0.	0.

Problem 601	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	222	222	194	280	1318	1257	0	0
normalized size	1	1.	0.87	1.26	5.94	5.66	0.	0.
time (sec)	N/A	0.697	6.353	0.436	2.522	0.643	0.	0.

Problem 602	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	231	231	124	166	1085	400	0	0
normalized size	1	1.	0.54	0.72	4.7	1.73	0.	0.
time (sec)	N/A	0.555	1.64	0.371	2.41	0.497	0.	0.

Problem 603	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	157	199	1709	482	0	0
normalized size	1	1.	0.55	0.7	6.02	1.7	0.	0.
time (sec)	N/A	0.863	1.528	0.387	2.545	0.509	0.	0.

Problem 604	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	334	334	190	232	2109	567	0	0
normalized size	1	1.	0.57	0.69	6.31	1.7	0.	0.
time (sec)	N/A	0.941	1.613	0.418	2.636	0.518	0.	0.

Problem 605	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	241	241	198	640	7028	1809	0	0
normalized size	1	1.	0.82	2.66	29.16	7.51	0.	0.
time (sec)	N/A	0.804	1.426	0.417	3.364	1.802	0.	0.

Problem 606	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	195	195	174	549	4047	1671	0	0
normalized size	1	1.	0.89	2.82	20.75	8.57	0.	0.
time (sec)	N/A	0.599	0.836	0.39	2.877	1.765	0.	0.

Problem 607	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	107	378	1947	1424	0	0
normalized size	1	1.	0.76	2.68	13.81	10.1	0.	0.
time (sec)	N/A	0.418	0.624	0.409	2.576	0.89	0.	0.

Problem 608	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	96	319	902	1373	0	0
normalized size	1	1.	0.7	2.31	6.54	9.95	0.	0.
time (sec)	N/A	0.388	0.502	0.351	2.408	0.678	0.	0.

Problem 609	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	88	229	641	960	0	0
normalized size	1	1.	0.62	1.6	4.48	6.71	0.	0.
time (sec)	N/A	0.361	0.586	0.401	2.311	0.541	0.	0.

Problem 610	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	155	263	1002	1069	0	0
normalized size	1	1.	0.81	1.38	5.25	5.6	0.	0.
time (sec)	N/A	0.571	0.885	0.427	2.457	0.545	0.	0.

Problem 611	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	175	296	1465	1187	0	0
normalized size	1	1.	0.74	1.25	6.18	5.01	0.	0.
time (sec)	N/A	0.758	1.563	0.377	2.585	0.566	0.	0.

Problem 612	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	118	515	2589	1563	0	0
normalized size	1	1.	0.78	3.39	17.03	10.28	0.	0.
time (sec)	N/A	0.472	0.515	0.419	2.994	1.834	0.	0.

Problem 613	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	260	260	239	741	0	2103	0	0
normalized size	1	1.	0.92	2.85	0.	8.09	0.	0.
time (sec)	N/A	0.906	2.275	0.363	0.	2.237	0.	0.

Problem 614	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	202	202	177	561	0	1793	0	0
normalized size	1	1.	0.88	2.78	0.	8.88	0.	0.
time (sec)	N/A	0.604	2.185	0.389	0.	1.038	0.	0.

Problem 615	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	175	384	0	1656	0	0
normalized size	1	1.	1.17	2.58	0.	11.11	0.	0.
time (sec)	N/A	0.406	1.304	0.371	0.	0.715	0.	0.

Problem 616	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	147	397	0	1157	0	0
normalized size	1	1.	0.91	2.47	0.	7.19	0.	0.
time (sec)	N/A	0.383	1.119	0.366	0.	0.546	0.	0.

Problem 617	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	126	427	0	1281	0	0
normalized size	1	1.	0.59	2.	0.	6.01	0.	0.
time (sec)	N/A	0.575	1.526	0.379	0.	0.558	0.	0.

Problem 618	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	263	263	148	460	0	1411	0	0
normalized size	1	1.	0.56	1.75	0.	5.37	0.	0.
time (sec)	N/A	0.753	2.08	0.402	0.	0.569	0.	0.

Problem 619	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	254	254	222	982	0	2217	0	0
normalized size	1	1.	0.87	3.87	0.	8.73	0.	0.
time (sec)	N/A	0.825	3.547	0.415	0.	1.184	0.	0.

Problem 620	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	204	684	0	2064	0	0
normalized size	1	1.	1.01	3.4	0.	10.27	0.	0.
time (sec)	N/A	0.596	1.609	0.381	0.	0.767	0.	0.

Problem 621	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	119	482	0	1400	0	0
normalized size	1	1.	0.73	2.96	0.	8.59	0.	0.
time (sec)	N/A	0.408	1.9	0.374	0.	0.544	0.	0.

Problem 622	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	128	594	0	1476	0	0
normalized size	1	1.	0.61	2.82	0.	7.	0.	0.
time (sec)	N/A	0.59	1.538	0.378	0.	0.557	0.	0.

Problem 623	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	146	624	0	1615	0	0
normalized size	1	1.	0.56	2.39	0.	6.19	0.	0.
time (sec)	N/A	0.802	2.088	0.391	0.	0.573	0.	0.

Problem 624	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	313	313	221	657	0	1747	0	0
normalized size	1	1.	0.71	2.1	0.	5.58	0.	0.
time (sec)	N/A	0.99	3.296	0.423	0.	0.586	0.	0.

Problem 625	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	446	446	5449	0	0	0	0	0
normalized size	1	1.	12.22	0.	0.	0.	0.	0.
time (sec)	N/A	0.723	21.062	0.182	0.	0.	0.	0.

Problem 626	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	390	390	2931	0	0	0	0	0
normalized size	1	1.	7.52	0.	0.	0.	0.	0.
time (sec)	N/A	0.452	19.595	0.178	0.	0.	0.	0.

Problem 627	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	402	402	3029	0	0	0	0	0
normalized size	1	1.	7.53	0.	0.	0.	0.	0.
time (sec)	N/A	0.469	19.533	0.185	0.	0.	0.	0.

Problem 628	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	466	466	3111	0	0	0	0	0
normalized size	1	1.	6.68	0.	0.	0.	0.	0.
time (sec)	N/A	0.518	19.677	0.187	0.	0.	0.	0.

Problem 629	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	839	839	4995	0	0	0	0	0
normalized size	1	1.	5.95	0.	0.	0.	0.	0.
time (sec)	N/A	1.068	20.309	0.19	0.	0.	0.	0.

Problem 630	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	786	786	4191	0	0	0	0	0
normalized size	1	1.	5.33	0.	0.	0.	0.	0.
time (sec)	N/A	0.845	19.749	0.191	0.	0.	0.	0.

Problem 631	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	803	803	4253	0	0	0	0	0
normalized size	1	1.	5.3	0.	0.	0.	0.	0.
time (sec)	N/A	0.888	19.681	0.185	0.	0.	0.	0.

Problem 632	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	856	856	4383	0	0	0	0	0
normalized size	1	1.	5.12	0.	0.	0.	0.	0.
time (sec)	N/A	0.974	19.685	0.192	0.	0.	0.	0.

Problem 633	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	259	259	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.612	4.19	1.272	0.	0.	0.	0.

Problem 634	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	258	258	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.555	2.492	0.4	0.	0.	0.	0.

Problem 635	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	38	38	38	0	419	142	0	0
normalized size	1	1.	1.	0.	11.03	3.74	0.	0.
time (sec)	N/A	0.981	0.155	1.303	19.496	0.595	0.	0.

Problem 636	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	171	171	2582	0	0	0	0	0
normalized size	1	1.	15.1	0.	0.	0.	0.	0.
time (sec)	N/A	0.264	16.977	0.487	0.	0.	0.	0.

Problem 637	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	96	192	236	389	0	451
normalized size	1	1.	0.69	1.37	1.69	2.78	0.	3.22
time (sec)	N/A	0.175	0.855	0.039	0.991	0.577	0.	1.235

Problem 638	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	80	149	205	335	0	410
normalized size	1	1.	0.68	1.27	1.75	2.86	0.	3.5
time (sec)	N/A	0.163	0.49	0.035	0.962	0.563	0.	1.223

Problem 639	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	59	108	135	285	0	248
normalized size	1	1.	0.69	1.26	1.57	3.31	0.	2.88
time (sec)	N/A	0.103	0.306	0.035	0.974	0.571	0.	1.236

Problem 640	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	67	85	119	267	0	181
normalized size	1	1.	1.16	1.47	2.05	4.6	0.	3.12
time (sec)	N/A	0.054	0.02	0.035	0.965	0.573	0.	1.154

Problem 641	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	54	57	80	232	0	161
normalized size	1	1.	1.29	1.36	1.9	5.52	0.	3.83
time (sec)	N/A	0.096	0.02	0.047	0.951	0.541	0.	1.147

Problem 642	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	73	77	95	167	0	171
normalized size	1	1.	1.26	1.33	1.64	2.88	0.	2.95
time (sec)	N/A	0.123	0.132	0.061	0.983	0.518	0.	1.242

Problem 643	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	64	68	90	140	0	207
normalized size	1	1.	0.83	0.88	1.17	1.82	0.	2.69
time (sec)	N/A	0.141	0.118	0.057	0.956	0.487	0.	1.144

Problem 644	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	84	96	122	189	0	367
normalized size	1	1.	0.88	1.01	1.28	1.99	0.	3.86
time (sec)	N/A	0.173	0.209	0.066	0.957	0.494	0.	1.203

Problem 645	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	89	117	153	242	0	408
normalized size	1	1.	0.68	0.89	1.17	1.85	0.	3.11
time (sec)	N/A	0.173	0.31	0.067	0.979	0.507	0.	1.165

Problem 646	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	226	226	275	257	292	455	0	718
normalized size	1	1.	1.22	1.14	1.29	2.01	0.	3.18
time (sec)	N/A	0.503	2.298	0.044	1.001	0.539	0.	1.21

Problem 647	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	1123	229	304	424	0	575
normalized size	1	1.	6.61	1.35	1.79	2.49	0.	3.38
time (sec)	N/A	0.308	6.319	0.044	0.989	0.537	0.	1.219

Problem 648	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	242	145	174	347	0	354
normalized size	1	1.	2.35	1.41	1.69	3.37	0.	3.44
time (sec)	N/A	0.139	1.241	0.045	0.989	0.532	0.	1.247

Problem 649	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	352	133	189	347	0	258
normalized size	1	1.	3.23	1.22	1.73	3.18	0.	2.37
time (sec)	N/A	0.165	0.878	0.063	0.99	0.537	0.	1.176

Problem 650	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	130	120	134	309	0	236
normalized size	1	1.	1.26	1.17	1.3	3.	0.	2.29
time (sec)	N/A	0.29	0.748	0.059	1.027	0.53	0.	1.194

Problem 651	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	144	137	151	250	0	346
normalized size	1	1.	1.29	1.22	1.35	2.23	0.	3.09
time (sec)	N/A	0.291	0.252	0.067	0.964	0.537	0.	1.217

Problem 652	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	104	140	176	248	0	510
normalized size	1	1.	0.72	0.97	1.21	1.71	0.	3.52
time (sec)	N/A	0.382	0.392	0.071	0.996	0.51	0.	1.167

Problem 653	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	126	158	208	300	0	672
normalized size	1	1.	0.78	0.98	1.29	1.86	0.	4.17
time (sec)	N/A	0.4	0.452	0.077	0.99	0.514	0.	1.194

Problem 654	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	306	306	407	430	521	636	0	1258
normalized size	1	1.	1.33	1.41	1.7	2.08	0.	4.11
time (sec)	N/A	0.719	3.617	0.051	1.021	0.576	0.	1.274

Problem 655	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	324	338	390	552	0	886
normalized size	1	1.	1.38	1.44	1.67	2.36	0.	3.79
time (sec)	N/A	0.488	1.881	0.056	1.004	0.554	0.	1.247

Problem 656	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	1241	267	343	485	0	710
normalized size	1	1.	7.43	1.6	2.05	2.9	0.	4.25
time (sec)	N/A	0.313	6.414	0.049	0.964	0.557	0.	1.25

Problem 657	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	325	195	244	440	0	435
normalized size	1	1.	1.95	1.17	1.46	2.63	0.	2.6
time (sec)	N/A	0.312	1.613	0.069	0.97	0.556	0.	1.248

Problem 658	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	287	196	242	419	0	522
normalized size	1	1.	1.71	1.17	1.44	2.49	0.	3.11
time (sec)	N/A	0.393	1.917	0.07	1.017	0.559	0.	1.245

Problem 659	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	184	183	190	394	0	413
normalized size	1	1.	1.13	1.12	1.17	2.42	0.	2.53
time (sec)	N/A	0.524	0.912	0.069	0.977	0.55	0.	1.237

Problem 660	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	177	252	235	354	0	679
normalized size	1	1.	0.97	1.38	1.29	1.95	0.	3.73
time (sec)	N/A	0.559	0.554	0.073	0.994	0.554	0.	1.269

Problem 661	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	218	218	155	201	262	367	0	818
normalized size	1	1.	0.71	0.92	1.2	1.68	0.	3.75
time (sec)	N/A	0.651	0.645	0.073	1.009	0.528	0.	1.233

Problem 662	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	257	257	253	249	328	450	0	1191
normalized size	1	1.	0.98	0.97	1.28	1.75	0.	4.63
time (sec)	N/A	0.752	1.127	0.084	1.022	0.553	0.	1.265

Problem 663	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	381	381	371	591	637	783	0	1728
normalized size	1	1.	0.97	1.55	1.67	2.06	0.	4.54
time (sec)	N/A	0.983	2.728	0.061	1.006	0.609	0.	1.281

Problem 664	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	310	310	460	511	620	716	0	1485
normalized size	1	1.	1.48	1.65	2.	2.31	0.	4.79
time (sec)	N/A	0.705	2.905	0.059	1.023	0.592	0.	1.236

Problem 665	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	227	227	503	377	429	610	0	1050
normalized size	1	1.	2.22	1.66	1.89	2.69	0.	4.63
time (sec)	N/A	0.478	2.573	0.056	0.979	0.582	0.	1.225

Problem 666	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	1357	316	413	575	0	797
normalized size	1	1.	5.93	1.38	1.8	2.51	0.	3.48
time (sec)	N/A	0.493	6.574	0.082	0.992	0.59	0.	1.264

Problem 667	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	416	258	298	509	0	536
normalized size	1	1.	1.9	1.18	1.36	2.32	0.	2.45
time (sec)	N/A	0.605	6.115	0.085	0.988	0.585	0.	1.216

Problem 668	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	251	251	324	259	298	516	0	537
normalized size	1	1.	1.29	1.03	1.19	2.06	0.	2.14
time (sec)	N/A	0.754	3.273	0.076	1.016	0.581	0.	1.247

Problem 669	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	246	246	270	296	275	504	0	753
normalized size	1	1.	1.1	1.2	1.12	2.05	0.	3.06
time (sec)	N/A	0.847	1.398	0.071	1.013	0.585	0.	1.288

Problem 670	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	223	364	323	473	0	1017
normalized size	1	1.	0.89	1.46	1.29	1.89	0.	4.07
time (sec)	N/A	0.884	0.833	0.085	0.988	0.58	0.	1.29

Problem 671	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	298	298	302	294	382	504	0	1396
normalized size	1	1.	1.01	0.99	1.28	1.69	0.	4.68
time (sec)	N/A	1.037	0.906	0.084	1.02	0.568	0.	1.277

Problem 672	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	339	339	351	332	444	595	0	1658
normalized size	1	1.	1.04	0.98	1.31	1.76	0.	4.89
time (sec)	N/A	1.151	0.859	0.1	0.992	0.582	0.	1.256

Problem 673	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	1299	205	259	428	0	512
normalized size	1	1.	8.22	1.3	1.64	2.71	0.	3.24
time (sec)	N/A	0.286	6.405	0.05	0.975	0.546	0.	1.268

Problem 674	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	106	106	86	118	142	323	0	227
normalized size	1	1.	0.81	1.11	1.34	3.05	0.	2.14
time (sec)	N/A	0.172	0.238	0.043	0.994	0.528	0.	1.179

Problem 675	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	75	94	126	281	0	0
normalized size	1	1.	1.	1.25	1.68	3.75	0.	0.
time (sec)	N/A	0.087	0.02	0.039	0.971	0.516	0.	0.

Problem 676	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	186	186	657	554	0	1486	0	502
normalized size	1	1.	3.53	2.98	0.	7.99	0.	2.7
time (sec)	N/A	0.645	3.71	0.087	0.	7.081	0.	1.46

Problem 677	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	428	362	0	1254	0	327
normalized size	1	1.	3.12	2.64	0.	9.15	0.	2.39
time (sec)	N/A	0.381	1.967	0.076	0.	7.02	0.	1.337

Problem 678	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	331	183	0	967	0	220
normalized size	1	1.	3.48	1.93	0.	10.18	0.	2.32
time (sec)	N/A	0.193	2.302	0.072	0.	1.989	0.	1.39

Problem 679	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	239	158	0	802	0	194
normalized size	1	1.	2.72	1.8	0.	9.11	0.	2.2
time (sec)	N/A	0.149	0.409	0.084	0.	1.996	0.	1.284

Problem 680	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	82	149	0	656	0	184
normalized size	1	1.	0.95	1.73	0.	7.63	0.	2.14
time (sec)	N/A	0.177	0.234	0.103	0.	0.55	0.	1.255

Problem 681	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	128	126	115	296	0	848	0	269
normalized size	1	0.98	0.9	2.31	0.	6.62	0.	2.1
time (sec)	N/A	0.387	0.358	0.114	0.	0.569	0.	1.25

Problem 682	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	173	149	551	0	1067	0	440
normalized size	1	0.99	0.85	3.15	0.	6.1	0.	2.51
time (sec)	N/A	0.605	0.5	0.118	0.	0.596	0.	1.214

Problem 683	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	232	232	191	1060	0	1328	0	775
normalized size	1	1.	0.82	4.57	0.	5.72	0.	3.34
time (sec)	N/A	0.927	0.658	0.125	0.	0.663	0.	1.39

Problem 684	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	271	271	461	646	0	2553	0	483
normalized size	1	1.	1.7	2.38	0.	9.42	0.	1.78
time (sec)	N/A	0.861	3.797	0.104	0.	29.97	0.	1.4

Problem 685	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	336	402	0	1904	0	516
normalized size	1	1.	2.2	2.63	0.	12.44	0.	3.37
time (sec)	N/A	0.485	2.678	0.084	0.	7.496	0.	1.288

Problem 686	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	135	135	331	350	0	1513	0	312
normalized size	1	1.	2.45	2.59	0.	11.21	0.	2.31
time (sec)	N/A	0.272	2.342	0.089	0.	5.483	0.	1.272

Problem 687	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	125	125	270	328	0	1188	0	277
normalized size	1	1.	2.16	2.62	0.	9.5	0.	2.22
time (sec)	N/A	0.227	1.978	0.094	0.	0.6	0.	1.196

Problem 688	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	137	367	0	1404	0	479
normalized size	1	1.	0.8	2.15	0.	8.21	0.	2.8
time (sec)	N/A	0.434	0.953	0.123	0.	0.63	0.	1.185

Problem 689	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	256	256	176	577	0	1820	0	425
normalized size	1	1.	0.69	2.25	0.	7.11	0.	1.66
time (sec)	N/A	0.86	0.947	0.128	0.	0.715	0.	1.259

Problem 690	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	326	326	212	836	0	2187	0	595
normalized size	1	1.	0.65	2.56	0.	6.71	0.	1.83
time (sec)	N/A	1.255	1.163	0.128	0.	0.785	0.	1.254

Problem 691	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	381	381	559	1547	0	4635	0	1602
normalized size	1	1.	1.47	4.06	0.	12.17	0.	4.2
time (sec)	N/A	1.62	4.15	0.109	0.	78.179	0.	1.349

Problem 692	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	271	271	421	1167	0	3416	0	703
normalized size	1	1.	1.55	4.31	0.	12.61	0.	2.59
time (sec)	N/A	1.022	2.263	0.098	0.	28.108	0.	1.318

Problem 693	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	212	212	445	1165	0	2866	0	687
normalized size	1	1.	2.1	5.5	0.	13.52	0.	3.24
time (sec)	N/A	0.594	5.177	0.097	0.	17.103	0.	1.299

Problem 694	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	177	177	342	230	0	1577	0	501
normalized size	1	1.	1.93	1.3	0.	8.91	0.	2.83
time (sec)	N/A	0.321	3.395	0.093	0.	0.648	0.	1.287

Problem 695	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	202	202	642	1143	0	2295	0	653
normalized size	1	1.	3.18	5.66	0.	11.36	0.	3.23
time (sec)	N/A	0.445	4.729	0.101	0.	0.712	0.	1.245

Problem 696	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	266	266	902	1132	0	2654	0	663
normalized size	1	1.	3.39	4.26	0.	9.98	0.	2.49
time (sec)	N/A	0.963	6.581	0.138	0.	0.787	0.	1.294

Problem 697	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	369	369	256	1478	0	3407	0	1551
normalized size	1	1.	0.69	4.01	0.	9.23	0.	4.2
time (sec)	N/A	1.615	2.439	0.149	0.	0.944	0.	1.308

Problem 698	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	378	378	564	2318	0	5434	0	1185
normalized size	1	1.	1.49	6.13	0.	14.38	0.	3.13
time (sec)	N/A	1.811	4.407	0.11	0.	65.167	0.	1.411

Problem 699	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	313	313	1092	2428	0	4779	0	1183
normalized size	1	1.	3.49	7.76	0.	15.27	0.	3.78
time (sec)	N/A	1.251	7.17	0.113	0.	51.219	0.	1.384

Problem 700	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	221	374	0	2475	0	936
normalized size	1	1.	0.85	1.43	0.	9.48	0.	3.59
time (sec)	N/A	0.673	1.273	0.095	0.	0.755	0.	1.295

Problem 701	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	252	252	438	373	0	2473	0	936
normalized size	1	1.	1.74	1.48	0.	9.81	0.	3.71
time (sec)	N/A	0.553	6.164	0.102	0.	0.751	0.	1.312

Problem 702	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	292	292	995	2407	0	3868	0	1141
normalized size	1	1.	3.41	8.24	0.	13.25	0.	3.91
time (sec)	N/A	0.937	7.212	0.113	0.	0.922	0.	1.317

Problem 703	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	367	367	1089	2283	0	4319	0	1143
normalized size	1	1.	2.97	6.22	0.	11.77	0.	3.11
time (sec)	N/A	1.824	7.422	0.152	0.	1.063	0.	1.364

Problem 704	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	513	513	1314	3023	0	5536	0	1392
normalized size	1	1.	2.56	5.89	0.	10.79	0.	2.71
time (sec)	N/A	2.345	5.524	0.161	0.	1.444	0.	1.359

Problem 705	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	17	17	17	31	0	95	41	58
normalized size	1	1.	1.	1.82	0.	5.59	2.41	3.41
time (sec)	N/A	0.044	0.007	0.043	0.	0.498	3.25	1.193

Problem 706	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	52	52	56	61	0	491	0	113
normalized size	1	1.	1.08	1.17	0.	9.44	0.	2.17
time (sec)	N/A	0.131	0.099	0.079	0.	0.528	0.	1.181

Problem 707	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	139	202	0	1050	0	236
normalized size	1	1.	1.3	1.89	0.	9.81	0.	2.21
time (sec)	N/A	0.206	0.46	0.098	0.	0.616	0.	1.262

Problem 708	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	223	659	0	1925	0	428
normalized size	1	1.	1.38	4.07	0.	11.88	0.	2.64
time (sec)	N/A	0.34	0.776	0.102	0.	0.684	0.	1.306

Problem 709	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	467	467	3518	4131	0	0	0	0
normalized size	1	1.	7.53	8.85	0.	0.	0.	0.
time (sec)	N/A	1.305	23.727	1.671	0.	0.	0.	0.

Problem 710	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	375	375	560	2784	0	0	0	0
normalized size	1	1.	1.49	7.42	0.	0.	0.	0.
time (sec)	N/A	0.772	19.958	1.	0.	0.	0.	0.

Problem 711	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	308	308	507	2453	0	0	0	0
normalized size	1	1.	1.65	7.96	0.	0.	0.	0.
time (sec)	N/A	0.505	18.011	0.754	0.	0.	0.	0.

Problem 712	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	355	355	570	1510	0	0	0	0
normalized size	1	1.	1.61	4.25	0.	0.	0.	0.
time (sec)	N/A	0.367	11.181	0.499	0.	0.	0.	0.

Problem 713	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	352	352	727	1602	0	0	0	0
normalized size	1	1.	2.07	4.55	0.	0.	0.	0.
time (sec)	N/A	0.379	18.251	0.508	0.	0.	0.	0.

Problem 714	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	411	411	1417	1834	0	0	0	0
normalized size	1	1.	3.45	4.46	0.	0.	0.	0.
time (sec)	N/A	0.681	19.17	0.427	0.	0.	0.	0.

Problem 715	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	502	502	1347	2535	0	0	0	0
normalized size	1	1.	2.68	5.05	0.	0.	0.	0.
time (sec)	N/A	1.061	19.33	0.485	0.	0.	0.	0.

Problem 716	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	587	587	1845	3606	0	0	0	0
normalized size	1	1.	3.14	6.14	0.	0.	0.	0.
time (sec)	N/A	1.575	15.378	0.619	0.	0.	0.	0.

Problem 717	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	550	550	3988	4696	0	0	0	0
normalized size	1	1.	7.25	8.54	0.	0.	0.	0.
time (sec)	N/A	1.919	26.097	2.226	0.	0.	0.	0.

Problem 718	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	454	454	3537	4115	0	0	0	0
normalized size	1	1.	7.79	9.06	0.	0.	0.	0.
time (sec)	N/A	1.05	24.128	1.669	0.	0.	0.	0.

Problem 719	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	374	374	3214	2986	0	0	0	0
normalized size	1	1.	8.59	7.98	0.	0.	0.	0.
time (sec)	N/A	0.761	23.782	0.986	0.	0.	0.	0.

Problem 720	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	415	415	6143	2834	0	0	0	0
normalized size	1	1.	14.8	6.83	0.	0.	0.	0.
time (sec)	N/A	0.576	25.114	0.773	0.	0.	0.	0.

Problem 721	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	408	408	4024	2147	0	0	0	0
normalized size	1	1.	9.86	5.26	0.	0.	0.	0.
time (sec)	N/A	0.575	24.43	0.638	0.	0.	0.	0.

Problem 722	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	414	414	1618	2617	0	0	0	0
normalized size	1	1.	3.91	6.32	0.	0.	0.	0.
time (sec)	N/A	0.675	19.701	0.648	0.	0.	0.	0.

Problem 723	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	504	504	1393	2723	0	0	0	0
normalized size	1	1.	2.76	5.4	0.	0.	0.	0.
time (sec)	N/A	1.178	18.711	0.477	0.	0.	0.	0.

Problem 724	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	583	583	651	3798	0	0	0	0
normalized size	1	1.	1.12	6.51	0.	0.	0.	0.
time (sec)	N/A	1.54	14.871	0.615	0.	0.	0.	0.

Problem 725	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	650	650	4418	6077	0	0	0	0
normalized size	1	1.	6.8	9.35	0.	0.	0.	0.
time (sec)	N/A	2.77	26.41	3.911	0.	0.	0.	0.

Problem 726	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	534	534	3989	4695	0	0	0	0
normalized size	1	1.	7.47	8.79	0.	0.	0.	0.
time (sec)	N/A	1.49	26.682	2.224	0.	0.	0.	0.

Problem 727	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	454	454	710	4333	0	0	0	0
normalized size	1	1.	1.56	9.54	0.	0.	0.	0.
time (sec)	N/A	1.032	22.241	1.669	0.	0.	0.	0.

Problem 728	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	481	481	4087	3384	0	0	0	0
normalized size	1	1.	8.5	7.04	0.	0.	0.	0.
time (sec)	N/A	0.831	25.511	1.008	0.	0.	0.	0.

Problem 729	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	478	478	6811	3498	0	0	0	0
normalized size	1	1.	14.25	7.32	0.	0.	0.	0.
time (sec)	N/A	0.81	25.742	0.977	0.	0.	0.	0.

Problem 730	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	463	463	4903	3206	0	0	0	0
normalized size	1	1.	10.59	6.92	0.	0.	0.	0.
time (sec)	N/A	0.913	25.989	0.772	0.	0.	0.	0.

Problem 731	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	507	507	1513	3512	0	0	0	0
normalized size	1	1.	2.98	6.93	0.	0.	0.	0.
time (sec)	N/A	1.202	19.731	0.886	0.	0.	0.	0.

Problem 732	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	587	587	5006	3986	0	0	0	0
normalized size	1	1.	8.53	6.79	0.	0.	0.	0.
time (sec)	N/A	1.633	24.139	0.644	0.	0.	0.	0.

Problem 733	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	403	403	960	2169	0	0	0	0
normalized size	1	1.	2.38	5.38	0.	0.	0.	0.
time (sec)	N/A	0.57	15.3	0.694	0.	0.	0.	0.

Problem 734	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	353	353	598	1508	0	0	0	0
normalized size	1	1.	1.69	4.27	0.	0.	0.	0.
time (sec)	N/A	0.403	12.708	0.505	0.	0.	0.	0.

Problem 735	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	393	393	3255	2784	0	0	0	0
normalized size	1	1.	8.28	7.08	0.	0.	0.	0.
time (sec)	N/A	0.908	23.64	1.015	0.	0.	0.	0.

Problem 736	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	320	320	2993	2256	0	0	0	0
normalized size	1	1.	9.35	7.05	0.	0.	0.	0.
time (sec)	N/A	0.572	22.828	0.78	0.	0.	0.	0.

Problem 737	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	253	253	409	1125	0	0	0	0
normalized size	1	1.	1.62	4.45	0.	0.	0.	0.
time (sec)	N/A	0.322	14.799	0.5	0.	0.	0.	0.

Problem 738	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	313	313	914	1011	0	0	0	0
normalized size	1	1.	2.92	3.23	0.	0.	0.	0.
time (sec)	N/A	0.234	16.414	0.467	0.	0.	0.	0.

Problem 739	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	352	352	386	841	0	0	0	0
normalized size	1	1.	1.1	2.39	0.	0.	0.	0.
time (sec)	N/A	0.395	15.852	0.462	0.	0.	0.	0.

Problem 740	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	411	411	1475	1652	0	0	0	0
normalized size	1	1.	3.59	4.02	0.	0.	0.	0.
time (sec)	N/A	0.64	15.051	0.414	0.	0.	0.	0.

Problem 741	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	506	506	1363	2347	0	0	0	0
normalized size	1	1.	2.69	4.64	0.	0.	0.	0.
time (sec)	N/A	1.028	19.044	0.495	0.	0.	0.	0.

Problem 742	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	460	460	3853	4055	0	0	0	0
normalized size	1	1.	8.38	8.82	0.	0.	0.	0.
time (sec)	N/A	1.081	25.859	1.272	0.	0.	0.	0.

Problem 743	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	327	327	3312	2672	0	0	0	0
normalized size	1	1.	10.13	8.17	0.	0.	0.	0.
time (sec)	N/A	0.675	23.576	0.629	0.	0.	0.	0.

Problem 744	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	279	279	541	2272	0	0	0	0
normalized size	1	1.	1.94	8.14	0.	0.	0.	0.
time (sec)	N/A	0.391	18.757	0.504	0.	0.	0.	0.

Problem 745	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	381	381	1127	2043	0	0	0	0
normalized size	1	1.	2.96	5.36	0.	0.	0.	0.
time (sec)	N/A	0.421	18.052	0.442	0.	0.	0.	0.

Problem 746	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	431	431	1259	2489	0	0	0	0
normalized size	1	1.	2.92	5.77	0.	0.	0.	0.
time (sec)	N/A	0.659	18.946	0.405	0.	0.	0.	0.

Problem 747	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	501	501	2500	3529	0	0	0	0
normalized size	1	1.	4.99	7.04	0.	0.	0.	0.
time (sec)	N/A	1.012	17.46	0.51	0.	0.	0.	0.

Problem 748	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	488	488	4050	7051	0	0	0	0
normalized size	1	1.	8.3	14.45	0.	0.	0.	0.
time (sec)	N/A	1.301	26.402	1.344	0.	0.	0.	0.

Problem 749	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	408	408	702	6135	0	0	0	0
normalized size	1	1.	1.72	15.04	0.	0.	0.	0.
time (sec)	N/A	0.821	22.567	0.805	0.	0.	0.	0.

Problem 750	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	378	378	3369	4550	0	0	0	0
normalized size	1	1.	8.91	12.04	0.	0.	0.	0.
time (sec)	N/A	0.694	23.804	0.44	0.	0.	0.	0.

Problem 751	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	517	517	1727	6380	0	0	0	0
normalized size	1	1.	3.34	12.34	0.	0.	0.	0.
time (sec)	N/A	0.773	20.758	0.477	0.	0.	0.	0.

Problem 752	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	559	559	1714	6418	0	0	0	0
normalized size	1	1.	3.07	11.48	0.	0.	0.	0.
time (sec)	N/A	1.19	20.494	0.683	0.	0.	0.	0.

Problem 753	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	645	645	801	9631	0	0	0	0
normalized size	1	1.	1.24	14.93	0.	0.	0.	0.
time (sec)	N/A	1.559	14.478	0.955	0.	0.	0.	0.

Problem 754	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	626	626	2204	11805	0	0	0	0
normalized size	1	1.	3.52	18.86	0.	0.	0.	0.
time (sec)	N/A	1.276	22.085	0.721	0.	0.	0.	0.

Problem 755	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	303	303	939	1020	0	0	0	0
normalized size	1	1.	3.1	3.37	0.	0.	0.	0.
time (sec)	N/A	0.289	15.64	0.463	0.	0.	0.	0.

Problem 756	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	145	214	0	0	0	0
normalized size	1	1.	0.72	1.07	0.	0.	0.	0.
time (sec)	N/A	0.164	2.082	0.379	0.	0.	0.	0.

Problem 757	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	338	338	616	1392	0	0	0	0
normalized size	1	1.	1.82	4.12	0.	0.	0.	0.
time (sec)	N/A	0.404	14.009	0.407	0.	0.	0.	0.

Problem 758	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	445	445	1849	3887	0	0	0	0
normalized size	1	1.	4.16	8.73	0.	0.	0.	0.
time (sec)	N/A	0.626	14.544	0.433	0.	0.	0.	0.

Problem 759	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	145	145	0	259	0	0	0	0
normalized size	1	1.	0.	1.79	0.	0.	0.	0.
time (sec)	N/A	0.251	31.299	2.295	0.	0.	0.	0.

Problem 760	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	213	213	0	1160	0	0	0	0
normalized size	1	1.	0.	5.45	0.	0.	0.	0.
time (sec)	N/A	0.566	9.074	0.483	0.	0.	0.	0.

Problem 761	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	242	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.31	56.904	0.172	0.	0.	0.	0.

Problem 762	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	242	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.292	46.17	0.179	0.	0.	0.	0.

Problem 763	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	239	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.295	76.261	0.163	0.	0.	0.	0.

Problem 764	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	239	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.295	58.79	0.173	0.	0.	0.	0.

Problem 765	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	106	213	270	397	0	446
normalized size	1	1.	0.73	1.47	1.86	2.74	0.	3.08
time (sec)	N/A	0.203	0.88	0.036	0.969	0.959	0.	1.275

Problem 766	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	85	171	220	352	0	410
normalized size	1	1.	0.75	1.5	1.93	3.09	0.	3.6
time (sec)	N/A	0.185	0.627	0.036	0.976	1.012	0.	1.216

Problem 767	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	67	128	171	298	0	284
normalized size	1	1.	0.72	1.38	1.84	3.2	0.	3.05
time (sec)	N/A	0.153	0.29	0.034	0.987	0.683	0.	1.188

Problem 768	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	61	61	75	86	119	247	0	207
normalized size	1	1.	1.23	1.41	1.95	4.05	0.	3.39
time (sec)	N/A	0.066	0.027	0.03	0.962	0.522	0.	1.186

Problem 769	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	35	35	43	65	99	225	0	113
normalized size	1	1.	1.23	1.86	2.83	6.43	0.	3.23
time (sec)	N/A	0.074	0.014	0.046	0.972	0.511	0.	1.159

Problem 770	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	35	35	46	56	78	142	0	107
normalized size	1	1.	1.31	1.6	2.23	4.06	0.	3.06
time (sec)	N/A	0.102	0.027	0.055	0.97	0.51	0.	1.211

Problem 771	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	52	52	51	57	74	104	0	163
normalized size	1	1.	0.98	1.1	1.42	2.	0.	3.13
time (sec)	N/A	0.142	0.087	0.053	0.955	0.483	0.	1.179

Problem 772	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	75	85	107	149	0	243
normalized size	1	1.	0.89	1.01	1.27	1.77	0.	2.89
time (sec)	N/A	0.166	0.161	0.069	0.957	0.489	0.	1.175

Problem 773	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	91	107	136	205	0	367
normalized size	1	1.	0.87	1.02	1.3	1.95	0.	3.5
time (sec)	N/A	0.178	0.275	0.069	0.983	0.495	0.	1.185

Problem 774	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	88	128	167	248	0	405
normalized size	1	1.	0.65	0.94	1.23	1.82	0.	2.98
time (sec)	N/A	0.2	0.24	0.067	0.971	0.508	0.	1.18

Problem 775	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	198	198	150	312	373	521	0	713
normalized size	1	1.	0.76	1.58	1.88	2.63	0.	3.6
time (sec)	N/A	0.352	1.515	0.046	1.011	0.544	0.	1.54

Problem 776	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	179	179	120	241	308	443	0	645
normalized size	1	1.	0.67	1.35	1.72	2.47	0.	3.6
time (sec)	N/A	0.348	0.761	0.037	0.977	0.535	0.	1.428

Problem 777	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	116	92	174	223	371	0	397
normalized size	1	1.	0.79	1.5	1.92	3.2	0.	3.42
time (sec)	N/A	0.146	0.465	0.036	0.96	0.518	0.	1.318

Problem 778	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	67	133	189	335	0	259
normalized size	1	1.	0.78	1.55	2.2	3.9	0.	3.01
time (sec)	N/A	0.142	0.269	0.056	0.963	0.525	0.	1.239

Problem 779	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	109	104	139	294	0	208
normalized size	1	1.	1.82	1.73	2.32	4.9	0.	3.47
time (sec)	N/A	0.176	0.493	0.054	0.972	0.522	0.	1.226

Problem 780	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	120	120	134	213	0	240
normalized size	1	1.	1.5	1.5	1.68	2.66	0.	3.
time (sec)	N/A	0.252	0.221	0.058	0.96	0.522	0.	1.21

Problem 781	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	90	114	146	201	0	343
normalized size	1	1.	0.84	1.07	1.36	1.88	0.	3.21
time (sec)	N/A	0.289	0.244	0.063	0.963	0.494	0.	1.186

Problem 782	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	118	152	192	274	0	590
normalized size	1	1.	0.87	1.12	1.41	2.01	0.	4.34
time (sec)	N/A	0.321	0.513	0.068	0.965	0.507	0.	1.224

Problem 783	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	146	184	238	350	0	657
normalized size	1	1.	0.81	1.02	1.32	1.94	0.	3.65
time (sec)	N/A	0.338	0.473	0.073	0.968	0.529	0.	1.228

Problem 784	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	214	478	552	706	0	1258
normalized size	1	1.	0.77	1.72	1.99	2.54	0.	4.53
time (sec)	N/A	0.609	2.613	0.052	0.991	0.58	0.	1.296

Problem 785	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	252	252	181	382	460	612	0	975
normalized size	1	1.	0.72	1.52	1.83	2.43	0.	3.87
time (sec)	N/A	0.499	3.291	0.043	0.985	0.561	0.	1.289

Problem 786	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	140	290	359	510	0	791
normalized size	1	1.	0.78	1.61	1.99	2.83	0.	4.39
time (sec)	N/A	0.262	0.828	0.043	0.987	0.543	0.	1.26

Problem 787	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	108	223	292	458	0	454
normalized size	1	1.	0.79	1.63	2.13	3.34	0.	3.31
time (sec)	N/A	0.24	0.586	0.066	0.984	0.548	0.	1.238

Problem 788	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	277	172	228	401	0	325
normalized size	1	1.	2.11	1.31	1.74	3.06	0.	2.48
time (sec)	N/A	0.291	2.15	0.065	0.995	0.545	0.	1.242

Problem 789	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	217	168	194	369	0	316
normalized size	1	1.	1.75	1.35	1.56	2.98	0.	2.55
time (sec)	N/A	0.404	0.672	0.059	0.997	0.55	0.	1.22

Problem 790	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	159	207	205	317	0	424
normalized size	1	1.	1.1	1.43	1.41	2.19	0.	2.92
time (sec)	N/A	0.415	0.369	0.064	0.973	0.544	0.	1.27

Problem 791	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	179	179	140	180	231	321	0	724
normalized size	1	1.	0.78	1.01	1.29	1.79	0.	4.04
time (sec)	N/A	0.491	0.415	0.067	0.988	0.521	0.	1.241

Problem 792	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	221	221	176	227	293	423	0	907
normalized size	1	1.	0.8	1.03	1.33	1.91	0.	4.1
time (sec)	N/A	0.548	0.668	0.08	0.974	0.537	0.	1.271

Problem 793	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	422	688	0	1650	0	556
normalized size	1	1.	2.26	3.68	0.	8.82	0.	2.97
time (sec)	N/A	0.717	2.348	0.095	0.	2.29	0.	1.23

Problem 794	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	300	410	0	1353	0	363
normalized size	1	1.	2.1	2.87	0.	9.46	0.	2.54
time (sec)	N/A	0.45	1.736	0.08	0.	11.399	0.	1.217

Problem 795	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	130	228	0	1065	0	236
normalized size	1	1.	1.33	2.33	0.	10.87	0.	2.41
time (sec)	N/A	0.266	0.579	0.064	0.	0.889	0.	1.237

Problem 796	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	112	135	0	707	0	173
normalized size	1	1.	1.47	1.78	0.	9.3	0.	2.28
time (sec)	N/A	0.12	0.168	0.069	0.	1.965	0.	1.224

Problem 797	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	68	113	0	540	0	136
normalized size	1	1.	1.01	1.69	0.	8.06	0.	2.03
time (sec)	N/A	0.164	0.116	0.093	0.	0.536	0.	1.271

Problem 798	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	85	172	0	702	0	190
normalized size	1	1.	0.94	1.91	0.	7.8	0.	2.11
time (sec)	N/A	0.226	0.203	0.114	0.	0.556	0.	1.199

Problem 799	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	121	367	0	934	0	306
normalized size	1	1.	0.9	2.74	0.	6.97	0.	2.28
time (sec)	N/A	0.479	0.323	0.116	0.	0.574	0.	1.225

Problem 800	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	152	641	0	1177	0	486
normalized size	1	1.	0.85	3.6	0.	6.61	0.	2.73
time (sec)	N/A	0.704	0.491	0.12	0.	0.637	0.	1.224

Problem 801	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	272	272	438	698	0	2969	0	518
normalized size	1	1.	1.61	2.57	0.	10.92	0.	1.9
time (sec)	N/A	0.884	6.273	0.11	0.	50.219	0.	1.257

Problem 802	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	240	510	0	2433	0	545
normalized size	1	1.	1.46	3.11	0.	14.84	0.	3.32
time (sec)	N/A	0.623	2.05	0.095	0.	31.158	0.	1.239

Problem 803	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	191	350	0	1551	0	309
normalized size	1	1.	1.46	2.67	0.	11.84	0.	2.36
time (sec)	N/A	0.319	0.661	0.087	0.	9.642	0.	1.233

Problem 804	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	100	100	97	132	0	861	0	235
normalized size	1	1.	0.97	1.32	0.	8.61	0.	2.35
time (sec)	N/A	0.126	0.339	0.085	0.	0.543	0.	1.179

Problem 805	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	119	328	0	1226	0	271
normalized size	1	1.	0.96	2.65	0.	9.89	0.	2.19
time (sec)	N/A	0.274	0.55	0.111	0.	0.601	0.	1.212

Problem 806	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	147	453	0	1715	0	505
normalized size	1	1.	0.82	2.52	0.	9.53	0.	2.81
time (sec)	N/A	0.633	0.779	0.121	0.	0.681	0.	1.225

Problem 807	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	184	651	0	2136	0	459
normalized size	1	1.	0.7	2.49	0.	8.18	0.	1.76
time (sec)	N/A	0.931	1.019	0.121	0.	0.756	0.	1.196

Problem 808	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	289	289	418	1406	0	4591	0	784
normalized size	1	1.	1.45	4.87	0.	15.89	0.	2.71
time (sec)	N/A	1.425	6.45	0.101	0.	114.551	0.	1.371

Problem 809	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	220	270	1085	0	3051	0	656
normalized size	1	1.	1.23	4.93	0.	13.87	0.	2.98
time (sec)	N/A	0.751	1.881	0.098	0.	43.407	0.	1.462

Problem 810	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	157	238	0	1631	0	540
normalized size	1	1.	0.87	1.32	0.	9.06	0.	3.
time (sec)	N/A	0.371	0.665	0.087	0.	0.649	0.	1.41

Problem 811	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	172	236	0	1631	0	539
normalized size	1	1.	1.05	1.44	0.	9.95	0.	3.29
time (sec)	N/A	0.265	0.84	0.091	0.	0.651	0.	1.422

Problem 812	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	203	1063	0	2479	0	617
normalized size	1	1.	0.99	5.19	0.	12.09	0.	3.01
time (sec)	N/A	0.581	1.382	0.125	0.	0.752	0.	1.615

Problem 813	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	290	290	232	1349	0	3394	0	737
normalized size	1	1.	0.8	4.65	0.	11.7	0.	2.54
time (sec)	N/A	1.533	2.043	0.138	0.	0.897	0.	1.401

Problem 814	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	485	485	3734	4395	0	0	0	0
normalized size	1	1.	7.7	9.06	0.	0.	0.	0.
time (sec)	N/A	1.454	25.551	1.737	0.	0.	0.	0.

Problem 815	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	397	397	3330	3439	0	0	0	0
normalized size	1	1.	8.39	8.66	0.	0.	0.	0.
time (sec)	N/A	1.003	24.462	1.141	0.	0.	0.	0.

Problem 816	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	314	314	434	2498	0	0	0	0
normalized size	1	1.	1.38	7.96	0.	0.	0.	0.
time (sec)	N/A	0.602	18.46	0.781	0.	0.	0.	0.

Problem 817	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	256	256	358	1752	0	0	0	0
normalized size	1	1.	1.4	6.84	0.	0.	0.	0.
time (sec)	N/A	0.289	14.925	0.524	0.	0.	0.	0.

Problem 818	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	320	320	863	1372	0	0	0	0
normalized size	1	1.	2.7	4.29	0.	0.	0.	0.
time (sec)	N/A	0.361	17.532	0.45	0.	0.	0.	0.

Problem 819	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	344	344	1107	1386	0	0	0	0
normalized size	1	1.	3.22	4.03	0.	0.	0.	0.
time (sec)	N/A	0.464	18.014	0.423	0.	0.	0.	0.

Problem 820	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	429	429	1161	2065	0	0	0	0
normalized size	1	1.	2.71	4.81	0.	0.	0.	0.
time (sec)	N/A	0.805	18.65	0.403	0.	0.	0.	0.

Problem 821	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	573	573	4220	5368	0	0	0	0
normalized size	1	1.	7.36	9.37	0.	0.	0.	0.
time (sec)	N/A	1.981	26.506	2.543	0.	0.	0.	0.

Problem 822	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	475	475	3766	4395	0	0	0	0
normalized size	1	1.	7.93	9.25	0.	0.	0.	0.
time (sec)	N/A	1.224	25.914	1.678	0.	0.	0.	0.

Problem 823	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	387	387	3342	3424	0	0	0	0
normalized size	1	1.	8.64	8.85	0.	0.	0.	0.
time (sec)	N/A	0.853	24.34	1.112	0.	0.	0.	0.

Problem 824	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	312	312	456	2683	0	0	0	0
normalized size	1	1.	1.46	8.6	0.	0.	0.	0.
time (sec)	N/A	0.468	18.625	0.732	0.	0.	0.	0.

Problem 825	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	380	380	6047	2340	0	0	0	0
normalized size	1	1.	15.91	6.16	0.	0.	0.	0.
time (sec)	N/A	0.529	24.093	0.509	0.	0.	0.	0.

Problem 826	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	361	361	979	2199	0	0	0	0
normalized size	1	1.	2.71	6.09	0.	0.	0.	0.
time (sec)	N/A	0.548	18.326	0.492	0.	0.	0.	0.

Problem 827	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	428	428	1580	2439	0	0	0	0
normalized size	1	1.	3.69	5.7	0.	0.	0.	0.
time (sec)	N/A	0.874	19.285	0.416	0.	0.	0.	0.

Problem 828	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	520	520	1532	3142	0	0	0	0
normalized size	1	1.	2.95	6.04	0.	0.	0.	0.
time (sec)	N/A	1.325	18.963	0.459	0.	0.	0.	0.

Problem 829	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	565	565	4227	5368	0	0	0	0
normalized size	1	1.	7.48	9.5	0.	0.	0.	0.
time (sec)	N/A	1.811	26.529	2.526	0.	0.	0.	0.

Problem 830	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	469	469	3781	4395	0	0	0	0
normalized size	1	1.	8.06	9.37	0.	0.	0.	0.
time (sec)	N/A	1.196	26.013	1.703	0.	0.	0.	0.

Problem 831	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	384	384	2913	3637	0	0	0	0
normalized size	1	1.	7.59	9.47	0.	0.	0.	0.
time (sec)	N/A	0.678	22.937	1.117	0.	0.	0.	0.

Problem 832	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	442	442	7124	3285	0	0	0	0
normalized size	1	1.	16.12	7.43	0.	0.	0.	0.
time (sec)	N/A	0.715	25.039	0.781	0.	0.	0.	0.

Problem 833	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	433	433	1146	3215	0	0	0	0
normalized size	1	1.	2.65	7.42	0.	0.	0.	0.
time (sec)	N/A	0.777	19.203	0.658	0.	0.	0.	0.

Problem 834	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	450	450	1338	3271	0	0	0	0
normalized size	1	1.	2.97	7.27	0.	0.	0.	0.
time (sec)	N/A	0.9	19.218	0.652	0.	0.	0.	0.

Problem 835	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	518	518	1546	3511	0	0	0	0
normalized size	1	1.	2.98	6.78	0.	0.	0.	0.
time (sec)	N/A	1.274	19.34	0.496	0.	0.	0.	0.

Problem 836	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	617	617	5186	4231	0	0	0	0
normalized size	1	1.	8.41	6.86	0.	0.	0.	0.
time (sec)	N/A	1.828	24.052	0.582	0.	0.	0.	0.

Problem 837	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	411	411	3426	3439	0	0	0	0
normalized size	1	1.	8.34	8.37	0.	0.	0.	0.
time (sec)	N/A	1.045	24.631	1.115	0.	0.	0.	0.

Problem 838	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	329	329	3000	2499	0	0	0	0
normalized size	1	1.	9.12	7.6	0.	0.	0.	0.
time (sec)	N/A	0.685	22.667	0.761	0.	0.	0.	0.

Problem 839	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	261	261	372	1563	0	0	0	0
normalized size	1	1.	1.43	5.99	0.	0.	0.	0.
time (sec)	N/A	0.437	16.03	0.509	0.	0.	0.	0.

Problem 840	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	210	210	312	829	0	0	0	0
normalized size	1	1.	1.49	3.95	0.	0.	0.	0.
time (sec)	N/A	0.174	14.285	0.418	0.	0.	0.	0.

Problem 841	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	147	215	0	0	0	0
normalized size	1	1.	0.71	1.03	0.	0.	0.	0.
time (sec)	N/A	0.209	2.191	0.365	0.	0.	0.	0.

Problem 842	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	348	348	1027	1025	0	0	0	0
normalized size	1	1.	2.95	2.95	0.	0.	0.	0.
time (sec)	N/A	0.499	16.745	0.385	0.	0.	0.	0.

Problem 843	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	471	471	3953	4320	0	0	0	0
normalized size	1	1.	8.39	9.17	0.	0.	0.	0.
time (sec)	N/A	1.273	25.818	1.248	0.	0.	0.	0.

Problem 844	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	329	329	3460	3333	0	0	0	0
normalized size	1	1.	10.52	10.13	0.	0.	0.	0.
time (sec)	N/A	0.81	24.569	0.732	0.	0.	0.	0.

Problem 845	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	275	275	466	2275	0	0	0	0
normalized size	1	1.	1.69	8.27	0.	0.	0.	0.
time (sec)	N/A	0.505	18.494	0.48	0.	0.	0.	0.

Problem 846	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	254	254	426	1633	0	0	0	0
normalized size	1	1.	1.68	6.43	0.	0.	0.	0.
time (sec)	N/A	0.304	15.345	0.392	0.	0.	0.	0.

Problem 847	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	376	376	1445	2009	0	0	0	0
normalized size	1	1.	3.84	5.34	0.	0.	0.	0.
time (sec)	N/A	0.519	14.494	0.392	0.	0.	0.	0.

Problem 848	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	427	427	1613	2871	0	0	0	0
normalized size	1	1.	3.78	6.72	0.	0.	0.	0.
time (sec)	N/A	0.793	19.411	0.388	0.	0.	0.	0.

Problem 849	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	509	509	4342	8046	0	0	0	0
normalized size	1	1.	8.53	15.81	0.	0.	0.	0.
time (sec)	N/A	1.575	26.461	1.589	0.	0.	0.	0.

Problem 850	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	417	417	3920	6455	0	0	0	0
normalized size	1	1.	9.4	15.48	0.	0.	0.	0.
time (sec)	N/A	1.005	26.099	0.802	0.	0.	0.	0.

Problem 851	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	387	387	3514	5170	0	0	0	0
normalized size	1	1.	9.08	13.36	0.	0.	0.	0.
time (sec)	N/A	0.735	24.456	0.444	0.	0.	0.	0.

Problem 852	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	353	353	559	4213	0	0	0	0
normalized size	1	1.	1.58	11.93	0.	0.	0.	0.
time (sec)	N/A	0.521	19.088	0.383	0.	0.	0.	0.

Problem 853	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	495	495	2039	5710	0	0	0	0
normalized size	1	1.	4.12	11.54	0.	0.	0.	0.
time (sec)	N/A	0.857	16.213	0.426	0.	0.	0.	0.

Problem 854	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	446	446	3729	7695	0	0	0	0
normalized size	1	1.	8.36	17.25	0.	0.	0.	0.
time (sec)	N/A	0.828	24.731	0.577	0.	0.	0.	0.

Problem 855	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	78	217	0	0	0	0
normalized size	1	1.	0.77	2.15	0.	0.	0.	0.
time (sec)	N/A	0.284	0.669	2.124	0.	0.	0.	0.

Problem 856	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	91	277	0	0	0	0
normalized size	1	1.	0.66	2.01	0.	0.	0.	0.
time (sec)	N/A	0.514	0.267	0.394	0.	0.	0.	0.

Problem 857	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	229	229	21744	0	0	0	0	0
normalized size	1	1.	94.95	0.	0.	0.	0.	0.
time (sec)	N/A	0.267	26.87	0.148	0.	0.	0.	0.

Problem 858	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	229	229	21684	0	0	0	0	0
normalized size	1	1.	94.69	0.	0.	0.	0.	0.
time (sec)	N/A	0.247	26.625	0.151	0.	0.	0.	0.

Problem 859	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	226	226	12792	0	0	0	0	0
normalized size	1	1.	56.6	0.	0.	0.	0.	0.
time (sec)	N/A	0.24	27.003	0.158	0.	0.	0.	0.

Problem 860	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	226	226	12774	0	0	0	0	0
normalized size	1	1.	56.52	0.	0.	0.	0.	0.
time (sec)	N/A	0.244	27.049	0.151	0.	0.	0.	0.

Problem 861	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	124	287	359	467	0	639
normalized size	1	1.	0.75	1.74	2.18	2.83	0.	3.87
time (sec)	N/A	0.232	1.219	0.043	1.059	0.555	0.	1.439

Problem 862	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	100	223	294	400	0	578
normalized size	1	1.	0.73	1.63	2.15	2.92	0.	4.22
time (sec)	N/A	0.204	0.664	0.041	1.025	0.535	0.	1.319

Problem 863	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	75	160	209	331	0	352
normalized size	1	1.	0.74	1.58	2.07	3.28	0.	3.49
time (sec)	N/A	0.138	0.37	0.038	1.05	0.598	0.	1.256

Problem 864	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	69	69	92	117	157	305	0	230
normalized size	1	1.	1.33	1.7	2.28	4.42	0.	3.33
time (sec)	N/A	0.071	0.021	0.038	1.153	0.592	0.	1.231

Problem 865	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	52	52	71	88	124	265	0	181
normalized size	1	1.	1.37	1.69	2.38	5.1	0.	3.48
time (sec)	N/A	0.122	0.022	0.057	0.985	0.551	0.	1.177

Problem 866	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	69	69	68	100	120	192	0	215
normalized size	1	1.	0.99	1.45	1.74	2.78	0.	3.12
time (sec)	N/A	0.156	0.122	0.064	1.03	0.541	0.	1.193

Problem 867	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	85	102	132	173	0	306
normalized size	1	1.	0.92	1.11	1.43	1.88	0.	3.33
time (sec)	N/A	0.18	0.183	0.061	1.022	0.509	0.	1.177

Problem 868	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	116	117	141	178	239	0	529
normalized size	1	1.	1.01	1.22	1.53	2.06	0.	4.56
time (sec)	N/A	0.215	0.316	0.073	1.034	0.518	0.	1.166

Problem 869	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	117	173	224	305	0	590
normalized size	1	1.	0.75	1.11	1.44	1.96	0.	3.78
time (sec)	N/A	0.235	0.456	0.073	1.04	0.527	0.	1.149

Problem 870	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	233	281	371	404	482	598	0	1034
normalized size	1	1.21	1.59	1.73	2.07	2.57	0.	4.44
time (sec)	N/A	0.592	2.134	0.05	1.069	0.561	0.	1.259

Problem 871	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	300	321	413	510	0	851
normalized size	1	1.	1.5	1.6	2.06	2.55	0.	4.26
time (sec)	N/A	0.348	1.556	0.05	1.029	0.56	0.	1.217

Problem 872	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	322	225	279	444	0	491
normalized size	1	1.	2.4	1.68	2.08	3.31	0.	3.66
time (sec)	N/A	0.172	1.74	0.047	1.043	0.552	0.	1.231

Problem 873	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	126	453	184	255	406	0	325
normalized size	1	1.	3.6	1.46	2.02	3.22	0.	2.58
time (sec)	N/A	0.203	1.41	0.069	1.073	0.556	0.	1.225

Problem 874	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	153	171	200	366	0	309
normalized size	1	1.	1.3	1.45	1.69	3.1	0.	2.62
time (sec)	N/A	0.317	1.164	0.065	1.063	0.548	0.	1.256

Problem 875	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	157	204	212	313	0	467
normalized size	1	1.	1.11	1.45	1.5	2.22	0.	3.31
time (sec)	N/A	0.365	0.521	0.077	1.02	0.549	0.	1.208

Problem 876	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	134	200	252	320	0	779
normalized size	1	1.	0.77	1.14	1.44	1.83	0.	4.45
time (sec)	N/A	0.448	0.731	0.072	1.012	0.519	0.	1.217

Problem 877	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	169	244	315	414	0	972
normalized size	1	1.	0.79	1.13	1.47	1.93	0.	4.52
time (sec)	N/A	0.514	0.802	0.081	1.033	0.536	0.	1.209

Problem 878	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	381	381	384	644	763	824	0	1850
normalized size	1	1.	1.01	1.69	2.	2.16	0.	4.86
time (sec)	N/A	0.87	3.175	0.062	1.102	0.613	0.	1.263

Problem 879	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	286	286	451	504	601	711	0	1335
normalized size	1	1.	1.58	1.76	2.1	2.49	0.	4.67
time (sec)	N/A	0.587	2.934	0.061	1.055	0.59	0.	1.269

Problem 880	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	207	207	525	389	483	624	0	1025
normalized size	1	1.	2.54	1.88	2.33	3.01	0.	4.95
time (sec)	N/A	0.34	5.52	0.057	1.148	0.595	0.	1.344

Problem 881	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	1335	294	378	543	0	591
normalized size	1	1.	6.95	1.53	1.97	2.83	0.	3.08
time (sec)	N/A	0.371	6.586	0.078	1.031	0.579	0.	1.373

Problem 882	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	204	204	320	267	328	500	0	729
normalized size	1	1.	1.57	1.31	1.61	2.45	0.	3.57
time (sec)	N/A	0.456	3.039	0.081	1.055	0.576	0.	1.336

Problem 883	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	263	278	292	486	0	564
normalized size	1	1.	1.34	1.42	1.49	2.48	0.	2.88
time (sec)	N/A	0.601	1.354	0.076	1.033	0.573	0.	1.336

Problem 884	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	215	362	332	463	0	976
normalized size	1	1.	0.96	1.62	1.49	2.08	0.	4.38
time (sec)	N/A	0.657	0.937	0.08	0.992	0.587	0.	1.356

Problem 885	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	269	269	288	301	389	498	0	1250
normalized size	1	1.	1.07	1.12	1.45	1.85	0.	4.65
time (sec)	N/A	0.751	1.061	0.08	1.068	0.555	0.	1.39

Problem 886	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	320	320	369	370	486	610	0	1764
normalized size	1	1.	1.15	1.16	1.52	1.91	0.	5.51
time (sec)	N/A	0.895	1.188	0.093	1.054	0.577	0.	1.334

Problem 887	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	491	491	486	905	1007	1085	0	2549
normalized size	1	1.	0.99	1.84	2.05	2.21	0.	5.19
time (sec)	N/A	1.234	4.61	0.077	1.079	0.677	0.	1.467

Problem 888	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	384	384	424	745	882	941	0	2238
normalized size	1	1.	1.1	1.94	2.3	2.45	0.	5.83
time (sec)	N/A	0.876	3.687	0.069	1.059	0.659	0.	1.404

Problem 889	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	290	290	690	572	671	824	0	1539
normalized size	1	1.	2.38	1.97	2.31	2.84	0.	5.31
time (sec)	N/A	0.543	4.104	0.066	1.051	0.625	0.	1.411

Problem 890	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	273	273	813	457	582	725	0	1134
normalized size	1	1.	2.98	1.67	2.13	2.66	0.	4.15
time (sec)	N/A	0.583	6.893	0.09	1.088	0.63	0.	1.455

Problem 891	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	274	274	348	377	452	644	0	743
normalized size	1	1.	1.27	1.38	1.65	2.35	0.	2.71
time (sec)	N/A	0.677	2.452	0.091	1.054	0.615	0.	1.403

Problem 892	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	303	303	370	374	420	628	0	733
normalized size	1	1.	1.22	1.23	1.39	2.07	0.	2.42
time (sec)	N/A	0.85	5.208	0.09	1.034	0.617	0.	1.391

Problem 893	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	293	293	382	434	412	636	0	1083
normalized size	1	1.	1.3	1.48	1.41	2.17	0.	3.7
time (sec)	N/A	0.972	3.973	0.082	1.044	0.616	0.	1.357

Problem 894	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	314	314	382	543	468	640	0	1477
normalized size	1	1.	1.22	1.73	1.49	2.04	0.	4.7
time (sec)	N/A	1.049	1.248	0.092	1.062	0.613	0.	1.415

Problem 895	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	372	372	432	431	560	698	0	2130
normalized size	1	1.	1.16	1.16	1.51	1.88	0.	5.73
time (sec)	N/A	1.208	1.65	0.09	1.109	0.595	0.	1.462

Problem 896	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	438	438	528	505	672	852	0	2450
normalized size	1	1.	1.21	1.15	1.53	1.95	0.	5.59
time (sec)	N/A	1.384	1.596	0.097	1.078	0.644	0.	1.509

Problem 897	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	170	360	432	633	0	888
normalized size	1	1.	0.79	1.68	2.02	2.96	0.	4.15
time (sec)	N/A	0.476	1.274	0.059	1.109	0.592	0.	1.372

Problem 898	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	114	228	275	470	0	406
normalized size	1	1.	0.77	1.53	1.85	3.15	0.	2.72
time (sec)	N/A	0.309	0.919	0.052	1.029	0.556	0.	1.262

Problem 899	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	97	97	77	157	192	363	0	288
normalized size	1	1.	0.79	1.62	1.98	3.74	0.	2.97
time (sec)	N/A	0.169	0.562	0.042	1.027	0.552	0.	1.213

Problem 900	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	512	825	0	1810	0	652
normalized size	1	1.	2.38	3.84	0.	8.42	0.	3.03
time (sec)	N/A	0.741	3.589	0.091	0.	54.432	0.	1.319

Problem 901	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	472	499	0	1465	0	387
normalized size	1	1.	3.08	3.26	0.	9.58	0.	2.53
time (sec)	N/A	0.454	2.596	0.083	0.	37.088	0.	1.285

Problem 902	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	106	106	365	272	0	1085	0	243
normalized size	1	1.	3.44	2.57	0.	10.24	0.	2.29
time (sec)	N/A	0.224	2.439	0.075	0.	11.357	0.	1.33

Problem 903	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	94	94	261	202	0	824	0	201
normalized size	1	1.	2.78	2.15	0.	8.77	0.	2.14
time (sec)	N/A	0.172	0.52	0.081	0.	6.41	0.	1.332

Problem 904	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	92	216	0	724	0	197
normalized size	1	1.	0.94	2.2	0.	7.39	0.	2.01
time (sec)	N/A	0.216	0.232	0.11	0.	0.568	0.	1.244

Problem 905	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	131	434	0	1004	0	323
normalized size	1	1.	0.9	2.99	0.	6.92	0.	2.23
time (sec)	N/A	0.452	0.437	0.123	0.	0.591	0.	1.229

Problem 906	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	178	814	0	1301	0	572
normalized size	1	1.	0.87	3.97	0.	6.35	0.	2.79
time (sec)	N/A	0.74	0.602	0.137	0.	0.625	0.	1.299

Problem 907	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	276	276	235	1580	0	1690	0	1081
normalized size	1	1.	0.85	5.72	0.	6.12	0.	3.92
time (sec)	N/A	1.104	0.832	0.134	0.	0.704	0.	1.315

Problem 908	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	407	407	605	1254	0	0	0	846
normalized size	1	1.	1.49	3.08	0.	0.	0.	2.08
time (sec)	N/A	1.74	3.819	0.117	0.	0.	0.	1.441

Problem 909	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	312	312	519	926	0	3341	0	578
normalized size	1	1.	1.66	2.97	0.	10.71	0.	1.85
time (sec)	N/A	1.233	2.854	0.105	0.	160.142	0.	1.384

Problem 910	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	177	177	382	630	0	2514	0	598
normalized size	1	1.	2.16	3.56	0.	14.2	0.	3.38
time (sec)	N/A	0.647	3.001	0.092	0.	63.785	0.	1.384

Problem 911	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	148	148	356	470	0	1621	0	338
normalized size	1	1.	2.41	3.18	0.	10.95	0.	2.28
time (sec)	N/A	0.304	3.089	0.095	0.	18.089	0.	1.296

Problem 912	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	138	138	299	448	0	1296	0	300
normalized size	1	1.	2.17	3.25	0.	9.39	0.	2.17
time (sec)	N/A	0.252	2.209	0.097	0.	0.626	0.	1.243

Problem 913	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	202	202	160	573	0	1796	0	551
normalized size	1	1.	0.79	2.84	0.	8.89	0.	2.73
time (sec)	N/A	0.644	0.956	0.131	0.	0.726	0.	1.295

Problem 914	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	298	298	206	857	0	2398	0	513
normalized size	1	1.	0.69	2.88	0.	8.05	0.	1.72
time (sec)	N/A	1.235	1.409	0.138	0.	0.819	0.	1.277

Problem 915	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	396	396	255	1241	0	3000	0	761
normalized size	1	1.	0.64	3.13	0.	7.58	0.	1.92
time (sec)	N/A	1.759	1.749	0.16	0.	0.931	0.	1.298

Problem 916	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	465	465	1124	2275	0	0	0	2349
normalized size	1	1.	2.42	4.89	0.	0.	0.	5.05
time (sec)	N/A	4.745	6.479	0.123	0.	0.	0.	1.473

Problem 917	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	323	323	492	1813	0	0	0	952
normalized size	1	1.	1.52	5.61	0.	0.	0.	2.95
time (sec)	N/A	2.987	2.91	0.106	0.	0.	0.	1.539

Problem 918	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	242	242	514	1572	0	3240	0	853
normalized size	1	1.	2.12	6.5	0.	13.39	0.	3.52
time (sec)	N/A	0.918	6.002	0.11	0.	78.26	0.	1.422

Problem 919	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	202	202	410	268	0	1852	0	689
normalized size	1	1.	2.03	1.33	0.	9.17	0.	3.41
time (sec)	N/A	0.421	4.253	0.092	0.	0.686	0.	1.38

Problem 920	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	229	229	793	1550	0	2668	0	818
normalized size	1	1.	3.46	6.77	0.	11.65	0.	3.57
time (sec)	N/A	0.759	6.196	0.107	0.	0.785	0.	1.391

Problem 921	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	330	330	1015	1756	0	3634	0	900
normalized size	1	1.	3.08	5.32	0.	11.01	0.	2.73
time (sec)	N/A	3.149	7.124	0.139	0.	0.962	0.	1.522

Problem 922	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	453	453	881	2206	0	4668	0	2291
normalized size	1	1.	1.94	4.87	0.	10.3	0.	5.06
time (sec)	N/A	4.824	5.224	0.164	0.	1.18	0.	1.521

Problem 923	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	470	470	1197	3764	0	0	0	1706
normalized size	1	1.	2.55	8.01	0.	0.	0.	3.63
time (sec)	N/A	9.913	6.487	0.117	0.	0.	0.	1.535

Problem 924	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	358	358	1302	3244	0	0	0	1532
normalized size	1	1.	3.64	9.06	0.	0.	0.	4.28
time (sec)	N/A	2.509	7.346	0.125	0.	0.	0.	1.579

Problem 925	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	314	314	299	453	0	3109	0	1310
normalized size	1	1.	0.95	1.44	0.	9.9	0.	4.17
time (sec)	N/A	1.039	1.472	0.101	0.	1.409	0.	1.481

Problem 926	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	299	299	1069	452	0	3109	0	1307
normalized size	1	1.	3.58	1.51	0.	10.4	0.	4.37
time (sec)	N/A	0.856	7.559	0.103	0.	1.31	0.	1.512

Problem 927	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	336	336	1230	3223	0	4535	0	1493
normalized size	1	1.	3.66	9.59	0.	13.5	0.	4.44
time (sec)	N/A	2.137	7.904	0.125	0.	1.785	0.	1.445

Problem 928	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	471	471	1367	3707	0	6179	0	1654
normalized size	1	1.	2.9	7.87	0.	13.12	0.	3.51
time (sec)	N/A	10.101	8.219	0.159	0.	1.4	0.	1.495

Problem 929	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	648	648	658	4523	0	7804	0	1941
normalized size	1	1.	1.02	6.98	0.	12.04	0.	3.
time (sec)	N/A	12.514	7.	0.162	0.	1.804	0.	1.529

Problem 930	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	24	24	23	46	0	115	75	72
normalized size	1	1.	0.96	1.92	0.	4.79	3.12	3.
time (sec)	N/A	0.023	0.011	0.046	0.	0.498	3.512	1.255

Problem 931	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	76	133	0	613	0	153
normalized size	1	1.	1.01	1.77	0.	8.17	0.	2.04
time (sec)	N/A	0.151	0.206	0.089	0.	0.533	0.	1.29

Problem 932	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	211	415	0	1526	0	301
normalized size	1	1.	1.51	2.96	0.	10.9	0.	2.15
time (sec)	N/A	0.39	0.828	0.105	0.	0.642	0.	1.357

Problem 933	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	231	231	302	1308	0	3089	0	695
normalized size	1	1.	1.31	5.66	0.	13.37	0.	3.01
time (sec)	N/A	1.1	1.854	0.114	0.	0.806	0.	1.424

Problem 934	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	336	336	1097	2853	0	5277	0	1161
normalized size	1	1.	3.26	8.49	0.	15.71	0.	3.46
time (sec)	N/A	4.671	5.594	0.127	0.	1.123	0.	1.614

Problem 935	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	517	517	4780	5961	0	0	0	0
normalized size	1	1.	9.25	11.53	0.	0.	0.	0.
time (sec)	N/A	1.557	27.739	2.016	0.	0.	0.	0.

Problem 936	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	413	413	3706	4339	0	0	0	0
normalized size	1	1.	8.97	10.51	0.	0.	0.	0.
time (sec)	N/A	0.92	26.173	1.204	0.	0.	0.	0.

Problem 937	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	324	324	579	3344	0	0	0	0
normalized size	1	1.	1.79	10.32	0.	0.	0.	0.
time (sec)	N/A	0.592	20.502	0.821	0.	0.	0.	0.

Problem 938	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	366	366	5313	2334	0	0	0	0
normalized size	1	1.	14.52	6.38	0.	0.	0.	0.
time (sec)	N/A	0.406	24.454	0.51	0.	0.	0.	0.

Problem 939	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	362	362	930	2153	0	0	0	0
normalized size	1	1.	2.57	5.95	0.	0.	0.	0.
time (sec)	N/A	0.412	18.701	0.49	0.	0.	0.	0.

Problem 940	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	435	435	1842	2626	0	0	0	0
normalized size	1	1.	4.23	6.04	0.	0.	0.	0.
time (sec)	N/A	0.773	20.025	0.417	0.	0.	0.	0.

Problem 941	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	538	538	544	3761	0	0	0	0
normalized size	1	1.	1.01	6.99	0.	0.	0.	0.
time (sec)	N/A	1.231	14.475	0.478	0.	0.	0.	0.

Problem 942	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	628	628	1087	7208	0	0	0	0
normalized size	1	1.	1.73	11.48	0.	0.	0.	0.
time (sec)	N/A	2.627	21.623	3.062	0.	0.	0.	0.

Problem 943	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	505	505	4186	5945	0	0	0	0
normalized size	1	1.	8.29	11.77	0.	0.	0.	0.
time (sec)	N/A	1.321	26.485	2.063	0.	0.	0.	0.

Problem 944	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	406	406	3724	4527	0	0	0	0
normalized size	1	1.	9.17	11.15	0.	0.	0.	0.
time (sec)	N/A	0.83	26.018	1.217	0.	0.	0.	0.

Problem 945	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	443	443	6972	3927	0	0	0	0
normalized size	1	1.	15.74	8.86	0.	0.	0.	0.
time (sec)	N/A	0.661	26.172	0.812	0.	0.	0.	0.

Problem 946	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	426	426	7722	3361	0	0	0	0
normalized size	1	1.	18.13	7.89	0.	0.	0.	0.
time (sec)	N/A	0.664	26.136	0.644	0.	0.	0.	0.

Problem 947	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	442	442	4520	3595	0	0	0	0
normalized size	1	1.	10.23	8.13	0.	0.	0.	0.
time (sec)	N/A	0.811	23.967	0.651	0.	0.	0.	0.

Problem 948	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	540	540	5054	4138	0	0	0	0
normalized size	1	1.	9.36	7.66	0.	0.	0.	0.
time (sec)	N/A	1.313	24.684	0.501	0.	0.	0.	0.

Problem 949	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	650	650	761	5474	0	0	0	0
normalized size	1	1.	1.17	8.42	0.	0.	0.	0.
time (sec)	N/A	1.906	16.978	0.738	0.	0.	0.	0.

Problem 950	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	610	610	1090	7208	0	0	0	0
normalized size	1	1.	1.79	11.82	0.	0.	0.	0.
time (sec)	N/A	2.11	21.861	3.07	0.	0.	0.	0.

Problem 951	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	502	502	4220	6163	0	0	0	0
normalized size	1	1.	8.41	12.28	0.	0.	0.	0.
time (sec)	N/A	1.256	26.677	2.056	0.	0.	0.	0.

Problem 952	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	521	521	1405	5138	0	0	0	0
normalized size	1	1.	2.7	9.86	0.	0.	0.	0.
time (sec)	N/A	0.971	21.276	1.259	0.	0.	0.	0.

Problem 953	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	505	505	1498	4981	0	0	0	0
normalized size	1	1.	2.97	9.86	0.	0.	0.	0.
time (sec)	N/A	0.965	20.961	1.099	0.	0.	0.	0.

Problem 954	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	507	507	4902	4884	0	0	0	0
normalized size	1	1.	9.67	9.63	0.	0.	0.	0.
time (sec)	N/A	1.061	25.408	0.94	0.	0.	0.	0.

Problem 955	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	549	549	5361	5113	0	0	0	0
normalized size	1	1.	9.77	9.31	0.	0.	0.	0.
time (sec)	N/A	1.279	25.824	0.967	0.	0.	0.	0.

Problem 956	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	652	652	5681	5850	0	0	0	0
normalized size	1	1.	8.71	8.97	0.	0.	0.	0.
time (sec)	N/A	2.02	26.106	0.706	0.	0.	0.	0.

Problem 957	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	774	774	800	7029	0	0	0	0
normalized size	1	1.	1.03	9.08	0.	0.	0.	0.
time (sec)	N/A	3.203	20.655	0.938	0.	0.	0.	0.

Problem 958	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	429	429	3811	4340	0	0	0	0
normalized size	1	1.	8.88	10.12	0.	0.	0.	0.
time (sec)	N/A	1.057	25.958	1.293	0.	0.	0.	0.

Problem 959	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	342	342	3332	3147	0	0	0	0
normalized size	1	1.	9.74	9.2	0.	0.	0.	0.
time (sec)	N/A	0.664	24.896	0.871	0.	0.	0.	0.

Problem 960	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	267	267	2741	1757	0	0	0	0
normalized size	1	1.	10.27	6.58	0.	0.	0.	0.
time (sec)	N/A	0.365	21.834	0.508	0.	0.	0.	0.

Problem 961	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	317	317	762	1193	0	0	0	0
normalized size	1	1.	2.4	3.76	0.	0.	0.	0.
time (sec)	N/A	0.249	18.338	0.446	0.	0.	0.	0.

Problem 962	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	358	358	861	1210	0	0	0	0
normalized size	1	1.	2.41	3.38	0.	0.	0.	0.
time (sec)	N/A	0.424	18.012	0.423	0.	0.	0.	0.

Problem 963	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	439	439	1905	2259	0	0	0	0
normalized size	1	1.	4.34	5.15	0.	0.	0.	0.
time (sec)	N/A	0.749	16.145	0.408	0.	0.	0.	0.

Problem 964	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	510	510	874	5857	0	0	0	0
normalized size	1	1.	1.71	11.48	0.	0.	0.	0.
time (sec)	N/A	1.345	20.839	1.534	0.	0.	0.	0.

Problem 965	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	352	352	3856	4183	0	0	0	0
normalized size	1	1.	10.95	11.88	0.	0.	0.	0.
time (sec)	N/A	0.801	26.062	0.745	0.	0.	0.	0.

Problem 966	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	293	293	603	3071	0	0	0	0
normalized size	1	1.	2.06	10.48	0.	0.	0.	0.
time (sec)	N/A	0.464	20.941	0.507	0.	0.	0.	0.

Problem 967	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	395	395	1275	2844	0	0	0	0
normalized size	1	1.	3.23	7.2	0.	0.	0.	0.
time (sec)	N/A	0.489	18.822	0.358	0.	0.	0.	0.

Problem 968	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	451	451	1814	3673	0	0	0	0
normalized size	1	1.	4.02	8.14	0.	0.	0.	0.
time (sec)	N/A	0.751	20.885	0.408	0.	0.	0.	0.

Problem 969	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	552	552	490	5176	0	0	0	0
normalized size	1	1.	0.89	9.38	0.	0.	0.	0.
time (sec)	N/A	1.246	17.045	0.56	0.	0.	0.	0.

Problem 970	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	549	549	989	10856	0	0	0	0
normalized size	1	1.	1.8	19.77	0.	0.	0.	0.
time (sec)	N/A	1.85	21.58	1.746	0.	0.	0.	0.

Problem 971	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	449	449	4504	8858	0	0	0	0
normalized size	1	1.	10.03	19.73	0.	0.	0.	0.
time (sec)	N/A	1.044	27.601	0.845	0.	0.	0.	0.

Problem 972	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	416	416	3980	6953	0	0	0	0
normalized size	1	1.	9.57	16.71	0.	0.	0.	0.
time (sec)	N/A	0.794	26.043	0.483	0.	0.	0.	0.

Problem 973	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	541	541	11444	8177	0	0	0	0
normalized size	1	1.	21.15	15.11	0.	0.	0.	0.
time (sec)	N/A	0.91	28.012	0.465	0.	0.	0.	0.

Problem 974	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	618	618	20207	10319	0	0	0	0
normalized size	1	1.	32.7	16.7	0.	0.	0.	0.
time (sec)	N/A	1.481	28.869	0.654	0.	0.	0.	0.

Problem 975	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	448	448	4778	3700	0	0	0	0
normalized size	1	1.	10.67	8.26	0.	0.	0.	0.
time (sec)	N/A	0.893	23.636	0.799	0.	0.	0.	0.

Problem 976	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	382	382	1139	2761	0	0	0	0
normalized size	1	1.	2.98	7.23	0.	0.	0.	0.
time (sec)	N/A	0.623	18.534	0.529	0.	0.	0.	0.

Problem 977	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	316	316	1232	1588	0	0	0	0
normalized size	1	1.	3.9	5.03	0.	0.	0.	0.
time (sec)	N/A	0.41	18.093	0.447	0.	0.	0.	0.

Problem 978	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	212	212	160	289	0	0	0	0
normalized size	1	1.	0.75	1.36	0.	0.	0.	0.
time (sec)	N/A	0.164	2.856	0.359	0.	0.	0.	0.

Problem 979	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	379	379	2090	2613	0	0	0	0
normalized size	1	1.	5.51	6.89	0.	0.	0.	0.
time (sec)	N/A	0.537	15.222	0.413	0.	0.	0.	0.

Problem 980	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	519	519	814	7862	0	0	0	0
normalized size	1	1.	1.57	15.15	0.	0.	0.	0.
time (sec)	N/A	1.	14.971	0.466	0.	0.	0.	0.

Problem 981	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	266	266	1262	1020	0	0	0	0
normalized size	1	1.	4.74	3.83	0.	0.	0.	0.
time (sec)	N/A	0.301	7.309	8.952	0.	0.	0.	0.

Problem 982	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	230	230	1202	851	0	0	0	0
normalized size	1	1.	5.23	3.7	0.	0.	0.	0.
time (sec)	N/A	0.276	7.122	8.213	0.	0.	0.	0.

Problem 983	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	192	192	1140	742	0	0	0	0
normalized size	1	1.	5.94	3.86	0.	0.	0.	0.
time (sec)	N/A	0.235	7.023	6.992	0.	0.	0.	0.

Problem 984	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	223	666	0	0	0	0
normalized size	1	1.	1.47	4.38	0.	0.	0.	0.
time (sec)	N/A	0.223	2.51	5.243	0.	0.	0.	0.

Problem 985	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	197	388	0	0	0	0
normalized size	1	1.	1.35	2.66	0.	0.	0.	0.
time (sec)	N/A	0.227	2.77	2.235	0.	0.	0.	0.

Problem 986	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	194	465	0	0	0	0
normalized size	1	1.	1.24	2.98	0.	0.	0.	0.
time (sec)	N/A	0.227	2.661	2.278	0.	0.	0.	0.

Problem 987	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	219	515	0	0	0	0
normalized size	1	1.	1.13	2.65	0.	0.	0.	0.
time (sec)	N/A	0.253	3.502	2.316	0.	0.	0.	0.

Problem 988	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	230	230	249	565	0	0	0	0
normalized size	1	1.	1.08	2.46	0.	0.	0.	0.
time (sec)	N/A	0.281	4.681	2.036	0.	0.	0.	0.

Problem 989	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	266	266	1371	611	0	0	0	0
normalized size	1	1.	5.15	2.3	0.	0.	0.	0.
time (sec)	N/A	0.308	6.917	2.638	0.	0.	0.	0.

Problem 990	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	343	343	507	1196	0	0	0	0
normalized size	1	1.	1.48	3.49	0.	0.	0.	0.
time (sec)	N/A	0.588	6.741	11.647	0.	0.	0.	0.

Problem 991	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	289	289	333	947	0	0	0	0
normalized size	1	1.	1.15	3.28	0.	0.	0.	0.
time (sec)	N/A	0.529	2.414	9.167	0.	0.	0.	0.

Problem 992	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	241	241	271	1000	0	0	0	0
normalized size	1	1.	1.12	4.15	0.	0.	0.	0.
time (sec)	N/A	0.513	2.088	7.509	0.	0.	0.	0.

Problem 993	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	224	224	227	1301	0	0	0	0
normalized size	1	1.	1.01	5.81	0.	0.	0.	0.
time (sec)	N/A	0.5	2.986	6.732	0.	0.	0.	0.

Problem 994	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	234	932	0	0	0	0
normalized size	1	1.	1.04	4.14	0.	0.	0.	0.
time (sec)	N/A	0.518	4.714	2.896	0.	0.	0.	0.

Problem 995	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	242	242	251	706	0	0	0	0
normalized size	1	1.	1.04	2.92	0.	0.	0.	0.
time (sec)	N/A	0.522	6.576	2.546	0.	0.	0.	0.

Problem 996	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	290	290	286	784	0	0	0	0
normalized size	1	1.	0.99	2.7	0.	0.	0.	0.
time (sec)	N/A	0.552	3.655	2.181	0.	0.	0.	0.

Problem 997	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	397	397	566	1292	0	0	0	0
normalized size	1	1.	1.43	3.25	0.	0.	0.	0.
time (sec)	N/A	0.867	7.08	12.11	0.	0.	0.	0.

Problem 998	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	334	334	377	1205	0	0	0	0
normalized size	1	1.	1.13	3.61	0.	0.	0.	0.
time (sec)	N/A	0.786	3.778	9.369	0.	0.	0.	0.

Problem 999	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	319	319	311	1419	0	0	0	0
normalized size	1	1.	0.97	4.45	0.	0.	0.	0.
time (sec)	N/A	0.83	3.534	8.263	0.	0.	0.	0.

Problem 1000	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	313	313	295	1837	0	0	0	0
normalized size	1	1.	0.94	5.87	0.	0.	0.	0.
time (sec)	N/A	0.834	2.697	7.42	0.	0.	0.	0.

Problem 1001	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	317	317	234	1278	0	0	0	0
normalized size	1	1.	0.74	4.03	0.	0.	0.	0.
time (sec)	N/A	0.832	5.063	2.813	0.	0.	0.	0.

Problem 1002	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	336	336	323	975	0	0	0	0
normalized size	1	1.	0.96	2.9	0.	0.	0.	0.
time (sec)	N/A	0.856	6.135	2.434	0.	0.	0.	0.

Problem 1003	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	401	401	538	1082	0	0	0	0
normalized size	1	1.	1.34	2.7	0.	0.	0.	0.
time (sec)	N/A	0.915	6.836	2.287	0.	0.	0.	0.

Problem 1004	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	515	515	713	1550	0	0	0	0
normalized size	1	1.	1.38	3.01	0.	0.	0.	0.
time (sec)	N/A	1.306	7.505	14.859	0.	0.	0.	0.

Problem 1005	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	441	441	609	1550	0	0	0	0
normalized size	1	1.	1.38	3.51	0.	0.	0.	0.
time (sec)	N/A	1.239	7.384	12.626	0.	0.	0.	0.

Problem 1006	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	419	419	530	1624	0	0	0	0
normalized size	1	1.	1.26	3.88	0.	0.	0.	0.
time (sec)	N/A	1.226	7.368	10.528	0.	0.	0.	0.

Problem 1007	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	409	409	485	1884	0	0	0	0
normalized size	1	1.	1.19	4.61	0.	0.	0.	0.
time (sec)	N/A	1.247	7.365	10.602	0.	0.	0.	0.

Problem 1008	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	429	429	394	2507	0	0	0	0
normalized size	1	1.	0.92	5.84	0.	0.	0.	0.
time (sec)	N/A	1.309	6.668	9.3	0.	0.	0.	0.

Problem 1009	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	426	426	517	1652	0	0	0	0
normalized size	1	1.	1.21	3.88	0.	0.	0.	0.
time (sec)	N/A	1.313	7.338	3.615	0.	0.	0.	0.

Problem 1010	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	444	444	580	1273	0	0	0	0
normalized size	1	1.	1.31	2.87	0.	0.	0.	0.
time (sec)	N/A	1.316	7.065	2.626	0.	0.	0.	0.

Problem 1011	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	516	516	658	1407	0	0	0	0
normalized size	1	1.	1.28	2.73	0.	0.	0.	0.
time (sec)	N/A	1.401	7.14	2.689	0.	0.	0.	0.

Problem 1012	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	296	296	0	800	0	0	0	0
normalized size	1	1.	0.	2.7	0.	0.	0.	0.
time (sec)	N/A	1.11	80.329	9.906	0.	0.	0.	0.

Problem 1013	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	218	218	0	472	0	0	0	0
normalized size	1	1.	0.	2.17	0.	0.	0.	0.
time (sec)	N/A	0.773	58.265	7.304	0.	0.	0.	0.

Problem 1014	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	178	178	0	409	0	0	0	0
normalized size	1	1.	0.	2.3	0.	0.	0.	0.
time (sec)	N/A	0.477	44.585	4.575	0.	0.	0.	0.

Problem 1015	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	157	157	0	323	0	0	0	0
normalized size	1	1.	0.	2.06	0.	0.	0.	0.
time (sec)	N/A	0.288	13.291	2.664	0.	0.	0.	0.

Problem 1016	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	207	207	0	945	0	0	0	0
normalized size	1	1.	0.	4.57	0.	0.	0.	0.
time (sec)	N/A	0.531	59.833	2.712	0.	0.	0.	0.

Problem 1017	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	269	269	0	801	0	0	0	0
normalized size	1	1.	0.	2.98	0.	0.	0.	0.
time (sec)	N/A	0.855	55.298	5.605	0.	0.	0.	0.

Problem 1018	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	342	342	0	1095	0	0	0	0
normalized size	1	1.	0.	3.2	0.	0.	0.	0.
time (sec)	N/A	1.222	68.768	7.123	0.	0.	0.	0.

Problem 1019	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	447	447	931	1031	0	0	0	0
normalized size	1	1.	2.08	2.31	0.	0.	0.	0.
time (sec)	N/A	1.37	7.422	11.463	0.	0.	0.	0.

Problem 1020	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	363	363	865	897	0	0	0	0
normalized size	1	1.	2.38	2.47	0.	0.	0.	0.
time (sec)	N/A	0.959	7.186	7.709	0.	0.	0.	0.

Problem 1021	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	299	299	829	809	0	0	0	0
normalized size	1	1.	2.77	2.71	0.	0.	0.	0.
time (sec)	N/A	0.673	7.044	5.817	0.	0.	0.	0.

Problem 1022	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	317	317	835	856	0	0	0	0
normalized size	1	1.	2.63	2.7	0.	0.	0.	0.
time (sec)	N/A	0.679	7.131	7.458	0.	0.	0.	0.

Problem 1023	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	406	406	887	1123	0	0	0	0
normalized size	1	1.	2.18	2.77	0.	0.	0.	0.
time (sec)	N/A	1.03	7.273	9.103	0.	0.	0.	0.

Problem 1024	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	507	507	976	1377	0	0	0	0
normalized size	1	1.	1.93	2.72	0.	0.	0.	0.
time (sec)	N/A	1.516	7.596	8.982	0.	0.	0.	0.

Problem 1025	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	667	667	1161	2185	0	0	0	0
normalized size	1	1.	1.74	3.28	0.	0.	0.	0.
time (sec)	N/A	2.248	7.781	20.032	0.	0.	0.	0.

Problem 1026	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	556	556	1092	2049	0	0	0	0
normalized size	1	1.	1.96	3.69	0.	0.	0.	0.
time (sec)	N/A	1.692	7.482	12.217	0.	0.	0.	0.

Problem 1027	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	469	469	1051	1879	0	0	0	0
normalized size	1	1.	2.24	4.01	0.	0.	0.	0.
time (sec)	N/A	1.18	7.239	10.419	0.	0.	0.	0.

Problem 1028	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	478	478	1051	1972	0	0	0	0
normalized size	1	1.	2.2	4.13	0.	0.	0.	0.
time (sec)	N/A	1.208	7.199	10.687	0.	0.	0.	0.

Problem 1029	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	486	486	1064	2022	0	0	0	0
normalized size	1	1.	2.19	4.16	0.	0.	0.	0.
time (sec)	N/A	1.223	7.37	12.197	0.	0.	0.	0.

Problem 1030	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	598	598	1121	2289	0	0	0	0
normalized size	1	1.	1.87	3.83	0.	0.	0.	0.
time (sec)	N/A	1.805	7.6	13.84	0.	0.	0.	0.

Problem 1031	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	447	447	782	4821	0	0	0	0
normalized size	1	1.	1.75	10.79	0.	0.	0.	0.
time (sec)	N/A	1.625	6.887	0.628	0.	0.	0.	0.

Problem 1032	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	346	346	478	3182	0	0	0	0
normalized size	1	1.	1.38	9.2	0.	0.	0.	0.
time (sec)	N/A	1.186	6.256	0.461	0.	0.	0.	0.

Problem 1033	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	258	258	438	2345	0	0	0	0
normalized size	1	1.	1.7	9.09	0.	0.	0.	0.
time (sec)	N/A	0.832	3.723	0.456	0.	0.	0.	0.

Problem 1034	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	277	277	0	2548	0	0	0	0
normalized size	1	1.	0.	9.2	0.	0.	0.	0.
time (sec)	N/A	0.904	31.686	0.431	0.	0.	0.	0.

Problem 1035	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	273	273	3426	3639	0	0	0	0
normalized size	1	1.	12.55	13.33	0.	0.	0.	0.
time (sec)	N/A	0.807	6.608	0.505	0.	0.	0.	0.

Problem 1036	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	360	360	4441	4764	0	0	0	0
normalized size	1	1.	12.34	13.23	0.	0.	0.	0.
time (sec)	N/A	1.173	6.767	0.686	0.	0.	0.	0.

Problem 1037	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	457	457	5993	6551	0	0	0	0
normalized size	1	1.	13.11	14.33	0.	0.	0.	0.
time (sec)	N/A	1.644	6.978	0.9	0.	0.	0.	0.

Problem 1038	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	551	551	916	7134	0	0	0	0
normalized size	1	1.	1.66	12.95	0.	0.	0.	0.
time (sec)	N/A	2.162	7.058	0.855	0.	0.	0.	0.

Problem 1039	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	446	446	800	5245	0	0	0	0
normalized size	1	1.	1.79	11.76	0.	0.	0.	0.
time (sec)	N/A	1.654	6.955	0.583	0.	0.	0.	0.

Problem 1040	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	353	353	709	4335	0	0	0	0
normalized size	1	1.	2.01	12.28	0.	0.	0.	0.
time (sec)	N/A	1.182	6.938	0.53	0.	0.	0.	0.

Problem 1041	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	340	340	685	3823	0	0	0	0
normalized size	1	1.	2.01	11.24	0.	0.	0.	0.
time (sec)	N/A	1.231	6.897	0.465	0.	0.	0.	0.

Problem 1042	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	356	356	0	4247	0	0	0	0
normalized size	1	1.	0.	11.93	0.	0.	0.	0.
time (sec)	N/A	1.255	39.345	0.501	0.	0.	0.	0.

Problem 1043	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	359	359	4862	4944	0	0	0	0
normalized size	1	1.	13.54	13.77	0.	0.	0.	0.
time (sec)	N/A	1.236	6.824	0.622	0.	0.	0.	0.

Problem 1044	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	455	455	5997	6526	0	0	0	0
normalized size	1	1.	13.18	14.34	0.	0.	0.	0.
time (sec)	N/A	1.709	7.031	0.868	0.	0.	0.	0.

Problem 1045	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	550	550	925	7346	0	0	0	0
normalized size	1	1.	1.68	13.36	0.	0.	0.	0.
time (sec)	N/A	2.189	7.22	0.816	0.	0.	0.	0.

Problem 1046	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	453	453	817	6194	0	0	0	0
normalized size	1	1.	1.8	13.67	0.	0.	0.	0.
time (sec)	N/A	1.681	7.301	0.672	0.	0.	0.	0.

Problem 1047	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	427	427	766	5629	0	0	0	0
normalized size	1	1.	1.79	13.18	0.	0.	0.	0.
time (sec)	N/A	1.662	7.053	0.642	0.	0.	0.	0.

Problem 1048	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	419	419	755	5634	0	0	0	0
normalized size	1	1.	1.8	13.45	0.	0.	0.	0.
time (sec)	N/A	1.645	7.052	0.646	0.	0.	0.	0.

Problem 1049	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	441	441	0	5602	0	0	0	0
normalized size	1	1.	0.	12.7	0.	0.	0.	0.
time (sec)	N/A	1.671	51.153	0.731	0.	0.	0.	0.

Problem 1050	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	452	452	6410	6758	0	0	0	0
normalized size	1	1.	14.18	14.95	0.	0.	0.	0.
time (sec)	N/A	1.746	7.036	0.892	0.	0.	0.	0.

Problem 1051	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	565	565	7479	7971	0	0	0	0
normalized size	1	1.	13.24	14.11	0.	0.	0.	0.
time (sec)	N/A	2.299	7.362	1.17	0.	0.	0.	0.

Problem 1052	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	350	350	503	3178	0	0	0	0
normalized size	1	1.	1.44	9.08	0.	0.	0.	0.
time (sec)	N/A	1.145	4.966	0.462	0.	0.	0.	0.

Problem 1053	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	260	260	427	1638	0	0	0	0
normalized size	1	1.	1.64	6.3	0.	0.	0.	0.
time (sec)	N/A	0.84	6.485	0.389	0.	0.	0.	0.

Problem 1054	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	219	219	0	1358	0	0	0	0
normalized size	1	1.	0.	6.2	0.	0.	0.	0.
time (sec)	N/A	0.618	16.525	0.431	0.	0.	0.	0.

Problem 1055	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	216	216	1959	1931	0	0	0	0
normalized size	1	1.	9.07	8.94	0.	0.	0.	0.
time (sec)	N/A	0.521	6.538	0.406	0.	0.	0.	0.

Problem 1056	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	291	291	3039	3439	0	0	0	0
normalized size	1	1.	10.44	11.82	0.	0.	0.	0.
time (sec)	N/A	0.817	6.658	0.532	0.	0.	0.	0.

Problem 1057	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	380	380	4470	4764	0	0	0	0
normalized size	1	1.	11.76	12.54	0.	0.	0.	0.
time (sec)	N/A	1.178	6.929	0.685	0.	0.	0.	0.

Problem 1058	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	377	1431	0	0	0	0
normalized size	1	1.	1.49	5.66	0.	0.	0.	0.
time (sec)	N/A	1.079	4.353	0.468	0.	0.	0.	0.

Problem 1059	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	393	393	774	3121	0	0	0	0
normalized size	1	1.	1.97	7.94	0.	0.	0.	0.
time (sec)	N/A	1.354	7.039	0.41	0.	0.	0.	0.

Problem 1060	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	311	311	0	2053	0	0	0	0
normalized size	1	1.	0.	6.6	0.	0.	0.	0.
time (sec)	N/A	0.977	33.507	0.467	0.	0.	0.	0.

Problem 1061	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	249	249	3541	1889	0	0	0	0
normalized size	1	1.	14.22	7.59	0.	0.	0.	0.
time (sec)	N/A	0.605	7.048	0.457	0.	0.	0.	0.

Problem 1062	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	350	350	4557	2733	0	0	0	0
normalized size	1	1.	13.02	7.81	0.	0.	0.	0.
time (sec)	N/A	0.943	7.566	0.404	0.	0.	0.	0.

Problem 1063	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	461	461	6134	4114	0	0	0	0
normalized size	1	1.	13.31	8.92	0.	0.	0.	0.
time (sec)	N/A	1.373	8.06	0.52	0.	0.	0.	0.

Problem 1064	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	563	563	938	9944	0	0	0	0
normalized size	1	1.	1.67	17.66	0.	0.	0.	0.
time (sec)	N/A	1.947	7.343	0.615	0.	0.	0.	0.

Problem 1065	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	447	447	0	7030	0	0	0	0
normalized size	1	1.	0.	15.73	0.	0.	0.	0.
time (sec)	N/A	1.449	52.962	0.478	0.	0.	0.	0.

Problem 1066	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	378	378	5040	5169	0	0	0	0
normalized size	1	1.	13.33	13.67	0.	0.	0.	0.
time (sec)	N/A	1.037	7.61	0.463	0.	0.	0.	0.

Problem 1067	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	401	401	6142	6945	0	0	0	0
normalized size	1	1.	15.32	17.32	0.	0.	0.	0.
time (sec)	N/A	1.034	8.309	0.51	0.	0.	0.	0.

Problem 1068	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	521	521	7608	8777	0	0	0	0
normalized size	1	1.	14.6	16.85	0.	0.	0.	0.
time (sec)	N/A	1.602	9.236	0.599	0.	0.	0.	0.

Problem 1069	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	663	663	9192	11337	0	0	0	0
normalized size	1	1.	13.86	17.1	0.	0.	0.	0.
time (sec)	N/A	2.227	10.392	0.879	0.	0.	0.	0.

Problem 1070	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	247	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.323	52.546	0.168	0.	0.	0.	0.

Problem 1071	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	247	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.305	27.286	0.17	0.	0.	0.	0.

Problem 1072	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	244	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.303	49.644	0.164	0.	0.	0.	0.

Problem 1073	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	244	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.312	26.523	0.176	0.	0.	0.	0.

Problem 1074	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	136	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.24	8.989	0.422	0.	0.	0.	0.

Problem 1075	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	65	313	0	0	0	0
normalized size	1	1.	0.81	3.91	0.	0.	0.	0.
time (sec)	N/A	0.079	0.33	1.864	0.	0.	0.	0.

Problem 1076	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	63	285	0	0	0	0
normalized size	1	1.	0.79	3.56	0.	0.	0.	0.
time (sec)	N/A	0.074	0.304	2.288	0.	0.	0.	0.

Problem 1077	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	50	50	48	252	0	0	0	0
normalized size	1	1.	0.96	5.04	0.	0.	0.	0.
time (sec)	N/A	0.059	0.108	2.193	0.	0.	0.	0.

Problem 1078	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	48	48	124	228	0	0	0	0
normalized size	1	1.	2.58	4.75	0.	0.	0.	0.
time (sec)	N/A	0.06	0.94	1.782	0.	0.	0.	0.

Problem 1079	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	44	44	289	149	0	0	0	0
normalized size	1	1.	6.57	3.39	0.	0.	0.	0.
time (sec)	N/A	0.062	1.613	2.312	0.	0.	0.	0.

Problem 1080	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	48	48	43	266	0	0	0	0
normalized size	1	1.	0.9	5.54	0.	0.	0.	0.
time (sec)	N/A	0.06	0.184	2.162	0.	0.	0.	0.

Problem 1081	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	73	593	0	0	0	0
normalized size	1	1.	0.91	7.41	0.	0.	0.	0.
time (sec)	N/A	0.075	0.364	5.565	0.	0.	0.	0.

Problem 1082	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	73	376	0	0	0	0
normalized size	1	1.	0.91	4.7	0.	0.	0.	0.
time (sec)	N/A	0.076	0.574	4.45	0.	0.	0.	0.

Problem 1083	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	165	165	918	406	0	0	0	0
normalized size	1	1.	5.56	2.46	0.	0.	0.	0.
time (sec)	N/A	0.241	6.292	3.306	0.	0.	0.	0.

Problem 1084	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	134	134	872	378	0	0	0	0
normalized size	1	1.	6.51	2.82	0.	0.	0.	0.
time (sec)	N/A	0.219	6.239	2.119	0.	0.	0.	0.

Problem 1085	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	101	101	824	345	0	0	0	0
normalized size	1	1.	8.16	3.42	0.	0.	0.	0.
time (sec)	N/A	0.203	6.296	2.169	0.	0.	0.	0.

Problem 1086	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	95	95	813	458	0	0	0	0
normalized size	1	1.	8.56	4.82	0.	0.	0.	0.
time (sec)	N/A	0.204	6.351	2.524	0.	0.	0.	0.

Problem 1087	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	95	95	817	437	0	0	0	0
normalized size	1	1.	8.6	4.6	0.	0.	0.	0.
time (sec)	N/A	0.207	6.37	4.892	0.	0.	0.	0.

Problem 1088	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	132	132	851	729	0	0	0	0
normalized size	1	1.	6.45	5.52	0.	0.	0.	0.
time (sec)	N/A	0.223	6.444	6.617	0.	0.	0.	0.

Problem 1089	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	165	165	895	838	0	0	0	0
normalized size	1	1.	5.42	5.08	0.	0.	0.	0.
time (sec)	N/A	0.245	6.515	7.763	0.	0.	0.	0.

Problem 1090	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	230	230	976	436	0	0	0	0
normalized size	1	1.	4.24	1.9	0.	0.	0.	0.
time (sec)	N/A	0.518	6.315	2.239	0.	0.	0.	0.

Problem 1091	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	197	197	1118	408	0	0	0	0
normalized size	1	1.	5.68	2.07	0.	0.	0.	0.
time (sec)	N/A	0.486	6.304	2.286	0.	0.	0.	0.

Problem 1092	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	164	164	1070	380	0	0	0	0
normalized size	1	1.	6.52	2.32	0.	0.	0.	0.
time (sec)	N/A	0.466	6.379	2.148	0.	0.	0.	0.

Problem 1093	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	158	158	799	440	0	0	0	0
normalized size	1	1.	5.06	2.78	0.	0.	0.	0.
time (sec)	N/A	0.464	6.449	2.156	0.	0.	0.	0.

Problem 1094	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	154	154	1040	651	0	0	0	0
normalized size	1	1.	6.75	4.23	0.	0.	0.	0.
time (sec)	N/A	0.468	6.467	5.49	0.	0.	0.	0.

Problem 1095	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	156	156	800	756	0	0	0	0
normalized size	1	1.	5.13	4.85	0.	0.	0.	0.
time (sec)	N/A	0.482	6.542	6.708	0.	0.	0.	0.

Problem 1096	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	197	197	1092	918	0	0	0	0
normalized size	1	1.	5.54	4.66	0.	0.	0.	0.
time (sec)	N/A	0.512	6.614	8.003	0.	0.	0.	0.

Problem 1097	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	230	230	1137	1168	0	0	0	0
normalized size	1	1.	4.94	5.08	0.	0.	0.	0.
time (sec)	N/A	0.542	6.671	9.685	0.	0.	0.	0.

Problem 1098	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	279	279	1022	464	0	0	0	0
normalized size	1	1.	3.66	1.66	0.	0.	0.	0.
time (sec)	N/A	0.685	6.373	2.321	0.	0.	0.	0.

Problem 1099	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	246	246	976	436	0	0	0	0
normalized size	1	1.	3.97	1.77	0.	0.	0.	0.
time (sec)	N/A	0.645	6.326	2.155	0.	0.	0.	0.

Problem 1100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	213	213	1116	408	0	0	0	0
normalized size	1	1.	5.24	1.92	0.	0.	0.	0.
time (sec)	N/A	0.623	6.439	2.142	0.	0.	0.	0.

Problem 1101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	215	215	1108	569	0	0	0	0
normalized size	1	1.	5.15	2.65	0.	0.	0.	0.
time (sec)	N/A	0.628	6.562	2.736	0.	0.	0.	0.

Problem 1102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	211	211	1089	704	0	0	0	0
normalized size	1	1.	5.16	3.34	0.	0.	0.	0.
time (sec)	N/A	0.629	6.586	2.693	0.	0.	0.	0.

Problem 1103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	213	213	1085	939	0	0	0	0
normalized size	1	1.	5.09	4.41	0.	0.	0.	0.
time (sec)	N/A	0.634	6.646	7.404	0.	0.	0.	0.

Problem 1104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	213	213	1102	1012	0	0	0	0
normalized size	1	1.	5.17	4.75	0.	0.	0.	0.
time (sec)	N/A	0.652	6.717	8.409	0.	0.	0.	0.

Problem 1105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	246	246	1135	1246	0	0	0	0
normalized size	1	1.	4.61	5.07	0.	0.	0.	0.
time (sec)	N/A	0.678	6.76	9.904	0.	0.	0.	0.

Problem 1106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	279	279	1179	1408	0	0	0	0
normalized size	1	1.	4.23	5.05	0.	0.	0.	0.
time (sec)	N/A	0.713	6.872	10.798	0.	0.	0.	0.

Problem 1107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	192	192	1393	295	0	0	0	0
normalized size	1	1.	7.26	1.54	0.	0.	0.	0.
time (sec)	N/A	0.287	6.725	2.47	0.	0.	0.	0.

Problem 1108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	159	159	1345	277	0	0	0	0
normalized size	1	1.	8.46	1.74	0.	0.	0.	0.
time (sec)	N/A	0.265	6.642	2.252	0.	0.	0.	0.

Problem 1109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	122	122	1300	262	0	0	0	0
normalized size	1	1.	10.66	2.15	0.	0.	0.	0.
time (sec)	N/A	0.241	6.57	2.121	0.	0.	0.	0.

Problem 1110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	84	84	1270	245	0	0	0	0
normalized size	1	1.	15.12	2.92	0.	0.	0.	0.
time (sec)	N/A	0.231	6.524	2.263	0.	0.	0.	0.

Problem 1111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	112	112	1304	316	0	0	0	0
normalized size	1	1.	11.64	2.82	0.	0.	0.	0.
time (sec)	N/A	0.244	6.622	4.679	0.	0.	0.	0.

Problem 1112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	150	150	1337	486	0	0	0	0
normalized size	1	1.	8.91	3.24	0.	0.	0.	0.
time (sec)	N/A	0.263	6.959	6.177	0.	0.	0.	0.

Problem 1113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	192	192	1382	803	0	0	0	0
normalized size	1	1.	7.2	4.18	0.	0.	0.	0.
time (sec)	N/A	0.273	7.243	8.174	0.	0.	0.	0.

Problem 1114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	196	196	1398	451	0	0	0	0
normalized size	1	1.	7.13	2.3	0.	0.	0.	0.
time (sec)	N/A	0.405	6.804	2.513	0.	0.	0.	0.

Problem 1115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	161	161	1355	437	0	0	0	0
normalized size	1	1.	8.42	2.71	0.	0.	0.	0.
time (sec)	N/A	0.381	6.732	2.59	0.	0.	0.	0.

Problem 1116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	130	130	934	352	0	0	0	0
normalized size	1	1.	7.18	2.71	0.	0.	0.	0.
time (sec)	N/A	0.349	6.58	2.494	0.	0.	0.	0.

Problem 1117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	125	125	1322	423	0	0	0	0
normalized size	1	1.	10.58	3.38	0.	0.	0.	0.
time (sec)	N/A	0.358	6.648	2.459	0.	0.	0.	0.

Problem 1118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	151	151	954	450	0	0	0	0
normalized size	1	1.	6.32	2.98	0.	0.	0.	0.
time (sec)	N/A	0.376	6.685	2.887	0.	0.	0.	0.

Problem 1119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	189	189	1391	738	0	0	0	0
normalized size	1	1.	7.36	3.9	0.	0.	0.	0.
time (sec)	N/A	0.414	7.255	7.296	0.	0.	0.	0.

Problem 1120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	250	250	1507	479	0	0	0	0
normalized size	1	1.	6.03	1.92	0.	0.	0.	0.
time (sec)	N/A	0.588	7.111	2.33	0.	0.	0.	0.

Problem 1121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	209	209	1470	465	0	0	0	0
normalized size	1	1.	7.03	2.22	0.	0.	0.	0.
time (sec)	N/A	0.542	6.947	2.751	0.	0.	0.	0.

Problem 1122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	186	186	1446	451	0	0	0	0
normalized size	1	1.	7.77	2.42	0.	0.	0.	0.
time (sec)	N/A	0.541	6.835	2.496	0.	0.	0.	0.

Problem 1123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	184	184	1439	451	0	0	0	0
normalized size	1	1.	7.82	2.45	0.	0.	0.	0.
time (sec)	N/A	0.531	6.775	2.484	0.	0.	0.	0.

Problem 1124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	180	180	1436	451	0	0	0	0
normalized size	1	1.	7.98	2.51	0.	0.	0.	0.
time (sec)	N/A	0.523	6.763	2.521	0.	0.	0.	0.

Problem 1125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	209	209	1473	679	0	0	0	0
normalized size	1	1.	7.05	3.25	0.	0.	0.	0.
time (sec)	N/A	0.565	6.976	3.061	0.	0.	0.	0.

Problem 1126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	242	242	1505	876	0	0	0	0
normalized size	1	1.	6.22	3.62	0.	0.	0.	0.
time (sec)	N/A	0.567	7.544	3.187	0.	0.	0.	0.

Problem 1127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	109	119	684	302	0	0
normalized size	1	1.	0.51	0.56	3.21	1.42	0.	0.
time (sec)	N/A	0.57	0.307	0.358	2.178	0.511	0.	0.

Problem 1128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	90	97	522	252	0	0
normalized size	1	1.	0.54	0.58	3.11	1.5	0.	0.
time (sec)	N/A	0.493	0.289	0.338	2.113	0.487	0.	0.

Problem 1129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	122	122	68	77	312	205	0	0
normalized size	1	1.	0.56	0.63	2.56	1.68	0.	0.
time (sec)	N/A	0.423	0.244	0.327	2.02	0.501	0.	0.

Problem 1130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	92	199	479	867	0	0
normalized size	1	1.	0.68	1.46	3.52	6.38	0.	0.
time (sec)	N/A	0.399	0.568	0.352	2.083	0.568	0.	0.

Problem 1131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	90	210	987	942	0	0
normalized size	1	1.	0.67	1.56	7.31	6.98	0.	0.
time (sec)	N/A	0.409	0.632	0.358	2.23	0.576	0.	0.

Problem 1132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	105	313	2034	1014	0	0
normalized size	1	1.	0.73	2.17	14.12	7.04	0.	0.
time (sec)	N/A	0.406	0.571	0.349	2.318	0.689	0.	0.

Problem 1133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	189	189	125	375	3699	1107	0	0
normalized size	1	1.	0.66	1.98	19.57	5.86	0.	0.
time (sec)	N/A	0.485	0.982	0.337	2.69	0.7	0.	0.

Problem 1134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	152	437	5963	1218	0	0
normalized size	1	1.	0.65	1.87	25.48	5.21	0.	0.
time (sec)	N/A	0.573	1.632	0.352	3.504	0.837	0.	0.

Problem 1135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	266	266	125	142	880	378	0	0
normalized size	1	1.	0.47	0.53	3.31	1.42	0.	0.
time (sec)	N/A	0.807	1.996	0.351	2.248	0.5	0.	0.

Problem 1136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	103	120	734	321	0	0
normalized size	1	1.	0.47	0.55	3.35	1.47	0.	0.
time (sec)	N/A	0.723	1.309	0.332	2.198	0.499	0.	0.

Problem 1137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	85	98	497	269	0	0
normalized size	1	1.	0.5	0.58	2.94	1.59	0.	0.
time (sec)	N/A	0.545	0.888	0.293	2.127	0.491	0.	0.

Problem 1138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	105	212	937	973	0	0
normalized size	1	1.	0.57	1.16	5.12	5.32	0.	0.
time (sec)	N/A	0.596	0.867	0.336	2.206	0.577	0.	0.

Problem 1139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	189	189	110	243	1828	1041	0	0
normalized size	1	1.	0.58	1.29	9.67	5.51	0.	0.
time (sec)	N/A	0.6	0.924	0.346	2.126	0.585	0.	0.

Problem 1140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	120	345	3402	1098	0	0
normalized size	1	1.	0.63	1.81	17.81	5.75	0.	0.
time (sec)	N/A	0.613	1.429	0.365	2.455	0.704	0.	0.

Problem 1141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	126	376	4733	1148	0	0
normalized size	1	1.	0.66	1.97	24.78	6.01	0.	0.
time (sec)	N/A	0.62	1.873	0.319	2.674	0.701	0.	0.

Problem 1142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	238	238	154	438	7777	1247	0	0
normalized size	1	1.	0.65	1.84	32.68	5.24	0.	0.
time (sec)	N/A	0.731	3.073	0.322	3.721	0.839	0.	0.

Problem 1143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	285	285	176	500	9767	1385	0	0
normalized size	1	1.	0.62	1.75	34.27	4.86	0.	0.
time (sec)	N/A	0.808	4.622	0.317	5.97	0.863	0.	0.

Problem 1144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	313	313	148	166	1150	473	0	0
normalized size	1	1.	0.47	0.53	3.67	1.51	0.	0.
time (sec)	N/A	1.016	3.512	0.368	2.267	0.51	0.	0.

Problem 1145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	266	266	127	144	938	385	0	0
normalized size	1	1.	0.48	0.54	3.53	1.45	0.	0.
time (sec)	N/A	0.937	2.424	0.345	2.192	0.517	0.	0.

Problem 1146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	105	122	783	336	0	0
normalized size	1	1.	0.49	0.56	3.62	1.56	0.	0.
time (sec)	N/A	0.632	1.582	0.305	2.176	0.495	0.	0.

Problem 1147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	230	230	125	236	1146	1115	0	0
normalized size	1	1.	0.54	1.03	4.98	4.85	0.	0.
time (sec)	N/A	0.781	1.501	0.272	2.228	0.588	0.	0.

Problem 1148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	230	230	131	245	11036	1175	0	0
normalized size	1	1.	0.57	1.07	47.98	5.11	0.	0.
time (sec)	N/A	0.798	1.576	0.271	3.305	0.594	0.	0.

Problem 1149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	139	378	4618	1210	0	0
normalized size	1	1.	0.57	1.55	18.93	4.96	0.	0.
time (sec)	N/A	0.813	1.712	0.316	21.455	0.71	0.	0.

Problem 1150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	238	238	144	409	0	1237	0	0
normalized size	1	1.	0.61	1.72	0.	5.2	0.	0.
time (sec)	N/A	0.793	2.385	0.309	0.	0.716	0.	0.

Problem 1151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	238	238	155	440	9027	1304	0	0
normalized size	1	1.	0.65	1.85	37.93	5.48	0.	0.
time (sec)	N/A	0.834	3.628	0.328	22.414	0.841	0.	0.

Problem 1152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	285	285	178	502	11950	1426	0	0
normalized size	1	1.	0.62	1.76	41.93	5.	0.	0.
time (sec)	N/A	0.933	3.576	0.346	6.461	0.856	0.	0.

Problem 1153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	332	332	200	564	14959	1539	0	0
normalized size	1	1.	0.6	1.7	45.06	4.64	0.	0.
time (sec)	N/A	1.032	4.769	0.373	11.31	0.864	0.	0.

Problem 1154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	166	206	906	1062	0	0
normalized size	1	1.	0.68	0.84	3.71	4.35	0.	0.
time (sec)	N/A	0.82	1.736	0.296	2.25	0.544	0.	0.

Problem 1155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	153	184	747	964	0	0
normalized size	1	1.	0.76	0.92	3.72	4.8	0.	0.
time (sec)	N/A	0.625	0.43	0.393	2.224	0.536	0.	0.

Problem 1156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	73	171	504	876	0	0
normalized size	1	1.	0.47	1.1	3.23	5.62	0.	0.
time (sec)	N/A	0.452	0.599	0.335	2.148	0.531	0.	0.

Problem 1157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	93	224	961	1331	0	0
normalized size	1	1.	0.53	1.28	5.49	7.61	0.	0.
time (sec)	N/A	0.486	0.524	0.366	2.216	0.616	0.	0.

Problem 1158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	173	173	105	248	0	1465	0	0
normalized size	1	1.	0.61	1.43	0.	8.47	0.	0.
time (sec)	N/A	0.484	0.445	0.355	0.	0.624	0.	0.

Problem 1159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	130	384	3110	1593	0	0
normalized size	1	1.	0.58	1.72	13.95	7.14	0.	0.
time (sec)	N/A	0.678	0.939	0.326	2.54	0.784	0.	0.

Problem 1160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	266	266	149	446	5084	1692	0	0
normalized size	1	1.	0.56	1.68	19.11	6.36	0.	0.
time (sec)	N/A	0.848	1.498	0.362	2.878	0.784	0.	0.

Problem 1161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	268	268	118	318	0	1234	0	0
normalized size	1	1.	0.44	1.19	0.	4.6	0.	0.
time (sec)	N/A	0.865	2.188	0.375	0.	0.558	0.	0.

Problem 1162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	221	221	104	262	0	1152	0	0
normalized size	1	1.	0.47	1.19	0.	5.21	0.	0.
time (sec)	N/A	0.668	1.645	0.355	0.	0.545	0.	0.

Problem 1163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	114	235	0	1052	0	0
normalized size	1	1.	0.66	1.37	0.	6.12	0.	0.
time (sec)	N/A	0.491	1.858	0.332	0.	0.536	0.	0.

Problem 1164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	185	185	114	304	4257	1593	0	0
normalized size	1	1.	0.62	1.64	23.01	8.61	0.	0.
time (sec)	N/A	0.528	1.609	0.321	2.437	0.666	0.	0.

Problem 1165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	169	362	0	1764	0	0
normalized size	1	1.	0.74	1.59	0.	7.74	0.	0.
time (sec)	N/A	0.704	2.239	0.341	0.	0.681	0.	0.

Problem 1166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	285	285	213	508	0	1956	0	0
normalized size	1	1.	0.75	1.78	0.	6.86	0.	0.
time (sec)	N/A	0.911	3.767	0.3	0.	0.869	0.	0.

Problem 1167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	315	315	150	450	0	1534	0	0
normalized size	1	1.	0.48	1.43	0.	4.87	0.	0.
time (sec)	N/A	1.07	3.971	0.39	0.	0.581	0.	0.

Problem 1168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	266	266	132	390	0	1426	0	0
normalized size	1	1.	0.5	1.47	0.	5.36	0.	0.
time (sec)	N/A	0.859	3.184	0.387	0.	0.563	0.	0.

Problem 1169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	118	365	0	1303	0	0
normalized size	1	1.	0.54	1.67	0.	5.95	0.	0.
time (sec)	N/A	0.688	2.68	0.354	0.	0.554	0.	0.

Problem 1170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	174	174	110	340	7466	1262	0	0
normalized size	1	1.	0.63	1.95	42.91	7.25	0.	0.
time (sec)	N/A	0.508	1.951	0.323	4.876	0.548	0.	0.

Problem 1171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	232	232	144	539	10615	1901	0	0
normalized size	1	1.	0.62	2.32	45.75	8.19	0.	0.
time (sec)	N/A	0.711	3.537	0.29	4.668	0.699	0.	0.

Problem 1172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	277	277	187	605	0	2107	0	0
normalized size	1	1.	0.68	2.18	0.	7.61	0.	0.
time (sec)	N/A	0.919	3.577	0.305	0.	0.717	0.	0.

Problem 1173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	77	290	0	0	0	0
normalized size	1	1.	0.69	2.61	0.	0.	0.	0.
time (sec)	N/A	0.095	0.496	2.125	0.	0.	0.	0.

Problem 1174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	66	262	0	0	0	0
normalized size	1	1.	0.76	3.01	0.	0.	0.	0.
time (sec)	N/A	0.083	0.23	2.036	0.	0.	0.	0.

Problem 1175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	61	61	53	228	0	0	0	0
normalized size	1	1.	0.87	3.74	0.	0.	0.	0.
time (sec)	N/A	0.071	0.109	2.279	0.	0.	0.	0.

Problem 1176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	35	35	35	152	0	0	0	0
normalized size	1	1.	1.	4.34	0.	0.	0.	0.
time (sec)	N/A	0.061	0.064	1.767	0.	0.	0.	0.

Problem 1177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	57	57	51	148	0	0	0	0
normalized size	1	1.	0.89	2.6	0.	0.	0.	0.
time (sec)	N/A	0.07	0.14	2.441	0.	0.	0.	0.

Problem 1178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	65	397	0	0	0	0
normalized size	1	1.	0.78	4.78	0.	0.	0.	0.
time (sec)	N/A	0.079	0.402	4.829	0.	0.	0.	0.

Problem 1179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	95	502	0	0	0	0
normalized size	1	1.	0.86	4.52	0.	0.	0.	0.
time (sec)	N/A	0.094	0.301	5.675	0.	0.	0.	0.

Problem 1180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	86	342	0	0	0	0
normalized size	1	1.	0.7	2.78	0.	0.	0.	0.
time (sec)	N/A	0.13	0.593	2.33	0.	0.	0.	0.

Problem 1181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	72	308	0	0	0	0
normalized size	1	1.	0.77	3.31	0.	0.	0.	0.
time (sec)	N/A	0.116	0.288	2.305	0.	0.	0.	0.

Problem 1182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	65	65	682	274	0	0	0	0
normalized size	1	1.	10.49	4.22	0.	0.	0.	0.
time (sec)	N/A	0.104	6.205	2.191	0.	0.	0.	0.

Problem 1183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	61	61	759	195	0	0	0	0
normalized size	1	1.	12.44	3.2	0.	0.	0.	0.
time (sec)	N/A	0.107	6.254	2.326	0.	0.	0.	0.

Problem 1184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	69	500	0	0	0	0
normalized size	1	1.	0.79	5.75	0.	0.	0.	0.
time (sec)	N/A	0.121	0.585	5.282	0.	0.	0.	0.

Problem 1185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	112	799	0	0	0	0
normalized size	1	1.	0.91	6.5	0.	0.	0.	0.
time (sec)	N/A	0.134	0.517	6.925	0.	0.	0.	0.

Problem 1186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	129	684	0	0	0	0
normalized size	1	1.	0.88	4.65	0.	0.	0.	0.
time (sec)	N/A	0.152	0.561	7.17	0.	0.	0.	0.

Problem 1187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	175	175	1292	512	0	0	0	0
normalized size	1	1.	7.38	2.93	0.	0.	0.	0.
time (sec)	N/A	0.308	6.362	2.536	0.	0.	0.	0.

Problem 1188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	142	142	1240	481	0	0	0	0
normalized size	1	1.	8.73	3.39	0.	0.	0.	0.
time (sec)	N/A	0.279	6.316	2.479	0.	0.	0.	0.

Problem 1189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	106	106	1186	447	0	0	0	0
normalized size	1	1.	11.19	4.22	0.	0.	0.	0.
time (sec)	N/A	0.244	6.378	2.425	0.	0.	0.	0.

Problem 1190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	98	98	1173	380	0	0	0	0
normalized size	1	1.	11.97	3.88	0.	0.	0.	0.
time (sec)	N/A	0.24	6.447	2.57	0.	0.	0.	0.

Problem 1191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	103	103	1180	515	0	0	0	0
normalized size	1	1.	11.46	5.	0.	0.	0.	0.
time (sec)	N/A	0.249	6.505	5.812	0.	0.	0.	0.

Problem 1192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	141	141	1228	739	0	0	0	0
normalized size	1	1.	8.71	5.24	0.	0.	0.	0.
time (sec)	N/A	0.267	6.577	7.517	0.	0.	0.	0.

Problem 1193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	177	177	1284	849	0	0	0	0
normalized size	1	1.	7.25	4.8	0.	0.	0.	0.
time (sec)	N/A	0.302	6.651	8.987	0.	0.	0.	0.

Problem 1194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	251	251	1364	545	0	0	0	0
normalized size	1	1.	5.43	2.17	0.	0.	0.	0.
time (sec)	N/A	0.597	6.455	2.334	0.	0.	0.	0.

Problem 1195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	215	215	1699	514	0	0	0	0
normalized size	1	1.	7.9	2.39	0.	0.	0.	0.
time (sec)	N/A	0.554	6.416	2.522	0.	0.	0.	0.

Problem 1196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	179	179	2001	483	0	0	0	0
normalized size	1	1.	11.18	2.7	0.	0.	0.	0.
time (sec)	N/A	0.546	6.727	2.266	0.	0.	0.	0.

Problem 1197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	170	170	1356	595	0	0	0	0
normalized size	1	1.	7.98	3.5	0.	0.	0.	0.
time (sec)	N/A	0.529	6.638	2.99	0.	0.	0.	0.

Problem 1198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	170	170	1583	800	0	0	0	0
normalized size	1	1.	9.31	4.71	0.	0.	0.	0.
time (sec)	N/A	0.538	6.841	6.76	0.	0.	0.	0.

Problem 1199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	174	174	1599	906	0	0	0	0
normalized size	1	1.	9.19	5.21	0.	0.	0.	0.
time (sec)	N/A	0.542	6.946	7.461	0.	0.	0.	0.

Problem 1200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	215	215	2041	932	0	0	0	0
normalized size	1	1.	9.49	4.33	0.	0.	0.	0.
time (sec)	N/A	0.573	7.05	8.954	0.	0.	0.	0.

Problem 1201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	251	251	1741	1181	0	0	0	0
normalized size	1	1.	6.94	4.71	0.	0.	0.	0.
time (sec)	N/A	0.599	6.987	10.903	0.	0.	0.	0.

Problem 1202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	267	267	1364	545	0	0	0	0
normalized size	1	1.	5.11	2.04	0.	0.	0.	0.
time (sec)	N/A	0.732	6.464	2.18	0.	0.	0.	0.

Problem 1203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	231	231	1697	514	0	0	0	0
normalized size	1	1.	7.35	2.23	0.	0.	0.	0.
time (sec)	N/A	0.717	6.583	2.302	0.	0.	0.	0.

Problem 1204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	227	227	1688	727	0	0	0	0
normalized size	1	1.	7.44	3.2	0.	0.	0.	0.
time (sec)	N/A	0.705	6.74	2.993	0.	0.	0.	0.

Problem 1205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	226	226	1672	950	0	0	0	0
normalized size	1	1.	7.4	4.2	0.	0.	0.	0.
time (sec)	N/A	0.734	6.814	7.306	0.	0.	0.	0.

Problem 1206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	231	231	1673	1328	0	0	0	0
normalized size	1	1.	7.24	5.75	0.	0.	0.	0.
time (sec)	N/A	0.709	6.923	8.903	0.	0.	0.	0.

Problem 1207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	231	231	1692	1097	0	0	0	0
normalized size	1	1.	7.32	4.75	0.	0.	0.	0.
time (sec)	N/A	0.727	6.962	9.569	0.	0.	0.	0.

Problem 1208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	267	267	1739	1262	0	0	0	0
normalized size	1	1.	6.51	4.73	0.	0.	0.	0.
time (sec)	N/A	0.751	7.065	11.067	0.	0.	0.	0.

Problem 1209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	310	310	1416	576	0	0	0	0
normalized size	1	1.	4.57	1.86	0.	0.	0.	0.
time (sec)	N/A	0.909	6.512	2.398	0.	0.	0.	0.

Problem 1210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	274	274	1751	545	0	0	0	0
normalized size	1	1.	6.39	1.99	0.	0.	0.	0.
time (sec)	N/A	0.883	6.713	2.405	0.	0.	0.	0.

Problem 1211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	270	270	1742	786	0	0	0	0
normalized size	1	1.	6.45	2.91	0.	0.	0.	0.
time (sec)	N/A	0.888	6.854	3.204	0.	0.	0.	0.

Problem 1212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	269	269	1451	864	0	0	0	0
normalized size	1	1.	5.39	3.21	0.	0.	0.	0.
time (sec)	N/A	0.879	6.954	3.245	0.	0.	0.	0.

Problem 1213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	267	267	1449	1214	0	0	0	0
normalized size	1	1.	5.43	4.55	0.	0.	0.	0.
time (sec)	N/A	0.875	7.077	9.332	0.	0.	0.	0.

Problem 1214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	271	271	1454	1535	0	0	0	0
normalized size	1	1.	5.37	5.66	0.	0.	0.	0.
time (sec)	N/A	0.871	7.228	10.01	0.	0.	0.	0.

Problem 1215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	274	274	1748	1427	0	0	0	0
normalized size	1	1.	6.38	5.21	0.	0.	0.	0.
time (sec)	N/A	0.894	7.353	11.766	0.	0.	0.	0.

Problem 1216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	310	310	1795	1505	0	0	0	0
normalized size	1	1.	5.79	4.85	0.	0.	0.	0.
time (sec)	N/A	0.925	7.413	12.971	0.	0.	0.	0.

Problem 1217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	210	210	2117	341	0	0	0	0
normalized size	1	1.	10.08	1.62	0.	0.	0.	0.
time (sec)	N/A	0.33	6.893	2.439	0.	0.	0.	0.

Problem 1218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	174	174	2063	320	0	0	0	0
normalized size	1	1.	11.86	1.84	0.	0.	0.	0.
time (sec)	N/A	0.309	6.841	2.26	0.	0.	0.	0.

Problem 1219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	134	134	2008	300	0	0	0	0
normalized size	1	1.	14.99	2.24	0.	0.	0.	0.
time (sec)	N/A	0.289	6.703	2.276	0.	0.	0.	0.

Problem 1220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	93	93	1973	281	0	0	0	0
normalized size	1	1.	21.22	3.02	0.	0.	0.	0.
time (sec)	N/A	0.266	6.655	2.697	0.	0.	0.	0.

Problem 1221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	122	122	2009	353	0	0	0	0
normalized size	1	1.	16.47	2.89	0.	0.	0.	0.
time (sec)	N/A	0.285	6.764	4.773	0.	0.	0.	0.

Problem 1222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	165	165	2052	494	0	0	0	0
normalized size	1	1.	12.44	2.99	0.	0.	0.	0.
time (sec)	N/A	0.306	7.188	6.898	0.	0.	0.	0.

Problem 1223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	210	210	2111	812	0	0	0	0
normalized size	1	1.	10.05	3.87	0.	0.	0.	0.
time (sec)	N/A	0.323	7.556	8.668	0.	0.	0.	0.

Problem 1224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	258	258	2174	513	0	0	0	0
normalized size	1	1.	8.43	1.99	0.	0.	0.	0.
time (sec)	N/A	0.499	7.289	2.915	0.	0.	0.	0.

Problem 1225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	214	214	2120	491	0	0	0	0
normalized size	1	1.	9.91	2.29	0.	0.	0.	0.
time (sec)	N/A	0.47	7.101	2.776	0.	0.	0.	0.

Problem 1226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	180	180	2064	472	0	0	0	0
normalized size	1	1.	11.47	2.62	0.	0.	0.	0.
time (sec)	N/A	0.451	6.943	2.996	0.	0.	0.	0.

Problem 1227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	144	144	1628	509	0	0	0	0
normalized size	1	1.	11.31	3.53	0.	0.	0.	0.
time (sec)	N/A	0.41	6.771	2.353	0.	0.	0.	0.

Problem 1228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	133	133	1620	509	0	0	0	0
normalized size	1	1.	12.18	3.83	0.	0.	0.	0.
time (sec)	N/A	0.414	6.735	2.559	0.	0.	0.	0.

Problem 1229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	167	167	1660	559	0	0	0	0
normalized size	1	1.	9.94	3.35	0.	0.	0.	0.
time (sec)	N/A	0.439	6.894	6.183	0.	0.	0.	0.

Problem 1230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	211	211	2107	751	0	0	0	0
normalized size	1	1.	9.99	3.56	0.	0.	0.	0.
time (sec)	N/A	0.468	7.498	9.138	0.	0.	0.	0.

Problem 1231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	250	250	2164	1072	0	0	0	0
normalized size	1	1.	8.66	4.29	0.	0.	0.	0.
time (sec)	N/A	0.49	8.153	10.952	0.	0.	0.	0.

Problem 1232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	273	273	2257	666	0	0	0	0
normalized size	1	1.	8.27	2.44	0.	0.	0.	0.
time (sec)	N/A	0.66	7.404	3.01	0.	0.	0.	0.

Problem 1233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	234	234	2206	638	0	0	0	0
normalized size	1	1.	9.43	2.73	0.	0.	0.	0.
time (sec)	N/A	0.631	7.203	2.836	0.	0.	0.	0.

Problem 1234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	201	201	2175	624	0	0	0	0
normalized size	1	1.	10.82	3.1	0.	0.	0.	0.
time (sec)	N/A	0.61	7.103	2.704	0.	0.	0.	0.

Problem 1235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	193	193	2167	624	0	0	0	0
normalized size	1	1.	11.23	3.23	0.	0.	0.	0.
time (sec)	N/A	0.593	6.955	2.575	0.	0.	0.	0.

Problem 1236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	191	191	2164	624	0	0	0	0
normalized size	1	1.	11.33	3.27	0.	0.	0.	0.
time (sec)	N/A	0.591	6.94	2.629	0.	0.	0.	0.

Problem 1237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	229	229	2205	789	0	0	0	0
normalized size	1	1.	9.63	3.45	0.	0.	0.	0.
time (sec)	N/A	0.633	7.233	3.202	0.	0.	0.	0.

Problem 1238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	268	268	2248	1040	0	0	0	0
normalized size	1	1.	8.39	3.88	0.	0.	0.	0.
time (sec)	N/A	0.665	8.021	10.748	0.	0.	0.	0.

Problem 1239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	278	278	2319	680	0	0	0	0
normalized size	1	1.	8.34	2.45	0.	0.	0.	0.
time (sec)	N/A	0.833	7.599	3.224	0.	0.	0.	0.

Problem 1240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	244	244	2286	666	0	0	0	0
normalized size	1	1.	9.37	2.73	0.	0.	0.	0.
time (sec)	N/A	0.79	7.39	3.206	0.	0.	0.	0.

Problem 1241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	232	232	1862	595	0	0	0	0
normalized size	1	1.	8.03	2.56	0.	0.	0.	0.
time (sec)	N/A	0.774	7.207	2.987	0.	0.	0.	0.

Problem 1242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	229	229	1862	595	0	0	0	0
normalized size	1	1.	8.13	2.6	0.	0.	0.	0.
time (sec)	N/A	0.765	7.068	3.024	0.	0.	0.	0.

Problem 1243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	234	234	1862	595	0	0	0	0
normalized size	1	1.	7.96	2.54	0.	0.	0.	0.
time (sec)	N/A	0.763	7.09	3.019	0.	0.	0.	0.

Problem 1244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	276	276	2316	1017	0	0	0	0
normalized size	1	1.	8.39	3.68	0.	0.	0.	0.
time (sec)	N/A	0.826	7.446	4.102	0.	0.	0.	0.

Problem 1245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	226	226	127	153	902	344	0	0
normalized size	1	1.	0.56	0.68	3.99	1.52	0.	0.
time (sec)	N/A	0.629	0.567	0.401	2.426	0.496	0.	0.

Problem 1246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	105	120	686	284	0	0
normalized size	1	1.	0.59	0.67	3.85	1.6	0.	0.
time (sec)	N/A	0.551	0.38	0.373	2.318	0.489	0.	0.

Problem 1247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	129	129	82	89	433	225	0	0
normalized size	1	1.	0.64	0.69	3.36	1.74	0.	0.
time (sec)	N/A	0.468	0.188	0.351	2.235	0.481	0.	0.

Problem 1248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	94	222	513	883	0	0
normalized size	1	1.	0.67	1.59	3.66	6.31	0.	0.
time (sec)	N/A	0.447	0.611	0.38	2.279	0.572	0.	0.

Problem 1249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	139	139	94	304	1310	986	0	0
normalized size	1	1.	0.68	2.19	9.42	7.09	0.	0.
time (sec)	N/A	0.45	0.747	0.408	2.325	0.693	0.	0.

Problem 1250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	109	440	2925	1068	0	0
normalized size	1	1.	0.72	2.91	19.37	7.07	0.	0.
time (sec)	N/A	0.456	0.688	0.356	2.591	1.092	0.	0.

Problem 1251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	199	199	140	533	5403	1180	0	0
normalized size	1	1.	0.7	2.68	27.15	5.93	0.	0.
time (sec)	N/A	0.548	1.361	0.378	3.013	1.106	0.	0.

Problem 1252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	178	626	8764	1318	0	0
normalized size	1	1.	0.72	2.53	35.48	5.34	0.	0.
time (sec)	N/A	0.633	2.162	0.381	4.139	1.66	0.	0.

Problem 1253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	158	187	1164	437	0	0
normalized size	1	1.	0.56	0.66	4.1	1.54	0.	0.
time (sec)	N/A	0.885	2.106	0.284	2.493	0.511	0.	0.

Problem 1254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	232	232	123	154	949	366	0	0
normalized size	1	1.	0.53	0.66	4.09	1.58	0.	0.
time (sec)	N/A	0.788	1.424	0.352	2.434	0.5	0.	0.

Problem 1255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	100	121	693	302	0	0
normalized size	1	1.	0.55	0.67	3.83	1.67	0.	0.
time (sec)	N/A	0.601	0.984	0.319	2.372	0.493	0.	0.

Problem 1256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	115	235	1022	1029	0	0
normalized size	1	1.	0.6	1.22	5.32	5.36	0.	0.
time (sec)	N/A	0.639	1.113	0.401	2.412	0.582	0.	0.

Problem 1257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	197	197	122	366	2558	1119	0	0
normalized size	1	1.	0.62	1.86	12.98	5.68	0.	0.
time (sec)	N/A	0.649	1.341	0.383	2.451	0.702	0.	0.

Problem 1258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	203	203	129	472	4942	1157	0	0
normalized size	1	1.	0.64	2.33	24.34	5.7	0.	0.
time (sec)	N/A	0.661	1.469	0.326	2.808	1.121	0.	0.

Problem 1259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	141	534	7760	1231	0	0
normalized size	1	1.	0.7	2.66	38.61	6.12	0.	0.
time (sec)	N/A	0.678	2.294	0.342	3.256	1.115	0.	0.

Problem 1260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	176	627	10963	1361	0	0
normalized size	1	1.	0.7	2.48	43.33	5.38	0.	0.
time (sec)	N/A	0.79	3.759	0.382	4.495	1.632	0.	0.

Problem 1261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	303	303	210	720	0	1523	0	0
normalized size	1	1.	0.69	2.38	0.	5.03	0.	0.
time (sec)	N/A	0.869	5.929	0.382	0.	1.65	0.	0.

Problem 1262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	334	334	190	222	1532	544	0	0
normalized size	1	1.	0.57	0.66	4.59	1.63	0.	0.
time (sec)	N/A	1.098	2.628	0.288	2.596	0.516	0.	0.

Problem 1263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	157	189	1249	459	0	0
normalized size	1	1.	0.55	0.67	4.4	1.62	0.	0.
time (sec)	N/A	1.014	2.321	0.28	2.506	0.509	0.	0.

Problem 1264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	231	231	124	156	1014	377	0	0
normalized size	1	1.	0.54	0.68	4.39	1.63	0.	0.
time (sec)	N/A	0.706	1.574	0.342	2.443	0.496	0.	0.

Problem 1265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	242	242	137	270	1357	1196	0	0
normalized size	1	1.	0.57	1.12	5.61	4.94	0.	0.
time (sec)	N/A	0.836	1.841	0.279	2.487	0.598	0.	0.

Problem 1266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	149	410	11426	1274	0	0
normalized size	1	1.	0.61	1.69	47.02	5.24	0.	0.
time (sec)	N/A	0.875	1.483	0.398	3.649	0.719	0.	0.

Problem 1267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	155	536	7309	1299	0	0
normalized size	1	1.	0.61	2.12	28.89	5.13	0.	0.
time (sec)	N/A	0.881	1.91	0.347	21.964	1.14	0.	0.

Problem 1268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	157	567	0	1328	0	0
normalized size	1	1.	0.62	2.24	0.	5.25	0.	0.
time (sec)	N/A	0.873	2.592	0.384	0.	1.134	0.	0.

Problem 1269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	178	629	0	1415	0	0
normalized size	1	1.	0.7	2.49	0.	5.59	0.	0.
time (sec)	N/A	0.891	4.074	0.348	0.	1.647	0.	0.

Problem 1270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	301	301	212	722	0	1561	0	0
normalized size	1	1.	0.7	2.4	0.	5.19	0.	0.
time (sec)	N/A	1.006	6.328	0.375	0.	1.677	0.	0.

Problem 1271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	353	353	947	815	0	1736	0	0
normalized size	1	1.	2.68	2.31	0.	4.92	0.	0.
time (sec)	N/A	1.104	6.587	0.414	0.	1.662	0.	0.

Problem 1272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	257	257	178	286	1310	1141	0	0
normalized size	1	1.	0.69	1.11	5.1	4.44	0.	0.
time (sec)	N/A	0.877	0.913	0.316	2.576	0.554	0.	0.

Problem 1273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	163	253	1045	1023	0	0
normalized size	1	1.	0.77	1.2	4.95	4.85	0.	0.
time (sec)	N/A	0.667	0.568	0.404	2.469	0.56	0.	0.

Problem 1274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	88	220	764	914	0	0
normalized size	1	1.	0.54	1.35	4.69	5.61	0.	0.
time (sec)	N/A	0.486	0.7	0.364	2.416	0.552	0.	0.

Problem 1275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	96	250	1080	1353	0	0
normalized size	1	1.	0.54	1.4	6.07	7.6	0.	0.
time (sec)	N/A	0.52	0.607	0.369	2.412	0.623	0.	0.

Problem 1276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	113	374	0	1530	0	0
normalized size	1	1.	0.62	2.07	0.	8.45	0.	0.
time (sec)	N/A	0.526	0.571	0.323	0.	0.788	0.	0.

Problem 1277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	235	235	127	545	4501	1667	0	0
normalized size	1	1.	0.54	2.32	19.15	7.09	0.	0.
time (sec)	N/A	0.735	1.089	0.349	2.918	1.31	0.	0.

Problem 1278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	281	281	154	638	7547	1789	0	0
normalized size	1	1.	0.55	2.27	26.86	6.37	0.	0.
time (sec)	N/A	0.927	1.113	0.367	3.412	1.323	0.	0.

Problem 1279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	184	184	137	282	1202	1439	0	0
normalized size	1	1.	0.74	1.53	6.53	7.82	0.	0.
time (sec)	N/A	0.602	0.417	0.389	2.698	0.805	0.	0.

Problem 1280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	283	283	135	450	0	1365	0	0
normalized size	1	1.	0.48	1.59	0.	4.82	0.	0.
time (sec)	N/A	0.918	3.065	0.29	0.	0.566	0.	0.

Problem 1281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	233	233	113	359	0	1235	0	0
normalized size	1	1.	0.48	1.54	0.	5.3	0.	0.
time (sec)	N/A	0.725	2.066	0.375	0.	0.553	0.	0.

Problem 1282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	96	306	0	1111	0	0
normalized size	1	1.	0.53	1.69	0.	6.14	0.	0.
time (sec)	N/A	0.525	1.602	0.362	0.	0.542	0.	0.

Problem 1283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	189	189	118	374	5785	1636	0	0
normalized size	1	1.	0.62	1.98	30.61	8.66	0.	0.
time (sec)	N/A	0.557	1.722	0.313	2.769	0.684	0.	0.

Problem 1284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	242	242	198	551	0	1905	0	0
normalized size	1	1.	0.82	2.28	0.	7.87	0.	0.
time (sec)	N/A	0.754	1.564	0.298	0.	0.87	0.	0.

Problem 1285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	300	300	239	731	0	2099	0	0
normalized size	1	1.	0.8	2.44	0.	7.	0.	0.
time (sec)	N/A	0.985	2.29	0.331	0.	1.588	0.	0.

Problem 1286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	333	333	173	647	0	1701	0	0
normalized size	1	1.	0.52	1.94	0.	5.11	0.	0.
time (sec)	N/A	1.153	4.283	0.302	0.	0.585	0.	0.

Problem 1287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	281	281	146	550	0	1569	0	0
normalized size	1	1.	0.52	1.96	0.	5.58	0.	0.
time (sec)	N/A	0.956	3.361	0.305	0.	0.574	0.	0.

Problem 1288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	231	231	128	500	0	1430	0	0
normalized size	1	1.	0.55	2.16	0.	6.19	0.	0.
time (sec)	N/A	0.739	2.833	0.307	0.	0.56	0.	0.

Problem 1289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	119	474	11343	1354	0	0
normalized size	1	1.	0.65	2.59	61.98	7.4	0.	0.
time (sec)	N/A	0.559	2.023	0.309	6.193	0.546	0.	0.

Problem 1290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	241	241	153	675	0	1998	0	0
normalized size	1	1.	0.63	2.8	0.	8.29	0.	0.
time (sec)	N/A	0.749	3.291	0.3	0.	0.711	0.	0.

Problem 1291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	294	294	222	972	0	2329	0	0
normalized size	1	1.	0.76	3.31	0.	7.92	0.	0.
time (sec)	N/A	0.997	3.965	0.322	0.	0.963	0.	0.

Problem 1292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	190	190	143	565	0	0	0	0
normalized size	1	1.	0.75	2.97	0.	0.	0.	0.
time (sec)	N/A	0.297	1.013	2.467	0.	0.	0.	0.

Problem 1293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	117	515	0	0	0	0
normalized size	1	1.	0.76	3.34	0.	0.	0.	0.
time (sec)	N/A	0.269	0.9	2.419	0.	0.	0.	0.

Problem 1294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	116	116	1569	465	0	0	0	0
normalized size	1	1.	13.53	4.01	0.	0.	0.	0.
time (sec)	N/A	0.252	6.491	2.481	0.	0.	0.	0.

Problem 1295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	106	106	1904	388	0	0	0	0
normalized size	1	1.	17.96	3.66	0.	0.	0.	0.
time (sec)	N/A	0.261	6.916	2.518	0.	0.	0.	0.

Problem 1296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	112	112	1909	666	0	0	0	0
normalized size	1	1.	17.04	5.95	0.	0.	0.	0.
time (sec)	N/A	0.278	6.991	5.604	0.	0.	0.	0.

Problem 1297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	136	742	0	0	0	0
normalized size	1	1.	0.89	4.88	0.	0.	0.	0.
time (sec)	N/A	0.305	1.552	7.888	0.	0.	0.	0.

Problem 1298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	190	190	173	851	0	0	0	0
normalized size	1	1.	0.91	4.48	0.	0.	0.	0.
time (sec)	N/A	0.319	4.278	9.324	0.	0.	0.	0.

Problem 1299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	194	784	0	0	0	0
normalized size	1	1.	0.78	3.14	0.	0.	0.	0.
time (sec)	N/A	0.603	1.336	2.587	0.	0.	0.	0.

Problem 1300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	202	202	2361	706	0	0	0	0
normalized size	1	1.	11.69	3.5	0.	0.	0.	0.
time (sec)	N/A	0.57	6.853	2.666	0.	0.	0.	0.

Problem 1301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	186	186	3011	932	0	0	0	0
normalized size	1	1.	16.19	5.01	0.	0.	0.	0.
time (sec)	N/A	0.552	7.462	2.903	0.	0.	0.	0.

Problem 1302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	180	180	2779	1301	0	0	0	0
normalized size	1	1.	15.44	7.23	0.	0.	0.	0.
time (sec)	N/A	0.545	7.545	6.998	0.	0.	0.	0.

Problem 1303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	201	201	3017	1000	0	0	0	0
normalized size	1	1.	15.01	4.98	0.	0.	0.	0.
time (sec)	N/A	0.571	7.648	8.06	0.	0.	0.	0.

Problem 1304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	249	249	218	947	0	0	0	0
normalized size	1	1.	0.88	3.8	0.	0.	0.	0.
time (sec)	N/A	0.605	4.595	10.196	0.	0.	0.	0.

Problem 1305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	361	361	286	1082	0	0	0	0
normalized size	1	1.	0.79	3.	0.	0.	0.	0.
time (sec)	N/A	0.955	2.026	2.615	0.	0.	0.	0.

Problem 1306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	296	296	3237	975	0	0	0	0
normalized size	1	1.	10.94	3.29	0.	0.	0.	0.
time (sec)	N/A	0.91	7.274	2.827	0.	0.	0.	0.

Problem 1307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	277	277	3915	1278	0	0	0	0
normalized size	1	1.	14.13	4.61	0.	0.	0.	0.
time (sec)	N/A	0.906	8.076	3.283	0.	0.	0.	0.

Problem 1308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	267	267	3868	1837	0	0	0	0
normalized size	1	1.	14.49	6.88	0.	0.	0.	0.
time (sec)	N/A	0.879	8.294	8.522	0.	0.	0.	0.

Problem 1309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	274	274	3871	1419	0	0	0	0
normalized size	1	1.	14.13	5.18	0.	0.	0.	0.
time (sec)	N/A	0.871	8.402	9.362	0.	0.	0.	0.

Problem 1310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	294	294	3933	1205	0	0	0	0
normalized size	1	1.	13.38	4.1	0.	0.	0.	0.
time (sec)	N/A	0.896	8.49	10.504	0.	0.	0.	0.

Problem 1311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	357	357	3345	1292	0	0	0	0
normalized size	1	1.	9.37	3.62	0.	0.	0.	0.
time (sec)	N/A	0.974	8.291	13.236	0.	0.	0.	0.

Problem 1312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	404	404	320	1273	0	0	0	0
normalized size	1	1.	0.79	3.15	0.	0.	0.	0.
time (sec)	N/A	1.32	2.516	2.933	0.	0.	0.	0.

Problem 1313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	377	377	4114	1652	0	0	0	0
normalized size	1	1.	10.91	4.38	0.	0.	0.	0.
time (sec)	N/A	1.305	8.414	3.588	0.	0.	0.	0.

Problem 1314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	371	371	4776	2507	0	0	0	0
normalized size	1	1.	12.87	6.76	0.	0.	0.	0.
time (sec)	N/A	1.295	9.058	10.084	0.	0.	0.	0.

Problem 1315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	388	388	4960	1884	0	0	0	0
normalized size	1	1.	12.78	4.86	0.	0.	0.	0.
time (sec)	N/A	1.303	9.209	11.548	0.	0.	0.	0.

Problem 1316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	384	384	4791	1624	0	0	0	0
normalized size	1	1.	12.48	4.23	0.	0.	0.	0.
time (sec)	N/A	1.316	9.447	12.151	0.	0.	0.	0.

Problem 1317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	401	401	4150	1550	0	0	0	0
normalized size	1	1.	10.35	3.87	0.	0.	0.	0.
time (sec)	N/A	1.331	9.091	15.119	0.	0.	0.	0.

Problem 1318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	274	801	0	0	0	0
normalized size	1	1.	1.31	3.83	0.	0.	0.	0.
time (sec)	N/A	0.965	2.393	6.517	0.	0.	0.	0.

Problem 1319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	218	945	0	0	0	0
normalized size	1	1.	1.48	6.43	0.	0.	0.	0.
time (sec)	N/A	0.668	1.345	3.227	0.	0.	0.	0.

Problem 1320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	97	97	0	323	0	0	0	0
normalized size	1	1.	0.	3.33	0.	0.	0.	0.
time (sec)	N/A	0.392	52.372	2.645	0.	0.	0.	0.

Problem 1321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	206	409	0	0	0	0
normalized size	1	1.	1.75	3.47	0.	0.	0.	0.
time (sec)	N/A	0.6	2.797	5.244	0.	0.	0.	0.

Problem 1322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	269	472	0	0	0	0
normalized size	1	1.	1.7	2.99	0.	0.	0.	0.
time (sec)	N/A	0.935	2.482	7.112	0.	0.	0.	0.

Problem 1323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	334	800	0	0	0	0
normalized size	1	1.	1.42	3.39	0.	0.	0.	0.
time (sec)	N/A	1.278	4.825	10.045	0.	0.	0.	0.

Problem 1324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	346	346	339	1123	0	0	0	0
normalized size	1	1.	0.98	3.25	0.	0.	0.	0.
time (sec)	N/A	1.215	3.686	9.059	0.	0.	0.	0.

Problem 1325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	257	257	301	856	0	0	0	0
normalized size	1	1.	1.17	3.33	0.	0.	0.	0.
time (sec)	N/A	0.801	3.287	8.351	0.	0.	0.	0.

Problem 1326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	239	239	301	809	0	0	0	0
normalized size	1	1.	1.26	3.38	0.	0.	0.	0.
time (sec)	N/A	0.788	4.202	6.981	0.	0.	0.	0.

Problem 1327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	307	307	340	897	0	0	0	0
normalized size	1	1.	1.11	2.92	0.	0.	0.	0.
time (sec)	N/A	1.102	5.021	9.099	0.	0.	0.	0.

Problem 1328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	387	387	474	1031	0	0	0	0
normalized size	1	1.	1.22	2.66	0.	0.	0.	0.
time (sec)	N/A	1.496	7.176	12.576	0.	0.	0.	0.

Problem 1329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	538	538	604	2289	0	0	0	0
normalized size	1	1.	1.12	4.25	0.	0.	0.	0.
time (sec)	N/A	2.043	7.421	14.63	0.	0.	0.	0.

Problem 1330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	426	426	441	2022	0	0	0	0
normalized size	1	1.	1.04	4.75	0.	0.	0.	0.
time (sec)	N/A	1.438	6.353	13.492	0.	0.	0.	0.

Problem 1331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	423	423	428	1972	0	0	0	0
normalized size	1	1.	1.01	4.66	0.	0.	0.	0.
time (sec)	N/A	1.359	5.813	11.946	0.	0.	0.	0.

Problem 1332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	409	409	444	1879	0	0	0	0
normalized size	1	1.	1.09	4.59	0.	0.	0.	0.
time (sec)	N/A	1.354	6.265	11.249	0.	0.	0.	0.

Problem 1333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	496	496	594	2049	0	0	0	0
normalized size	1	1.	1.2	4.13	0.	0.	0.	0.
time (sec)	N/A	1.881	7.3	14.485	0.	0.	0.	0.

Problem 1334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	457	457	3595	4075	0	0	0	0
normalized size	1	1.	7.87	8.92	0.	0.	0.	0.
time (sec)	N/A	1.798	24.337	1.109	0.	0.	0.	0.

Problem 1335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	360	360	3071	2829	0	0	0	0
normalized size	1	1.	8.53	7.86	0.	0.	0.	0.
time (sec)	N/A	1.299	22.935	0.837	0.	0.	0.	0.

Problem 1336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	273	273	404	1966	0	0	0	0
normalized size	1	1.	1.48	7.2	0.	0.	0.	0.
time (sec)	N/A	0.938	17.767	0.552	0.	0.	0.	0.

Problem 1337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	277	277	43023	1256	0	0	0	0
normalized size	1	1.	155.32	4.53	0.	0.	0.	0.
time (sec)	N/A	1.029	33.262	0.588	0.	0.	0.	0.

Problem 1338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	258	258	64644	1114	0	0	0	0
normalized size	1	1.	250.56	4.32	0.	0.	0.	0.
time (sec)	N/A	0.964	32.795	0.529	0.	0.	0.	0.

Problem 1339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	346	346	100266	1579	0	0	0	0
normalized size	1	1.	289.79	4.56	0.	0.	0.	0.
time (sec)	N/A	1.327	33.459	0.51	0.	0.	0.	0.

Problem 1340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	447	447	131249	2548	0	0	0	0
normalized size	1	1.	293.62	5.7	0.	0.	0.	0.
time (sec)	N/A	1.772	34.17	0.663	0.	0.	0.	0.

Problem 1341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	455	455	3703	4075	0	0	0	0
normalized size	1	1.	8.14	8.96	0.	0.	0.	0.
time (sec)	N/A	1.857	24.486	1.086	0.	0.	0.	0.

Problem 1342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	359	359	3261	2911	0	0	0	0
normalized size	1	1.	9.08	8.11	0.	0.	0.	0.
time (sec)	N/A	1.383	23.203	0.691	0.	0.	0.	0.

Problem 1343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	356	356	56321	2220	0	0	0	0
normalized size	1	1.	158.21	6.24	0.	0.	0.	0.
time (sec)	N/A	1.399	35.183	0.52	0.	0.	0.	0.

Problem 1344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	340	340	79958	1865	0	0	0	0
normalized size	1	1.	235.17	5.49	0.	0.	0.	0.
time (sec)	N/A	1.385	33.683	0.643	0.	0.	0.	0.

Problem 1345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	353	353	120732	2099	0	0	0	0
normalized size	1	1.	342.02	5.95	0.	0.	0.	0.
time (sec)	N/A	1.341	34.786	0.599	0.	0.	0.	0.

Problem 1346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	446	446	132839	2725	0	0	0	0
normalized size	1	1.	297.85	6.11	0.	0.	0.	0.
time (sec)	N/A	1.811	34.525	0.609	0.	0.	0.	0.

Problem 1347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	551	551	179293	3943	0	0	0	0
normalized size	1	1.	325.4	7.16	0.	0.	0.	0.
time (sec)	N/A	2.348	36.	0.862	0.	0.	0.	0.

Problem 1348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	565	565	4170	5307	0	0	0	0
normalized size	1	1.	7.38	9.39	0.	0.	0.	0.
time (sec)	N/A	2.485	25.73	1.532	0.	0.	0.	0.

Problem 1349	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	452	452	3785	4157	0	0	0	0
normalized size	1	1.	8.37	9.2	0.	0.	0.	0.
time (sec)	N/A	1.91	24.836	1.032	0.	0.	0.	0.

Problem 1350	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	441	441	64878	3164	0	0	0	0
normalized size	1	1.	147.12	7.17	0.	0.	0.	0.
time (sec)	N/A	1.823	35.285	0.75	0.	0.	0.	0.

Problem 1351	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	419	419	86542	2893	0	0	0	0
normalized size	1	1.	206.54	6.9	0.	0.	0.	0.
time (sec)	N/A	1.828	34.893	0.706	0.	0.	0.	0.

Problem 1352	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	427	427	129353	2792	0	0	0	0
normalized size	1	1.	302.93	6.54	0.	0.	0.	0.
time (sec)	N/A	1.828	35.332	0.955	0.	0.	0.	0.

Problem 1353	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	453	453	157926	3162	0	0	0	0
normalized size	1	1.	348.62	6.98	0.	0.	0.	0.
time (sec)	N/A	1.876	36.586	1.01	0.	0.	0.	0.

Problem 1354	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	550	550	180789	4031	0	0	0	0
normalized size	1	1.	328.71	7.33	0.	0.	0.	0.
time (sec)	N/A	2.386	35.967	0.953	0.	0.	0.	0.

Problem 1355	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	674	674	211844	5292	0	0	0	0
normalized size	1	1.	314.31	7.85	0.	0.	0.	0.
time (sec)	N/A	2.974	37.518	1.381	0.	0.	0.	0.

Problem 1356	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	380	380	492	2829	0	0	0	0
normalized size	1	1.	1.29	7.44	0.	0.	0.	0.
time (sec)	N/A	1.35	19.326	0.771	0.	0.	0.	0.

Problem 1357	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	291	291	379	1885	0	0	0	0
normalized size	1	1.	1.3	6.48	0.	0.	0.	0.
time (sec)	N/A	0.975	18.23	0.529	0.	0.	0.	0.

Problem 1358	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	216	216	359	1012	0	0	0	0
normalized size	1	1.	1.66	4.69	0.	0.	0.	0.
time (sec)	N/A	0.665	12.467	0.57	0.	0.	0.	0.

Problem 1359	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	219	219	36160	2005	0	0	0	0
normalized size	1	1.	165.11	9.16	0.	0.	0.	0.
time (sec)	N/A	0.756	33.851	0.514	0.	0.	0.	0.

Problem 1360	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	260	260	52620	866	0	0	0	0
normalized size	1	1.	202.38	3.33	0.	0.	0.	0.
time (sec)	N/A	0.98	32.557	0.462	0.	0.	0.	0.

Problem 1361	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	350	350	98830	3191	0	0	0	0
normalized size	1	1.	282.37	9.12	0.	0.	0.	0.
time (sec)	N/A	1.285	33.45	0.49	0.	0.	0.	0.

Problem 1362	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	208	208	25325	2301	0	0	0	0
normalized size	1	1.	121.75	11.06	0.	0.	0.	0.
time (sec)	N/A	0.898	6.292	0.512	0.	0.	0.	0.

Problem 1363	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	461	461	3870	2418	0	0	0	0
normalized size	1	1.	8.39	5.25	0.	0.	0.	0.
time (sec)	N/A	1.567	24.839	0.613	0.	0.	0.	0.

Problem 1364	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	350	350	3283	1518	0	0	0	0
normalized size	1	1.	9.38	4.34	0.	0.	0.	0.
time (sec)	N/A	1.114	23.121	0.669	0.	0.	0.	0.

Problem 1365	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	249	249	517	966	0	0	0	0
normalized size	1	1.	2.08	3.88	0.	0.	0.	0.
time (sec)	N/A	0.755	17.612	0.546	0.	0.	0.	0.

Problem 1366	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	311	311	63246	950	0	0	0	0
normalized size	1	1.	203.36	3.05	0.	0.	0.	0.
time (sec)	N/A	1.167	35.031	0.456	0.	0.	0.	0.

Problem 1367	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	393	393	111509	1503	0	0	0	0
normalized size	1	1.	283.74	3.82	0.	0.	0.	0.
time (sec)	N/A	1.492	34.766	0.488	0.	0.	0.	0.

Problem 1368	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	663	663	4917	6912	0	0	0	0
normalized size	1	1.	7.42	10.43	0.	0.	0.	0.
time (sec)	N/A	2.46	27.611	1.135	0.	0.	0.	0.

Problem 1369	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	521	521	4327	5097	0	0	0	0
normalized size	1	1.	8.31	9.78	0.	0.	0.	0.
time (sec)	N/A	1.813	25.974	1.163	0.	0.	0.	0.

Problem 1370	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	401	401	3834	3773	0	0	0	0
normalized size	1	1.	9.56	9.41	0.	0.	0.	0.
time (sec)	N/A	1.229	24.853	1.005	0.	0.	0.	0.

Problem 1371	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	378	378	673	2767	0	0	0	0
normalized size	1	1.	1.78	7.32	0.	0.	0.	0.
time (sec)	N/A	1.229	19.36	0.785	0.	0.	0.	0.

Problem 1372	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	447	447	119861	3739	0	0	0	0
normalized size	1	1.	268.15	8.36	0.	0.	0.	0.
time (sec)	N/A	1.648	36.981	0.718	0.	0.	0.	0.

Problem 1373	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	563	563	215866	5561	0	0	0	0
normalized size	1	1.	383.42	9.88	0.	0.	0.	0.
time (sec)	N/A	2.163	38.055	0.839	0.	0.	0.	0.

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [299] had the largest ratio of [0.4444]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	4	4	1.	33	0.121
2	A	4	4	1.	31	0.129
3	A	3	3	1.	25	0.12
4	A	4	4	1.	31	0.129
5	A	4	4	1.	33	0.121
6	A	4	4	1.	33	0.121
7	A	4	4	1.	31	0.129
8	A	3	3	1.	25	0.12

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
9	A	4	4	1.	31	0.129
10	A	4	4	1.	33	0.121
11	A	4	4	1.	33	0.121
12	A	4	4	1.	31	0.129
13	A	3	3	1.	25	0.12
14	A	4	4	1.	31	0.129
15	A	4	4	1.	33	0.121
16	A	4	4	1.	33	0.121
17	A	4	4	1.	31	0.129
18	A	3	3	1.	25	0.12
19	A	4	4	1.	31	0.129
20	A	4	4	1.	33	0.121
21	A	4	4	1.	33	0.121
22	A	4	4	1.	33	0.121
23	A	4	4	1.	33	0.121
24	A	4	4	1.	33	0.121
25	A	4	4	1.	33	0.121
26	A	4	4	1.	33	0.121
27	A	4	4	1.	31	0.129
28	A	4	4	1.	31	0.129
29	A	4	4	1.	29	0.138
30	A	3	3	1.	23	0.13
31	A	4	4	1.	29	0.138
32	A	4	4	1.	31	0.129
33	A	4	4	1.	31	0.129
34	A	4	4	1.	33	0.121
35	A	4	4	1.	33	0.121
36	A	4	4	1.	33	0.121
37	A	4	4	1.	33	0.121
38	A	4	4	1.	33	0.121
39	A	4	4	1.	33	0.121
40	A	7	5	1.	38	0.132

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
41	A	7	5	1.	41	0.122
42	A	7	5	1.	39	0.128
43	A	6	4	1.	33	0.121
44	A	7	5	1.	39	0.128
45	A	7	5	1.	41	0.122
46	A	7	5	1.	41	0.122
47	A	7	5	1.	41	0.122
48	A	7	5	1.	39	0.128
49	A	6	4	1.	33	0.121
50	A	7	5	1.	39	0.128
51	A	7	5	1.	41	0.122
52	A	7	5	1.	41	0.122
53	A	7	5	1.	41	0.122
54	A	7	5	1.	39	0.128
55	A	6	4	1.	33	0.121
56	A	7	5	1.	39	0.128
57	A	7	5	1.	41	0.122
58	A	7	5	1.	41	0.122
59	A	7	5	1.	41	0.122
60	A	7	5	1.	39	0.128
61	A	6	4	1.	33	0.121
62	A	7	5	1.	39	0.128
63	A	7	5	1.	41	0.122
64	A	7	5	1.	41	0.122
65	A	7	5	1.	41	0.122
66	A	7	5	1.	41	0.122
67	A	7	5	1.	41	0.122
68	A	7	5	1.	41	0.122
69	A	7	5	1.	41	0.122
70	A	7	5	1.	41	0.122
71	A	7	5	1.	39	0.128
72	A	7	5	1.	39	0.128

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
73	A	7	5	1.	37	0.135
74	A	6	4	1.	31	0.129
75	A	7	5	1.	37	0.135
76	A	7	5	1.	39	0.128
77	A	7	5	1.	39	0.128
78	A	7	5	1.	41	0.122
79	A	7	5	1.	41	0.122
80	A	7	5	1.	41	0.122
81	A	7	5	1.	41	0.122
82	A	7	5	1.	41	0.122
83	A	7	5	1.	41	0.122
84	A	7	6	1.	31	0.194
85	A	7	7	1.	31	0.226
86	A	6	6	1.	29	0.207
87	A	5	4	1.	23	0.174
88	A	5	5	1.	29	0.172
89	A	5	5	1.	31	0.161
90	A	5	5	1.	31	0.161
91	A	7	6	1.	31	0.194
92	A	7	6	1.	31	0.194
93	A	8	8	1.	33	0.242
94	A	7	7	1.	31	0.226
95	A	6	6	1.	25	0.24
96	A	6	6	1.	31	0.194
97	A	5	4	1.	33	0.121
98	A	5	4	1.	33	0.121
99	A	6	6	1.	33	0.182
100	A	7	7	1.	33	0.212
101	A	8	7	1.	33	0.212
102	A	12	8	1.	33	0.242
103	A	11	7	1.	31	0.226
104	A	7	6	1.	25	0.24

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
105	A	7	6	1.	31	0.194
106	A	6	4	1.	33	0.121
107	A	6	5	1.	33	0.152
108	A	6	4	1.	33	0.121
109	A	9	7	1.	33	0.212
110	A	8	7	1.	33	0.212
111	A	15	8	1.	33	0.242
112	A	14	7	1.	31	0.226
113	A	8	6	1.	25	0.24
114	A	8	6	1.	31	0.194
115	A	7	4	1.	33	0.121
116	A	7	5	1.	33	0.152
117	A	7	5	1.	33	0.152
118	A	7	4	1.	33	0.121
119	A	12	7	1.	33	0.212
120	A	9	7	1.	33	0.212
121	A	7	5	1.	33	0.152
122	A	6	5	1.	33	0.152
123	A	6	6	1.	33	0.182
124	A	4	4	1.	31	0.129
125	A	4	4	1.	25	0.16
126	A	4	4	1.	31	0.129
127	A	5	5	1.	33	0.152
128	A	6	5	1.	33	0.152
129	A	7	5	1.	33	0.152
130	A	7	6	1.	33	0.182
131	A	7	7	1.	33	0.212
132	A	6	6	1.	33	0.182
133	A	4	4	1.08	31	0.129
134	A	3	3	1.	25	0.12
135	A	5	5	1.	31	0.161
136	A	6	6	1.	33	0.182

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
137	A	7	6	1.	33	0.182
138	A	8	7	1.	33	0.212
139	A	7	7	1.	33	0.212
140	A	5	5	1.	33	0.152
141	A	3	3	1.	31	0.097
142	A	4	4	1.	25	0.16
143	A	6	5	1.	31	0.161
144	A	7	6	1.	33	0.182
145	A	8	6	1.	33	0.182
146	A	9	7	1.	33	0.212
147	A	8	7	1.	33	0.212
148	A	6	6	1.	33	0.182
149	A	4	4	1.	33	0.121
150	A	4	4	1.	31	0.129
151	A	5	4	1.	25	0.16
152	A	7	5	1.	31	0.161
153	A	8	6	1.	33	0.182
154	A	9	6	1.	33	0.182
155	A	6	6	1.	35	0.171
156	A	5	5	1.	35	0.143
157	A	4	4	1.	35	0.114
158	A	3	3	1.	33	0.091
159	A	5	5	1.	27	0.185
160	A	5	5	1.	33	0.152
161	A	4	4	1.	35	0.114
162	A	5	5	1.	35	0.143
163	A	6	5	1.	35	0.143
164	A	6	6	1.	35	0.171
165	A	5	5	1.	35	0.143
166	A	4	4	1.	33	0.121
167	A	6	6	1.	27	0.222
168	A	6	6	1.	33	0.182

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
169	A	5	5	1.	35	0.143
170	A	5	5	1.	35	0.143
171	A	6	6	1.	35	0.171
172	A	7	6	1.	35	0.171
173	A	7	6	1.	35	0.171
174	A	6	5	1.	35	0.143
175	A	5	4	1.	33	0.121
176	A	7	6	1.	27	0.222
177	A	7	6	1.	33	0.182
178	A	6	5	1.	35	0.143
179	A	6	6	1.	35	0.171
180	A	6	5	1.	35	0.143
181	A	7	6	1.	35	0.171
182	A	8	6	1.	35	0.171
183	A	7	6	1.	35	0.171
184	A	6	6	1.	35	0.171
185	A	5	5	1.	35	0.143
186	A	4	4	1.	33	0.121
187	A	6	5	1.	27	0.185
188	A	6	5	1.	33	0.152
189	A	7	6	1.	35	0.171
190	A	8	6	1.	35	0.171
191	A	9	6	1.	35	0.171
192	A	7	6	1.	35	0.171
193	A	6	6	1.	35	0.171
194	A	5	5	1.	35	0.143
195	A	4	4	1.	33	0.121
196	A	6	5	1.	27	0.185
197	A	7	6	1.	33	0.182
198	A	8	6	1.	35	0.171
199	A	9	6	1.	35	0.171
200	A	7	7	1.	35	0.2

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
201	A	6	6	1.	35	0.171
202	A	5	5	1.	35	0.143
203	A	4	4	1.	33	0.121
204	A	7	6	1.	27	0.222
205	A	8	7	1.	33	0.212
206	A	9	7	1.	35	0.2
207	A	9	7	1.	33	0.212
208	A	8	7	1.	33	0.212
209	A	7	6	1.	33	0.182
210	A	7	6	1.	33	0.182
211	A	7	6	1.	33	0.182
212	A	8	7	1.	33	0.212
213	A	9	7	1.	33	0.212
214	A	10	8	1.	35	0.229
215	A	9	8	1.	35	0.229
216	A	8	7	1.	35	0.2
217	A	8	7	1.	35	0.2
218	A	8	7	1.	35	0.2
219	A	8	7	1.	35	0.2
220	A	9	8	1.	35	0.229
221	A	10	8	1.	35	0.229
222	A	11	8	1.	35	0.229
223	A	10	8	1.	35	0.229
224	A	9	7	1.	35	0.2
225	A	9	7	1.	35	0.2
226	A	9	8	1.	35	0.229
227	A	9	7	1.	35	0.2
228	A	9	7	1.	35	0.2
229	A	10	8	1.	35	0.229
230	A	11	8	1.	35	0.229
231	A	9	6	1.	35	0.171
232	A	8	6	1.	35	0.171

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
233	A	7	6	1.	35	0.171
234	A	6	5	1.	35	0.143
235	A	7	6	1.	35	0.171
236	A	8	6	1.	35	0.171
237	A	9	7	1.	35	0.2
238	A	8	7	1.	35	0.2
239	A	7	6	1.	35	0.171
240	A	7	6	1.	35	0.171
241	A	8	7	1.	35	0.2
242	A	9	7	1.	35	0.2
243	A	10	7	1.	35	0.2
244	A	9	7	1.	35	0.2
245	A	8	6	1.	35	0.171
246	A	8	7	1.	35	0.2
247	A	8	6	1.	35	0.171
248	A	9	7	1.	35	0.2
249	A	10	7	1.	35	0.2
250	A	6	5	1.	37	0.135
251	A	5	5	1.	37	0.135
252	A	4	4	1.	37	0.108
253	A	4	4	1.	37	0.108
254	A	4	4	1.	37	0.108
255	A	3	3	1.	37	0.081
256	A	4	4	1.	37	0.108
257	A	5	4	1.	37	0.108
258	A	7	6	1.	37	0.162
259	A	6	6	1.	37	0.162
260	A	5	5	1.	37	0.135
261	A	5	5	1.	37	0.135
262	A	5	5	1.	37	0.135
263	A	5	5	1.	37	0.135
264	A	4	4	1.	37	0.108

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
265	A	5	5	1.	37	0.135
266	A	6	5	1.	37	0.135
267	A	8	6	1.	37	0.162
268	A	7	6	1.	37	0.162
269	A	6	5	1.	37	0.135
270	A	6	5	1.	37	0.135
271	A	6	5	1.	37	0.135
272	A	6	6	1.	37	0.162
273	A	6	5	1.	37	0.135
274	A	5	4	1.	37	0.108
275	A	6	5	1.	37	0.135
276	A	7	5	1.	37	0.135
277	A	8	7	1.	37	0.189
278	A	7	7	1.	37	0.189
279	A	6	6	1.	37	0.162
280	A	6	6	1.	37	0.162
281	A	4	4	1.	37	0.108
282	A	5	5	1.	37	0.135
283	A	6	5	1.	37	0.135
284	A	7	7	1.	37	0.189
285	A	6	6	1.	37	0.162
286	A	4	4	1.	37	0.108
287	A	5	5	1.	37	0.135
288	A	6	5	1.	37	0.135
289	A	8	8	1.	37	0.216
290	A	7	7	1.	37	0.189
291	A	4	4	1.	37	0.108
292	A	5	5	1.	37	0.135
293	A	6	6	1.	37	0.162
294	A	7	6	1.	37	0.162
295	A	10	10	1.	27	0.37
296	A	9	9	1.	27	0.333

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
297	A	9	9	1.	27	0.333
298	A	10	10	1.	27	0.37
299	A	12	12	1.	27	0.444
300	A	11	11	1.	27	0.407
301	A	11	11	1.	27	0.407
302	A	12	12	1.	27	0.444
303	A	8	5	1.	33	0.152
304	A	8	6	1.	37	0.162
305	A	16	6	1.	88	0.068
306	A	7	6	1.	38	0.158
307	A	7	7	1.	36	0.194
308	A	5	4	1.	30	0.133
309	A	5	5	1.	36	0.139
310	A	4	3	1.	38	0.079
311	A	5	5	1.	38	0.132
312	A	6	6	1.	38	0.158
313	A	7	6	1.	38	0.158
314	A	8	7	1.	40	0.175
315	A	8	8	1.	38	0.21
316	A	7	7	1.	32	0.219
317	A	6	6	1.	38	0.158
318	A	5	4	1.	40	0.1
319	A	5	4	1.	40	0.1
320	A	6	6	1.	40	0.15
321	A	7	7	1.	40	0.175
322	A	8	7	1.	40	0.175
323	A	12	8	1.	38	0.21
324	A	11	7	1.	32	0.219
325	A	7	6	1.	38	0.158
326	A	6	4	1.	40	0.1
327	A	6	5	1.	40	0.125
328	A	6	4	1.	40	0.1

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
329	A	9	7	1.	40	0.175
330	A	8	7	1.	40	0.175
331	A	9	7	1.	40	0.175
332	A	7	6	1.	40	0.15
333	A	7	7	1.	40	0.175
334	A	6	6	1.	38	0.158
335	A	4	4	1.	32	0.125
336	A	3	3	1.	38	0.079
337	A	5	5	1.	40	0.125
338	A	6	6	1.	40	0.15
339	A	7	6	1.	40	0.15
340	A	8	7	1.	40	0.175
341	A	7	7	1.	40	0.175
342	A	5	5	1.	38	0.132
343	A	3	3	1.	32	0.094
344	A	4	4	1.	38	0.105
345	A	6	5	1.	40	0.125
346	A	7	6	1.	40	0.15
347	A	8	6	1.	40	0.15
348	A	9	7	1.	40	0.175
349	A	8	7	1.	40	0.175
350	A	6	6	1.	40	0.15
351	A	4	4	1.	38	0.105
352	A	4	4	1.	32	0.125
353	A	5	4	1.	38	0.105
354	A	7	5	1.	40	0.125
355	A	8	6	1.	40	0.15
356	A	7	6	1.	42	0.143
357	A	6	6	1.	42	0.143
358	A	5	5	1.	42	0.119
359	A	4	4	1.	40	0.1
360	A	3	3	1.	34	0.088

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
361	A	5	5	1.	40	0.125
362	A	4	4	1.	42	0.095
363	A	5	5	1.	42	0.119
364	A	6	5	1.	42	0.119
365	A	7	7	1.	42	0.167
366	A	6	6	1.	42	0.143
367	A	5	5	1.	40	0.125
368	A	4	4	1.	34	0.118
369	A	6	6	1.	40	0.15
370	A	5	5	1.	42	0.119
371	A	5	5	1.	42	0.119
372	A	6	6	1.	42	0.143
373	A	7	6	1.	42	0.143
374	A	8	7	1.	42	0.167
375	A	7	6	1.	42	0.143
376	A	6	5	1.	40	0.125
377	A	5	4	1.	34	0.118
378	A	7	6	1.	40	0.15
379	A	6	5	1.	42	0.119
380	A	6	6	1.	42	0.143
381	A	6	5	1.	42	0.119
382	A	7	6	1.	42	0.143
383	A	8	6	1.	42	0.143
384	A	8	6	1.	42	0.143
385	A	7	6	1.	42	0.143
386	A	6	6	1.	42	0.143
387	A	5	5	1.	40	0.125
388	A	4	4	1.	34	0.118
389	A	6	5	1.	40	0.125
390	A	7	6	1.	42	0.143
391	A	8	6	1.	42	0.143
392	A	9	6	1.	42	0.143

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
393	A	8	7	1.	42	0.167
394	A	7	7	1.	42	0.167
395	A	6	6	1.	42	0.143
396	A	5	5	1.	40	0.125
397	A	4	4	1.	34	0.118
398	A	7	6	1.	40	0.15
399	A	8	7	1.	42	0.167
400	A	9	7	1.	42	0.167
401	A	8	7	1.	42	0.167
402	A	7	6	1.	42	0.143
403	A	6	6	1.	42	0.143
404	A	5	5	1.	40	0.125
405	A	5	5	1.	34	0.147
406	A	8	6	1.	40	0.15
407	A	9	7	1.	42	0.167
408	A	7	6	1.	39	0.154
409	A	7	7	1.	39	0.18
410	A	6	6	1.	37	0.162
411	A	5	4	1.	31	0.129
412	A	5	5	1.	37	0.135
413	A	5	5	1.	39	0.128
414	A	5	5	1.	39	0.128
415	A	7	6	1.	39	0.154
416	A	7	6	1.	39	0.154
417	A	8	7	1.	41	0.171
418	A	8	8	1.	41	0.195
419	A	7	7	1.	39	0.18
420	A	6	6	1.	33	0.182
421	A	6	6	1.	39	0.154
422	A	5	4	1.	41	0.098
423	A	5	4	1.	41	0.098
424	A	6	6	1.	41	0.146

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
425	A	7	7	1.	41	0.171
426	A	8	7	1.	41	0.171
427	A	9	7	1.	41	0.171
428	A	12	8	1.	41	0.195
429	A	11	7	1.	39	0.18
430	A	7	6	1.	33	0.182
431	A	7	6	1.	39	0.154
432	A	6	4	1.	41	0.098
433	A	6	5	1.	41	0.122
434	A	6	4	1.	41	0.098
435	A	9	7	1.	41	0.171
436	A	8	7	1.	41	0.171
437	A	9	7	1.	41	0.171
438	A	15	8	1.	41	0.195
439	A	14	7	1.	39	0.18
440	A	8	6	1.	33	0.182
441	A	8	6	1.	39	0.154
442	A	7	4	1.	41	0.098
443	A	7	5	1.	41	0.122
444	A	7	5	1.	41	0.122
445	A	7	4	1.	41	0.098
446	A	12	7	1.	41	0.171
447	A	9	7	1.	41	0.171
448	A	10	7	1.	41	0.171
449	A	7	5	1.	41	0.122
450	A	6	5	1.	41	0.122
451	A	6	6	1.	41	0.146
452	A	4	4	1.	39	0.103
453	A	4	4	1.	33	0.121
454	A	4	4	1.	39	0.103
455	A	5	5	1.	41	0.122
456	A	6	5	1.	41	0.122

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
457	A	7	5	1.	41	0.122
458	A	7	6	1.	41	0.146
459	A	7	7	1.	41	0.171
460	A	6	6	1.	41	0.146
461	A	4	4	1.07	39	0.103
462	A	3	3	1.	33	0.091
463	A	5	5	1.	39	0.128
464	A	6	6	1.	41	0.146
465	A	7	6	1.	41	0.146
466	A	8	7	1.	41	0.171
467	A	7	7	1.	41	0.171
468	A	5	5	1.	41	0.122
469	A	3	3	1.	39	0.077
470	A	4	4	1.	33	0.121
471	A	6	5	1.	39	0.128
472	A	7	6	1.	41	0.146
473	A	8	6	1.	41	0.146
474	A	9	7	1.	41	0.171
475	A	8	7	1.	41	0.171
476	A	6	6	1.	41	0.146
477	A	4	4	1.	41	0.098
478	A	4	4	1.	39	0.103
479	A	5	4	1.	33	0.121
480	A	7	5	1.	39	0.128
481	A	8	6	1.	41	0.146
482	A	6	6	1.	43	0.14
483	A	5	5	1.	43	0.116
484	A	4	4	1.	43	0.093
485	A	3	3	1.	41	0.073
486	A	5	5	1.	35	0.143
487	A	5	5	1.	41	0.122
488	A	4	4	1.	43	0.093

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
489	A	5	5	1.	43	0.116
490	A	6	5	1.	43	0.116
491	A	6	6	1.	43	0.14
492	A	5	5	1.	43	0.116
493	A	4	4	1.	41	0.098
494	A	6	6	1.	35	0.171
495	A	6	6	1.	41	0.146
496	A	5	5	1.	43	0.116
497	A	5	5	1.	43	0.116
498	A	6	6	1.	43	0.14
499	A	7	6	1.	43	0.14
500	A	7	6	1.	43	0.14
501	A	6	5	1.	43	0.116
502	A	5	4	1.	41	0.098
503	A	7	6	1.	35	0.171
504	A	7	6	1.	41	0.146
505	A	6	5	1.	43	0.116
506	A	6	6	1.	43	0.14
507	A	6	5	1.	43	0.116
508	A	7	6	1.	43	0.14
509	A	8	6	1.	43	0.14
510	A	7	6	1.	43	0.14
511	A	6	6	1.	43	0.14
512	A	5	5	1.	43	0.116
513	A	4	4	1.	41	0.098
514	A	6	5	1.	35	0.143
515	A	6	5	1.	41	0.122
516	A	7	6	1.	43	0.14
517	A	8	6	1.	43	0.14
518	A	9	6	1.	43	0.14
519	A	7	6	1.	43	0.14
520	A	6	6	1.	43	0.14

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
521	A	5	5	1.	43	0.116
522	A	4	4	1.12	41	0.098
523	A	6	5	1.	35	0.143
524	A	7	6	1.	41	0.146
525	A	8	6	1.	43	0.14
526	A	9	6	1.	43	0.14
527	A	7	7	1.	43	0.163
528	A	6	6	1.	43	0.14
529	A	5	5	1.	43	0.116
530	A	4	4	1.	41	0.098
531	A	7	6	1.	35	0.171
532	A	8	7	1.	41	0.171
533	A	9	7	1.	43	0.163
534	A	9	7	1.	41	0.171
535	A	8	7	1.	41	0.171
536	A	7	6	1.	41	0.146
537	A	7	6	1.	41	0.146
538	A	7	6	1.	41	0.146
539	A	8	7	1.	41	0.171
540	A	9	7	1.	41	0.171
541	A	10	8	1.	43	0.186
542	A	9	8	1.	43	0.186
543	A	8	7	1.	43	0.163
544	A	8	7	1.	43	0.163
545	A	8	7	1.	43	0.163
546	A	8	7	1.	43	0.163
547	A	9	8	1.	43	0.186
548	A	10	8	1.	43	0.186
549	A	11	8	1.	43	0.186
550	A	10	8	1.	43	0.186
551	A	9	7	1.	43	0.163
552	A	9	7	1.	43	0.163

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
553	A	9	8	1.	43	0.186
554	A	9	7	1.	43	0.163
555	A	9	7	1.	43	0.163
556	A	10	8	1.	43	0.186
557	A	11	8	1.	43	0.186
558	A	9	6	1.	43	0.14
559	A	8	6	1.	43	0.14
560	A	7	6	1.	43	0.14
561	A	6	5	1.	43	0.116
562	A	7	6	1.	43	0.14
563	A	8	6	1.	43	0.14
564	A	9	6	1.	43	0.14
565	A	9	7	1.	43	0.163
566	A	8	7	1.	43	0.163
567	A	7	6	1.	43	0.14
568	A	7	6	1.	43	0.14
569	A	8	7	1.	43	0.163
570	A	9	7	1.	43	0.163
571	A	10	7	1.	43	0.163
572	A	9	7	1.	43	0.163
573	A	8	6	1.	43	0.14
574	A	8	7	1.	43	0.163
575	A	8	6	1.	43	0.14
576	A	9	7	1.	43	0.163
577	A	10	7	1.	43	0.163
578	A	6	5	1.	45	0.111
579	A	5	5	1.	45	0.111
580	A	4	4	1.	45	0.089
581	A	4	4	1.	45	0.089
582	A	4	4	1.	45	0.089
583	A	3	3	1.	45	0.067
584	A	4	4	1.	45	0.089

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
585	A	5	4	1.	45	0.089
586	A	7	6	1.	45	0.133
587	A	6	6	1.	45	0.133
588	A	5	5	1.	45	0.111
589	A	5	5	1.	45	0.111
590	A	5	5	1.	45	0.111
591	A	5	5	1.	45	0.111
592	A	4	4	1.	45	0.089
593	A	5	5	1.	45	0.111
594	A	6	5	1.	45	0.111
595	A	8	6	1.	45	0.133
596	A	7	6	1.	45	0.133
597	A	6	5	1.	45	0.111
598	A	6	5	1.	45	0.111
599	A	6	5	1.	45	0.111
600	A	6	6	1.	45	0.133
601	A	6	5	1.	45	0.111
602	A	5	4	1.	45	0.089
603	A	6	5	1.	45	0.111
604	A	7	5	1.	45	0.111
605	A	8	7	1.	45	0.156
606	A	7	7	1.	45	0.156
607	A	6	6	1.	45	0.133
608	A	6	6	1.	45	0.133
609	A	4	4	1.	45	0.089
610	A	5	5	1.	45	0.111
611	A	6	5	1.	45	0.111
612	A	6	6	1.	54	0.111
613	A	8	7	1.	45	0.156
614	A	7	7	1.	45	0.156
615	A	6	6	1.	45	0.133
616	A	4	4	1.	45	0.089

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
617	A	5	5	1.	45	0.111
618	A	6	5	1.	45	0.111
619	A	8	8	1.	45	0.178
620	A	7	7	1.	45	0.156
621	A	4	4	1.	45	0.089
622	A	5	5	1.	45	0.111
623	A	6	6	1.	45	0.133
624	A	7	6	1.	45	0.133
625	A	10	10	1.	35	0.286
626	A	9	9	1.	35	0.257
627	A	9	9	1.	35	0.257
628	A	10	10	1.	35	0.286
629	A	12	12	1.	35	0.343
630	A	11	11	1.	35	0.314
631	A	11	11	1.	35	0.314
632	A	12	12	1.	35	0.343
633	A	8	5	1.	41	0.122
634	A	8	6	1.	45	0.133
635	A	16	6	1.	102	0.059
636	A	8	8	1.	36	0.222
637	A	7	6	1.	31	0.194
638	A	7	7	1.	31	0.226
639	A	6	6	1.	29	0.207
640	A	5	4	1.	23	0.174
641	A	5	5	1.	29	0.172
642	A	5	5	1.	31	0.161
643	A	5	5	1.	31	0.161
644	A	7	6	1.	31	0.194
645	A	7	6	1.	31	0.194
646	A	8	8	1.	33	0.242
647	A	7	7	1.	31	0.226
648	A	6	5	1.	25	0.2

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
649	A	6	5	1.	31	0.161
650	A	6	6	1.	33	0.182
651	A	6	6	1.	33	0.182
652	A	6	6	1.	33	0.182
653	A	8	7	1.	33	0.212
654	A	9	8	1.	33	0.242
655	A	8	7	1.	31	0.226
656	A	7	6	1.	25	0.24
657	A	7	6	1.	31	0.194
658	A	7	6	1.	33	0.182
659	A	7	7	1.	33	0.212
660	A	7	7	1.	33	0.212
661	A	7	7	1.	33	0.212
662	A	9	8	1.	33	0.242
663	A	10	8	1.	33	0.242
664	A	9	7	1.	31	0.226
665	A	8	6	1.	25	0.24
666	A	8	6	1.	31	0.194
667	A	8	7	1.	33	0.212
668	A	8	6	1.	33	0.182
669	A	8	7	1.	33	0.212
670	A	8	7	1.	33	0.212
671	A	8	7	1.	33	0.212
672	A	10	8	1.	33	0.242
673	A	8	7	1.	30	0.233
674	A	7	6	1.	30	0.2
675	A	6	5	1.	28	0.179
676	A	8	8	1.	33	0.242
677	A	7	7	1.	33	0.212
678	A	6	6	1.	31	0.194
679	A	6	6	1.	25	0.24
680	A	5	5	1.	31	0.161

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
681	A	6	6	0.98	33	0.182
682	A	7	6	0.99	33	0.182
683	A	8	6	1.	33	0.182
684	A	8	8	1.	33	0.242
685	A	7	7	1.	33	0.212
686	A	6	6	1.	31	0.194
687	A	5	5	1.	25	0.2
688	A	6	6	1.	31	0.194
689	A	7	6	1.	33	0.182
690	A	8	6	1.	33	0.182
691	A	9	9	1.	33	0.273
692	A	8	8	1.	33	0.242
693	A	7	7	1.	33	0.212
694	A	6	6	1.	31	0.194
695	A	6	6	1.	25	0.24
696	A	7	7	1.	31	0.226
697	A	8	7	1.	33	0.212
698	A	9	9	1.	33	0.273
699	A	8	8	1.	33	0.242
700	A	7	7	1.	33	0.212
701	A	7	6	1.	31	0.194
702	A	7	6	1.	25	0.24
703	A	8	7	1.	31	0.226
704	A	9	7	1.	33	0.212
705	A	3	2	1.	30	0.067
706	A	5	5	1.	30	0.167
707	A	6	6	1.	30	0.2
708	A	7	7	1.	30	0.233
709	A	7	7	1.	35	0.2
710	A	6	6	1.	35	0.171
711	A	5	5	1.	33	0.152
712	A	6	6	1.	27	0.222

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
713	A	6	6	1.	33	0.182
714	A	7	7	1.	35	0.2
715	A	8	7	1.	35	0.2
716	A	9	7	1.	35	0.2
717	A	8	8	1.	35	0.229
718	A	7	6	1.	35	0.171
719	A	6	5	1.	33	0.152
720	A	7	7	1.	27	0.259
721	A	7	7	1.	33	0.212
722	A	7	7	1.	35	0.2
723	A	8	8	1.	35	0.229
724	A	9	8	1.	35	0.229
725	A	9	8	1.	35	0.229
726	A	8	6	1.	35	0.171
727	A	7	5	1.	33	0.152
728	A	8	7	1.	27	0.259
729	A	8	7	1.	33	0.212
730	A	8	8	1.	35	0.229
731	A	8	7	1.	35	0.2
732	A	9	8	1.	35	0.229
733	A	8	8	1.	32	0.25
734	A	7	7	1.	32	0.219
735	A	6	6	1.	35	0.171
736	A	5	5	1.	35	0.143
737	A	4	4	1.	33	0.121
738	A	5	5	1.	27	0.185
739	A	6	6	1.	33	0.182
740	A	7	7	1.	35	0.2
741	A	8	7	1.	35	0.2
742	A	6	6	1.	35	0.171
743	A	5	5	1.	35	0.143
744	A	4	4	1.	33	0.121

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
745	A	6	6	1.	27	0.222
746	A	7	7	1.	33	0.212
747	A	8	8	1.	35	0.229
748	A	6	6	1.	35	0.171
749	A	5	5	1.	35	0.143
750	A	5	5	1.	33	0.152
751	A	7	7	1.	27	0.259
752	A	8	7	1.	33	0.212
753	A	9	8	1.	35	0.229
754	A	8	7	1.	27	0.259
755	A	7	7	1.	32	0.219
756	A	4	4	1.	32	0.125
757	A	7	7	1.	32	0.219
758	A	8	8	1.	32	0.25
759	A	8	7	1.	35	0.2
760	A	11	11	1.	37	0.297
761	A	0	0	0.	0	0.
762	A	0	0	0.	0	0.
763	A	0	0	0.	0	0.
764	A	0	0	0.	0	0.
765	A	8	6	1.	38	0.158
766	A	7	6	1.	38	0.158
767	A	7	7	1.	36	0.194
768	A	5	4	1.	30	0.133
769	A	5	5	1.	36	0.139
770	A	4	3	1.	38	0.079
771	A	5	5	1.	38	0.132
772	A	6	6	1.	38	0.158
773	A	7	6	1.	38	0.158
774	A	8	6	1.	38	0.158
775	A	8	7	1.	40	0.175
776	A	8	8	1.	38	0.21

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
777	A	6	5	1.	32	0.156
778	A	6	5	1.	38	0.132
779	A	6	5	1.	40	0.125
780	A	6	6	1.	40	0.15
781	A	6	6	1.	40	0.15
782	A	8	7	1.	40	0.175
783	A	8	7	1.	40	0.175
784	A	9	8	1.	40	0.2
785	A	9	8	1.	38	0.21
786	A	7	5	1.	32	0.156
787	A	7	6	1.	38	0.158
788	A	7	6	1.	40	0.15
789	A	7	7	1.	40	0.175
790	A	7	7	1.	40	0.175
791	A	7	7	1.	40	0.175
792	A	9	8	1.	40	0.2
793	A	9	9	1.	40	0.225
794	A	8	8	1.	40	0.2
795	A	8	8	1.	38	0.21
796	A	6	6	1.	32	0.188
797	A	5	5	1.	38	0.132
798	A	6	6	1.	40	0.15
799	A	7	7	1.	40	0.175
800	A	8	7	1.	40	0.175
801	A	9	9	1.	40	0.225
802	A	8	8	1.	40	0.2
803	A	7	7	1.	38	0.184
804	A	5	5	1.	32	0.156
805	A	6	6	1.	38	0.158
806	A	7	7	1.	40	0.175
807	A	8	7	1.	40	0.175
808	A	9	9	1.	40	0.225

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
809	A	8	8	1.	40	0.2
810	A	7	7	1.	38	0.184
811	A	6	5	1.	32	0.156
812	A	7	7	1.	38	0.184
813	A	8	8	1.	40	0.2
814	A	8	8	1.	42	0.19
815	A	7	7	1.	42	0.167
816	A	6	6	1.	40	0.15
817	A	5	5	1.	34	0.147
818	A	6	6	1.	40	0.15
819	A	7	7	1.	42	0.167
820	A	8	8	1.	42	0.19
821	A	9	8	1.	42	0.19
822	A	8	7	1.	42	0.167
823	A	7	6	1.	40	0.15
824	A	6	5	1.	34	0.147
825	A	7	7	1.	40	0.175
826	A	7	7	1.	42	0.167
827	A	8	8	1.	42	0.19
828	A	9	8	1.	42	0.19
829	A	9	7	1.	42	0.167
830	A	8	6	1.	40	0.15
831	A	7	5	1.	34	0.147
832	A	8	8	1.	40	0.2
833	A	8	8	1.	42	0.19
834	A	8	8	1.	42	0.19
835	A	9	9	1.	42	0.214
836	A	10	9	1.	42	0.214
837	A	7	7	1.	42	0.167
838	A	6	6	1.	42	0.143
839	A	5	5	1.	40	0.125
840	A	4	4	1.	34	0.118

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
841	A	4	4	1.	40	0.1
842	A	7	7	1.	42	0.167
843	A	7	7	1.	42	0.167
844	A	6	6	1.	42	0.143
845	A	5	5	1.	40	0.125
846	A	5	5	1.	34	0.147
847	A	7	7	1.	40	0.175
848	A	8	8	1.	42	0.19
849	A	7	7	1.	42	0.167
850	A	6	6	1.	42	0.143
851	A	6	6	1.	40	0.15
852	A	6	5	1.	34	0.147
853	A	8	8	1.	40	0.2
854	A	7	5	1.	34	0.147
855	A	6	6	1.	42	0.143
856	A	8	8	1.	44	0.182
857	A	8	5	1.	34	0.147
858	A	8	5	1.	34	0.147
859	A	8	5	1.	34	0.147
860	A	8	5	1.	34	0.147
861	A	7	6	1.	39	0.154
862	A	7	7	1.	39	0.18
863	A	6	6	1.	37	0.162
864	A	5	4	1.	31	0.129
865	A	5	5	1.	37	0.135
866	A	5	5	1.	39	0.128
867	A	5	5	1.	39	0.128
868	A	7	6	1.	39	0.154
869	A	7	6	1.	39	0.154
870	A	8	8	1.21	41	0.195
871	A	7	7	1.	39	0.18
872	A	6	5	1.	33	0.152

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
873	A	6	5	1.	39	0.128
874	A	6	6	1.	41	0.146
875	A	6	6	1.	41	0.146
876	A	6	6	1.	41	0.146
877	A	8	7	1.	41	0.171
878	A	9	8	1.	41	0.195
879	A	8	7	1.	39	0.18
880	A	7	5	1.	33	0.152
881	A	7	6	1.	39	0.154
882	A	7	5	1.	41	0.122
883	A	7	6	1.	41	0.146
884	A	7	6	1.	41	0.146
885	A	7	6	1.	41	0.146
886	A	9	7	1.	41	0.171
887	A	10	8	1.	41	0.195
888	A	9	7	1.	39	0.18
889	A	8	5	1.	33	0.152
890	A	8	6	1.	39	0.154
891	A	8	6	1.	41	0.146
892	A	8	5	1.	41	0.122
893	A	8	6	1.	41	0.146
894	A	8	6	1.	41	0.146
895	A	8	6	1.	41	0.146
896	A	10	7	1.	41	0.171
897	A	8	7	1.	48	0.146
898	A	7	6	1.	48	0.125
899	A	6	5	1.	46	0.109
900	A	8	8	1.	41	0.195
901	A	7	7	1.	41	0.171
902	A	6	6	1.	39	0.154
903	A	6	6	1.	33	0.182
904	A	5	5	1.	39	0.128

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
905	A	6	5	1.	41	0.122
906	A	7	5	1.	41	0.122
907	A	8	5	1.	41	0.122
908	A	9	9	1.	41	0.22
909	A	8	8	1.	41	0.195
910	A	7	7	1.	41	0.171
911	A	6	6	1.	39	0.154
912	A	5	5	1.	33	0.152
913	A	6	6	1.	39	0.154
914	A	7	6	1.	41	0.146
915	A	8	6	1.	41	0.146
916	A	9	8	1.	41	0.195
917	A	8	8	1.	41	0.195
918	A	7	7	1.	41	0.171
919	A	6	6	1.	39	0.154
920	A	6	5	1.	33	0.152
921	A	7	6	1.	39	0.154
922	A	8	6	1.	41	0.146
923	A	9	8	1.	41	0.195
924	A	8	8	1.	41	0.195
925	A	7	7	1.	41	0.171
926	A	7	6	1.	39	0.154
927	A	7	5	1.	33	0.152
928	A	8	6	1.	39	0.154
929	A	9	6	1.	41	0.146
930	A	3	2	1.	48	0.042
931	A	5	5	1.	48	0.104
932	A	6	6	1.	48	0.125
933	A	7	7	1.	48	0.146
934	A	8	7	1.	48	0.146
935	A	7	7	1.	43	0.163
936	A	6	6	1.	43	0.14

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
937	A	5	5	1.	41	0.122
938	A	6	6	1.	35	0.171
939	A	6	6	1.	41	0.146
940	A	7	7	1.	43	0.163
941	A	8	7	1.	43	0.163
942	A	8	7	1.	43	0.163
943	A	7	6	1.	43	0.14
944	A	6	5	1.	41	0.122
945	A	7	6	1.	35	0.171
946	A	7	7	1.	41	0.171
947	A	7	6	1.	43	0.14
948	A	8	7	1.	43	0.163
949	A	9	7	1.	43	0.163
950	A	8	6	1.	43	0.14
951	A	7	5	1.	41	0.122
952	A	8	6	1.	35	0.171
953	A	8	7	1.	41	0.171
954	A	8	7	1.	43	0.163
955	A	8	6	1.	43	0.14
956	A	9	7	1.	43	0.163
957	A	10	7	1.	43	0.163
958	A	6	6	1.	43	0.14
959	A	5	5	1.	43	0.116
960	A	4	4	1.	41	0.098
961	A	5	5	1.	35	0.143
962	A	6	6	1.	41	0.146
963	A	7	6	1.	43	0.14
964	A	6	6	1.	43	0.14
965	A	5	5	1.	43	0.116
966	A	4	4	1.	41	0.098
967	A	6	6	1.	35	0.171
968	A	7	7	1.	41	0.171

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
969	A	8	7	1.	43	0.163
970	A	6	6	1.	43	0.14
971	A	5	5	1.	43	0.116
972	A	5	5	1.	41	0.122
973	A	7	6	1.	35	0.171
974	A	8	7	1.	41	0.171
975	A	8	8	1.	50	0.16
976	A	7	7	1.	50	0.14
977	A	6	6	1.	50	0.12
978	A	4	4	1.	50	0.08
979	A	7	7	1.	50	0.14
980	A	8	8	1.	50	0.16
981	A	10	7	1.	41	0.171
982	A	9	7	1.	41	0.171
983	A	8	7	1.	41	0.171
984	A	7	6	1.	41	0.146
985	A	7	6	1.	41	0.146
986	A	7	6	1.	41	0.146
987	A	8	7	1.	41	0.171
988	A	9	7	1.	41	0.171
989	A	10	7	1.	41	0.171
990	A	10	8	1.	43	0.186
991	A	9	8	1.	43	0.186
992	A	8	7	1.	43	0.163
993	A	8	7	1.	43	0.163
994	A	8	7	1.	43	0.163
995	A	8	7	1.	43	0.163
996	A	9	8	1.	43	0.186
997	A	10	8	1.	43	0.186
998	A	9	7	1.	43	0.163
999	A	9	8	1.	43	0.186
1000	A	9	7	1.	43	0.163

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1001	A	9	7	1.	43	0.163
1002	A	9	7	1.	43	0.163
1003	A	10	8	1.	43	0.186
1004	A	11	8	1.	43	0.186
1005	A	10	7	1.	43	0.163
1006	A	10	8	1.	43	0.186
1007	A	10	8	1.	43	0.186
1008	A	10	7	1.	43	0.163
1009	A	10	7	1.	43	0.163
1010	A	10	7	1.	43	0.163
1011	A	11	8	1.	43	0.186
1012	A	11	8	1.	43	0.186
1013	A	10	8	1.	43	0.186
1014	A	9	8	1.	43	0.186
1015	A	8	7	1.	43	0.163
1016	A	9	8	1.	43	0.186
1017	A	10	8	1.	43	0.186
1018	A	11	8	1.	43	0.186
1019	A	11	9	1.	43	0.209
1020	A	10	9	1.	43	0.209
1021	A	9	8	1.	43	0.186
1022	A	9	8	1.	43	0.186
1023	A	10	9	1.	43	0.209
1024	A	11	9	1.	43	0.209
1025	A	12	9	1.	43	0.209
1026	A	11	9	1.	43	0.209
1027	A	10	8	1.	43	0.186
1028	A	10	9	1.	43	0.209
1029	A	10	8	1.	43	0.186
1030	A	11	9	1.	43	0.209
1031	A	14	13	1.	45	0.289
1032	A	13	13	1.	45	0.289

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1033	A	12	12	1.	45	0.267
1034	A	12	12	1.	45	0.267
1035	A	9	9	1.	45	0.2
1036	A	10	9	1.	45	0.2
1037	A	11	9	1.	45	0.2
1038	A	15	13	1.	45	0.289
1039	A	14	13	1.	45	0.289
1040	A	13	12	1.	45	0.267
1041	A	13	13	1.	45	0.289
1042	A	13	12	1.	45	0.267
1043	A	10	9	1.	45	0.2
1044	A	11	9	1.	45	0.2
1045	A	15	13	1.	45	0.289
1046	A	14	12	1.	45	0.267
1047	A	14	13	1.	45	0.289
1048	A	14	13	1.	45	0.289
1049	A	14	12	1.	45	0.267
1050	A	11	9	1.	45	0.2
1051	A	12	9	1.	45	0.2
1052	A	13	12	1.	45	0.267
1053	A	12	12	1.	45	0.267
1054	A	11	11	1.	45	0.244
1055	A	8	8	1.	45	0.178
1056	A	9	8	1.	45	0.178
1057	A	10	8	1.	45	0.178
1058	A	13	13	1.	54	0.241
1059	A	13	13	1.	45	0.289
1060	A	12	12	1.	45	0.267
1061	A	8	8	1.	45	0.178
1062	A	9	9	1.	45	0.2
1063	A	10	9	1.	45	0.2
1064	A	14	13	1.	45	0.289

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1065	A	13	12	1.	45	0.267
1066	A	9	9	1.	45	0.2
1067	A	9	8	1.	45	0.178
1068	A	10	9	1.	45	0.2
1069	A	11	9	1.	45	0.2
1070	A	0	0	0.	0	0.
1071	A	0	0	0.	0	0.
1072	A	0	0	0.	0	0.
1073	A	0	0	0.	0	0.
1074	A	0	0	0.	0	0.
1075	A	4	4	1.	23	0.174
1076	A	4	4	1.	23	0.174
1077	A	3	3	1.	23	0.13
1078	A	3	3	1.	23	0.13
1079	A	3	3	1.	23	0.13
1080	A	3	3	1.	23	0.13
1081	A	4	4	1.	23	0.174
1082	A	4	4	1.	23	0.174
1083	A	8	7	1.	33	0.212
1084	A	7	7	1.	33	0.212
1085	A	6	6	1.	33	0.182
1086	A	6	6	1.	33	0.182
1087	A	6	6	1.	33	0.182
1088	A	7	7	1.	33	0.212
1089	A	8	7	1.	33	0.212
1090	A	10	9	1.	35	0.257
1091	A	9	9	1.	35	0.257
1092	A	8	8	1.	35	0.229
1093	A	8	8	1.	35	0.229
1094	A	8	8	1.	35	0.229
1095	A	8	8	1.	35	0.229
1096	A	9	9	1.	35	0.257

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1097	A	10	9	1.	35	0.257
1098	A	11	9	1.	35	0.257
1099	A	10	9	1.	35	0.257
1100	A	9	8	1.	35	0.229
1101	A	9	8	1.	35	0.229
1102	A	9	9	1.	35	0.257
1103	A	9	8	1.	35	0.229
1104	A	9	8	1.	35	0.229
1105	A	10	9	1.	35	0.257
1106	A	11	9	1.	35	0.257
1107	A	8	6	1.	35	0.171
1108	A	7	6	1.	35	0.171
1109	A	6	6	1.	35	0.171
1110	A	5	5	1.	35	0.143
1111	A	6	6	1.	35	0.171
1112	A	7	6	1.	35	0.171
1113	A	8	6	1.	35	0.171
1114	A	8	7	1.	35	0.2
1115	A	7	7	1.	35	0.2
1116	A	6	6	1.	35	0.171
1117	A	6	6	1.	35	0.171
1118	A	7	7	1.	35	0.2
1119	A	8	7	1.	35	0.2
1120	A	9	7	1.	35	0.2
1121	A	8	7	1.	35	0.2
1122	A	7	6	1.	35	0.171
1123	A	7	7	1.	35	0.2
1124	A	7	6	1.	35	0.171
1125	A	8	7	1.	35	0.2
1126	A	9	7	1.	35	0.2
1127	A	6	5	1.	37	0.135
1128	A	5	5	1.	37	0.135

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1129	A	4	4	1.	37	0.108
1130	A	5	5	1.	37	0.135
1131	A	5	5	1.	37	0.135
1132	A	5	5	1.	37	0.135
1133	A	6	6	1.	37	0.162
1134	A	7	6	1.	37	0.162
1135	A	7	6	1.	37	0.162
1136	A	6	6	1.	37	0.162
1137	A	5	5	1.	37	0.135
1138	A	6	6	1.	37	0.162
1139	A	6	6	1.	37	0.162
1140	A	6	6	1.	37	0.162
1141	A	6	6	1.	37	0.162
1142	A	7	7	1.	37	0.189
1143	A	8	7	1.	37	0.189
1144	A	8	6	1.	37	0.162
1145	A	7	6	1.	37	0.162
1146	A	6	5	1.	37	0.135
1147	A	7	6	1.	37	0.162
1148	A	7	7	1.	37	0.189
1149	A	7	6	1.	37	0.162
1150	A	7	6	1.	37	0.162
1151	A	7	6	1.	37	0.162
1152	A	8	7	1.	37	0.189
1153	A	9	7	1.	37	0.189
1154	A	7	6	1.	37	0.162
1155	A	6	6	1.	37	0.162
1156	A	5	5	1.	37	0.135
1157	A	7	7	1.	37	0.189
1158	A	7	7	1.	37	0.189
1159	A	8	8	1.	37	0.216
1160	A	9	8	1.	37	0.216

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1161	A	7	6	1.	37	0.162
1162	A	6	6	1.	37	0.162
1163	A	5	5	1.	37	0.135
1164	A	7	7	1.	37	0.189
1165	A	8	8	1.	37	0.216
1166	A	9	8	1.	37	0.216
1167	A	8	7	1.	37	0.189
1168	A	7	7	1.	37	0.189
1169	A	6	6	1.	37	0.162
1170	A	5	5	1.	37	0.135
1171	A	8	8	1.	37	0.216
1172	A	9	9	1.	37	0.243
1173	A	7	5	1.	30	0.167
1174	A	6	5	1.	30	0.167
1175	A	5	5	1.	30	0.167
1176	A	4	4	1.	30	0.133
1177	A	5	5	1.	30	0.167
1178	A	6	5	1.	30	0.167
1179	A	7	5	1.	30	0.167
1180	A	7	6	1.	31	0.194
1181	A	6	6	1.	31	0.194
1182	A	5	5	1.	31	0.161
1183	A	5	5	1.	31	0.161
1184	A	6	6	1.	31	0.194
1185	A	7	6	1.	31	0.194
1186	A	8	6	1.	31	0.194
1187	A	8	7	1.	41	0.171
1188	A	7	7	1.	41	0.171
1189	A	6	6	1.	41	0.146
1190	A	6	6	1.	41	0.146
1191	A	6	6	1.	41	0.146
1192	A	7	7	1.	41	0.171

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1193	A	8	7	1.	41	0.171
1194	A	10	9	1.	43	0.209
1195	A	9	9	1.	43	0.209
1196	A	8	8	1.	43	0.186
1197	A	8	8	1.	43	0.186
1198	A	8	8	1.	43	0.186
1199	A	8	8	1.	43	0.186
1200	A	9	9	1.	43	0.209
1201	A	10	9	1.	43	0.209
1202	A	10	9	1.	43	0.209
1203	A	9	8	1.	43	0.186
1204	A	9	8	1.	43	0.186
1205	A	9	9	1.	43	0.209
1206	A	9	8	1.	43	0.186
1207	A	9	8	1.	43	0.186
1208	A	10	9	1.	43	0.209
1209	A	11	9	1.	43	0.209
1210	A	10	8	1.	43	0.186
1211	A	10	8	1.	43	0.186
1212	A	10	9	1.	43	0.209
1213	A	10	9	1.	43	0.209
1214	A	10	8	1.	43	0.186
1215	A	10	8	1.	43	0.186
1216	A	11	9	1.	43	0.209
1217	A	8	6	1.	43	0.14
1218	A	7	6	1.	43	0.14
1219	A	6	6	1.	43	0.14
1220	A	5	5	1.	43	0.116
1221	A	6	6	1.	43	0.14
1222	A	7	6	1.	43	0.14
1223	A	8	6	1.	43	0.14
1224	A	9	7	1.	43	0.163

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1225	A	8	7	1.	43	0.163
1226	A	7	7	1.	43	0.163
1227	A	6	6	1.	43	0.14
1228	A	6	6	1.	43	0.14
1229	A	7	7	1.	43	0.163
1230	A	8	7	1.	43	0.163
1231	A	9	7	1.	43	0.163
1232	A	9	7	1.	43	0.163
1233	A	8	7	1.	43	0.163
1234	A	7	6	1.	43	0.14
1235	A	7	7	1.	43	0.163
1236	A	7	6	1.	43	0.14
1237	A	8	7	1.	43	0.163
1238	A	9	7	1.	43	0.163
1239	A	9	7	1.	43	0.163
1240	A	8	6	1.	43	0.14
1241	A	8	7	1.	43	0.163
1242	A	8	7	1.	43	0.163
1243	A	8	6	1.	43	0.14
1244	A	9	7	1.	43	0.163
1245	A	6	5	1.	45	0.111
1246	A	5	5	1.	45	0.111
1247	A	4	4	1.	45	0.089
1248	A	5	5	1.	45	0.111
1249	A	5	5	1.	45	0.111
1250	A	5	5	1.	45	0.111
1251	A	6	6	1.	45	0.133
1252	A	7	6	1.	45	0.133
1253	A	7	6	1.	45	0.133
1254	A	6	6	1.	45	0.133
1255	A	5	5	1.	45	0.111
1256	A	6	6	1.	45	0.133

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1257	A	6	6	1.	45	0.133
1258	A	6	6	1.	45	0.133
1259	A	6	6	1.	45	0.133
1260	A	7	7	1.	45	0.156
1261	A	8	7	1.	45	0.156
1262	A	8	6	1.	45	0.133
1263	A	7	6	1.	45	0.133
1264	A	6	5	1.	45	0.111
1265	A	7	6	1.	45	0.133
1266	A	7	7	1.	45	0.156
1267	A	7	6	1.	45	0.133
1268	A	7	6	1.	45	0.133
1269	A	7	6	1.	45	0.133
1270	A	8	7	1.	45	0.156
1271	A	9	7	1.	45	0.156
1272	A	7	6	1.	45	0.133
1273	A	6	6	1.	45	0.133
1274	A	5	5	1.	45	0.111
1275	A	7	7	1.	45	0.156
1276	A	7	7	1.	45	0.156
1277	A	8	8	1.	45	0.178
1278	A	9	8	1.	45	0.178
1279	A	7	7	1.	54	0.13
1280	A	7	6	1.	45	0.133
1281	A	6	6	1.	45	0.133
1282	A	5	5	1.	45	0.111
1283	A	7	7	1.	45	0.156
1284	A	8	8	1.	45	0.178
1285	A	9	8	1.	45	0.178
1286	A	8	7	1.	45	0.156
1287	A	7	7	1.	45	0.156
1288	A	6	6	1.	45	0.133

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1289	A	5	5	1.	45	0.111
1290	A	8	8	1.	45	0.178
1291	A	9	9	1.	45	0.2
1292	A	8	7	1.	41	0.171
1293	A	7	7	1.	41	0.171
1294	A	6	6	1.	41	0.146
1295	A	6	6	1.	41	0.146
1296	A	6	6	1.	41	0.146
1297	A	7	7	1.	41	0.171
1298	A	8	7	1.	41	0.171
1299	A	8	8	1.	43	0.186
1300	A	7	7	1.	43	0.163
1301	A	7	7	1.	43	0.163
1302	A	7	7	1.	43	0.163
1303	A	7	7	1.	43	0.163
1304	A	8	8	1.	43	0.186
1305	A	9	8	1.	43	0.186
1306	A	8	7	1.	43	0.163
1307	A	8	8	1.	43	0.186
1308	A	8	7	1.	43	0.163
1309	A	8	7	1.	43	0.163
1310	A	8	7	1.	43	0.163
1311	A	9	8	1.	43	0.186
1312	A	9	7	1.	43	0.163
1313	A	9	8	1.	43	0.186
1314	A	9	8	1.	43	0.186
1315	A	9	7	1.	43	0.163
1316	A	9	7	1.	43	0.163
1317	A	9	7	1.	43	0.163
1318	A	8	7	1.	43	0.163
1319	A	7	7	1.	43	0.163
1320	A	6	6	1.	43	0.14

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1321	A	7	7	1.	43	0.163
1322	A	8	7	1.	43	0.163
1323	A	9	7	1.	43	0.163
1324	A	8	8	1.	43	0.186
1325	A	7	7	1.	43	0.163
1326	A	7	7	1.	43	0.163
1327	A	8	7	1.	43	0.163
1328	A	9	7	1.	43	0.163
1329	A	9	8	1.	43	0.186
1330	A	8	7	1.	43	0.163
1331	A	8	8	1.	43	0.186
1332	A	8	7	1.	43	0.163
1333	A	9	7	1.	43	0.163
1334	A	12	10	1.	45	0.222
1335	A	11	10	1.	45	0.222
1336	A	10	10	1.	45	0.222
1337	A	13	13	1.	45	0.289
1338	A	13	13	1.	45	0.289
1339	A	14	14	1.	45	0.311
1340	A	15	14	1.	45	0.311
1341	A	12	10	1.	45	0.222
1342	A	11	10	1.	45	0.222
1343	A	14	13	1.	45	0.289
1344	A	14	14	1.	45	0.311
1345	A	14	13	1.	45	0.289
1346	A	15	14	1.	45	0.311
1347	A	16	14	1.	45	0.311
1348	A	13	10	1.	45	0.222
1349	A	12	10	1.	45	0.222
1350	A	15	13	1.	45	0.289
1351	A	15	14	1.	45	0.311
1352	A	15	14	1.	45	0.311

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1353	A	15	13	1.	45	0.289
1354	A	16	14	1.	45	0.311
1355	A	17	14	1.	45	0.311
1356	A	11	9	1.	45	0.2
1357	A	10	9	1.	45	0.2
1358	A	9	9	1.	45	0.2
1359	A	12	12	1.	45	0.267
1360	A	13	13	1.	45	0.289
1361	A	14	13	1.	45	0.289
1362	A	13	13	1.	54	0.241
1363	A	11	10	1.	45	0.222
1364	A	10	10	1.	45	0.222
1365	A	9	9	1.	45	0.2
1366	A	13	13	1.	45	0.289
1367	A	14	14	1.	45	0.311
1368	A	12	10	1.	45	0.222
1369	A	11	10	1.	45	0.222
1370	A	10	9	1.	45	0.2
1371	A	10	10	1.	45	0.222
1372	A	14	13	1.	45	0.289
1373	A	15	14	1.	45	0.311

Chapter 3

Listing of integrals

3.1
$$\int \sec^2(c+dx) \sqrt[3]{b \sec(c+dx)} (A + C \sec^2(c+dx)) dx$$

Optimal. Leaf size=95

$$\frac{3(10A + 7C) \sin(c + dx) (b \sec(c + dx))^{4/3} \text{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \cos^2(c + dx)\right)}{40bd \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx) (b \sec(c + dx))^{7/3}}{10b^2d}$$

[Out] (3*(10*A + 7*C)*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(40*b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(7/3)*Tan[c + d*x])/(10*b^2*d)

Rubi [A] time = 0.0801958, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3(10A + 7C) \sin(c + dx) (b \sec(c + dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right)}{40bd \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx) (b \sec(c + dx))^{7/3}}{10b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2),x]

[Out] (3*(10*A + 7*C)*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(40*b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c +

$$d*x])^{(7/3)*\text{Tan}[c + d*x]}/(10*b^2*d)$$

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n-1)*((Sin[c + d*x]/b)^(n-1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n+1)*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d*x]^2])/(b*d*(n+1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{7/3} (A + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{3C(b \sec(c + dx))^{7/3} \tan(c + dx)}{10b^2d} + \frac{(10A + 7C) \int (b \sec(c + dx))^{7/3} dx}{10b^2} \\ &= \frac{3C(b \sec(c + dx))^{7/3} \tan(c + dx)}{10b^2d} + \frac{\left((10A + 7C) \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right)}{10b^2} \\ &= \frac{3(10A + 7C) {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{4/3} \sin(c + dx)}{40bd \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 2.09117, size = 189, normalized size = 1.99

$$\frac{3\sqrt[3]{b \sec(c+dx)} (A + C \sec^2(c+dx)) \left(\sin(c+dx) \sec^{\frac{10}{3}}(c+dx) ((10A+7C) \cos(2(c+dx)) + 5(2A+3C)) - 2i\sqrt[3]{2}(10A+7C) \right)}{40d \sec^{\frac{7}{3}}(c+dx) (A \cos(2(c+dx)) + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (3*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2)*((-2*I)*2^(1/3)*(10*A + 7*C)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(1 + E^((2*I)*(c + d*x))))^(1/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))] + (5*(2*A + 3*C) + (10*A + 7*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^(10/3)*Sin[c + d*x])/ (40*d*(A + 2*C + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/3))

Maple [F] time = 0.135, size = 0, normalized size = 0.

$$\int (\sec(dx+c))^2 \sqrt[3]{b \sec(dx+c)} (A + C (\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A) (b \sec(dx+c))^{\frac{1}{3}} \sec(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^4 + A \sec(dx + c)^2\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)*(b*sec(d*x + c))^(1/3), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(b*sec(d*x+c))**(1/3)*(A+C*sec(d*x+c)**2),x)

[Out] Integral((b*sec(c + d*x))**(1/3)*(A + C*sec(c + d*x)**2)*sec(c + d*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^2, x)

3.2 $\int \sec(c+dx) \sqrt[3]{b \sec(c+dx)} (A + C \sec^2(c+dx)) dx$

Optimal. Leaf size=92

$$\frac{3(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c + dx)\right)}{7d \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx) (b \sec(c + dx))^4}{7bd}$$

[Out] (3*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*b*d)

Rubi [A] time = 0.0801193, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right)}{7d \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx) (b \sec(c + dx))^4}{7bd}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (3*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*b*d)

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] :> Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_)] + (f_)*(x_)]*(b_)^(m_)*(csc[(e_)] + (f_)*(x_)]^2*(C_ + (A_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx}{b} \\ &= \frac{3C(b \sec(c + dx))^{4/3} \tan(c + dx)}{7bd} + \frac{(7A + 4C) \int (b \sec(c + dx))^{4/3} dx}{7b} \\ &= \frac{3C(b \sec(c + dx))^{4/3} \tan(c + dx)}{7bd} + \frac{\left((7A + 4C) \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right)}{7b} \\ &= \frac{3(7A + 4C) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{7d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 1.50716, size = 185, normalized size = 2.01

$$\frac{3ie^{i(c+dx)} \cos^3(c + dx) (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) \left((7A + 4C) (1 + e^{2i(c+dx)})^{7/3} \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{2}{3}, \frac{5}{3}, -E^{((2*I)*(c + d*x))}\right) \right)}{7bd (1 + e^{2i(c+dx)})^2 (A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (((3*I)/7)*E^(I*(c + d*x))*Cos[c + d*x]^3*(-14*A*(1 + E^((2*I)*(c + d*x)))^2 - 4*C*(1 + 5*E^((2*I)*(c + d*x))) + 2*E^((4*I)*(c + d*x)))) + (7*A + 4*C)*(1 + E^((2*I)*(c + d*x)))^(7/3)*Hypergeometric2F1[1/3, 2/3, 5/3, -E^((2*I)*(c + d*x))])*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2)/(b*d*(1 + E^((2*I)*(c + d*x)))^2*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [F] time = 0.134, size = 0, normalized size = 0.

$$\int \sec(dx + c) \sqrt[3]{b \sec(dx + c)} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

[Out] `int(sec(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^3 + A \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^3 + A*sec(d*x + c))*(b*sec(d*x + c))^(1/3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))**(1/3)*(A+C*sec(d*x+c)**2),x)

[Out] Integral((b*sec(c + d*x))**(1/3)*(A + C*sec(c + d*x)**2)*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c), x)

3.3 $\int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=88

$$\frac{3C \tan(c + dx) \sqrt[3]{b \sec(c + dx)}}{4d} - \frac{3b(4A + C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c + dx)\right)}{8d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{2/3}}$$

[Out] $(-3*b*(4*A + C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/((8*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Tan}[c + d*x]))/(4*d)$

Rubi [A] time = 0.0641493, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {4046, 3772, 2643}

$$\frac{3C \tan(c + dx) \sqrt[3]{b \sec(c + dx)}}{4d} - \frac{3b(4A + C) \sin(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{8d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(b*\operatorname{Sec}[c + d*x])^{1/3}*(A + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b*(4*A + C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/((8*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Tan}[c + d*x]))/(4*d)$

Rule 4046

$\operatorname{Int}[(\operatorname{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\operatorname{csc}[e_.] + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> -\operatorname{Simp}[(C*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \operatorname{Dist}[(C*m + A*(m + 1))/(m + 1), \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^m, x], x] /; \operatorname{FreeQ}\{b, e, f, A, C, m\}, x] \&\& \operatorname{NeQ}[C*m + A*(m + 1), 0] \&\& !\operatorname{LeQ}[m, -1]$

Rule 3772

$\operatorname{Int}[(\operatorname{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_.)}, x_Symbol] :> \operatorname{Simp}[(b*\operatorname{Csc}[c + d*x])^{(n - 1)}*((\operatorname{Sin}[c + d*x]/b)^{(n - 1)}*\operatorname{Int}[1/(\operatorname{Sin}[c + d*x]/b)^n, x]), x] /; \operatorname{FreeQ}\{b, c, d, n\}, x] \&\& !\operatorname{IntegerQ}[n]$

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{3C \sqrt[3]{b \sec(c + dx)} \tan(c + dx)}{4d} + \frac{1}{4}(4A + C) \int \sqrt[3]{b \sec(c + dx)} dx \\ &= \frac{3C \sqrt[3]{b \sec(c + dx)} \tan(c + dx)}{4d} + \frac{1}{4} \left((4A + C) \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right. \\ &= \frac{3(4A + C) \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{8d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 1.17849, size = 162, normalized size = 1.84

$$\frac{3 \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) \left(C \sin(c + dx) \sec^{\frac{4}{3}}(c + dx) - i \sqrt[3]{2} (4A + C) \sqrt[3]{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt[3]{1+e^{2i(c+dx)}} \text{Hypergeometric} \right)}{2d \sec^{\frac{7}{3}}(c + dx) (A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (3*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2)*((-I)*2^(1/3)*(4*A + C)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(1 + E^((2*I)*(c + d*x))))^(1/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))] + C*Sec[c + d*x]^4/3*Sin[c + d*x])/(2*d*(A + 2*C + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/3))

Maple [F] time = 0.119, size = 0, normalized size = 0.

$$\int \sqrt[3]{b \sec(dx + c)} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

[Out] `int((b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + A\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))**(1/3)*(A+C*sec(d*x+c)**2),x)`

[Out] `Integral((b*sec(c + d*x))**(1/3)*(A + C*sec(c + d*x)**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3), x)`

3.4 $\int \cos(c+dx) \sqrt[3]{b \sec(c+dx)} (A + C \sec^2(c+dx)) dx$

Optimal. Leaf size=89

$$\frac{3bC \tan(c+dx)}{d(b \sec(c+dx))^{2/3}} - \frac{3b^2(A-2C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{5/3}}$$

[Out] $(-3*b^2*(A - 2*C)*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*C*\operatorname{Tan}[c + d*x])/(d*(b*\operatorname{Sec}[c + d*x])^{2/3})$

Rubi [A] time = 0.0874223, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3bC \tan(c+dx)}{d(b \sec(c+dx))^{2/3}} - \frac{3b^2(A-2C) \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{5/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]*(b*\operatorname{Sec}[c + d*x])^{1/3}*(A + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b^2*(A - 2*C)*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*C*\operatorname{Tan}[c + d*x])/(d*(b*\operatorname{Sec}[c + d*x])^{2/3})$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{b, n\}, x \ \&\& \operatorname{IntegerQ}[m]$

Rule 4046

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*))^{(m_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*) + (A_*)), x_Symbol] \rightarrow -\operatorname{Simp}[(C*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^m)/(f*(m+1)), x] + \operatorname{Dist}[(C*m + A*(m+1))/(m+1), \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^m, x], x] /; \operatorname{FreeQ}\{b, e, f, A, C, m\}, x \ \&\& \operatorname{NeQ}[C*m + A*(m+1), 0] \ \&\& \operatorname{!LeQ}[m, -1]$

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= b \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{2/3}} dx \\ &= \frac{3bC \tan(c + dx)}{d(b \sec(c + dx))^{2/3}} + (b(A - 2C)) \int \frac{1}{(b \sec(c + dx))^{2/3}} dx \\ &= \frac{3bC \tan(c + dx)}{d(b \sec(c + dx))^{2/3}} + \left(b(A - 2C) \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right) \\ &= \frac{3(A - 2C) \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)}}{5d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.137783, size = 93, normalized size = 1.04

$$\frac{3\sqrt{-\tan^2(c + dx)} \cot(c + dx) (b \sec(c + dx))^{4/3} \left(2A \cos^2(c + dx) \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \sec^2(c + dx)\right) - C \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \sec^2(c + dx)\right] \right)}{4bd}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (-3*Cot[c + d*x]*(2*A*Cos[c + d*x]^2*Hypergeometric2F1[-1/3, 1/2, 2/3, Sec[
c + d*x]^2] - C*Hypergeometric2F1[1/2, 2/3, 5/3, Sec[c + d*x]^2])*(b*Sec[c
+ d*x])^(4/3)*Sqrt[-Tan[c + d*x]^2])/(4*b*d)
```


Maple [F] time = 0.199, size = 0, normalized size = 0.

$$\int \cos(dx + c) \sqrt[3]{b \sec(dx + c)} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

[Out] `int(cos(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*cos(d*x + c), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))*(b*sec(d*x + c))^(1/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))**(1/3)*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*cos(d*x + c), x)`

3.5 $\int \cos^2(c+dx) \sqrt[3]{b \sec(c+dx)} (A + C \sec^2(c+dx)) dx$

Optimal. Leaf size=93

$$\frac{3Ab^2 \tan(c+dx)}{5d(b \sec(c+dx))^{5/3}} - \frac{3b(2A+5C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c+dx)\right)}{10d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

[Out] $(-3*b*(2*A + 5*C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (10*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b^2*\operatorname{Tan}[c + d*x]) / (5*d*(b*\operatorname{Sec}[c + d*x])^{5/3})$

Rubi [A] time = 0.104483, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {16, 4045, 3772, 2643}

$$\frac{3Ab^2 \tan(c+dx)}{5d(b \sec(c+dx))^{5/3}} - \frac{3b(2A+5C) \sin(c+dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{10d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^2*(b*\operatorname{Sec}[c + d*x])^{1/3}*(A + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b*(2*A + 5*C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (10*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b^2*\operatorname{Tan}[c + d*x]) / (5*d*(b*\operatorname{Sec}[c + d*x])^{5/3})$

Rule 16

$\operatorname{Int}[(u_*)*(v_)^{(m_*)}*((b_)*(v_))^{(n_)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{b, n\}, x] \ \&\& \ \operatorname{IntegerQ}[m]$

Rule 4045

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_)]*(b_))^{(m_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_)]^2*(C_*) + (A_*)), x_Symbol] \rightarrow \operatorname{Simp}[(A*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^m)/(f*m), x] + \operatorname{Dist}[(C*m + A*(m + 1))/(b^2*m), \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^{(m + 2)}, x], x] /; \operatorname{FreeQ}\{b, e, f, A, C\}, x] \ \&\& \ \operatorname{NeQ}[C*m + A*(m + 1), 0] \ \&\& \ \operatorname{LeQ}[m, -1]$

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= b^2 \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{5/3}} dx \\
 &= \frac{3Ab^2 \tan(c + dx)}{5d(b \sec(c + dx))^{5/3}} + \frac{1}{5}(2A + 5C) \int \sqrt[3]{b \sec(c + dx)} dx \\
 &= \frac{3Ab^2 \tan(c + dx)}{5d(b \sec(c + dx))^{5/3}} + \frac{1}{5} \left((2A + 5C) \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right. \\
 &\quad \left. - \frac{3(2A + 5C) \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)}}{10d \sqrt{\sin^2(c + dx)}} \right)
 \end{aligned}$$

Mathematica [A] time = 0.10182, size = 89, normalized size = 0.96

$$\frac{3\sqrt{-\tan^2(c + dx)} \cot(c + dx) \sqrt[3]{b \sec(c + dx)} \left(A \cos^2(c + dx) \text{Hypergeometric2F1}\left(-\frac{5}{6}, \frac{1}{2}, \frac{1}{6}, \sec^2(c + dx)\right) - 5C \text{Hypergeometric2F1}\left[\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c + dx)\right] \right) (b \sec(c + dx))^{1/3} \sqrt{-\tan^2(c + dx)}}{5d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^2*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-3*Cot[c + d*x]*(A*Cos[c + d*x]^2*Hypergeometric2F1[-5/6, 1/2, 1/6, Sec[c
+ d*x]^2] - 5*C*Hypergeometric2F1[1/6, 1/2, 7/6, Sec[c + d*x]^2])*(b*Sec[c
+ d*x])^(1/3)*Sqrt[-Tan[c + d*x]^2])/(5*d)
```

Maple [F] time = 0.311, size = 0, normalized size = 0.

$$\int (\cos(dx + c))^2 \sqrt[3]{b \sec(dx + c)} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

[Out] `int(cos(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*cos(d*x + c)^2, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^2 \sec(dx + c)^2 + A \cos(dx + c)^2\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)*(b*sec(d*x + c))^(1/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(b*sec(d*x+c))**(1/3)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*cos(d*x + c)^2, x)

3.6 $\int \sec^2(c+dx)(b \sec(c+dx))^{4/3} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=95

$$\frac{3(13A + 10C) \sin(c + dx)(b \sec(c + dx))^{7/3} \text{Hypergeometric2F1}\left(-\frac{7}{6}, \frac{1}{2}, -\frac{1}{6}, \cos^2(c + dx)\right)}{91bd\sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)(b \sec(c + dx))^{10/3}}{13b^2d}$$

[Out] (3*(13*A + 10*C)*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x]/(91*b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(10/3)*Tan[c + d*x])/(13*b^2*d)

Rubi [A] time = 0.0857016, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3(13A + 10C) \sin(c + dx)(b \sec(c + dx))^{7/3} {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c + dx)\right)}{91bd\sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)(b \sec(c + dx))^{10/3}}{13b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (3*(13*A + 10*C)*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x]/(91*b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(10/3)*Tan[c + d*x])/(13*b^2*d)

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{10/3} (A + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{3C(b \sec(c + dx))^{10/3} \tan(c + dx)}{13b^2d} + \frac{(13A + 10C) \int (b \sec(c + dx))^{10/3} dx}{13b^2} \\ &= \frac{3C(b \sec(c + dx))^{10/3} \tan(c + dx)}{13b^2d} + \frac{(13A + 10C) \sqrt[3]{\frac{\cos(c + dx)}{b}}}{13b^2} \\ &= \frac{3C(b \sec(c + dx))^{10/3} \tan(c + dx)}{13b^2d} + \frac{3b(13A + 10C) {}_2F_1\left(-\frac{7}{6}, \frac{2}{3}; \frac{5}{3}; -\frac{\cos(c + dx)}{b}\right)}{13b^2d} \end{aligned}$$

Mathematica [C] time = 1.74144, size = 236, normalized size = 2.48

$$\frac{12ie^{i(c+dx)} \cos^3(c + dx)(b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) \left((13A + 10C) (1 + e^{2i(c+dx)})^{13/3} \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{2}{3}, \frac{5}{3}, -E^{((2*I)*(c + d*x))}\right) \right)}{91d(1 + e^{2i(c+dx)})^4 (A + C \sec^2(c + dx))^{5/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^2*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (((12*I)/91)*E^(I*(c + d*x))*Cos[c + d*x]^3*(-13*A*(1 + E^((2*I)*(c + d*x))
)^2*(1 + 5*E^((2*I)*(c + d*x))) + 2*E^((4*I)*(c + d*x))) - 2*C*(5 + 21*E^((2
*I)*(c + d*x))) + 79*E^((4*I)*(c + d*x))) + 45*E^((6*I)*(c + d*x))) + 10*E^((8
*I)*(c + d*x))) + (13*A + 10*C)*(1 + E^((2*I)*(c + d*x)))^(13/3)*Hypergeome
tric2F1[1/3, 2/3, 5/3, -E^((2*I)*(c + d*x))])*(b*Sec[c + d*x])^(4/3)*(A + C
*Sec[c + d*x]^2))/(d*(1 + E^((2*I)*(c + d*x)))^4*(A + 2*C + A*Cos[2*(c + d*
```


x)))]))

Maple [F] time = 0.136, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (b \sec(dx + c))^{\frac{4}{3}} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)

[Out] int(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx + c)^5 + Ab \sec(dx + c)^3\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^5 + A*b*sec(d*x + c)^3)*(b*sec(d*x + c))^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(b*sec(d*x+c))**(4/3)*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(4/3)*sec(d*x + c)^2, x)`

3.7 $\int \sec(c+dx)(b \sec(c+dx))^{4/3} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=92

$$\frac{3(10A + 7C) \sin(c + dx)(b \sec(c + dx))^{4/3} \text{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \cos^2(c + dx)\right)}{40d\sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)(b \sec(c + dx))^{7/3}}{10bd}$$

[Out] (3*(10*A + 7*C)*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x]/(40*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(7/3)*Tan[c + d*x])/(10*b*d)

Rubi [A] time = 0.0804184, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3(10A + 7C) \sin(c + dx)(b \sec(c + dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right)}{40d\sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)(b \sec(c + dx))^{7/3}}{10bd}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (3*(10*A + 7*C)*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x]/(40*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(7/3)*Tan[c + d*x])/(10*b*d)

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] :> Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{7/3} (A + C \sec^2(c + dx)) dx}{b} \\ &= \frac{3C(b \sec(c + dx))^{7/3} \tan(c + dx)}{10bd} + \frac{(10A + 7C) \int (b \sec(c + dx))^{4/3} dx}{10b} \\ &= \frac{3C(b \sec(c + dx))^{7/3} \tan(c + dx)}{10bd} + \frac{(10A + 7C) \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b}}{10b} \\ &= \frac{3(10A + 7C) {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{4/3} \sin(c + dx)}{40d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 2.5108, size = 192, normalized size = 2.09

$$\frac{3(b \sec(c + dx))^{7/3} (A + C \sec^2(c + dx)) \left(\sin(c + dx) \sec^{10/3}(c + dx) ((10A + 7C) \cos(2(c + dx)) + 5(2A + 3C)) - 2i\sqrt[3]{2}(10A + 7C) \right)}{40bd \sec^{13/3}(c + dx) (A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (3*(b*Sec[c + d*x])^(7/3)*(A + C*Sec[c + d*x]^2)*((-2*I)*2^(1/3)*(10*A + 7*
C)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(1 + E^((2*I)*(c + d*x)
)))^(1/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))]) + (5*(2*A
+ 3*C) + (10*A + 7*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^(10/3)*Sin[c + d*x])/
(40*b*d*(A + 2*C + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(13/3))
```

Maple [F] time = 0.136, size = 0, normalized size = 0.

$$\int \sec(dx + c) (b \sec(dx + c))^{\frac{4}{3}} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)

[Out] int(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx + c)^4 + Ab \sec(dx + c)^2\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^4 + A*b*sec(d*x + c)^2)*(b*sec(d*x + c))^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))**(4/3)*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(4/3)*sec(d*x + c), x)`

3.8 $\int (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=90

$$\frac{3b(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c + dx)\right)}{7d \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)(b \sec(c + dx))}{7d}$$

[Out] (3*b*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*d)

Rubi [A] time = 0.0838983, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {4046, 3772, 2643}

$$\frac{3b(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right)}{7d \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)(b \sec(c + dx))^{4/3}}{7d}$$

Antiderivative was successfully verified.

[In] Int[(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (3*b*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*d)

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx &= \frac{3C(b \sec(c + dx))^{4/3} \tan(c + dx)}{7d} + \frac{1}{7}(7A + 4C) \int (b \sec(c + dx))^{4/3} dx \\ &= \frac{3C(b \sec(c + dx))^{4/3} \tan(c + dx)}{7d} + \frac{1}{7} \left((7A + 4C) \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right. \\ &= \frac{3b(7A + 4C) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{7d \sqrt{\sin^2(c + dx)}} + \frac{3C}{7d} \end{aligned}$$

Mathematica [C] time = 1.03609, size = 182, normalized size = 2.02

$$\frac{3ie^{i(c+dx)} \cos^3(c + dx) (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) \left((7A + 4C) (1 + e^{2i(c+dx)})^{7/3} \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{2}{3}, \frac{5}{3}, -E^{((2*I)*(c + d*x))}\right) \right)}{7d (1 + e^{2i(c+dx)})^2 (A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (((3*I)/7)*E^(I*(c + d*x))*Cos[c + d*x]^3*(-14*A*(1 + E^((2*I)*(c + d*x)))^2 - 4*C*(1 + 5*E^((2*I)*(c + d*x)) + 2*E^((4*I)*(c + d*x))) + (7*A + 4*C)*(1 + E^((2*I)*(c + d*x)))^(7/3)*Hypergeometric2F1[1/3, 2/3, 5/3, -E^((2*I)*(c + d*x))])*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2))/(d*(1 + E^((2*I)*(c + d*x)))^2*(A + 2*C + A*Cos[2*(c + d*x)]))
```

Maple [F] time = 0.119, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^{4/3} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)`

[Out] `int((b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx + c)^3 + Ab \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*b*sec(d*x + c)^3 + A*b*sec(d*x + c))*(b*sec(d*x + c))^(1/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))**(4/3)*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(4/3), x)
```

3.9 $\int \cos(c+dx)(b \sec(c+dx))^{4/3} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=91

$$\frac{3bC \tan(c + dx) \sqrt[3]{b \sec(c + dx)}}{4d} - \frac{3b^2(4A + C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c + dx)\right)}{8d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{2/3}}$$

[Out] $(-3*b^2*(4*A + C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(8*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*C*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Tan}[c + d*x])/(4*d)$

Rubi [A] time = 0.0944594, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3bC \tan(c + dx) \sqrt[3]{b \sec(c + dx)}}{4d} - \frac{3b^2(4A + C) \sin(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{8d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]*(b*\operatorname{Sec}[c + d*x])^{4/3}*(A + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b^2*(4*A + C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(8*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*C*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Tan}[c + d*x])/(4*d)$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{b, n\}, x \} \&\& \operatorname{IntegerQ}[m]$

Rule 4046

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*))^{(m_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*) + (A_*)), x_Symbol] \rightarrow -\operatorname{Simp}[(C*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \operatorname{Dist}[(C*m + A*(m + 1))/(m + 1), \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^m, x], x] /; \operatorname{FreeQ}\{b, e, f, A, C, m\}, x \} \&\& \operatorname{NeQ}[C*m + A*(m + 1), 0] \&\& !\operatorname{LeQ}[m, -1]$

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx &= b \int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx \\
 &= \frac{3bC \sqrt[3]{b \sec(c + dx)} \tan(c + dx)}{4d} + \frac{1}{4}(b(4A + C)) \int \sqrt[3]{b \sec(c + dx)} dx \\
 &= \frac{3bC \sqrt[3]{b \sec(c + dx)} \tan(c + dx)}{4d} + \frac{1}{4} \left(b(4A + C) \sqrt[3]{\frac{\cos(c + dx)}{b}} \right) \\
 &= -\frac{3b(4A + C) \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)}}{8d \sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 1.05036, size = 163, normalized size = 1.79

$$\frac{3b \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) \left(C \sin(c + dx) \sec^{\frac{4}{3}}(c + dx) - i \sqrt[3]{2} (4A + C) \sqrt[3]{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt[3]{1 + e^{2i(c+dx)}} \text{Hypergeometric2F1}\left[\frac{1}{3}, \frac{1}{3}, \frac{7}{6}, -E^{\frac{2i(c+dx)}{1+e^{2i(c+dx)}}}\right] \right)}{2d \sec^{\frac{7}{3}}(c + dx) (A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (3*b*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2)*((-I)*2^(1/3)*(4*A + C)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(1 + E^((2*I)*(c + d*x))))^(1/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))]) + C*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*Sin[c + d*x])/(2*d*(A + 2*C + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/3))

Maple [F] time = 0.23, size = 0, normalized size = 0.

$$\int \cos(dx + c) (b \sec(dx + c))^{\frac{4}{3}} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2), x)

[Out] int(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \cos(dx + c) \sec(dx + c)^3 + Ab \cos(dx + c) \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*b*cos(d*x + c)*sec(d*x + c)^3 + A*b*cos(d*x + c)*sec(d*x + c))* (b*sec(d*x + c))^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))**(4/3)*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c), x)`

3.10 $\int \cos^2(c+dx)(b \sec(c+dx))^{4/3} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=91

$$\frac{3b^2C \tan(c+dx)}{d(b \sec(c+dx))^{2/3}} - \frac{3b^3(A-2C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{5/3}}$$

[Out] $(-3*b^3*(A - 2*C)*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b^2*C*\operatorname{Tan}[c + d*x]) / (d*(b*\operatorname{Sec}[c + d*x])^{2/3})$

Rubi [A] time = 0.115196, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3b^2C \tan(c+dx)}{d(b \sec(c+dx))^{2/3}} - \frac{3b^3(A-2C) \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{5/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^2*(b*\operatorname{Sec}[c + d*x])^{4/3}*(A + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b^3*(A - 2*C)*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b^2*C*\operatorname{Tan}[c + d*x]) / (d*(b*\operatorname{Sec}[c + d*x])^{2/3})$

Rule 16

$\operatorname{Int}[(u_*)*(v_)^{(m_*)}*((b_)*(v_))^{(n_)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_)]*(b_))^{(m_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_)]^2*(C_*) + (A_*)), x_Symbol] \rightarrow -\operatorname{Simp}[(C*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^m)/(f*(m+1)), x] + \operatorname{Dist}[(C*m + A*(m+1))/(m+1), \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^m, x], x] /;$ FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m+1), 0] && !LeQ[m, -1]

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx &= b^2 \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{2/3}} dx \\ &= \frac{3b^2 C \tan(c + dx)}{d(b \sec(c + dx))^{2/3}} + (b^2(A - 2C)) \int \frac{1}{(b \sec(c + dx))^{2/3}} dx \\ &= \frac{3b^2 C \tan(c + dx)}{d(b \sec(c + dx))^{2/3}} + \left(b^2(A - 2C) \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right) \\ &= \frac{3b(A - 2C) \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)}}{5d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.130123, size = 90, normalized size = 0.99

$$\frac{3\sqrt{-\tan^2(c + dx)} \cot(c + dx)(b \sec(c + dx))^{4/3} \left(2A \cos^2(c + dx) \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \sec^2(c + dx)\right) - C \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \sec^2(c + dx)\right] \right) (b \sec(c + dx))^{4/3} \sqrt{-\tan^2(c + dx)}}{4d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^2*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-3*Cot[c + d*x]*(2*A*Cos[c + d*x]^2*Hypergeometric2F1[-1/3, 1/2, 2/3, Sec[
c + d*x]^2] - C*Hypergeometric2F1[1/2, 2/3, 5/3, Sec[c + d*x]^2])*(b*Sec[c
+ d*x])^(4/3)*Sqrt[-Tan[c + d*x]^2])/(4*d)
```


Maple [F] time = 0.313, size = 0, normalized size = 0.

$$\int (\cos(dx + c))^2 (b \sec(dx + c))^{\frac{4}{3}} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)`

[Out] `int(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c)^2, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \cos(dx + c)^2 \sec(dx + c)^3 + Ab \cos(dx + c)^2 \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*b*cos(d*x + c)^2*sec(d*x + c)^3 + A*b*cos(d*x + c)^2*sec(d*x + c))*(b*sec(d*x + c))^(1/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(b*sec(d*x+c))**(4/3)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c)^2, x)

$$3.11 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$$

Optimal. Leaf size=95

$$\frac{3(8A + 5C) \sin(c + dx)(b \sec(c + dx))^{2/3} \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c + dx)\right)}{16bd\sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)(b \sec(c + dx))^{5/3}}{8b^2d}$$

[Out] (3*(8*A + 5*C)*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(16*b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(5/3)*Tan[c + d*x])/(8*b^2*d)

Rubi [A] time = 0.0868797, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3(8A + 5C) \sin(c + dx)(b \sec(c + dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{16bd\sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)(b \sec(c + dx))^{5/3}}{8b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(1/3), x]

[Out] (3*(8*A + 5*C)*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(16*b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(5/3)*Tan[c + d*x])/(8*b^2*d)

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] :> Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx) (A + C \sec^2(c + dx))}{\sqrt[3]{b \sec(c + dx)}} dx &= \frac{\int (b \sec(c + dx))^{5/3} (A + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{3C(b \sec(c + dx))^{5/3} \tan(c + dx)}{8b^2 d} + \frac{(8A + 5C) \int (b \sec(c + dx))^{5/3} dx}{8b^2} \\ &= \frac{3C(b \sec(c + dx))^{5/3} \tan(c + dx)}{8b^2 d} + \frac{\left((8A + 5C) \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right)}{8b^2} \\ &= \frac{3(8A + 5C) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{16bd \sqrt{\sin^2(c + dx)}} + \frac{3C(b \sec(c + dx))^{5/3} \tan(c + dx)}{8b^2 d} \end{aligned}$$

Mathematica [C] time = 2.72516, size = 207, normalized size = 2.18

$$\frac{3ie^{-i(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{8/3} (A + C \sec^2(c + dx)) \left((8A + 5C) (1 + e^{2i(c+dx)})^{8/3} \text{Hypergeometric2F1} \left(\frac{2}{3}, \frac{5}{6}, \frac{11}{6}, -e^{2i(c+dx)} \right) - 5 \right)}{20 \sqrt[3]{2} d \sec^{5/3}(c + dx) \sqrt[3]{b \sec(c + dx)} (A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x]^(1/3)), x]

[Out] (((3*I)/20)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(8/3)*(-5*(8*A*(1 + E^((2*I)*(c + d*x)))^2 + C*(1 + 14*E^((2*I)*(c + d*x)) + 5*E^((4*I)*(c + d*x)))) + (8*A + 5*C)*(1 + E^((2*I)*(c + d*x)))^(8/3)*Hypergeometric2F1[2/3, 5/6, 11/6, -E^((2*I)*(c + d*x))])*(A + C*Sec[c + d*x]^2))/(2^(1/3)*d*E^(I*

$(c + dx) \cdot (A + 2C + A \cos[2(c + dx)]) \cdot \sec[c + dx]^{5/3} \cdot (b \sec[c + dx])^{1/3}$

Maple [F] time = 0.141, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (A + C (\sec(dx + c))^2) \frac{1}{\sqrt[3]{b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)`

[Out] `int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(1/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^3 + A \sec(dx + c)) (b \sec(dx + c))^{\frac{2}{3}}}{b}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^3 + A*sec(d*x + c))*(b*sec(d*x + c))^(2/3)/b, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(1/3), x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(b*sec(c + d*x))**(1/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(1/3), x)`

$$3.12 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$$

Optimal. Leaf size=92

$$\frac{3C \tan(c+dx)(b \sec(c+dx))^{2/3}}{5bd} - \frac{3(5A+2C) \sin(c+dx) \text{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

[Out] $(-3*(5*A + 2*C)*\text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(5*d*(b*\text{Sec}[c + d*x])^{1/3}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*C*(b*\text{Sec}[c + d*x])^{2/3}*\text{Tan}[c + d*x])/(5*b*d)$

Rubi [A] time = 0.0835011, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3C \tan(c+dx)(b \sec(c+dx))^{2/3}}{5bd} - \frac{3(5A+2C) \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]*(A + C*\text{Sec}[c + d*x]^2))/(b*\text{Sec}[c + d*x])^{1/3}, x]$

[Out] $(-3*(5*A + 2*C)*\text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(5*d*(b*\text{Sec}[c + d*x])^{1/3}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*C*(b*\text{Sec}[c + d*x])^{2/3}*\text{Tan}[c + d*x])/(5*b*d)$

Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n\}, x \} \&\& \text{IntegerQ}[m]$

Rule 4046

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_*)]*(b_*))^{(m_*)}*(\text{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*) + (A_*)), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[(C*m + A*(m+1))/(m+1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{b, e, f, A, C, m\}, x \} \&\& \text{NeQ}[C*m + A*(m+1), 0] \&\& !\text{LeQ}[m, -1]$

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^ (n_), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + C \sec^2(c + dx))}{\sqrt[3]{b \sec(c + dx)}} dx &= \frac{\int (b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx}{b} \\ &= \frac{3C(b \sec(c + dx))^{2/3} \tan(c + dx)}{5bd} + \frac{(5A + 2C) \int (b \sec(c + dx))^{2/3} dx}{5b} \\ &= \frac{3C(b \sec(c + dx))^{2/3} \tan(c + dx)}{5bd} + \frac{\left((5A + 2C) \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right)}{5b} \\ &= \frac{3(5A + 2C) \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{5bd \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 1.25291, size = 168, normalized size = 1.83

$$\frac{3(b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) \left(2C \sin(c + dx) \sec^{\frac{5}{3}}(c + dx) - i 2^{2/3} (5A + 2C) \left(\frac{e^{i(c + dx)}}{1 + e^{2i(c + dx)}} \right)^{2/3} (1 + e^{2i(c + dx)})^{2/3} \operatorname{Hy} \right)}{5bd \sec^{\frac{8}{3}}(c + dx) (A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x]^(1/3), x]

[Out] (3*(b*Sec[c + d*x])^(2/3)*(A + C*Sec[c + d*x]^2)*((-I)*2^(2/3)*(5*A + 2*C)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))]) + 2*C*Sec[c +

$d*x]^{(5/3)*\text{Sin}[c + d*x]})/(5*b*d*(A + 2*C + A*\text{Cos}[2*(c + d*x)])*\text{Sec}[c + d*x]^{(8/3)})$

Maple [F] time = 0.132, size = 0, normalized size = 0.

$$\int \sec(dx + c) (A + C (\sec(dx + c))^2) \frac{1}{\sqrt[3]{b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3), x)`

[Out] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3), x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3), x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)/(b*sec(d*x + c))^(1/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{2}{3}}}{b}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3), x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)/b, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(1/3),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(b*sec(c + d*x))**(1/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)/(b*sec(d*x + c))^(1/3), x)`

$$3.13 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt[3]{b \sec(c+dx)}} dx$$

Optimal. Leaf size=90

$$\frac{3C \tan(c+dx)}{2d \sqrt[3]{b \sec(c+dx)}} - \frac{3b(2A-C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{8d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

[Out] $(-3*b*(2*A - C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(8*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*\operatorname{Tan}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{1/3})$

Rubi [A] time = 0.0739019, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {4046, 3772, 2643}

$$\frac{3C \tan(c+dx)}{2d \sqrt[3]{b \sec(c+dx)}} - \frac{3b(2A-C) \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{8d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + C*\operatorname{Sec}[c + d*x]^2)/(b*\operatorname{Sec}[c + d*x])^{1/3}, x]$

[Out] $(-3*b*(2*A - C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(8*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*\operatorname{Tan}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{1/3})$

Rule 4046

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(b_.)^{(m_.)}*(\operatorname{csc}[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> -\operatorname{Simp}[(C*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \operatorname{Dist}[(C*m + A*(m + 1))/(m + 1), \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^m, x], x] /;$ Fr eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.)*(x_)]*(b_.)^{(n_.)}, x_Symbol] :> \operatorname{Simp}[(b*\operatorname{Csc}[c + d*x])^{(n-1)}*((\operatorname{Sin}[c + d*x]/b)^{(n-1)}*\operatorname{Int}[1/(\operatorname{Sin}[c + d*x]/b)^n, x]), x] /;$ Fr eeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx &= \frac{3C \tan(c + dx)}{2d \sqrt[3]{b \sec(c + dx)}} + \frac{1}{2}(2A - C) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx \\ &= \frac{3C \tan(c + dx)}{2d \sqrt[3]{b \sec(c + dx)}} + \frac{1}{2} \left((2A - C) \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \int \sqrt[3]{\frac{\cos(c + dx)}{b}} dx \\ &= \frac{3(2A - C) \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{8bd \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)}{2d \sqrt[3]{b \sec(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.724211, size = 127, normalized size = 1.41

$$\frac{3i \left((2A - C) e^{2i(c+dx)} (1 + e^{2i(c+dx)})^{2/3} \text{Hypergeometric2F1}\left(\frac{2}{3}, \frac{5}{6}, \frac{11}{6}, -e^{2i(c+dx)}\right) - 5 (A e^{2i(c+dx)} + A - C e^{2i(c+dx)}) \right)}{5d (1 + e^{2i(c+dx)}) \sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(b*Sec[c + d*x])^(1/3), x]

[Out] (((-3*I)/5)*(-5*(A + A*E^((2*I)*(c + d*x)) - C*E^((2*I)*(c + d*x))) + (2*A - C)*E^((2*I)*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(2/3)*Hypergeometric2F1[2/3, 5/6, 11/6, -E^((2*I)*(c + d*x))]))/(d*(1 + E^((2*I)*(c + d*x)))*(b*Sec[c + d*x])^(1/3))

Maple [F] time = 0.115, size = 0, normalized size = 0.

$$\int (A + C (\sec(dx + c))^2) \frac{1}{\sqrt[3]{b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)`

[Out] `int((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c))^(1/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{2}{3}}}{b \sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)/(b*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(1/3),x)`

[Out] Integral((A + C*sec(c + d*x)**2)/(b*sec(c + d*x))**(1/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c))^(1/3), x)

$$3.14 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$$

Optimal. Leaf size=88

$$\frac{3Ab \tan(c+dx)}{4d(b \sec(c+dx))^{4/3}} - \frac{3(A+4C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

[Out] $(-3*(A + 4*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (4*d*(b*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b*\operatorname{Tan}[c + d*x]) / (4*d*(b*\operatorname{Sec}[c + d*x])^{(4/3)})$

Rubi [A] time = 0.0968436, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4045, 3772, 2643}

$$\frac{3Ab \tan(c+dx)}{4d(b \sec(c+dx))^{4/3}} - \frac{3(A+4C) \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cos}[c + d*x]*(A + C*\operatorname{Sec}[c + d*x]^2))/(b*\operatorname{Sec}[c + d*x])^{(1/3)}, x]$

[Out] $(-3*(A + 4*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (4*d*(b*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b*\operatorname{Tan}[c + d*x]) / (4*d*(b*\operatorname{Sec}[c + d*x])^{(4/3)})$

Rule 16

$\operatorname{Int}[(u_*)(v_)^{(m_*)}((b_*)(v_))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4045

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)(x_)]*(b_...))^{(m_*)}(\operatorname{csc}[(e_*) + (f_*)(x_)]^2*(C_... + (A_...)), x_Symbol] \rightarrow \operatorname{Simp}[(A*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^m)/(f*m), x] + \operatorname{Dist}[(C*m + A*(m + 1))/(b^2*m), \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^{(m+2)}, x], x] /;$ FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + C \sec^2(c + dx))}{\sqrt[3]{b \sec(c + dx)}} dx &= b \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{4/3}} dx \\ &= \frac{3Ab \tan(c + dx)}{4d(b \sec(c + dx))^{4/3}} + \frac{(A + 4C) \int (b \sec(c + dx))^{2/3} dx}{4b} \\ &= \frac{3Ab \tan(c + dx)}{4d(b \sec(c + dx))^{4/3}} + \frac{\left((A + 4C) \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \int \frac{1}{\left(\frac{\cos(c + dx)}{b} \right)^{2/3}}}{4b} \\ &= \frac{3(A + 4C) \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{4bd \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.551716, size = 121, normalized size = 1.38

$$\frac{3ie^{-i(c+dx)} \left(2(A + 4C)e^{2i(c+dx)} (1 + e^{2i(c+dx)})^{2/3} \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{2}{3}, \frac{4}{3}, -e^{2i(c+dx)}\right) + A(-1 + e^{4i(c+dx)}) \right)}{8d(1 + e^{2i(c+dx)}) \sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(1/3), x]

[Out] (((-3*I)/8)*(A*(-1 + E^((4*I)*(c + d*x)))) + 2*(A + 4*C)*E^((2*I)*(c + d*x)) * (1 + E^((2*I)*(c + d*x)))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))]))/(d*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))*(b*Sec[c + d*x])

)^(1/3))

Maple [F] time = 0.184, size = 0, normalized size = 0.

$$\int \cos(dx + c) \left(A + C (\sec(dx + c))^2 \right) \frac{1}{\sqrt[3]{b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)

[Out] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/(b*sec(d*x + c))^(1/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)) (b \sec(dx + c))^{\frac{2}{3}}}{b \sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="fricas")

[Out] `integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))*(b*sec(d*x + c))^(2/3)/(b*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \cos(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(1/3), x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*cos(c + d*x)/(b*sec(c + d*x))**(1/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/(b*sec(d*x + c))^(1/3), x)`

$$3.15 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$$

Optimal. Leaf size=93

$$\frac{3Ab^2 \tan(c+dx)}{7d(b \sec(c+dx))^{7/3}} - \frac{3b(4A+7C) \sin(c+dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{28d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

[Out] $(-3*b*(4*A + 7*C)*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(28*d*(b*\text{Sec}[c + d*x])^{(4/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*A*b^2*\text{Tan}[c + d*x])/(7*d*(b*\text{Sec}[c + d*x])^{(7/3)})$

Rubi [A] time = 0.109311, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {16, 4045, 3772, 2643}

$$\frac{3Ab^2 \tan(c+dx)}{7d(b \sec(c+dx))^{7/3}} - \frac{3b(4A+7C) \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{28d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^2*(A + C*\text{Sec}[c + d*x]^2))/(b*\text{Sec}[c + d*x])^{(1/3)}, x]$

[Out] $(-3*b*(4*A + 7*C)*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(28*d*(b*\text{Sec}[c + d*x])^{(4/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*A*b^2*\text{Tan}[c + d*x])/(7*d*(b*\text{Sec}[c + d*x])^{(7/3)})$

Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4045

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_*)]*(b_*))^{(m_*)}*(\text{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*) + (A_*)), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{(m+2)}, x], x] /;$ FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx) (A + C \sec^2(c + dx))}{\sqrt[3]{b \sec(c + dx)}} dx &= b^2 \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{7/3}} dx \\ &= \frac{3Ab^2 \tan(c + dx)}{7d(b \sec(c + dx))^{7/3}} + \frac{1}{7}(4A + 7C) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx \\ &= \frac{3Ab^2 \tan(c + dx)}{7d(b \sec(c + dx))^{7/3}} + \frac{1}{7} \left((4A + 7C) \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \int \sqrt[3]{\cos^2(c + dx)} dx \\ &= -\frac{3(4A + 7C) \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{28bd \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.107267, size = 89, normalized size = 0.96

$$\frac{3\sqrt{-\tan^2(c + dx) \cot(c + dx)} \left(A \cos^2(c + dx) \text{Hypergeometric2F1}\left(-\frac{7}{6}, \frac{1}{2}, -\frac{1}{6}, \sec^2(c + dx)\right) + 7C \text{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \sec^2(c + dx)\right) \right)}{7d \sqrt[3]{b \sec(c + dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x]^(1/3)), x]

[Out] (-3*Cot[c + d*x]*(A*Cos[c + d*x]^2*Hypergeometric2F1[-7/6, 1/2, -1/6, Sec[c + d*x]^2] + 7*C*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2])*Sqrt[-Tan[c + d*x]^2])/(7*d*(b*Sec[c + d*x]^(1/3)))

Maple [F] time = 0.295, size = 0, normalized size = 0.

$$\int (\cos(dx+c))^2 (A+C(\sec(dx+c))^2) \frac{1}{\sqrt[3]{b \sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)

[Out] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \cos(dx+c)^2}{(b \sec(dx+c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/(b*sec(d*x + c))^(1/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx+c)^2 \sec(dx+c)^2 + A \cos(dx+c)^2) (b \sec(dx+c))^{\frac{2}{3}}}{b \sec(dx+c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)*(b*sec(d*x + c))^(2/3)/(b*sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(1/3),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/(b*sec(d*x + c))^(1/3), x)

$$3.16 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=95

$$\frac{3C \tan(c+dx)(b \sec(c+dx))^{2/3}}{5b^2d} - \frac{3(5A+2C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{5bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

[Out] (-3*(5*A + 2*C)*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d*x]^2]*Sin[c + d*x])/ (5*b*d*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(5*b^2*d)

Rubi [A] time = 0.079406, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3C \tan(c+dx)(b \sec(c+dx))^{2/3}}{5b^2d} - \frac{3(5A+2C) \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{5bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3),x]

[Out] (-3*(5*A + 2*C)*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d*x]^2]*Sin[c + d*x])/ (5*b*d*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(5*b^2*d)

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] :> Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m+1)), x] + Dist[(C*m + A*(m+1))/(m+1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m+1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx) (A + C \sec^2(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\int (b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{3C(b \sec(c + dx))^{2/3} \tan(c + dx)}{5b^2 d} + \frac{(5A + 2C) \int (b \sec(c + dx))^{2/3} dx}{5b^2} \\ &= \frac{3C(b \sec(c + dx))^{2/3} \tan(c + dx)}{5b^2 d} + \frac{\left((5A + 2C) \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right)}{5b^2} \\ &= \frac{3(5A + 2C) \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{5b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.958264, size = 165, normalized size = 1.74

$$\frac{3(A + C \sec^2(c + dx)) \left(2C \sin(c + dx) \sec^{\frac{5}{3}}(c + dx) - i 2^{2/3} (5A + 2C) \left(\frac{e^{i(c + dx)}}{1 + e^{2i(c + dx)}} \right)^{2/3} (1 + e^{2i(c + dx)})^{2/3} \text{Hypergeometric2F1} \right)}{5d \sec^{\frac{2}{3}}(c + dx) (b \sec(c + dx))^{4/3} (A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x]^(4/3), x]

[Out] (3*(A + C*Sec[c + d*x]^2)*((-I)*2^(2/3)*(5*A + 2*C)*(E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(1 + E^((2*I)*(c + d*x)))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))] + 2*C*Sec[c + d*x]^(5/3)*Sin[c + d*x])/((5*d*(A + 2*C + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(2/3)*(b*Sec[c + d*x]))

$^{(4/3)}$

Maple [F] time = 0.14, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (A + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x)

[Out] int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{2}{3}}}{b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)/b^2, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

$$3.17 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=92

$$\frac{3C \tan(c+dx)}{2bd\sqrt[3]{b \sec(c+dx)}} - \frac{3(2A-C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{8d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{4/3}}$$

[Out] (-3*(2*A - C)*Hypergeometric2F1[1/2, 2/3, 5/3, Cos[c + d*x]^2]*Sin[c + d*x])/(8*d*(b*Sec[c + d*x])^(4/3)*Sqrt[Sin[c + d*x]^2]) + (3*C*Tan[c + d*x])/(2*b*d*(b*Sec[c + d*x])^(1/3))

Rubi [A] time = 0.0750487, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4046, 3772, 2643}

$$\frac{3C \tan(c+dx)}{2bd\sqrt[3]{b \sec(c+dx)}} - \frac{3(2A-C) \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{8d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] (-3*(2*A - C)*Hypergeometric2F1[1/2, 2/3, 5/3, Cos[c + d*x]^2]*Sin[c + d*x])/(8*d*(b*Sec[c + d*x])^(4/3)*Sqrt[Sin[c + d*x]^2]) + (3*C*Tan[c + d*x])/(2*b*d*(b*Sec[c + d*x])^(1/3))

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] :> Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + C \sec^2(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx}{b} \\ &= \frac{3C \tan(c + dx)}{2bd \sqrt[3]{b \sec(c + dx)}} + \frac{(2A - C) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx}{2b} \\ &= \frac{3C \tan(c + dx)}{2bd \sqrt[3]{b \sec(c + dx)}} + \frac{\left((2A - C) \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \int \sqrt[3]{\frac{\cos(c + dx)}{b}} dx}{2b} \\ &= -\frac{3(2A - C) \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{8b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.591473, size = 130, normalized size = 1.41

$$\frac{3i \left((2A - C) e^{2i(c + dx)} (1 + e^{2i(c + dx)})^{2/3} \text{Hypergeometric2F1}\left(\frac{2}{3}, \frac{5}{6}, \frac{11}{6}, -e^{2i(c + dx)}\right) - 5 (A e^{2i(c + dx)} + A - C e^{2i(c + dx)}) \right)}{5bd (1 + e^{2i(c + dx)}) \sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] (((-3*I)/5)*(-5*(A + A*E^((2*I)*(c + d*x)) - C*E^((2*I)*(c + d*x)))) + (2*A - C)*E^((2*I)*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(2/3)*Hypergeometric2F1[2/3, 5/6, 11/6, -E^((2*I)*(c + d*x))]))/(b*d*(1 + E^((2*I)*(c + d*x)))*(b*S

$\text{ec}[c + d*x]^{(1/3)}$

Maple [F] time = 0.162, size = 0, normalized size = 0.

$$\int \sec(dx + c) \left(A + C (\sec(dx + c))^2 \right) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)`

[Out] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{2}{3}}}{b^2 \sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3), x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(b*sec(c + d*x))**(4/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)`

$$3.18 \quad \int \frac{A+C \sec^2(c+dx)}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=90

$$\frac{3A \tan(c+dx)}{4d(b \sec(c+dx))^{4/3}} - \frac{3(A+4C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{4bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

[Out] $(-3*(A + 4*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (4*b*d*(b*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*\operatorname{Tan}[c + d*x]) / (4*d*(b*\operatorname{Sec}[c + d*x])^{(4/3)})$

Rubi [A] time = 0.0707745, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {4045, 3772, 2643}

$$\frac{3A \tan(c+dx)}{4d(b \sec(c+dx))^{4/3}} - \frac{3(A+4C) \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{4bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + C*\operatorname{Sec}[c + d*x]^2)/(b*\operatorname{Sec}[c + d*x])^{(4/3)}, x]$

[Out] $(-3*(A + 4*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (4*b*d*(b*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*\operatorname{Tan}[c + d*x]) / (4*d*(b*\operatorname{Sec}[c + d*x])^{(4/3)})$

Rule 4045

$\operatorname{Int}[(\operatorname{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\operatorname{csc}[e_.] + (f_.)*(x_)]^2*(C_. + (A_.)), x_Symbol] \rightarrow \operatorname{Simp}[(A*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^m)/(f*m), x] + \operatorname{Dist}[(C*m + A*(m + 1))/(b^2*m), \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^{(m + 2)}, x], x] /;$ FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3772

$\operatorname{Int}[(\operatorname{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(b*\operatorname{Csc}[c + d*x])^{(n - 1)}*((\operatorname{Sin}[c + d*x]/b)^{(n - 1)}*\operatorname{Int}[1/(\operatorname{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{4/3}} dx &= \frac{3A \tan(c + dx)}{4d(b \sec(c + dx))^{4/3}} + \frac{(A + 4C) \int (b \sec(c + dx))^{2/3} dx}{4b^2} \\ &= \frac{3A \tan(c + dx)}{4d(b \sec(c + dx))^{4/3}} + \frac{\left((A + 4C) \left(\frac{\cos(c+dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b} \right)^{2/3}} dx}{4b^2} \\ &= -\frac{3(A + 4C) \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{4b^2 d \sqrt{\sin^2(c + dx)}} + \frac{3A \tan(c + dx)}{4d(b \sec(c + dx))^{4/3}} \end{aligned}$$

Mathematica [C] time = 0.433661, size = 124, normalized size = 1.38

$$\frac{3ie^{-i(c+dx)} \left(2(A + 4C)e^{2i(c+dx)} (1 + e^{2i(c+dx)})^{2/3} \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{2}{3}, \frac{4}{3}, -e^{2i(c+dx)}\right) + A(-1 + e^{4i(c+dx)}) \right)}{8bd(1 + e^{2i(c+dx)}) \sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(b*Sec[c + d*x])^(4/3), x]
```

```
[Out] (((-3*I)/8)*(A*(-1 + E^((4*I)*(c + d*x)))) + 2*(A + 4*C)*E^((2*I)*(c + d*x))
*(1 + E^((2*I)*(c + d*x)))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)
*(c + d*x))]))/(b*d*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))*(b*Sec[c + d
*x])^(1/3))
```

Maple [F] time = 0.121, size = 0, normalized size = 0.

$$\int (A + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)`

[Out] `int((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + A}{(b \sec(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + A) (b \sec(dx+c))^{\frac{2}{3}}}{b^2 \sec(dx+c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3),x)`

[Out] Integral((A + C*sec(c + d*x)**2)/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c))^(4/3), x)

$$3.19 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=90

$$\frac{3Ab \tan(c+dx)}{7d(b \sec(c+dx))^{7/3}} - \frac{3(4A+7C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{28d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

[Out] $(-3*(4*A + 7*C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/((28*d*(b*\operatorname{Sec}[c + d*x])^{(4/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b*\operatorname{Tan}[c + d*x]))/(7*d*(b*\operatorname{Sec}[c + d*x])^{(7/3)})$

Rubi [A] time = 0.0901464, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4045, 3772, 2643}

$$\frac{3Ab \tan(c+dx)}{7d(b \sec(c+dx))^{7/3}} - \frac{3(4A+7C) \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{28d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cos}[c + d*x]*(A + C*\operatorname{Sec}[c + d*x]^2))/(b*\operatorname{Sec}[c + d*x])^{(4/3)}, x]$

[Out] $(-3*(4*A + 7*C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/((28*d*(b*\operatorname{Sec}[c + d*x])^{(4/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b*\operatorname{Tan}[c + d*x]))/(7*d*(b*\operatorname{Sec}[c + d*x])^{(7/3)})$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4045

$\operatorname{Int}[(\operatorname{csc}[e_*] + (f_*)*(x_*))*(b_*)^{(m_*)}*(\operatorname{csc}[e_*] + (f_*)*(x_*))^{2*(C_*)} + (A_*)], x_Symbol] \rightarrow \operatorname{Simp}[(A*\operatorname{Cot}[e + f*x]*(b*\operatorname{Csc}[e + f*x])^m)/(f*m), x] + \operatorname{Dist}[(C*m + A*(m + 1))/(b^{2*m}), \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^{(m+2)}, x], x] /;$ FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + C \sec^2(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= b \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{7/3}} dx \\ &= \frac{3Ab \tan(c + dx)}{7d(b \sec(c + dx))^{7/3}} + \frac{(4A + 7C) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx}{7b} \\ &= \frac{3Ab \tan(c + dx)}{7d(b \sec(c + dx))^{7/3}} + \frac{\left((4A + 7C) \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \int \sqrt[3]{\frac{\cos(c + dx)}{b}} dx \right)}{7b} \\ &= -\frac{3(4A + 7C) \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{28b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.109125, size = 92, normalized size = 1.02

$$\frac{3\sqrt{-\tan^2(c + dx)} \cot(c + dx) \left(A \cos^2(c + dx) \text{Hypergeometric2F1}\left(-\frac{7}{6}, \frac{1}{2}, -\frac{1}{6}, \sec^2(c + dx)\right) + 7C \text{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \sec^2(c + dx)\right) \right)}{7bd\sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] (-3*Cot[c + d*x]*(A*Cos[c + d*x]^2*Hypergeometric2F1[-7/6, 1/2, -1/6, Sec[c + d*x]^2] + 7*C*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2])*Sqrt[-Tan[c + d*x]^2])/(7*b*d*(b*Sec[c + d*x])^(1/3))

Maple [F] time = 0.197, size = 0, normalized size = 0.

$$\int \cos(dx + c) \left(A + C (\sec(dx + c))^2 \right) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)`

[Out] `int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)) (b \sec(dx + c))^{\frac{2}{3}}}{b^2 \sec(dx + c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/(b*sec(d*x + c))^(4/3), x)

$$3.20 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=93

$$\frac{3Ab^2 \tan(c+dx)}{10d(b \sec(c+dx))^{10/3}} - \frac{3b(7A+10C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{6}, \frac{13}{6}, \cos^2(c+dx)\right)}{70d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{7/3}}$$

[Out] (-3*b*(7*A + 10*C)*Hypergeometric2F1[1/2, 7/6, 13/6, Cos[c + d*x]^2]*Sin[c + d*x])/(70*d*(b*Sec[c + d*x])^(7/3)*Sqrt[Sin[c + d*x]^2]) + (3*A*b^2*Tan[c + d*x])/(10*d*(b*Sec[c + d*x])^(10/3))

Rubi [A] time = 0.109126, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {16, 4045, 3772, 2643}

$$\frac{3Ab^2 \tan(c+dx)}{10d(b \sec(c+dx))^{10/3}} - \frac{3b(7A+10C) \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right)}{70d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3),x]

[Out] (-3*b*(7*A + 10*C)*Hypergeometric2F1[1/2, 7/6, 13/6, Cos[c + d*x]^2]*Sin[c + d*x])/(70*d*(b*Sec[c + d*x])^(7/3)*Sqrt[Sin[c + d*x]^2]) + (3*A*b^2*Tan[c + d*x])/(10*d*(b*Sec[c + d*x])^(10/3))

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx) (A + C \sec^2(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= b^2 \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{10/3}} dx \\ &= \frac{3Ab^2 \tan(c + dx)}{10d(b \sec(c + dx))^{10/3}} + \frac{1}{10}(7A + 10C) \int \frac{1}{(b \sec(c + dx))^{4/3}} dx \\ &= \frac{3Ab^2 \tan(c + dx)}{10d(b \sec(c + dx))^{10/3}} + \frac{1}{10} \left((7A + 10C) \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \\ &= \frac{3(7A + 10C) \cos^3(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{70b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.67149, size = 96, normalized size = 1.03

$$\frac{\tan(c + dx) \left((7A + 10C) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{3}{2}, \sin^2(c + dx)\right) + 3\sqrt[6]{\cos^2(c + dx)}(2A \cos(2(c + dx)) + 9A + 10C) \right)}{40d\sqrt[6]{\cos^2(c + dx)}(b \sec(c + dx))^{4/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]
```

```
[Out] ((3*(Cos[c + d*x]^2)^(1/6)*(9*A + 10*C + 2*A*Cos[2*(c + d*x)]) + (7*A + 10*
C)*Hypergeometric2F1[1/2, 5/6, 3/2, Sin[c + d*x]^2])*Tan[c + d*x])/(40*d*(C
os[c + d*x]^2)^(1/6)*(b*Sec[c + d*x])^(4/3))
```


Maple [F] time = 0.305, size = 0, normalized size = 0.

$$\int (\cos(dx + c))^2 (A + C(\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

[Out] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c)^2 \sec(dx + c)^2 + A \cos(dx + c)^2) (b \sec(dx + c))^{\frac{2}{3}}}{b^2 \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

3.21 $\int \sec^m(c+dx)(b \sec(c+dx))^{4/3} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=146

$$\frac{3b(A(3m+7) + C(3m+4)) \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(-3m-1), \frac{1}{6}(5-3m), \cos^2(c+dx)\right)}{d(3m+1)(3m+7) \sqrt{\sin^2(c+dx)}}$$

```
[Out] (3*b*C*Sec[c + d*x]^(2 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(7 + 3*
m)) + (3*b*(C*(4 + 3*m) + A*(7 + 3*m))*Hypergeometric2F1[1/2, (-1 - 3*m)/6,
(5 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*Sin[c +
d*x])/(d*(1 + 3*m)*(7 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.116383, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{3b(A(3m+7) + C(3m+4)) \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(-3m-1); \frac{1}{6}(5-3m); \cos^2(c+dx)\right)}{d(3m+1)(3m+7) \sqrt{\sin^2(c+dx)}} + 3b \dots$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (3*b*C*Sec[c + d*x]^(2 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(7 + 3*
m)) + (3*b*(C*(4 + 3*m) + A*(7 + 3*m))*Hypergeometric2F1[1/2, (-1 - 3*m)/6,
(5 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*Sin[c +
d*x])/(d*(1 + 3*m)*(7 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
IntegerQ[m + n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
```

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^m(c + dx)(b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx &= \frac{(b^3 \sqrt{b \sec(c + dx)}) \int \sec^{\frac{4}{3}+m}(c + dx) (A + C \sec^2(c + dx)) dx}{\sqrt[3]{\sec(c + dx)}} \\ &= \frac{3bC \sec^{2+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(7 + 3m)} + \frac{\left(b \left(C \left(\frac{4}{3} + m\right) + A\right) \sec^{m+\frac{4}{3}}(c + dx)\right) \sin(c + dx)}{d(7 + 3m)} \\ &= \frac{3bC \sec^{2+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(7 + 3m)} + \frac{\left(b \left(C \left(\frac{4}{3} + m\right) + A\right) \sec^{m+\frac{4}{3}}(c + dx)\right) \sin(c + dx)}{d(7 + 3m)} \\ &= \frac{3bC \sec^{2+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(7 + 3m)} + \frac{3b(C(4 + 3m) + A) \sec^{m+\frac{4}{3}}(c + dx) \sin(c + dx)}{d(7 + 3m)} \end{aligned}$$

Mathematica [C] time = 3.40345, size = 303, normalized size = 2.08

$$\frac{3i2^{m+\frac{7}{3}} e^{-\frac{1}{3}i(3m+7)(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{m+\frac{7}{3}} (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) \left(\frac{2(A+2C)e^{\frac{1}{3}i(3m+10)(c+dx)} \text{Hypergeometric2F1}\left(1, \frac{1}{6}, (-3m+10), \frac{e^{2i(c+dx)}}{1+e^{2i(c+dx)}}\right)}{3m+10}\right)}{d \sec^{\frac{10}{3}}(c + dx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2),x]

[Out] $((-3I)^2)^{7/3+m} (E^{I(c+dx)}) / (1 + E^{(2I)(c+dx)})^{7/3+m} (2(A+2C)E^{(I/3)(10+3m)(c+dx)} \text{Hypergeometric2F1}[1, (-4-3m)/6, 8/3+m/2, -E^{(2I)(c+dx)}]) / (10+3m) + (A E^{(I/3)(16+3m)(c+dx)} \text{Hypergeometric2F1}[1, (2-3m)/6, (22+3m)/6, -E^{(2I)(c+dx)}]) / (16+3m) + (A E^{(I/3)(4+3m)(c+dx)} \text{Hypergeometric2F1}[1, -5/3-m/2, 5/3+m/2, -E^{(2I)(c+dx)}]) / (4+3m) (b \text{Sec}[c+dx])^{4/3} (A + C \text{Sec}[c+dx]^2) / (d E^{(I/3)(7+3m)(c+dx)} (A + 2C + A \text{Cos}[2c+2dx]) \text{Sec}[c+dx]^{10/3})$

Maple [F] time = 0.167, size = 0, normalized size = 0.

$$\int (\sec(dx+c))^m (b \sec(dx+c))^{\frac{4}{3}} (A+C(\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)

[Out] int(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx+c)^3 + Ab \sec(dx+c)\right) (b \sec(dx+c))^{\frac{1}{3}} \sec(dx+c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm
="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^3 + A*b*sec(d*x + c))*(b*sec(d*x + c))^(1/3)*sec
(d*x + c)^m, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**m*(b*sec(d*x+c))**(4/3)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(4/3)*sec(d*x + c)^m, x)
```

3.22 $\int \sec^m(c+dx)(b \sec(c+dx))^{2/3} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=146

$$\frac{3C \sin(c + dx)(b \sec(c + dx))^{2/3} \sec^{m+1}(c + dx)}{d(3m + 5)} - \frac{3(A(3m + 5) + C(3m + 2)) \sin(c + dx)(b \sec(c + dx))^{2/3} \sec^{m-1}(c + dx)}{d(1 - 3m)(3m + 5)}$$

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(d*(5 + 3*m)
) - (3*(C*(2 + 3*m) + A*(5 + 3*m))*Hypergeometric2F1[1/2, (1 - 3*m)/6, (7 -
3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c
+ d*x])/(d*(1 - 3*m)*(5 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.117809, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{3C \sin(c + dx)(b \sec(c + dx))^{2/3} \sec^{m+1}(c + dx)}{d(3m + 5)} - \frac{3(A(3m + 5) + C(3m + 2)) \sin(c + dx)(b \sec(c + dx))^{2/3} \sec^{m-1}(c + dx)}{d(1 - 3m)(3m + 5)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^(2/3)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(d*(5 + 3*m)
) - (3*(C*(2 + 3*m) + A*(5 + 3*m))*Hypergeometric2F1[1/2, (1 - 3*m)/6, (7 -
3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c
+ d*x])/(d*(1 - 3*m)*(5 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_)*((a_)*(v_))^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
IntegerQ[m + n]
```

Rule 4046

```
Int[(csc[(e_)] + (f_)*(x_))*(b_))^(m_)*(csc[(e_)] + (f_)*(x_)]^2*(C_
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
```

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] :> Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^m(c + dx)(b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx &= \frac{(b \sec(c + dx))^{2/3} \int \sec^{\frac{2}{3}+m}(c + dx) (A + C \sec^2(c + dx)) dx}{\sec^{\frac{2}{3}}(c + dx)} \\ &= \frac{3C \sec^{1+m}(c + dx)(b \sec(c + dx))^{2/3} \sin(c + dx)}{d(5 + 3m)} + \frac{\left(C \left(\frac{2}{3} + m\right)\right)}{d(5 + 3m)} \\ &= \frac{3C \sec^{1+m}(c + dx)(b \sec(c + dx))^{2/3} \sin(c + dx)}{d(5 + 3m)} + \frac{\left(C \left(\frac{2}{3} + m\right)\right)}{d(5 + 3m)} \\ &= \frac{3C \sec^{1+m}(c + dx)(b \sec(c + dx))^{2/3} \sin(c + dx)}{d(5 + 3m)} - \frac{3C(2 + 3m)}{d(5 + 3m)} \end{aligned}$$

Mathematica [C] time = 2.58443, size = 303, normalized size = 2.08

$$3i2^{m+\frac{5}{3}}e^{-\frac{1}{3}i(3m+5)(c+dx)}\left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{m+\frac{5}{3}}(b \sec(c + dx))^{2/3}(A + C \sec^2(c + dx))\left(\frac{2(A+2C)e^{\frac{1}{3}i(3m+8)(c+dx)}\text{Hypergeometric2F1}\left(1,\frac{1}{6}(-3m+8),\frac{7}{6}(-3m+8),\frac{e^{2i(c+dx)}}{1+e^{2i(c+dx)}}\right)}{3m+8}\right)$$

$$d \sec^{\frac{8}{3}}(c + dx)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^(2/3)*(A + C*Sec[c + d*x]^2),x]

[Out] $((-3I)*2^{(5/3 + m)}*(E^{I*(c + d*x)})/(1 + E^{((2I)*(c + d*x))}))^{(5/3 + m)}*(A*E^{((I/3)*(2 + 3*m)*(c + d*x))}*Hypergeometric2F1[1, (-8 - 3*m)/6, (8 + 3*m)/6, -E^{((2I)*(c + d*x))}]/(2 + 3*m) + (2*(A + 2*C)*E^{((I/3)*(8 + 3*m)*(c + d*x))}*Hypergeometric2F1[1, (-2 - 3*m)/6, 7/3 + m/2, -E^{((2I)*(c + d*x))}])/(8 + 3*m) + (A*E^{((I/3)*(14 + 3*m)*(c + d*x))}*Hypergeometric2F1[1, (4 - 3*m)/6, (20 + 3*m)/6, -E^{((2I)*(c + d*x))}])/(14 + 3*m))*(b*Sec[c + d*x])^{(2/3)}*(A + C*Sec[c + d*x]^2)/(d*E^{((I/3)*(5 + 3*m)*(c + d*x))}*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*Sec[c + d*x]^{(8/3)})$

Maple [F] time = 0.156, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (b \sec(dx + c))^{\frac{2}{3}} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x)

[Out] int(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + A\right) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**m*(b*sec(d*x+c))**(2/3)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m, x)
```

3.23 $\int \sec^m(c+dx) \sqrt[3]{b \sec(c+dx)} (A + C \sec^2(c+dx)) dx$

Optimal. Leaf size=144

$$\frac{3C \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^{m+1}(c+dx)}{d(3m+4)} - \frac{3(A(3m+4) + 3Cm + C) \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^{m-1}(c+dx) \operatorname{Hy}}{d(2-3m)(3m+4) \sqrt{\sin^2(c+dx)}}$$

[Out] $(3C \operatorname{Sec}[c+dx]^{(1+m)} (b \operatorname{Sec}[c+dx])^{(1/3)} \operatorname{Sin}[c+dx]) / (d(4+3m)) - (3(C+3Cm+A(4+3m)) \operatorname{Hypergeometric2F1}[1/2, (2-3m)/6, (8-3m)/6, \operatorname{Cos}[c+dx]^2] \operatorname{Sec}[c+dx]^{(-1+m)} (b \operatorname{Sec}[c+dx])^{(1/3)} \operatorname{Sin}[c+dx]) / (d(2-3m)(4+3m) \operatorname{Sqrt}[\operatorname{Sin}[c+dx]^2])$

Rubi [A] time = 0.117013, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{3C \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^{m+1}(c+dx)}{d(3m+4)} - \frac{3(A(3m+4) + 3Cm + C) \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^{m-1}(c+dx) {}_2F_1}{d(2-3m)(3m+4) \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sec}[c+dx]^m (b \operatorname{Sec}[c+dx])^{(1/3)} (A + C \operatorname{Sec}[c+dx]^2), x]$

[Out] $(3C \operatorname{Sec}[c+dx]^{(1+m)} (b \operatorname{Sec}[c+dx])^{(1/3)} \operatorname{Sin}[c+dx]) / (d(4+3m)) - (3(C+3Cm+A(4+3m)) \operatorname{Hypergeometric2F1}[1/2, (2-3m)/6, (8-3m)/6, \operatorname{Cos}[c+dx]^2] \operatorname{Sec}[c+dx]^{(-1+m)} (b \operatorname{Sec}[c+dx])^{(1/3)} \operatorname{Sin}[c+dx]) / (d(2-3m)(4+3m) \operatorname{Sqrt}[\operatorname{Sin}[c+dx]^2])$

Rule 20

$\operatorname{Int}[(u_.) * ((a_.) * (v_))^{(m_)} * ((b_.) * (v_))^{(n_)}, x_Symbol] \rightarrow \operatorname{Dist}[(b^{\operatorname{IntPart}[n]} * (b*v)^{\operatorname{FracPart}[n]}) / (a^{\operatorname{IntPart}[n]} * (a*v)^{\operatorname{FracPart}[n]})], \operatorname{Int}[u * (a*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 4046

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.) * (x_)] * (b_.)^{(m_.)} * (\operatorname{csc}[(e_.) + (f_.) * (x_)]^2 * (C_.) + (A_)), x_Symbol] \rightarrow -\operatorname{Simp}[(C * \operatorname{Cot}[e + f*x] * (b * \operatorname{Csc}[e + f*x])^m) / (f * (m + 1))]$

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^m(c + dx) \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{\sqrt[3]{b \sec(c + dx)} \int \sec^{\frac{1}{3}+m}(c + dx) (A + C \sec^2(c + dx)) dx}{\sqrt[3]{\sec(c + dx)}} \\ &= \frac{3C \sec^{1+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(4 + 3m)} + \frac{\left(C \left(\frac{1}{3} + m \right) + \dots \right)}{d(4 + 3m)} \\ &= \frac{3C \sec^{1+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(4 + 3m)} + \frac{\left(C \left(\frac{1}{3} + m \right) + \dots \right)}{d(4 + 3m)} \\ &= \frac{3C \sec^{1+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(4 + 3m)} - \frac{3(C + 3Cm + \dots)}{d(4 + 3m)} \end{aligned}$$

Mathematica [C] time = 2.58827, size = 303, normalized size = 2.1

$$3i2^{m+\frac{4}{3}} e^{-\frac{1}{3}i(3m+4)(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{m+\frac{4}{3}} \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) \left(\frac{2(A+2C)e^{\frac{1}{3}i(3m+7)(c+dx)} \text{Hypergeometric2F1}\left(1, \frac{1}{6}(-3m-7), \frac{7}{6}(-3m-7), \frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)}{3m+7} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2),x]

[Out] $((-3I)*2^{(4/3 + m)}*(E^{I*(c + d*x)})/(1 + E^{((2I)*(c + d*x))}))^{(4/3 + m)}*(A*E^{((I/3)*(1 + 3*m)*(c + d*x))}*Hypergeometric2F1[1, (-7 - 3*m)/6, (7 + 3*m)/6, -E^{((2I)*(c + d*x))}])/(1 + 3*m) + (2*(A + 2*C)*E^{((I/3)*(7 + 3*m)*(c + d*x))}*Hypergeometric2F1[1, (-1 - 3*m)/6, (13 + 3*m)/6, -E^{((2I)*(c + d*x))}])/(7 + 3*m) + (A*E^{((I/3)*(13 + 3*m)*(c + d*x))}*Hypergeometric2F1[1, (5 - 3*m)/6, (19 + 3*m)/6, -E^{((2I)*(c + d*x))}])/(13 + 3*m)*(b*Sec[c + d*x])^{(1/3)}*(A + C*Sec[c + d*x]^2)/(d*E^{((I/3)*(4 + 3*m)*(c + d*x))}*(A + 2*C + A*\cos[2*c + 2*d*x])*Sec[c + d*x]^{(7/3)})$

Maple [F] time = 0.174, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m \sqrt[3]{b \sec(dx + c)} (A + C(\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)

[Out] int(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + A\right) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**m*(b*sec(d*x+c))**(1/3)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)
```

$$3.24 \quad \int \frac{\sec^m(c+dx)(A+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$$

Optimal. Leaf size=147

$$\frac{3(C(1-3m) - A(3m+2)) \sin(c+dx) \sec^{m-1}(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(4-3m), \frac{1}{6}(10-3m), \cos^2(c+dx)\right)}{d(4-3m)(3m+2) \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}} +$$

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(2 + 3*m)*(b*Sec[c + d*x])^(1/3)
) + (3*(C*(1 - 3*m) - A*(2 + 3*m))*Hypergeometric2F1[1/2, (4 - 3*m)/6, (10
- 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(4 - 3*m)*
(2 + 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.119844, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{3(C(1-3m) - A(3m+2)) \sin(c+dx) \sec^{m-1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4-3m); \frac{1}{6}(10-3m); \cos^2(c+dx)\right)}{d(4-3m)(3m+2) \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}} + \frac{3C \sin(c+dx) \sec^m(c+dx)}{d(3m+2) \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^m*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(1/3),x]
```

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(2 + 3*m)*(b*Sec[c + d*x])^(1/3)
) + (3*(C*(1 - 3*m) - A*(2 + 3*m))*Hypergeometric2F1[1/2, (4 - 3*m)/6, (10
- 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(4 - 3*m)*
(2 + 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
IntegerQ[m + n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
```

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] :> Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec^m(c + dx) (A + C \sec^2(c + dx))}{\sqrt[3]{b \sec(c + dx)}} dx &= \frac{\sqrt[3]{\sec(c + dx)} \int \sec^{-\frac{1}{3}+m}(c + dx) (A + C \sec^2(c + dx)) dx}{\sqrt[3]{b \sec(c + dx)}} \\ &= \frac{3C \sec^{1+m}(c + dx) \sin(c + dx)}{d(2 + 3m)\sqrt[3]{b \sec(c + dx)}} + \frac{\left(\left(C \left(-\frac{1}{3} + m \right) + A \left(\frac{2}{3} + m \right) \right) \sqrt[3]{\sec(c + dx)} \right)}{\left(\frac{2}{3} + m \right) \sqrt[3]{b \sec(c + dx)}} \\ &= \frac{3C \sec^{1+m}(c + dx) \sin(c + dx)}{d(2 + 3m)\sqrt[3]{b \sec(c + dx)}} + \frac{\left(\left(C \left(-\frac{1}{3} + m \right) + A \left(\frac{2}{3} + m \right) \right) \cos^{\frac{2}{3}+m}(c + dx) \right)}{\left(\frac{2}{3} + m \right) \sqrt[3]{b \sec(c + dx)}} \\ &= \frac{3C \sec^{1+m}(c + dx) \sin(c + dx)}{d(2 + 3m)\sqrt[3]{b \sec(c + dx)}} + \frac{3(C(1 - 3m) - A(2 + 3m)) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4 - 3m), \frac{5}{6}(4 - 3m), \frac{1}{\sec^2(c + dx)}\right)}{d(4 - 3m)(2 + 3m)} \end{aligned}$$

Mathematica [C] time = 6.82919, size = 311, normalized size = 2.12

$$3i2^{m+\frac{2}{3}} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{m-\frac{1}{3}} (1 + e^{2i(c+dx)})^{m-\frac{1}{3}} (A + C \sec^2(c + dx)) \left((3m - 1)e^{2i(c+dx)} \left(2(3m + 1)(A + 2C) \text{Hypergeometric} \right. \right.$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^m*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(1/3),x]

[Out] $((-3I)*2^{(2/3 + m)}*(E^{(I*(c + d*x))}/(1 + E^{((2I)*(c + d*x))}))^{(-1/3 + m)}*(1 + E^{((2I)*(c + d*x))})^{(-1/3 + m)}*(A*(55 + 48*m + 9*m^2)*\text{Hypergeometric2F1}[5/3 + m, (-1 + 3*m)/6, (5 + 3*m)/6, -E^{((2I)*(c + d*x))}] + E^{((2I)*(c + d*x))}*(-1 + 3*m)*(2*(A + 2*C)*(11 + 3*m)*\text{Hypergeometric2F1}[5/3 + m, (5 + 3*m)/6, (11 + 3*m)/6, -E^{((2I)*(c + d*x))}] + A*E^{((2I)*(c + d*x))}*(5 + 3*m)*\text{Hypergeometric2F1}[5/3 + m, (11 + 3*m)/6, (17 + 3*m)/6, -E^{((2I)*(c + d*x))}]))*(A + C*Sec[c + d*x]^2))/(d*(-1 + 3*m)*(5 + 3*m)*(11 + 3*m)*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*Sec[c + d*x]^{(5/3)}*(b*Sec[c + d*x])^{(1/3)})$

Maple [F] time = 0.151, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (A + C(\sec(dx + c))^2) \frac{1}{\sqrt[3]{b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)

[Out] int(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(1/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A)(b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m}{b \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m/(b*sec(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^m(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**m*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(1/3),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**m/(b*sec(c + d*x))**(1/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(1/3), x)

$$3.25 \quad \int \frac{\sec^m(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=145

$$\frac{3C \sin(c+dx) \sec^{m+1}(c+dx)}{d(3m+1)(b \sec(c+dx))^{2/3}} - \frac{3(3Am + A - C(2-3m)) \sin(c+dx) \sec^{m-1}(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(5-3m), \frac{11-3m}{6}, \cos^2(c+dx)\right) \sec^{m-1}(c+dx)}{d(5-3m)(3m+1)\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{2/3}}$$

[Out] (3*C*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + 3*m)*(b*Sec[c + d*x])^(2/3)) - (3*(A - C*(2 - 3*m) + 3*A*m)*Hypergeometric2F1[1/2, (5 - 3*m)/6, (11 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(5 - 3*m)*(1 + 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.126757, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{3C \sin(c+dx) \sec^{m+1}(c+dx)}{d(3m+1)(b \sec(c+dx))^{2/3}} - \frac{3(3Am + A - C(2-3m)) \sin(c+dx) \sec^{m-1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(5-3m); \frac{1}{6}(11-3m); \cos^2(c+dx)\right) \sec^{m-1}(c+dx)}{d(5-3m)(3m+1)\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^m*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*C*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + 3*m)*(b*Sec[c + d*x])^(2/3)) - (3*(A - C*(2 - 3*m) + 3*A*m)*Hypergeometric2F1[1/2, (5 - 3*m)/6, (11 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(5 - 3*m)*(1 + 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_)*((a_)*(v_))^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 4046

Int[(csc[(e_)+(f_)*(x_)]*(b_))^(m_)*(csc[(e_)+(f_)*(x_)]^2*(C_)+(A_)), x_Symbol] := -Simp[(C*Cot[e+f*x]*(b*Csc[e+f*x])^m)/(f*(m+1))

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec^m(c + dx) (A + C \sec^2(c + dx))}{(b \sec(c + dx))^{2/3}} dx &= \frac{\sec^{2/3}(c + dx) \int \sec^{-2/3+m}(c + dx) (A + C \sec^2(c + dx)) dx}{(b \sec(c + dx))^{2/3}} \\ &= \frac{3C \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + 3m)(b \sec(c + dx))^{2/3}} + \frac{\left(\left(C \left(-\frac{2}{3} + m \right) + A \left(\frac{1}{3} + m \right) \right) \sec^{2/3}(c + dx) \right)}{\left(\frac{1}{3} + m \right) (b \sec(c + dx))^{2/3}} \\ &= \frac{3C \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + 3m)(b \sec(c + dx))^{2/3}} + \frac{\left(\left(C \left(-\frac{2}{3} + m \right) + A \left(\frac{1}{3} + m \right) \right) \cos^{1/3+m}(c + dx) \right)}{\left(\frac{1}{3} + m \right) (b \sec(c + dx))^{2/3}} \\ &= \frac{3C \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + 3m)(b \sec(c + dx))^{2/3}} - \frac{3(A - C(2 - 3m) + 3Am) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(5 - 3m), \frac{1}{2}, \frac{1}{6}(5 - 3m)\right)}{d(5 - 3m)(1 + 3m)(b \sec(c + dx))^{2/3}} \end{aligned}$$

Mathematica [C] time = 8.24401, size = 311, normalized size = 2.14

$$3i2^{m+\frac{1}{3}} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{m-\frac{2}{3}} (1 + e^{2i(c+dx)})^{m-\frac{2}{3}} (A + C \sec^2(c + dx)) \left((3m + 10) \left(2(3m - 2)(A + 2C)e^{2i(c+dx)} \text{Hypergeometric} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^m*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x]^(2/3), x]

```
[Out] ((-3*I)*2^(1/3 + m)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(-2/3 + m)*
(1 + E^((2*I)*(c + d*x)))^(-2/3 + m)*(A*E^((4*I)*(c + d*x))*(-8 + 6*m + 9*m
^2)*Hypergeometric2F1[5/3 + m/2, 4/3 + m, 8/3 + m/2, -E^((2*I)*(c + d*x))]
+ (10 + 3*m)*(A*(4 + 3*m)*Hypergeometric2F1[4/3 + m, (-2 + 3*m)/6, (4 + 3*m
)/6, -E^((2*I)*(c + d*x))] + 2*(A + 2*C)*E^((2*I)*(c + d*x))*(-2 + 3*m)*Hyp
ergeometric2F1[4/3 + m, (4 + 3*m)/6, 5/3 + m/2, -E^((2*I)*(c + d*x))]))*(A
+ C*Sec[c + d*x]^2))/(d*(-2 + 3*m)*(4 + 3*m)*(10 + 3*m)*(A + 2*C + A*Cos[2*
c + 2*d*x])*Sec[c + d*x]^(4/3)*(b*Sec[c + d*x])^(2/3))
```

Maple [F] time = 0.149, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (A + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)
```

```
[Out] int(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm
="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(2/3), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m}{b \sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm
="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m/(b*se
c(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^m(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**m*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(2/3),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**m/(b*sec(c + d*x))**(2/3), x
)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(2/3), x)
```

$$3.26 \quad \int \frac{\sec^m(c+dx)(A+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=148

$$\frac{3(-3Am + A + C(4 - 3m)) \sin(c + dx) \sec^{m-2}(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(7 - 3m), \frac{1}{6}(13 - 3m), \cos^2(c + dx)\right)}{bd(1 - 3m)(7 - 3m)\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}}$$

[Out] $(-3C*\text{Sec}[c + d*x]^m*\text{Sin}[c + d*x])/(b*d*(1 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}) - (3*(A + C*(4 - 3*m) - 3*A*m)*\text{Hypergeometric2F1}[1/2, (7 - 3*m)/6, (13 - 3*m)/6, \text{Cos}[c + d*x]^2]*\text{Sec}[c + d*x]^{(-2 + m)}*\text{Sin}[c + d*x])/(b*d*(1 - 3*m)*(7 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rubi [A] time = 0.134481, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{3(-3Am + A + C(4 - 3m)) \sin(c + dx) \sec^{m-2}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(7 - 3m); \frac{1}{6}(13 - 3m); \cos^2(c + dx)\right)}{bd(1 - 3m)(7 - 3m)\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}} - \frac{3C \sin(c + dx)}{bd(1 - 3m)\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^m*(A + C*\text{Sec}[c + d*x]^2))/(b*\text{Sec}[c + d*x]^{(4/3)}, x]$

[Out] $(-3C*\text{Sec}[c + d*x]^m*\text{Sin}[c + d*x])/(b*d*(1 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}) - (3*(A + C*(4 - 3*m) - 3*A*m)*\text{Hypergeometric2F1}[1/2, (7 - 3*m)/6, (13 - 3*m)/6, \text{Cos}[c + d*x]^2]*\text{Sec}[c + d*x]^{(-2 + m)}*\text{Sin}[c + d*x])/(b*d*(1 - 3*m)*(7 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rule 20

$\text{Int}[(u_.)*((a_.)*(v_))^{(m_)}*((b_.)*(v_))^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]}), \text{Int}[u*(a*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.)^{(m_)}*(\text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1))$

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec^m(c + dx) (A + C \sec^2(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\sqrt[3]{\sec(c + dx)} \int \sec^{-\frac{4}{3}+m}(c + dx) (A + C \sec^2(c + dx)) dx}{b \sqrt[3]{b} \sec(c + dx)} \\ &= -\frac{3C \sec^m(c + dx) \sin(c + dx)}{bd(1 - 3m) \sqrt[3]{b} \sec(c + dx)} + \frac{\left(\left(C \left(-\frac{4}{3} + m \right) + A \left(-\frac{1}{3} + m \right) \right) \sqrt[3]{\sec(c + dx)} \right)}{b \left(-\frac{1}{3} + m \right) \sqrt[3]{b} \sec(c + dx)} \\ &= -\frac{3C \sec^m(c + dx) \sin(c + dx)}{bd(1 - 3m) \sqrt[3]{b} \sec(c + dx)} + \frac{\left(\left(C \left(-\frac{4}{3} + m \right) + A \left(-\frac{1}{3} + m \right) \right) \cos^{\frac{2}{3}+m}(c + dx) \right)}{b \left(-\frac{1}{3} + m \right) \sqrt[3]{b} \sec(c + dx)} \\ &= -\frac{3C \sec^m(c + dx) \sin(c + dx)}{bd(1 - 3m) \sqrt[3]{b} \sec(c + dx)} - \frac{3(A(1 - 3m) + C(4 - 3m)) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(7 - 3m)\right)}{bd(1 - 3m)(7 - 3m)} \end{aligned}$$

Mathematica [C] time = 3.51081, size = 340, normalized size = 2.3

$$\frac{3i2^{m-\frac{1}{3}} e^{-\frac{1}{3}i(6c+d(3m+2)x)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{m+\frac{2}{3}} (1 + e^{2i(c+dx)})^{m+\frac{2}{3}} (A + C \sec^2(c + dx)) \left(\frac{e^{\frac{1}{3}i(6c+d(3m+2)x)} (2(3m+8)(A+2C) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{1}{6}(7-3m)\right], \frac{1}{2}, \frac{1}{6}(7-3m)\right)}{d \sec^{\frac{2}{3}}(c + dx)(b \sec(c + dx))^{4/3}} \right)}{d \sec^{\frac{2}{3}}(c + dx)(b \sec(c + dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^m*(A + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3),x]

[Out] $((-3I)2^{-1/3+m}(E^{I(c+dx)})/(1+E^{(2I)(c+dx)}))^{2/3+m} (1+E^{(2I)(c+dx)})^{2/3+m} ((A E^{(I/3)d(-4+3m)x}) \text{Hypergeometric2F1}[2/3+m, (-4+3m)/6, (2+3m)/6, -E^{(2I)(c+dx)}]) / (-4+3m) + (E^{(I/3)(6c+d(2+3m)x})} (2(A+2C)(8+3m) \text{Hypergeometric2F1}[2/3+m, (2+3m)/6, (8+3m)/6, -E^{(2I)(c+dx)}]) + A E^{(2I)(c+dx)} (2+3m) \text{Hypergeometric2F1}[2/3+m, (8+3m)/6, 7/3+m/2, -E^{(2I)(c+dx)}]) / ((2+3m)(8+3m)) (A+C \text{Sec}[c+dx]^2) / (d E^{(I/3)(6c+d(2+3m)x})} (A+2C+A \text{Cos}[2c+2dx]) \text{Sec}[c+dx]^{2/3}) (b \text{Sec}[c+dx])^{4/3}$

Maple [F] time = 0.155, size = 0, normalized size = 0.

$$\int (\sec(dx+c))^m (A+C(\sec(dx+c))^2) (b \sec(dx+c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

[Out] int(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \sec(dx+c)^m}{(b \sec(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + A)(b \sec(dx+c))^{\frac{2}{3}} \sec(dx+c)^m}{b^2 \sec(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m/(b^2*sec(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**m*(A+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \sec(dx+c)^m}{(b \sec(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(A+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(4/3), x)

3.27 $\int \sec^m(c+dx)(b \sec(c+dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=145

$$\frac{C \sin(c + dx) \sec^{m+1}(c + dx)(b \sec(c + dx))^n}{d(m + n + 1)} - \frac{(A(m + n + 1) + C(m + n)) \sin(c + dx) \sec^{m-1}(c + dx)(b \sec(c + dx))^n}{d(-m - n + 1)(m + n)}$$

[Out] (C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n)) - ((C*(m + n) + A*(1 + m + n))*Hypergeometric2F1[1/2, (1 - m - n)/2, (3 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - m - n)*(1 + m + n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.110575, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 4046, 3772, 2643}

$$\frac{C \sin(c + dx) \sec^{m+1}(c + dx)(b \sec(c + dx))^n}{d(m + n + 1)} - \frac{(A(m + n + 1) + C(m + n)) \sin(c + dx) \sec^{m-1}(c + dx)(b \sec(c + dx))^n}{d(-m - n + 1)(m + n + 1)\sqrt{\sin}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] (C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n)) - ((C*(m + n) + A*(1 + m + n))*Hypergeometric2F1[1/2, (1 - m - n)/2, (3 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - m - n)*(1 + m + n)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_)*((a_)*(v_))^(m_)*((b_)*(v_))^(n_), x_Symbol] :> Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^m(c + dx)(b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{m+n}(c + dx) (A + C \sec^2(c + dx)) dx \\ &= \frac{C \sec^{1+m}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(1 + m + n)} + \left(A + \frac{C(m + 1)}{1 + m + n} \right) \frac{\sec^{m+n}(c + dx)}{d} \\ &= \frac{C \sec^{1+m}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(1 + m + n)} + \left(A + \frac{C(m + 1)}{1 + m + n} \right) \frac{\sec^{m+n}(c + dx)}{d} \\ &= \frac{C \sec^{1+m}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(1 + m + n)} - \frac{\left(A + \frac{C(m + n)}{1 + m + n} \right) \sec^{m+n}(c + dx)}{d} \end{aligned}$$

Mathematica [C] time = 7.79207, size = 289, normalized size = 1.99

$$i2^{m+n+1}e^{-i(m+n+1)(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{m+n+1} \sec^{-n-2}(c + dx) (A + C \sec^2(c + dx)) (b \sec(c + dx))^n \left(\frac{2(A+2C)e^{i(m+n+2)(c+dx)} \text{Hypergeometric2F1}[\dots]}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] ((-I)*2^(1 + m + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1 + m + n) * ((A*E^(I*(m + n)*(c + d*x))*Hypergeometric2F1[1, (-2 - m - n)/2, (2 + m +

$n)/2, -E^{((2*I)*(c + d*x))})/(m + n) + (2*(A + 2*C)*E^{(I*(2 + m + n)*(c + d*x))}*Hypergeometric2F1[1, (-m - n)/2, (4 + m + n)/2, -E^{((2*I)*(c + d*x))})/(2 + m + n) + (A*E^{(I*(4 + m + n)*(c + d*x))}*Hypergeometric2F1[1, (2 - m - n)/2, (6 + m + n)/2, -E^{((2*I)*(c + d*x))})/(4 + m + n))*Sec[c + d*x]^{(-2 - n)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(d*E^{(I*(1 + m + n)*(c + d*x)))*(A + 2*C + A*Cos[2*c + 2*d*x])})$

Maple [F] time = 1.011, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sec(dx + c)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] `integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + C \sec^2(c + dx)) \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2), x)`

[Out] `Integral((b*sec(c + d*x))**n*(A + C*sec(c + d*x)**2)*sec(c + d*x)**m, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)`

3.28 $\int \sec^2(c+dx)(b \sec(c+dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=120

$$\frac{(A(n+3) + C(n+2)) \sin(c+dx)(b \sec(c+dx))^{n+1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{2}(-n-1), \frac{1-n}{2}, \cos^2(c+dx)\right)}{bd(n+1)(n+3)\sqrt{\sin^2(c+dx)}} + \frac{C \tan(c+dx)}{b^2 d(n+3)}$$

[Out] ((C*(2 + n) + A*(3 + n))*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x])/(b*d*(1 + n)*(3 + n)*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^(2 + n)*Tan[c + d*x])/(b^2*d*(3 + n))

Rubi [A] time = 0.111613, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4046, 3772, 2643}

$$\frac{(A(n+3) + C(n+2)) \sin(c+dx)(b \sec(c+dx))^{n+1} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-n-1); \frac{1-n}{2}; \cos^2(c+dx)\right)}{bd(n+1)(n+3)\sqrt{\sin^2(c+dx)}} + \frac{C \tan(c+dx)(b \sec(c+dx))}{b^2 d(n+3)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] ((C*(2 + n) + A*(3 + n))*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x])/(b*d*(1 + n)*(3 + n)*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^(2 + n)*Tan[c + d*x])/(b^2*d*(3 + n))

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] :> Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m+1)), x] + Dist[(C*m + A*(m+1))/(m+1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr

eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{2+n} (A + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{C(b \sec(c + dx))^{2+n} \tan(c + dx)}{b^2 d(3 + n)} + \frac{\left(A + \frac{C(2+n)}{3+n}\right) \int (b \sec(c + dx))^{2+n} dx}{b^2} \\ &= \frac{C(b \sec(c + dx))^{2+n} \tan(c + dx)}{b^2 d(3 + n)} + \frac{\left(A + \frac{C(2+n)}{3+n}\right) \left(\frac{\cos(c+dx)}{b}\right)^n}{b^2} \\ &= \frac{\left(A + \frac{C(2+n)}{3+n}\right) {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-1 - n); \frac{1-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2+n}}{bd(1 + n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 6.89962, size = 274, normalized size = 2.28

$$\frac{i 2^{n+3} e^{-in(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^n \sec^{-n-2}(c + dx) (A + C \sec^2(c + dx)) (b \sec(c + dx))^n \left(\frac{2(A+2C)e^{i(n+4)(c+dx)} \text{Hypergeometric2F1}\left(1, -\frac{n}{2}, \frac{3-n}{2}, \cos^2(c+dx)\right)}{n+4}\right)}{d \left(1 + e^{2i(c+dx)}\right)^3 (A \cos(2c + 2dx))^{n+4}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]


```
[Out] ((-I)*2^(3 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^n*((A*E^(I*(2 + n)*(c + d*x))*Hypergeometric2F1[1, -2 - n/2, (4 + n)/2, -E^((2*I)*(c + d*x))])/(2 + n) + (2*(A + 2*C)*E^(I*(4 + n)*(c + d*x))*Hypergeometric2F1[1, -1 - n/2, (6 + n)/2, -E^((2*I)*(c + d*x))])/(4 + n) + (A*E^(I*(6 + n)*(c + d*x))*Hypergeometric2F1[1, -n/2, (8 + n)/2, -E^((2*I)*(c + d*x))])/(6 + n))*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(d*E^(I*n*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^3*(A + 2*C + A*Cos[2*c + 2*d*x]))
```

Maple [F] time = 0.533, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)
```

```
[Out] int(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sec(d*x + c)^2, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \sec(dx + c)^4 + A \sec(dx + c)^2) (b \sec(dx + c))^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

[Out] `integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)*(b*sec(d*x + c))^n, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2), x)`

[Out] `Integral((b*sec(c + d*x))**n*(A + C*sec(c + d*x)**2)*sec(c + d*x)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sec(d*x + c)^2, x)`

3.29 $\int \sec(c+dx)(b \sec(c+dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=109

$$\frac{(A(n+2) + C(n+1)) \sin(c+dx)(b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, -\frac{n}{2}, \frac{2-n}{2}, \cos^2(c+dx)\right)}{dn(n+2)\sqrt{\sin^2(c+dx)}} + \frac{C \tan(c+dx)(b \sec(c+dx))^{n+1}}{bd(n+2)}$$

[Out] ((C*(1 + n) + A*(2 + n))*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*(2 + n)*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^(1 + n)*Tan[c + d*x])/(b*d*(2 + n))

Rubi [A] time = 0.102033, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 4046, 3772, 2643}

$$\frac{(A(n+2) + C(n+1)) \sin(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; \frac{2-n}{2}; \cos^2(c+dx)\right)}{dn(n+2)\sqrt{\sin^2(c+dx)}} + \frac{C \tan(c+dx)(b \sec(c+dx))^{n+1}}{bd(n+2)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] ((C*(1 + n) + A*(2 + n))*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*(2 + n)*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^(1 + n)*Tan[c + d*x])/(b*d*(2 + n))

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] :> Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{1+n} (A + C \sec^2(c + dx)) dx}{b} \\ &= \frac{C(b \sec(c + dx))^{1+n} \tan(c + dx)}{bd(2 + n)} + \frac{\left(A + \frac{C(1+n)}{2+n}\right) \int (b \sec(c + dx))^{1+n} dx}{b} \\ &= \frac{C(b \sec(c + dx))^{1+n} \tan(c + dx)}{bd(2 + n)} + \frac{\left(A + \frac{C(1+n)}{2+n}\right) \left(\frac{\cos(c+dx)}{b}\right)^n (b \sec(c + dx))^{1+n}}{b} \\ &= \frac{\left(A + \frac{C(1+n)}{2+n}\right) {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; \frac{2-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^n \sin(c + dx)}{dn \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 6.58729, size = 282, normalized size = 2.59

$$\frac{i2^{n+2}e^{-in(c+dx)}\left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^n \sec^{-n-2}(c+dx)(A+C\sec^2(c+dx))(b\sec(c+dx))^n \left(\frac{2(A+2C)e^{i(n+3)(c+dx)}\text{Hypergeometric2F1}\left(1, \frac{1}{2}, -\frac{n}{2}, -\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)}{n+3}\right)}{d(1+e^{2i(c+dx)})^2(A\cos(2c+2dx))^{n+1}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] ((-1)*2^(2 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^n*((A*E^(I*(1 + n)*(c + d*x))*Hypergeometric2F1[1, (-3 - n)/2, (3 + n)/2, -E^((2*I)*(c + d*x))])/(1 + n) + (2*(A + 2*C)*E^(I*(3 + n)*(c + d*x))*Hypergeometric2F1[1, (-1 - n)/2, (5 + n)/2, -E^((2*I)*(c + d*x))])/(3 + n) + (A*E^(I*(5 + n)*(c + d*x))*Hypergeometric2F1[1, (-3 - n)/2, (3 + n)/2, -E^((2*I)*(c + d*x))])/(1 + n))

+ d*x))*Hypergeometric2F1[1, (1 - n)/2, (7 + n)/2, -E^((2*I)*(c + d*x))]/(5 + n))*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(d *E^(I*n*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^2*(A + 2*C + A*Cos[2*c + 2*d*x]))

Maple [F] time = 0.712, size = 0, normalized size = 0.

$$\int \sec(dx + c) (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sec(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \sec(dx + c)^3 + A \sec(dx + c)) (b \sec(dx + c))^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^3 + A*sec(d*x + c))*(b*sec(d*x + c))^n, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2),x)

[Out] Integral((b*sec(c + d*x))**n*(A + C*sec(c + d*x)**2)*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sec(d*x + c), x)

3.30 $\int (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=113

$$\frac{C \tan(c + dx)(b \sec(c + dx))^n}{d(n + 1)} - \frac{b(An + A + Cn) \sin(c + dx)(b \sec(c + dx))^{n-1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-n}{2}, \frac{3-n}{2}, \cos^2(c + dx)\right)}{d(1-n)(n+1)\sqrt{\sin^2(c + dx)}}$$

[Out] -((b*(A + A*n + C*n)*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x])/(d*(1 - n)*(1 + n)*Sqrt[Sin[c + d*x]^2])) + (C*(b*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + n))

Rubi [A] time = 0.0831302, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {4046, 3772, 2643}

$$\frac{C \tan(c + dx)(b \sec(c + dx))^n}{d(n + 1)} - \frac{b(An + A + Cn) \sin(c + dx)(b \sec(c + dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx)\right)}{d(1-n)(n+1)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] -((b*(A + A*n + C*n)*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x])/(d*(1 - n)*(1 + n)*Sqrt[Sin[c + d*x]^2])) + (C*(b*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + n))

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= \frac{C(b \sec(c + dx))^n \tan(c + dx)}{d(1 + n)} + \frac{(A + An + Cn) \int (b \sec(c + dx))^n dx}{1 + n} \\ &= \frac{C(b \sec(c + dx))^n \tan(c + dx)}{d(1 + n)} + \frac{\left((A + An + Cn) \left(\frac{\cos(c + dx)}{b} \right)^n (b \sec(c + dx))^n \right)}{1 + n} \\ &= -\frac{(A + An + Cn) \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^n}{d(1 - n^2) \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 5.61037, size = 273, normalized size = 2.42

$$\frac{i 2^{n+1} e^{-i(n+1)(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{n+1} \sec^{-n-2}(c+dx) (A + C \sec^2(c+dx)) (b \sec(c+dx))^n \left(n e^{i(n+2)(c+dx)} \left(2(n+4)(A+2C) \right) \right)}{}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] ((-I)*2^(1 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1 + n)*(A*E^(I
*n*(c + d*x))*(8 + 6*n + n^2)*Hypergeometric2F1[1, -1 - n/2, (2 + n)/2, -E^
((2*I)*(c + d*x))] + E^(I*(2 + n)*(c + d*x))*n*(A*E^((2*I)*(c + d*x))*(2 +
n)*Hypergeometric2F1[1, 1 - n/2, (6 + n)/2, -E^((2*I)*(c + d*x))] + 2*(A +
2*C)*(4 + n)*Hypergeometric2F1[1, -n/2, (4 + n)/2, -E^((2*I)*(c + d*x))]))*
Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(d*E^(I*(1
+ n)*(c + d*x))*n*(2 + n)*(4 + n)*(A + 2*C + A*Cos[2*c + 2*d*x]))
```

Maple [F] time = 0.687, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)`

[Out] `int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^2 + A) (b \sec(dx + c))^n, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2),x)`

[Out] `Integral((b*sec(c + d*x))**n*(A + C*sec(c + d*x)**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n, x)
```

3.31 $\int \cos(c+dx)(b \sec(c+dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=117

$$\frac{b^2(C(1-n) - An) \sin(c+dx)(b \sec(c+dx))^{n-2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2-n}{2}, \frac{4-n}{2}, \cos^2(c+dx)\right)}{d(2-n)n\sqrt{\sin^2(c+dx)}} + \frac{bC \tan(c+dx)(b \sec(c+dx))^{n-1}}{dn}$$

[Out] (b^2*(C*(1 - n) - A*n)*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x])/(d*(2 - n)*n*Sqrt[Sin[c + d*x]^2]) + (b*C*(b*Sec[c + d*x])^(-1 + n)*Tan[c + d*x])/(d*n)

Rubi [A] time = 0.11834, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 4046, 3772, 2643}

$$\frac{b^2(C(1-n) - An) \sin(c+dx)(b \sec(c+dx))^{n-2} {}_2F_1\left(\frac{1}{2}, \frac{2-n}{2}; \frac{4-n}{2}; \cos^2(c+dx)\right)}{d(2-n)n\sqrt{\sin^2(c+dx)}} + \frac{bC \tan(c+dx)(b \sec(c+dx))^{n-1}}{dn}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] (b^2*(C*(1 - n) - A*n)*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x])/(d*(2 - n)*n*Sqrt[Sin[c + d*x]^2]) + (b*C*(b*Sec[c + d*x])^(-1 + n)*Tan[c + d*x])/(d*n)

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m+1)), x] + Dist[(C*m + A*(m+1))/(m+1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m+1), 0] && !LeQ[m, -1]

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= b \int (b \sec(c + dx))^{-1+n} (A + C \sec^2(c + dx)) dx \\ &= \frac{bC(b \sec(c + dx))^{-1+n} \tan(c + dx)}{dn} + \frac{(bC(-1 + n) + An) \int (b \sec(c + dx))^{-1+n} dx}{n} \\ &= \frac{bC(b \sec(c + dx))^{-1+n} \tan(c + dx)}{dn} + \frac{(bC(-1 + n) + An) \left(\frac{\cos(c + dx)}{\sin(c + dx)} \right)^n}{n} \\ &= \frac{(C(1 - n) - An) \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2-n}{2}, \frac{4-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^{-1+n}}{d(2 - n)n \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.231657, size = 119, normalized size = 1.02

$$\frac{\sqrt{-\tan^2(c + dx)(b \sec(c + dx))^n} \left(A(n + 1) \cos(c + dx) \cot(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{n-1}{2}, \frac{n+1}{2}, \sec^2(c + dx)\right) + C \right)}{d(n - 1)(n + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] ((A*(1 + n)*Cos[c + d*x]*Cot[c + d*x]*Hypergeometric2F1[1/2, (-1 + n)/2, (1
+ n)/2, Sec[c + d*x]^2] + C*(-1 + n)*Csc[c + d*x]*Hypergeometric2F1[1/2, (
1 + n)/2, (3 + n)/2, Sec[c + d*x]^2])*(b*Sec[c + d*x])^n*Sqrt[-Tan[c + d*x]
^2)]/(d*(-1 + n)*(1 + n))
```

Maple [F] time = 0.752, size = 0, normalized size = 0.

$$\int \cos(dx + c) (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)

[Out] int(cos(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*cos(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)) (b \sec(dx + c))^n, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))*(b*sec(d*x + c))^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*cos(d*x + c), x)
```

3.32 $\int \cos^2(c+dx)(b \sec(c+dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=132

$$\frac{b^3(A(1-n) + C(2-n)) \sin(c+dx)(b \sec(c+dx))^{n-3} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3-n}{2}, \frac{5-n}{2}, \cos^2(c+dx)\right)}{d(1-n)(3-n)\sqrt{\sin^2(c+dx)}} - \frac{b^2C \tan(c+dx)}{d(1-n)}$$

```
[Out] -((b^3*(A*(1 - n) + C*(2 - n))*Hypergeometric2F1[1/2, (3 - n)/2, (5 - n)/2,
Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-3 + n)*Sin[c + d*x])/(d*(1 - n)*(3 - n)
*Sqrt[Sin[c + d*x]^2])) - (b^2*C*(b*Sec[c + d*x])^(-2 + n)*Tan[c + d*x])/(d
*(1 - n))
```

Rubi [A] time = 0.145624, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4046, 3772, 2643}

$$\frac{b^3(A(1-n) + C(2-n)) \sin(c+dx)(b \sec(c+dx))^{n-3} {}_2F_1\left(\frac{1}{2}, \frac{3-n}{2}; \frac{5-n}{2}; \cos^2(c+dx)\right)}{d(1-n)(3-n)\sqrt{\sin^2(c+dx)}} - \frac{b^2C \tan(c+dx)(b \sec(c+dx))}{d(1-n)}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] -((b^3*(A*(1 - n) + C*(2 - n))*Hypergeometric2F1[1/2, (3 - n)/2, (5 - n)/2,
Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-3 + n)*Sin[c + d*x])/(d*(1 - n)*(3 - n)
*Sqrt[Sin[c + d*x]^2])) - (b^2*C*(b*Sec[c + d*x])^(-2 + n)*Tan[c + d*x])/(d
*(1 - n))
```

Rule 16

```
Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] :> Dist[1/b^m, Int[u*(b*v)
^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
```

eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n], x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n], x_Symbol] :> Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= b^2 \int (b \sec(c + dx))^{-2+n} (A + C \sec^2(c + dx)) dx \\ &= -\frac{b^2 C (b \sec(c + dx))^{-2+n} \tan(c + dx)}{d(1-n)} + \left(b^2 \left(A + \frac{C(2-n)}{1-n} \right) \right) \int (b \sec(c + dx))^{-2+n} dx \\ &= -\frac{b^2 C (b \sec(c + dx))^{-2+n} \tan(c + dx)}{d(1-n)} + \left(b^2 \left(A + \frac{C(2-n)}{1-n} \right) \right) \left(\frac{1}{d} \int (b \sec(c + dx))^{-2+n} dx \right) \\ &= -\frac{\left(A + \frac{C(2-n)}{1-n} \right) \cos^3(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{3-n}{2}; \frac{5-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^{n-2}}{d(3-n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.185405, size = 107, normalized size = 0.81

$$\frac{\sqrt{-\tan^2(c + dx)} \cot(c + dx) (b \sec(c + dx))^n \left(A n \cos^2(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{n-2}{2}, \frac{n}{2}; \sec^2(c + dx)\right) + C(n-2) \right)}{d(n-2)n}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] (Cot[c + d*x]*(A*n*Cos[c + d*x]^2*Hypergeometric2F1[1/2, (-2 + n)/2, n/2, Sec[c + d*x]^2] + C*(-2 + n)*Hypergeometric2F1[1/2, n/2, (2 + n)/2, Sec[c + d*x]^2])*(b*Sec[c + d*x])^n*Sqrt[-Tan[c + d*x]^2])/(d*(-2 + n)*n)

Maple [F] time = 0.948, size = 0, normalized size = 0.

$$\int (\cos(dx + c))^2 (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)`

[Out] `int(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*cos(d*x + c)^2, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \cos(dx + c)^2 \sec(dx + c)^2 + A \cos(dx + c)^2) (b \sec(dx + c))^n, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)*(b*sec(d*x + c))^n, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*cos(d*x + c)^2, x)

3.33 $\int \cos^3(c+dx)(b \sec(c+dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=132

$$\frac{b^4(A(2-n) + C(3-n)) \sin(c+dx)(b \sec(c+dx))^{n-4} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{4-n}{2}, \frac{6-n}{2}, \cos^2(c+dx)\right) - b^3 C \tan(c+dx)}{d(2-n)(4-n)\sqrt{\sin^2(c+dx)}}$$

[Out] $-\left((b^4(A(2-n) + C(3-n))\text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(4-n)}{2}, \frac{(6-n)}{2}, \text{Cos}[c + d*x]^2\right]*(b*\text{Sec}[c + d*x])^{(-4+n)}*\text{Sin}[c + d*x]\right)/(d*(2-n)*(4-n)*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (b^3*C*(b*\text{Sec}[c + d*x])^{(-3+n)}*\text{Tan}[c + d*x])/(d*(2-n))\right)$

Rubi [A] time = 0.143475, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 4046, 3772, 2643}

$$\frac{b^4(A(2-n) + C(3-n)) \sin(c+dx)(b \sec(c+dx))^{n-4} {}_2F_1\left(\frac{1}{2}, \frac{4-n}{2}; \frac{6-n}{2}; \cos^2(c+dx)\right) - b^3 C \tan(c+dx)(b \sec(c+dx))}{d(2-n)(4-n)\sqrt{\sin^2(c+dx)}} - \frac{b^3 C \tan(c+dx)(b \sec(c+dx))}{d(2-n)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^3*(b*\text{Sec}[c + d*x])^n*(A + C*\text{Sec}[c + d*x]^2), x]$

[Out] $-\left((b^4(A(2-n) + C(3-n))\text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(4-n)}{2}, \frac{(6-n)}{2}, \text{Cos}[c + d*x]^2\right]*(b*\text{Sec}[c + d*x])^{(-4+n)}*\text{Sin}[c + d*x]\right)/(d*(2-n)*(4-n)*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (b^3*C*(b*\text{Sec}[c + d*x])^{(-3+n)}*\text{Tan}[c + d*x])/(d*(2-n))\right)$

Rule 16

$\text{Int}[(u_*)*(v_)^{(m_*)}*((b_)*(v_))^{(n_)}, x_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n\}, x \&\& \text{IntegerQ}[m]$

Rule 4046

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_)]*(b_))^{(m_*)}*(\text{csc}[(e_*) + (f_*)*(x_)]^2*(C_*) + (A_)), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[(C*m + A*(m+1))/(m+1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{Fr}$

eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= b^3 \int (b \sec(c + dx))^{-3+n} (A + C \sec^2(c + dx)) dx \\ &= -\frac{b^3 C (b \sec(c + dx))^{-3+n} \tan(c + dx)}{d(2 - n)} + \left(b^3 \left(A + \frac{C(3 - n)}{2 - n} \right) \right) \int (b \sec(c + dx))^{-3+n} dx \\ &= -\frac{b^3 C (b \sec(c + dx))^{-3+n} \tan(c + dx)}{d(2 - n)} + \left(b^3 \left(A + \frac{C(3 - n)}{2 - n} \right) \right) \left(\frac{b \sec(c + dx)}{d} \right)^{-3+n} \\ &= -\frac{\left(A + \frac{C(3 - n)}{2 - n} \right) \cos^4(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{4 - n}{2}, \frac{6 - n}{2}, \cos^2(c + dx)\right) (b \sec(c + dx))^{-3+n}}{d(4 - n) \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.24919, size = 118, normalized size = 0.89

$$\frac{b \sqrt{-\tan^2(c + dx)} \cot(c + dx) (b \sec(c + dx))^{n-1} \left(A(n-1) \cos^2(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{n-3}{2}, \frac{n-1}{2}, \sec^2(c + dx)\right) \right)}{d(n-3)(n-1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] (b*Cot[c + d*x]*(A*(-1 + n)*Cos[c + d*x]^2*Hypergeometric2F1[1/2, (-3 + n)/2, (-1 + n)/2, Sec[c + d*x]^2] + C*(-3 + n)*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(-1 + n)*Sqrt[-Tan[c + d*x]

$]^2)]/(d*(-3 + n)*(-1 + n))$

Maple [F] time = 1.328, size = 0, normalized size = 0.

$$\int (\cos(dx + c))^3 (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)`

[Out] `int(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*cos(d*x + c)^3, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \cos(dx + c)^3 \sec(dx + c)^2 + A \cos(dx + c)^3) (b \sec(dx + c))^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + A*cos(d*x + c)^3)*(b*sec(d*x + c))^n, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*cos(d*x + c)^3, x)`

$$3.34 \quad \int \sec^{\frac{5}{2}}(c+dx)(b \sec(c+dx))^n \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=142

$$\frac{2(A(2n+7) + C(2n+5)) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) (b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(-2n-3), \frac{1}{4}(1-2n), \cos^2(c+dx)\right)}{d(2n+3)(2n+7)\sqrt{\sin^2(c+dx)}}$$

[Out] (2*C*Sec[c + d*x]^(7/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(7 + 2*n)) + (2*(C*(5 + 2*n) + A*(7 + 2*n))*Hypergeometric2F1[1/2, (-3 - 2*n)/4, (1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)*(7 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.123714, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{2(A(2n+7) + C(2n+5)) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) (b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-2n-3); \frac{1}{4}(1-2n); \cos^2(c+dx)\right)}{d(2n+3)(2n+7)\sqrt{\sin^2(c+dx)}} + \frac{2C \sin(c+dx) \sec^{\frac{5}{2}}(c+dx) (b \sec(c+dx))^n}{d(2n+3)(2n+7)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] (2*C*Sec[c + d*x]^(7/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(7 + 2*n)) + (2*(C*(5 + 2*n) + A*(7 + 2*n))*Hypergeometric2F1[1/2, (-3 - 2*n)/4, (1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)*(7 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_)*((a_)*(v_))^(m_)*((b_)*(v_))^(n_), x_Symbol] :> Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 4046

Int[(csc[(e_)+(f_)*(x_)]*(b_))^(m_)*(csc[(e_)+(f_)*(x_)]^2*(C_)+(A_)), x_Symbol] :> -Simp[(C*Cot[e+f*x]*(b*Csc[e+f*x])^m)/(f*(m+1))

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^{\frac{5}{2}}(c + dx)(b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{\frac{5}{2}+n}(c + dx) (A + C \sec^2(c + dx)) dx \\ &= \frac{2C \sec^{\frac{7}{2}}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(7 + 2n)} + \frac{\left(\left(C \left(\frac{5}{2} + n \right) + \dots \right) \right)}{d(7 + 2n)} \\ &= \frac{2C \sec^{\frac{7}{2}}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(7 + 2n)} + \frac{\left(\left(C \left(\frac{5}{2} + n \right) + \dots \right) \right)}{d(7 + 2n)} \\ &= \frac{2C \sec^{\frac{7}{2}}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(7 + 2n)} + \frac{2(C(5 + 2n) + \dots)}{d(7 + 2n)} \end{aligned}$$

Mathematica [C] time = 3.16323, size = 341, normalized size = 2.4

$$i^{2n+\frac{9}{2}} e^{2ic-\frac{1}{2}id(2n+1)x} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{n+\frac{1}{2}} (1 + e^{2i(c+dx)})^{n+\frac{1}{2}} \sec^{-n-2}(c + dx) (A + C \sec^2(c + dx)) (b \sec(c + dx))^n \left(\frac{e^{\frac{1}{2}i(4c+d(2n+9)x)}}{2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(5/2)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]


```
[Out] ((-I)*2^(9/2 + n)*E^((2*I)*c - (I/2)*d*(1 + 2*n)*x)*(E^(I*(c + d*x))/(1 + E
^((2*I)*(c + d*x))))^(1/2 + n)*(1 + E^((2*I)*(c + d*x)))^(1/2 + n)*((A*E^((
I/2)*d*(5 + 2*n)*x)*Hypergeometric2F1[9/2 + n, (5 + 2*n)/4, (9 + 2*n)/4, -E
^((2*I)*(c + d*x))]/(5 + 2*n) + (E^((I/2)*(4*c + d*(9 + 2*n)*x)))*(2*(A + 2
*C)*(13 + 2*n)*Hypergeometric2F1[9/2 + n, (9 + 2*n)/4, (13 + 2*n)/4, -E^((2
*I)*(c + d*x))] + A*E^((2*I)*(c + d*x))*(9 + 2*n)*Hypergeometric2F1[9/2 + n
, (13 + 2*n)/4, (17 + 2*n)/4, -E^((2*I)*(c + d*x))]))/((9 + 2*n)*(13 + 2*n)
))*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(d*(A +
2*C + A*Cos[2*c + 2*d*x]))
```

Maple [F] time = 0.213, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^{\frac{5}{2}} (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(5/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)
```

```
[Out] int(sec(d*x+c)^(5/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^4 + A \sec(dx + c)^2) (b \sec(dx + c))^n \sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sec(d*x + c)^(5/2), x)
```

3.35 $\int \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=142

$$\frac{2(A(2n+5) + C(2n+3)) \sin(c+dx) \sqrt{\sec(c+dx)} (b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(-2n-1), \frac{1}{4}(3-2n), \cos^2(c+dx)\right)}{d(2n+1)(2n+5) \sqrt{\sin^2(c+dx)}}$$

[Out] $(2C \operatorname{Sec}[c+dx]^{5/2} (b \operatorname{Sec}[c+dx])^n \operatorname{Sin}[c+dx]) / (d(5+2n)) + (2(C(3+2n) + A(5+2n)) \operatorname{Hypergeometric2F1}[1/2, (-1-2n)/4, (3-2n)/4, \operatorname{Cos}[c+dx]^2] \operatorname{Sqrt}[\operatorname{Sec}[c+dx]] (b \operatorname{Sec}[c+dx])^n \operatorname{Sin}[c+dx]) / (d(1+2n)(5+2n) \operatorname{Sqrt}[\operatorname{Sin}[c+dx]^2])$

Rubi [A] time = 0.126935, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{2(A(2n+5) + C(2n+3)) \sin(c+dx) \sqrt{\sec(c+dx)} (b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-2n-1); \frac{1}{4}(3-2n); \cos^2(c+dx)\right)}{d(2n+1)(2n+5) \sqrt{\sin^2(c+dx)}} + \frac{2C \operatorname{Sin}[c+dx] \operatorname{Sec}[c+dx]^{5/2} (b \operatorname{Sec}[c+dx])^n}{d(5+2n)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sec}[c+dx]^{3/2} (b \operatorname{Sec}[c+dx])^n (A + C \operatorname{Sec}[c+dx]^2), x]$

[Out] $(2C \operatorname{Sec}[c+dx]^{5/2} (b \operatorname{Sec}[c+dx])^n \operatorname{Sin}[c+dx]) / (d(5+2n)) + (2(C(3+2n) + A(5+2n)) \operatorname{Hypergeometric2F1}[1/2, (-1-2n)/4, (3-2n)/4, \operatorname{Cos}[c+dx]^2] \operatorname{Sqrt}[\operatorname{Sec}[c+dx]] (b \operatorname{Sec}[c+dx])^n \operatorname{Sin}[c+dx]) / (d(1+2n)(5+2n) \operatorname{Sqrt}[\operatorname{Sin}[c+dx]^2])$

Rule 20

$\operatorname{Int}[(u_.) * ((a_.) * (v_))^{(m_)} * ((b_.) * (v_))^{(n_)}, x_Symbol] \rightarrow \operatorname{Dist}[(b^{\operatorname{IntPart}[n]} * (b*v)^{\operatorname{FracPart}[n]}) / (a^{\operatorname{IntPart}[n]} * (a*v)^{\operatorname{FracPart}[n]})], \operatorname{Int}[u * (a*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 4046

$\operatorname{Int}[(\operatorname{csc}[e_.] + (f_.) * (x_)) * (b_.)^{(m_)} * (\operatorname{csc}[e_.] + (f_.) * (x_))^{2 * (C_.) + (A_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(C * \operatorname{Cot}[e + f*x] * (b * \operatorname{Csc}[e + f*x])^m) / (f * (m + 1))]$

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^{\frac{3}{2}}(c + dx)(b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{\frac{3}{2}+n}(c + dx) (A + C \sec^2(c + dx)) dx \\ &= \frac{2C \sec^{\frac{5}{2}}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(5 + 2n)} + \frac{\left(\left(C \left(\frac{3}{2} + n \right) + \dots \right) \right)}{d(5 + 2n)} \\ &= \frac{2C \sec^{\frac{5}{2}}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(5 + 2n)} + \frac{\left(\left(C \left(\frac{3}{2} + n \right) + \dots \right) \right)}{d(5 + 2n)} \\ &= \frac{2C \sec^{\frac{5}{2}}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(5 + 2n)} + \frac{2(C(3 + 2n) + \dots)}{d(5 + 2n)} \end{aligned}$$

Mathematica [C] time = 2.2733, size = 303, normalized size = 2.13

$$i 2^{n+\frac{7}{2}} e^{-\frac{1}{2}i(2n+5)(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{n+\frac{5}{2}} \sec^{-n-2}(c + dx) (A + C \sec^2(c + dx)) (b \sec(c + dx))^n \left(\frac{2(A+2C)e^{\frac{1}{2}i(2n+7)(c+dx)} \text{Hypergeometric2F1}[\dots]}{2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

```
[Out] ((-I)*2^(7/2 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(5/2 + n)*((A
 *E^((I/2)*(3 + 2*n)*(c + d*x))*Hypergeometric2F1[1, (-7 - 2*n)/4, (7 + 2*n)
 /4, -E^((2*I)*(c + d*x))])/(3 + 2*n) + (2*(A + 2*C)*E^((I/2)*(7 + 2*n)*(c +
 d*x))*Hypergeometric2F1[1, (-3 - 2*n)/4, (11 + 2*n)/4, -E^((2*I)*(c + d*x)
 )])/(7 + 2*n) + (A*E^((I/2)*(11 + 2*n)*(c + d*x))*Hypergeometric2F1[1, (1 -
 2*n)/4, (15 + 2*n)/4, -E^((2*I)*(c + d*x))])/(11 + 2*n))*Sec[c + d*x]^(-2
 - n)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(d*E^((I/2)*(5 + 2*n)*(c +
 d*x))*(A + 2*C + A*Cos[2*c + 2*d*x]))
```

Maple [F] time = 0.234, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^{\frac{3}{2}} (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)
```

```
[Out] int(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^3 + A \sec(dx + c)\right) (b \sec(dx + c))^n \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^3 + A*sec(d*x + c))*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sec(d*x + c)^(3/2), x)
```

3.36 $\int \sqrt{\sec(c+dx)}(b \sec(c+dx))^n (A + C \sec^2(c+dx)) dx$

Optimal. Leaf size=140

$$\frac{2C \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n}{d(2n+3)} - \frac{2(A(2n+3) + 2Cn + C) \sin(c+dx)(b \sec(c+dx))^n \text{Hypergeometric2F1}}{d(1-2n)(2n+3) \sqrt{\sin^2(c+dx)} \sqrt{\sec(c+dx)}}$$

[Out] $(2*C*Sec[c + d*x]^{(3/2)}*(b*Sec[c + d*x])^n*\sin[c + d*x])/(d*(3 + 2*n)) - (2*(C + 2*C*n + A*(3 + 2*n))*Hypergeometric2F1[1/2, (1 - 2*n)/4, (5 - 2*n)/4, \cos[c + d*x]^2]*(b*Sec[c + d*x])^n*\sin[c + d*x])/(d*(1 - 2*n)*(3 + 2*n)*\text{Sqrt}[Sec[c + d*x]]*\text{Sqrt}[\sin[c + d*x]^2])$

Rubi [A] time = 0.119767, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{2C \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n}{d(2n+3)} - \frac{2(A(2n+3) + 2Cn + C) \sin(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(1-2n); \frac{1}{4}(1-2n), \sin^2(c+dx)\right)}{d(1-2n)(2n+3) \sqrt{\sin^2(c+dx)} \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Sec}[c + d*x]]*(b*\text{Sec}[c + d*x])^n*(A + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*C*Sec[c + d*x]^{(3/2)}*(b*Sec[c + d*x])^n*\sin[c + d*x])/(d*(3 + 2*n)) - (2*(C + 2*C*n + A*(3 + 2*n))*Hypergeometric2F1[1/2, (1 - 2*n)/4, (5 - 2*n)/4, \cos[c + d*x]^2]*(b*Sec[c + d*x])^n*\sin[c + d*x])/(d*(1 - 2*n)*(3 + 2*n)*\text{Sqrt}[Sec[c + d*x]]*\text{Sqrt}[\sin[c + d*x]^2])$

Rule 20

$\text{Int}[(u_*)*((a_*)*(v_))^{(m_)}*((b_*)*(v_))^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]}), \text{Int}[u*(a*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

Rule 4046

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_)]*(b_*)^{(m_)}*(\text{csc}[(e_*) + (f_*)*(x_)]^{2*(C_*) + (A_*)}), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1))$

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sqrt{\sec(c + dx)}(b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{\frac{1}{2}+n}(c + dx) (A + C \sec^2(c + dx)) dx \\ &= \frac{2C \sec^{\frac{3}{2}}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(3 + 2n)} + \frac{\left(C \left(\frac{1}{2} + n\right) + A\right) (b \sec(c + dx))^n}{d(3 + 2n)} \\ &= \frac{2C \sec^{\frac{3}{2}}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(3 + 2n)} + \frac{\left(C \left(\frac{1}{2} + n\right) + A\right) (b \sec(c + dx))^n}{d(3 + 2n)} \\ &= \frac{2C \sec^{\frac{3}{2}}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(3 + 2n)} - \frac{2(C + 2Cn + A)}{d(3 + 2n)} \end{aligned}$$

Mathematica [C] time = 2.33077, size = 303, normalized size = 2.16

$$i^{2n+\frac{5}{2}} e^{-\frac{1}{2}i(2n+3)(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{n+\frac{3}{2}} \sec^{-n-2}(c + dx) (A + C \sec^2(c + dx)) (b \sec(c + dx))^n \frac{2(A+2C)e^{\frac{1}{2}i(2n+5)(c+dx)} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{n+1}{2}, \frac{n+3}{2}, \sin^2(c+dx)\right]}{d(3+2n)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]


```
[Out] ((-I)*2^(5/2 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(3/2 + n)*((A
 *E^((I/2)*(1 + 2*n)*(c + d*x))*Hypergeometric2F1[1, (-5 - 2*n)/4, (5 + 2*n)
 /4, -E^((2*I)*(c + d*x))])/(1 + 2*n) + (2*(A + 2*C)*E^((I/2)*(5 + 2*n)*(c +
 d*x))*Hypergeometric2F1[1, (-1 - 2*n)/4, (9 + 2*n)/4, -E^((2*I)*(c + d*x))
 ])/(5 + 2*n) + (A*E^((I/2)*(9 + 2*n)*(c + d*x))*Hypergeometric2F1[1, (3 - 2
 *n)/4, (13 + 2*n)/4, -E^((2*I)*(c + d*x))])/(9 + 2*n))*Sec[c + d*x]^(-2 - n
 )*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(d*E^((I/2)*(3 + 2*n)*(c + d*x
 ))*(A + 2*C + A*Cos[2*c + 2*d*x]))
```

Maple [F] time = 0.222, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x)
```

```
[Out] int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm
="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) (b \sec(dx + c))^n \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)
```

$$3.37 \quad \int \frac{(b \sec(c+dx))^n (A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=141

$$\frac{2C \sin(c+dx) \sqrt{\sec(c+dx)} (b \sec(c+dx))^n}{d(2n+1)} - \frac{2(2An + A - C(1-2n)) \sin(c+dx) (b \sec(c+dx))^n \text{Hypergeometric2F1}}{d(3-2n)(2n+1) \sqrt{\sin^2(c+dx)} \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (2*C*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)) - (2*(A - C*(1 - 2*n) + 2*A*n)*Hypergeometric2F1[1/2, (3 - 2*n)/4, (7 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 - 2*n)*(1 + 2*n)*Sec[c + d*x]^(3/2)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.113877, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{2C \sin(c+dx) \sqrt{\sec(c+dx)} (b \sec(c+dx))^n}{d(2n+1)} - \frac{2(2An + A - C(1-2n)) \sin(c+dx) (b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(3-2n); \frac{1}{4}(3-2n); \cos^2(c+dx)\right)}{d(3-2n)(2n+1) \sqrt{\sin^2(c+dx)} \sec^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (2*C*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)) - (2*(A - C*(1 - 2*n) + 2*A*n)*Hypergeometric2F1[1/2, (3 - 2*n)/4, (7 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 - 2*n)*(1 + 2*n)*Sec[c + d*x]^(3/2)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] :> Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_. + (A_.))), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m+1))

, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{(b \sec(c + dx))^n (A + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{1}{2}+n}(c + dx) (A + C \sec^2(c + dx)) dx \\ &= \frac{2C\sqrt{\sec(c + dx)}(b \sec(c + dx))^n \sin(c + dx)}{d(1 + 2n)} + \frac{\left(\left(C\left(-\frac{1}{2} + n\right) + A\left(\frac{1}{2} + n\right)\right)\right)}{d(1 + 2n)} \\ &= \frac{2C\sqrt{\sec(c + dx)}(b \sec(c + dx))^n \sin(c + dx)}{d(1 + 2n)} + \frac{\left(\left(C\left(-\frac{1}{2} + n\right) + A\left(\frac{1}{2} + n\right)\right)\right)}{d(1 + 2n)} \\ &= \frac{2C\sqrt{\sec(c + dx)}(b \sec(c + dx))^n \sin(c + dx)}{d(1 + 2n)} - \frac{2(A - C(1 - 2n) + 2An)_2F_1}{d(3)} \end{aligned}$$

Mathematica [C] time = 4.56532, size = 311, normalized size = 2.21

$$\frac{i 2^{n+\frac{3}{2}} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{n-\frac{1}{2}} (1+e^{2i(c+dx)})^{n-\frac{1}{2}} \sec^{-n-2}(c+dx) (A+C \sec^2(c+dx)) (b \sec(c+dx))^n \left((2n-1)e^{2i(c+dx)} (2(2n+7))\right)}{d(3)}$$

Antiderivative was successfully verified.

[In] Integrate[((b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

```
[Out] ((-I)*2^(3/2 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(-1/2 + n)*(1
+ E^((2*I)*(c + d*x)))^(-1/2 + n)*(A*(21 + 20*n + 4*n^2)*Hypergeometric2F1
[3/2 + n, (-1 + 2*n)/4, (3 + 2*n)/4, -E^((2*I)*(c + d*x))] + E^((2*I)*(c +
d*x))*(-1 + 2*n)*(2*(A + 2*C)*(7 + 2*n)*Hypergeometric2F1[3/2 + n, (3 + 2*n
)/4, (7 + 2*n)/4, -E^((2*I)*(c + d*x))] + A*E^((2*I)*(c + d*x))*(3 + 2*n)*H
ypergeometric2F1[3/2 + n, (7 + 2*n)/4, (11 + 2*n)/4, -E^((2*I)*(c + d*x))])
)*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(d*(-1 +
2*n)*(3 + 2*n)*(7 + 2*n)*(A + 2*C + A*Cos[2*c + 2*d*x]))
```

Maple [F] time = 0.234, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) \frac{1}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x)
```

```
[Out] int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^n}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm
="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n/sqrt(sec(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^n}{\sqrt{\sec(dx + c)}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n/sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^n}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n/sqrt(sec(d*x + c)), x)
```

$$3.38 \quad \int \frac{(b \sec(c+dx))^n (A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=140

$$\frac{2(-2An + A + C(3 - 2n)) \sin(c + dx)(b \sec(c + dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(5 - 2n), \frac{1}{4}(9 - 2n), \cos^2(c + dx)\right)}{d(1 - 2n)(5 - 2n)\sqrt{\sin^2(c + dx)} \sec^{\frac{5}{2}}(c + dx)}$$

[Out] $(-2*C*(b*Sec[c + d*x])^n*\sin[c + d*x])/(d*(1 - 2*n)*Sqrt[Sec[c + d*x]]) - (2*(A + C*(3 - 2*n) - 2*A*n)*Hypergeometric2F1[1/2, (5 - 2*n)/4, (9 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*\sin[c + d*x])/(d*(1 - 2*n)*(5 - 2*n)*Sec[c + d*x]^{5/2}*Sqrt[Sin[c + d*x]^2])$

Rubi [A] time = 0.125937, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{2(-2An + A + C(3 - 2n)) \sin(c + dx)(b \sec(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(5 - 2n); \frac{1}{4}(9 - 2n); \cos^2(c + dx)\right)}{d(1 - 2n)(5 - 2n)\sqrt{\sin^2(c + dx)} \sec^{\frac{5}{2}}(c + dx)} - \frac{2C \sin(c + dx)(b \sec(c + dx))^n}{d(1 - 2n)\sqrt{\sec^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(b*\text{Sec}[c + d*x])^n*(A + C*\text{Sec}[c + d*x]^2)}{\text{Sec}[c + d*x]^{3/2}}, x]$

[Out] $(-2*C*(b*Sec[c + d*x])^n*\sin[c + d*x])/(d*(1 - 2*n)*Sqrt[Sec[c + d*x]]) - (2*(A + C*(3 - 2*n) - 2*A*n)*Hypergeometric2F1[1/2, (5 - 2*n)/4, (9 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*\sin[c + d*x])/(d*(1 - 2*n)*(5 - 2*n)*Sec[c + d*x]^{5/2}*Sqrt[Sin[c + d*x]^2])$

Rule 20

$\text{Int}[(u_*)*((a_*)*(v_*))^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] :> \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]}), \text{Int}[u*(a*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\int \frac{(b \sec(c + dx))^n (A + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx = (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{3}{2}+n}(c + dx) (A + C \sec^2(c + dx)) dx$$

$$= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(1 - 2n)\sqrt{\sec(c + dx)}} + \frac{\left(\left(C\left(-\frac{3}{2} + n\right) + A\left(-\frac{1}{2} + n\right)\right) \sec^{-n}(c + dx)\right)}{d(1 - 2n)\sqrt{\sec(c + dx)}}$$

$$= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(1 - 2n)\sqrt{\sec(c + dx)}} + \frac{\left(\left(C\left(-\frac{3}{2} + n\right) + A\left(-\frac{1}{2} + n\right)\right) \cos^{\frac{1}{2}+n}(c + dx)\right)}{d(1 - 2n)\sqrt{\sec(c + dx)}}$$

$$= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(1 - 2n)\sqrt{\sec(c + dx)}} - \frac{2(A(1 - 2n) + C(3 - 2n)) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(5 - 2n), \frac{3}{4}(5 - 2n), \sec^2(c + dx)\right)}{d(1 - 2n)(5 - 2n)}$$

Mathematica [C] time = 2.85872, size = 343, normalized size = 2.45

$$i2^{n+\frac{1}{2}} e^{-\frac{1}{2}i(4c+d(2n+1)x)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{n+\frac{1}{2}} (1 + e^{2i(c+dx)})^{n+\frac{1}{2}} \sec^{-n-2}(c + dx) (A + C \sec^2(c + dx)) (b \sec(c + dx))^n \left(\frac{e^{\frac{1}{2}i(4c+d(2n+1)x}}}{\dots}\right)$$

Antiderivative was successfully verified.

[In] Integrate[((b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2),x]

[Out] $((-I)*2^{(1/2 + n)}*(E^{I*(c + d*x)})/(1 + E^{((2*I)*(c + d*x))}))^{(1/2 + n)}*(1 + E^{((2*I)*(c + d*x))})^{(1/2 + n)}*((A*E^{((I/2)*d*(-3 + 2*n)*x)}*Hypergeometric2F1[1/2 + n, (-3 + 2*n)/4, (1 + 2*n)/4, -E^{((2*I)*(c + d*x))}])/(d*(-3 + 2*n)) + (E^{((I/2)*(4*c + d*(1 + 2*n)*x))}*(2*(A + 2*C)*(5 + 2*n)*Hypergeometric2F1[1/2 + n, (1 + 2*n)/4, (5 + 2*n)/4, -E^{((2*I)*(c + d*x))}] + A*E^{((2*I)*(c + d*x))}*(1 + 2*n)*Hypergeometric2F1[1/2 + n, (5 + 2*n)/4, (9 + 2*n)/4, -E^{((2*I)*(c + d*x))}]))/(d*(1 + 2*n)*(5 + 2*n))*Sec[c + d*x]^{(-2 - n)}*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(E^{((I/2)*(4*c + d*(1 + 2*n)*x))}*(A + 2*C + A*Cos[2*c + 2*d*x]))$

Maple [F] time = 0.222, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) (\sec(dx + c))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)

[Out] int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(3/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \sec(c + dx))^n (A + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Integral((b*sec(c + d*x))**n*(A + C*sec(c + d*x)**2)/sec(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(3/2), x)

$$3.39 \quad \int \frac{(b \sec(c+dx))^n (A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=142

$$\frac{2(A(3-2n) + C(5-2n)) \sin(c+dx) (b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(7-2n), \frac{1}{4}(11-2n), \cos^2(c+dx)\right)}{d(3-2n)(7-2n) \sqrt{\sin^2(c+dx)} \sec^{\frac{7}{2}}(c+dx)}$$

[Out] $(-2*C*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 - 2*n)*Sec[c + d*x]^{(3/2)}) - (2*(A*(3 - 2*n) + C*(5 - 2*n))*Hypergeometric2F1[1/2, (7 - 2*n)/4, (11 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 - 2*n)*(7 - 2*n)*Sec[c + d*x]^{(7/2)}*Sqrt[Sin[c + d*x]^2])$

Rubi [A] time = 0.128632, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {20, 4046, 3772, 2643}

$$\frac{2(A(3-2n) + C(5-2n)) \sin(c+dx) (b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(7-2n); \frac{1}{4}(11-2n); \cos^2(c+dx)\right)}{d(3-2n)(7-2n) \sqrt{\sin^2(c+dx)} \sec^{\frac{7}{2}}(c+dx)} - \frac{2C \sin(c+dx) (b \sec(c+dx))^n}{d(3-2n) \sec^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2)}{Sec[c + d*x]^{(5/2)}}, x]$

[Out] $(-2*C*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 - 2*n)*Sec[c + d*x]^{(3/2)}) - (2*(A*(3 - 2*n) + C*(5 - 2*n))*Hypergeometric2F1[1/2, (7 - 2*n)/4, (11 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 - 2*n)*(7 - 2*n)*Sec[c + d*x]^{(7/2)}*Sqrt[Sin[c + d*x]^2])$

Rule 20

$\text{Int}[(u_*)*((a_*)*(v_*))^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]}), \text{Int}[u*(a*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\int \frac{(b \sec(c + dx))^n (A + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx = (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{5}{2}+n}(c + dx) (A + C \sec^2(c + dx)) dx$$

$$= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(3 - 2n) \sec^{\frac{3}{2}}(c + dx)} + \frac{\left(\left(C \left(-\frac{5}{2} + n \right) + A \left(-\frac{3}{2} + n \right) \right) \sec^{-n}(c + dx) \right)}{d(3 - 2n) \sec^{\frac{3}{2}}(c + dx)}$$

$$= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(3 - 2n) \sec^{\frac{3}{2}}(c + dx)} + \frac{\left(\left(C \left(-\frac{5}{2} + n \right) + A \left(-\frac{3}{2} + n \right) \right) \cos^{\frac{1}{2}+n}(c + dx) \right)}{d(3 - 2n) \sec^{\frac{3}{2}}(c + dx)}$$

$$= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(3 - 2n) \sec^{\frac{3}{2}}(c + dx)} - \frac{2(A(3 - 2n) + C(5 - 2n)) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(7 - 2n); \frac{3}{2}, \frac{1}{4}(7 - 2n); \sec^2(c + dx)\right)}{d(3 - 2n)(7 - 2n)}$$

Mathematica [C] time = 3.6713, size = 338, normalized size = 2.38

$$i^{2n-\frac{1}{2}} e^{-\frac{1}{2}i(4c+d(2n-1)x)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{n-\frac{1}{2}} \left(1 + e^{2i(c+dx)} \right)^{n-\frac{1}{2}} \sec^{-n-2}(c + dx) (A + C \sec^2(c + dx)) (b \sec(c + dx))^n \left(\frac{e^{\frac{1}{2}i(4c+d(2n-1)x)}}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2),x]

[Out] ((-I)*2^(-1/2 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(-1/2 + n)*(1 + E^((2*I)*(c + d*x)))^(-1/2 + n)*((A*E^((I/2)*d*(-5 + 2*n)*x))*Hypergeometric2F1[-1/2 + n, (-5 + 2*n)/4, (-1 + 2*n)/4, -E^((2*I)*(c + d*x))])/(-5 + 2*n) + (E^((I/2)*(4*c + d*(-1 + 2*n)*x)))*(2*(A + 2*C)*(3 + 2*n)*Hypergeometric2F1[-1/2 + n, (-1 + 2*n)/4, (3 + 2*n)/4, -E^((2*I)*(c + d*x))]) + A*E^((2*I)*(c + d*x))*(-1 + 2*n)*Hypergeometric2F1[-1/2 + n, (3 + 2*n)/4, (7 + 2*n)/4, -E^((2*I)*(c + d*x))]))/(-3 + 4*n + 4*n^2))*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2))/(d*E^((I/2)*(4*c + d*(-1 + 2*n)*x))*(A + 2*C + A*Cos[2*c + 2*d*x]))

Maple [F] time = 0.22, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + C (\sec(dx + c))^2) (\sec(dx + c))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)

[Out] int((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(5/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))**n*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(5/2), x)

3.40 $\int \sec^m(c+dx)(b \sec(c+dx))^n (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=167

$$\frac{B \sin(c+dx) \sec^m(c+dx)(b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{2}(-m-n), \frac{1}{2}(-m-n+2), \cos^2(c+dx)\right) + C \sin(c+dx) \sec^{m+1}(c+dx)}{d(m+n)\sqrt{\sin^2(c+dx)}}$$

```
[Out] (B*Hypergeometric2F1[1/2, (-m - n)/2, (2 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(m + n)*Sqrt[Sin[c + d*x]^2]) + (C*Hypergeometric2F1[1/2, (-1 - m - n)/2, (1 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.125212, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {20, 4047, 3772, 2643, 12}

$$\frac{B \sin(c+dx) \sec^m(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-m-n); \frac{1}{2}(-m-n+2); \cos^2(c+dx)\right) + C \sin(c+dx) \sec^{m+1}(c+dx)}{d(m+n)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^n*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (B*Hypergeometric2F1[1/2, (-m - n)/2, (2 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(m + n)*Sqrt[Sin[c + d*x]^2]) + (C*Hypergeometric2F1[1/2, (-1 - m - n)/2, (1 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rubi steps

$$\begin{aligned} \int \sec^m(c + dx)(b \sec(c + dx))^n (B \sec(c + dx) + C \sec^2(c + dx)) dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{m+n}(c + dx) (B \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int C \sec^{2+m+n}(c + dx) dx + B \int \sec^{m+n}(c + dx) dx \\ &= (B \cos^{m+n}(c + dx) \sec^m(c + dx)(b \sec(c + dx))^n) \int \frac{1}{\cos^{m+n}(c + dx)} dx + C \int \frac{1}{\cos^{2+m+n}(c + dx)} dx \\ &= \frac{B {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-m-n); \frac{1}{2}(2-m-n); \cos^2(c + dx)\right) \sec^{m+n}(c + dx)}{d(m+n)\sqrt{\sin^2(c + dx)}} + \frac{C {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-m-n); \frac{1}{2}(2-m-n); \cos^2(c + dx)\right) \sec^{2+m+n}(c + dx)}{d(m+n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.237104, size = 129, normalized size = 0.77

$$\frac{\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^m(c + dx)(b \sec(c + dx))^n \left(B(m + n + 2) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{2}(m + n + 1), \frac{1}{2}(m + n + 3), \cos^2(c + dx)\right) \sec^{m+n}(c + dx) + C \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{2}(m + n + 1), \frac{1}{2}(m + n + 3), \cos^2(c + dx)\right) \sec^{2+m+n}(c + dx) \right)}{d(m + n + 1)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^n*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Csc[c + d*x]*Sec[c + d*x]^m*(b*Sec[c + d*x])^n*(B*(2 + m + n)*Hypergeometric2F1[1/2, (1 + m + n)/2, (3 + m + n)/2, Sec[c + d*x]^2] + C*(1 + m + n)*Hypergeometric2F1[1/2, (2 + m + n)/2, (4 + m + n)/2, Sec[c + d*x]^2]*Sec[c + d*x])*Sqrt[-Tan[c + d*x]^2])/(d*(1 + m + n)*(2 + m + n))
```

Maple [F] time = 1.178, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (b \sec(dx + c))^n (B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^m*(b*sec(d*x+c))^n*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] int(sec(d*x+c)^m*(b*sec(d*x+c))^n*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) (b \sec(dx + c))^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^2 + B \sec(dx + c)) (b \sec(dx + c))^n \sec(dx + c)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**m*(b*sec(d*x+c))**n*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) (b \sec(dx + c))^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)
```

3.41 $\int \sec^2(c+dx)(b \sec(c+dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c$

Optimal. Leaf size=154

$$\frac{3(11A + 8C) \sin(c + dx)(b \sec(c + dx))^{5/3} \text{Hypergeometric2F1}\left(-\frac{5}{6}, \frac{1}{2}, \frac{1}{6}, \cos^2(c + dx)\right)}{55bd \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{8/3} \text{Hypergeometric2F1}\left(-\frac{4}{3}, \frac{1}{2}, -\frac{1}{3}, \cos^2(c + dx)\right)}{8b^2d \sqrt{\sin^2(c + dx)}}$$

[Out] (3*(11*A + 8*C)*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x])/(55*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-4/3, 1/2, -1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(8/3)*Sin[c + d*x])/(8*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(8/3)*Tan[c + d*x])/(11*b^2*d)

Rubi [A] time = 0.159226, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(11A + 8C) \sin(c + dx)(b \sec(c + dx))^{5/3} {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right)}{55bd \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{8/3} {}_2F_1\left(-\frac{4}{3}, \frac{1}{2}; -\frac{1}{3}; \cos^2(c + dx)\right)}{8b^2d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*(11*A + 8*C)*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x])/(55*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-4/3, 1/2, -1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(8/3)*Sin[c + d*x])/(8*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(8/3)*Tan[c + d*x])/(11*b^2*d)

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

$\text{Int}[(b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /;$ FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{8/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{\int (b \sec(c + dx))^{8/3} (A + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{3C(b \sec(c + dx))^{8/3} \tan(c + dx)}{11b^2d} + \frac{(11A + 8C)(b \sec(c + dx))^{8/3}}{11b^2d} \\ &= \frac{3C(b \sec(c + dx))^{8/3} \tan(c + dx)}{11b^2d} + \frac{3B {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right)}{11b^2d} \\ &= \frac{3(11A + 8C) {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{8/3}}{55bd \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 4.84952, size = 346, normalized size = 2.25

$$3(b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\sec^3(c + dx) (2 \tan(c + dx) \sec^2(c + dx) (4(11A + 8C) \cos(2(c + dx))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (3*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((-I)*2^(2/3)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(275*B*(1 + E^((2*I)*(c + d*x))) + 275*B*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[-1/6, 2/3, 5/6, -E^((2*I)*(c + d*x))] + 16*(11*A + 8*C)*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))])/(E^(I*(c + d*x))*(-1 + E^((2*I)*c))) + Sec[c + d*x]^(2/3)*(275*B*Cos[d*x]*Csc[c] + 2*(44*A + 72*C + 55*B*Cos[c + d*x] + 4*(11*A + 8*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^2*Tan[c + d*x]))/(440*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(8/3))

Maple [F] time = 0.153, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (b \sec(dx + c))^{2/3} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx+c)^4 + B \sec(dx+c)^3 + A \sec(dx+c)^2\right) (b \sec(dx+c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*(b*sec(d*x + c))^(2/3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c))*2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c) + A\right) (b \sec(dx+c))^{\frac{2}{3}} \sec(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*se  
c(d*x + c)^2, x)
```

3.42 $\int \sec(c+dx)(b \sec(c+dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx) + \dots)$

Optimal. Leaf size=151

$$\frac{3(8A + 5C) \sin(c + dx)(b \sec(c + dx))^{2/3} \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c + dx)\right)}{16d \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{5/3}}{5bd \sqrt{\sin^2(c + dx)}}$$

[Out] (3*(8*A + 5*C)*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x]/(16*d*Sqrt[Sin[c + d*x]^2])) + (3*B*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x]/(5*b*d*Sqrt[Sin[c + d*x]^2])) + (3*C*(b*Sec[c + d*x])^(5/3)*Tan[c + d*x]/(8*b*d))

Rubi [A] time = 0.160207, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(8A + 5C) \sin(c + dx)(b \sec(c + dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{16d \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{5/3} {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right)}{5bd \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*(8*A + 5*C)*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x]/(16*d*Sqrt[Sin[c + d*x]^2])) + (3*B*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x]/(5*b*d*Sqrt[Sin[c + d*x]^2])) + (3*C*(b*Sec[c + d*x])^(5/3)*Tan[c + d*x]/(8*b*d))

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_)), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.*\text{sin}[c_.] + (d_.)*(x_)]^{(n_)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[2*n]$

Rule 4046

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}[\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{!LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{5/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{b} \\ &= \frac{\int (b \sec(c + dx))^{5/3} (A + C \sec^2(c + dx)) dx}{b} \\ &= \frac{3C(b \sec(c + dx))^{5/3} \tan(c + dx)}{8bd} + \frac{(8A + 5C) \int (b \sec(c + dx))^{5/3} dx}{8bd} \\ &= \frac{3B {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{5/3}}{5bd \sqrt{\sin^2(c + dx)}} \\ &= \frac{3(8A + 5C) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{5/3}}{16d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 5.63532, size = 265, normalized size = 1.75

$$3i \left(\frac{be^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{2/3} \left((8A + 5C)e^{i(c+dx)} (1 + e^{2i(c+dx)})^{8/3} \text{Hypergeometric2F1} \left(\frac{2}{3}, \frac{5}{6}, \frac{11}{6}, -e^{2i(c+dx)} \right) - 16B (1 + e^{2i(c+dx)})^{8/3} \text{Hypergeometric2F1} \left(\frac{1}{3}, \frac{2}{3}, \frac{4}{3}, -e^{2i(c+dx)} \right) \right) / (2^{1/3} d (1 + E^{((2*I)*(c + d*x))})^2)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (((3*I)/40)*((b*E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(16*B - 40*A*E^(I*(c + d*x)) - 5*C*E^(I*(c + d*x)) - 80*A*E^((3*I)*(c + d*x)) - 70*C*E^((3*I)*(c + d*x)) - 16*B*E^((4*I)*(c + d*x)) - 40*A*E^((5*I)*(c + d*x)) - 25*C*E^((5*I)*(c + d*x)) - 16*B*(1 + E^((2*I)*(c + d*x)))^(8/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))] + (8*A + 5*C)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(8/3)*Hypergeometric2F1[2/3, 5/6, 11/6, -E^((2*I)*(c + d*x))]))/(2^(1/3)*d*(1 + E^((2*I)*(c + d*x)))^2)

Maple [F] time = 0.149, size = 0, normalized size = 0.

$$\int \sec(dx + c) (b \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*se
c(d*x + c), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^3 + B \sec(dx + c)^2 + A \sec(dx + c)\right) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x
+ c))^(2/3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)
,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) + A \right) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*se
c(d*x + c), x)
```

3.43 $\int (b \sec(c+dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=146

$$\frac{3b(5A + 2C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c + dx)\right)}{5d\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{2/3} \operatorname{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)}}$$

[Out] $(-3*b*(5*A + 2*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/3, 1/2, 2/3, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sin}[c + d*x])/(2*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Tan}[c + d*x])/(5*d)$

Rubi [A] time = 0.139643, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4047, 3772, 2643, 4046}

$$\frac{3b(5A + 2C) \sin(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{5d\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)(b \sec(c + dx))^{2/3}}{5d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(b*\operatorname{Sec}[c + d*x])^{2/3}*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b*(5*A + 2*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/3, 1/2, 2/3, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sin}[c + d*x])/(2*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Tan}[c + d*x])/(5*d)$

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + \operatorname{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \operatorname{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^{m + 1}, x], x] + \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^m*(A + C*\operatorname{Csc}[e + f*x]^2), x] /;$ $\operatorname{FreeQ}\{b, e, f, A, B, C, m\}, x]$

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int (b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{B \int (b \sec(c + dx))^{5/3} dx}{b} + \int (b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx \\ &= \frac{3C(b \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{1}{5}(5A + 2C) \int (b \sec(c + dx))^{2/3} dx \\ &= \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{2d\sqrt{\sin^2(c + dx)}} \\ &= \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{2d\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 2.05197, size = 311, normalized size = 2.13

$$(b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{3 \cos(c + dx)(5B \csc(c) \cos(dx) \cos(c + dx) + 2C \sin(c + dx))}{d} - \frac{3i2^{2/3} e^{-i(c + dx)} \left(\frac{e^{i(c + dx)}}{1 + e^{2i(c + dx)}} \right)}{5(A \cos(2(c + dx)) + B \sec(c + dx) + C \sec^2(c + dx))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] ((b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((-3*I)*2^(2/3)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(5*B*(1 + E^((2*I)*(c + d*x))) + 5*B*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[-1/6, 2/3, 5/6, -E^((2*I)*(c + d*x))] + (5*A + 2*C)*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))])/(d*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sec[c + d*x]^(8/3)) + (3*Cos[c + d*x]*(5*B*Cos[d*x]*Cos[c + d*x]*Csc[c] + 2*C*Sin[c + d*x]))/d)/(5*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [F] time = 0.138, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3), x)
```

3.44 $\int \cos(c+dx)(b \sec(c+dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=148

$$\frac{3b^2(2A - C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c + dx)\right)}{8d\sqrt{\sin^2(c + dx)}(b \sec(c + dx))^{4/3}} - \frac{3bB \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}}$$

[Out] $(-3*b^2*(2*A - C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(8*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*C*\operatorname{Tan}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{1/3})$

Rubi [A] time = 0.163401, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3b^2(2A - C) \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{8d\sqrt{\sin^2(c + dx)}(b \sec(c + dx))^{4/3}} - \frac{3bB \sin(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}} + \frac{3bC \tan(c + dx)}{2d\sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]*(b*\operatorname{Sec}[c + d*x])^{2/3}*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b^2*(2*A - C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(8*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*C*\operatorname{Tan}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{1/3})$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*))^{(m_*)}*((A_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]*(B_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*)), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*\operatorname{Csc}$

$[e + f*x]^{(m + 1), x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)*((\text{Sin}[c + d*x]/b)^{(n - 1)*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x])}], x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.*\text{sin}[c_.] + (d_.)*(x_)]^{(n_)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[2*n]$

Rule 4046

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]^{2*(C_.) + (A_)}, x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}[\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& !\text{LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= b \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx \\ &= b \int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx + B \int (b \sec(c + dx))^{2/3} dx \\ &= \frac{3bC \tan(c + dx)}{2d \sqrt[3]{b \sec(c + dx)}} + \frac{1}{2}(b(2A - C)) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx \\ &= \frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d \sqrt{\sin^2(c + dx)}} \\ &= \frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.204417, size = 120, normalized size = 0.81

$$\frac{3\sqrt{-\tan^2(c+dx)} \cot(c+dx) (b \sec(c+dx))^{5/3} \left(10A \cos^2(c+dx) \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \sec^2(c+dx)\right) - 5B \cos(c+dx)\right)}{10bd}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-3*Cot[c + d*x]*(10*A*Cos[c + d*x]^2*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2] - 5*B*Cos[c + d*x]*Hypergeometric2F1[1/3, 1/2, 4/3, Sec[c + d*x]^2] - 2*C*Hypergeometric2F1[1/2, 5/6, 11/6, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(5/3)*Sqrt[-Tan[c + d*x]^2])/(10*b*d)

Maple [F] time = 0.247, size = 0, normalized size = 0.

$$\int \cos(dx+c) (b \sec(dx+c))^{2/3} (A+B \sec(dx+c)+C(\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) (b \sec(dx+c))^{2/3} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)\right) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*(b*sec(d*x + c))^(2/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) + A \right) (b \sec(dx + c))^{\frac{2}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c), x)

3.45 $\int \cos^2(c+dx)(b \sec(c+dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=150

$$\frac{3b(A + 4C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c + dx)\right)}{4d \sqrt{\sin^2(c + dx)} \sqrt[3]{b \sec(c + dx)}} - \frac{3b^2 B \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c + dx)\right)}{4d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{4/3}}$$

[Out] $(-3*b^2*B*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b*(A + 4*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b^2*\operatorname{Tan}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{4/3})$

Rubi [A] time = 0.195291, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4045}

$$\frac{3Ab^2 \tan(c + dx)}{4d(b \sec(c + dx))^{4/3}} - \frac{3b(A + 4C) \sin(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{4d \sqrt{\sin^2(c + dx)} \sqrt[3]{b \sec(c + dx)}} - \frac{3b^2 B \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^2*(b*\operatorname{Sec}[c + d*x])^{2/3}*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b^2*B*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b*(A + 4*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b^2*\operatorname{Tan}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{4/3})$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*))^{(m_*)}*((A_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]*(B_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*)), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*\operatorname{Csc}$

$[e + f*x]^{(m + 1), x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_.))*(b_.))^{(n_.)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)*((\text{Sin}[c + d*x]/b)^{(n - 1)*\text{Int}[1/((\text{Sin}[c + d*x]/b)^n, x])}, x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.)*\text{sin}[c_.] + (d_.)*(x_.)]^{(n_.)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[2*n]$

Rule 4045

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(b_.))^{(m_.)*(\text{csc}[e_.] + (f_.)*(x_.))^2*(C_.) + (A_.)}, x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 2)}, x], x] /; \text{FreeQ}[\{b, e, f, A, C\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= b^2 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(b \sec(c + dx))^{4/3}} dx \\ &= b^2 \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{4/3}} dx + (bB) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx \\ &= \frac{3Ab^2 \tan(c + dx)}{4d(b \sec(c + dx))^{4/3}} + \frac{1}{4}(A + 4C) \int (b \sec(c + dx))^{-1/3} dx \\ &= -\frac{3B \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4d \sqrt{\sin^2(c + dx)}} \\ &= -\frac{3(A + 4C) \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{4d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.168129, size = 116, normalized size = 0.77

$$\frac{3\sqrt{-\tan^2(c+dx)} \cot(c+dx) (b \sec(c+dx))^{2/3} \left(A \cos^2(c+dx) \operatorname{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \sec^2(c+dx)\right) + 4B \cos(c+dx) \right)}{4d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-3*Cot[c + d*x]*(A*Cos[c + d*x]^2*Hypergeometric2F1[-2/3, 1/2, 1/3, Sec[c + d*x]^2] + 4*B*Cos[c + d*x]*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2] - 2*C*Hypergeometric2F1[1/3, 1/2, 4/3, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(2/3)*Sqrt[-Tan[c + d*x]^2])/(4*d)

Maple [F] time = 0.36, size = 0, normalized size = 0.

$$\int (\cos(dx+c))^2 (b \sec(dx+c))^{2/3} (A + B \sec(dx+c) + C (\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) (b \sec(dx+c))^{2/3} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^2 \sec(dx + c)^2 + B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2\right) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*(b*sec(d*x + c))^(2/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) (b \sec(dx + c))^{\frac{2}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c)^2, x)

3.46 $\int \cos^3(c+dx)(b \sec(c+dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=154

$$\frac{3b^2(4A + 7C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c + dx)\right)}{28d\sqrt{\sin^2(c + dx)}(b \sec(c + dx))^{4/3}} - \frac{3b^3B \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{6}, \frac{13}{6}, \cos^2(c + dx)\right)}{7d\sqrt{\sin^2(c + dx)}(b \sec(c + dx))^{7/3}}$$

[Out] $(-3*b^3*B*\operatorname{Hypergeometric2F1}[1/2, 7/6, 13/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/ (7*d*(b*\operatorname{Sec}[c + d*x])^{7/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b^2*(4*A + 7*C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(28*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b^3*\operatorname{Tan}[c + d*x])/(7*d*(b*\operatorname{Sec}[c + d*x])^{7/3})$

Rubi [A] time = 0.192032, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4045}

$$-\frac{3b^2(4A + 7C) \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{28d\sqrt{\sin^2(c + dx)}(b \sec(c + dx))^{4/3}} + \frac{3Ab^3 \tan(c + dx)}{7d(b \sec(c + dx))^{7/3}} - \frac{3b^3B \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7d\sqrt{\sin^2(c + dx)}(b \sec(c + dx))^{7/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^3*(b*\operatorname{Sec}[c + d*x])^{2/3}*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b^3*B*\operatorname{Hypergeometric2F1}[1/2, 7/6, 13/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/ (7*d*(b*\operatorname{Sec}[c + d*x])^{7/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b^2*(4*A + 7*C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(28*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b^3*\operatorname{Tan}[c + d*x])/(7*d*(b*\operatorname{Sec}[c + d*x])^{7/3})$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{b, n, x\} \&\& \operatorname{IntegerQ}[m]$

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*))^{(m_*)}*((A_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]*(B_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*)), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*\operatorname{Csc}$

$[e + f*x]^{(m + 1), x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)*((\text{Sin}[c + d*x]/b)^{(n - 1)*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x])}, x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.*\text{sin}[c_.] + (d_.)*(x_)]^{(n_)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[2*n]$

Rule 4045

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 2)}, x], x] /; \text{FreeQ}[\{b, e, f, A, C\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= b^3 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(b \sec(c + dx))^{7/3}} dx \\ &= b^3 \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{7/3}} dx + (b^2 B) \int \frac{1}{(b \sec(c + dx))^{7/3}} dx \\ &= \frac{3Ab^3 \tan(c + dx)}{7d(b \sec(c + dx))^{7/3}} + \frac{1}{7}(b(4A + 7C)) \int \frac{1}{(b \sec(c + dx))^{7/3}} dx \\ &= -\frac{3B \cos^3(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7d\sqrt{\sin^2(c + dx)}} \\ &= -\frac{3(4A + 7C) \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{28d\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.224726, size = 118, normalized size = 0.77

$$\frac{3b\sqrt{-\tan^2(c+dx)}\cot(c+dx)\left(4A\cos^2(c+dx)\operatorname{Hypergeometric2F1}\left(-\frac{7}{6},\frac{1}{2},-\frac{1}{6},\sec^2(c+dx)\right)+7B\cos(c+dx)\operatorname{Hypergeometric2F1}\left(-\frac{2}{3},\frac{1}{2},\frac{1}{3},\sec^2(c+dx)\right)+28C\sqrt{-\tan^2(c+dx)}\operatorname{Hypergeometric2F1}\left(-\frac{1}{6},\frac{1}{2},\frac{5}{6},\sec^2(c+dx)\right)\right)}{28d\sqrt[3]{b}\sec(c+dx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-3*b*Cot[c + d*x]*(4*A*Cos[c + d*x]^2*Hypergeometric2F1[-7/6, 1/2, -1/6, Sec[c + d*x]^2] + 7*B*Cos[c + d*x]*Hypergeometric2F1[-2/3, 1/2, 1/3, Sec[c + d*x]^2] + 28*C*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2])*Sqrt[-Tan[c + d*x]^2])/(28*d*(b*Sec[c + d*x])^(1/3))

Maple [F] time = 0.638, size = 0, normalized size = 0.

$$\int (\cos(dx+c))^3 (b \sec(dx+c))^{\frac{2}{3}} (A+B \sec(dx+c)+C(\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(cos(d*x+c)^3*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) (b \sec(dx+c))^{\frac{2}{3}} \cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c)^3, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^3 \sec(dx + c)^2 + B \cos(dx + c)^3 \sec(dx + c) + A \cos(dx + c)^3\right) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)*(b*sec(d*x + c))^(2/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c))*2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) (b \sec(dx + c))^{\frac{2}{3}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c)^3, x)

3.47 $\int \sec^2(c+dx)(b \sec(c+dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=154

$$\frac{3(13A + 10C) \sin(c + dx)(b \sec(c + dx))^{7/3} \text{Hypergeometric2F1}\left(-\frac{7}{6}, \frac{1}{2}, -\frac{1}{6}, \cos^2(c + dx)\right)}{91bd\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{10/3} \text{Hypergeometric2F1}\left(-\frac{5}{3}, \frac{1}{2}, -\frac{2}{3}, \cos^2(c + dx)\right)}{10b^2d\sqrt{\sin^2(c + dx)}}$$

[Out] (3*(13*A + 10*C)*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(91*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-5/3, 1/2, -2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(10/3)*Sin[c + d*x])/(10*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(10/3)*Tan[c + d*x])/(13*b^2*d)

Rubi [A] time = 0.153347, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(13A + 10C) \sin(c + dx)(b \sec(c + dx))^{7/3} {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c + dx)\right)}{91bd\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{10/3} {}_2F_1\left(-\frac{5}{3}, \frac{1}{2}; -\frac{2}{3}; \cos^2(c + dx)\right)}{10b^2d\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*(13*A + 10*C)*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(91*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-5/3, 1/2, -2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(10/3)*Sin[c + d*x])/(10*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(10/3)*Tan[c + d*x])/(13*b^2*d)

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_)), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1), x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)*((\text{Sin}[c + d*x]/b)^{(n - 1)*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x])}], x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.*\text{sin}[c_.] + (d_.)*(x_)]^{(n_)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[2*n]$

Rule 4046

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}[\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& !\text{LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(b \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{10/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{\int (b \sec(c + dx))^{10/3} (A + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{3C(b \sec(c + dx))^{10/3} \tan(c + dx)}{13b^2d} + \frac{(13A + 3B)}{13b^2d} \\ &= \frac{3C(b \sec(c + dx))^{10/3} \tan(c + dx)}{13b^2d} + \frac{3bB {}_2F_1}{13b^2d} \\ &= \frac{3C(b \sec(c + dx))^{10/3} \tan(c + dx)}{13b^2d} + \frac{3b(13A + 3B)}{13b^2d} \end{aligned}$$

Mathematica [C] time = 6.48562, size = 444, normalized size = 2.88

$$3b \csc(c) e^{-idx} \sqrt[3]{b \sec(c+dx)} (A + B \sec(c+dx) + C \sec^2(c+dx)) \left(40 \sqrt[3]{2} (-1 + e^{2ic}) (13A + 10C) e^{2idx} \sqrt[3]{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt[3]{1+e^{2i(c+dx)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*b*Csc[c]*(40*2^(1/3)*(13*A + 10*C)*E^((2*I)*d*x)*(-1 + E^((2*I)*c))*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(1 + E^((2*I)*(c + d*x))))^(1/3)*Hypergeometric2F1[1/3, 2/3, 5/3, -E^((2*I)*(c + d*x))] - ((-1 + E^((2*I)*c))*(91*B*(-7 - 30*E^((2*I)*(c + d*x)) + 30*E^((6*I)*(c + d*x)) + 7*E^((8*I)*(c + d*x))) + 80*E^(I*(c + d*x))*(13*A*(1 + E^((2*I)*(c + d*x))))^2*(1 + 5*E^((2*I)*(c + d*x)) + 2*E^((4*I)*(c + d*x))) + 2*C*(5 + 21*E^((2*I)*(c + d*x)) + 79*E^((4*I)*(c + d*x)) + 45*E^((6*I)*(c + d*x)) + 10*E^((8*I)*(c + d*x)))) + 637*B*(1 + E^((2*I)*(c + d*x)))^(13/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))])*Sec[c + d*x]^(1/3))/(2*E^(I*(c - d*x))*(1 + E^((2*I)*(c + d*x)))^4)*(b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(1820*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/3))

Maple [F] time = 0.177, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (b \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx+c)^5 + Bb \sec(dx+c)^4 + Ab \sec(dx+c)^3\right) (b \sec(dx+c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^5 + B*b*sec(d*x + c)^4 + A*b*sec(d*x + c)^3)*(b*sec(d*x + c))^(1/3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c) + A\right) (b \sec(dx+c))^{\frac{4}{3}} \sec(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*sec(d*x + c)^2, x)
```


3.48 $\int \sec(c+dx)(b \sec(c+dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=151

$$\frac{3(10A + 7C) \sin(c + dx)(b \sec(c + dx))^{4/3} \operatorname{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \cos^2(c + dx)\right)}{40d\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{7/3} \operatorname{Hypergeometric2F1}\left(-\frac{7}{6}, \frac{1}{2}, -\frac{1}{6}, \cos^2(c + dx)\right)}{7bd\sqrt{\sin^2(c + dx)}} + \frac{3C \sin(c + dx)(b \sec(c + dx))^{7/3} \tan(c + dx)}{10bd}$$

[Out] (3*(10*A + 7*C)*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(40*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(7/3)*Tan[c + d*x])/(10*b*d)

Rubi [A] time = 0.154035, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(10A + 7C) \sin(c + dx)(b \sec(c + dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right)}{40d\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{7/3} {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c + dx)\right)}{7bd\sqrt{\sin^2(c + dx)}} + \frac{3C \sin(c + dx)(b \sec(c + dx))^{7/3} \tan(c + dx)}{10bd}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*(10*A + 7*C)*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(40*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(7/3)*Tan[c + d*x])/(10*b*d)

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_)] + (f_)*(x_)]*(b_))^(m_)*((A_)] + csc[(e_)] + (f_)*(x_)]*(B_)] + csc[(e_)] + (f_)*(x_)]^2*(C_)), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

$\text{Int}[(b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /;$ FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(b \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{7/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{b} \\ &= \frac{\int (b \sec(c + dx))^{7/3} (A + C \sec^2(c + dx)) dx}{b} + \frac{\int (b \sec(c + dx))^{7/3} B \sec(c + dx) dx}{b} \\ &= \frac{3C(b \sec(c + dx))^{7/3} \tan(c + dx)}{10bd} + \frac{(10A + 7C)(b \sec(c + dx))^{7/3}}{10bd} \\ &= \frac{3C(b \sec(c + dx))^{7/3} \tan(c + dx)}{10bd} + \frac{3bB {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right)}{10bd} \\ &= \frac{3(10A + 7C) {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{7/3}}{40d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 6.9811, size = 465, normalized size = 3.08

$$\frac{\cos^4(c+dx)(b \sec(c+dx))^{7/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) \left(\frac{3 \sec(c) \sec(c+dx)(70A \sin(dx)+40B \sin(c)+49C \sin(dx))}{140d} + \frac{3(10A+7C) \tan(c)}{20d} + \frac{3 \sec(c) \sec^2(c+dx)(10B \sin(dx)+10C \sin(c))}{35d} \right)}{A \cos(2c+2dx)+A+2B \cos(c+dx)+2C}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((((-3*I)/70)*(E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(160*B*(1 + E^((2*I)*(c + d*x))) + 160*B*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x)))^(1/3)*Hypergeometric2F1[-1/3, 1/3, 2/3, -E^((2*I)*(c + d*x))]) + 7*(10*A + 7*C)*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x)))^(1/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))])*(b*Sec[c + d*x])^(7/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(2^(2/3)*d*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(13/3)) + (Cos[c + d*x]^4*(b*Sec[c + d*x])^(7/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((24*B*Cos[d*x]*Csc[c])/(7*d) + (3*C*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(5*d) + (3*Sec[c]*Sec[c + d*x]^2*(7*C*Sin[c] + 10*B*Sin[d*x]))/(35*d) + (3*Sec[c]*Sec[c + d*x]*(40*B*Sin[c] + 70*A*Sin[d*x] + 49*C*Sin[d*x]))/(140*d) + (3*(10*A + 7*C)*Tan[c])/(20*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))/b

Maple [F] time = 0.155, size = 0, normalized size = 0.

$$\int \sec(dx + c) (b \sec(dx + c))^{4/3} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx + c)^4 + Bb \sec(dx + c)^3 + Ab \sec(dx + c)^2\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^4 + B*b*sec(d*x + c)^3 + A*b*sec(d*x + c)^2)*(b*
sec(d*x + c))^(1/3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)
,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x  
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*se  
c(d*x + c), x)
```

3.49 $\int (b \sec(c+dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=146

$$\frac{3b(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c + dx)\right)}{7d \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{4/3}}{4d \sqrt{\sin^2(c + dx)}}$$

[Out] (3*b*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*d)

Rubi [A] time = 0.137347, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4047, 3772, 2643, 4046}

$$\frac{3b(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right)}{7d \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right)}{4d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*b*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*d)

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int (b \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{B \int (b \sec(c + dx))^{7/3} dx}{b} + \int (b \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx \\ &= \frac{3C(b \sec(c + dx))^{4/3} \tan(c + dx)}{7d} + \frac{1}{7}(7A + 4C) \int (b \sec(c + dx))^{4/3} dx \\ &= \frac{3B {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{4/3} \sin(c + dx)}{4d \sqrt{\sin^2(c + dx)}} \\ &= \frac{3b(7A + 4C) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)}}{7d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 2.39704, size = 290, normalized size = 1.99

$$\frac{3ib\sqrt[3]{b \sec(c + dx)} \left(-14Ae^{i(c+dx)} (1 + e^{2i(c+dx)})^{7/3} \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{2}{3}, \frac{5}{3}, -e^{2i(c+dx)}\right) + 7B(1 + e^{2i(c+dx)})^{7/3} \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{2}{3}, \frac{5}{3}, -e^{2i(c+dx)}\right)\right)}{7d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (((-3*I)/28)*b*(-7*B + 28*A*E^(I*(c + d*x)) + 8*C*E^(I*(c + d*x)) + 56*A*E^((3*I)*(c + d*x)) + 40*C*E^((3*I)*(c + d*x)) + 7*B*E^((4*I)*(c + d*x)) + 28*A*E^((5*I)*(c + d*x)) + 16*C*E^((5*I)*(c + d*x)) + 7*B*(1 + E^((2*I)*(c + d*x))))^(7/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))] - 14*A*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(7/3)*Hypergeometric2F1[1/3, 2/3, 5/3, -E^((2*I)*(c + d*x))] - 8*C*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(7/3)*Hypergeometric2F1[1/3, 2/3, 5/3, -E^((2*I)*(c + d*x))])*(b*Sec[c + d*x])^(1/3)/(d*(1 + E^((2*I)*(c + d*x)))^2)

Maple [F] time = 0.139, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx + c)^3 + Bb \sec(dx + c)^2 + Ab \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm
="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^3 + B*b*sec(d*x + c)^2 + A*b*sec(d*x + c))*(b*se
c(d*x + c))^(1/3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3), x
)
```

3.50 $\int \cos(c+dx)(b \sec(c+dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=146

$$\frac{3b^2(4A + C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c + dx)\right)}{8d\sqrt{\sin^2(c + dx)}(b \sec(c + dx))^{2/3}} + \frac{3bB \sin(c + dx) \sqrt[3]{b \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}} + \frac{3bC \sin(c + dx) \sqrt[3]{b \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}}$$

[Out] $(-3*b^2*(4*A + C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(8*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*B*\operatorname{Hypergeometric2F1}[-1/6, 1/2, 5/6, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sin}[c + d*x])/(d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*C*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Tan}[c + d*x])/(4*d)$

Rubi [A] time = 0.158827, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3b^2(4A + C) \sin(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{8d\sqrt{\sin^2(c + dx)}(b \sec(c + dx))^{2/3}} + \frac{3bB \sin(c + dx) \sqrt[3]{b \sec(c + dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}} + \frac{3bC \sin(c + dx) \sqrt[3]{b \sec(c + dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]*(b*\operatorname{Sec}[c + d*x])^{4/3}*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b^2*(4*A + C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(8*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*B*\operatorname{Hypergeometric2F1}[-1/6, 1/2, 5/6, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sin}[c + d*x])/(d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b*C*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Tan}[c + d*x])/(4*d)$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*))^{(m_*)}*((A_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]*(B_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*)), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*\operatorname{Csc}$

$[e + f*x]^{(m + 1), x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)*((\text{Sin}[c + d*x]/b)^{(n - 1)*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x])}], x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.*\text{sin}[c_.] + (d_.)*(x_)]^{(n_)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[2*n]$

Rule 4046

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{!LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(b \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= b \int \sqrt[3]{b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= b \int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx \\ &= \frac{3bC \sqrt[3]{b \sec(c + dx)} \tan(c + dx)}{4d} + \frac{1}{4}(b(4A + 3B)) \int \sqrt[3]{b \sec(c + dx)} dx \\ &= \frac{3bB {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)}}{d \sqrt{\sin^2(c + dx)}} \\ &= \frac{3bB {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)}}{d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 2.35104, size = 303, normalized size = 2.08

$$3b\sqrt[3]{b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx)) \left(\sqrt[3]{\sec(c+dx)}(4B \csc(c) \cos(dx)+C \tan(c+dx)) - \frac{i\sqrt[3]{2}e^{-i(c+dx)}\sqrt[3]{1-2e^{-2i(c+dx)}}}{2d \sec^{\frac{7}{3}}(c+dx)}(A \cos(2c+2dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*b*(b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((-I)*2^(1/3)*(E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(4*B*(1 + E^((2*I)*(c + d*x))) + 4*B*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x)))^(1/3)*Hypergeometric2F1[-1/3, 1/3, 2/3, -E^((2*I)*(c + d*x))]) + (4*A + C)*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x)))^(1/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))]))/(E^(I*(c + d*x))*(-1 + E^((2*I)*c))) + Sec[c + d*x]^(1/3)*(4*B*Cos[d*x]*Csc[c] + C*Tan[c + d*x]))/(2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/3))

Maple [F] time = 0.24, size = 0, normalized size = 0.

$$\int \cos(dx+c) (b \sec(dx+c))^{\frac{4}{3}} (A+B \sec(dx+c)+C(\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) (b \sec(dx+c))^{\frac{4}{3}} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb cos(dx + c) sec(dx + c)^3 + Bb cos(dx + c) sec(dx + c)^2 + Ab cos(dx + c) sec(dx + c))(b sec(dx + c))^(1/3), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*b*cos(d*x + c)*sec(d*x + c)^3 + B*b*cos(d*x + c)*sec(d*x + c)^2 + A*b*cos(d*x + c)*sec(d*x + c))*(b*sec(d*x + c))^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x  
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*co  
s(d*x + c), x)
```

3.51 $\int \cos^2(c+dx)(b \sec(c+dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c$

Optimal. Leaf size=150

$$\frac{3b^3(A - 2C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \cos^2(c + dx)\right)}{5d\sqrt{\sin^2(c + dx)(b \sec(c + dx))^{5/3}}} - \frac{3b^2B \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)(b \sec(c + dx))^{2/3}}}$$

[Out] $(-3*b^3*(A - 2*C)*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b^2*B*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b^2*C*\operatorname{Tan}[c + d*x])/(d*(b*\operatorname{Sec}[c + d*x])^{2/3})$

Rubi [A] time = 0.185851, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3b^3(A - 2C) \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c + dx)\right)}{5d\sqrt{\sin^2(c + dx)(b \sec(c + dx))^{5/3}}} - \frac{3b^2B \sin(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)(b \sec(c + dx))^{2/3}}} + \frac{3b^2C \tan(c + dx)}{d(b \sec(c + dx))^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^2*(b*\operatorname{Sec}[c + d*x])^{4/3}*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b^3*(A - 2*C)*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b^2*B*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*b^2*C*\operatorname{Tan}[c + d*x])/(d*(b*\operatorname{Sec}[c + d*x])^{2/3})$

Rule 16

$\operatorname{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{b, n, x\} \ \&\& \ \operatorname{IntegerQ}[m]$

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[e_*) + (f_*)*(x_*)]*(b_*)^{(m_*)}*((A_*) + \operatorname{csc}[e_*) + (f_*)*(x_*)]*(B_*) + \operatorname{csc}[e_*) + (f_*)*(x_*)]^2*(C_*)), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*\operatorname{Csc}$

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

$\text{Int}[(b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /;$ FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(b \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= b^2 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(b \sec(c + dx))^{2/3}} dx \\ &= b^2 \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{2/3}} dx + (bB) \int \sqrt[3]{b \sec(c + dx)} dx \\ &= \frac{3b^2 C \tan(c + dx)}{d(b \sec(c + dx))^{2/3}} + (b^2(A - 2C)) \int \frac{1}{(b \sec(c + dx))^{2/3}} dx \\ &= -\frac{3bB \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)}} \\ &= -\frac{3bB \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.205939, size = 117, normalized size = 0.78

$$\frac{3\sqrt{-\tan^2(c+dx)}\cot(c+dx)(b\sec(c+dx))^{4/3}\left(2A\cos^2(c+dx)\operatorname{Hypergeometric2F1}\left(-\frac{1}{3},\frac{1}{2},\frac{2}{3},\sec^2(c+dx)\right)-4B\cos(c+dx)\operatorname{Hypergeometric2F1}\left(\frac{1}{6},\frac{1}{2},\frac{7}{6},\sec^2(c+dx)\right)+C\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{2}{3},\frac{5}{3},\sec^2(c+dx)\right)\right)}{4d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (-3*Cot[c + d*x]*(2*A*Cos[c + d*x]^2*Hypergeometric2F1[-1/3, 1/2, 2/3, Sec[c + d*x]^2] - 4*B*Cos[c + d*x]*Hypergeometric2F1[1/6, 1/2, 7/6, Sec[c + d*x]^2] - C*Hypergeometric2F1[1/2, 2/3, 5/3, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(4/3)*Sqrt[-Tan[c + d*x]^2])/(4*d)

Maple [F] time = 0.36, size = 0, normalized size = 0.

$$\int (\cos(dx+c))^2 (b \sec(dx+c))^{4/3} (A+B \sec(dx+c)+C(\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) (b \sec(dx+c))^{4/3} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left((Cb \cos(dx + c)^2 \sec(dx + c)^3 + Bb \cos(dx + c)^2 \sec(dx + c)^2 + Ab \cos(dx + c)^2 \sec(dx + c)) (b \sec(dx + c))^{\frac{1}{3}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b*cos(d*x + c)^2*sec(d*x + c)^3 + B*b*cos(d*x + c)^2*sec(d*x + c)^2 + A*b*cos(d*x + c)^2*sec(d*x + c))*(b*sec(d*x + c))^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c)^2, x)

3.52 $\int \cos^3(c+dx)(b \sec(c+dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=154

$$\frac{3b^2(2A + 5C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c + dx)\right)}{10d \sqrt{\sin^2(c + dx)(b \sec(c + dx))^{2/3}}} - \frac{3b^3 B \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \cos^2(c + dx)\right)}{5d \sqrt{\sin^2(c + dx)(b \sec(c + dx))^{5/3}}}$$

[Out] $(-3*b^3*B*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b^2*(2*A + 5*C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(10*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b^3*\operatorname{Tan}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3})$

Rubi [A] time = 0.191297, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4045}

$$\frac{3b^2(2A + 5C) \sin(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{10d \sqrt{\sin^2(c + dx)(b \sec(c + dx))^{2/3}}} + \frac{3Ab^3 \tan(c + dx)}{5d(b \sec(c + dx))^{5/3}} - \frac{3b^3 B \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c + dx)\right)}{5d \sqrt{\sin^2(c + dx)(b \sec(c + dx))^{5/3}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^3*(b*\operatorname{Sec}[c + d*x])^{4/3}*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-3*b^3*B*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*b^2*(2*A + 5*C)*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(10*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*A*b^3*\operatorname{Tan}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3})$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{b, n, x\} \ \&\& \ \operatorname{IntegerQ}[m]$

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)])*(b_*)^{(m_*)}*((A_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)])*(B_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*\operatorname{Csc}$

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

$\text{Int}[(b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4045

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 2)}, x], x] /;$ FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(b \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= b^3 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(b \sec(c + dx))^{5/3}} dx \\ &= b^3 \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{5/3}} dx + (b^2 B) \int \frac{1}{(b \sec(c + dx))^{5/3}} dx \\ &= \frac{3Ab^3 \tan(c + dx)}{5d(b \sec(c + dx))^{5/3}} + \frac{1}{5}(b(2A + 5C)) \int \sqrt[3]{b \sec(c + dx)} dx \\ &= -\frac{3bB \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c + dx)\right)}{5d\sqrt{\sin^2(c + dx)}} \\ &= -\frac{3b(2A + 5C) \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{10d\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.172995, size = 118, normalized size = 0.77

$$\frac{3b\sqrt{-\tan^2(c+dx)}\cot(c+dx)\sqrt[3]{b\sec(c+dx)}\left(2A\cos^2(c+dx)\operatorname{Hypergeometric2F1}\left(-\frac{5}{6}, \frac{1}{2}, \frac{1}{6}, \sec^2(c+dx)\right) + 5B\cos(c+dx)\operatorname{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \sec^2(c+dx)\right) - 10C\operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c+dx)\right)\right)}{10d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-3*b*Cot[c + d*x]*(2*A*Cos[c + d*x]^2*Hypergeometric2F1[-5/6, 1/2, 1/6, Sec[c + d*x]^2] + 5*B*Cos[c + d*x]*Hypergeometric2F1[-1/3, 1/2, 2/3, Sec[c + d*x]^2] - 10*C*Hypergeometric2F1[1/6, 1/2, 7/6, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(1/3)*Sqrt[-Tan[c + d*x]^2])/(10*d)

Maple [F] time = 0.64, size = 0, normalized size = 0.

$$\int (\cos(dx+c))^3 (b \sec(dx+c))^{\frac{4}{3}} (A+B \sec(dx+c)+C(\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(cos(d*x+c)^3*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) (b \sec(dx+c))^{\frac{4}{3}} \cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c)^3, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left((Cb \cos(dx+c)^3 \sec(dx+c)^3 + Bb \cos(dx+c)^3 \sec(dx+c)^2 + Ab \cos(dx+c)^3 \sec(dx+c)) (b \sec(dx+c))^{\frac{1}{3}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b*cos(d*x + c)^3*sec(d*x + c)^3 + B*b*cos(d*x + c)^3*sec(d*x + c)^2 + A*b*cos(d*x + c)^3*sec(d*x + c))*(b*sec(d*x + c))^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) (b \sec(dx+c))^{\frac{4}{3}} \cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c)^3, x)

$$3.53 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=154

$$\frac{3(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c + dx)\right)}{7bd \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{4/3}}{4}$$

[Out] (3*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*b^2*d)

Rubi [A] time = 0.151808, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right)}{7bd \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right)}{4b^2d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*b^2*d)

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx) (A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{2/3}} dx &= \frac{\int (b\sec(c+dx))^{4/3} (A+B\sec(c+dx)+C\sec^2(c+dx)) dx}{b^2} \\
&= \frac{\int (b\sec(c+dx))^{4/3} (A+C\sec^2(c+dx)) dx}{b^2} + \frac{B \int (b\sec(c+dx))^{4/3} dx}{b^3} \\
&= \frac{3C(b\sec(c+dx))^{4/3} \tan(c+dx)}{7b^2d} + \frac{(7A+4C) \int (b\sec(c+dx))^{4/3} dx}{7b^2} \\
&= \frac{3B {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right) (b\sec(c+dx))^{4/3} \sin(c+dx)}{4b^2d\sqrt{\sin^2(c+dx)}} \\
&= \frac{3(7A+4C) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right) \sqrt[3]{b\sec(c+dx)} \sin(c+dx)}{7bd\sqrt{\sin^2(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 2.97887, size = 304, normalized size = 1.97

$$3be^{-ic} (-1 + e^{2ic}) \csc(c) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2(7A + 4C)e^{i(c+dx)} (1 + e^{2i(c+dx)})^{7/3} \text{Hypergeometric2F1}\left[\frac{1}{6}, \frac{1}{3}, \frac{7}{6}, -E^{((2I)(c + dx))}\right] + 2(7A + 4C)E^{I(c + dx)}(1 + E^{((2I)(c + dx))})^{7/3} \text{Hypergeometric2F1}\left[\frac{1}{3}, \frac{2}{3}, \frac{5}{3}, -E^{((2I)(c + dx))}\right]\right) (A + B \sec(c + dx) + C \sec^2(c + dx)) / (28dE^{Ic}(1 + E^{((2I)(c + dx))})^2(A + 2C + 2B \cos[c + dx] + A \cos[2(c + dx)]) (b \sec(c + dx))^{5/3})$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3),x]

[Out] (3*b*(-1 + E^((2*I)*c))*Csc[c]*(7*B - 28*A*E^(I*(c + d*x)) - 8*C*E^(I*(c + d*x))) - 56*A*E^((3*I)*(c + d*x)) - 40*C*E^((3*I)*(c + d*x)) - 7*B*E^((4*I)*(c + d*x)) - 28*A*E^((5*I)*(c + d*x)) - 16*C*E^((5*I)*(c + d*x)) - 7*B*(1 + E^((2*I)*(c + d*x))))^(7/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))] + 2*(7*A + 4*C)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(7/3)*Hypergeometric2F1[1/3, 2/3, 5/3, -E^((2*I)*(c + d*x))]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(28*d*E^(I*c)*(1 + E^((2*I)*(c + d*x)))^2*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*(c + d*x)])*(b*Sec[c + d*x])^(5/3))

Maple [F] time = 0.161, size = 0, normalized size = 0.

$$\int (\sec(dx+c))^2 (A+B\sec(dx+c)+C(\sec(dx+c))^2) (b\sec(dx+c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)`

[Out] `int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)^2}{(b \sec(dx+c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^3 + B \sec(dx+c)^2 + A \sec(dx+c)) (b \sec(dx+c))^{\frac{1}{3}}}{b}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x + c))^(1/3)/b, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(2/3),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(b*sec(c + d*x))**(2/3), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(2/3), x)
```

$$3.54 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=147

$$\frac{3(4A+C)\sin(c+dx)\text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c+dx)\right)}{8d\sqrt{\sin^2(c+dx)}(b\sec(c+dx))^{2/3}} + \frac{3B\sin(c+dx)\sqrt[3]{b\sec(c+dx)}\text{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c+dx)\right)}{bd\sqrt{\sin^2(c+dx)}} + \frac{3C\tan(c+dx)}{4bd}$$

[Out] (-3*(4*A + C)*Hypergeometric2F1[1/3, 1/2, 4/3, Cos[c + d*x]^2]*Sin[c + d*x])/(8*d*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*b*d)

Rubi [A] time = 0.146348, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(4A+C)\sin(c+dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{8d\sqrt{\sin^2(c+dx)}(b\sec(c+dx))^{2/3}} + \frac{3B\sin(c+dx)\sqrt[3]{b\sec(c+dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd\sqrt{\sin^2(c+dx)}} + \frac{3C\tan(c+dx)}{4bd}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] (-3*(4*A + C)*Hypergeometric2F1[1/3, 1/2, 4/3, Cos[c + d*x]^2]*Sin[c + d*x])/(8*d*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*b*d)

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1), x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)*((\text{Sin}[c + d*x]/b)^{(n - 1)*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x])}, x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.*\text{sin}[c_.] + (d_.)*(x_)]^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[2*n]$

Rule 4046

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}[\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{!LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(b \sec(c + dx))^{2/3}} dx &= \frac{\int \sqrt[3]{b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{b} \\ &= \frac{\int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx}{b} + \frac{B \int (b \sec(c + dx))^{1/3} dx}{b^2} \\ &= \frac{3C \sqrt[3]{b \sec(c + dx)} \tan(c + dx)}{4bd} + \frac{(4A + C) \int \sqrt[3]{b \sec(c + dx)} dx}{4b} \\ &= \frac{3B {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\sin^2(c + dx)}} + \dots \\ &= \frac{3B {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\sin^2(c + dx)}} - \dots \end{aligned}$$

Mathematica [C] time = 1.90498, size = 305, normalized size = 2.07

$$3\sqrt[3]{b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\sqrt[3]{\sec(c + dx)} (4B \csc(c) \cos(dx) + C \tan(c + dx)) - \frac{i \sqrt[3]{2} e^{-i(c+dx)} \sqrt[3]{\frac{e^i}{1+e}}}{2bd \sec^{\frac{7}{3}}(c + dx)} (A \cos(2$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*(b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((-I)*2^(1/3)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(4*B*(1 + E^((2*I)*(c + d*x))) + 4*B*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x)))^(1/3)*Hypergeometric2F1[-1/3, 1/3, 2/3, -E^((2*I)*(c + d*x))]] + (4*A + C)*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x)))^(1/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))]))/(E^(I*(c + d*x))*(-1 + E^((2*I)*c))) + Sec[c + d*x]^(1/3)*(4*B*Cos[d*x]*Csc[c] + C*Tan[c + d*x]))/(2*b*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/3))

Maple [F] time = 0.15, size = 0, normalized size = 0.

$$\int \sec(dx + c) (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3), x)

[Out] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(2/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}}}{b}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)/b, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(2/3), x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(b*sec(c + d*x))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x  
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x +  
c))^(2/3), x)
```


$$3.55 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=142

$$\frac{3b(A-2C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{5/3}} - \frac{3B \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

[Out] $(-3*b*(A - 2*C)*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*\operatorname{Tan}[c + d*x])/(d*(b*\operatorname{Sec}[c + d*x])^{2/3})$

Rubi [A] time = 0.135153, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4047, 3772, 2643, 4046}

$$\frac{3b(A-2C) \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{5/3}} - \frac{3B \sin(c+dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}} + \frac{3C \tan(c+dx)}{d (b \sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2)/(b*\operatorname{Sec}[c + d*x])^{2/3}, x]$

[Out] $(-3*b*(A - 2*C)*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*d*(b*\operatorname{Sec}[c + d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*\operatorname{Tan}[c + d*x])/(d*(b*\operatorname{Sec}[c + d*x])^{2/3})$

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + \operatorname{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \operatorname{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*Csc[e + f*x])^{(m + 1)}, x], x] + \operatorname{Int}[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /;$ $\operatorname{FreeQ}\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(b*Csc[c + d*x])^{(n - 1)}*((\operatorname{Sin}[c + d*x]/b)^{(n - 1)}*\operatorname{Int}[1/(\operatorname{Sin}[c + d*x]/b)^n, x]), x] /;$ Fr

eeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(b \sec(c + dx))^{2/3}} dx &= \frac{B \int \sqrt[3]{b \sec(c + dx)} dx}{b} + \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{2/3}} dx \\ &= \frac{3C \tan(c + dx)}{d(b \sec(c + dx))^{2/3}} + (A - 2C) \int \frac{1}{(b \sec(c + dx))^{2/3}} dx + \frac{\left(B \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c+dx)} \right)}{d(b \sec(c+dx))^{2/3}} \\ &= -\frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{2bd \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)}{d(b \sec(c + dx))^{2/3}} \\ &= -\frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{2bd \sqrt{\sin^2(c + dx)}} - \frac{3(A - 2C) \tan(c + dx)}{d(b \sec(c + dx))^{2/3}} \end{aligned}$$

Mathematica [C] time = 1.83104, size = 173, normalized size = 1.22

$$\frac{3e^{-idx}(\sin(dx) - i \cos(dx)) \sqrt[3]{b \sec(c + dx)} \left((A - 2C) e^{i(c+dx)} \sqrt[3]{1 + e^{2i(c+dx)}} \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{2}{3}, \frac{5}{3}, -e^{2i(c+dx)}\right) + 4B \sqrt[3]{\frac{\cos(c+dx)}{b}} \right)}{4bd}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(b*Sec[c + d*x])^(2/3), x]

[Out] $(3*(b*\text{Sec}[c + d*x])^{1/3}*((-I)*\text{Cos}[d*x] + \text{Sin}[d*x])*(-2*A*\text{Cos}[c + d*x] + 4*C*\text{Cos}[c + d*x] + 4*B*(1 + E^{((2*I)*(c + d*x))})^{1/3}*\text{Hypergeometric2F1}[1/6, 1/3, 7/6, -E^{((2*I)*(c + d*x))}] + (A - 2*C)*E^{(I*(c + d*x))}*(1 + E^{((2*I)*(c + d*x))})^{1/3}*\text{Hypergeometric2F1}[1/3, 2/3, 5/3, -E^{((2*I)*(c + d*x))}] + (4*I)*C*\text{Sin}[c + d*x]))/(4*b*d*E^{(I*d*x)})$

Maple [F] time = 0.131, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)`

[Out] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}}}{b \sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)/(b*sec(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(2/3),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(b*sec(c + d*x))**(2/3), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c))^(2/3), x)
```

$$3.56 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=147

$$\frac{3(4A + C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c + dx)\right)}{8d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{2/3}} + \frac{3B \sin(c + dx) \sqrt[3]{b \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c + dx)\right)}{bd \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)}{4bd}$$

[Out] (-3*(4*A + C)*Hypergeometric2F1[1/3, 1/2, 4/3, Cos[c + d*x]^2]*Sin[c + d*x])/((8*d*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*b*d)

Rubi [A] time = 0.14016, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(4A + C) \sin(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{8d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{2/3}} + \frac{3B \sin(c + dx) \sqrt[3]{b \sec(c + dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right)}{bd \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)}{4bd}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] (-3*(4*A + C)*Hypergeometric2F1[1/3, 1/2, 4/3, Cos[c + d*x]^2]*Sin[c + d*x])/((8*d*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(b*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*b*d)

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

$\text{Int}[(b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /;$ FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(b \sec(c + dx))^{2/3}} dx &= \frac{\int \sqrt[3]{b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{b} \\ &= \frac{\int \sqrt[3]{b \sec(c + dx)} (A + C \sec^2(c + dx)) dx}{b} + \frac{B \int (b \sec(c + dx)) dx}{b^2} \\ &= \frac{3C \sqrt[3]{b \sec(c + dx)} \tan(c + dx)}{4bd} + \frac{(4A + C) \int \sqrt[3]{b \sec(c + dx)} dx}{4b} \\ &= \frac{3B {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\sin^2(c + dx)}} + \frac{3C \sqrt[3]{b \sec(c + dx)} \tan(c + dx)}{4bd} \\ &= \frac{3B {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\sin^2(c + dx)}} - \frac{3C \sqrt[3]{b \sec(c + dx)} \tan(c + dx)}{4bd} \end{aligned}$$

Mathematica [C] time = 1.46259, size = 305, normalized size = 2.07

$$3\sqrt[3]{b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\sqrt[3]{\sec(c + dx)} (4B \csc(c) \cos(dx) + C \tan(c + dx)) - \frac{i \sqrt[3]{2} e^{-i(c+dx)} \sqrt[3]{1}}{\sqrt[3]{1}} \right)$$

$$2bd \sec^{\frac{7}{3}}(c + dx) (A \cos$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*(b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((-I)*2^(1/3)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(4*B*(1 + E^((2*I)*(c + d*x))) + 4*B*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x))))^(1/3)*Hypergeometric2F1[-1/3, 1/3, 2/3, -E^((2*I)*(c + d*x))] + (4*A + C)*E^(I*(c + d*x)))*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x)))^(1/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))])/(E^(I*(c + d*x))*(-1 + E^((2*I)*c))) + Sec[c + d*x]^(1/3)*(4*B*Cos[d*x]*Csc[c] + C*Tan[c + d*x]))/(2*b*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/3))

Maple [F] time = 0.006, size = 0, normalized size = 0.

$$\int \sec(dx + c) (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3), x)

[Out] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(2/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c))^{\frac{1}{3}}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)/b, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(2/3), x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(b*sec(c + d*x))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x  
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x +  
c))^(2/3), x)
```

$$3.57 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=154

$$\frac{3(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c + dx)\right)}{7bd \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{4/3}}{4b^2 \sqrt{\sin^2(c + dx)}}$$

[Out] (3*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*b^2*d)

Rubi [A] time = 0.147516, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(7A + 4C) \sin(c + dx) \sqrt[3]{b \sec(c + dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right)}{7bd \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right)}{4b^2 d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*(7*A + 4*C)*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*b^2*d)

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{2/3}} dx &= \frac{\int (b\sec(c+dx))^{4/3}(A+B\sec(c+dx)+C\sec^2(c+dx)) dx}{b^2} \\
&= \frac{\int (b\sec(c+dx))^{4/3}(A+C\sec^2(c+dx)) dx}{b^2} + \frac{B \int (b\sec(c+dx))^{4/3} dx}{b^3} \\
&= \frac{3C(b\sec(c+dx))^{4/3} \tan(c+dx)}{7b^2d} + \frac{(7A+4C) \int (b\sec(c+dx))^{4/3} dx}{7b^2} \\
&= \frac{3B {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right) (b\sec(c+dx))^{4/3} \sin(c+dx)}{4b^2d\sqrt{\sin^2(c+dx)}} + \frac{3(7A+4C) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right) \sqrt[3]{b\sec(c+dx)} \sin(c+dx)}{7bd\sqrt{\sin^2(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 2.89875, size = 304, normalized size = 1.97

$$\frac{3be^{-ic}(-1+e^{2ic})\csc(c)(A+B\sec(c+dx)+C\sec^2(c+dx))\left(2(7A+4C)e^{i(c+dx)}(1+e^{2i(c+dx)})^{7/3}\operatorname{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right)\right)}{28d(1+\sin^2(c+dx))^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*b*(-1 + E^((2*I)*c))*Csc[c]*(7*B - 28*A*E^(I*(c + d*x)) - 8*C*E^(I*(c + d*x))) - 56*A*E^((3*I)*(c + d*x)) - 40*C*E^((3*I)*(c + d*x)) - 7*B*E^((4*I)*(c + d*x)) - 28*A*E^((5*I)*(c + d*x)) - 16*C*E^((5*I)*(c + d*x)) - 7*B*(1 + E^((2*I)*(c + d*x)))^(7/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))]) + 2*(7*A + 4*C)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(7/3)*Hypergeometric2F1[1/3, 2/3, 5/3, -E^((2*I)*(c + d*x))])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(28*d*E^(I*c)*(1 + E^((2*I)*(c + d*x)))^(2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(b*Sec[c + d*x])^(5/3))

Maple [F] time = 0.006, size = 0, normalized size = 0.

$$\int (\sec(dx+c))^2 (A+B\sec(dx+c)+C(\sec(dx+c))^2) (b\sec(dx+c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)`

[Out] `int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^3 + B \sec(dx + c)^2 + A \sec(dx + c)) (b \sec(dx + c))^{\frac{1}{3}}}{b}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x + c))^(1/3)/b, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(2/3),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(b*sec(c + d*x))**(2/3), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(2/3), x)
```

$$3.58 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=154

$$\frac{3(10A + 7C) \sin(c + dx)(b \sec(c + dx))^{4/3} \text{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \cos^2(c + dx)\right)}{40b^2d\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{7/3} \text{Hypergeometric2F1}\left(-\frac{7}{6}, \frac{1}{2}, -\frac{1}{6}, \cos^2(c + dx)\right)}{7b^3d\sqrt{\sin^2(c + dx)}} + \frac{3C \sin(c + dx)(b \sec(c + dx))^{7/3} \tan(c + dx)}{10b^3d}$$

[Out] (3*(10*A + 7*C)*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(40*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(7*b^3*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(7/3)*Tan[c + d*x])/(10*b^3*d)

Rubi [A] time = 0.157399, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(10A + 7C) \sin(c + dx)(b \sec(c + dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right)}{40b^2d\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{7/3} {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c + dx)\right)}{7b^3d\sqrt{\sin^2(c + dx)}} + \frac{3C \sin(c + dx)(b \sec(c + dx))^{7/3} \tan(c + dx)}{10b^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*(10*A + 7*C)*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(40*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(7*b^3*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(7/3)*Tan[c + d*x])/(10*b^3*d)

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{2/3}} dx &= \frac{\int (b\sec(c+dx))^{7/3}(A+B\sec(c+dx)+C\sec^2(c+dx)) dx}{b^3} \\
&= \frac{\int (b\sec(c+dx))^{7/3}(A+C\sec^2(c+dx)) dx}{b^3} + \frac{B \int (b\sec(c+dx))^{7/3} dx}{b^4} \\
&= \frac{3C(b\sec(c+dx))^{7/3} \tan(c+dx)}{10b^3d} + \frac{(10A+7C) \int (b\sec(c+dx))^{7/3} dx}{10b^3} \\
&= \frac{3C(b\sec(c+dx))^{7/3} \tan(c+dx)}{10b^3d} + \frac{3B {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c+dx)\right)}{10b^3} \\
&= \frac{3(10A+7C) {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right) (b\sec(c+dx))^{4/3}}{40b^2d\sqrt{\sin^2(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 2.4415, size = 333, normalized size = 2.16

$$\frac{(A+B\sec(c+dx)+C\sec^2(c+dx)) \left(\frac{3(7(10A+7C)\sin(c+dx)+4\tan(c+dx)(10B+7C\sec(c+dx))+160B\csc(c)\cos(dx)\cos(c+dx))}{d} - \frac{3i\sqrt[3]{2}e^{-i(c+dx)}}{140(b\sec(c+dx))^{2/3}} \right)}{140(b\sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3), x]

[Out] ((A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((−3*I)*2^(1/3)*(E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(1/3)*(160*B*(1 + E^((2*I)*(c + d*x))) + 160*B*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x)))^(1/3)*Hypergeometric2F1[-1/3, 1/3, 2/3, -E^((2*I)*(c + d*x))]) + 7*(10*A + 7*C)*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x)))^(1/3)*Hypergeometric2F1[1/6, 1/3, 7/6, -E^((2*I)*(c + d*x))]))/(d*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sec[c + d*x]^(4/3)) + (3*(160*B*Cos[d*x]*Cos[c + d*x]*Csc[c] + 7*(10*A + 7*C)*Sin[c + d*x] + 4*(10*B + 7*C*Sec[c + d*x])*Tan[c + d*x])/d)/(140*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(b*Sec[c + d*x])^(2/3))

Maple [F] time = 0.169, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^3 (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)

[Out] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^3}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^3/(b*sec(d*x + c))^(2/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^4 + B \sec(dx + c)^3 + A \sec(dx + c)^2) (b \sec(dx + c))^{\frac{1}{3}}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*(b*sec(d*x + c))^(1/3)/b, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(2/3),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(b*sec(c + d*x))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^3}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^3/(b*sec(d*x + c))^(2/3), x)

$$3.59 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=154

$$\frac{3(5A + 2C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c + dx)\right)}{5bd \sqrt{\sin^2(c + dx)} \sqrt[3]{b \sec(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{2/3} \operatorname{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c + dx)\right)}{2b^2 d \sqrt{\sin^2(c + dx)}}$$

[Out] $(-3*(5*A + 2*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*b*d*(b*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/3, 1/2, 2/3, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{(2/3)}*\operatorname{Sin}[c + d*x])/(2*b^2*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*(b*\operatorname{Sec}[c + d*x])^{(2/3)}*\operatorname{Tan}[c + d*x])/(5*b^2*d)$

Rubi [A] time = 0.150623, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(5A + 2C) \sin(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{5bd \sqrt{\sin^2(c + dx)} \sqrt[3]{b \sec(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{2b^2 d \sqrt{\sin^2(c + dx)}} + \frac{3C \tan(c + dx)}{5b^2 d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + d*x]^2*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2))/(b*\operatorname{Sec}[c + d*x])^{(4/3)}, x]$

[Out] $(-3*(5*A + 2*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(5*b*d*(b*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/3, 1/2, 2/3, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{(2/3)}*\operatorname{Sin}[c + d*x])/(2*b^2*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*(b*\operatorname{Sec}[c + d*x])^{(2/3)}*\operatorname{Tan}[c + d*x])/(5*b^2*d)$

Rule 16

$\operatorname{Int}[(u_*)^{(v_*)^{(m_*)}}*((b_*)^{(v_*)})^{(n_*)}, x_Symbol] := \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ $\operatorname{FreeQ}\{b, n\}, x \ \&\amp; \ \operatorname{IntegerQ}[m]$

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{4/3}} dx &= \frac{\int (b\sec(c+dx))^{2/3}(A+B\sec(c+dx)+C\sec^2(c+dx)) dx}{b^2} \\
&= \frac{\int (b\sec(c+dx))^{2/3}(A+C\sec^2(c+dx)) dx}{b^2} + \frac{B \int (b\sec(c+dx))^{2/3} dx}{b^3} \\
&= \frac{3C(b\sec(c+dx))^{2/3} \tan(c+dx)}{5b^2d} + \frac{(5A+2C) \int (b\sec(c+dx))^{2/3} dx}{5b^2} \\
&= \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right) (b\sec(c+dx))^{2/3} \sin(c+dx)}{2b^2d\sqrt{\sin^2(c+dx)}} + \frac{3C(b\sec(c+dx))^{2/3} \tan(c+dx)}{5b^2d} \\
&= \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right) (b\sec(c+dx))^{2/3} \sin(c+dx)}{2b^2d\sqrt{\sin^2(c+dx)}} + \frac{3C(b\sec(c+dx))^{2/3} \tan(c+dx)}{5b^2d}
\end{aligned}$$

Mathematica [C] time = 1.66668, size = 299, normalized size = 1.94

$$\frac{(A+B\sec(c+dx)+C\sec^2(c+dx)) \left(\frac{3(5B\csc(c)\cos(dx)+2C\tan(c+dx))}{d} - \frac{3i^{2/3}e^{-i(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{2/3} \left((-1+e^{2ic})(5A+2C)e^{i(c+dx)}(1+e^{2i(c+dx)}) \right)}{5(b\sec(c+dx))^{4/3}(A\cos(2(c+dx))+A+1)} \right)}{5(b\sec(c+dx))^{4/3}(A\cos(2(c+dx))+A+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] ((A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((−3*I)*2^(2/3)*(E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(5*B*(1 + E^((2*I)*(c + d*x))) + 5*B*(−1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[−1/6, 2/3, 5/6, −E^((2*I)*(c + d*x))]) + (5*A + 2*C)*E^(I*(c + d*x))*(−1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, −E^((2*I)*(c + d*x))]))/(d*E^(I*(c + d*x))*(−1 + E^((2*I)*c))*Sec[c + d*x]^(2/3)) + (3*(5*B*Cos[d*x]*Csc[c] + 2*C*Tan[c + d*x]))/d)/(5*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(b*Sec[c + d*x])^(4/3))

Maple [F] time = 0.151, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

[Out] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}}}{b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/b^2, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

$$3.60 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=149

$$\frac{3(2A - C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c + dx)\right)}{8d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{4/3}} - \frac{3B \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c + dx)\right)}{bd \sqrt{\sin^2(c + dx)} \sqrt[3]{b \sec(c + dx)}}$$

[Out] $(-3*(2*A - C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (8*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (b*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*\operatorname{Tan}[c + d*x]) / (2*b*d*(b*\operatorname{Sec}[c + d*x])^{1/3})$

Rubi [A] time = 0.144028, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(2A - C) \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{8d \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{4/3}} - \frac{3B \sin(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{bd \sqrt{\sin^2(c + dx)} \sqrt[3]{b \sec(c + dx)}} + \frac{3C \tan(c + dx)}{2bd \sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + d*x]*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2))/(b*\operatorname{Sec}[c + d*x])^{4/3}, x]$

[Out] $(-3*(2*A - C)*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (8*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (b*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*\operatorname{Tan}[c + d*x]) / (2*b*d*(b*\operatorname{Sec}[c + d*x])^{1/3})$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}[\{b, n\}, x] \ \&\& \ \operatorname{IntegerQ}[m]$

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*))^{(m_*)}*((A_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]*(B_*) + \operatorname{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*)), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*\operatorname{Csc}$

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*\text{Csc}[c + d*x]^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

$\text{Int}[(b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^{2*(C_.) + (A_.)}), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /;$ FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx}{b} \\ &= \frac{\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx}{b} + \frac{B \int (b \sec(c + dx))^{2/3} dx}{b^2} \\ &= \frac{3C \tan(c + dx)}{2bd \sqrt[3]{b \sec(c + dx)}} + \frac{(2A - C) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx}{2b} + \frac{\left(B \left(\frac{\cos(c + dx)}{b} \right)^{2/3} \right)}{b^2} \\ &= \frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{b^2 d \sqrt{\sin^2(c + dx)}} \\ &= \frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 1.92147, size = 175, normalized size = 1.17

$$3e^{-idx}(\sin(dx) - i \cos(dx))(b \sec(c + dx))^{2/3} \left((2A - C)e^{i(c+dx)} (1 + e^{2i(c+dx)})^{2/3} \text{Hypergeometric2F1} \left(\frac{2}{3}, \frac{5}{6}, \frac{11}{6}, -e^{2i(c+dx)} \right) \right)$$

10

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] (3*(b*Sec[c + d*x])^(2/3)*((-I)*Cos[d*x] + Sin[d*x])*(-10*A*Cos[c + d*x] + 5*C*Cos[c + d*x] + 5*B*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))] + (2*A - C)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(2/3)*Hypergeometric2F1[2/3, 5/6, 11/6, -E^((2*I)*(c + d*x))] + (5*I)*C*Sin[c + d*x])/(10*b^2*d*E^(I*d*x))

Maple [F] time = 0.154, size = 0, normalized size = 0.

$$\int \sec(dx + c) (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x)

[Out] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c))^{\frac{2}{3}}}{b^2 \sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3), x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)}{(b \sec(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)
```

$$3.61 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=146

$$\frac{3(A+4C) \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{4bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}} - \frac{3B \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

[Out] $(-3*B*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(4*d*(b*\operatorname{Sec}[c+d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*(A+4*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(4*b*d*(b*\operatorname{Sec}[c+d*x])^{1/3})*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) + (3*A*\operatorname{Tan}[c+d*x])/(4*d*(b*\operatorname{Sec}[c+d*x])^{4/3})$

Rubi [A] time = 0.138117, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4047, 3772, 2643, 4045}

$$\frac{3(A+4C) \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{4bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}} + \frac{3A \tan(c+dx)}{4d(b \sec(c+dx))^{4/3}} - \frac{3B \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2)/(b*\operatorname{Sec}[c + d*x])^{4/3}, x]$

[Out] $(-3*B*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(4*d*(b*\operatorname{Sec}[c+d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*(A+4*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(4*b*d*(b*\operatorname{Sec}[c+d*x])^{1/3})*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) + (3*A*\operatorname{Tan}[c+d*x])/(4*d*(b*\operatorname{Sec}[c+d*x])^{4/3})$

Rule 4047

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + \operatorname{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \operatorname{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] \rightarrow \operatorname{Dist}[B/b, \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^{(m+1)}, x], x] + \operatorname{Int}[(b*\operatorname{Csc}[e + f*x])^m*(A + C*\operatorname{Csc}[e + f*x]^2), x] /;$ $\operatorname{FreeQ}\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(b*\operatorname{Csc}[c + d*x])^{(n-1)}*((\operatorname{Sin}[c + d*x]/b)^{(n-1)}*\operatorname{Int}[1/(\operatorname{Sin}[c + d*x]/b)^n, x]), x] /;$ Fr

eeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(b \sec(c + dx))^{4/3}} dx &= \frac{B \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx}{b} + \int \frac{A + C \sec^2(c + dx)}{(b \sec(c + dx))^{4/3}} dx \\ &= \frac{3A \tan(c + dx)}{4d(b \sec(c + dx))^{4/3}} + \frac{(A + 4C) \int (b \sec(c + dx))^{2/3} dx}{4b^2} + \frac{\left(B \left(\frac{\cos(c + dx)}{b} \right)^{2/3} \right)}{\dots} \\ &= -\frac{3B \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{4b^2 d \sqrt{\sin^2(c + dx)}} + \dots \\ &= -\frac{3(A + 4C) \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{4b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 1.93147, size = 298, normalized size = 2.04

$$\frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \left(-\frac{30 \cos(c + dx)(4B \cot(c) - A \sin(c + dx))}{d} + \frac{3i2^{2/3} e^{-idx} \left(\frac{e^{i(c + dx)}}{1 + e^{2i(c + dx)}} \right)^{2/3} (1 + e^{2i(c + dx)})^{2/3} (e^{idx} (8B e^{i(c + dx)} \text{Hypergeometric2F1}[\dots]))}{\dots} \right)}{20(b \sec(c + dx))^{4/3} (A \cos(2(c + dx)) + \dots)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(b*Sec[c + d*x])^(4/3),x]

[Out] ((A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((3*I)*2^(2/3)*(E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(1 + E^((2*I)*(c + d*x)))^(2/3)*(40*B*E^(I*c)*Hypergeometric2F1[-1/6, 2/3, 5/6, -E^((2*I)*(c + d*x))] + E^(I*d*x)*(-5*(A + 4*C)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))] + 8*B*E^(I*(c + d*x))*Hypergeometric2F1[2/3, 5/6, 11/6, -E^((2*I)*(c + d*x))])))/(d*E^(I*d*x)*(-1 + E^((2*I)*c))*Sec[c + d*x]^(2/3)) - (30*Cos[c + d*x]*(4*B*Cot[c] - A*Sin[c + d*x])/d)/(20*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(b*Sec[c + d*x])^(4/3))

Maple [F] time = 0.143, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

[Out] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c))^{\frac{2}{3}}}{b^2 \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c))^(4/3), x)

$$3.62 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=149

$$\frac{3(2A - C)\sin(c + dx)\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c + dx)\right)}{8d\sqrt{\sin^2(c + dx)}(b\sec(c + dx))^{4/3}} - \frac{3B\sin(c + dx)\text{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c + dx)\right)}{bd\sqrt{\sin^2(c + dx)}\sqrt[3]{b\sec(c + dx)}}$$

[Out] (-3*(2*A - C)*Hypergeometric2F1[1/2, 2/3, 5/3, Cos[c + d*x]^2]*Sin[c + d*x])/(8*d*(b*Sec[c + d*x])^(4/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d*x]^2]*Sin[c + d*x])/(b*d*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) + (3*C*Tan[c + d*x])/(2*b*d*(b*Sec[c + d*x])^(1/3))

Rubi [A] time = 0.141136, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(2A - C)\sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{8d\sqrt{\sin^2(c + dx)}(b\sec(c + dx))^{4/3}} - \frac{3B\sin(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{bd\sqrt{\sin^2(c + dx)}\sqrt[3]{b\sec(c + dx)}} + \frac{3C\tan(c + dx)}{2bd\sqrt[3]{b\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] (-3*(2*A - C)*Hypergeometric2F1[1/2, 2/3, 5/3, Cos[c + d*x]^2]*Sin[c + d*x])/(8*d*(b*Sec[c + d*x])^(4/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d*x]^2]*Sin[c + d*x])/(b*d*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) + (3*C*Tan[c + d*x])/(2*b*d*(b*Sec[c + d*x])^(1/3))

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1), x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)*((\text{Sin}[c + d*x]/b)^{(n - 1)*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x])}, x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.*\text{sin}[c_.] + (d_.)*(x_)]^{(n_)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[2*n]$

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_)]^{2*(C_.) + (A_)}), x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& !\text{LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx}{b} \\ &= \frac{\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx}{b} + \frac{B \int (b \sec(c + dx))^{2/3} dx}{b^2} \\ &= \frac{3C \tan(c + dx)}{2bd \sqrt[3]{b \sec(c + dx)}} + \frac{(2A - C) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx}{2b} + \frac{\left(B \left(\frac{\cos(c + dx)}{b} \right)^{1/3} \right)}{b^2} \\ &= -\frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3}}{b^2 d \sqrt{\sin^2(c + dx)}} \\ &= -\frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3}}{b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 1.19564, size = 175, normalized size = 1.17

$$3e^{-idx}(\sin(dx) - i \cos(dx))(b \sec(c + dx))^{2/3} \left((2A - C)e^{i(c+dx)} (1 + e^{2i(c+dx)})^{2/3} \text{Hypergeometric2F1} \left(\frac{2}{3}, \frac{5}{6}, \frac{11}{6}, -e^{2i(c+dx)} \right) \right) - 10b^2$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] (3*(b*Sec[c + d*x])^(2/3)*((-I)*Cos[d*x] + Sin[d*x])*(-10*A*Cos[c + d*x] + 5*C*Cos[c + d*x] + 5*B*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))] + (2*A - C)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(2/3)*Hypergeometric2F1[2/3, 5/6, 11/6, -E^((2*I)*(c + d*x))] + (5*I)*C*Sin[c + d*x])/(10*b^2*d*E^(I*d*x))

Maple [F] time = 0.008, size = 0, normalized size = 0.

$$\int \sec(dx + c) (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x)

[Out] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c))^{\frac{2}{3}}}{b^2 \sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3), x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)}{(b \sec(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3), x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)
```

$$3.63 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=154

$$\frac{3(5A + 2C) \sin(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c + dx)\right)}{5bd \sqrt{\sin^2(c + dx)} \sqrt[3]{b \sec(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{2/3} \operatorname{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c + dx)\right)}{2b^2 d \sqrt{\sin^2(c + dx)}}$$

[Out] $(-3*(5*A + 2*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (5*b*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/3, 1/2, 2/3, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sin}[c + d*x]) / (2*b^2*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Tan}[c + d*x]) / (5*b^2*d)$

Rubi [A] time = 0.147556, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(5A + 2C) \sin(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{5bd \sqrt{\sin^2(c + dx)} \sqrt[3]{b \sec(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{2b^2 d \sqrt{\sin^2(c + dx)}} + \frac{3C \sin(c + dx) (b \sec(c + dx))^{2/3} \tan(c + dx)}{5b^2 d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + d*x]^2*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2))/(b*\operatorname{Sec}[c + d*x])^{4/3}, x]$

[Out] $(-3*(5*A + 2*C)*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x]) / (5*b*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/3, 1/2, 2/3, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sin}[c + d*x]) / (2*b^2*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*C*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Tan}[c + d*x]) / (5*b^2*d)$

Rule 16

$\operatorname{Int}[(u_*)^{(m_*)}*(v_*)^{(n_*)}*((b_*)^{(v_*)})^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{b, n\}, x \ \&\& \operatorname{IntegerQ}[m]$

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{4/3}} dx &= \frac{\int (b\sec(c+dx))^{2/3}(A+B\sec(c+dx)+C\sec^2(c+dx)) dx}{b^2} \\
&= \frac{\int (b\sec(c+dx))^{2/3}(A+C\sec^2(c+dx)) dx}{b^2} + \frac{B \int (b\sec(c+dx))^{2/3} dx}{b^3} \\
&= \frac{3C(b\sec(c+dx))^{2/3} \tan(c+dx)}{5b^2d} + \frac{(5A+2C) \int (b\sec(c+dx))^{2/3} dx}{5b^2} \\
&= \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right) (b\sec(c+dx))^{2/3} \sin(c+dx)}{2b^2d\sqrt{\sin^2(c+dx)}} \\
&= \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right) (b\sec(c+dx))^{2/3} \sin(c+dx)}{2b^2d\sqrt{\sin^2(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 1.67554, size = 299, normalized size = 1.94

$$\frac{(A+B\sec(c+dx)+C\sec^2(c+dx)) \left(\frac{3(5B\csc(c)\cos(dx)+2C\tan(c+dx))}{d} - \frac{3i2^{2/3}e^{-i(c+dx)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{2/3} \left((-1+e^{2ic})(5A+2C)e^{i(c+dx)}(1+e^{2i(c+dx)}) \right)}{5(b\sec(c+dx))^{4/3}(A\cos(2(c+dx))+A)} \right)}{5(b\sec(c+dx))^{4/3}(A\cos(2(c+dx))+A)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] ((A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((−3*I)*2^(2/3)*(E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(5*B*(1 + E^((2*I)*(c + d*x))) + 5*B*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[-1/6, 2/3, 5/6, -E^((2*I)*(c + d*x))]) + (5*A + 2*C)*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*(1 + E^((2*I)*(c + d*x))))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))])/(d*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sec[c + d*x]^(2/3)) + (3*(5*B*Cos[d*x]*Csc[c] + 2*C*Tan[c + d*x]))/d)/(5*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(b*Sec[c + d*x])^(4/3))

Maple [F] time = 0.006, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

[Out] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}}}{b^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/b^2, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

$$3.64 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=154

$$\frac{3(8A + 5C) \sin(c + dx)(b \sec(c + dx))^{2/3} \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c + dx)\right)}{16b^2 d \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{5/3}}{5b^3 d \sqrt{\sin^2(c + dx)}}$$

[Out] (3*(8*A + 5*C)*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(16*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x])/(5*b^3*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(5/3)*Tan[c + d*x])/(8*b^3*d)

Rubi [A] time = 0.150722, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{3(8A + 5C) \sin(c + dx)(b \sec(c + dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{16b^2 d \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{5/3} {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right)}{5b^3 d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] (3*(8*A + 5*C)*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(16*b^2*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x])/(5*b^3*d*Sqrt[Sin[c + d*x]^2]) + (3*C*(b*Sec[c + d*x])^(5/3)*Tan[c + d*x])/(8*b^3*d)

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{4/3}} dx &= \frac{\int (b\sec(c+dx))^{5/3}(A+B\sec(c+dx)+C\sec^2(c+dx)) dx}{b^3} \\
&= \frac{\int (b\sec(c+dx))^{5/3}(A+C\sec^2(c+dx)) dx}{b^3} + \frac{B \int (b\sec(c+dx))^{5/3} dx}{b^4} \\
&= \frac{3C(b\sec(c+dx))^{5/3} \tan(c+dx)}{8b^3d} + \frac{(8A+5C) \int (b\sec(c+dx))^{5/3} dx}{8b^3} \\
&= \frac{3B {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c+dx)\right) (b\sec(c+dx))^{5/3} \sin(c+dx)}{5b^3d\sqrt{\sin^2(c+dx)}} + \frac{3(8A+5C) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right) (b\sec(c+dx))^{2/3} \sin(c+dx)}{16b^2d\sqrt{\sin^2(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.34181, size = 699, normalized size = 4.54

$$\frac{6i2^{2/3}B\left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{2/3}\left(1+e^{2i(c+dx)}\right)^{2/3}\text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{2}{3}, \frac{4}{3}, -e^{2i(c+dx)}\right)\left(A+B\sec(c+dx)+C\sec^2(c+dx)\right)}{5d\sec^{2/3}(c+dx)(b\sec(c+dx))^{4/3}(A\cos(2c+2dx)+A+2B\cos(c+dx)+2C)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] (((-6*I)/5)*2^(2/3)*B*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(1 + E^((2*I)*(c + d*x)))^(2/3)*Hypergeometric2F1[1/3, 2/3, 4/3, -E^((2*I)*(c + d*x))]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(2/3)*(b*Sec[c + d*x])^(4/3)) + (3*A*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(1 + E^((2*I)*(c + d*x))))^(2/3)*Csc[c]*(-5*(1 + E^((2*I)*(c + d*x)))^(1/3) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[2/3, 5/6, 11/6, -E^((2*I)*(c + d*x))])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*2^(1/3)*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(2/3)*(b*Sec[c + d*x])^(4/3)) + (3*C*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(1 + E^((2*I)*(c + d*x))))^(2/3)*Csc[c]*(-5*(1 + E^((2*I)*(c + d*x)))^(1/3) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[2/3, 5/6, 11/6, -E^((2*I)*(c + d*x))])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(8*2^(1/3)*d*E^(I*d*x)*(A + 2*C +

$$\begin{aligned} & 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*\sec[c + d*x]^{(2/3)}*(b*\sec[c + d*x]) \\ & ^{(4/3)} + ((A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((3*(8*A + 5*C)*\cos[d*x] \\ & *Csc[c])/(8*d) + (3*C*\sec[c]*\sec[c + d*x]^2*\sin[d*x])/(4*d) + (3*\sec[c]*\sec \\ & [c + d*x]*(5*C*\sin[c] + 8*B*\sin[d*x]))/(20*d) + (6*B*\tan[c])/(5*d)))/((A + \\ & 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(b*\sec[c + d*x])^{(4/3)}) \end{aligned}$$

Maple [F] time = 0.164, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^3 (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

[Out] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^3}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^3/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^3 + B \sec(dx + c)^2 + A \sec(dx + c)) (b \sec(dx + c))^{\frac{2}{3}}}{b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3)
,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x
+ c))^(2/3)/b^2, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4
/3),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(b*sec(c
+ d*x))**(4/3), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^3}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^3/(b*sec(d*x
+ c))^(4/3), x)
```


3.65 $\int \sec^m(c+dx)(b \sec(c+dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=230

$$\frac{3b(A(3m+7) + C(3m+4)) \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(-3m-1), \frac{1}{6}(5-3m), \cos^2(c+dx)\right)}{d(3m+1)(3m+7) \sqrt{\sin^2(c+dx)}}$$

```
[Out] (3*b*C*Sec[c + d*x]^(2 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(7 + 3*m)) + (3*b*(C*(4 + 3*m) + A*(7 + 3*m))*Hypergeometric2F1[1/2, (-1 - 3*m)/6, (5 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(1 + 3*m)*(7 + 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*b*B*Hypergeometric2F1[1/2, (-4 - 3*m)/6, (2 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(4 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.188354, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{3b(A(3m+7) + C(3m+4)) \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(-3m-1); \frac{1}{6}(5-3m); \cos^2(c+dx)\right)}{d(3m+1)(3m+7) \sqrt{\sin^2(c+dx)}} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (3*b*C*Sec[c + d*x]^(2 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(7 + 3*m)) + (3*b*(C*(4 + 3*m) + A*(7 + 3*m))*Hypergeometric2F1[1/2, (-1 - 3*m)/6, (5 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(1 + 3*m)*(7 + 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*b*B*Hypergeometric2F1[1/2, (-4 - 3*m)/6, (2 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(4 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
```

IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Ssin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \sec^m(c + dx)(b \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{(b\sqrt[3]{b \sec(c + dx)}) \int \sec^{\frac{4}{3}+m}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{\sqrt[3]{\sec(c + dx)}} \\
&= \frac{(b\sqrt[3]{b \sec(c + dx)}) \int \sec^{\frac{4}{3}+m}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{\sqrt[3]{\sec(c + dx)}} \\
&= \frac{3bC \sec^{2+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(7 + 3m)} \\
&= \frac{3bC \sec^{2+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(7 + 3m)} \\
&= \frac{3bC \sec^{2+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(7 + 3m)}
\end{aligned}$$

Mathematica [C] time = 7.9503, size = 484, normalized size = 2.1

$$3i2^{m+\frac{7}{3}} e^{-\frac{1}{3}id(3m+4)x} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{m+\frac{4}{3}} (1 + e^{2i(c+dx)})^{m+\frac{4}{3}} (b \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{2(A+2C)e^{\frac{1}{3}ix}}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((-3*I)*2^(7/3 + m)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(4/3 + m)*(1 + E^((2*I)*(c + d*x)))^(4/3 + m)*((2*(A + 2*C)*E^((I/3)*(6*c + d*(10 + 3*m)*x))*Hypergeometric2F1[5/3 + m/2, 10/3 + m, 8/3 + m/2, -E^((2*I)*(c + d*x))])/(10 + 3*m) + (A*E^((4*I)*c + (I/3)*d*(16 + 3*m)*x))*Hypergeometric2F1[8/3 + m/2, 10/3 + m, (22 + 3*m)/6, -E^((2*I)*(c + d*x))])/(16 + 3*m) + (A*E^((I/3)*d*(4 + 3*m)*x))*Hypergeometric2F1[10/3 + m, (4 + 3*m)/6, 5/3 + m/2, -E^((2*I)*(c + d*x))])/(4 + 3*m) + (2*B*E^((I/3)*(3*c + d*(7 + 3*m)*x))*Hypergeometric2F1[10/3 + m, (7 + 3*m)/6, (13 + 3*m)/6, -E^((2*I)*(c + d*x))])/(7 + 3*m) + (2*B*E^((I/3)*(9*c + d*(13 + 3*m)*x))*Hypergeometric2F1[10/3 + m, (13 + 3*m)/6, (19 + 3*m)/6, -E^((2*I)*(c + d*x))])/(13 + 3*m))*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*E^((I/3)*d*(4 + 3*m)*x))

m)*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(10/3)
)

Maple [F] time = 0.194, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (b \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx + c)^3 + Bb \sec(dx + c)^2 + Ab \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^3 + B*b*sec(d*x + c)^2 + A*b*sec(d*x + c))*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**m*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c))*
*2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*se
c(d*x + c)^m, x)

3.66 $\int \sec^m(c+dx)(b \sec(c+dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c$

Optimal. Leaf size=227

$$\frac{3(A(3m+5) + C(3m+2)) \sin(c+dx)(b \sec(c+dx))^{2/3} \sec^{m-1}(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(1-3m), \frac{1}{6}(7-3m), \cos^2(c+dx)\right)}{d(1-3m)(3m+5)\sqrt{\sin^2(c+dx)}}$$

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(d*(5 + 3*m)
) - (3*(C*(2 + 3*m) + A*(5 + 3*m))*Hypergeometric2F1[1/2, (1 - 3*m)/6, (7 -
3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c
+ d*x])/(d*(1 - 3*m)*(5 + 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric
2F1[1/2, (-2 - 3*m)/6, (4 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c
+ d*x])^(2/3)*Sin[c + d*x])/(d*(2 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.190569, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{3(A(3m+5) + C(3m+2)) \sin(c+dx)(b \sec(c+dx))^{2/3} \sec^{m-1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(1-3m); \frac{1}{6}(7-3m); \cos^2(c+dx)\right)}{d(1-3m)(3m+5)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(d*(5 + 3*m)
) - (3*(C*(2 + 3*m) + A*(5 + 3*m))*Hypergeometric2F1[1/2, (1 - 3*m)/6, (7 -
3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c
+ d*x])/(d*(1 - 3*m)*(5 + 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric
2F1[1/2, (-2 - 3*m)/6, (4 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c
+ d*x])^(2/3)*Sin[c + d*x])/(d*(2 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
```

IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \sec^m(c+dx)(b \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= \frac{(b \sec(c+dx))^{2/3} \int \sec^{\frac{2}{3}+m}(c+dx) (A+B \sec(c+dx)+C \sec^2(c+dx)) dx}{\sec^{\frac{2}{3}}(c+dx)} \\
&= \frac{(b \sec(c+dx))^{2/3} \int \sec^{\frac{2}{3}+m}(c+dx) (A+C \sec^2(c+dx)) dx}{\sec^{\frac{2}{3}}(c+dx)} \\
&= \frac{3C \sec^{1+m}(c+dx)(b \sec(c+dx))^{2/3} \sin(c+dx)}{d(5+3m)} \\
&= \frac{3C \sec^{1+m}(c+dx)(b \sec(c+dx))^{2/3} \sin(c+dx)}{d(5+3m)} \\
&= \frac{3C \sec^{1+m}(c+dx)(b \sec(c+dx))^{2/3} \sin(c+dx)}{d(5+3m)}
\end{aligned}$$

Mathematica [C] time = 6.70575, size = 547, normalized size = 2.41

$$3i2^{m+\frac{5}{3}} e^{-\frac{1}{3}id(3m+2)x} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{m+\frac{2}{3}} (1+e^{2i(c+dx)})^{m+\frac{2}{3}} (b \sec(c+dx))^{2/3} (A+B \sec(c+dx)+C \sec^2(c+dx)) \left(\frac{Ae^{4ic+\frac{1}{3}id(3m+2)x}}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((-3*I)*2^(5/3 + m)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(2/3 + m)*(1 + E^((2*I)*(c + d*x)))^(2/3 + m)*((A*E^((4*I)*c + (I/3)*d*(14 + 3*m)*x))*Hypergeometric2F1[7/3 + m/2, 8/3 + m, (20 + 3*m)/6, -E^((2*I)*(c + d*x))]/(14 + 3*m) + (A*E^((I/3)*d*(2 + 3*m)*x))*Hypergeometric2F1[8/3 + m, (2 + 3*m)/6, (8 + 3*m)/6, -E^((2*I)*(c + d*x))]/(2 + 3*m) + (2*B*E^((I/3)*(3*c + d*(5 + 3*m)*x))*Hypergeometric2F1[8/3 + m, (5 + 3*m)/6, (11 + 3*m)/6, -E^((2*I)*(c + d*x))]/(5 + 3*m) + (2*A*E^((I/3)*(6*c + d*(8 + 3*m)*x))*Hypergeometric2F1[8/3 + m, (8 + 3*m)/6, 7/3 + m/2, -E^((2*I)*(c + d*x))]/(8 + 3*m) + (4*C*E^((I/3)*(6*c + d*(8 + 3*m)*x))*Hypergeometric2F1[8/3 + m, (8 + 3*m)/6, 7/3 + m/2, -E^((2*I)*(c + d*x))]/(8 + 3*m) + (2*B*E^((I/3)*(9*c + d*(11 + 3*m)*x))*Hypergeometric2F1[8/3 + m, (11 + 3*m)/6, (17 + 3*m)/6, -E^((2*I)

)*(c + d*x)))/(11 + 3*m))*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^((I/3)*d*(2 + 3*m)*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(8/3))

Maple [F] time = 0.18, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (b \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c))*2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m, x)`

3.67 $\int \sec^m(c+dx) \sqrt[3]{b \sec(c+dx)} (A + B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=225

$$\frac{3(A(3m+4) + 3Cm + C) \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^{m-1}(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(2-3m), \frac{1}{6}(8-3m), \cos^2(c+dx)\right)}{d(2-3m)(3m+4) \sqrt{\sin^2(c+dx)}}$$

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(4 + 3*m)
) - (3*(C + 3*C*m + A*(4 + 3*m))*Hypergeometric2F1[1/2, (2 - 3*m)/6, (8 - 3
*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c +
d*x])/(d*(2 - 3*m)*(4 + 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F
1[1/2, (-1 - 3*m)/6, (5 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c +
d*x])^(1/3)*Sin[c + d*x])/(d*(1 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.188582, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{3(A(3m+4) + 3Cm + C) \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^{m-1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(2-3m); \frac{1}{6}(8-3m); \cos^2(c+dx)\right)}{d(2-3m)(3m+4) \sqrt{\sin^2(c+dx)}} + \frac{3B \sec^m(c+dx) \sqrt[3]{b \sec(c+dx)}}{d(2-3m)(3m+4) \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(4 + 3*m)
) - (3*(C + 3*C*m + A*(4 + 3*m))*Hypergeometric2F1[1/2, (2 - 3*m)/6, (8 - 3
*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c +
d*x])/(d*(2 - 3*m)*(4 + 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F
1[1/2, (-1 - 3*m)/6, (5 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c +
d*x])^(1/3)*Sin[c + d*x])/(d*(1 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
```

IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \sec^m(c + dx) \sqrt[3]{b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\sqrt[3]{b \sec(c + dx)} \int \sec^{\frac{1}{3}+m}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{\sqrt[3]{\sec(c + dx)}} \\
&= \frac{\sqrt[3]{b \sec(c + dx)} \int \sec^{\frac{1}{3}+m}(c + dx) (A + C \sec^2(c + dx)) dx}{\sqrt[3]{\sec(c + dx)}} \\
&= \frac{3C \sec^{1+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(4 + 3m)} \\
&= \frac{3C \sec^{1+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(4 + 3m)} \\
&= \frac{3C \sec^{1+m}(c + dx) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d(4 + 3m)}
\end{aligned}$$

Mathematica [C] time = 7.23119, size = 494, normalized size = 2.2

$$3i2^{m+\frac{4}{3}} e^{-\frac{1}{3}id(3m+1)x} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{m+\frac{1}{3}} (1 + e^{2i(c+dx)})^{m+\frac{1}{3}} \sqrt[3]{b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{e^{ic}}{e^{\frac{1}{3}i(3c+d(3m+1)x}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((-3*I)*2^(4/3 + m)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/3 + m)*(1 + E^((2*I)*(c + d*x)))^(1/3 + m)*((2*B*E^((I/3)*(9*c + d*(10 + 3*m)*x)))*Hypergeometric2F1[5/3 + m/2, 7/3 + m, 8/3 + m/2, -E^((2*I)*(c + d*x))])/(d*(10 + 3*m)) + (A*E^((I/3)*(d + 3*d*m)*x))*Hypergeometric2F1[7/3 + m, (1 + 3*m)/6, (7 + 3*m)/6, -E^((2*I)*(c + d*x))])/(d + 3*d*m) + (E^(I*c)*((2*B*E^((I/3)*d*(4 + 3*m)*x))*Hypergeometric2F1[7/3 + m, (4 + 3*m)/6, 5/3 + m/2, -E^((2*I)*(c + d*x))])/(4 + 3*m) + (E^((I/3)*(3*c + d*(7 + 3*m)*x)))*(2*(A + 2*C)*(13 + 3*m)*Hypergeometric2F1[7/3 + m, (7 + 3*m)/6, (13 + 3*m)/6, -E^((2*I)*(c + d*x))]) + A*E^((2*I)*(c + d*x))*(7 + 3*m)*Hypergeometric2F1[7/3 + m, (

$$\frac{13 + 3m}{6}, \frac{19 + 3m}{6}, -E^{((2I)(c + dx))} / ((7 + 3m)(13 + 3m)) / d * (b \operatorname{Sec}[c + dx])^{1/3} * (A + B \operatorname{Sec}[c + dx] + C \operatorname{Sec}[c + dx]^2) / (E^{(I/3)d(1 + 3m)x} * (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) * \operatorname{Sec}[c + dx]^{7/3})$$

Maple [F] time = 0.184, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m \sqrt[3]{b \sec(dx + c)} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `int(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(b*sec(d*x+c))**(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c))*2), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)`

$$3.68 \quad \int \frac{\sec^m(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$$

Optimal. Leaf size=228

$$\frac{3(C(1-3m) - A(3m+2)) \sin(c+dx) \sec^{m-1}(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(4-3m), \frac{1}{6}(10-3m), \cos^2(c+dx)\right)}{d(4-3m)(3m+2) \sqrt{\sin^2(c+dx) \sqrt[3]{b \sec(c+dx)}}}$$

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(2 + 3*m)*(b*Sec[c + d*x])^(1/3)
) + (3*(C*(1 - 3*m) - A*(2 + 3*m))*Hypergeometric2F1[1/2, (4 - 3*m)/6, (10
- 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(4 - 3*m)*
(2 + 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometri
c2F1[1/2, (1 - 3*m)/6, (7 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*Ssin[c +
d*x])/(d*(1 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.190819, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{3(C(1-3m) - A(3m+2)) \sin(c+dx) \sec^{m-1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4-3m); \frac{1}{6}(10-3m); \cos^2(c+dx)\right)}{d(4-3m)(3m+2) \sqrt{\sin^2(c+dx) \sqrt[3]{b \sec(c+dx)}}} - \frac{3B \sin(c+dx) \sec^m(c+dx)}{d(4-3m)(3m+2) \sqrt{\sin^2(c+dx) \sqrt[3]{b \sec(c+dx)}}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^m*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x]
)]^(1/3), x]
```

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(2 + 3*m)*(b*Sec[c + d*x])^(1/3)
) + (3*(C*(1 - 3*m) - A*(2 + 3*m))*Hypergeometric2F1[1/2, (4 - 3*m)/6, (10
- 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(4 - 3*m)*
(2 + 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometri
c2F1[1/2, (1 - 3*m)/6, (7 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*Ssin[c +
d*x])/(d*(1 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
```


IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^m(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt[3]{b\sec(c+dx)}} dx &= \frac{\sqrt[3]{\sec(c+dx)} \int \sec^{-\frac{1}{3}+m}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt[3]{b\sec(c+dx)}} \\
&= \frac{\sqrt[3]{\sec(c+dx)} \int \sec^{-\frac{1}{3}+m}(c+dx)(A+C\sec^2(c+dx)) dx}{\sqrt[3]{b\sec(c+dx)}} + \frac{B \int \sec^{-\frac{1}{3}+m}(c+dx) dx}{\sqrt[3]{b\sec(c+dx)}} \\
&= \frac{3C \sec^{1+m}(c+dx) \sin(c+dx)}{d(2+3m)\sqrt[3]{b\sec(c+dx)}} + \frac{\left(\left(C\left(-\frac{1}{3}+m\right)+A\left(\frac{2}{3}+m\right)\right)\int \sec^{-\frac{1}{3}+m}(c+dx) dx\right)}{\left(\frac{2}{3}+m\right)\sqrt[3]{b\sec(c+dx)}} \\
&= \frac{3C \sec^{1+m}(c+dx) \sin(c+dx)}{d(2+3m)\sqrt[3]{b\sec(c+dx)}} - \frac{3B {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(1-3m); \frac{1}{6}(7-3m); -\sec^2(c+dx)\right)}{d(1-3m)\sqrt[3]{b\sec(c+dx)}} \\
&= \frac{3C \sec^{1+m}(c+dx) \sin(c+dx)}{d(2+3m)\sqrt[3]{b\sec(c+dx)}} + \frac{3(C(1-3m)-A(2+3m))}{d(1-3m)\sqrt[3]{b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 11.5551, size = 548, normalized size = 2.4

$$3i2^{m+\frac{2}{3}} e^{-\frac{1}{3}i(3c+d(3m+2)x)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{m+\frac{2}{3}} \left(1+e^{2i(c+dx)}\right)^{m+\frac{2}{3}} (A+B\sec(c+dx)+C\sec^2(c+dx)) \left(e^{ic}(3m-1)\left((3m+2)e^{\frac{1}{3}i}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^m*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(1/3), x]

[Out] ((-3*I)*2^(2/3 + m)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(2/3 + m)*(1 + E^((2*I)*(c + d*x)))^(2/3 + m)*(A*E^((I/3)*d*(-1 + 3*m)*x)*(880 + 2418*m + 2079*m^2 + 702*m^3 + 81*m^4)*Hypergeometric2F1[5/3 + m, (-1 + 3*m)/6, (5 + 3*m)/6, -E^((2*I)*(c + d*x))]) + E^(I*c)*(-1 + 3*m)*(2*B*E^((I/3)*d*(2 + 3*m)*x)*(440 + 549*m + 216*m^2 + 27*m^3)*Hypergeometric2F1[5/3 + m, (2 + 3*m)/6, (8 + 3*m)/6, -E^((2*I)*(c + d*x))]) + E^((I/3)*(3*c + d*(5 + 3*m)*x))*(2 + 3*m)*(2*(A + 2*C)*(88 + 57*m + 9*m^2)*Hypergeometric2F1[5/3 + m, (5 + 3*m)/6, (11 + 3*m)/6, -E^((2*I)*(c + d*x))]) + E^(I*(c + d*x))*(5 + 3*m)*(2*B*(11 + 3*m)*Hypergeometric2F1[5/3 + m, (8 + 3*m)/6, 7/3 + m/2, -E^((2*I)*(c + d*x))]) + A*E^(I*(c + d*x))*(8 + 3*m)*Hypergeometric2F1[5/3 + m, (11 + 3*m)/6, (17 + 3*m)/6, -E^((2*I)*(c + d*x))]))*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*E^((I/3)*(3*c + d*(2 + 3*m)*x))*(-1 + 3*m)*(2 + 3*m)*(5 +

$3*m)*(8 + 3*m)*(11 + 3*m)*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])$
 $*\text{Sec}[c + d*x]^{(5/3)}*(b*\text{Sec}[c + d*x])^{(1/3)}$

Maple [F] time = 0.179, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (A + B \sec(dx + c) + C (\sec(dx + c))^2) \frac{1}{\sqrt[3]{b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)`

[Out] `int(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(1/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m}{b \sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m/(b*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^m(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(1/3),x)`

[Out] `Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**m/(b*sec(c + d*x))**(1/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(1/3),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(1/3), x)`

$$3.69 \quad \int \frac{\sec^m(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=226

$$\frac{3(3Am + A - C(2 - 3m)) \sin(c + dx) \sec^{m-1}(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(5 - 3m), \frac{1}{6}(11 - 3m), \cos^2(c + dx)\right)}{d(5 - 3m)(3m + 1) \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{2/3}}$$

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + 3*m)*(b*Sec[c + d*x])^(2/3))
- (3*(A - C*(2 - 3*m) + 3*A*m)*Hypergeometric2F1[1/2, (5 - 3*m)/6, (11 -
3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(5 - 3*m)*(1
+ 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2
F1[1/2, (2 - 3*m)/6, (8 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*Ssin[c + d*
x])/(d*(2 - 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.191646, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{3(3Am + A - C(2 - 3m)) \sin(c + dx) \sec^{m-1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(5 - 3m); \frac{1}{6}(11 - 3m); \cos^2(c + dx)\right)}{d(5 - 3m)(3m + 1) \sqrt{\sin^2(c + dx)} (b \sec(c + dx))^{2/3}} \quad 3B \sin(c + dx) \sec(c + dx)$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^m*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x
])^(2/3), x]
```

```
[Out] (3*C*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + 3*m)*(b*Sec[c + d*x])^(2/3))
- (3*(A - C*(2 - 3*m) + 3*A*m)*Hypergeometric2F1[1/2, (5 - 3*m)/6, (11 -
3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(5 - 3*m)*(1
+ 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2
F1[1/2, (2 - 3*m)/6, (8 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*Ssin[c + d*
x])/(d*(2 - 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
```

IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^m(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{2/3}} dx &= \frac{\sec^{\frac{2}{3}}(c+dx) \int \sec^{-\frac{2}{3}+m}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx)) dx}{(b\sec(c+dx))^{2/3}} \\
&= \frac{\sec^{\frac{2}{3}}(c+dx) \int \sec^{-\frac{2}{3}+m}(c+dx)(A+C\sec^2(c+dx)) dx}{(b\sec(c+dx))^{2/3}} + \frac{3C \sec^{1+m}(c+dx) \sin(c+dx)}{d(1+3m)(b\sec(c+dx))^{2/3}} + \frac{\left(\left(C\left(-\frac{2}{3}+m\right)+A\left(\frac{1}{3}+m\right)\right)\left(\frac{1}{3}+m\right)\right)}{d(2-3m)(b\sec(c+dx))^{2/3}} \\
&= \frac{3C \sec^{1+m}(c+dx) \sin(c+dx)}{d(1+3m)(b\sec(c+dx))^{2/3}} - \frac{3B {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(2-3m); \frac{1}{6}(8-3m); \sec^2(c+dx)\right)}{d(2-3m)(b\sec(c+dx))^{2/3}} \\
&= \frac{3C \sec^{1+m}(c+dx) \sin(c+dx)}{d(1+3m)(b\sec(c+dx))^{2/3}} - \frac{3(A-C(2-3m)+3Am)}{d(2-3m)(b\sec(c+dx))^{2/3}}
\end{aligned}$$

Mathematica [C] time = 10.5294, size = 545, normalized size = 2.41

$$3i2^{m+\frac{1}{3}} e^{-\frac{1}{3}i(3c+d(3m+1)x)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{m+\frac{1}{3}} (1+e^{2i(c+dx)})^{m+\frac{1}{3}} (A+B\sec(c+dx)+C\sec^2(c+dx)) \left((3m+10)\left(2(3m-2)e^{i(c+dx)}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^m*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(2/3),x]

[Out] ((-3*I)*2^(1/3 + m)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/3 + m)*(1 + E^((2*I)*(c + d*x)))^(1/3 + m)*(A*E^((4*I)*c + (I/3)*d*(10 + 3*m)*x))*(-56 - 150*m + 135*m^2 + 270*m^3 + 81*m^4)*Hypergeometric2F1[5/3 + m/2, 4/3 + m, 8/3 + m/2, -E^((2*I)*(c + d*x))]) + (10 + 3*m)*(A*E^((I/3)*d*(-2 + 3*m)*x))*(28 + 117*m + 108*m^2 + 27*m^3)*Hypergeometric2F1[4/3 + m, (-2 + 3*m)/6, (4 + 3*m)/6, -E^((2*I)*(c + d*x))]) + 2*E^((I/3)*(3*c + d*(1 + 3*m)*x))*(-2 + 3*m)*(B*(28 + 33*m + 9*m^2)*Hypergeometric2F1[4/3 + m, (1 + 3*m)/6, (7 + 3*m)/6, -E^((2*I)*(c + d*x))]) + E^(I*(c + d*x))*(1 + 3*m)*((A + 2*C)*(7 + 3*m)*Hypergeometric2F1[4/3 + m, (4 + 3*m)/6, 5/3 + m/2, -E^((2*I)*(c + d*x))]) + B*E^(I*(c + d*x))*(4 + 3*m)*Hypergeometric2F1[4/3 + m, (7 + 3*m)/6, (13 + 3*m)/6, -E^((2*I)*(c + d*x))]))*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^((I/3)*(3*c + d*(1 + 3*m)*x))*(-2 + 3*m)*(1 + 3*m)*(4 + 3*m)*(7 +

$3*m)*(10 + 3*m)*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sec}[c + d*x]^{4/3}*(b*\text{Sec}[c + d*x])^{2/3}$

Maple [F] time = 0.178, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)`

[Out] `int(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m}{b \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m/(b*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^m(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(2/3),x)`

[Out] `Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**m/(b*sec(c + d*x))**(2/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(2/3),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(2/3), x)`

$$3.70 \quad \int \frac{\sec^m(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=234

$$\frac{3(-3Am + A + C(4 - 3m)) \sin(c + dx) \sec^{m-2}(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(7 - 3m), \frac{1}{6}(13 - 3m), \cos^2(c + dx)\right)}{bd(1 - 3m)(7 - 3m)\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}}$$

[Out] $(-3C*\text{Sec}[c + d*x]^m*\text{Sin}[c + d*x])/(b*d*(1 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}) - (3*(A + C*(4 - 3*m) - 3*A*m)*\text{Hypergeometric2F1}[1/2, (7 - 3*m)/6, (13 - 3*m)/6, \text{Cos}[c + d*x]^2]*\text{Sec}[c + d*x]^{(-2 + m)*\text{Sin}[c + d*x]}/(b*d*(1 - 3*m)*(7 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*\text{Hypergeometric2F1}[1/2, (4 - 3*m)/6, (10 - 3*m)/6, \text{Cos}[c + d*x]^2]*\text{Sec}[c + d*x]^{(-1 + m)*\text{Sin}[c + d*x]}/(b*d*(4 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rubi [A] time = 0.204798, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{3(-3Am + A + C(4 - 3m)) \sin(c + dx) \sec^{m-2}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(7 - 3m); \frac{1}{6}(13 - 3m); \cos^2(c + dx)\right) - 3B \sin(c + dx) \sec^{m-1}(c + dx)}{bd(1 - 3m)(7 - 3m)\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^m*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(b*\text{Sec}[c + d*x])^{(4/3)}, x]$

[Out] $(-3C*\text{Sec}[c + d*x]^m*\text{Sin}[c + d*x])/(b*d*(1 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}) - (3*(A + C*(4 - 3*m) - 3*A*m)*\text{Hypergeometric2F1}[1/2, (7 - 3*m)/6, (13 - 3*m)/6, \text{Cos}[c + d*x]^2]*\text{Sec}[c + d*x]^{(-2 + m)*\text{Sin}[c + d*x]}/(b*d*(1 - 3*m)*(7 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*\text{Hypergeometric2F1}[1/2, (4 - 3*m)/6, (10 - 3*m)/6, \text{Cos}[c + d*x]^2]*\text{Sec}[c + d*x]^{(-1 + m)*\text{Sin}[c + d*x]}/(b*d*(4 - 3*m)*(b*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rule 20

$\text{Int}[(u_.)*((a_.)*(v_))^{(m_)}*((b_.)*(v_))^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]}), \text{Int}[u*(a*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !

IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^m(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(b\sec(c+dx))^{4/3}} dx &= \frac{\sqrt[3]{\sec(c+dx)} \int \sec^{-\frac{4}{3}+m}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{b\sqrt[3]{b\sec(c+dx)}} \\
&= \frac{\sqrt[3]{\sec(c+dx)} \int \sec^{-\frac{4}{3}+m}(c+dx)(A+C\sec^2(c+dx))}{b\sqrt[3]{b\sec(c+dx)}} + \frac{3C \sec^m(c+dx) \sin(c+dx)}{bd(1-3m)\sqrt[3]{b\sec(c+dx)}} + \frac{\left(\left(C\left(-\frac{4}{3}+m\right)+A\left(-\frac{1}{3}+m\right)\right)}{b\left(-\frac{1}{3}+m\right)}\right)}{bd(4-3m)} \\
&= \frac{3C \sec^m(c+dx) \sin(c+dx)}{bd(1-3m)\sqrt[3]{b\sec(c+dx)}} - \frac{3B {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4-3m); \frac{1}{6}(10-3m); -E^{2i(c+dx)}\right)}{bd(4-3m)} \\
&= \frac{3C \sec^m(c+dx) \sin(c+dx)}{bd(1-3m)\sqrt[3]{b\sec(c+dx)}} - \frac{3(A(1-3m)+C(4-3m)) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4-3m); \frac{1}{6}(10-3m); -E^{2i(c+dx)}\right)}{bd(4-3m)}
\end{aligned}$$

Mathematica [C] time = 8.79981, size = 492, normalized size = 2.1

$$3i2^{m-\frac{1}{3}} e^{-\frac{1}{3}i(6c+d(3m+2)x)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{m+\frac{2}{3}} (1+e^{2i(c+dx)})^{m+\frac{2}{3}} (A+B\sec(c+dx)+C\sec^2(c+dx)) \left(e^{2ic} \frac{2(A+2C)e^{\frac{1}{3}id(3m+2)x} \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (-4+3m)/6, (2+3m)/6, -E^{2i(c+dx)}\right]}{(-4+3m) + (2B e^{2i(c+dx)}) \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (-1+3m)/6, (5+3m)/6, -E^{2i(c+dx)}\right]} + (A+2C) e^{2i(c+dx)} \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (2+3m)/6, (8+3m)/6, -E^{2i(c+dx)}\right]}{(2+3m) + (2B e^{2i(c+dx)}) \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (5+3m)/6, (11+3m)/6, -E^{2i(c+dx)}\right]} + (A e^{2i(c+dx)} \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (8+3m)/6, 7/3+m/2, -E^{2i(c+dx)}\right]}{(8+3m)}) (A+B\sec(c+dx)+C\sec^2(c+dx)) / (d e^{2i(c+dx)} (6c+d(2+3m)x) (A+2C) e^{2i(c+dx)} \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (-4+3m)/6, (2+3m)/6, -E^{2i(c+dx)}\right]} + (2B e^{2i(c+dx)}) \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (-1+3m)/6, (5+3m)/6, -E^{2i(c+dx)}\right]} + (A+2C) e^{2i(c+dx)} \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (2+3m)/6, (8+3m)/6, -E^{2i(c+dx)}\right]} + (2B e^{2i(c+dx)}) \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (5+3m)/6, (11+3m)/6, -E^{2i(c+dx)}\right]} + (A e^{2i(c+dx)} \text{Hypergeometric2F1}\left[\frac{2}{3}+m, (8+3m)/6, 7/3+m/2, -E^{2i(c+dx)}\right]} + (8+3m)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^m*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b*Sec[c + d*x])^(4/3), x]

[Out] ((-3*I)*2^(-1/3 + m)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(2/3 + m)*(1 + E^((2*I)*(c + d*x)))^(2/3 + m)*((A*E^((I/3)*d*(-4 + 3*m)*x)*Hypergeometric2F1[2/3 + m, (-4 + 3*m)/6, (2 + 3*m)/6, -E^((2*I)*(c + d*x))]/(-4 + 3*m) + (2*B*E^((I/3)*(3*c + d*(-1 + 3*m)*x))*Hypergeometric2F1[2/3 + m, (-1 + 3*m)/6, (5 + 3*m)/6, -E^((2*I)*(c + d*x))]/(-1 + 3*m) + E^((2*I)*c)*((2*(A + 2*C)*E^((I/3)*d*(2 + 3*m)*x)*Hypergeometric2F1[2/3 + m, (2 + 3*m)/6, (8 + 3*m)/6, -E^((2*I)*(c + d*x))]/(2 + 3*m) + (2*B*E^((I/3)*(3*c + d*(5 + 3*m)*x))*Hypergeometric2F1[2/3 + m, (5 + 3*m)/6, (11 + 3*m)/6, -E^((2*I)*(c + d*x))]/(5 + 3*m) + (A*E^((I/3)*(6*c + d*(8 + 3*m)*x))*Hypergeometric2F1[2/3 + m, (8 + 3*m)/6, 7/3 + m/2, -E^((2*I)*(c + d*x))]/(8 + 3*m)))*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^((I/3)*(6*c + d*(2 + 3*m)*x))*(A + 2C)*E^{2i(c+dx)} Hypergeometric2F1[2/3 + m, (-4 + 3m)/6, (2 + 3m)/6, -E^{2i(c+dx)}] + (2B*E^{2i(c+dx)}) Hypergeometric2F1[2/3 + m, (-1 + 3m)/6, (5 + 3m)/6, -E^{2i(c+dx)}] + (A + 2C)*E^{2i(c+dx)} Hypergeometric2F1[2/3 + m, (2 + 3m)/6, (8 + 3m)/6, -E^{2i(c+dx)}] + (2B*E^{2i(c+dx)}) Hypergeometric2F1[2/3 + m, (5 + 3m)/6, (11 + 3m)/6, -E^{2i(c+dx)}] + (A*E^{2i(c+dx)} Hypergeometric2F1[2/3 + m, (8 + 3m)/6, 7/3 + m/2, -E^{2i(c+dx)}] + (8 + 3m))

$*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sec}[c + d*x]^{(2/3)}*(b*\text{Sec}[c + d*x])^{(4/3)}$

Maple [F] time = 0.184, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (A + B \sec(dx + c) + C (\sec(dx + c))^2) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)`

[Out] `int(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m}{b^2 \sec(dx + c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m/(b^2*sec(d*x + c)^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(b*sec(d*x+c))**(4/3),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(b*sec(d*x+c))^(4/3),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(4/3), x)`

3.71 $\int \sec^m(c+dx)(b \sec(c+dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=226

$$\frac{(A(m+n+1) + C(m+n)) \sin(c+dx) \sec^{m-1}(c+dx) (b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{2}(-m-n+1), \frac{1}{2}(-m-n+2), \cos^2(c+dx)\right)}{d(-m-n+1)(m+n+1)\sqrt{\sin^2(c+dx)}}$$

[Out] (C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n)) - ((C*(m + n) + A*(1 + m + n))*Hypergeometric2F1[1/2, (1 - m - n)/2, (3 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/ (d*(1 - m - n)*(1 + m + n)*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-m - n)/2, (2 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(m + n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.180782, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{(A(m+n+1) + C(m+n)) \sin(c+dx) \sec^{m-1}(c+dx) (b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-m-n+1); \frac{1}{2}(-m-n+3); \cos^2(c+dx)\right)}{d(-m-n+1)(m+n+1)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (C*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n)) - ((C*(m + n) + A*(1 + m + n))*Hypergeometric2F1[1/2, (1 - m - n)/2, (3 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/ (d*(1 - m - n)*(1 + m + n)*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-m - n)/2, (2 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(m + n)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !

IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \sec^m(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{m+n}(c + dx) dx \\
&= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{m+n}(c + dx) dx \\
&= \frac{C \sec^{1+m}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(1 + m + n)} \\
&= \frac{C \sec^{1+m}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(1 + m + n)} \\
&= \frac{C \sec^{1+m}(c + dx)(b \sec(c + dx))^n \sin(c + dx)}{d(1 + m + n)}
\end{aligned}$$

Mathematica [C] time = 6.47147, size = 436, normalized size = 1.93

$$i2^{m+n+1} e^{-idx(m+n)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{m+n} (1 + e^{2i(c+dx)})^{m+n} \sec^{-n-2}(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((-I)*2^(1 + m + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(m + n)*(1 + E^((2*I)*(c + d*x))))^(m + n)*((A*E^(I*d*(m + n)*x)*Hypergeometric2F1[(m + n)/2, 2 + m + n, (2 + m + n)/2, -E^((2*I)*(c + d*x))]/(m + n) + (2*B*E^(I*(c + d*(1 + m + n)*x))*Hypergeometric2F1[(1 + m + n)/2, 2 + m + n, (3 + m + n)/2, -E^((2*I)*(c + d*x))]/(1 + m + n) + E^((2*I)*c)*((2*(A + 2*C)*E^(I*d*(2 + m + n)*x))*Hypergeometric2F1[(2 + m + n)/2, 2 + m + n, (4 + m + n)/2, -E^((2*I)*(c + d*x))]/(2 + m + n) + (2*B*E^(I*(c + d*(3 + m + n)*x))*Hypergeometric2F1[2 + m + n, (3 + m + n)/2, (5 + m + n)/2, -E^((2*I)*(c + d*x))]/(3 + m + n) + (A*E^(I*(2*c + d*(4 + m + n)*x))*Hypergeometric2F1[2 + m + n, (4 + m + n)/2, (6 + m + n)/2, -E^((2*I)*(c + d*x))]/(4 + m + n)))*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*(m + n)*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

Maple [F] time = 1.165, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")

[Out] integrate(((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^m, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")

[Out] integral(((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**m*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),
x)
```

```
[Out] Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c
+ d*x)**m, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*
x + c)^m, x)
```

3.72 $\int \sec^2(c+dx)(b \sec(c+dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx))$

Optimal. Leaf size=189

$$\frac{(A(n+3) + C(n+2)) \sin(c+dx)(b \sec(c+dx))^{n+1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{2}(-n-1), \frac{1-n}{2}, \cos^2(c+dx)\right)}{bd(n+1)(n+3)\sqrt{\sin^2(c+dx)}} + \frac{B \sin(c+dx)}{b^2d(n+3)}$$

[Out] ((C*(2 + n) + A*(3 + n))*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x])/(b*d*(1 + n)*(3 + n)*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-2 - n)/2, -n/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2 + n)*Sin[c + d*x])/(b^2*d*(2 + n)*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^(2 + n)*Tan[c + d*x])/(b^2*d*(3 + n))

Rubi [A] time = 0.195178, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{(A(n+3) + C(n+2)) \sin(c+dx)(b \sec(c+dx))^{n+1} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-n-1); \frac{1-n}{2}; \cos^2(c+dx)\right)}{bd(n+1)(n+3)\sqrt{\sin^2(c+dx)}} + \frac{B \sin(c+dx)(b \sec(c+dx))^n}{b^2d(n+3)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((C*(2 + n) + A*(3 + n))*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x])/(b*d*(1 + n)*(3 + n)*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-2 - n)/2, -n/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2 + n)*Sin[c + d*x])/(b^2*d*(2 + n)*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^(2 + n)*Tan[c + d*x])/(b^2*d*(3 + n))

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_))^(m_)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_)), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1), x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)*((\text{Sin}[c + d*x]/b)^{(n - 1)*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x])}, x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.*\text{sin}[c_.] + (d_.)*(x_)]^{(n_)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[2*n]$

Rule 4046

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]^{2*(C_.) + (A_)}, x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{!LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{2+n} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{\int (b \sec(c + dx))^{2+n} (A + C \sec^2(c + dx)) dx}{b^2} \\ &= \frac{C(b \sec(c + dx))^{2+n} \tan(c + dx)}{b^2 d(3 + n)} + \left(A + \frac{C(2+n)}{3+n} \right) \frac{1}{b^2 d(3 + n)} \\ &= \frac{C(b \sec(c + dx))^{2+n} \tan(c + dx)}{b^2 d(3 + n)} + \frac{B {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-1 - n); \frac{1-n}{2}; \cos^2(c + dx)\right)}{b^2 d(3 + n)} \\ &= \frac{\left(A + \frac{C(2+n)}{3+n} \right) {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-1 - n); \frac{1-n}{2}; \cos^2(c + dx)\right)}{bd(1 + n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 5.51426, size = 462, normalized size = 2.44

$$i2^{n+3}e^{2ic-idnx} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^n (1 + e^{2i(c+dx)})^n \sec^{-n-2}(c + dx) (b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{Ae^{id(n+2)x}}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $((-I)*2^{(3+n)}*E^{((2*I)*c - I*d*n*x)}*(E^{(I*(c + d*x))}/(1 + E^{((2*I)*(c + d*x))}))^n*(1 + E^{((2*I)*(c + d*x))})^n*((A*E^{(I*d*(2+n)*x)}*Hypergeometric2F1[(2+n)/2, 4+n, (4+n)/2, -E^{((2*I)*(c + d*x))}]/(2+n) + (2*B*E^{(I*(c + d*(3+n)*x)})*Hypergeometric2F1[(3+n)/2, 4+n, (5+n)/2, -E^{((2*I)*(c + d*x))}]/(3+n) + (2*A*E^{(I*(2*c + d*(4+n)*x)})*Hypergeometric2F1[(4+n)/2, 4+n, (6+n)/2, -E^{((2*I)*(c + d*(4+n)*x)})*Hypergeometric2F1[(4+n)/2, 4+n, (6+n)/2, -E^{((2*I)*(c + d*x))}]/(4+n) + (2*B*E^{(I*(3*c + d*(5+n)*x)})*Hypergeometric2F1[4+n, (5+n)/2, (7+n)/2, -E^{((2*I)*(c + d*x))}]/(5+n) + (A*E^{(I*(4*c + d*(6+n)*x)})*Hypergeometric2F1[4+n, (6+n)/2, (8+n)/2, -E^{((2*I)*(c + d*x))}]/(6+n))*Sec[c + d*x]^{(-2-n)}*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))$

Maple [F] time = 0.679, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^4 + B \sec(dx + c)^3 + A \sec(dx + c)^2\right) (b \sec(dx + c))^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*(b*sec(d*x + c))^n, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),
x)

[Out] Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) (b \sec(dx + c))^n \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,  
algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*  
x + c)^2, x)
```


3.73 $\int \sec(c+dx)(b \sec(c+dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx))$

Optimal. Leaf size=182

$$\frac{(A(n+2) + C(n+1)) \sin(c+dx)(b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, -\frac{n}{2}, \frac{2-n}{2}, \cos^2(c+dx)\right)}{dn(n+2)\sqrt{\sin^2(c+dx)}} + \frac{B \sin(c+dx)(b \sec(c+dx))^{n+1}}{bd(n+1)\sqrt{\sin^2(c+dx)}}$$

[Out] ((C*(1 + n) + A*(2 + n))*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*(2 + n)*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x])/(b*d*(1 + n)*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^(1 + n)*Tan[c + d*x])/(b*d*(2 + n))

Rubi [A] time = 0.185408, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{(A(n+2) + C(n+1)) \sin(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; \frac{2-n}{2}; \cos^2(c+dx)\right)}{dn(n+2)\sqrt{\sin^2(c+dx)}} + \frac{B \sin(c+dx)(b \sec(c+dx))^{n+1} {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; \frac{2-n}{2}; \cos^2(c+dx)\right)}{bd(n+1)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((C*(1 + n) + A*(2 + n))*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*(2 + n)*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x])/(b*d*(1 + n)*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^(1 + n)*Tan[c + d*x])/(b*d*(2 + n))

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_)+(f_)*(x_)]*(b_))^(m_)*((A_)+(csc[(e_)+(f_)*(x_)]*(B_)+(csc[(e_)+(f_)*(x_)]^2*(C_))), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] := \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

$\text{Int}[(b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] := \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /;$ FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{1+n} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{b} \\ &= \frac{\int (b \sec(c + dx))^{1+n} (A + C \sec^2(c + dx)) dx}{b} + \frac{\int (b \sec(c + dx))^{1+n} B \sec(c + dx) dx}{b} \\ &= \frac{C(b \sec(c + dx))^{1+n} \tan(c + dx)}{bd(2 + n)} + \left(A + \frac{C(1+n)}{2+n} \right) \frac{\int (b \sec(c + dx))^{1+n} dx}{b} \\ &= \frac{B {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-1 - n); \frac{1-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^{1+n}}{bd(1 + n)\sqrt{\sin^2(c + dx)}} \\ &= \frac{\left(A + \frac{C(1+n)}{2+n} \right) {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; \frac{2-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^{1+n}}{dn\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 5.17132, size = 460, normalized size = 2.53

$$i2^{n+2}e^{i(c-dnx)}\left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^n(1+e^{2i(c+dx)})^n\sec^{-n-2}(c+dx)(b\sec(c+dx))^n(A+B\sec(c+dx)+C\sec^2(c+dx))\left(\frac{Ae^{id(n+1)}}{\dots}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((-I)*2^(2 + n)*E^(I*(c - d*n*x))*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^n*(1 + E^((2*I)*(c + d*x)))^n*((A*E^(I*d*(1 + n)*x)*Hypergeometric2F1[(1 + n)/2, 3 + n, (3 + n)/2, -E^((2*I)*(c + d*x))]/(1 + n) + (2*B*E^(I*(c + d*(2 + n)*x))*Hypergeometric2F1[(2 + n)/2, 3 + n, (4 + n)/2, -E^((2*I)*(c + d*x))]/(2 + n) + (2*A*E^(I*(2*c + d*(3 + n)*x))*Hypergeometric2F1[(3 + n)/2, 3 + n, (5 + n)/2, -E^((2*I)*(c + d*x))]/(3 + n) + (4*C*E^(I*(2*c + d*(3 + n)*x))*Hypergeometric2F1[(3 + n)/2, 3 + n, (5 + n)/2, -E^((2*I)*(c + d*x))]/(3 + n) + (2*B*E^(I*(3*c + d*(4 + n)*x))*Hypergeometric2F1[3 + n, (4 + n)/2, (6 + n)/2, -E^((2*I)*(c + d*x))]/(4 + n) + (A*E^(I*(4*c + d*(5 + n)*x))*Hypergeometric2F1[3 + n, (5 + n)/2, (7 + n)/2, -E^((2*I)*(c + d*x))]/(5 + n))*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

Maple [F] time = 0.871, size = 0, normalized size = 0.

$$\int \sec(dx + c)(b\sec(dx + c))^n(A + B\sec(dx + c) + C(\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C\sec(dx + c)^2 + B\sec(dx + c) + A)(b\sec(dx + c))^n\sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^3 + B \sec(dx + c)^2 + A \sec(dx + c)\right) (b \sec(dx + c))^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x + c))^n, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((b*sec(c + d*x))^n*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c), x)
```

3.74 $\int (b \sec(c+dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=175

$$\frac{b(An + A + Cn) \sin(c + dx)(b \sec(c + dx))^{n-1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-n}{2}, \frac{3-n}{2}, \cos^2(c + dx)\right)}{d(1-n)(n+1)\sqrt{\sin^2(c + dx)}} + \frac{B \sin(c + dx)(b \sec(c + dx))^n}{dn\sqrt{\sin^2(c + dx)}}$$

[Out] -((b*(A + A*n + C*n)*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x])/(d*(1 - n)*(1 + n)*Sqrt[Sin[c + d*x]^2])) + (B*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + n))

Rubi [A] time = 0.142766, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4047, 3772, 2643, 4046}

$$\frac{b(An + A + Cn) \sin(c + dx)(b \sec(c + dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx)\right)}{d(1-n)(n+1)\sqrt{\sin^2(c + dx)}} + \frac{B \sin(c + dx)(b \sec(c + dx))^n {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; -\frac{n}{2}; \cos^2(c + dx)\right)}{dn\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] -((b*(A + A*n + C*n)*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x])/(d*(1 - n)*(1 + n)*Sqrt[Sin[c + d*x]^2])) + (B*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*Sqrt[Sin[c + d*x]^2]) + (C*(b*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + n))

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)], x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int (b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{B \int (b \sec(c + dx))^{1+n} dx}{b} + \int (b \sec(c + dx))^n (A + C \sec^2(c + dx)) dx \\ &= \frac{C(b \sec(c + dx))^n \tan(c + dx)}{d(1 + n)} + \frac{(A + An + Cn) \int (b \sec(c + dx))^n dx}{1 + n} \\ &= \frac{B {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; \frac{2-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^n \sin(c + dx)}{dn \sqrt{\sin^2(c + dx)}} \\ &= -\frac{(A + An + Cn) \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx)\right)}{d(1 - n^2) \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [C] time = 4.8301, size = 401, normalized size = 2.29

$$i^{2n+1} e^{-idnx} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^n (1 + e^{2i(c+dx)})^n \sec^{-n-2}(c + dx) (b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(e^{2ic} \left(\frac{2(A+...}{...} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] $((-1)^{2(1+n)}(E^{I(c+dx)})/(1+E^{(2I)(c+dx)}))^n(1+E^{(2I)(c+dx)})^n((A E^{I d n x} \text{Hypergeometric2F1}[n/2, 2+n, (2+n)/2, -E^{(2I)(c+dx)}])/n + (2 B E^{I(c+d(1+n)x)} \text{Hypergeometric2F1}[(1+n)/2, 2+n, (3+n)/2, -E^{(2I)(c+dx)}])/(1+n) + E^{(2I)c}((2(A+2C) E^{I d(2+n)x} \text{Hypergeometric2F1}[(2+n)/2, 2+n, (4+n)/2, -E^{(2I)(c+dx)}])/(2+n) + (2 B E^{I(c+d(3+n)x)} \text{Hypergeometric2F1}[2+n, (3+n)/2, (5+n)/2, -E^{(2I)(c+dx)}])/(3+n) + (A E^{I(2c+d(4+n)x)} \text{Hypergeometric2F1}[2+n, (4+n)/2, (6+n)/2, -E^{(2I)(c+dx)}])/(4+n)) \text{Sec}[c+dx]^{-2-n} (b \text{Sec}[c+dx])^n (A + B \text{Sec}[c+dx] + C \text{Sec}[c+dx]^2))/(d E^{I d n x} (A + 2C + 2 B \text{Cos}[c+dx] + A \text{Cos}[2c + 2dx]))$

Maple [F] time = 0.612, size = 0, normalized size = 0.

$$\int (b \sec(dx+c))^n (A + B \sec(dx+c) + C (\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) (b \sec(dx+c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) (b \sec(dx + c))^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) (b \sec(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n, x)

3.75 $\int \cos(c+dx)(b \sec(c+dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=191

$$\frac{b^2(C(1-n) - An) \sin(c+dx)(b \sec(c+dx))^{n-2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2-n}{2}, \frac{4-n}{2}, \cos^2(c+dx)\right) - bB \sin(c+dx)(b \sec(c+dx))^{n-1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-n}{2}, \frac{3-n}{2}, \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-n}{2}, \frac{3-n}{2}, \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-n}{2}, \frac{3-n}{2}, \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-n}{2}, \frac{3-n}{2}, \cos^2(c+dx)\right)}{d(2-n)n\sqrt{\sin^2(c+dx)}}$$

[Out] (b^2*(C*(1 - n) - A*n)*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x])/(d*(2 - n)*n*Sqrt[Sin[c + d*x]^2]) - (b*B*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x])/(d*(1 - n)*Sqrt[Sin[c + d*x]^2]) + (b*C*(b*Sec[c + d*x])^(-1 + n)*Tan[c + d*x])/(d*n)

Rubi [A] time = 0.193549, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{b^2(C(1-n) - An) \sin(c+dx)(b \sec(c+dx))^{n-2} {}_2F_1\left(\frac{1}{2}, \frac{2-n}{2}; \frac{4-n}{2}; \cos^2(c+dx)\right) - bB \sin(c+dx)(b \sec(c+dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c+dx)\right)}{d(2-n)n\sqrt{\sin^2(c+dx)}} - \frac{bB \sin(c+dx)(b \sec(c+dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c+dx)\right) + (bC - AB) \sin(c+dx)(b \sec(c+dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c+dx)\right)}{d(1-n)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (b^2*(C*(1 - n) - A*n)*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x])/(d*(2 - n)*n*Sqrt[Sin[c + d*x]^2]) - (b*B*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x])/(d*(1 - n)*Sqrt[Sin[c + d*x]^2]) + (b*C*(b*Sec[c + d*x])^(-1 + n)*Tan[c + d*x])/(d*n)

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

Int[(csc[(e_)] + (f_)*(x_)]*(b_))^(m_)*((A_) + csc[(e_)] + (f_)*(x_)]*(B_) + csc[(e_)] + (f_)*(x_)]^2*(C_), x_Symbol] := Dist[B/b, Int[(b*Csc

$[e + f*x]^{(m + 1), x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] :> \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)*((\text{Sin}[c + d*x]/b)^{(n - 1)*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x])}, x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_.*\text{sin}[c_.] + (d_.)*(x_)]^{(n_)}, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[2*n]$

Rule 4046

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}[\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& !\text{LeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= b \int (b \sec(c + dx))^{-1+n} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= b \int (b \sec(c + dx))^{-1+n} (A + C \sec^2(c + dx)) dx \\ &= \frac{bC(b \sec(c + dx))^{-1+n} \tan(c + dx)}{dn} + \frac{(b(C - 1))}{dn} \\ &= -\frac{B \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx)\right)}{d(1-n)\sqrt{\sin^2(c + dx)}} \\ &= -\frac{B \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx)\right)}{d(1-n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.340157, size = 161, normalized size = 0.84

$$\sqrt{-\tan^2(c + dx)}(b \sec(c + dx))^n \left(An(n + 1) \cos(c + dx) \cot(c + dx) \text{Hypergeometric2F1} \left(\frac{1}{2}, \frac{n-1}{2}, \frac{n+1}{2}, \sec^2(c + dx) \right) + \right.$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((A*n*(1 + n)*Cos[c + d*x]*Cot[c + d*x]*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Sec[c + d*x]^2] + (-1 + n)*Csc[c + d*x]*(B*(1 + n)*Cos[c + d*x]*Hypergeometric2F1[1/2, n/2, (2 + n)/2, Sec[c + d*x]^2] + C*n*Hypergeometric2F1[1/2, (1 + n)/2, (3 + n)/2, Sec[c + d*x]^2]))*(b*Sec[c + d*x])^n*sqrt[-Tan[c + d*x]^2]/(d*(-1 + n)*n*(1 + n))

Maple [F] time = 0.822, size = 0, normalized size = 0.

$$\int \cos(dx + c) (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*cos(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$\text{integral}\left(\left(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)\right) (b \sec(dx + c))^n, x\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*(b*sec(d*x + c))^n, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) + A \right) (b \sec(dx + c))^n \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*cos(d*x + c), x)`

3.76 $\int \cos^2(c+dx)(b \sec(c+dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx))$

Optimal. Leaf size=208

$$\frac{b^3(A(1-n) + C(2-n)) \sin(c+dx)(b \sec(c+dx))^{n-3} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3-n}{2}, \frac{5-n}{2}, \cos^2(c+dx)\right) - b^2 B \sin(c+dx)}{d(1-n)(3-n)\sqrt{\sin^2(c+dx)}}$$

[Out] -((b^3*(A*(1 - n) + C*(2 - n))*Hypergeometric2F1[1/2, (3 - n)/2, (5 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-3 + n)*Sin[c + d*x])/(d*(1 - n)*(3 - n)*Sqrt[Sin[c + d*x]^2])) - (b^2*B*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x])/(d*(2 - n)*Sqrt[Sin[c + d*x]^2]) - (b^2*C*(b*Sec[c + d*x])^(-2 + n)*Tan[c + d*x])/(d*(1 - n))

Rubi [A] time = 0.216861, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{b^3(A(1-n) + C(2-n)) \sin(c+dx)(b \sec(c+dx))^{n-3} {}_2F_1\left(\frac{1}{2}, \frac{3-n}{2}; \frac{5-n}{2}; \cos^2(c+dx)\right) - b^2 B \sin(c+dx)(b \sec(c+dx))^{n-2}}{d(1-n)(3-n)\sqrt{\sin^2(c+dx)} - d(2-n)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] -((b^3*(A*(1 - n) + C*(2 - n))*Hypergeometric2F1[1/2, (3 - n)/2, (5 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-3 + n)*Sin[c + d*x])/(d*(1 - n)*(3 - n)*Sqrt[Sin[c + d*x]^2])) - (b^2*B*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x])/(d*(2 - n)*Sqrt[Sin[c + d*x]^2]) - (b^2*C*(b*Sec[c + d*x])^(-2 + n)*Tan[c + d*x])/(d*(1 - n))

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= b^2 \int (b \sec(c + dx))^{-2+n} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
 &= b^2 \int (b \sec(c + dx))^{-2+n} (A + C \sec^2(c + dx)) dx \\
 &= -\frac{b^2 C (b \sec(c + dx))^{-2+n} \tan(c + dx)}{d(1-n)} + \left(b^2 \int (b \sec(c + dx))^{-2+n} dx \right) \\
 &= -\frac{B \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2-n}{2}; \frac{4-n}{2}; \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}} \\
 &= -\frac{B \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2-n}{2}; \frac{4-n}{2}; \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.272728, size = 155, normalized size = 0.75

$$\frac{\sqrt{-\tan^2(c+dx)} \cot(c+dx) (b \sec(c+dx))^n \left(A(n-1)n \cos^2(c+dx) \operatorname{Hypergeometric2F1} \left(\frac{1}{2}, \frac{n-2}{2}, \frac{n}{2}, \sec^2(c+dx) \right) + (n-1) \right)}{d(n)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cot[c + d*x]*(A*(-1 + n)*n*Cos[c + d*x]^2*Hypergeometric2F1[1/2, (-2 + n)/2, n/2, Sec[c + d*x]^2] + (-2 + n)*(B*n*Cos[c + d*x]*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Sec[c + d*x]^2] + C*(-1 + n)*Hypergeometric2F1[1/2, n/2, (2 + n)/2, Sec[c + d*x]^2]))*(b*Sec[c + d*x])^n*sqrt[-Tan[c + d*x]^2])/(d*(-2 + n)*(-1 + n)*n)

Maple [F] time = 1.056, size = 0, normalized size = 0.

$$\int (\cos(dx+c))^2 (b \sec(dx+c))^n (A + B \sec(dx+c) + C (\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) (b \sec(dx+c))^n \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*cos(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C cos(dx + c)² sec(dx + c)² + B cos(dx + c)² sec(dx + c) + A cos(dx + c)²) (b sec(dx + c))ⁿ, x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)²*(b*sec(d*x+c))ⁿ*(A+B*sec(d*x+c)+C*sec(d*x+c)²), x,
algorithm="fricas")

[Out] integral((C*cos(d*x + c)²*sec(d*x + c)² + B*cos(d*x + c)²*sec(d*x + c) +
A*cos(d*x + c)²)*(b*sec(d*x + c))ⁿ, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),
x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)²*(b*sec(d*x+c))ⁿ*(A+B*sec(d*x+c)+C*sec(d*x+c)²), x,
algorithm="giac")

[Out] integrate((C*sec(d*x + c)² + B*sec(d*x + c) + A)*(b*sec(d*x + c))ⁿ*cos(d*
x + c)², x)

3.77 $\int \cos^3(c+dx)(b \sec(c+dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=208

$$\frac{b^4(A(2-n) + C(3-n)) \sin(c+dx)(b \sec(c+dx))^{n-4} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{4-n}{2}, \frac{6-n}{2}, \cos^2(c+dx)\right) - b^3 B \sin(c+dx)}{d(2-n)(4-n)\sqrt{\sin^2(c+dx)}}$$

[Out] -((b^4*(A*(2 - n) + C*(3 - n))*Hypergeometric2F1[1/2, (4 - n)/2, (6 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-4 + n)*Sin[c + d*x])/(d*(2 - n)*(4 - n)*Sqrt[Sin[c + d*x]^2])) - (b^3*B*Hypergeometric2F1[1/2, (3 - n)/2, (5 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-3 + n)*Sin[c + d*x])/(d*(3 - n)*Sqrt[Sin[c + d*x]^2]) - (b^3*C*(b*Sec[c + d*x])^(-3 + n)*Tan[c + d*x])/(d*(2 - n))

Rubi [A] time = 0.210411, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {16, 4047, 3772, 2643, 4046}

$$\frac{b^4(A(2-n) + C(3-n)) \sin(c+dx)(b \sec(c+dx))^{n-4} {}_2F_1\left(\frac{1}{2}, \frac{4-n}{2}; \frac{6-n}{2}; \cos^2(c+dx)\right) - b^3 B \sin(c+dx)(b \sec(c+dx))^{n-3}}{d(2-n)(4-n)\sqrt{\sin^2(c+dx)} - d(3-n)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] -((b^4*(A*(2 - n) + C*(3 - n))*Hypergeometric2F1[1/2, (4 - n)/2, (6 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-4 + n)*Sin[c + d*x])/(d*(2 - n)*(4 - n)*Sqrt[Sin[c + d*x]^2])) - (b^3*B*Hypergeometric2F1[1/2, (3 - n)/2, (5 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-3 + n)*Sin[c + d*x])/(d*(3 - n)*Sqrt[Sin[c + d*x]^2]) - (b^3*C*(b*Sec[c + d*x])^(-3 + n)*Tan[c + d*x])/(d*(2 - n))

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= b^3 \int (b \sec(c + dx))^{-3+n} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
 &= b^3 \int (b \sec(c + dx))^{-3+n} (A + C \sec^2(c + dx)) dx \\
 &= -\frac{b^3 C (b \sec(c + dx))^{-3+n} \tan(c + dx)}{d(2 - n)} + \left(b^3 \int (b \sec(c + dx))^{-3+n} dx \right) \\
 &= -\frac{B \cos^3(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{3-n}{2}; \frac{5-n}{2}; \cos^2(c + dx)\right)}{d(3 - n)\sqrt{\sin^2(c + dx)}} \\
 &= -\frac{B \cos^3(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{3-n}{2}; \frac{5-n}{2}; \cos^2(c + dx)\right)}{d(3 - n)\sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.4523, size = 168, normalized size = 0.81

$$b\sqrt{-\tan^2(c+dx)\cot(c+dx)}(b\sec(c+dx))^{n-1}\left(A(n^2-3n+2)\cos^2(c+dx)\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{n-3}{2}, \frac{n-1}{2}, \sec^2(c+dx)\right) + \dots\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (b*Cot[c + d*x]*(A*(2 - 3*n + n^2)*Cos[c + d*x]^2*Hypergeometric2F1[1/2, (-3 + n)/2, (-1 + n)/2, Sec[c + d*x]^2] + (-3 + n)*(B*(-1 + n)*Cos[c + d*x]*Hypergeometric2F1[1/2, (-2 + n)/2, n/2, Sec[c + d*x]^2] + C*(-2 + n)*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Sec[c + d*x]^2]))*(b*Sec[c + d*x])^(-1 + n)*Sqrt[-Tan[c + d*x]^2]/(d*(-3 + n)*(-2 + n)*(-1 + n))

Maple [F] time = 1.424, size = 0, normalized size = 0.

$$\int (\cos(dx + c))^3 (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*cos(d*x + c)^3, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C cos(dx + c)³ sec(dx + c)² + B cos(dx + c)³ sec(dx + c) + A cos(dx + c)³)(b sec(dx + c))ⁿ, x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)*(b*sec(d*x + c))^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*cos(d*x + c)^3, x)

3.78 $\int \sec^{\frac{5}{2}}(c+dx)(b \sec(c+dx))^n \left(A + B \sec(c + dx) + C \sec^2(c + dx) \right) dx$

Optimal. Leaf size=223

$$\frac{2(A(2n+7) + C(2n+5)) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) (b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(-2n-3), \frac{1}{4}(1-2n), \cos^2(c+dx)\right)}{d(2n+3)(2n+7)\sqrt{\sin^2(c+dx)}}$$

[Out] (2*C*Sec[c + d*x]^(7/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(7 + 2*n)) + (2*(C*(5 + 2*n) + A*(7 + 2*n))*Hypergeometric2F1[1/2, (-3 - 2*n)/4, (1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)*(7 + 2*n)*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-5 - 2*n)/4, (-1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(5/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(5 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.195954, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{2(A(2n+7) + C(2n+5)) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) (b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-2n-3); \frac{1}{4}(1-2n); \cos^2(c+dx)\right)}{d(2n+3)(2n+7)\sqrt{\sin^2(c+dx)}} + \frac{2B \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*C*Sec[c + d*x]^(7/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(7 + 2*n)) + (2*(C*(5 + 2*n) + A*(7 + 2*n))*Hypergeometric2F1[1/2, (-3 - 2*n)/4, (1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)*(7 + 2*n)*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-5 - 2*n)/4, (-1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(5/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(5 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !

IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{5}{2}}(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sec^{-n}(c+dx)(b \sec(c+dx))^n) \int \sec^{\frac{5}{2}+n}(c+dx) dx \\
&= (\sec^{-n}(c+dx)(b \sec(c+dx))^n) \int \sec^{\frac{5}{2}+n}(c+dx) dx \\
&= \frac{2C \sec^{\frac{7}{2}}(c+dx)(b \sec(c+dx))^n \sin(c+dx)}{d(7+2n)} + \dots \\
&= \frac{2C \sec^{\frac{7}{2}}(c+dx)(b \sec(c+dx))^n \sin(c+dx)}{d(7+2n)} + \dots \\
&= \frac{2C \sec^{\frac{7}{2}}(c+dx)(b \sec(c+dx))^n \sin(c+dx)}{d(7+2n)} + \dots
\end{aligned}$$

Mathematica [C] time = 7.87678, size = 493, normalized size = 2.21

$$i2^{n+\frac{9}{2}} e^{2ic-\frac{1}{2}id(2n+1)x} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{n+\frac{1}{2}} (1+e^{2i(c+dx)})^{n+\frac{1}{2}} \sec^{-n-2}(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(5/2)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((-I)*2^(9/2 + n)*E^((2*I)*c - (I/2)*d*(1 + 2*n)*x)*(E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))^(1/2 + n)*(1 + E^((2*I)*(c + d*x)))^(1/2 + n)*((A*E^((I/2)*d*(5 + 2*n)*x)*Hypergeometric2F1[9/2 + n, (5 + 2*n)/4, (9 + 2*n)/4, -E^((2*I)*(c + d*x))]/(5 + 2*n) + (2*B*E^((I/2)*(2*c + d*(7 + 2*n)*x))*Hypergeometric2F1[9/2 + n, (7 + 2*n)/4, (11 + 2*n)/4, -E^((2*I)*(c + d*x))]/(7 + 2*n) + E^((2*I)*c)*((2*(A + 2*C)*E^((I/2)*d*(9 + 2*n)*x))*Hypergeometric2F1[9/2 + n, (9 + 2*n)/4, (13 + 2*n)/4, -E^((2*I)*(c + d*x))]/(9 + 2*n) + (2*B*E^((I/2)*(2*c + d*(11 + 2*n)*x))*Hypergeometric2F1[9/2 + n, (11 + 2*n)/4, (15 + 2*n)/4, -E^((2*I)*(c + d*x))]/(11 + 2*n) + (A*E^((I/2)*(4*c + d*(13 + 2*n)*x))*Hypergeometric2F1[9/2 + n, (13 + 2*n)/4, (17 + 2*n)/4, -E^((2*I)*(c + d*x))]/(13 + 2*n)))*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

Maple [F] time = 0.236, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^{\frac{5}{2}} (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(5/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `int(sec(d*x+c)^(5/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(5/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \sec(dx + c)^4 + B \sec(dx + c)^3 + A \sec(dx + c)^2) (b \sec(dx + c))^n \sqrt{\sec(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(5/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)*
*2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(b*sec(d*x+c))~n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))~n*sec(d*
x + c)^(5/2), x)
```

$$3.79 \quad \int \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n \left(A + B \sec(c+dx) + C \sec^2(c+dx) \right) dx$$

Optimal. Leaf size=223

$$\frac{2(A(2n+5) + C(2n+3)) \sin(c+dx) \sqrt{\sec(c+dx)} (b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(-2n-1), \frac{1}{4}(3-2n), \cos^2(c+dx)\right)}{d(2n+1)(2n+5) \sqrt{\sin^2(c+dx)}}$$

[Out] (2*C*Sec[c + d*x]^(5/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(5 + 2*n)) + (2*(C*(3 + 2*n) + A*(5 + 2*n))*Hypergeometric2F1[1/2, (-1 - 2*n)/4, (3 - 2*n)/4, Cos[c + d*x]^2]*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)*(5 + 2*n)*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-3 - 2*n)/4, (1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.187871, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{2(A(2n+5) + C(2n+3)) \sin(c+dx) \sqrt{\sec(c+dx)} (b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-2n-1); \frac{1}{4}(3-2n); \cos^2(c+dx)\right)}{d(2n+1)(2n+5) \sqrt{\sin^2(c+dx)}} + \frac{2B \sin(c+dx) \sec(c+dx) (b \sec(c+dx))^n}{d(2n+1)(2n+5) \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*C*Sec[c + d*x]^(5/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(5 + 2*n)) + (2*(C*(3 + 2*n) + A*(5 + 2*n))*Hypergeometric2F1[1/2, (-1 - 2*n)/4, (3 - 2*n)/4, Cos[c + d*x]^2]*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)*(5 + 2*n)*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-3 - 2*n)/4, (1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !

IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sec^{-n}(c+dx)(b \sec(c+dx))^n) \int \sec^{\frac{3}{2}+n}(c+dx) dx \\
&= (\sec^{-n}(c+dx)(b \sec(c+dx))^n) \int \sec^{\frac{3}{2}+n}(c+dx) dx \\
&= \frac{2C \sec^{\frac{5}{2}}(c+dx)(b \sec(c+dx))^n \sin(c+dx)}{d(5+2n)} \\
&= \frac{2C \sec^{\frac{5}{2}}(c+dx)(b \sec(c+dx))^n \sin(c+dx)}{d(5+2n)} \\
&= \frac{2C \sec^{\frac{5}{2}}(c+dx)(b \sec(c+dx))^n \sin(c+dx)}{d(5+2n)}
\end{aligned}$$

Mathematica [C] time = 7.22507, size = 487, normalized size = 2.18

$$i2^{n+\frac{7}{2}} e^{-\frac{1}{2}id(2n+3)x} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{n+\frac{3}{2}} (1+e^{2i(c+dx)})^{n+\frac{3}{2}} \sec^{-n-2}(c+dx)(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((-I)*2^(7/2 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(3/2 + n)*(1 + E^((2*I)*(c + d*x)))^(3/2 + n)*((A*E^((I/2)*d*(3 + 2*n)*x)*Hypergeometric2F1[7/2 + n, (3 + 2*n)/4, (7 + 2*n)/4, -E^((2*I)*(c + d*x))])/(3 + 2*n) + (2*B*E^((I/2)*(2*c + d*(5 + 2*n)*x))*Hypergeometric2F1[7/2 + n, (5 + 2*n)/4, (9 + 2*n)/4, -E^((2*I)*(c + d*x))])/(5 + 2*n) + E^((2*I)*c)*((2*(A + 2*C)*E^((I/2)*d*(7 + 2*n)*x)*Hypergeometric2F1[7/2 + n, (7 + 2*n)/4, (11 + 2*n)/4, -E^((2*I)*(c + d*x))])/(7 + 2*n) + (2*B*E^((I/2)*(2*c + d*(9 + 2*n)*x))*Hypergeometric2F1[7/2 + n, (9 + 2*n)/4, (13 + 2*n)/4, -E^((2*I)*(c + d*x))])/(9 + 2*n) + (A*E^((I/2)*(4*c + d*(11 + 2*n)*x))*Hypergeometric2F1[7/2 + n, (11 + 2*n)/4, (15 + 2*n)/4, -E^((2*I)*(c + d*x))])/(11 + 2*n))*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*E^((I/2)*d*(3 + 2*n)*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

Maple [F] time = 0.234, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^{\frac{3}{2}} (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `int(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^3 + B \sec(dx + c)^2 + A \sec(dx + c)) (b \sec(dx + c))^n \sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c))*2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^(3/2), x)
```

3.80 $\int \sqrt{\sec(c+dx)}(b \sec(c+dx))^n (A + B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=221

$$\frac{2(A(2n+3) + 2Cn + C) \sin(c+dx)(b \sec(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(1-2n), \frac{1}{4}(5-2n), \cos^2(c+dx)\right) + 2B \sin(c+dx) \sqrt{\sec(c+dx)}}{d(1-2n)(2n+3) \sqrt{\sin^2(c+dx)} \sqrt{\sec(c+dx)}}$$

```
[Out] (2*C*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)) - (2
*(C + 2*C*n + A*(3 + 2*n))*Hypergeometric2F1[1/2, (1 - 2*n)/4, (5 - 2*n)/4,
Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - 2*n)*(3 + 2*n)*Sqr
rt[Sec[c + d*x]]*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-1 -
2*n)/4, (3 - 2*n)/4, Cos[c + d*x]^2]*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*
Sin[c + d*x])/(d*(1 + 2*n)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.17899, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{2(A(2n+3) + 2Cn + C) \sin(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(1-2n); \frac{1}{4}(5-2n); \cos^2(c+dx)\right) + 2B \sin(c+dx) \sqrt{\sec(c+dx)}}{d(1-2n)(2n+3) \sqrt{\sin^2(c+dx)} \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (2*C*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)) - (2
*(C + 2*C*n + A*(3 + 2*n))*Hypergeometric2F1[1/2, (1 - 2*n)/4, (5 - 2*n)/4,
Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - 2*n)*(3 + 2*n)*Sqr
rt[Sec[c + d*x]]*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-1 -
2*n)/4, (3 - 2*n)/4, Cos[c + d*x]^2]*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*
Sin[c + d*x])/(d*(1 + 2*n)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
```


IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(b \sec(c+dx))^n (A + B \sec(c+dx) + C \sec^2(c+dx)) dx &= (\sec^{-n}(c+dx)(b \sec(c+dx))^n) \int \sec^{\frac{1}{2}+n}(c+dx) dx \\
&= (\sec^{-n}(c+dx)(b \sec(c+dx))^n) \int \sec^{\frac{1}{2}+n}(c+dx) dx \\
&= \frac{2C \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n \sin(c+dx)}{d(3+2n)} \\
&= \frac{2C \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n \sin(c+dx)}{d(3+2n)} \\
&= \frac{2C \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n \sin(c+dx)}{d(3+2n)}
\end{aligned}$$

Mathematica [C] time = 7.96238, size = 492, normalized size = 2.23

$$i2^{n+\frac{5}{2}}e^{-\frac{1}{2}id(2n+1)x} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{n+\frac{1}{2}} (1 + e^{2i(c+dx)})^{n+\frac{1}{2}} \sec^{-n-2}(c+dx)(b \sec(c+dx))^n (A + B \sec(c+dx) + C \sec^2(c+dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] ((-I)*2^(5/2 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/2 + n)*(1 + E^((2*I)*(c + d*x)))^(1/2 + n)*((A*E^((I/2)*(d + 2*d*n)*x)*Hypergeometric2F1[5/2 + n, (1 + 2*n)/4, (5 + 2*n)/4, -E^((2*I)*(c + d*x))]/(d + 2*d*n) + (E^(I*c)*((2*B*E^((I/2)*d*(3 + 2*n)*x)*Hypergeometric2F1[5/2 + n, (3 + 2*n)/4, (7 + 2*n)/4, -E^((2*I)*(c + d*x))]/(3 + 2*n) + E^(I*c)*((2*(A + 2*C)*E^((I/2)*d*(5 + 2*n)*x)*Hypergeometric2F1[5/2 + n, (5 + 2*n)/4, (9 + 2*n)/4, -E^((2*I)*(c + d*x))]/(5 + 2*n) + (2*B*E^((I/2)*(2*c + d*(7 + 2*n)*x))*Hypergeometric2F1[5/2 + n, (7 + 2*n)/4, (11 + 2*n)/4, -E^((2*I)*(c + d*x))]/(7 + 2*n) + (A*E^((I/2)*(4*c + d*(9 + 2*n)*x))*Hypergeometric2F1[5/2 + n, (9 + 2*n)/4, (13 + 2*n)/4, -E^((2*I)*(c + d*x))]/(9 + 2*n))))/d)*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(E

$$\left(\left(\frac{1}{2} \right) d (1 + 2n) x (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \right)$$

Maple [F] time = 0.242, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x)

[Out] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)

$$3.81 \quad \int \frac{(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=222

$$\frac{2(2An + A - C(1 - 2n)) \sin(c + dx)(b \sec(c + dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(3 - 2n), \frac{1}{4}(7 - 2n), \cos^2(c + dx)\right) + 2B \sin(c + dx)(b \sec(c + dx))^n}{d(3 - 2n)(2n + 1)\sqrt{\sin^2(c + dx) \sec^{\frac{3}{2}}(c + dx)}}$$

```
[Out] (2*C*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)) - (2
*(A - C*(1 - 2*n) + 2*A*n)*Hypergeometric2F1[1/2, (3 - 2*n)/4, (7 - 2*n)/4,
Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 - 2*n)*(1 + 2*n)*Se
c[c + d*x]^(3/2)*Sqrt[Sin[c + d*x]^2]) - (2*B*Hypergeometric2F1[1/2, (1 - 2
*n)/4, (5 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1
- 2*n)*Sqrt[Sec[c + d*x]]*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.180655, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{2(2An + A - C(1 - 2n)) \sin(c + dx)(b \sec(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(3 - 2n); \frac{1}{4}(7 - 2n); \cos^2(c + dx)\right) + 2B \sin(c + dx)(b \sec(c + dx))^n}{d(3 - 2n)(2n + 1)\sqrt{\sin^2(c + dx) \sec^{\frac{3}{2}}(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c
+ d*x]], x]
```

```
[Out] (2*C*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)) - (2
*(A - C*(1 - 2*n) + 2*A*n)*Hypergeometric2F1[1/2, (3 - 2*n)/4, (7 - 2*n)/4,
Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 - 2*n)*(1 + 2*n)*Se
c[c + d*x]^(3/2)*Sqrt[Sin[c + d*x]^2]) - (2*B*Hypergeometric2F1[1/2, (1 - 2
*n)/4, (5 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1
- 2*n)*Sqrt[Sec[c + d*x]]*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
```

IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Ssin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{1}{2}+n}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
&= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{1}{2}+n}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
&= \frac{2C\sqrt{\sec(c + dx)}(b \sec(c + dx))^n \sin(c + dx)}{d(1 + 2n)} + \left(B \cos^{\frac{1}{2}+n}(c + dx) \right) \\
&= \frac{2C\sqrt{\sec(c + dx)}(b \sec(c + dx))^n \sin(c + dx)}{d(1 + 2n)} - \frac{2B {}_2F_1\left(\frac{1}{2}, 1; \frac{3}{2}; -\cos^2(c + dx)\right)}{d(1 + 2n)} \\
&= \frac{2C\sqrt{\sec(c + dx)}(b \sec(c + dx))^n \sin(c + dx)}{d(1 + 2n)} - \frac{2(A - C) \cos^{\frac{1}{2}+n}(c + dx)}{d(1 + 2n)}
\end{aligned}$$

Mathematica [C] time = 8.53417, size = 548, normalized size = 2.47

$$i^{2n+\frac{3}{2}} e^{-\frac{1}{2}i(2c+d(2n+1)x)} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{n+\frac{1}{2}} (1 + e^{2i(c+dx)})^{n+\frac{1}{2}} \sec^{-n-2}(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[((b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] ((-I)*2^(3/2 + n)*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(1/2 + n)*(1 + E^((2*I)*(c + d*x)))^(1/2 + n)*(A*E^((I/2)*d*(-1 + 2*n)*x)*(105 + 352*n + 344*n^2 + 128*n^3 + 16*n^4)*Hypergeometric2F1[3/2 + n, (-1 + 2*n)/4, (3 + 2*n)/4, -E^((2*I)*(c + d*x))] + E^(I*c)*(-1 + 2*n)*(2*B*E^((I/2)*d*(1 + 2*n)*x)*(105 + 142*n + 60*n^2 + 8*n^3)*Hypergeometric2F1[3/2 + n, (1 + 2*n)/4, (5 + 2*n)/4, -E^((2*I)*(c + d*x))] + E^((I/2)*(2*c + d*(3 + 2*n)*x))*(1 + 2*n)*(2*(A + 2*C)*(35 + 24*n + 4*n^2)*Hypergeometric2F1[3/2 + n, (3 + 2*n)/4, (7 + 2*n)/4, -E^((2*I)*(c + d*x))] + E^(I*(c + d*x))*(3 + 2*n)*(2*B*(7 + 2*n)*Hypergeometric2F1[3/2 + n, (5 + 2*n)/4, (9 + 2*n)/4, -E^((2*I)*(c + d*x))]) + A*E^(I*(c + d*x))*(5 + 2*n)*Hypergeometric2F1[3/2 + n, (7 + 2*n)/4, (11 + 2*n)/4, -E^((2*I)*(c + d*x))])))*Sec[c + d*x]^(-2 - n)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^((I/2)*(2*c + d*(1 + 2*n)*x))*(-1 + 2*n)*(1 + 2*n)*(3 + 2*n)*(5 + 2*n)*(7 + 2*n)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

Maple [F] time = 0.247, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) \frac{1}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2), x)

[Out] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sqrt(sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))ⁿ*(A+B*sec(d*x+c)+C*sec(d*x+c)²)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)² + B*sec(d*x + c) + A)*(b*sec(d*x + c))ⁿ/sqrt(sec(d*x + c)), x)

$$3.82 \quad \int \frac{(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=221

$$\frac{2(-2An + A + C(3 - 2n)) \sin(c + dx)(b \sec(c + dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(5 - 2n), \frac{1}{4}(9 - 2n), \cos^2(c + dx)\right)}{d(1 - 2n)(5 - 2n)\sqrt{\sin^2(c + dx)} \sec^{\frac{5}{2}}(c + dx)}$$

[Out] $(-2*C*(b*\text{Sec}[c + d*x])^n*\text{Sin}[c + d*x])/(d*(1 - 2*n)*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*(A + C*(3 - 2*n) - 2*A*n)*\text{Hypergeometric2F1}[1/2, (5 - 2*n)/4, (9 - 2*n)/4, \text{Cos}[c + d*x]^2]*(b*\text{Sec}[c + d*x])^n*\text{Sin}[c + d*x])/(d*(1 - 2*n)*(5 - 2*n)*\text{Sec}[c + d*x]^{5/2}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (2*B*\text{Hypergeometric2F1}[1/2, (3 - 2*n)/4, (7 - 2*n)/4, \text{Cos}[c + d*x]^2]*(b*\text{Sec}[c + d*x])^n*\text{Sin}[c + d*x])/(d*(3 - 2*n)*\text{Sec}[c + d*x]^{3/2}*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rubi [A] time = 0.199144, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{2(-2An + A + C(3 - 2n)) \sin(c + dx)(b \sec(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(5 - 2n); \frac{1}{4}(9 - 2n); \cos^2(c + dx)\right)}{d(1 - 2n)(5 - 2n)\sqrt{\sin^2(c + dx)} \sec^{\frac{5}{2}}(c + dx)} - \frac{2B \sin(c + dx)(b \sec(c + dx))^n}{d(1 - 2n)(5 - 2n)\sqrt{\sin^2(c + dx)} \sec^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(b*\text{Sec}[c + d*x])^n*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)}{\text{Sec}[c + d*x]^{3/2}}, x]$

[Out] $(-2*C*(b*\text{Sec}[c + d*x])^n*\text{Sin}[c + d*x])/(d*(1 - 2*n)*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*(A + C*(3 - 2*n) - 2*A*n)*\text{Hypergeometric2F1}[1/2, (5 - 2*n)/4, (9 - 2*n)/4, \text{Cos}[c + d*x]^2]*(b*\text{Sec}[c + d*x])^n*\text{Sin}[c + d*x])/(d*(1 - 2*n)*(5 - 2*n)*\text{Sec}[c + d*x]^{5/2}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (2*B*\text{Hypergeometric2F1}[1/2, (3 - 2*n)/4, (7 - 2*n)/4, \text{Cos}[c + d*x]^2]*(b*\text{Sec}[c + d*x])^n*\text{Sin}[c + d*x])/(d*(3 - 2*n)*\text{Sec}[c + d*x]^{3/2}*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rule 20

$\text{Int}[(u_.)*((a_.)*(v_))^{(m_)}*((b_.)*(v_))^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]}), \text{Int}[u*(a*v)^{(m+n)}, x]$

), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{3}{2}+n}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
&= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{3}{2}+n}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
&= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(1 - 2n)\sqrt{\sec(c + dx)}} + \left(B \cos^{\frac{1}{2}+n}(c + dx) \sqrt{\sec(c + dx)} \right) \\
&= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(1 - 2n)\sqrt{\sec(c + dx)}} - \frac{2B {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(3 - 2n); \frac{1}{4}(3 - 2n) + 1; -\sec(c + dx)\right)}{d(3 - 2n)} \\
&= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(1 - 2n)\sqrt{\sec(c + dx)}} - \frac{2(A(1 - 2n) + C(3 - 2n))}{d(3 - 2n)}
\end{aligned}$$

Mathematica [F] time = 180.001, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] \$Aborted

Maple [F] time = 0.255, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) (\sec(dx + c))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2), x)

[Out] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(3/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sec(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c))^n}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(3/2), x)

$$3.83 \quad \int \frac{(b \sec(c+dx))^n (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=223

$$\frac{2(A(3-2n)+C(5-2n)) \sin(c+dx)(b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(7-2n), \frac{1}{4}(11-2n), \cos^2(c+dx)\right)}{d(3-2n)(7-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{7}{2}}(c+dx)}$$

[Out] $(-2*C*(b*\operatorname{Sec}[c+d*x])^n*\operatorname{Sin}[c+d*x])/(d*(3-2*n)*\operatorname{Sec}[c+d*x]^{(3/2)}) - (2*(A*(3-2*n)+C*(5-2*n))*\operatorname{Hypergeometric2F1}[1/2, (7-2*n)/4, (11-2*n)/4, \operatorname{Cos}[c+d*x]^2]*(b*\operatorname{Sec}[c+d*x])^n*\operatorname{Sin}[c+d*x])/(d*(3-2*n)*(7-2*n)*\operatorname{Sec}[c+d*x]^{(7/2)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (2*B*\operatorname{Hypergeometric2F1}[1/2, (5-2*n)/4, (9-2*n)/4, \operatorname{Cos}[c+d*x]^2]*(b*\operatorname{Sec}[c+d*x])^n*\operatorname{Sin}[c+d*x])/(d*(5-2*n)*\operatorname{Sec}[c+d*x]^{(5/2)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rubi [A] time = 0.201044, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {20, 4047, 3772, 2643, 4046}

$$\frac{2(A(3-2n)+C(5-2n)) \sin(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(7-2n); \frac{1}{4}(11-2n); \cos^2(c+dx)\right)}{d(3-2n)(7-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{7}{2}}(c+dx)} - \frac{2B \sin(c+dx)(b \sec(c+dx))^n}{d(3-2n)(7-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{7}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\frac{(b*\operatorname{Sec}[c+d*x])^n*(A+B*\operatorname{Sec}[c+d*x]+C*\operatorname{Sec}[c+d*x]^2)}{\operatorname{Sec}[c+d*x]^{(5/2)}}, x]$

[Out] $(-2*C*(b*\operatorname{Sec}[c+d*x])^n*\operatorname{Sin}[c+d*x])/(d*(3-2*n)*\operatorname{Sec}[c+d*x]^{(3/2)}) - (2*(A*(3-2*n)+C*(5-2*n))*\operatorname{Hypergeometric2F1}[1/2, (7-2*n)/4, (11-2*n)/4, \operatorname{Cos}[c+d*x]^2]*(b*\operatorname{Sec}[c+d*x])^n*\operatorname{Sin}[c+d*x])/(d*(3-2*n)*(7-2*n)*\operatorname{Sec}[c+d*x]^{(7/2)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (2*B*\operatorname{Hypergeometric2F1}[1/2, (5-2*n)/4, (9-2*n)/4, \operatorname{Cos}[c+d*x]^2]*(b*\operatorname{Sec}[c+d*x])^n*\operatorname{Sin}[c+d*x])/(d*(5-2*n)*\operatorname{Sec}[c+d*x]^{(5/2)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rule 20

$\operatorname{Int}[(u_.)*((a_.)*(v_))^{(m_)}*((b_.)*(v_))^{(n_)}, x_Symbol] \rightarrow \operatorname{Dist}[(b^{\operatorname{IntPart}[n]}*(b*v)^{\operatorname{FracPart}[n]})/(a^{\operatorname{IntPart}[n]}*(a*v)^{\operatorname{FracPart}[n]}), \operatorname{Int}[u*(a*v)^{(m+n)}]$

), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(b \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{5}{2}+n}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
&= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{5}{2}+n}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
&= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(3 - 2n) \sec^{\frac{3}{2}}(c + dx)} + \left(B \cos^{\frac{1}{2}+n}(c + dx) \sqrt{\sec^2(c + dx)} \right) \\
&= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(3 - 2n) \sec^{\frac{3}{2}}(c + dx)} - \frac{2B {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(5 - 2n); \frac{3}{2}, \frac{1}{4}(5 - 2n)\right) \sec^{\frac{1}{2}+n}(c + dx)}{d(5 - 2n) \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2C(b \sec(c + dx))^n \sin(c + dx)}{d(3 - 2n) \sec^{\frac{3}{2}}(c + dx)} - \frac{2(A(3 - 2n) + C(5 - 2n)) \sec^{\frac{1}{2}+n}(c + dx)}{d(5 - 2n) \sec^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [F] time = 180.001, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((b*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2),x]

[Out] \$Aborted

Maple [F] time = 0.24, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) (\sec(dx + c))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)

[Out] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c))^n}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c))^n}{\sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(5/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(5/2), x)
```

3.84 $\int \sec^3(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=140

$$\frac{a(5A + 4C) \tan^3(c + dx)}{15d} + \frac{a(5A + 4C) \tan(c + dx)}{5d} + \frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 3C) \tan(c + dx) \sec(c + dx)}{8d}$$

[Out] (a*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(5*A + 4*C)*Tan[c + d*x])/(5*d) + (a*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + (a*(5*A + 4*C)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.185496, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4077, 4047, 3767, 4046, 3768, 3770}

$$\frac{a(5A + 4C) \tan^3(c + dx)}{15d} + \frac{a(5A + 4C) \tan(c + dx)}{5d} + \frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 3C) \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(5*A + 4*C)*Tan[c + d*x])/(5*d) + (a*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + (a*(5*A + 4*C)*Tan[c + d*x]^3)/(15*d)

Rule 4077

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + a \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aC \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^3(c + dx) (5aA + a) dx \\
 &= \frac{aC \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^3(c + dx) (5aA + 5a) dx \\
 &= \frac{aC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{aC \sec^4(c + dx) \tan(c + dx)}{5d} \\
 &= \frac{a(5A + 4C) \tan(c + dx)}{5d} + \frac{a(4A + 3C) \sec(c + dx) \tan(c + dx)}{8d} \\
 &= \frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(5A + 4C) \tan(c + dx)}{5d}
 \end{aligned}$$

Mathematica [A] time = 0.717998, size = 93, normalized size = 0.66

$$\frac{a \left(15(4A + 3C) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(8 \left(5(A + 2C) \tan^2(c + dx) + 15(A + C) + 3C \tan^4(c + dx) \right) + 15(4A + 3C) \right) \right)}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(15*(4*A + 3*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*(4*A + 3*C)*Sec[c + d*x] + 30*C*Sec[c + d*x]^3 + 8*(15*(A + C) + 5*(A + 2*C)*Tan[c + d*x]^2 + 3*C*Tan[c + d*x]^4)))/(120*d)

Maple [A] time = 0.048, size = 192, normalized size = 1.4

$$\frac{Aa \sec(dx + c) \tan(dx + c)}{2d} + \frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{aC (\sec(dx + c))^3 \tan(dx + c)}{4d} + \frac{3aC \sec(dx + c) \tan(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)

[Out] 1/2/d*A*a*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+1/4*a*C*sec(d*x+c)^3*tan(d*x+c)/d+3/8*a*C*sec(d*x+c)*tan(d*x+c)/d+3/8/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*A*a*tan(d*x+c)+1/3/d*A*a*tan(d*x+c)*sec(d*x+c)^2+8/15*a*C*tan(d*x+c)/d+1/5*a*C*sec(d*x+c)^4*tan(d*x+c)/d+4/15*a*C*sec(d*x+c)^2*tan(d*x+c)/d

Maxima [A] time = 0.941858, size = 236, normalized size = 1.69

$$80 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Aa + 16 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) Ca - 15 Ca \left(\frac{2(3 \sin(dx + c) \cos(dx + c) \sin^2(dx + c) - \sin^4(dx + c))}{\sin(dx + c)^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

```
[Out] 1/240*(80*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a + 16*(3*tan(d*x + c)^5 + 10
*tan(d*x + c)^3 + 15*tan(d*x + c))*C*a - 15*C*a*(2*(3*sin(d*x + c)^3 - 5*si
n(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) +
1) + 3*log(sin(d*x + c) - 1)) - 60*A*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1)
- log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)))/d
```

Fricas [A] time = 0.51743, size = 389, normalized size = 2.78

$$\frac{15(4A + 3C)a \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(4A + 3C)a \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(16(5A + 4C)a \cos(dx + c)^4 + 15(4A + 3C)a \cos(dx + c)^3 + 8(5A + 4C)a \cos(dx + c)^2 + 30C a \cos(dx + c) + 24C a \sin(dx + c))}{240 d c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fr
icas")
```

```
[Out] 1/240*(15*(4*A + 3*C)*a*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(4*A + 3*
C)*a*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(16*(5*A + 4*C)*a*cos(d*x +
c)^4 + 15*(4*A + 3*C)*a*cos(d*x + c)^3 + 8*(5*A + 4*C)*a*cos(d*x + c)^2 + 3
0*C*a*cos(d*x + c) + 24*C*a)*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int C \sec^5(c + dx) dx + \int C \sec^6(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)
```

```
[Out] a*(Integral(A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integr
al(C*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**6, x))
```

Giac [A] time = 1.23969, size = 294, normalized size = 2.1

$$15(4Aa + 3Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 15(4Aa + 3Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(60Aa \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^9 + 45Ca \right)}{240 d c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/120*(15*(4*A*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(4*A*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(60*A*a*tan(1/2*d*x + 1/2*c)^9 + 45*C*a*tan(1/2*d*x + 1/2*c)^9 - 200*A*a*tan(1/2*d*x + 1/2*c)^7 - 130*C*a*tan(1/2*d*x + 1/2*c)^7 + 400*A*a*tan(1/2*d*x + 1/2*c)^5 + 464*C*a*tan(1/2*d*x + 1/2*c)^5 - 440*A*a*tan(1/2*d*x + 1/2*c)^3 - 190*C*a*tan(1/2*d*x + 1/2*c)^3 + 180*A*a*tan(1/2*d*x + 1/2*c) + 195*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5)/d
```


3.85 $\int \sec^2(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=117

$$\frac{a(3A + 2C) \tan(c + dx)}{3d} + \frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 3C) \tan(c + dx) \sec(c + dx)}{8d} + \frac{aC \tan(c + dx) \sec^2(c + dx)}{4d}$$

[Out] (a*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(3*A + 2*C)*Tan[c + d*x])/(3*d) + (a*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)

Rubi [A] time = 0.170044, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4077, 4047, 3768, 3770, 4046, 3767, 8}

$$\frac{a(3A + 2C) \tan(c + dx)}{3d} + \frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 3C) \tan(c + dx) \sec(c + dx)}{8d} + \frac{aC \tan(c + dx) \sec^2(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(3*A + 2*C)*Tan[c + d*x])/(3*d) + (a*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)

Rule 4077

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + a \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^2(c + dx) (4aA + a) dx \\
 &= \frac{aC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^2(c + dx) (4aA + 4a) dx \\
 &= \frac{a(4A + 3C) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aC \sec^2(c + dx) \tan(c + dx)}{3d} \\
 &= \frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 3C) \sec(c + dx)}{8d} \\
 &= \frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(3A + 2C) \tan(c + dx)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.428452, size = 75, normalized size = 0.64

$$\frac{a \left(3(4A + 3C) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(3(4A + 3C) \sec(c + dx) + 24(A + C) + 8C \tan^2(c + dx) + 6C \sec^3(c + dx) \right) \right)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(3*(4*A + 3*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(24*(A + C) + 3*(4*A + 3*C)*Sec[c + d*x] + 6*C*Sec[c + d*x]^3 + 8*C*Tan[c + d*x]^2)))/(24*d)

Maple [A] time = 0.043, size = 149, normalized size = 1.3

$$\frac{Aa \tan(dx + c)}{d} + \frac{2aC \tan(dx + c)}{3d} + \frac{aC (\sec(dx + c))^2 \tan(dx + c)}{3d} + \frac{Aa \sec(dx + c) \tan(dx + c)}{2d} + \frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*A*a*tan(d*x+c)+2/3*a*C*tan(d*x+c)/d+1/3*a*C*sec(d*x+c)^2*tan(d*x+c)/d+1/2/d*A*a*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+1/4*a*C*sec(d*x+c)^3*tan(d*x+c)/d+3/8*a*C*sec(d*x+c)*tan(d*x+c)/d+3/8/d*a*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.941002, size = 205, normalized size = 1.75

$$\frac{16 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ca - 3 Ca \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1) \right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a - 3*C*a*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) - 1) + 3*log(sin(d*x + c) + 1)))/48d

+ c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*A*a*(2*sin(d*x + c)/(sin(d*x + c)² - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 48*A*a*tan(d*x + c))/d

Fricas [A] time = 0.509292, size = 335, normalized size = 2.86

$$\frac{3(4A + 3C)a \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(4A + 3C)a \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(8(3A + 2C) + 3(4A + 3C)a \cos(dx + c)^2 + 8C*a \cos(dx + c) + 6C*a) \sin(dx + c)}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/48*(3*(4*A + 3*C)*a*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(4*A + 3*C)*a*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(8*(3*A + 2*C)*a*cos(d*x + c)^3 + 3*(4*A + 3*C)*a*cos(d*x + c)^2 + 8*C*a*cos(d*x + c) + 6*C*a)*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sec^2(c + dx) dx + \int A \sec^3(c + dx) dx + \int C \sec^4(c + dx) dx + \int C \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] a*(Integral(A*sec(c + d*x)**2, x) + Integral(A*sec(c + d*x)**3, x) + Integral(C*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**5, x))

Giac [A] time = 1.25697, size = 254, normalized size = 2.17

$$3(4Aa + 3Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3(4Aa + 3Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(12Aa \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^7 + 9Ca \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^5 \right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/24*(3*(4*A*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(4*A*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(12*A*a*tan(1/2*d*x + 1/2*c)^7 + 9*C*a*tan(1/2*d*x + 1/2*c)^7 - 60*A*a*tan(1/2*d*x + 1/2*c)^5 - 49*C*a*tan(1/2*d*x + 1/2*c)^5 + 84*A*a*tan(1/2*d*x + 1/2*c)^3 + 31*C*a*tan(1/2*d*x + 1/2*c)^3 - 36*A*a*tan(1/2*d*x + 1/2*c) - 39*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4)/d
```

3.86 $\int \sec(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=86

$$\frac{a(3A + 2C) \tan(c + dx)}{3d} + \frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx) \sec^2(c + dx)}{3d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] (a*(2*A + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(3*A + 2*C)*Tan[c + d*x])/(3*d) + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.107609, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4077, 4047, 3767, 8, 4046, 3770}

$$\frac{a(3A + 2C) \tan(c + dx)}{3d} + \frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx) \sec^2(c + dx)}{3d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(2*A + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(3*A + 2*C)*Tan[c + d*x])/(3*d) + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 4077

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) (3aA + a(3C \sec^2(c + dx) + 2C \tan^2(c + dx) + 3C \sec(c + dx))) dx \\ &= \frac{aC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) (3aA + 3aC \sec^2(c + dx) + 2aC \tan^2(c + dx) + 3aC \sec(c + dx)) dx \\ &= \frac{aC \sec(c + dx) \tan(c + dx)}{2d} + \frac{aC \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(3A + 2C) \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.270418, size = 56, normalized size = 0.65

$$\frac{a \left(3(2A + C) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(6(A + C) + 2C \tan^2(c + dx) + 3C \sec(c + dx) \right) \right)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] $(a*(3*(2*A + C)*\text{ArcTanh}[\text{Sin}[c + d*x]] + \text{Tan}[c + d*x]*(6*(A + C) + 3*C*\text{Sec}[c + d*x] + 2*C*\text{Tan}[c + d*x]^2)))/(6*d)$

Maple [A] time = 0.046, size = 108, normalized size = 1.3

$$\frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aC \sec(dx + c) \tan(dx + c)}{2d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{Aa \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)`

[Out] $1/d*A*a*\ln(\sec(d*x+c)+\tan(d*x+c))+1/2*a*C*\sec(d*x+c)*\tan(d*x+c)/d+1/2/d*a*C*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*A*a*\tan(d*x+c)+2/3*a*C*\tan(d*x+c)/d+1/3*a*C*\sec(d*x+c)^2*\tan(d*x+c)/d$

Maxima [A] time = 0.931099, size = 135, normalized size = 1.57

$$\frac{4(\tan(dx + c)^3 + 3 \tan(dx + c))Ca - 3Ca\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) + 12Aa \log(\sec(dx + c) + \tan(dx + c))}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/12*(4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*C*a - 3*C*a*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 12*A*a*\log(\sec(d*x + c) + \tan(d*x + c)) + 12*A*a*\tan(d*x + c))/d$

Fricas [A] time = 0.507627, size = 285, normalized size = 3.31

$$\frac{3(2A + C)a \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(2A + C)a \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(3A + 2C)a \cos(dx + c)^3 \log(\sec(dx + c) + \tan(dx + c)) + 12Aa \tan(dx + c))}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{12}*(3*(2*A + C)*a*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(2*A + C)*a*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(2*(3*A + 2*C)*a*\cos(d*x + c)^2 + 3*C*a*\cos(d*x + c) + 2*C*a)*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sec(c + dx) dx + \int A \sec^2(c + dx) dx + \int C \sec^3(c + dx) dx + \int C \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] $a*(\text{Integral}(A*\sec(c + d*x), x) + \text{Integral}(A*\sec(c + d*x)**2, x) + \text{Integral}(C*\sec(c + d*x)**3, x) + \text{Integral}(C*\sec(c + d*x)**4, x))$

Giac [B] time = 1.18443, size = 211, normalized size = 2.45

$$3(2Aa + Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa + Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{6}*(3*(2*A*a + C*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*A*a + C*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a*\tan(1/2*d*x + 1/2*c)^5 + 3*C*a*\tan(1/2*d*x + 1/2*c)^5 - 12*A*a*\tan(1/2*d*x + 1/2*c)^3 - 4*C*a*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a*\tan(1/2*d*x + 1/2*c) + 9*C*a*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^3/d$

3.87 $\int (a + a \sec(c + dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=58

$$\frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + aAx + \frac{aC \tan(c + dx)}{d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] a*A*x + (a*(2*A + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*C*Tan[c + d*x])/d + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.0543391, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {4049, 3770, 3767, 8}

$$\frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + aAx + \frac{aC \tan(c + dx)}{d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] a*A*x + (a*(2*A + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*C*Tan[c + d*x])/d + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 4049

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + b*(2*A + C)*Csc[e + f*x] + 2*a*C*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int (a + a \sec(c + dx)) (A + C \sec^2(c + dx)) dx &= \frac{aC \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (2aA + a(2A + C) \sec(c + dx) + 2aC \sec^2(c + dx)) dx \\ &= aAx + \frac{aC \sec(c + dx) \tan(c + dx)}{2d} + (aC) \int \sec^2(c + dx) dx + \frac{1}{2} (a(2A + C) \int \sec(c + dx) dx) \\ &= aAx + \frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \sec(c + dx) \tan(c + dx)}{2d} + \frac{aC \tan(c + dx)}{d} \\ &= aAx + \frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx)}{d} + \frac{aC \sec(c + dx) \tan(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.0272733, size = 67, normalized size = 1.16

$$\frac{aA \tanh^{-1}(\sin(c + dx))}{d} + aAx + \frac{aC \tan(c + dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] a*A*x + (a*A*ArcTanh[Sin[c + d*x]])/d + (a*C*ArcTanh[Sin[c + d*x]])/(2*d) + (a*C*Tan[c + d*x])/d + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Maple [A] time = 0.041, size = 85, normalized size = 1.5

$$aAx + \frac{Aac}{d} + \frac{aC \tan(dx + c)}{d} + \frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aC \sec(dx + c) \tan(dx + c)}{2d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)

[Out] a*A*x+1/d*A*a*c+a*C*tan(d*x+c)/d+1/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+1/2*a*C*sec(d*x+c)*tan(d*x+c)/d+1/2/d*a*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.925916, size = 119, normalized size = 2.05

$$\frac{4(dx+c)Aa - Ca\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + 4Aa\log(\sec(dx+c) + \tan(dx+c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/4*(4*(d*x + c)*A*a - C*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 4*A*a*log(sec(d*x + c) + tan(d*x + c)) + 4*C*a*tan(d*x + c))/d

Fricas [A] time = 0.51587, size = 267, normalized size = 4.6

$$\frac{4Aadx\cos(dx+c)^2 + (2A+C)a\cos(dx+c)^2\log(\sin(dx+c)+1) - (2A+C)a\cos(dx+c)^2\log(-\sin(dx+c)+1)}{4d\cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/4*(4*A*a*d*x*cos(d*x + c)^2 + (2*A + C)*a*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (2*A + C)*a*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(2*C*a*cos(d*x + c) + C*a)*sin(d*x + c))/(d*cos(d*x + c)^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a\left(\int A dx + \int A \sec(c + dx) dx + \int C \sec^2(c + dx) dx + \int C \sec^3(c + dx) dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] a*(Integral(A, x) + Integral(A*sec(c + d*x), x) + Integral(C*sec(c + d*x)**2, x) + Integral(C*sec(c + d*x)**3, x))

Giac [A] time = 1.21176, size = 142, normalized size = 2.45

$$\frac{2(dx+c)Aa + (2Aa+Ca)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Aa+Ca)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(Ca\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 - 1}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/2*(2*(d*x + c)*A*a + (2*A*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*A*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(C*a*tan(1/2*d*x + 1/2*c))^3 - 3*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2/d

3.88 $\int \cos(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=42

$$\frac{aA \sin(c + dx)}{d} + aAx + \frac{aC \tan(c + dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] a*A*x + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (a*C*Tan[c + d*x])/d

Rubi [A] time = 0.100562, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {4077, 4047, 8, 4045, 3770}

$$\frac{aA \sin(c + dx)}{d} + aAx + \frac{aC \tan(c + dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] a*A*x + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (a*C*Tan[c + d*x])/d

Rule 4077

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Cs
c[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x]^n)/(f*(n + 2)), x] + Dist[1/(n + 2
), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[
e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, C, n}, x] && !LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aC \tan(c + dx)}{d} + \int \cos(c + dx)(aA + aA \sec(c + dx) + aC \sec^2(c + dx)) dx \\ &= \frac{aC \tan(c + dx)}{d} + (aA) \int 1 dx + \int \cos(c + dx)(aA + aC \sec^2(c + dx)) dx \\ &= aAx + \frac{aA \sin(c + dx)}{d} + \frac{aC \tan(c + dx)}{d} + (aC) \int \sec(c + dx) dx \\ &= aAx + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \sin(c + dx)}{d} + \frac{aC \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.027497, size = 54, normalized size = 1.29

$$\frac{aA \sin(c) \cos(dx)}{d} + \frac{aA \cos(c) \sin(dx)}{d} + aAx + \frac{aC \tan(c + dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] a*A*x + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*A*Cos[d*x]*Sin[c])/d + (a*A*Cos[c]*Sin[d*x])/d + (a*C*Tan[c + d*x])/d

Maple [A] time = 0.071, size = 57, normalized size = 1.4

$$aAx + \frac{Aa \sin(dx + c)}{d} + \frac{Aac}{d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aC \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)`

[Out] $aAx+aA\sin(dx+c)/d+1/dAa+c+1/d*a*C*\ln(\sec(dx+c)+\tan(dx+c))+aC*\tan(dx+c)/d$

Maxima [A] time = 0.928543, size = 80, normalized size = 1.9

$$\frac{2(dx+c)Aa + Ca(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2Aa\sin(dx+c) + 2Ca\tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/2*(2*(dx+c)*Aa + C*a*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2Aa*\sin(dx+c) + 2C*a*\tan(dx+c))/d$

Fricas [B] time = 0.529703, size = 232, normalized size = 5.52

$$\frac{2Aadx\cos(dx+c) + Ca\cos(dx+c)\log(\sin(dx+c)+1) - Ca\cos(dx+c)\log(-\sin(dx+c)+1) + 2(Aa\cos(dx+c) + Ca\sin(dx+c))}{2d\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/2*(2Aa*d*x*\cos(dx+c) + C*a*\cos(dx+c)*\log(\sin(dx+c)+1) - C*a*\cos(dx+c)*\log(-\sin(dx+c)+1) + 2*(Aa*\cos(dx+c) + C*a)*\sin(dx+c))/(d*\cos(dx+c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a\left(\int A\cos(c+dx)dx + \int A\cos(c+dx)\sec(c+dx)dx + \int C\cos(c+dx)\sec^2(c+dx)dx + \int C\cos(c+dx)\sec^3(c+dx)dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] a*(Integral(A*cos(c + d*x), x) + Integral(A*cos(c + d*x)*sec(c + d*x), x) + Integral(C*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(C*cos(c + d*x)*sec(c + d*x)**3, x))

Giac [B] time = 1.27122, size = 161, normalized size = 3.83

$$(dx + c)Aa + Ca \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - Ca \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + \frac{2 \left(Aa \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)^3 - Ca \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 - Aa \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^4 - 1}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] ((d*x + c)*A*a + C*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - C*a*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - C*a*tan(1/2*d*x + 1/2*c)^3 - A*a*tan(1/2*d*x + 1/2*c) - C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1))/d

3.89 $\int \cos^2(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=58

$$\frac{aA \sin(c + dx)}{d} + \frac{aA \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + 2C) + \frac{aC \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] (a*(A + 2*C)*x)/2 + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.126799, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4075, 4047, 8, 4045, 3770}

$$\frac{aA \sin(c + dx)}{d} + \frac{aA \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + 2C) + \frac{aC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (a*(A + 2*C)*x)/2 + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rule 4075

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[
e + f*x]*(d*Csc[e + f*x]^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])
^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) (-2aA - a) dx \\ &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) (-2aA - a) dx \\ &= \frac{1}{2} a(A + 2C)x + \frac{aA \sin(c + dx)}{d} + \frac{aA \cos(c + dx) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a(A + 2C)x + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \sin(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0808933, size = 52, normalized size = 0.9

$$\frac{a(4A \sin(c + dx) + A \sin(2(c + dx)) + 2Ac + 2Adx + 4C \tanh^{-1}(\sin(c + dx)) + 4Cdx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(2*A*c + 2*A*d*x + 4*C*d*x + 4*C*ArcTanh[Sin[c + d*x]] + 4*A*Sin[c + d*x] + A*Sin[2*(c + d*x)]))/(4*d)

Maple [A] time = 0.081, size = 77, normalized size = 1.3

$$\frac{Aa \cos(dx + c) \sin(dx + c)}{2d} + \frac{aAx}{2} + \frac{Aac}{2d} + aCx + \frac{Cac}{d} + \frac{Aa \sin(dx + c)}{d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{2}aA\cos(dx+c)\sin(dx+c)/d + \frac{1}{2}aA^2x + \frac{1}{2}dA^2a^2c + aC^2x + \frac{1}{d}C^2a^2c + aA^2\sin(dx+c)/d + \frac{1}{d}aC\ln(\sec(dx+c) + \tan(dx+c))$

Maxima [A] time = 0.930492, size = 95, normalized size = 1.64

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa + 4(dx + c)Ca + 2Ca(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4Aa\sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{4}((2dx + 2c + \sin(2dx + 2c))A^2a + 4(dx + c)C^2a + 2C^2a(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4A^2a\sin(dx + c))/d$

Fricas [A] time = 0.519841, size = 167, normalized size = 2.88

$$\frac{(A + 2C)adx + Ca\log(\sin(dx + c) + 1) - Ca\log(-\sin(dx + c) + 1) + (Aa\cos(dx + c) + 2Aa)\sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{2}((A + 2C)a^2dx + C^2a\log(\sin(dx + c) + 1) - C^2a\log(-\sin(dx + c) + 1) + (A^2a\cos(dx + c) + 2A^2a)\sin(dx + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.29866, size = 134, normalized size = 2.31

$$2Ca \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2Ca \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (Aa + 2Ca)(dx + c) + \frac{2\left(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)^2}$$

$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/2*(2*C*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 2*C*a*log(abs(tan(1/2*d*x + 1/2*c) - 1))) + (A*a + 2*C*a)*(d*x + c) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 + 3*A*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2/d

3.90 $\int \cos^3(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=77

$$\frac{a(2A + 3C) \sin(c + dx)}{3d} + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d} + \frac{aA \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + 2C)$$

[Out] (a*(A + 2*C)*x)/2 + (a*(2*A + 3*C)*Sin[c + d*x])/(3*d) + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.145037, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4075, 4047, 2637, 4045, 8}

$$\frac{a(2A + 3C) \sin(c + dx)}{3d} + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d} + \frac{aA \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + 2C)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (a*(A + 2*C)*x)/2 + (a*(2*A + 3*C)*Sin[c + d*x])/(3*d) + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rule 4075

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (-3aA - \\ &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (-3aA - \\ &= \frac{a(2A + 3C) \sin(c + dx)}{3d} + \frac{aA \cos(c + dx) \sin(c + dx)}{2d} + \\ &= \frac{1}{2} a(A + 2C)x + \frac{a(2A + 3C) \sin(c + dx)}{3d} + \frac{aA \cos(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.127982, size = 59, normalized size = 0.77

$$\frac{a(3(3A + 4C) \sin(c + dx) + 3A \sin(2(c + dx)) + A \sin(3(c + dx)) + 6Ac + 6Adx + 12Cdx)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*(6*A*c + 6*A*d*x + 12*C*d*x + 3*(3*A + 4*C)*Sin[c + d*x] + 3*A*Ssin[2*(c
+ d*x)] + A*Ssin[3*(c + d*x)]))/(12*d)
```

Maple [A] time = 0.082, size = 68, normalized size = 0.9

$$\frac{1}{d} \left(\frac{Aa(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + Aa \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + aC \sin(dx + c) + aC(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)`

[Out] $1/d*(1/3*A*a*(2+\cos(d*x+c)^2)*\sin(d*x+c)+A*a*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+a*C*\sin(d*x+c)+a*C*(d*x+c)$

Maxima [A] time = 0.928591, size = 90, normalized size = 1.17

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa - 3(2dx + 2c + \sin(2dx + 2c))Aa - 12(dx+c)Ca - 12Ca\sin(dx+c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $-1/12*(4*(\sin(d*x+c)^3 - 3*\sin(d*x+c))*A*a - 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a - 12*(d*x+c)*C*a - 12*C*a*\sin(d*x+c))/d$

Fricas [A] time = 0.484788, size = 140, normalized size = 1.82

$$\frac{3(A+2C)adx + (2Aa\cos(dx+c)^2 + 3Aa\cos(dx+c) + 2(2A+3C)a)\sin(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/6*(3*(A+2*C)*a*d*x + (2*A*a*\cos(d*x+c)^2 + 3*A*a*\cos(d*x+c) + 2*(2*A+3*C)*a)*\sin(d*x+c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.25374, size = 169, normalized size = 2.19

$$3(Aa + 2Ca)(dx + c) + \frac{2\left(3Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/6*(3*(A*a + 2*C*a)*(d*x + c) + 2*(3*A*a*tan(1/2*d*x + 1/2*c)^5 + 6*C*a*tan(1/2*d*x + 1/2*c)^5 + 4*A*a*tan(1/2*d*x + 1/2*c)^3 + 12*C*a*tan(1/2*d*x + 1/2*c)^3 + 9*A*a*tan(1/2*d*x + 1/2*c) + 6*C*a*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3/d

3.91 $\int \cos^4(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=95

$$\frac{a(A+C)\sin(c+dx)}{d} + \frac{a(3A+4C)\sin(c+dx)\cos(c+dx)}{8d} - \frac{aA\sin^3(c+dx)}{3d} + \frac{aA\sin(c+dx)\cos^3(c+dx)}{4d} + \frac{1}{8}ax(3A$$

[Out] (a*(3*A + 4*C)*x)/8 + (a*(A + C)*Sin[c + d*x])/d + (a*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (a*A*Sin[c + d*x]^3)/(3*d)

Rubi [A] time = 0.177301, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4075, 4047, 2635, 8, 4044, 3013}

$$\frac{a(A+C)\sin(c+dx)}{d} + \frac{a(3A+4C)\sin(c+dx)\cos(c+dx)}{8d} - \frac{aA\sin^3(c+dx)}{3d} + \frac{aA\sin(c+dx)\cos^3(c+dx)}{4d} + \frac{1}{8}ax(3A$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (a*(3*A + 4*C)*x)/8 + (a*(A + C)*Sin[c + d*x])/d + (a*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (a*A*Sin[c + d*x]^3)/(3*d)

Rule 4075

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4044

```
Int[csc[(e_.) + (f_.)*(x_)]^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)),
x_Symbol] := Int[(C + A*Sin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[
{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]
```

Rule 3013

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2),
x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2)
, x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) (-4aA - \\
&= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) (-4aA - \\
&= \frac{a(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} \\
&= \frac{1}{8} a(3A + 4C)x + \frac{a(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} \\
&= \frac{1}{8} a(3A + 4C)x + \frac{a(A + C) \sin(c + dx)}{d} + \frac{a(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 0.230785, size = 77, normalized size = 0.81

$$\frac{a(24(3A + 4C) \sin(c + dx) + 24(A + C) \sin(2(c + dx)) + 8A \sin(3(c + dx)) + 3A \sin(4(c + dx)) + 36Ac + 36Adx + 48C) \cos(c + dx)}{96d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]
```

[Out] $(a*(36*A*c + 48*c*C + 36*A*d*x + 48*C*d*x + 24*(3*A + 4*C)*\text{Sin}[c + d*x] + 24*(A + C)*\text{Sin}[2*(c + d*x)] + 8*A*\text{Sin}[3*(c + d*x)] + 3*A*\text{Sin}[4*(c + d*x)]))/ (96*d)$

Maple [A] time = 0.089, size = 96, normalized size = 1.

$$\frac{1}{d} \left(Aa \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Aa \left(2 + (\cos(dx+c))^2 \right) \sin(dx+c)}{3} + aC \left(\frac{\cos(dx+c)}{4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)`

[Out] $1/d*(A*a*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*a*(2+\cos(d*x+c)^2)*\sin(d*x+c)+a*C*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+a*C*\sin(d*x+c))$

Maxima [A] time = 0.929224, size = 122, normalized size = 1.28

$$\frac{32 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) Aa - 3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Aa - 24(2dx + 2c + \sin(2dx + 2c))C*a - 96C*a*\sin(dx+c)}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $-1/96*(32*(\sin(d*x+c)^3 - 3*\sin(d*x+c))*A*a - 3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a - 24*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a - 96*C*a*\sin(d*x+c))/d$

Fricas [A] time = 0.496195, size = 189, normalized size = 1.99

$$\frac{3(3A + 4C)adx + \left(6Aa \cos(dx+c)^3 + 8Aa \cos(dx+c)^2 + 3(3A + 4C)a \cos(dx+c) + 8(2A + 3C)a \right) \sin(dx+c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{24}*(3*(3*A + 4*C)*a*d*x + (6*A*a*\cos(d*x + c)^3 + 8*A*a*\cos(d*x + c)^2 + 3*(3*A + 4*C)*a*\cos(d*x + c) + 8*(2*A + 3*C)*a)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.15484, size = 211, normalized size = 2.22

$$3(3Aa + 4Ca)(dx + c) + \frac{2\left(9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 49Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 60Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 31Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 8Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)^4}$$

$24d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{24}*(3*(3*A*a + 4*C*a)*(d*x + c) + 2*(9*A*a*\tan(1/2*d*x + 1/2*c)^7 + 12*C*a*\tan(1/2*d*x + 1/2*c)^7 + 49*A*a*\tan(1/2*d*x + 1/2*c)^5 + 60*C*a*\tan(1/2*d*x + 1/2*c)^5 + 31*A*a*\tan(1/2*d*x + 1/2*c)^3 + 84*C*a*\tan(1/2*d*x + 1/2*c)^3 + 39*A*a*\tan(1/2*d*x + 1/2*c) + 36*C*a*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^4/d$

3.92 $\int \cos^5(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=131

$$-\frac{a(4A+5C)\sin^3(c+dx)}{15d} + \frac{a(4A+5C)\sin(c+dx)}{5d} + \frac{a(3A+4C)\sin(c+dx)\cos(c+dx)}{8d} + \frac{aA\sin(c+dx)\cos^4(c+dx)}{5d}$$

[Out] (a*(3*A + 4*C)*x)/8 + (a*(4*A + 5*C)*Sin[c + d*x])/(5*d) + (a*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*SIN[c + d*x])/(4*d) + (a*A*Cos[c + d*x]^4*SIN[c + d*x])/(5*d) - (a*(4*A + 5*C)*Sin[c + d*x]^3)/(15*d)

Rubi [A] time = 0.186607, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4075, 4047, 2633, 4045, 2635, 8}

$$-\frac{a(4A+5C)\sin^3(c+dx)}{15d} + \frac{a(4A+5C)\sin(c+dx)}{5d} + \frac{a(3A+4C)\sin(c+dx)\cos(c+dx)}{8d} + \frac{aA\sin(c+dx)\cos^4(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(3*A + 4*C)*x)/8 + (a*(4*A + 5*C)*Sin[c + d*x])/(5*d) + (a*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*SIN[c + d*x])/(4*d) + (a*A*Cos[c + d*x]^4*SIN[c + d*x])/(5*d) - (a*(4*A + 5*C)*Sin[c + d*x]^3)/(15*d)

Rule 4075

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sine[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sine[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \cos^5(c + dx)(a + a \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (-5aA - \\
 &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (-5aA - \\
 &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} \\
 &= \frac{a(4A + 5C) \sin(c + dx)}{5d} + \frac{a(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d} \\
 &= \frac{1}{8} a(3A + 4C)x + \frac{a(4A + 5C) \sin(c + dx)}{5d} + \frac{a(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d}
 \end{aligned}$$

Mathematica [A] time = 0.278168, size = 86, normalized size = 0.66

$$\frac{a \left(-160(2A + C) \sin^3(c + dx) + 480(A + C) \sin(c + dx) + 15(4(3A + 4C)(c + dx) + 8(A + C) \sin(2(c + dx))) + A \sin(4(c + dx)) \right)}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(480*(A + C)*Sin[c + d*x] - 160*(2*A + C)*Sin[c + d*x]^3 + 96*A*SIN[c + d*x]^5 + 15*(4*(3*A + 4*C)*(c + d*x) + 8*(A + C)*Sin[2*(c + d*x)] + A*SIN[4*(c + d*x)]))/480*d)

Maple [A] time = 0.107, size = 117, normalized size = 0.9

$$\frac{1}{d} \left(\frac{Aa \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + Aa \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 dx}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*(1/5*A*a*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+A*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a*C*(2+cos(d*x+c)^2)*sin(d*x+c)+a*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

Maxima [A] time = 0.933367, size = 153, normalized size = 1.17

$$\frac{32 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Aa + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) Aa - 160 \sin(dx + c)}{480 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a - 160*(sin(d*x + c))

$$+ c)^3 - 3\sin(dx + c) * C * a + 120 * (2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * C * a) / d$$

Fricas [A] time = 0.500726, size = 242, normalized size = 1.85

$$\frac{15(3A + 4C)adx + (24Aa \cos(dx + c)^4 + 30Aa \cos(dx + c)^3 + 8(4A + 5C)a \cos(dx + c)^2 + 15(3A + 4C)a \cos(dx + c) + 16(4A + 5C)a) \sin(dx + c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+a*sec(dx+c))*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] 1/120*(15*(3*A + 4*C)*a*d*x + (24*A*a*cos(dx + c)^4 + 30*A*a*cos(dx + c)^3 + 8*(4*A + 5*C)*a*cos(dx + c)^2 + 15*(3*A + 4*C)*a*cos(dx + c) + 16*(4*A + 5*C)*a)*sin(dx + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**5*(a+a*sec(dx+c))*(A+C*sec(dx+c)**2),x)

[Out] Timed out

Giac [A] time = 1.1905, size = 251, normalized size = 1.92

$$15(3Aa + 4Ca)(dx + c) + \frac{2 \left(45Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 60Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 130Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 200Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 464Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 256Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 128Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 64Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 32Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 32Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}{120d \left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+a*sec(dx+c))*(A+C*sec(dx+c)^2),x, algorithm="giac")

```
[Out] 1/120*(15*(3*A*a + 4*C*a)*(d*x + c) + 2*(45*A*a*tan(1/2*d*x + 1/2*c)^9 + 60
*C*a*tan(1/2*d*x + 1/2*c)^9 + 130*A*a*tan(1/2*d*x + 1/2*c)^7 + 200*C*a*tan(
1/2*d*x + 1/2*c)^7 + 464*A*a*tan(1/2*d*x + 1/2*c)^5 + 400*C*a*tan(1/2*d*x +
1/2*c)^5 + 190*A*a*tan(1/2*d*x + 1/2*c)^3 + 440*C*a*tan(1/2*d*x + 1/2*c)^3
+ 195*A*a*tan(1/2*d*x + 1/2*c) + 180*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*
x + 1/2*c)^2 + 1)^5)/d
```

3.93 $\int \sec^2(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=172

$$\frac{a^2(4A + 3C) \tan(c + dx)}{3d} + \frac{a^2(4A + 3C) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{a^2(4A + 3C) \tan(c + dx) \sec(c + dx)}{12d} + \frac{(10A + 3C) \tan(c + dx)}{10d}$$

```
[Out] (a^2*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(4*d) + (a^2*(4*A + 3*C)*Tan[c + d*x])/(3*d) + (a^2*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(12*d) + ((10*A + 3*C)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(30*d) + (C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(5*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(10*a*d)
```

Rubi [A] time = 0.385351, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4089, 4010, 4001, 3788, 3767, 8, 4046, 3770}

$$\frac{a^2(4A + 3C) \tan(c + dx)}{3d} + \frac{a^2(4A + 3C) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{a^2(4A + 3C) \tan(c + dx) \sec(c + dx)}{12d} + \frac{(10A + 3C) \tan(c + dx)}{10d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^2*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(4*d) + (a^2*(4*A + 3*C)*Tan[c + d*x])/(3*d) + (a^2*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(12*d) + ((10*A + 3*C)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(30*d) + (C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(5*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(10*a*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt Q[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^2 \tan(c + dx)}{5d} + \int \sec^2(c + dx) dx \\
&= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^2 \tan(c + dx)}{5d} + \frac{C(a + a \sec(c + dx))^2}{5d} \\
&= \frac{(10A + 3C)(a + a \sec(c + dx))^2 \tan(c + dx)}{30d} + \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^2}{30d} \\
&= \frac{(10A + 3C)(a + a \sec(c + dx))^2 \tan(c + dx)}{30d} + \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^2}{30d} \\
&= \frac{a^2(4A + 3C) \sec(c + dx) \tan(c + dx)}{12d} + \frac{(10A + 3C)(a + a \sec(c + dx))^2}{30d} \\
&= \frac{a^2(4A + 3C) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{a^2(4A + 3C) \tan(c + dx)}{3d}
\end{aligned}$$

Mathematica [A] time = 1.78983, size = 321, normalized size = 1.87

$$\frac{a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) (A \cos^2(c + dx) + C) \left(240(4A + 3C) \cos^5(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right)\right)\right)}{1920d(A + 2C + A \cos[2(c + dx)])}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] $-(a^2(1 + \cos[c + dx])^2(C + A \cos^2[c + dx]) \sec^4\left(\frac{c + dx}{2}\right) \sec^5(c + dx) (A \cos^2(c + dx) + C) \left(240(4A + 3C) \cos^5(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right)\right)\right) - \log\left(\cos\left(\frac{c + dx}{2}\right) + \sin\left(\frac{c + dx}{2}\right)\right) - \sec[c] (40(16A + 15C) \sin[dx] - 120(3A + C) \sin[2c + dx] + 120A \sin[c + 2dx] + 210C \sin[c + 2dx] + 120A \sin[3c + 2dx] + 210C \sin[3c + 2dx] + 440A \sin[2c + 3dx] + 360C \sin[2c + 3dx] - 60A \sin[4c + 3dx] + 60A \sin[3c + 4dx] + 45C \sin[3c + 4dx] + 60A \sin[5c + 4dx] + 45C \sin[5c + 4dx] + 100A \sin[4c + 5dx] + 72C \sin[4c + 5dx])\right) / (1920d(A + 2C + A \cos[2(c + dx)]))$

Maple [A] time = 0.119, size = 210, normalized size = 1.2

$$\frac{5a^2A \tan(dx + c)}{3d} + \frac{6a^2C \tan(dx + c)}{5d} + \frac{3a^2C \tan(dx + c) (\sec(dx + c))^2}{5d} + \frac{a^2A \sec(dx + c) \tan(dx + c)}{d} + \frac{a^2A \ln\left(\cos\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{5}{3}d^2A\tan(dx+c) + \frac{6}{5}d^2C\tan(dx+c) + \frac{3}{5}d^2C\tan(dx+c)\sec(dx+c)^2 + \frac{1}{d^2}A\sec(dx+c)\tan(dx+c) + \frac{1}{d^2}A\ln(\sec(dx+c)+\tan(dx+c)) + \frac{1}{2}d^2C\tan(dx+c)\sec(dx+c)^3 + \frac{3}{4}d^2C\sec(dx+c)\tan(dx+c) + \frac{3}{4}d^2C\ln(\sec(dx+c)+\tan(dx+c)) + \frac{1}{3}d^2A\tan(dx+c)\sec(dx+c)^2 + \frac{1}{5}d^2C\tan(dx+c)\sec(dx+c)^4$

Maxima [A] time = 0.944061, size = 294, normalized size = 1.71

$40(\tan(dx+c)^3 + 3\tan(dx+c))Aa^2 + 8(3\tan(dx+c)^5 + 10\tan(dx+c)^3 + 15\tan(dx+c))Ca^2 + 40(\tan(dx+c)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{120}(40(\tan(dx+c)^3 + 3\tan(dx+c))Aa^2 + 8(3\tan(dx+c)^5 + 10\tan(dx+c)^3 + 15\tan(dx+c))Ca^2 + 40(\tan(dx+c)^3 + 3\tan(dx+c))C^2a^2 - 15C^2a^2(2(3\sin(dx+c)^3 - 5\sin(dx+c))/(\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1) - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1)) - 60Aa^2(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 120Aa^2\tan(dx+c))/d$

Fricas [A] time = 0.520133, size = 409, normalized size = 2.38

$15(4A + 3C)a^2 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15(4A + 3C)a^2 \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 2(4(25A + 120C)a^2 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 4(25A + 120C)a^2 \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 2(4(25A + 18C)a^2 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 4(25A + 18C)a^2 \cos(dx+c)^5 \log(-\sin(dx+c) + 1)))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{120}(15(4A + 3C)a^2 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15(4A + 3C)a^2 \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 2(4(25A + 18C)a^2 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 4(25A + 18C)a^2 \cos(dx+c)^5 \log(-\sin(dx+c) + 1)))$

$$(d*x + c)^4 + 15*(4*A + 3*C)*a^2*\cos(d*x + c)^3 + 4*(5*A + 9*C)*a^2*\cos(d*x + c)^2 + 30*C*a^2*\cos(d*x + c) + 12*C*a^2*\sin(d*x + c))/(d*\cos(d*x + c)^5)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sec^2(c + dx) dx + \int 2A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int C \sec^4(c + dx) dx + \int 2C \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] a**2*(Integral(A*sec(c + d*x)**2, x) + Integral(2*A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**4, x) + Integral(2*C*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**6, x))

Giac [A] time = 1.26917, size = 332, normalized size = 1.93

$$15(4Aa^2 + 3Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(4Aa^2 + 3Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(60Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^9}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/60*(15*(4*A*a^2 + 3*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(4*A*a^2 + 3*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(60*A*a^2*tan(1/2*d*x + 1/2*c)^9 + 45*C*a^2*tan(1/2*d*x + 1/2*c)^9 - 280*A*a^2*tan(1/2*d*x + 1/2*c)^7 - 210*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 560*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 432*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 520*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 270*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 180*A*a^2*tan(1/2*d*x + 1/2*c) + 195*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5/d

3.94 $\int \sec(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=132

$$\frac{a^2(12A + 7C) \tan(c + dx)}{6d} + \frac{a^2(12A + 7C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(12A + 7C) \tan(c + dx) \sec(c + dx)}{24d} + \frac{C \tan(c + dx)}{d}$$

[Out] (a^2*(12*A + 7*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(12*A + 7*C)*Tan[c + d*x])/(6*d) + (a^2*(12*A + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) - (C*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*a*d)

Rubi [A] time = 0.212292, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4083, 4001, 3788, 3767, 8, 4046, 3770}

$$\frac{a^2(12A + 7C) \tan(c + dx)}{6d} + \frac{a^2(12A + 7C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(12A + 7C) \tan(c + dx) \sec(c + dx)}{24d} + \frac{C \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),x]

[Out] (a^2*(12*A + 7*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(12*A + 7*C)*Tan[c + d*x])/(6*d) + (a^2*(12*A + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) - (C*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*a*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e

, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3788

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] + Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx &= \frac{C(a+a\sec(c+dx))^3\tan(c+dx)}{4ad} + \frac{\int \sec(c+dx)(a+a\sec(c+dx))^2 dx}{4ad} \\
&= -\frac{C(a+a\sec(c+dx))^2\tan(c+dx)}{12d} + \frac{C(a+a\sec(c+dx))^3}{4ad} \\
&= -\frac{C(a+a\sec(c+dx))^2\tan(c+dx)}{12d} + \frac{C(a+a\sec(c+dx))^3}{4ad} \\
&= \frac{a^2(12A+7C)\sec(c+dx)\tan(c+dx)}{24d} - \frac{C(a+a\sec(c+dx))^3}{12ad} \\
&= \frac{a^2(12A+7C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a^2(12A+7C)\tan(c+dx)}{6d}
\end{aligned}$$

Mathematica [B] time = 1.40833, size = 291, normalized size = 2.2

$$\frac{a^2(\cos(c+dx)+1)^2\sec^4\left(\frac{1}{2}(c+dx)\right)\sec^4(c+dx)(A\cos^2(c+dx)+C)\left(24(12A+7C)\cos^4(c+dx)\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] $-(a^2(1 + \cos[c + dx])^2(C + A\cos[c + dx]^2)\sec[(c + dx)/2]^4\sec[c + dx]^4(24(12A + 7C)\cos[c + dx]^4(\log[\cos[(c + dx)/2] - \sin[(c + dx)/2]] - \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]]) - \sec[c](-48(3A + 2C)\sin[c] + 3(4A + 15C)\sin[dx] + 12A\sin[2c + dx] + 45C\sin[2c + dx] + 144A\sin[c + 2dx] + 128C\sin[c + 2dx] - 48A\sin[3c + 2dx] + 12A\sin[2c + 3dx] + 21C\sin[2c + 3dx] + 12A\sin[4c + 3dx] + 21C\sin[4c + 3dx] + 48A\sin[3c + 4dx] + 32C\sin[3c + 4dx])))/(384d(A + 2C + A\cos[2(c + dx)]))$

Maple [A] time = 0.049, size = 166, normalized size = 1.3

$$\frac{3a^2A\ln(\sec(dx+c)+\tan(dx+c))}{2d} + \frac{7a^2C\sec(dx+c)\tan(dx+c)}{8d} + \frac{7a^2C\ln(\sec(dx+c)+\tan(dx+c))}{8d} + 2\frac{a^2A}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] $\frac{3}{2}d^2a^2A \ln(\sec(dx+c)+\tan(dx+c))+\frac{7}{8}d^2a^2C \sec(dx+c) \tan(dx+c)+\frac{7}{8}d^2a^2C \ln(\sec(dx+c)+\tan(dx+c))+\frac{2}{d^2a^2A} \tan(dx+c)+\frac{4}{3}d^2a^2C \tan(dx+c)+\frac{2}{3}d^2a^2C \tan(dx+c) \sec(dx+c)^2+\frac{1}{2}d^2a^2A \sec(dx+c) \tan(dx+c)+\frac{1}{4}d^2a^2C \tan(dx+c) \sec(dx+c)^3$

Maxima [A] time = 0.943957, size = 306, normalized size = 2.32

$$32 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) C a^2 - 3 C a^2 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c)+1) + 3 \log(\sin(dx+c)-1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+a*sec(dx+c))^2*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{48} \left(32 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) C a^2 - 3 C a^2 \left(2 \left(3 \sin(dx+c)^3 - 5 \sin(dx+c) \right) / \left(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1 \right) - 3 \log(\sin(dx+c)+1) + 3 \log(\sin(dx+c)-1) \right) - 12 A a^2 \left(2 \sin(dx+c) / \left(\sin(dx+c)^2 - 1 \right) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) - 12 C a^2 \left(2 \sin(dx+c) / \left(\sin(dx+c)^2 - 1 \right) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) + 48 A a^2 \log(\sec(dx+c) + \tan(dx+c)) + 96 A a^2 \tan(dx+c) \right) / d$

Fricas [A] time = 0.51219, size = 356, normalized size = 2.7

$$\frac{3(12A+7C)a^2 \cos(dx+c)^4 \log(\sin(dx+c)+1) - 3(12A+7C)a^2 \cos(dx+c)^4 \log(-\sin(dx+c)+1) + 2(16(3A+2C)a^2 \cos(dx+c)^3 + 3(4A+7C)a^2 \cos(dx+c)^2 + 16C a^2 \cos(dx+c) + 6C a^2 \sin(dx+c)) / (d \cos(dx+c)^4)}{48 d \cos(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+a*sec(dx+c))^2*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{48} \left(3 \left(12 A + 7 C \right) a^2 \cos(dx+c)^4 \log(\sin(dx+c)+1) - 3 \left(12 A + 7 C \right) a^2 \cos(dx+c)^4 \log(-\sin(dx+c)+1) + 2 \left(16 \left(3 A + 2 C \right) a^2 \cos(dx+c)^3 + 3 \left(4 A + 7 C \right) a^2 \cos(dx+c)^2 + 16 C a^2 \cos(dx+c) + 6 C a^2 \sin(dx+c) \right) / \left(d \cos(dx+c)^4 \right) \right)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sec(c + dx) dx + \int 2A \sec^2(c + dx) dx + \int A \sec^3(c + dx) dx + \int C \sec^3(c + dx) dx + \int 2C \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] a**2*(Integral(A*sec(c + d*x), x) + Integral(2*A*sec(c + d*x)**2, x) + Integral(A*sec(c + d*x)**3, x) + Integral(C*sec(c + d*x)**3, x) + Integral(2*C*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**5, x))

Giac [A] time = 1.24423, size = 286, normalized size = 2.17

$$3(12Aa^2 + 7Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(12Aa^2 + 7Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(36Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^7 + 2}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/24*(3*(12*A*a^2 + 7*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(12*A*a^2 + 7*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(36*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 21*C*a^2*tan(1/2*d*x + 1/2*c)^7 - 132*A*a^2*tan(1/2*d*x + 1/2*c)^5 - 77*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 156*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 83*C*a^2*tan(1/2*d*x + 1/2*c)^3 - 60*A*a^2*tan(1/2*d*x + 1/2*c) - 75*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

3.95 $\int (a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=96

$$\frac{a^2(A + C) \tan(c + dx)}{d} + \frac{a^2(2A + C) \tanh^{-1}(\sin(c + dx))}{d} + a^2 Ax + \frac{C \tan(c + dx) (a^2 \sec(c + dx) + a^2)}{3d} + \frac{C \tan(c + dx)}{3d}$$

[Out] $a^2 A x + (a^2 (2A + C) \operatorname{ArcTanh}[\sin[c + d x]])/d + (a^2 (A + C) \operatorname{Tan}[c + d x])/d + (C (a + a \operatorname{Sec}[c + d x])^2 \operatorname{Tan}[c + d x])/(3d) + (C (a^2 + a^2 \operatorname{Sec}[c + d x]) \operatorname{Tan}[c + d x])/(3d)$

Rubi [A] time = 0.140093, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {4055, 3917, 3914, 3767, 8, 3770}

$$\frac{a^2(A + C) \tan(c + dx)}{d} + \frac{a^2(2A + C) \tanh^{-1}(\sin(c + dx))}{d} + a^2 Ax + \frac{C \tan(c + dx) (a^2 \sec(c + dx) + a^2)}{3d} + \frac{C \tan(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a \operatorname{Sec}[c + d x])^2 (A + C \operatorname{Sec}[c + d x]^2), x]$

[Out] $a^2 A x + (a^2 (2A + C) \operatorname{ArcTanh}[\sin[c + d x]])/d + (a^2 (A + C) \operatorname{Tan}[c + d x])/d + (C (a + a \operatorname{Sec}[c + d x])^2 \operatorname{Tan}[c + d x])/(3d) + (C (a^2 + a^2 \operatorname{Sec}[c + d x]) \operatorname{Tan}[c + d x])/(3d)$

Rule 4055

$\operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^m (c + d \operatorname{Csc}[e + f x]), x] \rightarrow -\operatorname{Simp}[(C \operatorname{Cot}[e + f x] (a + b \operatorname{Csc}[e + f x])^m) / (f(m + 1)), x] + \operatorname{Dist}[1/(b(m + 1)), \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^m \operatorname{Simp}[A b (m + 1) + a C m \operatorname{Csc}[e + f x], x], x], x] /;$ $\text{FreeQ}\{a, b, e, f, A, C, m, x\}$ && $\text{EqQ}[a^2 - b^2, 0]$ && $\text{!LtQ}[m, -2^{(-1)}]$

Rule 3917

$\operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^m (c + d \operatorname{Csc}[e + f x]), x] \rightarrow -\operatorname{Simp}[(b d \operatorname{Cot}[e + f x] (a + b \operatorname{Csc}[e + f x])^{m-1}) / (f m), x] + \operatorname{Dist}[1/m, \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^{m-1} \operatorname{Simp}[a c m + (b c m + a d (2m - 1)) \operatorname{Csc}[e + f x], x], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, x\}$ && $\text{NeQ}[b c - a d, 0]$ && $\text{GtQ}[m, 1]$ && $\text{EqQ}[a^2 - b^2, 0]$ && $\text{IntegerQ}[2m]$

Rule 3914

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.) +
(c_.), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x]
+ Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x
] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{\int (a + a \sec(c + dx))^2 (3aA + 2aC) dx}{3a} \\
&= \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{C(a^2 + a^2 \sec^2(c + dx)) \tan(c + dx)}{3d} \\
&= a^2 Ax + \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{C(a^2 + a^2 \sec^2(c + dx)) \tan(c + dx)}{3d} \\
&= a^2 Ax + \frac{a^2(2A + C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} \\
&= a^2 Ax + \frac{a^2(2A + C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2(A + C) \tan(c + dx)}{d} + \frac{C}{d}
\end{aligned}$$

Mathematica [B] time = 6.51247, size = 1090, normalized size = 11.35

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),x]

[Out] (A*x*Cos[c + d*x]^4*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(2*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((-2*A - C)*Cos[c + d*x]^4*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(2*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((2*A + C)*Cos[c + d*x]^4*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(2*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (C*Cos[c + d*x]^4*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sin[(d*x)/2])/(12*d*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])^3 + (Cos[c + d*x]^4*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(7*C*Cos[c/2] - 5*C*Sin[c/2]))/(24*d*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])^2 + (Cos[c + d*x]^4*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(3*A*Sin[(d*x)/2] + 5*C*Sin[(d*x)/2]))/(6*d*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]) + (C*Cos[c + d*x]^4*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sin[(d*x)/2])/(12*d*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^3 + (Cos[c + d*x]^4*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(-7*C*Cos[c/2] - 5*C*Sin[c/2]))/(24*d*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^2 + (Cos[c + d*x]^4*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(3*A*Sin[(d*x)/2] + 5*C*Sin[(d*x)/2]))/(6*d*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])

Maple [A] time = 0.051, size = 134, normalized size = 1.4

$$a^2Ax + \frac{Aa^2c}{d} + \frac{5a^2C \tan(dx + c)}{3d} + 2 \frac{a^2A \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^2C \sec(dx + c) \tan(dx + c)}{d} + \frac{a^2C \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x)

[Out] a^2*A*x+1/d*A*a^2*c+5/3/d*a^2*C*tan(d*x+c)+2/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^2*C*sec(d*x+c)*tan(d*x+c)+1/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^2*A*tan(d*x+c)+1/3/d*a^2*C*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.931493, size = 177, normalized size = 1.84

$$\frac{6(dx+c)Aa^2 + 2(\tan(dx+c)^3 + 3\tan(dx+c))Ca^2 - 3Ca^2\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/6*(6*(d*x + c)*A*a^2 + 2*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^2 - 3*C*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 12*A*a^2*log(sec(d*x + c) + tan(d*x + c)) + 6*A*a^2*tan(d*x + c) + 6*C*a^2*tan(d*x + c))/d

Fricas [A] time = 0.517296, size = 331, normalized size = 3.45

$$\frac{6Aa^2dx\cos(dx+c)^3 + 3(2A+C)a^2\cos(dx+c)^3\log(\sin(dx+c)+1) - 3(2A+C)a^2\cos(dx+c)^3\log(-\sin(dx+c))}{6d\cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/6*(6*A*a^2*d*x*cos(d*x + c)^3 + 3*(2*A + C)*a^2*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(2*A + C)*a^2*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*((3*A + 5*C)*a^2*cos(d*x + c)^2 + 3*C*a^2*cos(d*x + c) + C*a^2)*sin(d*x + c))/(d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2\left(\int A dx + \int 2A \sec(c + dx) dx + \int A \sec^2(c + dx) dx + \int C \sec^2(c + dx) dx + \int 2C \sec^3(c + dx) dx + \int C \sec^4(c + dx) dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] a**2*(Integral(A, x) + Integral(2*A*sec(c + d*x), x) + Integral(A*sec(c + d*x)**2, x) + Integral(C*sec(c + d*x)**2, x) + Integral(2*C*sec(c + d*x)**3,

$x) + \text{Integral}(C*\sec(c + d*x)**4, x)$

Giac [B] time = 1.20263, size = 252, normalized size = 2.62

$$3(dx + c)Aa^2 + 3(2Aa^2 + Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa^2 + Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(3Aa^2 \tan}{3d}$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{3} * (3 * (d * x + c) * A * a^2 + 3 * (2 * A * a^2 + C * a^2) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 3 * (2 * A * a^2 + C * a^2) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) - 2 * (3 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 3 * C * a^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 6 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 8 * C * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 3 * A * a^2 * \tan(1/2 * d * x + 1/2 * c) + 9 * C * a^2 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1)^3 / d$

3.96 $\int \cos(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=112

$$-\frac{a^2(2A-3C)\tan(c+dx)}{2d} + \frac{a^2(2A+3C)\tanh^{-1}(\sin(c+dx))}{2d} - \frac{(2A-C)\tan(c+dx)(a^2\sec(c+dx)+a^2)}{2d} + 2a^2Ax +$$

[Out] $2*a^2*A*x + (a^2*(2*A + 3*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/d - (a^2*(2*A - 3*C)*Tan[c + d*x])/(2*d) - ((2*A - C)*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(2*d)$

Rubi [A] time = 0.189976, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4087, 3917, 3914, 3767, 8, 3770}

$$-\frac{a^2(2A-3C)\tan(c+dx)}{2d} + \frac{a^2(2A+3C)\tanh^{-1}(\sin(c+dx))}{2d} - \frac{(2A-C)\tan(c+dx)(a^2\sec(c+dx)+a^2)}{2d} + 2a^2Ax +$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]*(a + a*\text{Sec}[c + d*x])^2*(A + C*\text{Sec}[c + d*x]^2), x]$

[Out] $2*a^2*A*x + (a^2*(2*A + 3*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/d - (a^2*(2*A - 3*C)*Tan[c + d*x])/(2*d) - ((2*A - C)*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(2*d)$

Rule 4087

$\text{Int}[(A + \csc(e + f*x) + (f*x)^2*(C)) * (\csc(e + f*x) + (f*x)) * (d + (e + f*x) * \csc(e + f*x) + (b + a) * \csc(e + f*x))^m, x_Symbol] \rightarrow \text{Simp}[A * \text{Cot}[e + f*x] * (a + b * \csc[e + f*x])^m * (d * \csc[e + f*x])^n / (f * n), x] - \text{Dist}[1 / (b * d * n), \text{Int}[(a + b * \csc[e + f*x])^m * (d * \csc[e + f*x])^{n+1} * \text{Simp}[a * A * m - b * (A * (m + n + 1) + C * n) * \csc[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 3917

$\text{Int}[(\csc(e + f*x) + (f*x) * \csc(e + f*x) + (b + a) * \csc(e + f*x))^m * (\csc(e + f*x) + (f*x)) * (d + (e + f*x) * \csc(e + f*x) + (b + a) * \csc(e + f*x)), x_Symbol] \rightarrow -\text{Simp}[(b * d * \text{Cot}[e + f*x] * (a + b * \csc[e + f*x])^{m-1}) / (f * m), x] + \text{Dist}[1 / m, \text{Int}[(a + b * \csc[e + f*x])^{m-1} * \text{Simp}[a * c * m + (b * c * m + a * d * (2 * m - 1)) * \csc[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f},

`x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]`

Rule 3914

`Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]`

Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^2 \sin(c + dx)}{d} + \frac{\int (a + a \sec(c + dx))^2}{d} \\
 &= \frac{A(a + a \sec(c + dx))^2 \sin(c + dx)}{d} - \frac{(2A - C)(a^2 + a^2 \sec^2(c + dx))}{2d} \\
 &= 2a^2 Ax + \frac{A(a + a \sec(c + dx))^2 \sin(c + dx)}{d} - \frac{(2A - C)(a^2 + a^2 \sec^2(c + dx))}{2d} \\
 &= 2a^2 Ax + \frac{a^2(2A + 3C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A(a + a \sec(c + dx))^2 \sin(c + dx)}{d} \\
 &= 2a^2 Ax + \frac{a^2(2A + 3C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A(a + a \sec(c + dx))^2 \sin(c + dx)}{d}
 \end{aligned}$$

Mathematica [B] time = 2.61197, size = 330, normalized size = 2.95

$$a^2 \cos^4(c + dx) \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + C \sec^2(c + dx)) \left(-\frac{2(2A+3C) \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)}{d} + \frac{2(2A+3C)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*Cos[c + d*x]^4*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(8*A*x - (2*(2*A + 3*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(2*A + 3*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*A*Cos[d*x]*Sin[c])/d + (4*A*Cos[c]*Sin[d*x])/d + C/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (8*C*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - C/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (8*C*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(8*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.086, size = 114, normalized size = 1.

$$\frac{a^2 A \sin(dx + c)}{d} + \frac{3a^2 C \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 2a^2 Ax + 2 \frac{Aa^2 c}{d} + 2 \frac{a^2 C \tan(dx + c)}{d} + \frac{a^2 A \ln(\sec(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*a^2*A*sin(d*x+c)+3/2/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+2*a^2*A*x+2/d*A*a^2*c+2/d*a^2*C*tan(d*x+c)+1/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*a^2*C*sec(d*x+c)*tan(d*x+c)

Maxima [A] time = 0.938584, size = 192, normalized size = 1.71

$$8(dx + c)Aa^2 - Ca^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 2Aa^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))$$

4d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{4}*(8*(d*x + c)*A*a^2 - C*a^2*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 2*A*a^2*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 2*C*a^2*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 4*A*a^2*\sin(d*x + c) + 8*C*a^2*\tan(d*x + c))/d$

Fricas [A] time = 0.525572, size = 320, normalized size = 2.86

$$\frac{8 A a^2 dx \cos(dx + c)^2 + (2 A + 3 C) a^2 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (2 A + 3 C) a^2 \cos(dx + c)^2 \log(-\sin(dx + c) + 1)}{4 d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{4}*(8*A*a^2*d*x*\cos(d*x + c)^2 + (2*A + 3*C)*a^2*\cos(d*x + c)^2*\log(\sin(d*x + c) + 1) - (2*A + 3*C)*a^2*\cos(d*x + c)^2*\log(-\sin(d*x + c) + 1) + 2*(2*A*a^2*\cos(d*x + c)^2 + 4*C*a^2*\cos(d*x + c) + C*a^2)*\sin(d*x + c))/(d*\cos(d*x + c)^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.23061, size = 205, normalized size = 1.83

$$4(dx+c)Aa^2 + \frac{4Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + (2Aa^2 + 3Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Aa^2 + 3Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/2*(4*(d*x + c)*A*a^2 + 4*A*a^2*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + (2*A*a^2 + 3*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*A*a^2 + 3*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(3*C*a^2*tan(1/2*d*x + 1/2*c)^3 - 5*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d

3.97 $\int \cos^2(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=119

$$\frac{a^2(3A - 2C) \sin(c + dx)}{2d} - \frac{(A - 2C) \sin(c + dx) (a^2 \sec(c + dx) + a^2)}{2d} + \frac{1}{2} a^2 x (3A + 2C) + \frac{2a^2 C \tanh^{-1}(\sin(c + dx))}{d} +$$

[Out] (a^2*(3*A + 2*C)*x)/2 + (2*a^2*C*ArcTanh[Sin[c + d*x]])/d + (a^2*(3*A - 2*C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^2*SIN[c + d*x])/(2*d) - ((A - 2*C)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.289675, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4087, 4018, 3996, 3770}

$$\frac{a^2(3A - 2C) \sin(c + dx)}{2d} - \frac{(A - 2C) \sin(c + dx) (a^2 \sec(c + dx) + a^2)}{2d} + \frac{1}{2} a^2 x (3A + 2C) + \frac{2a^2 C \tanh^{-1}(\sin(c + dx))}{d} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(3*A + 2*C)*x)/2 + (2*a^2*C*ArcTanh[Sin[c + d*x]])/d + (a^2*(3*A - 2*C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^2*SIN[c + d*x])/(2*d) - ((A - 2*C)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n

```
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{\int \cos(c + dx)}{2d} \\
 &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} - \frac{(A - 2C)}{2d} \\
 &= \frac{a^2(3A - 2C) \sin(c + dx)}{2d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))}{2d} \\
 &= \frac{1}{2}a^2(3A + 2C)x + \frac{a^2(3A - 2C) \sin(c + dx)}{2d} + \frac{A \cos(c + dx)}{2d} \\
 &= \frac{1}{2}a^2(3A + 2C)x + \frac{2a^2C \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2(3A - 2C)}{2d}
 \end{aligned}$$

Mathematica [B] time = 1.06006, size = 292, normalized size = 2.45

$$\frac{a^2 \sec^2\left(\frac{1}{2}(c + dx)\right) \left(4 \cos(dx) \left(3Adx - 4C \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 4C \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)\right)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),x]
```



```
[Out] -(a^2*Sec[(c + d*x)/2]^2*(4*Cos[d*x]*(3*A*d*x + 2*C*d*x - 4*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 4*Cos[2*c + d*x]*(3*A*d*x + 2*C*d*x - 4*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + A*Sin[d*x] + 16*C*Sin[d*x] + A*Sin[2*c + d*x] + 8*A*Sin[c + 2*d*x] + 8*A*Sin[3*c + 2*d*x] + A*Sin[2*c + 3*d*x] + A*Sin[4*c + 3*d*x]))/(16*d*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2]))*(-1 + Tan[(c + d*x)/2])*(1 + Tan[(c + d*x)/2]))
```

Maple [A] time = 0.079, size = 107, normalized size = 0.9

$$\frac{a^2 A \cos(dx + c) \sin(dx + c)}{2d} + \frac{3a^2 Ax}{2} + \frac{3a^2 Ac}{2d} + a^2 Cx + \frac{Ca^2 c}{d} + 2 \frac{a^2 A \sin(dx + c)}{d} + 2 \frac{a^2 C \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)
```

```
[Out] 1/2/d*a^2*A*cos(d*x+c)*sin(d*x+c)+3/2*a^2*A*x+3/2/d*A*a^2*c+a^2*C*x+1/d*C*a^2*c+2/d*a^2*A*sin(d*x+c)+2/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^2*C*tan(d*x+c)
```

Maxima [A] time = 0.93985, size = 136, normalized size = 1.14

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa^2 + 4(dx + c)Aa^2 + 4(dx + c)Ca^2 + 4Ca^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 + 4*(d*x + c)*A*a^2 + 4*(d*x + c)*C*a^2 + 4*C*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 8*A*a^2*sin(d*x + c) + 4*C*a^2*tan(d*x + c))/d
```

Fricas [A] time = 0.525422, size = 296, normalized size = 2.49

$$\frac{(3A + 2C)a^2 dx \cos(dx + c) + 2Ca^2 \cos(dx + c) \log(\sin(dx + c) + 1) - 2Ca^2 \cos(dx + c) \log(-\sin(dx + c) + 1) + (A^2 \cos^2(dx + c) + C^2 \sin^2(dx + c))}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{2} * ((3*A + 2*C) * a^2 * d * x * \cos(d * x + c) + 2 * C * a^2 * \cos(d * x + c) * \log(\sin(d * x + c) + 1) - 2 * C * a^2 * \cos(d * x + c) * \log(-\sin(d * x + c) + 1) + (A * a^2 * \cos(d * x + c)^2 + 4 * A * a^2 * \cos(d * x + c) + 2 * C * a^2) * \sin(d * x + c)) / (d * \cos(d * x + c))$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.22831, size = 193, normalized size = 1.62

$$4Ca^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 4Ca^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{4Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} + (3Aa^2 + 2Ca^2)(dx + c) + \frac{2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{2} * (4 * C * a^2 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 4 * C * a^2 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) - 4 * C * a^2 * \tan(1/2 * d * x + 1/2 * c) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1) + (3 * A * a^2 + 2 * C * a^2) * (d * x + c) + 2 * (3 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 5 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 + 1)^2) / d$

3.98 $\int \cos^3(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=110

$$\frac{a^2(A+C)\sin(c+dx)}{d} + \frac{A\sin(c+dx)\cos(c+dx)(a^2\sec(c+dx)+a^2)}{3d} + a^2x(A+2C) + \frac{a^2C\tanh^{-1}(\sin(c+dx))}{d} + \frac{A^2C}{d}$$

[Out] a^2*(A + 2*C)*x + (a^2*C*ArcTanh[Sin[c + d*x]])/d + (a^2*(A + C)*Sin[c + d*x])/d + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d) + (A*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.267877, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4087, 4017, 3996, 3770}

$$\frac{a^2(A+C)\sin(c+dx)}{d} + \frac{A\sin(c+dx)\cos(c+dx)(a^2\sec(c+dx)+a^2)}{3d} + a^2x(A+2C) + \frac{a^2C\tanh^{-1}(\sin(c+dx))}{d} + \frac{A^2C}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] a^2*(A + 2*C)*x + (a^2*C*ArcTanh[Sin[c + d*x]])/d + (a^2*(A + C)*Sin[c + d*x])/d + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d) + (A*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^(n_)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp

```
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
;/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} + \frac{\int \cos^2(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx}{3d} \\
&= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{a^2(A + C) \sin(c + dx)}{d} + \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= a^2(A + 2C)x + \frac{a^2(A + C) \sin(c + dx)}{d} + \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= a^2(A + 2C)x + \frac{a^2 C \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2(A + C) \sin(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.212069, size = 109, normalized size = 0.99

$$\frac{a^2 \left(3(7A + 4C) \sin(c + dx) + 6A \sin(2(c + dx)) + A \sin(3(c + dx)) + 12Adx - 12C \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \right)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),x]
```

[Out] $(a^2(12Adx + 24Cd - 12C \log[\cos[(c + dx)/2] - \sin[(c + dx)/2]] + 12C \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]] + 3(7A + 4C) \sin[c + dx] + 6A \sin[2(c + dx)] + A \sin[3(c + dx)]) / (12d)$

Maple [A] time = 0.091, size = 128, normalized size = 1.2

$$\frac{A(\cos(dx+c))^2 \sin(dx+c) a^2}{3d} + \frac{5a^2 A \sin(dx+c)}{3d} + \frac{a^2 C \sin(dx+c)}{d} + \frac{a^2 A \cos(dx+c) \sin(dx+c)}{d} + a^2 Ax + \frac{a^2 A}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3(a+a\sec(dx+c))^2(A+C\sec(dx+c)^2), x)$

[Out] $1/3/dA\cos(dx+c)^2\sin(dx+c)a^2+5/3/dA^2\sin(dx+c)+1/dA^2C\sin(dx+c)+1/dA^2A\cos(dx+c)\sin(dx+c)+a^2Ax+1/dA^2C\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 0.940133, size = 154, normalized size = 1.4

$$\frac{2(\sin(dx+c)^3 - 3\sin(dx+c))Aa^2 - 3(2dx + 2c + \sin(2dx + 2c))Aa^2 - 12(dx+c)Ca^2 - 3Ca^2(\log(\sin(dx+c)) - 1)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3(a+a\sec(dx+c))^2(A+C\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] $-1/6*(2*(\sin(dx+c)^3 - 3*\sin(dx+c))*A*a^2 - 3*(2*dx + 2*c + \sin(2*dx + 2*c))*A*a^2 - 12*(dx+c)*C*a^2 - 3*C*a^2*(\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) - 6*A*a^2*\sin(dx+c) - 6*C*a^2*\sin(dx+c))/d$

Fricas [A] time = 0.527179, size = 236, normalized size = 2.15

$$\frac{6(A + 2C)a^2 dx + 3Ca^2 \log(\sin(dx+c) + 1) - 3Ca^2 \log(-\sin(dx+c) + 1) + 2(Aa^2 \cos(dx+c)^2 + 3Aa^2 \cos(dx+c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{6}(6*(A + 2*C)*a^2*d*x + 3*C*a^2*\log(\sin(d*x + c) + 1) - 3*C*a^2*\log(-\sin(d*x + c) + 1) + 2*(A*a^2*\cos(d*x + c)^2 + 3*A*a^2*\cos(d*x + c) + (5*A + 3*C)*a^2)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.22258, size = 242, normalized size = 2.2

$3Ca^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3Ca^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(Aa^2 + 2Ca^2)(dx + c) + \frac{2\left(3Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^5 + 3Aa^2}{3d}$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{3}(3*C*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*C*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 3*(A*a^2 + 2*C*a^2)*(d*x + c) + 2*(3*A*a^2*\tan(1/2*d*x + 1/2*c)^5 + 3*C*a^2*\tan(1/2*d*x + 1/2*c)^5 + 8*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*\tan(1/2*d*x + 1/2*c)^3 + 9*A*a^2*\tan(1/2*d*x + 1/2*c) + 3*C*a^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d$

3.99 $\int \cos^4(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=136

$$\frac{a^2(7A + 12C) \sin(c + dx)}{6d} + \frac{a^2(7A + 12C) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}a^2x(7A + 12C) + \frac{A \sin(c + dx) \cos^3(c + dx)(a \sec(c + dx))^2}{4d}$$

[Out] (a^2*(7*A + 12*C)*x)/8 + (a^2*(7*A + 12*C)*Sin[c + d*x])/(6*d) + (a^2*(7*A + 12*C)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.307353, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4087, 4013, 3788, 2637, 4045, 8}

$$\frac{a^2(7A + 12C) \sin(c + dx)}{6d} + \frac{a^2(7A + 12C) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}a^2x(7A + 12C) + \frac{A \sin(c + dx) \cos^3(c + dx)(a \sec(c + dx))^2}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(7*A + 12*C)*x)/8 + (a^2*(7*A + 12*C)*Sin[c + d*x])/(6*d) + (a^2*(7*A + 12*C)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(4*d)

Rule 4087

Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_))*(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4013

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] := Simp[(A*Cot[

$e + f*x)*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n/(f*n), x] - \text{Dist}[(a*A*m - b*B*n)/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3788

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2, x_Symbol] := \text{Dist}[(2*a*b)/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] + \text{Int}[(d*\text{Csc}[e + f*x])^n*(a^2 + b^2*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := \text{Simp}[\sin[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 4045

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{m+2}, x], x] /;$ FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 8

$\text{Int}[a_, x_Symbol] := \text{Simp}[a*x, x] /;$ FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{4d} + \frac{\int \cos^3(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx}{4d} \\ &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{6d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^2}{6d} \\ &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{6d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^2}{6d} \\ &= \frac{a^2(7A + 12C) \sin(c + dx)}{6d} + \frac{a^2(7A + 12C) \cos(c + dx) \sin(c + dx)}{24d} \\ &= \frac{1}{8} a^2(7A + 12C)x + \frac{a^2(7A + 12C) \sin(c + dx)}{6d} + \frac{a^2(7A + 12C) \cos(c + dx) \sin(c + dx)}{24d} \end{aligned}$$

Mathematica [A] time = 0.230261, size = 73, normalized size = 0.54

$$\frac{a^2(48(3A + 4C) \sin(c + dx) + 24(2A + C) \sin(2(c + dx)) + 16A \sin(3(c + dx)) + 3A \sin(4(c + dx)) + 84Adx + 144Cdx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(84*A*d*x + 144*C*d*x + 48*(3*A + 4*C)*Sin[c + d*x] + 24*(2*A + C)*Sin[2*(c + d*x)] + 16*A*Ssin[3*(c + d*x)] + 3*A*Ssin[4*(c + d*x)]))/(96*d)

Maple [A] time = 0.097, size = 142, normalized size = 1.

$$\frac{1}{d} \left(a^2 A \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 dx}{8} + \frac{3 c}{8} \right) + \frac{2 a^2 A (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + a^2 A \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*(a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+a^2*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^2*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+2*a^2*C*sin(d*x+c)+a^2*C*(d*x+c))

Maxima [A] time = 0.943066, size = 178, normalized size = 1.31

$$\frac{64 (\sin(dx + c)^3 - 3 \sin(dx + c)) A a^2 - 3 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^2 - 24 (2 dx + 2 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) C a^2}{96 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] -1/96*(64*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2 - 96*(d*x + c)*C*a^2)

$- 192Ca^2\sin(dx + c)/d$

Fricas [A] time = 0.490619, size = 207, normalized size = 1.52

$$\frac{3(7A + 12C)a^2dx + (6Aa^2 \cos(dx + c)^3 + 16Aa^2 \cos(dx + c)^2 + 3(7A + 4C)a^2 \cos(dx + c) + 16(2A + 3C)a^2) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4*(a+a*sec(dx+c))^2*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] 1/24*(3*(7*A + 12*C)*a^2*d*x + (6*A*a^2*cos(dx + c)^3 + 16*A*a^2*cos(dx + c)^2 + 3*(7*A + 4*C)*a^2*cos(dx + c) + 16*(2*A + 3*C)*a^2)*sin(dx + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**4*(a+a*sec(dx+c))**2*(A+C*sec(dx+c)**2),x)

[Out] Timed out

Giac [A] time = 1.20009, size = 238, normalized size = 1.75

$$3(7Aa^2 + 12Ca^2)(dx + c) + \frac{2\left(21Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 36Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 77Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 132Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 83Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 16Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 7Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 7Ca^2\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)^4}$$

$24d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4*(a+a*sec(dx+c))^2*(A+C*sec(dx+c)^2),x, algorithm="giac")

```
[Out] 1/24*(3*(7*A*a^2 + 12*C*a^2)*(d*x + c) + 2*(21*A*a^2*tan(1/2*d*x + 1/2*c)^7
+ 36*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 77*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 132*
C*a^2*tan(1/2*d*x + 1/2*c)^5 + 83*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 156*C*a^2*
tan(1/2*d*x + 1/2*c)^3 + 75*A*a^2*tan(1/2*d*x + 1/2*c) + 60*C*a^2*tan(1/2*d
*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4)/d
```

3.100 $\int \cos^5(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=169

$$\frac{a^2(18A + 25C) \sin(c + dx)}{15d} + \frac{a^2(9A + 10C) \sin(c + dx) \cos^2(c + dx)}{30d} + \frac{a^2(3A + 4C) \sin(c + dx) \cos(c + dx)}{4d} + \frac{A \sin(c + dx)}{d}$$

[Out] (a^2*(3*A + 4*C)*x)/4 + (a^2*(18*A + 25*C)*Sin[c + d*x])/(15*d) + (a^2*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(4*d) + (a^2*(9*A + 10*C)*Cos[c + d*x]^2 *Sin[c + d*x])/(30*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2 *Sin[c + d*x])/(5*d) + (A*Cos[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(10*d)

Rubi [A] time = 0.387358, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4087, 4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^2(18A + 25C) \sin(c + dx)}{15d} + \frac{a^2(9A + 10C) \sin(c + dx) \cos^2(c + dx)}{30d} + \frac{a^2(3A + 4C) \sin(c + dx) \cos(c + dx)}{4d} + \frac{A \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),x]

[Out] (a^2*(3*A + 4*C)*x)/4 + (a^2*(18*A + 25*C)*Sin[c + d*x])/(15*d) + (a^2*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(4*d) + (a^2*(9*A + 10*C)*Cos[c + d*x]^2 *Sin[c + d*x])/(30*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2 *Sin[c + d*x])/(5*d) + (A*Cos[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(10*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co

```

t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 8

```

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

```

Rule 2637

```

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^5(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx &= \frac{A\cos^4(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{5d} + \frac{\int \cos^4(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx}{5d} \\
&= \frac{A\cos^4(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{5d} + \frac{A\cos^3(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))}{5d} \\
&= \frac{a^2(9A+10C)\cos^2(c+dx)\sin(c+dx)}{30d} + \frac{A\cos^4(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))}{30d} \\
&= \frac{a^2(9A+10C)\cos^2(c+dx)\sin(c+dx)}{30d} + \frac{A\cos^4(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))}{30d} \\
&= \frac{a^2(18A+25C)\sin(c+dx)}{15d} + \frac{a^2(3A+4C)\cos(c+dx)\sin(c+dx)}{4d} \\
&= \frac{1}{4}a^2(3A+4C)x + \frac{a^2(18A+25C)\sin(c+dx)}{15d} + \frac{a^2(3A+4C)\cos(c+dx)\sin(c+dx)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.396537, size = 97, normalized size = 0.57

$$\frac{a^2(30(11A+14C)\sin(c+dx) + 120(A+C)\sin(2(c+dx)) + 45A\sin(3(c+dx)) + 15A\sin(4(c+dx)) + 3A\sin(5(c+dx)))}{240d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(120*A*c + 180*A*d*x + 240*C*d*x + 30*(11*A + 14*C)*Sin[c + d*x] + 120*(A + C)*Sin[2*(c + d*x)] + 45*A*Sin[3*(c + d*x)] + 20*C*Sin[3*(c + d*x)] + 15*A*Sin[4*(c + d*x)] + 3*A*Sin[5*(c + d*x)])/(240*d)

Maple [A] time = 0.111, size = 160, normalized size = 1.

$$\frac{1}{d} \left(\frac{a^2 A \sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^4 + \frac{4(\cos(dx+c))^2}{3} \right) + \frac{a^2 C (2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + 2a^2 A \left(\frac{1}{4} ((\cos(dx+c))^5 + (\cos(dx+c))^3) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*(1/5*a^2*A*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+1/3*a^2*C*(2+cos(d*x+c)^2)*sin(d*x+c)+2*a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c))

+c)+3/8*d*x+3/8*c)+2*a^2*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+1/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+a^2*C*sin(d*x+c))

Maxima [A] time = 0.941552, size = 211, normalized size = 1.25

$$\frac{16 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Aa^2 - 80 \left(\sin(dx + c)^3 - 3 \sin(dx + c) \right) Aa^2 + 15 (12 dx + 12 c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/240*(16*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2 - 80*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 - 80*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^2 + 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2 + 240*C*a^2*sin(d*x + c))/d

Fricas [A] time = 0.498604, size = 258, normalized size = 1.53

$$\frac{15(3A + 4C)a^2 dx + (12Aa^2 \cos(dx + c)^4 + 30Aa^2 \cos(dx + c)^3 + 4(9A + 5C)a^2 \cos(dx + c)^2 + 15(3A + 4C)a^2 \cos(dx + c) + 4(18A + 25C)a^2 \sin(dx + c))}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/60*(15*(3*A + 4*C)*a^2*d*x + (12*A*a^2*cos(d*x + c)^4 + 30*A*a^2*cos(d*x + c)^3 + 4*(9*A + 5*C)*a^2*cos(d*x + c)^2 + 15*(3*A + 4*C)*a^2*cos(d*x + c) + 4*(18*A + 25*C)*a^2*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.18922, size = 284, normalized size = 1.68

$$15(3Aa^2 + 4Ca^2)(dx + c) + \frac{2\left(45Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 60Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 210Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 280Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 432Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 560Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 270Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 520Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 195Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 180Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{60d \left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^5} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/60*(15*(3*A*a^2 + 4*C*a^2)*(d*x + c) + 2*(45*A*a^2*tan(1/2*d*x + 1/2*c)^9 + 60*C*a^2*tan(1/2*d*x + 1/2*c)^9 + 210*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 280*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 432*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 560*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 270*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 520*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 195*A*a^2*tan(1/2*d*x + 1/2*c) + 180*C*a^2*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5/d

3.101 $\int \cos^6(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=194

$$-\frac{2a^2(4A + 5C) \sin^3(c + dx)}{15d} + \frac{2a^2(4A + 5C) \sin(c + dx)}{5d} + \frac{a^2(9A + 10C) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{a^2(11A + 14C) \sin(c + dx)}{15d}$$

```
[Out] (a^2*(11*A + 14*C)*x)/16 + (2*a^2*(4*A + 5*C)*Sin[c + d*x])/(5*d) + (a^2*(11*A + 14*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^2*(9*A + 10*C)*Cos[c + d*x]^3*Sin[c + d*x])/(40*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(15*d) - (2*a^2*(4*A + 5*C)*Sin[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.412487, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4087, 4017, 3996, 3787, 2633, 2635, 8}

$$-\frac{2a^2(4A + 5C) \sin^3(c + dx)}{15d} + \frac{2a^2(4A + 5C) \sin(c + dx)}{5d} + \frac{a^2(9A + 10C) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{a^2(11A + 14C) \sin(c + dx)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^2*(11*A + 14*C)*x)/16 + (2*a^2*(4*A + 5*C)*Sin[c + d*x])/(5*d) + (a^2*(11*A + 14*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^2*(9*A + 10*C)*Cos[c + d*x]^3*Sin[c + d*x])/(40*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(15*d) - (2*a^2*(4*A + 5*C)*Sin[c + d*x]^3)/(15*d)
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 2633

```

Int[sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^6(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx &= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{6d} + \frac{\int \cos^5(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)dx}{6d} \\
&= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{6d} + \frac{A\cos^4(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{6d} \\
&= \frac{a^2(9A+10C)\cos^3(c+dx)\sin(c+dx)}{40d} + \frac{A\cos^5(c+dx)}{6d} \\
&= \frac{a^2(9A+10C)\cos^3(c+dx)\sin(c+dx)}{40d} + \frac{A\cos^5(c+dx)}{6d} \\
&= \frac{a^2(11A+14C)\cos(c+dx)\sin(c+dx)}{16d} + \frac{a^2(9A+10C)}{6d} \\
&= \frac{1}{16}a^2(11A+14C)x + \frac{2a^2(4A+5C)\sin(c+dx)}{5d} + \frac{a^2(11A+14C)}{6d}
\end{aligned}$$

Mathematica [A] time = 0.633017, size = 123, normalized size = 0.63

$$\frac{a^2(240(5A+6C)\sin(c+dx) + 15(31A+32C)\sin(2(c+dx)) + 200A\sin(3(c+dx)) + 75A\sin(4(c+dx)) + 24A\sin(5(c+dx)) + 5A\sin(6(c+dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(240*A*c + 660*A*d*x + 840*C*d*x + 240*(5*A + 6*C)*Sin[c + d*x] + 15*(31*A + 32*C)*Sin[2*(c + d*x)] + 200*A*Ssin[3*(c + d*x)] + 160*C*Ssin[3*(c + d*x)] + 75*A*Ssin[4*(c + d*x)] + 30*C*Ssin[4*(c + d*x)] + 24*A*Ssin[5*(c + d*x)] + 5*A*Ssin[6*(c + d*x)]))/(960*d)

Maple [A] time = 0.111, size = 211, normalized size = 1.1

$$\frac{1}{d} \left(a^2 A \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + a^2 C \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*(a^2*A*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+a^2*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c))

$$x+3/8*c)+2/5*a^2*A*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+2/3*a^2*C*(2+\cos(d*x+c)^2)*\sin(d*x+c)+a^2*A*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+a^2*C*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c))$$

Maxima [A] time = 0.94507, size = 275, normalized size = 1.42

$$128(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^2 - 5(4 \sin(2dx + 2c)^3 - 60dx - 60c - 9 \sin(4dx + 4c) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/960*(128*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2 - 5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*a^2 + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 - 640*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^2 + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^2 + 240*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2)/d

Fricas [A] time = 0.512383, size = 315, normalized size = 1.62

$$15(11A + 14C)a^2dx + (40Aa^2 \cos(dx + c)^5 + 96Aa^2 \cos(dx + c)^4 + 10(11A + 6C)a^2 \cos(dx + c)^3 + 32(4A + 5C)a^2) / 240d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/240*(15*(11*A + 14*C)*a^2*d*x + (40*A*a^2*cos(d*x + c)^5 + 96*A*a^2*cos(d*x + c)^4 + 10*(11*A + 6*C)*a^2*cos(d*x + c)^3 + 32*(4*A + 5*C)*a^2*cos(d*x + c)^2 + 15*(11*A + 14*C)*a^2*cos(d*x + c) + 64*(4*A + 5*C)*a^2)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.20802, size = 329, normalized size = 1.7

$$15(11Aa^2 + 14Ca^2)(dx + c) + \frac{2\left(165Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 210Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 935Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 1190Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 1986Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 2580Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 3006Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3180Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1305Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2330Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 795Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 750Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^6} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/240*(15*(11*A*a^2 + 14*C*a^2)*(d*x + c) + 2*(165*A*a^2*tan(1/2*d*x + 1/2*c)^11 + 210*C*a^2*tan(1/2*d*x + 1/2*c)^11 + 935*A*a^2*tan(1/2*d*x + 1/2*c)^9 + 1190*C*a^2*tan(1/2*d*x + 1/2*c)^9 + 1986*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 2580*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 3006*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 3180*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 1305*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 2330*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 795*A*a^2*tan(1/2*d*x + 1/2*c) + 750*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^6/d

3.102 $\int \sec^2(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=197

$$\frac{a^3(30A + 23C) \tan^3(c + dx)}{120d} + \frac{a^3(30A + 23C) \tan(c + dx)}{10d} + \frac{a^3(30A + 23C) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{3a^3(30A + 23C) \tan(c + dx)}{8d}$$

```
[Out] (a^3*(30*A + 23*C)*ArcTanh[Sin[c + d*x]])/(16*d) + (a^3*(30*A + 23*C)*Tan[c + d*x])/(10*d) + (3*a^3*(30*A + 23*C)*Sec[c + d*x]*Tan[c + d*x])/(80*d) + ((30*A + 7*C)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(120*d) + (C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(6*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(10*a*d) + (a^3*(30*A + 23*C)*Tan[c + d*x]^3)/(120*d)
```

Rubi [A] time = 0.416659, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4089, 4010, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{a^3(30A + 23C) \tan^3(c + dx)}{120d} + \frac{a^3(30A + 23C) \tan(c + dx)}{10d} + \frac{a^3(30A + 23C) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{3a^3(30A + 23C) \tan(c + dx)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^3*(30*A + 23*C)*ArcTanh[Sin[c + d*x]])/(16*d) + (a^3*(30*A + 23*C)*Tan[c + d*x])/(10*d) + (3*a^3*(30*A + 23*C)*Sec[c + d*x]*Tan[c + d*x])/(80*d) + ((30*A + 7*C)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(120*d) + (C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(6*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(10*a*d) + (a^3*(30*A + 23*C)*Tan[c + d*x]^3)/(120*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Cs
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^(m_), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{6d} + \frac{\int \sec^2(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx}{6d} \\
&= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{6d} + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{6d} \\
&= \frac{(30A + 7C)(a + a \sec(c + dx))^3 \tan(c + dx)}{120d} + \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{120d} \\
&= \frac{(30A + 7C)(a + a \sec(c + dx))^3 \tan(c + dx)}{120d} + \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{120d} \\
&= \frac{(30A + 7C)(a + a \sec(c + dx))^3 \tan(c + dx)}{120d} + \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{120d} \\
&= \frac{a^3(30A + 23C) \tanh^{-1}(\sin(c + dx))}{40d} + \frac{3a^3(30A + 23C) \tanh^{-1}(\sin(c + dx))}{80d} \\
&= \frac{a^3(30A + 23C) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^3(30A + 23C) \tanh^{-1}(\sin(c + dx))}{10d}
\end{aligned}$$

Mathematica [A] time = 2.78739, size = 387, normalized size = 1.96

$$\frac{a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^6(c + dx) (A \cos^2(c + dx) + C) \left(480(30A + 23C) \cos^6(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right)\right)\right)}{30720d(A + 2C + A \cos[2(c + dx)])}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] $-(a^3(1 + \cos[c + d*x])^3(C + A \cos[c + d*x]^2) \sec[(c + d*x)/2]^6 \sec[c + d*x]^6 (480(30A + 23C) \cos[c + d*x]^6 (\log[\cos[(c + d*x)/2] - \sin[(c + d*x)/2]] - \log[\cos[(c + d*x)/2] + \sin[(c + d*x)/2]]) - \sec[c](-160(45A + 34C) \sin[c] + 30(38A + 75C) \sin[d*x] + 1140A \sin[2*c + d*x] + 2250C \sin[2*c + d*x] + 8160A \sin[c + 2*d*x] + 7680C \sin[c + 2*d*x] - 2640A \sin[3*c + 2*d*x] - 480C \sin[3*c + 2*d*x] + 1590A \sin[2*c + 3*d*x] + 1955C \sin[2*c + 3*d*x] + 1590A \sin[4*c + 3*d*x] + 1955C \sin[4*c + 3*d*x] + 4080A \sin[3*c + 4*d*x] + 3264C \sin[3*c + 4*d*x] - 240A \sin[5*c + 4*d*x] + 450A \sin[4*c + 5*d*x] + 345C \sin[4*c + 5*d*x] + 450A \sin[6*c + 5*d*x] + 345C \sin[6*c + 5*d*x] + 720A \sin[5*c + 6*d*x] + 544C \sin[5*c + 6*d*x])))/(30720d(A + 2C + A \cos[2*(c + d*x)]))$

Maple [A] time = 0.06, size = 257, normalized size = 1.3

$$3 \frac{Aa^3 \tan(dx+c)}{d} + \frac{34a^3C \tan(dx+c)}{15d} + \frac{17a^3C \tan(dx+c) (\sec(dx+c))^2}{15d} + \frac{15Aa^3 \sec(dx+c) \tan(dx+c)}{8d} + \frac{15}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x)`

[Out] `3/d*A*a^3*tan(d*x+c)+34/15*a^3*C*tan(d*x+c)/d+17/15/d*a^3*C*tan(d*x+c)*sec(d*x+c)^2+15/8/d*A*a^3*sec(d*x+c)*tan(d*x+c)+15/8/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+23/24/d*a^3*C*tan(d*x+c)*sec(d*x+c)^3+23/16/d*a^3*C*sec(d*x+c)*tan(d*x+c)+23/16/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a^3*tan(d*x+c)*sec(d*x+c)^2+3/5/d*a^3*C*tan(d*x+c)*sec(d*x+c)^4+1/4/d*A*a^3*tan(d*x+c)*sec(d*x+c)^3+1/6/d*a^3*C*tan(d*x+c)*sec(d*x+c)^5`

Maxima [B] time = 0.960638, size = 516, normalized size = 2.62

$$480 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Aa^3 + 96 \left(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c) \right) Ca^3 + 160 \left(\tan(dx+c) \right) d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/480*(480*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^3 + 96*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*a^3 + 160*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^3 - 5*C*a^3*(2*(15*sin(d*x + c)^5 - 40*sin(d*x + c)^3 + 33*sin(d*x + c))/(sin(d*x + c)^6 - 3*sin(d*x + c)^4 + 3*sin(d*x + c)^2 - 1) - 15*log(sin(d*x + c) + 1) + 15*log(sin(d*x + c) - 1)) - 30*A*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 90*C*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 360*A*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 480*A*a^3*tan(d*x + c))/d`

Fricas [A] time = 0.531258, size = 474, normalized size = 2.41

$$15(30A + 23C)a^3 \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15(30A + 23C)a^3 \cos(dx + c)^6 \log(-\sin(dx + c) + 1) + 2 \left(16 \left(\right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/480*(15*(30*A + 23*C)*a^3*cos(d*x + c)^6*log(sin(d*x + c) + 1) - 15*(30*A + 23*C)*a^3*cos(d*x + c)^6*log(-sin(d*x + c) + 1) + 2*(16*(45*A + 34*C)*a^3*cos(d*x + c)^5 + 15*(30*A + 23*C)*a^3*cos(d*x + c)^4 + 16*(15*A + 17*C)*a^3*cos(d*x + c)^3 + 10*(6*A + 23*C)*a^3*cos(d*x + c)^2 + 144*C*a^3*cos(d*x + c) + 40*C*a^3*sin(d*x + c))/(d*cos(d*x + c)^6)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \sec^2(c + dx) dx + \int 3A \sec^3(c + dx) dx + \int 3A \sec^4(c + dx) dx + \int A \sec^5(c + dx) dx + \int C \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] a**3*(Integral(A*sec(c + d*x)**2, x) + Integral(3*A*sec(c + d*x)**3, x) + Integral(3*A*sec(c + d*x)**4, x) + Integral(A*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**4, x) + Integral(3*C*sec(c + d*x)**5, x) + Integral(3*C*sec(c + d*x)**6, x) + Integral(C*sec(c + d*x)**7, x))

Giac [A] time = 1.24728, size = 378, normalized size = 1.92

$$15(30Aa^3 + 23Ca^3) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 15(30Aa^3 + 23Ca^3) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(450Aa^3 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right)^2 - \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\frac{1}{240} \cdot (15 \cdot (30 \cdot A \cdot a^3 + 23 \cdot C \cdot a^3) \cdot \log(\abs{\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1}) - 15 \cdot (30 \cdot A \cdot a^3 + 23 \cdot C \cdot a^3) \cdot \log(\abs{\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1}) - 2 \cdot (450 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} + 345 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} - 2550 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 1955 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 5940 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 4554 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 7500 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 5814 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 5130 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 3165 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 1470 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1575 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^6) / d$$

3.103 $\int \sec(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=157

$$\frac{a^3(20A + 13C) \tan^3(c + dx)}{60d} + \frac{a^3(20A + 13C) \tan(c + dx)}{5d} + \frac{a^3(20A + 13C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a^3(20A + 13C) \tan(c + dx)}{4d}$$

[Out] (a^3*(20*A + 13*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^3*(20*A + 13*C)*Tan[c + d*x])/(5*d) + (3*a^3*(20*A + 13*C)*Sec[c + d*x]*Tan[c + d*x])/(40*d) - (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*a*d) + (a^3*(20*A + 13*C)*Tan[c + d*x]^3)/(60*d)

Rubi [A] time = 0.255788, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4083, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{a^3(20A + 13C) \tan^3(c + dx)}{60d} + \frac{a^3(20A + 13C) \tan(c + dx)}{5d} + \frac{a^3(20A + 13C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a^3(20A + 13C) \tan(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),x]

[Out] (a^3*(20*A + 13*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^3*(20*A + 13*C)*Tan[c + d*x])/(5*d) + (3*a^3*(20*A + 13*C)*Sec[c + d*x]*Tan[c + d*x])/(40*d) - (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*a*d) + (a^3*(20*A + 13*C)*Tan[c + d*x]^3)/(60*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e

, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3791

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx &= \frac{C(a+a\sec(c+dx))^4 \tan(c+dx)}{5ad} + \frac{\int \sec(c+dx)(a+a\sec(c+dx))^3 dx}{5ad} \\
&= -\frac{C(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} + \frac{C(a+a\sec(c+dx))^4}{5ad} \\
&= -\frac{C(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} + \frac{C(a+a\sec(c+dx))^4}{5ad} \\
&= -\frac{C(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} + \frac{C(a+a\sec(c+dx))^4}{5ad} \\
&= \frac{a^3(20A+13C)\tanh^{-1}(\sin(c+dx))}{20d} + \frac{3a^3(20A+13C)\sec(c+dx)}{40d} \\
&= \frac{a^3(20A+13C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a^3(20A+13C)\tan(c+dx)}{5d}
\end{aligned}$$

Mathematica [B] time = 1.99294, size = 323, normalized size = 2.06

$$\frac{a^3(\cos(c+dx)+1)^3 \sec^6\left(\frac{1}{2}(c+dx)\right) \sec^5(c+dx) (A \cos^2(c+dx) + C) \left(240(20A+13C) \cos^5(c+dx) \left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)}{7680d(A+2C+A\cos[2(c+dx)])}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] $-(a^3(1 + \cos[c + d*x])^3(C + A\cos[c + d*x]^2) \sec[(c + d*x)/2]^6 \sec[c + d*x]^5 (240(20A + 13C)\cos[c + d*x]^5 (\log[\cos[(c + d*x)/2] - \sin[(c + d*x)/2]] - \log[\cos[(c + d*x)/2] + \sin[(c + d*x)/2]]) - \sec[c] (80(34A + 29C)\sin[d*x] - 240(7A + 3C)\sin[2*c + d*x] + 360A\sin[c + 2*d*x] + 750C\sin[c + 2*d*x] + 360A\sin[3*c + 2*d*x] + 750C\sin[3*c + 2*d*x] + 1840A\sin[2*c + 3*d*x] + 1520C\sin[2*c + 3*d*x] - 360A\sin[4*c + 3*d*x] + 1800A\sin[3*c + 4*d*x] + 195C\sin[3*c + 4*d*x] + 180A\sin[5*c + 4*d*x] + 195C\sin[5*c + 4*d*x] + 440A\sin[4*c + 5*d*x] + 304C\sin[4*c + 5*d*x])))/(7680d(A + 2C + A\cos[2*(c + d*x)]))$

Maple [A] time = 0.066, size = 212, normalized size = 1.4

$$\frac{5Aa^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{13a^3C \sec(dx+c) \tan(dx+c)}{8d} + \frac{13a^3C \ln(\sec(dx+c) + \tan(dx+c))}{8d} + \frac{11Aa^3}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x)
```

```
[Out] 5/2/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+13/8/d*a^3*C*sec(d*x+c)*tan(d*x+c)+13
/8/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+11/3/d*A*a^3*tan(d*x+c)+38/15*a^3*C*ta
n(d*x+c)/d+19/15/d*a^3*C*tan(d*x+c)*sec(d*x+c)^2+3/2/d*A*a^3*sec(d*x+c)*tan
(d*x+c)+3/4/d*a^3*C*tan(d*x+c)*sec(d*x+c)^3+1/3/d*A*a^3*tan(d*x+c)*sec(d*x+
c)^2+1/5/d*a^3*C*tan(d*x+c)*sec(d*x+c)^4
```

Maxima [A] time = 0.951773, size = 385, normalized size = 2.45

$$80 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) A a^3 + 16 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) C a^3 + 240 \left(\tan(dx + c) \right) C a^3$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="ma
xima")
```

```
[Out] 1/240*(80*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^3 + 16*(3*tan(d*x + c)^5 +
10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*a^3 + 240*(tan(d*x + c)^3 + 3*tan(d*
x + c))*C*a^3 - 45*C*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x +
c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c)
- 1)) - 180*A*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c)
+ 1) + log(sin(d*x + c) - 1)) - 60*C*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 -
1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 240*A*a^3*log(sec(d*x
+ c) + tan(d*x + c)) + 720*A*a^3*tan(d*x + c))/d
```

Fricas [A] time = 0.520395, size = 419, normalized size = 2.67

$$15 (20 A + 13 C) a^3 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15 (20 A + 13 C) a^3 \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2 \left(8 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fr
icas")
```

```
[Out] 1/240*(15*(20*A + 13*C)*a^3*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(20*A
+ 13*C)*a^3*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(8*(55*A + 38*C)*a^3
```

$$\frac{\cos(dx + c)^4 + 15(12A + 13C)a^3\cos(dx + c)^3 + 8(5A + 19C)a^3\cos(dx + c)^2 + 90Ca^3\cos(dx + c) + 24C^2a^3\sin(dx + c)}{(d\cos(dx + c))^5}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \sec(c + dx) dx + \int 3A \sec^2(c + dx) dx + \int 3A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int C \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] a**3*(Integral(A*sec(c + d*x), x) + Integral(3*A*sec(c + d*x)**2, x) + Integral(3*A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**3, x) + Integral(3*C*sec(c + d*x)**4, x) + Integral(3*C*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**6, x))

Giac [A] time = 1.25224, size = 332, normalized size = 2.11

$$15(20Aa^3 + 13Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(20Aa^3 + 13Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(300Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c))}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/120*(15*(20*A*a^3 + 13*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(20*A*a^3 + 13*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(300*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 195*C*a^3*tan(1/2*d*x + 1/2*c)^9 - 1400*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 910*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 2560*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 1664*C*a^3*tan(1/2*d*x + 1/2*c)^5 - 2120*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 1330*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 660*A*a^3*tan(1/2*d*x + 1/2*c) + 765*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5/d

3.104 $\int (a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=147

$$\frac{5a^3(4A + 3C) \tan(c + dx)}{8d} + \frac{a^3(28A + 15C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4A + 5C) \tan(c + dx) (a^3 \sec(c + dx) + a^3)}{8d} + a^3 A$$

[Out] $a^3 A x + (a^3 (28A + 15C) \text{ArcTanh}[\text{Sin}[c + d x]]) / (8d) + (5a^3 (4A + 3C) \text{Tan}[c + d x]) / (8d) + (C(a + a \text{Sec}[c + d x])^3 \text{Tan}[c + d x]) / (4d) + (C(a^2 + a^2 \text{Sec}[c + d x])^2 \text{Tan}[c + d x]) / (4a d) + ((4A + 5C)(a^3 + a^3 \text{Sec}[c + d x]) \text{Tan}[c + d x]) / (8d)$

Rubi [A] time = 0.218977, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {4055, 3917, 3914, 3767, 8, 3770}

$$\frac{5a^3(4A + 3C) \tan(c + dx)}{8d} + \frac{a^3(28A + 15C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4A + 5C) \tan(c + dx) (a^3 \sec(c + dx) + a^3)}{8d} + a^3 A$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a \text{Sec}[c + d x])^3 (A + C \text{Sec}[c + d x]^2), x]$

[Out] $a^3 A x + (a^3 (28A + 15C) \text{ArcTanh}[\text{Sin}[c + d x]]) / (8d) + (5a^3 (4A + 3C) \text{Tan}[c + d x]) / (8d) + (C(a + a \text{Sec}[c + d x])^3 \text{Tan}[c + d x]) / (4d) + (C(a^2 + a^2 \text{Sec}[c + d x])^2 \text{Tan}[c + d x]) / (4a d) + ((4A + 5C)(a^3 + a^3 \text{Sec}[c + d x]) \text{Tan}[c + d x]) / (8d)$

Rule 4055

$\text{Int}[(A + \text{csc}[e + f x] + (f x) \text{Cot}[e + f x]) (\text{csc}[e + f x] + (f x) \text{Cot}[e + f x])^m (a + b \text{Csc}[e + f x])^m, x] \text{Symbol} \rightarrow -\text{Simp}[(C \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^m) / (f(m + 1)), x] + \text{Dist}[1 / (b(m + 1)), \text{Int}[(a + b \text{Csc}[e + f x])^m \text{Simp}[A b (m + 1) + a C m \text{Csc}[e + f x], x], x] /; \text{FreeQ}\{a, b, e, f, A, C, m\}, x] \&\amp; \text{EqQ}[a^2 - b^2, 0] \&\amp; !\text{LtQ}[m, -2^{(-1)}]$

Rule 3917

$\text{Int}[(\text{csc}[e + f x] + (f x) \text{Cot}[e + f x]) (\text{csc}[e + f x] + (f x) \text{Cot}[e + f x])^m (a + b \text{Csc}[e + f x])^m, x] \text{Symbol} \rightarrow -\text{Simp}[(b d \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^m) / (f m), x] + \text{Dist}[1 / m, \text{Int}[(a + b \text{Csc}[e + f x])^{m-1} \text{Simp}[a c m + (b$

*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3914

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int (a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{\int (a + a \sec(c + dx))^3 (4aA + 3aC) dx}{4a} \\
 &= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{C(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)}{4ad} \\
 &= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{C(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)}{4ad} \\
 &= a^3 Ax + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{C(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)}{4ad} \\
 &= a^3 Ax + \frac{a^3(28A + 15C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} \\
 &= a^3 Ax + \frac{a^3(28A + 15C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{5a^3(4A + 3C) \tan(c + dx)}{8d}
 \end{aligned}$$

Mathematica [B] time = 1.94526, size = 363, normalized size = 2.47

$$a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) (A \cos^2(c + dx) + C) \left(\sec(c)(4A \sin(2c + dx) + 72A \sin(c + 2dx) - 2\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (a^3*(1 + Cos[c + d*x])^3*(C + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]^6*Sec[c + d*x]^4*(-8*(28*A + 15*C)*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c]*(24*A*d*x*Cos[c] + 16*A*d*x*Cos[c + 2*d*x] + 16*A*d*x*Cos[3*c + 2*d*x] + 4*A*d*x*Cos[3*c + 4*d*x] + 4*A*d*x*Cos[5*c + 4*d*x] - 72*A*Sin[c] - 72*C*Sin[c] + 4*A*Sin[d*x] + 23*C*Sin[d*x] + 4*A*Sin[2*c + d*x] + 23*C*Sin[2*c + d*x] + 72*A*Sin[c + 2*d*x] + 88*C*Sin[c + 2*d*x] - 24*A*Sin[3*c + 2*d*x] - 8*C*Sin[3*c + 2*d*x] + 4*A*Sin[2*c + 3*d*x] + 15*C*Sin[2*c + 3*d*x] + 4*A*Sin[4*c + 3*d*x] + 15*C*Sin[4*c + 3*d*x] + 24*A*Sin[3*c + 4*d*x] + 24*C*Sin[3*c + 4*d*x]))/(256*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.054, size = 180, normalized size = 1.2

$$a^3 Ax + \frac{Aa^3 c}{d} + 3 \frac{a^3 C \tan(dx + c)}{d} + \frac{7 Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{15 a^3 C \sec(dx + c) \tan(dx + c)}{8d} + \frac{15 a^3 C}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)

[Out] a^3*A*x+1/d*A*a^3*c+3*a^3*C*tan(d*x+c)/d+7/2/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+15/8/d*a^3*C*sec(d*x+c)*tan(d*x+c)+15/8/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+3/d*A*a^3*tan(d*x+c)+1/d*a^3*C*tan(d*x+c)*sec(d*x+c)^2+1/2/d*A*a^3*sec(d*x+c)*tan(d*x+c)+1/4/d*a^3*C*tan(d*x+c)*sec(d*x+c)^3

Maxima [A] time = 0.94449, size = 338, normalized size = 2.3

$$16(dx + c)Aa^3 + 16(\tan(dx + c)^3 + 3 \tan(dx + c))Ca^3 - Ca^3 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/16*(16*(d*x + c)*A*a^3 + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^3 - C*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 4*A*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 12*C*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 48*A*a^3*log(sec(d*x + c) + tan(d*x + c)) + 48*A*a^3*tan(d*x + c) + 16*C*a^3*tan(d*x + c))/d

Fricas [A] time = 0.533892, size = 386, normalized size = 2.63

$$\frac{16 A a^3 dx \cos(dx + c)^4 + (28 A + 15 C) a^3 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - (28 A + 15 C) a^3 \cos(dx + c)^4 \log(-\sin(dx + c) + 1)}{16 d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/16*(16*A*a^3*d*x*cos(d*x + c)^4 + (28*A + 15*C)*a^3*cos(d*x + c)^4*log(sin(d*x + c) + 1) - (28*A + 15*C)*a^3*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(24*(A + C)*a^3*cos(d*x + c)^3 + (4*A + 15*C)*a^3*cos(d*x + c)^2 + 8*C*a^3*cos(d*x + c) + 2*C*a^3)*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A dx + \int 3A \sec(c + dx) dx + \int 3A \sec^2(c + dx) dx + \int A \sec^3(c + dx) dx + \int C \sec^2(c + dx) dx + \int 3C \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] a**3*(Integral(A, x) + Integral(3*A*sec(c + d*x), x) + Integral(3*A*sec(c + d*x)**2, x) + Integral(A*sec(c + d*x)**3, x) + Integral(C*sec(c + d*x)**2, x) + Integral(3*C*sec(c + d*x)**3, x) + Integral(3*C*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**5, x))

Giac [A] time = 1.25785, size = 300, normalized size = 2.04

$$8(dx+c)Aa^3 + (28Aa^3 + 15Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (28Aa^3 + 15Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(20Aa^3 \tan(1/2dx + 1/2c)^7 + 15C a^3 \tan(1/2dx + 1/2c)^7 - 68Aa^3 \tan(1/2dx + 1/2c)^5 - 55C a^3 \tan(1/2dx + 1/2c)^5 + 76Aa^3 \tan(1/2dx + 1/2c)^3 + 73C a^3 \tan(1/2dx + 1/2c)^3 - 28Aa^3 \tan(1/2dx + 1/2c) - 49C a^3 \tan(1/2dx + 1/2c))}{(\tan(1/2dx + 1/2c)^2 - 1)^4} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/8*(8*(d*x + c)*A*a^3 + (28*A*a^3 + 15*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (28*A*a^3 + 15*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(20*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 15*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 68*A*a^3*tan(1/2*d*x + 1/2*c)^5 - 55*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 76*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 73*C*a^3*tan(1/2*d*x + 1/2*c)^3 - 28*A*a^3*tan(1/2*d*x + 1/2*c) - 49*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

3.105 $\int \cos(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=145

$$\frac{a^3(6A + 5C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(6A - 5C) \tan(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} - \frac{(3A - C) \tan(c + dx) (a^2 \sec(c + dx))}{3ad}$$

[Out] $3*a^3*A*x + (a^3*(6*A + 5*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/d + (5*a^3*C*Tan[c + d*x])/(2*d) - ((3*A - C)*(a^2 + a^2*Sec[c + d*x])^2*Tan[c + d*x])/(3*a*d) - ((6*A - 5*C)*(a^3 + a^3*Sec[c + d*x])*Tan[c + d*x])/(6*d)$

Rubi [A] time = 0.250234, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4087, 3917, 3914, 3767, 8, 3770}

$$\frac{a^3(6A + 5C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(6A - 5C) \tan(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} - \frac{(3A - C) \tan(c + dx) (a^2 \sec(c + dx))}{3ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]*(a + a*\text{Sec}[c + d*x])^3*(A + C*\text{Sec}[c + d*x]^2), x]$

[Out] $3*a^3*A*x + (a^3*(6*A + 5*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/d + (5*a^3*C*Tan[c + d*x])/(2*d) - ((3*A - C)*(a^2 + a^2*Sec[c + d*x])^2*Tan[c + d*x])/(3*a*d) - ((6*A - 5*C)*(a^3 + a^3*Sec[c + d*x])*Tan[c + d*x])/(6*d)$

Rule 4087

$\text{Int}[(A + \csc(e + f*x) + (f*x)^2*(C)) * (\csc(e + f*x) + (f*x)) * (d + (e + f*x) * \csc(e + f*x) + (b + a)^m), x_Symbol] \rightarrow \text{Simp}[A * \text{Cot}[e + f*x] * (a + b * \csc[e + f*x])^m * (d * \csc[e + f*x])^n / (f * n), x] - \text{Dist}[1 / (b * d * n), \text{Int}[(a + b * \csc[e + f*x])^m * (d * \csc[e + f*x])^{n+1} * \text{Simp}[a * A * m - b * (A * (m + n + 1) + C * n) * \csc[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 3917

$\text{Int}[(\csc(e + f*x) + (f*x) * \csc(e + f*x) + (b + a)^m) * (\csc(e + f*x) + (f*x)) * (d + (e + f*x) * \csc(e + f*x) + (c)), x_Symbol] \rightarrow -\text{Simp}[b * d * \text{Cot}[e + f*x] * (a + b * \csc[e + f*x])^m -$

1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3914

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d} + \frac{\int (a + a \sec(c + dx))^3 dx}{3} \\
 &= \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{(3A - C)(a^2 + a^2 \sec^2(c + dx))}{3} \\
 &= \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{(3A - C)(a^2 + a^2 \sec^2(c + dx))}{3} \\
 &= 3a^3 Ax + \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{(3A - C)(a^2 + a^2 \sec^2(c + dx))}{3} \\
 &= 3a^3 Ax + \frac{a^3(6A + 5C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d} \\
 &= 3a^3 Ax + \frac{a^3(6A + 5C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d}
 \end{aligned}$$

Mathematica [B] time = 6.39511, size = 1250, normalized size = 8.62

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out]
$$\begin{aligned} & (3A^3 \cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2) / (4(A + 2C + A \cos[2c + 2dx])) + ((-6A - 5C) \cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) \log\left(\frac{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2) / (8d(A + 2C + A \cos[2c + 2dx])) \\ & + ((6A + 5C) \cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) \log\left(\frac{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2) / (8d(A + 2C + A \cos[2c + 2dx])) + (A \cos[dx] \cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2 \sin[c]) / (4d(A + 2C + A \cos[2c + 2dx])) \\ & + (A \cos[c] \cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2 \sin[dx]) / (4d(A + 2C + A \cos[2c + 2dx])) + (C \cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2 \sin\left(\frac{dx}{2}\right)) / (24d(A + 2C + A \cos[2c + 2dx])) \\ & * (\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)) * (\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right))^3 + (\cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2 * (5C \cos\left(\frac{c}{2}\right) - 4C \sin\left(\frac{c}{2}\right))) / (24d(A + 2C + A \cos[2c + 2dx])) \\ & * (\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)) * (\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right))^2 + (\cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2 * (3A \sin\left(\frac{dx}{2}\right) + 11C \sin\left(\frac{dx}{2}\right))) / (12d(A + 2C + A \cos[2c + 2dx])) \\ & * (\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)) * (\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)) + (C \cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2 \sin\left(\frac{dx}{2}\right)) / (24d(A + 2C + A \cos[2c + 2dx])) * (\cos\left(\frac{c}{2}\right) + \sin\left(\frac{c}{2}\right)) \\ & * (\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right))^3 + (\cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2 * (-5C \cos\left(\frac{c}{2}\right) - 4C \sin\left(\frac{c}{2}\right))) / (24d(A + 2C + A \cos[2c + 2dx])) * (\cos\left(\frac{c}{2}\right) + \sin\left(\frac{c}{2}\right)) \\ & * (\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right))^2 + (\cos[c + dx] \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a + a \sec[c + dx])^3 (A + C \sec^2[c + dx])^2 * (3A \sin\left(\frac{dx}{2}\right) + 11C \sin\left(\frac{dx}{2}\right))) / (12d(A + 2C + A \cos[2c + 2dx])) * (\cos\left(\frac{c}{2}\right) + \sin\left(\frac{c}{2}\right)) \\ & * (\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)) \end{aligned}$$

Maple [A] time = 0.098, size = 152, normalized size = 1.1

$$\frac{Aa^3 \sin(dx + c)}{d} + \frac{5a^3 C \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 3a^3 Ax + 3 \frac{Aa^3 c}{d} + \frac{11a^3 C \tan(dx + c)}{3d} + 3 \frac{Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x)`

[Out] $a^3 A \sin(dx+c)/d + 5/2/d a^3 C \ln(\sec(dx+c) + \tan(dx+c)) + 3a^3 A x + 3/d A a^3 c + 11/3 a^3 C \tan(dx+c)/d + 3/d A a^3 \ln(\sec(dx+c) + \tan(dx+c)) + 3/2/d a^3 C \sec(dx+c) \tan(dx+c) + 1/d A a^3 \tan(dx+c) + 1/3/d a^3 C \tan(dx+c) \sec(dx+c)^2$

Maxima [A] time = 0.941689, size = 239, normalized size = 1.65

$36(dx+c)Aa^3 + 4(\tan(dx+c)^3 + 3\tan(dx+c))Ca^3 - 9Ca^3 \left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/12*(36*(dx+c)*Aa^3 + 4*(\tan(dx+c)^3 + 3*\tan(dx+c))*Ca^3 - 9*C*a^3*(2*\sin(dx+c)/(\sin(dx+c)^2-1) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)) + 18*A*a^3*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 6*C*a^3*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 12*A*a^3*\sin(dx+c) + 12*A*a^3*\tan(dx+c) + 36*C*a^3*\tan(dx+c))/d$

Fricas [A] time = 0.530178, size = 379, normalized size = 2.61

$36Aa^3 dx \cos(dx+c)^3 + 3(6A+5C)a^3 \cos(dx+c)^3 \log(\sin(dx+c)+1) - 3(6A+5C)a^3 \cos(dx+c)^3 \log(-\sin(dx+c)+1) + 12d \cos(dx+c)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/12*(36Aa^3 dx \cos(dx+c)^3 + 3*(6A+5C)a^3 \cos(dx+c)^3 \log(\sin(dx+c)+1) - 3*(6A+5C)a^3 \cos(dx+c)^3 \log(-\sin(dx+c)+1) + 2*(6Aa^3 \cos(dx+c)^3 + 2*(3A+11C)a^3 \cos(dx+c)^2 + 9Ca^3 \cos(dx+c) + 2Ca^3) \sin(dx+c))/(d \cos(dx+c)^3)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.24342, size = 296, normalized size = 2.04

$$18(dx+c)Aa^3 + \frac{12Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 3(6Aa^3 + 5Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(6Aa^3 + 5Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/6*(18*(d*x + c)*A*a^3 + 12*A*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 3*(6*A*a^3 + 5*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(6*A*a^3 + 5*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 15*C*a^3*tan(1/2*d*x + 1/2*c)^5 - 12*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 40*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 6*A*a^3*tan(1/2*d*x + 1/2*c) + 3*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3/d

3.106 $\int \cos^2(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=162

$$\frac{5a^3(A-C)\sin(c+dx)}{2d} + \frac{a^3(2A+7C)\tanh^{-1}(\sin(c+dx))}{2d} - \frac{(A-4C)\sin(c+dx)(a^3\sec(c+dx)+a^3)}{2d} - \frac{(A-C)\sin(c+dx)}{2d}$$

[Out] (a^3*(7*A + 2*C)*x)/2 + (a^3*(2*A + 7*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^3*(A - C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(2*d) - ((A - C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*a*d) - ((A - 4*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.413954, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4087, 4018, 3996, 3770}

$$\frac{5a^3(A-C)\sin(c+dx)}{2d} + \frac{a^3(2A+7C)\tanh^{-1}(\sin(c+dx))}{2d} - \frac{(A-4C)\sin(c+dx)(a^3\sec(c+dx)+a^3)}{2d} - \frac{(A-C)\sin(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),x]

[Out] (a^3*(7*A + 2*C)*x)/2 + (a^3*(2*A + 7*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^3*(A - C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(2*d) - ((A - C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*a*d) - ((A - 4*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_), x_Symbol] :> -Simp[(b*B*C

```

ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} + \frac{\int \cos(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx}{2d} \\
&= \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} - \frac{(A - C)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} - \frac{(A - C)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{5a^3(A - C) \sin(c + dx)}{2d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{1}{2}a^3(7A + 2C)x + \frac{5a^3(A - C) \sin(c + dx)}{2d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{1}{2}a^3(7A + 2C)x + \frac{a^3(2A + 7C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{5a^3(A - C) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 4.24472, size = 364, normalized size = 2.25

$$a^3 \cos^5(c + dx) \sec^6\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^3 (A + C \sec^2(c + dx)) \left(-\frac{2(2A+7C) \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)}{d} + \frac{2(2A+7C)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),x]

[Out] (a^3*cos[c + d*x]^5*Sec[(c + d*x)/2]^6*(1 + Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*(2*(7*A + 2*C)*x - (2*(2*A + 7*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]))/d + (2*(2*A + 7*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]))/d + (12*A*cos[d*x]*Sin[c])/d + (A*cos[2*d*x]*Sin[2*c])/d + (12*A*cos[c]*Sin[d*x])/d + (A*cos[2*c]*Sin[2*d*x])/d + C/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (12*C*SIN[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - C/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (12*C*SIN[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(16*(A + 2*C + A*cos[2*(c + d*x)]))

Maple [A] time = 0.093, size = 151, normalized size = 0.9

$$\frac{Aa^3 \sin(dx+c) \cos(dx+c)}{2d} + \frac{7a^3 Ax}{2} + \frac{7Aa^3 c}{2d} + a^3 Cx + \frac{Ca^3 c}{d} + 3 \frac{Aa^3 \sin(dx+c)}{d} + \frac{7a^3 C \ln(\sec(dx+c) + \tan(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x)

[Out] 1/2/d*A*a^3*sin(d*x+c)*cos(d*x+c)+7/2*a^3*A*x+7/2/d*A*a^3*c+a^3*C*x+1/d*C*a^3*c+3*a^3*A*sin(d*x+c)/d+7/2/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+3*a^3*C*tan(d*x+c)/d+1/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*a^3*C*sec(d*x+c)*tan(d*x+c)

Maxima [A] time = 0.945354, size = 236, normalized size = 1.46

$$(2dx + 2c + \sin(2dx + 2c))Aa^3 + 12(dx + c)Aa^3 + 4(dx + c)Ca^3 - Ca^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{4} * ((2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * A * a^3 + 12 * (d * x + c) * A * a^3 + 4 * (d * x + c) * C * a^3 - C * a^3 * (2 * \sin(d * x + c) / (\sin(d * x + c)^2 - 1) - \log(\sin(d * x + c) + 1) + \log(\sin(d * x + c) - 1)) + 2 * A * a^3 * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1)) + 6 * C * a^3 * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1)) + 12 * A * a^3 * \sin(d * x + c) + 12 * C * a^3 * \tan(d * x + c)) / d$

Fricas [A] time = 0.53135, size = 365, normalized size = 2.25

$$\frac{2(7A + 2C)a^3 dx \cos(dx + c)^2 + (2A + 7C)a^3 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (2A + 7C)a^3 \cos(dx + c)^2 \log(-\sin(dx + c) + 1)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{4} * (2 * (7 * A + 2 * C) * a^3 * d * x * \cos(d * x + c)^2 + (2 * A + 7 * C) * a^3 * \cos(d * x + c)^2 * \log(\sin(d * x + c) + 1) - (2 * A + 7 * C) * a^3 * \cos(d * x + c)^2 * \log(-\sin(d * x + c) + 1) + 2 * (A * a^3 * \cos(d * x + c)^3 + 6 * A * a^3 * \cos(d * x + c)^2 + 6 * C * a^3 * \cos(d * x + c) + C * a^3) * \sin(d * x + c)) / (d * \cos(d * x + c)^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.30287, size = 311, normalized size = 1.92

$$(7Aa^3 + 2Ca^3)(dx + c) + (2Aa^3 + 7Ca^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (2Aa^3 + 7Ca^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="
giac")
```

```
[Out] 1/2*((7*A*a^3 + 2*C*a^3)*(d*x + c) + (2*A*a^3 + 7*C*a^3)*log(abs(tan(1/2*d*
x + 1/2*c) + 1)) - (2*A*a^3 + 7*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) +
  2*(5*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 5*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 3*A*a
^3*tan(1/2*d*x + 1/2*c)^5 - 3*C*a^3*tan(1/2*d*x + 1/2*c)^5 - 9*A*a^3*tan(1/
2*d*x + 1/2*c)^3 + 9*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 7*A*a^3*tan(1/2*d*x + 1
/2*c) + 7*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1)^2/d
```

3.107 $\int \cos^3(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=156

$$-\frac{(5A - 6C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} + \frac{5a^3 A \sin(c + dx)}{2d} + \frac{A \sin(c + dx) \cos(c + dx) (a^2 \sec(c + dx) + a^2)^2}{2ad} + \frac{1}{2}$$

[Out] $(a^3(5A + 6C)x)/2 + (3a^3C \operatorname{ArcTanh}[\sin[c + dx]])/d + (5a^3A \sin[c + dx])/(2d) + (A \cos[c + dx]^2(a + a \sec[c + dx])^3 \sin[c + dx])/(3d) + (A \cos[c + dx](a^2 + a^2 \sec[c + dx])^2 \sin[c + dx])/(2ad) - ((5A - 6C)(a^3 + a^3 \sec[c + dx]) \sin[c + dx])/(6d)$

Rubi [A] time = 0.396585, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4087, 4017, 4018, 3996, 3770}

$$-\frac{(5A - 6C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} + \frac{5a^3 A \sin(c + dx)}{2d} + \frac{A \sin(c + dx) \cos(c + dx) (a^2 \sec(c + dx) + a^2)^2}{2ad} + \frac{1}{2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos[c + dx]^3(a + a \sec[c + dx])^3(A + C \sec[c + dx]^2), x]$

[Out] $(a^3(5A + 6C)x)/2 + (3a^3C \operatorname{ArcTanh}[\sin[c + dx]])/d + (5a^3A \sin[c + dx])/(2d) + (A \cos[c + dx]^2(a + a \sec[c + dx])^3 \sin[c + dx])/(3d) + (A \cos[c + dx](a^2 + a^2 \sec[c + dx])^2 \sin[c + dx])/(2ad) - ((5A - 6C)(a^3 + a^3 \sec[c + dx]) \sin[c + dx])/(6d)$

Rule 4087

$\operatorname{Int}[(A + \csc[e + f x] + (f x) \csc[e + f x])^2(C + D \csc[e + f x] + (f x) \csc[e + f x])^2(a + b \csc[e + f x])^m, x] \rightarrow \operatorname{Simp}[A \cot[e + f x] (a + b \csc[e + f x])^m (d \csc[e + f x])^n / (f n), x] - \operatorname{Dist}[1 / (b d n), \operatorname{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \operatorname{Simp}[a A m - b (A(m + n + 1) + C n) \csc[e + f x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

$\operatorname{Int}[(\csc[e + f x] + (f x) \csc[e + f x])^n (a + b \csc[e + f x] + (f x) \csc[e + f x])^m, x] \rightarrow \operatorname{Simp}[a A \cot[e + f x] (a + b \csc[e + f x])^m (d \csc[e + f x])^n / (f n), x] - \operatorname{Dist}[1 / (b d n), \operatorname{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \operatorname{Simp}[a A m - b (A(m + n + 1) + C n) \csc[e + f x], x], x], x] /;$


```

t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dist
[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{\int \cos^2(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx}{3d} \\
&= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{5a^3 A \sin(c + dx)}{2d} + \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^3(5A + 6C)x + \frac{5a^3 A \sin(c + dx)}{2d} + \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^3(5A + 6C)x + \frac{3a^3 C \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^3 A \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 6.17475, size = 1014, normalized size = 6.5

$$a^3 \left(-\frac{3C \cos^2(c + dx)(\cos(c + dx) + 1)^3 \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (C \sec^2(c + dx) + A) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{4d(\cos(2c + 2dx)A + A + 2C)} + \frac{3C \cos^2(c + dx)}{2d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] a^3*(((5*A + 6*C)*x*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2))/(8*(A + 2*C + A*Cos[2*c + 2*d*x])) - (3*C*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2))/(4*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (3*C*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2))/(4*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((15*A + 4*C)*Cos[d*x]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2)*Sin[c])/((16*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (3*A*Cos[2*d*x]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2)*Sin[2*c])/((16*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (A*Cos[3*d*x]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2)*Sin[3*c])/((48*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((15*A + 4*C)*Cos[c]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2)*Sin[d*x])/((16*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (3*A*Cos[2*c]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Sec[c

$$\begin{aligned} & /2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2)*Sin[2*d*x])/((16*d*(A + 2*C + A*Cos[2 \\ & *c + 2*d*x])) + (A*Cos[3*c]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Sec[c/2 + (\\ & d*x)/2]^6*(A + C*Sec[c + d*x]^2)*Sin[3*d*x])/((48*d*(A + 2*C + A*Cos[2*c + 2 \\ & *d*x])) + (C*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(A + \\ & C*Sec[c + d*x]^2)*Sin[(d*x)/2])/((4*d*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[c/ \\ & 2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])) + (C*Cos[c + d*x] \\ & ^2*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2)*Sin[(d* \\ & x)/2])/((4*d*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + \\ & (d*x)/2] + Sin[c/2 + (d*x)/2])))) \end{aligned}$$

Maple [A] time = 0.103, size = 146, normalized size = 0.9

$$\frac{A(\cos(dx+c))^2 \sin(dx+c) a^3}{3d} + \frac{11 A a^3 \sin(dx+c)}{3d} + \frac{a^3 C \sin(dx+c)}{d} + \frac{3 A a^3 \sin(dx+c) \cos(dx+c)}{2d} + \frac{5 a^3 A x}{2} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)

[Out] 1/3/d*A*cos(d*x+c)^2*sin(d*x+c)*a^3+11/3*a^3*A*sin(d*x+c)/d+a^3*C*sin(d*x+c)/d+3/2/d*A*a^3*sin(d*x+c)*cos(d*x+c)+5/2*a^3*A*x+5/2/d*A*a^3*c+3*a^3*C*x+3/d*C*a^3*c+3/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+a^3*C*tan(d*x+c)/d

Maxima [A] time = 0.944634, size = 185, normalized size = 1.19

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^3 - 9(2dx+2c+\sin(2dx+2c))Aa^3 - 12(dx+c)Aa^3 - 36(dx+c)Ca^3 - 18Ca^3}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3 - 9*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 - 12*(d*x + c)*A*a^3 - 36*(d*x + c)*C*a^3 - 18*C*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 36*A*a^3*sin(d*x + c) - 12*C*a^3*sin(d*x + c) - 12*C*a^3*tan(d*x + c))/d

Fricas [A] time = 0.530032, size = 350, normalized size = 2.24

$$\frac{3(5A + 6C)a^3 dx \cos(dx + c) + 9Ca^3 \cos(dx + c) \log(\sin(dx + c) + 1) - 9Ca^3 \cos(dx + c) \log(-\sin(dx + c) + 1) + (2}{6d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/6*(3*(5*A + 6*C)*a^3*d*x*cos(d*x + c) + 9*C*a^3*cos(d*x + c)*log(sin(d*x + c) + 1) - 9*C*a^3*cos(d*x + c)*log(-sin(d*x + c) + 1) + (2*A*a^3*cos(d*x + c)^3 + 9*A*a^3*cos(d*x + c)^2 + 2*(11*A + 3*C)*a^3*cos(d*x + c) + 6*C*a^3)*sin(d*x + c))/(d*cos(d*x + c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.25528, size = 284, normalized size = 1.82

$$18Ca^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 18Ca^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{12Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} + 3(5Aa^3 + 6Ca^3)(dx + c)$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/6*(18*C*a^3*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 18*C*a^3*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 12*C*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2

$$\begin{aligned} & - 1) + 3*(5*A*a^3 + 6*C*a^3)*(d*x + c) + 2*(15*A*a^3*\tan(1/2*d*x + 1/2*c)^5 \\ & + 6*C*a^3*\tan(1/2*d*x + 1/2*c)^5 + 40*A*a^3*\tan(1/2*d*x + 1/2*c)^3 + 12*C \\ & *a^3*\tan(1/2*d*x + 1/2*c)^3 + 33*A*a^3*\tan(1/2*d*x + 1/2*c) + 6*C*a^3*\tan(1 \\ & /2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d \end{aligned}$$

3.108 $\int \cos^4(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=169

$$\frac{5a^3(3A + 4C) \sin(c + dx)}{8d} + \frac{(5A + 4C) \sin(c + dx) \cos(c + dx) (a^3 \sec(c + dx) + a^3)}{8d} + \frac{A \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)}{4ad}$$

```
[Out] (a^3*(15*A + 28*C)*x)/8 + (a^3*C*ArcTanh[Sin[c + d*x]])/d + (5*a^3*(3*A + 4*C)*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(4*a*d) + ((5*A + 4*C)*Cos[c + d*x]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(8*d)
```

Rubi [A] time = 0.410138, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4087, 4017, 3996, 3770}

$$\frac{5a^3(3A + 4C) \sin(c + dx)}{8d} + \frac{(5A + 4C) \sin(c + dx) \cos(c + dx) (a^3 \sec(c + dx) + a^3)}{8d} + \frac{A \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)}{4ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^3*(15*A + 28*C)*x)/8 + (a^3*C*ArcTanh[Sin[c + d*x]])/d + (5*a^3*(3*A + 4*C)*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(4*a*d) + ((5*A + 4*C)*Cos[c + d*x]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(8*d)
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_)), x_Symbol] :> Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
;/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} + \frac{\int \cos^3(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx}{4d} \\
&= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} + \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx}{4d} \\
&= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} + \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx}{4d} \\
&= \frac{5a^3(3A + 4C) \sin(c + dx)}{8d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{1}{8}a^3(15A + 28C)x + \frac{5a^3(3A + 4C) \sin(c + dx)}{8d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{1}{8}a^3(15A + 28C)x + \frac{a^3 C \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^3(3A + 4C) \sin(c + dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 0.304805, size = 124, normalized size = 0.73

$$a^3 \left(8(13A + 12C) \sin(c + dx) + 8(4A + C) \sin(2(c + dx)) + 8A \sin(3(c + dx)) + A \sin(4(c + dx)) + 60Adx - 32C \log \left(\frac{\cos(c + dx) + \sec(c + dx)}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),x]

[Out] (a^3*(60*A*d*x + 112*C*d*x - 32*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 32*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 8*(13*A + 12*C)*Sin[c + d*x] + 8*(4*A + C)*Sin[2*(c + d*x)] + 8*A*Sin[3*(c + d*x)] + A*Sin[4*(c + d*x)]))/(32*d)

Maple [A] time = 0.095, size = 175, normalized size = 1.

$$\frac{Aa^3 \sin(dx + c) (\cos(dx + c))^3}{4d} + \frac{15 Aa^3 \sin(dx + c) \cos(dx + c)}{8d} + \frac{15 a^3 Ax}{8} + \frac{15 Aa^3 c}{8d} + \frac{a^3 C \sin(dx + c) \cos(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x)

[Out] 1/4/d*A*a^3*sin(d*x+c)*cos(d*x+c)^3+15/8/d*A*a^3*sin(d*x+c)*cos(d*x+c)+15/8*a^3*A*x+15/8/d*A*a^3*c+1/2/d*a^3*C*sin(d*x+c)*cos(d*x+c)+7/2*a^3*C*x+7/2/d*C*a^3*c+1/d*A*cos(d*x+c)^2*sin(d*x+c)*a^3+3*a^3*A*sin(d*x+c)/d+3*a^3*C*sin(d*x+c)/d+1/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.950342, size = 231, normalized size = 1.37

$$\frac{32 \left(\sin(dx + c)^3 - 3 \sin(dx + c) \right) Aa^3 - (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) Aa^3 - 24 (2 dx + 2 c + \sin(2 dx + 2 c)) Aa^3 - 8 (2 dx + 2 c + \sin(2 dx + 2 c)) C a^3 - 96 (dx + c) C a^3 - 16 C a^3 (\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) - 32 A a^3 \sin(dx + c) - 96 C a^3 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] -1/32*(32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3 - (12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^3 - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 - 8*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^3 - 96*(d*x + c)*C*a^3 - 16*C*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 32*A*a^3*sin(d*x + c) - 96*C*a^3*sin(d*x + c))/d

Fricas [A] time = 0.532458, size = 284, normalized size = 1.68

$$\frac{(15A + 28C)a^3 dx + 4Ca^3 \log(\sin(dx + c) + 1) - 4Ca^3 \log(-\sin(dx + c) + 1) + (2Aa^3 \cos(dx + c)^3 + 8Aa^3 \cos(dx + c)^2 + 15Aa^3 \cos(dx + c) + 24(A + C)a^3) \sin(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/8*((15*A + 28*C)*a^3*d*x + 4*C*a^3*log(sin(d*x + c) + 1) - 4*C*a^3*log(-sin(d*x + c) + 1) + (2*A*a^3*cos(d*x + c)^3 + 8*A*a^3*cos(d*x + c)^2 + (15*A + 4*C)*a^3*cos(d*x + c) + 24*(A + C)*a^3)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.29159, size = 288, normalized size = 1.7

$$8Ca^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 8Ca^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (15Aa^3 + 28Ca^3)(dx + c) + \frac{2\left(15Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15Aa^3\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/8*(8*C*a^3*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 8*C*a^3*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (15*A*a^3 + 28*C*a^3)*(d*x + c) + 2*(15*A*a^3*tan(1/2*d*x + 1/2*c) + 15*A*a^3))/d

$$\begin{aligned} & *x + 1/2*c)^7 + 20*C*a^3*\tan(1/2*d*x + 1/2*c)^7 + 55*A*a^3*\tan(1/2*d*x + 1/ \\ & 2*c)^5 + 68*C*a^3*\tan(1/2*d*x + 1/2*c)^5 + 73*A*a^3*\tan(1/2*d*x + 1/2*c)^3 \\ & + 76*C*a^3*\tan(1/2*d*x + 1/2*c)^3 + 49*A*a^3*\tan(1/2*d*x + 1/2*c) + 28*C*a^ \\ & 3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^4)/d \end{aligned}$$

3.109 $\int \cos^5(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=161

$$-\frac{a^3(13A + 20C) \sin^3(c + dx)}{60d} + \frac{a^3(13A + 20C) \sin(c + dx)}{5d} + \frac{3a^3(13A + 20C) \sin(c + dx) \cos(c + dx)}{40d} + \frac{1}{8}a^3x(13A + 20C)$$

[Out] (a^3*(13*A + 20*C)*x)/8 + (a^3*(13*A + 20*C)*Sin[c + d*x])/(5*d) + (3*a^3*(13*A + 20*C)*Cos[c + d*x]*Sin[c + d*x])/(40*d) + (3*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(5*d) - (a^3*(13*A + 20*C)*Sin[c + d*x]^3)/(60*d)

Rubi [A] time = 0.329812, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4087, 4013, 3791, 2637, 2635, 8, 2633}

$$-\frac{a^3(13A + 20C) \sin^3(c + dx)}{60d} + \frac{a^3(13A + 20C) \sin(c + dx)}{5d} + \frac{3a^3(13A + 20C) \sin(c + dx) \cos(c + dx)}{40d} + \frac{1}{8}a^3x(13A + 20C)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (a^3*(13*A + 20*C)*x)/8 + (a^3*(13*A + 20*C)*Sin[c + d*x])/(5*d) + (3*a^3*(13*A + 20*C)*Cos[c + d*x]*Sin[c + d*x])/(40*d) + (3*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(5*d) - (a^3*(13*A + 20*C)*Sin[c + d*x]^3)/(60*d)

Rule 4087

Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_))*(csc[(e_) + (f_)*(x_)]*(d_))^n*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4013

Int[(csc[(e_) + (f_)*(x_)]*(d_))^n*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> Simp[(A*Cot[

```
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^m_], x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n_], x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_.)]^n_], x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{5d} + \frac{\int \cos^4(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx}{5d} \\
&= \frac{3A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{20d} + \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^3}{20d} \\
&= \frac{3A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{20d} + \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^3}{20d} \\
&= \frac{1}{20} a^3 (13A + 20C)x + \frac{3A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{20d} \\
&= \frac{1}{20} a^3 (13A + 20C)x + \frac{3a^3 (13A + 20C) \sin(c + dx)}{20d} + \frac{3a^3 (13A + 20C) \cos^4(c + dx)}{20d} \\
&= \frac{1}{8} a^3 (13A + 20C)x + \frac{a^3 (13A + 20C) \sin(c + dx)}{5d} + \frac{3a^3 (13A + 20C) \cos^4(c + dx)}{20d}
\end{aligned}$$

Mathematica [A] time = 0.3213, size = 97, normalized size = 0.6

$$\frac{a^3(60(23A + 30C) \sin(c + dx) + 120(4A + 3C) \sin(2(c + dx)) + 170A \sin(3(c + dx)) + 45A \sin(4(c + dx)) + 6A \sin(5(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (a^3*(780*A*d*x + 1200*C*d*x + 60*(23*A + 30*C)*Sin[c + d*x] + 120*(4*A + 3*C)*Sin[2*(c + d*x)] + 170*A*Sin[3*(c + d*x)] + 40*C*Sin[3*(c + d*x)] + 45*A*Sin[4*(c + d*x)] + 6*A*Sin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.101, size = 197, normalized size = 1.2

$$\frac{1}{d} \left(\frac{Aa^3 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + 3Aa^3 \left(\frac{1}{4} ((\cos(dx + c))^3 + 3/2 \cos(dx + c)) \sin(dx + c) + \frac{1}{8} (\cos(dx + c))^4 + \frac{1}{4} \cos(dx + c) \right) + \frac{1}{3} a^3 C (2 + \cos(dx + c))^2 \sin(dx + c) + Aa^3 \left(\frac{1}{2} \cos(dx + c) \sin(dx + c) + \frac{1}{4} (\cos(dx + c))^4 + \frac{1}{4} \cos(dx + c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*(1/5*A*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+3*A*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+A*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a^3*C*(2+cos(d*x+c)^2)*sin(d*x+c)+A*a^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/4*(cos(d*x+c)^4+cos(d*x+c)))

$\sin(dx+c)+1/2*d*x+1/2*c)+3*a^3*C*(1/2*\cos(dx+c)*\sin(dx+c)+1/2*d*x+1/2*c)+3*a^3*C*\sin(dx+c)+a^3*C*(dx+c)$

Maxima [A] time = 0.944548, size = 257, normalized size = 1.6

$$\frac{32(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Aa^3 - 480(\sin(dx+c)^3 - 3 \sin(dx+c))Aa^3 + 45(12dx + 12c)Aa^3}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+a*sec(dx+c))^3*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{480}*(32*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*A*a^3 - 480*(\sin(dx+c)^3 - 3*\sin(dx+c))*A*a^3 + 45*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a^3 + 120*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^3 - 160*(\sin(dx+c)^3 - 3*\sin(dx+c))*C*a^3 + 360*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a^3 + 480*(dx+c)*C*a^3 + 1440*C*a^3*\sin(dx+c))/d$

Fricas [A] time = 0.503565, size = 266, normalized size = 1.65

$$\frac{15(13A + 20C)a^3dx + (24Aa^3 \cos(dx+c)^4 + 90Aa^3 \cos(dx+c)^3 + 8(19A + 5C)a^3 \cos(dx+c)^2 + 15(13A + 12C)a^3 \cos(dx+c) + 8(38A + 55C)a^3 \sin(dx+c))}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+a*sec(dx+c))^3*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{120}*(15*(13*A + 20*C)*a^3*d*x + (24*A*a^3*\cos(dx+c)^4 + 90*A*a^3*\cos(dx+c)^3 + 8*(19*A + 5*C)*a^3*\cos(dx+c)^2 + 15*(13*A + 12*C)*a^3*\cos(dx+c) + 8*(38*A + 55*C)*a^3*\sin(dx+c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.2349, size = 284, normalized size = 1.76

$$15(13Aa^3 + 20Ca^3)(dx + c) + \frac{2\left(195Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 300Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 910Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 1400Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 1664Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 2560Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1330Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2120Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 765Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 660Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^5} / d$$

120

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/120*(15*(13*A*a^3 + 20*C*a^3)*(d*x + c) + 2*(195*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 300*C*a^3*tan(1/2*d*x + 1/2*c)^9 + 910*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 1400*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 1664*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 2560*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 1330*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 2120*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 765*A*a^3*tan(1/2*d*x + 1/2*c) + 660*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5/d

3.110 $\int \cos^6(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=216

$$\frac{a^3(34A + 45C) \sin(c + dx)}{15d} + \frac{a^3(73A + 90C) \sin(c + dx) \cos^2(c + dx)}{120d} + \frac{a^3(23A + 30C) \sin(c + dx) \cos(c + dx)}{16d} + \frac{(31A + 30C) \cos^3(c + dx)}{120d} \quad (31A)$$

[Out] (a^3*(23*A + 30*C)*x)/16 + (a^3*(34*A + 45*C)*Sin[c + d*x])/(15*d) + (a^3*(23*A + 30*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^3*(73*A + 90*C)*Cos[c + d*x]^2*Sin[c + d*x])/(120*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(10*a*d) + ((31*A + 30*C)*Cos[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(120*d)

Rubi [A] time = 0.550766, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4087, 4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^3(34A + 45C) \sin(c + dx)}{15d} + \frac{a^3(73A + 90C) \sin(c + dx) \cos^2(c + dx)}{120d} + \frac{a^3(23A + 30C) \sin(c + dx) \cos(c + dx)}{16d} + \frac{(31A + 30C) \cos^3(c + dx)}{120d} \quad (31A)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (a^3*(23*A + 30*C)*x)/16 + (a^3*(34*A + 45*C)*Sin[c + d*x])/(15*d) + (a^3*(23*A + 30*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^3*(73*A + 90*C)*Cos[c + d*x]^2*Sin[c + d*x])/(120*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(10*a*d) + ((31*A + 30*C)*Cos[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(120*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^6(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx &= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{6d} + \frac{\int \cos^5(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx}{6d} \\
&= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{6d} + \frac{A\cos^4(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))}{6d} \\
&= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{6d} + \frac{A\cos^4(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))}{6d} \\
&= \frac{a^3(73A+90C)\cos^2(c+dx)\sin(c+dx)}{120d} + \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^3}{120d} \\
&= \frac{a^3(73A+90C)\cos^2(c+dx)\sin(c+dx)}{120d} + \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^3}{120d} \\
&= \frac{a^3(34A+45C)\sin(c+dx)}{15d} + \frac{a^3(23A+30C)\cos(c+dx)}{16d} \\
&= \frac{1}{16}a^3(23A+30C)x + \frac{a^3(34A+45C)\sin(c+dx)}{15d} + \frac{a^3(23A+30C)\cos(c+dx)}{16d}
\end{aligned}$$

Mathematica [A] time = 0.456372, size = 123, normalized size = 0.57

$$\frac{a^3(120(21A+26C)\sin(c+dx) + 15(63A+64C)\sin(2(c+dx)) + 380A\sin(3(c+dx)) + 135A\sin(4(c+dx)) + 36A\sin(5(c+dx)) + 5A\sin(6(c+dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (a^3*(900*A*c + 1380*A*d*x + 1800*C*d*x + 120*(21*A + 26*C)*Sin[c + d*x] + 15*(63*A + 64*C)*Sin[2*(c + d*x)] + 380*A*Ssin[3*(c + d*x)] + 240*C*Ssin[3*(c + d*x)] + 135*A*Ssin[4*(c + d*x)] + 30*C*Ssin[4*(c + d*x)] + 36*A*Ssin[5*(c + d*x)] + 5*A*Ssin[6*(c + d*x)]))/(960*d)

Maple [A] time = 0.134, size = 245, normalized size = 1.1

$$\frac{1}{d} \left(Aa^3 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + a^3C \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{d} \left(A a^3 \left(\frac{1}{6} \cos^5(d*x+c) + \frac{5}{4} \cos^3(d*x+c) + \frac{15}{8} \cos(d*x+c) \right) \sin(d*x+c) + \frac{5}{16} d x + \frac{5}{16} c \right) + a^3 C \left(\frac{1}{4} \cos^3(d*x+c) + \frac{3}{2} \cos(d*x+c) \right) \sin(d*x+c) + \frac{3}{8} d x + \frac{3}{8} c \right) + \frac{3}{5} A a^3 \left(\frac{8}{3} + \cos^4(d*x+c) + \frac{4}{3} \cos^2(d*x+c) \right) \sin(d*x+c) + a^3 C \left(2 + \cos^2(d*x+c) \right) \sin(d*x+c) + 3 A a^3 \left(\frac{1}{4} \cos^3(d*x+c) + \frac{3}{2} \cos(d*x+c) \right) \sin(d*x+c) + \frac{3}{8} d x + \frac{3}{8} c \right) + 3 a^3 C \left(\frac{1}{2} \cos(d*x+c) \sin(d*x+c) + \frac{1}{2} d x + \frac{1}{2} c \right) + \frac{1}{3} A a^3 \left(2 + \cos^2(d*x+c) \right) \sin(d*x+c) + a^3 C \sin(d*x+c) \right)$

Maxima [A] time = 0.956301, size = 323, normalized size = 1.5

$$\frac{192 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) A a^3 - 5 \left(4 \sin(2dx+2c)^3 - 60 dx - 60 c - 9 \sin(4dx+4c) \right) A a^3}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{960} \left(192 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) A a^3 - 5 \left(4 \sin(2dx+2c)^3 - 60 dx - 60 c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c) \right) A a^3 - 320 \left(\sin^3(dx+c) - 3 \sin(dx+c) \right) A a^3 + 90 \left(12 dx + 12 c + \sin(4dx+4c) + 8 \sin(2dx+2c) \right) A a^3 - 960 \left(\sin^3(dx+c) - 3 \sin(dx+c) \right) C a^3 + 30 \left(12 dx + 12 c + \sin(4dx+4c) + 8 \sin(2dx+2c) \right) C a^3 + 720 \left(2 dx + 2 c + \sin(2dx+2c) \right) C a^3 + 960 C a^3 \sin(dx+c) \right) / d$

Fricas [A] time = 0.514645, size = 321, normalized size = 1.49

$$\frac{15 (23 A + 30 C) a^3 dx + \left(40 A a^3 \cos(dx+c)^5 + 144 A a^3 \cos(dx+c)^4 + 10 (23 A + 6 C) a^3 \cos(dx+c)^3 + 16 (17 A + 15 C) a^3 \cos(dx+c)^2 + 10 (23 A + 6 C) a^3 \cos(dx+c) + 16 (17 A + 15 C) a^3 \right)}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{240} \left(15 \left(23 A + 30 C \right) a^3 dx + \left(40 A a^3 \cos^5(dx+c) + 144 A a^3 \cos^4(dx+c) + 10 \left(23 A + 6 C \right) a^3 \cos^3(dx+c) + 16 \left(17 A + 15 C \right) a^3 \cos^2(dx+c) + 10 \left(23 A + 6 C \right) a^3 \cos(dx+c) + 16 \left(17 A + 15 C \right) a^3 \right) \right)$

$(d*x + c)^2 + 15*(23*A + 30*C)*a^3*\cos(d*x + c) + 16*(34*A + 45*C)*a^3*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.26057, size = 329, normalized size = 1.52

$15(23Aa^3 + 30Ca^3)(dx + c) + \frac{2(345Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 450Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 1955Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 2550Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 4554Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 5940Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 5814Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 7500Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 3165Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 5130Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 1575Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 1470Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c))}{(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + 1)^6}/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] $1/240*(15*(23*A*a^3 + 30*C*a^3)*(d*x + c) + 2*(345*A*a^3*\tan(1/2*d*x + 1/2*c)^{11} + 450*C*a^3*\tan(1/2*d*x + 1/2*c)^{11} + 1955*A*a^3*\tan(1/2*d*x + 1/2*c)^9 + 2550*C*a^3*\tan(1/2*d*x + 1/2*c)^9 + 4554*A*a^3*\tan(1/2*d*x + 1/2*c)^7 + 5940*C*a^3*\tan(1/2*d*x + 1/2*c)^7 + 5814*A*a^3*\tan(1/2*d*x + 1/2*c)^5 + 7500*C*a^3*\tan(1/2*d*x + 1/2*c)^5 + 3165*A*a^3*\tan(1/2*d*x + 1/2*c)^3 + 5130*C*a^3*\tan(1/2*d*x + 1/2*c)^3 + 1575*A*a^3*\tan(1/2*d*x + 1/2*c) + 1470*C*a^3*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^6)/d$

3.111 $\int \sec^2(c+dx)(a+a \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=228

$$\frac{8a^4(14A + 11C) \tan^3(c + dx)}{105d} + \frac{16a^4(14A + 11C) \tan(c + dx)}{35d} + \frac{a^4(14A + 11C) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{a^4(14A + 11C)}{d}$$

```
[Out] (a^4*(14*A + 11*C)*ArcTanh[Sin[c + d*x]])/(4*d) + (16*a^4*(14*A + 11*C)*Tan
[c + d*x])/(35*d) + (27*a^4*(14*A + 11*C)*Sec[c + d*x]*Tan[c + d*x])/(140*d
) + (a^4*(14*A + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(70*d) + ((21*A + 4*C)*
(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(105*d) + (C*Sec[c + d*x]^2*(a + a*Sec
[c + d*x])^4*Tan[c + d*x])/(7*d) + (2*C*(a + a*Sec[c + d*x])^5*Tan[c + d*x]
)/(21*a*d) + (8*a^4*(14*A + 11*C)*Tan[c + d*x]^3)/(105*d)
```

Rubi [A] time = 0.481239, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4089, 4010, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{8a^4(14A + 11C) \tan^3(c + dx)}{105d} + \frac{16a^4(14A + 11C) \tan(c + dx)}{35d} + \frac{a^4(14A + 11C) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{a^4(14A + 11C)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^4*(14*A + 11*C)*ArcTanh[Sin[c + d*x]])/(4*d) + (16*a^4*(14*A + 11*C)*Tan
[c + d*x])/(35*d) + (27*a^4*(14*A + 11*C)*Sec[c + d*x]*Tan[c + d*x])/(140*d
) + (a^4*(14*A + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(70*d) + ((21*A + 4*C)*
(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(105*d) + (C*Sec[c + d*x]^2*(a + a*Sec
[c + d*x])^4*Tan[c + d*x])/(7*d) + (2*C*(a + a*Sec[c + d*x])^5*Tan[c + d*x]
)/(21*a*d) + (8*a^4*(14*A + 11*C)*Tan[c + d*x]^3)/(105*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.
))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := -Simp[(C*
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_))^(m_), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
```

IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
\int \sec^2(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx &= \frac{C\sec^2(c+dx)(a+a\sec(c+dx))^4\tan(c+dx)}{7d} + \int \sec^2(c+dx)(a+a\sec(c+dx))^4 dx \\
&= \frac{C\sec^2(c+dx)(a+a\sec(c+dx))^4\tan(c+dx)}{7d} + \frac{2C(a+a\sec(c+dx))^4}{7d} \\
&= \frac{(21A+4C)(a+a\sec(c+dx))^4\tan(c+dx)}{105d} + \frac{C\sec^2(c+dx)(a+a\sec(c+dx))^4}{105d} \\
&= \frac{(21A+4C)(a+a\sec(c+dx))^4\tan(c+dx)}{105d} + \frac{C\sec^2(c+dx)(a+a\sec(c+dx))^4}{105d} \\
&= \frac{2a^4(14A+11C)\tanh^{-1}(\sin(c+dx))}{35d} + \frac{6a^4(14A+11C)}{35d} \\
&= \frac{8a^4(14A+11C)\tanh^{-1}(\sin(c+dx))}{35d} + \frac{16a^4(14A+11C)}{35d} \\
&= \frac{a^4(14A+11C)\tanh^{-1}(\sin(c+dx))}{4d} + \frac{16a^4(14A+11C)}{35d}
\end{aligned}$$

Mathematica [A] time = 4.9479, size = 419, normalized size = 1.84

$$\frac{a^4(\cos(c+dx)+1)^4\sec^8\left(\frac{1}{2}(c+dx)\right)\sec^7(c+dx)(A\cos^2(c+dx)+C)\left(6720(14A+11C)\cos^7(c+dx)\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

```

[Out] -(a^4*(1 + Cos[c + d*x])^4*(C + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]^8*Sec[c + d*x]^7*(6720*(14*A + 11*C)*Cos[c + d*x]^7*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - Sec[c]*(560*(91*A + 83*C)*Sin[d*x] - 140*(217*A + 122*C)*Sin[2*c + d*x] + 10710*A*Sin[c + 2*d*x] + 16415*C*Sin[c + 2*d*x] + 10710*A*Sin[3*c + 2*d*x] + 16415*C*Sin[3*c + 2*d*x] + 41244*A*Sin[2*c + 3*d*x] + 37296*C*Sin[2*c + 3*d*x] - 7560*A*Sin[4*c + 3*d*x] - 840*C*Sin[4*c + 3*d*x] + 7560*A*Sin[3*c + 4*d*x] + 7700*C*Sin[3*c + 4*d*x] + 7560*A*Sin[5*c + 4*d*x] + 7700*C*Sin[5*c + 4*d*x] + 15848*A*Sin[4*c + 5*d*x] + 12712*C*Sin[4*c + 5*d*x] - 420*A*Sin[6*c + 5*d*x] + 1470*A*Sin[5*c + 6*d*x] + 1155*C*Sin[5*c + 6*d*x] + 1470*A*Sin[7*c + 6*d*x] +

```

$$\frac{1155C \sin[7c + 6dx] + 2324A \sin[6c + 7dx] + 1816C \sin[6c + 7dx]}{(215040d(A + 2C + A \cos[2(c + dx)]))}$$

Maple [A] time = 0.065, size = 303, normalized size = 1.3

$$\frac{83 A a^4 \tan(dx + c)}{15d} + \frac{454 a^4 C \tan(dx + c)}{105d} + \frac{227 a^4 C \tan(dx + c) (\sec(dx + c))^2}{105d} + \frac{7 A a^4 \sec(dx + c) \tan(dx + c)}{2d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)`

[Out] $83/15/d*A*a^4*\tan(dx+c)+454/105/d*a^4*C*\tan(dx+c)+227/105/d*a^4*C*\tan(dx+c)*\sec(dx+c)^2+7/2/d*A*a^4*\sec(dx+c)*\tan(dx+c)+7/2/d*A*a^4*\ln(\sec(dx+c)+\tan(dx+c))+11/6/d*a^4*C*\tan(dx+c)*\sec(dx+c)^3+11/4/d*a^4*C*\sec(dx+c)*\tan(dx+c)+11/4/d*a^4*C*\ln(\sec(dx+c)+\tan(dx+c))+34/15/d*A*a^4*\tan(dx+c)*\sec(dx+c)^2+48/35/d*a^4*C*\tan(dx+c)*\sec(dx+c)^4+1/d*A*a^4*\tan(dx+c)*\sec(dx+c)^3+2/3/d*a^4*C*\tan(dx+c)*\sec(dx+c)^5+1/5/d*A*a^4*\tan(dx+c)*\sec(dx+c)^4+1/7/d*a^4*C*\tan(dx+c)*\sec(dx+c)^6$

Maxima [B] time = 0.965796, size = 624, normalized size = 2.74

$$56(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Aa^4 + 1680(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^4 + 24(5 \tan(dx + c)^7 + 21 \tan(dx + c)^5 + 35 \tan(dx + c)^3 + 35 \tan(dx + c))Ca^4 + 336(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Ca^4 + 280(\tan(dx + c)^3 + 3 \tan(dx + c))Ca^4 - 35Ca^4(2(15 \sin(dx + c)^5 - 40 \sin(dx + c)^3 + 33 \sin(dx + c))/(\sin(dx + c)^6 - 3 \sin(dx + c)^4 + 3 \sin(dx + c)^2 - 1) - 15 \log(\sin(dx + c) + 1) + 15 \log(\sin(dx + c) - 1)) - 210Aa^4(2(3 \sin(dx + c)^3 - 5 \sin(dx + c))/(\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1)) - 210Ca^4(2(3 \sin(dx + c)^3 - 5 \sin(dx + c))/(\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/840*(56*(3*\tan(dx + c)^5 + 10*\tan(dx + c)^3 + 15*\tan(dx + c))*A*a^4 + 1680*(\tan(dx + c)^3 + 3*\tan(dx + c))*A*a^4 + 24*(5*\tan(dx + c)^7 + 21*\tan(dx + c)^5 + 35*\tan(dx + c)^3 + 35*\tan(dx + c))*C*a^4 + 336*(3*\tan(dx + c)^5 + 10*\tan(dx + c)^3 + 15*\tan(dx + c))*C*a^4 + 280*(\tan(dx + c)^3 + 3*\tan(dx + c))*C*a^4 - 35*C*a^4*(2*(15*\sin(dx + c)^5 - 40*\sin(dx + c)^3 + 33*\sin(dx + c))/(\sin(dx + c)^6 - 3*\sin(dx + c)^4 + 3*\sin(dx + c)^2 - 1) - 15*\log(\sin(dx + c) + 1) + 15*\log(\sin(dx + c) - 1)) - 210*A*a^4*(2*(3*\sin(dx + c)^3 - 5*\sin(dx + c))/(\sin(dx + c)^4 - 2*\sin(dx + c)^2 + 1) - 3*\log(\sin(dx + c) + 1) + 3*\log(\sin(dx + c) - 1)) - 210*C*a^4*(2*(3*\sin(dx + c)^3 - 5*\sin(dx + c))/(\sin(dx + c)^4 - 2*\sin(dx + c)^2 + 1) - 3*\log(\sin(dx + c) + 1) + 3*\log(\sin(dx + c) - 1))$

$$\frac{d^3x + c - 5\sin(dx + c)}{(\sin(dx + c)^4 - 2\sin(dx + c)^2 + 1) - 3\log(\sin(dx + c) + 1) + 3\log(\sin(dx + c) - 1)} - \frac{840Aa^4(2\sin(dx + c))}{(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)} + \frac{840Aa^4\tan(dx + c)}{d}$$

Fricas [A] time = 0.542161, size = 531, normalized size = 2.33

$$105(14A + 11C)a^4 \cos(dx + c)^7 \log(\sin(dx + c) + 1) - 105(14A + 11C)a^4 \cos(dx + c)^7 \log(-\sin(dx + c) + 1) + 2(4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+a*sec(dx+c))^4*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{840} \cdot (105 \cdot (14A + 11C) \cdot a^4 \cdot \cos(dx + c)^7 \cdot \log(\sin(dx + c) + 1) - 105 \cdot (14A + 11C) \cdot a^4 \cdot \cos(dx + c)^7 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (4 \cdot (581A + 454C) \cdot a^4 \cdot \cos(dx + c)^6 + 105 \cdot (14A + 11C) \cdot a^4 \cdot \cos(dx + c)^5 + 4 \cdot (238A + 227C) \cdot a^4 \cdot \cos(dx + c)^4 + 70 \cdot (6A + 11C) \cdot a^4 \cdot \cos(dx + c)^3 + 12 \cdot (7A + 48C) \cdot a^4 \cdot \cos(dx + c)^2 + 280 \cdot C \cdot a^4 \cdot \cos(dx + c) + 60 \cdot C \cdot a^4 \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^7)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^4 \left(\int A \sec^2(c + dx) dx + \int 4A \sec^3(c + dx) dx + \int 6A \sec^4(c + dx) dx + \int 4A \sec^5(c + dx) dx + \int A \sec^6(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(a+a*sec(dx+c))**4*(A+C*sec(dx+c)**2),x)

[Out] $a^{**4} \cdot (\text{Integral}(A \cdot \sec(c + dx)^{**2}, x) + \text{Integral}(4A \cdot \sec(c + dx)^{**3}, x) + \text{Integral}(6A \cdot \sec(c + dx)^{**4}, x) + \text{Integral}(4A \cdot \sec(c + dx)^{**5}, x) + \text{Integral}(A \cdot \sec(c + dx)^{**6}, x) + \text{Integral}(C \cdot \sec(c + dx)^{**4}, x) + \text{Integral}(4C \cdot \sec(c + dx)^{**5}, x) + \text{Integral}(6C \cdot \sec(c + dx)^{**6}, x) + \text{Integral}(4C \cdot \sec(c + dx)^{**7}, x) + \text{Integral}(C \cdot \sec(c + dx)^{**8}, x))$

Giac [A] time = 1.26657, size = 424, normalized size = 1.86

$$105 (14 Aa^4 + 11 Ca^4) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 105 (14 Aa^4 + 11 Ca^4) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(1470 Aa^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/420*(105*(14*A*a^4 + 11*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 105*(14*A*a^4 + 11*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(1470*A*a^4*tan(1/2*d*x + 1/2*c)^13 + 1155*C*a^4*tan(1/2*d*x + 1/2*c)^13 - 9800*A*a^4*tan(1/2*d*x + 1/2*c)^11 - 7700*C*a^4*tan(1/2*d*x + 1/2*c)^11 + 27734*A*a^4*tan(1/2*d*x + 1/2*c)^9 + 21791*C*a^4*tan(1/2*d*x + 1/2*c)^9 - 43008*A*a^4*tan(1/2*d*x + 1/2*c)^7 - 33792*C*a^4*tan(1/2*d*x + 1/2*c)^7 + 39914*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 31521*C*a^4*tan(1/2*d*x + 1/2*c)^5 - 21560*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 14700*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 5250*A*a^4*tan(1/2*d*x + 1/2*c) + 5565*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^7/d

3.112 $\int \sec(c+dx)(a+a \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=188

$$\frac{2a^4(10A + 7C) \tan^3(c + dx)}{15d} + \frac{4a^4(10A + 7C) \tan(c + dx)}{5d} + \frac{7a^4(10A + 7C) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(10A + 7C) \tan}{4d}$$

[Out] (7*a^4*(10*A + 7*C)*ArcTanh[Sin[c + d*x]]/(16*d) + (4*a^4*(10*A + 7*C)*Tan[c + d*x])/(5*d) + (27*a^4*(10*A + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(80*d) + (a^4*(10*A + 7*C)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) - (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(30*d) + (C*(a + a*Sec[c + d*x])^5*Tan[c + d*x])/(6*a*d) + (2*a^4*(10*A + 7*C)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.302775, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4083, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{2a^4(10A + 7C) \tan^3(c + dx)}{15d} + \frac{4a^4(10A + 7C) \tan(c + dx)}{5d} + \frac{7a^4(10A + 7C) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(10A + 7C) \tan}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (7*a^4*(10*A + 7*C)*ArcTanh[Sin[c + d*x]]/(16*d) + (4*a^4*(10*A + 7*C)*Tan[c + d*x])/(5*d) + (27*a^4*(10*A + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(80*d) + (a^4*(10*A + 7*C)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) - (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(30*d) + (C*(a + a*Sec[c + d*x])^5*Tan[c + d*x])/(6*a*d) + (2*a^4*(10*A + 7*C)*Tan[c + d*x]^3)/(15*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a

+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3791

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_], x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^n_], x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_], x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx &= \frac{C(a+a\sec(c+dx))^5 \tan(c+dx)}{6ad} + \frac{\int \sec(c+dx)(a+a\sec(c+dx))^4 dx}{6ad} \\
&= -\frac{C(a+a\sec(c+dx))^4 \tan(c+dx)}{30d} + \frac{C(a+a\sec(c+dx))^4 \tan(c+dx)}{6ad} \\
&= -\frac{C(a+a\sec(c+dx))^4 \tan(c+dx)}{30d} + \frac{C(a+a\sec(c+dx))^4 \tan(c+dx)}{6ad} \\
&= -\frac{C(a+a\sec(c+dx))^4 \tan(c+dx)}{30d} + \frac{C(a+a\sec(c+dx))^4 \tan(c+dx)}{6ad} \\
&= \frac{a^4(10A+7C)\tanh^{-1}(\sin(c+dx))}{10d} + \frac{3a^4(10A+7C)\sec(c+dx)}{10d} \\
&= \frac{2a^4(10A+7C)\tanh^{-1}(\sin(c+dx))}{5d} + \frac{4a^4(10A+7C)\tan(c+dx)}{5d} \\
&= \frac{7a^4(10A+7C)\tanh^{-1}(\sin(c+dx))}{16d} + \frac{4a^4(10A+7C)\tan(c+dx)}{5d}
\end{aligned}$$

Mathematica [B] time = 3.45619, size = 387, normalized size = 2.06

$$a^4(\cos(c+dx)+1)^4 \sec^8\left(\frac{1}{2}(c+dx)\right) \sec^6(c+dx) (A \cos^2(c+dx) + C) \left(3360(10A+7C) \cos^6(c+dx) \left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] $-(a^4(1 + \cos(c+dx))^4(C + A\cos^2(c+dx))\sec^8\left(\frac{c+dx}{2}\right)\sec^6(c+dx)(3360(10A+7C)\cos^6(c+dx)(\log(\cos(\frac{c+dx}{2})) - \sin(\frac{c+dx}{2})) - \log(\cos(\frac{c+dx}{2}) + \sin(\frac{c+dx}{2}))) - \sec(c+dx)(-640(25A+18C)\sin(c) + 30(62A+125C)\sin(dx) + 1860A\sin(2c+dx) + 3750C\sin(2c+dx) + 17280A\sin(c+2dx) + 15360C\sin(c+2dx) - 6720A\sin(3c+2dx) - 1920C\sin(3c+2dx) + 2670A\sin(2c+3dx) + 3845C\sin(2c+3dx) + 2670A\sin(4c+3dx) + 3845C\sin(4c+3dx) + 8640A\sin(3c+4dx) + 6912C\sin(3c+4dx) - 960A\sin(5c+4dx) + 810A\sin(4c+5dx) + 735C\sin(4c+5dx) + 810A\sin(6c+5dx) + 735C\sin(6c+5dx) + 1600A\sin(5c+6dx) + 1152C\sin(5c+6dx)))/(61440d(A+2C+A\cos(2(c+dx))))$

Maple [A] time = 0.072, size = 258, normalized size = 1.4

$$\frac{35Aa^4 \ln(\sec(dx+c) + \tan(dx+c))}{8d} + \frac{49a^4C \sec(dx+c) \tan(dx+c)}{16d} + \frac{49a^4C \ln(\sec(dx+c) + \tan(dx+c))}{16d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)`

[Out] $35/8/d*A*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+49/16/d*a^4*C*\sec(d*x+c)*\tan(d*x+c)+49/16/d*a^4*C*\ln(\sec(d*x+c)+\tan(d*x+c))+20/3/d*A*a^4*\tan(d*x+c)+24/5/d*a^4*C*\tan(d*x+c)+12/5/d*a^4*C*\tan(d*x+c)*\sec(d*x+c)^2+27/8/d*A*a^4*\sec(d*x+c)*\tan(d*x+c)+41/24/d*a^4*C*\tan(d*x+c)*\sec(d*x+c)^3+4/3/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^2+4/5/d*a^4*C*\tan(d*x+c)*\sec(d*x+c)^4+1/4/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^3+1/6/d*a^4*C*\tan(d*x+c)*\sec(d*x+c)^5$

Maxima [B] time = 0.964257, size = 606, normalized size = 3.22

$640(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^4 + 128(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ca^4 + 640(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^4 + 128(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ca^4 + 640(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^4 + 128(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ca^4$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/480*(640*(\tan(dx+c)^3 + 3*\tan(dx+c))*A*a^4 + 128*(3*\tan(dx+c)^5 + 10*\tan(dx+c)^3 + 15*\tan(dx+c))*C*a^4 + 640*(\tan(dx+c)^3 + 3*\tan(dx+c))*C*a^4 - 5*C*a^4*(2*(15*\sin(dx+c)^5 - 40*\sin(dx+c)^3 + 33*\sin(dx+c)))/(\sin(dx+c)^6 - 3*\sin(dx+c)^4 + 3*\sin(dx+c)^2 - 1) - 15*\log(\sin(dx+c) + 1) + 15*\log(\sin(dx+c) - 1)) - 30*A*a^4*(2*(3*\sin(dx+c)^3 - 5*\sin(dx+c)))/(\sin(dx+c)^4 - 2*\sin(dx+c)^2 + 1) - 3*\log(\sin(dx+c) + 1) + 3*\log(\sin(dx+c) - 1)) - 180*C*a^4*(2*(3*\sin(dx+c)^3 - 5*\sin(dx+c)))/(\sin(dx+c)^4 - 2*\sin(dx+c)^2 + 1) - 3*\log(\sin(dx+c) + 1) + 3*\log(\sin(dx+c) - 1)) - 720*A*a^4*(2*\sin(dx+c))/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 120*C*a^4*(2*\sin(dx+c))/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 480*A*a^4*\log(\sec(dx+c) + \tan(dx+c)) + 1920*A*a^4*\tan(dx+c))/d$

Fricas [A] time = 0.533052, size = 471, normalized size = 2.51

$105(10A + 7C)a^4 \cos(dx+c)^6 \log(\sin(dx+c) + 1) - 105(10A + 7C)a^4 \cos(dx+c)^6 \log(-\sin(dx+c) + 1) + 2(64(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^4 + 128(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ca^4 + 640(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^4 + 128(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ca^4 + 640(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^4 + 128(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ca^4$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{480} \cdot (105 \cdot (10A + 7C) \cdot a^4 \cdot \cos(dx + c)^6 \cdot \log(\sin(dx + c) + 1) - 105 \cdot (10A + 7C) \cdot a^4 \cdot \cos(dx + c)^6 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (64 \cdot (25A + 18C) \cdot a^4 \cdot \cos(dx + c)^5 + 15 \cdot (54A + 49C) \cdot a^4 \cdot \cos(dx + c)^4 + 64 \cdot (5A + 9C) \cdot a^4 \cdot \cos(dx + c)^3 + 10 \cdot (6A + 41C) \cdot a^4 \cdot \cos(dx + c)^2 + 192 \cdot C \cdot a^4 \cdot \cos(dx + c) + 40 \cdot C \cdot a^4) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^6)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^4 \left(\int A \sec(c + dx) dx + \int 4A \sec^2(c + dx) dx + \int 6A \sec^3(c + dx) dx + \int 4A \sec^4(c + dx) dx + \int A \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)

[Out] $a^{**4} \cdot (\text{Integral}(A \cdot \sec(c + d \cdot x), x) + \text{Integral}(4 \cdot A \cdot \sec(c + d \cdot x)^{**2}, x) + \text{Integral}(6 \cdot A \cdot \sec(c + d \cdot x)^{**3}, x) + \text{Integral}(4 \cdot A \cdot \sec(c + d \cdot x)^{**4}, x) + \text{Integral}(A \cdot \sec(c + d \cdot x)^{**5}, x) + \text{Integral}(C \cdot \sec(c + d \cdot x)^{**3}, x) + \text{Integral}(4 \cdot C \cdot \sec(c + d \cdot x)^{**4}, x) + \text{Integral}(6 \cdot C \cdot \sec(c + d \cdot x)^{**5}, x) + \text{Integral}(4 \cdot C \cdot \sec(c + d \cdot x)^{**6}, x) + \text{Integral}(C \cdot \sec(c + d \cdot x)^{**7}, x))$

Giac [A] time = 1.23798, size = 378, normalized size = 2.01

$$105 \left(10 A a^4 + 7 C a^4 \right) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 105 \left(10 A a^4 + 7 C a^4 \right) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(1050 A a^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{240} \cdot (105 \cdot (10A \cdot a^4 + 7C \cdot a^4) \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) + 1)) - 105 \cdot (10A \cdot a^4 + 7C \cdot a^4) \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) - 1)) - 2 \cdot (1050 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c))) / (d \cdot \cos(dx + c)^6)$

$$\begin{aligned} & /2*d*x + 1/2*c)^{11} + 735*C*a^4*\tan(1/2*d*x + 1/2*c)^{11} - 5950*A*a^4*\tan(1/2 \\ & *d*x + 1/2*c)^9 - 4165*C*a^4*\tan(1/2*d*x + 1/2*c)^9 + 13860*A*a^4*\tan(1/2*d \\ & *x + 1/2*c)^7 + 9702*C*a^4*\tan(1/2*d*x + 1/2*c)^7 - 16860*A*a^4*\tan(1/2*d*x \\ & + 1/2*c)^5 - 11802*C*a^4*\tan(1/2*d*x + 1/2*c)^5 + 10690*A*a^4*\tan(1/2*d*x \\ & + 1/2*c)^3 + 7355*C*a^4*\tan(1/2*d*x + 1/2*c)^3 - 2790*A*a^4*\tan(1/2*d*x + 1 \\ & /2*c) - 3105*C*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^6)/d \end{aligned}$$

3.113 $\int (a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=177

$$\frac{a^4(10A + 7C) \tan(c + dx)}{2d} + \frac{a^4(12A + 7C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(5A + 7C) \tan(c + dx) (a^2 \sec(c + dx) + a^2)^2}{15d} + \frac{(8A + 7C) (a^4 + a^4 \sec^2(c + dx)) \tan(c + dx)}{6d}$$

[Out] a^4*A*x + (a^4*(12*A + 7*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a^4*(10*A + 7*C)*Tan[c + d*x])/(2*d) + (a*C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(5*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*d) + ((5*A + 7*C)*(a^2 + a^2*Sec[c + d*x])^2*Tan[c + d*x])/(15*d) + ((8*A + 7*C)*(a^4 + a^4*Sec[c + d*x])*Tan[c + d*x])/(6*d)

Rubi [A] time = 0.294305, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {4055, 3917, 3914, 3767, 8, 3770}

$$\frac{a^4(10A + 7C) \tan(c + dx)}{2d} + \frac{a^4(12A + 7C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(5A + 7C) \tan(c + dx) (a^2 \sec(c + dx) + a^2)^2}{15d} + \frac{(8A + 7C) (a^4 + a^4 \sec^2(c + dx)) \tan(c + dx)}{6d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2),x]

[Out] a^4*A*x + (a^4*(12*A + 7*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a^4*(10*A + 7*C)*Tan[c + d*x])/(2*d) + (a*C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(5*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*d) + ((5*A + 7*C)*(a^2 + a^2*Sec[c + d*x])^2*Tan[c + d*x])/(15*d) + ((8*A + 7*C)*(a^4 + a^4*Sec[c + d*x])*Tan[c + d*x])/(6*d)

Rule 4055

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3917

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1) + c*(a + b*Csc[e + f*x])^m]/(d + c), x]

1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3914

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} + \frac{\int (a + a \sec(c + dx))^4 (5aA + 4aC) dx}{5a} \\
&= \frac{aC(a + a \sec(c + dx))^3 \tan(c + dx)}{5d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= \frac{aC(a + a \sec(c + dx))^3 \tan(c + dx)}{5d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= \frac{aC(a + a \sec(c + dx))^3 \tan(c + dx)}{5d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= a^4 Ax + \frac{aC(a + a \sec(c + dx))^3 \tan(c + dx)}{5d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= a^4 Ax + \frac{a^4(12A + 7C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC(a + a \sec(c + dx))^3 \tan(c + dx)}{5d} \\
&= a^4 Ax + \frac{a^4(12A + 7C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^4(10A + 7C) \tan(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 2.9184, size = 418, normalized size = 2.36

$$a^4(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) (A \cos^2(c + dx) + C) \left(\sec(c)(-780A \sin(2c + dx) + 120A \sin(c + 2d))\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (a^4*(1 + Cos[c + d*x])^4*(C + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]^8*Sec[c + d*x]^5*(-240*(12*A + 7*C)*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c]*(150*A*d*x*Cos[d*x] + 150*A*d*x*Cos[2*c + d*x] + 75*A*d*x*Cos[2*c + 3*d*x] + 75*A*d*x*Cos[4*c + 3*d*x] + 15*A*d*x*Cos[4*c + 5*d*x] + 15*A*d*x*Cos[6*c + 5*d*x] + 120*A*Sin[d*x] + 1180*C*Sin[d*x] - 780*A*Sin[2*c + d*x] - 480*C*Sin[2*c + d*x] + 120*A*Sin[c + 2*d*x] + 330*C*Sin[c + 2*d*x] + 120*A*Sin[3*c + 2*d*x] + 330*C*Sin[3*c + 2*d*x] + 820*A*Sin[2*c + 3*d*x] + 800*C*Sin[2*c + 3*d*x] - 180*A*Sin[4*c + 3*d*x] - 30*C*Sin[4*c + 3*d*x] + 60*A*Sin[3*c + 4*d*x] + 105*C*Sin[3*c + 4*d*x] + 60*A*Sin[5*c + 4*d*x] + 105*C*Sin[5*c + 4*d*x] + 200*A*Sin[4*c + 5*d*x] + 166*C*Sin[4*c + 5*d*x]))/(3840*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.066, size = 226, normalized size = 1.3

$$a^4 Ax + \frac{Aa^4 c}{d} + \frac{83 a^4 C \tan(dx + c)}{15d} + 6 \frac{Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{7 a^4 C \sec(dx + c) \tan(dx + c)}{2d} + \frac{7 a^4 C \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)

[Out] a^4*A*x+1/d*A*a^4*c+83/15/d*a^4*C*tan(d*x+c)+6/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+7/2/d*a^4*C*sec(d*x+c)*tan(d*x+c)+7/2/d*a^4*C*ln(sec(d*x+c)+tan(d*x+c))+20/3/d*A*a^4*tan(d*x+c)+34/15/d*a^4*C*tan(d*x+c)*sec(d*x+c)^2+2/d*A*a^4*sec(d*x+c)*tan(d*x+c)+1/d*a^4*C*tan(d*x+c)*sec(d*x+c)^3+1/3/d*A*a^4*tan(d*x+c)*sec(d*x+c)^2+1/5/d*a^4*C*tan(d*x+c)*sec(d*x+c)^4

Maxima [A] time = 0.955568, size = 416, normalized size = 2.35

$$20(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^4 + 60(dx + c)Aa^4 + 4(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Ca^4 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/60*(20*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^4 + 60*(d*x + c)*A*a^4 + 4*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*a^4 + 120*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^4 - 15*C*a^4*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c)))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 60*A*a^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 60*C*a^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 240*A*a^4*log(sec(d*x + c) + tan(d*x + c)) + 360*A*a^4*tan(d*x + c) + 60*C*a^4*tan(d*x + c))/d

Fricas [A] time = 0.539463, size = 452, normalized size = 2.55

$$60 Aa^4 dx \cos(dx + c)^5 + 15(12A + 7C)a^4 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(12A + 7C)a^4 \cos(dx + c)^5 \log(-\sin(dx + c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{60}*(60*A*a^4*d*x*\cos(d*x + c)^5 + 15*(12*A + 7*C)*a^4*\cos(d*x + c)^5*\log(\sin(d*x + c) + 1) - 15*(12*A + 7*C)*a^4*\cos(d*x + c)^5*\log(-\sin(d*x + c) + 1) + 2*(2*(100*A + 83*C)*a^4*\cos(d*x + c)^4 + 15*(4*A + 7*C)*a^4*\cos(d*x + c)^3 + 2*(5*A + 34*C)*a^4*\cos(d*x + c)^2 + 30*C*a^4*\cos(d*x + c) + 6*C*a^4)*\sin(d*x + c))/(d*\cos(d*x + c)^5)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^4 \left(\int A dx + \int 4A \sec(c + dx) dx + \int 6A \sec^2(c + dx) dx + \int 4A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int C \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)

[Out] $a^{**4}*(\text{Integral}(A, x) + \text{Integral}(4*A*\sec(c + d*x), x) + \text{Integral}(6*A*\sec(c + d*x)**2, x) + \text{Integral}(4*A*\sec(c + d*x)**3, x) + \text{Integral}(A*\sec(c + d*x)**4, x) + \text{Integral}(C*\sec(c + d*x)**2, x) + \text{Integral}(4*C*\sec(c + d*x)**3, x) + \text{Integral}(6*C*\sec(c + d*x)**4, x) + \text{Integral}(4*C*\sec(c + d*x)**5, x) + \text{Integral}(C*\sec(c + d*x)**6, x))$

Giac [A] time = 1.25417, size = 347, normalized size = 1.96

$$30(dx + c)Aa^4 + 15(12Aa^4 + 7Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(12Aa^4 + 7Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{30}*(30*(d*x + c)*A*a^4 + 15*(12*A*a^4 + 7*C*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 15*(12*A*a^4 + 7*C*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(150*A*a^4*\tan(1/2*d*x + 1/2*c)^9 + 105*C*a^4*\tan(1/2*d*x + 1/2*c)^9 - 680)$

$$\frac{A^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 490C^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 1180A^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 896C^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 920A^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 790C^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 270A^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 375C^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 - 1} \frac{1}{d}$$

3.114 $\int \cos(c+dx)(a+a \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=181

$$\frac{5a^4(4A + 7C) \tan(c + dx)}{8d} + \frac{a^4(52A + 35C) \tanh^{-1}(\sin(c + dx))}{8d} - \frac{(12A - 7C) \tan(c + dx) (a^2 \sec(c + dx) + a^2)^2}{12d}$$

```
[Out] 4*a^4*A*x + (a^4*(52*A + 35*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (A*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/d + (5*a^4*(4*A + 7*C)*Tan[c + d*x])/(8*d) - (a*(4*A - C)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*d) - ((12*A - 7*C)*(a^2 + a^2*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) - ((12*A - 35*C)*(a^4 + a^4*Sec[c + d*x])*Tan[c + d*x])/(24*d)
```

Rubi [A] time = 0.341742, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4087, 3917, 3914, 3767, 8, 3770}

$$\frac{5a^4(4A + 7C) \tan(c + dx)}{8d} + \frac{a^4(52A + 35C) \tanh^{-1}(\sin(c + dx))}{8d} - \frac{(12A - 7C) \tan(c + dx) (a^2 \sec(c + dx) + a^2)^2}{12d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] 4*a^4*A*x + (a^4*(52*A + 35*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (A*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/d + (5*a^4*(4*A + 7*C)*Tan[c + d*x])/(8*d) - (a*(4*A - C)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*d) - ((12*A - 7*C)*(a^2 + a^2*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) - ((12*A - 35*C)*(a^4 + a^4*Sec[c + d*x])*Tan[c + d*x])/(24*d)
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 3917

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3914

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} + \frac{\int (a + a \sec(c + dx))^4}{4} \\
&= \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{a(4A - C)(a + a \sec(c + dx))^4}{4} \\
&= \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{a(4A - C)(a + a \sec(c + dx))^4}{4} \\
&= \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{a(4A - C)(a + a \sec(c + dx))^4}{4} \\
&= 4a^4 Ax + \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{a(4A - C)(a + a \sec(c + dx))^4}{4} \\
&= 4a^4 Ax + \frac{a^4(52A + 35C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{A(a + a \sec(c + dx))^4}{4} \\
&= 4a^4 Ax + \frac{a^4(52A + 35C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{A(a + a \sec(c + dx))^4}{4}
\end{aligned}$$

Mathematica [B] time = 2.45913, size = 379, normalized size = 2.09

$$a^4 \sec^8\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^4 (A \cos^2(c + dx) + C) \left(\sec(c)(24A \sin(2c + dx) + 288A \sin(c + 2dx) - 96A \sin(3c + 2dx) + 30A \sin(2c + 3dx) + 81C \sin(2c + 3dx) + 30A \sin(4c + 3dx) + 81C \sin(4c + 3dx) + 96A \sin(3c + 4dx) + 160C \sin(3c + 4dx) + 6A \sin(4c + 5dx) + 6A \sin(6c + 5dx)) \right) / (1536d(A + 2C + A \cos[2(c + dx)]))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2),x]

[Out] (a^4*(C + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]^8*(1 + Sec[c + d*x])^4*(-24*(52*A + 35*C)*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c]*(288*A*d*x*Cos[c] + 192*A*d*x*Cos[c + 2*d*x] + 192*A*d*x*Cos[3*c + 2*d*x] + 48*A*d*x*Cos[3*c + 4*d*x] + 48*A*d*x*Cos[5*c + 4*d*x] - 288*A*Sin[c] - 480*C*Sin[c] + 24*A*Sin[d*x] + 105*C*Sin[d*x] + 24*A*Sin[2*c + d*x] + 105*C*Sin[2*c + d*x] + 288*A*Sin[c + 2*d*x] + 544*C*Sin[c + 2*d*x] - 96*A*Sin[3*c + 2*d*x] - 96*C*Sin[3*c + 2*d*x] + 30*A*Sin[2*c + 3*d*x] + 81*C*Sin[2*c + 3*d*x] + 30*A*Sin[4*c + 3*d*x] + 81*C*Sin[4*c + 3*d*x] + 96*A*Sin[3*c + 4*d*x] + 160*C*Sin[3*c + 4*d*x] + 6*A*Sin[4*c + 5*d*x] + 6*A*Sin[6*c + 5*d*x]))/(1536*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.112, size = 197, normalized size = 1.1

$$\frac{Aa^4 \sin(dx+c)}{d} + \frac{35a^4 C \ln(\sec(dx+c) + \tan(dx+c))}{8d} + 4a^4 Ax + 4 \frac{Aa^4 c}{d} + \frac{20a^4 C \tan(dx+c)}{3d} + \frac{13Aa^4 \ln(\sec(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)

[Out] 1/d*A*a^4*sin(d*x+c)+35/8/d*a^4*C*ln(sec(d*x+c)+tan(d*x+c))+4*a^4*A*x+4/d*A*a^4*c+20/3/d*a^4*C*tan(d*x+c)+13/2/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+27/8/d*a^4*C*sec(d*x+c)*tan(d*x+c)+4/d*A*a^4*tan(d*x+c)+4/3/d*a^4*C*tan(d*x+c)*sec(d*x+c)^2+1/2/d*A*a^4*sec(d*x+c)*tan(d*x+c)+1/4/d*a^4*C*tan(d*x+c)*sec(d*x+c)^3

Maxima [A] time = 0.955576, size = 400, normalized size = 2.21

$$192(dx+c)Aa^4 + 64(\tan(dx+c)^3 + 3\tan(dx+c))Ca^4 - 3Ca^4 \left(\frac{2(3\sin(dx+c)^3 - 5\sin(dx+c))}{\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1} - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/48*(192*(d*x + c)*A*a^4 + 64*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^4 - 3*C*a^4*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*A*a^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 72*C*a^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 144*A*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 24*C*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 48*A*a^4*sin(d*x + c) + 192*A*a^4*tan(d*x + c) + 192*C*a^4*tan(d*x + c))/d

Fricas [A] time = 0.546793, size = 437, normalized size = 2.41

$$192Aa^4 dx \cos(dx+c)^4 + 3(52A + 35C)a^4 \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 3(52A + 35C)a^4 \cos(dx+c)^4 \log(-\sin(dx+c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{48} \cdot (192 \cdot A \cdot a^4 \cdot d \cdot x \cdot \cos(d \cdot x + c)^4 + 3 \cdot (52 \cdot A + 35 \cdot C) \cdot a^4 \cdot \cos(d \cdot x + c)^4 \cdot \log(\sin(d \cdot x + c) + 1) - 3 \cdot (52 \cdot A + 35 \cdot C) \cdot a^4 \cdot \cos(d \cdot x + c)^4 \cdot \log(-\sin(d \cdot x + c) + 1) + 2 \cdot (24 \cdot A \cdot a^4 \cdot \cos(d \cdot x + c)^4 + 32 \cdot (3 \cdot A + 5 \cdot C) \cdot a^4 \cdot \cos(d \cdot x + c)^3 + 3 \cdot (4 \cdot A + 27 \cdot C) \cdot a^4 \cdot \cos(d \cdot x + c)^2 + 32 \cdot C \cdot a^4 \cdot \cos(d \cdot x + c) + 6 \cdot C \cdot a^4) \cdot \sin(d \cdot x + c)) / (d \cdot \cos(d \cdot x + c)^4)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.31122, size = 342, normalized size = 1.89

$$96(dx+c)Aa^4 + \frac{48Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 3(52Aa^4 + 35Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(52Aa^4 + 35Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{24} \cdot (96 \cdot (d \cdot x + c) \cdot A \cdot a^4 + 48 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1) + 3 \cdot (52 \cdot A \cdot a^4 + 35 \cdot C \cdot a^4) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) - 3 \cdot (52 \cdot A \cdot a^4 + 35 \cdot C \cdot a^4) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) - 2 \cdot (84 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 105 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 276 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 385 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 300 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 511 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 108 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (d \cdot \cos(d \cdot x + c)^4)$

$$c) - 279 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^4 / d$$

3.115 $\int \cos^2(c+dx)(a+a \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=192

$$\frac{5a^4(A-2C)\sin(c+dx)}{2d} + \frac{2a^4(2A+3C)\tanh^{-1}(\sin(c+dx))}{d} - \frac{(A-2C)\sin(c+dx)(a^2\sec(c+dx)+a^2)^2}{2d} + \frac{(3A+2C)(a^4+a^4\sec^2(c+dx))\sin(c+dx)}{6d}$$

```
[Out] (a^4*(13*A + 2*C)*x)/2 + (2*a^4*(2*A + 3*C)*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(A - 2*C)*Sin[c + d*x])/(2*d) - (a*(3*A - 2*C)*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(2*d) - ((A - 2*C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((3*A + 2*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(6*d)
```

Rubi [A] time = 0.527648, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4087, 4018, 3996, 3770}

$$\frac{5a^4(A-2C)\sin(c+dx)}{2d} + \frac{2a^4(2A+3C)\tanh^{-1}(\sin(c+dx))}{d} - \frac{(A-2C)\sin(c+dx)(a^2\sec(c+dx)+a^2)^2}{2d} + \frac{(3A+2C)(a^4+a^4\sec^2(c+dx))\sin(c+dx)}{6d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^4*(13*A + 2*C)*x)/2 + (2*a^4*(2*A + 3*C)*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(A - 2*C)*Sin[c + d*x])/(2*d) - (a*(3*A - 2*C)*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(2*d) - ((A - 2*C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((3*A + 2*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(6*d)
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{2d} + \frac{\int \cos(c + dx) (a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx}{2d} \\
&= -\frac{a(3A - 2C)(a + a \sec(c + dx))^3 \sin(c + dx)}{6d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))^4}{6d} \\
&= -\frac{a(3A - 2C)(a + a \sec(c + dx))^3 \sin(c + dx)}{6d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))^4}{6d} \\
&= -\frac{a(3A - 2C)(a + a \sec(c + dx))^3 \sin(c + dx)}{6d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))^4}{6d} \\
&= \frac{5a^4(A - 2C) \sin(c + dx)}{2d} - \frac{a(3A - 2C)(a + a \sec(c + dx))^5}{6d} \\
&= \frac{1}{2}a^4(13A + 2C)x + \frac{5a^4(A - 2C) \sin(c + dx)}{2d} - \frac{a(3A - 2C)(a + a \sec(c + dx))^5}{6d} \\
&= \frac{1}{2}a^4(13A + 2C)x + \frac{2a^4(2A + 3C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^4(A - 2C) \sin(c + dx)}{2d} - \frac{a(3A - 2C)(a + a \sec(c + dx))^5}{6d}
\end{aligned}$$

Mathematica [B] time = 6.41151, size = 1420, normalized size = 7.4

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2),x]

[Out]
$$\begin{aligned} & ((13*A + 2*C)*x*\text{Cos}[c + d*x]^6*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4* \\ & (A + C*\text{Sec}[c + d*x]^2))/(16*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])) + ((-2*A - 3*C) \\ & *\text{Cos}[c + d*x]^6*\text{Log}[\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2]]*\text{Sec}[c/2 + (d*x) \\ &]/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + d*x]^2))/(4*d*(A + 2*C + A*\text{Cos} \\ & [2*c + 2*d*x])) + ((2*A + 3*C)*\text{Cos}[c + d*x]^6*\text{Log}[\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[\\ & c/2 + (d*x)/2]]*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + \\ & d*x]^2))/(4*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])) + (A*\text{Cos}[d*x]*\text{Cos}[c + d*x]^6* \\ & \text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + d*x]^2)*\text{Sin}[c])/ \\ & (2*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])) + (A*\text{Cos}[2*d*x]*\text{Cos}[c + d*x]^6*\text{Sec}[c/2 \\ & + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + d*x]^2)*\text{Sin}[2*c))/(32*d \\ & *(A + 2*C + A*\text{Cos}[2*c + 2*d*x])) + (A*\text{Cos}[c]*\text{Cos}[c + d*x]^6*\text{Sec}[c/2 + (d*x) \\ & /2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + d*x]^2)*\text{Sin}[d*x))/(2*d*(A + 2*C \\ & + A*\text{Cos}[2*c + 2*d*x])) + (A*\text{Cos}[2*c]*\text{Cos}[c + d*x]^6*\text{Sec}[c/2 + (d*x)/2]^8*(\\ & a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + d*x]^2)*\text{Sin}[2*d*x))/(32*d*(A + 2*C + A \\ & *\text{Cos}[2*c + 2*d*x])) + (C*\text{Cos}[c + d*x]^6*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + \\ & d*x])^4*(A + C*\text{Sec}[c + d*x]^2)*\text{Sin}[(d*x)/2))/(48*d*(A + 2*C + A*\text{Cos}[2*c + \\ & 2*d*x]))*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])^3) \\ & + (\text{Cos}[c + d*x]^6*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c \\ & + d*x]^2)*(13*C*\text{Cos}[c/2] - 11*C*\text{Sin}[c/2]))/(96*d*(A + 2*C + A*\text{Cos}[2*c + 2*d \\ & *x]))*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])^2) + (\\ & \text{Cos}[c + d*x]^6*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + d \\ & *x]^2)*(3*A*\text{Sin}[(d*x)/2] + 20*C*\text{Sin}[(d*x)/2]))/(24*d*(A + 2*C + A*\text{Cos}[2*c + \\ & 2*d*x]))*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])) + \\ & (C*\text{Cos}[c + d*x]^6*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c \\ & + d*x]^2)*\text{Sin}[(d*x)/2))/(48*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x]))*(\text{Cos}[c/2] + \text{S} \\ & \text{in}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])^3) + (\text{Cos}[c + d*x]^6*\text{Sec} \\ & [c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + d*x]^2)*(-13*C*\text{Cos}[\\ & c/2] - 11*C*\text{Sin}[c/2]))/(96*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x]))*(\text{Cos}[c/2] + \text{Sin} \\ & [c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])^2) + (\text{Cos}[c + d*x]^6*\text{Sec}[c \\ & /2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + d*x]^2)*(3*A*\text{Sin}[(d*x) \\ &]/2] + 20*C*\text{Sin}[(d*x)/2]))/(24*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x]))*(\text{Cos}[c/2] + \\ & \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])) \end{aligned}$$

Maple [A] time = 0.102, size = 189, normalized size = 1.

$$\frac{Aa^4 \cos(dx+c) \sin(dx+c)}{2d} + \frac{13a^4 Ax}{2} + \frac{13Aa^4 c}{2d} + a^4 Cx + \frac{Ca^4 c}{d} + 4 \frac{Aa^4 \sin(dx+c)}{d} + 6 \frac{a^4 C \ln(\sec(dx+c) + \tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)`

[Out] `1/2/d*A*a^4*cos(d*x+c)*sin(d*x+c)+13/2*a^4*A*x+13/2/d*A*a^4*c+a^4*C*x+1/d*C*a^4*c+4/d*A*a^4*sin(d*x+c)+6/d*a^4*C*ln(sec(d*x+c)+tan(d*x+c))+20/3/d*a^4*C*tan(d*x+c)+4/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+2/d*a^4*C*sec(d*x+c)*tan(d*x+c)+1/d*A*a^4*tan(d*x+c)+1/3/d*a^4*C*tan(d*x+c)*sec(d*x+c)^2`

Maxima [A] time = 0.953046, size = 285, normalized size = 1.48

$$3(2dx + 2c + \sin(2dx + 2c))Aa^4 + 72(dx + c)Aa^4 + 4(\tan(dx + c)^3 + 3 \tan(dx + c))Ca^4 + 12(dx + c)Ca^4 - 12Ca^4 \left(\frac{\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)}{\sin(dx + c)^2 - 1} + \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 24Aa^4(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 24Ca^4(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 48Aa^4 \sin(dx + c) + 12Aa^4 \tan(dx + c) + 72Ca^4 \tan(dx + c) \Big) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/12*(3*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^4 + 72*(d*x + c)*A*a^4 + 4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^4 + 12*(d*x + c)*C*a^4 - 12*C*a^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 24*A*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 24*C*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 48*A*a^4*sin(d*x + c) + 12*A*a^4*tan(d*x + c) + 72*C*a^4*tan(d*x + c))/d`

Fricas [A] time = 0.543052, size = 425, normalized size = 2.21

$$3(13A + 2C)a^4 dx \cos(dx + c)^3 + 6(2A + 3C)a^4 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 6(2A + 3C)a^4 \cos(dx + c)^3 \log(\sin(dx + c) - 1) + 24Aa^4(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 24Ca^4(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 48Aa^4 \sin(dx + c) + 12Aa^4 \tan(dx + c) + 72Ca^4 \tan(dx + c) \Big) / d$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 1/6*(3*(13*A + 2*C)*a^4*d*x*cos(d*x + c)^3 + 6*(2*A + 3*C)*a^4*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 6*(2*A + 3*C)*a^4*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + (3*A*a^4*cos(d*x + c)^4 + 24*A*a^4*cos(d*x + c)^3 + 2*(3*A + 20*C)*a^4*cos(d*x + c)^2 + 12*C*a^4*cos(d*x + c) + 2*C*a^4)*sin(d*x + c))/(d*cos(d*x + c)^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.26086, size = 335, normalized size = 1.74

$$3(13Aa^4 + 2Ca^4)(dx + c) + 12(2Aa^4 + 3Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 12(2Aa^4 + 3Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/6*(3*(13*A*a^4 + 2*C*a^4)*(d*x + c) + 12*(2*A*a^4 + 3*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 12*(2*A*a^4 + 3*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 6*(7*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 9*A*a^4*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2 - 4*(3*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 15*C*a^4*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 38*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 3*A*a^4*tan(1/2*d*x + 1/2*c) + 27*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3/d
```

3.116 $\int \cos^3(c+dx)(a+a \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=198

$$\frac{5a^4(2A - C) \sin(c + dx)}{2d} + \frac{a^4(2A + 13C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(2A - C) \sin(c + dx) (a^2 \sec(c + dx) + a^2)^2}{2d} - \frac{(4A - 9C)}{2d}$$

```
[Out] 2*a^4*(3*A + 2*C)*x + (a^4*(2*A + 13*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^4*(2*A - C)*Sin[c + d*x])/(2*d) + (2*a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(3*d) - ((2*A - C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((4*A - 9*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 0.546137, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4087, 4017, 4018, 3996, 3770}

$$\frac{5a^4(2A - C) \sin(c + dx)}{2d} + \frac{a^4(2A + 13C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(2A - C) \sin(c + dx) (a^2 \sec(c + dx) + a^2)^2}{2d} - \frac{(4A - 9C)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] 2*a^4*(3*A + 2*C)*x + (a^4*(2*A + 13*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^4*(2*A - C)*Sin[c + d*x])/(2*d) + (2*a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(3*d) - ((2*A - C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((4*A - 9*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(3*d)
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx &= \frac{A\cos^2(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{3d} + \frac{\int \cos^2(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx}{3d} \\
&= \frac{2aA\cos(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{3d} + \frac{A\cos^2(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))}{3d} \\
&= \frac{2aA\cos(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{3d} + \frac{A\cos^2(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))}{3d} \\
&= \frac{2aA\cos(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{3d} + \frac{A\cos^2(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))}{3d} \\
&= \frac{5a^4(2A-C)\sin(c+dx)}{2d} + \frac{2aA\cos(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{3d} \\
&= 2a^4(3A+2C)x + \frac{5a^4(2A-C)\sin(c+dx)}{2d} + \frac{2aA\cos(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{3d} \\
&= 2a^4(3A+2C)x + \frac{a^4(2A+13C)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{5a^4(2A-C)\sin(c+dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 6.21813, size = 1250, normalized size = 6.31

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] ((3*A + 2*C)*x*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2))/(4*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((-2*A - 13*C)*Cos[c + d*x]^6*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2))/(16*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((2*A + 13*C)*Cos[c + d*x]^6*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2))/(16*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((27*A + 4*C)*Cos[d*x]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[c])/ (32*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (A*Cos[2*d*x]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[2*c])/ (8*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (A*Cos[3*d*x]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[3*c])/ (96*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((27*A + 4*C)*Cos[c]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[d*x])/ (32*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (A*Cos[2*c]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[2*c])/ (32*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (A*Cos[3*c]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[3*c])/ (96*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((27*A + 4*C)*Cos[c]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[d*x])/ (32*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (A*Cos[2*c]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[2*c])/ (32*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (A*Cos[3*c]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[3*c])/ (96*d*(A + 2*C + A*Cos[2*c + 2*d*x]))

$$\begin{aligned} & \frac{\sec[c/2 + (d*x)/2]^8*(a + a*\sec[c + d*x])^4*(A + C*\sec[c + d*x]^2)*\sin[2*d*x]}{(8*d*(A + 2*C + A*\cos[2*c + 2*d*x]))} + \frac{(A*\cos[3*c]*\cos[c + d*x]^6*\sec[c/2 + (d*x)/2]^8*(a + a*\sec[c + d*x])^4*(A + C*\sec[c + d*x]^2)*\sin[3*d*x])}{(96*d*(A + 2*C + A*\cos[2*c + 2*d*x]))} + \frac{(C*\cos[c + d*x]^6*\sec[c/2 + (d*x)/2]^8*(a + a*\sec[c + d*x])^4*(A + C*\sec[c + d*x]^2))}{(32*d*(A + 2*C + A*\cos[2*c + 2*d*x])*(\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2])^2} + \frac{(C*\cos[c + d*x]^6*\sec[c/2 + (d*x)/2]^8*(a + a*\sec[c + d*x])^4*(A + C*\sec[c + d*x]^2)*\sin[(d*x)/2])}{(2*d*(A + 2*C + A*\cos[2*c + 2*d*x])*(\cos[c/2] - \sin[c/2])*(\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2]))} - \frac{(C*\cos[c + d*x]^6*\sec[c/2 + (d*x)/2]^8*(a + a*\sec[c + d*x])^4*(A + C*\sec[c + d*x]^2))}{(32*d*(A + 2*C + A*\cos[2*c + 2*d*x])*(\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2])^2} + \frac{(C*\cos[c + d*x]^6*\sec[c/2 + (d*x)/2]^8*(a + a*\sec[c + d*x])^4*(A + C*\sec[c + d*x]^2)*\sin[(d*x)/2])}{(2*d*(A + 2*C + A*\cos[2*c + 2*d*x])*(\cos[c/2] + \sin[c/2])*(\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2]))} \end{aligned}$$

Maple [A] time = 0.108, size = 190, normalized size = 1.

$$\frac{A(\cos(dx+c))^2 \sin(dx+c) a^4}{3d} + \frac{20 Aa^4 \sin(dx+c)}{3d} + \frac{a^4 C \sin(dx+c)}{d} + 2 \frac{Aa^4 \cos(dx+c) \sin(dx+c)}{d} + 6a^4 Ax +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x)

[Out] $\frac{1}{3}dA\cos(d*x+c)^2\sin(d*x+c)*a^4 + \frac{20}{3}dAa^4\sin(d*x+c) + \frac{1}{d}a^4C\sin(d*x+c) + \frac{2}{d}Aa^4\cos(d*x+c)\sin(d*x+c) + 6a^4Ax + \frac{6}{d}Aa^4c + \frac{4}{d}Aa^4C*x + \frac{4}{d}C*a^4c + \frac{13}{2}dAa^4C*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{4}{d}a^4C*\tan(d*x+c) + \frac{1}{d}Aa^4*13*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{1}{2}dAa^4C*\sec(d*x+c)*\tan(d*x+c)$

Maxima [A] time = 0.952799, size = 285, normalized size = 1.44

$$4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 12(2dx+2c+\sin(2dx+2c))Aa^4 - 48(dx+c)Aa^4 - 48(dx+c)Ca^4 + 3Ca^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

```
[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^4 - 12*(2*d*x + 2*c + sin(2*
d*x + 2*c))*A*a^4 - 48*(d*x + c)*A*a^4 - 48*(d*x + c)*C*a^4 + 3*C*a^4*(2*si
n(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c)
- 1)) - 6*A*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 36*C*a^4*
(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 72*A*a^4*sin(d*x + c) - 1
2*C*a^4*sin(d*x + c) - 48*C*a^4*tan(d*x + c))/d
```

Fricas [A] time = 0.547472, size = 432, normalized size = 2.18

$$24(3A + 2C)a^4 dx \cos(dx + c)^2 + 3(2A + 13C)a^4 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - 3(2A + 13C)a^4 \cos(dx + c)^2 \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
fricas")
```

```
[Out] 1/12*(24*(3*A + 2*C)*a^4*d*x*cos(d*x + c)^2 + 3*(2*A + 13*C)*a^4*cos(d*x +
c)^2*log(sin(d*x + c) + 1) - 3*(2*A + 13*C)*a^4*cos(d*x + c)^2*log(-sin(d*x
+ c) + 1) + 2*(2*A*a^4*cos(d*x + c)^4 + 12*A*a^4*cos(d*x + c)^3 + 2*(20*A
+ 3*C)*a^4*cos(d*x + c)^2 + 24*C*a^4*cos(d*x + c) + 3*C*a^4)*sin(d*x + c))/
(d*cos(d*x + c)^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.24505, size = 335, normalized size = 1.69

$$12(3Aa^4 + 2Ca^4)(dx + c) + 3(2Aa^4 + 13Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa^4 + 13Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
giac")
```

```
[Out] 1/6*(12*(3*A*a^4 + 2*C*a^4)*(d*x + c) + 3*(2*A*a^4 + 13*C*a^4)*log(abs(tan(
1/2*d*x + 1/2*c) + 1)) - 3*(2*A*a^4 + 13*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c
) - 1)) - 6*(7*C*a^4*tan(1/2*d*x + 1/2*c)^3 - 9*C*a^4*tan(1/2*d*x + 1/2*c))
/(tan(1/2*d*x + 1/2*c)^2 - 1)^2 + 4*(15*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 3*C*
a^4*tan(1/2*d*x + 1/2*c)^5 + 38*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 6*C*a^4*tan(
1/2*d*x + 1/2*c)^3 + 27*A*a^4*tan(1/2*d*x + 1/2*c) + 3*C*a^4*tan(1/2*d*x +
1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d
```

3.117 $\int \cos^4(c+dx)(a+a \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=200

$$\frac{5a^4(7A + 4C) \sin(c + dx)}{8d} - \frac{(35A - 12C) \sin(c + dx) (a^4 \sec(c + dx) + a^4)}{24d} + \frac{(7A + 4C) \sin(c + dx) \cos(c + dx) (a^2 \sec(c + dx) + a^2)}{8d}$$

```
[Out] (a^4*(35*A + 52*C)*x)/8 + (4*a^4*C*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(7*A + 4*C)*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*SIN[c + d*x])/(3*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^4*SIN[c + d*x])/(4*d) + ((7*A + 4*C)*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])^2*SIN[c + d*x])/(8*d) - ((35*A - 12*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(24*d)
```

Rubi [A] time = 0.573874, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4087, 4017, 4018, 3996, 3770}

$$\frac{5a^4(7A + 4C) \sin(c + dx)}{8d} - \frac{(35A - 12C) \sin(c + dx) (a^4 \sec(c + dx) + a^4)}{24d} + \frac{(7A + 4C) \sin(c + dx) \cos(c + dx) (a^2 \sec(c + dx) + a^2)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^4*(35*A + 52*C)*x)/8 + (4*a^4*C*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(7*A + 4*C)*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*SIN[c + d*x])/(3*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^4*SIN[c + d*x])/(4*d) + ((7*A + 4*C)*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])^2*SIN[c + d*x])/(8*d) - ((35*A - 12*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(24*d)
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017


```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{4d} + \frac{\int \cos^3(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx}{4d} \\
&= \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx))}{3d} \\
&= \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx))}{3d} \\
&= \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx))}{3d} \\
&= \frac{5a^4(7A + 4C) \sin(c + dx)}{8d} + \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx))}{3d} \\
&= \frac{1}{8}a^4(35A + 52C)x + \frac{5a^4(7A + 4C) \sin(c + dx)}{8d} + \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx))}{3d} \\
&= \frac{1}{8}a^4(35A + 52C)x + \frac{4a^4C \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^4(7A + 4C) \sin(c + dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 2.28263, size = 375, normalized size = 1.88

$$a^4 \cos^2(c + dx)(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left(A + C \sec^2(c + dx)\right) \left(\frac{96(7A+4C) \sin(c) \cos(dx)}{d} + \frac{24(7A+C) \sin(2c) \cos(2dx)}{d} + \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (a^4*Cos[c + d*x]^2*(1 + Cos[c + d*x])^4*Sec[(c + d*x)/2]^8*(A + C*Sec[c + d*x]^2)*(12*(35*A + 52*C)*x - (384*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (384*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (96*(7*A + 4*C)*Cos[d*x]*Sin[c])/d + (24*(7*A + C)*Cos[2*d*x]*Sin[2*c])/d + (32*A*Cos[3*d*x]*Sin[3*c])/d + (3*A*Cos[4*d*x]*Sin[4*c])/d + (96*(7*A + 4*C)*Cos[c]*Sin[d*x])/d + (24*(7*A + C)*Cos[2*c]*Sin[2*d*x])/d + (32*A*Cos[3*c]*Sin[3*d*x])/d + (3*A*Cos[4*c]*Sin[4*d*x])/d + (96*C*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (96*C*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(768*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.095, size = 191, normalized size = 1.

$$\frac{Aa^4 \sin(dx+c) (\cos(dx+c))^3}{4d} + \frac{27Aa^4 \cos(dx+c) \sin(dx+c)}{8d} + \frac{35a^4 Ax}{8} + \frac{35Aa^4 c}{8d} + \frac{a^4 C \sin(dx+c) \cos(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x)

[Out] 1/4/d*A*a^4*sin(d*x+c)*cos(d*x+c)^3+27/8/d*A*a^4*cos(d*x+c)*sin(d*x+c)+35/8*a^4*A*x+35/8/d*A*a^4*c+1/2/d*a^4*C*sin(d*x+c)*cos(d*x+c)+13/2*a^4*C*x+13/2/d*C*a^4*c+4/3/d*A*cos(d*x+c)^2*sin(d*x+c)*a^4+20/3/d*A*a^4*sin(d*x+c)+4/d*a^4*C*sin(d*x+c)+4/d*a^4*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^4*C*tan(d*x+c)

Maxima [A] time = 0.949653, size = 262, normalized size = 1.31

$$\frac{128(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^4 - 144(2dx + 2c + \sin(2dx + 2c))Aa^4 - 96(d*x + c)*A*a^4 - 24*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a^4 - 576*(d*x + c)*C*a^4 - 192*C*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) - 384*A*a^4*\sin(d*x + c) - 384*C*a^4*\sin(d*x + c) - 96*C*a^4*\tan(d*x + c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] -1/96*(128*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^4 - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^4 - 144*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^4 - 96*(d*x + c)*A*a^4 - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^4 - 576*(d*x + c)*C*a^4 - 192*C*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 384*A*a^4*sin(d*x + c) - 384*C*a^4*sin(d*x + c) - 96*C*a^4*tan(d*x + c))/d

Fricas [A] time = 0.548459, size = 408, normalized size = 2.04

$$\frac{3(35A + 52C)a^4 dx \cos(dx+c) + 48Ca^4 \cos(dx+c) \log(\sin(dx+c) + 1) - 48Ca^4 \cos(dx+c) \log(-\sin(dx+c) + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] $\frac{1}{24} \cdot (3 \cdot (35A + 52C) \cdot a^4 \cdot d \cdot x \cdot \cos(dx + c) + 48C \cdot a^4 \cdot \cos(dx + c) \cdot \log(\sin(dx + c) + 1) - 48C \cdot a^4 \cdot \cos(dx + c) \cdot \log(-\sin(dx + c) + 1) + (6A \cdot a^4 \cdot \cos(dx + c)^4 + 32A \cdot a^4 \cdot \cos(dx + c)^3 + 3 \cdot (27A + 4C) \cdot a^4 \cdot \cos(dx + c)^2 + 32 \cdot (5A + 3C) \cdot a^4 \cdot \cos(dx + c) + 24C \cdot a^4) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c))$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**4*(a+a*sec(dx+c))**4*(A+C*sec(dx+c)**2), x)`

[Out] Timed out

Giac [A] time = 1.27484, size = 329, normalized size = 1.64

$96Ca^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 96Ca^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{48Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} + 3(35Aa^4 + 52Ca^4)(dx + c)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^4*(a+a*sec(dx+c))^4*(A+C*sec(dx+c)^2), x, algorithm="giac")`

[Out] $\frac{1}{24} \cdot (96C \cdot a^4 \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) + 1)) - 96C \cdot a^4 \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) - 1)) - 48C \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) / (\tan(1/2 \cdot dx + 1/2 \cdot c)^2 - 1) + 3 \cdot (35A \cdot a^4 + 52C \cdot a^4) \cdot (dx + c) + 2 \cdot (105A \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 84C \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 385A \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 276C \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 511A \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 300C \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 279A \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + 108C \cdot a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)) / (\tan(1/2 \cdot dx + 1/2 \cdot c)^2 + 1)^4 / d$

3.118 $\int \cos^5(c+dx)(a+a \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=207

$$\frac{a^4(7A + 10C) \sin(c + dx)}{2d} + \frac{(7A + 5C) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{15d} + \frac{(7A + 8C) \sin(c + dx) \cos(c + dx)}{6d}$$

```
[Out] (a^4*(7*A + 12*C)*x)/2 + (a^4*C*ArcTanh[Sin[c + d*x]])/d + (a^4*(7*A + 10*C)
)*Sin[c + d*x]/(2*d) + (a*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c +
d*x]/(5*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*Sin[c + d*x]/(5*d)
+ ((7*A + 5*C)*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x]/(15*
d) + ((7*A + 8*C)*Cos[c + d*x]*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x]/(6*d)
```

Rubi [A] time = 0.551686, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4087, 4017, 3996, 3770}

$$\frac{a^4(7A + 10C) \sin(c + dx)}{2d} + \frac{(7A + 5C) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{15d} + \frac{(7A + 8C) \sin(c + dx) \cos(c + dx)}{6d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^4*(7*A + 12*C)*x)/2 + (a^4*C*ArcTanh[Sin[c + d*x]])/d + (a^4*(7*A + 10*C)
)*Sin[c + d*x]/(2*d) + (a*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c +
d*x]/(5*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*Sin[c + d*x]/(5*d)
+ ((7*A + 5*C)*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x]/(15*
d) + ((7*A + 8*C)*Cos[c + d*x]*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x]/(6*d)
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{5d} + \frac{\int \cos^4(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx}{5d} \\
&= \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{5d} + \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{5d} \\
&= \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{5d} + \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{5d} \\
&= \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{5d} + \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{5d} \\
&= \frac{a^4(7A + 10C) \sin(c + dx)}{2d} + \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{5d} \\
&= \frac{1}{2}a^4(7A + 12C)x + \frac{a^4(7A + 10C) \sin(c + dx)}{2d} + \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{5d} \\
&= \frac{1}{2}a^4(7A + 12C)x + \frac{a^4C \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^4(7A + 10C) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [A] time = 0.422612, size = 147, normalized size = 0.71

$$a^4 \left(30(49A + 54C) \sin(c + dx) + 240(2A + C) \sin(2(c + dx)) + 145A \sin(3(c + dx)) + 30A \sin(4(c + dx)) + 3A \sin(5(c + dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2),x]

[Out] (a^4*(840*A*d*x + 1440*C*d*x - 240*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 240*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 30*(49*A + 54*C)*Sin[c + d*x] + 240*(2*A + C)*Sin[2*(c + d*x)] + 145*A*Sin[3*(c + d*x)] + 20*C*Sin[3*(c + d*x)] + 30*A*Sin[4*(c + d*x)] + 3*A*Sin[5*(c + d*x)])/(240*d)

Maple [A] time = 0.132, size = 221, normalized size = 1.1

$$\frac{83 A a^4 \sin(dx + c)}{15 d} + \frac{A a^4 \sin(dx + c) (\cos(dx + c))^4}{5 d} + \frac{34 A (\cos(dx + c))^2 \sin(dx + c) a^4}{15 d} + \frac{C (\cos(dx + c))^2 \sin(dx + c) a^4}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)

[Out] 83/15/d*A*a^4*sin(d*x+c)+1/5/d*A*a^4*sin(d*x+c)*cos(d*x+c)^4+34/15/d*A*cos(d*x+c)^2*sin(d*x+c)*a^4+1/3/d*C*cos(d*x+c)^2*sin(d*x+c)*a^4+20/3/d*a^4*C*sin(d*x+c)+1/d*A*a^4*sin(d*x+c)*cos(d*x+c)^3+7/2/d*A*a^4*cos(d*x+c)*sin(d*x+c)+7/2*a^4*A*x+7/2/d*A*a^4*c+2/d*a^4*C*sin(d*x+c)*cos(d*x+c)+6*a^4*C*x+6/d*C*a^4*c+1/d*a^4*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.954818, size = 309, normalized size = 1.49

$$8 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) A a^4 - 240 \left(\sin(dx + c)^3 - 3 \sin(dx + c) \right) A a^4 + 15 (12 dx + 12 c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{120} \cdot (8 \cdot (3 \cdot \sin(dx + c))^5 - 10 \cdot \sin(dx + c)^3 + 15 \cdot \sin(dx + c)) \cdot A \cdot a^4 - 2 \cdot 40 \cdot (\sin(dx + c)^3 - 3 \cdot \sin(dx + c)) \cdot A \cdot a^4 + 15 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c)) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c) \cdot A \cdot a^4 + 120 \cdot (2 \cdot dx + 2 \cdot c + \sin(2 \cdot dx + 2 \cdot c)) \cdot A \cdot a^4 - 40 \cdot (\sin(dx + c)^3 - 3 \cdot \sin(dx + c)) \cdot C \cdot a^4 + 120 \cdot (2 \cdot dx + 2 \cdot c + \sin(2 \cdot dx + 2 \cdot c)) \cdot C \cdot a^4 + 480 \cdot (dx + c) \cdot C \cdot a^4 + 60 \cdot C \cdot a^4 \cdot (\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 120 \cdot A \cdot a^4 \cdot \sin(dx + c) + 720 \cdot C \cdot a^4 \cdot \sin(dx + c) / d$

Fricas [A] time = 0.551146, size = 351, normalized size = 1.7

$$\frac{15(7A + 12C)a^4 dx + 15Ca^4 \log(\sin(dx + c) + 1) - 15Ca^4 \log(-\sin(dx + c) + 1) + (6Aa^4 \cos(dx + c)^4 + 30Aa^4 \cos(dx + c)^3 + 2(34A + 5C)a^4 \cos(dx + c)^2 + 15(7A + 4C)a^4 \cos(dx + c) + 2(83A + 100C)a^4) \sin(dx + c)}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^5*(a+a*sec(dx+c))^4*(A+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{30} \cdot (15 \cdot (7 \cdot A + 12 \cdot C) \cdot a^4 \cdot dx + 15 \cdot C \cdot a^4 \cdot \log(\sin(dx + c) + 1) - 15 \cdot C \cdot a^4 \cdot \log(-\sin(dx + c) + 1) + (6 \cdot A \cdot a^4 \cdot \cos(dx + c)^4 + 30 \cdot A \cdot a^4 \cdot \cos(dx + c)^3 + 2 \cdot (34 \cdot A + 5 \cdot C) \cdot a^4 \cdot \cos(dx + c)^2 + 15 \cdot (7 \cdot A + 4 \cdot C) \cdot a^4 \cdot \cos(dx + c) + 2 \cdot (83 \cdot A + 100 \cdot C) \cdot a^4) \cdot \sin(dx + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**5*(a+a*sec(dx+c))**4*(A+C*sec(dx+c)**2),x)`

[Out] Timed out

Giac [A] time = 1.32693, size = 335, normalized size = 1.62

$$30Ca^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 30Ca^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 15(7Aa^4 + 12Ca^4)(dx + c) + \frac{2\left(105Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 105Aa^4\right)}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
giac")
```

```
[Out] 1/30*(30*C*a^4*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 30*C*a^4*log(abs(tan(1/
2*d*x + 1/2*c) - 1)) + 15*(7*A*a^4 + 12*C*a^4)*(d*x + c) + 2*(105*A*a^4*tan
(1/2*d*x + 1/2*c)^9 + 150*C*a^4*tan(1/2*d*x + 1/2*c)^9 + 490*A*a^4*tan(1/2*
d*x + 1/2*c)^7 + 680*C*a^4*tan(1/2*d*x + 1/2*c)^7 + 896*A*a^4*tan(1/2*d*x +
1/2*c)^5 + 1180*C*a^4*tan(1/2*d*x + 1/2*c)^5 + 790*A*a^4*tan(1/2*d*x + 1/2
*c)^3 + 920*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 375*A*a^4*tan(1/2*d*x + 1/2*c) +
270*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5)/d
```

3.119 $\int \cos^6(c+dx)(a+a \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=192

$$-\frac{2a^4(7A+10C)\sin^3(c+dx)}{15d} + \frac{4a^4(7A+10C)\sin(c+dx)}{5d} + \frac{a^4(7A+10C)\sin(c+dx)\cos^3(c+dx)}{40d} + \frac{27a^4(7A+10C)}{40d}$$

[Out] (7*a^4*(7*A + 10*C)*x)/16 + (4*a^4*(7*A + 10*C)*Sin[c + d*x])/(5*d) + (27*a^4*(7*A + 10*C)*Cos[c + d*x]*Sin[c + d*x])/(80*d) + (a^4*(7*A + 10*C)*Cos[c + d*x]^3*SIN[c + d*x])/(40*d) + (2*A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*SIN[c + d*x])/(15*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^4*SIN[c + d*x])/(6*d) - (2*a^4*(7*A + 10*C)*Sin[c + d*x]^3)/(15*d)

Rubi [A] time = 0.366457, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4087, 4013, 3791, 2637, 2635, 8, 2633}

$$-\frac{2a^4(7A+10C)\sin^3(c+dx)}{15d} + \frac{4a^4(7A+10C)\sin(c+dx)}{5d} + \frac{a^4(7A+10C)\sin(c+dx)\cos^3(c+dx)}{40d} + \frac{27a^4(7A+10C)}{40d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (7*a^4*(7*A + 10*C)*x)/16 + (4*a^4*(7*A + 10*C)*Sin[c + d*x])/(5*d) + (27*a^4*(7*A + 10*C)*Cos[c + d*x]*Sin[c + d*x])/(80*d) + (a^4*(7*A + 10*C)*Cos[c + d*x]^3*SIN[c + d*x])/(40*d) + (2*A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*SIN[c + d*x])/(15*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^4*SIN[c + d*x])/(6*d) - (2*a^4*(7*A + 10*C)*Sin[c + d*x]^3)/(15*d)

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] :> Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^6(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx &= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{6d} + \frac{\int \cos^5(c+dx)(a+a\sec(c+dx))^4(A+C\sec^2(c+dx))dx}{6d} \\
&= \frac{2A\cos^4(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{15d} + \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{15d} \\
&= \frac{2A\cos^4(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{15d} + \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{15d} \\
&= \frac{1}{10}a^4(7A+10C)x + \frac{2A\cos^4(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{15d} \\
&= \frac{1}{10}a^4(7A+10C)x + \frac{2a^4(7A+10C)\sin(c+dx)}{5d} + \frac{3a^4(7A+10C)\sin^2(c+dx)}{5d} \\
&= \frac{2}{5}a^4(7A+10C)x + \frac{4a^4(7A+10C)\sin(c+dx)}{5d} + \frac{27a^4(7A+10C)\sin^2(c+dx)}{5d} \\
&= \frac{7}{16}a^4(7A+10C)x + \frac{4a^4(7A+10C)\sin(c+dx)}{5d} + \frac{27a^4(7A+10C)\sin^2(c+dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 0.344172, size = 119, normalized size = 0.62

$$\frac{a^4(480(11A+14C)\sin(c+dx) + 15(127A+112C)\sin(2(c+dx)) + 720A\sin(3(c+dx)) + 225A\sin(4(c+dx)) + 48A\sin(5(c+dx)) + 5A\sin(6(c+dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (a^4*(2940*A*d*x + 4200*C*d*x + 480*(11*A + 14*C)*Sin[c + d*x] + 15*(127*A + 112*C)*Sin[2*(c + d*x)] + 720*A*Sin[3*(c + d*x)] + 320*C*Sin[3*(c + d*x)] + 225*A*Sin[4*(c + d*x)] + 30*C*Sin[4*(c + d*x)] + 48*A*Sin[5*(c + d*x)] + 5*A*Sin[6*(c + d*x)])/(960*d)

Maple [A] time = 0.118, size = 284, normalized size = 1.5

$$\frac{1}{d} \left(Aa^4 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{4Aa^4\sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x)

```
[Out] 1/d*(A*a^4*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+
5/16*d*x+5/16*c)+4/5*A*a^4*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+6
*A*a^4*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a^4*C*(
1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4/3*A*a^4*(2+co
s(d*x+c)^2)*sin(d*x+c)+4/3*a^4*C*(2+cos(d*x+c)^2)*sin(d*x+c)+A*a^4*(1/2*cos
(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+6*a^4*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*
x+1/2*c)+4*a^4*C*sin(d*x+c)+a^4*C*(d*x+c))
```

Maxima [A] time = 0.957015, size = 369, normalized size = 1.92

$$\frac{256 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) A a^4 - 5 \left(4 \sin(2dx + 2c)^3 - 60 dx - 60 c - 9 \sin(4dx + 4c) \right) A a^4}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
maxima")
```

```
[Out] 1/960*(256*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^4 -
5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*
x + 2*c))*A*a^4 - 1280*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^4 + 180*(12*d*
x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^4 + 240*(2*d*x + 2*c
+ sin(2*d*x + 2*c))*A*a^4 - 1280*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^4 +
30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^4 + 1440*(2*
d*x + 2*c + sin(2*d*x + 2*c))*C*a^4 + 960*(d*x + c)*C*a^4 + 3840*C*a^4*sin(
d*x + c))/d
```

Fricas [A] time = 0.511888, size = 319, normalized size = 1.66

$$\frac{105(7A + 10C)a^4 dx + \left(40 A a^4 \cos(dx + c)^5 + 192 A a^4 \cos(dx + c)^4 + 10(41A + 6C)a^4 \cos(dx + c)^3 + 64(9A + 5C)a^4 \cos(dx + c)^2 + 15(49A + 54C)a^4 \cos(dx + c) + 64(18A + 25C)a^4 \right) \sin(dx + c)}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
fricas")
```

```
[Out] 1/240*(105*(7*A + 10*C))*a^4*d*x + (40*A*a^4*cos(d*x + c)^5 + 192*A*a^4*cos(
d*x + c)^4 + 10*(41*A + 6*C))*a^4*cos(d*x + c)^3 + 64*(9*A + 5*C))*a^4*cos(d*
x + c)^2 + 15*(49*A + 54*C))*a^4*cos(d*x + c) + 64*(18*A + 25*C))*a^4)*sin(d*
```

$x + c)/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**4*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.24157, size = 329, normalized size = 1.71

$105(7Aa^4 + 10Ca^4)(dx + c) + \frac{2\left(735Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 1050Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 4165Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 5950Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 9702Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 13860Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 11802Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 16860Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 7355Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 10690Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3105Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2790Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^6}/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] $\frac{1}{240} * (105 * (7 * A * a^4 + 10 * C * a^4) * (d * x + c) + 2 * (735 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^{11} + 1050 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^{11} + 4165 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^9 + 5950 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^9 + 9702 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^7 + 13860 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^7 + 11802 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^5 + 16860 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^5 + 7355 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 10690 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 3105 * A * a^4 * \tan(1/2 * d * x + 1/2 * c) + 2790 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 + 1)^6) / d$

3.120 $\int \cos^7(c+dx)(a+a \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=254

$$\frac{a^4(454A + 581C) \sin(c + dx)}{105d} + \frac{a^4(247A + 308C) \sin(c + dx) \cos^2(c + dx)}{210d} + \frac{a^4(11A + 14C) \sin(c + dx) \cos(c + dx)}{4d} +$$

[Out] (a^4*(11*A + 14*C)*x)/4 + (a^4*(454*A + 581*C)*Sin[c + d*x])/(105*d) + (a^4*(11*A + 14*C)*Cos[c + d*x]*Sin[c + d*x])/(4*d) + (a^4*(247*A + 308*C)*Cos[c + d*x]^2*SIN[c + d*x])/(210*d) + (2*a*A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*SIN[c + d*x])/(21*d) + (A*Cos[c + d*x]^6*(a + a*Sec[c + d*x])^4*SIN[c + d*x])/(7*d) + ((8*A + 7*C)*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])^2*SIN[c + d*x])/(35*d) + ((109*A + 126*C)*Cos[c + d*x]^3*(a^4 + a^4*Sec[c + d*x])*SIN[c + d*x])/(210*d)

Rubi [A] time = 0.718647, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4087, 4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^4(454A + 581C) \sin(c + dx)}{105d} + \frac{a^4(247A + 308C) \sin(c + dx) \cos^2(c + dx)}{210d} + \frac{a^4(11A + 14C) \sin(c + dx) \cos(c + dx)}{4d} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^7*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (a^4*(11*A + 14*C)*x)/4 + (a^4*(454*A + 581*C)*Sin[c + d*x])/(105*d) + (a^4*(11*A + 14*C)*Cos[c + d*x]*Sin[c + d*x])/(4*d) + (a^4*(247*A + 308*C)*Cos[c + d*x]^2*SIN[c + d*x])/(210*d) + (2*a*A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*SIN[c + d*x])/(21*d) + (A*Cos[c + d*x]^6*(a + a*Sec[c + d*x])^4*SIN[c + d*x])/(7*d) + ((8*A + 7*C)*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])^2*SIN[c + d*x])/(35*d) + ((109*A + 126*C)*Cos[c + d*x]^3*(a^4 + a^4*Sec[c + d*x])*SIN[c + d*x])/(210*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,

C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] / ; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] / ; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] / ; FreeQ[a, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] / ; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^7(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^6(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{7d} + \frac{\int \cos^6(c + dx)(a + a \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx}{7d} \\
&= \frac{2aA \cos^5(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{21d} + \frac{A \cos^6(c + dx)(a + a \sec(c + dx))^4}{21d} \\
&= \frac{2aA \cos^5(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{21d} + \frac{A \cos^6(c + dx)(a + a \sec(c + dx))^4}{21d} \\
&= \frac{2aA \cos^5(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{21d} + \frac{A \cos^6(c + dx)(a + a \sec(c + dx))^4}{21d} \\
&= \frac{a^4(247A + 308C) \cos^2(c + dx) \sin(c + dx)}{210d} + \frac{2aA \cos^5(c + dx)(a + a \sec(c + dx))^3}{210d} \\
&= \frac{a^4(247A + 308C) \cos^2(c + dx) \sin(c + dx)}{210d} + \frac{2aA \cos^5(c + dx)(a + a \sec(c + dx))^3}{210d} \\
&= \frac{a^4(454A + 581C) \sin(c + dx)}{105d} + \frac{a^4(11A + 14C) \cos(c + dx)}{4d} \\
&= \frac{1}{4}a^4(11A + 14C)x + \frac{a^4(454A + 581C) \sin(c + dx)}{105d} + \frac{a^4(11A + 14C) \cos(c + dx)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.637744, size = 145, normalized size = 0.57

$$\frac{a^4(105(323A + 392C) \sin(c + dx) + 420(31A + 32C) \sin(2(c + dx)) + 5495A \sin(3(c + dx)) + 2100A \sin(4(c + dx)) + 840C \sin(4(c + dx)) + 651A \sin(5(c + dx)) + 84C \sin(5(c + dx)) + 140A \sin(6(c + dx)) + 15A \sin(7(c + dx)))}{6720d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^7*(a + a*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (a^4*(11760*A*c + 18480*A*d*x + 23520*C*d*x + 105*(323*A + 392*C)*Sin[c + d*x] + 420*(31*A + 32*C)*Sin[2*(c + d*x)] + 5495*A*Sin[3*(c + d*x)] + 4060*C*Sin[3*(c + d*x)] + 2100*A*Sin[4*(c + d*x)] + 840*C*Sin[4*(c + d*x)] + 651*A*Sin[5*(c + d*x)] + 84*C*Sin[5*(c + d*x)] + 140*A*Sin[6*(c + d*x)] + 15*A*Sin[7*(c + d*x)])/(6720*d)

Maple [A] time = 0.119, size = 322, normalized size = 1.3

$$\frac{1}{d} \left(\frac{Aa^4 \sin(dx + c)}{7} \left(\frac{16}{5} + (\cos(dx + c))^6 + \frac{6(\cos(dx + c))^4}{5} + \frac{8(\cos(dx + c))^2}{5} \right) + \frac{a^4 C \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^6 + \frac{6(\cos(dx + c))^4}{5} + \frac{8(\cos(dx + c))^2}{5} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^7*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{d} \left(\frac{1}{7} A a^4 (16/5 + \cos(d*x+c)^6 + 6/5 \cos(d*x+c)^4 + 8/5 \cos(d*x+c)^2) \sin(d*x+c) + \frac{1}{5} a^4 C (8/3 + \cos(d*x+c)^4 + 4/3 \cos(d*x+c)^2) \sin(d*x+c) + 4 A a^4 (1/6 (\cos(d*x+c)^5 + 5/4 \cos(d*x+c)^3 + 15/8 \cos(d*x+c)) \sin(d*x+c) + 5/16 d*x + 5/16 c) + 4 a^4 C (1/4 (\cos(d*x+c)^3 + 3/2 \cos(d*x+c)) \sin(d*x+c) + 3/8 d*x + 3/8 c) + 6/5 A a^4 (8/3 + \cos(d*x+c)^4 + 4/3 \cos(d*x+c)^2) \sin(d*x+c) + 2 a^4 C (2 + \cos(d*x+c)^2) \sin(d*x+c) + 4 A a^4 (1/4 (\cos(d*x+c)^3 + 3/2 \cos(d*x+c)) \sin(d*x+c) + 3/8 d*x + 3/8 c) + 4 a^4 C (1/2 \cos(d*x+c) \sin(d*x+c) + 1/2 d*x + 1/2 c) + 1/3 A a^4 (2 + \cos(d*x+c)^2) \sin(d*x+c) + a^4 C \sin(d*x+c) \right)$

Maxima [A] time = 0.956173, size = 431, normalized size = 1.7

$$\frac{48 \left(5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c) \right) A a^4 - 672 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 \right) C a^4}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{-1}{1680} \left(48 \left(5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c) \right) A a^4 - 672 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) C a^4 + 35 \left(4 \sin(2dx+2c)^3 - 60 dx - 60c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c) \right) A a^4 + 560 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) A a^4 - 210 \left(12 dx + 12c + \sin(4dx+4c) + 8 \sin(2dx+2c) \right) A a^4 - 11 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) C a^4 + 3360 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) C a^4 - 210 \left(12 dx + 12c + \sin(4dx+4c) + 8 \sin(2dx+2c) \right) C a^4 - 1680 \left(2 dx + 2c + \sin(2dx+2c) \right) C a^4 - 1680 C a^4 \sin(dx+c) \right) / d$

Fricas [A] time = 0.525151, size = 377, normalized size = 1.48

$$\frac{105 (11 A + 14 C) a^4 dx + \left(60 A a^4 \cos(dx+c)^6 + 280 A a^4 \cos(dx+c)^5 + 12 (48 A + 7 C) a^4 \cos(dx+c)^4 + 70 (11 A + 6 C) a^4 \cos(dx+c)^3 + 14 (4 A + 3 C) a^4 \cos(dx+c)^2 + 7 (11 A + 6 C) a^4 \cos(dx+c) + 7 C a^4 \right) dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{420}*(105*(11*A + 14*C)*a^4*d*x + (60*A*a^4*\cos(d*x + c)^6 + 280*A*a^4*\cos(d*x + c)^5 + 12*(48*A + 7*C)*a^4*\cos(d*x + c)^4 + 70*(11*A + 6*C)*a^4*\cos(d*x + c)^3 + 4*(227*A + 238*C)*a^4*\cos(d*x + c)^2 + 105*(11*A + 14*C)*a^4*\cos(d*x + c) + 4*(454*A + 581*C)*a^4)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**7*(a+a*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.25544, size = 375, normalized size = 1.48

$105(11Aa^4 + 14Ca^4)(dx + c) + \frac{2\left(1155Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{13} + 1470Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{13} + 7700Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 9800Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11}\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{420}*(105*(11*A*a^4 + 14*C*a^4)*(d*x + c) + 2*(1155*A*a^4*\tan(1/2*d*x + 1/2*c)^{13} + 1470*C*a^4*\tan(1/2*d*x + 1/2*c)^{13} + 7700*A*a^4*\tan(1/2*d*x + 1/2*c)^{11} + 9800*C*a^4*\tan(1/2*d*x + 1/2*c)^{11} + 21791*A*a^4*\tan(1/2*d*x + 1/2*c)^9 + 27734*C*a^4*\tan(1/2*d*x + 1/2*c)^9 + 33792*A*a^4*\tan(1/2*d*x + 1/2*c)^7 + 43008*C*a^4*\tan(1/2*d*x + 1/2*c)^7 + 31521*A*a^4*\tan(1/2*d*x + 1/2*c)^5 + 39914*C*a^4*\tan(1/2*d*x + 1/2*c)^5 + 14700*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 21560*C*a^4*\tan(1/2*d*x + 1/2*c)^3 + 5565*A*a^4*\tan(1/2*d*x + 1/2*c) + 5250*C*a^4*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^7)/d$

$$3.121 \quad \int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=165

$$-\frac{(3A+4C) \tan^3(c+dx)}{3ad} - \frac{(3A+4C) \tan(c+dx)}{ad} + \frac{3(4A+5C) \tanh^{-1}(\sin(c+dx))}{8ad} - \frac{(A+C) \tan(c+dx) \sec^4(c+dx)}{d(a \sec(c+dx)+a)}$$

[Out] (3*(4*A + 5*C)*ArcTanh[Sin[c + d*x]])/(8*a*d) - ((3*A + 4*C)*Tan[c + d*x])/ (a*d) + (3*(4*A + 5*C)*Sec[c + d*x]*Tan[c + d*x])/(8*a*d) + ((4*A + 5*C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*a*d) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((3*A + 4*C)*Tan[c + d*x]^3)/(3*a*d)

Rubi [A] time = 0.201955, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4085, 3787, 3767, 3768, 3770}

$$-\frac{(3A+4C) \tan^3(c+dx)}{3ad} - \frac{(3A+4C) \tan(c+dx)}{ad} + \frac{3(4A+5C) \tanh^{-1}(\sin(c+dx))}{8ad} - \frac{(A+C) \tan(c+dx) \sec^4(c+dx)}{d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (3*(4*A + 5*C)*ArcTanh[Sin[c + d*x]])/(8*a*d) - ((3*A + 4*C)*Tan[c + d*x])/ (a*d) + (3*(4*A + 5*C)*Sec[c + d*x]*Tan[c + d*x])/(8*a*d) + ((4*A + 5*C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*a*d) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((3*A + 4*C)*Tan[c + d*x]^3)/(3*a*d)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :=> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c + dx) (A + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A + C) \sec^4(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \sec^4(c + dx) (a(3A + 4C) - a(4A + 5C))}{a^2} \\
&= -\frac{(A + C) \sec^4(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(3A + 4C) \int \sec^4(c + dx) dx}{a} + \frac{(4A + 5C) \int \sec^2(c + dx) dx}{a} \\
&= \frac{(4A + 5C) \sec^3(c + dx) \tan(c + dx)}{4ad} - \frac{(A + C) \sec^4(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{(4A + 5C) \sec(c + dx)}{a} \\
&= -\frac{(3A + 4C) \tan(c + dx)}{ad} + \frac{3(4A + 5C) \sec(c + dx) \tan(c + dx)}{8ad} + \frac{(4A + 5C) \sec(c + dx)}{a} \\
&= \frac{3(4A + 5C) \tanh^{-1}(\sin(c + dx))}{8ad} - \frac{(3A + 4C) \tan(c + dx)}{ad} + \frac{3(4A + 5C) \sec(c + dx)}{a}
\end{aligned}$$

Mathematica [B] time = 6.3334, size = 792, normalized size = 4.8

$$\sec\left(\frac{c}{2}\right) \sec(c) \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^3(c + dx) \left(204A \sin\left(c - \frac{dx}{2}\right) - 60A \sin\left(c + \frac{dx}{2}\right) + 84A \sin\left(2c + \frac{dx}{2}\right) + 36A \sin\left(c + \frac{3dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (-3*(4*A + 5*C)*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*(A + C*Sec[c + d*x]^2))/(2*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (3*(4*A + 5*C)*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*(A + C*Sec[c + d*x]^2))/(2*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Cos[c/2 + (d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2)*(-60*A*Sin[(d*x)/2] - 75*C*Sin[(d*x)/2] - 60*A*Sin[(3*d*x)/2] - 91*C*Sin[(3*d*x)/2] + 204*A*Sin[c - (d*x)/2] + 219*C*Sin[c - (d*x)/2] - 60*A*Sin[c + (d*x)/2] + 21*C*Sin[c + (d*x)/2] + 84*A*Sin[2*c + (d*x)/2] + 165*C*Sin[2*c + (d*x)/2] + 36*A*Sin[c + (3*d*x)/2] + 5*C*Sin[c + (3*d*x)/2] + 36*A*Sin[2*c + (3*d*x)/2] + 69*C*Sin[2*c + (3*d*x)/2] + 132*A*Sin[3*c + (3*d*x)/2] + 165*C*Sin[3*c + (3*d*x)/2] - 156*A*Sin[c + (5*d*x)/2] - 211*C*Sin[c + (5*d*x)/2] - 60*A*Sin[2*c + (5*d*x)/2] - 115*C*Sin[2*c + (5*d*x)/2] - 60*A*Sin[3*c + (5*d*x)/2] - 51*C*Sin[3*c + (5*d*x)/2] + 36*A*Sin[4*c + (5*d*x)/2] + 45*C*Sin[4*c + (5*d*x)/2] - 12*A*Sin[2*c + (7*d*x)/2] - 19*C*Sin[2*c + (7*d*x)/2] + 12*A*Sin[3*c + (7*d*x)/2] + 5*C*Sin[3*c + (7*d*x)/2] + 12*A*Sin[4*c + (7*d*x)/2] + 21*C*Sin[4*c + (7*d*x)/2] + 36*A*Sin[5*c + (7*d*x)/2] + 45*C*Sin[5*c + (7*d*x)/2] - 48*A*Sin[3*c + (9*d*x)/2] - 64*C*Sin[3*c + (9*d*x)/2] - 24*A*Sin[4*c + (9*d*x)/2] - 40*C*Sin[4*c + (9*d*x)/2] - 24*A*Sin[5*c + (9*d*x)/2] - 24*C*Sin[5*c + (9*d*x)/2]))/(192*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]))

Maple [B] time = 0.068, size = 386, normalized size = 2.3

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{4ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-4} + \frac{5C}{6ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-3} - \frac{15C}{8ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] -1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*C*tan(1/2*d*x+1/2*c)-1/4/a/d*C/(tan(1/2*d*x+1/2*c)+1)^4+5/6/a/d*C/(tan(1/2*d*x+1/2*c)+1)^3-15/8/a/d/(tan(1/2*d*x+1/2*c)+1)^2*C-1/2/a/d/(tan(1/2*d*x+1/2*c)+1)^2*A+15/8/a/d*ln(tan(1/2*d*x+1/2*c)+1)*C+3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*A+25/8/a/d/(tan(1/2*d*x+1/2*c)+1)*C+3/2/a/d/(tan(1/2*d*x+1/2*c)+1)*A+1/4/a/d*C/(tan(1/2*d*x+1/2*c)-1)^4+5/6/a/d*C/(tan(1/2*d*x+1/2*c)-1)^3-15/8/a/d*ln(tan(1/2*d*x+1/2*c)-1)*C-3/2/a/d*ln

$(\tan(1/2*d*x+1/2*c)-1)*A+15/8/a/d/(\tan(1/2*d*x+1/2*c)-1)^2*C+1/2/a/d/(\tan(1/2*d*x+1/2*c)-1)^2*A+25/8/a/d/(\tan(1/2*d*x+1/2*c)-1)*C+3/2/a/d/(\tan(1/2*d*x+1/2*c)-1)*A$

Maxima [B] time = 0.956555, size = 551, normalized size = 3.34

$$C \left(\frac{2 \left(\frac{21 \sin(dx+c)}{\cos(dx+c)+1} - \frac{109 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{115 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{75 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a - \frac{4a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{6a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{4a \sin(dx+c)^6}{(\cos(dx+c)+1)^6} + \frac{a \sin(dx+c)^8}{(\cos(dx+c)+1)^8}} - \frac{45 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{45 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{24 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) + 12 A \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} \right)$$

$24 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] $-1/24*(C*(2*(21*\sin(d*x + c)/(\cos(d*x + c) + 1) - 109*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 115*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 75*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/(a - 4*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 6*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 - 4*a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + a*\sin(d*x + c)^8/(\cos(d*x + c) + 1)^8) - 45*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a + 45*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a + 24*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))) + 12*A*(2*(\sin(d*x + c)/(\cos(d*x + c) + 1) - 3*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a - 2*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) - 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a + 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a + 2*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d$

Fricas [A] time = 0.517481, size = 477, normalized size = 2.89

$$9 \left((4A + 5C) \cos(dx + c)^5 + (4A + 5C) \cos(dx + c)^4 \right) \log(\sin(dx + c) + 1) - 9 \left((4A + 5C) \cos(dx + c)^5 + (4A + 5C) \cos(dx + c)^4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] $1/48*(9*((4*A + 5*C)*\cos(d*x + c)^5 + (4*A + 5*C)*\cos(d*x + c)^4)*\log(\sin(d*x + c) + 1) - 9*((4*A + 5*C)*\cos(d*x + c)^5 + (4*A + 5*C)*\cos(d*x + c)^4)*$

$\log(-\sin(dx + c) + 1) - 2*(16*(3*A + 4*C)*\cos(dx + c)^4 + (12*A + 19*C)*\cos(dx + c)^3 - (12*A + 13*C)*\cos(dx + c)^2 + 2*C*\cos(dx + c) - 6*C*\sin(dx + c))/(a*d*\cos(dx + c)^5 + a*d*\cos(dx + c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^4(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^6(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c)),x)

[Out] (Integral(A*sec(c + dx)**4/(sec(c + dx) + 1), x) + Integral(C*sec(c + dx)**6/(sec(c + dx) + 1), x))/a

Giac [A] time = 1.21083, size = 288, normalized size = 1.75

$$\frac{9(4A+5C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{9(4A+5C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{24\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2\left(36A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7+75C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7\right)}{a}$$

24d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c)),x, algorithm="giac")

[Out] 1/24*(9*(4*A + 5*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - 9*(4*A + 5*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - 24*(A*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a + 2*(36*A*tan(1/2*d*x + 1/2*c)^7 + 75*C*tan(1/2*d*x + 1/2*c)^7 - 84*A*tan(1/2*d*x + 1/2*c)^5 - 115*C*tan(1/2*d*x + 1/2*c)^5 + 60*A*tan(1/2*d*x + 1/2*c)^3 + 109*C*tan(1/2*d*x + 1/2*c)^3 - 12*A*tan(1/2*d*x + 1/2*c) - 21*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^4*a)/d

$$3.122 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=133

$$\frac{(3A+4C) \tan^3(c+dx)}{3ad} + \frac{(3A+4C) \tan(c+dx)}{ad} - \frac{(2A+3C) \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{(A+C) \tan(c+dx) \sec^3(c+dx)}{d(a \sec(c+dx) + a)}$$

[Out] $-\frac{(2A+3C) \operatorname{ArcTanh}[\sin(c+dx)]}{2ad} + \frac{(3A+4C) \tan(c+dx)}{ad} - \frac{(2A+3C) \operatorname{ArcTanh}[\sin(c+dx)]}{2ad} - \frac{(A+C) \tan(c+dx) \sec^3(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(3A+4C) \tan^3(c+dx)}{3ad}$

Rubi [A] time = 0.178874, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4085, 3787, 3768, 3770, 3767}

$$\frac{(3A+4C) \tan^3(c+dx)}{3ad} + \frac{(3A+4C) \tan(c+dx)}{ad} - \frac{(2A+3C) \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{(A+C) \tan(c+dx) \sec^3(c+dx)}{d(a \sec(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\sec(c+dx))^3(A+C \sec(c+dx)^2)]/(a+a \sec(c+dx)), x]$

[Out] $-\frac{(2A+3C) \operatorname{ArcTanh}[\sin(c+dx)]}{2ad} + \frac{(3A+4C) \tan(c+dx)}{ad} - \frac{(2A+3C) \operatorname{ArcTanh}[\sin(c+dx)]}{2ad} - \frac{(A+C) \tan(c+dx) \sec^3(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(3A+4C) \tan^3(c+dx)}{3ad}$

Rule 4085

$\operatorname{Int}[(A + C) \cot(e + f x) (a + b \csc(e + f x))^m (d \csc(e + f x))^n] / (a^2 f (2m + 1) + b^2 f (2m + 1) d^n) \operatorname{Dist}[1 / (a^2 f (2m + 1) + b^2 f (2m + 1) d^n), \operatorname{Int}[(a + b \csc(e + f x))^{m+1} (d \csc(e + f x))^n \operatorname{Simp}[b C n + A b (2m + n + 1) - (a(A(m + n + 1) - C(m - n))] \csc(e + f x), x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :=> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx) (A + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A + C) \sec^3(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \sec^3(c + dx) (a(2A + 3C) - a(3A + 4C))}{a^2} \\ &= -\frac{(A + C) \sec^3(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(2A + 3C) \int \sec^3(c + dx) dx}{a} + \frac{(3A + 4C) \int \sec^3(c + dx) dx}{a} \\ &= -\frac{(2A + 3C) \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(A + C) \sec^3(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(2A + 3C) \int \sec^3(c + dx) dx}{a} \\ &= -\frac{(2A + 3C) \tanh^{-1}(\sin(c + dx))}{2ad} + \frac{(3A + 4C) \tan(c + dx)}{ad} - \frac{(2A + 3C) \sec(c + dx)}{a} \end{aligned}$$

Mathematica [B] time = 6.51847, size = 1090, normalized size = 8.2

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]
```

```
[Out] (2*(2*A + 3*C)*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*(A + C*Sec[c + d*x]^2))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (2*(2*A + 3*C)*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*(A + C*Sec[c + d*x]^2))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (4*Cos[c/2 + (d*x)/2]*Cos[c + d*x]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*(A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (2*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*Sin[(d*x)/2])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])^3) - (2*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*(C*Cos[c/2] - 2*C*Sin[c/2]))/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])^2) + (4*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*(3*A*Sin[(d*x)/2] + 5*C*Sin[(d*x)/2]))/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])) + (2*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*Sin[(d*x)/2])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^3) + (2*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*(C*Cos[c/2] + 2*C*Sin[c/2]))/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^2) + (4*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*(3*A*Sin[(d*x)/2] + 5*C*Sin[(d*x)/2]))/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]))
```

Maple [B] time = 0.061, size = 294, normalized size = 2.2

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{3ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-3} + \frac{C}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-2} - \frac{3C}{2ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)
```

```
[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)+1/a/d*C*tan(1/2*d*x+1/2*c)-1/3/a/d*C/(tan(1/2*d*x+1/2*c)+1)^3+1/a/d/(tan(1/2*d*x+1/2*c)+1)^2*C-3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*C-1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*A-5/2/a/d/(tan(1/2*d*x+1/2*c)+1)*C-1/a/d/(tan(1/2*d*x+1/2*c)+1)*A-1/3/a/d*C/(tan(1/2*d*x+1/2*c)-1)^3-1/a/d/(tan(1/2*d*x+1/2*c)-1)^2*C+3/2/a/d*ln(tan(1/2*d*x+1/2*c)-1)*C+1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*A-5/2/a/d/(tan(1/2*d*x+1/2*c)-1)*C-1/a/d/(tan(1/2*d*x+1/2*c)-1)*A
```

Maxima [B] time = 0.949656, size = 439, normalized size = 3.3

$$C \left(\frac{2 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a - \frac{3a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} - \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{6 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 6A \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} \right) \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/6*(C*(2*(9*sin(d*x + c)/(cos(d*x + c) + 1) - 16*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 15*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a - 3*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 - a*sin(d*x + c)^6/(cos(d*x + c) + 1)^6) - 9*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a + 9*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a + 6*sin(d*x + c)/(a*(cos(d*x + c) + 1))) - 6*A*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - 2*sin(d*x + c)/((a - a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d

Fricas [A] time = 0.519058, size = 429, normalized size = 3.23

$$\frac{3 \left((2A + 3C) \cos(dx + c)^4 + (2A + 3C) \cos(dx + c)^3 \right) \log(\sin(dx + c) + 1) - 3 \left((2A + 3C) \cos(dx + c)^4 + (2A + 3C) \cos(dx + c)^3 \right) \log(\sin(dx + c) - 1)}{12(ad \cos(dx + c)^4 + a^2d \cos(dx + c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] -1/12*(3*((2*A + 3*C)*cos(d*x + c)^4 + (2*A + 3*C)*cos(d*x + c)^3)*log(sin(d*x + c) + 1) - 3*((2*A + 3*C)*cos(d*x + c)^4 + (2*A + 3*C)*cos(d*x + c)^3)*log(-sin(d*x + c) + 1) - 2*(4*(3*A + 4*C)*cos(d*x + c)^3 + (6*A + 7*C)*cos(d*x + c)^2 - C*cos(d*x + c) + 2*C)*sin(d*x + c))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)**3/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.2242, size = 250, normalized size = 1.88

$$\frac{3(2A+3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{3(2A+3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{6\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2\left(6A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+15C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-12A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-16C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] -1/6*(3*(2*A + 3*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - 3*(2*A + 3*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - 6*(A*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a + 2*(6*A*tan(1/2*d*x + 1/2*c)^5 + 15*C*tan(1/2*d*x + 1/2*c)^3 - 12*A*tan(1/2*d*x + 1/2*c) - 16*C*tan(1/2*d*x + 1/2*c)^3 + 6*A*tan(1/2*d*x + 1/2*c) + 9*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^3*a))/d

$$3.123 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=107

$$-\frac{(A+2C) \tan(c+dx)}{ad} + \frac{(2A+3C) \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{(A+C) \tan(c+dx) \sec^2(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(2A+3C) \tan(c+dx)}{2ad}$$

[Out] $((2*A + 3*C)*ArcTanh[Sin[c + d*x]])/(2*a*d) - ((A + 2*C)*Tan[c + d*x])/(a*d) + ((2*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))$

Rubi [A] time = 0.166728, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 3787, 3767, 8, 3768, 3770}

$$-\frac{(A+2C) \tan(c+dx)}{ad} + \frac{(2A+3C) \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{(A+C) \tan(c+dx) \sec^2(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(2A+3C) \tan(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^2*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x]), x]$

[Out] $((2*A + 3*C)*ArcTanh[Sin[c + d*x]])/(2*a*d) - ((A + 2*C)*Tan[c + d*x])/(a*d) + ((2*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))$

Rule 4085

$\text{Int}[(A + C) \cot(e + f*x) (a + b \csc(e + f*x))^m (d \csc(e + f*x))^n] / (a*f*(2*m + 1)) + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b \csc(e + f*x))^{m+1} (d \csc(e + f*x))^n \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))] * \csc(e + f*x), x], x] /;$ FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

$\text{Int}[(\csc(e + f*x) + (f*x))^{n-1} (\csc(e + f*x) + (f*x))^{m-1} + (a)], x_Symbol] := \text{Dist}[a, \text{Int}[(d \csc(e + f*x))^n, x], x] + \text{Dist}[b/d, \text{Int}[(\csc(e + f*x) + (f*x))^{n-1} (\csc(e + f*x) + (f*x))^{m-1} + (a)], x]$

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> } \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \text{ :> } -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx) (A + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \sec^2(c + dx) (a(A + 2C) - a(2A + 3C))}{a^2} \\ &= -\frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A + 2C) \int \sec^2(c + dx) dx}{a} + \frac{(2A + 3C) \int \sec(c + dx) dx}{2a} \\ &= \frac{(2A + 3C) \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{(2A + 3C) \log(\cos(\frac{1}{2}(c + dx)))}{2a} \\ &= \frac{(2A + 3C) \tanh^{-1}(\sin(c + dx))}{2ad} - \frac{(A + 2C) \tan(c + dx)}{ad} + \frac{(2A + 3C) \sec(c + dx)}{2a} \end{aligned}$$

Mathematica [B] time = 3.01149, size = 316, normalized size = 2.95

$$\cos\left(\frac{1}{2}(c + dx)\right) \cos(c + dx) (A + C \sec^2(c + dx)) \left(\cos\left(\frac{1}{2}(c + dx)\right) \left(-2(2A + 3C) \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*(-4*(A + C)*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]*(-2*(2*A + 3*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 6*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + C/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - C/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 - (4*C*Sin[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))))/(a*d*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x]))

Maple [B] time = 0.059, size = 209, normalized size = 2.

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{2ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-2} + \frac{3C}{2ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-1} + \frac{3C}{2ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] -1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*C*tan(1/2*d*x+1/2*c)-1/2/a/d/(tan(1/2*d*x+1/2*c)+1)^2*C+3/2/a/d/(tan(1/2*d*x+1/2*c)+1)*C+3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*C+1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*A+1/2/a/d/(tan(1/2*d*x+1/2*c)-1)^2*C+3/2/a/d/(tan(1/2*d*x+1/2*c)-1)*C-3/2/a/d*ln(tan(1/2*d*x+1/2*c)-1)*C-1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*A

Maxima [B] time = 0.94444, size = 323, normalized size = 3.02

$$C \left(\frac{2 \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{2 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 2A \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} \right)$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")


```
[Out] -1/2*(C*(2*(sin(d*x + c)/(cos(d*x + c) + 1) - 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a - 2*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) - 3*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a + 3*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a + 2*sin(d*x + c)/(a*(cos(d*x + c) + 1))) - 2*A*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d
```

Fricas [A] time = 0.503715, size = 377, normalized size = 3.52

$$\frac{\left((2A + 3C) \cos(dx + c)^3 + (2A + 3C) \cos(dx + c)^2\right) \log(\sin(dx + c) + 1) - \left((2A + 3C) \cos(dx + c)^3 + (2A + 3C) \cos(dx + c)^2\right) \log(-\sin(dx + c) + 1) - 2 \left(2(A + 2C) \cos(dx + c)^2 + C \cos(dx + c) - C\right) \sin(dx + c)}{4 \left(ad \cos(dx + c)^3 + ad \cos(dx + c)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/4*(((2*A + 3*C)*cos(d*x + c)^3 + (2*A + 3*C)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - ((2*A + 3*C)*cos(d*x + c)^3 + (2*A + 3*C)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(2*(A + 2*C)*cos(d*x + c)^2 + C*cos(d*x + c) - C)*sin(d*x + c))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)
```

```
[Out] (Integral(A*sec(c + d*x)**2/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**4/(sec(c + d*x) + 1), x))/a
```

Giac [A] time = 1.22082, size = 176, normalized size = 1.64

$$\frac{\frac{(2A+3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{(2A+3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{2\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2\left(3C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 - 1\right)^2 a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*((2*A + 3*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - (2*A + 3*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - 2*(A*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a + 2*(3*C*tan(1/2*d*x + 1/2*c)^3 - C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a))/d

$$3.124 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=57

$$\frac{(A+C) \tan(c+dx)}{ad(\sec(c+dx)+1)} + \frac{C \tan(c+dx)}{ad} - \frac{C \tanh^{-1}(\sin(c+dx))}{ad}$$

[Out] -((C*ArcTanh[Sin[c + d*x]])/(a*d)) + (C*Tan[c + d*x])/(a*d) + ((A + C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rubi [A] time = 0.151981, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4083, 3998, 3770, 3794}

$$\frac{(A+C) \tan(c+dx)}{ad(\sec(c+dx)+1)} + \frac{C \tan(c+dx)}{ad} - \frac{C \tanh^{-1}(\sin(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] -((C*ArcTanh[Sin[c + d*x]])/(a*d)) + (C*Tan[c + d*x])/(a*d) + ((A + C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rule 4083

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= \frac{C \tan(c + dx)}{ad} + \frac{\int \frac{\sec(c+dx)(aA - aC \sec(c+dx))}{a + a \sec(c+dx)} dx}{a} \\ &= \frac{C \tan(c + dx)}{ad} - \frac{C \int \sec(c + dx) dx}{a} + (A + C) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx \\ &= -\frac{C \tanh^{-1}(\sin(c + dx))}{ad} + \frac{C \tan(c + dx)}{ad} + \frac{(A + C) \tan(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 1.79207, size = 227, normalized size = 3.98

$$\frac{4 \cos\left(\frac{1}{2}(c + dx)\right) \cos(c + dx) (A + C \sec^2(c + dx)) \left((A + C) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + C \cos\left(\frac{1}{2}(c + dx)\right) \right) \left(\frac{1}{(\cos(\frac{c}{2}) - \sin(\frac{c}{2}))(\sin(\frac{c}{2}) + \cos(\frac{c}{2}))} \right)}{ad(\sec(c + dx) - \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (4*Cos[(c + d*x)/2]*Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*((A + C)*Sec[c/2]*Sin[(d*x)/2] + C*Cos[(c + d*x)/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + Sin[d*x]/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))))/(a*d*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x]))

Maple [B] time = 0.051, size = 121, normalized size = 2.1

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-1} - \frac{C}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{C}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)`

[Out] $1/a/d*A*\tan(1/2*d*x+1/2*c)+1/a/d*C*\tan(1/2*d*x+1/2*c)-1/a/d/(\tan(1/2*d*x+1/2*c)+1)*C-1/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/a/d/(\tan(1/2*d*x+1/2*c)-1)*C+1/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*C$

Maxima [B] time = 0.940495, size = 194, normalized size = 3.4

$$C \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a} - \frac{2 \sin(dx+c)}{\left(a - \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - \frac{A \sin(dx+c)}{a(\cos(dx+c)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-(C*(\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a - \log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a - 2*\sin(d*x + c)/((a - a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - A*\sin(d*x + c)/(a*(\cos(d*x + c) + 1)))/d$

Fricas [A] time = 0.496646, size = 288, normalized size = 5.05

$$\frac{(C \cos(dx + c)^2 + C \cos(dx + c)) \log(\sin(dx + c) + 1) - (C \cos(dx + c)^2 + C \cos(dx + c)) \log(-\sin(dx + c) + 1) - 2(ad \cos(dx + c)^2 + ad \cos(dx + c))}{2(ad \cos(dx + c)^2 + ad \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] $-1/2*((C*\cos(d*x + c)^2 + C*\cos(d*x + c))*\log(\sin(d*x + c) + 1) - (C*\cos(d*x + c)^2 + C*\cos(d*x + c))*\log(-\sin(d*x + c) + 1) - 2*((A + 2*C)*\cos(d*x + c) + C)*\sin(d*x + c))/(a*d*\cos(d*x + c)^2 + a*d*\cos(d*x + c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.20918, size = 136, normalized size = 2.39

$$\frac{\frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} + \frac{2 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] -(C*log(abs(tan(1/2*d*x + 1/2*c) + 1)))/a - C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - (A*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a + 2*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a)/d

$$3.125 \quad \int \frac{A+C \sec^2(c+dx)}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=49

$$\frac{(A+C) \tan(c+dx)}{ad(\sec(c+dx)+1)} + \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c+dx))}{ad}$$

[Out] (A*x)/a + (C*ArcTanh[Sin[c + d*x]])/(a*d) - ((A + C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rubi [A] time = 0.107575, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {4051, 3770, 3919, 3794}

$$\frac{(A+C) \tan(c+dx)}{ad(\sec(c+dx)+1)} + \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x]), x]

[Out] (A*x)/a + (C*ArcTanh[Sin[c + d*x]])/(a*d) - ((A + C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rule 4051

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[C/b, Int[Csc[e + f*x], x], x] + Dist[1/b, Int[(A*b - a*C*Csc[e + f*x])/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -

a*d, 0]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{a + a \sec(c + dx)} dx &= \frac{\int \frac{aA - aC \sec(c + dx)}{a + a \sec(c + dx)} dx}{a} + \frac{C \int \sec(c + dx) dx}{a} \\ &= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{ad} + (-A - C) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx \\ &= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(A + C) \tan(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.435218, size = 143, normalized size = 2.92

$$\frac{4 \cos\left(\frac{1}{2}(c + dx)\right) \left(A \cos^2(c + dx) + C\right) \left((A + C) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) - \cos\left(\frac{1}{2}(c + dx)\right) \left(Adx - C \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{ad(\cos(c + dx) + 1)(A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x]), x]

[Out] (-4*Cos[(c + d*x)/2]*(C + A*Cos[c + d*x]^2)*(-(Cos[(c + d*x)/2]*(A*d*x - C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) + (A + C)*Sec[c/2]*Sin[(d*x)/2))/(a*d*(1 + Cos[c + d*x])*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.06, size = 98, normalized size = 2.

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \arctan(\tan(1/2 dx + c/2))}{ad} - \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) + \frac{C}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)`

[Out] $-1/a/d*A*\tan(1/2*d*x+1/2*c)+2/a/d*A*\arctan(\tan(1/2*d*x+1/2*c))-1/a/d*C*\tan(1/2*d*x+1/2*c)-1/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*C+1/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)*C$

Maxima [B] time = 1.40678, size = 169, normalized size = 3.45

$$\frac{A \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + C \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] $(A*(2*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) + C*(\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a - \log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d$

Fricas [A] time = 0.506627, size = 242, normalized size = 4.94

$$\frac{2 A dx \cos(dx + c) + 2 A dx + (C \cos(dx + c) + C) \log(\sin(dx + c) + 1) - (C \cos(dx + c) + C) \log(-\sin(dx + c) + 1) - 2(A + C) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/2*(2*A*d*x*\cos(d*x + c) + 2*A*d*x + (C*\cos(d*x + c) + C)*\log(\sin(d*x + c) + 1) - (C*\cos(d*x + c) + C)*\log(-\sin(d*x + c) + 1) - 2*(A + C)*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.21956, size = 108, normalized size = 2.2

$$\frac{(dx+c)A}{a} + \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)*A/a + C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - (A*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a)/d

$$3.126 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=52

$$\frac{(2A + C) \sin(c + dx)}{ad} - \frac{(A + C) \sin(c + dx)}{d(a \sec(c + dx) + a)} - \frac{Ax}{a}$$

[Out] -((A*x)/a) + ((2*A + C)*Sin[c + d*x])/(a*d) - ((A + C)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.108917, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4085, 3787, 2637, 8}

$$\frac{(2A + C) \sin(c + dx)}{ad} - \frac{(A + C) \sin(c + dx)}{d(a \sec(c + dx) + a)} - \frac{Ax}{a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] -((A*x)/a) + ((2*A + C)*Sin[c + d*x])/(a*d) - ((A + C)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.), x_Symbol] :> -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx) (A + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= \frac{(A + C) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \cos(c + dx) (-a(2A + C) + aA \sec(c + dx)) dx}{a^2} \\ &= \frac{(A + C) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{A \int 1 dx}{a} + \frac{(2A + C) \int \cos(c + dx) dx}{a} \\ &= -\frac{Ax}{a} + \frac{(2A + C) \sin(c + dx)}{ad} - \frac{(A + C) \sin(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.279259, size = 108, normalized size = 2.08

$$\frac{\sec\left(\frac{c}{2}\right) \sec\left(\frac{1}{2}(c + dx)\right) \left(A \sin\left(c + \frac{dx}{2}\right) + A \sin\left(c + \frac{3dx}{2}\right) + A \sin\left(2c + \frac{3dx}{2}\right) - 2Adx \cos\left(c + \frac{dx}{2}\right) + 5A \sin\left(\frac{dx}{2}\right) - 2Adx \cos\left(\frac{dx}{2}\right) \right)}{4ad}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]*(-2*A*d*x*Cos[(d*x)/2] - 2*A*d*x*Cos[c + (d*x)/2] + 5*A*Sin[(d*x)/2] + 4*C*Sin[(d*x)/2] + A*Sin[c + (d*x)/2] + A*Sin[c + (3*d*x)/2] + A*Sin[2*c + (3*d*x)/2]))/(4*a*d)

Maple [A] time = 0.08, size = 88, normalized size = 1.7

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \tan(1/2 dx + c/2)}{ad(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{A \arctan(\tan(1/2 dx + c/2))}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] $\frac{1}{a/d*A*\tan(1/2*d*x+1/2*c)+1/a/d*C*\tan(1/2*d*x+1/2*c)+2/a/d*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-2/a/d*A*\arctan(\tan(1/2*d*x+1/2*c))}$

Maxima [B] time = 1.42461, size = 158, normalized size = 3.04

$$\frac{A \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - \frac{C \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-(A*(2*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a - 2*\sin(d*x + c)/((a + a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - C*\sin(d*x + c)/(a*(\cos(d*x + c) + 1)))/d$

Fricas [A] time = 0.47804, size = 132, normalized size = 2.54

$$\frac{A dx \cos(dx + c) + A dx - (A \cos(dx + c) + 2A + C) \sin(dx + c)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] $-(A*d*x*\cos(d*x + c) + A*d*x - (A*\cos(d*x + c) + 2*A + C)*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \cos(c+dx) \sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*cos(c + d*x)/(sec(c + d*x) + 1), x) + Integral(C*cos(c + d*x)*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.17157, size = 100, normalized size = 1.92

$$\frac{\frac{(dx+c)A}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} - \frac{2A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right)a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] -((d*x + c)*A/a - (A*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a - 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a))/d

$$3.127 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=96

$$-\frac{(2A+C) \sin(c+dx)}{ad} + \frac{(3A+2C) \sin(c+dx) \cos(c+dx)}{2ad} - \frac{(A+C) \sin(c+dx) \cos(c+dx)}{d(a \sec(c+dx)+a)} + \frac{x(3A+2C)}{2a}$$

[Out] ((3*A + 2*C)*x)/(2*a) - ((2*A + C)*Sin[c + d*x])/(a*d) + ((3*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.152574, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4085, 3787, 2635, 8, 2637}

$$-\frac{(2A+C) \sin(c+dx)}{ad} + \frac{(3A+2C) \sin(c+dx) \cos(c+dx)}{2ad} - \frac{(A+C) \sin(c+dx) \cos(c+dx)}{d(a \sec(c+dx)+a)} + \frac{x(3A+2C)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] ((3*A + 2*C)*x)/(2*a) - ((2*A + C)*Sin[c + d*x])/(a*d) + ((3*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx) (A + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A + C) \cos(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \cos^2(c + dx) (-a(3A + 2C) + a(2A + C))}{a^2} \\ &= -\frac{(A + C) \cos(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(2A + C) \int \cos(c + dx) dx}{a} + \frac{(3A + 2C)}{a} \\ &= -\frac{(2A + C) \sin(c + dx)}{ad} + \frac{(3A + 2C) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(A + C) \cos(c + dx)}{d(a + a \sec(c + dx))} \\ &= \frac{(3A + 2C)x}{2a} - \frac{(2A + C) \sin(c + dx)}{ad} + \frac{(3A + 2C) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(A + C) \cos(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [A] time = 0.350722, size = 159, normalized size = 1.66

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(4dx(3A + 2C) \cos\left(c + \frac{dx}{2}\right) - 4A \sin\left(c + \frac{dx}{2}\right) - 3A \sin\left(c + \frac{3dx}{2}\right) - 3A \sin\left(2c + \frac{3dx}{2}\right) + A \sin\left(2c + \frac{5dx}{2}\right)\right)}{8ad(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]
```

```
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(4*(3*A + 2*C)*d*x*Cos[(d*x)/2] + 4*(3*A + 2*C)*
d*x*Cos[c + (d*x)/2] - 20*A*Sin[(d*x)/2] - 16*C*Sin[(d*x)/2] - 4*A*Sin[c +
(d*x)/2] - 3*A*Sin[c + (3*d*x)/2] - 3*A*Sin[2*c + (3*d*x)/2] + A*Sin[2*c +
(5*d*x)/2] + A*Sin[3*c + (5*d*x)/2]))/(8*a*d*(1 + Cos[c + d*x]))
```

Maple [A] time = 0.099, size = 144, normalized size = 1.5

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 3 \frac{(\tan(1/2 dx + c/2))^3 A}{ad(1 + (\tan(1/2 dx + c/2))^2)^2} - \frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2\right)^{-2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x)

[Out] -1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*C*tan(1/2*d*x+1/2*c)-3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*A-1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*A*tan(1/2*d*x+1/2*c)+3/a/d*A*arctan(tan(1/2*d*x+1/2*c))+2/a/d*arctan(tan(1/2*d*x+1/2*c))*C

Maxima [A] time = 1.4161, size = 248, normalized size = 2.58

$$\frac{A \left(\frac{\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a + \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - C \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x, algorithm="maxima")

[Out] -(A*((sin(d*x + c)/(cos(d*x + c) + 1) + 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a + 2*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) - 3*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a + sin(d*x + c)/(a*(cos(d*x + c) + 1))) - C*(2*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d

Fricas [A] time = 0.483527, size = 192, normalized size = 2.

$$\frac{(3A + 2C)dx \cos(dx + c) + (3A + 2C)dx + (A \cos(dx + c)^2 - A \cos(dx + c) - 4A - 2C) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{2} * ((3*A + 2*C) * d*x * \cos(d*x + c) + (3*A + 2*C) * d*x + (A * \cos(d*x + c))^2 - A * \cos(d*x + c) - 4*A - 2*C) * \sin(d*x + c) / (a * d * \cos(d*x + c) + a * d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.16776, size = 130, normalized size = 1.35

$$\frac{\frac{(dx+c)(3A+2C)}{a} - \frac{2\left(A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{a} - \frac{2\left(3A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right)^2 a}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2} * ((d*x + c) * (3*A + 2*C) / a - 2 * (A * \tan(1/2 * d*x + 1/2 * c) + C * \tan(1/2 * d*x + 1/2 * c)) / a - 2 * (3*A * \tan(1/2 * d*x + 1/2 * c)^3 + A * \tan(1/2 * d*x + 1/2 * c)) / ((\tan(1/2 * d*x + 1/2 * c)^2 + 1)^2 * a)) / d$

$$3.128 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=124

$$-\frac{(4A+3C)\sin^3(c+dx)}{3ad} + \frac{(4A+3C)\sin(c+dx)}{ad} - \frac{(3A+2C)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(A+C)\sin(c+dx)\cos^2(c+dx)}{d(a \sec(c+dx)+a)}$$

[Out] $-\frac{(3A+2C)x}{2a} + \frac{(4A+3C)\sin[c+dx]}{ad} - \frac{(3A+2C)\cos[c+dx]\sin[c+dx]}{2ad} - \frac{(A+C)\cos^2[c+dx]\sin[c+dx]}{d(a+a\sec[c+dx])} - \frac{(4A+3C)\sin^3[c+dx]}{3ad}$

Rubi [A] time = 0.168757, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4085, 3787, 2633, 2635, 8}

$$-\frac{(4A+3C)\sin^3(c+dx)}{3ad} + \frac{(4A+3C)\sin(c+dx)}{ad} - \frac{(3A+2C)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(A+C)\sin(c+dx)\cos^2(c+dx)}{d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\cos[c+dx])^3(A+C\sec[c+dx]^2)/(a+a\sec[c+dx]),x]$

[Out] $-\frac{(3A+2C)x}{2a} + \frac{(4A+3C)\sin[c+dx]}{ad} - \frac{(3A+2C)\cos[c+dx]\sin[c+dx]}{2ad} - \frac{(A+C)\cos^2[c+dx]\sin[c+dx]}{d(a+a\sec[c+dx])} - \frac{(4A+3C)\sin^3[c+dx]}{3ad}$

Rule 4085

$\text{Int}[(A + C) \cot[e + f*x] (a + b \csc[e + f*x])^m (d \csc[e + f*x])^n / (a^2 f (2m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b \csc[e + f*x])^{m+1} (d \csc[e + f*x])^n \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))] * \csc[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 3787

$\text{Int}[(\csc[e + f*x] (d + (f*x))^{n_1}) (a + b \csc[e + f*x])^{m_1} (a_1), x_Symbol] \text{ :> } \text{Dist}[a, \text{Int}[(d \csc[e + f*x])^{n_1}, x], x] + \text{Dist}[b/d, \text{Int}[(\csc[e + f*x] (d + (f*x))^{n_1})^{m_1} (a_1), x], x]$

$(d * \text{Csc}[e + f * x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] :> -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{((n - 1)/2)}, x], x], x, \text{Cos}[c + d * x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[(n - 1)/2, 0]$

Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] :> -\text{Simp}[(b * \text{Cos}[c + d * x] * (b * \text{Sin}[c + d * x])^{(n - 1)}) / (d * n), x] + \text{Dist}[(b^2 * (n - 1)) / n, \text{Int}[(b * \text{Sin}[c + d * x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2 * n]$

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a * x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx) (A + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A + C) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \cos^3(c + dx) (-a(4A + 3C) + a(3A + 2C))}{a^2} \\ &= -\frac{(A + C) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(3A + 2C) \int \cos^2(c + dx) dx}{a} + \frac{(4A + 3C) \sin(c + dx)}{2a} \\ &= -\frac{(3A + 2C) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(A + C) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(3A + 2C) \sin(c + dx)}{2a} \\ &= -\frac{(3A + 2C)x}{2a} + \frac{(4A + 3C) \sin(c + dx)}{ad} - \frac{(3A + 2C) \cos(c + dx) \sin(c + dx)}{2ad} \end{aligned}$$

Mathematica [A] time = 0.794644, size = 225, normalized size = 1.81

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-12dx(3A + 2C) \cos\left(c + \frac{dx}{2}\right) + 21A \sin\left(c + \frac{dx}{2}\right) + 18A \sin\left(c + \frac{3dx}{2}\right) + 18A \sin\left(2c + \frac{3dx}{2}\right) - 2A \sin\left(2c + \frac{dx}{2}\right)\right)}{d(a + a \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] $(\cos[(c + dx)/2] \sec[c/2] (-12(3A + 2C) dx \cos[(dx)/2] - 12(3A + 2C) dx \cos[c + (dx)/2] + 69A \sin[(dx)/2] + 60C \sin[(dx)/2] + 21A \sin[c + (dx)/2] + 12C \sin[c + (dx)/2] + 18A \sin[c + (3dx)/2] + 12C \sin[c + (3dx)/2] + 18A \sin[2c + (3dx)/2] + 12C \sin[2c + (3dx)/2] - 2A \sin[2c + (5dx)/2] - 2A \sin[3c + (5dx)/2] + A \sin[3c + (7dx)/2] + A \sin[4c + (7dx)/2]) / (24ad(1 + \cos[c + dx]))$

Maple [B] time = 0.092, size = 280, normalized size = 2.3

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 5 \frac{(\tan(1/2 dx + c/2))^5 A}{ad (1 + (\tan(1/2 dx + c/2))^2)^3} + 2 \frac{(\tan(1/2 dx + c/2))^5 C}{ad (1 + (\tan(1/2 dx + c/2))^2)^3} + \frac{16 A}{3 ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^3 (A+C \sec(dx+c)^2) / (a+a \sec(dx+c)), x)$

[Out] $1/a/d * A * \tan(1/2 * dx + 1/2 * c) + 1/a/d * C * \tan(1/2 * dx + 1/2 * c) + 5/a/d / (1 + \tan(1/2 * dx + 1/2 * c)^2)^3 * \tan(1/2 * dx + 1/2 * c)^5 * A + 2/a/d / (1 + \tan(1/2 * dx + 1/2 * c)^2)^3 * \tan(1/2 * dx + 1/2 * c)^5 * C + 16/3/a/d / (1 + \tan(1/2 * dx + 1/2 * c)^2)^3 * \tan(1/2 * dx + 1/2 * c)^3 * A + 4/a/d / (1 + \tan(1/2 * dx + 1/2 * c)^2)^3 * \tan(1/2 * dx + 1/2 * c)^3 * C + 3/a/d / (1 + \tan(1/2 * dx + 1/2 * c)^2)^3 * A * \arctan(\tan(1/2 * dx + 1/2 * c)) + 2/a/d / (1 + \tan(1/2 * dx + 1/2 * c)^2)^3 * C * \arctan(\tan(1/2 * dx + 1/2 * c)) - 3/a/d * A * \arctan(\tan(1/2 * dx + 1/2 * c)) - 2/a/d * C * \arctan(\tan(1/2 * dx + 1/2 * c)) * C$

Maxima [B] time = 1.42638, size = 363, normalized size = 2.93

$$\frac{A \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{9 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{3 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 3 C \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)} \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3 (A+C \sec(dx+c)^2) / (a+a \sec(dx+c)), x, \text{algorithm}="maxima")$

[Out] $1/3 * (A * ((9 * \sin(dx + c)) / (\cos(dx + c) + 1) + 16 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 15 * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / (a + 3 * a * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 3 * a * \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + a * \sin(dx + c)^6 / (\cos(dx + c) + 1)^6) + 3 * C * (2 * \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) - 2 * \sin(dx + c) / (a + a * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2))) / (3 * d)$

$$+ c)^6 / (\cos(dx + c) + 1)^6 - 9 \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a + 3 \sin(dx + c) / (a (\cos(dx + c) + 1)) - 3C (2 \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a - 2 \sin(dx + c) / ((a + a \sin(dx + c))^2 / (\cos(dx + c) + 1)^2) * (\cos(dx + c) + 1) - \sin(dx + c) / (a (\cos(dx + c) + 1)))) / d$$

Fricas [A] time = 0.48975, size = 243, normalized size = 1.96

$$\frac{3(3A + 2C)dx \cos(dx + c) + 3(3A + 2C)dx - (2A \cos(dx + c)^3 - A \cos(dx + c)^2 + (7A + 6C) \cos(dx + c) + 16A + 12C) \sin(dx + c)}{6(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c)),x, algorithm="fricas")

[Out] -1/6*(3*(3*A + 2*C)*d*x*cos(dx + c) + 3*(3*A + 2*C)*d*x - (2*A*cos(dx + c)^3 - A*cos(dx + c)^2 + (7*A + 6*C)*cos(dx + c) + 16*A + 12*C)*sin(dx + c))/(a*d*cos(dx + c) + a*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**3*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c)),x)

[Out] Timed out

Giac [A] time = 1.17271, size = 205, normalized size = 1.65

$$\frac{3(dx+c)(3A+2C)}{a} - \frac{6\left(A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a} - \frac{2\left(15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 16A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/6*(3*(d*x + c)*(3*A + 2*C)/a - 6*(A*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a - 2*(15*A*tan(1/2*d*x + 1/2*c)^5 + 6*C*tan(1/2*d*x + 1/2*c)^5 + 16*A*tan(1/2*d*x + 1/2*c)^3 + 12*C*tan(1/2*d*x + 1/2*c)^3 + 9*A*tan(1/2*d*x + 1/2*c) + 6*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^3*a)) /d
```

$$3.129 \quad \int \frac{\cos^4(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=156

$$\frac{(4A+3C) \sin^3(c+dx)}{3ad} - \frac{(4A+3C) \sin(c+dx)}{ad} + \frac{(5A+4C) \sin(c+dx) \cos^3(c+dx)}{4ad} + \frac{3(5A+4C) \sin(c+dx) \cos(c+dx)}{8ad}$$

[Out] (3*(5*A + 4*C)*x)/(8*a) - ((4*A + 3*C)*Sin[c + d*x])/(a*d) + (3*(5*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*a*d) + ((5*A + 4*C)*Cos[c + d*x]^3*Sin[c + d*x])/(4*a*d) - ((A + C)*Cos[c + d*x]^3*Sin[c + d*x])/(d*(a + a*Sec[c + d*x])) + ((4*A + 3*C)*Sin[c + d*x]^3)/(3*a*d)

Rubi [A] time = 0.186714, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4085, 3787, 2635, 8, 2633}

$$\frac{(4A+3C) \sin^3(c+dx)}{3ad} - \frac{(4A+3C) \sin(c+dx)}{ad} + \frac{(5A+4C) \sin(c+dx) \cos^3(c+dx)}{4ad} + \frac{3(5A+4C) \sin(c+dx) \cos(c+dx)}{8ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (3*(5*A + 4*C)*x)/(8*a) - ((4*A + 3*C)*Sin[c + d*x])/(a*d) + (3*(5*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*a*d) + ((5*A + 4*C)*Cos[c + d*x]^3*Sin[c + d*x])/(4*a*d) - ((A + C)*Cos[c + d*x]^3*Sin[c + d*x])/(d*(a + a*Sec[c + d*x])) + ((4*A + 3*C)*Sin[c + d*x]^3)/(3*a*d)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])* (b*Sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^4(c + dx) (A + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A + C) \cos^3(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \cos^4(c + dx) (-a(5A + 4C) + a(4A + 3C)) dx}{a^2} \\
 &= -\frac{(A + C) \cos^3(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(4A + 3C) \int \cos^3(c + dx) dx}{a} + \frac{(5A + 4C) \int \cos^3(c + dx) dx}{a} \\
 &= \frac{(5A + 4C) \cos^3(c + dx) \sin(c + dx)}{4ad} - \frac{(A + C) \cos^3(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{3(5A + 4C) \int \cos^3(c + dx) dx}{8ad} \\
 &= -\frac{(4A + 3C) \sin(c + dx)}{ad} + \frac{3(5A + 4C) \cos(c + dx) \sin(c + dx)}{8ad} + \frac{(5A + 4C) \int \cos^3(c + dx) dx}{8ad} \\
 &= \frac{3(5A + 4C)x}{8a} - \frac{(4A + 3C) \sin(c + dx)}{ad} + \frac{3(5A + 4C) \cos(c + dx) \sin(c + dx)}{8ad}
 \end{aligned}$$

Mathematica [A] time = 0.695898, size = 283, normalized size = 1.81

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(72dx(5A + 4C) \cos\left(c + \frac{dx}{2}\right) - 168A \sin\left(c + \frac{dx}{2}\right) - 120A \sin\left(c + \frac{3dx}{2}\right) - 120A \sin\left(2c + \frac{3dx}{2}\right)\right)}{8ad}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(72*(5*A + 4*C)*d*x*Cos[(d*x)/2] + 72*(5*A + 4*C)*d*x*Cos[c + (d*x)/2] - 552*A*Sin[(d*x)/2] - 480*C*Sin[(d*x)/2] - 168*A*Sin[c + (d*x)/2] - 96*C*Sin[c + (d*x)/2] - 120*A*Sin[c + (3*d*x)/2] - 72*C*Sin[c + (3*d*x)/2] - 120*A*Sin[2*c + (3*d*x)/2] - 72*C*Sin[2*c + (3*d*x)/2] + 40*A*Sin[2*c + (5*d*x)/2] + 24*C*Sin[2*c + (5*d*x)/2] + 40*A*Sin[3*c + (5*d*x)/2] + 24*C*Sin[3*c + (5*d*x)/2] - 5*A*Sin[3*c + (7*d*x)/2] - 5*A*Sin[4*c + (7*d*x)/2] + 3*A*Sin[4*c + (9*d*x)/2] + 3*A*Sin[5*c + (9*d*x)/2]))/(192*a*d*(1 + Cos[c + d*x]))

Maple [B] time = 0.1, size = 352, normalized size = 2.3

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{25A}{4ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^7 \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2\right)^{-4} - 3 \frac{(\tan(1/2 dx + c/2))^7 C}{ad (1 + (\tan(1/2 dx + c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] -1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*C*tan(1/2*d*x+1/2*c)-25/4/a/d/(1+tan(1/2*d*x+1/2*c)^2)^4*tan(1/2*d*x+1/2*c)^7*A-3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^4*tan(1/2*d*x+1/2*c)^7*C-115/12/a/d/(1+tan(1/2*d*x+1/2*c)^2)^4*tan(1/2*d*x+1/2*c)^5*A-7/a/d/(1+tan(1/2*d*x+1/2*c)^2)^4*tan(1/2*d*x+1/2*c)^5*C-109/12/a/d/(1+tan(1/2*d*x+1/2*c)^2)^4*tan(1/2*d*x+1/2*c)^3*A-5/a/d/(1+tan(1/2*d*x+1/2*c)^2)^4*tan(1/2*d*x+1/2*c)^3*C-7/4/a/d/(1+tan(1/2*d*x+1/2*c)^2)^4*A*tan(1/2*d*x+1/2*c)-1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^4*C*tan(1/2*d*x+1/2*c)+15/4/a/d*A*arctan(tan(1/2*d*x+1/2*c))+3/a/d*arctan(tan(1/2*d*x+1/2*c))*C

Maxima [B] time = 1.43518, size = 474, normalized size = 3.04

$$\frac{A \left(\frac{21 \sin(dx+c)}{\cos(dx+c)+1} + \frac{109 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{115 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{75 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} - \frac{45 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{12 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) + 12 C \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)}{\cos(dx+c)+1} \right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/12*(A*((21*\sin(d*x + c))/(\cos(d*x + c) + 1) + 109*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 115*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 75*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/(a + 4*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 6*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 4*a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + a*\sin(d*x + c)^8/(\cos(d*x + c) + 1)^8) - 45*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + 12*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))) + 12*C*((\sin(d*x + c))/(\cos(d*x + c) + 1) + 3*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a + 2*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) - 3*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + \sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d \end{aligned}$$

Fricas [A] time = 0.497758, size = 290, normalized size = 1.86

$$\frac{9(5A + 4C)dx \cos(dx + c) + 9(5A + 4C)dx + (6A \cos(dx + c)^4 - 2A \cos(dx + c)^3 + (13A + 12C) \cos(dx + c)^2 - (19A + 12C) \cos(dx + c) - 64A - 48C) \sin(dx + c)}{24(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out]
$$\frac{1}{24}*(9*(5*A + 4*C)*d*x*\cos(d*x + c) + 9*(5*A + 4*C)*d*x + (6*A*\cos(d*x + c)^4 - 2*A*\cos(d*x + c)^3 + (13*A + 12*C)*\cos(d*x + c)^2 - (19*A + 12*C)*\cos(d*x + c) - 64*A - 48*C)*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.16628, size = 243, normalized size = 1.56

$$\frac{9(dx+c)(5A+4C)}{a} - \frac{24\left(A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a} - \frac{2\left(75A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 36C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 115A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 84C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 109A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 60C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 21A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 12C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^4 a} \cdot \frac{1}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] 1/24*(9*(d*x + c)*(5*A + 4*C)/a - 24*(A*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a - 2*(75*A*tan(1/2*d*x + 1/2*c)^7 + 36*C*tan(1/2*d*x + 1/2*c)^7 + 115*A*tan(1/2*d*x + 1/2*c)^5 + 84*C*tan(1/2*d*x + 1/2*c)^5 + 109*A*tan(1/2*d*x + 1/2*c)^3 + 60*C*tan(1/2*d*x + 1/2*c)^3 + 21*A*tan(1/2*d*x + 1/2*c) + 12*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^4*a))/d

$$3.130 \quad \int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=172

$$\frac{(5A+12C) \tan^3(c+dx)}{3a^2d} + \frac{(5A+12C) \tan(c+dx)}{a^2d} - \frac{(2A+5C) \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{2(2A+5C) \tan(c+dx) \sec^3(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

```
[Out] -(((2*A + 5*C)*ArcTanh[Sin[c + d*x]])/(a^2*d)) + ((5*A + 12*C)*Tan[c + d*x])
)/(a^2*d) - ((2*A + 5*C)*Sec[c + d*x]*Tan[c + d*x])/(a^2*d) - (2*(2*A + 5*C)
)*Sec[c + d*x]^3*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[
c + d*x]^4*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) + ((5*A + 12*C)*Tan[c
+ d*x]^3)/(3*a^2*d)
```

Rubi [A] time = 0.329126, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4019, 3787, 3768, 3770, 3767}

$$\frac{(5A+12C) \tan^3(c+dx)}{3a^2d} + \frac{(5A+12C) \tan(c+dx)}{a^2d} - \frac{(2A+5C) \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{2(2A+5C) \tan(c+dx) \sec^3(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]
```

```
[Out] -(((2*A + 5*C)*ArcTanh[Sin[c + d*x]])/(a^2*d)) + ((5*A + 12*C)*Tan[c + d*x])
)/(a^2*d) - ((2*A + 5*C)*Sec[c + d*x]*Tan[c + d*x])/(a^2*d) - (2*(2*A + 5*C)
)*Sec[c + d*x]^3*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[
c + d*x]^4*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) + ((5*A + 12*C)*Tan[c
+ d*x]^3)/(3*a^2*d)
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.
))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= \frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} - \int \frac{\sec^4(c+dx)(a(A+4C)-3a(A+2C)\sec(c+dx))}{a+a\sec(c+dx)} dx \\
&= -\frac{2(2A+5C)\sec^3(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= -\frac{2(2A+5C)\sec^3(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= -\frac{(2A+5C)\sec(c+dx)\tan(c+dx)}{a^2d} - \frac{2(2A+5C)\sec^3(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} \\
&= -\frac{(2A+5C)\tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{(5A+12C)\tan(c+dx)}{a^2d} - \frac{(2A+5C)\sec^3(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))}
\end{aligned}$$

Mathematica [B] time = 2.94003, size = 623, normalized size = 3.62

$$\cos\left(\frac{1}{2}(c+dx)\right)(A+C\sec^2(c+dx))\left(\sec\left(\frac{c}{2}\right)\sec(c)\sec^3(c+dx)\left(-60A\sin\left(c-\frac{dx}{2}\right)+24A\sin\left(c+\frac{dx}{2}\right)-60A\sin\left(2c\right)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*(A + C*Sec[c + d*x]^2)*(192*(2*A + 5*C)*Cos[(c + d*x)/2]^3*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c/2]*Sec[c]*Sec[c + d*x]^3*(-3*(8*A + C)*Sin[(d*x)/2] + (66*A + 155*C)*Sin[(3*d*x)/2] - 60*A*Sin[c - (d*x)/2] - 153*C*Sin[c - (d*x)/2] + 24*A*Sin[c + (d*x)/2] + 21*C*Sin[c + (d*x)/2] - 60*A*Sin[2*c + (d*x)/2] - 135*C*Sin[2*c + (d*x)/2] - 4*A*Sin[c + (3*d*x)/2] + 25*C*Sin[c + (3*d*x)/2] + 36*A*Sin[2*c + (3*d*x)/2] + 45*C*Sin[2*c + (3*d*x)/2] - 34*A*Sin[3*c + (3*d*x)/2] - 85*C*Sin[3*c + (3*d*x)/2] + 42*A*Sin[c + (5*d*x)/2] + 99*C*Sin[c + (5*d*x)/2] + 21*C*Sin[2*c + (5*d*x)/2] + 24*A*Sin[3*c + (5*d*x)/2] + 33*C*Sin[3*c + (5*d*x)/2] - 18*A*Sin[4*c + (5*d*x)/2] - 45*C*Sin[4*c + (5*d*x)/2] + 24*A*Sin[2*c + (7*d*x)/2] + 57*C*Sin[2*c + (7*d*x)/2] + 3*A*Sin[3*c + (7*d*x)/2] + 18*C*Sin[3*c + (7*d*x)/2] + 15*A*Sin[4*c + (7*d*x)/2] + 24*C*Sin[4*c + (7*d*x)/2] - 6*A*Sin[5*c + (7*d*x)/2] - 15*C*Sin[5*c + (7*d*x)/2] + 10*A*Sin[3*c + (9*d*x)/2] + 24*C*Sin[3*c + (9*d*x)/2] + 3*A*Sin[4*c + (9*d*x)/2] + 11*C*Sin[4*c + (9*d*x)/2] + 7*A*Sin[5*c + (9*d*x)/2] + 13*C*Sin[5*c + (9*d*x)/2]))/(24*a^2*d*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x])^2)

Maple [B] time = 0.071, size = 338, normalized size = 2.

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{5A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{9C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 2 \frac{\ln(\tan(1/2 dx + c/2))}{da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] 1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*A*tan(1/2*d*x+1/2*c)+9/2/d/a^2*C*tan(1/2*d*x+1/2*c)-2/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*A-5/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*C-5/d/a^2/(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^2/(tan(1/2*d*x+1/2*c)+1)*A-1/3/d/a^2*C/(tan(1/2*d*x+1/2*c)+1)^3+3/2/d/a^2*C/(tan(1/2*d*x+1/2*c)+1)^2-5/d/a^2/(tan(1/2*d*x+1/2*c)-1)*C-1/d/a^2/(tan(1/2*d*x+1/2*c)-1)*A+2/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*A+5/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*C-1/3/d/a^2*C/(tan(1/2*d*x+1/2*c)-1)^3-3/2/d/a^2*C/(tan(1/2*d*x+1/2*c)-1)^2

Maxima [B] time = 0.965534, size = 512, normalized size = 2.98

$$C \left(\frac{4 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 - \frac{3a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{27 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) + A \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} \right)$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] 1/6*(C*(4*(9*sin(d*x + c)/(cos(d*x + c) + 1) - 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 15*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a^2 - 3*a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*a^2*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 - a^2*sin(d*x + c)^6/(cos(d*x + c) + 1)^6) + (27*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 30*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 30*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^2) + A*((15*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 12*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 12*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^2 + 12*sin(d*x + c)/((a^2 - a^2*sin(d*x + c)^2/

$(\cos(dx + c) + 1)^2 * (\cos(dx + c) + 1)) / d$

Fricas [A] time = 0.526268, size = 591, normalized size = 3.44

$$\frac{3 \left((2A + 5C) \cos(dx + c)^5 + 2(2A + 5C) \cos(dx + c)^4 + (2A + 5C) \cos(dx + c)^3 \right) \log(\sin(dx + c) + 1) - 3 \left((2A + 5C) \cos(dx + c)^5 + 2(2A + 5C) \cos(dx + c)^4 + (2A + 5C) \cos(dx + c)^3 \right)}{a^2 d \cos(dx + c)^5 + 2a^2 d \cos(dx + c)^4 + a^2 d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^2,x, algorithm="fricas")

[Out]
$$\frac{-1/6 * (3 * ((2*A + 5*C) * \cos(dx + c)^5 + 2 * (2*A + 5*C) * \cos(dx + c)^4 + (2*A + 5*C) * \cos(dx + c)^3) * \log(\sin(dx + c) + 1) - 3 * ((2*A + 5*C) * \cos(dx + c)^5 + 2 * (2*A + 5*C) * \cos(dx + c)^4 + (2*A + 5*C) * \cos(dx + c)^3) * \log(-\sin(dx + c) + 1) - 2 * (2 * (5*A + 12*C) * \cos(dx + c)^4 + (14*A + 33*C) * \cos(dx + c)^3 + 3 * (A + 2*C) * \cos(dx + c)^2 - C * \cos(dx + c) + C) * \sin(dx + c))}{a^2 * d * \cos(dx + c)^5 + 2 * a^2 * d * \cos(dx + c)^4 + a^2 * d * \cos(dx + c)^3}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^4(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx + \int \frac{C \sec^6(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c))**2,x)

[Out] (Integral(A*sec(c + dx)**4/(sec(c + dx)**2 + 2*sec(c + dx) + 1), x) + Integral(C*sec(c + dx)**6/(sec(c + dx)**2 + 2*sec(c + dx) + 1), x))/a**2

Giac [A] time = 1.18158, size = 304, normalized size = 1.77

$$\frac{6(2A+5C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} - \frac{6(2A+5C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} + \frac{4 \left(3A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 15C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 6A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 20C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 \right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="
giac")
```

```
[Out] -1/6*(6*(2*A + 5*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - 6*(2*A + 5*C)*
log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 + 4*(3*A*tan(1/2*d*x + 1/2*c)^5 + 15
*C*tan(1/2*d*x + 1/2*c)^5 - 6*A*tan(1/2*d*x + 1/2*c)^3 - 20*C*tan(1/2*d*x +
1/2*c)^3 + 3*A*tan(1/2*d*x + 1/2*c) + 9*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*
d*x + 1/2*c)^2 - 1)^3*a^2) - (A*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*
d*x + 1/2*c)^3 + 15*A*a^4*tan(1/2*d*x + 1/2*c) + 27*C*a^4*tan(1/2*d*x + 1/2
*c))/a^6)/d
```

$$3.131 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=150

$$-\frac{4(A+4C) \tan(c+dx)}{3a^2d} + \frac{(2A+7C) \tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{2(A+4C) \tan(c+dx) \sec^2(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{(2A+7C) \tan(c+dx)}{2a^2d}$$

[Out] $((2*A + 7*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*a^2*d) - (4*(A + 4*C)*\text{Tan}[c + d*x])/(3*a^2*d) + ((2*A + 7*C)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a^2*d) - (2*(A + 4*C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*a^2*d*(1 + \text{Sec}[c + d*x])) - ((A + C)*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

Rubi [A] time = 0.305003, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4085, 4019, 3787, 3767, 8, 3768, 3770}

$$-\frac{4(A+4C) \tan(c+dx)}{3a^2d} + \frac{(2A+7C) \tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{2(A+4C) \tan(c+dx) \sec^2(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{(2A+7C) \tan(c+dx)}{2a^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^3*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^2, x]$

[Out] $((2*A + 7*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*a^2*d) - (4*(A + 4*C)*\text{Tan}[c + d*x])/(3*a^2*d) + ((2*A + 7*C)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a^2*d) - (2*(A + 4*C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*a^2*d*(1 + \text{Sec}[c + d*x])) - ((A + C)*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

Rule 4085

$\text{Int}[(A + C) \cot[e + f*x] (a + b \csc[e + f*x])^m (d \csc[e + f*x])^n / (a + b \csc[e + f*x])^{2m+1}, x] + \text{Dist}[1/(a*b*(2*m+1)), \text{Int}[(a + b \csc[e + f*x])^{m+1} (d \csc[e + f*x])^n \text{Simp}[b*C*n + A*b*(2*m+n+1) - (a*(A*(m+n+1) - C*(m-n)))*\csc[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{\int \frac{\sec^3(c+dx)(3aC-a(2A+5C)\sec(c+dx))}{a+a\sec(c+dx)} dx}{3a^2} \\
&= \frac{2(A+4C)\sec^2(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= \frac{2(A+4C)\sec^2(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= \frac{(2A+7C)\sec(c+dx)\tan(c+dx)}{2a^2d} - \frac{2(A+4C)\sec^2(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} \\
&= \frac{(2A+7C)\tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{4(A+4C)\tan(c+dx)}{3a^2d} + \frac{(2A+7C)\sec(c+dx)}{2a^2d}
\end{aligned}$$

Mathematica [B] time = 2.11466, size = 513, normalized size = 3.42

$$\cos\left(\frac{1}{2}(c+dx)\right)(A+C\sec^2(c+dx))\left(\sec\left(\frac{c}{2}\right)\sec(c)\sec^2(c+dx)\left(-36A\sin\left(c-\frac{dx}{2}\right)+36A\sin\left(c+\frac{dx}{2}\right)-20A\sin\left(2c+\frac{dx}{2}\right)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] $-(\text{Cos}[(c+d*x)/2]*(A+C*\text{Sec}[c+d*x]^2)*(96*(2*A+7*C)*\text{Cos}[(c+d*x)/2]^3*(\text{Log}[\text{Cos}[(c+d*x)/2]-\text{Sin}[(c+d*x)/2]]-\text{Log}[\text{Cos}[(c+d*x)/2]+\text{Sin}[(c+d*x)/2]])+\text{Sec}[c/2]*\text{Sec}[c]*\text{Sec}[c+d*x]^2*(-2*(10*A+7*C)*\text{Sin}[(d*x)/2]+(22*A+97*C)*\text{Sin}[(3*d*x)/2]-36*A*\text{Sin}[c-(d*x)/2]-126*C*\text{Sin}[c-(d*x)/2]+36*A*\text{Sin}[c+(d*x)/2]+42*C*\text{Sin}[c+(d*x)/2]-20*A*\text{Sin}[2*c+(d*x)/2]-98*C*\text{Sin}[2*c+(d*x)/2]-18*A*\text{Sin}[c+(3*d*x)/2]-3*C*\text{Sin}[c+(3*d*x)/2]+22*A*\text{Sin}[2*c+(3*d*x)/2]+37*C*\text{Sin}[2*c+(3*d*x)/2]-18*A*\text{Sin}[3*c+(3*d*x)/2]-63*C*\text{Sin}[3*c+(3*d*x)/2]+18*A*\text{Sin}[c+(5*d*x)/2]+75*C*\text{Sin}[c+(5*d*x)/2]-6*A*\text{Sin}[2*c+(5*d*x)/2]+15*C*\text{Sin}[2*c+(5*d*x)/2]+18*A*\text{Sin}[3*c+(5*d*x)/2]+39*C*\text{Sin}[3*c+(5*d*x)/2]-6*A*\text{Sin}[4*c+(5*d*x)/2]-21*C*\text{Sin}[4*c+(5*d*x)/2]+8*A*\text{Sin}[2*c+(7*d*x)/2]+32*C*\text{Sin}[2*c+(7*d*x)/2]+12*C*\text{Sin}[3*c+(7*d*x)/2]+8*A*\text{Sin}[4*c+(7*d*x)/2]+20*C*\text{Sin}[4*c+(7*d*x)/2])))/(24*a^2*d*(A+2*C+A*\text{Cos}[2*(c+d*x)])*(1+\text{Sec}[c+d*x])^2)$

Maple [A] time = 0.069, size = 249, normalized size = 1.7

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{3A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{7C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{A}{da^2} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out]
$$-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*C*\tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*A*\tan(1/2*d*x+1/2*c)-7/2/d/a^2*C*\tan(1/2*d*x+1/2*c)+1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*A+7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/2/d/a^2*C/(\tan(1/2*d*x+1/2*c)+1)^2+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*C-1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*A-7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*C+1/2/d/a^2*C/(\tan(1/2*d*x+1/2*c)-1)^2+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*C$$

Maxima [B] time = 0.95685, size = 389, normalized size = 2.59

$$\frac{C \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 - \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{21 \frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) + A \left(\frac{9 \frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)}{\cos(dx+c)+1}}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out]
$$-1/6*(C*(6*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) - 5*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^2 - 2*a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^2*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (21*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 21*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 21*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2) + A*((9*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2))/d$$

Fricas [A] time = 0.516834, size = 554, normalized size = 3.69

$$3 \left((2A + 7C) \cos(dx + c)^4 + 2(2A + 7C) \cos(dx + c)^3 + (2A + 7C) \cos(dx + c)^2 \right) \log(\sin(dx + c) + 1) - 3 \left((2A + 7C) \cos(dx + c)^4 + 2(2A + 7C) \cos(dx + c)^3 + (2A + 7C) \cos(dx + c)^2 \right) \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{12} * (3 * ((2 * A + 7 * C) * \cos(d * x + c) ^ 4 + 2 * (2 * A + 7 * C) * \cos(d * x + c) ^ 3 + (2 * A + 7 * C) * \cos(d * x + c) ^ 2) * \log(\sin(d * x + c) + 1) - 3 * ((2 * A + 7 * C) * \cos(d * x + c) ^ 4 + 2 * (2 * A + 7 * C) * \cos(d * x + c) ^ 3 + (2 * A + 7 * C) * \cos(d * x + c) ^ 2) * \log(-\sin(d * x + c) + 1) - 2 * (8 * (A + 4 * C) * \cos(d * x + c) ^ 3 + (10 * A + 43 * C) * \cos(d * x + c) ^ 2 + 6 * C * \cos(d * x + c) - 3 * C) * \sin(d * x + c)) / (a ^ 2 * d * \cos(d * x + c) ^ 4 + 2 * a ^ 2 * d * \cos(d * x + c) ^ 3 + a ^ 2 * d * \cos(d * x + c) ^ 2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A*sec(c + d*x)**3/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.25169, size = 231, normalized size = 1.54

$$\frac{3(2A+7C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{3(2A+7C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} + \frac{6\left(5C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-3C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^2} - \frac{Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+Ca^4t}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] $\frac{1}{6} * (3 * (2 * A + 7 * C) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) / a ^ 2 - 3 * (2 * A + 7 * C) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) / a ^ 2 + 6 * (5 * C * \tan(1/2 * d * x + 1/2 * c) ^ 3 - 3 * C$

$$\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)a^2} - \frac{\left(Aa^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + Ca^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9Aa^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 21Ca^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a^6} / d$$

$$3.132 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=99

$$\frac{(A+4C) \tan(c+dx)}{3a^2d} - \frac{2C \tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{2C \tan(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{(A+C) \tan(c+dx) \sec^2(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] $(-2*C*ArcTanh[\sin[c + d*x]])/(a^2*d) + ((A + 4*C)*Tan[c + d*x])/(3*a^2*d) + (2*C*Tan[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)$

Rubi [A] time = 0.252496, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4008, 3787, 3770, 3767, 8}

$$\frac{(A+4C) \tan(c+dx)}{3a^2d} - \frac{2C \tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{2C \tan(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{(A+C) \tan(c+dx) \sec^2(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^2*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^2, x]$

[Out] $(-2*C*ArcTanh[\sin[c + d*x]])/(a^2*d) + ((A + 4*C)*Tan[c + d*x])/(3*a^2*d) + (2*C*Tan[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)$

Rule 4085

$\text{Int}[(A_. + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow -\text{Simp}[(A + C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 4008

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m]/(b*f*(2*m + 1)), x] + \text{Dist}[1/(b^2*(2*m + 1)$

)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^2} dx &= -\frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{\sec^2(c + dx)(-a(A - 2C) - a(A + 4C) \sec(c + dx))}{a + a \sec(c + dx)} dx}{3a^2} \\
 &= \frac{2C \tan(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \sec(c + dx) (-6)}{3a^2} \\
 &= \frac{2C \tan(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(2C) \int \sec(c + dx)}{a^2} \\
 &= -\frac{2C \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{2C \tan(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))} \\
 &= -\frac{2C \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{(A + 4C) \tan(c + dx)}{3a^2 d} + \frac{2C \tan(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))}
 \end{aligned}$$

Mathematica [B] time = 1.47486, size = 280, normalized size = 2.83

$$4 \cos\left(\frac{1}{2}(c + dx)\right) \left(A + C \sec^2(c + dx)\right) \left((A + C) \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) + (A + C) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + 2(A + 7C) \sec\left(\frac{c}{2}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (4*Cos[(c + d*x)/2]*(A + C*Sec[c + d*x]^2)*((A + C)*Sec[c/2]*Sin[(d*x)/2] + 2*(A + 7*C)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + 6*C*Cos[(c + d*x)/2]^3*(2*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + Sin[d*x]/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) + (A + C)*Cos[(c + d*x)/2]*Tan[c/2]))/(3*a^2*d*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x])^2)

Maple [A] time = 0.056, size = 164, normalized size = 1.7

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{5C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] 1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3+1/2/d/a^2*A*tan(1/2*d*x+1/2*c)+5/2/d/a^2*C*tan(1/2*d*x+1/2*c)-1/d/a^2/(tan(1/2*d*x+1/2*c)+1)*C-2/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^2/(tan(1/2*d*x+1/2*c)-1)*C+2/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*C

Maxima [B] time = 0.953288, size = 258, normalized size = 2.61

$$C \left(\frac{15 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} + \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)-1}\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 - \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right) + \frac{A \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)}{\cos(dx+c)-1} \right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{6} * (C * ((15 * \sin(d * x + c) / (\cos(d * x + c) + 1) + \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / a^2 - 12 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) + 1) / a^2 + 12 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) - 1) / a^2 + 12 * \sin(d * x + c) / ((a^2 - a^2 * \sin(d * x + c)^2 / (\cos(d * x + c) + 1)^2) * (\cos(d * x + c) + 1))) + A * (3 * \sin(d * x + c) / (\cos(d * x + c) + 1) + \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / a^2) / d$

Fricas [A] time = 0.504845, size = 429, normalized size = 4.33

$$\frac{3 \left(C \cos(dx + c)^3 + 2 C \cos(dx + c)^2 + C \cos(dx + c) \right) \log(\sin(dx + c) + 1) - 3 \left(C \cos(dx + c)^3 + 2 C \cos(dx + c)^2 + C \cos(dx + c) \right)}{3 \left(a^2 d \cos(dx + c)^3 + 2 a^2 d \cos(dx + c)^2 + a^2 d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] $-1/3 * (3 * (C * \cos(d * x + c)^3 + 2 * C * \cos(d * x + c)^2 + C * \cos(d * x + c)) * \log(\sin(d * x + c) + 1) - 3 * (C * \cos(d * x + c)^3 + 2 * C * \cos(d * x + c)^2 + C * \cos(d * x + c)) * \log(-\sin(d * x + c) + 1) - ((A + 10 * C) * \cos(d * x + c)^2 + 2 * (A + 7 * C) * \cos(d * x + c) + 3 * C) * \sin(d * x + c)) / (a^2 * d * \cos(d * x + c)^3 + 2 * a^2 * d * \cos(d * x + c)^2 + a^2 * d * \cos(d * x + c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] $(\text{Integral}(A * \sec(c + d * x) ** 2 / (\sec(c + d * x) ** 2 + 2 * \sec(c + d * x) + 1), x) + \text{Integral}(C * \sec(c + d * x) ** 4 / (\sec(c + d * x) ** 2 + 2 * \sec(c + d * x) + 1), x)) / a ** 2$

Giac [A] time = 1.19624, size = 192, normalized size = 1.94

$$\frac{12C \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^2} - \frac{12C \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^2} + \frac{12C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)a^2} - \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] -1/6*(12*C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - 12*C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 + 12*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^2) - (A*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*d*x + 1/2*c)^3 + 3*A*a^4*tan(1/2*d*x + 1/2*c) + 15*C*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

$$3.133 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=75

$$\frac{(A-5C) \tan(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{C \tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{(A+C) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^2*d) + ((A - 5*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A + C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.162227, antiderivative size = 81, normalized size of antiderivative = 1.08, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4079, 3998, 3770, 3794}

$$\frac{2(A-2C) \tan(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{C \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A+C) \tan(c+dx) \sec(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^2*d) + (2*(A - 2*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4079

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((A + C)*Cot[e + f*x]*Csc[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[-(b*C) - 2*A*b*(m + 1) + a*(A*(m + 2) - C*(m - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \frac{\sec(c+dx)(a(2A-C)+3aC\sec(c+dx))}{a+a\sec(c+dx)} dx}{3a^2} \\ &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{(2(A-2C))\int \frac{\sec(c+dx)}{a+a\sec(c+dx)} dx}{3a} + \frac{C\int \sec(c+dx)}{3a} \\ &= \frac{C \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A+C)\sec(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{2(A-2C)\tan(c+dx)}{3d(a^2+a^2\sec^2(c+dx))} \end{aligned}$$

Mathematica [B] time = 0.831484, size = 377, normalized size = 5.03

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\left(6A\sin\left(c+\frac{dx}{2}\right)-4A\sin\left(c+\frac{3dx}{2}\right)-6A\sin\left(\frac{dx}{2}\right)-6C\sin\left(c+\frac{dx}{2}\right)+8C\sin\left(c+\frac{3dx}{2}\right)\right)}{(a+a\sec(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] -(Cos[(c + d*x)/2]*Sec[c/2]*Sec[c + d*x]^2*(3*C*Cos[c + (3*d*x)/2]*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 3*C*Cos[2*c + (3*d*x)/2]*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 9*C*Cos[(d*x)/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 9*C*Cos[c + (d*x)/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 3*C*Cos[c + (3*d*x)/2]*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 3*C*Cos[2*c + (3*d*x)/2]*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 6*A*Sin[(d*x)/2] + 18*C*Sin[(d*x)/2] + 6*A*Sin[c + (d*x)/2] - 6*C*Sin[c + (d*x)/2] - 4*A*Sin[c + (3*d*x)/2] + 8*C*Sin[c + (3*d*x)/2]))/(6*a^2*d*(1 + Sec[c + d*x])^2)

Maple [A] time = 0.059, size = 119, normalized size = 1.6

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{da^2} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] $-\frac{1}{6} \frac{d}{a^2} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 A - \frac{1}{6} \frac{d}{a^2} C \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + \frac{1}{2} \frac{d}{a^2} A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \frac{3}{2} \frac{d}{a^2} C \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \frac{1}{d} \frac{d}{a^2} \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right) C$

Maxima [B] time = 0.945317, size = 197, normalized size = 2.63

$$\frac{C \left(\frac{9 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - \frac{A \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] $-\frac{1}{6} \left(C \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) / a^2 - 6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right) / a^2 + 6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right) / a^2 - A \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) / a^2 \right) / d$

Fricas [A] time = 0.497714, size = 338, normalized size = 4.51

$$\frac{3 \left(C \cos(dx+c)^2 + 2 C \cos(dx+c) + C \right) \log(\sin(dx+c)+1) - 3 \left(C \cos(dx+c)^2 + 2 C \cos(dx+c) + C \right) \log(-\sin(dx+c)+1)}{6 \left(a^2 d \cos(dx+c)^2 + 2 a^2 d \cos(dx+c) + a^2 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{6} * (3 * (C * \cos(d * x + c)^2 + 2 * C * \cos(d * x + c) + C) * \log(\sin(d * x + c) + 1) - 3 * (C * \cos(d * x + c)^2 + 2 * C * \cos(d * x + c) + C) * \log(-\sin(d * x + c) + 1) + 2 * (2 * (A - 2 * C) * \cos(d * x + c) + A - 5 * C) * \sin(d * x + c)) / (a^2 * d * \cos(d * x + c)^2 + 2 * a^2 * d * \cos(d * x + c) + a^2 * d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.21579, size = 151, normalized size = 2.01

$$\frac{6C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} - \frac{6C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} - \frac{Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + Ca^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 9Ca^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] $\frac{1}{6} * (6 * C * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) / a^2 - 6 * C * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) / a^2 - (A * a^4 * \tan(1/2 * d * x + 1/2 * c)^3 + C * a^4 * \tan(1/2 * d * x + 1/2 * c)^3 - 3 * A * a^4 * \tan(1/2 * d * x + 1/2 * c) + 9 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)) / a^6) / d$

$$3.134 \quad \int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=68

$$-\frac{2(2A-C) \tan(c+dx)}{3a^2 d(\sec(c+dx)+1)} + \frac{Ax}{a^2} - \frac{(A+C) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] (A*x)/a^2 - (2*(2*A - C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.120653, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {4053, 3919, 3794}

$$-\frac{2(2A-C) \tan(c+dx)}{3a^2 d(\sec(c+dx)+1)} + \frac{Ax}{a^2} - \frac{(A+C) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^2,x]

[Out] (A*x)/a^2 - (2*(2*A - C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4053

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^m), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) - a*(A*(m + 1) - C*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol]
:> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^2} dx &= -\frac{(A + C) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{-3aA + a(A - 2C) \sec(c + dx)}{a + a \sec(c + dx)} dx}{3a^2} \\ &= \frac{Ax}{a^2} - \frac{(A + C) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(2(2A - C)) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx}{3a} \\ &= \frac{Ax}{a^2} - \frac{(A + C) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{2(2A - C) \tan(c + dx)}{3d(a^2 + a^2 \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.495736, size = 141, normalized size = 2.07

$$\frac{\sec\left(\frac{c}{2}\right) \sec^3\left(\frac{1}{2}(c + dx)\right) \left(12A \sin\left(c + \frac{dx}{2}\right) - 10A \sin\left(c + \frac{3dx}{2}\right) + 9Adx \cos\left(c + \frac{dx}{2}\right) + 3Adx \cos\left(c + \frac{3dx}{2}\right) + 3Adx \cos\left(\frac{c}{2}\right)\right)}{24a^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^2, x]
```

```
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^3*(9*A*d*x*Cos[(d*x)/2] + 9*A*d*x*Cos[c + (d*x)/2] + 3*A*d*x*Cos[c + (3*d*x)/2] + 3*A*d*x*Cos[2*c + (3*d*x)/2] - 18*A*Sin[(d*x)/2] + 6*C*Sin[(d*x)/2] + 12*A*Sin[c + (d*x)/2] - 10*A*Sin[c + (3*d*x)/2] + 2*C*Sin[c + (3*d*x)/2]))/(24*a^2*d)
```

Maple [A] time = 0.057, size = 97, normalized size = 1.4

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{3A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \arctan\left(\tan\left(\frac{1}{2}\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2, x)
```

[Out] $\frac{1}{6} \frac{d}{a^2} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + \frac{1}{6} \frac{d}{a^2} C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - \frac{3}{2} \frac{d}{a^2} A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{1}{2} \frac{d}{a^2} C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{2}{d} \frac{1}{a^2} A \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)$

Maxima [A] time = 1.41635, size = 161, normalized size = 2.37

$$\frac{A \left(\frac{9 \sin(dx+c) - \sin(dx+c)^3}{\cos(dx+c)+1} \frac{1}{a^2} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - C \left(\frac{3 \sin(dx+c) + \sin(dx+c)^3}{\cos(dx+c)+1} \frac{1}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] $-\frac{1}{6} \frac{A}{a^2} \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} - \frac{C}{a^2} \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) / d$

Fricas [A] time = 0.468711, size = 228, normalized size = 3.35

$$\frac{3 A dx \cos(dx+c)^2 + 6 A dx \cos(dx+c) + 3 A dx - ((5A-C) \cos(dx+c) + 4A - 2C) \sin(dx+c)}{3(a^2 d \cos(dx+c)^2 + 2a^2 d \cos(dx+c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")`

[Out] $\frac{1}{3} \frac{(3A dx \cos(dx+c)^2 + 6A dx \cos(dx+c) + 3A dx - ((5A-C) \cos(dx+c) + 4A - 2C) \sin(dx+c))}{(a^2 d \cos(dx+c)^2 + 2a^2 d \cos(dx+c) + a^2 d)}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.19422, size = 113, normalized size = 1.66

$$\frac{\frac{6(dx+c)A}{a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 9Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{6d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(6*(d*x + c)*A/a^2 + (A*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*d*x + 1/2*c)^3 - 9*A*a^4*tan(1/2*d*x + 1/2*c) + 3*C*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

$$3.135 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=82

$$\frac{(10A+C)\sin(c+dx)}{3a^2d} - \frac{2A\sin(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{2Ax}{a^2} - \frac{(A+C)\sin(c+dx)}{3d(a\sec(c+dx)+a)^2}$$

[Out] $(-2*A*x)/a^2 + ((10*A + C)*\text{Sin}[c + d*x])/(3*a^2*d) - (2*A*\text{Sin}[c + d*x])/(a^2*d*(1 + \text{Sec}[c + d*x])) - ((A + C)*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

Rubi [A] time = 0.217872, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4085, 4020, 3787, 2637, 8}

$$\frac{(10A+C)\sin(c+dx)}{3a^2d} - \frac{2A\sin(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{2Ax}{a^2} - \frac{(A+C)\sin(c+dx)}{3d(a\sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^2, x]$

[Out] $(-2*A*x)/a^2 + ((10*A + C)*\text{Sin}[c + d*x])/(3*a^2*d) - (2*A*\text{Sin}[c + d*x])/(a^2*d*(1 + \text{Sec}[c + d*x])) - ((A + C)*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

Rule 4085

$\text{Int}[(A + C) \text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n / (a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n * \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))] * \text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

$\text{Int}[(\text{Csc}[e + f*x] * (a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n) / (b*f*(2*m + 1)), x] + \text{Dist}[1/(b*f*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n * \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))] * \text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^2} dx &= -\frac{(A + C) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{\cos(c + dx)(-a(4A + C) + a(2A - C) \sec(c + dx))}{a + a \sec(c + dx)} dx}{3a^2} \\ &= -\frac{2A \sin(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \cos(c + dx) (-a^2(10A + C) \sec^2(c + dx) + 2A \sec(c + dx))}{3a^2} \\ &= -\frac{2A \sin(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(2A) \int 1 dx}{a^2} + \frac{(10A + C) \int \sec^2(c + dx)}{3a^2} \\ &= -\frac{2Ax}{a^2} + \frac{(10A + C) \sin(c + dx)}{3a^2 d} - \frac{2A \sin(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.764618, size = 195, normalized size = 2.38

$$\frac{\sec\left(\frac{c}{2}\right) \sec^3\left(\frac{1}{2}(c + dx)\right) \left(-30A \sin\left(c + \frac{dx}{2}\right) + 41A \sin\left(c + \frac{3dx}{2}\right) + 9A \sin\left(2c + \frac{3dx}{2}\right) + 3A \sin\left(2c + \frac{5dx}{2}\right) + 3A \sin\left(3c + \frac{3dx}{2}\right)\right)}{3a^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^3*(-36*A*d*x*Cos[(d*x)/2] - 36*A*d*x*Cos[c + (d*x)/2] - 12*A*d*x*Cos[c + (3*d*x)/2] - 12*A*d*x*Cos[2*c + (3*d*x)/2] + 66*A*Sin[(d*x)/2] + 12*C*Sin[(d*x)/2] - 30*A*Sin[c + (d*x)/2] - 12*C*Sin[c + (d*x)/2] + 41*A*Sin[c + (3*d*x)/2] + 8*C*Sin[c + (3*d*x)/2] + 9*A*Sin[2*c + (3*d*x)/2] + 3*A*Sin[2*c + (5*d*x)/2] + 3*A*Sin[3*c + (5*d*x)/2]))/(48*a^2*d)

Maple [A] time = 0.088, size = 130, normalized size = 1.6

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{5A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \tan(1/2 dx + 1/2 c)}{da^2 (1 + (\tan(1/2 dx + 1/2 c))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] -1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*A*tan(1/2*d*x+1/2*c)+1/2/d/a^2*C*tan(1/2*d*x+1/2*c)+2/d/a^2*A*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-4/d/a^2*A*arctan(tan(1/2*d*x+1/2*c))

Maxima [B] time = 1.42876, size = 223, normalized size = 2.72

$$\frac{A \left(\frac{15 \sin(dx+c) - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 + \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right) + \frac{C \left(\frac{3 \sin(dx+c) - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] 1/6*(A*((15*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 24*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^2 + 12*sin(d*x + c)/((a^2 + a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1))) + C*(3*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2)/d

Fricas [A] time = 0.483188, size = 261, normalized size = 3.18

$$\frac{6 A d x \cos (d x+c)^2+12 A d x \cos (d x+c)+6 A d x-\left(3 A \cos (d x+c)^2+2(7 A+C) \cos (d x+c)+10 A+C\right) \sin (d x)}{3\left(a^2 d \cos (d x+c)^2+2 a^2 d \cos (d x+c)+a^2 d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] -1/3*(6*A*d*x*cos(d*x + c)^2 + 12*A*d*x*cos(d*x + c) + 6*A*d*x - (3*A*cos(d*x + c)^2 + 2*(7*A + C)*cos(d*x + c) + 10*A + C)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos (c+d x)}{\sec ^2(c+d x)+2 \sec (c+d x)+1} d x+\int \frac{C \cos (c+d x) \sec ^2(c+d x)}{\sec ^2(c+d x)+2 \sec (c+d x)+1} d x}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A*cos(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*cos(c + d*x)*sec(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.21883, size = 154, normalized size = 1.88

$$\frac{\frac{12(dx+c)A}{a^2} - \frac{12A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 3Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

```
[Out] -1/6*(12*(d*x + c)*A/a^2 - 12*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)
^2 + 1)*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*d*x + 1/2*c)^3
- 15*A*a^4*tan(1/2*d*x + 1/2*c) - 3*C*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d
```

$$3.136 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=137

$$-\frac{4(4A+C)\sin(c+dx)}{3a^2d} + \frac{(7A+2C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{2(4A+C)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{x(7A+2C)}{2a^2} - \frac{(A+C)\cos(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2}$$

[Out] ((7*A + 2*C)*x)/(2*a^2) - (4*(4*A + C)*Sin[c + d*x])/(3*a^2*d) + ((7*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - (2*(4*A + C)*Cos[c + d*x]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.310433, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4020, 3787, 2635, 8, 2637}

$$-\frac{4(4A+C)\sin(c+dx)}{3a^2d} + \frac{(7A+2C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{2(4A+C)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{x(7A+2C)}{2a^2} - \frac{(A+C)\cos(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] ((7*A + 2*C)*x)/(2*a^2) - (4*(4*A + C)*Sin[c + d*x])/(3*a^2*d) + ((7*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - (2*(4*A + C)*Cos[c + d*x]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(A*b

- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[SIN[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^2} dx &= -\frac{(A + C) \cos(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{\cos^2(c + dx)(-a(5A + 2C) + 3aA \sec(c + dx))}{a + a \sec(c + dx)} dx}{3a^2} \\
 &= -\frac{2(4A + C) \cos(c + dx) \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{(A + C) \cos(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \cos^2(c + dx) dx}{3a^2} \\
 &= -\frac{2(4A + C) \cos(c + dx) \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{(A + C) \cos(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(4A + C) \cos(c + dx) \sin(c + dx)}{3a^2 d} \\
 &= -\frac{4(4A + C) \sin(c + dx)}{3a^2 d} + \frac{(7A + 2C) \cos(c + dx) \sin(c + dx)}{2a^2 d} - \frac{2(4A + C) \cos(c + dx) \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} \\
 &= \frac{(7A + 2C)x}{2a^2} - \frac{4(4A + C) \sin(c + dx)}{3a^2 d} + \frac{(7A + 2C) \cos(c + dx) \sin(c + dx)}{2a^2 d}
 \end{aligned}$$

Mathematica [B] time = 1.14137, size = 281, normalized size = 2.05

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \sec^2(c+dx) \left(36dx(7A+2C) \cos\left(c+\frac{dx}{2}\right) + 147A \sin\left(c+\frac{dx}{2}\right) - 239A \sin\left(c+\frac{3dx}{2}\right) - 63A \sin\left(c+\frac{5dx}{2}\right) - 63A \sin\left(c+\frac{7dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*Sec[c + d*x]^2*(36*(7*A + 2*C)*d*x*Cos[(d*x)/2] + 36*(7*A + 2*C)*d*x*Cos[c + (d*x)/2] + 84*A*d*x*Cos[c + (3*d*x)/2] + 24*C*d*x*Cos[c + (3*d*x)/2] + 84*A*d*x*Cos[2*c + (3*d*x)/2] + 24*C*d*x*Cos[2*c + (3*d*x)/2] - 381*A*Sin[(d*x)/2] - 144*C*Sin[(d*x)/2] + 147*A*Sin[c + (d*x)/2] + 96*C*Sin[c + (d*x)/2] - 239*A*Sin[c + (3*d*x)/2] - 80*C*Sin[c + (3*d*x)/2] - 63*A*Sin[2*c + (3*d*x)/2] - 15*A*Sin[2*c + (5*d*x)/2] - 15*A*Sin[3*c + (5*d*x)/2] + 3*A*Sin[3*c + (7*d*x)/2] + 3*A*Sin[4*c + (7*d*x)/2]))/(48*a^2*d*(1 + Sec[c + d*x])^2)

Maple [A] time = 0.094, size = 184, normalized size = 1.3

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{7A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 5 \frac{(\tan(1/2 dx + c/2))^3}{da^2 (1 + (\tan(1/2 dx + c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] 1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3-7/2/d/a^2*A*tan(1/2*d*x+1/2*c)-3/2/d/a^2*C*tan(1/2*d*x+1/2*c)-5/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)*tan(1/2*d*x+1/2*c)^3*A-3/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)*A*tan(1/2*d*x+1/2*c)+7/d/a^2*A*arctan(tan(1/2*d*x+1/2*c))+2/d/a^2*arctan(tan(1/2*d*x+1/2*c))*C

Maxima [A] time = 1.42979, size = 319, normalized size = 2.33

$$A \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 + \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{42 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) + C \left(\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out]
$$-1/6*(A*(6*(3*\sin(dx+c)/(\cos(dx+c)+1)+5*\sin(dx+c)^3/(\cos(dx+c)+1)^3)/(a^2+2*a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2+a^2*\sin(dx+c)^4/(\cos(dx+c)+1)^4)+(21*\sin(dx+c)/(\cos(dx+c)+1)-\sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2-42*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2)+C*((9*\sin(dx+c)/(\cos(dx+c)+1)-\sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2-12*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2))/d$$

Fricas [A] time = 0.490655, size = 332, normalized size = 2.42

$$\frac{3(7A+2C)dx \cos(dx+c)^2 + 6(7A+2C)dx \cos(dx+c) + 3(7A+2C)dx + (3A \cos(dx+c)^3 - 6A \cos(dx+c)^2 - 6(a^2d \cos(dx+c)^2 + 2a^2d \cos(dx+c) + a^2d))}{6(a^2d \cos(dx+c)^2 + 2a^2d \cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out]
$$1/6*(3*(7*A+2*C)*d*x*\cos(dx+c)^2+6*(7*A+2*C)*d*x*\cos(dx+c)+3*(7*A+2*C)*d*x+(3*A*\cos(dx+c)^3-6*A*\cos(dx+c)^2-(43*A+10*C)*\cos(dx+c)-32*A-8*C)*\sin(dx+c))/(a^2*d*\cos(dx+c)^2+2*a^2*d*\cos(dx+c)+a^2*d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.21661, size = 185, normalized size = 1.35

$$\frac{3(dx+c)(7A+2C)}{a^2} - \frac{6\left(5A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+3A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)a^2} + \frac{Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+Ca^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-21Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-9Ca^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(3*(d*x + c)*(7*A + 2*C)/a^2 - 6*(5*A*tan(1/2*d*x + 1/2*c)^3 + 3*A*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*d*x + 1/2*c)^3 - 21*A*a^4*tan(1/2*d*x + 1/2*c) - 9*C*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

$$3.137 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=163

$$-\frac{(12A+5C)\sin^3(c+dx)}{3a^2d} + \frac{(12A+5C)\sin(c+dx)}{a^2d} - \frac{(5A+2C)\sin(c+dx)\cos(c+dx)}{a^2d} - \frac{2(5A+2C)\sin(c+dx)\cos^2(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

[Out] -(((5*A + 2*C)*x)/a^2) + ((12*A + 5*C)*Sin[c + d*x])/(a^2*d) - ((5*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(a^2*d) - (2*(5*A + 2*C)*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) - ((12*A + 5*C)*Sin[c + d*x]^3)/(3*a^2*d)

Rubi [A] time = 0.324637, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4020, 3787, 2633, 2635, 8}

$$-\frac{(12A+5C)\sin^3(c+dx)}{3a^2d} + \frac{(12A+5C)\sin(c+dx)}{a^2d} - \frac{(5A+2C)\sin(c+dx)\cos(c+dx)}{a^2d} - \frac{2(5A+2C)\sin(c+dx)\cos^2(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] -(((5*A + 2*C)*x)/a^2) + ((12*A + 5*C)*Sin[c + d*x])/(a^2*d) - ((5*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(a^2*d) - (2*(5*A + 2*C)*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) - ((12*A + 5*C)*Sin[c + d*x]^3)/(3*a^2*d)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020


```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{\int \frac{\cos^3(c+dx)(-3a(2A+C)+a(4A+C)\sec(c+dx))}{a+a\sec(c+dx)} dx}{3a^2} \\
&= -\frac{2(5A+2C)\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= -\frac{2(5A+2C)\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= -\frac{(5A+2C)\cos(c+dx)\sin(c+dx)}{a^2d} - \frac{2(5A+2C)\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} \\
&= -\frac{(5A+2C)x}{a^2} + \frac{(12A+5C)\sin(c+dx)}{a^2d} - \frac{(5A+2C)\cos(c+dx)\sin(c+dx)}{a^2d}
\end{aligned}$$

Mathematica [B] time = 0.911198, size = 349, normalized size = 2.14

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\left(-72dx(5A+2C)\cos\left(c+\frac{dx}{2}\right)-156A\sin\left(c+\frac{dx}{2}\right)+342A\sin\left(c+\frac{3dx}{2}\right)+118A\sin\left(2c+\frac{3dx}{2}\right)\right)}{48a^2d(1+\sec(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*Sec[c + d*x]^2*(-72*(5*A + 2*C)*d*x*Cos[(d*x)/2] - 72*(5*A + 2*C)*d*x*Cos[c + (d*x)/2] - 120*A*d*x*Cos[c + (3*d*x)/2] - 48*C*d*x*Cos[c + (3*d*x)/2] - 120*A*d*x*Cos[2*c + (3*d*x)/2] - 48*C*d*x*Cos[2*c + (3*d*x)/2] + 516*A*Sin[(d*x)/2] + 264*C*Sin[(d*x)/2] - 156*A*Sin[c + (d*x)/2] - 120*C*Sin[c + (d*x)/2] + 342*A*Sin[c + (3*d*x)/2] + 164*C*Sin[c + (3*d*x)/2] + 118*A*Sin[2*c + (3*d*x)/2] + 36*C*Sin[2*c + (3*d*x)/2] + 30*A*Sin[2*c + (5*d*x)/2] + 12*C*Sin[2*c + (5*d*x)/2] + 30*A*Sin[3*c + (5*d*x)/2] + 12*C*Sin[3*c + (5*d*x)/2] - 3*A*Sin[3*c + (7*d*x)/2] - 3*A*Sin[4*c + (7*d*x)/2] + A*Sin[4*c + (9*d*x)/2] + A*Sin[5*c + (9*d*x)/2]))/(48*a^2*d*(1 + Sec[c + d*x])^2)

Maple [B] time = 0.095, size = 322, normalized size = 2.

$$-\frac{A}{6da^2}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3-\frac{C}{6da^2}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{9A}{2da^2}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+\frac{5C}{2da^2}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+10\frac{(\tan(1/2dx+c/2))}{da^2(1+(\tan(1/2dx+c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x)$

[Out]
$$-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*C*\tan(1/2*d*x+1/2*c)^3+9/2/d/a^2*A*\tan(1/2*d*x+1/2*c)+5/2/d/a^2*C*\tan(1/2*d*x+1/2*c)+10/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*A+2/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*C+40/3/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*A+4/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*C*\tan(1/2*d*x+1/2*c)^3+6/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*A*\tan(1/2*d*x+1/2*c)+2/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*C*\tan(1/2*d*x+1/2*c)-10/d/a^2*A*\arctan(\tan(1/2*d*x+1/2*c))-4/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*C$$

Maxima [B] time = 1.43361, size = 439, normalized size = 2.69

$$A \left(\frac{4 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 + \frac{3a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{27 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{60 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) + C \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x, \text{algorithm}=\text{"maxima"})$

[Out]
$$1/6*(A*(4*(9*\sin(dx+c))/(\cos(dx+c)+1)+20*\sin(dx+c)^3/(\cos(dx+c)+1)^3+15*\sin(dx+c)^5/(\cos(dx+c)+1)^5)/(a^2+3*a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2+3*a^2*\sin(dx+c)^4/(\cos(dx+c)+1)^4+a^2*\sin(dx+c)^6/(\cos(dx+c)+1)^6)+(27*\sin(dx+c)/(\cos(dx+c)+1)-\sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2-60*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2+C*((15*\sin(dx+c)/(\cos(dx+c)+1)-\sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2-24*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2+12*\sin(dx+c)/((a^2+a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2)*(\cos(dx+c)+1))))/d$$

Fricas [A] time = 0.503547, size = 369, normalized size = 2.26

$$\frac{3(5A+2C)dx \cos(dx+c)^2 + 6(5A+2C)dx \cos(dx+c) + 3(5A+2C)dx - (A \cos(dx+c)^4 - A \cos(dx+c)^3 + 3A \cos(dx+c)^2 - 3A \cos(dx+c) + 3A)}{3(a^2d \cos(dx+c)^2 + 2a^2d \cos(dx+c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out]
$$-1/3*(3*(5*A + 2*C)*d*x*cos(d*x + c)^2 + 6*(5*A + 2*C)*d*x*cos(d*x + c) + 3*(5*A + 2*C)*d*x - (A*cos(d*x + c)^4 - A*cos(d*x + c)^3 + 3*(2*A + C)*cos(d*x + c)^2 + (33*A + 14*C)*cos(d*x + c) + 24*A + 10*C)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.23518, size = 258, normalized size = 1.58

$$\frac{6(dx+c)(5A+2C)}{a^2} - \frac{4\left(15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 20A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 6C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^2}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out]
$$-1/6*(6*(d*x + c)*(5*A + 2*C)/a^2 - 4*(15*A*tan(1/2*d*x + 1/2*c)^5 + 3*C*tan(1/2*d*x + 1/2*c)^5 + 20*A*tan(1/2*d*x + 1/2*c)^3 + 6*C*tan(1/2*d*x + 1/2*c)^3 + 9*A*tan(1/2*d*x + 1/2*c) + 3*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*d*x + 1/2*c)^3 - 27*A*a^4*tan(1/2*d*x + 1/2*c) - 15*C*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d$$

$$3.138 \quad \int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=198

$$-\frac{2(11A+76C) \tan(c+dx)}{15a^3d} + \frac{(2A+13C) \tanh^{-1}(\sin(c+dx))}{2a^3d} - \frac{(11A+76C) \tan(c+dx) \sec^2(c+dx)}{15d(a^3 \sec(c+dx) + a^3)} + \frac{(2A+13C)}{15d(a^3 \sec(c+dx) + a^3)}$$

```
[Out] ((2*A + 13*C)*ArcTanh[Sin[c + d*x]])/(2*a^3*d) - (2*(11*A + 76*C)*Tan[c + d*x])/(15*a^3*d) + ((2*A + 13*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a^3*d) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((A + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((11*A + 76*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))
```

Rubi [A] time = 0.489821, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4085, 4019, 3787, 3767, 8, 3768, 3770}

$$-\frac{2(11A+76C) \tan(c+dx)}{15a^3d} + \frac{(2A+13C) \tanh^{-1}(\sin(c+dx))}{2a^3d} - \frac{(11A+76C) \tan(c+dx) \sec^2(c+dx)}{15d(a^3 \sec(c+dx) + a^3)} + \frac{(2A+13C)}{15d(a^3 \sec(c+dx) + a^3)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] ((2*A + 13*C)*ArcTanh[Sin[c + d*x]])/(2*a^3*d) - (2*(11*A + 76*C)*Tan[c + d*x])/(15*a^3*d) + ((2*A + 13*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a^3*d) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((A + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((11*A + 76*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{\int \frac{\sec^4(c+dx)(-a(A-4C)-a(2A+7C)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A+11C)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} - \\
&= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A+11C)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} - \\
&= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A+11C)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} - \\
&= \frac{(2A+13C)\sec(c+dx)\tan(c+dx)}{2a^3d} - \frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \\
&= \frac{(2A+13C)\tanh^{-1}(\sin(c+dx))}{2a^3d} - \frac{2(11A+76C)\tan(c+dx)}{15a^3d} + \frac{(2A+13C)}{2a^3d}
\end{aligned}$$

Mathematica [B] time = 2.86662, size = 632, normalized size = 3.19

$$\cos\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)(A+C\sec^2(c+dx))\left(\sec\left(\frac{c}{2}\right)\sec(c)\sec^2(c+dx)\left(-654A\sin\left(c-\frac{dx}{2}\right)+654A\sin\left(c+\frac{dx}{2}\right)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] -(Cos[(c + d*x)/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*(1920*(2*A + 13*C)*Cos[(c + d*x)/2]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) + Sec[c/2]*Sec[c]*Sec[c + d*x]^2*(-5*(98*A + 247*C)*Sin[(d*x)/2] + 5*(106*A + 761*C)*Sin[(3*d*x)/2] - 654*A*Sin[c - (d*x)/2] - 4329*C*Sin[c - (d*x)/2] + 654*A*Sin[c + (d*x)/2] + 1989*C*Sin[c + (d*x)/2] - 490*A*Sin[2*c + (d*x)/2] - 3575*C*Sin[2*c + (d*x)/2] - 350*A*Sin[c + (3*d*x)/2] - 475*C*Sin[c + (3*d*x)/2] + 530*A*Sin[2*c + (3*d*x)/2] + 2005*C*Sin[2*c + (3*d*x)/2] - 350*A*Sin[3*c + (3*d*x)/2] - 2275*C*Sin[3*c + (3*d*x)/2] + 378*A*Sin[c + (5*d*x)/2] + 2673*C*Sin[c + (5*d*x)/2] - 150*A*Sin[2*c + (5*d*x)/2] + 105*C*Sin[2*c + (5*d*x)/2] + 378*A*Sin[3*c + (5*d*x)/2] + 1593*C*Sin[3*c + (5*d*x)/2] - 150*A*Sin[4*c + (5*d*x)/2] - 975*C*Sin[4*c + (5*d*x)/2] + 190*A*Sin[2*c + (7*d*x)/2] + 1325*C*Sin[2*c + (7*d*x)/2] - 30*A*Sin[3*c + (7*d*x)/2] + 255*C*Sin[3*c + (7*d*x)/2] + 190*A*Sin[4*c + (7*d*x)/2] + 875*C*Sin[4*c + (7*d*x)/2] - 30*A*Sin[5*c + (7*d*x)/2] - 195*C*Si

$$\frac{n[5*c + (7*d*x)/2] + 44*A*\sin[3*c + (9*d*x)/2] + 304*C*\sin[3*c + (9*d*x)/2] + 90*C*\sin[4*c + (9*d*x)/2] + 44*A*\sin[5*c + (9*d*x)/2] + 214*C*\sin[5*c + (9*d*x)/2])}{(240*a^3*d*(A + 2*C + A*\cos[2*(c + d*x)])*(1 + \sec[c + d*x])^3)}$$

Maple [A] time = 0.074, size = 289, normalized size = 1.5

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{2C}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] $-\frac{1}{20} \frac{d}{a^3} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^5 A - \frac{1}{20} \frac{d}{a^3} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^5 - \frac{1}{3} \frac{d}{a^3} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 A - \frac{2}{3} \frac{d}{a^3} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 - \frac{7}{4} \frac{d}{a^3} A \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - \frac{31}{4} \frac{d}{a^3} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + \frac{1}{d} \frac{d}{a^3} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right) * A + \frac{13}{2} \frac{d}{a^3} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right) * C - \frac{1}{2} \frac{d}{a^3} C \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)^2 + \frac{7}{2} \frac{d}{a^3} C \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right) - \frac{1}{d} \frac{d}{a^3} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right) * A - \frac{13}{2} \frac{d}{a^3} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right) * C + \frac{1}{2} \frac{d}{a^3} C \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)^2 + \frac{7}{2} \frac{d}{a^3} C \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)$

Maxima [A] time = 0.962566, size = 446, normalized size = 2.25

$$C \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 - \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} + \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) + A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} \right)$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] $-\frac{1}{60} * (C * (60 * (5 * \sin(d*x + c)) / (\cos(d*x + c) + 1) - 7 * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3) / (a^3 - 2 * a^3 * \sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2 + a^3 * \sin(d*x + c)^4 / (\cos(d*x + c) + 1)^4) + (465 * \sin(d*x + c) / (\cos(d*x + c) + 1) + 40 * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 3 * \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5) / a^3 - 390 * \log(\sin(d*x + c) / (\cos(d*x + c) + 1) + 1) / a^3 + 390 * \log(\sin(d*x + c) / (\cos(d*x + c) + 1) - 1) / a^3)$

+ c)/(cos(d*x + c) + 1) - 1)/a^3) + A*((105*sin(d*x + c)/(cos(d*x + c) + 1) + 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 60*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 + 60*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^3))/d

Fricas [A] time = 0.523106, size = 740, normalized size = 3.74

$15 \left((2A + 13C) \cos(dx + c)^5 + 3(2A + 13C) \cos(dx + c)^4 + 3(2A + 13C) \cos(dx + c)^3 + (2A + 13C) \cos(dx + c)^2 \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] 1/60*(15*((2*A + 13*C)*cos(d*x + c)^5 + 3*(2*A + 13*C)*cos(d*x + c)^4 + 3*(2*A + 13*C)*cos(d*x + c)^3 + (2*A + 13*C)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - 15*((2*A + 13*C)*cos(d*x + c)^5 + 3*(2*A + 13*C)*cos(d*x + c)^4 + 3*(2*A + 13*C)*cos(d*x + c)^3 + (2*A + 13*C)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(4*(11*A + 76*C)*cos(d*x + c)^4 + 3*(34*A + 239*C)*cos(d*x + c)^3 + (64*A + 479*C)*cos(d*x + c)^2 + 45*C*cos(d*x + c) - 15*C*sin(d*x + c)) / (a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x + c)^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec^4(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^6(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**4/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**6/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.23234, size = 279, normalized size = 1.41

$$\frac{30(2A+13C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{30(2A+13C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} + \frac{60\left(7C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-5C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^3} - \frac{3Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(30*(2*A + 13*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 30*(2*A + 13*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 + 60*(7*C*tan(1/2*d*x + 1/2*c)^3 - 5*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 + 20*A*a^12*tan(1/2*d*x + 1/2*c)^3 + 40*C*a^12*tan(1/2*d*x + 1/2*c)^3 + 105*A*a^12*tan(1/2*d*x + 1/2*c) + 465*C*a^12*tan(1/2*d*x + 1/2*c))/a^15/d

$$3.139 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=145

$$\frac{(2A + 27C) \tan(c + dx)}{15a^3d} - \frac{3C \tanh^{-1}(\sin(c + dx))}{a^3d} + \frac{3C \tan(c + dx)}{d(a^3 \sec(c + dx) + a^3)} - \frac{(A + C) \tan(c + dx) \sec^3(c + dx)}{5d(a \sec(c + dx) + a)^3} + \frac{(A - 9C) \tan(c + dx) \sec^3(c + dx)}{5d(a \sec(c + dx) + a)^3}$$

[Out] $(-3*C*ArcTanh[Sin[c + d*x]])/(a^3*d) + ((2*A + 27*C)*Tan[c + d*x])/(15*a^3*d) - ((A + C)*Sec[c + d*x]^3*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((A - 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + (3*C*Tan[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))$

Rubi [A] time = 0.427468, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4085, 4019, 4008, 3787, 3770, 3767, 8}

$$\frac{(2A + 27C) \tan(c + dx)}{15a^3d} - \frac{3C \tanh^{-1}(\sin(c + dx))}{a^3d} + \frac{3C \tan(c + dx)}{d(a^3 \sec(c + dx) + a^3)} - \frac{(A + C) \tan(c + dx) \sec^3(c + dx)}{5d(a \sec(c + dx) + a)^3} + \frac{(A - 9C) \tan(c + dx) \sec^3(c + dx)}{5d(a \sec(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^3*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^3, x]$

[Out] $(-3*C*ArcTanh[Sin[c + d*x]])/(a^3*d) + ((2*A + 27*C)*Tan[c + d*x])/(15*a^3*d) - ((A + C)*Sec[c + d*x]^3*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((A - 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + (3*C*Tan[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))$

Rule 4085

$\text{Int}[(A + C) \cot(e + f*x) (a + b \csc(e + f*x))^m (d \csc(e + f*x))^n / (a + b \csc(e + f*x))^{2m+1}, x] + \text{Dist}[1/(a + b \csc(e + f*x)), \text{Int}[(a + b \csc(e + f*x))^{m+1} (d \csc(e + f*x))^n \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))] * \csc[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{\int \frac{\sec^3(c+dx)(-a(2A-3C)-a(A+6C)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-9C)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{J}{a} \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-9C)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{J}{a} \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-9C)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{J}{a} \\
&= -\frac{3C \tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-9C)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{3C \tanh^{-1}(\sin(c+dx))}{a^3d} + \frac{(2A+27C)\tan(c+dx)}{15a^3d} - \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3}
\end{aligned}$$

Mathematica [B] time = 3.01238, size = 457, normalized size = 3.15

$$\cos\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)(A+C\sec^2(c+dx))\left(\sec\left(\frac{c}{2}\right)\sec(c)\sec(c+dx)\left(-10A\sin\left(c-\frac{dx}{2}\right)+10A\sin\left(c+\frac{dx}{2}\right)-20A\sin(c)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*(2880*C*Cos[(c + d*x)/2]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c/2]*Sec[c]*Sec[c + d*x]*(-5*(4*A + 51*C)*Sin[(d*x)/2] + (22*A + 567*C)*Sin[(3*d*x)/2] - 10*A*Sin[c - (d*x)/2] - 600*C*Sin[c - (d*x)/2] + 10*A*Sin[c + (d*x)/2] + 375*C*Sin[c + (d*x)/2] - 20*A*Sin[2*c + (d*x)/2] - 480*C*Sin[2*c + (d*x)/2] - 60*C*Sin[c + (3*d*x)/2] + 22*A*Sin[2*c + (3*d*x)/2] + 402*C*Sin[2*c + (3*d*x)/2] - 225*C*Sin[3*c + (3*d*x)/2] + 10*A*Sin[c + (5*d*x)/2] + 315*C*Sin[c + (5*d*x)/2] + 30*C*Sin[2*c + (5*d*x)/2] + 10*A*Sin[3*c + (5*d*x)/2] + 240*C*Sin[3*c + (5*d*x)/2] - 45*C*Sin[4*c + (5*d*x)/2] + 2*A*Sin[2*c + (7*d*x)/2] + 72*C*Sin[2*c + (7*d*x)/2] + 15*C*Sin[3*c + (7*d*x)/2] + 2*A*Sin[4*c + (7*d*x)/2] + 57*C*Sin[4*c + (7*d*x)/2]))/(60*a^3*d*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x])^3)

Maple [A] time = 0.062, size = 204, normalized size = 1.4

$$\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{A}{4da^3} \tan\left(\frac{dx}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] 1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*A+1/20/d/a^3*C*tan(1/2*d*x+1/2*c)^5+1/6/d/a^3*tan(1/2*d*x+1/2*c)^3*A+1/2/d/a^3*C*tan(1/2*d*x+1/2*c)^3+1/4/d/a^3*A*tan(1/2*d*x+1/2*c)+17/4/d/a^3*C*tan(1/2*d*x+1/2*c)-1/d/a^3*C/(tan(1/2*d*x+1/2*c)+1)-3/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^3*C/(tan(1/2*d*x+1/2*c)-1)+3/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*C

Maxima [A] time = 0.958932, size = 315, normalized size = 2.17

$$3C \left(\frac{40 \sin(dx+c)}{\left(a^3 - \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) + \frac{A \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} \right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] 1/60*(3*C*(40*sin(d*x + c)/((a^3 - a^3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (85*sin(d*x + c)/(cos(d*x + c) + 1) + 10*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 60*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 + 60*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^3) + A*(15*sin(d*x + c)/(cos(d*x + c) + 1) + 10*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3/d

Fricas [A] time = 0.513473, size = 576, normalized size = 3.97

$$\frac{45 \left(C \cos(dx+c)^4 + 3C \cos(dx+c)^3 + 3C \cos(dx+c)^2 + C \cos(dx+c) \right) \log(\sin(dx+c)+1) - 45 \left(C \cos(dx+c)^4 \right)}{30 \left(a^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out]
$$-1/30*(45*(C*\cos(d*x + c)^4 + 3*C*\cos(d*x + c)^3 + 3*C*\cos(d*x + c)^2 + C*\cos(d*x + c))*\log(\sin(d*x + c) + 1) - 45*(C*\cos(d*x + c)^4 + 3*C*\cos(d*x + c)^3 + 3*C*\cos(d*x + c)^2 + C*\cos(d*x + c))*\log(-\sin(d*x + c) + 1) - 2*(2*(A + 36*C)*\cos(d*x + c)^3 + 3*(2*A + 57*C)*\cos(d*x + c)^2 + (7*A + 117*C)*\cos(d*x + c) + 15*C)*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^4 + 3*a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + a^3*d*\cos(d*x + c))$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**3/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.24574, size = 240, normalized size = 1.66

$$\frac{180 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} - \frac{180 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3} + \frac{120 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right) a^3} - \frac{3 A a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 3 C a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 10 A a^{12}}{60 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out]
$$-1/60*(180*C*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)))/a^3 - 180*C*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^3 + 120*C*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)$$

$$\begin{aligned} & ^2 - 1)a^3) - (3Aa^{12}\tan(1/2dx + 1/2c)^5 + 3Ca^{12}\tan(1/2dx + 1/ \\ & 2c)^5 + 10Aa^{12}\tan(1/2dx + 1/2c)^3 + 30Ca^{12}\tan(1/2dx + 1/2c)^ \\ & 3 + 15Aa^{12}\tan(1/2dx + 1/2c) + 255Ca^{12}\tan(1/2dx + 1/2c))/a^{15} \\ & /d \end{aligned}$$

$$3.140 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=123

$$\frac{(6A - 29C) \tan(c + dx)}{15d(a^3 \sec(c + dx) + a^3)} + \frac{C \tanh^{-1}(\sin(c + dx))}{a^3 d} - \frac{(A + C) \tan(c + dx) \sec^2(c + dx)}{5d(a \sec(c + dx) + a)^3} - \frac{(3A - 7C) \tan(c + dx)}{15ad(a \sec(c + dx) + a)^2}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^3*d) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/((5*d*(a + a*Sec[c + d*x])^3) - ((3*A - 7*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((6*A - 29*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x])))

Rubi [A] time = 0.330017, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4085, 4008, 3998, 3770, 3794}

$$\frac{(6A - 29C) \tan(c + dx)}{15d(a^3 \sec(c + dx) + a^3)} + \frac{C \tanh^{-1}(\sin(c + dx))}{a^3 d} - \frac{(A + C) \tan(c + dx) \sec^2(c + dx)}{5d(a \sec(c + dx) + a)^3} - \frac{(3A - 7C) \tan(c + dx)}{15ad(a \sec(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^3*d) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/((5*d*(a + a*Sec[c + d*x])^3) - ((3*A - 7*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((6*A - 29*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x])))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)])^2*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.), x_Symbol] :> -Simp[((A*b - a*B)*Cot[

```
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{\int \frac{\sec^2(c+dx)(-a(3A-2C)-5aC\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\ &= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(3A-7C)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{\int \frac{\sec(c+dx)(2aC-3A)}{(a+a\sec(c+dx))^2} dx}{15ad} \\ &= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(3A-7C)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(6A-29C)}{15ad} \\ &= \frac{C \tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(3A-7C)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \end{aligned}$$

Mathematica [A] time = 1.58916, size = 236, normalized size = 1.92

$$\cos\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)(A+C\sec^2(c+dx))\left(\sec\left(\frac{c}{2}\right)\left(15(A-5C)\sin\left(c+\frac{dx}{2}\right)-15A\sin\left(c+\frac{3dx}{2}\right)-3A\sin\left(2c+\frac{3dx}{2}\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] $-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*(A + C*\text{Sec}[c + d*x]^2)*(240*C*\text{Cos}[(c + d*x)/2]^5*(\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]] - \text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]]) + \text{Sec}[c/2]*(-5*(3*A - 29*C)*\text{Sin}[(d*x)/2] + 15*(A - 5*C)*\text{Sin}[c + (d*x)/2] - 15*A*\text{Sin}[c + (3*d*x)/2] + 95*C*\text{Sin}[c + (3*d*x)/2] - 15*C*\text{Sin}[2*c + (3*d*x)/2] - 3*A*\text{Sin}[2*c + (5*d*x)/2] + 22*C*\text{Sin}[2*c + (5*d*x)/2]))/(15*a^3*d*(A + 2*C + A*\text{Cos}[2*(c + d*x)])*(1 + \text{Sec}[c + d*x])^3)$

Maple [A] time = 0.059, size = 139, normalized size = 1.1

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{7C}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] $-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*A-1/20/d/a^3*C*\tan(1/2*d*x+1/2*c)^5-1/3/d/a^3*C*\tan(1/2*d*x+1/2*c)^3+1/4/d/a^3*A*\tan(1/2*d*x+1/2*c)-7/4/d/a^3*C*\tan(1/2*d*x+1/2*c)-1/d/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)*C+1/d/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)*C$

Maxima [A] time = 0.957302, size = 225, normalized size = 1.83

$$C \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - \frac{3A \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] $-1/60*(C*((105*\sin(d*x + c))/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 60*\log(\sin(d*x$

$$+ c)/(\cos(dx + c) + 1) + 1)/a^3 + 60 \cdot \log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^3) - 3 \cdot A \cdot (5 \cdot \sin(dx + c)/(\cos(dx + c) + 1) - \sin(dx + c)^5/(\cos(dx + c) + 1)^5)/a^3)/d$$

Fricas [A] time = 0.502743, size = 481, normalized size = 3.91

$$\frac{15 \left(C \cos(dx + c)^3 + 3 C \cos(dx + c)^2 + 3 C \cos(dx + c) + C \right) \log(\sin(dx + c) + 1) - 15 \left(C \cos(dx + c)^3 + 3 C \cos(dx + c)^2 + 3 C \cos(dx + c) + C \right) \log(-\sin(dx + c) + 1) + 2 \cdot ((3 \cdot A - 22 \cdot C) \cdot \cos(dx + c)^2 + 3 \cdot (3 \cdot A - 17 \cdot C) \cdot \cos(dx + c) + 3 \cdot A - 32 \cdot C) \cdot \sin(dx + c)}{30 \left(a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^3,x, algorithm="fricas")

[Out] 1/30*(15*(C*cos(dx + c)^3 + 3*C*cos(dx + c)^2 + 3*C*cos(dx + c) + C)*log(sin(dx + c) + 1) - 15*(C*cos(dx + c)^3 + 3*C*cos(dx + c)^2 + 3*C*cos(dx + c) + C)*log(-sin(dx + c) + 1) + 2*((3*A - 22*C)*cos(dx + c)^2 + 3*(3*A - 17*C)*cos(dx + c) + 3*A - 32*C)*sin(dx + c))/(a^3*d*cos(dx + c)^3 + 3*a^3*d*cos(dx + c)^2 + 3*a^3*d*cos(dx + c) + a^3*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c))**3,x)

[Out] (Integral(A*sec(c + dx)**2/(sec(c + dx)**3 + 3*sec(c + dx)**2 + 3*sec(c + dx) + 1), x) + Integral(C*sec(c + dx)**4/(sec(c + dx)**3 + 3*sec(c + dx)**2 + 3*sec(c + dx) + 1), x))/a**3

Giac [A] time = 1.25467, size = 177, normalized size = 1.44

$$\frac{60 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} - \frac{60 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3} - \frac{3 A a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 3 C a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 20 C a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 15 A a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^{15}}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="
giac")
```

```
[Out] 1/60*(60*C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 60*C*log(abs(tan(1/2*d*
x + 1/2*c) - 1))/a^3 - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^12*tan(1/2*
d*x + 1/2*c)^5 + 20*C*a^12*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^12*tan(1/2*d*x +
1/2*c) + 105*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```

$$3.141 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=104

$$\frac{(2A+7C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{(A-C) \tan(c+dx)}{3ad(a \sec(c+dx)+a)^2} - \frac{(A+C) \tan(c+dx) \sec(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

[Out] $-\frac{(A+C) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]}{(5d(a+a \operatorname{Sec}[c+dx]))^3} + \frac{(A-C) \operatorname{Tan}[c+dx]}{(3ad(a+a \operatorname{Sec}[c+dx]))^2} + \frac{(2A+7C) \operatorname{Tan}[c+dx]}{(15d(a^3+a^3 \operatorname{Sec}[c+dx]))}$

Rubi [A] time = 0.187035, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4079, 4000, 3794}

$$\frac{(2A+7C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{(A-C) \tan(c+dx)}{3ad(a \sec(c+dx)+a)^2} - \frac{(A+C) \tan(c+dx) \sec(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c+dx](A+C \operatorname{Sec}[c+dx]^2))/(a+a \operatorname{Sec}[c+dx])^3, x]$

[Out] $-\frac{(A+C) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]}{(5d(a+a \operatorname{Sec}[c+dx]))^3} + \frac{(A-C) \operatorname{Tan}[c+dx]}{(3ad(a+a \operatorname{Sec}[c+dx]))^2} + \frac{(2A+7C) \operatorname{Tan}[c+dx]}{(15d(a^3+a^3 \operatorname{Sec}[c+dx]))}$

Rule 4079

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.) \cdot (x_)] \cdot ((A_.) + \operatorname{csc}[(e_.) + (f_.) \cdot (x_)]^2 \cdot (C_.)) \cdot (\operatorname{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.) + (a_.))^{(m_)}, x_Symbol] \rightarrow -\operatorname{Simp}[\frac{(A+C) \operatorname{Cot}[e+f \cdot x] \operatorname{Csc}[e+f \cdot x] \cdot (a+b \operatorname{Csc}[e+f \cdot x])^m}{f \cdot (2m+1)}, x] - \operatorname{Dist}[1/(a \cdot b \cdot (2m+1)), \operatorname{Int}[\operatorname{Csc}[e+f \cdot x] \cdot (a+b \operatorname{Csc}[e+f \cdot x])^{(m+1)} \cdot \operatorname{Simp}[-(b \cdot C) - 2A \cdot b \cdot (m+1) + a \cdot (A \cdot (m+2) - C \cdot (m-1)) \cdot \operatorname{Csc}[e+f \cdot x], x], x], x] /;$ FreeQ[{a, b, e, f, A, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 4000

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (\operatorname{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.) + (a_.))^{(m_)} \cdot (\operatorname{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (B_.) + (A_.)), x_Symbol] \rightarrow \operatorname{Simp}[\frac{(A \cdot b - a \cdot B) \operatorname{Cot}[e+f \cdot x] \cdot (a+b \operatorname{Csc}[e+f \cdot x])^m}{a \cdot f \cdot (2m+1)}, x] + \operatorname{Dist}[(a \cdot B \cdot m + A \cdot b \cdot (m+1)) \cdot \operatorname{Csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.) + (a_.)]^{(m-1)}, \operatorname{Int}[\operatorname{Csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.) + (a_.)]^{(m-1)}, x]$

1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^3} dx &= -\frac{(A + C) \sec(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\sec(c + dx)(a(4A - C) - a(A - 4C) \sec(c + dx))}{(a + a \sec(c + dx))^2} dx}{5a^2} \\ &= -\frac{(A + C) \sec(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(A - C) \tan(c + dx)}{3ad(a + a \sec(c + dx))^2} + \frac{(2A + 7C) \int}{15} \\ &= -\frac{(A + C) \sec(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(A - C) \tan(c + dx)}{3ad(a + a \sec(c + dx))^2} + \frac{(2A + 7C) \tan(c + dx)}{15d(a^3 + a^3 \sec^2(c + dx))} \end{aligned}$$

Mathematica [A] time = 0.540961, size = 121, normalized size = 1.16

$$\frac{\sec\left(\frac{c}{2}\right) \sec^5\left(\frac{1}{2}(c + dx)\right) \left(-30A \sin\left(c + \frac{dx}{2}\right) + 20A \sin\left(c + \frac{3dx}{2}\right) - 15A \sin\left(2c + \frac{3dx}{2}\right) + 7A \sin\left(2c + \frac{5dx}{2}\right) + 20(2A + C) \sin\left(2c + \frac{7dx}{2}\right)\right)}{240a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(20*(2*A + C)*Sin[(d*x)/2] - 30*A*Sin[c + (d*x)/2] + 20*A*Sin[c + (3*d*x)/2] + 10*C*Sin[c + (3*d*x)/2] - 15*A*Sin[2*c + (3*d*x)/2] + 7*A*Sin[2*c + (5*d*x)/2] + 2*C*Sin[2*c + (5*d*x)/2]))/(240*a^3*d)

Maple [A] time = 0.059, size = 88, normalized size = 0.9

$$\frac{1}{4da^3} \left(\frac{A}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{C}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{2A}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{2C}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)`

[Out] $\frac{1}{4}d/a^3*(1/5*\tan(1/2*d*x+1/2*c)^5*A+1/5*C*\tan(1/2*d*x+1/2*c)^5-2/3*\tan(1/2*d*x+1/2*c)^3*A+2/3*C*\tan(1/2*d*x+1/2*c)^3+A*\tan(1/2*d*x+1/2*c)+C*\tan(1/2*d*x+1/2*c))$

Maxima [A] time = 0.95209, size = 181, normalized size = 1.74

$$\frac{C\left(\frac{15\sin(dx+c)}{\cos(dx+c)+1} + \frac{10\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3\sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right) + A\left(\frac{15\sin(dx+c)}{\cos(dx+c)+1} - \frac{10\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3\sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)}{60d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $\frac{1}{60}*(C*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) + 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 + A*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$

Fricas [A] time = 0.46378, size = 221, normalized size = 2.12

$$\frac{((7A + 2C)\cos(dx + c)^2 + 6(A + C)\cos(dx + c) + 2A + 7C)\sin(dx + c)}{15(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] $\frac{1}{15}*((7*A + 2*C)*\cos(d*x + c)^2 + 6*(A + C)*\cos(d*x + c) + 2*A + 7*C)*\sin(d*x + c)/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.22729, size = 120, normalized size = 1.15

$$\frac{3 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 3 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 10 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 10 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 15 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{60 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(3*A*tan(1/2*d*x + 1/2*c)^5 + 3*C*tan(1/2*d*x + 1/2*c)^5 - 10*A*tan(1/2*d*x + 1/2*c)^3 + 10*C*tan(1/2*d*x + 1/2*c)^3 + 15*A*tan(1/2*d*x + 1/2*c) + 15*C*tan(1/2*d*x + 1/2*c))/(a^3*d)

$$3.142 \quad \int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=106

$$\frac{(22A-3C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{Ax}{a^3} - \frac{(7A-3C) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(A+C) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

[Out] (A*x)/a^3 - ((A + C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((7*A - 3*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((22*A - 3*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.180472, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {4053, 3922, 3919, 3794}

$$\frac{(22A-3C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{Ax}{a^3} - \frac{(7A-3C) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(A+C) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^3,x]

[Out] (A*x)/a^3 - ((A + C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((7*A - 3*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((22*A - 3*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4053

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) - a*(A*(m + 1) - C*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ

$[a^2 - b^2, 0]$ && IntegerQ[2*m]

Rule 3919

Int[(csc[(e_) + (f_)*(x_)]*(d_) + (c_))/(csc[(e_) + (f_)*(x_)]*(b_) + (a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3794

Int[csc[(e_) + (f_)*(x_)]/(csc[(e_) + (f_)*(x_)]*(b_) + (a_)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^3} dx &= -\frac{(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{-5aA + a(2A - 3C) \sec(c + dx)}{(a + a \sec(c + dx))^2} dx}{5a^2} \\ &= -\frac{(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7A - 3C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\int \frac{15a^2A - a^2(7A - 3C) \sec(c + dx)}{a + a \sec(c + dx)} dx}{15a^4} \\ &= \frac{Ax}{a^3} - \frac{(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7A - 3C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(22A - 3C) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx}{15a^2} \\ &= \frac{Ax}{a^3} - \frac{(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7A - 3C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(22A - 3C) \tan(c + dx)}{15d(a^3 + a^3 \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.844389, size = 227, normalized size = 2.14

$$\sec\left(\frac{c}{2}\right) \sec^5\left(\frac{1}{2}(c + dx)\right) \left(270A \sin\left(c + \frac{dx}{2}\right) - 230A \sin\left(c + \frac{3dx}{2}\right) + 90A \sin\left(2c + \frac{3dx}{2}\right) - 64A \sin\left(2c + \frac{5dx}{2}\right) + 150A dx\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^3, x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(150*A*d*x*Cos[(d*x)/2] + 150*A*d*x*Cos[c + (d*x)/2] + 75*A*d*x*Cos[c + (3*d*x)/2] + 75*A*d*x*Cos[2*c + (3*d*x)/2] + 15*A*d*x*Cos[2*c + (5*d*x)/2] + 15*A*d*x*Cos[3*c + (5*d*x)/2] - 370*A*Sin[(d*x)

$$\begin{aligned} & /2] + 30*C*\sin[(d*x)/2] + 270*A*\sin[c + (d*x)/2] - 30*C*\sin[c + (d*x)/2] - \\ & 230*A*\sin[c + (3*d*x)/2] + 30*C*\sin[c + (3*d*x)/2] + 90*A*\sin[2*c + (3*d*x) \\ & /2] - 64*A*\sin[2*c + (5*d*x)/2] + 6*C*\sin[2*c + (5*d*x)/2]))/(480*a^3*d) \end{aligned}$$

Maple [A] time = 0.068, size = 117, normalized size = 1.1

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] -1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*A-1/20/d/a^3*C*tan(1/2*d*x+1/2*c)^5+1/3/d/a^3*tan(1/2*d*x+1/2*c)^3*A-7/4/d/a^3*A*tan(1/2*d*x+1/2*c)+1/4/d/a^3*C*tan(1/2*d*x+1/2*c)+2/d/a^3*A*arctan(tan(1/2*d*x+1/2*c))

Maxima [A] time = 1.42385, size = 189, normalized size = 1.78

$$\frac{A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - \frac{3C \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] -1/60*(A*((105*sin(d*x + c))/(cos(d*x + c) + 1) - 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 120*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^3 - 3*C*(5*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3)/d

Fricas [A] time = 0.476095, size = 351, normalized size = 3.31

$$\frac{15 A dx \cos(dx+c)^3 + 45 A dx \cos(dx+c)^2 + 45 A dx \cos(dx+c) + 15 A dx - ((32 A - 3 C) \cos(dx+c)^2 + 3(17 A - 3 C) \cos(dx+c) + 3 C)}{15(a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 + 3 a^3 d \cos(dx+c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] $\frac{1}{15} \cdot (15 \cdot A \cdot d \cdot x \cdot \cos(d \cdot x + c)^3 + 45 \cdot A \cdot d \cdot x \cdot \cos(d \cdot x + c)^2 + 45 \cdot A \cdot d \cdot x \cdot \cos(d \cdot x + c) + 15 \cdot A \cdot d \cdot x - ((32 \cdot A - 3 \cdot C) \cdot \cos(d \cdot x + c)^2 + 3 \cdot (17 \cdot A - 3 \cdot C) \cdot \cos(d \cdot x + c) + 22 \cdot A - 3 \cdot C) \cdot \sin(d \cdot x + c)) / (a^3 \cdot d \cdot \cos(d \cdot x + c)^3 + 3 \cdot a^3 \cdot d \cdot \cos(d \cdot x + c)^2 + 3 \cdot a^3 \cdot d \cdot \cos(d \cdot x + c) + a^3 \cdot d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.21603, size = 140, normalized size = 1.32

$$\frac{\frac{60(dx+c)A}{a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 20Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 15Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{15}}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] $\frac{1}{60} \cdot (60 \cdot (d \cdot x + c) \cdot A / a^3 - (3 \cdot A \cdot a^{12} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 3 \cdot C \cdot a^{12} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 20 \cdot A \cdot a^{12} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 105 \cdot A \cdot a^{12} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 15 \cdot C \cdot a^{12} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / a^{15}) / d$

$$3.143 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=120

$$\frac{2(36A+C)\sin(c+dx)}{15a^3d} - \frac{3A\sin(c+dx)}{d(a^3\sec(c+dx)+a^3)} - \frac{3Ax}{a^3} - \frac{(9A-C)\sin(c+dx)}{15ad(a\sec(c+dx)+a)^2} - \frac{(A+C)\sin(c+dx)}{5d(a\sec(c+dx)+a)^3}$$

[Out] $(-3A*x)/a^3 + (2*(36A + C)*\text{Sin}[c + d*x])/(15*a^3*d) - ((A + C)*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - ((9*A - C)*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Sec}[c + d*x])^2) - (3*A*\text{Sin}[c + d*x])/(d*(a^3 + a^3*\text{Sec}[c + d*x]))$

Rubi [A] time = 0.354935, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4085, 4020, 3787, 2637, 8}

$$\frac{2(36A+C)\sin(c+dx)}{15a^3d} - \frac{3A\sin(c+dx)}{d(a^3\sec(c+dx)+a^3)} - \frac{3Ax}{a^3} - \frac{(9A-C)\sin(c+dx)}{15ad(a\sec(c+dx)+a)^2} - \frac{(A+C)\sin(c+dx)}{5d(a\sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^3, x]$

[Out] $(-3A*x)/a^3 + (2*(36A + C)*\text{Sin}[c + d*x])/(15*a^3*d) - ((A + C)*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - ((9*A - C)*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Sec}[c + d*x])^2) - (3*A*\text{Sin}[c + d*x])/(d*(a^3 + a^3*\text{Sec}[c + d*x]))$

Rule 4085

$\text{Int}[(A + \text{csc}[e + f*x] + (f*x)^2(C)) * (\text{csc}[e + f*x] + (f*x)) * (d + (a + b*\text{Csc}[e + f*x])^m) / (a + b*\text{Csc}[e + f*x])^n, x] \text{Symbol} \rightarrow -\text{Simp}[(a*(A + C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n) / (a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n * \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 4020

$\text{Int}[(\text{csc}[e + f*x] + (f*x)) * (d + (a + b*\text{Csc}[e + f*x])^m) / (a + b*\text{Csc}[e + f*x])^n, x] \text{Symbol} \rightarrow -\text{Simp}[(A*b$

```

- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 2637

```

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^3} dx &= -\frac{(A + C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{\cos(c + dx)(-a(6A + C) + a(3A - 2C) \sec(c + dx))}{(a + a \sec(c + dx))^2} dx}{5a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{\int \frac{\cos(c + dx)(-a^2(27A + 2C) + a^2(9A - C) \sec(c + dx))}{a + a \sec(c + dx)} dx}{15a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{3A \sin(c + dx)}{d(a^3 + a^3 \sec(c + dx))} \\
&= -\frac{(A + C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{3A \sin(c + dx)}{d(a^3 + a^3 \sec(c + dx))} \\
&= -\frac{3Ax}{a^3} + \frac{2(36A + C) \sin(c + dx)}{15a^3d} - \frac{(A + C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}
\end{aligned}$$

Mathematica [B] time = 1.82001, size = 283, normalized size = 2.36

$$\sec\left(\frac{c}{2}\right) \sec^5\left(\frac{1}{2}(c + dx)\right) \left(1125A \sin\left(c + \frac{dx}{2}\right) - 1215A \sin\left(c + \frac{3dx}{2}\right) + 225A \sin\left(2c + \frac{3dx}{2}\right) - 363A \sin\left(2c + \frac{5dx}{2}\right) - 75\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] $-(\text{Sec}[c/2]*\text{Sec}[(c + d*x)/2]^5*(900*A*d*x*\text{Cos}[(d*x)/2] + 900*A*d*x*\text{Cos}[c + (d*x)/2] + 450*A*d*x*\text{Cos}[c + (3*d*x)/2] + 450*A*d*x*\text{Cos}[2*c + (3*d*x)/2] + 900*A*d*x*\text{Cos}[2*c + (5*d*x)/2] + 90*A*d*x*\text{Cos}[3*c + (5*d*x)/2] - 1755*A*\text{Sin}[(d*x)/2] - 160*C*\text{Sin}[(d*x)/2] + 1125*A*\text{Sin}[c + (d*x)/2] + 120*C*\text{Sin}[c + (d*x)/2] - 1215*A*\text{Sin}[c + (3*d*x)/2] - 80*C*\text{Sin}[c + (3*d*x)/2] + 225*A*\text{Sin}[2*c + (3*d*x)/2] + 60*C*\text{Sin}[2*c + (3*d*x)/2] - 363*A*\text{Sin}[2*c + (5*d*x)/2] - 28*C*\text{Sin}[2*c + (5*d*x)/2] - 75*A*\text{Sin}[3*c + (5*d*x)/2] - 15*A*\text{Sin}[3*c + (7*d*x)/2] - 15*A*\text{Sin}[4*c + (7*d*x)/2]))/(960*a^3*d)$

Maple [A] time = 0.092, size = 170, normalized size = 1.4

$$\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{A}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{17A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] $1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*A+1/20/d/a^3*C*\tan(1/2*d*x+1/2*c)^5-1/2/d/a^3*\tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^3*C*\tan(1/2*d*x+1/2*c)^3+17/4/d/a^3*A*\tan(1/2*d*x+1/2*c)+1/4/d/a^3*C*\tan(1/2*d*x+1/2*c)+2/d/a^3*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-6/d/a^3*A*\arctan(\tan(1/2*d*x+1/2*c))$

Maxima [A] time = 1.44244, size = 277, normalized size = 2.31

$$3A \left(\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin^2(dx+c)}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) + \frac{C \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] $\frac{1}{60} \cdot (3A \cdot (40 \sin(dx + c) / ((a^3 + a^3 \sin(dx + c))^2 / (\cos(dx + c) + 1)^2) \cdot (\cos(dx + c) + 1)) + (85 \sin(dx + c) / (\cos(dx + c) + 1) - 10 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 - 120 \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^3) + C \cdot (15 \sin(dx + c) / (\cos(dx + c) + 1) - 10 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3) / d$

Fricas [A] time = 0.489513, size = 386, normalized size = 3.22

$$\frac{45 A dx \cos(dx + c)^3 + 135 A dx \cos(dx + c)^2 + 135 A dx \cos(dx + c) + 45 A dx - (15 A \cos(dx + c)^3 + (117 A + 7 C) \cos(dx + c)^2 + 3(57 A + 2 C) \cos(dx + c) + 72 A + 2 C) \sin(dx + c)}{15(a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] $-\frac{1}{15} \cdot (45 A d x \cos(dx + c)^3 + 135 A d x \cos(dx + c)^2 + 135 A d x \cos(dx + c) + 45 A d x - (15 A \cos(dx + c)^3 + (117 A + 7 C) \cos(dx + c)^2 + 3(57 A + 2 C) \cos(dx + c) + 72 A + 2 C) \sin(dx + c)) / (a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \cos(c+dx) \sec^2(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)`

[Out] $(\text{Integral}(A \cos(c + d x) / (\sec(c + d x)**3 + 3 \sec(c + d x)**2 + 3 \sec(c + d x) + 1), x) + \text{Integral}(C \cos(c + d x) * \sec(c + d x)**2 / (\sec(c + d x)**3 + 3 \sec(c + d x)**2 + 3 \sec(c + d x) + 1), x)) / a**3$

Giac [A] time = 1.23877, size = 204, normalized size = 1.7

$$\frac{180(dx+c)A}{a^3} - \frac{120A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 30Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 10Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 255Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{15}}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] $-1/60*(180*(d*x + c)*A/a^3 - 120*A*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*a^3) - (3*A*a^{12}*\tan(1/2*d*x + 1/2*c)^5 + 3*C*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 30*A*a^{12}*\tan(1/2*d*x + 1/2*c)^3 - 10*C*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 255*A*a^{12}*\tan(1/2*d*x + 1/2*c) + 15*C*a^{12}*\tan(1/2*d*x + 1/2*c))/a^{15}/d$

$$3.144 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=183

$$-\frac{2(76A+11C)\sin(c+dx)}{15a^3d} + \frac{(13A+2C)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{(76A+11C)\sin(c+dx)\cos(c+dx)}{15d(a^3\sec(c+dx)+a^3)} + \frac{x(13A+2C)}{2a^3}$$

[Out] ((13*A + 2*C)*x)/(2*a^3) - (2*(76*A + 11*C)*Sin[c + d*x])/(15*a^3*d) + ((13*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*d) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((11*A + C)*Cos[c + d*x]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((76*A + 11*C)*Cos[c + d*x]*Sin[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.466027, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4020, 3787, 2635, 8, 2637}

$$-\frac{2(76A+11C)\sin(c+dx)}{15a^3d} + \frac{(13A+2C)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{(76A+11C)\sin(c+dx)\cos(c+dx)}{15d(a^3\sec(c+dx)+a^3)} + \frac{x(13A+2C)}{2a^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] ((13*A + 2*C)*x)/(2*a^3) - (2*(76*A + 11*C)*Sin[c + d*x])/(15*a^3*d) + ((13*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*d) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((11*A + C)*Cos[c + d*x]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((76*A + 11*C)*Cos[c + d*x]*Sin[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{\int \frac{\cos^2(c+dx)(-a(7A+2C)+a(4A-C)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(11A+C)\cos(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{\int \frac{\cos^2(c+dx)(-a(7A+2C)+a(4A-C)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(11A+C)\cos(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(76A+11C)\cos(c+dx)\sin(c+dx)}{15a^2d} \\
&= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(11A+C)\cos(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(76A+11C)\cos(c+dx)\sin(c+dx)}{15a^2d} \\
&= -\frac{2(76A+11C)\sin(c+dx)}{15a^3d} + \frac{(13A+2C)\cos(c+dx)\sin(c+dx)}{2a^3d} - \frac{(A+C)\cos(c+dx)\sin(c+dx)}{5d} \\
&= \frac{(13A+2C)x}{2a^3} - \frac{2(76A+11C)\sin(c+dx)}{15a^3d} + \frac{(13A+2C)\cos(c+dx)\sin(c+dx)}{2a^3d}
\end{aligned}$$

Mathematica [B] time = 1.41611, size = 385, normalized size = 2.1

$$\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left(600dx(13A+2C)\cos\left(c+\frac{dx}{2}\right)+7560A\sin\left(c+\frac{dx}{2}\right)-9230A\sin\left(c+\frac{3dx}{2}\right)+930A\sin\left(2c+\frac{5dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(600*(13*A + 2*C)*d*x*Cos[(d*x)/2] + 600*(13*A + 2*C)*d*x*Cos[c + (d*x)/2] + 3900*A*d*x*Cos[c + (3*d*x)/2] + 600*C*d*x*Cos[c + (3*d*x)/2] + 3900*A*d*x*Cos[2*c + (3*d*x)/2] + 600*C*d*x*Cos[2*c + (3*d*x)/2] + 780*A*d*x*Cos[2*c + (5*d*x)/2] + 120*C*d*x*Cos[2*c + (5*d*x)/2] + 780*A*d*x*Cos[3*c + (5*d*x)/2] + 120*C*d*x*Cos[3*c + (5*d*x)/2] - 12760*A*Sin[(d*x)/2] - 2960*C*Sin[(d*x)/2] + 7560*A*Sin[c + (d*x)/2] + 2160*C*Sin[c + (d*x)/2] - 9230*A*Sin[c + (3*d*x)/2] - 1840*C*Sin[c + (3*d*x)/2] + 930*A*Sin[2*c + (3*d*x)/2] + 720*C*Sin[2*c + (3*d*x)/2] - 2782*A*Sin[2*c + (5*d*x)/2] - 512*C*Sin[2*c + (5*d*x)/2] - 750*A*Sin[3*c + (5*d*x)/2] - 105*A*Sin[3*c + (7*d*x)/2] - 105*A*Sin[4*c + (7*d*x)/2] + 15*A*Sin[4*c + (9*d*x)/2] + 15*A*Sin[5*c + (9*d*x)/2]))/(3840*a^3*d)

Maple [A] time = 0.107, size = 224, normalized size = 1.2

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{2A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{31A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out]
$$-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*A-1/20/d/a^3*C*\tan(1/2*d*x+1/2*c)^5+2/3/d/a^3*\tan(1/2*d*x+1/2*c)^3*A+1/3/d/a^3*C*\tan(1/2*d*x+1/2*c)^3-31/4/d/a^3*A*\tan(1/2*d*x+1/2*c)-7/4/d/a^3*C*\tan(1/2*d*x+1/2*c)-7/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A-5/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*A*\tan(1/2*d*x+1/2*c)+13/d/a^3*A*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*C$$

Maxima [A] time = 1.43358, size = 373, normalized size = 2.04

$$A \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} - \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{780 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) + C \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} \right)$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out]
$$-1/60*(A*(60*(5*\sin(d*x + c))/(\cos(d*x + c) + 1) + 7*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^3 + 2*a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (465*\sin(d*x + c)/(\cos(d*x + c) + 1) - 40*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 780*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3 + C*((105*\sin(d*x + c)/(\cos(d*x + c) + 1) - 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3)/d$$

Fricas [A] time = 0.506768, size = 478, normalized size = 2.61

$$\frac{15(13A + 2C)dx \cos(dx + c)^3 + 45(13A + 2C)dx \cos(dx + c)^2 + 45(13A + 2C)dx \cos(dx + c) + 15(13A + 2C)dx}{30(a^3d \cos(dx + c)^3 + 3a^3d \cos(dx + c)^2 + 3a^3d \cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] 1/30*(15*(13*A + 2*C)*d*x*cos(d*x + c)^3 + 45*(13*A + 2*C)*d*x*cos(d*x + c)^2 + 45*(13*A + 2*C)*d*x*cos(d*x + c) + 15*(13*A + 2*C)*d*x + (15*A*cos(d*x + c)^4 - 45*A*cos(d*x + c)^3 - (479*A + 64*C)*cos(d*x + c)^2 - 3*(239*A + 34*C)*cos(d*x + c) - 304*A - 44*C)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.19616, size = 235, normalized size = 1.28

$$\frac{30(dx+c)(13A+2C)}{a^3} - \frac{60\left(7A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 5A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2 a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 40Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 20Ca^{12}}{a^{15}}$$

60d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

```
[Out] 1/60*(30*(d*x + c)*(13*A + 2*C)/a^3 - 60*(7*A*tan(1/2*d*x + 1/2*c)^3 + 5*A*  
tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^3) - (3*A*a^12*tan(  
1/2*d*x + 1/2*c)^5 + 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 - 40*A*a^12*tan(1/2*d*  
x + 1/2*c)^3 - 20*C*a^12*tan(1/2*d*x + 1/2*c)^3 + 465*A*a^12*tan(1/2*d*x +  
1/2*c) + 105*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```


$$3.145 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=216

$$-\frac{4(34A+9C)\sin^3(c+dx)}{15a^3d} + \frac{4(34A+9C)\sin(c+dx)}{5a^3d} - \frac{(23A+6C)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{(23A+6C)\sin(c+dx)}{3d(a^3\sec(c+dx))}$$

```
[Out] -((23*A + 6*C)*x)/(2*a^3) + (4*(34*A + 9*C)*Sin[c + d*x])/(5*a^3*d) - ((23*A + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*d) - ((A + C)*Cos[c + d*x]^2*SIN[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((13*A + 3*C)*Cos[c + d*x]^2*SIN[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((23*A + 6*C)*Cos[c + d*x]^2*SIN[c + d*x])/(3*d*(a^3 + a^3*Sec[c + d*x])) - (4*(34*A + 9*C)*Sin[c + d*x]^3)/(15*a^3*d)
```

Rubi [A] time = 0.497261, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4020, 3787, 2633, 2635, 8}

$$-\frac{4(34A+9C)\sin^3(c+dx)}{15a^3d} + \frac{4(34A+9C)\sin(c+dx)}{5a^3d} - \frac{(23A+6C)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{(23A+6C)\sin(c+dx)}{3d(a^3\sec(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] -((23*A + 6*C)*x)/(2*a^3) + (4*(34*A + 9*C)*Sin[c + d*x])/(5*a^3*d) - ((23*A + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*d) - ((A + C)*Cos[c + d*x]^2*SIN[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((13*A + 3*C)*Cos[c + d*x]^2*SIN[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((23*A + 6*C)*Cos[c + d*x]^2*SIN[c + d*x])/(3*d*(a^3 + a^3*Sec[c + d*x])) - (4*(34*A + 9*C)*Sin[c + d*x]^3)/(15*a^3*d)
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
```

- b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^n, x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{\int \frac{\cos^3(c+dx)(-a(8A+3C)+5aA\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A+3C)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A+3C)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A+3C)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{(23A+6C)\cos(c+dx)\sin(c+dx)}{2a^3d} - \frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} \\
&= -\frac{(23A+6C)x}{2a^3} + \frac{4(34A+9C)\sin(c+dx)}{5a^3d} - \frac{(23A+6C)\cos(c+dx)\sin(c+dx)}{2a^3d}
\end{aligned}$$

Mathematica [B] time = 1.81681, size = 455, normalized size = 2.11

$$\frac{\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left(600dx(23A+6C)\cos\left(c+\frac{dx}{2}\right)+11110A\sin\left(c+\frac{dx}{2}\right)-15380A\sin\left(c+\frac{3dx}{2}\right)+380A\sin\left(2c+\frac{3dx}{2}\right)\right)}{(a+a\sec(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] -(Sec[c/2]*Sec[(c + d*x)/2]^5*(600*(23*A + 6*C)*d*x*Cos[(d*x)/2] + 600*(23*A + 6*C)*d*x*Cos[c + (d*x)/2] + 6900*A*d*x*Cos[c + (3*d*x)/2] + 1800*C*d*x*Cos[c + (3*d*x)/2] + 6900*A*d*x*Cos[2*c + (3*d*x)/2] + 1800*C*d*x*Cos[2*c + (3*d*x)/2] + 1380*A*d*x*Cos[2*c + (5*d*x)/2] + 360*C*d*x*Cos[2*c + (5*d*x)/2] + 1380*A*d*x*Cos[3*c + (5*d*x)/2] + 360*C*d*x*Cos[3*c + (5*d*x)/2] - 20410*A*Sin[(d*x)/2] - 7020*C*Sin[(d*x)/2] + 11110*A*Sin[c + (d*x)/2] + 4500*C*Sin[c + (d*x)/2] - 15380*A*Sin[c + (3*d*x)/2] - 4860*C*Sin[c + (3*d*x)/2] + 380*A*Sin[2*c + (3*d*x)/2] + 900*C*Sin[2*c + (3*d*x)/2] - 4777*A*Sin[2*c + (5*d*x)/2] - 1452*C*Sin[2*c + (5*d*x)/2] - 1625*A*Sin[3*c + (5*d*x)/2] - 300*C*Sin[3*c + (5*d*x)/2] - 230*A*Sin[3*c + (7*d*x)/2] - 60*C*Sin[3*c + (7*d*x)/2] - 230*A*Sin[4*c + (7*d*x)/2] - 60*C*Sin[4*c + (7*d*x)/2] + 20*A*Sin[4*c + (9*d*x)/2] + 20*A*Sin[5*c + (9*d*x)/2] - 5*A*Sin[5*c + (11*d*x)/2] - 5*A*Sin[6*c + (11*d*x)/2]))/(3840*a^3*d)

Maple [A] time = 0.105, size = 362, normalized size = 1.7

$$\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{5A}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{49A}{4da^3} \tan\left(\frac{dx}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)`

[Out] $\frac{1}{20} \frac{d}{a^3} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^5 A + \frac{1}{20} \frac{d}{a^3} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^5 - \frac{5}{6} \frac{d}{a^3} A \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 + \frac{49}{4} \frac{d}{a^3} A \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + \frac{17}{4} \frac{d}{a^3} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + \frac{17}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2)^3} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^5 A + \frac{2}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2)^3} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^5 + \frac{76}{3} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2)^3} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 A + \frac{4}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2)^3} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 + \frac{11}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2)^3} A \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + \frac{2}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2)^3} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - \frac{23}{d} \frac{d}{a^3} A \arctan\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) - \frac{6}{d} \frac{d}{a^3} \arctan\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) * C$

Maxima [A] time = 1.44132, size = 493, normalized size = 2.28

$$A \left(\frac{20 \left(\frac{33 \sin(dx+c)}{\cos(dx+c)+1} + \frac{76 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{51 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3 + \frac{3a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^3 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{735 \sin(dx+c)}{\cos(dx+c)+1} - \frac{50 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{1380 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) + 3C \left(\frac{40 \sin(dx+c)}{a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^3 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} \right)$$

60d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $\frac{1}{60} * (A * (20 * (33 * \sin(d*x + c) / (\cos(d*x + c) + 1) + 76 * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 51 * \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5) / (a^3 + 3 * a^3 * \sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2 + 3 * a^3 * \sin(d*x + c)^4 / (\cos(d*x + c) + 1)^4 + a^3 * \sin(d*x + c)^6 / (\cos(d*x + c) + 1)^6) + (735 * \sin(d*x + c) / (\cos(d*x + c) + 1) - 50 * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 3 * \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5) / a^3 - 1380 * \arctan(\sin(d*x + c) / (\cos(d*x + c) + 1)) / a^3 + 3 * C * (40 * \sin(d*x + c) / ((a^3 + a^3 * \sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2) * (\cos(d*x + c) + 1)) + (85 * \sin(d*x + c) / (\cos(d*x + c) + 1) - 10 * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3) / a^3) + 3 * C * (40 * \sin(d*x + c) / (a^3 + a^3 * \sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2) + 3 * \sin(d*x + c)^4 / (\cos(d*x + c) + 1)^4 + a^3 * \sin(d*x + c)^6 / (\cos(d*x + c) + 1)^6) / a^3 - 1380 * \arctan(\sin(d*x + c) / (\cos(d*x + c) + 1)) / a^3$

$\frac{\sin(dx + c) + 1)^3 + \sin(dx + c)^5 / (\cos(dx + c) + 1)^5}{a^3} - 120 \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^3) / d$

Fricas [A] time = 0.510645, size = 525, normalized size = 2.43

$$\frac{15(23A + 6C)dx \cos(dx + c)^3 + 45(23A + 6C)dx \cos(dx + c)^2 + 45(23A + 6C)dx \cos(dx + c) + 15(23A + 6C)d}{30(a^3 d \cos(dx + c) + a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^3,x, algorithm="fricas")

[Out]
$$\frac{-1/30*(15*(23*A + 6*C)*d*x*\cos(dx + c)^3 + 45*(23*A + 6*C)*d*x*\cos(dx + c)^2 + 45*(23*A + 6*C)*d*x*\cos(dx + c) + 15*(23*A + 6*C)*d*x - (10*A*\cos(dx + c)^5 - 15*A*\cos(dx + c)^4 + 5*(19*A + 6*C)*\cos(dx + c)^3 + (869*A + 234*C)*\cos(dx + c)^2 + 9*(143*A + 38*C)*\cos(dx + c) + 544*A + 144*C)*\sin(dx + c))}{(a^3*d*\cos(dx + c)^3 + 3*a^3*d*\cos(dx + c)^2 + 3*a^3*d*\cos(dx + c) + a^3*d)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**3*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c))**3,x)

[Out] Timed out

Giac [A] time = 1.20886, size = 308, normalized size = 1.43

$$\frac{30(dx+c)(23A+6C)}{a^3} - \frac{20\left(51A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 76A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 33A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="
giac")
```

```
[Out] -1/60*(30*(d*x + c)*(23*A + 6*C)/a^3 - 20*(51*A*tan(1/2*d*x + 1/2*c)^5 + 6*
C*tan(1/2*d*x + 1/2*c)^5 + 76*A*tan(1/2*d*x + 1/2*c)^3 + 12*C*tan(1/2*d*x +
1/2*c)^3 + 33*A*tan(1/2*d*x + 1/2*c) + 6*C*tan(1/2*d*x + 1/2*c))/((tan(1/2
*d*x + 1/2*c)^2 + 1)^3*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^12*t
an(1/2*d*x + 1/2*c)^5 - 50*A*a^12*tan(1/2*d*x + 1/2*c)^3 - 30*C*a^12*tan(1/
2*d*x + 1/2*c)^3 + 735*A*a^12*tan(1/2*d*x + 1/2*c) + 255*C*a^12*tan(1/2*d*x
+ 1/2*c))/a^15)/d
```

$$3.146 \quad \int \frac{\sec^5(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=232

$$-\frac{32(5A+54C) \tan(c+dx)}{105a^4d} + \frac{(2A+21C) \tanh^{-1}(\sin(c+dx))}{2a^4d} - \frac{(10A+129C) \tan(c+dx) \sec^3(c+dx)}{105a^4d(\sec(c+dx)+1)^2} - \frac{16(5A+54C)}{105a^4d}$$

[Out] ((2*A + 21*C)*ArcTanh[Sin[c + d*x]])/(2*a^4*d) - (32*(5*A + 54*C)*Tan[c + d*x])/(105*a^4*d) + ((2*A + 21*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a^4*d) - ((10*A + 129*C)*Sec[c + d*x]^3*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (16*(5*A + 54*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^5*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.64895, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4085, 4019, 3787, 3767, 8, 3768, 3770}

$$-\frac{32(5A+54C) \tan(c+dx)}{105a^4d} + \frac{(2A+21C) \tanh^{-1}(\sin(c+dx))}{2a^4d} - \frac{(10A+129C) \tan(c+dx) \sec^3(c+dx)}{105a^4d(\sec(c+dx)+1)^2} - \frac{16(5A+54C)}{105a^4d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^5*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] ((2*A + 21*C)*ArcTanh[Sin[c + d*x]])/(2*a^4*d) - (32*(5*A + 54*C)*Tan[c + d*x])/(105*a^4*d) + ((2*A + 21*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a^4*d) - ((10*A + 129*C)*Sec[c + d*x]^3*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (16*(5*A + 54*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^5*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2

- b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^5(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= \frac{(A+C)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{\sec^5(c+dx)(-a(2A-5C)-a(2A+9C)\sec(c+dx))}{(a+a\sec(c+dx))^3}}{7a^2} \\
&= \frac{(A+C)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{2C\sec^4(c+dx)\tan(c+dx)}{5ad(a+a\sec(c+dx))^3} - \int \frac{\sec^4(c+dx)}{a+a\sec(c+dx)} \\
&= \frac{(10A+129C)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= \frac{(10A+129C)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= \frac{(10A+129C)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= \frac{(2A+21C)\sec(c+dx)\tan(c+dx)}{2a^4d} - \frac{(10A+129C)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} \\
&= \frac{(2A+21C)\tanh^{-1}(\sin(c+dx))}{2a^4d} - \frac{32(5A+54C)\tan(c+dx)}{105a^4d} + \frac{(2A+21C)}{2a^4d}
\end{aligned}$$

Mathematica [B] time = 4.22883, size = 746, normalized size = 3.22

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)(A+C\sec^2(c+dx))\left(\sec\left(\frac{c}{2}\right)\sec(c)\sec^2(c+dx)\left(-17220A\sin\left(c-\frac{dx}{2}\right)+17220A\sin\left(c\right)\right)\right)}{1}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^5*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] -(Cos[(c + d*x)/2]*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*(53760*(2*A + 21*C)*Cos[(c + d*x)/2]^7*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) + Sec[c/2]*Sec[c]*Sec[c + d*x]^2*(-14*(1010*A + 5229*C)*Sin[(d*x)/2] + 4*(3790*A + 41667*C)*Sin[(3*d*x)/2] - 17220*A*Sin[c - (d*x)/2] - 183162*C*Sin[c - (d*x)/2] + 17220*A*Sin[c + (d*x)/2] + 100842*C*Sin[c + (d*x)/2] - 14140*A*Sin[2*c + (d*x)/2] - 155526*C*Sin[2*c + (d*x)/2] - 9800*A*Sin[c + (3*d*x)/2] - 37380*C*Sin[c + (3*d*x)/2] + 15160*A*Sin[2*c + (3*d*x)/2] + 101148*C*Sin[2*c + (3*d*x)/2] - 9800*A*Sin[3*c + (3*d*x)/2] - 102900*C*Sin[3*c + (3*d*x)/2] + 10920*A*Sin[c + (5*d*x)/2] + 119364*C*Sin[c + (5*d*x)/2] - 4760*A*Sin[2*c + (5*d*x)/2] - 8820*C*Sin[2*c + (5*d*x)/2] + 10920*A*Sin[3*c + (5*d*x)/2] + 78204*C*Sin[3*c + (5*d*x)/2] - 47

$$\begin{aligned}
& 60*A*\sin[4*c + (5*d*x)/2] - 49980*C*\sin[4*c + (5*d*x)/2] + 5890*A*\sin[2*c + \\
& (7*d*x)/2] + 64053*C*\sin[2*c + (7*d*x)/2] - 1470*A*\sin[3*c + (7*d*x)/2] + \\
& 3885*C*\sin[3*c + (7*d*x)/2] + 5890*A*\sin[4*c + (7*d*x)/2] + 44733*C*\sin[4*c \\
& + (7*d*x)/2] - 1470*A*\sin[5*c + (7*d*x)/2] - 15435*C*\sin[5*c + (7*d*x)/2] \\
& + 2030*A*\sin[3*c + (9*d*x)/2] + 21987*C*\sin[3*c + (9*d*x)/2] - 210*A*\sin[4*c \\
& + (9*d*x)/2] + 3675*C*\sin[4*c + (9*d*x)/2] + 2030*A*\sin[5*c + (9*d*x)/2] \\
& + 16107*C*\sin[5*c + (9*d*x)/2] - 210*A*\sin[6*c + (9*d*x)/2] - 2205*C*\sin[6*c \\
& + (9*d*x)/2] + 320*A*\sin[4*c + (11*d*x)/2] + 3456*C*\sin[4*c + (11*d*x)/2] \\
& + 840*C*\sin[5*c + (11*d*x)/2] + 320*A*\sin[6*c + (11*d*x)/2] + 2616*C*\sin[6 \\
& *c + (11*d*x)/2]))/(3360*a^4*d*(A + 2*C + A*\cos[2*(c + d*x)])*(1 + \sec[c + \\
& d*x])^4)
\end{aligned}$$

Maple [A] time = 0.08, size = 329, normalized size = 1.4

$$-\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{C}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{A}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{9C}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{11A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^5*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)

[Out] $-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A-1/56/d/a^4*C*\tan(1/2*d*x+1/2*c)^7-1/8/d/a^4*\tan(1/2*d*x+1/2*c)^5*A-9/40/d/a^4*C*\tan(1/2*d*x+1/2*c)^5-11/24/d/a^4*A*\tan(1/2*d*x+1/2*c)^3-13/8/d/a^4*C*\tan(1/2*d*x+1/2*c)^3-15/8/d/a^4*A*\tan(1/2*d*x+1/2*c)-111/8/d/a^4*C*\tan(1/2*d*x+1/2*c)+1/d/a^4*\ln(\tan(1/2*d*x+1/2*c)+1)*A+21/2/d/a^4*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/2/d/a^4*C/(\tan(1/2*d*x+1/2*c)+1)^2+9/2/d/a^4*C/(\tan(1/2*d*x+1/2*c)+1)-1/d/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)*A-21/2/d/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)*C+1/2/d/a^4*C/(\tan(1/2*d*x+1/2*c)-1)^2+9/2/d/a^4*C/(\tan(1/2*d*x+1/2*c)-1)$

Maxima [A] time = 0.97384, size = 502, normalized size = 2.16

$$3C \left(\frac{280 \left(\frac{7 \sin(dx+c)}{\cos(dx+c)+1} - \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^4 - \frac{2a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{3885 \sin(dx+c)}{\cos(dx+c)+1} + \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right)$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out]
$$-1/840*(3*C*(280*(7*\sin(d*x + c)/(\cos(d*x + c) + 1) - 9*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^4 - 2*a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^4*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (3885*\sin(d*x + c)/(\cos(d*x + c) + 1) + 455*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 63*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4 + 5*A*((315*\sin(d*x + c)/(\cos(d*x + c) + 1) + 77*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 3*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 168*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 168*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4))/d$$

Fricas [A] time = 0.53375, size = 923, normalized size = 3.98

$$105 \left((2A + 21C) \cos(dx + c)^6 + 4(2A + 21C) \cos(dx + c)^5 + 6(2A + 21C) \cos(dx + c)^4 + 4(2A + 21C) \cos(dx + c)^3 + (2A + 21C) \cos(dx + c)^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$1/420*(105*((2*A + 21*C)*\cos(d*x + c)^6 + 4*(2*A + 21*C)*\cos(d*x + c)^5 + 6*(2*A + 21*C)*\cos(d*x + c)^4 + 4*(2*A + 21*C)*\cos(d*x + c)^3 + (2*A + 21*C)*\cos(d*x + c)^2)*\log(\sin(d*x + c) + 1) - 105*((2*A + 21*C)*\cos(d*x + c)^6 + 4*(2*A + 21*C)*\cos(d*x + c)^5 + 6*(2*A + 21*C)*\cos(d*x + c)^4 + 4*(2*A + 21*C)*\cos(d*x + c)^3 + (2*A + 21*C)*\cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) - 2*(64*(5*A + 54*C)*\cos(d*x + c)^5 + (1070*A + 11619*C)*\cos(d*x + c)^4 + 4*(310*A + 3411*C)*\cos(d*x + c)^3 + 4*(130*A + 1509*C)*\cos(d*x + c)^2 + 420*C*\cos(d*x + c) - 105*C*\sin(d*x + c))/(a^4*d*\cos(d*x + c)^6 + 4*a^4*d*\cos(d*x + c)^5 + 6*a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3 + a^4*d*\cos(d*x + c)^2)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec^5(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{C \sec^7(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx$$

a^4

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**5*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A*sec(c + d*x)**5/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**7/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.23292, size = 325, normalized size = 1.4

$$\frac{420(2A+21C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^4} - \frac{420(2A+21C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^4} + \frac{840\left(9C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-7C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^4} - \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7}{a^{28}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] 1/840*(420*(2*A + 21*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 420*(2*A + 21*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 + 840*(9*C*tan(1/2*d*x + 1/2*c)^3 - 7*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^4) - (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 + 15*C*a^24*tan(1/2*d*x + 1/2*c)^7 + 105*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 189*C*a^24*tan(1/2*d*x + 1/2*c)^5 + 385*A*a^24*tan(1/2*d*x + 1/2*c)^3 + 1365*C*a^24*tan(1/2*d*x + 1/2*c)^3 + 1575*A*a^24*tan(1/2*d*x + 1/2*c) + 11655*C*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

$$3.147 \quad \int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=183

$$\frac{2(3A+122C) \tan(c+dx)}{105a^4d} + \frac{(3A-88C) \tan(c+dx) \sec^2(c+dx)}{105a^4d(\sec(c+dx)+1)^2} - \frac{4C \tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{4C \tan(c+dx)}{a^4d(\sec(c+dx)+1)}$$

[Out] $(-4*C*ArcTanh[\sin[c + d*x]])/(a^4*d) + (2*(3*A + 122*C)*Tan[c + d*x])/(105*a^4*d) + ((3*A - 88*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + (4*C*Tan[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + (2*(A - 6*C)*Sec[c + d*x]^3*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)$

Rubi [A] time = 0.589016, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4085, 4019, 4008, 3787, 3770, 3767, 8}

$$\frac{2(3A+122C) \tan(c+dx)}{105a^4d} + \frac{(3A-88C) \tan(c+dx) \sec^2(c+dx)}{105a^4d(\sec(c+dx)+1)^2} - \frac{4C \tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{4C \tan(c+dx)}{a^4d(\sec(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^4*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^4, x]$

[Out] $(-4*C*ArcTanh[\sin[c + d*x]])/(a^4*d) + (2*(3*A + 122*C)*Tan[c + d*x])/(105*a^4*d) + ((3*A - 88*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + (4*C*Tan[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + (2*(A - 6*C)*Sec[c + d*x]^3*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)$

Rule 4085

$\text{Int}[(A + C) \cot(e + f*x) (a + b \csc(e + f*x))^m (d \csc(e + f*x))^n] / (a^2 f (2m + 1)) + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b \csc(e + f*x))^{m+1} (d \csc(e + f*x))^n \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))] * \csc[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{\sec^4(c+dx)(-a(3A-4C)-a(A+8C)\sec(c+dx))}{(a+a\sec(c+dx))^3} dx}{7a^2} \\
&= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{2(A-6C)\sec^3(c+dx)\tan(c+dx)}{35ad(a+a\sec(c+dx))^3} - \\
&= \frac{(3A-88C)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \\
&= \frac{(3A-88C)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \\
&= \frac{(3A-88C)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \\
&= -\frac{4C \tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{(3A-88C)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)}{7d} \\
&= -\frac{4C \tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{2(3A+122C)\tan(c+dx)}{105a^4d} + \frac{(3A-88C)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2}
\end{aligned}$$

Mathematica [B] time = 2.60388, size = 544, normalized size = 2.97

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)(A+C\sec^2(c+dx))\left(\sec\left(\frac{c}{2}\right)\sec(c)\sec(c+dx)\left(-126A\sin\left(c-\frac{dx}{2}\right)+126A\sin\left(c+\frac{dx}{2}\right)\right)-}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*(107520*C*Cos[(c + d*x)/2]^7*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2])) + Sec[c/2]*Sec[c]*Sec[c + d*x]*(-70*(3*A + 154*C)*Sin[(d*x)/2] + 28*(9*A + 671*C)*Sin[(3*d*x)/2] - 126*A*Sin[c - (d*x)/2] - 20524*C*Sin[c - (d*x)/2] + 126*A*Sin[c + (d*x)/2] + 14644*C*Sin[c + (d*x)/2] - 210*A*Sin[2*c + (d*x)/2] - 16660*C*Sin[2*c + (d*x)/2] - 4690*C*Sin[c + (3*d*x)/2] + 252*A*Sin[2*c + (3*d*x)/2] + 14378*C*Sin[2*c + (3*d*x)/2] - 9100*C*Sin[3*c + (3*d*x)/2] + 132*A*Sin[c + (5*d*x)/2] + 11668*C*Sin[c + (5*d*x)/2] - 630*C*Sin[2*c + (5*d*x)/2] + 132*A*Sin[3*c + (5*d*x)/2] + 9358*C*Sin[3*c + (5*d*x)/2] - 2940*C*Sin[4*c + (5*d*x)/2] + 42*A*Sin[2*c + (7*d*x)/2] + 4228*C*Sin[2*c + (7*d*x)/2] + 315*C*Sin[3*c + (7*d*x)/2] + 42*A*Sin[4*c + (

$$7*d*x)/2] + 3493*C*\sin[4*c + (7*d*x)/2] - 420*C*\sin[5*c + (7*d*x)/2] + 6*A*\sin[3*c + (9*d*x)/2] + 664*C*\sin[3*c + (9*d*x)/2] + 105*C*\sin[4*c + (9*d*x)/2] + 6*A*\sin[5*c + (9*d*x)/2] + 559*C*\sin[5*c + (9*d*x)/2]))/(840*a^4*d*(A + 2*C + A*\cos[2*(c + d*x)])*(1 + \sec[c + d*x])^4)$$

Maple [A] time = 0.067, size = 244, normalized size = 1.3

$$\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{C}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{3A}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{7C}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)

[Out] 1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*C*tan(1/2*d*x+1/2*c)^7+3/40/d/a^4*tan(1/2*d*x+1/2*c)^5*A+7/40/d/a^4*C*tan(1/2*d*x+1/2*c)^5+1/8/d/a^4*A*tan(1/2*d*x+1/2*c)^3+23/24/d/a^4*C*tan(1/2*d*x+1/2*c)^3+1/8/d/a^4*A*tan(1/2*d*x+1/2*c)+49/8/d/a^4*C*tan(1/2*d*x+1/2*c)-1/d/a^4*C/(tan(1/2*d*x+1/2*c)+1)-4/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^4*C/(tan(1/2*d*x+1/2*c)-1)+4/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*C

Maxima [A] time = 0.96958, size = 370, normalized size = 2.02

$$C \left(\frac{1680 \sin(dx+c)}{\left(a^4 - \frac{a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} + \frac{805 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{147 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right)$$

$840d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(C*(1680*sin(d*x + c)/((a^4 - a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (5145*sin(d*x + c)/(cos(d*x + c) + 1) + 805*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 147*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 3360*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^4 + 3360*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^4 + 3*A*(35*sin(d*x + c)/(cos(d*x + c) + 1) + 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 35*C*(35*sin(d*x + c)/(cos(d*x + c) + 1) + 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3))

$$1)^3 + 21\sin(dx + c)^5/(\cos(dx + c) + 1)^5 + 5\sin(dx + c)^7/(\cos(dx + c) + 1)^7)/a^4)/d$$

Fricas [A] time = 0.520267, size = 722, normalized size = 3.95

$$210\left(C\cos(dx+c)^5 + 4C\cos(dx+c)^4 + 6C\cos(dx+c)^3 + 4C\cos(dx+c)^2 + C\cos(dx+c)\right)\log(\sin(dx+c)+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^4,x, algorithm="fricas")

[Out]
$$-1/105*(210*(C*\cos(dx + c)^5 + 4*C*\cos(dx + c)^4 + 6*C*\cos(dx + c)^3 + 4*C*\cos(dx + c)^2 + C*\cos(dx + c))*\log(\sin(dx + c) + 1) - 210*(C*\cos(dx + c)^5 + 4*C*\cos(dx + c)^4 + 6*C*\cos(dx + c)^3 + 4*C*\cos(dx + c)^2 + C*\cos(dx + c))*\log(-\sin(dx + c) + 1) - (2*(3*A + 332*C)*\cos(dx + c)^4 + 4*(6*A + 559*C)*\cos(dx + c)^3 + (39*A + 2636*C)*\cos(dx + c)^2 + 4*(9*A + 296*C)*\cos(dx + c) + 105*C)*\sin(dx + c))/(a^4*d*\cos(dx + c)^5 + 4*a^4*d*\cos(dx + c)^4 + 6*a^4*d*\cos(dx + c)^3 + 4*a^4*d*\cos(dx + c)^2 + a^4*d*\cos(dx + c))$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^4(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{C \sec^6(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c))**4,x)

[Out]
$$\left(\text{Integral}(A*\sec(c + dx)**4/(\sec(c + dx)**4 + 4*\sec(c + dx)**3 + 6*\sec(c + dx)**2 + 4*\sec(c + dx) + 1), x) + \text{Integral}(C*\sec(c + dx)**6/(\sec(c + dx)**4 + 4*\sec(c + dx)**3 + 6*\sec(c + dx)**2 + 4*\sec(c + dx) + 1), x)\right)/a**4$$

Giac [A] time = 1.21663, size = 286, normalized size = 1.56

$$\frac{3360 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^4} - \frac{3360 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^4} + \frac{1680 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1} - \frac{15 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 15 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 63 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 147 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 105 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 805 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 105 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 5145 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^{28}}$$

840

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] -1/840*(3360*C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 3360*C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 + 1680*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^4) - (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 + 15*C*a^24*tan(1/2*d*x + 1/2*c)^7 + 63*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 147*C*a^24*tan(1/2*d*x + 1/2*c)^5 + 105*A*a^24*tan(1/2*d*x + 1/2*c)^3 + 805*C*a^24*tan(1/2*d*x + 1/2*c)^3 + 105*A*a^24*tan(1/2*d*x + 1/2*c) + 5145*C*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

$$3.148 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=161

$$\frac{(16A - 215C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)} - \frac{(8A - 55C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{C \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(A + C) \tan(c + dx) \sec^3(c + dx)}{7d(a \sec(c + dx) + a)^4} +$$

```
[Out] (C*ArcTanh[Sin[c + d*x]])/(a^4*d) - ((8*A - 55*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + ((16*A - 215*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + (2*(2*A - 5*C)*Sec[c + d*x]^2*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)
```

Rubi [A] time = 0.484186, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4019, 4008, 3998, 3770, 3794}

$$\frac{(16A - 215C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)} - \frac{(8A - 55C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{C \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(A + C) \tan(c + dx) \sec^3(c + dx)}{7d(a \sec(c + dx) + a)^4} +$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]
```

```
[Out] (C*ArcTanh[Sin[c + d*x]])/(a^4*d) - ((8*A - 55*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + ((16*A - 215*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + (2*(2*A - 5*C)*Sec[c + d*x]^2*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{\sec^3(c+dx)(-a(4A-3C)-7aC\sec(c+dx))}{(a+a\sec(c+dx))^3} dx}{7a^2} \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{2(2A-5C)\sec^2(c+dx)\tan(c+dx)}{35ad(a+a\sec(c+dx))^3} \\
&= -\frac{(8A-55C)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{2(2A-5C)}{35ad} \\
&= -\frac{(8A-55C)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{2(2A-5C)}{35ad} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{a^4d} - \frac{(8A-55C)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4}
\end{aligned}$$

Mathematica [A] time = 2.19314, size = 283, normalized size = 1.76

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)(A+C\sec^2(c+dx))\left(6720C\cos^7\left(\frac{1}{2}(c+dx)\right)\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]

[Out] -(Cos[(c + d*x)/2]*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*(6720*C*Cos[(c + d*x)/2]^7*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - Sec[c/2]*(70*(2*A - 49*C)*Sin[(d*x)/2] - 70*(2*A - 31*C)*Sin[c + (d*x)/2] + 168*A*Sin[c + (3*d*x)/2] - 2625*C*Sin[c + (3*d*x)/2] + 735*C*Sin[2*c + (3*d*x)/2] + 56*A*Sin[2*c + (5*d*x)/2] - 1015*C*Sin[2*c + (5*d*x)/2] + 105*C*Sin[3*c + (5*d*x)/2] + 8*A*Sin[3*c + (7*d*x)/2] - 160*C*Sin[3*c + (7*d*x)/2]))/(210*a^4*d*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x])^4)

Maple [A] time = 0.068, size = 199, normalized size = 1.2

$$\frac{A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{A}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 - \frac{C}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 - \frac{15C}{8da^4} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)

[Out] $\frac{1}{24}d/a^4A\tan(1/2*d*x+1/2*c)^3 - \frac{1}{40}d/a^4\tan(1/2*d*x+1/2*c)^5A - \frac{1}{8}d/a^4C\tan(1/2*d*x+1/2*c)^5 - \frac{15}{8}d/a^4C\tan(1/2*d*x+1/2*c) - \frac{1}{56}d/a^4\tan(1/2*d*x+1/2*c)^7A + \frac{1}{8}d/a^4A\tan(1/2*d*x+1/2*c) - \frac{1}{d/a^4}\ln(\tan(1/2*d*x+1/2*c)-1)*C - \frac{11}{24}d/a^4C\tan(1/2*d*x+1/2*c)^3 - \frac{1}{56}d/a^4C\tan(1/2*d*x+1/2*c)^7 + \frac{1}{d/a^4}\ln(\tan(1/2*d*x+1/2*c)+1)*C$

Maxima [A] time = 0.961218, size = 308, normalized size = 1.91

$$5C \left(\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} + \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right) - \frac{A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] $\frac{-1}{840} * (5 * C * ((315 * \sin(d * x + c) / (\cos(d * x + c) + 1) + 77 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3 + 21 * \sin(d * x + c)^5 / (\cos(d * x + c) + 1)^5 + 3 * \sin(d * x + c)^7 / (\cos(d * x + c) + 1)^7) / a^4 - 168 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) + 1) / a^4 + 168 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) - 1) / a^4 - A * (105 * \sin(d * x + c) / (\cos(d * x + c) + 1) + 35 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3 - 21 * \sin(d * x + c)^5 / (\cos(d * x + c) + 1)^5 - 15 * \sin(d * x + c)^7 / (\cos(d * x + c) + 1)^7) / a^4) / d$

Fricas [A] time = 0.51241, size = 624, normalized size = 3.88

$$105 \left(C \cos(dx+c)^4 + 4C \cos(dx+c)^3 + 6C \cos(dx+c)^2 + 4C \cos(dx+c) + C \right) \log(\sin(dx+c)+1) - 105 \left(C \cos(dx+c)^4 + 4C \cos(dx+c)^3 + 6C \cos(dx+c)^2 + 4C \cos(dx+c) + C \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] $\frac{1}{210} \cdot (105 \cdot (C \cdot \cos(dx + c))^4 + 4 \cdot C \cdot \cos(dx + c)^3 + 6 \cdot C \cdot \cos(dx + c)^2 + 4 \cdot C \cdot \cos(dx + c) + C) \cdot \log(\sin(dx + c) + 1) - 105 \cdot (C \cdot \cos(dx + c))^4 + 4 \cdot C \cdot \cos(dx + c)^3 + 6 \cdot C \cdot \cos(dx + c)^2 + 4 \cdot C \cdot \cos(dx + c) + C) \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (8 \cdot (A - 20 \cdot C) \cdot \cos(dx + c)^3 + (32 \cdot A - 535 \cdot C) \cdot \cos(dx + c)^2 + 4 \cdot (13 \cdot A - 155 \cdot C) \cdot \cos(dx + c) + 13 \cdot A - 260 \cdot C) \cdot \sin(dx + c) / (a^4 \cdot d \cdot \cos(dx + c)^4 + 4 \cdot a^4 \cdot d \cdot \cos(dx + c)^3 + 6 \cdot a^4 \cdot d \cdot \cos(dx + c)^2 + 4 \cdot a^4 \cdot d \cdot \cos(dx + c) + a^4 \cdot d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)**3*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c))**4,x)`

[Out] $(\text{Integral}(A \cdot \sec(c + dx))^{**3} / (\sec(c + dx)^{**4} + 4 \cdot \sec(c + dx)^{**3} + 6 \cdot \sec(c + dx)^{**2} + 4 \cdot \sec(c + dx) + 1), x) + \text{Integral}(C \cdot \sec(c + dx))^{**5} / (\sec(c + dx)^{**4} + 4 \cdot \sec(c + dx)^{**3} + 6 \cdot \sec(c + dx)^{**2} + 4 \cdot \sec(c + dx) + 1), x) / a^{**4}$

Giac [A] time = 1.24557, size = 246, normalized size = 1.53

$$\frac{840 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^4} - \frac{840 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^4} - \frac{15 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 15 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 21 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 105 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^4,x, algorithm="giac")`

[Out] $\frac{1}{840} \cdot (840 \cdot C \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) + 1)) / a^4 - 840 \cdot C \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) - 1)) / a^4 - (15 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 15 \cdot C \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 21 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 105 \cdot C \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 - 35 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 385 \cdot C \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 105 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + 1575 \cdot C \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)) / a^{28} / d$

$$3.149 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=138

$$\frac{4(2A+9C) \tan(c+dx)}{105a^4d(\sec(c+dx)+1)} + \frac{(23A-54C) \tan(c+dx)}{105a^4d(\sec(c+dx)+1)^2} - \frac{(A+C) \tan(c+dx) \sec^2(c+dx)}{7d(a \sec(c+dx)+a)^4} - \frac{2(3A-4C) \tan(c+dx)}{35ad(a \sec(c+dx)+a)^3}$$

[Out] ((23*A - 54*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + (4*(2*A + 9*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*(3*A - 4*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.374343, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4085, 4008, 4000, 3794}

$$\frac{4(2A+9C) \tan(c+dx)}{105a^4d(\sec(c+dx)+1)} + \frac{(23A-54C) \tan(c+dx)}{105a^4d(\sec(c+dx)+1)^2} - \frac{(A+C) \tan(c+dx) \sec^2(c+dx)}{7d(a \sec(c+dx)+a)^4} - \frac{2(3A-4C) \tan(c+dx)}{35ad(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] ((23*A - 54*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + (4*(2*A + 9*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*(3*A - 4*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4008

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[


```
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4000

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[((A*b - a*B)*Cot[e +
f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m +
1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]
/; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &
& NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol]
:= -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^4} dx &= -\frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{\int \frac{\sec^2(c + dx)(-a(5A - 2C) + a(A - 6C) \sec(c + dx))}{(a + a \sec(c + dx))^3} dx}{7a^2} \\ &= -\frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(3A - 4C) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{\int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx}{7a} \\ &= \frac{(23A - 54C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(3A - 4C) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} \\ &= \frac{(23A - 54C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A + C) \sec^2(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(3A - 4C) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} \end{aligned}$$

Mathematica [A] time = 0.641402, size = 151, normalized size = 1.09

$$\frac{\sec\left(\frac{c}{2}\right) \sec^7\left(\frac{1}{2}(c + dx)\right) \left(-175A \sin\left(c + \frac{dx}{2}\right) + 168A \sin\left(c + \frac{3dx}{2}\right) - 105A \sin\left(2c + \frac{3dx}{2}\right) + 91A \sin\left(2c + \frac{5dx}{2}\right) + 13A \sin\left(2c + \frac{7dx}{2}\right)\right)}{6720a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(70*(4*A + 3*C)*Sin[(d*x)/2] - 175*A*Sin[c + (d*x)/2] + 168*A*Sin[c + (3*d*x)/2] + 126*C*Sin[c + (3*d*x)/2] - 105*A*Sin[2*c + (3*d*x)/2] + 91*A*Sin[2*c + (5*d*x)/2] + 42*C*Sin[2*c + (5*d*x)/2] + 13*A*Sin[3*c + (7*d*x)/2] + 6*C*Sin[3*c + (7*d*x)/2]))/(6720*a^4*d)

Maple [A] time = 0.067, size = 88, normalized size = 0.6

$$\frac{1}{8da^4} \left(\frac{A+C}{7} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{-A+3C}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{-A+3C}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + C \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)

[Out] 1/8/d/a^4*(1/7*(A+C)*tan(1/2*d*x+1/2*c)^7+1/5*(-A+3*C)*tan(1/2*d*x+1/2*c)^5+1/3*(-A+3*C)*tan(1/2*d*x+1/2*c)^3+A*tan(1/2*d*x+1/2*c)+C*tan(1/2*d*x+1/2*c))

Maxima [A] time = 0.974169, size = 236, normalized size = 1.71

$$\frac{A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) + 3C \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(A*(105*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 + 3*C*(35*sin(d*x + c)/(cos(d*x + c) + 1) + 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 5*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4/d

Fricas [A] time = 0.462843, size = 308, normalized size = 2.23

$$\frac{\left((13A + 6C) \cos(dx + c)^3 + 4(13A + 6C) \cos(dx + c)^2 + (32A + 39C) \cos(dx + c) + 8A + 36C \right) \sin(dx + c)}{105 \left(a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + 6a^4 d \cos(dx + c)^2 + 4a^4 d \cos(dx + c) + a^4 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*((13*A + 6*C)*cos(d*x + c)^3 + 4*(13*A + 6*C)*cos(d*x + c)^2 + (32*A + 39*C)*cos(d*x + c) + 8*A + 36*C)*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec^2(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx$$

a^4

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A*sec(c + d*x)**2/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**4/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.23181, size = 158, normalized size = 1.14

$$\frac{15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 15C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 21A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 63C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 35A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 35A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 105C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{840a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")

```
[Out] 1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 + 15*C*tan(1/2*d*x + 1/2*c)^7 - 21*A*tan(1/2*d*x + 1/2*c)^5 + 63*C*tan(1/2*d*x + 1/2*c)^5 - 35*A*tan(1/2*d*x + 1/2*c)^3 + 105*C*tan(1/2*d*x + 1/2*c)^3 + 105*A*tan(1/2*d*x + 1/2*c) + 105*C*tan(1/2*d*x + 1/2*c))/(a^4*d)
```

$$3.150 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=142

$$\frac{(6A+13C) \tan(c+dx)}{105d(a^4 \sec(c+dx)+a^4)} + \frac{(6A+13C) \tan(c+dx)}{105d(a^2 \sec(c+dx)+a^2)^2} + \frac{2(4A-3C) \tan(c+dx)}{35ad(a \sec(c+dx)+a)^3} - \frac{(A+C) \tan(c+dx) \sec(c+dx)}{7d(a \sec(c+dx)+a)^4}$$

[Out] $-\frac{(A+C) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]}{7d(a+a \operatorname{Sec}[c+dx])^4} + \frac{2(4A-3C) \operatorname{Tan}[c+dx]}{35ad(a+a \operatorname{Sec}[c+dx])^3} + \frac{(6A+13C) \operatorname{Tan}[c+dx]}{105d(a^2+a^2 \operatorname{Sec}[c+dx])^2} + \frac{(6A+13C) \operatorname{Tan}[c+dx]}{105d(a^4+a^4 \operatorname{Sec}[c+dx])}$

Rubi [A] time = 0.246962, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4079, 4000, 3796, 3794}

$$\frac{(6A+13C) \tan(c+dx)}{105d(a^4 \sec(c+dx)+a^4)} + \frac{(6A+13C) \tan(c+dx)}{105d(a^2 \sec(c+dx)+a^2)^2} + \frac{2(4A-3C) \tan(c+dx)}{35ad(a \sec(c+dx)+a)^3} - \frac{(A+C) \tan(c+dx) \sec(c+dx)}{7d(a \sec(c+dx)+a)^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c+dx](A+C \operatorname{Sec}[c+dx]^2))/(a+a \operatorname{Sec}[c+dx])^4, x]$

[Out] $-\frac{(A+C) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]}{7d(a+a \operatorname{Sec}[c+dx])^4} + \frac{2(4A-3C) \operatorname{Tan}[c+dx]}{35ad(a+a \operatorname{Sec}[c+dx])^3} + \frac{(6A+13C) \operatorname{Tan}[c+dx]}{105d(a^2+a^2 \operatorname{Sec}[c+dx])^2} + \frac{(6A+13C) \operatorname{Tan}[c+dx]}{105d(a^4+a^4 \operatorname{Sec}[c+dx])}$

Rule 4079

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)x] * ((A_.) + \operatorname{csc}[(e_.) + (f_.)x]^2 * (C_.) * (\operatorname{csc}[(e_.) + (f_.)x] * (b_.) + (a_.)^m), x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[\frac{(A+C) \operatorname{Cot}[e+fx] \operatorname{Csc}[e+fx] * (a+b \operatorname{Csc}[e+fx])^m}{f(2m+1)}, x] - \operatorname{Dist}[1/(a*b(2m+1)), \operatorname{Int}[\operatorname{Csc}[e+fx] * (a+b \operatorname{Csc}[e+fx])^{m+1} * \operatorname{Simp}[-(bC) - 2A*b*(m+1) + a*(A*(m+2) - C*(m-1)) * \operatorname{Csc}[e+fx], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, C\}, x] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{EqQ}[a^2 - b^2, 0]$

Rule 4000

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)x] * (\operatorname{csc}[(e_.) + (f_.)x] * (b_.) + (a_.)^m) * (\operatorname{csc}[(e_.) + (f_.)x] * (B_.) + (A_.)], x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[\frac{(A*b - a*B) \operatorname{Cot}[e+fx]}{f}, x]$

```
f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]
/; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &
& NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3796

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] := Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x]
+ Dist[(m + 1)/(a*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
, x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
&& IntegerQ[2*m]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:= -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x]
&& EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\sec(c+dx)(a(6A-C)-a(2A-5C)\sec(c+dx))}{(a+a\sec(c+dx))^3} dx}{7a^2} \\ &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{2(4A-3C)\tan(c+dx)}{35ad(a+a\sec(c+dx))^3} + \frac{(6A+13C)\int}{3} \\ &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{2(4A-3C)\tan(c+dx)}{35ad(a+a\sec(c+dx))^3} + \frac{(6A+13C)}{105d(a^2+a^2)} \\ &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{2(4A-3C)\tan(c+dx)}{35ad(a+a\sec(c+dx))^3} + \frac{(6A+13C)}{105d(a^2+a^2)} \end{aligned}$$

Mathematica [A] time = 0.718021, size = 171, normalized size = 1.2

$$\frac{\sec\left(\frac{c}{2}\right)\sec^7\left(\frac{1}{2}(c+dx)\right)\left(-70(9A+2C)\sin\left(c+\frac{dx}{2}\right)+441A\sin\left(c+\frac{3dx}{2}\right)-315A\sin\left(2c+\frac{3dx}{2}\right)+147A\sin\left(2c+\frac{5dx}{2}\right)\right)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]
```

[Out] $(\text{Sec}[c/2] * \text{Sec}[(c + d*x)/2] ^7 * (70*(9*A + 2*C) * \text{Sin}[(d*x)/2] - 70*(9*A + 2*C) * \text{Sin}[c + (d*x)/2] + 441*A * \text{Sin}[c + (3*d*x)/2] + 168*C * \text{Sin}[c + (3*d*x)/2] - 315*A * \text{Sin}[2*c + (3*d*x)/2] + 147*A * \text{Sin}[2*c + (5*d*x)/2] + 56*C * \text{Sin}[2*c + (5*d*x)/2] - 105*A * \text{Sin}[3*c + (5*d*x)/2] + 36*A * \text{Sin}[3*c + (7*d*x)/2] + 8*C * \text{Sin}[3*c + (7*d*x)/2])) / (6720*a^4*d)$

Maple [A] time = 0.064, size = 90, normalized size = 0.6

$$\frac{1}{8da^4} \left(\frac{-A-C}{7} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{3A-C}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{-3A+C}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + C \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)`

[Out] $1/8/d/a^4*(1/7*(-A-C)*\tan(1/2*d*x+1/2*c)^7+1/5*(3*A-C)*\tan(1/2*d*x+1/2*c)^5+1/3*(-3*A+C)*\tan(1/2*d*x+1/2*c)^3+A*\tan(1/2*d*x+1/2*c)+C*\tan(1/2*d*x+1/2*c))$

Maxima [A] time = 0.965073, size = 236, normalized size = 1.66

$$\frac{C \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{3A \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}$$

$840d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")`

[Out] $1/840*(C*(105*\sin(d*x + c)/(\cos(d*x + c) + 1) + 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 - 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 + 3*A*(35*\sin(d*x + c)/(\cos(d*x + c) + 1) - 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4)/d$

Fricas [A] time = 0.467458, size = 309, normalized size = 2.18

$$\frac{(4(9A + 2C)\cos(dx + c)^3 + (39A + 32C)\cos(dx + c)^2 + 4(6A + 13C)\cos(dx + c) + 6A + 13C)\sin(dx + c)}{105(a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + 6a^4d\cos(dx + c)^2 + 4a^4d\cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*(4*(9*A + 2*C)*cos(d*x + c)^3 + (39*A + 32*C)*cos(d*x + c)^2 + 4*(6*A + 13*C)*cos(d*x + c) + 6*A + 13*C)*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.21229, size = 158, normalized size = 1.11

$$\frac{15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 15C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 63A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 21C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 105A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{840a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")


```
[Out] -1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 + 15*C*tan(1/2*d*x + 1/2*c)^7 - 63*A*ta
n(1/2*d*x + 1/2*c)^5 + 21*C*tan(1/2*d*x + 1/2*c)^5 + 105*A*tan(1/2*d*x + 1/
2*c)^3 - 35*C*tan(1/2*d*x + 1/2*c)^3 - 105*A*tan(1/2*d*x + 1/2*c) - 105*C*t
an(1/2*d*x + 1/2*c))/(a^4*d)
```

$$3.151 \quad \int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=136

$$\frac{8(20A - C) \tan(c + dx)}{105a^4 d(\sec(c + dx) + 1)} - \frac{(55A - 8C) \tan(c + dx)}{105a^4 d(\sec(c + dx) + 1)^2} + \frac{Ax}{a^4} - \frac{2(5A - 2C) \tan(c + dx)}{35ad(a \sec(c + dx) + a)^3} - \frac{(A + C) \tan(c + dx)}{7d(a \sec(c + dx) + a)^4}$$

[Out] (A*x)/a^4 - ((55*A - 8*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (8*(20*A - C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*(5*A - 2*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.262356, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {4053, 3922, 3919, 3794}

$$\frac{8(20A - C) \tan(c + dx)}{105a^4 d(\sec(c + dx) + 1)} - \frac{(55A - 8C) \tan(c + dx)}{105a^4 d(\sec(c + dx) + 1)^2} + \frac{Ax}{a^4} - \frac{2(5A - 2C) \tan(c + dx)}{35ad(a \sec(c + dx) + a)^3} - \frac{(A + C) \tan(c + dx)}{7d(a \sec(c + dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^4, x]

[Out] (A*x)/a^4 - ((55*A - 8*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (8*(20*A - C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*(5*A - 2*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 4053

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) - a*(A*(m + 1) - C*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x]

```
]^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x], x]
] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ
[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol]
:= -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f},
x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^4} dx &= -\frac{(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{\int \frac{-7aA + a(3A - 4C) \sec(c + dx)}{(a + a \sec(c + dx))^3} dx}{7a^2} \\ &= -\frac{(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(5A - 2C) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{\int \frac{35a^2A - 4a^2(5A - 2C) \sec(c + dx)}{(a + a \sec(c + dx))^2} dx}{35a^4} \\ &= -\frac{(55A - 8C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(5A - 2C) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} - \frac{\int \frac{-105a^3}{(a + a \sec(c + dx))^2} dx}{105a^4} \\ &= \frac{Ax}{a^4} - \frac{(55A - 8C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(5A - 2C) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} - \frac{8C}{105a^4} \\ &= \frac{Ax}{a^4} - \frac{(55A - 8C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(5A - 2C) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} - \frac{8C}{105a^4} \end{aligned}$$

Mathematica [B] time = 1.04983, size = 315, normalized size = 2.32

$$\sec\left(\frac{c}{2}\right) \sec^7\left(\frac{1}{2}(c + dx)\right) \left(8260A \sin\left(c + \frac{dx}{2}\right) - 7140A \sin\left(c + \frac{3dx}{2}\right) + 3780A \sin\left(2c + \frac{3dx}{2}\right) - 2800A \sin\left(2c + \frac{5dx}{2}\right) + 800A \sin\left(2c + \frac{7dx}{2}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^4, x]
```

```
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(3675*A*d*x*Cos[(d*x)/2] + 3675*A*d*x*Cos[c + (d*x)/2] + 2205*A*d*x*Cos[c + (3*d*x)/2] + 2205*A*d*x*Cos[2*c + (3*d*x)/2] + 735*A*d*x*Cos[2*c + (5*d*x)/2] + 735*A*d*x*Cos[3*c + (5*d*x)/2] + 105*A*d*x*Cos[3*c + (7*d*x)/2] + 105*A*d*x*Cos[4*c + (7*d*x)/2] - 9940*A*Sin[(d*x)/2] + 560*C*Sin[(d*x)/2] + 8260*A*Sin[c + (d*x)/2] - 350*C*Sin[c + (d*x)/2] - 7140*A*Sin[c + (3*d*x)/2] + 336*C*Sin[c + (3*d*x)/2] + 3780*A*Sin[2*c + (3*d*x)/2] - 210*C*Sin[2*c + (3*d*x)/2] - 2800*A*Sin[2*c + (5*d*x)/2] + 182*C*Sin[2*c + (5*d*x)/2] + 840*A*Sin[3*c + (5*d*x)/2] - 520*A*Sin[3*c + (7*d*x)/2] + 26*C*Sin[3*c + (7*d*x)/2]))/(13440*a^4*d)
```

Maple [A] time = 0.071, size = 177, normalized size = 1.3

$$\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{C}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{A}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{11A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{11C}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{15A}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + \frac{15C}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + \frac{11A}{24da^4} \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \frac{11C}{24da^4} \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)
```

```
[Out] 1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*C*tan(1/2*d*x+1/2*c)^7-1/8/d/a^4*tan(1/2*d*x+1/2*c)^5*A-1/40/d/a^4*C*tan(1/2*d*x+1/2*c)^5+11/24/d/a^4*A*tan(1/2*d*x+1/2*c)^3-1/24/d/a^4*C*tan(1/2*d*x+1/2*c)^3-15/8/d/a^4*A*tan(1/2*d*x+1/2*c)+1/8/d/a^4*C*tan(1/2*d*x+1/2*c)+2/d/a^4*A*arctan(tan(1/2*d*x+1/2*c))+2/d/a^4*C*arctan(tan(1/2*d*x+1/2*c))
```

Maxima [A] time = 1.43845, size = 271, normalized size = 1.99

$$\frac{5A \left(\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} - \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{336 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - C \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{336 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")
```

```
[Out] -1/840*(5*A*((315*sin(d*x + c)/(cos(d*x + c) + 1) - 77*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 3*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 336*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4 - C*((105*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 336*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4)
```

$$4) - C*(105*\sin(d*x + c)/(\cos(d*x + c) + 1) - 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 - 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4)/d$$

Fricas [A] time = 0.489385, size = 477, normalized size = 3.51

$$\frac{105 A d x \cos(dx + c)^4 + 420 A d x \cos(dx + c)^3 + 630 A d x \cos(dx + c)^2 + 420 A d x \cos(dx + c) + 105 A d x - (13(20 A - C) \cos(dx + c)^3 + 4(155 A - 13 C) \cos(dx + c)^2 + (535 A - 32 C) \cos(dx + c) + 160 A - 8 C) \sin(dx + c)}{105 (a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*(105*A*d*x*cos(d*x + c)^4 + 420*A*d*x*cos(d*x + c)^3 + 630*A*d*x*cos(d*x + c)^2 + 420*A*d*x*cos(d*x + c) + 105*A*d*x - (13*(20*A - C)*cos(d*x + c)^3 + 4*(155*A - 13*C)*cos(d*x + c)^2 + (535*A - 32*C)*cos(d*x + c) + 160*A - 8*C)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.2146, size = 208, normalized size = 1.53

$$\frac{840(dx+c)A}{a^4} + \frac{15 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 15 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 105 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 21 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 385 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 35 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{a^{28}}$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")
```

```
[Out] 1/840*(840*(d*x + c)*A/a^4 + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 + 15*C*a^24*  
tan(1/2*d*x + 1/2*c)^7 - 105*A*a^24*tan(1/2*d*x + 1/2*c)^5 - 21*C*a^24*tan(  
1/2*d*x + 1/2*c)^5 + 385*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 35*C*a^24*tan(1/2*  
d*x + 1/2*c)^3 - 1575*A*a^24*tan(1/2*d*x + 1/2*c) + 105*C*a^24*tan(1/2*d*x  
+ 1/2*c))/a^28)/d
```

$$3.152 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=152

$$\frac{2(332A + 3C) \sin(c + dx)}{105a^4d} - \frac{(88A - 3C) \sin(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{4A \sin(c + dx)}{a^4d(\sec(c + dx) + 1)} - \frac{4Ax}{a^4} - \frac{2(6A - C) \sin(c + dx)}{35ad(a \sec(c + dx) + a)^3} - \frac{(A + C) \sin(c + dx)}{7d}$$

```
[Out] (-4*A*x)/a^4 + (2*(332*A + 3*C)*Sin[c + d*x])/(105*a^4*d) - ((88*A - 3*C)*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (4*A*SIN[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*(6*A - C)*Sin[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)
```

Rubi [A] time = 0.49945, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4085, 4020, 3787, 2637, 8}

$$\frac{2(332A + 3C) \sin(c + dx)}{105a^4d} - \frac{(88A - 3C) \sin(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{4A \sin(c + dx)}{a^4d(\sec(c + dx) + 1)} - \frac{4Ax}{a^4} - \frac{2(6A - C) \sin(c + dx)}{35ad(a \sec(c + dx) + a)^3} - \frac{(A + C) \sin(c + dx)}{7d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]
```

```
[Out] (-4*A*x)/a^4 + (2*(332*A + 3*C)*Sin[c + d*x])/(105*a^4*d) - ((88*A - 3*C)*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (4*A*SIN[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*(6*A - C)*Sin[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)
```

Rule 4085

```
Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_)*(csc[(e_) + (f_)*(x_)])*(d_)^(n_)*(csc[(e_) + (f_)*(x_)])*(b_) + (a_)^(m_), x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_) + (f_)*(x_)])*(d_)^(n_)*(csc[(e_) + (f_)*(x_)])*(b_) + (a_)^(m_)*(csc[(e_) + (f_)*(x_)])*(B_) + (A_)), x_Symbol] := -Simp[(A*b
```

- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^4} dx &= -\frac{(A + C) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{\int \frac{\cos(c+dx)(-a(8A+C)+a(4A-3C)\sec(c+dx))}{(a+a \sec(c+dx))^3} dx}{7a^2} \\
 &= -\frac{(A + C) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(6A - C) \sin(c + dx)}{35ad(a + a \sec(c + dx))^3} - \frac{\int \frac{\cos(c+dx)(-a^2(52A+3C)+6a^2)}{(a+a \sec(c+dx))^2} dx}{35a^4} \\
 &= -\frac{(88A - 3C) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A + C) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(6A - C) \sin(c + dx)}{35ad(a + a \sec(c + dx))} \\
 &= -\frac{(88A - 3C) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A + C) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(6A - C) \sin(c + dx)}{35ad(a + a \sec(c + dx))} \\
 &= -\frac{(88A - 3C) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A + C) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{2(6A - C) \sin(c + dx)}{35ad(a + a \sec(c + dx))} \\
 &= -\frac{4Ax}{a^4} + \frac{2(332A + 3C) \sin(c + dx)}{105a^4d} - \frac{(88A - 3C) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A + C) \sin(c + dx)}{7d(a + a \sec(c + dx))}
 \end{aligned}$$

Mathematica [B] time = 1.22754, size = 371, normalized size = 2.44

$$\sec\left(\frac{c}{2}\right)\sec^7\left(\frac{1}{2}(c+dx)\right)\left(46130A\sin\left(c+\frac{dx}{2}\right)-46116A\sin\left(c+\frac{3dx}{2}\right)+18060A\sin\left(2c+\frac{3dx}{2}\right)-19292A\sin\left(2c+\frac{5dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] $-(\text{Sec}[c/2]*\text{Sec}[(c+d*x)/2]^7*(29400*A*d*x*\text{Cos}[(d*x)/2]+29400*A*d*x*\text{Cos}[c+(d*x)/2]+17640*A*d*x*\text{Cos}[c+(3*d*x)/2]+17640*A*d*x*\text{Cos}[2*c+(3*d*x)/2]+5880*A*d*x*\text{Cos}[2*c+(5*d*x)/2]+5880*A*d*x*\text{Cos}[3*c+(5*d*x)/2]+840*A*d*x*\text{Cos}[3*c+(7*d*x)/2]+840*A*d*x*\text{Cos}[4*c+(7*d*x)/2]-60830*A*\text{Sin}[(d*x)/2]-2520*C*\text{Sin}[(d*x)/2]+46130*A*\text{Sin}[c+(d*x)/2]+2520*C*\text{Sin}[c+(d*x)/2]-46116*A*\text{Sin}[c+(3*d*x)/2]-1764*C*\text{Sin}[c+(3*d*x)/2]+18060*A*\text{Sin}[2*c+(3*d*x)/2]+1260*C*\text{Sin}[2*c+(3*d*x)/2]-19292*A*\text{Sin}[2*c+(5*d*x)/2]-588*C*\text{Sin}[2*c+(5*d*x)/2]+2100*A*\text{Sin}[3*c+(5*d*x)/2]+420*C*\text{Sin}[3*c+(5*d*x)/2]-3791*A*\text{Sin}[3*c+(7*d*x)/2]-144*C*\text{Sin}[3*c+(7*d*x)/2]-735*A*\text{Sin}[4*c+(7*d*x)/2]-105*A*\text{Sin}[4*c+(9*d*x)/2]-105*A*\text{Sin}[5*c+(9*d*x)/2]))/(26880*a^4*d)$

Maple [A] time = 0.104, size = 210, normalized size = 1.4

$$-\frac{A}{56da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^7-\frac{C}{56da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^7+\frac{7A}{40da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5+\frac{3C}{40da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{23A}{24da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)

[Out] $-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A-1/56/d/a^4*C*\tan(1/2*d*x+1/2*c)^7+7/40/d/a^4*\tan(1/2*d*x+1/2*c)^5*A+3/40/d/a^4*C*\tan(1/2*d*x+1/2*c)^5-23/24/d/a^4*A*\tan(1/2*d*x+1/2*c)^3-1/8/d/a^4*C*\tan(1/2*d*x+1/2*c)^3+49/8/d/a^4*A*\tan(1/2*d*x+1/2*c)+1/8/d/a^4*C*\tan(1/2*d*x+1/2*c)+2/d/a^4*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-8/d/a^4*A*arctan(\tan(1/2*d*x+1/2*c))$

Maxima [A] time = 1.4476, size = 332, normalized size = 2.18

$$A \left(\frac{1680 \sin(dx+c)}{\left(a^4 + \frac{a^4 \sin^2(dx+c)}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} - \frac{805 \sin^3(dx+c)}{(\cos(dx+c)+1)^3} + \frac{147 \sin^5(dx+c)}{(\cos(dx+c)+1)^5} - \frac{15 \sin^7(dx+c)}{(\cos(dx+c)+1)^7}}{a^4} - \frac{6720 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) + \frac{3C \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin^3(dx+c)}{(\cos(dx+c)+1)^3} + \frac{21 \sin^5(dx+c)}{(\cos(dx+c)+1)^5} - \frac{5 \sin^7(dx+c)}{(\cos(dx+c)+1)^7}\right)}{a^4} \right) \frac{1}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(A*(1680*sin(d*x + c)/((a^4 + a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (5145*sin(d*x + c)/(cos(d*x + c) + 1) - 805*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 147*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 6720*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4) + 3*C*(35*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 5*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4)/d

Fricas [A] time = 0.499998, size = 516, normalized size = 3.39

$$\frac{420 A dx \cos(dx+c)^4 + 1680 A dx \cos(dx+c)^3 + 2520 A dx \cos(dx+c)^2 + 1680 A dx \cos(dx+c) + 420 A dx - (105 A + 4 C) \cos(dx+c)^4 + 4 a^4 d \cos(dx+c)}{105 (a^4 d \cos(dx+c)^4 + 4 a^4 d \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] -1/105*(420*A*d*x*cos(d*x + c)^4 + 1680*A*d*x*cos(d*x + c)^3 + 2520*A*d*x*cos(d*x + c)^2 + 1680*A*d*x*cos(d*x + c) + 420*A*d*x - (105*A*cos(d*x + c)^4 + 4*(296*A + 9*C)*cos(d*x + c)^3 + (2636*A + 39*C)*cos(d*x + c)^2 + 4*(559*A + 6*C)*cos(d*x + c) + 664*A + 6*C)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)

[Out] Timed out

Giac [A] time = 1.20368, size = 248, normalized size = 1.63

$$\frac{3360(dx+c)A}{a^4} - \frac{1680A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^4} + \frac{15Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 15Ca^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 147Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 63Ca^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 805Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105Ca^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 5145Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 105Ca^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{28}}$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] -1/840*(3360*(d*x + c)*A/a^4 - 1680*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^4) + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 + 15*C*a^24*tan(1/2*d*x + 1/2*c)^7 - 147*A*a^24*tan(1/2*d*x + 1/2*c)^5 - 63*C*a^24*tan(1/2*d*x + 1/2*c)^5 + 805*A*a^24*tan(1/2*d*x + 1/2*c)^3 + 105*C*a^24*tan(1/2*d*x + 1/2*c)^3 - 5145*A*a^24*tan(1/2*d*x + 1/2*c) - 105*C*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

$$3.153 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=215

$$-\frac{32(54A+5C)\sin(c+dx)}{105a^4d} + \frac{(21A+2C)\sin(c+dx)\cos(c+dx)}{2a^4d} - \frac{16(54A+5C)\sin(c+dx)\cos(c+dx)}{105a^4d(\sec(c+dx)+1)} - \frac{(129A+10C)\cos(c+dx)\sin(c+dx)}{105a^4d}$$

[Out] ((21*A + 2*C)*x)/(2*a^4) - (32*(54*A + 5*C)*Sin[c + d*x])/(105*a^4*d) + ((21*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*d) - ((129*A + 10*C)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (16*(54*A + 5*C)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*A*Cos[c + d*x]*Sin[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.627105, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4020, 3787, 2635, 8, 2637}

$$-\frac{32(54A+5C)\sin(c+dx)}{105a^4d} + \frac{(21A+2C)\sin(c+dx)\cos(c+dx)}{2a^4d} - \frac{16(54A+5C)\sin(c+dx)\cos(c+dx)}{105a^4d(\sec(c+dx)+1)} - \frac{(129A+10C)\cos(c+dx)\sin(c+dx)}{105a^4d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]

[Out] ((21*A + 2*C)*x)/(2*a^4) - (32*(54*A + 5*C)*Sin[c + d*x])/(105*a^4*d) + ((21*A + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*d) - ((129*A + 10*C)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (16*(54*A + 5*C)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - (2*A*Cos[c + d*x]*Sin[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{\cos^2(c+dx)(-a(9A+2C)+a(5A-2C)\sec(c+dx))}{(a+a\sec(c+dx))^3} dx}{7a^2} \\
&= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{2A\cos(c+dx)\sin(c+dx)}{5ad(a+a\sec(c+dx))^3} - \frac{\int \frac{\cos^2(c+dx)}{(a+a\sec(c+dx))^4} dx}{7a^2} \\
&= -\frac{(129A+10C)\cos(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{\cos^2(c+dx)}{(a+a\sec(c+dx))^4} dx}{7a^2} \\
&= -\frac{(129A+10C)\cos(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{\cos^2(c+dx)}{(a+a\sec(c+dx))^4} dx}{7a^2} \\
&= -\frac{(129A+10C)\cos(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{\cos^2(c+dx)}{(a+a\sec(c+dx))^4} dx}{7a^2} \\
&= -\frac{32(54A+5C)\sin(c+dx)}{105a^4d} + \frac{(21A+2C)\cos(c+dx)\sin(c+dx)}{2a^4d} - \frac{(129A+10C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= \frac{(21A+2C)x}{2a^4} - \frac{32(54A+5C)\sin(c+dx)}{105a^4d} + \frac{(21A+2C)\cos(c+dx)\sin(c+dx)}{2a^4d}
\end{aligned}$$

Mathematica [B] time = 2.31692, size = 505, normalized size = 2.35

$$\frac{\sec\left(\frac{c}{2}\right)\sec^7\left(\frac{1}{2}(c+dx)\right)\left(14700dx(21A+2C)\cos\left(c+\frac{dx}{2}\right)+386190A\sin\left(c+\frac{dx}{2}\right)-422478A\sin\left(c+\frac{3dx}{2}\right)+132930A\sin\left(c+\frac{5dx}{2}\right)\right)}{(a+a\sec(c+dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(14700*(21*A + 2*C)*d*x*Cos[(d*x)/2] + 14700*(21*A + 2*C)*d*x*Cos[c + (d*x)/2] + 185220*A*d*x*Cos[c + (3*d*x)/2] + 17640*C*d*x*Cos[c + (3*d*x)/2] + 185220*A*d*x*Cos[2*c + (3*d*x)/2] + 17640*C*d*x*Cos[2*c + (3*d*x)/2] + 61740*A*d*x*Cos[2*c + (5*d*x)/2] + 5880*C*d*x*Cos[2*c + (5*d*x)/2] + 61740*A*d*x*Cos[3*c + (5*d*x)/2] + 5880*C*d*x*Cos[3*c + (5*d*x)/2] + 8820*A*d*x*Cos[3*c + (7*d*x)/2] + 840*C*d*x*Cos[3*c + (7*d*x)/2] + 8820*A*d*x*Cos[4*c + (7*d*x)/2] + 840*C*d*x*Cos[4*c + (7*d*x)/2] - 539490*A*Sin[(d*x)/2] - 79520*C*Sin[(d*x)/2] + 386190*A*Sin[c + (d*x)/2] + 66080*C*Sin[c + (d*x)/2] - 422478*A*Sin[c + (3*d*x)/2] - 57120*C*Sin[c + (3*d*x)/2] + 132930*A*Sin[2*c + (3*d*x)/2] + 30240*C*Sin[2*c + (3*d*x)/2] - 181461*A*Sin[2*c + (5*d*x)/2] - 22400*C*Sin[2*c + (5*d*x)/2] + 3675*A*Sin[3*c + (5*d*x)/2] + 6720*C*Sin[3*c + (5*d*x)/2] - 36003*A*Sin[3*c + (7*d*x)/2] - 41

$60*C*\sin[3*c + (7*d*x)/2] - 9555*A*\sin[4*c + (7*d*x)/2] - 945*A*\sin[4*c + (9*d*x)/2] - 945*A*\sin[5*c + (9*d*x)/2] + 105*A*\sin[5*c + (11*d*x)/2] + 105*A*\sin[6*c + (11*d*x)/2])/(107520*a^4*d)$

Maple [A] time = 0.117, size = 264, normalized size = 1.2

$$\frac{A}{56 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{C}{56 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{9A}{40 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{8 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{13A}{8 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{11C}{8 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{111A}{8 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 - \frac{15C}{8 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 - \frac{9A}{da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \frac{9C}{da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + \frac{21A}{da^4} \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \frac{2C}{da^4} \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right) * C$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^4, x)$

[Out] $1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*C*\tan(1/2*d*x+1/2*c)^7-9/40/d/a^4*\tan(1/2*d*x+1/2*c)^5*A-1/8/d/a^4*C*\tan(1/2*d*x+1/2*c)^5+13/8/d/a^4*A*\tan(1/2*d*x+1/2*c)^3+11/24/d/a^4*C*\tan(1/2*d*x+1/2*c)^3-111/8/d/a^4*A*\tan(1/2*d*x+1/2*c)^2-15/8/d/a^4*C*\tan(1/2*d*x+1/2*c)^2-9/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A-7/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2*A*\tan(1/2*d*x+1/2*c)+21/d/a^4*A*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*C$

Maxima [A] time = 1.44788, size = 429, normalized size = 2.

$$3A \left(\frac{280 \left(\frac{7 \sin(dx+c)}{\cos(dx+c)+1} + \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^4 + \frac{2a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{3885 \sin(dx+c)}{\cos(dx+c)+1} - \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{5880 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) + 5C \left(\frac{315 \sin(dx+c)}{\cos(dx+c)+1} - \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) / 840d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^4, x, \text{algorithm}="maxima")$

[Out] $-1/840*(3*A*(280*(7*\sin(dx+c))/(\cos(dx+c)+1)+9*\sin(dx+c)^3/(\cos(dx+c)+1)^3)/(a^4+2*a^4*\sin(dx+c)^2/(\cos(dx+c)+1)^2+a^4*\sin(dx+c)^4/(\cos(dx+c)+1)^4)+(3885*\sin(dx+c))/(\cos(dx+c)+1)-455*\sin(dx+c)^3/(\cos(dx+c)+1)^3+63*\sin(dx+c)^5/(\cos(dx+c)+1)^5-5*\sin(dx+c)^7/(\cos(dx+c)+1)^7)/a^4-5880*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^4+5*C*((315*\sin(dx+c))/(\cos(dx+c)+1)-455*\sin(dx+c)^3/(\cos(dx+c)+1)^3+63*\sin(dx+c)^5/(\cos(dx+c)+1)^5-5*\sin(dx+c)^7/(\cos(dx+c)+1)^7))$

$$77\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + 21\sin(dx + c)^5/(\cos(dx + c) + 1)^5 - 3\sin(dx + c)^7/(\cos(dx + c) + 1)^7/a^4 - 336\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a^4)/d$$

Fricas [A] time = 0.51676, size = 632, normalized size = 2.94

$$105(21A + 2C)dx \cos(dx + c)^4 + 420(21A + 2C)dx \cos(dx + c)^3 + 630(21A + 2C)dx \cos(dx + c)^2 + 420(21A + 2C)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^4,x, algorithm="fricas")

[Out] 1/210*(105*(21*A + 2*C)*d*x*cos(dx + c)^4 + 420*(21*A + 2*C)*d*x*cos(dx + c)^3 + 630*(21*A + 2*C)*d*x*cos(dx + c)^2 + 420*(21*A + 2*C)*d*x*cos(dx + c) + 105*(21*A + 2*C)*d*x + (105*A*cos(dx + c)^5 - 420*A*cos(dx + c)^4 - 4*(1509*A + 130*C)*cos(dx + c)^3 - 4*(3411*A + 310*C)*cos(dx + c)^2 - (11619*A + 1070*C)*cos(dx + c) - 3456*A - 320*C)*sin(dx + c))/(a^4*d*cos(dx + c)^4 + 4*a^4*d*cos(dx + c)^3 + 6*a^4*d*cos(dx + c)^2 + 4*a^4*d*cos(dx + c) + a^4*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c))**4,x)

[Out] Timed out

Giac [A] time = 1.19131, size = 279, normalized size = 1.3

$$\frac{420(dx+c)(21A+2C)}{a^4} - \frac{840\left(9A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+7A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right)^2a^4} + \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7+15Ca^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7-189Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-105Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-105Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^{24}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="
giac")
```

```
[Out] 1/840*(420*(d*x + c)*(21*A + 2*C)/a^4 - 840*(9*A*tan(1/2*d*x + 1/2*c)^3 + 7
*A*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^4) + (15*A*a^24*
tan(1/2*d*x + 1/2*c)^7 + 15*C*a^24*tan(1/2*d*x + 1/2*c)^7 - 189*A*a^24*tan(
1/2*d*x + 1/2*c)^5 - 105*C*a^24*tan(1/2*d*x + 1/2*c)^5 + 1365*A*a^24*tan(1/
2*d*x + 1/2*c)^3 + 385*C*a^24*tan(1/2*d*x + 1/2*c)^3 - 11655*A*a^24*tan(1/2
*d*x + 1/2*c) - 1575*C*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d
```

$$3.154 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=248

$$-\frac{4(454A+83C)\sin^3(c+dx)}{105a^4d} + \frac{4(454A+83C)\sin(c+dx)}{35a^4d} - \frac{2(11A+2C)\sin(c+dx)\cos(c+dx)}{a^4d} - \frac{4(11A+2C)\sin(c+dx)}{3a^4d(\sec(c+dx))}$$

[Out] $(-2*(11*A + 2*C)*x)/a^4 + (4*(454*A + 83*C)*\text{Sin}[c + d*x])/(35*a^4*d) - (2*(11*A + 2*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(a^4*d) - ((178*A + 31*C)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(105*a^4*d*(1 + \text{Sec}[c + d*x])^2) - (4*(11*A + 2*C)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*a^4*d*(1 + \text{Sec}[c + d*x])) - ((A + C)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(7*d*(a + a*\text{Sec}[c + d*x])^4) - (2*(8*A + C)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(35*a*d*(a + a*\text{Sec}[c + d*x])^3) - (4*(454*A + 83*C)*\text{Sin}[c + d*x]^3)/(105*a^4*d)$

Rubi [A] time = 0.687439, antiderivative size = 248, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4020, 3787, 2633, 2635, 8}

$$-\frac{4(454A+83C)\sin^3(c+dx)}{105a^4d} + \frac{4(454A+83C)\sin(c+dx)}{35a^4d} - \frac{2(11A+2C)\sin(c+dx)\cos(c+dx)}{a^4d} - \frac{4(11A+2C)\sin(c+dx)}{3a^4d(\sec(c+dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^3*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^4, x]$

[Out] $(-2*(11*A + 2*C)*x)/a^4 + (4*(454*A + 83*C)*\text{Sin}[c + d*x])/(35*a^4*d) - (2*(11*A + 2*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(a^4*d) - ((178*A + 31*C)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(105*a^4*d*(1 + \text{Sec}[c + d*x])^2) - (4*(11*A + 2*C)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*a^4*d*(1 + \text{Sec}[c + d*x])) - ((A + C)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(7*d*(a + a*\text{Sec}[c + d*x])^4) - (2*(8*A + C)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(35*a*d*(a + a*\text{Sec}[c + d*x])^3) - (4*(454*A + 83*C)*\text{Sin}[c + d*x]^3)/(105*a^4*d)$

Rule 4085

$\text{Int}[(A + C) + \text{csc}[(e + f*x) + (f + g*x)*(x + h)]^2*(C + D)]*(\text{csc}[(e + f*x) + (f + g*x)*(x + h)]*(d + e*x))^n*(\text{csc}[(e + f*x) + (f + g*x)*(x + h)]*(b + a*x))^m, x_Symbol] := -\text{Simp}[(a*(A + C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))$

) * Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^ (n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^(n - 1)/2], x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^ (n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{\cos^3(c+dx)(-a(10A+3C)+a(6A-C)\sec(c+dx))}{(a+a\sec(c+dx))^3} dx}{7a^2} \\
&= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{2(8A+C)\cos^2(c+dx)\sin(c+dx)}{35ad(a+a\sec(c+dx))^3} - \frac{\int}{7a^2} \\
&= -\frac{(178A+31C)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int}{7a^2} \\
&= -\frac{(178A+31C)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int}{7a^2} \\
&= -\frac{(178A+31C)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int}{7a^2} \\
&= -\frac{2(11A+2C)\cos(c+dx)\sin(c+dx)}{a^4d} - \frac{(178A+31C)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{\int}{7a^2} \\
&= -\frac{2(11A+2C)x}{a^4} + \frac{4(454A+83C)\sin(c+dx)}{35a^4d} - \frac{2(11A+2C)\cos(c+dx)\sin(c+dx)}{a^4d} - \frac{\int}{7a^2}
\end{aligned}$$

Mathematica [B] time = 2.75575, size = 575, normalized size = 2.32

$$\frac{\sec\left(\frac{c}{2}\right)\sec^7\left(\frac{1}{2}(c+dx)\right)\left(58800dx(11A+2C)\cos\left(c+\frac{dx}{2}\right)+687260A\sin\left(c+\frac{dx}{2}\right)-814107A\sin\left(c+\frac{3dx}{2}\right)+204645A\right)}{a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] -(Sec[c/2]*Sec[(c + d*x)/2]^7*(58800*(11*A + 2*C)*d*x*Cos[(d*x)/2] + 58800*(11*A + 2*C)*d*x*Cos[c + (d*x)/2] + 388080*A*d*x*Cos[c + (3*d*x)/2] + 70560*C*d*x*Cos[c + (3*d*x)/2] + 388080*A*d*x*Cos[2*c + (3*d*x)/2] + 70560*C*d*x*Cos[2*c + (3*d*x)/2] + 129360*A*d*x*Cos[2*c + (5*d*x)/2] + 23520*C*d*x*Cos[2*c + (5*d*x)/2] + 129360*A*d*x*Cos[3*c + (5*d*x)/2] + 23520*C*d*x*Cos[3*c + (5*d*x)/2] + 18480*A*d*x*Cos[3*c + (7*d*x)/2] + 3360*C*d*x*Cos[3*c + (7*d*x)/2] + 18480*A*d*x*Cos[4*c + (7*d*x)/2] + 3360*C*d*x*Cos[4*c + (7*d*x)/2] - 1010660*A*Sin[(d*x)/2] - 243320*C*Sin[(d*x)/2] + 687260*A*Sin[c + (d*x)/2] + 184520*C*Sin[c + (d*x)/2] - 814107*A*Sin[c + (3*d*x)/2] - 184464*C*Sin[c + (3*d*x)/2] + 204645*A*Sin[2*c + (3*d*x)/2] + 72240*C*Sin[2*c + (3*d*x)/2] - 357609*A*Sin[2*c + (5*d*x)/2] - 77168*C*Sin[2*c + (5*d*x)/2] - 18025

*A*Sin[3*c + (5*d*x)/2] + 8400*C*Sin[3*c + (5*d*x)/2] - 72522*A*Sin[3*c + (7*d*x)/2] - 15164*C*Sin[3*c + (7*d*x)/2] - 24010*A*Sin[4*c + (7*d*x)/2] - 2940*C*Sin[4*c + (7*d*x)/2] - 2310*A*Sin[4*c + (9*d*x)/2] - 420*C*Sin[4*c + (9*d*x)/2] - 2310*A*Sin[5*c + (9*d*x)/2] - 420*C*Sin[5*c + (9*d*x)/2] + 175*A*Sin[5*c + (11*d*x)/2] + 175*A*Sin[6*c + (11*d*x)/2] - 35*A*Sin[6*c + (13*d*x)/2] - 35*A*Sin[7*c + (13*d*x)/2]))/(107520*a^4*d)

Maple [A] time = 0.111, size = 402, normalized size = 1.6

$$-\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{C}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{11A}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{7C}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{59A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{59C}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)

[Out] -1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A-1/56/d/a^4*C*tan(1/2*d*x+1/2*c)^7+11/40/d/a^4*tan(1/2*d*x+1/2*c)^5*A+7/40/d/a^4*C*tan(1/2*d*x+1/2*c)^5-59/24/d/a^4*A*tan(1/2*d*x+1/2*c)^3-23/24/d/a^4*C*tan(1/2*d*x+1/2*c)^3+209/8/d/a^4*A*tan(1/2*d*x+1/2*c)+49/8/d/a^4*C*tan(1/2*d*x+1/2*c)+26/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A+2/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*C*tan(1/2*d*x+1/2*c)^5+124/3/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*A+4/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*C*tan(1/2*d*x+1/2*c)^3+18/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*A*tan(1/2*d*x+1/2*c)+2/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*C*tan(1/2*d*x+1/2*c)-44/d/a^4*A*arctan(tan(1/2*d*x+1/2*c))-8/d/a^4*arctan(tan(1/2*d*x+1/2*c))*C

Maxima [A] time = 1.45614, size = 547, normalized size = 2.21

$$A \left(\frac{560 \left(\frac{27 \sin(dx+c)}{\cos(dx+c)+1} + \frac{62 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{39 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^4 + \frac{3a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^4 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{21945 \sin(dx+c)}{\cos(dx+c)+1} - \frac{2065 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{231 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{36960 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) +$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

```
[Out] 1/840*(A*(560*(27*sin(d*x + c)/(cos(d*x + c) + 1) + 62*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 39*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a^4 + 3*a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*a^4*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + a^4*sin(d*x + c)^6/(cos(d*x + c) + 1)^6) + (21945*sin(d*x + c)/(cos(d*x + c) + 1) - 2065*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 231*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 36960*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4) + C*(1680*sin(d*x + c)/((a^4 + a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (5145*sin(d*x + c)/(cos(d*x + c) + 1) - 805*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 147*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 6720*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4))/d
```

Fricas [A] time = 0.529699, size = 676, normalized size = 2.73

$$210(11A + 2C)dx \cos(dx + c)^4 + 840(11A + 2C)dx \cos(dx + c)^3 + 1260(11A + 2C)dx \cos(dx + c)^2 + 840(11A + 2C)dx \cos(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")
```

```
[Out] -1/105*(210*(11*A + 2*C)*d*x*cos(d*x + c)^4 + 840*(11*A + 2*C)*d*x*cos(d*x + c)^3 + 1260*(11*A + 2*C)*d*x*cos(d*x + c)^2 + 840*(11*A + 2*C)*d*x*cos(d*x + c) + 210*(11*A + 2*C)*d*x - (35*A*cos(d*x + c)^6 - 70*A*cos(d*x + c)^5 + 35*(14*A + 3*C)*cos(d*x + c)^4 + 8*(799*A + 148*C)*cos(d*x + c)^3 + 4*(3592*A + 659*C)*cos(d*x + c)^2 + 2*(6109*A + 1118*C)*cos(d*x + c) + 3632*A + 664*C)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)
```

```
[Out] Timed out
```

Giac [A] time = 1.19713, size = 352, normalized size = 1.42

$$\frac{1680(dx+c)(11A+2C)}{a^4} - \frac{560\left(39A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 62A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 6C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 27A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{-1/840*(1680*(d*x + c)*(11*A + 2*C)/a^4 - 560*(39*A*\tan(1/2*d*x + 1/2*c)^5 + 3*C*\tan(1/2*d*x + 1/2*c)^5 + 62*A*\tan(1/2*d*x + 1/2*c)^3 + 6*C*\tan(1/2*d*x + 1/2*c)^3 + 27*A*\tan(1/2*d*x + 1/2*c) + 3*C*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^4) + (15*A*a^{24}*\tan(1/2*d*x + 1/2*c)^7 + 15*C*a^{24}*\tan(1/2*d*x + 1/2*c)^7 - 231*A*a^{24}*\tan(1/2*d*x + 1/2*c)^5 - 147*C*a^{24}*\tan(1/2*d*x + 1/2*c)^5 + 2065*A*a^{24}*\tan(1/2*d*x + 1/2*c)^3 + 805*C*a^{24}*\tan(1/2*d*x + 1/2*c)^3 - 21945*A*a^{24}*\tan(1/2*d*x + 1/2*c) - 5145*C*a^{24}*\tan(1/2*d*x + 1/2*c))/a^{28}}{d}$$

3.155 $\int \sec^4(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx$

Optimal. Leaf size=223

$$\frac{2a(99A+80C)\tan(c+dx)\sec^3(c+dx)}{693d\sqrt{a\sec(c+dx)+a}} + \frac{4(99A+80C)\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{1155ad} - \frac{8(99A+80C)\tan(c+dx)}{3465d}$$

[Out] (4*a*(99*A + 80*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(99*A + 80*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec[c + d*x]^4*Tan[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) - (8*(99*A + 80*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*C*Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(11*d) + (4*(99*A + 80*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*a*d)

Rubi [A] time = 0.515776, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4089, 4016, 3803, 3800, 4001, 3792}

$$\frac{2a(99A+80C)\tan(c+dx)\sec^3(c+dx)}{693d\sqrt{a\sec(c+dx)+a}} + \frac{4(99A+80C)\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{1155ad} - \frac{8(99A+80C)\tan(c+dx)}{3465d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (4*a*(99*A + 80*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(99*A + 80*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec[c + d*x]^4*Tan[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) - (8*(99*A + 80*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*C*Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(11*d) + (4*(99*A + 80*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*a*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3800

```
Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_),
x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^4(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx &= \frac{2C\sec^4(c+dx)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{11d} + \frac{2\int\sec^4(c+dx)\sqrt{a+a\sec(c+dx)}dx}{11d} \\
&= \frac{2aC\sec^4(c+dx)\tan(c+dx)}{99d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^4(c+dx)\sqrt{a+a\sec(c+dx)}}{11d} \\
&= \frac{2a(99A+80C)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\sec^4(c+dx)\sqrt{a+a\sec(c+dx)}}{99d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a(99A+80C)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\sec^4(c+dx)\sqrt{a+a\sec(c+dx)}}{99d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a(99A+80C)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\sec^4(c+dx)\sqrt{a+a\sec(c+dx)}}{99d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{4a(99A+80C)\tan(c+dx)}{495d\sqrt{a+a\sec(c+dx)}} + \frac{2a(99A+80C)\sec^3(c+dx)\sqrt{a+a\sec(c+dx)}}{693d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.06486, size = 143, normalized size = 0.64

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\sec^5(c+dx)\sqrt{a(\sec(c+dx)+1)}((2871A+3020C)\cos(c+dx)+13(99A+80C)\cos(2(c+dx))+1287A)}{3465d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] ((1089*A + 1510*C + (2871*A + 3020*C)*Cos[c + d*x] + 13*(99*A + 80*C)*Cos[2*(c + d*x)] + 1287*A*Cos[3*(c + d*x)] + 1040*C*Cos[3*(c + d*x)] + 198*A*Cos[4*(c + d*x)] + 160*C*Cos[4*(c + d*x)] + 198*A*Cos[5*(c + d*x)] + 160*C*Cos[5*(c + d*x)])*Sec[c + d*x]^5*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/ (3465*d)

Maple [A] time = 0.406, size = 151, normalized size = 0.7

$$\frac{(-2 + 2\cos(dx+c))(1584A(\cos(dx+c))^5 + 1280C(\cos(dx+c))^5 + 792A(\cos(dx+c))^4 + 640C(\cos(dx+c))^4 + 3465d(\cos(dx+c))^3)}{3465d(\cos(dx+c))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out]
$$-2/3465/d*(-1+\cos(d*x+c))*(1584*A*\cos(d*x+c)^5+1280*C*\cos(d*x+c)^5+792*A*\cos(d*x+c)^4+640*C*\cos(d*x+c)^4+594*A*\cos(d*x+c)^3+480*C*\cos(d*x+c)^3+495*A*\cos(d*x+c)^2+400*C*\cos(d*x+c)^2+350*C*\cos(d*x+c)+315*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\cos(d*x+c)^5/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.505868, size = 352, normalized size = 1.58

$$\frac{2(16(99A + 80C)\cos(dx + c)^5 + 8(99A + 80C)\cos(dx + c)^4 + 6(99A + 80C)\cos(dx + c)^3 + 5(99A + 80C)\cos(dx + c)^2 + 350C\cos(dx + c) + 315C)\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\sin(dx + c)}{3465(d\cos(dx + c)^6 + d\cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out]
$$2/3465*(16*(99*A + 80*C)*\cos(d*x + c)^5 + 8*(99*A + 80*C)*\cos(d*x + c)^4 + 6*(99*A + 80*C)*\cos(d*x + c)^3 + 5*(99*A + 80*C)*\cos(d*x + c)^2 + 350*C*\cos(d*x + c) + 315*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^6 + d*\cos(d*x + c)^5)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 4.7097, size = 424, normalized size = 1.9

$$2 \left(3465 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx+c)) + 3465 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx+c)) - \left(10395 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx+c)) + 5775 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx+c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] -2/3465*(3465*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 3465*sqrt(2)*C*a^6*sgn(cos(d*x + c)) - (10395*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 5775*sqrt(2)*C*a^6*sgn(cos(d*x + c)) - (15246*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 16170*sqrt(2)*C*a^6*sgn(cos(d*x + c)) - (14058*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 8910*sqrt(2)*C*a^6*sgn(cos(d*x + c)) - (6633*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 5885*sqrt(2)*C*a^6*sgn(cos(d*x + c)) - (891*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 755*sqrt(2)*C*a^6*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^5*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

$$3.156 \quad \int \sec^3(c+dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=180

$$\frac{2(21A + 16C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{105ad} - \frac{4(21A + 16C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{315d} + \frac{2a(21A + 16C) \tan(c + dx)}{45d \sqrt{a \sec(c + dx)}}$$

[Out] (2*a*(21*A + 16*C)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) - (4*(21*A + 16*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*C*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(9*d) + (2*(21*A + 16*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*a*d)

Rubi [A] time = 0.445481, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4089, 4016, 3800, 4001, 3792}

$$\frac{2(21A + 16C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{105ad} - \frac{4(21A + 16C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{315d} + \frac{2a(21A + 16C) \tan(c + dx)}{45d \sqrt{a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a*(21*A + 16*C)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) - (4*(21*A + 16*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*C*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(9*d) + (2*(21*A + 16*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*a*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3800

```

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_),
x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]

```

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]

```

Rule 3792

```

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx &= \frac{2C\sec^3(c+dx)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{9d} + \frac{2\int \sec^3(c+dx)\sqrt{a+a\sec(c+dx)}dx}{9d} \\
&= \frac{2aC\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\sqrt{a+a\sec(c+dx)}}{9d} \\
&= \frac{2aC\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\sqrt{a+a\sec(c+dx)}}{9d} \\
&= \frac{2aC\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} - \frac{4(21A+16C)\sqrt{a+a\sec(c+dx)}}{315d} \\
&= \frac{2a(21A+16C)\tan(c+dx)}{45d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.98639, size = 122, normalized size = 0.68

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\sec^4(c+dx)\sqrt{a(\sec(c+dx)+1)}(2(63A+88C)\cos(c+dx)+11(21A+16C)\cos(2(c+dx))+42A\cos(3(c+dx)))+32C\cos(3(c+dx))+42A\cos(4(c+dx))+32C\cos(4(c+dx))\sec(c+dx)^4\sqrt{a(1+\sec(c+dx))}\tan\left(\frac{c+dx}{2}\right)}{315d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] ((189*A + 214*C + 2*(63*A + 88*C)*Cos[c + d*x] + 11*(21*A + 16*C)*Cos[2*(c + d*x)] + 42*A*Cos[3*(c + d*x)] + 32*C*Cos[3*(c + d*x)] + 42*A*Cos[4*(c + d*x)] + 32*C*Cos[4*(c + d*x)])*Sec[c + d*x]^4*Sqrt[a*(1 + Sec[c + d*x])] * Tan[(c + d*x)/2]) / (315*d)

Maple [A] time = 0.352, size = 129, normalized size = 0.7

$$\frac{(-2 + 2\cos(dx+c))(168A(\cos(dx+c))^4 + 128C(\cos(dx+c))^4 + 84A(\cos(dx+c))^3 + 64C(\cos(dx+c))^3 + 63A^2\cos(dx+c))}{315d(\cos(dx+c))^4\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] -2/315/d*(-1+cos(d*x+c))*(168*A*cos(d*x+c)^4+128*C*cos(d*x+c)^4+84*A*cos(d*x+c)^3+64*C*cos(d*x+c)^3+63*A*cos(d*x+c)^2+48*C*cos(d*x+c)^2+40*C*cos(d*x+c))

$) + 35C) * (a * (\cos(dx+c)+1) / \cos(dx+c))^{1/2} / \cos(dx+c)^4 / \sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.496488, size = 302, normalized size = 1.68

$$\frac{2 \left(8(21A + 16C) \cos(dx+c)^4 + 4(21A + 16C) \cos(dx+c)^3 + 3(21A + 16C) \cos(dx+c)^2 + 40C \cos(dx+c) + 35C \right)}{315 \left(d \cos(dx+c)^5 + d \cos(dx+c)^4 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] $\frac{2}{315} * (8 * (21 * A + 16 * C) * \cos(dx+c)^4 + 4 * (21 * A + 16 * C) * \cos(dx+c)^3 + 3 * (21 * A + 16 * C) * \cos(dx+c)^2 + 40 * C * \cos(dx+c) + 35 * C) * \sqrt{(a * \cos(dx+c) + a) / \cos(dx+c)} * \sin(dx+c) / (d * \cos(dx+c)^5 + d * \cos(dx+c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c+dx)+1)} (A+C \sec^2(c+dx)) \sec^3(c+dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**3*(A+C*sec(dx+c)**2)*(a+a*sec(dx+c))**(1/2),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + C*sec(c + d*x)**2)*sec(c + d*x)**3, x)

Giac [A] time = 4.62029, size = 362, normalized size = 2.01

$$2 \left(315 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) - \left(840 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 420 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\frac{2}{315} \left(315 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) - (840 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 420 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c))) - (882 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 882 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c))) - (504 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 324 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c))) - (147 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 107 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c))) \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \left((a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a)^4 \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} \right) d$$

3.157 $\int \sec^2(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx$

Optimal. Leaf size=137

$$\frac{2(35A+18C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{105d} + \frac{2a(35A+27C)\tan(c+dx)}{105d\sqrt{a\sec(c+dx)+a}} + \frac{2C\tan(c+dx)\sec^2(c+dx)\sqrt{a\sec(c+dx)+a}}{7d}$$

[Out] (2*a*(35*A + 27*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(35*A + 18*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(7*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*a*d)

Rubi [A] time = 0.3905, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4089, 4010, 4001, 3792}

$$\frac{2(35A+18C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{105d} + \frac{2a(35A+27C)\tan(c+dx)}{105d\sqrt{a\sec(c+dx)+a}} + \frac{2C\tan(c+dx)\sec^2(c+dx)\sqrt{a\sec(c+dx)+a}}{7d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a*(35*A + 27*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(35*A + 18*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(7*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*a*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(

```
a + b*Csc[e + f*x]^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)\sqrt{a + a \sec(c + dx)}(A + C \sec^2(c + dx)) dx &= \frac{2C \sec^2(c + dx)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{7d} + \frac{2 \int \sec^2(c + dx)\sqrt{a + a \sec(c + dx)} dx}{7d} \\ &= \frac{2C \sec^2(c + dx)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{7d} + \frac{2C(a + C \sec^2(c + dx))\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{7d} \\ &= \frac{2(35A + 18C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} + \frac{2C \sec^2(c + dx)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} \\ &= \frac{2a(35A + 27C) \tan(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \frac{2(35A + 18C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} \end{aligned}$$

Mathematica [A] time = 0.783647, size = 99, normalized size = 0.72

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx)\sqrt{a(\sec(c + dx) + 1)}(3(35A + 36C) \cos(c + dx) + (35A + 24C) \cos(2(c + dx)) + 35A \cos(3(c + dx)))}{105d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]
```

[Out] $((35A + 54C + 3(35A + 36C)\cos[c + dx] + (35A + 24C)\cos[2(c + dx)] + 35A\cos[3(c + dx)] + 24C\cos[3(c + dx)])\sec[c + dx]^3\sqrt{a(1 + \sec[c + dx])}\tan[(c + dx)/2]) / (105d)$

Maple [A] time = 0.331, size = 107, normalized size = 0.8

$$\frac{(-2 + 2 \cos(dx + c))(70A(\cos(dx + c))^3 + 48C(\cos(dx + c))^3 + 35A(\cos(dx + c))^2 + 24C(\cos(dx + c))^2 + 18C\cos(dx + c) + 15C)}{105d(\cos(dx + c))^3 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out] $-2/105/d*(-1+\cos(dx+c))*(70A*\cos(dx+c)^3+48C*\cos(dx+c)^3+35A*\cos(dx+c)^2+24C*\cos(dx+c)^2+18C*\cos(dx+c)+15C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^(1/2)/\cos(dx+c)^3/\sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.486188, size = 255, normalized size = 1.86

$$\frac{2\left(2(35A + 24C)\cos(dx + c)^3 + (35A + 24C)\cos(dx + c)^2 + 18C\cos(dx + c) + 15C\right)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sin(dx + c)}{105\left(d\cos(dx + c)^4 + d\cos(dx + c)^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] $\frac{2}{105} \cdot (2 \cdot (35A + 24C) \cdot \cos(dx + c)^3 + (35A + 24C) \cdot \cos(dx + c)^2 + 18C \cdot \cos(dx + c) + 15C) \cdot \sqrt{\frac{a \cdot \cos(dx + c) + a}{\cos(dx + c)}} \cdot \sin(dx + c) / (d \cdot \cos(dx + c)^4 + d \cdot \cos(dx + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)} (A + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + C*sec(c + d*x)**2)*sec(c + d*x)**2, x)

Giac [A] time = 4.56029, size = 300, normalized size = 2.19

$$2 \left(105 \sqrt{2} A a^4 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} C a^4 \operatorname{sgn}(\cos(dx + c)) - \left(245 \sqrt{2} A a^4 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} C a^4 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] $-2/105 \cdot (105 \cdot \sqrt{2} \cdot A \cdot a^4 \cdot \operatorname{sgn}(\cos(dx + c)) + 105 \cdot \sqrt{2} \cdot C \cdot a^4 \cdot \operatorname{sgn}(\cos(dx + c)) - (245 \cdot \sqrt{2} \cdot A \cdot a^4 \cdot \operatorname{sgn}(\cos(dx + c)) + 105 \cdot \sqrt{2} \cdot C \cdot a^4 \cdot \operatorname{sgn}(\cos(dx + c))) \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) / ((a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 - a)^3 \cdot \sqrt{-a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 + a}) \cdot d)$

3.158 $\int \sec(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx$

Optimal. Leaf size=95

$$\frac{2a(15A+7C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2C\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{5ad} - \frac{4C\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15d}$$

[Out] (2*a*(15*A + 7*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (4*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*a*d)

Rubi [A] time = 0.198207, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {4083, 4001, 3792}

$$\frac{2a(15A+7C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2C\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{5ad} - \frac{4C\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a*(15*A + 7*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (4*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*a*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m

+ 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sec(c + dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5ad} + \frac{2 \int \sec(c + dx) \sqrt{a + a \sec(c + dx)} dx}{5ad} \\ &= -\frac{4C \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5ad} \\ &= \frac{2a(15A + 7C) \tan(c + dx)}{15d \sqrt{a + a \sec(c + dx)}} - \frac{4C \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \end{aligned}$$

Mathematica [A] time = 0.986517, size = 71, normalized size = 0.75

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\sec(c + dx) + 1)} ((15A + 8C) \cos(2(c + dx)) + 15A + 8C \cos(c + dx) + 14C)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] ((15*A + 14*C + 8*C*Cos[c + d*x] + (15*A + 8*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^2*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(15*d)

Maple [A] time = 0.309, size = 85, normalized size = 0.9

$$\frac{(-2 + 2 \cos(dx + c)) (15A (\cos(dx + c))^2 + 8C (\cos(dx + c))^2 + 4C \cos(dx + c) + 3C)}{15d (\cos(dx + c))^2 \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] $-2/15/d*(-1+\cos(d*x+c))*(15*A*\cos(d*x+c)^2+8*C*\cos(d*x+c)^2+4*C*\cos(d*x+c)+3*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^2/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.483187, size = 205, normalized size = 2.16

$$\frac{2 \left((15A + 8C) \cos(dx + c)^2 + 4C \cos(dx + c) + 3C \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{15 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] $2/15*((15*A + 8*C)*\cos(d*x + c)^2 + 4*C*\cos(d*x + c) + 3*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^3 + d*\cos(d*x + c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)} (A + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)`


```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + C*sec(c + d*x)**2)*sec(c + d*x), x
)
```

Giac [B] time = 4.58747, size = 238, normalized size = 2.51

$$\frac{2 \left(15 \sqrt{2} A a^3 \operatorname{sgn}(\cos(dx + c)) + 15 \sqrt{2} C a^3 \operatorname{sgn}(\cos(dx + c)) - \left(30 \sqrt{2} A a^3 \operatorname{sgn}(\cos(dx + c)) + 10 \sqrt{2} C a^3 \operatorname{sgn}(\cos(dx + c)) \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{15 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - a \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm
="giac")
```

```
[Out] 2/15*(15*sqrt(2)*A*a^3*sgn(cos(d*x + c)) + 15*sqrt(2)*C*a^3*sgn(cos(d*x + c)) - (30*sqrt(2)*A*a^3*sgn(cos(d*x + c)) + 10*sqrt(2)*C*a^3*sgn(cos(d*x + c)) - (15*sqrt(2)*A*a^3*sgn(cos(d*x + c)) + 7*sqrt(2)*C*a^3*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.159 $\int \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=96

$$\frac{2\sqrt{a}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2C \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{3d} + \frac{2aC \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}}$$

[Out] (2*Sqrt[a]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*C*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.145721, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {4055, 3915, 3774, 203, 3792}

$$\frac{2\sqrt{a}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2C \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{3d} + \frac{2aC \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (2*Sqrt[a]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*C*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rule 4055

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3915

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
  Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
  x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2 \int \sqrt{a + a \sec(c + dx)} \left(\frac{3aA}{2} + \frac{1}{2}\right) dx}{3a} \\ &= \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + A \int \sqrt{a + a \sec(c + dx)} dx + \frac{1}{3} C \int \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{2aC \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} - \frac{(2aA) \int \sqrt{a + a \sec(c + dx)} dx}{3d} \\ &= \frac{2\sqrt{a}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2aC \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.63819, size = 96, normalized size = 1.

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(3A \cos(c + dx) \tan^{-1}\left(\sqrt{\sec(c + dx) - 1}\right) + C(2 \cos(c + dx) + 1) \sqrt{\sec(c + dx) - 1}\right)}{3d\sqrt{\sec(c + dx) - 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]
```

[Out] $(2*(3*A*ArcTan[\sqrt{-1 + Sec[c + d*x]}] * Cos[c + d*x] + C*(1 + 2*Cos[c + d*x]) * \sqrt{-1 + Sec[c + d*x]}) * Sec[c + d*x] * \sqrt{a*(1 + Sec[c + d*x])} * Tan[(c + d*x)/2]) / (3*d*\sqrt{-1 + Sec[c + d*x]})$

Maple [B] time = 0.327, size = 216, normalized size = 2.3

$$\frac{1}{6 d \sin(dx + c) \cos(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(3 A \sqrt{2} \sin(dx + c) \cos(dx + c) \operatorname{Artanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx + c)}{\cos(dx + c)} \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((A+C*\sec(d*x+c)^2)*(a+a*\sec(d*x+c))^{(1/2)}, x)$

[Out] $1/6/d*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(3*A*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}+3*A*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)-8*C*\cos(d*x+c)^2+4*C*\cos(d*x+c)+4*C)/\sin(d*x+c)/\cos(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((A+C*\sec(d*x+c)^2)*(a+a*\sec(d*x+c))^{(1/2)}, x, \operatorname{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.546649, size = 771, normalized size = 8.03

$$\left[\frac{3 \left(A \cos(dx + c)^2 + A \cos(dx + c) \right) \sqrt{-a} \log \left(\frac{2 a \cos(dx + c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \cos(dx + c) \sin(dx + c) + a \cos(dx + c) - a}{\cos(dx + c) + 1} \right) + 2 (2 C \cos(dx + c) + C)}{3 (d \cos(dx + c)^2 + d \cos(dx + c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/3*(3*(A*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*C*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^2 + d*cos(d*x + c)), -2/3*(3*(A*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (2*C*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)} (A + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + C*sec(c + d*x)**2), x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.160 $\int \cos(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx$

Optimal. Leaf size=94

$$\frac{a(A-2C)\tan(c+dx)}{d\sqrt{a\sec(c+dx)+a}} + \frac{A\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{d} + \frac{\sqrt{a}A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d}$$

[Out] (Sqrt[a]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d - (a*(A - 2*C)*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.200783, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4087, 3915, 3774, 203, 3792}

$$\frac{a(A-2C)\tan(c+dx)}{d\sqrt{a\sec(c+dx)+a}} + \frac{A\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{d} + \frac{\sqrt{a}A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d - (a*(A - 2*C)*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 3915

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x] + Dis
```

`t[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]`

Rule 3774

`Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]`

Rule 203

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

Rule 3792

`Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]`

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{A \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + \frac{\int \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx}{d} \\
 &= \frac{A \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + \frac{1}{2} A \int \sqrt{a + a \sec(c + dx)} dx \\
 &= \frac{A \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} - \frac{a(A - 2C) \tan(c + dx)}{d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{\sqrt{a} A \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{A \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d}
 \end{aligned}$$

Mathematica [A] time = 0.328001, size = 84, normalized size = 0.89

$$\frac{a \tan(c + dx) \left(\sqrt{1 - \sec(c + dx)} (A \cos(c + dx) + 2C) + A \tanh^{-1} \left(\sqrt{1 - \sec(c + dx)} \right) \right)}{d \sqrt{1 - \sec(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (a*(A*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + (2*C + A*Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x]/(d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])))
```

Maple [A] time = 0.348, size = 138, normalized size = 1.5

$$-\frac{1}{2d \sin(dx+c)} \left(A \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sqrt{2} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) + 2A (\cos(dx+c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/2/d*(A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*A*cos(d*x+c)^2-2*A*cos(d*x+c)+4*C*cos(d*x+c)-4*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)
```

Maxima [B] time = 1.81915, size = 1069, normalized size = 11.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/4*(2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - (cos(d*x + c) - 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a) + sqrt(a)*(arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))))
```


$d*x + 2*c) + 1))) + 1) - \arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1) - \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))) * A/d$

Fricas [A] time = 0.543701, size = 679, normalized size = 7.22

$$\frac{(A \cos(dx + c) + A)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2(A \cos(dx + c) + 2C)\sqrt{\frac{a}{\cos(dx+c)+1}}}{2(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2*((A*cos(d*x + c) + A)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(A*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -((A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (A*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [B] time = 6.338, size = 485, normalized size = 5.16

$$\frac{4\sqrt{2}\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\operatorname{Csgn}(\cos(dx+c))\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a} + A\sqrt{-a}\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*(4*sqrt(2)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*C*a*sgn(cos(d*x + c))*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 - a) + A*sqrt(-a)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))*sgn(cos(d*x + c)) - A*sqrt(-a)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))*sgn(cos(d*x + c)) + 4*sqrt(2)*(3*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a*sgn(cos(d*x + c)) - A*sqrt(-a)*a^2*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2))/d
```

3.161 $\int \cos^2(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx$

Optimal. Leaf size=110

$$\frac{\sqrt{a}(3A+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{aA\sin(c+dx)}{4d\sqrt{a\sec(c+dx)+a}} + \frac{A\sin(c+dx)\cos(c+dx)\sqrt{a\sec(c+dx)+a}}{2d}$$

[Out] (Sqrt[a]*(3*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a*A*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.250998, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4087, 4015, 3774, 203}

$$\frac{\sqrt{a}(3A+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{aA\sin(c+dx)}{4d\sqrt{a\sec(c+dx)+a}} + \frac{A\sin(c+dx)\cos(c+dx)\sqrt{a\sec(c+dx)+a}}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (Sqrt[a]*(3*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a*A*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.), x_Symbol] :> Simp[(A*b^2*C

ot[e + f*x]*(d*Csc[e + f*x])^n/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
 [(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
 + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
 B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
 Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
 x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
 [a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
 , 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} + \frac{\int \cos(c + dx) \sqrt{a + a \sec(c + dx)} dx}{2d} \\ &= \frac{aA \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{A \cos(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} \\ &= \frac{aA \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{A \cos(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} \\ &= \frac{\sqrt{a}(3A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} + \frac{aA \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.413832, size = 108, normalized size = 0.98

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(3A + 8C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2A \left(2 \sin\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(3
 *A + 8*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*A*Sqrt[Cos[c + d*x]]*(2*Sin[

$(c + dx)/2] + \text{Sin}[(3*(c + dx))/2]))/(8*d)$

Maple [B] time = 0.376, size = 376, normalized size = 3.4

$$-\frac{1}{16d \cos(dx+c) \sin(dx+c)} \left(-3A\sqrt{2} \sin(dx+c) \cos(dx+c) \text{Artanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx+c)}{\cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out] $-1/16/d*(-3*A*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*\text{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}-8*C*\cos(d*x+c)*2^{(1/2)}*\text{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}* \sin(d*x+c)-3*A*2^{(1/2)}*\text{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)-8*C*\text{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)+8*A*\cos(d*x+c)^4+4*A*\cos(d*x+c)^3-12*A*\cos(d*x+c)^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)/\sin(d*x+c)$

Maxima [B] time = 2.08601, size = 1629, normalized size = 14.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] $1/16*(16*C*\text{sqrt}(a)*\text{arctan2}((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \cos(d*x + c)) + (2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*((\cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2*c) - (\cos(2*d*x + 2*c) - 2)*\sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(2*d*x + 2*c))*\cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c),$

$\cos(2dx + 2c) + 1)) + ((\cos(2dx + 2c) - 2)\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(2dx + 2c)\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - \cos(2dx + 2c) + 2)\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)))\sqrt{a} + 3\sqrt{a}(\arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}(\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}(\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))))) + 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}(\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}(\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))))) - 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)))A)/d$

Fricas [A] time = 0.637843, size = 779, normalized size = 7.08

$$\frac{\left((3A + 8C)\cos(dx + c) + 3A + 8C \right) \sqrt{-a} \log \left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c)\sin(dx+c) + a\cos(dx+c)-a}{\cos(dx+c)+1} \right) + 2(2A\cos(dx+c) + 2C) \sqrt{-a} \arctan2\left(\frac{\cos(dx+c)\sin(dx+c) + a\cos(dx+c)-a}{\cos(dx+c)+1}\right)}{8(d\cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

```
[Out] [1/8*(((3*A + 8*C)*cos(d*x + c) + 3*A + 8*C)*sqrt(-a)*log((2*a*cos(d*x + c)
^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*
x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*A*cos(d*x + c)^2 +
3*A*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*
cos(d*x + c) + d), -1/4*(((3*A + 8*C)*cos(d*x + c) + 3*A + 8*C)*sqrt(a)*arc
tan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x +
c)))) - (2*A*cos(d*x + c)^2 + 3*A*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/c
os(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

[Out] Timed out

Giac [B] time = 6.441, size = 602, normalized size = 5.47

$$\left(3 A \sqrt{-a} \operatorname{sgn}(\cos(dx+c)) + 8 C \sqrt{-a} \operatorname{sgn}(\cos(dx+c))\right) \log \left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right)^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorit
hm="giac")
```

```
[Out] -1/8*(((3*A*sqrt(-a)*sgn(cos(d*x + c)) + 8*C*sqrt(-a)*sgn(cos(d*x + c)))*log
(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^
2 - a*(2*sqrt(2) + 3))) - (3*A*sqrt(-a)*sgn(cos(d*x + c)) + 8*C*sqrt(-a)*sg
n(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d
*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) - 4*sqrt(2)*(5*(sqrt(-a)*tan(1/
2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a*sgn(co
s(d*x + c)) + 19*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2
```

$$\begin{aligned} & *c)^2 + a))^4 * A * \sqrt{-a} * a^2 * \operatorname{sgn}(\cos(dx + c)) - 17 * (\sqrt{-a} * \tan(1/2 * dx + \\ & 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 * A * \sqrt{-a} * a^3 * \operatorname{sgn}(\cos(dx \\ & + c)) + A * \sqrt{-a} * a^4 * \operatorname{sgn}(\cos(dx + c))) / ((\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) \\ & - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^4 - 6 * (\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) \\ & - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 * a + a^2)^2) / d \end{aligned}$$

$$3.162 \quad \int \cos^3(c+dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=153

$$\frac{a(5A + 8C) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(5A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{A \sin(c + dx) \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}}{3d} + \frac{aA \sin(c + dx)}{12d}$$

[Out] (Sqrt[a]*(5*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(5*A + 8*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.351455, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4087, 4015, 3805, 3774, 203}

$$\frac{a(5A + 8C) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(5A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{A \sin(c + dx) \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}}{3d} + \frac{aA \sin(c + dx)}{12d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(5*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(5*A + 8*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)\sqrt{a + a \sec(c + dx)}(A + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} + \frac{\int \cos^2(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx) dx}{3d} \\ &= \frac{aA \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} + \frac{A \cos^2(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{a(5A + 8C) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{aA \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} + \frac{A \cos^2(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{a(5A + 8C) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{aA \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} + \frac{A \cos^2(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{\sqrt{a}(5A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \frac{a(5A + 8C) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.360273, size = 117, normalized size = 0.76

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right)\sqrt{a(\sec(c + dx) + 1)}\left(2A\sqrt{1 - \sec(c + dx)}\text{Hypergeometric2F1}\left(\frac{1}{2}, 4, \frac{3}{2}, 1 - \sec(c + dx)\right) + C(\cos(c + dx))\right)}{d\sqrt{1 - \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] ((C*(ArcTanh[Sqrt[1 - Sec[c + d*x]]]) + Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]]) + 2*A*Hypergeometric2F1[1/2, 4, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2]/(d*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.444, size = 569, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] -1/192/d*(15*A*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2+24*C*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2+30*A*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)+48*C*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)+15*A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+24*C*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+64*A*cos(d*x+c)^6+16*A*cos(d*x+c)^5+40*A*cos(d*x+c)^4+192*C*cos(d*x+c)^4-120*A*cos(d*x+c)^3-192*C*cos(d*x+c)^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^2

Maxima [B] time = 2.70446, size = 3663, normalized size = 23.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorit
hm="maxima")
```

```
[Out] 1/96*((4*(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*
arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*
x + 3*c), cos(3*d*x + 3*c))) + 1)^(3/4)*(cos(3/2*arctan2(sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))) + 1))*sin(3*d*x + 3*c) - (cos(3*d*x + 3*c) - 1)*sin(3/2*arcta
n2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))*sqrt(a) + 6*(cos(2/3*arctan2(sin(
3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(
3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) +
1)^(1/4)*((sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 5*sin(1/
3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*cos(1/2*arctan2(sin(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c)
, cos(3*d*x + 3*c))) + 1) - (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x +
3*c))) + 3*cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - 4)*sin(1
/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*ar
ctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))*sqrt(a) + 15*sqrt(a)*(arc
tan2(-(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*
x + 3*c))) + 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos
(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*a
rctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*
c), cos(3*d*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*co
s(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*cos(1/2*arctan2(sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))) + 1) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*
sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2
/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))) + 1) - arctan2(-(cos
(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos
(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c)
), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
```


$$\begin{aligned} & \sqrt{x + 2c}^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) * C) / d \end{aligned}$$

Fricas [A] time = 0.648524, size = 873, normalized size = 5.71

$$\frac{3((5A + 8C)\cos(dx + c) + 5A + 8C)\sqrt{-a} \log\left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) + a\cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2(8A\cos(dx+c) + 10A\cos(dx+c)^2 + 3(5A + 8C)\cos(dx+c))\sqrt{(a\cos(dx+c) + a)/\cos(dx+c)}\sin(dx+c)}{48(d\cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/48*(3*((5*A + 8*C)*cos(d*x + c) + 5*A + 8*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*cos(d*x + c)^3 + 10*A*cos(d*x + c)^2 + 3*(5*A + 8*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((5*A + 8*C)*cos(d*x + c) + 5*A + 8*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*cos(d*x + c)^3 + 10*A*cos(d*x + c)^2 + 3*(5*A + 8*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 6.69748, size = 1156, normalized size = 7.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/48*(3*(5*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) + 8*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c))) * \\ & \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}) \\ &)^2 - a*(2*\sqrt{2} + 3))) - 3*(5*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) + 8*C*\sqrt{-a} * \\ & \operatorname{sgn}(\cos(dx + c))) * \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}) \\ &)^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(63*(\sqrt{-a} * \\ & \tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*A*\sqrt{-a} * \\ & \operatorname{sgn}(\cos(dx + c)) + 72*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10} * \\ & C*\sqrt{-a} * \operatorname{sgn}(\cos(dx + c)) - 369*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8 * \\ & A*\sqrt{-a} * a^2 * \operatorname{sgn}(\cos(dx + c)) - 888*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8 * \\ & C*\sqrt{-a} * a^2 * \operatorname{sgn}(\cos(dx + c)) + 1638*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6 * \\ & A*\sqrt{-a} * a^3 * \operatorname{sgn}(\cos(dx + c)) + 3024*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6 * \\ & C*\sqrt{-a} * a^3 * \operatorname{sgn}(\cos(dx + c)) - 1074*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 * \\ & A*\sqrt{-a} * a^4 * \operatorname{sgn}(\cos(dx + c)) - 1776*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 * \\ & C*\sqrt{-a} * a^4 * \operatorname{sgn}(\cos(dx + c)) + 171*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 * \\ & A*\sqrt{-a} * a^5 * \operatorname{sgn}(\cos(dx + c)) + 360*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 * \\ & C*\sqrt{-a} * a^5 * \operatorname{sgn}(\cos(dx + c)) - 13*A*\sqrt{-a} * a^6 * \operatorname{sgn}(\cos(dx + c)) - 24*C*\sqrt{-a} * a^6 * \operatorname{sgn}(\cos(dx + c))) / \\ & ((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 * a + a^2)^3 / d \end{aligned}$$

3.163 $\int \cos^4(c+dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=196

$$\frac{a(35A + 48C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(35A + 48C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a(35A + 48C) \sin(c + dx) \cos(c + dx)}{96d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx)}{4d}$$

[Out] (Sqrt[a]*(35*A + 48*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(64*d) + (a*(35*A + 48*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(35*A + 48*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.419558, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4087, 4015, 3805, 3774, 203}

$$\frac{a(35A + 48C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(35A + 48C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a(35A + 48C) \sin(c + dx) \cos(c + dx)}{96d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(35*A + 48*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(64*d) + (a*(35*A + 48*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(35*A + 48*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx &= \frac{A\cos^3(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} + \frac{\int \cos^3(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)dx}{4d} \\
&= \frac{aA\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^3(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} \\
&= \frac{a(35A+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} + \frac{aA\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a(35A+48C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a(35A+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a(35A+48C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a(35A+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{a}(35A+48C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a(35A+48C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 0.190977, size = 70, normalized size = 0.36

$$\frac{2 \tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(A\text{Hypergeometric2F1}\left(\frac{1}{2}, 5, \frac{3}{2}, 1-\sec(c+dx)\right) + C\text{Hypergeometric2F1}\left(\frac{1}{2}, 3, \frac{3}{2}, 1-\sec(c+dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (2*(C*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]] + A*Hypergeometric2F1[1/2, 5, 3/2, 1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/d

Maple [B] time = 0.375, size = 751, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

```
[Out] 1/3072/d*(105*A*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))
^(7/2)*2^(1/2)+144*C*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c
)+1))^(7/2)*2^(1/2)+315*A*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(1/2)*(-2*c
os(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(
d*x+c)+1))^(7/2)*2^(1/2)+432*C*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(1/2)*
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(7/2)*2^(1/2)+315*A*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/
2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+
c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+432*C*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(
1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d
*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+105*A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c
)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1
))^(7/2)*2^(1/2)*sin(d*x+c)+144*C*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1
))^(7/2)*sin(d*x+c)-768*A*cos(d*x+c)^8-128*A*cos(d*x+c)^7-224*A*cos(d*x+c)^
6-1536*C*cos(d*x+c)^6-560*A*cos(d*x+c)^5-768*C*cos(d*x+c)^5+1680*A*cos(d*x+
c)^4+2304*C*cos(d*x+c)^4)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/co
s(d*x+c)^3
```

Maxima [B] time = 3.50748, size = 10394, normalized size = 53.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorit
hm="maxima")
```

```
[Out] 1/768*(48*(2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c)
+ 1)^(1/4)*((cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x
+ 2*c) - (cos(2*d*x + 2*c) - 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c)))) + sin(2*d*x + 2*c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c) + 1)) + ((cos(2*d*x + 2*c) - 2)*cos(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c))) + sin(2*d*x + 2*c))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c))) - cos(2*d*x + 2*c) + 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c) + 1)))*sqrt(a) + 3*sqrt(a)*(arctan2((cos(2*d*x + 2*c))^2 + sin
(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c))^2 + sin(2
```

$$\begin{aligned}
& *d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) - \arctan2((\cos(2*d*x + 2* \\
& c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(\\
& 2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1 \\
&))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c) \\
& ^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) \\
& *\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 1) - \arctan2((\cos(\\
& 2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin \\
& (2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d \\
& *x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c \\
&), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos \\
& (2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
& + 1)) - 1))) * C - (2*(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 \\
& + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(3/4)}*((36*(\sin(4*d*x + 4*c)^ \\
& 3 + (\cos(4*d*x + 4*c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\sin(4*d*x + 4*c))*\cos(1/2 \\
& *\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 9*\cos(4*d*x + 4*c)^2*\sin(\\
& 4*d*x + 4*c) + 9*\sin(4*d*x + 4*c)^3 + 36*(\sin(4*d*x + 4*c)^3 + (\cos(4*d*x + \\
& 4*c)^2 + 2*\cos(4*d*x + 4*c) + 1)*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d \\
& *x + 4*c), \cos(4*d*x + 4*c)))^2 + 9*(2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c)))*\sin(4*d*x + 4*c) - 2*(\cos(4*d*x + 4*c) + 1)*\sin(1/2*\arctan \\
& 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + \sin(4*d*x + 4*c))*\cos(3/4*\arctan2(\\
& \sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 36*(\sin(4*d*x + 4*c)^3 + (\cos(4*d*x \\
& + 4*c)^2 - \cos(4*d*x + 4*c))*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c))) - (32*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2 \\
& *\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& ^2 + 32*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2*\cos(4*d*x + 4*c) + 1)* \\
& \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 8*\cos(4*d*x + 4*c) \\
& ^2 + 2*(16*\cos(4*d*x + 4*c)^2 + 16*\sin(4*d*x + 4*c)^2 - 7*\cos(4*d*x + 4*c) \\
& - 9)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 8*\sin(4*d*x + 4 \\
& *c)^2 - 2*(64*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d* \\
& x + 4*c) + 7*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))) + 9*\cos(4*d*x + 4*c))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))) - 36*(4*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4 \\
& *d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4 \\
& *d*x + 4*c))) * \cos(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) - (9*\cos \\
& (4*d*x + 4*c)^3 + 4*(9*\cos(4*d*x + 4*c)^3 + (9*\cos(4*d*x + 4*c) + 8)*\sin(
\end{aligned}$$

$$\begin{aligned}
& 4*d*x + 4*c)^2 - 10*\cos(4*d*x + 4*c)^2 - 7*\cos(4*d*x + 4*c) + 8)*\cos(1/2*\ar \\
& \text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (9*\cos(4*d*x + 4*c) + 8)*\sin \\
& (4*d*x + 4*c)^2 + 4*(9*\cos(4*d*x + 4*c)^3 + (9*\cos(4*d*x + 4*c) + 8)*\sin(4* \\
& d*x + 4*c)^2 + 26*\cos(4*d*x + 4*c)^2 + 25*\cos(4*d*x + 4*c) + 8)*\sin(1/2*\ar \\
& \text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 8*\cos(4*d*x + 4*c)^2 - (32*(c \\
& \text{os}(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\ar \\
& \text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 32*(\cos(4*d*x + 4*c)^2 + \sin \\
& (4*d*x + 4*c)^2 + 2*\cos(4*d*x + 4*c) + 1)*\sin(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))^2 + 8*\cos(4*d*x + 4*c)^2 + 2*(16*\cos(4*d*x + 4*c)^2 + 1 \\
& 6*\sin(4*d*x + 4*c)^2 - 7*\cos(4*d*x + 4*c) - 9)*\cos(1/2*\ar\text{ctan2}(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c))) + 8*\sin(4*d*x + 4*c)^2 - 2*(64*\cos(1/2*\ar\text{ctan2}(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 7*\sin(4*d*x + 4*c))*\si \\
& \text{in}(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 9*\cos(4*d*x + 4*c))*\co \\
& \text{s}(3/4*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 4*(9*\cos(4*d*x + 4*c)^ \\
& 3 + (9*\cos(4*d*x + 4*c) + 8)*\sin(4*d*x + 4*c)^2 - \cos(4*d*x + 4*c)^2 - 8*\co \\
& \text{s}(4*d*x + 4*c))*\cos(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 9*(2 \\
& *\cos(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) - 2* \\
& (\cos(4*d*x + 4*c) + 1)*\sin(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& + \sin(4*d*x + 4*c))*\sin(3/4*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \\
& 4*(4*(9*\cos(4*d*x + 4*c) + 8)*\cos(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))*\sin(4*d*x + 4*c) + (9*\cos(4*d*x + 4*c) + 8)*\sin(4*d*x + 4*c))*\sin(\\
& 1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(3/2*\ar\text{ctan2}(\sin(1/2*a \\
& \text{rctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\ar\text{ctan2}(\sin(4*d*x + 4* \\
& c), \cos(4*d*x + 4*c)))) + 1))*\sqrt{a} - 6*(\cos(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c) \\
& , \cos(4*d*x + 4*c)))^2 + \sin(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
&))^2 + 2*\cos(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)}*((\\
& 64*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2*\cos(4*d*x + 4*c) + 1)*\sin(1 \\
& /2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 20*(\sin(4*d*x + 4*c)^3 \\
& + (\cos(4*d*x + 4*c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\sin(4*d*x + 4*c) + 8*(\cos(4 \\
& *d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\sin(1/4*\ar\text{ctan} \\
& 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), c \\
& \text{os}(4*d*x + 4*c)))^2 + 5*\cos(4*d*x + 4*c)^2*\sin(4*d*x + 4*c) + 5*\sin(4*d*x + \\
& 4*c)^3 + 4*(5*\sin(4*d*x + 4*c)^3 + (5*\cos(4*d*x + 4*c)^2 + 10*\cos(4*d*x + \\
& 4*c) - 11)*\sin(4*d*x + 4*c) - 64*\cos(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c)))*\sin(4*d*x + 4*c) + 40*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + \\
& 2*\cos(4*d*x + 4*c) + 1)*\sin(1/4*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
&)))*\sin(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 10*(2*\sin(4*d* \\
& x + 4*c)^3 + 2*(\cos(4*d*x + 4*c)^2 - \cos(4*d*x + 4*c))*\sin(4*d*x + 4*c) + c \\
& \text{os}(1/4*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + (16* \\
& \cos(4*d*x + 4*c)^2 + 16*\sin(4*d*x + 4*c)^2 - 17*\cos(4*d*x + 4*c) + 1)*\sin(1 \\
& /4*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\cos(1/2*\ar\text{ctan2}(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c))) + 5*\cos(1/4*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))*\sin(4*d*x + 4*c) + 2*(32*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 \\
& - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\ar\text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c \\
&)))^2 + 8*\cos(4*d*x + 4*c)^2 + 8*(4*\cos(4*d*x + 4*c)^2 - \sin(4*d*x + 4*c)^2
\end{aligned}$$

$$\begin{aligned}
& - 40\sin(4dx + 4c)\sin(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) \\
& - 4\cos(4dx + 4c)\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) \\
& - 5(\cos(4dx + 4c) + 1)\cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) \\
& - 2\sin(4dx + 4c)^2 - 85\sin(4dx + 4c)\sin(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) \\
& \sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 5(8\cos(4dx + 4c)^2 + 8\sin(4dx + 4c)^2 - \cos(4dx + 4c)) \\
& \sin(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))\cos(1/2\arctan2(\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))) + 1) \\
& - (64(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - 2\cos(4dx + 4c) + 1)\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))))^3 + 5\cos(4dx + 4c)^3 + 4(5\cos(4dx + 4c)^3 + (5\cos(4dx + 4c) - 8)\sin(4dx + 4c)^2 - 18\cos(4dx + 4c)^2 + 8(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - 2\cos(4dx + 4c) + 1)\cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))) + 37\cos(4dx + 4c) - 24\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + (5\cos(4dx + 4c) - 24)\sin(4dx + 4c)^2 + 4(5\cos(4dx + 4c)^3 + (5\cos(4dx + 4c) - 24)\sin(4dx + 4c)^2 - 14\cos(4dx + 4c)^2 + 16(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 + 2\cos(4dx + 4c) + 1)\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))) + 8(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 + 2\cos(4dx + 4c) + 1)\cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - 43\cos(4dx + 4c) - 24\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 - 24\cos(4dx + 4c)^2 + 2(10\cos(4dx + 4c)^3 + 10(\cos(4dx + 4c) - 4)\sin(4dx + 4c)^2 - 50\cos(4dx + 4c)^2 + (16\cos(4dx + 4c)^2 + 16\sin(4dx + 4c)^2 - 21\cos(4dx + 4c) + 5)\cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))) - 5\sin(4dx + 4c)\sin(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 48\cos(4dx + 4c)\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + (8\cos(4dx + 4c)^2 + 8\sin(4dx + 4c)^2 - 5\cos(4dx + 4c))\cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - 2(128\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))))^2\sin(4dx + 4c) + 8(5(\cos(4dx + 4c) - 4)\sin(4dx + 4c) + 8\cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))))\sin(4dx + 4c)\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 2(5\cos(4dx + 4c) - 24)\sin(4dx + 4c) + 21\cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))\sin(4dx + 4c) - 5(\cos(4dx + 4c) + 1)\sin(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))))\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - 5\sin(4dx + 4c)\sin(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))\sin(1/2\arctan2(\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))) + 1))\sqrt{a} - 105((4(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - 2\cos(4dx + 4c) + 1)\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))))^2 + 4(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 + 2\cos(4dx + 4c) + 1)\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))))^2 + \cos(4dx + 4c)^2 + 4(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - \cos(4dx + 4c))\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + \sin(4dx + 4c)^2 - 4(4\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))\sin(4dx + 4c) + \sin(4dx + 4c))\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))
\end{aligned}$$


```

/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d
*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4
*d*x + 4*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c),
cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) +
1)), (cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arct
an2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x +
4*c), cos(4*d*x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d
*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x
+ 4*c))) + 1)) + 1) + (4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4
*d*x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4
*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2
*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(c
os(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(
sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*ar
ctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4*d*x + 4
*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*arctan2((cos(1/2
*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x
+ 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d
*x + 4*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), co
s(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)
), (cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan
2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*
c), cos(4*d*x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x
+ 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x +
4*c))) + 1)) - 1))*sqrt(a)*A/(4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 -
2*cos(4*d*x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)
))^2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)
*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^
2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*
arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*co
s(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4
*d*x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))))/d

```

Fricas [A] time = 0.737268, size = 984, normalized size = 5.02

$$\left[\frac{3((35A + 48C)\cos(dx + c) + 35A + 48C)\sqrt{-a} \log\left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) + a\cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2(48C\cos(dx+c) + 35A + 48C)\sqrt{-a}}{384(d\cos(dx+c) + 35A + 48C)\sqrt{-a}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/384*(3*((35*A + 48*C)*cos(d*x + c) + 35*A + 48*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*A*cos(d*x + c)^4 + 56*A*cos(d*x + c)^3 + 2*(35*A + 48*C)*cos(d*x + c)^2 + 3*(35*A + 48*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(3*((35*A + 48*C)*cos(d*x + c) + 35*A + 48*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*A*cos(d*x + c)^4 + 56*A*cos(d*x + c)^3 + 2*(35*A + 48*C)*cos(d*x + c)^2 + 3*(35*A + 48*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [B] time = 6.8139, size = 1458, normalized size = 7.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] -1/384*(3*(35*A*sqrt(-a)*sgn(cos(d*x + c)) + 48*C*sqrt(-a)*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(35*A*sqrt(-a)*sgn(cos(d*x + c)) + 48*C*sqrt(-a)*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) - 4*sqrt(2)*(279*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*A*sqrt
```

$$\begin{aligned}
& (-a)*a*\text{sgn}(\cos(d*x + c)) + 240*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan \\
& (1/2*d*x + 1/2*c)^2 + a))^14*C*\text{sqrt}(-a)*a*\text{sgn}(\cos(d*x + c)) + 285*(\text{sqrt}(-a) \\
& *\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^12*A*\text{sqrt}(-a)* \\
& a^2*\text{sgn}(\cos(d*x + c)) - 1968*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1 \\
& /2*d*x + 1/2*c)^2 + a))^12*C*\text{sqrt}(-a)*a^2*\text{sgn}(\cos(d*x + c)) - 4605*(\text{sqrt}(-a) \\
& *\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^10*A*\text{sqrt}(-a) \\
& *a^3*\text{sgn}(\cos(d*x + c)) - 2640*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(\\
& 1/2*d*x + 1/2*c)^2 + a))^10*C*\text{sqrt}(-a)*a^3*\text{sgn}(\cos(d*x + c)) + 37281*(\text{sqrt}(\\
& -a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^8*A*\text{sqrt}(-a) \\
& *a^4*\text{sgn}(\cos(d*x + c)) + 41616*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan \\
& (1/2*d*x + 1/2*c)^2 + a))^8*C*\text{sqrt}(-a)*a^4*\text{sgn}(\cos(d*x + c)) - 35643*(\text{sqrt} \\
& (-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^6*A*\text{sqrt}(- \\
& a)*a^5*\text{sgn}(\cos(d*x + c)) - 42288*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan \\
& (1/2*d*x + 1/2*c)^2 + a))^6*C*\text{sqrt}(-a)*a^5*\text{sgn}(\cos(d*x + c)) + 9175*(\text{sqrt} \\
& (-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^4*A*\text{sqrt}(- \\
& a)*a^6*\text{sgn}(\cos(d*x + c)) + 12528*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan \\
& (1/2*d*x + 1/2*c)^2 + a))^4*C*\text{sqrt}(-a)*a^6*\text{sgn}(\cos(d*x + c)) - 1311*(\text{sqrt} \\
& (-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*A*\text{sqrt}(- \\
& a)*a^7*\text{sgn}(\cos(d*x + c)) - 1392*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan \\
& (1/2*d*x + 1/2*c)^2 + a))^2*C*\text{sqrt}(-a)*a^7*\text{sgn}(\cos(d*x + c)) + 43*A*\text{sqrt}(- \\
& a)*a^8*\text{sgn}(\cos(d*x + c)) + 48*C*\text{sqrt}(-a)*a^8*\text{sgn}(\cos(d*x + c)))/((\text{sqrt}(-a)* \\
& \tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(\text{sqrt}(-a) \\
& *\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^4)/ \\
& d
\end{aligned}$$

3.164 $\int \sec^3(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=225

$$\frac{2a^2(33A + 28C) \tan(c + dx) \sec^3(c + dx)}{231d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(143A + 112C) \tan(c + dx)}{165d\sqrt{a \sec(c + dx) + a}} + \frac{2(143A + 112C) \tan(c + dx)(a \sec(c + dx))}{385d}$$

```
[Out] (2*a^2*(143*A + 112*C)*Tan[c + d*x])/(165*d*Sqrt[a + a*Sec[c + d*x]]) + (2*
a^2*(33*A + 28*C)*Sec[c + d*x]^3*Tan[c + d*x])/(231*d*Sqrt[a + a*Sec[c + d*
x]]) - (4*a*(143*A + 112*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(1155*d)
+ (2*a*C*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(33*d) + (2
*(143*A + 112*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(385*d) + (2*C*Se
c[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)
```

Rubi [A] time = 0.654957, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4089, 4018, 4016, 3800, 4001, 3792}

$$\frac{2a^2(33A + 28C) \tan(c + dx) \sec^3(c + dx)}{231d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(143A + 112C) \tan(c + dx)}{165d\sqrt{a \sec(c + dx) + a}} + \frac{2(143A + 112C) \tan(c + dx)(a \sec(c + dx))}{385d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*a^2*(143*A + 112*C)*Tan[c + d*x])/(165*d*Sqrt[a + a*Sec[c + d*x]]) + (2*
a^2*(33*A + 28*C)*Sec[c + d*x]^3*Tan[c + d*x])/(231*d*Sqrt[a + a*Sec[c + d*
x]]) - (4*a*(143*A + 112*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(1155*d)
+ (2*a*C*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(33*d) + (2
*(143*A + 112*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(385*d) + (2*C*Se
c[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.
))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := -Simp[(C*
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]
```

Rule 3800

```
Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m + 1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= \frac{2C\sec^3(c+dx)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{11d} + \frac{2\int \sec^3(c+dx)(a+a\sec(c+dx))^{3/2}dx}{11} \\
&= \frac{2aC\sec^3(c+dx)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{33d} + \frac{2C\int \sec^3(c+dx)(a+a\sec(c+dx))^{3/2}dx}{11} \\
&= \frac{2a^2(33A+28C)\sec^3(c+dx)\tan(c+dx)}{231d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\sec^3(c+dx)}{11} \\
&= \frac{2a^2(33A+28C)\sec^3(c+dx)\tan(c+dx)}{231d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\sec^3(c+dx)}{11} \\
&= \frac{2a^2(33A+28C)\sec^3(c+dx)\tan(c+dx)}{231d\sqrt{a+a\sec(c+dx)}} - \frac{4a(143A+112C)}{231d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^2(143A+112C)\tan(c+dx)}{165d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(33A+28C)\sec^3(c+dx)}{231d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.365, size = 144, normalized size = 0.64

$$a \tan\left(\frac{1}{2}(c+dx)\right) \sec^5(c+dx) \sqrt{a(\sec(c+dx)+1)} ((4147A+4228C)\cos(c+dx) + 2(737A+728C)\cos(2(c+dx)) + 1)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(1188*A + 1652*C + (4147*A + 4228*C)*Cos[c + d*x] + 2*(737*A + 728*C)*Cos[2*(c + d*x)] + 1859*A*Cos[3*(c + d*x)] + 1456*C*Cos[3*(c + d*x)] + 286*A*Cos[4*(c + d*x)] + 224*C*Cos[4*(c + d*x)] + 286*A*Cos[5*(c + d*x)] + 224*C*Cos[5*(c + d*x)])*Sec[c + d*x]^5*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(2310*d)

Maple [A] time = 0.327, size = 152, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx+c))\left(1144A(\cos(dx+c))^5 + 896C(\cos(dx+c))^5 + 572A(\cos(dx+c))^4 + 448C(\cos(dx+c))^4\right)}{1155d(\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x)`

[Out]
$$-2/1155/d*a*(-1+\cos(d*x+c))*(1144*A*\cos(d*x+c)^5+896*C*\cos(d*x+c)^5+572*A*\cos(d*x+c)^4+448*C*\cos(d*x+c)^4+429*A*\cos(d*x+c)^3+336*C*\cos(d*x+c)^3+165*A*\cos(d*x+c)^2+280*C*\cos(d*x+c)^2+245*C*\cos(d*x+c)+105*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^5/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.515857, size = 375, normalized size = 1.67

$$\frac{2(8(143A + 112C)a \cos(dx + c)^5 + 4(143A + 112C)a \cos(dx + c)^4 + 3(143A + 112C)a \cos(dx + c)^3 + 5(33A + 56C)a \cos(dx + c)^2 + 245C*a*\cos(dx + c) + 105C*a)*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}}{1155(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out]
$$2/1155*(8*(143*A + 112*C)*a*\cos(d*x + c)^5 + 4*(143*A + 112*C)*a*\cos(d*x + c)^4 + 3*(143*A + 112*C)*a*\cos(d*x + c)^3 + 5*(33*A + 56*C)*a*\cos(d*x + c)^2 + 245*C*a*\cos(d*x + c) + 105*C*a)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^6 + d*\cos(d*x + c)^5)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 4.82788, size = 424, normalized size = 1.88

$$4 \left(1155 \sqrt{2} A a^7 \operatorname{sgn}(\cos(dx + c)) + 1155 \sqrt{2} C a^7 \operatorname{sgn}(\cos(dx + c)) - \left(3850 \sqrt{2} A a^7 \operatorname{sgn}(\cos(dx + c)) + 2310 \sqrt{2} C a^7 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -4/1155*(1155*\sqrt{2}*A*a^7*\operatorname{sgn}(\cos(d*x + c)) + 1155*\sqrt{2}*C*a^7*\operatorname{sgn}(\cos(d*x + c)) - (3850*\sqrt{2}*A*a^7*\operatorname{sgn}(\cos(d*x + c)) + 2310*\sqrt{2}*C*a^7*\operatorname{sgn}(\cos(d*x + c)) - (5698*\sqrt{2}*A*a^7*\operatorname{sgn}(\cos(d*x + c)) + 5082*\sqrt{2}*C*a^7*\operatorname{sgn}(\cos(d*x + c)) - (4884*\sqrt{2}*A*a^7*\operatorname{sgn}(\cos(d*x + c)) + 3696*\sqrt{2}*C*a^7*\operatorname{sgn}(\cos(d*x + c)) - (2299*\sqrt{2}*A*a^7*\operatorname{sgn}(\cos(d*x + c)) + 1771*\sqrt{2}) *C*a^7*\operatorname{sgn}(\cos(d*x + c)) - 2*(209*\sqrt{2}*A*a^7*\operatorname{sgn}(\cos(d*x + c)) + 161*\sqrt{2}) *C*a^7*\operatorname{sgn}(\cos(d*x + c))) * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c) / ((a*\tan(1/2*d*x + 1/2*c)^2 - a)^5 * \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}) * d \end{aligned}$$

3.165 $\int \sec^2(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=174

$$\frac{8a^2(63A + 47C) \tan(c + dx)}{315d\sqrt{a \sec(c + dx) + a}} + \frac{2(63A + 22C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{315d} + \frac{2a(63A + 47C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{315d}$$

```
[Out] (8*a^2*(63*A + 47*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(63*A + 47*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*(63*A + 22*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(315*d) + (2*C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(9*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(21*a*d)
```

Rubi [A] time = 0.476666, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4089, 4010, 4001, 3793, 3792}

$$\frac{8a^2(63A + 47C) \tan(c + dx)}{315d\sqrt{a \sec(c + dx) + a}} + \frac{2(63A + 22C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{315d} + \frac{2a(63A + 47C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{315d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (8*a^2*(63*A + 47*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(63*A + 47*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*(63*A + 22*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(315*d) + (2*C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(9*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(21*a*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4010


```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_
Symbol] :> -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] +
Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[
2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx)) dx &= \frac{2C\sec^2(c+dx)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{9d} + \frac{2\int \sec^2(c+dx)(a+a\sec(c+dx))^{3/2} dx}{9d} \\
&= \frac{2C\sec^2(c+dx)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{9d} + \frac{2C\sec^2(c+dx)(a+a\sec(c+dx))^{3/2}}{9d} \\
&= \frac{2(63A+22C)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{315d} + \frac{2C\sec^2(c+dx)(a+a\sec(c+dx))^{3/2}}{315d} \\
&= \frac{2a(63A+47C)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{315d} + \frac{2(63A+22C)(a+a\sec(c+dx))^{3/2}}{315d} \\
&= \frac{8a^2(63A+47C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2a(63A+47C)\sqrt{a+a\sec(c+dx)}}{315d}
\end{aligned}$$

Mathematica [A] time = 1.24025, size = 121, normalized size = 0.7

$$\frac{a \tan\left(\frac{1}{2}(c+dx)\right) \sec^4(c+dx) \sqrt{a(\sec(c+dx)+1)} ((567A+748C) \cos(c+dx) + (882A+748C) \cos(2(c+dx))) + 189A \cos(c+dx)}{630d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(693*A + 752*C + (567*A + 748*C)*Cos[c + d*x] + (882*A + 748*C)*Cos[2*(c + d*x)]) + 189*A*Cos[3*(c + d*x)] + 136*C*Cos[3*(c + d*x)] + 189*A*Cos[4*(c + d*x)] + 136*C*Cos[4*(c + d*x)])*Sec[c + d*x]^4*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(630*d)

Maple [A] time = 0.29, size = 130, normalized size = 0.8

$$\frac{2a(-1 + \cos(dx+c)) (378A(\cos(dx+c))^4 + 272C(\cos(dx+c))^4 + 189A(\cos(dx+c))^3 + 136C(\cos(dx+c))^3 + 630d\cos(dx+c))}{315d(\cos(dx+c))^4 \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x)

[Out]
$$-2/315/d*a*(-1+\cos(d*x+c))*(378*A*\cos(d*x+c)^4+272*C*\cos(d*x+c)^4+189*A*\cos(d*x+c)^3+136*C*\cos(d*x+c)^3+63*A*\cos(d*x+c)^2+102*C*\cos(d*x+c)^2+85*C*\cos(d*x+c)+35*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^4/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.503773, size = 319, normalized size = 1.83

$$\frac{2(2(189A + 136C)a \cos(dx + c)^4 + (189A + 136C)a \cos(dx + c)^3 + 3(21A + 34C)a \cos(dx + c)^2 + 85Ca \cos(dx + c) + 35C^2a) \sqrt{a \cos(dx + c) + a}}{315(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out]
$$2/315*(2*(189*A + 136*C)*a*\cos(d*x + c)^4 + (189*A + 136*C)*a*\cos(d*x + c)^3 + 3*(21*A + 34*C)*a*\cos(d*x + c)^2 + 85*C*a*\cos(d*x + c) + 35*C^2*a)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^5 + d*\cos(d*x + c)^4)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 4.73506, size = 362, normalized size = 2.08

$$4 \left(315 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c)) - \left(945 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 525 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\frac{4}{315} \left(315 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c)) - (945 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 525 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c))) - (1071 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 819 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c))) - (567 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 423 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c))) - 2 \left(63 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 47 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c)) \right) \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right) \sqrt{-a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} d$$

3.166 $\int \sec(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=132

$$\frac{8a^2(35A + 19C) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{2a(35A + 19C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2C \tan(c + dx)(a \sec(c + dx) + a)^{5/2}}{7ad}$$

[Out] (8*a^2*(35*A + 19*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(35*A + 19*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) - (4*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*a*d)

Rubi [A] time = 0.263148, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4083, 4001, 3793, 3792}

$$\frac{8a^2(35A + 19C) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{2a(35A + 19C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2C \tan(c + dx)(a \sec(c + dx) + a)^{5/2}}{7ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (8*a^2*(35*A + 19*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(35*A + 19*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) - (4*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*a*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1))

)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3793

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[2*m]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7ad} + \frac{2 \int \sec(c + dx)(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx}{7ad} \\ &= -\frac{4C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{35d} + \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7ad} \\ &= \frac{2a(35A + 19C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} - \frac{4C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{105d} \\ &= \frac{8a^2(35A + 19C) \tan(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \frac{2a(35A + 19C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} \end{aligned}$$

Mathematica [A] time = 1.17178, size = 100, normalized size = 0.76

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\sec(c + dx) + 1)}((525A + 468C) \cos(c + dx) + 2(35A + 52C) \cos(2(c + dx)) + 175A \cos(3(c + dx)))}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(70*A + 164*C + (525*A + 468*C)*Cos[c + d*x] + 2*(35*A + 52*C)*Cos[2*(c + d*x)] + 175*A*Cos[3*(c + d*x)] + 104*C*Cos[3*(c + d*x)])*Sec[c + d*x]^3*S

$\text{qrt}[a*(1 + \text{Sec}[c + d*x])] * \text{Tan}[(c + d*x)/2] / (210*d)$

Maple [A] time = 0.286, size = 108, normalized size = 0.8

$$\frac{2a(-1 + \cos(dx + c)) \left(175A(\cos(dx + c))^3 + 104C(\cos(dx + c))^3 + 35A(\cos(dx + c))^2 + 52C(\cos(dx + c))^2 + 39C \right)}{105d(\cos(dx + c))^3 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)*(a+a*\sec(d*x+c))^{(3/2)}*(A+C*\sec(d*x+c)^2), x)$

[Out] $-2/105/d*a*(-1+\cos(d*x+c))*(175*A*\cos(d*x+c)^3+104*C*\cos(d*x+c)^3+35*A*\cos(d*x+c)^2+52*C*\cos(d*x+c)^2+39*C*\cos(d*x+c)+15*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^3/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(d*x+c)*(a+a*\sec(d*x+c))^{(3/2)}*(A+C*\sec(d*x+c)^2), x, \text{algorithm} = "maxima")$

[Out] Timed out

Fricas [A] time = 0.49882, size = 266, normalized size = 2.02

$$\frac{2 \left((175A + 104C)a \cos(dx + c)^3 + (35A + 52C)a \cos(dx + c)^2 + 39Ca \cos(dx + c) + 15Ca \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{105 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(d*x+c)*(a+a*\sec(d*x+c))^{(3/2)}*(A+C*\sec(d*x+c)^2), x, \text{algorithm} = "fricas")$

[Out] $2/105*((175*A + 104*C)*a*\cos(dx + c)^3 + (35*A + 52*C)*a*\cos(dx + c)^2 + 39*C*a*\cos(dx + c) + 15*C*a)*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}*\sin(dx + c)/(d*\cos(dx + c)^4 + d*\cos(dx + c)^3)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)*(a+a*sec(dx+c))**(3/2)*(A+C*sec(dx+c)**2),x)`

[Out] Timed out

Giac [A] time = 4.70037, size = 300, normalized size = 2.27

$4 \left(105 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) - \left(280 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 140 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)*(a+a*sec(dx+c))^(3/2)*(A+C*sec(dx+c)^2),x, algorithm="giac")`

[Out] $-4/105*(105*\sqrt{2}*A*a^5*\operatorname{sgn}(\cos(dx + c)) + 105*\sqrt{2}*C*a^5*\operatorname{sgn}(\cos(dx + c)) - (280*\sqrt{2}*A*a^5*\operatorname{sgn}(\cos(dx + c)) + 140*\sqrt{2}*C*a^5*\operatorname{sgn}(\cos(dx + c)) - (245*\sqrt{2}*A*a^5*\operatorname{sgn}(\cos(dx + c)) + 133*\sqrt{2}*C*a^5*\operatorname{sgn}(\cos(dx + c)) - 2*(35*\sqrt{2}*A*a^5*\operatorname{sgn}(\cos(dx + c)) + 19*\sqrt{2}*C*a^5*\operatorname{sgn}(\cos(dx + c))))*\tan(1/2*dx + 1/2*c)^2)*\tan(1/2*dx + 1/2*c)^2)*\tan(1/2*dx + 1/2*c)^2)*\tan(1/2*dx + 1/2*c)/((a*\tan(1/2*dx + 1/2*c)^2 - a)^3*\sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a}*d)$

3.167 $\int (a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=133

$$\frac{2a^2(5A + 4C) \tan(c + dx)}{5d\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{5d} + \frac{2C \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{5d}$$

[Out] $(2*a^{(3/2)}*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(5*A + 4*C)*Tan[c + d*x]/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x]/(5*d) + (2*C*(a + a*Sec[c + d*x])^{(3/2)}*Tan[c + d*x]/(5*d)$

Rubi [A] time = 0.222669, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4055, 3917, 3915, 3774, 203, 3792}

$$\frac{2a^2(5A + 4C) \tan(c + dx)}{5d\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{5d} + \frac{2C \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Sec}[c + d*x])^{(3/2)}*(A + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*a^{(3/2)}*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(5*A + 4*C)*Tan[c + d*x]/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x]/(5*d) + (2*C*(a + a*Sec[c + d*x])^{(3/2)}*Tan[c + d*x]/(5*d)$

Rule 4055

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^{(m_.)}, x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(b*(m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[A*b*(m + 1) + a*C*m*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

Rule 3917

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^{(m_.)})*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)], x_Symbol] :> -\text{Simp}[(b*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}], x]$

1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3915

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :=> Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2 \int (a + a \sec(c + dx))^{3/2} \left(\frac{5a}{2}\right)}{5a} \\
&= \frac{2aC\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{5d} + \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
&= \frac{2aC\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{5d} + \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
&= \frac{2a^2(5A + 4C) \tan(c + dx)}{5d\sqrt{a + a \sec(c + dx)}} + \frac{2aC\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{5d} + \\
&= \frac{2a^{3/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{2a^2(5A + 4C) \tan(c + dx)}{5d\sqrt{a + a \sec(c + dx)}} + \frac{2aC\sqrt{a}}{5d}
\end{aligned}$$

Mathematica [A] time = 1.1978, size = 122, normalized size = 0.92

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{\sec(c + dx) - 1}((5A + 6C) \cos(2(c + dx)) + 5A + 6C \cos(c + dx))\right)}{5d\sqrt{\sec(c + dx) - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(10*A*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Cos[c + d*x]^2 + (5*A + 8*C + 6*C*Cos[c + d*x] + (5*A + 6*C)*Cos[2*(c + d*x)])*Sqrt[-1 + Sec[c + d*x]])*Sec[c + d*x]^2*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(5*d*Sqrt[-1 + Sec[c + d*x]])

Maple [B] time = 0.295, size = 330, normalized size = 2.5

$$-\frac{a}{20d(\cos(dx+c))^2 \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(5A \sin(dx+c) \sqrt{2} \operatorname{Arctanh}\left(\frac{1}{2} \frac{\sqrt{2} \sin(dx+c)}{\cos(dx+c)}\right) \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x)

```
[Out] -1/20/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(5*A*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2+10*A*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)+5*A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+40*A*cos(d*x+c)^3+48*C*cos(d*x+c)^3-40*A*cos(d*x+c)^2-24*C*cos(d*x+c)^2-16*C*cos(d*x+c)-8*C)/cos(d*x+c)^2/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.566698, size = 887, normalized size = 6.67

$$\frac{5 \left(A a \cos(dx+c)^3 + A a \cos(dx+c)^2 \right) \sqrt{-a} \log \left(\frac{2 a \cos(dx+c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2 \left((5 A + 6 C) a \cos(dx+c)^2 + 3 C a \cos(dx+c) + C a \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{5 \left(d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/5*(5*(A*a*cos(d*x + c)^3 + A*a*cos(d*x + c)^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*((5*A + 6*C)*a*cos(d*x + c)^2 + 3*C*a*cos(d*x + c) + C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), -2/5*(5*(A*a*cos(d*x + c)^3 + A*a*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/
```

```
cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((5*A + 6*C)*a*cos(d*x
+ c)^2 + 3*C*a*cos(d*x + c) + C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(\sec(c + dx) + 1))^{\frac{3}{2}} (A + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Integral((a*(sec(c + d*x) + 1))**(3/2)*(A + C*sec(c + d*x)**2), x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.168 $\int \cos(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=136

$$-\frac{a^2(3A-8C)\tan(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{3a^{3/2}A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} - \frac{a(3A-2C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{3d} + \frac{A \sin(c+dx)}{d}$$

[Out] (3*a^(3/2)*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (a^2*(3*A - 8*C)*Tan[c + d*x])/((3*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(3*A - 2*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x]))/(3*d)

Rubi [A] time = 0.288896, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4087, 3917, 3915, 3774, 203, 3792}

$$-\frac{a^2(3A-8C)\tan(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{3a^{3/2}A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} - \frac{a(3A-2C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{3d} + \frac{A \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2),x]

[Out] (3*a^(3/2)*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (a^2*(3*A - 8*C)*Tan[c + d*x])/((3*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(3*A - 2*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x]))/(3*d)

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 3917

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3915

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{d} + \frac{\int (a + a \sec(c + dx))^{3/2} \cos(c + dx) dx}{d} \\
&= \frac{A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{a(3A - 2C)\sqrt{a + a \sec(c + dx)}}{d} \\
&= \frac{A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{a(3A - 2C)\sqrt{a + a \sec(c + dx)}}{d} \\
&= \frac{A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{a^2(3A - 8C) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{3a^{3/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 1.19531, size = 113, normalized size = 0.83

$$\frac{a \tan(c + dx) \sqrt{a(\sec(c + dx) + 1)} (\sqrt{\sec(c + dx) - 1} (3A \cos(2(c + dx)) + 3A + 20C \cos(c + dx) + 4C) + 18A \cos(c + dx))}{6d(\cos(c + dx) + 1) \sqrt{\sec(c + dx) - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(18*A*ArcTan[Sqrt[-1 + Sec[c + d*x]]])*Cos[c + d*x] + (3*A + 4*C + 20*C*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sqrt[-1 + Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])]*Tan[c + d*x])/(6*d*(1 + Cos[c + d*x])*Sqrt[-1 + Sec[c + d*x]])

Maple [A] time = 0.332, size = 239, normalized size = 1.8

$$-\frac{a}{12d \cos(dx + c) \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(-9A\sqrt{2} \sin(dx + c) \cos(dx + c) \operatorname{Artanh}\left(\frac{1}{2} \frac{\sqrt{2} \sin(dx + c)}{\cos(dx + c)} \sqrt{-2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x)

[Out] -1/12/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-9*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/

$$\cos(dx+c) * (-2*\cos(dx+c)/(\cos(dx+c)+1))^{(3/2)} - 9*A*2^{(1/2)} * \operatorname{arctanh}(1/2*2^{(1/2)} * (-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c)/\cos(dx+c)) * (-2*\cos(dx+c)/(\cos(dx+c)+1))^{(3/2)} * \sin(dx+c) + 12*A*\cos(dx+c)^3 - 12*A*\cos(dx+c)^2 + 40*C*\cos(dx+c)^2 - 32*C*\cos(dx+c) - 8*C) / \cos(dx+c) / \sin(dx+c)$$

Maxima [B] time = 1.8616, size = 1085, normalized size = 7.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+a*sec(dx+c))^(3/2)*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{4} * (2 * (a * \cos(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1)) * \sin(dx + c) - (a * \cos(dx + c) - a) * \sin(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) * (\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{(1/4)} * \sqrt{a} + 3 * (a * \operatorname{arctan2}(-(\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{(1/4)} * (\cos(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1)) * \sin(dx + c) - \cos(dx + c) * \sin(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))), (\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{(1/4)} * (\cos(dx + c) * \cos(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1)) + \sin(dx + c) * \sin(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) + 1 - a * \operatorname{arctan2}(-(\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{(1/4)} * (\cos(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1)) * \sin(dx + c) - \cos(dx + c) * \sin(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))), (\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{(1/4)} * (\cos(dx + c) * \cos(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1)) + \sin(dx + c) * \sin(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) - 1) - a * \operatorname{arctan2}((\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{(1/4)} * \sin(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))), (\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{(1/4)} * \cos(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1)) + 1) + a * \operatorname{arctan2}((\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{(1/4)} * \sin(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))), (\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{(1/4)} * \cos(\frac{1}{2} * \operatorname{arctan2}(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1)) - 1)) * \sqrt{a}) * A/d$

Fricas [A] time = 0.565599, size = 863, normalized size = 6.35

$$\frac{9 \left(Aa \cos(dx+c)^2 + Aa \cos(dx+c) \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2 \left(3 Aa \cos(dx+c)^2 + 10 C a \cos(dx+c) + 2 C a \right) \sqrt{a} \arctan \left(\frac{\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)} \right) \cos(dx+c) / (\sqrt{a} \sin(dx+c)) - (3 A a \cos(dx+c)^2 + 10 C a \cos(dx+c) + 2 C a) \sqrt{a} \arctan \left(\frac{\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)} \right) \cos(dx+c) / (\sqrt{a} \sin(dx+c))}{6 \left(d \cos(dx+c)^2 + d \cos(dx+c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/6*(9*(A*a*cos(d*x + c)^2 + A*a*cos(d*x + c))*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(3*A*a*cos(d*x + c)^2 + 10*C*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), -1/3*(9*(A*a*cos(d*x + c)^2 + A*a*cos(d*x + c))*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (3*A*a*cos(d*x + c)^2 + 10*C*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.169 $\int \cos^2(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=151

$$\frac{a^2(5A - 8C) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(7A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} - \frac{a(A - 4C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{2d} + \frac{A \sin(c + dx)}{2d}$$

```
[Out] (a^(3/2)*(7*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(4*d) + (a^2*(5*A - 8*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(A - 4*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.427823, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4087, 4018, 4015, 3774, 203}

$$\frac{a^2(5A - 8C) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(7A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} - \frac{a(A - 4C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{2d} + \frac{A \sin(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(3/2)*(7*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(4*d) + (a^2*(5*A - 8*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(A - 4*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= \frac{A\cos(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{2d} + \frac{\int \cos(c+dx)}{2d} \\
&= -\frac{a(A-4C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{2d} + \frac{A\cos(c+dx)}{2d} \\
&= \frac{a^2(5A-8C)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} - \frac{a(A-4C)\sqrt{a+a\sec(c+dx)}}{2d} \\
&= \frac{a^2(5A-8C)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} - \frac{a(A-4C)\sqrt{a+a\sec(c+dx)}}{2d} \\
&= \frac{a^{3/2}(7A+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4d} + \frac{a^2(5A-8C)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.753918, size = 109, normalized size = 0.72

$$\frac{a\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(\sqrt{2}(7A+8C)\sin^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\sqrt{\cos(c+dx)}+2\sin\left(\frac{1}{2}(c+dx)\right)(7A\cos(c+dx)+8C)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(7*A + 8*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(A + 8*C + 7*A*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(8*d)

Maple [B] time = 0.356, size = 397, normalized size = 2.6

$$-\frac{a}{16d\cos(dx+c)\sin(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(-7A\sqrt{2}\sin(dx+c)\cos(dx+c)\operatorname{Artanh}\left(1/2\frac{\sqrt{2}\sin(dx+c)}{\cos(dx+c)}\sqrt{-2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x)

```
[Out] -1/16/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-7*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)-8*C*cos(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-7*A*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-8*C*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)+8*A*cos(d*x+c)^4+20*A*cos(d*x+c)^3-28*A*cos(d*x+c)^2+32*C*cos(d*x+c)^2-32*C*cos(d*x+c))/cos(d*x+c)/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.651124, size = 828, normalized size = 5.48

$$\frac{\left((7A + 8C)a \cos(dx + c) + (7A + 8C)a \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) \right) + 2(2A \cos(dx+c) + a) \sqrt{-a}}{8(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/8*(((7*A + 8*C)*a*cos(d*x + c) + (7*A + 8*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*A*a*cos(d*x +
```

$$\begin{aligned} & c)^2 + 7*A*a*\cos(d*x + c) + 8*C*a)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)} \\ & * \sin(d*x + c))/(d*\cos(d*x + c) + d), -1/4*((7*A + 8*C)*a*\cos(d*x + c) + (7 \\ & *A + 8*C)*a)*\sqrt{a}*\arctan(\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x \\ & + c)/(\sqrt{a}*\sin(d*x + c))) - (2*A*a*\cos(d*x + c)^2 + 7*A*a*\cos(d*x + c) \\ & + 8*C*a)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c))/(d*\cos(d*x + \\ & c) + d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 6.6494, size = 695, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(16*\sqrt{2}*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*C*a^2*\operatorname{sgn}(\cos(d*x + c)) \\ &)*\tan(1/2*d*x + 1/2*c)/(a*\tan(1/2*d*x + 1/2*c)^2 - a) + (7*A*\sqrt{-a}*a*\operatorname{sgn} \\ & (\cos(d*x + c)) + 8*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(d*x + c)))*\log(\operatorname{abs}((\sqrt{-a})*\tan(1/ \\ & 2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3) \\ &)) - (7*A*\sqrt{-a}*a*\operatorname{sgn}(\cos(d*x + c)) + 8*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(d*x + c)))* \\ & \log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(7*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \\ & \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(d*x + c)) - 9 \\ & 5*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A \\ & *\sqrt{-a}*a^3*\operatorname{sgn}(\cos(d*x + c)) + 53*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{ \\ & -a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(d*x + c)) - 5*A*\sqrt{ \\ & -a}*a^5*\operatorname{sgn}(\cos(d*x + c)))/((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan \\ & (1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan \\ & (1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^2)/d \end{aligned}$$

$$3.170 \quad \int \cos^3(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=155

$$\frac{a^2(19A + 24C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(11A + 24C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{A \sin(c + dx) \cos^2(c + dx)(a \sec(c + dx) + a)^{3/2}}{3d}$$

[Out] (a^(3/2)*(11*A + 24*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*d) + (a^2*(19*A + 24*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.462273, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4087, 4017, 4015, 3774, 203}

$$\frac{a^2(19A + 24C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(11A + 24C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{A \sin(c + dx) \cos^2(c + dx)(a \sec(c + dx) + a)^{3/2}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(11*A + 24*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*d) + (a^2*(19*A + 24*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*Cot
[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= \frac{A\cos^2(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{3d} + \frac{\int \cos^2(c+dx)(a+a\sec(c+dx))^{3/2}dx}{3d} \\
&= \frac{aA\cos(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} + \frac{A\cos^2(c+dx)\sqrt{a+a\sec(c+dx)}}{4d} \\
&= \frac{a^2(19A+24C)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{aA\cos(c+dx)\sqrt{a+a\sec(c+dx)}}{4d} \\
&= \frac{a^2(19A+24C)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{aA\cos(c+dx)\sqrt{a+a\sec(c+dx)}}{4d} \\
&= \frac{a^{3/2}(11A+24C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8d} + \frac{a^2(19A+24C)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.20122, size = 118, normalized size = 0.76

$$\frac{a\sin(c+dx)\sqrt{a(\sec(c+dx)+1)}\left(\cos(c+dx)\sqrt{\sec(c+dx)-1}(22A\cos(c+dx)+4A\cos(2(c+dx)))+37A+24C\right)+\int \cos^2(c+dx)(a+a\sec(c+dx))^{3/2}dx}{24d(\cos(c+dx)+1)\sqrt{\sec(c+dx)-1}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*((33*A + 72*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]] + Cos[c + d*x]*(37*A + 24*C + 22*A*Cos[c + d*x] + 4*A*Cos[2*(c + d*x)])*Sqrt[-1 + Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])*Sin[c + d*x]]/(24*d*(1 + Cos[c + d*x])*Sqrt[-1 + Sec[c + d*x]])

Maple [B] time = 0.393, size = 570, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x)

```
[Out] -1/192/d*a*(33*A*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2+72*C*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2+66*A*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)+144*C*sin(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)+33*A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+72*C*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+64*A*cos(d*x+c)^6+112*A*cos(d*x+c)^5+88*A*cos(d*x+c)^4+192*C*cos(d*x+c)^4-264*A*cos(d*x+c)^3-192*C*cos(d*x+c)^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^2/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.652477, size = 919, normalized size = 5.93

$$\left[\frac{3((11A + 24C)a \cos(dx + c) + (11A + 24C)a)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2}{48(d \cos(dx+c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/48*(3*((11*A + 24*C)*a*cos(d*x + c) + (11*A + 24*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*a*cos(d*x + c)^3 + 22*A*a*cos(d*x + c)^2 + 3*(11*A + 8*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((11*A + 24*C)*a*cos(d*x + c) + (11*A + 24*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*a*cos(d*x + c)^3 + 22*A*a*cos(d*x + c)^2 + 3*(11*A + 8*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 6.9336, size = 1166, normalized size = 7.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/48*(3*(11*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 24*C*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(11*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 24*C*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(33*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 72*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^2*sgn(cos(d*x + c)) - 303*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*s
```

$$\begin{aligned} & \text{qrt}(-a)*a^3*\text{sgn}(\cos(d*x + c)) - 888*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(- \\ & a*\tan(1/2*d*x + 1/2*c)^2 + a))^8*C*\text{sqrt}(-a)*a^3*\text{sgn}(\cos(d*x + c)) + 2394*(\text{s} \\ & \text{qrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^6*A*\text{sqrt} \\ & \text{qrt}(-a)*a^4*\text{sgn}(\cos(d*x + c)) + 3024*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a \\ & *\tan(1/2*d*x + 1/2*c)^2 + a))^6*C*\text{sqrt}(-a)*a^4*\text{sgn}(\cos(d*x + c)) - 1806*(\text{sq} \\ & \text{rt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^4*A*\text{sqrt} \\ & (-a)*a^5*\text{sgn}(\cos(d*x + c)) - 1776*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a* \\ & \tan(1/2*d*x + 1/2*c)^2 + a))^4*C*\text{sqrt}(-a)*a^5*\text{sgn}(\cos(d*x + c)) + 309*(\text{sqrt} \\ & (-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*A*\text{sqrt}(- \\ & a)*a^6*\text{sgn}(\cos(d*x + c)) + 360*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan \\ & (1/2*d*x + 1/2*c)^2 + a))^2*C*\text{sqrt}(-a)*a^6*\text{sgn}(\cos(d*x + c)) - 19*A*\text{sqrt}(-a \\ &)*a^7*\text{sgn}(\cos(d*x + c)) - 24*C*\text{sqrt}(-a)*a^7*\text{sgn}(\cos(d*x + c)))/((\text{sqrt}(-a)*\text{t} \\ & \text{an}(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(\text{sqrt}(-a)* \\ & \tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^3)/d \end{aligned}$$

$$3.171 \quad \int \cos^4(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=200

$$\frac{a^2(75A + 112C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(75A + 112C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(13A + 16C) \sin(c + dx) \cos(c + dx)}{32d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx)}{d}$$

[Out] (a^(3/2)*(75*A + 112*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(75*A + 112*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(13*A + 16*C)*Cos[c + d*x]*Sin[c + d*x])/(32*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.57143, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4087, 4017, 4015, 3805, 3774, 203}

$$\frac{a^2(75A + 112C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(75A + 112C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(13A + 16C) \sin(c + dx) \cos(c + dx)}{32d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(75*A + 112*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(75*A + 112*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(13*A + 16*C)*Cos[c + d*x]*Sin[c + d*x])/(32*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= \frac{A\cos^3(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{4d} + \frac{\int \cos^3(c+dx)(a+a\sec(c+dx))^{3/2}dx}{4d} \\
&= \frac{aA\cos^2(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{8d} + \frac{A\cos^3(c+dx)(a+a\sec(c+dx))^{3/2}}{4d} \\
&= \frac{a^2(13A+16C)\cos(c+dx)\sin(c+dx)}{32d\sqrt{a+a\sec(c+dx)}} + \frac{aA\cos^2(c+dx)(a+a\sec(c+dx))^{3/2}}{4d} \\
&= \frac{a^2(75A+112C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(13A+16C)\cos(c+dx)(a+a\sec(c+dx))^{3/2}}{32d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(75A+112C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(13A+16C)\cos(c+dx)(a+a\sec(c+dx))^{3/2}}{32d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{3/2}(75A+112C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a^2(75A+112C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.40235, size = 140, normalized size = 0.7

$$\frac{a\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(\sqrt{2}(75A+112C)\sin^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\sqrt{\cos(c+dx)}+\left(\sin\left(\frac{3}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(75*A + 112*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (95*A + 112*C + (62*A + 32*C)*Cos[c + d*x] + 20*A*Cos[2*(c + d*x)] + 4*A*Cos[3*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2])))/(128*d)

Maple [B] time = 0.329, size = 752, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x)

```
[Out] 1/1024/d*a*(75*A*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1)
)^(7/2)*2^(1/2)+112*C*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+
c)+1))^(7/2)*2^(1/2)+225*A*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(1/2)*(-2*
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos
(d*x+c)+1))^(7/2)*2^(1/2)+336*C*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(1/2)
*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)
/(cos(d*x+c)+1))^(7/2)*2^(1/2)+225*A*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1
/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x
+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+336*C*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2
^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(
d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+75*A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c
)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1
))^(7/2)*2^(1/2)*sin(d*x+c)+112*C*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1
))^(7/2)*sin(d*x+c)-256*A*cos(d*x+c)^8-384*A*cos(d*x+c)^7-160*A*cos(d*x+c)^
6-512*C*cos(d*x+c)^6-400*A*cos(d*x+c)^5-1280*C*cos(d*x+c)^5+1200*A*cos(d*x+
c)^4+1792*C*cos(d*x+c)^4)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^3/
sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorit
hm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.743615, size = 1018, normalized size = 5.09

$$\left[\frac{((75A + 112C)a \cos(dx + c) + (75A + 112C)a) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right)}{128} + 2 \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/128*(((75*A + 112*C)*a*cos(d*x + c) + (75*A + 112*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(16*A*a*cos(d*x + c)^4 + 40*A*a*cos(d*x + c)^3 + 2*(25*A + 16*C)*a*cos(d*x + c)^2 + (75*A + 112*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/64*(((75*A + 112*C)*a*cos(d*x + c) + (75*A + 112*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (16*A*a*cos(d*x + c)^4 + 40*A*a*cos(d*x + c)^3 + 2*(25*A + 16*C)*a*cos(d*x + c)^2 + (75*A + 112*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 7.4372, size = 1467, normalized size = 7.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/128*((75*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 112*C*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c))^2 + a))^2 - a*(2*sqrt(2) + 3))) - (75*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 112*C*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - s
```

$$\begin{aligned}
& \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 + a(2\sqrt{2} - 3)) + 4\sqrt{2} * (75 \\
& * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^{14} A \\
& * \sqrt{-a} a^2 \operatorname{sgn}(\cos(dx + c)) + 112 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^{14} C \\
& * \sqrt{-a} a^2 \operatorname{sgn}(\cos(dx + c)) - 2087 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^{12} A \\
& * \sqrt{-a} a^3 \operatorname{sgn}(\cos(dx + c)) - 2864 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^{12} C \\
& * \sqrt{-a} a^3 \operatorname{sgn}(\cos(dx + c)) + 11975 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^{10} A \\
& * \sqrt{-a} a^4 \operatorname{sgn}(\cos(dx + c)) + 23344 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^{10} C \\
& * \sqrt{-a} a^4 \operatorname{sgn}(\cos(dx + c)) - 42483 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^8 A \\
& * \sqrt{-a} a^5 \operatorname{sgn}(\cos(dx + c)) - 69360 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^8 C \\
& * \sqrt{-a} a^5 \operatorname{sgn}(\cos(dx + c)) + 33889 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^6 A \\
& * \sqrt{-a} a^6 \operatorname{sgn}(\cos(dx + c)) + 51536 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^6 C \\
& * \sqrt{-a} a^6 \operatorname{sgn}(\cos(dx + c)) - 8693 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^4 A \\
& * \sqrt{-a} a^7 \operatorname{sgn}(\cos(dx + c)) - 14736 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^4 C \\
& * \sqrt{-a} a^7 \operatorname{sgn}(\cos(dx + c)) + 1101 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 A \\
& * \sqrt{-a} a^8 \operatorname{sgn}(\cos(dx + c)) + 1808 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 C \\
& * \sqrt{-a} a^8 \operatorname{sgn}(\cos(dx + c)) - 49 A * \sqrt{-a} a^9 \operatorname{sgn}(\cos(dx + c)) - 80 C * \sqrt{-a} a^9 \operatorname{sgn}(\cos(dx + c))) \\
& / ((\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^4 - 6 * (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 * \\
& a + a^2)^4 / d
\end{aligned}$$

$$3.172 \quad \int \cos^5(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=245

$$\frac{a^2(133A + 176C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(133A + 176C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(67A + 80C) \sin(c + dx) \cos^2(c + dx)}{240d\sqrt{a \sec(c + dx) + a}} +$$

[Out] (a^(3/2)*(133*A + 176*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^2*(133*A + 176*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(133*A + 176*C)*Cos[c + d*x]*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(67*A + 80*C)*Cos[c + d*x]^2*Ssin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (3*a*A*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.639246, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4087, 4017, 4015, 3805, 3774, 203}

$$\frac{a^2(133A + 176C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(133A + 176C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(67A + 80C) \sin(c + dx) \cos^2(c + dx)}{240d\sqrt{a \sec(c + dx) + a}} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(133*A + 176*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^2*(133*A + 176*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(133*A + 176*C)*Cos[c + d*x]*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(67*A + 80*C)*Cos[c + d*x]^2*Ssin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (3*a*A*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*

$(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, C, m\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ !\text{LtQ}[m, -2^{(-1)}] \ \&\& \ (\text{LtQ}[n, -2^{(-1)}] \ || \ \text{EqQ}[m + n + 1, 0])$

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \ :> \ \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 1/2] \ \&\& \ \text{LtQ}[n, -1]$

Rule 4015

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \ :> \ \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \ \&\& \ \text{LtQ}[n, 0]$

Rule 3805

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \ :> \ \text{Simp}[(a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(a*(2*n + 1))/(2*b*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[n, -2^{(-1)}] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \ :> \ \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/ \text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_.^2)^{-1}, x_Symbol] \ :> \ \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{\int \cos^3(c + dx)(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx}{5d} \\
&= \frac{3aA \cos^3(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{40d} + \frac{A \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}}{40d} \\
&= \frac{a^2(67A + 80C) \cos^2(c + dx) \sin(c + dx)}{240d \sqrt{a + a \sec(c + dx)}} + \frac{3aA \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}}{40d} \\
&= \frac{a^2(133A + 176C) \cos(c + dx) \sin(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(67A + 80C) \cos^2(c + dx) \sin(c + dx)}{240d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(133A + 176C) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(133A + 176C) \cos(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(133A + 176C) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(133A + 176C) \cos(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^{3/2}(133A + 176C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{128d} + \frac{a^2(133A + 176C)}{128d \sqrt{a}}
\end{aligned}$$

Mathematica [A] time = 2.15396, size = 159, normalized size = 0.65

$$a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(15\sqrt{2}(133A + 176C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + \left(\sin\left(\frac{3}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(15*Sqrt[2]*(133*A + 176*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (2671*A + 2960*C + 2*(1007*A + 880*C)*Cos[c + d*x] + 4*(181*A + 80*C)*Cos[2*(c + d*x)] + 228*A*Cos[3*(c + d*x)] + 48*A*Cos[4*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/(3840*d)

Maple [B] time = 0.366, size = 934, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^5*(a+a*\sec(dx+c))^{(3/2)}*(A+C*\sec(dx+c)^2),x)$

[Out]
$$\begin{aligned} & -1/61440/d*a*(1995*A*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & * \sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)}*\cos(dx+c)^4 \\ & *\sin(dx+c)+2640*C*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & *\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)} \\ & *\cos(dx+c)^4*\sin(dx+c)+7980*A*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & *\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)} \\ & *\cos(dx+c)^3*\sin(dx+c)+10560*C*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & *\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)} \\ & *\cos(dx+c)^3*\sin(dx+c)+11970*A*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & *\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)} \\ & *\cos(dx+c)^2*\sin(dx+c)+15840*C*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & *\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)} \\ & *\cos(dx+c)^2*\sin(dx+c)+7980*A*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & *\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)} \\ & *\cos(dx+c)*\sin(dx+c)+10560*C*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & *\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)} \\ & *\cos(dx+c)*\sin(dx+c)+1995*A*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & *\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)} \\ & *\cos(dx+c)*\sin(dx+c)+2640*C*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & *\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}*2^{(1/2)} \\ & *\cos(dx+c)*\sin(dx+c)+12288*A*\cos(dx+c)^{10}+16896*A*\cos(dx+c)^9+4864*A*\cos(dx+c)^8 \\ & +20480*C*\cos(dx+c)^8+8512*A*\cos(dx+c)^7+35840*C*\cos(dx+c)^7+21280*A*\cos(dx+c)^6 \\ & +28160*C*\cos(dx+c)^6-63840*A*\cos(dx+c)^5-84480*C*\cos(dx+c)^5*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)} \\ & / \cos(dx+c)^4/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^5*(a+a*\sec(dx+c))^{(3/2)}*(A+C*\sec(dx+c)^2),x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.763288, size = 1157, normalized size = 4.72

$$\left[\frac{15((133A + 176C)a \cos(dx + c) + (133A + 176C)a)\sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/3840*(15*((133*A + 176*C)*a*cos(d*x + c) + (133*A + 176*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(384*A*a*cos(d*x + c)^5 + 912*A*a*cos(d*x + c)^4 + 8*(133*A + 80*C)*a*cos(d*x + c)^3 + 10*(133*A + 176*C)*a*cos(d*x + c)^2 + 15*(133*A + 176*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/1920*(15*((133*A + 176*C)*a*cos(d*x + c) + (133*A + 176*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (384*A*a*cos(d*x + c)^5 + 912*A*a*cos(d*x + c)^4 + 8*(133*A + 80*C)*a*cos(d*x + c)^3 + 10*(133*A + 176*C)*a*cos(d*x + c)^2 + 15*(133*A + 176*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 7.63812, size = 1771, normalized size = 7.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorit
hm="giac")
```

```
[Out] -1/3840*(15*(133*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 176*C*sqrt(-a)*a*sgn(cos(
d*x + c))) * log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1
/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 15*(133*A*sqrt(-a)*a*sgn(cos(d*x +
c)) + 176*C*sqrt(-a)*a*sgn(cos(d*x + c))) * log(abs((sqrt(-a)*tan(1/2*d*x + 1
/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sq
rt(2)*(1995*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2
+ a))^18*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 2640*(sqrt(-a)*tan(1/2*d*x + 1
/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^18*C*sqrt(-a)*a^2*sgn(cos(d*x
+ c)) - 38505*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)
^2 + a))^16*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 55920*(sqrt(-a)*tan(1/2*d*x
+ 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^16*C*sqrt(-a)*a^3*sgn(cos(d
*x + c)) + 561660*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/
2*c)^2 + a))^14*A*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 582720*(sqrt(-a)*tan(1/2
*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*C*sqrt(-a)*a^4*sgn(
cos(d*x + c)) - 2684100*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*
x + 1/2*c)^2 + a))^12*A*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 3395520*(sqrt(-a)*
tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*C*sqrt(-a)*a
^5*sgn(cos(d*x + c)) + 7371738*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan
(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 9329760*(sq
rt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sq
rt(-a)*a^6*sgn(cos(d*x + c)) - 6407470*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sq
rt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 81108
80*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*
C*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 2176620*(sqrt(-a)*tan(1/2*d*x + 1/2*c) -
sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^8*sgn(cos(d*x + c)) +
2882880*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a
))^6*C*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 399860*(sqrt(-a)*tan(1/2*d*x + 1/2*
c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^9*sgn(cos(d*x + c)
) - 498880*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2
+ a))^4*C*sqrt(-a)*a^9*sgn(cos(d*x + c)) + 34035*(sqrt(-a)*tan(1/2*d*x + 1/
2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^10*sgn(cos(d*x +
c)) + 42960*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^
2 + a))^2*C*sqrt(-a)*a^10*sgn(cos(d*x + c)) - 1201*A*sqrt(-a)*a^11*sgn(cos(
d*x + c)) - 1520*C*sqrt(-a)*a^11*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x
+ 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x
+ 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^5)/d
```

$$3.173 \quad \int \sec^3(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=273

$$\frac{2a^3(2717A + 2224C) \tan(c + dx) \sec^3(c + dx)}{9009d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(143A + 136C) \tan(c + dx) \sec^3(c + dx)\sqrt{a \sec(c + dx) + a}}{1287d} + \frac{2a^3(143A + 136C) \tan(c + dx) \sec^3(c + dx)}{1287d}$$

```
[Out] (2*a^3*(10439*A + 8368*C)*Tan[c + d*x])/(6435*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a^3*(2717*A + 2224*C)*Sec[c + d*x]^3*Tan[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) -
(4*a^2*(10439*A + 8368*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(45045*d) +
(2*a^2*(143*A + 136*C)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(1287*d) +
(2*a*(10439*A + 8368*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(15015*d) +
(10*a*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(143*d) +
(2*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(13*d)
```

Rubi [A] time = 0.864525, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4089, 4018, 4016, 3800, 4001, 3792}

$$\frac{2a^3(2717A + 2224C) \tan(c + dx) \sec^3(c + dx)}{9009d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(143A + 136C) \tan(c + dx) \sec^3(c + dx)\sqrt{a \sec(c + dx) + a}}{1287d} + \frac{2a^3(143A + 136C) \tan(c + dx) \sec^3(c + dx)}{1287d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*a^3*(10439*A + 8368*C)*Tan[c + d*x])/(6435*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a^3*(2717*A + 2224*C)*Sec[c + d*x]^3*Tan[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) -
(4*a^2*(10439*A + 8368*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(45045*d) +
(2*a^2*(143*A + 136*C)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(1287*d) +
(2*a*(10439*A + 8368*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(15015*d) +
(10*a*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(143*d) +
(2*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(13*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C* Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
```

+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3800

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m + 1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S

ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{2C \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{13d} + \frac{2 \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} dx}{13d} \\
 &= \frac{10aC \sec^3(c + dx)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{143d} + \frac{2 \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} dx}{143d} \\
 &= \frac{2a^2(143A + 136C) \sec^3(c + dx) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{1287d} + \frac{2 \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} dx}{1287d} \\
 &= \frac{2a^3(2717A + 2224C) \sec^3(c + dx) \tan(c + dx)}{9009d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2 \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} dx}{9009d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^3(2717A + 2224C) \sec^3(c + dx) \tan(c + dx)}{9009d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2 \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} dx}{9009d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^3(2717A + 2224C) \sec^3(c + dx) \tan(c + dx)}{9009d \sqrt{a + a \sec(c + dx)}} - \frac{4a^2 \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} dx}{9009d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^3(10439A + 8368C) \tan(c + dx)}{6435d \sqrt{a + a \sec(c + dx)}} + \frac{2a^3(2717A + 2224C) \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} dx}{9009d \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.92376, size = 169, normalized size = 0.62

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^6(c + dx) \sqrt{a(\sec(c + dx) + 1)} (1120(286A + 347C) \cos(c + dx) + 14(32747A + 30334C) \cos(2(c + dx)))}{180180d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(322751*A + 343612*C + 1120*(286*A + 347*C)*Cos[c + d*x] + 14*(32747*A + 30334*C)*Cos[2*(c + d*x)] + 141570*A*Cos[3*(c + d*x)] + 125520*C*Cos[3*(c + d*x)] + 156585*A*Cos[4*(c + d*x)] + 125520*C*Cos[4*(c + d*x)] + 20878*A*Cos[5*(c + d*x)] + 16736*C*Cos[5*(c + d*x)] + 20878*A*Cos[6*(c + d*x)] + 16736*C*Cos[6*(c + d*x)])*Sec[c + d*x]^6*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(180180*d)

Maple [A] time = 0.359, size = 176, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c)) \left(83512A(\cos(dx + c))^6 + 66944C(\cos(dx + c))^6 + 41756A(\cos(dx + c))^5 + 33472C(\cos(dx + c))^5 + 1756A(\cos(dx + c))^4 + 18590A(\cos(dx + c))^3 + 20920C(\cos(dx + c))^3 + 5005A(\cos(dx + c))^2 + 18305C(\cos(dx + c))^2 + 11970C(\cos(dx + c)) + 3465C \right) (a(\cos(dx + c) + 1)/\cos(dx + c))^{(1/2)}/\cos(dx + c)^6/\sin(dx + c)}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x)

[Out] -2/45045/d*a^2*(-1+cos(d*x+c))*(83512*A*cos(d*x+c)^6+66944*C*cos(d*x+c)^6+1756*A*cos(d*x+c)^5+33472*C*cos(d*x+c)^5+31317*A*cos(d*x+c)^4+25104*C*cos(d*x+c)^4+18590*A*cos(d*x+c)^3+20920*C*cos(d*x+c)^3+5005*A*cos(d*x+c)^2+18305*C*cos(d*x+c)^2+11970*C*cos(d*x+c)+3465*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^6/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.527034, size = 470, normalized size = 1.72

$$\frac{2 \left(8(10439A + 8368C)a^2 \cos(dx + c)^6 + 4(10439A + 8368C)a^2 \cos(dx + c)^5 + 3(10439A + 8368C)a^2 \cos(dx + c)^4 + 2(10439A + 8368C)a^2 \cos(dx + c)^3 + 10439Aa^2 \cos(dx + c)^2 + 8368Ca^2 \cos(dx + c) + 3465C \right) (a(\cos(dx + c) + 1)/\cos(dx + c))^{(1/2)}/\cos(dx + c)^6/\sin(dx + c)}{45045(d \cos(dx + c) + \sin(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x, algorithm="fricas")

```
[Out] 2/45045*(8*(10439*A + 8368*C)*a^2*cos(d*x + c)^6 + 4*(10439*A + 8368*C)*a^2*cos(d*x + c)^5 + 3*(10439*A + 8368*C)*a^2*cos(d*x + c)^4 + 10*(1859*A + 2092*C)*a^2*cos(d*x + c)^3 + 35*(143*A + 523*C)*a^2*cos(d*x + c)^2 + 11970*C*a^2*cos(d*x + c) + 3465*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^7 + d*cos(d*x + c)^6)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2), x)
```

[Out] Timed out

Giac [A] time = 5.31685, size = 486, normalized size = 1.78

$$8 \left(45045 \sqrt{2} A a^9 \operatorname{sgn}(\cos(dx + c)) + 45045 \sqrt{2} C a^9 \operatorname{sgn}(\cos(dx + c)) - \left(180180 \sqrt{2} A a^9 \operatorname{sgn}(\cos(dx + c)) + 120120 \sqrt{2} C a^9 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x, algorithm="giac")
```

```
[Out] 8/45045*(45045*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 45045*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (180180*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 120120*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (342342*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 294294*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (391248*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 310596*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (265837*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 212069*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - 4*(24167*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 19279*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - 2*(1859*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 1483*sqrt(2)*C*a^9*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)/(a*tan(1/2*d*x + 1/2*c)^2 - a)^6*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.174 $\int \sec^2(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=211

$$\frac{16a^2(33A + 25C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{693d} + \frac{64a^3(33A + 25C) \tan(c + dx)}{693d \sqrt{a \sec(c + dx) + a}} + \frac{2(99A + 26C) \tan(c + dx)(a \sec(c + dx))^{5/2}}{693d}$$

```
[Out] (64*a^3*(33*A + 25*C)*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(33*A + 25*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(693*d) + (2*a*(33*A + 25*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(231*d) + (2*(99*A + 26*C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(693*d) + (2*C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(11*d) + (10*C*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(99*a*d)
```

Rubi [A] time = 0.532672, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4089, 4010, 4001, 3793, 3792}

$$\frac{16a^2(33A + 25C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{693d} + \frac{64a^3(33A + 25C) \tan(c + dx)}{693d \sqrt{a \sec(c + dx) + a}} + \frac{2(99A + 26C) \tan(c + dx)(a \sec(c + dx))^{5/2}}{693d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (64*a^3*(33*A + 25*C)*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(33*A + 25*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(693*d) + (2*a*(33*A + 25*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(231*d) + (2*(99*A + 26*C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(693*d) + (2*C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(11*d) + (10*C*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(99*a*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]
```


Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Cs
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] := -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] +
Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[
2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx &= \frac{2C\sec^2(c+dx)(a+a\sec(c+dx))^{5/2}\tan(c+dx)}{11d} + \frac{2\int \sec^2(c+dx)(a+a\sec(c+dx))^{5/2}dx}{11d} \\
&= \frac{2C\sec^2(c+dx)(a+a\sec(c+dx))^{5/2}\tan(c+dx)}{11d} + \frac{10C\sec^2(c+dx)(a+a\sec(c+dx))^{5/2}}{11d} \\
&= \frac{2(99A+26C)(a+a\sec(c+dx))^{5/2}\tan(c+dx)}{693d} + \frac{2C\sec^2(c+dx)(a+a\sec(c+dx))^{5/2}}{693d} \\
&= \frac{2a(33A+25C)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{231d} + \frac{2(99A+26C)(a+a\sec(c+dx))^{5/2}}{693d} \\
&= \frac{16a^2(33A+25C)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{693d} + \frac{2a(99A+26C)(a+a\sec(c+dx))^{5/2}}{693d} \\
&= \frac{64a^3(33A+25C)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{16a^2(33A+25C)\sqrt{a+a\sec(c+dx)}}{693d}
\end{aligned}$$

Mathematica [A] time = 1.49389, size = 147, normalized size = 0.7

$$\frac{a^2 \tan\left(\frac{1}{2}(c+dx)\right) \sec^5(c+dx) \sqrt{a(\sec(c+dx)+1)} (2(4983A+5014C) \cos(c+dx) + 52(66A+71C) \cos(2(c+dx)) + 45)}{2772d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(2673*A + 3628*C + 2*(4983*A + 5014*C)*Cos[c + d*x] + 52*(66*A + 71*C)*Cos[2*(c + d*x)] + 4587*A*Cos[3*(c + d*x)] + 3692*C*Cos[3*(c + d*x)] + 759*A*Cos[4*(c + d*x)] + 568*C*Cos[4*(c + d*x)] + 759*A*Cos[5*(c + d*x)] + 568*C*Cos[5*(c + d*x)])*Sec[c + d*x]^5*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(2772*d)

Maple [A] time = 0.301, size = 154, normalized size = 0.7

$$\frac{2a^2(-1 + \cos(dx+c))(1518A(\cos(dx+c))^5 + 1136C(\cos(dx+c))^5 + 759A(\cos(dx+c))^4 + 568C(\cos(dx+c))^4)}{693d(\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out]
$$-2/693/d*a^2*(-1+\cos(d*x+c))*(1518*A*\cos(d*x+c)^5+1136*C*\cos(d*x+c)^5+759*A*\cos(d*x+c)^4+568*C*\cos(d*x+c)^4+396*A*\cos(d*x+c)^3+426*C*\cos(d*x+c)^3+99*A*\cos(d*x+c)^2+355*C*\cos(d*x+c)^2+224*C*\cos(d*x+c)+63*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^5/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.516659, size = 382, normalized size = 1.81

$$\frac{2(2(759A + 568C)a^2 \cos(dx + c)^5 + (759A + 568C)a^2 \cos(dx + c)^4 + 6(66A + 71C)a^2 \cos(dx + c)^3 + (99A + 355C)a^2 \cos(dx + c)^2 + 224Ca^2 \cos(dx + c) + 63Ca^2) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c)}{693(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out]
$$2/693*(2*(759*A + 568*C)*a^2*\cos(d*x + c)^5 + (759*A + 568*C)*a^2*\cos(d*x + c)^4 + 6*(66*A + 71*C)*a^2*\cos(d*x + c)^3 + (99*A + 355*C)*a^2*\cos(d*x + c)^2 + 224*C*a^2*\cos(d*x + c) + 63*C*a^2)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^6 + d*\cos(d*x + c)^5)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [A] time = 5.13425, size = 424, normalized size = 2.01

$$8 \left(693 \sqrt{2} A a^8 \operatorname{sgn}(\cos(dx + c)) + 693 \sqrt{2} C a^8 \operatorname{sgn}(\cos(dx + c)) - \left(2541 \sqrt{2} A a^8 \operatorname{sgn}(\cos(dx + c)) + 1617 \sqrt{2} C a^8 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -8/693*(693*sqrt(2)*A*a^8*sgn(cos(d*x + c)) + 693*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - (2541*sqrt(2)*A*a^8*sgn(cos(d*x + c)) + 1617*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - (3927*sqrt(2)*A*a^8*sgn(cos(d*x + c)) + 3003*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - (3267*sqrt(2)*A*a^8*sgn(cos(d*x + c)) + 2475*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - 4*(363*sqrt(2)*A*a^8*sgn(cos(d*x + c)) + 275*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - 2*(33*sqrt(2)*A*a^8*sgn(cos(d*x + c)) + 25*sqrt(2)*C*a^8*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^5*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.175 $\int \sec(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=169

$$\frac{16a^2(21A + 13C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(21A + 13C) \tan(c + dx)}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a(21A + 13C) \tan(c + dx)(a \sec(c + dx))^{5/2}}{105d}$$

[Out] (64*a^3*(21*A + 13*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(21*A + 13*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*(21*A + 13*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d) - (4*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*d) + (2*C*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*a*d)

Rubi [A] time = 0.316348, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4083, 4001, 3793, 3792}

$$\frac{16a^2(21A + 13C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(21A + 13C) \tan(c + dx)}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a(21A + 13C) \tan(c + dx)(a \sec(c + dx))^{5/2}}{105d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (64*a^3*(21*A + 13*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(21*A + 13*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*(21*A + 13*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d) - (4*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*d) + (2*C*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*a*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a

```
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{7/2} \tan(c + dx)}{9ad} + \frac{2 \int \sec(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx}{9} \\ &= -\frac{4C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{63d} + \frac{2C(a + a \sec(c + dx))^{7/2} \tan(c + dx)}{9ad} \\ &= \frac{2a(21A + 13C)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{105d} - \frac{4C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{63d} \\ &= \frac{16a^2(21A + 13C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{315d} + \frac{2a(21A + 13C)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{315d} \\ &= \frac{64a^3(21A + 13C) \tan(c + dx)}{315d\sqrt{a + a \sec(c + dx)}} + \frac{16a^2(21A + 13C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{315d} \end{aligned}$$

Mathematica [A] time = 1.39697, size = 125, normalized size = 0.74

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \sqrt{a(\sec(c + dx) + 1)} (4(441A + 698C) \cos(c + dx) + 4(966A + 803C) \cos(2(c + dx)) + 588C)}{1260d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

[Out] $(a^2(2961A + 2908C + 4(441A + 698C)\cos[c + dx] + 4(966A + 803C)\cos[2(c + dx)] + 588A\cos[3(c + dx)] + 584C\cos[3(c + dx)] + 903A\cos[4(c + dx)] + 584C\cos[4(c + dx)])\sec[c + dx]^4\sqrt{a(1 + \sec[c + dx])}\tan[(c + dx)/2])/(1260d)$

Maple [A] time = 0.287, size = 132, normalized size = 0.8

$$\frac{2a^2(-1 + \cos(dx + c))(903A(\cos(dx + c))^4 + 584C(\cos(dx + c))^4 + 294A(\cos(dx + c))^3 + 292C(\cos(dx + c))^3 - 315d(\cos(dx + c))^4 \sin(dx + c))}{315d(\cos(dx + c))^4 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out] $-2/315/d*a^2*(-1+\cos(d*x+c))*(903*A*\cos(d*x+c)^4+584*C*\cos(d*x+c)^4+294*A*\cos(d*x+c)^3+292*C*\cos(d*x+c)^3+63*A*\cos(d*x+c)^2+219*C*\cos(d*x+c)^2+130*C*\cos(d*x+c)+35*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^4/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.507498, size = 333, normalized size = 1.97

$$\frac{2((903A + 584C)a^2 \cos(dx + c)^4 + 2(147A + 146C)a^2 \cos(dx + c)^3 + 3(21A + 73C)a^2 \cos(dx + c)^2 + 130Ca^2 \cos(dx + c) + 35C)a^{5/2}(\cos(dx + c) + 1)^{1/2}}{315(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 2/315*((903*A + 584*C)*a^2*cos(d*x + c)^4 + 2*(147*A + 146*C)*a^2*cos(d*x + c)^3 + 3*(21*A + 73*C)*a^2*cos(d*x + c)^2 + 130*C*a^2*cos(d*x + c) + 35*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 5.18204, size = 362, normalized size = 2.14

$$8 \left(315 \sqrt{2} A a^7 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} C a^7 \operatorname{sgn}(\cos(dx + c)) - \left(1050 \sqrt{2} A a^7 \operatorname{sgn}(\cos(dx + c)) + 630 \sqrt{2} C a^7 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 8/315*(315*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 315*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (1050*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 630*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (1323*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 819*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - 4*(189*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 117*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - 2*(21*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 13*sqrt(2)*C*a^7*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^4*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```


3.176 $\int (a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=170

$$\frac{2a^3(49A + 32C) \tan(c + dx)}{21d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(7A + 8C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{21d} + \frac{2a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c + dx)}{d}$$

[Out] (2*a^(5/2)*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(49*A + 32*C)*Tan[c + d*x])/(21*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(7*A + 8*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(21*d) + (2*a*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(7*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)

Rubi [A] time = 0.308362, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4055, 3917, 3915, 3774, 203, 3792}

$$\frac{2a^3(49A + 32C) \tan(c + dx)}{21d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(7A + 8C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{21d} + \frac{2a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a^(5/2)*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(49*A + 32*C)*Tan[c + d*x])/(21*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(7*A + 8*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(21*d) + (2*a*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(7*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)

Rule 4055

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3917

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3915

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7d} + \frac{2 \int (a + a \sec(c + dx))^{5/2} \left(\frac{7a}{2}\right)}{7a} \\
&= \frac{2aC(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{7d} + \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7d} \\
&= \frac{2a^2(7A + 8C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{21d} + \frac{2aC(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7a} \\
&= \frac{2a^2(7A + 8C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{21d} + \frac{2aC(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7a} \\
&= \frac{2a^3(49A + 32C) \tan(c + dx)}{21d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(7A + 8C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{21d} \\
&= \frac{2a^{5/2} A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{2a^3(49A + 32C) \tan(c + dx)}{21d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(7A + 8C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{21d}
\end{aligned}$$

Mathematica [A] time = 1.83551, size = 151, normalized size = 0.89

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{\sec(c + dx) - 1}((84A + 93C) \cos(c + dx) + (7A + 23C) \cos(2(c + dx)))\right)}{21d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(42*A*ArcTan[Sqrt[-1 + Sec[c + d*x]]])*Cos[c + d*x]^3 + (7*A + 29*C + (84*A + 93*C)*Cos[c + d*x] + (7*A + 23*C)*Cos[2*(c + d*x)] + 28*A*Cos[3*(c + d*x)] + 23*C*Cos[3*(c + d*x)])*Sqrt[-1 + Sec[c + d*x]]*Sec[c + d*x]^3*Sqrt[a*(1 + Sec[c + d*x])*Tan[(c + d*x)/2]])/(21*d*Sqrt[-1 + Sec[c + d*x]])

Maple [B] time = 0.314, size = 434, normalized size = 2.6

$$\frac{a^2}{168d(\cos(dx + c))^3 \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(21 A \sin(dx + c) (\cos(dx + c))^3 \operatorname{Artanh}\left(\frac{1}{2} \frac{\sqrt{2} \sin(dx + c)}{\cos(dx + c)}\right) \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)

[Out] $\frac{1}{168}d^2a^2\left(\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}\right)^{1/2}\left(21A\sin(dx+c)\cos(dx+c)\right)^3\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2}\frac{\sin(dx+c)}{\cos(dx+c)}\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{7/2}2^{1/2}+63A\sin(dx+c)\cos(dx+c)^2\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2}\frac{\sin(dx+c)}{\cos(dx+c)}\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{7/2}2^{1/2}+63A\sin(dx+c)\cos(dx+c)\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2}\frac{\sin(dx+c)}{\cos(dx+c)}\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{7/2}2^{1/2}+21A\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2}\frac{\sin(dx+c)}{\cos(dx+c)}\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{7/2}2^{1/2}\sin(dx+c)-896A\cos(dx+c)^4-736C\cos(dx+c)^4+784A\cos(dx+c)^3+368C\cos(dx+c)^3+112A\cos(dx+c)^2+176C\cos(dx+c)^2+144C\cos(dx+c)+48C\right)/\cos(dx+c)^3/\sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.582656, size = 1030, normalized size = 6.06

$$\frac{21\left(Aa^2\cos(dx+c)^4 + Aa^2\cos(dx+c)^3\right)\sqrt{-a}\log\left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c)+a\cos(dx+c)-a}{\cos(dx+c)+1}\right) + 2\left(28\right)}{21\left(d\cos(dx+c)\right)^4 + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{21}\left(21\left(Aa^2\cos(dx+c)^4 + Aa^2\cos(dx+c)^3\right)\sqrt{-a}\log\left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c)+a\cos(dx+c)-a}{\cos(dx+c)+1}\right) + 2\left(28\right)\right)$

$$+ c) \sin(dx + c) + a \cos(dx + c) - a) / (\cos(dx + c) + 1) + 2 * (2 * (28 * A + 23 * C) * a^2 \cos(dx + c)^3 + (7 * A + 23 * C) * a^2 \cos(dx + c)^2 + 12 * C * a^2 \cos(dx + c) + 3 * C * a^2) * \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} * \sin(dx + c) / (d * \cos(dx + c)^4 + d * \cos(dx + c)^3), -2 / 21 * (21 * (A * a^2 \cos(dx + c)^4 + A * a^2 \cos(dx + c)^3) * \sqrt{a} * \arctan(\sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} * \cos(dx + c) / (\sqrt{a} * \sin(dx + c)))) - (2 * (28 * A + 23 * C) * a^2 \cos(dx + c)^3 + (7 * A + 23 * C) * a^2 \cos(dx + c)^2 + 12 * C * a^2 \cos(dx + c) + 3 * C * a^2) * \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} * \sin(dx + c) / (d * \cos(dx + c)^4 + d * \cos(dx + c)^3)]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(dx+c))**(5/2)*(A+C*sec(dx+c)**2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(dx+c))^(5/2)*(A+C*sec(dx+c)^2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

3.177 $\int \cos(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=173

$$\frac{a^3(15A + 64C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(15A - 16C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{5a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(5A - 2C)}{d}$$

[Out] $(5*a^{(5/2)}*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*(a + a*Sec[c + d*x])^{(5/2)}*Sin[c + d*x])/d + (a^3*(15*A + 64*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(15*A - 16*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) - (a*(5*A - 2*C)*(a + a*Sec[c + d*x])^{(3/2)}*Tan[c + d*x])/(5*d)$

Rubi [A] time = 0.369443, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4087, 3917, 3915, 3774, 203, 3792}

$$\frac{a^3(15A + 64C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(15A - 16C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{5a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(5A - 2C)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]*(a + a*\text{Sec}[c + d*x])^{(5/2)}*(A + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(5*a^{(5/2)}*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*(a + a*Sec[c + d*x])^{(5/2)}*Sin[c + d*x])/d + (a^3*(15*A + 64*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(15*A - 16*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) - (a*(5*A - 2*C)*(a + a*Sec[c + d*x])^{(3/2)}*Tan[c + d*x])/(5*d)$

Rule 4087

$\text{Int}[(\text{A}_.) + \text{csc}[(\text{e}_.) + (\text{f}_.)*(x_)]^2*(\text{C}_.)]*(\text{csc}[(\text{e}_.) + (\text{f}_.)*(x_)]*(\text{d}_.))^{(n_)}*(\text{csc}[(\text{e}_.) + (\text{f}_.)*(x_)]*(\text{b}_.) + (\text{a}_.)^{(m_)}), x_Symbol] \rightarrow \text{Simp}[(A*\text{cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*A*m - b*(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] || \text{EqQ}[m + n + 1, 0])$

Rule 3917

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3915

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} + \frac{\int (a + a \sec(c + dx))^{5/2} \cos(c + dx) dx}{d} \\
&= \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{a(5A - 2C)(a + a \sec(c + dx))^{3/2}}{d} \\
&= \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{a^2(15A - 16C)\sqrt{a + a \sec(c + dx)}}{d} \\
&= \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{a^2(15A - 16C)\sqrt{a + a \sec(c + dx)}}{d} \\
&= \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} + \frac{a^3(15A + 64C) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{5a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 1.78311, size = 145, normalized size = 0.84

$$\frac{a^2 \tan(c + dx) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{\sec(c + dx) - 1} ((45A + 112C) \cos(c + dx) + 4(15A + 43C) \cos(2(c + dx))) \right)}{60d(\cos(c + dx) + 1)\sqrt{\sec(c + dx) - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(300*A*ArcTan[Sqrt[-1 + Sec[c + d*x]]])*Cos[c + d*x]^2 + (60*A + 196*C + (45*A + 112*C)*Cos[c + d*x] + 4*(15*A + 43*C)*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sqrt[-1 + Sec[c + d*x]])*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*Tan[c + d*x]/(60*d*(1 + Cos[c + d*x])*Sqrt[-1 + Sec[c + d*x]])

Maple [B] time = 0.339, size = 343, normalized size = 2.

$$-\frac{a^2}{120d(\cos(dx + c))^2 \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(75A \sin(dx + c) \sqrt{2} \operatorname{Artanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx + c)}{\cos(dx + c)} \right) \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)
```

```
[Out] -1/120/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(75*A*sin(d*x+c)*2^(1/2)*a
rctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+
c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2+150*A*sin(d*x+c)*2^(1
/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos
(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)+75*A*arctanh(1/2*2
^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+120*A*cos(d*x+c)^4+120*A*co
s(d*x+c)^3+688*C*cos(d*x+c)^3-240*A*cos(d*x+c)^2-464*C*cos(d*x+c)^2-176*C*cos
(d*x+c)-48*C)/cos(d*x+c)^2/sin(d*x+c)
```

Maxima [B] time = 1.9482, size = 1868, normalized size = 10.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm
="maxima")
```

```
[Out] 1/4*(18*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^
(3/4)*a^(5/2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 2*
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((
4*a^2*sin(3*d*x + 3*c) + 5*a^2*sin(2*d*x + 2*c) + 4*a^2*sin(d*x + c))*cos(3
/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (a^2*cos(2*d*x + 2*c)
^2*sin(d*x + c) + a^2*sin(2*d*x + 2*c)^2*sin(d*x + c) + 2*a^2*cos(2*d*x + 2
*c)*sin(d*x + c) + a^2*sin(d*x + c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c) + 1)) - (4*a^2*cos(3*d*x + 3*c) + 5*a^2*cos(2*d*x + 2*c) + 4*a
^2*cos(d*x + c) + 5*a^2)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
+ 1)) - ((a^2*cos(d*x + c) - a^2)*cos(2*d*x + 2*c)^2 + a^2*cos(d*x + c) +
(a^2*cos(d*x + c) - a^2)*sin(2*d*x + 2*c)^2 - a^2 + 2*(a^2*cos(d*x + c) - a
^2)*cos(2*d*x + 2*c))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) +
1)))*sqrt(a) + 5*((a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*
cos(2*d*x + 2*c) + a^2)*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 +
2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(
2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c) + 1)))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 +
2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2
```

```

*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 +
2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1))) - 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2
*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d
*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos
(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
+ 1)) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(
2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*co
s(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(
a))*A/((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*d
)

```

Fricas [A] time = 0.58181, size = 1008, normalized size = 5.83

$$\frac{75 \left(Aa^2 \cos(dx+c)^3 + Aa^2 \cos(dx+c)^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2 \left(15 A \right)}{30 \left(d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm
="fricas")

```

```

[Out] [1/30*(75*(A*a^2*cos(d*x + c)^3 + A*a^2*cos(d*x + c)^2)*sqrt(-a)*log((2*a*c
os(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x
+ c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(15*A*a^2*c
os(d*x + c)^3 + 2*(15*A + 43*C)*a^2*cos(d*x + c)^2 + 28*C*a^2*cos(d*x + c)
+ 6*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x
+ c)^3 + d*cos(d*x + c)^2), -1/15*(75*(A*a^2*cos(d*x + c)^3 + A*a^2*cos(d*
x + c)^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x +
c)/(sqrt(a)*sin(d*x + c))) - (15*A*a^2*cos(d*x + c)^3 + 2*(15*A + 43*C)*a^2
*cos(d*x + c)^2 + 28*C*a^2*cos(d*x + c) + 6*C*a^2)*sqrt((a*cos(d*x + c) + a
)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 6.88202, size = 649, normalized size = 3.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/30*(75*A*\sqrt{-a}*a^2*\log(\text{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))*\text{sgn}(\cos(d*x + c)) - 75* \\ & A*\sqrt{-a}*a^2*\log(\text{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))*\text{sgn}(\cos(d*x + c)) + 60*\sqrt{2}*(3 \\ & *(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A* \\ & \sqrt{-a}*a^3*\text{sgn}(\cos(d*x + c)) - A*\sqrt{-a}*a^4*\text{sgn}(\cos(d*x + c)))/((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2) \\ & - 4*(15*\sqrt{2}*A*a^5*\text{sgn}(\cos(d*x + c)) + 60*\sqrt{2}*C*a^5*\text{sgn}(\cos(d*x + c)) \\ &) - (30*\sqrt{2}*A*a^5*\text{sgn}(\cos(d*x + c)) + 80*\sqrt{2}*C*a^5*\text{sgn}(\cos(d*x + c)) \\ &) - (15*\sqrt{2}*A*a^5*\text{sgn}(\cos(d*x + c)) + 32*\sqrt{2}*C*a^5*\text{sgn}(\cos(d*x + c)))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x + 1/2*c)/((a*\tan(1/2*d*x + 1/2*c)^2 - a)^2*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})/d \end{aligned}$$

3.178 $\int \cos^2(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=188

$$\frac{a^3(27A - 56C) \sin(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(A - 8C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{2d} + \frac{a^{5/2}(19A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} - \frac{a(3A + 4C) \cos(c + dx)}{2d}$$

```
[Out] (a^(5/2)*(19*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(4*d) + (a^3*(27*A - 56*C)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(A - 8*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) - (a*(3*A - 4*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.598209, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4087, 4018, 4015, 3774, 203}

$$\frac{a^3(27A - 56C) \sin(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(A - 8C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{2d} + \frac{a^{5/2}(19A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} - \frac{a(3A + 4C) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(5/2)*(19*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(4*d) + (a^3*(27*A - 56*C)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(A - 8*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) - (a*(3*A - 4*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(2*d)
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{2d} + \frac{\int \cos(c + dx)(a + a \sec(c + dx))^{5/2} dx}{2d} \\
&= -\frac{a(3A - 4C)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{6d} + \frac{A \cos(c + dx)(a + a \sec(c + dx))^{5/2}}{2d} \\
&= -\frac{a^2(A - 8C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} - \frac{a(3A - 4C)(a + a \sec(c + dx))^{5/2}}{2d} \\
&= \frac{a^3(27A - 56C) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} - \frac{a^2(A - 8C)\sqrt{a + a \sec(c + dx)}}{2d} \\
&= \frac{a^3(27A - 56C) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} - \frac{a^2(A - 8C)\sqrt{a + a \sec(c + dx)}}{2d} \\
&= \frac{a^{5/2}(19A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} + \frac{a^3(27A - 56C) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.885886, size = 137, normalized size = 0.73

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(6\sqrt{2}(19A + 8C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \cos^{\frac{3}{2}}(c + dx) + 2 \sin\left(\frac{1}{2}(c + dx)\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(19*A + 8*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + 2*(33*A + 16*C + (9*A + 128*C)*Cos[c + d*x] + 33*A*Cos[2*(c + d*x)] + 3*A*Cos[3*(c + d*x)]))*Sin[(c + d*x)/2])/(48*d)

Maple [B] time = 0.361, size = 402, normalized size = 2.1

$$-\frac{a^2}{48d \cos(dx + c) \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(-57A\sqrt{2} \sin(dx + c) \cos(dx + c) \operatorname{Artanh}\left(\frac{1}{2} \frac{\sqrt{2} \sin(dx + c)}{\cos(dx + c)}\right) \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out]
$$-1/48/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-57*A*2^{1/2}*\sin(d*x+c)*\cos(d*x+c)*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}-24*C*\cos(d*x+c)*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\sin(d*x+c)-57*A*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\sin(d*x+c)-24*C*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\sin(d*x+c)+24*A*\cos(d*x+c)^4+108*A*\cos(d*x+c)^3-132*A*\cos(d*x+c)^2+256*C*\cos(d*x+c)^2-224*C*\cos(d*x+c)-32*C)/\cos(d*x+c)/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.671674, size = 1022, normalized size = 5.44

$$\left[\frac{3 \left((19A + 8C)a^2 \cos(dx + c)^2 + (19A + 8C)a^2 \cos(dx + c) \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a}{\cos(dx+c)+1} \right)}{24 (d \cos(dx + c))^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

```
[Out] [1/24*(3*((19*A + 8*C)*a^2*cos(d*x + c)^2 + (19*A + 8*C)*a^2*cos(d*x + c))*
sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos
(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) +
1)) + 2*(6*A*a^2*cos(d*x + c)^3 + 33*A*a^2*cos(d*x + c)^2 + 64*C*a^2*cos(d*
x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*
cos(d*x + c)^2 + d*cos(d*x + c)), -1/12*(3*((19*A + 8*C)*a^2*cos(d*x + c)^2
+ (19*A + 8*C)*a^2*cos(d*x + c))*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/
cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (6*A*a^2*cos(d*x + c)^
3 + 33*A*a^2*cos(d*x + c)^2 + 64*C*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(
d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c
)))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [B] time = 7.03085, size = 748, normalized size = 3.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorit
hm="giac")
```

```
[Out] -1/24*(3*(19*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 8*C*sqrt(-a)*a^2*sgn(cos(d*
x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2
*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(19*A*sqrt(-a)*a^2*sgn(cos(d*x + c)
) + 8*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2
*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) - 16*(7*
sqrt(2)*C*a^4*sgn(cos(d*x + c))*tan(1/2*d*x + 1/2*c)^2 - 9*sqrt(2)*C*a^4*sg
n(cos(d*x + c))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(
-a*tan(1/2*d*x + 1/2*c)^2 + a)) + 12*sqrt(2)*(19*(sqrt(-a)*tan(1/2*d*x + 1/
```


$$\begin{aligned}
& 2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a}*a^3*\text{sgn}(\cos(d*x + \\
& c)) - 171*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + \\
& a})^4*A*\sqrt{-a}*a^4*\text{sgn}(\cos(d*x + c)) + 89*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) \\
& - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^5*\text{sgn}(\cos(d*x + c)) \\
& - 9*A*\sqrt{-a}*a^6*\text{sgn}(\cos(d*x + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^2)/d
\end{aligned}$$

3.179 $\int \cos^3(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=192

$$\frac{a^3(49A - 24C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(3A - 8C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{4d} + \frac{5a^{5/2}(5A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{A \sin(c + dx)}{d}$$

[Out] (5*a^(5/2)*(5*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*d) + (a^3*(49*A - 24*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(3*A - 8*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (5*a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.619128, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4087, 4017, 4018, 4015, 3774, 203}

$$\frac{a^3(49A - 24C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(3A - 8C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{4d} + \frac{5a^{5/2}(5A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{A \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (5*a^(5/2)*(5*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*d) + (a^3*(49*A - 24*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(3*A - 8*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (5*a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{3d} + \frac{\int \cos^3(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx}{3d} \\
&= \frac{5aA \cos(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{12d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^{5/2}}{3d} \\
&= -\frac{a^2(3A - 8C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} + \frac{5aA \cos^3(c + dx)(a + a \sec(c + dx))^{5/2}}{3d} \\
&= \frac{a^3(49A - 24C) \sin(c + dx)}{24d\sqrt{a + a \sec(c + dx)}} - \frac{a^2(3A - 8C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{a^3(49A - 24C) \sin(c + dx)}{24d\sqrt{a + a \sec(c + dx)}} - \frac{a^2(3A - 8C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{5a^{5/2}(5A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \frac{a^3(49A - 24C) \sin(c + dx)}{24d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.48149, size = 132, normalized size = 0.69

$$\frac{a^2 \sin(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{\sec(c + dx) - 1} (3(27A + 8C) \cos(c + dx) + 17A \cos(2(c + dx)) + 2A \cos(3(c + dx))) \right)}{24d(\cos(c + dx) + 1) \sqrt{\sec(c + dx) - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*(15*(5*A + 8*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]] + (17*A + 48*C + 3*(27*A + 8*C)*Cos[c + d*x] + 17*A*Cos[2*(c + d*x)] + 2*A*Cos[3*(c + d*x)])*Sqrt[-1 + Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(24*d*(1 + Cos[c + d*x])*Sqrt[-1 + Sec[c + d*x]])

Maple [B] time = 0.406, size = 583, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3(a+a\sec(dx+c))^{5/2}(A+C\sec(dx+c)^2), x)$

[Out]
$$-1/192/d*a^2*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(75*A*\sin(dx+c)*2^{1/2}*a$$

$$\text{rctanh}(1/2*2^{1/2)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))$$

$$*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\cos(dx+c)^2+120*C*\sin(dx+c)*2^{1/2}$$

$$*\text{arctanh}(1/2*2^{1/2)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos$$

$$(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\cos(dx+c)^2+150*A*\sin(dx+c)$$

$$*2^{1/2}*\text{arctanh}(1/2*2^{1/2)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)$$

$$)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\cos(dx+c)+240*C*\sin(dx$$

$$+c)*2^{1/2}*\text{arctanh}(1/2*2^{1/2)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx$$

$$+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\cos(dx+c)+75*A*\text{arcta}$$

$$\text{nh}(1/2*2^{1/2)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*$$

$$2^{1/2)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\sin(dx+c)+120*C*\text{arctanh}(1/2*2$$

$$^{1/2)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}$$

$$*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\sin(dx+c)+64*A*\cos(dx+c)^6+208*A*\cos$$

$$(dx+c)^5+328*A*\cos(dx+c)^4+192*C*\cos(dx+c)^4-600*A*\cos(dx+c)^3+192*C*\cos$$

$$(dx+c)^3-384*C*\cos(dx+c)^2)/\cos(dx+c)^2/\sin(dx+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3(a+a\sec(dx+c))^{5/2}(A+C\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.67021, size = 968, normalized size = 5.04

$$\left[\frac{15 \left((5A + 8C)a^2 \cos(dx+c) + (5A + 8C)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2}{48(d \cos(dx+c) + \dots)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/48*(15*((5*A + 8*C)*a^2*cos(d*x + c) + (5*A + 8*C)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*a^2*cos(d*x + c)^3 + 34*A*a^2*cos(d*x + c)^2 + 3*(25*A + 8*C)*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(15*((5*A + 8*C)*a^2*cos(d*x + c) + (5*A + 8*C)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*a^2*cos(d*x + c)^3 + 34*A*a^2*cos(d*x + c)^2 + 3*(25*A + 8*C)*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 7.3483, size = 1261, normalized size = 6.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/48*(96*sqrt(2)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*C*a^3*sgn(cos(d*x + c))*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 - a) + 15*(5*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 8*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 15*(5*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 8*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x
```

$$\begin{aligned}
& + 1/2*c)^2 + a))^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(75*(\sqrt{-a}*\tan(1/2 \\
& *d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*A*\sqrt{-a}*a^3*\text{sgn}(\cos(d*x + c)) \\
& + 72*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*C*\sqrt{-a}*a^3*\text{sgn}(\cos(d*x + c)) \\
& - 1125*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*A*\sqrt{-a}*a^4*\text{sgn}(\cos(d*x + c)) \\
& - 888*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*C*\sqrt{-a}*a^4*\text{sgn}(\cos(d*x + c)) \\
& + 6174*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a}*a^5*\text{sgn}(\cos(d*x + c)) \\
& + 3024*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*C*\sqrt{-a}*a^5*\text{sgn}(\cos(d*x + c)) \\
& - 4314*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a^6*\text{sgn}(\cos(d*x + c)) \\
& - 1776*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*C*\sqrt{-a}*a^6*\text{sgn}(\cos(d*x + c)) \\
& + 807*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^7*\text{sgn}(\cos(d*x + c)) \\
& + 360*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*C*\sqrt{-a}*a^7*\text{sgn}(\cos(d*x + c)) \\
& - 49*A*\sqrt{-a}*a^8*\text{sgn}(\cos(d*x + c)) - 24*C*\sqrt{-a}*a^8*\text{sgn}(\cos(d*x + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) \\
&) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^3)/d
\end{aligned}$$

3.180 $\int \cos^4(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=200

$$\frac{a^3(299A + 432C) \sin(c + dx)}{192d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(163A + 304C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(17A + 16C) \sin(c + dx) \cos(c + dx) \sqrt{a \sec(c + dx) + a}}{32d}$$

[Out] (a^(5/2)*(163*A + 304*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(299*A + 432*C)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(17*A + 16*C)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + (5*a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.654743, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4087, 4017, 4015, 3774, 203}

$$\frac{a^3(299A + 432C) \sin(c + dx)}{192d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(163A + 304C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(17A + 16C) \sin(c + dx) \cos(c + dx) \sqrt{a \sec(c + dx) + a}}{32d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(163*A + 304*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(299*A + 432*C)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(17*A + 16*C)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + (5*a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||

EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx &= \frac{A\cos^3(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{4d} + \frac{\int \cos^5(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx}{4d} \\
&= \frac{5aA\cos^2(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{24d} + \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^{5/2}}{4d} \\
&= \frac{a^2(17A+16C)\cos(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{32d} \\
&= \frac{a^3(299A+432C)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(17A+16C)\cos(c+dx)\sqrt{a+a\sec(c+dx)}}{32d} \\
&= \frac{a^3(299A+432C)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(17A+16C)\cos(c+dx)\sqrt{a+a\sec(c+dx)}}{32d} \\
&= \frac{a^{5/2}(163A+304C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a^3(299A+432C)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.59983, size = 143, normalized size = 0.72

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(3\sqrt{2}(163A+304C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) \sqrt{\cos(c+dx)} + \left(\sin\left(\frac{3}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) \sqrt{a+a\sec(c+dx)}\right)}{384d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(163*A + 304*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (581*A + 528*C + (36*2*A + 96*C)*Cos[c + d*x] + 92*A*Cos[2*(c + d*x)] + 12*A*Cos[3*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2])))/(384*d)

Maple [B] time = 0.29, size = 754, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^4*(a+a*\sec(dx+c))^{5/2}*(A+C*\sec(dx+c)^2), x)$

[Out] $\frac{1}{3072}d*a^2*(489*A*\sin(dx+c)*\cos(dx+c)^3*\operatorname{arctanh}\left(\frac{1}{2}*2^{1/2}\right)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}+912*C*\sin(dx+c)*\cos(dx+c)^3*\operatorname{arctanh}\left(\frac{1}{2}*2^{1/2}\right)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}+1467*A*\sin(dx+c)*\cos(dx+c)^2*\operatorname{arctanh}\left(\frac{1}{2}*2^{1/2}\right)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}+2736*C*\sin(dx+c)*\cos(dx+c)^2*\operatorname{arctanh}\left(\frac{1}{2}*2^{1/2}\right)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}+1467*A*\sin(dx+c)*\cos(dx+c)*\operatorname{arctanh}\left(\frac{1}{2}*2^{1/2}\right)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}+2736*C*\sin(dx+c)*\cos(dx+c)*\operatorname{arctanh}\left(\frac{1}{2}*2^{1/2}\right)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}+489*A*\operatorname{arctanh}\left(\frac{1}{2}*2^{1/2}\right)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}*\sin(dx+c)+912*C*\operatorname{arctanh}\left(\frac{1}{2}*2^{1/2}\right)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\sin(dx+c)-768*A*\cos(dx+c)^8-2176*A*\cos(dx+c)^7-2272*A*\cos(dx+c)^6-1536*C*\cos(dx+c)^6-2608*A*\cos(dx+c)^5-6912*C*\cos(dx+c)^5+7824*A*\cos(dx+c)^4+8448*C*\cos(dx+c)^4)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^3/\sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^4*(a+a*\sec(dx+c))^{5/2}*(A+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.751069, size = 1076, normalized size = 5.38

$$\left[\frac{3 \left((163A + 304C)a^2 \cos(dx + c) + (163A + 304C)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/384*(3*((163*A + 304*C)*a^2*cos(d*x + c) + (163*A + 304*C)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*A*a^2*cos(d*x + c)^4 + 184*A*a^2*cos(d*x + c)^3 + 2*(163*A + 48*C)*a^2*cos(d*x + c)^2 + 3*(163*A + 176*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(3*((163*A + 304*C)*a^2*cos(d*x + c) + (163*A + 304*C)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*A*a^2*cos(d*x + c)^4 + 184*A*a^2*cos(d*x + c)^3 + 2*(163*A + 48*C)*a^2*cos(d*x + c)^2 + 3*(163*A + 176*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 7.72581, size = 1480, normalized size = 7.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/384*(3*(163*A*\sqrt{-a}*a^2*\text{sgn}(\cos(d*x + c)) + 304*C*\sqrt{-a}*a^2*\text{sgn}(\cos(d*x + c))) \\ & * \log(\text{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3))) - 3*(163*A*\sqrt{-a}*a^2*\text{sgn}(\cos(d*x + c)) \\ & + 304*C*\sqrt{-a}*a^2*\text{sgn}(\cos(d*x + c))) * \log(\text{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) + \\ & 4*\sqrt{2}*(489*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*A*\sqrt{-a}*a^3*\text{sgn}(\cos(d*x + c)) + 912*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) \\ & - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*C*\sqrt{-a}*a^3*\text{sgn}(\cos(d*x + c)) - 10269*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*A*\sqrt{-a}*a^4*\text{sgn}(\cos(d*x + c)) \\ & - 19152*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*C*\sqrt{-a}*a^4*\text{sgn}(\cos(d*x + c)) + 69885*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*A*\sqrt{-a}*a^5*\text{sgn}(\cos(d*x + c)) \\ & + 137424*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*C*\sqrt{-a}*a^5*\text{sgn}(\cos(d*x + c)) - 259233*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*A*\sqrt{-a}*a^6*\text{sgn}(\cos(d*x + c)) \\ & - 374544*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*C*\sqrt{-a}*a^6*\text{sgn}(\cos(d*x + c)) + 209979*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a}*a^7*\text{sgn}(\cos(d*x + c)) \\ & + 266928*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*C*\sqrt{-a}*a^7*\text{sgn}(\cos(d*x + c)) - 55511*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a^8*\text{sgn}(\cos(d*x + c)) \\ & - 75888*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*C*\sqrt{-a}*a^8*\text{sgn}(\cos(d*x + c)) + 6687*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^9*\text{sgn}(\cos(d*x + c)) \\ & + 9456*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*C*\sqrt{-a}*a^9*\text{sgn}(\cos(d*x + c)) - 299*A*\sqrt{-a}*a^{10}*\text{sgn}(\cos(d*x + c)) - 432*C*\sqrt{-a}*a^{10}*\text{sgn}(\cos(d*x + c)))/((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^4/d \end{aligned}$$

3.181 $\int \cos^5(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=245

$$\frac{a^3(283A + 400C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(283A + 400C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(79A + 80C) \sin(c + dx) \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}}{240d}$$

[Out] (a^(5/2)*(283*A + 400*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(283*A + 400*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(787*A + 1040*C)*Cos[c + d*x]*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(79*A + 80*C)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d) + (a*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.761214, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4087, 4017, 4015, 3805, 3774, 203}

$$\frac{a^3(283A + 400C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(283A + 400C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(79A + 80C) \sin(c + dx) \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}}{240d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(283*A + 400*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(283*A + 400*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(787*A + 1040*C)*Cos[c + d*x]*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(79*A + 80*C)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d) + (a*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*

$(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] || \text{EqQ}[m + n + 1, 0])$

Rule 4017

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$

Rule 4015

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.))^{(n_.)}*\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.)]*(\text{csc}[e_.] + (f_.)*(x_.))*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3805

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.))^{(n_.)}*\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.)], x_Symbol] :> \text{Simp}[(a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(a*(2*n + 1))/(2*b*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -2^{(-1)}] \&\& \text{IntegerQ}[2*n]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[c_.] + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/ \text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_.^2)^{(-1)}, x_Symbol] :> \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] || \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d} + \frac{\int \cos^4(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx}{5d} \\
&= \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{8d} + \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{8d} \\
&= \frac{a^2(79A + 80C) \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{240d} \\
&= \frac{a^3(787A + 1040C) \cos(c + dx) \sin(c + dx)}{960d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(79A + 80C) \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{240d} \\
&= \frac{a^3(283A + 400C) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(787A + 1040C) \cos(c + dx)}{960d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(283A + 400C) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(787A + 1040C) \cos(c + dx)}{960d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^{5/2}(283A + 400C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{128d} + \frac{a^3(283A + 400C)}{128d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.47798, size = 160, normalized size = 0.65

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(15\sqrt{2}(283A + 400C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \sqrt{\cos(c + dx)} + \left(\sin\left(\frac{3}{2}(c + dx)\right)\right)\right)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(15*Sqrt[2]*(283*A + 400*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (5521*A + 6320*C + (3874*A + 2720*C)*Cos[c + d*x] + 4*(331*A + 80*C)*Cos[2*(c + d*x)] + 348*A*Cos[3*(c + d*x)] + 48*A*Cos[4*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2])))/(3840*d)

Maple [B] time = 0.329, size = 936, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^5*(a+a*\sec(dx+c))^{5/2}*(A+C*\sec(dx+c)^2),x)$

[Out]
$$\begin{aligned} & -1/61440/d*a^2*(4245*A*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1)))^{(1/2)*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\cos(dx+c)^4*\sin(dx+c)+6000*C*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\cos(dx+c)^4*\sin(dx+c)+16980*A*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\cos(dx+c)^3*\sin(dx+c)+24000*C*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\cos(dx+c)^3*\sin(dx+c)+25470*A*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\cos(dx+c)^2*\sin(dx+c)+36000*C*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\cos(dx+c)^2*\sin(dx+c)+16980*A*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\cos(dx+c)*\sin(dx+c)+24000*C*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\cos(dx+c)*\sin(dx+c)+4245*A*2^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\sin(dx+c)+6000*C*2^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\sin(dx+c)+12288*A*\cos(dx+c)^{10}+32256*A*\cos(dx+c)^9+27904*A*\cos(dx+c)^8+20480*C*\cos(dx+c)^8+18112*A*\cos(dx+c)^7+66560*C*\cos(dx+c)^7+45280*A*\cos(dx+c)^6+104960*C*\cos(dx+c)^6-135840*A*\cos(dx+c)^5-192000*C*\cos(dx+c)^5*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2})/\cos(dx+c)^4/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^5*(a+a*\sec(dx+c))^{5/2}*(A+C*\sec(dx+c)^2),x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.766085, size = 1197, normalized size = 4.89

$$\left[\frac{15 \left((283A + 400C)a^2 \cos(dx + c) + (283A + 400C)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/3840*(15*((283*A + 400*C)*a^2*cos(d*x + c) + (283*A + 400*C)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(384*A*a^2*cos(d*x + c)^5 + 1392*A*a^2*cos(d*x + c)^4 + 8*(283*A + 80*C)*a^2*cos(d*x + c)^3 + 10*(283*A + 272*C)*a^2*cos(d*x + c)^2 + 15*(283*A + 400*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/1920*(15*((283*A + 400*C)*a^2*cos(d*x + c) + (283*A + 400*C)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (384*A*a^2*cos(d*x + c)^5 + 1392*A*a^2*cos(d*x + c)^4 + 8*(283*A + 80*C)*a^2*cos(d*x + c)^3 + 10*(283*A + 272*C)*a^2*cos(d*x + c)^2 + 15*(283*A + 400*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 8.16618, size = 1782, normalized size = 7.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/3840*(15*(283*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)) + 400*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c))) \\ & * \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a}))^2 - a*(2*\sqrt{2}+3))) - 15*(283*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)) \\ & + 400*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c))) * \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a}))^2 + a*(2*\sqrt{2}-3))) \\ & + 4*\sqrt{2}*(4245*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{18}*A*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx+c)) + 6000*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{18}*C*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx+c)) - 114615*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{16}*A*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx+c)) - 162000*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{16}*C*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx+c)) + 1298820*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{14}*A*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx+c)) + 1801920*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{14}*C*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx+c)) - 6176700*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{12}*A*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx+c)) - 9764160*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{12}*C*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx+c)) + 16394598*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{10}*A*\sqrt{-a}*a^7*\operatorname{sgn}(\cos(dx+c)) + 24060960*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{10}*C*\sqrt{-a}*a^7*\operatorname{sgn}(\cos(dx+c)) - 14042770*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^8*A*\sqrt{-a}*a^8*\operatorname{sgn}(\cos(dx+c)) - 19910240*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^8*C*\sqrt{-a}*a^8*\operatorname{sgn}(\cos(dx+c)) + 4791060*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^6*A*\sqrt{-a}*a^9*\operatorname{sgn}(\cos(dx+c)) + 7135680*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^6*C*\sqrt{-a}*a^9*\operatorname{sgn}(\cos(dx+c)) - 860300*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4*A*\sqrt{-a}*a^{10}*\operatorname{sgn}(\cos(dx+c)) - 1268800*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4*C*\sqrt{-a}*a^{10}*\operatorname{sgn}(\cos(dx+c)) + 75885*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*A*\sqrt{-a}*a^{11}*\operatorname{sgn}(\cos(dx+c)) + 111600*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*C*\sqrt{-a}*a^{11}*\operatorname{sgn}(\cos(dx+c)) - 2671*A*\sqrt{-a}*a^{12}*\operatorname{sgn}(\cos(dx+c)) - 3920*C*\sqrt{-a}*a^{12}*\operatorname{sgn}(\cos(dx+c)))/((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4 - 6*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*a + a^2)^5/d \end{aligned}$$

3.182 $\int \cos^6(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=290

$$\frac{a^3(1015A + 1304C) \sin(c + dx)}{512d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(1015A + 1304C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{512d} + \frac{a^2(23A + 24C) \sin(c + dx) \cos^3(c + dx)}{96d}$$

[Out] (a^(5/2)*(1015*A + 1304*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(512*d) + (a^3*(1015*A + 1304*C)*Sin[c + d*x])/(512*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1015*A + 1304*C)*Cos[c + d*x]*Sin[c + d*x])/(768*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(109*A + 136*C)*Cos[c + d*x]^2*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(23*A + 24*C)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(96*d) + (a*A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d)

Rubi [A] time = 0.85847, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4087, 4017, 4015, 3805, 3774, 203}

$$\frac{a^3(1015A + 1304C) \sin(c + dx)}{512d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(1015A + 1304C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{512d} + \frac{a^2(23A + 24C) \sin(c + dx) \cos^3(c + dx)}{96d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2),x]

[Out] (a^(5/2)*(1015*A + 1304*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(512*d) + (a^3*(1015*A + 1304*C)*Sin[c + d*x])/(512*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1015*A + 1304*C)*Cos[c + d*x]*Sin[c + d*x])/(768*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(109*A + 136*C)*Cos[c + d*x]^2*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(23*A + 24*C)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(96*d) + (a*A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*C

ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cos^6(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx &= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{6d} + \frac{\int \cos^5(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx}{6d} \\
&= \frac{aA\cos^4(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{12d} + \frac{A\cos^3(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{12d} + \frac{A\cos^2(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{12d} \\
&= \frac{a^2(23A+24C)\cos^3(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{96d} + \frac{a^2(23A+24C)\cos^2(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{96d} + \frac{a^2(23A+24C)\cos(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{96d} \\
&= \frac{a^3(109A+136C)\cos^2(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(23A+24C)\cos(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(23A+24C)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(1015A+1304C)\cos(c+dx)\sin(c+dx)}{768d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(109A+136C)\sin(c+dx)}{768d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(23A+24C)\sin(c+dx)}{768d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(1015A+1304C)\sin(c+dx)}{512d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(1015A+1304C)\cos(c+dx)}{768d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(1015A+1304C)\sin(c+dx)}{768d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(1015A+1304C)\sin(c+dx)}{512d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(1015A+1304C)\cos(c+dx)}{768d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(1015A+1304C)\sin(c+dx)}{768d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^5/2(1015A+1304C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{512d} + \frac{a^3(1015A+1304C)\sin(c+dx)}{512d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.22812, size = 182, normalized size = 0.63

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(3\sqrt{2}(1015A+1304C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right) \sqrt{\cos(c+dx)} + \left(\sin\left(\frac{3}{2}(c+dx)\right)\right)}{3072d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(1015*A + 1304*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (4193*A + 4648*C + (3234*A + 2896*C)*Cos[c + d*x] + 4*(315*A + 184*C)*Cos[2*(c + d*x)] + 428*A*Cos[3*(c + d*x)] + 96*C*Cos[3*(c + d*x)] + 112*A*Cos[4*(c + d*x)] + 16*A*Cos[5*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/(3072*d)

Maple [B] time = 0.371, size = 1118, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^6 * (a+a*\sec(dx+c))^{(5/2)} * (A+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/98304/d*a^2*(-3045*A*\cos(dx+c)^5*\sin(dx+c)*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & * \sin(dx+c)/\cos(dx+c))-3912*C*\cos(dx+c)^5*\sin(dx+c)*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*\operatorname{arctanh}(1/2*2^{(1/2)} \\ & * (-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)/\cos(dx+c))-15225*A*\cos(dx+c)^4*\sin(dx+c)*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)} \\ & *\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)/\cos(dx+c))-19560*C*\cos(dx+c)^4*\sin(dx+c)*2^{(1/2)} \\ & * (-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)/\cos(dx+c))-30450*A*\cos(dx+c)^3 \\ & *\sin(dx+c)*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & * \sin(dx+c)/\cos(dx+c))-39120*C*\cos(dx+c)^3*\sin(dx+c)*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*\operatorname{arctanh}(1/2*2^{(1/2)} \\ & * (-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)/\cos(dx+c))-30450*A*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)} \\ & *\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)/\cos(dx+c))-39120*C*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)} \\ & * (-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)/\cos(dx+c))-15225*A*\cos(dx+c) \\ & *\sin(dx+c)*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)/\cos(dx+c))-19560 \\ & *C*\cos(dx+c)*\sin(dx+c)*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & * \sin(dx+c)/\cos(dx+c))-3045*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & * \sin(dx+c)/\cos(dx+c))*\sin(dx+c)-3912*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(11/2)}*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & * \sin(dx+c)/\cos(dx+c))*\sin(dx+c)+16384*A*\cos(dx+c)^{12}+40960*A*\cos(dx+c)^{11}+31744*A*\cos(dx+c)^{10}+24576*C*\cos(dx+c)^{10}+14848*A*\cos(dx+c)^9 \\ & +69632*C*\cos(dx+c)^9+25984*A*\cos(dx+c)^8+72704*C*\cos(dx+c)^8+64960*A*\cos(dx+c)^7+83456*C*\cos(dx+c)^7-194880*A*\cos(dx+c)^6 \\ & -250368*C*\cos(dx+c)^6*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}/\cos(dx+c)^5/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.801721, size = 1311, normalized size = 4.52

$$3 \left((1015 A + 1304 C) a^2 \cos(dx + c) + (1015 A + 1304 C) a^2 \right) \sqrt{-a} \log \left(\frac{2 a \cos(dx+c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/3072*(3*((1015*A + 1304*C)*a^2*cos(d*x + c) + (1015*A + 1304*C)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(256*A*a^2*cos(d*x + c)^6 + 896*A*a^2*cos(d*x + c)^5 + 48*(29*A + 8*C)*a^2*cos(d*x + c)^4 + 8*(203*A + 184*C)*a^2*cos(d*x + c)^3 + 2*(1015*A + 1304*C)*a^2*cos(d*x + c)^2 + 3*(1015*A + 1304*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/1536*(3*((1015*A + 1304*C)*a^2*cos(d*x + c) + (1015*A + 1304*C)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (256*A*a^2*cos(d*x + c)^6 + 896*A*a^2*cos(d*x + c)^5 + 48*(29*A + 8*C)*a^2*cos(d*x + c)^4 + 8*(203*A + 184*C)*a^2*cos(d*x + c)^3 + 2*(1015*A + 1304*C)*a^2*cos(d*x + c)^2 + 3*(1015*A + 1304*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 8.53483, size = 2084, normalized size = 7.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/3072*(3*(1015*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 1304*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(1015*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 1304*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(3045*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^22*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 3912*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^22*C*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 100485*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^20*A*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 129096*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^20*C*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 1303699*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^18*A*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 1693560*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^18*C*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 9936699*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^16*A*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 11951544*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^16*C*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 38257266*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*A*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 48800976*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*C*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 83779026*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*A*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 106200016*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*C*sqrt(-a)*a^8*sgn(cos(d*x + c)) + 74917446*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^9*sgn(cos(d*x + c)) + 94661616*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^9*sgn(cos(d*x + c)) - 30850806*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a^10*sgn(cos(d*x + c)) - 39751536*(sqrt(-a)*tan(1/2*d*x + 1/2*c) -
```

$$\begin{aligned}
& \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^8 C \sqrt{-a} a^{10} \operatorname{sgn}(\cos(dx + c)) + \\
& 7187801 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^6 A \sqrt{-a} a^{11} \operatorname{sgn}(\cos(dx + c)) + \\
& 9070440 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^6 C \sqrt{-a} a^{11} \operatorname{sgn}(\cos(dx + c)) - \\
& 929817 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^4 A \sqrt{-a} a^{12} \operatorname{sgn}(\cos(dx + c)) - \\
& 1176936 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^4 C \sqrt{-a} a^{12} \operatorname{sgn}(\cos(dx + c)) + \\
& 64887 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 A \sqrt{-a} a^{13} \operatorname{sgn}(\cos(dx + c)) + \\
& 82200 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 C \sqrt{-a} a^{13} \operatorname{sgn}(\cos(dx + c)) - \\
& 1887 A \sqrt{-a} a^{14} \operatorname{sgn}(\cos(dx + c)) - 2392 C \sqrt{-a} a^{14} \operatorname{sgn}(\cos(dx + c)) / ((\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^4 - \\
& 6 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 a + a^2)^6) / d
\end{aligned}$$

$$3.183 \quad \int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=236

$$\frac{2(21A + 19C) \tan(c + dx) \sec^2(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(21A + 29C) \tan(c + dx)\sqrt{a \sec(c + dx)}}{315ad}$$

[Out] -((Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (4*(147*A + 143*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(21*A + 19*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*C*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(21*A + 29*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*a*d)

Rubi [A] time = 0.802611, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4089, 4021, 4010, 4001, 3795, 203}

$$\frac{2(21A + 19C) \tan(c + dx) \sec^2(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(21A + 29C) \tan(c + dx)\sqrt{a \sec(c + dx)}}{315ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] -((Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (4*(147*A + 143*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(21*A + 19*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*C*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(21*A + 29*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*a*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C* Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b,

d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2C\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^4(c+dx)\left(\frac{1}{2}a(9A+8C)-\frac{1}{2}aC\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{9a} \\
&= -\frac{2C\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} + \frac{4\int \frac{\sec^3(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{9a} \\
&= \frac{2(21A+19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2C\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2C}{9a} \\
&= \frac{2(21A+19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2C\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2C}{9a} \\
&= \frac{4(147A+143C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2(21A+19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2C}{9a} \\
&= \frac{4(147A+143C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2(21A+19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2C}{9a} \\
&= -\frac{\sqrt{2}(A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{4(147A+143C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2(21A+19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2C}{9a}
\end{aligned}$$

Mathematica [B] time = 6.67025, size = 474, normalized size = 2.01

$$\cos^2(c+dx)\sqrt{\sec(c+dx)+1}\sqrt{(\cos(c+dx)+1)\sec(c+dx)}(A+C\sec^2(c+dx))\left(-\frac{4\sec(c)\sec^2(c+dx)(-63A\sin(dx)+40C\sin(c))}{315d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Cos[c + d*x]^2*Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((8*(-84*A - 126*C + 273*A*Cos[c] + 257*C*Cos[c])*Sin[c/2])/(315*d*(Cos[c/2] + Cos[(3*c)/2])) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(357*A*Sin[(d*x)/2] + 383*C*Sin[(d*x)/2]))/(315*d) + (4*C*Sec[c]*Sec[c + d*x]^4*Sin[d*x]))/(9*d) + (4*Sec[c]*Sec[c + d*x]*(63*A*Sin[c] + 97*C*Sin[c] - 84*A*Sin[d*x] - 126*C*Sin[d*x]))/(315*d) - (4*Sec[c]*Sec[c + d*x]^2*(40*C

$$\begin{aligned} & * \sin[c] - 63*A*\sin[d*x] - 97*C*\sin[d*x]) / (315*d) + (4*\sec[c]*\sec[c + d*x]^3 \\ & * (7*C*\sin[c] - 8*C*\sin[d*x]) / (63*d)) / ((A + 2*C + A*\cos[2*c + 2*d*x]) * \sqrt{a*(1 + \sec[c + d*x])}) \\ & - (2*\sqrt{2}*(A + C)*\arctan[\sqrt{-1 + \sec[c + d*x]}] / \sqrt{2}] * \cos[c + d*x]^4 * \sqrt{-1 + \sec[c + d*x]} * (1 + \sec[c + d*x])^2 * (A + C * \sec[c + d*x]^2) * \sin[c + d*x]) / (d*(1 + \cos[c + d*x]) * \sqrt{1 - \cos[c + d*x]^2} * (A + 2*C + A*\cos[2*c + 2*d*x]) * \sqrt{a*(1 + \sec[c + d*x])} * \sqrt{\cos[c + d*x]^2 * (-1 + \sec[c + d*x]) * (1 + \sec[c + d*x])}) \end{aligned}$$

Maple [B] time = 0.429, size = 966, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^4 * (A+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -1/5040/d/a*(315*A*\cos(dx+c)^4*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 315*C*\cos(dx+c)^4*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 1260*A*\cos(dx+c)^3*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 1260*C*\cos(dx+c)^3*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 1890*A*\cos(dx+c)^2*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 1890*C*\cos(dx+c)^2*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 1260*A*\cos(dx+c)*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 1260*C*\cos(dx+c)*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 315*A*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 315*C*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{(9/2)} * \sin(dx+c) + 8736*A*\cos(dx+c)^5 + 8224*C*\cos(dx+c)^5 - 9408*A*\cos(dx+c)^4 - 9152*C*\cos(dx+c)^4 + 2688*A*\cos(dx+c)^3 + 2752*C*\cos(dx+c)^3 - 2016*A*\cos(dx+c)^2 - 1984*C*\cos(dx+c)^2 + 1280*C*\cos(dx+c) - 1120*C) * (a*(\cos(dx+c)+1) / \cos(dx+c))^{(1/2)} / \cos(dx+c)^4 / \sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.647738, size = 1189, normalized size = 5.04

$$315 \sqrt{2} \left((A + C) a \cos(dx + c)^5 + (A + C) a \cos(dx + c)^4 \right) \sqrt{-\frac{1}{a}} \log \left(\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) + 3 \cos(dx+c)^2 + 2 \cos(dx+c) - 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/630*(315*sqrt(2)*((A + C)*a*cos(d*x + c)^5 + (A + C)*a*cos(d*x + c)^4)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((273*A + 257*C)*cos(d*x + c)^4 - (21*A + 29*C)*cos(d*x + c)^3 + 3*(21*A + 19*C)*cos(d*x + c)^2 - 5*C*cos(d*x + c) + 35*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c)^5 + a*d*cos(d*x + c)^4), 1/315*(2*((273*A + 257*C)*cos(d*x + c)^4 - (21*A + 29*C)*cos(d*x + c)^3 + 3*(21*A + 19*C)*cos(d*x + c)^2 - 5*C*cos(d*x + c) + 35*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 315*sqrt(2)*((A + C)*a*cos(d*x + c)^5 + (A + C)*a*cos(d*x + c)^4)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^5 + a*d*cos(d*x + c)^4)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^4(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2), x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**4/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 9.48507, size = 556, normalized size = 2.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/315*(315*(\sqrt{2})*A + \sqrt{2})*C*\log(\text{abs}(-\sqrt{-a})*\tan(1/2*d*x + 1/2*c) \\ & + \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})/(\sqrt{-a}*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) \\ & + 2*(315*\sqrt{2})*A*a^4*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) + 315*\sqrt{2} \\ &)*C*a^4*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - (1050*\sqrt{2})*A*a^4*\text{sgn}(\tan(1/2*d \\ & *x + 1/2*c)^2 - 1) + 840*\sqrt{2})*C*a^4*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - (1 \\ & 512*\sqrt{2})*A*a^4*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) + 1638*\sqrt{2})*C*a^4*\text{sgn} \\ & (\tan(1/2*d*x + 1/2*c)^2 - 1) - (1134*\sqrt{2})*A*a^4*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 \\ & - 1) + 936*\sqrt{2})*C*a^4*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - (357*\sqrt{2})*A \\ & *a^4*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) + 383*\sqrt{2})*C*a^4*\text{sgn}(\tan(1/2*d*x + \\ & 1/2*c)^2 - 1))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x \\ & + 1/2*c)^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x + 1/2*c)/((a*\tan(1/2*d*x + \\ & 1/2*c)^2 - a)^4*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}))/d \end{aligned}$$

$$3.184 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=193

$$\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(35A+31C) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{105ad} - \frac{4(35A+37C) \tan(c+dx)}{105d \sqrt{a \sec(c+dx)+a}} + \frac{2C}{105d \sqrt{a \sec(c+dx)+a}}$$

```
[Out] (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(35*A + 37*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*C*Sec[c + d*x]^2*Tan[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(35*A + 31*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*a*d)
```

Rubi [A] time = 0.593652, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4089, 4021, 4010, 4001, 3795, 203}

$$\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(35A+31C) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{105ad} - \frac{4(35A+37C) \tan(c+dx)}{105d \sqrt{a \sec(c+dx)+a}} + \frac{2C}{105d \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(35*A + 37*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*C*Sec[c + d*x]^2*Tan[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(35*A + 31*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*a*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^3(c+dx)\left(\frac{1}{2}a(7A+6C)-\frac{1}{2}aC\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{7a} \\
&= -\frac{2C\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{4\int \frac{\sec^2(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{7a} \\
&= -\frac{2C\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{2(35A+31C)\tan(c+dx)}{7a\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{4(35A+37C)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2C\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{4(35A+37C)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2C\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{2}(A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{4(35A+37C)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2C\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 6.11893, size = 173, normalized size = 0.9

$$\frac{2\cos^2(c+dx)\sqrt{a(\sec(c+dx)+1)}(A+C\sec^2(c+dx))\left(105\sqrt{2}(A+C)\cot(c+dx)\sqrt{\sec(c+dx)-1}\tan^{-1}\left(\frac{\sqrt{\sec(c+dx)-1}}{\sqrt{2}}\right)\right)}{105ad(A\cos(2(c+dx))+C)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (2*Cos[c + d*x]^2*Sqrt[a*(1 + Sec[c + d*x])]*(A + C*Sec[c + d*x]^2)*(105*Sqrt[2]*(A + C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cot[c + d*x]*Sqrt[-1 + Sec[c + d*x]] + 2*(35*A + 73*C + 24*C*Cos[c + d*x] + (35*A + 43*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^3*Sin[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(105*a*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [B] time = 0.366, size = 776, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^3(A+C\sec(dx+c)^2)/(a+a\sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -1/840/d/a*(105*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(-(-2*\cos(dx+c) \\ & /(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c) \\ & ^3+105*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)^3+315*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2} \\ & *\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c) \\ & ^2+315*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)^2+315*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2} \\ & *\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)+315*C \\ & *(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)+105*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2} \\ & *\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)+105*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2} \\ & *\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)-560*A*\cos(dx+c)^4-688*C*\cos(dx+c)^4+1120 \\ & *A*\cos(dx+c)^3+1184*C*\cos(dx+c)^3-560*A*\cos(dx+c)^2-544*C*\cos(dx+c)^2+288*C*\cos(dx+c)-240*C*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^3/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^3(A+C\sec(dx+c)^2)/(a+a\sec(dx+c))^{1/2}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.611454, size = 1098, normalized size = 5.69

$$\frac{105 \sqrt{2} \left((A + C) a \cos(dx + c)^4 + (A + C) a \cos(dx + c)^3 \right) \sqrt{-\frac{1}{a}} \log \left(-\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) - 3 \cos(dx+c)^2 - 2 \cos(dx+c) + 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{210 (ad \cos(dx + c) + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/210*(105*sqrt(2)*((A + C)*a*cos(d*x + c)^4 + (A + C)*a*cos(d*x + c)^3)*sqrt(-1/a)*log(-2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((35*A + 43*C)*cos(d*x + c)^3 - (35*A + 31*C)*cos(d*x + c)^2 + 3*C*cos(d*x + c) - 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3), -1/105*(2*((35*A + 43*C)*cos(d*x + c)^3 - (35*A + 31*C)*cos(d*x + c)^2 + 3*C*cos(d*x + c) - 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 105*sqrt(2)*((A + C)*a*cos(d*x + c)^4 + (A + C)*a*cos(d*x + c)^3)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^3(c + dx)}{\sqrt{a} (\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**3/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 9.30975, size = 333, normalized size = 1.73

$$\frac{105 \sqrt{2}(A+C) \log \left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right| \right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{4 \left(\left(\frac{\sqrt{2}(35 A a^3 + 46 C a^3) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{\operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{14 \sqrt{2}(5 A a^3 + 4 C a^3)}{\operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \frac{35 \sqrt{2} a^3}{\operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a\right)^3 \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}} \right)}{105 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] 1/105*(105*sqrt(2)*(A + C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 4*((sqrt(2)*(35*A*a^3 + 46*C*a^3)*tan(1/2*d*x + 1/2*c)^2/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 14*sqrt(2)*(5*A*a^3 + 4*C*a^3)/sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2 + 35*sqrt(2)*(A*a^3 + 2*C*a^3)/sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^3/((a*tan(1/2*d*x + 1/2*c)^2 - a)^3*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d

$$3.185 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=152

$$\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(15A+14C) \tan(c+dx)}{15d\sqrt{a \sec(c+dx)+a}} + \frac{2C \tan(c+dx) \sec^2(c+dx)}{5d\sqrt{a \sec(c+dx)+a}} - \frac{2C \tan(c+dx)\sqrt{a}}{15ad}$$

[Out] -((Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*(15*A + 14*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) - (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*a*d)

Rubi [A] time = 0.416758, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4089, 4010, 4001, 3795, 203}

$$\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(15A+14C) \tan(c+dx)}{15d\sqrt{a \sec(c+dx)+a}} + \frac{2C \tan(c+dx) \sec^2(c+dx)}{5d\sqrt{a \sec(c+dx)+a}} - \frac{2C \tan(c+dx)\sqrt{a}}{15ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] -((Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*(15*A + 14*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) - (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*a*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.)^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)^(m_.), x_Symbol] := -Simp[(C* Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^2(c+dx)\left(\frac{1}{2}a(5A+4C)-\frac{1}{2}aC\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{5a} \\
&= \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} - \frac{2C\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{15ad} + \frac{4\int \frac{\sec^2(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{15ad} \\
&= \frac{2(15A+14C)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} - \frac{2C\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{15ad} + \frac{4\int \frac{\sec^2(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{15ad} \\
&= \frac{2(15A+14C)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} - \frac{2C\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{15ad} + \frac{4\int \frac{\sec^2(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{15ad} \\
&= -\frac{\sqrt{2}(A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2(15A+14C)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 4.33884, size = 160, normalized size = 1.05

$$\frac{2\cos^2(c+dx)\sqrt{a(\sec(c+dx)+1)}(A+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)((15A+13C)\cos(2(c+dx))+15ad(A\cos(2(c+dx))+A+1))\right)}{15ad(A\cos(2(c+dx))+A+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (2*Cos[c + d*x]^2*Sqrt[a*(1 + Sec[c + d*x])]*(A + C*Sec[c + d*x]^2)*(-15*Sqrt[2]*(A + C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cot[c + d*x]*Sqrt[-1 + Sec[c + d*x]] + (15*A + 19*C - 2*C*Cos[c + d*x] + (15*A + 13*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^2*Tan[(c + d*x)/2]))/(15*a*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [B] time = 0.346, size = 586, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)`

[Out]
$$-1/60/d/a*(15*A*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(5/2)*\sin(d*x+c)*\cos(d*x+c)^2+15*C*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(5/2)*\sin(d*x+c)*\cos(d*x+c)^2+30*A*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(5/2)*\sin(d*x+c)*\cos(d*x+c)+30*C*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(5/2)*\sin(d*x+c)*\cos(d*x+c)+15*A*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(5/2)*\sin(d*x+c)+15*C*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(5/2)*\sin(d*x+c)+120*A*\cos(d*x+c)^3+104*C*\cos(d*x+c)^3-120*A*\cos(d*x+c)^2-112*C*\cos(d*x+c)^2+32*C*\cos(d*x+c)-24*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\cos(d*x+c)^2/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.605205, size = 998, normalized size = 6.57

$$\left[\frac{15\sqrt{2}\left((A+C)a\cos(dx+c)^3+(A+C)a\cos(dx+c)^2\right)\sqrt{-\frac{1}{a}}\log\left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)+3\cos(dx+c)^2+2\cos(dx+c)}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)}{30\left(ad\cos(dx+c)^3+ad\cos(dx+c)\right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/30*(15*sqrt(2)*((A + C)*a*cos(d*x + c)^3 + (A + C)*a*cos(d*x + c)^2)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((15*A + 13*C)*cos(d*x + c)^2 - C*cos(d*x + c) + 3*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2), 1/15*(2*((15*A + 13*C)*cos(d*x + c)^2 - C*cos(d*x + c) + 3*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 15*sqrt(2)*((A + C)*a*cos(d*x + c)^3 + (A + C)*a*cos(d*x + c)^2)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{\sqrt{a} (\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [B] time = 8.92879, size = 394, normalized size = 2.59

$$\frac{15(\sqrt{2}A + \sqrt{2}C) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} \right|\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{2\left(15\sqrt{2}Aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) + 15\sqrt{2}Ca^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)\right) - (30\sqrt{2}Aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) + 30\sqrt{2}Ca^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right))}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

```
[Out] -1/15*(15*(sqrt(2)*A + sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) +
sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2
- 1)) + 2*(15*sqrt(2)*A*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 15*sqrt(2)*C*
a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (30*sqrt(2)*A*a^2*sgn(tan(1/2*d*x + 1
/2*c)^2 - 1) + 20*sqrt(2)*C*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (15*sqrt(
2)*A*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 17*sqrt(2)*C*a^2*sgn(tan(1/2*d*x
+ 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d
*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^
2 + a))/d
```

$$3.186 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=109

$$\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2C \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{3ad} - \frac{4C \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*C*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*a*d)

Rubi [A] time = 0.205821, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4083, 4001, 3795, 203}

$$\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2C \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{3ad} - \frac{4C \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*C*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*a*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)

)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2C\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{3ad} + \frac{2\int \frac{\sec(c+dx)\left(\frac{1}{2}a(3A+C)-aC\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{3a} \\ &= -\frac{4C\tan(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{3ad} + (A+C)\int \frac{1}{\sqrt{a}} \\ &= -\frac{4C\tan(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{3ad} - \frac{(2(A+C))\text{Subst}}{\dots} \\ &= \frac{\sqrt{2}(A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{4C\tan(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sqrt{a+a\sec(c+dx)}}{\dots} \end{aligned}$$

Mathematica [A] time = 1.5188, size = 125, normalized size = 1.15

$$\frac{2\cos\left(\frac{c}{2}\right)\cos(c)\sin(c+dx)\left(3\sqrt{2}(A+C)\sqrt{\sec(c+dx)-1}\tan^{-1}\left(\frac{\sqrt{\sec(c+dx)-1}}{\sqrt{2}}\right)+8C\sin^4\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\right)}{3d\left(\cos\left(\frac{c}{2}\right)+\cos\left(\frac{3c}{2}\right)\right)(\cos(c+dx)-1)\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] $(-2*\cos[c/2]*\cos[c]*(3*\sqrt{2}*(A + C)*\text{ArcTan}[\sqrt{-1 + \sec[c + d*x]}/\sqrt{2}]]*\sqrt{-1 + \sec[c + d*x]} + 8*C*\sec[c + d*x]^2*\sin[(c + d*x)/2]^4*\sin[c + d*x])/((3*d*(\cos[c/2] + \cos[(3*c)/2]))*(-1 + \cos[c + d*x])*\sqrt{a*(1 + \sec[c + d*x])})$

Maple [B] time = 0.326, size = 385, normalized size = 3.5

$$-\frac{1}{6ad \sin(dx+c) \cos(dx+c)} \left(3A \sin(dx+c) \ln \left(-\frac{1}{\sin(dx+c)} \left(-\sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) + \cos(dx+c) - \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)`

[Out] $-1/6/d/a*(3*A*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)*\cos(d*x+c)+3*C*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)*\cos(d*x+c)+3*A*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)*\sin(d*x+c)+3*C*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)*\sin(d*x+c)-4*C*\cos(d*x+c)^2+8*C*\cos(d*x+c)-4*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\sin(d*x+c)/\cos(d*x+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \sec(dx+c)}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)/sqrt(a*sec(d*x + c) + a), x)`

Fricas [A] time = 0.600128, size = 895, normalized size = 8.21

$$\frac{3\sqrt{2}\left((A+C)a\cos(dx+c)^2+(A+C)a\cos(dx+c)\right)\sqrt{-\frac{1}{a}}\log\left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)-3\cos(dx+c)^2-2\cos(dx+c)+1}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)}{6\left(ad\cos(dx+c)^2+ad\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm
="fricas")
```

```
[Out] [1/6*(3*sqrt(2)*((A + C)*a*cos(d*x + c)^2 + (A + C)*a*cos(d*x + c))*sqrt(-1
/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(
d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c
)^2 + 2*cos(d*x + c) + 1)) - 4*(C*cos(d*x + c) - C)*sqrt((a*cos(d*x + c) +
a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c)), -1/
3*(2*(C*cos(d*x + c) - C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x +
c) + 3*sqrt(2)*((A + C)*a*cos(d*x + c)^2 + (A + C)*a*cos(d*x + c))*arctan(
sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d
*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/sqrt(a*(sec(c + d*x) + 1)), x
)
```


Giac [A] time = 9.10977, size = 193, normalized size = 1.77

$$\frac{4\sqrt{2}Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a\right)\sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} + \frac{3\sqrt{2}(A+C) \log\left(\left|-\sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right|\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \frac{1}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] 1/3*(4*sqrt(2)*C*a*tan(1/2*d*x + 1/2*c)^3/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 3*sqrt(2)*(A + C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.187 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=115

$$-\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2C \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (2*C*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.16219, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {4055, 3920, 3774, 203, 3795}

$$-\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2C \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (2*C*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4055

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre

$eQ[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] \text{ :> } \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/Sqrt[a + b*\text{Csc}[c + d*x]]], x] /;$ $\text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \text{ :> } \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$ $\text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rule 3795

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]/Sqrt[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \text{ :> } \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2), x], x, (b*\text{Cot}[e + f*x])/Sqrt[a + b*\text{Csc}[e + f*x]]], x] /;$ $\text{FreeQ}[\{a, b, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx &= \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{\frac{aA}{2} - \frac{1}{2}aC \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{a} \\ &= \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{a} + (-A - C) \int \frac{\sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx \\ &= \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} - \frac{(2A) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{(2(A + C)) \text{Subst}\left(\int \frac{1}{2} dx, x, \frac{\sqrt{a+a \sec(c+dx)}}{2}\right)}{d} \\ &= \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.923437, size = 126, normalized size = 1.1

$$\frac{\tan(c + dx) \left(\sqrt{2}(A + C) \cos(c + dx) \sqrt{\sec(c + dx) - 1} \tan^{-1}\left(\frac{\sqrt{\sec(c+dx)-1}}{\sqrt{2}}\right) - 2A \cos(c + dx) \sqrt{\sec(c + dx) - 1} \tan^{-1}\left(\sqrt{\sec(c + dx) - 1}\right) \right)}{d(\cos(c + dx) - 1)\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] ((2*C*(-1 + Cos[c + d*x]) - 2*A*ArcTan[Sqrt[-1 + Sec[c + d*x]])*Cos[c + d*x]
]*Sqrt[-1 + Sec[c + d*x]] + Sqrt[2]*(A + C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/
Sqrt[2]]*Cos[c + d*x]*Sqrt[-1 + Sec[c + d*x]])*Tan[c + d*x]/(d*(-1 + Cos[c
+ d*x])*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.289, size = 271, normalized size = 2.4

$$-\frac{1}{ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(A \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sqrt{2} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(A*arctanh(1/2*2^(1/2)*(-2*cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*sin(d*x+c)+A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-
(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))
*sin(d*x+c)+C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(co
s(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+2*C*cos(
d*x+c)-2*C)/sin(d*x+c)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 2.60155, size = 1150, normalized size = 10.

$$\left[\frac{\sqrt{2}((A + C)a \cos(dx + c) + (A + C)a) \sqrt{-\frac{1}{a}} \log \left(\frac{2\sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) + 3 \cos(dx+c)^2 + 2 \cos(dx+c) - 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right) - 2(A \cos(dx+c) + C)}{2(ad \cos(dx+c) + a^2d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2*(sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 2*(A*cos(d*x + c) + A)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 4*C*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*d), -(2*(A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*C*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [B] time = 11.0052, size = 405, normalized size = 3.52

$$\frac{4\sqrt{2}\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{\sqrt{2}(A\sqrt{-a}+C\sqrt{-a})\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{a\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{2A\log\left(\left|\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right|\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] 1/2*(4*sqrt(2)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*C*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + sqrt(2)*(A*sqrt(-a) + C*sqrt(-a))*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/(a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 2*A*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 2*A*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))/d

$$3.188 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=113

$$\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx)}{d\sqrt{a \sec(c+dx)+a}} - \frac{A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] -((A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d)) + (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/((Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]))]/(Sqrt[a]*d) + (A*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.224349, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4087, 3920, 3774, 203, 3795}

$$\frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx)}{d\sqrt{a \sec(c+dx)+a}} - \frac{A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -((A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d)) + (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/((Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]))]/(Sqrt[a]*d) + (A*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]))

Rule 4087

Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_))*(csc[(e_) + (f_)*(x_)]*(d_) ^ (n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 3920

Int[(csc[(e_) + (f_)*(x_)]*(d_) + (c_))/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D

ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c + dx) (A + C \sec^2(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx &= \frac{A \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{\int \frac{-\frac{aA}{2} + \frac{1}{2}a(A+2C) \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{a} \\
 &= \frac{A \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} - \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{2a} + (A + C) \int \frac{\sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx \\
 &= \frac{A \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{A \operatorname{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} - \frac{(2(A + C)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+x^2}} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} \\
 &= -\frac{A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{A \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.772834, size = 113, normalized size = 1.

$$\frac{\sin(c + dx) \left(-\sqrt{2}(A + C) \sqrt{\sec(c + dx) - 1} \tan^{-1}\left(\frac{\sqrt{\sec(c+dx)-1}}{\sqrt{2}}\right) + A(\cos(c + dx) - 1) + A \sqrt{\sec(c + dx) - 1} \tan^{-1}\left(\sqrt{\sec(c + dx) - 1}\right) \right)}{d(\cos(c + dx) - 1) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((A*(-1 + Cos[c + d*x]) + A*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Sqrt[-1 + Sec[c + d*x]] - Sqrt[2]*(A + C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Sqrt[-1 + Sec[c + d*x]])*Sin[c + d*x])/(d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.339, size = 282, normalized size = 2.5

$$-\frac{1}{2ad \sin(dx+c)} \left(-A \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sqrt{2} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) - 2A \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)

[Out] -1/2/d/a*(-A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-2*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+2*A*cos(d*x+c)^2-2*A*cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \cos(dx+c)}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 2.58359, size = 1177, normalized size = 10.42

$$2 A \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + \sqrt{2}((A+C)a \cos(dx+c) + (A+C)a) \sqrt{-\frac{1}{a}} \log \left(-\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c)}{\cos(dx+c)} \right)$$

$$2(ad \cos(dx+c) + a^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm
="fricas")
```

```
[Out] [1/2*(2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c)
+ sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*log(-(2*sqrt(2)*
sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c)
) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c)
+ 1)) - (A*cos(d*x + c) + A)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)
*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(
d*x + c) - a)/(cos(d*x + c) + 1)))/(a*d*cos(d*x + c) + a*d), (A*sqrt((a*cos
(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + (A*cos(d*x + c) +
A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt
(a)*sin(d*x + c))) - sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*arctan(s
qrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*
x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \cos(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*cos(c + d*x)/sqrt(a*(sec(c + d*x) + 1)), x)
```

Giac [B] time = 11.608, size = 531, normalized size = 4.7

$$\frac{\sqrt{2}(A\sqrt{-a}+C\sqrt{-a})\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{\operatorname{asgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{A\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}+3)\right)}{\sqrt{-a}\operatorname{asgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(\sqrt{2}*(A*\sqrt{-a} + C*\sqrt{-a}))*\log((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) \\ & - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2)/(a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) \\ &) - A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c) \\ &)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) \\ &) + A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c) \\ &)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) \\ & - 4*\sqrt{2}*(3*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c) \\ &)^2 + a))^2*A*\sqrt{-a} - A*\sqrt{-a}*a)/(((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \\ & \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \\ & \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 \\ & - 1)))/d \end{aligned}$$

$$3.189 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=159

$$\frac{(7A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{A \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx) \cos(c + dx)}{2d\sqrt{a \sec(c + dx) + a}}$$

[Out] ((7*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (A*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.369351, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4087, 4022, 3920, 3774, 203, 3795}

$$\frac{(7A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{A \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx) \cos(c + dx)}{2d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((7*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (A*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\cos(c+dx)\left(-\frac{aA}{2} + \frac{1}{2}a(3A+4C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a} \\
&= -\frac{A\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\frac{1}{4}a^2(7A+8C) - \frac{1}{4}a^2A\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{A\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + (-A-C) \int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{A\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + \frac{(2(A+C)) \text{Subst}\left(\int \frac{1}{2\sqrt{a+a\sec(c+dx)}} dx\right)}{2a} \\
&= \frac{(7A+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{A\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 26.4094, size = 10837, normalized size = 68.16

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.37, size = 695, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x)
```

```
[Out] -1/16/d/a*(-7*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)-8*C*cos(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos
```

$(d*x+c+1))^{(1/2)*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)*\sin(d*x+c)-8*A*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)*\cos(d*x+c)-7*A*2^{(1/2)*\arctanh(1/2*2^{(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)*\sin(d*x+c)-8*C*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)*\cos(d*x+c)-8*C*\arctanh(1/2*2^{(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)*\sin(d*x+c)-8*A*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)*\sin(d*x+c)-8*C*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)*\sin(d*x+c)+8*A*\cos(d*x+c)^4-12*A*\cos(d*x+c)^3+4*A*\cos(d*x+c)^2)*(a*\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)/\cos(d*x+c)/\sin(d*x+c)}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \cos(dx+c)^2}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 5.88597, size = 1299, normalized size = 8.17

$$\left[4\sqrt{2}((A+C)a\cos(dx+c) + (A+C)a)\sqrt{-\frac{1}{a}} \log \left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)+3\cos(dx+c)^2+2\cos(dx+c)-1}{\cos(dx+c)^2+2\cos(dx+c)+1} \right) - ((7A$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & \left[\frac{1}{8} * (4 * \sqrt{2}) * ((A + C) * a * \cos(dx + c) + (A + C) * a) * \sqrt{-1/a} * \log((2 * \sqrt{2}) * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)}) * \sqrt{-1/a} * \cos(dx + c) * \sin(dx + c) \right. \\ & + 3 * \cos(dx + c)^2 + 2 * \cos(dx + c) - 1) / (\cos(dx + c)^2 + 2 * \cos(dx + c) + 1)) - ((7 * A + 8 * C) * \cos(dx + c) + 7 * A + 8 * C) * \sqrt{-a} * \log((2 * a * \cos(dx + c)^2 + 2 * \sqrt{-a}) * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)}) * \cos(dx + c) * \sin(dx + c) + a * \cos(dx + c) - a) / (\cos(dx + c) + 1)) + 2 * (2 * A * \cos(dx + c)^2 - A * \cos(dx + c)) * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)} * \sin(dx + c) \\ & \left. \right] / (a * d * \cos(dx + c) + a * d), -1/4 * (((7 * A + 8 * C) * \cos(dx + c) + 7 * A + 8 * C) * \sqrt{a} * \arctan(\sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)} * \cos(dx + c) / (\sqrt{a} * \sin(dx + c)))) - (2 * A * \cos(dx + c)^2 - A * \cos(dx + c)) * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)} * \sin(dx + c) - 4 * \sqrt{2}) * ((A + C) * a * \cos(dx + c) + (A + C) * a) * \arctan(\sqrt{2} * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)}) * \cos(dx + c) / (\sqrt{a} * \sin(dx + c))) / \sqrt{a}) / (a * d * \cos(dx + c) + a * d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 11.7457, size = 680, normalized size = 4.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & \frac{1}{8} * (4 * \sqrt{2}) * (A * \sqrt{-a} + C * \sqrt{-a}) * \log((\sqrt{-a}) * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 / (a * \operatorname{sgn}(\tan(1/2 * dx + 1/2 * c)^2 - 1)) - (7 * A + 8 * C) * \log(\operatorname{abs}((\sqrt{-a}) * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})) \end{aligned}$$

$$\begin{aligned}
& d*x + 1/2*c)^2 + a))^2 - a*(2*\sqrt{2} + 3))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/ \\
& 2*c)^2 - 1)) + (7*A + 8*C)*\log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a} \\
& *\tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*\sqrt{2} - 3))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2 \\
& *d*x + 1/2*c)^2 - 1)) - 4*\sqrt{2}*(17*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a} \\
& *(\tan(1/2*d*x + 1/2*c)^2 + a))^6*A*\sqrt{-a} - 57*(\sqrt{-a})*\tan(1/2*d*x + \\
& 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a + 19*(\sqrt{-a} \\
& *\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a \\
& ^2 - 3*A*\sqrt{-a}*a^3)/(((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d \\
& *x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2* \\
& d*x + 1/2*c)^2 + a})^2*a + a^2)^2*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))/d
\end{aligned}$$

$$3.190 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=200

$$\frac{(7A+8C) \sin(c+dx)}{8d\sqrt{a \sec(c+dx)+a}} - \frac{(9A+8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx) \cos^2(c+dx)}{3d\sqrt{a \sec(c+dx)+a}}$$

```
[Out] -((9*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((7*A + 8*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - (A*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.56293, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4087, 4022, 3920, 3774, 203, 3795}

$$\frac{(7A+8C) \sin(c+dx)}{8d\sqrt{a \sec(c+dx)+a}} - \frac{(9A+8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx) \cos^2(c+dx)}{3d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] -((9*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((7*A + 8*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - (A*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \int \frac{\cos^2(c+dx)\left(-\frac{aA}{2} + \frac{1}{2}a(5A+6C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \int \frac{\cos(c+dx)\left(\frac{3}{4}a^2(7A+8C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{(7A+8C)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{A\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(7A+8C)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{A\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(7A+8C)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{A\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(9A+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{(7A+8C)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.555509, size = 145, normalized size = 0.72

$$\frac{\tan(c+dx)\left(\cos(c+dx)\sqrt{1-\sec(c+dx)}\left(8A\cos^2(c+dx)-2A\cos(c+dx)+21A+24C\right)-3(9A+8C)\tanh^{-1}\left(\sqrt{1-\sec(c+dx)}\right)\right)}{24d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((-3*(9*A + 8*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 24*Sqrt[2]*(A + C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + Cos[c + d*x]*(21*A + 24*C - 2*A*Cos[c + d*x] + 8*A*Cos[c + d*x]^2)*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(24*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.332, size = 1056, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{(1/2)},x)$

[Out] $\frac{1}{192} \frac{d}{a} * (27 * A * \sin(dx+c) * 2^{(1/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c)^2 + 24 * C * \sin(dx+c) * 2^{(1/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c)^2 + 54 * A * \sin(dx+c) * 2^{(1/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) + 48 * A * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) * \cos(dx+c)^2 + 48 * C * \sin(dx+c) * 2^{(1/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) + 48 * C * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) * \cos(dx+c)^2 + 27 * A * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) + 96 * A * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) * \cos(dx+c) + 24 * C * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) + 96 * C * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) * \cos(dx+c) + 48 * A * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) + 48 * C * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) - 64 * A * \cos(dx+c)^6 + 80 * A * \cos(dx+c)^5 - 184 * A * \cos(dx+c)^4 - 192 * C * \cos(dx+c)^4 + 168 * A * \cos(dx+c)^3 + 192 * C * \cos(dx+c)^3 * (a * (\cos(dx+c)+1) / \cos(dx+c))^{(1/2)} / \sin(dx+c) / \cos(dx+c)^2$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \cos(dx+c)^3}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{(1/2)},x, \text{algorithm}="maxima")$

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^3/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 5.90081, size = 1399, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/48*(24*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 3*((9*A + 8*C)*cos(d*x + c) + 9*A + 8*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*cos(d*x + c)^3 - 2*A*cos(d*x + c)^2 + 3*(7*A + 8*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c) + a*d), 1/24*(3*((9*A + 8*C)*cos(d*x + c) + 9*A + 8*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + (8*A*cos(d*x + c)^3 - 2*A*cos(d*x + c)^2 + 3*(7*A + 8*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 24*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 12.0926, size = 1153, normalized size = 5.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -\frac{1}{48} \cdot (24 \sqrt{2}) \cdot (A \sqrt{-a} + C \sqrt{-a}) \cdot \log\left(\frac{\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}}{\sqrt{-a} \operatorname{sgn}\left(\tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right)}\right) \\ & - 3 \cdot (9A + 8C) \cdot \log\left(\frac{\left|\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}\right|^2 - a \cdot (2 \sqrt{2} + 3)}{\sqrt{-a} \operatorname{sgn}\left(\tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right)}\right) \\ & + 3 \cdot (9A + 8C) \cdot \log\left(\frac{\left|\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}\right|^2 + a \cdot (2 \sqrt{2} - 3)}{\sqrt{-a} \operatorname{sgn}\left(\tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right)}\right) \\ & - 4 \sqrt{2} \cdot (165 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{10} \cdot A \sqrt{-a} + 72 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{10} \cdot C \sqrt{-a} - 1323 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^8 \cdot A \sqrt{-a} \cdot a - 888 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^8 \cdot C \sqrt{-a} \cdot a + 3906 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^6 \cdot A \sqrt{-a} \cdot a^2 + 3024 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^6 \cdot C \sqrt{-a} \cdot a^2 - 2118 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^4 \cdot A \sqrt{-a} \cdot a^3 - 1776 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^4 \cdot C \sqrt{-a} \cdot a^3 + 393 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^2 \cdot A \sqrt{-a} \cdot a^4 + 360 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^2 \cdot C \sqrt{-a} \cdot a^4 - 31 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}) \cdot a^5 - 24 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\ & - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}) \cdot a^5) / \left(\left(\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a} \right)^4 \right. \\ & \left. - 6 \left(\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a} \right)^2 \cdot a + a^2 \right)^3 \operatorname{sgn}\left(\tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right) \right) / d \end{aligned}$$

$$3.191 \quad \int \frac{\cos^4(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=243

$$-\frac{(21A+16C)\sin(c+dx)}{64d\sqrt{a \sec(c+dx)+a}} + \frac{(107A+112C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64\sqrt{ad}} - \frac{\sqrt{2}(A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(43A+48C)}{96d\sqrt{a}}$$

[Out] ((107*A + 112*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - ((21*A + 16*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + ((43*A + 48*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) - (A*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.728525, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4087, 4022, 3920, 3774, 203, 3795}

$$-\frac{(21A+16C)\sin(c+dx)}{64d\sqrt{a \sec(c+dx)+a}} + \frac{(107A+112C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64\sqrt{ad}} - \frac{\sqrt{2}(A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(43A+48C)}{96d\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((107*A + 112*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - ((21*A + 16*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + ((43*A + 48*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) - (A*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cosot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(

$b*d*n$), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{A\cos^3(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\cos^3(c+dx)\left(-\frac{aA}{2} + \frac{1}{2}a(7A+8C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{4a} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^3(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\cos^2(c+dx)\left(\frac{1}{4}a^2(43A+48C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{4a} \\
&= \frac{(43A+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} - \frac{A\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^3(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(21A+16C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{(43A+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} - \frac{A\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(21A+16C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{(43A+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} - \frac{A\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(21A+16C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{(43A+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} - \frac{A\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(107A+112C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64\sqrt{ad}} - \frac{\sqrt{2}(A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.764234, size = 160, normalized size = 0.66

$$\frac{\tan(c+dx)\left(\cos(c+dx)\sqrt{1-\sec(c+dx)}\left((86A+96C)\cos(c+dx)+48A\cos^3(c+dx)-8A\cos^2(c+dx)-63A-48C\right)\right)}{192d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (((321*A + 336*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]] - 192*Sqrt[2]*(A + C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + Cos[c + d*x]*(-63*A - 48*C + (86*A + 96*C)*Cos[c + d*x] - 8*A*Cos[c + d*x]^2 + 48*A*Cos[c + d*x]^3)*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(192*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.379, size = 1406, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^4 * (A+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^{1/2}, x)$

[Out] $\frac{1}{3072} \frac{d}{a} * (321 * A * \sin(dx+c) * \cos(dx+c)^3 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 336 * C * \sin(dx+c) * \cos(dx+c)^3 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 384 * A * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) * \cos(dx+c)^3 + 963 * A * \sin(dx+c) * \cos(dx+c)^2 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 384 * C * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) * \cos(dx+c)^3 + 1008 * C * \sin(dx+c) * \cos(dx+c)^2 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 1152 * A * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) * \cos(dx+c)^2 + 963 * A * \sin(dx+c) * \cos(dx+c) * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 1152 * C * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) * \cos(dx+c)^2 + 1008 * C * \sin(dx+c) * \cos(dx+c) * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 1152 * A * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) * \cos(dx+c) + 321 * A * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} * \sin(dx+c) + 1152 * C * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) * \cos(dx+c) + 336 * C * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \sin(dx+c) + 384 * A * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) + 384 * C * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) - 768 * A * \cos(dx+c)^8 + 896 * A * \cos(dx+c)^7 - 1504 * A * \cos(dx+c)^6 - 1536 * C * \cos(dx+c)^6 + 2384 * A * \cos(dx+c)^5 + 2304 * C * \cos(dx+c)^5 - 1008 * A * \cos(dx+c)^4 - 768 * C * \cos(dx+c)^4 * (a * (\cos(dx+c)+1) / \cos(dx+c))^{1/2} / \sin(dx+c) / \cos(dx+c)^3$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^4}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^4/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 8.69633, size = 1523, normalized size = 6.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/384*(192*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 3*((107*A + 112*C)*cos(d*x + c) + 107*A + 112*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*A*cos(d*x + c)^4 - 8*A*cos(d*x + c)^3 + 2*(43*A + 48*C)*cos(d*x + c)^2 - 3*(21*A + 16*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c) + a*d), -1/192*(3*((107*A + 112*C)*cos(d*x + c) + 107*A + 112*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*A*cos(d*x + c)^4 - 8*A*cos(d*x + c)^3 + 2*(43*A + 48*C)*cos(d*x + c)^2 - 3*(21*A + 16*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 192*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 14.3068, size = 1418, normalized size = 5.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\frac{1}{384} \cdot (192 \sqrt{2}) \cdot (A \sqrt{-a} + C \sqrt{-a}) \cdot \log\left(\frac{\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - 1\right)}\right) - 3 \cdot (107 A + 112 C) \cdot \log\left(\frac{\left|\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}\right|^2 - a \cdot (2 \sqrt{2} + 3)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - 1\right)}\right) + 3 \cdot (107 A + 112 C) \cdot \log\left(\frac{\left|\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}\right|^2 + a \cdot (2 \sqrt{2} - 3)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - 1\right)}\right) - 4 \sqrt{2} \cdot (1599 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{14} A \sqrt{-a} + 816 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{14} C \sqrt{-a} - 18219 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{12} A \sqrt{-a} a - 12528 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{12} C \sqrt{-a} a + 91467 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{10} A \sqrt{-a} a^2 + 64752 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{10} C \sqrt{-a} a^2 - 177735 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^8 A \sqrt{-a} a^3 - 124848 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^8 C \sqrt{-a} a^3 + 100413 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^6 A \sqrt{-a} a^4 + 70032 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^6 C \sqrt{-a} a^4 - 26881 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^4 A \sqrt{-a} a^5 - 19152 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^4 C \sqrt{-a} a^5 + 3321 \cdot (\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^2 A \sqrt{-a} a^5$$

$$\frac{6 + 2640(\sqrt{-a})\tan(1/2*d*x + 1/2*c) - \sqrt{-a}\tan(1/2*d*x + 1/2*c)^2 + a)^2*C*\sqrt{-a}*a^6 - 205*A*\sqrt{-a}*a^7 - 144*C*\sqrt{-a}*a^7}{(((\sqrt{-a})\tan(1/2*d*x + 1/2*c) - \sqrt{-a}\tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(\sqrt{-a})\tan(1/2*d*x + 1/2*c) - \sqrt{-a}\tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^4*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)))/d}$$

$$3.192 \quad \int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=259

$$\frac{(11A + 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(245A + 397C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{210a^2d} - \frac{(A + C) \tan(c+dx) \sec^4(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] ((11*A + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((455*A + 799*C)*Tan[c + d*x])/(105*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((35*A + 67*C)*Sec[c + d*x]^2*Tan[c + d*x])/(70*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((7*A + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(14*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((245*A + 397*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(210*a^2*d)

Rubi [A] time = 0.845068, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 4021, 4010, 4001, 3795, 203}

$$\frac{(11A + 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(245A + 397C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{210a^2d} - \frac{(A + C) \tan(c+dx) \sec^4(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((11*A + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((455*A + 799*C)*Tan[c + d*x])/(105*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((35*A + 67*C)*Sec[c + d*x]^2*Tan[c + d*x])/(70*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((7*A + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(14*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((245*A + 397*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(210*a^2*d)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^(m_), x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +

```
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc
[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```


Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \int \frac{\sec^4(c+dx)\left(2a(A+2C)-\frac{1}{2}a(7A+11C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}}}{2a^2} \\
&= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(7A+11C)\sec^3(c+dx)\tan(c+dx)}{14ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(35A+67C)\sec^2(c+dx)\tan(c+dx)}{70ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(35A+67C)\sec^2(c+dx)\tan(c+dx)}{70ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(455A+799C)\tan(c+dx)}{105ad\sqrt{a+a\sec(c+dx)}} - \frac{(35A+67C)\sec^2(c+dx)\tan(c+dx)}{70ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(11A+19C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(35A+67C)\sec^2(c+dx)\tan(c+dx)}{70ad\sqrt{a+a\sec(c+dx)}} - \frac{(455A+799C)\tan(c+dx)}{105ad\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [B] time = 6.80202, size = 527, normalized size = 2.03

$$\cos^2(c+dx)(\sec(c+dx)+1)^{3/2}\sqrt{(\cos(c+dx)+1)\sec(c+dx)}(A+C\sec^2(c+dx))\left(\frac{\sec\left(\frac{c}{2}\right)\sec^3\left(\frac{c}{2}+\frac{dx}{2}\right)\left(A\sin\left(\frac{dx}{2}\right)+C\sin\left(\frac{dx}{2}\right)\right)}{2d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Cos[c + d*x]^2*Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*(1 + Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((-2*(-140*A - 448*C + 665*A*Cos[c] + 1201*C*Cos[c])*Sin[c/2])/(105*d*(Cos[c/2] + Cos[(3*c)/2])) + (Sec[c/2]*Sec[c/2 + (d*x)/2]^2*(A*Sin[c/2] + C*Sin[c/2]))/(2*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]*(-80

$$5*A*\sin[(d*x)/2] - 1649*C*\sin[(d*x)/2]))/(105*d) + (\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(A*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(2*d) + (4*C*\sec[c]*\sec[c + d*x]^3*\sin[d*x])/(7*d) - (4*\sec[c]*\sec[c + d*x]*(39*C*\sin[c] - 35*A*\sin[d*x] - 112*C*\sin[d*x]))/(105*d) + (4*\sec[c]*\sec[c + d*x]^2*(5*C*\sin[c] - 13*C*\sin[d*x]))/(35*d)))/((A + 2*C + A*\cos[2*c + 2*d*x])*(a*(1 + \sec[c + d*x]))^(3/2)) + ((11*A + 19*C)*\text{ArcTan}[\text{Sqrt}[-1 + \sec[c + d*x]]/\text{Sqrt}[2]]*\cos[c + d*x]^4*\text{Sqrt}[-1 + \sec[c + d*x]]*(1 + \sec[c + d*x])^3*(A + C*\sec[c + d*x]^2)*\sin[c + d*x])/(\text{Sqrt}[2]*d*(1 + \cos[c + d*x])*\text{Sqrt}[1 - \cos[c + d*x]^2]*(A + 2*C + A*\cos[2*c + 2*d*x])*(a*(1 + \sec[c + d*x]))^(3/2)*\text{Sqrt}[\cos[c + d*x]^2*(-1 + \sec[c + d*x])*(1 + \sec[c + d*x])])$$

Maple [B] time = 0.438, size = 974, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^4*(A+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^(3/2), x)$

[Out] $1/3360/d/a^2*(-1+\cos(d*x+c))*(1155*A*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\cos(d*x+c)^4+1995*C*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\cos(d*x+c)^4+4620*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^3+7980*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^3+6930*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^2+11970*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^2+4620*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)+7980*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)+1155*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+1995*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)-10640*A*\cos(d*x+c)^5-19216*C*\cos(d*x+c)^5+3920*A*\cos(d*x+c)^4+6352*C*\cos(d*x+c)^4+8960*A*\cos(d*x+c)^3+16000*C*\cos(d*x+c)^3-2240*A*\cos(d*x+c)^2-3712*C*\cos(d*x+c)^2+1536*C*\cos(d*x+c)-960*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\sin(d*x+c)^3/\cos(d*x$

+c)^3

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.649925, size = 1392, normalized size = 5.37

$$\left[\frac{105\sqrt{2}\left((11A+19C)\cos(dx+c)^5 + 2(11A+19C)\cos(dx+c)^4 + (11A+19C)\cos(dx+c)^3\right)\sqrt{-a}\log\left(\frac{2\sqrt{2}\sqrt{-a}\sqrt{\frac{a}{\cos(dx+c)+a}}}{\cos(dx+c)+a}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/840*(105*sqrt(2)*((11*A + 19*C)*cos(d*x + c)^5 + 2*(11*A + 19*C)*cos(d*x + c)^4 + (11*A + 19*C)*cos(d*x + c)^3)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((665*A + 1201*C)*cos(d*x + c)^4 + 12*(35*A + 67*C)*cos(d*x + c)^3 - 28*(5*A + 7*C)*cos(d*x + c)^2 + 36*C*cos(d*x + c) - 60*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^5 + 2*a^2*d*cos(d*x + c)^4 + a^2*d*cos(d*x + c)^3), -1/420*(105*sqrt(2)*((11*A + 19*C)*cos(d*x + c)^5 + 2*(11*A + 19*C)*cos(d*x + c)^4 + (11*A + 19*C)*cos(d*x + c)^3)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))] + 2*((665*A + 1201*C)*cos(d*x + c)^4 + 12*(35*A + 67*C)*cos(d*x + c)^3 - 28*(5*A + 7*C)*cos(d*x + c)^2 + 36*C*cos(d*x + c) - 60*C

) $\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\sin(dx + c))/(a^2d\cos(dx + c)^5 + 2a^2d\cos(dx + c)^4 + a^2d\cos(dx + c)^3]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^4(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c))**(3/2),x)

[Out] Integral((A + C*sec(c + dx)**2)*sec(c + dx)**4/(a*(sec(c + dx) + 1))**(3/2), x)

Giac [A] time = 9.30967, size = 593, normalized size = 2.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(3/2),x, algorithm="giac")

[Out] $\frac{1}{420} \cdot (105 \cdot (11 \cdot \sqrt{2}) \cdot A + 19 \cdot \sqrt{2}) \cdot C \cdot \log(\text{abs}(-\sqrt{-a} \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + \sqrt{-a \cdot \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + a})) / (\sqrt{-a} \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)) - (((105 \cdot (\sqrt{2}) \cdot A \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) + \sqrt{2}) \cdot C \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)) \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 / a^3 - 4 \cdot (455 \cdot \sqrt{2}) \cdot A \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) + 877 \cdot \sqrt{2}) \cdot C \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)) / a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + 14 \cdot (305 \cdot \sqrt{2}) \cdot A \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) + 517 \cdot \sqrt{2}) \cdot C \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)) / a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 140 \cdot (25 \cdot \sqrt{2}) \cdot A \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) + 47 \cdot \sqrt{2}) \cdot C \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)) / a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + 105 \cdot (9 \cdot \sqrt{2}) \cdot A \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) + 17 \cdot \sqrt{2}) \cdot C \cdot a^5 \cdot \text{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)) / a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) / ((a \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - a)^3 \cdot \sqrt{-a \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + a})) / d$

$$3.193 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=214

$$\frac{(7A + 15C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(5A + 13C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{10a^2d} - \frac{(A + C) \tan(c+dx) \sec^3(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] -((7*A + 15*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]^3*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((15*A + 31*C)*Tan[c + d*x])/(5*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A + 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((5*A + 13*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(10*a^2*d)

Rubi [A] time = 0.6272, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 4021, 4010, 4001, 3795, 203}

$$\frac{(7A + 15C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(5A + 13C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{10a^2d} - \frac{(A + C) \tan(c+dx) \sec^3(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((7*A + 15*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]^3*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((15*A + 31*C)*Tan[c + d*x])/(5*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A + 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((5*A + 13*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(10*a^2*d)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))

) * Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \int \frac{\sec^3(c+dx)\left(a(A+3C)-\frac{1}{2}a(5A+9C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} \frac{1}{2a^2} \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(5A+9C)\sec^2(c+dx)\tan(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(5A+9C)\sec^2(c+dx)\tan(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(15A+31C)\tan(c+dx)}{5ad\sqrt{a+a\sec(c+dx)}} + \frac{(5A+9C)}{10ad} \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(15A+31C)\tan(c+dx)}{5ad\sqrt{a+a\sec(c+dx)}} + \frac{(5A+9C)}{10ad} \\
&= -\frac{(7A+15C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} +
\end{aligned}$$

Mathematica [A] time = 4.90577, size = 189, normalized size = 0.88

$$\frac{\sin(c+dx)\cos(c+dx)(A+C\sec^2(c+dx))\left(\sec^3(c+dx)((75A+131C)\cos(c+dx)+8(5A+9C)\cos(2(c+dx))+25A\cos(3(c+dx))+49C\cos(3(c+dx)))\right)}{20d(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*(-10*Sqrt[2]*(7*A + 15*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cot[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] + (40*A + 88*C + (75*A + 131*C)*Cos[c + d*x] + 8*(5*A + 9*C)*Cos[2*(c + d*x)] + 25*A*Cos[3*(c + d*x)] + 49*C*Cos[3*(c + d*x)])*Sec[c + d*x]^3*Sin[c + d*x])/((20*d*(A + 2*C + A*Cos[2*(c + d*x)]))*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.339, size = 784, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{(3/2)},x)$

[Out] $\frac{1}{80}d/a^2*(-1+\cos(dx+c))*(35A*\cos(dx+c)^3*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(5/2)}+75C*\cos(dx+c)^3*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(5/2)}+105A*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(5/2)}*\sin(dx+c)*\cos(dx+c)^2+225C*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(5/2)}*\sin(dx+c)*\cos(dx+c)^2+105A*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(5/2)}*\sin(dx+c)*\cos(dx+c)+225C*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(5/2)}*\sin(dx+c)*\cos(dx+c)+35A*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(5/2)}*\sin(dx+c)+75C*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(5/2)}*\sin(dx+c)+200A*\cos(dx+c)^4+392C*\cos(dx+c)^4-40A*\cos(dx+c)^3-104C*\cos(dx+c)^3-160A*\cos(dx+c)^2-320C*\cos(dx+c)^2+64C*\cos(dx+c)-32C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}/\cos(dx+c)^2/\sin(dx+c)^3$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{(3/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.626887, size = 1268, normalized size = 5.93

$$\frac{5\sqrt{2}\left((7A+15C)\cos(dx+c)^4 + 2(7A+15C)\cos(dx+c)^3 + (7A+15C)\cos(dx+c)^2\right)\sqrt{-a}\log\left(-\frac{2\sqrt{2}\sqrt{-a}\sqrt{\frac{a\cos(dx+c)}{\cos(dx+c)}}}{\cos(dx+c)}\right)}{40(a^2d\cos(dx+c))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/40*(5*sqrt(2)*((7*A + 15*C)*cos(d*x + c)^4 + 2*(7*A + 15*C)*cos(d*x + c)^3 + (7*A + 15*C)*cos(d*x + c)^2)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((25*A + 49*C)*cos(d*x + c)^3 + 4*(5*A + 9*C)*cos(d*x + c)^2 - 4*C*cos(d*x + c) + 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2), 1/20*(5*sqrt(2))*((7*A + 15*C)*cos(d*x + c)^4 + 2*(7*A + 15*C)*cos(d*x + c)^3 + (7*A + 15*C)*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((25*A + 49*C)*cos(d*x + c)^3 + 4*(5*A + 9*C)*cos(d*x + c)^2 - 4*C*cos(d*x + c) + 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^3(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [A] time = 9.49401, size = 420, normalized size = 1.96

$$\frac{5\sqrt{2}(7A+15C)\log\left(-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\left(\left(\frac{5\sqrt{2}(Aa^3+Ca^3)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\sqrt{2}(55Aa^3+127Ca^3)}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + \frac{5\sqrt{2}(19Aa^3+35Ca^3)}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)^2\sqrt{-a}}$$

20d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] -1/20*(5*sqrt(2)*(7*A + 15*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (((5*sqrt(2)*(A*a^3 + C*a^3)*tan(1/2*d*x + 1/2*c)^2/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(55*A*a^3 + 127*C*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)^2 + 5*sqrt(2)*(19*A*a^3 + 35*C*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)^2 - 5*sqrt(2)*(9*A*a^3 + 17*C*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/d
```

$$3.194 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=169

$$\frac{(3A + 11C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3A + 7C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{6a^2d} - \frac{(A + C) \tan(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] ((3*A + 11*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((3*A + 13*C)*Tan[c + d*x])/(3*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((3*A + 7*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(6*a^2*d)

Rubi [A] time = 0.448418, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4085, 4010, 4001, 3795, 203}

$$\frac{(3A + 11C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3A + 7C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{6a^2d} - \frac{(A + C) \tan(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2),x]

[Out] ((3*A + 11*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((3*A + 13*C)*Tan[c + d*x])/(3*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((3*A + 7*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(6*a^2*d)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^(m), x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \int \frac{\sec^2(c+dx)\left(2aC-\frac{1}{2}a(3A+7C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A+7C)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{6a^2d} \\
&= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(3A+13C)\tan(c+dx)}{3ad\sqrt{a+a\sec(c+dx)}} + \frac{(3A+7C)}{3ad} \\
&= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(3A+13C)\tan(c+dx)}{3ad\sqrt{a+a\sec(c+dx)}} + \frac{(3A+7C)}{3ad} \\
&= \frac{(3A+11C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(3A+7C)}{3ad}
\end{aligned}$$

Mathematica [A] time = 3.64517, size = 162, normalized size = 0.96

$$\frac{\sin(c+dx)\cos(c+dx)(A+C\sec^2(c+dx))\left(3\sqrt{2}(3A+11C)\cot^2\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)-1}\tan^{-1}\left(\frac{\sqrt{\sec(c+dx)-1}}{\sqrt{2}}\right)\right)}{6d(a(\sec(c+dx)+1))^{3/2}(A\cos(2(c+dx))+A)+A}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Cos[c + d*x]*(A + C*Sec[c + d*x]^2)*(3*Sqrt[2]*(3*A + 11*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cot[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] - (3*A + 11*C + 24*C*Cos[c + d*x] + (3*A + 19*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^2)*Sin[c + d*x])/(6*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.311, size = 594, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2}, x)$

[Out] $\frac{1}{24} \frac{d}{a^2} (-1 + \cos(dx+c)) * (9A \ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2\cos(dx+c)/(\cos(dx+c)+1))^{3/2} * \sin(dx+c) * \cos(dx+c)^2 + 33C \ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2\cos(dx+c)/(\cos(dx+c)+1))^{3/2} * \sin(dx+c) * \cos(dx+c)^2 + 18A \sin(dx+c) * \ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2\cos(dx+c)/(\cos(dx+c)+1))^{3/2} * \cos(dx+c) + 66C \sin(dx+c) * \ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2\cos(dx+c)/(\cos(dx+c)+1))^{3/2} * \cos(dx+c) + 9A \ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2\cos(dx+c)/(\cos(dx+c)+1))^{3/2} * \sin(dx+c) + 33C \ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2\cos(dx+c)/(\cos(dx+c)+1))^{3/2} * \sin(dx+c) - 12A \cos(dx+c)^3 - 76C \cos(dx+c)^3 + 12A \cos(dx+c)^2 + 28C \cos(dx+c)^2 + 64C \cos(dx+c) - 16C) * (a * (\cos(dx+c)+1) / \cos(dx+c))^{1/2} / \sin(dx+c)^3 / \cos(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.619937, size = 1173, normalized size = 6.94

$$\left[\frac{3\sqrt{2}((3A+11C)\cos(dx+c)^3 + 2(3A+11C)\cos(dx+c)^2 + (3A+11C)\cos(dx+c))\sqrt{-a} \log\left(\frac{2\sqrt{2}\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}}{\cos(dx+c)}\right)}{24(a^2d\cos(dx+c))^3 + 2a^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/24*(3*sqrt(2))*((3*A + 11*C)*cos(d*x + c)^3 + 2*(3*A + 11*C)*cos(d*x + c)^2 + (3*A + 11*C)*cos(d*x + c))*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((3*A + 19*C)*cos(d*x + c)^2 + 12*C*cos(d*x + c) - 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c)), -1/12*(3*sqrt(2))*((3*A + 11*C)*cos(d*x + c)^3 + 2*(3*A + 11*C)*cos(d*x + c)^2 + (3*A + 11*C)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((3*A + 19*C)*cos(d*x + c)^2 + 12*C*cos(d*x + c) - 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [B] time = 9.10165, size = 398, normalized size = 2.36

$$\left(\frac{\left(3 \left(\sqrt{2} A \operatorname{asgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) + \sqrt{2} C \operatorname{asgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{a} - \frac{2 \left(3 \sqrt{2} A \operatorname{asgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) + 23 \sqrt{2} C \operatorname{asgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right)}{a} \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right) \sqrt{-a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorit
hm="giac")
```

```
[Out] -1/12*(((3*(sqrt(2)*A*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + sqrt(2)*C*a*sgn(t
an(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a - 2*(3*sqrt(2)*A*a*sgn
(tan(1/2*d*x + 1/2*c)^2 - 1) + 23*sqrt(2)*C*a*sgn(tan(1/2*d*x + 1/2*c)^2 -
1))/a)*tan(1/2*d*x + 1/2*c)^2 + 3*(sqrt(2)*A*a*sgn(tan(1/2*d*x + 1/2*c)^2 -
1) + 9*sqrt(2)*C*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a)*tan(1/2*d*x + 1/2*c
)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)) - 3*
(3*sqrt(2)*A + 11*sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(
-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1
)))/d
```


$$3.195 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=126

$$\frac{(A-7C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A+5C) \tan(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(A+C) \tan(c+dx) \sec(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] ((A - 7*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((A + 5*C)*Tan[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.230168, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4079, 4001, 3795, 203}

$$\frac{(A-7C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A+5C) \tan(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(A+C) \tan(c+dx) \sec(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((A - 7*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((A + 5*C)*Tan[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4079

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((A + C)*Cot[e + f*x]*Csc[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[-(b*C) - 2*A*b*(m + 1) + a*(A*(m + 2) - C*(m - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\sec(c+dx)(a(A-C)+\frac{1}{2}a(A+5C)\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\ &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A+5C)\tan(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{(A-7C)\int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{4a} \\ &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A+5C)\tan(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \frac{(A-7C)\text{Subst}\left[\frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}}, \frac{a\sec(c+dx)}{2a}\right]}{4a} \\ &= \frac{(A-7C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A+C)\sec(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A+5C)\tan(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 1.81293, size = 127, normalized size = 1.01

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\left(2\sin^2\left(\frac{1}{2}(c+dx)\right)(A+4C\sec(c+dx)+5C)+\sqrt{2}(A-7C)\cos^2\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)-1}\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\right)}{2ad(\cos(c+dx)-1)\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((Sqrt[2]*(A - 7*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] + 2*(A + 5*C + 4*C*Sec[c + d*x])*Sin[(c + d*x)/2]^2)*Tan[(c + d*x)/2])/(2*a*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.275, size = 405, normalized size = 3.2

$$\frac{-1 + \cos(dx + c)}{4da^2(\sin(dx + c))^3} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(-A \cos(dx + c) \sin(dx + c) \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \ln \left(-\frac{1}{\sin(dx + c)} \left(-\sqrt{-2} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)

[Out] 1/4/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(-A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+7*C*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+7*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+2*A*cos(d*x+c)^2+10*C*cos(d*x+c)^2-2*A*cos(d*x+c)-2*C*cos(d*x+c)-8*C)/sin(d*x+c)^3

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x, algorithm="maxima")

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)/(a*sec(d*x + c) + a)^(3/2), x)
```

Fricas [A] time = 0.607946, size = 987, normalized size = 7.83

$$\frac{\sqrt{2}((A - 7C) \cos(dx + c)^2 + 2(A - 7C) \cos(dx + c) + A - 7C) \sqrt{-a} \log \left(\frac{2\sqrt{2}\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) - 3a \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{8(a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [1/8*(sqrt(2)*((A - 7*C)*cos(d*x + c)^2 + 2*(A - 7*C)*cos(d*x + c) + A - 7*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((A + 5*C)*cos(d*x + c) + 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((A - 7*C)*cos(d*x + c)^2 + 2*(A - 7*C)*cos(d*x + c) + A - 7*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((A + 5*C)*cos(d*x + c) + 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(a*(sec(c + d*x) + 1))**(3/2), x)
```

Giac [A] time = 9.0595, size = 251, normalized size = 1.99

$$\frac{\left(\frac{\sqrt{2}(Aa^2+Ca^2)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^3\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\sqrt{2}(Aa^2+9Ca^2)}{a^3\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} \right) \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}} + \frac{\sqrt{2}(A-7C)\log\left(\left|-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right|\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}$$

$4d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] 1/4*((sqrt(2)*(A*a^2 + C*a^2)*tan(1/2*d*x + 1/2*c)^2/(a^3*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(A*a^2 + 9*C*a^2)/(a^3*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)/sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a) + sqrt(2)*(A - 7*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.196 \quad \int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=125

$$-\frac{(5A-3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A+C) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(a^(3/2)*d) - ((5*A - 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/ (2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Tan[c + d*x])/ (2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.190262, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {4053, 3920, 3774, 203, 3795}

$$-\frac{(5A-3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A+C) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(a^(3/2)*d) - ((5*A - 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/ (2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Tan[c + d*x])/ (2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4053

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) - a*(A*(m + 1) - C*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D

ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A + C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{\int \frac{-2aA + \frac{1}{2}a(A-3C) \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\
 &= -\frac{(A + C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{a^2} - \frac{(5A - 3C) \int \frac{\sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{4a} \\
 &= -\frac{(A + C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(2A) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{ad} + \frac{(5A - 3C) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{ad} \\
 &= \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{a^{3/2}d} - \frac{(5A - 3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A + C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 1.38849, size = 154, normalized size = 1.23

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \left((A + C)(\cos(c + dx) - 1) - \sqrt{2}(5A - 3C) \cos^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx) - 1} \tan^{-1}\left(\frac{\sqrt{\sec(c+dx)-1}}{\sqrt{2}}\right) + 8 \right)}{2ad(\cos(c + dx) - 1)\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(3/2),x]

[Out] -(((A + C)*(-1 + Cos[c + d*x]) + 8*A*ArcTan[Sqrt[-1 + Sec[c + d*x]])*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] - Sqrt[2]*(5*A - 3*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]])*Tan[(c + d*x)/2])/(2*a*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.232, size = 554, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] -1/4/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(4*A*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*cos(d*x+c)+5*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+4*A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-3*C*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+5*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-3*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-2*A*cos(d*x+c)^2-2*C*cos(d*x+c)^2+2*A*cos(d*x+c)+2*C*cos(d*x+c))/(cos(d*x+c)+1)/sin(d*x+c)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)/(a*sec(d*x + c) + a)^(3/2), x)

Fricas [B] time = 7.92495, size = 1432, normalized size = 11.46

$$\frac{4(A + C)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) - \sqrt{2}\left((5A - 3C)\cos(dx+c)^2 + 2(5A - 3C)\cos(dx+c) + 5A - 3C\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/8*(4*(A + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((5*A - 3*C)*cos(d*x + c)^2 + 2*(5*A - 3*C)*cos(d*x + c) + 5*A - 3*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 8*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(2*(A + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((5*A - 3*C)*cos(d*x + c)^2 + 2*(5*A - 3*C)*cos(d*x + c) + 5*A - 3*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 8*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [B] time = 11.2279, size = 416, normalized size = 3.33

$$\frac{\sqrt{2}(5A-3C)\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{8A\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}+3)\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{8A\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}-3)\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(\sqrt{2}*(5*A - 3*C)*\log((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2)/(\sqrt{-a}*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + \\ & 8*A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) \\ & - 8*A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) \\ & - 2*(\sqrt{2}*A*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) + \sqrt{2}*C*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*\tan(1/2*d*x + 1/2*c)/a^3)/d \end{aligned}$$

$$3.197 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=158

$$\frac{(9A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{3A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(3A+C) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(A+C) \sin(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] (-3*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) + ((9*A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*A + C)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.386058, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4085, 4022, 3920, 3774, 203, 3795}

$$\frac{(9A+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{3A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(3A+C) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(A+C) \sin(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (-3*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) + ((9*A + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*A + C)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D
ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre
eQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A+C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\cos(c+dx)\left(-a(3A+C)+\frac{1}{2}a(3A-C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A+C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A+C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \frac{\int \frac{3a^2A-\frac{1}{2}a^2(3A+C)\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^3} \\
&= -\frac{(A+C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A+C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \frac{(3A)\int \sqrt{a+a\sec(c+dx)} dx}{2a^2} \\
&= -\frac{(A+C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A+C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{(3A)\text{Subst}\left(\int \frac{1}{a+x^2} dx\right)}{ad} \\
&= -\frac{3A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{3/2}d} + \frac{(9A+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A+C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.57668, size = 167, normalized size = 1.06

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\left(2\sin^2\left(\frac{1}{2}(c+dx)\right)(2A\cos(c+dx)+3A+C)+\sqrt{2}(9A+C)\cos^2\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)-1}\tan\left(\frac{1}{2}(c+dx)\right)\right)}{2ad(\cos(c+dx)-1)\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((-12*A*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] + Sqrt[2]*(9*A + C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] + 2*(3*A + C + 2*A*Cos[c + d*x])*Sin[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(2*a*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.333, size = 561, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)`

[Out]
$$-1/4/d/a^2*(-1+\cos(dx+c))*(6A\sin(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*\cos(dx+c)+6A*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+9A*\cos(dx+c)*\sin(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))+C*\cos(dx+c)*\sin(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))+9A*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)-4A*\cos(dx+c)^3+C*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)-2A*\cos(dx+c)^2-2C*\cos(dx+c)^2+6A*\cos(dx+c)+2C*\cos(dx+c))*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)^3$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \cos(dx+c)}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/(a*sec(d*x + c) + a)^(3/2), x)`

Fricas [A] time = 7.98163, size = 1486, normalized size = 9.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")`

```
[Out] [-1/8*(sqrt(2)*((9*A + C)*cos(d*x + c)^2 + 2*(9*A + C)*cos(d*x + c) + 9*A +
C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)
)*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(c
os(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 12*(A*cos(d*x + c)^2 + 2*A*cos(d*x +
c) + A)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*
x + c) + 1)) - 4*(2*A*cos(d*x + c)^2 + (3*A + C)*cos(d*x + c))*sqrt((a*cos(
d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*c
os(d*x + c) + a^2*d), -1/4*(sqrt(2)*((9*A + C)*cos(d*x + c)^2 + 2*(9*A + C)
*cos(d*x + c) + 9*A + C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/c
os(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 12*(A*cos(d*x + c)^2 +
2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c)
)*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*(2*A*cos(d*x + c)^2 + (3*A + C)*
cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*
cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \cos(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*cos(c + d*x)/(a*(sec(c + d*x) + 1))**(3/2)
, x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm
="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.198 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=217

$$\frac{(19A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A + 5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A + 2C) \sin(c + dx)}{4ad\sqrt{a \sec(c + dx) + a}} + \frac{(2A + C) \sin(c + dx)}{2ad\sqrt{a \sec(c + dx) + a}}$$

[Out] $((19*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^{3/2}*d) - ((13*A + 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^{3/2}*d) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^{3/2}) - ((7*A + 2*C)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((2*A + C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])$

Rubi [A] time = 0.587937, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 4022, 3920, 3774, 203, 3795}

$$\frac{(19A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A + 5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A + 2C) \sin(c + dx)}{4ad\sqrt{a \sec(c + dx) + a}} + \frac{(2A + C) \sin(c + dx)}{2ad\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^2*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x]^{3/2}), x]$

[Out] $((19*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^{3/2}*d) - ((13*A + 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^{3/2}*d) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^{3/2}) - ((7*A + 2*C)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((2*A + C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])$

Rule 4085

$\text{Int}(((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^{2*(C_.)})*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol) \rightarrow -\text{Simp}[(a*(A + C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))$

) * Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\cos^2(c+dx)\left(-2a(2A+C)+\frac{1}{2}a(5A+C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(2A+C)\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \frac{\int \frac{\cos^2(c+dx)\left(-2a(2A+C)+\frac{1}{2}a(5A+C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7A+2C)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} + \frac{(2A+C)\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7A+2C)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} + \frac{(2A+C)\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7A+2C)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} + \frac{(2A+C)\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(19A+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4a^{3/2}d} - \frac{(13A+5C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 26.7637, size = 12015, normalized size = 55.37

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.369, size = 1064, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)
```

```
[Out] 1/16/d/a^2*(-1+cos(d*x+c))*(-19*A*cos(d*x+c)^2*sin(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*2^(1/2)-8*C*cos(d*x+c)^2*sin(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*2^(1/2)-26*A*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)*cos(d*x+c)^2-38*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)-10*C*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)*cos(d*x+c)^2-16*C*cos(d*x+c)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-52*A*sin(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*cos(d*x+c)-19*A*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-20*C*sin(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*cos(d*x+c)-8*C*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)+8*A*cos(d*x+c)^5-26*A*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-10*C*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-20*A*cos(d*x+c)^4-16*A*cos(d*x+c)^3-8*C*cos(d*x+c)^3+28*A*cos(d*x+c)^2+8*C*cos(d*x+c)^2)*(a*cos(d*x+c)+1)/cos(d*x+c)^(1/2)/cos(d*x+c)/sin(d*x+c)^3
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/(a*sec(d*x + c) + a)^(3/2), x)
```

Fricas [A] time = 15.1479, size = 1646, normalized size = 7.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [-1/8*(sqrt(2)*((13*A + 5*C)*cos(d*x + c)^2 + 2*(13*A + 5*C)*cos(d*x + c) + 13*A + 5*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + ((19*A + 8*C)*cos(d*x + c)^2 + 2*(19*A + 8*C)*cos(d*x + c) + 19*A + 8*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 2*(2*A*cos(d*x + c)^3 - 3*A*cos(d*x + c)^2 - (7*A + 2*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/4*(sqrt(2)*((13*A + 5*C)*cos(d*x + c)^2 + 2*(13*A + 5*C)*cos(d*x + c) + 13*A + 5*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((19*A + 8*C)*cos(d*x + c)^2 + 2*(19*A + 8*C)*cos(d*x + c) + 19*A + 8*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + (2*A*cos(d*x + c)^3 - 3*A*cos(d*x + c)^2 - (7*A + 2*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.199 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=266

$$-\frac{(47A + 24C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8a^{3/2}d} + \frac{(17A + 9C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{3(7A + 4C) \sin(c + dx)}{8ad\sqrt{a \sec(c + dx) + a}} + \frac{(5A + 3C) \sin(c + dx)}{6ad\sqrt{a \sec(c + dx) + a}}$$

[Out] -((47*A + 24*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*a^(3/2)*d) + ((17*A + 9*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Cos[c + d*x]^2*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + (3*(7*A + 4*C)*Sin[c + d*x])/(8*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((13*A + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A + 3*C)*Cos[c + d*x]^2*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.775701, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 4022, 3920, 3774, 203, 3795}

$$-\frac{(47A + 24C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8a^{3/2}d} + \frac{(17A + 9C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{3(7A + 4C) \sin(c + dx)}{8ad\sqrt{a \sec(c + dx) + a}} + \frac{(5A + 3C) \sin(c + dx)}{6ad\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((47*A + 24*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*a^(3/2)*d) + ((17*A + 9*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Cos[c + d*x]^2*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + (3*(7*A + 4*C)*Sin[c + d*x])/(8*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((13*A + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A + 3*C)*Cos[c + d*x]^2*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +

1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\cos^3(c+dx)(-a(5A+3C)+\frac{1}{2}a(7A+3C)\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}}}{2a^2} \\
&= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(5A+3C)\cos^2(c+dx)\sin(c+dx)}{6ad\sqrt{a+a\sec(c+dx)}} - \frac{\int}{\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(13A+6C)\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}} + \frac{(5A+3C)\cos^2(c+dx)\sin(c+dx)}{6ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{3(7A+4C)\sin(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} - \frac{(13A+6C)\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{3(7A+4C)\sin(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} - \frac{(13A+6C)\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{3(7A+4C)\sin(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} - \frac{(13A+6C)\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(47A+24C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8a^{3/2}d} + \frac{(17A+9C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 2.92112, size = 204, normalized size = 0.77

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\left(\sin^2\left(\frac{1}{2}(c+dx)\right)\left((43A+24C)\cos(c+dx)-3A\cos(2(c+dx))+2A\cos(3(c+dx))+60A+36C\right)-3\right)}{12ad(c+dx)\sqrt{a+a\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((-3*(47*A + 24*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] + 6*Sqrt[2]*(17*A + 9*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] + (60*A + 36*C + (43*A + 24*C)*Cos[c + d*x] - 3*A*Cos[2*(c + d*x)] + 2*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(12*a*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.325, size = 1414, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^3 (A+C\sec(dx+c)^2) / (a+a\sec(dx+c))^{3/2}, x)$

[Out]
$$\begin{aligned} & -1/192/d/a^2*(-1+\cos(dx+c))*(141*A*\cos(dx+c)^3*\sin(dx+c)*(-2*\cos(dx+c)/ \\ & (\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *\sin(dx+c)/\cos(dx+c))*2^{1/2}+72*C*\cos(dx+c)^3*\sin(dx+c)*(-2*\cos(dx+c) \\ & /(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *\sin(dx+c)/\cos(dx+c))*2^{1/2}+204*A*\cos(dx+c)^3*\sin(dx+c)*\ln(-(-2*\cos(dx+c) \\ & /(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c) \\ & /(\cos(dx+c)+1))^{5/2}+423*A*\sin(dx+c)*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2} \\ & *(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c) \\ & /(\cos(dx+c)+1))^{5/2}*\cos(dx+c)^2+108*C*\cos(dx+c)^3*\sin(dx+c)*\ln(-(-2*\cos(dx+c) \\ & /(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c)) \\ & *(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}+216*C*\sin(dx+c)*2^{1/2}*\operatorname{arctanh}(1/2* \\ & 2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos \\ & (dx+c)/(\cos(dx+c)+1))^{5/2}*\cos(dx+c)^2+612*A*\ln(-(-2*\cos(dx+c)/(\cos \\ & (dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c) \\ & +1))^{5/2}*\sin(dx+c)*\cos(dx+c)^2+423*A*\sin(dx+c)*2^{1/2}*\operatorname{arctanh}(1/ \\ & 2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*c \\ & \cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\cos(dx+c)+324*C*\ln(-(-2*\cos(dx+c)/(\cos \\ & (dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c) \\ & +1))^{5/2}*\sin(dx+c)*\cos(dx+c)^2+216*C*\sin(dx+c)*2^{1/2}*\operatorname{arctanh}(1/ \\ & 2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*c \\ & \cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\cos(dx+c)+612*A*\ln(-(-2*\cos(dx+c)/(\cos \\ & (dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c) \\ & +1))^{5/2}*\sin(dx+c)*\cos(dx+c)+141*A*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c) \\ & /(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*(-2*\cos(dx+c)/(\cos \\ & (dx+c)+1))^{5/2}*\sin(dx+c)+324*C*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2} \\ & *\sin(dx+c)*\cos(dx+c)+72*C*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c) \\ & +1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2} \\ & *\sin(dx+c)+204*A*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\ & +\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\sin(dx+c)- \\ & 64*A*\cos(dx+c)^7+108*C*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\ & +\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\sin(dx+c) \\ & +112*A*\cos(dx+c)^6-344*A*\cos(dx+c)^5-192*C*\cos(dx+c)^5-208*A*\cos(dx+c) \\ & ^4-96*C*\cos(dx+c)^4+504*A*\cos(dx+c)^3+288*C*\cos(dx+c)^3)*(a*(\cos(dx+c)+ \end{aligned}$$

1)/cos(d*x+c))^(1/2)/cos(d*x+c)^2/sin(d*x+c)^3

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \cos(dx+c)^3}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^3/(a*sec(d*x + c) + a)^(3/2), x)

Fricas [A] time = 15.0457, size = 1756, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/48*(6*sqrt(2)*((17*A + 9*C)*cos(d*x + c)^2 + 2*(17*A + 9*C)*cos(d*x + c) + 17*A + 9*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 3*((47*A + 24*C)*cos(d*x + c)^2 + 2*(47*A + 24*C)*cos(d*x + c) + 47*A + 24*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 2*(8*A*cos(d*x + c)^4 - 6*A*cos(d*x + c)^3 + (37*A + 24*C)*cos(d*x + c)^2 + 9*(7*A + 4*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/24*(6*sqrt(2)*((17*A + 9*C)*cos(d*x + c)^2 + 2*(17*A + 9*C)*cos(d*x + c) + 17*A + 9*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 3*((47*A + 24*C)*cos(d*x + c)^2 + 2*(47*A + 24*C)*cos(d*x + c) + 47*A + 24*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*cos(d*x + c)^4 - 6*A*cos(d*x + c)

$$\begin{aligned} &^3 + (37*A + 24*C)*\cos(d*x + c)^2 + 9*(7*A + 4*C)*\cos(d*x + c))*\sqrt{(a*\cos \\ &(d*x + c) + a)/\cos(d*x + c))*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d* \\ &\cos(d*x + c) + a^2*d)} \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.200 \quad \int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=259

$$\frac{(45A + 157C) \tan(c + dx) \sec^2(c + dx)}{80a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(75A + 283C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(195A + 787C) \tan(c + dx) \sqrt{a \sec(c + dx)}}{240a^3 d}$$

[Out] -((75*A + 283*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((5*A + 21*C)*Sec[c + d*x]^3*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((465*A + 1729*C)*Tan[c + d*x])/(120*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((45*A + 157*C)*Sec[c + d*x]^2*Tan[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((195*A + 787*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(240*a^3*d)

Rubi [A] time = 0.837182, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4019, 4021, 4010, 4001, 3795, 203}

$$\frac{(45A + 157C) \tan(c + dx) \sec^2(c + dx)}{80a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(75A + 283C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(195A + 787C) \tan(c + dx) \sqrt{a \sec(c + dx)}}{240a^3 d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -((75*A + 283*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^4*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((5*A + 21*C)*Sec[c + d*x]^3*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((465*A + 1729*C)*Tan[c + d*x])/(120*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((45*A + 157*C)*Sec[c + d*x]^2*Tan[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((195*A + 787*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(240*a^3*d)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +

1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c+dx) (A + C \sec^2(c+dx))}{(a + a \sec(c+dx))^{5/2}} dx &= -\frac{(A+C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{\int \frac{\sec^4(c+dx) \left(4aC - \frac{1}{2}a(5A+13C) \sec(c+dx)\right)}{(a+a \sec(c+dx))^{3/2}} dx}{4a^2} \\
 &= -\frac{(A+C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A+21C) \sec^3(c+dx) \tan(c+dx)}{16ad(a + a \sec(c+dx))^{3/2}} \\
 &= -\frac{(A+C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A+21C) \sec^3(c+dx) \tan(c+dx)}{16ad(a + a \sec(c+dx))^{3/2}} + \\
 &= -\frac{(A+C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A+21C) \sec^3(c+dx) \tan(c+dx)}{16ad(a + a \sec(c+dx))^{3/2}} + \\
 &= -\frac{(A+C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A+21C) \sec^3(c+dx) \tan(c+dx)}{16ad(a + a \sec(c+dx))^{3/2}} + \\
 &= -\frac{(A+C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A+21C) \sec^3(c+dx) \tan(c+dx)}{16ad(a + a \sec(c+dx))^{3/2}} + \\
 &= -\frac{(75A+283C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A+C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}}
 \end{aligned}$$

Mathematica [A] time = 3.37294, size = 220, normalized size = 0.85

$$\tan(c+dx) \sec^2(c+dx) (A + C \sec^2(c+dx)) \left(50(153A + 521C) \cos(c+dx) + 108(45A + 157C) \cos(2(c+dx)) + \frac{60\sqrt{2}(7}{9}
 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((4125*A + 15053*C + 50*(153*A + 521*C)*Cos[c + d*x] + 108*(45*A + 157*C)*Cos[2*(c + d*x)] + 2550*A*Cos[3*(c + d*x)] + 9110*C*Cos[3*(c + d*x)] + 735*A*Cos[4*(c + d*x)] + 2671*C*Cos[4*(c + d*x)] + (60*Sqrt[2]*(75*A + 283*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cos[c + d*x]^3*(1 + Cos[c + d*x])^2*Sqrt[-1 + Sec[c + d*x]])/(-1 + Cos[c + d*x]))*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*Tan[c + d*x]/(960*d*(A + 2*C + A*Cos[2*(c + d*x)]*(a*(1 + Sec[c + d*x])))^(5/2))

Maple [B] time = 0.356, size = 976, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

[Out] -1/1920/d/a^3*(-1+cos(d*x+c))^2*(1125*A*sin(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^4+4245*C*sin(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^4+4500*A*cos(d*x+c)^3*sin(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)+16980*C*cos(d*x+c)^3*sin(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)+6750*A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)*cos(d*x+c)^2+25470*C*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)*cos(d*x+c)^2+4500*A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)*cos(d*x+c)+16980*C*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)*cos(d*x+c)+1125*A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+4245*C*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+5880*A*cos(d*x+c)^5+21368*C*cos(d*x+c)^5+4320*A*cos(d*x+c)^4+15072*C*cos(d*x+c)^4-6360*A*

$$\cos(d*x+c)^3-23896*C*\cos(d*x+c)^3-3840*A*\cos(d*x+c)^2-13824*C*\cos(d*x+c)^2+2048*C*\cos(d*x+c)-768*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)^5/\cos(d*x+c)^2$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.662063, size = 1567, normalized size = 6.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/960*(15*\sqrt{2})*((75*A + 283*C)*\cos(d*x + c)^5 + 3*(75*A + 283*C)*\cos(d*x + c)^4 + 3*(75*A + 283*C)*\cos(d*x + c)^3 + (75*A + 283*C)*\cos(d*x + c)^2) \\ & * \sqrt{-a} * \log(-(2*\sqrt{2})*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}) \\ & * \cos(d*x + c)*\sin(d*x + c) - 3*a*\cos(d*x + c)^2 - 2*a*\cos(d*x + c) + a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 4*((735*A + 2671*C)*\cos(d*x + c)^4 + 5*(255*A + 911*C)*\cos(d*x + c)^3 + 32*(15*A + 49*C)*\cos(d*x + c)^2 - 160*C*\cos(d*x + c) + 96*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c))/ \\ & (a^3*d*\cos(d*x + c)^5 + 3*a^3*d*\cos(d*x + c)^4 + 3*a^3*d*\cos(d*x + c)^3 + a^3*d*\cos(d*x + c)^2), 1/480*(15*\sqrt{2})*((75*A + 283*C)*\cos(d*x + c)^5 + 3*(75*A + 283*C)*\cos(d*x + c)^4 + 3*(75*A + 283*C)*\cos(d*x + c)^3 + (75*A + 283*C)*\cos(d*x + c)^2)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)/(\sqrt{a}*\sin(d*x + c))) + 2*((735*A + 2671*C)*\cos(d*x + c)^4 + 5*(255*A + 911*C)*\cos(d*x + c)^3 + 32*(15*A + 49*C)*\cos(d*x + c)^2 - 160*C*\cos(d*x + c) + 96*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c))/ \\ & (a^3*d*\cos(d*x + c)^5 + 3*a^3*d*\cos(d*x + c)^4 + 3*a^3*d*\cos(d*x + c)^3 + a^3*d*\cos(d*x + c)^2) \end{aligned}$$

$$+ c)^3 + a^3 d \cos(dx + c)^2]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(A+C*sec(dx+c)**2)/(a+a*sec(dx+c))**(5/2),x)

[Out] Timed out

Giac [A] time = 9.37325, size = 591, normalized size = 2.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(5/2),x, algorithm="giac")

[Out]
$$\frac{1}{480} \left(\left(\left(15 \cdot (2 \cdot (\sqrt{2}) \cdot A \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1) + \sqrt{2} \cdot C \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1 \right) \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 / a^2 + (13 \cdot \sqrt{2}) \cdot A \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1 + 29 \cdot \sqrt{2} \cdot C \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1 \right) / a^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 - (1725 \cdot \sqrt{2}) \cdot A \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1 + 6733 \cdot \sqrt{2} \cdot C \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1 \right) / a^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 + 5 \cdot (549 \cdot \sqrt{2}) \cdot A \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1 + 1973 \cdot \sqrt{2} \cdot C \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1 \right) / a^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 - 15 \cdot (83 \cdot \sqrt{2}) \cdot A \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1 + 291 \cdot \sqrt{2} \cdot C \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1 \right) / a^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) / \left((a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c))^2 - a \right)^2 \cdot \sqrt{-a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 + a} - 15 \cdot (75 \cdot \sqrt{2}) \cdot A + 283 \cdot \sqrt{2} \cdot C \cdot \log(\operatorname{abs}(-\sqrt{-a} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + \sqrt{-a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 + a})) / (\sqrt{-a} \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c))^2 - 1) \right) / d$$

$$3.201 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=212

$$\frac{(19A + 163C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{5(3A + 19C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{48a^3d} - \frac{(21A + 197C) \tan(c+dx)}{24a^2d\sqrt{a \sec(c+dx)+a}} - \frac{(A + C) \sec^3(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}}$$

[Out] ((19*A + 163*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((A + 17*C)*Sec[c + d*x]^2*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((21*A + 197*C)*Tan[c + d*x])/(24*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + (5*(3*A + 19*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(48*a^3*d)

Rubi [A] time = 0.659367, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 4019, 4010, 4001, 3795, 203}

$$\frac{(19A + 163C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{5(3A + 19C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{48a^3d} - \frac{(21A + 197C) \tan(c+dx)}{24a^2d\sqrt{a \sec(c+dx)+a}} - \frac{(A + C) \sec^3(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((19*A + 163*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((A + 17*C)*Sec[c + d*x]^2*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((21*A + 197*C)*Tan[c + d*x])/(24*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + (5*(3*A + 19*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(48*a^3*d)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))

) * Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \int \frac{\sec^3(c+dx)\left(-a(A-3C)-\frac{1}{2}a(3A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(A+17C)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \int \frac{\sec^3(c+dx)\left(-a(A-3C)-\frac{1}{2}a(3A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(A+17C)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \int \frac{\sec^3(c+dx)\left(-a(A-3C)-\frac{1}{2}a(3A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\
&= -\frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(A+17C)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(19A+163C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \int \frac{\sec^3(c+dx)\left(-a(A-3C)-\frac{1}{2}a(3A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx
\end{aligned}$$

Mathematica [A] time = 2.33556, size = 196, normalized size = 0.92

$$\frac{\tan(c+dx)\sec(c+dx)(A+C\sec^2(c+dx))\left(-81A+1537C\right)\cos(c+dx)-2(39A+503C)\cos(2(c+dx))-\frac{6\sqrt{2}(19A+163C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d}}{96d(a(\sec(c+dx)+1))^{5/2}(A\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((-78*A - 878*C - (81*A + 1537*C)*Cos[c + d*x] - 2*(39*A + 503*C)*Cos[2*(c + d*x)] - 27*A*Cos[3*(c + d*x)] - 299*C*Cos[3*(c + d*x)] - (6*Sqrt[2]*(19*A + 163*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^2*Sqrt[-1 + Sec[c + d*x]])/(-1 + Cos[c + d*x]))*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*Tan[c + d*x])/(96*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.365, size = 786, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2}, x)$

[Out]
$$-1/192/d/a^3*(-1+\cos(dx+c))^{2*}(57*A*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1)))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)*\cos(dx+c)^3+489*C*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)*\cos(dx+c)^3+171*A*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)*\cos(dx+c)^2+1467*C*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)*\cos(dx+c)^2+171*A*\sin(dx+c)*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\cos(dx+c)+1467*C*\sin(dx+c)*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\cos(dx+c)+57*A*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)+489*C*\ln(-(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)-108*A*\cos(dx+c)^4-1196*C*\cos(dx+c)^4-48*A*\cos(dx+c)^3-816*C*\cos(dx+c)^3+156*A*\cos(dx+c)^2+1372*C*\cos(dx+c)^2+768*C*\cos(dx+c)-128*C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)^5/\cos(dx+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.619588, size = 1447, normalized size = 6.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/192*(3*sqrt(2)*((19*A + 163*C)*cos(d*x + c)^4 + 3*(19*A + 163*C)*cos(d*x + c)^3 + 3*(19*A + 163*C)*cos(d*x + c)^2 + (19*A + 163*C)*cos(d*x + c))*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((27*A + 299*C)*cos(d*x + c)^3 + (39*A + 503*C)*cos(d*x + c)^2 + 160*C*cos(d*x + c) - 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c)), -1/96*(3*sqrt(2)*((19*A + 163*C)*cos(d*x + c)^4 + 3*(19*A + 163*C)*cos(d*x + c)^3 + 3*(19*A + 163*C)*cos(d*x + c)^2 + (19*A + 163*C)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((27*A + 299*C)*cos(d*x + c)^3 + (39*A + 503*C)*cos(d*x + c)^2 + 160*C*cos(d*x + c) - 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^3(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [A] time = 9.61947, size = 419, normalized size = 1.98

$$\frac{\left(\left(\frac{2\sqrt{2}(Aa^5+Ca^5)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{\sqrt{2}(7Aa^5+23Ca^5)}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} \right) \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 - \frac{4\sqrt{2}(15Aa^5+167Ca^5)}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} \right) \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + \frac{3\sqrt{2}(11Aa^5+155Ca^5)}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} \right) \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}$$

96d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] -1/96*(((3*(2*sqrt(2)*(A*a^5 + C*a^5)*tan(1/2*d*x + 1/2*c)^2/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + sqrt(2)*(7*A*a^5 + 23*C*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))))*tan(1/2*d*x + 1/2*c)^2 - 4*sqrt(2)*(15*A*a^5 + 167*C*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))) * tan(1/2*d*x + 1/2*c)^2 + 3*sqrt(2)*(11*A*a^5 + 155*C*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))) * tan(1/2*d*x + 1/2*c) / ((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)) - 3*sqrt(2)*(19*A + 163*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))/d

$$3.202 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=165

$$\frac{5(A-15C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A+9C) \tan(c+dx)}{4a^2d\sqrt{a \sec(c+dx)+a}} - \frac{(A+C) \tan(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx)+a)^{5/2}} - \frac{(3A-13C) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{5/2}}$$

[Out] (5*(A - 15*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((3*A - 13*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((A + 9*C)*Tan[c + d*x])/(4*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.456373, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4085, 4008, 4001, 3795, 203}

$$\frac{5(A-15C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A+9C) \tan(c+dx)}{4a^2d\sqrt{a \sec(c+dx)+a}} - \frac{(A+C) \tan(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx)+a)^{5/2}} - \frac{(3A-13C) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (5*(A - 15*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^2*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((3*A - 13*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((A + 9*C)*Tan[c + d*x])/(4*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{\int \frac{\sec^2(c+dx)\left(-2a(A-C)-\frac{1}{2}a(A+9C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(3A-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\sec(c+dx)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(3A-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(A+9C)}{4a^2d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(3A-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(A+9C)}{4a^2d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{5(A-15C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(3A-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 3.2032, size = 136, normalized size = 0.82

$$\frac{\tan^3\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)(-10(A+17C)\cos(c+dx)+(A+49C)\cos(2(c+dx))+A+113C)-5\sqrt{2}(A-15C)\sin(c+dx)}{32a^2d(\cos(c+dx)-1)\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (-5*Sqrt[2]*(A - 15*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Sqrt[-1 + Sec[c + d*x]]*Sin[c + d*x] - (A + 113*C + 10*(A + 17*C)*Cos[c + d*x] + (A + 49*C)*Cos[2*(c + d*x)])*Sec[c + d*x]*Tan[(c + d*x)/2]^3)/(32*a^2*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.301, size = 597, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

```
[Out] 1/32/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(5*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2-75*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2+10*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-150*C*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+5*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-2*A*cos(d*x+c)^3-75*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-98*C*cos(d*x+c)^3-8*A*cos(d*x+c)^2-72*C*cos(d*x+c)^2+10*A*cos(d*x+c)+106*C*cos(d*x+c)+64*C)/sin(d*x+c)^5
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.602017, size = 1238, normalized size = 7.5

$$\left[\frac{5\sqrt{2}\left((A-15C)\cos(dx+c)^3 + 3(A-15C)\cos(dx+c)^2 + 3(A-15C)\cos(dx+c) + A-15C\right)\sqrt{-a}\log\left(-\frac{2\sqrt{2}\sqrt{-a}\sqrt{\cos(dx+c)}}{64(a^3d\cos(dx+c))^3}\right)}{64(a^3d\cos(dx+c))^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [1/64*(5*sqrt(2)*((A - 15*C)*cos(d*x + c)^3 + 3*(A - 15*C)*cos(d*x + c)^2 +
3*(A - 15*C)*cos(d*x + c) + A - 15*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sq
rt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d
*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) +
4*((A + 49*C)*cos(d*x + c)^2 + 5*(A + 17*C)*cos(d*x + c) + 32*C)*sqrt((a*co
s(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d
*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(5*sqrt(2)*((A - 15*
C)*cos(d*x + c)^3 + 3*(A - 15*C)*cos(d*x + c)^2 + 3*(A - 15*C)*cos(d*x + c)
+ A - 15*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((A + 49*C)*cos(d*x + c)^2 + 5*(A
+ 17*C)*cos(d*x + c) + 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d
*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x +
c) + a^3*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{(a (\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2), x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a*(sec(c + d*x) + 1))**(5
/2), x)
```

Giac [B] time = 9.0881, size = 386, normalized size = 2.34

$$\left(\frac{\left(2 \left(\sqrt{2} A a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) + \sqrt{2} C a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{a^8} + \frac{\sqrt{2} A a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) + 17 \sqrt{2} C a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right)}{a^8} \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{\sqrt{-a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a}} \right) dx$$

32 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x, algorit
hm="giac")
```

```
[Out] 1/32*(((2*(sqrt(2)*A*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + sqrt(2)*C*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a^8 + (sqrt(2)*A*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 17*sqrt(2)*C*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^8)*tan(1/2*d*x + 1/2*c)^2 - (3*sqrt(2)*A*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 83*sqrt(2)*C*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^8)*tan(1/2*d*x + 1/2*c)/sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a) + 5*(sqrt(2)*A - 15*sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))/d
```

$$3.203 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=130

$$\frac{(3A + 19C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(7A - 9C) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(A + C) \tan(c + dx) \sec(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

[Out] ((3*A + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((7*A - 9*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.260597, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4079, 4000, 3795, 203}

$$\frac{(3A + 19C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(7A - 9C) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(A + C) \tan(c + dx) \sec(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((3*A + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((7*A - 9*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4079

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((A + C)*Cot[e + f*x]*Csc[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[-(b*C) - 2*A*b*(m + 1) + a*(A*(m + 2) - C*(m - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 4000

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{\int \frac{\sec(c+dx)(a(3A-C)-\frac{1}{2}a(A-7C)\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A-9C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(3A+19C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} \\ &= -\frac{(A+C)\sec(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A-9C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(3A+19C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A+C)\sec(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(3A+19C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} \end{aligned}$$

Mathematica [A] time = 2.274, size = 120, normalized size = 0.92

$$\frac{\tan^3\left(\frac{1}{2}(c+dx)\right)\left((9C-7A)\cos(c+dx)-3A+13C\right)-\frac{(3A+19C)\sin(c+dx)\sqrt{\sec(c+dx)-1}\tan^{-1}\left(\frac{\sqrt{\sec(c+dx)-1}}{\sqrt{2}}\right)}{\sqrt{2}}}{16a^2d(\cos(c+dx)-1)\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2),
x]
```

```
[Out] (-(((3*A + 19*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Sqrt[-1 + Sec[c +
d*x]]*Sin[c + d*x])/Sqrt[2]) + (-3*A + 13*C + (-7*A + 9*C)*Cos[c + d*x])*Ta
n[(c + d*x)/2]^3)/(16*a^2*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.278, size = 602, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x)
```

```
[Out] -1/32/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(3*A*(-2*cos
(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*s
in(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2+19*C*(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d
*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2+6*A*cos(d*x+c)*sin(
d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c
)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+38*C*cos(d*x+c)*sin(d*x+c)
*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+3*A*(-2*cos(d*x+c)/(cos(d*x+c)+1
))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1
)/sin(d*x+c))*sin(d*x+c)-14*A*cos(d*x+c)^3+19*C*(-2*cos(d*x+c)/(cos(d*x+c)+
1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-
1)/sin(d*x+c))*sin(d*x+c)+18*C*cos(d*x+c)^3+8*A*cos(d*x+c)^2+8*C*cos(d*x+c)
^2+6*A*cos(d*x+c)-26*C*cos(d*x+c))/(cos(d*x+c)+1)/sin(d*x+c)^3
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm
="maxima")
```


[Out] Timed out

Fricas [A] time = 0.611615, size = 1238, normalized size = 9.52

$$\frac{\sqrt{2}((3A + 19C) \cos(dx + c)^3 + 3(3A + 19C) \cos(dx + c)^2 + 3(3A + 19C) \cos(dx + c) + 3A + 19C) \sqrt{-a} \log\left(\frac{2\sqrt{2}\sqrt{-a}\sqrt{(a \cos(dx + c) + a)/\cos(dx + c)} \cos(dx + c) \sin(dx + c) + 3a \cos(dx + c)^2 + 2a \cos(dx + c) - a}{\cos(dx + c)^2 + 2\cos(dx + c) + 1}\right) - 4((7A - 9C) \cos(dx + c)^2 + (3A - 13C) \cos(dx + c)) \sqrt{(a \cos(dx + c) + a)/\cos(dx + c)} \sin(dx + c)}{64(a^3 d \cos(dx + c))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/64*(sqrt(2)*((3*A + 19*C)*cos(d*x + c)^3 + 3*(3*A + 19*C)*cos(d*x + c)^2 + 3*(3*A + 19*C)*cos(d*x + c) + 3*A + 19*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((7*A - 9*C)*cos(d*x + c)^2 + (3*A - 13*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((3*A + 19*C)*cos(d*x + c)^3 + 3*(3*A + 19*C)*cos(d*x + c)^2 + 3*(3*A + 19*C)*cos(d*x + c) + 3*A + 19*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((7*A - 9*C)*cos(d*x + c)^2 + (3*A - 13*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [A] time = 9.27247, size = 257, normalized size = 1.98

$$\frac{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left(\frac{2\sqrt{2}(Aa^5 + Ca^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{\sqrt{2}(5Aa^5 - 11Ca^5)}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \frac{\sqrt{2}(3A + 19C) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right|\right)}{\sqrt{-a} a^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] 1/32*(sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(A*a^5 + C*a^5)*tan(1/2*d*x + 1/2*c)^2/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(5*A*a^5 - 11*C*a^5)/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c) + sqrt(2)*(3*A + 19*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.204 \quad \int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=162

$$-\frac{(43A-5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A-5C) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{3/2}} - \frac{(A+C) \tan(c+dx)}{4d(a \sec(c+dx)+a)^5}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*A - 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Tan[c + d*x]/(4*d*(a + a*Sec[c + d*x]))^(5/2)) - ((11*A - 5*C)*Tan[c + d*x]/(16*a*d*(a + a*Sec[c + d*x]))^(3/2))

Rubi [A] time = 0.260848, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4053, 3922, 3920, 3774, 203, 3795}

$$-\frac{(43A-5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A-5C) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{3/2}} - \frac{(A+C) \tan(c+dx)}{4d(a \sec(c+dx)+a)^5}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*A - 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Tan[c + d*x]/(4*d*(a + a*Sec[c + d*x]))^(5/2)) - ((11*A - 5*C)*Tan[c + d*x]/(16*a*d*(a + a*Sec[c + d*x]))^(3/2))

Rule 4053

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) - a*(A*(m + 1) - C*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3922

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{5/2}} dx &= -\frac{(A + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{\int \frac{-4aA + \frac{1}{2}a(3A - 5C) \sec(c + dx)}{(a + a \sec(c + dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(11A - 5C) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{8a^2A - \frac{1}{4}a^2(11A - 5C) \sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx}{8a^4} \\
&= -\frac{(A + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(11A - 5C) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{a^3} - \frac{(43A - 5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} \\
&= \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{a^{5/2}d} - \frac{(43A - 5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 3.54011, size = 153, normalized size = 0.94

$$\frac{\tan^3\left(\frac{1}{2}(c + dx)\right) \left((15A - C) \cos(c + dx) + 11A - 5C \right) + \frac{(43A - 5C) \sin(c + dx) \sqrt{\sec(c + dx) - 1} \tan^{-1}\left(\frac{\sqrt{\sec(c + dx) - 1}}{\sqrt{2}}\right)}{\sqrt{2}} - 32A \sin(c + dx) \sqrt{a + a \sec(c + dx)}}{16a^2d(\cos(c + dx) - 1)\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (-32*A*ArcTan[Sqrt[-1 + Sec[c + d*x]])*Sqrt[-1 + Sec[c + d*x]]*Sin[c + d*x] + ((43*A - 5*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Sqrt[-1 + Sec[c + d*x]]*Sin[c + d*x])/Sqrt[2] + (11*A - 5*C + (15*A - C)*Cos[c + d*x])*Tan[(c + d*x)/2]^3/(16*a^2*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.242, size = 824, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

```
[Out] -1/32/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(32*A*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*cos(d*x+c)^2*2^(1/2)+64*A*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*cos(d*x+c)+43*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2-5*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2+32*A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+86*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-10*C*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+43*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-30*A*cos(d*x+c)^3-5*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+2*C*cos(d*x+c)^3+8*A*cos(d*x+c)^2+8*C*cos(d*x+c)^2+22*A*cos(d*x+c)-10*C*cos(d*x+c))/(cos(d*x+c)+1)^2/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [B] time = 16.5249, size = 1748, normalized size = 10.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [1/64*(sqrt(2)*((43*A - 5*C)*cos(d*x + c)^3 + 3*(43*A - 5*C)*cos(d*x + c)^2
+ 3*(43*A - 5*C)*cos(d*x + c) + 43*A - 5*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-
a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*
cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1
)) - 64*(A*cos(d*x + c)^3 + 3*A*cos(d*x + c)^2 + 3*A*cos(d*x + c) + A)*sqrt
(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x
+ c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1))
- 4*((15*A - C)*cos(d*x + c)^2 + (11*A - 5*C)*cos(d*x + c))*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(
d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(sqrt(2)*((43*A - 5*C)*cos
(d*x + c)^3 + 3*(43*A - 5*C)*cos(d*x + c)^2 + 3*(43*A - 5*C)*cos(d*x + c) +
43*A - 5*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 64*(A*cos(d*x + c)^3 + 3*A*cos(d*x
+ c)^2 + 3*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos
(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((15*A - C)*cos(d*x + c
)^2 + (11*A - 5*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*si
n(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*
x + c) + a^3*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2), x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(5/2), x)
```

Giac [B] time = 11.129, size = 470, normalized size = 2.9

$$2\sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} + a \left(\frac{2\sqrt{2}(Aa^5 + Ca^5) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} - \frac{\sqrt{2}(13Aa^5 - 3Ca^5)}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{\sqrt{2}(43A - 5C) \log\left(\left(\sqrt{-a}\right)\right)}{\sqrt{-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/64*(2*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*(2*\sqrt{2}*(A*a^5 + C*a^5)*\tan \\ & (1/2*d*x + 1/2*c)^2/(a^8*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) - \sqrt{2}*(13*A*a \\ & ^5 - 3*C*a^5)/(a^8*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)))*\tan(1/2*d*x + 1/2*c) + \\ & \sqrt{2}*(43*A - 5*C)*\log((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2* \\ & d*x + 1/2*c)^2 + a})^2)/(\sqrt{-a}*a^2*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + 64 \\ & *A*\log(\text{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 \\ & + a})^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*a^2*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) \\ &) - 64*A*\log(\text{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2 \\ & *c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*a^2*\text{sgn}(\tan(1/2*d*x + 1/2*c)^ \\ & 2 - 1)))/d \end{aligned}$$

$$3.205 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=199

$$\frac{(35A+3C)\sin(c+dx)}{16a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(115A+3C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{5A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(15A-C)\sin(c+dx)}{16ad(a \sec(c+dx)+a)}$$

[Out] $(-5*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^{(5/2)*d}) + ((115*A + 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^{(5/2)*d}) - ((A + C)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^{(5/2)}) - ((15*A - C)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^{(3/2)}) + ((35*A + 3*C)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])$

Rubi [A] time = 0.557619, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4085, 4020, 4022, 3920, 3774, 203, 3795}

$$\frac{(35A+3C)\sin(c+dx)}{16a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(115A+3C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{5A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(15A-C)\sin(c+dx)}{16ad(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^{(5/2)}, x]$

[Out] $(-5*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^{(5/2)*d}) + ((115*A + 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^{(5/2)*d}) - ((A + C)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^{(5/2)}) - ((15*A - C)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^{(3/2)}) + ((35*A + 3*C)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])$

Rule 4085

$\text{Int}[(A + C) \csc[e + f*x] * (a + b \csc[e + f*x])^m * (d \csc[e + f*x])^n / (a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b \csc[e + f*x])^{m+1} * (d \csc[e + f*x])^n * \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))] * \csc[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{\int \frac{\cos(c+dx)\left(-a(5A+C)+\frac{1}{2}a(5A-3C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\cos(c+dx)\left(-\frac{1}{2}a^2(35A+\sqrt{a+a\sec(c+dx)})\right)}{\sqrt{a+a\sec(c+dx)}} dx}{16a^2d} \\
&= -\frac{(A+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A+3C)\sin(c+dx)}{16a^2d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A+3C)\sin(c+dx)}{16a^2d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A+3C)\sin(c+dx)}{16a^2d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{5A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{5/2}d} + \frac{(115A+3C) \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 3.85664, size = 166, normalized size = 0.83

$$\frac{\tan^3\left(\frac{1}{2}(c+dx)\right)\left(-((55A+7C)\cos(c+dx)+8A\cos(2(c+dx))+43A+3C)\right) - \frac{(115A+3C)\sin(c+dx)\sqrt{\sec(c+dx)-1}\tan^{-1}\left(\frac{\sqrt{\sec(c+dx)-1}}{\sqrt{2}}\right)}{\sqrt{2}}}{16a^2d(\cos(c+dx)-1)\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (80*A*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Sqrt[-1 + Sec[c + d*x]]*Sin[c + d*x] - ((115*A + 3*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Sqrt[-1 + Sec[c + d*x]]*Sin[c + d*x])/Sqrt[2] - (43*A + 3*C + (55*A + 7*C)*Cos[c + d*x] + 8*A*Cos[2*(c + d*x)])*Tan[(c + d*x)/2]^3/(16*a^2*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.366, size = 835, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2}, x)$

[Out] $\frac{1}{32} \frac{d}{a^3} (-1 + \cos(dx+c))^2 (80A \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cos(dx+c)^2 \cdot 2^{1/2} + 115A (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \sin(dx+c) \cos(dx+c)^2 + 160A \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot 2^{1/2} \cos(dx+c) + 3C (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \sin(dx+c) \cos(dx+c)^2 + 230A \cos(dx+c) \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) + 80A \operatorname{arctanh}(1/2 \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 32A \cos(dx+c)^4 + 6C \cos(dx+c) \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) + 115A (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \sin(dx+c) - 78A \cos(dx+c)^3 + 3C (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \sin(dx+c) - 14C \cos(dx+c)^3 + 40A \cos(dx+c)^2 + 8C \cos(dx+c)^2 + 70A \cos(dx+c) + 6C \cos(dx+c)) (a(\cos(dx+c)+1)/\cos(dx+c))^{1/2} / \sin(dx+c)^5$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2}, x, \text{algorithm} = \text{"maxima"})$

[Out] Timed out

Fricas [A] time = 16.6962, size = 1829, normalized size = 9.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/64*(\sqrt{2})*((115*A + 3*C)*\cos(d*x + c)^3 + 3*(115*A + 3*C)*\cos(d*x + c)^2 + 3*(115*A + 3*C)*\cos(d*x + c) + 115*A + 3*C)*\sqrt{-a}*\log((2*\sqrt{2})*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)*\sin(d*x + c) + 3*a*\cos(d*x + c)^2 + 2*a*\cos(d*x + c) - a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) + 160*(A*\cos(d*x + c)^3 + 3*A*\cos(d*x + c)^2 + 3*A*\cos(d*x + c) + A)*\sqrt{-a}*\log((2*a*\cos(d*x + c)^2 - 2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)*\sin(d*x + c) + a*\cos(d*x + c) - a)/(\cos(d*x + c) + 1)) - 4*(16*A*\cos(d*x + c)^3 + (55*A + 7*C)*\cos(d*x + c)^2 + (35*A + 3*C)*\cos(d*x + c))*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d), - \\ & 1/32*(\sqrt{2})*((115*A + 3*C)*\cos(d*x + c)^3 + 3*(115*A + 3*C)*\cos(d*x + c)^2 + 3*(115*A + 3*C)*\cos(d*x + c) + 115*A + 3*C)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)/(\sqrt{a}*\sin(d*x + c))) - \\ & 160*(A*\cos(d*x + c)^3 + 3*A*\cos(d*x + c)^2 + 3*A*\cos(d*x + c) + A)*\sqrt{a}*\arctan(\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)/(\sqrt{a}*\sin(d*x + c))) - 2*(16*A*\cos(d*x + c)^3 + (55*A + 7*C)*\cos(d*x + c)^2 + (35*A + 3*C)*\cos(d*x + c))*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d) \\ &] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.206 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=262

$$\frac{(63A + 11C) \sin(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(39A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A + 43C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(31A + 7C)}{16a^2 d}$$

[Out] ((39*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(5/2)*d) - ((219*A + 43*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((19*A + 3*C)*Cos[c + d*x]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((63*A + 11*C)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((31*A + 7*C)*Cos[c + d*x]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.802955, antiderivative size = 262, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4020, 4022, 3920, 3774, 203, 3795}

$$\frac{(63A + 11C) \sin(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(39A + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A + 43C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(31A + 7C)}{16a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((39*A + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(5/2)*d) - ((219*A + 43*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Cos[c + d*x]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((19*A + 3*C)*Cos[c + d*x]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((63*A + 11*C)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((31*A + 7*C)*Cos[c + d*x]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +

1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795


```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \int \frac{\cos^2(c+dx)\left(-2a(3A+C)+\frac{1}{2}a(7A-C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\ &= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A+3C)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \int \frac{\cos^2(c+dx)\left(-2a(3A+C)+\frac{1}{2}a(7A-C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\ &= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A+3C)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \int \frac{\cos^2(c+dx)\left(-2a(3A+C)+\frac{1}{2}a(7A-C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\ &= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A+3C)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \int \frac{\cos^2(c+dx)\left(-2a(3A+C)+\frac{1}{2}a(7A-C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\ &= -\frac{(A+C)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A+3C)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \int \frac{\cos^2(c+dx)\left(-2a(3A+C)+\frac{1}{2}a(7A-C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\ &= \frac{(39A+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4a^{5/2}d} - \frac{(219A+43C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} \end{aligned}$$

Mathematica [C] time = 27.0268, size = 12059, normalized size = 46.03

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]
```

[Out] Result too large to show

Maple [B] time = 0.429, size = 1416, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2 (A+C \sec(dx+c)^2) / (a+a \sec(dx+c))^{5/2}, x)$

[Out] $\frac{1}{64} \frac{1}{d} \frac{1}{a^3} (-1 + \cos(dx+c))^2 (156 A \sin(dx+c) \cos(dx+c)^3 2^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} + 32 C \sin(dx+c) \cos(dx+c)^3 2^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} + 219 A \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \sin(dx+c) \cos(dx+c)^3 + 468 A \cos(dx+c)^2 \sin(dx+c) \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \cdot 2^{1/2} + 43 C \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \sin(dx+c) \cos(dx+c)^3 + 96 C \cos(dx+c)^2 \sin(dx+c) \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \cdot 2^{1/2} + 657 A \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \sin(dx+c) \cos(dx+c)^2 + 468 A \cdot 2^{1/2} \sin(dx+c) \cos(dx+c) \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} + 129 C \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \sin(dx+c) \cos(dx+c)^2 + 96 C \cos(dx+c) \cdot 2^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \sin(dx+c) + 657 A \sin(dx+c) \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \cos(dx+c) + 156 A \cdot 2^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \sin(dx+c) - 32 A \cos(dx+c)^6 + 129 C \sin(dx+c) \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \cos(dx+c) + 32 C \operatorname{arctanh}(1/2 \cdot 2^{1/2} \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot 2^{1/2} \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \sin(dx+c) + 219 A \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \sin(dx+c) + 112 A \cos(dx+c)^5 + 43 C \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \sin(dx+c) + 300 A \cos(dx+c)^4 + 60 C \cos(dx+c)^4 - 128 A \cos(dx+c)^3 - 16 C \cos(dx+c)^3 - 252 A \cos(dx+c)^2 - 44 C \cos(dx+c)^2) \cdot (a \cdot (\cos(dx+c)+1) / \cos(dx+c))^{1/2} / \sin(dx+c)^5 / \cos(dx+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/(a*sec(d*x + c) + a)^(5/2), x)

Fricas [A] time = 28.7326, size = 2013, normalized size = 7.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/64*(sqrt(2)*((219*A + 43*C)*cos(d*x + c)^3 + 3*(219*A + 43*C)*cos(d*x + c)^2 + 3*(219*A + 43*C)*cos(d*x + c) + 219*A + 43*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 8*((39*A + 8*C)*cos(d*x + c)^3 + 3*(39*A + 8*C)*cos(d*x + c)^2 + 3*(39*A + 8*C)*cos(d*x + c) + 39*A + 8*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 4*(8*A*cos(d*x + c)^4 - 20*A*cos(d*x + c)^3 - 5*(19*A + 3*C)*cos(d*x + c)^2 - (63*A + 11*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(sqrt(2)*((219*A + 43*C)*cos(d*x + c)^3 + 3*(219*A + 43*C)*cos(d*x + c)^2 + 3*(219*A + 43*C)*cos(d*x + c) + 219*A + 43*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 8*((39*A + 8*C)*cos(d*x + c)^3 + 3*(39*A + 8*C)*cos(d*x + c)^2 + 3*(39*A + 8*C)*cos(d*x + c) + 39*A + 8*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*(8*A*cos(d*x + c)^4 - 20*A*cos(d*x + c)^3 - 5*(19*A + 3*C)*cos(d*x + c)^2 - (63*A + 11*C)*cos(d*x +

```
c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.207 $\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=205

$$\frac{2a(7A + 5C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a(7A + 5C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2a(5A + 3C)}{21d}$$

```
[Out] (-2*a*(5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c +
d*x]])/(5*d) + (2*a*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2,
2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*(5*A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c +
d*x])/(5*d) + (2*a*(7*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (
2*a*C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d) + (2*a*C*Sec[c + d*x]^(7/2)*Si
n[c + d*x])/(7*d)
```

Rubi [A] time = 0.222209, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4077, 4047, 3768, 3771, 2641, 4046, 2639}

$$\frac{2a(7A + 5C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2a(5A + 3C)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} + \frac{2a(7A + 5C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (-2*a*(5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c +
d*x]])/(5*d) + (2*a*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2,
2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*(5*A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c +
d*x])/(5*d) + (2*a*(7*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (
2*a*C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d) + (2*a*C*Sec[c + d*x]^(7/2)*Si
n[c + d*x])/(7*d)
```

Rule 4077

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.
))^ (n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.), x_Symbol] :> -Simp[(b*C*Cs
c[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2
), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[
e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, C, n}, x] && !LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))(A+C\sec^2(c+dx))dx &= \frac{2aC\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{3}{2}}(c+dx)\left(\frac{7aA}{2}\right. \\
&= \frac{2aC\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{3}{2}}(c+dx)\left(\frac{7aA}{2}\right. \\
&= \frac{2a(7A+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{21d} + \frac{2aC\sec^{\frac{5}{2}}(c+dx)}{5d} \\
&= \frac{2a(5A+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2a(7A+5C)\sec}{5d} \\
&= \frac{2a(7A+5C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{21d} \\
&= -\frac{2a(5A+3C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 4.63431, size = 409, normalized size = 2.

$$2a \csc(c)e^{-idx} \cos^2(c+dx)(A+C\sec^2(c+dx))\left(7\sqrt{2}(-1+e^{2ic})(5A+3C)e^{2idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\text{Hypergeometric}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a*Cos[c + d*x]^2*Csc[c]*(A + C*Sec[c + d*x]^2)*(7*Sqrt[2]*(5*A + 3*C)*E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) - ((-1 + E^((2*I)*c))*(35*A*(1 + E^((2*I)*(c + d*x)))^2*(-1 + 3*E^(I*(c + d*x)) + E^((2*I)*(c + d*x)) + 3*E^((3*I)*(c + d*x))) + C*(-25 + 21*E^(I*(c + d*x)) - 85*E^((2*I)*(c + d*x)) + 189*E^((3*I)*(c + d*x)) + 85*E^((4*I)*(c + d*x)) + 231*E^((5*I)*(c + d*x)) + 25*E^((6*I)*(c + d*x)) + 63*E^((7*I)*(c + d*x))))*Sqrt[Sec[c + d*x]])/(E^(I*(c - d*x))*(1 + E^((2*I)*(c + d*x)))^3) + 10*(7*A + 5*C)*E^(I*d*x)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*Sin[c])/(105*d*E^(I*d*x)*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [B] time = 7.056, size = 838, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)
```

```
[Out] -a*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*C*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*A*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2/5*C/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*A*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm
="maxima")
```


[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Ca sec(dx + c)⁴ + Ca sec(dx + c)³ + Aa sec(dx + c)² + Aa sec(dx + c))sqrt(sec(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a*sec(d*x + c)^4 + C*a*sec(d*x + c)^3 + A*a*sec(d*x + c)^2 + A*a*sec(d*x + c))*sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*sec(d*x + c)^(3/2), x)

3.208 $\int \sqrt{\sec(c + dx)}(a + a \sec(c + dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=172

$$\frac{2a(3A + C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(5A + 3C)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} - \frac{2a(5A + 3C)\sqrt{\cos(c + dx)}}{5d}$$

```
[Out] (-2*a*(5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(5*A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*a*C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 0.20153, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4077, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2a(5A + 3C)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} + \frac{2a(3A + C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a(5A + 3C)\sqrt{\cos(c + dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*a*(5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(5*A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*a*C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

Rule 4077

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Cs c[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+a\sec(c+dx))(A+C\sec^2(c+dx))dx &= \frac{2aC\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5}\int\sqrt{\sec(c+dx)}\left(\frac{5aA}{2}+\right. \\
&= \frac{2aC\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5}\int\sqrt{\sec(c+dx)}\left(\frac{5aA}{2}+\right. \\
&= \frac{2a(5A+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2aC\sec^{\frac{3}{2}}(c+dx)}{3d} \\
&= \frac{2a(5A+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2aC\sec^{\frac{3}{2}}(c+dx)}{3d} \\
&= -\frac{2a(5A+3C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 2.30438, size = 286, normalized size = 1.66

$$\frac{2ae^{-ic}(-1+e^{2ic})\csc(c)(A+C\sec^2(c+dx))\left((5A+3C)e^{i(c+dx)}(1+e^{2i(c+dx)})^{5/2}\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a*(-1 + E^((2*I)*c))*Csc[c]*(5*C - 15*A*E^(I*(c + d*x)) - 3*C*E^(I*(c + d*x)) - 30*A*E^((3*I)*(c + d*x)) - 24*C*E^((3*I)*(c + d*x)) - 5*C*E^((4*I)*(c + d*x)) - 15*A*E^((5*I)*(c + d*x)) - 9*C*E^((5*I)*(c + d*x)) - (5*I)*(3*A + C)*(1 + E^((2*I)*(c + d*x))))^2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (5*A + 3*C)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x))))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*(A + C*Sec[c + d*x]^2))/(15*d*E^(I*c)*(1 + E^((2*I)*(c + d*x))))^2*(A + 2*C + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(3/2))

Maple [B] time = 5.874, size = 729, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x)`

[Out]
$$-a*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*C*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2/5*C/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)\sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Ca \sec(dx + c)^3 + Ca \sec(dx + c)^2 + Aa \sec(dx + c) + Aa)\sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a*sec(d*x + c)^3 + C*a*sec(d*x + c)^2 + A*a*sec(d*x + c) + A*a)*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)\sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)
```

$$3.209 \quad \int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=135

$$\frac{2a(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out] (2*a*(A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.183111, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4077, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aCs}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

[Out] (2*a*(A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rule 4077

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Cs c[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !LtQ[n, -1]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2aC \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \frac{1}{2}a(3A + C) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aC \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \frac{3}{2}aC \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx + \frac{1}{3} \int \frac{a(3A + C)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aC \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2aC \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + (a(A - C) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} \\
&= \frac{2a(3A + C) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2aC \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
&= \frac{2a(A - C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a(3A + C) \sqrt{\sec(c + dx)} \sin(c + dx)}{d}
\end{aligned}$$

Mathematica [C] time = 1.31688, size = 168, normalized size = 1.24

$$ae^{-idx} \sec^{\frac{3}{2}}(c + dx)(\sin(dx) - i \cos(dx)) \left((A - C) (1 + e^{2i(c+dx)})^{3/2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 2i(3A + C) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

[Out] (a*Sec[c + d*x]^(3/2)*((-I)*Cos[d*x] + Sin[d*x])*(-3*A + 3*C - 3*A*Cos[2*(c + d*x)] + 3*C*Cos[2*(c + d*x)] + (2*I)*(3*A + C)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + (A - C)*(1 + E^((2*I)*(c + d*x)))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + (2*I)*C*Sin[c + d*x] + (3*I)*C*Sin[2*(c + d*x)]))/(3*d*E^(I*d*x))

Maple [B] time = 4.953, size = 437, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2), x)

```
[Out] -a*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+2*C*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*C*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx + c)^3 + Ca \sec(dx + c)^2 + Aa \sec(dx + c) + Aa}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a*sec(d*x + c)^3 + C*a*sec(d*x + c)^2 + A*a*sec(d*x + c) + A*a)/sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)

$$3.210 \quad \int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=135

$$\frac{2a(A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} +$$

[Out] (2*a*(A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*a*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.184622, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4075, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aA \sin}{3d\sqrt{\sec}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (2*a*(A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*a*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4075

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3aA}{2} - \frac{1}{2}a(A + 3C) \sec(c + dx) - \frac{3}{2}aC \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3aA}{2} - \frac{3}{2}aC \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx + \frac{1}{3}(a(A + 3C)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2aC\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (a(A - C)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a(A + 3C)\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{2a(A - C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a(A + 3C)\sqrt{\cos(c + dx)}}{3d}
\end{aligned}$$

Mathematica [C] time = 1.35405, size = 169, normalized size = 1.25

$$\frac{ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-2i(A - C)e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 2(A - C) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((6*I)*A*Cos[c + d*x] - (6*I)*C*Cos[c + d*x] + 2*(A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (2*I)*(A - C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + 6*C*Sin[c + d*x] + A*Sin[2*(c + d*x)]))/(3*d*E^(I*d*x))

Maple [B] time = 2.349, size = 458, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2), x)

```
[Out] -2/3*a*(4*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(A+3*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+3*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+3*C*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx + c)^3 + Ca \sec(dx + c)^2 + Aa \sec(dx + c) + Aa}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((C*a*sec(d*x + c)^3 + C*a*sec(d*x + c)^2 + A*a*sec(d*x + c) + A*a)/sec(d*x + c)^(3/2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{A}{\sqrt{\sec(c+dx)}} dx + \int C\sqrt{\sec(c+dx)} dx + \int C\sec^{\frac{3}{2}}(c+dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] a*(Integral(A/sec(c + d*x)**(3/2), x) + Integral(A/sqrt(sec(c + d*x)), x) + Integral(C*sqrt(sec(c + d*x)), x) + Integral(C*sec(c + d*x)**(3/2), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

$$3.211 \quad \int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=141

$$\frac{2a(A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a(3A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{5d}$$

```
[Out] (2*a*(3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 0.187561, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4075, 4047, 3771, 2639, 4045, 2641}

$$\frac{2a(A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(3A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2aA\sin(c+dx)}{5d\sec(c+dx)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]
```

```
[Out] (2*a*(3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rule 4075

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5aA}{2} - \frac{1}{2}a(3A + 5C) \sec(c + dx) - \frac{5}{2}aC \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5aA}{2} - \frac{5}{2}aC \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx + \frac{1}{5}(a(3A + 5C)) \int \frac{\sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aA \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3}(a(A + 3C)) \int \sqrt{\sec(c + dx)} dx \\
&= \frac{2a(3A + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(3A + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(A + 3C) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 1.7088, size = 169, normalized size = 1.2

$$\frac{ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-2i(3A + 5C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + \dots\right)}{15}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(10*(A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (2*I)*(3*A + 5*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((6*I)*(3*A + 5*C) + 10*A*Sin[c + d*x] + 3*A*Sin[2*(c + d*x)])))/(15*d*E^(I*d*x))

Maple [A] time = 2.079, size = 345, normalized size = 2.5

$$-\frac{2a}{15d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24 A \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^6 + 44 A \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^8\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)

[Out]
$$-2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-24*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+44*A*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-16*A*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+15*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx + c)^3 + Ca \sec(dx + c)^2 + Aa \sec(dx + c) + Aa}{\sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*a*sec(d*x + c)^3 + C*a*sec(d*x + c)^2 + A*a*sec(d*x + c) + A*a)/sec(d*x + c)^(5/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sec^{\frac{5}{2}}(c+dx)} dx + \int \frac{A}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{C}{\sqrt{\sec(c+dx)}} dx + \int C \sqrt{\sec(c+dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] a*(Integral(A/sec(c + d*x)**(5/2), x) + Integral(A/sec(c + d*x)**(3/2), x) + Integral(C/sqrt(sec(c + d*x)), x) + Integral(C*sqrt(sec(c + d*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

$$3.212 \quad \int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=174

$$\frac{2a(5A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a(5A+7C)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2a(3A+5C)\sqrt{\cos(c+dx)}}{5d}$$

[Out] (2*a*(3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(5*A + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.204178, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4075, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2a(5A+7C)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2a(5A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2a(3A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*a*(3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(5*A + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rule 4075

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x]^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7aA}{2} - \frac{1}{2}a(5A + 7C) \sec(c + dx) - \frac{7}{2}aC \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7aA}{2} - \frac{7}{2}aC \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx + \frac{1}{7}(a(5A + 7C)) \int \frac{1}{\sec(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 7C) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{1}{5} (a(3A + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} - 2a(5A + 7C) \sqrt{\sec(c + dx)}) \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 7C) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{1}{5} (a(3A + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} - 2a(5A + 7C) \sqrt{\sec(c + dx)}) \\
&= \frac{2a(3A + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} - 2a(5A + 7C) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(5A + 7C) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 2.22053, size = 188, normalized size = 1.08

$$ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-28i(3A + 5C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(20*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (28*I)*(3*A + 5*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + Cos[c + d*x]*((84*I)*(3*A + 5*C) + 5*(23*A + 28*C)*Sin[c + d*x] + 42*A*Sin[2*(c + d*x)] + 15*A*Sin[3*(c + d*x)])))/(210*d*E^(I*d*x))

Maple [A] time = 2.322, size = 378, normalized size = 2.2

$$-\frac{2a}{105d} \sqrt{\left(2 (\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240 A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^8 - 528 A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^6 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x)

[Out]
$$\frac{-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(240*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8-528*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(448*A+140*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-122*A-70*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+25*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+35*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-105*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx + c)^3 + Ca \sec(dx + c)^2 + Aa \sec(dx + c) + Aa}{\sec(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((C*a*sec(d*x + c)^3 + C*a*sec(d*x + c)^2 + A*a*sec(d*x + c) + A*a)/sec(d*x + c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)

$$3.213 \quad \int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=205

$$\frac{2a(5A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a(7A+9C)\sin(c+dx)}{45d \sec^3(c+dx)} + \frac{2a(5A+7C)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}}$$

[Out] (2*a*(7*A + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*a*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*(7*A + 9*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*a*(5*A + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.231572, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4075, 4047, 3769, 3771, 2639, 4045, 2641}

$$\frac{2a(7A+9C)\sin(c+dx)}{45d \sec^3(c+dx)} + \frac{2a(5A+7C)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2a(5A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2a(7A+9C)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (2*a*(7*A + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*a*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*(7*A + 9*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*a*(5*A + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rule 4075

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]]

$^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C\}, x] \ \&\& \text{LtQ}[n, -1]$

Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(b_.))^m * ((A_.) + \text{csc}[(e_.) + (f_.)(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)(x_)]^2*(C_.)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{m+1}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x]$

Rule 3769

$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_)]*(b_.))^{n_}], x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{n+1})/(b*d^n), x] + \text{Dist}[(n+1)/(b^{2*n}), \text{Int}[(b*\text{Csc}[c + d*x])^{n+2}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \ \&\& \text{LtQ}[n, -1] \ \&\& \text{IntegerQ}[2*n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_)]*(b_.))^{n_}], x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n * \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \ \&\& \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 4045

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(b_.))^m * (\text{csc}[(e_.) + (f_.)(x_)]^2*(C_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m/(f*m), x] + \text{Dist}[(C*m + A*(m+1))/(b^{2*m}), \text{Int}[(b*\text{Csc}[e + f*x])^{m+2}, x], x] /; \text{FreeQ}\{b, e, f, A, C\}, x] \ \&\& \text{NeQ}[C*m + A*(m+1), 0] \ \&\& \text{LeQ}[m, -1]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{-\frac{9aA}{2} - \frac{1}{2}a(7A + 9C) \sec(c + dx) - \frac{9}{2}aC \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{-\frac{9aA}{2} - \frac{9}{2}aC \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx + \frac{1}{9}(a(7A + 9C)) \\
&= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(7A + 9C) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{7}(a(7A + 9C)) \\
&= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(7A + 9C) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(7A + 9C)}{15d} \\
&= \frac{2a(7A + 9C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(7A + 9C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{2a(5A + 7C)}{15d}
\end{aligned}$$

Mathematica [C] time = 2.83771, size = 204, normalized size = 1.

$$ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-56i(7A + 9C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(120*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (56*I)*(7*A + 9*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((1176*I)*A + (1512*I)*C + 30*(23*A + 28*C)*Sin[c + d*x] + 14*(19*A + 18*C)*Sin[2*(c + d*x)] + 90*A*Sin[3*(c + d*x)] + 35*A*Sin[4*(c + d*x)])))/(1260*d*E^(I*d*x))

Maple [A] time = 2.351, size = 406, normalized size = 2.

$$-\frac{2a}{315d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-1120 A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{10} + 2960 A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)`

[Out]
$$-2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-1120*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+2960*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-3152*A-504*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(1792*A+924*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-408*A-336*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+75*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-147*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+105*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-189*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx+c)^3 + Ca \sec(dx+c)^2 + Aa \sec(dx+c) + Aa}{\sec(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")`

[Out] integral((C*a*sec(d*x + c)^3 + C*a*sec(d*x + c)^2 + A*a*sec(d*x + c) + A*a)/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)

$$3.214 \quad \int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=270

$$\frac{4a^2(7A + 5C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a^2(21A + 19C)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{105d} + \frac{4a^2(7A + 5C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{15d}$$

[Out] (-16*a^2*(3*A + 2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (16*a^2*(3*A + 2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) + (4*a^2*(7*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(21*d) + (2*a^2*(21*A + 19*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x]/(105*d) + (2*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*Sin[c + d*x]/(9*d) + (8*C*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x]/(63*d)

Rubi [A] time = 0.438974, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4089, 4018, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{2a^2(21A + 19C)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{105d} + \frac{4a^2(7A + 5C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{16a^2(3A + 2C)\sin(c + dx)\sqrt{\sec(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (-16*a^2*(3*A + 2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (16*a^2*(3*A + 2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) + (4*a^2*(7*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(21*d) + (2*a^2*(21*A + 19*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x]/(105*d) + (2*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*Sin[c + d*x]/(9*d) + (8*C*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x]/(63*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C* Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si

mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^ (n_.), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^ (n_.), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx &= \frac{2C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{9d} + \frac{2\int\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2(A+C\sec^2(c+dx))dx}{9d} \\
&= \frac{2C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{9d} + \frac{8C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{9d} \\
&= \frac{2a^2(21A+19C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{105d} + \frac{2C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{9d} \\
&= \frac{2a^2(21A+19C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{105d} + \frac{2C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{9d} \\
&= \frac{16a^2(3A+2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15d} + \frac{4a^2(7A+5C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15d} \\
&= \frac{16a^2(3A+2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15d} + \frac{4a^2(7A+5C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15d} \\
&= -\frac{16a^2(3A+2C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{15d}
\end{aligned}$$

Mathematica [C] time = 6.80225, size = 821, normalized size = 3.04

$$\frac{4\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\cos^4(c+dx)\csc(c)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{15d(\cos(2c+2dx)A+A+2C)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),
x]
```

```
[Out] (4*sqrt(2)*A*sqrt(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))*sqrt(1 + E^((2*I)*(c + d*x)))*cos[c + d*x]^4*Csc[c]*(-3*sqrt(1 + E^((2*I)*(c + d*x))) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + A*cos[2*c + 2*d*x])) + (8*sqrt(2)*C*sqrt(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))*sqrt(1 + E^((2*I)*(c + d*x)))*cos[c + d*x]^4*Csc[c]*(-3*sqrt(1 + E^((2*I)*(c + d*x))) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(45*d*E^(I*d*x)*(A + 2*C + A*cos[2*c + 2*d*x])) + (2*A*sqrt(Cos[c + d*x])*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(3*d*(A + 2*C + A*cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + (10*C*sqrt(Cos[c + d*x])*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(21*d*(A + 2*C + A*cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + (Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((8*(3*A + 2*C)*Cos[d*x]*Csc[c])/(15*d) + (C*Sec[c]*Sec[c + d*x]^4*Sin[d*x])/(9*d) + (Sec[c]*Sec[c + d*x]^3*(7*C*Sin[c] + 18*C*Sin[d*x]))/(63*d) + (Sec[c]*Sec[c + d*x]^2*(90*C*Sin[c] + 63*A*Sin[d*x] + 112*C*Sin[d*x]))/(315*d) + (Sec[c]*Sec[c + d*x]*(63*A*Sin[c] + 112*C*Sin[c] + 210*A*Sin[d*x] + 150*C*Sin[d*x]))/(315*d) + (2*(7*A + 5*C)*Tan[c])/(21*d)))/(A + 2*C + A*cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2))
```

Maple [B] time = 9.129, size = 1168, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)
```

```
[Out] -a^2*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4*C*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2)))+2*C*(-1/144*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^5-7/180*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)/(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)+7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos
```

$$\begin{aligned} & (1/2*d*x+1/2*c), 2^{(1/2)}) - 7/15 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+ \\ & 1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) + \\ & 4*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos \\ & \sin(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 8/5*(1/4*A+1/4*C) / (8*\sin(1/2*d \\ & *x+1/2*c)^6 - 12*\sin(1/2*d*x+1/2*c)^4 + 6*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1 \\ & /2*c)^2 * (12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^4 - 24*\sin(1/2*d*x+1/ \\ & 2*c)^6 * \cos(1/2*d*x+1/2*c) - 12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1 \\ & /2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 + \\ & 24*\sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + 3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \\ & ^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} - 8*\sin \\ & (1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c)) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)} + 2*A*(-\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - \\ & 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)} + 2*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1 \\ & /2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Ca² sec(dx + c)⁵ + 2Ca² sec(dx + c)⁴ + (A + C)a² sec(dx + c)³ + 2Aa² sec(dx + c)² + Aa² sec(dx + c))sqrt(s

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

```
[Out] integral((C*a^2*sec(d*x + c)^5 + 2*C*a^2*sec(d*x + c)^4 + (A + C)*a^2*sec(d
*x + c)^3 + 2*A*a^2*sec(d*x + c)^2 + A*a^2*sec(d*x + c))*sqrt(sec(d*x + c))
, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorit
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2*sec(d*x + c)^(3/2),
x)
```

3.215 $\int \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=237

$$\frac{8a^2(7A + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a^2(35A + 33C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{105d} + \frac{4a^2(5A + 3C)\sin(c + dx)\sqrt{\sec(c + dx)}}{21d}$$

[Out] $(-4a^2(5A + 3C)\sqrt{\cos(c + dx)}\text{EllipticE}[(c + dx)/2, 2]\sqrt{\sec(c + dx)} + (8a^2(7A + 3C)\sqrt{\cos(c + dx)}\text{EllipticF}[(c + dx)/2, 2]\sqrt{\sec(c + dx)})/(21d) + (4a^2(5A + 3C)\sqrt{\sec(c + dx)}\sin(c + dx))/(5d) + (2a^2(35A + 33C)\sec(c + dx)^{3/2}\sin(c + dx))/(105d) + (2C\sec(c + dx)^{3/2}(a + a\sec(c + dx))^2\sin(c + dx))/(7d) + (8C\sec(c + dx)^{3/2}(a^2 + a^2\sec(c + dx))\sin(c + dx))/(35d)$

Rubi [A] time = 0.413934, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4089, 4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2a^2(35A + 33C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{105d} + \frac{4a^2(5A + 3C)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} + \frac{8a^2(7A + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{21d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\sqrt{\sec(c + dx)}(a + a\sec(c + dx))^2(A + C\sec(c + dx)^2), x]$

[Out] $(-4a^2(5A + 3C)\sqrt{\cos(c + dx)}\text{EllipticE}[(c + dx)/2, 2]\sqrt{\sec(c + dx)} + (8a^2(7A + 3C)\sqrt{\cos(c + dx)}\text{EllipticF}[(c + dx)/2, 2]\sqrt{\sec(c + dx)})/(21d) + (4a^2(5A + 3C)\sqrt{\sec(c + dx)}\sin(c + dx))/(5d) + (2a^2(35A + 33C)\sec(c + dx)^{3/2}\sin(c + dx))/(105d) + (2C\sec(c + dx)^{3/2}(a + a\sec(c + dx))^2\sin(c + dx))/(7d) + (8C\sec(c + dx)^{3/2}(a^2 + a^2\sec(c + dx))\sin(c + dx))/(35d)$

Rule 4089

$\text{Int}[(A + \csc(e + f*x) + (f*(x_))^{2*(C_)})(\csc(e + f*x) + (f*(x_))^{2*(C_)}(d_))^{n_}(\csc(e + f*x) + (f*(x_))^{2*(C_)}(b_))^{m_}, x_Symbol] := -\text{Simp}[(C \cot[e + f*x](a + b\csc[e + f*x])^m(d\csc[e + f*x])^n)/(f(m + n + 1)), x] + \text{Dist}[1/(b(m + n + 1)), \text{Int}[(a + b\csc[e + f*x])^m(d\csc[e + f*x])^n \text{Simp}[A*b*(m + n + 1) + b*C*n + a*C*m*\csc[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, m, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}] \&\& !\text{Lt}$

$Q[n, -2^{(-1)}] \&\& \text{NeQ}[m + n + 1, 0]$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^{\wedge}(n_)*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^{\wedge}(m_)*(\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{\wedge}(m - 1)*(d*\text{Csc}[e + f*x])^{\wedge}n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{\wedge}(m - 1)*(d*\text{Csc}[e + f*x])^{\wedge}n*\text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& !\text{LtQ}[n, -1]$

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^{\wedge}(n_)*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{\wedge}n)/(f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}n*\text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& !\text{LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^{\wedge}(n_)*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.)), x_Symbol] \text{ :> } \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}(n + 1), x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_)]*(b_.))^{\wedge}(n_), x_Symbol] \text{ :> } \text{Dist}[(b*\text{Csc}[c + d*x])^{\wedge}n*\text{Sin}[c + d*x]^{\wedge}n, \text{Int}[1/\text{Sin}[c + d*x]^{\wedge}n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)(x_)]], x_Symbol] \text{ :> } \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_)]*(b_.))^{\wedge}(n_), x_Symbol] \text{ :> } -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{\wedge}(n - 1))/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{\wedge}(n - 2), x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\sec(c+dx)(a+a\sec(c+dx))^2} (A+C\sec^2(c+dx)) dx &= \frac{2C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2 \sin(c+dx)}{7d} + \frac{2\int\sqrt{\sec(c+dx)(a+a\sec(c+dx))^2} dx}{7d} \\
 &= \frac{2C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2 \sin(c+dx)}{7d} + \frac{8C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2 \sin(c+dx)}{7d} \\
 &= \frac{2a^2(35A+33C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{105d} + \frac{2C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2 \sin(c+dx)}{7d} \\
 &= \frac{2a^2(35A+33C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{105d} + \frac{2C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2 \sin(c+dx)}{7d} \\
 &= \frac{4a^2(5A+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2a^2(35A+33C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{7d} \\
 &= \frac{8a^2(7A+3C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{21d} \\
 &= -\frac{4a^2(5A+3C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d}
 \end{aligned}$$

Mathematica [C] time = 5.88483, size = 436, normalized size = 1.84

$$a^2 \csc(c)e^{-idx} \cos^4(c+dx) \sec^4\left(\frac{1}{2}(c+dx)\right) (\sec(c+dx)+1)^2 (A+C\sec^2(c+dx)) \left(7\sqrt{2}(-1+e^{2ic})(5A+3C)e^{2idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*Cos[c + d*x]^4*Csc[c]*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(7*sqrt[2]*(5*A + 3*C)*E^((2*I)*d*x)*(-1 + E^((2*I)*c))*sqrt[E^((I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))]*sqrt[1 + E^((2*I)*(c + d*x))])*H


```

ypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] - ((-1 + E^((2*I)*c))
*(35*A*(1 + E^((2*I)*(c + d*x)))^2*(-1 + 6*E^(I*(c + d*x)) + E^((2*I)*(c +
d*x)) + 6*E^((3*I)*(c + d*x))) + 6*C*(-10 + 7*E^(I*(c + d*x)) - 20*E^((2*I)
*(c + d*x)) + 63*E^((3*I)*(c + d*x)) + 20*E^((4*I)*(c + d*x)) + 77*E^((5*I)
*(c + d*x)) + 10*E^((6*I)*(c + d*x)) + 21*E^((7*I)*(c + d*x))))*Sqrt[Sec[c
+ d*x]]/(2*E^(I*(c - d*x))*(1 + E^((2*I)*(c + d*x)))^3) + 20*(7*A + 3*C)*E
^(I*d*x)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*Si
n[c]]/(105*d*E^(I*d*x)*(A + 2*C + A*Cos[2*(c + d*x)]))

```

Maple [B] time = 7.912, size = 919, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+a*\sec(d*x+c))^2*(A+C*\sec(d*x+c)^2)*\sec(d*x+c)^{(1/2)}, x)$

[Out] $-a^2*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*C*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+8*(1/4*A+1/4*C)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-4/5*C/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+4*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^2*sec(dx+c)^4 + 2C*a^2*sec(dx+c)^3 + (A+C)*a^2*sec(dx+c)^2 + 2A*a^2*sec(dx+c) + A*a^2)*sqrt(sec(dx+c)),x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x+c)^4 + 2*C*a^2*sec(d*x+c)^3 + (A+C)*a^2*sec(d*x+c)^2 + 2*A*a^2*sec(d*x+c) + A*a^2)*sqrt(sec(d*x+c)),x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^2 \sqrt{\sec(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2*sqrt(sec(d*x + c)),  
x)
```

$$3.216 \quad \int \frac{(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=196

$$\frac{4a^2(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a^2(15A+17C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{8C\sin(c+dx)}{15d}$$

```
[Out] (-16*a^2*C*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(5*d) + (4*a^2*(3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(3*d) + (2*a^2*(15*A + 17*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x
])/((15*d) + (2*C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2*Sin[c + d*x]))/(5
*d) + (8*C*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x))/(15*d)
```

Rubi [A] time = 0.389384, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4089, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{2a^2(15A+17C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{4a^2(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{8C\sin(c+dx)\sqrt{\sec(c+dx)}}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (-16*a^2*C*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(5*d) + (4*a^2*(3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(3*d) + (2*a^2*(15*A + 17*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x
])/((15*d) + (2*C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2*Sin[c + d*x]))/(5
*d) + (8*C*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x))/(15*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_), x_Symbol] := -Simp[(C*
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2 \int \frac{(a + a \sec(c + dx))^2 \left(\frac{1}{2}a\right)}{\sqrt{\sec(c + dx)}} dx}{5d} \\
&= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{8C\sqrt{\sec(c + dx)}(a^2)}{5d} \\
&= \frac{2a^2(15A + 17C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))}{5d} \\
&= \frac{2a^2(15A + 17C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))}{5d} \\
&= \frac{2a^2(15A + 17C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))}{5d} \\
&= -\frac{16a^2C\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(3A + C)\sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 5.88315, size = 312, normalized size = 1.59

$$a^2 \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + C \sec^2(c + dx)) \left(\frac{-3 \csc(c) \cos(dx)(5A \cos(2c) - 5A - 16C) + 30A \cos(c) \sin(dx) + 2C \tan(c + dx)(3 \sec^2(c + dx) - 1)}{2d \sec^{\frac{7}{2}}(c + dx)} \right)$$

15(A cos

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (a^2*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(((-2*I)*Sqrt[2]*Cos[c + d*x]^4*(12*C*Sqrt[1 + E^((2*I)*(c + d*x))] + 12*C*(-1 + E^((2*I)*c))*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] + 5*(3*A + C)*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]))/(d*(-1 + E^((2*I)*c))*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))])*Sqrt[1 + E^((2*I)*(c + d*x))]) + (-3*(-5*A - 16*C + 5*A*Cos[2*c])*Cos[d*x]*Csc[c] + 30*A*Cos[c]*Sin[d*x] + 2*C*(10 + 3*Sec[c + d*x])*Tan[c + d*x])/(2*d*Sec[c + d*x]^(7/2)))/(15*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [B] time = 6.369, size = 756, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x)`

[Out]
$$\frac{4}{15}a^2 \left(-(-2\cos(\frac{1}{2}dx + \frac{1}{2}c)^2 + 1) \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{1/2} / (8\sin(\frac{1}{2}dx + \frac{1}{2}c)^6 - 12\sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 6\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) / \sin(\frac{1}{2}dx + \frac{1}{2}c)^3 (60A(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{1/2}) \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 - 60A\cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^6 + 20C(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{1/2}) \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 48C(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{1/2}) \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 - 96C\cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^6 - 60A(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{1/2}) \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 + 60A\sin(\frac{1}{2}dx + \frac{1}{2}c)^4 \cos(\frac{1}{2}dx + \frac{1}{2}c) - 20C(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{1/2}) \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 48C(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{1/2}) \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 + 116C\cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 15A(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{1/2}) - 15A\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \cos(\frac{1}{2}dx + \frac{1}{2}c) + 5C(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{1/2}) + 12C(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{1/2}) - 37C\cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^2) * (-2\sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + \sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} / (2\cos(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{1/2} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx + c)^4 + 2Ca^2 \sec(dx + c)^3 + (A + C)a^2 \sec(dx + c)^2 + 2Aa^2 \sec(dx + c) + Aa^2}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + 2*C*a^2*sec(d*x + c)^3 + (A + C)*a^2*sec(d*x + c)^2 + 2*A*a^2*sec(d*x + c) + A*a^2)/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)

$$3.217 \quad \int \frac{(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=198

$$\frac{8a^2(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2a^2(A-5C)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} - \frac{2(A-C)\sin(c+dx)}{3d}$$

[Out] (4*a^2*(A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (8*a^2*(A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(A - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(A - C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.402225, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4087, 4018, 3997, 3787, 3771, 2639, 2641}

$$-\frac{2a^2(A-5C)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} - \frac{2(A-C)\sin(c+dx)\sqrt{\sec(c+dx)}(a^2\sec(c+dx)+a^2)}{3d} + \frac{8a^2(A+C)\sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (4*a^2*(A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (8*a^2*(A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(A - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(A - C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||

EqQ[m + n + 1, 0])

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n_, x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{(a + a \sec(c + dx))^2 (2aA - \frac{3}{2}a(A - C) \sec(c + dx))}{\sqrt{\sec(c + dx)}}}{3a} \\
&= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2(A - C)\sqrt{\sec(c + dx)}(a^2 + a^2)}{3d} \\
&= -\frac{2a^2(A - 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{2a^2(A - 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{2a^2(A - 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^2(A - C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{8a^2(A + C)}{d}
\end{aligned}$$

Mathematica [C] time = 2.00566, size = 191, normalized size = 0.96

$$a^2 e^{-idx} \sec^{\frac{3}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(-4i(A - C) (1 + e^{2i(c+dx)})^{3/2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 16(A + C) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (a^2*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*((12*I)*A - (12*I)*C + (12*I)*A*Cos[2*(c + d*x)] - (12*I)*C*Cos[2*(c + d*x)] + 16*(A + C)*Cos[c + d*x])^(3/2)*EllipticF[(c + d*x)/2, 2] - (4*I)*(A - C)*(1 + E^((2*I)*(c + d*x)))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + A*Sin[c + d*x] + 4*C*Sin[c + d*x] + 12*C*Sin[2*(c + d*x)] + A*Sin[3*(c + d*x)])/(6*d*E^(I*d*x))

Maple [B] time = 5.308, size = 651, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)`

[Out]
$$\frac{4}{3}a^2 \left(-(-2\cos(1/2dx+1/2c)^2+1)\sin(1/2dx+1/2c)^2 \right)^{1/2} / (4\sin(1/2dx+1/2c)^4 - 4\sin(1/2dx+1/2c)^2 + 1) / \sin(1/2dx+1/2c)^3 (4A\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^6 + 4A(\sin(1/2dx+1/2c)^2)^{1/2} (2\sin(1/2dx+1/2c)^2 - 1)^{1/2} \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) \sin(1/2dx+1/2c)^2 - 6A\text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) (2\sin(1/2dx+1/2c)^2 - 1)^{1/2} (\sin(1/2dx+1/2c)^2)^{1/2} \sin(1/2dx+1/2c)^2 - 4A\sin(1/2dx+1/2c)^4 \cos(1/2dx+1/2c) + 4C(\sin(1/2dx+1/2c)^2)^{1/2} (2\sin(1/2dx+1/2c)^2 - 1)^{1/2} \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) \sin(1/2dx+1/2c)^2 + 6C(\sin(1/2dx+1/2c)^2)^{1/2} (2\sin(1/2dx+1/2c)^2 - 1)^{1/2} \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) \sin(1/2dx+1/2c)^2 - 12C\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^4 - 2A(\sin(1/2dx+1/2c)^2)^{1/2} (2\sin(1/2dx+1/2c)^2 - 1)^{1/2} \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) + 3A(\sin(1/2dx+1/2c)^2)^{1/2} (2\sin(1/2dx+1/2c)^2 - 1)^{1/2} \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) + A\sin(1/2dx+1/2c)^2 \cos(1/2dx+1/2c) - 2C(\sin(1/2dx+1/2c)^2)^{1/2} (2\sin(1/2dx+1/2c)^2 - 1)^{1/2} \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) - 3C(\sin(1/2dx+1/2c)^2)^{1/2} (2\sin(1/2dx+1/2c)^2 - 1)^{1/2} \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) + 7C\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^2) (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{1/2} / (2\cos(1/2dx+1/2c)^2 - 1)^{1/2} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + 2Ca^2 \sec(dx+c)^3 + (A+C)a^2 \sec(dx+c)^2 + 2Aa^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + 2*C*a^2*sec(d*x + c)^3 + (A + C)*a^2*sec(d*x + c)^2 + 2*A*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(3/2), x)

$$3.218 \quad \int \frac{(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=196

$$\frac{4a^2(A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2a^2(7A-15C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{8A\sin(c+dx)}{15d}$$

[Out] (16*a^2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(7*A - 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (8*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.39229, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4087, 4017, 3997, 3787, 3771, 2639, 2641}

$$-\frac{2a^2(7A-15C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{4a^2(A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{8A\sin(c+dx)(a^2)}{15d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (16*a^2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(7*A - 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (8*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||

EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^2 (2aA - \frac{1}{2}a(A - 5C) \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx}{5a} \\
&= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{8A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} \\
&= -\frac{2a^2(7A - 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2a^2(7A - 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2a^2(7A - 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{16a^2 A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(A + 3C) \sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 4.64055, size = 318, normalized size = 1.62

$$a^2 \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + C \sec^2(c + dx)) \left(-\frac{\csc(c) ((99A + 60C) \cos(2c + dx) - 2A \sin(c) (20 \sin(2(c + dx)) + 3 \sin(3(c + dx))) + 9)}{8d \sec^{\frac{7}{2}}(c + dx)} \right)$$

15(A

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (a^2*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(((2*I)*Sqrt[2]*Cos[c + d*x]^4*(12*A*Sqrt[1 + E^((2*I)*(c + d*x))] + 12*A*(-1 + E^((2*I)*c))*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] - 5*(A + 3*C)*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]))/(d*(-1 + E^((2*I)*c))*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))])*Sqrt[1 + E^((2*I)*(c + d*x))]) - (Csc[c]*((93*A - 60*C)*Cos[d*x] + (99*A + 60*C)*Cos[2*c + d*x] - 2*A*Sin[c]*(20*Sin[2*(c + d*x)] + 3*Sin[3*(c + d*x)])))/(8*d*Sec[c + d*x]^(7/2)))/(15*(A + 2*C + A*Cos[2*(c

+ d*x]))))

Maple [A] time = 2.163, size = 440, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+a*\sec(dx+c))^2*(A+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}, x)$

[Out]
$$-4/15*a^2*(-12*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+32*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(13*A+15*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-12*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+15*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^2*(A+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + 2Ca^2 \sec(dx+c)^3 + (A+C)a^2 \sec(dx+c)^2 + 2Aa^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + 2*C*a^2*sec(d*x + c)^3 + (A + C)*a^2*sec(d*x + c)^2 + 2*A*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(5/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{A}{\sec^{\frac{5}{2}}(c + dx)} dx + \int \frac{2A}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{A}{\sqrt{\sec(c + dx)}} dx + \int \frac{C}{\sqrt{\sec(c + dx)}} dx + \int 2C\sqrt{\sec(c + dx)} dx + \int \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] a**2*(Integral(A/sec(c + d*x)**(5/2), x) + Integral(2*A/sec(c + d*x)**(3/2), x) + Integral(A/sqrt(sec(c + d*x)), x) + Integral(C/sqrt(sec(c + d*x)), x) + Integral(2*C*sqrt(sec(c + d*x)), x) + Integral(C*sec(c + d*x)**(3/2), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(5/2), x)

$$3.219 \quad \int \frac{(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=204

$$\frac{8a^2(3A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a^2(33A+35C)\sin(c+dx)}{105d\sqrt{\sec(c+dx)}} + \frac{4a^2(3A+5C)\sqrt{\cos(c+dx)}}{5d}$$

[Out] (4*a^2*(3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (8*a^2*(3*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(33*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (8*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.421424, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4087, 4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2a^2(33A+35C)\sin(c+dx)}{105d\sqrt{\sec(c+dx)}} + \frac{8a^2(3A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{4a^2(3A+5C)\sqrt{\cos(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (4*a^2*(3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (8*a^2*(3*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(33*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (8*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*

$(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, C, m\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ !\text{LtQ}[m, -2^{(-1)}] \ \&\& \ (\text{LtQ}[n, -2^{(-1)}] \ || \ \text{EqQ}[m + n + 1, 0])$

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \ :> \ \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 1/2] \ \&\& \ \text{LtQ}[n, -1]$

Rule 3996

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \ :> \ \text{Simp}[(A*A*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \ :> \ \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] \ :> \ \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \ :> \ \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \ :> \ \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^2 (2aA + \frac{1}{2}a(A+7C) \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx}{7a} \\
&= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{8A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a^2(33A + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \\
&= \frac{2a^2(33A + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \\
&= \frac{2a^2(33A + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \\
&= \frac{4a^2(3A + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{8a^2(3A + 5C)}{5d}
\end{aligned}$$

Mathematica [C] time = 2.37989, size = 189, normalized size = 0.93

$$\frac{a^2 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-56i(3A + 5C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[(((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2)),x]

[Out] (a^2*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(80*(3*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (56*I)*(3*A + 5*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + Cos[c + d*x]*((504*I)*A + (840*I)*C + 5*(51*A + 28*C)*Sin[c + d*x] + 84*A*Ssin[2*(c + d*x)] + 15*A*Ssin[3*(c + d*x)])))/(210*d*E^(I*d*x))

Maple [A] time = 1.952, size = 380, normalized size = 1.9

$$-\frac{4a^2}{105d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(120 A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^8 - 348 A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^6 + (378 A + 70 C) \sin(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4 \cos(1/2 dx + c/2) + (-117 A - 35 C) \sin(1/2 dx + c/2) (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) + 30 A (\sin(1/2 dx + c/2))^2\right)^{1/2} - 63 A (\sin(1/2 dx + c/2))^2 (\sin(1/2 dx + c/2))^{1/2} (2 \sin(1/2 dx + c/2))^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + c/2), 2^{1/2}) - 63 A (\sin(1/2 dx + c/2))^2 (\sin(1/2 dx + c/2))^{1/2} (2 \sin(1/2 dx + c/2))^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + c/2), 2^{1/2}) + 70 C (\sin(1/2 dx + c/2))^2 (\sin(1/2 dx + c/2))^{1/2} (2 \sin(1/2 dx + c/2))^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + c/2), 2^{1/2}) - 105 C (\sin(1/2 dx + c/2))^2 (\sin(1/2 dx + c/2))^{1/2} (2 \sin(1/2 dx + c/2))^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + c/2), 2^{1/2}) \Big/ (-2 \sin(1/2 dx + c/2)^4 + \sin(1/2 dx + c/2)^2)^{1/2} / \sin(1/2 dx + c/2) / (2 \cos(1/2 dx + c/2)^2 - 1)^{1/2} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x)

[Out] -4/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(120*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8-348*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(378*A+70*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-117*A-35*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+30*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+70*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-105*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + 2Ca^2 \sec(dx+c)^3 + (A+C)a^2 \sec(dx+c)^2 + 2Aa^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^2*sec(d*x + c)^4 + 2*C*a^2*sec(d*x + c)^3 + (A + C)*a^2*sec(d*x + c)^2 + 2*A*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(7/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(7/2), x)
```

$$3.220 \quad \int \frac{(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$$

Optimal. Leaf size=237

$$\frac{4a^2(5A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a^2(19A+21C)\sin(c+dx)}{105d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(5A+7C)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}}$$

[Out] (16*a^2*(2*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(19*A + 21*C)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (4*a^2*(5*A + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (8*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.436035, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4087, 4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a^2(19A+21C)\sin(c+dx)}{105d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(5A+7C)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{4a^2(5A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \dots$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (16*a^2*(2*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(19*A + 21*C)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (4*a^2*(5*A + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (8*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*

$(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] || \text{EqQ}[m + n + 1, 0])$

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_1}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*(m-n-1) - b*B*n - (a*B*n + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$

Rule 3996

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (B*b*n + A*a*(n+1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3769

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{n+1})/(b*d*n), x] + \text{Dist}[(n+1)/(b^2*n), \text{Int}[(b*\text{Csc}[c + d*x])^{n+2}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^2 (2aA + \frac{3}{2}a(A + 3C) \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx}{9a} \\
 &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{8A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2a^2(19A + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{8A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2a^2(19A + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{8A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2a^2(19A + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^2(5A + 7C) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{16a^2(2A + 3C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{2a^2(19A + 21C) \sin(c + dx)}{105d} \\
 &= \frac{16a^2(2A + 3C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{4a^2(5A + 7C) \sin(c + dx)}{21d}
 \end{aligned}$$

Mathematica [C] time = 2.91122, size = 206, normalized size = 0.87

$$\frac{a^2 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-448i(2A + 3C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]

[Out] (a^2*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(240*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (448*I)*(2*A + 3*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((2688*I)*A + (4032*I)*C + 60*(23*A + 28*C)*Sin[c + d*x] + 14*(37*A + 18*C)*Sin[2*(c + d*x)] + 180*A*Sin[3*(c + d*x)] + 35*A*Sin[4*(c + d*x)]))/(1260*d*E^(I*d*x))

Maple [A] time = 1.928, size = 408, normalized size = 1.7

$$-\frac{4a^2}{315d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-560A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{10} + 1840A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-2368A - 252C) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) + (1568A + 672C) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^3\left(\frac{1}{2}dx + \frac{c}{2}\right) + (-387A - 273C) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^5\left(\frac{1}{2}dx + \frac{c}{2}\right) + 75A \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^7\left(\frac{1}{2}dx + \frac{c}{2}\right) + (-168A) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^9\left(\frac{1}{2}dx + \frac{c}{2}\right) + 105C \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^{11}\left(\frac{1}{2}dx + \frac{c}{2}\right) - 252C \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^{13}\left(\frac{1}{2}dx + \frac{c}{2}\right) - 105C \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^{15}\left(\frac{1}{2}dx + \frac{c}{2}\right)\right) / \left(-2 \sin^4\left(\frac{1}{2}dx + \frac{c}{2}\right) + \sin^2\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^2\left(\frac{1}{2}dx + \frac{c}{2}\right) / \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) / \left(2 \cos^2\left(\frac{1}{2}dx + \frac{c}{2}\right) - 1\right) / d\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)

[Out] -4/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(-560*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+1840*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-2368*A-252*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(1568*A+672*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-387*A-273*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+75*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-168*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+105*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-252*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + 2Ca^2 \sec(dx+c)^3 + (A+C)a^2 \sec(dx+c)^2 + 2Aa^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + 2*C*a^2*sec(d*x + c)^3 + (A + C)*a^2*sec(d*x + c)^2 + 2*A*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(9/2), x)
```

$$3.221 \quad \int \frac{(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=270

$$\frac{8a^2(25A + 33C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^2(7A + 9C)\sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^2(89A + 99C)\sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)}$$

[Out] (4*a^2*(7*A + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (8*a^2*(25*A + 33*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a^2*(89*A + 99*C)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)) + (4*a^2*(7*A + 9*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (8*a^2*(25*A + 33*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (8*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.47287, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4087, 4017, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{4a^2(7A + 9C)\sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^2(89A + 99C)\sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{8a^2(25A + 33C)\sin(c + dx)}{231d\sqrt{\sec(c + dx)}} + \frac{8a^2(25A + 33C)\sqrt{\cos(c + dx)}}{231d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (4*a^2*(7*A + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (8*a^2*(25*A + 33*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a^2*(89*A + 99*C)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)) + (4*a^2*(7*A + 9*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (8*a^2*(25*A + 33*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (8*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*C

ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^2 (2aA + \frac{1}{2}a(5A + 11C))}{\sec^{\frac{9}{2}}(c + dx)} dx}{11a} \\
 &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{8A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(89A + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{8A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(89A + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{8A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(89A + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2(7A + 9C) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{8a^2(25A + 9C) \sin(c + dx)}{231d} \\
 &= \frac{2a^2(89A + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2(7A + 9C) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{8a^2(25A + 9C) \sin(c + dx)}{231d} \\
 &= \frac{4a^2(7A + 9C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{8a^2(25A + 9C) \sin(c + dx)}{231d}
 \end{aligned}$$

Mathematica [C] time = 3.22288, size = 228, normalized size = 0.84

$$\frac{a^2 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-2464i(7A + 9C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2),x]

[Out] (a^2*sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(960*(25*A + 33*C)*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (2464*I)*(7*A + 9*C)*E^(I*(c + d*x))*sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((51744*I)*A + (66528*I)*C + 30*(941*A + 1122*C)*Sin[c + d*x] + 616*(19*A + 18*C)*Sin[2*(c + d*x)] + 4545*A*Sin[3*(c + d*x)] + 1980*C*Sin[3*(c + d*x)] + 1540*A*Sin[4*(c + d*x)] + 315*A*Sin[5*(c + d*x)])))/(27720*d*E^(I*d*x))

Maple [A] time = 2.097, size = 436, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x)

[Out] -4/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(10080*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12-37520*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(57040*A+3960*C)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-46192*A-11484*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(22022*A+12474*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-4563*A-3861*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+750*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1617*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+990*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2079*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + 2Ca^2 \sec(dx+c)^3 + (A+C)a^2 \sec(dx+c)^2 + 2Aa^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{11}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + 2*C*a^2*sec(d*x + c)^3 + (A + C)*a^2*sec(d*x + c)^2 + 2*A*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(11/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(11/2), x)
```

$$3.222 \quad \int \sec^2(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=319

$$\frac{4a^3(143A + 105C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{8a^3(44A + 35C)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{385d} + \frac{4a^3(143A + 105C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{231d}$$

[Out] (-4*a^3*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(143*A + 105*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (4*a^3*(7*A + 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(5*d) + (4*a^3*(143*A + 105*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(231*d) + (8*a^3*(44*A + 35*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x]/(385*d) + (2*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3*Sin[c + d*x]/(11*d) + (4*C*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x]/(33*a*d) + (2*(33*A + 35*C)*Sec[c + d*x]^(5/2)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(231*d)

Rubi [A] time = 0.618146, antiderivative size = 319, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4089, 4018, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{8a^3(44A + 35C)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{385d} + \frac{4a^3(143A + 105C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{231d} + \frac{2(33A + 35C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{231d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (-4*a^3*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(143*A + 105*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (4*a^3*(7*A + 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(5*d) + (4*a^3*(143*A + 105*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(231*d) + (8*a^3*(44*A + 35*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x]/(385*d) + (2*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3*Sin[c + d*x]/(11*d) + (4*C*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x]/(33*a*d) + (2*(33*A + 35*C)*Sec[c + d*x]^(5/2)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(231*d)

Rule 4089

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] := -Simp[(C*
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_) * (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 3997

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)) * (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

```

EqQ[n^2, 1/4]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx)) dx &= \frac{2C \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3 \sin(c+dx)}{11d} + \frac{2 \int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx)) dx}{11d} \\
&= \frac{2C \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3 \sin(c+dx)}{11d} + \frac{4C \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3 \sin(c+dx)}{11d} \\
&= \frac{2C \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3 \sin(c+dx)}{11d} + \frac{4C \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3 \sin(c+dx)}{11d} \\
&= \frac{8a^3(44A+35C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{385d} + \frac{2C \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3 \sin(c+dx)}{11d} \\
&= \frac{8a^3(44A+35C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{385d} + \frac{2C \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3 \sin(c+dx)}{11d} \\
&= \frac{4a^3(7A+5C) \sqrt{\sec(c+dx)} \sin(c+dx)}{5d} + \frac{4a^3(143A+105C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5d} \\
&= \frac{4a^3(7A+5C) \sqrt{\sec(c+dx)} \sin(c+dx)}{5d} + \frac{4a^3(143A+105C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5d} \\
&= -\frac{4a^3(7A+5C) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 7.00122, size = 863, normalized size = 2.71

$$\frac{7Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos^5(c+dx) \csc(c) \left(e^{2idx} (-1+e^{2ic}) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}} \right)}{15\sqrt{2}d(\cos(2c+2dx)A+A+2C)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (7*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(15*Sqrt[2]*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])) + (C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(3*Sqrt[2]*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])) + (13*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(21*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + (5*C*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(11*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + (Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*(((7*A + 5*C)*Cos[d*x]*Csc[c])/(5*d) + (C*Sec[c]*Sec[c + d*x]^5*Sin[d*x])/(22*d) + (Sec[c]*Sec[c + d*x]^4*(3*C*Sin[c] + 11*C*Sin[d*x]))/(66*d) + (Sec[c]*Sec[c + d*x]^3*(77*C*Sin[c] + 33*A*Sin[d*x] + 126*C*Sin[d*x]))/(462*d) + (Sec[c]*Sec[c + d*x]^2*(165*A*Sin[c] + 630*C*Sin[c] + 693*A*Sin[d*x] + 770*C*Sin[d*x]))/(2310*d) + (Sec[c]*Sec[c + d*x]*(693*A*Sin[c] + 770*C*Sin[c] + 1430*A*Sin[d*x] + 1050*C*Sin[d*x]))/(2310*d) + ((143*A + 105*C)*Tan[c])/(231*d)))/(A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2))

Maple [B] time = 10.123, size = 1409, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)

[Out] -a^3*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(16*(1/8*A+3/8*C)*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))

$$\begin{aligned}
& 2)) + 6A * (-1/6 * \cos(1/2 * dx + 1/2 * c) * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * dx + 1/2 * c)^2 - 1/2)^2 + 1/3 * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * \\
& (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) + 6C * (-1/144 * \cos(1/2 * dx + 1/2 * c) * \\
& (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * dx + 1/2 * c)^2 - 1/2)^5 - 7/180 * \cos(1/2 * dx + 1/2 * c) * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * dx + 1/2 * c)^2 - 1/2)^3 - 14/15 * \sin(1/2 * dx + 1/2 * c)^2 * \cos(1/2 * dx + 1/2 * c) / (-(-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1) * \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} + 7/15 * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) - 7/15 * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (\text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) - \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)})) - 16/5 * (3/8 * A + 1/8 * C) / (8 * \sin(1/2 * dx + 1/2 * c)^6 - 12 * \sin(1/2 * dx + 1/2 * c)^4 + 6 * \sin(1/2 * dx + 1/2 * c)^2 - 1) / \sin(1/2 * dx + 1/2 * c)^2 * (12 * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * dx + 1/2 * c)^4 - 24 * \sin(1/2 * dx + 1/2 * c)^6 * \cos(1/2 * dx + 1/2 * c) - 12 * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * dx + 1/2 * c)^2 + 24 * \sin(1/2 * dx + 1/2 * c)^4 * \cos(1/2 * dx + 1/2 * c) + 3 * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * dx + 1/2 * c)^2 - 8 * \sin(1/2 * dx + 1/2 * c)^2 * \cos(1/2 * dx + 1/2 * c)) * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} + 2A * (-\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} + 2 * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * dx + 1/2 * c) * \sin(1/2 * dx + 1/2 * c)^2 / \sin(1/2 * dx + 1/2 * c)^2 / (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1) + 2C * (-1/352 * \cos(1/2 * dx + 1/2 * c) * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * dx + 1/2 * c)^2 - 1/2)^6 - 9/616 * \cos(1/2 * dx + 1/2 * c) * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * dx + 1/2 * c)^2 - 1/2)^4 - 15/154 * \cos(1/2 * dx + 1/2 * c) * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * dx + 1/2 * c)^2 - 1/2)^2 + 15/77 * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)})) / \sin(1/2 * dx + 1/2 * c) / (2 * \cos(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(a+a*sec(dx+c))^3*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ca³ sec(dx + c)⁶ + 3Ca³ sec(dx + c)⁵ + (A + 3C)a³ sec(dx + c)⁴ + (3A + C)a³ sec(dx + c)³ + 3Aa³ sec(dx + c)² + Aa³ sec(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a³*sec(d*x + c)⁶ + 3*C*a³*sec(d*x + c)⁵ + (A + 3*C)*a³*sec(d*x + c)⁴ + (3*A + C)*a³*sec(d*x + c)³ + 3*A*a³*sec(d*x + c)² + A*a³*sec(d*x + c))*sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)

3.223 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx)) dx$

Optimal. Leaf size=286

$$\frac{4a^3(21A+11C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{8a^3(21A+16C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{105d} + \frac{2(63A+73C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)(a^3\sec(c+dx)+a^3)}{315d}$$

[Out] $(-4a^3(27A+17C)\sqrt{\cos[c+dx]}\text{EllipticE}[(c+dx)/2, 2]\sqrt{\sec[c+dx]})/(15d) + (4a^3(21A+11C)\sqrt{\cos[c+dx]}\text{EllipticF}[(c+dx)/2, 2]\sqrt{\sec[c+dx]})/(21d) + (4a^3(27A+17C)\sqrt{\sec[c+dx]}\sin[c+dx])/(15d) + (8a^3(21A+16C)\sec[c+dx]^{3/2}\sin[c+dx])/(105d) + (2C\sec[c+dx]^{3/2}(a+a\sec[c+dx])^3\sin[c+dx])/(9d) + (4C\sec[c+dx]^{3/2}(a^2+a^2\sec[c+dx])^2\sin[c+dx])/(21ad) + (2(63A+73C)\sec[c+dx]^{3/2}(a^3+a^3\sec[c+dx])\sin[c+dx])/(315d)$

Rubi [A] time = 0.589692, antiderivative size = 286, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4089, 4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{8a^3(21A+16C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{105d} + \frac{2(63A+73C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)(a^3\sec(c+dx)+a^3)}{315d} + \frac{4a^3(27A+17C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{315d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\sqrt{\sec[c+dx]}(a+a\sec[c+dx])^3(A+C\sec[c+dx]^2), x]$

[Out] $(-4a^3(27A+17C)\sqrt{\cos[c+dx]}\text{EllipticE}[(c+dx)/2, 2]\sqrt{\sec[c+dx]})/(15d) + (4a^3(21A+11C)\sqrt{\cos[c+dx]}\text{EllipticF}[(c+dx)/2, 2]\sqrt{\sec[c+dx]})/(21d) + (4a^3(27A+17C)\sqrt{\sec[c+dx]}\sin[c+dx])/(15d) + (8a^3(21A+16C)\sec[c+dx]^{3/2}\sin[c+dx])/(105d) + (2C\sec[c+dx]^{3/2}(a+a\sec[c+dx])^3\sin[c+dx])/(9d) + (4C\sec[c+dx]^{3/2}(a^2+a^2\sec[c+dx])^2\sin[c+dx])/(21ad) + (2(63A+73C)\sec[c+dx]^{3/2}(a^3+a^3\sec[c+dx])\sin[c+dx])/(315d)$

Rule 4089

$\text{Int}[(A_+ + \csc[e_+ + (f_+)(x_+)]^2(C_+))(\csc[e_+ + (f_+)(x_+)](d_+))^n(\csc[e_+ + (f_+)(x_+)](b_+) + (a_+))^{m_+}, x_Symbol] \rightarrow -\text{Simp}[(C_+ \cot[e_+ + f_+ x_+](a_+ + b_+ \csc[e_+ + f_+ x_+])^m (d_+ \csc[e_+ + f_+ x_+])^n / (f_+(m+n+1)), x]$

+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*
 mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b,
 d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
 Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
 ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
 *Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
 [e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
 B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*
 (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e
 + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
 + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
 x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
 -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> Dist[(b*Csc[c + d*x])
 ^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
 EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
 Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> -Simp[(b*Cos[c + d*x]
]*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I

Int[(b*Csc[c + d*x])^(n - 2), x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\sec(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))} dx &= \frac{2C \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{9d} + \frac{2 \int \sqrt{\sec(c + dx)(a + a \sec(c + dx))^3} dx}{9d} \\
 &= \frac{2C \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{9d} + \frac{4C \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{9d} \\
 &= \frac{2C \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{9d} + \frac{4C \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{9d} \\
 &= \frac{8a^3(21A + 16C) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2C \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{9d} \\
 &= \frac{8a^3(21A + 16C) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2C \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{9d} \\
 &= \frac{4a^3(27A + 17C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{8a^3(21A + 16C) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{4a^3(21A + 11C) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{21d} \\
 &= -\frac{4a^3(27A + 17C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
 \end{aligned}$$

Mathematica [C] time = 6.84525, size = 818, normalized size = 2.86

$$\frac{3Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos^5(c+dx) \csc(c) \left(e^{2idx} (-1+e^{2ic}) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}} \right)}{5\sqrt{2}d(\cos(2c+2dx)A + A + 2C)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),
x]
```

```
[Out] (3*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c +
d*x))]*Cos[c + d*x]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*
d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x
))])*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(5
*Sqrt[2]*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])) + (17*C*Sqrt[E^(I*(c +
d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x
]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)
*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x
)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(45*Sqrt[2]*d*E^(I*d*x
)*(A + 2*C + A*Cos[2*c + 2*d*x])) + (A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d
*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2
))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + (11*C*Sqrt[Cos[c
+ d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x]
)^3*(A + C*Sec[c + d*x]^2))/(21*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x
]^(9/2)) + (Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]
^2)*(((27*A + 17*C)*Cos[d*x]*Csc[c])/(15*d) + (C*Sec[c]*Sec[c + d*x]^4*Sin
[d*x])/(18*d) + (Sec[c]*Sec[c + d*x]^3*(7*C*Sin[c] + 27*C*Sin[d*x]))/(126*d
) + (Sec[c]*Sec[c + d*x]^2*(135*C*Sin[c] + 63*A*Sin[d*x] + 238*C*Sin[d*x]))
/(630*d) + (Sec[c]*Sec[c + d*x]*(63*A*Sin[c] + 238*C*Sin[c] + 315*A*Sin[d*x]
+ 330*C*Sin[d*x]))/(630*d) + ((21*A + 22*C)*Tan[c])/(42*d)))/(A + 2*C +
A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2))
```

Maple [B] time = 9.044, size = 1247, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x)
```

```
[Out] -a^3*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+6*C
*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(
1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+
16*(3/8*A+1/8*C)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*
```

$$\begin{aligned} & d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*C*(-1/144*\cos(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^5 \\ & -7/180*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & /(\cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) \\ & /(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})))-16/5*(1/8*A+3/8*C) \\ & /((8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2 \\ & *(12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c) \\ & -12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c) \\ & +3*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)) \\ & *(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+6*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1) \\ &)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(dx+c))^3*(A+C*sec(dx+c)^2)*sec(dx+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ca³ sec(dx+c)⁵ + 3Ca³ sec(dx+c)⁴ + (A+3C)a³ sec(dx+c)³ + (3A+C)a³ sec(dx+c)² + 3Aa³ sec(dx+c)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3*sqrt(sec(d*x + c)), x)
```

$$3.224 \quad \int \frac{(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=253

$$\frac{4a^3(35A+13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{8a^3(70A+53C)\sin(c+dx)\sqrt{\sec(c+dx)}}{105d} + \frac{2(5A+7C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d}$$

[Out] $(-4a^3(5A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticE}[(c+dx)/2, 2]\sqrt{\sec(c+dx)} + (4a^3(35A+13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}[(c+dx)/2, 2]\sqrt{\sec(c+dx)})/(21d) + (8a^3(70A+53C)\sqrt{\sec(c+dx)}\sin(c+dx))/(105d) + (2C\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^3\sin(c+dx))/(7d) + (12C\sqrt{\sec(c+dx)}(a^2+a^2\sec(c+dx))^2\sin(c+dx))/(35ad) + (2(5A+7C)\sqrt{\sec(c+dx)}(a^3+a^3\sec(c+dx))\sin(c+dx))/(15d)$

Rubi [A] time = 0.562782, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4089, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{8a^3(70A+53C)\sin(c+dx)\sqrt{\sec(c+dx)}}{105d} + \frac{2(5A+7C)\sin(c+dx)\sqrt{\sec(c+dx)}(a^3\sec(c+dx)+a^3)}{15d} + \frac{4a^3(35A+13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))}{\sqrt{\sec(c+dx)}}], x]$

[Out] $(-4a^3(5A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticE}[(c+dx)/2, 2]\sqrt{\sec(c+dx)} + (4a^3(35A+13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}[(c+dx)/2, 2]\sqrt{\sec(c+dx)})/(21d) + (8a^3(70A+53C)\sqrt{\sec(c+dx)}\sin(c+dx))/(105d) + (2C\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^3\sin(c+dx))/(7d) + (12C\sqrt{\sec(c+dx)}(a^2+a^2\sec(c+dx))^2\sin(c+dx))/(35ad) + (2(5A+7C)\sqrt{\sec(c+dx)}(a^3+a^3\sec(c+dx))\sin(c+dx))/(15d)$

Rule 4089

$\text{Int}[\frac{(A + \csc(e + f*x) + (f*x)^2*(C)) * (\csc(e + f*x) * (d + (f*x)^2*(C) + (f*x)^2*(C) + (f*x)^2*(C)))^n * (\csc(e + f*x) * (b + (a + b*\csc(e + f*x))^m * (d*\csc(e + f*x))^n)}{(f*(m+n+1))}, x]$
 $:= -\text{Simp}[\frac{(C*\csc(e + f*x) * (a + b*\csc(e + f*x))^m * (d*\csc(e + f*x))^n)}{(f*(m+n+1))}, x]$
 $+ \text{Dist}[1/(b*(m+n+1)), \text{Int}[(a + b*\csc(e + f*x))^m * (d*\csc(e + f*x))^n * \text{Si}$

mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} + 2 \int \frac{(a + a \sec(c + dx))^3 \left(\frac{1}{2}a\right)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} + \frac{12C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} \\
&= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} + \frac{12C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} \\
&= \frac{8a^3(70A + 53C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} + \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} \\
&= \frac{8a^3(70A + 53C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} + \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} \\
&= \frac{8a^3(70A + 53C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} + \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} \\
&= -\frac{4a^3(5A + 7C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{5d} + \frac{4a^3(35A + 7C)\sqrt{\sec(c + dx)} \sin(c + dx)}{7d}
\end{aligned}$$

Mathematica [C] time = 3.49733, size = 280, normalized size = 1.11

$$\frac{a^3 e^{-idx} \sec^{\frac{7}{2}}(c + dx)(\cos(dx) + i \sin(dx)) \left(14i(5A + 7C)e^{-2i(c+dx)} (1 + e^{2i(c+dx)})^{7/2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right)\right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

[Out] (a^3*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])*((-630*I)*A - (882*I)*C - (840*I)*A*Cos[2*(c + d*x)] - (1176*I)*C*Cos[2*(c + d*x)] - (210*I)*A*Cos[4*(c + d*x)] - (294*I)*C*Cos[4*(c + d*x)] + 80*(35*A + 13*C)*Cos[c + d*x]^(7/2))*EllipticF[(c + d*x)/2, 2] + ((14*I)*(5*A + 7*C)*(1 + E^((2*I)*(c + d*x)))^(7/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^((2*I)*(c + d*x)) + 70*A*Sin[c + d*x] + 380*C*Sin[c + d*x] + 630*A*Sin[2*(c + d*x)] + 840*C*Sin[2*(c + d*x)] + 70*A*Sin[3*(c + d*x)] + 260*C*Sin[3*(c + d*x)] +

$$315*A*\sin[4*(c + d*x)] + 294*C*\sin[4*(c + d*x)]/(420*d*E^{(I*d*x)})$$

Maple [B] time = 7.518, size = 1014, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^3*(A+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(1/2)}, x)$

[Out] $-a^3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+4*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*C*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+16*(1/8*A+3/8*C)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-6/5*C/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+16*(3/8*A+1/8*C)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^3 \sec(dx+c)^5 + 3Ca^3 \sec(dx+c)^4 + (A+3C)a^3 \sec(dx+c)^3 + (3A+C)a^3 \sec(dx+c)^2 + 3Aa^3 \sec(dx+c)}{\sqrt{\sec(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorit
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3/sqrt(sec(d*x + c)),
x)
```

$$3.225 \quad \int \frac{(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=259

$$\frac{4a^3(5A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{4a^3(5A+21C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} - \frac{2(5A-9C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d}$$

[Out] (4*a^3*(5*A - 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^3*(5*A + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(5*A - 3*C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(15*a*d) - (2*(5*A - 9*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)

Rubi [A] time = 0.564843, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4087, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(5A+21C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} - \frac{2(5A-9C)\sin(c+dx)\sqrt{\sec(c+dx)}(a^3\sec(c+dx)+a^3)}{15d} - \frac{2(5A-3C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (4*a^3*(5*A - 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^3*(5*A + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(5*A - 3*C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(15*a*d) - (2*(5*A - 9*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cosot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(

$b*d*n$), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{(a + a \sec(c + dx))^3 (3aA - \frac{1}{2}a(5A - 3C) \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx}{3a} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2(5A - 3C)\sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx))}{15ad} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2(5A - 3C)\sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx))}{15ad} \\
&= \frac{4a^3(5A + 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(5A + 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(5A + 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(5A - 9C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3(5A + 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d}
\end{aligned}$$

Mathematica [C] time = 2.86039, size = 255, normalized size = 0.98

$$a^3 e^{-idx} \sec^{\frac{5}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(-4i(5A - 9C) e^{-i(c+dx)} (1 + e^{2i(c+dx)})^{5/2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (a^3*Sec[c + d*x]^(5/2)*(Cos[d*x] + I*Sin[d*x]))*((180*I)*A*Cos[c + d*x] - (324*I)*C*Cos[c + d*x] + (60*I)*A*Cos[3*(c + d*x)] - (108*I)*C*Cos[3*(c + d*x)]) + 80*(5*A + 3*C)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] - ((4*I)*(5*A - 9*C)*(1 + E^((2*I)*(c + d*x)))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4

$$\frac{-E^{\left(\left(2I\right)\left(c+d*x\right)\right)}\left[E^{\left(I\left(c+d*x\right)\right)}+30A\sin\left[c+d*x\right]+132C\sin\left[c+d*x\right]+10A\sin\left[2\left(c+d*x\right)\right]+60C\sin\left[2\left(c+d*x\right)\right]+30A\sin\left[3\left(c+d*x\right)\right]+108C\sin\left[3\left(c+d*x\right)\right]+5A\sin\left[4\left(c+d*x\right)\right]\right]}{\left(60dE^{\left(I*d*x\right)}\right)}$$

Maple [B] time = 6.838, size = 939, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}\left(\left(a+a*\sec(d*x+c)\right)^3\left(A+C*\sec(d*x+c)^2\right)/\sec(d*x+c)^{\left(3/2\right)},x\right)$

[Out]
$$\frac{4}{15}a^3\left(-\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}/\left(8\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^6-12\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+6\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^3\left(40A\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^8+100A\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4-60A\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4-120A\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^6+60C\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+108C\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4-216C\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^6-100A\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+60A\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+90A\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)-60C\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-108C\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+246C\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+25A\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)-15A\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)-20A\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)+15C\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)+27C\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\left(1/2\right)}\right)-72C\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\left(1/2\right)}/\left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\left(1/2\right)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^3 \sec(dx+c)^5 + 3Ca^3 \sec(dx+c)^4 + (A+3C)a^3 \sec(dx+c)^3 + (3A+C)a^3 \sec(dx+c)^2 + 3Aa^3 \sec(dx+c)}{\sec(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorit
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(3/2),
x)
```

$$3.226 \quad \int \frac{(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=253

$$\frac{4a^3(3A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{8a^3(3A-10C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} - \frac{2(9A-5C)\sqrt{\sec(c+dx)}}{15d}$$

[Out] (4*a^3*(9*A - 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (8*a^3*(3*A - 10*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (4*A*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(5*a*d*Sqrt[Sec[c + d*x]]) - (2*(9*A - 5*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)

Rubi [A] time = 0.569539, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4087, 4017, 4018, 3997, 3787, 3771, 2639, 2641}

$$-\frac{8a^3(3A-10C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} - \frac{2(9A-5C)\sin(c+dx)\sqrt{\sec(c+dx)}(a^3\sec(c+dx)+a^3)}{15d} + \frac{4a^3(3A+5C)\sqrt{\sec(c+dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (4*a^3*(9*A - 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (8*a^3*(3*A - 10*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (4*A*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(5*a*d*Sqrt[Sec[c + d*x]]) - (2*(9*A - 5*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*C

ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^3 \left(3aA - \frac{1}{2}a(3A - 5C) \sec^2(c + dx)\right)}{\sec^{\frac{3}{2}}(c + dx)} dx}{5a} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{4A(a^2 + a^2 \sec^2(c + dx))^2 \sin(c + dx)}{5ad \sqrt{\sec(c + dx)}} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{4A(a^2 + a^2 \sec^2(c + dx))^2 \sin(c + dx)}{5ad \sqrt{\sec(c + dx)}} \\
&= -\frac{8a^3(3A - 10C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{8a^3(3A - 10C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{8a^3(3A - 10C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^3(9A - 5C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3(3A + 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d}
\end{aligned}$$

Mathematica [C] time = 2.27082, size = 221, normalized size = 0.87

$$a^3 e^{-idx} \sec^{\frac{3}{2}}(c+dx) (\cos(dx) + i \sin(dx)) \left(-8i(9A-5C) (1+e^{2i(c+dx)})^{\frac{3}{2}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 80 \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (a^3*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*((216*I)*A - (120*I)*C + (216*I)*A*Cos[2*(c + d*x)] - (120*I)*C*Cos[2*(c + d*x)] + 80*(3*A + 5*C)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] - (8*I)*(9*A - 5*C)*(1 + E^((2*I)*(c + d*x)))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 30*A*Sin[c + d*x] + 40*C*Sin[c + d*x] + 6*A*Sin[2*(c + d*x)] + 180*C*Sin[2*(c + d*x)] + 30*A*Sin[3*(c + d*x)] + 3*A*Sin[4*(c + d*x)]))/(60*d*E^(I*d*x))

Maple [B] time = 2.469, size = 704, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2), x)

[Out] -4/15*(24*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8-96*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+6*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(13*A+15*C)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(9*A+25*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(15*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-27*A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+25*C*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+15*C*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))*sin(1/2*d*x+1/2*c)^2+15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-27*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+25*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(

$$\frac{1}{2}dx + \frac{1}{2}c, 2^{(1/2)} * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} + 15 * C * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) * a^3 / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * dx + 1/2 * c)^2 - 1)^{(3/2)} / \sin(1/2 * dx + 1/2 * c) / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^3 \sec(dx+c)^5 + 3Ca^3 \sec(dx+c)^4 + (A+3C)a^3 \sec(dx+c)^3 + (3A+C)a^3 \sec(dx+c)^2 + 3Aa^3 \sec(dx+c)}{\sec(dx+c)^{\frac{5}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(5/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(5/2),x)
```

$$3.227 \quad \int \frac{(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=253

$$\frac{4a^3(13A + 35C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} - \frac{4a^3(41A - 35C)\sin(c + dx)\sqrt{\sec(c + dx)}}{105d} + \frac{2(7A + 5C)\sin(c + dx)\sqrt{\sec(c + dx)}}{15d}$$

```
[Out] (4*a^3*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(13*A + 35*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) - (4*a^3*(41*A - 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (12*A*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(35*a*d*Sec[c + d*x]^(3/2)) + (2*(7*A + 5*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 0.572871, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4087, 4017, 3997, 3787, 3771, 2639, 2641}

$$-\frac{4a^3(41A - 35C)\sin(c + dx)\sqrt{\sec(c + dx)}}{105d} + \frac{2(7A + 5C)\sin(c + dx)(a^3 \sec(c + dx) + a^3)}{15d\sqrt{\sec(c + dx)}} + \frac{4a^3(13A + 35C)\sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (4*a^3*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(13*A + 35*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) - (4*a^3*(41*A - 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (12*A*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(35*a*d*Sec[c + d*x]^(3/2)) + (2*(7*A + 5*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*C
```

ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^3 (3aA - \frac{1}{2}a(A - 7C) \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx}{7a} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{12A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{35ad \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{12A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{35ad \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{4a^3(41A - 35C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= -\frac{4a^3(41A - 35C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= -\frac{4a^3(41A - 35C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{4a^3(7A + 5C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3(13A + 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d}
\end{aligned}$$

Mathematica [C] time = 2.23135, size = 218, normalized size = 0.86

$$\frac{a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-112i(7A + 5C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (a^3*sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((2352*I)*A*cos[c + d*x] +
(1680*I)*C*cos[c + d*x] + 80*(13*A + 35*C)*sqrt[Cos[c + d*x]]*EllipticF[(c
+ d*x)/2, 2] - (112*I)*(7*A + 5*C)*E^(I*(c + d*x))*sqrt[1 + E^((2*I)*(c + d
*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 126*A*Sin[c
+ d*x] + 840*C*Sin[c + d*x] + 550*A*Sin[2*(c + d*x)] + 140*C*Sin[2*(c + d*x
)] + 126*A*Sin[3*(c + d*x)] + 15*A*Sin[4*(c + d*x)]))/(420*d*E^(I*d*x))
```

Maple [B] time = 2.406, size = 569, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x)
```

```
[Out] -4/105*a^3*(120*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(
1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8-432*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*
d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+14*(-2*sin(1/2*
d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(43*A+5*C)*sin(1/2*d*x+1/2*c)^4*co
s(1/2*d*x+1/2*c)-4*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(52
*A+35*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+65*A*(sin(1/2*d*x+1/2*c)^2
)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d
*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*(sin(1/2*d*x
+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+
sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+175*C*(si
n(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/
2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-
105*C*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),
2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+
1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorit
hm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^3 \sec(dx+c)^5 + 3Ca^3 \sec(dx+c)^4 + (A+3C)a^3 \sec(dx+c)^3 + (3A+C)a^3 \sec(dx+c)^2 + 3Aa^3 \sec(dx+c)}{\sec(dx+c)^{\frac{7}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x+c)^5 + 3*C*a^3*sec(d*x+c)^4 + (A+3*C)*a^3*sec(d*x+c)^3 + (3*A+C)*a^3*sec(d*x+c)^2 + 3*A*a^3*sec(d*x+c) + A*a^3)/sec(d*x+c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(7/2),  
x)
```

$$3.228 \quad \int \frac{(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$$

Optimal. Leaf size=253

$$\frac{4a^3(11A + 21C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2(73A + 63C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{315d \sec^{\frac{3}{2}}(c + dx)} + \dots$$

[Out] (4*a^3*(17*A + 27*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(11*A + 21*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (8*a^3*(16*A + 21*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (4*A*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(21*a*d*Sec[c + d*x]^(5/2)) + (2*(73*A + 63*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.579981, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4087, 4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2(73A + 63C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{315d \sec^{\frac{3}{2}}(c + dx)} + \frac{8a^3(16A + 21C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{4a^3(11A + 21C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (4*a^3*(17*A + 27*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(11*A + 21*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (8*a^3*(16*A + 21*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (4*A*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(21*a*d*Sec[c + d*x]^(5/2)) + (2*(73*A + 63*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*C

ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^3 (3aA + \frac{1}{2}a(A + 9C) \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx}{9a} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{21ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{21ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{8a^3(16A + 21C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{21ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{8a^3(16A + 21C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{21ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{8a^3(16A + 21C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{21ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{4a^3(17A + 27C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{4a^3(11A + 9C) \sin(c + dx)}{15d}
\end{aligned}$$

Mathematica [C] time = 2.87909, size = 206, normalized size = 0.81

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-112i(17A + 27C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x]))*(240*(11*A + 21*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (112*I)*(17*A + 27*C)*E^(I*(c + d*x)))

```
)*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((5712*I)*A + (9072*I)*C + 30*(97*A + 84*C)*Sin[c + d*x] + 14*(73*A + 18*C)*Sin[2*(c + d*x)] + 270*A*Ssin[3*(c + d*x)] + 35*A*Ssin[4*(c + d*x)])))/(1260*d*E^(I*d*x))
```

Maple [A] time = 1.934, size = 408, normalized size = 1.6

$$-\frac{4a^3}{315d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-560 A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{10} + 2200 A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-3412A - 252C) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) + (2702A + 882C) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^2\left(\frac{1}{2}dx + \frac{c}{2}\right) + (-738A - 378C) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^3\left(\frac{1}{2}dx + \frac{c}{2}\right) + 165A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} \left(2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} \operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) - 357A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} \left(2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} \operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) + 315C \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} \left(2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} \operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) - 567C \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} \left(2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} \operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right)\right) / \left(-2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^4\left(\frac{1}{2}dx + \frac{c}{2}\right) + \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^2\left(\frac{1}{2}dx + \frac{c}{2}\right) / \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right) / \left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \cos^2\left(\frac{1}{2}dx + \frac{c}{2}\right) - 1\right)^{1/2} / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2), x)
```

```
[Out] -4/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(-560*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+2200*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-3412*A-252*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(2702*A+882*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-738*A-378*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+165*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-357*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+315*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-567*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2), x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^3 \sec(dx+c)^5 + 3Ca^3 \sec(dx+c)^4 + (A+3C)a^3 \sec(dx+c)^3 + (3A+C)a^3 \sec(dx+c)^2 + 3Aa^3 \sec(dx+c)}{\sec(dx+c)^{\frac{9}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(9/2), x)

$$3.229 \quad \int \frac{(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=286

$$\frac{4a^3(105A + 143C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{231d} + \frac{8a^3(35A + 44C)\sin(c+dx)}{385d \sec^{\frac{3}{2}}(c+dx)} + \frac{2(35A + 33C)\sin(c+dx)}{231d \sec^{\frac{5}{2}}(c+dx)}$$

[Out] (4*a^3*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(105*A + 143*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (8*a^3*(35*A + 44*C)*Sin[c + d*x])/(385*d*Sec[c + d*x]^(3/2)) + (4*a^3*(105*A + 143*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (4*A*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(33*a*d*Sec[c + d*x]^(7/2)) + (2*(35*A + 33*C)*(a^3 + a^3*Sec[c + d*x])*Ssin[c + d*x])/(231*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.60518, antiderivative size = 286, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4087, 4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{8a^3(35A + 44C)\sin(c+dx)}{385d \sec^{\frac{3}{2}}(c+dx)} + \frac{2(35A + 33C)\sin(c+dx)(a^3 \sec(c+dx) + a^3)}{231d \sec^{\frac{5}{2}}(c+dx)} + \frac{4a^3(105A + 143C)\sin(c+dx)}{231d \sqrt{\sec(c+dx)}} + \frac{4a^3}{231d \sec^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (4*a^3*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(105*A + 143*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (8*a^3*(35*A + 44*C)*Sin[c + d*x])/(385*d*Sec[c + d*x]^(3/2)) + (4*a^3*(105*A + 143*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (4*A*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(33*a*d*Sec[c + d*x]^(7/2)) + (2*(35*A + 33*C)*(a^3 + a^3*Sec[c + d*x])*Ssin[c + d*x])/(231*d*Sec[c + d*x]^(5/2))

Rule 4087

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^3 (3aA + \frac{1}{2}a(3A + 11C))}{\sec^{\frac{9}{2}}(c + dx)} dx}{11a} \\
 &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{4A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{33ad \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{4A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{33ad \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{8a^3(35A + 44C) \sin(c + dx)}{385d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{4a^3(105A + 143C) \sin(c + dx)}{231d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} \\
 &= \frac{8a^3(35A + 44C) \sin(c + dx)}{385d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{4a^3(5A + 7C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{8a^3(35A + 44C) \sin(c + dx)}{385d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{4a^3(5A + 7C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{8a^3(35A + 44C) \sin(c + dx)}{385d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(105A + 143C) \sin(c + dx)}{231d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)}
 \end{aligned}$$

Mathematica [C] time = 3.29351, size = 228, normalized size = 0.8

$$a^3 e^{-idx} \sqrt{\sec(c+dx)} (\cos(dx) + i \sin(dx)) \left(-2464i(5A+7C) e^{i(c+dx)} \sqrt{1+e^{2i(c+dx)}} \operatorname{Hypergeometric2F1} \left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(160*(105*A + 143*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (2464*I)*(5*A + 7*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((36960*I)*A + (51744*I)*C + 10*(1953*A + 2354*C)*Sin[c + d*x] + 308*(25*A + 18*C)*Sin[2*(c + d*x)] + 2835*A*Sin[3*(c + d*x)] + 660*C*Sin[3*(c + d*x)] + 770*A*Sin[4*(c + d*x)] + 105*A*Sin[5*(c + d*x)])))/(9240*d*E^(I*d*x))

Maple [A] time = 2.077, size = 436, normalized size = 1.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2), x)

[Out] -4/1155*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(3360*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12-14560*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(25760*A+1320*C)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-24080*A-4752*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(13090*A+6622*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-2940*A-2288*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+525*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-1155*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+715*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-1617*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Ca^3 \sec(dx+c)^5 + 3Ca^3 \sec(dx+c)^4 + (A+3C)a^3 \sec(dx+c)^3 + (3A+C)a^3 \sec(dx+c)^2 + 3Aa^3 \sec(dx+c)}{\sec(dx+c)^{\frac{11}{2}}}\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(11/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(11/2), x)
```

$$3.230 \quad \int \frac{(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx$$

Optimal. Leaf size=319

$$\frac{4a^3(95A + 121C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^3(175A + 221C) \sin(c + dx)}{585d \sec^{\frac{3}{2}}(c + dx)} + \frac{40a^3(118A + 143C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)}$$

[Out] (4*a^3*(175*A + 221*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(195*d) + (4*a^3*(95*A + 121*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (40*a^3*(118*A + 143*C)*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2)) + (4*a^3*(175*A + 221*C)*Sin[c + d*x])/(585*d*Sec[c + d*x]^(3/2)) + (4*a^3*(95*A + 121*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(13*d*Sec[c + d*x]^(11/2)) + (12*A*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(143*a*d*Sec[c + d*x]^(9/2)) + (2*(145*A + 143*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(1287*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.655025, antiderivative size = 319, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4087, 4017, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{4a^3(175A + 221C) \sin(c + dx)}{585d \sec^{\frac{3}{2}}(c + dx)} + \frac{40a^3(118A + 143C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(145A + 143C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{1287d \sec^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(13/2), x]

[Out] (4*a^3*(175*A + 221*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(195*d) + (4*a^3*(95*A + 121*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (40*a^3*(118*A + 143*C)*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2)) + (4*a^3*(175*A + 221*C)*Sin[c + d*x])/(585*d*Sec[c + d*x]^(3/2)) + (4*a^3*(95*A + 121*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(13*d*Sec[c + d*x]^(11/2)) + (12*A*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(143*a*d*Sec[c + d*x]^(9/2)) + (2*(145*A + 143*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(1287*d*Sec[c + d*x]^(7/2))

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
```

EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))}{\sec^{\frac{13}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^3 (3aA + \frac{1}{2}a(5A + 13C))}{\sec^{\frac{11}{2}}(c + dx)}}{13a} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} + \frac{12A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{143ad \sec^{\frac{9}{2}}(c + dx)} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} + \frac{12A(a^2 + a^2 \sec(c + dx))^2 \sin(c + dx)}{143ad \sec^{\frac{9}{2}}(c + dx)} \\
&= \frac{40a^3(118A + 143C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{40a^3(118A + 143C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{40a^3(118A + 143C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(175A + 221C) \sin(c + dx)}{585d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(95A + 121C) \sin(c + dx)}{195d} \\
&= \frac{40a^3(118A + 143C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(175A + 221C) \sin(c + dx)}{585d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(95A + 121C) \sin(c + dx)}{195d} \\
&= \frac{4a^3(175A + 221C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{195d} + \frac{4a^3(95A + 121C) \sin(c + dx)}{195d}
\end{aligned}$$

Mathematica [C] time = 4.20869, size = 250, normalized size = 0.78

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-4928i(175A + 221C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(13/2), x]

[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x]))*(12480*(95*A + 121*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (4928*I)*(175*A + 221*C)*E^(I*(c

```
+ d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((2587200*I)*A + (3267264*I)*C + 780*(1811 *A + 2134*C)*Sin[c + d*x] + 77*(7825*A + 7592*C)*Sin[2*(c + d*x)] + 251550 *A*Ssin[3*(c + d*x)] + 154440*C*Ssin[3*(c + d*x)] + 90860*A*Ssin[4*(c + d*x)] + 20020*C*Ssin[4*(c + d*x)] + 24570*A*Ssin[5*(c + d*x)] + 3465*A*Ssin[6*(c + d *x)])))/(720720*d*E^(I*d*x))
```

Maple [A] time = 1.992, size = 464, normalized size = 1.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x)
```

```
[Out] -4/45045*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(-2217 60*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^14+1058400*A*cos(1/2*d*x+1/2*c)* sin(1/2*d*x+1/2*c)^12+(-2122400*A-80080*C)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d* x+1/2*c)+(2331040*A+314600*C)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-153 5860*A-487916*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(633710*A+386386*C )*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-121230*A-105534*C)*sin(1/2*d*x+ 1/2*c)^2*cos(1/2*d*x+1/2*c)+18525*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2 *d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-40425*A*(sin(1 /2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d *x+1/2*c),2^(1/2))+23595*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2* c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-51051*C*(sin(1/2*d*x+1/ 2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c ),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x +1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algori thm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^3 \sec(dx+c)^5 + 3Ca^3 \sec(dx+c)^4 + (A+3C)a^3 \sec(dx+c)^3 + (3A+C)a^3 \sec(dx+c)^2 + 3Aa^3 \sec(dx+c)}{\sec(dx+c)^{\frac{13}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(13/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(13/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="giac")


```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(13/2)
, x)
```

$$3.231 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=232

$$-\frac{(3A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{(A+C)\sin(c+dx)\sec^{\frac{7}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(5A+7C)\sin(c+dx)}{5ad}$$

[Out] (-3*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - ((3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + (3*(5*A + 7*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*a*d) - ((3*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) + ((5*A + 7*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*a*d) - ((A + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.236459, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 3787, 3768, 3771, 2641, 2639}

$$-\frac{(A+C)\sin(c+dx)\sec^{\frac{7}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(5A+7C)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{5ad} - \frac{(3A+5C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3ad} + \frac{3(5A+7C)\sin(c+dx)}{5ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (-3*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - ((3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + (3*(5*A + 7*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*a*d) - ((3*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) + ((5*A + 7*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*a*d) - ((A + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))

) * Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x] * (b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x])^n * Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= -\frac{(A+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{\int \sec^{\frac{5}{2}}(c+dx)\left(\frac{1}{2}a(3A+5C) - \frac{1}{2}a(5A+7C)\right) dx}{a^2} \\
&= -\frac{(A+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(3A+5C)\int \sec^{\frac{5}{2}}(c+dx) dx}{2a} + \frac{(5A+7C)\int \sec^{\frac{5}{2}}(c+dx) dx}{2a} \\
&= -\frac{(3A+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{(5A+7C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5ad} \\
&= \frac{3(5A+7C)\sqrt{\sec(c+dx)}\sin(c+dx)}{5ad} - \frac{(3A+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{(3A+5C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{3ad} + \frac{3(5A+7C)\sqrt{\sec(c+dx)}}{5ad} \\
&= -\frac{3(5A+7C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5ad} - \frac{(3A+5C)\sqrt{\cos(c+dx)}}{5ad}
\end{aligned}$$

Mathematica [C] time = 6.24486, size = 342, normalized size = 1.47

$$\frac{e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{7}{2}}(c+dx) \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(-3i(5A+7C)e^{-2i(c+dx)}(1+e^{i(c+dx)})(1+e^{2i(c+dx)})\right)}{5ad}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] -(Cos[(c + d*x)/2]*Sec[c + d*x]^(7/2)*(((-3*I)*(5*A + 7*C)*(1 + E^(I*(c + d*x))))*(1 + E^((2*I)*(c + d*x))))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]/E^((2*I)*(c + d*x)) + 40*(3*A + 5*C)*Cos[(c + d*x)/2]*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]) + (2*I)*(30*A + 54*C + 2*(45*A + 56*C)*Cos[c + d*x] + 6*(5*A + 7*C)*Cos[2*(c + d*x)] + 30*A*Cos[3*(c + d*x)] + 44*C*Cos[3*(c + d*x)] + (15*I)*A*Sin[c + d*x] + (31*I)*C*Sin[c + d*x] - (4*I)*C*Sin[2*(c + d*x)] + (15*I)*A*Sin[3*(c + d*x)] + (19*I)*C*Sin[3*(c + d*x)]))*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(60*a*d*E^(I*d*x)*(1 + Sec[c + d*x]))

Maple [B] time = 7.168, size = 803, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{5/2} * (A+C*\sec(dx+c)^2) / (a+a*\sec(dx+c)), x)$

[Out]
$$-1/a * (-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*C*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})) + (-A-C) * (\cos(1/2*d*x+1/2*c) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2})) - 2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2) / \cos(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} - 2/5*C / (8*\sin(1/2*d*x+1/2*c)^6 - 12*\sin(1/2*d*x+1/2*c)^4 + 6*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c)^2 * (12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * \sin(1/2*d*x+1/2*c)^4 - 24*\sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) - 12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * \sin(1/2*d*x+1/2*c)^2 + 24*\sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + 3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} - 8*\sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c)) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} + (2*A+2*C) * (-\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} + 2 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2-1) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{5/2} * (A+C*\sec(dx+c)^2) / (a+a*\sec(dx+c)), x, \text{algorithm} = "maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^4 + A \sec(dx + c)^2) \sqrt{\sec(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^{\frac{5}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a), x)

$$3.232 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=190

$$\frac{(3A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{(A+C)\sin(c+dx)\sec^5(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(3A+5C)\sin(c+dx)}{3ad}$$

```
[Out] ((A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a*d) + ((3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec
[c + d*x]])/(3*a*d) - ((A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) + (
(3*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) - ((A + C)*Sec[c + d*x
]^(5/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))
```

Rubi [A] time = 0.216725, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 3787, 3768, 3771, 2639, 2641}

$$-\frac{(A+C)\sin(c+dx)\sec^5(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(3A+5C)\sin(c+dx)\sec^3(c+dx)}{3ad} - \frac{(A+3C)\sin(c+dx)\sqrt{\sec(c+dx)}}{ad} + \frac{(3A+5C)\sin(c+dx)}{3ad}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]
```

```
[Out] ((A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a*d) + ((3*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec
[c + d*x]])/(3*a*d) - ((A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) + (
(3*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) - ((A + C)*Sec[c + d*x
]^(5/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.
))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] :- Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
```

- b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_, x_Symbol] :=> -Simp[(b*Cos[c + d*x] *(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_, x_Symbol] :=> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{\int \sec^{\frac{3}{2}}(c+dx)\left(\frac{1}{2}a(A+3C) - \frac{1}{2}a(3A\right)}{a^2} \\
&= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(A+3C)\int \sec^{\frac{3}{2}}(c+dx) dx}{2a} + \frac{(3A+5C)\int \sec^{\frac{3}{2}}(c+dx) dx}{2a} \\
&= -\frac{(A+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} + \frac{(3A+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} \\
&= -\frac{(A+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} + \frac{(3A+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} \\
&= \frac{(A+3C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} + \frac{(3A+5C)\sqrt{\cos(c+dx)}}{ad}
\end{aligned}$$

Mathematica [C] time = 4.30655, size = 324, normalized size = 1.71

$$\frac{e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{5}{2}}(c+dx) \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(-i(A+3C)e^{-i(c+dx)}\sqrt{1+e^{2i(c+dx)}}(e^{i(c+dx)}+e^{2i(c+dx)})\right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(5/2)*(((-I)*(A + 3*C)*Sqrt[1 + E^((2*I)*(c + d*x))])*(1 + E^(I*(c + d*x)) + E^((2*I)*(c + d*x)) + E^((3*I)*(c + d*x)))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*(c + d*x)) + 2*(3*A + 5*C)*Sqrt[Cos[c + d*x]]*(Cos[(c + d*x)/2] + Cos[(3*(c + d*x))/2])*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] + I*Sin[(c + d*x)/2])*(Cos[c + d*x] - I*Sin[c + d*x]) + (2*I)*(3*A + 5*C + 6*C*Cos[c + d*x] + (3*A + 7*C)*Cos[2*(c + d*x)] - (2*I)*C*Sin[c + d*x] + (2*I)*C*Sin[2*(c + d*x)])*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(6*a*d*E^(I*d*x)*(1 + Sec[c + d*x]))

Maple [B] time = 5.797, size = 486, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)`

[Out]
$$-1/a * (-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*C*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}) / (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) + (A+C) * (\cos(1/2*d*x+1/2*c) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) - 2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2) / \cos(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} - 2*C * (-\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 2 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2) / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2-1)) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + A \sec(dx+c))\sqrt{\sec(dx+c)}}{a \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^3 + A*sec(d*x + c))*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \sec(dx+c)^{\frac{3}{2}}}{a \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a), x)

$$3.233 \quad \int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=152

$$\frac{(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{(A+C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(A+3C)\sin(c+dx)\sqrt{\sec(c+dx)}}{ad}$$

```
[Out] -(((A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a*d)) + ((A - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a*d) + ((A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))
```

Rubi [A] time = 0.189359, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 3787, 3771, 2641, 3768, 2639}

$$-\frac{(A+C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(A+3C)\sin(c+dx)\sqrt{\sec(c+dx)}}{ad} + \frac{(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx), 2\right)}{ad}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]
```

```
[Out] -(((A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a*d)) + ((A - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a*d) + ((A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{\int \sqrt{\sec(c+dx)}\left(-\frac{1}{2}a(A-C) - \frac{1}{2}a(A+C)\right) dx}{a^2} \\
&= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{(A-C)\int \sqrt{\sec(c+dx)} dx}{2a} + \frac{(A+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} \\
&= \frac{(A+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} - \frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(A-C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} + \frac{(A+3C)\sqrt{\sec(c+dx)}}{ad} \\
&= \frac{(A+3C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} - \frac{(A-C)\sqrt{\cos(c+dx)}}{ad}
\end{aligned}$$

Mathematica [C] time = 6.63623, size = 776, normalized size = 5.11

$$\frac{\sqrt{2}A \operatorname{csc}\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos(c+dx) \cos^2\left(\frac{c}{2} + \frac{dx}{2}\right) \left((-1+e^{2ic})e^{2idx} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{\left((2I)(c+dx)\right)}\right)\right)}{3d(a\sec(c+dx)+a)(A\cos(2c+2dx)+A+2C)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (2*A*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sin[c])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])) - (2*C*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sin[c])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])) + (Cos[c/2 + (d*x)/2]^2*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]))

$x)/2]^2*(A + C*\text{Sec}[c + d*x]^2)*((2*(A + 3*C)*\text{Cos}[d*x]*\text{Csc}[c/2]*\text{Sec}[c/2])/d - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(A*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/d - (4*(A + C)*\text{Tan}[c/2])/d))/((A + 2*C + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x]))$

Maple [A] time = 4.051, size = 316, normalized size = 2.1

$$-\frac{1}{ad} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2(\sin(1/2 dx + c/2))^4 + \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x)

[Out] $-1/a*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A+3*C)*\sin(1/2*d*x+1/2*c)^4+(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A+5*C)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^3/(2*\sin(1/2*d*x+1/2*c)^2-1)/\cos(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\sec(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A)\sqrt{\sec(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)\sqrt{\sec(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)

$$3.234 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=124

$$\frac{(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{(A+C)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx) + a)} + \frac{(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

```
[Out] ((3*A + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a*d) - ((A - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c +
d*x]])/(a*d) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*(a + a*Sec[c +
d*x]))
```

Rubi [A] time = 0.170953, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4085, 3787, 3771, 2639, 2641}

$$\frac{(A+C)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx) + a)} - \frac{(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} + \frac{(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

Antiderivative was successfully verified.

```
[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])),x]
```

```
[Out] ((3*A + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a*d) - ((A - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c +
d*x]])/(a*d) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*(a + a*Sec[c +
d*x]))
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^(m_), x_Symbol] :> -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))}} dx &= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \frac{-\frac{1}{2}a(3A+C) + \frac{1}{2}a(A-C)\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{a^2} \\ &= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - C) \int \sqrt{\sec(c + dx)} dx}{2a} + \frac{(3A + C) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2} \\ &= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{((A - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{2a} \\ &= \frac{(3A + C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{ad} - \frac{(A - C)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} \end{aligned}$$

Mathematica [C] time = 6.41976, size = 795, normalized size = 6.41

$$\frac{\sqrt{2}Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} \cos(c + dx) \csc\left(\frac{c}{2}\right) \left(e^{2idx} (-1 + e^{2ic}) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1 + e^{2i(c+dx)}}\right)}{d(\cos(2c + 2dx)A + A + 2C)(\sec(c + dx)a + a)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])), x]

[Out] -((Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (2*A*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sin[c]/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])) + (2*C*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sin[c]/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])) + (Cos[c/2 + (d*x)/2]^2*(A + C*Sec[c + d*x]^2)*((-2*(2*A + C + A*Cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c/2])/d + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/d + (8*A*Cos[c]*Sin[d*x])/d + (4*(A + C)*Tan[c/2])/d)/((A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))

Maple [A] time = 2.075, size = 245, normalized size = 2.

$$\frac{1}{ad} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \left(\text{AEll} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2), x)

[Out] ((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+3*A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-C*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+C*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))+(2*A+2*C)*sin(1/2*d*x+1/2*c)^4+(-A-C)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) \sqrt{\sec(dx + c)}}{a \sec(dx + c)^2 + a \sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^2 + a*sec(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^2(c+dx) + \sqrt{\sec(c+dx)}} dx + \int \frac{C \sec^2(c+dx)}{\sec^2(c+dx) + \sqrt{\sec(c+dx)}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] (Integral(A/(sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)

$$3.235 \quad \int \frac{A+C \sec^2(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=162

$$\frac{(5A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} + \frac{(5A+3C)\sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} - \frac{(A+C)\sin(c+dx)}{d\sqrt{\sec(c+dx)}(a\sec(c+dx)+a)}$$

[Out] -(((3*A + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d)) + ((5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((5*A + 3*C)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.200203, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 3787, 3769, 3771, 2641, 2639}

$$\frac{(5A+3C)\sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} - \frac{(A+C)\sin(c+dx)}{d\sqrt{\sec(c+dx)}(a\sec(c+dx)+a)} + \frac{(5A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])),x]

[Out] -(((3*A + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d)) + ((5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((5*A + 3*C)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} dx &= -\frac{(A + C) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} - \frac{\int \frac{-\frac{1}{2}a(5A+3C) + \frac{1}{2}a(3A+C) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} - \frac{(3A + C) \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a} + \frac{(5A + 3C) \int \frac{1}{\sec(c+dx)} dx}{2a} \\
&= \frac{(5A + 3C) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{(A + C) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} + \frac{(5A + 3C) \int \sqrt{\sec(c + dx)}}{6a} \\
&= -\frac{(3A + C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{ad} + \frac{(5A + 3C) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} \\
&= -\frac{(3A + C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{ad} + \frac{(5A + 3C)\sqrt{\cos(c + dx)}}{ad}
\end{aligned}$$

Mathematica [C] time = 2.7222, size = 232, normalized size = 1.43

$$e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx)(\cos(dx) + i \sin(dx)) \left(i(3A + C)e^{\frac{1}{2}i(c+dx)} (1 + e^{i(c+dx)}) \sqrt{1 + e^{2i(c+dx)}} \text{Hypergeometric2F1}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])), x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*(2*(5*A + 3*C)*Cos[(c + d*x)/2]*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + I*(3*A + C)*E^((I/2)*(c + d*x))*(1 + E^(I*(c + d*x)))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*Cos[c + d*x]*((-3*I)*(3*A + C)*Cos[(c + d*x)/2] + (5*A + 3*C + 2*A*Cos[c + d*x])*Sin[(c + d*x)/2])))/(3*a*d*E^(I*d*x)*(1 + Sec[c + d*x]))

Maple [A] time = 2.204, size = 262, normalized size = 1.6

$$-\frac{1}{3ad} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} (5A + 3C) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x)`

[Out]
$$-1/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(5*A*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9*A*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-8*A*\sin(1/2*d*x+1/2*c)^6+(18*A+6*C)*\sin(1/2*d*x+1/2*c)^4+(-7*A-3*C)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A) \sqrt{\sec(dx + c)}}{a \sec(dx + c)^3 + a \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^3 + a*sec(d*x + c)^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^{\frac{5}{2}}(c+dx) + \sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx) + \sec^{\frac{3}{2}}(c+dx)} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A/(sec(c + d*x)**(5/2) + sec(c + d*x)**(3/2)), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**(5/2) + sec(c + d*x)**(3/2)), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

$$3.236 \quad \int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=199

$$\frac{(5A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{(A+C)\sin(c+dx)}{d \sec^{\frac{3}{2}}(c+dx)(a \sec(c+dx)+a)} + \frac{(7A+5C)\sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (3*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - ((5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((7*A + 5*C)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - ((5*A + 3*C)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.21364, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 3787, 3769, 3771, 2639, 2641}

$$-\frac{(A+C)\sin(c+dx)}{d \sec^{\frac{3}{2}}(c+dx)(a \sec(c+dx)+a)} + \frac{(7A+5C)\sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)} - \frac{(5A+3C)\sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} - \frac{(5A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])),x]

[Out] (3*(7*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - ((5*A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((7*A + 5*C)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - ((5*A + 3*C)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x]))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2

- b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_], x_Symbol] :=> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_], x_Symbol] :=> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx &= -\frac{(A + C) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} - \frac{\int \frac{-\frac{1}{2}a(7A+5C) + \frac{1}{2}a(5A+3C) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} - \frac{(5A + 3C) \int \frac{1}{\sec^{\frac{3}{2}}(c+dx)} dx}{2a} + \frac{(7A + 5C) \int \frac{1}{\sec^{\frac{5}{2}}(c+dx)} dx}{2a} \\
&= \frac{(7A + 5C) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{(5A + 3C) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(A + C) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
&= \frac{(7A + 5C) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{(5A + 3C) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(A + C) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
&= \frac{3(7A + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} - \frac{(5A + 3C) \sqrt{\cos(c + dx)}}{5ad}
\end{aligned}$$

Mathematica [C] time = 3.23445, size = 248, normalized size = 1.25

$$e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(-6i(7A + 5C) e^{\frac{1}{2}i(c+dx)} (1 + e^{i(c+dx)}) \sqrt{1 + e^{2i(c+dx)}} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{\frac{1}{2}i(c+dx)}\right]\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])), x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*(-20*(5*A + 3*C)*Cos[(c + d*x)/2]*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (6*I)*(7*A + 5*C)*E^((I/2)*(c + d*x))*(1 + E^(I*(c + d*x)))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + 2*Cos[c + d*x]*((18*I)*(7*A + 5*C)*Cos[(c + d*x)/2] - 2*(22*A + 15*C + 4*A*Cos[c + d*x]) - 3*A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(30*a*d*E^(I*d*x)*(1 + Sec[c + d*x]))

Maple [A] time = 2.206, size = 277, normalized size = 1.4

$$-\frac{1}{15ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right) (2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x)

[Out] -1/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-cos(1/2*d*x+1/2*c)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(25*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+63*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+15*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+45*C*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+48*A*sin(1/2*d*x+1/2*c)^8-56*A*sin(1/2*d*x+1/2*c)^6+(-30*A-30*C)*sin(1/2*d*x+1/2*c)^4+(23*A+15*C)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + A}{(a \sec(dx+c) + a) \sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(5/2)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + A) \sqrt{\sec(dx+c)}}{a \sec(dx+c)^4 + a \sec(dx+c)^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^4 + a*se
c(d*x + c)^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(5/2)),
x)
```

$$3.237 \quad \int \frac{\sec^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=229

$$\frac{2(A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(A+7C)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{2(A+5C)\sin(c+dx)}{3a^2d}$$

[Out] ((A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*(A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((A + 7*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + (2*(A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d) - ((A + 7*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.379498, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4019, 3787, 3768, 3771, 2639, 2641}

$$-\frac{(A+7C)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{2(A+5C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3a^2d} - \frac{(A+7C)\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d} + \frac{2(A+5C)\sin(c+dx)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] ((A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*(A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((A + 7*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + (2*(A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d) - ((A + 7*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))

)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx) (A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx &= -\frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} - \int \frac{\sec^{\frac{5}{2}}(c+dx) \left(-\frac{1}{2}a(A-5C) - \frac{3}{2}a(A+3C) \sec(c+dx)\right)}{a+a \sec(c+dx)} \frac{dx}{3a^2} \\
&= -\frac{(A+7C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3a^2 d(1+\sec(c+dx))} - \frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} - \int \frac{\sec^{\frac{5}{2}}(c+dx) \left(-\frac{1}{2}a(A-5C) - \frac{3}{2}a(A+3C) \sec(c+dx)\right)}{3a^2} dx \\
&= -\frac{(A+7C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3a^2 d(1+\sec(c+dx))} - \frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} + \frac{(A+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3a^2 d} \\
&= -\frac{(A+7C) \sqrt{\sec(c+dx)} \sin(c+dx)}{a^2 d} + \frac{2(A+5C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a^2 d} - \frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} \\
&= -\frac{(A+7C) \sqrt{\sec(c+dx)} \sin(c+dx)}{a^2 d} + \frac{2(A+5C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a^2 d} - \frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} \\
&= \frac{(A+7C) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{a^2 d} + \frac{2(A+5C) \sqrt{\cos(c+dx)}}{3a^2 d} - \frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2}
\end{aligned}$$

Mathematica [C] time = 7.4472, size = 884, normalized size = 3.86

$$\frac{2\sqrt{2}Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \csc\left(\frac{c}{2}\right) \left(e^{2idx} (-1+e^{2ic}) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}}\right)}{3d(\cos(2c+2dx)A + A + 2C)(\sec(c+dx)a + a)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] (-2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) - (14*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (8*A*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2)

$$2) + (40*C*\cos[c/2 + (d*x)/2]^4*\sqrt{\cos[c + d*x]}*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*\sqrt{Sec[c + d*x]}*(A + C*Sec[c + d*x]^2)*\sin[c])/(3*d*(A + 2*C + A*\cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (\cos[c/2 + (d*x)/2]^4*\sqrt{Sec[c + d*x]}*(A + C*Sec[c + d*x]^2)*((-4*(A + 7*C)*\cos[d*x]*Csc[c/2]*Sec[c/2])/d + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(3*d) + (16*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*\sin[(d*x)/2] + 4*C*\sin[(d*x)/2]))/(3*d) + (16*C*Sec[c]*Sec[c + d*x]*\sin[d*x])/(3*d) + (16*(C + A*\cos[c] + 5*C*\cos[c])*Sec[c]*\tan[c/2])/(3*d) + (4*(A + C)*Sec[c/2 + (d*x)/2]^2*\tan[c/2])/(3*d)))/((A + 2*C + A*\cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2)$$

Maple [B] time = 7.02, size = 738, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{5/2} * (A+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^2, x)$

[Out]
$$-1/2*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a^2*(1/3*(A+C)*(2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(2*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(2*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)-12*\sin(1/2*d*x+1/2*c)^6+20*\sin(1/2*d*x+1/2*c)^4-7*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)/(\sin(1/2*d*x+1/2*c)^2-1)+4*C*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+4*C*(\cos(1/2*d*x+1/2*c)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*C*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^4 + A \sec(dx+c)^2)\sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^2 + 2a^2 \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \sec(dx+c)^{\frac{5}{2}}}{(a \sec(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^2,  
x)
```

$$3.238 \quad \int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=191

$$\frac{(A-5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(A-5C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{4C\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d}$$

```
[Out] (-4*C*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((A - 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + (4*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + ((A - 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)
```

Rubi [A] time = 0.336472, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{(A-5C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{(A-5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{4C\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]
```

```
[Out] (-4*C*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((A - 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + (4*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + ((A - 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :-Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
```

- b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx) (A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx &= -\frac{(A+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} - \int \frac{\sec^{\frac{3}{2}}(c+dx) \left(-\frac{3}{2}a(A-C) - \frac{1}{2}a(A+7C) \sec(c+dx)\right)}{a+a \sec(c+dx)} dx \\
&= \frac{(A-5C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} - \int \sqrt{\sec(c+dx)} dx \\
&= \frac{(A-5C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} + \frac{(A-5C) \sqrt{\sec(c+dx)} \sin(c+dx)}{3d(a+a \sec(c+dx))^2} \\
&= \frac{4C \sqrt{\sec(c+dx)} \sin(c+dx)}{a^2d} + \frac{(A-5C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-5C) \sqrt{\sec(c+dx)} \sin(c+dx)}{3d(a+a \sec(c+dx))^2} \\
&= \frac{(A-5C) \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{3a^2d} + \frac{4C \sqrt{\sec(c+dx)} \sin(c+dx)}{a^2d} \\
&= -\frac{4C \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{a^2d} + \frac{(A-5C) \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{3a^2d}
\end{aligned}$$

Mathematica [C] time = 4.61146, size = 293, normalized size = 1.53

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{5}{2}}(c+dx) \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(8(A-5C) \cos^3\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)} \text{EllipticE}\left(\frac{1}{2}(c+dx) \middle| 2\right) + \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(5/2)*(I*A - (29*I)*C - (2*I)*(A + 25*C)*Cos[c + d*x] + I*A*Cos[2*(c + d*x)] - (17*I)*C*Cos[2*(c + d*x)] + ((4*I)*C*(1 + E^(I*(c + d*x)))^3*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*(c + d*x)) + 8*(A - 5*C)*Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]) + 12*C*Sin[c + d*x] + A*Sin[2*(c + d*x)] + 7*C*Sin[2*(c + d*x)]*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(6*a^2*d*E^(I*d*x)*(1 + Sec[c + d*x])^2)

Maple [B] time = 2.339, size = 450, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x)$

[Out]
$$-1/6*(-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-5*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+12*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-5*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+12*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)-48*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A+43*C)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A+37*C)*\sin(1/2*d*x+1/2*c)^2)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(3/2)}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + A \sec(dx+c))\sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^2 + 2 a^2 \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(3/2)}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x, \text{algorithm}="fricas")$

[Out] integral((C*sec(d*x + c)^3 + A*sec(d*x + c))*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^2, x)

$$3.239 \quad \int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=165

$$\frac{2(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(A-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} - \frac{(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{a^2d}$$

[Out] -(((A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)) + (2*(A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.315646, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 4019, 3787, 3771, 2639, 2641}

$$\frac{(A-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{2(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] -(((A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)) + (2*(A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{\int \frac{\sqrt{\sec(c+dx)}\left(-\frac{1}{2}a(5A-C)+\frac{1}{2}a(A-5C)\sec(c+dx)\right)}{a+a\sec(c+dx)} dx}{3a^2} \\
&= \frac{(A-C)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{\int \frac{\sqrt{\sec(c+dx)}\left(-\frac{1}{2}a(5A-C)+\frac{1}{2}a(A-5C)\sec(c+dx)\right)}{a+a\sec(c+dx)} dx}{3a^2} \\
&= \frac{(A-C)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{(A-C)\sqrt{\sec(c+dx)}\sin(c+dx)}{3a^2} \\
&= \frac{(A-C)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{(A-C)\sqrt{\sec(c+dx)}\sin(c+dx)}{3a^2} \\
&= -\frac{(A-C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2d} + \frac{2(A+C)\sqrt{\cos(c+dx)}}{3a^2}
\end{aligned}$$

Mathematica [C] time = 6.66196, size = 859, normalized size = 5.21

$$\frac{2\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{3d(\cos(2c+2dx)A+A+2C)(\sec(c+dx)a+a)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] (2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) - (2*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (8*A*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (8*C*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A

$$+ 2*C + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2 + (\cos[c/2 + (d*x)/2]^4 * \sqrt{\sec[c + d*x]}*(A + C*\sec[c + d*x]^2)*((4*(A - C)*\cos[d*x]*\csc[c/2]*\sec[c/2])/d - (16*\sec[c/2]*\sec[c/2 + (d*x)/2]*(2*A*\sin[(d*x)/2] - C*\sin[(d*x)/2]))/(3*d) + (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(A*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(3*d) - (16*(2*A - C)*\tan[c/2])/(3*d) + (4*(A + C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(3*d)))/((A + 2*C + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2)$$

Maple [B] time = 2.28, size = 423, normalized size = 2.6

$$-\frac{1}{6a^2d} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(12A(\cos(1/2 dx + c/2))^6 + 4A\sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x)

[Out] $-1/6*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^6+4*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+6*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-12*C*\cos(1/2*d*x+1/2*c)^6+4*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-20*A*\cos(1/2*d*x+1/2*c)^4+16*C*\cos(1/2*d*x+1/2*c)^4+9*A*\cos(1/2*d*x+1/2*c)^2-3*C*\cos(1/2*d*x+1/2*c)^2-A-C)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) \sqrt{\sec(dx + c)}}{a^2 \sec(dx + c)^2 + 2 a^2 \sec(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^2, x)

$$3.240 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=170

$$\frac{(5A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(5A-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{3a^2d(\sec(c+dx)+1)} + \frac{4A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{a^2d}$$

[Out] (4*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) - ((5*A - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((5*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x]))^2)

Rubi [A] time = 0.317311, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 4020, 3787, 3771, 2639, 2641}

$$\frac{(5A-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{3a^2d(\sec(c+dx)+1)} - \frac{(5A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{4A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2), x]

[Out] (4*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) - ((5*A - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((5*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x]))^2)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))^2}} dx &= \frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{-\frac{1}{2}a(7A+C) + \frac{3}{2}a(A-C) \sec(c+dx)}{\sqrt{\sec(c+dx)(a+a \sec(c+dx))}} dx}{3a^2} \\
&= \frac{(5A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{-\frac{1}{2}a(7A+C) + \frac{3}{2}a(A-C) \sec(c+dx)}{\sqrt{\sec(c+dx)(a+a \sec(c+dx))}} dx}{3a^2} \\
&= \frac{(5A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(2A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d} \\
&= \frac{(5A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(2A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d} \\
&= \frac{4A\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a^2d} - \frac{(5A - C)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d}
\end{aligned}$$

Mathematica [C] time = 3.49726, size = 298, normalized size = 1.75

$$\cos^4\left(\frac{1}{2}(c + dx)\right) (A + C \sec^2(c + dx)) \left(-\frac{8(5A - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{d} - \frac{32iAe^{i(c + dx)}\sqrt{1 + e^{2i(c + dx)}}\sqrt{\sec(c + dx)}\text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{i(c + dx)}\right]\sqrt{\sec(c + dx)}}{d} \right)$$

$$3a^2(\sec(c + dx) + 1)^2(A \cos(2(c + dx)))$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2), x]

[Out] (Cos[(c + d*x)/2]^4*((8*I)*(1 + E^((2*I)*(c + d*x)))*(-(C*E^(I*(c + d*x)))*(-1 + E^(I*(c + d*x)))) + A*(3 + 16*E^(I*(c + d*x)) + 20*E^((2*I)*(c + d*x)) + 9*E^((3*I)*(c + d*x))))*Sqrt[Sec[c + d*x]]/(d*E^(I*(c + d*x))*(1 + E^(I*(c + d*x)))^3) - (8*(5*A - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d - ((32*I)*A*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sqrt[Sec[c + d*x]])/d*(A + C*Sec[c + d*x]^2))/(3*a^2*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x])^2)

Maple [A] time = 2.348, size = 352, normalized size = 2.1

$$\frac{1}{6a^2d} \sqrt{\left(2(\cos(1/2dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(24A(\cos(1/2dx + c/2))^6 + 10A\sqrt{(\sin(1/2dx + c/2))^2} \sqrt{-2(\cos(1/2dx + c/2))^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2), x)

[Out] 1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(24*A*cos(1/2*d*x+1/2*c)^6+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*cos(1/2*d*x+1/2*c)^3+24*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-2*C*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-38*A*cos(1/2*d*x+1/2*c)^4-2*C*cos(1/2*d*x+1/2*c)^4+15*A*cos(1/2*d*x+1/2*c)^2+3*C*cos(1/2*d*x+1/2*c)^2-A-C)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) \sqrt{\sec(dx + c)}}{a^2 \sec(dx + c)^3 + 2a^2 \sec(dx + c)^2 + a^2 \sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^3 + 2*a^2*sec(d*x + c)^2 + a^2*sec(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^{\frac{5}{2}}(c+dx)+2\sec^{\frac{3}{2}}(c+dx)+\sqrt{\sec(c+dx)}} dx + \int \frac{C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)+2\sec^{\frac{3}{2}}(c+dx)+\sqrt{\sec(c+dx)}} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2/sec(d*x+c)**(1/2),x)

[Out] (Integral(A/(sec(c + d*x)**(5/2) + 2*sec(c + d*x)**(3/2) + sqrt(sec(c + d*x)))), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**(5/2) + 2*sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x))/a**2

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)

$$3.241 \quad \int \frac{A+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=201

$$\frac{2(5A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{2(5A+C)\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}} - \frac{(7A+C)\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}(\sec(c+dx))}$$

```
[Out] -((((7*A + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)) + (2*(5*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + (2*(5*A + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((7*A + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]*(1 + Sec[c + d*x])) - ((A + C)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))^2)
```

Rubi [A] time = 0.362494, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{2(5A+C)\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}} - \frac{(7A+C)\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}(\sec(c+dx)+1)} + \frac{2(5A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]
```

```
[Out] -((((7*A + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)) + (2*(5*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + (2*(5*A + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((7*A + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]*(1 + Sec[c + d*x])) - ((A + C)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))^2)
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
```

) * Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_.), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n * Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= -\frac{(A + C) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} - \frac{\int \frac{-\frac{3}{2}a(3A+C) + \frac{1}{2}a(5A-C)\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))} dx}{3a^2} \\
&= -\frac{(7A + C) \sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
&= -\frac{(7A + C) \sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} + \\
&= \frac{2(5A + C) \sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}} - \frac{(7A + C) \sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{(7A + C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a^2d} + \frac{2(5A + C) \sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}} \\
&= -\frac{(7A + C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a^2d} + \frac{2(5A + C)\sqrt{\cos(c + dx)}}{3a^2d\sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.78187, size = 912, normalized size = 4.54

$$\frac{14\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}\left(-1+e^{2ic}\right)\text{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)\right)-3\sqrt{1+e^{2i(c+dx)}}}{3d(\cos(2c+2dx)A+A+2C)(\sec(c+dx)a+a)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (14*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (2*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (40*A*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*C

```

sc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + C*Sec[c
+ d*x]^2)*Sin[c]/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^
2) + (8*C*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d
*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*Sin[c]/(3*d*(
A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (Cos[c/2 + (d*x)/2]
^4*Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((4*(5*A + C + 2*A*Cos[2*c])*C
os[d*x]*Csc[c/2]*Sec[c/2])/d + (8*A*Cos[2*d*x]*Sin[2*c])/(3*d) + (4*Sec[c/2
]*Sec[c/2 + (d*x)/2]^3*(A*Ssin[(d*x)/2] + C*Ssin[(d*x)/2]))/(3*d) - (16*Sec[c
/2]*Sec[c/2 + (d*x)/2]*(5*A*Ssin[(d*x)/2] + 2*C*Ssin[(d*x)/2]))/(3*d) - (32*A
*Cos[c]*Sin[d*x])/d + (8*A*Cos[2*c]*Sin[2*d*x])/(3*d) - (16*(5*A + 2*C)*Tan
[c/2])/(3*d) + (4*(A + C)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d)))/((A + 2*C
+ A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2)

```

Maple [A] time = 2.401, size = 437, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x)
```

```

[Out] -1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(16*A*cos(1/2*
d*x+1/2*c)^8+12*A*cos(1/2*d*x+1/2*c)^6+20*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1
/2*d*x+1/2*c)^3+42*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*
cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+12*C*co
s(1/2*d*x+1/2*c)^6+4*C*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+6*C*c
os(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1
)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-48*A*cos(1/2*d*x+1/2*c)^4-20*
C*cos(1/2*d*x+1/2*c)^4+21*A*cos(1/2*d*x+1/2*c)^2+9*C*cos(1/2*d*x+1/2*c)^2-A
-C)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)
^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A)\sqrt{\sec(dx + c)}}{a^2 \sec(dx + c)^4 + 2 a^2 \sec(dx + c)^3 + a^2 \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^4 + 2*a^2*sec(d*x + c)^3 + a^2*sec(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^2*sec(d*x + c)^(3/2)  
) , x)
```

$$3.242 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt[5]{\sec^2(c+dx)(a+a \sec(c+dx))^2}} dx$$

Optimal. Leaf size=236

$$\frac{5(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(3A+C)\sin(c+dx)}{a^2d \sec^{\frac{3}{2}}(c+dx)(\sec(c+dx)+1)} + \frac{4(14A+5C)\sin(c+dx)}{15a^2d \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (4*(14*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^2*d) - (5*(3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + (4*(14*A + 5*C)*Sin[c + d*x])/(15*a^2*d*Sec[c + d*x]^(3/2)) - (5*(3*A + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((3*A + C)*Sin[c + d*x])/(a^2*d*Sec[c + d*x]^(3/2)*(1 + Sec[c + d*x])) - ((A + C)*Sin[c + d*x])/(3*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.376041, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4020, 3787, 3769, 3771, 2639, 2641}

$$-\frac{(3A+C)\sin(c+dx)}{a^2d \sec^{\frac{3}{2}}(c+dx)(\sec(c+dx)+1)} + \frac{4(14A+5C)\sin(c+dx)}{15a^2d \sec^{\frac{3}{2}}(c+dx)} - \frac{5(3A+C)\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}} - \frac{5(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (4*(14*A + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^2*d) - (5*(3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + (4*(14*A + 5*C)*Sin[c + d*x])/(15*a^2*d*Sec[c + d*x]^(3/2)) - (5*(3*A + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((3*A + C)*Sin[c + d*x])/(a^2*d*Sec[c + d*x]^(3/2)*(1 + Sec[c + d*x])) - ((A + C)*Sin[c + d*x])/(3*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2)

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x]]

```
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= -\frac{(A + C) \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} - \frac{\int \frac{-\frac{1}{2}a(11A+5C) + \frac{1}{2}a(7A+C) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx}{3a^2} \\
&= -\frac{(3A + C) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} \\
&= -\frac{(3A + C) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} \\
&= \frac{4(14A + 5C) \sin(c + dx)}{15a^2 d \sec^{\frac{3}{2}}(c + dx)} - \frac{5(3A + C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(3A + C) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} \\
&= \frac{4(14A + 5C) \sin(c + dx)}{15a^2 d \sec^{\frac{3}{2}}(c + dx)} - \frac{5(3A + C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(3A + C) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} \\
&= \frac{4(14A + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5a^2 d} - \frac{5(3A + C) \sqrt{\cos(c + dx)}}{5a^2 d}
\end{aligned}$$

Mathematica [C] time = 6.34301, size = 301, normalized size = 1.28

$$\frac{\sin(c) \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(8i(14A + 5C) e^{-\frac{1}{2}i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} (1 + \dots)\right)}{5a^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2), x]

[Out] -(Cos[(c + d*x)/2]*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^(5/2)*Sin[c]*(Cos[d*x] + I*Sin[d*x])*(400*(3*A + C)*Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + ((8*I)*(14*A + 5*C))*(1 + E^(I*(c + d*x)))^3*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^((I/2)*(c + d*x)) + 2*Cos[c + d*x]*((-72*I)*(14*A + 5*C)*Cos[(c + d*x)/2] - (24*I)*(14*A + 5*C)*Cos[(3*(c + d*x))/2] + 2*(158*A + 50*C + (179*A + 60*C)*Cos[c + d*x] + 8*A*Cos[2*(c + d*x)] - 3*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(120*a^2*d*E^(I*d*x)*(1 + Sec[c + d*x])^2)

Maple [A] time = 2.474, size = 451, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}/(a+a*\sec(dx+c))^2,x)$

[Out]
$$-1/30*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(96*A*\cos(1/2*d*x+1/2*c)^{10}-352*A*\cos(1/2*d*x+1/2*c)^8+120*A*\cos(1/2*d*x+1/2*c)^6-150*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-336*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-120*C*\cos(1/2*d*x+1/2*c)^6-50*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-120*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+266*A*\cos(1/2*d*x+1/2*c)^4+190*C*\cos(1/2*d*x+1/2*c)^4-135*A*\cos(1/2*d*x+1/2*c)^2-75*C*\cos(1/2*d*x+1/2*c)^2+5*A+5*C)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}/(a+a*\sec(dx+c))^2,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + A)\sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^5 + 2a^2 \sec(dx+c)^4 + a^2 \sec(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^5 + 2*a^2*sec(d*x + c)^4 + a^2*sec(d*x + c)^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^2*sec(d*x + c)^(5/2)), x)
```

$$3.243 \quad \int \frac{\sec^{\frac{7}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=282

$$\frac{(A+11C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{2a^3d} - \frac{(9A+119C)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{30d(a^3 \sec(c+dx) + a^3)} + \frac{(A+11C)\sin(c+dx)}{2a^3d}$$

[Out] ((9*A + 119*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((A + 11*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(2*a^3*d) - ((9*A + 119*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) + ((A + 11*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*a^3*d) - ((A + C)*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - (2*C*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*a*d*(a + a*Sec[c + d*x])^2) - ((9*A + 119*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.536954, antiderivative size = 282, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4019, 3787, 3768, 3771, 2639, 2641}

$$-\frac{(9A+119C)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{30d(a^3 \sec(c+dx) + a^3)} + \frac{(A+11C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{2a^3d} - \frac{(9A+119C)\sin(c+dx)\sqrt{\sec(c+dx)}}{10a^3d} +$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(7/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] ((9*A + 119*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((A + 11*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(2*a^3*d) - ((9*A + 119*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) + ((A + 11*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*a^3*d) - ((A + C)*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - (2*C*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*a*d*(a + a*Sec[c + d*x])^2) - ((9*A + 119*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*

$(A + C) \cot[e + f*x] * (a + b \operatorname{Csc}[e + f*x])^m * (d \operatorname{Csc}[e + f*x])^n / (a*f*(2*m + 1)), x] + \operatorname{Dist}[1/(a*b*(2*m + 1)), \operatorname{Int}[(a + b \operatorname{Csc}[e + f*x])^{m+1} * (d \operatorname{Csc}[e + f*x])^n * \operatorname{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))] * \operatorname{Csc}[e + f*x], x], x], x] /;$ $\operatorname{FreeQ}\{a, b, d, e, f, A, C, n\}, x$ && $\operatorname{EqQ}[a^2 - b^2, 0]$ && $\operatorname{LtQ}[m, -2^{(-1)}]$

Rule 4019

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)(x_)] * (d_.))^{(n_.)} * (\operatorname{csc}[(e_.) + (f_.)(x_)] * (b_.) + (a_.))^{(m_.)} * (\operatorname{csc}[(e_.) + (f_.)(x_)] * (B_.) + (A_.)), x_Symbol] :> \operatorname{Simp}[(d*(A*b - a*B) * \cot[e + f*x] * (a + b \operatorname{Csc}[e + f*x])^m * (d \operatorname{Csc}[e + f*x])^{(n-1)}) / (a*f*(2*m + 1)), x] - \operatorname{Dist}[1/(a*b*(2*m + 1)), \operatorname{Int}[(a + b \operatorname{Csc}[e + f*x])^{(m+1)} * (d \operatorname{Csc}[e + f*x])^{(n-1)} * \operatorname{Simp}[A*(a*d*(n-1)) - B*(b*d*(n-1)) - d*(a*B*(m - n + 1) + A*b*(m + n)) * \operatorname{Csc}[e + f*x], x], x], x] /;$ $\operatorname{FreeQ}\{a, b, d, e, f, A, B\}, x$ && $\operatorname{NeQ}[A*b - a*B, 0]$ && $\operatorname{EqQ}[a^2 - b^2, 0]$ && $\operatorname{LtQ}[m, -2^{(-1)}]$ && $\operatorname{GtQ}[n, 0]$

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)(x_)] * (d_.))^{(n_.)} * (\operatorname{csc}[(e_.) + (f_.)(x_)] * (b_.) + (a_.)), x_Symbol] :> \operatorname{Dist}[a, \operatorname{Int}[(d \operatorname{Csc}[e + f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d \operatorname{Csc}[e + f*x])^{(n+1)}, x], x] /;$ $\operatorname{FreeQ}\{a, b, d, e, f, n\}, x$

Rule 3768

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.)(x_)] * (b_.))^{(n_.)}, x_Symbol] :> -\operatorname{Simp}[(b * \cos[c + d*x] * (b \operatorname{Csc}[c + d*x])^{(n-1)}) / (d*(n-1)), x] + \operatorname{Dist}[(b^2*(n-2)) / (n-1), \operatorname{Int}[(b \operatorname{Csc}[c + d*x])^{(n-2)}, x], x] /;$ $\operatorname{FreeQ}\{b, c, d\}, x$ && $\operatorname{GtQ}[n, 1]$ && $\operatorname{IntegerQ}[2*n]$

Rule 3771

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.)(x_)] * (b_.))^{(n_.)}, x_Symbol] :> \operatorname{Dist}[(b \operatorname{Csc}[c + d*x])^n * \sin[c + d*x]^n, \operatorname{Int}[1/\sin[c + d*x]^n, x], x] /;$ $\operatorname{FreeQ}\{b, c, d\}, x$ && $\operatorname{EqQ}[n^2, 1/4]$

Rule 2639

$\operatorname{Int}[\operatorname{Sqrt}[\sin[(c_.) + (d_.)(x_)]], x_Symbol] :> \operatorname{Simp}[(2 * \operatorname{EllipticE}[(1*(c - \operatorname{Pi}/2 + d*x))/2, 2]) / d, x] /;$ $\operatorname{FreeQ}\{c, d\}, x$

Rule 2641

$\operatorname{Int}[1/\operatorname{Sqrt}[\sin[(c_.) + (d_.)(x_)]], x_Symbol] :> \operatorname{Simp}[(2 * \operatorname{EllipticF}[(1*(c - \operatorname{Pi}/2 + d*x))/2, 2]) / d, x] /;$ $\operatorname{FreeQ}\{c, d\}, x$

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A+C)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \int \frac{\sec^{\frac{7}{2}}(c+dx)\left(-\frac{1}{2}a(3A-7C)-\frac{1}{2}a(3A+13C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx \\
&= -\frac{(A+C)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{2C\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\sec(c+dx))^2} - \int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+a\sec(c+dx))^2} dx \\
&= -\frac{(A+C)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{2C\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\sec(c+dx))^2} - \frac{(9A+11C)\sqrt{\sec(c+dx)}\sin(c+dx)}{30ad} \\
&= -\frac{(A+C)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{2C\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\sec(c+dx))^2} - \frac{(9A+11C)\sqrt{\sec(c+dx)}\sin(c+dx)}{30ad} \\
&= -\frac{(9A+119C)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} + \frac{(A+11C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2a^3d} \\
&= -\frac{(9A+119C)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} + \frac{(A+11C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2a^3d} \\
&= \frac{(9A+119C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(A+11C)\sqrt{\cos(c+dx)}}{2a^3d}
\end{aligned}$$

Mathematica [C] time = 7.778, size = 984, normalized size = 3.49

$$\frac{6\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\operatorname{Csc}\left(\frac{c}{2}\right)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{5d(\cos(2c+2dx)A+A+2C)(\sec(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] (-6*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -

$$\begin{aligned}
& E^{\left(\frac{2}{I}(c+dx)\right)} \sec\left(\frac{c}{2}\right) \sec(c+dx) (A+C\sec(c+dx)^2) / (5dE^{(I dx)} \\
& (A+2C+A\cos(2c+2dx))(a+a\sec(c+dx))^3) - (238\sqrt{2}C\sqrt{E^{(I(c+dx))}/(1+E^{(2I)(c+dx)})} \\
& \sqrt{1+E^{(2I)(c+dx)}}) \cos\left(\frac{c}{2}+\frac{dx}{2}\right)^6 \csc\left(\frac{c}{2}\right) (-3\sqrt{1+E^{(2I)(c+dx)}} + E^{(2I)dx} \\
& (-1+E^{(2I)c})) \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{(2I)(c+dx)}\right] \sec\left(\frac{c}{2}\right) \sec(c+dx) \\
& (A+C\sec(c+dx)^2) / (15dE^{(I dx)} (A+2C+A\cos(2c+2dx))(a+a\sec(c+dx))^3) \\
& + (4A\cos\left(\frac{c}{2}+\frac{dx}{2}\right)^6 \sqrt{\cos(c+dx)} \csc\left(\frac{c}{2}\right) \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \sec\left(\frac{c}{2}\right) \sec(c+dx)^{3/2} \\
& (A+C\sec(c+dx)^2) \sin(c) / (d(A+2C+A\cos(2c+2dx))(a+a\sec(c+dx))^3) \\
& + (44C\cos\left(\frac{c}{2}+\frac{dx}{2}\right)^6 \sqrt{\cos(c+dx)} \csc\left(\frac{c}{2}\right) \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \sec\left(\frac{c}{2}\right) \sec(c+dx)^{3/2} \\
& (A+C\sec(c+dx)^2) \sin(c) / (d(A+2C+A\cos(2c+2dx))(a+a\sec(c+dx))^3) \\
& + (\cos\left(\frac{c}{2}+\frac{dx}{2}\right)^6 \sec(c+dx)^{3/2} (A+C\sec(c+dx)^2) ((-4(9A+119C)\cos(dx) \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right)) / (5d) \\
& + (4\sec\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}+\frac{dx}{2}\right)^5 (A\sin\left(\frac{dx}{2}\right) + C\sin\left(\frac{dx}{2}\right))) / (5d) \\
& + (8\sec\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}+\frac{dx}{2}\right)^3 (3A\sin\left(\frac{dx}{2}\right) + 13C\sin\left(\frac{dx}{2}\right))) / (15d) \\
& + (8\sec\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}+\frac{dx}{2}\right) (3A\sin\left(\frac{dx}{2}\right) + 29C\sin\left(\frac{dx}{2}\right))) / (3d) \\
& + (32C\sec(c) \sec(c+dx) \sin(dx)) / (3d) \\
& + (8(4C+3A\cos(c)+33C\cos(c)) \sec(c) \operatorname{Tan}\left(\frac{c}{2}\right)) / (3d) \\
& + (8(3A+13C) \sec\left(\frac{c}{2}+\frac{dx}{2}\right)^2 \operatorname{Tan}\left(\frac{c}{2}\right)) / (15d) \\
& + (4(A+C) \sec\left(\frac{c}{2}+\frac{dx}{2}\right)^4 \operatorname{Tan}\left(\frac{c}{2}\right)) / (5d) / ((A+2C+A\cos(2c+2dx))(a+a\sec(c+dx))^3)
\end{aligned}$$

Maple [B] time = 3.141, size = 876, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int \sec(dx+c)^{7/2} (A+C\sec(dx+c)^2) / (a+a\sec(dx+c))^3, x$

[Out] $\frac{1}{60} (12(2\sin(1/2 dx+1/2 c)^2-1)^{1/2} (\sin(1/2 dx+1/2 c)^2)^{1/2} (-2\sin(1/2 dx+1/2 c)^4 + \sin(1/2 dx+1/2 c)^2)^{1/2} (5A \operatorname{EllipticF}(\cos(1/2 dx+1/2 c), 2^{1/2}) - 9A \operatorname{EllipticE}(\cos(1/2 dx+1/2 c), 2^{1/2}) + 55C \operatorname{EllipticF}(\cos(1/2 dx+1/2 c), 2^{1/2}) - 119C \operatorname{EllipticE}(\cos(1/2 dx+1/2 c), 2^{1/2})) \cos(1/2 dx+1/2 c) \sin(1/2 dx+1/2 c)^6 - 30(2\sin(1/2 dx+1/2 c)^2-1)^{1/2} (\sin(1/2 dx+1/2 c)^2)^{1/2} (-2\sin(1/2 dx+1/2 c)^4 + \sin(1/2 dx+1/2 c)^2)^{1/2} (5A \operatorname{EllipticF}(\cos(1/2 dx+1/2 c), 2^{1/2}) - 9A \operatorname{EllipticE}(\cos(1/2 dx+1/2 c), 2^{1/2}) + 55C \operatorname{EllipticF}(\cos(1/2 dx+1/2 c), 2^{1/2}) - 119C \operatorname{EllipticE}(\cos(1/2 dx+1/2 c), 2^{1/2})) \sin(1/2 dx+1/2 c)^4 \cos(1/2 dx+1/2 c) + 24(2\sin(1/2 dx+1/2 c)^2-1)^{1/2} (\sin(1/2 dx+1/2 c)^2)^{1/2} (-2\sin(1/2 dx+1/2 c)^4 + \sin(1/2 dx+1/2 c)^2)^{1/2} (5A \operatorname{EllipticF}(\cos(1/2 dx+1/2 c), 2^{1/2}) - 9A \operatorname{EllipticE}(\cos(1/2 dx+1/2 c), 2^{1/2}) + 55C \operatorname{EllipticF}(\cos(1/2 dx+1/2 c), 2^{1/2}) - 119C \operatorname{EllipticE}(\cos(1/2 dx+1/2 c), 2^{1/2})) \sin(1/2 dx+1/2 c)^2 \operatorname{Tan}\left(\frac{c}{2}\right) + 4(A+C) \sec\left(\frac{c}{2}+\frac{dx}{2}\right)^4 \operatorname{Tan}\left(\frac{c}{2}\right)) / (5d) / ((A+2C+A\cos(2c+2dx))(a+a\sec(c+dx))^3)$

```

2*c), 2^(1/2))-119*C*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))*sin(1/2*d*x+1/2*
c)^2*cos(1/2*d*x+1/2*c)-6*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A*Elli
pticF(cos(1/2*d*x+1/2*c), 2^(1/2))-9*A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))
+55*C*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-119*C*EllipticE(cos(1/2*d*x+1/2
*c), 2^(1/2)))*cos(1/2*d*x+1/2*c)-24*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/
2*c)^2)^(1/2)*(9*A+119*C)*sin(1/2*d*x+1/2*c)^10+24*(-2*sin(1/2*d*x+1/2*c)^4
+sin(1/2*d*x+1/2*c)^2)^(1/2)*(29*A+389*C)*sin(1/2*d*x+1/2*c)^8-10*(-2*sin(1
/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(81*A+1111*C)*sin(1/2*d*x+1/2*c
)^6+4*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(99*A+1414*C)*si
n(1/2*d*x+1/2*c)^4-3*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(
23*A+343*C)*sin(1/2*d*x+1/2*c)^2)/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+
1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(3/2)/sin(1
/2*d*x+1/2*c)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorit
hm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^5 + A \sec(dx+c)^3)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorit
hm="fricas")

```

```

[Out] integral((C*sec(d*x + c)^5 + A*sec(d*x + c)^3)*sqrt(sec(d*x + c))/(a^3*sec(
d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(7/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \sec(dx+c)^{\frac{7}{2}}}{(a \sec(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(7/2)/(a*sec(d*x + c) + a)^3, x)

$$3.244 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=249

$$\frac{(A-13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(A-13C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{6d(a^3\sec(c+dx)+a^3)} - \frac{(A-49C)\sin(c+dx)}{10a^3d}$$

[Out] ((A - 49*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(10*a^3*d) + ((A - 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(6*a^3*d) - ((A - 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) - ((A + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + (2*(A - 4*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((A - 13*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.523758, antiderivative size = 249, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{(A-13C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{6d(a^3\sec(c+dx)+a^3)} - \frac{(A-49C)\sin(c+dx)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(A-13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] ((A - 49*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(10*a^3*d) + ((A - 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(6*a^3*d) - ((A - 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) - ((A + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + (2*(A - 4*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((A - 13*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a

```
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(-\frac{5}{2}a(A-C)-\frac{1}{2}a(A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx \\
&= -\frac{(A+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{2(A-4C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(-\frac{5}{2}a(A-C)-\frac{1}{2}a(A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx \\
&= -\frac{(A+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{2(A-4C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(-\frac{5}{2}a(A-C)-\frac{1}{2}a(A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx \\
&= -\frac{(A+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{2(A-4C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(-\frac{5}{2}a(A-C)-\frac{1}{2}a(A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx \\
&= -\frac{(A-49C)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} - \frac{(A+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(-\frac{5}{2}a(A-C)-\frac{1}{2}a(A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(A-13C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{6a^3d} - \frac{(A-49C)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} + \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(-\frac{5}{2}a(A-C)-\frac{1}{2}a(A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(A-49C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(A-13C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{6a^3d} + \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(-\frac{5}{2}a(A-C)-\frac{1}{2}a(A+11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx
\end{aligned}$$

Mathematica [C] time = 7.04886, size = 953, normalized size = 3.83

$$\frac{2\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}\left(-1+e^{2ic}\right)\text{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{15d(\cos(2c+2dx)A+A+2C)(\sec(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (-2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -

$$\begin{aligned}
& E^{\left((2I)(c+dx)\right)} \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sec}\left[c+dx\right] \left(A+C \operatorname{Sec}\left[c+dx\right]^2\right) / \left(15dE^{\left(I dx\right)} \left(A+2C+A \cos\left[2c+2dx\right]\right) \left(a+a \operatorname{Sec}\left[c+dx\right]^3\right) + \left(98 \sqrt{2} C \sqrt{E^{\left(I(c+dx)\right)} / \left(1+E^{\left((2I)(c+dx)\right)}\right)} \sqrt{1+E^{\left((2I)(c+dx)\right)}} \right. \\
& \left. \cos\left[\frac{c}{2}+\frac{dx}{2}\right]^6 \operatorname{Csc}\left[\frac{c}{2}\right] \left(-3 \sqrt{1+E^{\left((2I)(c+dx)\right)}} + E^{\left((2I) dx\right)} \left(-1+E^{\left((2I)c\right)}\right) \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{\left((2I)(c+dx)\right)}\right] \right) \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sec}\left[c+dx\right] \left(A+C \operatorname{Sec}\left[c+dx\right]^2\right) / \left(15dE^{\left(I dx\right)} \left(A+2C+A \cos\left[2c+2dx\right]\right) \left(a+a \operatorname{Sec}\left[c+dx\right]^3\right) + \left(4A \cos\left[\frac{c}{2}+\frac{dx}{2}\right]^6 \sqrt{\cos\left[c+dx\right]} \operatorname{Csc}\left[\frac{c}{2}\right] \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sec}\left[c+dx\right]^{\frac{3}{2}} \left(A+C \operatorname{Sec}\left[c+dx\right]^2\right) \sin\left[c\right] / \left(3d\left(A+2C+A \cos\left[2c+2dx\right]\right) \left(a+a \operatorname{Sec}\left[c+dx\right]^3\right) - \left(52C \cos\left[\frac{c}{2}+\frac{dx}{2}\right]^6 \sqrt{\cos\left[c+dx\right]} \operatorname{Csc}\left[\frac{c}{2}\right] \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sec}\left[c+dx\right]^{\frac{3}{2}} \left(A+C \operatorname{Sec}\left[c+dx\right]^2\right) \sin\left[c\right] / \left(3d\left(A+2C+A \cos\left[2c+2dx\right]\right) \left(a+a \operatorname{Sec}\left[c+dx\right]^3\right) + \left(\cos\left[\frac{c}{2}+\frac{dx}{2}\right]^6 \operatorname{Sec}\left[c+dx\right]^{\frac{3}{2}} \left(A+C \operatorname{Sec}\left[c+dx\right]^2\right) \left(-4\left(A-49C\right) \cos\left[dx\right] \operatorname{Csc}\left[\frac{c}{2}\right] \operatorname{Sec}\left[\frac{c}{2}\right] / \left(5d\right) + \left(8 \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sec}\left[\frac{c}{2}+\frac{dx}{2}\right] \left(A \sin\left[\frac{dx}{2}\right] - 13C \sin\left[\frac{dx}{2}\right]\right) / \left(3d\right) + \left(16 \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sec}\left[\frac{c}{2}+\frac{dx}{2}\right]^3 \left(A \sin\left[\frac{dx}{2}\right] - 4C \sin\left[\frac{dx}{2}\right]\right) / \left(15d\right) - \left(4 \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sec}\left[\frac{c}{2}+\frac{dx}{2}\right]^5 \left(A \sin\left[\frac{dx}{2}\right] + C \sin\left[\frac{dx}{2}\right]\right) / \left(5d\right) - \left(8\left(-A+13C\right) \operatorname{Tan}\left[\frac{c}{2}\right] / \left(3d\right) + \left(16\left(A-4C\right) \operatorname{Sec}\left[\frac{c}{2}+\frac{dx}{2}\right]^2 \operatorname{Tan}\left[\frac{c}{2}\right] / \left(15d\right) - \left(4\left(A+C\right) \operatorname{Sec}\left[\frac{c}{2}+\frac{dx}{2}\right]^4 \operatorname{Tan}\left[\frac{c}{2}\right] / \left(5d\right)\right) / \left(\left(A+2C+A \cos\left[2c+2dx\right]\right) \left(a+a \operatorname{Sec}\left[c+dx\right]^3\right)\right)
\end{aligned}$$

Maple [B] time = 2.905, size = 679, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c))^{5/2} (A+C \sec(dx+c)^2) / (a+a \sec(dx+c))^3, x$

[Out] $\frac{1}{60} \left(-2 \left(\sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^2 \right)^{1/2} \left(-2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \right)^{1/2} \left(2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1 \right)^{1/2} \left(5A \operatorname{EllipticF}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) - 3A \operatorname{EllipticE}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) - 65C \operatorname{EllipticF}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) + 147C \operatorname{EllipticE}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) \right) \cos\left(\frac{1}{2} dx + \frac{1}{2} c\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 + 4 \left(\sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^2 \right)^{1/2} \left(-2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \right)^{1/2} \left(2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1 \right)^{1/2} \left(5A \operatorname{EllipticF}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) - 3A \operatorname{EllipticE}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) - 65C \operatorname{EllipticF}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) + 147C \operatorname{EllipticE}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) \right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \cos\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 2 \left(\sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^2 \right)^{1/2} \left(-2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \right)^{1/2} \left(2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1 \right)^{1/2} \left(5A \operatorname{EllipticF}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) - 3A \operatorname{EllipticE}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) - 65C \operatorname{EllipticF}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) + 147C \operatorname{EllipticE}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right), 2^{1/2}\right) \right) \cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)$

```
+12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(A-49*C)*sin(1/2*d
*x+1/2*c)^8-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(13*A-81
7*C)*sin(1/2*d*x+1/2*c)^6+12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)
^(1/2)*(A-124*C)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)*(A-439*C)*sin(1/2*d*x+1/2*c)^2)/a^3/cos(1/2*d*x+1/2*c)^5/(-
2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*co
s(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorit
hm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^4 + A \sec(dx+c)^2)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorit
hm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)*sqrt(sec(d*x + c))/(a^3*sec(
d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^3, x)
```

$$3.245 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=220

$$\frac{(A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(A-9C)\sin(c+dx)\sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} - \frac{(A-9C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3d}$$

```
[Out] -((A - 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(10*a^3*d) + ((A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(6*a^3*d) - ((A + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*
(a + a*Sec[c + d*x])^3) + (2*(2*A - 3*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(
15*a*d*(a + a*Sec[c + d*x])^2) + ((A - 9*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(10*d*(a^3 + a^3*Sec[c + d*x]))
```

Rubi [A] time = 0.510215, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 4019, 3787, 3771, 2639, 2641}

$$\frac{(A-9C)\sin(c+dx)\sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} + \frac{(A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d} - \frac{(A-9C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] -((A - 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(10*a^3*d) + ((A + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(6*a^3*d) - ((A + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*
(a + a*Sec[c + d*x])^3) + (2*(2*A - 3*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(
15*a*d*(a + a*Sec[c + d*x])^2) + ((A - 9*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(10*d*(a^3 + a^3*Sec[c + d*x]))
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
```

$(e + f*x)^n \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] :> \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] :> \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx) (A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx &= -\frac{(A+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5d(a+a \sec(c+dx))^3} - \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx) \left(-\frac{1}{2}a(7A-3C) + \frac{1}{2}a(A-9C) \sec(c+dx)\right)}{(a+a \sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5d(a+a \sec(c+dx))^3} + \frac{2(2A-3C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} - \frac{2(A-9C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} \\
&= -\frac{(A+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5d(a+a \sec(c+dx))^3} + \frac{2(2A-3C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} + \frac{2(A-9C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} \\
&= -\frac{(A+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5d(a+a \sec(c+dx))^3} + \frac{2(2A-3C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} + \frac{2(A-9C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} \\
&= -\frac{(A+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5d(a+a \sec(c+dx))^3} + \frac{2(2A-3C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} + \frac{(A-9C) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{10a^3d} + \frac{(A+3C) \sqrt{\cos(c+dx)}}{10a^3d}
\end{aligned}$$

Mathematica [C] time = 6.89032, size = 952, normalized size = 4.33

$$\frac{2\sqrt{2}Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \csc\left(\frac{c}{2}\right) \left(e^{2idx} (-1+e^{2ic}) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}}\right)}{15d(\cos(2c+2dx)A + A + 2C)(\sec(c+dx)a + a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] (2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (6*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A

$$\begin{aligned}
& + 2*C + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3) + (4*A*\cos[c/2 + (d*x)/2]^6*\sqrt{\cos[c + d*x]}*Csc[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\sec[c/2]*\sec[c + d*x]^{(3/2)}*(A + C*\sec[c + d*x]^2)*\sin[c])/(3*d*(A + 2*C + A*\cos[2*c + 2*d*x]))*(a + a*\sec[c + d*x])^3) + (4*C*\cos[c/2 + (d*x)/2]^6*\sqrt{\cos[c + d*x]}*Csc[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\sec[c/2]*\sec[c + d*x]^{(3/2)}*(A + C*\sec[c + d*x]^2)*\sin[c])/(d*(A + 2*C + A*\cos[2*c + 2*d*x]))*(a + a*\sec[c + d*x])^3) + (\cos[c/2 + (d*x)/2]^6*\sec[c + d*x]^{(3/2)}*(A + C*\sec[c + d*x]^2)*((4*(A - 9*C)*\cos[d*x]*Csc[c/2]*\sec[c/2])/(5*d) - (8*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(7*A*\sin[(d*x)/2] - 3*C*\sin[(d*x)/2]))/(15*d) + (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^5*(A*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(5*d) + (8*\sec[c/2]*\sec[c/2 + (d*x)/2]*(A*\sin[(d*x)/2] + 3*C*\sin[(d*x)/2]))/(3*d) + (8*(A + 3*C)*\tan[c/2])/(3*d) - (8*(7*A - 3*C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(15*d) + (4*(A + C)*\sec[c/2 + (d*x)/2]^4*\tan[c/2])/(5*d)))/((A + 2*C + A*\cos[2*c + 2*d*x]))*(a + a*\sec[c + d*x])^3)
\end{aligned}$$

Maple [A] time = 2.594, size = 451, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^3, x)$

[Out]
$$\begin{aligned}
& -1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^8+10*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+6*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-108*C*\cos(1/2*d*x+1/2*c)^8+30*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-54*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)^6+138*C*\cos(1/2*d*x+1/2*c)^6-24*A*\cos(1/2*d*x+1/2*c)^4-24*C*\cos(1/2*d*x+1/2*c)^4+17*A*\cos(1/2*d*x+1/2*c)^2-3*C*\cos(1/2*d*x+1/2*c)^2-3*A-3*C)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + A \sec(dx+c))\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^3 + A*sec(d*x + c))*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \sec(dx+c)^{\frac{3}{2}}}{(a \sec(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^3,  
x)
```

$$3.246 \quad \int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=222

$$\frac{(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(3A+C)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} - \frac{(9A-C)\sqrt{\cos(c+dx)}}{10a^3d}$$

```
[Out] -((9*A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(10*a^3*d) + ((3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(6*a^3*d) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*
(a + a*Sec[c + d*x])^3) + (2*(3*A - 2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(
15*a*d*(a + a*Sec[c + d*x])^2) + ((3*A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(6*d*(a^3 + a^3*Sec[c + d*x]))
```

Rubi [A] time = 0.492153, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(3A+C)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(3A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(9A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] -((9*A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(10*a^3*d) + ((3*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(6*a^3*d) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*
(a + a*Sec[c + d*x])^3) + (2*(3*A - 2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(
15*a*d*(a + a*Sec[c + d*x])^2) + ((3*A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(6*d*(a^3 + a^3*Sec[c + d*x]))
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
```

)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_.), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \int \frac{\sqrt{\sec(c+dx)}\left(-\frac{1}{2}a(9A-C)+\frac{1}{2}a(3A-7C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} \frac{1}{5a^2} \\
&= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{2(3A-2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \\
&= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{2(3A-2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \\
&= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{2(3A-2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \\
&= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{2(3A-2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \\
&= -\frac{(9A-C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(3A+C)\sqrt{\cos(c+dx)}}{10a^3d}
\end{aligned}$$

Mathematica [C] time = 6.94646, size = 954, normalized size = 4.3

$$\frac{6\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{5d(\cos(2c+2dx)A+A+2C)(\sec(c+dx)a+a)^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (6*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (2*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((

$$2*I*d*x)*(-1 + E^{((2*I)*c)})*Hypergeometric2F1[1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))}]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)/(15*d*E^{I*d*x}*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) + (4*A*Cos[c/2 + (d*x)/2]^6*sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sec[c + d*x]^{(3/2)}*(A + C*Sec[c + d*x]^2)*Sin[c])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) + (4*C*Cos[c/2 + (d*x)/2]^6*sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sec[c + d*x]^{(3/2)}*(A + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) + (Cos[c/2 + (d*x)/2]^6*Sec[c + d*x]^{(3/2)}*(A + C*Sec[c + d*x]^2)*((4*(9*A - C)*Cos[d*x]*Csc[c/2]*Sec[c/2])/(5*d) - (8*Sec[c/2]*Sec[c/2 + (d*x)/2]*(9*A*Sin[(d*x)/2] - C*Sin[(d*x)/2]))/(3*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(5*d) + (16*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(6*A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(15*d) - (8*(9*A - C)*Tan[c/2])/(3*d) + (16*(6*A + C)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(15*d) - (4*(A + C)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3)$$

Maple [A] time = 2.405, size = 451, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)*\sec(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^3,x)$

[Out] $-1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(108*A*\cos(1/2*d*x+1/2*c)^8+30*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+54*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-12*C*\cos(1/2*d*x+1/2*c)^8+10*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-198*A*\cos(1/2*d*x+1/2*c)^6+22*C*\cos(1/2*d*x+1/2*c)^6+114*A*\cos(1/2*d*x+1/2*c)^4-6*C*\cos(1/2*d*x+1/2*c)^4-27*A*\cos(1/2*d*x+1/2*c)^2-7*C*\cos(1/2*d*x+1/2*c)^2+3*A+3*C)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + A)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)\sqrt{\sec(dx+c)}}{(a \sec(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^3,  
x)
```

$$3.247 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=226

$$-\frac{(13A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(13A-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(49A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticE}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d}$$

```
[Out] ((49*A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(10*a^3*d) - ((13*A - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqr
t[Sec[c + d*x]])/(6*a^3*d) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d
*(a + a*Sec[c + d*x])^3) - (2*(4*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(1
5*a*d*(a + a*Sec[c + d*x])^2) - ((13*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(6*d*(a^3 + a^3*Sec[c + d*x]))
```

Rubi [A] time = 0.506204, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4085, 4020, 3787, 3771, 2639, 2641}

$$-\frac{(13A-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} - \frac{(13A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d} + \frac{(49A-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticE}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3), x]
```

```
[Out] ((49*A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(10*a^3*d) - ((13*A - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqr
t[Sec[c + d*x]])/(6*a^3*d) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d
*(a + a*Sec[c + d*x])^3) - (2*(4*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(1
5*a*d*(a + a*Sec[c + d*x])^2) - ((13*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(6*d*(a^3 + a^3*Sec[c + d*x]))
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
```


) * Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^ (n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} dx &= \frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{-\frac{1}{2}a(11A+C) + \frac{5}{2}a(A-C) \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{2(4A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{\int \dots}{\dots} \\
&= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{2(4A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(13A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
&= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{2(4A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(13A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
&= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{2(4A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(13A - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
&= \frac{(49A - C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{(13A - C)\sqrt{\cos(c + dx)}}{10a^3d}
\end{aligned}$$

Mathematica [C] time = 6.95465, size = 975, normalized size = 4.31

$$\frac{98\sqrt{2}Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \csc\left(\frac{c}{2}\right) \left(e^{2idx} (-1+e^{2ic}) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}}\right)}{15d(\cos(2c+2dx)A + A + 2C)(\sec(c+dx)a + a)^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3), x]

[Out] (-98*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) + (2*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (52*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3)

$$\begin{aligned} & *x)/2]^6 \sqrt{\cos[c + d*x]} * \operatorname{Csc}[c/2] * \operatorname{EllipticF}[(c + d*x)/2, 2] * \operatorname{Sec}[c/2] * \operatorname{Sec} \\ & [c + d*x]^{(3/2)} * (A + C * \operatorname{Sec}[c + d*x]^2) * \sin[c] / (3*d*(A + 2*C + A*\cos[2*c + \\ & 2*d*x]) * (a + a*\operatorname{Sec}[c + d*x])^3) + (4*C*\cos[c/2 + (d*x)/2]^6 \sqrt{\cos[c + d* \\ & x]} * \operatorname{Csc}[c/2] * \operatorname{EllipticF}[(c + d*x)/2, 2] * \operatorname{Sec}[c/2] * \operatorname{Sec}[c + d*x]^{(3/2)} * (A + C*S \\ & ec[c + d*x]^2) * \sin[c] / (3*d*(A + 2*C + A*\cos[2*c + 2*d*x]) * (a + a*\operatorname{Sec}[c + d \\ & *x])^3) + (\cos[c/2 + (d*x)/2]^6 * \operatorname{Sec}[c + d*x]^{(3/2)} * (A + C*\operatorname{Sec}[c + d*x]^2) * (\\ & (-4*(39*A - C + 10*A*\cos[2*c]) * \cos[d*x] * \operatorname{Csc}[c/2] * \operatorname{Sec}[c/2]) / (5*d) + (4*\operatorname{Sec}[c \\ & /2] * \operatorname{Sec}[c/2 + (d*x)/2]^5 * (A*\sin[(d*x)/2] + C*\sin[(d*x)/2])) / (5*d) + (8*\operatorname{Sec}[\\ & c/2] * \operatorname{Sec}[c/2 + (d*x)/2] * (23*A*\sin[(d*x)/2] + C*\sin[(d*x)/2])) / (3*d) - (8*\operatorname{Se} \\ & c[c/2] * \operatorname{Sec}[c/2 + (d*x)/2]^3 * (17*A*\sin[(d*x)/2] + 7*C*\sin[(d*x)/2])) / (15*d) \\ & + (32*A*\cos[c] * \sin[d*x]) / d + (8*(23*A + C) * \tan[c/2]) / (3*d) - (8*(17*A + 7*C) \\ &) * \operatorname{Sec}[c/2 + (d*x)/2]^2 * \tan[c/2] / (15*d) + (4*(A + C) * \operatorname{Sec}[c/2 + (d*x)/2]^4 * \operatorname{T} \\ & an[c/2]) / (5*d)) / ((A + 2*C + A*\cos[2*c + 2*d*x]) * (a + a*\operatorname{Sec}[c + d*x])^3) \end{aligned}$$

Maple [A] time = 2.395, size = 451, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^3/\sec(dx+c)^{(1/2)}, x)$

[Out] $\frac{1}{60} a^{-3} ((2 \cos(1/2 dx + 1/2 c))^{-2-1} \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (348 A \cos(1/2 dx + 1/2 c)^8 + 130 A \cos(1/2 dx + 1/2 c)^5 (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 294 A \cos(1/2 dx + 1/2 c)^5 (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - 12 C \cos(1/2 dx + 1/2 c)^8 - 10 C \cos(1/2 dx + 1/2 c)^5 (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - 6 C \cos(1/2 dx + 1/2 c)^5 (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - 578 A \cos(1/2 dx + 1/2 c)^6 + 2 C \cos(1/2 dx + 1/2 c)^6 + 264 A \cos(1/2 dx + 1/2 c)^4 + 24 C \cos(1/2 dx + 1/2 c)^4 - 37 A \cos(1/2 dx + 1/2 c)^2 - 17 C \cos(1/2 dx + 1/2 c)^2 + 3 A + 3 C) / \cos(1/2 dx + 1/2 c)^5 / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} / \sin(1/2 dx + 1/2 c) / (2 \cos(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} / d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + A)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^4 + 3a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + a^3 \sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^4 + 3*a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + a^3*sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + A}{(a \sec(dx+c) + a)^3 \sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^3*sqrt(sec(d*x + c))  
) , x)
```

$$3.248 \quad \int \frac{A+C \sec^2(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=249

$$\frac{(11A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{2a^3d} + \frac{(11A+C)\sin(c+dx)}{2a^3d\sqrt{\sec(c+dx)}} - \frac{(119A+9C)\sin(c+dx)}{30d\sqrt{\sec(c+dx)}(a^3\sec(c+dx))}$$

[Out] -((119*A + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((11*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(2*a^3*d) + ((11*A + C)*Sin[c + d*x])/(2*a^3*d*Sqrt[Sec[c + d*x]]) - ((A + C)*Sin[c + d*x])/(5*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3) - (2*A*SIN[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2) - ((119*A + 9*C)*Sin[c + d*x])/(30*d*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.533404, antiderivative size = 249, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{(11A+C)\sin(c+dx)}{2a^3d\sqrt{\sec(c+dx)}} - \frac{(119A+9C)\sin(c+dx)}{30d\sqrt{\sec(c+dx)}(a^3\sec(c+dx)+a^3)} + \frac{(11A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]

[Out] -((119*A + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((11*A + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(2*a^3*d) + ((11*A + C)*Sin[c + d*x])/(2*a^3*d*Sqrt[Sec[c + d*x]]) - ((A + C)*Sin[c + d*x])/(5*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3) - (2*A*SIN[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2) - ((119*A + 9*C)*Sin[c + d*x])/(30*d*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x]))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_, x_Symbol] := -Simp[(a*

```
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= -\frac{(A + C) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{\int \frac{-\frac{1}{2}a(13A+3C)+\frac{1}{2}a(7A-3C) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
&= -\frac{(A + C) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
&= -\frac{(A + C) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
&= \frac{(11A + C) \sin(c + dx)}{2a^3d\sqrt{\sec(c + dx)}} - \frac{(A + C) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} \\
&= -\frac{(119A + 9C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{10a^3d} + \frac{(11A + C) \sin(c + dx)}{2a^3d\sqrt{\sec(c + dx)}} \\
&= -\frac{(119A + 9C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{10a^3d} + \frac{(11A + C)\sqrt{\cos(c + dx)}}{2a^3d\sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 7.11061, size = 1008, normalized size = 4.05

$$\frac{238\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}\left(-1+e^{2ic}\right)\text{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)\right)-3\sqrt{1+e^{2i(c+dx)}}}{15d(\cos(2c+2dx)A+A+2C)(\sec(c+dx)a+a)^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]

[Out] (238*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4,

$$\begin{aligned}
& -E^{((2*I)*(c + d*x))}] * \text{Sec}[c/2] * \text{Sec}[c + d*x] * (A + C * \text{Sec}[c + d*x]^2) / (15*d * \\
& E^{(I*d*x)} * (A + 2*C + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^3) + (6 * \text{Sqrt}[\\
& 2] * C * \text{Sqrt}[E^{(I*(c + d*x))} / (1 + E^{((2*I)*(c + d*x))}]] * \text{Sqrt}[1 + E^{((2*I)*(c + \\
& d*x))}] * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * (-3 * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] + E \\
& ^{((2*I)*d*x)} * (-1 + E^{((2*I)*c)}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2*I)* \\
& (c + d*x))}] * \text{Sec}[c/2] * \text{Sec}[c + d*x] * (A + C * \text{Sec}[c + d*x]^2) / (5*d * E^{(I*d*x)} * (\\
& A + 2*C + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^3) + (44*A * \text{Cos}[c/2 + (d* \\
& x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[\\
& c + d*x]^{(3/2)} * (A + C * \text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (d * (A + 2*C + A * \text{Cos}[2*c + 2*d \\
& *x]) * (a + a * \text{Sec}[c + d*x])^3) + (4*C * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] \\
& * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + C * \text{Sec}[\\
& c + d*x]^2) * \text{Sin}[c]) / (d * (A + 2*C + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^ \\
& 3) + (\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sec}[c + d*x]^{(3/2)} * (A + C * \text{Sec}[c + d*x]^2) * ((4*(8 \\
& 9*A + 9*C + 30*A * \text{Cos}[2*c]) * \text{Cos}[d*x] * \text{Csc}[c/2] * \text{Sec}[c/2]) / (5*d) + (16*A * \text{Cos}[2* \\
& d*x] * \text{Sin}[2*c]) / (3*d) - (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (A * \text{Sin}[(d*x)/2] + C \\
& * \text{Sin}[(d*x)/2])) / (5*d) + (16 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (11*A * \text{Sin}[(d*x)/2 \\
&] + 6*C * \text{Sin}[(d*x)/2])) / (15*d) - (8 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (43*A * \text{Sin}[(d \\
& *x)/2] + 9*C * \text{Sin}[(d*x)/2])) / (3*d) - (96*A * \text{Cos}[c] * \text{Sin}[d*x]) / d + (16*A * \text{Cos}[2* \\
& c] * \text{Sin}[2*d*x]) / (3*d) - (8 * (43*A + 9*C) * \text{Tan}[c/2]) / (3*d) + (16 * (11*A + 6*C) * \text{S} \\
& \text{ec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (15*d) - (4 * (A + C) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{Tan}[\\
& c/2]) / (5*d)) / ((A + 2*C + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [A] time = 2.18, size = 465, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\text{sec}(d*x+c)^2)/\text{sec}(d*x+c)^{(3/2)}/(a+a*\text{sec}(d*x+c))^3,x)$

[Out] $\begin{aligned}
& -1/60/a^3 * ((2*\text{cos}(1/2*d*x+1/2*c)^2-1) * \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (160*A * \text{co} \\
& \text{s}(1/2*d*x+1/2*c)^{10} + 468*A * \text{cos}(1/2*d*x+1/2*c)^8 + 330*A * \text{cos}(1/2*d*x+1/2*c)^5 * (\\
& \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\text{cos} \\
& (1/2*d*x+1/2*c), 2^{(1/2)}) + 714*A * \text{cos}(1/2*d*x+1/2*c)^5 * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) \\
& + 108*C * \text{cos}(1/2*d*x+1/2*c)^8 + 30*C * \text{cos}(1/2*d*x+1/2*c)^5 * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) \\
& + 54*C * \text{cos}(1/2*d*x+1/2*c)^5 * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\text{cos}(1/2*d \\
& *x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) - 1058*A * \text{cos}(1/2*d \\
& *x+1/2*c)^6 - 198*C * \text{cos}(1/2*d*x+1/2*c)^6 + 474*A * \text{cos}(1/2*d*x+1/2*c)^4 + 114*C * \text{cos} \\
& (1/2*d*x+1/2*c)^4 - 47*A * \text{cos}(1/2*d*x+1/2*c)^2 - 27*C * \text{cos}(1/2*d*x+1/2*c)^2 + 3*A + 3 \\
& * C) / \text{cos}(1/2*d*x+1/2*c)^5 / (-2*\text{sin}(1/2*d*x+1/2*c)^4 + \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}
\end{aligned}$

$2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + A)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^5 + 3a^3 \sec(dx+c)^4 + 3a^3 \sec(dx+c)^3 + a^3 \sec(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^5 + 3*a^3*sec(d*x + c)^4 + 3*a^3*sec(d*x + c)^3 + a^3*sec(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^3*sec(d*x + c)^(3/2)  
) , x)
```

$$3.249 \quad \int \frac{A+C \sec^2(c+dx)}{5 \sec^2(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=290

$$\frac{(63A+13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(63A+13C)\sin(c+dx)}{10d \sec^{\frac{3}{2}}(c+dx)(a^3 \sec(c+dx) + a^3)} + \frac{7(33A+7C)\sin(c+dx)}{30a^3d \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (7*(33*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((63*A + 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) + (7*(33*A + 7*C)*Sin[c + d*x])/(30*a^3*d*Sec[c + d*x]^(3/2)) - ((63*A + 13*C)*Sin[c + d*x])/(6*a^3*d*Sqrt[Sec[c + d*x]]) - ((A + C)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3) - (2*(6*A + C)*Sin[c + d*x])/(15*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2) - ((63*A + 13*C)*Sin[c + d*x])/(10*d*Sec[c + d*x]^(3/2)*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.570337, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4085, 4020, 3787, 3769, 3771, 2639, 2641}

$$-\frac{(63A+13C)\sin(c+dx)}{10d \sec^{\frac{3}{2}}(c+dx)(a^3 \sec(c+dx) + a^3)} + \frac{7(33A+7C)\sin(c+dx)}{30a^3d \sec^{\frac{3}{2}}(c+dx)} - \frac{(63A+13C)\sin(c+dx)}{6a^3d \sqrt{\sec(c+dx)}} - \frac{(63A+13C)\sqrt{\cos(c+dx)}}{6a^3d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

[Out] (7*(33*A + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((63*A + 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) + (7*(33*A + 7*C)*Sin[c + d*x])/(30*a^3*d*Sec[c + d*x]^(3/2)) - ((63*A + 13*C)*Sin[c + d*x])/(6*a^3*d*Sqrt[Sec[c + d*x]]) - ((A + C)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3) - (2*(6*A + C)*Sin[c + d*x])/(15*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2) - ((63*A + 13*C)*Sin[c + d*x])/(10*d*Sec[c + d*x]^(3/2)*(a^3 + a^3*Sec[c + d*x]))

Rule 4085

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]

```

Rule 4020

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= -\frac{(A + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{\int \frac{-\frac{5}{2}a(3A+C) + \frac{1}{2}a(9A-C) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{2(6A + C) \sin(c + dx)}{15ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} \\
&= -\frac{(A + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{2(6A + C) \sin(c + dx)}{15ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} \\
&= -\frac{(A + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{2(6A + C) \sin(c + dx)}{15ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} \\
&= \frac{7(33A + 7C) \sin(c + dx)}{30a^3d \sec^{\frac{3}{2}}(c + dx)} - \frac{(63A + 13C) \sin(c + dx)}{6a^3d \sqrt{\sec(c + dx)}} - \frac{(A + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
&= \frac{7(33A + 7C) \sin(c + dx)}{30a^3d \sec^{\frac{3}{2}}(c + dx)} - \frac{(63A + 13C) \sin(c + dx)}{6a^3d \sqrt{\sec(c + dx)}} - \frac{(A + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
&= \frac{7(33A + 7C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{(63A + 13C) \sqrt{\cos(c + dx)}}{10a^3d}
\end{aligned}$$

Mathematica [C] time = 7.26741, size = 1052, normalized size = 3.63

$$\frac{154\sqrt{2}Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \csc\left(\frac{c}{2}\right) \left(e^{2idx} (-1+e^{2ic}) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}}\right)}{5d(\cos(2c+2dx)A + A + 2C)(\sec(c+dx)a + a)^3}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]
```

```
[Out] (-154*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^
((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c +
d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4,
-E^((2*I)*(c + d*x))])*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(5*d*
E^(I*d*x)*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (98*Sqrt
[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c
+ d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] +
E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)
*(c + d*x))])*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)
*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (84*A*Cos[c/2 + (
d*x)/2]^6*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Se
c[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2)*Sin[c])/(d*(A + 2*C + A*Cos[2*c + 2
*d*x])*(a + a*Sec[c + d*x])^3) - (52*C*Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*
x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sec[c + d*x]^(3/2)*(A + C*S
ec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d
*x])^3) + (Cos[c/2 + (d*x)/2]^6*Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2)*(-
2*(329*A + 78*C + 133*A*Cos[2*c] + 20*C*Cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c
/2])/(5*d) - (16*A*Cos[2*d*x]*Sin[2*c])/d + (8*A*Cos[3*d*x]*Sin[3*c])/(5*d)
+ (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(5*d)
+ (184*Sec[c/2]*Sec[c/2 + (d*x)/2]*(3*A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(
3*d) - (8*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(27*A*Sin[(d*x)/2] + 17*C*Sin[(d*x)
/2]))/(15*d) + (8*(133*A + 20*C)*Cos[c]*Sin[d*x])/(5*d) - (16*A*Cos[2*c]*Si
n[2*d*x])/d + (8*A*Cos[3*c]*Sin[3*d*x])/(5*d) + (184*(3*A + C)*Tan[c/2])/(3
*d) - (8*(27*A + 17*C)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(15*d) + (4*(A + C)*S
ec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a +
a*Sec[c + d*x])^3)
```

Maple [A] time = 2.701, size = 479, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x)
```

```
[Out] -1/60/a^3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(192*A*co
s(1/2*d*x+1/2*c)^12-864*A*cos(1/2*d*x+1/2*c)^10-228*A*cos(1/2*d*x+1/2*c)^8-
630*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2
*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1386*A*cos(1/2*d*x+1/2
*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*Ellipt
icE(cos(1/2*d*x+1/2*c),2^(1/2))-348*C*cos(1/2*d*x+1/2*c)^8-130*C*cos(1/2*d*
x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*E
```

```

llipticF(cos(1/2*d*x+1/2*c),2^(1/2))-294*C*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1
/2*c),2^(1/2))+1590*A*cos(1/2*d*x+1/2*c)^6+578*C*cos(1/2*d*x+1/2*c)^6-744*A
*cos(1/2*d*x+1/2*c)^4-264*C*cos(1/2*d*x+1/2*c)^4+57*A*cos(1/2*d*x+1/2*c)^2+
37*C*cos(1/2*d*x+1/2*c)^2-3*A-3*C)/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^
2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorit
hm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + A)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^6 + 3a^3 \sec(dx+c)^5 + 3a^3 \sec(dx+c)^4 + a^3 \sec(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorit
hm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^6 + 3*
a^3*sec(d*x + c)^5 + 3*a^3*sec(d*x + c)^4 + a^3*sec(d*x + c)^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorit
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^3*sec(d*x + c)^(5/2)
), x)
```

$$3.250 \quad \int \sec^2(c+dx) \sqrt{a + a \sec(c+dx)} \left(A + C \sec^2(c+dx) \right) dx$$

Optimal. Leaf size=214

$$\frac{a(48A + 35C) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{96d\sqrt{a \sec(c+dx) + a}} + \frac{a(48A + 35C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{64d\sqrt{a \sec(c+dx) + a}} + \frac{\sqrt{a}(48A + 35C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx) + a}}\right)}{64d}$$

[Out] (Sqrt[a]*(48*A + 35*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])]/(64*d) + (a*(48*A + 35*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 35*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.45962, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4089, 4016, 3803, 3801, 215}

$$\frac{a(48A + 35C) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{96d\sqrt{a \sec(c+dx) + a}} + \frac{a(48A + 35C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{64d\sqrt{a \sec(c+dx) + a}} + \frac{\sqrt{a}(48A + 35C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx) + a}}\right)}{64d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(48*A + 35*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])]/(64*d) + (a*(48*A + 35*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 35*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt

$Q[n, -2^{(-1)}] \&\& \text{NeQ}[m + n + 1, 0]$

Rule 4016

$\text{Int}[(\text{csc}[(e_{.}) + (f_{.})(x_{.})]*(d_{.})^{(n_{.})}*\text{Sqrt}[\text{csc}[(e_{.}) + (f_{.})(x_{.})]*(b_{.}) + (a_{.})]*(\text{csc}[(e_{.}) + (f_{.})(x_{.})]*(B_{.}) + (A_{.}))], x_{\text{Symbol}}] \rightarrow \text{Simp}[(-2*b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(2*n + 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& ! \text{LtQ}[n, 0]$

Rule 3803

$\text{Int}[(\text{csc}[(e_{.}) + (f_{.})(x_{.})]*(d_{.})^{(n_{.})}*\text{Sqrt}[\text{csc}[(e_{.}) + (f_{.})(x_{.})]*(b_{.}) + (a_{.})], x_{\text{Symbol}}] \rightarrow \text{Simp}[(-2*b*d*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{(n - 1)})/(f*(2*n - 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(2*a*d*(n - 1))/(b*(2*n - 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n - 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_{.}) + (f_{.})(x_{.})]*(d_{.})]*\text{Sqrt}[\text{csc}[(e_{.}) + (f_{.})(x_{.})]*(b_{.}) + (a_{.})], x_{\text{Symbol}}] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_{.}) + (b_{.})(x_{.})^2], x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} + \frac{\int \sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}dx}{4d} \\
&= \frac{aC\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{C\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{4d} \\
&= \frac{a(48A+35C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} + \frac{aC\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a(48A+35C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a(48A+35C)\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a(48A+35C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a(48A+35C)\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{a}(48A+35C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a(48A+35C)\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{64d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.1597, size = 238, normalized size = 1.11

$$\cos^3(c+dx)\sqrt{a(\sec(c+dx)+1)}(A+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{9}{2}}(c+dx)((432A+539C)\cos(c+dx)+4(48A+35C)\sin(c+dx))\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*Sqrt[a*(1 + Sec[c + d*x])]*(A + C*Sec[c + d*x]^2)*((192*A + 332*C + (432*A + 539*C)*Cos[c + d*x] + 4*(48*A + 35*C)*Cos[2*(c + d*x)] + 144*A*Cos[3*(c + d*x)] + 105*C*Cos[3*(c + d*x)])*Sec[c + d*x]^(9/2)*Tan[(c + d*x)/2] - (12*(48*A + 35*C)*Csc[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))*Sqrt[Tan[c + d*x]^2])/Sqrt[1 + Sec[c + d*x]])/(384*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [B] time = 0.387, size = 449, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{5/2} * (A+C*\sec(dx+c)^2) * (a+a*\sec(dx+c))^{1/2}, x)$

[Out] $\frac{1}{768}d * (-144A*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))) + 144A*\cos(dx+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))*2^{1/2} - 105C*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))) + 105C*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))) + 288A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2} + 210C*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2} + 192A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2} + 140C*\sin(dx+c)*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2} + 112C*\sin(dx+c)*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2} + 96C*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c))*(1/\cos(dx+c))^{5/2} * (a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2} * (-2/(\cos(dx+c)+1))^{1/2} / \sin(dx+c)^2 / \cos(dx+c) * (\cos(dx+c)^2 - 1)$

Maxima [B] time = 3.37684, size = 5963, normalized size = 27.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{5/2} * (A+C*\sec(dx+c)^2) * (a+a*\sec(dx+c))^{1/2}, x, \text{algorithm}="maxima")$

[Out] $-1/768*(48*(12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x +$

$$\begin{aligned}
& 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) \\
& + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) \\
& + 2) - 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*(2)*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 12*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 12*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) * A*\sqrt{a}/(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1) + (420*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(15/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 140*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(13/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1596*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 500*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 500*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 1596*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 140*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 420*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x
\end{aligned}$$

$$\begin{aligned}
& + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + \\
& 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c)) \\
& *\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) \\
& + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))), \\
& \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + \\
& 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 420*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 140*(\sqrt{2}*\cos(8*d*x + 8*c) +
\end{aligned}$$

$$\begin{aligned}
& 4\sqrt{2}\cos(6dx + 6c) + 6\sqrt{2}\cos(4dx + 4c) + 4\sqrt{2}\cos(2dx + 2c) + \sqrt{2}\sin\left(\frac{13}{2}\arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) - 1596\left(\sqrt{2}\cos(8dx + 8c) + 4\sqrt{2}\cos(6dx + 6c) + 6\sqrt{2}\cos(4dx + 4c) + 4\sqrt{2}\cos(2dx + 2c) + \sqrt{2}\right)\sin\left(\frac{11}{2}\arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) - 500\left(\sqrt{2}\cos(8dx + 8c) + 4\sqrt{2}\cos(6dx + 6c) + 6\sqrt{2}\cos(4dx + 4c) + 4\sqrt{2}\cos(2dx + 2c) + \sqrt{2}\right)\sin\left(\frac{9}{2}\arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) + 500\left(\sqrt{2}\cos(8dx + 8c) + 4\sqrt{2}\cos(6dx + 6c) + 6\sqrt{2}\cos(4dx + 4c) + 4\sqrt{2}\cos(2dx + 2c) + \sqrt{2}\right)\sin\left(\frac{7}{2}\arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) + 1596\left(\sqrt{2}\cos(8dx + 8c) + 4\sqrt{2}\cos(6dx + 6c) + 6\sqrt{2}\cos(4dx + 4c) + 4\sqrt{2}\cos(2dx + 2c) + \sqrt{2}\right)\sin\left(\frac{5}{2}\arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) + 140\left(\sqrt{2}\cos(8dx + 8c) + 4\sqrt{2}\cos(6dx + 6c) + 6\sqrt{2}\cos(4dx + 4c) + 4\sqrt{2}\cos(2dx + 2c) + \sqrt{2}\right)\sin\left(\frac{3}{2}\arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) + 420\left(\sqrt{2}\cos(8dx + 8c) + 4\sqrt{2}\cos(6dx + 6c) + 6\sqrt{2}\cos(4dx + 4c) + 4\sqrt{2}\cos(2dx + 2c) + \sqrt{2}\right)\sin\left(\frac{1}{2}\arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) \cdot C\sqrt{a} / \left(2(4\cos(6dx + 6c) + 6\cos(4dx + 4c) + 4\cos(2dx + 2c) + 1)\cos(8dx + 8c) + \cos(8dx + 8c)^2 + 8(6\cos(4dx + 4c) + 4\cos(2dx + 2c) + 1)\cos(6dx + 6c) + 16\cos(6dx + 6c)^2 + 12(4\cos(2dx + 2c) + 1)\cos(4dx + 4c) + 36\cos(4dx + 4c)^2 + 16\cos(2dx + 2c)^2 + 4(2\sin(6dx + 6c) + 3\sin(4dx + 4c) + 2\sin(2dx + 2c))\sin(8dx + 8c) + \sin(8dx + 8c)^2 + 16(3\sin(4dx + 4c) + 2\sin(2dx + 2c))\sin(6dx + 6c) + 16\sin(6dx + 6c)^2 + 36\sin(4dx + 4c)^2 + 48\sin(4dx + 4c)\sin(2dx + 2c) + 16\sin(2dx + 2c)^2 + 8\cos(2dx + 2c) + 1\right) / d
\end{aligned}$$

Fricas [A] time = 1.02463, size = 1238, normalized size = 5.79

$$\left[\frac{3\left((48A + 35C)\cos(dx + c)^4 + (48A + 35C)\cos(dx + c)^3\right)\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - \frac{4\left(\cos(dx+c)^2 - 2\cos(dx+c)\right)\sqrt{a}\sqrt{\frac{a\cos(dx+c)}{\cos(dx+c)}}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{768\left(d\cos(dx + c)^4 + d\cos(dx + c)^3\right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(5/2)*(A+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")


```
[Out] [1/768*(3*((48*A + 35*C)*cos(d*x + c)^4 + (48*A + 35*C)*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(48*A + 35*C)*cos(d*x + c)^3 + 2*(48*A + 35*C)*cos(d*x + c)^2 + 56*C*cos(d*x + c) + 48*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/384*(3*((48*A + 35*C)*cos(d*x + c)^4 + (48*A + 35*C)*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(48*A + 35*C)*cos(d*x + c)^3 + 2*(48*A + 35*C)*cos(d*x + c)^2 + 56*C*cos(d*x + c) + 48*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(5/2), x)
```

$$3.251 \quad \int \sec^2(c+dx) \sqrt{a + a \sec(c + dx)} \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=169

$$\frac{a(8A + 5C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(8A + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{C \sin(c + dx) \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx)}}{3d}$$

[Out] (Sqrt[a]*(8*A + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*d) + (a*(8*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.387715, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4089, 4016, 3803, 3801, 215}

$$\frac{a(8A + 5C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(8A + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{C \sin(c + dx) \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(8*A + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*d) + (a*(8*A + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{3d} + \frac{\int \sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}dx}{3d} \\
&= \frac{aC\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{C\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{3d} \\
&= \frac{a(8A+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} + \frac{aC\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a(8A+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} + \frac{aC\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{a}(8A+5C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8d} + \frac{a(8A+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.66813, size = 211, normalized size = 1.25

$$\frac{\cos^3(c+dx)\sqrt{a(\sec(c+dx)+1)}(A+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{7}{2}}(c+dx)(3(8A+5C)\cos(2(c+dx))+24A)\right)}{24d(A\cos(2(c+dx))+24A)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*Sqrt[a*(1 + Sec[c + d*x])]*(A + C*Sec[c + d*x]^2)*((24*A + 31*C + 20*C*Cos[c + d*x] + 3*(8*A + 5*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/2)*Tan[(c + d*x)/2] - (6*(8*A + 5*C)*Csc[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))*Sqrt[Tan[c + d*x]^2])/Sqrt[1 + Sec[c + d*x]]))/(24*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [B] time = 0.369, size = 385, normalized size = 2.3

$$-\frac{-1 + \cos(dx + c)}{48d \cos(dx + c) (\sin(dx + c))^2} \left(24A (\cos(dx + c))^3 \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 + \sin(dx + c))}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{(3/2)} * (A+C*\sec(dx+c)^2) * (a+a*\sec(dx+c))^{(1/2)}, x)$

[Out]
$$-1/48/d*(-1+\cos(dx+c))*(24*A*\cos(dx+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))*2^{(1/2)}-24*A*\cos(dx+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c))))*2^{(1/2)}+15*C*\cos(dx+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))*2^{(1/2)}-15*C*\cos(dx+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c))))*2^{(1/2)}+48*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+30*C*\sin(dx+c)*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{(1/2)}+20*C*\sin(dx+c)*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+16*C*(-2/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c))*(1/\cos(dx+c))^{(3/2)}*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}/(-2/(\cos(dx+c)+1))^{(1/2)}/\cos(dx+c)/\sin(dx+c)^2$$

Maxima [B] time = 2.55205, size = 3699, normalized size = 21.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(3/2)} * (A+C*\sec(dx+c)^2) * (a+a*\sec(dx+c))^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]
$$-1/96*(24*(4*\sqrt{2})*\cos(3/2*\arctan2(\sin(dx+c), \cos(dx+c)))*\sin(2*dx+2*c) - 4*\sqrt{2}*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))*\sin(2*dx+2*c) - (\cos(2*dx+2*c)^2 + \sin(2*dx+2*c)^2 + 2*\cos(2*dx+2*c) + 1) * \log(2*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c))) + 2) + (\cos(2*dx+2*c)^2 + \sin(2*dx+2*c)^2 + 2*\cos(2*dx+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c))) + 2) - (\cos(2*dx+2*c)^2 + \sin(2*dx+2*c)^2 + 2*\cos(2*dx+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c))) + 2) + (\cos(2*dx+2*c)^2 + \sin(2*dx+2*c)^2 + 2*\cos(2*dx+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c))) + 2) - 4*(\sqrt{2})*\cos(2*dx+2*c)$$

$$\begin{aligned}
& 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*c \\
& \cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*A* \\
& \sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\
& + (60*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2})*\sin(4*d*x + 4*c) + 3*\sqrt{2})*\sin \\
& (2*d*x + 2*c))*\cos(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 20*(\sqrt{2}) \\
& *\sin(6*d*x + 6*c) + 3*\sqrt{2})*\sin(4*d*x + 4*c) + 3*\sqrt{2})*\sin(2*d*x + 2*c) \\
&)*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 168*(\sqrt{2})*\sin(6*d*x + 6 \\
& *c) + 3*\sqrt{2})*\sin(4*d*x + 4*c) + 3*\sqrt{2})*\sin(2*d*x + 2*c))*\cos(7/2*\arct \\
& an2(\sin(d*x + c), \cos(d*x + c))) - 168*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2} \\
&)*\sin(4*d*x + 4*c) + 3*\sqrt{2})*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + \\
& c), \cos(d*x + c))) - 20*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2})*\sin(4*d*x + 4 \\
& *c) + 3*\sqrt{2})*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c \\
&))) - 60*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2})*\sin(4*d*x + 4*c) + 3*\sqrt{2} \\
&)*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 15*(2*(3* \\
& \cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6 \\
& *c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 \\
& + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x \\
& + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin \\
& (2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/ \\
& 2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \\
& \cos(d*x + c)))^2 + 2*\sqrt{2})*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) \\
& + 2*\sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 15*(2*(3*\cos \\
& (4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c) \\
&)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + \\
& 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + \\
& 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(\\
& 2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2* \\
& arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos \\
& (d*x + c)))^2 + 2*\sqrt{2})*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - \\
& 2*\sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 15*(2*(3*\cos(\\
& 4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 \\
& + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9* \\
& \cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6* \\
& c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2* \\
& d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2* \\
& arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos \\
& (d*x + c)))^2 - 2*\sqrt{2})*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2* \\
& \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 15*(2*(3*\cos(4* \\
& d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 \\
& + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos \\
& (2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) \\
& + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d* \\
& x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arct \\
& an2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d \\
& *x + c)))^2 - 2*\sqrt{2})*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}
\end{aligned}$$

```

rt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 60*(sqrt(2)*cos(6
*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqr
t(2))*sin(11/2*arctan2(sin(d*x + c), cos(d*x + c))) - 20*(sqrt(2)*cos(6*d*x
+ 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2)
)*sin(9/2*arctan2(sin(d*x + c), cos(d*x + c))) - 168*(sqrt(2)*cos(6*d*x + 6
*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*si
n(7/2*arctan2(sin(d*x + c), cos(d*x + c))) + 168*(sqrt(2)*cos(6*d*x + 6*c)
+ 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(5/
2*arctan2(sin(d*x + c), cos(d*x + c))) + 20*(sqrt(2)*cos(6*d*x + 6*c) + 3*s
qrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(3/2*arc
tan2(sin(d*x + c), cos(d*x + c))) + 60*(sqrt(2)*cos(6*d*x + 6*c) + 3*sqrt(2)
)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(1/2*arctan2(
sin(d*x + c), cos(d*x + c)))*C*sqrt(a)/(2*(3*cos(4*d*x + 4*c) + 3*cos(2*d*
x + 2*c) + 1)*cos(6*d*x + 6*c) + cos(6*d*x + 6*c)^2 + 6*(3*cos(2*d*x + 2*c)
+ 1)*cos(4*d*x + 4*c) + 9*cos(4*d*x + 4*c)^2 + 9*cos(2*d*x + 2*c)^2 + 6*(s
in(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c) + sin(6*d*x + 6*c)^2 +
9*sin(4*d*x + 4*c)^2 + 18*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 9*sin(2*d*x
+ 2*c)^2 + 6*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 0.785601, size = 1127, normalized size = 6.67

$$\frac{3 \left((8A + 5C) \cos(dx + c)^3 + (8A + 5C) \cos(dx + c)^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a} \sqrt{\frac{a \cos(dx+c) + \cos(dx+c)}{\cos(dx+c)}}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{96 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, alg
orithm="fricas")

```

```

[Out] [1/96*(3*((8*A + 5*C)*cos(d*x + c)^3 + (8*A + 5*C)*cos(d*x + c)^2)*sqrt(a)*
log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x
+ c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos
(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(8*A + 5*C)*cos
(d*x + c)^2 + 10*C*cos(d*x + c) + 8*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2),
1/48*(3*((8*A + 5*C)*cos(d*x + c)^3 + (8*A + 5*C)*cos(d*x + c)^2)*sqrt(-a)

```

```
*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))
)*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(8*A + 5*
C)*cos(d*x + c)^2 + 10*C*cos(d*x + c) + 8*C)*sqrt((a*cos(d*x + c) + a)/cos(
d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x +
c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(3/2
), x)
```


3.252 $\int \sqrt{\sec(c+dx)} \sqrt{a+a\sec(c+dx)} (A+C\sec^2(c+dx)) dx$

Optimal. Leaf size=124

$$\frac{\sqrt{a}(8A+3C) \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{C \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a\sec(c+dx)+a}}{2d} + \frac{aC \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{4d\sqrt{a\sec(c+dx)+a}}$$

[Out] (Sqrt[a]*(8*A + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.305816, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4089, 4016, 3801, 215}

$$\frac{\sqrt{a}(8A+3C) \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{C \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a\sec(c+dx)+a}}{2d} + \frac{aC \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{4d\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(8*A + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*

```

Cot[e + f*x]*(d*Csc[e + f*x])^n/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]
]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{2d} + \frac{\int \sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)}dx}{2d} \\
&= \frac{aC\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{C\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{2d} \\
&= \frac{aC\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{C\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{2d} \\
&= \frac{\sqrt{a}(8A+3C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4d} + \frac{aC\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.32312, size = 202, normalized size = 1.63

$$\cos^3(c+dx)\sqrt{a(\sec(c+dx)+1)}(A+C\sec^2(c+dx))\left(C\left(\sin\left(\frac{1}{2}(c+dx)\right)+3\sin\left(\frac{3}{2}(c+dx)\right)\right)\sec\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{5}{2}}(c+dx)\right)$$

$$4d(A\cos(2(c+dx))+A+2)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^3*Sqrt[a*(1 + Sec[c + d*x]))*(A + C*Sec[c + d*x]^2)*(C*Sec[(c + d*x)/2]*Sec[c + d*x]^(5/2)*(Sin[(c + d*x)/2] + 3*Sin[(3*(c + d*x))/2]) - (2*(8*A + 3*C)*Csc[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))*Sqrt[Tan[c + d*x]^2])/Sqrt[1 + Sec[c + d*x]])))/(4*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [B] time = 0.403, size = 325, normalized size = 2.6

$$\frac{(\cos(dx+c))^2-1}{16d(\sin(dx+c))^2\cos(dx+c)} \left(8A \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1+\sin(dx+c))}\right) (\cos(dx+c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(1/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

[Out] 1/16/d*(8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))) * cos(d*x+c)^2*2^(1/2) - 8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))) * cos(d*x+c)^2*2^(1/2) + 3*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))) * cos(d*x+c)^2*2^(1/2) - 3*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))) * cos(d*x+c)^2*2^(1/2) + 6*C*sin(d*x+c)*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2) + 4*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*(1/cos(d*x+c))^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2/cos(d*x+c)*(cos(d*x+c)^2-1)

Maxima [B] time = 2.2186, size = 2034, normalized size = 16.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

```

[Out] 1/16*(8*A*sqrt(a)*(log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2
+ 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - lo
g(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d
*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + log(2*cos(1/2*d*x + 1/2
*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(
2)*sin(1/2*d*x + 1/2*c) + 2) - log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x
+ 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*
c) + 2)) - (12*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(
7/2*arctan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*sin(4*d*x + 4*c) + 2*
sqrt(2)*sin(2*d*x + 2*c))*cos(5/2*arctan2(sin(d*x + c), cos(d*x + c))) - 4*
(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(3/2*arctan2(sin
(d*x + c), cos(d*x + c))) - 12*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*
d*x + 2*c))*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 3*(2*(2*cos(2*d*
x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2
+ sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x +
2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*
x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*c
os(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin
(d*x + c), cos(d*x + c))) + 2) + 3*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x +
4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*s
in(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c
) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arc
tan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c
), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))
+ 2) - 3*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2
+ 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x
+ 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arcta
n2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x
+ c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt
(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + 3*(2*(2*cos(2*d*x +
2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + s
in(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c
)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x +
c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(2)*cos(
1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*
x + c), cos(d*x + c))) + 2) - 12*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(
2*d*x + 2*c) + sqrt(2))*sin(7/2*arctan2(sin(d*x + c), cos(d*x + c))) - 4*(s
qrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(5/2*arc
tan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)
*cos(2*d*x + 2*c) + sqrt(2))*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) +
12*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(1
/2*arctan2(sin(d*x + c), cos(d*x + c))))*C*sqrt(a)/(2*(2*cos(2*d*x + 2*c) +
1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*
x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4
*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 0.774252, size = 1023, normalized size = 8.25

$$\frac{\left((8A + 3C) \cos(dx + c)^2 + (8A + 3C) \cos(dx + c) \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4 \left(\cos(dx+c)^2 - 2 \cos(dx+c) \right) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)} \cos(dx+c)^3 + \cos(dx+c)^2} \right)}{16 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/16*(((8*A + 3*C)*cos(d*x + c)^2 + (8*A + 3*C)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*C*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/8*(((8*A + 3*C)*cos(d*x + c)^2 + (8*A + 3*C)*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*C*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(1/2)*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)
```

$$3.253 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=115

$$\frac{a(2A - C) \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \sec(c + dx) + a}} + \frac{C \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{d} + \frac{\sqrt{a} C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{d}$$

[Out] (Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a*(2*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.303945, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4089, 4015, 3801, 215}

$$\frac{a(2A - C) \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \sec(c + dx) + a}} + \frac{C \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{d} + \frac{\sqrt{a} C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a*(2*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^(m_), x_Symbol] :> -Simp[(C* Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.), x_Symbol] :> Simp[(A*b^2*C

ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]*Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{C \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + \int \frac{\sqrt{a + a \sec(c + dx)} \left(\frac{1}{2} a(2A - C) \right)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{a(2A - C) \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{d} \\ &= \frac{a(2A - C) \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{d} \\ &= \frac{\sqrt{a} C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{a(2A - C) \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 2.54043, size = 177, normalized size = 1.54

$$\frac{\cot(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left((C - 2A) \sqrt{\sec(c + dx) + 1} \sqrt{\sec(c + dx)} + \sqrt{\sec(c + dx) + 1} \sec^{\frac{3}{2}}(c + dx) (A \cos(2(c + dx))) \right)}{d \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] -((Cot[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*((-2*A + C)*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]] + (A - C + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(3/2)*Sqrt[1 + Sec[c + d*x]] + C*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))*Sqrt[Tan[c + d*x]^2]))/(d*Sqrt[1 + Sec[c + d*x]])

Maple [B] time = 0.403, size = 210, normalized size = 1.8

$$-\frac{1}{4d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(C \cos(dx+c) \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} \arctan\left(\frac{\sqrt{2}(\cos(dx+c)+1)}{4}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x)

[Out] -1/4/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(C*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-C*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)+8*A*cos(d*x+c)^2-8*A*cos(d*x+c)+4*C*cos(d*x+c)-4*C*(1/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [B] time = 2.04424, size = 923, normalized size = 8.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/4*(8*sqrt(2)*A*sqrt(a)*sin(1/2*d*x + 1/2*c) - (4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c))))*sin(2*d*x + 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*sin(2*d*x + 2*c) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*sqrt(a))

```
t(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 4*(sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*C*sqrt(a)/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1))/d
```

Fricas [A] time = 0.586503, size = 882, normalized size = 7.67

$$\frac{(C \cos(dx + c) + C)\sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a \right)}{4(d \cos(dx + c) + d)} + \frac{4(2A \cos(dx+c) + C)\sqrt{\frac{a \cos(dx+c)}{\cos(dx+c)}}}{\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*((C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(2*A*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/2*((C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(2*A*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d
```

```
*x + c)/sqrt(cos(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)
```

$$3.254 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=116

$$\frac{2A \sin(c+dx)\sqrt{a \sec(c+dx)+a}}{3d\sqrt{\sec(c+dx)}} + \frac{2aA \sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2\sqrt{a}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

[Out] (2*Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.290942, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4087, 4015, 3801, 215}

$$\frac{2A \sin(c+dx)\sqrt{a \sec(c+dx)+a}}{3d\sqrt{\sec(c+dx)}} + \frac{2aA \sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2\sqrt{a}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (2*Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d^n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\int \frac{\sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx))}{\sec^3(c + dx)} dx = \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{\sqrt{a + a \sec(c + dx)} \left(\frac{aA}{2} + \frac{3}{2}aC \sec(c + dx)\right)}{\sqrt{\sec(c + dx)}}}{3a}$$

$$= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + C$$

$$= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2\sqrt{a}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}}$$

Mathematica [A] time = 1.60091, size = 179, normalized size = 1.54

$$\frac{\csc(c + dx)\sqrt{a(\sec(c + dx) + 1)} \left(2A\sqrt{\sec(c + dx) + 1} + A(\cos(2(c + dx)) - 3)\sec(c + dx)\sqrt{\sec(c + dx) + 1} + 6C\sqrt{\tan(c + dx)} \right)}{3d\sec^{\frac{3}{2}}(c + dx)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2),x]
```

```
[Out] -(Csc[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*(2*A*Sqrt[1 + Sec[c + d*x]] + A*(-3 + Cos[2*(c + d*x)])*Sec[c + d*x]*Sqrt[1 + Sec[c + d*x]] + 6*C*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))*Sqrt[Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))/(3*d*Sec[c + d*x]^(3/2)*Sqrt[1 + Sec[c + d*x]])
```

Maple [B] time = 0.382, size = 198, normalized size = 1.7

$$-\frac{(\cos(dx+c))^2}{6d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(-3C \sqrt{-2(\cos(dx+c)+1)^{-1}} \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}} (\cos(dx+c)+1)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x)
```

```
[Out] -1/6/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-3*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*sin(d*x+c)+3*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)+4*A*cos(d*x+c)^2+4*A*cos(d*x+c)-8*A*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)
```

Maxima [B] time = 2.02298, size = 479, normalized size = 4.13

$$\sqrt{2} \left(3 \cos\left(\frac{2}{3} \arctan\left(\sin\left(\frac{3}{2} dx + \frac{3}{2} c\right), \cos\left(\frac{3}{2} dx + \frac{3}{2} c\right)\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) - 3 \cos\left(\frac{3}{2} dx + \frac{3}{2} c\right) \sin\left(\frac{2}{3} \arctan\left(\sin\left(\frac{3}{2} dx + \frac{3}{2} c\right), \cos\left(\frac{3}{2} dx + \frac{3}{2} c\right)\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] 1/6*(sqrt(2)*(3*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(3/2*d*x + 3/2*c) - 3*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2*sin(3/2*d*x + 3/2*c) + 3*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*A*sqrt(a) + 3*C*sqrt(a)*(
```

$\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)))/d$

Fricas [A] time = 0.595523, size = 927, normalized size = 7.99

$$\frac{3(C \cos(dx + c) + C)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + \frac{4(A \cos(dx+c)^2 + 2A \cos(dx+c) + C)\sqrt{a}}{6(d \cos(dx+c) + d)}}{6(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] [1/6*(3*(C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/3*(3*(C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sec(c+dx)+1)}(A+C\sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(3/2),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + C*sec(c + d*x)**2)/sec(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

$$3.255 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{5 \sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=122

$$\frac{2a(7A+15C) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2A \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{15d \sqrt{\sec(c+dx)}}$$

[Out] (2*a*(7*A + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.314592, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.081$, Rules used = {4087, 4013, 3804}

$$\frac{2a(7A+15C) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2A \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{15d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (2*a*(7*A + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rule 4087

Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_))*(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4013

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> Simp[(A*Cot[

$e + f*x](a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[(a*A*m - b*B*n)/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{EqQ}[m + n + 1, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3804

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> \text{Simp}[(-2*a*\text{Cot}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + a \sec(c + dx)} \left(\frac{aA}{2} + \frac{1}{2}a(2A+5C) \sec(c + dx)\right)}{\sec^{\frac{3}{2}}(c + dx)} dx}{5a} \\ &= \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{15d\sqrt{\sec(c + dx)}} \\ &= \frac{2a(7A + 15C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \end{aligned}$$

Mathematica [A] time = 0.531613, size = 68, normalized size = 0.56

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}(8A \cos(c + dx) + 3A \cos(2(c + dx)) + 19A + 30C)}{15d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(\text{Sqrt}[a + a*\text{Sec}[c + d*x]]*(A + C*\text{Sec}[c + d*x]^2))/\text{Sec}[c + d*x]^{(5/2)}, x]$

[Out] $((19*A + 30*C + 8*A*\text{Cos}[c + d*x] + 3*A*\text{Cos}[2*(c + d*x)])*\text{Sqrt}[a*(1 + \text{Sec}[c + d*x])]*\text{Tan}[(c + d*x)/2])/(15*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Maple [A] time = 0.371, size = 87, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) (3A (\cos(dx + c))^2 + 4A \cos(dx + c) + 8A + 15C) (\cos(dx + c))^3}{15d \sin(dx + c)} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} ((\cos(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x)`

[Out] $-2/15/d*(-1+\cos(d*x+c))*(3*A*\cos(d*x+c)^2+4*A*\cos(d*x+c)+8*A+15*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*\cos(d*x+c)^3*(1/\cos(d*x+c))^{5/2}/\sin(d*x+c)$

Maxima [B] time = 1.94444, size = 302, normalized size = 2.48

$$\frac{\sqrt{2}\left(30 \cos\left(\frac{4}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \cos\left(\frac{2}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) - 30 \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right) \sin\left(\frac{4}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right) - 5 \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right) \sin\left(\frac{2}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right) + 6 \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \sin\left(\frac{3}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right) + 30 \sin\left(\frac{1}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right) \right) A \sqrt{a} + 120 \sqrt{2} C \sqrt{a} \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] $1/60*(\sqrt{2}*(30*\cos(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * \sin(5/2*d*x + 5/2*c) + 5*\cos(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * \sin(5/2*d*x + 5/2*c) - 30*\cos(5/2*d*x + 5/2*c) * \sin(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) - 5*\cos(5/2*d*x + 5/2*c) * \sin(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 6*\sin(5/2*d*x + 5/2*c) + 5*\sin(3/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 30*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))) * A * \sqrt{a} + 120*\sqrt{2} * C * \sqrt{a} * \sin(1/2*d*x + 1/2*c))/d$

Fricas [A] time = 0.485701, size = 231, normalized size = 1.89

$$\frac{2\left(3A\cos(dx+c)^3 + 4A\cos(dx+c)^2 + (8A+15C)\cos(dx+c)\right)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}\sin(dx+c)}}{15(d\cos(dx+c)+d)\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="fricas")`

[Out] $2/15*(3*A*\cos(d*x + c)^3 + 4*A*\cos(d*x + c)^2 + (8*A + 15*C)*\cos(d*x + c))*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/((d*\cos(d*x + c) + d)*$

```
sqrt(cos(d*x + c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(5/2)), x)
```

$$3.256 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=168

$$\frac{4a(24A + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a(24A + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{7d \sec^{\frac{5}{2}}(c + dx)} +$$

[Out] (2*a*A*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(24*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a*(24*A + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.387809, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4087, 4015, 3805, 3804}

$$\frac{4a(24A + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a(24A + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{7d \sec^{\frac{5}{2}}(c + dx)} +$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*a*A*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(24*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a*(24*A + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{\sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx = \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + a \sec(c + dx)} \left(\frac{aA}{2} + \frac{1}{2}a(4A+7C) \sec(c + dx) \right)}{\sec^{\frac{5}{2}}(c + dx)} dx}{7a}$$

$$= \frac{2aA \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2aA \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(24A + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}$$

$$= \frac{2aA \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(24A + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}$$

Mathematica [A] time = 0.775454, size = 84, normalized size = 0.5

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}((141A + 140C) \cos(c + dx) + 36A \cos(2(c + dx)) + 15A \cos(3(c + dx)) + 228A + 288C)}{210d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2),x]

[Out] ((228*A + 280*C + (141*A + 140*C)*Cos[c + d*x] + 36*A*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(210*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.417, size = 107, normalized size = 0.6

$$\frac{(-2 + 2 \cos(dx + c)) (15 A (\cos(dx + c))^3 + 18 A (\cos(dx + c))^2 + 24 A \cos(dx + c) + 35 C \cos(dx + c) + 48 A + 70 C)}{105 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x)

[Out] -2/105/d*(-1+cos(d*x+c))*(15*A*cos(d*x+c)^3+18*A*cos(d*x+c)^2+24*A*cos(d*x+c)+35*C*cos(d*x+c)+48*A+70*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

Maxima [B] time = 2.03238, size = 551, normalized size = 3.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] 1/840*(3*sqrt(2)*(105*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 35*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 7*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 105*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 35*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 7*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 10*sin(7/2*d*x + 7/2*c) + 7*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))

$2*c), \cos(7/2*d*x + 7/2*c))) + 35*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 105*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))))*A*\sqrt{a} + 140*\sqrt{2}*(3*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(3/2*d*x + 3/2*c) - 3*\cos(3/2*d*x + 3/2*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(3/2*d*x + 3/2*c) + 3*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*C*\sqrt{a})/d$

Fricas [A] time = 0.483041, size = 281, normalized size = 1.67

$$\frac{2 \left(15 A \cos(dx + c)^4 + 18 A \cos(dx + c)^3 + (24 A + 35 C) \cos(dx + c)^2 + 2 (24 A + 35 C) \cos(dx + c) \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{105 (d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] 2/105*(15*A*cos(d*x + c)^4 + 18*A*cos(d*x + c)^3 + (24*A + 35*C)*cos(d*x + c)^2 + 2*(24*A + 35*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)
```

$$3.257 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=213

$$\frac{2a(16A + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{16a(16A + 21C) \sin(c + dx) \sqrt{\sec(c + dx)}}{315d \sqrt{a \sec(c + dx) + a}} + \frac{8a(16A + 21C) \sin(c + dx)}{315d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

[Out] (2*a*A*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(16*A + 21*C)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(16*A + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(16*A + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.458937, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4087, 4015, 3805, 3804}

$$\frac{2a(16A + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{16a(16A + 21C) \sin(c + dx) \sqrt{\sec(c + dx)}}{315d \sqrt{a \sec(c + dx) + a}} + \frac{8a(16A + 21C) \sin(c + dx)}{315d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (2*a*A*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(16*A + 21*C)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(16*A + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(16*A + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,

$C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \mid \mid \text{EqQ}[m + n + 1, 0])$

Rule 4015

$\text{Int}[(\text{csc}[e.] + (f.)(x.))(d.)^{(n.)} \text{Sqrt}[\text{csc}[e.] + (f.)(x.)(b.) + (a.)](\text{csc}[e.] + (f.)(x.)(B.) + (A.)), x_Symbol] \rightarrow \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3805

$\text{Int}[(\text{csc}[e.] + (f.)(x.))(d.)^{(n.)} \text{Sqrt}[\text{csc}[e.] + (f.)(x.)(b.) + (a.)], x_Symbol] \rightarrow \text{Simp}[(a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(a*(2*n + 1))/(2*b*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -2^{(-1)}] \&\& \text{IntegerQ}[2*n]$

Rule 3804

$\text{Int}[\text{Sqrt}[\text{csc}[e.] + (f.)(x.)(b.) + (a.)]/\text{Sqrt}[\text{csc}[e.] + (f.)(x.)(d.)], x_Symbol] \rightarrow \text{Simp}[(-2*a*\text{Cot}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + a \sec(c + dx)} \left(\frac{aA}{2} + \frac{3}{2}a(2A + 3C) \sec(c + dx) \right)}{\sec^{\frac{7}{2}}(c + dx)} dx}{9a} \\
&= \frac{2aA \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aA \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(16A + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2aA \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(16A + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2aA \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(16A + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.18383, size = 102, normalized size = 0.48

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} (16(47A + 42C) \cos(c + dx) + 4(83A + 63C) \cos(2(c + dx)) + 80A \cos(3(c + dx)))}{1260d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] ((1321*A + 1596*C + 16*(47*A + 42*C)*Cos[c + d*x] + 4*(83*A + 63*C)*Cos[2*(c + d*x)] + 80*A*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.394, size = 129, normalized size = 0.6

$$\frac{(-2 + 2 \cos(dx + c)) (35 A (\cos(dx + c))^4 + 40 A (\cos(dx + c))^3 + 48 A (\cos(dx + c))^2 + 63 C (\cos(dx + c))^2 + 64 A \cos(dx + c))}{315 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2), x)

[Out] $-2/315/d*(-1+\cos(dx+c))*(35*A*\cos(dx+c)^4+40*A*\cos(dx+c)^3+48*A*\cos(dx+c)^2+63*C*\cos(dx+c)^2+64*A*\cos(dx+c)+84*C*\cos(dx+c)+128*A+168*C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*\cos(dx+c)^5*(1/\cos(dx+c))^{(9/2)}/\sin(dx+c)$

Maxima [B] time = 2.08835, size = 792, normalized size = 3.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2)/sec(dx+c)^(9/2),x, algorithm="maxima")`

[Out] $1/5040*(\sqrt{2}*(1890*\cos(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 420*\cos(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 252*\cos(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 45*\cos(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) - 1890*\cos(9/2*d*x + 9/2*c)*\sin(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 420*\cos(9/2*d*x + 9/2*c)*\sin(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 252*\cos(9/2*d*x + 9/2*c)*\sin(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 45*\cos(9/2*d*x + 9/2*c)*\sin(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 70*\sin(9/2*d*x + 9/2*c) + 45*\sin(7/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 252*\sin(5/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 420*\sin(1/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 1890*\sin(1/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))))*A*\sqrt{a} + 84*\sqrt{2}*(30*\cos(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * \sin(5/2*d*x + 5/2*c) + 5*\cos(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * \sin(5/2*d*x + 5/2*c) - 30*\cos(5/2*d*x + 5/2*c)*\sin(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) - 5*\cos(5/2*d*x + 5/2*c)*\sin(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 6*\sin(5/2*d*x + 5/2*c) + 5*\sin(3/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 30*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))))*C*\sqrt{a))/d$

Fricas [A] time = 0.491079, size = 328, normalized size = 1.54

$2(35 A \cos(dx + c)^5 + 40 A \cos(dx + c)^4 + 3(16 A + 21 C) \cos(dx + c)^3 + 4(16 A + 21 C) \cos(dx + c)^2 + 8(16 A + 21$

$315(d \cos(dx + c) + d)\sqrt{\cos(dx + c)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] 2/315*(35*A*cos(d*x + c)^5 + 40*A*cos(d*x + c)^4 + 3*(16*A + 21*C)*cos(d*x + c)^3 + 4*(16*A + 21*C)*cos(d*x + c)^2 + 8*(16*A + 21*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)
```

$$3.258 \quad \int \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=265

$$\frac{a^2(80A + 67C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{240d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 133C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{192d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 133C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(3/2)*(176*A + 133*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^2*(176*A + 133*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 133*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 67*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (3*a*C*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.672174, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4089, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(80A + 67C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{240d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 133C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{192d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 133C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(176*A + 133*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^2*(176*A + 133*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 133*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 67*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (3*a*C*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si

mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{5d} + \frac{\int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx}{5d} \\
&= \frac{3aC\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{40d} + \frac{C\sec^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{40d} \\
&= \frac{a^2(80A+67C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{240d\sqrt{a+a\sec(c+dx)}} + \frac{3aC\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{40d} \\
&= \frac{a^2(176A+133C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(80A+67C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(176A+133C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(176A+133C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(176A+133C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(176A+133C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{3/2}(176A+133C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{128d} + \frac{a^2(176A+133C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 3.27519, size = 273, normalized size = 1.03

$$\cos^3(c+dx)(a(\sec(c+dx)+1))^{3/2}(A+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{11}{2}}(c+dx)\sqrt{\sec(c+dx)+1}(12(880A+1273C)+\dots)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(3/2)*(A + C*Sec[c + d*x]^2)*((10480*A + 13313*C + 12*(880*A + 1273*C)*Cos[c + d*x] + 4*(3280*A + 3059*C)*Cos[2*(c + d*x)] + 3520*A*Cos[3*(c + d*x)] + 2660*C*Cos[3*(c + d*x)] + 2640*A*Cos[4*(c + d*x)] + 1995*C*Cos[4*(c + d*x)])*Sec[c + d*x]^(11/2)*Sqrt[1 + Sec[c + d*x]]*Tan[(c + d*x)/2] - 120*(176*A + 133*C)*Csc[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))*Sqrt[Tan[c + d*x]^2))/(7680*d*(A + 2*C + A*Cos[c + d*x]))

$s[2*(c + d*x)]*(1 + \text{Sec}[c + d*x])^{(3/2)}$

Maple [B] time = 0.359, size = 512, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{7680}d*a*(2640*A*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)^5-2640*A*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))*\cos(d*x+c)^5+1995*C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)^5-1995*C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))*\cos(d*x+c)^5+5280*A*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^4+3990*C*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^4+3520*A*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{(1/2)}+2660*C*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{(1/2)}+1280*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+2128*C*\sin(d*x+c)*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)}+1824*C*\sin(d*x+c)*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+768*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(1/\cos(d*x+c))^{(5/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}/\cos(d*x+c)^2/\sin(d*x+c)^2*(\cos(d*x+c)^2-1)$

Maxima [B] time = 5.86039, size = 9767, normalized size = 36.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $-1/7680*(80*(132*(\sqrt{2})*a*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a*\sin(4*d*x + 4*c) + 3*\sqrt{2})*a*\sin(2*d*x + 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2})*a*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a*\sin(4*d*x + 4*c) + 3*\sqrt{2})*a*\sin(2*d*x + 2*c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2})*a*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a*\sin(4*d*x + 4*c)$

$$\begin{aligned}
& + 3\sqrt{2}a\sin(2dx + 2c)\cos(7/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 216(\sqrt{2}a\sin(6dx + 6c) + 3\sqrt{2}a\sin(4dx + 4c) \\
& + 3\sqrt{2}a\sin(2dx + 2c)\cos(5/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 44(\sqrt{2}a\sin(6dx + 6c) + 3\sqrt{2}a\sin(4dx + 4c) \\
& + 3\sqrt{2}a\sin(2dx + 2c)\cos(3/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 132(\sqrt{2}a\sin(6dx + 6c) + 3\sqrt{2}a\sin(4dx + 4c) \\
& + 3\sqrt{2}a\sin(2dx + 2c)\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 33(a\cos(6dx + 6c)^2 + 9a\cos(4dx + 4c)^2 + 9a\cos(2dx + 2c)^2 + a\sin(6dx + 6c)^2 + 9a\sin(4dx + 4c)^2 + 18a\sin(4dx + 4c)\sin(2dx + 2c) + 9a\sin(2dx + 2c)^2 + 2(3a\cos(4dx + 4c) + 3a\cos(2dx + 2c) + a)\cos(6dx + 6c) + 6(3a\cos(2dx + 2c) + a)\cos(4dx + 4c) + 6(a\sin(4dx + 4c) + a\sin(2dx + 2c))\sin(6dx + 6c) + a)\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 33(a\cos(6dx + 6c)^2 + 9a\cos(4dx + 4c)^2 + 9a\cos(2dx + 2c)^2 + a\sin(6dx + 6c)^2 + 9a\sin(4dx + 4c)^2 + 18a\sin(4dx + 4c)\sin(2dx + 2c) + 9a\sin(2dx + 2c)^2 + 2(3a\cos(4dx + 4c) + 3a\cos(2dx + 2c) + a)\cos(6dx + 6c) + 6(3a\cos(2dx + 2c) + a)\cos(4dx + 4c) + 6(a\sin(4dx + 4c) + a\sin(2dx + 2c))\sin(6dx + 6c) + a)\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 33(a\cos(6dx + 6c)^2 + 9a\cos(4dx + 4c)^2 + 9a\cos(2dx + 2c)^2 + a\sin(6dx + 6c)^2 + 9a\sin(4dx + 4c)^2 + 18a\sin(4dx + 4c)\sin(2dx + 2c) + 9a\sin(2dx + 2c)^2 + 2(3a\cos(4dx + 4c) + 3a\cos(2dx + 2c) + a)\cos(6dx + 6c) + 6(3a\cos(2dx + 2c) + a)\cos(4dx + 4c) + 6(a\sin(4dx + 4c) + a\sin(2dx + 2c))\sin(6dx + 6c) + a)\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 - 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 33(a\cos(6dx + 6c)^2 + 9a\cos(4dx + 4c)^2 + 9a\cos(2dx + 2c)^2 + a\sin(6dx + 6c)^2 + 9a\sin(4dx + 4c)^2 + 18a\sin(4dx + 4c)\sin(2dx + 2c) + 9a\sin(2dx + 2c)^2 + 2(3a\cos(4dx + 4c) + 3a\cos(2dx + 2c) + a)\cos(6dx + 6c) + 6(3a\cos(2dx + 2c) + a)\cos(4dx + 4c) + 6(a\sin(4dx + 4c) + a\sin(2dx + 2c))\sin(6dx + 6c) + a)\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 - 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 132(\sqrt{2}a\cos(6dx + 6c) + 3\sqrt{2}a\cos(4dx + 4c) + 3\sqrt{2}a\cos(2dx + 2c) + \sqrt{2}a)\sin(11/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 44(\sqrt{2}a\cos(6dx + 6c) + 3\sqrt{2}a\cos(4dx + 4c) + 3\sqrt{2}a\cos(2dx + 2c))
\end{aligned}$$

$$\begin{aligned}
& d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2} \\
& (\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2}*a*\cos(6*d*x + 6 \\
& *c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2} \\
& *a*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) \\
&) + \sqrt{2}*a*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 132*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos \\
& (2*d*x + 2*c) + \sqrt{2}*a*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*A*\sqrt{a}/(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x \\
& + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \\
& 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + \\
& 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1) + (7980*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + \\
& 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2} \\
& *a*\sin(2*d*x + 2*c))*\cos(19/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2660*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + \\
& 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a \\
& *\sin(2*d*x + 2*c))*\cos(17/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \\
& 38304*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2} \\
& *a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2 \\
& *d*x + 2*c))*\cos(15/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 12160* \\
& (\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a \\
& *\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + \\
& 2*c))*\cos(13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 45400*(\sqrt{2} \\
& *a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6 \\
& *d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c)) \\
& *\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 45400*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + \\
& 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(9 \\
& /4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 12160*(\sqrt{2}*a*\sin(10*d \\
& *x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + \\
& 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 38304*(\sqrt{2}*a*\sin(10*d*x + 10 \\
& *c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2} \\
& *a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2660*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5* \\
& \sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) - 7980*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}* \\
& a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x \\
& + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1995*(a*\cos(10*d*x + 10*c)^2 + 25*a*\cos(8*d*x + 8*c)^2
\end{aligned}$$

$$\begin{aligned}
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))\wedge 2 - 2*\text{sqrt}(2)*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) + 2*\text{sqrt}(2)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) + 2) + 1995*(a*\cos(10*d*x + 10*c)\wedge 2 + 25*a*\cos(8*d*x + 8 \\
& *c)\wedge 2 + 100*a*\cos(6*d*x + 6*c)\wedge 2 + 100*a*\cos(4*d*x + 4*c)\wedge 2 + 25*a*\cos(2*d* \\
& x + 2*c)\wedge 2 + a*\sin(10*d*x + 10*c)\wedge 2 + 25*a*\sin(8*d*x + 8*c)\wedge 2 + 100*a*\sin(6 \\
& *d*x + 6*c)\wedge 2 + 100*a*\sin(4*d*x + 4*c)\wedge 2 + 100*a*\sin(4*d*x + 4*c)*\sin(2*d*x \\
& + 2*c) + 25*a*\sin(2*d*x + 2*c)\wedge 2 + 2*(5*a*\cos(8*d*x + 8*c) + 10*a*\cos(6*d* \\
& x + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) + a)*\cos(10*d*x + 1 \\
& 0*c) + 10*(10*a*\cos(6*d*x + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + \\
& 2*c) + a)*\cos(8*d*x + 8*c) + 20*(10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2* \\
& c) + a)*\cos(6*d*x + 6*c) + 20*(5*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + \\
& 10*a*\cos(2*d*x + 2*c) + 10*(a*\sin(8*d*x + 8*c) + 2*a*\sin(6*d*x + 6*c) + 2* \\
& a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 50*(2*a*\sin(6 \\
& *d*x + 6*c) + 2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \\
& 100*(2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(\\
& 2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))\wedge 2 + 2*\sin(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))\wedge 2 - 2*\text{sqrt}(2)*\cos(1/4*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\text{sqrt}(2)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c))) + 2) - 7980*(\text{sqrt}(2)*a*\cos(10*d*x + 10*c) + 5*\text{sqrt}(2)* \\
& a*\cos(8*d*x + 8*c) + 10*\text{sqrt}(2)*a*\cos(6*d*x + 6*c) + 10*\text{sqrt}(2)*a*\cos(4*d*x \\
& + 4*c) + 5*\text{sqrt}(2)*a*\cos(2*d*x + 2*c) + \text{sqrt}(2)*a)*\sin(19/4*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c))) - 2660*(\text{sqrt}(2)*a*\cos(10*d*x + 10*c) + 5*\text{sqrt} \\
& t(2)*a*\cos(8*d*x + 8*c) + 10*\text{sqrt}(2)*a*\cos(6*d*x + 6*c) + 10*\text{sqrt}(2)*a*\cos(\\
& 4*d*x + 4*c) + 5*\text{sqrt}(2)*a*\cos(2*d*x + 2*c) + \text{sqrt}(2)*a)*\sin(17/4*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 38304*(\text{sqrt}(2)*a*\cos(10*d*x + 10*c) + \\
& 5*\text{sqrt}(2)*a*\cos(8*d*x + 8*c) + 10*\text{sqrt}(2)*a*\cos(6*d*x + 6*c) + 10*\text{sqrt}(2)* \\
& a*\cos(4*d*x + 4*c) + 5*\text{sqrt}(2)*a*\cos(2*d*x + 2*c) + \text{sqrt}(2)*a)*\sin(15/4*arc \\
& tan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 12160*(\text{sqrt}(2)*a*\cos(10*d*x + 1 \\
& 0*c) + 5*\text{sqrt}(2)*a*\cos(8*d*x + 8*c) + 10*\text{sqrt}(2)*a*\cos(6*d*x + 6*c) + 10*\text{sqrt} \\
& rt(2)*a*\cos(4*d*x + 4*c) + 5*\text{sqrt}(2)*a*\cos(2*d*x + 2*c) + \text{sqrt}(2)*a)*\sin(13 \\
& /4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 45400*(\text{sqrt}(2)*a*\cos(10*d \\
& *x + 10*c) + 5*\text{sqrt}(2)*a*\cos(8*d*x + 8*c) + 10*\text{sqrt}(2)*a*\cos(6*d*x + 6*c) + \\
& 10*\text{sqrt}(2)*a*\cos(4*d*x + 4*c) + 5*\text{sqrt}(2)*a*\cos(2*d*x + 2*c) + \text{sqrt}(2)*a)* \\
& \sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 45400*(\text{sqrt}(2)*a*co \\
& s(10*d*x + 10*c) + 5*\text{sqrt}(2)*a*\cos(8*d*x + 8*c) + 10*\text{sqrt}(2)*a*\cos(6*d*x + \\
& 6*c) + 10*\text{sqrt}(2)*a*\cos(4*d*x + 4*c) + 5*\text{sqrt}(2)*a*\cos(2*d*x + 2*c) + \text{sqrt}(\\
& 2)*a)*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 12160*(\text{sqrt}(2) \\
& *a*\cos(10*d*x + 10*c) + 5*\text{sqrt}(2)*a*\cos(8*d*x + 8*c) + 10*\text{sqrt}(2)*a*\cos(6*d \\
& *x + 6*c) + 10*\text{sqrt}(2)*a*\cos(4*d*x + 4*c) + 5*\text{sqrt}(2)*a*\cos(2*d*x + 2*c) + \\
& \text{sqrt}(2)*a)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 38304*(sq \\
& rt(2)*a*\cos(10*d*x + 10*c) + 5*\text{sqrt}(2)*a*\cos(8*d*x + 8*c) + 10*\text{sqrt}(2)*a*co \\
& s(6*d*x + 6*c) + 10*\text{sqrt}(2)*a*\cos(4*d*x + 4*c) + 5*\text{sqrt}(2)*a*\cos(2*d*x + 2* \\
& c) + \text{sqrt}(2)*a)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2660 \\
& *(\text{sqrt}(2)*a*\cos(10*d*x + 10*c) + 5*\text{sqrt}(2)*a*\cos(8*d*x + 8*c) + 10*\text{sqrt}(2)* \\
& a*\cos(6*d*x + 6*c) + 10*\text{sqrt}(2)*a*\cos(4*d*x + 4*c) + 5*\text{sqrt}(2)*a*\cos(2*d*x
\end{aligned}$$

```

+ 2*c) + sqrt(2)*a)*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) +
7980*(sqrt(2)*a*cos(10*d*x + 10*c) + 5*sqrt(2)*a*cos(8*d*x + 8*c) + 10*sqrt
(2)*a*cos(6*d*x + 6*c) + 10*sqrt(2)*a*cos(4*d*x + 4*c) + 5*sqrt(2)*a*cos(2*
d*x + 2*c) + sqrt(2)*a)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))
))*C*sqrt(a)/(2*(5*cos(8*d*x + 8*c) + 10*cos(6*d*x + 6*c) + 10*cos(4*d*x +
4*c) + 5*cos(2*d*x + 2*c) + 1)*cos(10*d*x + 10*c) + cos(10*d*x + 10*c)^2 +
10*(10*cos(6*d*x + 6*c) + 10*cos(4*d*x + 4*c) + 5*cos(2*d*x + 2*c) + 1)*cos
(8*d*x + 8*c) + 25*cos(8*d*x + 8*c)^2 + 20*(10*cos(4*d*x + 4*c) + 5*cos(2*d
*x + 2*c) + 1)*cos(6*d*x + 6*c) + 100*cos(6*d*x + 6*c)^2 + 20*(5*cos(2*d*x
+ 2*c) + 1)*cos(4*d*x + 4*c) + 100*cos(4*d*x + 4*c)^2 + 25*cos(2*d*x + 2*c)
^2 + 10*(sin(8*d*x + 8*c) + 2*sin(6*d*x + 6*c) + 2*sin(4*d*x + 4*c) + sin(2
*d*x + 2*c))*sin(10*d*x + 10*c) + sin(10*d*x + 10*c)^2 + 50*(2*sin(6*d*x +
6*c) + 2*sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + 25*sin(8*d
*x + 8*c)^2 + 100*(2*sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c)
+ 100*sin(6*d*x + 6*c)^2 + 100*sin(4*d*x + 4*c)^2 + 100*sin(4*d*x + 4*c)*si
n(2*d*x + 2*c) + 25*sin(2*d*x + 2*c)^2 + 10*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 1.05582, size = 1405, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, alg
orithm="fricas")

```

```

[Out] [1/7680*(15*((176*A + 133*C)*a*cos(d*x + c)^5 + (176*A + 133*C)*a*cos(d*x +
c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)
^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*
x + c)/sqrt(cos(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(15
*(176*A + 133*C)*a*cos(d*x + c)^4 + 10*(176*A + 133*C)*a*cos(d*x + c)^3 + 8
*(80*A + 133*C)*a*cos(d*x + c)^2 + 912*C*a*cos(d*x + c) + 384*C*a)*sqrt((a
cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x
+ c)^5 + d*cos(d*x + c)^4), 1/3840*(15*((176*A + 133*C)*a*cos(d*x + c)^5 +
(176*A + 133*C)*a*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d
*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^
2 - a*cos(d*x + c) - 2*a)) + 2*(15*(176*A + 133*C)*a*cos(d*x + c)^4 + 10*(1
76*A + 133*C)*a*cos(d*x + c)^3 + 8*(80*A + 133*C)*a*cos(d*x + c)^2 + 912*C*
a*cos(d*x + c) + 384*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x +
c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate(((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(5/2), x)

$$3.259 \quad \int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=218

$$\frac{a^2(16A + 13C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{32d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(112A + 75C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(112A + 75C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{64d}$$

[Out] (a^(3/2)*(112*A + 75*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(112*A + 75*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 13*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(32*d*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(8*d) + (C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.601322, antiderivative size = 218, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4089, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(16A + 13C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{32d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(112A + 75C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(112A + 75C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{64d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(112*A + 75*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(112*A + 75*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 13*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(32*d*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(8*d) + (C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt

$Q[n, -2^{(-1)}] \&\& \text{NeQ}[m + n + 1, 0]$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n * \text{Simp}[a*A*d*(m+n) + B*(b*d*n) + (A*b*d*(m+n) + a*B*d*(2*m+n-1))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& !\text{LtQ}[n, -1]$

Rule 4016

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^n * \text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.)] * (\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(-2*b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(2*n+1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n+1) + 2*a*B*n)/(b*(2*n+1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n+1) + 2*a*B*n, 0] \&\& !\text{LtQ}[n, 0]$

Rule 3803

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^n * \text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*b*d*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{n-1})/(f*(2*n-1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(2*a*d*(n-1))/(b*(2*n-1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n-1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)]*(d_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/ \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)(x_)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx)) dx &= \frac{C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{4d} + \frac{\int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx)) dx}{4d} \\
&= \frac{aC\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{8d} + \frac{C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))}{4d} \\
&= \frac{a^2(16A+13C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{32d\sqrt{a+a\sec(c+dx)}} + \frac{aC\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))}{4d} \\
&= \frac{a^2(112A+75C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(16A+13C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{32d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(112A+75C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(16A+13C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{32d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{3/2}(112A+75C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a^2(112A+75C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.90213, size = 251, normalized size = 1.15

$$\cos^3(c+dx)(a(\sec(c+dx)+1))^{3/2}(A+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{9}{2}}(c+dx)\sqrt{\sec(c+dx)+1}(7(48A+55C))\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(3/2)*(A + C*Sec[c + d*x]^2)*((64*A + 164*C + 7*(48*A + 55*C)*Cos[c + d*x] + 4*(16*A + 25*C)*Cos[2*(c + d*x)] + 112*A*Cos[3*(c + d*x)] + 75*C*Cos[3*(c + d*x)])*Sec[c + d*x]^(9/2)*Sqrt[1 + Sec[c + d*x]]*Tan[(c + d*x)/2] - 4*(112*A + 75*C)*Csc[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))*Sqrt[Tan[c + d*x]^2))/(128*d*(A + 2*C + A*Cos[2*(c + d*x)]*(1 + Sec[c + d*x])^(3/2))

Maple [B] time = 0.349, size = 448, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{(3/2)}*(A+C*\sec(dx+c)^2),x)$

[Out]
$$\begin{aligned} & -1/128/d*a*(-1+\cos(dx+c))*(112*A*\cos(dx+c)^4*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))*2^{(1/2)}-112*A*\cos(dx+c)^4*2^{(1/2)} \\ & *\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))) \\ & +75*C*\cos(dx+c)^4*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))) \\ & -75*C*\cos(dx+c)^4*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))) \\ & +224*A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+150*C*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)} \\ & +64*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+100*C*\sin(dx+c)*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{(1/2)} \\ & +80*C*\sin(dx+c)*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+32*C*(-2/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c))* \\ & (a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(1/\cos(dx+c))^{(3/2)}/(-2/(\cos(dx+c)+1))^{(1/2)}/\cos(dx+c)^2/\sin(dx+c)^2 \end{aligned}$$

Maxima [B] time = 3.66433, size = 7777, normalized size = 35.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{(3/2)}*(A+C*\sec(dx+c)^2),x, \text{algorithm}=\text{"maxima"})$

[Out]
$$\begin{aligned} & -1/256*(16*(56*\sqrt{2})*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2 \\ & 4*\sqrt{2})*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) \\ & + 28*\sqrt{2})*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) \\ & + 7*\sqrt{2})*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2})*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\ & - 7*\sqrt{2})*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) * \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\ & - 8*(3*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) - 7*\sqrt{2})*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7* \end{aligned}$$

$$\begin{aligned}
& 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) + 4*a* \\
& \cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a)*\cos(\\
& 4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(4*d \\
& *x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x + 4* \\
& c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(\\
& 2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(\\
& 2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \\
& 2) + 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(4*d*x + \\
& 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6*d*x + \\
& 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) \\
& + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4*c) \\
& + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) + 4* \\
& a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a)*\cos(\\
& 4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(4 \\
& *d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x + \\
& 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(\\
& 2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
& x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& + 2) - 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(4*d*x \\
& + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6*d*x \\
& + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) \\
&) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4*c) \\
&) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) + \\
& 4*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a)* \\
& \cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(\\
& 4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x \\
& + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)) + 2) + 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(4*d \\
& *x + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6*d \\
& *x + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2 \\
& *c) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4 \\
& *c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) \\
& + 4*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a) \\
&)*\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin \\
& in(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d* \\
& x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2* \\
& c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(\\
& 2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c))) + 2) - 300*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c)
\end{aligned}$$

+ 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a*
sin(15/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 100*(sqrt(2)*a*cos(
8*d*x + 8*c) + 4*sqrt(2)*a*cos(6*d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c)
+ 4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(13/4*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c))) - 1140*(sqrt(2)*a*cos(8*d*x + 8*c) + 4*sqrt(2)*a*cos
(6*d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)*a*cos(2*d*x + 2*c)
+ sqrt(2)*a)*sin(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 228*(
sqrt(2)*a*cos(8*d*x + 8*c) + 4*sqrt(2)*a*cos(6*d*x + 6*c) + 6*sqrt(2)*a*cos
(4*d*x + 4*c) + 4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(9/4*arctan2(s
in(2*d*x + 2*c), cos(2*d*x + 2*c))) - 228*(sqrt(2)*a*cos(8*d*x + 8*c) + 4*s
qrt(2)*a*cos(6*d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)*a*cos(
2*d*x + 2*c) + sqrt(2)*a)*sin(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
))) + 1140*(sqrt(2)*a*cos(8*d*x + 8*c) + 4*sqrt(2)*a*cos(6*d*x + 6*c) + 6*s
qrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(5
/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 100*(sqrt(2)*a*cos(8*d*x
+ 8*c) + 4*sqrt(2)*a*cos(6*d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sq
rt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(3/4*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c))) + 300*(sqrt(2)*a*cos(8*d*x + 8*c) + 4*sqrt(2)*a*cos(6*d*x +
6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(
2)*a)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * C*sqrt(a)/(2*(4
*cos(6*d*x + 6*c) + 6*cos(4*d*x + 4*c) + 4*cos(2*d*x + 2*c) + 1)*cos(8*d*x
+ 8*c) + cos(8*d*x + 8*c)^2 + 8*(6*cos(4*d*x + 4*c) + 4*cos(2*d*x + 2*c) +
1)*cos(6*d*x + 6*c) + 16*cos(6*d*x + 6*c)^2 + 12*(4*cos(2*d*x + 2*c) + 1)*c
os(4*d*x + 4*c) + 36*cos(4*d*x + 4*c)^2 + 16*cos(2*d*x + 2*c)^2 + 4*(2*sin(
6*d*x + 6*c) + 3*sin(4*d*x + 4*c) + 2*sin(2*d*x + 2*c))*sin(8*d*x + 8*c) +
sin(8*d*x + 8*c)^2 + 16*(3*sin(4*d*x + 4*c) + 2*sin(2*d*x + 2*c))*sin(6*d*x
+ 6*c) + 16*sin(6*d*x + 6*c)^2 + 36*sin(4*d*x + 4*c)^2 + 48*sin(4*d*x + 4*
c)*sin(2*d*x + 2*c) + 16*sin(2*d*x + 2*c)^2 + 8*cos(2*d*x + 2*c) + 1))/d

Fricas [A] time = 1.04114, size = 1268, normalized size = 5.82

$$\left[\frac{\left((112A + 75C)a \cos(dx + c)^4 + (112A + 75C)a \cos(dx + c)^3 \right) \sqrt{a} \log \left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - \frac{4(\cos(dx + c)^2 - 2 \cos(dx + c)) \sqrt{a} \sqrt{\frac{a \cos(dx + c)}{\cos(dx + c)}}}{\sqrt{\cos(dx + c)}}}{\cos(dx + c)^3 + \cos(dx + c)^2} \right)}{256 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 + \dots \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, alg


```
orithm="fricas")
```

```
[Out] [1/256*(((112*A + 75*C)*a*cos(d*x + c)^4 + (112*A + 75*C)*a*cos(d*x + c)^3)
*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2
*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)
/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((112*A +
75*C)*a*cos(d*x + c)^3 + 2*(16*A + 25*C)*a*cos(d*x + c)^2 + 40*C*a*cos(d*x
+ c) + 16*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(c
os(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/128*(((112*A + 75*C)
*a*cos(d*x + c)^4 + (112*A + 75*C)*a*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt
(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c
)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*((112*A + 75*C)*a*cos(d*x
+ c)^3 + 2*(16*A + 25*C)*a*cos(d*x + c)^2 + 40*C*a*cos(d*x + c) + 16*C*a)*s
qrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*
cos(d*x + c)^4 + d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(3
/2), x)
```

3.260 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx)) dx$

Optimal. Leaf size=171

$$\frac{a^2(24A+19C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{24d\sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(24A+11C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{aC \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)}}{4d}$$

[Out] (a^(3/2)*(24*A + 11*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^2*(24*A + 19*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.504945, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4089, 4018, 4016, 3801, 215}

$$\frac{a^2(24A+19C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{24d\sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(24A+11C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{aC \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(24*A + 11*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^2*(24*A + 19*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^m), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)(a+a\sec(c+dx))}^{3/2} (A+C\sec^2(c+dx)) dx &= \frac{C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{3d} + \frac{\int \sqrt{\sec(c+dx)(a+a\sec(c+dx))}^{3/2} dx}{3d} \\
&= \frac{aC\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} + \frac{C\sec^{\frac{3}{2}}(c+dx)}{3d} \\
&= \frac{a^2(24A+19C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{aC\sec^{\frac{3}{2}}(c+dx)}{3d} \\
&= \frac{a^2(24A+19C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{aC\sec^{\frac{3}{2}}(c+dx)}{3d} \\
&= \frac{a^{3/2}(24A+11C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8d} + \frac{a^2(24A+19C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.23935, size = 223, normalized size = 1.3

$$\cos^3(c+dx)(a(\sec(c+dx)+1))^{3/2}(A+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{7}{2}}(c+dx)\sqrt{\sec(c+dx)+1}(3(8A+11C)\cos(c+dx)+1)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(3/2)*(A + C*Sec[c + d*x]^2)*((24*A + 49*C + 44*C*Cos[c + d*x] + 3*(8*A + 11*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/2)*Sqrt[1 + Sec[c + d*x]]*Tan[(c + d*x)/2] - 6*(24*A + 11*C)*Csc[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2])]*Sqrt[Tan[c + d*x]^2]))/(24*d*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x])^(3/2))

Maple [B] time = 0.346, size = 388, normalized size = 2.3

$$\frac{a((\cos(dx+c))^2-1)}{96d(\cos(dx+c))^2(\sin(dx+c))^2}\left(72A(\cos(dx+c))^3\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1+\sin(dx+c))}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{1/2}*(a+a*\sec(dx+c))^{3/2}*(A+C*\sec(dx+c)^2),x)$

[Out] $\frac{1}{96}d*a*(72*A*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))^2^{1/2}-72*A*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))^2^{1/2}+33*C*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))^2^{1/2}-33*C*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))^2^{1/2}+48*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+66*C*\sin(dx+c)*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}+44*C*\sin(dx+c)*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+16*C*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c))*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(1/\cos(dx+c))^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}/\cos(dx+c)^2/\sin(dx+c)^2*(\cos(dx+c)^2-1)$

Maxima [B] time = 2.6148, size = 4733, normalized size = 27.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{1/2}*(a+a*\sec(dx+c))^{3/2}*(A+C*\sec(dx+c)^2),x, \text{algorithm}="maxima")$

[Out] $\frac{1}{96}*(24*(3*(a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 + 3*(a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 4*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 2*(2*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 2*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*$

$$\begin{aligned}
&) * \sin(1/2*d*x + 1/2*c) + 2) - 3*a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)) * \cos(2*d*x + 2*c) + 3*a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 4*(\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - \sqrt{2}*a*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c)) * A*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) - (132*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 132*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 33*(a*\cos(6*d*x + 6*c) + 3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)
\end{aligned}$$

$$\begin{aligned}
& *c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c) \\
&)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a \\
& * \sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*c \\
& \cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2 \\
& *d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) \\
& + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1 \\
& /4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d \\
& *x + 2*c), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d \\
& *x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x \\
& + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 \\
& + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6 \\
& *(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a* \\
& \sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a*\log(2*\cos(1/4* \\
& arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
& x + 2*c))) + 2) - 132*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + \\
& 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(11/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a \\
& * \cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(9/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2}*a*\cos(6*d*x + 6*c) + \\
& 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*s \\
& \sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2}*a*\cos(6* \\
& d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \\
& \sqrt{2}*a)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2} \\
&)*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d* \\
& x + 2*c) + \sqrt{2}*a)*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& + 132*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2} \\
&)*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c))))*C*\sqrt{a}/(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos \\
& (6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + \\
& 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \\
& \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4* \\
& c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(\\
& 2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.786487, size = 1168, normalized size = 6.83

$$\frac{3 \left((24A + 11C)a \cos(dx + c)^3 + (24A + 11C)a \cos(dx + c)^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - \frac{4(\cos(dx + c)^2 - 2\cos(dx + c))\sqrt{a} \sqrt{\frac{a \cos(dx + c)}{\cos(dx + c)}}}{\sqrt{\cos(dx + c)}}}{\cos(dx + c)^3 + \cos(dx + c)^2} \right)}{96 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/96*(3*((24*A + 11*C)*a*cos(d*x + c)^3 + (24*A + 11*C)*a*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(8*A + 11*C)*a*cos(d*x + c)^2 + 22*C*a*cos(d*x + c) + 8*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/48*(3*((24*A + 11*C)*a*cos(d*x + c)^3 + (24*A + 11*C)*a*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(8*A + 11*C)*a*cos(d*x + c)^2 + 22*C*a*cos(d*x + c) + 8*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(1/2)*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c)), x)

$$3.261 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=171

$$\frac{a^2(8A-5C) \sin(c+dx) \sqrt{\sec(c+dx)}}{4d \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(8A+7C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{3aC \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)}}{4d}$$

[Out] (a^(3/2)*(8*A + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^2*(8*A - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (3*a*C*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.489834, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4089, 4018, 4015, 3801, 215}

$$\frac{a^2(8A-5C) \sin(c+dx) \sqrt{\sec(c+dx)}}{4d \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(8A+7C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{3aC \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

[Out] (a^(3/2)*(8*A + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^2*(8*A - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (3*a*C*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt

$Q[n, -2^{(-1)}] \&\& \text{NeQ}[m + n + 1, 0]$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^{\wedge}(m_.)*(\text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{\wedge}(m - 1)*(d*\text{Csc}[e + f*x])^{\wedge}n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{\wedge}(m - 1)*(d*\text{Csc}[e + f*x])^{\wedge}n*\text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{!LtQ}[n, -1]$

Rule 4015

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^{\wedge}(n_.)*\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + (A_.)), x_Symbol] \text{ :> } \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{\wedge}n)/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{\wedge}(n + 1), x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)], x_Symbol] \text{ :> } \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)(x_.)^2], x_Symbol] \text{ :> } \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{C \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} \sin(c + dx)}{2d} + \int \frac{(a + a \sec(c + dx))^{3/2} \left(\frac{1}{2}\right)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{3aC \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} + \frac{C \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2}}{4d} \\
&= \frac{a^2 (8A - 5C) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{3aC \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{4d} \\
&= \frac{a^2 (8A - 5C) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{3aC \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{4d} \\
&= \frac{a^{3/2} (8A + 7C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{4d} + \frac{a^2 (8A - 5C) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 4.62418, size = 209, normalized size = 1.22

$$\frac{(a(\sec(c + dx) + 1))^{3/2} (A + C \sec^2(c + dx)) \left(\frac{\tan\left(\frac{1}{2}(c + dx)\right) (4A \cos(2(c + dx)) + 4A + 7C \cos(c + dx) + 2C)}{\sqrt{\frac{1}{\cos(c + dx) + 1}}} - (8A + 7C) \cos^2(c + dx) \sqrt{\tan^2(c + dx) + 1} \right)}{2d(\sec(c + dx) + 1)^{3/2} (A \cos(c + dx) + C \sec(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]] , x]

[Out] ((a*(1 + Sec[c + d*x]))^(3/2)*(A + C*Sec[c + d*x]^2)*(((4*A + 2*C + 7*C*Cos[c + d*x] + 4*A*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/Sqrt[(1 + Cos[c + d*x])^(-1)] - (8*A + 7*C)*Cos[c + d*x]^2*Cot[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))*Sqrt[Tan[c + d*x]^2]))/(2*d*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x])^(3/2))

Maple [B] time = 0.378, size = 375, normalized size = 2.2

$$-\frac{a}{16d \sin(dx + c) \cos(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(8A\sqrt{2} \sin(dx + c) (\cos(dx + c))^2 \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^{3/2}*(A+C*\sec(dx+c)^2)/\sec(dx+c)^{1/2},x)$

[Out]
$$-1/16/d*a*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(8*A*2^{1/2}*\sin(dx+c)*\cos(dx+c)^2*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*(-2/(\cos(dx+c)+1))^{1/2}-8*A*2^{1/2}*\sin(dx+c)*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))+7*C*2^{1/2}*\sin(dx+c)*\cos(dx+c)^2*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*(-2/(\cos(dx+c)+1))^{1/2}-7*C*2^{1/2}*\sin(dx+c)*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))+32*A*\cos(dx+c)^3-32*A*\cos(dx+c)^2+28*C*\cos(dx+c)^2-20*C*\cos(dx+c)-8*C*(1/\cos(dx+c))^{1/2}/\sin(dx+c)/\cos(dx+c)$$

Maxima [B] time = 2.40772, size = 3402, normalized size = 19.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^{3/2}*(A+C*\sec(dx+c)^2)/\sec(dx+c)^{1/2},x, \text{algorithm}="maxima")$

[Out]
$$1/16*(4*\sqrt{2}*(\sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 8*a*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a} - (56*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 24*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 28*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2}*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2}*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 8*(3*\sqrt{2}*a*\sin(3/2*d*x$$

$$\begin{aligned}
& + 3/2*c) - 7*\text{sqrt}(2)*a*\sin(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))))*\cos(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7* \\
& (a*\cos(8/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos \\
& (4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\text{arc} \\
& \tan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\text{arctan2}(s \\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\text{arctan2}(\sin(3/2*d*x + 3 \\
& /2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), c \\
& \cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c))) + a)*\cos(8/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) + 4*a*\cos(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)) \\
&) + a)*\log(2*\cos(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 \\
& + 2*\sin(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\text{sq} \\
& \text{rt}(2)*\cos(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\text{sqrt} \\
& (2)*\sin(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 7*(a \\
& *\cos(8/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4 \\
& /3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\text{arcta} \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\text{arctan2}(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2 \\
& *c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))) + a)*\cos(8/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c))) + 4*a*\cos(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + a)*\log(2*\cos(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
& 2*\sin(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\text{sqrt} \\
& (2)*\cos(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\text{sqrt}(2) \\
& *\sin(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 7*(a*c \\
& \cos(8/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3 \\
& *\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\text{arctan2} \\
& (\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\text{arctan2}(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c))) + a)*\cos(8/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + 4*a*\cos(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \\
& a)*\log(2*\cos(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2 \\
& *\sin(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\text{sqrt}(2) \\
& *\cos(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\text{sqrt}(2)*s \\
& \sin(1/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 7*(a*\cos \\
& (8/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*a \\
& rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\text{arctan2}(s \\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\text{arctan2}(\sin(3/2 \\
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c))) + a)*\cos(8/3*\text{arctan2}(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c
\end{aligned}$$

$$\begin{aligned} &)) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a) \\ & * \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*s \\ & \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*c \\ & \cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin \\ & (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 4*(3*\sqrt{2} \\ &)*a*\cos(3/2*d*x + 3/2*c) + 7*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\ &), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\ &), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2}*a*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\ &), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\ & x + 3/2*c))) - 28*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\ & 2*d*x + 3/2*c))) + \sqrt{2}*a)*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\ & *d*x + 3/2*c))) + 12*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\ & (3/2*d*x + 3/2*c))) + \sqrt{2}*a)*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\ & 3/2*d*x + 3/2*c))) + 8*(3*\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\cos(\\ & 1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(s \\ & \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*C*\sqrt{a}/(2*(2*\cos(4/3*\arctan \\ & 2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2 \\ & *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\ &), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\ & /2*d*x + 3/2*c)))^2 + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\ & /2*c)))^2 + 4*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \\ & \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\sin(4/3*ar \\ & ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*\arctan2(si \\ & n(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1))/d \end{aligned}$$

Fricas [A] time = 0.791901, size = 1107, normalized size = 6.47

$$\left[\frac{\left((8A + 7C)a \cos(dx + c)^2 + (8A + 7C)a \cos(dx + c) \right) \sqrt{a} \log \left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - 4(\cos(dx + c)^2 - 2 \cos(dx + c)) \sqrt{a} \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{\sqrt{\cos(dx + c)}}} {\cos(dx + c)^3 + \cos(dx + c)^2} \right)}{16 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/16*(((8*A + 7*C)*a*cos(d*x + c)^2 + (8*A + 7*C)*a*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x

```
+ c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos
(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(8*A*a*cos(d*x + c
)^2 + 7*C*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*s
in(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/8*((
(8*A + 7*C)*a*cos(d*x + c)^2 + (8*A + 7*C)*a*cos(d*x + c))*sqrt(-a)*arctan(
2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d
*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(8*A*a*cos(d*x + c)^
2 + 7*C*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin
(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)/sqrt(sec(d*x +
c)), x)
```


$$3.262 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=169

$$\frac{a^2(8A-3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} + \frac{3a^{3/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(2A-3C) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)}}{3d}$$

```
[Out] (3*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d +
(a^2*(8*A - 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d
*x]]) - (a*(2*A - 3*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c +
d*x])/(3*d) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c
+ d*x]])
```

Rubi [A] time = 0.467308, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4018, 4015, 3801, 215}

$$\frac{a^2(8A-3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} + \frac{3a^{3/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(2A-3C) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)}}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2),
x]
```

```
[Out] (3*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d +
(a^2*(8*A - 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d
*x]]) - (a*(2*A - 3*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c +
d*x])/(3*d) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c
+ d*x]])
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_), x_Symbol] :> Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
```

EqQ[m + n + 1, 0])

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx))}{\sec^3(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} \left(\frac{3aA}{2} - \frac{1}{2}a(2A + C)\right)}{\sqrt{\sec(c + dx)}} dx}{3a} \\
&= -\frac{a(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3a} \\
&= \frac{a^2(8A - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} - \frac{a(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{a^2(8A - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} - \frac{a(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{3a^{3/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{a^2(8A - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 6.42657, size = 382, normalized size = 2.26

$$\frac{6C \sin(c + dx) \cos^3(c + dx) \sqrt{\sec^2(c + dx) - 1} (a(\sec(c + dx) + 1))^{3/2} \left(\log \left(\sec^3(c + dx) + \sqrt{\sec(c + dx) + 1} \sqrt{\sec^2(c + dx) - 1} \right) \right)}{d(1 - \cos^2(c + dx)) (\sec(c + dx) + 1)^{3/2} (A \cos(2c + 2dx) + 1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (6*C*Cos[c + d*x]^3*(-Log[1 + Sec[c + d*x]] + Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]])*(a*(1 + Sec[c + d*x]))^(3/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin[c + d*x]/(d*(1 - Cos[c + d*x]^2)*(A + 2*C + A*Cos[2*c + 2*d*x])*(1 + Sec[c + d*x])^(3/2)) + (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2)*(A + C*Sec[c + d*x]^2)*((16*A*Cos[d*x]*Sin[c])/(3*d) + (2*A*Cos[2*d*x]*Sin[2*c])/(3*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]*(8*A*Sin[(d*x)/2] - 3*C*Sin[(d*x)/2]))/(3*d) + (16*A*Cos[c]*Sin[d*x])/(3*d) + (2*A*Cos[2*c]*Sin[2*d*x])/(3*d) - (2*(8*A - 3*C)*Tan[c/2])/(3*d)))/((A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*(1 + Sec[c + d*x])^(3/2))

Maple [A] time = 0.362, size = 229, normalized size = 1.4

$$-\frac{a \cos(dx+c)}{12d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(9C \cos(dx+c) \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)

[Out] -1/12/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(9*C*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-9*C*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)+8*A*cos(d*x+c)^3+32*A*cos(d*x+c)^2-40*A*cos(d*x+c)+12*C*cos(d*x+c)-12*C)*cos(d*x+c)*(1/cos(d*x+c))^(3/2)/sin(d*x+c)

Maxima [B] time = 2.05753, size = 1597, normalized size = 9.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/12*(4*(sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 9*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + 3*(3*(a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c)^2 + 3*(a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c)

$$\begin{aligned}
& - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2))\sin(2dx + 2c)^2 + 4\sqrt{2}a\sin \\
& (3/2dx + 3/2c) - 4\sqrt{2}a\sin(1/2dx + 1/2c) + 2(2\sqrt{2}a\sin(3 \\
& /2dx + 3/2c) - 2\sqrt{2}a\sin(1/2dx + 1/2c) + 3a\log(2\cos(1/2dx \\
& + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2} \\
& \sin(1/2dx + 1/2c) + 2) - 3a\log(2\cos(1/2dx + 1/2c)^2 + 2\sin \\
& (1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2d \\
& *x + 1/2c) + 2) + 3a\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c \\
&)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) \\
& - 3a\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}c \\
& \cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2))\cos(2dx + 2c) \\
& + 3a\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2} \\
& \cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - 3a\log(2\cos(\\
& 1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2 \\
& *c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) + 3a\log(2\cos(1/2dx + 1/2c)^ \\
& 2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}s \\
& \sin(1/2dx + 1/2c) + 2) - 3a\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx \\
& + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2 \\
& c) + 2) - 4(\sqrt{2}a\cos(3/2dx + 3/2c) - \sqrt{2}a\cos(1/2dx + 1/2c \\
&))\sin(2dx + 2c))C\sqrt{a}/(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2 \\
& *\cos(2dx + 2c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.607756, size = 980, normalized size = 5.8

$$\left[\frac{9(Ca \cos(dx + c) + Ca)\sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{12(d \cos(dx + c) + d)} + \frac{4(2Aa \cos(dx+c)^2 + 1)}{12(d \cos(dx + c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] [1/12*(9*(C*a*cos(d*x + c) + C*a)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(2*A*a*cos(d*x + c)^2 + 10*A*a*cos(d*x + c) + 3*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/

```
(d*cos(d*x + c) + d), 1/6*(9*(C*a*cos(d*x + c) + C*a)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(2*A*a*cos(d*x + c)^2 + 10*A*a*cos(d*x + c) + 3*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(3/2), x)
```

$$3.263 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=163

$$\frac{2a^2(4A+5C) \sin(c+dx) \sqrt{\sec(c+dx)}}{5d\sqrt{a \sec(c+dx)+a}} + \frac{2a^{3/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2A \sin(c+dx)(a \sec(c+dx)+a)^{3/2}}{5d \sec^2(c+dx)} + \frac{2aAs}{5d \sec^2(c+dx)}$$

[Out] (2*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(4*A + 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.464401, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4017, 4015, 3801, 215}

$$\frac{2a^2(4A+5C) \sin(c+dx) \sqrt{\sec(c+dx)}}{5d\sqrt{a \sec(c+dx)+a}} + \frac{2a^{3/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2A \sin(c+dx)(a \sec(c+dx)+a)^{3/2}}{5d \sec^2(c+dx)} + \frac{2aAs}{5d \sec^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (2*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(4*A + 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,

C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx))}{\sec^2(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} \left(\frac{3aA}{2} + \frac{5}{2}aC \sec(c + dx)\right)}{\sec^2(c + dx)} dx}{5a} \\
&= \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d\sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^2(c + dx)} \\
&= \frac{2a^2(4A + 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d\sqrt{a + a \sec(c + dx)}} + \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d\sqrt{\sec(c + dx)}} \\
&= \frac{2a^2(4A + 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d\sqrt{a + a \sec(c + dx)}} + \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d\sqrt{\sec(c + dx)}} \\
&= \frac{2a^{3/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a^2(4A + 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 6.29136, size = 428, normalized size = 2.63

$$\frac{4C \sin(c + dx) \cos^3(c + dx) \sqrt{\sec^2(c + dx) - 1} (a(\sec(c + dx) + 1))^{3/2} \left(\log\left(\sec^2(c + dx) + \sqrt{\sec(c + dx) + 1} \sqrt{\sec^2(c + dx) - 1}\right) \right)}{d(1 - \cos^2(c + dx)) (\sec(c + dx) + 1)^{3/2} (A \cos(2c + 2dx) + 1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (4*C*Cos[c + d*x]^3*(-Log[1 + Sec[c + d*x]] + Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]])*(a*(1 + Sec[c + d*x])^(3/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin[c + d*x])/(d*(1 - Cos[c + d*x]^2)*(A + 2*C + A*Cos[2*c + 2*d*x])*(1 + Sec[c + d*x])^(3/2)) + (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*(a*(1 + Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((17*A + 20*C)*Cos[d*x]*Sin[c])/(5*d) + (4*A*Cos[2*d*x]*Sin[2*c])/(5*d) + (A*Cos[3*d*x]*Sin[3*c])/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(4*A*Sin[(d*x)/2] + 5*C*Sin[(d*x)/2]))/(5*d) + ((17*A + 20*C)*Cos[c]*Sin[d*x])/(5*d) + (4*A*Cos[2*c]*Sin[2*d*x])/(5*d) + (A*Cos[3*c]*Sin[3*d*x])/(5*d) - (4*(4*A + 5*C)*Tan[c/2])/(5*d)))/((A + 2*C + A*Cos

$$[2*c + 2*d*x])*\text{Sec}[c + d*x]^{(3/2)}*(1 + \text{Sec}[c + d*x])^{(3/2)}$$

Maple [A] time = 0.592, size = 222, normalized size = 1.4

$$-\frac{a(\cos(dx+c))^3}{10d\sin(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(5C\sqrt{-2(\cos(dx+c)+1)^{-1}}\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}}(\cos(dx+c)+1)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)

[Out] -1/10/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(5*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)-5*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*sin(d*x+c)+4*A*cos(d*x+c)^3+8*A*cos(d*x+c)^2+12*A*cos(d*x+c)+20*C*cos(d*x+c)-24*A-20*C)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)

Maxima [B] time = 2.1075, size = 655, normalized size = 4.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] 1/20*(sqrt(2)*(20*a*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) + 5*a*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) - 20*a*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*a*cos(5/2*d*x + 5/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 2*a*sin(5/2*d*x + 5/2*c) + 5*a*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 20*a*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))))*A*sqrt(a) + 5*sqrt(2)*(sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2

```
*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - sqrt(
2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*co
s(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 8*a*sin(1/2*d*x
+ 1/2*c))*C*sqrt(a))/d
```

Fricas [A] time = 0.60433, size = 1034, normalized size = 6.34

$$\frac{5(Ca \cos(dx + c) + Ca)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c))\sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + \frac{4(Aa \cos(dx+c)^3 + 3Aa \cos(dx+c)^2 + 6Aa \cos(dx+c) + 5Aa)}{\cos(dx+c)^3 + \cos(dx+c)^2}}{10(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, alg
orithm="fricas")
```

```
[Out] [1/10*(5*(C*a*cos(d*x + c) + C*a)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d
*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c
) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3
+ cos(d*x + c)^2)) + 4*(A*a*cos(d*x + c)^3 + 3*A*a*cos(d*x + c)^2 + (6*A +
5*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/
sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/5*(5*(C*a*cos(d*x + c) + C*a)*s
qrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(
d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(A*a
cos(d*x + c)^3 + 3*A*a*cos(d*x + c)^2 + (6*A + 5*C)*a*cos(d*x + c))*sqrt((a
*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*
x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(5/2), x)

$$3.264 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=169

$$\frac{8a^2(19A + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a(19A + 35C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{105d \sqrt{\sec(c + dx)}} + \frac{6A \sin(c + dx)(a \sec(c + dx) + a)^{3/2}}{35d \sec^2(c + dx)}$$

[Out] (8*a^2*(19*A + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(19*A + 35*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (6*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.413674, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4087, 4013, 3809, 3804}

$$\frac{8a^2(19A + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a(19A + 35C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{105d \sqrt{\sec(c + dx)}} + \frac{6A \sin(c + dx)(a \sec(c + dx) + a)^{3/2}}{35d \sec^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (8*a^2*(19*A + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(19*A + 35*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (6*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))

Rule 4087

Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_)]*(csc[(e_) + (f_)*(x_)])*(d_)^(n_)*(csc[(e_) + (f_)*(x_)])*(b_) + (a_)^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A^m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||

EqQ[m + n + 1, 0])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3809

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2*m]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx))}{\sec^2(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} \left(\frac{3aA}{2} + \frac{1}{2} a(2A + C \sec^2(c + dx)) \right)}{\sec^2(c + dx)} dx}{7a} \\
 &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{6A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{35d \sec^2(c + dx)} \\
 &= \frac{2a(19A + 35C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^2(c + dx)} \\
 &= \frac{8a^2(19A + 35C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \sec(c + dx)}} + \frac{2a(19A + 35C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{105d \sqrt{\sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.07534, size = 85, normalized size = 0.5

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}((253A + 140C) \cos(c + dx) + 78A \cos(2(c + dx)) + 15A \cos(3(c + dx)) + 494A - 210d\sqrt{\sec(c + dx)})}{210d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (a*(494*A + 700*C + (253*A + 140*C)*Cos[c + d*x] + 78*A*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(210*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.329, size = 108, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx + c))(15A(\cos(dx + c))^3 + 39A(\cos(dx + c))^2 + 52A\cos(dx + c) + 35C\cos(dx + c) + 104A + 175C)}{105d\sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2), x)

[Out] -2/105/d*a*(-1+cos(d*x+c))*(15*A*cos(d*x+c)^3+39*A*cos(d*x+c)^2+52*A*cos(d*x+c)+35*C*cos(d*x+c)+104*A+175*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

Maxima [B] time = 2.00468, size = 462, normalized size = 2.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2), x, algorithm="maxima")

[Out] 1/840*(sqrt(2)*(735*a*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 175*a*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))),

$$\begin{aligned} & \cos(7/2*d*x + 7/2*c)) * \sin(7/2*d*x + 7/2*c) + 63*a*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) - 735*a*\cos(7/2*d*x + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - \\ & 175*a*\cos(7/2*d*x + 7/2*c)*\sin(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 63*a*\cos(7/2*d*x + 7/2*c)*\sin(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + \\ & 30*a*\sin(7/2*d*x + 7/2*c) + 63*a*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 175*a*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + \\ & 735*a*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * A*\sqrt{a} + 280*(\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 9*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c)) * C*\sqrt{a})/d \end{aligned}$$

Fricas [A] time = 0.486802, size = 292, normalized size = 1.73

$$\frac{2 \left(15 A a \cos(dx + c)^4 + 39 A a \cos(dx + c)^3 + (52 A + 35 C) a \cos(dx + c)^2 + (104 A + 175 C) a \cos(dx + c) \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{105 (d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] 2/105*(15*A*a*cos(d*x + c)^4 + 39*A*a*cos(d*x + c)^3 + (52*A + 35*C)*a*cos(d*x + c)^2 + (104*A + 175*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(7/2), x)

$$3.265 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=219

$$\frac{2a^2(52A + 63C) \sin(c + dx)}{315d \sec^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{4a^2(136A + 189C) \sin(c + dx) \sqrt{\sec(c + dx)}}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 189C) \sin(c + dx)}{315d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx)}}$$

[Out] (2*a^2*(52*A + 63*C)*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 189*C)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^2*(136*A + 189*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.586297, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4017, 4015, 3805, 3804}

$$\frac{2a^2(52A + 63C) \sin(c + dx)}{315d \sec^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{4a^2(136A + 189C) \sin(c + dx) \sqrt{\sec(c + dx)}}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 189C) \sin(c + dx)}{315d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (2*a^2*(52*A + 63*C)*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 189*C)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^2*(136*A + 189*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cosot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*

$(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} \left(\frac{3aA}{2} + \frac{1}{2}a(4A + C)\right)}{\sec^{\frac{7}{2}}(c + dx)} dx}{9a} \\
&= \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^2(52A + 63C) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a^2(52A + 63C) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(136A + 189C) \sin(c + dx)}{315d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^2(52A + 63C) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(136A + 189C) \sin(c + dx)}{315d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.37166, size = 103, normalized size = 0.47

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} (2(799A + 756C) \cos(c + dx) + 4(137A + 63C) \cos(2(c + dx)) + 170A \cos(3(c + dx)))}{1260d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]
```

```
[Out] (a*(2689*A + 3276*C + 2*(799*A + 756*C)*Cos[c + d*x] + 4*(137*A + 63*C)*Cos[2*(c + d*x)] + 170*A*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d*Sqrt[Sec[c + d*x]])
```

Maple [A] time = 0.375, size = 130, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx + c)) (35A(\cos(dx + c))^4 + 85A(\cos(dx + c))^3 + 102A(\cos(dx + c))^2 + 63C(\cos(dx + c))^2 + 136C\cos(dx + c))}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)
```

```
[Out] -2/315/d*a*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+85*A*cos(d*x+c)^3+102*A*cos(d
*x+c)^2+63*C*cos(d*x+c)^2+136*A*cos(d*x+c)+189*C*cos(d*x+c)+272*A+378*C)*(a
*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^5*(1/cos(d*x+c))^(9/2)/sin(d*x
+c)
```

Maxima [B] time = 2.10143, size = 819, normalized size = 3.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, alg
orithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(3780*a*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x +
9/2*c))) * sin(9/2*d*x + 9/2*c) + 1050*a*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c)
), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 378*a*cos(4/9*arctan2(sin(
9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 135*a*cos(2
/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c
) - 3780*a*cos(9/2*d*x + 9/2*c) * sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9
/2*d*x + 9/2*c))) - 1050*a*cos(9/2*d*x + 9/2*c) * sin(2/3*arctan2(sin(9/2*d*x
+ 9/2*c), cos(9/2*d*x + 9/2*c))) - 378*a*cos(9/2*d*x + 9/2*c) * sin(4/9*arct
an2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 135*a*cos(9/2*d*x + 9/2*
c) * sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*a*sin(
9/2*d*x + 9/2*c) + 135*a*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x
+ 9/2*c))) + 378*a*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*
c))) + 1050*a*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))
+ 3780*a*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) * A * sq
rt(a) + 252*sqrt(2)*(20*a*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x
+ 5/2*c))) * sin(5/2*d*x + 5/2*c) + 5*a*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c)
), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) - 20*a*cos(5/2*d*x + 5/2*c) * s
in(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*a*cos(5/2*d
*x + 5/2*c) * sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) +
2*a*sin(5/2*d*x + 5/2*c) + 5*a*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/
2*d*x + 5/2*c))) + 20*a*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x +
5/2*c)))) * C * sqrt(a) / d
```

Fricas [A] time = 0.493636, size = 344, normalized size = 1.57

$$\frac{2(35 A a \cos(dx + c)^5 + 85 A a \cos(dx + c)^4 + 3(34 A + 21 C)a \cos(dx + c)^3 + (136 A + 189 C)a \cos(dx + c)^2 + 2(136 A + 189 C)a \cos(dx + c) + 2(136 A + 189 C)a)}{315(d \cos(dx + c) + d)\sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] 2/315*(35*A*a*cos(d*x + c)^5 + 85*A*a*cos(d*x + c)^4 + 3*(34*A + 21*C)*a*cos(d*x + c)^3 + (136*A + 189*C)*a*cos(d*x + c)^2 + 2*(136*A + 189*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(9/2), x)

$$3.266 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=266

$$\frac{2a^2(112A+143C)\sin(c+dx)}{385d \sec^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{2a^2(28A+33C)\sin(c+dx)}{231d \sec^{\frac{5}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{16a^2(112A+143C)\sin(c+dx)\sqrt{\sec(c+dx)}}{1155d\sqrt{a \sec(c+dx)+a}}$$

```
[Out] (2*a^2*(28*A + 33*C)*Sin[c + d*x])/(231*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(112*A + 143*C)*Sin[c + d*x])/(385*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(112*A + 143*C)*Sin[c + d*x])/(1155*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(112*A + 143*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(33*d*Sec[c + d*x]^(7/2)) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rubi [A] time = 0.677311, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4017, 4015, 3805, 3804}

$$\frac{2a^2(112A+143C)\sin(c+dx)}{385d \sec^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{2a^2(28A+33C)\sin(c+dx)}{231d \sec^{\frac{5}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{16a^2(112A+143C)\sin(c+dx)\sqrt{\sec(c+dx)}}{1155d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]
```

```
[Out] (2*a^2*(28*A + 33*C)*Sin[c + d*x])/(231*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(112*A + 143*C)*Sin[c + d*x])/(385*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(112*A + 143*C)*Sin[c + d*x])/(1155*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(112*A + 143*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(33*d*Sec[c + d*x]^(7/2)) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.)^(n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^(m_), x_Symbol] := Simp[(A*C
```

```

ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(
b*d^n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dis
t[b/(a*d^n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d^n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d^n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{11d \sec^9(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} \left(\frac{3aA}{2} + \frac{1}{2}a(6A + C)\right)}{\sec^9(c + dx)} dx}{11a} \\
&= \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{33d \sec^7(c + dx)} + \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{11d \sec^9(c + dx)} \\
&= \frac{2a^2(28A + 33C) \sin(c + dx)}{231d \sec^5(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{33d \sec^7(c + dx)} \\
&= \frac{2a^2(28A + 33C) \sin(c + dx)}{231d \sec^5(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(112A + 143C) \sin(c + dx)}{385d \sec^3(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^2(28A + 33C) \sin(c + dx)}{231d \sec^5(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(112A + 143C) \sin(c + dx)}{385d \sec^3(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^2(28A + 33C) \sin(c + dx)}{231d \sec^5(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(112A + 143C) \sin(c + dx)}{385d \sec^3(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.9047, size = 125, normalized size = 0.47

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} (2(5789A + 5566C) \cos(c + dx) + 8(581A + 429C) \cos(2(c + dx)) + 1645A \cos(3(c + dx)))}{9240d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (a*(18494*A + 21736*C + 2*(5789*A + 5566*C)*Cos[c + d*x] + 8*(581*A + 429*C)*Cos[2*(c + d*x)] + 1645*A*Cos[3*(c + d*x)] + 660*C*Cos[3*(c + d*x)] + 490*A*Cos[4*(c + d*x)] + 105*A*Cos[5*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2]/(9240*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.365, size = 152, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx + c)) \left(105A(\cos(dx + c))^5 + 245A(\cos(dx + c))^4 + 280A(\cos(dx + c))^3 + 165C(\cos(dx + c))^3 + 1155d\right)}{9240d \sqrt{\sec(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^{3/2}*(A+C*\sec(dx+c)^2)/\sec(dx+c)^{(11/2)},x)$

[Out] $-2/1155/d*a*(-1+\cos(dx+c))*(105*A*\cos(dx+c)^5+245*A*\cos(dx+c)^4+280*A*\cos(dx+c)^3+165*C*\cos(dx+c)^3+336*A*\cos(dx+c)^2+429*C*\cos(dx+c)^2+448*A*\cos(dx+c)+572*C*\cos(dx+c)+896*A+1144*C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*\cos(dx+c)^6*(1/\cos(dx+c))^{11/2}/\sin(dx+c)$

Maxima [B] time = 2.15183, size = 1072, normalized size = 4.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^{3/2}*(A+C*\sec(dx+c)^2)/\sec(dx+c)^{(11/2)},x, \text{algorithm}="maxima")$

[Out] $1/36960*(7*\sqrt{2}*(3630*a*\cos(10/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c)))*\sin(11/2*d*x + 11/2*c) + 990*a*\cos(8/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c)))*\sin(11/2*d*x + 11/2*c) + 429*a*\cos(6/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c)))*\sin(11/2*d*x + 11/2*c) + 165*a*\cos(4/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c)))*\sin(11/2*d*x + 11/2*c) + 55*a*\cos(2/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c)))*\sin(11/2*d*x + 11/2*c) - 3630*a*\cos(11/2*d*x + 11/2*c)*\sin(10/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 990*a*\cos(11/2*d*x + 11/2*c)*\sin(8/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 429*a*\cos(11/2*d*x + 11/2*c)*\sin(6/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 165*a*\cos(11/2*d*x + 11/2*c)*\sin(4/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 55*a*\cos(11/2*d*x + 11/2*c)*\sin(2/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c)))) + 30*a*\sin(11/2*d*x + 11/2*c) + 55*a*\sin(9/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 165*a*\sin(7/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 429*a*\sin(5/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 990*a*\sin(3/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 3630*a*\sin(1/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))))*A*\sqrt{a} + 44*\sqrt{2}*(735*a*\cos(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))*\sin(7/2*d*x + 7/2*c) + 175*a*\cos(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))*\sin(7/2*d*x + 7/2*c) + 63*a*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))*\sin(7/2*d*x + 7/2*c) - 735*a*\cos(7/2*d*x + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 175*a*\cos(7/2*d*x + 7/2*c)$

$$\begin{aligned} & * \sin\left(\frac{4}{7} \arctan\left(\frac{\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{\cos\left(\frac{7}{2}dx + \frac{7}{2}c\right)}\right)\right) - 63a \cos\left(\frac{7}{2}dx + \frac{7}{2}c\right) \sin\left(\frac{2}{7} \arctan\left(\frac{\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{\cos\left(\frac{7}{2}dx + \frac{7}{2}c\right)}\right)\right) \\ & + 30a \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 63a \sin\left(\frac{5}{7} \arctan\left(\frac{\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{\cos\left(\frac{7}{2}dx + \frac{7}{2}c\right)}\right)\right) + 175a \sin\left(\frac{3}{7} \arctan\left(\frac{\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{\cos\left(\frac{7}{2}dx + \frac{7}{2}c\right)}\right)\right) \\ & + 735a \sin\left(\frac{1}{7} \arctan\left(\frac{\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{\cos\left(\frac{7}{2}dx + \frac{7}{2}c\right)}\right)\right) * C \sqrt{a} / d \end{aligned}$$

Fricas [A] time = 0.499946, size = 401, normalized size = 1.51

$$\frac{2(105 A a \cos(dx + c)^6 + 245 A a \cos(dx + c)^5 + 5(56 A + 33 C) a \cos(dx + c)^4 + 3(112 A + 143 C) a \cos(dx + c)^3 + 4(112 A + 143 C) a \cos(dx + c)^2 + 8(112 A + 143 C) a \cos(dx + c) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c) / ((d \cos(dx + c) + d) \sqrt{\cos(dx + c)}))}{1155 (d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(dx+c))^(3/2)*(A+C*sec(dx+c)^2)/sec(dx+c)^(11/2),x, algorithm="fricas")

[Out] 2/1155*(105*A*a*cos(dx + c)^6 + 245*A*a*cos(dx + c)^5 + 5*(56*A + 33*C)*a*cos(dx + c)^4 + 3*(112*A + 143*C)*a*cos(dx + c)^3 + 4*(112*A + 143*C)*a*cos(dx + c)^2 + 8*(112*A + 143*C)*a*cos(dx + c))*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/((d*cos(dx + c) + d)*sqrt(cos(dx + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(dx+c))**(3/2)*(A+C*sec(dx+c)**2)/sec(dx+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(11/2), x)
```

$$3.267 \quad \int \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=312

$$\frac{a^2(24A + 23C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{96d} + \frac{a^3(136A + 109C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{192d \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1304A + 1015C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{768d \sqrt{a \sec(c + dx) + a}}$$

```
[Out] (a^(5/2)*(1304*A + 1015*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(512*d) + (a^3*(1304*A + 1015*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(512*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1015*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(768*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(136*A + 109*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 23*C)*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(96*d) + (a*C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d)
```

Rubi [A] time = 0.897397, antiderivative size = 312, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4089, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(24A + 23C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{96d} + \frac{a^3(136A + 109C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{192d \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1304A + 1015C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{768d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(5/2)*(1304*A + 1015*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(512*d) + (a^3*(1304*A + 1015*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(512*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1015*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(768*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(136*A + 109*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 23*C)*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(96*d) + (a*C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d)
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := -Simp[(C*
```

$\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n/(f*(m + n + 1)), x]$
 $+ \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*b*(m + n + 1) + b*C*n + a*C*m*\text{Csc}[e + f*x], x], x], x] /;$

FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\text{Csc}[e + f*x], x], x], x] /;$

FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := \text{Simp}[(-2*b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(2*n + 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^n, x], x] /;$

FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := \text{Simp}[(-2*b*d*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{n-1})/(f*(2*n - 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(2*a*d*(n - 1))/(b*(2*n - 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n-1}, x], x] /;$

FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/ \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /;$

FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_)^2], x_Symbol] := \text{Simp}[\text{ArcSinh}[\text{Rt}[b, 2]*x]/\text{Sqrt}[a]/\text{Rt}[b, 2], x] /;$

FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx)) dx &= \frac{C\sec^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{6d} + \int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx)) dx \\
&= \frac{aC\sec^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{12d} + \int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx)) dx \\
&= \frac{a^2(24A+23C)\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{96d} + \int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx)) dx \\
&= \frac{a^3(136A+109C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(24A+23C)\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{96d} \\
&= \frac{a^3(1304A+1015C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{768d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(136A+109C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(1304A+1015C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{512d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(136A+109C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(1304A+1015C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{512d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(136A+109C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^5/2(1304A+1015C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{512d} + \frac{a^3(136A+109C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 4.07644, size = 295, normalized size = 0.95

$$\cos^3(c+dx)(a(\sec(c+dx)+1))^{5/2}(A+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{13}{2}}(c+dx)\sqrt{\sec(c+dx)+1}(14(4056A+4591C)+16(1496A+1711C))\cos[c+dx]\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(5/2)*(A + C*Sec[c + d*x]^2)*((18720*A + 27412*C + 14*(4056*A + 4591*C))*Cos[c + d*x] + 16*(1496*A + 1711*C))*Cos

$$\begin{aligned} & [2*(c + d*x)] + 25448*A*\cos[3*(c + d*x)] + 21721*C*\cos[3*(c + d*x)] + 5216* \\ & A*\cos[4*(c + d*x)] + 4060*C*\cos[4*(c + d*x)] + 3912*A*\cos[5*(c + d*x)] + 30 \\ & 45*C*\cos[5*(c + d*x)]*Sec[c + d*x]^{(13/2)}*Sqrt[1 + Sec[c + d*x]]*Tan[(c + \\ & d*x)/2] - 48*(1304*A + 1015*C)*Csc[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sq \\ & rt[Sec[c + d*x]] + Sec[c + d*x]^{(3/2)} + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + \\ & d*x]^2])]*Sqrt[Tan[c + d*x]^2])/(12288*d*(A + 2*C + A*\cos[2*(c + d*x)]*(\\ & 1 + Sec[c + d*x])^{(5/2)}) \end{aligned}$$

Maple [B] time = 0.394, size = 576, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x)

[Out] $\frac{1}{6144} \frac{d a^2 (3912 A \cos(d x+c)^6 2^{(1/2)} \arctan(1/4 2^{(1/2)} (-2/(\cos(d x+c)+1))^{(1/2)} (\cos(d x+c)+1+\sin(d x+c))) - 3912 A \cos(d x+c)^6 2^{(1/2)} \arctan(1/4 2^{(1/2)} (-2/(\cos(d x+c)+1))^{(1/2)} (\cos(d x+c)+1-\sin(d x+c))) + 3045 C \cos(d x+c)^6 2^{(1/2)} \arctan(1/4 2^{(1/2)} (-2/(\cos(d x+c)+1))^{(1/2)} (\cos(d x+c)+1+\sin(d x+c))) - 3045 C \cos(d x+c)^6 2^{(1/2)} \arctan(1/4 2^{(1/2)} (-2/(\cos(d x+c)+1))^{(1/2)} (\cos(d x+c)+1-\sin(d x+c))) + 7824 A \cos(d x+c)^5 (-2/(\cos(d x+c)+1))^{(1/2)} \sin(d x+c) + 6090 C \cos(d x+c)^5 (-2/(\cos(d x+c)+1))^{(1/2)} \sin(d x+c) + 5216 A \sin(d x+c) (-2/(\cos(d x+c)+1))^{(1/2)} \cos(d x+c)^4 + 4060 C \sin(d x+c) (-2/(\cos(d x+c)+1))^{(1/2)} \cos(d x+c)^4 + 2944 A \sin(d x+c) \cos(d x+c)^3 (-2/(\cos(d x+c)+1))^{(1/2)} + 3248 C \sin(d x+c) \cos(d x+c)^3 (-2/(\cos(d x+c)+1))^{(1/2)} + 768 A \cos(d x+c)^2 \sin(d x+c) (-2/(\cos(d x+c)+1))^{(1/2)} + 2784 C \sin(d x+c) \cos(d x+c)^2 (-2/(\cos(d x+c)+1))^{(1/2)} + 1792 C \sin(d x+c) \cos(d x+c) (-2/(\cos(d x+c)+1))^{(1/2)} + 512 C (-2/(\cos(d x+c)+1))^{(1/2)} \sin(d x+c)) (a (\cos(d x+c)+1)/\cos(d x+c))^{(1/2)} (1/\cos(d x+c))^{(5/2)} (-2/(\cos(d x+c)+1))^{(1/2)}/\cos(d x+c)^3/\sin(d x+c)^2 (\cos(d x+c)^2-1)}$

Maxima [B] time = 11.0557, size = 14959, normalized size = 47.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x, algorithm="maxima")


```
[Out] -1/6144*(8*(1956*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x +
6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos
(15/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 652*(sqrt(2)*a^2*sin(8
*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*
c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(13/4*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c))) + 6204*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*
d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c
))*cos(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2060*(sqrt(2)*a^
2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d
*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(9/4*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c))) + 2060*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*
sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x
+ 2*c))*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 6204*(sqrt(
2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*si
n(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(5/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))) - 652*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*
a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2
*d*x + 2*c))*cos(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 1956*(s
qrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^
2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(1/4*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c))) - 489*(a^2*cos(8*d*x + 8*c)^2 + 16*a^2*cos(6
*d*x + 6*c)^2 + 36*a^2*cos(4*d*x + 4*c)^2 + 16*a^2*cos(2*d*x + 2*c)^2 + a^2
*sin(8*d*x + 8*c)^2 + 16*a^2*sin(6*d*x + 6*c)^2 + 36*a^2*sin(4*d*x + 4*c)^2
+ 48*a^2*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 16*a^2*sin(2*d*x + 2*c)^2 + 8
*a^2*cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*cos(6*d*x + 6*c) + 6*a^2*cos(4*d*x +
4*c) + 4*a^2*cos(2*d*x + 2*c) + a^2)*cos(8*d*x + 8*c) + 8*(6*a^2*cos(4*d*x
+ 4*c) + 4*a^2*cos(2*d*x + 2*c) + a^2)*cos(6*d*x + 6*c) + 12*(4*a^2*cos(2*
d*x + 2*c) + a^2)*cos(4*d*x + 4*c) + 4*(2*a^2*sin(6*d*x + 6*c) + 3*a^2*sin(
4*d*x + 4*c) + 2*a^2*sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + 16*(3*a^2*sin(4*d
*x + 4*c) + 2*a^2*sin(2*d*x + 2*c))*sin(6*d*x + 6*c))*log(2*cos(1/4*arctan2
(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
)))) + 2) + 489*(a^2*cos(8*d*x + 8*c)^2 + 16*a^2*cos(6*d*x + 6*c)^2 + 36*a^2
*cos(4*d*x + 4*c)^2 + 16*a^2*cos(2*d*x + 2*c)^2 + a^2*sin(8*d*x + 8*c)^2 +
16*a^2*sin(6*d*x + 6*c)^2 + 36*a^2*sin(4*d*x + 4*c)^2 + 48*a^2*sin(4*d*x +
4*c)*sin(2*d*x + 2*c) + 16*a^2*sin(2*d*x + 2*c)^2 + 8*a^2*cos(2*d*x + 2*c)
+ a^2 + 2*(4*a^2*cos(6*d*x + 6*c) + 6*a^2*cos(4*d*x + 4*c) + 4*a^2*cos(2*d*
x + 2*c) + a^2)*cos(8*d*x + 8*c) + 8*(6*a^2*cos(4*d*x + 4*c) + 4*a^2*cos(2*
d*x + 2*c) + a^2)*cos(6*d*x + 6*c) + 12*(4*a^2*cos(2*d*x + 2*c) + a^2)*cos(
4*d*x + 4*c) + 4*(2*a^2*sin(6*d*x + 6*c) + 3*a^2*sin(4*d*x + 4*c) + 2*a^2*s
in(2*d*x + 2*c))*sin(8*d*x + 8*c) + 16*(3*a^2*sin(4*d*x + 4*c) + 2*a^2*sin(
2*d*x + 2*c))*sin(6*d*x + 6*c))*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^
2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2*sqrt
```

$$\begin{aligned}
& (2) * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 489 * (a^2 * \cos(8*d*x + 8*c)^2 + 16 * a^2 * \cos(6*d*x + 6*c)^2 + 36 * a^2 * \cos(4*d*x + 4*c)^2 + \\
& 16 * a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(8*d*x + 8*c)^2 + 16 * a^2 * \sin(6*d*x + 6*c)^2 + 36 * a^2 * \sin(4*d*x + 4*c)^2 + 48 * a^2 * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) \\
& + 16 * a^2 * \sin(2*d*x + 2*c)^2 + 8 * a^2 * \cos(2*d*x + 2*c) + a^2 + 2 * (4 * a^2 * \cos(6*d*x + 6*c) + 6 * a^2 * \cos(4*d*x + 4*c) + 4 * a^2 * \cos(2*d*x + 2*c) + a^2) * \cos(8*d*x + 8*c) \\
& + 8 * (6 * a^2 * \cos(4*d*x + 4*c) + 4 * a^2 * \cos(2*d*x + 2*c) + a^2) * \cos(6*d*x + 6*c) + 12 * (4 * a^2 * \cos(2*d*x + 2*c) + a^2) * \cos(4*d*x + 4*c) + 4 * (2 * a^2 * \sin(6*d*x + 6*c) + 3 * a^2 * \sin(4*d*x + 4*c) + 2 * a^2 * \sin(2*d*x + 2*c)) * \sin(8*d*x + 8*c) \\
& + 16 * (3 * a^2 * \sin(4*d*x + 4*c) + 2 * a^2 * \sin(2*d*x + 2*c)) * \sin(6*d*x + 6*c)) * \log(2 * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2 * \sqrt{2} * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2 * \sqrt{2} * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 489 * (a^2 * \cos(8*d*x + 8*c)^2 + 16 * a^2 * \cos(6*d*x + 6*c)^2 + 36 * a^2 * \cos(4*d*x + 4*c)^2 + 16 * a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(8*d*x + 8*c)^2 + 16 * a^2 * \sin(6*d*x + 6*c)^2 + 36 * a^2 * \sin(4*d*x + 4*c)^2 + 48 * a^2 * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 16 * a^2 * \sin(2*d*x + 2*c)^2 + 8 * a^2 * \cos(2*d*x + 2*c) + a^2 + 2 * (4 * a^2 * \cos(6*d*x + 6*c) + 6 * a^2 * \cos(4*d*x + 4*c) + 4 * a^2 * \cos(2*d*x + 2*c) + a^2) * \cos(8*d*x + 8*c) + 8 * (6 * a^2 * \cos(4*d*x + 4*c) + 4 * a^2 * \cos(2*d*x + 2*c) + a^2) * \cos(6*d*x + 6*c) + 12 * (4 * a^2 * \cos(2*d*x + 2*c) + a^2) * \cos(4*d*x + 4*c) + 4 * (2 * a^2 * \sin(6*d*x + 6*c) + 3 * a^2 * \sin(4*d*x + 4*c) + 2 * a^2 * \sin(2*d*x + 2*c)) * \sin(8*d*x + 8*c) + 16 * (3 * a^2 * \sin(4*d*x + 4*c) + 2 * a^2 * \sin(2*d*x + 2*c)) * \sin(6*d*x + 6*c)) * \log(2 * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2 * \sqrt{2} * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2 * \sqrt{2} * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 1956 * (\sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 4 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 6 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 4 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2) * \sin(15/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 652 * (\sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 4 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 6 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 4 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2) * \sin(13/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 6204 * (\sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 4 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 6 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 4 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2) * \sin(11/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2060 * (\sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 4 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 6 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 4 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2) * \sin(9/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2060 * (\sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 4 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 6 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 4 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2) * \sin(7/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 6204 * (\sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 4 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 6 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 4 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2) * \sin(5/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 652 * (\sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 4 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 6 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 4 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2) * \sin(3/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))
\end{aligned}$$

$$\begin{aligned}
& 2)a^2\sin(4dx + 4c) + 6\sqrt{2}a^2\sin(2dx + 2c))\cos(5/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 4060(\sqrt{2}a^2\sin(12dx + 12c) \\
& + 6\sqrt{2}a^2\sin(10dx + 10c) + 15\sqrt{2}a^2\sin(8dx + 8c) + 20\sqrt{2}a^2\sin(6dx + 6c) + 15\sqrt{2}a^2\sin(4dx + 4c) + 6\sqrt{2}a^2\sin(2dx + 2c))\cos(3/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - \\
& 12180(\sqrt{2}a^2\sin(12dx + 12c) + 6\sqrt{2}a^2\sin(10dx + 10c) + 15\sqrt{2}a^2\sin(8dx + 8c) + 20\sqrt{2}a^2\sin(6dx + 6c) + 15\sqrt{2}a^2\sin(4dx + 4c) + 6\sqrt{2}a^2\sin(2dx + 2c))\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 3045(a^2\cos(12dx + 12c))^2 + 36 \\
& a^2\cos(10dx + 10c))^2 + 225a^2\cos(8dx + 8c))^2 + 400a^2\cos(6dx + 6c))^2 + 225a^2\cos(4dx + 4c))^2 + 36a^2\cos(2dx + 2c))^2 + a^2\sin(12dx + 12c))^2 + 36a^2\sin(10dx + 10c))^2 + 225a^2\sin(8dx + 8c))^2 + 400a^2\sin(6dx + 6c))^2 + 225a^2\sin(4dx + 4c))^2 + 180a^2\sin(4 \\
& dx + 4c)\sin(2dx + 2c) + 36a^2\sin(2dx + 2c))^2 + 12a^2\cos(2dx + 2c) + a^2 + 2(6a^2\cos(10dx + 10c) + 15a^2\cos(8dx + 8c) + 20 \\
& a^2\cos(6dx + 6c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2dx + 2c) + a^2)\cos(12dx + 12c) + 12(15a^2\cos(8dx + 8c) + 20a^2\cos(6dx + 6 \\
& c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2dx + 2c) + a^2)\cos(10dx + 10c) + 30(20a^2\cos(6dx + 6c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2 \\
& dx + 2c) + a^2)\cos(8dx + 8c) + 40(15a^2\cos(4dx + 4c) + 6a^2\cos(2dx + 2c) + a^2)\cos(6dx + 6c) + 30(6a^2\cos(2dx + 2c) + a^2) \\
& \cos(4dx + 4c) + 2(6a^2\sin(10dx + 10c) + 15a^2\sin(8dx + 8c) + 20a^2\sin(6dx + 6c) + 15a^2\sin(4dx + 4c) + 6a^2\sin(2dx + 2c) \\
&)\sin(12dx + 12c) + 12(15a^2\sin(8dx + 8c) + 20a^2\sin(6dx + 6c) + 15a^2\sin(4dx + 4c) + 6a^2\sin(2dx + 2c))\sin(10dx + 10c) + \\
& 30(20a^2\sin(6dx + 6c) + 15a^2\sin(4dx + 4c) + 6a^2\sin(2dx + 2c))\sin(8dx + 8c) + 120(5a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c) \\
&)\sin(6dx + 6c))\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sqrt{2} \\
& \cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 3045(a^2\cos(12dx + \\
& 12c))^2 + 36a^2\cos(10dx + 10c))^2 + 225a^2\cos(8dx + 8c))^2 + 400a^2\cos(6dx + 6c))^2 + 225a^2\cos(4dx + 4c))^2 + 36a^2\cos(2dx + 2c) \\
&)^2 + a^2\sin(12dx + 12c))^2 + 36a^2\sin(10dx + 10c))^2 + 225a^2\sin(8dx + 8c))^2 + 400a^2\sin(6dx + 6c))^2 + 225a^2\sin(4dx + 4c))^2 + \\
& 180a^2\sin(4dx + 4c)\sin(2dx + 2c) + 36a^2\sin(2dx + 2c))^2 + 12a^2\cos(2dx + 2c) + a^2 + 2(6a^2\cos(10dx + 10c) + 15a^2\cos(8dx + \\
& 8c) + 20a^2\cos(6dx + 6c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2dx + 2c) + a^2)\cos(12dx + 12c) + 12(15a^2\cos(8dx + 8c) + 20a^2\cos(6dx + 6 \\
& c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2dx + 2c) + a^2)\cos(10dx + 10c) + 30(20a^2\cos(6dx + 6c) + 15a^2\cos(4dx + 4c) \\
& + 6a^2\cos(2dx + 2c) + a^2)\cos(8dx + 8c) + 40(15a^2\cos(4dx + 4c) + 6a^2\cos(2dx + 2c) + a^2)\cos(6dx + 6c) + 30(6a^2\cos(2dx + \\
& 2c) + a^2)\cos(4dx + 4c) + 2(6a^2\sin(10dx + 10c) + 15a^2\sin(8dx + 8c) + 20a^2\sin(6dx + 6c) + 15a^2\sin(4dx + 4c) + 6a^2\sin
\end{aligned}$$

$$\begin{aligned}
& n(8*d*x + 8*c) + 20*a^2*\sin(6*d*x + 6*c) + 15*a^2*\sin(4*d*x + 4*c) + 6*a^2* \\
& \sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 30*(20*a^2*\sin(6*d*x + 6*c) + 15*a^2* \\
& *\sin(4*d*x + 4*c) + 6*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 120*(5*a^2*s \\
& \sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))))^2 - 2*\sqrt{2}*\cos(1/4*arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c)))) + 2) - 12180*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(\\
& 10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x \\
& + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) \\
& + \sqrt{2}*a^2)*\sin(23/4*arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 4060 \\
& *(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2} \\
& *a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2 \\
& *\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(21/ \\
& 4*arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 70644*(\sqrt{2}*a^2*\cos(12* \\
& d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + \\
& 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + \\
& 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(19/4*arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c)))) - 22620*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2} \\
& (2)*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2 \\
& *\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2* \\
& d*x + 2*c) + \sqrt{2}*a^2)*\sin(17/4*arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c)))) - 147592*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + \\
& 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + \\
& 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2} \\
& *a^2)*\sin(15/4*arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 37800*(\sqrt{2} \\
&)*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2 \\
& *\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4 \\
& *d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(13/4*arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 37800*(\sqrt{2}*a^2*\cos(12*d*x + 12 \\
& *c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + \\
& 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2} \\
& (2)*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(11/4*arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c)))) + 147592*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2* \\
& cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6 \\
& *d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2 \\
& *c) + \sqrt{2}*a^2)*\sin(9/4*arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2 \\
& 2620*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 1 \\
& 5*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2} \\
& (2)*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin \\
& (7/4*arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 70644*(\sqrt{2}*a^2*\cos(\\
& 12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d* \\
& x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c \\
&) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(5/4*arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c)))) + 4060*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}
\end{aligned}$$

$$\begin{aligned}
& (2)*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 12180*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*C*\sqrt{a}/(2*(6*\cos(10*d*x + 10*c) + 15*\cos(8*d*x + 8*c) + 20*\cos(6*d*x + 6*c) + 15*\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(12*d*x + 12*c) + \cos(12*d*x + 12*c)^2 + 12*(15*\cos(8*d*x + 8*c) + 20*\cos(6*d*x + 6*c) + 15*\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(10*d*x + 10*c) + 36*\cos(10*d*x + 10*c)^2 + 30*(20*\cos(6*d*x + 6*c) + 15*\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + 225*\cos(8*d*x + 8*c)^2 + 40*(15*\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 400*\cos(6*d*x + 6*c)^2 + 30*(6*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 225*\cos(4*d*x + 4*c)^2 + 36*\cos(2*d*x + 2*c)^2 + 2*(6*\sin(10*d*x + 10*c) + 15*\sin(8*d*x + 8*c) + 20*\sin(6*d*x + 6*c) + 15*\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(12*d*x + 12*c) + \sin(12*d*x + 12*c)^2 + 12*(15*\sin(8*d*x + 8*c) + 20*\sin(6*d*x + 6*c) + 15*\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 36*\sin(10*d*x + 10*c)^2 + 30*(20*\sin(6*d*x + 6*c) + 15*\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 225*\sin(8*d*x + 8*c)^2 + 120*(5*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 400*\sin(6*d*x + 6*c)^2 + 225*\sin(4*d*x + 4*c)^2 + 180*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 36*\sin(2*d*x + 2*c)^2 + 12*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 1.06953, size = 1559, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/6144*(3*((1304*A + 1015*C)*a^2*cos(d*x + c)^6 + (1304*A + 1015*C)*a^2*cos(d*x + c)^5)*sqrt(a)*log((a*cos(d*x + c))^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(1304*A + 1015*C)*a^2*cos(d*x + c)^5 + 2*(1304*A + 1015*C)*a^2*cos(d*x + c)^4 + 8*(184*A + 203*C)*a^2*cos(d*x + c)^3 + 48*(8*A + 29*C)*a^2*cos(d*x + c)^2 + 896*C*a^2*cos(d*x + c) + 256*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5)
```

```
x + c)^5), 1/3072*(3*((1304*A + 1015*C)*a^2*cos(d*x + c)^6 + (1304*A + 1015
*C)*a^2*cos(d*x + c)^5)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a
)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d
*x + c) - 2*a)) + 2*(3*(1304*A + 1015*C)*a^2*cos(d*x + c)^5 + 2*(1304*A + 1
015*C)*a^2*cos(d*x + c)^4 + 8*(184*A + 203*C)*a^2*cos(d*x + c)^3 + 48*(8*A
+ 29*C)*a^2*cos(d*x + c)^2 + 896*C*a^2*cos(d*x + c) + 256*C*a^2)*sqrt((a*co
s(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x +
c)^6 + d*cos(d*x + c)^5)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(5
/2), x)
```


$$3.268 \quad \int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=265

$$\frac{a^3(1040A + 787C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{960d\sqrt{a \sec(c + dx) + a}} + \frac{a^3(400A + 283C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 79C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(5/2)*(400*A + 283*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(400*A + 283*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1040*A + 787*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 79*C)*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d) + (a*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d) + (C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.783079, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4089, 4018, 4016, 3803, 3801, 215}

$$\frac{a^3(1040A + 787C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{960d\sqrt{a \sec(c + dx) + a}} + \frac{a^3(400A + 283C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 79C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(400*A + 283*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(400*A + 283*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1040*A + 787*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 79*C)*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d) + (a*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d) + (C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si

mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx)) dx &= \frac{C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{5d} + \int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx)) dx \\
&= \frac{aC\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{8d} + \int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx)) dx \\
&= \frac{a^2(80A+79C)\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{240d} + \int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx)) dx \\
&= \frac{a^3(1040A+787C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{960d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(80A+79C)\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{240d} \\
&= \frac{a^3(400A+283C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(1040A+787C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{960d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(400A+283C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(1040A+787C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{960d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{5/2}(400A+283C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{128d} + \frac{a^3(1040A+787C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{960d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 3.79227, size = 273, normalized size = 1.03

$$\cos^3(c+dx)(a(\sec(c+dx)+1))^{5/2}(A+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{11}{2}}(c+dx)\sqrt{\sec(c+dx)+1}(12(1360A+283C)\cos^3(c+dx)+12(1360A+283C)\cos(c+dx)+12(1360A+283C))\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(5/2)*(A + C*Sec[c + d*x]^2)*((20560*A + 24863*C + 12*(1360*A + 2343*C)*Cos[c + d*x] + 4*(6640*A + 6509*C)*Cos[2*(c + d*x)] + 5440*A*Cos[3*(c + d*x)] + 5660*C*Cos[3*(c + d*x)] + 6000*A*Cos[4*(c + d*x)] + 4245*C*Cos[4*(c + d*x)])*Sec[c + d*x]^(11/2)*Sqrt[1 + Sec[c + d*x]]*Tan[(c + d*x)/2] - 120*(400*A + 283*C)*Csc[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]))*Sqrt[Tan[c + d*x]^2))/(7680*d*(A + 2*C + A*C

$\cos[2*(c + d*x)]*(1 + \operatorname{Sec}[c + d*x])^{(5/2)}$

Maple [B] time = 0.391, size = 512, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(d*x+c)^{(3/2)}*(a+a*\sec(d*x+c))^{(5/2)}*(A+C*\sec(d*x+c)^2), x)$

[Out]
$$\begin{aligned} & -1/3840/d*a^2*(-1+\cos(d*x+c))*(6000*A*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)^5-6000*A*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))*\cos(d*x+c)^5+4245*C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)^5-4245*C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))*\cos(d*x+c)^5+12000*A*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^4+8490*C*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^4+5440*A*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{(1/2)}+5660*C*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{(1/2)}+1280*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+4528*C*\sin(d*x+c)*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)}+2784*C*\sin(d*x+c)*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+768*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(1/\cos(d*x+c))^{(3/2)}/\cos(d*x+c)^3/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{(1/2)} \end{aligned}$$

Maxima [B] time = 6.27029, size = 11950, normalized size = 45.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\sec(d*x+c)^{(3/2)}*(a+a*\sec(d*x+c))^{(5/2)}*(A+C*\sec(d*x+c)^2), x, \operatorname{algorithm}="maxima")$

[Out]
$$\begin{aligned} & 1/7680*(80*(300*\sqrt{2})*a^2*\cos(1/3*\arctan^2(\sin(3/2*d*x + 3/2*c)), \cos(3/2*d*x + 3/2*c)))*\sin(6*d*x + 6*c) - 28*\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) + 28*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 28*(\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) - \sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c)*\cos(6*d*x + 6*c) - 300*(\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\sin(8/3*\arctan^2(\sin(3/2*d*x + 3/2*c)), \cos(3/2*d*x \end{aligned}$$

$$\begin{aligned}
& + 3/2*c))) + 3*\sqrt{2}*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& * \cos(11/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(7*\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 114*\sqrt{2}*a^2*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 114*\sqrt{2}*a^2*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 75*\sqrt{2}*a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 456*(\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 456*(\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(7*\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) + 75*\sqrt{2}*a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 75*(a^2*\cos(6*d*x + 6*c))^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a^2)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) + a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 75*(a^2*\cos(6*d*x + 6*c))^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a^2)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) + a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))
\end{aligned}$$

$$\begin{aligned}
& /2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 75*(a^2*\cos(6*d*x + 6*c)^2 + 9*a^2*\cos \\
& (8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3 \\
& *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6 \\
& *c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 \\
& + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/ \\
& 2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*c \\
& \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a^2)*\cos(8/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6 \\
& *c) + a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6 \\
& *(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c \\
&)))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
& 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2} \\
& (2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2} \\
& *\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 75*(a^ \\
& 2*\cos(6*d*x + 6*c)^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/ \\
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6 \\
& *(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))) + a^2)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) + a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/ \\
& 2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arct \\
& an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/ \\
& 2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), co \\
& s(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), co \\
& s(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c))) + 2) + 28*(\sqrt{2}*a^2*\cos(9/2*d*x + 9/2*c) - \sqrt{2}*a^ \\
& 2*\cos(3/2*d*x + 3/2*c))*\sin(6*d*x + 6*c) + 300*(\sqrt{2}*a^2*\cos(6*d*x + 6*c \\
&) + 3*\sqrt{2}*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c \\
&))) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + \sqrt{2}*a^2*\sin(11/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c))) + 12*(7*\sqrt{2}*a^2*\cos(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2*\cos(3/2*d* \\
& x + 3/2*c) - 114*\sqrt{2}*a^2*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c))) + 114*\sqrt{2}*a^2*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c))) + 75*\sqrt{2}*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), c \\
& os(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) + 456*(\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan \\
& 2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a^2*\sin(7/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 456*(\sqrt{2}*a^2*\cos(6*d* \\
& x + 6*c) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x
\end{aligned}$$

$$\begin{aligned}
& + 3/2*c))) + \text{sqrt}(2)*a^2*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 12*(7*\text{sqrt}(2)*a^2*\cos(9/2*d*x + 9/2*c) - 7*\text{sqrt}(2)*a^2*\cos(3/ \\
& 2*d*x + 3/2*c) + 75*\text{sqrt}(2)*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2* \\
& c))) - 300*(\text{sqrt}(2)*a^2*\cos(6*d*x + 6*c) + \text{sqrt}(2)*a^2*\sin(1/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*A*\text{sqrt}(a)/(\cos(6*d*x + 6*c)^2 + \\
& 6*(\cos(6*d*x + 6*c) + 3*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c)))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 9*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*(\cos \\
& (6*d*x + 6*c) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + 9*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
& \sin(6*d*x + 6*c)^2 + 6*(\sin(6*d*x + 6*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c))) + 9*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c)))^2 + 6*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))) + 9*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/ \\
& 2*c)))^2 + 2*\cos(6*d*x + 6*c) + 1) - (16980*(\text{sqrt}(2)*a^2*\sin(10*d*x + 10*c) \\
& + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*a^2*\sin(6*d*x + 6*c) + 10*\text{sq} \\
& \text{rt}(2)*a^2*\sin(4*d*x + 4*c) + 5*\text{sqrt}(2)*a^2*\sin(2*d*x + 2*c))*\cos(19/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 5660*(\text{sqrt}(2)*a^2*\sin(10*d*x + 10 \\
& *c) + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*a^2*\sin(6*d*x + 6*c) + 10 \\
& *\text{sqrt}(2)*a^2*\sin(4*d*x + 4*c) + 5*\text{sqrt}(2)*a^2*\sin(2*d*x + 2*c))*\cos(17/4*\ar \\
& ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 81504*(\text{sqrt}(2)*a^2*\sin(10*d*x \\
& + 10*c) + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*a^2*\sin(6*d*x + 6*c) \\
& + 10*\text{sqrt}(2)*a^2*\sin(4*d*x + 4*c) + 5*\text{sqrt}(2)*a^2*\sin(2*d*x + 2*c))*\cos(15/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8320*(\text{sqrt}(2)*a^2*\sin(10*d \\
& *x + 10*c) + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*a^2*\sin(6*d*x + 6* \\
& c) + 10*\text{sqrt}(2)*a^2*\sin(4*d*x + 4*c) + 5*\text{sqrt}(2)*a^2*\sin(2*d*x + 2*c))*\cos(\\
& 13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 86440*(\text{sqrt}(2)*a^2*\sin(\\
& 10*d*x + 10*c) + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*a^2*\sin(6*d*x \\
& + 6*c) + 10*\text{sqrt}(2)*a^2*\sin(4*d*x + 4*c) + 5*\text{sqrt}(2)*a^2*\sin(2*d*x + 2*c))* \\
& \cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 86440*(\text{sqrt}(2)*a^2* \\
& \sin(10*d*x + 10*c) + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*a^2*\sin(6* \\
& d*x + 6*c) + 10*\text{sqrt}(2)*a^2*\sin(4*d*x + 4*c) + 5*\text{sqrt}(2)*a^2*\sin(2*d*x + 2* \\
& c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 8320*(\text{sqrt}(2)*a^ \\
& 2*\sin(10*d*x + 10*c) + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*a^2*\sin(\\
& 6*d*x + 6*c) + 10*\text{sqrt}(2)*a^2*\sin(4*d*x + 4*c) + 5*\text{sqrt}(2)*a^2*\sin(2*d*x + \\
& 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 81504*(\text{sqrt}(2) \\
& *a^2*\sin(10*d*x + 10*c) + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*a^2*s \\
& \sin(6*d*x + 6*c) + 10*\text{sqrt}(2)*a^2*\sin(4*d*x + 4*c) + 5*\text{sqrt}(2)*a^2*\sin(2*d*x \\
& + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 5660*(\text{sqrt}(\\
& 2)*a^2*\sin(10*d*x + 10*c) + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*a^2 \\
& *\sin(6*d*x + 6*c) + 10*\text{sqrt}(2)*a^2*\sin(4*d*x + 4*c) + 5*\text{sqrt}(2)*a^2*\sin(2*d \\
& *x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 16980*(\text{sq} \\
& \text{rt}(2)*a^2*\sin(10*d*x + 10*c) + 5*\text{sqrt}(2)*a^2*\sin(8*d*x + 8*c) + 10*\text{sqrt}(2)*
\end{aligned}$$

$$\begin{aligned}
& a^2 \sin(6dx + 6c) + 10\sqrt{2}a^2 \sin(4dx + 4c) + 5\sqrt{2}a^2 \sin(2dx + 2c) \cos\left(\frac{1}{4}\arctan2\left(\sin(2dx + 2c), \cos(2dx + 2c)\right)\right) - 4245 * \\
& (a^2 \cos(10dx + 10c)^2 + 25a^2 \cos(8dx + 8c)^2 + 100a^2 \cos(6dx + 6c)^2 + 100a^2 \cos(4dx + 4c)^2 + 25a^2 \cos(2dx + 2c)^2 + a^2 \sin(10dx + 10c)^2 + 25a^2 \sin(8dx + 8c)^2 + 100a^2 \sin(6dx + 6c)^2 + 100a^2 \sin(4dx + 4c)^2 + 100a^2 \sin(4dx + 4c) \sin(2dx + 2c) + 25a^2 \sin(2dx + 2c)^2 + 10a^2 \cos(2dx + 2c) + a^2 + 2(5a^2 \cos(8dx + 8c) + 10a^2 \cos(6dx + 6c) + 10a^2 \cos(4dx + 4c) + 5a^2 \cos(2dx + 2c) + a^2) \cos(10dx + 10c) + 10(10a^2 \cos(6dx + 6c) + 10a^2 \cos(4dx + 4c) + 5a^2 \cos(2dx + 2c) + a^2) \cos(8dx + 8c) + 20(10a^2 \cos(4dx + 4c) + 5a^2 \cos(2dx + 2c) + a^2) \cos(6dx + 6c) + 20(5a^2 \cos(2dx + 2c) + a^2) \cos(4dx + 4c) + 10(a^2 \sin(8dx + 8c) + 2a^2 \sin(6dx + 6c) + 2a^2 \sin(4dx + 4c) + a^2 \sin(2dx + 2c)) \sin(10dx + 10c) + 50(2a^2 \sin(6dx + 6c) + 2a^2 \sin(4dx + 4c) + a^2 \sin(2dx + 2c)) \sin(8dx + 8c) + 100(2a^2 \sin(4dx + 4c) + a^2 \sin(2dx + 2c)) \sin(6dx + 6c) \log(2 \cos(\frac{1}{4}\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sin(\frac{1}{4}\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2 \sqrt{2} \cos(\frac{1}{4}\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2 \sqrt{2} \sin(\frac{1}{4}\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 4245 * (a^2 \cos(10dx + 10c)^2 + 25a^2 \cos(8dx + 8c)^2 + 100a^2 \cos(6dx + 6c)^2 + 100a^2 \cos(4dx + 4c)^2 + 25a^2 \cos(2dx + 2c)^2 + a^2 \sin(10dx + 10c)^2 + 25a^2 \sin(8dx + 8c)^2 + 100a^2 \sin(6dx + 6c)^2 + 100a^2 \sin(4dx + 4c)^2 + 100a^2 \sin(4dx + 4c) \sin(2dx + 2c) + 25a^2 \sin(2dx + 2c)^2 + 10a^2 \cos(2dx + 2c) + a^2 + 2(5a^2 \cos(8dx + 8c) + 10a^2 \cos(6dx + 6c) + 10a^2 \cos(4dx + 4c) + 5a^2 \cos(2dx + 2c) + a^2) \cos(10dx + 10c) + 10(10a^2 \cos(6dx + 6c) + 10a^2 \cos(4dx + 4c) + 5a^2 \cos(2dx + 2c) + a^2) \cos(8dx + 8c) + 20(10a^2 \cos(4dx + 4c) + 5a^2 \cos(2dx + 2c) + a^2) \cos(6dx + 6c) + 20(5a^2 \cos(2dx + 2c) + a^2) \cos(4dx + 4c) + 10(a^2 \sin(8dx + 8c) + 2a^2 \sin(6dx + 6c) + 2a^2 \sin(4dx + 4c) + a^2 \sin(2dx + 2c)) \sin(10dx + 10c) + 50(2a^2 \sin(6dx + 6c) + 2a^2 \sin(4dx + 4c) + a^2 \sin(2dx + 2c)) \sin(8dx + 8c) + 100(2a^2 \sin(4dx + 4c) + a^2 \sin(2dx + 2c)) \sin(6dx + 6c) \log(2 \cos(\frac{1}{4}\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sin(\frac{1}{4}\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2 \sqrt{2} \cos(\frac{1}{4}\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2 \sqrt{2} \sin(\frac{1}{4}\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 4245 * (a^2 \cos(10dx + 10c)^2 + 25a^2 \cos(8dx + 8c)^2 + 100a^2 \cos(6dx + 6c)^2 + 100a^2 \cos(4dx + 4c)^2 + 25a^2 \cos(2dx + 2c)^2 + a^2 \sin(10dx + 10c)^2 + 25a^2 \sin(8dx + 8c)^2 + 100a^2 \sin(6dx + 6c)^2 + 100a^2 \sin(4dx + 4c)^2 + 100a^2 \sin(4dx + 4c) \sin(2dx + 2c) + 25a^2 \sin(2dx + 2c)^2 + 10a^2 \cos(2dx + 2c) + a^2 + 2(5a^2 \cos(8dx + 8c) + 10a^2 \cos(6dx + 6c) + 10a^2 \cos(4dx + 4c) + 5a^2 \cos(2dx + 2c) + a^2) \cos(10dx + 10c) + 10(10a^2 \cos(6dx + 6c) + 10a^2 \cos(4dx + 4c) + 5a^2 \cos(2dx + 2c) + a^2) \cos(8dx + 8c) + 20(10a^2 \cos(4dx + 4c) + 5a^2 \cos(2dx + 2c) + a^2) \cos(6dx + 6c) + 20(
\end{aligned}$$

$$\begin{aligned}
& s(8dx + 8c) + 10\sqrt{2}a^2\cos(6dx + 6c) + 10\sqrt{2}a^2\cos(4dx \\
& + 4c) + 5\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2\sin\left(\frac{7}{4}\arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 81504\left(\sqrt{2}a^2\cos(10dx + 10c) + \right. \\
& 5\sqrt{2}a^2\cos(8dx + 8c) + 10\sqrt{2}a^2\cos(6dx + 6c) + 10\sqrt{2} \\
& (2)a^2\cos(4dx + 4c) + 5\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2\sin \\
& \left.\left(\frac{5}{4}\arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right)\right) + 5660\left(\sqrt{2}a^2\cos(10dx + 10c) + 5\sqrt{2}a^2\cos(8dx + 8c) + 10\sqrt{2}a^2\cos(6dx + 6c) + 10\sqrt{2}a^2\cos(4dx + 4c) + 5\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2\sin\left(\frac{3}{4}\arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right)\right) + 16980\left(\sqrt{2}a^2\cos(10dx + 10c) + 5\sqrt{2}a^2\cos(8dx + 8c) + 10\sqrt{2}a^2\cos(6dx + 6c) + 10\sqrt{2}a^2\cos(4dx + 4c) + 5\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2\sin\left(\frac{1}{4}\arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right)\right) \cdot C\sqrt{a} / \left(2\left(5\cos(8dx + 8c) + 10\cos(6dx + 6c) + 10\cos(4dx + 4c) + 5\cos(2dx + 2c) + 1\right)\cos(10dx + 10c) + \cos(10dx + 10c)^2 + 10\left(10\cos(6dx + 6c) + 10\cos(4dx + 4c) + 5\cos(2dx + 2c) + 1\right)\cos(8dx + 8c) + 25\cos(8dx + 8c)^2 + 20\left(10\cos(4dx + 4c) + 5\cos(2dx + 2c) + 1\right)\cos(6dx + 6c) + 100\cos(6dx + 6c)^2 + 20\left(5\cos(2dx + 2c) + 1\right)\cos(4dx + 4c) + 100\cos(4dx + 4c)^2 + 25\cos(2dx + 2c)^2 + 10\left(\sin(8dx + 8c) + 2\sin(6dx + 6c) + 2\sin(4dx + 4c) + \sin(2dx + 2c)\right)\sin(10dx + 10c) + \sin(10dx + 10c)^2 + 50\left(2\sin(6dx + 6c) + 2\sin(4dx + 4c) + \sin(2dx + 2c)\right)\sin(8dx + 8c) + 25\sin(8dx + 8c)^2 + 100\left(2\sin(4dx + 4c) + \sin(2dx + 2c)\right)\sin(6dx + 6c) + 100\sin(6dx + 6c)^2 + 100\sin(4dx + 4c)^2 + 100\sin(4dx + 4c)\sin(2dx + 2c) + 25\sin(2dx + 2c)^2 + 10\cos(2dx + 2c) + 1\right) / d
\end{aligned}$$

Fricas [A] time = 1.05128, size = 1446, normalized size = 5.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(a+a*sec(dx+c))^(5/2)*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] [1/7680*(15*((400*A + 283*C)*a^2*cos(dx + c)^5 + (400*A + 283*C)*a^2*cos(dx + c)^4)*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 4*(15*(400*A + 283*C)*a^2*cos(dx + c)^4 + 10*(272*A + 283*C)*a^2*cos(dx + c)^3 + 8*(80*A + 283*C)*a^2*cos(dx + c)^2 + 1392*C*a^2*cos(dx + c) + 384*C*a^2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^5 + d*cos(dx + c)^4), 1/3840*(15*((400*A + 283*C)*a^2

```
*cos(d*x + c)^5 + (400*A + 283*C)*a^2*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(15*(400*A + 283*C)*a^2*cos(d*x + c)^4 + 10*(272*A + 283*C)*a^2*cos(d*x + c)^3 + 8*(80*A + 283*C)*a^2*cos(d*x + c)^2 + 1392*C*a^2*cos(d*x + c) + 384*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2), x)

3.269 $\int \sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{5/2} (A+C\sec^2(c+dx)) dx$

Optimal. Leaf size=218

$$\frac{a^3(432A+299C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{192d\sqrt{a\sec(c+dx)+a}} + \frac{a^2(16A+17C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}}{32d} + \frac{a^{5/2}(304A+163C)}{64d}$$

[Out] (a^(5/2)*(304*A + 163*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(432*A + 299*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 17*C)*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + (5*a*C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.677448, antiderivative size = 218, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4089, 4018, 4016, 3801, 215}

$$\frac{a^3(432A+299C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{192d\sqrt{a\sec(c+dx)+a}} + \frac{a^2(16A+17C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}}{32d} + \frac{a^{5/2}(304A+163C)}{64d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(304*A + 163*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(432*A + 299*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 17*C)*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + (5*a*C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt

$Q[n, -2^{(-1)}] \&\& \text{NeQ}[m + n + 1, 0]$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^{\wedge}(m_.)*(\text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{\wedge}(m - 1)*(d*\text{Csc}[e + f*x])^{\wedge}n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{\wedge}(m - 1)*(d*\text{Csc}[e + f*x])^{\wedge}n * \text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& !\text{LtQ}[n, -1]$

Rule 4016

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^{\wedge}(n_.)*\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(-2*b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{\wedge}n)/(f*(2*n + 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{\wedge}n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& !\text{LtQ}[n, 0]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)(x_)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)(a+a\sec(c+dx))}^{5/2} (A+C\sec^2(c+dx)) dx &= \frac{C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{4d} + \frac{\int \sqrt{\sec(c+dx)(a+a\sec(c+dx))}^{5/2} (A+C\sec^2(c+dx)) dx}{4d} \\
&= \frac{5aC\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{24d} + \frac{C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{4d} \\
&= \frac{a^2(16A+17C)\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{32d} \\
&= \frac{a^3(432A+299C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(16A+17C)\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{32d} \\
&= \frac{a^3(432A+299C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(16A+17C)\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{32d} \\
&= \frac{a^3(432A+299C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(16A+17C)\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{32d} \\
&= \frac{a^5/2(304A+163C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a^3(432A+299C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 3.38238, size = 250, normalized size = 1.15

$$\cos^3(c+dx)(a(\sec(c+dx)+1))^{5/2}(A+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{9}{2}}(c+dx)\sqrt{\sec(c+dx)+1}((1584A+2203C)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(5/2)*(A + C*Sec[c + d*x]^2)*((192*A + 844*C + (1584*A + 2203*C)*Cos[c + d*x] + 4*(48*A + 163*C)*Cos[2*(c + d*x)]) + 528*A*Cos[3*(c + d*x)] + 489*C*Cos[3*(c + d*x)])*Sec[c + d*x]^(9/2)*Sqrt[1 + Sec[c + d*x]]*Tan[(c + d*x)/2] - 12*(304*A + 163*C)*Csc[c + d*x]*(Log[1 + Sec[c + d*x]] - Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]])*Sqrt[Tan[c + d*x]^2))/(384*d*(A + 2*C + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x])^(5/2))

Maple [B] time = 0.445, size = 452, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{1/2} * (a+a*\sec(dx+c))^{5/2} * (A+C*\sec(dx+c)^2), x)$

[Out] $\frac{1}{768}d*a^2*(-912*A*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))+912*A*\cos(dx+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*2^{1/2}-489*C*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))+489*C*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))+1056*A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2}+978*C*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2}+192*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+652*C*\sin(dx+c)*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}+368*C*\sin(dx+c)*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+96*C*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)))*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(1/\cos(dx+c))^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}/\sin(dx+c)^2/\cos(dx+c)^3*(\cos(dx+c)^2-1)$

Maxima [B] time = 22.0357, size = 9027, normalized size = 41.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{1/2} * (a+a*\sec(dx+c))^{5/2} * (A+C*\sec(dx+c)^2), x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/768*(48*(88*\sqrt{2})*a^2*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) - 56*\sqrt{2})*a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 28*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 44*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c) - 19*(a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2))*\cos(4*d*x + 4*c)^2 - 76*(a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2$

$$\begin{aligned}
& * \cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x \\
& + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{ \\
& 2)*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/ \\
& 2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2* \\
& \sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2 \\
& *d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) \\
& + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*s \\
& \sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2* \\
& \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2 \\
& *d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*(a^2*\log(2*\cos(1/2 \\
& *d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) \\
& + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + \\
& 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(\\
& 1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) \\
& + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{ \\
& 2)*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(4*d*x + \\
& 4*c)^2 - 76*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + \\
& 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2 \\
& *\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/ \\
& 2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d* \\
& x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + \\
& 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2* \\
& \sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2 \\
& *d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 - 2*(22*\sqrt{2}*a^2*\sin(7/2*d*x + 7/ \\
& 2*c) - 14*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 14*\sqrt{2}*a^2*\sin(3/2*d*x + 3 \\
& /2*c) - 22*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{ \\
& 2)*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d* \\
& x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2 \\
& *c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2 \\
&) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{ \\
& 2)*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 38*(a^2*lo \\
& g(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d \\
& *x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*s \\
& \sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d* \\
& x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) \\
& ^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))* \\
& \cos(2*d*x + 2*c))*\cos(4*d*x + 4*c) - 4*(14*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c)
\end{aligned}$$

$$\begin{aligned}
& - 22\sqrt{2}a^2\sin(1/2dx + 1/2c) + 19a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - 19a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) + 19a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - 19a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2))\cos(2dx + 2c) \\
& + 4*(11\sqrt{2}a^2\cos(7/2dx + 7/2c) - 7\sqrt{2}a^2\cos(5/2dx + 5/2c) + 7\sqrt{2}a^2\cos(3/2dx + 3/2c) - 11\sqrt{2}a^2\cos(1/2dx + 1/2c) - 19*(a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) + a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2))\sin(2dx + 2c))\sin(4dx + 4c) - 44*(2\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2\sin(7/2dx + 7/2c) + 28*(2\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2\sin(5/2dx + 5/2c) + 8*(7\sqrt{2}a^2\cos(3/2dx + 3/2c) - 11\sqrt{2}a^2\cos(1/2dx + 1/2c))\sin(2dx + 2c))\sqrt{a/(2*(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) + (1956*(\sqrt{2}a^2\sin(8dx + 8c) + 4\sqrt{2}a^2\sin(6dx + 6c) + 6\sqrt{2}a^2\sin(4dx + 4c) + 4\sqrt{2}a^2\sin(2dx + 2c))\cos(15/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 652*(\sqrt{2}a^2\sin(8dx + 8c) + 4\sqrt{2}a^2\sin(6dx + 6c) + 6\sqrt{2}a^2\sin(4dx + 4c) + 4\sqrt{2}a^2\sin(2dx + 2c))\cos(13/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 6204*(\sqrt{2}a^2\sin(8dx + 8c) + 4\sqrt{2}a^2\sin(6dx + 6c) + 6\sqrt{2}a^2\sin(4dx + 4c) + 4\sqrt{2}a^2\sin(2dx + 2c))\cos(11/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2060*(\sqrt{2}a^2\sin(8dx + 8c) + 4\sqrt{2}a^2\sin(6dx + 6c) + 6\sqrt{2}a^2\sin(4dx + 4c) + 4\sqrt{2}a^2\sin(2dx + 2c))\cos(9/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2060*(\sqrt{2}a^2\sin(8dx + 8c) + 4\sqrt{2}a^2\sin(6dx + 6c) + 6\sqrt{2}a^2\sin(4dx + 4c) + 4\sqrt{2}a^2\sin(2dx + 2c))\cos(7/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 6204*(\sqrt{2}a^2\sin(8dx + 8c) + 4\sqrt{2}a^2\sin(6dx + 6c) + 6\sqrt{2}a^2\sin(4dx + 4c) + 4\sqrt{2}a^2\sin(2dx + 2c))\cos(5/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 652*(\sqrt{2}a^2\sin(8dx + 8c) + 4\sqrt{2}a^2\sin(6dx + 6c) + 6\sqrt{2}a^2\sin(4dx + 4c) + 4\sqrt{2}a^2\sin(2dx + 2c))\cos(3/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 1956*(\sqrt{2}a^2\sin(8dx + 8c) + 4\sqrt{2}a^2\sin(6dx + 6c) + 6\sqrt{2}a^2\sin(4dx + 4c) + 4\sqrt{2}a^2\sin(2dx + 2c))\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 489*(a^2\cos(8dx + 8c)^2 + 16a^2\cos(6dx + 6c)^2 + 36a^2\cos(4dx
\end{aligned}$$

$$\begin{aligned}
& + 4c)^2 + 16a^2\cos(2dx + 2c)^2 + a^2\sin(8dx + 8c)^2 + 16a^2\sin(6dx + 6c)^2 + 36a^2\sin(4dx + 4c)^2 + 48a^2\sin(4dx + 4c)\sin(2dx + 2c) \\
& + 16a^2\sin(2dx + 2c)^2 + 8a^2\cos(2dx + 2c) + a^2 + 2(4a^2\cos(6dx + 6c) + 6a^2\cos(4dx + 4c) + 4a^2\cos(2dx + 2c) + a^2) \\
& * \cos(8dx + 8c) + 8(6a^2\cos(4dx + 4c) + 4a^2\cos(2dx + 2c) + a^2)\cos(6dx + 6c) + 12(4a^2\cos(2dx + 2c) + a^2)\cos(4dx + 4c) \\
& + 4(2a^2\sin(6dx + 6c) + 3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))*\sin(8dx + 8c) + 16(3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c)) \\
& *\sin(6dx + 6c))\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 \\
& + 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) \\
& + 489(a^2\cos(8dx + 8c)^2 + 16a^2\cos(6dx + 6c)^2 + 36a^2\cos(4dx + 4c)^2 + 16a^2\cos(2dx + 2c)^2 + a^2\sin(8dx + 8c)^2 \\
& + 16a^2\sin(6dx + 6c)^2 + 36a^2\sin(4dx + 4c)^2 + 48a^2\sin(4dx + 4c)\sin(2dx + 2c) + 16a^2\sin(2dx + 2c)^2 + 8a^2\cos(2dx + 2c) \\
& + a^2 + 2(4a^2\cos(6dx + 6c) + 6a^2\cos(4dx + 4c) + 4a^2\cos(2dx + 2c) + a^2)\cos(8dx + 8c) + 8(6a^2\cos(4dx + 4c) + 4a^2\cos(2dx + 2c) \\
& + a^2)\cos(6dx + 6c) + 12(4a^2\cos(2dx + 2c) + a^2)\cos(4dx + 4c) + 4(2a^2\sin(6dx + 6c) + 3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c)) \\
& *\sin(8dx + 8c) + 16(3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))*\sin(6dx + 6c))\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 \\
& + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& + 2) - 489(a^2\cos(8dx + 8c)^2 + 16a^2\cos(6dx + 6c)^2 + 36a^2\cos(4dx + 4c)^2 + 16a^2\cos(2dx + 2c)^2 + a^2\sin(8dx + 8c)^2 \\
& + 16a^2\sin(6dx + 6c)^2 + 36a^2\sin(4dx + 4c)^2 + 48a^2\sin(4dx + 4c)\sin(2dx + 2c) + 16a^2\sin(2dx + 2c)^2 + 8a^2\cos(2dx + 2c) \\
& + a^2 + 2(4a^2\cos(6dx + 6c) + 6a^2\cos(4dx + 4c) + 4a^2\cos(2dx + 2c) + a^2)\cos(8dx + 8c) + 8(6a^2\cos(4dx + 4c) + 4a^2\cos(2dx + 2c) \\
& + a^2)\cos(6dx + 6c) + 12(4a^2\cos(2dx + 2c) + a^2)\cos(4dx + 4c) + 4(2a^2\sin(6dx + 6c) + 3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c)) \\
& *\sin(8dx + 8c) + 16(3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))*\sin(6dx + 6c))\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 \\
& + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& + 2) + 489(a^2\cos(8dx + 8c)^2 + 16a^2\cos(6dx + 6c)^2 + 36a^2\cos(4dx + 4c)^2 + 16a^2\cos(2dx + 2c)^2 + a^2\sin(8dx + 8c)^2 + 16a^2\sin(6dx + 6c)^2 \\
& + 36a^2\sin(4dx + 4c)^2 + 48a^2\sin(4dx + 4c)\sin(2dx + 2c) + 16a^2\sin(2dx + 2c)^2 + 8a^2\cos(2dx + 2c) + a^2 + 2(4a^2\cos(6dx + 6c) + 6a^2\cos(4dx + 4c) \\
& + 4a^2\cos(2dx + 2c) + a^2)\cos(8dx + 8c) + 8(6a^2\cos(4dx + 4c) + 4a^2\cos(2dx + 2c) + a^2)\cos(6dx + 6c) + 12(4a^2\cos(2dx + 2c) + a^2)\cos(4dx + 4c) \\
& + 4(2a^2\sin(6dx + 6c) + 3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))\sin(8dx + 8c) + 16(3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))*\sin(6dx + 6c)
\end{aligned}$$

$$\begin{aligned}
& (2dx + 2c))\sin(8dx + 8c) + 16(3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))\sin(6dx + 6c))\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2\sqrt{2})\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2) - 1956(\sqrt{2}a^2\cos(8dx + 8c) + 4\sqrt{2}a^2\cos(6dx + 6c) + 6\sqrt{2}a^2\cos(4dx + 4c) + 4\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(15/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 652(\sqrt{2}a^2\cos(8dx + 8c) + 4\sqrt{2}a^2\cos(6dx + 6c) + 6\sqrt{2}a^2\cos(4dx + 4c) + 4\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(13/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 6204(\sqrt{2}a^2\cos(8dx + 8c) + 4\sqrt{2}a^2\cos(6dx + 6c) + 6\sqrt{2}a^2\cos(4dx + 4c) + 4\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(11/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2060(\sqrt{2}a^2\cos(8dx + 8c) + 4\sqrt{2}a^2\cos(6dx + 6c) + 6\sqrt{2}a^2\cos(4dx + 4c) + 4\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(9/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2060(\sqrt{2}a^2\cos(8dx + 8c) + 4\sqrt{2}a^2\cos(6dx + 6c) + 6\sqrt{2}a^2\cos(4dx + 4c) + 4\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(7/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 6204(\sqrt{2}a^2\cos(8dx + 8c) + 4\sqrt{2}a^2\cos(6dx + 6c) + 6\sqrt{2}a^2\cos(4dx + 4c) + 4\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(5/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 652(\sqrt{2}a^2\cos(8dx + 8c) + 4\sqrt{2}a^2\cos(6dx + 6c) + 6\sqrt{2}a^2\cos(4dx + 4c) + 4\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(3/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1956(\sqrt{2}a^2\cos(8dx + 8c) + 4\sqrt{2}a^2\cos(6dx + 6c) + 6\sqrt{2}a^2\cos(4dx + 4c) + 4\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))*C*\sqrt{a}/(2*(4\cos(6dx + 6c) + 6\cos(4dx + 4c) + 4\cos(2dx + 2c) + 1)*\cos(8dx + 8c) + \cos(8dx + 8c)^2 + 8*(6\cos(4dx + 4c) + 4\cos(2dx + 2c) + 1)*\cos(6dx + 6c) + 16\cos(6dx + 6c)^2 + 12*(4\cos(2dx + 2c) + 1)*\cos(4dx + 4c) + 36\cos(4dx + 4c)^2 + 16\cos(2dx + 2c)^2 + 4*(2*\sin(6dx + 6c) + 3*\sin(4dx + 4c) + 2*\sin(2dx + 2c))*\sin(8dx + 8c) + \sin(8dx + 8c)^2 + 16*(3*\sin(4dx + 4c) + 2*\sin(2dx + 2c))*\sin(6dx + 6c) + 16*\sin(6dx + 6c)^2 + 36*\sin(4dx + 4c)^2 + 48*\sin(4dx + 4c)*\sin(2dx + 2c) + 16*\sin(2dx + 2c)^2 + 8*\cos(2dx + 2c) + 1))/d
\end{aligned}$$

Fricas [A] time = 1.04331, size = 1324, normalized size = 6.07

$$\frac{3 \left((304 A + 163 C) a^2 \cos(dx + c)^4 + (304 A + 163 C) a^2 \cos(dx + c)^3 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7 a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c)) \sqrt{\cos(dx+c)}}{\cos(dx+c)^3 + \cos(dx+c)^2}}{\sqrt{\cos(dx+c)^3 + \cos(dx+c)^2}} \right)}{768 (d \cos(dx + c))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/768*(3*((304*A + 163*C)*a^2*cos(d*x + c)^4 + (304*A + 163*C)*a^2*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(176*A + 163*C)*a^2*cos(d*x + c)^3 + 2*(48*A + 163*C)*a^2*cos(d*x + c)^2 + 184*C*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/384*(3*((304*A + 163*C)*a^2*cos(d*x + c)^4 + (304*A + 163*C)*a^2*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(176*A + 163*C)*a^2*cos(d*x + c)^3 + 2*(48*A + 163*C)*a^2*cos(d*x + c)^2 + 184*C*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c)), x)
```

$$3.270 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=218

$$\frac{a^3(24A - 49C) \sin(c + dx)\sqrt{\sec(c + dx)}}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(24A + 31C) \sin(c + dx)\sqrt{\sec(c + dx)}\sqrt{a \sec(c + dx) + a}}{24d} + \frac{5a^{5/2}(8A + 5C)}{24d}$$

[Out] (5*a^(5/2)*(8*A + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^3*(24*A - 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 31*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (5*a*C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.658138, antiderivative size = 218, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4089, 4018, 4015, 3801, 215}

$$\frac{a^3(24A - 49C) \sin(c + dx)\sqrt{\sec(c + dx)}}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(24A + 31C) \sin(c + dx)\sqrt{\sec(c + dx)}\sqrt{a \sec(c + dx) + a}}{24d} + \frac{5a^{5/2}(8A + 5C)}{24d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

[Out] (5*a^(5/2)*(8*A + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^3*(24*A - 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 31*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (5*a*C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si

```
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{C \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{5/2} \sin(c + dx)}{3d} + \int \frac{(a + a \sec(c + dx))^{5/2} \left(\frac{1}{2}\right)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{5aC \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} \sin(c + dx)}{12d} + \frac{C \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{5/2}}{12d} \\
&= \frac{a^2(24A + 31C) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{24d} + \frac{5aC \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{5/2}}{24d} \\
&= \frac{a^3(24A - 49C) \sqrt{\sec(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(24A + 31C) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{24d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(24A - 49C) \sqrt{\sec(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(24A + 31C) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{24d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{5a^{5/2}(8A + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \frac{a^3(24A - 49C) \sqrt{\sec(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 6.70738, size = 411, normalized size = 1.89

$$\frac{5(8A + 5C) \sin(c + dx) \cos^3(c + dx) \sqrt{\sec^2(c + dx) - 1} (a(\sec(c + dx) + 1))^{5/2} \left(\log \left(\sec^3(c + dx) + \sqrt{\sec(c + dx) + 1} \sqrt{\sec(c + dx) - 1} \right) \right)}{4d(1 - \cos^2(c + dx)) (\sec(c + dx) + 1)^{5/2} (A \cos(2c + 2dx) + 1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]]], x]

[Out] (5*(8*A + 5*C)*Cos[c + d*x]^3*(-Log[1 + Sec[c + d*x]] + Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]])*(a*(1 + Sec[c + d*x]))^(5/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin[c + d*x]/(4*d*(1 - Cos[c + d*x]^2)*(A + 2*C + A*Cos[2*c + 2*d*x])*(1 + Sec[c + d*x])^(5/2)) + (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2)*(A + C*Sec[c + d*x]^2)*((4*A*Cos[d*x]*Sin[c])/d + (Sec[c/2]*Sec[c/2 + (d*x)/2]*(-24*A*Sin[(d*x)/2] + 49*C*Sin[(d*x)/2]))/(12*d) + (4*A*Cos[c]*Sin[d*x])/d + (2*C*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(3*d) + (Sec[c]*Sec[c + d*x]*(4*C*Sin[c] + 13*C*Sin[d*x]))/(6*d) - ((-26*C + 24*A*Co

$s[c] - 75*C*\cos[c])*Sec[c]*Tan[c/2])/(12*d)))/((A + 2*C + A*\cos[2*c + 2*d*x])*Sec[c + d*x]^{(3/2)}*(1 + Sec[c + d*x])^{(5/2)})$

Maple [B] time = 0.375, size = 399, normalized size = 1.8

$$-\frac{a^2}{96d \sin(dx+c) (\cos(dx+c))^2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(120A \sqrt{-2(\cos(dx+c)+1)^{-1}} \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x)`

[Out] $-1/96/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(120*A*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))*\sin(d*x+c)*2^{(1/2)}*\cos(d*x+c)^3-120*A*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))*\sin(d*x+c)*2^{(1/2)}*\cos(d*x+c)^3+75*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))*\sin(d*x+c)*2^{(1/2)}*\cos(d*x+c)^3-75*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))*\sin(d*x+c)*2^{(1/2)}*\cos(d*x+c)^3+192*A*\cos(d*x+c)^4-96*A*\cos(d*x+c)^3+300*C*\cos(d*x+c)^3-96*A*\cos(d*x+c)^2-164*C*\cos(d*x+c)^2-104*C*\cos(d*x+c)-32*C)*(1/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)/\cos(d*x+c)^2$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.804891, size = 1257, normalized size = 5.77

$$\frac{15 \left((8A + 5C)a^2 \cos(dx + c)^3 + (8A + 5C)a^2 \cos(dx + c)^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a} \sqrt{\frac{a \cos(dx+c)}{\cos(dx+c)}}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{96 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/96*(15*((8*A + 5*C)*a^2*cos(d*x + c)^3 + (8*A + 5*C)*a^2*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(48*A*a^2*cos(d*x + c)^3 + 3*(8*A + 25*C)*a^2*cos(d*x + c)^2 + 34*C*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/48*(15*((8*A + 5*C)*a^2*cos(d*x + c)^3 + (8*A + 5*C)*a^2*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(48*A*a^2*cos(d*x + c)^3 + 3*(8*A + 25*C)*a^2*cos(d*x + c)^2 + 34*C*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)

$$3.271 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=224

$$\frac{a^3(56A - 27C) \sin(c + dx) \sqrt{\sec(c + dx)}}{12d \sqrt{a \sec(c + dx) + a}} - \frac{a^2(8A - 21C) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{12d} + \frac{a^{5/2}(8A + 19C) \sin(c + dx)}{12d}$$

[Out] (a^(5/2)*(8*A + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a^3*(56*A - 27*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(8*A - 21*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(12*d) - (a*(4*A - 3*C)*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.674266, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4018, 4015, 3801, 215}

$$\frac{a^3(56A - 27C) \sin(c + dx) \sqrt{\sec(c + dx)}}{12d \sqrt{a \sec(c + dx) + a}} - \frac{a^2(8A - 21C) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{12d} + \frac{a^{5/2}(8A + 19C) \sin(c + dx)}{12d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (a^(5/2)*(8*A + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a^3*(56*A - 27*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(8*A - 21*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(12*d) - (a*(4*A - 3*C)*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*

$(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] || \text{EqQ}[m + n + 1, 0])$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& !\text{LtQ}[n, -1]$

Rule 4015

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_)^2], x_Symbol] :> \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \left(\frac{5aA}{2} - \frac{1}{2}a(4A - 3C)\right)}{\sqrt{\sec(c + dx)}}}{3a} \\
&= -\frac{a(4A - 3C)\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{6d} + \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{3a} \\
&= -\frac{a^2(8A - 21C)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{12d} - \frac{a(4A - 3C)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{3a} \\
&= \frac{a^3(56A - 27C)\sqrt{\sec(c + dx)} \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} - \frac{a^2(8A - 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{12d} \\
&= \frac{a^3(56A - 27C)\sqrt{\sec(c + dx)} \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} - \frac{a^2(8A - 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{12d} \\
&= \frac{a^{5/2}(8A + 19C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} + \frac{a^3(56A - 27C)\sqrt{\sec(c + dx)} \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 6.89878, size = 416, normalized size = 1.86

$$\frac{(8A + 19C) \sin(c + dx) \cos^3(c + dx) \sqrt{\sec^2(c + dx) - 1} (a(\sec(c + dx) + 1))^{5/2} \left(\log \left(\sec^{\frac{3}{2}}(c + dx) + \sqrt{\sec(c + dx) + 1} \sqrt{\sec^2(c + dx) - 1} \right) \right)}{2d(1 - \cos^2(c + dx)) (\sec(c + dx) + 1)^{5/2} (A \cos(2c + 2dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] ((8*A + 19*C)*Cos[c + d*x]^3*(-Log[1 + Sec[c + d*x]] + Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2])*(a*(1 + Sec[c + d*x]))^(5/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin[c + d*x])/(2*d*(1 - Cos[c + d*x]^2)*(A + 2*C + A*Cos[2*c + 2*d*x])*(1 + Sec[c + d*x])^(5/2)) + (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2)*(A + C*Sec[c + d*x]^2)*((28*A*Cos[d*x]*Sin[c])/(3*d) + (2*A*Cos[2*d*x]*Sin[2*c])/(3*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]*(-56*A*Sin[(d*x)/2] + 27*C*Sin[(d*x)/2]))/(6*d) + (28*A*Cos[c]*Sin[d*x])/(3*d) + (C*S

$$\frac{ec[c]*\text{Sec}[c + d*x]*\text{Sin}[d*x]}{d} + \frac{(2*A*\text{Cos}[2*c]*\text{Sin}[2*d*x])}{(3*d)} - \frac{((-6*C + 56*A*\text{Cos}[c] - 33*C*\text{Cos}[c])*\text{Sec}[c]*\text{Tan}[c/2])}{(6*d)} \Big/ \left((A + 2*C + A*\text{Cos}[2*c + 2*d*x]) * \text{Sec}[c + d*x]^{(3/2)} * (1 + \text{Sec}[c + d*x])^{(5/2)} \right)$$

Maple [A] time = 0.444, size = 380, normalized size = 1.7

$$\frac{a^2}{48 d \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(24 A \sqrt{2} \sin(dx + c) (\cos(dx + c))^2 \sqrt{-2 (\cos(dx + c) + 1)^{-1}} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{\dots}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)

[Out] 1/48/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(24*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))-24*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)+57*C*2^(1/2)*sin(d*x+c)*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))-57*C*2^(1/2)*sin(d*x+c)*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)-32*A*cos(d*x+c)^4-224*A*cos(d*x+c)^3+256*A*cos(d*x+c)^2-132*C*cos(d*x+c)^2+108*C*cos(d*x+c)+24*C)*(1/cos(d*x+c))^(3/2)/sin(d*x+c)

Maxima [B] time = 20.8474, size = 4618, normalized size = 20.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/48*(4*sqrt(2)*(30*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(3/2*d*x + 3/2*c) - 30*a^2*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(

$$\begin{aligned}
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 3*\sqrt{2}*a^2*\log(2*\cos \\
& (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\ar \\
& \tan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2}*\cos(1/3*\ar \\
& \tan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 3*\sqrt{2}*a^2*\log(2* \\
& \cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*\sin(1/3*\ar \\
& ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 3*\sqrt{2}*a^2*\log \\
& (2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1 \\
& /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1 \\
& /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3 \\
& *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 4*a^2*\sin(3/2* \\
& d*x + 3/2*c) + 30*a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c))))*A*\sqrt{a} - 3*(88*\sqrt{2}*a^2*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c \\
&) - 56*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 28*\sqrt{2}*a^2*s \\
& in(3/2*d*x + 3/2*c) + 44*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) - 19*(a^2*\log(2*c \\
& os(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + \\
& 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2* \\
& c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
&)*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2* \\
& d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1 \\
& /2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - \\
& 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(4 \\
& *d*x + 4*c))^2 - 76*(a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2* \\
& c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) \\
& - a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2})* \\
& \cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(\\
& 1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2 \\
& *c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c))^ \\
& 2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*s \\
& in(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c))^2 - 19*a^2*\log(2*\cos(1/2*d*x + 1 \\
& /2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{ \\
& t(2)*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*si \\
& n(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d \\
& *x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/ \\
& 2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + \\
& 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{ \\
& t(2)*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*(a^2* \\
& \log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2* \\
& d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x \\
& + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2* \\
& \sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*si \\
& n(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d \\
& *x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c
\end{aligned}$$

$$\begin{aligned}
&)^2 - 2\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2)) \\
& * \sin(4*d*x + 4*c)^2 - 76*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c \\
&) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\
& \sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(\\
& 2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x \\
& + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1 \\
& /2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
& \sqrt{2}\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 - 2*(22*\sqrt{2}*a^2*\sin(\\
& 7/2*d*x + 7/2*c) - 14*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 14*\sqrt{2}*a^2*\sin \\
& (3/2*d*x + 3/2*c) - 22*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(\\
& 1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2 \\
& *c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2* \\
& c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
&)*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x \\
& + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c \\
&)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) \\
& + 38*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\
&)*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*c \\
& \cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + \\
& 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2* \\
& c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\
&)*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2* \\
& d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1 \\
& /2*c) + 2))*\cos(2*d*x + 2*c))*\cos(4*d*x + 4*c) - 4*(14*\sqrt{2}*a^2*\sin(3/2* \\
& d*x + 3/2*c) - 22*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d \\
& *x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + \\
& 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 \\
& + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin \\
& (1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d* \\
& x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2 \\
& *c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - \\
& 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2))*\cos(\\
& 2*d*x + 2*c) + 4*(11*\sqrt{2}*a^2*\cos(7/2*d*x + 7/2*c) - 7*\sqrt{2}*a^2*\cos(5 \\
& /2*d*x + 5/2*c) + 7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1 \\
& /2*d*x + 1/2*c) - 19*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + \\
& 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\
&)*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*co \\
& s(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1 \\
& /2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c \\
&)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
&)*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c))*\sin(4*d*x + 4*c) - 44*(2*\sqrt{2} \\
& (2)*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) + 28*(2*\sqrt{2}
\end{aligned}$$

) $a^2 \cos(2dx + 2c) + \sqrt{2} a^2 \sin(5/2 dx + 5/2 c) + 8(7\sqrt{2} a^2 \cos(3/2 dx + 3/2 c) - 11\sqrt{2} a^2 \cos(1/2 dx + 1/2 c)) \sin(2dx + 2c) * C \sqrt{a} / (2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) / d$

Fricas [A] time = 0.818258, size = 1219, normalized size = 5.44

$$\left[\frac{3 \left((8A + 19C)a^2 \cos(dx + c)^2 + (8A + 19C)a^2 \cos(dx + c) \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a} \sqrt{\frac{a \cos(dx+c)}{\cos(dx+c)}}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{48 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(dx+c))^(5/2)*(A+C*sec(dx+c)^2)/sec(dx+c)^(3/2),x, algorithm="fricas")

[Out] [1/48*(3*((8*A + 19*C)*a^2*cos(dx + c)^2 + (8*A + 19*C)*a^2*cos(dx + c))*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 4*(8*A*a^2*cos(dx + c)^3 + 64*A*a^2*cos(dx + c)^2 + 33*C*a^2*cos(dx + c) + 6*C*a^2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^2 + d*cos(dx + c)), 1/24*(3*((8*A + 19*C)*a^2*cos(dx + c)^2 + (8*A + 19*C)*a^2*cos(dx + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/(a*cos(dx + c)^2 - a*cos(dx + c) - 2*a)) + 2*(8*A*a^2*cos(dx + c)^3 + 64*A*a^2*cos(dx + c)^2 + 33*C*a^2*cos(dx + c) + 6*C*a^2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^2 + d*cos(dx + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(3/2), x)

$$3.272 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=210

$$\frac{a^3(64A + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} - \frac{a^2(16A - 15C) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{15d} + \frac{5a^{5/2} C \sinh^{-1}\left(\frac{\sqrt{a \sec(c + dx) + a}}{a}\right)}{d}$$

[Out] (5*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^3*(64*A + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(16*A - 15*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.656814, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4087, 4017, 4018, 4015, 3801, 215}

$$\frac{a^3(64A + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} - \frac{a^2(16A - 15C) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{15d} + \frac{5a^{5/2} C \sinh^{-1}\left(\frac{\sqrt{a \sec(c + dx) + a}}{a}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (5*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^3*(64*A + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(16*A - 15*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cosot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(

$b*d*n$), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \left(\frac{5aA}{2} - \frac{1}{2}a(2A - 5C)\right)}{\sec^{\frac{3}{2}}(c + dx)} dx}{5a} \\
&= \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{a^2(16A - 15C) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} \\
&= \frac{a^3(64A + 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \sec(c + dx)}} - \frac{a^2(16A - 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} \\
&= \frac{a^3(64A + 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \sec(c + dx)}} - \frac{a^2(16A - 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} \\
&= \frac{5a^{5/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{a^3(64A + 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 6.58031, size = 428, normalized size = 2.04

$$\frac{10C \sin(c + dx) \cos^3(c + dx) \sqrt{\sec^2(c + dx) - 1} (a(\sec(c + dx) + 1))^{5/2} \left(\log\left(\sec^{\frac{3}{2}}(c + dx) + \sqrt{\sec(c + dx) + 1} \sqrt{\sec^2(c + dx) - 1}\right) \right)}{d(1 - \cos^2(c + dx)) (\sec(c + dx) + 1)^{5/2} (A \cos(2c + 2dx) + A)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (10*C*Cos[c + d*x]^3*(-Log[1 + Sec[c + d*x]] + Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]))*(a*(1 + Sec[c + d*x]))^(5/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin

$$\begin{aligned} & [c + d*x])/(d*(1 - \text{Cos}[c + d*x]^2)*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(1 + \text{Sec}[\\ & c + d*x])^{(5/2)}) + (\text{Sqrt}[(1 + \text{Cos}[c + d*x])*\text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d \\ & *x]))^{(5/2)}*(A + C*\text{Sec}[c + d*x]^2)*(((131*A + 60*C)*\text{Cos}[d*x]*\text{Sin}[c])/(15*d) \\ & + (22*A*\text{Cos}[2*d*x]*\text{Sin}[2*c])/(15*d) + (A*\text{Cos}[3*d*x]*\text{Sin}[3*c])/(5*d) - (2*S \\ & ec[c/2]*\text{Sec}[c/2 + (d*x)/2]*(64*A*\text{Sin}[(d*x)/2] + 15*C*\text{Sin}[(d*x)/2]))/(15*d) \\ & + ((131*A + 60*C)*\text{Cos}[c]*\text{Sin}[d*x])/(15*d) + (22*A*\text{Cos}[2*c]*\text{Sin}[2*d*x])/(15* \\ & d) + (A*\text{Cos}[3*c]*\text{Sin}[3*d*x])/(5*d) - (2*(64*A + 15*C)*\text{Tan}[c/2])/(15*d)))/((\\ & A + 2*C + A*\text{Cos}[2*c + 2*d*x])*\text{Sec}[c + d*x]^{(3/2)}*(1 + \text{Sec}[c + d*x])^{(5/2)}) \end{aligned}$$

Maple [A] time = 0.413, size = 255, normalized size = 1.2

$$-\frac{a^2 (\cos(dx+c))^2}{60 d \sin(dx+c)} \sqrt{\frac{a (\cos(dx+c)+1)}{\cos(dx+c)}} \left(75 C \cos(dx+c) \sin(dx+c) \sqrt{-2 (\cos(dx+c)+1)^{-1}} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)

[Out]
$$\begin{aligned} & -1/60/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(75*C*\cos(d*x+c)*\sin(d*x+c) \\ & *(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos \\ & (d*x+c)+1+\sin(d*x+c)))^{(1/2)}-75*C*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+ \\ & 1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d* \\ & x+c)))^{(1/2)}+24*A*\cos(d*x+c)^4+88*A*\cos(d*x+c)^3+232*A*\cos(d*x+c)^2+120*C \\ & *\cos(d*x+c)^2-344*A*\cos(d*x+c)-60*C*\cos(d*x+c)-60*C*\cos(d*x+c)^2*(1/\cos(d* \\ & x+c))^{(5/2)}/\sin(d*x+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.637299, size = 1114, normalized size = 5.3

$$\left[\frac{75 \left(Ca^2 \cos(dx+c) + Ca^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4 \left(\cos(dx+c)^2 - 2 \cos(dx+c) \right) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{60(d \cos(dx+c) + d)} + \frac{4(6Aa^2 \cos(dx+c))}{60(d \cos(dx+c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] [1/60*(75*(C*a^2*cos(d*x + c) + C*a^2)*sqrt(a)*log((a*cos(d*x + c))^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(6*A*a^2*cos(d*x + c)^3 + 28*A*a^2*cos(d*x + c)^2 + 2*(43*A + 15*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/30*(75*(C*a^2*cos(d*x + c) + C*a^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(6*A*a^2*cos(d*x + c)^3 + 28*A*a^2*cos(d*x + c)^2 + 2*(43*A + 15*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(5/2), x)

$$3.273 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=210

$$\frac{2a^3(32A+49C) \sin(c+dx) \sqrt{\sec(c+dx)}}{21d\sqrt{a \sec(c+dx)+a}} + \frac{2a^2(8A+7C) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{21d\sqrt{\sec(c+dx)}} + \frac{2a^{5/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

[Out] (2*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(32*A + 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 7*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.640494, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4017, 4015, 3801, 215}

$$\frac{2a^3(32A+49C) \sin(c+dx) \sqrt{\sec(c+dx)}}{21d\sqrt{a \sec(c+dx)+a}} + \frac{2a^2(8A+7C) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{21d\sqrt{\sec(c+dx)}} + \frac{2a^{5/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(32*A + 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 7*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cosot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(

$b*d^n$), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d^n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d^n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\sec^2(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \left(\frac{5aA}{2} + \frac{7}{2} aC \sec^2(c + dx) \right)}{\sec^2(c + dx)} dx}{7a} \\
&= \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{7d \sec^2(c + dx)} \\
&= \frac{2a^2(8A + 7C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^2(c + dx)} \\
&= \frac{2a^3(32A + 49C)\sqrt{\sec(c + dx)} \sin(c + dx)}{21d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(8A + 7C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} \\
&= \frac{2a^3(32A + 49C)\sqrt{\sec(c + dx)} \sin(c + dx)}{21d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(8A + 7C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} \\
&= \frac{2a^{5/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a^3(32A + 49C)\sqrt{\sec(c + dx)} \sin(c + dx)}{21d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 6.41719, size = 474, normalized size = 2.26

$$\frac{4C \sin(c + dx) \cos^3(c + dx) \sqrt{\sec^2(c + dx) - 1} (a(\sec(c + dx) + 1))^{5/2} \left(\log\left(\sec^2(c + dx) + \sqrt{\sec(c + dx) + 1} \sqrt{\sec^2(c + dx) - 1}\right) \right)}{d (1 - \cos^2(c + dx)) (\sec(c + dx) + 1)^{5/2} (A \cos(2c + 2dx) + A)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (4*C*Cos[c + d*x]^3*(-Log[1 + Sec[c + d*x]] + Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]))*(a*(1 + Sec[c + d*x]))^(5/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin[c + d*x]/(d*(1 - Cos[c + d*x]^2)*(A + 2*C + A*Cos[2*c + 2*d*x])*(1 + Sec[c + d*x])^(5/2)) + (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2)*(A + C*Sec[c + d*x]^2)*((137*A + 196*C)*Cos[d*x]*Sin[c]))/(21*d)

$$+ ((31*A + 14*C)*\cos[2*d*x]*\sin[2*c])/(21*d) + (3*A*\cos[3*d*x]*\sin[3*c])/(7*d) + (A*\cos[4*d*x]*\sin[4*c])/(14*d) - (4*\sec[c/2]*\sec[c/2 + (d*x)/2]*(32*A*\sin[(d*x)/2] + 49*C*\sin[(d*x)/2]))/(21*d) + ((137*A + 196*C)*\cos[c]*\sin[d*x])/(21*d) + ((31*A + 14*C)*\cos[2*c]*\sin[2*d*x])/(21*d) + (3*A*\cos[3*c]*\sin[3*d*x])/(7*d) + (A*\cos[4*c]*\sin[4*d*x])/(14*d) - (4*(32*A + 49*C)*\tan[c/2])/(21*d)))/((A + 2*C + A*\cos[2*c + 2*d*x])*\sec[c + d*x]^(3/2)*(1 + \sec[c + d*x])^(5/2))$$

Maple [A] time = 0.409, size = 246, normalized size = 1.2

$$\frac{a^2 (\cos(dx + c))^4}{42 d \sin(dx + c)} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} \left(12 A (\cos(dx + c))^4 + 21 C \sqrt{-2 (\cos(dx + c) + 1)^{-1} \sqrt{2}} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x)

[Out] -1/42/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(12*A*cos(d*x+c)^4+21*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2))*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)-21*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*sin(d*x+c)+36*A*cos(d*x+c)^3+44*A*cos(d*x+c)^2+28*C*cos(d*x+c)^2+92*A*cos(d*x+c)+196*C*cos(d*x+c)-184*A-224*C)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

Maxima [B] time = 2.24109, size = 1238, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] 1/168*(sqrt(2)*(315*a^2*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 77*a^2*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 21*a^2*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 315*a^2*cos(7/2*d*x + 7/2*c)*sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))

c))) - 77*a^2*cos(7/2*d*x + 7/2*c)*sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 21*a^2*cos(7/2*d*x + 7/2*c)*sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 6*a^2*sin(7/2*d*x + 7/2*c) + 21*a^2*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 77*a^2*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 315*a^2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * A*sqrt(a) + 14*sqrt(2)*(30*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(3/2*d*x + 3/2*c) - 30*a^2*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) - 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) - 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + 4*a^2*sin(3/2*d*x + 3/2*c) + 30*a^2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) * C*sqrt(a))/d

Fricas [A] time = 0.631439, size = 1176, normalized size = 5.6

$$\frac{21 \left(Ca^2 \cos(dx + c) + Ca^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4 \left(\cos(dx+c)^2 - 2 \cos(dx+c) \right) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a \right)}{42 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

```
[Out] [1/42*(21*(C*a^2*cos(d*x + c) + C*a^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*
cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*
x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x +
c)^3 + cos(d*x + c)^2)) + 4*(3*A*a^2*cos(d*x + c)^4 + 12*A*a^2*cos(d*x + c
)^3 + (23*A + 7*C)*a^2*cos(d*x + c)^2 + 2*(23*A + 28*C)*a^2*cos(d*x + c))*s
qrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*
cos(d*x + c) + d), 1/21*(21*(C*a^2*cos(d*x + c) + C*a^2)*sqrt(-a)*arctan(2*
sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x
+ c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*A*a^2*cos(d*x + c)^
4 + 12*A*a^2*cos(d*x + c)^3 + (23*A + 7*C)*a^2*cos(d*x + c)^2 + 2*(23*A + 2
8*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)
/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(7
/2), x)
```

$$3.274 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=216

$$\frac{64a^3(13A+21C) \sin(c+dx) \sqrt{\sec(c+dx)}}{315d\sqrt{a \sec(c+dx)+a}} + \frac{16a^2(13A+21C) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{315d\sqrt{\sec(c+dx)}} + \frac{2a(13A+21C) \sin(c+dx)}{105d \sec^2(c+dx)}$$

[Out] (64*a^3*(13*A + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(13*A + 21*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]) + (2*a*(13*A + 21*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (10*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.500494, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4087, 4013, 3809, 3804}

$$\frac{64a^3(13A+21C) \sin(c+dx) \sqrt{\sec(c+dx)}}{315d\sqrt{a \sec(c+dx)+a}} + \frac{16a^2(13A+21C) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{315d\sqrt{\sec(c+dx)}} + \frac{2a(13A+21C) \sin(c+dx)}{105d \sec^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (64*a^3*(13*A + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(13*A + 21*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]) + (2*a*(13*A + 21*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (10*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*


```
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3809

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m, x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*
(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e
+ f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m
, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2
*m]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \left(\frac{5aA}{2} + \frac{1}{2}a(2A + C)\right)}{\sec^{\frac{7}{2}}(c + dx)} dx}{9a} \\
&= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{10A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a(13A + 21C)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{16a^2(13A + 21C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{315d \sqrt{\sec(c + dx)}} + \frac{2a(13A + 21C)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{64a^3(13A + 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{315d \sqrt{a + a \sec(c + dx)}} + \frac{16a^2(13A + 21C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{315d \sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.56315, size = 105, normalized size = 0.49

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} (4(779A + 588C) \cos(c + dx) + 4(254A + 63C) \cos(2(c + dx)) + 260A \cos(3(c + dx)))}{1260d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (a^2*(5653*A + 7476*C + 4*(779*A + 588*C)*Cos[c + d*x] + 4*(254*A + 63*C)*Cos[2*(c + d*x)] + 260*A*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.436, size = 132, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c)) \left(35A(\cos(dx + c))^4 + 130A(\cos(dx + c))^3 + 219A(\cos(dx + c))^2 + 63C(\cos(dx + c))^2 + 29C\cos(dx + c) + 13A\right)}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2), x)

```
[Out] -2/315/d*a^2*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+130*A*cos(d*x+c)^3+219*A*cos(d*x+c)^2+63*C*cos(d*x+c)^2+292*A*cos(d*x+c)+294*C*cos(d*x+c)+584*A+903*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^5*(1/cos(d*x+c))^(9/2)/sin(d*x+c)
```

Maxima [B] time = 2.03526, size = 652, normalized size = 3.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(8190*a^2*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 2100*a^2*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 756*a^2*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 225*a^2*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) - 8190*a^2*cos(9/2*d*x + 9/2*c) * sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 2100*a^2*cos(9/2*d*x + 9/2*c) * sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 756*a^2*cos(9/2*d*x + 9/2*c) * sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 225*a^2*cos(9/2*d*x + 9/2*c) * sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) + 70*a^2*sin(9/2*d*x + 9/2*c) + 225*a^2*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 756*a^2*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 2100*a^2*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 8190*a^2*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) * A * sqrt(a) + 168*(3*sqrt(2)*a^2*sin(5/2*d*x + 5/2*c) + 25*sqrt(2)*a^2*sin(3/2*d*x + 3/2*c) + 150*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c)) * C * sqrt(a))/d
```

Fricas [A] time = 0.487792, size = 359, normalized size = 1.66

$$\frac{2 \left(35 A a^2 \cos(dx + c)^5 + 130 A a^2 \cos(dx + c)^4 + 3 (73 A + 21 C) a^2 \cos(dx + c)^3 + 2 (146 A + 147 C) a^2 \cos(dx + c)^2 + 315 (d \cos(dx + c) + d) \sqrt{\cos(dx + c)} \right)}{315 (d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] 2/315*(35*A*a^2*cos(d*x + c)^5 + 130*A*a^2*cos(d*x + c)^4 + 3*(73*A + 21*C)*a^2*cos(d*x + c)^3 + 2*(146*A + 147*C)*a^2*cos(d*x + c)^2 + (584*A + 903*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(9/2), x)
```

$$3.275 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=266

$$\frac{2a^3(232A + 297C) \sin(c + dx)}{693d \sec^3(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(32A + 33C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{231d \sec^5(c + dx)} + \frac{4a^3(568A + 759C) \sin(c + dx)}{693d \sqrt{a \sec(c + dx) + a}}$$

```
[Out] (2*a^3*(232*A + 297*C)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(568*A + 759*C)*Sin[c + d*x])/(693*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^3*(568*A + 759*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(32*A + 33*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(231*d*Sec[c + d*x]^(5/2)) + (10*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rubi [A] time = 0.797018, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4017, 4015, 3805, 3804}

$$\frac{2a^3(232A + 297C) \sin(c + dx)}{693d \sec^3(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(32A + 33C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{231d \sec^5(c + dx)} + \frac{4a^3(568A + 759C) \sin(c + dx)}{693d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]
```

```
[Out] (2*a^3*(232*A + 297*C)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(568*A + 759*C)*Sin[c + d*x])/(693*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^3*(568*A + 759*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(32*A + 33*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(231*d*Sec[c + d*x]^(5/2)) + (10*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.)^(n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^(m_), x_Symbol] := Simp[(A*C
```

```

ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(
b*d^n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dis
t[b/(a*d^n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d^n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d^n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{11d \sec^9(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \left(\frac{5aA}{2} + \frac{1}{2}a(4A + C)\right)}{\sec^9(c + dx)} dx}{11a} \\
&= \frac{10aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{99d \sec^7(c + dx)} + \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{11d \sec^9(c + dx)} \\
&= \frac{2a^2(32A + 33C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{231d \sec^5(c + dx)} + \frac{10aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{99d \sec^7(c + dx)} \\
&= \frac{2a^3(232A + 297C) \sin(c + dx)}{693d \sec^3(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(32A + 33C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{231d \sec^5(c + dx)} \\
&= \frac{2a^3(232A + 297C) \sin(c + dx)}{693d \sec^3(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(568A + 759C) \sin(c + dx)}{693d \sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(232A + 297C) \sin(c + dx)}{693d \sec^3(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(568A + 759C) \sin(c + dx)}{693d \sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.07714, size = 127, normalized size = 0.48

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}(2(6989A + 6666C) \cos(c + dx) + 16(325A + 198C) \cos(2(c + dx)) + 1735A \cos(3(c + dx)))}{5544d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (a^2*(22928*A + 27456*C + 2*(6989*A + 6666*C)*Cos[c + d*x] + 16*(325*A + 198*C)*Cos[2*(c + d*x)] + 1735*A*Cos[3*(c + d*x)] + 396*C*Cos[3*(c + d*x)] + 448*A*Cos[4*(c + d*x)] + 63*A*Cos[5*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2]/(5544*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.384, size = 154, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c)) \left(63A(\cos(dx + c))^5 + 224A(\cos(dx + c))^4 + 355A(\cos(dx + c))^3 + 99C(\cos(dx + c))^3 + 42 \right)}{693d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x)`

[Out] `-2/693/d*a^2*(-1+cos(d*x+c))*(63*A*cos(d*x+c)^5+224*A*cos(d*x+c)^4+355*A*cos(d*x+c)^3+99*C*cos(d*x+c)^3+426*A*cos(d*x+c)^2+396*C*cos(d*x+c)^2+568*A*cos(d*x+c)+759*C*cos(d*x+c)+1136*A+1518*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^6*(1/cos(d*x+c))^(11/2)/sin(d*x+c)`

Maxima [B] time = 2.15987, size = 1141, normalized size = 4.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="maxima")`

[Out] `1/22176*(sqrt(2)*(31878*a^2*cos(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 8778*a^2*cos(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 3465*a^2*cos(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 1287*a^2*cos(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 385*a^2*cos(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) - 31878*a^2*cos(11/2*d*x + 11/2*c)*sin(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 8778*a^2*cos(11/2*d*x + 11/2*c)*sin(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 3465*a^2*cos(11/2*d*x + 11/2*c)*sin(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 1287*a^2*cos(11/2*d*x + 11/2*c)*sin(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 385*a^2*cos(11/2*d*x + 11/2*c)*sin(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 126*a^2*sin(11/2*d*x + 11/2*c) + 385*a^2*sin(9/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 1287*a^2*sin(7/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 3465*a^2*sin(5/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 8778*a^2*sin(3/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))`

$$\begin{aligned} & /2*c))) + 31878*a^2*\sin(1/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + \\ & 11/2*c))) * A*\sqrt{a} + 132*\sqrt{2}*(315*a^2*\cos(6/7*\arctan2(\sin(7/2*d*x + \\ & 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) + 77*a^2*\cos(4/7*\arctan \\ & 2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) + 21*a^ \\ & 2*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x \\ & + 7/2*c) - 315*a^2*\cos(7/2*d*x + 7/2*c) * \sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c \\ &), \cos(7/2*d*x + 7/2*c))) - 77*a^2*\cos(7/2*d*x + 7/2*c) * \sin(4/7*\arctan2(\sin \\ & (7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 21*a^2*\cos(7/2*d*x + 7/2*c) * \sin \\ & (2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 6*a^2*\sin(7/2*d \\ & *x + 7/2*c) + 21*a^2*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/ \\ & 2*c))) + 77*a^2*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)) \\ &) + 315*a^2*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * C \\ & *\sqrt{a})/d \end{aligned}$$

Fricas [A] time = 0.505933, size = 408, normalized size = 1.53

$$\frac{2(63 Aa^2 \cos(dx+c)^6 + 224 Aa^2 \cos(dx+c)^5 + (355 A + 99 C)a^2 \cos(dx+c)^4 + 6(71 A + 66 C)a^2 \cos(dx+c)^3 + (568 A + 759 C)a^2 \cos(dx+c)^2 + 2(568 A + 759 C)a^2 \cos(dx+c) \sqrt{(a \cos(dx+c) + a) / \cos(dx+c)} \sin(dx+c) / ((d \cos(dx+c) + d) \sqrt{\cos(dx+c)})}{693 (d \cos(dx+c) + d) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out]
$$\frac{2}{693} * (63 * A * a^2 * \cos(d * x + c)^6 + 224 * A * a^2 * \cos(d * x + c)^5 + (355 * A + 99 * C) * a^2 * \cos(d * x + c)^4 + 6 * (71 * A + 66 * C) * a^2 * \cos(d * x + c)^3 + (568 * A + 759 * C) * a^2 * \cos(d * x + c)^2 + 2 * (568 * A + 759 * C) * a^2 * \cos(d * x + c) * \sqrt{(a * \cos(d * x + c) + a) / \cos(d * x + c)} * \sin(d * x + c) / ((d * \cos(d * x + c) + d) * \sqrt{\cos(d * x + c)})$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(11/2), x)

$$3.276 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx$$

Optimal. Leaf size=313

$$\frac{2a^3(8368A + 10439C) \sin(c + dx)}{15015d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(2224A + 2717C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 143C) \sin(c + dx) \sqrt{a \sec(c + dx)}}{1287d \sec^{\frac{7}{2}}(c + dx)}$$

[Out] (2*a^3*(2224*A + 2717*C)*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(8368*A + 10439*C)*Sin[c + d*x])/(15015*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(8368*A + 10439*C)*Sin[c + d*x])/(45045*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^3*(8368*A + 10439*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(45045*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 143*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(1287*d*Sec[c + d*x]^(7/2)) + (10*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(143*d*Sec[c + d*x]^(9/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(13*d*Sec[c + d*x]^(11/2))

Rubi [A] time = 0.865055, antiderivative size = 313, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4017, 4015, 3805, 3804}

$$\frac{2a^3(8368A + 10439C) \sin(c + dx)}{15015d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(2224A + 2717C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 143C) \sin(c + dx) \sqrt{a \sec(c + dx)}}{1287d \sec^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(13/2), x]

[Out] (2*a^3*(2224*A + 2717*C)*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(8368*A + 10439*C)*Sin[c + d*x])/(15015*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(8368*A + 10439*C)*Sin[c + d*x])/(45045*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^3*(8368*A + 10439*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(45045*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 143*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(1287*d*Sec[c + d*x]^(7/2)) + (10*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(143*d*Sec[c + d*x]^(9/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(13*d*Sec[c + d*x]^(11/2))

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\sec^{13/2}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{13d \sec^{11/2}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \left(\frac{5aA}{2} + \frac{1}{2}a(6A) \right)}{\sec^{11/2}(c + dx)} dx}{13a} \\
&= \frac{10aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{143d \sec^{9/2}(c + dx)} + \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{13d \sec^{11/2}(c + dx)} \\
&= \frac{2a^2(136A + 143C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{1287d \sec^{7/2}(c + dx)} + \frac{10aA(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{143d \sec^{11/2}(c + dx)} \\
&= \frac{2a^3(2224A + 2717C) \sin(c + dx)}{9009d \sec^{5/2}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(136A + 143C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{1287d \sec^{7/2}(c + dx)} \\
&= \frac{2a^3(2224A + 2717C) \sin(c + dx)}{9009d \sec^{5/2}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(8368A + 10439C) \sin(c + dx)}{15015d \sec^{3/2}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(2224A + 2717C) \sin(c + dx)}{9009d \sec^{5/2}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(8368A + 10439C) \sin(c + dx)}{15015d \sec^{3/2}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(2224A + 2717C) \sin(c + dx)}{9009d \sec^{5/2}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(8368A + 10439C) \sin(c + dx)}{15015d \sec^{3/2}(c + dx)\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.17458, size = 148, normalized size = 0.47

$$a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}(8(226573A + 222794C) \cos(c + dx) + (746519A + 581152C) \cos(2(c + dx))) + 2$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sec[c + d*x]^(13/2), x]

[Out] (a^2*(2798182*A + 3233516*C + 8*(226573*A + 222794*C)*Cos[c + d*x] + (746519*A + 581152*C)*Cos[2*(c + d*x)] + 287060*A*Cos[3*(c + d*x)] + 148720*C*Cos[3*(c + d*x)] + 94010*A*Cos[4*(c + d*x)] + 20020*C*Cos[4*(c + d*x)] + 23940*A*Cos[5*(c + d*x)] + 3465*A*Cos[6*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])] *T

$\text{an}[(c + d*x)/2]/(720720*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Maple [A] time = 0.394, size = 176, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c))(3465A(\cos(dx + c))^6 + 11970A(\cos(dx + c))^5 + 18305A(\cos(dx + c))^4 + 5005C(\cos(dx + c))^3 + 25104A(\cos(dx + c))^2 + 31317C(\cos(dx + c))^2 + 33472A(\cos(dx + c)) + 41756C(\cos(dx + c)) + 66944A + 83512C)(a(\cos(dx + c) + 1)/\cos(dx + c))^{1/2}\cos(dx + c)^7(1/\cos(dx + c))^{13/2}/\sin(dx + c)}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\text{sec}(d*x+c))^{5/2}*(A+C*\text{sec}(d*x+c)^2)/\text{sec}(d*x+c)^{13/2}, x)$

[Out] $-2/45045/d*a^2*(-1+\cos(d*x+c))*(3465*A*\cos(d*x+c)^6+11970*A*\cos(d*x+c)^5+18305*A*\cos(d*x+c)^4+5005*C*\cos(d*x+c)^3+25104*A*\cos(d*x+c)^2+31317*C*\cos(d*x+c)^2+33472*A*\cos(d*x+c)+41756*C*\cos(d*x+c)+66944*A+83512*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*\cos(d*x+c)^7*(1/\cos(d*x+c))^{13/2}/\sin(d*x+c)$

Maxima [B] time = 2.21276, size = 1408, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\text{sec}(d*x+c))^{5/2}*(A+C*\text{sec}(d*x+c)^2)/\text{sec}(d*x+c)^{13/2}, x, \text{algorithm}="maxima")$

[Out] $1/2882880*(\text{sqrt}(2)*(3783780*a^2*\cos(12/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) * \sin(13/2*d*x + 13/2*c) + 1066065*a^2*\cos(10/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) * \sin(13/2*d*x + 13/2*c) + 459459*a^2*\cos(8/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) * \sin(13/2*d*x + 13/2*c) + 193050*a^2*\cos(6/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) * \sin(13/2*d*x + 13/2*c) + 70070*a^2*\cos(4/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) * \sin(13/2*d*x + 13/2*c) + 20475*a^2*\cos(2/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) * \sin(13/2*d*x + 13/2*c) - 3783780*a^2*\cos(13/2*d*x + 13/2*c)*\sin(12/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) - 1066065*a^2*\cos(13/2*d*x + 13/2*c)*\sin(10/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) - 459459*a^2*\cos(13/2*d*x + 13/2*c)*\sin(8/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) - 193050*a^2*\cos(13/2*d*x + 13/2*c)$

```

c)*sin(6/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) - 7007
0*a^2*cos(13/2*d*x + 13/2*c)*sin(4/13*arctan2(sin(13/2*d*x + 13/2*c), cos(1
3/2*d*x + 13/2*c))) - 20475*a^2*cos(13/2*d*x + 13/2*c)*sin(2/13*arctan2(sin
(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) + 6930*a^2*sin(13/2*d*x + 13/
2*c) + 20475*a^2*sin(11/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 1
3/2*c))) + 70070*a^2*sin(9/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x
+ 13/2*c))) + 193050*a^2*sin(7/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*
d*x + 13/2*c))) + 459459*a^2*sin(5/13*arctan2(sin(13/2*d*x + 13/2*c), cos(1
3/2*d*x + 13/2*c))) + 1066065*a^2*sin(3/13*arctan2(sin(13/2*d*x + 13/2*c),
cos(13/2*d*x + 13/2*c))) + 3783780*a^2*sin(1/13*arctan2(sin(13/2*d*x + 13/2
*c), cos(13/2*d*x + 13/2*c))) *A*sqrt(a) + 572*sqrt(2)*(8190*a^2*cos(8/9*ar
ctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) *sin(9/2*d*x + 9/2*c) + 2
100*a^2*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) *sin(9/
2*d*x + 9/2*c) + 756*a^2*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x
+ 9/2*c))) *sin(9/2*d*x + 9/2*c) + 225*a^2*cos(2/9*arctan2(sin(9/2*d*x + 9/2
*c), cos(9/2*d*x + 9/2*c))) *sin(9/2*d*x + 9/2*c) - 8190*a^2*cos(9/2*d*x + 9
/2*c) *sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 2100*a
^2*cos(9/2*d*x + 9/2*c) *sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x +
9/2*c))) - 756*a^2*cos(9/2*d*x + 9/2*c) *sin(4/9*arctan2(sin(9/2*d*x + 9/2*
c), cos(9/2*d*x + 9/2*c))) - 225*a^2*cos(9/2*d*x + 9/2*c) *sin(2/9*arctan2(s
in(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*a^2*sin(9/2*d*x + 9/2*c) +
225*a^2*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 756
*a^2*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 2100*a^
2*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 8190*a^2*s
in(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) *C*sqrt(a))/d

```

Fricas [A] time = 0.512213, size = 495, normalized size = 1.58

$$2 \left(3465 A a^2 \cos(dx + c)^7 + 11970 A a^2 \cos(dx + c)^6 + 35 (523 A + 143 C) a^2 \cos(dx + c)^5 + 10 (2092 A + 1859 C) a^2 \cos(dx + c)^4 + 3 (8368 A + 10439 C) a^2 \cos(dx + c)^3 + 4 (8368 A + 10439 C) a^2 \cos(dx + c)^2 + 8 (8368 A + 10439 C) a^2 \cos(dx + c) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c) / ((d \cos(dx + c) + d) \sqrt{\cos(dx + c)}) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, al
gorithm="fricas")

```

```

[Out] 2/45045*(3465*A*a^2*cos(d*x + c)^7 + 11970*A*a^2*cos(d*x + c)^6 + 35*(523*A
+ 143*C)*a^2*cos(d*x + c)^5 + 10*(2092*A + 1859*C)*a^2*cos(d*x + c)^4 + 3*
(8368*A + 10439*C)*a^2*cos(d*x + c)^3 + 4*(8368*A + 10439*C)*a^2*cos(d*x +
c)^2 + 8*(8368*A + 10439*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos
(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/sec(d*x+c)**(13/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(13/2), x)

$$3.277 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=226

$$\frac{(8A+7C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{8d\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(8A+9C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} +$$

[Out] -((8*A + 9*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((8*A + 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - (C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.717771, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4089, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(8A+7C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{8d\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(8A+9C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} +$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] -((8*A + 9*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((8*A + 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - (C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C* Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si

mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{C\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sec^{\frac{5}{2}}(c+dx)\left(\frac{1}{2}a(6A+5C)-\frac{1}{2}aC\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{3a} \\
 &= -\frac{C\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{C\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx)\left(-\frac{3}{2}aA+\frac{3}{2}aC\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{3a} \\
 &= \frac{(8A+7C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{C\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{C\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(8A+7C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{C\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{C\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(8A+7C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{C\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{C\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
 &= -\frac{(8A+9C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A+C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}}
 \end{aligned}$$

Mathematica [A] time = 4.91999, size = 368, normalized size = 1.63

$$\cos^2(c+dx)\sqrt{\sec(c+dx)+1}(A+C\sec^2(c+dx))\left(\frac{6\tan(c+dx)\left((8A+9C)\log(\sec(c+dx)+1)-(8A+9C)\log\left(\sec^{\frac{3}{2}}(c+dx)+\sqrt{\sec(c+dx)}+\sqrt{\tan^2(c+dx)+1}\right)\right)}{\sqrt{a+a\sec(c+dx)}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Cos[c + d*x]^2*Sqrt[1 + Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((24*A + 37*C - 4*C*Cos[c + d*x] + 3*(8*A + 7*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^(5/2)*Sq

```

rt[1 + Sec[c + d*x]]*Tan[(c + d*x)/2] + (6*((8*A + 9*C)*Log[1 + Sec[c + d*x]] - (8*A + 9*C)*Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]] + 2*Sqrt[2]*(A + C)*(Log[1 - 2*Sec[c + d*x]] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]]))*Tan[c + d*x])/Sqrt[Tan[c + d*x]^2]))/(24*d*(A + 2*C + A*Cos[2*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])])

```

Maple [B] time = 0.395, size = 448, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```

[Out] 1/48/d/a*(-1+cos(d*x+c))*(24*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-24*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)+27*C*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-27*C*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-48*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-96*A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^3-42*C*sin(d*x+c)*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-96*C*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^3+4*C*sin(d*x+c)*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-16*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(5/2)/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2

```

Maxima [B] time = 2.77223, size = 4809, normalized size = 21.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```

[Out] -1/96*(24*(4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x
+ 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x
+ 2*c) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(s
in(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos
(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) -
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*c
os(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x +
c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c
))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + (cos(2*
d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*a
rctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos
(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*
sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*d*x + 2*
c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(s
in(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c
)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*
sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 2*(sqrt(2)*cos(2*d*x +
2*c)^2 + sqrt(2)*sin(2*d*x + 2*c)^2 + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))
*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(1/2*arctan2(sin(d
*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))
+ 1) + 2*(sqrt(2)*cos(2*d*x + 2*c)^2 + sqrt(2)*sin(2*d*x + 2*c)^2 + 2*sqrt(
2)*cos(2*d*x + 2*c) + sqrt(2))*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x +
c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sin(1/2*arctan2
(sin(d*x + c), cos(d*x + c))) + 1) - 4*(sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))
*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*cos(2*d*x + 2*c)
+ sqrt(2))*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*A/((cos(2*d*x + 2
*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*sqrt(a) + (84*(sqrt(2)
)*sin(6*d*x + 6*c) + 3*sqrt(2)*sin(4*d*x + 4*c) + 3*sqrt(2)*sin(2*d*x + 2*c
))*cos(11/2*arctan2(sin(d*x + c), cos(d*x + c))) - 100*(sqrt(2)*sin(6*d*x +
6*c) + 3*sqrt(2)*sin(4*d*x + 4*c) + 3*sqrt(2)*sin(2*d*x + 2*c))*cos(9/2*ar
ctan2(sin(d*x + c), cos(d*x + c))) + 312*(sqrt(2)*sin(6*d*x + 6*c) + 3*sqrt
(2)*sin(4*d*x + 4*c) + 3*sqrt(2)*sin(2*d*x + 2*c))*cos(7/2*arctan2(sin(d*x
+ c), cos(d*x + c))) - 312*(sqrt(2)*sin(6*d*x + 6*c) + 3*sqrt(2)*sin(4*d*x
+ 4*c) + 3*sqrt(2)*sin(2*d*x + 2*c))*cos(5/2*arctan2(sin(d*x + c), cos(d*x
+ c))) + 100*(sqrt(2)*sin(6*d*x + 6*c) + 3*sqrt(2)*sin(4*d*x + 4*c) + 3*sqr
t(2)*sin(2*d*x + 2*c))*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c))) - 84*(s
qrt(2)*sin(6*d*x + 6*c) + 3*sqrt(2)*sin(4*d*x + 4*c) + 3*sqrt(2)*sin(2*d*x
+ 2*c))*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 27*(2*(3*cos(4*d*x +
4*c) + 3*cos(2*d*x + 2*c) + 1)*cos(6*d*x + 6*c) + cos(6*d*x + 6*c)^2 + 6*(
3*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + 9*cos(4*d*x + 4*c)^2 + 9*cos(2*d
*x + 2*c)^2 + 6*(sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c) + si
n(6*d*x + 6*c)^2 + 9*sin(4*d*x + 4*c)^2 + 18*sin(4*d*x + 4*c)*sin(2*d*x + 2
*c) + 9*sin(2*d*x + 2*c)^2 + 6*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(
sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x +

```

$$\begin{aligned}
& c))^{2} + 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2\sqrt{2} \\
& \sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 27*(2*(3\cos(4dx + 4 \\
& c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) + \cos(6dx + 6c)^{2} + 6*(3* \\
& \cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^{2} + 9\cos(2dx + \\
& 2c)^{2} + 6*(\sin(4dx + 4c) + \sin(2dx + 2c))\sin(6dx + 6c) + \sin(\\
& 6dx + 6c)^{2} + 9\sin(4dx + 4c)^{2} + 18\sin(4dx + 4c)\sin(2dx + 2c \\
&) + 9\sin(2dx + 2c)^{2} + 6\cos(2dx + 2c) + 1)\log(2\cos(1/2\arctan2(\sin \\
& (dx + c), \cos(dx + c)))^{2} + 2*\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c) \\
&))^{2} + 2*\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 2*\sqrt{2}*s \\
& \sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) + 27*(2*(3\cos(4dx + 4c \\
&) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) + \cos(6dx + 6c)^{2} + 6*(3\cos \\
& (2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^{2} + 9\cos(2dx + 2 \\
& c)^{2} + 6*(\sin(4dx + 4c) + \sin(2dx + 2c))\sin(6dx + 6c) + \sin(6* \\
& dx + 6c)^{2} + 9\sin(4dx + 4c)^{2} + 18\sin(4dx + 4c)\sin(2dx + 2c) \\
& + 9\sin(2dx + 2c)^{2} + 6\cos(2dx + 2c) + 1)\log(2\cos(1/2\arctan2(\sin \\
& (dx + c), \cos(dx + c)))^{2} + 2*\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) \\
&)^{2} - 2*\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2*\sqrt{2}*s \\
& \sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 27*(2*(3\cos(4dx + 4c \\
&) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) + \cos(6dx + 6c)^{2} + 6*(3\cos \\
& (2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^{2} + 9\cos(2dx + 2 \\
& c)^{2} + 6*(\sin(4dx + 4c) + \sin(2dx + 2c))\sin(6dx + 6c) + \sin(6* \\
& dx + 6c)^{2} + 9\sin(4dx + 4c)^{2} + 18\sin(4dx + 4c)\sin(2dx + 2c) + \\
& 9\sin(2dx + 2c)^{2} + 6\cos(2dx + 2c) + 1)\log(2\cos(1/2\arctan2(\sin \\
& (dx + c), \cos(dx + c)))^{2} + 2*\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) \\
&)^{2} - 2*\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 2*\sqrt{2}*s \\
& \sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 48*(\sqrt{2}\cos(6dx + 6c) \\
&)^{2} + 9*\sqrt{2}\cos(4dx + 4c)^{2} + 9*\sqrt{2}\cos(2dx + 2c)^{2} + \sqrt{2}* \\
& \sin(6dx + 6c)^{2} + 9*\sqrt{2}\sin(4dx + 4c)^{2} + 18*\sqrt{2}\sin(4dx + \\
& 4c)\sin(2dx + 2c) + 9*\sqrt{2}\sin(2dx + 2c)^{2} + 2*(3*\sqrt{2}\cos(4d \\
& x + 4c) + 3*\sqrt{2}\cos(2dx + 2c) + \sqrt{2})*\cos(6dx + 6c) + 6*(3*s \\
& \sqrt{2}\cos(2dx + 2c) + \sqrt{2})*\cos(4dx + 4c) + 6*(\sqrt{2}\sin(4dx \\
& + 4c) + \sqrt{2}\sin(2dx + 2c))*\sin(6dx + 6c) + 6*\sqrt{2}\cos(2dx + \\
& 2c) + \sqrt{2})*\log(\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^{2} + \sin(1 \\
& /2\arctan2(\sin(dx + c), \cos(dx + c)))^{2} + 2*\sin(1/2\arctan2(\sin(dx + c), \\
& \cos(dx + c))) + 1) + 48*(\sqrt{2}\cos(6dx + 6c))^{2} + 9*\sqrt{2}\cos(4dx \\
& + 4c)^{2} + 9*\sqrt{2}\cos(2dx + 2c)^{2} + \sqrt{2}\sin(6dx + 6c)^{2} + 9*s \\
& \sqrt{2}\sin(4dx + 4c)^{2} + 18*\sqrt{2}\sin(4dx + 4c)\sin(2dx + 2c) + \\
& 9*\sqrt{2}\sin(2dx + 2c)^{2} + 2*(3*\sqrt{2}\cos(4dx + 4c) + 3*\sqrt{2}\cos \\
& (2dx + 2c) + \sqrt{2})*\cos(6dx + 6c) + 6*(3*\sqrt{2}\cos(2dx + 2c) \\
& + \sqrt{2})*\cos(4dx + 4c) + 6*(\sqrt{2}\sin(4dx + 4c) + \sqrt{2}\sin(2d \\
& x + 2c))*\sin(6dx + 6c) + 6*\sqrt{2}\cos(2dx + 2c) + \sqrt{2})*\log(\cos \\
& (1/2\arctan2(\sin(dx + c), \cos(dx + c)))^{2} + \sin(1/2\arctan2(\sin(dx + c), \\
& \cos(dx + c)))^{2} - 2*\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 1) - 8 \\
& 4*(\sqrt{2}\cos(6dx + 6c) + 3*\sqrt{2}\cos(4dx + 4c) + 3*\sqrt{2}\cos(2* \\
& dx + 2c) + \sqrt{2}))*\sin(11/2\arctan2(\sin(dx + c), \cos(dx + c))) + 100*(
\end{aligned}$$

$$\begin{aligned} & \sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2} \sin\left(\frac{9}{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) - 312(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2} \sin\left(\frac{7}{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right)) + 312(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2} \sin\left(\frac{5}{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right)) - 100(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2} \sin\left(\frac{3}{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right)) + 84(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2} \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right)) * C / ((2(3\cos(4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) + \cos(6dx + 6c)^2 + 6(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^2 + 9\cos(2dx + 2c)^2 + 6(\sin(4dx + 4c) + \sin(2dx + 2c))\sin(6dx + 6c) + \sin(6dx + 6c)^2 + 9\sin(4dx + 4c)^2 + 18\sin(4dx + 4c)\sin(2dx + 2c) + 9\sin(2dx + 2c)^2 + 6\cos(2dx + 2c) + 1)\sqrt{a})/d \end{aligned}$$

Fricas [A] time = 0.901926, size = 1712, normalized size = 7.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(5/2)*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/96*(3*((8*A + 9*C)*cos(dx + c)^3 + (8*A + 9*C)*cos(dx + c)^2)*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 + 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 48*sqrt(2)*((A + C)*a*cos(dx + c)^3 + (A + C)*a*cos(dx + c)^2)*log(-(cos(dx + c)^2 - 2*sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/sqrt(a) - 2*cos(dx + c) - 3)/(cos(dx + c)^2 + 2*cos(dx + c) + 1))/sqrt(a) + 4*(3*(8*A + 7*C)*cos(dx + c)^2 - 2*C*cos(dx + c) + 8*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(a*d*cos(dx + c)^3 + a*d*cos(dx + c)^2), -1/48*(48*sqrt(2)*((A + C)*a*cos(dx + c)^3 + (A + C)*a*cos(dx + c)^2)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(-1/a)*sqrt(cos(dx + c))/sin(dx + c)) + 3*((8*A + 9*C)*cos(dx + c)^3 + (8*A + 9*C)*cos(dx + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/(a*cos(dx + c)^2 - a*cos(dx + c) - 2*a)) - 2*(3*(8*A + 7*C)*cos(dx + c)^2 - 2*C*cos(dx + c) + 8*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(a*d*cos(dx + c)^3 + a*d*cos(dx + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(5/2)/sqrt(a*sec(d*x + c) + a)), x)

$$3.278 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=183

$$-\frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(8A+7C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{C \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{2d\sqrt{a \sec(c+dx)+a}} - \frac{C \sin(c+dx)}{4d\sqrt{a}}$$

[Out] ((8*A + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.545988, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4089, 4021, 4023, 3808, 206, 3801, 215}

$$-\frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(8A+7C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{C \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{2d\sqrt{a \sec(c+dx)+a}} - \frac{C \sin(c+dx)}{4d\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((8*A + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt

$Q[n, -2^{(-1)}] \&\& \text{NeQ}[m + n + 1, 0]$

Rule 4021

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1}) / (f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1} * \text{Simp}[b*B*(n-1) + (A*b*(m+n) + a*B*m)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1]$

Rule 4023

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(d_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x]) / (\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 206

$\text{Int}[(a_.) + (b_.)(x_.)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(d_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b]) / (b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)(x_.)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x) / \text{Sqrt}[a]] / \text{Rt}[b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx) (A + C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx &= \frac{C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a \sec(c+dx)}} + \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx) \left(\frac{1}{2}a(4A+3C) - \frac{1}{2}aC \sec(c+dx)\right)}{\sqrt{a+a \sec(c+dx)}} dx}{2a} \\
&= -\frac{C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d\sqrt{a+a \sec(c+dx)}} + \frac{C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a \sec(c+dx)}} + \frac{\int \frac{\sqrt{\sec(c+dx)} \left(-\frac{a}{2}\right)}{\sqrt{a+a \sec(c+dx)}} dx}{\sqrt{a+a \sec(c+dx)}} \\
&= -\frac{C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d\sqrt{a+a \sec(c+dx)}} + \frac{C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a \sec(c+dx)}} + (-A-C) \int \frac{1}{\sqrt{a+a \sec(c+dx)}} dx \\
&= -\frac{C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d\sqrt{a+a \sec(c+dx)}} + \frac{C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a \sec(c+dx)}} + \frac{(2(A+C)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+a \sec(c+dx)}} dx\right)}{\sqrt{a+a \sec(c+dx)}} \\
&= \frac{(8A+7C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [B] time = 6.66378, size = 730, normalized size = 3.99

$$\frac{\sqrt{\sec(c+dx)+1} \sqrt{(\cos(c+dx)+1) \sec(c+dx)} (A + C \sec^2(c+dx)) \left(-\frac{3C \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right)}{2d} + \frac{C \sec(c) \sin(dx) \sec(c+dx)}{d} \right)}{\sec^{\frac{3}{2}}(c+dx) \sqrt{a(\sec(c+dx)+1)} (A \cos(2c+2dx) + A + 2C)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*(-(C*(-2 + Cos[c])*Sin[c/2])/(d*(Cos[c/2] + Cos[(3*c)/2]))) - (3*C*Sec[c/2]*Sec[c/2 + (d*x)/2]*Sin[(d*x)/2])/(2*d) + (C*Sec[c]*Sec[c + d*x]*Sin[d*x])/d)/((A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])]) + (Cos[c + d*x]^2*Sqrt[1 + Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*(-(C*Cos[c + d*x]^2*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]))*(1 + Sec[c + d*x])*Sqr

```
t[-1 + Sec[c + d*x]^2]*Sin[c + d*x]/(2*d*(1 + Cos[c + d*x])*Sqrt[2 - 2*Cos
[c + d*x]^2]*Sqrt[1 - Cos[c + d*x]^2]) - ((-8*A - 7*C)*Cos[c + d*x]^2*(-8*L
og[1 + Sec[c + d*x]] + 8*Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt
[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] + Sqrt[2]*(-Log[1 - 2*Sec[c +
d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*
x]]*Sqrt[-1 + Sec[c + d*x]^2]] + Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2
+ 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x
]^2]))*(1 + Sec[c + d*x])*Sqrt[-1 + Sec[c + d*x]^2]*Sin[c + d*x]/(4*d*(1
+ Cos[c + d*x])*(1 - Cos[c + d*x]^2)))/(4*(A + 2*C + A*Cos[2*c + 2*d*x])*S
qrt[a*(1 + Sec[c + d*x]))
```

Maple [B] time = 0.402, size = 388, normalized size = 2.1

$$\frac{(\cos(dx+c))^2-1}{16ad(\sin(dx+c))^2} \left(8A \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1+\sin(dx+c))}\right) (\cos(dx+c))^2\sqrt{2} - \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/16/d/a*(8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+si
n(d*x+c)))*cos(d*x+c)^2*2^(1/2)-8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(
1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)+7*C*arctan(1/4*2^(1/2
)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)
-7*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))
)*cos(d*x+c)^2*2^(1/2)-16*A*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)
)*cos(d*x+c)^2-2*C*sin(d*x+c)*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-16*C*arc
tan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2+4*C*(-2/(cos(d*x
+c)+1))^(1/2)*sin(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(1/cos(d*x+c)
)^(3/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2*(cos(d*x+c)^2-1)
```

Maxima [B] time = 2.38408, size = 2867, normalized size = 15.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, alg
orithm="maxima")
```

```
[Out] -1/16*(8*(sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(
1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c)
, cos(d*x + c))) + 1) - sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x +
c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 1) - log(2*cos(1/2*arctan2(sin(d*x + c), c
os(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt
(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), c
os(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt
(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 2) - log(2*cos(1/2*arctan2(sin(d*x + c), c
os(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt
(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), c
os(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt
(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 2))*A/sqrt(a) - (4*(sqrt(2)*sin(4*d*x + 4*
c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(7/2*arctan2(sin(d*x + c), cos(d*x + c)
)) - 20*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(5/2*arc
tan2(sin(d*x + c), cos(d*x + c))) + 20*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)
)*sin(2*d*x + 2*c))*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c))) - 4*(sqrt(
2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(1/2*arctan2(sin(d*x +
c), cos(d*x + c))) + 7*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(
4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x +
4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(
2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*
x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x
+ c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 7*(2
*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d
*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*
sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x
+ c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 +
2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2
*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + 7*(2*(2*cos(2*d*x + 2*c) + 1)*
cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x +
4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos
(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2
*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2
(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos
(d*x + c))) + 2) - 7*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d
*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)
)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*c
os(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x +
c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c
))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 8*(sqrt
```

$$\begin{aligned} & (2)\cos(4dx + 4c)^2 + 4\sqrt{2}\cos(2dx + 2c)^2 + \sqrt{2}\sin(4dx + 4c)^2 \\ & + 4\sqrt{2}\sin(4dx + 4c)\sin(2dx + 2c) + 4\sqrt{2}\sin(2dx + 2c)^2 \\ & + 2(2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\cos(4dx + 4c) + 4\sqrt{2}\cos(2dx + 2c) \\ & + \sqrt{2}\log(\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + \sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 \\ & + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 1) + 8(\sqrt{2}\cos(4dx + 4c)^2 + 4\sqrt{2}\cos(2dx + 2c)^2 \\ & + \sqrt{2}\sin(4dx + 4c)^2 + 4\sqrt{2}\sin(4dx + 4c)\sin(2dx + 2c) + 4\sqrt{2}\sin(2dx + 2c)^2 \\ & + 2(2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\cos(4dx + 4c) + 4\sqrt{2}\cos(2dx + 2c) + \sqrt{2}\log(\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 \\ & + \sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 1) \\ & - 4(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(7/2\arctan2(\sin(dx + c), \cos(dx + c))) \\ & + 20(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(5/2\arctan2(\sin(dx + c), \cos(dx + c))) \\ & - 20(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(3/2\arctan2(\sin(dx + c), \cos(dx + c))) \\ & + 4(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) \\ &)\sqrt{a})/((2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 \\ & + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1)\sqrt{a}))/d \end{aligned}$$

Fricas [A] time = 0.881474, size = 1596, normalized size = 8.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(A+Csec(dx+c)^2)/(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/16*(((8*A + 7*C)*cos(dx + c)^2 + (8*A + 7*C)*cos(dx + c))*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 8*sqrt(2)*((A + C)*a*cos(dx + c)^2 + (A + C)*a*cos(dx + c))*log(-(cos(dx + c)^2 + 2*sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/sqrt(a) - 2*cos(dx + c) - 3)/(cos(dx + c)^2 + 2*cos(dx + c) + 1))/sqrt(a) - 4*(C*cos(dx + c) - 2*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(a*d*cos(dx + c)^2 + a*d*cos(dx + c)), 1/8*(8*sqrt(2)*((A + C)*a*cos(dx + c)^2 + (A + C)*a*cos(dx + c))*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(-1/a)*sqrt(cos(dx + c)))/s

```
in(d*x + c)) + ((8*A + 7*C)*cos(d*x + c)^2 + (8*A + 7*C)*cos(d*x + c))*sqrt
(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x
+ c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) - 2*(C*cos(d
*x + c) - 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(co
s(d*x + c)))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(3/2)/sqrt(a*sec(d*x + c) + a
), x)
```

$$3.279 \quad \int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=133

$$\frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{C \sin(c+dx) \sec^2(c+dx)}{d \sqrt{a \sec(c+dx)+a}} - \frac{C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] -((C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])]/(Sqrt[a]*d)) + (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(Sqrt[a]*d) + (C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.367609, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4089, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{C \sin(c+dx) \sec^2(c+dx)}{d \sqrt{a \sec(c+dx)+a}} - \frac{C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] -((C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])]/(Sqrt[a]*d)) + (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(Sqrt[a]*d) + (C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4023


```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{C\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(2A+C)-\frac{1}{2}aC\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{a} \\
&= \frac{C\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} - \frac{C\int \sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)} dx}{2a} + (A+C) \\
&= \frac{C\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{C\text{Subst}\left(\int \frac{1}{\sqrt{1+\frac{x^2}{a}}} dx, x, -\frac{a\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{ad} - \frac{C\sqrt{2}\sqrt{a+a\sec(c+dx)}}{2a} \\
&= -\frac{C\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A+C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{C\sqrt{2}\sqrt{a+a\sec(c+dx)}}{2a}
\end{aligned}$$

Mathematica [B] time = 6.6647, size = 717, normalized size = 5.39

$$\frac{(2A+C)\sin(c+dx)\cos^4(c+dx)(\sec(c+dx)+1)^{3/2}\sqrt{\sec^2(c+dx)-1}\left(\log\left(-3\sec^2(c+dx)-2\sqrt{2}\sqrt{\sec(c+dx)+1}\sqrt{\sec(c+dx)-1}\right)\right)}{2d(\cos(c+dx)+1)\sqrt{2-2\cos(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((2*A + C)*Cos[c + d*x]^4*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]])*(1 + Sec[c + d*x])^(3/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin[c + d*x]/(2*d*(1 + Cos[c + d*x])*Sqrt[2 - 2*Cos[c + d*x]^2]*Sqrt[1 - Cos[c + d*x]^2]*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[a*(1 + Sec[c + d*x])]) - (C*Cos[c + d*x]^4*(-8*Log[1 + Sec[c + d*x]] + 8*Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] + Sqrt[2]*(-Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] + Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]]))*(1 + Sec[c + d*x])^(3/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin[c + d*x]/(4*d*(1 + Cos[c + d*x])*(1 - Cos[c + d*x]^2)*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[a*(1 + Sec[c + d*x])]) + (Sqrt[(1 + Cos[c + d*x])

```
*Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((2*C*Sec[c/2]
*Sec[c/2 + (d*x)/2]*Sin[(d*x)/2])/d + (2*C*Tan[c/2])/d))/((A + 2*C + A*Cos[
2*c + 2*d*x])*Sec[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.375, size = 252, normalized size = 1.9

$$\frac{(\cos(dx+c))^2-1}{4ad(\sin(dx+c))^2} \sqrt{(\cos(dx+c))^{-1}} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(-C \cos(dx+c) \arctan\left(\frac{\sqrt{2}(\cos(dx+c)+1+\sin(dx+c))}{4}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/4/d/a*(1/cos(d*x+c))^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-C*cos(d*
x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))
)*2^(1/2)+C*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*
x+c)+1-sin(d*x+c)))*2^(1/2)+4*A*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d
*x+c)+1))^(1/2))+4*C*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(
1/2))+2*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)/s
in(d*x+c)^2*(cos(d*x+c)^2-1)
```

Maxima [B] time = 2.12321, size = 1307, normalized size = 9.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, alg
orithm="maxima")
```

```
[Out] 1/4*(2*(sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin
(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x +
1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*A/sqrt(a) - (4*sqrt(2)*cos(3/2*arc
tan2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x + 2*c) - 4*sqrt(2)*cos(1/2*arct
an2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x + 2*c) + (cos(2*d*x + 2*c)^2 + s
in(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x +
c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 +
2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*
arctan2(sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x
```

$$\begin{aligned}
& + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2} \\
& *\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 \\
& + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2 \\
& *\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos \\
& (2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan \\
& 2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 2*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(2*d*x + 2*c) \\
&)^2 + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin \\
& (1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1) + 2*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log \\
& (\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + \\
& 1) - 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) \\
&)*C/((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\sqrt{a}))/d
\end{aligned}$$

Fricas [A] time = 0.659541, size = 1364, normalized size = 10.26

$$\left((C \cos(dx + c) + C) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 + \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c)) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a \right) \right) + \frac{2\sqrt{2}((A+C)a \cos(dx+c) + (A+C)a)}{4(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

```
[Out] [1/4*((C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 + 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 2*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a) + 4*C*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), -1/2*(2*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + (C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a) - 2*C*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\sec(dx + c)}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/sqrt(a*sec(d*x + c) + a), x)
```

$$3.280 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=135

$$-\frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{d\sqrt{a \sec(c+dx)+a}} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (2*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.363927, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4087, 4023, 3808, 206, 3801, 215}

$$-\frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{d\sqrt{a \sec(c+dx)+a}} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (2*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} dx &= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{\sqrt{\sec(c+dx)}\left(-\frac{aA}{2} + \frac{1}{2}aC \sec(c+dx)\right)}{\sqrt{a+a \sec(c+dx)}} dx}{a} \\
&= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + (-A - C) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx + \frac{C \int \sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx \\
&= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} - \frac{(2C) \operatorname{Subst} \left(\int \frac{1}{\sqrt{1+\frac{x^2}{a}}} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right)}{ad} + \frac{C \int \sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx \\
&= \frac{2C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right)}{\sqrt{ad}} - \frac{\sqrt{2}(A + C) \tanh^{-1} \left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}} \right)}{\sqrt{ad}} + \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 2.97222, size = 504, normalized size = 3.73

$$\tan(c + dx) \left(\frac{8A}{\sqrt{\frac{1}{\cos(c+dx)+1}}} - 8A\sqrt{\sec(c + dx)}\sqrt{\sec(c + dx) + 1} + \sqrt{2}A\sqrt{\tan^2(c + dx)} \log \left(-3 \sec^2(c + dx) - 2 \sec(c + dx) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] -(Tan[c + d*x]*((8*A)/Sqrt[(1 + Cos[c + d*x])^(-1)] - 8*A*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]] + 8*C*Log[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2] - 8*C*Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2])*Sqrt[Tan[c + d*x]^2] + Sqrt[2]*A*Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2])*Sqrt[Tan[c + d*x]^2] + Sqrt[2]*C*Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2])*Sqrt[Tan[c + d*x]^2] - Sqrt[2]*A*Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2])*Sqrt[Tan[c + d*x]^2] - Sqrt[2]*C*Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2])*Sqrt[Tan[c + d*x]^2]))/(4*d*(-1 + Sec[c + d*x])*Sqrt[1 + Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.35, size = 273, normalized size = 2.

$$-\frac{1}{2ad \sin(dx+c)} \left(-C \sqrt{-2(\cos(dx+c)+1)^{-1}} \sqrt{2} \arctan \left(\frac{\sqrt{2}(\cos(dx+c)+1-\sin(dx+c))}{4} \sqrt{-2(\cos(dx+c)+1)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x)

[Out]
$$-1/2/d/a*(-C*(-2/(\cos(d*x+c)+1))^{(1/2)}*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))*\sin(d*x+c)+C*(-2/(\cos(d*x+c)+1))^{(1/2)}*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))*\sin(d*x+c)-2*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*A*\sin(d*x+c)-2*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)+4*A*\cos(d*x+c)-4*A*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)/(1/\cos(d*x+c))^{(1/2)}$$

Maxima [B] time = 2.10825, size = 783, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out]
$$-1/2*((\sqrt{2})*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 4*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*A/\sqrt{a} + (\sqrt{2})*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))), \cos(d*x + c))) + 1) - \sqrt{2}*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))), \cos(d*x + c))) + 1) - \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*$$

$t(2) \cdot \cos(1/2 \cdot \arctan2(\sin(dx + c), \cos(dx + c))) + 2 \cdot \sqrt{2} \cdot \sin(1/2 \cdot \arctan2(\sin(dx + c), \cos(dx + c))) + 2) + \log(2 \cdot \cos(1/2 \cdot \arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2 \cdot \sin(1/2 \cdot \arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2 \cdot \sqrt{2} \cdot \cos(1/2 \cdot \arctan2(\sin(dx + c), \cos(dx + c))) - 2 \cdot \sqrt{2} \cdot \sin(1/2 \cdot \arctan2(\sin(dx + c), \cos(dx + c))) + 2) \cdot C / \sqrt{a}) / d$

Fricas [A] time = 0.660838, size = 1351, normalized size = 10.01

$$4 A \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + (C \cos(dx+c) + C) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7 a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c)) \sqrt{a} \sqrt{\cos(dx+c)}}{\cos(dx+c)^3 + \cos(dx+c)^2}}{2(ad \cos(dx+c) + a^2)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(dx+c)^2)/sec(dx+c)^(1/2)/(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/2*(4*A*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) + (C*cos(dx + c) + C)*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + sqrt(2)*((A + C)*a*cos(dx + c) + (A + C)*a)*log(-(cos(dx + c)^2 + 2*sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/sqrt(a) - 2*cos(dx + c) - 3)/(cos(dx + c)^2 + 2*cos(dx + c) + 1))/sqrt(a))/(a*d*cos(dx + c) + a*d), (sqrt(2)*((A + C)*a*cos(dx + c) + (A + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(-1/a)*sqrt(cos(dx + c)/sin(dx + c)) + 2*A*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) + (C*cos(dx + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/(a*cos(dx + c)^2 - a*cos(dx + c) - 2*a)))/(a*d*cos(dx + c) + a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)/(sqrt(a*(sec(c + d*x) + 1))*sqrt(sec(c + d*x))), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{a \sec(dx + c) + a}\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(sqrt(a*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)

$$3.281 \quad \int \frac{A+C \sec^2(c+dx)}{\sec^2(c+dx)\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=136

$$\frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx)}{3d\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.337145, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4087, 4013, 3808, 206}

$$\frac{\sqrt{2}(A+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx)}{3d\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.), x_Symbol] :> Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{A + C \sec^2(c + dx)}{\sec^3(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{-\frac{aA}{2} + \frac{1}{2}a(2A+3C) \sec(c+dx)}{\sqrt{\sec(c+dx)} \sqrt{a+a \sec(c+dx)}} dx}{3a} \\
 &= \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} - \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} + (A + C) \int \frac{1}{\sqrt{a + a \sec(c + dx)}} dx \\
 &= \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} - \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} - \frac{(2(A + C) \int \frac{1}{\sqrt{a + a \sec(c + dx)}} dx)}{3d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{\sqrt{2}(A + C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [B] time = 3.88161, size = 273, normalized size = 2.01

$$\sqrt{\sec(c + dx) + 1} (A + C \sec^2(c + dx)) \left(3\sqrt{2}(A + C) \cos^2(c + dx) \sqrt{\tan^2(c + dx)} \cot(c + dx) \left(\log\left(-3 \sec^2(c + dx) - 2 \sec(c + dx)\right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x
]])],x]
```

```
[Out] (Sqrt[1 + Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((-16*A*Sqrt[1 + Sec[c + d*x
]]*Sin[(c + d*x)/2]^2*Tan[(c + d*x)/2])/Sec[c + d*x]^(5/2) + 3*Sqrt[2]*(A +
C)*Cos[c + d*x]^2*Cot[c + d*x]*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2
- 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]]
- Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]
*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]])*Sqrt[Tan[c + d*x]^2]))/(6*d*
(A + 2*C + A*Cos[2*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])])]
```

Maple [A] time = 0.378, size = 171, normalized size = 1.3

$$-\frac{(\cos(dx+c))^2}{3ad\sin(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(3\arctan\left(\frac{1}{2}\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}}\right)\sqrt{-2(\cos(dx+c)+1)^{-1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/3/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*arctan(1/2*sin(d*x+c))*(-2/(
cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+3*C*(-2/(cos(d
*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)
+2*A*cos(d*x+c)^2-4*A*cos(d*x+c)+2*A)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin
(d*x+c)
```

Maxima [B] time = 2.01865, size = 504, normalized size = 3.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, alg
orithm="maxima")
```

```
[Out] -1/6*((3*sqrt(2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)
))*sin(3/2*d*x + 3/2*c) - 3*sqrt(2)*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(si
```

$n(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)) - 3*\sqrt{2}*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 1) + 3*\sqrt{2}*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 1) - 2*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 3*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*A/\sqrt{a} - 3*(\sqrt{2})*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*C/\sqrt{a})/d$

Fricas [A] time = 0.5318, size = 917, normalized size = 6.74

$$\frac{3\sqrt{2}((A+C)a\cos(dx+c)+(A+C)a)\log\left(\frac{\cos(dx+c)^2 - \frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\sqrt{a}} - 2\cos(dx+c) - 3}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{\sqrt{a}} + \frac{4(A\cos(dx+c)^2 - A\cos(dx+c))\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}}{\sqrt{\cos(dx+c)}}}{6(ad\cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/6*(3*sqrt(2))*((A + C)*a*cos(d*x + c) + (A + C)*a)*log(-(cos(d*x + c))^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)/sqrt(a) + 4*(A*cos(d*x + c)^2 - A*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), - 1/3*(3*sqrt(2))*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*(A*cos(d*x + c)^2 - A*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt{a(\sec(c + dx) + 1)} \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(1/2), x)

[Out] Integral((A + C*sec(c + d*x)**2)/(sqrt(a*(sec(c + d*x) + 1))*sec(c + d*x)**(3/2)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{a \sec(dx + c) + a \sec(dx + c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

$$3.282 \quad \int \frac{A+C \sec^2(c+dx)}{5 \sec^2(c+dx) \sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=181

$$\frac{2(13A + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A + C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{5d \sec^2(c + dx) \sqrt{a \sec(c + dx) + a}}$$

[Out] -((Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(13*A + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.486149, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4022, 4013, 3808, 206}

$$\frac{2(13A + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A + C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{5d \sec^2(c + dx) \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] -((Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(13*A + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||

EqQ[m + n + 1, 0])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{-\frac{aA}{2} + \frac{1}{2}a(4A+5C) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)}} dx}{5a} \\
&= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2A \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{4}{15d} \\
&= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2A \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{20}{15d} \\
&= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2A \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{20}{15d} \\
&= -\frac{\sqrt{2}(A + C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 6.39342, size = 528, normalized size = 2.92

$$\frac{\sqrt{\sec(c + dx) + 1} \sqrt{(\cos(c + dx) + 1) \sec(c + dx)} (A + C \sec^2(c + dx)) \left(\frac{(71A+60C) \sin(c) \cos(dx)}{15d} + \frac{(71A+60C) \cos(c) \sin(dx)}{15d} - \frac{4 \sec^{\frac{3}{2}}(c + dx) \sqrt{a(\sec(c + dx))}}{15d} \right)}{15d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] -(((A + C)*Cos[c + d*x]^4*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]])*(1 + Sec[c + d*x])^(3/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin[c + d*x])/(d*(1 + Cos[c + d*x])*Sqrt[2 - 2*Cos[c + d*x]^2]*Sqrt[1 - Cos[c + d*x]^2]*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[a*(1 + Sec[c + d*x])])) + (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*(((71*A + 60*C)*Cos[d*x]*Sin[c])/(15*d) - (8*A*Cos[2*d*x]*Sin[2*c])/(15*d) + (A*Cos[3*d*x]*Sin[3*c])/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(17*A*Sin[(d*x)/2] + 15*C*Sin[(d*x)/2]))/(15*d) + ((71*A + 60*C)*Cos[c]*Sin[d*x])/(15*d) - (8*A*Cos[2*c]*Sin[2*d*x])/(15*d) + (A*Cos[3*c]*Sin[3*d*x])/(5*d) - (4*(17*A + 15*C)*

$\text{Tan}[c/2]/(15*d))/((A + 2*C + A*\text{Cos}[2*c + 2*d*x])*\text{Sec}[c + d*x]^{(3/2)}*\text{Sqrt}[a*(1 + \text{Sec}[c + d*x])])$

Maple [A] time = 0.394, size = 194, normalized size = 1.1

$$\frac{(\cos(dx+c))^3}{15ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(15 \arctan\left(\frac{1}{2} \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \sqrt{-2(\cos(dx+c)+1)^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x)`

[Out] $\frac{1}{15} \frac{d}{a} \frac{a(\cos(dx+c)+1)}{\cos(dx+c)}^{(1/2)} * (15 \arctan(\frac{1}{2} \sin(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)}) * (-2/(\cos(dx+c)+1))^{(1/2)} * A \sin(dx+c) - 6A \cos(dx+c)^3 + 15C * (-2/(\cos(dx+c)+1))^{(1/2)} * \arctan(\frac{1}{2} \sin(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)}) * \sin(dx+c) + 8A \cos(dx+c)^2 - 28A \cos(dx+c) - 30C \cos(dx+c) + 26A + 30C) * \cos(dx+c)^3 * (1/\cos(dx+c))^{(5/2)} / \sin(dx+c)$

Maxima [B] time = 2.08458, size = 624, normalized size = 3.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{60} * (\text{sqrt}(2) * (60 * \cos(4/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) * \sin(5/2 * d * x + 5/2 * c) - 5 * \cos(2/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) * \sin(5/2 * d * x + 5/2 * c) - 60 * \cos(5/2 * d * x + 5/2 * c) * \sin(4/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) + 5 * \cos(5/2 * d * x + 5/2 * c) * \sin(2/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) - 30 * \log(\cos(1/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c)))^2 + \sin(1/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c)))^2 + 2 * \sin(1/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) + 1) + 30 * \log(\cos(1/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c)))^2 + \sin(1/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c)))^2 - 2 * \sin(1/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) + 1) + 6 * \sin(5/2 * d * x + 5/2 * c) - 5 * \sin(3/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) + 60 * \sin(1/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c)))$

$2*c), \cos(5/2*d*x + 5/2*c)))*A/\sqrt{a} - 30*(\sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 4*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*C/\sqrt{a))/d$

Fricas [A] time = 0.53628, size = 1010, normalized size = 5.58

$$\frac{15\sqrt{2}((A+C)a\cos(dx+c)+(A+C)a)\log\left(\frac{\cos(dx+c)^2 + \frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\sqrt{a}} - 2\cos(dx+c) - 3}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{\sqrt{a}} + \frac{4(3A\cos(dx+c)^3 - A\cos(dx+c)^2 + (13A+15C)\cos(dx+c))\sqrt{\cos(dx+c)}}{\sqrt{\cos(dx+c)^2 + 2\cos(dx+c) + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/30*(15*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*log(-(cos(d*x + c))^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a) + 4*(3*A*cos(d*x + c)^3 - A*cos(d*x + c)^2 + (13*A + 15*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), 1/15*(15*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*(3*A*cos(d*x + c)^3 - A*cos(d*x + c)^2 + (13*A + 15*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{a \sec(dx + c) + a \sec(dx + c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/(sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(5/
2)), x)
```

$$3.283 \quad \int \frac{A+C \sec^2(c+dx)}{7 \sec^2(c+dx) \sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=224

$$\frac{2(43A + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2(31A + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx) \sqrt{a \sec(c + dx) + a}}} + \frac{\sqrt{2}(A + C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)}} \right)}{\sqrt{ad}}$$

```
[Out] (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(43*A + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.67462, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4087, 4022, 4013, 3808, 206}

$$\frac{2(43A + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2(31A + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx) \sqrt{a \sec(c + dx) + a}}} + \frac{\sqrt{2}(A + C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)}} \right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]), x]
```

```
[Out] (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(43*A + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
```

```
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{-\frac{aA}{2} + \frac{1}{2}a(6A+7C) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx) \sqrt{a+a \sec(c+dx)}} dx}{7a} \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2A \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2A \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2A \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2A \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2A \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{\sqrt{2}(A + C) \tanh^{-1} \left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}} \right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 6.47997, size = 573, normalized size = 2.56

$$\frac{(A + C) \sin(c + dx) \cos^4(c + dx) (\sec(c + dx) + 1)^{3/2} \sqrt{\sec^2(c + dx) - 1} \left(\log \left(-3 \sec^2(c + dx) - 2\sqrt{2} \sqrt{\sec(c + dx) + 1} \sqrt{\sec(c + dx) - 1} \right) \right)}{d (\cos(c + dx) + 1) \sqrt{2 - 2 \cos(c + dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] ((A + C)*Cos[c + d*x]^4*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]])*(1 + Sec[c + d*x])^(3/2)*Sqrt[-1 + Sec[c + d*x]^2]*(A + C*Sec[c + d*x]^2)*Sin[c + d*x])/(d*(1 + Cos[c + d*x])*Sqrt[2 - 2*Cos[c + d*x]^2]*Sqrt[1 - Cos[c + d*x]^2]*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[a*(1 + Sec[c + d*x])]) + (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((-2*(193*A + 140*

$$\begin{aligned} & C) \cos(dx) \sin(c) / (105d) + ((113A + 70C) \cos[2dx] \sin[2c]) / (105d) \\ & - (6A \cos[3dx] \sin[3c]) / (35d) + (A \cos[4dx] \sin[4c]) / (14d) + (8 \operatorname{Sec}[c/2] \operatorname{Sec}[c/2 + (dx)/2] \\ & * (46A \sin[(dx)/2] + 35C \sin[(dx)/2])) / (105d) \\ & - (2(193A + 140C) \cos[c] \sin[dx]) / (105d) + ((113A + 70C) \cos[2c] \sin[2dx]) / (105d) \\ & - (6A \cos[3c] \sin[3dx]) / (35d) + (A \cos[4c] \sin[4dx]) / (14d) + (8(46A + 35C) \tan[c/2]) / (105d) \\ &)) / ((A + 2C + A \cos[2c + 2dx]) \operatorname{Sec}[c + dx]^{3/2} \operatorname{Sqrt}[a(1 + \operatorname{Sec}[c + dx])]) \end{aligned}$$

Maple [A] time = 0.431, size = 216, normalized size = 1.

$$-\frac{(\cos(dx+c))^4}{105ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(30A(\cos(dx+c))^4 - 36A(\cos(dx+c))^3 + 105 \arctan\left(\frac{1}{2} \sin(dx+c)\right) \sqrt{-\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x)

[Out] $-1/105/d/a*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(30A*\cos(d*x+c)^4-36A*\cos(d*x+c)^3+105*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*A*\sin(d*x+c)+105*C*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)+68*A*\cos(d*x+c)^2+70*C*\cos(d*x+c)^2-148*A*\cos(d*x+c)-140*C*\cos(d*x+c)+86*A+70*C)*\cos(d*x+c)^4*(1/\cos(d*x+c))^{7/2}/\sin(d*x+c)$

Maxima [B] time = 2.18826, size = 986, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] $-1/840*(\sqrt{2}*(525*\cos(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) - 175*\cos(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) + 21*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) - 525*\cos(7/2*d*x + 7/2*c) * \sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 175*\cos(7/2*d*x + 7/2*c) * \sin(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))$

$$\begin{aligned} &)) - 21 \cos(7/2 dx + 7/2 c) \sin(2/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c))) - 420 \log(\cos(1/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c)))^2 + \sin(1/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c)))^2 + 2 \sin(1/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c))) + 1) + 420 \log(\cos(1/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c)))^2 + \sin(1/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c)))^2 - 2 \sin(1/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c))) + 1) - 30 \sin(7/2 dx + 7/2 c) + 21 \sin(5/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c))) - 175 \sin(3/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c))) + 525 \sin(1/7 \arctan2(\sin(7/2 dx + 7/2 c), \cos(7/2 dx + 7/2 c)))) * A / \sqrt{a} + 140 * (3 \sqrt{2} \cos(2/3 \arctan2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) \sin(3/2 dx + 3/2 c) - 3 \sqrt{2} \cos(3/2 dx + 3/2 c) \sin(2/3 \arctan2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))) - 3 \sqrt{2} \log(\cos(1/3 \arctan2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 + \sin(1/3 \arctan2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 + 2 \sin(1/3 \arctan2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 1) + 3 \sqrt{2} \log(\cos(1/3 \arctan2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 + \sin(1/3 \arctan2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 - 2 \sin(1/3 \arctan2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 1) - 2 \sqrt{2} \sin(3/2 dx + 3/2 c) + 3 \sqrt{2} \sin(1/3 \arctan2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))) * C / \sqrt{a} / d \end{aligned}$$

Fricas [A] time = 0.54735, size = 1108, normalized size = 4.95

$$\frac{105 \sqrt{2} ((A+C)a \cos(dx+c) + (A+C)a) \log \left(\frac{\cos(dx+c)^2 - \frac{2\sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{\sqrt{a}} - 2 \cos(dx+c) - 3}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right) + \frac{4(15A \cos(dx+c)^4 - 3A \cos(dx+c)^3 + (31A + 35C))}{210(ad \cos(dx+c) + ad)}}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/210*(105*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*log(-(cos(d*x + c))^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a) + 4*(15*A*cos(d*x + c)^4 - 3*A*cos(d*x + c)^3 + (31*A + 35*C))

```
*cos(d*x + c)^2 - (43*A + 35*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos
(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), -1/10
5*(105*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*arctan(sqrt(
2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/si
n(d*x + c)) - 2*(15*A*cos(d*x + c)^4 - 3*A*cos(d*x + c)^3 + (31*A + 35*C)*c
os(d*x + c)^2 - (43*A + 35*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d
*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2)/(a+a*sec(d*x+c))**(1/2), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{a \sec(dx + c) + a} \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2), x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/(sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(7/
2)), x)
```

$$3.284 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=188

$$\frac{(A+9C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{3C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2} d} - \frac{(A+C) \sin(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} + \frac{(A+3C) \sin(c+dx)}{2ad\sqrt{a}}$$

[Out] $(-3*C*ArcSinh[(Sqrt[a]*Tan[c+d*x])/Sqrt[a+a*Sec[c+d*x]])/(a^{(3/2)*d}) + ((A+9*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c+d*x]]*Sin[c+d*x])/(Sqrt[2]*Sqrt[a+a*Sec[c+d*x]])]/(2*Sqrt[2]*a^{(3/2)*d}) - ((A+C)*Sec[c+d*x]^{(5/2)*Sin[c+d*x]}/(2*d*(a+a*Sec[c+d*x])^{(3/2)}) + ((A+3*C)*Sec[c+d*x]^{(3/2)*Sin[c+d*x]}/(2*a*d*Sqrt[a+a*Sec[c+d*x]]))$

Rubi [A] time = 0.562369, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4085, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(A+9C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{3C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2} d} - \frac{(A+C) \sin(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} + \frac{(A+3C) \sin(c+dx)}{2ad\sqrt{a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c+d*x]^{(3/2)}*(A+C*\text{Sec}[c+d*x]^2))/(a+a*\text{Sec}[c+d*x]^{(3/2)}), x]$

[Out] $(-3*C*ArcSinh[(Sqrt[a]*Tan[c+d*x])/Sqrt[a+a*Sec[c+d*x]])/(a^{(3/2)*d}) + ((A+9*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c+d*x]]*Sin[c+d*x])/(Sqrt[2]*Sqrt[a+a*Sec[c+d*x]])]/(2*Sqrt[2]*a^{(3/2)*d}) - ((A+C)*Sec[c+d*x]^{(5/2)*Sin[c+d*x]}/(2*d*(a+a*Sec[c+d*x])^{(3/2)}) + ((A+3*C)*Sec[c+d*x]^{(3/2)*Sin[c+d*x]}/(2*a*d*Sqrt[a+a*Sec[c+d*x]]))$

Rule 4085

$\text{Int}[(A + csc(e + f*x) + (f*x)^2*(C)) * (csc(e + f*x) + (f*x)) * (d + (A + C)*Cot[e + f*x] * (a + b*Csc[e + f*x])^m * (d*Csc[e + f*x])^n) / (a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*Csc[e + f*x])^{m+1} * (d*Csc[e + f*x])^n * \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{EqQ}[a^2$

- b^2, 0] && LtQ[m, -2^(-1)]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \int \frac{\sec^{\frac{3}{2}}(c+dx)\left(-\frac{1}{2}a(A-3C)-a(A+3C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} \frac{1}{2a^2} \\
&= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A+3C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \int \frac{a(A+3C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2a^2} \\
&= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A+3C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \int \frac{a(A+3C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2a^2} \\
&= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A+3C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \int \frac{a(A+3C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2a^2} \\
&= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A+3C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{3C\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{3/2}d} + \frac{(A+9C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \int \frac{a(A+3C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2a^2}
\end{aligned}$$

Mathematica [B] time = 7.0676, size = 800, normalized size = 4.26

$$\frac{(\sec(c+dx)+1)^{3/2}(C\sec^2(c+dx)+A)}{2d(\cos(c+dx)+1)^{3/2}} \left(\frac{(A+3C)\cos^2(c+dx)\left(\log\left(-3\sec^2(c+dx)-2\sec(c+dx)-2\sqrt{2}\sqrt{\sec(c+dx)+1}\sqrt{\sec^2(c+dx)-1}\sqrt{\sec(c+dx)+1}\right)\right)}{2d(\cos(c+dx)+1)^{3/2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Cos[c + d*x]^2*(1 + Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*(((A + 3*C)*Cos[c + d*x]^2*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]])*(1 + Sec[c + d*x])*Sqrt[-1 + Sec[c + d*x]^2]*Sin[c + d*x])/(2*d*(1 + Cos[c + d*x])*Sqrt[2 - 2*Cos[c + d*x]^2]*Sqrt[1 - Cos[c + d*x]^2]) - (3*C*Cos[c + d*x]^2*(-8*Log[1 + Sec[c + d*x]] + 8*Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] + Sqrt[2]*(-Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]

$$\begin{aligned} &]^2 - 2\sqrt{2}\sqrt{\sec[c + d*x]}\sqrt{1 + \sec[c + d*x]}\sqrt{-1 + \sec[c + d*x]^2}] + \text{Log}[1 - 2\sec[c + d*x] - 3\sec[c + d*x]^2 + 2\sqrt{2}\sqrt{\sec[c + d*x]}\sqrt{1 + \sec[c + d*x]}\sqrt{-1 + \sec[c + d*x]^2}}] \\ &)*(1 + \sec[c + d*x])\sqrt{-1 + \sec[c + d*x]^2}\sin[c + d*x])/(2*d*(1 + \cos[c + d*x])*(1 - \cos[c + d*x]^2))) \\ &)/(2*(A + 2*C + A*\cos[2*c + 2*d*x])*(a*(1 + \sec[c + d*x]))^{3/2}) + (\sqrt{(1 + \cos[c + d*x])}\sec[c + d*x])*(1 + \sec[c + d*x])^{3/2}*(A + C*\sec[c + d*x]^2)*((\sec[c/2]*\sec[c/2 + (d*x)/2]^2*(-A*\sin[c/2]) - C*\sin[c/2]))/(2*d) \\ & + (\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(-A*\sin[(d*x)/2]) - C*\sin[(d*x)/2]))/(2*d) + (\sec[c/2]*\sec[c/2 + (d*x)/2]*(A*\sin[(d*x)/2] + 3*C*\sin[(d*x)/2]))/d \\ & + ((A + 3*C)*\tan[c/2])/d)/((A + 2*C + A*\cos[2*c + 2*d*x])*\sec[c + d*x]^{3/2}*(a*(1 + \sec[c + d*x]))^{3/2}) \end{aligned}$$

Maple [B] time = 0.388, size = 370, normalized size = 2.

$$\frac{\cos(dx + c) \left((\cos(dx + c))^2 - 1 \right)}{4 da^2 (\sin(dx + c))^3} \left(-3 C \sin(dx + c) \sqrt{2} \cos(dx + c) \arctan \left(\frac{1}{4} \sqrt{2} \sqrt{-2 (\cos(dx + c) + 1)^{-1} (\cos(dx + c) - 1)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] 1/4/d/a^2*(-3*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+3*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+9*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-3*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+2*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^3*(cos(d*x+c)^2-1)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.702915, size = 1658, normalized size = 8.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/8*(\sqrt{2})*((A + 9*C)*\cos(d*x + c)^2 + 2*(A + 9*C)*\cos(d*x + c) + A + 9* \\ & C)*\sqrt{a}*\log(-(a*\cos(d*x + c)^2 - 2*\sqrt{2})*\sqrt{a}*\sqrt{(a*\cos(d*x + c) \\ & + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a \\ &)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) + 6*(C*\cos(d*x + c)^2 + 2*C*\cos(d* \\ & x + c) + C)*\sqrt{a}*\log((a*\cos(d*x + c)^3 - 7*a*\cos(d*x + c)^2 + 4*(\cos(d*x \\ & + c)^2 - 2*\cos(d*x + c))*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*s \\ & \sin(d*x + c)/\sqrt{\cos(d*x + c)} + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)) + \\ & 4*((A + 3*C)*\cos(d*x + c) + 2*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*s \\ & \sin(d*x + c)/\sqrt{\cos(d*x + c)}}/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) \\ & + a^2*d), -1/4*(\sqrt{2})*((A + 9*C)*\cos(d*x + c)^2 + 2*(A + 9*C)*\cos(d*x + \\ & c) + A + 9*C)*\sqrt{-a}*\arctan(\sqrt{2})*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos \\ & (d*x + c)}*\sqrt{\cos(d*x + c)}}/(a*\sin(d*x + c))) + 6*(C*\cos(d*x + c)^2 + 2* \\ & C*\cos(d*x + c) + C)*\sqrt{-a}*\arctan(2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos \\ & (d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(a*\cos(d*x + c)^2 - a*\cos(d*x + \\ & c) - 2*a)) - 2*((A + 3*C)*\cos(d*x + c) + 2*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos \\ & (d*x + c)}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}}/(a^2*d*\cos(d*x + c)^2 + 2*a^2* \\ & d*\cos(d*x + c) + a^2*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(3/2), x)
```

$$3.285 \quad \int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=145

$$\frac{(3A - 5C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A + C) \sin(c + dx) \sec^2(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) + ((3*A - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.391786, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4085, 4023, 3808, 206, 3801, 215}

$$\frac{(3A - 5C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A + C) \sin(c + dx) \sec^2(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) + ((3*A - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\sqrt{\sec(c+dx)}\left(-\frac{1}{2}a(3A-C)-2aC\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A-5C)\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a\sec(c+dx)}} dx}{4a} + C \int \frac{1}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(3A-5C)\text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a\sqrt{\sec(c+dx)}}{\sqrt{a+a\sec(c+dx)}}\right)}{2ad} \\
&= \frac{2C\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{3/2}d} + \frac{(3A-5C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [B] time = 7.24291, size = 795, normalized size = 5.48

$$(\sec(c+dx)+1)^{3/2}(C\sec^2(c+dx)+A)\left(\frac{(3A-C)\left(\log\left(-3\sec^2(c+dx)-2\sec(c+dx)-2\sqrt{2}\sqrt{\sec(c+dx)+1}\sqrt{\sec^2(c+dx)-1}\sqrt{\sec(c+dx)+1}\right)-\log\left(-3\sec^2(c+dx)-2\sec(c+dx)+2\sqrt{2}\sqrt{\sec(c+dx)+1}\sqrt{\sec^2(c+dx)-1}\sqrt{\sec(c+dx)+1}\right)\right)}{2d(\cos(c+dx)+1)^{3/2}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Cos[c + d*x]^2*(1 + Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*(((3*A - C)*Cos[c + d*x]^2*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]))*(1 + Sec[c + d*x])*Sqrt[-1 + Sec[c + d*x]^2]*Sin[c + d*x])/(2*d*(1 + Cos[c + d*x])*Sqrt[2 - 2*Cos[c + d*x]^2]*Sqrt[1 - Cos[c + d*x]^2]) + (C*Cos[c + d*x]^2*(-8*Log[1 + Sec[c + d*x]] + 8*Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] + Sqrt[2]*(-Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] + Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]]))*(1 + Sec[c + d*x])*Sqrt[-1 + Sec[c + d*x]^2]*Sin[c + d*x])/(d*(1 + Cos[c + d*x])*(1 - Cos[c + d*x]^2)))/(2*(A + 2*C + A*Cos[2*c + 2*d*x])*(a*(1 + Sec[c + d*x]))^(3/2)

2)) + (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*(1 + Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((Sec[c/2]*Sec[c/2 + (d*x)/2]^2*(A*Sin[c/2] + C*Sin[c/2]))/(2*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]*(-(A*Sin[(d*x)/2]) - C*Sin[(d*x)/2]))/d + (Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(2*d) - ((A + C)*Tan[c/2])/d))/((A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.364, size = 314, normalized size = 2.2

$$\frac{\cos(dx+c)\left((\cos(dx+c))^2-1\right)}{4da^2(\sin(dx+c))^3}\sqrt{(\cos(dx+c))^{-1}}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(-2C\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] 1/4/d/a^2*(1/cos(d*x+c))^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)*(-2*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*sin(d*x+c)+2*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)+3*A*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-5*C*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-A*(-2/(cos(d*x+c)+1))^(1/2)-C*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^3*(cos(d*x+c)^2-1)

Maxima [B] time = 2.32726, size = 4257, normalized size = 29.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] 1/4*((3*(log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*cos(2*d*x + 2*c)^2 + 12*(log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*cos(d*x

$$\begin{aligned}
& + c)^2 + 3*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/ \\
& 2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - \\
& 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(2*d*x + 2*c)^2 + 12*(\log(\cos(1/2*d*x + 1/ \\
& 2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2 \\
& *d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin \\
& (d*x + c)^2 + 2*(6*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2 \\
& *\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2 \\
& *c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(d*x + c) + 3*\log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 3*\log(\cos(1/ \\
& 2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 2 \\
& *\sin(3/2*d*x + 3/2*c) + 2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 4*(3*\log \\
& (\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + \\
& 1) - 3*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x \\
& + 1/2*c) + 1) + 2*\sin(1/2*d*x + 1/2*c))*\cos(d*x + c) + 4*(3*(\log(\cos(1/2*d \\
& *x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\\
& \cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + \\
& 1))*\sin(d*x + c) + \cos(3/2*d*x + 3/2*c) - \cos(1/2*d*x + 1/2*c))*\sin(2*d*x + \\
& 2*c) - 4*(2*\cos(d*x + c) + 1)*\sin(3/2*d*x + 3/2*c) + 8*\cos(3/2*d*x + 3/2*c \\
&)*\sin(d*x + c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(d*x + c) + 3*\log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 3*\log(\cos \\
& (1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& + 4*\sin(1/2*d*x + 1/2*c))*A/((\sqrt{2})*a*\cos(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*co \\
& s(d*x + c)^2 + \sqrt{2})*a*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*\sin(2*d*x + 2*c)* \\
& \sin(d*x + c) + 4*\sqrt{2})*a*\sin(d*x + c)^2 + 4*\sqrt{2})*a*\cos(d*x + c) + 2*(2 \\
& *\sqrt{2})*a*\cos(d*x + c) + \sqrt{2})*a)*\cos(2*d*x + 2*c) + \sqrt{2})*a)*\sqrt{a}) \\
& + (4*(\sin(2*d*x + 2*c) + 2*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c))))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*(\sqrt{2})*co \\
& s(2*d*x + 2*c)^2 + 4*\sqrt{2})*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))^2 + \sqrt{2})*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*\sin(2*d*x + 2*c)*\sin(1/2* \\
& \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sqrt{2})*\sin(1/2*\arctan2(\si \\
& n(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\sqrt{2})*\cos(2*d*x + 2*c) + \sqrt{2} \\
&))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\cos(2*d \\
& *x + 2*c) + \sqrt{2}))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2} \\
&)*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\sin(1/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 2*(\sqrt{2})*\cos(2*d*x + \\
& 2*c)^2 + 4*\sqrt{2})*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + \sqrt{2})*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sqrt{2})*\sin(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\sqrt{2})*\cos(2*d*x + 2*c) + \sqrt{2}))*\cos(1/ \\
& 2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\cos(2*d*x + 2*c) \\
& + \sqrt{2}))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \\
& 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2})*\cos(1/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2})*\sin(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 2*(\sqrt{2})*\cos(2*d*x + 2*c)^2 +
\end{aligned}$$

Fricas [B] time = 0.687207, size = 1613, normalized size = 11.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/8*(\sqrt{2})*((3*A - 5*C)*\cos(d*x + c)^2 + 2*(3*A - 5*C)*\cos(d*x + c) + 3 \\ & *A - 5*C)*\sqrt{a}*\log(-(a*\cos(d*x + c)^2 + 2*\sqrt{2})*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)} \\ & *\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) + 4*(A + C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)} \\ & *\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 4*(C*\cos(d*x + c)^2 + 2*C*\cos(d*x + c) + C)*\sqrt{a}*\log((a*\cos(d*x + c)^3 - 7*a*\cos(d*x + c)^2 - 4*(\cos(d*x + c)^2 - 2*\cos(d*x + c))*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/\sqrt{\cos(d*x + c)} + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d), -1/4*(\sqrt{2})*((3*A - 5*C)*\cos(d*x + c)^2 + 2*(3*A - 5*C)*\cos(d*x + c) + 3*A - 5*C)*\sqrt{-a}*\arctan(\sqrt{2}*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)})/(a*\sin(d*x + c))) + 2*(A + C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 4*(C*\cos(d*x + c)^2 + 2*C*\cos(d*x + c) + C)*\sqrt{-a}*\arctan(2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(a*\cos(d*x + c)^2 - a*\cos(d*x + c) - 2*a)))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^(3/2), x)
```

$$3.286 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=152

$$\frac{(7A - C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A + C) \sin(c + dx) \sqrt{\sec(c + dx)}}{2ad \sqrt{a \sec(c + dx) + a}} - \frac{(A + C) \sin(c + dx) \sqrt{\sec(c + dx)}}{2d(a \sec(c + dx) + a)^{3/2}}$$

[Out] -((7*A - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((5*A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.350837, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4085, 4013, 3808, 206}

$$\frac{(7A - C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A + C) \sin(c + dx) \sqrt{\sec(c + dx)}}{2ad \sqrt{a \sec(c + dx) + a}} - \frac{(A + C) \sin(c + dx) \sqrt{\sec(c + dx)}}{2d(a \sec(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] -((7*A - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((5*A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{\int \frac{-\frac{1}{2}a(5A+C)+a(A-C) \sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\ &= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{(5A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} - \frac{(7A - C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} \\ &= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{(5A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} + \frac{(7A - C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 3.11372, size = 303, normalized size = 1.99

$$(\sec(c + dx) + 1)^{3/2} (A + C \sec^2(c + dx)) \left(\frac{2 \left(\sin\left(\frac{3}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right) \right) \sec^3\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)+1} (4A \cos(c+dx) + 5A + C)}{\sec^2(c+dx)} - \sqrt{2}(7A - C) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] ((1 + Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((2*(5*A + C + 4*A*Cos[c + d*x])*Sec[(c + d*x)/2]^3*Sqrt[1 + Sec[c + d*x]]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/Sec[c + d*x]^(3/2) - Sqrt[2]*(7*A - C)*Cos[c + d*x]^2*Cot[c + d*x]*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]]*Sqrt[Tan[c + d*x]^2]))/(8*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.347, size = 285, normalized size = 1.9

$$\frac{-1 + \cos(dx + c)}{4da^2(\sin(dx + c))^3} \left(-7A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2(\cos(dx + c) + 1)^{-1}}\right) \sqrt{-2(\cos(dx + c) + 1)^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x)

[Out] 1/4/d/a^2*(-1+cos(d*x+c))*(-7*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+C*cos(d*x+c)*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-7*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+8*A*cos(d*x+c)^2+2*A*cos(d*x+c)+2*C*cos(d*x+c)-10*A-2*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^3/(1/cos(d*x+c))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, alg
orithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.542567, size = 1098, normalized size = 7.22

$$\frac{\sqrt{2}((7A - C)\cos(dx + c)^2 + 2(7A - C)\cos(dx + c) + 7A - C)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{8(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, alg
orithm="fricas")
```

```
[Out] [-1/8*(sqrt(2)*((7*A - C)*cos(d*x + c)^2 + 2*(7*A - C)*cos(d*x + c) + 7*A -
C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*
a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(4*A*cos(d*x + c)^2 + (5*A +
C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(
cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/4*(
sqrt(2)*((7*A - C)*cos(d*x + c)^2 + 2*(7*A - C)*cos(d*x + c) + 7*A - C)*sq
rt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(
cos(d*x + c))/(a*sin(d*x + c))) + 2*(4*A*cos(d*x + c)^2 + (5*A + C)*cos(d*x
+ c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x +
c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2)/sec(d*x+c)**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)

$$3.287 \quad \int \frac{A+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=201

$$\frac{(11A + 3C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{2\sqrt{2}a^{3/2}d} - \frac{(19A + 3C) \sin(c + dx) \sqrt{\sec(c + dx)}}{6ad\sqrt{a \sec(c + dx) + a}} + \frac{(7A + 3C) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

[Out] ((11*A + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((7*A + 3*C)*Sin[c + d*x])/(6*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((19*A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.514951, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4085, 4022, 4013, 3808, 206}

$$\frac{(11A + 3C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{2\sqrt{2}a^{3/2}d} - \frac{(19A + 3C) \sin(c + dx) \sqrt{\sec(c + dx)}}{6ad\sqrt{a \sec(c + dx) + a}} + \frac{(7A + 3C) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] ((11*A + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((7*A + 3*C)*Sin[c + d*x])/(6*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((19*A + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2

- b^2, 0] && LtQ[m, -2^(-1)]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} - \frac{\int \frac{-\frac{1}{2}a(7A+3C)+2aA \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{(7A + 3C) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{(7A + 3C) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{(7A + 3C) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= \frac{(11A + 3C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 3.00724, size = 316, normalized size = 1.57

$$\frac{(\sec(c + dx) + 1)^{3/2} (A + C \sec^2(c + dx)) \left(\frac{2 \left(\sin\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{3}{2}(c+dx)\right) \right) \sqrt{\sec(c+dx)+1} \sec^3\left(\frac{1}{2}(c+dx)\right) (12A \cos(c+dx) - 2A \cos(2(c+dx)) + 17A + 3C)}{\sec^{\frac{3}{2}}(c+dx)} \right)}{2\sqrt{2}a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] ((1 + Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((2*(17*A + 3*C + 12*A*Cos[c + d*x] - 2*A*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^3*Sqrt[1 + Sec[c + d*x]]*(Sin[(c + d*x)/2] - Sin[(3*(c + d*x))/2]))/Sec[c + d*x]^(3/2) + 3*Sqrt[2]*(11*A + 3*C)*Cos[c + d*x]^2*Cot[c + d*x]*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]])*Sqrt[Tan[c + d*x]^2])/(24*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.381, size = 306, normalized size = 1.5

$$\frac{(-1 + \cos(dx + c)) (\cos(dx + c))^2}{12 da^2 (\sin(dx + c))^3} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} \left(33 A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c)\right) \sqrt{-2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] 1/12/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(33*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+9*C*cos(d*x+c)*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+33*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+8*A*cos(d*x+c)^3+9*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-32*A*cos(d*x+c)^2-14*A*cos(d*x+c)-6*C*cos(d*x+c)+38*A+6*C*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)^3

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.538732, size = 1197, normalized size = 5.96

$$\left[\frac{3\sqrt{2}((11A + 3C)\cos(dx + c)^2 + 2(11A + 3C)\cos(dx + c) + 11A + 3C)\sqrt{a} \log\left(\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}}{\cos(dx+c)^2 + 2\cos(dx+c)}\right)}{24(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [1/24*(3*sqrt(2)*((11*A + 3*C)*cos(d*x + c)^2 + 2*(11*A + 3*C)*cos(d*x + c) + 11*A + 3*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(4*A*cos(d*x + c)^3 - 12*A*cos(d*x + c)^2 - (19*A + 3*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/12*(3*sqrt(2)*((11*A + 3*C)*cos(d*x + c)^2 + 2*(11*A + 3*C)*cos(d*x + c) + 11*A + 3*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*(4*A*cos(d*x + c)^3 - 12*A*cos(d*x + c)^2 - (19*A + 3*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)
```

$$3.288 \quad \int \frac{A+C \sec^2(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=248

$$\frac{(15A+7C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A+5C) \sin(c+dx)}{10ad \sec^2(c+dx) \sqrt{a \sec(c+dx)+a}} - \frac{(A+C) \sin(c+dx)}{2d \sec^2(c+dx)(a \sec(c+dx)+a)}$$

[Out] -((15*A + 7*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((9*A + 5*C)*Sin[c + d*x])/(10*a*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((13*A + 5*C)*Sin[c + d*x])/(10*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((49*A + 25*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.702256, antiderivative size = 248, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4085, 4022, 4013, 3808, 206}

$$\frac{(15A+7C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A+5C) \sin(c+dx)}{10ad \sec^2(c+dx) \sqrt{a \sec(c+dx)+a}} - \frac{(A+C) \sin(c+dx)}{2d \sec^2(c+dx)(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] -((15*A + 7*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((9*A + 5*C)*Sin[c + d*x])/(10*a*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((13*A + 5*C)*Sin[c + d*x])/(10*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((49*A + 25*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +

1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{\int \frac{-\frac{1}{2}a(9A+5C)+a(3A+C) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(15A + 7C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 5.23948, size = 331, normalized size = 1.33

$$\frac{(\sec(c + dx) + 1)^{3/2} (A + C \sec^2(c + dx)) \left(\frac{2 \left(\sin\left(\frac{3}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right) \right) \sec^3\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)+1} ((39A+20C) \cos(c+dx) - 2A \cos(2(c+dx)))}{\sec^{\frac{3}{2}}(c+dx)} \right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] ((1 + Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((2*(47*A + 25*C + (39*A + 20*C)*Cos[c + d*x] - 2*A*Cos[2*(c + d*x)] + A*Cos[3*(c + d*x)])*Sec[(c + d*x)/2]^3*Sqrt[1 + Sec[c + d*x]]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/Sec[c + d*x]^(3/2) - 5*Sqrt[2]*(15*A + 7*C)*Cos[c + d*x]^2*Cot[c + d*x]*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c

+ d*x]^2]])*Sqrt[Tan[c + d*x]^2]))/(40*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.391, size = 328, normalized size = 1.3

$$-\frac{(-1 + \cos(dx + c)) (\cos(dx + c))^3}{20 da^2 (\sin(dx + c))^3} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} \left(75 A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c)\right) \sqrt{-2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] -1/20/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(75*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-8*A*cos(d*x+c)^4+35*C*cos(d*x+c)*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+75*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+16*A*cos(d*x+c)^3+35*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-80*A*cos(d*x+c)^2-40*C*cos(d*x+c)^2-26*A*cos(d*x+c)-10*C*cos(d*x+c)+98*A+50*C)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)^3

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 0.555983, size = 1280, normalized size = 5.16

$$\frac{5\sqrt{2}\left((15A+7C)\cos(dx+c)^2+2(15A+7C)\cos(dx+c)+15A+7C\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2+2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)}{40\left(a^2d\cos(dx+c)^2+2ad\cos(dx+c)+a^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/40*(5*sqrt(2)*((15*A + 7*C)*cos(d*x + c)^2 + 2*(15*A + 7*C)*cos(d*x + c) + 15*A + 7*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(4*A*cos(d*x + c)^4 - 4*A*cos(d*x + c)^3 + 4*(9*A + 5*C)*cos(d*x + c)^2 + (49*A + 25*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/20*(5*sqrt(2)*((15*A + 7*C)*cos(d*x + c)^2 + 2*(15*A + 7*C)*cos(d*x + c) + 15*A + 7*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(4*A*cos(d*x + c)^4 - 4*A*cos(d*x + c)^3 + 4*(9*A + 5*C)*cos(d*x + c)^2 + (49*A + 25*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(5/2)), x)

$$3.289 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=237

$$\frac{(3A + 35C) \sin(c + dx) \sec^3(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(3A + 115C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{5C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx) + a}}\right)}{a^{5/2} d} - \frac{(A + C) \sec^2(c + dx)}{a \sqrt{a \sec(c + dx) + a}}$$

[Out] $(-5*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^{(5/2)*d}) + ((3*A + 115*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^{(5/2)*d}) - ((A + C)*Sec[c + d*x]^{(7/2)*Sin[c + d*x]}/(4*d*(a + a*Sec[c + d*x])^{(5/2)}) + ((A - 15*C)*Sec[c + d*x]^{(5/2)*Sin[c + d*x]}/(16*a*d*(a + a*Sec[c + d*x])^{(3/2)}) + ((3*A + 35*C)*Sec[c + d*x]^{(3/2)*Sin[c + d*x]}/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]))$

Rubi [A] time = 0.767542, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.216$, Rules used = {4085, 4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(3A + 35C) \sin(c + dx) \sec^3(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(3A + 115C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{5C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx) + a}}\right)}{a^{5/2} d} - \frac{(A + C) \sec^2(c + dx)}{a \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^{(5/2)}*(A + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^{(5/2)}, x]$

[Out] $(-5*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^{(5/2)*d}) + ((3*A + 115*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^{(5/2)*d}) - ((A + C)*Sec[c + d*x]^{(7/2)*Sin[c + d*x]}/(4*d*(a + a*Sec[c + d*x])^{(5/2)}) + ((A - 15*C)*Sec[c + d*x]^{(5/2)*Sin[c + d*x]}/(16*a*d*(a + a*Sec[c + d*x])^{(3/2)}) + ((3*A + 35*C)*Sec[c + d*x]^{(3/2)*Sin[c + d*x]}/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]))$

Rule 4085

$\text{Int}[(A + C) \cot(e + f*x) (a + b \csc(e + f*x))^m (d \csc(e + f*x))^n / (a^2 f (2m + 1)), x] + \text{Dist}[1/(a*b*(2m + 1)), \text{Int}[(a + b \csc(e + f*x))^{m+1} (d \csc(e + f*x))^n, x]]$

$(e + f*x)^n \text{Simp}[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1}) / (a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^{n-1} * \text{Simp}[A*(a*d*(n-1)) - B*(b*d*(n-1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4021

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1}) / (f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1} * \text{Simp}[b*B*(n-1) + (A*b*(m + n) + a*B*m)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x]) / (\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

$\text{Int}[(a_.) + (b_.)*(x_.^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && Gt

Q[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_.)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c+dx) (A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{5}{2}}} dx &= -\frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} - \int \frac{\sec^{\frac{5}{2}}(c+dx) \left(-\frac{1}{2}a(3A-5C) - a(A+5C) \sec(c+dx)\right)}{(a+a \sec(c+dx))^{\frac{3}{2}} 4a^2} \\
 &= -\frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} + \frac{(A-15C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{3}{2}}} - \\
 &= -\frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} + \frac{(A-15C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{3}{2}}} + \\
 &= -\frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} + \frac{(A-15C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{3}{2}}} + \\
 &= -\frac{(A+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} + \frac{(A-15C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{3}{2}}} + \\
 &= -\frac{5C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{a^{\frac{5}{2}}d} + \frac{(3A+115C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{16\sqrt{2}a^{\frac{5}{2}}d} -
 \end{aligned}$$

Mathematica [B] time = 7.30941, size = 903, normalized size = 3.81

$$\cos^2(c + dx) \left(C \sec^2(c + dx) + A \right) \left(\frac{(3A+35C) \cos^2(c+dx) \left(\log \left(-3 \sec^2(c+dx) - 2 \sec(c+dx) - 2\sqrt{2} \sqrt{\sec(c+dx)+1} \sqrt{\sec^2(c+dx)-1} \sqrt{\sec(c+dx)+1} \right) - \log \left(\frac{2d(\cos(c+dx)+1)\sqrt{2-}}{\right)} \right)}{2d(\cos(c+dx)+1)\sqrt{2-}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (Cos[c + d*x]^2*(1 + Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*(((3*A + 35*C)*Cos[c + d*x]^2*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]])*(1 + Sec[c + d*x])*Sqrt[-1 + Sec[c + d*x]^2]*Sin[c + d*x])/(2*d*(1 + Cos[c + d*x])*Sqrt[2 - 2*Cos[c + d*x]^2]*Sqrt[1 - Cos[c + d*x]^2]) - (20*C*Cos[c + d*x]^2*(-8*Log[1 + Sec[c + d*x]] + 8*Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] + Sqrt[2]*(-Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]] + Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[-1 + Sec[c + d*x]^2]]))*(1 + Sec[c + d*x])*Sqrt[-1 + Sec[c + d*x]^2]*Sin[c + d*x])/(d*(1 + Cos[c + d*x])*(1 - Cos[c + d*x]^2)))/(16*(A + 2*C + A*Cos[2*c + 2*d*x])*(a*(1 + Sec[c + d*x]))^(5/2)) + (Sqrt[(1 + Cos[c + d*x])*Sec[c + d*x]]*(1 + Sec[c + d*x])^(5/2))*(A + C*Sec[c + d*x]^2)*((Sec[c/2]*Sec[c/2 + (d*x)/2]^2*(A*Sin[c/2] - 15*C*Sin[c/2]))/(16*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]^4*(-(A*Sin[c/2]) - C*Sin[c/2]))/(8*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] - 15*C*Sin[(d*x)/2]))/(16*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(-(A*Sin[(d*x)/2]) - C*Sin[(d*x)/2]))/(8*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]*(3*A*Sin[(d*x)/2] + 35*C*Sin[(d*x)/2]))/(8*d) + ((3*A + 35*C)*Tan[c/2])/(8*d)))/((A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.375, size = 615, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

```
[Out] 1/16/d/a^3*(1/cos(d*x+c))^(5/2)*cos(d*x+c)^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(-40*C*2^(1/2)*sin(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2+40*C*2^(1/2)*sin(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2+3*A*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2-3*A*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-40*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+40*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+115*C*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2-35*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3+3*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-4*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+115*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-20*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+7*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+39*C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+16*C*(-2/(cos(d*x+c)+1))^(1/2))/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^5
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.749329, size = 2001, normalized size = 8.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [1/64*(sqrt(2)*((3*A + 115*C)*cos(d*x + c)^3 + 3*(3*A + 115*C)*cos(d*x + c)^2 + 3*(3*A + 115*C)*cos(d*x + c) + 3*A + 115*C)*sqrt(a)*log(-(a*cos(d*x + c))^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d
```

```
*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x
+ c) + 1)) + 80*(C*cos(d*x + c)^3 + 3*C*cos(d*x + c)^2 + 3*C*cos(d*x + c)
+ C)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 + 4*(cos(d*x + c)^2
- 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x
+ c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((3*A
+ 35*C)*cos(d*x + c)^2 + (7*A + 55*C)*cos(d*x + c) + 16*C)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x +
c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(
2))*((3*A + 115*C)*cos(d*x + c)^3 + 3*(3*A + 115*C)*cos(d*x + c)^2 + 3*(3*A
+ 115*C)*cos(d*x + c) + 3*A + 115*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt(
(a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 8
0*(C*cos(d*x + c)^3 + 3*C*cos(d*x + c)^2 + 3*C*cos(d*x + c) + C)*sqrt(-a)*a
rctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))
*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) - 2*((3*A + 35*C)*
cos(d*x + c)^2 + (7*A + 55*C)*cos(d*x + c) + 16*C)*sqrt((a*cos(d*x + c) + a
)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*
a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, alg
orithm="giac")
```



```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^(5/2), x)
```

$$3.290 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=192

$$\frac{(5A - 43C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{2C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}} \right)}{a^{5/2}d} - \frac{(A + C) \sin(c + dx) \sec^2(c + dx)^{5/2}}{4d(a \sec(c + dx) + a)^{5/2}} + \frac{(5A - 11C)}{16ad}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) + ((5*A - 43*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*A - 11*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.560581, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4085, 4019, 4023, 3808, 206, 3801, 215}

$$\frac{(5A - 43C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{2C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}} \right)}{a^{5/2}d} - \frac{(A + C) \sin(c + dx) \sec^2(c + dx)^{5/2}}{4d(a \sec(c + dx) + a)^{5/2}} + \frac{(5A - 11C)}{16ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) + ((5*A - 43*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*A - 11*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2

- b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{\frac{5}{2}}} dx &= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{\frac{5}{2}}} - \int \frac{\sec^{\frac{3}{2}}(c+dx)\left(-\frac{1}{2}a(5A-3C)-4aC\sec(c+dx)\right)}{(a+a\sec(c+dx))^{\frac{3}{2}}} dx \\
&= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{\frac{5}{2}}} + \frac{(5A-11C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{\frac{3}{2}}} - \dots \\
&= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{\frac{5}{2}}} + \frac{(5A-11C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{\frac{3}{2}}} + \dots \\
&= -\frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{\frac{5}{2}}} + \frac{(5A-11C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{\frac{3}{2}}} - \dots \\
&= \frac{2C\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{5/2}d} + \frac{(5A-43C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{\frac{5}{2}}}
\end{aligned}$$

Mathematica [B] time = 6.65486, size = 445, normalized size = 2.32

$$\frac{(A+C\sec^2(c+dx))\left(8\tan\left(\frac{c}{2}\right)\tan^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\sqrt{\sec(c+dx)+1}((5A-11C)\cos(c+dx)+A-15C)+\sin(c+dx)\right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((A + C*Sec[c + d*x]^2)*(8*(A - 15*C + (5*A - 11*C)*Cos[c + d*x])*Sec[c/2]*Sec[(c + d*x)/2]*Sec[c + d*x]*Sqrt[1 + Sec[c + d*x]]*Sin[(d*x)/2]*Tan[(c + d*x)/2]^2 + 8*(A - 15*C + (5*A - 11*C)*Cos[c + d*x])*Sec[c + d*x]*Sqrt[1 + Sec[c + d*x]]*Tan[c/2]*Tan[(c + d*x)/2]^2 + (-256*C*Log[1 + Sec[c + d*x]] + 256*C*Log[Sqrt[Sec[c + d*x]] + Sec[c + d*x]^(3/2) + Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]] + Sqrt[2]*(5*A - 43*C)*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt

$$[\text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]^2])]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*\text{Sqrt}[\text{Tan}[c + d*x]^2)]/(64*d*(A + 2*C + A*\text{Cos}[2*(c + d*x)])*(-1 + \text{Sec}[c + d*x])*(\text{Sec}[c + d*x]/(1 + \text{Sec}[c + d*x]))^{3/2}*(a*(1 + \text{Sec}[c + d*x]))^{5/2})$$

Maple [B] time = 0.352, size = 550, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^{3/2}*(A+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{5/2}, x)$

[Out]
$$\begin{aligned} & -1/16/d/a^3*(-1+\cos(d*x+c))^2*(16*C*\sin(d*x+c)*2^{1/2}*\cos(d*x+c)*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c))) \\ & -16*C*\sin(d*x+c)*2^{1/2}*\cos(d*x+c)*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c))) \\ & +5*A*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}-5*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}) \\ & +16*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*\sin(d*x+c) \\ & -16*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\sin(d*x+c) \\ & -11*C*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}+43*C*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}) \\ & -4*A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}-5*A*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c) \\ & -A*(-2/(\cos(d*x+c)+1))^{1/2}+15*C*(-2/(\cos(d*x+c)+1))^{1/2}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2} \\ & *\cos(d*x+c)^2*(1/\cos(d*x+c))^{3/2}/(-2/(\cos(d*x+c)+1))^{1/2}/\sin(d*x+c)^5 \end{aligned}$$

Maxima [B] time = 4.43378, size = 10615, normalized size = 55.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(d*x+c)^{3/2}*(A+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{5/2}, x, \text{algorithm}="maxima")$

[Out]
$$\frac{1}{32}*((4*(3*\sin(\frac{3}{2}*d*x + \frac{3}{2}*c) + 5*\sin(\frac{7}{3}*\arctan^2(\sin(\frac{3}{2}*d*x + \frac{3}{2}*c)), \cos(\frac{3}{2}*d*x + \frac{3}{2}*c))) - 3*\sin(\frac{5}{3}*\arctan^2(\sin(\frac{3}{2}*d*x + \frac{3}{2}*c)), \cos(\frac{3}{2}*d*x + \frac{3}{2}*c)))$$

$$\begin{aligned}
& x + 3/2*c))) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
&))*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 40*(2*\sin(3*d*x + 3*c) \\
& + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
&))*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 24*(2*\sin(3*d*x + 3*c) \\
& + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
&))*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 24*(3*\sin(3/2*d*x + 3/2*c) \\
& - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 16*(3*\sin(3/2*d*x + 3/2*c) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*) \\
& *\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8 \\
& *(4*\cos(3*d*x + 3*c) + 1)*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 \\
& + 16*\sin(3*d*x + 3*c)^2 + 4*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
&))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 48*(\sin(3*d*x + 3*c) + \sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
&))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 32*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 16*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*\cos(3*d*x + 3*c) + 1)*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) \\
& - 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 36*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*(4*\cos(3*d*x + 3*c) + 1)*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sin(3*d*x + 3*c)^2 + 4*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
&))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*)*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))
\end{aligned}$$

$$\begin{aligned}
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2* \\
& c), \cos(3/2*d*x + 3/2*c)))^2 + 48*(\sin(3*d*x + 3*c) + \sin(2/3*\arctan2(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2* \\
& c), \cos(3/2*d*x + 3/2*c))) + 36*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c)))^2 + 32*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2 \\
& *c), \cos(3/2*d*x + 3/2*c))) + 16*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c)))^2 + 8*\cos(3*d*x + 3*c) + 1)*\log(\cos(1/3*\arctan2(\sin(3/2* \\
& d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2* \\
& c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c))) + 1) - 48*\cos(3/2*d*x + 3/2*c)*\sin(3*d*x + 3*c) + 80*\cos \\
& (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(3*d*x + 3*c) \\
& + 48*\cos(3*d*x + 3*c)*\sin(3/2*d*x + 3/2*c) - 4*(3*\cos(3/2*d*x + 3/2*c) + 5* \\
& \cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\cos(5/3*\ar \\
& ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 5*\cos(1/3*\arctan2(\sin(\\
& 3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2 \\
& *c), \cos(3/2*d*x + 3/2*c))) + 20*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(si \\
& n(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) - 12*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/ \\
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/ \\
& 2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c))) - 24*(3*\cos(3/2*d*x + 3/2*c) - 5*\cos(1/3*\arctan2(\sin(3/ \\
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c \\
&), \cos(3/2*d*x + 3/2*c))) - 16*(3*\cos(3/2*d*x + 3/2*c) - 5*\cos(1/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(2/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c))) - 20*(4*\cos(3*d*x + 3*c) + 1)*\sin(1/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*\sin(3/2*d*x + 3/2*c))* \\
& A/((16*\sqrt{2})*a^2*\cos(3*d*x + 3*c)^2 + \sqrt{2})*a^2*\cos(8/3*\arctan2(\sin(3/2 \\
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 36*\sqrt{2})*a^2*\cos(4/3*\arctan2(si \\
& n(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sqrt{2})*a^2*\cos(2/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sqrt{2})*a^2*\sin(3*d* \\
& x + 3*c)^2 + \sqrt{2})*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c)))^2 + 36*\sqrt{2})*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c)))^2 + 32*\sqrt{2})*a^2*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2 \\
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\sqrt{2})*a^2*\sin(2/3*\arctan2(\sin(\\
& 3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*\sqrt{2})*a^2*\cos(3*d*x + 3*c) \\
& + \sqrt{2})*a^2 + 2*(4*\sqrt{2})*a^2*\cos(3*d*x + 3*c) + 6*\sqrt{2})*a^2*\cos(4/3* \\
& arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\sqrt{2})*a^2*\cos(2/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2})*a^2*\cos(8 \\
& /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*(4*\sqrt{2})*a^2 \\
& *\cos(3*d*x + 3*c) + 4*\sqrt{2})*a^2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c))) + \sqrt{2})*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), co \\
& s(3/2*d*x + 3/2*c))) + 8*(4*\sqrt{2})*a^2*\cos(3*d*x + 3*c) + \sqrt{2})*a^2*\cos \\
& (2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*(2*\sqrt{2})*a^ \\
& 2*\sin(3*d*x + 3*c) + 3*\sqrt{2})*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), co
\end{aligned}$$

$$\begin{aligned}
& s(3/2*d*x + 3/2*c))) + 2*sqrt(2)*a^2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) * \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) + 48*(sqrt(2)*a^2*\sin(3*d*x + 3*c) + sqrt(2)*a^2*\sin(2/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c))) * sqrt(a)) + (44*(\sin(4*d*x + 4*c) + 6*\sin(2 \\
& *d*x + 2*c) + 4*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sin \\
& (1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \cos(7/4*\arctan2(\sin(2*d \\
& *x + 2*c), \cos(2*d*x + 2*c))) - 16*(19*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) - 19*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& - 11*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \cos(3/2*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 76*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + \\
& 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \cos(5/4*\ar \\
& ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 76*(\sin(4*d*x + 4*c) + 6*\sin(2* \\
& d*x + 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \cos(3/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sin(4*d*x + 4*c) + 6*s \\
& in(2*d*x + 2*c)) * \cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16* \\
& (sqrt(2)*\cos(4*d*x + 4*c)^2 + 36*sqrt(2)*\cos(2*d*x + 2*c)^2 + 16*sqrt(2)*\cos \\
& (3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 16*sqrt(2)*\cos(1/2*\ar \\
& ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + sqrt(2)*\sin(4*d*x + 4*c)^2 \\
& + 12*sqrt(2)*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 36*sqrt(2)*\sin(2*d*x + 2*c) \\
&)^2 + 16*sqrt(2)*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 1 \\
& 6*sqrt(2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*(6*sqrt \\
& (2)*\cos(2*d*x + 2*c) + sqrt(2))*\cos(4*d*x + 4*c) + 8*(sqrt(2)*\cos(4*d*x + \\
& 4*c) + 6*sqrt(2)*\cos(2*d*x + 2*c) + 4*sqrt(2)*\cos(1/2*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c))) + sqrt(2))*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c))) + 8*(sqrt(2)*\cos(4*d*x + 4*c) + 6*sqrt(2)*\cos(2*d*x + 2*c) + s \\
& qrt(2))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8*(sqrt(2)*s \\
& in(4*d*x + 4*c) + 6*sqrt(2)*\sin(2*d*x + 2*c) + 4*sqrt(2)*\sin(1/2*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2 \\
& *d*x + 2*c))) + 8*(sqrt(2)*\sin(4*d*x + 4*c) + 6*sqrt(2)*\sin(2*d*x + 2*c))*s \\
& in(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 12*sqrt(2)*\cos(2*d*x \\
& + 2*c) + sqrt(2))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
&)^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*sqrt(2)* \\
& \cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*sqrt(2)*\sin(1/4*\ar \\
& ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 16*(sqrt(2)*\cos(4*d*x + 4 \\
& *c)^2 + 36*sqrt(2)*\cos(2*d*x + 2*c)^2 + 16*sqrt(2)*\cos(3/2*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c)))^2 + 16*sqrt(2)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c \\
&), \cos(2*d*x + 2*c)))^2 + sqrt(2)*\sin(4*d*x + 4*c)^2 + 12*sqrt(2)*\sin(4*d*x \\
& + 4*c)*\sin(2*d*x + 2*c) + 36*sqrt(2)*\sin(2*d*x + 2*c)^2 + 16*sqrt(2)*\sin(3 \\
& /2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 16*sqrt(2)*\sin(1/2*\ar \\
& ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*(6*sqrt(2)*\cos(2*d*x + 2*c) \\
& + sqrt(2))*\cos(4*d*x + 4*c) + 8*(sqrt(2)*\cos(4*d*x + 4*c) + 6*sqrt(2)*\cos(2 \\
& *d*x + 2*c) + 4*sqrt(2)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
&) + sqrt(2))*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8*(sqrt \\
& (2)*\cos(4*d*x + 4*c) + 6*sqrt(2)*\cos(2*d*x + 2*c) + sqrt(2))*\cos(1/2*\arctan
\end{aligned}$$

$$\begin{aligned}
& \ln(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 43 * (2 * (6 * \cos(2dx + 2c) + 1) * \cos(4dx + 4c) + \cos(4dx + 4c)^2 + 36 * \cos(2dx + 2c)^2 + 8 * (\cos(4dx + 4c) + 6 * \cos(2dx + 2c) + 4 * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) * \cos(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 16 * \cos(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 8 * (\cos(4dx + 4c) + 6 * \cos(2dx + 2c) + 1) * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 16 * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + \sin(4dx + 4c)^2 + 12 * \sin(4dx + 4c) * \sin(2dx + 2c) + 36 * \sin(2dx + 2c)^2 + 8 * (\sin(4dx + 4c) + 6 * \sin(2dx + 2c) + 4 * \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) * \sin(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 16 * \sin(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 8 * (\sin(4dx + 4c) + 6 * \sin(2dx + 2c)) * \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 16 * \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 12 * \cos(2dx + 2c) + 1) * \log(\cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 * \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) + 43 * (2 * (6 * \cos(2dx + 2c) + 1) * \cos(4dx + 4c) + \cos(4dx + 4c)^2 + 36 * \cos(2dx + 2c)^2 + 8 * (\cos(4dx + 4c) + 6 * \cos(2dx + 2c) + 4 * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) * \cos(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 16 * \cos(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 8 * (\cos(4dx + 4c) + 6 * \cos(2dx + 2c) + 1) * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 16 * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + \sin(4dx + 4c)^2 + 12 * \sin(4dx + 4c) * \sin(2dx + 2c) + 36 * \sin(2dx + 2c)^2 + 8 * (\sin(4dx + 4c) + 6 * \sin(2dx + 2c) + 4 * \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) * \sin(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 16 * \sin(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 8 * (\sin(4dx + 4c) + 6 * \sin(2dx + 2c)) * \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 16 * \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 12 * \cos(2dx + 2c) + 1) * \log(\cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2 * \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) - 44 * (\cos(4dx + 4c) + 6 * \cos(2dx + 2c) + 4 * \cos(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 4 * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) * \sin(7/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 16 * (19 * \cos(5/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 19 * \cos(3/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 11 * \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) * \sin(3/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 76 * (\cos(4dx + 4c) + 6 * \cos(2dx + 2c) + 4 * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) * \sin(5/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 76 * (\cos(4dx + 4c) + 6 * \cos(2dx + 2c) + 4 * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) * \sin(3/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 176 * \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) * \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 44 * (\cos(4dx + 4c) + 6 * \cos(2dx + 2c) + 1) * \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 176 * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) * \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))
\end{aligned}$$

$$\frac{\tan^2(\sin(2dx + 2c), \cos(2dx + 2c)) * C / ((\sqrt{2} * a^2 * \cos(4dx + 4c))^2 + 36 * \sqrt{2} * a^2 * \cos(2dx + 2c)^2 + 16 * \sqrt{2} * a^2 * \cos(3/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 16 * \sqrt{2} * a^2 * \cos(1/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + \sqrt{2} * a^2 * \sin(4dx + 4c)^2 + 12 * \sqrt{2} * a^2 * \sin(4dx + 4c) * \sin(2dx + 2c) + 36 * \sqrt{2} * a^2 * \sin(2dx + 2c)^2 + 16 * \sqrt{2} * a^2 * \sin(3/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 16 * \sqrt{2} * a^2 * \sin(1/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 12 * \sqrt{2} * a^2 * \cos(2dx + 2c) + \sqrt{2} * a^2 + 2 * (6 * \sqrt{2} * a^2 * \cos(2dx + 2c) + \sqrt{2} * a^2) * \cos(4dx + 4c) + 8 * (\sqrt{2} * a^2 * \cos(4dx + 4c) + 6 * \sqrt{2} * a^2 * \cos(2dx + 2c) + 4 * \sqrt{2} * a^2 * \cos(1/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sqrt{2} * a^2) * \cos(3/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c))) + 8 * (\sqrt{2} * a^2 * \cos(4dx + 4c) + 6 * \sqrt{2} * a^2 * \cos(2dx + 2c) + \sqrt{2} * a^2) * \cos(1/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c))) + 8 * (\sqrt{2} * a^2 * \sin(4dx + 4c) + 6 * \sqrt{2} * a^2 * \sin(2dx + 2c) + 4 * \sqrt{2} * a^2 * \sin(1/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c)))) * \sin(3/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c))) + 8 * (\sqrt{2} * a^2 * \sin(4dx + 4c) + 6 * \sqrt{2} * a^2 * \sin(2dx + 2c)) * \sin(1/2 * \arctan^2(\sin(2dx + 2c), \cos(2dx + 2c))) * \sqrt{a}}{d}$$

Fricas [B] time = 0.736031, size = 1967, normalized size = 10.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/64 * (\sqrt{2}) * ((5A - 43C) * \cos(dx + c)^3 + 3 * (5A - 43C) * \cos(dx + c)^2 + 3 * (5A - 43C) * \cos(dx + c) + 5A - 43C) * \sqrt{a} * \log(-a * \cos(dx + c)^2 + 2 * \sqrt{2} * \sqrt{a} * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)}) * \sqrt{\cos(dx + c)} * \sin(dx + c) - 2 * a * \cos(dx + c) - 3 * a) / (\cos(dx + c)^2 + 2 * \cos(dx + c) + 1) - 32 * (C * \cos(dx + c)^3 + 3 * C * \cos(dx + c)^2 + 3 * C * \cos(dx + c) + C) * \sqrt{a} * \log((a * \cos(dx + c)^3 - 7 * a * \cos(dx + c)^2 - 4 * (\cos(dx + c)^2 - 2 * \cos(dx + c)) * \sqrt{a} * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)}) * \sin(dx + c) / \sqrt{\cos(dx + c)}) + 8 * a) / (\cos(dx + c)^3 + \cos(dx + c)^2) - 4 * ((5A - 11 * C) * \cos(dx + c)^2 + (A - 15 * C) * \cos(dx + c)) * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)} * \sin(dx + c) / \sqrt{\cos(dx + c)} / (a^3 * d * \cos(dx + c)^3 + 3 * a^3 * d * \cos(dx + c)^2 + 3 * a^3 * d * \cos(dx + c) + a^3 * d), -1/32 * (\sqrt{2}) * ((5A - 43C) * \cos(dx + c)^3 + 3 * (5A - 43C) * \cos(dx + c)^2 + 3 * (5A - 43C) * \cos(dx + c) + 5A - 43C) * \sqrt{-a} * \arctan(\sqrt{2} * \sqrt{-a} * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)}) * \sqrt{\cos(dx + c)} / (a * \sin(dx + c))) - 32 * (C * \cos(dx + c) \end{aligned}$$

```
)^3 + 3*C*cos(d*x + c)^2 + 3*C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)
*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a
*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) - 2*((5*A - 11*C)*cos(d*x + c)^2 +
(A - 15*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x +
c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*
a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(5
/2), x)
```

$$3.291 \quad \int \frac{\sqrt{\sec(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=154

$$\frac{(19A + 3C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - 7C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(A + C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

[Out] ((19*A + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((9*A - 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.369346, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4085, 4012, 3808, 206}

$$\frac{(19A + 3C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - 7C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(A + C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((19*A + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((9*A - 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^(m_), x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4012

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(b*f*(2*m + 1)), x] + Dist[(a*A*m + b*B*(m + 1))/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)} (A + C \sec^2(c+dx))}{(a + a \sec(c+dx))^{5/2}} dx &= -\frac{(A + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{\int \frac{\sqrt{\sec(c+dx)} \left(-\frac{1}{2}a(7A-C) + a(A-3C) \sec(c+dx)\right)}{(a + a \sec(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{(A + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(9A - 7C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a + a \sec(c+dx))^{3/2}} + \frac{(19A + 3C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a + a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 2.84041, size = 308, normalized size = 2.

$$(\sec(c+dx) + 1)^{5/2} (A + C \sec^2(c+dx)) \left(\frac{\left(\sin\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{3}{2}(c+dx)\right)\right) \sqrt{\sec(c+dx)+1} \sec^5\left(\frac{1}{2}(c+dx)\right) ((13A-3C) \cos(c+dx) + 9A-7C)}{\sec^2(c+dx)} + \sqrt{2}(19A + 3C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a + a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((1 + Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*((9*A - 7*C + (13*A - 3*C)*Cos[c + d*x])*Sec[(c + d*x)/2]^5*Sqrt[1 + Sec[c + d*x]]*(Sin[(c + d*x)/2] - Sin[(3*(c + d*x))/2]))/Sec[c + d*x]^(3/2) + Sqrt[2]*(19*A + 3*C)*Cos[c + d*x]^2*Cot[c + d*x]*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]])/(64*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.364, size = 348, normalized size = 2.3

$$\frac{\cos(dx+c)(-1+\cos(dx+c))^2}{16da^3(\sin(dx+c))^5} \sqrt{(\cos(dx+c))^{-1}} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(19A \sin(dx+c) \cos(dx+c) \arctan\left(\frac{1}{2} \sin(dx+c)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2), x)

[Out] 1/16/d/a^3*(1/cos(d*x+c))^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^2*(19*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)+13*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+3*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-3*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+19*A*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-4*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+3*C*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-4*C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-9*A*(-2/(cos(d*x+c)+1))^(1/2)+7*C*(-2/(cos(d*x+c)+1))^(1/2))/sin(d*x+c)^5/(-2/(cos(d*x+c)+1))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, alg
orithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.539892, size = 1308, normalized size = 8.49

$$\frac{\sqrt{2}((19A + 3C)\cos(dx + c)^3 + 3(19A + 3C)\cos(dx + c)^2 + 3(19A + 3C)\cos(dx + c) + 19A + 3C)\sqrt{a}\log\left(-\frac{a\cos(dx + c)}{\dots}\right)}{64(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, alg
orithm="fricas")
```

```
[Out] [1/64*(sqrt(2)*((19*A + 3*C)*cos(d*x + c)^3 + 3*(19*A + 3*C)*cos(d*x + c)^2
+ 3*(19*A + 3*C)*cos(d*x + c) + 19*A + 3*C)*sqrt(a)*log(-(a*cos(d*x + c)^2
- 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x +
c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c
) + 1)) - 4*((13*A - 3*C)*cos(d*x + c)^2 + (9*A - 7*C)*cos(d*x + c))*sqrt((
a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*c
os(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/
32*(sqrt(2)*((19*A + 3*C)*cos(d*x + c)^3 + 3*(19*A + 3*C)*cos(d*x + c)^2 +
3*(19*A + 3*C)*cos(d*x + c) + 19*A + 3*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*
sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)))/(a*sin(d*x + c))
) + 2*((13*A - 3*C)*cos(d*x + c)^2 + (9*A - 7*C)*cos(d*x + c))*sqrt((a*cos(
d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x
+ c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^(5
/2), x)
```

$$3.292 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=199

$$\frac{(49A + C) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{5(15A - C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(13A - 3C) \sin(c + dx) \sqrt{\sec(c + dx)}}{16ad(a \sec(c + dx) + a)^{3/2}}$$

[Out] (-5*(15*A - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((49*A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.545614, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4085, 4020, 4013, 3808, 206}

$$\frac{(49A + C) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{5(15A - C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(13A - 3C) \sin(c + dx) \sqrt{\sec(c + dx)}}{16ad(a \sec(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (-5*(15*A - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((49*A + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2

- b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))}^{5/2}} dx &= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{\int \frac{-\frac{1}{2}a(9A+C)+2a(A-C) \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(13A - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} \\
&= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(13A - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \\
&= -\frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(13A - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \\
&= -\frac{5(15A - C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 2.8492, size = 317, normalized size = 1.59

$$\frac{(\sec(c + dx) + 1)^{5/2} (A + C \sec^2(c + dx)) \left(\frac{\left(\sin\left(\frac{3}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right) \right) \sec^5\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)+1} (5(17A+C) \cos(c+dx) + 16A \cos(2(c+dx)))}{\sec^2(c+dx)} \right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((1 + Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*(((65*A + C + 5*(17*A + C)*Cos[c + d*x] + 16*A*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^5*Sqrt[1 + Sec[c + d*x]]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/Sec[c + d*x]^(3/2) - 5*Sqrt[2]*(15*A - C)*Cos[c + d*x]^2*Cot[c + d*x]*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]])*Sqrt[Tan[c + d*x]^2]))/(64*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.35, size = 419, normalized size = 2.1

$$-\frac{(-1 + \cos(dx + c))^2}{32 da^3 (\sin(dx + c))^5} \left(-75 A \sin(dx + c) (\cos(dx + c))^2 \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2(\cos(dx + c) + 1)^{-1}}\right) \sqrt{-2(\cos(dx + c) + 1)^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x)

[Out]
$$-1/32/d/a^3*(-1+\cos(d*x+c))^2*(-75*A*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}+5*C*\cos(d*x+c)^2*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-150*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}+10*C*\cos(d*x+c)*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}+64*A*\cos(d*x+c)^3-75*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}*A*\sin(d*x+c)+5*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)+106*A*\cos(d*x+c)^2+10*C*\cos(d*x+c)^2-72*A*\cos(d*x+c)-8*C*\cos(d*x+c)-98*A-2*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)^5/(1/\cos(d*x+c))^{(1/2)}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.551441, size = 1349, normalized size = 6.78

$$\left[\frac{5\sqrt{2}\left((15A - C)\cos(dx + c)^3 + 3(15A - C)\cos(dx + c)^2 + 3(15A - C)\cos(dx + c) + 15A - C\right)\sqrt{a}\log\left(\frac{a\cos(dx + c) + \sqrt{-2(\cos(dx + c) + 1)^{-1}}}{a\cos(dx + c) - \sqrt{-2(\cos(dx + c) + 1)^{-1}}}\right)}{64\left(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + 15A - C\right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/64*(5*sqrt(2)*((15*A - C)*cos(d*x + c)^3 + 3*(15*A - C)*cos(d*x + c)^2 + 3*(15*A - C)*cos(d*x + c) + 15*A - C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(32*A*cos(d*x + c)^3 + 5*(17*A + C)*cos(d*x + c)^2 + (49*A + C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(5*sqrt(2)*((15*A - C)*cos(d*x + c)^3 + 3*(15*A - C)*cos(d*x + c)^2 + 3*(15*A - C)*cos(d*x + c) + 15*A - C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)))/(a*sin(d*x + c))) + 2*(32*A*cos(d*x + c)^3 + 5*(17*A + C)*cos(d*x + c)^2 + (49*A + C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)
```

$$3.293 \quad \int \frac{A+C \sec^2(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=246

$$-\frac{(299A + 27C) \sin(c + dx) \sqrt{\sec(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{5(19A + 3C) \sin(c + dx)}{48a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A + 19C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2} a^{5/2} d}$$

[Out] ((163*A + 19*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((17*A + C)*Sin[c + d*x])/(16*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + (5*(19*A + 3*C)*Sin[c + d*x])/(48*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((299*A + 27*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.703322, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4085, 4020, 4022, 4013, 3808, 206}

$$-\frac{(299A + 27C) \sin(c + dx) \sqrt{\sec(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{5(19A + 3C) \sin(c + dx)}{48a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A + 19C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2} a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((163*A + 19*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((17*A + C)*Sin[c + d*x])/(16*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + (5*(19*A + 3*C)*Sin[c + d*x])/(48*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((299*A + 27*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*


```
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
```

Q[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= -\frac{(A + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{\int \frac{-\frac{1}{2}a(11A+3C)+a(3A-C)\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A + C) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} \\
&= -\frac{(A + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A + C) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} \\
&= -\frac{(A + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A + C) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} \\
&= -\frac{(A + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A + C) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} \\
&= \frac{(163A + 19C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 3.22632, size = 331, normalized size = 1.35

$$\frac{(\sec(c + dx) + 1)^{5/2} (A + C \sec^2(c + dx)) \left(\frac{\left(\sin\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{3}{2}(c+dx)\right) \right) \sqrt{\sec(c+dx)+1} \sec^5\left(\frac{1}{2}(c+dx)\right) ((479A+39C) \cos(c+dx) + 80A \cos(2(c+dx)))}{\sec^{\frac{3}{2}}(c+dx)} \right)}{1}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)), x]
```

```
[Out] ((1 + Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*(((379*A + 27*C + (479*A + 39*C)*Cos[c + d*x] + 80*A*Cos[2*(c + d*x)] - 8*A*Cos[3*(c + d*x)])*Sec[(c + d*x)/2]^5*Sqrt[1 + Sec[c + d*x]]*(Sin[(c + d*x)/2] - Sin[(3*(c + d*x))/2]))/Sec[c + d*x]^(3/2) + 3*Sqrt[2]*(163*A + 19*C)*Cos[c + d*x]^2*Cot[c + d*x])*(Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]
```

$$\frac{\sqrt{1 + \sec[c + dx]} \sqrt{\tan[c + dx]^2} - \log[1 - 2\sec[c + dx] - 3\sec[c + dx]^2 + 2\sqrt{2}\sqrt{\sec[c + dx]}\sqrt{1 + \sec[c + dx]}\sqrt{\tan[c + dx]^2}]}{(192d(A + 2C + A\cos[2(c + dx)])\sqrt{\tan[c + dx]^2})} \cdot (a(1 + \sec[c + dx]))^{5/2}$$

Maple [B] time = 0.345, size = 438, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x)`

[Out]
$$-1/96/d/a^3*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))^2*(489*A*\sin(dx+c)*\cos(dx+c)^2*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}+57*C*\cos(dx+c)^2*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+978*A*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}+64*A*\cos(dx+c)^4+114*C*\cos(dx+c)*\sin(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}+489*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}*A*\sin(dx+c)-384*A*\cos(dx+c)^3+57*C*(-2/(\cos(dx+c)+1))^{1/2}*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})*\sin(dx+c)-686*A*\cos(dx+c)^2-78*C*\cos(dx+c)^2+408*A*\cos(dx+c)+24*C*\cos(dx+c)+598*A+54*C)*\cos(dx+c)^2*(1/\cos(dx+c))^{3/2}/\sin(dx+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.560931, size = 1472, normalized size = 5.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/192*(3*sqrt(2)*((163*A + 19*C)*cos(d*x + c)^3 + 3*(163*A + 19*C)*cos(d*x + c)^2 + 3*(163*A + 19*C)*cos(d*x + c) + 163*A + 19*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(32*A*cos(d*x + c)^4 - 160*A*cos(d*x + c)^3 - (503*A + 39*C)*cos(d*x + c)^2 - (299*A + 27*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/96*(3*sqrt(2)*((163*A + 19*C)*cos(d*x + c)^3 + 3*(163*A + 19*C)*cos(d*x + c)^2 + 3*(163*A + 19*C)*cos(d*x + c) + 163*A + 19*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*(32*A*cos(d*x + c)^4 - 160*A*cos(d*x + c)^3 - (503*A + 39*C)*cos(d*x + c)^2 - (299*A + 27*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2)), x)
```

$$3.294 \quad \int \frac{A+C \sec^2(c+dx)}{5 \sec^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=295

$$\frac{(157A + 45C) \sin(c + dx)}{80a^2 d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{(2671A + 735C) \sin(c + dx) \sqrt{\sec(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A + 195C) \sin(c + dx)}{240a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx)}}$$

[Out] -((283*A + 75*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)) - ((21*A + 5*C)*Sin[c + d*x])/(16*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((157*A + 45*C)*Sin[c + d*x])/(80*a^2*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((787*A + 195*C)*Sin[c + d*x])/(240*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((2671*A + 735*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.908951, antiderivative size = 295, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4085, 4020, 4022, 4013, 3808, 206}

$$\frac{(157A + 45C) \sin(c + dx)}{80a^2 d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{(2671A + 735C) \sin(c + dx) \sqrt{\sec(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A + 195C) \sin(c + dx)}{240a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] -((283*A + 75*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)) - ((21*A + 5*C)*Sin[c + d*x])/(16*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((157*A + 45*C)*Sin[c + d*x])/(80*a^2*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((787*A + 195*C)*Sin[c + d*x])/(240*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((2671*A + 735*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)])*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_))^(m_), x_Symbol] := -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{A + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= -\frac{(A + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{\int \frac{-\frac{1}{2}a(13A+5C)+4aA \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}} dx}{4a^2} \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= -\frac{(283A + 75C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))}
 \end{aligned}$$

Mathematica [A] time = 4.06811, size = 349, normalized size = 1.18

$$(\sec(c + dx) + 1)^{5/2} (A + C \sec^2(c + dx)) \left(\frac{\left(\sin\left(\frac{3}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) \sec^5\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)+1} (5(887A+255C) \cos(c+dx) + 16(52A+15C))}{\sec^{\frac{3}{2}}(c+dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(

5/2)),x]

```
[Out] ((1 + Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*((3491*A + 975*C + 5*(887
*A + 255*C)*Cos[c + d*x] + 16*(52*A + 15*C)*Cos[2*(c + d*x)] - 40*A*Cos[3*(
c + d*x)] + 12*A*Cos[4*(c + d*x)])*Sec[(c + d*x)/2]^5*Sqrt[1 + Sec[c + d*x]
]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/Sec[c + d*x]^(3/2) - 15*Sqrt[
2]*(283*A + 75*C)*Cos[c + d*x]^2*Cot[c + d*x]*(Log[1 - 2*Sec[c + d*x] - 3*Sec
[c + d*x]^2 - 2*Sqrt[2]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan
[c + d*x]^2]] - Log[1 - 2*Sec[c + d*x] - 3*Sec[c + d*x]^2 + 2*Sqrt[2]*Sqrt
[Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]]*Sqrt[Tan[c + d*x]^2]])*Sqrt[Tan[c + d
*x]^2]))/(960*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(5/2)
)
```

Maple [A] time = 0.385, size = 460, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x)
```

```
[Out] -1/480/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(192*A*c
os(d*x+c)^5-4245*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c))*(-2/(cos(d
*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-1125*C*cos(d*x+c)^2*arctan(1/2*s
in(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-5
12*A*cos(d*x+c)^4-8490*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(c
os(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-2250*C*cos(d*x+c)*sin(d*x+c)
*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)
+3456*A*cos(d*x+c)^3-4245*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*
(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+960*C*cos(d*x+c)^3-1125*C*(-2/(cos(d
*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)
+5974*A*cos(d*x+c)^2+1590*C*cos(d*x+c)^2-3768*A*cos(d*x+c)-1080*C*cos(d*x+c)
)-5342*A-1470*C)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)^5
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.579132, size = 1580, normalized size = 5.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [1/960*(15*sqrt(2)*((283*A + 75*C)*cos(d*x + c)^3 + 3*(283*A + 75*C)*cos(d*x + c)^2 + 3*(283*A + 75*C)*cos(d*x + c) + 283*A + 75*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(96*A*cos(d*x + c)^5 - 160*A*cos(d*x + c)^4 + 32*(49*A + 15*C)*cos(d*x + c)^3 + 5*(911*A + 255*C)*cos(d*x + c)^2 + (2671*A + 735*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/480*(15*sqrt(2)*((283*A + 75*C)*cos(d*x + c)^3 + 3*(283*A + 75*C)*cos(d*x + c)^2 + 3*(283*A + 75*C)*cos(d*x + c) + 283*A + 75*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(96*A*cos(d*x + c)^5 - 160*A*cos(d*x + c)^4 + 32*(49*A + 15*C)*cos(d*x + c)^3 + 5*(911*A + 255*C)*cos(d*x + c)^2 + (2671*A + 735*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(5/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2)), x)

3.295 $\int (a + a \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=434

$$\frac{3^{3/4} C \tan(c + dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right) \sqrt{\frac{(\sec(c + dx) + 1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c + dx) + 1} + 2^{2/3}}{(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}} (a \sec(c + dx) + a)^{2/3} \text{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1}}{\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1}} \right) \right)}{5 \sqrt[3]{2} d (1 - \sec(c + dx)) (\sec(c + dx) + 1) \sqrt{-\frac{\sqrt[3]{\sec(c + dx) + 1} (\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1})}{(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}}}$$

[Out] (3*C*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(5*d) + (3*Sqrt[2]*A*AppellF1[7/6, 1/2, 1, 13/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(7*d*Sqrt[1 - Sec[c + d*x]]) + (3*C*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(5*d*(1 + Sec[c + d*x])) - (3^(3/4)*C*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x])/(5*2^(1/3)*d*(1 - Sec[c + d*x]))*(1 + Sec[c + d*x])*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]]

Rubi [A] time = 0.704333, antiderivative size = 434, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.37$, Rules used = {4055, 3924, 3779, 3778, 136, 3828, 3827, 50, 63, 225}

$$\frac{3\sqrt{2}A \tan(c + dx)(a \sec(c + dx) + a)^{2/3} F_1\left(\frac{7}{6}; \frac{1}{2}, 1; \frac{13}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)}{7d\sqrt{1 - \sec(c + dx)}} + \frac{3C \tan(c + dx)(a \sec(c + dx) + a)^{2/3}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(2/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (3*C*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(5*d) + (3*Sqrt[2]*A*AppellF1[7/6, 1/2, 1, 13/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(7*d*Sqrt[1 - Sec[c + d*x]]) + (3*C*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(5*d*(1 + Sec[c + d*x])) - (3^(3/4)*C*EllipticF

[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x]/(5*2^(1/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]])

Rule 4055

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^(n_.), x_Symbol] :> Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^(n_.), x_Symbol] :> Dist[(a^n*Cot[c + d*x]/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

Rule 136

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] :> Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d),

0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_.), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_.), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 50

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 225

Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx &= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{3 \int (a + a \sec(c + dx))^{2/3} \left(\frac{5a}{3}\right)}{5a} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + A \int (a + a \sec(c + dx))^{2/3} dx \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{(A(a + a \sec(c + dx))^{2/3}) \int (1 + \sec(c + dx))}{(1 + \sec(c + dx))} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} - \frac{(A(a + a \sec(c + dx))^{2/3} \tan(c + dx))}{d\sqrt{1 - \sec(c + dx)}} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{3\sqrt{2}AF_1\left(\frac{7}{6}; \frac{1}{2}, 1; \frac{13}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{d\sqrt{1 - \sec(c + dx)}} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{3\sqrt{2}AF_1\left(\frac{7}{6}; \frac{1}{2}, 1; \frac{13}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{d\sqrt{1 - \sec(c + dx)}} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{3\sqrt{2}AF_1\left(\frac{7}{6}; \frac{1}{2}, 1; \frac{13}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{d\sqrt{1 - \sec(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 4.52548, size = 0, normalized size = 0.

$$\int (a + a \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + a*Sec[c + d*x])^(2/3)*(A + C*Sec[c + d*x]^2), x]

[Out] Integrate[(a + a*Sec[c + d*x])^(2/3)*(A + C*Sec[c + d*x]^2), x]

Maple [F] time = 0.178, size = 0, normalized size = 0.

$$\int (a + a \sec(dx + c))^{2/3} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x)`

[Out] `int((a+a*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(2/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(\sec(c + dx) + 1))^{\frac{2}{3}} (A + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))**(2/3)*(A+C*sec(d*x+c)**2),x)`

[Out] `Integral((a*(sec(c + d*x) + 1))**(2/3)*(A + C*sec(c + d*x)**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(2/3), x)

$$3.296 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=384

$$3^{3/4}C \tan(c+dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right) \sqrt{\frac{(\sec(c+dx)+1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c+dx)+1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \text{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - (1-\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right), \right. \\ \left. 2\sqrt[3]{2}d(1 - \sec(c+dx)) \sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right)}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \sqrt[3]{a \sec(c+dx) + a} \right)$$

[Out] (3*C*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(1/3)) + (3*Sqrt[2]*A*AppellF1[1/6, 1/2, 1, 7/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)) + (3^(3/4)*C*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x])/(2*2^(1/3)*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Sqrt[-((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2)])

Rubi [A] time = 0.43397, antiderivative size = 384, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4055, 3924, 3779, 3778, 136, 3828, 3827, 63, 225}

$$\frac{3\sqrt{2}A \tan(c+dx) F_1\left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(\sec(c+dx)+1), \sec(c+dx)+1\right)}{d\sqrt{1-\sec(c+dx)}\sqrt[3]{a \sec(c+dx)+a}} + \frac{3C \tan(c+dx)}{2d\sqrt[3]{a \sec(c+dx)+a}} + \frac{3^{3/4}C \tan(c+dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right) \sqrt{\frac{(\sec(c+dx)+1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c+dx)+1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \text{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - (1-\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right), \right. \\ \left. 2\sqrt[3]{2}d(1 - \sec(c+dx)) \sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right)}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \sqrt[3]{a \sec(c+dx) + a} \right)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(1/3), x]

[Out] (3*C*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(1/3)) + (3*Sqrt[2]*A*AppellF1[1/6, 1/2, 1, 7/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)) + (3^(3/4)*C*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x])/(2*2^(1/3)*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Sqrt[-((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2)])

$$+ d*x))^{(1/3)}*Sqrt[(2^{(2/3)} + 2^{(1/3)}*(1 + Sec[c + d*x])^{(1/3)} + (1 + Sec[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + Sqrt[3])*(1 + Sec[c + d*x])^{(1/3)})^2]*Tan[c + d*x]/(2*2^{(1/3)}*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^{(1/3)}*Sqrt[-(((1 + Sec[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + Sec[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + Sqrt[3])*(1 + Sec[c + d*x])^{(1/3)})^2]])$$

Rule 4055

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)(x_)]^{2*(C_.)}*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(b*(m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[A*b*(m + 1) + a*C*m*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}]$$

Rule 3924

$$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)(x_)]*(d_.) + (c_.)), x_Symbol] \text{ :> } \text{Dist}[c, \text{Int}[(a + b*\text{Csc}[e + f*x])^m, x], x] + \text{Dist}[d, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!IntegerQ}[2*m]$$

Rule 3779

$$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_)]*(b_.) + (a_.))^{(n_.)}, x_Symbol] \text{ :> } \text{Dist}[(a^{\text{IntPart}[n]}*(a + b*\text{Csc}[c + d*x])^{\text{FracPart}[n]})/(1 + (b*\text{Csc}[c + d*x])/a)^{\text{FracPart}[n]}], \text{Int}[(1 + (b*\text{Csc}[c + d*x])/a)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{!IntegerQ}[2*n] \&\& \text{!GtQ}[a, 0]$$

Rule 3778

$$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_)]*(b_.) + (a_.))^{(n_.)}, x_Symbol] \text{ :> } \text{Dist}[(a^n*\text{Cot}[c + d*x]/(d*Sqrt[1 + \text{Csc}[c + d*x]]*Sqrt[1 - \text{Csc}[c + d*x]]), \text{Subst}[\text{Int}[(1 + (b*x)/a)^{(n - 1/2)}/(x*Sqrt[1 - (b*x)/a]), x], x, \text{Csc}[c + d*x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{!IntegerQ}[2*n] \&\& \text{GtQ}[a, 0]$$

Rule 136

$$\text{Int}[(a_.) + (b_.)(x_)]^{(m_.)}*((c_.) + (d_.)(x_))^{(n_.)}*((e_.) + (f_.)(x_))^{(p_.)}, x_Symbol] \text{ :> } \text{Simp}[(b*e - a*f)^p*(a + b*x)^{(m + 1)}*\text{AppellF1}[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^{(p + 1)}*(m + 1)*(b/(b*c - a*d))^n), x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n\}, x] \&\& \text{!IntegerQ}[m] \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[p] \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{!(GtQ}[d/(d*a - c*b), 0] \&\& \text{SimplerQ}[c + d*x, a + b*x])$$

Rule 3828

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)^(m_), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m
])/((1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a]^m*(d*
Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2
, 0] && !IntegerQ[m] && !GtQ[a, 0]
```

Rule 3827

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)^(m_), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*
x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2)
)/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x
] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x
]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx &= \frac{3C \tan(c + dx)}{2d\sqrt[3]{a + a \sec(c + dx)}} + \frac{3 \int \frac{\frac{2aA}{3} - \frac{1}{3}aC \sec(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx}{2a} \\
&= \frac{3C \tan(c + dx)}{2d\sqrt[3]{a + a \sec(c + dx)}} + A \int \frac{1}{\sqrt[3]{a + a \sec(c + dx)}} dx - \frac{1}{2}C \int \frac{\sec(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx \\
&= \frac{3C \tan(c + dx)}{2d\sqrt[3]{a + a \sec(c + dx)}} + \frac{(A\sqrt[3]{1 + \sec(c + dx)}) \int \frac{1}{\sqrt[3]{1 + \sec(c+dx)}} dx}{\sqrt[3]{a + a \sec(c + dx)}} - \frac{(C\sqrt[3]{1 + \sec(c + dx)}) \int \frac{\sec(c + dx)}{\sqrt[3]{1 + \sec(c + dx)}} dx}{2\sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{3C \tan(c + dx)}{2d\sqrt[3]{a + a \sec(c + dx)}} - \frac{(A \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1 - xx(1+x)^{5/6}}} dx, x, \sec(c + dx) \right)}{d\sqrt{1 - \sec(c + dx)}\sqrt[3]{1 + \sec(c + dx)}\sqrt[3]{a + a \sec(c + dx)}} + \frac{(C \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1 - xx(1+x)^{5/6}}} dx, x, \sec(c + dx) \right)}{2d\sqrt{1 - \sec(c + dx)}\sqrt[3]{1 + \sec(c + dx)}\sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{3C \tan(c + dx)}{2d\sqrt[3]{a + a \sec(c + dx)}} + \frac{3\sqrt{2}AF_1 \left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right) \tan(c + dx)}{d\sqrt{1 - \sec(c + dx)}\sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{3C \tan(c + dx)}{2d\sqrt[3]{a + a \sec(c + dx)}} + \frac{3\sqrt{2}AF_1 \left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right) \tan(c + dx)}{d\sqrt{1 - \sec(c + dx)}\sqrt[3]{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 2.80309, size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(1/3), x]

[Out] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(1/3), x]

Maple [F] time = 0.161, size = 0, normalized size = 0.

$$\int (A + C (\sec(dx + c))^2) \frac{1}{\sqrt[3]{a + a \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x)`

[Out] `int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/(a*sec(d*x + c) + a)^(1/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/3),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(1/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(a*sec(d*x + c) + a)^(1/3), x)

$$3.297 \quad \int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=396

$$\frac{3^{3/4}(A-4C) \tan(c+dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right) \sqrt{\frac{(\sec(c+dx)+1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c+dx)+1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \operatorname{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - (1-\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right)}{\right)} + \frac{5 \sqrt[3]{2} ad(1 - \sec(c+dx)) \sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right)}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \sqrt[3]{a \sec(c+dx) + a}}{}$$

[Out] $(-3*(A + C)*\operatorname{Tan}[c + d*x]) / (5*d*(a + a*\operatorname{Sec}[c + d*x])^{4/3}) + (3*\operatorname{Sqrt}[2]*A*\operatorname{ppellF1}[1/6, 1/2, 1, 7/6, (1 + \operatorname{Sec}[c + d*x])/2, 1 + \operatorname{Sec}[c + d*x]]*\operatorname{Tan}[c + d*x]) / (a*d*\operatorname{Sqrt}[1 - \operatorname{Sec}[c + d*x]]*(a + a*\operatorname{Sec}[c + d*x])^{1/3}) + (3^{3/4}*(A - 4*C)*\operatorname{EllipticF}[\operatorname{ArcCos}[(2^{1/3} - (1 - \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{1/3}) / (2^{1/3} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{1/3})], (2 + \operatorname{Sqrt}[3])/4]*(2^{1/3} - (1 + \operatorname{Sec}[c + d*x])^{1/3})*\operatorname{Sqrt}[(2^{2/3} + 2^{1/3}*(1 + \operatorname{Sec}[c + d*x])^{1/3} + (1 + \operatorname{Sec}[c + d*x])^{2/3}) / (2^{1/3} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{1/3})]^{1/2}*\operatorname{Tan}[c + d*x]) / (5*2^{1/3}*a*d*(1 - \operatorname{Sec}[c + d*x])*(a + a*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[-(((1 + \operatorname{Sec}[c + d*x])^{1/3}*(2^{1/3} - (1 + \operatorname{Sec}[c + d*x])^{1/3})) / (2^{1/3} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{1/3})^{1/2})])$

Rubi [A] time = 0.45772, antiderivative size = 396, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4053, 3924, 3779, 3778, 136, 3828, 3827, 63, 225}

$$\frac{3\sqrt{2}A \tan(c+dx) F_1\left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(\sec(c+dx)+1), \sec(c+dx)+1\right)}{ad\sqrt{1-\sec(c+dx)}\sqrt[3]{a\sec(c+dx)+a}} - \frac{3(A+C)\tan(c+dx)}{5d(a\sec(c+dx)+a)^{4/3}} + \frac{3^{3/4}(A-4C)\tan(c+dx)}{}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + C*\operatorname{Sec}[c + d*x]^2)/(a + a*\operatorname{Sec}[c + d*x])^{4/3}, x]$

[Out] $(-3*(A + C)*\operatorname{Tan}[c + d*x]) / (5*d*(a + a*\operatorname{Sec}[c + d*x])^{4/3}) + (3*\operatorname{Sqrt}[2]*A*\operatorname{ppellF1}[1/6, 1/2, 1, 7/6, (1 + \operatorname{Sec}[c + d*x])/2, 1 + \operatorname{Sec}[c + d*x]]*\operatorname{Tan}[c + d*x]) / (a*d*\operatorname{Sqrt}[1 - \operatorname{Sec}[c + d*x]]*(a + a*\operatorname{Sec}[c + d*x])^{1/3}) + (3^{3/4}*(A - 4*C)*\operatorname{EllipticF}[\operatorname{ArcCos}[(2^{1/3} - (1 - \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{1/3}) / (2^{1/3} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{1/3})], (2 + \operatorname{Sqrt}[3])/4]*(2^{1/3} - (1 + \operatorname{Sec}[c + d*x])^{1/3})*\operatorname{Sqrt}[(2^{2/3} + 2^{1/3}*(1 + \operatorname{Sec}[c + d*x])^{1/3} + (1 + \operatorname{Sec}[c + d*x])^{2/3}) / (2^{1/3} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{1/3})]^{1/2}*\operatorname{Tan}[c + d*x]) / (5*2^{1/3}*a*d*(1 - \operatorname{Sec}[c + d*x])*(a + a*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[-(((1 + \operatorname{Sec}[c + d*x])^{1/3}*(2^{1/3} - (1 + \operatorname{Sec}[c + d*x])^{1/3})) / (2^{1/3} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{1/3})^{1/2})])$

$$\begin{aligned} & /3) - (1 + \text{Sec}[c + d*x])^{(1/3)} * \text{Sqrt}[(2^{(2/3)} + 2^{(1/3)} * (1 + \text{Sec}[c + d*x])^{(1/3)} \\ & + (1 + \text{Sec}[c + d*x])^{(2/3)}) / (2^{(1/3)} - (1 + \text{Sqrt}[3]) * (1 + \text{Sec}[c + d*x] \\ &]^{(1/3)})^2] * \text{Tan}[c + d*x] / (5 * 2^{(1/3)} * a * d * (1 - \text{Sec}[c + d*x]) * (a + a * \text{Sec}[c + \\ & d*x])^{(1/3)} * \text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)} * (2^{(1/3)} - (1 + \text{Sec}[c + d*x]) \\ & ^{(1/3)})) / (2^{(1/3)} - (1 + \text{Sqrt}[3]) * (1 + \text{Sec}[c + d*x])^{(1/3)})^2]]) \end{aligned}$$
Rule 4053

$$\begin{aligned} & \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^{2*(C_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)] * (b_. \\ &) + (a_.))^{(m_.)}, x_Symbol] \text{ :> } -\text{Simp}[(a*(A + C)*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f \\ & *x])^m) / (a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f \\ & *x])^{(m + 1)} * \text{Simp}[A*b*(2*m + 1) - a*(A*(m + 1) - C*m)*\text{Csc}[e + f*x], x], x], \\ & x] /; \text{FreeQ}\{a, b, e, f, A, C\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \end{aligned}$$
Rule 3924

$$\begin{aligned} & \text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)] * (b_.) + (a_.))^{(m_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)] * (d \\ & _.) + (c_.)), x_Symbol] \text{ :> } \text{Dist}[c, \text{Int}[(a + b*\text{Csc}[e + f*x])^m, x], x] + \text{Dist} \\ & [d, \text{Int}[(a + b*\text{Csc}[e + f*x])^m * \text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e \\ & , f, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[2*m] \end{aligned}$$
Rule 3779

$$\begin{aligned} & \text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)] * (b_.) + (a_.))^{(n_.)}, x_Symbol] \text{ :> } \text{Dist}[(a^{\text{IntPa}} \\ & \text{rt}[n] * (a + b*\text{Csc}[c + d*x])^{\text{FracPart}[n]} / (1 + (b*\text{Csc}[c + d*x])/a)^{\text{FracPart}[n]} \\ &], \text{Int}[(1 + (b*\text{Csc}[c + d*x])/a)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x\} \&\& \text{E} \\ & \text{qQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*n] \&\& \text{!GtQ}[a, 0] \end{aligned}$$
Rule 3778

$$\begin{aligned} & \text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)] * (b_.) + (a_.))^{(n_.)}, x_Symbol] \text{ :> } \text{Dist}[(a^n * \text{Cot} \\ & [c + d*x] / (d * \text{Sqrt}[1 + \text{Csc}[c + d*x]] * \text{Sqrt}[1 - \text{Csc}[c + d*x]]), \text{Subst}[\text{Int}[(1 \\ & + (b*x)/a)^{(n - 1/2)} / (x * \text{Sqrt}[1 - (b*x)/a]), x], x, \text{Csc}[c + d*x], x] /; \text{Fre} \\ & \text{eQ}\{a, b, c, d, n\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*n] \&\& \text{GtQ}[a, 0] \end{aligned}$$
Rule 136

$$\begin{aligned} & \text{Int}[(a_.) + (b_.)*(x_.)]^{(m_.)} * ((c_.) + (d_.)*(x_.))^{(n_.)} * ((e_.) + (f_.)*(x_.)) \\ & ^{(p_.)}, x_Symbol] \text{ :> } \text{Simp}[(b*e - a*f)^p * (a + b*x)^{(m + 1)} * \text{AppellF1}[m + 1, - \\ & n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))] / \\ & (b^{(p + 1)} * (m + 1) * (b/(b*c - a*d))^n), x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n\} \\ & , x\} \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n] \&\& \text{IntegerQ}[p] \&\& \text{GtQ}[b/(b*c - a*d), \\ & 0] \&\& \text{!(GtQ}[d/(d*a - c*b), 0] \&\& \text{SimplerQ}[c + d*x, a + b*x]) \end{aligned}$$

Rule 3828

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)^(m_), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m
])/((1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a]^m*(d*
Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2
, 0] && !IntegerQ[m] && !GtQ[a, 0]
```

Rule 3827

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)^(m_), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*
x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2)
)/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x
] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x
]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{4/3}} dx &= -\frac{3(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} - \frac{3 \int \frac{-\frac{5aA}{3} + \frac{1}{3}a(A-4C) \sec(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx}{5a^2} \\
&= -\frac{3(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} + \frac{A \int \frac{1}{\sqrt[3]{a+a \sec(c+dx)}} dx}{a} - \frac{(A - 4C) \int \frac{\sec(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx}{5a} \\
&= -\frac{3(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} + \frac{(A \sqrt[3]{1 + \sec(c + dx)}) \int \frac{1}{\sqrt[3]{1+\sec(c+dx)}} dx}{a \sqrt[3]{a + a \sec(c + dx)}} - \frac{((A - 4C) \sqrt[3]{1 + \sec(c + dx)})}{5a \sqrt[3]{a + a \sec(c + dx)}} \\
&= -\frac{3(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} - \frac{(A \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1-xx(1+x)^{5/6}}} dx, x, \sec(c + dx) \right)}{ad \sqrt{1 - \sec(c + dx)} \sqrt[6]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} + \frac{((A - 4C) \tan(c + dx))}{5a \sqrt[3]{a + a \sec(c + dx)}} \\
&= -\frac{3(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} + \frac{3\sqrt{2}AF_1 \left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right) \tan(c + dx)}{ad \sqrt{1 - \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \\
&= -\frac{3(A + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} + \frac{3\sqrt{2}AF_1 \left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right) \tan(c + dx)}{ad \sqrt{1 - \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 3.13432, size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{4/3}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(4/3), x]

[Out] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(4/3), x]

Maple [F] time = 0.161, size = 0, normalized size = 0.

$$\int (A + C (\sec(dx + c))^2) (a + a \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x)`

[Out] `int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/(a*sec(d*x + c) + a)^(4/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(4/3),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(4/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(a*sec(d*x + c) + a)^(4/3), x)

$$3.298 \quad \int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{7/3}} dx$$

Optimal. Leaf size=457

$$\frac{3^{3/4}(4A - 7C) \tan(c + dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right) \sqrt{\frac{(\sec(c+dx)+1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c+dx)+1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \text{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - (1-\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right) \right)}{55 \sqrt[3]{2} a^2 d (1 - \sec(c + dx)) \sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right)}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \sqrt[3]{a \sec(c + dx) + a}}$$

[Out] $(-3*(A + C)*\text{Tan}[c + d*x])/(11*d*(a + a*\text{Sec}[c + d*x])^{(7/3)}) - (3*(4*A - 7*C)*\text{Tan}[c + d*x])/(55*a^2*d*(1 + \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}) - (3*\text{Sqrt}[2]*A*\text{AppellF1}[-5/6, 1/2, 1, 1/6, (1 + \text{Sec}[c + d*x])/2, 1 + \text{Sec}[c + d*x])* \text{Tan}[c + d*x])/(5*a^2*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(1 + \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}) + (3^{(3/4)}*(4*A - 7*C)*\text{EllipticF}[\text{ArcCos}[(2^{(1/3)} - (1 - \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})], (2 + \text{Sqrt}[3])/4]*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2]*\text{Tan}[c + d*x])/(55*2^{(1/3)}*a^2*d*(1 - \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2])]$

Rubi [A] time = 0.504245, antiderivative size = 457, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.37$, Rules used = {4053, 3924, 3779, 3778, 136, 3828, 3827, 51, 63, 225}

$$\frac{3\sqrt{2}A \tan(c + dx) F_1 \left(-\frac{5}{6}; \frac{1}{2}, 1; \frac{1}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1 \right)}{5a^2 d \sqrt{1 - \sec(c + dx)} (\sec(c + dx) + 1) \sqrt[3]{a \sec(c + dx) + a}} - \frac{3(4A - 7C) \tan(c + dx)}{55a^2 d (\sec(c + dx) + 1) \sqrt[3]{a \sec(c + dx) + a}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(7/3), x]

[Out] $(-3*(A + C)*\text{Tan}[c + d*x])/(11*d*(a + a*\text{Sec}[c + d*x])^{(7/3)}) - (3*(4*A - 7*C)*\text{Tan}[c + d*x])/(55*a^2*d*(1 + \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}) - (3*\text{Sqrt}[2]*A*\text{AppellF1}[-5/6, 1/2, 1, 1/6, (1 + \text{Sec}[c + d*x])/2, 1 + \text{Sec}[c + d*x])* \text{Tan}[c + d*x])/(5*a^2*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(1 + \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}) + (3^{(3/4)}*(4*A - 7*C)*\text{EllipticF}[\text{ArcCos}[(2^{(1/3)} - (1 - \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})], (2 + \text{Sqrt}[3])/4]*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2]*\text{Tan}[c + d*x])/(55*2^{(1/3)}*a^2*d*(1 - \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2])]$

```
d*x]]*Tan[c + d*x])/(5*a^2*d*Sqrt[1 - Sec[c + d*x]]*(1 + Sec[c + d*x])*(a +
a*Sec[c + d*x])^(1/3)) + (3^(3/4)*(4*A - 7*C)*EllipticF[ArcCos[(2^(1/3) -
(1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c
+ d*x])^(1/3))], (2 + Sqrt[3])/4]*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqr
t[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(
2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(55*2^(1
/3)*a^2*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Sqrt[-(((1 + Sec[c
+ d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]
))*(1 + Sec[c + d*x])^(1/3))^2]])
```

Rule 4053

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.))^(m_), x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f
*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*
x])^(m + 1)*Simp[A*b*(2*m + 1) - a*(A*(m + 1) - C*m)*Csc[e + f*x], x], x],
x] /; FreeQ[{a, b, e, f, A, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3924

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d
_.) + (c_.)), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist
[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e
, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]
```

Rule 3779

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^IntPa
rt[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n
], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && E
qQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]
```

Rule 3778

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^n*Cot
[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1
+ (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; Fre
eQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]
```

Rule 136

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))
^(p_), x_Symbol] := Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -
n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/
(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}
```

, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 51

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Simp[(a + b*x)^(m + 1)*(c + d*x)^(n + 1)/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 225

Int[1/Sqrt[(a_.) + (b_.)*(x_.)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{7/3}} dx &= -\frac{3(A + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{3 \int \frac{-\frac{11aA}{3} + \frac{1}{3}a(4A-7C) \sec(c+dx)}{(a+a \sec(c+dx))^{4/3}} dx}{11a^2} \\
&= -\frac{3(A + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} + \frac{A \int \frac{1}{(a+a \sec(c+dx))^{4/3}} dx}{a} - \frac{(4A - 7C) \int \frac{\sec(c+dx)}{(a+a \sec(c+dx))^{4/3}} dx}{11a} \\
&= -\frac{3(A + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} + \frac{(A \sqrt[3]{1 + \sec(c + dx)}) \int \frac{1}{(1+\sec(c+dx))^{4/3}} dx}{a^2 \sqrt[3]{a + a \sec(c + dx)}} - \frac{((4A - 7C) \sqrt[3]{1 + \sec(c + dx)})}{11a^2} \\
&= -\frac{3(A + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{(A \tan(c + dx)) \text{Subst}\left(\int \frac{1}{\sqrt{1-xx(1+x)}^{11/6}} dx, x, \sec(c + dx)\right)}{a^2 d \sqrt{1 - \sec(c + dx)} \sqrt[6]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} + \dots \\
&= -\frac{3(A + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{3(4A - 7C) \tan(c + dx)}{55a^2 d(1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} - \frac{3\sqrt{2}AF_1\left(-\frac{5}{6}; \frac{5}{6}; \frac{3\sqrt{2}\sqrt{1 - \sec(c + dx)}}{5a^2 d \sqrt[3]{a + a \sec(c + dx)}}\right)}{5a^2 d \sqrt{1 - \sec(c + dx)}} \\
&= -\frac{3(A + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{3(4A - 7C) \tan(c + dx)}{55a^2 d(1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} - \frac{3\sqrt{2}AF_1\left(-\frac{5}{6}; \frac{5}{6}; \frac{3\sqrt{2}\sqrt{1 - \sec(c + dx)}}{5a^2 d \sqrt[3]{a + a \sec(c + dx)}}\right)}{5a^2 d \sqrt{1 - \sec(c + dx)}} \\
&= -\frac{3(A + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{3(4A - 7C) \tan(c + dx)}{55a^2 d(1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} - \frac{3\sqrt{2}AF_1\left(-\frac{5}{6}; \frac{5}{6}; \frac{3\sqrt{2}\sqrt{1 - \sec(c + dx)}}{5a^2 d \sqrt[3]{a + a \sec(c + dx)}}\right)}{5a^2 d \sqrt{1 - \sec(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 3.86418, size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{7/3}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(7/3), x]

[Out] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(7/3), x]

Maple [F] time = 0.163, size = 0, normalized size = 0.

$$\int (A + C (\sec(dx + c))^2) (a + a \sec(dx + c))^{-\frac{7}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x)
```

```
[Out] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(7/3),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(a*sec(d*x + c) + a)^(7/3), x)

3.299 $\int (a + a \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=815

$$\frac{3C \tan(c + dx)(\sec(c + dx)a + a)^{4/3}}{7d} + \frac{3\sqrt{2}aF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)(\sec(c + dx) + 1) \tan(c + dx)}{11d\sqrt{1 - \sec(c + dx)}}$$

```
[Out] (3*a*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(7*d) + (3*Sqrt[2]*a*A*AppellF1[11/6, 1/2, 1, 17/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(11*d*Sqrt[1 - Sec[c + d*x]]) + (3*C*(a + a*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*d) - (15*(1 + Sqrt[3])*a*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(7*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (15*2^(1/3)*3^(1/4)*a*C*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2]*Tan[c + d*x])/(7*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3)))^2]]) + (5*3^(3/4)*(1 - Sqrt[3])*a*C*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2]*Tan[c + d*x])/(7*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3)))^2]])
```

Rubi [A] time = 1.01616, antiderivative size = 815, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {4055, 3924, 3779, 3778, 136, 3828, 3827, 50, 63, 308, 225, 1881}

$$\frac{3C \tan(c + dx)(\sec(c + dx)a + a)^{4/3}}{7d} + \frac{3\sqrt{2}aF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)(\sec(c + dx) + 1) \tan(c + dx)}{11d\sqrt{1 - \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2),x]

[Out] (3*a*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(7*d) + (3*Sqrt[2]*a*A*AppellF1[11/6, 1/2, 1, 17/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(11*d*Sqrt[1 - Sec[c + d*x]]) + (3*C*(a + a*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*d) - (15*(1 + Sqrt[3])*a*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(7*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (15*2^(1/3)*3^(1/4)*a*C*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2)*Tan[c + d*x])/(7*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2)) + (5*3^(3/4)*(1 - Sqrt[3])*a*C*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2)*Tan[c + d*x])/(7*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2))]

Rule 4055

Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3924

Int[(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(d_) + (c_)), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_) + (d_)*(x_)]*(b_) + (a_))^(n_), x_Symbol] := Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n]

], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^(n_), x_Symbol] :> Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

Rule 136

Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_), x_Symbol] :> Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))])/(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 50

Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 308

```
Int[(x_)^4/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a,
3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a
+ b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqr
t[a + b*x^6], x], x]] /; FreeQ[{a, b}, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x
]
```

Rule 1881

```
Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r =
Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqr
t[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x
*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*El
lipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + S
qrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sq
rt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1
- Sqrt[3])*d, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx &= \frac{3C(a + a \sec(c + dx))^{4/3} \tan(c + dx)}{7d} + \frac{3 \int (a + a \sec(c + dx))^{4/3} \left(\frac{7aA}{3}\right) dx}{7a} \\
&= \frac{3C(a + a \sec(c + dx))^{4/3} \tan(c + dx)}{7d} + A \int (a + a \sec(c + dx))^{4/3} dx + \frac{3aA \int (a + a \sec(c + dx))^{4/3} dx}{7a} \\
&= \frac{3C(a + a \sec(c + dx))^{4/3} \tan(c + dx)}{7d} + \frac{(aA \sqrt[3]{a + a \sec(c + dx)}) \int (1 + \sec(c + dx))^{4/3} dx}{\sqrt[3]{1 + \sec(c + dx)}} \\
&= \frac{3C(a + a \sec(c + dx))^{4/3} \tan(c + dx)}{7d} - \frac{(aA \sqrt[3]{a + a \sec(c + dx)}) \tan(c + dx)}{d\sqrt{1 - \sec(c + dx)}} \\
&= \frac{3aC \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{7d} + \frac{3\sqrt{2}aAF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{7d} \\
&= \frac{3aC \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{7d} + \frac{3\sqrt{2}aAF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{7d} \\
&= \frac{3aC \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{7d} + \frac{3\sqrt{2}aAF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{7d} \\
&= \frac{3aC \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{7d} + \frac{3\sqrt{2}aAF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{7d}
\end{aligned}$$

Mathematica [F] time = 27.5295, size = 0, normalized size = 0.

$$\int (a + a \sec(c + dx))^{4/3} (A + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + a*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]

[Out] Integrate[(a + a*Sec[c + d*x])^(4/3)*(A + C*Sec[c + d*x]^2), x]

Maple [F] time = 0.173, size = 0, normalized size = 0.

$$\int (a + a \sec(dx + c))^{4/3} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)`

[Out] `int((a+a*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))**(4/3)*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(4/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(4/3), x)
```

3.300 $\int \sqrt[3]{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=774

$$\frac{3^{3/4} (1 - \sqrt{3}) C \tan(c + dx) (\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1}) \sqrt{\frac{(\sec(c + dx) + 1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c + dx) + 1} + 2^{2/3}}{(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}} \sqrt[3]{a \sec(c + dx) + a} \operatorname{EllipticF}\left(c + dx, \frac{\sqrt[3]{\sec(c + dx) + 1} (\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1})}{(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}\right)}{4 \cdot 2^{2/3} d (1 - \sec(c + dx)) (\sec(c + dx) + 1)^{2/3} \sqrt{-\frac{\sqrt[3]{\sec(c + dx) + 1} (\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1})}{(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}}}$$

[Out] (3*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d) + (3*Sqrt[2]*A*AppellF1[5/6, 1/2, 1, 11/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(5*d*Sqrt[1 - Sec[c + d*x]]) - (3*(1 + Sqrt[3])*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*3^(1/4)*C*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2*Tan[c + d*x])/(2*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]]) + (3^(3/4)*(1 - Sqrt[3])*C*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2*Tan[c + d*x])/(4*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]])

Rubi [A] time = 0.826751, antiderivative size = 774, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$, Rules used = {4055, 3924, 3779, 3778, 136, 3828, 3827, 63, 308, 225, 1881}

$$\frac{3\sqrt{2}A \tan(c + dx) \sqrt[3]{a \sec(c + dx) + a} F_1\left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)}{5d\sqrt{1 - \sec(c + dx)}} + \frac{3C \tan(c + dx) \sqrt[3]{a \sec(c + dx) + a}}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2),x]

[Out] (3*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d) + (3*Sqrt[2]*A*AppellF1[5/6, 1/2, 1, 11/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(5*d*Sqrt[1 - Sec[c + d*x]]) - (3*(1 + Sqrt[3])*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*3^(1/4)*C*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4)*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2*Tan[c + d*x])/(2*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]]) + (3^(3/4)*(1 - Sqrt[3])*C*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4)*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2*Tan[c + d*x])/(4*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]])

Rule 4055

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)^(n_.), x_Symbol] := Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && E

$qQ[a^2 - b^2, 0] \&\& !IntegerQ[2*n] \&\& !GtQ[a, 0]$

Rule 3778

$Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^(n_.), x_Symbol] :> Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x], x] /; FreeQ[{a, b, c, d, n}, x] \&\& EqQ[a^2 - b^2, 0] \&\& !IntegerQ[2*n] \&\& GtQ[a, 0]$

Rule 136

$Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] :> Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))])/(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] \&\& !IntegerQ[m] \&\& !IntegerQ[n] \&\& IntegerQ[p] \&\& GtQ[b/(b*c - a*d), 0] \&\& !(GtQ[d/(d*a - c*b), 0] \&\& SimplierQ[c + d*x, a + b*x])$

Rule 3828

$Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] \&\& EqQ[a^2 - b^2, 0] \&\& !IntegerQ[m] \&\& !GtQ[a, 0]$

Rule 3827

$Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] \&\& EqQ[a^2 - b^2, 0] \&\& !IntegerQ[m] \&\& GtQ[a, 0]$

Rule 63

$Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] \&\& NeQ[b*c - a*d, 0] \&\& LtQ[-1, m, 0] \&\& LeQ[-1, n, 0] \&\& LeQ[Denominator[n], Denominator[m]] \&\& IntLinearQ[a, b, c, d, m, n, x]$

Rule 308

```
Int[(x_)^4/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a,
3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a
+ b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqr
t[a + b*x^6], x], x]] /; FreeQ[{a, b}, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x
]
```

Rule 1881

```
Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r =
Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqr
t[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x
*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*El
lipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + S
qrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sq
rt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1
- Sqrt[3])*d, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt[3]{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3 \int \sqrt[3]{a + a \sec(c + dx)} \left(\frac{4aA}{3} + \frac{1}{3} \right)}{4a} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + A \int \sqrt[3]{a + a \sec(c + dx)} dx + \frac{1}{4} C \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{(A \sqrt[3]{a + a \sec(c + dx)}) \int \sqrt[3]{1 + \sec(c + dx)}}{\sqrt[3]{1 + \sec(c + dx)}} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} - \frac{(A \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx))}{d \sqrt{1 - \sec(c + dx)}} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2} AF_1 \left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2} (1 + \sec(c + dx)) \right)}{4d} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2} AF_1 \left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2} (1 + \sec(c + dx)) \right)}{4d} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2} AF_1 \left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2} (1 + \sec(c + dx)) \right)}{4d}
\end{aligned}$$

Mathematica [F] time = 14.9993, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + a*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2), x]

[Out] Integrate[(a + a*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2), x]

Maple [F] time = 0.159, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + a \sec(dx + c)} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

[Out] `int((a+a*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(1/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt[3]{a(\sec(c + dx) + 1)} (A + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))**(1/3)*(A+C*sec(d*x+c)**2),x)`

[Out] `Integral((a*(sec(c + d*x) + 1))**(1/3)*(A + C*sec(c + d*x)**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(1/3), x)
```

$$3.301 \quad \int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=791

$$\frac{3^{3/4} (1 - \sqrt{3}) (A + 2C) \tan(c + dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right) \sqrt{\frac{(\sec(c + dx) + 1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c + dx) + 1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}} \sqrt[3]{a \sec(c + dx) + a} \operatorname{EllipticF}\left(\frac{\sqrt[3]{\sec(c + dx) + 1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right)}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}}{2^{2/3} a d (1 - \sec(c + dx)) (\sec(c + dx) + 1)^{2/3}} \right)}{\sqrt{\frac{\sqrt[3]{\sec(c + dx) + 1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right)}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}}}}$$

[Out] $(-3*(A + C)*\operatorname{Tan}[c + d*x])/(d*(a + a*\operatorname{Sec}[c + d*x])^{(2/3)}) + (3*\operatorname{Sqrt}[2]*A*\operatorname{AppellF1}[5/6, 1/2, 1, 11/6, (1 + \operatorname{Sec}[c + d*x])/2, 1 + \operatorname{Sec}[c + d*x]]*(a + a*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Tan}[c + d*x])/(5*a*d*\operatorname{Sqrt}[1 - \operatorname{Sec}[c + d*x]]) - (3*(1 + \operatorname{Sqrt}[3])*(A + 2*C)*(a + a*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Tan}[c + d*x])/(a*d*(1 + \operatorname{Sec}[c + d*x])^{(2/3)}*(2^{(1/3)} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})) + (3*2^{(1/3)})*3^{(1/4)}*(A + 2*C)*\operatorname{EllipticE}[\operatorname{ArcCos}[(2^{(1/3)} - (1 - \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)}]/(2^{(1/3)} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})], (2 + \operatorname{Sqrt}[3])/4]*(a + a*\operatorname{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \operatorname{Sec}[c + d*x])^{(1/3)})*\operatorname{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \operatorname{Sec}[c + d*x])^{(1/3)} + (1 + \operatorname{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})^2]*\operatorname{Tan}[c + d*x])/(a*d*(1 - \operatorname{Sec}[c + d*x])*(1 + \operatorname{Sec}[c + d*x])^{(2/3)}*\operatorname{Sqrt}[-(((1 + \operatorname{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \operatorname{Sec}[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})^2)]) + (3^{(3/4)}*(1 - \operatorname{Sqrt}[3])*(A + 2*C)*\operatorname{EllipticF}[\operatorname{ArcCos}[(2^{(1/3)} - (1 - \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)}]/(2^{(1/3)} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})], (2 + \operatorname{Sqrt}[3])/4]*(a + a*\operatorname{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \operatorname{Sec}[c + d*x])^{(1/3)})*\operatorname{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \operatorname{Sec}[c + d*x])^{(1/3)} + (1 + \operatorname{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})^2]*\operatorname{Tan}[c + d*x])/(2^{(2/3)}*a*d*(1 - \operatorname{Sec}[c + d*x])*(1 + \operatorname{Sec}[c + d*x])^{(2/3)}*\operatorname{Sqrt}[-(((1 + \operatorname{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \operatorname{Sec}[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + \operatorname{Sqrt}[3])*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})^2)])$

Rubi [A] time = 0.878553, antiderivative size = 791, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$, Rules used = {4053, 3924, 3779, 3778, 136, 3828, 3827, 63, 308, 225, 1881}

$$\frac{3\sqrt{2}A \tan(c + dx) \sqrt[3]{a \sec(c + dx) + a} F_1\left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)}{5ad\sqrt{1 - \sec(c + dx)}} - \frac{3(A + C) \tan(c + dx)}{d(a \sec(c + dx) + a)^{2/3}} - \frac{3}{ad(\sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(2/3),x]
```

```
[Out] (-3*(A + C)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])^(2/3)) + (3*Sqrt[2]*A*App
ellF1[5/6, 1/2, 1, 11/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec
[c + d*x])^(1/3)*Tan[c + d*x])/(5*a*d*Sqrt[1 - Sec[c + d*x]]) - (3*(1 + Sqr
t[3])*(A + 2*C)*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(a*d*(1 + Sec[c +
d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*2^(1/3
)*3^(1/4)*(A + 2*C)*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c +
d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt
[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqr
t[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(
2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(a*d*(1
- Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(
2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c +
d*x])^(1/3))^2]]) + (3^(3/4)*(1 - Sqrt[3])*(A + 2*C)*EllipticF[ArcCos[(2^(1
/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 +
Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3
) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1
/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])
^(1/3))^2]*Tan[c + d*x])/(2^(2/3)*a*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])
^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)
)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]])
```

Rule 4053

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.))^(m_), x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f
*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*
x])^(m + 1)*Simp[A*b*(2*m + 1) - a*(A*(m + 1) - C*m)*Csc[e + f*x], x], x],
x] /; FreeQ[{a, b, e, f, A, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3924

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d
_.) + (c_.)), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist
[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e
, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]
```

Rule 3779

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^IntPa
rt[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n
], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && E
```

$qQ[a^2 - b^2, 0] \&\& !IntegerQ[2*n] \&\& !GtQ[a, 0]$

Rule 3778

$Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^(n_.), x_Symbol] \rightarrow Dist[(a^n * Cot[c + d*x]) / (d * Sqrt[1 + Csc[c + d*x]] * Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2) / (x * Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] \&\& EqQ[a^2 - b^2, 0] \&\& !IntegerQ[2*n] \&\& GtQ[a, 0]$

Rule 136

$Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] \rightarrow Simp[((b*e - a*f)^p * (a + b*x)^(m + 1) * AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]) / (b^(p + 1) * (m + 1) * (b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] \&\& !IntegerQ[m] \&\& !IntegerQ[n] \&\& IntegerQ[p] \&\& GtQ[b/(b*c - a*d), 0] \&\& !(GtQ[d/(d*a - c*b), 0] \&\& SimplerQ[c + d*x, a + b*x])$

Rule 3828

$Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] \rightarrow Dist[(a^IntPart[m] * (a + b * Csc[e + f*x])^FracPart[m]) / (1 + (b * Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b * Csc[e + f*x])/a)^m * (d * Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] \&\& EqQ[a^2 - b^2, 0] \&\& !IntegerQ[m] \&\& !GtQ[a, 0]$

Rule 3827

$Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] \rightarrow Dist[(a^2 * d * Cot[e + f*x]) / (f * Sqrt[a + b * Csc[e + f*x]] * Sqrt[a - b * Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1) * (a + b*x)^(m - 1/2)) / Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] \&\& EqQ[a^2 - b^2, 0] \&\& !IntegerQ[m] \&\& GtQ[a, 0]$

Rule 63

$Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] \rightarrow With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1) * (c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] \&\& NeQ[b*c - a*d, 0] \&\& LtQ[-1, m, 0] \&\& LeQ[-1, n, 0] \&\& LeQ[Denominator[n], Denominator[m]] \&\& IntLinearQ[a, b, c, d, m, n, x]$

Rule 308

```
Int[(x_)^4/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a,
3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a
+ b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqr
t[a + b*x^6], x], x]] /; FreeQ[{a, b}, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x
]
```

Rule 1881

```
Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r =
Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqr
t[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x
*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*El
lipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + S
qrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sq
rt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1
- Sqrt[3])*d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{2/3}} dx &= -\frac{3(A + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} - \frac{3 \int \sqrt[3]{a + a \sec(c + dx)} \left(-\frac{aA}{3} - \frac{1}{3}a(A + 2C) \sec(c + dx) \right) dx}{a^2} \\
&= -\frac{3(A + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{A \int \sqrt[3]{a + a \sec(c + dx)} dx}{a} + \frac{(A + 2C) \int \sec(c + dx) \sqrt[3]{a + a \sec(c + dx)} dx}{a} \\
&= -\frac{3(A + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{(A \sqrt[3]{a + a \sec(c + dx)}) \int \sqrt[3]{1 + \sec(c + dx)} dx}{a \sqrt[3]{1 + \sec(c + dx)}} + \frac{((A + 2C) \sqrt[3]{a + a \sec(c + dx)}) \int \sec(c + dx) \sqrt[3]{1 + \sec(c + dx)} dx}{a \sqrt[3]{1 + \sec(c + dx)}} \\
&= -\frac{3(A + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} - \frac{(A \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1-xx} \sqrt[6]{1+x}} dx, x, \sec(c + dx) \right)}{ad \sqrt{1 - \sec(c + dx)} (1 + \sec(c + dx))^{5/6}} \\
&= -\frac{3(A + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{3\sqrt{2} AF_1 \left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right) \sqrt[3]{a + a \sec(c + dx)}}{5ad \sqrt{1 - \sec(c + dx)}} \\
&= -\frac{3(A + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{3\sqrt{2} AF_1 \left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right) \sqrt[3]{a + a \sec(c + dx)}}{5ad \sqrt{1 - \sec(c + dx)}} \\
&= -\frac{3(A + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{3\sqrt{2} AF_1 \left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right) \sqrt[3]{a + a \sec(c + dx)}}{5ad \sqrt{1 - \sec(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 17.8809, size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{2/3}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(2/3), x]

[Out] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(2/3), x]

Maple [F] time = 0.176, size = 0, normalized size = 0.

$$\int (A + C (\sec(dx + c))^2) (a + a \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x)`

[Out] `int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/(a*sec(d*x + c) + a)^(2/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(2/3),x)`

[Out] Integral((A + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(a*sec(d*x + c) + a)^(2/3), x)

$$3.302 \quad \int \frac{A+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/3}} dx$$

Optimal. Leaf size=841

$$3\sqrt[3]{2}\sqrt[4]{3}(2A-5C)E\left(\cos^{-1}\left(\frac{\sqrt[3]{2-(1-\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}\right)\middle|\frac{1}{4}(2+\sqrt{3})\right)\sqrt[3]{\sec(c+dx)+1}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)\sqrt{\frac{(\sec(c+dx)+1)}{(\sqrt[3]{2-(1-\sqrt{3})}\sqrt[3]{\sec(c+dx)+1})^2}}$$

$$7ad(1-\sec(c+dx))(\sec(c+dx)a+a)^{2/3}\sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1}(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1})}{(\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1})^2}}$$

[Out] $(-3*(A+C)*\text{Tan}[c+d*x])/(7*d*(a+a*\text{Sec}[c+d*x])^{(5/3)}) - (3*(2*A-5*C)*\text{Tan}[c+d*x])/(7*a*d*(a+a*\text{Sec}[c+d*x])^{(2/3)}) - (3*\text{Sqrt}[2]*A*\text{AppellF1}[-1/6, 1/2, 1, 5/6, (1+\text{Sec}[c+d*x])/2, 1+\text{Sec}[c+d*x]]*\text{Tan}[c+d*x])/(a*d*\text{Sqrt}[1-\text{Sec}[c+d*x]]*(a+a*\text{Sec}[c+d*x])^{(2/3)}) - (3*(1+\text{Sqrt}[3])*(2*A-5*C)*(1+\text{Sec}[c+d*x])^{(1/3)}*\text{Tan}[c+d*x])/(7*a*d*(a+a*\text{Sec}[c+d*x])^{(2/3)}*(2^{(1/3)}-(1+\text{Sqrt}[3])*(1+\text{Sec}[c+d*x])^{(1/3)})) + (3*2^{(1/3)}*3^{(1/4)}*(2*A-5*C)*\text{EllipticE}[\text{ArcCos}[(2^{(1/3)}-(1-\text{Sqrt}[3])*(1+\text{Sec}[c+d*x])^{(1/3)})/(2^{(1/3)}-(1+\text{Sqrt}[3])*(1+\text{Sec}[c+d*x])^{(1/3)})], (2+\text{Sqrt}[3])/4]*(1+\text{Sec}[c+d*x])^{(1/3)}*(2^{(1/3)}-(1+\text{Sec}[c+d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)}+2^{(1/3)}*(1+\text{Sec}[c+d*x])^{(1/3)}+(1+\text{Sec}[c+d*x])^{(2/3)})/(2^{(1/3)}-(1+\text{Sqrt}[3])*(1+\text{Sec}[c+d*x])^{(1/3)})^2]*\text{Tan}[c+d*x])/(7*a*d*(1-\text{Sec}[c+d*x])*(a+a*\text{Sec}[c+d*x])^{(2/3)}*\text{Sqrt}[-(((1+\text{Sec}[c+d*x])^{(1/3)}*(2^{(1/3)}-(1+\text{Sec}[c+d*x])^{(1/3)})))/(2^{(1/3)}-(1+\text{Sqrt}[3])*(1+\text{Sec}[c+d*x])^{(1/3)})^2])) + (3^{(3/4)}*(1-\text{Sqrt}[3])*(2*A-5*C)*\text{EllipticF}[\text{ArcCos}[(2^{(1/3)}-(1-\text{Sqrt}[3])*(1+\text{Sec}[c+d*x])^{(1/3)})/(2^{(1/3)}-(1+\text{Sqrt}[3])*(1+\text{Sec}[c+d*x])^{(1/3)})], (2+\text{Sqrt}[3])/4]*(1+\text{Sec}[c+d*x])^{(1/3)}*(2^{(1/3)}-(1+\text{Sec}[c+d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)}+2^{(1/3)}*(1+\text{Sec}[c+d*x])^{(1/3)}+(1+\text{Sec}[c+d*x])^{(2/3)})/(2^{(1/3)}-(1+\text{Sqrt}[3])*(1+\text{Sec}[c+d*x])^{(1/3)})^2]*\text{Tan}[c+d*x])/(7*2^{(2/3)}*a*d*(1-\text{Sec}[c+d*x])*(a+a*\text{Sec}[c+d*x])^{(2/3)}*\text{Sqrt}[-(((1+\text{Sec}[c+d*x])^{(1/3)}*(2^{(1/3)}-(1+\text{Sec}[c+d*x])^{(1/3)})))/(2^{(1/3)}-(1+\text{Sqrt}[3])*(1+\text{Sec}[c+d*x])^{(1/3)})^2]))$

Rubi [A] time = 0.926865, antiderivative size = 841, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {4053, 3924, 3779, 3778, 136, 3828, 3827, 51, 63, 308, 225, 1881}

$$3\sqrt[3]{2}\sqrt[4]{3}(2A-5C)E\left(\cos^{-1}\left(\frac{\sqrt[3]{2-(1-\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}\right)\middle|\frac{1}{4}(2+\sqrt{3})\right)\sqrt[3]{\sec(c+dx)+1}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)\sqrt{\frac{(\sec(c+dx)+1)}{(\sqrt[3]{2-(1-\sqrt{3})}\sqrt[3]{\sec(c+dx)+1})^2}}$$

$$7ad(1-\sec(c+dx))(\sec(c+dx)a+a)^{2/3}\sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1}(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1})}{(\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1})^2}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/3),x]

[Out]
$$\begin{aligned} & (-3*(A + C)*\tan[c + d*x])/(7*d*(a + a*\sec[c + d*x])^{5/3}) - (3*(2*A - 5*C) \\ & * \tan[c + d*x])/(7*a*d*(a + a*\sec[c + d*x])^{2/3}) - (3*\sqrt{2}*A*\text{AppellF1}[- \\ & 1/6, 1/2, 1, 5/6, (1 + \sec[c + d*x])/2, 1 + \sec[c + d*x]]*\tan[c + d*x])/(a* \\ & d*\sqrt{1 - \sec[c + d*x]}*(a + a*\sec[c + d*x])^{2/3}) - (3*(1 + \sqrt{3})*(2* \\ & A - 5*C)*(1 + \sec[c + d*x])^{1/3}*\tan[c + d*x])/(7*a*d*(a + a*\sec[c + d*x]) \\ & ^{2/3}*(2^{1/3} - (1 + \sqrt{3})*(1 + \sec[c + d*x])^{1/3})) + (3*2^{1/3}*3^{(\\ & 1/4)}*(2*A - 5*C)*\text{EllipticE}[\text{ArcCos}[(2^{1/3} - (1 - \sqrt{3})*(1 + \sec[c + d*x] \\ &)^{1/3})/(2^{1/3} - (1 + \sqrt{3})*(1 + \sec[c + d*x])^{1/3})], (2 + \sqrt{3}) \\ &)/4]*(1 + \sec[c + d*x])^{1/3}*(2^{1/3} - (1 + \sec[c + d*x])^{1/3})*\sqrt{(2^{(\\ & 2/3)} + 2^{1/3}*(1 + \sec[c + d*x])^{1/3} + (1 + \sec[c + d*x])^{2/3})/(2^{1/3} \\ & - (1 + \sqrt{3})*(1 + \sec[c + d*x])^{1/3})^2}*\tan[c + d*x])/(7*a*d*(1 - \sec \\ & [c + d*x])*(a + a*\sec[c + d*x])^{2/3}*\sqrt{-(((1 + \sec[c + d*x])^{1/3}*(2^{(\\ & 1/3)} - (1 + \sec[c + d*x])^{1/3}))/((2^{1/3} - (1 + \sqrt{3})*(1 + \sec[c + d \\ & *x])^{1/3})^2)}) + (3^{3/4}*(1 - \sqrt{3})*(2*A - 5*C)*\text{EllipticF}[\text{ArcCos}[(2^{(\\ & 1/3)} - (1 - \sqrt{3})*(1 + \sec[c + d*x])^{1/3})/(2^{1/3} - (1 + \sqrt{3})*(1 \\ & + \sec[c + d*x])^{1/3})], (2 + \sqrt{3})/4]*(1 + \sec[c + d*x])^{1/3}*(2^{1/3} \\ & - (1 + \sec[c + d*x])^{1/3})*\sqrt{(2^{(2/3)} + 2^{1/3}*(1 + \sec[c + d*x])^{1/3} \\ & + (1 + \sec[c + d*x])^{2/3})/(2^{1/3} - (1 + \sqrt{3})*(1 + \sec[c + d*x])^{(\\ & 1/3)})^2}*\tan[c + d*x])/(7*2^{2/3}*a*d*(1 - \sec[c + d*x])*(a + a*\sec[c + d* \\ & x])^{2/3}*\sqrt{-(((1 + \sec[c + d*x])^{1/3}*(2^{1/3} - (1 + \sec[c + d*x])^{1/3} \\ & /3)))/(2^{1/3} - (1 + \sqrt{3})*(1 + \sec[c + d*x])^{1/3})^2)}) \end{aligned}$$

Rule 4053

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^m), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) - a*(A*(m + 1) - C*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^m)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)^n), x_Symbol] :> Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n]

], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] :> Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

Rule 136

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 51

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 308

```
Int[(x_)^4/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a,
3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a
+ b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqr
t[a + b*x^6], x], x]] /; FreeQ[{a, b}, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x
]
```

Rule 1881

```
Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r =
Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqr
t[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x
*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*El
lipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + S
qrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sq
rt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1
- Sqrt[3])*d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{5/3}} dx &= -\frac{3(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3 \int \frac{-\frac{7aA}{3} + \frac{1}{3}a(2A-5C) \sec(c+dx)}{(a+a \sec(c+dx))^{2/3}} dx}{7a^2} \\
&= -\frac{3(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} + \frac{A \int \frac{1}{(a+a \sec(c+dx))^{2/3}} dx}{a} - \frac{(2A - 5C) \int \frac{\sec(c+dx)}{(a+a \sec(c+dx))^{2/3}} dx}{7a} \\
&= -\frac{3(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} + \frac{(A(1 + \sec(c + dx))^{2/3}) \int \frac{1}{(1+\sec(c+dx))^{2/3}} dx}{a(a + a \sec(c + dx))^{2/3}} - \frac{((2A - 5C)(1 + \sec(c + dx))^{2/3}) \int \frac{\sec(c+dx)}{(1+\sec(c+dx))^{2/3}} dx}{7a} \\
&= -\frac{3(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{(A \sqrt[6]{1 + \sec(c + dx)} \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1-xx(1+x)^{7/6}} dx, x \right)}{ad \sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}} \\
&= -\frac{3(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3(2A - 5C) \tan(c + dx)}{7ad(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1 \left(-\frac{1}{6}; \frac{1}{2}, 1; \frac{5}{6}; \frac{1}{2}(1 + \sec(c + dx)) \right)}{ad \sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}} \\
&= -\frac{3(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3(2A - 5C) \tan(c + dx)}{7ad(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1 \left(-\frac{1}{6}; \frac{1}{2}, 1; \frac{5}{6}; \frac{1}{2}(1 + \sec(c + dx)) \right)}{ad \sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}} \\
&= -\frac{3(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3(2A - 5C) \tan(c + dx)}{7ad(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1 \left(-\frac{1}{6}; \frac{1}{2}, 1; \frac{5}{6}; \frac{1}{2}(1 + \sec(c + dx)) \right)}{ad \sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}} \\
&= -\frac{3(A + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3(2A - 5C) \tan(c + dx)}{7ad(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1 \left(-\frac{1}{6}; \frac{1}{2}, 1; \frac{5}{6}; \frac{1}{2}(1 + \sec(c + dx)) \right)}{ad \sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}}
\end{aligned}$$

Mathematica [F] time = 9.65701, size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{5/3}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/3), x]

[Out] Integrate[(A + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/3), x]

Maple [F] time = 0.16, size = 0, normalized size = 0.

$$\int (A + C (\sec(dx + c))^2) (a + a \sec(dx + c))^{-\frac{5}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x)

[Out] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/3),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(5/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/(a*sec(d*x + c) + a)^(5/3), x)`

3.303 $\int \sec^m(c+dx)(a+a \sec(c+dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=244

$$\frac{2^{n+\frac{1}{2}}(A(m+n+1) + C(m-n)) \tan(c+dx)(\sec(c+dx)+1)^{-n-\frac{1}{2}}(a \sec(c+dx)+a)^n F_1\left(\frac{1}{2}; 1-m, \frac{1}{2}-n; \frac{3}{2}; 1-\sec(c+dx)\right)}{d(m+n+1)}$$

[Out] (C*Sec[c + d*x]^(1 + m)*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n)) + (2^(3/2 + n)*C*n*AppellF1[1/2, 1 - m, -1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + m + n)) + (2^(1/2 + n)*(C*(m - n) + A*(1 + m + n))*AppellF1[1/2, 1 - m, 1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + m + n))

Rubi [A] time = 0.533392, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4089, 4023, 3828, 3825, 133}

$$\frac{2^{n+\frac{1}{2}}(A(m+n+1) + C(m-n)) \tan(c+dx)(\sec(c+dx)+1)^{-n-\frac{1}{2}}(a \sec(c+dx)+a)^n F_1\left(\frac{1}{2}; 1-m, \frac{1}{2}-n; \frac{3}{2}; 1-\sec(c+dx)\right)}{d(m+n+1)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^m*(a + a*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] (C*Sec[c + d*x]^(1 + m)*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n)) + (2^(3/2 + n)*C*n*AppellF1[1/2, 1 - m, -1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + m + n)) + (2^(1/2 + n)*(C*(m - n) + A*(1 + m + n))*AppellF1[1/2, 1 - m, 1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + m + n))

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si

mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3825

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Dist[(((a*d)/b)^n*Cot[e + f*x])/(a^(n - 2)*f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((a - x)^(n - 1)*(2*a - x)^(m - 1/2))/Sqrt[x], x], x, a - b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0] && !IntegerQ[n] && GtQ[(a*d)/b, 0]

Rule 133

Int[((b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned}
\int \sec^m(c+dx)(a+a\sec(c+dx))^n(A+C\sec^2(c+dx))dx &= \frac{C\sec^{1+m}(c+dx)(a+a\sec(c+dx))^n\sin(c+dx)}{d(1+m+n)} + \frac{\int \sec^{m+1}(c+dx)(a+a\sec(c+dx))^n(A+C\sec^2(c+dx))dx}{d(1+m+n)} \\
&= \frac{C\sec^{1+m}(c+dx)(a+a\sec(c+dx))^n\sin(c+dx)}{d(1+m+n)} + \frac{(Cn)\int \sec^{m+1}(c+dx)(a+a\sec(c+dx))^n(A+C\sec^2(c+dx))dx}{d(1+m+n)} \\
&= \frac{C\sec^{1+m}(c+dx)(a+a\sec(c+dx))^n\sin(c+dx)}{d(1+m+n)} + \frac{(Cn)\int \sec^{m+1}(c+dx)(a+a\sec(c+dx))^n(A+C\sec^2(c+dx))dx}{d(1+m+n)} \\
&= \frac{C\sec^{1+m}(c+dx)(a+a\sec(c+dx))^n\sin(c+dx)}{d(1+m+n)} + \frac{(Cn)\int \sec^{m+1}(c+dx)(a+a\sec(c+dx))^n(A+C\sec^2(c+dx))dx}{d(1+m+n)} \\
&= \frac{C\sec^{1+m}(c+dx)(a+a\sec(c+dx))^n\sin(c+dx)}{d(1+m+n)} + \frac{2^{\frac{3}{2}+n}C}{d(1+m+n)}
\end{aligned}$$

Mathematica [F] time = 18.1964, size = 0, normalized size = 0.

$$\int \sec^m(c+dx)(a+a\sec(c+dx))^n(A+C\sec^2(c+dx))dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]^m*(a + a*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] Integrate[Sec[c + d*x]^m*(a + a*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

Maple [F] time = 1.099, size = 0, normalized size = 0.

$$\int (\sec(dx+c))^m (a+a\sec(dx+c))^n (A+C(\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + A\right)(a \sec(dx + c) + a)^n \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**m*(a+a*sec(d*x+c))**n*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^m, x)
```

3.304 $\int \sec^{-1-n}(c+dx)(a+a \sec(c+dx))^n (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=253

$$\frac{(-An + Cn + C) \sin(c + dx) \sec^{1-n}(c + dx) \left(\frac{\sec(c+dx)+1}{1-\sec(c+dx)}\right)^{\frac{1}{2}-n} (a \sec(c + dx) + a)^n \text{Hypergeometric2F1}\left(\frac{1}{2} - n, -n, 1 - n, -2\sec(c + dx)\right)}{dn(n + 1)(\sec(c + dx) + 1)}$$

[Out] (A*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n) - ((C - A*n + C*n)*Hypergeometric2F1[1/2 - n, -n, 1 - n, (-2*Sec[c + d*x])/(1 - Sec[c + d*x])]*Sec[c + d*x]^(1 - n)*((1 + Sec[c + d*x])/(1 - Sec[c + d*x]))^(1/2 - n)*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*(1 + n)*(1 + Sec[c + d*x])) + (2^(3/2 + n)*C*AppellF1[1/2, 1 + n, -1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/d

Rubi [A] time = 0.521556, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4087, 4023, 3828, 3825, 132, 133}

$$\frac{(-An + Cn + C) \sin(c + dx) \sec^{1-n}(c + dx) \left(\frac{\sec(c+dx)+1}{1-\sec(c+dx)}\right)^{\frac{1}{2}-n} (a \sec(c + dx) + a)^n {}_2F_1\left(\frac{1}{2} - n, -n; 1 - n; -\frac{2\sec(c+dx)}{1-\sec(c+dx)}\right)}{dn(n + 1)(\sec(c + dx) + 1)} +$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] (A*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n) - ((C - A*n + C*n)*Hypergeometric2F1[1/2 - n, -n, 1 - n, (-2*Sec[c + d*x])/(1 - Sec[c + d*x])]*Sec[c + d*x]^(1 - n)*((1 + Sec[c + d*x])/(1 - Sec[c + d*x]))^(1/2 - n)*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*(1 + n)*(1 + Sec[c + d*x])) + (2^(3/2 + n)*C*AppellF1[1/2, 1 + n, -1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/d

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(

$b*d*n$), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3825

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Dist[(((a*d)/b)^n*Cot[e + f*x])/(a^(n - 2)*f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((a - x)^(n - 1)*(2*a - x)^(m - 1/2))/Sqrt[x], x], x, a - b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0] && !IntegerQ[n] && GtQ[(a*d)/b, 0]

Rule 132

Int[((a_.) + (b_.)*(x_))^m*((c_.) + (d_.)*(x_))^n*((e_.) + (f_.)*(x_))^p, x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1)*Hypergeometric2F1[m + 1, -n, m + 2, -(((d*e - c*f)*(a + b*x))/((b*c - a*d)*(e + f*x)))]/(((b*e - a*f)*(m + 1))*((b*e - a*f)*(c + d*x))/((b*c - a*d)*(e + f*x)))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[m + n + p + 2, 0] && !IntegerQ[n]

Rule 133

Int[((b_.)*(x_))^m*((c_.) + (d_.)*(x_))^n*((e_.) + (f_.)*(x_))^p, x_Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] &

& !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned}
 \int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n (A+C\sec^2(c+dx)) dx &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin(c+dx)}{d(1+n)} + \int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n (A+C\sec^2(c+dx)) dx \\
 &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin(c+dx)}{d(1+n)} + \int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n (A+C\sec^2(c+dx)) dx \\
 &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin(c+dx)}{d(1+n)} + \int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n (A+C\sec^2(c+dx)) dx \\
 &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin(c+dx)}{d(1+n)} + \int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n (A+C\sec^2(c+dx)) dx \\
 &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin(c+dx)}{d(1+n)} + \int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n (A+C\sec^2(c+dx)) dx
 \end{aligned}$$

Mathematica [F] time = 24.6505, size = 0, normalized size = 0.

$$\int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n (A+C\sec^2(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] Integrate[Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

Maple [F] time = 0.376, size = 0, normalized size = 0.

$$\int (\sec(dx+c))^{-1-n} (a+a\sec(dx+c))^n (A+C(\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x)

[Out] `int(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^n \sec(dx+c)^{-n-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^(-n - 1), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^n \sec(dx+c)^{-n-1}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^(-n - 1), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(-1-n)*(a+a*sec(d*x+c))**n*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^n \sec(dx + c)^{-n-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^(-n - 1), x)

$$3.305 \quad \int \left(\frac{\sec^{-n}(c+dx)(a+a \sec(c+dx))^n(-aAn-aC(1+n) \sec(c+dx))}{a(1+n)} + \sec^{-1-n}(c + dx) \right) dx$$

Optimal. Leaf size=38

$$\frac{A \sin(c+dx) \sec^{-n}(c+dx)(a \sec(c+dx) + a)^n}{d(n+1)}$$

[Out] (A*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n)

Rubi [A] time = 0.927861, antiderivative size = 38, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 6, integrand size = 88, $\frac{\text{number of rules}}{\text{integrand size}} = 0.068$, Rules used = {4023, 3828, 3825, 132, 133, 4087}

$$\frac{A \sin(c+dx) \sec^{-n}(c+dx)(a \sec(c+dx) + a)^n}{d(n+1)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^n*(-(a*A*n) - a*C*(1 + n)*Sec[c + d*x]))/(a*(1 + n)*Sec[c + d*x]^n) + Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] (A*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n)

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3825

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_), x_Symbol] :> -Dist[(((a*d)/b)^n*Cot[e + f*x])/(a^(n - 2)*f*Sqrt[
a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((a - x)^(n - 1)*(
2*a - x)^(m - 1/2))/Sqrt[x], x], x, a - b*Csc[e + f*x]], x] /; FreeQ[{a, b,
d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0] &&
!IntegerQ[n] && GtQ[(a*d)/b, 0]

```

Rule 132

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))
)^(p_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1)*
Hypergeometric2F1[m + 1, -n, m + 2, -(((d*e - c*f)*(a + b*x))/((b*c - a*d)*
(e + f*x)))]/(((b*e - a*f)*(m + 1))*(((b*e - a*f)*(c + d*x))/((b*c - a*d)*
(e + f*x)))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[m + n +
p + 2, 0] && !IntegerQ[n]

```

Rule 133

```

Int[((b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_
Symbol] :> Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*
x)/c), -((f*x)/e)])/((b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] &
& !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

```

Rule 4087

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] :> Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rubi steps

$$\int \left(\frac{\sec^{-n}(c+dx)(a+a\sec(c+dx))^n(-aAn-aC(1+n)\sec(c+dx))}{a(1+n)} + \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n(A+C\sec^2(c+dx)) \right) dx$$

Mathematica [A] time = 0.162311, size = 38, normalized size = 1.

$$\frac{A \sin(c+dx) \sec^{-n}(c+dx) (a(\sec(c+dx)+1))^n}{d(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^n*(-(a*A*n) - a*C*(1 + n)*Sec[c + d*x]))/(a*(1 + n)*Sec[c + d*x]^n) + Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + C*Sec[c + d*x]^2), x]

[Out] (A*(a*(1 + Sec[c + d*x]))^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n)

Maple [F] time = 1.27, size = 0, normalized size = 0.

$$\int \frac{(a + a \sec(dx + c))^n (-aAn - aC(1 + n) \sec(dx + c))}{(1 + n) a (\sec(dx + c))^n} + (\sec(dx + c))^{-1-n} (a + a \sec(dx + c))^n (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^n*(-a*A^n-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x+c)^n)
+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)
```

```
[Out] int((a+a*sec(d*x+c))^n*(-a*A^n-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x+c)^n)
+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x)
```

Maxima [B] time = 11.1309, size = 419, normalized size = 11.03

$$\frac{(\cos(dx+c)^2 + \sin(dx+c)^2 + 2\cos(dx+c) + 1)^n Aa^n \cos(-(dn+d)x + 2n \arctan(\sin(dx+c), \cos(dx+c) + 1) -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^n*(-a*A^n-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x
+c)^n)+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm
="maxima")
```

```
[Out] 1/2*((cos(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1)^n*A*a^n*cos(-(d
*n + d)*x + 2*n*arctan2(sin(d*x + c), cos(d*x + c) + 1) - c)*sin(c*n) - (co
s(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1)^n*A*a^n*cos(-(d*n - d)*
x + 2*n*arctan2(sin(d*x + c), cos(d*x + c) + 1) + c)*sin(c*n) - (cos(d*x +
c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1)^n*A*a^n*cos(c*n)*sin(-(d*n + d)
*x + 2*n*arctan2(sin(d*x + c), cos(d*x + c) + 1) - c) + (cos(d*x + c)^2 + s
in(d*x + c)^2 + 2*cos(d*x + c) + 1)^n*A*a^n*cos(c*n)*sin(-(d*n - d)*x + 2*n
*arctan2(sin(d*x + c), cos(d*x + c) + 1) + c))/((d*n + d)*2^n*cos(c*n)^2 +
(d*n + d)*2^n*sin(c*n)^2)
```

Fricas [A] time = 0.908504, size = 142, normalized size = 3.74

$$\frac{A \left(\frac{a \cos(dx+c)+a}{\cos(dx+c)} \right)^n \frac{1}{\cos(dx+c)}^{-n-1} \sin(dx+c)}{(dn+d) \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^n*(-a*A^n-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x
+c)^n)+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2),x, algorithm
="fricas")
```

[Out] $A*((a*\cos(d*x + c) + a)/\cos(d*x + c))^n*(1/\cos(d*x + c))^{(-n - 1)}*\sin(d*x + c)/((d*n + d)*\cos(d*x + c))$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))**n*(-a*A*n-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x+c)**n)+sec(d*x+c)**(-1-n)*(a+a*sec(d*x+c))**n*(A+C*sec(d*x+c)**2), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^n \sec(dx + c)^{-n-1} - \frac{(Ca(n+1) \sec(dx + c) + Aan)(a \sec(dx + c) + a)^n}{a(n+1) \sec(dx + c)^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^n*(-a*A*n-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x+c)^n)+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^(-n - 1) - (C*a*(n + 1)*sec(d*x + c) + A*a*n)*(a*sec(d*x + c) + a)^n/(a*(n + 1)*sec(d*x + c)^n), x)`

3.306 $\int \sec^2(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=106

$$\frac{a(B+C)\tan^3(c+dx)}{3d} + \frac{a(B+C)\tan(c+dx)}{d} + \frac{a(4B+3C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a(4B+3C)\tan(c+dx)\sec(c+dx)}{8d}$$

[Out] (a*(4*B + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(B + C)*Tan[c + d*x])/d + (a*(4*B + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*(B + C)*Tan[c + d*x]^3)/(3*d)

Rubi [A] time = 0.17563, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3997, 3787, 3768, 3770, 3767}

$$\frac{a(B+C)\tan^3(c+dx)}{3d} + \frac{a(B+C)\tan(c+dx)}{d} + \frac{a(4B+3C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a(4B+3C)\tan(c+dx)\sec(c+dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(4*B + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(B + C)*Tan[c + d*x])/d + (a*(4*B + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*(B + C)*Tan[c + d*x]^3)/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,

-1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^3(c + dx)(a + a \sec(c + dx))(B + C \sec(c + dx)) dx \\
&= \frac{aC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^3(c + dx) dx \\
&= \frac{aC \sec^3(c + dx) \tan(c + dx)}{4d} + (a(B + C)) \int \sec(c + dx) dx \\
&= \frac{a(4B + 3C) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aC \sec^3(c + dx)}{4d} \\
&= \frac{a(4B + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(B + C) \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [B] time = 0.628324, size = 337, normalized size = 3.18

$$a \sec^4(c + dx) \left(12(4B + 3C) \cos(2(c + dx)) \left(\log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) - \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $-(a*\text{Sec}[c + d*x]^4*(36*B*\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]] + 27*C*\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]] + 12*(4*B + 3*C)*\text{Cos}[2*(c + d*x)]*(\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]] - \text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]]) + 3*(4*B + 3*C)*\text{Cos}[4*(c + d*x)]*(\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]] - \text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]]) - 36*B*\text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]] - 27*C*\text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]] - 24*B*\text{Sin}[c + d*x] - 66*C*\text{Sin}[c + d*x] - 64*B*\text{Sin}[2*(c + d*x)] - 64*C*\text{Sin}[2*(c + d*x)] - 24*B*\text{Sin}[3*(c + d*x)] - 18*C*\text{Sin}[3*(c + d*x)] - 16*B*\text{Sin}[4*(c + d*x)] - 16*C*\text{Sin}[4*(c + d*x)]))/(192*d)$

Maple [A] time = 0.043, size = 171, normalized size = 1.6

$$\frac{Ba \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2aC \tan(dx + c)}{3d} + \frac{aC(\sec(dx + c))^2 \tan(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $1/2/d*B*a*\sec(d*x+c)*\tan(d*x+c)+1/2/d*B*a*\ln(\sec(d*x+c)+\tan(d*x+c))+2/3*a*C*\tan(d*x+c)/d+1/3*a*C*\sec(d*x+c)^2*\tan(d*x+c)/d+2/3/d*B*a*\tan(d*x+c)+1/3/d*B*a*\tan(d*x+c)*\sec(d*x+c)^2+1/4*a*C*\sec(d*x+c)^3*\tan(d*x+c)/d+3/8*a*C*\sec(d*x+c)*\tan(d*x+c)/d+3/8/d*a*C*\ln(\sec(d*x+c)+\tan(d*x+c))$

Maxima [A] time = 0.944518, size = 220, normalized size = 2.08

$$16(\tan(dx + c)^3 + 3 \tan(dx + c))Ba + 16(\tan(dx + c)^3 + 3 \tan(dx + c))Ca - 3Ca \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log \left(\frac{\cos(dx+c) - \sin(dx+c)}{\cos(dx+c) + \sin(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a - 3*C*a*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*B*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1))/d
```

Fricas [A] time = 0.520872, size = 339, normalized size = 3.2

$$\frac{3(4B + 3C)a \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(4B + 3C)a \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(16(B + C)a \cos(dx + c)^3 + 3(4B + 3C)a \cos(dx + c)^2 + 8(B + C)a \cos(dx + c) + 6Ca) \sin(dx + c)}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 1/48*(3*(4*B + 3*C)*a*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(4*B + 3*C)*a*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(16*(B + C)*a*cos(d*x + c)^3 + 3*(4*B + 3*C)*a*cos(d*x + c)^2 + 8*(B + C)*a*cos(d*x + c) + 6*C*a)*sin(d*x + c))/(d*cos(d*x + c)^4)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int B \sec^3(c + dx) dx + \int B \sec^4(c + dx) dx + \int C \sec^4(c + dx) dx + \int C \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] a*(Integral(B*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**5, x))
```

Giac [A] time = 1.14518, size = 254, normalized size = 2.4

$$3(4Ba + 3Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(4Ba + 3Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(12Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 9Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^7}{24d}$$

24d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/24*(3*(4*B*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(4*B*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(12*B*a*tan(1/2*d*x + 1/2*c)^7 + 9*C*a*tan(1/2*d*x + 1/2*c)^7 - 28*B*a*tan(1/2*d*x + 1/2*c)^5 - 49*C*a*tan(1/2*d*x + 1/2*c)^5 + 52*B*a*tan(1/2*d*x + 1/2*c)^3 + 31*C*a*tan(1/2*d*x + 1/2*c)^3 - 36*B*a*tan(1/2*d*x + 1/2*c) - 39*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

3.307 $\int \sec(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=86

$$\frac{a(3B+2C)\tan(c+dx)}{3d} + \frac{a(B+C)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{a(B+C)\tan(c+dx)\sec(c+dx)}{2d} + \frac{aC\tan(c+dx)\sec^2(c+dx)}{3d}$$

[Out] (a*(B + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(3*B + 2*C)*Tan[c + d*x])/(3*d) + (a*(B + C)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.144769, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4072, 3997, 3787, 3767, 8, 3768, 3770}

$$\frac{a(3B+2C)\tan(c+dx)}{3d} + \frac{a(B+C)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{a(B+C)\tan(c+dx)\sec(c+dx)}{2d} + \frac{aC\tan(c+dx)\sec^2(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(B + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(3*B + 2*C)*Tan[c + d*x])/(3*d) + (a*(B + C)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,

-1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :=> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + a \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^2(c + dx)(a + a \sec(c + dx))(B + C \sec(c + dx)) dx \\
&= \frac{aC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec^2(c + dx) dx \\
&= \frac{aC \sec^2(c + dx) \tan(c + dx)}{3d} + (a(B + C)) \int \sec(c + dx) dx \\
&= \frac{a(B + C) \sec(c + dx) \tan(c + dx)}{2d} + \frac{aC \sec^2(c + dx)}{3d} \\
&= \frac{a(B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(3B + 2C) \tan(c + dx)}{3d}
\end{aligned}$$

Mathematica [B] time = 0.517878, size = 181, normalized size = 2.1

$$a \sec^3(c + dx) \left(-4 \sin(c + dx)(3(B + C) \cos(c + dx) + (3B + 2C) \cos(2(c + dx)) + 3B + 4C) + 9(B + C) \cos(c + dx) \right) \left(\log \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] $-(a \operatorname{Sec}[c + d*x]^3(9(B + C)\operatorname{Cos}[c + d*x](\operatorname{Log}[\operatorname{Cos}[(c + d*x)/2] - \operatorname{Sin}[(c + d*x)/2]]) - \operatorname{Log}[\operatorname{Cos}[(c + d*x)/2] + \operatorname{Sin}[(c + d*x)/2]]) + 3(B + C)\operatorname{Cos}[3(c + d*x)](\operatorname{Log}[\operatorname{Cos}[(c + d*x)/2] - \operatorname{Sin}[(c + d*x)/2]] - \operatorname{Log}[\operatorname{Cos}[(c + d*x)/2] + \operatorname{Sin}[(c + d*x)/2]]) - 4(3B + 4C + 3(B + C)\operatorname{Cos}[c + d*x] + (3B + 2C)\operatorname{Cos}[2(c + d*x)])\operatorname{Sin}[c + d*x])/(24*d)$

Maple [A] time = 0.039, size = 128, normalized size = 1.5

$$\frac{Ba \tan(dx + c)}{d} + \frac{aC \sec(dx + c) \tan(dx + c)}{2d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{Ba \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba \sec(dx + c) \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] $1/d*B*a*\tan(d*x+c)+1/2*a*C*\sec(d*x+c)*\tan(d*x+c)/d+1/2/d*a*C*\ln(\sec(d*x+c)+\tan(d*x+c))+1/2/d*B*a*\sec(d*x+c)*\tan(d*x+c)+1/2/d*B*a*\ln(\sec(d*x+c)+\tan(d*x+c))+2/3*a*C*\tan(d*x+c)/d+1/3*a*C*\sec(d*x+c)^2*\tan(d*x+c)/d$

Maxima [A] time = 0.942356, size = 171, normalized size = 1.99

$$4 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ca - 3 Ba \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) - 3 Ca \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2} \right)$$

12d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{12} \cdot (4 \cdot (\tan(dx + c))^3 + 3 \cdot \tan(dx + c)) \cdot C \cdot a - 3 \cdot B \cdot a \cdot (2 \cdot \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 3 \cdot C \cdot a \cdot (2 \cdot \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 12 \cdot B \cdot a \cdot \tan(dx + c) / d$

Fricas [A] time = 0.540933, size = 288, normalized size = 3.35

$$\frac{3(B + C)a \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(B + C)a \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(3B + 2C)a \cos(dx + c)^2 + 3(B + C)a \cos(dx + c) + 2Ca) \sin(dx + c)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)*(a+a*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{12} \cdot (3 \cdot (B + C) \cdot a \cdot \cos(dx + c)^3 \cdot \log(\sin(dx + c) + 1) - 3 \cdot (B + C) \cdot a \cdot \cos(dx + c)^3 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (2 \cdot (3 \cdot B + 2 \cdot C) \cdot a \cdot \cos(dx + c)^2 + 3 \cdot (B + C) \cdot a \cdot \cos(dx + c) + 2 \cdot C \cdot a) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int B \sec^2(c + dx) dx + \int B \sec^3(c + dx) dx + \int C \sec^3(c + dx) dx + \int C \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)*(a+a*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)**2),x)`

[Out] `a*(Integral(B*sec(c + dx)**2, x) + Integral(B*sec(c + dx)**3, x) + Integral(C*sec(c + dx)**3, x) + Integral(C*sec(c + dx)**4, x))`

Giac [A] time = 1.17324, size = 208, normalized size = 2.42

$$3(Ba + Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3(Ba + Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(3Ba \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^5 + 3Ca \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^5 \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algo  
rithm="giac")
```

```
[Out] 1/6*(3*(B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(B*a + C*a)*log(a  
bs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(3*B*a*tan(1/2*d*x + 1/2*c)^5 + 3*C*a*tan  
(1/2*d*x + 1/2*c)^5 - 12*B*a*tan(1/2*d*x + 1/2*c)^3 - 4*C*a*tan(1/2*d*x + 1  
/2*c)^3 + 9*B*a*tan(1/2*d*x + 1/2*c) + 9*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2  
*d*x + 1/2*c)^2 - 1)^3)/d
```


3.308 $\int (a + a \sec(c + dx)) (B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=56

$$\frac{a(B + C) \tan(c + dx)}{d} + \frac{a(2B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] (a*(2*B + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(B + C)*Tan[c + d*x])/d + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.0586209, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4048, 3770, 3767, 8}

$$\frac{a(B + C) \tan(c + dx)}{d} + \frac{a(2B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(2*B + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(B + C)*Tan[c + d*x])/d + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 4048

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,

d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int (a + a \sec(c + dx)) (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aC \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (a(2B + C) \sec(c + dx) + \\ &= \frac{aC \sec(c + dx) \tan(c + dx)}{2d} + (a(B + C)) \int \sec^2(c + dx) dx + \\ &= \frac{a(2B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{a(2B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(B + C) \tan(c + dx)}{d} + \frac{aC}{d} \end{aligned}$$

Mathematica [A] time = 0.0375233, size = 75, normalized size = 1.34

$$\frac{aB \tan(c + dx)}{d} + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + \frac{aC \tan(c + dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*B*ArcTanh[Sin[c + d*x]])/d + (a*C*ArcTanh[Sin[c + d*x]])/(2*d) + (a*B*Tan[c + d*x])/d + (a*C*Tan[c + d*x])/d + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Maple [A] time = 0.035, size = 86, normalized size = 1.5

$$\frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aC \tan(dx + c)}{d} + \frac{Ba \tan(dx + c)}{d} + \frac{aC \sec(dx + c) \tan(dx + c)}{2d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $1/d*B*a*\ln(\sec(dx+c)+\tan(dx+c))+a*C*\tan(dx+c)/d+1/d*B*a*\tan(dx+c)+1/2*a*C*\sec(dx+c)*\tan(dx+c)/d+1/2/d*a*C*\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 0.930831, size = 119, normalized size = 2.12

$$\frac{Ca\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) - 4Ba\log(\sec(dx+c)+\tan(dx+c)) - 4Ba\tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")`

[Out] $-1/4*(C*a*(2*\sin(dx+c)/(\sin(dx+c)^2-1) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)) - 4*B*a*\log(\sec(dx+c)+\tan(dx+c)) - 4*B*a*\tan(dx+c) - 4*C*a*\tan(dx+c))/d$

Fricas [A] time = 0.500579, size = 239, normalized size = 4.27

$$\frac{(2B+C)a\cos(dx+c)^2\log(\sin(dx+c)+1) - (2B+C)a\cos(dx+c)^2\log(-\sin(dx+c)+1) + 2(2(B+C)a\cos(dx+c)+C*a)\sin(dx+c)}{4d\cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] $1/4*((2*B+C)*a*\cos(dx+c)^2*\log(\sin(dx+c)+1) - (2*B+C)*a*\cos(dx+c)^2*\log(-\sin(dx+c)+1) + 2*(2*(B+C)*a*\cos(dx+c) + C*a)*\sin(dx+c))/(d*\cos(dx+c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a\left(\int B\sec(c+dx)dx + \int B\sec^2(c+dx)dx + \int C\sec^2(c+dx)dx + \int C\sec^3(c+dx)dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] a*(Integral(B*sec(c + d*x), x) + Integral(B*sec(c + d*x)**2, x) + Integral(C*sec(c + d*x)**2, x) + Integral(C*sec(c + d*x)**3, x))
```

Giac [B] time = 1.15362, size = 167, normalized size = 2.98

$$(2Ba + Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - (2Ba + Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(2Ba \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 + Ca \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 - 2 \right)}{\left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)^2} \cdot 2d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/2*((2*B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*B*a*tan(1/2*d*x + 1/2*c)^3 + C*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c) - 3*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d
```

3.309 $\int \cos(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=32

$$\frac{a(B+C) \tanh^{-1}(\sin(c+dx))}{d} + aBx + \frac{aC \tan(c+dx)}{d}$$

[Out] $a*B*x + (a*(B + C)*ArcTanh[Sin[c + d*x]])/d + (a*C*Tan[c + d*x])/d$

Rubi [A] time = 0.0717028, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {4072, 3914, 3767, 8, 3770}

$$\frac{a(B+C) \tanh^{-1}(\sin(c+dx))}{d} + aBx + \frac{aC \tan(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]*(a + a*\text{Sec}[c + d*x])*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $a*B*x + (a*(B + C)*ArcTanh[Sin[c + d*x]])/d + (a*C*Tan[c + d*x])/d$

Rule 4072

$\text{Int}[(a + \csc[e + f*x])*(b + \csc[e + f*x])^m * ((A + \csc[e + f*x]) * (b + \csc[e + f*x])^2 + C) * (c + \csc[e + f*x]) * (d)^n, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\csc[e + f*x])^{m+1} * (c + d*\csc[e + f*x])^n * (b*B - a*C + b*C*\csc[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 3914

$\text{Int}[(\csc[e + f*x] + (f*x)*b + a) * (\csc[e + f*x] * (d + c)), x_Symbol] \rightarrow \text{Simp}[a*c*x, x] + (\text{Dist}[b*d, \text{Int}[\csc[e + f*x]^2, x], x] + \text{Dist}[b*c + a*d, \text{Int}[\csc[e + f*x], x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[b*c + a*d, 0]$

Rule 3767

$\text{Int}[\csc[c + d*x] * (d*x)^n, x_Symbol] \rightarrow -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c,$

d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + a \sec(c + dx))(B + C \sec(c + dx)) dx \\ &= aBx + (aC) \int \sec^2(c + dx) dx + (a(B + C)) \int \sec(c + dx) dx \\ &= aBx + \frac{a(B + C) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(aC) \operatorname{Subst}(\int \sec(u) du, c + dx, c + dx)}{d} \\ &= aBx + \frac{a(B + C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aC \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0143111, size = 43, normalized size = 1.34

$$\frac{aB \tanh^{-1}(\sin(c + dx))}{d} + aBx + \frac{aC \tan(c + dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a*B*x + (a*B*ArcTanh[Sin[c + d*x]])/d + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*C*Tan[c + d*x])/d

Maple [A] time = 0.065, size = 65, normalized size = 2.

$$aBx + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bac}{d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aC \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] a*B*x+1/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a*c+1/d*a*C*ln(sec(d*x+c)+tan
(d*x+c))+a*C*tan(d*x+c)/d
```

Maxima [B] time = 0.940278, size = 99, normalized size = 3.09

$$\frac{2(dx+c)Ba + Ba(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + Ca(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2Ca \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algo
rithm="maxima")
```

```
[Out] 1/2*(2*(d*x + c)*B*a + B*a*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1))
+ C*a*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 2*C*a*tan(d*x + c))
/d
```

Fricas [B] time = 0.525431, size = 220, normalized size = 6.88

$$\frac{2Badx \cos(dx+c) + (B+C)a \cos(dx+c) \log(\sin(dx+c)+1) - (B+C)a \cos(dx+c) \log(-\sin(dx+c)+1) + 2Ca \tan(dx+c)}{2d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algo
rithm="fricas")
```

```
[Out] 1/2*(2*B*a*d*x*cos(d*x + c) + (B + C)*a*cos(d*x + c)*log(sin(d*x + c) + 1)
- (B + C)*a*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*C*a*sin(d*x + c))/(d*cos
(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int B \cos(c+dx) \sec(c+dx) dx + \int B \cos(c+dx) \sec^2(c+dx) dx + \int C \cos(c+dx) \sec^2(c+dx) dx + \int C \cos(c+dx) \sec^3(c+dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] a*(Integral(B*cos(c + d*x)*sec(c + d*x), x) + Integral(B*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(C*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(C*cos(c + d*x)*sec(c + d*x)**3, x))

Giac [B] time = 1.13647, size = 113, normalized size = 3.53

$$\frac{(dx + c)Ba + (Ba + Ca) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (Ba + Ca) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2Ca \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] ((d*x + c)*B*a + (B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*C*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1))/d

3.310 $\int \cos^2(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=32

$$\frac{aB \sin(c+dx)}{d} + ax(B+C) + \frac{aC \tanh^{-1}(\sin(c+dx))}{d}$$

[Out] a*(B + C)*x + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*B*Sin[c + d*x])/d

Rubi [A] time = 0.0969974, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {4072, 3996, 3770}

$$\frac{aB \sin(c+dx)}{d} + ax(B+C) + \frac{aC \tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a*(B + C)*x + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*B*Sin[c + d*x])/d

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)(a + a \sec(c + dx))(B + C \sec(c + dx)) dx \\ &= \frac{aB \sin(c + dx)}{d} - \int (-a(B + C) - aC \sec(c + dx)) dx \\ &= a(B + C)x + \frac{aB \sin(c + dx)}{d} + (aC) \int \sec(c + dx) dx \\ &= a(B + C)x + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \sin(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0237102, size = 46, normalized size = 1.44

$$\frac{aB \sin(c) \cos(dx)}{d} + \frac{aB \cos(c) \sin(dx)}{d} + aBx + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + aCx$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] a*B*x + a*C*x + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*B*Cos[d*x]*Sin[c])/d + (a*B*Cos[c]*Sin[d*x])/d
```

Maple [A] time = 0.069, size = 56, normalized size = 1.8

$$aBx + aCx + \frac{Ba \sin(dx + c)}{d} + \frac{Bac}{d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Cac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] a*B*x+a*C*x+a*B*sin(d*x+c)/d+1/d*B*a*c+1/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*C*a*c
```

Maxima [A] time = 0.936515, size = 78, normalized size = 2.44

$$\frac{2(dx+c)Ba + 2(dx+c)Ca + Ca(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2Ba \sin(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/2*(2*(d*x + c)*B*a + 2*(d*x + c)*C*a + C*a*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 2*B*a*sin(d*x + c))/d

Fricas [A] time = 0.508625, size = 139, normalized size = 4.34

$$\frac{2(B+C)adx + Ca \log(\sin(dx+c)+1) - Ca \log(-\sin(dx+c)+1) + 2Ba \sin(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/2*(2*(B + C)*a*d*x + C*a*log(sin(d*x + c) + 1) - C*a*log(-sin(d*x + c) + 1) + 2*B*a*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.17508, size = 107, normalized size = 3.34

$$\frac{Ca \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - Ca \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (Ba + Ca)(dx + c) + \frac{2Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] (C*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - C*a*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (B*a + C*a)*(d*x + c) + 2*B*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1))/d

3.311 $\int \cos^3(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=47

$$\frac{a(B+C)\sin(c+dx)}{d} + \frac{aB\sin(c+dx)\cos(c+dx)}{2d} + \frac{1}{2}ax(B+2C)$$

[Out] (a*(B + 2*C)*x)/2 + (a*(B + C)*Sin[c + d*x])/d + (a*B*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.134582, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4072, 3996, 3787, 2637, 8}

$$\frac{a(B+C)\sin(c+dx)}{d} + \frac{aB\sin(c+dx)\cos(c+dx)}{2d} + \frac{1}{2}ax(B+2C)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(B + 2*C)*x)/2 + (a*(B + C)*Sin[c + d*x])/d + (a*B*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)(a + a \sec(c + dx))(B + C \sec(c + dx)) dx \\ &= \frac{aB \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx)(-2a \sec(c + dx) + B + C \sec(c + dx)) dx \\ &= \frac{aB \cos(c + dx) \sin(c + dx)}{2d} + (a(B + C)) \int \cos(c + dx) dx \\ &= \frac{1}{2} a(B + 2C)x + \frac{a(B + C) \sin(c + dx)}{d} + \frac{aB \cos(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.0940167, size = 44, normalized size = 0.94

$$\frac{a(4(B + C) \sin(c + dx) + B \sin(2(c + dx)) + 2Bc + 2Bdx + 4Cdx)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (a*(2*B*c + 2*B*d*x + 4*C*d*x + 4*(B + C)*Sin[c + d*x] + B*Ssin[2*(c + d*x)]
))/ (4*d)
```

Maple [A] time = 0.077, size = 57, normalized size = 1.2

$$\frac{1}{d} \left(Ba \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Ba \sin(dx + c) + aC \sin(dx + c) + aC(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `1/d*(B*a*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a*sin(d*x+c)+a*C*sin(d*x+c)+a*C*(d*x+c))`

Maxima [A] time = 0.935813, size = 74, normalized size = 1.57

$$\frac{(2 dx + 2 c + \sin(2 dx + 2 c))Ba + 4(dx + c)Ca + 4 Ba \sin(dx + c) + 4 Ca \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*B*a + 4*(d*x + c)*C*a + 4*B*a*sin(d*x + c) + 4*C*a*sin(d*x + c))/d`

Fricas [A] time = 0.478606, size = 99, normalized size = 2.11

$$\frac{(B + 2 C)adx + (Ba \cos(dx + c) + 2(B + C)a) \sin(dx + c)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `1/2*((B + 2*C)*a*d*x + (B*a*cos(d*x + c) + 2*(B + C)*a)*sin(d*x + c))/d`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.14786, size = 126, normalized size = 2.68

$$(Ba + 2Ca)(dx + c) + \frac{2\left(Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2}$$

$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/2*((B*a + 2*C*a)*(d*x + c) + 2*(B*a*tan(1/2*d*x + 1/2*c)^3 + 2*C*a*tan(1/2*d*x + 1/2*c)^3 + 3*B*a*tan(1/2*d*x + 1/2*c) + 2*C*a*tan(1/2*d*x + 1/2*c)) / (tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d

3.312 $\int \cos^4(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=77

$$\frac{a(2B+3C)\sin(c+dx)}{3d} + \frac{a(B+C)\sin(c+dx)\cos(c+dx)}{2d} + \frac{aB\sin(c+dx)\cos^2(c+dx)}{3d} + \frac{1}{2}ax(B+C)$$

[Out] (a*(B + C)*x)/2 + (a*(2*B + 3*C)*Sin[c + d*x])/(3*d) + (a*(B + C)*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*B*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.15688, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3996, 3787, 2635, 8, 2637}

$$\frac{a(2B+3C)\sin(c+dx)}{3d} + \frac{a(B+C)\sin(c+dx)\cos(c+dx)}{2d} + \frac{aB\sin(c+dx)\cos^2(c+dx)}{3d} + \frac{1}{2}ax(B+C)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(B + C)*x)/2 + (a*(2*B + 3*C)*Sin[c + d*x])/(3*d) + (a*(B + C)*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*B*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :=> -Simp[(b*cos[c + d*x]
)*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :=> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^3(c + dx)(a + a \sec(c + dx))(B + C \sec(c + dx)) dx \\
&= \frac{aB \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) dx \\
&= \frac{aB \cos^2(c + dx) \sin(c + dx)}{3d} + (a(B + C)) \int \cos(c + dx) dx \\
&= \frac{a(2B + 3C) \sin(c + dx)}{3d} + \frac{a(B + C) \cos(c + dx)}{2d} \\
&= \frac{1}{2} a(B + C)x + \frac{a(2B + 3C) \sin(c + dx)}{3d} + \frac{a(B + C) \cos(c + dx)}{2d}
\end{aligned}$$

Mathematica [A] time = 0.170921, size = 65, normalized size = 0.84

$$\frac{a(3(3B + 4C) \sin(c + dx) + 3(B + C) \sin(2(c + dx)) + B \sin(3(c + dx)) + 6Bc + 6Bdx + 6cC + 6Cdx)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

[Out] $(a*(6*B*c + 6*c*C + 6*B*d*x + 6*C*d*x + 3*(3*B + 4*C)*\sin[c + d*x] + 3*(B + C)*\sin[2*(c + d*x)] + B*\sin[3*(c + d*x)]))/(12*d)$

Maple [A] time = 0.082, size = 85, normalized size = 1.1

$$\frac{1}{d} \left(\frac{Ba(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + Ba \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + aC \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `1/d*(1/3*B*a*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a*C*sin(d*x+c)`

Maxima [A] time = 0.937938, size = 107, normalized size = 1.39

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Ba - 3(2dx + 2c + \sin(2dx + 2c))Ba - 3(2dx + 2c + \sin(2dx + 2c))Ca - 12Ca \sin(dx + c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `-1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a - 12*C*a*sin(d*x + c))/d`

Fricas [A] time = 0.484199, size = 146, normalized size = 1.9

$$\frac{3(B + C)adx + (2Ba \cos(dx + c)^2 + 3(B + C)a \cos(dx + c) + 2(2B + 3C)a) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{6}*(3*(B + C)*a*d*x + (2*B*a*\cos(d*x + c)^2 + 3*(B + C)*a*\cos(d*x + c) + 2*(2*B + 3*C)*a)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.12818, size = 167, normalized size = 2.17

$$3(Ba + Ca)(dx + c) + \frac{2\left(3Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 9Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{6}*(3*(B*a + C*a)*(d*x + c) + 2*(3*B*a*\tan(1/2*d*x + 1/2*c)^5 + 3*C*a*\tan(1/2*d*x + 1/2*c)^5 + 4*B*a*\tan(1/2*d*x + 1/2*c)^3 + 12*C*a*\tan(1/2*d*x + 1/2*c)^3 + 9*B*a*\tan(1/2*d*x + 1/2*c) + 9*C*a*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d$

3.313 $\int \cos^5(c+dx)(a+a \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=97

$$-\frac{a(B+C)\sin^3(c+dx)}{3d} + \frac{a(B+C)\sin(c+dx)}{d} + \frac{a(3B+4C)\sin(c+dx)\cos(c+dx)}{8d} + \frac{aB\sin(c+dx)\cos^3(c+dx)}{4d} + \frac{aC\sin(c+dx)\cos^5(c+dx)}{8d}$$

[Out] (a*(3*B + 4*C)*x)/8 + (a*(B + C)*Sin[c + d*x])/d + (a*(3*B + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*B*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (a*(B + C)*Sin[c + d*x]^3)/(3*d)

Rubi [A] time = 0.169343, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3996, 3787, 2633, 2635, 8}

$$-\frac{a(B+C)\sin^3(c+dx)}{3d} + \frac{a(B+C)\sin(c+dx)}{d} + \frac{a(3B+4C)\sin(c+dx)\cos(c+dx)}{8d} + \frac{aB\sin(c+dx)\cos^3(c+dx)}{4d} + \frac{aC\sin(c+dx)\cos^5(c+dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(3*B + 4*C)*x)/8 + (a*(B + C)*Sin[c + d*x])/d + (a*(3*B + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*B*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (a*(B + C)*Sin[c + d*x]^3)/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_.)]^n_, x_Symbol] :=> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n_, x_Symbol] :=> -Simp[(b*Cos[c + d*x] * (b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^5(c + dx)(a + a \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^4(c + dx)(a + a \sec(c + dx))(B + C \sec(c + dx)) dx \\ &= \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) dx \\ &= \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} + (a(B + C)) \int \cos^2(c + dx) dx \\ &= \frac{a(3B + 4C) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aB \cos^3(c + dx)}{4d} \\ &= \frac{1}{8} a(3B + 4C)x + \frac{a(B + C) \sin(c + dx)}{d} + \frac{a(3B + 4C) \cos^3(c + dx)}{4d} \end{aligned}$$

Mathematica [A] time = 0.229937, size = 75, normalized size = 0.77

$$\frac{a(-32(B + C) \sin^3(c + dx) + 96(B + C) \sin(c + dx) + 24(B + C) \sin(2(c + dx)) + 3B \sin(4(c + dx)) + 36Bc + 36Bdx + 48B^2 \cos^2(c + dx) + 48B^2 \cos^4(c + dx) + 48C^2 \cos^2(c + dx) + 48C^2 \cos^4(c + dx))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(36*B*c + 48*c*C + 36*B*d*x + 48*C*d*x + 96*(B + C)*Sin[c + d*x] - 32*(B + C)*Sin[c + d*x]^3 + 24*(B + C)*Sin[2*(c + d*x)] + 3*B*Sin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.091, size = 107, normalized size = 1.1

$$\frac{1}{d} \left(Ba \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ba(2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + \frac{aC(2 + \cos(dx+c)^2) \sin(dx+c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(B*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*B*a*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a*C*(2+cos(d*x+c)^2)*sin(d*x+c)+a*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

Maxima [A] time = 0.93707, size = 136, normalized size = 1.4

$$\frac{32(\sin(dx+c)^3 - 3\sin(dx+c))Ba - 3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Ba + 32(\sin(dx+c)^3 - 3\sin(dx+c))C*a}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] -1/96*(32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a + 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a)/d

Fricas [A] time = 0.492934, size = 193, normalized size = 1.99

$$\frac{3(3B + 4C)adx + (6Ba \cos(dx + c)^3 + 8(B + C)a \cos(dx + c)^2 + 3(3B + 4C)a \cos(dx + c) + 16(B + C)a) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/24*(3*(3*B + 4*C)*a*d*x + (6*B*a*cos(d*x + c)^3 + 8*(B + C)*a*cos(d*x + c)^2 + 3*(3*B + 4*C)*a*cos(d*x + c) + 16*(B + C)*a)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.1221, size = 211, normalized size = 2.18

$$3(3Ba + 4Ca)(dx + c) + \frac{2\left(9Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 49Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 28Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 31Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 52Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^4} \cdot 24d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/24*(3*(3*B*a + 4*C*a)*(d*x + c) + 2*(9*B*a*tan(1/2*d*x + 1/2*c)^7 + 12*C*a*tan(1/2*d*x + 1/2*c)^7 + 49*B*a*tan(1/2*d*x + 1/2*c)^5 + 28*C*a*tan(1/2*d*x + 1/2*c)^5 + 31*B*a*tan(1/2*d*x + 1/2*c)^3 + 52*C*a*tan(1/2*d*x + 1/2*c)^3 + 39*B*a*tan(1/2*d*x + 1/2*c) + 36*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4/d

3.314 $\int \sec^2(c+dx)(a+a \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=169

$$\frac{a^2(10B+9C)\tan^3(c+dx)}{15d} + \frac{a^2(10B+9C)\tan(c+dx)}{5d} + \frac{a^2(7B+6C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a^2(5B+6C)\tan(c+dx)}{20d}$$

[Out] (a^2*(7*B + 6*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(10*B + 9*C)*Tan[c + d*x])/(5*d) + (a^2*(7*B + 6*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a^2*(5*B + 6*C)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (C*Sec[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(5*d) + (a^2*(10*B + 9*C)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.323242, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4018, 3997, 3787, 3768, 3770, 3767}

$$\frac{a^2(10B+9C)\tan^3(c+dx)}{15d} + \frac{a^2(10B+9C)\tan(c+dx)}{5d} + \frac{a^2(7B+6C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a^2(5B+6C)\tan(c+dx)}{20d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(7*B + 6*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(10*B + 9*C)*Tan[c + d*x])/(5*d) + (a^2*(7*B + 6*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a^2*(5*B + 6*C)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (C*Sec[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(5*d) + (a^2*(10*B + 9*C)*Tan[c + d*x]^3)/(15*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^n_., x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m+1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m_.*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^n)/(f*(m+n)), x]

```
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[
e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^3(c + dx)(a + a \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\
&= \frac{C \sec^3(c + dx) (a^2 + a^2 \sec(c + dx)) \tan(c + dx)}{5d} \\
&= \frac{a^2(5B + 6C) \sec^3(c + dx) \tan(c + dx)}{20d} + \frac{C \sec^3(c + dx) \tan(c + dx)}{5d} \\
&= \frac{a^2(5B + 6C) \sec^3(c + dx) \tan(c + dx)}{20d} + \frac{C \sec^3(c + dx) \tan(c + dx)}{5d} \\
&= \frac{a^2(7B + 6C) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^2(5B + 6C) \sec^3(c + dx) \tan(c + dx)}{20d} \\
&= \frac{a^2(7B + 6C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(10B + 6C) \sec^3(c + dx) \tan(c + dx)}{20d}
\end{aligned}$$

Mathematica [B] time = 0.768951, size = 391, normalized size = 2.31

$$a^2 \sec^5(c + dx) (150(7B + 6C) \cos(c + dx) \left(\log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) - \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $-(a^2 \sec^5(c + dx) (105B \cos[5(c + dx)] \log[\cos[(c + dx)/2] - \sin[(c + dx)/2]] + 90C \cos[5(c + dx)] \log[\cos[(c + dx)/2] - \sin[(c + dx)/2]] + 150(7B + 6C) \cos[c + dx] (\log[\cos[(c + dx)/2] - \sin[(c + dx)/2]] - \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]]) + 75(7B + 6C) \cos[3(c + dx)] (\log[\cos[(c + dx)/2] - \sin[(c + dx)/2]] - \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]]) - 105B \cos[5(c + dx)] \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]] - 90C \cos[5(c + dx)] \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]] - 640B \sin[c + dx] - 960C \sin[c + dx] - 660B \sin[2(c + dx)] - 840C \sin[2(c + dx)] - 800B \sin[3(c + dx)] - 720C \sin[3(c + dx)] - 210B \sin[4(c + dx)] - 180C \sin[4(c + dx)] - 160B \sin[5(c + dx)] - 144C \sin[5(c + dx)]))/(1920d)$

Maple [A] time = 0.05, size = 235, normalized size = 1.4

$$\frac{7Ba^2 \sec(dx + c) \tan(dx + c)}{8d} + \frac{7Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{6a^2C \tan(dx + c)}{5d} + \frac{3a^2C \tan(dx + c) (\sec(dx + c) + \tan(dx + c))}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] 7/8/d*B*a^2*sec(d*x+c)*tan(d*x+c)+7/8/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+6/5
/d*a^2*C*tan(d*x+c)+3/5/d*a^2*C*tan(d*x+c)*sec(d*x+c)^2+4/3/d*B*a^2*tan(d*x
+c)+2/3/d*B*a^2*tan(d*x+c)*sec(d*x+c)^2+1/2/d*a^2*C*tan(d*x+c)*sec(d*x+c)^3
+3/4/d*a^2*C*sec(d*x+c)*tan(d*x+c)+3/4/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+1/
4/d*B*a^2*tan(d*x+c)*sec(d*x+c)^3+1/5/d*a^2*C*tan(d*x+c)*sec(d*x+c)^4
```

Maxima [A] time = 0.952453, size = 375, normalized size = 2.22

$$160(\tan(dx+c)^3 + 3 \tan(dx+c))Ba^2 + 16(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ca^2 + 80(\tan(dx+c)^3 + 3 \tan(dx+c))C^2a^2 - 15Ba^2(2(3 \sin(dx+c)^3 - 5 \sin(dx+c))/(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 30Ca^2(2(3 \sin(dx+c)^3 - 5 \sin(dx+c))/(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 60Ba^2(2 \sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1))/d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")
```

```
[Out] 1/240*(160*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^2 + 16*(3*tan(d*x + c)^5 +
10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*a^2 + 80*(tan(d*x + c)^3 + 3*tan(d*
x + c))*C^2*a^2 - 15*B*a^2*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(\sin(d*x +
c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(\sin(d*x + c) + 1) + 3*log(\sin(d*x + c)
- 1)) - 30*C*a^2*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(\sin(d*x + c)^4 -
2*sin(d*x + c)^2 + 1) - 3*log(\sin(d*x + c) + 1) + 3*log(\sin(d*x + c) - 1))
- 60*B*a^2*(2*sin(d*x + c)/(\sin(d*x + c)^2 - 1) - log(\sin(d*x + c) + 1) + l
og(\sin(d*x + c) - 1)))/d
```

Fricas [A] time = 0.532336, size = 421, normalized size = 2.49

$$15(7B + 6C)a^2 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15(7B + 6C)a^2 \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 2(16(10B + 6C)a^2 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 16(10B + 6C)a^2 \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 32(7B + 6C)a^2 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 32(7B + 6C)a^2 \cos(dx+c)^5 \log(-\sin(dx+c) + 1)))/d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/240*(15*(7*B + 6*C)*a^2*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(7*B + 6*C)*a^2*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(16*(10*B + 9*C)*a^2*cos(d*x + c)^4 + 15*(7*B + 6*C)*a^2*cos(d*x + c)^3 + 8*(10*B + 9*C)*a^2*cos(d*x + c)^2 + 30*(B + 2*C)*a^2*cos(d*x + c) + 24*C*a^2)*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int B \sec^3(c + dx) dx + \int 2B \sec^4(c + dx) dx + \int B \sec^5(c + dx) dx + \int C \sec^4(c + dx) dx + \int 2C \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)
```

```
[Out] a**2*(Integral(B*sec(c + d*x)**3, x) + Integral(2*B*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**4, x) + Integral(2*C*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**6, x))
```

Giac [A] time = 1.17684, size = 332, normalized size = 1.96

$$15(7Ba^2 + 6Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(7Ba^2 + 6Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(105Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^9}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")
```

```
[Out] 1/120*(15*(7*B*a^2 + 6*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(7*B*a^2 + 6*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(105*B*a^2*tan(1/2*d*x + 1/2*c)^9 + 90*C*a^2*tan(1/2*d*x + 1/2*c)^9 - 490*B*a^2*tan(1/2*d*x + 1/2*c)^7 - 420*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 800*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 864*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 790*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 540*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 375*B*a^2*tan(1/2*d*x + 1/2*c) + 390*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5/d
```

3.315 $\int \sec(c+dx)(a+a \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=138

$$\frac{a^2(8B+7C)\tan(c+dx)}{6d} + \frac{a^2(8B+7C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a^2(8B+7C)\tan(c+dx)\sec(c+dx)}{24d} + \frac{(4B-C)\tan(c+dx)}{4d}$$

[Out] (a^2*(8*B + 7*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(8*B + 7*C)*Tan[c + d*x])/(6*d) + (a^2*(8*B + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*B - C)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*a*d)

Rubi [A] time = 0.267637, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {4072, 4010, 4001, 3788, 3767, 8, 4046, 3770}

$$\frac{a^2(8B+7C)\tan(c+dx)}{6d} + \frac{a^2(8B+7C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a^2(8B+7C)\tan(c+dx)\sec(c+dx)}{24d} + \frac{(4B-C)\tan(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(8*B + 7*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(8*B + 7*C)*Tan[c + d*x])/(6*d) + (a^2*(8*B + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*B - C)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_., x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc

```
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^2(c + dx)(a + a \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\
&= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4ad} + \frac{\int \sec(c + dx)(a + a \sec(c + dx))^2 dx}{4ad} \\
&= \frac{(4B - C)(a + a \sec(c + dx))^2 \tan(c + dx)}{12d} + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4ad} \\
&= \frac{(4B - C)(a + a \sec(c + dx))^2 \tan(c + dx)}{12d} + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4ad} \\
&= \frac{a^2(8B + 7C) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(4B - C)(a + a \sec(c + dx))^2 \tan(c + dx)}{12d} \\
&= \frac{a^2(8B + 7C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(8B + 7C) \sec(c + dx) \tan(c + dx)}{24d}
\end{aligned}$$

Mathematica [B] time = 0.617076, size = 339, normalized size = 2.46

$$\frac{a^2 \sec^4(c + dx) \left(12(8B + 7C) \cos(2(c + dx)) \left(\log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) - \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) \right)}{192d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $-(a^2 \sec^4(c + dx) (72B \log[\cos((c + dx)/2) - \sin((c + dx)/2)] + 63C \log[\cos((c + dx)/2) - \sin((c + dx)/2)] + 12(8B + 7C) \cos[2(c + dx)] (\log[\cos((c + dx)/2) - \sin((c + dx)/2)] - \log[\cos((c + dx)/2) + \sin((c + dx)/2)]) + 3(8B + 7C) \cos[4(c + dx)] (\log[\cos((c + dx)/2) - \sin((c + dx)/2)] - \log[\cos((c + dx)/2) + \sin((c + dx)/2)]) - 72B \log[\cos((c + dx)/2) + \sin((c + dx)/2)] - 63C \log[\cos((c + dx)/2) + \sin((c + dx)/2)] - 48B \sin[c + dx] - 90C \sin[c + dx] - 112B \sin[2(c + dx)] - 128C \sin[2(c + dx)] - 48B \sin[3(c + dx)] - 42C \sin[3(c + dx)] - 40B \sin[4(c + dx)] - 32C \sin[4(c + dx)]) / (192d)$

Maple [A] time = 0.044, size = 187, normalized size = 1.4

$$\frac{5Ba^2 \tan(dx + c)}{3d} + \frac{7a^2C \sec(dx + c) \tan(dx + c)}{8d} + \frac{7a^2C \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{Ba^2 \sec(dx + c) \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{5}{3}d^2B^2\tan(dx+c)+\frac{7}{8}d^2C^2\sec(dx+c)\tan(dx+c)+\frac{7}{8}d^2C^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{d}B^2a^2\sec(dx+c)\tan(dx+c)+\frac{1}{d}B^2a^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{3}d^2C^2\tan(dx+c)+\frac{2}{3}d^2C^2\tan(dx+c)\sec(dx+c)^2+\frac{1}{3}d^2B^2a^2\tan(dx+c)\sec(dx+c)^2+\frac{1}{4}d^2C^2\tan(dx+c)\sec(dx+c)^3$

Maxima [A] time = 0.947203, size = 311, normalized size = 2.25

$16(\tan(dx+c)^3+3\tan(dx+c))Ba^2+32(\tan(dx+c)^3+3\tan(dx+c))Ca^2-3Ca^2\left(\frac{2(3\sin(dx+c)^3-5\sin(dx+c))}{\sin(dx+c)^4-2\sin(dx+c)^2+1}-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")`

[Out] $\frac{1}{48}(16(\tan(dx+c)^3+3\tan(dx+c))B^2a^2+32(\tan(dx+c)^3+3\tan(dx+c))C^2a^2-3C^2a^2(2(3\sin(dx+c)^3-5\sin(dx+c))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1))-24B^2a^2(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))-12C^2a^2(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+48B^2a^2\tan(dx+c))/d$

Fricas [A] time = 0.539237, size = 362, normalized size = 2.62

$\frac{3(8B+7C)a^2\cos(dx+c)^4\log(\sin(dx+c)+1)-3(8B+7C)a^2\cos(dx+c)^4\log(-\sin(dx+c)+1)+2(8(5B+4C)a^2\cos(dx+c)^3+3(8B+7C)a^2\cos(dx+c)^2+8(B+2C)a^2\cos(dx+c)+8C)a^2\cos(dx+c)\log(\sin(dx+c)+1)-2(8(5B+4C)a^2\cos(dx+c)^3+3(8B+7C)a^2\cos(dx+c)^2+8(B+2C)a^2\cos(dx+c)+8C)a^2\cos(dx+c)\log(-\sin(dx+c)+1)}{48d\cos(dx+c)^4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="fricas")`

[Out] $\frac{1}{48}(3(8B+7C)a^2\cos(dx+c)^4\log(\sin(dx+c)+1)-3(8B+7C)a^2\cos(dx+c)^4\log(-\sin(dx+c)+1)+2(8(5B+4C)a^2\cos(dx+c)^3+3(8B+7C)a^2\cos(dx+c)^2+8(B+2C)a^2\cos(dx+c)+8C)a^2\cos(dx+c)\log(\sin(dx+c)+1)-2(8(5B+4C)a^2\cos(dx+c)^3+3(8B+7C)a^2\cos(dx+c)^2+8(B+2C)a^2\cos(dx+c)+8C)a^2\cos(dx+c)\log(-\sin(dx+c)+1))$

$$6Ca^2 \sin(dx + c) / (d \cos(dx + c))^4$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int B \sec^2(c + dx) dx + \int 2B \sec^3(c + dx) dx + \int B \sec^4(c + dx) dx + \int C \sec^3(c + dx) dx + \int 2C \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+a*sec(dx+c))**2*(B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] a**2*(Integral(B*sec(c + dx)**2, x) + Integral(2*B*sec(c + dx)**3, x) + Integral(B*sec(c + dx)**4, x) + Integral(C*sec(c + dx)**3, x) + Integral(2*C*sec(c + dx)**4, x) + Integral(C*sec(c + dx)**5, x))

Giac [A] time = 1.19679, size = 286, normalized size = 2.07

$$3(8Ba^2 + 7Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(8Ba^2 + 7Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(24Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 21Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 88Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 83Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 72Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 75Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^4} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+a*sec(dx+c))^2*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="giac")

[Out] 1/24*(3*(8B*a^2 + 7C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(8B*a^2 + 7C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(24*B*a^2*tan(1/2*d*x + 1/2*c)^7 + 21*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 88*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 83*C*a^2*tan(1/2*d*x + 1/2*c) - 72*B*a^2*tan(1/2*d*x + 1/2*c) - 75*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

3.316 $\int (a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=103

$$\frac{2a^2(3B + 2C) \tan(c + dx)}{3d} + \frac{a^2(3B + 2C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(3B + 2C) \tan(c + dx) \sec(c + dx)}{6d} + \frac{C \tan(c + dx)}{3d}$$

[Out] (a^2*(3*B + 2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (2*a^2*(3*B + 2*C)*Tan[c + d*x])/(3*d) + (a^2*(3*B + 2*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (C*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.106857, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {4054, 12, 3788, 3767, 8, 4046, 3770}

$$\frac{2a^2(3B + 2C) \tan(c + dx)}{3d} + \frac{a^2(3B + 2C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(3B + 2C) \tan(c + dx) \sec(c + dx)}{6d} + \frac{C \tan(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(3*B + 2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (2*a^2*(3*B + 2*C)*Tan[c + d*x])/(3*d) + (a^2*(3*B + 2*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (C*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)

Rule 4054

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int (a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{\int a(3B + 2C) \sec(c + dx) dx}{3} \\
 &= \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3}(3B + 2C) \int \sec(c + dx) dx \\
 &= \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3}(3B + 2C) \int \sec(c + dx) dx \\
 &= \frac{a^2(3B + 2C) \sec(c + dx) \tan(c + dx)}{6d} + \frac{C(a + a \sec(c + dx))^2}{3d} \\
 &= \frac{a^2(3B + 2C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{2a^2(3B + 2C) \tan(c + dx)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.334829, size = 63, normalized size = 0.61

$$\frac{a^2 \left((9B + 6C) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(B + 2C) \sec(c + dx) + 12(B + C) + 2C \tan^2(c + dx)) \right)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*((9*B + 6*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(12*(B + C) + 3*(B + 2*C)*Sec[c + d*x] + 2*C*Tan[c + d*x]^2)))/(6*d)

Maple [A] time = 0.041, size = 141, normalized size = 1.4

$$\frac{3Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{5a^2C \tan(dx + c)}{3d} + 2 \frac{Ba^2 \tan(dx + c)}{d} + \frac{a^2C \sec(dx + c) \tan(dx + c)}{d} + \frac{a^2C}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 3/2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+5/3/d*a^2*C*tan(d*x+c)+2/d*B*a^2*tan(d*x+c)+1/d*a^2*C*sec(d*x+c)*tan(d*x+c)+1/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*B*a^2*sec(d*x+c)*tan(d*x+c)+1/3/d*a^2*C*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.941812, size = 225, normalized size = 2.18

$$4 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ca^2 - 3Ba^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) - 6Ca^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/12*(4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^2 - 3*B*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 6*C*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1))

$$d*x + c) - 1)) + 12*B*a^2*\log(\sec(d*x + c) + \tan(d*x + c)) + 24*B*a^2*\tan(d*x + c) + 12*C*a^2*\tan(d*x + c))/d$$

Fricas [A] time = 0.508882, size = 315, normalized size = 3.06

$$\frac{3(3B + 2C)a^2 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(3B + 2C)a^2 \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(6B + 5C)a^2 \cos(dx + c)^2 + 3(B + 2C)a^2 \cos(dx + c) + 2C*a^2) \sin(dx + c)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/12*(3*(3*B + 2*C)*a^2*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(3*B + 2*C)*a^2*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*(6*B + 5*C)*a^2*cos(d*x + c)^2 + 3*(B + 2*C)*a^2*cos(d*x + c) + 2*C*a^2)*sin(d*x + c))/(d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int B \sec(c + dx) dx + \int 2B \sec^2(c + dx) dx + \int B \sec^3(c + dx) dx + \int C \sec^2(c + dx) dx + \int 2C \sec^3(c + dx) dx + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] a**2*(Integral(B*sec(c + d*x), x) + Integral(2*B*sec(c + d*x)**2, x) + Integral(B*sec(c + d*x)**3, x) + Integral(C*sec(c + d*x)**2, x) + Integral(2*C*sec(c + d*x)**3, x) + Integral(C*sec(c + d*x)**4, x))

Giac [A] time = 1.18855, size = 240, normalized size = 2.33

$$3(3Ba^2 + 2Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(3Ba^2 + 2Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(9Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Ca^2\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/6*(3*(3*B*a^2 + 2*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(3*B*a^2 + 2*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(9*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 24*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 16*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 15*B*a^2*tan(1/2*d*x + 1/2*c) + 18*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

3.317 $\int \cos(c+dx)(a+a \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=82

$$\frac{a^2(2B+3C)\tan(c+dx)}{2d} + \frac{a^2(4B+3C)\tanh^{-1}(\sin(c+dx))}{2d} + a^2Bx + \frac{C\tan(c+dx)(a^2\sec(c+dx)+a^2)}{2d}$$

[Out] $a^2*B*x + (a^2*(4*B + 3*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a^2*(2*B + 3*C)*Tan[c + d*x])/(2*d) + (C*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(2*d)$

Rubi [A] time = 0.146151, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3917, 3914, 3767, 8, 3770}

$$\frac{a^2(2B+3C)\tan(c+dx)}{2d} + \frac{a^2(4B+3C)\tanh^{-1}(\sin(c+dx))}{2d} + a^2Bx + \frac{C\tan(c+dx)(a^2\sec(c+dx)+a^2)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]*(a + a*\text{Sec}[c + d*x])^2*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $a^2*B*x + (a^2*(4*B + 3*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a^2*(2*B + 3*C)*Tan[c + d*x])/(2*d) + (C*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(2*d)$

Rule 4072

$\text{Int}[(a + \csc[e + f*x])*(b + \csc[e + f*x])^m * ((A + \csc[e + f*x])*(b + \csc[e + f*x]) + \csc[e + f*x]^2*(C)) * ((c + \csc[e + f*x])*(b + \csc[e + f*x])^n), x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\csc[e + f*x])^{m+1}*(c + d*\csc[e + f*x])^n*(b*B - a*C + b*C*\csc[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3917

$\text{Int}[(\csc[e + f*x])*(b + \csc[e + f*x]) + (a + \csc[e + f*x])^m * (\csc[e + f*x])*(d + \csc[e + f*x]), x_Symbol] \rightarrow -\text{Simp}[(b*d*\text{Cot}[e + f*x]*(a + b*\csc[e + f*x])^{m-1})/(f*m), x] + \text{Dist}[1/m, \text{Int}[(a + b*\csc[e + f*x])^{m-1}*\text{Simp}[a*c*m + (b*c*m + a*d*(2*m-1))*\csc[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3914

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) +
(c_.), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x]
+ Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + a \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\
&= \frac{C(a^2 + a^2 \sec(c + dx)) \tan(c + dx)}{2d} + \frac{1}{2} \int (a + a \sec(c + dx))^2 dx \\
&= a^2 Bx + \frac{C(a^2 + a^2 \sec(c + dx)) \tan(c + dx)}{2d} + \frac{1}{2} \int (a + a \sec(c + dx))^2 dx \\
&= a^2 Bx + \frac{a^2(4B + 3C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{C}{2d} \int \frac{1}{\cos(c + dx)} dx \\
&= a^2 Bx + \frac{a^2(4B + 3C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2}{2d} \int \frac{1}{\cos(c + dx)} dx
\end{aligned}$$

Mathematica [B] time = 1.18582, size = 277, normalized size = 3.38

$$\frac{1}{16} a^2 (\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left(\frac{4(B + 2C) \sin\left(\frac{dx}{2}\right)}{d \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)} + \frac{1}{d \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*(4*B*x - (2*(4*B + 3*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(4*B + 3*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + C/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(B + 2*C)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - C/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(B + 2*C)*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/16

Maple [A] time = 0.074, size = 113, normalized size = 1.4

$$a^2 B x + \frac{B a^2 c}{d} + \frac{3 a^2 C \ln(\sec(dx + c) + \tan(dx + c))}{2 d} + 2 \frac{B a^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{a^2 C \tan(dx + c)}{d} + \frac{B a^2 c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] a^2*B*x+1/d*B*a^2*c+3/2/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+2/d*a^2*C*tan(d*x+c)+1/d*B*a^2*tan(d*x+c)+1/2/d*a^2*C*sec(d*x+c)*tan(d*x+c)

Maxima [A] time = 0.945849, size = 192, normalized size = 2.34

$$\frac{4(dx + c)Ba^2 - Ca^2\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) + 4Ba^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/4*(4*(d*x + c)*B*a^2 - C*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 4*B*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 2*C*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1))

) - 1)) + 4*B*a^2*tan(d*x + c) + 8*C*a^2*tan(d*x + c))/d

Fricas [A] time = 0.517118, size = 297, normalized size = 3.62

$$\frac{4Ba^2dx \cos(dx+c)^2 + (4B+3C)a^2 \cos(dx+c)^2 \log(\sin(dx+c)+1) - (4B+3C)a^2 \cos(dx+c)^2 \log(-\sin(dx+c))}{4d \cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/4*(4*B*a^2*d*x*cos(d*x + c)^2 + (4*B + 3*C)*a^2*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (4*B + 3*C)*a^2*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(2*(B + 2*C)*a^2*cos(d*x + c) + C*a^2)*sin(d*x + c))/(d*cos(d*x + c)^2)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.17345, size = 208, normalized size = 2.54

$$\frac{2(dx+c)Ba^2 + (4Ba^2 + 3Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (4Ba^2 + 3Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(2Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + Ca^2)}{2d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

```
[Out] 1/2*(2*(d*x + c)*B*a^2 + (4*B*a^2 + 3*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) +
1)) - (4*B*a^2 + 3*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*B*a^2*
tan(1/2*d*x + 1/2*c)^3 + 3*C*a^2*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^2*tan(1/2*d
*x + 1/2*c) - 5*C*a^2*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)
/d
```

3.318 $\int \cos^2(c+dx)(a+a \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=73

$$\frac{a^2(B-C)\sin(c+dx)}{d} + \frac{a^2(B+2C)\tanh^{-1}(\sin(c+dx))}{d} + a^2x(2B+C) + \frac{C\sin(c+dx)(a^2\sec(c+dx)+a^2)}{d}$$

[Out] $a^2(2B+C)x + (a^2(B+2C)\text{ArcTanh}[\text{Sin}[c+d*x]])/d + (a^2(B-C)\text{Sin}[c+d*x])/d + (C(a^2+a^2\text{Sec}[c+d*x])\text{Sin}[c+d*x])/d$

Rubi [A] time = 0.206269, antiderivative size = 73, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {4072, 4018, 3996, 3770}

$$\frac{a^2(B-C)\sin(c+dx)}{d} + \frac{a^2(B+2C)\tanh^{-1}(\sin(c+dx))}{d} + a^2x(2B+C) + \frac{C\sin(c+dx)(a^2\sec(c+dx)+a^2)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c+d*x]^2*(a+a*\text{Sec}[c+d*x])^2*(B*\text{Sec}[c+d*x]+C*\text{Sec}[c+d*x]^2),x]$

[Out] $a^2(2B+C)x + (a^2(B+2C)\text{ArcTanh}[\text{Sin}[c+d*x]])/d + (a^2(B-C)\text{Sin}[c+d*x])/d + (C(a^2+a^2\text{Sec}[c+d*x])\text{Sin}[c+d*x])/d$

Rule 4072

$\text{Int}[(a + \csc[e + f*x])*(b + \csc[e + f*x])^m * ((A + \csc[e + f*x])*(x) + (B + \csc[e + f*x])^2*(C)) * ((c + \csc[e + f*x])*(x) + (d))^n, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\csc[e + f*x])^{m+1}*(c + d*\csc[e + f*x])^n*(b*B - a*C + b*C*\csc[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4018

$\text{Int}[(\csc[e + f*x])*(x) + (d))^n * (\csc[e + f*x])*(b + (a + \csc[e + f*x])^m * (\csc[e + f*x])*(B + A)), x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\csc[e + f*x])^{m-1}*(d*\csc[e + f*x])^n)/(f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\csc[e + f*x])^{m-1}*(d*\csc[e + f*x])^n * \text{Simp}[a*A*d*(m+n) + B*(b*d*n) + (A*b*d*(m+n) + a*B*d*(2*m+n-1))*\csc[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*

B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] / ; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)(a + a \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\ &= \frac{C(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{d} + \int \cos(c + dx)(a + a \sec(c + dx))^2 B dx \\ &= \frac{a^2(B - C) \sin(c + dx)}{d} + \frac{C(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{d} \\ &= a^2(2B + C)x + \frac{a^2(B - C) \sin(c + dx)}{d} + \frac{C(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{d} \\ &= a^2(2B + C)x + \frac{a^2(B + 2C) \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.317977, size = 143, normalized size = 1.96

$$\frac{a^2 \left(B \sin(c + dx) - B \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + B \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) + 2Bc + 2Bdx + \dots \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(2*B*c + c*C + 2*B*d*x + C*d*x - B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 2*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d

$2] + \sin[(c + dx)/2] + 2C \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]] + B \sin[c + dx] + C \tan[c + dx]) / d$

Maple [A] time = 0.072, size = 107, normalized size = 1.5

$$2a^2Bx + a^2Cx + \frac{Ba^2 \sin(dx + c)}{d} + \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{Ba^2c}{d} + \frac{a^2C \tan(dx + c)}{d} + 2 \frac{a^2C \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^2*(a+a*sec(dx+c))^2*(B*sec(dx+c)+C*sec(dx+c)^2),x)`

[Out] $2a^2Bx + a^2Cx + \frac{Ba^2 \sin(dx + c)}{d} + \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{Ba^2c}{d} + \frac{a^2C \tan(dx + c)}{d} + 2 \frac{a^2C \ln(\sec(dx + c) + \tan(dx + c))}{d}$

Maxima [A] time = 0.94135, size = 142, normalized size = 1.95

$$\frac{4(dx + c)Ba^2 + 2(dx + c)Ca^2 + Ba^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2Ca^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^2*(a+a*sec(dx+c))^2*(B*sec(dx+c)+C*sec(dx+c)^2),x,algorithm="maxima")`

[Out] $\frac{1}{2} (4(dx + c)Ba^2 + 2(dx + c)Ca^2 + Ba^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2Ca^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2Ba^2 \sin(dx + c) + 2Ca^2 \tan(dx + c)) / d$

Fricas [A] time = 0.516101, size = 278, normalized size = 3.81

$$\frac{2(2B + C)a^2 dx \cos(dx + c) + (B + 2C)a^2 \cos(dx + c) \log(\sin(dx + c) + 1) - (B + 2C)a^2 \cos(dx + c) \log(-\sin(dx + c) - 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/2*(2*(2*B + C)*a^2*d*x*cos(d*x + c) + (B + 2*C)*a^2*cos(d*x + c)*log(sin(
d*x + c) + 1) - (B + 2*C)*a^2*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*(B*a^
2*cos(d*x + c) + C*a^2)*sin(d*x + c))/(d*cos(d*x + c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2),
x)
```

```
[Out] Timed out
```

Giac [B] time = 1.16266, size = 212, normalized size = 2.9

$$\frac{(2Ba^2 + Ca^2)(dx + c) + (Ba^2 + 2Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Ba^2 + 2Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2(Ba^2 + Ca^2) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{d}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] ((2*B*a^2 + C*a^2)*(d*x + c) + (B*a^2 + 2*C*a^2)*log(abs(tan(1/2*d*x + 1/2*
c) + 1)) - (B*a^2 + 2*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(B*a^2*
tan(1/2*d*x + 1/2*c)^3 - C*a^2*tan(1/2*d*x + 1/2*c)^3 - B*a^2*tan(1/2*d*x +
1/2*c) - C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1))/d
```


3.319 $\int \cos^3(c+dx)(a+a \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=88

$$\frac{a^2(3B+2C)\sin(c+dx)}{2d} + \frac{B\sin(c+dx)\cos(c+dx)(a^2\sec(c+dx)+a^2)}{2d} + \frac{1}{2}a^2x(3B+4C) + \frac{a^2C \tanh^{-1}(\sin(c+dx))}{d}$$

[Out] (a^2*(3*B + 4*C)*x)/2 + (a^2*C*ArcTanh[Sin[c + d*x]])/d + (a^2*(3*B + 2*C)*Sin[c + d*x])/(2*d) + (B*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.219644, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {4072, 4017, 3996, 3770}

$$\frac{a^2(3B+2C)\sin(c+dx)}{2d} + \frac{B\sin(c+dx)\cos(c+dx)(a^2\sec(c+dx)+a^2)}{2d} + \frac{1}{2}a^2x(3B+4C) + \frac{a^2C \tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(3*B + 4*C)*x)/2 + (a^2*C*ArcTanh[Sin[c + d*x]])/d + (a^2*(3*B + 2*C)*Sin[c + d*x])/(2*d) + (B*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /

```
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)(a + a \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\ &= \frac{B \cos(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{a^2(3B + 2C) \sin(c + dx)}{2d} + \frac{B \cos(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^2 (3B + 4C)x + \frac{a^2(3B + 2C) \sin(c + dx)}{2d} + \frac{B \cos(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^2 (3B + 4C)x + \frac{a^2 C \tanh^{-1}(\sin(c + dx))}{d} + \frac{B \cos(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.151612, size = 96, normalized size = 1.09

$$\frac{a^2 \left(4(2B + C) \sin(c + dx) + B \sin(2(c + dx)) + 6Bdx - 4C \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + 4C \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) \right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] (a^2*(6*B*d*x + 8*C*d*x - 4*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*
C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*(2*B + C)*Sin[c + d*x] + B*S
```

$\ln[2*(c + d*x)])))/(4*d)$

Maple [A] time = 0.084, size = 108, normalized size = 1.2

$$\frac{Ba^2 \cos(dx + c) \sin(dx + c)}{2d} + \frac{3a^2 Bx}{2} + \frac{3Ba^2 c}{2d} + \frac{a^2 C \sin(dx + c)}{d} + 2 \frac{Ba^2 \sin(dx + c)}{d} + 2a^2 Cx + 2 \frac{Ca^2 c}{d} + \frac{a^2 C \ln(\sec(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] `1/2*a^2*B*cos(d*x+c)*sin(d*x+c)/d+3/2*a^2*B*x+3/2/d*B*a^2*c+1/d*a^2*C*sin(d*x+c)+2*a^2*B*sin(d*x+c)/d+2*a^2*C*x+2/d*C*a^2*c+1/d*a^2*C*ln(sec(d*x+c))+tan(d*x+c)`

Maxima [A] time = 0.941587, size = 136, normalized size = 1.55

$$\frac{(2dx + 2c + \sin(2dx + 2c))Ba^2 + 4(dx + c)Ba^2 + 8(dx + c)Ca^2 + 2Ca^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] `1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2 + 4*(d*x + c)*B*a^2 + 8*(d*x + c)*C*a^2 + 2*C*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 8*B*a^2*sin(d*x + c) + 4*C*a^2*sin(d*x + c))/d`

Fricas [A] time = 0.516076, size = 194, normalized size = 2.2

$$\frac{(3B + 4C)a^2 dx + Ca^2 \log(\sin(dx + c) + 1) - Ca^2 \log(-\sin(dx + c) + 1) + (Ba^2 \cos(dx + c) + 2(2B + C)a^2) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")`

[Out] $\frac{1}{2} * ((3*B + 4*C) * a^2 * d * x + C * a^2 * \log(\sin(d * x + c) + 1) - C * a^2 * \log(-\sin(d * x + c) + 1) + (B * a^2 * \cos(d * x + c) + 2 * (2 * B + C) * a^2) * \sin(d * x + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)`

[Out] Timed out

Giac [A] time = 1.17739, size = 196, normalized size = 2.23

$$2Ca^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2Ca^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (3Ba^2 + 4Ca^2)(dx + c) + \frac{2\left(3Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3 + 2C}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] $\frac{1}{2} * (2 * C * a^2 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 2 * C * a^2 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) + (3 * B * a^2 + 4 * C * a^2) * (d * x + c) + 2 * (3 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 2 * C * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 5 * B * a^2 * \tan(1/2 * d * x + 1/2 * c) + 2 * C * a^2 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 + 1)^2) / d$

3.320 $\int \cos^4(c+dx)(a+a \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=102

$$\frac{2a^2(2B+3C)\sin(c+dx)}{3d} + \frac{a^2(2B+3C)\sin(c+dx)\cos(c+dx)}{6d} + \frac{1}{2}a^2x(2B+3C) + \frac{B\sin(c+dx)\cos^2(c+dx)(a\sec(c+dx))^2}{3d}$$

[Out] (a^2*(2*B + 3*C)*x)/2 + (2*a^2*(2*B + 3*C)*Sin[c + d*x])/(3*d) + (a^2*(2*B + 3*C)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (B*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.2299, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4013, 3788, 2637, 4045, 8}

$$\frac{2a^2(2B+3C)\sin(c+dx)}{3d} + \frac{a^2(2B+3C)\sin(c+dx)\cos(c+dx)}{6d} + \frac{1}{2}a^2x(2B+3C) + \frac{B\sin(c+dx)\cos^2(c+dx)(a\sec(c+dx))^2}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(2*B + 3*C)*x)/2 + (2*a^2*(2*B + 3*C)*Sin[c + d*x])/(3*d) + (a^2*(2*B + 3*C)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (B*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^ (n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^

$2 - b^2, 0] \&\& \text{EqQ}[m + n + 1, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3788

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)^2, x_Symbol] \text{:>} \text{Dist}[(2*a*b)/d, \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}(n + 1), x], x] + \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}n*(a^2 + b^2*\text{Csc}[e + f*x]^2), x] \text{/}; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)(x_.)], x_Symbol] \text{:>} \text{Simp}[\text{Sin}[c + d*x]/d, x] \text{/}; \text{FreeQ}\{c, d\}, x]$

Rule 4045

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.))^{\wedge}(m_.)*(\text{csc}[(e_.) + (f_.)(x_.)]^2*(C_.) + (A_.)), x_Symbol] \text{:>} \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{\wedge}(m + 2), x], x] \text{/}; \text{FreeQ}\{b, e, f, A, C\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{LeQ}[m, -1]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{:>} \text{Simp}[a*x, x] \text{/}; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^3(c + dx)(a + a \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\ &= \frac{B \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\ &= \frac{B \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\ &= \frac{2a^2(2B + 3C) \sin(c + dx)}{3d} + \frac{a^2(2B + 3C) \cos(c + dx)}{6d} \\ &= \frac{1}{2}a^2(2B + 3C)x + \frac{2a^2(2B + 3C) \sin(c + dx)}{3d} + \end{aligned}$$

Mathematica [A] time = 0.168917, size = 61, normalized size = 0.6

$$\frac{a^2(3(7B + 8C) \sin(c + dx) + 3(2B + C) \sin(2(c + dx)) + B \sin(3(c + dx)) + 12Bdx + 18Cdx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(12*B*d*x + 18*C*d*x + 3*(7*B + 8*C)*Sin[c + d*x] + 3*(2*B + C)*Sin[2*(c + d*x)] + B*SIN[3*(c + d*x)]))/(12*d)

Maple [A] time = 0.084, size = 116, normalized size = 1.1

$$\frac{1}{d} \left(\frac{Ba^2 (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + 2Ba^2 (1/2 \cos(dx + c) \sin(dx + c) + 1/2 dx + c/2) + a^2 C \left(\frac{\cos(dx + c) \sin(dx + c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(1/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+2*B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^2*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a^2*sin(d*x+c)+2*a^2*C*sin(d*x+c)+a^2*C*(d*x+c))

Maxima [A] time = 0.93984, size = 149, normalized size = 1.46

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Ba^2 - 6(2dx + 2c + \sin(2dx + 2c))Ba^2 - 3(2dx + 2c + \sin(2dx + 2c))Ca^2 - 12(d \sin(dx + c) - \sin(dx + c) \cos(dx + c))Ca^2}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 - 6*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2 - 12*(d*x + c)*C*a^2 - 12*B*a^2*sin(d*x + c) - 24*C*a^2*sin(d*x + c))/d

Fricas [A] time = 0.483474, size = 165, normalized size = 1.62

$$\frac{3(2B + 3C)a^2 dx + (2Ba^2 \cos(dx + c)^2 + 3(2B + C)a^2 \cos(dx + c) + 2(5B + 6C)a^2) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/6*(3*(2*B + 3*C)*a^2*d*x + (2*B*a^2*cos(d*x + c)^2 + 3*(2*B + C)*a^2*cos(d*x + c) + 2*(5*B + 6*C)*a^2)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.1778, size = 192, normalized size = 1.88

$$3(2Ba^2 + 3Ca^2)(dx + c) + \frac{2\left(6Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 9Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 16Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 24Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 18Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/6*(3*(2*B*a^2 + 3*C*a^2)*(d*x + c) + 2*(6*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 9*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 16*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 24*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 18*B*a^2*tan(1/2*d*x + 1/2*c) + 15*C*a^2*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3/d

3.321 $\int \cos^5(c+dx)(a+a \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=135

$$\frac{a^2(4B+5C)\sin(c+dx)}{3d} + \frac{a^2(5B+4C)\sin(c+dx)\cos^2(c+dx)}{12d} + \frac{a^2(7B+8C)\sin(c+dx)\cos(c+dx)}{8d} + \frac{B\sin(c+dx)}{d}$$

[Out] (a^2*(7*B + 8*C)*x)/8 + (a^2*(4*B + 5*C)*Sin[c + d*x])/(3*d) + (a^2*(7*B + 8*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(5*B + 4*C)*Cos[c + d*x]^2*SIN[c + d*x])/(12*d) + (B*Cos[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.306812, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^2(4B+5C)\sin(c+dx)}{3d} + \frac{a^2(5B+4C)\sin(c+dx)\cos^2(c+dx)}{12d} + \frac{a^2(7B+8C)\sin(c+dx)\cos(c+dx)}{8d} + \frac{B\sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(7*B + 8*C)*x)/8 + (a^2*(4*B + 5*C)*Sin[c + d*x])/(3*d) + (a^2*(7*B + 8*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(5*B + 4*C)*Cos[c + d*x]^2*SIN[c + d*x])/(12*d) + (B*Cos[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(4*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m+1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis

```
t[b/(a*d^n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^4(c + dx)(a + a \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\
&= \frac{B \cos^3(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{4d} \\
&= \frac{a^2(5B + 4C) \cos^2(c + dx) \sin(c + dx)}{12d} + \frac{B \cos^3(c + dx) \sin(c + dx)}{4d} \\
&= \frac{a^2(5B + 4C) \cos^2(c + dx) \sin(c + dx)}{12d} + \frac{B \cos^3(c + dx) \sin(c + dx)}{4d} \\
&= \frac{a^2(4B + 5C) \sin(c + dx)}{3d} + \frac{a^2(7B + 8C) \cos(c + dx)}{8d} \\
&= \frac{1}{8} a^2(7B + 8C)x + \frac{a^2(4B + 5C) \sin(c + dx)}{3d} + \frac{B \cos^3(c + dx) \sin(c + dx)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.360068, size = 86, normalized size = 0.64

$$\frac{a^2(24(6B + 7C) \sin(c + dx) + 48(B + C) \sin(2(c + dx)) + 16B \sin(3(c + dx)) + 3B \sin(4(c + dx)) + 84Bc + 84Bdx + 8C \sin^2(c + dx))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(84*B*c + 84*B*d*x + 96*C*d*x + 24*(6*B + 7*C)*Sin[c + d*x] + 48*(B + C)*Sin[2*(c + d*x)] + 16*B*Ssin[3*(c + d*x)] + 8*C*Ssin[3*(c + d*x)] + 3*B*Ssin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.091, size = 154, normalized size = 1.1

$$\frac{1}{d} \left(Ba^2 \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{a^2 C (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + \frac{2Ba^2 \cos^3(dx + c) \sin(dx + c)}{4d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a^2*C*(2+cos(d*x+c)^2)*sin(d*x+c)+2/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+2*

$a^2 C \left(\frac{1}{2} \cos(dx+c) \sin(dx+c) + \frac{1}{2} dx + \frac{1}{2} c \right) + B a^2 \left(\frac{1}{2} \cos(dx+c) \sin(dx+c) + \frac{1}{2} dx + \frac{1}{2} c \right) + a^2 C \sin(dx+c)$

Maxima [A] time = 0.946342, size = 194, normalized size = 1.44

$$\frac{64 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) B a^2 - 3 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^2 - 24 (2 dx + 2 c + \sin(2 dx + 2 c)) C a^2 + 32 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) C a^2 - 48 (2 dx + 2 c + \sin(2 dx + 2 c)) C a^2 - 96 C a^2 \sin(dx+c)}{96 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+a*sec(dx+c))^2*(B*sec(dx+c)+C*sec(dx+c)^2),x,
algorithm="maxima")

[Out] $-\frac{1}{96} \left(64 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) B a^2 - 3 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^2 - 24 (2 dx + 2 c + \sin(2 dx + 2 c)) C a^2 + 32 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) C a^2 - 48 (2 dx + 2 c + \sin(2 dx + 2 c)) C a^2 - 96 C a^2 \sin(dx+c) \right) / d$

Fricas [A] time = 0.494474, size = 213, normalized size = 1.58

$$\frac{3(7B+8C)a^2 dx + \left(6Ba^2 \cos(dx+c)^3 + 8(2B+C)a^2 \cos(dx+c)^2 + 3(7B+8C)a^2 \cos(dx+c) + 8(4B+5C)a^2 \right) \sin(dx+c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+a*sec(dx+c))^2*(B*sec(dx+c)+C*sec(dx+c)^2),x,
algorithm="fricas")

[Out] $\frac{1}{24} \left(3(7B+8C)a^2 dx + \left(6Ba^2 \cos(dx+c)^3 + 8(2B+C)a^2 \cos(dx+c)^2 + 3(7B+8C)a^2 \cos(dx+c) + 8(4B+5C)a^2 \right) \sin(dx+c) \right) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.15471, size = 238, normalized size = 1.76

$$3(7Ba^2 + 8Ca^2)(dx + c) + \frac{2\left(21Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 24Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 77Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 88Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 83Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 136Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 75Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 72Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^4} \cdot 24d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/24*(3*(7*B*a^2 + 8*C*a^2)*(d*x + c) + 2*(21*B*a^2*tan(1/2*d*x + 1/2*c)^7 + 24*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 77*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 88*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 83*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 136*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 75*B*a^2*tan(1/2*d*x + 1/2*c) + 72*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4/d

3.322 $\int \cos^6(c+dx)(a+a \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=160

$$-\frac{a^2(9B+10C)\sin^3(c+dx)}{15d} + \frac{a^2(9B+10C)\sin(c+dx)}{5d} + \frac{a^2(6B+5C)\sin(c+dx)\cos^3(c+dx)}{20d} + \frac{a^2(6B+7C)\sin(c+dx)}{8d}$$

[Out] (a^2*(6*B + 7*C)*x)/8 + (a^2*(9*B + 10*C)*Sin[c + d*x])/(5*d) + (a^2*(6*B + 7*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(6*B + 5*C)*Cos[c + d*x]^3*Sin[c + d*x])/(20*d) + (B*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d) - (a^2*(9*B + 10*C)*Sin[c + d*x]^3)/(15*d)

Rubi [A] time = 0.329132, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4017, 3996, 3787, 2633, 2635, 8}

$$-\frac{a^2(9B+10C)\sin^3(c+dx)}{15d} + \frac{a^2(9B+10C)\sin(c+dx)}{5d} + \frac{a^2(6B+5C)\sin(c+dx)\cos^3(c+dx)}{20d} + \frac{a^2(6B+7C)\sin(c+dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(6*B + 7*C)*x)/8 + (a^2*(9*B + 10*C)*Sin[c + d*x])/(5*d) + (a^2*(6*B + 7*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(6*B + 5*C)*Cos[c + d*x]^3*Sin[c + d*x])/(20*d) + (B*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d) - (a^2*(9*B + 10*C)*Sin[c + d*x]^3)/(15*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n, x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis

```
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^6(c + dx)(a + a \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^5(c + dx)(a + a \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\
&= \frac{B \cos^4(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d} \\
&= \frac{a^2(6B + 5C) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{B \cos^4(c + dx)}{5d} \\
&= \frac{a^2(6B + 5C) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{B \cos^4(c + dx)}{5d} \\
&= \frac{a^2(6B + 7C) \cos(c + dx) \sin(c + dx)}{8d} + \frac{a^2(6B + 7C)}{8d} \\
&= \frac{1}{8} a^2(6B + 7C)x + \frac{a^2(9B + 10C) \sin(c + dx)}{5d} + \frac{B \cos^4(c + dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 0.374035, size = 108, normalized size = 0.68

$$\frac{a^2(60(11B + 12C) \sin(c + dx) + 240(B + C) \sin(2(c + dx)) + 90B \sin(3(c + dx)) + 30B \sin(4(c + dx)) + 6B \sin(5(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(360*B*c + 360*B*d*x + 420*C*d*x + 60*(11*B + 12*C)*Sin[c + d*x] + 240*(B + C)*Sin[2*(c + d*x)] + 90*B*Ssin[3*(c + d*x)] + 80*C*Ssin[3*(c + d*x)] + 30*B*Ssin[4*(c + d*x)] + 15*C*Ssin[4*(c + d*x)] + 6*B*Ssin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.099, size = 186, normalized size = 1.2

$$\frac{1}{d} \left(\frac{Ba^2 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + a^2 C \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 \cos(dx + c)}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)


```
[Out] 1/d*(1/5*B*a^2*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+a^2*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2*B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*a^2*C*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+a^2*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))
```

Maxima [A] time = 0.947882, size = 240, normalized size = 1.5

$$\frac{32 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Ba^2 - 160 \left(\sin(dx + c)^3 - 3 \sin(dx + c) \right) Ba^2 + 30 (12 dx + 12 c)}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")
```

```
[Out] 1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^2 - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2 - 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^2 + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^2 + 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2)/d
```

Fricas [A] time = 0.525635, size = 271, normalized size = 1.69

$$\frac{15(6B + 7C)a^2 dx + (24Ba^2 \cos(dx + c)^4 + 30(2B + C)a^2 \cos(dx + c)^3 + 8(9B + 10C)a^2 \cos(dx + c)^2 + 15(6B + 7C)a^2 \cos(dx + c) + 16(9B + 10C)a^2 \sin(dx + c))}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/120*(15*(6*B + 7*C)*a^2*d*x + (24*B*a^2*cos(d*x + c)^4 + 30*(2*B + C)*a^2*cos(d*x + c)^3 + 8*(9*B + 10*C)*a^2*cos(d*x + c)^2 + 15*(6*B + 7*C)*a^2*cos(d*x + c) + 16*(9*B + 10*C)*a^2*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.20324, size = 284, normalized size = 1.78

$$15(6Ba^2 + 7Ca^2)(dx + c) + \frac{2\left(90Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 105Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 420Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 490Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 864Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 800Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 540Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 790Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 390Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 375Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1)^5} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/120*(15*(6*B*a^2 + 7*C*a^2)*(d*x + c) + 2*(90*B*a^2*tan(1/2*d*x + 1/2*c)^9 + 105*C*a^2*tan(1/2*d*x + 1/2*c)^9 + 420*B*a^2*tan(1/2*d*x + 1/2*c)^7 + 490*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 864*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 800*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 540*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 790*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 390*B*a^2*tan(1/2*d*x + 1/2*c) + 375*C*a^2*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5/d

3.323 $\int \sec(c+dx)(a+a \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=163

$$\frac{a^3(15B+13C)\tan^3(c+dx)}{60d} + \frac{a^3(15B+13C)\tan(c+dx)}{5d} + \frac{a^3(15B+13C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{3a^3(15B+13C)\tan(c+dx)}{40d}$$

[Out] (a^3*(15*B + 13*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^3*(15*B + 13*C)*Tan[c + d*x])/(5*d) + (3*a^3*(15*B + 13*C)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + ((5*B - C)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*a*d) + (a^3*(15*B + 13*C)*Tan[c + d*x]^3)/(60*d)

Rubi [A] time = 0.312872, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {4072, 4010, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{a^3(15B+13C)\tan^3(c+dx)}{60d} + \frac{a^3(15B+13C)\tan(c+dx)}{5d} + \frac{a^3(15B+13C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{3a^3(15B+13C)\tan(c+dx)}{40d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(15*B + 13*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^3*(15*B + 13*C)*Tan[c + d*x])/(5*d) + (3*a^3*(15*B + 13*C)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + ((5*B - C)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*a*d) + (a^3*(15*B + 13*C)*Tan[c + d*x]^3)/(60*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m+1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m+1))/(b*f*(m+2)), x] + Dist[1/(b*(m+2)), Int[Cs

```
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))^m, x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^n, x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sec^2(c+dx)(a+a\sec(c+dx))^3(B+C\sec(c+dx))dx \\
&= \frac{C(a+a\sec(c+dx))^4 \tan(c+dx)}{5ad} + \frac{\int \sec(c+dx)dx}{5ad} \\
&= \frac{(5B-C)(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} + \frac{C(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} \\
&= \frac{(5B-C)(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} + \frac{C(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} \\
&= \frac{(5B-C)(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} + \frac{C(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} \\
&= \frac{a^3(15B+13C)\tanh^{-1}(\sin(c+dx))}{20d} + \frac{3a^3(15B+13C)\tanh^{-1}(\sin(c+dx))}{20d} \\
&= \frac{a^3(15B+13C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a^3(15B+13C)\tanh^{-1}(\sin(c+dx))}{8d}
\end{aligned}$$

Mathematica [B] time = 0.80796, size = 391, normalized size = 2.4

$$a^3 \sec^5(c+dx) \left(150(15B+13C) \cos(c+dx) \left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $-(a^3 \sec^5(c+dx) (150(15B+13C) \cos(c+dx) (\log(\cos(\frac{1}{2}(c+dx)) - \sin(\frac{1}{2}(c+dx))) - \log(\sin(\frac{1}{2}(c+dx)) + \cos(\frac{1}{2}(c+dx)))))))/(1920*d)$

Maple [A] time = 0.049, size = 234, normalized size = 1.4

$$3 \frac{Ba^3 \tan(dx+c)}{d} + \frac{13a^3 C \sec(dx+c) \tan(dx+c)}{8d} + \frac{13a^3 C \ln(\sec(dx+c) + \tan(dx+c))}{8d} + \frac{15Ba^3 \sec(dx+c) \tan(dx+c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 3/d*B*a^3*tan(d*x+c)+13/8/d*a^3*C*sec(d*x+c)*tan(d*x+c)+13/8/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+15/8/d*B*a^3*sec(d*x+c)*tan(d*x+c)+15/8/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+38/15*a^3*C*tan(d*x+c)/d+19/15/d*a^3*C*tan(d*x+c)*sec(d*x+c)^2+1/d*B*a^3*tan(d*x+c)*sec(d*x+c)^2+3/4/d*a^3*C*tan(d*x+c)*sec(d*x+c)^3+1/4/d*B*a^3*tan(d*x+c)*sec(d*x+c)^3+1/5/d*a^3*C*tan(d*x+c)*sec(d*x+c)^4

Maxima [B] time = 0.958117, size = 455, normalized size = 2.79

$$240(\tan(dx+c)^3 + 3 \tan(dx+c))Ba^3 + 16(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ca^3 + 240(\tan(dx+c)^3 + 3 \tan(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/240*(240*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^3 + 16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*a^3 + 240*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^3 - 15*B*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 45*C*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 180*B*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 60*C*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 240*B*a^3*tan(d*x + c))/d

Fricas [A] time = 0.522507, size = 431, normalized size = 2.64

$$15(15B + 13C)a^3 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15(15B + 13C)a^3 \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 2(8(45$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/240*(15*(15*B + 13*C)*a^3*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(15*B + 13*C)*a^3*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(8*(45*B + 38*C)*a^3*cos(d*x + c)^4 + 15*(15*B + 13*C)*a^3*cos(d*x + c)^3 + 8*(15*B + 19*C)*a^3*cos(d*x + c)^2 + 30*(B + 3*C)*a^3*cos(d*x + c) + 24*C*a^3)*sin(d*x + c))/(d*cos(d*x + c)^5)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int B \sec^2(c + dx) dx + \int 3B \sec^3(c + dx) dx + \int 3B \sec^4(c + dx) dx + \int B \sec^5(c + dx) dx + \int C \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] a**3*(Integral(B*sec(c + d*x)**2, x) + Integral(3*B*sec(c + d*x)**3, x) + Integral(3*B*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**3, x) + Integral(3*C*sec(c + d*x)**4, x) + Integral(3*C*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**6, x))

Giac [A] time = 1.19213, size = 332, normalized size = 2.04

$$15(15Ba^3 + 13Ca^3) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 15(15Ba^3 + 13Ca^3) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(225Ba^3 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}{d \cos^2 \left(\frac{1}{2} dx + \frac{1}{2} c \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/120*(15*(15*B*a^3 + 13*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(15*B*a^3 + 13*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(225*B*a^3*tan(1/2*d*x + 1/2*c))/(d*cos^2(1/2*d*x + 1/2*c))

$$\begin{aligned} & 2*d*x + 1/2*c)^9 + 195*C*a^3*\tan(1/2*d*x + 1/2*c)^9 - 1050*B*a^3*\tan(1/2*d* \\ & x + 1/2*c)^7 - 910*C*a^3*\tan(1/2*d*x + 1/2*c)^7 + 1920*B*a^3*\tan(1/2*d*x + \\ & 1/2*c)^5 + 1664*C*a^3*\tan(1/2*d*x + 1/2*c)^5 - 1830*B*a^3*\tan(1/2*d*x + 1/2 \\ & *c)^3 - 1330*C*a^3*\tan(1/2*d*x + 1/2*c)^3 + 735*B*a^3*\tan(1/2*d*x + 1/2*c) \\ & + 765*C*a^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^5)/d \end{aligned}$$

3.324 $\int (a + a \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=125

$$\frac{a^3(4B + 3C) \tan^3(c + dx)}{12d} + \frac{a^3(4B + 3C) \tan(c + dx)}{d} + \frac{5a^3(4B + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a^3(4B + 3C) \tan(c + dx)}{8d}$$

[Out] (5*a^3*(4*B + 3*C)*ArcTanh[Sin[c + d*x]]/(8*d) + (a^3*(4*B + 3*C)*Tan[c + d*x])/d + (3*a^3*(4*B + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*d) + (a^3*(4*B + 3*C)*Tan[c + d*x]^3)/(12*d))

Rubi [A] time = 0.139477, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {4054, 12, 3791, 3770, 3767, 8, 3768}

$$\frac{a^3(4B + 3C) \tan^3(c + dx)}{12d} + \frac{a^3(4B + 3C) \tan(c + dx)}{d} + \frac{5a^3(4B + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a^3(4B + 3C) \tan(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (5*a^3*(4*B + 3*C)*ArcTanh[Sin[c + d*x]]/(8*d) + (a^3*(4*B + 3*C)*Tan[c + d*x])/d + (3*a^3*(4*B + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*d) + (a^3*(4*B + 3*C)*Tan[c + d*x]^3)/(12*d))

Rule 4054

Int[((A_) + csc[(e_) + (f_)*(x_)]*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_)) * (csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))^(m_), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*cos[c + d*x
]*(b*csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{\int a(4B + 3C) \sec(c + dx) dx}{4d} \\
&= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4}(4B + 3C) \int \sec(c + dx) dx \\
&= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4}(4B + 3C) \int (a^3 \sec(c + dx)) dx \\
&= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4} (a^3(4B + 3C)) \int \sec(c + dx) dx \\
&= \frac{a^3(4B + 3C) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{3a^3(4B + 3C) \sec(c + dx)}{8d} \\
&= \frac{5a^3(4B + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(4B + 3C) \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.450373, size = 81, normalized size = 0.65

$$\frac{a^3 (15(4B + 3C) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (8(B + 3C) \tan^2(c + dx) + 9(4B + 5C) \sec(c + dx) + 96(B + C) + 6))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^3*(15*(4*B + 3*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(96*(B + C) + 9*(4*B + 5*C)*Sec[c + d*x] + 6*C*Sec[c + d*x]^3 + 8*(B + 3*C)*Tan[c + d*x]^2))/(24*d)

Maple [A] time = 0.051, size = 188, normalized size = 1.5

$$\frac{5Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 3 \frac{a^3C \tan(dx + c)}{d} + \frac{11Ba^3 \tan(dx + c)}{3d} + \frac{15a^3C \sec(dx + c) \tan(dx + c)}{8d} + \frac{1}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 5/2/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+3*a^3*C*tan(d*x+c)/d+11/3/d*B*a^3*tan(d*x+c)+15/8/d*a^3*C*sec(d*x+c)*tan(d*x+c)+15/8/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+3/2/d*B*a^3*sec(d*x+c)*tan(d*x+c)+1/d*a^3*C*tan(d*x+c)*sec(d*x+c)^2+

$$1/3/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^2+1/4/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^3$$

Maxima [B] time = 0.954426, size = 354, normalized size = 2.83

$$16(\tan(dx+c)^3+3\tan(dx+c))Ba^3+48(\tan(dx+c)^3+3\tan(dx+c))Ca^3-3Ca^3\left(\frac{2(3\sin(dx+c)^3-5\sin(dx+c))}{\sin(dx+c)^4-2\sin(dx+c)^2+1}-3\log\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^3 + 48*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^3 - 3*C*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 36*B*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 36*C*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 48*B*a^3*log(sec(d*x + c) + tan(d*x + c)) + 144*B*a^3*tan(d*x + c) + 48*C*a^3*tan(d*x + c))/d

Fricas [A] time = 0.524279, size = 366, normalized size = 2.93

$$15(4B+3C)a^3\cos(dx+c)^4\log(\sin(dx+c)+1)-15(4B+3C)a^3\cos(dx+c)^4\log(-\sin(dx+c)+1)+2(8(11B+9C)a^3\cos(dx+c)^4\log(\sin(dx+c)+1)+8(11B+9C)a^3\cos(dx+c)^4\log(-\sin(dx+c)+1)+2(8(11B+9C)a^3\cos(dx+c)^4\log(\sin(dx+c)+1)+8(11B+9C)a^3\cos(dx+c)^4\log(-\sin(dx+c)+1)))/48d\cos(dx+c)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/48*(15*(4*B + 3*C)*a^3*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 15*(4*B + 3*C)*a^3*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(8*(11*B + 9*C)*a^3*cos(d*x + c)^4*log(sin(d*x + c) + 1) + 8*(11*B + 9*C)*a^3*cos(d*x + c)^4*log(-sin(d*x + c) + 1)))/48*d*cos(d*x + c)^4

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3\left(\int B\sec(c+dx)dx+\int 3B\sec^2(c+dx)dx+\int 3B\sec^3(c+dx)dx+\int B\sec^4(c+dx)dx+\int C\sec^2(c+dx)dx+\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] a**3*(Integral(B*sec(c + d*x), x) + Integral(3*B*sec(c + d*x)**2, x) + Integral(3*B*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**2, x) + Integral(3*C*sec(c + d*x)**3, x) + Integral(3*C*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**5, x))

Giac [A] time = 1.19281, size = 286, normalized size = 2.29

$$15(4Ba^3 + 3Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(4Ba^3 + 3Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(60Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^7}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/24*(15*(4*B*a^3 + 3*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(4*B*a^3 + 3*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(60*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 45*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 220*B*a^3*tan(1/2*d*x + 1/2*c)^5 - 165*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 292*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 219*C*a^3*tan(1/2*d*x + 1/2*c)^3 - 132*B*a^3*tan(1/2*d*x + 1/2*c) - 147*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

3.325 $\int \cos(c+dx)(a+a \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=111

$$\frac{5a^3(B+C)\tan(c+dx)}{2d} + \frac{a^3(7B+5C)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(3B+5C)\tan(c+dx)(a^3\sec(c+dx)+a^3)}{6d} + a^3Bx + \frac{aC}{d}$$

[Out] $a^3Bx + (a^3(7B+5C)\text{ArcTanh}[\text{Sin}[c+d*x]])/(2*d) + (5*a^3*(B+C)\text{Tan}[c+d*x])/(2*d) + (a*C*(a+a*\text{Sec}[c+d*x])^2*\text{Tan}[c+d*x])/(3*d) + ((3*B+5*C)*(a^3+a^3*\text{Sec}[c+d*x])*\text{Tan}[c+d*x])/(6*d)$

Rubi [A] time = 0.204806, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3917, 3914, 3767, 8, 3770}

$$\frac{5a^3(B+C)\tan(c+dx)}{2d} + \frac{a^3(7B+5C)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(3B+5C)\tan(c+dx)(a^3\sec(c+dx)+a^3)}{6d} + a^3Bx + \frac{aC}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c+d*x]*(a+a*\text{Sec}[c+d*x])^3*(B*\text{Sec}[c+d*x]+C*\text{Sec}[c+d*x]^2), x]$

[Out] $a^3Bx + (a^3(7B+5C)\text{ArcTanh}[\text{Sin}[c+d*x]])/(2*d) + (5*a^3*(B+C)\text{Tan}[c+d*x])/(2*d) + (a*C*(a+a*\text{Sec}[c+d*x])^2*\text{Tan}[c+d*x])/(3*d) + ((3*B+5*C)*(a^3+a^3*\text{Sec}[c+d*x])*\text{Tan}[c+d*x])/(6*d)$

Rule 4072

$\text{Int}[(a + b \csc[e + f*x])^m * (c + d \csc[e + f*x])^n, x_Symbol] := \text{Dist}[1/b^2, \text{Int}[(a + b \csc[e + f*x])^{m+1} * (c + d \csc[e + f*x])^n * (b*B - a*C + b*C \csc[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3917

$\text{Int}[(\csc[e + f*x] + (f*x)*b + a)^m * (\csc[e + f*x] + (f*x)*d + c), x_Symbol] := -\text{Simp}[(b*d*\text{Cot}[e + f*x]*(a + b*\csc[e + f*x])^{m-1})/(f*m), x] + \text{Dist}[1/m, \text{Int}[(a + b*\csc[e + f*x])^{m-1}*\text{Simp}[a*c*m + (b*c*m + a*d*(2*m-1))*\csc[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f},

$x]$ && NeQ[$b*c - a*d, 0]$ && GtQ[$m, 1]$ && EqQ[$a^2 - b^2, 0]$ && IntegerQ[$2*m]$

Rule 3914

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[$a*c*x, x]$ + (Dist[$b*d, \text{Int}[\text{Csc}[e + f*x]^2, x], x]$ + Dist[$b*c + a*d, \text{Int}[\text{Csc}[e + f*x], x], x]) /; FreeQ[{ a, b, c, d, e, f }, $x]$ && NeQ[$b*c - a*d, 0]$ && NeQ[$b*c + a*d, 0]$$

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[$d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^(n/2 - 1), x], x], x, \text{Cot}[c + d*x]]]$ /; FreeQ[{ c, d }, $x]$ && IGtQ[$n/2, 0]$

Rule 8

Int[$a_-, x_Symbol]$:= Simp[$a*x, x]$ /; FreeQ[$a, x]$

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[$c + d*x$]]/d, $x]$ /; FreeQ[{ c, d }, $x]$

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + a \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\ &= \frac{aC(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3} \int (a + a \sec(c + dx))^3 dx \\ &= \frac{aC(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{(3B + 5C)a^3}{3d} \\ &= a^3 Bx + \frac{aC(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{a^3(3B + 5C)}{3d} \\ &= a^3 Bx + \frac{a^3(7B + 5C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^3 C \tan(c + dx)}{3d} \\ &= a^3 Bx + \frac{a^3(7B + 5C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{5a^3 C}{3d} \end{aligned}$$

Mathematica [B] time = 6.40118, size = 772, normalized size = 6.95

$$a^3 \left(\frac{(\cos(c+dx)+1)^3 \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) \left(9B \sin\left(\frac{dx}{2}\right) + 11C \sin\left(\frac{dx}{2}\right)\right)}{24d \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right)} + \frac{(\cos(c+dx)+1)^3 \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) \left(9B \sin\left(\frac{dx}{2}\right) + 11C \sin\left(\frac{dx}{2}\right)\right)}{24d \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right) \left(\sin\left(\frac{c}{2} + \frac{dx}{2}\right) + \cos\left(\frac{c}{2} + \frac{dx}{2}\right)\right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $a^3 * ((B*x*(1 + \cos[c + d*x])^3 * \sec[c/2 + (d*x)/2]^6) / 8 + ((-7*B - 5*C) * (1 + \cos[c + d*x])^3 * \log[\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2]] * \sec[c/2 + (d*x)/2]^6) / (16*d) + ((7*B + 5*C) * (1 + \cos[c + d*x])^3 * \log[\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2]] * \sec[c/2 + (d*x)/2]^6) / (16*d) + (C * (1 + \cos[c + d*x])^3 * \sec[c/2 + (d*x)/2]^6 * \sin[(d*x)/2]) / (48*d * (\cos[c/2] - \sin[c/2]) * (\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2])^3) + ((1 + \cos[c + d*x])^3 * \sec[c/2 + (d*x)/2]^6 * (3*B*\cos[c/2] + 10*C*\cos[c/2] - 3*B*\sin[c/2] - 8*C*\sin[c/2])) / (96*d * (\cos[c/2] - \sin[c/2]) * (\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2])^2) + ((1 + \cos[c + d*x])^3 * \sec[c/2 + (d*x)/2]^6 * (9*B*\sin[(d*x)/2] + 11*C*\sin[(d*x)/2])) / (24*d * (\cos[c/2] - \sin[c/2]) * (\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2])) + (C * (1 + \cos[c + d*x])^3 * \sec[c/2 + (d*x)/2]^6 * \sin[(d*x)/2]) / (48*d * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2])^3) + ((1 + \cos[c + d*x])^3 * \sec[c/2 + (d*x)/2]^6 * (-3*B*\cos[c/2] - 10*C*\cos[c/2] - 3*B*\sin[c/2] - 8*C*\sin[c/2])) / (96*d * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2])^2) + ((1 + \cos[c + d*x])^3 * \sec[c/2 + (d*x)/2]^6 * (9*B*\sin[(d*x)/2] + 11*C*\sin[(d*x)/2])) / (24*d * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2]))$

Maple [A] time = 0.084, size = 158, normalized size = 1.4

$$a^3 B x + \frac{B a^3 c}{d} + \frac{5 a^3 C \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{7 B a^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{11 a^3 C \tan(dx+c)}{3d} + 3 \frac{1}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $a^3 * B * x + 1/d * B * a^3 * c + 5/2/d * a^3 * C * \ln(\sec(d*x+c) + \tan(d*x+c)) + 7/2/d * B * a^3 * \ln(\sec(d*x+c) + \tan(d*x+c)) + 11/3 * a^3 * C * \tan(d*x+c) / d + 3/d * B * a^3 * \tan(d*x+c) + 3/2/d * a^3 * C * \sec(d*x+c) * \tan(d*x+c) + 1/2/d * B * a^3 * \sec(d*x+c) * \tan(d*x+c) + 1/3/d * a^3 * C * \tan(d*x+c)$

$d*x+c)*\sec(d*x+c)^2$

Maxima [B] time = 0.95599, size = 286, normalized size = 2.58

$12(dx+c)Ba^3 + 4(\tan(dx+c)^3 + 3\tan(dx+c))Ca^3 - 3Ba^3\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) - 9Ca^3(2\sin(dx+c)/(\sin(dx+c)^2-1) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)) + 18Ba^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 6Ca^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 36Ba^3\tan(dx+c) + 36Ca^3\tan(dx+c))/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/12*(12*(d*x + c)*B*a^3 + 4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^3 - 3*B*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 9*C*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 18*B*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 6*C*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 36*B*a^3*tan(d*x + c) + 36*C*a^3*tan(d*x + c))/d

Fricas [A] time = 0.525894, size = 356, normalized size = 3.21

$12Ba^3dx \cos(dx+c)^3 + 3(7B+5C)a^3 \cos(dx+c)^3 \log(\sin(dx+c)+1) - 3(7B+5C)a^3 \cos(dx+c)^3 \log(-\sin(dx+c)+1) + 2(2(9B+11C)a^3 \cos(dx+c)^2 + 3(B+3C)a^3 \cos(dx+c) + 2Ca^3 \sin(dx+c))/(d \cos(dx+c)^3)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/12*(12*B*a^3*d*x*cos(d*x + c)^3 + 3*(7*B + 5*C)*a^3*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(7*B + 5*C)*a^3*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*(9*B + 11*C)*a^3*cos(d*x + c)^2 + 3*(B + 3*C)*a^3*cos(d*x + c) + 2*C*a^3*sin(d*x + c))/(d*cos(d*x + c)^3)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.20201, size = 255, normalized size = 2.3

$$6(dx+c)Ba^3 + 3(7Ba^3 + 5Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(7Ba^3 + 5Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(15Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 15Ca^3)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/6*(6*(d*x + c)*B*a^3 + 3*(7*B*a^3 + 5*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(7*B*a^3 + 5*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(15*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 15*C*a^3*tan(1/2*d*x + 1/2*c)^5 - 36*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 40*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 21*B*a^3*tan(1/2*d*x + 1/2*c) + 33*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d

3.326 $\int \cos^2(c+dx)(a+a \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=108

$$\frac{a^3(6B+7C) \tanh^{-1}(\sin(c+dx))}{2d} + \frac{(B+2C) \sin(c+dx) (a^3 \sec(c+dx) + a^3)}{d} + a^3 x(3B+C) - \frac{5a^3 C \sin(c+dx)}{2d} + \frac{a^3 C \sin^2(c+dx)}{2d}$$

[Out] $a^3(3B+C)x + (a^3(6B+7C) \operatorname{ArcTanh}[\sin[c+dx]])/(2d) - (5a^3 C \sin[c+dx])/(2d) + (a^3 C \sin^2[c+dx])/(2d) + ((B+2C)(a^3 + a^3 \sec[c+dx]) \sin[c+dx])/d$

Rubi [A] time = 0.311784, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {4072, 4018, 3996, 3770}

$$\frac{a^3(6B+7C) \tanh^{-1}(\sin(c+dx))}{2d} + \frac{(B+2C) \sin(c+dx) (a^3 \sec(c+dx) + a^3)}{d} + a^3 x(3B+C) - \frac{5a^3 C \sin(c+dx)}{2d} + \frac{a^3 C \sin^2(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos[c+dx]^2 (a+a \sec[c+dx])^3 (B \sec[c+dx] + C \sec^2[c+dx]), x]$

[Out] $a^3(3B+C)x + (a^3(6B+7C) \operatorname{ArcTanh}[\sin[c+dx]])/(2d) - (5a^3 C \sin[c+dx])/(2d) + (a^3 C \sin^2[c+dx])/(2d) + ((B+2C)(a^3 + a^3 \sec[c+dx]) \sin[c+dx])/d$

Rule 4072

$\operatorname{Int}[(a + \csc[e + f x] + (f x) \csc[e + f x])^m (A + \csc[e + f x] + (f x) \csc[e + f x])^n (B + \csc[e + f x] + (f x) \csc[e + f x])^p (C + \csc[e + f x] + (f x) \csc[e + f x])^q, x] \rightarrow \operatorname{Dist}[1/b^2, \operatorname{Int}[(a + b \csc[e + f x])^{m+1} (c + d \csc[e + f x])^n (bB - aC + bC \csc[e + f x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4018

$\operatorname{Int}[(\csc[e + f x] + (f x) \csc[e + f x])^n (\csc[e + f x] + (f x) \csc[e + f x])^m (A + \csc[e + f x] + (f x) \csc[e + f x]), x] \rightarrow -\operatorname{Simp}[(bB + C \cot[e + f x] (a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^n] / (f(m+n)), x] + \operatorname{Dist}[1/(d(m+n)), \operatorname{Int}[(a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^n * \operatorname{Simp}[aA + d(m+n) + B(bd + n) + (A*b*d*(m+n) + a*B*d*(2*m+n-1)) \csc[e + f x]]], x]$

`[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]`

Rule 3996

`Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]`

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + a \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)(a + a \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\
 &= \frac{aC(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{1}{2} \int \cos(c + dx)(a + a \sec(c + dx))^3 dx \\
 &= \frac{aC(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{(B + 2C)a^3 \sin(c + dx)}{2d} \\
 &= -\frac{5a^3 C \sin(c + dx)}{2d} + \frac{aC(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
 &= a^3(3B + C)x - \frac{5a^3 C \sin(c + dx)}{2d} + \frac{aC(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
 &= a^3(3B + C)x + \frac{a^3(6B + 7C) \tanh^{-1}(\sin(c + dx))}{2d}
 \end{aligned}$$

Mathematica [A] time = 1.93798, size = 208, normalized size = 1.93

$$a^3 \left(4(B + 3C) \tan(c + dx) + 4B \sin(c + dx) - 12B \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + 12B \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]`

[Out] $(a^3(12Bc + 4cC + 12Bdx + 4Cdx - 12B\text{Log}[\text{Cos}[(c + dx)/2]] - \text{Sin}[(c + dx)/2]) - 14C\text{Log}[\text{Cos}[(c + dx)/2]] - \text{Sin}[(c + dx)/2]) + 12B\text{Log}[\text{Cos}[(c + dx)/2] + \text{Sin}[(c + dx)/2]] + 14C\text{Log}[\text{Cos}[(c + dx)/2] + \text{Sin}[(c + dx)/2]] + C/(\text{Cos}[(c + dx)/2] - \text{Sin}[(c + dx)/2])^2 - C/(\text{Cos}[(c + dx)/2] + \text{Sin}[(c + dx)/2])^2 + 4B\text{Sin}[c + dx] + 4(B + 3C)\text{Tan}[c + dx])/(4d)$

Maple [A] time = 0.085, size = 144, normalized size = 1.3

$$\frac{Ba^3 \sin(dx + c)}{d} + a^3 Cx + \frac{Ca^3 c}{d} + 3a^3 Bx + 3 \frac{Ba^3 c}{d} + \frac{7a^3 C \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 3 \frac{Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^2*(a+a*sec(dx+c))^3*(B*sec(dx+c)+C*sec(dx+c)^2),x)`

[Out] $a^3 B \sin(dx + c)/d + a^3 Cx + 1/d Ca^3 c + 3a^3 Bx + 3/d Ba^3 c + 7/2/d a^3 C \ln(\sec(dx + c) + \tan(dx + c)) + 3/d Ba^3 \ln(\sec(dx + c) + \tan(dx + c)) + 3a^3 C \tan(dx + c)/d + 1/d Ba^3 \tan(dx + c) + 1/2/d a^3 C \sec(dx + c) \tan(dx + c)$

Maxima [A] time = 0.945402, size = 223, normalized size = 2.06

$$12(dx + c)Ba^3 + 4(dx + c)Ca^3 - Ca^3 \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 6Ba^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 6C \tan(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^2*(a+a*sec(dx+c))^3*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")`

[Out] $1/4(12(dx + c)Ba^3 + 4(dx + c)Ca^3 - Ca^3(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 6Ba^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 6C \tan(dx + c) + 4Ba^3 \sin(dx + c) + 4Ba^3 \tan(dx + c) + 12Ca^3 \tan(dx + c))/d$

Fricas [A] time = 0.568991, size = 342, normalized size = 3.17

$$\frac{4(3B + C)a^3 dx \cos(dx + c)^2 + (6B + 7C)a^3 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (6B + 7C)a^3 \cos(dx + c)^2 \log(-\sin(dx + c) + 1)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/4*(4*(3*B + C)*a^3*d*x*cos(d*x + c)^2 + (6*B + 7*C)*a^3*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (6*B + 7*C)*a^3*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(2*B*a^3*cos(d*x + c)^2 + 2*(B + 3*C)*a^3*cos(d*x + c) + C*a^3)*sin(d*x + c))/(d*cos(d*x + c)^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2),
x)
```

```
[Out] Timed out
```

Giac [A] time = 1.21921, size = 259, normalized size = 2.4

$$\frac{4Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 2(3Ba^3 + Ca^3)(dx + c) + (6Ba^3 + 7Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (6Ba^3 + 7Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] 1/2*(4*B*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 2*(3*B*a^3 + C*a^3)*(d*x + c) + (6*B*a^3 + 7*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (6*B*a^3 + 7*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 5*C*a^3*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^3*tan(1/2*d*x + 1/2*c) - 7*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d
```

3.327 $\int \cos^3(c+dx)(a+a \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=117

$$\frac{a^3(B+3C) \tanh^{-1}(\sin(c+dx))}{d} - \frac{(B-2C) \sin(c+dx) (a^3 \sec(c+dx) + a^3)}{2d} + \frac{5a^3 B \sin(c+dx)}{2d} + \frac{1}{2} a^3 x (7B+6C) + \dots$$

[Out] (a^3*(7*B + 6*C)*x)/2 + (a^3*(B + 3*C)*ArcTanh[Sin[c + d*x]])/d + (5*a^3*B*Sin[c + d*x])/(2*d) + (a*B*Cos[c + d*x]*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((B - 2*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.334513, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4017, 4018, 3996, 3770}

$$\frac{a^3(B+3C) \tanh^{-1}(\sin(c+dx))}{d} - \frac{(B-2C) \sin(c+dx) (a^3 \sec(c+dx) + a^3)}{2d} + \frac{5a^3 B \sin(c+dx)}{2d} + \frac{1}{2} a^3 x (7B+6C) + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(7*B + 6*C)*x)/2 + (a^3*(B + 3*C)*ArcTanh[Sin[c + d*x]])/d + (5*a^3*B*Sin[c + d*x])/(2*d) + (a*B*Cos[c + d*x]*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((B - 2*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + a \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)(a + a \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\
 &= \frac{aB \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
 &= \frac{aB \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
 &= \frac{5a^3B \sin(c + dx)}{2d} + \frac{aB \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
 &= \frac{1}{2}a^3(7B + 6C)x + \frac{5a^3B \sin(c + dx)}{2d} + \frac{aB \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
 &= \frac{1}{2}a^3(7B + 6C)x + \frac{a^3(B + 3C) \tanh^{-1}(\sin(c + dx))}{d}
 \end{aligned}$$

Mathematica [B] time = 1.68187, size = 272, normalized size = 2.32

$$\frac{1}{32}a^3(\cos(c+dx)+1)^3\sec^6\left(\frac{1}{2}(c+dx)\right)\left(\frac{4(3B+C)\sin(c)\cos(dx)}{d}+\frac{4(3B+C)\cos(c)\sin(dx)}{d}-\frac{4(B+3C)\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)}{d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(1 + Cos[c + d*x])^3*Sec[(c + d*x)/2]^6*(2*(7*B + 6*C)*x - (4*(B + 3*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (4*(B + 3*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*(3*B + C)*Cos[d*x]*Sin[c])/d + (B*Cos[2*d*x]*Sin[2*c])/d + (4*(3*B + C)*Cos[c]*Sin[d*x])/d + (B*Cos[2*c]*Sin[2*d*x])/d + (4*C*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (4*C*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/32

Maple [A] time = 0.079, size = 145, normalized size = 1.2

$$\frac{Ba^3 \sin(dx+c) \cos(dx+c)}{2d} + \frac{7a^3 Bx}{2} + \frac{7Ba^3 c}{2d} + \frac{a^3 C \sin(dx+c)}{d} + 3 \frac{Ba^3 \sin(dx+c)}{d} + 3a^3 Cx + 3 \frac{Ca^3 c}{d} + 3 \frac{a^3 C \ln(\sec(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/2/d*B*a^3*sin(d*x+c)*cos(d*x+c)+7/2*a^3*B*x+7/2/d*B*a^3*c+a^3*C*sin(d*x+c)/d+3*a^3*B*sin(d*x+c)/d+3*a^3*C*x+3/d*C*a^3*c+3/d*a^3*C*ln(sec(d*x+c))+tan(d*x+c))+1/d*B*a^3*ln(sec(d*x+c))+tan(d*x+c))+a^3*C*tan(d*x+c)/d

Maxima [A] time = 0.94463, size = 189, normalized size = 1.62

$$\frac{(2dx+2c+\sin(2dx+2c))Ba^3+12(dx+c)Ba^3+12(dx+c)Ca^3+2Ba^3(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")

[Out] $\frac{1}{4} \left((2dx + 2c + \sin(2dx + 2c)) B a^3 + 12(dx + c) B a^3 + 12(dx + c) C a^3 + 2B a^3 (\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 6C a^3 (\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 12B a^3 \sin(dx + c) + 4C a^3 \sin(dx + c) + 4C a^3 \tan(dx + c) \right) / d$

Fricas [A] time = 0.559321, size = 323, normalized size = 2.76

$$\frac{(7B + 6C)a^3 dx \cos(dx + c) + (B + 3C)a^3 \cos(dx + c) \log(\sin(dx + c) + 1) - (B + 3C)a^3 \cos(dx + c) \log(-\sin(dx + c))}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")

[Out] $\frac{1}{2} \left((7B + 6C) a^3 dx \cos(dx + c) + (B + 3C) a^3 \cos(dx + c) \log(\sin(dx + c) + 1) - (B + 3C) a^3 \cos(dx + c) \log(-\sin(dx + c) + 1) + (B a^3 \cos(dx + c)^2 + 2(3B + C) a^3 \cos(dx + c) + 2C a^3) \sin(dx + c) \right) / (d \cos(dx + c))$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2),
x)

[Out] Timed out

Giac [A] time = 1.21781, size = 259, normalized size = 2.21

$$\frac{4Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - (7Ba^3 + 6Ca^3)(dx + c) - 2(Ba^3 + 3Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 2(Ba^3 + 3Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out]
$$-1/2*(4*C*a^3*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) - (7*B*a^3 + 6*C*a^3)*(d*x + c) - 2*(B*a^3 + 3*C*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + 2*(B*a^3 + 3*C*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(5*B*a^3*\tan(1/2*d*x + 1/2*c)^3 + 2*C*a^3*\tan(1/2*d*x + 1/2*c)^3 + 7*B*a^3*\tan(1/2*d*x + 1/2*c) + 2*C*a^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d$$

3.328 $\int \cos^4(c+dx)(a+a \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=125

$$\frac{5a^3(B+C)\sin(c+dx)}{2d} + \frac{(5B+3C)\sin(c+dx)\cos(c+dx)(a^3\sec(c+dx)+a^3)}{6d} + \frac{1}{2}a^3x(5B+7C) + \frac{a^3C \tanh^{-1}(\sin(c+dx))}{d}$$

[Out] (a^3*(5*B + 7*C)*x)/2 + (a^3*C*ArcTanh[Sin[c + d*x]])/d + (5*a^3*(B + C)*Sin[c + d*x])/(2*d) + (a*B*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d) + ((5*B + 3*C)*Cos[c + d*x]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(6*d)

Rubi [A] time = 0.339268, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {4072, 4017, 3996, 3770}

$$\frac{5a^3(B+C)\sin(c+dx)}{2d} + \frac{(5B+3C)\sin(c+dx)\cos(c+dx)(a^3\sec(c+dx)+a^3)}{6d} + \frac{1}{2}a^3x(5B+7C) + \frac{a^3C \tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(5*B + 7*C)*x)/2 + (a^3*C*ArcTanh[Sin[c + d*x]])/d + (5*a^3*(B + C)*Sin[c + d*x])/(2*d) + (a*B*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d) + ((5*B + 3*C)*Cos[c + d*x]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(6*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_., x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis

```
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
;/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^3(c + dx)(a + a \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{aB \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{5a^3(B + C) \sin(c + dx)}{2d} + \frac{aB \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^3(5B + 7C)x + \frac{5a^3(B + C) \sin(c + dx)}{2d} + \frac{aB \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^3(5B + 7C)x + \frac{a^3C \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.249272, size = 113, normalized size = 0.9

$$\frac{a^3 \left(9(5B + 4C) \sin(c + dx) + 3(3B + C) \sin(2(c + dx)) + B \sin(3(c + dx)) + 30Bdx - 12C \log \left(\cos \left(\frac{1}{2}(c + dx) \right) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(30*B*d*x + 42*C*d*x - 12*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*(5*B + 4*C)*Sin[c + d*x] + 3*(3*B + C)*Sin[2*(c + d*x)] + B*Sin[3*(c + d*x)]))/(12*d)

Maple [A] time = 0.088, size = 153, normalized size = 1.2

$$\frac{B(\cos(dx+c))^2 \sin(dx+c) a^3}{3d} + \frac{11 Ba^3 \sin(dx+c)}{3d} + \frac{a^3 C \sin(dx+c) \cos(dx+c)}{2d} + \frac{7 a^3 C x}{2} + \frac{7 a^3 C c}{2d} + \frac{3 Ba^3 \sin(dx+c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/3/d*B*cos(d*x+c)^2*sin(d*x+c)*a^3+11/3*a^3*B*sin(d*x+c)/d+1/2/d*a^3*C*sin(d*x+c)*cos(d*x+c)+7/2*a^3*C*x+7/2/d*C*a^3*c+3/2/d*B*a^3*sin(d*x+c)*cos(d*x+c)+5/2*a^3*B*x+5/2/d*B*a^3*c+3*a^3*C*sin(d*x+c)/d+1/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.948515, size = 200, normalized size = 1.6

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Ba^3 - 9(2dx+2c+\sin(2dx+2c))Ba^3 - 12(dx+c)Ba^3 - 3(2dx+2c+\sin(2dx+2c))C*a^3 - 36(dx+c)*C*a^3 - 6*C*a^3*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 36*B*a^3*\sin(dx+c) - 36*C*a^3*\sin(dx+c))/d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 - 9*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^3 - 12*(d*x + c)*B*a^3 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^3 - 36*(d*x + c)*C*a^3 - 6*C*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 36*B*a^3*sin(d*x + c) - 36*C*a^3*sin(d*x + c))/d

Fricas [A] time = 0.530216, size = 254, normalized size = 2.03

$$\frac{3(5B + 7C)a^3 dx + 3Ca^3 \log(\sin(dx + c) + 1) - 3Ca^3 \log(-\sin(dx + c) + 1) + (2Ba^3 \cos(dx + c)^2 + 3(3B + C)a^3 \cos(dx + c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/6*(3*(5*B + 7*C)*a^3*d*x + 3*C*a^3*log(sin(d*x + c) + 1) - 3*C*a^3*log(-sin(d*x + c) + 1) + (2*B*a^3*cos(d*x + c)^2 + 3*(3*B + C)*a^3*cos(d*x + c) + 2*(11*B + 9*C)*a^3)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.2378, size = 243, normalized size = 1.94

$$\frac{6Ca^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 6Ca^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(5Ba^3 + 7Ca^3)(dx + c) + \frac{2(15Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c))}{6d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/6*(6*C*a^3*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 6*C*a^3*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 3*(5*B*a^3 + 7*C*a^3)*(d*x + c) + 2*(15*B*a^3*tan(1/2*d

$$\begin{aligned} & *x + 1/2*c)^5 + 15*C*a^3*\tan(1/2*d*x + 1/2*c)^5 + 40*B*a^3*\tan(1/2*d*x + 1/ \\ & 2*c)^3 + 36*C*a^3*\tan(1/2*d*x + 1/2*c)^3 + 33*B*a^3*\tan(1/2*d*x + 1/2*c) + \\ & 21*C*a^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d \end{aligned}$$

3.329 $\int \cos^5(c+dx)(a+a \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=124

$$-\frac{a^3(3B+4C)\sin^3(c+dx)}{12d} + \frac{a^3(3B+4C)\sin(c+dx)}{d} + \frac{3a^3(3B+4C)\sin(c+dx)\cos(c+dx)}{8d} + \frac{5}{8}a^3x(3B+4C) + \frac{B \sin^2(c+dx)}{4d}$$

[Out] (5*a^3*(3*B + 4*C)*x)/8 + (a^3*(3*B + 4*C)*Sin[c + d*x])/d + (3*a^3*(3*B + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (B*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(4*d) - (a^3*(3*B + 4*C)*Sin[c + d*x]^3)/(12*d)

Rubi [A] time = 0.251688, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4013, 3791, 2637, 2635, 8, 2633}

$$-\frac{a^3(3B+4C)\sin^3(c+dx)}{12d} + \frac{a^3(3B+4C)\sin(c+dx)}{d} + \frac{3a^3(3B+4C)\sin(c+dx)\cos(c+dx)}{8d} + \frac{5}{8}a^3x(3B+4C) + \frac{B \sin^2(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (5*a^3*(3*B + 4*C)*x)/8 + (a^3*(3*B + 4*C)*Sin[c + d*x])/d + (3*a^3*(3*B + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (B*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(4*d) - (a^3*(3*B + 4*C)*Sin[c + d*x]^3)/(12*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^

$2 - b^2, 0]$ && $\text{EqQ}[m + n + 1, 0]$ && $\text{!LeQ}[m, -1]$

Rule 3791

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{\wedge}(m_.), x_Symbol] \text{ :> } \text{Int}[\text{ExpandTrig}[(a + b*\text{csc}[e + f*x])^{\wedge}m*(d*\text{csc}[e + f*x])^{\wedge}n, x], x] \text{ /; } \text{FreeQ}[\{a, b, d, e, f, m, n\}, x] \text{ \&\& } \text{EqQ}[a^2 - b^2, 0] \text{ \&\& } \text{IGtQ}[m, 0] \text{ \&\& } \text{RationalQ}[n]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } \text{Simp}[\sin[c + d*x]/d, x] \text{ /; } \text{FreeQ}[\{c, d\}, x]$

Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{\wedge}(n_.), x_Symbol] \text{ :> } -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\sin[c + d*x])^{\wedge}(n - 1))/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\sin[c + d*x])^{\wedge}(n - 2), x], x] \text{ /; } \text{FreeQ}[\{b, c, d\}, x] \text{ \&\& } \text{GtQ}[n, 1] \text{ \&\& } \text{IntegerQ}[2*n]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> } \text{Simp}[a*x, x] \text{ /; } \text{FreeQ}[a, x]$

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)]^{\wedge}(n_.), x_Symbol] \text{ :> } -\text{Dist}[d^{\wedge}(-1), \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{\wedge}((n - 1)/2), x], x], x, \text{Cos}[c + d*x]], x] \text{ /; } \text{FreeQ}[\{c, d\}, x] \text{ \&\& } \text{IGtQ}[(n - 1)/2, 0]$

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^4(c + dx)(a + a \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\
&= \frac{B \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{B \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{1}{4} a^3 (3B + 4C)x + \frac{B \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{1}{4} a^3 (3B + 4C)x + \frac{3a^3 (3B + 4C) \sin(c + dx)}{4d} \\
&= \frac{5}{8} a^3 (3B + 4C)x + \frac{a^3 (3B + 4C) \sin(c + dx)}{d} + \dots
\end{aligned}$$

Mathematica [A] time = 0.273803, size = 86, normalized size = 0.69

$$\frac{a^3(24(13B + 15C) \sin(c + dx) + 24(4B + 3C) \sin(2(c + dx)) + 24B \sin(3(c + dx)) + 3B \sin(4(c + dx)) + 180Bdx + 8C \sin^2(c + dx))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(180*B*d*x + 240*C*d*x + 24*(13*B + 15*C)*Sin[c + d*x] + 24*(4*B + 3*C)*Sin[2*(c + d*x)] + 24*B*Ssin[3*(c + d*x)] + 8*C*Ssin[3*(c + d*x)] + 3*B*Ssin[4*(c + d*x)]))/(96*d)

Maple [A] time = 0.089, size = 176, normalized size = 1.4

$$\frac{1}{d} \left(Ba^3 \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + Ba^3 (2 + (\cos(dx + c))^2) \sin(dx + c) + \frac{a^3 C}{2} (2 + \cos(dx + c))^2 \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(B*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+B*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a^3*C*(2+cos(d*x+c)^2)*sin(d*x+c)+3*B*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)

$3*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+3*a^3*C*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+B*a^3*\sin(d*x+c)+3*a^3*C*\sin(d*x+c)+a^3*C*(d*x+c)$

Maxima [A] time = 0.949358, size = 225, normalized size = 1.81

$$\frac{96(\sin(dx+c)^3 - 3\sin(dx+c))Ba^3 - 3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Ba^3 - 72(2dx + 2c + \sin(2dx + 2c))C*a^3 + 32(\sin(dx+c)^3 - 3\sin(dx+c))*C*a^3 - 72(2dx + 2c + \sin(2dx + 2c))*C*a^3 - 96(d*x + c)*C*a^3 - 96*B*a^3*\sin(d*x + c) - 288*C*a^3*\sin(d*x + c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out]
$$-1/96*(96*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a^3 - 3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^3 - 72*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^3 + 32*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*C*a^3 - 72*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a^3 - 96*(d*x + c)*C*a^3 - 96*B*a^3*\sin(d*x + c) - 288*C*a^3*\sin(d*x + c))/d$$

Fricas [A] time = 0.503874, size = 216, normalized size = 1.74

$$\frac{15(3B + 4C)a^3dx + (6Ba^3 \cos(dx + c)^3 + 8(3B + C)a^3 \cos(dx + c)^2 + 9(5B + 4C)a^3 \cos(dx + c) + 8(9B + 11C)a^3) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out]
$$1/24*(15*(3*B + 4*C)*a^3*d*x + (6*B*a^3*\cos(d*x + c)^3 + 8*(3*B + C)*a^3*\cos(d*x + c)^2 + 9*(5*B + 4*C)*a^3*\cos(d*x + c) + 8*(9*B + 11*C)*a^3*\sin(d*x + c)))/d$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.20704, size = 238, normalized size = 1.92

$$15 \left(3 B a^3 + 4 C a^3 \right) (d x + c) + \frac{2 \left(45 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^7 + 60 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^7 + 165 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 220 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 219 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 292 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 147 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 132 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \right)}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 + 1 \right)^4} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/24*(15*(3*B*a^3 + 4*C*a^3)*(d*x + c) + 2*(45*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 60*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 165*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 220*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 219*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 292*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 147*B*a^3*tan(1/2*d*x + 1/2*c) + 132*C*a^3*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4/d

3.330 $\int \cos^6(c+dx)(a+a \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=176

$$\frac{a^3(38B + 45C) \sin(c + dx)}{15d} + \frac{a^3(43B + 45C) \sin(c + dx) \cos^2(c + dx)}{60d} + \frac{a^3(13B + 15C) \sin(c + dx) \cos(c + dx)}{8d} + \frac{(7B + 5C) \sin^2(c + dx)}{20d}$$

[Out] (a^3*(13*B + 15*C)*x)/8 + (a^3*(38*B + 45*C)*Sin[c + d*x])/(15*d) + (a^3*(13*B + 15*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^3*(43*B + 45*C)*Cos[c + d*x]^2*Ssin[c + d*x])/(60*d) + (a*B*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d) + ((7*B + 5*C)*Cos[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(20*d)

Rubi [A] time = 0.446618, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^3(38B + 45C) \sin(c + dx)}{15d} + \frac{a^3(43B + 45C) \sin(c + dx) \cos^2(c + dx)}{60d} + \frac{a^3(13B + 15C) \sin(c + dx) \cos(c + dx)}{8d} + \frac{(7B + 5C) \sin^2(c + dx)}{20d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(13*B + 15*C)*x)/8 + (a^3*(38*B + 45*C)*Sin[c + d*x])/(15*d) + (a^3*(13*B + 15*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^3*(43*B + 45*C)*Cos[c + d*x]^2*Ssin[c + d*x])/(60*d) + (a*B*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d) + ((7*B + 5*C)*Cos[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(20*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^n_., x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rule 2637

```

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^6(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^5(c+dx)(a+a\sec(c+dx))^3(B+C\sec(c+dx))dx \\
&= \frac{aB\cos^4(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{5d} \\
&= \frac{aB\cos^4(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{5d} \\
&= \frac{a^3(43B+45C)\cos^2(c+dx)\sin(c+dx)}{60d} + \frac{aB\cos^4(c+dx)\sin(c+dx)}{5d} \\
&= \frac{a^3(43B+45C)\cos^2(c+dx)\sin(c+dx)}{60d} + \frac{aB\cos^4(c+dx)\sin(c+dx)}{5d} \\
&= \frac{a^3(38B+45C)\sin(c+dx)}{15d} + \frac{a^3(13B+15C)\cos^4(c+dx)\sin(c+dx)}{15d} \\
&= \frac{1}{8}a^3(13B+15C)x + \frac{a^3(38B+45C)\sin(c+dx)}{15d}
\end{aligned}$$

Mathematica [A] time = 0.429534, size = 108, normalized size = 0.61

$$\frac{a^3(60(23B+26C)\sin(c+dx) + 480(B+C)\sin(2(c+dx)) + 170B\sin(3(c+dx)) + 45B\sin(4(c+dx)) + 6B\sin(5(c+dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(780*B*c + 780*B*d*x + 900*C*d*x + 60*(23*B + 26*C)*Sin[c + d*x] + 480*(B + C)*Sin[2*(c + d*x)] + 170*B*Ssin[3*(c + d*x)] + 120*C*Ssin[3*(c + d*x)] + 45*B*Ssin[4*(c + d*x)] + 15*C*Ssin[4*(c + d*x)] + 6*B*Ssin[5*(c + d*x)]))/(480*d)

Maple [A] time = 0.104, size = 223, normalized size = 1.3

$$\frac{1}{d} \left(\frac{Ba^3 \sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^4 + \frac{4(\cos(dx+c))^2}{3} \right) + a^3 C \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3\cos(dx+c)}{2} \right) + \frac{3a^3 \cos^4(dx+c)}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)


```
[Out] 1/d*(1/5*B*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+a^3*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+3*B*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a^3*C*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+3*a^3*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^3*C*sin(d*x+c))
```

Maxima [A] time = 0.94315, size = 288, normalized size = 1.64

$$32 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Ba^3 - 480 \left(\sin(dx + c)^3 - 3 \sin(dx + c) \right) Ba^3 + 45 (12 dx + 12 c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")
```

```
[Out] 1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^3 -
480*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 + 45*(12*d*x + 12*c + sin(4*d*x
+ 4*c) + 8*sin(2*d*x + 2*c))*B*a^3 + 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*
B*a^3 - 480*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^3 + 15*(12*d*x + 12*c + s
in(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^3 + 360*(2*d*x + 2*c + sin(2*d*x
+ 2*c))*C*a^3 + 480*C*a^3*sin(d*x + c))/d
```

Fricas [A] time = 0.500791, size = 278, normalized size = 1.58

$$\frac{15(13B + 15C)a^3 dx + (24Ba^3 \cos(dx + c)^4 + 30(3B + C)a^3 \cos(dx + c)^3 + 8(19B + 15C)a^3 \cos(dx + c)^2 + 15(13B + 15C)a^3 \cos(dx + c) + 8(38B + 45C)a^3) \sin(dx + c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/120*(15*(13*B + 15*C))*a^3*d*x + (24*B*a^3*cos(d*x + c)^4 + 30*(3*B + C)*a
^3*cos(d*x + c)^3 + 8*(19*B + 15*C))*a^3*cos(d*x + c)^2 + 15*(13*B + 15*C)*a
^3*cos(d*x + c) + 8*(38*B + 45*C)*a^3)*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.20903, size = 284, normalized size = 1.61

$$15(13Ba^3 + 15Ca^3)(dx + c) + \frac{2\left(195Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 225Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 910Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 1050Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 1664Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1920Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1330Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 1830Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 765Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 735Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1)^5} / d$$

120 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/120*(15*(13*B*a^3 + 15*C*a^3)*(d*x + c) + 2*(195*B*a^3*tan(1/2*d*x + 1/2*c)^9 + 225*C*a^3*tan(1/2*d*x + 1/2*c)^9 + 910*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 1050*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 1664*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 1920*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 1330*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 1830*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 765*B*a^3*tan(1/2*d*x + 1/2*c) + 735*C*a^3*tan(1/2*d*x + 1/2*c)) / (tan(1/2*d*x + 1/2*c)^2 + 1)^5 / d

3.331 $\int \cos^7(c+dx)(a+a \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=201

$$-\frac{a^3(17B+19C)\sin^3(c+dx)}{15d} + \frac{a^3(17B+19C)\sin(c+dx)}{5d} + \frac{a^3(21B+22C)\sin(c+dx)\cos^3(c+dx)}{40d} + \frac{a^3(23B+26C)}{16d}$$

```
[Out] (a^3*(23*B + 26*C)*x)/16 + (a^3*(17*B + 19*C)*Sin[c + d*x])/(5*d) + (a^3*(2
3*B + 26*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^3*(21*B + 22*C)*Cos[c +
d*x]^3*Ssin[c + d*x])/(40*d) + (a*B*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*Si
n[c + d*x])/(6*d) + ((4*B + 3*C)*Cos[c + d*x]^4*(a^3 + a^3*Sec[c + d*x])*Si
n[c + d*x])/(15*d) - (a^3*(17*B + 19*C)*Sin[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.479243, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4017, 3996, 3787, 2633, 2635, 8}

$$-\frac{a^3(17B+19C)\sin^3(c+dx)}{15d} + \frac{a^3(17B+19C)\sin(c+dx)}{5d} + \frac{a^3(21B+22C)\sin(c+dx)\cos^3(c+dx)}{40d} + \frac{a^3(23B+26C)}{16d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^7*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^
2), x]
```

```
[Out] (a^3*(23*B + 26*C)*x)/16 + (a^3*(17*B + 19*C)*Sin[c + d*x])/(5*d) + (a^3*(2
3*B + 26*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^3*(21*B + 22*C)*Cos[c +
d*x]^3*Ssin[c + d*x])/(40*d) + (a*B*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*Si
n[c + d*x])/(6*d) + ((4*B + 3*C)*Cos[c + d*x]^4*(a^3 + a^3*Sec[c + d*x])*Si
n[c + d*x])/(15*d) - (a^3*(17*B + 19*C)*Sin[c + d*x]^3)/(15*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.
)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.
)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^7(c+dx)(a+a\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^6(c+dx)(a+a\sec(c+dx))^3(B+C\sec(c+dx))dx \\
&= \frac{aB\cos^5(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{6d} \\
&= \frac{aB\cos^5(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{6d} \\
&= \frac{a^3(21B+22C)\cos^3(c+dx)\sin(c+dx)}{40d} + \frac{aB\cos^5(c+dx)\sin(c+dx)}{6d} \\
&= \frac{a^3(21B+22C)\cos^3(c+dx)\sin(c+dx)}{40d} + \frac{aB\cos^5(c+dx)\sin(c+dx)}{6d} \\
&= \frac{a^3(23B+26C)\cos(c+dx)\sin(c+dx)}{16d} + \frac{a^3(17B+19C)\sin(c+dx)}{5d} \\
&= \frac{1}{16}a^3(23B+26C)x + \frac{a^3(17B+19C)\sin(c+dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 0.481165, size = 134, normalized size = 0.67

$$a^3(120(21B+23C)\sin(c+dx) + 15(63B+64C)\sin(2(c+dx)) + 380B\sin(3(c+dx)) + 135B\sin(4(c+dx)) + 36B\sin(5(c+dx)))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^7*(a + a*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(1380*B*c + 1380*B*d*x + 1560*C*d*x + 120*(21*B + 23*C)*Sin[c + d*x] + 15*(63*B + 64*C)*Sin[2*(c + d*x)] + 380*B*Sin[3*(c + d*x)] + 340*C*Sin[3*(c + d*x)] + 135*B*Sin[4*(c + d*x)] + 90*C*Sin[4*(c + d*x)] + 36*B*Sin[5*(c + d*x)] + 12*C*Sin[5*(c + d*x)] + 5*B*Sin[6*(c + d*x)]))/(960*d)

Maple [A] time = 0.105, size = 266, normalized size = 1.3

$$\frac{1}{d} \left(Ba^3 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{a^3C\sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^7*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] 1/d*(B*a^3*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+
5/16*d*x+5/16*c)+1/5*a^3*C*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+3
/5*B*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+3*a^3*C*(1/4*(cos(d
*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+3*B*a^3*(1/4*(cos(d*x+c)^
3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a^3*C*(2+cos(d*x+c)^2)*sin(d*x+
c)+1/3*B*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+a^3*C*(1/2*cos(d*x+c)*sin(d*x+c)+1
/2*d*x+1/2*c))
```

Maxima [A] time = 0.953253, size = 354, normalized size = 1.76

$$\frac{192(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Ba^3 - 5(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c))B^2a^3 - 320(\sin(dx+c)^3 - 3 \sin(dx+c))B^2a^3 + 90(12dx + 12c + \sin(4dx+4c) + 8 \sin(2dx+2c))B^2a^3 + 64(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))C^2a^3 - 960(\sin(dx+c)^3 - 3 \sin(dx+c))C^2a^3 + 90(12dx + 12c + \sin(4dx+4c) + 8 \sin(2dx+2c))C^2a^3 + 240(2dx+2c + \sin(2dx+2c))C^2a^3}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x,
algorithm="maxima")
```

```
[Out] 1/960*(192*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^3 -
5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*
x + 2*c))*B^2*a^3 - 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*B^2*a^3 + 90*(12*d*x
+ 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B^2*a^3 + 64*(3*sin(d*x + c)^
5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*C^2*a^3 - 960*(sin(d*x + c)^3 - 3*si
n(d*x + c))*C^2*a^3 + 90*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*
c))*C^2*a^3 + 240*(2*d*x + 2*c + sin(2*d*x + 2*c))*C^2*a^3)/d
```

Fricas [A] time = 0.512691, size = 332, normalized size = 1.65

$$\frac{15(23B + 26C)a^3dx + (40Ba^3 \cos(dx+c)^5 + 48(3B+C)a^3 \cos(dx+c)^4 + 10(23B+18C)a^3 \cos(dx+c)^3 + 16(17B+19C)a^3 \cos(dx+c)^2 + 15(23B+26C)a^3 \cos(dx+c) + 32(17B+19C)a^3}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x,
algorithm="fricas")
```

```
[Out] 1/240*(15*(23*B + 26*C)*a^3*d*x + (40*B*a^3*cos(d*x + c)^5 + 48*(3*B + C)*a
^3*cos(d*x + c)^4 + 10*(23*B + 18*C)*a^3*cos(d*x + c)^3 + 16*(17*B + 19*C)*
a^3*cos(d*x + c)^2 + 15*(23*B + 26*C)*a^3*cos(d*x + c) + 32*(17*B + 19*C)*a
```

$$^3) \cdot \sin(dx + c) / d$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**7*(a+a*sec(dx+c))**3*(B*sec(dx+c)+C*sec(dx+c)**2), x)

[Out] Timed out

Giac [A] time = 1.22676, size = 329, normalized size = 1.64

$$15 \left(23 B a^3 + 26 C a^3 \right) (dx + c) + \frac{2 \left(345 B a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^{11} + 390 C a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^{11} + 1955 B a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 + 2210 C a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 + 4554 B a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 5148 C a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 5814 B a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 5988 C a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 3165 B a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 4190 C a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 1575 B a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1530 C a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1 \right)^6} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^7*(a+a*sec(dx+c))^3*(B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="giac")

[Out] 1/240*(15*(23*B*a^3 + 26*C*a^3)*(dx + c) + 2*(345*B*a^3*tan(1/2*dx + 1/2*c)^11 + 390*C*a^3*tan(1/2*dx + 1/2*c)^11 + 1955*B*a^3*tan(1/2*dx + 1/2*c)^9 + 2210*C*a^3*tan(1/2*dx + 1/2*c)^9 + 4554*B*a^3*tan(1/2*dx + 1/2*c)^7 + 5148*C*a^3*tan(1/2*dx + 1/2*c)^7 + 5814*B*a^3*tan(1/2*dx + 1/2*c)^5 + 5988*C*a^3*tan(1/2*dx + 1/2*c)^5 + 3165*B*a^3*tan(1/2*dx + 1/2*c)^3 + 4190*C*a^3*tan(1/2*dx + 1/2*c)^3 + 1575*B*a^3*tan(1/2*dx + 1/2*c) + 1530*C*a^3*tan(1/2*dx + 1/2*c))/(tan(1/2*dx + 1/2*c)^2 + 1)^6/d

$$3.332 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=131

$$-\frac{(3B-4C)\tan^3(c+dx)}{3ad} - \frac{(3B-4C)\tan(c+dx)}{ad} + \frac{3(B-C)\tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(B-C)\tan(c+dx)\sec^3(c+dx)}{d(a \sec(c+dx)+a)} +$$

[Out] (3*(B - C)*ArcTanh[Sin[c + d*x]])/(2*a*d) - ((3*B - 4*C)*Tan[c + d*x])/(a*d) + (3*(B - C)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((3*B - 4*C)*Tan[c + d*x]^3)/(3*a*d)

Rubi [A] time = 0.253334, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4019, 3787, 3768, 3770, 3767}

$$-\frac{(3B-4C)\tan^3(c+dx)}{3ad} - \frac{(3B-4C)\tan(c+dx)}{ad} + \frac{3(B-C)\tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(B-C)\tan(c+dx)\sec^3(c+dx)}{d(a \sec(c+dx)+a)} +$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (3*(B - C)*ArcTanh[Sin[c + d*x]])/(2*a*d) - ((3*B - 4*C)*Tan[c + d*x])/(a*d) + (3*(B - C)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((3*B - 4*C)*Tan[c + d*x]^3)/(3*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b


```

- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rule 3767

```

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :=> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= \int \frac{\sec^4(c+dx)(B+C\sec(c+dx))}{a+a\sec(c+dx)} dx \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \sec^3(c+dx)(3a(B-C)-a^2)}{a^2} \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{d(a+a\sec(c+dx))} - \frac{(3B-4C)\int \sec^4(c+dx) dx}{a} + \\
&= \frac{3(B-C)\sec(c+dx)\tan(c+dx)}{2ad} + \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{d(a+a\sec(c+dx))} \\
&= \frac{3(B-C)\tanh^{-1}(\sin(c+dx))}{2ad} - \frac{(3B-4C)\tan(c+dx)}{ad} + \frac{3(B-C)}{ad}
\end{aligned}$$

Mathematica [B] time = 1.11916, size = 550, normalized size = 4.2

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sec^3(c+dx)\left(27(B-C)\cos\left(\frac{1}{2}(c+dx)\right)\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)-\log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{24ad(1+\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] -(Cos[(c + d*x)/2]*Sec[c + d*x]^3*(9*B*Cos[(5*(c + d*x))/2]*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 9*C*Cos[(5*(c + d*x))/2]*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 9*B*Cos[(7*(c + d*x))/2]*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 9*C*Cos[(7*(c + d*x))/2]*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 27*(B - C)*Cos[(c + d*x)/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 27*(B - C)*Cos[(3*(c + d*x))/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 9*B*Cos[(5*(c + d*x))/2]*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*C*Cos[(5*(c + d*x))/2]*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 9*B*Cos[(7*(c + d*x))/2]*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*C*Cos[(7*(c + d*x))/2]*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 12*B*Sin[(c + d*x)/2] + 18*B*Sin[(3*(c + d*x))/2] - 30*C*Sin[(3*(c + d*x))/2] - 6*B*Sin[(5*(c + d*x))/2] + 2*C*Sin[(5*(c + d*x))/2] + 12*B*Sin[(7*(c + d*x))/2] - 16*C*Sin[(7*(c + d*x))/2]))/(24*a*d*(1 + Cos[c + d*x]))

Maple [B] time = 0.062, size = 340, normalized size = 2.6

$$-\frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{3ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-3} - \frac{B}{2ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-2} + \frac{C}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)`

[Out]
$$-1/a/d*B*\tan(1/2*d*x+1/2*c)+1/a/d*C*\tan(1/2*d*x+1/2*c)-1/3/a/d*C/(\tan(1/2*d*x+1/2*c)+1)^3-1/2/a/d/(\tan(1/2*d*x+1/2*c)+1)^2*B+1/a/d/(\tan(1/2*d*x+1/2*c)+1)^2*C-3/2/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)*C+3/2/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)*B-5/2/a/d/(\tan(1/2*d*x+1/2*c)+1)*C+3/2/a/d/(\tan(1/2*d*x+1/2*c)+1)*B-1/3/a/d*C/(\tan(1/2*d*x+1/2*c)-1)^3-1/a/d/(\tan(1/2*d*x+1/2*c)-1)^2*C+1/2/a/d/(\tan(1/2*d*x+1/2*c)-1)^2*B+3/2/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*C-3/2/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*B-5/2/a/d/(\tan(1/2*d*x+1/2*c)-1)*C+3/2/a/d/(\tan(1/2*d*x+1/2*c)-1)*B$$

Maxima [B] time = 0.954362, size = 497, normalized size = 3.79

$$C \left(\frac{2 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a - \frac{3a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} - \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{6 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 3B \left(\frac{2 \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} \right)$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out]
$$1/6*(C*(2*(9*\sin(d*x + c)/(\cos(d*x + c) + 1) - 16*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 15*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a - 3*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 - a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6) - 9*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a + 9*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a + 6*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - 3*B*(2*(\sin(d*x + c)/(\cos(d*x + c) + 1) - 3*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a - 2*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) - 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a + 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a + 2*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d$$

Fricas [A] time = 0.519179, size = 417, normalized size = 3.18

$$\frac{9 \left((B - C) \cos(dx + c)^4 + (B - C) \cos(dx + c)^3 \right) \log(\sin(dx + c) + 1) - 9 \left((B - C) \cos(dx + c)^4 + (B - C) \cos(dx + c)^3 \right)}{12 \left(ad \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/12*(9*((B - C)*cos(d*x + c)^4 + (B - C)*cos(d*x + c)^3)*log(sin(d*x + c) + 1) - 9*((B - C)*cos(d*x + c)^4 + (B - C)*cos(d*x + c)^3)*log(-sin(d*x + c) + 1) - 2*(4*(3*B - 4*C)*cos(d*x + c)^3 + (3*B - 7*C)*cos(d*x + c)^2 - (3*B - C)*cos(d*x + c) - 2*C)*sin(d*x + c))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec^4(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(B*sec(c + d*x)**4/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.18516, size = 246, normalized size = 1.88

$$\frac{9(B-C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{9(B-C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} - \frac{6\left(B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{a} + \frac{2\left(9B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 15C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{6} \cdot (9 \cdot (B - C) \cdot \log(\abs{\tan(\frac{1}{2}d*x + \frac{1}{2}c) + 1}) / a - 9 \cdot (B - C) \cdot \log(\abs{\tan(\frac{1}{2}d*x + \frac{1}{2}c) - 1}) / a - 6 \cdot (B \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c) - C \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)) / a + 2 \cdot (9 \cdot B \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^5 - 15 \cdot C \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^5 - 12 \cdot B \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 + 16 \cdot C \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 + 3 \cdot B \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c) - 9 \cdot C \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)) / ((\tan(\frac{1}{2}d*x + \frac{1}{2}c)^2 - 1)^3 \cdot a)) / d$

$$3.333 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=108

$$\frac{2(B-C) \tan(c+dx)}{ad} - \frac{(2B-3C) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(B-C) \tan(c+dx) \sec^2(c+dx)}{d(a \sec(c+dx)+a)} - \frac{(2B-3C) \tan(c+dx) \sec(c+dx)}{2ad}$$

[Out] -((2*B - 3*C)*ArcTanh[Sin[c + d*x]])/(2*a*d) + (2*(B - C)*Tan[c + d*x])/(a*d) - ((2*B - 3*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.239867, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4019, 3787, 3767, 8, 3768, 3770}

$$\frac{2(B-C) \tan(c+dx)}{ad} - \frac{(2B-3C) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(B-C) \tan(c+dx) \sec^2(c+dx)}{d(a \sec(c+dx)+a)} - \frac{(2B-3C) \tan(c+dx) \sec(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] -((2*B - 3*C)*ArcTanh[Sin[c + d*x]])/(2*a*d) + (2*(B - C)*Tan[c + d*x])/(a*d) - ((2*B - 3*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(

```
d*Csc[e + f*x]^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :=> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= \int \frac{\sec^3(c+dx)(B+C\sec(c+dx))}{a+a\sec(c+dx)} dx \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \sec^2(c+dx)(2a(B-C)-a^2)}{a^2} \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{d(a+a\sec(c+dx))} - \frac{(2B-3C)\int \sec^3(c+dx) dx}{a} + \\
&= -\frac{(2B-3C)\sec(c+dx)\tan(c+dx)}{2ad} + \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{d(a+a\sec(c+dx))} \\
&= -\frac{(2B-3C)\tanh^{-1}(\sin(c+dx))}{2ad} + \frac{2(B-C)\tan(c+dx)}{ad} - \frac{(2B-3C)}{ad}
\end{aligned}$$

Mathematica [B] time = 0.664843, size = 383, normalized size = 3.55

$$\cos\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\left(2(2B-3C)\cos\left(\frac{1}{2}(c+dx)\right)\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)-\log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^2*(2*B*Cos[(5*(c + d*x))/2]*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 3*C*Cos[(5*(c + d*x))/2]*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*(2*B - 3*C)*Cos[(c + d*x)/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (2*B - 3*C)*Cos[(3*(c + d*x))/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 2*B*Cos[(5*(c + d*x))/2]*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 3*C*Cos[(5*(c + d*x))/2]*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*B*Sin[(c + d*x)/2] - 2*C*Sin[(c + d*x)/2] + 2*C*Sin[(3*(c + d*x))/2] + 4*B*Sin[(5*(c + d*x))/2] - 4*C*Sin[(5*(c + d*x))/2]))/(4*a*d*(1 + Cos[c + d*x]))

Maple [B] time = 0.054, size = 252, normalized size = 2.3

$$\frac{B}{ad}\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad}\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{2ad}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-2} + \frac{3C}{2ad}\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{B}{ad}\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c)),x)$

[Out] $\frac{1}{a} \frac{B \tan(\frac{1}{2}dx + \frac{1}{2}c) - 1}{d} - \frac{1}{a} \frac{C \tan(\frac{1}{2}dx + \frac{1}{2}c) - 1}{d} - \frac{1}{2} \frac{1}{a} \frac{d}{(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1)^2 C + 3/2} + \frac{3}{2} \frac{1}{a} \frac{d}{\ln(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1) * C - 1/a} - \frac{1}{a} \frac{d}{\ln(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1) * B + 3/2} + \frac{3}{2} \frac{1}{a} \frac{d}{(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1)^2 C + 3/2} + \frac{3}{2} \frac{1}{a} \frac{d}{(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) * C - 1/a} - \frac{1}{a} \frac{d}{(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) * B - 3/2} + \frac{3}{2} \frac{1}{a} \frac{d}{\ln(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) * C + 1/a} + \frac{1}{a} \frac{d}{\ln(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) * B}$

Maxima [B] time = 0.949285, size = 381, normalized size = 3.53

$$\frac{C \left(\frac{2 \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{2 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) + 2B \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c)),x, \text{algorithm}="maxima")$

[Out] $-\frac{1}{2} * \left(\frac{C * (2 * (\sin(dx+c) / (\cos(dx+c) + 1) - 3 * \sin(dx+c)^3 / (\cos(dx+c) + 1)^3))}{(a - 2 * a * \sin(dx+c)^2 / (\cos(dx+c) + 1)^2 + a * \sin(dx+c)^4 / (\cos(dx+c) + 1)^4)} - \frac{3 * \log(\sin(dx+c) / (\cos(dx+c) + 1) + 1)}{a} + \frac{3 * \log(\sin(dx+c) / (\cos(dx+c) + 1) - 1)}{a} + \frac{2 * \sin(dx+c)}{a * (\cos(dx+c) + 1)} \right) + 2 * B * \left(\frac{\log(\sin(dx+c) / (\cos(dx+c) + 1) + 1)}{a} - \frac{\log(\sin(dx+c) / (\cos(dx+c) + 1) - 1)}{a} - \frac{2 * \sin(dx+c)}{(a - a * \sin(dx+c)^2 / (\cos(dx+c) + 1)^2) * (\cos(dx+c) + 1)} - \frac{\sin(dx+c)}{a * (\cos(dx+c) + 1)} \right) / d$

Fricas [A] time = 0.513692, size = 386, normalized size = 3.57

$$\frac{\left((2B - 3C) \cos(dx+c)^3 + (2B - 3C) \cos(dx+c)^2 \right) \log(\sin(dx+c) + 1) - \left((2B - 3C) \cos(dx+c)^3 + (2B - 3C) \cos(dx+c)^2 \right) \log(\sin(dx+c) - 1)}{4 \left(ad \cos(dx+c)^3 + ad \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c)),x, \text{algorithm}="fricas")$

[Out]
$$-1/4*((2*B - 3*C)*\cos(d*x + c)^3 + (2*B - 3*C)*\cos(d*x + c)^2)*\log(\sin(d*x + c) + 1) - ((2*B - 3*C)*\cos(d*x + c)^3 + (2*B - 3*C)*\cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) - 2*(4*(B - C)*\cos(d*x + c)^2 + (2*B - C)*\cos(d*x + c) + C)*\sin(d*x + c)/(a*d*\cos(d*x + c)^3 + a*d*\cos(d*x + c)^2)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec^3(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)), x)`

[Out] `(Integral(B*sec(c + d*x)**3/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**4/(sec(c + d*x) + 1), x))/a`

Giac [A] time = 1.15507, size = 211, normalized size = 1.95

$$\frac{(2B-3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{(2B-3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{2\left(B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2\left(2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-3C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x, algorithm="giac")`

[Out]
$$-1/2*((2*B - 3*C)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a - (2*B - 3*C)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a - 2*(B*\tan(1/2*d*x + 1/2*c) - C*\tan(1/2*d*x + 1/2*c))/a + 2*(2*B*\tan(1/2*d*x + 1/2*c)^3 - 3*C*\tan(1/2*d*x + 1/2*c)^3 - 2*B*\tan(1/2*d*x + 1/2*c) + C*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*a))/d$$

$$3.334 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=62

$$\frac{(B-C) \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(B-C) \tan(c+dx)}{d(a \sec(c+dx)+a)} + \frac{C \tan(c+dx)}{ad}$$

[Out] ((B - C)*ArcTanh[Sin[c + d*x]])/(a*d) + (C*Tan[c + d*x])/(a*d) - ((B - C)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.165813, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 4008, 3787, 3770, 3767, 8}

$$\frac{(B-C) \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(B-C) \tan(c+dx)}{d(a \sec(c+dx)+a)} + \frac{C \tan(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] ((B - C)*ArcTanh[Sin[c + d*x]])/(a*d) + (C*Tan[c + d*x])/(a*d) - ((B - C)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A

*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^n_, x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= \int \frac{\sec^2(c + dx) (B + C \sec(c + dx))}{a + a \sec(c + dx)} dx \\
 &= -\frac{(B - C) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \sec(c + dx) (-a(B - C) - aC \sec(c + dx))}{a^2} \\
 &= -\frac{(B - C) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{(B - C) \int \sec(c + dx) dx}{a} + \frac{C \int \sec^2(c + dx) dx}{a} \\
 &= \frac{(B - C) \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(B - C) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{C \operatorname{Subst}(\int 1}{a} \\
 &= \frac{(B - C) \tanh^{-1}(\sin(c + dx))}{ad} + \frac{C \tan(c + dx)}{ad} - \frac{(B - C) \tan(c + dx)}{d(a + a \sec(c + dx))}
 \end{aligned}$$

Mathematica [B] time = 0.482103, size = 234, normalized size = 3.77

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(-2 \sin\left(\frac{1}{2}(c + dx)\right) (C - (B - 2C) \cos(c + dx)) + (B - C) \cos\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{ad(\cos(c + dx) + 1) \left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] -((Cos[(c + d*x)/2]*((B - C)*Cos[(c + d*x)/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (B - C)*Cos[(3*(c + d*x))/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 2*(C - (B - 2*C)*Cos[c + d*x])*Sin[(c + d*x)/2]))/(a*d*(1 + Cos[c + d*x])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))

Maple [B] time = 0.046, size = 163, normalized size = 2.6

$$-\frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-1} + \frac{B}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{C}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x)

[Out] -1/a/d*B*tan(1/2*d*x+1/2*c)+1/a/d*C*tan(1/2*d*x+1/2*c)-1/a/d/(tan(1/2*d*x+1/2*c)+1)*C+1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B-1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*C-1/a/d/(tan(1/2*d*x+1/2*c)-1)*C-1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B+1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*C

Maxima [B] time = 0.941696, size = 265, normalized size = 4.27

$$C \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a} - \frac{2 \sin(dx+c)}{\left(a - \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - B \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x, algo rithm="maxima")

[Out] -(C*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - 2*sin(d*x + c)/((a - a*sin(d*x + c)^2/(cos(d*x + c) + 1

)^2*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1))) - B*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d

Fricas [B] time = 0.505733, size = 319, normalized size = 5.15

$$\frac{\left((B - C) \cos(dx + c)^2 + (B - C) \cos(dx + c) \right) \log(\sin(dx + c) + 1) - \left((B - C) \cos(dx + c)^2 + (B - C) \cos(dx + c) \right) \log(-\sin(dx + c) + 1) - 2 \left((B - 2C) \cos(dx + c) - C \sin(dx + c) \right) / (a d \cos(dx + c)^2 + a d \cos(dx + c))}{2 \left(a d \cos(dx + c)^2 + a d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*((B - C)*cos(d*x + c)^2 + (B - C)*cos(d*x + c))*log(sin(d*x + c) + 1) - ((B - C)*cos(d*x + c)^2 + (B - C)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*((B - 2*C)*cos(d*x + c) - C)*sin(d*x + c)/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec^2(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(B*sec(c + d*x)**2/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.14993, size = 147, normalized size = 2.37

$$\frac{(B-C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{(B-C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} - \frac{B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} - \frac{2C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1} a$$

d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algo
rithm="giac")
```

```
[Out] ((B - C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - (B - C)*log(abs(tan(1/2*d*x
+ 1/2*c) - 1))/a - (B*tan(1/2*d*x + 1/2*c) - C*tan(1/2*d*x + 1/2*c))/a - 2
*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a))/d
```

$$3.335 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{a + a \sec(c+dx)} dx$$

Optimal. Leaf size=44

$$\frac{(B - C) \tan(c + dx)}{ad(\sec(c + dx) + 1)} + \frac{C \tanh^{-1}(\sin(c + dx))}{ad}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(a*d) + ((B - C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rubi [A] time = 0.0728113, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4050, 3770, 12, 3794}

$$\frac{(B - C) \tan(c + dx)}{ad(\sec(c + dx) + 1)} + \frac{C \tanh^{-1}(\sin(c + dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x]),x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(a*d) + ((B - C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rule 4050

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/ (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[C/b, Int[Csc[e
+ f*x], x], x] + Dist[1/b, Int[(A*b + (b*B - a*C)*Csc[e + f*x])/(a + b*Csc
[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```


Rule 3794

`Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]`

Rubi steps

$$\begin{aligned} \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{a + a \sec(c + dx)} dx &= \frac{\int \frac{(aB - aC) \sec(c + dx)}{a + a \sec(c + dx)} dx}{a} + \frac{C \int \sec(c + dx) dx}{a} \\ &= \frac{C \tanh^{-1}(\sin(c + dx))}{ad} + (B - C) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx \\ &= \frac{C \tanh^{-1}(\sin(c + dx))}{ad} + \frac{(B - C) \tan(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.184871, size = 106, normalized size = 2.41

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((B - C) \sin\left(\frac{1}{2}(c + dx)\right) + C \cos\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) \right)}{ad(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x]),x]

[Out] (2*Cos[(c + d*x)/2]*(C*Cos[(c + d*x)/2]*(-Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (B - C)*Sin[(c + d*x)/2))/(a*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.044, size = 78, normalized size = 1.8

$$\frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{C}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) - \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] $1/a/d*B*\tan(1/2*d*x+1/2*c)+1/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*C-1/a/d*C*\tan(1/2*d*x+1/2*c)$

Maxima [B] time = 0.932191, size = 134, normalized size = 3.05

$$\frac{C \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)+1}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)-1}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + \frac{B \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] $(C*(\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a - \log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) + B*\sin(d*x + c)/(a*(\cos(d*x + c) + 1)))/d$

Fricas [A] time = 0.495314, size = 197, normalized size = 4.48

$$\frac{(C \cos(dx + c) + C) \log(\sin(dx + c) + 1) - (C \cos(dx + c) + C) \log(-\sin(dx + c) + 1) + 2(B - C) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/2*((C*\cos(d*x + c) + C)*\log(\sin(d*x + c) + 1) - (C*\cos(d*x + c) + C)*\log(-\sin(d*x + c) + 1) + 2*(B - C)*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(B*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.14828, size = 95, normalized size = 2.16

$$\frac{\frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} + \frac{B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] (C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a + (B*tan(1/2*d*x + 1/2*c) - C*tan(1/2*d*x + 1/2*c))/a)/d

$$3.336 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=35

$$\frac{Bx}{a} - \frac{(B-C) \tan(c+dx)}{d(a \sec(c+dx)+a)}$$

[Out] (B*x)/a - ((B - C)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.131612, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {4072, 3919, 3794}

$$\frac{Bx}{a} - \frac{(B-C) \tan(c+dx)}{d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (B*x)/a - ((B - C)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}

, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= \int \frac{B + C \sec(c + dx)}{a + a \sec(c + dx)} dx \\ &= \frac{Bx}{a} - (B - C) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx \\ &= \frac{Bx}{a} - \frac{(B - C) \tan(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.130997, size = 72, normalized size = 2.06

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(B dx \cos\left(c + \frac{dx}{2}\right) + 2(C - B) \sin\left(\frac{dx}{2}\right) + B dx \cos\left(\frac{dx}{2}\right)\right)}{ad(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(B*d*x*Cos[(d*x)/2] + B*d*x*Cos[c + (d*x)/2] + 2*(-B + C)*Sin[(d*x)/2]))/(a*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.069, size = 56, normalized size = 1.6

$$-\frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{B \arctan(\tan(1/2 dx + c/2))}{ad} + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x)

[Out] -1/a/d*B*tan(1/2*d*x+1/2*c)+2/a/d*B*arctan(tan(1/2*d*x+1/2*c))+1/a/d*C*tan(1/2*d*x+1/2*c)

Maxima [B] time = 1.43019, size = 99, normalized size = 2.83

$$\frac{B \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + \frac{C \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorith="maxima")

[Out] (B*(2*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))) + C*sin(d*x + c)/(a*(cos(d*x + c) + 1)))/d

Fricas [A] time = 0.470496, size = 105, normalized size = 3.

$$\frac{Bdx \cos(dx + c) + Bdx - (B - C) \sin(dx + c)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorith="fricas")

[Out] (B*d*x*cos(d*x + c) + B*d*x - (B - C)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \cos(c+dx) \sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \cos(c+dx) \sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(B*cos(c + d*x)*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(C*cos(c + d*x)*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.14913, size = 59, normalized size = 1.69

$$\frac{\frac{(dx+c)B}{a} - \frac{B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)*B/a - (B*tan(1/2*d*x + 1/2*c) - C*tan(1/2*d*x + 1/2*c))/a)/d

$$3.337 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=60

$$\frac{(2B-C) \sin(c+dx)}{ad} - \frac{(B-C) \sin(c+dx)}{d(a \sec(c+dx)+a)} - \frac{x(B-C)}{a}$$

[Out] -(((B - C)*x)/a) + ((2*B - C)*Sin[c + d*x])/(a*d) - ((B - C)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.195895, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4020, 3787, 2637, 8}

$$\frac{(2B-C) \sin(c+dx)}{ad} - \frac{(B-C) \sin(c+dx)}{d(a \sec(c+dx)+a)} - \frac{x(B-C)}{a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] -(((B - C)*x)/a) + ((2*B - C)*Sin[c + d*x])/(a*d) - ((B - C)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0]

] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= \int \frac{\cos(c + dx)(B + C \sec(c + dx))}{a + a \sec(c + dx)} dx \\ &= -\frac{(B - C) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \cos(c + dx)(a(2B - C) - a(B - C) \sec(c + dx))}{a^2} \\ &= -\frac{(B - C) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(B - C) \int 1 dx}{a} + \frac{(2B - C) \int \cos(c + dx)}{a} \\ &= -\frac{(B - C)x}{a} + \frac{(2B - C) \sin(c + dx)}{ad} - \frac{(B - C) \sin(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [A] time = 0.342519, size = 76, normalized size = 1.27

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(\cos\left(\frac{1}{2}(c + dx)\right) (B \sin(c + dx) + dx(C - B)) + (B - C) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \right)}{ad(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (2*Cos[(c + d*x)/2]*((B - C)*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]*((-B + C)*d*x + B*SIN[c + d*x]))/(a*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.083, size = 108, normalized size = 1.8

$$\frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{B \tan(1/2 dx + c/2)}{ad(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{B \arctan(\tan(1/2 dx + c/2))}{ad} + 2 \frac{\arctan(\tan(1/2 dx + c/2))}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)`

[Out] `1/a/d*B*tan(1/2*d*x+1/2*c)-1/a/d*C*tan(1/2*d*x+1/2*c)+2/a/d*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-2/a/d*B*arctan(tan(1/2*d*x+1/2*c))+2/a/d*arctan(tan(1/2*d*x+1/2*c))*C`

Maxima [B] time = 1.4173, size = 193, normalized size = 3.22

$$\frac{B \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - C \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `-(B*(2*arctan(sin(d*x + c)/(cos(d*x + c) + 1)))/a - 2*sin(d*x + c)/((a + a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1)) - C*(2*arctan(sin(d*x + c)/(cos(d*x + c) + 1)))/a - sin(d*x + c)/(a*(cos(d*x + c) + 1)))/d`

Fricas [A] time = 0.475969, size = 149, normalized size = 2.48

$$\frac{(B - C)dx \cos(dx + c) + (B - C)dx - (B \cos(dx + c) + 2B - C) \sin(dx + c)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] -((B - C)*d*x*cos(d*x + c) + (B - C)*d*x - (B*cos(d*x + c) + 2*B - C)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \cos^2(c+dx) \sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \cos^2(c+dx) \sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(B*cos(c + d*x)**2*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(C*cos(c + d*x)**2*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.12124, size = 107, normalized size = 1.78

$$\frac{\frac{(dx+c)(B-C)}{a} - \frac{B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} - \frac{2 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 + 1} a}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] -((d*x + c)*(B - C)/a - (B*tan(1/2*d*x + 1/2*c) - C*tan(1/2*d*x + 1/2*c))/a - 2*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a))/d

$$3.338 \quad \int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=98

$$-\frac{2(B-C)\sin(c+dx)}{ad} + \frac{(3B-2C)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(B-C)\sin(c+dx)\cos(c+dx)}{d(a\sec(c+dx)+a)} + \frac{x(3B-2C)}{2a}$$

[Out] ((3*B - 2*C)*x)/(2*a) - (2*(B - C)*Sin[c + d*x])/(a*d) + ((3*B - 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((B - C)*Cos[c + d*x]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.231741, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4020, 3787, 2635, 8, 2637}

$$-\frac{2(B-C)\sin(c+dx)}{ad} + \frac{(3B-2C)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(B-C)\sin(c+dx)\cos(c+dx)}{d(a\sec(c+dx)+a)} + \frac{x(3B-2C)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] ((3*B - 2*C)*x)/(2*a) - (2*(B - C)*Sin[c + d*x])/(a*d) + ((3*B - 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((B - C)*Cos[c + d*x]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_., x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e

```

+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*cos[c + d*x
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 8

```

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

```

Rule 2637

```

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= \int \frac{\cos^2(c + dx) (B + C \sec(c + dx))}{a + a \sec(c + dx)} dx \\
&= -\frac{(B - C) \cos(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \cos^2(c + dx) (a(3B - 2C) - a^2)}{a^2} \\
&= -\frac{(B - C) \cos(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{(3B - 2C) \int \cos^2(c + dx) dx}{a} \\
&= -\frac{2(B - C) \sin(c + dx)}{ad} + \frac{(3B - 2C) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(B - C) \cos(c + dx) \sin(c + dx)}{ad} \\
&= \frac{(3B - 2C)x}{2a} - \frac{2(B - C) \sin(c + dx)}{ad} + \frac{(3B - 2C) \cos(c + dx) \sin(c + dx)}{2ad}
\end{aligned}$$

Mathematica [B] time = 0.409703, size = 197, normalized size = 2.01

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(4dx(3B - 2C) \cos\left(c + \frac{dx}{2}\right) - 4B \sin\left(c + \frac{dx}{2}\right) - 3B \sin\left(c + \frac{3dx}{2}\right) - 3B \sin\left(2c + \frac{3dx}{2}\right) + B \sin\left(2c + \frac{5dx}{2}\right)\right)}{8a^2 d^2 (1 + \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(4*(3*B - 2*C)*d*x*Cos[(d*x)/2] + 4*(3*B - 2*C)*d*x*Cos[c + (d*x)/2] - 20*B*Sin[(d*x)/2] + 20*C*Sin[(d*x)/2] - 4*B*Sin[c + (d*x)/2] + 4*C*Sin[c + (d*x)/2] - 3*B*Sin[c + (3*d*x)/2] + 4*C*Sin[c + (3*d*x)/2] - 3*B*Sin[2*c + (3*d*x)/2] + 4*C*Sin[2*c + (3*d*x)/2] + B*Sin[2*c + (5*d*x)/2] + B*Sin[3*c + (5*d*x)/2]))/(8*a*d*(1 + Cos[c + d*x]))

Maple [B] time = 0.093, size = 211, normalized size = 2.2

$$-\frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 3 \frac{(\tan(1/2 dx + c/2))^3 B}{ad (1 + (\tan(1/2 dx + c/2))^2)^2} + 2 \frac{C (\tan(1/2 dx + c/2))^3}{ad (1 + (\tan(1/2 dx + c/2))^2)^2} - \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] -1/a/d*B*tan(1/2*d*x+1/2*c)+1/a/d*C*tan(1/2*d*x+1/2*c)-3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*B+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*C-1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*B*tan(1/2*d*x+1/2*c)+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*C*tan(1/2*d*x+1/2*c)+3/a/d*B*arctan(tan(1/2*d*x+1/2*c))-2/a/d*arctan(tan(1/2*d*x+1/2*c))*C

Maxima [B] time = 1.4336, size = 304, normalized size = 3.1

$$\frac{B \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + C \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] $-(B*((\sin(dx + c)/(\cos(dx + c) + 1) + 3*\sin(dx + c)^3/(\cos(dx + c) + 1)^3)/(a + 2*a*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + a*\sin(dx + c)^4/(\cos(dx + c) + 1)^4) - 3*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a + \sin(dx + c)/(a*(\cos(dx + c) + 1))) + C*(2*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a - 2*\sin(dx + c)/((a + a*\sin(dx + c)^2/(\cos(dx + c) + 1)^2)*(\cos(dx + c) + 1)) - \sin(dx + c)/(a*(\cos(dx + c) + 1))))/d$

Fricas [A] time = 0.484015, size = 203, normalized size = 2.07

$$\frac{(3B - 2C)dx \cos(dx + c) + (3B - 2C)dx + (B \cos(dx + c)^2 - (B - 2C) \cos(dx + c) - 4B + 4C) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] $1/2*((3*B - 2*C)*d*x*\cos(dx + c) + (3*B - 2*C)*d*x + (B*\cos(dx + c)^2 - (B - 2*C)*\cos(dx + c) - 4*B + 4*C)*\sin(dx + c))/(a*d*\cos(dx + c) + a*d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.131, size = 166, normalized size = 1.69

$$\frac{(dx+c)(3B-2C)}{a} - \frac{2\left(B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{a} - \frac{2\left(3B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 2C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)^2 a}$$

$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*((d*x + c)*(3*B - 2*C)/a - 2*(B*tan(1/2*d*x + 1/2*c) - C*tan(1/2*d*x + 1/2*c))/a - 2*(3*B*tan(1/2*d*x + 1/2*c)^3 - 2*C*tan(1/2*d*x + 1/2*c)^3 + B*tan(1/2*d*x + 1/2*c) - 2*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a))/d
```


$$3.339 \quad \int \frac{\cos^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=122

$$-\frac{(4B-3C)\sin^3(c+dx)}{3ad} + \frac{(4B-3C)\sin(c+dx)}{ad} - \frac{3(B-C)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(B-C)\sin(c+dx)\cos^2(c+dx)}{d(a\sec(c+dx)+a)}$$

[Out] (-3*(B - C)*x)/(2*a) + ((4*B - 3*C)*Sin[c + d*x])/(a*d) - (3*(B - C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((B - C)*Cos[c + d*x]^2*Sin[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((4*B - 3*C)*Sin[c + d*x]^3)/(3*a*d)

Rubi [A] time = 0.241275, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4020, 3787, 2633, 2635, 8}

$$-\frac{(4B-3C)\sin^3(c+dx)}{3ad} + \frac{(4B-3C)\sin(c+dx)}{ad} - \frac{3(B-C)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(B-C)\sin(c+dx)\cos^2(c+dx)}{d(a\sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (-3*(B - C)*x)/(2*a) + ((4*B - 3*C)*Sin[c + d*x])/(a*d) - (3*(B - C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((B - C)*Cos[c + d*x]^2*Sin[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((4*B - 3*C)*Sin[c + d*x]^3)/(3*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e

+ f*x]]^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^n], x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^n), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^4(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= \int \frac{\cos^3(c + dx) (B + C \sec(c + dx))}{a + a \sec(c + dx)} dx \\
 &= -\frac{(B - C) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \cos^3(c + dx) (a(4B - 3C) - a^2)}{a^2} \\
 &= -\frac{(B - C) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{(4B - 3C) \int \cos^3(c + dx) dx}{a} \\
 &= -\frac{3(B - C) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(B - C) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} \\
 &= -\frac{3(B - C)x}{2a} + \frac{(4B - 3C) \sin(c + dx)}{ad} - \frac{3(B - C) \cos(c + dx) \sin(c + dx)}{2ad}
 \end{aligned}$$

Mathematica [B] time = 0.603744, size = 249, normalized size = 2.04

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-36dx(B-C)\cos\left(c+\frac{dx}{2}\right)+21B\sin\left(c+\frac{dx}{2}\right)+18B\sin\left(c+\frac{3dx}{2}\right)+18B\sin\left(2c+\frac{3dx}{2}\right)-2B\sin\left(3c+\frac{3dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-36*(B - C)*d*x*Cos[(d*x)/2] - 36*(B - C)*d*x*Cos[c + (d*x)/2] + 69*B*Sin[(d*x)/2] - 60*C*Sin[(d*x)/2] + 21*B*Sin[c + (d*x)/2] - 12*C*Sin[c + (d*x)/2] + 18*B*Sin[c + (3*d*x)/2] - 9*C*Sin[c + (3*d*x)/2] + 18*B*Sin[2*c + (3*d*x)/2] - 9*C*Sin[2*c + (3*d*x)/2] - 2*B*Sin[2*c + (5*d*x)/2] + 3*C*Sin[2*c + (5*d*x)/2] - 2*B*Sin[3*c + (5*d*x)/2] + 3*C*Sin[3*c + (5*d*x)/2] + B*Sin[3*c + (7*d*x)/2] + B*Sin[4*c + (7*d*x)/2]))/(24*a*d*(1 + Cos[c + d*x]))

Maple [B] time = 0.096, size = 281, normalized size = 2.3

$$\frac{B}{ad}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-\frac{C}{ad}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-3\frac{C(\tan(1/2dx+c/2))^5}{ad(1+(\tan(1/2dx+c/2))^2)^3}+5\frac{(\tan(1/2dx+c/2))^5B}{ad(1+(\tan(1/2dx+c/2))^2)^3}-4\frac{C(\tan(1/2dx+c/2))^5}{ad(1+(\tan(1/2dx+c/2))^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x)

[Out] 1/a/d*B*tan(1/2*d*x+1/2*c)-1/a/d*C*tan(1/2*d*x+1/2*c)-3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*C+5/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*B-4/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*C+16/3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*B-1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*C*tan(1/2*d*x+1/2*c)+3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)-3/a/d*B*arctan(tan(1/2*d*x+1/2*c))+3/a/d*arctan(tan(1/2*d*x+1/2*c))*C

Maxima [B] time = 1.43261, size = 419, normalized size = 3.43

$$\frac{B \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{9 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{3 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 3C \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/3*(B*((9*sin(d*x + c)/(cos(d*x + c) + 1) + 16*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 15*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a + 3*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + a*sin(d*x + c)^6/(cos(d*x + c) + 1)^6) - 9*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a + 3*sin(d*x + c)/(a*(cos(d*x + c) + 1))) - 3*C*((sin(d*x + c)/(cos(d*x + c) + 1) + 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a + 2*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) - 3*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a + sin(d*x + c)/(a*(cos(d*x + c) + 1)))/d

Fricas [A] time = 0.493189, size = 243, normalized size = 1.99

$$\frac{9(B-C)dx \cos(dx+c) + 9(B-C)dx - (2B \cos(dx+c)^3 - (B-3C) \cos(dx+c)^2 + (7B-3C) \cos(dx+c) + 16B - 12C) \sin(dx+c)}{6(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] -1/6*(9*(B-C)*d*x*cos(d*x + c) + 9*(B-C)*d*x - (2*B*cos(d*x + c)^3 - (B-3*C)*cos(d*x + c)^2 + (7*B-3*C)*cos(d*x + c) + 16*B - 12*C)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.15318, size = 204, normalized size = 1.67

$$\frac{9(dx+c)(B-C)}{a} - \frac{6\left(B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} - \frac{2\left(15B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-9C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+16B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-12C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right)^3} + \frac{9}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out]
$$-1/6*(9*(d*x + c)*(B - C)/a - 6*(B*\tan(1/2*d*x + 1/2*c) - C*\tan(1/2*d*x + 1/2*c))/a - 2*(15*B*\tan(1/2*d*x + 1/2*c)^5 - 9*C*\tan(1/2*d*x + 1/2*c)^5 + 16*B*\tan(1/2*d*x + 1/2*c)^3 - 12*C*\tan(1/2*d*x + 1/2*c)^3 + 9*B*\tan(1/2*d*x + 1/2*c) - 3*C*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a)/d$$

$$3.340 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=156

$$\frac{2(5B-8C)\tan(c+dx)}{3a^2d} - \frac{(4B-7C)\tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{(5B-8C)\tan(c+dx)\sec^2(c+dx)}{3a^2d(\sec(c+dx)+1)} - \frac{(4B-7C)\tan(c+dx)}{2a^2d}$$

[Out] -((4*B - 7*C)*ArcTanh[Sin[c + d*x]])/(2*a^2*d) + (2*(5*B - 8*C)*Tan[c + d*x])/((3*a^2*d) - ((4*B - 7*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a^2*d) + ((5*B - 8*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x]))) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.38068, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4019, 3787, 3767, 8, 3768, 3770}

$$\frac{2(5B-8C)\tan(c+dx)}{3a^2d} - \frac{(4B-7C)\tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{(5B-8C)\tan(c+dx)\sec^2(c+dx)}{3a^2d(\sec(c+dx)+1)} - \frac{(4B-7C)\tan(c+dx)}{2a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] -((4*B - 7*C)*ArcTanh[Sin[c + d*x]])/(2*a^2*d) + (2*(5*B - 8*C)*Tan[c + d*x])/((3*a^2*d) - ((4*B - 7*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a^2*d) + ((5*B - 8*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x]))) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m+1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b

```

- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3767

```

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :=> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]

```

Rule 8

```

Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= \int \frac{\sec^4(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \int \frac{\sec^3(c+dx)(3a(B-C)-a(2B-5C)\sec(c+dx))}{a+a\sec(c+dx)} dx \\
&= \frac{(5B-8C)\sec^2(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= \frac{(5B-8C)\sec^2(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= -\frac{(4B-7C)\sec(c+dx)\tan(c+dx)}{2a^2d} + \frac{(5B-8C)\sec^2(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} \\
&= -\frac{(4B-7C)\tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{2(5B-8C)\tan(c+dx)}{3a^2d} - \frac{(4B-7C)\tan(c+dx)}{3a^2d}
\end{aligned}$$

Mathematica [B] time = 1.48753, size = 379, normalized size = 2.43

$$\cos^4\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\left(-8(5B-8C)\tan^3\left(\frac{1}{2}(c+dx)\right)+(26B-44C)\tan\left(\frac{1}{2}(c+dx)\right)-64(B-C)\sin^8\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]^4*Sec[c + d*x]^2*(3*(4*B - 7*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 8*(B + 5*C)*Csc[c + d*x]^3*Sin[(c + d*x)/2]^4 - 64*(B - C)*Csc[c + d*x]^5*Sin[(c + d*x)/2]^8 - 128*C*Csc[c + d*x]^7*Sin[(c + d*x)/2]^12 + (26*B - 44*C)*Tan[(c + d*x)/2] - 6*(4*B - 7*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])*Tan[(c + d*x)/2]^2 - 8*(5*B - 8*C)*Tan[(c + d*x)/2]^3 + 3*(4*B - 7*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])*Tan[(c + d*x)/2]^4 + (14*B - 20*C + B*Sec[(c + d*x)/2]^2)*Tan[(c + d*x)/2]^5)/(6*a^2*d)

Maple [B] time = 0.066, size = 294, normalized size = 1.9

$$\frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{5B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{7C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^3*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x)$

[Out] $\frac{1}{6}d/a^2*\tan(1/2*d*x+1/2*c)^3*B-1/6/d/a^2*C*\tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*B*\tan(1/2*d*x+1/2*c)-7/2/d/a^2*C*\tan(1/2*d*x+1/2*c)-1/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*B+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*C-2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B+7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/2/d/a^2*C/(\tan(1/2*d*x+1/2*c)+1)^2-1/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*B+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*C+2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B-7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*C+1/2/d/a^2*C/(\tan(1/2*d*x+1/2*c)-1)^2$

Maxima [B] time = 0.963206, size = 454, normalized size = 2.91

$$\frac{C \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 - \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - B \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^3*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/6*(C*(6*(3*\sin(dx+c)/(\cos(dx+c)+1) - 5*\sin(dx+c)^3/(\cos(dx+c)+1)^3)/(a^2 - 2*a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + a^2*\sin(dx+c)^4/(\cos(dx+c)+1)^4) + (21*\sin(dx+c)/(\cos(dx+c)+1) + \sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2 - 21*\log(\sin(dx+c)/(\cos(dx+c)+1) + 1)/a^2 + 21*\log(\sin(dx+c)/(\cos(dx+c)+1) - 1)/a^2) - B*((15*\sin(dx+c)/(\cos(dx+c)+1) + \sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2 - 12*\log(\sin(dx+c)/(\cos(dx+c)+1) + 1)/a^2 + 12*\log(\sin(dx+c)/(\cos(dx+c)+1) - 1)/a^2 + 12*\sin(dx+c)/((a^2 - a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2)*(cos(dx+c)+1))))/d$

Fricas [A] time = 0.518364, size = 566, normalized size = 3.63

$$\frac{3((4B-7C)\cos(dx+c)^4 + 2(4B-7C)\cos(dx+c)^3 + (4B-7C)\cos(dx+c)^2)\log(\sin(dx+c)+1) - 3((4B-7C)\cos(dx+c)^4 + 2(4B-7C)\cos(dx+c)^3 + (4B-7C)\cos(dx+c)^2)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,
algorithm="fricas")

[Out]
$$-1/12*(3*((4*B - 7*C)*\cos(d*x + c)^4 + 2*(4*B - 7*C)*\cos(d*x + c)^3 + (4*B - 7*C)*\cos(d*x + c)^2)*\log(\sin(d*x + c) + 1) - 3*((4*B - 7*C)*\cos(d*x + c)^4 + 2*(4*B - 7*C)*\cos(d*x + c)^3 + (4*B - 7*C)*\cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) - 2*(4*(5*B - 8*C)*\cos(d*x + c)^3 + (28*B - 43*C)*\cos(d*x + c)^2 + 6*(B - C)*\cos(d*x + c) + 3*C)*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^4 + 2*a^2*d*\cos(d*x + c)^3 + a^2*d*\cos(d*x + c)^2)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec^4(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,
x)

[Out] (Integral(B*sec(c + d*x)**4/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.22009, size = 267, normalized size = 1.71

$$\frac{3(4B-7C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{3(4B-7C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} + \frac{6\left(2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-5C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+3C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,
algorithm="giac")

[Out]
$$-1/6*(3*(4*B - 7*C)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^2 - 3*(4*B - 7*C)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^2 + 6*(2*B*\tan(1/2*d*x + 1/2*c)^3 - 5*C*\tan(1/2*d*x + 1/2*c)^3 - 2*B*\tan(1/2*d*x + 1/2*c) + 3*C*\tan(1/2*d*x + 1/2*c))$$

$$\begin{aligned} & *c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^2) - (B*a^4*\tan(1/2*d*x + 1/2*c)^3 - \\ & C*a^4*\tan(1/2*d*x + 1/2*c)^3 + 15*B*a^4*\tan(1/2*d*x + 1/2*c) - 21*C*a^4*\tan \\ & n(1/2*d*x + 1/2*c))/a^6)/d \end{aligned}$$

$$3.341 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=108

$$-\frac{(B-4C) \tan(c+dx)}{3a^2d} + \frac{(B-2C) \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(B-2C) \tan(c+dx)}{a^2d(\sec(c+dx)+1)} + \frac{(B-C) \tan(c+dx) \sec^2(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] ((B - 2*C)*ArcTanh[Sin[c + d*x]])/(a^2*d) - ((B - 4*C)*Tan[c + d*x])/(3*a^2*d) - ((B - 2*C)*Tan[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.335695, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4019, 4008, 3787, 3770, 3767, 8}

$$-\frac{(B-4C) \tan(c+dx)}{3a^2d} + \frac{(B-2C) \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(B-2C) \tan(c+dx)}{a^2d(\sec(c+dx)+1)} + \frac{(B-C) \tan(c+dx) \sec^2(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] ((B - 2*C)*ArcTanh[Sin[c + d*x]])/(a^2*d) - ((B - 4*C)*Tan[c + d*x])/(3*a^2*d) - ((B - 2*C)*Tan[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(

$d \cdot \text{Csc}[e + f \cdot x]^{(n-1)} \cdot \text{Simp}[A \cdot (a \cdot d \cdot (n-1)) - B \cdot (b \cdot d \cdot (n-1)) - d \cdot (a \cdot B \cdot (m - n + 1) + A \cdot b \cdot (m + n)) \cdot \text{Csc}[e + f \cdot x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4008

$\text{Int}[\text{csc}[(e_.) + (f_.) \cdot (x_.)]^2 \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_.)] \cdot (b_.) + (a_.))^{(m_.)} \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_.)] \cdot (B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(A \cdot b - a \cdot B) \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m / (b \cdot f \cdot (2 \cdot m + 1)), x] + \text{Dist}[1 / (b^2 \cdot (2 \cdot m + 1)), \text{Int}[\text{Csc}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^{(m+1)} \cdot \text{Simp}[A \cdot b \cdot m - a \cdot B \cdot m + b \cdot B \cdot (2 \cdot m + 1) \cdot \text{Csc}[e + f \cdot x], x], x], x] /;$ FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.) \cdot (x_.)] \cdot (d_.))^{(n_.)} \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_.)] \cdot (b_.) + (a_.)), x_Symbol] :> \text{Dist}[a, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.) \cdot (x_.)], x_Symbol] :> -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d \cdot x]] / d, x] /;$ FreeQ[{c, d}, x]

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.) \cdot (x_.)]^{(n_.)}, x_Symbol] :> -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d \cdot x]], x] /;$ FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a \cdot x, x] /;$ FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= \int \frac{\sec^3(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \frac{\sec^2(c+dx)(2a(B-C)-a(B-4C)\sec(c+dx))}{a+a\sec(c+dx)} dx}{3a^2} \\
&= -\frac{(B-2C)\tan(c+dx)}{a^2d(1+\sec(c+dx))} + \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{\int \sec(c+dx) dx}{3a^2} \\
&= -\frac{(B-2C)\tan(c+dx)}{a^2d(1+\sec(c+dx))} + \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{(B-C)\sec(c+dx)}{3a^2} \\
&= \frac{(B-2C)\tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(B-2C)\tan(c+dx)}{a^2d(1+\sec(c+dx))} + \frac{(B-C)\sec(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= \frac{(B-2C)\tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(B-4C)\tan(c+dx)}{3a^2d} - \frac{(B-2C)\sec(c+dx)}{a^2d(1+\sec(c+dx))}
\end{aligned}$$

Mathematica [B] time = 1.04893, size = 245, normalized size = 2.27

$$\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\left((4B-7C)\tan^3\left(\frac{1}{2}(c+dx)\right)+(13C-4B)\tan\left(\frac{1}{2}(c+dx)\right)+16(B-C)\sin^8\left(\frac{1}{2}(c+dx)\right)\csc^5\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]^2*Sec[c + d*x]*(-3*(B - 2*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 4*(B - C)*Csc[c + d*x]^3*Sin[(c + d*x)/2]^4 + 16*(B - C)*Csc[c + d*x]^5*Sin[(c + d*x)/2]^8 + (-4*B + 13*C)*Tan[(c + d*x)/2] + 3*(B - 2*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])*Tan[(c + d*x)/2]^2 + (4*B - 7*C)*Tan[(c + d*x)/2]^3)/(3*a^2*d)

Maple [A] time = 0.053, size = 205, normalized size = 1.9

$$-\frac{B}{6da^2}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{C}{6da^2}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3-\frac{3B}{2da^2}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+\frac{5C}{2da^2}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+\frac{B}{da^2}\ln\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)`

[Out]
$$-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*B+1/6/d/a^2*C*\tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*B*\tan(1/2*d*x+1/2*c)+5/2/d/a^2*C*\tan(1/2*d*x+1/2*c)+1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B-2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*C-1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B+2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*C-1/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*C$$

Maxima [B] time = 0.953393, size = 329, normalized size = 3.05

$$C \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 - \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right) - B \left(\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)}{\cos(dx+c)}}{a^2} \right)$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")`

[Out]
$$1/6*(C*((15*\sin(d*x + c))/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2 + 12*\sin(d*x + c)/((a^2 - a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1))) - B*((9*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2))/d$$

Fricas [A] time = 0.504261, size = 501, normalized size = 4.64

$$3 \left((B - 2C) \cos(dx + c)^3 + 2(B - 2C) \cos(dx + c)^2 + (B - 2C) \cos(dx + c) \right) \log(\sin(dx + c) + 1) - 3 \left((B - 2C) \cos(dx + c) \right) \log(\sin(dx + c) - 1)$$

$6(a^2d \cos(dx + c) + 1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")`

[Out] $\frac{1}{6} * (3 * ((B - 2 * C) * \cos(dx + c))^3 + 2 * (B - 2 * C) * \cos(dx + c)^2 + (B - 2 * C) * \cos(dx + c)) * \log(\sin(dx + c) + 1) - 3 * ((B - 2 * C) * \cos(dx + c))^3 + 2 * (B - 2 * C) * \cos(dx + c)^2 + (B - 2 * C) * \cos(dx + c)) * \log(-\sin(dx + c) + 1) - 2 * (2 * (2 * B - 5 * C) * \cos(dx + c)^2 + (5 * B - 14 * C) * \cos(dx + c) - 3 * C) * \sin(dx + c) / (a^2 * d * \cos(dx + c)^3 + 2 * a^2 * d * \cos(dx + c)^2 + a^2 * d * \cos(dx + c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec^3(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)**2*(B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**2, x)`

[Out] `(Integral(B*sec(c + dx)**3/(sec(c + dx)**2 + 2*sec(c + dx) + 1), x) + Integral(C*sec(c + dx)**4/(sec(c + dx)**2 + 2*sec(c + dx) + 1), x))/a**2`

Giac [A] time = 1.18023, size = 204, normalized size = 1.89

$$\frac{6(B-2C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} - \frac{6(B-2C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} - \frac{12 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1} a^2 - \frac{Ba^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ca^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 9Ba^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^2,x, algorithm="giac")`

[Out] $\frac{1}{6} * (6 * (B - 2 * C) * \log(\text{abs}(\tan(1/2 * dx + 1/2 * c) + 1)) / a^2 - 6 * (B - 2 * C) * \log(\text{abs}(\tan(1/2 * dx + 1/2 * c) - 1)) / a^2 - 12 * C * \tan(1/2 * dx + 1/2 * c) / ((\tan(1/2 * dx + 1/2 * c)^2 - 1) * a^2) - (B * a^4 * \tan(1/2 * dx + 1/2 * c)^3 - C * a^4 * \tan(1/2 * dx + 1/2 * c)^3 + 9 * B * a^4 * \tan(1/2 * dx + 1/2 * c) - 15 * C * a^4 * \tan(1/2 * dx + 1/2 * c)) / a^6) / d$

$$3.342 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=79

$$\frac{(2B-5C) \tan(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{C \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(B-C) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^2*d) + ((2*B - 5*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((B - C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.233121, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4072, 4008, 3998, 3770, 3794}

$$\frac{(2B-5C) \tan(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{C \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(B-C) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^2*d) + ((2*B - 5*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((B - C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4008

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A

*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= \int \frac{\sec^2(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^2} dx \\ &= -\frac{(B-C)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{\int \frac{\sec(c+dx)(-2a(B-C)-3aC\sec(c+dx))}{a+a\sec(c+dx)} dx}{3a^2} \\ &= -\frac{(B-C)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{(2B-5C)\int \frac{\sec(c+dx)}{a+a\sec(c+dx)} dx}{3a} + \frac{C\int \sec(c+dx)}{a^2} \\ &= \frac{C\tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(B-C)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{(2B-5C)\tan(c+dx)}{3d(a^2+a^2\sec(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.758428, size = 106, normalized size = 1.34

$$\frac{(B-4C)\tan\left(\frac{1}{2}(c+dx)\right)+4(B-C)\sin^4\left(\frac{1}{2}(c+dx)\right)\csc^3(c+dx)+3C\left(\log\left(\sin\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)\right)\right)-\log(c)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (3*C*(-Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 4*(B - C)*Csc[c + d*x]^3*Sin[(c + d*x)/2]^4 + (B - 4*C)*Tan[(c + d*x)/2])/(3*a^2*d)

Maple [A] time = 0.049, size = 119, normalized size = 1.5

$$\frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{da^2} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] 1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*B-1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3+1/2/d/a^2*B*tan(1/2*d*x+1/2*c)-3/2/d/a^2*C*tan(1/2*d*x+1/2*c)-1/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*C+1/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*C

Maxima [A] time = 0.957943, size = 196, normalized size = 2.48

$$\frac{C \left(\frac{9 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - \frac{B \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] -1/6*(C*((9*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 6*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 6*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^2) - B*(3*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2)/d

Fricas [A] time = 0.502423, size = 338, normalized size = 4.28

$$\frac{3(C \cos(dx+c)^2 + 2C \cos(dx+c) + C) \log(\sin(dx+c) + 1) - 3(C \cos(dx+c)^2 + 2C \cos(dx+c) + C) \log(-\sin(dx+c) + 1)}{6(a^2 d \cos(dx+c)^2 + 2a^2 d \cos(dx+c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] 1/6*(3*(C*cos(d*x + c)^2 + 2*C*cos(d*x + c) + C)*log(sin(d*x + c) + 1) - 3*(C*cos(d*x + c)^2 + 2*C*cos(d*x + c) + C)*log(-sin(d*x + c) + 1) + 2*((B - 4*C)*cos(d*x + c) + 2*B - 5*C)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec^2(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(B*sec(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.16945, size = 151, normalized size = 1.91

$$\frac{6C \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^2} - \frac{6C \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^2} + \frac{Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 9Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

```
[Out] 1/6*(6*C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - 6*C*log(abs(tan(1/2*d*x +
1/2*c) - 1))/a^2 + (B*a^4*tan(1/2*d*x + 1/2*c)^3 - C*a^4*tan(1/2*d*x + 1/2
*c)^3 + 3*B*a^4*tan(1/2*d*x + 1/2*c) - 9*C*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d
```

$$3.343 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a + a \sec(c+dx))^2} dx$$

Optimal. Leaf size=62

$$\frac{(B + 2C) \tan(c + dx)}{3a^2 d (\sec(c + dx) + 1)} + \frac{(B - C) \tan(c + dx)}{3d (a \sec(c + dx) + a)^2}$$

[Out] ((B + 2*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((B - C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.073853, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {4052, 12, 3794}

$$\frac{(B + 2C) \tan(c + dx)}{3a^2 d (\sec(c + dx) + 1)} + \frac{(B - C) \tan(c + dx)}{3d (a \sec(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^2,x]

[Out] ((B + 2*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((B - C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}

, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^2} dx &= \frac{(B - C) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{a(B+2C) \sec(c+dx)}{a+a \sec(c+dx)} dx}{3a^2} \\ &= \frac{(B - C) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(B + 2C) \int \frac{\sec(c+dx)}{a+a \sec(c+dx)} dx}{3a} \\ &= \frac{(B - C) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(B + 2C) \tan(c + dx)}{3d(a^2 + a^2 \sec(c + dx))} \end{aligned}$$

Mathematica [A] time = 0.287011, size = 46, normalized size = 0.74

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \left((C - B) \sec^2\left(\frac{1}{2}(c + dx)\right) + 2(2B + C) \right)}{6a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^2,x]

[Out] ((2*(2*B + C) + (-B + C)*Sec[(c + d*x)/2]^2)*Tan[(c + d*x)/2])/(6*a^2*d)

Maple [A] time = 0.052, size = 60, normalized size = 1.

$$\frac{1}{2da^2} \left(-\frac{B}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + C \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] 1/2/d/a^2*(-1/3*tan(1/2*d*x+1/2*c)^3*B+1/3*C*tan(1/2*d*x+1/2*c)^3+B*tan(1/2*d*x+1/2*c)+C*tan(1/2*d*x+1/2*c))

Maxima [A] time = 0.947883, size = 126, normalized size = 2.03

$$\frac{C \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) + B \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2} \Bigg/ \frac{6d}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] 1/6*(C*(3*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 + B*(3*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2)/d

Fricas [A] time = 0.466989, size = 144, normalized size = 2.32

$$\frac{((2B + C) \cos(dx + c) + B + 2C) \sin(dx + c)}{3(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] 1/3*((2*B + C)*cos(d*x + c) + B + 2*C)*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(B*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.1259, size = 81, normalized size = 1.31

$$\frac{B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 3C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{6 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] -1/6*(B*tan(1/2*d*x + 1/2*c)^3 - C*tan(1/2*d*x + 1/2*c)^3 - 3*B*tan(1/2*d*x + 1/2*c) - 3*C*tan(1/2*d*x + 1/2*c))/(a^2*d)

$$3.344 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=70

$$-\frac{(4B-C) \tan(c+dx)}{3a^2 d(\sec(c+dx)+1)} + \frac{Bx}{a^2} - \frac{(B-C) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] (B*x)/a^2 - ((4*B - C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((B - C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.177613, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {4072, 3922, 3919, 3794}

$$-\frac{(4B-C) \tan(c+dx)}{3a^2 d(\sec(c+dx)+1)} + \frac{Bx}{a^2} - \frac{(B-C) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (B*x)/a^2 - ((4*B - C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((B - C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol]
:] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}
, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx &= \int \frac{B+C \sec(c+dx)}{(a+a \sec(c+dx))^2} dx \\ &= -\frac{(B-C) \tan(c+dx)}{3d(a+a \sec(c+dx))^2} - \frac{\int \frac{-3aB+a(B-C) \sec(c+dx)}{a+a \sec(c+dx)} dx}{3a^2} \\ &= \frac{Bx}{a^2} - \frac{(B-C) \tan(c+dx)}{3d(a+a \sec(c+dx))^2} - \frac{(4B-C) \int \frac{\sec(c+dx)}{a+a \sec(c+dx)} dx}{3a} \\ &= \frac{Bx}{a^2} - \frac{(B-C) \tan(c+dx)}{3d(a+a \sec(c+dx))^2} - \frac{(4B-C) \tan(c+dx)}{3d(a^2+a^2 \sec(c+dx))} \end{aligned}$$

Mathematica [B] time = 0.394118, size = 153, normalized size = 2.19

$$\frac{\sec\left(\frac{c}{2}\right) \sec^3\left(\frac{1}{2}(c+dx)\right) \left(12B \sin\left(c+\frac{dx}{2}\right) - 10B \sin\left(c+\frac{3dx}{2}\right) + 9Bdx \cos\left(c+\frac{dx}{2}\right) + 3Bdx \cos\left(c+\frac{3dx}{2}\right) + 3Bdx \cos\left(2c+\frac{3dx}{2}\right)\right)}{24a^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c +
d*x])^2, x]
```

```
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^3*(9*B*d*x*Cos[(d*x)/2] + 9*B*d*x*Cos[c + (d*x)/
2] + 3*B*d*x*Cos[c + (3*d*x)/2] + 3*B*d*x*Cos[2*c + (3*d*x)/2] - 18*B*Sin[(
d*x)/2] + 6*C*Sin[(d*x)/2] + 12*B*Sin[c + (d*x)/2] - 6*C*Sin[c + (d*x)/2] -
10*B*Sin[c + (3*d*x)/2] + 4*C*Sin[c + (3*d*x)/2]))/(24*a^2*d)
```

Maple [A] time = 0.079, size = 97, normalized size = 1.4

$$\frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{3B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{B \arctan\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] 1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*B-1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*B*tan(1/2*d*x+1/2*c)+1/2/d/a^2*C*tan(1/2*d*x+1/2*c)+2/d/a^2*B*arctan(tan(1/2*d*x+1/2*c))

Maxima [A] time = 1.43539, size = 162, normalized size = 2.31

$$\frac{B \left(\frac{9 \sin(dx+c) - \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - \frac{C \left(\frac{3 \sin(dx+c) - \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] -1/6*(B*((9*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 12*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^2) - C*(3*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2)/d

Fricas [A] time = 0.480935, size = 228, normalized size = 3.26

$$\frac{3Bdx \cos(dx+c)^2 + 6Bdx \cos(dx+c) + 3Bdx - ((5B-2C) \cos(dx+c) + 4B-C) \sin(dx+c)}{3(a^2d \cos(dx+c)^2 + 2a^2d \cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{3} \cdot (3 \cdot B \cdot d \cdot x \cdot \cos(d \cdot x + c)^2 + 6 \cdot B \cdot d \cdot x \cdot \cos(d \cdot x + c) + 3 \cdot B \cdot d \cdot x - ((5 \cdot B - 2 \cdot C) \cdot \cos(d \cdot x + c) + 4 \cdot B - C) \cdot \sin(d \cdot x + c)) / (a^2 \cdot d \cdot \cos(d \cdot x + c)^2 + 2 \cdot a^2 \cdot d \cdot \cos(d \cdot x + c) + a^2 \cdot d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \cos(c+dx) \sec(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx + \int \frac{C \cos(c+dx) \sec^2(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)`

[Out] `(Integral(B*cos(c + d*x)*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*cos(c + d*x)*sec(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2`

Giac [A] time = 1.12187, size = 115, normalized size = 1.64

$$\frac{\frac{6(dx+c)B}{a^2} + \frac{Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 9Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")`

[Out] $\frac{1}{6} \cdot (6 \cdot (d \cdot x + c) \cdot B / a^2 + (B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 9 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 3 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / a^6) / d$

$$3.345 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=98

$$\frac{2(5B-2C) \sin(c+dx)}{3a^2d} - \frac{(2B-C) \sin(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{x(2B-C)}{a^2} - \frac{(B-C) \sin(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] -(((2*B - C)*x)/a^2) + (2*(5*B - 2*C)*Sin[c + d*x])/((3*a^2*d) - ((2*B - C)*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x]))) - ((B - C)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.315175, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4020, 3787, 2637, 8}

$$\frac{2(5B-2C) \sin(c+dx)}{3a^2d} - \frac{(2B-C) \sin(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{x(2B-C)}{a^2} - \frac{(B-C) \sin(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] -(((2*B - C)*x)/a^2) + (2*(5*B - 2*C)*Sin[c + d*x])/((3*a^2*d) - ((2*B - C)*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x]))) - ((B - C)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_., x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e

```

+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 2637

```

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

```

Rule 8

```

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^2} dx &= \int \frac{\cos(c + dx) (B + C \sec(c + dx))}{(a + a \sec(c + dx))^2} dx \\
&= -\frac{(B - C) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\cos(c + dx)(a(4B - C) - 2a(B - C) \sec(c + dx))}{a + a \sec(c + dx)} dx}{3a^2} \\
&= -\frac{(2B - C) \sin(c + dx)}{a^2 d (1 + \sec(c + dx))} - \frac{(B - C) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \cos(c + dx)}{3a^2} \\
&= -\frac{(2B - C) \sin(c + dx)}{a^2 d (1 + \sec(c + dx))} - \frac{(B - C) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(2(5B - 2C))}{3a^2} \\
&= -\frac{(2B - C)x}{a^2} + \frac{2(5B - 2C) \sin(c + dx)}{3a^2 d} - \frac{(2B - C) \sin(c + dx)}{a^2 d (1 + \sec(c + dx))} -
\end{aligned}$$

Mathematica [B] time = 0.609427, size = 245, normalized size = 2.5

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-18dx(2B - C) \cos\left(c + \frac{dx}{2}\right) - 30B \sin\left(c + \frac{dx}{2}\right) + 41B \sin\left(c + \frac{3dx}{2}\right) + 9B \sin\left(2c + \frac{3dx}{2}\right) + 3B \sin\left(2c + \frac{dx}{2}\right)\right)}{3a^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-18*(2*B - C)*d*x*Cos[(d*x)/2] - 18*(2*B - C)*d*x*Cos[c + (d*x)/2] - 12*B*d*x*Cos[c + (3*d*x)/2] + 6*C*d*x*Cos[c + (3*d*x)/2] - 12*B*d*x*Cos[2*c + (3*d*x)/2] + 6*C*d*x*Cos[2*c + (3*d*x)/2] + 66*B*Sin[(d*x)/2] - 36*C*Sin[(d*x)/2] - 30*B*Sin[c + (d*x)/2] + 24*C*Sin[c + (d*x)/2] + 41*B*Sin[c + (3*d*x)/2] - 20*C*Sin[c + (3*d*x)/2] + 9*B*Sin[2*c + (3*d*x)/2] + 3*B*Sin[2*c + (5*d*x)/2] + 3*B*Sin[3*c + (5*d*x)/2]))/(12*a^2*d*(1 + Cos[c + d*x])^2)

Maple [A] time = 0.086, size = 149, normalized size = 1.5

$$-\frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{5B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{B \tan(1/2 dx + c)}{da^2 (1 + (\tan(1/2 dx + c))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] -1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*B+1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*B*tan(1/2*d*x+1/2*c)-3/2/d/a^2*C*tan(1/2*d*x+1/2*c)+2/d/a^2*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-4/d/a^2*B*arctan(tan(1/2*d*x+1/2*c))+2/d/a^2*arctan(tan(1/2*d*x+1/2*c))*C

Maxima [B] time = 1.42961, size = 258, normalized size = 2.63

$$\frac{B \left(\frac{15 \sin(dx+c) - \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 + \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} \right) - C \left(\frac{9 \sin(dx+c) - \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] 1/6*(B*((15*sin(d*x + c))/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 24*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^2 + 12*sin(d*x +

$$c)/((a^2 + a^2 \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 * (\cos(dx + c) + 1))) - C * ((9 * \sin(dx + c) / (\cos(dx + c) + 1) - \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2 - 12 * \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^2) / d$$

Fricas [A] time = 0.521093, size = 296, normalized size = 3.02

$$\frac{3(2B - C)dx \cos(dx + c)^2 + 6(2B - C)dx \cos(dx + c) + 3(2B - C)dx - (3B \cos(dx + c)^2 + (14B - 5C) \cos(dx + c))}{3(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^2,x,
algorithm="fricas")

[Out] -1/3*(3*(2*B - C)*d*x*cos(dx + c)^2 + 6*(2*B - C)*d*x*cos(dx + c) + 3*(2*B - C)*d*x - (3*B*cos(dx + c)^2 + (14*B - 5*C)*cos(dx + c) + 10*B - 4*C)*sin(dx + c))/(a^2*d*cos(dx + c)^2 + 2*a^2*d*cos(dx + c) + a^2*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**2,
x)

[Out] Timed out

Giac [A] time = 1.15623, size = 163, normalized size = 1.66

$$\frac{6(dx+c)(2B-C)}{a^2} - \frac{12B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)a^2} + \frac{Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 9Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}$$

$$6d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,  
algorithm="giac")
```

```
[Out] -1/6*(6*(d*x + c)*(2*B - C)/a^2 - 12*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x +  
1/2*c)^2 + 1)*a^2) + (B*a^4*tan(1/2*d*x + 1/2*c)^3 - C*a^4*tan(1/2*d*x + 1  
/2*c)^3 - 15*B*a^4*tan(1/2*d*x + 1/2*c) + 9*C*a^4*tan(1/2*d*x + 1/2*c))/a^6  
) / d
```

$$3.346 \quad \int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=143

$$-\frac{2(8B-5C)\sin(c+dx)}{3a^2d} + \frac{(7B-4C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(8B-5C)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{x(7B-4C)}{2a^2} - \frac{(B-C)\cos(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2}$$

[Out] ((7*B - 4*C)*x)/(2*a^2) - (2*(8*B - 5*C)*Sin[c + d*x])/(3*a^2*d) + ((7*B - 4*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((8*B - 5*C)*Cos[c + d*x]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((B - C)*Cos[c + d*x]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.377956, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4020, 3787, 2635, 8, 2637}

$$-\frac{2(8B-5C)\sin(c+dx)}{3a^2d} + \frac{(7B-4C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(8B-5C)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{x(7B-4C)}{2a^2} - \frac{(B-C)\cos(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] ((7*B - 4*C)*x)/(2*a^2) - (2*(8*B - 5*C)*Sin[c + d*x])/(3*a^2*d) + ((7*B - 4*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((8*B - 5*C)*Cos[c + d*x]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((B - C)*Cos[c + d*x]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b

```
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx &= \int \frac{\cos^2(c+dx)(B+C \sec(c+dx))}{(a+a \sec(c+dx))^2} dx \\
&= -\frac{(B-C) \cos(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} + \int \frac{\cos^2(c+dx)(a(5B-2C)-3a(B-C) \sec(c+dx))}{a+a \sec(c+dx)} dx \\
&= -\frac{(8B-5C) \cos(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(B-C) \cos(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} \\
&= -\frac{(8B-5C) \cos(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(B-C) \cos(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} \\
&= -\frac{2(8B-5C) \sin(c+dx)}{3a^2d} + \frac{(7B-4C) \cos(c+dx) \sin(c+dx)}{2a^2d} \\
&= \frac{(7B-4C)x}{2a^2} - \frac{2(8B-5C) \sin(c+dx)}{3a^2d} + \frac{(7B-4C) \cos(c+dx) \sin(c+dx)}{2a^2d}
\end{aligned}$$

Mathematica [B] time = 0.754213, size = 315, normalized size = 2.2

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left(36dx(7B-4C) \cos\left(c+\frac{dx}{2}\right) + 147B \sin\left(c+\frac{dx}{2}\right) - 239B \sin\left(c+\frac{3dx}{2}\right) - 63B \sin\left(2c+\frac{3dx}{2}\right) - 15\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(36*(7*B - 4*C)*d*x*Cos[(d*x)/2] + 36*(7*B - 4*C)*d*x*Cos[c + (d*x)/2] + 84*B*d*x*Cos[c + (3*d*x)/2] - 48*C*d*x*Cos[c + (3*d*x)/2] + 84*B*d*x*Cos[2*c + (3*d*x)/2] - 48*C*d*x*Cos[2*c + (3*d*x)/2] - 381*B*Sin[(d*x)/2] + 264*C*Sin[(d*x)/2] + 147*B*Sin[c + (d*x)/2] - 120*C*Sin[c + (d*x)/2] - 239*B*Sin[c + (3*d*x)/2] + 164*C*Sin[c + (3*d*x)/2] - 63*B*Sin[2*c + (3*d*x)/2] + 36*C*Sin[2*c + (3*d*x)/2] - 15*B*Sin[2*c + (5*d*x)/2] + 12*C*Sin[2*c + (5*d*x)/2] - 15*B*Sin[3*c + (5*d*x)/2] + 12*C*Sin[3*c + (5*d*x)/2] + 3*B*Sin[3*c + (7*d*x)/2] + 3*B*Sin[4*c + (7*d*x)/2]))/(48*a^2*d*(1 + Cos[c + d*x])^2)

Maple [A] time = 0.091, size = 252, normalized size = 1.8

$$\frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{7B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{5C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 5 \frac{(\tan(1/2 dx + c/2))}{da^2 (1 + (\tan(1/2 dx + c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x)$

[Out] $\frac{1}{6}d/a^2*\tan(1/2*d*x+1/2*c)^3*B-1/6/d/a^2*C*\tan(1/2*d*x+1/2*c)^3-7/2/d/a^2*B*\tan(1/2*d*x+1/2*c)+5/2/d/a^2*C*\tan(1/2*d*x+1/2*c)-5/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B+2/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*C*\tan(1/2*d*x+1/2*c)^3-3/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*B*\tan(1/2*d*x+1/2*c)+2/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*C*\tan(1/2*d*x+1/2*c)+7/d/a^2*B*\arctan(\tan(1/2*d*x+1/2*c))-4/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*C$

Maxima [B] time = 1.43435, size = 382, normalized size = 2.67

$$\frac{B \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 + \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{42 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - C \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/6*(B*(6*(3*\sin(dx+c)/(\cos(dx+c)+1)+5*\sin(dx+c)^3/(\cos(dx+c)+1)^3)/(a^2+2*a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2+a^2*\sin(dx+c)^4/(\cos(dx+c)+1)^4)+(21*\sin(dx+c)/(\cos(dx+c)+1)-\sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2-42*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2)-C*((15*\sin(dx+c)/(\cos(dx+c)+1)-\sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2-24*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2+12*\sin(dx+c)/((a^2+a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2)*(\cos(dx+c)+1))))/d$

Fricas [A] time = 0.496026, size = 342, normalized size = 2.39

$$\frac{3(7B-4C)dx \cos(dx+c)^2 + 6(7B-4C)dx \cos(dx+c) + 3(7B-4C)dx + (3B \cos(dx+c)^3 - 6(B-C) \cos(dx+c))}{6(a^2d \cos(dx+c)^2 + 2a^2d \cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,
algorithm="fricas")

[Out] $\frac{1}{6}*(3*(7*B - 4*C)*d*x*\cos(d*x + c)^2 + 6*(7*B - 4*C)*d*x*\cos(d*x + c) + 3*(7*B - 4*C)*d*x + (3*B*\cos(d*x + c)^3 - 6*(B - C)*\cos(d*x + c)^2 - (43*B - 28*C)*\cos(d*x + c) - 32*B + 20*C)*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,
x)

[Out] Timed out

Giac [A] time = 1.13709, size = 221, normalized size = 1.55

$$\frac{3(dx+c)(7B-4C)}{a^2} - \frac{6\left(5B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 2C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 3B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 2C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^2 a^2} + \frac{Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - Ca^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 21Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) + 15Ca^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,
algorithm="giac")

[Out] $\frac{1}{6}*(3*(d*x + c)*(7*B - 4*C)/a^2 - 6*(5*B*\tan(1/2*d*x + 1/2*c)^3 - 2*C*\tan(1/2*d*x + 1/2*c)^3 + 3*B*\tan(1/2*d*x + 1/2*c) - 2*C*\tan(1/2*d*x + 1/2*c)) / ((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^2) + (B*a^4*\tan(1/2*d*x + 1/2*c)^3 - C*a^4*\tan(1/2*d*x + 1/2*c)^3 - 21*B*a^4*\tan(1/2*d*x + 1/2*c) + 15*C*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

$$3.347 \quad \int \frac{\cos^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=170

$$-\frac{4(3B-2C)\sin^3(c+dx)}{3a^2d} + \frac{4(3B-2C)\sin(c+dx)}{a^2d} - \frac{(10B-7C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(10B-7C)\sin(c+dx)\cos^2(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

[Out] -((10*B - 7*C)*x)/(2*a^2) + (4*(3*B - 2*C)*Sin[c + d*x])/(a^2*d) - ((10*B - 7*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((10*B - 7*C)*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((B - C)*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) - (4*(3*B - 2*C)*Sin[c + d*x]^3)/(3*a^2*d)

Rubi [A] time = 0.401685, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4020, 3787, 2633, 2635, 8}

$$-\frac{4(3B-2C)\sin^3(c+dx)}{3a^2d} + \frac{4(3B-2C)\sin(c+dx)}{a^2d} - \frac{(10B-7C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(10B-7C)\sin(c+dx)\cos^2(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] -((10*B - 7*C)*x)/(2*a^2) + (4*(3*B - 2*C)*Sin[c + d*x])/(a^2*d) - ((10*B - 7*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((10*B - 7*C)*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((B - C)*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) - (4*(3*B - 2*C)*Sin[c + d*x]^3)/(3*a^2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m].*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n., x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020


```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx &= \int \frac{\cos^3(c+dx)(B+C \sec(c+dx))}{(a+a \sec(c+dx))^2} dx \\
&= -\frac{(B-C) \cos^2(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} + \int \frac{\cos^3(c+dx)(3a(2B-C)-4a(B-C) \sec(c+dx))}{a+a \sec(c+dx)} dx \\
&= -\frac{(10B-7C) \cos^2(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(B-C) \cos^2(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))} \\
&= -\frac{(10B-7C) \cos^2(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(B-C) \cos^2(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))} \\
&= -\frac{(10B-7C) \cos(c+dx) \sin(c+dx)}{2a^2d} - \frac{(10B-7C) \cos^2(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} \\
&= -\frac{(10B-7C)x}{2a^2} + \frac{4(3B-2C) \sin(c+dx)}{a^2d} - \frac{(10B-7C) \cos(c+dx)}{2a^2d}
\end{aligned}$$

Mathematica [B] time = 0.708838, size = 369, normalized size = 2.17

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left(-36dx(10B-7C) \cos\left(c+\frac{dx}{2}\right) - 156B \sin\left(c+\frac{dx}{2}\right) + 342B \sin\left(c+\frac{3dx}{2}\right) + 118B \sin\left(2c+\frac{3dx}{2}\right) + \dots}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-36*(10*B - 7*C)*d*x*Cos[(d*x)/2] - 36*(10*B - 7*C)*d*x*Cos[c + (d*x)/2] - 120*B*d*x*Cos[c + (3*d*x)/2] + 84*C*d*x*Cos[c + (3*d*x)/2] - 120*B*d*x*Cos[2*c + (3*d*x)/2] + 84*C*d*x*Cos[2*c + (3*d*x)/2] + 516*B*Sin[(d*x)/2] - 381*C*Sin[(d*x)/2] - 156*B*Sin[c + (d*x)/2] + 147*C*Sin[c + (d*x)/2] + 342*B*Sin[c + (3*d*x)/2] - 239*C*Sin[c + (3*d*x)/2] + 118*B*Sin[2*c + (3*d*x)/2] - 63*C*Sin[2*c + (3*d*x)/2] + 30*B*Sin[2*c + (5*d*x)/2] - 15*C*Sin[2*c + (5*d*x)/2] + 30*B*Sin[3*c + (5*d*x)/2] - 15*C*Sin[3*c + (5*d*x)/2] - 3*B*Sin[3*c + (7*d*x)/2] + 3*C*Sin[3*c + (7*d*x)/2] - 3*B*Sin[4*c + (7*d*x)/2] + 3*C*Sin[4*c + (7*d*x)/2] + B*Sin[4*c + (9*d*x)/2] + B*Sin[5*c + (9*d*x)/2]))/(48*a^2*d*(1 + Cos[c + d*x])^2)

Maple [B] time = 0.089, size = 322, normalized size = 1.9

$$-\frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{9B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{7C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 10 \frac{(\tan(1/2 dx + c/2))^3}{da^2 (1 + (\tan(1/2 dx + c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)`

[Out]
$$-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*B+1/6/d/a^2*C*\tan(1/2*d*x+1/2*c)^3+9/2/d/a^2*B*\tan(1/2*d*x+1/2*c)-7/2/d/a^2*C*\tan(1/2*d*x+1/2*c)+10/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*B-5/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*C+40/3/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*B-8/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*C*\tan(1/2*d*x+1/2*c)^3+6/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*B*\tan(1/2*d*x+1/2*c)-3/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*C*\tan(1/2*d*x+1/2*c)-10/d/a^2*B*\arctan(\tan(1/2*d*x+1/2*c))+7/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*C$$

Maxima [B] time = 1.45624, size = 502, normalized size = 2.95

$$B \left(\frac{4 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 + \frac{3a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{27 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{60 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - C \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 + \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} \right)$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")`

[Out]
$$1/6*(B*(4*(9*\sin(d*x + c)/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 15*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a^2 + 3*a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*a^2*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + a^2*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6) + (27*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 60*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2 - C*(6*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) + 5*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^2 + 2*a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^2*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (21*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 42*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2)/d$$

Fricas [A] time = 0.502698, size = 389, normalized size = 2.29

$$\frac{3(10B - 7C)dx \cos(dx + c)^2 + 6(10B - 7C)dx \cos(dx + c) + 3(10B - 7C)dx - (2B \cos(dx + c)^4 - (2B - 3C) \cos(dx + c))}{6(a^2d \cos(dx + c))^2 + 2a^2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,
algorithm="fricas")

[Out] -1/6*(3*(10*B - 7*C)*d*x*cos(d*x + c)^2 + 6*(10*B - 7*C)*d*x*cos(d*x + c) + 3*(10*B - 7*C)*d*x - (2*B*cos(d*x + c)^4 - (2*B - 3*C)*cos(d*x + c)^3 + 6*(2*B - C)*cos(d*x + c)^2 + (66*B - 43*C)*cos(d*x + c) + 48*B - 32*C)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,
x)

[Out] Timed out

Giac [A] time = 1.14133, size = 259, normalized size = 1.52

$$\frac{3(dx+c)(10B-7C)}{a^2} - \frac{2\left(30B \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 15C \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 + 40B \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 24C \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 18B \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 9C \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^3 a^2}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,
algorithm="giac")

```
[Out] -1/6*(3*(d*x + c)*(10*B - 7*C)/a^2 - 2*(30*B*tan(1/2*d*x + 1/2*c)^5 - 15*C*  
tan(1/2*d*x + 1/2*c)^5 + 40*B*tan(1/2*d*x + 1/2*c)^3 - 24*C*tan(1/2*d*x + 1  
/2*c)^3 + 18*B*tan(1/2*d*x + 1/2*c) - 9*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d  
*x + 1/2*c)^2 + 1)^3*a^2) + (B*a^4*tan(1/2*d*x + 1/2*c)^3 - C*a^4*tan(1/2*d  
*x + 1/2*c)^3 - 27*B*a^4*tan(1/2*d*x + 1/2*c) + 21*C*a^4*tan(1/2*d*x + 1/2*  
c))/a^6)/d
```

$$3.348 \quad \int \frac{\sec^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=202

$$\frac{8(9B-19C) \tan(c+dx)}{15a^3d} - \frac{(6B-13C) \tanh^{-1}(\sin(c+dx))}{2a^3d} + \frac{4(9B-19C) \tan(c+dx) \sec^2(c+dx)}{15d(a^3 \sec(c+dx) + a^3)} - \frac{(6B-13C) \tan(c+dx)}{2a^3d}$$

[Out] -((6*B - 13*C)*ArcTanh[Sin[c + d*x]])/(2*a^3*d) + (8*(9*B - 19*C)*Tan[c + d*x])/(15*a^3*d) - ((6*B - 13*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a^3*d) + ((B - C)*Sec[c + d*x]^4*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((6*B - 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + (4*(9*B - 19*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.552848, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4019, 3787, 3767, 8, 3768, 3770}

$$\frac{8(9B-19C) \tan(c+dx)}{15a^3d} - \frac{(6B-13C) \tanh^{-1}(\sin(c+dx))}{2a^3d} + \frac{4(9B-19C) \tan(c+dx) \sec^2(c+dx)}{15d(a^3 \sec(c+dx) + a^3)} - \frac{(6B-13C) \tan(c+dx)}{2a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] -((6*B - 13*C)*ArcTanh[Sin[c + d*x]])/(2*a^3*d) + (8*(9*B - 19*C)*Tan[c + d*x])/(15*a^3*d) - ((6*B - 13*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a^3*d) + ((B - C)*Sec[c + d*x]^4*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((6*B - 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + (4*(9*B - 19*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.], x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3767

```

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= \int \frac{\sec^5(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^3} dx \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\sec^4(c+dx)(4a(B-C)-a(2B-7C)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6B-11C)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6B-11C)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6B-11C)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{(6B-13C)\sec(c+dx)\tan(c+dx)}{2a^3d} + \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))} \\
&= -\frac{(6B-13C)\tanh^{-1}(\sin(c+dx))}{2a^3d} + \frac{8(9B-19C)\tan(c+dx)}{15a^3d} - \frac{(6B-13C)\sec(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))}
\end{aligned}$$

Mathematica [B] time = 1.97206, size = 428, normalized size = 2.12

$$\cos^4\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\left(-64(9B-19C)\tan^3\left(\frac{1}{2}(c+dx)\right)+4(87B-197C)\tan\left(\frac{1}{2}(c+dx)\right)+16(12B+13C)\sin^4\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (Cos[(c + d*x)/2]^4*Sec[c + d*x]^2*(30*(6*B - 13*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 16*(12*B + 13*C)*Csc[c + d*x]^3*Sin[(c + d*x)/2]^4 + 4*(87*B - 197*C)*Tan[(c + d*x)/2] + (-21*B + 31*C + (24*B - 34*C)*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2] - 60*(6*B - 13*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])*Tan[(c + d*x)/2]^2 - 64*(9*B - 19*C)*Tan[(c + d*x)/2]^3 - (-6*B + 11*C + (12*B - 17*C)*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]^3 + 30*(6*B - 13*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])*Tan[(c + d*x)/2]^4 + (228*B - 428*C + 3*(B - C)*Sec[(c + d*x)/2]^4)*Tan[(c + d*x)/2]^5)/(60*a^3*d)

Maple [A] time = 0.069, size = 334, normalized size = 1.7

$$\frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{B}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{2C}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{17B}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)`

[Out] $\frac{1}{20} \frac{B}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 - \frac{1}{20} \frac{C}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + \frac{1}{2} \frac{B}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - \frac{2}{3} \frac{C}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + \frac{17}{4} \frac{B}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \frac{31}{4} \frac{C}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{7}{2} \frac{1}{d a^3} \frac{1}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right)} * C - \frac{1}{d a^3} \frac{1}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right)} * B - \frac{3}{d a^3} \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right) * B + \frac{13}{2} \frac{1}{d a^3} \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right) * C - \frac{1}{2} \frac{1}{d a^3} \frac{C}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right)^2} + \frac{3}{d a^3} \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right) * B - \frac{13}{2} \frac{1}{d a^3} \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right) * C + \frac{7}{2} \frac{1}{d a^3} \frac{1}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right)} * C - \frac{1}{d a^3} \frac{1}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right)} * B + \frac{1}{2} \frac{1}{d a^3} \frac{3 * C}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right)^2}$

Maxima [A] time = 0.976019, size = 509, normalized size = 2.52

$$C \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 - \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} + \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - 3B \left(\frac{1}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right)} \right)$$

60d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $-\frac{1}{60} * (C * (60 * (5 * \sin(dx + c) / (\cos(dx + c) + 1) - 7 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / (a^3 - 2 * a^3 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + a^3 * \sin(dx + c)^4 / (\cos(dx + c) + 1)^4) + (465 * \sin(dx + c) / (\cos(dx + c) + 1) + 40 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 - 390 * \log(\sin(dx + c) / (\cos(dx + c) + 1) + 1) / a^3 + 390 * \log(\sin(dx + c) / (\cos(dx + c) + 1) - 1) / a^3) - 3 * B * (40 * \sin(dx + c) / ((a^3 - a^3 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2) * (\cos(dx + c) + 1)) + (85 * \sin(dx + c) / (\cos(dx + c) + 1) + 10 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 - 60 * \log(\sin(dx + c) / (\cos(dx + c) + 1) + 1) / a^3 +$

$60 \cdot \log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^3)/d$

Fricas [A] time = 0.525794, size = 757, normalized size = 3.75

$15 \left((6B - 13C) \cos(dx + c)^5 + 3(6B - 13C) \cos(dx + c)^4 + 3(6B - 13C) \cos(dx + c)^3 + (6B - 13C) \cos(dx + c)^2 \right) \log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^3,x,
algorithm="fricas")

[Out] $-1/60 \cdot (15 \cdot ((6B - 13C) \cdot \cos(dx + c)^5 + 3 \cdot (6B - 13C) \cdot \cos(dx + c)^4 + 3 \cdot (6B - 13C) \cdot \cos(dx + c)^3 + (6B - 13C) \cdot \cos(dx + c)^2) \cdot \log(\sin(dx + c) + 1) - 15 \cdot ((6B - 13C) \cdot \cos(dx + c)^5 + 3 \cdot (6B - 13C) \cdot \cos(dx + c)^4 + 3 \cdot (6B - 13C) \cdot \cos(dx + c)^3 + (6B - 13C) \cdot \cos(dx + c)^2) \cdot \log(-\sin(dx + c) + 1) - 2 \cdot (16 \cdot (9B - 19C) \cdot \cos(dx + c)^4 + 3 \cdot (114B - 239C) \cdot \cos(dx + c)^3 + (234B - 479C) \cdot \cos(dx + c)^2 + 15 \cdot (2B - 3C) \cdot \cos(dx + c) + 15C) \cdot \sin(dx + c)) / (a^3 \cdot d \cdot \cos(dx + c)^5 + 3 \cdot a^3 \cdot d \cdot \cos(dx + c)^4 + 3 \cdot a^3 \cdot d \cdot \cos(dx + c)^3 + a^3 \cdot d \cdot \cos(dx + c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec^5(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^6(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**3,
x)

[Out] (Integral(B*sec(c + dx)**5/(sec(c + dx)**3 + 3*sec(c + dx)**2 + 3*sec(c + dx) + 1), x) + Integral(C*sec(c + dx)**6/(sec(c + dx)**3 + 3*sec(c + dx)**2 + 3*sec(c + dx) + 1), x))/a**3

Giac [A] time = 1.19174, size = 315, normalized size = 1.56

$$\frac{30(6B-13C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{30(6B-13C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} + \frac{60\left(2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-7C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+5C\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="giac")

[Out]
$$\frac{-1/60*(30*(6*B - 13*C)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^3 - 30*(6*B - 13*C)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^3 + 60*(2*B*\tan(1/2*d*x + 1/2*c)^3 - 7*C*\tan(1/2*d*x + 1/2*c)^2 - 2*B*\tan(1/2*d*x + 1/2*c) + 5*C*\tan(1/2*d*x + 1/2*c))}{((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^3) - (3*B*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 3*C*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 30*B*a^{12}*\tan(1/2*d*x + 1/2*c)^2 - 40*C*a^{12}*\tan(1/2*d*x + 1/2*c) + 255*B*a^{12}*\tan(1/2*d*x + 1/2*c) - 465*C*a^{12}*\tan(1/2*d*x + 1/2*c))}/a^{15}/d$$

$$3.349 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=156

$$-\frac{(7B-27C)\tan(c+dx)}{15a^3d} + \frac{(B-3C)\tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{(B-3C)\tan(c+dx)}{d(a^3\sec(c+dx)+a^3)} + \frac{(B-C)\tan(c+dx)\sec^3(c+dx)}{5d(a\sec(c+dx)+a)^3}$$

[Out] ((B - 3*C)*ArcTanh[Sin[c + d*x]])/(a^3*d) - ((7*B - 27*C)*Tan[c + d*x])/(15*a^3*d) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((4*B - 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((B - 3*C)*Tan[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.498398, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4019, 4008, 3787, 3770, 3767, 8}

$$-\frac{(7B-27C)\tan(c+dx)}{15a^3d} + \frac{(B-3C)\tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{(B-3C)\tan(c+dx)}{d(a^3\sec(c+dx)+a^3)} + \frac{(B-C)\tan(c+dx)\sec^3(c+dx)}{5d(a\sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] ((B - 3*C)*ArcTanh[Sin[c + d*x]])/(a^3*d) - ((7*B - 27*C)*Tan[c + d*x])/(15*a^3*d) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((4*B - 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((B - 3*C)*Tan[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b

```

- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 4008

```

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*
csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rule 3767

```

Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= \int \frac{\sec^4(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^3} dx \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\sec^3(c+dx)(3a(B-C)-a(B-6C)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4B-9C)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4B-9C)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4B-9C)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(B-3C)\tanh^{-1}(\sin(c+dx))}{a^3d} + \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} \\
&= \frac{(B-3C)\tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{(7B-27C)\tan(c+dx)}{15a^3d} + \frac{(B-C)}{5a^3d}
\end{aligned}$$

Mathematica [A] time = 1.64531, size = 294, normalized size = 1.88

$$\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\left((22B-57C)\tan^3\left(\frac{1}{2}(c+dx)\right)+(87C-22B)\tan\left(\frac{1}{2}(c+dx)\right)+96(B-C)\sin^{10}\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] (Cos[(c + d*x)/2]^2*Sec[c + d*x]*(-15*(B - 3*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 4*(7*B - 12*C)*Csc[c + d*x]^3*Sin[(c + d*x)/2]^4 + 96*(B - C)*Csc[c + d*x]^7*Sin[(c + d*x)/2]^10 + (-22*B + 87*C)*Tan[(c + d*x)/2] - ((-4*B + 9*C + (7*B - 12*C)*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2])/4 + 15*(B - 3*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])*Tan[(c + d*x)/2]^2 + (22*B - 57*C)*Tan[(c + d*x)/2]^3)/(15*a^3*d)
```

Maple [A] time = 0.057, size = 245, normalized size = 1.6

$$-\frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7B}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out]
$$-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*B+1/20/d/a^3*C*\tan(1/2*d*x+1/2*c)^5-1/3/d/a^3*\tan(1/2*d*x+1/2*c)^3*B+1/2/d/a^3*C*\tan(1/2*d*x+1/2*c)^3-7/4/d/a^3*B*\tan(1/2*d*x+1/2*c)+17/4/d/a^3*C*\tan(1/2*d*x+1/2*c)+1/d/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)*B-3/d/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/d/a^3/(\tan(1/2*d*x+1/2*c)+1)*C-1/d/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)*B+3/d/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)*C-1/d/a^3/(\tan(1/2*d*x+1/2*c)-1)*C$$

Maxima [A] time = 0.96901, size = 386, normalized size = 2.47

$$3C \left(\frac{40 \sin(dx+c)}{\left(a^3 - \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - B \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} \right)$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out]
$$1/60*(3*C*(40*\sin(d*x + c)/((a^3 - a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) + (85*\sin(d*x + c)/(\cos(d*x + c) + 1) + 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^3 + 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^3 - B*((105*\sin(d*x + c)/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^3 + 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^3))/d$$

Fricas [A] time = 0.521296, size = 668, normalized size = 4.28

$$15 \left((B - 3C) \cos(dx + c)^4 + 3(B - 3C) \cos(dx + c)^3 + 3(B - 3C) \cos(dx + c)^2 + (B - 3C) \cos(dx + c) \right) \log(\sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="fricas")

[Out] $\frac{1}{30} \cdot (15 \cdot ((B - 3C) \cdot \cos(dx + c)^4 + 3 \cdot (B - 3C) \cdot \cos(dx + c)^3 + 3 \cdot (B - 3C) \cdot \cos(dx + c)^2 + (B - 3C) \cdot \cos(dx + c)) \cdot \log(\sin(dx + c) + 1) - 15 \cdot ((B - 3C) \cdot \cos(dx + c)^4 + 3 \cdot (B - 3C) \cdot \cos(dx + c)^3 + 3 \cdot (B - 3C) \cdot \cos(dx + c)^2 + (B - 3C) \cdot \cos(dx + c)) \cdot \log(-\sin(dx + c) + 1) - 2 \cdot (2 \cdot (11 \cdot B - 36 \cdot C) \cdot \cos(dx + c)^3 + 3 \cdot (17 \cdot B - 57 \cdot C) \cdot \cos(dx + c)^2 + (32 \cdot B - 117 \cdot C) \cdot \cos(dx + c) - 15 \cdot C) \cdot \sin(dx + c)) / (a^3 \cdot d \cdot \cos(dx + c)^4 + 3 \cdot a^3 \cdot d \cdot \cos(dx + c)^3 + 3 \cdot a^3 \cdot d \cdot \cos(dx + c)^2 + a^3 \cdot d \cdot \cos(dx + c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec^4(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx$$

a^3

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,
x)

[Out] (Integral(B*sec(c + d*x)**4/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.21224, size = 251, normalized size = 1.61

$$\frac{60(B-3C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} - \frac{60(B-3C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3} - \frac{120 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1} a^3 - \frac{3 B a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3 C a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 20 C a^{12}}{60 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="giac")


```
[Out] 1/60*(60*(B - 3*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 60*(B - 3*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 - 120*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^3) - (3*B*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 + 20*B*a^12*tan(1/2*d*x + 1/2*c)^3 - 30*C*a^12*tan(1/2*d*x + 1/2*c)^3 + 105*B*a^12*tan(1/2*d*x + 1/2*c) - 255*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```

$$3.350 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=125

$$\frac{(4B - 29C) \tan(c + dx)}{15d(a^3 \sec(c + dx) + a^3)} + \frac{C \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{(B - C) \tan(c + dx) \sec^2(c + dx)}{5d(a \sec(c + dx) + a)^3} - \frac{(2B - 7C) \tan(c + dx)}{15ad(a \sec(c + dx) + a)^2}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^3*d) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((2*B - 7*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((4*B - 29*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.403038, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4019, 4008, 3998, 3770, 3794}

$$\frac{(4B - 29C) \tan(c + dx)}{15d(a^3 \sec(c + dx) + a^3)} + \frac{C \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{(B - C) \tan(c + dx) \sec^2(c + dx)}{5d(a \sec(c + dx) + a)^3} - \frac{(2B - 7C) \tan(c + dx)}{15ad(a \sec(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^3*d) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((2*B - 7*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((4*B - 29*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*

$(2m + 1), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4008

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m/(b*f*(2*m + 1)), x] + \text{Dist}[1/(b^2*(2*m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*\text{Simp}[A*b*m - a*B*m + b*B*(2*m + 1)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3998

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := \text{Dist}[B/b, \text{Int}[\text{Csc}[e + f*x], x], x] + \text{Dist}[(A*b - a*B)/b, \text{Int}[\text{Csc}[e + f*x]/(a + b*\text{Csc}[e + f*x]), x], x] /;$ FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3794

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -\text{Simp}[\text{Cot}[e + f*x]/(f*(b + a*\text{Csc}[e + f*x])), x] /;$ FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= \int \frac{\sec^3(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^3} dx \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{\int \frac{\sec^2(c+dx)(2a(B-C)+5aC\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(2B-7C)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{\int \frac{\sec^2(c+dx)(2a(B-C)+5aC\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(2B-7C)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(4B-7C)\tan(c+dx)}{15ad} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{a^3d} + \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(2B-7C)\tan(c+dx)}{15ad}
\end{aligned}$$

Mathematica [A] time = 0.659561, size = 136, normalized size = 1.09

$$\frac{2(B-11C)\tan\left(\frac{1}{2}(c+dx)\right) + 24(B-C)\sin^6\left(\frac{1}{2}(c+dx)\right)\csc^5(c+dx) + 4(2B-7C)\sin^4\left(\frac{1}{2}(c+dx)\right)\csc^3(c+dx) + 15C}{15a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (15*C*(-Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 4*(2*B - 7*C)*Csc[c + d*x]^3*Sin[(c + d*x)/2]^4 + 24*(B - C)*Csc[c + d*x]^5*Sin[(c + d*x)/2]^6 + 2*(B - 11*C)*Tan[(c + d*x)/2])/(15*a^3*d)

Maple [A] time = 0.054, size = 159, normalized size = 1.3

$$\frac{B}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{7C}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] $\frac{1}{6} \frac{1}{d} \frac{1}{a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 B + \frac{1}{20} \frac{1}{d} \frac{1}{a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 B - \frac{1}{20} \frac{1}{d} \frac{1}{a^3} C \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 - \frac{7}{4} \frac{1}{d} \frac{1}{a^3} C \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{1}{4} \frac{1}{d} \frac{1}{a^3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \frac{1}{3} \frac{1}{d} \frac{1}{a^3} C \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - \frac{1}{d} \frac{1}{a^3} \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right) * C + \frac{1}{d} \frac{1}{a^3} \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right) * C$

Maxima [A] time = 0.952644, size = 252, normalized size = 2.02

$$C \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - \frac{B \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$60 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $-\frac{1}{60} * C * \left(\frac{105 * \sin(d * x + c)}{\cos(d * x + c) + 1} + \frac{20 * \sin(d * x + c)^3}{(\cos(d * x + c) + 1)^3} + \frac{3 * \sin(d * x + c)^5}{(\cos(d * x + c) + 1)^5} \right) / a^3 - \frac{60 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) + 1)}{a^3} + \frac{60 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) - 1)}{a^3} - \frac{B * \left(\frac{15 * \sin(d * x + c)}{\cos(d * x + c) + 1} + \frac{10 * \sin(d * x + c)^3}{(\cos(d * x + c) + 1)^3} + \frac{3 * \sin(d * x + c)^5}{(\cos(d * x + c) + 1)^5} \right)}{a^3} / d$

Fricas [A] time = 0.502417, size = 481, normalized size = 3.85

$$\frac{15 \left(C \cos(dx+c)^3 + 3 C \cos(dx+c)^2 + 3 C \cos(dx+c) + C \right) \log(\sin(dx+c)+1) - 15 \left(C \cos(dx+c)^3 + 3 C \cos(dx+c)^2 + 3 C \cos(dx+c) + C \right) \log(-\sin(dx+c)+1) + 2 * (2 * (B - 11 * C) * \cos(dx+c)^2 + 3 * (2 * B - 17 * C) * \cos(dx+c) + 7 * B - 32 * C) * \sin(dx+c)}{30 \left(a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 + 3 a^3 d \cos(dx+c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] $\frac{1}{30} * \left(15 * (C * \cos(d * x + c)^3 + 3 * C * \cos(d * x + c)^2 + 3 * C * \cos(d * x + c) + C) * \log(\sin(d * x + c) + 1) - 15 * (C * \cos(d * x + c)^3 + 3 * C * \cos(d * x + c)^2 + 3 * C * \cos(d * x + c) + C) * \log(-\sin(d * x + c) + 1) + 2 * (2 * (B - 11 * C) * \cos(d * x + c)^2 + 3 * (2 * B - 17 * C) * \cos(d * x + c) + 7 * B - 32 * C) * \sin(d * x + c) \right) / (a^3 * d * \cos(d * x + c)^3 + 3 * a^3 * d * \cos(d * x + c)^2 + 3 * a^3 * d * \cos(d * x + c) + a^3 * d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec^3(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3, x)

[Out] (Integral(B*sec(c + d*x)**3/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**4/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.1692, size = 198, normalized size = 1.58

$$\frac{60 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} - \frac{60 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3} + \frac{3 B a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3 C a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 10 B a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 20 C a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{60 d a^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3, x, algorithm="giac")

[Out] 1/60*(60*C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 60*C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 + (3*B*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 + 10*B*a^12*tan(1/2*d*x + 1/2*c)^3 - 20*C*a^12*tan(1/2*d*x + 1/2*c)^3 + 15*B*a^12*tan(1/2*d*x + 1/2*c) - 105*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

$$3.351 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=102

$$\frac{(3B+7C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{(3B-8C) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(B-C) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

[Out] -((B - C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((3*B - 8*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((3*B + 7*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.250912, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {4072, 4008, 4000, 3794}

$$\frac{(3B+7C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{(3B-8C) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(B-C) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] -((B - C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((3*B - 8*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((3*B + 7*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1

)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4000

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx)(B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^3} dx &= \int \frac{\sec^2(c + dx)(B + C \sec(c + dx))}{(a + a \sec(c + dx))^3} dx \\ &= -\frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{\sec(c + dx)(-3a(B - C) - 5aC \sec(c + dx))}{(a + a \sec(c + dx))^2} dx}{5a^2} \\ &= -\frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3B - 8C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{(3B + 7C) \int}{15ad} \\ &= -\frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3B - 8C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{(3B + 7C) \int}{15d(a^3 + a^3)} \end{aligned}$$

Mathematica [A] time = 0.171977, size = 70, normalized size = 0.69

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) (6(3B + 2C) \cos(c + dx) + (3B + 2C) \cos(2(c + dx)) + 9B + 16C)}{120a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] $((9*B + 16*C + 6*(3*B + 2*C)*\cos[c + d*x] + (3*B + 2*C)*\cos[2*(c + d*x)])*\sec[(c + d*x)/2]^4*\tan[(c + d*x)/2])/(120*a^3*d)$

Maple [A] time = 0.053, size = 64, normalized size = 0.6

$$\frac{1}{4da^3} \left(\frac{-B+C}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{2C}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + C \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)`

[Out] $1/4/d/a^3*(1/5*(-B+C)*\tan(1/2*d*x+1/2*c)^5+2/3*C*\tan(1/2*d*x+1/2*c)^3+C*\tan(1/2*d*x+1/2*c)+B*\tan(1/2*d*x+1/2*c))$

Maxima [A] time = 0.959214, size = 155, normalized size = 1.52

$$\frac{C \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3} + \frac{3B \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $1/60*(C*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) + 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 + 3*B*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$

Fricas [A] time = 0.460994, size = 227, normalized size = 2.23

$$\frac{((3B + 2C) \cos(dx + c)^2 + 3(3B + 2C) \cos(dx + c) + 3B + 7C) \sin(dx + c)}{15(a^3d \cos(dx + c)^3 + 3a^3d \cos(dx + c)^2 + 3a^3d \cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] 1/15*((3*B + 2*C)*cos(d*x + c)^2 + 3*(3*B + 2*C)*cos(d*x + c) + 3*B + 7*C)*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec^2(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(B*sec(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.17823, size = 101, normalized size = 0.99

$$\frac{3B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 10C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 15C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] -1/60*(3*B*tan(1/2*d*x + 1/2*c)^5 - 3*C*tan(1/2*d*x + 1/2*c)^5 - 10*C*tan(1/2*d*x + 1/2*c)^3 - 15*B*tan(1/2*d*x + 1/2*c) - 15*C*tan(1/2*d*x + 1/2*c))/ (a^3*d)

$$3.352 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a + a \sec(c+dx))^3} dx$$

Optimal. Leaf size=102

$$\frac{(2B + 3C) \tan(c + dx)}{15d (a^3 \sec(c + dx) + a^3)} + \frac{(2B + 3C) \tan(c + dx)}{15ad (a \sec(c + dx) + a)^2} + \frac{(B - C) \tan(c + dx)}{5d (a \sec(c + dx) + a)^3}$$

[Out] ((B - C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((2*B + 3*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((2*B + 3*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.109576, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4052, 12, 3796, 3794}

$$\frac{(2B + 3C) \tan(c + dx)}{15d (a^3 \sec(c + dx) + a^3)} + \frac{(2B + 3C) \tan(c + dx)}{15ad (a \sec(c + dx) + a)^2} + \frac{(B - C) \tan(c + dx)}{5d (a \sec(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^3,x]

[Out] ((B - C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((2*B + 3*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((2*B + 3*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3796

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] :> Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x]
+ Dist[(m + 1)/(a*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
&& IntegerQ[2*m]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x]
&& EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^3} dx &= \frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{a(2B+3C) \sec(c+dx)}{(a+a \sec(c+dx))^2} dx}{5a^2} \\ &= \frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2B + 3C) \int \frac{\sec(c+dx)}{(a+a \sec(c+dx))^2} dx}{5a} \\ &= \frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2B + 3C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{(2B + 3C) \int \frac{\sec(c+dx)}{a+a \sec(c+dx)} dx}{15a^2} \\ &= \frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2B + 3C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{(2B + 3C) \tan(c + dx)}{15d(a^3 + a^3 \sec(c + dx))} \end{aligned}$$

Mathematica [A] time = 0.359352, size = 70, normalized size = 0.69

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) (6(2B + 3C) \cos(c + dx) + (7B + 3C) \cos(2(c + dx))) + 11B + 9C}{120a^3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^3, x]
```

```
[Out] ((11*B + 9*C + 6*(2*B + 3*C)*Cos[c + d*x] + (7*B + 3*C)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2])/(120*a^3*d)
```

Maple [A] time = 0.056, size = 64, normalized size = 0.6

$$\frac{1}{4da^3} \left(\frac{B-C}{5} \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)^5 - \frac{2B}{3} \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)^3 + C \tan \left(\frac{dx}{2} + \frac{c}{2} \right) + B \tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)`

[Out] `1/4/d/a^3*(1/5*(B-C)*tan(1/2*d*x+1/2*c)^5-2/3*tan(1/2*d*x+1/2*c)^3*B+C*tan(1/2*d*x+1/2*c)+B*tan(1/2*d*x+1/2*c))`

Maxima [A] time = 0.957598, size = 155, normalized size = 1.52

$$\frac{B \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3} + \frac{3C \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] `1/60*(B*(15*sin(d*x + c)/(cos(d*x + c) + 1) - 10*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 + 3*C*(5*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3)/d`

Fricas [A] time = 0.461763, size = 227, normalized size = 2.23

$$\frac{\left((7B + 3C) \cos(dx + c)^2 + 3(2B + 3C) \cos(dx + c) + 2B + 3C \right) \sin(dx + c)}{15 \left(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] `1/15*((7*B + 3*C)*cos(d*x + c)^2 + 3*(2*B + 3*C)*cos(d*x + c) + 2*B + 3*C)*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d`

*x + c) + a³*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \sec(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(B*sec(c + d*x)/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.16376, size = 101, normalized size = 0.99

$$\frac{3B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 10B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 15B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 15C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{60 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(3*B*tan(1/2*d*x + 1/2*c)^5 - 3*C*tan(1/2*d*x + 1/2*c)^5 - 10*B*tan(1/2*d*x + 1/2*c)^3 + 15*B*tan(1/2*d*x + 1/2*c) + 15*C*tan(1/2*d*x + 1/2*c))/(a^3*d)

$$3.353 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=108

$$-\frac{2(11B-C)\tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{Bx}{a^3} - \frac{(7B-2C)\tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(B-C)\tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

[Out] (B*x)/a^3 - ((B - C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((7*B - 2*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - (2*(11*B - C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.252286, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {4072, 3922, 3919, 3794}

$$-\frac{2(11B-C)\tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{Bx}{a^3} - \frac{(7B-2C)\tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(B-C)\tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (B*x)/a^3 - ((B - C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((7*B - 2*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - (2*(11*B - C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x]

```

])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x], x
] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ
[a^2 - b^2, 0] && IntegerQ[2*m]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3794

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}
, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^3} dx &= \int \frac{B + C \sec(c + dx)}{(a + a \sec(c + dx))^3} dx \\
&= -\frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{-5aB + 2a(B - C) \sec(c + dx)}{(a + a \sec(c + dx))^2} dx}{5a^2} \\
&= -\frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7B - 2C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\int \frac{15a^2B - a^2(7B - 2C)}{a + a \sec(c + dx)} dx}{15a^3} \\
&= \frac{Bx}{a^3} - \frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7B - 2C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{2(11B - 2C)}{15d(a^3 + a^2 \sec(c + dx))} \\
&= \frac{Bx}{a^3} - \frac{(B - C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7B - 2C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{2(11B - 2C)}{15d(a^3 + a^2 \sec(c + dx))}
\end{aligned}$$

Mathematica [B] time = 0.570751, size = 241, normalized size = 2.23

$$\sec\left(\frac{c}{2}\right) \sec^5\left(\frac{1}{2}(c + dx)\right) \left(270B \sin\left(c + \frac{dx}{2}\right) - 230B \sin\left(c + \frac{3dx}{2}\right) + 90B \sin\left(2c + \frac{3dx}{2}\right) - 64B \sin\left(2c + \frac{5dx}{2}\right) + 150B dx \cos\left(c + \frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

```

[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c +
d*x])^3,x]

```


[Out] $(\text{Sec}[c/2] \cdot \text{Sec}[(c + d*x)/2]^5 \cdot (150*B*d*x*\text{Cos}[(d*x)/2] + 150*B*d*x*\text{Cos}[c + (d*x)/2] + 75*B*d*x*\text{Cos}[c + (3*d*x)/2] + 75*B*d*x*\text{Cos}[2*c + (3*d*x)/2] + 15*B*d*x*\text{Cos}[2*c + (5*d*x)/2] + 15*B*d*x*\text{Cos}[3*c + (5*d*x)/2] - 370*B*\text{Sin}[(d*x)/2] + 80*C*\text{Sin}[(d*x)/2] + 270*B*\text{Sin}[c + (d*x)/2] - 60*C*\text{Sin}[c + (d*x)/2] - 230*B*\text{Sin}[c + (3*d*x)/2] + 40*C*\text{Sin}[c + (3*d*x)/2] + 90*B*\text{Sin}[2*c + (3*d*x)/2] - 30*C*\text{Sin}[2*c + (3*d*x)/2] - 64*B*\text{Sin}[2*c + (5*d*x)/2] + 14*C*\text{Sin}[2*c + (5*d*x)/2]) / (480*a^3*d)$

Maple [A] time = 0.088, size = 137, normalized size = 1.3

$$-\frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{B}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7B}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c) \cdot (B*\sec(d*x+c) + C*\sec(d*x+c)^2) / (a+a*\sec(d*x+c))^3, x)$

[Out] $-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*B+1/20/d/a^3*C*\tan(1/2*d*x+1/2*c)^5+1/3/d/a^3*\tan(1/2*d*x+1/2*c)^3*B-1/6/d/a^3*C*\tan(1/2*d*x+1/2*c)^3-7/4/d/a^3*B*\tan(1/2*d*x+1/2*c)+1/4/d/a^3*C*\tan(1/2*d*x+1/2*c)+2/d/a^3*B*\arctan(\tan(1/2*d*x+1/2*c))$

Maxima [A] time = 1.45584, size = 216, normalized size = 2.

$$\frac{B \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - \frac{C \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(d*x+c) \cdot (B*\sec(d*x+c) + C*\sec(d*x+c)^2) / (a+a*\sec(d*x+c))^3, x, \text{algorithm}="maxima")$

[Out] $-1/60*(B*((105*\sin(d*x + c)/(\cos(d*x + c) + 1) - 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3) - C*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$

Fricas [A] time = 0.481348, size = 351, normalized size = 3.25

$$\frac{15 B d x \cos (d x+c)^3+45 B d x \cos (d x+c)^2+45 B d x \cos (d x+c)+15 B d x-\left((32 B-7 C) \cos (d x+c)^2+3(17 B-2 C)\right)}{15\left(a^3 d \cos (d x+c)^3+3 a^3 d \cos (d x+c)^2+3 a^3 d \cos (d x+c)+a^3 d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] 1/15*(15*B*d*x*cos(d*x + c)^3 + 45*B*d*x*cos(d*x + c)^2 + 45*B*d*x*cos(d*x + c) + 15*B*d*x - ((32*B - 7*C)*cos(d*x + c)^2 + 3*(17*B - 2*C)*cos(d*x + c) + 22*B - 2*C)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{B \cos (c+d x) \sec (c+d x)}{\sec ^3(c+d x)+3 \sec ^2(c+d x)+3 \sec (c+d x)+1} d x+\int \frac{C \cos (c+d x) \sec ^2(c+d x)}{\sec ^3(c+d x)+3 \sec ^2(c+d x)+3 \sec (c+d x)+1} d x}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(B*cos(c + d*x)*sec(c + d*x)/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*cos(c + d*x)*sec(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.15711, size = 163, normalized size = 1.51

$$\frac{60(dx+c)B}{a^3} - \frac{3Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 3Ca^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 20Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 10Ca^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 105Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 15Ca^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^{15}}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

```
[Out] 1/60*(60*(d*x + c)*B/a^3 - (3*B*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 - 20*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 10*C*a^12*tan(1/2*d*x + 1/2*c)^3 + 105*B*a^12*tan(1/2*d*x + 1/2*c) - 15*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```

$$3.354 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=136

$$\frac{2(36B-11C)\sin(c+dx)}{15a^3d} - \frac{(3B-C)\sin(c+dx)}{d(a^3 \sec(c+dx)+a^3)} - \frac{x(3B-C)}{a^3} - \frac{(9B-4C)\sin(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(B-C)\sin(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

[Out] -(((3*B - C)*x)/a^3) + (2*(36*B - 11*C)*Sin[c + d*x])/(15*a^3*d) - ((B - C)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((9*B - 4*C)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((3*B - C)*Sin[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.44351, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4020, 3787, 2637, 8}

$$\frac{2(36B-11C)\sin(c+dx)}{15a^3d} - \frac{(3B-C)\sin(c+dx)}{d(a^3 \sec(c+dx)+a^3)} - \frac{x(3B-C)}{a^3} - \frac{(9B-4C)\sin(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(B-C)\sin(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] -(((3*B - C)*x)/a^3) + (2*(36*B - 11*C)*Sin[c + d*x])/(15*a^3*d) - ((B - C)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((9*B - 4*C)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((3*B - C)*Sin[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(A*b

- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^3} dx &= \int \frac{\cos(c + dx)(B + C \sec(c + dx))}{(a + a \sec(c + dx))^3} dx \\
 &= -\frac{(B - C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\cos(c + dx)(a(6B - C) - 3a(B - C) \sec(c + dx))}{(a + a \sec(c + dx))^2} dx}{5a^2} \\
 &= -\frac{(B - C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9B - 4C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\int \frac{\cos(c + dx)}{d(a^3 + a^3)} dx}{d(a^3 + a^3)} \\
 &= -\frac{(B - C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9B - 4C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(3B - C)}{d(a^3 + a^3)} \\
 &= -\frac{(B - C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9B - 4C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(3B - C)}{d(a^3 + a^3)} \\
 &= -\frac{(3B - C)x}{a^3} + \frac{2(36B - 11C) \sin(c + dx)}{15a^3d} - \frac{(B - C) \sin(c + dx)}{5d(a + a \sec(c + dx))}
 \end{aligned}$$

Mathematica [B] time = 1.00983, size = 365, normalized size = 2.68

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-300dx(3B - C) \cos\left(c + \frac{dx}{2}\right) - 1125B \sin\left(c + \frac{dx}{2}\right) + 1215B \sin\left(c + \frac{3dx}{2}\right) - 225B \sin\left(2c + \frac{3dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-300*(3*B - C)*d*x*Cos[(d*x)/2] - 300*(3*B - C)*d*x*Cos[c + (d*x)/2] - 450*B*d*x*Cos[c + (3*d*x)/2] + 150*C*d*x*Cos[c + (3*d*x)/2] - 450*B*d*x*Cos[2*c + (3*d*x)/2] + 150*C*d*x*Cos[2*c + (3*d*x)/2] - 90*B*d*x*Cos[2*c + (5*d*x)/2] + 30*C*d*x*Cos[2*c + (5*d*x)/2] - 90*B*d*x*Cos[3*c + (5*d*x)/2] + 30*C*d*x*Cos[3*c + (5*d*x)/2] + 1755*B*Sin[(d*x)/2] - 740*C*Sin[(d*x)/2] - 1125*B*Sin[c + (d*x)/2] + 540*C*Sin[c + (d*x)/2] + 1215*B*Sin[c + (3*d*x)/2] - 460*C*Sin[c + (3*d*x)/2] - 225*B*Sin[2*c + (3*d*x)/2] + 180*C*Sin[2*c + (3*d*x)/2] + 363*B*Sin[2*c + (5*d*x)/2] - 128*C*Sin[2*c + (5*d*x)/2] + 75*B*Sin[3*c + (5*d*x)/2] + 15*B*Sin[3*c + (7*d*x)/2] + 15*B*Sin[4*c + (7*d*x)/2]))/(120*a^3*d*(1 + Cos[c + d*x])^3)

Maple [A] time = 0.109, size = 189, normalized size = 1.4

$$\frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 - \frac{B}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{C}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{17B}{4da^3} \tan\left(\frac{dx}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] 1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*B-1/20/d/a^3*C*tan(1/2*d*x+1/2*c)^5-1/2/d/a^3*tan(1/2*d*x+1/2*c)^3*B+1/3/d/a^3*C*tan(1/2*d*x+1/2*c)^3+17/4/d/a^3*B*tan(1/2*d*x+1/2*c)-7/4/d/a^3*C*tan(1/2*d*x+1/2*c)+2/d/a^3*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-6/d/a^3*B*arctan(tan(1/2*d*x+1/2*c))+2/d/a^3*arctan(tan(1/2*d*x+1/2*c))*C

Maxima [A] time = 1.44386, size = 312, normalized size = 2.29

$$\frac{3B \left(\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - C \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="maxima")

[Out] 1/60*(3*B*(40*sin(d*x + c)/((a^3 + a^3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)
*(cos(d*x + c) + 1)) + (85*sin(d*x + c)/(cos(d*x + c) + 1) - 10*sin(d*x + c)
)^3/(cos(d*x + c) + 1)^3 + sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 120*a
rctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^3 - C*((105*sin(d*x + c)/(cos(d*x
+ c) + 1) - 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos
(d*x + c) + 1)^5)/a^3 - 120*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^3)/d

Fricas [A] time = 0.493415, size = 431, normalized size = 3.17

$$\frac{15(3B - C)dx \cos(dx + c)^3 + 45(3B - C)dx \cos(dx + c)^2 + 45(3B - C)dx \cos(dx + c) + 15(3B - C)dx - (15B \cos(dx + c)^3 + 45(3B - C)dx \cos(dx + c)^2 + 45(3B - C)dx \cos(dx + c) + 15(3B - C)dx)}{15(a^3d \cos(dx + c)^3 + 3a^3d \cos(dx + c)^2 + 3a^3d \cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="fricas")

[Out] -1/15*(15*(3*B - C)*d*x*cos(d*x + c)^3 + 45*(3*B - C)*d*x*cos(d*x + c)^2 +
45*(3*B - C)*d*x*cos(d*x + c) + 15*(3*B - C)*d*x - (15*B*cos(d*x + c)^3 + (
117*B - 32*C)*cos(d*x + c)^2 + 3*(57*B - 17*C)*cos(d*x + c) + 72*B - 22*C)*
sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(
d*x + c) + a^3*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3, x)

[Out] Timed out

Giac [A] time = 1.1791, size = 212, normalized size = 1.56

$$\frac{60(dx+c)(3B-C)}{a^3} - \frac{120B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^3} - \frac{3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 30Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 20Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 255Ba^{12}}{a^{15}}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3, x, algorithm="giac")

[Out] $-1/60*(60*(d*x + c)*(3*B - C)/a^3 - 120*B*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*a^3) - (3*B*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 3*C*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 30*B*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 20*C*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 255*B*a^{12}*\tan(1/2*d*x + 1/2*c) - 105*C*a^{12}*\tan(1/2*d*x + 1/2*c))/a^{15})/d$

$$3.355 \quad \int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=187

$$-\frac{8(19B-9C)\sin(c+dx)}{15a^3d} + \frac{(13B-6C)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{4(19B-9C)\sin(c+dx)\cos(c+dx)}{15d(a^3\sec(c+dx)+a^3)} + \frac{x(13B-6C)}{2a^3}$$

```
[Out] ((13*B - 6*C)*x)/(2*a^3) - (8*(19*B - 9*C)*Sin[c + d*x])/(15*a^3*d) + ((13*B - 6*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*d) - ((B - C)*Cos[c + d*x]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((11*B - 6*C)*Cos[c + d*x]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - (4*(19*B - 9*C)*Cos[c + d*x]*Sin[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))
```

Rubi [A] time = 0.545247, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4020, 3787, 2635, 8, 2637}

$$-\frac{8(19B-9C)\sin(c+dx)}{15a^3d} + \frac{(13B-6C)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{4(19B-9C)\sin(c+dx)\cos(c+dx)}{15d(a^3\sec(c+dx)+a^3)} + \frac{x(13B-6C)}{2a^3}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] ((13*B - 6*C)*x)/(2*a^3) - (8*(19*B - 9*C)*Sin[c + d*x])/(15*a^3*d) + ((13*B - 6*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*d) - ((B - C)*Cos[c + d*x]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((11*B - 6*C)*Cos[c + d*x]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - (4*(19*B - 9*C)*Cos[c + d*x]*Sin[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4020

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rule 2637

```

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx &= \int \frac{\cos^2(c+dx)(B+C \sec(c+dx))}{(a+a \sec(c+dx))^3} dx \\
&= -\frac{(B-C) \cos(c+dx) \sin(c+dx)}{5d(a+a \sec(c+dx))^3} + \frac{\int \frac{\cos^2(c+dx)(a(7B-2C)-4a(B-C) \sec(c+dx))}{(a+a \sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(B-C) \cos(c+dx) \sin(c+dx)}{5d(a+a \sec(c+dx))^3} - \frac{(11B-6C) \cos(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} \\
&= -\frac{(B-C) \cos(c+dx) \sin(c+dx)}{5d(a+a \sec(c+dx))^3} - \frac{(11B-6C) \cos(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} \\
&= -\frac{(B-C) \cos(c+dx) \sin(c+dx)}{5d(a+a \sec(c+dx))^3} - \frac{(11B-6C) \cos(c+dx) \sin(c+dx)}{15ad(a+a \sec(c+dx))^2} \\
&= -\frac{8(19B-9C) \sin(c+dx)}{15a^3d} + \frac{(13B-6C) \cos(c+dx) \sin(c+dx)}{2a^3d} \\
&= \frac{(13B-6C)x}{2a^3} - \frac{8(19B-9C) \sin(c+dx)}{15a^3d} + \frac{(13B-6C) \cos(c+dx) \sin(c+dx)}{2a^3d}
\end{aligned}$$

Mathematica [B] time = 0.718959, size = 435, normalized size = 2.33

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left(600dx(13B-6C) \cos\left(c+\frac{dx}{2}\right) + 7560B \sin\left(c+\frac{dx}{2}\right) - 9230B \sin\left(c+\frac{3dx}{2}\right) + 930B \sin\left(2c+\frac{3dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(600*(13*B - 6*C)*d*x*Cos[(d*x)/2] + 600*(13*B - 6*C)*d*x*Cos[c + (d*x)/2] + 3900*B*d*x*Cos[c + (3*d*x)/2] - 1800*C*d*x*Cos[c + (3*d*x)/2] + 3900*B*d*x*Cos[2*c + (3*d*x)/2] - 1800*C*d*x*Cos[2*c + (3*d*x)/2] + 780*B*d*x*Cos[2*c + (5*d*x)/2] - 360*C*d*x*Cos[2*c + (5*d*x)/2] + 780*B*d*x*Cos[3*c + (5*d*x)/2] - 360*C*d*x*Cos[3*c + (5*d*x)/2] - 12760*B*Sin[(d*x)/2] + 7020*C*Sin[(d*x)/2] + 7560*B*Sin[c + (d*x)/2] - 4500*C*Sin[c + (d*x)/2] - 9230*B*Sin[c + (3*d*x)/2] + 4860*C*Sin[c + (3*d*x)/2] + 930*B*Sin[2*c + (3*d*x)/2] - 900*C*Sin[2*c + (3*d*x)/2] - 2782*B*Sin[2*c + (5*d*x)/2] + 1452*C*Sin[2*c + (5*d*x)/2] - 750*B*Sin[3*c + (5*d*x)/2] + 300*C*Sin[3*c + (5*d*x)/2] - 105*B*Sin[3*c + (7*d*x)/2] + 60*C*Sin[3*c + (7*d*x)/2] - 105*B*Sin[4*c + (7*d*x)/2] + 60*C*Sin[4*c + (7*d*x)/2] + 15*B*Sin[4*c +

$$(9*d*x)/2] + 15*B*\text{Sin}[5*c + (9*d*x)/2]))/(480*a^3*d*(1 + \text{Cos}[c + d*x])^3)$$

Maple [A] time = 0.102, size = 292, normalized size = 1.6

$$-\frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{2B}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{31B}{4da^3} \tan\left(\frac{d}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)`

[Out] $-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*B+1/20/d/a^3*C*\tan(1/2*d*x+1/2*c)^5+2/3/d/a^3*\tan(1/2*d*x+1/2*c)^3*B-1/2/d/a^3*C*\tan(1/2*d*x+1/2*c)^3-31/4/d/a^3*B*\tan(1/2*d*x+1/2*c)+17/4/d/a^3*C*\tan(1/2*d*x+1/2*c)-7/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B+2/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*C*\tan(1/2*d*x+1/2*c)^3-5/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*B*\tan(1/2*d*x+1/2*c)+2/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*C*\tan(1/2*d*x+1/2*c)+13/d/a^3*B*\arctan(\tan(1/2*d*x+1/2*c))-6/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*C$

Maxima [A] time = 1.45823, size = 435, normalized size = 2.33

$$B \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} - \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{780 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - 3C \left(\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right) (\cos(dx+c)+1)} \right) \\ 60d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $-1/60*(B*(60*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) + 7*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^3 + 2*a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (465*\sin(d*x + c)/(\cos(d*x + c) + 1) - 40*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 780*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3) - 3*C*(40*\sin(d*x + c)/((a^3 + a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (85*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/60d$

$s(dx + c + 1)/a^3)/d$

Fricas [A] time = 0.520928, size = 495, normalized size = 2.65

$$\frac{15(13B - 6C)dx \cos(dx + c)^3 + 45(13B - 6C)dx \cos(dx + c)^2 + 45(13B - 6C)dx \cos(dx + c) + 15(13B - 6C)dx + 30(a^3 d \cos(dx + c))^3 + \dots}{30(a^3 d \cos(dx + c))^3 + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="fricas")

[Out] $\frac{1}{30} * (15 * (13 * B - 6 * C) * d * x * \cos(d * x + c)^3 + 45 * (13 * B - 6 * C) * d * x * \cos(d * x + c)^2 + 45 * (13 * B - 6 * C) * d * x * \cos(d * x + c) + 15 * (13 * B - 6 * C) * d * x + (15 * B * \cos(d * x + c)^4 - 15 * (3 * B - 2 * C) * \cos(d * x + c)^3 - (479 * B - 234 * C) * \cos(d * x + c)^2 - 3 * (239 * B - 114 * C) * \cos(d * x + c) - 304 * B + 144 * C) * \sin(d * x + c)) / (a^3 * d * \cos(d * x + c)^3 + 3 * a^3 * d * \cos(d * x + c)^2 + 3 * a^3 * d * \cos(d * x + c) + a^3 * d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,
x)

[Out] Timed out

Giac [A] time = 1.15859, size = 270, normalized size = 1.44

$$\frac{30(dx+c)(13B-6C)}{a^3} - \frac{60 \left(7B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 5B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 2C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1 \right)^2 a^3} - \frac{3Ba^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3Ca^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="giac")
```

```
[Out] 1/60*(30*(d*x + c)*(13*B - 6*C)/a^3 - 60*(7*B*tan(1/2*d*x + 1/2*c)^3 - 2*C*
tan(1/2*d*x + 1/2*c)^3 + 5*B*tan(1/2*d*x + 1/2*c) - 2*C*tan(1/2*d*x + 1/2*c
)))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^3) - (3*B*a^12*tan(1/2*d*x + 1/2*c)^5
- 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 - 40*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 30*C
*a^12*tan(1/2*d*x + 1/2*c)^3 + 465*B*a^12*tan(1/2*d*x + 1/2*c) - 255*C*a^12
*tan(1/2*d*x + 1/2*c))/a^15)/d
```

3.356 $\int \sec^4(c+dx)\sqrt{a + a \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c$

Optimal. Leaf size=230

$$\frac{2a(11B + 10C) \tan(c + dx) \sec^4(c + dx)}{99d\sqrt{a \sec(c + dx) + a}} + \frac{16a(11B + 10C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{32(11B + 10C) \tan(c + dx)(a \sec(c + dx) + a)}{1155ad}$$

```
[Out] (32*a*(11*B + 10*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(11*B + 10*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(11*B + 10*C)*Sec[c + d*x]^4*Tan[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec[c + d*x]^5*Tan[c + d*x])/(11*d*Sqrt[a + a*Sec[c + d*x]]) - (64*(11*B + 10*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (32*(11*B + 10*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*a*d)
```

Rubi [A] time = 0.485266, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4016, 3803, 3800, 4001, 3792}

$$\frac{2a(11B + 10C) \tan(c + dx) \sec^4(c + dx)}{99d\sqrt{a \sec(c + dx) + a}} + \frac{16a(11B + 10C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{32(11B + 10C) \tan(c + dx)(a \sec(c + dx) + a)}{1155ad}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (32*a*(11*B + 10*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(11*B + 10*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(11*B + 10*C)*Sec[c + d*x]^4*Tan[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec[c + d*x]^5*Tan[c + d*x])/(11*d*Sqrt[a + a*Sec[c + d*x]]) - (64*(11*B + 10*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (32*(11*B + 10*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*a*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3800

```
Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_),
x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^4(c + dx) \sqrt{a + a \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^5(c + dx) \sqrt{a + a \sec(c + dx)} (B + C \sec(c + dx)) dx \\
&= \frac{2aC \sec^5(c + dx) \tan(c + dx)}{11d\sqrt{a + a \sec(c + dx)}} + \frac{1}{11}(11B + 10C) \sqrt{a + a \sec(c + dx)} \\
&= \frac{2a(11B + 10C) \sec^4(c + dx) \tan(c + dx)}{99d\sqrt{a + a \sec(c + dx)}} + \frac{2a(11B + 10C)}{99d} \sqrt{a + a \sec(c + dx)} \\
&= \frac{16a(11B + 10C) \sec^3(c + dx) \tan(c + dx)}{693d\sqrt{a + a \sec(c + dx)}} + \frac{2a(11B + 10C)}{693d} \sqrt{a + a \sec(c + dx)} \\
&= \frac{16a(11B + 10C) \sec^3(c + dx) \tan(c + dx)}{693d\sqrt{a + a \sec(c + dx)}} + \frac{2a(11B + 10C)}{693d} \sqrt{a + a \sec(c + dx)} \\
&= \frac{16a(11B + 10C) \sec^3(c + dx) \tan(c + dx)}{693d\sqrt{a + a \sec(c + dx)}} + \frac{2a(11B + 10C)}{693d} \sqrt{a + a \sec(c + dx)} \\
&= \frac{32a(11B + 10C) \tan(c + dx)}{495d\sqrt{a + a \sec(c + dx)}} + \frac{16a(11B + 10C)}{693d} \sqrt{a + a \sec(c + dx)}
\end{aligned}$$

Mathematica [A] time = 5.88604, size = 115, normalized size = 0.5

$$\frac{2a \tan(c + dx) (35(11B + 10C) \sec^4(c + dx) + 40(11B + 10C) \sec^3(c + dx) + 48(11B + 10C) \sec^2(c + dx) + 64(11B + 10C) \sec(c + dx) + 35C)}{3465d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (2*a*(128*(11*B + 10*C) + 64*(11*B + 10*C)*Sec[c + d*x] + 48*(11*B + 10*C)*Sec[c + d*x]^2 + 40*(11*B + 10*C)*Sec[c + d*x]^3 + 35*(11*B + 10*C)*Sec[c + d*x]^4 + 315*C*Sec[c + d*x]^5)*Tan[c + d*x]/(3465*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.403, size = 160, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) (1408 B (\cos(dx + c))^5 + 1280 C (\cos(dx + c))^5 + 704 B (\cos(dx + c))^4 + 640 C (\cos(dx + c))^4 + 3465 d \sqrt{a} (\cos(dx + c))^3 + 3465 d \sqrt{a} (\cos(dx + c))^2 + 3465 d \sqrt{a} \cos(dx + c) + 3465 d \sqrt{a})}{3465 d \sqrt{a} (\cos(dx + c))^3 + 3465 d \sqrt{a} (\cos(dx + c))^2 + 3465 d \sqrt{a} \cos(dx + c) + 3465 d \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out]
$$-2/3465/d*(-1+\cos(d*x+c))*(1408*B*\cos(d*x+c)^5+1280*C*\cos(d*x+c)^5+704*B*\cos(d*x+c)^4+640*C*\cos(d*x+c)^4+528*B*\cos(d*x+c)^3+480*C*\cos(d*x+c)^3+440*B*\cos(d*x+c)^2+400*C*\cos(d*x+c)^2+385*B*\cos(d*x+c)+350*C*\cos(d*x+c)+315*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\cos(d*x+c)^5/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.506013, size = 373, normalized size = 1.62

$$\frac{2(128(11B + 10C)\cos(dx + c)^5 + 64(11B + 10C)\cos(dx + c)^4 + 48(11B + 10C)\cos(dx + c)^3 + 40(11B + 10C)\cos(dx + c)^2 + 35(11B + 10C)\cos(dx + c) + 315C)\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\sin(dx + c)}{3465(d\cos(dx + c)^6 + d\cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out]
$$2/3465*(128*(11*B + 10*C)*\cos(d*x + c)^5 + 64*(11*B + 10*C)*\cos(d*x + c)^4 + 48*(11*B + 10*C)*\cos(d*x + c)^3 + 40*(11*B + 10*C)*\cos(d*x + c)^2 + 35*(11*B + 10*C)*\cos(d*x + c) + 315*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^6 + d*\cos(d*x + c)^5)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [A] time = 4.62683, size = 424, normalized size = 1.84

$$2 \left(3465 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx+c)) + 3465 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx+c)) - \left(8085 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx+c)) + 5775 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx+c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -2/3465*(3465*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx+c)) + 3465*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx+c)) - (8085*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx+c)) + 5775*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx+c)) - (14322*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx+c)) + 16170*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx+c)) - (13266*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx+c)) + 8910*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx+c)) - (4741*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx+c)) + 5885*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx+c)) - (1177*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx+c)) + 755*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx+c))))*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)^2)/((a*\tan(1/2*d*x + 1/2*c)^2 - a)^5*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*d) \end{aligned}$$

3.357 $\int \sec^3(c+dx)\sqrt{a+a\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx$

Optimal. Leaf size=187

$$\frac{2a(9B+8C)\tan(c+dx)\sec^3(c+dx)}{63d\sqrt{a\sec(c+dx)+a}} + \frac{4(9B+8C)\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{105ad} - \frac{8(9B+8C)\tan(c+dx)\sqrt{a\sec(c+dx)}}{315d}$$

[Out] (4*a*(9*B + 8*C)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(9*B + 8*C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) - (8*(9*B + 8*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (4*(9*B + 8*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*a*d)

Rubi [A] time = 0.418851, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4016, 3803, 3800, 4001, 3792}

$$\frac{2a(9B+8C)\tan(c+dx)\sec^3(c+dx)}{63d\sqrt{a\sec(c+dx)+a}} + \frac{4(9B+8C)\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{105ad} - \frac{8(9B+8C)\tan(c+dx)\sqrt{a\sec(c+dx)}}{315d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a*(9*B + 8*C)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(9*B + 8*C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) - (8*(9*B + 8*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (4*(9*B + 8*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3803

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

```

Rule 3800

```

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_),
x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]

```

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]

```

Rule 3792

```

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)\sqrt{a+a\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sec^4(c+dx)\sqrt{a+a\sec(c+dx)}(B+C\sec(c+dx))dx \\
&= \frac{2aC\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} + \frac{1}{9}(9B+8C)\int \sec^3(c+dx)\sqrt{a+a\sec(c+dx)}dx \\
&= \frac{2a(9B+8C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a(9B+8C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a(9B+8C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{4a(9B+8C)\tan(c+dx)}{45d\sqrt{a+a\sec(c+dx)}} + \frac{2a(9B+8C)\sec^3(c+dx)}{63d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.536767, size = 98, normalized size = 0.52

$$\frac{2a \tan(c+dx) (5(9B+8C)\sec^3(c+dx) + 6(9B+8C)\sec^2(c+dx) + 8(9B+8C)\sec(c+dx) + 16(9B+8C) + 35C\sec^4(c+dx))}{315d\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(16*(9*B + 8*C) + 8*(9*B + 8*C)*Sec[c + d*x] + 6*(9*B + 8*C)*Sec[c + d*x]^2 + 5*(9*B + 8*C)*Sec[c + d*x]^3 + 35*C*Sec[c + d*x]^4)*Tan[c + d*x])/(315*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.398, size = 138, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) (144 B (\cos(dx + c))^4 + 128 C (\cos(dx + c))^4 + 72 B (\cos(dx + c))^3 + 64 C (\cos(dx + c))^3 + 54 B (\cos(dx + c))^2 + 36 C (\cos(dx + c))^2 + 18 B (\cos(dx + c)) + 18 C (\cos(dx + c)) + 9 B + 9 C)}{315 d (\cos(dx + c))^4 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] $-2/315/d*(-1+\cos(dx+c))*(144*B*\cos(dx+c)^4+128*C*\cos(dx+c)^4+72*B*\cos(dx+c)^3+64*C*\cos(dx+c)^3+54*B*\cos(dx+c)^2+48*C*\cos(dx+c)^2+45*B*\cos(dx+c)+40*C*\cos(dx+c)+35*C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^4/\sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3*(B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.505987, size = 308, normalized size = 1.65

$$\frac{2(16(9B+8C)\cos(dx+c)^4+8(9B+8C)\cos(dx+c)^3+6(9B+8C)\cos(dx+c)^2+5(9B+8C)\cos(dx+c)+35C)\sqrt{a(\cos(dx+c)+1)/\cos(dx+c)}}{315(d\cos(dx+c)^5+d\cos(dx+c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3*(B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")`

[Out] $2/315*(16*(9*B+8*C)*\cos(dx+c)^4+8*(9*B+8*C)*\cos(dx+c)^3+6*(9*B+8*C)*\cos(dx+c)^2+5*(9*B+8*C)*\cos(dx+c)+35*C)*\sqrt{(a*\cos(dx+c)+a)/\cos(dx+c)}*\sin(dx+c)/(d*\cos(dx+c)^5+d*\cos(dx+c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c+dx)+1)}(B+C\sec(c+dx))\sec^4(c+dx)dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(B + C*sec(c + d*x))*sec(c + d*x)**4, x)
```

Giac [A] time = 4.56227, size = 362, normalized size = 1.94

$$2 \left(315 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) - \left(630 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) + 420 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] 2/315*(315*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 315*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (630*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 420*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (756*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 882*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (522*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 324*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (81*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 107*sqrt(2)*C*a^5*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^4*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```


3.358 $\int \sec^2(c+dx)\sqrt{a + a \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c$

Optimal. Leaf size=144

$$\frac{2(7B + 6C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{35ad} - \frac{4(7B + 6C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a(7B + 6C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}}$$

```
[Out] (2*a*(7*B + 6*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec
[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) - (4*(7*B + 6*C)*S
qrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*B + 6*C)*(a + a*Sec[c
+ d*x])^(3/2)*Tan[c + d*x])/(35*a*d)
```

Rubi [A] time = 0.359372, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.119$, Rules used = {4072, 4016, 3800, 4001, 3792}

$$\frac{2(7B + 6C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{35ad} - \frac{4(7B + 6C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a(7B + 6C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x
]^2),x]
```

```
[Out] (2*a*(7*B + 6*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sec
[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) - (4*(7*B + 6*C)*S
qrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*B + 6*C)*(a + a*Sec[c
+ d*x])^(3/2)*Tan[c + d*x])/(35*a*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.
)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.
)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*
```

$\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n/(f*(2*n + 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x]$
 $+ \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^n, x], x] /;$

$\text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& !$
 $\text{LtQ}[n, 0]$

Rule 3800

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^3*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] :$

$\text{> -Simp}[(\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m*(b*(m + 1) - a*\text{Csc}[e + f*x])}, x], x] /;$

$\text{FreeQ}\{a, b, e, f, m\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :$

$\text{> -Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*B*m + A*b*(m + 1))/(b*(m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /;$

$\text{FreeQ}\{a, b, A, B, e, f, m\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[a*B*m + A*b*(m + 1), 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

Rule 3792

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :$

$\text{> Simp}[(-2*b*\text{Cot}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /;$

$\text{FreeQ}\{a, b, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)\sqrt{a + a \sec(c + dx)}(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^3(c + dx)\sqrt{a + a \sec(c + dx)}(B + C \sec(c + dx)) dx \\
 &= \frac{2aC \sec^3(c + dx) \tan(c + dx)}{7d\sqrt{a + a \sec(c + dx)}} + \frac{1}{7}(7B + 6C) \int \sec^2(c + dx)\sqrt{a + a \sec(c + dx)} dx \\
 &= \frac{2aC \sec^3(c + dx) \tan(c + dx)}{7d\sqrt{a + a \sec(c + dx)}} + \frac{2(7B + 6C)(a + \sqrt{a + a \sec(c + dx)})}{7d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2aC \sec^3(c + dx) \tan(c + dx)}{7d\sqrt{a + a \sec(c + dx)}} - \frac{4(7B + 6C)\sqrt{a + a \sec(c + dx)}}{7d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a(7B + 6C) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2aC \sec^3(c + dx) \tan(c + dx)}{7d\sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.281068, size = 81, normalized size = 0.56

$$\frac{2a \tan(c + dx) (3(7B + 6C) \sec^2(c + dx) + 4(7B + 6C) \sec(c + dx) + 8(7B + 6C) + 15C \sec^3(c + dx))}{105d \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (2*a*(8*(7*B + 6*C) + 4*(7*B + 6*C)*Sec[c + d*x] + 3*(7*B + 6*C)*Sec[c + d*x]^2 + 15*C*Sec[c + d*x]^3)*Tan[c + d*x])/(105*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.317, size = 116, normalized size = 0.8

$$\frac{(-2 + 2 \cos(dx + c)) (56 B (\cos(dx + c))^3 + 48 C (\cos(dx + c))^3 + 28 B (\cos(dx + c))^2 + 24 C (\cos(dx + c))^2 + 21 B c + 15 C c)}{105 d (\cos(dx + c))^3 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

[Out] -2/105/d*(-1+cos(d*x+c))*(56*B*cos(d*x+c)^3+48*C*cos(d*x+c)^3+28*B*cos(d*x+c)^2+24*C*cos(d*x+c)^2+21*B*cos(d*x+c)+18*C*cos(d*x+c)+15*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^3/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.49372, size = 265, normalized size = 1.84

$$\frac{2\left(8(7B+6C)\cos(dx+c)^3+4(7B+6C)\cos(dx+c)^2+3(7B+6C)\cos(dx+c)+15C\right)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sin(dx+c)}{105\left(d\cos(dx+c)^4+d\cos(dx+c)^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 2/105*(8*(7*B + 6*C)*cos(d*x + c)^3 + 4*(7*B + 6*C)*cos(d*x + c)^2 + 3*(7*B + 6*C)*cos(d*x + c) + 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c+dx)+1)}(B+C\sec(c+dx))\sec^3(c+dx)dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(B + C*sec(c + d*x))*sec(c + d*x)**3, x)

Giac [A] time = 4.45322, size = 300, normalized size = 2.08

$$2\left(105\sqrt{2}Ba^4\operatorname{sgn}(\cos(dx+c))+105\sqrt{2}Ca^4\operatorname{sgn}(\cos(dx+c))-\left(175\sqrt{2}Ba^4\operatorname{sgn}(\cos(dx+c))+105\sqrt{2}Ca^4\operatorname{sgn}(\cos(dx+c))\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)
,x, algorithm="giac")
```

```
[Out] -2/105*(105*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 105*sqrt(2)*C*a^4*sgn(cos(d*x
+ c)) - (175*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 105*sqrt(2)*C*a^4*sgn(cos(d
*x + c)) - (119*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 147*sqrt(2)*C*a^4*sgn(cos
(d*x + c)) - (49*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 27*sqrt(2)*C*a^4*sgn(cos
(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1
/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^3*sqrt(-a*tan
(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.359 $\int \sec(c+dx)\sqrt{a+a\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx$

Optimal. Leaf size=101

$$\frac{2(5B-2C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15d} + \frac{2a(5B+7C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2C\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{5ad}$$

[Out] (2*a*(5*B + 7*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*B - 2*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*a*d)

Rubi [A] time = 0.276975, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {4072, 4010, 4001, 3792}

$$\frac{2(5B-2C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15d} + \frac{2a(5B+7C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2C\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{5ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(5*B + 7*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*B - 2*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs

$c[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{!LtQ}[m, -1]$

Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*B*m + A*b*(m + 1))/(b*(m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, A, B, e, f, m\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[a*B*m + A*b*(m + 1), 0] \ \&\& \ \text{!LtQ}[m, -2^{(-1)}]$

Rule 3792

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*b*\text{Cot}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \sec(c + dx)\sqrt{a + a \sec(c + dx)}(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^2(c + dx)\sqrt{a + a \sec(c + dx)}(B + C \sec(c + dx)) dx \\ &= \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5ad} + \frac{2 \int \sec^2(c + dx)\sqrt{a + a \sec(c + dx)} dx}{5ad} \\ &= \frac{2(5B - 2C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2 \int \sec^2(c + dx)\sqrt{a + a \sec(c + dx)} dx}{15d} \\ &= \frac{2a(5B + 7C) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2(5B - 2C)\sqrt{a + a \sec(c + dx)}}{15d} \end{aligned}$$

Mathematica [A] time = 0.305914, size = 80, normalized size = 0.79

$$\frac{2 \tan(c + dx) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)}((5B + 4C) \cos(c + dx) + (5B + 4C) \cos(2(c + dx)) + 5B + 7C)}{15d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(5*B + 7*C + (5*B + 4*C)*Cos[c + d*x] + (5*B + 4*C)*Cos[2*(c + d*x)])*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*Tan[c + d*x])/(15*d*(1 + Cos[c + d*x])

))

Maple [A] time = 0.285, size = 94, normalized size = 0.9

$$\frac{(-2 + 2 \cos(dx + c)) (10B (\cos(dx + c))^2 + 8C (\cos(dx + c))^2 + 5B \cos(dx + c) + 4C \cos(dx + c) + 3C)}{15d (\cos(dx + c))^2 \sin(dx + c)} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

[Out] -2/15/d*(-1+cos(d*x+c))*(10*B*cos(d*x+c)^2+8*C*cos(d*x+c)^2+5*B*cos(d*x+c)+4*C*cos(d*x+c)+3*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^2/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.492669, size = 217, normalized size = 2.15

$$\frac{2(2(5B + 4C) \cos(dx + c)^2 + (5B + 4C) \cos(dx + c) + 3C) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{15(d \cos(dx + c)^3 + d \cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] $2/15*(2*(5*B + 4*C)*\cos(d*x + c)^2 + (5*B + 4*C)*\cos(d*x + c) + 3*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^3 + d*\cos(d*x + c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)}(B + C \sec(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(a*(sec(c + d*x) + 1))*(B + C*sec(c + d*x))*sec(c + d*x)**2, x)`

Giac [A] time = 4.41245, size = 238, normalized size = 2.36

$$2 \left(15 \sqrt{2} B a^3 \operatorname{sgn}(\cos(dx + c)) + 15 \sqrt{2} C a^3 \operatorname{sgn}(\cos(dx + c)) - \left(20 \sqrt{2} B a^3 \operatorname{sgn}(\cos(dx + c)) + 10 \sqrt{2} C a^3 \operatorname{sgn}(\cos(dx + c)) \right) \right) \cdot \frac{1}{15 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] $2/15*(15*\sqrt{2}*B*a^3*\operatorname{sgn}(\cos(d*x + c)) + 15*\sqrt{2}*C*a^3*\operatorname{sgn}(\cos(d*x + c)) - (20*\sqrt{2}*B*a^3*\operatorname{sgn}(\cos(d*x + c)) + 10*\sqrt{2}*C*a^3*\operatorname{sgn}(\cos(d*x + c))) - (5*\sqrt{2}*B*a^3*\operatorname{sgn}(\cos(d*x + c)) + 7*\sqrt{2}*C*a^3*\operatorname{sgn}(\cos(d*x + c))) * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c) / ((a * \tan(1/2*d*x + 1/2*c)^2 - a)^2 * \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a} * d)$

$$3.360 \quad \int \sqrt{a + a \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=62

$$\frac{2a(3B + C) \tan(c + dx)}{3d\sqrt{a \sec(c + dx) + a}} + \frac{2C \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{3d}$$

[Out] (2*a*(3*B + C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.0842717, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {4054, 12, 3792}

$$\frac{2a(3B + C) \tan(c + dx)}{3d\sqrt{a \sec(c + dx) + a}} + \frac{2C \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (2*a*(3*B + C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rule 4054

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))* (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[
(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x
], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &&
!LtQ[m, -2^(-1)]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
```

$Q[\{a, b, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2 \int \frac{1}{2} a(3B + C) \sec(c + dx)}{3d} \\ &= \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + \frac{1}{3}(3B + C) \int \sec(c + dx) \\ &= \frac{2a(3B + C) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.159898, size = 43, normalized size = 0.69

$$\frac{2a \tan(c + dx)(3B + C \sec(c + dx) + 2C)}{3d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(3*B + 2*C + C*Sec[c + d*x])*Tan[c + d*x])/(3*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.275, size = 70, normalized size = 1.1

$$-\frac{(-2 + 2 \cos(dx + c))(3B \cos(dx + c) + 2C \cos(dx + c) + C)}{3d \sin(dx + c) \cos(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] -2/3/d*(-1+cos(d*x+c))*(3*B*cos(d*x+c)+2*C*cos(d*x+c)+C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.496403, size = 169, normalized size = 2.73

$$\frac{2((3B + 2C)\cos(dx + c) + C)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sin(dx + c)}{3(d\cos(dx + c))^2 + d\cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 2/3*((3*B + 2*C)*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^2 + d*cos(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)}(B + C\sec(c + dx))\sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(B + C*sec(c + d*x))*sec(c + d*x), x)

Giac [B] time = 4.31345, size = 174, normalized size = 2.81

$$\frac{2 \left(3 \sqrt{2} B a^2 \operatorname{sgn}(\cos(dx+c)) + 3 \sqrt{2} C a^2 \operatorname{sgn}(\cos(dx+c)) - \left(3 \sqrt{2} B a^2 \operatorname{sgn}(\cos(dx+c)) + \sqrt{2} C a^2 \operatorname{sgn}(\cos(dx+c)) \right) \right)}{3 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right) \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] -2/3*(3*sqrt(2)*B*a^2*sgn(cos(d*x + c)) + 3*sqrt(2)*C*a^2*sgn(cos(d*x + c)) - (3*sqrt(2)*B*a^2*sgn(cos(d*x + c)) + sqrt(2)*C*a^2*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)

3.361 $\int \cos(c+dx)\sqrt{a+a\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx$

Optimal. Leaf size=66

$$\frac{2\sqrt{a}B \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c+dx)}{d\sqrt{a\sec(c+dx)+a}}$$

[Out] (2*Sqrt[a]*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (2*a*C*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.171062, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 3915, 3774, 203, 3792}

$$\frac{2\sqrt{a}B \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c+dx)}{d\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*Sqrt[a]*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (2*a*C*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.], x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3915

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
  Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
  x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx) \sqrt{a + a \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sqrt{a + a \sec(c + dx)} (B + C \sec(c + dx)) dx \\ &= B \int \sqrt{a + a \sec(c + dx)} dx + C \int \sec(c + dx) \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{2aC \tan(c + dx)}{d \sqrt{a + a \sec(c + dx)}} - \frac{(2aB) \operatorname{Subst}\left(\int \frac{1}{a+x^2} dx\right)}{d} \\ &= \frac{2\sqrt{a}B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{2aC \tan(c + dx)}{d \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.276155, size = 76, normalized size = 1.15

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \sqrt{\cos(c + dx)} + 2C \sin\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*C*Sin[(c + d*x)/2]))/d

Maple [B] time = 0.255, size = 118, normalized size = 1.8

$$-\frac{1}{d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(B\sqrt{2} \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

[Out] -1/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*C*cos(d*x+c)-2*C)/sin(d*x+c)

Maxima [B] time = 1.63858, size = 198, normalized size = 3.

$$B\sqrt{a} \arctan \left(\left(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2 \cos(2dx+2c) + 1 \right)^{\frac{1}{4}} \sin \left(\frac{1}{2} \arctan(\sin(2dx+2c), \cos(2dx+2c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] B*sqrt(a)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + cos(d*x + c))/d

Fricas [A] time = 0.554384, size = 620, normalized size = 9.39

$$\frac{(B \cos(dx + c) + B)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2C\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{d \cos(dx+c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x, algorithm="fricas")

[Out] [((B*cos(d*x + c) + B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*C*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -2*((B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - C*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2), x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x  
, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.362 $\int \cos^2(c+dx)\sqrt{a+a\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c$

Optimal. Leaf size=68

$$\frac{\sqrt{a}(B+2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{aB\sin(c+dx)}{d\sqrt{a\sec(c+dx)+a}}$$

[Out] (Sqrt[a]*(B + 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a*B*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.209768, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {4072, 4015, 3774, 203}

$$\frac{\sqrt{a}(B+2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{aB\sin(c+dx)}{d\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(B + 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a*B*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*

B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx) \sqrt{a + a \sec(c + dx)} (B + C \sec(c + dx)) dx \\ &= \frac{aB \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{1}{2} (B + 2C) \int \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{aB \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} - \frac{(a(B + 2C)) \text{Subst}\left(\int \frac{1}{a + u^2} du, \frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} \\ &= \frac{\sqrt{a}(B + 2C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{aB \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.241721, size = 93, normalized size = 1.37

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(B + 2C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2B \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(B + 2*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*B*Sqrt[Cos[c + d*x]]*Sin[(c + d*x)/2]))/(2*d)

Maple [B] time = 0.316, size = 198, normalized size = 2.9

$$-\frac{1}{2d \sin(dx+c)} \left(B\sqrt{2} \operatorname{Artanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) + 2C \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out] `-1/2/d*(B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)+2*B*cos(d*x+c)^2-2*B*cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)`

Maxima [B] time = 1.97053, size = 1268, normalized size = 18.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `1/4*(4*C*sqrt(a)*arctan2((cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + cos(d*x + c)) + (2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - (cos(d*x + c) - 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))))*sqrt(a) + sqrt(a)*(arctan2(-(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) + 1) - arctan2(-(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x +`

$2*c), \cos(2*d*x + 2*c) + 1)) * \sin(d*x + c) - \cos(d*x + c) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(d*x + c) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + \sin(d*x + c) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) - 1) - \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + 1) + \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1))) * B) / d$

Fricas [A] time = 0.636405, size = 694, normalized size = 10.21

$$\frac{2B \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + ((B+2C) \cos(dx+c) + B+2C) \sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c)}{\cos(dx+c)}\right)}{2(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2*(2*B*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + ((B + 2*C)*cos(d*x + c) + B + 2*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)))/(d*cos(d*x + c) + d), (B*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - ((B + 2*C)*cos(d*x + c) + B + 2*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [B] time = 6.32136, size = 450, normalized size = 6.62

$$(B\sqrt{-a}\operatorname{sgn}(\cos(dx+c)) + 2C\sqrt{-a}\operatorname{sgn}(\cos(dx+c))) \log\left(\left|\left(\sqrt{-a}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right)^2 - a\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*((B*sqrt(-a)*sgn(cos(d*x + c)) + 2*C*sqrt(-a)*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - (B*sqrt(-a)*sgn(cos(d*x + c)) + 2*C*sqrt(-a)*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(3*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a*sgn(cos(d*x + c)) - B*sqrt(-a)*a^2*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)/d
```

3.363 $\int \cos^3(c+dx)\sqrt{a+a\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx$

Optimal. Leaf size=117

$$\frac{a(3B+4C)\sin(c+dx)}{4d\sqrt{a\sec(c+dx)+a}} + \frac{\sqrt{a}(3B+4C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{aB\sin(c+dx)\cos(c+dx)}{2d\sqrt{a\sec(c+dx)+a}}$$

[Out] (Sqrt[a]*(3*B + 4*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a*(3*B + 4*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.281341, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.119$, Rules used = {4072, 4015, 3805, 3774, 203}

$$\frac{a(3B+4C)\sin(c+dx)}{4d\sqrt{a\sec(c+dx)+a}} + \frac{\sqrt{a}(3B+4C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{aB\sin(c+dx)\cos(c+dx)}{2d\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(3*B + 4*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a*(3*B + 4*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n, x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cos[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist

$[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3805

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> \text{Simp}[(a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(a*(2*n + 1))/(2*b*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -2^{(-1)}] \&\& \text{IntegerQ}[2*n]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/ \text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_)^2)^{-1}, x_Symbol] :> \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)\sqrt{a + a \sec(c + dx)}(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)\sqrt{a + a \sec(c + dx)}(B + C \sec(c + dx)) dx \\
 &= \frac{aB \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} + \frac{1}{4}(3B + 4C) \int \cos(c + dx)\sqrt{a + a \sec(c + dx)} dx \\
 &= \frac{a(3B + 4C) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{aB \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a(3B + 4C) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{aB \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{\sqrt{a}(3B + 4C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} + \frac{a(3B + 4C)}{4d\sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 0.366543, size = 117, normalized size = 1.

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(2B\sqrt{1-\sec(c+dx)}\operatorname{Hypergeometric2F1}\left(\frac{1}{2},3,\frac{3}{2},1-\sec(c+dx)\right)+C(\cos(c+dx)\right)}{d\sqrt{1-\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((C*(ArcTanh[Sqrt[1 - Sec[c + d*x]]] + Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]]) + 2*B*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x]]*Tan[(c + d*x)/2])/(d*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.379, size = 398, normalized size = 3.4

$$\frac{1}{16d\cos(dx+c)\sin(dx+c)}\left(3B\cos(dx+c)\sin(dx+c)\sqrt{2}\left(-2\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{3/2}\operatorname{Arctanh}\left(1/2\frac{\sqrt{2}\sin(dx+c)}{\cos(dx+c)}\sqrt{-2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] 1/16/d*(3*B*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+4*C*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+3*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+4*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)-8*B*cos(d*x+c)^4-4*B*cos(d*x+c)^3-16*C*cos(d*x+c)^3+12*B*cos(d*x+c)^2+16*C*cos(d*x+c)^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)/sin(d*x+c)

Maxima [B] time = 2.2573, size = 2499, normalized size = 21.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/16*((2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(2*d*x + 2*c) - (cos(2*d*x + 2*c) - 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(2*d*x + 2*c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + ((cos(2*d*x + 2*c) - 2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - cos(2*d*x + 2*c) + 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) *sqrt(a) + 3*sqrt(a)*(arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))) *B + 4*(2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - (cos(d*x + c) - 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) *sqrt(a) + sqrt(a)*(arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x
```

+ 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 1) - arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))) * C) / d

Fricas [A] time = 0.646046, size = 801, normalized size = 6.85

$$\frac{\left((3B + 4C) \cos(dx + c) + 3B + 4C \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2 \left(2B \cos(dx+c) + a \cos(dx+c) - a \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{8(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x, algorithm="fricas")

[Out] [1/8*(((3*B + 4*C)*cos(d*x + c) + 3*B + 4*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*B*cos(d*x + c)^2 + (3*B + 4*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/4*(((3*B + 4*C)*cos(d*x + c) + 3*B + 4*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (2*B*cos(d*x + c)^2 + (3*B + 4*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 6.61646, size = 851, normalized size = 7.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x,algorithm="giac")

[Out]
$$-1/8*((3*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 4*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)))\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2 - a*(2*\sqrt{2}+3))) - (3*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 4*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)))\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2 + a*(2*\sqrt{2}-3))) - 4*\sqrt{2}*(5*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^6*B*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx+c)) - 12*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^6*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx+c)) + 19*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)) + 76*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)) - 17*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx+c)) - 36*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*C*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx+c)) + B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx+c)) + 4*C*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx+c)))/((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4 - 6*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*a + a^2)^2)/d$$

3.364 $\int \cos^4(c+dx) \sqrt{a + a \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=160

$$\frac{a(5B + 6C) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(5B + 6C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a(5B + 6C) \sin(c + dx) \cos(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} + \frac{aB \sin(c + dx) \cos(c + dx)}{3d\sqrt{a \sec(c + dx) + a}}$$

[Out] (Sqrt[a]*(5*B + 6*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(5*B + 6*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(5*B + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.33617, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.119$, Rules used = {4072, 4015, 3805, 3774, 203}

$$\frac{a(5B + 6C) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(5B + 6C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a(5B + 6C) \sin(c + dx) \cos(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} + \frac{aB \sin(c + dx) \cos(c + dx)}{3d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(5*B + 6*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(5*B + 6*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(5*B + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^ (n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.), x_Symbol] := Simp[(A*b^2*C

ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
 [(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
 + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
 B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
 + (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
 + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
 e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
 EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
 Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
 x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
 [a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
 , 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \cos^4(c + dx) \sqrt{a + a \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^3(c + dx) \sqrt{a + a \sec(c + dx)} (B + C \sec(c + dx)) dx \\
 &= \frac{aB \cos^2(c + dx) \sin(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} + \frac{1}{6} (5B + 6C) \int \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} dx \\
 &= \frac{a(5B + 6C) \cos(c + dx) \sin(c + dx)}{12d \sqrt{a + a \sec(c + dx)}} + \frac{aB \cos^2(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a(5B + 6C) \sin(c + dx)}{8d \sqrt{a + a \sec(c + dx)}} + \frac{a(5B + 6C) \cos(c + dx)}{12d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a(5B + 6C) \sin(c + dx)}{8d \sqrt{a + a \sec(c + dx)}} + \frac{a(5B + 6C) \cos(c + dx)}{12d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{\sqrt{a}(5B + 6C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \frac{a(5B + 6C)}{8d \sqrt{a}}
 \end{aligned}$$

Mathematica [C] time = 0.187851, size = 70, normalized size = 0.44

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(B \text{Hypergeometric2F1}\left(\frac{1}{2}, 4, \frac{3}{2}, 1 - \sec(c + dx)\right) + C \text{Hypergeometric2F1}\left(\frac{1}{2}, 3, \frac{3}{2}, 1 - \sec(c + dx)\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(C*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]] + B*Hypergeometric2F1[1/2, 4, 3/2, 1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x]])*Tan[(c + d*x)/2])/d

Maple [B] time = 0.42, size = 580, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] -1/192/d*(15*B*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+18*C*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+30*B*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+36*C*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+15*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+18*C*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+64*B*cos(d*x+c)^6+16*B*cos(d*x+c)^5+96*C*cos(d*x+c)^5+40*B*cos(d*x+c)^4+48*C*cos(d*x+c)^4-120*B*cos(d*x+c)^3-144*C*cos(d*x+c)^3)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^2/sin(d*x+c)

Maxima [B] time = 2.84536, size = 4024, normalized size = 25.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)
,x, algorithm="maxima")
```

```
[Out] 1/96*((4*(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*
arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*
x + 3*c), cos(3*d*x + 3*c))) + 1)^(3/4)*(cos(3/2*arctan2(sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))) + 1))*sin(3*d*x + 3*c) - (cos(3*d*x + 3*c) - 1)*sin(3/2*arcta
n2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)))*sqrt(a) + 6*(cos(2/3*arctan2(sin(
3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(
3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) +
1)^(1/4)*((sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 5*sin(1/
3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*cos(1/2*arctan2(sin(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c)
, cos(3*d*x + 3*c))) + 1) - (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x +
3*c))) + 3*cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - 4)*sin(1
/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*ar
ctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)))*sqrt(a) + 15*sqrt(a)*(arc
tan2(-(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*
x + 3*c))) + 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos
(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*a
rctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*
c), cos(3*d*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*co
s(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*cos(1/2*arctan2(sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))) + 1) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*
sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2
/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))) + 1) - arctan2(-(cos
(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos
(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c)
, cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
```


$2*c)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))$, $(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 1) - \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))) * C) / d$

Fricas [A] time = 0.652492, size = 898, normalized size = 5.61

$$\frac{3((5B + 6C)\cos(dx + c) + 5B + 6C)\sqrt{-a} \log\left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) + a\cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2(8B\cos(dx+c) + 2(5B + 6C)\cos(dx+c)^2 + 3(5B + 6C)\cos(dx+c))\sqrt{(a\cos(dx+c) + a)/\cos(dx+c)}\sin(dx+c)/(d\cos(dx+c) + d)}{48(d\cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x, algorithm="fricas")

[Out] [1/48*(3*((5*B + 6*C)*cos(d*x + c) + 5*B + 6*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*B*cos(d*x + c)^3 + 2*(5*B + 6*C)*cos(d*x + c)^2 + 3*(5*B + 6*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((5*B + 6*C)*cos(d*x + c) + 5*B + 6*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*B*cos(d*x + c)^3 + 2*(5*B + 6*C)*cos(d*x + c)^2 + 3*(5*B + 6*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [B] time = 6.70739, size = 1156, normalized size = 7.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out]
$$\begin{aligned} & -1/48*(3*(5*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) + 6*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c))))* \\ & \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^2 - a*(2*\sqrt{2} + 3))) - 3*(5*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) + 6*C*\sqrt{-a} \\ &)*\operatorname{sgn}(\cos(dx + c)))*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(63*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^{10}*B*\sqrt{-a}*a \\ & *\operatorname{sgn}(\cos(dx + c)) - 30*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^{10}*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c)) - 369*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^8*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 66*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^8*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 1638*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^6*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) + 756*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^6*C*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) - 1074*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^4*B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) - 732*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^4*C*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) + 171*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^2*B*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) + 138*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} \\ &)^2*C*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) - 13*B*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)) - 6*C*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) \\ & - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) \end{aligned}$$

$$- \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} \cdot a^2 / d$$

3.365 $\int \sec^3(c+dx)(a+a \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c -$

Optimal. Leaf size=234

$$\frac{2a^2(11B + 12C) \tan(c + dx) \sec^4(c + dx)}{99d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(187B + 168C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(187B + 168C) \tan(c + dx)}{495d\sqrt{a \sec(c + dx) + a}}$$

[Out] (4*a^2*(187*B + 168*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(187*B + 168*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(11*B + 12*C)*Sec[c + d*x]^4*Tan[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) - (8*a*(187*B + 168*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a*C*Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(11*d) + (4*(187*B + 168*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d)

Rubi [A] time = 0.637845, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4018, 4016, 3803, 3800, 4001, 3792}

$$\frac{2a^2(11B + 12C) \tan(c + dx) \sec^4(c + dx)}{99d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(187B + 168C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(187B + 168C) \tan(c + dx)}{495d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^2*(187*B + 168*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(187*B + 168*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(11*B + 12*C)*Sec[c + d*x]^4*Tan[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) - (8*a*(187*B + 168*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a*C*Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(11*d) + (4*(187*B + 168*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n *Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3800

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_), x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m + 1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m

+ 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + a \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^4(c + dx)(a + a \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
 &= \frac{2aC \sec^4(c + dx) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{11d} \\
 &= \frac{2a^2(11B + 12C) \sec^4(c + dx) \tan(c + dx)}{99d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(187B + 168C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^2(187B + 168C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(187B + 168C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{4a^2(187B + 168C) \tan(c + dx)}{495d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(187B + 168C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 6.10408, size = 113, normalized size = 0.48

$$\frac{2a^2 \tan(c + dx) (35(11B + 21C) \sec^4(c + dx) + (935B + 840C) \sec^3(c + dx) + 6(187B + 168C) \sec^2(c + dx) + 8(187B + 168C) \sec(c + dx) + 8(187B + 168C))}{3465d \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a^2*(2992*B + 2688*C + 8*(187*B + 168*C))*Sec[c + d*x] + 6*(187*B + 168*C)*Sec[c + d*x]^2 + (935*B + 840*C)*Sec[c + d*x]^3 + 35*(11*B + 21*C)*Sec[c + d*x]^4 + 315*C*Sec[c + d*x]^5)*Tan[c + d*x]/(3465*d*Sqrt[a*(1 + Sec[c + d*x])])

d*x]]))

Maple [A] time = 0.463, size = 161, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c)) \left(2992B(\cos(dx + c))^5 + 2688C(\cos(dx + c))^5 + 1496B(\cos(dx + c))^4 + 1344C(\cos(dx + c))^4 \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$-2/3465/d*a*(-1+\cos(d*x+c))*(2992*B*\cos(d*x+c)^5+2688*C*\cos(d*x+c)^5+1496*B*\cos(d*x+c)^4+1344*C*\cos(d*x+c)^4+1122*B*\cos(d*x+c)^3+1008*C*\cos(d*x+c)^3+935*B*\cos(d*x+c)^2+840*C*\cos(d*x+c)^2+385*B*\cos(d*x+c)+735*C*\cos(d*x+c)+315*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\cos(d*x+c)^5/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.51914, size = 394, normalized size = 1.68

$$\frac{2 \left(16(187B + 168C)a \cos(dx + c)^5 + 8(187B + 168C)a \cos(dx + c)^4 + 6(187B + 168C)a \cos(dx + c)^3 + 5(187B + 168C)a \cos(dx + c)^2 + 4(187B + 168C)a \cos(dx + c) + 3(187B + 168C)a \right)}{3465 \left(d \cos(dx + c)^6 + d \cos(dx + c)^5 + d \cos(dx + c)^4 + d \cos(dx + c)^3 + d \cos(dx + c)^2 + d \cos(dx + c) + d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

```
[Out] 2/3465*(16*(187*B + 168*C)*a*cos(d*x + c)^5 + 8*(187*B + 168*C)*a*cos(d*x +
c)^4 + 6*(187*B + 168*C)*a*cos(d*x + c)^3 + 5*(187*B + 168*C)*a*cos(d*x +
c)^2 + 35*(11*B + 21*C)*a*cos(d*x + c) + 315*C*a)*sqrt((a*cos(d*x + c) + a)
/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c))*
*2),x)
```

[Out] Timed out

Giac [A] time = 4.91038, size = 424, normalized size = 1.81

$$4 \left(3465 \sqrt{2} B a^7 \operatorname{sgn}(\cos(dx + c)) + 3465 \sqrt{2} C a^7 \operatorname{sgn}(\cos(dx + c)) - \left(9240 \sqrt{2} B a^7 \operatorname{sgn}(\cos(dx + c)) + 6930 \sqrt{2} C a^7 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="giac")
```

```
[Out] -4/3465*(3465*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 3465*sqrt(2)*C*a^7*sgn(cos(
d*x + c)) - (9240*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 6930*sqrt(2)*C*a^7*sgn(
cos(d*x + c)) - (14784*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 15246*sqrt(2)*C*a^
7*sgn(cos(d*x + c)) - (13662*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 11088*sqrt(2)
)*C*a^7*sgn(cos(d*x + c)) - (5687*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 5313*sq
rt(2)*C*a^7*sgn(cos(d*x + c)) - 2*(517*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 48
3*sqrt(2)*C*a^7*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/
2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c
)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^5*sqrt(-a*tan(1/2
*d*x + 1/2*c)^2 + a)*d)
```

3.366 $\int \sec^2(c+dx)(a+a \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=189

$$\frac{2a^2(9B+10C) \tan(c+dx) \sec^3(c+dx)}{63d\sqrt{a \sec(c+dx)+a}} + \frac{2a^2(39B+34C) \tan(c+dx)}{45d\sqrt{a \sec(c+dx)+a}} + \frac{2(39B+34C) \tan(c+dx)(a \sec(c+dx)+a)}{105d}$$

[Out] (2*a^2*(39*B + 34*C)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(9*B + 10*C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a*(39*B + 34*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*C*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(9*d) + (2*(39*B + 34*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d)

Rubi [A] time = 0.564349, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4018, 4016, 3800, 4001, 3792}

$$\frac{2a^2(9B+10C) \tan(c+dx) \sec^3(c+dx)}{63d\sqrt{a \sec(c+dx)+a}} + \frac{2a^2(39B+34C) \tan(c+dx)}{45d\sqrt{a \sec(c+dx)+a}} + \frac{2(39B+34C) \tan(c+dx)(a \sec(c+dx)+a)}{105d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a^2*(39*B + 34*C)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(9*B + 10*C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a*(39*B + 34*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*C*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(9*d) + (2*(39*B + 34*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3800

```

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_),
x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]

```

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]

```

Rule 3792

```

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^3(c + dx)(a + a \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
&= \frac{2aC \sec^3(c + dx) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{9d} \\
&= \frac{2a^2(9B + 10C) \sec^3(c + dx) \tan(c + dx)}{63d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(9B + 10C) \sec^3(c + dx) \tan(c + dx)}{63d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^2(9B + 10C) \sec^3(c + dx) \tan(c + dx)}{63d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(9B + 10C) \sec^3(c + dx) \tan(c + dx)}{63d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^2(9B + 10C) \sec^3(c + dx) \tan(c + dx)}{63d \sqrt{a + a \sec(c + dx)}} - \frac{2a^2(9B + 10C) \sec^3(c + dx) \tan(c + dx)}{63d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^2(39B + 34C) \tan(c + dx)}{45d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(9B + 10C)}{63d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.687083, size = 100, normalized size = 0.53

$$\frac{2a^2 \tan(c + dx) (5(9B + 17C) \sec^3(c + dx) + 3(39B + 34C) \sec^2(c + dx) + 4(39B + 34C) \sec(c + dx) + 8(39B + 34C) + 315d \sqrt{a(\sec(c + dx) + 1)})}{315d \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a^2*(8*(39*B + 34*C) + 4*(39*B + 34*C)*Sec[c + d*x] + 3*(39*B + 34*C)*Sec[c + d*x]^2 + 5*(9*B + 17*C)*Sec[c + d*x]^3 + 35*C*Sec[c + d*x]^4)*Tan[c + d*x])/(315*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.287, size = 139, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c)) (312B(\cos(dx + c))^4 + 272C(\cos(dx + c))^4 + 156B(\cos(dx + c))^3 + 136C(\cos(dx + c))^3 + 315d(\cos(dx + c))^4 \sin(dx + c))}{315d(\cos(dx + c))^4 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] -2/315/d*a*(-1+cos(d*x+c))*(312*B*cos(d*x+c)^4+272*C*cos(d*x+c)^4+156*B*cos
(d*x+c)^3+136*C*cos(d*x+c)^3+117*B*cos(d*x+c)^2+102*C*cos(d*x+c)^2+45*B*cos
(d*x+c)+85*C*cos(d*x+c)+35*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c
)^4/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.537587, size = 329, normalized size = 1.74

$$\frac{2(8(39B + 34C)a \cos(dx + c)^4 + 4(39B + 34C)a \cos(dx + c)^3 + 3(39B + 34C)a \cos(dx + c)^2 + 5(9B + 17C)a \cos(dx + c) + 35C)a \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c)}{315(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="fricas")
```

```
[Out] 2/315*(8*(39*B + 34*C)*a*cos(d*x + c)^4 + 4*(39*B + 34*C)*a*cos(d*x + c)^3
+ 3*(39*B + 34*C)*a*cos(d*x + c)^2 + 5*(9*B + 17*C)*a*cos(d*x + c) + 35*C*a
)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5 +
d*cos(d*x + c)^4)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c))*
*2),x)
```

```
[Out] Timed out
```

Giac [A] time = 4.77483, size = 362, normalized size = 1.92

$$4 \left(315 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c)) - \left(735 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) + 525 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),
,x, algorithm="giac")
```

```
[Out] 4/315*(315*sqrt(2)*B*a^6*sgn(cos(d*x + c)) + 315*sqrt(2)*C*a^6*sgn(cos(d*x
+ c)) - (735*sqrt(2)*B*a^6*sgn(cos(d*x + c)) + 525*sqrt(2)*C*a^6*sgn(cos(d*
x + c)) - (819*sqrt(2)*B*a^6*sgn(cos(d*x + c)) + 819*sqrt(2)*C*a^6*sgn(cos(
d*x + c)) - (513*sqrt(2)*B*a^6*sgn(cos(d*x + c)) + 423*sqrt(2)*C*a^6*sgn(co
s(d*x + c)) - 2*(57*sqrt(2)*B*a^6*sgn(cos(d*x + c)) + 47*sqrt(2)*C*a^6*sgn(
cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x
+ 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x +
1/2*c)^2 - a)^4*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.367 $\int \sec(c+dx)(a+a \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=138

$$\frac{8a^2(21B+19C)\tan(c+dx)}{105d\sqrt{a\sec(c+dx)+a}} + \frac{2(7B-2C)\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{35d} + \frac{2a(21B+19C)\tan(c+dx)\sqrt{a\sec(c+dx)}}{105d}$$

```
[Out] (8*a^2*(21*B + 19*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(21*B + 19*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*B - 2*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*a*d)
```

Rubi [A] time = 0.353351, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4010, 4001, 3793, 3792}

$$\frac{8a^2(21B+19C)\tan(c+dx)}{105d\sqrt{a\sec(c+dx)+a}} + \frac{2(7B-2C)\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{35d} + \frac{2a(21B+19C)\tan(c+dx)\sqrt{a\sec(c+dx)}}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (8*a^2*(21*B + 19*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(21*B + 19*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*B - 2*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*a*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*
```



```
a + b*Csc[e + f*x]^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^2(c + dx)(a + a \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\ &= \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7ad} + \frac{2 \int \sec^2(c + dx)(a + a \sec(c + dx))^{3/2} dx}{7ad} \\ &= \frac{2(7B - 2C)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{35d} \\ &= \frac{2a(21B + 19C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} \\ &= \frac{8a^2(21B + 19C) \tan(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \frac{2a(21B + 19C)}{105d} \end{aligned}$$

Mathematica [A] time = 0.372721, size = 82, normalized size = 0.59

$$\frac{2a^2 \tan(c + dx) (3(7B + 13C) \sec^2(c + dx) + (63B + 52C) \sec(c + dx) + 2(63B + 52C) + 15C \sec^3(c + dx))}{105d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*a^2*(2*(63*B + 52*C) + (63*B + 52*C)*Sec[c + d*x] + 3*(7*B + 13*C)*Sec[c + d*x]^2 + 15*C*Sec[c + d*x]^3)*Tan[c + d*x])/(105*d*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [A] time = 0.265, size = 117, normalized size = 0.9

$$\frac{2a(-1 + \cos(dx + c)) (126B(\cos(dx + c))^3 + 104C(\cos(dx + c))^3 + 63B(\cos(dx + c))^2 + 52C(\cos(dx + c))^2 + 21B\cos(dx + c) + 39C\cos(dx + c) + 15C)}{105d(\cos(dx + c))^3 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] -2/105/d*a*(-1+cos(d*x+c))*(126*B*cos(d*x+c)^3+104*C*cos(d*x+c)^3+63*B*cos(d*x+c)^2+52*C*cos(d*x+c)^2+21*B*cos(d*x+c)+39*C*cos(d*x+c)+15*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^3/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.510531, size = 279, normalized size = 2.02

$$\frac{2 \left(2 (63 B + 52 C) a \cos(dx + c)^3 + (63 B + 52 C) a \cos(dx + c)^2 + 3 (7 B + 13 C) a \cos(dx + c) + 15 C a \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{105 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 2/105*(2*(63*B + 52*C)*a*cos(d*x + c)^3 + (63*B + 52*C)*a*cos(d*x + c)^2 + 3*(7*B + 13*C)*a*cos(d*x + c) + 15*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 4.67613, size = 300, normalized size = 2.17

$$4 \left(105 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) \right) - \left(210 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) + 140 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

```
[Out] -4/105*(105*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 105*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (210*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 140*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (147*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 133*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - 2*(21*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 19*sqrt(2)*C*a^5*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^3*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.368 $\int (a+a \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=101

$$\frac{8a^2(5B+3C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2a(5B+3C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15d} + \frac{2C\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{5d}$$

[Out] (8*a^2*(5*B + 3*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(5*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

Rubi [A] time = 0.129032, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {4054, 12, 3793, 3792}

$$\frac{8a^2(5B+3C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2a(5B+3C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15d} + \frac{2C\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (8*a^2*(5*B + 3*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(5*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

Rule 4054

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] := -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] +
Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[
2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int (a + a \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2 \int \frac{1}{2} a(5B + 3C) \sec(c + dx) dx}{5d} \\ &= \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{1}{5}(5B + 3C) \int \sec(c + dx) dx \\ &= \frac{2a(5B + 3C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\ &= \frac{8a^2(5B + 3C) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2a(5B + 3C)\sqrt{a + a \sec(c + dx)}}{15d} \end{aligned}$$

Mathematica [A] time = 0.253683, size = 62, normalized size = 0.61

$$\frac{2a^2 \tan(c + dx) \left((5B + 9C) \sec(c + dx) + 25B + 3C \sec^2(c + dx) + 18C \right)}{15d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*a^2*(25*B + 18*C + (5*B + 9*C)*Sec[c + d*x] + 3*C*Sec[c + d*x]^2)*Tan[c + d*x])/(15*d*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [A] time = 0.253, size = 95, normalized size = 0.9

$$\frac{2a(-1 + \cos(dx + c)) \left(25B(\cos(dx + c))^2 + 18C(\cos(dx + c))^2 + 5B\cos(dx + c) + 9C\cos(dx + c) + 3C \right)}{15d(\cos(dx + c))^2 \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$-2/15/d*a*(-1+\cos(d*x+c))*(25*B*\cos(d*x+c)^2+18*C*\cos(d*x+c)^2+5*B*\cos(d*x+c)+9*C*\cos(d*x+c)+3*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^2/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.498846, size = 225, normalized size = 2.23

$$\frac{2\left((25B + 18C)a \cos(dx + c)^2 + (5B + 9C)a \cos(dx + c) + 3Ca\right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{15\left(d \cos(dx + c)^3 + d \cos(dx + c)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out]
$$2/15*((25*B + 18*C)*a*\cos(d*x + c)^2 + (5*B + 9*C)*a*\cos(d*x + c) + 3*C*a)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^3 + d*\cos(d*x + c)^2)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(\sec(c + dx) + 1))^{\frac{3}{2}} (B + C \sec(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((a*(sec(c + d*x) + 1))**(3/2)*(B + C*sec(c + d*x))*sec(c + d*x), x)

Giac [A] time = 4.52612, size = 238, normalized size = 2.36

$$\frac{4 \left(15 \sqrt{2} B a^4 \operatorname{sgn}(\cos(dx + c)) + 15 \sqrt{2} C a^4 \operatorname{sgn}(\cos(dx + c)) - \left(25 \sqrt{2} B a^4 \operatorname{sgn}(\cos(dx + c)) + 15 \sqrt{2} C a^4 \operatorname{sgn}(\cos(dx + c)) \right) \right)}{15 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^2 \sqrt{\dots}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 4/15*(15*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 15*sqrt(2)*C*a^4*sgn(cos(d*x + c)) - (25*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 15*sqrt(2)*C*a^4*sgn(cos(d*x + c)) - 2*(5*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 3*sqrt(2)*C*a^4*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)

3.369 $\int \cos(c+dx)(a+a \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=105

$$\frac{2a^2(3B+4C)\tan(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2a^{3/2}B \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c+dx)\sqrt{a\sec(c+dx)+a}}{3d}$$

[Out] $(2a^{3/2}B \operatorname{ArcTan}[\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}])/d + (2a^2(3B+4C)\tan(c+dx))/(3d\sqrt{a\sec(c+dx)+a}) + (2aC \tan(c+dx)\sqrt{a\sec(c+dx)+a})/(3d)$

Rubi [A] time = 0.242768, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 3917, 3915, 3774, 203, 3792}

$$\frac{2a^2(3B+4C)\tan(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2a^{3/2}B \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c+dx)\sqrt{a\sec(c+dx)+a}}{3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos(c+dx)(a+a \sec(c+dx))^{3/2}(B \sec(c+dx) + C \sec^2(c+dx)), x]$

[Out] $(2a^{3/2}B \operatorname{ArcTan}[\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}])/d + (2a^2(3B+4C)\tan(c+dx))/(3d\sqrt{a\sec(c+dx)+a}) + (2aC \tan(c+dx)\sqrt{a\sec(c+dx)+a})/(3d)$

Rule 4072

$\operatorname{Int}[(a + \csc(e + f x))(b + (a + \csc(e + f x))^m), x] \rightarrow \operatorname{Dist}[1/b^2, \operatorname{Int}[(a + b \csc(e + f x))^{m+1}(c + d \csc(e + f x))^n(bB - aC + bC \csc(e + f x)), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3917

$\operatorname{Int}[(\csc(e + f x))(b + (a + \csc(e + f x))^m), x] \rightarrow -\operatorname{Simp}[(b*d \cot(e + f x)(a + b \csc(e + f x))^{m-1})/(f*m), x] + \operatorname{Dist}[1/m, \operatorname{Int}[(a + b \csc(e + f x))^{m-1} \operatorname{Simp}[a*c*m + (b$

$*c*m + a*d*(2*m - 1)*Csc[e + f*x], x], x], x] /; FreeQ[\{a, b, c, d, e, f\}, x] \&\& NeQ[b*c - a*d, 0] \&\& GtQ[m, 1] \&\& EqQ[a^2 - b^2, 0] \&\& IntegerQ[2*m]$

Rule 3915

$Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[\{a, b, c, d, e, f\}, x] \&\& NeQ[b*c - a*d, 0] \&\& EqQ[a^2 - b^2, 0]$

Rule 3774

$Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[\{a, b, c, d\}, x] \&\& EqQ[a^2 - b^2, 0]$

Rule 203

$Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[\{a, b\}, x] \&\& PosQ[a/b] \&\& (GtQ[a, 0] || GtQ[b, 0])$

Rule 3792

$Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[\{a, b, e, f\}, x] \&\& EqQ[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + a \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\ &= \frac{2aC\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{2aC\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + (aB) \int \frac{1}{\sqrt{a + a \sec(c + dx)}} dx \\ &= \frac{2a^2(3B + 4C) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2aC\sqrt{a + a \sec(c + dx)}}{3d} \\ &= \frac{2a^{3/2}B \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a^2(3B + 4C) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.482679, size = 102, normalized size = 0.97

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((3B + 5C) \cos(c + dx) + C) + 3\sqrt{2}B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*Sec[(c + d*x)/2]*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + 2*(C + (3*B + 5*C)*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*d)
```

Maple [B] time = 0.267, size = 237, normalized size = 2.3

$$\frac{a}{6d \cos(dx + c) \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(3B \cos(dx + c) \sin(dx + c) \sqrt{2} \left(-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}\right)^{3/2} \operatorname{Artanh}\left(\frac{1}{2} \sqrt{2} \frac{\cos(dx + c)}{\cos(dx + c) + 1}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] 1/6/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*B*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+3*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)-12*B*cos(d*x+c)^2-20*C*cos(d*x+c)^2+12*B*cos(d*x+c)+16*C*cos(d*x+c)+4*C)/cos(d*x+c)/sin(d*x+c)
```

Maxima [B] time = 1.84859, size = 1347, normalized size = 12.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] 1/2*((a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + 4*(a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - (a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a))*B/((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*d)
```

Fricas [A] time = 0.556835, size = 814, normalized size = 7.75

$$\frac{3 \left(B a \cos(dx + c)^2 + B a \cos(dx + c) \right) \sqrt{-a} \log \left(\frac{2 a \cos(dx + c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \cos(dx + c) \sin(dx + c) + a \cos(dx + c) - a}{\cos(dx + c) + 1} \right) + 2 \left((3 B + 5 C) \right)}{3 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x
```

```
, algorithm="fricas")
```

```
[Out] [1/3*(3*(B*a*cos(d*x + c)^2 + B*a*cos(d*x + c))*sqrt(-a)*log((2*a*cos(d*x +
c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin
(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*((3*B + 5*C)*a*cos(
d*x + c) + C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*co
s(d*x + c)^2 + d*cos(d*x + c)), -2/3*(3*(B*a*cos(d*x + c)^2 + B*a*cos(d*x +
c))*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(s
qrt(a)*sin(d*x + c))) - ((3*B + 5*C)*a*cos(d*x + c) + C*a)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2)
,x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.370 $\int \cos^2(c+dx)(a+a \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=103

$$\frac{a^2(B-2C)\sin(c+dx)}{d\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(3B+2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aC\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{d}$$

[Out] (a^(3/2)*(3*B + 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^2*(B - 2*C)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.356627, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.119$, Rules used = {4072, 4018, 4015, 3774, 203}

$$\frac{a^2(B-2C)\sin(c+dx)}{d\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(3B+2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aC\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(3*B + 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^2*(B - 2*C)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x]

] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n *Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + a \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)(a + a \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
 &= \frac{2aC\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + 2 \int \cos(c + dx) \sqrt{a + a \sec(c + dx)} dx \\
 &= \frac{a^2(B - 2C) \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{2aC\sqrt{a + a \sec(c + dx)}}{d} \\
 &= \frac{a^2(B - 2C) \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{2aC\sqrt{a + a \sec(c + dx)}}{d} \\
 &= \frac{a^{3/2}(3B + 2C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{a^2(B + 2C)}{d\sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.426962, size = 97, normalized size = 0.94

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(3B + 2C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx) + 2} \sin\left(\frac{1}{2}(c + dx)\right) (B \cos(c + dx) + C)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(3*B + 2*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(2*C + B*Cos[c + d*x])*Sin[(c + d*x)/2]))/(2*d)
```

Maple [B] time = 0.289, size = 212, normalized size = 2.1

$$-\frac{a}{2d \sin(dx + c)} \left(3B\sqrt{2} \operatorname{Artanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx + c)}{\cos(dx + c)} \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \right) \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \sin(dx + c) + 2C \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] -1/2/d*a*(3*B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)+2*B*cos(d*x+c)^2-2*B*cos(d*x+c)+4*C*cos(d*x+c)-4*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)
```

Maxima [B] time = 2.18631, size = 2431, normalized size = 23.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```



```
[Out] 1/4*((2*(a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x
+ c) - (a*cos(d*x + c) - a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c) + 1)))*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(1/4)*sqrt(a) + 3*(a*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2
+ 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c)
, cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos
(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c) + 1))) + 1) - a*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)
^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c) + 1))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*
c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x
+ 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))
+ 1) + a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2
*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (c
os(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(
1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a)*B + 2*(
(a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arct
an2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c)))) + 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d
*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*
sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(
sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x
+ 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)
)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c)))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2
+ 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*
c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1)
+ a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c)
+ 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2
```

```
*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*
arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*(cos(2*d*x + 2*c)^2
+ sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + 4*(a*cos(1/2
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c)))) - (a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c)))) - a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*s
qrt(a))*C/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1
)^(1/4))/d
```

Fricas [A] time = 0.653416, size = 755, normalized size = 7.33

$$\frac{\left((3B + 2C)a \cos(dx + c) + (3B + 2C)a \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2(Ba \cos(dx+c) + C) \sqrt{-a} \right)}{2(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/2*(((3*B + 2*C)*a*cos(d*x + c) + (3*B + 2*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(B*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -(((3*B + 2*C)*a*cos(d*x + c) + (3*B + 2*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (B*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```


3.371 $\int \cos^3(c+dx)(a+a \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=119

$$\frac{a^2(5B+4C)\sin(c+dx)}{4d\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(7B+12C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{aB\sin(c+dx)\cos(c+dx)\sqrt{a\sec(c+dx)+a}}{2d}$$

[Out] (a^(3/2)*(7*B + 12*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(4*d) + (a^2*(5*B + 4*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.377637, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.119$, Rules used = {4072, 4017, 4015, 3774, 203}

$$\frac{a^2(5B+4C)\sin(c+dx)}{4d\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(7B+12C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{aB\sin(c+dx)\cos(c+dx)\sqrt{a\sec(c+dx)+a}}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(7*B + 12*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(4*d) + (a^2*(5*B + 4*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis

```
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)(a + a \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} \\
&= \frac{a^2(5B + 4C) \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{aB \cos(c + dx) \sqrt{a + a \sec(c + dx)}}{2d} \\
&= \frac{a^2(5B + 4C) \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{aB \cos(c + dx) \sqrt{a + a \sec(c + dx)}}{2d} \\
&= \frac{a^{3/2}(7B + 12C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} + \frac{a^2(5B + 4C) \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.710625, size = 101, normalized size = 0.85

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\cos(c + dx) \sqrt{\sec(c + dx) - 1} (2B \cos(c + dx) + 7B + 4C) + (7B + 12C) \tan^{-1}\left(\sqrt{\sec(c + dx) - 1}\right)\right)}{4d \sqrt{\sec(c + dx) - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*((7*B + 12*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]] + Cos[c + d*x]*(7*B + 4*C + 2*B*Cos[c + d*x])*Sqrt[-1 + Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])*Tan[(c + d*x)/2]]/(4*d*Sqrt[-1 + Sec[c + d*x]])

Maple [B] time = 0.3, size = 399, normalized size = 3.4

$$\frac{a}{16d \cos(dx + c) \sin(dx + c)} \left(7B \cos(dx + c) \sin(dx + c) \sqrt{2} \left(-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1} \right)^{3/2} \operatorname{Arctanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx + c)}{\cos(dx + c)} \sqrt{-2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/16/d*a*(7*B*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+12*C*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+7*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)+12*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)-8*B*cos(d*x+c)^4-20*B*cos(d*x+c)^3-16*C*cos(d*x+c)^3+28*B*cos(d*x+c)^2+16*C*cos(d*x+c)^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.692929, size = 833, normalized size = 7.

$$\left[\frac{((7B + 12C)a \cos(dx + c) + (7B + 12C)a)\sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2 \left(\frac{2B^2 a \cos(dx+c)^2 + (7B + 4C)a \cos(dx+c)}{(d \cos(dx+c) + d)} \right)}{8(d \cos(dx+c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/8*(((7*B + 12*C)*a*cos(d*x + c) + (7*B + 12*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*B*a*cos(d*x + c)^2 + (7*B + 4*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/4*(((7*B + 12*C)*a*cos(d*x + c) + (7*B + 12*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (2*B*a*cos(d*x + c)^2 + (7*B + 4*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [B] time = 6.68795, size = 863, normalized size = 7.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*((7*B*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c)) + 12*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c))) \\ & * \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3))) - (7*B*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c)) + 12*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c))) * \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(7*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 12*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) - 95*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) - 76*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*C*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) + 53*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) + 36*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*C*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) - 5*B*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) - 4*C*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^2)/d \end{aligned}$$

3.372 $\int \cos^4(c+dx)(a+a \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=164

$$\frac{a^2(11B+14C)\sin(c+dx)}{8d\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(11B+14C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{8d} + \frac{a^2(7B+6C)\sin(c+dx)\cos(c+dx)}{12d\sqrt{a\sec(c+dx)+a}} + \frac{aB\sin(c+dx)}{3d}$$

[Out] (a^(3/2)*(11*B + 14*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*d) + (a^2*(11*B + 14*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(7*B + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.470371, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4017, 4015, 3805, 3774, 203}

$$\frac{a^2(11B+14C)\sin(c+dx)}{8d\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(11B+14C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{8d} + \frac{a^2(7B+6C)\sin(c+dx)\cos(c+dx)}{12d\sqrt{a\sec(c+dx)+a}} + \frac{aB\sin(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(11*B + 14*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*d) + (a^2*(11*B + 14*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(7*B + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co

```
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^3(c + dx)(a + a \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{a^2(7B + 6C) \cos(c + dx) \sin(c + dx)}{12d \sqrt{a + a \sec(c + dx)}} + \frac{aB \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{a^2(11B + 14C) \sin(c + dx)}{8d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(7B + 6C) \cos(c + dx) \sin(c + dx)}{12d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(11B + 14C) \sin(c + dx)}{8d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(7B + 6C) \cos(c + dx) \sin(c + dx)}{12d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^{3/2}(11B + 14C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \frac{a^2(7B + 6C) \cos(c + dx) \sin(c + dx)}{12d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 11.3871, size = 740, normalized size = 4.51

$$a \left(\frac{B(\cos(c + dx) + 1) \tan(c + dx) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a(\sec(c + dx) + 1)} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 3, \frac{3}{2}, 1 - \sec(c + dx)\right)}{d(\sec(c + dx) + 1)} + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] a*((C*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])])/(2*Sqrt[2]*d) - (C*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + Sin[(c + d*x)/2] - 2*Sin[(3*(c + d*x))/2] - Sin[(5*(c + d*x))/2]))/(16*d) + (B*(1 + Cos[c + d*x])*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]]*Sec[c/2 + (d*x)/2]^2*Sqrt[a*(1 + Sec[c + d*x])]*Tan[c + d*x])/(d*(1 + Sec[c + d*x])) + (B*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(ArcTanh[Sqrt[1 - Sec[c + d*x]]] + Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[c + d*x])/(4*d*Sqrt[1 + Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2]) + (C*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(ArcTanh[Sqrt[1 - Sec[c + d*x]]] + Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[c + d*x])/(2*d*Sqrt[1 + Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2]) + (B*(1 + Cos[c

$$+ d*x])*\text{Sec}[c/2 + (d*x)/2]^2*\text{Sqrt}[a*(1 + \text{Sec}[c + d*x])]*(\text{Sec}[(c + d*x)/2]*\text{Sqrt}[1 + \text{Sec}[c + d*x]]*(-3*\text{Sqrt}[2]*\text{ArcSin}[\text{Sqrt}[2]*\text{Sin}[(c + d*x)/2]]*\text{Sqrt}[\text{Cos}[c + d*x]] + 7*\text{Sin}[(c + d*x)/2] - 2*\text{Sin}[(3*(c + d*x))/2] + 3*\text{Sin}[(5*(c + d*x))/2] + 2*\text{Sin}[(7*(c + d*x))/2]) + (12*(\text{ArcTanh}[\text{Sqrt}[1 - \text{Sec}[c + d*x]])] + \text{Cos}[c + d*x]*\text{Sqrt}[1 - \text{Sec}[c + d*x]])*\text{Tan}[c + d*x])/(\text{Sqrt}[-\text{Tan}[c + d*x]^2]))/(96*d*\text{Sqrt}[1 + \text{Sec}[c + d*x]])$$

Maple [B] time = 0.381, size = 581, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] -1/192/d*a*(33*B*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+42*C*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+66*B*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+84*C*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+33*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+42*C*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+64*B*cos(d*x+c)^6+112*B*cos(d*x+c)^5+96*C*cos(d*x+c)^5+88*B*cos(d*x+c)^4+240*C*cos(d*x+c)^4-264*B*cos(d*x+c)^3-336*C*cos(d*x+c)^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^2
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.679484, size = 949, normalized size = 5.79

$$\frac{3((11B + 14C)a \cos(dx + c) + (11B + 14C)a)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2}{48(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/48*(3*((11*B + 14*C)*a*cos(d*x + c) + (11*B + 14*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*B*a*cos(d*x + c)^3 + 2*(11*B + 6*C)*a*cos(d*x + c)^2 + 3*(11*B + 14*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((11*B + 14*C)*a*cos(d*x + c) + (11*B + 14*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*B*a*cos(d*x + c)^3 + 2*(11*B + 6*C)*a*cos(d*x + c)^2 + 3*(11*B + 14*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 7.01428, size = 1166, normalized size = 7.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="giac")
```

```
[Out] -1/48*(3*(11*B*sqrt(-a)*a*sgn(cos(d*x + c)) + 14*C*sqrt(-a)*a*sgn(cos(d*x +
c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)
^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(11*B*sqrt(-a)*a*sgn(cos(d*x + c)) + 1
4*C*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) -
sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(3
3*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*
B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 42*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt
(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^2*sgn(cos(d*x + c)) - 303*
(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*s
qrt(-a)*a^3*sgn(cos(d*x + c)) - 822*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-
a*tan(1/2*d*x + 1/2*c)^2 + a))^8*C*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 2394*(s
qrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sq
rt(-a)*a^4*sgn(cos(d*x + c)) + 3780*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a
*tan(1/2*d*x + 1/2*c)^2 + a))^6*C*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 1806*(s
qrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sq
rt(-a)*a^5*sgn(cos(d*x + c)) - 2508*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a
tan(1/2*d*x + 1/2*c)^2 + a))^4*C*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 309*(sq
rt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sq
rt(-a)*a^6*sgn(cos(d*x + c)) + 498*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*t
an(1/2*d*x + 1/2*c)^2 + a))^2*C*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 19*B*sqrt(-a
)*a^7*sgn(cos(d*x + c)) - 30*C*sqrt(-a)*a^7*sgn(cos(d*x + c)))/((sqrt(-a)*t
an(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*
tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^3)/d
```

3.373 $\int \cos^5(c+dx)(a+a \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=209

$$\frac{a^2(75B + 88C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(75B + 88C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(9B + 8C) \sin(c + dx) \cos^2(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(75B + 88C) \sin^2(c + dx)}{64d}$$

[Out] (a^(3/2)*(75*B + 88*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(64*d) + (a^2*(75*B + 88*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(75*B + 88*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(9*B + 8*C)*Cos[c + d*x]^2*Ssin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.557501, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4017, 4015, 3805, 3774, 203}

$$\frac{a^2(75B + 88C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(75B + 88C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(9B + 8C) \sin(c + dx) \cos^2(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(75B + 88C) \sin^2(c + dx)}{64d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(75*B + 88*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(64*d) + (a^2*(75*B + 88*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(75*B + 88*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(9*B + 8*C)*Cos[c + d*x]^2*Ssin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c+dx)(a+a\sec(c+dx))^{3/2}(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^4(c+dx)(a+a\sec(c+dx))^{3/2}(B+C\sec(c+dx))dx \\
&= \frac{aB\cos^3(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} \\
&= \frac{a^2(9B+8C)\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{aB\cos^3(c+dx)\sqrt{a+a\sec(c+dx)}}{4d} \\
&= \frac{a^2(75B+88C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(9B+8C)\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(75B+88C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(75B+88C)\cos^2(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(75B+88C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(75B+88C)\cos^2(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{3/2}(75B+88C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a^2(9B+8C)\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 11.9911, size = 1031, normalized size = 4.93

$$a \left(\frac{C(\cos(c+dx)+1)\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(\sqrt{2}\sqrt{\cos(c+dx)}\sin^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\right) + \sin\left(\frac{1}{2}(c+dx)\right)}{16d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a*((C*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])])/(2*Sqrt[2]*d) - (C*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + Sin[(c + d*x)/2] - 2*Sin[(3*(c + d*x))/2] - Sin[(5*(c + d*x))/2]))/(16*d) + (C*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(-3*Sqrt[2]*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 7*Sin[(c + d*x)/2] - 2*Sin[(3*(c + d*x))/2] + 3*Sin[(5*(c + d*x))/2] + 2*Sin[(7*(c + d*x))/2]))/(96*d) - (B*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*ArcSin[Sq

$$\begin{aligned} & \text{rt}[2] * \sin[(c + d*x)/2] * \sqrt{\cos[c + d*x]} + 5 * \sin[(c + d*x)/2] - 16 * \sin[(3 \\ & * (c + d*x))/2] - 9 * \sin[(5 * (c + d*x))/2] - 8 * \sin[(7 * (c + d*x))/2] - 6 * \sin[(9 \\ & * (c + d*x))/2]) / (768 * d) + (3 * B * (1 + \cos[c + d*x]) * \text{Hypergeometric2F1}[1/2, 3 \\ & , 3/2, 1 - \sec[c + d*x]] * \sec[c/2 + (d*x)/2]^2 * \sqrt{a * (1 + \sec[c + d*x])} * \text{Tan} \\ & [c + d*x]) / (4 * d * (1 + \sec[c + d*x])) + (B * (1 + \cos[c + d*x]) * \sec[c/2 + (d*x) \\ &] / 2 * (\text{ArcTanh}[\sqrt{1 - \sec[c + d*x]}] + \cos[c + d*x] * \sqrt{1 - \sec[c + d*x] \\ &]]) * \sqrt{a * (1 + \sec[c + d*x])} * \text{Tan}[c + d*x]) / (4 * d * \sqrt{1 + \sec[c + d*x]} * \sqrt{ \\ & \text{rt}[-\text{Tan}[c + d*x]^2]) + (3 * C * (1 + \cos[c + d*x]) * \sec[c/2 + (d*x)/2]^2 * (\text{ArcTan} \\ & \text{h}[\sqrt{1 - \sec[c + d*x]}] + \cos[c + d*x] * \sqrt{1 - \sec[c + d*x]}) * \sqrt{a * (1 \\ & + \sec[c + d*x])} * \text{Tan}[c + d*x]) / (8 * d * \sqrt{1 + \sec[c + d*x]} * \sqrt{-\text{Tan}[c + d* \\ & x]^2}) + (B * (1 + \cos[c + d*x]) * \sec[c/2 + (d*x)/2]^2 * \sqrt{a * (1 + \sec[c + d*x] \\ &]]) * (\sec[(c + d*x)/2] * \sqrt{1 + \sec[c + d*x]} * (-3 * \sqrt{2} * \text{ArcSin}[\sqrt{2} * \sin \\ & [(c + d*x)/2]] * \sqrt{\cos[c + d*x]} + 7 * \sin[(c + d*x)/2] - 2 * \sin[(3 * (c + d*x) \\ &)/2] + 3 * \sin[(5 * (c + d*x))/2] + 2 * \sin[(7 * (c + d*x))/2]) + (12 * (\text{ArcTanh}[\sqrt{ \\ & \text{rt}[1 - \sec[c + d*x]]] + \cos[c + d*x] * \sqrt{1 - \sec[c + d*x]}) * \text{Tan}[c + d*x]) / \sqrt{ \\ & \text{rt}[-\text{Tan}[c + d*x]^2])}) / (96 * d * \sqrt{1 + \sec[c + d*x]}) \end{aligned}$$

Maple [B] time = 0.332, size = 763, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^5 * (a+a*\sec(d*x+c))^{3/2} * (B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out]
$$\begin{aligned} & -1/3072/d*a*(-225*B*\sin(d*x+c)*\cos(d*x+c)^3*\text{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x \\ & +c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c) \\ & +1))^{(7/2)}*2^{(1/2)}-264*C*\sin(d*x+c)*\cos(d*x+c)^3*\text{arctanh}(1/2*2^{(1/2)}*(-2*\cos \\ & (d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d \\ & *x+c)+1))^{(7/2)}*2^{(1/2)}-675*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{arctanh}(1/2*2^{(1/2)}*(\\ & -2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/ \\ & (\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}-792*C*\sin(d*x+c)*\cos(d*x+c)^2*\text{arctanh}(1/2*2^{(1 \\ & /2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x \\ & +c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}-675*B*\sin(d*x+c)*\cos(d*x+c)*\text{arctanh}(1/2*2 \\ & ^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos \\ & (d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}-792*C*\sin(d*x+c)*\cos(d*x+c)*\text{arctanh}(1/ \\ & 2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*c \\ & \cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}-225*B*\text{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d \\ & *x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+ \\ & c)+1))^{(7/2)}*2^{(1/2)}*\sin(d*x+c)-264*C*\text{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos \\ & (d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+ \\ & c)+1))^{(7/2)}*\sin(d*x+c)+768*B*\cos(d*x+c)^8+1152*B*\cos(d*x+c)^7+1024*C*\cos(d \end{aligned}$$

$$*x+c)^7+480*B*\cos(d*x+c)^6+1792*C*\cos(d*x+c)^6+1200*B*\cos(d*x+c)^5+1408*C*\cos(d*x+c)^5-3600*B*\cos(d*x+c)^4-4224*C*\cos(d*x+c)^4)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^3/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.766863, size = 1049, normalized size = 5.02

$$\left[\frac{3((75B + 88C)a \cos(dx + c) + (75B + 88C)a)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right)}{\dots} \right] + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/384*(3*((75*B + 88*C)*a*cos(d*x + c) + (75*B + 88*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*B*a*cos(d*x + c)^4 + 8*(15*B + 8*C)*a*cos(d*x + c)^3 + 2*(75*B + 88*C)*a*cos(d*x + c)^2 + 3*(75*B + 88*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(3*((75*B + 88*C)*a*cos(d*x + c) + (75*B + 88*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*B*a*cos(d*x + c)^4 + 8*(15*B + 8*C)*a*cos(d*x + c)^3 + 2*(75*B + 88*C)*a*cos(d*x + c)^2 + 3*(75*B + 88*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)

)/(d*cos(d*x + c) + d]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c))*2),x)

[Out] Timed out

Giac [B] time = 7.26761, size = 1469, normalized size = 7.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c))^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/384*(3*(75*B*\sqrt{-a}*a*\operatorname{sgn}(\cos(d*x + c)) + 88*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(d*x + c))) \\ & * \log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}))^2 - a*(2*\sqrt{2} + 3))) - 3*(75*B*\sqrt{-a}*a*\operatorname{sgn}(\cos(d*x + c)) + \\ & 88*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(d*x + c))) * \log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}))^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(\\ & 225*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^14*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(d*x + c)) + 264*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^14*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(d*x + c)) - 6 \\ & 261*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^12*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(d*x + c)) - 4008*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^12*C*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(d*x + c)) + \\ & 35925*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^10*B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(d*x + c)) + 33960*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^10*C*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(d*x + c)) \\ & - 127449*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*B*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(d*x + c)) - 131784*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*C*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(d*x + \end{aligned}$$

$$\begin{aligned}
& c)) + 101667*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(d*x + c)) + 108312*(\sqrt{-a}*\tan(1/2*d*x + \\
& 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*C*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(d*x \\
& + c)) - 26079*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*\sqrt{-a}*a^7*\operatorname{sgn}(\cos(d*x + c)) - 29432*(\sqrt{-a}*\tan(1/2*d*x \\
& + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*C*\sqrt{-a}*a^7*\operatorname{sgn}(\cos(d* \\
& x + c)) + 3303*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a}*a^8*\operatorname{sgn}(\cos(d*x + c)) + 3384*(\sqrt{-a}*\tan(1/2*d*x + \\
& 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*C*\sqrt{-a}*a^8*\operatorname{sgn}(\cos(d*x \\
& + c)) - 147*B*\sqrt{-a}*a^9*\operatorname{sgn}(\cos(d*x + c)) - 152*C*\sqrt{-a}*a^9*\operatorname{sgn}(\cos(\\
& d*x + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^4)/d
\end{aligned}$$

3.374 $\int \sec^3(c+dx)(a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=282

$$\frac{2a^2(13B + 16C) \tan(c + dx) \sec^4(c + dx) \sqrt{a \sec(c + dx) + a}}{143d} + \frac{2a^3(299B + 280C) \tan(c + dx) \sec^4(c + dx)}{1287d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(4615B + 4184C) \tan(c + dx) \sec^4(c + dx)}{9d \sqrt{a \sec(c + dx) + a}}$$

```
[Out] (4*a^3*(4615*B + 4184*C)*Tan[c + d*x])/(6435*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a^3*(4615*B + 4184*C)*Sec[c + d*x]^3*Tan[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a^3*(299*B + 280*C)*Sec[c + d*x]^4*Tan[c + d*x])/(1287*d*Sqrt[a + a*Sec[c + d*x]]) -
(8*a^2*(4615*B + 4184*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(45045*d) +
(2*a^2*(13*B + 16*C)*Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(143*d) +
(4*a*(4615*B + 4184*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(15015*d) +
(2*a*C*Sec[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(13*d)
```

Rubi [A] time = 0.839559, antiderivative size = 282, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4018, 4016, 3803, 3800, 4001, 3792}

$$\frac{2a^2(13B + 16C) \tan(c + dx) \sec^4(c + dx) \sqrt{a \sec(c + dx) + a}}{143d} + \frac{2a^3(299B + 280C) \tan(c + dx) \sec^4(c + dx)}{1287d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(4615B + 4184C) \tan(c + dx) \sec^4(c + dx)}{9d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^3*(4615*B + 4184*C)*Tan[c + d*x])/(6435*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a^3*(4615*B + 4184*C)*Sec[c + d*x]^3*Tan[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a^3*(299*B + 280*C)*Sec[c + d*x]^4*Tan[c + d*x])/(1287*d*Sqrt[a + a*Sec[c + d*x]]) -
(8*a^2*(4615*B + 4184*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(45045*d) +
(2*a^2*(13*B + 16*C)*Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(143*d) +
(4*a*(4615*B + 4184*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(15015*d) +
(2*a*C*Sec[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(13*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x]
```

$*(x_)]*(d_))^{(n_)} , x_Symbol] :> \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(c + d*\text{Csc}[e + f*x])^n*(b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 4018

$\text{Int}[(\text{csc}[(e_)] + (f_)*(x_)]*(d_))^{(n_)}*(\text{csc}[(e_)] + (f_)*(x_)]*(b_)] + (a_)]^{(m_)}*(\text{csc}[(e_)] + (f_)*(x_)]*(B_)] + (A_)] , x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& !\text{LtQ}[n, -1]$

Rule 4016

$\text{Int}[(\text{csc}[(e_)] + (f_)*(x_)]*(d_))^{(n_)}*\text{Sqrt}[\text{csc}[(e_)] + (f_)*(x_)]*(b_)] + (a_)]*(\text{csc}[(e_)] + (f_)*(x_)]*(B_)] + (A_)] , x_Symbol] :> \text{Simp}[(-2*b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(2*n + 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& !\text{LtQ}[n, 0]$

Rule 3803

$\text{Int}[(\text{csc}[(e_)] + (f_)*(x_)]*(d_))^{(n_)}*\text{Sqrt}[\text{csc}[(e_)] + (f_)*(x_)]*(b_)] + (a_)] , x_Symbol] :> \text{Simp}[(-2*b*d*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{(n - 1)})/(f*(2*n - 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(2*a*d*(n - 1))/(b*(2*n - 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{(n - 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 3800

$\text{Int}[\text{csc}[(e_)] + (f_)*(x_)]^3*(\text{csc}[(e_)] + (f_)*(x_)]*(b_)] + (a_)]^{(m_)} , x_Symbol] :> -\text{Simp}[(\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(b*(m + 1) - a*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, e, f, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

Rule 4001

$\text{Int}[\text{csc}[(e_)] + (f_)*(x_)]*(\text{csc}[(e_)] + (f_)*(x_)]*(b_)] + (a_)]^{(m_)}*(\text{csc}[(e_)] + (f_)*(x_)]*(B_)] + (A_)] , x_Symbol] :> -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*B*m + A*b*(m + 1))/(b*(m + 1)$

)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^4(c + dx)(a + a \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
 &= \frac{2aC \sec^4(c + dx)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{13d} \\
 &= \frac{2a^2(13B + 16C) \sec^4(c + dx) \sqrt{a + a \sec(c + dx)}}{143d} \\
 &= \frac{2a^3(299B + 280C) \sec^4(c + dx) \tan(c + dx)}{1287d \sqrt{a + a \sec(c + dx)}} + \dots \\
 &= \frac{2a^3(4615B + 4184C) \sec^3(c + dx) \tan(c + dx)}{9009d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^3(4615B + 4184C) \sec^3(c + dx) \tan(c + dx)}{9009d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^3(4615B + 4184C) \sec^3(c + dx) \tan(c + dx)}{9009d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{4a^3(4615B + 4184C) \tan(c + dx)}{6435d \sqrt{a + a \sec(c + dx)}} + \frac{2a^3(4615B + 4184C) \sec^3(c + dx)}{45045d \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.478743, size = 131, normalized size = 0.46

$$\frac{2a^3 \tan(c + dx) (315(13B + 38C) \sec^5(c + dx) + 35(416B + 523C) \sec^4(c + dx) + 5(4615B + 4184C) \sec^3(c + dx) + 6(4615B + 4184C) \sec^2(c + dx) + 6(4615B + 4184C) \sec(c + dx) + 6(4615B + 4184C))}{45045d \sqrt{a + a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $(2a^3(73840B + 66944C + 8(4615B + 4184C)\text{Sec}[c + dx] + 6(4615B + 4184C)\text{Sec}[c + dx]^2 + 5(4615B + 4184C)\text{Sec}[c + dx]^3 + 35(416B + 523C)\text{Sec}[c + dx]^4 + 315(13B + 38C)\text{Sec}[c + dx]^5 + 3465C\text{Sec}[c + dx]^6)\text{Tan}[c + dx]) / (45045d\sqrt{a(1 + \text{Sec}[c + dx])})$

Maple [A] time = 0.365, size = 185, normalized size = 0.7

$$\frac{2a^2(-1 + \cos(dx + c))(73840B(\cos(dx + c))^6 + 66944C(\cos(dx + c))^6 + 36920B(\cos(dx + c))^5 + 33472C(\cos(dx + c))^5 + 27690B(\cos(dx + c))^4 + 25104C(\cos(dx + c))^4 + 23075B(\cos(dx + c))^3 + 20920C(\cos(dx + c))^3 + 14560B(\cos(dx + c))^2 + 18305C(\cos(dx + c))^2 + 4095B(\cos(dx + c)) + 11970C(\cos(dx + c)) + 3465C)(a(\cos(dx + c) + 1)/\cos(dx + c))^{1/2}/\cos(dx + c)^6/\sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] $-2/45045/d*a^2*(-1+\cos(d*x+c))*(73840*B*\cos(d*x+c)^6+66944*C*\cos(d*x+c)^6+36920*B*\cos(d*x+c)^5+33472*C*\cos(d*x+c)^5+27690*B*\cos(d*x+c)^4+25104*C*\cos(d*x+c)^4+23075*B*\cos(d*x+c)^3+20920*C*\cos(d*x+c)^3+14560*B*\cos(d*x+c)^2+18305*C*\cos(d*x+c)^2+4095*B*\cos(d*x+c)+11970*C*\cos(d*x+c)+3465*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^6/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.538267, size = 479, normalized size = 1.7

$$2(16(4615B + 4184C)a^2 \cos(dx + c)^6 + 8(4615B + 4184C)a^2 \cos(dx + c)^5 + 6(4615B + 4184C)a^2 \cos(dx + c)^4 + 5(4615B + 4184C)a^2 \cos(dx + c)^3 + 4(4615B + 4184C)a^2 \cos(dx + c)^2 + 3(4615B + 4184C)a^2 \cos(dx + c) + 2(4615B + 4184C)a^2) \sqrt{a(1 + \text{Sec}[c + dx])} \text{Tan}[c + dx]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 2/45045*(16*(4615*B + 4184*C)*a^2*cos(d*x + c)^6 + 8*(4615*B + 4184*C)*a^2*cos(d*x + c)^5 + 6*(4615*B + 4184*C)*a^2*cos(d*x + c)^4 + 5*(4615*B + 4184*C)*a^2*cos(d*x + c)^3 + 35*(416*B + 523*C)*a^2*cos(d*x + c)^2 + 315*(13*B + 38*C)*a^2*cos(d*x + c) + 3465*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^7 + d*cos(d*x + c)^6)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 5.25256, size = 486, normalized size = 1.72

$$8 \left(45045 \sqrt{2} B a^9 \operatorname{sgn}(\cos(dx + c)) + 45045 \sqrt{2} C a^9 \operatorname{sgn}(\cos(dx + c)) - \left(150150 \sqrt{2} B a^9 \operatorname{sgn}(\cos(dx + c)) + 120120 \sqrt{2} C a^9 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 8/45045*(45045*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 45045*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (150150*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 120120*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (300300*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 294294*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (356070*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 310596*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (232375*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 229294*sqrt(2)*C*a^9*sgn(cos(d*x + c))))*sin(d*x + c)/(d*cos(d*x + c)^7 + d*cos(d*x + c)^6)
```

$$\begin{aligned}
&)) + 212069\sqrt{2}C^9\operatorname{sgn}(\cos(dx + c)) - 4(21125\sqrt{2}B^9\operatorname{sgn}(\cos(dx + c)) + 19279\sqrt{2}C^9\operatorname{sgn}(\cos(dx + c)) - 2(1625\sqrt{2}B^9 \\
&\operatorname{sgn}(\cos(dx + c)) + 1483\sqrt{2}C^9\operatorname{sgn}(\cos(dx + c)))\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right)\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right)\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) \\
&\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right)\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right)\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \left(a\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - a\right)^6\sqrt{-a\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a}d)
\end{aligned}$$

3.375 $\int \sec^2(c+dx)(a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=237

$$\frac{2a^3(209B + 194C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(11B + 14C) \tan(c + dx) \sec^3(c + dx)\sqrt{a \sec(c + dx) + a}}{99d} + \frac{2a^3(803B + 710C) \tan(c + dx) \sec^3(c + dx)}{495d\sqrt{a \sec(c + dx) + a}}$$

[Out] (2*a^3*(803*B + 710*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(209*B + 194*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a^2*(803*B + 710*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a^2*(11*B + 14*C)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(99*d) + (2*a*(803*B + 710*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d) + (2*a*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)

Rubi [A] time = 0.758672, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4018, 4016, 3800, 4001, 3792}

$$\frac{2a^3(209B + 194C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(11B + 14C) \tan(c + dx) \sec^3(c + dx)\sqrt{a \sec(c + dx) + a}}{99d} + \frac{2a^3(803B + 710C) \tan(c + dx) \sec^3(c + dx)}{495d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a^3*(803*B + 710*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(209*B + 194*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a^2*(803*B + 710*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a^2*(11*B + 14*C)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(99*d) + (2*a*(803*B + 710*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d) + (2*a*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3800

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_, x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m + 1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \sec^2(c+dx)(a+a\sec(c+dx))^{5/2}(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sec^3(c+dx)(a+a\sec(c+dx))^{5/2}(B+C\sec(c+dx))dx \\
&= \frac{2aC\sec^3(c+dx)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{11d} \\
&= \frac{2a^2(11B+14C)\sec^3(c+dx)\sqrt{a+a\sec(c+dx)}}{99d} \\
&= \frac{2a^3(209B+194C)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2a^3(209B+194C)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^3(209B+194C)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2a^3(209B+194C)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^3(803B+710C)\tan(c+dx)}{495d\sqrt{a+a\sec(c+dx)}} + \frac{2a^3(209B+194C)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [B] time = 6.16619, size = 487, normalized size = 2.05

$$\frac{2B \tan(c+dx) \sec^3(c+dx)(a(\sec(c+dx)+1))^{5/2}}{9d(\sec(c+dx)+1)^2} + \frac{38B \tan(c+dx) \sec^3(c+dx)(a(\sec(c+dx)+1))^{5/2}}{63d(\sec(c+dx)+1)^3} + \frac{146B \tan(c+dx) \sec^3(c+dx)(a(\sec(c+dx)+1))^{5/2}}{693d(\sec(c+dx)+1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (1168*B*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(315*d*(1 + Sec[c + d*x])^3) + (2272*C*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(693*d*(1 + Sec[c + d*x])^3) + (584*B*Sec[c + d*x]*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(315*d*(1 + Sec[c + d*x])^3) + (1136*C*Sec[c + d*x]*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(693*d*(1 + Sec[c + d*x])^3) + (146*B*Sec[c + d*x]^2*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(105*d*(1 + Sec[c + d*x])^3) + (284*C*Sec[c + d*x]^2*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(231*d*(1 + Sec[c + d*x])^3) + (38*B*Sec[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(63*d*(1 + Sec[c + d*x])^3) + (710*C*Sec[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(693*d*(1 + Sec[c + d*x])^3) + (46*C*Sec[c + d*x]^4*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(99*d*(1 + Sec[c + d*x])^3) + (2*B*Sec[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(9*d*(1 + Sec[c + d*x])^3)

$$+ \operatorname{Sec}[c + d*x]^2) + (2*C*\operatorname{Sec}[c + d*x]^4*(a*(1 + \operatorname{Sec}[c + d*x]))^{5/2}*\operatorname{Tan}[c + d*x])/(11*d*(1 + \operatorname{Sec}[c + d*x])^2)$$

Maple [A] time = 0.382, size = 163, normalized size = 0.7

$$\frac{2a^2(-1 + \cos(dx + c))(6424B(\cos(dx + c))^5 + 5680C(\cos(dx + c))^5 + 3212B(\cos(dx + c))^4 + 2840C(\cos(dx + c))^3 + 1430B(\cos(dx + c))^2 + 1775C(\cos(dx + c))^2 + 385B(\cos(dx + c)) + 1120C(\cos(dx + c)) + 315C)(a(\cos(dx + c) + 1)/\cos(dx + c))^{1/2}/\cos(dx + c)^5/\sin(dx + c)}{11d(1 + \operatorname{Sec}[c + d*x])^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] -2/3465/d*a^2*(-1+cos(d*x+c))*(6424*B*cos(d*x+c)^5+5680*C*cos(d*x+c)^5+3212*B*cos(d*x+c)^4+2840*C*cos(d*x+c)^4+2409*B*cos(d*x+c)^3+2130*C*cos(d*x+c)^3+1430*B*cos(d*x+c)^2+1775*C*cos(d*x+c)^2+385*B*cos(d*x+c)+1120*C*cos(d*x+c)+315*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^5/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.561687, size = 409, normalized size = 1.73

$$\frac{2(8(803B + 710C)a^2 \cos(dx + c)^5 + 4(803B + 710C)a^2 \cos(dx + c)^4 + 3(803B + 710C)a^2 \cos(dx + c)^3 + 5(286B + 286C)a^2 \cos(dx + c)^2 + 2(803B + 710C)a \cos(dx + c) + 286B + 286C)(a(\cos(dx + c) + 1)/\cos(dx + c))^{1/2}/\cos(dx + c)^5/\sin(dx + c)}{3465(d \cos(dx + c))^6 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 2/3465*(8*(803*B + 710*C)*a^2*cos(d*x + c)^5 + 4*(803*B + 710*C)*a^2*cos(d*x + c)^4 + 3*(803*B + 710*C)*a^2*cos(d*x + c)^3 + 5*(286*B + 355*C)*a^2*cos(d*x + c)^2 + 35*(11*B + 32*C)*a^2*cos(d*x + c) + 315*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 5.1038, size = 424, normalized size = 1.79

$$8 \left(3465 \sqrt{2} B a^8 \operatorname{sgn}(\cos(dx + c)) + 3465 \sqrt{2} C a^8 \operatorname{sgn}(\cos(dx + c)) - \left(10395 \sqrt{2} B a^8 \operatorname{sgn}(\cos(dx + c)) + 8085 \sqrt{2} C a^8 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -8/3465*(3465*sqrt(2)*B*a^8*sgn(cos(d*x + c)) + 3465*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - (10395*sqrt(2)*B*a^8*sgn(cos(d*x + c)) + 8085*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - (15939*sqrt(2)*B*a^8*sgn(cos(d*x + c)) + 15015*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - (14157*sqrt(2)*B*a^8*sgn(cos(d*x + c)) + 12375*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - 4*(1573*sqrt(2)*B*a^8*sgn(cos(d*x + c)) + 1375*sqrt(2)*C*a^8*sgn(cos(d*x + c)) - 2*(143*sqrt(2)*B*a^8*sgn(cos(d*x + c)) + 125*sqrt(2)*C*a^8*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x +
```


$$\frac{1/2*c)^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x + 1/2*c)}{(a*\tan(1/2*d*x + 1/2*c)^2 - a)^5*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*d)}$$

3.376 $\int \sec(c+dx)(a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=175

$$\frac{16a^2(15B+13C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{315d} + \frac{64a^3(15B+13C)\tan(c+dx)}{315d\sqrt{a\sec(c+dx)+a}} + \frac{2(9B-2C)\tan(c+dx)(a\sec(c+dx))^{7/2}}{63d}$$

[Out] (64*a^3*(15*B + 13*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(15*B + 13*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*(15*B + 13*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d) + (2*(9*B - 2*C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*d) + (2*C*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*a*d)

Rubi [A] time = 0.409784, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4010, 4001, 3793, 3792}

$$\frac{16a^2(15B+13C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{315d} + \frac{64a^3(15B+13C)\tan(c+dx)}{315d\sqrt{a\sec(c+dx)+a}} + \frac{2(9B-2C)\tan(c+dx)(a\sec(c+dx))^{7/2}}{63d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (64*a^3*(15*B + 13*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(15*B + 13*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*(15*B + 13*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d) + (2*(9*B - 2*C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*d) + (2*C*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Cs
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] :> -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] +
Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[
2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+a\sec(c+dx))^{5/2}(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sec^2(c+dx)(a+a\sec(c+dx))^{5/2}(B+C\sec(c+dx))dx \\
&= \frac{2C(a+a\sec(c+dx))^{7/2}\tan(c+dx)}{9ad} + \frac{2\int \sec^2(c+dx)(a+a\sec(c+dx))^{5/2}dx}{63d} \\
&= \frac{2(9B-2C)(a+a\sec(c+dx))^{5/2}\tan(c+dx)}{63d} + \frac{2a(15B+13C)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{105d} \\
&= \frac{16a^2(15B+13C)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{315d} \\
&= \frac{64a^3(15B+13C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{16a^2(15B+13C)}{315d}
\end{aligned}$$

Mathematica [A] time = 0.647338, size = 96, normalized size = 0.55

$$\frac{2a^3 \tan(c+dx) (5(9B+26C)\sec^3(c+dx) + 3(60B+73C)\sec^2(c+dx) + (345B+292C)\sec(c+dx) + 690B + 35C\sec^4(c+dx))}{315d\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c+d*x]*(a+a*Sec[c+d*x])^(5/2)*(B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (2*a^3*(690*B+584*C+(345*B+292*C)*Sec[c+d*x]+3*(60*B+73*C)*Sec[c+d*x]^2+5*(9*B+26*C)*Sec[c+d*x]^3+35*C*Sec[c+d*x]^4)*Tan[c+d*x])/(315*d*Sqrt[a*(1+Sec[c+d*x])])

Maple [A] time = 0.295, size = 141, normalized size = 0.8

$$\frac{2a^2(-1+\cos(dx+c))(690B(\cos(dx+c))^4+584C(\cos(dx+c))^4+345B(\cos(dx+c))^3+292C(\cos(dx+c))^3+180B\cos(dx+c)^2+219C\cos(dx+c)^2+45B\cos(dx+c)+35C)}{315d(\cos(dx+c))^4\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] -2/315/d*a^2*(-1+cos(d*x+c))*(690*B*cos(d*x+c)^4+584*C*cos(d*x+c)^4+345*B*cos(d*x+c)^3+292*C*cos(d*x+c)^3+180*B*cos(d*x+c)^2+219*C*cos(d*x+c)^2+45*B*cos(d*x+c)+35*C)

$\cos(dx+c)+130C\cos(dx+c)+35C)(a(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^4/\sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+a*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.511441, size = 346, normalized size = 1.98

$$\frac{2(2(345B + 292C)a^2 \cos(dx + c)^4 + (345B + 292C)a^2 \cos(dx + c)^3 + 3(60B + 73C)a^2 \cos(dx + c)^2 + 5(9B + 26C)a^2 \cos(dx + c) + 35C)a^2 \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c) / (d \cos(dx + c)^5 + d \cos(dx + c)^4)}{315(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+a*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="fricas")

[Out] $\frac{2}{315} * (2 * (345 * B + 292 * C) * a^2 * \cos(dx + c)^4 + (345 * B + 292 * C) * a^2 * \cos(dx + c)^3 + 3 * (60 * B + 73 * C) * a^2 * \cos(dx + c)^2 + 5 * (9 * B + 26 * C) * a^2 * \cos(dx + c) + 35 * C * a^2) * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)} * \sin(dx + c) / (d * \cos(dx + c)^5 + d * \cos(dx + c)^4)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 5.02846, size = 362, normalized size = 2.07

$$8 \left(315 \sqrt{2} B a^7 \operatorname{sgn}(\cos(dx+c)) + 315 \sqrt{2} C a^7 \operatorname{sgn}(\cos(dx+c)) - \left(840 \sqrt{2} B a^7 \operatorname{sgn}(\cos(dx+c)) + 630 \sqrt{2} C a^7 \operatorname{sgn}(\cos(dx+c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 8/315*(315*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 315*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (840*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 630*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (945*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 819*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - 4*(135*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 117*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - 2*(15*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 13*sqrt(2)*C*a^7*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^4*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.377 $\int (a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=138

$$\frac{64a^3(7B+5C)\tan(c+dx)}{105d\sqrt{a\sec(c+dx)+a}} + \frac{16a^2(7B+5C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{105d} + \frac{2a(7B+5C)\tan(c+dx)(a\sec(c+dx))}{35d}$$

[Out] (64*a^3*(7*B + 5*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(7*B + 5*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*a*(7*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)

Rubi [A] time = 0.174504, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {4054, 12, 3793, 3792}

$$\frac{64a^3(7B+5C)\tan(c+dx)}{105d\sqrt{a\sec(c+dx)+a}} + \frac{16a^2(7B+5C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{105d} + \frac{2a(7B+5C)\tan(c+dx)(a\sec(c+dx))}{35d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (64*a^3*(7*B + 5*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(7*B + 5*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*a*(7*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)

Rule 4054

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] := -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] +
Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[
2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7d} + \frac{2 \int \frac{1}{2} a(7B + 5C) \sec(c + dx) dx}{7d} \\
&= \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7d} + \frac{1}{7}(7B + 5C) \int \sec(c + dx) dx \\
&= \frac{2a(7B + 5C)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{35d} + \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7d} \\
&= \frac{16a^2(7B + 5C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} + \frac{2a(7B + 5C)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{105d} \\
&= \frac{64a^3(7B + 5C) \tan(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \frac{16a^2(7B + 5C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d}
\end{aligned}$$

Mathematica [A] time = 0.35133, size = 79, normalized size = 0.57

$$\frac{2a^3 \tan(c + dx) (3(7B + 20C) \sec^2(c + dx) + (98B + 115C) \sec(c + dx) + 301B + 15C \sec^3(c + dx) + 230C)}{105d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*a^3*(301*B + 230*C + (98*B + 115*C)*Sec[c + d*x] + 3*(7*B + 20*C)*Sec[c + d*x]^2 + 15*C*Sec[c + d*x]^3)*Tan[c + d*x])/(105*d*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [A] time = 0.271, size = 119, normalized size = 0.9

$$\frac{2a^2(-1 + \cos(dx + c))(301B(\cos(dx + c))^3 + 230C(\cos(dx + c))^3 + 98B(\cos(dx + c))^2 + 115C(\cos(dx + c))^2 + 21B\cos(dx + c) + 60C\cos(dx + c) + 15C)}{105d(\cos(dx + c))^3 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] `-2/105/d*a^2*(-1+cos(d*x+c))*(301*B*cos(d*x+c)^3+230*C*cos(d*x+c)^3+98*B*cos(d*x+c)^2+115*C*cos(d*x+c)^2+21*B*cos(d*x+c)+60*C*cos(d*x+c)+15*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^3/sin(d*x+c)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.495352, size = 292, normalized size = 2.12

$$\frac{2((301B + 230C)a^2 \cos(dx + c)^3 + (98B + 115C)a^2 \cos(dx + c)^2 + 3(7B + 20C)a^2 \cos(dx + c) + 15Ca^2) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{105(d \cos(dx + c)^4 + d \cos(dx + c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")`

[Out] `2/105*((301*B + 230*C)*a^2*cos(d*x + c)^3 + (98*B + 115*C)*a^2*cos(d*x + c)^2 + 3*(7*B + 20*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/`

$\cos(dx + c) \sin(dx + c) / (d \cos(dx + c)^4 + d \cos(dx + c)^3)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 4.79268, size = 300, normalized size = 2.17

$$8 \left(105 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c)) - \left(245 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) + 175 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$-8/105 * (105 * \sqrt{2} * B * a^6 * \operatorname{sgn}(\cos(dx + c)) + 105 * \sqrt{2} * C * a^6 * \operatorname{sgn}(\cos(dx + c)) - (245 * \sqrt{2} * B * a^6 * \operatorname{sgn}(\cos(dx + c)) + 175 * \sqrt{2} * C * a^6 * \operatorname{sgn}(\cos(dx + c))) * \tan(1/2 * dx + 1/2 * c)^2 * \tan(1/2 * dx + 1/2 * c)^2 * \tan(1/2 * dx + 1/2 * c)^2 * \tan(1/2 * dx + 1/2 * c) / ((a * \tan(1/2 * dx + 1/2 * c)^2 - a)^3 * \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a}) * d)$$

3.378 $\int \cos(c+dx)(a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c -$

Optimal. Leaf size=142

$$\frac{2a^3(35B + 32C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(5B + 8C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2a^{5/2}B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c + dx)}{d}$$

[Out] $(2*a^{(5/2)}*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(35*B + 32*C)*Tan[c + d*x]/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(5*B + 8*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x]/(15*d) + (2*a*C*(a + a*Sec[c + d*x])^{(3/2)}*Tan[c + d*x])/(5*d)$

Rubi [A] time = 0.317288, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 3917, 3915, 3774, 203, 3792}

$$\frac{2a^3(35B + 32C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(5B + 8C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2a^{5/2}B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aC \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]*(a + a*\text{Sec}[c + d*x])^{(5/2)}*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*a^{(5/2)}*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(35*B + 32*C)*Tan[c + d*x]/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(5*B + 8*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x]/(15*d) + (2*a*C*(a + a*Sec[c + d*x])^{(3/2)}*Tan[c + d*x])/(5*d)$

Rule 4072

$\text{Int}[(a + \csc[e + f*x])*(b + (a + \csc[e + f*x])^m), x] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\csc[e + f*x])^m * (c + d*\csc[e + f*x])^n * (b*B - a*C + b*C*\csc[e + f*x]), x], x] /; \text{FreeQ}[a, b, c, d, e, f, A, B, C, m, n], x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 3917

$\text{Int}[(\csc[e + f*x])*(b + (a + \csc[e + f*x])^m), x] \rightarrow -\text{Simp}[(b*d*\text{Cot}[e + f*x]*(a + b*\csc[e + f*x])^m -$

1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3915

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :=> Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + a \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
&= \frac{2aC(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2}{5} \int \frac{2a^2(5B + 8C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \\
&= \frac{2a^2(5B + 8C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \\
&= \frac{2a^2(5B + 8C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \\
&= \frac{2a^3(35B + 32C) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(5B + 8C)}{15d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^{5/2}B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{2a^3(35B + 32C)}{15d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.857512, size = 128, normalized size = 0.9

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (2(5B + 14C) \cos(c + dx) + (40B + 43C) \cos(2(c + dx)))\right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]^2*Sqrt[a*(1 + Sec[c + d*x])]*(30*Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(5/2) + 2*(40*B + 49*C + 2*(5*B + 14*C)*Cos[c + d*x] + (40*B + 43*C)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(30*d)

Maple [B] time = 0.281, size = 341, normalized size = 2.4

$$-\frac{a^2}{60d \sin(dx + c) (\cos(dx + c))^2} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(15B(\cos(dx + c))^2 \sqrt{2} \left(-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}\right)^{5/2} \operatorname{Artanh}\left(\frac{1}{2} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}}\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] -1/60/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(15*B*cos(d*x+c)^2*2^(1/2)*
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(co
s(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+30*B*cos(d*x+c)*2^(1/2
)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+15*B*2^(1/2)*(-2*cos
(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c
)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+320*B*cos(d*x+c)^3+344*C*cos(
d*x+c)^3-280*B*cos(d*x+c)^2-232*C*cos(d*x+c)^2-40*B*cos(d*x+c)-88*C*cos(d*x
+c)-24*C)/sin(d*x+c)/cos(d*x+c)^2
```

Maxima [B] time = 1.93491, size = 1885, normalized size = 13.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="maxima")
```

```
[Out] 1/6*(30*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^
(3/4)*a^(5/2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 2*
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((
12*a^2*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c
) - 3*a^2*sin(2*d*x + 2*c) - 4*(3*a^2*cos(2*d*x + 2*c) + 4*a^2)*sin(3/2*arc
tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) * cos(3/2*arctan2(sin(2*d*x + 2*c)
, cos(2*d*x + 2*c) + 1)) + (12*a^2*sin(2*d*x + 2*c)*sin(3/2*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c)))) + 3*a^2*cos(2*d*x + 2*c) - a^2 + 4*(3*a^2*cos
(2*d*x + 2*c) + 4*a^2)*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))
)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) * sqrt(a) + 3*((a
^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a
^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(1/2*arc
tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1
)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * cos(1/2*a
rctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2
*c)))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(
2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*co
s(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c))) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arc
```

```

tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a)*B/((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*d)

```

Fricas [A] time = 0.572533, size = 954, normalized size = 6.72

$$\left[\frac{15 \left(B a^2 \cos(dx+c)^3 + B a^2 \cos(dx+c)^2 \right) \sqrt{-a} \log \left(\frac{2 a \cos(dx+c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2 \left((40 B + 43 C) a^2 \cos(dx+c)^2 + (5 B + 14 C) a^2 \cos(dx+c) + 3 C a^2 \right) \sqrt{\left(\frac{a \cos(dx+c)+a}{\cos(dx+c)} \sin(dx+c) \right) / (d \cos(dx+c)^3 + d \cos(dx+c)^2)}, -2/15 \left(15 \left(B a^2 \cos(dx+c)^3 + B a^2 \cos(dx+c)^2 \right) \sqrt{a} \arctan \left(\frac{\sqrt{\left(\frac{a \cos(dx+c)+a}{\cos(dx+c)} \right) \cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \left((40 B + 43 C) a^2 \cos(dx+c)^2 + (5 B + 14 C) a^2 \cos(dx+c) + 3 C a^2 \right) \sqrt{\left(\frac{a \cos(dx+c)+a}{\cos(dx+c)} \sin(dx+c) \right) / (d \cos(dx+c)^3 + d \cos(dx+c)^2)} \right]}{15 \left(d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")

```

```

[Out] [1/15*(15*(B*a^2*cos(d*x + c)^3 + B*a^2*cos(d*x + c)^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*((40*B + 43*C)*a^2*cos(d*x + c)^2 + (5*B + 14*C)*a^2*cos(d*x + c) + 3*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), -2/15*(15*(B*a^2*cos(d*x + c)^3 + B*a^2*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((40*B + 43*C)*a^2*cos(d*x + c)^2 + (5*B + 14*C)*a^2*cos(d*x + c) + 3*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```


3.379 $\int \cos^2(c+dx)(a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=143

$$-\frac{a^3(3B+14C)\sin(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2a^2(B+2C)\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{d} + \frac{a^{5/2}(5B+2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aC}{d}$$

[Out] (a^(5/2)*(5*B + 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d - (a^3*(3*B + 14*C)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(B + 2*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.515374, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.119$, Rules used = {4072, 4018, 4015, 3774, 203}

$$-\frac{a^3(3B+14C)\sin(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2a^2(B+2C)\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{d} + \frac{a^{5/2}(5B+2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aC}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(5*B + 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d - (a^3*(3*B + 14*C)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(B + 2*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*C

```

ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+a\sec(c+dx))^{5/2}(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos(c+dx)(a+a\sec(c+dx))^{5/2}(B+C\sec(c+dx))dx \\
&= \frac{2aC(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{3d} + \frac{2}{3} \int \cos(c+dx)(a+a\sec(c+dx))^{5/2}dx \\
&= \frac{2a^2(B+2C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{d} \\
&= -\frac{a^3(3B+14C)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(B+2C)\sqrt{a+a\sec(c+dx)}}{3d} \\
&= -\frac{a^3(3B+14C)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(B+2C)\sqrt{a+a\sec(c+dx)}}{3d} \\
&= \frac{a^{5/2}(5B+2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{d} - \frac{a^3(3B+14C)\sin(c+dx)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.806314, size = 126, normalized size = 0.88

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sec(c+dx) \sqrt{a(\sec(c+dx)+1)} \left(3\sqrt{2}(5B+2C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right) \cos^{\frac{3}{2}}(c+dx) + \sin\left(\frac{1}{2}(c+dx)\right)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(5*B + 2*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + (3*B + 4*C + 4*(3*B + 8*C)*Cos[c + d*x] + 3*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(6*d)

Maple [B] time = 0.364, size = 256, normalized size = 1.8

$$-\frac{a^2}{6d \cos(dx+c) \sin(dx+c)} \left(15B \cos(dx+c) \sqrt{2} \sin(dx+c) \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \operatorname{Artanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx+c)}{\cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(a+a*\sec(dx+c))^{5/2}*(B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out] $-1/6/d*a^2*(15*B*\cos(dx+c)*2^{1/2}*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+6*C*\cos(dx+c)*2^{1/2}*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+6*B*\cos(dx+c)^3+6*B*\cos(dx+c)^2+32*C*\cos(dx+c)^2-12*B*\cos(dx+c)-28*C*\cos(dx+c)-4*C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)/\sin(dx+c)$

Maxima [B] time = 2.37032, size = 3753, normalized size = 26.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2*(a+a*\sec(dx+c))^{5/2}*(B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] $1/12*(3*(18*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{3/4}*a^{5/2}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*((4*a^2*\sin(3*d*x + 3*c) + 5*a^2*\sin(2*d*x + 2*c) + 4*a^2*\sin(d*x + c))*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + (a^2*\cos(2*d*x + 2*c))^2*\sin(d*x + c) + a^2*\sin(2*d*x + 2*c))^2*\sin(d*x + c) + 2*a^2*\cos(2*d*x + 2*c)*\sin(d*x + c) + a^2*\sin(d*x + c))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - (4*a^2*\cos(3*d*x + 3*c) + 5*a^2*\cos(2*d*x + 2*c) + 4*a^2*\cos(d*x + c) + 5*a^2)*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - ((a^2*\cos(d*x + c) - a^2)*\cos(2*d*x + 2*c))^2 + a^2*\cos(d*x + c) + (a^2*\cos(d*x + c) - a^2)*\sin(2*d*x + 2*c))^2 - a^2 + 2*(a^2*\cos(d*x + c) - a^2)*\cos(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a} + 5*((a^2*\cos(2*d*x + 2*c))^2 + a^2*\sin(2*d*x + 2*c))^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2(-(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) + 1) - (a^2*\cos(2*d*x + 2*c))^2 + a^2*\sin(2*d*x + 2*c))^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2(-(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) + 1)$

$$\begin{aligned}
& d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c) \\
& ^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c) + 1))) - 1) - (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x \\
& + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin \\
& (2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 \\
& *\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c) + 1)) + 1) + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2* \\
& \cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + \\
& 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) \\
& + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*s \\
& \text{qrt}(a))*B/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1 \\
&) + 2*(30*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1 \\
&)^{(3/4)}*a^{(5/2)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \\
& 2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}* \\
& ((12*a^2*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2 \\
& *c) - 3*a^2*\sin(2*d*x + 2*c) - 4*(3*a^2*\cos(2*d*x + 2*c) + 4*a^2)*\sin(3/2*a \\
& \text{rctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \cos(3/2*\arctan2(\sin(2*d*x + 2* \\
& c), \cos(2*d*x + 2*c) + 1)) + (12*a^2*\sin(2*d*x + 2*c)*\sin(3/2*\arctan2(\sin(2 \\
& *d*x + 2*c), \cos(2*d*x + 2*c))) + 3*a^2*\cos(2*d*x + 2*c) - a^2 + 4*(3*a^2*c \\
& \cos(2*d*x + 2*c) + 4*a^2)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&))) * \sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \text{sqrt}(a) + 3*(\\
& (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + \\
& a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) \\
& + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2*a \\
& \text{rctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + \\
& 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \cos(1/2 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))) + 1) - (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*co \\
& \text{s}(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2* \\
& \cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*a \\
& \text{rctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*co \\
& \text{s}(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c) + 1)) * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(1/2*arc \\
& \text{tan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c)))) - 1) - (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2 \\
& *c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d \\
& *x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c
\end{aligned}$$

), $\cos(2dx + 2c) + 1$), $(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + (a^2 \cos(2dx + 2c)^2 + a^2 \sin(2dx + 2c)^2 + 2a^2 \cos(2dx + 2c) + a^2) \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) \sqrt{a} C / (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1) / d$

Fricas [A] time = 0.659229, size = 968, normalized size = 6.77

$$\left[\frac{3 \left((5B + 2C)a^2 \cos(dx + c)^2 + (5B + 2C)a^2 \cos(dx + c) \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)}{6 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a+a*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] $[1/6 * (3 * ((5*B + 2*C) * a^2 * \cos(dx + c)^2 + (5*B + 2*C) * a^2 * \cos(dx + c))) * \sqrt{-a} * \log((2 * a * \cos(dx + c)^2 - 2 * \sqrt{-a} * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)}) * \cos(dx + c) * \sin(dx + c) + a * \cos(dx + c) - a) / (\cos(dx + c) + 1)) + 2 * (3 * B * a^2 * \cos(dx + c)^2 + 2 * (3 * B + 8 * C) * a^2 * \cos(dx + c) + 2 * C * a^2) * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)} * \sin(dx + c)) / (d * \cos(dx + c)^2 + d * \cos(dx + c)), -1/3 * (3 * ((5*B + 2*C) * a^2 * \cos(dx + c)^2 + (5*B + 2*C) * a^2 * \cos(dx + c))) * \sqrt{a} * \arctan(\sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)} * \cos(dx + c) / (\sqrt{a} * \sin(dx + c))) - (3 * B * a^2 * \cos(dx + c)^2 + 2 * (3 * B + 8 * C) * a^2 * \cos(dx + c) + 2 * C * a^2) * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)} * \sin(dx + c)) / (d * \cos(dx + c)^2 + d * \cos(dx + c))]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)*
*2),x)
```

```
[Out] Timed out
```

Giac [B] time = 6.68909, size = 644, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/6*(3*(5*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 2*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(5*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 2*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 12*sqrt(2)*(3*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) - B*sqrt(-a)*a^4*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2) + 4*(3*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 9*sqrt(2)*C*a^4*sgn(cos(d*x + c)) - (3*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 7*sqrt(2)*C*a^4*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/d
```

3.380 $\int \cos^3(c+dx)(a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=154

$$\frac{a^3(9B-4C)\sin(c+dx)}{4d\sqrt{a\sec(c+dx)+a}} - \frac{a^2(B-4C)\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{2d} + \frac{a^{5/2}(19B+20C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{aB\sin(c+dx)}{2d}$$

[Out] (a^(5/2)*(19*B + 20*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a^3*(9*B - 4*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(B - 4*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) + (a*B*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.528559, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4017, 4018, 4015, 3774, 203}

$$\frac{a^3(9B-4C)\sin(c+dx)}{4d\sqrt{a\sec(c+dx)+a}} - \frac{a^2(B-4C)\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{2d} + \frac{a^{5/2}(19B+20C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{aB\sin(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(19*B + 20*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a^3*(9*B - 4*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(B - 4*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) + (a*B*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co


```
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+a\sec(c+dx))^{5/2}(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^2(c+dx)(a+a\sec(c+dx))^{5/2}(B+C\sec(c+dx))dx \\
&= \frac{aB\cos(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{2d} \\
&= -\frac{a^2(B-4C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{2d} + \frac{a^3(9B-4C)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} - \frac{a^2(B-4C)\sqrt{a+a\sec(c+dx)}}{4d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(9B-4C)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} - \frac{a^2(B-4C)\sqrt{a+a\sec(c+dx)}}{4d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^5/2(19B+20C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4d} + \frac{a^3(9B-4C)\sin(c+dx)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.824339, size = 116, normalized size = 0.75

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(\sqrt{2}(19B+20C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right) \sqrt{\cos(c+dx)} + 2 \sin\left(\frac{1}{2}(c+dx)\right) ((11B+4C)\cos(c+dx) + B\cos[2(c+dx)]) \sin\left(\frac{1}{2}(c+dx)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(19*B + 20*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(B + 8*C + (11*B + 4*C)*Cos[c + d*x] + B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(8*d)

Maple [B] time = 0.388, size = 410, normalized size = 2.7

$$\frac{a^2}{16d\cos(dx+c)\sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(19B\cos(dx+c)\sin(dx+c)\sqrt{2}\left(-2\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{3/2} \operatorname{Artanh}\left(\frac{\sqrt{a}\tan(dx+c)}{\sqrt{a+a\sec(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $\frac{1}{16} \frac{1}{d} a^2 \left(\frac{a(\cos(dx+c)+1)}{\cos(dx+c)} \right)^{1/2} \left(19B \cos(dx+c) \sin(dx+c) 2^{1/2} \left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1} \right)^{3/2} \operatorname{arctanh} \left(\frac{1}{2} 2^{1/2} \left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \sin(dx+c) / \cos(dx+c) \right) + 20C \cos(dx+c) \sin(dx+c) 2^{1/2} \left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1} \right)^{3/2} \operatorname{arctanh} \left(\frac{1}{2} 2^{1/2} \left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \sin(dx+c) / \cos(dx+c) \right) + 19B \left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1} \right)^{3/2} \operatorname{arctanh} \left(\frac{1}{2} 2^{1/2} \left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \sin(dx+c) / \cos(dx+c) \right) 2^{1/2} \sin(dx+c) + 20C \left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1} \right)^{3/2} \operatorname{arctanh} \left(\frac{1}{2} 2^{1/2} \left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \sin(dx+c) / \cos(dx+c) \right) 2^{1/2} \sin(dx+c) - 8B \cos(dx+c)^4 - 36B \cos(dx+c)^3 - 16C \cos(dx+c)^3 + 44B \cos(dx+c)^2 - 16C \cos(dx+c)^2 + 32C \cos(dx+c) \right) / \cos(dx+c) / \sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^3*(a+a*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.655749, size = 890, normalized size = 5.78

$$\left[\frac{\left((19B + 20C)a^2 \cos(dx+c) + (19B + 20C)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right)}{8(d \cos(dx+c) + d)} \right] +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^3*(a+a*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] $\left[\frac{1}{8} \left((19B + 20C)a^2 \cos(dx+c) + (19B + 20C)a^2 \right) \sqrt{-a} \log \left(\left(2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a \right) / \cos(dx+c) \right) \right] +$

$$\begin{aligned} & *x + c) * \sin(dx + c) + a * \cos(dx + c) - a) / (\cos(dx + c) + 1) + 2 * (2 * B * a^2 \\ & * \cos(dx + c)^2 + (11 * B + 4 * C) * a^2 * \cos(dx + c) + 8 * C * a^2) * \sqrt{(a * \cos(dx \\ & + c) + a) / \cos(dx + c)} * \sin(dx + c) / (d * \cos(dx + c) + d), -1/4 * (((19 * B + \\ & 20 * C) * a^2 * \cos(dx + c) + (19 * B + 20 * C) * a^2) * \sqrt{a} * \arctan(\sqrt{(a * \cos(dx \\ & + c) + a) / \cos(dx + c)} * \cos(dx + c) / (\sqrt{a} * \sin(dx + c)))) - (2 * B * a^2 * \cos \\ & (dx + c)^2 + (11 * B + 4 * C) * a^2 * \cos(dx + c) + 8 * C * a^2) * \sqrt{(a * \cos(dx + c) \\ & + a) / \cos(dx + c)} * \sin(dx + c) / (d * \cos(dx + c) + d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**3*(a+a*sec(dx+c))**(5/2)*(B*sec(dx+c)+C*sec(dx+c))*2),x)

[Out] Timed out

Giac [B] time = 7.092, size = 957, normalized size = 6.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(a+a*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8 * (16 * \sqrt{2} * \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a} * C * a^3 * \operatorname{sgn}(\cos(dx + c)) \\ & * \tan(1/2 * dx + 1/2 * c) / (a * \tan(1/2 * dx + 1/2 * c)^2 - a) + (19 * B * \sqrt{-a} * a^2 * \\ & \operatorname{sgn}(\cos(dx + c)) + 20 * C * \sqrt{-a} * a^2 * \operatorname{sgn}(\cos(dx + c))) * \log(\operatorname{abs}((\sqrt{-a} * \\ & \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 - a * (2 * \sqrt{2} \\ &) + 3))) - (19 * B * \sqrt{-a} * a^2 * \operatorname{sgn}(\cos(dx + c)) + 20 * C * \sqrt{-a} * a^2 * \operatorname{sgn}(\cos \\ & (dx + c))) * \log(\operatorname{abs}((\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + \\ & 1/2 * c)^2 + a})^2 + a * (2 * \sqrt{2} - 3))) + 4 * \sqrt{2} * (19 * (\sqrt{-a} * \tan(1/2 * dx \\ & + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^6 * B * \sqrt{-a} * a^3 * \operatorname{sgn}(\cos \\ & (dx + c)) + 12 * (\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c \\ &)^2 + a})^6 * C * \sqrt{-a} * a^3 * \operatorname{sgn}(\cos(dx + c)) - 171 * (\sqrt{-a} * \tan(1/2 * dx + \\ & 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^4 * B * \sqrt{-a} * a^4 * \operatorname{sgn}(\cos(dx \end{aligned}$$

$$\begin{aligned}
& + c)) - 76*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 \\
& + a})^4*C*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(d*x + c)) + 89*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c \\
&) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(d*x + c)) \\
& + 36*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}) \\
& ^2*C*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(d*x + c)) - 9*B*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(d*x + c)) - \\
& 4*C*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(d*x + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^2)/d
\end{aligned}$$

3.381 $\int \cos^4(c+dx)(a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=164

$$\frac{a^3(49B + 54C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(25B + 38C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a^2(3B + 2C) \sin(c + dx) \cos(c + dx) \sqrt{a \sec(c + dx) + a}}{4d}$$

[Out] (a^(5/2)*(25*B + 38*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*d) + (a^3*(49*B + 54*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(3*B + 2*C)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.566515, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.119$, Rules used = {4072, 4017, 4015, 3774, 203}

$$\frac{a^3(49B + 54C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(25B + 38C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a^2(3B + 2C) \sin(c + dx) \cos(c + dx) \sqrt{a \sec(c + dx) + a}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(25*B + 38*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*d) + (a^3*(49*B + 54*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(3*B + 2*C)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co

```

t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+a\sec(c+dx))^{5/2}(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^3(c+dx)(a+a\sec(c+dx))^{5/2}(B+C\sec(c+dx))dx \\
&= \frac{aB\cos^2(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{3d} \\
&= \frac{a^2(3B+2C)\cos(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} \\
&= \frac{a^3(49B+54C)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(3B+2C)\cos(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} \\
&= \frac{a^3(49B+54C)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(3B+2C)\cos(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} \\
&= \frac{a^{5/2}(25B+38C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8d} + \frac{a^3(49B+54C)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.29786, size = 121, normalized size = 0.74

$$\frac{a^2 \tan\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(\cos(c+dx)\sqrt{\sec(c+dx)-1}(2(17B+6C)\cos(c+dx)+4B\cos(2(c+dx)))+79B\right)}{24d\sqrt{\sec(c+dx)-1}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d*x]^4*(a+a*Sec[c+d*x])^(5/2)*(B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (a^2*(3*(25*B+38*C)*ArcTan[Sqrt[-1+Sec[c+d*x]]]+Cos[c+d*x]*(79*B+66*C+2*(17*B+6*C)*Cos[c+d*x]+4*B*Cos[2*(c+d*x)])*Sqrt[-1+Sec[c+d*x]])*Sqrt[a*(1+Sec[c+d*x])]*Tan[(c+d*x)/2])/(24*d*Sqrt[-1+Sec[c+d*x]])

Maple [B] time = 0.567, size = 583, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)


```
[Out] -1/192/d*a^2*(75*B*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)
)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d
*x+c))*sin(d*x+c)+114*C*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))
^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/
cos(d*x+c))*sin(d*x+c)+150*B*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+
1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+
c)/cos(d*x+c))*sin(d*x+c)+228*C*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+
c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d
*x+c)/cos(d*x+c))*sin(d*x+c)+75*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5
/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos
(d*x+c))*sin(d*x+c)+114*C*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arct
anh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))
*sin(d*x+c)+64*B*cos(d*x+c)^6+208*B*cos(d*x+c)^5+96*C*cos(d*x+c)^5+328*B*co
s(d*x+c)^4+432*C*cos(d*x+c)^4-600*B*cos(d*x+c)^3-528*C*cos(d*x+c)^3*(a*(co
s(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^2
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.655, size = 976, normalized size = 5.95

$$\left[\frac{3 \left((25B + 38C)a^2 \cos(dx + c) + (25B + 38C)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right)}{48 (d \cos(dx+c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="fricas")
```

```
[Out] [1/48*(3*((25*B + 38*C)*a^2*cos(d*x + c) + (25*B + 38*C)*a^2)*sqrt(-a)*log(
(2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*co
s(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*B*
a^2*cos(d*x + c)^3 + 2*(17*B + 6*C)*a^2*cos(d*x + c)^2 + 3*(25*B + 22*C)*a^
2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*co
s(d*x + c) + d), -1/24*(3*((25*B + 38*C)*a^2*cos(d*x + c) + (25*B + 38*C)*a
^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sq
rt(a)*sin(d*x + c))) - (8*B*a^2*cos(d*x + c)^3 + 2*(17*B + 6*C)*a^2*cos(d*x
+ c)^2 + 3*(25*B + 22*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d
*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)*
*2),x)
```

[Out] Timed out

Giac [B] time = 7.6083, size = 1177, normalized size = 7.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="giac")
```

```
[Out] -1/48*(3*(25*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 38*C*sqrt(-a)*a^2*sgn(cos(d
*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/
2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(25*B*sqrt(-a)*a^2*sgn(cos(d*x + c
)) + 38*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1
/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sq
rt(2)*(75*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 +
a))^10*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 114*(sqrt(-a)*tan(1/2*d*x + 1/2*
c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^3*sgn(cos(d*x + c
```

$$\begin{aligned}
&)) - 1125*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*B*\sqrt{-a}*a^4*\text{sgn}(\cos(d*x + c)) - 1710*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*C*\sqrt{-a}*a^4*\text{sgn}(\cos(d*x + c)) \\
&+ 6174*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{-a}*a^5*\text{sgn}(\cos(d*x + c)) + 6804*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*C*\sqrt{-a}*a^5*\text{sgn}(\cos(d*x + c)) \\
&- 4314*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*\sqrt{-a}*a^6*\text{sgn}(\cos(d*x + c)) - 4284*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*C*\sqrt{-a}*a^6*\text{sgn}(\cos(d*x + c)) \\
&+ 807*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a}*a^7*\text{sgn}(\cos(d*x + c)) + 858*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*C*\sqrt{-a}*a^7*\text{sgn}(\cos(d*x + c)) - 4 \\
&9*B*\sqrt{-a}*a^8*\text{sgn}(\cos(d*x + c)) - 54*C*\sqrt{-a}*a^8*\text{sgn}(\cos(d*x + c)))/(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6 \\
&*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^3)/d
\end{aligned}$$

3.382 $\int \cos^5(c+dx)(a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=209

$$\frac{a^3(163B + 200C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(163B + 200C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(11B + 8C) \sin(c + dx) \cos^2(c + dx) \sqrt{a \sec(c + dx)}}{24d}$$

[Out] (a^(5/2)*(163*B + 200*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(163*B + 200*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(95*B + 104*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(11*B + 8*C)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*B*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.666967, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4017, 4015, 3805, 3774, 203}

$$\frac{a^3(163B + 200C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(163B + 200C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(11B + 8C) \sin(c + dx) \cos^2(c + dx) \sqrt{a \sec(c + dx)}}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(163*B + 200*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(163*B + 200*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(95*B + 104*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(11*B + 8*C)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*B*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^4(c + dx)(a + a \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos^3(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{4d} \\
&= \frac{a^2(11B + 8C) \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{24d} \\
&= \frac{a^3(95B + 104C) \cos(c + dx) \sin(c + dx)}{96d \sqrt{a + a \sec(c + dx)}} + \frac{a^2}{96d} \\
&= \frac{a^3(163B + 200C) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(95B + 104C)}{96d} \\
&= \frac{a^3(163B + 200C) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(95B + 104C)}{96d} \\
&= \frac{a^{5/2}(163B + 200C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{64d} + \frac{a^3(95B + 104C)}{96d}
\end{aligned}$$

Mathematica [C] time = 1.29094, size = 366, normalized size = 1.75

$$\frac{a^2 \sin(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(4608B \sqrt{1 - \sec(c + dx)} \operatorname{Hypergeometric2F1} \left(\frac{1}{2}, 5, \frac{3}{2}, 1 - \sec(c + dx) \right) + 7680C \sqrt{1 - \sec(c + dx)} \right)}{2880d \sqrt{1 - \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*(6075*B*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 6600*C*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 2079*B*Sqrt[1 - Sec[c + d*x]] + 1240*C*Sqrt[1 - Sec[c + d*x]] + 7641*B*Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]] + 6360*C*Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]] + 2097*B*Cos[2*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 1240*C*Cos[2*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 522*B*Cos[3*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] - 80*C*Cos[3*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 18*B*Cos[4*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 7680*C*Hypergeometric2F1[1/2, 4, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]] + 4608*B*Hypergeometric2F1[1/2, 5, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(2880*d*(1 + Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.42, size = 765, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^5(a+a\sec(dx+c))^{5/2}(B\sec(dx+c)+C\sec(dx+c)^2), x)$

[Out] $\frac{1}{3072}d^2a^2(489B\sin(dx+c)\cos(dx+c)^3\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+600C\sin(dx+c)\cos(dx+c)^3\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+1467B\sin(dx+c)\cos(dx+c)^2\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+1800C\sin(dx+c)\cos(dx+c)^2\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+1467B\sin(dx+c)\cos(dx+c)\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+1800C\sin(dx+c)\cos(dx+c)\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+489B\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}\sin(dx+c)+600C\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}\sin(dx+c)-768B\cos(dx+c)^8-2176B\cos(dx+c)^7-1024C\cos(dx+c)^7-2272B\cos(dx+c)^6-3328C\cos(dx+c)^6-2608B\cos(dx+c)^5-5248C\cos(dx+c)^5+7824B\cos(dx+c)^4+9600C\cos(dx+c)^4)(a(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)/\cos(dx+c)^3$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\cos(dx+c)^5(a+a\sec(dx+c))^{5/2}(B\sec(dx+c)+C\sec(dx+c)^2), x, \operatorname{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.749236, size = 1103, normalized size = 5.28

$$\left[\frac{3 \left((163B + 200C)a^2 \cos(dx + c) + (163B + 200C)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/384*(3*((163*B + 200*C)*a^2*cos(d*x + c) + (163*B + 200*C)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*B*a^2*cos(d*x + c)^4 + 8*(23*B + 8*C)*a^2*cos(d*x + c)^3 + 2*(163*B + 136*C)*a^2*cos(d*x + c)^2 + 3*(163*B + 200*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(3*(163*B + 200*C)*a^2*cos(d*x + c) + (163*B + 200*C)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*B*a^2*cos(d*x + c)^4 + 8*(23*B + 8*C)*a^2*cos(d*x + c)^3 + 2*(163*B + 136*C)*a^2*cos(d*x + c)^2 + 3*(163*B + 200*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 7.96438, size = 1480, normalized size = 7.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/384*(3*(163*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 200*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(163*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 200*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(489*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 600*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*C*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 10269*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*B*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 12600*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*C*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 69885*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 103992*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 259233*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 339864*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*C*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 209979*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 262920*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*C*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 55511*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 73640*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*C*sqrt(-a)*a^8*sgn(cos(d*x + c)) + 6687*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a^9*sgn(cos(d*x + c)) + 8808*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*C*sqrt(-a)*a^9*sgn(cos(d*x + c)) - 299*B*sqrt(-a)*a^10*sgn(cos(d*x + c)) - 392*C*sqrt(-a)*a^10*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^4)/d
```

3.383 $\int \cos^6(c+dx)(a+a \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=254

$$\frac{a^3(283B + 326C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(283B + 326C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(13B + 10C) \sin(c + dx) \cos^3(c + dx) \sqrt{a \sec(c + dx) + a}}{40d}$$

[Out] (a^(5/2)*(283*B + 326*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(283*B + 326*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(283*B + 326*C)*Cos[c + d*x]*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(157*B + 170*C)*Cos[c + d*x]^2*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(13*B + 10*C)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (a*B*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.749418, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4017, 4015, 3805, 3774, 203}

$$\frac{a^3(283B + 326C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(283B + 326C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(13B + 10C) \sin(c + dx) \cos^3(c + dx) \sqrt{a \sec(c + dx) + a}}{40d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(283*B + 326*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(283*B + 326*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(283*B + 326*C)*Cos[c + d*x]*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(157*B + 170*C)*Cos[c + d*x]^2*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(13*B + 10*C)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (a*B*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +

1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cos^6(c + dx)(a + a \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^5(c + dx)(a + a \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos^4(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d} \\
&= \frac{a^2(13B + 10C) \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}}{40d} \\
&= \frac{a^3(157B + 170C) \cos^2(c + dx) \sin(c + dx)}{240d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(13B + 10C) \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}}{40d} \\
&= \frac{a^3(283B + 326C) \cos(c + dx) \sin(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(157B + 170C) \cos^2(c + dx) \sin(c + dx)}{240d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(283B + 326C) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(283B + 326C) \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}}{192d} \\
&= \frac{a^3(283B + 326C) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(283B + 326C) \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}}{192d} \\
&= \frac{a^{5/2}(283B + 326C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{128d} + \frac{a^3(283B + 326C) \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}}{192d}
\end{aligned}$$

Mathematica [C] time = 1.74728, size = 416, normalized size = 1.64

$$\frac{a^2 \sin(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(15360B \sqrt{1 - \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 6, \frac{3}{2}, 1 - \sec(c + dx)\right) + 21504C \sqrt{1 - \sec(c + dx)} \right)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*(25935*B*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 28350*C*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 11651*B*Sqrt[1 - Sec[c + d*x]] + 9702*C*Sqrt[1 - Sec[c + d*x]]) + 37029*B*Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]] + 35658*C*Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]] + 12653*B*Cos[2*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 9786*C*Cos[2*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 3818*B*Cos[3*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 2436*C*Cos[3*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 1002*B*Cos[4*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 84*C*Cos[4*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 72*B*Cos[5*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 21504*C*Hypergeometric2F1[1/2, 5, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]] + 15360*B*Hypergeometric2F1[1/2, 6, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])*

$\text{Sqrt}[a*(1 + \text{Sec}[c + d*x])] * \text{Sin}[c + d*x] / (13440*d*(1 + \text{Cos}[c + d*x]) * \text{Sqrt}[1 - \text{Sec}[c + d*x]])$

Maple [B] time = 0.366, size = 947, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^6*(a+a*\sec(d*x+c))^{5/2}*(B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $-1/61440/d*a^2*(4245*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\text{arctanh}(1/2*2^{1/2}*(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^4*2^{1/2}+4890*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^4*2^{1/2}+16980*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^3*2^{1/2}+19560*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^3*2^{1/2}+25470*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^2*2^{1/2}+29340*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^2*2^{1/2}+16980*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)*2^{1/2}+19560*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)*2^{1/2}+4245*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*2^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)+4890*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*2^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)+12288*B*\cos(d*x+c)^{10}+32256*B*\cos(d*x+c)^9+15360*C*\cos(d*x+c)^9+27904*B*\cos(d*x+c)^8+43520*C*\cos(d*x+c)^8+18112*B*\cos(d*x+c)^7+45440*C*\cos(d*x+c)^7+45280*B*\cos(d*x+c)^6+52160*C*\cos(d*x+c)^6-135840*B*\cos(d*x+c)^5-156480*C*\cos(d*x+c)^5)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^4$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.764589, size = 1227, normalized size = 4.83

$$15 \left((283B + 326C)a^2 \cos(dx + c) + (283B + 326C)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="fricas")
```

```
[Out] [1/3840*(15*((283*B + 326*C)*a^2*cos(d*x + c) + (283*B + 326*C)*a^2)*sqrt(-
a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) +
2*(384*B*a^2*cos(d*x + c)^5 + 48*(29*B + 10*C)*a^2*cos(d*x + c)^4 + 8*(283*
B + 230*C)*a^2*cos(d*x + c)^3 + 10*(283*B + 326*C)*a^2*cos(d*x + c)^2 + 15*
(283*B + 326*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*s
in(d*x + c))/(d*cos(d*x + c) + d), -1/1920*(15*((283*B + 326*C)*a^2*cos(d*x
+ c) + (283*B + 326*C)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d
*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (384*B*a^2*cos(d*x + c)^5 +
48*(29*B + 10*C)*a^2*cos(d*x + c)^4 + 8*(283*B + 230*C)*a^2*cos(d*x + c)^3
+ 10*(283*B + 326*C)*a^2*cos(d*x + c)^2 + 15*(283*B + 326*C)*a^2*cos(d*x +
c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)
+ d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c))*2),x)
```

```
[Out] Timed out
```

Giac [B] time = 8.22258, size = 1782, normalized size = 7.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/3840*(15*(283*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 326*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 15*(283*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 326*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(4245*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^18*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 4890*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^18*C*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 114615*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^16*B*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 132030*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^16*C*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 1298820*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*B*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 1319880*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*C*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 6176700*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*B*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 6888120*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*C*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 16394598*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 18352620*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 14042770*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 15746180*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*C*sqrt(-a)*a^8*sgn(cos(d*x + c)) + 4791060*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^9*sgn(cos(d*x + c)) + 5497320*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*C*sqrt(-a)*a^9*sgn(cos(d*x + c)) - 860300*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^10
```

$$\begin{aligned} & * \operatorname{sgn}(\cos(dx + c)) - 959320 * (\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^4 * C * \sqrt{-a} * a^{10} * \operatorname{sgn}(\cos(dx + c)) + 75885 * (\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 * B * \sqrt{-a} * a^{11} * \operatorname{sgn}(\cos(dx + c)) + 84810 * (\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 * C * \sqrt{-a} * a^{11} * \operatorname{sgn}(\cos(dx + c)) - 2671 * B * \sqrt{-a} * a^{12} * \operatorname{sgn}(\cos(dx + c)) - 2990 * C * \sqrt{-a} * a^{12} * \operatorname{sgn}(\cos(dx + c)) / ((\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^4 - 6 * (\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 * a + a^2)^5) / d \end{aligned}$$

$$3.384 \quad \int \frac{\sec^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=243

$$\frac{2(9B - C) \tan(c + dx) \sec^3(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} - \frac{2(3B - 19C) \tan(c + dx) \sec^2(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(B - C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(9B - C) \tan(c + dx) \sec^3(c + dx)}{63d\sqrt{a \sec(c + dx) + a}}$$

[Out] (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(111*B - 143*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(3*B - 19*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(9*B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(93*B - 29*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*a*d)

Rubi [A] time = 0.876197, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4021, 4010, 4001, 3795, 203}

$$\frac{2(9B - C) \tan(c + dx) \sec^3(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} - \frac{2(3B - 19C) \tan(c + dx) \sec^2(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(B - C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(9B - C) \tan(c + dx) \sec^3(c + dx)}{63d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(111*B - 143*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(3*B - 19*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(9*B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(93*B - 29*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)

```
*(x_)]*(d_))^(n_), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \int \frac{\sec^5(c+dx)(B+C\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2C\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^4(c+dx)(4aC+\frac{1}{2}a(9B-C)\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}}}{9a} \\
&= \frac{2(9B-C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(3B-19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(9B-C)\sec^3(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(3B-19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(9B-C)\sec^3(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{4(111B-143C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} - \frac{2(3B-19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{4(111B-143C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} - \frac{2(3B-19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{2}(B-C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{4(111B-143C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.17028, size = 183, normalized size = 0.75

$$\frac{\tan(c+dx)\left(\frac{1}{4}\sqrt{1-\sec(c+dx)}\sec^4(c+dx)((918B-214C)\cos(c+dx)-8(69B-157C)\cos(2(c+dx))+186B\cos(3(c+dx)))\right)}{315d\sqrt{1-\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((315*Sqrt[2]*(B - C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + ((-423*B + 1279*C + (918*B - 214*C)*Cos[c + d*x] - 8*(69*B - 157*C)*Cos[2*(c + d*x)] + 186*B*Cos[3*(c + d*x)] - 58*C*Cos[3*(c + d*x)] - 129*B*Cos[4*(c + d*x)] +

$$257*C*\text{Cos}[4*(c + d*x)]*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*\text{Sec}[c + d*x]^4/4*\text{Tan}[c + d*x]/(315*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*\text{Sqrt}[a*(1 + \text{Sec}[c + d*x])])$$

Maple [B] time = 0.43, size = 975, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{sec}(d*x+c)^4*(B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/(a+a*\text{sec}(d*x+c))^{1/2}, x)$

[Out] $\frac{1}{5040} \frac{d}{a} (315*B*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\cos(d*x+c)^4*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))-315*C*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\cos(d*x+c)^4*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))+1260*B*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\cos(d*x+c)^3*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))-1260*C*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\cos(d*x+c)^3*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))+1890*B*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\cos(d*x+c)^2*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))-1890*C*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\cos(d*x+c)^2*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))+1260*B*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\cos(d*x+c)*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))-1260*C*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\cos(d*x+c)*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))+315*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))*\sin(d*x+c)-315*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{9/2}*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c))*\sin(d*x+c)+4128*B*\cos(d*x+c)^5-8224*C*\cos(d*x+c)^5-7104*B*\cos(d*x+c)^4+9152*C*\cos(d*x+c)^4+3264*B*\cos(d*x+c)^3-2752*C*\cos(d*x+c)^3-1728*B*\cos(d*x+c)^2+1984*C*\cos(d*x+c)^2+1440*B*\cos(d*x+c)-1280*C*\cos(d*x+c)+1120*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^4/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.661966, size = 1211, normalized size = 4.98

$$315\sqrt{2}\left((B-C)a\cos(dx+c)^5+(B-C)a\cos(dx+c)^4\right)\sqrt{-\frac{1}{a}}\log\left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)+3\cos(dx+c)^2+2\cos(dx+c)+1}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/630*(315*sqrt(2)*((B - C)*a*cos(d*x + c)^5 + (B - C)*a*cos(d*x + c)^4)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((129*B - 257*C)*cos(d*x + c)^4 - (93*B - 29*C)*cos(d*x + c)^3 + 3*(3*B - 19*C)*cos(d*x + c)^2 - 5*(9*B - C)*cos(d*x + c) - 35*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c)^5 + a*d*cos(d*x + c)^4), -1/315*(2*((129*B - 257*C)*cos(d*x + c)^4 - (93*B - 29*C)*cos(d*x + c)^3 + 3*(3*B - 19*C)*cos(d*x + c)^2 - 5*(9*B - C)*cos(d*x + c) - 35*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 315*sqrt(2)*((B - C)*a*cos(d*x + c)^5 + (B - C)*a*cos(d*x + c)^4)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^5 + a*d*cos(d*x + c)^4)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^5(c + dx)}{\sqrt{a} (\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**5/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 9.22317, size = 528, normalized size = 2.17

$$\frac{315(\sqrt{2}B - \sqrt{2}C) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} \right|\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{2 \left(\frac{315 \sqrt{2} C a^4}{\operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \left(420 \sqrt{2} B a^4 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) - 840 \sqrt{2} C a^4 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] 1/315*(315*(sqrt(2)*B - sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 2*(315*sqrt(2)*C*a^4/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + (420*sqrt(2)*B*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 840*sqrt(2)*C*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (756*sqrt(2)*B*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 1638*sqrt(2)*C*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (612*sqrt(2)*B*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 936*sqrt(2)*C*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (276*sqrt(2)*B*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 383*sqrt(2)*C*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)^2)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^4*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d

$$3.385 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=202

$$\frac{2(7B - C) \tan(c + dx) \sec^2(c + dx)}{35d\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(B - C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(7B - 31C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{105ad}$$

[Out] -((Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (4*(49*B - 37*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(7*B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(7*B - 31*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*a*d)

Rubi [A] time = 0.693954, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4021, 4010, 4001, 3795, 203}

$$\frac{2(7B - C) \tan(c + dx) \sec^2(c + dx)}{35d\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(B - C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(7B - 31C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{105ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -((Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (4*(49*B - 37*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(7*B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(7*B - 31*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^ (n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \int \frac{\sec^4(c+dx)(B+C\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^3(c+dx)(3aC+\frac{1}{2}a(7B-C)\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}}}{7a} \\
&= \frac{2(7B-C)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(7B-C)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{4(49B-37C)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(7B-C)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{4(49B-37C)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(7B-C)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{\sqrt{2}(B-C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{4(49B-37C)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.527371, size = 140, normalized size = 0.69

$$\frac{\tan(c+dx)\left(2\sqrt{1-\sec(c+dx)}(3(7B-C)\sec^2(c+dx)+(31C-7B)\sec(c+dx)+91B+15C\sec^3(c+dx)-43C)-1\right)}{105d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((-105*Sqrt[2]*(B - C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + 2*Sqrt[1 - Sec[c + d*x]]*(91*B - 43*C + (-7*B + 31*C)*Sec[c + d*x] + 3*(7*B - C)*Sec[c + d*x]^2 + 15*C*Sec[c + d*x]^3))*Tan[c + d*x])/(105*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.371, size = 785, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^3*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{1/2}, x)$

[Out] $\frac{1}{840}d/a*(105*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)^3-105*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)^3+315*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)^2-315*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)^2+315*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)-315*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)+105*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)-105*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)-1456*B*\cos(dx+c)^4+688*C*\cos(dx+c)^4+1568*B*\cos(dx+c)^3-1184*C*\cos(dx+c)^3-448*B*\cos(dx+c)^2+544*C*\cos(dx+c)^2+336*B*\cos(dx+c)-288*C*\cos(dx+c)+240*C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^3/\sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^3*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{1/2}, x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [A] time = 0.623026, size = 1116, normalized size = 5.52

$$\left[\frac{105 \sqrt{2} \left((B-C)a \cos(dx+c)^4 + (B-C)a \cos(dx+c)^3 \right) \sqrt{-\frac{1}{a}} \log \left(-\frac{2\sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) - 3 \cos(dx+c)^2 - 2}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{210 \left(ad \cos(dx+c)^4 + a^2 d \cos(dx+c)^3 \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x, algorithm="fricas")

[Out] [-1/210*(105*sqrt(2)*((B - C)*a*cos(d*x + c)^4 + (B - C)*a*cos(d*x + c)^3)*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((91*B - 43*C)*cos(d*x + c)^3 - (7*B - 31*C)*cos(d*x + c)^2 + 3*(7*B - C)*cos(d*x + c) + 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3), 1/105*(2*((91*B - 43*C)*cos(d*x + c)^3 - (7*B - 31*C)*cos(d*x + c)^2 + 3*(7*B - C)*cos(d*x + c) + 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 105*sqrt(2)*((B - C)*a*cos(d*x + c)^4 + (B - C)*a*cos(d*x + c)^3)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^4(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2), x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**4/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 9.10852, size = 387, normalized size = 1.92

$$\frac{105\sqrt{2}(B-C)\log\left(\left|-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right|\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{2\left(\frac{105\sqrt{2}Ba^3}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \left(\frac{\sqrt{2}(119Ba^3-92Ca^3)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{7\sqrt{2}(37Ba^3-16Ca^3)}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)^3\sqrt{-a}}$$

105d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2)
,x, algorithm="giac")
```

```
[Out] -1/105*(105*sqrt(2)*(B - C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-
a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))
- 2*(105*sqrt(2)*B*a^3/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - ((sqrt(2)*(119*B*a
^3 - 92*C*a^3)*tan(1/2*d*x + 1/2*c)^2/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 7*s
qrt(2)*(37*B*a^3 - 16*C*a^3)/sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x +
1/2*c)^2 + 35*sqrt(2)*(7*B*a^3 - 4*C*a^3)/sgn(tan(1/2*d*x + 1/2*c)^2 - 1))
*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 -
a)^3*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d
```

$$3.386 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=159

$$\frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a \sec(c+dx)+a}}}\right)}{\sqrt{ad}} + \frac{2(5B-C) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{15ad} - \frac{4(5B-7C) \tan(c+dx)}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2C \tan(c+dx)}{5d \sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(5*B - 7*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*B - C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*a*d)

Rubi [A] time = 0.514366, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4021, 4010, 4001, 3795, 203}

$$\frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a \sec(c+dx)+a}}}\right)}{\sqrt{ad}} + \frac{2(5B-C) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{15ad} - \frac{4(5B-7C) \tan(c+dx)}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2C \tan(c+dx)}{5d \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(5*B - 7*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*B - C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^(m*(d*Csc[e + f*x])^(n - 1))*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \int \frac{\sec^3(c+dx)(B+C\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^2(c+dx)(2aC+\frac{1}{2}a(5B-C)\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}}}{5a} \\
&= \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2(5B-C)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{15ad} \\
&= -\frac{4(5B-7C)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2(5B-C)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{15ad} \\
&= -\frac{4(5B-7C)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2(5B-C)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{15ad} \\
&= \frac{\sqrt{2}(B-C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{4(5B-7C)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.376557, size = 123, normalized size = 0.77

$$\frac{\tan(c+dx)\left(2\sqrt{1-\sec(c+dx)}\left((5B-C)\sec(c+dx)-5B+3C\sec^2(c+dx)+13C\right)+15\sqrt{2}(B-C)\tanh^{-1}\left(\frac{\sqrt{1-\sec(c+dx)}}{\sqrt{2}}\right)\right)}{15d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((15*Sqrt[2]*(B - C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + 2*Sqrt[1 - Sec[c + d*x]]*(-5*B + 13*C + (5*B - C)*Sec[c + d*x] + 3*C*Sec[c + d*x]^2))*Tan[c + d*x])/(15*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.332, size = 595, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)`

[Out] $\frac{1}{60} \frac{d}{a} * (15 * B * \cos(d*x+c)^2 * \ln\left(\frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1}\right)^{(1/2)} * \sin(d*x+c) - \cos(d*x+c)+1}{\sin(d*x+c)} * \frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1})^{(5/2)} * \sin(d*x+c) - 15 * C * \cos(d*x+c)^2 * \ln\left(\frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1}\right)^{(1/2)} * \sin(d*x+c) - \cos(d*x+c)+1}{\sin(d*x+c)} * \frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1})^{(5/2)} * \sin(d*x+c) + 30 * B * \cos(d*x+c) * \ln\left(\frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1}\right)^{(1/2)} * \sin(d*x+c) - \cos(d*x+c)+1}{\sin(d*x+c)} * \frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1})^{(5/2)} * \sin(d*x+c) - 30 * C * \cos(d*x+c) * \ln\left(\frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1}\right)^{(1/2)} * \sin(d*x+c) - \cos(d*x+c)+1}{\sin(d*x+c)} * \frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1})^{(5/2)} * \sin(d*x+c) + 15 * B * \ln\left(\frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1}\right)^{(1/2)} * \sin(d*x+c) - \cos(d*x+c)+1}{\sin(d*x+c)} * \frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1})^{(5/2)} * \sin(d*x+c) - 15 * C * \ln\left(\frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1}\right)^{(1/2)} * \sin(d*x+c) - \cos(d*x+c)+1}{\sin(d*x+c)} * \frac{-2 * \cos(d*x+c)}{\cos(d*x+c)+1})^{(5/2)} * \sin(d*x+c) + 40 * B * \cos(d*x+c)^3 - 104 * C * \cos(d*x+c)^3 - 80 * B * \cos(d*x+c)^2 + 12 * C * \cos(d*x+c)^2 + 40 * B * \cos(d*x+c) - 32 * C * \cos(d*x+c) + 24 * C) * (a * (\cos(d*x+c)+1) / \cos(d*x+c))^{(1/2)} / \cos(d*x+c)^2 / \sin(d*x+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c)) \sec(dx+c)^2}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)^2/sqrt(a*sec(d*x + c) + a), x)`

Fricas [A] time = 0.652144, size = 1019, normalized size = 6.41

$$\left[\frac{15 \sqrt{2} \left((B-C)a \cos(dx+c)^3 + (B-C)a \cos(dx+c)^2 \right) \sqrt{-\frac{1}{a}} \log \left(\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) + 3 \cos(dx+c)^2 + 2 \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{30 \left(ad \cos(dx+c)^3 + ad \cos(dx+c)^2 + ad \cos(dx+c) + a^2 \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/30*(15*sqrt(2)*((B - C)*a*cos(d*x + c)^3 + (B - C)*a*cos(d*x + c)^2)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((5*B - 13*C)*cos(d*x + c)^2 - (5*B - C)*cos(d*x + c) - 3*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2), -1/15*(2*((5*B - 13*C)*cos(d*x + c)^2 - (5*B - C)*cos(d*x + c) - 3*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 15*sqrt(2)*((B - C)*a*cos(d*x + c)^3 + (B - C)*a*cos(d*x + c)^2)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^3(c + dx)}{\sqrt{a} (\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**3/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 8.94, size = 366, normalized size = 2.3

$$\frac{15(\sqrt{2}B - \sqrt{2}C) \log\left(-\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a}\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)} - 2 \left(\left(10\sqrt{2}Ba^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right) - 20\sqrt{2}Ca^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right) - \left(10\sqrt{2}B - \sqrt{2}C\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2)
,x, algorithm="giac")
```

```
[Out] 1/15*(15*(sqrt(2)*B - sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + s
qrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 -
1)) - 2*((10*sqrt(2)*B*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 20*sqrt(2)*C*
a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (10*sqrt(2)*B*a^2*sgn(tan(1/2*d*x + 1
/2*c)^2 - 1) - 17*sqrt(2)*C*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*
x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2 + 15*sqrt(2)*C*a^2/sgn(tan(1/2*d*x + 1
/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-
a*tan(1/2*d*x + 1/2*c)^2 + a))/d
```

$$3.387 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=118

$$-\frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(3B-2C) \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2C \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{3ad}$$

[Out] -((Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*(3*B - 2*C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*a*d)

Rubi [A] time = 0.303758, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4010, 4001, 3795, 203}

$$-\frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(3B-2C) \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2C \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -((Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*(3*B - 2*C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(

$a + b \cdot \text{Csc}[e + f \cdot x]^{(m + 1)} / (b \cdot f \cdot (m + 2)), x] + \text{Dist}[1 / (b \cdot (m + 2)), \text{Int}[\text{Cs}$
 $c[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m \cdot \text{Simp}[b \cdot B \cdot (m + 1) + (A \cdot b \cdot (m + 2) - a \cdot B) \cdot \text{Cs}$
 $c[e + f \cdot x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, m\}, x\} \&\& \text{NeQ}[A \cdot b - a \cdot B,$
 $0] \&\& \text{!LtQ}[m, -1]$

Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.) \cdot (x_.)] \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_.)] \cdot (b_.) + (a_.))^{(m_.)} \cdot (\text{cs}$
 $c[(e_.) + (f_.) \cdot (x_.)] \cdot (B_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(B \cdot \text{Cot}[e + f \cdot x] \cdot (a$
 $+ b \cdot \text{Csc}[e + f \cdot x])^m) / (f \cdot (m + 1)), x] + \text{Dist}[(a \cdot B \cdot m + A \cdot b \cdot (m + 1)) / (b \cdot (m + 1$
 $)], \text{Int}[\text{Csc}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m, x], x] /; \text{FreeQ}\{a, b, A, B, e$
 $, f, m\}, x\} \&\& \text{NeQ}[A \cdot b - a \cdot B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[a \cdot B \cdot m + A \cdot b \cdot (m$
 $+ 1), 0] \&\& \text{!LtQ}[m, -2^{(-1)}]$

Rule 3795

$\text{Int}[\text{csc}[(e_.) + (f_.) \cdot (x_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.) \cdot (x_.)] \cdot (b_.) + (a_.)], x_S$
 $ymbol] \text{ :> } \text{Dist}[-2 / f, \text{Subst}[\text{Int}[1 / (2 \cdot a + x^2), x], x, (b \cdot \text{Cot}[e + f \cdot x]) / \text{Sqrt}[$
 $a + b \cdot \text{Csc}[e + f \cdot x]]], x] /; \text{FreeQ}\{a, b, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.) \cdot (x_.)^2]^{(-1)}, x_Symbol] \text{ :> } \text{Simp}[(1 \cdot \text{ArcTan}[(\text{Rt}[b, 2] \cdot x) / \text{Rt}$
 $[a, 2]]) / (\text{Rt}[a, 2] \cdot \text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a / b] \&\& (\text{GtQ}[a$
 $, 0] \text{ || } \text{GtQ}[b, 0])$

Rubi steps

$$\int \frac{\sec(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx = \int \frac{\sec^2(c + dx) (B + C \sec(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx$$

$$= \frac{2C \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3ad} + \frac{2 \int \frac{\sec(c + dx) \left(\frac{aC}{2} + \frac{1}{2} a(3B - 2C) \sec(c + dx) \right)}{\sqrt{a + a \sec(c + dx)}} dx}{3a}$$

$$= \frac{2(3B - 2C) \tan(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} + \frac{2C \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3ad} + (-E$$

$$= \frac{2(3B - 2C) \tan(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} + \frac{2C \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3ad} + \frac{(2($$

$$= -\frac{\sqrt{2}(B - C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2} \sqrt{a + a \sec(c + dx)}} \right)}{\sqrt{ad}} + \frac{2(3B - 2C) \tan(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} + \frac{2($$

Mathematica [A] time = 0.296168, size = 106, normalized size = 0.9

$$\frac{\tan(c + dx) \left(2\sqrt{1 - \sec(c + dx)}(3B + C \sec(c + dx) - C) - 3\sqrt{2}(B - C) \tanh^{-1} \left(\frac{\sqrt{1 - \sec(c + dx)}}{\sqrt{2}} \right) \right)}{3d\sqrt{1 - \sec(c + dx)}\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((-3*Sqrt[2]*(B - C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + 2*Sqrt[1 - Sec[c + d*x]]*(3*B - C + C*Sec[c + d*x]))*Tan[c + d*x])/(3*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.303, size = 405, normalized size = 3.4

$$-\frac{1}{6ad \sin(dx + c) \cos(dx + c)} \left(-3B \cos(dx + c) \sin(dx + c) \left(-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1} \right)^{3/2} \ln \left(\frac{1}{\sin(dx + c)} \left(\sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x)

[Out] -1/6/d/a*(-3*B*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))+3*C*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))-3*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)+3*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)+12*B*cos(d*x+c)^2-4*C*cos(d*x+c)^2-12*B*cos(d*x+c)+8*C*cos(d*x+c)-4*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x
, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)/sqrt(a*sec(d*x +
c) + a), x)
```

Fricas [A] time = 0.642421, size = 917, normalized size = 7.77

$$\left[\frac{3\sqrt{2}\left((B-C)a\cos(dx+c)^2 + (B-C)a\cos(dx+c)\right)\sqrt{-\frac{1}{a}}\log\left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)-3\cos(dx+c)^2-2\cos(dx+c)+1}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)}{6\left(ad\cos(dx+c)^2 + ad\cos(dx+c)\right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x
, algorithm="fricas")
```

```
[Out] [-1/6*(3*sqrt(2)*((B - C)*a*cos(d*x + c)^2 + (B - C)*a*cos(d*x + c))*sqrt(-
1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos
(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x +
c)^2 + 2*cos(d*x + c) + 1)) - 4*((3*B - C)*cos(d*x + c) + C)*sqrt((a*cos(d*
x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x +
c)), 1/3*(2*((3*B - C)*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x
+ c))*sin(d*x + c) + 3*sqrt(2)*((B - C)*a*cos(d*x + c)^2 + (B - C)*a*cos(d
*x + c))*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x +
c))/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^2(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**2/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 8.88951, size = 251, normalized size = 2.13

$$\frac{3\sqrt{2}(B-C)\log\left(\left|-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right|\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{2\left(\frac{\sqrt{2}(3Ba-2Ca)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{3\sqrt{2}Ba}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\frac{-1/3*(3*\sqrt{2}*(B - C)*\log(\operatorname{abs}(-\sqrt{-a}*\tan(1/2*d*x + 1/2*c) + \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + 2*(\sqrt{2}*(3*B*a - 2*C*a)*\tan(1/2*d*x + 1/2*c)^2/\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - 3*\sqrt{2}*B*a/\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))*\tan(1/2*d*x + 1/2*c)/((a*\tan(1/2*d*x + 1/2*c)^2 - a)*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})}{d}$$

$$3.388 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=78

$$\frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2C \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*C*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.0949332, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {4054, 12, 3795, 203}

$$\frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2C \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*C*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4054

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))* (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[
(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x
], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &&
!LtQ[m, -2^(-1)]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx &= \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{a(B-C) \sec(c+dx)}{2\sqrt{a+a \sec(c+dx)}} dx}{a} \\ &= \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + (B - C) \int \frac{\sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx \\ &= \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} - \frac{(2(B - C)) \text{Subst}\left(\int \frac{1}{2a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} \\ &= \frac{\sqrt{2}(B - C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.172361, size = 88, normalized size = 1.13

$$\frac{\tan(c + dx) \left(\sqrt{2}(B - C) \tanh^{-1}\left(\frac{\sqrt{1 - \sec(c+dx)}}{\sqrt{2}}\right) + 2C\sqrt{1 - \sec(c + dx)} \right)}{d\sqrt{1 - \sec(c + dx)}\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((Sqrt[2]*(B - C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + 2*C*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.252, size = 200, normalized size = 2.6

$$\frac{1}{ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(B \ln \left(\frac{1}{\sin(dx+c)} \left(\sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) - \cos(dx+c) + 1 \right) \right) \right) \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)

[Out] 1/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(B*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-C*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*C*cos(d*x+c)+2*C)/sin(d*x+c)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c)}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 0.586968, size = 751, normalized size = 9.63

$$\left[\frac{\sqrt{2}((B-C)a \cos(dx+c) + (B-C)a) \sqrt{-\frac{1}{a}} \log \left(\frac{2\sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) + 3 \cos(dx+c)^2 + 2 \cos(dx+c) - 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right) - 4C \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}}}{2(ad \cos(dx+c) + ad)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/2*(\sqrt{2}*((B - C)*a*\cos(d*x + c) + (B - C)*a)*\sqrt{-1/a}*\log((2*\sqrt{2} \\ & 2)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)})*\sqrt{-1/a}*\cos(d*x + c)*\sin(d*x \\ & + c) + 3*\cos(d*x + c)^2 + 2*\cos(d*x + c) - 1)/(\cos(d*x + c)^2 + 2*\cos(d*x + \\ & c) + 1)) - 4*C*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c))/(a*d* \\ & \cos(d*x + c) + a*d), (2*C*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + \\ & c) - \sqrt{2}*((B - C)*a*\cos(d*x + c) + (B - C)*a)*\arctan(\sqrt{2}*\sqrt{(a*c \\ & \cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)/(\sqrt{a}*\sin(d*x + c)))/\sqrt{a} \\ &)/(a*d*\cos(d*x + c) + a*d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [B] time = 8.82177, size = 194, normalized size = 2.49

$$\frac{2\sqrt{2}\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{(\sqrt{2}B-\sqrt{2}C)\log\left(\left|-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right|\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & (2*\sqrt{2}*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*C*\tan(1/2*d*x + 1/2*c)/((a*t \\ & \tan(1/2*d*x + 1/2*c)^2 - a)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + (\sqrt{2}*B - \\ & \sqrt{2}*C)*\log(\operatorname{abs}(-\sqrt{-a}*\tan(1/2*d*x + 1/2*c) + \sqrt{-a*\tan(1/2*d*x + 1 \\ & /2*c)^2 + a}))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))/d \end{aligned}$$

$$3.389 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=91

$$\frac{2B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] (2*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d)

Rubi [A] time = 0.186105, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 3920, 3774, 203, 3795}

$$\frac{2B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (2*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D

ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx &= \int \frac{B + C \sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx \\ &= \frac{B \int \sqrt{a + a \sec(c + dx)} dx}{a} - (B - C) \int \frac{\sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx \\ &= -\frac{(2B) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{(2(B - C)) \text{Subst}\left(\int \frac{1}{\sqrt{a+x^2}} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} \\ &= \frac{2B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(B - C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} \end{aligned}$$

Mathematica [A] time = 0.300487, size = 92, normalized size = 1.01

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((C - B) \tan^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos(c+dx)}}\right) + \sqrt{2} B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d \sqrt{\cos(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] (2*(Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + (-B + C)*ArcTan[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]])*Cos[(c + d*x)/2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.249, size = 194, normalized size = 2.1

$$-\frac{1}{ad} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \left(B\sqrt{2} \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) + B \ln \left(\frac{1}{\sin(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+B*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))-C*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 2.61816, size = 814, normalized size = 8.95

$$\frac{\sqrt{2}(B-C)a\sqrt{-\frac{1}{a}}\log\left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)-3\cos(dx+c)^2-2\cos(dx+c)+1}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)+2B\sqrt{-a}\log\left(\frac{2a\cos(dx+c)^2+2\sqrt{-a}}{\dots}\right)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x, algorithm="fricas")

[Out] [-1/2*(sqrt(2)*(B - C)*a*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 2*B*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)))/(a*d), (sqrt(2)*(B - C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*B*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))))/(a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \cos(c + dx) \sec(c + dx)}{\sqrt{a} (\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2), x)

[Out] Integral((B + C*sec(c + d*x))*cos(c + d*x)*sec(c + d*x)/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [B] time = 10.8623, size = 302, normalized size = 3.32

$$\frac{\sqrt{2}(B-C) \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{2B \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 - a(2\sqrt{2}+3)\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{2B \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 - a(2\sqrt{2}-3)\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x
, algorithm="giac")
```

```
[Out] -1/2*(sqrt(2)*(B - C)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*
d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 2*B*lo
g(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))
^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 2*B*1
og(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)
)^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d
```


$$3.390 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=119

$$-\frac{(B-2C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{B \sin(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

[Out] -(((B - 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (B*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.320073, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4022, 3920, 3774, 203, 3795}

$$-\frac{(B-2C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{B \sin(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -(((B - 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (B*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D
ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre
eQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx &= \int \frac{\cos(c+dx)(B+C \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \\
&= \frac{B \sin(c+dx)}{d\sqrt{a+a \sec(c+dx)}} + \frac{\int \frac{-\frac{1}{2}a(B-2C) + \frac{1}{2}aB \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{a} \\
&= \frac{B \sin(c+dx)}{d\sqrt{a+a \sec(c+dx)}} - \frac{(B-2C) \int \sqrt{a+a \sec(c+dx)} dx}{2a} + (B-2C) \int \frac{1}{\sqrt{a+a \sec(c+dx)}} dx \\
&= \frac{B \sin(c+dx)}{d\sqrt{a+a \sec(c+dx)}} + \frac{(B-2C) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} \\
&= -\frac{(B-2C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [C] time = 26.4385, size = 10104, normalized size = 84.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] Result too large to show

Maple [B] time = 0.345, size = 353, normalized size = 3.

$$\frac{1}{2ad \sin(dx+c)} \left(B\sqrt{2} \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) - 2C \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)

[Out] 1/2/d/a*(B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(c

$\cos(dx+c+1)^{1/2} \sin(dx+c) / \cos(dx+c) * 2^{1/2} \sin(dx+c) + 2*B*\ln\left(\frac{-2*\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) - \cos(dx+c) + 1 / \sin(dx+c) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 2*C*\ln\left(\frac{-2*\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) - \cos(dx+c) + 1 / \sin(dx+c) * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 2*B*\cos(dx+c)^2 + 2*B*\cos(dx+c) * (a*\cos(dx+c)+1) / \cos(dx+c)^{1/2} / \sin(dx+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c)) \cos(dx+c)^2}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2), x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c))*cos(dx+c)^2/sqrt(a*sec(dx+c)+a), x)

Fricas [A] time = 3.24055, size = 1214, normalized size = 10.2

$$\left[\frac{2B \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) - \sqrt{2}((B-C)a \cos(dx+c) + (B-C)a) \sqrt{-\frac{1}{a}} \log \left(\frac{2\sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c)}{\cos(dx+c)^2 - 1} \right)}{2(a \cos(dx+c) + a)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2), x, algorithm="fricas")

[Out] [1/2*(2*B*sqrt((a*cos(dx+c)+a)/cos(dx+c))*cos(dx+c)*sin(dx+c) - sqrt(2)*((B-C)*a*cos(dx+c) + (B-C)*a)*sqrt(-1/a)*log((2*sqrt(2)*sqrt(a*cos(dx+c)+a)/cos(dx+c))*sqrt(-1/a)*cos(dx+c)*sin(dx+c))

$$+ 3\cos(dx + c)^2 + 2\cos(dx + c) - 1)/(\cos(dx + c)^2 + 2\cos(dx + c) + 1) + ((B - 2C)\cos(dx + c) + B - 2C)\sqrt{-a}\log((2a\cos(dx + c)^2 + 2\sqrt{-a}\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\cos(dx + c)\sin(dx + c) + a\cos(dx + c) - a)/(\cos(dx + c) + 1)))/(a*d\cos(dx + c) + a*d), (B\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\cos(dx + c)\sin(dx + c) + ((B - 2C)\cos(dx + c) + B - 2C)\sqrt{a}\arctan(\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\cos(dx + c)/(\sqrt{a}\sin(dx + c)))) - \sqrt{2}*((B - C)a\cos(dx + c) + (B - C)a)\arctan(\sqrt{2}\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\cos(dx + c)/(\sqrt{a}\sin(dx + c)))/\sqrt{a})/(a*d\cos(dx + c) + a*d]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 11.3762, size = 531, normalized size = 4.46

$$\frac{\sqrt{2}(B-C)\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{(B-2C)\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}+3)\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{(B-2C)\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}-3)\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2),x, algorithm="giac")

[Out] 1/2*(sqrt(2)*(B - C)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + (B - 2*C)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (B - 2*C)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) - 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))

$$\frac{(2c^2 + a)^2 + a(2\sqrt{2} - 3)}{\sqrt{-a} \operatorname{sgn}(\tan(1/2dx + 1/2c)^2 - 1)} + \frac{4\sqrt{2}(3(\sqrt{-a}\tan(1/2dx + 1/2c) - \sqrt{-a\tan(1/2dx + 1/2c)^2 + a})^2 B\sqrt{-a} - B\sqrt{-a}a)}{((\sqrt{-a}\tan(1/2dx + 1/2c) - \sqrt{-a\tan(1/2dx + 1/2c)^2 + a})^4 - 6(\sqrt{-a}\tan(1/2dx + 1/2c) - \sqrt{-a\tan(1/2dx + 1/2c)^2 + a})^2 a + a^2) \operatorname{sgn}(\tan(1/2dx + 1/2c)^2 - 1)} / d$$

$$3.391 \quad \int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=165

$$-\frac{(B-4C)\sin(c+dx)}{4d\sqrt{a \sec(c+dx)+a}} + \frac{(7B-4C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(B-C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{B \sin(c+dx) \cos(c+dx)}{2d\sqrt{a \sec(c+dx)+a}}$$

[Out] ((7*B - 4*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - ((B - 4*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (B*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.470853, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4022, 3920, 3774, 203, 3795}

$$-\frac{(B-4C)\sin(c+dx)}{4d\sqrt{a \sec(c+dx)+a}} + \frac{(7B-4C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(B-C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{B \sin(c+dx) \cos(c+dx)}{2d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((7*B - 4*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - ((B - 4*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (B*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx &= \int \frac{\cos^2(c+dx)(B + C \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \\
&= \frac{B \cos(c+dx) \sin(c+dx)}{2d\sqrt{a+a \sec(c+dx)}} + \frac{\int \frac{\cos(c+dx)\left(-\frac{1}{2}a(B-4C) + \frac{3}{2}aB \sec(c+dx)\right)}{\sqrt{a+a \sec(c+dx)}} dx}{2a} \\
&= -\frac{(B-4C) \sin(c+dx)}{4d\sqrt{a+a \sec(c+dx)}} + \frac{B \cos(c+dx) \sin(c+dx)}{2d\sqrt{a+a \sec(c+dx)}} + \frac{\int \frac{\frac{1}{4}a^2(7B-4C)}{\sqrt{a+a \sec(c+dx)}} dx}{2a} \\
&= -\frac{(B-4C) \sin(c+dx)}{4d\sqrt{a+a \sec(c+dx)}} + \frac{B \cos(c+dx) \sin(c+dx)}{2d\sqrt{a+a \sec(c+dx)}} + \frac{(7B-4C)}{2a} \\
&= -\frac{(B-4C) \sin(c+dx)}{4d\sqrt{a+a \sec(c+dx)}} + \frac{B \cos(c+dx) \sin(c+dx)}{2d\sqrt{a+a \sec(c+dx)}} - \frac{(7B-4C)}{2a} \\
&= \frac{(7B-4C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.411016, size = 135, normalized size = 0.82

$$\frac{\tan(c+dx) \left(\cos(c+dx) \sqrt{1-\sec(c+dx)} (2B \cos(c+dx) - B + 4C) + (7B-4C) \tanh^{-1}(\sqrt{1-\sec(c+dx)}) - 4\sqrt{2}(B-C) \right)}{4d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (((7*B - 4*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]] - 4*Sqrt[2]*(B - C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + Cos[c + d*x]*(-B + 4*C + 2*B*Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(4*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.388, size = 717, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/16/d/a*(-7*B*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+4*C*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))-8*B*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))-7*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)+8*C*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))+4*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)-8*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)+8*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)+8*B*cos(d*x+c)^4-12*B*cos(d*x+c)^3+16*C*cos(d*x+c)^3+4*B*cos(d*x+c)^2-16*C*cos(d*x+c)^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)/sin(d*x+c)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^3}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^3/sqrt(a*sec(d*x + c) + a), x)
```

Fricas [A] time = 5.94974, size = 1323, normalized size = 8.02

$$4\sqrt{2}((B-C)a\cos(dx+c) + (B-C)a)\sqrt{-\frac{1}{a}}\log\left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)-3\cos(dx+c)^2-2\cos(dx+c)+1}{\cos(dx+c)^2+2\cos(dx+c)+1}\right) - ((7$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/8*(4*sqrt(2)*((B - C)*a*cos(d*x + c) + (B - C)*a)*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - ((7*B - 4*C)*cos(d*x + c) + 7*B - 4*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 2*(2*B*cos(d*x + c)^2 - (B - 4*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c) + a*d), -1/4*(((7*B - 4*C)*cos(d*x + c) + 7*B - 4*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (2*B*cos(d*x + c)^2 - (B - 4*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 4*sqrt(2)*((B - C)*a*cos(d*x + c) + (B - C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [B] time = 11.5572, size = 876, normalized size = 5.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2)
,x, algorithm="giac")
```

```
[Out] -1/8*(4*sqrt(2)*(B - C)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + (7*B - 4*C)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (7*B - 4*C)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 4*sqrt(2)*(17*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a) - 12*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*C*sqrt(-a) - 57*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a + 76*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*C*sqrt(-a)*a + 19*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a^2 - 36*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*C*sqrt(-a)*a^2 - 3*B*sqrt(-a)*a^3 + 4*C*sqrt(-a)*a^3)/(((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d
```

$$3.392 \quad \int \frac{\cos^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=206

$$\frac{(7B-2C)\sin(c+dx)}{8d\sqrt{a \sec(c+dx)+a}} - \frac{(9B-14C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(B-C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(B-6C)\sin(c+dx)}{12d\sqrt{a \sec(c+dx)+a}}$$

[Out] -((9*B - 14*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + ((7*B - 2*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - ((B - 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (B*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.645478, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4022, 3920, 3774, 203, 3795}

$$\frac{(7B-2C)\sin(c+dx)}{8d\sqrt{a \sec(c+dx)+a}} - \frac{(9B-14C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(B-C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(B-6C)\sin(c+dx)}{12d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -((9*B - 14*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + ((7*B - 2*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - ((B - 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (B*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx &= \int \frac{\cos^3(c+dx)(B+C \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \\
&= \frac{B \cos^2(c+dx) \sin(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} + \frac{\int \frac{\cos^2(c+dx)\left(-\frac{1}{2}a(B-6C)+\frac{5}{2}aB \sec(c+dx)\right)}{\sqrt{a+a \sec(c+dx)}} dx}{3a} \\
&= -\frac{(B-6C) \cos(c+dx) \sin(c+dx)}{12d\sqrt{a+a \sec(c+dx)}} + \frac{B \cos^2(c+dx) \sin(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} \\
&= \frac{(7B-2C) \sin(c+dx)}{8d\sqrt{a+a \sec(c+dx)}} - \frac{(B-6C) \cos(c+dx) \sin(c+dx)}{12d\sqrt{a+a \sec(c+dx)}} + \frac{B \cos^2(c+dx) \sin(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} \\
&= \frac{(7B-2C) \sin(c+dx)}{8d\sqrt{a+a \sec(c+dx)}} - \frac{(B-6C) \cos(c+dx) \sin(c+dx)}{12d\sqrt{a+a \sec(c+dx)}} + \frac{B \cos^2(c+dx) \sin(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} \\
&= \frac{(7B-2C) \sin(c+dx)}{8d\sqrt{a+a \sec(c+dx)}} - \frac{(B-6C) \cos(c+dx) \sin(c+dx)}{12d\sqrt{a+a \sec(c+dx)}} + \frac{B \cos^2(c+dx) \sin(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} \\
&= -\frac{(9B-14C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a+a \sec(c+dx)}}}\right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.762773, size = 150, normalized size = 0.73

$$\frac{\tan(c+dx) \left(\cos(c+dx) \sqrt{1-\sec(c+dx)} \left(-2(B-6C) \cos(c+dx) + 8B \cos^2(c+dx) + 21B - 6C \right) + (42C - 27B) \tanh^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right) \right)}{24d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (((-27*B + 42*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]) + 24*Sqrt[2]*(B - C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + Cos[c + d*x]*(21*B - 6*C - 2*(B - 6*C)*Cos[c + d*x] + 8*B*Cos[c + d*x]^2)*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(24*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.349, size = 1067, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)`

[Out]
$$\begin{aligned} & -1/192/d/a*(-27*B*\cos(d*x+c)^2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)} \\ & * \operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c)) \\ & * \sin(d*x+c)+42*C*\cos(d*x+c)^2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)} \\ & * \operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c)) \\ & * \sin(d*x+c)-48*B*\cos(d*x+c)^2*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c)) \\ & * (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\sin(d*x+c)-54*B*\cos(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)} \\ & * \operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c)) \\ & * \sin(d*x+c)+48*C*\cos(d*x+c)^2*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c)) \\ & * (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\sin(d*x+c)+84*C*\cos(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)} \\ & * \operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c)) \\ & * \sin(d*x+c)-96*B*\cos(d*x+c)*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c)) \\ & * (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\sin(d*x+c)-27*B*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)} \\ & * \operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c)) \\ & * \sin(d*x+c)+96*C*\cos(d*x+c)*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c)) \\ & * (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\sin(d*x+c)+42*C*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)} \\ & * \operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c)) \\ & * \sin(d*x+c)-48*B*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c)) \\ & * (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\sin(d*x+c)+48*C*\ln(((-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)+1)/\sin(d*x+c)) \\ & * (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\sin(d*x+c)+64*B*\cos(d*x+c)^6-80*B*\cos(d*x+c)^5+96*C*\cos(d*x+c)^5+184*B*\cos(d*x+c)^4 \\ & -144*C*\cos(d*x+c)^4-168*B*\cos(d*x+c)^3+48*C*\cos(d*x+c)^3*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^2/\sin(d*x+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c)) \cos(dx+c)^4}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`


```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^4/sqrt(a*sec(d*x + c) + a), x)
```

Fricas [A] time = 5.97143, size = 1426, normalized size = 6.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/48*(24*sqrt(2)*((B - C)*a*cos(d*x + c) + (B - C)*a)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 3*((9*B - 14*C)*cos(d*x + c) + 9*B - 14*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 2*(8*B*cos(d*x + c)^3 - 2*(B - 6*C)*cos(d*x + c)^2 + 3*(7*B - 2*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c) + a*d), 1/24*(3*((9*B - 14*C)*cos(d*x + c) + 9*B - 14*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + (8*B*cos(d*x + c)^3 - 2*(B - 6*C)*cos(d*x + c)^2 + 3*(7*B - 2*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 24*sqrt(2)*((B - C)*a*cos(d*x + c) + (B - C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [B] time = 11.7257, size = 1142, normalized size = 5.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\frac{1}{48} \cdot (24 \sqrt{2}) \cdot (B - C) \cdot \log\left(\frac{\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}}{\sqrt{-a} \operatorname{sgn}\left(\tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right)} + 3 \cdot (9B - 14C) \cdot \log\left(\frac{\left|\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}\right|^2 - a \cdot (2 \sqrt{2} + 3)}{\sqrt{-a} \operatorname{sgn}\left(\tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right)} - 3 \cdot (9B - 14C) \cdot \log\left(\frac{\left|\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}\right|^2 + a \cdot (2 \sqrt{2} - 3)}{\sqrt{-a} \operatorname{sgn}\left(\tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right)} + 4 \sqrt{2} \cdot (165 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{10} B \sqrt{-a} - 102 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^{10} C \sqrt{-a} - 1323 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^8 B \sqrt{-a} \cdot a + 954 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^8 C \sqrt{-a} \cdot a + 3906 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^6 B \sqrt{-a} \cdot a^2 - 2268 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^6 C \sqrt{-a} \cdot a^2 - 2118 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^4 B \sqrt{-a} \cdot a^3 + 1044 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^4 C \sqrt{-a} \cdot a^3 + 393 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^2 B \sqrt{-a} \cdot a^4 - 222 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a})^2 C \sqrt{-a} \cdot a^4 - 31 B \sqrt{-a} \cdot a^5 + 18 C \sqrt{-a} \cdot a^5\right) / \left(\left(\sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}\right)^4 - 6 \sqrt{-a} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) + a}\right)^2 \cdot a + a^2\right)^3 \operatorname{sgn}\left(\tan^2\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right) / d$$

$$3.393 \quad \int \frac{\sec^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=261

$$\frac{(15B - 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(273B - 397C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{210a^2d} + \frac{(B - C) \tan(c+dx) \sec^4(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] -((15*B - 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((B - C)*Sec[c + d*x]^4*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((651*B - 799*C)*Tan[c + d*x])/(105*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((63*B - 67*C)*Sec[c + d*x]^2*Tan[c + d*x])/(70*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((7*B - 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(14*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((273*B - 397*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(210*a^2*d)

Rubi [A] time = 0.919155, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4019, 4021, 4010, 4001, 3795, 203}

$$\frac{(15B - 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(273B - 397C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{210a^2d} + \frac{(B - C) \tan(c+dx) \sec^4(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((15*B - 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((B - C)*Sec[c + d*x]^4*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((651*B - 799*C)*Tan[c + d*x])/(105*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((63*B - 67*C)*Sec[c + d*x]^2*Tan[c + d*x])/(70*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((7*B - 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(14*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((273*B - 397*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(210*a^2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)

$*(x_*)*(d_*)^{(n_*)}$, x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.)^(n_)*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.)^(n_)*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \int \frac{\sec^5(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx \\
 &= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \int \frac{\sec^4(c+dx)\left(4a(B-C)-\frac{1}{2}a(7B-11C)\right)}{\sqrt{a+a\sec(c+dx)}\,2a^2} dx \\
 &= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7B-11C)\sec^3(c+dx)\tan(c+dx)}{14ad\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(63B-67C)\sec^2(c+dx)\tan(c+dx)}{70ad\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(63B-67C)\sec^2(c+dx)\tan(c+dx)}{70ad\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(651B-799C)\tan(c+dx)}{105ad\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(651B-799C)\tan(c+dx)}{105ad\sqrt{a+a\sec(c+dx)}} \\
 &= -\frac{(15B-19C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 1.23021, size = 204, normalized size = 0.78

$$\tan(c+dx)\left(\frac{1}{4}\sqrt{1-\sec(c+dx)}\sec^4(c+dx)(24(217B-213C)\cos(c+dx)+60(63B-67C)\cos(2(c+dx))+1512B\cos(c+dx))\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]
```

```
[Out] ((-210*Sqrt[2]*(15*B - 19*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sec[c + d*x] + ((2751*B - 2339*C + 24*(217*B - 213*C)*Cos[c + d*x] + 60*(63*B - 67*C)*Cos[2*(c + d*x)] + 1512*B*Cos[3*(c + d*x)] - 1608*C*Cos[3*(c + d*x)] + 1029*B*Cos[4*(c + d*x)] - 1201*C*Cos[4*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^4/4)*Tan[c + d*x])/(420*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))
```

Maple [B] time = 0.37, size = 983, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)
```

```
[Out] 1/3360/d/a^2*(-1+cos(d*x+c))*(-1575*B*cos(d*x+c)^4*sin(d*x+c)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)+1995*C*cos(d*x+c)^4*sin(d*x+c)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)-6300*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^3+7980*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^3-9450*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2+11970*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2-6300*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)+7980*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)-1575*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)+1995*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)+16464*B*cos(d*x+c)^5-19216*C*cos(d*x+c)^5-4368*B*cos(d*x+c)^4+6352*C*cos(d*x+c)^4-13440*B*cos(d*x+c)^3+16000*C*cos(d*x+c)^3+2688*B*cos(d*x+c)^2-3712*C*cos(d*x+c)^2-1344*B*cos(d*x+c)+1536*C
```

*cos(d*x+c)-960*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^3/sin(d*x+c)^3

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.672287, size = 1419, normalized size = 5.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/840*(105*sqrt(2)*((15*B - 19*C)*cos(d*x + c)^5 + 2*(15*B - 19*C)*cos(d*x + c)^4 + (15*B - 19*C)*cos(d*x + c)^3)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((1029*B - 1201*C)*cos(d*x + c)^4 + 12*(63*B - 67*C)*cos(d*x + c)^3 - 28*(3*B - 7*C)*cos(d*x + c)^2 + 12*(7*B - 3*C)*cos(d*x + c) + 60*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^5 + 2*a^2*d*cos(d*x + c)^4 + a^2*d*cos(d*x + c)^3), 1/420*(105*sqrt(2)*((15*B - 19*C)*cos(d*x + c)^5 + 2*(15*B - 19*C)*cos(d*x + c)^4 + (15*B - 19*C)*cos(d*x + c)^3)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((1029*B - 1201*C)*cos(d*x + c)^4 + 12*(63*B - 67*C)*cos(d*x + c)^3 - 28*(3*B - 7*C)*cos(d*x + c)^2 + 12*(7*B - 3*C)*cos(d*x + c) + 60*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^5 + 2*a^2*d*cos(d*x + c)^4 + a^2*d*cos(d*x + c)^3)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^5(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**5/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [A] time = 9.28776, size = 593, normalized size = 2.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/420*(105*(15*\sqrt{2}*B - 19*\sqrt{2}*C)*\log(\text{abs}(-\sqrt{-a}*\tan(1/2*d*x + 1/2*c) + \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}))) / (\sqrt{-a}*a*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) - \\ & (((105*(\sqrt{2}*B*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - \sqrt{2}*C*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))*\tan(1/2*d*x + 1/2*c)^2/a^3 - \\ & 4*(693*\sqrt{2}*B*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - 877*\sqrt{2}*C*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))/a^3)*\tan(1/2*d*x + 1/2*c)^2 + 14*(453*\sqrt{2}*B*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - 517*\sqrt{2}*C*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))/a^3)*\tan(1/2*d*x + 1/2*c)^2 - 140*(39*\sqrt{2}*B*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - 47*\sqrt{2}*C*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))/a^3)*\tan(1/2*d*x + 1/2*c)^2 + 1785*(\sqrt{2}*B*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - \sqrt{2}*C*a^5*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))/a^3)*\tan(1/2*d*x + 1/2*c) / ((a*\tan(1/2*d*x + 1/2*c)^2 - a)^3*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})) / d \end{aligned}$$

$$3.394 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=216

$$\frac{(11B - 15C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(35B - 39C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{30a^2d} + \frac{(B - C) \tan(c+dx) \sec^3(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] ((11*B - 15*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((65*B - 93*C)*Tan[c + d*x])/(15*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((5*B - 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((35*B - 39*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(30*a^2*d)

Rubi [A] time = 0.725143, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4019, 4021, 4010, 4001, 3795, 203}

$$\frac{(11B - 15C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(35B - 39C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{30a^2d} + \frac{(B - C) \tan(c+dx) \sec^3(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((11*B - 15*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((65*B - 93*C)*Tan[c + d*x])/(15*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((5*B - 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((35*B - 39*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(30*a^2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[

$a + b \cdot \text{Csc}[e + f \cdot x]]], x] /; \text{FreeQ}[\{a, b, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_ + (b_ \cdot (x_)^2)^{-1}), x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTan}[(\text{Rt}[b, 2] \cdot x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2] \cdot \text{Rt}[b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx &= \int \frac{\sec^4(c + dx) (B + C \sec(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\ &= \frac{(B - C) \sec^3(c + dx) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \int \frac{\sec^3(c + dx) (3a(B - C) - \frac{1}{2}a(5B - 9C))}{\sqrt{a + a \sec(c + dx)} \cdot 2a^2} dx \\ &= \frac{(B - C) \sec^3(c + dx) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(5B - 9C) \sec^2(c + dx) \tan(c + dx)}{10ad\sqrt{a + a \sec(c + dx)}} \\ &= \frac{(B - C) \sec^3(c + dx) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(5B - 9C) \sec^2(c + dx) \tan(c + dx)}{10ad\sqrt{a + a \sec(c + dx)}} \\ &= \frac{(B - C) \sec^3(c + dx) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(65B - 93C) \tan(c + dx)}{15ad\sqrt{a + a \sec(c + dx)}} - \frac{(5B - 9C) \sec^2(c + dx) \tan(c + dx)}{10ad\sqrt{a + a \sec(c + dx)}} \\ &= \frac{(B - C) \sec^3(c + dx) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(65B - 93C) \tan(c + dx)}{15ad\sqrt{a + a \sec(c + dx)}} - \frac{(5B - 9C) \sec^2(c + dx) \tan(c + dx)}{10ad\sqrt{a + a \sec(c + dx)}} \\ &= \frac{(11B - 15C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(B - C) \sec^3(c + dx) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 2.34895, size = 160, normalized size = 0.74

$$\frac{\tan(c + dx) \left(\sqrt{1 - \sec(c + dx)} (4(5B - 3C) \sec^2(c + dx) - 12(5B - 9C) \sec(c + dx) - 95B + 12C \sec^3(c + dx) + 147C) + 30d\sqrt{1 - \sec(c + dx)}(a(\sec(c + dx) + 1))^{3/2} \right)}{30d\sqrt{1 - \sec(c + dx)}(a(\sec(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

```
[Out] ((15*sqrt[2]*(11*B - 15*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/sqrt[2]]*Cos[(c +
d*x)/2]^2*Sec[c + d*x] + Sqrt[1 - Sec[c + d*x]]*(-95*B + 147*C - 12*(5*B -
9*C)*Sec[c + d*x] + 4*(5*B - 3*C)*Sec[c + d*x]^2 + 12*C*Sec[c + d*x]^3))*T
an[c + d*x])/(30*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))
```

Maple [B] time = 0.335, size = 793, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)
```

```
[Out] -1/240/d/a^2*(-1+cos(d*x+c))*(165*B*cos(d*x+c)^3*sin(d*x+c)*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(5/2)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-c
os(d*x+c)+1)/sin(d*x+c))-225*C*cos(d*x+c)^3*sin(d*x+c)*(-2*cos(d*x+c)/(cos(
d*x+c)+1))^(5/2)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*
x+c)+1)/sin(d*x+c))+495*B*cos(d*x+c)^2*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5
/2)*sin(d*x+c)-675*C*cos(d*x+c)^2*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*s
in(d*x+c)+495*B*cos(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x
+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+
c)-675*C*cos(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos
(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+165*
B*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x
+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)-225*C*ln((-2*cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c
)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+760*B*cos(d*x+c)^4-1176*C*cos(d*x+c)^4-2
80*B*cos(d*x+c)^3+312*C*cos(d*x+c)^3-640*B*cos(d*x+c)^2+960*C*cos(d*x+c)^2+
160*B*cos(d*x+c)-192*C*cos(d*x+c)+96*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)
/cos(d*x+c)^2/sin(d*x+c)^3
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.649612, size = 1315, normalized size = 6.09

$$\left[\frac{15\sqrt{2}\left((11B-15C)\cos(dx+c)^4 + 2(11B-15C)\cos(dx+c)^3 + (11B-15C)\cos(dx+c)^2\right)\sqrt{-a}\log\left(-\frac{2\sqrt{2}\sqrt{-a}\sqrt{\frac{a\cos(dx+c)}{\cos(dx+c)}}}{120}\right)}{120}\right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [1/120*(15*sqrt(2)*((11*B - 15*C)*cos(d*x + c)^4 + 2*(11*B - 15*C)*cos(d*x + c)^3 + (11*B - 15*C)*cos(d*x + c)^2)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((95*B - 147*C)*cos(d*x + c)^3 + 12*(5*B - 9*C)*cos(d*x + c)^2 - 4*(5*B - 3*C)*cos(d*x + c) - 12*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2), -1/60*(15*sqrt(2)*((11*B - 15*C)*cos(d*x + c)^4 + 2*(11*B - 15*C)*cos(d*x + c)^3 + (11*B - 15*C)*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((95*B - 147*C)*cos(d*x + c)^3 + 12*(5*B - 9*C)*cos(d*x + c)^2 - 4*(5*B - 3*C)*cos(d*x + c) - 12*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^4(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**4/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [A] time = 9.14024, size = 421, normalized size = 1.95

$$\frac{15\sqrt{2}(11B-15C)\log\left(-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\left(\left(\frac{15\sqrt{2}(Ba^3-Ca^3)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\sqrt{2}(245Ba^3-381Ca^3)}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + \frac{5}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)^2\sqrt{-a}}$$

60d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] 1/60*(15*sqrt(2)*(11*B - 15*C)*log(abs(-sqrt(-a))*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (((15*sqrt(2)*(B*a^3 - C*a^3)*tan(1/2*d*x + 1/2*c)^2/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(245*B*a^3 - 381*C*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)^2 + 5*sqrt(2)*(73*B*a^3 - 105*C*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)^2 - 15*sqrt(2)*(9*B*a^3 - 17*C*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/d

$$3.395 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=171

$$\frac{(7B - 11C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(3B - 7C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{6a^2d} + \frac{(B - C) \tan(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} +$$

[Out] -((7*B - 11*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((9*B - 13*C)*Tan[c + d*x])/(3*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((3*B - 7*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(6*a^2*d)

Rubi [A] time = 0.555913, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4019, 4010, 4001, 3795, 203}

$$\frac{(7B - 11C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(3B - 7C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{6a^2d} + \frac{(B - C) \tan(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} +$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((7*B - 11*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((9*B - 13*C)*Tan[c + d*x])/(3*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((3*B - 7*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(6*a^2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \int \frac{\sec^3(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \int \frac{\sec^2(c+dx)\left(2a(B-C)-\frac{1}{2}a(3B-7C)\right)}{\sqrt{a+a\sec(c+dx)}} \frac{dx}{2a^2} \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(3B-7C)\sqrt{a+a\sec(c+dx)}}{6a^2d} \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(9B-13C)\tan(c+dx)}{3ad\sqrt{a+a\sec(c+dx)}} - \frac{(3B-7C)\sqrt{a+a\sec(c+dx)}}{6a^2d} \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(9B-13C)\tan(c+dx)}{3ad\sqrt{a+a\sec(c+dx)}} - \frac{(3B-7C)\sqrt{a+a\sec(c+dx)}}{6a^2d} \\
&= -\frac{(7B-11C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.3986, size = 141, normalized size = 0.82

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}\left(12(B-C)\sec(c+dx)+15B+4C\sec^2(c+dx)-19C\right)-3\sqrt{2}(7B-11C)\cos^2\left(\frac{1}{2}(c+dx)\right)\right)}{6d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((-3*Sqrt[2]*(7*B - 11*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sec[c + d*x] + Sqrt[1 - Sec[c + d*x]]*(15*B - 19*C + 12*(B - C)*Sec[c + d*x] + 4*C*Sec[c + d*x]^2))*Tan[c + d*x])/(6*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.295, size = 603, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2}, x)$

[Out]
$$-1/24/d/a^2*(-1+\cos(dx+c))*(21*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)-33*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)+42*B*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))-66*C*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))+21*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)-33*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)-60*B*\cos(dx+c)^3+76*C*\cos(dx+c)^3+12*B*\cos(dx+c)^2-28*C*\cos(dx+c)^2+48*B*\cos(dx+c)-64*C*\cos(dx+c)+16*C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)^3/\cos(dx+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2}, x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [A] time = 0.618492, size = 1189, normalized size = 6.95

$$\left[\frac{3\sqrt{2}((7B-11C)\cos(dx+c)^3 + 2(7B-11C)\cos(dx+c)^2 + (7B-11C)\cos(dx+c))\sqrt{-a} \log\left(\frac{2\sqrt{2}\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c)}{\cos(dx+c)}\right)}{24(a^2d\cos(dx+c)^3 + 2ad\cos(dx+c) + 2a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/24*(3*sqrt(2)*((7*B - 11*C)*cos(d*x + c)^3 + 2*(7*B - 11*C)*cos(d*x + c)^2 + (7*B - 11*C)*cos(d*x + c))*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((15*B - 19*C)*cos(d*x + c)^2 + 12*(B - C)*cos(d*x + c) + 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c)), 1/12*(3*sqrt(2)*((7*B - 11*C)*cos(d*x + c)^3 + 2*(7*B - 11*C)*cos(d*x + c)^2 + (7*B - 11*C)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((15*B - 19*C)*cos(d*x + c)^2 + 12*(B - C)*cos(d*x + c) + 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^3(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**3/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [A] time = 9.02966, size = 400, normalized size = 2.34

$$\left(\frac{\left(3 \left(\sqrt{2} B \operatorname{asgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - \sqrt{2} C \operatorname{asgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{a} - \frac{2 \left(15 \sqrt{2} B \operatorname{asgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - 23 \sqrt{2} C \operatorname{asgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{a} \right)}{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right) \sqrt{-a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)
,x, algorithm="giac")
```

```
[Out] 1/12*(((3*(sqrt(2)*B*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*C*a*sgn(ta
n(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a - 2*(15*sqrt(2)*B*a*sgn
(tan(1/2*d*x + 1/2*c)^2 - 1) - 23*sqrt(2)*C*a*sgn(tan(1/2*d*x + 1/2*c)^2 -
1))/a)*tan(1/2*d*x + 1/2*c)^2 + 27*(sqrt(2)*B*a*sgn(tan(1/2*d*x + 1/2*c)^2
- 1) - sqrt(2)*C*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a)*tan(1/2*d*x + 1/2*c)
/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)) - 3*(
7*sqrt(2)*B - 11*sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-
a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)
))/d
```

$$3.396 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=118

$$\frac{(3B-7C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(B-C) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} + \frac{2C \tan(c+dx)}{ad\sqrt{a \sec(c+dx)+a}}$$

[Out] ((3*B - 7*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((B - C)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + (2*C*Tan[c + d*x])/(a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.319377, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4008, 4001, 3795, 203}

$$\frac{(3B-7C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(B-C) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} + \frac{2C \tan(c+dx)}{ad\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((3*B - 7*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((B - C)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + (2*C*Tan[c + d*x])/(a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[

```
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
 \int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \int \frac{\sec^2(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx \\
 &= -\frac{(B-C)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\sec(c+dx)\left(-\frac{3}{2}a(B-C)-2aC\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
 &= -\frac{(B-C)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{2C\tan(c+dx)}{ad\sqrt{a+a\sec(c+dx)}} + \frac{(3B-7C)\int \frac{1}{\sqrt{a+a\sec(c+dx)}} dx}{4} \\
 &= -\frac{(B-C)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{2C\tan(c+dx)}{ad\sqrt{a+a\sec(c+dx)}} - \frac{(3B-7C)\text{Subst}\left[\frac{1}{\sqrt{a+a\sec(c+dx)}}, \frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right]}{4} \\
 &= \frac{(3B-7C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(B-C)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{2C\tan(c+dx)}{ad\sqrt{a+a\sec(c+dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.727204, size = 125, normalized size = 1.06

$$\frac{\tan(c + dx) \left(\sqrt{1 - \sec(c + dx)}(-B + 4C \sec(c + dx) + 5C) + \sqrt{2}(3B - 7C) \cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \tanh^{-1}\left(\frac{\sqrt{1 - \sec(c + dx)}}{\sqrt{2}}\right) \right)}{2d\sqrt{1 - \sec(c + dx)}(a(\sec(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((Sqrt[2]*(3*B - 7*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sec[c + d*x] + Sqrt[1 - Sec[c + d*x]]*(-B + 5*C + 4*C*Sec[c + d*x]))*Tan[c + d*x])/(2*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.26, size = 405, normalized size = 3.4

$$-\frac{-1 + \cos(dx + c)}{4da^2(\sin(dx + c))^3} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(3B \sin(dx + c) \cos(dx + c) \ln\left(\frac{1}{\sin(dx + c)} \left(\sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \sin(dx + c) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)

[Out] -1/4/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(3*B*sin(d*x+c)*cos(d*x+c)*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-7*C*sin(d*x+c)*cos(d*x+c)*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+3*B*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-7*C*ln(((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*B*cos(d*x+c)^2-10*C*cos(d*x+c)^2-2*B*cos(d*x+c)+2*C*cos(d*x+c)+8*C)/sin(d*x+c)^3

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x
, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)/(a*sec(d*x + c)
+ a)^(3/2), x)
```

Fricas [A] time = 0.596805, size = 1003, normalized size = 8.5

$$\frac{\sqrt{2}((3B - 7C) \cos(dx + c)^2 + 2(3B - 7C) \cos(dx + c) + 3B - 7C) \sqrt{-a} \log \left(\frac{2\sqrt{2}\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) - 3a \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{8(a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x
, algorithm="fricas")
```

```
[Out] [1/8*(sqrt(2)*((3*B - 7*C)*cos(d*x + c)^2 + 2*(3*B - 7*C)*cos(d*x + c) + 3*
B - 7*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*
x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) +
a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((B - 5*C)*cos(d*x + c) - 4*
C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c
)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((3*B - 7*C)*cos(d*x + c
)^2 + 2*(3*B - 7*C)*cos(d*x + c) + 3*B - 7*C)*sqrt(a)*arctan(sqrt(2)*sqrt((
a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))] + 2*
((B - 5*C)*cos(d*x + c) - 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(
d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**2/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [A] time = 8.79642, size = 257, normalized size = 2.18

$$\frac{\left(\frac{\sqrt{2}(Ba^2 - Ca^2) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^3 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{\sqrt{2}(Ba^2 - 9Ca^2)}{a^3 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \sqrt{2}(3B - 7C) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right| \right)}{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \sqrt{-a \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}} \frac{1}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] -1/4*((sqrt(2)*(B*a^2 - C*a^2)*tan(1/2*d*x + 1/2*c)^2/(a^3*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(B*a^2 - 9*C*a^2)/(a^3*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)/sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a) - sqrt(2)*(3*B - 7*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.397 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a + a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=87

$$\frac{(B + 3C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{2\sqrt{2} a^{3/2} d} + \frac{(B - C) \tan(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

[Out] ((B + 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((B - C)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.105751, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {4052, 12, 3795, 203}

$$\frac{(B + 3C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{2\sqrt{2} a^{3/2} d} + \frac{(B - C) \tan(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((B + 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((B - C)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{3/2}} dx &= \frac{(B - C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{\int -\frac{a(B+3C) \sec(c+dx)}{2\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\ &= \frac{(B - C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{(B + 3C) \int \frac{\sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{4a} \\ &= \frac{(B - C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(B + 3C) \text{Subst}\left(\int \frac{1}{2a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{2ad} \\ &= \frac{(B + 3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(B - C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.784075, size = 127, normalized size = 1.46

$$\frac{2(B - C) \sin(c + dx) \sqrt{1 - \sec(c + dx)} + 2\sqrt{2}(B + 3C) \cos^2\left(\frac{1}{2}(c + dx)\right) \tan(c + dx) \tanh^{-1}\left(\frac{\sqrt{1 - \sec(c + dx)}}{\sqrt{2}}\right)}{4ad(\cos(c + dx) + 1)\sqrt{1 - \sec(c + dx)}\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(3/2),x]

[Out] (2*(B - C)*Sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 2*Sqrt[2]*(B + 3*C)*ArcTan[h[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Tan[c + d*x]]/(4*a*d*(1 + Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.24, size = 402, normalized size = 4.6

$$\frac{1}{4da^2(\cos(dx+c)+1)\sin(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(B\sin(dx+c)\cos(dx+c)\ln\left(\frac{1}{\sin(dx+c)}\left(\sqrt{-2\frac{\cos(dx+c)}{\cos(dx+c)}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] 1/4/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(B*sin(d*x+c)*cos(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+3*C*sin(d*x+c)*cos(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+B*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+3*C*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*B*cos(d*x+c)^2+2*C*cos(d*x+c)^2+2*B*cos(d*x+c)-2*C*cos(d*x+c))/(cos(d*x+c)+1)/sin(d*x+c)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c)}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(a*sec(d*x + c) + a)^(3/2), x)

Fricas [B] time = 0.604896, size = 957, normalized size = 11.

$$\left[\frac{4(B-C)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) - \sqrt{2}((B+3C)\cos(dx+c)^2 + 2(B+3C)\cos(dx+c) + B+3C)\sqrt{-a}}{8(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c) + a^2d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/8*(4*(B - C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((B + 3*C)*cos(d*x + c)^2 + 2*(B + 3*C)*cos(d*x + c) + B + 3*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/4*(2*(B - C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((B + 3*C)*cos(d*x + c)^2 + 2*(B + 3*C)*cos(d*x + c) + B + 3*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [B] time = 8.6494, size = 208, normalized size = 2.39

$$\frac{(\sqrt{2}B+3\sqrt{2}C)\log\left(-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\left(\sqrt{2}B\operatorname{asgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)-\sqrt{2}C\operatorname{asgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)\right)\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{a^3}$$

4d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

```
[Out] 1/4*((sqrt(2)*B + 3*sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (sqrt(2)*B*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*C*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*tan(1/2*d*x + 1/2*c)/a^3)/d
```

$$3.398 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=127

$$-\frac{(5B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(B-C) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] (2*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) - ((5*B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((B - C)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.269656, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 3922, 3920, 3774, 203, 3795}

$$-\frac{(5B-C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(B-C) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (2*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) - ((5*B - C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((B - C)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3922

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx &= \int \frac{B+C \sec(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx \\
&= -\frac{(B-C) \tan(c+dx)}{2d(a+a \sec(c+dx))^{3/2}} - \frac{\int \frac{-2aB+\frac{1}{2}a(B-C) \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(B-C) \tan(c+dx)}{2d(a+a \sec(c+dx))^{3/2}} + \frac{B \int \sqrt{a+a \sec(c+dx)} dx}{a^2} - \frac{(5B-C)}{2a} \\
&= -\frac{(B-C) \tan(c+dx)}{2d(a+a \sec(c+dx))^{3/2}} - \frac{(2B) \text{Subst} \left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right)}{ad} \\
&= \frac{2B \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right)}{a^{3/2}d} - \frac{(5B-C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}} \right)}{2\sqrt{2}a^{3/2}d} - \frac{2a}{2a}
\end{aligned}$$

Mathematica [A] time = 1.57632, size = 147, normalized size = 1.16

$$\frac{\csc(c+dx) \left(2(C-B) \sin^2 \left(\frac{1}{2}(c+dx) \right) - \sqrt{2}(5B-C) \cos^2 \left(\frac{1}{2}(c+dx) \right) \sqrt{\sec(c+dx)-1} \tan^{-1} \left(\frac{\sqrt{\sec(c+dx)-1}}{\sqrt{2}} \right) + 8B \cos^2 \left(\frac{1}{2}(c+dx) \right) \right)}{2ad\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Csc[c + d*x]*(8*B*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] - Sqrt[2]*(5*B - C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] + 2*(-B + C)*Sin[(c + d*x)/2]^2))/(2*a*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.234, size = 552, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)

```
[Out] 1/4/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-4*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))-5*B*sin(d*x+c)*cos(d*x+c)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c)))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-4*B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+C*sin(d*x+c)*cos(d*x+c)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-5*B*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+C*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*B*cos(d*x+c)^2-2*C*cos(d*x+c)^2-2*B*cos(d*x+c)+2*C*cos(d*x+c))/(cos(d*x+c)+1)/sin(d*x+c)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c)) \cos(dx+c)}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x, algorithm="maxima")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)/(a*sec(d*x + c) + a)^(3/2), x)
```

Fricas [B] time = 7.92313, size = 1416, normalized size = 11.15

$$\left[\frac{4(B-C)\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) - \sqrt{2}((5B-C) \cos(dx+c)^2 + 2(5B-C) \cos(dx+c) + 5B-C)\sqrt{-a}}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] [-1/8*(4*(B - C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d
*x + c) - sqrt(2)*((5*B - C)*cos(d*x + c)^2 + 2*(5*B - C)*cos(d*x + c) + 5*
B - C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)
/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 8*(B*cos(d*x + c)^2 + 2*B*cos(d*x
+ c) + B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(
d*x + c) + 1)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4
*(2*(B - C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x +
c) - sqrt(2)*((5*B - C)*cos(d*x + c)^2 + 2*(5*B - C)*cos(d*x + c) + 5*B - C
)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x +
c)/(sqrt(a)*sin(d*x + c))) + 8*(B*cos(d*x + c)^2 + 2*B*cos(d*x + c) + B)*sq
rt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*
sin(d*x + c))))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \cos(c + dx) \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2)
,x)
```

```
[Out] Integral((B + C*sec(c + d*x))*cos(c + d*x)*sec(c + d*x)/(a*(sec(c + d*x) +
1))**(3/2), x)
```

Giac [B] time = 11.0498, size = 417, normalized size = 3.28

$$\frac{\sqrt{2}(5B-C) \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{8B \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 - a(2\sqrt{2}+3)\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{8B \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 - a(2\sqrt{2}-3)\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x
, algorithm="giac")
```

```
[Out] -1/8*(sqrt(2)*(5*B - C)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 8*B*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 8*B*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 2*(sqrt(2)*B*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*C*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*tan(1/2*d*x + 1/2*c)/a^3)/d
```

$$3.399 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=170

$$-\frac{(3B-2C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(9B-5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3B-C) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(B-C) \sin(c+dx)}{2d(a \sec(c+dx)+a)}$$

[Out] -(((3*B - 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(3/2)*d) + ((9*B - 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((B - C)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*B - C)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.493935, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4020, 4022, 3920, 3774, 203, 3795}

$$-\frac{(3B-2C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(9B-5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3B-C) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(B-C) \sin(c+dx)}{2d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -(((3*B - 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(3/2)*d) + ((9*B - 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((B - C)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*B - C)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \int \frac{\cos(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx \\
&= -\frac{(B-C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos(c+dx)\left(a(3B-C)-\frac{3}{2}a(B-C)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(B-C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3B-C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{-a^2(3B-2C)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(B-C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3B-C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{(9B-5C)}{2a} \\
&= -\frac{(B-C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3B-C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \frac{(9B-5C)}{2a} \\
&= -\frac{(B-C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3B-C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \frac{(9B-5C)}{2a} \\
&= -\frac{(3B-2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{3/2}d} + \frac{(9B-5C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d}
\end{aligned}$$

Mathematica [C] time = 27.0136, size = 10898, normalized size = 64.11

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.291, size = 713, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)
```

```
[Out] 1/4/d/a^2*(-1+cos(d*x+c))*(-6*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*sin(d*x+c)/cos(d*x+c))+4*C*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2*cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))
^(1/2)*sin(d*x+c)/cos(d*x+c))-9*B*sin(d*x+c)*cos(d*x+c)*ln((( -2*cos(d*x+c)/
(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)-6*B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*
x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
sin(d*x+c)+5*C*sin(d*x+c)*cos(d*x+c)*ln((( -2*cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2
)+4*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)+4*B*cos(
d*x+c)^3-9*B*ln((( -2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)
+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+5*C*ln((( -2
*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*B*cos(d*x+c)^2-2*C*cos(d*x+c)
^2-6*B*cos(d*x+c)+2*C*cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d
*x+c)^3
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^2}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)
,x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^2/(a*sec(d*x + c
) + a)^(3/2), x)
```

Fricas [A] time = 10.519, size = 1575, normalized size = 9.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)
,x, algorithm="fricas")
```



```
[Out] [1/8*(sqrt(2)*((9*B - 5*C)*cos(d*x + c)^2 + 2*(9*B - 5*C)*cos(d*x + c) + 9*B - 5*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((3*B - 2*C)*cos(d*x + c)^2 + 2*(3*B - 2*C)*cos(d*x + c) + 3*B - 2*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 4*(2*B*cos(d*x + c)^2 + (3*B - C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((9*B - 5*C)*cos(d*x + c)^2 + 2*(9*B - 5*C)*cos(d*x + c) + 9*B - 5*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 4*((3*B - 2*C)*cos(d*x + c)^2 + 2*(3*B - 2*C)*cos(d*x + c) + 3*B - 2*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*(2*B*cos(d*x + c)^2 + (3*B - C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)
```

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

[Out] Exception raised: NotImplementedError

$$3.400 \quad \int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=221

$$\frac{(19B-12C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13B-9C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7B-6C) \sin(c+dx)}{4ad\sqrt{a \sec(c+dx)+a}} + \frac{(2B-C) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}}$$

[Out] ((19*B - 12*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(3/2)*d) - ((13*B - 9*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((B - C)*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((7*B - 6*C)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((2*B - C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.68525, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4020, 4022, 3920, 3774, 203, 3795}

$$\frac{(19B-12C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13B-9C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7B-6C) \sin(c+dx)}{4ad\sqrt{a \sec(c+dx)+a}} + \frac{(2B-C) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((19*B - 12*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(3/2)*d) - ((13*B - 9*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((B - C)*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((7*B - 6*C)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((2*B - C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[

$a + b \cdot \text{Csc}[e + f \cdot x]]], x] /; \text{FreeQ}[\{a, b, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^3(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx &= \int \frac{\cos^2(c + dx) (B + C \sec(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\
 &= -\frac{(B - C) \cos(c + dx) \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{\cos^2(c + dx) (2a(2B - C) - \frac{5}{2}a(B - C) \sec(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx}{2a^2} \\
 &= -\frac{(B - C) \cos(c + dx) \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{(2B - C) \cos(c + dx) \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(B - C) \cos(c + dx) \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(7B - 6C) \sin(c + dx)}{4ad\sqrt{a + a \sec(c + dx)}} + \frac{(2B - C) \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(B - C) \cos(c + dx) \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(7B - 6C) \sin(c + dx)}{4ad\sqrt{a + a \sec(c + dx)}} + \frac{(2B - C) \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(B - C) \cos(c + dx) \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(7B - 6C) \sin(c + dx)}{4ad\sqrt{a + a \sec(c + dx)}} + \frac{(2B - C) \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{(19B - 12C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4a^{3/2}d} - \frac{(13B - 9C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}}\right)}{2\sqrt{2}a^{3/2}d}
 \end{aligned}$$

Mathematica [C] time = 2.3293, size = 395, normalized size = 1.79

$$\sec(c + dx) \left(-40B\sqrt{1 - \sec(c + dx)} (\sin(c + dx) + \tan(c + dx)) \text{Hypergeometric2F1}\left(\frac{1}{2}, 3, \frac{3}{2}, 1 - \sec(c + dx)\right) + (91B - 40C) \sqrt{1 - \sec(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Sec[c + d*x]*(-52*sqrt[2]*B*ArcTanh[Sqrt[1 - Sec[c + d*x]]/sqrt[2]]*Sin[c + d*x] + 36*sqrt[2]*C*ArcTanh[Sqrt[1 - Sec[c + d*x]]/sqrt[2]]*Sin[c + d*x] - 13*B*sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 24*C*sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 18*B*cos[c + d*x]^2*sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + (13*B*sqrt[1 - Sec[c + d*x]]*Sin[2*(c + d*x)]))/2 + 8*C*sqrt[1 - Sec[c + d*x]]*S

$$\int [2*(c + d*x)] - 52*\sqrt{2}*B*\text{ArcTanh}[\sqrt{1 - \text{Sec}[c + d*x]}/\sqrt{2}]*\text{Tan}[c + d*x] + 36*\sqrt{2}*C*\text{ArcTanh}[\sqrt{1 - \text{Sec}[c + d*x]}/\sqrt{2}]*\text{Tan}[c + d*x] + (91*B - 48*C)*\text{ArcTanh}[\sqrt{1 - \text{Sec}[c + d*x]}]*(\text{Sin}[c + d*x] + \text{Tan}[c + d*x]) - 40*B*\text{Hypergeometric2F1}[1/2, 3, 3/2, 1 - \text{Sec}[c + d*x]]*\sqrt{1 - \text{Sec}[c + d*x]}*(\text{Sin}[c + d*x] + \text{Tan}[c + d*x]))/(16*d*\sqrt{1 - \text{Sec}[c + d*x]}*(a*(1 + \text{Sec}[c + d*x]))^{3/2})$$

Maple [B] time = 0.351, size = 1075, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^3*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2}, x)$

[Out]
$$\begin{aligned} & -1/16/d/a^2*(-1+\cos(dx+c))*(19*B*\sin(dx+c)*\cos(dx+c)^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))-12*C*\sin(dx+c)*\cos(dx+c)^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+26*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)+38*B*\cos(dx+c)*\sin(dx+c)*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))-18*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)-24*C*\cos(dx+c)*\sin(dx+c)*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+52*B*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))+19*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*\sin(dx+c)-36*C*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))-12*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*\sin(dx+c)+26*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)-8*B*\cos(dx+c)^5-18*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)+20*B*\cos(dx+c)^4-16*C*\cos(dx+c)^4+16*B*\cos(dx+c)^3-8*C*\cos(dx+c)^3-28*B*\cos(dx+c)^2+24*C*\cos(dx+c)^2)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)^3/\cos(dx+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^3}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^3/(a*sec(d*x + c) + a)^(3/2), x)

Fricas [A] time = 15.2902, size = 1673, normalized size = 7.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x, algorithm="fricas")

[Out] [1/8*(sqrt(2)*((13*B - 9*C)*cos(d*x + c)^2 + 2*(13*B - 9*C)*cos(d*x + c) + 13*B - 9*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + ((19*B - 12*C)*cos(d*x + c)^2 + 2*(19*B - 12*C)*cos(d*x + c) + 19*B - 12*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*B*cos(d*x + c)^3 - (3*B - 4*C)*cos(d*x + c)^2 - (7*B - 6*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/4*(sqrt(2)*((13*B - 9*C)*cos(d*x + c)^2 + 2*(13*B - 9*C)*cos(d*x + c) + 13*B - 9*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((19*B - 12*C)*cos(d*x + c)^2 + 2*(19*B - 12*C)*cos(d*x + c) + 19*B - 12*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + (2*B*cos(d*x + c)^3 - (3*B - 4*C)*cos(d*x + c)^2 - (7*B - 6*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.401 \quad \int \frac{\sec^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=261

$$-\frac{(85B-157C) \tan(c+dx) \sec^2(c+dx)}{80a^2 d \sqrt{a \sec(c+dx)+a}} + \frac{(163B-283C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(475B-787C) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{240a^3 d}$$

[Out] ((163*B - 283*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((B - C)*Sec[c + d*x]^4*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((13*B - 21*C)*Sec[c + d*x]^3*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((985*B - 1729*C)*Tan[c + d*x])/(120*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((85*B - 157*C)*Sec[c + d*x]^2*Tan[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((475*B - 787*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(240*a^3*d)

Rubi [A] time = 0.928138, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4019, 4021, 4010, 4001, 3795, 203}

$$-\frac{(85B-157C) \tan(c+dx) \sec^2(c+dx)}{80a^2 d \sqrt{a \sec(c+dx)+a}} + \frac{(163B-283C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(475B-787C) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{240a^3 d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((163*B - 283*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((B - C)*Sec[c + d*x]^4*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((13*B - 21*C)*Sec[c + d*x]^3*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((985*B - 1729*C)*Tan[c + d*x])/(120*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((85*B - 157*C)*Sec[c + d*x]^2*Tan[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((475*B - 787*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(240*a^3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)


```
*(x_)]*(d_))^(n_), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(B\sec(c+dx) + C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \int \frac{\sec^5(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \int \frac{\sec^4(c+dx)\left(4a(B-C) - \frac{1}{2}a(5B-13C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(13B-21C)\sec^3(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(13B-21C)\sec^3(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(13B-21C)\sec^3(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(13B-21C)\sec^3(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(13B-21C)\sec^3(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(163B-283C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(B-C)\sec^4(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 2.60335, size = 177, normalized size = 0.68

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}\left(160(B-C)\sec^3(c+dx) - 32(25B-49C)\sec^2(c+dx) - 5(503B-911C)\sec(c+dx) - 14\right) - 240d\sqrt{1-\sec(c+dx)}(a\sec(c+dx) + a)\right)}{240d\sqrt{1-\sec(c+dx)}(a\sec(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((30*sqrt[2]*(163*B - 283*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/sqrt[2]]*Cos[(c + d*x)/2]^4*Sec[c + d*x]^2 + Sqrt[1 - Sec[c + d*x]]*(-1495*B + 2671*C - 5*(503*B - 911*C)*Sec[c + d*x] - 32*(25*B - 49*C)*Sec[c + d*x]^2 + 160*(B - C)*Sec[c + d*x]^3 + 96*C*Sec[c + d*x]^4))*Tan[c + d*x]/(240*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.325, size = 985, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

[Out] 1/1920/d/a^3*(-1+cos(d*x+c))^2*(2445*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^4-4245*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^4+9780*B*cos(d*x+c)^3*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))-16980*C*cos(d*x+c)^3*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))+14670*B*cos(d*x+c)^2*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)-25470*C*cos(d*x+c)^2*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+9780*B*cos(d*x+c)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)-16980*C*cos(d*x+c)*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+2445*B*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)-4245*C*ln(((2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+11960*B*cos(d*x+c)^5-21368*C*cos(d*x+c)^5+8160*B*cos(d*x+c)^4-15072*C*cos(d*x+c)^4-13720*B*cos(d*x+c)^3+23896*C*cos(d*x+c)^3-7680*B*cos(d*x+c)^2+13824*C*cos(d*x+c)^2+1280*B*cos(d*x+c)-2048*C*cos(d*x+c)+768*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^5/c

$\text{os}(d*x+c)^2$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)
,x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.686998, size = 1597, normalized size = 6.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)
,x, algorithm="fricas")
```

```
[Out] [1/960*(15*sqrt(2)*((163*B - 283*C)*cos(d*x + c)^5 + 3*(163*B - 283*C)*cos(
d*x + c)^4 + 3*(163*B - 283*C)*cos(d*x + c)^3 + (163*B - 283*C)*cos(d*x + c
)^2)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/
(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((1495*B - 2671*C)*cos(d*x + c)^
4 + 5*(503*B - 911*C)*cos(d*x + c)^3 + 32*(25*B - 49*C)*cos(d*x + c)^2 - 16
0*(B - C)*cos(d*x + c) - 96*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(
d*x + c))/(a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x
+ c)^3 + a^3*d*cos(d*x + c)^2), -1/480*(15*sqrt(2)*((163*B - 283*C)*cos(d*x
+ c)^5 + 3*(163*B - 283*C)*cos(d*x + c)^4 + 3*(163*B - 283*C)*cos(d*x + c
)^3 + (163*B - 283*C)*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((1495*B
- 2671*C)*cos(d*x + c)^4 + 5*(503*B - 911*C)*cos(d*x + c)^3 + 32*(25*B - 49
*C)*cos(d*x + c)^2 - 160*(B - C)*cos(d*x + c) - 96*C)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x +
c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [A] time = 10.0303, size = 593, normalized size = 2.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out]
$$-1/480 * (((15 * (2 * (\sqrt{2} * B * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1) - \sqrt{2}) * C * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1)) * \tan(1/2 * d * x + 1/2 * c)^2 / a^2 + (21 * \sqrt{2}) * B * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1) - 29 * \sqrt{2}) * C * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1)) / a^2 * \tan(1/2 * d * x + 1/2 * c)^2 - (3685 * \sqrt{2}) * B * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1) - 6733 * \sqrt{2}) * C * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1)) / a^2 * \tan(1/2 * d * x + 1/2 * c)^2 + 5 * (1133 * \sqrt{2}) * B * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1) - 1973 * \sqrt{2}) * C * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1)) / a^2 * \tan(1/2 * d * x + 1/2 * c)^2 - 15 * (155 * \sqrt{2}) * B * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1) - 291 * \sqrt{2}) * C * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1)) / a^2 * \tan(1/2 * d * x + 1/2 * c) / ((a * \tan(1/2 * d * x + 1/2 * c)^2 - a)^2 * \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a}) - 15 * (163 * \sqrt{2}) * B - 283 * \sqrt{2}) * C * \log(\operatorname{abs}(-\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) + \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})) / (\sqrt{-a} * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1))) / d$$

$$3.402 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=216

$$-\frac{(75B - 163C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(39B - 95C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{48a^3d} + \frac{(93B - 197C) \tan(c+dx)}{24a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(B - C) \sec^3(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}}$$

[Out] -((75*B - 163*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((9*B - 17*C)*Sec[c + d*x]^2*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((93*B - 197*C)*Tan[c + d*x])/(24*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((39*B - 95*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(48*a^3*d)

Rubi [A] time = 0.747935, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4019, 4010, 4001, 3795, 203}

$$-\frac{(75B - 163C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(39B - 95C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{48a^3d} + \frac{(93B - 197C) \tan(c+dx)}{24a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(B - C) \sec^3(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -((75*B - 163*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((9*B - 17*C)*Sec[c + d*x]^2*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((93*B - 197*C)*Tan[c + d*x])/(24*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((39*B - 95*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(48*a^3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \int \frac{\sec^4(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \int \frac{\sec^3(c+dx)\left(3a(B-C)-\frac{1}{2}a(3B-11C)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(9B-17C)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(9B-17C)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(9B-17C)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(9B-17C)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(9B-17C)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= -\frac{(75B-163C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(B-C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 2.59787, size = 161, normalized size = 0.75

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}\left(32(3B-5C)\sec^2(c+dx)+(255B-503C)\sec(c+dx)+147B+32C\sec^3(c+dx)-299C\right)\right)}{48d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]
```

```
[Out] ((-6*Sqrt[2]*(75*B - 163*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^4*Sec[c + d*x]^2 + Sqrt[1 - Sec[c + d*x]]*(147*B - 299*C + (255*B - 503*C)*Sec[c + d*x] + 32*(3*B - 5*C)*Sec[c + d*x]^2 + 32*C*Sec[c + d*x]^3))*Tan[c + d*x])/(48*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2))
```


Maple [B] time = 0.306, size = 795, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^3*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2}, x)$

[Out]
$$-1/192/d/a^3*(-1+\cos(dx+c))^{2*(-225*B*\cos(dx+c)^3*\sin(dx+c)*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}+489*C*\cos(dx+c)^3*\sin(dx+c)*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}-675*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)+1467*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)-675*B*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))+1467*C*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))-225*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)+489*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(((2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-\cos(dx+c)+1)/\sin(dx+c))*\sin(dx+c)+588*B*\cos(dx+c)^4-1196*C*\cos(dx+c)^4+432*B*\cos(dx+c)^3-816*C*\cos(dx+c)^3-636*B*\cos(dx+c)^2+1372*C*\cos(dx+c)^2-384*B*\cos(dx+c)+768*C*\cos(dx+c)-128*C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)^5/\cos(dx+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^3*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.652811, size = 1474, normalized size = 6.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [1/192*(3*sqrt(2)*((75*B - 163*C)*cos(d*x + c)^4 + 3*(75*B - 163*C)*cos(d*x + c)^3 + 3*(75*B - 163*C)*cos(d*x + c)^2 + (75*B - 163*C)*cos(d*x + c))*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((147*B - 299*C)*cos(d*x + c)^3 + (255*B - 503*C)*cos(d*x + c)^2 + 32*(3*B - 5*C)*cos(d*x + c) + 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c)), 1/96*(3*sqrt(2)*((75*B - 163*C)*cos(d*x + c)^4 + 3*(75*B - 163*C)*cos(d*x + c)^3 + 3*(75*B - 163*C)*cos(d*x + c)^2 + (75*B - 163*C)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((147*B - 299*C)*cos(d*x + c)^3 + (255*B - 503*C)*cos(d*x + c)^2 + 32*(3*B - 5*C)*cos(d*x + c) + 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^4(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**4/(a*(sec(c + d*x) + 1))**(5/2), x)
```

Giac [A] time = 9.78534, size = 420, normalized size = 1.94

$$\frac{\left(\left(\frac{2\sqrt{2}(Ba^5 - Ca^5)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} + \frac{\sqrt{2}(15Ba^5 - 23Ca^5)}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \frac{4\sqrt{2}(75Ba^5 - 167Ca^5)}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + \frac{3\sqrt{2}(83Ba^5 - 155Ca^5)}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a\right) \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}}$$

96d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] 1/96*(((3*(2*sqrt(2)*(B*a^5 - C*a^5)*tan(1/2*d*x + 1/2*c)^2/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + sqrt(2)*(15*B*a^5 - 23*C*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))) * tan(1/2*d*x + 1/2*c)^2 - 4*sqrt(2)*(75*B*a^5 - 167*C*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))) * tan(1/2*d*x + 1/2*c)^2 + 3*sqrt(2)*(83*B*a^5 - 155*C*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))) * tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)) - 3*sqrt(2)*(75*B - 163*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))/d
```

$$3.403 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=169

$$\frac{(19B - 75C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(B - 9C) \tan(c+dx)}{4a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(B - C) \tan(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx)+a)^{5/2}} - \frac{(5B - 13C) \tan(c+dx)}{16ad(a \sec(c+dx))^{3/2}}$$

[Out] ((19*B - 75*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((5*B - 13*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((B - 9*C)*Tan[c + d*x])/(4*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.564363, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4019, 4008, 4001, 3795, 203}

$$\frac{(19B - 75C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(B - 9C) \tan(c+dx)}{4a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(B - C) \tan(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx)+a)^{5/2}} - \frac{(5B - 13C) \tan(c+dx)}{16ad(a \sec(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((19*B - 75*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((5*B - 13*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((B - 9*C)*Tan[c + d*x])/(4*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(B\sec(c+dx) + C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \int \frac{\sec^3(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{\int \frac{\sec^2(c+dx)(2a(B-C) - \frac{1}{2}a(B-9C)\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(5B-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\sec^2(c+dx)(2a(B-C) - \frac{1}{2}a(B-9C)\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(5B-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\sec^2(c+dx)(2a(B-C) - \frac{1}{2}a(B-9C)\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(5B-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\sec^2(c+dx)(2a(B-C) - \frac{1}{2}a(B-9C)\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(19B-75C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(B-C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 1.47091, size = 144, normalized size = 0.85

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}\left((85C-13B)\sec(c+dx)-9B+32C\sec^2(c+dx)+49C\right)+2\sqrt{2}(19B-75C)\cos^4\left(\frac{1}{2}(c+dx)\right)\right)}{16d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((2*Sqrt[2]*(19*B - 75*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^4*Sec[c + d*x]^2 + Sqrt[1 - Sec[c + d*x]]*(-9*B + 49*C + (-13*B + 85*C)*Sec[c + d*x] + 32*C*Sec[c + d*x]^2))*Tan[c + d*x])/(16*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.281, size = 597, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2}, x)$

[Out] $\frac{1}{32} \frac{d}{a^3} (a \cos(dx+c)+1) / \cos(dx+c)^{1/2} (-1+\cos(dx+c))^2 (19B \cos(dx+c)^2 \sin(dx+c) \ln\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c) (-2\cos(dx+c) / (\cos(dx+c)+1))^{1/2} - 75C \cos(dx+c)^2 \sin(dx+c) \ln\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c) (-2\cos(dx+c) / (\cos(dx+c)+1))^{1/2} + 38B \sin(dx+c) \cos(dx+c) \ln\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c) (-2\cos(dx+c) / (\cos(dx+c)+1))^{1/2} - 150C \sin(dx+c) \cos(dx+c) \ln\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c) (-2\cos(dx+c) / (\cos(dx+c)+1))^{1/2} + 18B \cos(dx+c)^3 + 19B \ln\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c) (-2\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 98C \cos(dx+c)^3 - 75C \ln\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c) (-2\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + 8B \cos(dx+c)^2 - 72C \cos(dx+c)^2 - 26B \cos(dx+c) + 106C \cos(dx+c) + 64C) / \sin(dx+c)^5$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.627088, size = 1273, normalized size = 7.53

$$\left[\frac{\sqrt{2}((19B - 75C) \cos(dx+c)^3 + 3(19B - 75C) \cos(dx+c)^2 + 3(19B - 75C) \cos(dx+c) + 19B - 75C) \sqrt{-a} \log\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) - \cos(dx+c)+1}{64(a^3 d \cos(dx+c) + \dots)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/64*(sqrt(2)*((19*B - 75*C)*cos(d*x + c)^3 + 3*(19*B - 75*C)*cos(d*x + c)^2 + 3*(19*B - 75*C)*cos(d*x + c) + 19*B - 75*C)*sqrt(-a)*log(-2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((9*B - 49*C)*cos(d*x + c)^2 + (13*B - 85*C)*cos(d*x + c) - 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((19*B - 75*C)*cos(d*x + c)^3 + 3*(19*B - 75*C)*cos(d*x + c)^2 + 3*(19*B - 75*C)*cos(d*x + c) + 19*B - 75*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/sqrt(a)*sin(d*x + c))) + 2*((9*B - 49*C)*cos(d*x + c)^2 + (13*B - 85*C)*cos(d*x + c) - 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^3(c + dx)}{(a (\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**3/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [A] time = 9.55333, size = 390, normalized size = 2.31

$$\left(\frac{2 \left(\sqrt{2} B a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - \sqrt{2} C a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{a^8} + \frac{9 \sqrt{2} B a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - 17 \sqrt{2} C a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right)}{a^8} \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 \sqrt{-a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)
,x, algorithm="giac")
```

```
[Out] -1/32*(((2*(sqrt(2)*B*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*C*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a^8 + (9*sqrt(2)*B*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 17*sqrt(2)*C*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^8)*tan(1/2*d*x + 1/2*c)^2 - (11*sqrt(2)*B*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 83*sqrt(2)*C*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^8)*tan(1/2*d*x + 1/2*c)/sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a) - (19*sqrt(2)*B - 75*sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d
```

$$3.404 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=126

$$\frac{(5B + 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(5B - 13C) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(B - C) \tan(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

[Out] ((5*B + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((B - C)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*B - 13*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.33442, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4008, 4000, 3795, 203}

$$\frac{(5B + 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(5B - 13C) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(B - C) \tan(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((5*B + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((B - C)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*B - 13*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4008

```

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

```

Rule 4000

```

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[((A*b - a*B)*Cot[e +
f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m +
1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]
/; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &
& NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]

```

Rule 3795

```

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \int \frac{\sec^2(c+dx)(B+C\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx \\
&= -\frac{(B-C)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \int \frac{\sec(c+dx)\left(-\frac{5}{2}a(B-C)-4aC\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\
&= -\frac{(B-C)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(5B-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(5B+19C)}{16\sqrt{2}a^{5/2}d} \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right) \\
&= -\frac{(B-C)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(5B-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(5B+19C)}{16\sqrt{2}a^{5/2}d} \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)
\end{aligned}$$

Mathematica [A] time = 1.43266, size = 131, normalized size = 1.04

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}((5B-13C)\sec(c+dx)+B-9C)+2\sqrt{2}(5B+19C)\cos^4\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\tanh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\right)}{16d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]
```

```
[Out] ((2*sqrt[2]*(5*B + 19*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^4*Sec[c + d*x]^2 + Sqrt[1 - Sec[c + d*x]]*(B - 9*C + (5*B - 13*C)*Sec[c + d*x]))*Tan[c + d*x]/(16*d*sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2))
```

Maple [B] time = 0.261, size = 602, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)
```

```
[Out] 1/32/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(-5*B*cos(d*x+c)^2*sin(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-19*C*cos(d*x+c)^2*sin(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-10*B*sin(d*x+c)*cos(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-38*C*sin(d*x+c)*cos(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+2*B*cos(d*x+c)^3-5*B*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-18*C*cos(d*x+c)^3-19*C*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+8*B*cos(d*x+c)^2-8*C*cos(d*x+c)^2-10*B*cos(d*x+c)+26*C*cos(d*x+c))/(cos(d*x+c)+1)/sin(d*x+c)^3
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.617093, size = 1233, normalized size = 9.79

$$\frac{\sqrt{2}((5B + 19C) \cos(dx + c)^3 + 3(5B + 19C) \cos(dx + c)^2 + 3(5B + 19C) \cos(dx + c) + 5B + 19C) \sqrt{-a} \log\left(\frac{2\sqrt{2} \dots}{64(a^3 d \cos(dx + c)^3 + \dots)}\right)}{64(a^3 d \cos(dx + c)^3 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x, algorithm="fricas")
```

```
[Out] [-1/64*(sqrt(2)*((5*B + 19*C)*cos(d*x + c)^3 + 3*(5*B + 19*C)*cos(d*x + c)^2 + 3*(5*B + 19*C)*cos(d*x + c) + 5*B + 19*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((B - 9*C)*cos(d*x + c)^2 + (5*B - 13*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((5*B + 19*C)*cos(d*x + c)^3 + 3*(5*B + 19*C)*cos(d*x + c)^2 + 3*(5*B + 19*C)*cos(d*x + c) + 5*B + 19*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((B - 9*C)*cos(d*x + c)^2 + (5*B - 13*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**2/(a*(sec(c + d*x) + 1))**(5/2), x)
```

Giac [A] time = 9.29425, size = 258, normalized size = 2.05

$$\frac{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left(\frac{2\sqrt{2}(Ba^5 - Ca^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{\sqrt{2}(3Ba^5 - 11Ca^5)}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \frac{\sqrt{2}(5B + 19C) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right| \right)}{\sqrt{-aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] -1/32*(sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(B*a^5 - C*a^5)*tan(1/2*d*x + 1/2*c)^2/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + sqrt(2)*(3*B*a^5 - 11*C*a^5)/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c) - sqrt(2)*(5*B + 19*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))/d
```

$$3.405 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=126

$$\frac{(3B + 5C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(3B + 5C) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} + \frac{(B - C) \tan(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

[Out] ((3*B + 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((B - C)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((3*B + 5*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.151674, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4052, 12, 3796, 3795, 203}

$$\frac{(3B + 5C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(3B + 5C) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} + \frac{(B - C) \tan(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((3*B + 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((B - C)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((3*B + 5*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3796

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(m + 1)/(a*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && IntegerQ[2*m]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{5/2}} dx &= \frac{(B - C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{\int -\frac{a(3B+5C) \sec(c+dx)}{2(a+a \sec(c+dx))^{3/2}} dx}{4a^2} \\
 &= \frac{(B - C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} + \frac{(3B + 5C) \int \frac{\sec(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx}{8a} \\
 &= \frac{(B - C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} + \frac{(3B + 5C) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{(3B + 5C) \int \frac{\sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{32a^2} \\
 &= \frac{(B - C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} + \frac{(3B + 5C) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} - \frac{(3B + 5C) \text{Subst}\left(\int \frac{1}{2a + x^2} dx\right)}{16a^2} \\
 &= \frac{(3B + 5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(B - C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} + \frac{(3B + 5C) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}}
 \end{aligned}$$

Mathematica [C] time = 1.48807, size = 206, normalized size = 1.63

$$\frac{64B \sin\left(\frac{1}{2}(c + dx)\right) \cos^5\left(\frac{1}{2}(c + dx)\right) \sqrt{1 - \sec(c + dx)} \sec(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, 3, \frac{3}{2}, \frac{1}{2}(1 - \sec(c + dx))\right) + (B - C) \tan(c + dx)}{32a^2 d (\cos(c + dx) + 1)^2 \sqrt{1 - \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/2),x]
```

```
[Out] (40*sqrt[2]*C*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^5*Sec[c + d*x]*Sin[(c + d*x)/2] + 64*B*Cos[(c + d*x)/2]^5*Hypergeometric2F1[1/2, 3, 3/2, (1 - Sec[c + d*x])/2]*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]*Sin[(c + d*x)/2] + C*Sqrt[1 - Sec[c + d*x]]*(10*Sin[c + d*x] + Sin[2*(c + d*x)]))/(32*a^2*d*(1 + Cos[c + d*x])^2*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.207, size = 594, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x)
```

```
[Out] 1/32/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*B*cos(d*x+c)^2*sin(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+5*C*cos(d*x+c)^2*sin(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+6*B*sin(d*x+c)*cos(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+10*C*sin(d*x+c)*cos(d*x+c)*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+3*B*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-14*B*cos(d*x+c)^3+5*C*ln((-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*C*cos(d*x+c)^3+8*B*cos(d*x+c)^2-8*C*cos(d*x+c)^2+6*B*cos(d*x+c)+10*C*cos(d*x+c))/(cos(d*x+c)+1)^2/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.616432, size = 1219, normalized size = 9.67

$$\frac{\sqrt{2}((3B + 5C)\cos(dx + c)^3 + 3(3B + 5C)\cos(dx + c)^2 + 3(3B + 5C)\cos(dx + c) + 3B + 5C)\sqrt{-a}\log\left(\frac{2\sqrt{2}\sqrt{-a}\sqrt{\cos(dx + c) + a}}{\cos(dx + c)}\right)}{64(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/64*(sqrt(2)*((3*B + 5*C)*cos(d*x + c)^3 + 3*(3*B + 5*C)*cos(d*x + c)^2 + 3*(3*B + 5*C)*cos(d*x + c) + 3*B + 5*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((7*B + C)*cos(d*x + c)^2 + (3*B + 5*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((3*B + 5*C)*cos(d*x + c)^3 + 3*(3*B + 5*C)*cos(d*x + c)^2 + 3*(3*B + 5*C)*cos(d*x + c) + 3*B + 5*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((7*B + C)*cos(d*x + c)^2 + (3*B + 5*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [A] time = 8.97639, size = 258, normalized size = 2.05

$$\frac{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left(\frac{2\sqrt{2}(Ba^5 - Ca^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{\sqrt{2}(5Ba^5 + 3Ca^5)}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \frac{\sqrt{2}(3B+5C) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right|\right)}{\sqrt{-aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] 1/32*(sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(B*a^5 - C*a^5)*tan(1/2*d*x + 1/2*c)^2/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(5*B*a^5 + 3*C*a^5)/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c) + sqrt(2)*(3*B + 5*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.406 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=164

$$\frac{(43B - 3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11B - 3C) \tan(c+dx)}{16ad(a \sec(c+dx) + a)^{3/2}} - \frac{(B - C) \tan(c+dx)}{4d(a \sec(c+dx) + a)^{5/2}}$$

[Out] (2*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*B - 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((B - C)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((11*B - 3*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.346006, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 3922, 3920, 3774, 203, 3795}

$$\frac{(43B - 3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11B - 3C) \tan(c+dx)}{16ad(a \sec(c+dx) + a)^{3/2}} - \frac{(B - C) \tan(c+dx)}{4d(a \sec(c+dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (2*B*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*B - 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((B - C)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((11*B - 3*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3922

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx &= \int \frac{B+C \sec(c+dx)}{(a+a \sec(c+dx))^{5/2}} dx \\
&= -\frac{(B-C) \tan(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{\int \frac{-4aB+\frac{3}{2}a(B-C) \sec(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(B-C) \tan(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{(11B-3C) \tan(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} + \frac{\int \frac{8a^2B-\frac{1}{4}}{}}{16ad(a+a \sec(c+dx))^{3/2}} \\
&= -\frac{(B-C) \tan(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{(11B-3C) \tan(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} + \frac{B \int \sqrt{a}}{16ad(a+a \sec(c+dx))^{3/2}} \\
&= -\frac{(B-C) \tan(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{(11B-3C) \tan(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} - \frac{(2B) \text{Sul}}{16ad(a+a \sec(c+dx))^{3/2}} \\
&= \frac{2B \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{a^{5/2}d} - \frac{(43B-3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d}
\end{aligned}$$

Mathematica [C] time = 26.6628, size = 10133, normalized size = 61.79

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 0.24, size = 824, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

[Out] 1/32/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-32*B*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/

```
(cos(d*x+c)+1)^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)-43*B*cos(d*x+c)^2*sin(d*x+c)*ln((( -2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-64*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+3*C*cos(d*x+c)^2*sin(d*x+c)*ln((( -2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-86*B*sin(d*x+c)*cos(d*x+c)*ln((( -2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-32*B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+6*C*sin(d*x+c)*cos(d*x+c)*ln((( -2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+30*B*cos(d*x+c)^3-43*B*ln((( -2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-14*C*cos(d*x+c)^3+3*C*ln((( -2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-cos(d*x+c)+1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-8*B*cos(d*x+c)^2+8*C*cos(d*x+c)^2-22*B*cos(d*x+c)+6*C*cos(d*x+c))/(cos(d*x+c)+1)^2/sin(d*x+c)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)/(a*sec(d*x + c) + a)^(5/2), x)
```

Fricas [B] time = 16.8055, size = 1754, normalized size = 10.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x, algorithm="fricas")
```



```
[Out] [1/64*(sqrt(2)*((43*B - 3*C)*cos(d*x + c)^3 + 3*(43*B - 3*C)*cos(d*x + c)^2
+ 3*(43*B - 3*C)*cos(d*x + c) + 43*B - 3*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-
a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*
cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1
)) - 64*(B*cos(d*x + c)^3 + 3*B*cos(d*x + c)^2 + 3*B*cos(d*x + c) + B)*sqrt
(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x
+ c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1))
- 4*((15*B - 7*C)*cos(d*x + c)^2 + (11*B - 3*C)*cos(d*x + c))*sqrt((a*cos(d
*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*co
s(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(sqrt(2)*((43*B - 3*C)*c
os(d*x + c)^3 + 3*(43*B - 3*C)*cos(d*x + c)^2 + 3*(43*B - 3*C)*cos(d*x + c)
+ 43*B - 3*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c
))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 64*(B*cos(d*x + c)^3 + 3*B*cos(d*
x + c)^2 + 3*B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/c
os(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((15*B - 7*C)*cos(d*x
+ c)^2 + (11*B - 3*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)
)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*co
s(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2)
,x)
```

```
[Out] Timed out
```

Giac [B] time = 11.7508, size = 471, normalized size = 2.87

$$2\sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} + a \left(\frac{2\sqrt{2}(Ba^5 - Ca^5) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} - \frac{\sqrt{2}(13Ba^5 - 5Ca^5)}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{\sqrt{2}(43B - 3C) \log\left(\left(\sqrt{-a}\right)\right)}{\sqrt{-aa^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x
, algorithm="giac")
```

```
[Out] -1/64*(2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(B*a^5 - C*a^5)*tan
(1/2*d*x + 1/2*c)^2/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(13*B*a
^5 - 5*C*a^5)/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c) +
sqrt(2)*(43*B - 3*C)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*
d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 64
*B*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2
+ a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)
) - 64*B*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2
*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^
2 - 1)))/d
```

$$3.407 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=207

$$\frac{(35B-11C)\sin(c+dx)}{16a^2d\sqrt{a \sec(c+dx)+a}} - \frac{(5B-2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} + \frac{(115B-43C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(15B-7C)\sin(c+dx)}{16ad(a \sec(c+dx)+a)}$$

[Out] -(((5*B - 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(5/2)*d) + ((115*B - 43*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((B - C)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((15*B - 7*C)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((35*B - 11*C)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.67209, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4020, 4022, 3920, 3774, 203, 3795}

$$\frac{(35B-11C)\sin(c+dx)}{16a^2d\sqrt{a \sec(c+dx)+a}} - \frac{(5B-2C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} + \frac{(115B-43C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(15B-7C)\sin(c+dx)}{16ad(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -(((5*B - 2*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(5/2)*d) + ((115*B - 43*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((B - C)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((15*B - 7*C)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((35*B - 11*C)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[

$a + b \cdot \text{Csc}[e + f \cdot x]]], x] /; \text{FreeQ}[\{a, b, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx &= \int \frac{\cos(c + dx) (B + C \sec(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx \\
 &= -\frac{(B - C) \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} + \frac{\int \frac{\cos(c + dx) \left(a(5B - C) - \frac{5}{2} a(B - C) \sec(c + dx) \right)}{(a + a \sec(c + dx))^{3/2}} dx}{4a^2} \\
 &= -\frac{(B - C) \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(15B - 7C) \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{\cos(c + dx)}{(a + a \sec(c + dx))^{3/2}} dx}{16a^2d} \\
 &= -\frac{(B - C) \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(15B - 7C) \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{(35B - 7C) \sin(c + dx)}{16a^2d\sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(B - C) \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(15B - 7C) \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{(35B - 7C) \sin(c + dx)}{16a^2d\sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(B - C) \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(15B - 7C) \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{(35B - 7C) \sin(c + dx)}{16a^2d\sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(B - C) \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(15B - 7C) \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{(35B - 7C) \sin(c + dx)}{16a^2d\sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(5B - 2C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{a^{5/2}d} + \frac{(115B - 43C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}} \right)}{16\sqrt{2}a^{5/2}d}
 \end{aligned}$$

Mathematica [C] time = 26.9155, size = 10956, normalized size = 52.93

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 0.348, size = 1065, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x)`

[Out] $\frac{1}{32} \frac{d}{a^3} (-1 + \cos(dx+c))^2 (80B \cos(dx+c)^2 \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) - 32C \operatorname{arctanh}(1/2 \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) \cos(dx+c)^2 \cdot 2^{1/2} + 115B \cos(dx+c)^2 \sin(dx+c) \ln(((-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} + 160B \cos(dx+c)^2 \cdot 2^{1/2} \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) - 43C \cos(dx+c)^2 \sin(dx+c) \ln(((-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} - 64C \cos(dx+c)^2 \cdot 2^{1/2} \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) + 230B \sin(dx+c) \cos(dx+c) \ln(((-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} + 80B \cdot 2^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 32B \cos(dx+c)^4 - 86C \sin(dx+c) \cos(dx+c) \ln(((-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} - 32C (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c)) \cdot 2^{1/2} \sin(dx+c) + 115B \ln(((-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 78B \cos(dx+c)^3 - 43C \ln(((-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - \cos(dx+c)+1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + 30C \cos(dx+c)^3 + 40B \cos(dx+c)^2 - 8C \cos(dx+c)^2 + 70B \cos(dx+c) - 22C \cos(dx+c)) (a (\cos(dx+c)+1) / \cos(dx+c))^{1/2} / \sin(dx+c)^5$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c)) \cos(dx+c)^2}{(a \sec(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")`

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^2/(a*sec(d*x + c) + a)^(5/2), x)
```

Fricas [A] time = 22.2534, size = 1948, normalized size = 9.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [1/64*(sqrt(2)*((115*B - 43*C)*cos(d*x + c)^3 + 3*(115*B - 43*C)*cos(d*x + c)^2 + 3*(115*B - 43*C)*cos(d*x + c) + 115*B - 43*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 32*((5*B - 2*C)*cos(d*x + c)^3 + 3*(5*B - 2*C)*cos(d*x + c)^2 + 3*(5*B - 2*C)*cos(d*x + c) + 5*B - 2*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 4*(16*B*cos(d*x + c)^3 + 5*(11*B - 3*C)*cos(d*x + c)^2 + (35*B - 11*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((115*B - 43*C)*cos(d*x + c)^3 + 3*(115*B - 43*C)*cos(d*x + c)^2 + 3*(115*B - 43*C)*cos(d*x + c) + 115*B - 43*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 32*((5*B - 2*C)*cos(d*x + c)^3 + 3*(5*B - 2*C)*cos(d*x + c)^2 + 3*(5*B - 2*C)*cos(d*x + c) + 5*B - 2*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*(16*B*cos(d*x + c)^3 + 5*(11*B - 3*C)*cos(d*x + c)^2 + (35*B - 11*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```


3.408 $\int \sec^3(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=152

$$\frac{a(5A + 5B + 4C) \tan^3(c + dx)}{15d} + \frac{a(5A + 5B + 4C) \tan(c + dx)}{5d} + \frac{a(4A + 3(B + C)) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 3(B + C)) \sec^2(c + dx)}{5d}$$

```
[Out] (a*(4*A + 3*(B + C))*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(5*A + 5*B + 4*C)*Tan[c + d*x])/(5*d) + (a*(4*A + 3*(B + C))*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*(B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + (a*(5*A + 5*B + 4*C)*Tan[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.213046, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4076, 4047, 3767, 4046, 3768, 3770}

$$\frac{a(5A + 5B + 4C) \tan^3(c + dx)}{15d} + \frac{a(5A + 5B + 4C) \tan(c + dx)}{5d} + \frac{a(4A + 3(B + C)) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 3(B + C)) \sec^2(c + dx)}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*(4*A + 3*(B + C))*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(5*A + 5*B + 4*C)*Tan[c + d*x])/(5*d) + (a*(4*A + 3*(B + C))*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*(B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + (a*(5*A + 5*B + 4*C)*Tan[c + d*x]^3)/(15*d)
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aC \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^3(c + dx) dx \\
 &= \frac{aC \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^3(c + dx) dx \\
 &= \frac{a(B + C) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{aC \sec^4(c + dx) \tan(c + dx)}{5d} \\
 &= \frac{a(5A + 5B + 4C) \tan(c + dx)}{5d} + \frac{a(4A + 3(B + C)) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a}{8d}
 \end{aligned}$$

Mathematica [A] time = 1.00636, size = 101, normalized size = 0.66

$$\frac{a \left(15(4A + 3(B + C)) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(8 \left(5(A + B + 2C) \tan^2(c + dx) + 15(A + B + C) + 3C \tan^4(c + dx) \right) \right) \right)}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(15*(4*A + 3*(B + C))*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*(4*A + 3*(B + C))*Sec[c + d*x] + 30*(B + C)*Sec[c + d*x]^3 + 8*(15*(A + B + C) + 5*(A + B + 2*C))*Tan[c + d*x]^2 + 3*C*Tan[c + d*x]^4)))/(120*d)

Maple [B] time = 0.056, size = 287, normalized size = 1.9

$$\frac{Aa \sec(dx + c) \tan(dx + c)}{2d} + \frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2Ba \tan(dx + c)}{3d} + \frac{Ba \tan(dx + c) (\sec(dx + c))^2}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/2/d*A*a*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*B*a*tan(d*x+c)+1/3/d*B*a*tan(d*x+c)*sec(d*x+c)^2+1/4*a*C*sec(d*x+c)^3*tan(d*x+c)/d+3/8*a*C*sec(d*x+c)*tan(d*x+c)/d+3/8/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*A*a*tan(d*x+c)+1/3/d*A*a*tan(d*x+c)*sec(d*x+c)^2+1/4/d*B*a*tan(d*x+c)*sec(d*x+c)^3+3/8/d*B*a*sec(d*x+c)*tan(d*x+c)+3/8/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+8/15*a*C*tan(d*x+c)/d+1/5*a*C*sec(d*x+c)^4*tan(d*x+c)/d+4/15*a*C*sec(d*x+c)^2*tan(d*x+c)/d

Maxima [A] time = 0.953166, size = 359, normalized size = 2.36

$$\frac{80 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Aa + 80 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ba + 16 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 \right) Cc}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")
```

```
[Out] 1/240*(80*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a + 80*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a + 16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c)))*C*a - 15*B*a*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 15*C*a*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 60*A*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1))/d
```

Fricas [A] time = 0.531814, size = 437, normalized size = 2.88

$$15(4A + 3B + 3C)a \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(4A + 3B + 3C)a \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/240*(15*(4*A + 3*B + 3*C)*a*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(4*A + 3*B + 3*C)*a*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(16*(5*A + 5*B + 4*C)*a*cos(d*x + c)^4 + 15*(4*A + 3*B + 3*C)*a*cos(d*x + c)^3 + 8*(5*A + 5*B + 4*C)*a*cos(d*x + c)^2 + 30*(B + C)*a*cos(d*x + c) + 24*C*a)*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int B \sec^4(c + dx) dx + \int B \sec^5(c + dx) dx + \int C \sec^5(c + dx) dx + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x
)
```

```
[Out] a*(Integral(A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integr
al(B*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**5, x) + Integral(C*sec(
```

$c + d*x)**5, x) + \text{Integral}(C*\sec(c + d*x)**6, x))$

Giac [B] time = 1.30164, size = 404, normalized size = 2.66

$$15(4Aa + 3Ba + 3Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(4Aa + 3Ba + 3Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(60Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 45A^2a^2 \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 45A^2B^2a^2 \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 45A^2C^2a^2 \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 200A^3a^3 \tan^3\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 290A^3B^3a^3 \tan^3\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 130A^3C^3a^3 \tan^3\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 400A^4a^4 \tan^4\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 400A^4B^4a^4 \tan^4\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 464A^4C^4a^4 \tan^4\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 440A^5a^5 \tan^5\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 350A^5B^5a^5 \tan^5\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 190A^5C^5a^5 \tan^5\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 180A^6a^6 \tan^6\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 195A^6B^6a^6 \tan^6\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 195A^6C^6a^6 \tan^6\left(\frac{1}{2}dx + \frac{1}{2}c\right))}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1)^5} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out] 1/120*(15*(4*A*a + 3*B*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(4*A*a + 3*B*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(60*A*a*tan(1/2*d*x + 1/2*c)^9 + 45*B*a*tan(1/2*d*x + 1/2*c)^9 + 45*C*a*tan(1/2*d*x + 1/2*c)^9 - 200*A*a*tan(1/2*d*x + 1/2*c)^7 - 290*B*a*tan(1/2*d*x + 1/2*c)^7 - 130*C*a*tan(1/2*d*x + 1/2*c)^7 + 400*A*a*tan(1/2*d*x + 1/2*c)^5 + 400*B*a*tan(1/2*d*x + 1/2*c)^5 + 464*C*a*tan(1/2*d*x + 1/2*c)^5 - 440*A*a*tan(1/2*d*x + 1/2*c)^3 - 350*B*a*tan(1/2*d*x + 1/2*c)^3 - 190*C*a*tan(1/2*d*x + 1/2*c)^3 + 180*A*a*tan(1/2*d*x + 1/2*c) + 195*B*a*tan(1/2*d*x + 1/2*c) + 195*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5)/d

3.409 $\int \sec^2(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=127

$$\frac{a(3A + 2(B + C)) \tan(c + dx)}{3d} + \frac{a(4A + 4B + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 4B + 3C) \tan(c + dx) \sec(c + dx)}{8d} + \frac{a(4A + 4B + 3C) \tan^2(c + dx) \sec(c + dx)}{8d}$$

```
[Out] (a*(4*A + 4*B + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(3*A + 2*(B + C))*Tan[c + d*x])/(3*d) + (a*(4*A + 4*B + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*(B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)
```

Rubi [A] time = 0.190692, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$, Rules used = {4076, 4047, 3768, 3770, 4046, 3767, 8}

$$\frac{a(3A + 2(B + C)) \tan(c + dx)}{3d} + \frac{a(4A + 4B + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 4B + 3C) \tan(c + dx) \sec(c + dx)}{8d} + \frac{a(4A + 4B + 3C) \tan^2(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (a*(4*A + 4*B + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(3*A + 2*(B + C))*Tan[c + d*x])/(3*d) + (a*(4*A + 4*B + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*(B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^2(c + dx) dx \\
&= \frac{aC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^2(c + dx) dx \\
&= \frac{a(4A + 4B + 3C) \sec(c + dx) \tan(c + dx)}{8d} + \frac{1}{4} \int \sec^2(c + dx) dx \\
&= \frac{a(4A + 4B + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{1}{4} \int \sec^2(c + dx) dx \\
&= \frac{a(4A + 4B + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{1}{4} \int \sec^2(c + dx) dx
\end{aligned}$$

Mathematica [A] time = 0.622798, size = 84, normalized size = 0.66

$$\frac{a(3(4A + 4B + 3C) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx)(3(4A + 4B + 3C) \sec(c + dx) + 24(A + B + C) + 8(B + C) \tan^2(c + dx)))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(3*(4*A + 4*B + 3*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(24*(A + B + C) + 3*(4*A + 4*B + 3*C)*Sec[c + d*x] + 6*C*Sec[c + d*x]^3 + 8*(B + C)*Tan[c + d*x]^2)))/(24*d)

Maple [A] time = 0.049, size = 223, normalized size = 1.8

$$\frac{Aa \tan(dx + c)}{d} + \frac{Ba \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2aC \tan(dx + c)}{3d} + \frac{aC(\sec(dx + c) + \tan(dx + c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*A*a*tan(d*x+c)+1/2/d*B*a*sec(d*x+c)*tan(d*x+c)+1/2/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+2/3*a*C*tan(d*x+c)/d+1/3*a*C*sec(d*x+c)^2*tan(d*x+c)/d+1/2/d*A*a*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*B*a*tan(d*x+c)+1/3/d*B*a*tan(d*x+c)*sec(d*x+c)^2+1/4*a*C*sec(d*x+c)^3*tan(d*x+c)/d+3

$$/8*a*C*\sec(d*x+c)*\tan(d*x+c)/d+3/8/d*a*C*\ln(\sec(d*x+c)+\tan(d*x+c))$$

Maxima [A] time = 0.961057, size = 294, normalized size = 2.31

$$16\left(\tan(dx+c)^3+3\tan(dx+c)\right)Ba+16\left(\tan(dx+c)^3+3\tan(dx+c)\right)Ca-3Ca\left(\frac{2\left(3\sin(dx+c)^3-5\sin(dx+c)\right)}{\sin(dx+c)^4-2\sin(dx+c)^2+1}-3\log\left(\frac{\sin(dx+c)+1}{\sin(dx+c)-1}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a - 3*C*a*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*A*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 12*B*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 48*A*a*tan(d*x + c))/d

Fricas [A] time = 0.514318, size = 375, normalized size = 2.95

$$3(4A+4B+3C)a\cos(dx+c)^4\log(\sin(dx+c)+1)-3(4A+4B+3C)a\cos(dx+c)^4\log(-\sin(dx+c)+1)+2(48d\cos(dx+c)^4\log(\sin(dx+c)+1)-48d\cos(dx+c)^4\log(-\sin(dx+c)+1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")

[Out] 1/48*(3*(4*A + 4*B + 3*C)*a*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(4*A + 4*B + 3*C)*a*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(8*(3*A + 2*B + 2*C)*a*cos(d*x + c)^3 + 3*(4*A + 4*B + 3*C)*a*cos(d*x + c)^2 + 8*(B + C)*a*cos(d*x + c) + 6*C*a)*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a\left(\int A\sec^2(c+dx)dx+\int A\sec^3(c+dx)dx+\int B\sec^3(c+dx)dx+\int B\sec^4(c+dx)dx+\int C\sec^4(c+dx)dx+\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] a*(Integral(A*sec(c + d*x)**2, x) + Integral(A*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**5, x))
```

Giac [B] time = 1.29903, size = 343, normalized size = 2.7

$$3(4Aa + 4Ba + 3Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(4Aa + 4Ba + 3Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(12Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 12Ba \tan^3\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Ca \tan^5\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/24*(3*(4*A*a + 4*B*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(4*A*a + 4*B*a + 3*C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(12*A*a*tan(1/2*d*x + 1/2*c)^7 + 12*B*a*tan(1/2*d*x + 1/2*c)^7 + 9*C*a*tan(1/2*d*x + 1/2*c)^7 - 60*A*a*tan(1/2*d*x + 1/2*c)^5 - 28*B*a*tan(1/2*d*x + 1/2*c)^5 - 49*C*a*tan(1/2*d*x + 1/2*c)^5 + 84*A*a*tan(1/2*d*x + 1/2*c)^3 + 52*B*a*tan(1/2*d*x + 1/2*c)^3 + 31*C*a*tan(1/2*d*x + 1/2*c)^3 - 36*A*a*tan(1/2*d*x + 1/2*c) - 36*B*a*tan(1/2*d*x + 1/2*c) - 39*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d
```

3.410 $\int \sec(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=92

$$\frac{a(3A + 3B + 2C) \tan(c + dx)}{3d} + \frac{a(2A + B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(B + C) \tan(c + dx) \sec(c + dx)}{2d} + \frac{aC \tan(c + dx)}{3d}$$

[Out] (a*(2*A + B + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(3*A + 3*B + 2*C)*Tan[c + d*x])/(3*d) + (a*(B + C)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.120209, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4076, 4047, 3767, 8, 4046, 3770}

$$\frac{a(3A + 3B + 2C) \tan(c + dx)}{3d} + \frac{a(2A + B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(B + C) \tan(c + dx) \sec(c + dx)}{2d} + \frac{aC \tan(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(2*A + B + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(3*A + 3*B + 2*C)*Tan[c + d*x])/(3*d) + (a*(B + C)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x], x]

$x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_)]^{(n_)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], \text{Cot}[c + d*x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> } \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)(x_)]^{2*(C_.) + (A_.)}, x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}[\{b, e, f, A, C, m\}, x] \ \&\& \ \text{NeQ}[C*m + A*(m + 1), 0] \ \&\& \ !\text{LeQ}[m, -1]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) dx \\ &= \frac{aC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) dx \\ &= \frac{a(B + C) \sec(c + dx) \tan(c + dx)}{2d} + \frac{aC \sec^2(c + dx)}{2d} \\ &= \frac{a(2A + B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(3A + B + C) \sec^2(c + dx)}{2d} \end{aligned}$$

Mathematica [B] time = 4.35116, size = 485, normalized size = 5.27

$$a \cos^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{4(3A+3B+2C) \sin\left(\frac{dx}{2}\right)}{\left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)} + \frac{4(3A+3B+2C) \sin\left(\frac{dx}{2}\right)}{\left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right) \left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-6*(2*A + B + C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 6*(2*A + B + C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*C*Sin[(d*x)/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3) + ((3*B + 4*C)*Cos[c/2] - (3*B + 2*C)*Sin[c/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(3*A + 3*B + 2*C)*Sin[(d*x)/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (2*C*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3) - ((3*B + 4*C)*Cos[c/2] + (3*B + 2*C)*Sin[c/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(3*A + 3*B + 2*C)*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) / (6*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))
```

Maple [A] time = 0.048, size = 160, normalized size = 1.7

$$\frac{Aa \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{Ba \tan(dx+c)}{d} + \frac{aC \sec(dx+c) \tan(dx+c)}{2d} + \frac{aC \ln(\sec(dx+c) + \tan(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] 1/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a*tan(d*x+c)+1/2*a*C*sec(d*x+c)*tan(d*x+c)/d+1/2/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a*tan(d*x+c)+1/2/d*B*a*sec(d*x+c)*tan(d*x+c)+1/2/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+2/3*a*C*tan(d*x+c)/d+1/3*a*C*sec(d*x+c)^2*tan(d*x+c)/d
```

Maxima [A] time = 0.947713, size = 209, normalized size = 2.27

$$4 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ca - 3 Ba \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) - 3 Ca \left(\frac{2 \sin(dx+c)}{\sin(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] 1/12*(4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a - 3*B*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 3*C*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 12*A*a*log(sec(d*x + c) + tan(d*x + c)) + 12*A*a*tan(d*x + c) + 12*B*a*tan(d*x + c))/d
```

Fricas [A] time = 0.516922, size = 312, normalized size = 3.39

$$\frac{3(2A + B + C)a \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(2A + B + C)a \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(3A + C)a \cos(dx + c)^2 + 3(B + C)a \cos(dx + c) + 2C*a) \sin(dx + c)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 1/12*(3*(2*A + B + C)*a*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(2*A + B + C)*a*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*(3*A + 3*B + 2*C)*a*cos(d*x + c)^2 + 3*(B + C)*a*cos(d*x + c) + 2*C*a)*sin(d*x + c))/(d*cos(d*x + c)^3)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sec(c + dx) dx + \int A \sec^2(c + dx) dx + \int B \sec^2(c + dx) dx + \int B \sec^3(c + dx) dx + \int C \sec^3(c + dx) dx + \int \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] a*(Integral(A*sec(c + d*x), x) + Integral(A*sec(c + d*x)**2, x) + Integral(B*sec(c + d*x)**2, x) + Integral(B*sec(c + d*x)**3, x) + Integral(C*sec(c + d*x)**3, x) + Integral(C*sec(c + d*x)**4, x))
```

Giac [B] time = 1.24508, size = 277, normalized size = 3.01

$$3(2Aa + Ba + Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa + Ba + Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^5}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/6*(3*(2*A*a + B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*A*a + B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a*tan(1/2*d*x + 1/2*c)^5 + 3*B*a*tan(1/2*d*x + 1/2*c)^5 + 3*C*a*tan(1/2*d*x + 1/2*c)^5 - 12*A*a*tan(1/2*d*x + 1/2*c)^3 - 12*B*a*tan(1/2*d*x + 1/2*c)^3 - 4*C*a*tan(1/2*d*x + 1/2*c)^3 + 6*A*a*tan(1/2*d*x + 1/2*c) + 9*B*a*tan(1/2*d*x + 1/2*c) + 9*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d

3.411 $\int (a + a \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=63

$$\frac{a(2A + 2B + C) \tanh^{-1}(\sin(c + dx))}{2d} + aAx + \frac{a(B + C) \tan(c + dx)}{d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] a*A*x + (a*(2*A + 2*B + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(B + C)*Tan[c + d*x])/d + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.0642943, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4048, 3770, 3767, 8}

$$\frac{a(2A + 2B + C) \tanh^{-1}(\sin(c + dx))}{2d} + aAx + \frac{a(B + C) \tan(c + dx)}{d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] a*A*x + (a*(2*A + 2*B + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(B + C)*Tan[c + d*x])/d + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 4048

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,

d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int (a + a \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aC \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (2aA + a(2A + 2B) \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= aAx + \frac{aC \sec(c + dx) \tan(c + dx)}{2d} + (a(B + C)) \int \sec(c + dx) dx \\ &= aAx + \frac{a(2A + 2B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \sec(c + dx)}{2d} \\ &= aAx + \frac{a(2A + 2B + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(B + C)}{2d} \end{aligned}$$

Mathematica [B] time = 1.76347, size = 305, normalized size = 4.84

$$a \cos^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(-\frac{2(2A+2B+C) \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)}{d} + \frac{2(2A+2B+C) \log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{d} \right)$$

2(A

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(4*A*x - (2*(2*A + 2*B + C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(2*A + 2*B + C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + C/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(B + C)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - C/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(B + C)*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.048, size = 117, normalized size = 1.9

$$aAx + \frac{Aac}{d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aC \tan(dx + c)}{d} + \frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Ba \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $aA^2x + 1/dA^2a^2c + 1/dB^2a^2 \ln(\sec(dx+c) + \tan(dx+c)) + aC^2 \tan(dx+c)/d + 1/dA^2a^2 \ln(\sec(dx+c) + \tan(dx+c)) + 1/dB^2a^2 \tan(dx+c) + 1/2a^2C^2 \sec(dx+c) \tan(dx+c)/d + 1/2/d^2a^2C^2 \ln(\sec(dx+c) + \tan(dx+c))$

Maxima [A] time = 0.938048, size = 157, normalized size = 2.49

$$\frac{4(dx+c)Aa - Ca \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) + 4Aa \log(\sec(dx+c) + \tan(dx+c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/4 * (4 * (d * x + c) * A * a - C * a * (2 * \sin(d * x + c) / (\sin(d * x + c)^2 - 1) - \log(\sin(d * x + c) + 1) + \log(\sin(d * x + c) - 1)) + 4 * A * a * \log(\sec(d * x + c) + \tan(d * x + c)) + 4 * B * a * \log(\sec(d * x + c) + \tan(d * x + c)) + 4 * B * a * \tan(d * x + c) + 4 * C * a * \tan(d * x + c)) / d$

Fricas [A] time = 0.534177, size = 292, normalized size = 4.63

$$\frac{4Aadx \cos(dx+c)^2 + (2A+2B+C)a \cos(dx+c)^2 \log(\sin(dx+c)+1) - (2A+2B+C)a \cos(dx+c)^2 \log(-\sin(dx+c)+1)}{4d \cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/4 * (4 * A * a * d * x * \cos(d * x + c)^2 + (2 * A + 2 * B + C) * a * \cos(d * x + c)^2 * \log(\sin(d * x + c) + 1) - (2 * A + 2 * B + C) * a * \cos(d * x + c)^2 * \log(-\sin(d * x + c) + 1) + 2 * (2 * (B + C) * a * \cos(d * x + c) + C * a * \sin(d * x + c)) / (d * \cos(d * x + c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A dx + \int A \sec(c + dx) dx + \int B \sec(c + dx) dx + \int B \sec^2(c + dx) dx + \int C \sec^2(c + dx) dx + \int C \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] a*(Integral(A, x) + Integral(A*sec(c + d*x), x) + Integral(B*sec(c + d*x), x) + Integral(B*sec(c + d*x)**2, x) + Integral(C*sec(c + d*x)**2, x) + Integral(C*sec(c + d*x)**3, x))

Giac [B] time = 1.30011, size = 190, normalized size = 3.02

$$2(dx + c)Aa + (2Aa + 2Ba + Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - (2Aa + 2Ba + Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2(2Ba + Ca) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + C \tan^3 \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{2d}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/2*(2*(d*x + c)*A*a + (2*A*a + 2*B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*A*a + 2*B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*B*a*tan(1/2*d*x + 1/2*c)^3 + C*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c) - 3*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d

3.412 $\int \cos(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c$

Optimal. Leaf size=46

$$ax(A + B) + \frac{aA \sin(c + dx)}{d} + \frac{a(B + C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aC \tan(c + dx)}{d}$$

[Out] a*(A + B)*x + (a*(B + C)*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (a*C*Tan[c + d*x])/d

Rubi [A] time = 0.116204, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4076, 4047, 8, 4045, 3770}

$$ax(A + B) + \frac{aA \sin(c + dx)}{d} + \frac{a(B + C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aC \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a*(A + B)*x + (a*(B + C)*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (a*C*Tan[c + d*x])/d

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aC \tan(c + dx)}{d} + \int \cos(c + dx)(aA + a(B + C) \sec(c + dx)) dx \\ &= \frac{aC \tan(c + dx)}{d} + (a(A + B)) \int 1 dx + \int aC \sec(c + dx) dx \\ &= a(A + B)x + \frac{aA \sin(c + dx)}{d} + \frac{aC \tan(c + dx)}{d} \\ &= a(A + B)x + \frac{a(B + C) \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.0421884, size = 71, normalized size = 1.54

$$\frac{aA \sin(c) \cos(dx)}{d} + \frac{aA \cos(c) \sin(dx)}{d} + aAx + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + aBx + \frac{aC \tan(c + dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] a*A*x + a*B*x + (a*B*ArcTanh[Sin[c + d*x]])/d + (a*C*ArcTanh[Sin[c + d*x]])
/d + (a*A*Cos[d*x]*Sin[c])/d + (a*A*Cos[c]*Sin[d*x])/d + (a*C*Tan[c + d*x])
/d
```

Maple [A] time = 0.076, size = 88, normalized size = 1.9

$$aAx + aBx + \frac{Aa \sin(dx + c)}{d} + \frac{Aac}{d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bac}{d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] a*A*x+a*B*x+a*A*sin(d*x+c)/d+1/d*A*a*c+1/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a*c+1/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+a*C*tan(d*x+c)/d

Maxima [A] time = 0.947619, size = 124, normalized size = 2.7

$$\frac{2(dx+c)Aa + 2(dx+c)Ba + Ba(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + Ca(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/2*(2*(d*x + c)*A*a + 2*(d*x + c)*B*a + B*a*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + C*a*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 2*A*a*sin(d*x + c) + 2*C*a*tan(d*x + c))/d

Fricas [A] time = 0.523306, size = 257, normalized size = 5.59

$$\frac{2(A+B)adx \cos(dx+c) + (B+C)a \cos(dx+c) \log(\sin(dx+c)+1) - (B+C)a \cos(dx+c) \log(-\sin(dx+c)+1) + C \sin(dx+c)}{2d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/2*(2*(A + B)*a*d*x*cos(d*x + c) + (B + C)*a*cos(d*x + c)*log(sin(d*x + c) + 1) - (B + C)*a*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*(A*a*cos(d*x + c) + C*a)*sin(d*x + c))/(d*cos(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \cos(c + dx) dx + \int A \cos(c + dx) \sec(c + dx) dx + \int B \cos(c + dx) \sec(c + dx) dx + \int B \cos(c + dx) \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] a*(Integral(A*cos(c + d*x), x) + Integral(A*cos(c + d*x)*sec(c + d*x), x) + Integral(B*cos(c + d*x)*sec(c + d*x), x) + Integral(B*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(C*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(C*cos(c + d*x)*sec(c + d*x)**3, x))

Giac [B] time = 1.18872, size = 181, normalized size = 3.93

$$(Aa + Ba)(dx + c) + (Ba + Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - (Ba + Ca) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + \frac{2 \left(Aa \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] ((A*a + B*a)*(d*x + c) + (B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (B*a + C*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - C*a*tan(1/2*d*x + 1/2*c)^3 - A*a*tan(1/2*d*x + 1/2*c) - C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1))/d

3.413 $\int \cos^2(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=62

$$\frac{a(A+B)\sin(c+dx)}{d} + \frac{1}{2}ax(A+2(B+C)) + \frac{aA\sin(c+dx)\cos(c+dx)}{2d} + \frac{aC \tanh^{-1}(\sin(c+dx))}{d}$$

[Out] (a*(A + 2*(B + C))*x)/2 + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*(A + B)*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.149771, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {4074, 4047, 8, 4045, 3770}

$$\frac{a(A+B)\sin(c+dx)}{d} + \frac{1}{2}ax(A+2(B+C)) + \frac{aA\sin(c+dx)\cos(c+dx)}{2d} + \frac{aC \tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a*(A + 2*(B + C))*x)/2 + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*(A + B)*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) dx \\ &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) dx \\ &= \frac{1}{2} a(A + 2(B + C))x + \frac{a(A + B) \sin(c + dx)}{d} \\ &= \frac{1}{2} a(A + 2(B + C))x + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.141427, size = 59, normalized size = 0.95

$$\frac{a(4(A + B) \sin(c + dx) + A \sin(2(c + dx)) + 2Ac + 2Adx + 4Bdx + 4C \tanh^{-1}(\sin(c + dx)) + 4Cdx)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2),x]
```

```
[Out] (a*(2*A*c + 2*A*d*x + 4*B*d*x + 4*C*d*x + 4*C*ArcTanh[Sin[c + d*x]] + 4*(A
+ B)*Sin[c + d*x] + A*Ssin[2*(c + d*x)]))/(4*d)
```

Maple [A] time = 0.09, size = 100, normalized size = 1.6

$$\frac{Aa \cos(dx+c) \sin(dx+c)}{2d} + \frac{aAx}{2} + \frac{Aac}{2d} + \frac{Ba \sin(dx+c)}{d} + aCx + \frac{Cac}{d} + \frac{Aa \sin(dx+c)}{d} + aBx + \frac{Bac}{d} + \frac{aC \ln(\sec(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 1/2*a*A*cos(d*x+c)*sin(d*x+c)/d+1/2*a*A*x+1/2/d*A*a*c+a*B*sin(d*x+c)/d+a*C*x+1/d*C*a*c+a*A*sin(d*x+c)/d+a*B*x+1/d*B*a*c+1/d*a*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.939819, size = 120, normalized size = 1.94

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa + 4(dx + c)Ba + 4(dx + c)Ca + 2Ca(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4Aa \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a + 4*(d*x + c)*B*a + 4*(d*x + c)*C*a + 2*C*a*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*A*a*sin(d*x + c) + 4*B*a*sin(d*x + c))/d

Fricas [A] time = 0.519659, size = 184, normalized size = 2.97

$$\frac{(A + 2B + 2C)adx + Ca \log(\sin(dx + c) + 1) - Ca \log(-\sin(dx + c) + 1) + (Aa \cos(dx + c) + 2(A + B)a) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/2*((A + 2*B + 2*C)*a*d*x + C*a*log(sin(d*x + c) + 1) - C*a*log(-sin(d*x + c) + 1) + (A*a*cos(d*x + c) + 2*(A + B)*a)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.24857, size = 177, normalized size = 2.85

$$2Ca \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2Ca \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (Aa + 2Ba + 2Ca)(dx + c) + \frac{2\left(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3 + 2Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2A^2a}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/2*(2*C*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 2*C*a*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (A*a + 2*B*a + 2*C*a)*(d*x + c) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 + 2*B*a*tan(1/2*d*x + 1/2*c)^3 + 3*A*a*tan(1/2*d*x + 1/2*c) + 2*B*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d

3.414 $\int \cos^3(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=82

$$\frac{a(2A + 3(B + C)) \sin(c + dx)}{3d} + \frac{a(A + B) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + B + 2C) + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d}$$

[Out] (a*(A + B + 2*C)*x)/2 + (a*(2*A + 3*(B + C))*Sin[c + d*x])/(3*d) + (a*(A + B)*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.17611, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {4074, 4047, 2637, 4045, 8}

$$\frac{a(2A + 3(B + C)) \sin(c + dx)}{3d} + \frac{a(A + B) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + B + 2C) + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a*(A + B + 2*C)*x)/2 + (a*(2*A + 3*(B + C))*Sin[c + d*x])/(3*d) + (a*(A + B)*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (a + a \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (a + a \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= \frac{a(2A + 3(B + C)) \sin(c + dx)}{3d} + \frac{a(A + B)}{3d} \\ &= \frac{1}{2} a(A + B + 2C)x + \frac{a(2A + 3(B + C)) \sin(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.228515, size = 64, normalized size = 0.78

$$\frac{a(3(3A + 4(B + C)) \sin(c + dx) + 3(A + B) \sin(2(c + dx)) + A \sin(3(c + dx)) + 6Adx + 6Bdx + 12Cdx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(6*A*d*x + 6*B*d*x + 12*C*d*x + 3*(3*A + 4*(B + C))*Sin[c + d*x] + 3*(A + B)*Sin[2*(c + d*x)] + A*Ssin[3*(c + d*x)]))/(12*d)

Maple [A] time = 0.087, size = 102, normalized size = 1.2

$$\frac{1}{d} \left(\frac{Aa(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + Aa \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Ba \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] `1/d*(1/3*A*a*(2+cos(d*x+c)^2)*sin(d*x+c)+A*a*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a*sin(d*x+c)+a*C*sin(d*x+c)+a*C*(d*x+c)`

Maxima [A] time = 0.93669, size = 132, normalized size = 1.61

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Aa - 3(2dx + 2c + \sin(2dx + 2c))Aa - 3(2dx + 2c + \sin(2dx + 2c))Ba - 12(dx + c)Ca}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] `-1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a - 12*(d*x + c)*C*a - 12*B*a*sin(d*x + c) - 12*C*a*sin(d*x + c))/d`

Fricas [A] time = 0.497724, size = 162, normalized size = 1.98

$$\frac{3(A + B + 2C)adx + (2Aa \cos(dx + c)^2 + 3(A + B)a \cos(dx + c) + 2(2A + 3B + 3C)a) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")`

[Out] $\frac{1}{6} \cdot (3 \cdot (A + B + 2 \cdot C) \cdot a \cdot d \cdot x + (2 \cdot A \cdot a \cdot \cos(d \cdot x + c))^2 + 3 \cdot (A + B) \cdot a \cdot \cos(d \cdot x + c) + 2 \cdot (2 \cdot A + 3 \cdot B + 3 \cdot C) \cdot a) \cdot \sin(d \cdot x + c) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)`

[Out] Timed out

Giac [B] time = 1.2487, size = 231, normalized size = 2.82

$$3(Aa + Ba + 2Ca)(dx + c) + \frac{2 \left(3Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 3Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 6Ca \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 4Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 12Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 12Ca \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 \right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right)^3}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] $\frac{1}{6} \cdot (3 \cdot (A \cdot a + B \cdot a + 2 \cdot C \cdot a) \cdot (d \cdot x + c) + 2 \cdot (3 \cdot A \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 3 \cdot B \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 6 \cdot C \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 4 \cdot A \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 12 \cdot B \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 12 \cdot C \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 9 \cdot A \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 9 \cdot B \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 6 \cdot C \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^3 / d$

3.415 $\int \cos^4(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=102

$$\frac{a(A+B+C)\sin(c+dx)}{d} + \frac{a(3A+4(B+C))\sin(c+dx)\cos(c+dx)}{8d} - \frac{a(A+B)\sin^3(c+dx)}{3d} + \frac{1}{8}ax(3A+4(B+C)) + \dots$$

[Out] (a*(3*A + 4*(B + C))*x)/8 + (a*(A + B + C)*Sin[c + d*x])/d + (a*(3*A + 4*(B + C))*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (a*(A + B)*Sin[c + d*x]^3)/(3*d)

Rubi [A] time = 0.210859, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4074, 4047, 2635, 8, 4044, 3013}

$$\frac{a(A+B+C)\sin(c+dx)}{d} + \frac{a(3A+4(B+C))\sin(c+dx)\cos(c+dx)}{8d} - \frac{a(A+B)\sin^3(c+dx)}{3d} + \frac{1}{8}ax(3A+4(B+C)) + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(3*A + 4*(B + C))*x)/8 + (a*(A + B + C)*Sin[c + d*x])/d + (a*(3*A + 4*(B + C))*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (a*(A + B)*Sin[c + d*x]^3)/(3*d)

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x]

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4044

Int[csc[(e_.) + (f_.)*(x_)]^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Int[(C + A*SIN[e + f*x]^2)/SIN[e + f*x]^(m + 2), x] /; FreeQ[{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]

Rule 3013

Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2)], x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]

Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) dx \\ &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) dx \\ &= \frac{a(3A + 4(B + C)) \cos(c + dx) \sin(c + dx)}{8d} \\ &= \frac{1}{8} a(3A + 4(B + C))x + \frac{a(3A + 4(B + C)) \sin^2(c + dx)}{8d} \\ &= \frac{1}{8} a(3A + 4(B + C))x + \frac{a(A + B + C) \sin(2(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.403058, size = 97, normalized size = 0.95

$$\frac{a(24(3A + 3B + 4C) \sin(c + dx) + 24(A + B + C) \sin(2(c + dx)) + 8A \sin(3(c + dx)) + 3A \sin(4(c + dx)) + 24Ac + 36Ad)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a*(24*A*c + 48*B*c + 36*A*d*x + 48*B*d*x + 48*C*d*x + 24*(3*A + 3*B + 4*C)*Sin[c + d*x] + 24*(A + B + C)*Sin[2*(c + d*x)] + 8*A*Sin[3*(c + d*x)] + 8*B*Sin[3*(c + d*x)] + 3*A*Sin[4*(c + d*x)]))/(96*d)

Maple [A] time = 0.109, size = 141, normalized size = 1.4

$$\frac{1}{d} \left(Aa \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Aa(2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + \frac{Ba(2 + (\cos(dx+c))^2) \sin(dx+c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 1/d*(A*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*a*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*B*a*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a*C*sin(d*x+c))

Maxima [A] time = 0.937492, size = 178, normalized size = 1.75

$$\frac{32 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) Aa - 3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c)) Aa + 32 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) Ba - 3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c)) Ba + 32 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) Ca - 3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c)) Ca}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] -1/96*(32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a + 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a - 96*C*a*sin(d*x + c))/d

Fricas [A] time = 0.504472, size = 221, normalized size = 2.17

$$\frac{3(3A + 4B + 4C)adx + (6Aa \cos(dx + c)^3 + 8(A + B)a \cos(dx + c)^2 + 3(3A + 4B + 4C)a \cos(dx + c) + 8(2A + 2B + 3C)a \sin(dx + c))}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")

[Out] 1/24*(3*(3*A + 4*B + 4*C)*a*d*x + (6*A*a*cos(d*x + c)^3 + 8*(A + B)*a*cos(d*x + c)^2 + 3*(3*A + 4*B + 4*C)*a*cos(d*x + c) + 8*(2*A + 2*B + 3*C)*a)*sin(d*x + c)/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x,
)

[Out] Timed out

Giac [B] time = 1.24325, size = 294, normalized size = 2.88

$$3(3Aa + 4Ba + 4Ca)(dx + c) + \frac{2\left(9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 49Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 28Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 14Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5\right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

```
[Out] 1/24*(3*(3*A*a + 4*B*a + 4*C*a)*(d*x + c) + 2*(9*A*a*tan(1/2*d*x + 1/2*c)^7
+ 12*B*a*tan(1/2*d*x + 1/2*c)^7 + 12*C*a*tan(1/2*d*x + 1/2*c)^7 + 49*A*a*t
an(1/2*d*x + 1/2*c)^5 + 28*B*a*tan(1/2*d*x + 1/2*c)^5 + 60*C*a*tan(1/2*d*x
+ 1/2*c)^5 + 31*A*a*tan(1/2*d*x + 1/2*c)^3 + 52*B*a*tan(1/2*d*x + 1/2*c)^3
+ 84*C*a*tan(1/2*d*x + 1/2*c)^3 + 39*A*a*tan(1/2*d*x + 1/2*c) + 36*B*a*tan(
1/2*d*x + 1/2*c) + 36*C*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1
)^4)/d
```

3.416 $\int \cos^5(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=141

$$-\frac{a(4A + 5(B + C)) \sin^3(c + dx)}{15d} + \frac{a(4A + 5(B + C)) \sin(c + dx)}{5d} + \frac{a(3(A + B) + 4C) \sin(c + dx) \cos(c + dx)}{8d} + \frac{a(A + B + C)}{d}$$

```
[Out] (a*(3*(A + B) + 4*C)*x)/8 + (a*(4*A + 5*(B + C))*Sin[c + d*x])/(5*d) + (a*(3*(A + B) + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(A + B)*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) + (a*A*Cos[c + d*x]^4*Sin[c + d*x])/(5*d) - (a*(4*A + 5*(B + C))*Sin[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.225113, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4074, 4047, 2633, 4045, 2635, 8}

$$-\frac{a(4A + 5(B + C)) \sin^3(c + dx)}{15d} + \frac{a(4A + 5(B + C)) \sin(c + dx)}{5d} + \frac{a(3(A + B) + 4C) \sin(c + dx) \cos(c + dx)}{8d} + \frac{a(A + B + C)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*(3*(A + B) + 4*C)*x)/8 + (a*(4*A + 5*(B + C))*Sin[c + d*x])/(5*d) + (a*(3*(A + B) + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(A + B)*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) + (a*A*Cos[c + d*x]^4*Sin[c + d*x])/(5*d) - (a*(4*A + 5*(B + C))*Sin[c + d*x]^3)/(15*d)
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m * ((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
```

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] := -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{((n - 1)/2)}, x], x], x, \text{Cos}[c + d*x]], x] /;$ FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 4045

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 2)}, x], x] /;$ FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n - 1)})/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n - 2)}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

$\text{Int}[a_, x_Symbol] := \text{Simp}[a*x, x] /;$ FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^5(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= \frac{a(A + B) \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} \\ &= \frac{a(4A + 5(B + C)) \sin(c + dx)}{5d} + \frac{a(3(A + B) \cos^2(c + dx) \sin(c + dx) + A \cos^4(c + dx))}{5d} \\ &= \frac{1}{8} a(3(A + B) + 4C)x + \frac{a(4A + 5(B + C)) \sin(c + dx)}{5d} \end{aligned}$$

Mathematica [A] time = 0.442144, size = 94, normalized size = 0.67

$$\frac{a(-160(2A + B + C)\sin^3(c + dx) + 480(A + B + C)\sin(c + dx) + 15(4(3A + 3B + 4C)(c + dx) + 8(A + B + C)\sin(2(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(480*(A + B + C)*Sin[c + d*x] - 160*(2*A + B + C)*Sin[c + d*x]^3 + 96*A*Sin[c + d*x]^5 + 15*(4*(3*A + 3*B + 4*C)*(c + d*x) + 8*(A + B + C)*Sin[2*(c + d*x)] + (A + B)*Sin[4*(c + d*x)])))/(480*d)

Maple [A] time = 0.105, size = 173, normalized size = 1.2

$$\frac{1}{d} \left(\frac{Aa \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + Aa \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(1/5*A*a*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+A*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+B*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*B*a*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a*C*(2+cos(d*x+c)^2)*sin(d*x+c)+a*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

Maxima [A] time = 0.948338, size = 224, normalized size = 1.59

$$\frac{32(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa + 15(12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c))Aa}{480d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $\frac{1}{480} \cdot (32 \cdot (3 \cdot \sin(dx + c))^5 - 10 \cdot \sin(dx + c)^3 + 15 \cdot \sin(dx + c)) \cdot A \cdot a + 15 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot A \cdot a - 160 \cdot (\sin(dx + c))^3 - 3 \cdot \sin(dx + c) \cdot B \cdot a + 15 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot B \cdot a - 160 \cdot (\sin(dx + c))^3 - 3 \cdot \sin(dx + c) \cdot C \cdot a + 120 \cdot (2 \cdot dx + 2 \cdot c + \sin(2 \cdot dx + 2 \cdot c)) \cdot C \cdot a) / d$

Fricas [A] time = 0.512884, size = 282, normalized size = 2.

$$\frac{15(3A + 3B + 4C)adx + (24Aa \cos(dx + c)^4 + 30(A + B)a \cos(dx + c)^3 + 8(4A + 5B + 5C)a \cos(dx + c)^2 + 15(3A + 3B + 4C)a \cos(dx + c) + 16(4A + 5B + 5C)a \sin(dx + c))}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^5*(a+a*sec(dx+c))*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{120} \cdot (15 \cdot (3 \cdot A + 3 \cdot B + 4 \cdot C) \cdot a \cdot dx + (24 \cdot A \cdot a \cdot \cos(dx + c)^4 + 30 \cdot (A + B) \cdot a \cdot \cos(dx + c)^3 + 8 \cdot (4 \cdot A + 5 \cdot B + 5 \cdot C) \cdot a \cdot \cos(dx + c)^2 + 15 \cdot (3 \cdot A + 3 \cdot B + 4 \cdot C) \cdot a \cdot \cos(dx + c) + 16 \cdot (4 \cdot A + 5 \cdot B + 5 \cdot C) \cdot a \cdot \sin(dx + c))) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**5*(a+a*sec(dx+c))*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)`

[Out] Timed out

Giac [A] time = 1.27956, size = 355, normalized size = 2.52

$$15(3Aa + 3Ba + 4Ca)(dx + c) + \frac{2 \left(45Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 45Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 60Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 130Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 290Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 450Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 \right)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] 1/120*(15*(3*A*a + 3*B*a + 4*C*a)*(d*x + c) + 2*(45*A*a*tan(1/2*d*x + 1/2*c)
)^9 + 45*B*a*tan(1/2*d*x + 1/2*c)^9 + 60*C*a*tan(1/2*d*x + 1/2*c)^9 + 130*A
*a*tan(1/2*d*x + 1/2*c)^7 + 290*B*a*tan(1/2*d*x + 1/2*c)^7 + 200*C*a*tan(1/
2*d*x + 1/2*c)^7 + 464*A*a*tan(1/2*d*x + 1/2*c)^5 + 400*B*a*tan(1/2*d*x + 1
/2*c)^5 + 400*C*a*tan(1/2*d*x + 1/2*c)^5 + 190*A*a*tan(1/2*d*x + 1/2*c)^3 +
350*B*a*tan(1/2*d*x + 1/2*c)^3 + 440*C*a*tan(1/2*d*x + 1/2*c)^3 + 195*A*a*
tan(1/2*d*x + 1/2*c) + 195*B*a*tan(1/2*d*x + 1/2*c) + 180*C*a*tan(1/2*d*x +
1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5/d
```

3.417 $\int \sec^3(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=222

$$\frac{a^2(10A + 9B + 8C) \tan^3(c + dx)}{15d} + \frac{a^2(10A + 9B + 8C) \tan(c + dx)}{5d} + \frac{a^2(14A + 12B + 11C) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^2(10A + 9B + 8C) \tan^3(c + dx)}{15d}$$

[Out] (a^2*(14*A + 12*B + 11*C)*ArcTanh[Sin[c + d*x]])/(16*d) + (a^2*(10*A + 9*B + 8*C)*Tan[c + d*x])/(5*d) + (a^2*(14*A + 12*B + 11*C)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (a^2*(10*A + 12*B + 9*C)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) + (C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(6*d) + ((3*B + C)*Sec[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(15*d) + (a^2*(10*A + 9*B + 8*C)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.429762, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4088, 4018, 3997, 3787, 3768, 3770, 3767}

$$\frac{a^2(10A + 9B + 8C) \tan^3(c + dx)}{15d} + \frac{a^2(10A + 9B + 8C) \tan(c + dx)}{5d} + \frac{a^2(14A + 12B + 11C) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^2(10A + 9B + 8C) \tan^3(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(14*A + 12*B + 11*C)*ArcTanh[Sin[c + d*x]])/(16*d) + (a^2*(10*A + 9*B + 8*C)*Tan[c + d*x])/(5*d) + (a^2*(14*A + 12*B + 11*C)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (a^2*(10*A + 12*B + 9*C)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) + (C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(6*d) + ((3*B + C)*Sec[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(15*d) + (a^2*(10*A + 9*B + 8*C)*Tan[c + d*x]^3)/(15*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) *(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ

$[m + n + 1, 0]$

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)(a+a\sec(c+dx))^2(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C\sec^3(c+dx)(a+a\sec(c+dx))^2\tan(c+dx)}{6d} \\
&= \frac{C\sec^3(c+dx)(a+a\sec(c+dx))^2\tan(c+dx)}{6d} \\
&= \frac{a^2(10A+12B+9C)\sec^3(c+dx)\tan(c+dx)}{40d} \\
&= \frac{a^2(10A+12B+9C)\sec^3(c+dx)\tan(c+dx)}{40d} \\
&= \frac{a^2(14A+12B+11C)\sec(c+dx)\tan(c+dx)}{16d} \\
&= \frac{a^2(14A+12B+11C)\tanh^{-1}(\sin(c+dx))}{16d}
\end{aligned}$$

Mathematica [A] time = 3.29793, size = 359, normalized size = 1.62

$$a^2(\cos(c+dx)+1)^2\sec^4\left(\frac{1}{2}(c+dx)\right)\sec^6(c+dx)\left(A\cos^2(c+dx)+B\cos(c+dx)+C\right)\left(15(14A+12B+11C)\cos^6(c+dx)+\dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $-(a^2(1 + \cos(c+dx))^2(C + B\cos(c+dx) + A\cos^2(c+dx))\sec^2\left(\frac{c+dx}{2}\right)^4\sec^6(c+dx)(15(14A+12B+11C)\cos^6\left(\frac{c+dx}{2}\right) - \sin\left(\frac{c+dx}{2}\right) - \log\left(\cos\left(\frac{c+dx}{2}\right) + \sin\left(\frac{c+dx}{2}\right)\right) - 40C\sec(c)\sin(dx) - 8\cos(c+dx)\sec(c)(5C\sin(c) + 6(B+2C)\sin(dx)) - 2\cos(c+dx)^3\sec(c)(5(6A+12B+11C)\sin(c) + 8(10A+9B+8C)\sin(dx)) - \cos(c+dx)^5\sec(c)(15(14A+12B+11C)\sin(c) + 32(10A+9B+8C)\sin(dx)) - 2\cos(c+dx)^2\sec(c)(24(B+2C)\sin(c) + 5(6A+12B+11C)\sin(dx)) - \cos(c+dx)^4\sec(c)(16(10A+9B+8C)\sin(c) + 15(14A+12B+11C)\sin(dx))) / (480d(A+2C+2B\cos(c+dx) + A\cos[2(c+dx)]))$

Maple [A] time = 0.068, size = 386, normalized size = 1.7

$$\frac{7a^2A\sec(dx+c)\tan(dx+c)}{8d} + \frac{7a^2A\ln(\sec(dx+c)+\tan(dx+c))}{8d} + \frac{6Ba^2\tan(dx+c)}{5d} + \frac{3Ba^2\tan(dx+c)(\sec(dx+c))}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^3(a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x)$

[Out] $\frac{7}{8}d^2A^2\sec(dx+c)\tan(dx+c)+\frac{7}{8}d^2A^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{6}{5}d^2B^2a^2\tan(dx+c)+\frac{3}{5}d^2B^2a^2\tan(dx+c)*\sec(dx+c)^2+\frac{11}{24}d^2C^2\tan(dx+c)*\sec(dx+c)^3+\frac{11}{16}d^2C^2\sec(dx+c)\tan(dx+c)+\frac{11}{16}d^2C^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{3}d^2A^2\tan(dx+c)+\frac{2}{3}d^2A^2\tan(dx+c)*\sec(dx+c)^2+\frac{1}{2}d^2B^2a^2\tan(dx+c)*\sec(dx+c)^3+\frac{3}{4}d^2B^2a^2\sec(dx+c)\tan(dx+c)+\frac{3}{4}d^2B^2a^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{16}{15}d^2C^2\tan(dx+c)+\frac{2}{5}d^2C^2\tan(dx+c)*\sec(dx+c)^4+\frac{8}{15}d^2C^2\tan(dx+c)*\sec(dx+c)^2+\frac{1}{4}d^2A^2\tan(dx+c)*\sec(dx+c)^3+\frac{1}{5}d^2B^2a^2\tan(dx+c)*\sec(dx+c)^4+\frac{1}{6}d^2C^2\tan(dx+c)*\sec(dx+c)^5$

Maxima [B] time = 0.977191, size = 644, normalized size = 2.9

$320(\tan(dx+c)^3+3\tan(dx+c))Aa^2+32(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))Ba^2+160(\tan(dx+c)^3+3\tan(dx+c))Ca^2-5Ca^2(2(15\sin(dx+c)^5-40\sin(dx+c)^3+33\sin(dx+c)))/(\sin(dx+c)^6-3\sin(dx+c)^4+3\sin(dx+c)^2-1)-15\log(\sin(dx+c)+1)+15\log(\sin(dx+c)-1)-30Aa^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-60B^2a^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-30C^2a^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-120A^2a^2(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)))/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^3(a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x, \text{algorithm}="maxima")$

[Out] $\frac{1}{480}(320(\tan(dx+c)^3+3\tan(dx+c))Aa^2+32(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))Ba^2+160(\tan(dx+c)^3+3\tan(dx+c))Ca^2-5Ca^2(2(15\sin(dx+c)^5-40\sin(dx+c)^3+33\sin(dx+c)))/(\sin(dx+c)^6-3\sin(dx+c)^4+3\sin(dx+c)^2-1)-15\log(\sin(dx+c)+1)+15\log(\sin(dx+c)-1)-30Aa^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-60B^2a^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-30C^2a^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-120A^2a^2(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)))/d$

Fricas [A] time = 0.555197, size = 535, normalized size = 2.41

$$15(14A + 12B + 11C)a^2 \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15(14A + 12B + 11C)a^2 \cos(dx + c)^6 \log(-\sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="fricas")
```

```
[Out] 1/480*(15*(14*A + 12*B + 11*C)*a^2*cos(d*x + c)^6*log(sin(d*x + c) + 1) - 15*(14*A + 12*B + 11*C)*a^2*cos(d*x + c)^6*log(-sin(d*x + c) + 1) + 2*(32*(10*A + 9*B + 8*C)*a^2*cos(d*x + c)^5 + 15*(14*A + 12*B + 11*C)*a^2*cos(d*x + c)^4 + 16*(10*A + 9*B + 8*C)*a^2*cos(d*x + c)^3 + 10*(6*A + 12*B + 11*C)*a^2*cos(d*x + c)^2 + 48*(B + 2*C)*a^2*cos(d*x + c) + 40*C*a^2)*sin(d*x + c))/(d*cos(d*x + c)^6)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sec^3(c + dx) dx + \int 2A \sec^4(c + dx) dx + \int A \sec^5(c + dx) dx + \int B \sec^4(c + dx) dx + \int 2B \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)
```

```
[Out] a**2*(Integral(A*sec(c + d*x)**3, x) + Integral(2*A*sec(c + d*x)**4, x) + Integral(A*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**4, x) + Integral(2*B*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**6, x) + Integral(C*sec(c + d*x)**5, x) + Integral(2*C*sec(c + d*x)**6, x) + Integral(C*sec(c + d*x)**7, x))
```

Giac [A] time = 1.36714, size = 529, normalized size = 2.38

$$15(14Aa^2 + 12Ba^2 + 11Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(14Aa^2 + 12Ba^2 + 11Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/240*(15*(14*A*a^2 + 12*B*a^2 + 11*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1
)) - 15*(14*A*a^2 + 12*B*a^2 + 11*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1))
- 2*(210*A*a^2*tan(1/2*d*x + 1/2*c)^11 + 180*B*a^2*tan(1/2*d*x + 1/2*c)^11
+ 165*C*a^2*tan(1/2*d*x + 1/2*c)^11 - 1190*A*a^2*tan(1/2*d*x + 1/2*c)^9 -
1020*B*a^2*tan(1/2*d*x + 1/2*c)^9 - 935*C*a^2*tan(1/2*d*x + 1/2*c)^9 + 2580
*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 2568*B*a^2*tan(1/2*d*x + 1/2*c)^7 + 1986*C*
a^2*tan(1/2*d*x + 1/2*c)^7 - 3180*A*a^2*tan(1/2*d*x + 1/2*c)^5 - 2808*B*a^2
*tan(1/2*d*x + 1/2*c)^5 - 3006*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 2330*A*a^2*ta
n(1/2*d*x + 1/2*c)^3 + 1860*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 1305*C*a^2*tan(1
/2*d*x + 1/2*c)^3 - 750*A*a^2*tan(1/2*d*x + 1/2*c) - 780*B*a^2*tan(1/2*d*x
+ 1/2*c) - 795*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^6)/
d
```

3.418 $\int \sec^2(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=190

$$\frac{a^2(8A + 7B + 6C) \tan(c + dx)}{6d} + \frac{a^2(8A + 7B + 6C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(8A + 7B + 6C) \tan(c + dx) \sec(c + dx)}{24d} +$$

```
[Out] (a^2*(8*A + 7*B + 6*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(8*A + 7*B + 6*C)
)*Tan[c + d*x]/(6*d) + (a^2*(8*A + 7*B + 6*C)*Sec[c + d*x]*Tan[c + d*x]/(
24*d) + ((20*A - 5*B + 6*C)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(60*d) + (
C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(5*d) + ((5*B + 2*C)*
(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*a*d)
```

Rubi [A] time = 0.41012, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4088, 4010, 4001, 3788, 3767, 8, 4046, 3770}

$$\frac{a^2(8A + 7B + 6C) \tan(c + dx)}{6d} + \frac{a^2(8A + 7B + 6C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(8A + 7B + 6C) \tan(c + dx) \sec(c + dx)}{24d} +$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (a^2*(8*A + 7*B + 6*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(8*A + 7*B + 6*C)
)*Tan[c + d*x]/(6*d) + (a^2*(8*A + 7*B + 6*C)*Sec[c + d*x]*Tan[c + d*x]/(
24*d) + ((20*A - 5*B + 6*C)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(60*d) + (
C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(5*d) + ((5*B + 2*C)*
(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*a*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]
```


Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(
csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
```

;/ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^2 \tan(c + dx)}{5d} \\
 &= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^2 \tan(c + dx)}{5d} \\
 &= \frac{(20A - 5B + 6C)(a + a \sec(c + dx))^2 \tan(c + dx)}{60d} \\
 &= \frac{(20A - 5B + 6C)(a + a \sec(c + dx))^2 \tan(c + dx)}{60d} \\
 &= \frac{a^2(8A + 7B + 6C) \sec(c + dx) \tan(c + dx)}{24d} \\
 &= \frac{a^2(8A + 7B + 6C) \tanh^{-1}(\sin(c + dx))}{8d} +
 \end{aligned}$$

Mathematica [B] time = 3.06567, size = 417, normalized size = 2.19

$$\frac{a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(240(8A + 7B + 6C) \cos^5(c + dx) + \dots\right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $-(a^2(1 + \cos[c + d*x])^2(C + B\cos[c + d*x] + A\cos[c + d*x]^2)\sec[(c + d*x)/2]^4\sec[c + d*x]^5(240(8A + 7B + 6C)\cos[c + d*x]^5(\log[\cos[(c + d*x)/2] - \sin[(c + d*x)/2]] - \log[\cos[(c + d*x)/2] + \sin[(c + d*x)/2]]) - \sec[c](80(16A + 14B + 15C)\sin[d*x] - 240(3A + 2B + C)\sin[2c + d*x] + 240A\sin[c + 2d*x] + 330B\sin[c + 2d*x] + 420C\sin[c + 2d*x] + 240A\sin[3c + 2d*x] + 330B\sin[3c + 2d*x] + 420C\sin[3c + 2d*x] + 880A\sin[2c + 3d*x] + 800B\sin[2c + 3d*x] + 720C\sin[2c + 3d*x] - 120A\sin[4c + 3d*x] + 120A\sin[3c + 4d*x] + 105B\sin[3c + 4d*x] + 90C\sin[3c + 4d*x] + 120A\sin[5c + 4d*x] + 105B\sin[5c + 4d*x] + 90C\sin[5c + 4d*x] + 200A\sin[4c + 5d*x] + 160B\sin[4c + 5d*x] + 144C\sin[4c + 5d*x]))/(3840d(A + 2C + 2B\cos[c + d*x] + A\cos[2(c + d*x)]))$

Maple [A] time = 0.061, size = 315, normalized size = 1.7

$$\frac{5a^2A \tan(dx+c)}{3d} + \frac{7Ba^2 \sec(dx+c) \tan(dx+c)}{8d} + \frac{7Ba^2 \ln(\sec(dx+c) + \tan(dx+c))}{8d} + \frac{6a^2C \tan(dx+c)}{5d} + \frac{3a^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $5/3/d*a^2*A*\tan(d*x+c)+7/8/d*B*a^2*\sec(d*x+c)*\tan(d*x+c)+7/8/d*B*a^2*\ln(\sec(d*x+c)+\tan(d*x+c))+6/5/d*a^2*C*\tan(d*x+c)+3/5/d*a^2*C*\tan(d*x+c)*\sec(d*x+c)^2+1/d*a^2*A*\sec(d*x+c)*\tan(d*x+c)+1/d*a^2*A*\ln(\sec(d*x+c)+\tan(d*x+c))+4/3/d*B*a^2*\tan(d*x+c)+2/3/d*B*a^2*\tan(d*x+c)*\sec(d*x+c)^2+1/2/d*a^2*C*\tan(d*x+c)*\sec(d*x+c)^3+3/4/d*a^2*C*\sec(d*x+c)*\tan(d*x+c)+3/4/d*a^2*C*\ln(\sec(d*x+c)+\tan(d*x+c))+1/3/d*a^2*A*\tan(d*x+c)*\sec(d*x+c)^2+1/4/d*B*a^2*\tan(d*x+c)*\sec(d*x+c)^3+1/5/d*a^2*C*\tan(d*x+c)*\sec(d*x+c)^4$

Maxima [B] time = 0.967308, size = 486, normalized size = 2.56

$$80 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Aa^2 + 160 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^2 + 16 \left(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c) \right) Ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/240*(80*(\tan(d*x+c)^3+3*\tan(d*x+c))*A*a^2+160*(\tan(d*x+c)^3+3*\tan(d*x+c))*B*a^2+16*(3*\tan(d*x+c)^5+10*\tan(d*x+c)^3+15*\tan(d*x+c))*C*a^2+80*(\tan(d*x+c)^3+3*\tan(d*x+c))*C*a^2-15*B*a^2*(2*(3*\sin(d*x+c)^3-5*\sin(d*x+c))/(\sin(d*x+c)^4-2*\sin(d*x+c)^2+1)-3*\log(\sin(d*x+c)+1)+3*\log(\sin(d*x+c)-1))-30*C*a^2*(2*(3*\sin(d*x+c)^3-5*\sin(d*x+c))/(\sin(d*x+c)^4-2*\sin(d*x+c)^2+1)-3*\log(\sin(d*x+c)+1)+3*\log(\sin(d*x+c)-1))-120*A*a^2*(2*\sin(d*x+c)/(\sin(d*x+c)^2-1)-\log(\sin(d*x+c)+1)+\log(\sin(d*x+c)-1))-60*B*a^2*(2*\sin(d*x+c)/(\sin(d*x+c)^2-1)-\log(\sin(d*x+c)+1)+\log(\sin(d*x+c)-1))+240*A*a^2*\tan(d*x+c))/d$

Fricas [A] time = 0.536121, size = 463, normalized size = 2.44

$$\frac{15(8A + 7B + 6C)a^2 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(8A + 7B + 6C)a^2 \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="fricas")
```

```
[Out] 1/240*(15*(8*A + 7*B + 6*C)*a^2*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(
8*A + 7*B + 6*C)*a^2*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(8*(25*A + 2
0*B + 18*C)*a^2*cos(d*x + c)^4 + 15*(8*A + 7*B + 6*C)*a^2*cos(d*x + c)^3 +
8*(5*A + 10*B + 9*C)*a^2*cos(d*x + c)^2 + 30*(B + 2*C)*a^2*cos(d*x + c) + 2
4*C*a^2)*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sec^2(c + dx) dx + \int 2A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int B \sec^3(c + dx) dx + \int 2B \sec^4(c + dx) dx + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
), x)
```

```
[Out] a**2*(Integral(A*sec(c + d*x)**2, x) + Integral(2*A*sec(c + d*x)**3, x) + I
ntegral(A*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**3, x) + Integral(2
*B*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**5, x) + Integral(C*sec(c
+ d*x)**4, x) + Integral(2*C*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)*
*6, x))
```

Giac [A] time = 1.31246, size = 460, normalized size = 2.42

$$15(8Aa^2 + 7Ba^2 + 6Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(8Aa^2 + 7Ba^2 + 6Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2}{\dots} \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/120*(15*(8*A*a^2 + 7*B*a^2 + 6*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))
- 15*(8*A*a^2 + 7*B*a^2 + 6*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(
120*A*a^2*tan(1/2*d*x + 1/2*c)^9 + 105*B*a^2*tan(1/2*d*x + 1/2*c)^9 + 90*C*
a^2*tan(1/2*d*x + 1/2*c)^9 - 560*A*a^2*tan(1/2*d*x + 1/2*c)^7 - 490*B*a^2*t
an(1/2*d*x + 1/2*c)^7 - 420*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 1120*A*a^2*tan(1
/2*d*x + 1/2*c)^5 + 800*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 864*C*a^2*tan(1/2*d*
x + 1/2*c)^5 - 1040*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 790*B*a^2*tan(1/2*d*x +
1/2*c)^3 - 540*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 360*A*a^2*tan(1/2*d*x + 1/2*c
) + 375*B*a^2*tan(1/2*d*x + 1/2*c) + 390*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1
/2*d*x + 1/2*c)^2 - 1)^5)/d
```

3.419 $\int \sec(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=147

$$\frac{a^2(12A + 8B + 7C) \tan(c + dx)}{6d} + \frac{a^2(12A + 8B + 7C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(12A + 8B + 7C) \tan(c + dx) \sec(c + dx)}{24d}$$

[Out] (a^2*(12*A + 8*B + 7*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(12*A + 8*B + 7*C)*Tan[c + d*x])/(6*d) + (a^2*(12*A + 8*B + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*B - C)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*a*d)

Rubi [A] time = 0.234871, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$, Rules used = {4082, 4001, 3788, 3767, 8, 4046, 3770}

$$\frac{a^2(12A + 8B + 7C) \tan(c + dx)}{6d} + \frac{a^2(12A + 8B + 7C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(12A + 8B + 7C) \tan(c + dx) \sec(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(12*A + 8*B + 7*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(12*A + 8*B + 7*C)*Tan[c + d*x])/(6*d) + (a^2*(12*A + 8*B + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*B - C)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*a*d)

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a

+ b*Csc[e + f*x]^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3788

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] + Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^n, x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4ad} + \int \sec(c + dx) dx \\
&= \frac{(4B - C)(a + a \sec(c + dx))^2 \tan(c + dx)}{12d} + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4ad} \\
&= \frac{(4B - C)(a + a \sec(c + dx))^2 \tan(c + dx)}{12d} + \frac{a^2(12A + 8B + 7C) \sec(c + dx) \tan(c + dx)}{24d} \\
&= \frac{a^2(12A + 8B + 7C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4ad}
\end{aligned}$$

Mathematica [B] time = 2.41386, size = 386, normalized size = 2.63

$$a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(24(12A + 8B + 7C) \cos^4(c + dx) + \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $-(a^2(1 + \cos(c + dx))^2(C + B \cos(c + dx) + A \cos^2(c + dx)) \sec^4\left(\frac{c + dx}{2}\right) \sec^4(c + dx) (24(12A + 8B + 7C) \cos^4(c + dx) + \dots) - \sec(c + dx) (-24(6A + 5B + 4C) \sin(c) + 3(4A + 8B + 15C) \sin(dx) + 12A \sin(2c + dx) + 24B \sin(2c + dx) + 45C \sin(2c + dx) + 144A \sin(c + 2dx) + 136B \sin(c + 2dx) + 128C \sin(c + 2dx) - 48A \sin(3c + 2dx) - 24B \sin(3c + 2dx) + 12A \sin(2c + 3dx) + 24B \sin(2c + 3dx) + 21C \sin(2c + 3dx) + 12A \sin(4c + 3dx) + 24B \sin(4c + 3dx) + 21C \sin(4c + 3dx) + 48A \sin(3c + 4dx) + 40B \sin(3c + 4dx) + 32C \sin(3c + 4dx)))/(384d(A + 2C + 2B \cos(c + dx) + A \cos^2(c + dx)))$

Maple [A] time = 0.057, size = 246, normalized size = 1.7

$$\frac{3a^2A \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{5Ba^2 \tan(dx + c)}{3d} + \frac{7a^2C \sec(dx + c) \tan(dx + c)}{8d} + \frac{7a^2C \ln(\sec(dx + c) + \tan(dx + c))}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{3}{2}d^2A \ln(\sec(dx+c)+\tan(dx+c)) + \frac{5}{3}dB^2 \tan(dx+c) + \frac{7}{8}d^2C \sec(dx+c) \tan(dx+c) + \frac{7}{8}d^2C \ln(\sec(dx+c)+\tan(dx+c)) + \frac{2}{d^2}A \tan(dx+c) + \frac{1}{dB^2} \sec(dx+c) \tan(dx+c) + \frac{1}{dB^2} \ln(\sec(dx+c)+\tan(dx+c)) + \frac{4}{3}d^2C \tan(dx+c) + \frac{2}{3}d^2C \tan(dx+c) \sec(dx+c)^2 + \frac{1}{2}d^2A \sec(dx+c) \tan(dx+c) + \frac{1}{3}dB^2 \tan(dx+c) \sec(dx+c)^2 + \frac{1}{4}d^2C \tan(dx+c) \sec(dx+c)^3$

Maxima [B] time = 0.959035, size = 417, normalized size = 2.84

$$16 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) B a^2 + 32 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) C a^2 - 3 C a^2 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")`

[Out] $\frac{1}{48} (16 (\tan(dx+c)^3 + 3 \tan(dx+c)) B a^2 + 32 (\tan(dx+c)^3 + 3 \tan(dx+c)) C a^2 - 3 C a^2 (2 (3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 12 A a^2 (2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 24 B a^2 (2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 12 C a^2 (2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 48 A a^2 \log(\sec(dx+c) + \tan(dx+c)) + 96 A a^2 \tan(dx+c) + 48 B a^2 \tan(dx+c)) / d$

Fricas [A] time = 0.518893, size = 397, normalized size = 2.7

$$3(12A + 8B + 7C)a^2 \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 3(12A + 8B + 7C)a^2 \cos(dx+c)^4 \log(-\sin(dx+c) + 1)$$

48 d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="fricas")`

[Out] $\frac{1}{48} \cdot (3 \cdot (12A + 8B + 7C) \cdot a^2 \cdot \cos(dx + c)^4 \cdot \log(\sin(dx + c) + 1) - 3 \cdot (12A + 8B + 7C) \cdot a^2 \cdot \cos(dx + c)^4 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (8 \cdot (6A + 5B + 4C) \cdot a^2 \cdot \cos(dx + c)^3 + 3 \cdot (4A + 8B + 7C) \cdot a^2 \cdot \cos(dx + c)^2 + 8 \cdot (B + 2C) \cdot a^2 \cdot \cos(dx + c) + 6 \cdot C \cdot a^2) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sec(c + dx) dx + \int 2A \sec^2(c + dx) dx + \int A \sec^3(c + dx) dx + \int B \sec^2(c + dx) dx + \int 2B \sec^3(c + dx) dx - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)`

[Out] `a**2*(Integral(A*sec(c + d*x), x) + Integral(2*A*sec(c + d*x)**2, x) + Integral(A*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x)**2, x) + Integral(2*B*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**3, x) + Integral(2*C*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**5, x))`

Giac [B] time = 1.26903, size = 392, normalized size = 2.67

$$3(12Aa^2 + 8Ba^2 + 7Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(12Aa^2 + 8Ba^2 + 7Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(36A^2 + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] $\frac{1}{24} \cdot (3 \cdot (12A \cdot a^2 + 8B \cdot a^2 + 7C \cdot a^2) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) - 3 \cdot (12A \cdot a^2 + 8B \cdot a^2 + 7C \cdot a^2) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) - 2 \cdot (36A^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 24B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 21C \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 132A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 88B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 77C \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 156A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 136B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 83C \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 60A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 72B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 75C \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (d^2 \cdot \cos(dx + c)^4)$

$$C*a^2*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$$

3.420 $\int (a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=120

$$\frac{a^2(2A + 3B + 2C) \tan(c + dx)}{2d} + \frac{a^2(4A + 3B + 2C) \tanh^{-1}(\sin(c + dx))}{2d} + a^2Ax + \frac{(3B + 2C) \tan(c + dx) (a^2 \sec(c + dx))}{6d}$$

[Out] $a^2Ax + (a^2(4A + 3B + 2C) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) + (a^2(2A + 3B + 2C) \tan(c + dx))/(2d) + (C(a + a \sec(c + dx))^2 \tan(c + dx))/(3d) + ((3B + 2C)(a^2 + a^2 \sec(c + dx)) \tan(c + dx))/(6d)$

Rubi [A] time = 0.157222, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4054, 3917, 3914, 3767, 8, 3770}

$$\frac{a^2(2A + 3B + 2C) \tan(c + dx)}{2d} + \frac{a^2(4A + 3B + 2C) \tanh^{-1}(\sin(c + dx))}{2d} + a^2Ax + \frac{(3B + 2C) \tan(c + dx) (a^2 \sec(c + dx))}{6d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)), x]$

[Out] $a^2Ax + (a^2(4A + 3B + 2C) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) + (a^2(2A + 3B + 2C) \tan(c + dx))/(2d) + (C(a + a \sec(c + dx))^2 \tan(c + dx))/(3d) + ((3B + 2C)(a^2 + a^2 \sec(c + dx)) \tan(c + dx))/(6d)$

Rule 4054

$\operatorname{Int}[(A + \csc(e + f x) + (f x) B) + \csc(e + f x) (f x)^2 (C + \csc(e + f x) + (f x) b) + \csc(e + f x) (f x) (b + a)]^m, x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[C \cot(e + f x) (a + b \csc(e + f x))^m / (f(m + 1)), x] + \operatorname{Dist}[1 / (b(m + 1)), \operatorname{Int}[(a + b \csc(e + f x))^m \operatorname{Simp}[A b(m + 1) + (a C m + b B(m + 1)) \csc(e + f x)], x], x] /;$ $\operatorname{FreeQ}\{a, b, e, f, A, B, C, m\}, x \ \&\& \ \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \ !\operatorname{LtQ}[m, -2^{(-1)}]$

Rule 3917

$\operatorname{Int}[(\csc(e + f x) + (f x) b) + (a)]^m (\csc(e + f x) + (f x) c) + (d), x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[b d \cot(e + f x) (a + b \csc(e + f x))^{m-1} / (f m), x] + \operatorname{Dist}[1/m, \operatorname{Int}[(a + b \csc(e + f x))^{m-1} \operatorname{Simp}[a c m + (b c m + a d (2m - 1)) \csc(e + f x)], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\},$

$x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{GtQ}[m, 1] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m]$

Rule 3914

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol] \text{ :> } \text{Simp}[a*c*x, x] + (\text{Dist}[b*d, \text{Int}[\text{Csc}[e + f*x]^2, x], x] + \text{Dist}[b*c + a*d, \text{Int}[\text{Csc}[e + f*x], x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[b*c + a*d, 0]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_)]^{(n_)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> } \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int (a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{\int (a + a \sec(c + dx)) dx}{3d} \\ &= \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{(3B + 2C)(a^2 + a \sec(c + dx))}{3d} \\ &= a^2 Ax + \frac{C(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{(3B + 2C)(a^2 + a \sec(c + dx))}{3d} \\ &= a^2 Ax + \frac{a^2(4A + 3B + 2C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{C(a + a \sec(c + dx))}{2d} \\ &= a^2 Ax + \frac{a^2(4A + 3B + 2C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 C}{2d} \end{aligned}$$

Mathematica [B] time = 5.68545, size = 542, normalized size = 4.52

$$a^2 \cos^4(c + dx) \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{4(3A+6B+5C) \sin\left(\frac{dx}{2}\right)}{d(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right))(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*Cos[c + d*x]^4*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(12*A*x - (6*(4*A + 3*B + 2*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (6*(4*A + 3*B + 2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (2*C*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3) + ((3*B + 7*C)*Cos[c/2] - (3*B + 5*C)*Sin[c/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(3*A + 6*B + 5*C)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (2*C*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3) - ((3*B + 7*C)*Cos[c/2] + (3*B + 5*C)*Sin[c/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(3*A + 6*B + 5*C)*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))))/(24*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])

Maple [A] time = 0.056, size = 193, normalized size = 1.6

$$a^2 Ax + \frac{Aa^2c}{d} + \frac{3Ba^2 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{5a^2C \tan(dx+c)}{3d} + 2 \frac{a^2A \ln(\sec(dx+c) + \tan(dx+c))}{d} + 2 \frac{B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] a^2*A*x+1/d*A*a^2*c+3/2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+5/3/d*a^2*C*tan(d*x+c)+2/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+2/d*B*a^2*tan(d*x+c)+1/d*a^2*C*sec(d*x+c)*tan(d*x+c)+1/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^2*A*tan(d*x+c)+1/2/d*B*a^2*sec(d*x+c)*tan(d*x+c)+1/3/d*a^2*C*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.951897, size = 284, normalized size = 2.37

$$12(dx+c)Aa^2 + 4(\tan(dx+c)^3 + 3\tan(dx+c))Ca^2 - 3Ba^2 \left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/12*(12*(d*x + c)*A*a^2 + 4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^2 - 3*B*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 6*C*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 24*A*a^2*log(sec(d*x + c) + tan(d*x + c)) + 12*B*a^2*log(sec(d*x + c) + tan(d*x + c)) + 12*A*a^2*tan(d*x + c) + 24*B*a^2*tan(d*x + c) + 12*C*a^2*tan(d*x + c))/d

Fricas [A] time = 0.526347, size = 379, normalized size = 3.16

$$12Aa^2dx \cos(dx+c)^3 + 3(4A+3B+2C)a^2 \cos(dx+c)^3 \log(\sin(dx+c)+1) - 3(4A+3B+2C)a^2 \cos(dx+c)^3 \log(-\sin(dx+c)+1) + 2(2(3A+6B+5C)a^2 \cos(dx+c)^2 + 3(B+2C)a^2 \cos(dx+c) + 2C a^2 \sin(dx+c)) / (d \cos(dx+c)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/12*(12*A*a^2*d*x*cos(d*x + c)^3 + 3*(4*A + 3*B + 2*C)*a^2*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(4*A + 3*B + 2*C)*a^2*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*(3*A + 6*B + 5*C)*a^2*cos(d*x + c)^2 + 3*(B + 2*C)*a^2*cos(d*x + c) + 2*C*a^2*sin(d*x + c))/(d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A dx + \int 2A \sec(c+dx) dx + \int A \sec^2(c+dx) dx + \int B \sec(c+dx) dx + \int 2B \sec^2(c+dx) dx + \int B \sec^3(c+dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] a**2*(Integral(A, x) + Integral(2*A*sec(c + d*x), x) + Integral(A*sec(c + d*x)**2, x) + Integral(B*sec(c + d*x), x) + Integral(2*B*sec(c + d*x)**2, x) + Integral(B*sec(c + d*x)**3, x) + Integral(C*sec(c + d*x)**2, x) + Integral(2*C*sec(c + d*x)**3, x) + Integral(C*sec(c + d*x)**4, x))

Giac [B] time = 1.29302, size = 338, normalized size = 2.82

$$6(dx+c)Aa^2 + 3(4Aa^2 + 3Ba^2 + 2Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(4Aa^2 + 3Ba^2 + 2Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/6*(6*(d*x + c)*A*a^2 + 3*(4*A*a^2 + 3*B*a^2 + 2*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(4*A*a^2 + 3*B*a^2 + 2*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 9*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 12*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 2*4*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 16*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 6*A*a^2*tan(1/2*d*x + 1/2*c) + 15*B*a^2*tan(1/2*d*x + 1/2*c) + 18*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3/d

3.421 $\int \cos(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=121

$$-\frac{a^2(2A - 2B - 3C) \tan(c + dx)}{2d} + \frac{a^2(2A + 4B + 3C) \tanh^{-1}(\sin(c + dx))}{2d} + a^2x(2A + B) - \frac{(2A - C) \tan(c + dx) (a^2 \sec^2(c + dx))}{2d}$$

[Out] $a^2(2A + B)x + (a^2(2A + 4B + 3C) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) + (A(a + a \sec(c + dx))^2 \sin(c + dx))/d - (a^2(2A - 2B - 3C) \tan(c + dx))/(2d) - ((2A - C)(a^2 + a^2 \sec(c + dx)) \tan(c + dx))/(2d)$

Rubi [A] time = 0.216887, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4086, 3917, 3914, 3767, 8, 3770}

$$-\frac{a^2(2A - 2B - 3C) \tan(c + dx)}{2d} + \frac{a^2(2A + 4B + 3C) \tanh^{-1}(\sin(c + dx))}{2d} + a^2x(2A + B) - \frac{(2A - C) \tan(c + dx) (a^2 \sec^2(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx) + C \sec^2(c + dx)), x]$

[Out] $a^2(2A + B)x + (a^2(2A + 4B + 3C) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) + (A(a + a \sec(c + dx))^2 \sin(c + dx))/d - (a^2(2A - 2B - 3C) \tan(c + dx))/(2d) - ((2A - C)(a^2 + a^2 \sec(c + dx)) \tan(c + dx))/(2d)$

Rule 4086

$\operatorname{Int}[(A + \csc(e + f x) + (f x) \csc(e + f x))(B + \csc(e + f x) + (f x) \csc(e + f x))^2(C + \csc(e + f x) + (f x) \csc(e + f x))(d + \csc(e + f x) + (f x) \csc(e + f x))^n, x] \rightarrow \operatorname{Simp}[A \cot(e + f x)(a + b \csc(e + f x))^m(d \csc(e + f x))^n]/(f n), x] - \operatorname{Dist}[1/(b d n), \operatorname{Int}[(a + b \csc(e + f x))^m(d \csc(e + f x))^{n+1} \operatorname{Simp}[a A^m - b B^n - b(A(m + n + 1) + C n) \csc(e + f x), x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{!LtQ}[m, -2^{(-1)}] \&\& (\operatorname{LtQ}[n, -2^{(-1)}] \mid \mid \operatorname{EqQ}[m + n + 1, 0])$

Rule 3917

$\operatorname{Int}[(\csc(e + f x) + (f x) \csc(e + f x))(b + (a + \csc(e + f x) + (f x) \csc(e + f x)))(d + \csc(e + f x) + (f x) \csc(e + f x))^{m-1}, x] \rightarrow -\operatorname{Simp}[(b d \cot(e + f x)(a + b \csc(e + f x))^m(d + \csc(e + f x) + (f x) \csc(e + f x))^{m-1})]/(f m), x] + \operatorname{Dist}[1/m, \operatorname{Int}[(a + b \csc(e + f x))^m(d + \csc(e + f x) + (f x) \csc(e + f x))^{m-1} \operatorname{Simp}[a c^m + (b$

*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3914

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^2 \sin(c + dx)}{d} + \frac{\int (a + a \sec(c + dx))^2 \sin(c + dx) dx}{d} \\
 &= \frac{A(a + a \sec(c + dx))^2 \sin(c + dx)}{d} - \frac{(2A - B)(a + a \sec(c + dx))^2 \sin(c + dx)}{d} \\
 &= a^2(2A + B)x + \frac{A(a + a \sec(c + dx))^2 \sin(c + dx)}{d} \\
 &= a^2(2A + B)x + \frac{a^2(2A + 4B + 3C) \tanh^{-1}(\sec(c + dx))}{2d} \\
 &= a^2(2A + B)x + \frac{a^2(2A + 4B + 3C) \tanh^{-1}(\sec(c + dx))}{2d}
 \end{aligned}$$

Mathematica [B] time = 3.5695, size = 365, normalized size = 3.02

$$a^2 \cos^4(c + dx) \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(-\frac{2(2A+4B+3C) \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*cos[c + d*x]^4*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(4*(2*A + B)*x - (2*(2*A + 4*B + 3*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(2*A + 4*B + 3*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*A*Cos[d*x]*Sin[c])/d + (4*A*Cos[c]*Sin[d*x])/d + C/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(B + 2*C)*Sin[(d*x)/2])/d + C/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - C/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(B + 2*C)*Sin[(d*x)/2])/d + C/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(8*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.103, size = 166, normalized size = 1.4

$$\frac{a^2 A \sin(dx + c)}{d} + a^2 B x + \frac{B a^2 c}{d} + \frac{3 a^2 C \ln(\sec(dx + c) + \tan(dx + c))}{2 d} + 2 a^2 A x + 2 \frac{A a^2 c}{d} + 2 \frac{B a^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*a^2*A*sin(d*x+c)+a^2*B*x+1/d*B*a^2*c+3/2/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+2*a^2*A*x+2/d*A*a^2*c+2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+2/d*a^2*C*tan(d*x+c)+1/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^2*tan(d*x+c)+1/2/d*a^2*C*sec(d*x+c)*tan(d*x+c)

Maxima [A] time = 0.954943, size = 259, normalized size = 2.14

$$8(dx + c)Aa^2 + 4(dx + c)Ba^2 - Ca^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 2Aa^2(\log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")
```

```
[Out] 1/4*(8*(d*x + c)*A*a^2 + 4*(d*x + c)*B*a^2 - C*a^2*(2*sin(d*x + c)/(sin(d*x
+ c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 2*A*a^2*(lo
g(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a^2*(log(sin(d*x + c) +
1) - log(sin(d*x + c) - 1)) + 2*C*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x
+ c) - 1)) + 4*A*a^2*sin(d*x + c) + 4*B*a^2*tan(d*x + c) + 8*C*a^2*tan(d*x
+ c))/d
```

Fricas [A] time = 0.530149, size = 358, normalized size = 2.96

$$\frac{4(2A + B)a^2 dx \cos(dx + c)^2 + (2A + 4B + 3C)a^2 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (2A + 4B + 3C)a^2 \cos(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/4*(4*(2*A + B)*a^2*d*x*cos(d*x + c)^2 + (2*A + 4*B + 3*C)*a^2*cos(d*x + c
)^2*log(sin(d*x + c) + 1) - (2*A + 4*B + 3*C)*a^2*cos(d*x + c)^2*log(-sin(d
*x + c) + 1) + 2*(2*A*a^2*cos(d*x + c)^2 + 2*(B + 2*C)*a^2*cos(d*x + c) + C
*a^2)*sin(d*x + c))/(d*cos(d*x + c)^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x
)
```

```
[Out] Timed out
```

Giac [A] time = 1.23479, size = 275, normalized size = 2.27

$$\frac{4 Aa^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 2(2 Aa^2 + Ba^2)(dx + c) + (2 Aa^2 + 4 Ba^2 + 3 Ca^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (2 Aa^2 + 4 Ba^2 + 3 Ca^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - 2(2 Ba^2 + Ca^2) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 5 Ca^2 \tan^3\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 5 Ca^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) / (\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1)^2 / d$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out] 1/2*(4*A*a^2*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 2*(2*A*a^2 + B*a^2)*(d*x + c) + (2*A*a^2 + 4*B*a^2 + 3*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*A*a^2 + 4*B*a^2 + 3*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 3*C*a^2*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^2*tan(1/2*d*x + 1/2*c) - 5*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d

3.422 $\int \cos^2(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=128

$$\frac{a^2(3A + 2B - 2C) \sin(c + dx)}{2d} + \frac{1}{2} a^2 x (3A + 4B + 2C) - \frac{(A - 2C) \sin(c + dx) (a^2 \sec(c + dx) + a^2)}{2d} + \frac{a^2(B + 2C) \tanh^{-1}}{d}$$

[Out] (a^2*(3*A + 4*B + 2*C)*x)/2 + (a^2*(B + 2*C)*ArcTanh[Sin[c + d*x]])/d + (a^2*(3*A + 2*B - 2*C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((A - 2*C)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.287309, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4086, 4018, 3996, 3770}

$$\frac{a^2(3A + 2B - 2C) \sin(c + dx)}{2d} + \frac{1}{2} a^2 x (3A + 4B + 2C) - \frac{(A - 2C) \sin(c + dx) (a^2 \sec(c + dx) + a^2)}{2d} + \frac{a^2(B + 2C) \tanh^{-1}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(3*A + 4*B + 2*C)*x)/2 + (a^2*(B + 2*C)*ArcTanh[Sin[c + d*x]])/d + (a^2*(3*A + 2*B - 2*C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((A - 2*C)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{A \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{a^2(3A + 2B - 2C) \sin(c + dx)}{2d} + \frac{A \cos(c + dx)}{d} \\
&= \frac{1}{2}a^2(3A + 4B + 2C)x + \frac{a^2(3A + 2B - 2C)}{2d} \\
&= \frac{1}{2}a^2(3A + 4B + 2C)x + \frac{a^2(B + 2C) \tanh^{-1}(\cos(c + dx))}{a}
\end{aligned}$$

Mathematica [B] time = 3.65387, size = 329, normalized size = 2.57

$$a^2 \cos^2(c + dx)(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{4(2A+B) \sin(c) \cos(dx)}{d} + \frac{4(2A+B) \cos(c)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*cos[c + d*x]^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(2*(3*A + 4*B + 2*C)*x - (4*(B + 2*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (4*(B + 2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*(2*A + B)*Cos[d*x]*Sin[c])/d + (A*cos[2*d*x]*Sin[2*c])/d + (4*(2*A + B)*Cos[c]*Sin[d*x])/d + (A*cos[2*c]*Sin[2*d*x])/d + (4*C*sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (4*C*sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(8*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*(c + d*x)]))

Maple [A] time = 0.091, size = 160, normalized size = 1.3

$$\frac{a^2 A \cos(dx + c) \sin(dx + c)}{2d} + \frac{3a^2 Ax}{2} + \frac{3a^2 Ac}{2d} + \frac{Ba^2 \sin(dx + c)}{d} + a^2 Cx + \frac{Ca^2 c}{d} + 2 \frac{a^2 A \sin(dx + c)}{d} + 2a^2 Bx + 2 \frac{B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 1/2/d*a^2*A*cos(d*x+c)*sin(d*x+c)+3/2*a^2*A*x+3/2/d*A*a^2*c+a^2*B*sin(d*x+c)/d+a^2*C*x+1/d*C*a^2*c+2/d*a^2*A*sin(d*x+c)+2*a^2*B*x+2/d*B*a^2*c+2/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^2*C*tan(d*x+c)

Maxima [A] time = 0.958634, size = 204, normalized size = 1.59

$$(2dx + 2c + \sin(2dx + 2c))Aa^2 + 4(dx + c)Aa^2 + 8(dx + c)Ba^2 + 4(dx + c)Ca^2 + 2Ba^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4C*a^2*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 8*A$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 + 4*(d*x + c)*A*a^2 + 8*(d*x + c)*B*a^2 + 4*(d*x + c)*C*a^2 + 2*B*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*C*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 8*A

$$*a^2*\sin(d*x + c) + 4*B*a^2*\sin(d*x + c) + 4*C*a^2*\tan(d*x + c))/d$$

Fricas [A] time = 0.529299, size = 331, normalized size = 2.59

$$\frac{(3A + 4B + 2C)a^2 dx \cos(dx + c) + (B + 2C)a^2 \cos(dx + c) \log(\sin(dx + c) + 1) - (B + 2C)a^2 \cos(dx + c) \log(-\sin(dx + c) + 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/2*((3*A + 4*B + 2*C)*a^2*d*x*cos(d*x + c) + (B + 2*C)*a^2*cos(d*x + c)*log(sin(d*x + c) + 1) - (B + 2*C)*a^2*cos(d*x + c)*log(-sin(d*x + c) + 1) + (A*a^2*cos(d*x + c)^2 + 2*(2*A + B)*a^2*cos(d*x + c) + 2*C*a^2)*sin(d*x + c))/(d*cos(d*x + c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.29523, size = 267, normalized size = 2.09

$$\frac{4Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - (3Aa^2 + 4Ba^2 + 2Ca^2)(dx + c) - 2(Ba^2 + 2Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 2(Ba^2 + 2Ca^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

2d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x  
, algorithm="giac")
```

```
[Out] -1/2*(4*C*a^2*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1) - (3*A*a^2  
+ 4*B*a^2 + 2*C*a^2)*(d*x + c) - 2*(B*a^2 + 2*C*a^2)*log(abs(tan(1/2*d*x +  
1/2*c) + 1)) + 2*(B*a^2 + 2*C*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(  
3*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 5*A*a^2*t  
an(1/2*d*x + 1/2*c) + 2*B*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2  
+ 1)^2)/d
```

3.423 $\int \cos^3(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=134

$$\frac{a^2(2A + 3B + 2C) \sin(c + dx)}{2d} + \frac{(2A + 3B) \sin(c + dx) \cos(c + dx) (a^2 \sec(c + dx) + a^2)}{6d} + \frac{1}{2} a^2 x (2A + 3B + 4C) + \frac{a^2 C}{2d}$$

```
[Out] (a^2*(2*A + 3*B + 4*C)*x)/2 + (a^2*C*ArcTanh[Sin[c + d*x]])/d + (a^2*(2*A +
3*B + 2*C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*
Sin[c + d*x])/(3*d) + ((2*A + 3*B)*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])*Si
n[c + d*x])/(6*d)
```

Rubi [A] time = 0.291759, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4086, 4017, 3996, 3770}

$$\frac{a^2(2A + 3B + 2C) \sin(c + dx)}{2d} + \frac{(2A + 3B) \sin(c + dx) \cos(c + dx) (a^2 \sec(c + dx) + a^2)}{6d} + \frac{1}{2} a^2 x (2A + 3B + 4C) + \frac{a^2 C}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (a^2*(2*A + 3*B + 4*C)*x)/2 + (a^2*C*ArcTanh[Sin[c + d*x]])/d + (a^2*(2*A +
3*B + 2*C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*
Sin[c + d*x])/(3*d) + ((2*A + 3*B)*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])*Si
n[c + d*x])/(6*d)
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))* (csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)* (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_)) ^ (m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{a^2(2A + 3B + 2C) \sin(c + dx)}{2d} + \frac{A \cos^2(c + dx)}{d} \\
&= \frac{1}{2} a^2(2A + 3B + 4C)x + \frac{a^2(2A + 3B + 2C)}{2d} \sin(c + dx) \\
&= \frac{1}{2} a^2(2A + 3B + 4C)x + \frac{a^2 C \tanh^{-1}(\sin(c + dx))}{d}
\end{aligned}$$

Mathematica [A] time = 0.290327, size = 121, normalized size = 0.9

$$\frac{a^2 \left(3(7A + 8B + 4C) \sin(c + dx) + 3(2A + B) \sin(2(c + dx)) + A \sin(3(c + dx)) + 12Adx + 18Bdx - 12C \log \left(\cos \left(\frac{1}{2}(c + dx) \right) \right) \right)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*(12*A*d*x + 18*B*d*x + 24*C*d*x - 12*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 3*(7*A + 8*B + 4*C)*Sin[c + d*x] + 3*(2*A + B)*Sin[2*(c + d*x)] + A*Sin[3*(c + d*x)]))/(12*d)

Maple [A] time = 0.103, size = 181, normalized size = 1.4

$$\frac{A(\cos(dx+c))^2 \sin(dx+c) a^2}{3d} + \frac{5a^2 A \sin(dx+c)}{3d} + \frac{Ba^2 \cos(dx+c) \sin(dx+c)}{2d} + \frac{3a^2 Bx}{2} + \frac{3Ba^2 c}{2d} + \frac{a^2 C \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 1/3/d*A*cos(d*x+c)^2*sin(d*x+c)*a^2+5/3/d*a^2*A*sin(d*x+c)+1/2*a^2*B*cos(d*x+c)*sin(d*x+c)/d+3/2*a^2*B*x+3/2/d*B*a^2*c+1/d*a^2*C*sin(d*x+c)+1/d*a^2*A*cos(d*x+c)*sin(d*x+c)+a^2*A*x+1/d*A*a^2*c+2*a^2*B*sin(d*x+c)/d+2*a^2*C*x+2/d*C*a^2*c+1/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.946821, size = 216, normalized size = 1.61

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^2 - 6(2dx+2c+\sin(2dx+2c))Aa^2 - 3(2dx+2c+\sin(2dx+2c))Ba^2 - 12(dx+c)Ca^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 - 6*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2 - 12*(d*x + c)*B*a^2 - 24*(d*x + c)*C*a^2 - 6*C*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 12*A*a^2*sin(d*x + c) - 24*B*a^2*sin(d*x + c) - 12*C*a^2*sin(d*x + c))/d

Fricas [A] time = 0.528278, size = 269, normalized size = 2.01

$$\frac{3(2A + 3B + 4C)a^2 dx + 3Ca^2 \log(\sin(dx + c) + 1) - 3Ca^2 \log(-\sin(dx + c) + 1) + (2Aa^2 \cos(dx + c)^2 + 3(2A + B)a^2 \cos(dx + c) + 2(5A + 6B + 3C)a^2) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/6*(3*(2*A + 3*B + 4*C)*a^2*d*x + 3*C*a^2*log(sin(d*x + c) + 1) - 3*C*a^2*log(-sin(d*x + c) + 1) + (2*A*a^2*cos(d*x + c)^2 + 3*(2*A + B)*a^2*cos(d*x + c) + 2*(5*A + 6*B + 3*C)*a^2)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.27996, size = 317, normalized size = 2.37

$$6Ca^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 6Ca^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(2Aa^2 + 3Ba^2 + 4Ca^2)(dx + c) + \frac{2(6Aa^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 3Aa^2 + 3Ba^2 + 3Ca^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/6*(6*C*a^2*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 6*C*a^2*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 3*(2*A*a^2 + 3*B*a^2 + 4*C*a^2)*(d*x + c) + 2*(6*A*a^2*

$$\frac{\tan(1/2*d*x + 1/2*c)^5 + 9*B*a^2*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*\tan(1/2*d*x + 1/2*c)^5 + 16*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + 24*B*a^2*\tan(1/2*d*x + 1/2*c)^3 + 12*C*a^2*\tan(1/2*d*x + 1/2*c)^3 + 18*A*a^2*\tan(1/2*d*x + 1/2*c) + 15*B*a^2*\tan(1/2*d*x + 1/2*c) + 6*C*a^2*\tan(1/2*d*x + 1/2*c)}{(\tan(1/2*d*x + 1/2*c)^2 + 1)^3}/d$$

3.424 $\int \cos^4(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=149

$$\frac{a^2(7A + 8B + 12C) \sin(c + dx)}{6d} + \frac{a^2(7A + 8B + 12C) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}a^2x(7A + 8B + 12C) + \frac{(A + 2B) \sin(c + dx)}{6d}$$

[Out] (a^2*(7*A + 8*B + 12*C)*x)/8 + (a^2*(7*A + 8*B + 12*C)*Sin[c + d*x])/(6*d) + (a^2*(7*A + 8*B + 12*C)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + ((A + 2*B)*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(6*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(4*d)

Rubi [A] time = 0.327804, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4086, 4013, 3788, 2637, 4045, 8}

$$\frac{a^2(7A + 8B + 12C) \sin(c + dx)}{6d} + \frac{a^2(7A + 8B + 12C) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}a^2x(7A + 8B + 12C) + \frac{(A + 2B) \sin(c + dx)}{6d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(7*A + 8*B + 12*C)*x)/8 + (a^2*(7*A + 8*B + 12*C)*Sin[c + d*x])/(6*d) + (a^2*(7*A + 8*B + 12*C)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + ((A + 2*B)*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(6*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(4*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[

$e + f*x](a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[(a*A*m - b*B*n)/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{EqQ}[m + n + 1, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3788

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2, x_Symbol] :> \text{Dist}[(2*a*b)/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] + \text{Int}[(d*\text{Csc}[e + f*x])^n*(a^2 + b^2*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> \text{Simp}[\sin[c + d*x]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 4045

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{m+2}, x], x] /; \text{FreeQ}\{b, e, f, A, C\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{LeQ}[m, -1]$

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^2 \sin(c)}{4d} \\ &= \frac{(A + 2B) \cos^2(c + dx)(a + a \sec(c + dx))}{6d} \\ &= \frac{(A + 2B) \cos^2(c + dx)(a + a \sec(c + dx))}{6d} \\ &= \frac{a^2(7A + 8B + 12C) \sin(c + dx)}{6d} + \frac{a^2(7A + 8B + 12C)}{6d} \\ &= \frac{1}{8}a^2(7A + 8B + 12C)x + \frac{a^2(7A + 8B + 12C)}{6d} \end{aligned}$$

Mathematica [A] time = 0.33116, size = 95, normalized size = 0.64

$$\frac{a^2(24(6A + 7B + 8C) \sin(c + dx) + 24(2A + 2B + C) \sin(2(c + dx)) + 16A \sin(3(c + dx)) + 3A \sin(4(c + dx)) + 84Adx + 96d}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(84*A*d*x + 96*B*d*x + 144*C*d*x + 24*(6*A + 7*B + 8*C)*Sin[c + d*x] + 24*(2*A + 2*B + C)*Sin[2*(c + d*x)] + 16*A*Sin[3*(c + d*x)] + 8*B*Sin[3*(c + d*x)] + 3*A*Sin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.102, size = 203, normalized size = 1.4

$$\frac{1}{d} \left(a^2 A \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{2a^2 A (2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + \frac{Ba^2 (2 + (\cos(dx+c))^2) \sin(dx+c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+a^2*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+2*B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^2*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a^2*sin(d*x+c)+2*a^2*C*sin(d*x+c)+a^2*C*(d*x+c))

Maxima [A] time = 0.950691, size = 257, normalized size = 1.72

$$\frac{64 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) Aa^2 - 3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c)) Aa^2 - 24(2dx + 2c + \sin(dx+c)) Aa^2}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out]
$$-1/96*(64*(\sin(dx + c)^3 - 3*\sin(dx + c))*A*a^2 - 3*(12*dx + 12*c + \sin(4*dx + 4*c) + 8*\sin(2*dx + 2*c))*A*a^2 - 24*(2*dx + 2*c + \sin(2*dx + 2*c))*A*a^2 + 32*(\sin(dx + c)^3 - 3*\sin(dx + c))*B*a^2 - 48*(2*dx + 2*c + \sin(2*dx + 2*c))*B*a^2 - 24*(2*dx + 2*c + \sin(2*dx + 2*c))*C*a^2 - 96*(d*x + c)*C*a^2 - 96*B*a^2*\sin(dx + c) - 192*C*a^2*\sin(dx + c))/d$$

Fricas [A] time = 0.503528, size = 239, normalized size = 1.6

$$\frac{3(7A + 8B + 12C)a^2 dx + (6Aa^2 \cos(dx + c)^3 + 8(2A + B)a^2 \cos(dx + c)^2 + 3(7A + 8B + 4C)a^2 \cos(dx + c) + 8(6C)a^2) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^4*(a+a*sec(dx+c))^2*(A+B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="fricas")`

[Out]
$$1/24*(3*(7A + 8B + 12C)*a^2*dx + (6*A*a^2*\cos(dx + c)^3 + 8*(2A + B)*a^2*\cos(dx + c)^2 + 3*(7A + 8B + 4C)*a^2*\cos(dx + c) + 8*(4A + 5B + 6C)*a^2)*\sin(dx + c))/d$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**4*(a+a*sec(dx+c))**2*(A+B*sec(dx+c)+C*sec(dx+c)**2), x)`

[Out] Timed out

Giac [A] time = 1.26549, size = 335, normalized size = 2.25

$$3(7Aa^2 + 8Ba^2 + 12Ca^2)(dx + c) + \frac{2\left(21Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 24Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 36Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 77Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 88Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 55Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/24*(3*(7*A*a^2 + 8*B*a^2 + 12*C*a^2)*(d*x + c) + 2*(21*A*a^2*tan(1/2*d*x
+ 1/2*c)^7 + 24*B*a^2*tan(1/2*d*x + 1/2*c)^7 + 36*C*a^2*tan(1/2*d*x + 1/2*c
)^7 + 77*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 88*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 1
32*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 83*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 136*B*a
^2*tan(1/2*d*x + 1/2*c)^3 + 156*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 75*A*a^2*tan
(1/2*d*x + 1/2*c) + 72*B*a^2*tan(1/2*d*x + 1/2*c) + 60*C*a^2*tan(1/2*d*x +
1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4/d
```

3.425 $\int \cos^5(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=187

$$\frac{a^2(18A + 20B + 25C) \sin(c + dx)}{15d} + \frac{a^2(18A + 25B + 20C) \sin(c + dx) \cos^2(c + dx)}{60d} + \frac{a^2(6A + 7B + 8C) \sin(c + dx) \cos(c + dx)}{8d}$$

[Out] (a^2*(6*A + 7*B + 8*C)*x)/8 + (a^2*(18*A + 20*B + 25*C)*Sin[c + d*x])/(15*d) + (a^2*(6*A + 7*B + 8*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(18*A + 25*B + 20*C)*Cos[c + d*x]^2*SIN[c + d*x])/(60*d) + (A*COS[c + d*x]^4*(a + a*Sec[c + d*x])^2*SIN[c + d*x])/(5*d) + ((2*A + 5*B)*COS[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*SIN[c + d*x])/(20*d)

Rubi [A] time = 0.414596, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4086, 4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^2(18A + 20B + 25C) \sin(c + dx)}{15d} + \frac{a^2(18A + 25B + 20C) \sin(c + dx) \cos^2(c + dx)}{60d} + \frac{a^2(6A + 7B + 8C) \sin(c + dx) \cos(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(6*A + 7*B + 8*C)*x)/8 + (a^2*(18*A + 20*B + 25*C)*Sin[c + d*x])/(15*d) + (a^2*(6*A + 7*B + 8*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(18*A + 25*B + 20*C)*Cos[c + d*x]^2*SIN[c + d*x])/(60*d) + (A*COS[c + d*x]^4*(a + a*Sec[c + d*x])^2*SIN[c + d*x])/(5*d) + ((2*A + 5*B)*COS[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*SIN[c + d*x])/(20*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} \\
&= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} \\
&= \frac{a^2(18A + 25B + 20C) \cos^2(c + dx) \sin(c + dx)}{60d} \\
&= \frac{a^2(18A + 25B + 20C) \cos^2(c + dx) \sin(c + dx)}{60d} \\
&= \frac{a^2(18A + 20B + 25C) \sin(c + dx)}{15d} + \frac{a^2(18A + 20B + 25C)}{15d} \\
&= \frac{1}{8}a^2(6A + 7B + 8C)x + \frac{a^2(18A + 20B + 25C)}{15d}
\end{aligned}$$

Mathematica [A] time = 0.603488, size = 132, normalized size = 0.71

$$\frac{a^2(60(11A + 12B + 14C) \sin(c + dx) + 240(A + B + C) \sin(2(c + dx)) + 90A \sin(3(c + dx)) + 30A \sin(4(c + dx)) + 6A \sin(5(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*(240*A*c + 420*B*c + 360*A*d*x + 420*B*d*x + 480*C*d*x + 60*(11*A + 12*B + 14*C)*Sin[c + d*x] + 240*(A + B + C)*Sin[2*(c + d*x)] + 90*A*Ssin[3*(c + d*x)] + 80*B*Ssin[3*(c + d*x)] + 40*C*Ssin[3*(c + d*x)] + 30*A*Ssin[4*(c + d*x)] + 15*B*Ssin[4*(c + d*x)] + 6*A*Ssin[5*(c + d*x)]))/(480*d)

Maple [A] time = 0.11, size = 247, normalized size = 1.3

$$\frac{1}{d} \left(\frac{a^2 A \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4 (\cos(dx + c))^2}{3} \right) + B a^2 \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 \cos(dx + c)}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

```
[Out] 1/d*(1/5*a^2*A*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a^2*C*(2+cos(d*x+c)^2)*sin(d*x+c)+2*a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+2*a^2*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+1/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^2*C*sin(d*x+c))
```

Maxima [A] time = 0.957742, size = 319, normalized size = 1.71

$$\frac{32 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Aa^2 - 160 \left(\sin(dx + c)^3 - 3 \sin(dx + c) \right) Aa^2 + 30(12 dx + 12 c -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] 1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2 - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 - 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2 + 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2 - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^2 + 240*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2 + 480*C*a^2*sin(d*x + c))/d
```

Fricas [A] time = 0.509778, size = 305, normalized size = 1.63

$$\frac{15(6A + 7B + 8C)a^2 dx + \left(24Aa^2 \cos(dx + c)^4 + 30(2A + B)a^2 \cos(dx + c)^3 + 8(9A + 10B + 5C)a^2 \cos(dx + c)^2 + \right.}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")
```

```
[Out] 1/120*(15*(6*A + 7*B + 8*C)*a^2*d*x + (24*A*a^2*cos(d*x + c)^4 + 30*(2*A + B)*a^2*cos(d*x + c)^3 + 8*(9*A + 10*B + 5*C)*a^2*cos(d*x + c)^2 + 15*(6*A + 7*B + 8*C)*a^2*cos(d*x + c) + 8*(18*A + 20*B + 25*C)*a^2)*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.24251, size = 404, normalized size = 2.16

$$15 \left(6 A a^2 + 7 B a^2 + 8 C a^2 \right) (d x + c) + \frac{2 \left(90 A a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^9 + 105 B a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^9 + 120 C a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^9 + 420 A a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^7 + 490 B a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^7 + 560 C a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^7 + 864 A a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 800 B a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 1120 C a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 540 A a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 790 B a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 1040 C a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 390 A a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 375 B a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 360 C a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \right)}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 + 1 \right)^5} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/120*(15*(6*A*a^2 + 7*B*a^2 + 8*C*a^2)*(d*x + c) + 2*(90*A*a^2*tan(1/2*d*x + 1/2*c)^9 + 105*B*a^2*tan(1/2*d*x + 1/2*c)^9 + 120*C*a^2*tan(1/2*d*x + 1/2*c)^9 + 420*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 490*B*a^2*tan(1/2*d*x + 1/2*c)^7 + 560*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 864*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 800*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 1120*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 540*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 790*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 1040*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 390*A*a^2*tan(1/2*d*x + 1/2*c) + 375*B*a^2*tan(1/2*d*x + 1/2*c) + 360*C*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5/d

3.426 $\int \cos^6(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=213

$$-\frac{a^2(8A + 9B + 10C) \sin^3(c + dx)}{15d} + \frac{a^2(8A + 9B + 10C) \sin(c + dx)}{5d} + \frac{a^2(9A + 12B + 10C) \sin(c + dx) \cos^3(c + dx)}{40d} + a$$

[Out] $(a^2*(11*A + 12*B + 14*C)*x)/16 + (a^2*(8*A + 9*B + 10*C)*\text{Sin}[c + d*x])/(5*d) + (a^2*(11*A + 12*B + 14*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(16*d) + (a^2*(9*A + 12*B + 10*C)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(40*d) + (A*\text{Cos}[c + d*x]^5*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(6*d) + ((A + 3*B)*\text{Cos}[c + d*x]^4*(a^2 + a^2*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(15*d) - (a^2*(8*A + 9*B + 10*C)*\text{Sin}[c + d*x]^3)/(15*d)$

Rubi [A] time = 0.441033, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4086, 4017, 3996, 3787, 2633, 2635, 8}

$$-\frac{a^2(8A + 9B + 10C) \sin^3(c + dx)}{15d} + \frac{a^2(8A + 9B + 10C) \sin(c + dx)}{5d} + \frac{a^2(9A + 12B + 10C) \sin(c + dx) \cos^3(c + dx)}{40d} + a$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^6*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(a^2*(11*A + 12*B + 14*C)*x)/16 + (a^2*(8*A + 9*B + 10*C)*\text{Sin}[c + d*x])/(5*d) + (a^2*(11*A + 12*B + 14*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(16*d) + (a^2*(9*A + 12*B + 10*C)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(40*d) + (A*\text{Cos}[c + d*x]^5*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(6*d) + ((A + 3*B)*\text{Cos}[c + d*x]^4*(a^2 + a^2*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(15*d) - (a^2*(8*A + 9*B + 10*C)*\text{Sin}[c + d*x]^3)/(15*d)$

Rule 4086

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(\text{csc}[e + f*x])^n*(D + \text{csc}[e + f*x])^m, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*m - b*B*n - b*(A*(m+n+1) + C*n)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \cos^6(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^5(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{6d} \\
&= \frac{A \cos^5(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{6d} \\
&= \frac{a^2(9A + 12B + 10C) \cos^3(c + dx) \sin(c + dx)}{40d} \\
&= \frac{a^2(9A + 12B + 10C) \cos^3(c + dx) \sin(c + dx)}{40d} \\
&= \frac{a^2(11A + 12B + 14C) \cos(c + dx) \sin(c + dx)}{16d} \\
&= \frac{1}{16} a^2(11A + 12B + 14C)x + \frac{a^2(8A + 9B + 10C)}{16} \sin(2(c + dx))
\end{aligned}$$

Mathematica [A] time = 0.966495, size = 170, normalized size = 0.8

$$a^2(120(10A + 11B + 12C) \sin(c + dx) + 15(31A + 32(B + C)) \sin(2(c + dx)) + 200A \sin(3(c + dx)) + 75A \sin(4(c + dx)))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(240*A*c + 720*B*c + 660*A*d*x + 720*B*d*x + 840*C*d*x + 120*(10*A + 11*B + 12*C)*Sin[c + d*x] + 15*(31*A + 32*(B + C))*Sin[2*(c + d*x)] + 200*A*S Sin[3*(c + d*x)] + 180*B*S Sin[3*(c + d*x)] + 160*C*S Sin[3*(c + d*x)] + 75*A*S in[4*(c + d*x)] + 60*B*S Sin[4*(c + d*x)] + 30*C*S Sin[4*(c + d*x)] + 24*A*S Sin[5*(c + d*x)] + 12*B*S Sin[5*(c + d*x)] + 5*A*S Sin[6*(c + d*x)]))/(960*d)

Maple [A] time = 0.122, size = 304, normalized size = 1.4

$$\frac{1}{d} \left(a^2 A \left(\frac{\sin(dx + c)}{6} \left((\cos(dx + c))^5 + \frac{5(\cos(dx + c))^3}{4} + \frac{15 \cos(dx + c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{Ba^2 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] 1/d*(a^2*A*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+
5/16*d*x+5/16*c)+1/5*B*a^2*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+a
^2*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/5*a^2*A
*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+2*B*a^2*(1/4*(cos(d*x+c)^3+
3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*a^2*C*(2+cos(d*x+c)^2)*sin(d*
x+c)+a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3
*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+a^2*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x
+1/2*c))
```

Maxima [A] time = 0.960133, size = 400, normalized size = 1.88

$$128 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Aa^2 - 5 \left(4 \sin(2dx + 2c)^3 - 60dx - 60c - 9 \sin(4dx + 4c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="maxima")
```

```
[Out] 1/960*(128*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2 -
5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*
x + 2*c))*A*a^2 + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c)
)*A*a^2 + 64*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^2
- 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 + 60*(12*d*x + 12*c + sin(4*
d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2 - 640*(sin(d*x + c)^3 - 3*sin(d*x +
c))*C*a^2 + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^
2 + 240*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2)/d
```

Fricas [A] time = 0.523407, size = 373, normalized size = 1.75

$$15(11A + 12B + 14C)a^2dx + \left(40Aa^2 \cos(dx + c)^5 + 48(2A + B)a^2 \cos(dx + c)^4 + 10(11A + 12B + 6C)a^2 \cos(dx + c)^3 + 16(11A + 12B + 6C)a^2 \cos(dx + c)^2 + 16(11A + 12B + 6C)a^2 \cos(dx + c) + 16(11A + 12B + 6C)a^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/240*(15*(11*A + 12*B + 14*C)*a^2*d*x + (40*A*a^2*cos(d*x + c)^5 + 48*(2*A
+ B)*a^2*cos(d*x + c)^4 + 10*(11*A + 12*B + 6*C)*a^2*cos(d*x + c)^3 + 16*(
```

$8*A + 9*B + 10*C)*a^2*\cos(d*x + c)^2 + 15*(11*A + 12*B + 14*C)*a^2*\cos(d*x + c) + 32*(8*A + 9*B + 10*C)*a^2*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.30301, size = 473, normalized size = 2.22

$15(11Aa^2 + 12Ba^2 + 14Ca^2)(dx + c) + \frac{2\left(165Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 180Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 210Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 935Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 1020Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 1190Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 1986Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 2568Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 2580Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 3006Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 2808Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3180Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1305Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 1860Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2330Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 795Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 780Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 750Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^6}/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $1/240*(15*(11*A*a^2 + 12*B*a^2 + 14*C*a^2)*(d*x + c) + 2*(165*A*a^2*\tan(1/2*d*x + 1/2*c)^{11} + 180*B*a^2*\tan(1/2*d*x + 1/2*c)^{11} + 210*C*a^2*\tan(1/2*d*x + 1/2*c)^{11} + 935*A*a^2*\tan(1/2*d*x + 1/2*c)^9 + 1020*B*a^2*\tan(1/2*d*x + 1/2*c)^9 + 1190*C*a^2*\tan(1/2*d*x + 1/2*c)^9 + 1986*A*a^2*\tan(1/2*d*x + 1/2*c)^7 + 2568*B*a^2*\tan(1/2*d*x + 1/2*c)^7 + 2580*C*a^2*\tan(1/2*d*x + 1/2*c)^7 + 3006*A*a^2*\tan(1/2*d*x + 1/2*c)^5 + 2808*B*a^2*\tan(1/2*d*x + 1/2*c)^5 + 3180*C*a^2*\tan(1/2*d*x + 1/2*c)^5 + 1305*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + 1860*B*a^2*\tan(1/2*d*x + 1/2*c)^3 + 2330*C*a^2*\tan(1/2*d*x + 1/2*c)^3 + 795*A*a^2*\tan(1/2*d*x + 1/2*c) + 780*B*a^2*\tan(1/2*d*x + 1/2*c) + 750*C*a^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^6)/d$

3.427 $\int \sec^3(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=274

$$\frac{a^3(133A + 119B + 108C) \tan^3(c + dx)}{105d} + \frac{a^3(133A + 119B + 108C) \tan(c + dx)}{35d} + \frac{a^3(26A + 23B + 21C) \tanh^{-1}(\sin(c + dx))}{16d}$$

[Out] (a^3*(26*A + 23*B + 21*C)*ArcTanh[Sin[c + d*x]]/(16*d) + (a^3*(133*A + 119*B + 108*C)*Tan[c + d*x])/(35*d) + (a^3*(26*A + 23*B + 21*C)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (a^3*(154*A + 147*B + 129*C)*Sec[c + d*x]^3*Tan[c + d*x])/(280*d) + (C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(7*d) + ((7*B + 3*C)*Sec[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])^2*Tan[c + d*x])/(42*a*d) + ((3*A + 4*B + 3*C)*Sec[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Tan[c + d*x])/(15*d) + (a^3*(133*A + 119*B + 108*C)*Tan[c + d*x]^3)/(105*d)

Rubi [A] time = 0.598019, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4088, 4018, 3997, 3787, 3768, 3770, 3767}

$$\frac{a^3(133A + 119B + 108C) \tan^3(c + dx)}{105d} + \frac{a^3(133A + 119B + 108C) \tan(c + dx)}{35d} + \frac{a^3(26A + 23B + 21C) \tanh^{-1}(\sin(c + dx))}{16d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(26*A + 23*B + 21*C)*ArcTanh[Sin[c + d*x]]/(16*d) + (a^3*(133*A + 119*B + 108*C)*Tan[c + d*x])/(35*d) + (a^3*(26*A + 23*B + 21*C)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (a^3*(154*A + 147*B + 129*C)*Sec[c + d*x]^3*Tan[c + d*x])/(280*d) + (C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(7*d) + ((7*B + 3*C)*Sec[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])^2*Tan[c + d*x])/(42*a*d) + ((3*A + 4*B + 3*C)*Sec[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Tan[c + d*x])/(15*d) + (a^3*(133*A + 119*B + 108*C)*Tan[c + d*x]^3)/(105*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e

+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C \sec^3(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{7d} \\
 &= \frac{C \sec^3(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{7d} \\
 &= \frac{C \sec^3(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{7d} \\
 &= \frac{a^3(154A + 147B + 129C) \sec^3(c + dx) \tan(c + dx)}{280d} \\
 &= \frac{a^3(154A + 147B + 129C) \sec^3(c + dx) \tan(c + dx)}{280d} \\
 &= \frac{a^3(26A + 23B + 21C) \sec(c + dx) \tan(c + dx)}{16d} \\
 &= \frac{a^3(26A + 23B + 21C) \tanh^{-1}(\sin(c + dx))}{16d}
 \end{aligned}$$

Mathematica [A] time = 6.16201, size = 402, normalized size = 1.47

$$\frac{a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^7(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(105(26A + 23B + 21C) \cos^7\left(\frac{1}{2}(c + dx)\right) - 240C \sec(c + dx) \sin\left(\frac{1}{2}(c + dx)\right) - 40 \cos(c + dx) \sec(c + dx) (6C \sin(c + dx) + 7(B + 3C) \sin\left(\frac{1}{2}(c + dx)\right)) - 2 \cos(c + dx)^3 \sec(c + dx) (24(7A + 21B + 27C) \sin(c + dx) + 35(18A + 23B + 21C) \sin\left(\frac{1}{2}(c + dx)\right)) - \cos(c + dx)^5 \sec(c + dx) (16(133A + 119B + 108C) \sin(c + dx) + 105(26A + 23B + 21C) \sin\left(\frac{1}{2}(c + dx)\right)) - 8 \cos(c + dx)^2 \sec(c + dx) \tan(c + dx)\right)}{16d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] -(a^3*(1 + Cos[c + d*x])^3*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]^6*Sec[c + d*x]^7*(105*(26*A + 23*B + 21*C)*Cos[c + d*x]^7*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 240*C*Sec[c]*Sin[d*x] - 40*Cos[c + d*x]*Sec[c]*(6*C*Sin[c] + 7*(B + 3*C)*Sin[d*x]) - 2*Cos[c + d*x]^3*Sec[c]*(24*(7*A + 21*B + 27*C)*Sin[c] + 35*(18*A + 23*B + 21*C)*Sin[d*x]) - Cos[c + d*x]^5*Sec[c]*(16*(133*A + 119*B + 108*C)*Sin[c] + 105*(26*A + 23*B + 21*C)*Sin[d*x]) - 8*Cos[c + d*x]^2*Sec[c]*Tan[c + d*x])

$c](35*(B + 3*C)*\sin[c] + 6*(7*A + 21*B + 27*C)*\sin[d*x]) - 2*\cos[c + d*x]^4*\sec[c]*(35*(18*A + 23*B + 21*C)*\sin[c] + 8*(133*A + 119*B + 108*C)*\sin[d*x]) - \cos[c + d*x]^6*\sec[c]*(105*(26*A + 23*B + 21*C)*\sin[c] + 32*(133*A + 119*B + 108*C)*\sin[d*x]))/(6720*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*(c + d*x)]))$

Maple [A] time = 0.074, size = 455, normalized size = 1.7

$$\frac{23 Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{16d} + \frac{23 Ba^3 \tan(dx + c) (\sec(dx + c))^3}{24d} + \frac{23 Ba^3 \sec(dx + c) \tan(dx + c)}{16d} + \frac{3 Aa^3 \tan(dx + c)}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] $23/16/d*B*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+23/24/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^3+23/16/d*B*a^3*\sec(d*x+c)*\tan(d*x+c)+3/4/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^3+1/2/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^5+1/6/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^5+34/15/d*B*a^3*\tan(d*x+c)+17/15/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^2+38/15/d*A*a^3*\tan(d*x+c)+19/15/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^2+72/35*a^3*C*\tan(d*x+c)/d+27/35/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^4+36/35/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^2+3/5/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^4+1/5/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^4+1/7/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^6+13/8/d*A*a^3*\sec(d*x+c)*\tan(d*x+c)+7/8/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^3+21/16/d*a^3*C*\sec(d*x+c)*\tan(d*x+c)+13/8/d*A*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+21/16/d*a^3*C*\ln(\sec(d*x+c)+\tan(d*x+c))$

Maxima [B] time = 0.989039, size = 876, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] $1/3360*(224*(3*\tan(dx + c)^5 + 10*\tan(dx + c)^3 + 15*\tan(dx + c))*A*a^3 + 3360*(\tan(dx + c)^3 + 3*\tan(dx + c))*B*a^3 + 672*(3*\tan(dx + c)^5 + 10*\tan(dx + c)^3 + 15*\tan(dx + c))*B*a^3 + 1120*(\tan(dx + c)^3 + 3*\tan(dx + c))*B*a^3 + 96*(5*\tan(dx + c)^7 + 21*\tan(dx + c)^5 + 35*\tan(dx + c)^3 + 35*\tan(dx + c))*C*a^3 + 672*(3*\tan(dx + c)^5 + 10*\tan(dx + c)^3 + 15*$

```

tan(d*x + c))*C*a^3 - 35*B*a^3*(2*(15*sin(d*x + c)^5 - 40*sin(d*x + c)^3 +
33*sin(d*x + c))/(sin(d*x + c)^6 - 3*sin(d*x + c)^4 + 3*sin(d*x + c)^2 - 1)
- 15*log(sin(d*x + c) + 1) + 15*log(sin(d*x + c) - 1)) - 105*C*a^3*(2*(15*
sin(d*x + c)^5 - 40*sin(d*x + c)^3 + 33*sin(d*x + c))/(sin(d*x + c)^6 - 3*s
in(d*x + c)^4 + 3*sin(d*x + c)^2 - 1) - 15*log(sin(d*x + c) + 1) + 15*log(s
in(d*x + c) - 1)) - 630*A*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d
*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x
+ c) - 1)) - 630*B*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c
)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c)
- 1)) - 210*C*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 -
2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1))
- 840*A*a^3*(2*sin(d*x + c))/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) +
log(sin(d*x + c) - 1))/d

```

Fricas [A] time = 0.556788, size = 617, normalized size = 2.25

$$105(26A + 23B + 21C)a^3 \cos(dx + c)^7 \log(\sin(dx + c) + 1) - 105(26A + 23B + 21C)a^3 \cos(dx + c)^7 \log(-\sin(dx + c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")

```

```

[Out] 1/3360*(105*(26*A + 23*B + 21*C)*a^3*cos(d*x + c)^7*log(sin(d*x + c) + 1) -
105*(26*A + 23*B + 21*C)*a^3*cos(d*x + c)^7*log(-sin(d*x + c) + 1) + 2*(32
*(133*A + 119*B + 108*C)*a^3*cos(d*x + c)^6 + 105*(26*A + 23*B + 21*C)*a^3*
cos(d*x + c)^5 + 16*(133*A + 119*B + 108*C)*a^3*cos(d*x + c)^4 + 70*(18*A +
23*B + 21*C)*a^3*cos(d*x + c)^3 + 48*(7*A + 21*B + 27*C)*a^3*cos(d*x + c)^
2 + 280*(B + 3*C)*a^3*cos(d*x + c) + 240*C*a^3)*sin(d*x + c))/(d*cos(d*x +
c)^7)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \sec^3(c + dx) dx + \int 3A \sec^4(c + dx) dx + \int 3A \sec^5(c + dx) dx + \int A \sec^6(c + dx) dx + \int B \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)

```

```
[Out] a**3*(Integral(A*sec(c + d*x)**3, x) + Integral(3*A*sec(c + d*x)**4, x) + I
ntegral(3*A*sec(c + d*x)**5, x) + Integral(A*sec(c + d*x)**6, x) + Integral
(B*sec(c + d*x)**4, x) + Integral(3*B*sec(c + d*x)**5, x) + Integral(3*B*se
c(c + d*x)**6, x) + Integral(B*sec(c + d*x)**7, x) + Integral(C*sec(c + d*x
)**5, x) + Integral(3*C*sec(c + d*x)**6, x) + Integral(3*C*sec(c + d*x)**7,
x) + Integral(C*sec(c + d*x)**8, x))
```

Giac [A] time = 1.3511, size = 598, normalized size = 2.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/1680*(105*(26*A*a^3 + 23*B*a^3 + 21*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) +
1)) - 105*(26*A*a^3 + 23*B*a^3 + 21*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) -
1)) - 2*(2730*A*a^3*tan(1/2*d*x + 1/2*c)^13 + 2415*B*a^3*tan(1/2*d*x + 1/2*
c)^13 + 2205*C*a^3*tan(1/2*d*x + 1/2*c)^13 - 18200*A*a^3*tan(1/2*d*x + 1/2*
c)^11 - 16100*B*a^3*tan(1/2*d*x + 1/2*c)^11 - 14700*C*a^3*tan(1/2*d*x + 1/2
*c)^11 + 51506*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 45563*B*a^3*tan(1/2*d*x + 1/2
*c)^9 + 41601*C*a^3*tan(1/2*d*x + 1/2*c)^9 - 77952*A*a^3*tan(1/2*d*x + 1/2*
c)^7 - 72576*B*a^3*tan(1/2*d*x + 1/2*c)^7 - 62592*C*a^3*tan(1/2*d*x + 1/2*c
)^7 + 71246*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 62853*B*a^3*tan(1/2*d*x + 1/2*c)
^5 + 63231*C*a^3*tan(1/2*d*x + 1/2*c)^5 - 40040*A*a^3*tan(1/2*d*x + 1/2*c)^
3 - 33180*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 25620*C*a^3*tan(1/2*d*x + 1/2*c)^3
+ 10710*A*a^3*tan(1/2*d*x + 1/2*c) + 11025*B*a^3*tan(1/2*d*x + 1/2*c) + 11
235*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^7)/d
```

3.428 $\int \sec^2(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=216

$$\frac{a^3(30A + 26B + 23C) \tan^3(c + dx)}{120d} + \frac{a^3(30A + 26B + 23C) \tan(c + dx)}{10d} + \frac{a^3(30A + 26B + 23C) \tanh^{-1}(\sin(c + dx))}{16d}$$

[Out] $(a^3(30A + 26B + 23C) \operatorname{ArcTanh}[\sin(c + dx)])/(16d) + (a^3(30A + 26B + 23C) \operatorname{Tan}[c + dx])/(10d) + (3a^3(30A + 26B + 23C) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx])/(80d) + ((30A - 6B + 7C)(a + a \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx])/(120d) + (C \operatorname{Sec}[c + dx]^2 (a + a \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx])/(6d) + ((2B + C)(a + a \operatorname{Sec}[c + dx])^4 \operatorname{Tan}[c + dx])/(10ad) + (a^3(30A + 26B + 23C) \operatorname{Tan}[c + dx]^3)/(120d)$

Rubi [A] time = 0.455123, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4088, 4010, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{a^3(30A + 26B + 23C) \tan^3(c + dx)}{120d} + \frac{a^3(30A + 26B + 23C) \tan(c + dx)}{10d} + \frac{a^3(30A + 26B + 23C) \tanh^{-1}(\sin(c + dx))}{16d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sec}[c + dx]^2 (a + a \operatorname{Sec}[c + dx])^3 (A + B \operatorname{Sec}[c + dx] + C \operatorname{Sec}[c + dx]^2), x]$

[Out] $(a^3(30A + 26B + 23C) \operatorname{ArcTanh}[\sin(c + dx)])/(16d) + (a^3(30A + 26B + 23C) \operatorname{Tan}[c + dx])/(10d) + (3a^3(30A + 26B + 23C) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx])/(80d) + ((30A - 6B + 7C)(a + a \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx])/(120d) + (C \operatorname{Sec}[c + dx]^2 (a + a \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx])/(6d) + ((2B + C)(a + a \operatorname{Sec}[c + dx])^4 \operatorname{Tan}[c + dx])/(10ad) + (a^3(30A + 26B + 23C) \operatorname{Tan}[c + dx]^3)/(120d)$

Rule 4088

$\operatorname{Int}[(A + \operatorname{csc}(e + f x) + (f x) \operatorname{csc}(e + f x))(B + \operatorname{csc}(e + f x) + (f x) \operatorname{csc}(e + f x))^2 (C + \operatorname{csc}(e + f x) + (f x) \operatorname{csc}(e + f x))(d + (f x) \operatorname{csc}(e + f x))^n (C + \operatorname{csc}(e + f x) + (f x) \operatorname{csc}(e + f x))^m, x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(C \operatorname{Cot}[e + f x] (a + b \operatorname{Csc}[e + f x])^m (d \operatorname{Csc}[e + f x])^n) / (f(m + n + 1)), x] + \operatorname{Dist}[1 / (b(m + n + 1)), \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^m (d \operatorname{Csc}[e + f x])^n \operatorname{Simp}[A b(m + n + 1) + b C n + (a C m + b B(m + n + 1)) \operatorname{Csc}[e + f x], x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m, n\}, x \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& !\operatorname{LtQ}[m, -2^{(-1)}] \&\& !\operatorname{LtQ}[n, -2^{(-1)}] \&\& \operatorname{NeQ}$

$[m + n + 1, 0]$

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_))^(m_), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{6d} \\
 &= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^3 \tan(c + dx)}{6d} \\
 &= \frac{(30A - 6B + 7C)(a + a \sec(c + dx))^3 \tan(c + dx)}{120d} \\
 &= \frac{(30A - 6B + 7C)(a + a \sec(c + dx))^3 \tan(c + dx)}{120d} \\
 &= \frac{(30A - 6B + 7C)(a + a \sec(c + dx))^3 \tan(c + dx)}{120d} \\
 &= \frac{a^3(30A + 26B + 23C) \tanh^{-1}(\sin(c + dx))}{40d} \\
 &= \frac{a^3(30A + 26B + 23C) \tanh^{-1}(\sin(c + dx))}{16d}
 \end{aligned}$$

Mathematica [A] time = 4.24088, size = 359, normalized size = 1.66

$$\frac{a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^6(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(15(30A + 26B + 23C) \cos^6(c + dx) + \dots\right)}{16d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec
[c + d*x]^2), x]
```

```
[Out] -(a^3*(1 + Cos[c + d*x])^3*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[(c +
d*x)/2]^6*Sec[c + d*x]^6*(15*(30*A + 26*B + 23*C)*Cos[c + d*x]^6*(Log[Cos[
(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]
) - 40*C*Sec[c]*Sin[d*x] - 8*Cos[c + d*x]*Sec[c]*(5*C*Sin[c] + 6*(B + 3*C)*
Sin[d*x]) - 2*Cos[c + d*x]^3*Sec[c]*(5*(6*A + 18*B + 23*C)*Sin[c] + 8*(15*A
+ 19*B + 17*C)*Sin[d*x]) - 2*Cos[c + d*x]^2*Sec[c]*(24*(B + 3*C)*Sin[c] +
5*(6*A + 18*B + 23*C)*Sin[d*x]) - Cos[c + d*x]^4*Sec[c]*(16*(15*A + 19*B +
17*C)*Sin[c] + 15*(30*A + 26*B + 23*C)*Sin[d*x]) - Cos[c + d*x]^5*Sec[c]*(1
```

$5*(30*A + 26*B + 23*C)*\text{Sin}[c] + 16*(45*A + 38*B + 34*C)*\text{Sin}[d*x]))/(960*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*(c + d*x)]))$

Maple [A] time = 0.067, size = 385, normalized size = 1.8

$$3 \frac{Aa^3 \tan(dx + c)}{d} + \frac{13Ba^3 \sec(dx + c) \tan(dx + c)}{8d} + \frac{13Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{34a^3 C \tan(dx + c)}{15d} + \frac{1}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] $3/d*A*a^3*\tan(d*x+c)+13/8/d*B*a^3*\sec(d*x+c)*\tan(d*x+c)+13/8/d*B*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+34/15*a^3*C*\tan(d*x+c)/d+17/15/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^2+15/8/d*A*a^3*\sec(d*x+c)*\tan(d*x+c)+15/8/d*A*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+38/15/d*B*a^3*\tan(d*x+c)+19/15/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^2+23/24/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^3+23/16/d*a^3*C*\sec(d*x+c)*\tan(d*x+c)+23/16/d*a^3*C*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^2+3/4/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^3+3/5/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^4+1/4/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^3+1/5/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^4+1/6/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^5$

Maxima [B] time = 0.982393, size = 755, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] $1/480*(480*(\tan(d*x + c))^3 + 3*\tan(d*x + c))*A*a^3 + 32*(3*\tan(d*x + c))^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*B*a^3 + 480*(\tan(d*x + c))^3 + 3*\tan(d*x + c))*C*a^3 + 160*(\tan(d*x + c))^3 + 3*\tan(d*x + c))*C*a^3 - 5*C*a^3*(2*(15*\sin(d*x + c))^5 - 40*\sin(d*x + c)^3 + 33*\sin(d*x + c))/(\sin(d*x + c)^6 - 3*\sin(d*x + c)^4 + 3*\sin(d*x + c)^2 - 1) - 15*\log(\sin(d*x + c) + 1) + 15*\log(\sin(d*x + c) - 1)) - 30*A*a^3*(2*(3*\sin(d*x + c))^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 90*B*a^3*(2*(3*\sin(d*x + c))^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 -$

$$2*\sin(dx + c)^2 + 1) - 3*\log(\sin(dx + c) + 1) + 3*\log(\sin(dx + c) - 1)) - 90*C*a^3*(2*(3*\sin(dx + c)^3 - 5*\sin(dx + c))/(\sin(dx + c)^4 - 2*\sin(dx + c)^2 + 1) - 3*\log(\sin(dx + c) + 1) + 3*\log(\sin(dx + c) - 1)) - 360*A*a^3*(2*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 120*B*a^3*(2*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 480*A*a^3*\tan(dx + c))/d$$

Fricas [A] time = 0.543938, size = 540, normalized size = 2.5

$$15(30A + 26B + 23C)a^3 \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15(30A + 26B + 23C)a^3 \cos(dx + c)^6 \log(-\sin(dx + c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(dx+c)^2*(a+a*sec(dx+c))^3*(A+B*sec(dx+c)+C*sec(dx+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/480*(15*(30*A + 26*B + 23*C)*a^3*cos(dx + c)^6*log(sin(dx + c) + 1) - 15*(30*A + 26*B + 23*C)*a^3*cos(dx + c)^6*log(-sin(dx + c) + 1) + 2*(16*(45*A + 38*B + 34*C)*a^3*cos(dx + c)^5 + 15*(30*A + 26*B + 23*C)*a^3*cos(dx + c)^4 + 16*(15*A + 19*B + 17*C)*a^3*cos(dx + c)^3 + 10*(6*A + 18*B + 23*C)*a^3*cos(dx + c)^2 + 48*(B + 3*C)*a^3*cos(dx + c) + 40*C*a^3*sin(dx + c))/(d*cos(dx + c)^6)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \sec^2(c + dx) dx + \int 3A \sec^3(c + dx) dx + \int 3A \sec^4(c + dx) dx + \int A \sec^5(c + dx) dx + \int B \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(dx+c)**2*(a+a*sec(dx+c))**3*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)
```

```
[Out] a**3*(Integral(A*sec(c + dx)**2, x) + Integral(3*A*sec(c + dx)**3, x) + Integral(3*A*sec(c + dx)**4, x) + Integral(A*sec(c + dx)**5, x) + Integral(B*sec(c + dx)**3, x) + Integral(3*B*sec(c + dx)**4, x) + Integral(3*B*sec(c + dx)**5, x) + Integral(B*sec(c + dx)**6, x) + Integral(C*sec(c + dx)**4, x) + Integral(3*C*sec(c + dx)**5, x) + Integral(3*C*sec(c + dx)**6, x))
```

x) + Integral(C*sec(c + d*x)**7, x))

Giac [A] time = 1.36912, size = 529, normalized size = 2.45

$$15(30Aa^3 + 26Ba^3 + 23Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(30Aa^3 + 26Ba^3 + 23Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/240*(15*(30*A*a^3 + 26*B*a^3 + 23*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(30*A*a^3 + 26*B*a^3 + 23*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(450*A*a^3*tan(1/2*d*x + 1/2*c)^11 + 390*B*a^3*tan(1/2*d*x + 1/2*c)^11 + 345*C*a^3*tan(1/2*d*x + 1/2*c)^11 - 2550*A*a^3*tan(1/2*d*x + 1/2*c)^9 - 2210*B*a^3*tan(1/2*d*x + 1/2*c)^9 - 1955*C*a^3*tan(1/2*d*x + 1/2*c)^9 + 5940*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 5148*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 4554*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 7500*A*a^3*tan(1/2*d*x + 1/2*c)^5 - 5988*B*a^3*tan(1/2*d*x + 1/2*c)^5 - 5814*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 5130*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 4190*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 3165*C*a^3*tan(1/2*d*x + 1/2*c)^3 - 1470*A*a^3*tan(1/2*d*x + 1/2*c) - 1530*B*a^3*tan(1/2*d*x + 1/2*c) - 1575*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^6/d

3.429 $\int \sec(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=175

$$\frac{a^3(20A + 15B + 13C) \tan^3(c + dx)}{60d} + \frac{a^3(20A + 15B + 13C) \tan(c + dx)}{5d} + \frac{a^3(20A + 15B + 13C) \tanh^{-1}(\sin(c + dx))}{8d}$$

[Out] (a^3*(20*A + 15*B + 13*C)*ArcTanh[Sin[c + d*x]]/(8*d) + (a^3*(20*A + 15*B + 13*C)*Tan[c + d*x])/(5*d) + (3*a^3*(20*A + 15*B + 13*C)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + ((5*B - C)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*a*d) + (a^3*(20*A + 15*B + 13*C)*Tan[c + d*x]^3)/(60*d)

Rubi [A] time = 0.276564, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$, Rules used = {4082, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{a^3(20A + 15B + 13C) \tan^3(c + dx)}{60d} + \frac{a^3(20A + 15B + 13C) \tan(c + dx)}{5d} + \frac{a^3(20A + 15B + 13C) \tanh^{-1}(\sin(c + dx))}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(20*A + 15*B + 13*C)*ArcTanh[Sin[c + d*x]]/(8*d) + (a^3*(20*A + 15*B + 13*C)*Tan[c + d*x])/(5*d) + (3*a^3*(20*A + 15*B + 13*C)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + ((5*B - C)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (C*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*a*d) + (a^3*(20*A + 15*B + 13*C)*Tan[c + d*x]^3)/(60*d)

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] :-> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C(a+a\sec(c+dx))^4 \tan(c+dx)}{5ad} + \int \sec(c+dx) \\
&= \frac{(5B-C)(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} \\
&= \frac{(5B-C)(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} \\
&= \frac{(5B-C)(a+a\sec(c+dx))^3 \tan(c+dx)}{20d} \\
&= \frac{a^3(20A+15B+13C) \tanh^{-1}(\sin(c+dx))}{20d} \\
&= \frac{a^3(20A+15B+13C) \tanh^{-1}(\sin(c+dx))}{8d}
\end{aligned}$$

Mathematica [B] time = 3.60817, size = 431, normalized size = 2.46

$$a^3(\cos(c+dx)+1)^3 \sec^6\left(\frac{1}{2}(c+dx)\right) \sec^5(c+dx) (A \cos^2(c+dx) + B \cos(c+dx) + C) \left(240(20A+15B+13C) \cos^5\left(\frac{1}{2}(c+dx)\right) - \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $-(a^3(1 + \cos(c+dx))^3(C + B\cos(c+dx) + A\cos^2(c+dx))\sec^6\left(\frac{c+dx}{2}\right)\sec^5(c+dx)(240(20A+15B+13C)\cos^5\left(\frac{c+dx}{2}\right)(\log\left(\frac{\cos\left(\frac{c+dx}{2}\right) - \sin\left(\frac{c+dx}{2}\right)}{\cos\left(\frac{c+dx}{2}\right) + \sin\left(\frac{c+dx}{2}\right)}\right) - \sec(c)\left(80(34A+30B+29C)\sin(dx) - 240(7A+5B+3C)\sin(2c+dx) + 360A\sin(c+2dx) + 570B\sin(c+2dx) + 750C\sin(c+2dx) + 360A\sin(3c+2dx) + 570B\sin(3c+2dx) + 750C\sin(3c+2dx) + 1840A\sin(2c+3dx) + 1680B\sin(2c+3dx) + 1520C\sin(2c+3dx) - 360A\sin(4c+3dx) - 120B\sin(4c+3dx) + 180A\sin(3c+4dx) + 225B\sin(3c+4dx) + 195C\sin(3c+4dx) + 180A\sin(5c+4dx) + 225B\sin(5c+4dx) + 195C\sin(5c+4dx) + 440A\sin(4c+5dx) + 360B\sin(4c+5dx) + 304C\sin(4c+5dx)\right)))/(7680d(A + 2C + 2B\cos(c+dx) + A\cos^2(c+dx)))$

Maple [A] time = 0.069, size = 316, normalized size = 1.8

$$\frac{5Aa^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + 3\frac{Ba^3 \tan(dx+c)}{d} + \frac{13a^3C \sec(dx+c) \tan(dx+c)}{8d} + \frac{13a^3C \ln(\sec(dx+c))}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $5/2/d*A*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+3/d*B*a^3*\tan(d*x+c)+13/8/d*a^3*C*\sec(d*x+c)*\tan(d*x+c)+13/8/d*a^3*C*\ln(\sec(d*x+c)+\tan(d*x+c))+11/3/d*A*a^3*\tan(d*x+c)+15/8/d*B*a^3*\sec(d*x+c)*\tan(d*x+c)+15/8/d*B*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+38/15*a^3*C*\tan(d*x+c)/d+19/15/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^2+3/2/d*A*a^3*\sec(d*x+c)*\tan(d*x+c)+1/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^2+3/4/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^3+1/3/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^2+1/4/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^3+1/5/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^4$

Maxima [B] time = 0.974619, size = 593, normalized size = 3.39

$80(\tan(dx+c)^3+3\tan(dx+c))Aa^3+240(\tan(dx+c)^3+3\tan(dx+c))Ba^3+16(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))Ca^3$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")`

[Out] $1/240*(80*(\tan(d*x+c)^3+3*\tan(d*x+c))*A*a^3+240*(\tan(d*x+c)^3+3*\tan(d*x+c))*B*a^3+16*(3*\tan(d*x+c)^5+10*\tan(d*x+c)^3+15*\tan(d*x+c))*C*a^3+240*(\tan(d*x+c)^3+3*\tan(d*x+c))*C*a^3-15*B*a^3*(2*(3*\sin(d*x+c)^3-5*\sin(d*x+c))/(\sin(d*x+c)^4-2*\sin(d*x+c)^2+1)-3*\log(\sin(d*x+c)+1)+3*\log(\sin(d*x+c)-1))-45*C*a^3*(2*(3*\sin(d*x+c)^3-5*\sin(d*x+c))/(\sin(d*x+c)^4-2*\sin(d*x+c)^2+1)-3*\log(\sin(d*x+c)+1)+3*\log(\sin(d*x+c)-1))-180*A*a^3*(2*\sin(d*x+c)/(\sin(d*x+c)^2-1)-\log(\sin(d*x+c)+1)+\log(\sin(d*x+c)-1))-180*B*a^3*(2*\sin(d*x+c)/(\sin(d*x+c)^2-1)-\log(\sin(d*x+c)+1)+\log(\sin(d*x+c)-1))-60*C*a^3*(2*\sin(d*x+c)/(\sin(d*x+c)^2-1)-\log(\sin(d*x+c)+1)+\log(\sin(d*x+c)-1))+240*A*a^3*\log(\sec(d*x+c)+\tan(d*x+c))+720*A*a^3*\tan(d*x+c)+240*B*a^3*\tan(d*x+c))/d$

Fricas [A] time = 0.527647, size = 477, normalized size = 2.73

$15(20A+15B+13C)a^3\cos(dx+c)^5\log(\sin(dx+c)+1)-15(20A+15B+13C)a^3\cos(dx+c)^5\log(-\sin(dx+c))$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/240*(15*(20*A + 15*B + 13*C)*a^3*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 1
5*(20*A + 15*B + 13*C)*a^3*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(8*(55
*A + 45*B + 38*C)*a^3*cos(d*x + c)^4 + 15*(12*A + 15*B + 13*C)*a^3*cos(d*x
+ c)^3 + 8*(5*A + 15*B + 19*C)*a^3*cos(d*x + c)^2 + 30*(B + 3*C)*a^3*cos(d*
x + c) + 24*C*a^3)*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \sec(c + dx) dx + \int 3A \sec^2(c + dx) dx + \int 3A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int B \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x
)
```

```
[Out] a**3*(Integral(A*sec(c + d*x), x) + Integral(3*A*sec(c + d*x)**2, x) + Inte
gral(3*A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integral(B*
sec(c + d*x)**2, x) + Integral(3*B*sec(c + d*x)**3, x) + Integral(3*B*sec(c
+ d*x)**4, x) + Integral(B*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**
3, x) + Integral(3*C*sec(c + d*x)**4, x) + Integral(3*C*sec(c + d*x)**5, x)
+ Integral(C*sec(c + d*x)**6, x))
```

Giac [B] time = 1.34055, size = 460, normalized size = 2.63

$$15 \left(20 A a^3 + 15 B a^3 + 13 C a^3 \right) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 15 \left(20 A a^3 + 15 B a^3 + 13 C a^3 \right) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] 1/120*(15*(20*A*a^3 + 15*B*a^3 + 13*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1
)) - 15*(20*A*a^3 + 15*B*a^3 + 13*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1))
- 2*(300*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 225*B*a^3*tan(1/2*d*x + 1/2*c)^9 +
195*C*a^3*tan(1/2*d*x + 1/2*c)^9 - 1400*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 105
0*B*a^3*tan(1/2*d*x + 1/2*c)^7 - 910*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 2560*A*
a^3*tan(1/2*d*x + 1/2*c)^5 + 1920*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 1664*C*a^3
*tan(1/2*d*x + 1/2*c)^5 - 2120*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 1830*B*a^3*ta
n(1/2*d*x + 1/2*c)^3 - 1330*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 660*A*a^3*tan(1/
2*d*x + 1/2*c) + 735*B*a^3*tan(1/2*d*x + 1/2*c) + 765*C*a^3*tan(1/2*d*x + 1
/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5)/d
```


3.430 $\int (a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=162

$$\frac{5a^3(4A + 4B + 3C) \tan(c + dx)}{8d} + \frac{a^3(28A + 20B + 15C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(12A + 20B + 15C) \tan(c + dx) (a^3 \sec^2(c + dx))}{24d}$$

[Out] $a^3 A x + (a^3 (28A + 20B + 15C) \operatorname{ArcTanh}[\sin(c + dx)]) / (8d) + (5a^3 (4A + 4B + 3C) \tan(c + dx)) / (8d) + (C(a + a \sec(c + dx))^3 \tan(c + dx)) / (4d) + ((4B + 3C)(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)) / (12ad) + ((12A + 20B + 15C)(a^3 + a^3 \sec(c + dx)) \tan(c + dx)) / (24d)$

Rubi [A] time = 0.237257, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4054, 3917, 3914, 3767, 8, 3770}

$$\frac{5a^3(4A + 4B + 3C) \tan(c + dx)}{8d} + \frac{a^3(28A + 20B + 15C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(12A + 20B + 15C) \tan(c + dx) (a^3 \sec^2(c + dx))}{24d}$$

Antiderivative was successfully verified.

[In] $\int (a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)), x$

[Out] $a^3 A x + (a^3 (28A + 20B + 15C) \operatorname{ArcTanh}[\sin(c + dx)]) / (8d) + (5a^3 (4A + 4B + 3C) \tan(c + dx)) / (8d) + (C(a + a \sec(c + dx))^3 \tan(c + dx)) / (4d) + ((4B + 3C)(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)) / (12ad) + ((12A + 20B + 15C)(a^3 + a^3 \sec(c + dx)) \tan(c + dx)) / (24d)$

Rule 4054

$\operatorname{Int}[(A + \csc(e + f x)) (B + \csc(e + f x))^2 (C + \csc(e + f x)) (b + a)^m, x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(C \cot(e + f x) (a + b \csc(e + f x))^m) / (f(m + 1)), x] + \operatorname{Dist}[1 / (b(m + 1)), \operatorname{Int}[(a + b \csc(e + f x))^m \operatorname{Simp}[A b (m + 1) + (a C m + b B (m + 1)) \csc(e + f x)], x], x] /;$ $\text{FreeQ}\{a, b, e, f, A, B, C, m\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{!LtQ}[m, -2^{(-1)}]$

Rule 3917

$\operatorname{Int}[(\csc(e + f x)) (b + a)^m (\csc(e + f x)) (d + c), x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(b d \cot(e + f x) (a + b \csc(e + f x))^{m-1}) / (f(m + 1)), x]$

1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3914

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int (a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{\int (a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{4d} \\
 &= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{(4B + 3C)(a^2 + a^2 \sec^2(c + dx))}{4d} \\
 &= \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{(4B + 3C)(a^2 + a^2 \sec^2(c + dx))}{4d} \\
 &= a^3 Ax + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{(4B + 3C)(a^2 + a^2 \sec^2(c + dx))}{4d} \\
 &= a^3 Ax + \frac{a^3(28A + 20B + 15C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} \\
 &= a^3 Ax + \frac{a^3(28A + 20B + 15C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{C(a + a \sec(c + dx))^3 \tan(c + dx)}{4d}
 \end{aligned}$$

Mathematica [B] time = 3.09256, size = 464, normalized size = 2.86

$$a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(\sec(c)(12A \sin(2c + dx) + 216$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(1 + Cos[c + d*x])^3*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]^6*Sec[c + d*x]^4*(-24*(28*A + 20*B + 15*C)*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c]*(72*A*d*x*Cos[c] + 48*A*d*x*Cos[c + 2*d*x] + 48*A*d*x*Cos[3*c + 2*d*x] + 12*A*d*x*Cos[3*c + 4*d*x] + 12*A*d*x*Cos[5*c + 4*d*x] - 216*A*Sin[c] - 264*B*Sin[c] - 216*C*Sin[c] + 12*A*Sin[d*x] + 36*B*Sin[d*x] + 69*C*Sin[d*x] + 12*A*Sin[2*c + d*x] + 36*B*Sin[2*c + d*x] + 69*C*Sin[2*c + d*x] + 216*A*Sin[c + 2*d*x] + 280*B*Sin[c + 2*d*x] + 264*C*Sin[c + 2*d*x] - 72*A*Sin[3*c + 2*d*x] - 72*B*Sin[3*c + 2*d*x] - 24*C*Sin[3*c + 2*d*x] + 12*A*Sin[2*c + 3*d*x] + 36*B*Sin[2*c + 3*d*x] + 45*C*Sin[2*c + 3*d*x] + 12*A*Sin[4*c + 3*d*x] + 36*B*Sin[4*c + 3*d*x] + 45*C*Sin[4*c + 3*d*x] + 72*A*Sin[3*c + 4*d*x] + 88*B*Sin[3*c + 4*d*x] + 72*C*Sin[3*c + 4*d*x]))/(768*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.065, size = 262, normalized size = 1.6

$$a^3 Ax + \frac{Aa^3 c}{d} + \frac{5Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 3 \frac{a^3 C \tan(dx + c)}{d} + \frac{7Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] a^3*A*x+1/d*A*a^3*c+5/2/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+3*a^3*C*tan(d*x+c)/d+7/2/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+11/3/d*B*a^3*tan(d*x+c)+15/8/d*a^3*C*sec(d*x+c)*tan(d*x+c)+15/8/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+3/d*A*a^3*tan(d*x+c)+3/2/d*B*a^3*sec(d*x+c)*tan(d*x+c)+1/d*a^3*C*tan(d*x+c)*sec(d*x+c)^2+1/2/d*A*a^3*sec(d*x+c)*tan(d*x+c)+1/3/d*B*a^3*tan(d*x+c)*sec(d*x+c)^2+1/4/d*a^3*C*tan(d*x+c)*sec(d*x+c)^3

Maxima [B] time = 0.960431, size = 475, normalized size = 2.93

$$48(dx+c)Aa^3 + 16(\tan(dx+c)^3 + 3\tan(dx+c))Ba^3 + 48(\tan(dx+c)^3 + 3\tan(dx+c))Ca^3 - 3Ca^3 \left(\frac{2(3\sin(dx+c)^3 - \sin(dx+c)^4 - 2\sin(dx+c)^2 + 1)}{\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/48*(48*(d*x + c)*A*a^3 + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^3 + 48*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^3 - 3*C*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/((sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*A*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 36*B*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 36*C*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 144*A*a^3*log(sec(d*x + c) + tan(d*x + c)) + 48*B*a^3*log(sec(d*x + c) + tan(d*x + c)) + 144*A*a^3*tan(d*x + c) + 144*B*a^3*tan(d*x + c) + 48*C*a^3*tan(d*x + c))/d

Fricas [A] time = 0.558428, size = 447, normalized size = 2.76

$$48Aa^3 dx \cos(dx+c)^4 + 3(28A+20B+15C)a^3 \cos(dx+c)^4 \log(\sin(dx+c)+1) - 3(28A+20B+15C)a^3 \cos(dx+c)^4 \log(\sin(dx+c)-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/48*(48*A*a^3*d*x*cos(d*x + c)^4 + 3*(28*A + 20*B + 15*C)*a^3*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(28*A + 20*B + 15*C)*a^3*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(8*(9*A + 11*B + 9*C))*a^3*cos(d*x + c)^3 + 3*(4*A + 12*B + 15*C)*a^3*cos(d*x + c)^2 + 8*(B + 3*C)*a^3*cos(d*x + c) + 6*C*a^3*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A dx + \int 3A \sec(c + dx) dx + \int 3A \sec^2(c + dx) dx + \int A \sec^3(c + dx) dx + \int B \sec(c + dx) dx + \int 3B \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] a**3*(Integral(A, x) + Integral(3*A*sec(c + d*x), x) + Integral(3*A*sec(c + d*x)**2, x) + Integral(A*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x), x) + Integral(3*B*sec(c + d*x)**2, x) + Integral(3*B*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**2, x) + Integral(3*C*sec(c + d*x)**3, x) + Integral(3*C*sec(c + d*x)**4, x) + Integral(C*sec(c + d*x)**5, x))

Giac [A] time = 1.32838, size = 406, normalized size = 2.51

$$24(dx+c)Aa^3 + 3(28Aa^3 + 20Ba^3 + 15Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(28Aa^3 + 20Ba^3 + 15Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{24}(24(dx+c)Aa^3 + 3(28Aa^3 + 20Ba^3 + 15Ca^3) \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1)) - 3(28Aa^3 + 20Ba^3 + 15Ca^3) \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) - 2(60Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 60Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 45Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 204Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 220Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 165Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 228Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 292Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 219Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 84Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) - 132Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) - 147Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^4 / d$

3.431 $\int \cos(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=156

$$\frac{a^3(6A + 7B + 5C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(6A - 3B - 5C) \tan(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} + a^3 x(3A + B) - \frac{(3A - C) \tan(c + dx)}{2d}$$

[Out] $a^3(3A + B)x + (a^3(6A + 7B + 5C) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) + (A(a + a \sec(c + dx))^3 \sin(c + dx))/d + (5a^3(B + C) \tan(c + dx))/(2d) - ((3A - C)(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx))/(3ad) - ((6A - 3B - 5C)(a^3 + a^3 \sec(c + dx)) \tan(c + dx))/(6d)$

Rubi [A] time = 0.284327, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4086, 3917, 3914, 3767, 8, 3770}

$$\frac{a^3(6A + 7B + 5C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(6A - 3B - 5C) \tan(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} + a^3 x(3A + B) - \frac{(3A - C) \tan(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx) + C \sec^2(c + dx)), x]$

[Out] $a^3(3A + B)x + (a^3(6A + 7B + 5C) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) + (A(a + a \sec(c + dx))^3 \sin(c + dx))/d + (5a^3(B + C) \tan(c + dx))/(2d) - ((3A - C)(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx))/(3ad) - ((6A - 3B - 5C)(a^3 + a^3 \sec(c + dx)) \tan(c + dx))/(6d)$

Rule 4086

$\operatorname{Int}[(A + \csc(e + f(x)))(B + \csc(e + f(x)))^2(C + \csc(e + f(x)))^n(d + f(x))^{n-1} \csc(e + f(x)) + (A + \csc(e + f(x)))^m, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(A \cot(e + f(x))(a + b \csc(e + f(x)))^m (d \csc(e + f(x)))^n)/(f n), x] - \operatorname{Dist}[1/(b d n), \operatorname{Int}[(a + b \csc(e + f(x)))^m (d \csc(e + f(x)))^{n+1} \operatorname{Simp}[a A m - b B n - b(A(m + n + 1) + C n) \csc(e + f(x)), x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{!LtQ}[m, -2^{(-1)}] \&\& (\operatorname{LtQ}[n, -2^{(-1)}] \mid \mid \operatorname{EqQ}[m + n + 1, 0])$

Rule 3917

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3914

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d} + \frac{\int (a + a \sec(c + dx))^3 \sin(c + dx) dx}{d} \\
&= \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{(3A - B)(a + a \sec(c + dx))^3 \sin(c + dx)}{d} \\
&= \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{(3A - B)(a + a \sec(c + dx))^3 \sin(c + dx)}{d} \\
&= a^3(3A + B)x + \frac{A(a + a \sec(c + dx))^3 \sin(c + dx)}{d} \\
&= a^3(3A + B)x + \frac{a^3(6A + 7B + 5C) \tanh^{-1}(\sec(c + dx))}{2d} \\
&= a^3(3A + B)x + \frac{a^3(6A + 7B + 5C) \tanh^{-1}(\sec(c + dx))}{2d}
\end{aligned}$$

Mathematica [B] time = 6.45498, size = 1503, normalized size = 9.63

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((3*A + B)*x*Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((-6*A - 7*B - 5*C)*Cos[c + d*x]^5*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(8*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((6*A + 7*B + 5*C)*Cos[c + d*x]^5*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(8*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (A*Cos[d*x]*Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/ (4*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (A*Cos[c]*Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[d*x])/ (4*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (C*Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[(d*x)/2])/ (24*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])^3 + (Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B
```


*Sec[c + d*x] + C*Sec[c + d*x]^2)*(3*B*Cos[c/2] + 10*C*Cos[c/2] - 3*B*Sin[c/2] - 8*C*Sin[c/2]))/(48*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])^2) + (Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(3*A*Sin[(d*x)/2] + 9*B*Sin[(d*x)/2] + 11*C*Sin[(d*x)/2]))/(12*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])) + (C*Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[(d*x)/2])/(24*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^3) + (Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-3*B*Cos[c/2] - 10*C*Cos[c/2] - 3*B*Sin[c/2] - 8*C*Sin[c/2]))/(48*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^2) + (Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(3*A*Sin[(d*x)/2] + 9*B*Sin[(d*x)/2] + 11*C*Sin[(d*x)/2]))/(12*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]))

Maple [A] time = 0.107, size = 226, normalized size = 1.5

$$\frac{Aa^3 \sin(dx + c)}{d} + a^3 Bx + \frac{Ba^3 c}{d} + \frac{5a^3 C \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 3a^3 Ax + 3 \frac{Aa^3 c}{d} + \frac{7Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] a^3*A*sin(d*x+c)/d+a^3*B*x+1/d*B*a^3*c+5/2/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+3*a^3*A*x+3/d*A*a^3*c+7/2/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+11/3*a^3*C*tan(d*x+c)/d+3/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+3/d*B*a^3*tan(d*x+c)+3/2/d*a^3*C*sec(d*x+c)*tan(d*x+c)+1/d*A*a^3*tan(d*x+c)+1/2/d*B*a^3*sec(d*x+c)*tan(d*x+c)+1/3/d*a^3*C*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.965363, size = 370, normalized size = 2.37

$$36(dx + c)Aa^3 + 12(dx + c)Ba^3 + 4\left(\tan(dx + c)^3 + 3 \tan(dx + c)\right)Ca^3 - 3Ba^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")
```

```
[Out] 1/12*(36*(d*x + c)*A*a^3 + 12*(d*x + c)*B*a^3 + 4*(tan(d*x + c)^3 + 3*tan(d
*x + c))*C*a^3 - 3*B*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x
+ c) + 1) + log(sin(d*x + c) - 1)) - 9*C*a^3*(2*sin(d*x + c)/(sin(d*x + c)
^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 18*A*a^3*(log(si
n(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 18*B*a^3*(log(sin(d*x + c) + 1)
- log(sin(d*x + c) - 1)) + 6*C*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c
) - 1)) + 12*A*a^3*sin(d*x + c) + 12*A*a^3*tan(d*x + c) + 36*B*a^3*tan(d*x
+ c) + 36*C*a^3*tan(d*x + c))/d
```

Fricas [A] time = 0.557569, size = 425, normalized size = 2.72

$$12(3A + B)a^3 dx \cos(dx + c)^3 + 3(6A + 7B + 5C)a^3 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(6A + 7B + 5C)a^3 \cos(dx + c)^3 \log(\sin(dx + c) - 1) + 18Aa^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 18Ba^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 6Ca^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 12Aa^3 \sin(dx + c) + 12Aa^3 \tan(dx + c) + 36Ba^3 \tan(dx + c) + 36Ca^3 \tan(dx + c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/12*(12*(3*A + B)*a^3*d*x*cos(d*x + c)^3 + 3*(6*A + 7*B + 5*C)*a^3*cos(d*x
+ c)^3*log(sin(d*x + c) + 1) - 3*(6*A + 7*B + 5*C)*a^3*cos(d*x + c)^3*log(
-sin(d*x + c) + 1) + 2*(6*A*a^3*cos(d*x + c)^3 + 2*(3*A + 9*B + 11*C)*a^3*c
os(d*x + c)^2 + 3*(B + 3*C)*a^3*cos(d*x + c) + 2*C*a^3)*sin(d*x + c))/(d*co
s(d*x + c)^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x
)
```

```
[Out] Timed out
```

Giac [A] time = 1.3687, size = 389, normalized size = 2.49

$$\frac{12 Aa^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 6(3 Aa^3 + Ba^3)(dx + c) + 3(6 Aa^3 + 7 Ba^3 + 5 Ca^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 3(6 Aa^3 + 7 Ba^3 + 5 Ca^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out] $\frac{1}{6} \cdot \frac{12 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 6 \left(3 A a^3 + B a^3\right) (d x + c) + 3 \left(6 A a^3 + 7 B a^3 + 5 C a^3\right) \log\left(\left|\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right|\right) - 3 \left(6 A a^3 + 7 B a^3 + 5 C a^3\right) \log\left(\left|\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right|\right) - 2 \left(6 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 15 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 15 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 - 12 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - 36 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - 40 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 6 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 21 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 33 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - 1\right)^3}{d}$

3.432 $\int \cos^2(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=171

$$\frac{a^3(2A + 6B + 7C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(A - 2B - 4C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{2d} + \frac{1}{2} a^3 x (7A + 6B + 2C) + \frac{5a^3}{2}$$

[Out] (a^3*(7*A + 6*B + 2*C)*x)/2 + (a^3*(2*A + 6*B + 7*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^3*(A - C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(2*d) - ((A - C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*a*d) - ((A - 2*B - 4*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.425446, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4086, 4018, 3996, 3770}

$$\frac{a^3(2A + 6B + 7C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(A - 2B - 4C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{2d} + \frac{1}{2} a^3 x (7A + 6B + 2C) + \frac{5a^3}{2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(7*A + 6*B + 2*C)*x)/2 + (a^3*(2*A + 6*B + 7*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^3*(A - C)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(2*d) - ((A - C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*a*d) - ((A - 2*B - 4*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{A \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{5a^3(A - C) \sin(c + dx)}{2d} + \frac{A \cos(c + dx)}{2d} \\
&= \frac{1}{2}a^3(7A + 6B + 2C)x + \frac{5a^3(A - C) \sin(c + dx)}{2d} \\
&= \frac{1}{2}a^3(7A + 6B + 2C)x + \frac{a^3(2A + 6B + 7C) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 5.89112, size = 406, normalized size = 2.37

$$a^3 \cos^5(c + dx) \sec^6\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(-\frac{2(2A+6B+7C) \log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right) - \sin\left(\frac{1}{2}(c+dx)\right)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*Cos[c + d*x]^5*Sec[(c + d*x)/2]^6*(1 + Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(2*(7*A + 6*B + 2*C)*x - (2*(2*A + 6*B + 7*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(2*A + 6*B + 7*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*(3*A + B)*Cos[d*x]*Sin[c])/d + (A*Cos[2*d*x]*Sin[2*c])/d + (4*(3*A + B)*Cos[c]*Sin[d*x])/d + (A*Cos[2*c]*Sin[2*d*x])/d + C/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(B + 3*C)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - C/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(B + 3*C)*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(16*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.108, size = 219, normalized size = 1.3

$$\frac{Aa^3 \sin(dx + c) \cos(dx + c)}{2d} + \frac{7a^3 Ax}{2} + \frac{7Aa^3 c}{2d} + \frac{Ba^3 \sin(dx + c)}{d} + a^3 Cx + \frac{Ca^3 c}{d} + 3 \frac{Aa^3 \sin(dx + c)}{d} + 3a^3 Bx + 3 \frac{Ba^3 \cos(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/2/d*A*a^3*sin(d*x+c)*cos(d*x+c)+7/2*a^3*A*x+7/2/d*A*a^3*c+a^3*B*sin(d*x+c)/d+a^3*C*x+1/d*C*a^3*c+3*a^3*A*sin(d*x+c)/d+3*a^3*B*x+3/d*B*a^3*c+7/2/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+3/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+3*a^3*C*tan(d*x+c)/d+1/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^3*tan(d*x+c)+1/2/d*a^3*C*sec(d*x+c)*tan(d*x+c)

Maxima [A] time = 0.964186, size = 320, normalized size = 1.87

$$(2dx + 2c + \sin(2dx + 2c))Aa^3 + 12(dx + c)Aa^3 + 12(dx + c)Ba^3 + 4(dx + c)Ca^3 - Ca^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 + 12*(d*x + c)*A*a^3 + 12*(d*x + c)*B*a^3 + 4*(d*x + c)*C*a^3 - C*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 2*A*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 6*B*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 6*C*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 12*A*a^3*sin(d*x + c) + 4*B*a^3*sin(d*x + c) + 4*B*a^3*tan(d*x + c) + 12*C*a^3*tan(d*x + c))/d

Fricas [A] time = 0.553861, size = 410, normalized size = 2.4

$$2(7A + 6B + 2C)a^3 dx \cos(dx + c)^2 + (2A + 6B + 7C)a^3 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (2A + 6B + 7C)a^3 \cos(dx + c)^2 \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/4*(2*(7*A + 6*B + 2*C)*a^3*d*x*cos(d*x + c)^2 + (2*A + 6*B + 7*C)*a^3*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (2*A + 6*B + 7*C)*a^3*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(A*a^3*cos(d*x + c)^3 + 2*(3*A + B)*a^3*cos(d*x + c)^2 + 2*(B + 3*C)*a^3*cos(d*x + c) + C*a^3)*sin(d*x + c))/(d*cos(d*x + c)^2)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.24962, size = 378, normalized size = 2.21

$$(7Aa^3 + 6Ba^3 + 2Ca^3)(dx + c) + (2Aa^3 + 6Ba^3 + 7Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Aa^3 + 6Ba^3 + 7Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/2*((7*A*a^3 + 6*B*a^3 + 2*C*a^3)*(d*x + c) + (2*A*a^3 + 6*B*a^3 + 7*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*A*a^3 + 6*B*a^3 + 7*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(5*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 5*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 3*A*a^3*tan(1/2*d*x + 1/2*c)^5 - 4*B*a^3*tan(1/2*d*x + 1/2*c)^5 - 3*C*a^3*tan(1/2*d*x + 1/2*c)^5 - 9*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 9*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 7*A*a^3*tan(1/2*d*x + 1/2*c) + 4*B*a^3*tan(1/2*d*x + 1/2*c) + 7*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1)^2)/d
```


3.433 $\int \cos^3(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=169

$$-\frac{(5A + 3B - 6C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} + \frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{(A + B) \sin(c + dx) \cos(c + dx) (a^2 \sec(c + dx) + a^2)}{2ad}$$

[Out] $(a^3(5A + 7B + 6C)x)/2 + (a^3(B + 3C) \operatorname{ArcTanh}[\sin(c + dx)])/d + (5a^3(A + B) \sin(c + dx))/(2d) + (A \cos[c + dx]^2(a + a \sec[c + dx])^3 \sin[c + dx])/(3d) + ((A + B) \cos[c + dx] (a^2 + a^2 \sec[c + dx])^2 \sin[c + dx])/(2ad) - ((5A + 3B - 6C)(a^3 + a^3 \sec[c + dx]) \sin[c + dx])/(6d)$

Rubi [A] time = 0.441559, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4086, 4017, 4018, 3996, 3770}

$$-\frac{(5A + 3B - 6C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} + \frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{(A + B) \sin(c + dx) \cos(c + dx) (a^2 \sec(c + dx) + a^2)}{2ad}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos[c + dx]^3(a + a \sec[c + dx])^3(A + B \sec[c + dx] + C \sec[c + dx]^2), x]$

[Out] $(a^3(5A + 7B + 6C)x)/2 + (a^3(B + 3C) \operatorname{ArcTanh}[\sin(c + dx)])/d + (5a^3(A + B) \sin(c + dx))/(2d) + (A \cos[c + dx]^2(a + a \sec[c + dx])^3 \sin[c + dx])/(3d) + ((A + B) \cos[c + dx] (a^2 + a^2 \sec[c + dx])^2 \sin[c + dx])/(2ad) - ((5A + 3B - 6C)(a^3 + a^3 \sec[c + dx]) \sin[c + dx])/(6d)$

Rule 4086

$\operatorname{Int}[(A + \csc[e + f x] + (f x) \csc[e + f x])^m (B + \csc[e + f x] + (f x) \csc[e + f x])^n (C + \csc[e + f x] + (f x) \csc[e + f x])^p (d + (f x) \csc[e + f x])^q (a + b \csc[e + f x] + (f x) \csc[e + f x])^r, x] \rightarrow \operatorname{Simp}[(A \cot[e + f x] + (a + b \csc[e + f x])^m (d \csc[e + f x])^n) / (f^n), x] - \operatorname{Dist}[1 / (b d^n), \operatorname{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \operatorname{Simp}[a A^m - b B^n - b(A(m + n + 1) + C n) \csc[e + f x], x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{!LtQ}[m, -2^{(-1)}] \&\& (\operatorname{LtQ}[n, -2^{(-1)}] \operatorname{||} \operatorname{EqQ}[m + n + 1, 0])$

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
;/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^3(5A + 7B + 6C)x + \frac{5a^3(A + B) \sin(c + dx)}{2d} \\
&= \frac{1}{2}a^3(5A + 7B + 6C)x + \frac{a^3(B + 3C) \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [B] time = 2.18545, size = 379, normalized size = 2.24

$$a^3 \cos^2(c + dx)(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \left(A + B \sec(c + dx) + C \sec^2(c + dx)\right) \left(\frac{3 \sin(c)(15A + 4(3B + C)) \cos(dx)}{d} + \frac{3 \cos(c)}{d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^3*Cos[c + d*x]^2*(1 + Cos[c + d*x])^3*Sec[(c + d*x)/2]^6*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(6*(5*A + 7*B + 6*C)*x - (12*(B + 3*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (12*(B + 3*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (3*(15*A + 4*(3*B + C))*Cos[d*x]*Sin[c])/d + (3*(3*A + B)*Cos[2*d*x]*Sin[2*c])/d + (A*Cos[3*d*x]*Sin[3*c])/d + (3*(15*A + 4*(3*B + C))*Cos[c]*Sin[d*x])/d + (3*(3*A + B)*Cos[2*c]*Sin[2*d*x])/d + (A*Cos[3*c]*Sin[3*d*x])/d + (12*C*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (12*C*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(48*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.099, size = 221, normalized size = 1.3

$$\frac{A(\cos(dx+c))^2 \sin(dx+c) a^3}{3d} + \frac{11 A a^3 \sin(dx+c)}{3d} + \frac{B a^3 \sin(dx+c) \cos(dx+c)}{2d} + \frac{7 a^3 B x}{2} + \frac{7 B a^3 c}{2d} + \frac{a^3 C \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/3/d*A*cos(d*x+c)^2*sin(d*x+c)*a^3+11/3*a^3*A*sin(d*x+c)/d+1/2/d*B*a^3*sin(d*x+c)*cos(d*x+c)+7/2*a^3*B*x+7/2/d*B*a^3*c+a^3*C*sin(d*x+c)/d+3/2/d*A*a^3*sin(d*x+c)*cos(d*x+c)+5/2*a^3*A*x+5/2/d*A*a^3*c+3*a^3*B*sin(d*x+c)/d+3*a^3*C*x+3/d*C*a^3*c+3/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+a^3*C*tan(d*x+c)/d

Maxima [A] time = 0.963204, size = 284, normalized size = 1.68

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^3 - 9(2dx+2c+\sin(2dx+2c))Aa^3 - 12(dx+c)Aa^3 - 3(2dx+2c+\sin(2dx+2c))Ba^3 - 36(dx+c)Ba^3 - 36(dx+c)Ca^3 - 6Ba^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 18Ca^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 36Aa^3\sin(dx+c) - 36Ba^3\sin(dx+c) - 12Ca^3\sin(dx+c) - 12Ca^3\tan(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3 - 9*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 - 12*(d*x + c)*A*a^3 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^3 - 36*(d*x + c)*B*a^3 - 36*(d*x + c)*C*a^3 - 6*B*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 18*C*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 36*A*a^3*sin(d*x + c) - 36*B*a^3*sin(d*x + c) - 12*C*a^3*sin(d*x + c) - 12*C*a^3*tan(d*x + c))/d

Fricas [A] time = 0.537418, size = 398, normalized size = 2.36

$$\frac{3(5A+7B+6C)a^3 dx \cos(dx+c) + 3(B+3C)a^3 \cos(dx+c) \log(\sin(dx+c)+1) - 3(B+3C)a^3 \cos(dx+c) \log(\sin(dx+c)-1) + 18Ca^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 36Aa^3\sin(dx+c) - 36Ba^3\sin(dx+c) - 12Ca^3\sin(dx+c) - 12Ca^3\tan(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/6*(3*(5*A + 7*B + 6*C)*a^3*d*x*cos(d*x + c) + 3*(B + 3*C)*a^3*cos(d*x + c)
)*log(sin(d*x + c) + 1) - 3*(B + 3*C)*a^3*cos(d*x + c)*log(-sin(d*x + c) +
1) + (2*A*a^3*cos(d*x + c)^3 + 3*(3*A + B)*a^3*cos(d*x + c)^2 + 2*(11*A + 9
*B + 3*C)*a^3*cos(d*x + c) + 6*C*a^3)*sin(d*x + c))/(d*cos(d*x + c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.30036, size = 379, normalized size = 2.24

$$\frac{12Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - 3(5Aa^3 + 7Ba^3 + 6Ca^3)(dx + c) - 6(Ba^3 + 3Ca^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 6(Ba^3 + 3Ca^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] -1/6*(12*C*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1) - 3*(5*A*a
^3 + 7*B*a^3 + 6*C*a^3)*(d*x + c) - 6*(B*a^3 + 3*C*a^3)*log(abs(tan(1/2*d*x
+ 1/2*c) + 1)) + 6*(B*a^3 + 3*C*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) -
2*(15*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 15*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 6*C*
a^3*tan(1/2*d*x + 1/2*c)^5 + 40*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 36*B*a^3*tan
(1/2*d*x + 1/2*c)^3 + 12*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 33*A*a^3*tan(1/2*d*
x + 1/2*c) + 21*B*a^3*tan(1/2*d*x + 1/2*c) + 6*C*a^3*tan(1/2*d*x + 1/2*c))/
(tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d
```

3.434 $\int \cos^4(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=183

$$\frac{5a^3(3A + 4(B + C)) \sin(c + dx)}{8d} + \frac{(15A + 20B + 12C) \sin(c + dx) \cos(c + dx) (a^3 \sec(c + dx) + a^3)}{24d} + \frac{(3A + 4B) \sin(c + dx)}{24d}$$

```
[Out] (a^3*(15*A + 20*B + 28*C)*x)/8 + (a^3*C*ArcTanh[Sin[c + d*x]])/d + (5*a^3*(3*A + 4*(B + C))*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(4*d) + ((3*A + 4*B)*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(12*a*d) + ((15*A + 20*B + 12*C)*Cos[c + d*x]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(24*d)
```

Rubi [A] time = 0.441221, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4086, 4017, 3996, 3770}

$$\frac{5a^3(3A + 4(B + C)) \sin(c + dx)}{8d} + \frac{(15A + 20B + 12C) \sin(c + dx) \cos(c + dx) (a^3 \sec(c + dx) + a^3)}{24d} + \frac{(3A + 4B) \sin(c + dx)}{24d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^3*(15*A + 20*B + 28*C)*x)/8 + (a^3*C*ArcTanh[Sin[c + d*x]])/d + (5*a^3*(3*A + 4*(B + C))*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(4*d) + ((3*A + 4*B)*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(12*a*d) + ((15*A + 20*B + 12*C)*Cos[c + d*x]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(24*d)
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
;/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{5a^3(3A + 4(B + C)) \sin(c + dx)}{8d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{1}{8}a^3(15A + 20B + 28C)x + \frac{5a^3(3A + 4(B + C)) \sin(c + dx)}{8d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{1}{8}a^3(15A + 20B + 28C)x + \frac{a^3 C \tanh^{-1}(\frac{\cos(c + dx)}{a})}{d} + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.420321, size = 147, normalized size = 0.8

$$a^3 \left(24(13A + 15B + 12C) \sin(c + dx) + 24(4A + 3B + C) \sin(2(c + dx)) + 24A \sin(3(c + dx)) + 3A \sin(4(c + dx)) + 180 \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(180*A*d*x + 240*B*d*x + 336*C*d*x - 96*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 96*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 24*(13*A + 15*B + 12*C)*Sin[c + d*x] + 24*(4*A + 3*B + C)*Sin[2*(c + d*x)] + 24*A*Sin[3*(c + d*x)] + 8*B*Sin[3*(c + d*x)] + 3*A*Sin[4*(c + d*x)]))/(96*d)

Maple [A] time = 0.116, size = 251, normalized size = 1.4

$$\frac{Aa^3 \sin(dx + c) (\cos(dx + c))^3}{4d} + \frac{15Aa^3 \sin(dx + c) \cos(dx + c)}{8d} + \frac{15a^3 Ax}{8} + \frac{15Aa^3 c}{8d} + \frac{B(\cos(dx + c))^2 \sin(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/4/d*A*a^3*sin(d*x+c)*cos(d*x+c)^3+15/8/d*A*a^3*sin(d*x+c)*cos(d*x+c)+15/8*a^3*A*x+15/8/d*A*a^3*c+1/3/d*B*cos(d*x+c)^2*sin(d*x+c)*a^3+11/3*a^3*B*sin(d*x+c)/d+1/2/d*a^3*C*sin(d*x+c)*cos(d*x+c)+7/2*a^3*C*x+7/2/d*C*a^3*c+1/d*A*cos(d*x+c)^2*sin(d*x+c)*a^3+3*a^3*A*sin(d*x+c)/d+3/2/d*B*a^3*sin(d*x+c)*cos(d*x+c)+5/2*a^3*B*x+5/2/d*B*a^3*c+3*a^3*C*sin(d*x+c)/d+1/d*a^3*C*ln(sec(d*x+c))+tan(d*x+c))

Maxima [A] time = 0.954555, size = 324, normalized size = 1.77

$$96 \left(\sin(dx + c)^3 - 3 \sin(dx + c) \right) Aa^3 - 3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c)) Aa^3 - 72(2dx + 2c + \sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")


```
[Out] -1/96*(96*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3 - 3*(12*d*x + 12*c + sin(
4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^3 - 72*(2*d*x + 2*c + sin(2*d*x + 2*
c))*A*a^3 + 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 - 72*(2*d*x + 2*c +
sin(2*d*x + 2*c))*B*a^3 - 96*(d*x + c)*B*a^3 - 24*(2*d*x + 2*c + sin(2*d*x
+ 2*c))*C*a^3 - 288*(d*x + c)*C*a^3 - 48*C*a^3*(log(sin(d*x + c) + 1) - log
(sin(d*x + c) - 1)) - 96*A*a^3*sin(d*x + c) - 288*B*a^3*sin(d*x + c) - 288*
C*a^3*sin(d*x + c))/d
```

Fricas [A] time = 0.538279, size = 336, normalized size = 1.84

$$\frac{3(15A + 20B + 28C)a^3 dx + 12Ca^3 \log(\sin(dx + c) + 1) - 12Ca^3 \log(-\sin(dx + c) + 1) + (6Aa^3 \cos(dx + c)^3 + 8(24d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/24*(3*(15*A + 20*B + 28*C)*a^3*d*x + 12*C*a^3*log(sin(d*x + c) + 1) - 12*
C*a^3*log(-sin(d*x + c) + 1) + (6*A*a^3*cos(d*x + c)^3 + 8*(3*A + B)*a^3*co
s(d*x + c)^2 + 3*(15*A + 12*B + 4*C)*a^3*cos(d*x + c) + 8*(9*A + 11*B + 9*C
)*a^3)*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.33623, size = 386, normalized size = 2.11

$$24 Ca^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 24 Ca^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + 3(15 Aa^3 + 20 Ba^3 + 28 Ca^3)(dx + c) + \frac{2(45 A^2 + 45 A^2 + 45 A^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")

[Out] 1/24*(24*C*a^3*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 24*C*a^3*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 3*(15*A*a^3 + 20*B*a^3 + 28*C*a^3)*(d*x + c) + 2*(45*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 60*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 60*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 165*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 220*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 204*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 219*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 292*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 228*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 147*A*a^3*tan(1/2*d*x + 1/2*c) + 132*B*a^3*tan(1/2*d*x + 1/2*c) + 84*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4/d

3.435 $\int \cos^5(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=179

$$\frac{a^3(13A + 15B + 20C) \sin^3(c + dx)}{60d} + \frac{a^3(13A + 15B + 20C) \sin(c + dx)}{5d} + \frac{3a^3(13A + 15B + 20C) \sin(c + dx) \cos(c + dx)}{40d}$$

```
[Out] (a^3*(13*A + 15*B + 20*C)*x)/8 + (a^3*(13*A + 15*B + 20*C)*Sin[c + d*x])/(5*d) + (3*a^3*(13*A + 15*B + 20*C)*Cos[c + d*x]*Sin[c + d*x])/(40*d) + ((3*A + 5*B)*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(5*d) - (a^3*(13*A + 15*B + 20*C)*Sin[c + d*x]^3)/(60*d)
```

Rubi [A] time = 0.365264, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4086, 4013, 3791, 2637, 2635, 8, 2633}

$$\frac{a^3(13A + 15B + 20C) \sin^3(c + dx)}{60d} + \frac{a^3(13A + 15B + 20C) \sin(c + dx)}{5d} + \frac{3a^3(13A + 15B + 20C) \sin(c + dx) \cos(c + dx)}{40d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^3*(13*A + 15*B + 20*C)*x)/8 + (a^3*(13*A + 15*B + 20*C)*Sin[c + d*x])/(5*d) + (3*a^3*(13*A + 15*B + 20*C)*Cos[c + d*x]*Sin[c + d*x])/(40*d) + ((3*A + 5*B)*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(5*d) - (a^3*(13*A + 15*B + 20*C)*Sin[c + d*x]^3)/(60*d)
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I GtQ[m, 0] && RationalQ[n]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{5d} \\
&= \frac{(3A + 5B) \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{20d} \\
&= \frac{(3A + 5B) \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{20d} \\
&= \frac{1}{20} a^3 (13A + 15B + 20C)x + \frac{(3A + 5B) \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{20d} \\
&= \frac{1}{20} a^3 (13A + 15B + 20C)x + \frac{3a^3 (13A + 15B + 20C) \sin(c + dx)}{480d} \\
&= \frac{1}{8} a^3 (13A + 15B + 20C)x + \frac{a^3 (13A + 15B + 20C) \sin(c + dx)}{480d}
\end{aligned}$$

Mathematica [A] time = 0.430481, size = 130, normalized size = 0.73

$$\frac{a^3(60(23A + 26B + 30C) \sin(c + dx) + 120(4A + 4B + 3C) \sin(2(c + dx)) + 170A \sin(3(c + dx)) + 45A \sin(4(c + dx)) + 15B \sin(5(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^3*(780*A*d*x + 900*B*d*x + 1200*C*d*x + 60*(23*A + 26*B + 30*C)*Sin[c + d*x] + 120*(4*A + 4*B + 3*C)*Sin[2*(c + d*x)] + 170*A*Sin[3*(c + d*x)] + 120*B*Sin[3*(c + d*x)] + 40*C*Sin[3*(c + d*x)] + 45*A*Sin[4*(c + d*x)] + 15*B*Sin[4*(c + d*x)] + 6*A*Sin[5*(c + d*x)]))/(480*d)

Maple [A] time = 0.109, size = 295, normalized size = 1.7

$$\frac{1}{d} \left(\frac{Aa^3 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + 3Aa^3 \left(\frac{1}{4} ((\cos(dx + c))^3 + 3/2 \cos(dx + c)) \sin(dx + c) + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

```
[Out] 1/d*(1/5*A*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+3*A*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+B*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+A*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a^3*C*(2+cos(d*x+c)^2)*sin(d*x+c)+A*a^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+3*B*a^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+3*a^3*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a^3*sin(d*x+c)+3*a^3*C*sin(d*x+c)+a^3*C*(d*x+c))
```

Maxima [A] time = 0.961152, size = 381, normalized size = 2.13

$$32 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Aa^3 - 480 \left(\sin(dx + c)^3 - 3 \sin(dx + c) \right) Aa^3 + 45 (12 dx + 12 c - \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] 1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^3 - 480*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3 + 45*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^3 + 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 - 480*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^3 + 360*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^3 - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^3 + 360*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^3 + 480*(d*x + c)*C*a^3 + 480*B*a^3*sin(d*x + c) + 1440*C*a^3*sin(d*x + c))/d
```

Fricas [A] time = 0.529727, size = 315, normalized size = 1.76

$$15(13A + 15B + 20C)a^3 dx + \frac{(24Aa^3 \cos(dx + c)^4 + 30(3A + B)a^3 \cos(dx + c)^3 + 8(19A + 15B + 5C)a^3 \cos(dx + c) + \dots)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")
```

```
[Out] 1/120*(15*(13*A + 15*B + 20*C)*a^3*d*x + (24*A*a^3*cos(d*x + c)^4 + 30*(3*A + B)*a^3*cos(d*x + c)^3 + 8*(19*A + 15*B + 5*C)*a^3*cos(d*x + c)^2 + 15*(13*A + 15*B + 12*C)*a^3*cos(d*x + c) + 8*(38*A + 45*B + 55*C)*a^3)*sin(d*x + c)
```

c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.29428, size = 404, normalized size = 2.26

$$15 \left(13 A a^3 + 15 B a^3 + 20 C a^3 \right) (d x + c) + \frac{2 \left(195 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^9 + 225 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^9 + 300 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^9 + 910 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^7 + 1050 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^7 + 1400 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^7 + 1664 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 1920 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 2560 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + 1330 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 1830 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 2120 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 765 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 735 B a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 660 C a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \right)}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 + 1 \right)^5} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/120*(15*(13*A*a^3 + 15*B*a^3 + 20*C*a^3)*(d*x + c) + 2*(195*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 225*B*a^3*tan(1/2*d*x + 1/2*c)^9 + 300*C*a^3*tan(1/2*d*x + 1/2*c)^9 + 910*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 1050*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 1400*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 1664*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 1920*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 2560*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 1330*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 1830*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 2120*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 765*A*a^3*tan(1/2*d*x + 1/2*c) + 735*B*a^3*tan(1/2*d*x + 1/2*c) + 660*C*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5)/d

3.436 $\int \cos^6(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=235

$$\frac{a^3(34A + 38B + 45C) \sin(c + dx)}{15d} + \frac{a^3(73A + 86B + 90C) \sin(c + dx) \cos^2(c + dx)}{120d} + \frac{a^3(23A + 26B + 30C) \sin(c + dx)}{16d}$$

[Out] (a^3*(23*A + 26*B + 30*C)*x)/16 + (a^3*(34*A + 38*B + 45*C)*Sin[c + d*x])/(15*d) + (a^3*(23*A + 26*B + 30*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^3*(73*A + 86*B + 90*C)*Cos[c + d*x]^2*Sin[c + d*x])/(120*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + ((A + 2*B)*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(10*a*d) + ((31*A + 42*B + 30*C)*Cos[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(120*d)

Rubi [A] time = 0.591015, antiderivative size = 235, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4086, 4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^3(34A + 38B + 45C) \sin(c + dx)}{15d} + \frac{a^3(73A + 86B + 90C) \sin(c + dx) \cos^2(c + dx)}{120d} + \frac{a^3(23A + 26B + 30C) \sin(c + dx)}{16d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(23*A + 26*B + 30*C)*x)/16 + (a^3*(34*A + 38*B + 45*C)*Sin[c + d*x])/(15*d) + (a^3*(23*A + 26*B + 30*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^3*(73*A + 86*B + 90*C)*Cos[c + d*x]^2*Sin[c + d*x])/(120*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + ((A + 2*B)*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(10*a*d) + ((31*A + 42*B + 30*C)*Cos[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(120*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] / ; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] / ; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] / ; FreeQ[a, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] / ; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^6(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{6d} \\
&= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{6d} \\
&= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{6d} \\
&= \frac{a^3(73A+86B+90C)\cos^2(c+dx)\sin(c+dx)}{120d} \\
&= \frac{a^3(73A+86B+90C)\cos^2(c+dx)\sin(c+dx)}{120d} \\
&= \frac{a^3(34A+38B+45C)\sin(c+dx)}{15d} + \frac{a^3(23A+26B+30C)x}{16} \\
&= \frac{1}{16}a^3(23A+26B+30C)x + \frac{a^3(34A+38B+45C)\sin(c+dx)}{15d}
\end{aligned}$$

Mathematica [A] time = 0.752729, size = 170, normalized size = 0.72

$$\frac{a^3(120(21A+23B+26C)\sin(c+dx)+15(63A+64(B+C))\sin(2(c+dx))+380A\sin(3(c+dx))+135A\sin(4(c+dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d*x]^6*(a+a*Sec[c+d*x])^3*(A+B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (a^3*(900*A*c+1560*B*c+1380*A*d*x+1560*B*d*x+1800*C*d*x+120*(21*A+23*B+26*C)*Sin[c+d*x]+15*(63*A+64*(B+C))*Sin[2*(c+d*x)]+380*A*Sin[3*(c+d*x)]+340*B*Sin[3*(c+d*x)]+240*C*Sin[3*(c+d*x)]+135*A*Sin[4*(c+d*x)]+90*B*Sin[4*(c+d*x)]+30*C*Sin[4*(c+d*x)]+36*A*Sin[5*(c+d*x)]+12*B*Sin[5*(c+d*x)]+5*A*Sin[6*(c+d*x)]))/(960*d)

Maple [A] time = 0.125, size = 364, normalized size = 1.6

$$\frac{1}{d} \left(Aa^3 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{Ba^3\sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^6*(a+a*\sec(dx+c))^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out] $\frac{1}{d}*(A*a^3*(\frac{1}{6}*(\cos(dx+c)^5+\frac{5}{4}\cos(dx+c)^3+\frac{15}{8}\cos(dx+c))*\sin(dx+c)+\frac{5}{16}d*x+\frac{5}{16}c)+\frac{1}{5}B*a^3*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}\cos(dx+c)^2)*\sin(dx+c)+a^3*C*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))*\sin(dx+c)+\frac{3}{8}d*x+\frac{3}{8}c)+\frac{3}{5}A*a^3*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}\cos(dx+c)^2)*\sin(dx+c)+3*B*a^3*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))*\sin(dx+c)+\frac{3}{8}d*x+\frac{3}{8}c)+a^3*C*(2+\cos(dx+c)^2)*\sin(dx+c)+3*A*a^3*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))*\sin(dx+c)+\frac{3}{8}d*x+\frac{3}{8}c)+B*a^3*(2+\cos(dx+c)^2)*\sin(dx+c)+3*a^3*C*(\frac{1}{2}\cos(dx+c))*\sin(dx+c)+\frac{1}{2}d*x+\frac{1}{2}c)+\frac{1}{3}A*a^3*(2+\cos(dx+c)^2)*\sin(dx+c)+B*a^3*(\frac{1}{2}\cos(dx+c))*\sin(dx+c)+\frac{1}{2}d*x+\frac{1}{2}c)+a^3*C*\sin(dx+c))$

Maxima [A] time = 0.971601, size = 478, normalized size = 2.03

$192(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Aa^3 - 5(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c))$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^6*(a+a*\sec(dx+c))^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{960}*(192*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*A*a^3 - 5*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*A*a^3 - 320*(\sin(dx+c)^3 - 3*\sin(dx+c))*A*a^3 + 90*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a^3 + 64*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*B*a^3 - 960*(\sin(dx+c)^3 - 3*\sin(dx+c))*B*a^3 + 90*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^3 + 240*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^3 - 960*(\sin(dx+c)^3 - 3*\sin(dx+c))*C*a^3 + 30*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*C*a^3 + 720*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a^3 + 960*C*a^3*\sin(dx+c))/d$

Fricas [A] time = 0.584421, size = 378, normalized size = 1.61

$15(23A + 26B + 30C)a^3dx + (40Aa^3 \cos(dx+c)^5 + 48(3A+B)a^3 \cos(dx+c)^4 + 10(23A + 18B + 6C)a^3 \cos(dx+c)^3 - 60dx - 60c - 9 \sin(4dx+4c))$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/240*(15*(23*A + 26*B + 30*C)*a^3*d*x + (40*A*a^3*cos(d*x + c)^5 + 48*(3*A + B)*a^3*cos(d*x + c)^4 + 10*(23*A + 18*B + 6*C)*a^3*cos(d*x + c)^3 + 16*(17*A + 19*B + 15*C)*a^3*cos(d*x + c)^2 + 15*(23*A + 26*B + 30*C)*a^3*cos(d*x + c) + 16*(34*A + 38*B + 45*C)*a^3)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.32686, size = 473, normalized size = 2.01

$$15(23Aa^3 + 26Ba^3 + 30Ca^3)(dx + c) + \frac{2\left(345Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 390Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 450Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 1955Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 2210Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 2550Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 4554Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 5148Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 5940Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 5814Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 5988Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 7500Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3165Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 4190Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 5130Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 15\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/240*(15*(23*A*a^3 + 26*B*a^3 + 30*C*a^3)*(d*x + c) + 2*(345*A*a^3*tan(1/2*d*x + 1/2*c)^11 + 390*B*a^3*tan(1/2*d*x + 1/2*c)^11 + 450*C*a^3*tan(1/2*d*x + 1/2*c)^11 + 1955*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 2210*B*a^3*tan(1/2*d*x + 1/2*c)^9 + 2550*C*a^3*tan(1/2*d*x + 1/2*c)^9 + 4554*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 5148*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 5940*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 5814*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 5988*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 7500*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 3165*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 4190*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 5130*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 15

$$\frac{75Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1530Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1470Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^6} / d$$

3.437 $\int \cos^7(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=265

$$-\frac{a^3(108A + 119B + 133C) \sin^3(c + dx)}{105d} + \frac{a^3(108A + 119B + 133C) \sin(c + dx)}{35d} + \frac{a^3(129A + 147B + 154C) \sin(c + dx)}{280d}$$

[Out] $(a^3(21A + 23B + 26C)x)/16 + (a^3(108A + 119B + 133C)\text{Sin}[c + dx])/(35d) + (a^3(21A + 23B + 26C)\text{Cos}[c + dx]\text{Sin}[c + dx])/(16d) + (a^3(129A + 147B + 154C)\text{Cos}[c + dx]^3\text{Sin}[c + dx])/(280d) + (A\text{Cos}[c + dx]^6(a + a\text{Sec}[c + dx])^3\text{Sin}[c + dx])/(7d) + ((3A + 7B)\text{Cos}[c + dx]^5(a^2 + a^2\text{Sec}[c + dx])^2\text{Sin}[c + dx])/(42ad) + ((3A + 4B + 3C)\text{Cos}[c + dx]^4(a^3 + a^3\text{Sec}[c + dx])\text{Sin}[c + dx])/(15d) - (a^3(108A + 119B + 133C)\text{Sin}[c + dx]^3)/(105d)$

Rubi [A] time = 0.610614, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4086, 4017, 3996, 3787, 2633, 2635, 8}

$$-\frac{a^3(108A + 119B + 133C) \sin^3(c + dx)}{105d} + \frac{a^3(108A + 119B + 133C) \sin(c + dx)}{35d} + \frac{a^3(129A + 147B + 154C) \sin(c + dx)}{280d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + dx]^7(a + a\text{Sec}[c + dx])^3(A + B\text{Sec}[c + dx] + C\text{Sec}[c + dx]^2), x]$

[Out] $(a^3(21A + 23B + 26C)x)/16 + (a^3(108A + 119B + 133C)\text{Sin}[c + dx])/(35d) + (a^3(21A + 23B + 26C)\text{Cos}[c + dx]\text{Sin}[c + dx])/(16d) + (a^3(129A + 147B + 154C)\text{Cos}[c + dx]^3\text{Sin}[c + dx])/(280d) + (A\text{Cos}[c + dx]^6(a + a\text{Sec}[c + dx])^3\text{Sin}[c + dx])/(7d) + ((3A + 7B)\text{Cos}[c + dx]^5(a^2 + a^2\text{Sec}[c + dx])^2\text{Sin}[c + dx])/(42ad) + ((3A + 4B + 3C)\text{Cos}[c + dx]^4(a^3 + a^3\text{Sec}[c + dx])\text{Sin}[c + dx])/(15d) - (a^3(108A + 119B + 133C)\text{Sin}[c + dx]^3)/(105d)$

Rule 4086

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x]^2)(C + \text{csc}[e + f*x]*d)^n*(C + \text{csc}[e + f*x]*b + a)^m, x] \text{ :> } \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n], x]$

$(+ f*x)^{(n+1)} * \text{Simp}[a*A*m - b*B*n - b*(A*(m+n+1) + C*n)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[a*A*(m-n-1) - b*B*n - (a*B*n + A*b*(m+n))*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[n*(B*a + A*b) + (B*b*n + A*a*(n+1))*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] :> \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_)]^{(n_)}, x_Symbol] :> -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{((n-1)/2)}, x], x], x, \text{Cos}[c + d*x]], x] /;$ FreeQ[{c, d}, x] && IGtQ[(n-1)/2, 0]

Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_)]^{(n_)}, x_Symbol] :> -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a*x, x] /;$ FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \cos^7(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^6(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{7d} \\
&= \frac{A\cos^6(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{7d} \\
&= \frac{A\cos^6(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{7d} \\
&= \frac{a^3(129A+147B+154C)\cos^3(c+dx)\sin(c+dx)}{280d} \\
&= \frac{a^3(129A+147B+154C)\cos^3(c+dx)\sin(c+dx)}{280d} \\
&= \frac{a^3(21A+23B+26C)\cos(c+dx)\sin(c+dx)}{16d} \\
&= \frac{1}{16}a^3(21A+23B+26C)x + \frac{a^3(108A+1155A)}{16}
\end{aligned}$$

Mathematica [A] time = 1.39099, size = 204, normalized size = 0.77

$$\frac{a^3(105(155A+168B+184C)\sin(c+dx)+105(61A+63B+64C)\sin(2(c+dx))+2835A\sin(3(c+dx))+1155A\sin(4(c+dx)))}{6720d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^7*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^3*(3360*A*c + 9660*B*c + 8820*A*d*x + 9660*B*d*x + 10920*C*d*x + 105*(155*A + 168*B + 184*C)*Sin[c + d*x] + 105*(61*A + 63*B + 64*C)*Sin[2*(c + d*x)] + 2835*A*Sin[3*(c + d*x)] + 2660*B*Sin[3*(c + d*x)] + 2380*C*Sin[3*(c + d*x)] + 1155*A*Sin[4*(c + d*x)] + 945*B*Sin[4*(c + d*x)] + 630*C*Sin[4*(c + d*x)] + 399*A*Sin[5*(c + d*x)] + 252*B*Sin[5*(c + d*x)] + 84*C*Sin[5*(c + d*x)] + 105*A*Sin[6*(c + d*x)] + 35*B*Sin[6*(c + d*x)] + 15*A*Sin[7*(c + d*x)]))/(6720*d)

Maple [A] time = 0.132, size = 427, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^7*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{d} \left(\frac{1}{7} A a^3 (16/5 + \cos(dx+c)^6 + 6/5 \cos(dx+c)^4 + 8/5 \cos(dx+c)^2) \sin(dx+c) + B a^3 (1/6 (\cos(dx+c)^5 + 5/4 \cos(dx+c)^3 + 15/8 \cos(dx+c)) \sin(dx+c) + 5/16 dx + 5/16 c) + 1/5 a^3 C (8/3 + \cos(dx+c)^4 + 4/3 \cos(dx+c)^2) \sin(dx+c) + 3 A a^3 (1/6 (\cos(dx+c)^5 + 5/4 \cos(dx+c)^3 + 15/8 \cos(dx+c)) \sin(dx+c) + 5/16 dx + 5/16 c) + 3/5 B a^3 (8/3 + \cos(dx+c)^4 + 4/3 \cos(dx+c)^2) \sin(dx+c) + 3 a^3 C (1/4 (\cos(dx+c)^3 + 3/2 \cos(dx+c)) \sin(dx+c) + 3/8 dx + 3/8 c) + 3/5 A a^3 (8/3 + \cos(dx+c)^4 + 4/3 \cos(dx+c)^2) \sin(dx+c) + 3 B a^3 (1/4 (\cos(dx+c)^3 + 3/2 \cos(dx+c)) \sin(dx+c) + 3/8 dx + 3/8 c) + a^3 C (2 + \cos(dx+c)^2) \sin(dx+c) + A a^3 (1/4 (\cos(dx+c)^3 + 3/2 \cos(dx+c)) \sin(dx+c) + 3/8 dx + 3/8 c) + 1/3 B a^3 (2 + \cos(dx+c)^2) \sin(dx+c) + a^3 C (1/2 \cos(dx+c) \sin(dx+c) + 1/2 dx + 1/2 c) \right)$

Maxima [A] time = 0.98335, size = 574, normalized size = 2.17

$$\frac{192 (5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c)) A a^3 - 1344 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) B a^3 + 6720 (\sin(dx+c)^3 - 3 \sin(dx+c)) C a^3 - 630 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^3 - 448 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) C a^3 + 6720 (\sin(dx+c)^3 - 3 \sin(dx+c)) C a^3 - 630 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^3 - 1680 (2 dx + 2 c + \sin(2 dx + 2 c)) C a^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out]
$$\frac{-1/6720 (192 (5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c)) A a^3 - 1344 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) B a^3 + 105 (4 \sin(2 dx + 2 c))^3 - 60 dx - 60 c - 9 \sin(4 dx + 4 c) - 48 \sin(2 dx + 2 c)) A a^3 - 210 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^3 - 1344 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) B a^3 + 35 (4 \sin(2 dx + 2 c))^3 - 60 dx - 60 c - 9 \sin(4 dx + 4 c) - 48 \sin(2 dx + 2 c)) B a^3 + 2240 (\sin(dx+c)^3 - 3 \sin(dx+c)) B a^3 - 630 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^3 - 448 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) C a^3 + 6720 (\sin(dx+c)^3 - 3 \sin(dx+c)) C a^3 - 630 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) C a^3 - 1680 (2 dx + 2 c + \sin(2 dx + 2 c)) C a^3}{d}$$

Fricas [A] time = 0.579458, size = 454, normalized size = 1.71

$$105(21A + 23B + 26C)a^3 dx + (240Aa^3 \cos(dx + c)^6 + 280(3A + B)a^3 \cos(dx + c)^5 + 48(27A + 21B + 7C)a^3 \cos(dx + c)^4 + 70(21A + 23B + 18C)a^3 \cos(dx + c)^3 + 16(108A + 119B + 133C)a^3 \cos(dx + c)^2 + 105(21A + 23B + 26C)a^3 \cos(dx + c) + 32(108A + 119B + 133C)a^3) \sin(dx + c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/1680*(105*(21*A + 23*B + 26*C)*a^3*d*x + (240*A*a^3*cos(d*x + c)^6 + 280*(3*A + B)*a^3*cos(d*x + c)^5 + 48*(27*A + 21*B + 7*C)*a^3*cos(d*x + c)^4 + 70*(21*A + 23*B + 18*C)*a^3*cos(d*x + c)^3 + 16*(108*A + 119*B + 133*C)*a^3*cos(d*x + c)^2 + 105*(21*A + 23*B + 26*C)*a^3*cos(d*x + c) + 32*(108*A + 119*B + 133*C)*a^3)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**7*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.33252, size = 541, normalized size = 2.04

$$105(21Aa^3 + 23Ba^3 + 26Ca^3)(dx + c) + \frac{2(2205Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{13} + 2415Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{13} + 2730Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{13} + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{12} + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{12} + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{12} + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{10} + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{10} + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{10} + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^8 + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^8 + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^8 + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^6 + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^6 + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^6 + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^4 + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^4 + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^4 + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + 14700Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 14700Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 14700Ca^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 14700Aa^3 + 14700Ba^3 + 14700Ca^3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

```
[Out] 1/1680*(105*(21*A*a^3 + 23*B*a^3 + 26*C*a^3)*(d*x + c) + 2*(2205*A*a^3*tan(
1/2*d*x + 1/2*c)^13 + 2415*B*a^3*tan(1/2*d*x + 1/2*c)^13 + 2730*C*a^3*tan(1
/2*d*x + 1/2*c)^13 + 14700*A*a^3*tan(1/2*d*x + 1/2*c)^11 + 16100*B*a^3*tan(
1/2*d*x + 1/2*c)^11 + 18200*C*a^3*tan(1/2*d*x + 1/2*c)^11 + 41601*A*a^3*tan
(1/2*d*x + 1/2*c)^9 + 45563*B*a^3*tan(1/2*d*x + 1/2*c)^9 + 51506*C*a^3*tan(
1/2*d*x + 1/2*c)^9 + 62592*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 72576*B*a^3*tan(1
/2*d*x + 1/2*c)^7 + 77952*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 63231*A*a^3*tan(1/
2*d*x + 1/2*c)^5 + 62853*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 71246*C*a^3*tan(1/2
*d*x + 1/2*c)^5 + 25620*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 33180*B*a^3*tan(1/2*
d*x + 1/2*c)^3 + 40040*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 11235*A*a^3*tan(1/2*d
*x + 1/2*c) + 11025*B*a^3*tan(1/2*d*x + 1/2*c) + 10710*C*a^3*tan(1/2*d*x +
1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^7)/d
```

3.438 $\int \sec^2(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=252

$$\frac{2a^4(56A + 49B + 44C) \tan^3(c + dx)}{105d} + \frac{4a^4(56A + 49B + 44C) \tan(c + dx)}{35d} + \frac{a^4(56A + 49B + 44C) \tanh^{-1}(\sin(c + dx))}{16d}$$

[Out] (a^4*(56*A + 49*B + 44*C)*ArcTanh[Sin[c + d*x]])/(16*d) + (4*a^4*(56*A + 49*B + 44*C)*Tan[c + d*x])/(35*d) + (27*a^4*(56*A + 49*B + 44*C)*Sec[c + d*x]*Tan[c + d*x])/(560*d) + (a^4*(56*A + 49*B + 44*C)*Sec[c + d*x]^3*Tan[c + d*x])/(280*d) + ((42*A - 7*B + 8*C)*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(210*d) + (C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(7*d) + ((7*B + 4*C)*(a + a*Sec[c + d*x])^5*Tan[c + d*x])/(42*a*d) + (2*a^4*(56*A + 49*B + 44*C)*Tan[c + d*x]^3)/(105*d)

Rubi [A] time = 0.520057, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4088, 4010, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{2a^4(56A + 49B + 44C) \tan^3(c + dx)}{105d} + \frac{4a^4(56A + 49B + 44C) \tan(c + dx)}{35d} + \frac{a^4(56A + 49B + 44C) \tanh^{-1}(\sin(c + dx))}{16d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^4*(56*A + 49*B + 44*C)*ArcTanh[Sin[c + d*x]])/(16*d) + (4*a^4*(56*A + 49*B + 44*C)*Tan[c + d*x])/(35*d) + (27*a^4*(56*A + 49*B + 44*C)*Sec[c + d*x]*Tan[c + d*x])/(560*d) + (a^4*(56*A + 49*B + 44*C)*Sec[c + d*x]^3*Tan[c + d*x])/(280*d) + ((42*A - 7*B + 8*C)*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(210*d) + (C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(7*d) + ((7*B + 4*C)*(a + a*Sec[c + d*x])^5*Tan[c + d*x])/(42*a*d) + (2*a^4*(56*A + 49*B + 44*C)*Tan[c + d*x]^3)/(105*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(

```
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^4 \tan(c + dx)}{7d} \\
&= \frac{C \sec^2(c + dx)(a + a \sec(c + dx))^4 \tan(c + dx)}{7d} \\
&= \frac{(42A - 7B + 8C)(a + a \sec(c + dx))^4 \tan(c + dx)}{210d} \\
&= \frac{(42A - 7B + 8C)(a + a \sec(c + dx))^4 \tan(c + dx)}{210d} \\
&= \frac{(42A - 7B + 8C)(a + a \sec(c + dx))^4 \tan(c + dx)}{210d} \\
&= \frac{a^4(56A + 49B + 44C) \tanh^{-1}(\sin(c + dx))}{70d} \\
&= \frac{2a^4(56A + 49B + 44C) \tanh^{-1}(\sin(c + dx))}{35d} \\
&= \frac{a^4(56A + 49B + 44C) \tanh^{-1}(\sin(c + dx))}{16d}
\end{aligned}$$

Mathematica [B] time = 6.45561, size = 1087, normalized size = 4.31

$$\frac{(-56A - 49B - 44C) \cos^6(c + dx) \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (\sec(c + dx)a + a)^4 (C \sec^2(c + dx) + B \sec(c + dx) + A)}{128d(\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec
[c + d*x]^2), x]
```

```
[Out] ((-56*A - 49*B - 44*C)*Cos[c + d*x]^6*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d
*x)/2]]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2))/(128*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))
+ ((56*A + 49*B + 44*C)*Cos[c + d*x]^6*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 +
```

$$\begin{aligned}
& ((d*x)/2)]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + \\
& C*Sec[c + d*x]^2))/(128*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x] \\
&)) + (C*Sec[c]*Sec[c/2 + (d*x)/2]^8*Sec[c + d*x]*(a + a*Sec[c + d*x])^4*(A \\
& + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[d*x])/(56*d*(A + 2*C + 2*B*Cos[c + \\
& d*x] + A*Cos[2*c + 2*d*x])) + (Sec[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + \\
& d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(6*C*Sin[c] + 7*B*Sin[d*x] \\
& + 28*C*Sin[d*x]))/(336*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) \\
& + (Cos[c + d*x]*Sec[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B* \\
& Sec[c + d*x] + C*Sec[c + d*x]^2)*(35*B*Sin[c] + 140*C*Sin[c] + 42*A*Sin[d*x] \\
& + 168*B*Sin[d*x] + 288*C*Sin[d*x]))/(1680*d*(A + 2*C + 2*B*Cos[c + d*x] + \\
& A*Cos[2*c + 2*d*x])) + (Cos[c + d*x]^2*Sec[c]*Sec[c/2 + (d*x)/2]^8*(a + a* \\
& Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(168*A*Sin[c] + 672 \\
& *B*Sin[c] + 1152*C*Sin[c] + 840*A*Sin[d*x] + 1435*B*Sin[d*x] + 1540*C*Sin[d \\
& *x]))/(6720*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (Cos[c + \\
& d*x]^3*Sec[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d \\
& *x] + C*Sec[c + d*x]^2)*(840*A*Sin[c] + 1435*B*Sin[c] + 1540*C*Sin[c] + 190 \\
& 4*A*Sin[d*x] + 2016*B*Sin[d*x] + 1816*C*Sin[d*x]))/(6720*d*(A + 2*C + 2*B*C \\
& os[c + d*x] + A*Cos[2*c + 2*d*x])) + (Cos[c + d*x]^4*Sec[c]*Sec[c/2 + (d*x) \\
& /2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(3808* \\
& A*Sin[c] + 4032*B*Sin[c] + 3632*C*Sin[c] + 5880*A*Sin[d*x] + 5145*B*Sin[d*x] \\
& + 4620*C*Sin[d*x]))/(13440*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2* \\
& d*x])) + (Cos[c + d*x]^5*Sec[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4 \\
& *(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(5880*A*Sin[c] + 5145*B*Sin[c] + 4 \\
& 620*C*Sin[c] + 9296*A*Sin[d*x] + 8064*B*Sin[d*x] + 7264*C*Sin[d*x]))/(13440 \\
& *d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))
\end{aligned}$$

Maple [A] time = 0.077, size = 454, normalized size = 1.8

$$\frac{Ba^4 \tan(dx+c) (\sec(dx+c))^5}{6d} + \frac{454 a^4 C \tan(dx+c)}{105d} + \frac{227 a^4 C \tan(dx+c) (\sec(dx+c))^2}{105d} + \frac{24 Ba^4 \tan(dx+c)}{5d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 1/6/d*B*a^4*tan(d*x+c)*sec(d*x+c)^5+454/105/d*a^4*C*tan(d*x+c)+227/105/d*a^4*C*tan(d*x+c)*sec(d*x+c)^2+24/5/d*B*a^4*tan(d*x+c)+12/5/d*B*a^4*tan(d*x+c)*sec(d*x+c)^2+7/2/d*A*a^4*sec(d*x+c)*tan(d*x+c)+11/6/d*a^4*C*tan(d*x+c)*sec(d*x+c)^3+11/4/d*a^4*C*sec(d*x+c)*tan(d*x+c)+41/24/d*B*a^4*tan(d*x+c)*sec(d*x+c)^3+1/d*A*a^4*tan(d*x+c)*sec(d*x+c)^3+2/3/d*a^4*C*tan(d*x+c)*sec(d*x+c)^5+49/16/d*B*a^4*sec(d*x+c)*tan(d*x+c)+34/15/d*A*a^4*tan(d*x+c)*sec(d*x+c)^2+48/35/d*a^4*C*tan(d*x+c)*sec(d*x+c)^4+4/5/d*B*a^4*tan(d*x+c)*sec(d*x+c)^4

$$+1/5/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^4+1/7/d*a^4*C*\tan(d*x+c)*\sec(d*x+c)^6+11/4/d*a^4*C*\ln(\sec(d*x+c)+\tan(d*x+c))+83/15/d*A*a^4*\tan(d*x+c)+49/16/d*B*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+7/2/d*A*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))$$

Maxima [B] time = 1.00252, size = 987, normalized size = 3.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="maxima")
```

```
[Out] 1/3360*(224*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*A*a^4
+ 6720*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^4 + 896*(3*tan(d*x + c)^5 + 10
*tan(d*x + c)^3 + 15*tan(d*x + c))*B*a^4 + 4480*(tan(d*x + c)^3 + 3*tan(d*x
+ c))*B*a^4 + 96*(5*tan(d*x + c)^7 + 21*tan(d*x + c)^5 + 35*tan(d*x + c)^3
+ 35*tan(d*x + c))*C*a^4 + 1344*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15
*tan(d*x + c))*C*a^4 + 1120*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^4 - 35*B*
a^4*(2*(15*sin(d*x + c)^5 - 40*sin(d*x + c)^3 + 33*sin(d*x + c))/(sin(d*x +
c)^6 - 3*sin(d*x + c)^4 + 3*sin(d*x + c)^2 - 1) - 15*log(sin(d*x + c) + 1)
+ 15*log(sin(d*x + c) - 1)) - 140*C*a^4*(2*(15*sin(d*x + c)^5 - 40*sin(d*x
+ c)^3 + 33*sin(d*x + c))/(sin(d*x + c)^6 - 3*sin(d*x + c)^4 + 3*sin(d*x +
c)^2 - 1) - 15*log(sin(d*x + c) + 1) + 15*log(sin(d*x + c) - 1)) - 840*A*a
^4*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^
2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 1260*B*a^4*(2
*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1
) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 840*C*a^4*(2*(3*si
n(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*
log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 3360*A*a^4*(2*sin(d*x +
c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) -
840*B*a^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + lo
g(sin(d*x + c) - 1)) + 3360*A*a^4*tan(d*x + c))/d
```

Fricas [A] time = 0.55581, size = 617, normalized size = 2.45

$$105(56A + 49B + 44C)a^4 \cos(dx + c)^7 \log(\sin(dx + c) + 1) - 105(56A + 49B + 44C)a^4 \cos(dx + c)^7 \log(-\sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/3360*(105*(56*A + 49*B + 44*C)*a^4*cos(d*x + c)^7*log(sin(d*x + c) + 1) -
105*(56*A + 49*B + 44*C)*a^4*cos(d*x + c)^7*log(-sin(d*x + c) + 1) + 2*(16
*(581*A + 504*B + 454*C)*a^4*cos(d*x + c)^6 + 105*(56*A + 49*B + 44*C)*a^4*
cos(d*x + c)^5 + 16*(238*A + 252*B + 227*C)*a^4*cos(d*x + c)^4 + 70*(24*A +
41*B + 44*C)*a^4*cos(d*x + c)^3 + 48*(7*A + 28*B + 48*C)*a^4*cos(d*x + c)^
2 + 280*(B + 4*C)*a^4*cos(d*x + c) + 240*C*a^4)*sin(d*x + c))/(d*cos(d*x +
c)^7)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^4 \left(\int A \sec^2(c + dx) dx + \int 4A \sec^3(c + dx) dx + \int 6A \sec^4(c + dx) dx + \int 4A \sec^5(c + dx) dx + \int A \sec^6(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

```
[Out] a**4*(Integral(A*sec(c + d*x)**2, x) + Integral(4*A*sec(c + d*x)**3, x) + I
ntegral(6*A*sec(c + d*x)**4, x) + Integral(4*A*sec(c + d*x)**5, x) + Integr
al(A*sec(c + d*x)**6, x) + Integral(B*sec(c + d*x)**3, x) + Integral(4*B*se
c(c + d*x)**4, x) + Integral(6*B*sec(c + d*x)**5, x) + Integral(4*B*sec(c +
d*x)**6, x) + Integral(B*sec(c + d*x)**7, x) + Integral(C*sec(c + d*x)**4,
x) + Integral(4*C*sec(c + d*x)**5, x) + Integral(6*C*sec(c + d*x)**6, x) +
Integral(4*C*sec(c + d*x)**7, x) + Integral(C*sec(c + d*x)**8, x))
```

Giac [A] time = 1.30492, size = 598, normalized size = 2.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/1680*(105*(56*A*a^4 + 49*B*a^4 + 44*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) +
1)) - 105*(56*A*a^4 + 49*B*a^4 + 44*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) -
```

$$\begin{aligned}
& 1)) - 2*(5880*A*a^4*\tan(1/2*d*x + 1/2*c)^{13} + 5145*B*a^4*\tan(1/2*d*x + 1/2*c)^{13} + 4620*C*a^4*\tan(1/2*d*x + 1/2*c)^{13} - 39200*A*a^4*\tan(1/2*d*x + 1/2*c)^{11} - 34300*B*a^4*\tan(1/2*d*x + 1/2*c)^{11} - 30800*C*a^4*\tan(1/2*d*x + 1/2*c)^{11} + 110936*A*a^4*\tan(1/2*d*x + 1/2*c)^9 + 97069*B*a^4*\tan(1/2*d*x + 1/2*c)^9 + 87164*C*a^4*\tan(1/2*d*x + 1/2*c)^9 - 172032*A*a^4*\tan(1/2*d*x + 1/2*c)^7 - 150528*B*a^4*\tan(1/2*d*x + 1/2*c)^7 - 135168*C*a^4*\tan(1/2*d*x + 1/2*c)^7 + 159656*A*a^4*\tan(1/2*d*x + 1/2*c)^5 + 134099*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 126084*C*a^4*\tan(1/2*d*x + 1/2*c)^5 - 86240*A*a^4*\tan(1/2*d*x + 1/2*c)^3 - 73220*B*a^4*\tan(1/2*d*x + 1/2*c)^3 - 58800*C*a^4*\tan(1/2*d*x + 1/2*c)^3 + 21000*A*a^4*\tan(1/2*d*x + 1/2*c) + 21735*B*a^4*\tan(1/2*d*x + 1/2*c) + 22260*C*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^7)/d
\end{aligned}$$

3.439 $\int \sec(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=209

$$\frac{2a^4(10A + 8B + 7C) \tan^3(c + dx)}{15d} + \frac{4a^4(10A + 8B + 7C) \tan(c + dx)}{5d} + \frac{7a^4(10A + 8B + 7C) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(10A + 8B + 7C)}{15d}$$

```
[Out] (7*a^4*(10*A + 8*B + 7*C)*ArcTanh[Sin[c + d*x]])/(16*d) + (4*a^4*(10*A + 8*B + 7*C)*Tan[c + d*x])/(5*d) + (27*a^4*(10*A + 8*B + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(80*d) + (a^4*(10*A + 8*B + 7*C)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) + ((6*B - C)*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(30*d) + (C*(a + a*Sec[c + d*x])^5*Tan[c + d*x])/(6*a*d) + (2*a^4*(10*A + 8*B + 7*C)*Tan[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.328311, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 7, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$, Rules used = {4082, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{2a^4(10A + 8B + 7C) \tan^3(c + dx)}{15d} + \frac{4a^4(10A + 8B + 7C) \tan(c + dx)}{5d} + \frac{7a^4(10A + 8B + 7C) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(10A + 8B + 7C)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (7*a^4*(10*A + 8*B + 7*C)*ArcTanh[Sin[c + d*x]])/(16*d) + (4*a^4*(10*A + 8*B + 7*C)*Tan[c + d*x])/(5*d) + (27*a^4*(10*A + 8*B + 7*C)*Sec[c + d*x]*Tan[c + d*x])/(80*d) + (a^4*(10*A + 8*B + 7*C)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) + ((6*B - C)*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(30*d) + (C*(a + a*Sec[c + d*x])^5*Tan[c + d*x])/(6*a*d) + (2*a^4*(10*A + 8*B + 7*C)*Tan[c + d*x]^3)/(15*d)
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)^(m_), x_Symbol]
:> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C(a+a\sec(c+dx))^5 \tan(c+dx)}{6ad} + \frac{\int \sec(c+dx)(a+a\sec(c+dx))^4 \tan(c+dx) dx}{30d} \\
&= \frac{(6B-C)(a+a\sec(c+dx))^4 \tan(c+dx)}{30d} \\
&= \frac{(6B-C)(a+a\sec(c+dx))^4 \tan(c+dx)}{30d} \\
&= \frac{(6B-C)(a+a\sec(c+dx))^4 \tan(c+dx)}{30d} \\
&= \frac{a^4(10A+8B+7C) \tanh^{-1}(\sin(c+dx))}{10d} \\
&= \frac{2a^4(10A+8B+7C) \tanh^{-1}(\sin(c+dx))}{5d} \\
&= \frac{7a^4(10A+8B+7C) \tanh^{-1}(\sin(c+dx))}{16d}
\end{aligned}$$

Mathematica [A] time = 5.92255, size = 359, normalized size = 1.72

$$a^4(\cos(c+dx)+1)^4 \sec^8\left(\frac{1}{2}(c+dx)\right) \sec^6(c+dx) (A \cos^2(c+dx) + B \cos(c+dx) + C) \left(105(10A+8B+7C) \cos^6(c+dx) + \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] $-(a^4(1 + \cos[c + dx])^4(C + B\cos[c + dx] + A\cos[c + dx]^2)\sec((c + dx)/2)^8 \sec[c + dx]^6(105(10A + 8B + 7C)\cos[c + dx]^6(\log[\cos((c + dx)/2) - \sin((c + dx)/2)] - \log[\cos((c + dx)/2) + \sin((c + dx)/2)]) - 40C\sec[c]\sin[dx] - 8\cos[c + dx]\sec[c](5C\sin[c] + 6(B + 4C)\sin[dx]) - 2\cos[c + dx]^3\sec[c](5(6A + 24B + 41C)\sin[c] + 16(10A + 17B + 18C)\sin[dx]) - 2\cos[c + dx]^2\sec[c](24(B + 4C)\sin[c] + 5(6A + 24B + 41C)\sin[dx]) - \cos[c + dx]^4\sec[c](32(10A + 17B + 18C)\sin[c] + 15(54A + 56B + 49C)\sin[dx]) - \cos[c + dx]^5\sec[c](15(54A + 56B + 49C)\sin[c] + 16(100A + 83B + 72C)\sin[dx]))/(1920d(A + 2C + 2B\cos[c + dx] + A\cos[2(c + dx)]))$

Maple [A] time = 0.08, size = 385, normalized size = 1.8

$$\frac{49a^4C \sec(dx+c) \tan(dx+c)}{16d} + \frac{Ba^4 \tan(dx+c) (\sec(dx+c))^3}{d} + \frac{Aa^4 \tan(dx+c) (\sec(dx+c))^3}{4d} + \frac{a^4C \tan(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{49}{16} \frac{C \sec(d*x+c) \tan(d*x+c) + 1}{d} + \frac{1}{d} \frac{B a^4 \tan(d*x+c) \sec(d*x+c)^3 + 1}{4} + \frac{1}{d} \frac{A a^4 \tan(d*x+c) \sec(d*x+c)^3 + 1}{6} + \frac{1}{d} \frac{C \tan(d*x+c) \sec(d*x+c)^5 + 7}{2} + \frac{1}{d} \frac{B a^4 \sec(d*x+c) \tan(d*x+c) + 27}{8} + \frac{1}{d} \frac{A a^4 \sec(d*x+c) \tan(d*x+c) + 41}{24} + \frac{1}{d} \frac{C \tan(d*x+c) \sec(d*x+c)^3 + 24}{5} + \frac{1}{d} \frac{C \tan(d*x+c) + 12}{5} + \frac{1}{d} \frac{C \tan(d*x+c) \sec(d*x+c)^2 + 83}{15} + \frac{1}{d} \frac{B a^4 \tan(d*x+c) + 34}{15} + \frac{1}{d} \frac{B a^4 \tan(d*x+c) \sec(d*x+c)^2 + 20}{3} + \frac{1}{d} \frac{A a^4 \tan(d*x+c) + 4}{3} + \frac{1}{d} \frac{A a^4 \tan(d*x+c) \sec(d*x+c)^2 + 4}{5} + \frac{1}{d} \frac{C \tan(d*x+c) \sec(d*x+c)^4 + 1}{5} + \frac{1}{d} \frac{B a^4 \tan(d*x+c) \sec(d*x+c)^4 + 49}{16} + \frac{1}{d} \frac{C \ln(\sec(d*x+c) + \tan(d*x+c)) + 7}{2} + \frac{1}{d} \frac{B a^4 \ln(\sec(d*x+c) + \tan(d*x+c)) + 35}{8} + \frac{1}{d} \frac{A a^4 \ln(\sec(d*x+c) + \tan(d*x+c))}{1}$

Maxima [B] time = 0.98382, size = 861, normalized size = 4.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")`

[Out] $\frac{1}{480} (640 (\tan(d*x+c))^3 + 3 \tan(d*x+c)) A a^4 + 32 (3 \tan(d*x+c))^5 + 10 \tan(d*x+c)^3 + 15 \tan(d*x+c) B a^4 + 960 (\tan(d*x+c))^3 + 3 \tan(d*x+c) B a^4 + 128 (3 \tan(d*x+c))^5 + 10 \tan(d*x+c)^3 + 15 \tan(d*x+c) C a^4 + 640 (\tan(d*x+c))^3 + 3 \tan(d*x+c) C a^4 - 5 C a^4 (2 (15 \sin(d*x+c))^5 - 40 \sin(d*x+c)^3 + 33 \sin(d*x+c)) / (\sin(d*x+c)^6 - 3 \sin(d*x+c)^4 + 3 \sin(d*x+c)^2 - 1) - 15 \log(\sin(d*x+c) + 1) + 15 \log(\sin(d*x+c) - 1) - 30 A a^4 (2 (3 \sin(d*x+c))^3 - 5 \sin(d*x+c)) / (\sin(d*x+c)^4 - 2 \sin(d*x+c)^2 + 1) - 3 \log(\sin(d*x+c) + 1) + 3 \log(\sin(d*x+c) - 1) - 120 B a^4 (2 (3 \sin(d*x+c))^3 - 5 \sin(d*x+c)) / (\sin(d*x+c)^4 - 2 \sin(d*x+c)^2 + 1) - 3 \log(\sin(d*x+c) + 1) + 3 \log(\sin(d*x+c) - 1) - 180 C a^4 (2 (3 \sin(d*x+c))^3 - 5 \sin(d*x+c)) / (\sin(d*x+c)^4 - 2 \sin(d*x+c)^2 + 1) - 3 \log(\sin(d*x+c) + 1) + 3 \log(\sin(d*x+c) - 1) - 720 A a^4 (2 \sin(d*x+c)) / (\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c) + 1) + \log(\sin(d*x+c) - 1) - 480 B a^4 (2 \sin(d*x+c)) / (\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c) + 1) + \log(\sin(d*x+c) - 1) - 120 C a^4 (2 \sin(d*x+c)) / (\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c) + 1) + \log(\sin(d*x+c) - 1) + 480 A a^4 \log(\sec(d*x+c) + \tan(d*x+c)) + 1920 A a^4 \tan(d*x+c) + 480 B a^4 \tan(d*x+c) / d$

Fricas [A] time = 0.543912, size = 539, normalized size = 2.58

$$\frac{105(10A + 8B + 7C)a^4 \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 105(10A + 8B + 7C)a^4 \cos(dx + c)^6 \log(-\sin(dx + c))}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")

[Out] 1/480*(105*(10*A + 8*B + 7*C)*a^4*cos(d*x + c)^6*log(sin(d*x + c) + 1) - 105*(10*A + 8*B + 7*C)*a^4*cos(d*x + c)^6*log(-sin(d*x + c) + 1) + 2*(16*(100*A + 83*B + 72*C)*a^4*cos(d*x + c)^5 + 15*(54*A + 56*B + 49*C)*a^4*cos(d*x + c)^4 + 32*(10*A + 17*B + 18*C)*a^4*cos(d*x + c)^3 + 10*(6*A + 24*B + 41*C)*a^4*cos(d*x + c)^2 + 48*(B + 4*C)*a^4*cos(d*x + c) + 40*C*a^4)*sin(d*x + c))/(d*cos(d*x + c)^6)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^4 \left(\int A \sec(c + dx) dx + \int 4A \sec^2(c + dx) dx + \int 6A \sec^3(c + dx) dx + \int 4A \sec^4(c + dx) dx + \int A \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x
)

[Out] a**4*(Integral(A*sec(c + d*x), x) + Integral(4*A*sec(c + d*x)**2, x) + Integral(6*A*sec(c + d*x)**3, x) + Integral(4*A*sec(c + d*x)**4, x) + Integral(A*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**2, x) + Integral(4*B*sec(c + d*x)**3, x) + Integral(6*B*sec(c + d*x)**4, x) + Integral(4*B*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**6, x) + Integral(C*sec(c + d*x)**3, x) + Integral(4*C*sec(c + d*x)**4, x) + Integral(6*C*sec(c + d*x)**5, x) + Integral(4*C*sec(c + d*x)**6, x) + Integral(C*sec(c + d*x)**7, x))

Giac [B] time = 1.33016, size = 529, normalized size = 2.53

$$105 (10 Aa^4 + 8 Ba^4 + 7 Ca^4) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 105 (10 Aa^4 + 8 Ba^4 + 7 Ca^4) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out] 1/240*(105*(10*A*a^4 + 8*B*a^4 + 7*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 105*(10*A*a^4 + 8*B*a^4 + 7*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(1050*A*a^4*tan(1/2*d*x + 1/2*c)^11 + 840*B*a^4*tan(1/2*d*x + 1/2*c)^11 + 735*C*a^4*tan(1/2*d*x + 1/2*c)^11 - 5950*A*a^4*tan(1/2*d*x + 1/2*c)^9 - 4760*B*a^4*tan(1/2*d*x + 1/2*c)^9 - 4165*C*a^4*tan(1/2*d*x + 1/2*c)^9 + 13860*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 11088*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 9702*C*a^4*tan(1/2*d*x + 1/2*c)^7 - 16860*A*a^4*tan(1/2*d*x + 1/2*c)^5 - 13488*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 11802*C*a^4*tan(1/2*d*x + 1/2*c)^5 + 10690*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 9320*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 7355*C*a^4*tan(1/2*d*x + 1/2*c)^3 - 2790*A*a^4*tan(1/2*d*x + 1/2*c) - 3000*B*a^4*tan(1/2*d*x + 1/2*c) - 3105*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^6/d

3.440 $\int (a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=195

$$\frac{a^4(40A + 35B + 28C) \tan(c + dx)}{8d} + \frac{a^4(48A + 35B + 28C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(20A + 35B + 28C) \tan(c + dx) (a^2)}{60d}$$

[Out] $a^4 A x + (a^4 (48 A + 35 B + 28 C) \operatorname{ArcTanh}[\sin(c + dx)]) / (8 d) + (a^4 (40 A + 35 B + 28 C) \tan(c + dx)) / (8 d) + (a (5 B + 4 C) (a + a \sec(c + dx))^3 \tan(c + dx)) / (20 d) + (C (a + a \sec(c + dx))^4 \tan(c + dx)) / (5 d) + ((20 A + 35 B + 28 C) (a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)) / (60 d) + ((32 A + 35 B + 28 C) (a^4 + a^4 \sec(c + dx)) \tan(c + dx)) / (24 d)$

Rubi [A] time = 0.304017, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4054, 3917, 3914, 3767, 8, 3770}

$$\frac{a^4(40A + 35B + 28C) \tan(c + dx)}{8d} + \frac{a^4(48A + 35B + 28C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(20A + 35B + 28C) \tan(c + dx) (a^2)}{60d}$$

Antiderivative was successfully verified.

[In] $\int (a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx))^2 dx$

[Out] $a^4 A x + (a^4 (48 A + 35 B + 28 C) \operatorname{ArcTanh}[\sin(c + dx)]) / (8 d) + (a^4 (40 A + 35 B + 28 C) \tan(c + dx)) / (8 d) + (a (5 B + 4 C) (a + a \sec(c + dx))^3 \tan(c + dx)) / (20 d) + (C (a + a \sec(c + dx))^4 \tan(c + dx)) / (5 d) + ((20 A + 35 B + 28 C) (a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)) / (60 d) + ((32 A + 35 B + 28 C) (a^4 + a^4 \sec(c + dx)) \tan(c + dx)) / (24 d)$

Rule 4054

$\operatorname{Int}[(A + \csc(e + f x)) (B + \csc(e + f x))^2 (C + \csc(e + f x)) (C + \csc(e + f x)) (b + a)^m, x] \text{ :> } -\operatorname{Simp}[(C \cot(e + f x) (a + b \csc(e + f x))^m) / (f (m + 1)), x] + \operatorname{Dist}[1 / (b (m + 1)), \operatorname{Int}[(a + b \csc(e + f x))^m \operatorname{Simp}[A b (m + 1) + (a C m + b B (m + 1)) \csc(e + f x)], x], x] /;$ $\operatorname{FreeQ}\{a, b, e, f, A, B, C, m\}, x \ \&\& \ \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \ !\operatorname{LtQ}[m, -2(-1)]$

Rule 3917

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3914

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} + \frac{\int (a + a \sec(c + dx))^4 dx}{5d} \\
&= \frac{a(5B + 4C)(a + a \sec(c + dx))^3 \tan(c + dx)}{20d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= \frac{a(5B + 4C)(a + a \sec(c + dx))^3 \tan(c + dx)}{20d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= \frac{a(5B + 4C)(a + a \sec(c + dx))^3 \tan(c + dx)}{20d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= a^4 Ax + \frac{a(5B + 4C)(a + a \sec(c + dx))^3 \tan(c + dx)}{20d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= a^4 Ax + \frac{a^4(48A + 35B + 28C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= a^4 Ax + \frac{a^4(48A + 35B + 28C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{C(a + a \sec(c + dx))^4 \tan(c + dx)}{5d}
\end{aligned}$$

Mathematica [B] time = 5.09068, size = 538, normalized size = 2.76

$$a^4(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(\sec(c)(-3120A \sin(2c + dx) + \dots)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^4*(1 + Cos[c + d*x])^4*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]^8*Sec[c + d*x]^5*(-240*(48*A + 35*B + 28*C)*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c]*(600*A*d*x*Cos[d*x] + 600*A*d*x*Cos[2*c + d*x] + 300*A*d*x*Cos[2*c + 3*d*x] + 300*A*d*x*Cos[4*c + 3*d*x] + 60*A*d*x*Cos[4*c + 5*d*x] + 60*A*d*x*Cos[6*c + 5*d*x] + 4880*A*Sin[d*x] + 5120*B*Sin[d*x] + 4720*C*Sin[d*x] - 3120*A*Sin[2*c + d*x] - 2880*B*Sin[2*c + d*x] - 1920*C*Sin[2*c + d*x] + 480*A*Sin[c + 2*d*x] + 930*B*Sin[c + 2*d*x] + 1320*C*Sin[c + 2*d*x] + 480*A*Sin[3*c + 2*d*x] + 930*B*Sin[3*c + 2*d*x] + 1320*C*Sin[3*c + 2*d*x] + 3280*A*Sin[2*c + 3*d*x] + 3520*B*Sin[2*c + 3*d*x] + 3200*C*Sin[2*c + 3*d*x] - 720*A*Sin[4*c + 3*d*x] - 480*B*Sin[4*c + 3*d*x] - 120*C*Sin[4*c + 3*d*x] + 240*A*Sin[3*c + 4*d*x] + 405*B*Sin[3*c + 4*d*x] + 420*C*Sin[3*c + 4*d*x] + 240*A*Sin[5*c + 4*d*x] + 405*B*Sin[5*c + 4*d*x] + 420*C*Sin[5*c + 4*d*x] + 800*A*Sin[4*c + 5*d*x] + 800*B*Sin[4*c + 5*d*x] + 664*C*Sin[4*c + 5*d*x])))

$$/(15360*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*(c + d*x)]))$$

Maple [A] time = 0.074, size = 331, normalized size = 1.7

$$a^4 Ax + \frac{Aa^4 c}{d} + \frac{35 Ba^4 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{83 a^4 C \tan(dx + c)}{15d} + 6 \frac{Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] $a^4 A x + 1/d A a^4 c + 35/8/d B a^4 \ln(\sec(d*x+c) + \tan(d*x+c)) + 83/15/d a^4 C \tan(d*x+c) + 6/d A a^4 \ln(\sec(d*x+c) + \tan(d*x+c)) + 20/3/d B a^4 \tan(d*x+c) + 7/2/d a^4 C \sec(d*x+c) \tan(d*x+c) + 7/2/d a^4 C \ln(\sec(d*x+c) + \tan(d*x+c)) + 20/3/d A a^4 \tan(d*x+c) + 27/8/d B a^4 \sec(d*x+c) \tan(d*x+c) + 34/15/d a^4 C \tan(d*x+c) \sec(d*x+c)^2 + 2/d A a^4 \sec(d*x+c) \tan(d*x+c) + 4/3/d B a^4 \tan(d*x+c) \sec(d*x+c)^2 + 1/d a^4 C \tan(d*x+c) \sec(d*x+c)^3 + 1/3/d A a^4 \tan(d*x+c) \sec(d*x+c)^2 + 1/4/d B a^4 \tan(d*x+c) \sec(d*x+c)^3 + 1/5/d a^4 C \tan(d*x+c) \sec(d*x+c)^4$

Maxima [B] time = 0.966995, size = 651, normalized size = 3.34

$$80(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^4 + 240(dx + c)Aa^4 + 320(\tan(dx + c)^3 + 3 \tan(dx + c))Ba^4 + 16(3 \tan(dx + c) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $1/240*(80*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a^4 + 240*(d*x + c)*A*a^4 + 320*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B*a^4 + 16*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*C*a^4 + 480*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*C*a^4 - 15*B*a^4*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 60*C*a^4*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 240*A*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 360*B*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 240*C*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1))$

+ c)² - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 960*A*a⁴*log(sec(d*x + c) + tan(d*x + c)) + 240*B*a⁴*log(sec(d*x + c) + tan(d*x + c)) + 1440*A*a⁴*tan(d*x + c) + 960*B*a⁴*tan(d*x + c) + 240*C*a⁴*tan(d*x + c))/d

Fricas [A] time = 0.561003, size = 521, normalized size = 2.67

$240 A a^4 dx \cos(dx + c)^5 + 15(48 A + 35 B + 28 C) a^4 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(48 A + 35 B + 28 C) a^4 \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(8(100 A + 100 B + 83 C) a^4 \cos(dx + c)^4 + 15(16 A + 27 B + 28 C) a^4 \cos(dx + c)^3 + 8(5 A + 20 B + 34 C) a^4 \cos(dx + c)^2 + 30(B + 4 C) a^4 \cos(dx + c) + 24 C a^4) \sin(dx + c) / (d \cos(dx + c)^5)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/240*(240*A*a⁴*d*x*cos(d*x + c)⁵ + 15*(48*A + 35*B + 28*C)*a⁴*cos(d*x + c)⁵*log(sin(d*x + c) + 1) - 15*(48*A + 35*B + 28*C)*a⁴*cos(d*x + c)⁵*log(-sin(d*x + c) + 1) + 2*(8*(100*A + 100*B + 83*C)*a⁴*cos(d*x + c)⁴ + 15*(16*A + 27*B + 28*C)*a⁴*cos(d*x + c)³ + 8*(5*A + 20*B + 34*C)*a⁴*cos(d*x + c)² + 30*(B + 4*C)*a⁴*cos(d*x + c) + 24*C*a⁴)*sin(d*x + c))/(d*cos(d*x + c)⁵)

Sympy [F] time = 0., size = 0, normalized size = 0.

$a^4 \left(\int A dx + \int 4A \sec(c + dx) dx + \int 6A \sec^2(c + dx) dx + \int 4A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int B \sec(c + dx) dx + \int 4B \sec^2(c + dx) dx + \int 6B \sec^3(c + dx) dx + \int 4B \sec^4(c + dx) dx + \int B \sec^5(c + dx) dx + \int C \sec^2(c + dx) dx + \int 4C \sec^3(c + dx) dx + \int 6C \sec^4(c + dx) dx + \int 4C \sec^5(c + dx) dx + \int C \sec^6(c + dx) dx \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] a**4*(Integral(A, x) + Integral(4*A*sec(c + d*x), x) + Integral(6*A*sec(c + d*x)**2, x) + Integral(4*A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x), x) + Integral(4*B*sec(c + d*x)**2, x) + Integral(6*B*sec(c + d*x)**3, x) + Integral(4*B*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**2, x) + Integral(4*C*sec(c + d*x)**3, x) + Integral(6*C*sec(c + d*x)**4, x) + Integral(4*C*sec(c + d*x)**5, x) + Integral(C*sec(c + d*x)**6, x))

Giac [A] time = 1.29353, size = 475, normalized size = 2.44

$$120(dx+c)Aa^4 + 15(48Aa^4 + 35Ba^4 + 28Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(48Aa^4 + 35Ba^4 + 28Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/120*(120*(d*x + c)*A*a^4 + 15*(48*A*a^4 + 35*B*a^4 + 28*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(48*A*a^4 + 35*B*a^4 + 28*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(600*A*a^4*tan(1/2*d*x + 1/2*c)^9 + 525*B*a^4*tan(1/2*d*x + 1/2*c)^9 + 420*C*a^4*tan(1/2*d*x + 1/2*c)^9 - 2720*A*a^4*tan(1/2*d*x + 1/2*c)^7 - 2450*B*a^4*tan(1/2*d*x + 1/2*c)^7 - 1960*C*a^4*tan(1/2*d*x + 1/2*c)^7 + 4720*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 4480*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 3584*C*a^4*tan(1/2*d*x + 1/2*c)^5 - 3680*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 3950*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 3160*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 1080*A*a^4*tan(1/2*d*x + 1/2*c) + 1395*B*a^4*tan(1/2*d*x + 1/2*c) + 1500*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5/d

3.441 $\int \cos(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=196

$$\frac{5a^4(4A + 8B + 7C) \tan(c + dx)}{8d} + \frac{a^4(52A + 48B + 35C) \tanh^{-1}(\sin(c + dx))}{8d} - \frac{(12A - 4B - 7C) \tan(c + dx) (a^2 \sec^2(c + dx))}{12d}$$

[Out] $a^4(4A + B)x + (a^4(52A + 48B + 35C) \operatorname{ArcTanh}[\sin(c + dx)])/(8d) + (A(a + a \sec(c + dx))^4 \sin(c + dx))/d + (5a^4(4A + 8B + 7C) \tan(c + dx))/(8d) - (a(4A - C)(a + a \sec(c + dx))^3 \tan(c + dx))/(4d) - ((12A - 4B - 7C)(a^2 + a^2 \sec^2(c + dx))^2 \tan(c + dx))/(12d) - ((12A - 32B - 35C)(a^4 + a^4 \sec^2(c + dx)) \tan(c + dx))/(24d)$

Rubi [A] time = 0.382038, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4086, 3917, 3914, 3767, 8, 3770}

$$\frac{5a^4(4A + 8B + 7C) \tan(c + dx)}{8d} + \frac{a^4(52A + 48B + 35C) \tanh^{-1}(\sin(c + dx))}{8d} - \frac{(12A - 4B - 7C) \tan(c + dx) (a^2 \sec^2(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx) + C \sec^2(c + dx)), x]$

[Out] $a^4(4A + B)x + (a^4(52A + 48B + 35C) \operatorname{ArcTanh}[\sin(c + dx)])/(8d) + (A(a + a \sec(c + dx))^4 \sin(c + dx))/d + (5a^4(4A + 8B + 7C) \tan(c + dx))/(8d) - (a(4A - C)(a + a \sec(c + dx))^3 \tan(c + dx))/(4d) - ((12A - 4B - 7C)(a^2 + a^2 \sec^2(c + dx))^2 \tan(c + dx))/(12d) - ((12A - 32B - 35C)(a^4 + a^4 \sec^2(c + dx)) \tan(c + dx))/(24d)$

Rule 4086

$\operatorname{Int}[(A + \csc(e + f \cdot x))(B + \csc(e + f \cdot x))^2(C + \csc(e + f \cdot x))(D + \csc(e + f \cdot x))^n], x] \rightarrow \operatorname{Simp}[(A \cot(e + f \cdot x)(a + b \csc(e + f \cdot x))^m (d \csc(e + f \cdot x))^n)/(f \cdot n), x] - \operatorname{Dist}[1/(b \cdot d \cdot n), \operatorname{Int}[(a + b \csc(e + f \cdot x))^m (d \csc(e + f \cdot x))^{n+1} \operatorname{Simp}[a \cdot A \cdot m - b \cdot B \cdot n - b \cdot (A \cdot (m + n + 1) + C \cdot n) \cdot \csc(e + f \cdot x)], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{!LtQ}[m, -2^{(-1)}] \ \&\& \ \text{LtQ}[n, -2^{(-1)}] \ \|\ \text{EqQ}[m + n + 1, 0]$

Rule 3917

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3914

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} + \frac{\int (a - a \sec(c + dx))^4 \cos(c + dx) dx}{d} \\
&= \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{a(4A + B) \tan(c + dx)}{d} \\
&= \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{a(4A + B) \tan(c + dx)}{d} \\
&= \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{a(4A + B) \tan(c + dx)}{d} \\
&= a^4(4A + B)x + \frac{A(a + a \sec(c + dx))^4 \sin(c + dx)}{d} \\
&= a^4(4A + B)x + \frac{a^4(52A + 48B + 35C) \tan(c + dx)}{8d} \\
&= a^4(4A + B)x + \frac{a^4(52A + 48B + 35C) \tan(c + dx)}{8d}
\end{aligned}$$

Mathematica [B] time = 4.65642, size = 530, normalized size = 2.7

$$a^4 \sec^8\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^4 (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(\sec(c)(72dx(4A + B) \cos(c) + 48dx(4A + B) \sec(c) + 35C) \tan(c) + 52A + 48B + 35C\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^4*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]^8*(1 + Sec[c + d*x])^4*(-24*(52*A + 48*B + 35*C)*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c]*(72*(4*A + B)*d*x*Cos[c] + 48*(4*A + B)*d*x*Cos[c + 2*d*x] + 192*A*d*x*Cos[3*c + 2*d*x] + 48*B*d*x*Cos[3*c + 2*d*x] + 48*A*d*x*Cos[3*c + 4*d*x] + 12*B*d*x*Cos[3*c + 4*d*x] + 48*A*d*x*Cos[5*c + 4*d*x] + 12*B*d*x*Cos[5*c + 4*d*x] - 288*A*Sin[c] - 480*B*Sin[c] - 480*C*Sin[c] + 24*A*Sin[d*x] + 48*B*Sin[d*x] + 105*C*Sin[d*x] + 24*A*Sin[2*c + d*x] + 48*B*Sin[2*c + d*x] + 105*C*Sin[2*c + d*x] + 288*A*Sin[c + 2*d*x] + 496*B*Sin[c + 2*d*x] + 544*C*Sin[c + 2*d*x] - 96*A*Sin[3*c + 2*d*x] - 144*B*Sin[3*c + 2*d*x] - 96*C*Sin[3*c + 2*d*x] + 30*A*Sin[2*c + 3*d*x] + 48*B*Sin[2*c + 3*d*x] + 81*C*Sin[2*c + 3*d*x] + 30*A*Sin[4*c + 3*d*x] + 48*B*Sin[4*c + 3*d*x] + 81*C*Sin[4*c + 3*d*x] + 96*A*Sin[3*c + 4*d*x] + 160*B*Sin[3*c + 4*d*x] + 160*C*Sin[3*c + 4*d*x] + 6*A

$\frac{\sin(4cx + 5dx) + 6A\sin(6cx + 5dx)}{(1536d(A + 2C + 2B\cos(c + dx) + A\cos(2(c + dx))))}$

Maple [A] time = 0.117, size = 294, normalized size = 1.5

$$\frac{Aa^4 \sin(dx + c)}{d} + Ba^4x + \frac{Ba^4c}{d} + \frac{35a^4C \ln(\sec(dx + c) + \tan(dx + c))}{8d} + 4a^4Ax + 4\frac{Aa^4c}{d} + 6\frac{Ba^4 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] $\frac{1}{d}Aa^4\sin(dx+c) + Ba^4x + \frac{1}{d}Ba^4c + \frac{35}{8}a^4C\ln(\sec(dx+c) + \tan(dx+c)) + 4a^4Ax + 4\frac{Aa^4c}{d} + 6\frac{Ba^4 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{13}{2}a^4\ln(\sec(dx+c) + \tan(dx+c)) + \frac{20}{3}a^4C\tan(dx+c) + \frac{27}{8}a^4C\sec(dx+c)\tan(dx+c) + 4a^4\tan(dx+c) + \frac{2}{d}Ba^4\sec(dx+c)\tan(dx+c) + \frac{4}{3}a^4C\tan(dx+c)\sec(dx+c)^2 + \frac{1}{2}a^4\sec(dx+c)\tan(dx+c) + \frac{1}{3}Ba^4\tan(dx+c)\sec(dx+c)^2 + \frac{1}{4}a^4C\tan(dx+c)\sec(dx+c)^3$

Maxima [B] time = 0.978593, size = 562, normalized size = 2.87

$$192(dx+c)Aa^4 + 16(\tan(dx+c)^3 + 3\tan(dx+c))Ba^4 + 48(dx+c)Ba^4 + 64(\tan(dx+c)^3 + 3\tan(dx+c))Ca^4 - 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] $\frac{1}{48}(192(dx+c)Aa^4 + 16(\tan(dx+c)^3 + 3\tan(dx+c))Ba^4 + 48(dx+c)Ba^4 + 64(\tan(dx+c)^3 + 3\tan(dx+c))Ca^4 - 3C^2a^4(2(3\sin(dx+c)^3 - 5\sin(dx+c)))/(\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1) - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1)) - 12Aa^4(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 48Ba^4(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 72Ca^4(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 144Aa^4(\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) + 96Ba^4(\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)))$

$$\frac{(x + c) - 1) + 24C a^4 (\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 48A a^4 \sin(dx + c) + 192A a^4 \tan(dx + c) + 288B a^4 \tan(dx + c) + 192C a^4 \tan(dx + c)}{d}$$

Fricas [A] time = 0.565522, size = 493, normalized size = 2.52

$$48(4A + B)a^4 dx \cos(dx + c)^4 + 3(52A + 48B + 35C)a^4 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(52A + 48B + 35C)a^4 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(24A a^4 \cos(dx + c)^4 + 32(3A + 5B + 5C) a^4 \cos(dx + c)^3 + 3(4A + 16B + 27C) a^4 \cos(dx + c)^2 + 8(B + 4C) a^4 \cos(dx + c) + 6C a^4) \sin(dx + c) / (d \cos(dx + c)^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+a*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{48} (48(4A + B)a^4 dx \cos(dx + c)^4 + 3(52A + 48B + 35C)a^4 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(52A + 48B + 35C)a^4 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(24A a^4 \cos(dx + c)^4 + 32(3A + 5B + 5C) a^4 \cos(dx + c)^3 + 3(4A + 16B + 27C) a^4 \cos(dx + c)^2 + 8(B + 4C) a^4 \cos(dx + c) + 6C a^4) \sin(dx + c)) / (d \cos(dx + c)^4)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+a*sec(dx+c))**4*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] Timed out

Giac [A] time = 1.32555, size = 458, normalized size = 2.34

$$\frac{48 A a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 24 (4 A a^4 + B a^4) (dx + c) + 3 (52 A a^4 + 48 B a^4 + 35 C a^4) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 3 (52 A a^4 + 48 B a^4 + 35 C a^4) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] 1/24*(48*A*a^4*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 24*(4*A*
a^4 + B*a^4)*(d*x + c) + 3*(52*A*a^4 + 48*B*a^4 + 35*C*a^4)*log(abs(tan(1/2*
d*x + 1/2*c) + 1)) - 3*(52*A*a^4 + 48*B*a^4 + 35*C*a^4)*log(abs(tan(1/2*d*
x + 1/2*c) - 1)) - 2*(84*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 120*B*a^4*tan(1/2*d
*x + 1/2*c)^7 + 105*C*a^4*tan(1/2*d*x + 1/2*c)^7 - 276*A*a^4*tan(1/2*d*x +
1/2*c)^5 - 424*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 385*C*a^4*tan(1/2*d*x + 1/2*c
)^5 + 300*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 520*B*a^4*tan(1/2*d*x + 1/2*c)^3 +
511*C*a^4*tan(1/2*d*x + 1/2*c)^3 - 108*A*a^4*tan(1/2*d*x + 1/2*c) - 216*B*
a^4*tan(1/2*d*x + 1/2*c) - 279*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1
/2*c)^2 - 1)^4)/d
```

3.442 $\int \cos^2(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=209

$$\frac{5a^4(A - B - 2C) \sin(c + dx)}{2d} + \frac{a^4(8A + 13B + 12C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(A - B - 2C) \sin(c + dx) (a^2 \sec(c + dx) + a)}{2d}$$

[Out] (a^4*(13*A + 8*B + 2*C)*x)/2 + (a^4*(8*A + 13*B + 12*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^4*(A - B - 2*C)*Sin[c + d*x])/(2*d) - (a*(3*A - 2*C)*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(2*d) - ((A - B - 2*C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((3*A + 18*B + 22*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(6*d)

Rubi [A] time = 0.565657, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4086, 4018, 3996, 3770}

$$\frac{5a^4(A - B - 2C) \sin(c + dx)}{2d} + \frac{a^4(8A + 13B + 12C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(A - B - 2C) \sin(c + dx) (a^2 \sec(c + dx) + a)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^4*(13*A + 8*B + 2*C)*x)/2 + (a^4*(8*A + 13*B + 12*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^4*(A - B - 2*C)*Sin[c + d*x])/(2*d) - (a*(3*A - 2*C)*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(2*d) - ((A - B - 2*C)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((3*A + 18*B + 22*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(6*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n *Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{2d} \\
&= -\frac{a(3A - 2C)(a + a \sec(c + dx))^3 \sin(c + dx)}{6d} \\
&= -\frac{a(3A - 2C)(a + a \sec(c + dx))^3 \sin(c + dx)}{6d} \\
&= -\frac{a(3A - 2C)(a + a \sec(c + dx))^3 \sin(c + dx)}{6d} \\
&= \frac{5a^4(A - B - 2C) \sin(c + dx)}{2d} - \frac{a(3A - 2C)}{2d} \\
&= \frac{1}{2}a^4(13A + 8B + 2C)x + \frac{5a^4(A - B - 2C)}{2d} \\
&= \frac{1}{2}a^4(13A + 8B + 2C)x + \frac{a^4(8A + 13B + 2C)}{2d}
\end{aligned}$$

Mathematica [B] time = 4.62698, size = 524, normalized size = 2.51

$$a^4(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(\sec(c)(36dx(13A + 8B + 2C) + \dots)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^4*(1 + Cos[c + d*x])^4*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]^8*Sec[c + d*x]^3*(-96*(8*A + 13*B + 12*C)*Cos[c + d*x]^3*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c]*(36*(13*A + 8*B + 2*C)*d*x*Cos[d*x] + 36*(13*A + 8*B + 2*C)*d*x*Cos[2*c + d*x] + 156*A*d*x*Cos[2*c + 3*d*x] + 96*B*d*x*Cos[2*c + 3*d*x] + 24*C*d*x*Cos[2*c + 3*d*x] + 156*A*d*x*Cos[4*c + 3*d*x] + 96*B*d*x*Cos[4*c + 3*d*x] + 24*C*d*x*Cos[4*c + 3*d*x] + 102*A*Sin[d*x] + 384*B*Sin[d*x] + 672*C*Sin[d*x] - 42*A*Sin[2*c + d*x] - 192*B*Sin[2*c + d*x] - 288*C*Sin[2*c + d*x] + 96*A*Sin[c + 2*d*x] + 48*B*Sin[c + 2*d*x] + 96*C*Sin[c + 2*d*x] + 96*A*Sin[3*c + 2*d*x] + 48*B*Sin[3*c + 2*d*x] + 96*C*Sin[3*c + 2*d*x] + 57*A*Sin[2*c + 3*d*x] + 192*B*Sin[2*c + 3*d*x] + 320*C*Sin[2*c + 3*d*x] + 9*A*Sin[4*c + 3*d*x] + 48*A*Sin[3*c + 4*d*x] + 12*B*Sin[3*c + 4*d*x] + 48*A*Sin[5*c + 4*d*x] + 12*B*Sin[5*c + 4*d*x] + 3*A*Sin[4*c + 5*d*x] + 3*A*Sin[6*c + 5*d*x])

$d*x])))))/(1536*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*(c + d*x)]))$

Maple [A] time = 0.125, size = 279, normalized size = 1.3

$$\frac{Aa^4 \cos(dx+c) \sin(dx+c)}{2d} + \frac{13a^4 Ax}{2} + \frac{13Aa^4 c}{2d} + \frac{Ba^4 \sin(dx+c)}{d} + a^4 Cx + \frac{Ca^4 c}{d} + 4 \frac{Aa^4 \sin(dx+c)}{d} + 4Ba^4 x + 4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] $1/2/d*A*a^4*\cos(d*x+c)*\sin(d*x+c)+13/2*a^4*A*x+13/2/d*A*a^4*c+1/d*B*a^4*\sin(d*x+c)+a^4*C*x+1/d*C*a^4*c+4/d*A*a^4*\sin(d*x+c)+4*B*a^4*x+4/d*B*a^4*c+6/d*a^4*C*\ln(\sec(d*x+c)+\tan(d*x+c))+13/2/d*B*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+20/3/d*a^4*C*\tan(d*x+c)+4/d*A*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+4/d*B*a^4*\tan(d*x+c)+2/d*a^4*C*\sec(d*x+c)*\tan(d*x+c)+1/d*A*a^4*\tan(d*x+c)+1/2/d*B*a^4*\sec(d*x+c)*\tan(d*x+c)+1/3/d*a^4*C*\tan(d*x+c)*\sec(d*x+c)^2$

Maxima [A] time = 0.966271, size = 432, normalized size = 2.07

$$3(2dx + 2c + \sin(2dx + 2c))Aa^4 + 72(dx + c)Aa^4 + 48(dx + c)Ba^4 + 4(\tan(dx + c)^3 + 3\tan(dx + c))Ca^4 + 12(dx + c)Ba^4 \tan(dx + c) + 72Ca^4 \tan(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] $1/12*(3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^4 + 72*(d*x + c)*A*a^4 + 48*(d*x + c)*B*a^4 + 4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*C*a^4 + 12*(d*x + c)*C*a^4 - 3*B*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 12*C*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 24*A*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 36*B*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 24*C*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 48*A*a^4*\sin(d*x + c) + 12*B*a^4*\sin(d*x + c) + 12*A*a^4*\tan(d*x + c) + 48*B*a^4*\tan(d*x + c) + 72*C*a^4*\tan(d*x + c))/d$

Fricas [A] time = 0.560103, size = 487, normalized size = 2.33

$$6(13A + 8B + 2C)a^4 dx \cos(dx + c)^3 + 3(8A + 13B + 12C)a^4 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(8A + 13B + 12C)a^4 \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(3Aa^4 \cos(dx + c)^4 + 6(4A + B)a^4 \cos(dx + c)^3 + 2(3A + 12B + 20C)a^4 \cos(dx + c)^2 + 3(B + 4C)a^4 \cos(dx + c) + 2Ca^4 \sin(dx + c)) / (d \cos(dx + c)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/12*(6*(13*A + 8*B + 2*C)*a^4*d*x*cos(d*x + c)^3 + 3*(8*A + 13*B + 12*C)*a^4*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(8*A + 13*B + 12*C)*a^4*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(3*A*a^4*cos(d*x + c)^4 + 6*(4*A + B)*a^4*cos(d*x + c)^3 + 2*(3*A + 12*B + 20*C)*a^4*cos(d*x + c)^2 + 3*(B + 4*C)*a^4*cos(d*x + c) + 2*C*a^4*sin(d*x + c))/(d*cos(d*x + c)^3)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.31841, size = 468, normalized size = 2.24

$$3(13Aa^4 + 8Ba^4 + 2Ca^4)(dx + c) + 3(8Aa^4 + 13Ba^4 + 12Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(8Aa^4 + 13Ba^4 + 12Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 2(3Aa^4 \cos(dx + c)^4 + 6(4A + B)a^4 \cos(dx + c)^3 + 2(3A + 12B + 20C)a^4 \cos(dx + c)^2 + 3(B + 4C)a^4 \cos(dx + c) + 2Ca^4 \sin(dx + c)) / (d \cos(dx + c)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

```
[Out] 1/6*(3*(13*A*a^4 + 8*B*a^4 + 2*C*a^4)*(d*x + c) + 3*(8*A*a^4 + 13*B*a^4 + 12*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(8*A*a^4 + 13*B*a^4 + 12*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 6*(7*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 9*A*a^4*tan(1/2*d*x + 1/2*c) + 2*B*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2 - 2*(6*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 21*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 30*C*a^4*tan(1/2*d*x + 1/2*c)^5 - 12*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 48*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 76*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 6*A*a^4*tan(1/2*d*x + 1/2*c) + 27*B*a^4*tan(1/2*d*x + 1/2*c) + 54*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

3.443 $\int \cos^3(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=217

$$\frac{5a^4(2A + B - C) \sin(c + dx)}{2d} + \frac{a^4(2A + 8B + 13C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(2A + B - C) \sin(c + dx) (a^2 \sec(c + dx) + a$$

[Out] $(a^4(12A + 13B + 8C)x)/2 + (a^4(2A + 8B + 13C) \operatorname{ArcTanh}[\sin[c + dx]])/(2d) + (5a^4(2A + B - C) \sin[c + dx])/(2d) + (a(4A + 3B) \cos[c + dx] (a + a \sec[c + dx])^3 \sin[c + dx])/(6d) + (A \cos[c + dx]^2 (a + a \sec[c + dx])^4 \sin[c + dx])/(3d) - ((2A + B - C) (a^2 + a^2 \sec[c + dx])^2 \sin[c + dx])/(2d) - ((8A - 3B - 18C) (a^4 + a^4 \sec[c + dx]) \sin[c + dx])/(6d)$

Rubi [A] time = 0.601841, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4086, 4017, 4018, 3996, 3770}

$$\frac{5a^4(2A + B - C) \sin(c + dx)}{2d} + \frac{a^4(2A + 8B + 13C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(2A + B - C) \sin(c + dx) (a^2 \sec(c + dx) + a$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos[c + dx]^3 (a + a \sec[c + dx])^4 (A + B \sec[c + dx] + C \sec[c + dx]^2), x]$

[Out] $(a^4(12A + 13B + 8C)x)/2 + (a^4(2A + 8B + 13C) \operatorname{ArcTanh}[\sin[c + dx]])/(2d) + (5a^4(2A + B - C) \sin[c + dx])/(2d) + (a(4A + 3B) \cos[c + dx] (a + a \sec[c + dx])^3 \sin[c + dx])/(6d) + (A \cos[c + dx]^2 (a + a \sec[c + dx])^4 \sin[c + dx])/(3d) - ((2A + B - C) (a^2 + a^2 \sec[c + dx])^2 \sin[c + dx])/(2d) - ((8A - 3B - 18C) (a^4 + a^4 \sec[c + dx]) \sin[c + dx])/(6d)$

Rule 4086

$\operatorname{Int}[(A + \csc[e + f x] + (f x) \csc[e + f x]) (B + \csc[e + f x] + (f x) \csc[e + f x])^2 (C + \csc[e + f x] + (f x) \csc[e + f x])^m (D + \csc[e + f x] + (f x) \csc[e + f x])^n, x] \rightarrow \operatorname{Simp}[(A \cot[e + f x] (a + b \csc[e + f x])^m (d \csc[e + f x])^n) / (f^n), x] - \operatorname{Dist}[1 / (b d^n), \operatorname{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \operatorname{Simp}[a A^m - b B^n - b (A(m + n + 1) + C n) \csc[e + f x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{3d} \\
&= \frac{a(4A + 3B) \cos(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{6d} \\
&= \frac{a(4A + 3B) \cos(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{6d} \\
&= \frac{a(4A + 3B) \cos(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{6d} \\
&= \frac{5a^4(2A + B - C) \sin(c + dx)}{2d} + \frac{a(4A + 3B) \cos(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{6d} \\
&= \frac{1}{2}a^4(12A + 13B + 8C)x + \frac{5a^4(2A + B - C) \sin(c + dx)}{2d} \\
&= \frac{1}{2}a^4(12A + 13B + 8C)x + \frac{a^4(2A + 8B + 5C) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 6.31162, size = 1518, normalized size = 7.

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((12*A + 13*B + 8*C)*x*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(16*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((-2*A - 8*B - 13*C)*Cos[c + d*x]^6*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(16*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((2*A + 8*B + 13*C)*Cos[c + d*x]^6*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(16*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((27*A + 16*B + 4*C)*Cos[d*x]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(32*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((4*A + B)*Cos[2*d*x]*Cos[c + d*x]^6*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[2*c])/(32*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (A*Cos[3*d*x]*Cos[c + d*x]^6*Sec[c/

$$\begin{aligned}
& 2 + (dx)/2]^8(a + a*\sec[c + dx])^4*(A + B*\sec[c + dx] + C*\sec[c + dx]^2)*\sin[3*c])/(96*d*(A + 2*C + 2*B*\cos[c + dx] + A*\cos[2*c + 2*dx])) + ((2 \\
& 7*A + 16*B + 4*C)*\cos[c]*\cos[c + dx]^6*\sec[c/2 + (dx)/2]^8*(a + a*\sec[c + \\
& dx])^4*(A + B*\sec[c + dx] + C*\sec[c + dx]^2)*\sin[dx])/(32*d*(A + 2*C + \\
& 2*B*\cos[c + dx] + A*\cos[2*c + 2*dx])) + ((4*A + B)*\cos[2*c]*\cos[c + dx] \\
& ^6*\sec[c/2 + (dx)/2]^8*(a + a*\sec[c + dx])^4*(A + B*\sec[c + dx] + C*\sec[\\
& c + dx]^2)*\sin[2*dx])/(32*d*(A + 2*C + 2*B*\cos[c + dx] + A*\cos[2*c + 2*d \\
& *x])) + (A*\cos[3*c]*\cos[c + dx]^6*\sec[c/2 + (dx)/2]^8*(a + a*\sec[c + dx] \\
&)^4*(A + B*\sec[c + dx] + C*\sec[c + dx]^2)*\sin[3*dx])/(96*d*(A + 2*C + 2* \\
& B*\cos[c + dx] + A*\cos[2*c + 2*dx])) + (C*\cos[c + dx]^6*\sec[c/2 + (dx)/2 \\
&]^8*(a + a*\sec[c + dx])^4*(A + B*\sec[c + dx] + C*\sec[c + dx]^2))/(32*d*(\\
& A + 2*C + 2*B*\cos[c + dx] + A*\cos[2*c + 2*dx])*(\cos[c/2 + (dx)/2] - \sin[\\
& c/2 + (dx)/2])^2) + (\cos[c + dx]^6*\sec[c/2 + (dx)/2]^8*(a + a*\sec[c + dx \\
& x])^4*(A + B*\sec[c + dx] + C*\sec[c + dx]^2)*(B*\sin[(dx)/2] + 4*C*\sin[(d*x \\
& x)/2]))/(8*d*(A + 2*C + 2*B*\cos[c + dx] + A*\cos[2*c + 2*dx])*(\cos[c/2] - \\
& \sin[c/2])*(\cos[c/2 + (dx)/2] - \sin[c/2 + (dx)/2])) - (C*\cos[c + dx]^6*\se \\
& c[c/2 + (dx)/2]^8*(a + a*\sec[c + dx])^4*(A + B*\sec[c + dx] + C*\sec[c + d \\
& *x]^2))/(32*d*(A + 2*C + 2*B*\cos[c + dx] + A*\cos[2*c + 2*dx])*(\cos[c/2 + \\
& (dx)/2] + \sin[c/2 + (dx)/2])^2) + (\cos[c + dx]^6*\sec[c/2 + (dx)/2]^8*(a \\
& + a*\sec[c + dx])^4*(A + B*\sec[c + dx] + C*\sec[c + dx]^2)*(B*\sin[(dx)/2 \\
&] + 4*C*\sin[(dx)/2]))/(8*d*(A + 2*C + 2*B*\cos[c + dx] + A*\cos[2*c + 2*d*x \\
&]*(\cos[c/2] + \sin[c/2])*(\cos[c/2 + (dx)/2] + \sin[c/2 + (dx)/2]))
\end{aligned}$$

Maple [A] time = 0.122, size = 280, normalized size = 1.3

$$\frac{A \sin(dx + c) (\cos(dx + c))^2 a^4}{3d} + \frac{20 A a^4 \sin(dx + c)}{3d} + \frac{B a^4 \sin(dx + c) \cos(dx + c)}{2d} + \frac{13 B a^4 x}{2} + \frac{13 B a^4 c}{2d} + \frac{a^4 C \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^3*(a+a*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2), x)

[Out] 1/3/d*A*sin(dx+c)*cos(dx+c)^2*a^4+20/3/d*A*a^4*sin(dx+c)+1/2/d*B*a^4*sin(dx+c)*cos(dx+c)+13/2*B*a^4*x+13/2/d*B*a^4*c+1/d*a^4*C*sin(dx+c)+2/d*A*a^4*cos(dx+c)*sin(dx+c)+6*a^4*A*x+6/d*A*a^4*c+4/d*B*a^4*sin(dx+c)+4*a^4*C*x+4/d*C*a^4*c+13/2/d*a^4*C*ln(sec(dx+c)+tan(dx+c))+4/d*B*a^4*ln(sec(dx+c)+tan(dx+c))+4/d*a^4*C*tan(dx+c)+1/d*A*a^4*ln(sec(dx+c)+tan(dx+c))+1/d*B*a^4*tan(dx+c)+1/2/d*a^4*C*sec(dx+c)*tan(dx+c)

Maxima [A] time = 0.965466, size = 400, normalized size = 1.84

$$4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 12(2dx+2c+\sin(2dx+2c))Aa^4 - 48(dx+c)Aa^4 - 3(2dx+2c+\sin(2dx+2c))Aa^4$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="maxima")
```

```
[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^4 - 12*(2*d*x + 2*c + sin(2*
d*x + 2*c))*A*a^4 - 48*(d*x + c)*A*a^4 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))
*B*a^4 - 72*(d*x + c)*B*a^4 - 48*(d*x + c)*C*a^4 + 3*C*a^4*(2*sin(d*x + c)/
(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 6*A
*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 24*B*a^4*(log(sin(d*
x + c) + 1) - log(sin(d*x + c) - 1)) - 36*C*a^4*(log(sin(d*x + c) + 1) - lo
g(sin(d*x + c) - 1)) - 72*A*a^4*sin(d*x + c) - 48*B*a^4*sin(d*x + c) - 12*C
*a^4*sin(d*x + c) - 12*B*a^4*tan(d*x + c) - 48*C*a^4*tan(d*x + c))/d
```

Fricas [A] time = 0.565319, size = 486, normalized size = 2.24

$$6(12A + 13B + 8C)a^4 dx \cos(dx+c)^2 + 3(2A + 8B + 13C)a^4 \cos(dx+c)^2 \log(\sin(dx+c)+1) - 3(2A + 8B + 13C)a^4$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/12*(6*(12*A + 13*B + 8*C)*a^4*d*x*cos(d*x + c)^2 + 3*(2*A + 8*B + 13*C)*a
^4*cos(d*x + c)^2*log(sin(d*x + c) + 1) - 3*(2*A + 8*B + 13*C)*a^4*cos(d*x
+ c)^2*log(-sin(d*x + c) + 1) + 2*(2*A*a^4*cos(d*x + c)^4 + 3*(4*A + B)*a^4
*cos(d*x + c)^3 + 2*(20*A + 12*B + 3*C)*a^4*cos(d*x + c)^2 + 6*(B + 4*C)*a^
4*cos(d*x + c) + 3*C*a^4)*sin(d*x + c))/(d*cos(d*x + c)^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.3056, size = 468, normalized size = 2.16

$$3(12Aa^4 + 13Ba^4 + 8Ca^4)(dx + c) + 3(2Aa^4 + 8Ba^4 + 13Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa^4 + 8Ba^4 + 13Ca^4)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/6*(3*(12*A*a^4 + 13*B*a^4 + 8*C*a^4)*(d*x + c) + 3*(2*A*a^4 + 8*B*a^4 + 13*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*A*a^4 + 8*B*a^4 + 13*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 6*(2*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 7*C*a^4*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^4*tan(1/2*d*x + 1/2*c) - 9*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2 + 2*(30*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 21*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^4*tan(1/2*d*x + 1/2*c)^5 + 76*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 48*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 12*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 54*A*a^4*tan(1/2*d*x + 1/2*c) + 27*B*a^4*tan(1/2*d*x + 1/2*c) + 6*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d
```


3.444 $\int \cos^4(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=217

$$\frac{5a^4(7A + 8B + 4C) \sin(c + dx)}{8d} - \frac{(35A + 32B - 12C) \sin(c + dx) (a^4 \sec(c + dx) + a^4)}{24d} + \frac{(7A + 8B + 4C) \sin(c + dx) c}{24d}$$

[Out] (a^4*(35*A + 48*B + 52*C)*x)/8 + (a^4*(B + 4*C)*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(7*A + 8*B + 4*C)*Sin[c + d*x])/(8*d) + (a*(A + B)*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(3*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^4*Ssin[c + d*x])/(4*d) + ((7*A + 8*B + 4*C)*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(8*d) - ((35*A + 32*B - 12*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(24*d)

Rubi [A] time = 0.621899, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4086, 4017, 4018, 3996, 3770}

$$\frac{5a^4(7A + 8B + 4C) \sin(c + dx)}{8d} - \frac{(35A + 32B - 12C) \sin(c + dx) (a^4 \sec(c + dx) + a^4)}{24d} + \frac{(7A + 8B + 4C) \sin(c + dx) c}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^4*(35*A + 48*B + 52*C)*x)/8 + (a^4*(B + 4*C)*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(7*A + 8*B + 4*C)*Sin[c + d*x])/(8*d) + (a*(A + B)*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(3*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^4*Ssin[c + d*x])/(4*d) + ((7*A + 8*B + 4*C)*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(8*d) - ((35*A + 32*B - 12*C)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(24*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^4(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \, dx &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{4d} \\
 &= \frac{a(A + B) \cos^2(c + dx)(a + a \sec(c + dx))^4}{3d} \\
 &= \frac{a(A + B) \cos^2(c + dx)(a + a \sec(c + dx))^4}{3d} \\
 &= \frac{a(A + B) \cos^2(c + dx)(a + a \sec(c + dx))^4}{3d} \\
 &= \frac{5a^4(7A + 8B + 4C) \sin(c + dx)}{8d} + \frac{a(A + B) \cos^2(c + dx)(a + a \sec(c + dx))^4}{3d} \\
 &= \frac{1}{8}a^4(35A + 48B + 52C)x + \frac{5a^4(7A + 8B + 4C) \sin(c + dx)}{8d} + \frac{a(A + B) \cos^2(c + dx)(a + a \sec(c + dx))^4}{3d} \\
 &= \frac{1}{8}a^4(35A + 48B + 52C)x + \frac{a^4(B + 4C) \sin(c + dx)}{8d} + \frac{a(A + B) \cos^2(c + dx)(a + a \sec(c + dx))^4}{3d}
 \end{aligned}$$

Mathematica [B] time = 6.2291, size = 1436, normalized size = 6.62

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a^4*(((35*A + 48*B + 52*C)*x*Cos[c + d*x]^2*(1 + Cos[c + d*x])^4*Sec[c/2 + (d*x)/2]^8*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(64*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((-B - 4*C)*Cos[c + d*x]^2*(1 + Cos[c + d*x])^4*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^8*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(8*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((B + 4*C)*Cos[c + d*x]^2*(1 + Cos[c + d*x])^4*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^8*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(8*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((28*A + 27*B + 16*C)*Cos[d*x]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^4*Sec[c/2 + (d*x)/2]^8*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(32*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((7*A + 4*B + C)*Cos[2*d*x]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^4*Sec[c/2 + (d*x)/2]^8*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[2*c])/(32*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((4*A + B)*Cos[3*d*x]*Cos[c + d*x]^2*(1 + Cos[c + d*x])^4*Sec[c/2 + (d*x)/2]^8*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[3*c])/(32*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

$$\begin{aligned} & x])^4 \sec[c/2 + (d*x)/2]^8 (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sin[3*c] \\ &) / (96*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + (A*\cos[4*d*x] * \\ & \cos[c + d*x]^2 * (1 + \cos[c + d*x])^4 * \sec[c/2 + (d*x)/2]^8 (A + B*\sec[c + d*x] \\ & + C*\sec[c + d*x]^2) * \sin[4*c]) / (256*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[\\ & 2*c + 2*d*x])) + ((28*A + 27*B + 16*C) * \cos[c] * \cos[c + d*x]^2 * (1 + \cos[c + d \\ & *x])^4 * \sec[c/2 + (d*x)/2]^8 (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sin[d*x] \\ &]) / (32*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + ((7*A + 4*B + \\ & C) * \cos[2*c] * \cos[c + d*x]^2 * (1 + \cos[c + d*x])^4 * \sec[c/2 + (d*x)/2]^8 (A + \\ & B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sin[2*d*x]) / (32*d*(A + 2*C + 2*B*\cos[c + \\ & d*x] + A*\cos[2*c + 2*d*x])) + ((4*A + B) * \cos[3*c] * \cos[c + d*x]^2 * (1 + \cos[\\ & c + d*x])^4 * \sec[c/2 + (d*x)/2]^8 (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sin \\ & [3*d*x]) / (96*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + (A*\cos \\ & [4*c] * \cos[c + d*x]^2 * (1 + \cos[c + d*x])^4 * \sec[c/2 + (d*x)/2]^8 (A + B*\sec[c \\ & + d*x] + C*\sec[c + d*x]^2) * \sin[4*d*x]) / (256*d*(A + 2*C + 2*B*\cos[c + d*x] \\ & + A*\cos[2*c + 2*d*x])) + (C*\cos[c + d*x]^2 * (1 + \cos[c + d*x])^4 * \sec[c/2 + (\\ & d*x)/2]^8 (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sin[(d*x)/2]) / (8*d*(A + 2 \\ & *C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (\cos[c/2] - \sin[c/2]) * (\cos[c/2 \\ & + (d*x)/2] - \sin[c/2 + (d*x)/2])) + (C*\cos[c + d*x]^2 * (1 + \cos[c + d*x])^4 * \\ & \sec[c/2 + (d*x)/2]^8 (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sin[(d*x)/2]) / \\ & (8*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (\cos[c/2] + \sin[c/2] \\ &) * (\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2])) \end{aligned}$$

Maple [A] time = 0.11, size = 289, normalized size = 1.3

$$\frac{B \sin(dx + c) (\cos(dx + c))^2 a^4}{3d} + \frac{20 B a^4 \sin(dx + c)}{3d} + \frac{35 a^4 A x}{8} + \frac{A a^4 \sin(dx + c) (\cos(dx + c))^3}{4d} + \frac{27 A a^4 \cos(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/3/d*B*sin(d*x+c)*cos(d*x+c)^2*a^4+20/3/d*B*a^4*sin(d*x+c)+35/8*a^4*A*x+1/4/d*A*a^4*sin(d*x+c)*cos(d*x+c)^3+27/8/d*A*a^4*cos(d*x+c)*sin(d*x+c)+13/2*a^4*C*x+1/2/d*a^4*C*sin(d*x+c)*cos(d*x+c)+6*B*a^4*x+2/d*B*a^4*sin(d*x+c)*cos(d*x+c)+1/d*B*a^4*ln(sec(d*x+c)+tan(d*x+c))+35/8/d*A*a^4*c+13/2/d*C*a^4*c+6/d*B*a^4*c+4/d*a^4*C*sin(d*x+c)+4/d*a^4*C*ln(sec(d*x+c)+tan(d*x+c))+20/3/d*A*a^4*sin(d*x+c)+1/d*a^4*C*tan(d*x+c)+4/3/d*A*sin(d*x+c)*cos(d*x+c)^2*a^4

Maxima [A] time = 0.968961, size = 392, normalized size = 1.81

$$\frac{128 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) Aa^4 - 3(12dx+12c + \sin(4dx+4c) + 8 \sin(2dx+2c))Aa^4 - 144(2dx+2c + \sin(2dx+2c))Aa^4 - 96(dx+c)Aa^4 + 32(\sin(dx+c)^3 - 3\sin(dx+c))B^4 - 96(2dx+2c + \sin(2dx+2c))B^4 - 384(dx+c)B^4 - 24(2dx+2c + \sin(2dx+2c))C^4 - 576(dx+c)C^4 - 48B^4(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 192C^4(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 384Aa^4\sin(dx+c) - 576B^4\sin(dx+c) - 384C^4\sin(dx+c) - 96C^4\tan(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="maxima")

[Out] -1/96*(128*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^4 - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^4 - 144*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^4 - 96*(d*x + c)*A*a^4 + 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^4 - 96*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^4 - 384*(d*x + c)*B*a^4 - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^4 - 576*(d*x + c)*C*a^4 - 48*B*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 192*C*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 384*A*a^4*sin(d*x + c) - 576*B*a^4*sin(d*x + c) - 384*C*a^4*sin(d*x + c) - 96*C*a^4*tan(d*x + c))/d

Fricas [A] time = 0.553484, size = 466, normalized size = 2.15

$$\frac{3(35A + 48B + 52C)a^4 dx \cos(dx+c) + 12(B + 4C)a^4 \cos(dx+c) \log(\sin(dx+c)+1) - 12(B + 4C)a^4 \cos(dx+c) \log(-\sin(dx+c)+1) + (6Aa^4 \cos(dx+c)^4 + 8(4A+B)a^4 \cos(dx+c)^3 + 3(27A + 16B + 4C)a^4 \cos(dx+c)^2 + 32(5A + 5B + 3C)a^4 \cos(dx+c) + 24C^4) \sin(dx+c)}{(d \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")

[Out] 1/24*(3*(35*A + 48*B + 52*C)*a^4*d*x*cos(d*x + c) + 12*(B + 4*C)*a^4*cos(d*x + c)*log(sin(d*x + c) + 1) - 12*(B + 4*C)*a^4*cos(d*x + c)*log(-sin(d*x + c) + 1) + (6*A*a^4*cos(d*x + c)^4 + 8*(4*A + B)*a^4*cos(d*x + c)^3 + 3*(27*A + 16*B + 4*C)*a^4*cos(d*x + c)^2 + 32*(5*A + 5*B + 3*C)*a^4*cos(d*x + c) + 24*C^4)*sin(d*x + c))/(d*cos(d*x + c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.29502, size = 448, normalized size = 2.06

$$\frac{48Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - 3(35Aa^4 + 48Ba^4 + 52Ca^4)(dx + c) - 24(Ba^4 + 4Ca^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 24(Ba^4 + 4Ca^4)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/24*(48*C*a^4*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1) - 3*(35*A*a^4 + 48*B*a^4 + 52*C*a^4)*(d*x + c) - 24*(B*a^4 + 4*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) + 24*(B*a^4 + 4*C*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(105*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 120*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 84*C*a^4*tan(1/2*d*x + 1/2*c)^7 + 385*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 424*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 276*C*a^4*tan(1/2*d*x + 1/2*c)^5 + 511*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 520*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 300*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 279*A*a^4*tan(1/2*d*x + 1/2*c) + 216*B*a^4*tan(1/2*d*x + 1/2*c) + 108*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4/d
```

3.445 $\int \cos^5(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=225

$$\frac{a^4(28A + 35B + 40C) \sin(c + dx)}{8d} + \frac{(28A + 35B + 20C) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{60d} + \frac{(28A + 35B + 20C) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{60d} + \frac{(28A + 35B + 20C) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{60d}$$

[Out] (a^4*(28*A + 35*B + 48*C)*x)/8 + (a^4*C*ArcTanh[Sin[c + d*x]])/d + (a^4*(28*A + 35*B + 40*C)*Sin[c + d*x])/(8*d) + (a*(4*A + 5*B)*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*Ssin[c + d*x])/(5*d) + ((28*A + 35*B + 20*C)*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(60*d) + ((28*A + 35*B + 32*C)*Cos[c + d*x]*(a^4 + a^4*Sec[c + d*x])*Ssin[c + d*x])/(24*d)

Rubi [A] time = 0.582938, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4086, 4017, 3996, 3770}

$$\frac{a^4(28A + 35B + 40C) \sin(c + dx)}{8d} + \frac{(28A + 35B + 20C) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{60d} + \frac{(28A + 35B + 20C) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{60d} + \frac{(28A + 35B + 20C) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{60d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^4*(28*A + 35*B + 48*C)*x)/8 + (a^4*C*ArcTanh[Sin[c + d*x]])/d + (a^4*(28*A + 35*B + 40*C)*Sin[c + d*x])/(8*d) + (a*(4*A + 5*B)*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*Ssin[c + d*x])/(5*d) + ((28*A + 35*B + 20*C)*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(60*d) + ((28*A + 35*B + 32*C)*Cos[c + d*x]*(a^4 + a^4*Sec[c + d*x])*Ssin[c + d*x])/(24*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] / ; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^5(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^4(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{5d} \\
&= \frac{a(4A+5B)\cos^3(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{20d} \\
&= \frac{a(4A+5B)\cos^3(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{20d} \\
&= \frac{a(4A+5B)\cos^3(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{20d} \\
&= \frac{a^4(28A+35B+40C)\sin(c+dx)}{8d} + \frac{a(4A+5B)\cos^3(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{20d} \\
&= \frac{1}{8}a^4(28A+35B+48C)x + \frac{a^4(28A+35B+48C)\sin(c+dx)}{8d} \\
&= \frac{1}{8}a^4(28A+35B+48C)x + \frac{a^4C\tanh^{-1}\left(\frac{\sin(c+dx)}{a}\right)}{8d}
\end{aligned}$$

Mathematica [A] time = 0.617114, size = 182, normalized size = 0.81

$$a^4 \left(60(49A + 56B + 54C) \sin(c + dx) + 120(8A + 7B + 4C) \sin(2(c + dx)) + 290A \sin(3(c + dx)) + 60A \sin(4(c + dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^4*(1680*A*d*x + 2100*B*d*x + 2880*C*d*x - 480*C*Log[Cos[(c + d*x)/2]] - Sin[(c + d*x)/2]] + 480*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 60*(49*A + 56*B + 54*C)*Sin[c + d*x] + 120*(8*A + 7*B + 4*C)*Sin[2*(c + d*x)] + 290*A*Sin[3*(c + d*x)] + 160*B*Sin[3*(c + d*x)] + 40*C*Sin[3*(c + d*x)] + 60*A*Sin[4*(c + d*x)] + 15*B*Sin[4*(c + d*x)] + 6*A*Sin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.125, size = 320, normalized size = 1.4

$$\frac{4B\sin(dx+c)(\cos(dx+c))^2a^4}{3d} + \frac{20Ba^4\sin(dx+c)}{3d} + \frac{35Ba^4c}{8d} + \frac{7Aa^4c}{2d} + \frac{35Ba^4x}{8} + \frac{Ba^4\sin(dx+c)(\cos(dx+c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{4}{3}d B \sin(d*x+c) \cos(d*x+c)^2 a^4 + \frac{20}{3}d B a^4 \sin(d*x+c) + \frac{35}{8}d B a^4 c + \frac{7}{2}d A a^4 c + \frac{35}{8}B a^4 x + \frac{1}{4}d B a^4 \sin(d*x+c) \cos(d*x+c)^3 + \frac{27}{8}d B a^4 \sin(d*x+c) \cos(d*x+c) + \frac{7}{2}a^4 A x + \frac{1}{d} A a^4 \sin(d*x+c) \cos(d*x+c)^3 + \frac{7}{2}d A a^4 \cos(d*x+c) \sin(d*x+c) + 6a^4 C x + \frac{2}{d} a^4 C \sin(d*x+c) \cos(d*x+c) + \frac{20}{3}d a^4 C \sin(d*x+c) + \frac{1}{d} a^4 C \ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{83}{15}d A a^4 \sin(d*x+c) + \frac{34}{15}d A \sin(d*x+c) \cos(d*x+c)^2 a^4 + \frac{6}{d} C a^4 c + \frac{1}{5}d A a^4 \sin(d*x+c) \cos(d*x+c)^4 + \frac{1}{3}d C \sin(d*x+c) \cos(d*x+c)^2 a^4$

Maxima [A] time = 0.967566, size = 448, normalized size = 1.99

$32(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) A a^4 - 960(\sin(dx+c)^3 - 3 \sin(dx+c)) A a^4 + 60(12 dx + 12 c$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{480} * (32 * (3 * \sin(d*x + c)^5 - 10 * \sin(d*x + c)^3 + 15 * \sin(d*x + c)) * A a^4 - 960 * (\sin(d*x + c)^3 - 3 * \sin(d*x + c)) * A a^4 + 60 * (12 * d * x + 12 * c + \sin(4 * d * x + 4 * c) + 8 * \sin(2 * d * x + 2 * c)) * A a^4 + 480 * (2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * A a^4 - 640 * (\sin(d * x + c)^3 - 3 * \sin(d * x + c)) * B a^4 + 15 * (12 * d * x + 12 * c + \sin(4 * d * x + 4 * c) + 8 * \sin(2 * d * x + 2 * c)) * B a^4 + 720 * (2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * B a^4 + 480 * (d * x + c) * B a^4 - 160 * (\sin(d * x + c)^3 - 3 * \sin(d * x + c)) * C a^4 + 480 * (2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * C a^4 + 1920 * (d * x + c) * C a^4 + 240 * C a^4 * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1)) + 480 * A a^4 * \sin(d * x + c) + 1920 * B a^4 * \sin(d * x + c) + 2880 * C a^4 * \sin(d * x + c)) / d$

Fricas [A] time = 0.561305, size = 408, normalized size = 1.81

$15(28 A + 35 B + 48 C) a^4 dx + 60 C a^4 \log(\sin(dx+c)+1) - 60 C a^4 \log(-\sin(dx+c)+1) + (24 A a^4 \cos(dx+c)^4 + 30$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

```
[Out] 1/120*(15*(28*A + 35*B + 48*C)*a^4*d*x + 60*C*a^4*log(sin(d*x + c) + 1) - 60*C*a^4*log(-sin(d*x + c) + 1) + (24*A*a^4*cos(d*x + c)^4 + 30*(4*A + B)*a^4*cos(d*x + c)^3 + 8*(34*A + 20*B + 5*C)*a^4*cos(d*x + c)^2 + 15*(28*A + 27*B + 16*C)*a^4*cos(d*x + c) + 8*(83*A + 100*B + 100*C)*a^4)*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c))**2),x)
```

[Out] Timed out

Giac [A] time = 1.34333, size = 455, normalized size = 2.02

$$120 Ca^4 \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 120 Ca^4 \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + 15 (28 Aa^4 + 35 Ba^4 + 48 Ca^4)(dx + c) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/120*(120*C*a^4*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 120*C*a^4*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 15*(28*A*a^4 + 35*B*a^4 + 48*C*a^4)*(d*x + c) + 2*(420*A*a^4*tan(1/2*d*x + 1/2*c)^9 + 525*B*a^4*tan(1/2*d*x + 1/2*c)^9 + 600*C*a^4*tan(1/2*d*x + 1/2*c)^9 + 1960*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 2450*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 2720*C*a^4*tan(1/2*d*x + 1/2*c)^7 + 3584*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 4480*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 4720*C*a^4*tan(1/2*d*x + 1/2*c)^5 + 3160*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 3950*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 3680*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 1500*A*a^4*tan(1/2*d*x + 1/2*c) + 1395*B*a^4*tan(1/2*d*x + 1/2*c) + 1080*C*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5)/d
```

3.446 $\int \cos^6(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=213

$$-\frac{2a^4(7A + 8B + 10C) \sin^3(c + dx)}{15d} + \frac{4a^4(7A + 8B + 10C) \sin(c + dx)}{5d} + \frac{a^4(7A + 8B + 10C) \sin(c + dx) \cos^3(c + dx)}{40d} +$$

[Out] $(7*a^4*(7*A + 8*B + 10*C)*x)/16 + (4*a^4*(7*A + 8*B + 10*C)*\text{Sin}[c + d*x])/(5*d) + (27*a^4*(7*A + 8*B + 10*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(80*d) + (a^4*(7*A + 8*B + 10*C)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(40*d) + ((2*A + 3*B)*\text{Cos}[c + d*x]^4*(a + a*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(15*d) + (A*\text{Cos}[c + d*x]^5*(a + a*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(6*d) - (2*a^4*(7*A + 8*B + 10*C)*\text{Sin}[c + d*x]^3)/(15*d)$

Rubi [A] time = 0.40923, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4086, 4013, 3791, 2637, 2635, 8, 2633}

$$-\frac{2a^4(7A + 8B + 10C) \sin^3(c + dx)}{15d} + \frac{4a^4(7A + 8B + 10C) \sin(c + dx)}{5d} + \frac{a^4(7A + 8B + 10C) \sin(c + dx) \cos^3(c + dx)}{40d} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^6*(a + a*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(7*a^4*(7*A + 8*B + 10*C)*x)/16 + (4*a^4*(7*A + 8*B + 10*C)*\text{Sin}[c + d*x])/(5*d) + (27*a^4*(7*A + 8*B + 10*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(80*d) + (a^4*(7*A + 8*B + 10*C)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(40*d) + ((2*A + 3*B)*\text{Cos}[c + d*x]^4*(a + a*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(15*d) + (A*\text{Cos}[c + d*x]^5*(a + a*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(6*d) - (2*a^4*(7*A + 8*B + 10*C)*\text{Sin}[c + d*x]^3)/(15*d)$

Rule 4086

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&$

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3791

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_, x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I GtQ[m, 0] && RationalQ[n]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n_, x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*SIN[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_.)]^n_, x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^(n - 1)/2], x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^6(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^5(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{6d} \\
&= \frac{(2A+3B)\cos^4(c+dx)(a+a\sec(c+dx))}{15d} \\
&= \frac{(2A+3B)\cos^4(c+dx)(a+a\sec(c+dx))}{15d} \\
&= \frac{1}{10}a^4(7A+8B+10C)x + \frac{(2A+3B)\cos^4(c+dx)}{5} \\
&= \frac{1}{10}a^4(7A+8B+10C)x + \frac{2a^4(7A+8B+10C)}{5} \\
&= \frac{2}{5}a^4(7A+8B+10C)x + \frac{4a^4(7A+8B+10C)}{5} \\
&= \frac{7}{16}a^4(7A+8B+10C)x + \frac{4a^4(7A+8B+10C)}{5}
\end{aligned}$$

Mathematica [A] time = 0.496599, size = 163, normalized size = 0.77

$$a^4(120(44A+49B+56C)\sin(c+dx) + 15(127A+128B+112C)\sin(2(c+dx)) + 720A\sin(3(c+dx)) + 225A\sin(4(c+dx)) + 120B\sin(5(c+dx)) + 5A\sin(6(c+dx)))/(960d)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^4*(2940*A*d*x + 3360*B*d*x + 4200*C*d*x + 120*(44*A + 49*B + 56*C)*Sin[c + d*x] + 15*(127*A + 128*B + 112*C)*Sin[2*(c + d*x)] + 720*A*Sin[3*(c + d*x)] + 580*B*Sin[3*(c + d*x)] + 320*C*Sin[3*(c + d*x)] + 225*A*Sin[4*(c + d*x)] + 120*B*Sin[4*(c + d*x)] + 30*C*Sin[4*(c + d*x)] + 48*A*Sin[5*(c + d*x)] + 12*B*Sin[5*(c + d*x)] + 5*A*Sin[6*(c + d*x)]))/(960*d)

Maple [B] time = 0.13, size = 416, normalized size = 2.

$$\frac{1}{d} \left(Aa^4 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{4Aa^4\sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^5 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^6*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out] $\frac{1}{d}*(A*a^4*(\frac{1}{6}*(\cos(dx+c)^5+\frac{5}{4}\cos(dx+c)^3+\frac{15}{8}\cos(dx+c))*\sin(dx+c)+\frac{5}{16}d*x+\frac{5}{16}c)+\frac{4}{5}A*a^4*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}\cos(dx+c)^2)*\sin(dx+c)+\frac{1}{5}B*a^4*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}\cos(dx+c)^2)*\sin(dx+c)+6A*a^4*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))*\sin(dx+c)+\frac{3}{8}d*x+\frac{3}{8}c)+4B*a^4*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))*\sin(dx+c)+\frac{3}{8}d*x+\frac{3}{8}c)+a^4C*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))*\sin(dx+c)+\frac{3}{8}d*x+\frac{3}{8}c)+\frac{4}{3}A*a^4*(2+\cos(dx+c)^2)*\sin(dx+c)+2B*a^4*(2+\cos(dx+c)^2)*\sin(dx+c)+\frac{4}{3}a^4C*(2+\cos(dx+c)^2)*\sin(dx+c)+A*a^4*(\frac{1}{2}\cos(dx+c)*\sin(dx+c)+\frac{1}{2}d*x+\frac{1}{2}c)+4B*a^4*(\frac{1}{2}\cos(dx+c)*\sin(dx+c)+\frac{1}{2}d*x+\frac{1}{2}c)+6a^4C*(\frac{1}{2}\cos(dx+c)*\sin(dx+c)+\frac{1}{2}d*x+\frac{1}{2}c)+B*a^4*\sin(dx+c)+4a^4C*\sin(dx+c)+a^4C*(dx+c))$

Maxima [B] time = 0.972799, size = 540, normalized size = 2.54

$256(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Aa^4 - 5(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c))$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^6*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] $\frac{1}{960}*(256*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*A*a^4 - 5*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*A*a^4 - 1280*(\sin(dx+c)^3 - 3*\sin(dx+c))*A*a^4 + 180*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a^4 + 240*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^4 + 64*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*B*a^4 - 1920*(\sin(dx+c)^3 - 3*\sin(dx+c))*B*a^4 + 120*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^4 + 960*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^4 - 1280*(\sin(dx+c)^3 - 3*\sin(dx+c))*C*a^4 + 30*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*C*a^4 + 1440*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a^4 + 960*(d*x + c)*C*a^4 + 960*B*a^4*\sin(dx+c) + 3840*C*a^4*\sin(dx+c))/d$

Fricas [A] time = 0.528742, size = 378, normalized size = 1.77

$105(7A + 8B + 10C)a^4dx + (40Aa^4 \cos(dx+c)^5 + 48(4A + B)a^4 \cos(dx+c)^4 + 10(41A + 24B + 6C)a^4 \cos(dx+c)^3 + 10(41A + 24B + 6C)a^4 \cos(dx+c)^2 + 10(41A + 24B + 6C)a^4 \cos(dx+c) + 10(41A + 24B + 6C)a^4)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/240*(105*(7*A + 8*B + 10*C)*a^4*d*x + (40*A*a^4*cos(d*x + c)^5 + 48*(4*A
+ B)*a^4*cos(d*x + c)^4 + 10*(41*A + 24*B + 6*C)*a^4*cos(d*x + c)^3 + 32*(1
8*A + 17*B + 10*C)*a^4*cos(d*x + c)^2 + 15*(49*A + 56*B + 54*C)*a^4*cos(d*x
+ c) + 16*(72*A + 83*B + 100*C)*a^4)*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.3357, size = 473, normalized size = 2.22

$$105 \left(7 A a^4 + 8 B a^4 + 10 C a^4 \right) (d x + c) + \frac{2 \left(735 A a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^{11} + 840 B a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^{11} + 1050 C a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^{11} + 4165 A a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^9 + 4760 B a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^9 + 5950 C a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^9 + 9702 A a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^7 + 11088 B a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^7 + 13860 C a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^7 + 11802 A a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^5 + 13488 B a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^5 + 13488 C a^4 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^5 \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/240*(105*(7*A*a^4 + 8*B*a^4 + 10*C*a^4)*(d*x + c) + 2*(735*A*a^4*tan(1/2*
d*x + 1/2*c)^11 + 840*B*a^4*tan(1/2*d*x + 1/2*c)^11 + 1050*C*a^4*tan(1/2*d*
x + 1/2*c)^11 + 4165*A*a^4*tan(1/2*d*x + 1/2*c)^9 + 4760*B*a^4*tan(1/2*d*x
+ 1/2*c)^9 + 5950*C*a^4*tan(1/2*d*x + 1/2*c)^9 + 9702*A*a^4*tan(1/2*d*x + 1
/2*c)^7 + 11088*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 13860*C*a^4*tan(1/2*d*x + 1/
2*c)^7 + 11802*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 13488*B*a^4*tan(1/2*d*x + 1/2
```


$$\begin{aligned} & *c)^5 + 16860*C*a^4*\tan(1/2*d*x + 1/2*c)^5 + 7355*A*a^4*\tan(1/2*d*x + 1/2*c) \\ &)^3 + 9320*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 10690*C*a^4*\tan(1/2*d*x + 1/2*c)^ \\ & 3 + 3105*A*a^4*\tan(1/2*d*x + 1/2*c) + 3000*B*a^4*\tan(1/2*d*x + 1/2*c) + 279 \\ & 0*C*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^6)/d \end{aligned}$$

3.447 $\int \cos^7(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=278

$$\frac{a^4(454A + 504B + 581C) \sin(c + dx)}{105d} + \frac{a^4(988A + 1113B + 1232C) \sin(c + dx) \cos^2(c + dx)}{840d} + \frac{a^4(44A + 49B + 56C) \sin(c + dx)}{16d}$$

[Out] (a^4*(44*A + 49*B + 56*C)*x)/16 + (a^4*(454*A + 504*B + 581*C)*Sin[c + d*x])/(105*d) + (a^4*(44*A + 49*B + 56*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^4*(988*A + 1113*B + 1232*C)*Cos[c + d*x]^2*Sin[c + d*x])/(840*d) + (a*(4*A + 7*B)*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(42*d) + (A*Cos[c + d*x]^6*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(7*d) + ((16*A + 21*B + 14*C)*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(70*d) + ((436*A + 511*B + 504*C)*Cos[c + d*x]^3*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(840*d)

Rubi [A] time = 0.763355, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4086, 4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^4(454A + 504B + 581C) \sin(c + dx)}{105d} + \frac{a^4(988A + 1113B + 1232C) \sin(c + dx) \cos^2(c + dx)}{840d} + \frac{a^4(44A + 49B + 56C) \sin(c + dx)}{16d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^7*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^4*(44*A + 49*B + 56*C)*x)/16 + (a^4*(454*A + 504*B + 581*C)*Sin[c + d*x])/(105*d) + (a^4*(44*A + 49*B + 56*C)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^4*(988*A + 1113*B + 1232*C)*Cos[c + d*x]^2*Sin[c + d*x])/(840*d) + (a*(4*A + 7*B)*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(42*d) + (A*Cos[c + d*x]^6*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(7*d) + ((16*A + 21*B + 14*C)*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(70*d) + ((436*A + 511*B + 504*C)*Cos[c + d*x]^3*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(840*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rule 2637

```

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^7(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^6(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{7d} \\
&= \frac{a(4A+7B)\cos^5(c+dx)(a+a\sec(c+dx))}{42d} \\
&= \frac{a(4A+7B)\cos^5(c+dx)(a+a\sec(c+dx))}{42d} \\
&= \frac{a(4A+7B)\cos^5(c+dx)(a+a\sec(c+dx))}{42d} \\
&= \frac{a^4(988A+1113B+1232C)\cos^2(c+dx)\sin(c+dx)}{840d} \\
&= \frac{a^4(988A+1113B+1232C)\cos^2(c+dx)\sin(c+dx)}{840d} \\
&= \frac{a^4(454A+504B+581C)\sin(c+dx)}{105d} + \frac{a^4(454A+504B+581C)}{105d} \\
&= \frac{1}{16}a^4(44A+49B+56C)x + \frac{a^4(454A+504B+581C)}{105d}
\end{aligned}$$

Mathematica [A] time = 1.00692, size = 204, normalized size = 0.73

$$\frac{a^4(105(323A+352B+392C)\sin(c+dx)+105(124A+127B+128C)\sin(2(c+dx))+5495A\sin(3(c+dx))+2100A\sin(4(c+dx))+1575B\sin(4(c+dx))+840C\sin(4(c+dx))+651A\sin(5(c+dx))+336B\sin(5(c+dx))+84C\sin(5(c+dx))+140A\sin(6(c+dx))+35B\sin(6(c+dx))+15A\sin(7(c+dx)))}{(6720*d)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^7*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^4*(11760*A*c + 20580*B*c + 18480*A*d*x + 20580*B*d*x + 23520*C*d*x + 105*(323*A + 352*B + 392*C)*Sin[c + d*x] + 105*(124*A + 127*B + 128*C)*Sin[2*(c + d*x)] + 5495*A*Sin[3*(c + d*x)] + 5040*B*Sin[3*(c + d*x)] + 4060*C*Sin[3*(c + d*x)] + 2100*A*Sin[4*(c + d*x)] + 1575*B*Sin[4*(c + d*x)] + 840*C*Sin[4*(c + d*x)] + 651*A*Sin[5*(c + d*x)] + 336*B*Sin[5*(c + d*x)] + 84*C*Sin[5*(c + d*x)] + 140*A*Sin[6*(c + d*x)] + 35*B*Sin[6*(c + d*x)] + 15*A*Sin[7*(c + d*x)]))/(6720*d)

Maple [A] time = 0.141, size = 490, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^7*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out] $\frac{1}{d}*(\frac{1}{7}*A*a^4*(\frac{16}{5}+\cos(dx+c)^6+\frac{6}{5}\cos(dx+c)^4+\frac{8}{5}\cos(dx+c)^2)*\sin(dx+c)+B*a^4*(\frac{1}{6}*(\cos(dx+c)^5+\frac{5}{4}\cos(dx+c)^3+\frac{15}{8}\cos(dx+c))\sin(dx+c)+\frac{5}{16}dx+\frac{5}{16}c)+\frac{1}{5}*a^4*C*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}\cos(dx+c)^2)\sin(dx+c)+4*A*a^4*(\frac{1}{6}*(\cos(dx+c)^5+\frac{5}{4}\cos(dx+c)^3+\frac{15}{8}\cos(dx+c))\sin(dx+c)+\frac{5}{16}dx+\frac{5}{16}c)+\frac{4}{5}*B*a^4*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}\cos(dx+c)^2)\sin(dx+c)+4*a^4*C*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))\sin(dx+c)+\frac{3}{8}dx+\frac{3}{8}c)+\frac{6}{5}*A*a^4*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}\cos(dx+c)^2)\sin(dx+c)+6*B*a^4*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))\sin(dx+c)+\frac{3}{8}dx+\frac{3}{8}c)+2*a^4*C*(2+\cos(dx+c)^2)\sin(dx+c)+4*A*a^4*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))\sin(dx+c)+\frac{3}{8}dx+\frac{3}{8}c)+\frac{4}{3}*B*a^4*(2+\cos(dx+c)^2)\sin(dx+c)+4*a^4*C*(\frac{1}{2}\cos(dx+c)\sin(dx+c)+\frac{1}{2}dx+\frac{1}{2}c)+\frac{1}{3}*A*a^4*(2+\cos(dx+c)^2)\sin(dx+c)+B*a^4*(\frac{1}{2}\cos(dx+c)\sin(dx+c)+\frac{1}{2}dx+\frac{1}{2}c)+a^4*C*\sin(dx+c))$

Maxima [A] time = 0.985393, size = 652, normalized size = 2.35

$192(5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c))Aa^4 - 2688(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Ba^4 + 140(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c))Aa^4 + 2240(\sin(dx+c)^3 - 3 \sin(dx+c))Aa^4 - 840(12dx + 12c + \sin(4dx+4c) + 8 \sin(2dx+2c))Aa^4 - 1792(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Ba^4 + 35(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c))Ba^4 + 8960(\sin(dx+c)^3 - 3 \sin(dx+c))Ba^4 - 1260(12dx + 12c + \sin(4dx+4c) + 8 \sin(2dx+2c))Ba^4 - 1680(2dx+2c) + a^4C \sin(dx+c)$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^7*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] $-1/6720*(192*(5*\sin(dx+c)^7 - 21*\sin(dx+c)^5 + 35*\sin(dx+c)^3 - 35*\sin(dx+c))*A*a^4 - 2688*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*B*a^4 + 140*(4*\sin(2*dx+2*c)^3 - 60*dx - 60*c - 9*\sin(4*dx+4*c) - 48*\sin(2*dx+2*c))*A*a^4 + 2240*(\sin(dx+c)^3 - 3*\sin(dx+c))*A*a^4 - 840*(12*dx + 12*c + \sin(4*dx+4*c) + 8*\sin(2*dx+2*c))*A*a^4 - 1792*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*B*a^4 + 35*(4*\sin(2*dx+2*c)^3 - 60*dx - 60*c - 9*\sin(4*dx+4*c) - 48*\sin(2*dx+2*c))*B*a^4 + 8960*(\sin(dx+c)^3 - 3*\sin(dx+c))*B*a^4 - 1260*(12*dx + 12*c + \sin(4*dx+4*c) + 8*\sin(2*dx+2*c))*B*a^4 - 1680*(2*dx + 2*c) + a^4*C*\sin(dx+c)$

$$\frac{\sin(2dx + 2c)Ba^4 - 448(3\sin(dx + c)^5 - 10\sin(dx + c)^3 + 15\sin(dx + c))Ca^4 + 13440(\sin(dx + c)^3 - 3\sin(dx + c))Ca^4 - 840(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Ca^4 - 6720(2dx + 2c + \sin(2dx + 2c))Ca^4 - 6720Ca^4\sin(dx + c)}{d}$$

Fricas [A] time = 0.529753, size = 454, normalized size = 1.63

$$105(44A + 49B + 56C)a^4 dx + (240Aa^4 \cos(dx + c)^6 + 280(4A + B)a^4 \cos(dx + c)^5 + 48(48A + 28B + 7C)a^4 \cos(dx + c)^4 + 70(44A + 41B + 24C)a^4 \cos(dx + c)^3 + 16(227A + 252B + 238C)a^4 \cos(dx + c)^2 + 105(44A + 49B + 56C)a^4 \cos(dx + c) + 16(454A + 504B + 581C)a^4) \sin(dx + c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^7*(a+a*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="fricas")

[Out] 1/1680*(105*(44*A + 49*B + 56*C)*a^4*d*x + (240*A*a^4*cos(dx + c)^6 + 280*(4*A + B)*a^4*cos(dx + c)^5 + 48*(48*A + 28*B + 7*C)*a^4*cos(dx + c)^4 + 70*(44*A + 41*B + 24*C)*a^4*cos(dx + c)^3 + 16*(227*A + 252*B + 238*C)*a^4*cos(dx + c)^2 + 105*(44*A + 49*B + 56*C)*a^4*cos(dx + c) + 16*(454*A + 504*B + 581*C)*a^4)*sin(dx + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**7*(a+a*sec(dx+c))**4*(A+B*sec(dx+c)+C*sec(dx+c)**2), x)

[Out] Timed out

Giac [A] time = 1.32531, size = 541, normalized size = 1.95

$$105(44Aa^4 + 49Ba^4 + 56Ca^4)(dx + c) + \frac{2\left(4620Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{13} + 5145Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{13} + 5880Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{13} + 30800Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{13}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/1680*(105*(44*A*a^4 + 49*B*a^4 + 56*C*a^4)*(d*x + c) + 2*(4620*A*a^4*tan(
1/2*d*x + 1/2*c)^13 + 5145*B*a^4*tan(1/2*d*x + 1/2*c)^13 + 5880*C*a^4*tan(1
/2*d*x + 1/2*c)^13 + 30800*A*a^4*tan(1/2*d*x + 1/2*c)^11 + 34300*B*a^4*tan(
1/2*d*x + 1/2*c)^11 + 39200*C*a^4*tan(1/2*d*x + 1/2*c)^11 + 87164*A*a^4*tan
(1/2*d*x + 1/2*c)^9 + 97069*B*a^4*tan(1/2*d*x + 1/2*c)^9 + 110936*C*a^4*tan
(1/2*d*x + 1/2*c)^9 + 135168*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 150528*B*a^4*ta
n(1/2*d*x + 1/2*c)^7 + 172032*C*a^4*tan(1/2*d*x + 1/2*c)^7 + 126084*A*a^4*t
an(1/2*d*x + 1/2*c)^5 + 134099*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 159656*C*a^4*
tan(1/2*d*x + 1/2*c)^5 + 58800*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 73220*B*a^4*t
an(1/2*d*x + 1/2*c)^3 + 86240*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 22260*A*a^4*ta
n(1/2*d*x + 1/2*c) + 21735*B*a^4*tan(1/2*d*x + 1/2*c) + 21000*C*a^4*tan(1/2
*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^7)/d
```

3.448 $\int \cos^8(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=303

$$-\frac{a^4(208A + 227B + 252C) \sin^3(c + dx)}{105d} + \frac{a^4(208A + 227B + 252C) \sin(c + dx)}{35d} + \frac{a^4(2007A + 2208B + 2408C) \sin(c + dx)}{2240d}$$

[Out] (a^4*(323*A + 352*B + 392*C)*x)/128 + (a^4*(208*A + 227*B + 252*C)*Sin[c + d*x])/(35*d) + (a^4*(323*A + 352*B + 392*C)*Cos[c + d*x]*Sin[c + d*x])/(128*d) + (a^4*(2007*A + 2208*B + 2408*C)*Cos[c + d*x]^3*Sin[c + d*x])/(2240*d) + (a*(A + 2*B)*Cos[c + d*x]^6*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(14*d) + (A*Cos[c + d*x]^7*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(8*d) + ((61*A + 80*B + 56*C)*Cos[c + d*x]^5*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(336*d) + (7*(7*A + 8*(B + C))*Cos[c + d*x]^4*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(120*d) - (a^4*(208*A + 227*B + 252*C)*Sin[c + d*x]^3)/(105*d)

Rubi [A] time = 0.794197, antiderivative size = 303, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4086, 4017, 3996, 3787, 2633, 2635, 8}

$$-\frac{a^4(208A + 227B + 252C) \sin^3(c + dx)}{105d} + \frac{a^4(208A + 227B + 252C) \sin(c + dx)}{35d} + \frac{a^4(2007A + 2208B + 2408C) \sin(c + dx)}{2240d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^4*(323*A + 352*B + 392*C)*x)/128 + (a^4*(208*A + 227*B + 252*C)*Sin[c + d*x])/(35*d) + (a^4*(323*A + 352*B + 392*C)*Cos[c + d*x]*Sin[c + d*x])/(128*d) + (a^4*(2007*A + 2208*B + 2408*C)*Cos[c + d*x]^3*Sin[c + d*x])/(2240*d) + (a*(A + 2*B)*Cos[c + d*x]^6*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(14*d) + (A*Cos[c + d*x]^7*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(8*d) + ((61*A + 80*B + 56*C)*Cos[c + d*x]^5*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(336*d) + (7*(7*A + 8*(B + C))*Cos[c + d*x]^4*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(120*d) - (a^4*(208*A + 227*B + 252*C)*Sin[c + d*x]^3)/(105*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^(n - 1)/2], x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sine[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sine[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \cos^8(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^7(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{8d} \\
 &= \frac{a(A+2B)\cos^6(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{14d} \\
 &= \frac{a(A+2B)\cos^6(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{14d} \\
 &= \frac{a(A+2B)\cos^6(c+dx)(a+a\sec(c+dx))^4\sin(c+dx)}{14d} \\
 &= \frac{a^4(2007A+2208B+2408C)\cos^3(c+dx)\sin(c+dx)}{2240d} \\
 &= \frac{a^4(2007A+2208B+2408C)\cos^3(c+dx)\sin(c+dx)}{2240d} \\
 &= \frac{a^4(323A+352B+392C)\cos(c+dx)\sin(c+dx)}{128d} \\
 &= \frac{1}{128}a^4(323A+352B+392C)x + \frac{a^4(208A+208B+208C)\sin^2(c+dx)}{128}
 \end{aligned}$$

Mathematica [A] time = 1.9343, size = 237, normalized size = 0.78

$$\frac{a^4(1680(300A+323B+352C)\sin(c+dx)+1680(120A+124B+127C)\sin(2(c+dx))+91840A\sin(3(c+dx))+39480A\sin(4(c+dx))+87920B\sin(3(c+dx))+80640C\sin(3(c+dx))+39480A\sin(4(c+dx))+33600B\sin(4(c+dx))+25200C\sin(4(c+dx))+14784A\sin(5(c+dx))+10416B\sin(5(c+dx))+5376C\sin(5(c+dx))+4480A\sin(6(c+dx))+2240B\sin(6(c+dx))+560C\sin(6(c+dx))+960A\sin(7(c+dx))+240B\sin(7(c+dx)))}{128}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^4*(106680*A*c + 295680*B*c + 271320*A*d*x + 295680*B*d*x + 329280*C*d*x + 1680*(300*A + 323*B + 352*C)*Sin[c + d*x] + 1680*(120*A + 124*B + 127*C)*Sin[2*(c + d*x)] + 91840*A*Ssin[3*(c + d*x)] + 87920*B*Ssin[3*(c + d*x)] + 80640*C*Ssin[3*(c + d*x)] + 39480*A*Ssin[4*(c + d*x)] + 33600*B*Ssin[4*(c + d*x)] + 25200*C*Ssin[4*(c + d*x)] + 14784*A*Ssin[5*(c + d*x)] + 10416*B*Ssin[5*(c + d*x)] + 5376*C*Ssin[5*(c + d*x)] + 4480*A*Ssin[6*(c + d*x)] + 2240*B*Ssin[6*(c + d*x)] + 560*C*Ssin[6*(c + d*x)] + 960*A*Ssin[7*(c + d*x)] + 240*B*Ssin[7*(c + d*x)])

$(c + dx)] + 105*A*\sin[8*(c + dx)])/(107520*d)$

Maple [B] time = 0.221, size = 577, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^8*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out] $\frac{1}{d}*(A*a^4*(\frac{1}{8}*(\cos(dx+c)^7+\frac{7}{6}*\cos(dx+c)^5+\frac{35}{24}*\cos(dx+c)^3+\frac{35}{16}*\cos(dx+c))*\sin(dx+c)+\frac{35}{128}*d*x+\frac{35}{128}*c)+\frac{1}{7}*B*a^4*(\frac{16}{5}+\cos(dx+c)^6+\frac{6}{5}*\cos(dx+c)^4+\frac{8}{5}*\cos(dx+c)^2)*\sin(dx+c)+a^4*C*(\frac{1}{6}*(\cos(dx+c)^5+\frac{5}{4}*\cos(dx+c)^3+\frac{15}{8}*\cos(dx+c))*\sin(dx+c)+\frac{5}{16}*d*x+\frac{5}{16}*c)+\frac{4}{7}*A*a^4*(\frac{16}{5}+\cos(dx+c)^6+\frac{6}{5}*\cos(dx+c)^4+\frac{8}{5}*\cos(dx+c)^2)*\sin(dx+c)+4*B*a^4*(\frac{1}{6}*(\cos(dx+c)^5+\frac{5}{4}*\cos(dx+c)^3+\frac{15}{8}*\cos(dx+c))*\sin(dx+c)+\frac{5}{16}*d*x+\frac{5}{16}*c)+\frac{4}{5}*a^4*C*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}*\cos(dx+c)^2)*\sin(dx+c)+6*A*a^4*(\frac{1}{6}*(\cos(dx+c)^5+\frac{5}{4}*\cos(dx+c)^3+\frac{15}{8}*\cos(dx+c))*\sin(dx+c)+\frac{5}{16}*d*x+\frac{5}{16}*c)+\frac{6}{5}*B*a^4*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}*\cos(dx+c)^2)*\sin(dx+c)+6*a^4*C*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}*\cos(dx+c))*\sin(dx+c)+\frac{3}{8}*d*x+\frac{3}{8}*c)+\frac{4}{5}*A*a^4*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}*\cos(dx+c)^2)*\sin(dx+c)+4*B*a^4*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}*\cos(dx+c))*\sin(dx+c)+\frac{3}{8}*d*x+\frac{3}{8}*c)+\frac{4}{3}*a^4*C*(2+\cos(dx+c)^2)*\sin(dx+c)+A*a^4*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}*\cos(dx+c))*\sin(dx+c)+\frac{3}{8}*d*x+\frac{3}{8}*c)+\frac{1}{3}*B*a^4*(2+\cos(dx+c)^2)*\sin(dx+c)+a^4*C*(\frac{1}{2}*\cos(dx+c)*\sin(dx+c)+\frac{1}{2}*d*x+\frac{1}{2}*c))$

Maxima [B] time = 0.99332, size = 782, normalized size = 2.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^8*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] $-\frac{1}{107520}*(12288*(5*\sin(dx+c)^7 - 21*\sin(dx+c)^5 + 35*\sin(dx+c)^3 - 35*\sin(dx+c))*A*a^4 - 28672*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*A*a^4 + 35*(128*\sin(2*d*x + 2*c)^3 - 840*d*x - 840*c - 3*\sin(8*d*x + 8*c) - 168*\sin(4*d*x + 4*c) - 768*\sin(2*d*x + 2*c))*A*a^4 + 3360*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x +$

```

2*c))*A*a^4 - 3360*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*
A*a^4 + 3072*(5*sin(d*x + c)^7 - 21*sin(d*x + c)^5 + 35*sin(d*x + c)^3 - 35
*sin(d*x + c))*B*a^4 - 43008*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin
(d*x + c))*B*a^4 + 2240*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x
+ 4*c) - 48*sin(2*d*x + 2*c))*B*a^4 + 35840*(sin(d*x + c)^3 - 3*sin(d*x +
c))*B*a^4 - 13440*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B
*a^4 - 28672*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*C*a^4
+ 560*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(
2*d*x + 2*c))*C*a^4 + 143360*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^4 - 2016
0*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^4 - 26880*(2*
d*x + 2*c + sin(2*d*x + 2*c))*C*a^4)/d

```

Fricas [A] time = 0.547145, size = 536, normalized size = 1.77

$$105(323A + 352B + 392C)a^4 dx + (1680Aa^4 \cos(dx + c)^7 + 1920(4A + B)a^4 \cos(dx + c)^6 + 280(55A + 32B + 8C)a^4 \cos(dx + c)^5 + 1536(13A + 12B + 7C)a^4 \cos(dx + c)^4 + 70(323A + 352B + 328C)a^4 \cos(dx + c)^3 + 128(208A + 227B + 252C)a^4 \cos(dx + c)^2 + 105(323A + 352B + 392C)a^4 \cos(dx + c) + 256(208A + 227B + 252C)a^4 \sin(dx + c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^8*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")

```

```

[Out] 1/13440*(105*(323*A + 352*B + 392*C)*a^4*d*x + (1680*A*a^4*cos(d*x + c)^7 +
1920*(4*A + B)*a^4*cos(d*x + c)^6 + 280*(55*A + 32*B + 8*C)*a^4*cos(d*x +
c)^5 + 1536*(13*A + 12*B + 7*C)*a^4*cos(d*x + c)^4 + 70*(323*A + 352*B + 32
8*C)*a^4*cos(d*x + c)^3 + 128*(208*A + 227*B + 252*C)*a^4*cos(d*x + c)^2 +
105*(323*A + 352*B + 392*C)*a^4*cos(d*x + c) + 256*(208*A + 227*B + 252*C)*
a^4)*sin(d*x + c))/d

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)**8*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)

```

```

[Out] Timed out

```

Giac [A] time = 1.31838, size = 610, normalized size = 2.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^8*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")

[Out]
$$\frac{1}{13440} \cdot (105 \cdot (323 \cdot A \cdot a^4 + 352 \cdot B \cdot a^4 + 392 \cdot C \cdot a^4) \cdot (d \cdot x + c) + 2 \cdot (33915 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{15} + 36960 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{15} + 41160 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{15} + 260015 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{13} + 283360 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{13} + 315560 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{13} + 865963 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} + 943712 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} + 1050952 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} + 1632119 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 1778656 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 1980776 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 1872009 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 2090016 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 2277016 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 1442133 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 1479072 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 1658552 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 528465 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 648480 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 759640 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 181125 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 178080 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 173880 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^8 / d$$

$$3.449 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=183

$$-\frac{(3A-4B+4C) \tan^3(c+dx)}{3ad} - \frac{(3A-4B+4C) \tan(c+dx)}{ad} + \frac{3(4A-4B+5C) \tanh^{-1}(\sin(c+dx))}{8ad} - \frac{(A-B+C) \tan(c+dx)}{d(a \sec(c+dx))}$$

[Out] (3*(4*A - 4*B + 5*C)*ArcTanh[Sin[c + d*x]])/(8*a*d) - ((3*A - 4*B + 4*C)*Tan[c + d*x])/(a*d) + (3*(4*A - 4*B + 5*C)*Sec[c + d*x]*Tan[c + d*x])/(8*a*d) + ((4*A - 4*B + 5*C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*a*d) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((3*A - 4*B + 4*C)*Tan[c + d*x]^3)/(3*a*d)

Rubi [A] time = 0.21822, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4084, 3787, 3767, 3768, 3770}

$$-\frac{(3A-4B+4C) \tan^3(c+dx)}{3ad} - \frac{(3A-4B+4C) \tan(c+dx)}{ad} + \frac{3(4A-4B+5C) \tanh^{-1}(\sin(c+dx))}{8ad} - \frac{(A-B+C) \tan(c+dx)}{d(a \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (3*(4*A - 4*B + 5*C)*ArcTanh[Sin[c + d*x]])/(8*a*d) - ((3*A - 4*B + 4*C)*Tan[c + d*x])/(a*d) + (3*(4*A - 4*B + 5*C)*Sec[c + d*x]*Tan[c + d*x])/(8*a*d) + ((4*A - 4*B + 5*C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*a*d) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((3*A - 4*B + 4*C)*Tan[c + d*x]^3)/(3*a*d)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2

, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :=> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A - B + C) \sec^4(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \sec^4(c + dx)(-a)}{d(a + a \sec(c + dx))} \\
 &= -\frac{(A - B + C) \sec^4(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(3A - 4B + 4C) \int \sec^4(c + dx)}{a} \\
 &= \frac{(4A - 4B + 5C) \sec^3(c + dx) \tan(c + dx)}{4ad} - \frac{(A - B + C) \sec^4(c + dx)}{d(a + a \sec(c + dx))} \\
 &= -\frac{(3A - 4B + 4C) \tan(c + dx)}{ad} + \frac{3(4A - 4B + 5C) \sec(c + dx)}{8ad} \\
 &= \frac{3(4A - 4B + 5C) \tanh^{-1}(\sin(c + dx))}{8ad} - \frac{(3A - 4B + 4C) \tan(c + dx)}{ad}
 \end{aligned}$$

Mathematica [B] time = 6.39341, size = 1099, normalized size = 6.01

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out]
$$\begin{aligned} & (-3*(4*A - 4*B + 5*C)*\cos[c/2 + (d*x)/2]^2*\cos[c + d*x]*\log[\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2]]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2))/(2*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])) + (3*(4*A - 4*B + 5*C)*\cos[c/2 + (d*x)/2]^2*\cos[c + d*x]*\log[\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2]]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2))/(2*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])) + (\cos[c/2 + (d*x)/2]*\sec[c/2]*\sec[c]*\sec[c + d*x]^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(-60*A*\sin[(d*x)/2] + 108*B*\sin[(d*x)/2] - 75*C*\sin[(d*x)/2] - 60*A*\sin[(3*d*x)/2] + 124*B*\sin[(3*d*x)/2] - 91*C*\sin[(3*d*x)/2] + 204*A*\sin[c - (d*x)/2] - 252*B*\sin[c - (d*x)/2] + 219*C*\sin[c - (d*x)/2] - 60*A*\sin[c + (d*x)/2] + 12*B*\sin[c + (d*x)/2] + 21*C*\sin[c + (d*x)/2] + 84*A*\sin[2*c + (d*x)/2] - 132*B*\sin[2*c + (d*x)/2] + 165*C*\sin[2*c + (d*x)/2] + 36*A*\sin[c + (3*d*x)/2] + 28*B*\sin[c + (3*d*x)/2] + 5*C*\sin[c + (3*d*x)/2] + 36*A*\sin[2*c + (3*d*x)/2] - 36*B*\sin[2*c + (3*d*x)/2] + 69*C*\sin[2*c + (3*d*x)/2] + 132*A*\sin[3*c + (3*d*x)/2] - 132*B*\sin[3*c + (3*d*x)/2] + 165*C*\sin[3*c + (3*d*x)/2] - 156*A*\sin[c + (5*d*x)/2] + 220*B*\sin[c + (5*d*x)/2] - 211*C*\sin[c + (5*d*x)/2] - 60*A*\sin[2*c + (5*d*x)/2] + 124*B*\sin[2*c + (5*d*x)/2] - 115*C*\sin[2*c + (5*d*x)/2] - 60*A*\sin[3*c + (5*d*x)/2] + 60*B*\sin[3*c + (5*d*x)/2] - 51*C*\sin[3*c + (5*d*x)/2] + 36*A*\sin[4*c + (5*d*x)/2] - 36*B*\sin[4*c + (5*d*x)/2] + 45*C*\sin[4*c + (5*d*x)/2] - 12*A*\sin[2*c + (7*d*x)/2] + 28*B*\sin[2*c + (7*d*x)/2] - 19*C*\sin[2*c + (7*d*x)/2] + 12*A*\sin[3*c + (7*d*x)/2] + 4*B*\sin[3*c + (7*d*x)/2] + 5*C*\sin[3*c + (7*d*x)/2] + 12*A*\sin[4*c + (7*d*x)/2] - 12*B*\sin[4*c + (7*d*x)/2] + 21*C*\sin[4*c + (7*d*x)/2] + 36*A*\sin[5*c + (7*d*x)/2] - 36*B*\sin[5*c + (7*d*x)/2] + 45*C*\sin[5*c + (7*d*x)/2] - 48*A*\sin[3*c + (9*d*x)/2] + 64*B*\sin[3*c + (9*d*x)/2] - 64*C*\sin[3*c + (9*d*x)/2] - 24*A*\sin[4*c + (9*d*x)/2] + 40*B*\sin[4*c + (9*d*x)/2] - 40*C*\sin[4*c + (9*d*x)/2] - 24*A*\sin[5*c + (9*d*x)/2] + 24*B*\sin[5*c + (9*d*x)/2] - 24*C*\sin[5*c + (9*d*x)/2]))/(192*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])) \end{aligned}$$

Maple [B] time = 0.074, size = 576, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c)),x)$

[Out]
$$\begin{aligned} & -1/a/d/(\tan(1/2*d*x+1/2*c)-1)^2*B+1/2/a/d/(\tan(1/2*d*x+1/2*c)-1)^2*A+3/2/a/ \\ & d/(\tan(1/2*d*x+1/2*c)+1)*A+3/2/a/d/(\tan(1/2*d*x+1/2*c)-1)*A-1/4/a/d*C/(\tan(\\ & 1/2*d*x+1/2*c)+1)^4-1/2/a/d/(\tan(1/2*d*x+1/2*c)+1)^2*A+1/4/a/d*C/(\tan(1/2*d \\ & *x+1/2*c)-1)^4+5/6/a/d/(\tan(1/2*d*x+1/2*c)-1)^3*C-1/3/a/d/(\tan(1/2*d*x+1/2* \\ & c)-1)^3*B+5/6/a/d/(\tan(1/2*d*x+1/2*c)+1)^3*C-1/3/a/d/(\tan(1/2*d*x+1/2*c)+1) \\ & ^3*B+3/2/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)*A-3/2/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*A- \\ & 1/a/d*A*\tan(1/2*d*x+1/2*c)-1/a/d*C*\tan(1/2*d*x+1/2*c)+15/8/a/d*\ln(\tan(1/2*d \\ & *x+1/2*c)+1)*C+25/8/a/d/(\tan(1/2*d*x+1/2*c)+1)*C-15/8/a/d*\ln(\tan(1/2*d*x+1/ \\ & 2*c)-1)*C+25/8/a/d/(\tan(1/2*d*x+1/2*c)-1)*C+1/a/d*B*\tan(1/2*d*x+1/2*c)+1/a/ \\ & d/(\tan(1/2*d*x+1/2*c)+1)^2*B-15/8/a/d/(\tan(1/2*d*x+1/2*c)+1)^2*C-3/2/a/d*\ln \\ & (\tan(1/2*d*x+1/2*c)+1)*B-5/2/a/d/(\tan(1/2*d*x+1/2*c)+1)*B+15/8/a/d/(\tan(1/2 \\ & *d*x+1/2*c)-1)^2*C+3/2/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*B-5/2/a/d/(\tan(1/2*d*x+ \\ & 1/2*c)-1)*B \end{aligned}$$

Maxima [B] time = 0.979095, size = 825, normalized size = 4.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c)),x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & -1/24*(C*(2*(21*\sin(dx+c)/(\cos(dx+c)+1)-109*\sin(dx+c)^3/(\cos(dx \\ & *x+c)+1)^3+115*\sin(dx+c)^5/(\cos(dx+c)+1)^5-75*\sin(dx+c)^ \\ & 7/(\cos(dx+c)+1)^7)/(a-4*a*\sin(dx+c)^2/(\cos(dx+c)+1)^2+6*a* \\ & \sin(dx+c)^4/(\cos(dx+c)+1)^4-4*a*\sin(dx+c)^6/(\cos(dx+c)+1) \\ & ^6+a*\sin(dx+c)^8/(\cos(dx+c)+1)^8)-45*\log(\sin(dx+c)/(\cos(dx \\ & +c)+1)+1)/a+45*\log(\sin(dx+c)/(\cos(dx+c)+1)-1)/a+24*\sin(d \\ & *x+c)/(a*(\cos(dx+c)+1))-4*B*(2*(9*\sin(dx+c)/(\cos(dx+c)+1) \\ & -16*\sin(dx+c)^3/(\cos(dx+c)+1)^3+15*\sin(dx+c)^5/(\cos(dx+c) \\ & +1)^5)/(a-3*a*\sin(dx+c)^2/(\cos(dx+c)+1)^2+3*a*\sin(dx+c)^4/ \\ & (\cos(dx+c)+1)^4-a*\sin(dx+c)^6/(\cos(dx+c)+1)^6)-9*\log(\sin(d \\ & *x+c)/(\cos(dx+c)+1)+1)/a+9*\log(\sin(dx+c)/(\cos(dx+c)+1)- \\ & 1)/a+6*\sin(dx+c)/(a*(\cos(dx+c)+1))+12*A*(2*(\sin(dx+c)/(\cos \\ & (dx+c)+1)-3*\sin(dx+c)^3/(\cos(dx+c)+1)^3)/(a-2*a*\sin(dx+c) \\ & ^2/(\cos(dx+c)+1)^2+a*\sin(dx+c)^4/(\cos(dx+c)+1)^4)-3*\log(\\ & \sin(dx+c)/(\cos(dx+c)+1)+1)/a+3*\log(\sin(dx+c)/(\cos(dx+c)+1) \end{aligned}$$

$$1) - 1)/a + 2*\sin(dx + c)/(a*(\cos(dx + c) + 1)))/d$$

Fricas [A] time = 0.542855, size = 545, normalized size = 2.98

$$9\left((4A - 4B + 5C)\cos(dx + c)^5 + (4A - 4B + 5C)\cos(dx + c)^4\right)\log(\sin(dx + c) + 1) - 9\left((4A - 4B + 5C)\cos(dx + c)^4 + (4A - 4B + 5C)\cos(dx + c)^3 + (4A - 4B + 5C)\cos(dx + c)^2 + (4A - 4B + 5C)\cos(dx + c) + (4A - 4B + 5C)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c)),x,
algorithm="fricas")

[Out] 1/48*(9*((4*A - 4*B + 5*C)*cos(dx + c)^5 + (4*A - 4*B + 5*C)*cos(dx + c)^4)*log(sin(dx + c) + 1) - 9*((4*A - 4*B + 5*C)*cos(dx + c)^5 + (4*A - 4*B + 5*C)*cos(dx + c)^4)*log(-sin(dx + c) + 1) - 2*(16*(3*A - 4*B + 4*C)*cos(dx + c)^4 + (12*A - 28*B + 19*C)*cos(dx + c)^3 - (12*A - 4*B + 13*C)*cos(dx + c)^2 - 2*(4*B - C)*cos(dx + c) - 6*C)*sin(dx + c))/(a*d*cos(dx + c)^5 + a*d*cos(dx + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^4(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \sec^5(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^6(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c)),x
)

[Out] (Integral(A*sec(c + d*x)**4/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**5/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**6/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.3149, size = 385, normalized size = 2.1

$$\frac{9(4A-4B+5C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{9(4A-4B+5C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{24\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + 2\left(\frac{36A^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 60AB\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 + 75C^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 84A^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 + 124AB\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 115C^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 + 60A^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 100AB\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 109C^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 12A^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) + 36AB\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 21C^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 - 1\right)^4 a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,
algorithm="giac")

[Out] 1/24*(9*(4*A - 4*B + 5*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - 9*(4*A - 4*B + 5*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - 24*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a + 2*(36*A*tan(1/2*d*x + 1/2*c)^7 - 60*B*tan(1/2*d*x + 1/2*c)^7 + 75*C*tan(1/2*d*x + 1/2*c)^7 - 84*A*tan(1/2*d*x + 1/2*c)^5 + 124*B*tan(1/2*d*x + 1/2*c)^5 - 115*C*tan(1/2*d*x + 1/2*c)^5 + 60*A*tan(1/2*d*x + 1/2*c)^3 - 100*B*tan(1/2*d*x + 1/2*c)^3 + 109*C*tan(1/2*d*x + 1/2*c)^3 - 12*A*tan(1/2*d*x + 1/2*c) + 36*B*tan(1/2*d*x + 1/2*c) - 21*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^4*a)/d

$$3.450 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=148

$$\frac{(3A - 3B + 4C) \tan^3(c + dx)}{3ad} + \frac{(3A - 3B + 4C) \tan(c + dx)}{ad} - \frac{(2A - 3B + 3C) \tanh^{-1}(\sin(c + dx))}{2ad} - \frac{(A - B + C) \tan(c + dx)}{d(a \sec(c + dx))}$$

[Out] -((2*A - 3*B + 3*C)*ArcTanh[Sin[c + d*x]])/(2*a*d) + ((3*A - 3*B + 4*C)*Tan[c + d*x])/(a*d) - ((2*A - 3*B + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) + ((3*A - 3*B + 4*C)*Tan[c + d*x]^3)/(3*a*d)

Rubi [A] time = 0.198302, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4084, 3787, 3768, 3770, 3767}

$$\frac{(3A - 3B + 4C) \tan^3(c + dx)}{3ad} + \frac{(3A - 3B + 4C) \tan(c + dx)}{ad} - \frac{(2A - 3B + 3C) \tanh^{-1}(\sin(c + dx))}{2ad} - \frac{(A - B + C) \tan(c + dx)}{d(a \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[((Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] -((2*A - 3*B + 3*C)*ArcTanh[Sin[c + d*x]])/(2*a*d) + ((3*A - 3*B + 4*C)*Tan[c + d*x])/(a*d) - ((2*A - 3*B + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) + ((3*A - 3*B + 4*C)*Tan[c + d*x]^3)/(3*a*d)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A - B + C) \sec^3(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \sec^3(c + dx)(-a)}{d(a + a \sec(c + dx))} \\ &= -\frac{(A - B + C) \sec^3(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(2A - 3B + 3C) \int \sec^3(c + dx)}{a} \\ &= -\frac{(2A - 3B + 3C) \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(A - B + C) \sec(c + dx)}{d(a + a \sec(c + dx))} \\ &= -\frac{(2A - 3B + 3C) \tanh^{-1}(\sin(c + dx))}{2ad} + \frac{(3A - 3B + 4C) \tan(c + dx)}{ad} \end{aligned}$$

Mathematica [B] time = 6.31357, size = 898, normalized size = 6.07

$$\frac{2(2A - 3B + 3C) \cos(c + dx) \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (C \sec^2(c + dx) + B \sec(c + dx) + A) \cos^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{d(\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx))(\sec(c + dx)a + a)} - 2$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (2*(2*A - 3*B + 3*C)*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])) - (2*(2*A - 3*B + 3*C)*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])) + (Cos[c/2 + (d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*(-6*A*Sin[(d*x)/2] + 6*B*Sin[(d*x)/2] + 6*C*Sin[(d*x)/2] + 30*A*Sin[(3*d*x)/2] - 27*B*Sin[(3*d*x)/2] + 39*C*Sin[(3*d*x)/2] - 12*A*Sin[c - (d*x)/2] + 12*B*Sin[c - (d*x)/2] - 24*C*Sin[c - (d*x)/2] - 6*A*Sin[c + (d*x)/2] + 6*B*Sin[c + (d*x)/2] - 6*C*Sin[c + (d*x)/2] - 24*A*Sin[2*c + (d*x)/2] + 24*B*Sin[2*c + (d*x)/2] - 24*C*Sin[2*c + (d*x)/2] + 12*A*Sin[c + (3*d*x)/2] - 9*B*Sin[c + (3*d*x)/2] + 21*C*Sin[c + (3*d*x)/2] + 12*A*Sin[2*c + (3*d*x)/2] - 9*B*Sin[2*c + (3*d*x)/2] + 9*C*Sin[2*c + (3*d*x)/2] - 6*A*Sin[3*c + (3*d*x)/2] + 9*B*Sin[3*c + (3*d*x)/2] - 9*C*Sin[3*c + (3*d*x)/2] + 6*A*Sin[c + (5*d*x)/2] - 3*B*Sin[c + (5*d*x)/2] + 7*C*Sin[c + (5*d*x)/2] + 3*B*Sin[2*c + (5*d*x)/2] + C*Sin[2*c + (5*d*x)/2] + 3*B*Sin[3*c + (5*d*x)/2] - 3*C*Sin[3*c + (5*d*x)/2] - 6*A*Sin[4*c + (5*d*x)/2] + 9*B*Sin[4*c + (5*d*x)/2] - 9*C*Sin[4*c + (5*d*x)/2] + 12*A*Sin[2*c + (7*d*x)/2] - 12*B*Sin[2*c + (7*d*x)/2] + 16*C*Sin[2*c + (7*d*x)/2] + 6*A*Sin[3*c + (7*d*x)/2] - 6*B*Sin[3*c + (7*d*x)/2] + 10*C*Sin[3*c + (7*d*x)/2] + 6*A*Sin[4*c + (7*d*x)/2] - 6*B*Sin[4*c + (7*d*x)/2] + 6*C*Sin[4*c + (7*d*x)/2]))/(24*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x]))

Maple [B] time = 0.073, size = 442, normalized size = 3.

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{3ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-3} - \frac{B}{2ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-2} + \frac{A}{2ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-1} + \frac{C}{3ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*B*tan(1/2*d*x+1/2*c)+1/a/d*C*tan(1/2*d*x+1/2*c)-1/3/a/d/(tan(1/2*d*x+1/2*c)+1)^3*C-1/2/a/d/(tan(1/2*d*x+1/2*c)+1)^2*B+1/a/d/(tan(1/2*d*x+1/2*c)+1)^2*C-3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*C+3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B-1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*A-5/2/a/d/(tan(1/2*d*x+1/2*c)+1)*C+3/2/a/d/(tan(1/2*d*x+1/2*c)+1)*B-1/a/d/(tan(1/2*d*x+1/2*c)+1)*A

$*c)+1)*A-1/3/a/d/(\tan(1/2*d*x+1/2*c)-1)^3*C+1/2/a/d/(\tan(1/2*d*x+1/2*c)-1)^2*B-1/a/d/(\tan(1/2*d*x+1/2*c)-1)^2*C+3/2/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*C-3/2/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*B+1/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*A-5/2/a/d/(\tan(1/2*d*x+1/2*c)-1)*C+3/2/a/d/(\tan(1/2*d*x+1/2*c)-1)*B-1/a/d/(\tan(1/2*d*x+1/2*c)-1)*A$

Maxima [B] time = 0.964716, size = 655, normalized size = 4.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,
algorithm="maxima")

[Out] $1/6*(C*(2*(9*\sin(d*x + c)/(\cos(d*x + c) + 1) - 16*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 15*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a - 3*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 - a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 - 9*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a + 9*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a + 6*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - 3*B*(2*(\sin(d*x + c)/(\cos(d*x + c) + 1) - 3*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a - 2*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 - 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a + 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a + 2*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - 6*A*(\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a - \log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a - 2*\sin(d*x + c)/((a - a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d$

Fricas [A] time = 0.530972, size = 489, normalized size = 3.3

$3\left((2A - 3B + 3C)\cos(dx + c)^4 + (2A - 3B + 3C)\cos(dx + c)^3\right)\log(\sin(dx + c) + 1) - 3\left((2A - 3B + 3C)\cos(dx + c)^4 + (2A - 3B + 3C)\cos(dx + c)^3\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,
algorithm="fricas")

[Out] $-1/12*(3*((2*A - 3*B + 3*C)*\cos(d*x + c)^4 + (2*A - 3*B + 3*C)*\cos(d*x + c)^3)*\log(\sin(d*x + c) + 1) - 3*((2*A - 3*B + 3*C)*\cos(d*x + c)^4 + (2*A - 3*B + 3*C)*\cos(d*x + c)^3)*\log(-\sin(d*x + c) + 1) - 2*(4*(3*A - 3*B + 4*C)*\cos(d*x + c)^3 + (6*A - 3*B + 7*C)*\cos(d*x + c)^2 + (3*B - C)*\cos(d*x + c) + 2*C*\sin(d*x + c))/(a*d*\cos(d*x + c)^4 + a*d*\cos(d*x + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \sec^4(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)), x)`

[Out] `(Integral(A*sec(c + d*x)**3/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**4/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x) + 1), x))/a`

Giac [A] time = 1.25946, size = 328, normalized size = 2.22

$$\frac{3(2A-3B+3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{3(2A-3B+3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{6\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x, algorithm="giac")`

[Out] $-1/6*(3*(2*A - 3*B + 3*C)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a - 3*(2*A - 3*B + 3*C)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a - 6*(A*\tan(1/2*d*x + 1/2*c) - B*\tan(1/2*d*x + 1/2*c) + C*\tan(1/2*d*x + 1/2*c))/a + 2*(6*A*\tan(1/2*d*x + 1/2*c)^5 - 9*B*\tan(1/2*d*x + 1/2*c)^5 + 15*C*\tan(1/2*d*x + 1/2*c)^5 - 12*A*\tan(1/2*d*x + 1/2*c)^3 + 12*B*\tan(1/2*d*x + 1/2*c)^3 - 16*C*\tan(1/2*d*x + 1/2*c)^3 + 6*A*\tan(1/2*d*x + 1/2*c) - 3*B*\tan(1/2*d*x + 1/2*c) + 9*C*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*a)/d$

$$3.451 \quad \int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx$$

Optimal. Leaf size=119

$$-\frac{(A-2B+2C)\tan(c+dx)}{ad} + \frac{(2A-2B+3C)\tanh^{-1}(\sin(c+dx))}{2ad} - \frac{(A-B+C)\tan(c+dx)\sec^2(c+dx)}{d(a\sec(c+dx)+a)} + \frac{(2A-2B+3C)\tan(c+dx)}{d(a\sec(c+dx)+a)}$$

[Out] $((2*A - 2*B + 3*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*a*d) - ((A - 2*B + 2*C)*\text{Tan}[c + d*x])/(a*d) + ((2*A - 2*B + 3*C)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a*d) - ((A - B + C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(d*(a + a*\text{Sec}[c + d*x]))$

Rubi [A] time = 0.191991, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 3787, 3767, 8, 3768, 3770}

$$-\frac{(A-2B+2C)\tan(c+dx)}{ad} + \frac{(2A-2B+3C)\tanh^{-1}(\sin(c+dx))}{2ad} - \frac{(A-B+C)\tan(c+dx)\sec^2(c+dx)}{d(a\sec(c+dx)+a)} + \frac{(2A-2B+3C)\tan(c+dx)}{d(a\sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x]), x]$

[Out] $((2*A - 2*B + 3*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*a*d) - ((A - 2*B + 2*C)*\text{Tan}[c + d*x])/(a*d) + ((2*A - 2*B + 3*C)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a*d) - ((A - B + C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(d*(a + a*\text{Sec}[c + d*x]))$

Rule 4084

$\text{Int}[(A + \csc[e + f*x] + (f + g*x)*(h + i*x)]*(j + k*\csc[e + f*x])^2*(l + m*\csc[e + f*x] + n*(\csc[e + f*x] + o*(h + i*x))^p*(q + r*\csc[e + f*x] + s*(h + i*x))^t, x_Symbol] \rightarrow -\text{Simp}[(A + \csc[e + f*x] + (f + g*x)*(h + i*x)]*(j + k*\csc[e + f*x])^2*(l + m*\csc[e + f*x] + n*(\csc[e + f*x] + o*(h + i*x)))^p*(q + r*\csc[e + f*x] + s*(h + i*x))^t, x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^n*\text{Simp}[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*\csc[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \sec^2(c + dx) (-a + a \sec(c + dx))}{a} \\ &= -\frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - 2B + 2C) \int \sec^2(c + dx)}{a} \\ &= \frac{(2A - 2B + 3C) \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(A - B + C) \sec^2(c + dx)}{d(a + a \sec(c + dx))} \\ &= \frac{(2A - 2B + 3C) \tanh^{-1}(\sin(c + dx))}{2ad} - \frac{(A - 2B + 2C) \tan(c + dx)}{ad} \end{aligned}$$

Mathematica [B] time = 4.28866, size = 392, normalized size = 3.29

$$\cos\left(\frac{1}{2}(c+dx)\right)\cos(c+dx)\left(A+B\sec(c+dx)+C\sec^2(c+dx)\right)\left(-4\sec\left(\frac{c}{2}\right)(A-B+C)\sin\left(\frac{dx}{2}\right)-2(2A-2B+3C)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-2*(2*A - 2*B + 3*C)*Cos[(c + d*x)/2]*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*(2*A - 2*B + 3*C)*Cos[(c + d*x)/2]*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 4*(A - B + C)*Sec[c/2]*Sin[(d*x)/2] + (C*Cos[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (4*(B - C)*Cos[(c + d*x)/2]*Sin[(d*x)/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - (C*Cos[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*(B - C)*Cos[(c + d*x)/2]*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(a*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x]))

Maple [B] time = 0.064, size = 311, normalized size = 2.6

$$-\frac{A}{ad}\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{ad}\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad}\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{2ad}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-2} + \frac{3C}{2ad}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] -1/a/d*A*tan(1/2*d*x+1/2*c)+1/a/d*B*tan(1/2*d*x+1/2*c)-1/a/d*C*tan(1/2*d*x+1/2*c)-1/2/a/d/(tan(1/2*d*x+1/2*c)+1)^2*C+3/2/a/d/(tan(1/2*d*x+1/2*c)+1)*C-1/a/d/(tan(1/2*d*x+1/2*c)+1)*B+3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*C-1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B+1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*A+1/2/a/d/(tan(1/2*d*x+1/2*c)-1)^2*C+3/2/a/d/(tan(1/2*d*x+1/2*c)-1)*C-1/a/d/(tan(1/2*d*x+1/2*c)-1)*B-3/2/a/d*ln(tan(1/2*d*x+1/2*c)-1)*C+1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B-1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*A

Maxima [B] time = 0.956857, size = 481, normalized size = 4.04

$$C \left(\frac{2 \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{2 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) + 2B \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} \right)$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x,
algorithm="maxima")

[Out] -1/2*(C*(2*(sin(d*x + c)/(cos(d*x + c) + 1) - 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a - 2*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) - 3*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a + 3*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a + 2*sin(d*x + c)/(a*(cos(d*x + c) + 1))) + 2*B*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - 2*sin(d*x + c)/((a - a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1))) - 2*A*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d

Fricas [A] time = 0.5103, size = 428, normalized size = 3.6

$$\frac{\left((2A - 2B + 3C) \cos(dx + c)^3 + (2A - 2B + 3C) \cos(dx + c)^2 \right) \log(\sin(dx + c) + 1) - \left((2A - 2B + 3C) \cos(dx + c)^3 \right)}{4(ad \cos(dx + c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x,
algorithm="fricas")

[Out] 1/4*(((2*A - 2*B + 3*C)*cos(d*x + c)^3 + (2*A - 2*B + 3*C)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - ((2*A - 2*B + 3*C)*cos(d*x + c)^3 + (2*A - 2*B + 3*C)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(2*(A - 2*B + 2*C)*cos(d*x + c)^2 - (2*B - C)*cos(d*x + c) - C*sin(d*x + c))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \sec^3(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)**2/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**3/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**4/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.24403, size = 234, normalized size = 1.97

$$\frac{(2A-2B+3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{(2A-2B+3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{2\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} - \frac{2\left(2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*((2*A - 2*B + 3*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - (2*A - 2*B + 3*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - 2*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a - 2*(2*B*tan(1/2*d*x + 1/2*c)^3 - 3*C*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a))/d

$$3.452 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx$$

Optimal. Leaf size=63

$$\frac{(A-B+C)\tan(c+dx)}{ad(\sec(c+dx)+1)} + \frac{(B-C)\tanh^{-1}(\sin(c+dx))}{ad} + \frac{C\tan(c+dx)}{ad}$$

[Out] ((B - C)*ArcTanh[Sin[c + d*x]])/(a*d) + (C*Tan[c + d*x])/(a*d) + ((A - B + C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rubi [A] time = 0.168264, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {4082, 3998, 3770, 3794}

$$\frac{(A-B+C)\tan(c+dx)}{ad(\sec(c+dx)+1)} + \frac{(B-C)\tanh^{-1}(\sin(c+dx))}{ad} + \frac{C\tan(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] ((B - C)*ArcTanh[Sin[c + d*x]])/(a*d) + (C*Tan[c + d*x])/(a*d) + ((A - B + C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rule 4082

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= \frac{C \tan(c+dx)}{ad} + \frac{\int \frac{\sec(c+dx)(aA+a(B-C)\sec(c+dx))}{a+a\sec(c+dx)} dx}{a} \\ &= \frac{C \tan(c+dx)}{ad} + \frac{(B-C) \int \sec(c+dx) dx}{a} + (A-B+C) \int \frac{1}{a+a\sec(c+dx)} dx \\ &= \frac{(B-C) \tanh^{-1}(\sin(c+dx))}{ad} + \frac{C \tan(c+dx)}{ad} + \frac{(A-B+C)}{d(a+a\sec(c+dx))} \end{aligned}$$

Mathematica [B] time = 1.39599, size = 255, normalized size = 4.05

$$4 \cos\left(\frac{1}{2}(c+dx)\right) \cos(c+dx) (A+B\sec(c+dx)+C\sec^2(c+dx)) \left(\sec\left(\frac{c}{2}\right) (A-B+C) \sin\left(\frac{dx}{2}\right) + \cos\left(\frac{1}{2}(c+dx)\right) \left(\frac{1}{\cos\left(\frac{c}{2}\right)} \right) \right) \frac{1}{ad(\sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (4*Cos[(c + d*x)/2]*Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((A - B + C)*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]*(-(B - C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) + (C*SIN[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(a*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x]))

Maple [B] time = 0.059, size = 180, normalized size = 2.9

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-1} + \frac{B}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{C}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*B*tan(1/2*d*x+1/2*c)+1/a/d*C*tan(1/2*d*x+1/2*c)-1/a/d/(tan(1/2*d*x+1/2*c)+1)*C+1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B-1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*C-1/a/d/(tan(1/2*d*x+1/2*c)-1)*C-1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B+1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*C

Maxima [B] time = 0.942921, size = 294, normalized size = 4.67

$$\frac{C \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + 1}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) - 1}{a} - \frac{2 \sin(dx+c)}{\left(a - \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - B \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + 1}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) - 1}{a} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] -(C*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - 2*sin(d*x + c)/((a - a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1))) - B*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))) - A*sin(d*x + c)/(a*(cos(d*x + c) + 1)))/d

Fricas [B] time = 0.512863, size = 324, normalized size = 5.14

$$\frac{\left((B - C) \cos(dx + c)^2 + (B - C) \cos(dx + c) \right) \log(\sin(dx + c) + 1) - \left((B - C) \cos(dx + c)^2 + (B - C) \cos(dx + c) \right) \log(\sin(dx + c) - 1)}{2 \left(ad \cos(dx + c)^2 + ad \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(((B - C)*cos(d*x + c)^2 + (B - C)*cos(d*x + c))*log(sin(d*x + c) + 1) - ((B - C)*cos(d*x + c)^2 + (B - C)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*((A - B + 2*C)*cos(d*x + c) + C)*sin(d*x + c))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \sec^2(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**2/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.28263, size = 161, normalized size = 2.56

$$\frac{(B-C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{(B-C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} + \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} - \frac{2 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1} a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] ((B - C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - (B - C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a + (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a - 2*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a))/d

$$3.453 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=52

$$-\frac{(A-B+C) \tan(c+dx)}{ad(\sec(c+dx)+1)} + \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c+dx))}{ad}$$

[Out] (A*x)/a + (C*ArcTanh[Sin[c + d*x]])/(a*d) - ((A - B + C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rubi [A] time = 0.115726, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4050, 3770, 3919, 3794}

$$-\frac{(A-B+C) \tan(c+dx)}{ad(\sec(c+dx)+1)} + \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x]),x]

[Out] (A*x)/a + (C*ArcTanh[Sin[c + d*x]])/(a*d) - ((A - B + C)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x]))

Rule 4050

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/ (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[C/b, Int[Csc[e + f*x], x], x] + Dist[1/b, Int[(A*b + (b*B - a*C)*Csc[e + f*x])/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -

a*d, 0]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{a + a \sec(c + dx)} dx &= \frac{\int \frac{aA + (aB - aC) \sec(c + dx)}{a + a \sec(c + dx)} dx}{a} + \frac{C \int \sec(c + dx) dx}{a} \\ &= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{ad} + (-A + B - C) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx \\ &= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(A - B + C) \tan(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.493384, size = 163, normalized size = 3.13

$$\frac{4 \cos\left(\frac{1}{2}(c + dx)\right) \left(A \cos^2(c + dx) + B \cos(c + dx) + C\right) \left(\cos\left(\frac{1}{2}(c + dx)\right) \left(Adx - C \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{ad(\cos(c + dx) + 1)(A \cos(2(c + dx)) + A + 2B \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x]), x]

[Out] (4*Cos[(c + d*x)/2]*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*(Cos[(c + d*x)/2]*(A*d*x - C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - (A - B + C)*Sec[c/2]*Sin[(d*x)/2))/(a*d*(1 + Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [B] time = 0.063, size = 115, normalized size = 2.2

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \arctan(\tan(1/2 dx + c/2))}{ad} + \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] $-1/a/d*A*\tan(1/2*d*x+1/2*c)+2/a/d*A*\arctan(\tan(1/2*d*x+1/2*c))+1/a/d*B*\tan(1/2*d*x+1/2*c)+1/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/a/d*C*\tan(1/2*d*x+1/2*c)-1/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*C$

Maxima [B] time = 1.41614, size = 197, normalized size = 3.79

$$\frac{A \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + C \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + \frac{B \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] $(A*(2*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) + C*(\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a - \log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) + B*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))/d$

Fricas [A] time = 0.507555, size = 247, normalized size = 4.75

$$\frac{2 A dx \cos(dx + c) + 2 A dx + (C \cos(dx + c) + C) \log(\sin(dx + c) + 1) - (C \cos(dx + c) + C) \log(-\sin(dx + c) + 1) - 2 B \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] $1/2*(2*A*d*x*\cos(d*x + c) + 2*A*d*x + (C*\cos(d*x + c) + C)*\log(\sin(d*x + c) + 1) - (C*\cos(d*x + c) + C)*\log(-\sin(d*x + c) + 1) - 2*(A - B + C)*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec(c+dx)+1} dx + \int \frac{B \sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.20756, size = 124, normalized size = 2.38

$$\frac{\frac{(dx+c)A}{a} + \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)*A/a + C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a)/d

$$3.454 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=62

$$\frac{(2A - B + C) \sin(c + dx)}{ad} - \frac{(A - B + C) \sin(c + dx)}{d(a \sec(c + dx) + a)} - \frac{x(A - B)}{a}$$

[Out] -(((A - B)*x)/a) + ((2*A - B + C)*Sin[c + d*x])/(a*d) - ((A - B + C)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.130308, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {4084, 3787, 2637, 8}

$$\frac{(2A - B + C) \sin(c + dx)}{ad} - \frac{(A - B + C) \sin(c + dx)}{d(a \sec(c + dx) + a)} - \frac{x(A - B)}{a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] -(((A - B)*x)/a) + ((2*A - B + C)*Sin[c + d*x])/(a*d) - ((A - B + C)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))* (csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A - B + C) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \cos(c + dx)(a(2A - B + C) - a^2)}{a^2} \\ &= -\frac{(A - B + C) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - B) \int 1 dx}{a} + \frac{(2A - B + C) \int \cos(c + dx)}{a} \\ &= -\frac{(A - B)x}{a} + \frac{(2A - B + C) \sin(c + dx)}{ad} - \frac{(A - B + C) \sin(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [A] time = 0.401857, size = 77, normalized size = 1.24

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(\sec\left(\frac{c}{2}\right) (A - B + C) \sin\left(\frac{dx}{2}\right) + \cos\left(\frac{1}{2}(c + dx)\right) (dx(B - A) + A \sin(c + dx)) \right)}{ad(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (2*Cos[(c + d*x)/2]*((A - B + C)*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]*((-A + B)*d*x + A*Sin[c + d*x]))/(a*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.093, size = 125, normalized size = 2.

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \tan(1/2 dx + c/2)}{ad(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{A \arctan(\tan(1/2 dx + c/2))}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)`

[Out] $\frac{1}{a/d}A*\tan(1/2*d*x+1/2*c)-1/a/d*B*\tan(1/2*d*x+1/2*c)+1/a/d*C*\tan(1/2*d*x+1/2*c)+2/a/d*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-2/a/d*A*\arctan(\tan(1/2*d*x+1/2*c))+2/a/d*\arctan(\tan(1/2*d*x+1/2*c))*B$

Maxima [B] time = 1.42891, size = 223, normalized size = 3.6

$$\frac{A \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - B \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - \frac{C \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-(A*(2*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a - 2*\sin(d*x + c)/((a + a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - B*(2*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - C*\sin(d*x + c)/(a*(\cos(d*x + c) + 1)))/d$

Fricas [A] time = 0.479795, size = 154, normalized size = 2.48

$$\frac{(A - B)dx \cos(dx + c) + (A - B)dx - (A \cos(dx + c) + 2A - B + C) \sin(dx + c)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] $-((A - B)*d*x*\cos(d*x + c) + (A - B)*d*x - (A*\cos(d*x + c) + 2*A - B + C)*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \cos(c+dx) \sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*cos(c + d*x)/(sec(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(C*cos(c + d*x)*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.18937, size = 122, normalized size = 1.97

$$\frac{\frac{(dx+c)(A-B)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} - \frac{2 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 + 1} a}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] -((d*x + c)*(A - B)/a - (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a - 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a))/d

$$3.455 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=108

$$-\frac{(2A-2B+C) \sin(c+dx)}{ad} + \frac{(3A-2B+2C) \sin(c+dx) \cos(c+dx)}{2ad} - \frac{(A-B+C) \sin(c+dx) \cos(c+dx)}{d(a \sec(c+dx)+a)} + \frac{x(3A-2B+2C)}{2a}$$

[Out] ((3*A - 2*B + 2*C)*x)/(2*a) - ((2*A - 2*B + C)*Sin[c + d*x])/(a*d) + ((3*A - 2*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.181688, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4084, 3787, 2635, 8, 2637}

$$-\frac{(2A-2B+C) \sin(c+dx)}{ad} + \frac{(3A-2B+2C) \sin(c+dx) \cos(c+dx)}{2ad} - \frac{(A-B+C) \sin(c+dx) \cos(c+dx)}{d(a \sec(c+dx)+a)} + \frac{x(3A-2B+2C)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] ((3*A - 2*B + 2*C)*x)/(2*a) - ((2*A - 2*B + C)*Sin[c + d*x])/(a*d) + ((3*A - 2*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 2635

$\text{Int}[(b*\sin[(c + d*x)])^{(n)}, x_Symbol] := -\text{Simp}[(b*\cos[c + d*x])*(b*\sin[c + d*x])^{(n - 1)})/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\sin[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 8

$\text{Int}[a, x_Symbol] := \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c + d*x)], x_Symbol] := \text{Simp}[\sin[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A - B + C) \cos(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \cos^2(c + dx) (a(3A - 2B + 2C) \sec(c + dx) + 3A) dx}{a} \\ &= -\frac{(A - B + C) \cos(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(2A - 2B + C) \int \cos^2(c + dx) dx}{a} \\ &= -\frac{(2A - 2B + C) \sin(c + dx)}{ad} + \frac{(3A - 2B + 2C) \cos(c + dx) \sin(c + dx)}{2ad} \\ &= \frac{(3A - 2B + 2C)x}{2a} - \frac{(2A - 2B + C) \sin(c + dx)}{ad} + \frac{(3A - 2B + 2C) \cos(c + dx) \sin(c + dx)}{2ad} \end{aligned}$$

Mathematica [A] time = 0.504956, size = 213, normalized size = 1.97

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(4dx(3A - 2B + 2C) \cos\left(c + \frac{dx}{2}\right) + 4dx(3A - 2B + 2C) \cos\left(\frac{dx}{2}\right) - 4A \sin\left(c + \frac{dx}{2}\right) - 3A \sin\left(c - \frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] $(\cos[(c + dx)/2] \sec[c/2] * (4*(3A - 2B + 2C)*dx \cos[(dx)/2] + 4*(3A - 2B + 2C)*dx \cos[c + (dx)/2] - 20*A \sin[(dx)/2] + 20*B \sin[(dx)/2] - 16*C \sin[(dx)/2] - 4*A \sin[c + (dx)/2] + 4*B \sin[c + (dx)/2] - 3*A \sin[c + (3dx)/2] + 4*B \sin[c + (3dx)/2] - 3*A \sin[2c + (3dx)/2] + 4*B \sin[2c + (3dx)/2] + A \sin[2c + (5dx)/2] + A \sin[3c + (5dx)/2])) / (8*a*d*(1 + \cos[c + dx]))$

Maple [B] time = 0.099, size = 248, normalized size = 2.3

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 3 \frac{(\tan(1/2 dx + c/2))^3 A}{ad (1 + (\tan(1/2 dx + c/2))^2)} + 2 \frac{(\tan(1/2 dx + c/2))}{ad (1 + (\tan(1/2 dx + c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c)), x)$

[Out] $-1/a/d*A*\tan(1/2*d*x+1/2*c)+1/a/d*B*\tan(1/2*d*x+1/2*c)-1/a/d*C*\tan(1/2*d*x+1/2*c)-3/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A+2/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B-1/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*2*A*\tan(1/2*d*x+1/2*c)+2/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*B*\tan(1/2*d*x+1/2*c)+3/a/d*A*\arctan(\tan(1/2*d*x+1/2*c))-2/a/d*\arctan(\tan(1/2*d*x+1/2*c))*B+2/a/d*\arctan(\tan(1/2*d*x+1/2*c))*C$

Maxima [B] time = 1.43265, size = 369, normalized size = 3.42

$$\frac{A \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + B \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c)), x, \text{algorithm}="maxima")$

[Out] $-(A*((\sin(dx + c)/(\cos(dx + c) + 1) + 3*\sin(dx + c)^3/(\cos(dx + c) + 1)^3)/(a + 2*a*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + a*\sin(dx + c)^4/(\cos(dx + c) + 1)^4) - 3*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a + \sin(dx + c)/(a*(\cos(dx + c) + 1))) + B*(2*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a -$

$$\frac{2\sin(dx+c)/((a+a\sin(dx+c))^2/(\cos(dx+c)+1)^2*(\cos(dx+c)+1)) - \sin(dx+c)/(a*(\cos(dx+c)+1)) - C*(2*\arctan(\sin(dx+c)/(\cos(dx+c)+1)))/a - \sin(dx+c)/(a*(\cos(dx+c)+1)))}{d}$$

Fricas [A] time = 0.486207, size = 227, normalized size = 2.1

$$\frac{(3A-2B+2C)dx \cos(dx+c) + (3A-2B+2C)dx + (A \cos(dx+c)^2 - (A-2B) \cos(dx+c) - 4A + 4B - 2C) \sin(dx+c)}{2(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c)), x, algorithm="fricas")

[Out] 1/2*((3*A - 2*B + 2*C)*d*x*cos(dx + c) + (3*A - 2*B + 2*C)*d*x + (A*cos(dx + c)^2 - (A - 2*B)*cos(dx + c) - 4*A + 4*B - 2*C)*sin(dx + c))/(a*d*cos(dx + c) + a*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos^2(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \cos^2(c+dx) \sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C \cos^2(c+dx) \sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c)), x)

[Out] (Integral(A*cos(c + d*x)**2/(sec(c + d*x) + 1), x) + Integral(B*cos(c + d*x)**2*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(C*cos(c + d*x)**2*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.18685, size = 185, normalized size = 1.71

$$\frac{(dx+c)(3A-2B+2C)}{a} - \frac{2\left(A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{a} - \frac{2\left(3A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 2B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,
algorithm="giac")
```

```
[Out] 1/2*((d*x + c)*(3*A - 2*B + 2*C)/a - 2*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*
d*x + 1/2*c) + C*tan(1/2*d*x + 1/2*c))/a - 2*(3*A*tan(1/2*d*x + 1/2*c)^3 -
2*B*tan(1/2*d*x + 1/2*c)^3 + A*tan(1/2*d*x + 1/2*c) - 2*B*tan(1/2*d*x + 1/2
*c)))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a))/d
```

$$3.456 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=139

$$-\frac{(4A-3B+3C)\sin^3(c+dx)}{3ad} + \frac{(4A-3B+3C)\sin(c+dx)}{ad} - \frac{(3A-3B+2C)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(A-B+C)}{d(a \sec(c+dx))}$$

[Out] -((3*A - 3*B + 2*C)*x)/(2*a) + ((4*A - 3*B + 3*C)*Sin[c + d*x])/(a*d) - ((3*A - 3*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((A - B + C)*Cos[c + d*x]^2*Sin[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((4*A - 3*B + 3*C)*Sin[c + d*x]^3)/(3*a*d)

Rubi [A] time = 0.196548, antiderivative size = 139, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4084, 3787, 2633, 2635, 8}

$$-\frac{(4A-3B+3C)\sin^3(c+dx)}{3ad} + \frac{(4A-3B+3C)\sin(c+dx)}{ad} - \frac{(3A-3B+2C)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(A-B+C)}{d(a \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] -((3*A - 3*B + 2*C)*x)/(2*a) + ((4*A - 3*B + 3*C)*Sin[c + d*x])/(a*d) - ((3*A - 3*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((A - B + C)*Cos[c + d*x]^2*Sin[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((4*A - 3*B + 3*C)*Sin[c + d*x]^3)/(3*a*d)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] :=> -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A - B + C) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \cos^3(c + dx) (a(4A - 3B + 2C) \sec(c + dx) + a)}{a} \\ &= -\frac{(A - B + C) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(3A - 3B + 2C) \int \cos^3(c + dx)}{a} \\ &= -\frac{(3A - 3B + 2C) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(A - B + C) \cos^2(c + dx)}{d(a + a \sec(c + dx))} \\ &= -\frac{(3A - 3B + 2C)x}{2a} + \frac{(4A - 3B + 3C) \sin(c + dx)}{ad} - \frac{(3A - 3B + 2C) \cos^2(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 1.0246, size = 307, normalized size = 2.21

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-12dx(3A - 3B + 2C) \cos\left(c + \frac{dx}{2}\right) - 12dx(3A - 3B + 2C) \cos\left(\frac{dx}{2}\right) + 21A \sin\left(c + \frac{dx}{2}\right) + 18A \sin\left(\frac{dx}{2}\right)\right)}{d(a + a \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-12*(3*A - 3*B + 2*C)*d*x*Cos[(d*x)/2] - 12*(3*A - 3*B + 2*C)*d*x*Cos[c + (d*x)/2] + 69*A*Sin[(d*x)/2] - 60*B*Sin[(d*x)/2] + 60*C*Sin[(d*x)/2] + 21*A*Sin[c + (d*x)/2] - 12*B*Sin[c + (d*x)/2] + 12*C*Sin[c + (d*x)/2] + 18*A*Sin[c + (3*d*x)/2] - 9*B*Sin[c + (3*d*x)/2] + 12*C*Sin[c + (3*d*x)/2] + 18*A*Sin[2*c + (3*d*x)/2] - 9*B*Sin[2*c + (3*d*x)/2] + 12*C*Sin[2*c + (3*d*x)/2] - 2*A*Sin[2*c + (5*d*x)/2] + 3*B*Sin[2*c + (5*d*x)/2] - 2*A*Sin[3*c + (5*d*x)/2] + 3*B*Sin[3*c + (5*d*x)/2] + A*Sin[3*c + (7*d*x)/2] + A*Sin[4*c + (7*d*x)/2]))/(24*a*d*(1 + Cos[c + d*x]))

Maple [B] time = 0.102, size = 420, normalized size = 3.

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{C}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 3 \frac{(\tan(1/2 dx + c/2))^5 B}{ad (1 + (\tan(1/2 dx + c/2))^2)^3} + 5 \frac{(\tan(1/2 dx + c/2))}{ad (1 + (\tan(1/2 dx + c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*B*tan(1/2*d*x+1/2*c)+1/a/d*C*tan(1/2*d*x+1/2*c)-3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*B+5/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*C-4/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*B+16/3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*A+4/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*C-1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)+3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*A*tan(1/2*d*x+1/2*c)+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*C*tan(1/2*d*x+1/2*c)-3/a/d*A*arctan(tan(1/2*d*x+1/2*c))+3/a/d*arctan(tan(1/2*d*x+1/2*c))*B-2/a/d*arctan(tan(1/2*d*x+1/2*c))*C

Maxima [B] time = 1.43742, size = 540, normalized size = 3.88

$$A \left(\frac{9 \sin(dx+c) + 16 \sin(dx+c)^3 + 15 \sin(dx+c)^5}{\cos(dx+c)+1} - \frac{9 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{3 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 3 B \left(\frac{\sin(dx+c) + 3 \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} \right)$$

3d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,
algorithm="maxima")

[Out] $\frac{1}{3} \left(A \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{16 \sin^3(dx+c)}{(\cos(dx+c)+1)^3} + \frac{15 \sin^5(dx+c)}{(\cos(dx+c)+1)^5} \right) / (a + 3a \sin(dx+c)^2 / (\cos(dx+c)+1)^2 + 3a \sin^4(dx+c) / (\cos(dx+c)+1)^4 + a \sin^6(dx+c) / (\cos(dx+c)+1)^6) - 9 \arctan(\sin(dx+c) / (\cos(dx+c)+1)) / a + 3 \sin(dx+c) / (a(\cos(dx+c)+1)) \right) - 3B \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin^3(dx+c)}{(\cos(dx+c)+1)^3} \right) / (a + 2a \sin^2(dx+c) / (\cos(dx+c)+1)^2 + a \sin^4(dx+c) / (\cos(dx+c)+1)^4) - 3 \arctan(\sin(dx+c) / (\cos(dx+c)+1)) / a + \sin(dx+c) / (a(\cos(dx+c)+1)) \right) - 3C \left(\frac{2 \arctan(\sin(dx+c) / (\cos(dx+c)+1))}{a} - \frac{2 \sin(dx+c)}{(a + a \sin^2(dx+c) / (\cos(dx+c)+1)^2) (\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) \right) / d$

Fricas [A] time = 0.496041, size = 288, normalized size = 2.07

$$\frac{3(3A - 3B + 2C)dx \cos(dx+c) + 3(3A - 3B + 2C)dx - (2A \cos(dx+c)^3 - (A - 3B) \cos(dx+c)^2 + (7A - 3B + 6C) \cos(dx+c) + 16A - 12B + 12C) \sin(dx+c)}{6(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,
algorithm="fricas")

[Out] $-\frac{1}{6} \left(3(3A - 3B + 2C) d x \cos(dx+c) + 3(3A - 3B + 2C) d x - (2A \cos^3(dx+c) - (A - 3B) \cos^2(dx+c) + (7A - 3B + 6C) \cos(dx+c) + 16A - 12B + 12C) \sin(dx+c) \right) / (a d \cos(dx+c) + a d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x
)

[Out] Timed out

Giac [A] time = 1.24446, size = 279, normalized size = 2.01

$$\frac{3(dx+c)(3A-3B+2C)}{a} - \frac{6\left(A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a} - \frac{2\left(15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 9B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5\right)}{6d}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,
algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(3*(d*x + c)*(3*A - 3*B + 2*C)/a - 6*(A*\tan(1/2*d*x + 1/2*c) - B*\tan(1/2*d*x + 1/2*c) + C*\tan(1/2*d*x + 1/2*c))/a - 2*(15*A*\tan(1/2*d*x + 1/2*c)^5 - 9*B*\tan(1/2*d*x + 1/2*c)^5 + 6*C*\tan(1/2*d*x + 1/2*c)^5 + 16*A*\tan(1/2*d*x + 1/2*c)^3 - 12*B*\tan(1/2*d*x + 1/2*c)^3 + 12*C*\tan(1/2*d*x + 1/2*c)^3 + 9*A*\tan(1/2*d*x + 1/2*c) - 3*B*\tan(1/2*d*x + 1/2*c) + 6*C*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a))/d \end{aligned}$$

$$3.457 \quad \int \frac{\cos^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=174

$$\frac{(4A - 4B + 3C) \sin^3(c + dx)}{3ad} - \frac{(4A - 4B + 3C) \sin(c + dx)}{ad} + \frac{(5A - 4B + 4C) \sin(c + dx) \cos^3(c + dx)}{4ad} + \frac{3(5A - 4B + 4C) \cos^3(c + dx)}{3ad}$$

[Out] (3*(5*A - 4*B + 4*C)*x)/(8*a) - ((4*A - 4*B + 3*C)*Sin[c + d*x])/(a*d) + (3*(5*A - 4*B + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*a*d) + ((5*A - 4*B + 4*C)*Cos[c + d*x]^3*Sin[c + d*x])/(4*a*d) - ((A - B + C)*Cos[c + d*x]^3*Sin[c + d*x])/(d*(a + a*Sec[c + d*x])) + ((4*A - 4*B + 3*C)*Sin[c + d*x]^3)/(3*a*d)

Rubi [A] time = 0.212429, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4084, 3787, 2635, 8, 2633}

$$\frac{(4A - 4B + 3C) \sin^3(c + dx)}{3ad} - \frac{(4A - 4B + 3C) \sin(c + dx)}{ad} + \frac{(5A - 4B + 4C) \sin(c + dx) \cos^3(c + dx)}{4ad} + \frac{3(5A - 4B + 4C) \cos^3(c + dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (3*(5*A - 4*B + 4*C)*x)/(8*a) - ((4*A - 4*B + 3*C)*Sin[c + d*x])/(a*d) + (3*(5*A - 4*B + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*a*d) + ((5*A - 4*B + 4*C)*Cos[c + d*x]^3*Sin[c + d*x])/(4*a*d) - ((A - B + C)*Cos[c + d*x]^3*Sin[c + d*x])/(d*(a + a*Sec[c + d*x])) + ((4*A - 4*B + 3*C)*Sin[c + d*x]^3)/(3*a*d)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A - B + C) \cos^3(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \cos^4(c + dx) (a(5A - 4B + 4C) \cos^3(c + dx) \sin(c + dx) - (A - B + C) \cos^3(c + dx) \sin(c + dx))}{a} \\ &= -\frac{(A - B + C) \cos^3(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(4A - 4B + 3C) \int \cos^4(c + dx) (a(5A - 4B + 4C) \cos^3(c + dx) \sin(c + dx) - (A - B + C) \cos^3(c + dx) \sin(c + dx))}{a} \\ &= \frac{(5A - 4B + 4C) \cos^3(c + dx) \sin(c + dx)}{4ad} - \frac{(A - B + C) \cos^3(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} \\ &= -\frac{(4A - 4B + 3C) \sin(c + dx)}{ad} + \frac{3(5A - 4B + 4C) \cos(c + dx)}{8ad} \\ &= \frac{3(5A - 4B + 4C)x}{8a} - \frac{(4A - 4B + 3C) \sin(c + dx)}{ad} + \frac{3(5A - 4B + 4C) \cos(c + dx)}{8ad} \end{aligned}$$

Mathematica [B] time = 1.00996, size = 393, normalized size = 2.26

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(72dx(5A - 4B + 4C) \cos\left(c + \frac{dx}{2}\right) + 72dx(5A - 4B + 4C) \cos\left(\frac{dx}{2}\right) - 168A \sin\left(c + \frac{dx}{2}\right) - 120A\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(72*(5*A - 4*B + 4*C)*d*x*Cos[(d*x)/2] + 72*(5*A - 4*B + 4*C)*d*x*Cos[c + (d*x)/2] - 552*A*Sin[(d*x)/2] + 552*B*Sin[(d*x)/2] - 480*C*Sin[(d*x)/2] - 168*A*Sin[c + (d*x)/2] + 168*B*Sin[c + (d*x)/2] - 96*C*Sin[c + (d*x)/2] - 120*A*Sin[c + (3*d*x)/2] + 144*B*Sin[c + (3*d*x)/2] - 72*C*Sin[c + (3*d*x)/2] - 120*A*Sin[2*c + (3*d*x)/2] + 144*B*Sin[2*c + (3*d*x)/2] - 72*C*Sin[2*c + (3*d*x)/2] + 40*A*Sin[2*c + (5*d*x)/2] - 16*B*Sin[2*c + (5*d*x)/2] + 24*C*Sin[2*c + (5*d*x)/2] + 40*A*Sin[3*c + (5*d*x)/2] - 16*B*Sin[3*c + (5*d*x)/2] + 24*C*Sin[3*c + (5*d*x)/2] - 5*A*Sin[3*c + (7*d*x)/2] + 8*B*Sin[3*c + (7*d*x)/2] - 5*A*Sin[4*c + (7*d*x)/2] + 8*B*Sin[4*c + (7*d*x)/2] + 3*A*Sin[4*c + (9*d*x)/2] + 3*A*Sin[5*c + (9*d*x)/2]))/(192*a*d*(1 + Cos[c + d*x]))

Maple [B] time = 0.111, size = 526, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out]
$$\begin{aligned} & -1/a/d*A*\tan(1/2*d*x+1/2*c)+1/a/d*B*\tan(1/2*d*x+1/2*c)-1/a/d*C*\tan(1/2*d*x+ \\ & 1/2*c)-25/4/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^7*A-3/a/d/(1+ \\ & \tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^7*C+5/a/d/(1+\tan(1/2*d*x+1/2*c)^ \\ & 2)^4*\tan(1/2*d*x+1/2*c)^7*B-115/12/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d \\ & *x+1/2*c)^5*A-7/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^5*C+31/3/ \\ & a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^5*B-109/12/a/d/(1+\tan(1/2 \\ & *d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^3*A-5/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*ta \\ & n(1/2*d*x+1/2*c)^3*C+25/3/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c) \\ & ^3*B-7/4/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*A*\tan(1/2*d*x+1/2*c)-1/a/d/(1+\tan(1 \\ & /2*d*x+1/2*c)^2)^4*C*\tan(1/2*d*x+1/2*c)+3/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*B* \\ & \tan(1/2*d*x+1/2*c)+15/4/a/d*A*\arctan(\tan(1/2*d*x+1/2*c))-3/a/d*\arctan(\tan(1 \\ & /2*d*x+1/2*c))*B+3/a/d*\arctan(\tan(1/2*d*x+1/2*c))*C \end{aligned}$$

Maxima [B] time = 1.45223, size = 709, normalized size = 4.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,
algorithm="maxima")

[Out]
$$\begin{aligned} & -1/12*(A*((21*\sin(dx + c)/(\cos(dx + c) + 1) + 109*\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + 115*\sin(dx + c)^5/(\cos(dx + c) + 1)^5 + 75*\sin(dx + c)^7/(\cos(dx + c) + 1)^7)/(a + 4*a*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + 6*a*\sin(dx + c)^4/(\cos(dx + c) + 1)^4 + 4*a*\sin(dx + c)^6/(\cos(dx + c) + 1)^6 + a*\sin(dx + c)^8/(\cos(dx + c) + 1)^8) - 45*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a + 12*\sin(dx + c)/(a*(\cos(dx + c) + 1))) - 4*B*((9*\sin(dx + c)/(\cos(dx + c) + 1) + 16*\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + 15*\sin(dx + c)^5/(\cos(dx + c) + 1)^5)/(a + 3*a*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + 3*a*\sin(dx + c)^4/(\cos(dx + c) + 1)^4 + a*\sin(dx + c)^6/(\cos(dx + c) + 1)^6) - 9*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a + 3*\sin(dx + c)/(a*(\cos(dx + c) + 1))) + 12*C*((\sin(dx + c)/(\cos(dx + c) + 1) + 3*\sin(dx + c)^3/(\cos(dx + c) + 1)^3)/(a + 2*a*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + a*\sin(dx + c)^4/(\cos(dx + c) + 1)^4) - 3*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a + \sin(dx + c)/(a*(\cos(dx + c) + 1))))/d \end{aligned}$$

Fricas [A] time = 0.50898, size = 344, normalized size = 1.98

$$\frac{9(5A - 4B + 4C)dx \cos(dx + c) + 9(5A - 4B + 4C)dx + (6A \cos(dx + c)^4 - 2(A - 4B) \cos(dx + c)^3 + (13A - 4B) \cos(dx + c)^2 - (19A - 28B + 12C) \cos(dx + c) - 64A + 64B - 48C) \sin(dx + c)}{24(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,
algorithm="fricas")

[Out]
$$\frac{1}{24}*(9*(5*A - 4*B + 4*C)*d*x*\cos(dx + c) + 9*(5*A - 4*B + 4*C)*d*x + (6*A*\cos(dx + c)^4 - 2*(A - 4*B)*\cos(dx + c)^3 + (13*A - 4*B + 12*C)*\cos(dx + c)^2 - (19*A - 28*B + 12*C)*\cos(dx + c) - 64*A + 64*B - 48*C)*\sin(dx + c))/(a*d*\cos(dx + c) + a*d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)), x)

[Out] Timed out

Giac [A] time = 1.27924, size = 336, normalized size = 1.93

$$\frac{9(dx+c)(5A-4B+4C)}{a} - \frac{24\left(A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{a} - \frac{2\left(75A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 60B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 36C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)), x, algorithm="giac")

[Out] $\frac{1}{24} * (9 * (d * x + c) * (5 * A - 4 * B + 4 * C) / a - 24 * (A * \tan(1/2 * d * x + 1/2 * c) - B * \tan(1/2 * d * x + 1/2 * c) + C * \tan(1/2 * d * x + 1/2 * c)) / a - 2 * (75 * A * \tan(1/2 * d * x + 1/2 * c)^7 - 60 * B * \tan(1/2 * d * x + 1/2 * c)^7 + 36 * C * \tan(1/2 * d * x + 1/2 * c)^7 + 115 * A * \tan(1/2 * d * x + 1/2 * c)^5 - 124 * B * \tan(1/2 * d * x + 1/2 * c)^5 + 84 * C * \tan(1/2 * d * x + 1/2 * c)^5 + 109 * A * \tan(1/2 * d * x + 1/2 * c)^3 - 100 * B * \tan(1/2 * d * x + 1/2 * c)^3 + 60 * C * \tan(1/2 * d * x + 1/2 * c)^3 + 21 * A * \tan(1/2 * d * x + 1/2 * c) - 36 * B * \tan(1/2 * d * x + 1/2 * c) + 12 * C * \tan(1/2 * d * x + 1/2 * c)) / ((\tan(1/2 * d * x + 1/2 * c)^2 + 1)^4 * a)) / d$

$$3.458 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=194

$$\frac{(5A - 8B + 12C) \tan^3(c + dx)}{3a^2d} + \frac{(5A - 8B + 12C) \tan(c + dx)}{a^2d} - \frac{(4A - 7B + 10C) \tanh^{-1}(\sin(c + dx))}{2a^2d} - \frac{(4A - 7B + 10C)}{3a^2d}$$

[Out] $-\left(\left(4A - 7B + 10C\right) \operatorname{ArcTanh}\left[\operatorname{Sin}\left[c + d*x\right]\right]\right) / \left(2*a^2*d\right) + \left(\left(5A - 8B + 12C\right) * \operatorname{Tan}\left[c + d*x\right]\right) / \left(a^2*d\right) - \left(\left(4A - 7B + 10C\right) * \operatorname{Sec}\left[c + d*x\right] * \operatorname{Tan}\left[c + d*x\right]\right) / \left(2*a^2*d\right) - \left(\left(4A - 7B + 10C\right) * \operatorname{Sec}\left[c + d*x\right]^3 * \operatorname{Tan}\left[c + d*x\right]\right) / \left(3*a^2*d * \left(1 + \operatorname{Sec}\left[c + d*x\right]\right)\right) - \left(\left(A - B + C\right) * \operatorname{Sec}\left[c + d*x\right]^4 * \operatorname{Tan}\left[c + d*x\right]\right) / \left(3*d * \left(a + a * \operatorname{Sec}\left[c + d*x\right]\right)^2\right) + \left(\left(5A - 8B + 12C\right) * \operatorname{Tan}\left[c + d*x\right]^3\right) / \left(3*a^2*d\right)$

Rubi [A] time = 0.363064, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 4019, 3787, 3768, 3770, 3767}

$$\frac{(5A - 8B + 12C) \tan^3(c + dx)}{3a^2d} + \frac{(5A - 8B + 12C) \tan(c + dx)}{a^2d} - \frac{(4A - 7B + 10C) \tanh^{-1}(\sin(c + dx))}{2a^2d} - \frac{(4A - 7B + 10C)}{3a^2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\left(\operatorname{Sec}\left[c + d*x\right]^4 * \left(A + B * \operatorname{Sec}\left[c + d*x\right] + C * \operatorname{Sec}\left[c + d*x\right]^2\right)\right) / \left(a + a * \operatorname{Sec}\left[c + d*x\right]\right)^2, x\right]$

[Out] $-\left(\left(4A - 7B + 10C\right) * \operatorname{ArcTanh}\left[\operatorname{Sin}\left[c + d*x\right]\right]\right) / \left(2*a^2*d\right) + \left(\left(5A - 8B + 12C\right) * \operatorname{Tan}\left[c + d*x\right]\right) / \left(a^2*d\right) - \left(\left(4A - 7B + 10C\right) * \operatorname{Sec}\left[c + d*x\right] * \operatorname{Tan}\left[c + d*x\right]\right) / \left(2*a^2*d\right) - \left(\left(4A - 7B + 10C\right) * \operatorname{Sec}\left[c + d*x\right]^3 * \operatorname{Tan}\left[c + d*x\right]\right) / \left(3*a^2*d * \left(1 + \operatorname{Sec}\left[c + d*x\right]\right)\right) - \left(\left(A - B + C\right) * \operatorname{Sec}\left[c + d*x\right]^4 * \operatorname{Tan}\left[c + d*x\right]\right) / \left(3*d * \left(a + a * \operatorname{Sec}\left[c + d*x\right]\right)^2\right) + \left(\left(5A - 8B + 12C\right) * \operatorname{Tan}\left[c + d*x\right]^3\right) / \left(3*a^2*d\right)$

Rule 4084

$\operatorname{Int}\left[\left(\left(A_{.}\right) + \operatorname{csc}\left[\left(e_{.}\right) + \left(f_{.}\right) * \left(x_{.}\right)\right] * \left(B_{.}\right) + \operatorname{csc}\left[\left(e_{.}\right) + \left(f_{.}\right) * \left(x_{.}\right)\right]^2 * \left(C_{.}\right)\right) * \left(\operatorname{csc}\left[\left(e_{.}\right) + \left(f_{.}\right) * \left(x_{.}\right)\right] * \left(d_{.}\right)\right)^n * \left(\operatorname{csc}\left[\left(e_{.}\right) + \left(f_{.}\right) * \left(x_{.}\right)\right] * \left(b_{.}\right) + \left(a_{.}\right)\right)^m, x_{\text{Symbol}}] :> -\operatorname{Simp}\left[\left(\left(a * A - b * B + a * C\right) * \operatorname{Cot}\left[e + f * x\right] * \left(a + b * \operatorname{Csc}\left[e + f * x\right]\right)^m * \left(d * \operatorname{Csc}\left[e + f * x\right]\right)^n\right) / \left(a * f * \left(2 * m + 1\right)\right), x\right] - \operatorname{Dist}\left[1 / \left(a * b * \left(2 * m + 1\right)\right), \operatorname{Int}\left[\left(a + b * \operatorname{Csc}\left[e + f * x\right]\right)^{m + 1} * \left(d * \operatorname{Csc}\left[e + f * x\right]\right)^n * \operatorname{Simp}\left[a * B * n - b * C * n - A * b * \left(2 * m + n + 1\right) - \left(b * B * \left(m + n + 1\right) - a * \left(A * \left(m + n + 1\right) - C * \left(m - n\right)\right)\right) * \operatorname{Csc}\left[e + f * x\right], x\right], x\right] /; \operatorname{FreeQ}\left[\{a, b, d, e, f, A, B, C, n\}, x\right] \&\& \operatorname{EqQ}\left[a^2 - b^2\right]$

, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_.), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^ (n_.), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \int \frac{\sec^4(c+dx)(-a(A-4B+C))}{a} \\
&= -\frac{(4A-7B+10C)\sec^3(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\sec^4(c+dx)}{3d(a+a\sec(c+dx))} \\
&= -\frac{(4A-7B+10C)\sec^3(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\sec^4(c+dx)}{3d(a+a\sec(c+dx))} \\
&= -\frac{(4A-7B+10C)\sec(c+dx)\tan(c+dx)}{2a^2d} - \frac{(4A-7B+10C)\sec^4(c+dx)}{3a^2d} \\
&= -\frac{(4A-7B+10C)\tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{(5A-8B+12C)\sec^4(c+dx)}{a^2d}
\end{aligned}$$

Mathematica [B] time = 6.42222, size = 1069, normalized size = 5.51

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (4*(4*A - 7*B + 10*C)*Cos[c/2 + (d*x)/2]^4*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^2 - (4*(4*A - 7*B + 10*C)*Cos[c/2 + (d*x)/2]^4*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^2 + (Cos[c/2 + (d*x)/2]*Sec[c/2]*Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-48*A*Sin[(d*x)/2] + 45*B*Sin[(d*x)/2] - 6*C*Sin[(d*x)/2] + 132*A*Sin[(3*d*x)/2] - 201*B*Sin[(3*d*x)/2] + 310*C*Sin[(3*d*x)/2] - 120*A*Sin[c - (d*x)/2] + 195*B*Sin[c - (d*x)/2] - 306*C*Sin[c - (d*x)/2] + 48*A*Sin[c + (d*x)/2] - 51*B*Sin[c + (d*x)/2] + 42*C*Sin[c + (d*x)/2] - 120*A*Sin[2*c + (d*x)/2] + 189*B*Sin[2*c + (d*x)/2] - 270*C*Sin[2*c + (d*x)/2] - 8*A*Sin[c + (3*d*x)/2] - B*Sin[c + (3*d*x)/2] + 50*C*Sin[c + (3*d*x)/2] + 72*A*Sin[2*c + (3*d*x)/2] - 81*B*Sin[2*c + (3*d*x)/2] + 90*C*Sin[2*c + (3*d*x)/2] - 68*A*Sin[3*c + (3*d*x)/2] + 119*B*Sin[3*c + (3*d*x)/2] - 170*C*Sin[3*c + (3*d*x)/2] + 84*A*Sin[c + (5*d*x)/2] - 129*B*Sin[c + (5*d*x)/2] + 198*C*Sin[c + (5*d*x)/2] - 9*B*Sin[2*c + (5*d*x)/2] + 42*C*Sin[2*c + (5*d*x)/2] + 48*A*Sin[3*c + (5*d*x)/2] - 57*B*Sin[3*c + (5*d*x)/2] + 66*C*Sin[3*c + (5*d*x)/2] - 36*A*Sin[4*c + (5*d*x)/2] + 63*B*Sin[4*c + (5*d*x)/2] - 90*C*Sin[4*c + (5*d*x)/2] + 48*A*Sin[2*c

$$\begin{aligned}
& + (7*d*x)/2] - 75*B*\sin[2*c + (7*d*x)/2] + 114*C*\sin[2*c + (7*d*x)/2] + 6*A \\
& * \sin[3*c + (7*d*x)/2] - 15*B*\sin[3*c + (7*d*x)/2] + 36*C*\sin[3*c + (7*d*x)/ \\
& 2] + 30*A*\sin[4*c + (7*d*x)/2] - 39*B*\sin[4*c + (7*d*x)/2] + 48*C*\sin[4*c + \\
& (7*d*x)/2] - 12*A*\sin[5*c + (7*d*x)/2] + 21*B*\sin[5*c + (7*d*x)/2] - 30*C* \\
& \sin[5*c + (7*d*x)/2] + 20*A*\sin[3*c + (9*d*x)/2] - 32*B*\sin[3*c + (9*d*x)/2 \\
&] + 48*C*\sin[3*c + (9*d*x)/2] + 6*A*\sin[4*c + (9*d*x)/2] - 12*B*\sin[4*c + (\\
& 9*d*x)/2] + 22*C*\sin[4*c + (9*d*x)/2] + 14*A*\sin[5*c + (9*d*x)/2] - 20*B*\sin \\
& [5*c + (9*d*x)/2] + 26*C*\sin[5*c + (9*d*x)/2]))/(48*d*(A + 2*C + 2*B*\cos[c \\
& + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2)
\end{aligned}$$

Maple [B] time = 0.079, size = 506, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)`

[Out] $\frac{1}{6} \frac{d}{a^2} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 A - \frac{1}{6} \frac{d}{a^2} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 B + \frac{1}{6} \frac{d}{a^2} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 + \frac{5}{2} \frac{d}{a^2} A \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - \frac{7}{2} \frac{d}{a^2} B \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + \frac{9}{2} \frac{d}{a^2} C \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + \frac{3}{2} \frac{d}{a^2} \frac{C}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)^2} - \frac{1}{2} \frac{d}{a^2} \frac{B}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)^2} - \frac{1}{d} \frac{A}{a^2} \frac{B}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)} + \frac{5}{2} \frac{d}{a^2} \frac{C}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)} * B - \frac{5}{d} \frac{A}{a^2} \frac{C}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)} * C - \frac{2}{d} \frac{A}{a^2} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right) * A + \frac{7}{2} \frac{d}{a^2} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right) * B - \frac{5}{d} \frac{A}{a^2} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right) * C - \frac{1}{3} \frac{d}{a^2} \frac{C}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)^3} + \frac{1}{2} \frac{d}{a^2} \frac{B}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)^2} * B - \frac{3}{2} \frac{d}{a^2} \frac{C}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)^2} - \frac{1}{d} \frac{A}{a^2} \frac{B}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)} * A + \frac{5}{2} \frac{d}{a^2} \frac{C}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)} * B - \frac{5}{d} \frac{A}{a^2} \frac{C}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)} * C + \frac{2}{d} \frac{A}{a^2} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right) * A - \frac{7}{2} \frac{d}{a^2} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right) * B + \frac{5}{d} \frac{A}{a^2} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right) * C - \frac{1}{3} \frac{d}{a^2} \frac{C}{\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)^3}$

Maxima [B] time = 0.980584, size = 765, normalized size = 3.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")`

```
[Out] 1/6*(C*(4*(9*sin(d*x + c))/(cos(d*x + c) + 1) - 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 15*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a^2 - 3*a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*a^2*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 - a^2*sin(d*x + c)^6/(cos(d*x + c) + 1)^6) + (27*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 30*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 30*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^2) - B*(6*(3*sin(d*x + c)/(cos(d*x + c) + 1) - 5*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a^2 - 2*a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a^2*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) + (21*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 21*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 21*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^2) + A*((15*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 12*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 12*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^2 + 12*sin(d*x + c)/((a^2 - a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1))))/d
```

Fricas [A] time = 0.5293, size = 689, normalized size = 3.55

$$\frac{3\left((4A - 7B + 10C)\cos(dx + c)^5 + 2(4A - 7B + 10C)\cos(dx + c)^4 + (4A - 7B + 10C)\cos(dx + c)^3\right)\log(\sin(dx + c))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] -1/12*(3*((4*A - 7*B + 10*C)*cos(d*x + c)^5 + 2*(4*A - 7*B + 10*C)*cos(d*x + c)^4 + (4*A - 7*B + 10*C)*cos(d*x + c)^3)*log(sin(d*x + c) + 1) - 3*((4*A - 7*B + 10*C)*cos(d*x + c)^5 + 2*(4*A - 7*B + 10*C)*cos(d*x + c)^4 + (4*A - 7*B + 10*C)*cos(d*x + c)^3)*log(-sin(d*x + c) + 1) - 2*(4*(5*A - 8*B + 12*C)*cos(d*x + c)^4 + (28*A - 43*B + 66*C)*cos(d*x + c)^3 + 6*(A - B + 2*C)*cos(d*x + c)^2 + (3*B - 2*C)*cos(d*x + c) + 2*C)*sin(d*x + c))/(a^2*d*cos(d*x + c)^5 + 2*a^2*d*cos(d*x + c)^4 + a^2*d*cos(d*x + c)^3)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^4(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B \sec^5(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^6(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A*sec(c + d*x)**4/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**5/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**6/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.27143, size = 409, normalized size = 2.11

$$\frac{3(4A-7B+10C)\log\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|}{a^2} - \frac{3(4A-7B+10C)\log\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|}{a^2} + \frac{2\left(6A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-15B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+30C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5\right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out]
$$\frac{-1/6*(3*(4*A - 7*B + 10*C)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^2 - 3*(4*A - 7*B + 10*C)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^2 + 2*(6*A*\tan(1/2*d*x + 1/2*c)^5 - 15*B*\tan(1/2*d*x + 1/2*c)^5 + 30*C*\tan(1/2*d*x + 1/2*c)^5 - 12*A*\tan(1/2*d*x + 1/2*c)^3 + 24*B*\tan(1/2*d*x + 1/2*c)^3 - 40*C*\tan(1/2*d*x + 1/2*c)^3 + 6*A*\tan(1/2*d*x + 1/2*c) - 9*B*\tan(1/2*d*x + 1/2*c) + 18*C*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*a^2) - (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 + C*a^4*\tan(1/2*d*x + 1/2*c)^3 + 15*A*a^4*\tan(1/2*d*x + 1/2*c) - 21*B*a^4*\tan(1/2*d*x + 1/2*c) + 27*C*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$$

$$3.459 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=169

$$-\frac{2(2A-5B+8C) \tan(c+dx)}{3a^2d} + \frac{(2A-4B+7C) \tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{(2A-5B+8C) \tan(c+dx) \sec^2(c+dx)}{3a^2d(\sec(c+dx)+1)} + \dots$$

[Out] $((2*A - 4*B + 7*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*a^2*d) - (2*(2*A - 5*B + 8*C)*\text{Tan}[c + d*x])/(3*a^2*d) + ((2*A - 4*B + 7*C)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a^2*d) - ((2*A - 5*B + 8*C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*a^2*d*(1 + \text{Sec}[c + d*x])) - ((A - B + C)*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

Rubi [A] time = 0.337234, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4084, 4019, 3787, 3767, 8, 3768, 3770}

$$-\frac{2(2A-5B+8C) \tan(c+dx)}{3a^2d} + \frac{(2A-4B+7C) \tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{(2A-5B+8C) \tan(c+dx) \sec^2(c+dx)}{3a^2d(\sec(c+dx)+1)} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^2, x]$

[Out] $((2*A - 4*B + 7*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*a^2*d) - (2*(2*A - 5*B + 8*C)*\text{Tan}[c + d*x])/(3*a^2*d) + ((2*A - 4*B + 7*C)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a^2*d) - ((2*A - 5*B + 8*C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*a^2*d*(1 + \text{Sec}[c + d*x])) - ((A - B + C)*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

Rule 4084

$\text{Int}[(A_. + \text{csc}[e_. + (f_.)*(x_.)]*(B_.) + \text{csc}[e_. + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[e_. + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[e_. + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -\text{Simp}[(a*A - b*B + a*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n))]*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{EqQ}[a^2 - b^2$

, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^ (n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \int \frac{\sec^3(c+dx)(3a(B-C))}{a+a} \\
&= -\frac{(2A-5B+8C)\sec^2(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\sec^3(c+dx)}{3d(a+a\sec(c+dx))} \\
&= -\frac{(2A-5B+8C)\sec^2(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\sec^3(c+dx)}{3d(a+a\sec(c+dx))} \\
&= \frac{(2A-4B+7C)\sec(c+dx)\tan(c+dx)}{2a^2d} - \frac{(2A-5B+8C)\sec^2(c+dx)\tan(c+dx)}{3a^2d(1+\sec(c+dx))} \\
&= \frac{(2A-4B+7C)\tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{2(2A-5B+8C)\tan(c+dx)}{3a^2d}
\end{aligned}$$

Mathematica [B] time = 6.32553, size = 901, normalized size = 5.33

$$\frac{4(2A-4B+7C)\log\left(\cos\left(\frac{c}{2}+\frac{dx}{2}\right)-\sin\left(\frac{c}{2}+\frac{dx}{2}\right)\right)(C\sec^2(c+dx)+B\sec(c+dx)+A)\cos^4\left(\frac{c}{2}+\frac{dx}{2}\right)}{d(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))(\sec(c+dx)a+a)^2} + \frac{4(2A-4B+7C)\log\left(\cos\left(\frac{c}{2}+\frac{dx}{2}\right)-\sin\left(\frac{c}{2}+\frac{dx}{2}\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]^2, x]

[Out] (-4*(2*A - 4*B + 7*C)*Cos[c/2 + (d*x)/2]^4*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^2 + (4*(2*A - 4*B + 7*C)*Cos[c/2 + (d*x)/2]^4*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^2 + (Cos[c/2 + (d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(20*A*Sin[(d*x)/2] - 14*B*Sin[(d*x)/2] + 14*C*Sin[(d*x)/2] - 22*A*Sin[(3*d*x)/2] + 64*B*Sin[(3*d*x)/2] - 97*C*Sin[(3*d*x)/2] + 36*A*Sin[c - (d*x)/2] - 84*B*Sin[c - (d*x)/2] + 126*C*Sin[c - (d*x)/2] - 36*A*Sin[c + (d*x)/2] + 42*B*Sin[c + (d*x)/2] - 42*C*Sin[c + (d*x)/2] + 20*A*Sin[2*c + (d*x)/2] - 56*B*Sin[2*c + (d*x)/2] + 98*C*Sin[2*c + (d*x)/2] + 18*A*Sin[c + (3*d*x)/2] - 6*B*Sin[c + (3*d*x)/2] + 3*C*Sin[c + (3*d*x)/2] - 22*A*Sin[2*c + (3*d*x)/2] + 34*B*Sin[2*c + (3*d*x)/2] - 37*C*Sin[2*c + (3*d*x)/2] + 18*A*Sin[3*c + (3*d*x)/2] - 36*B*Sin[3*c + (3*d*x)/2] + 63*C*Sin[3*c + (3*d*x)/2] - 18*A*Sin[c + (5*d*x)/2] + 48*B*Sin[c + (5*d*x)/2] - 75*C*Sin[c + (5*d*x)/2] + 6*A*Sin[2*c + (5*d*x)/2] + 6*B*Sin[2*c + (5*d*x)/2] - 15*C*Sin[2*c + (5*d*x)/2] - 18*A*Sin[3*c + (5*d*x)/2] + 30*B*Sin[3*c + (5*d*x)/2] - 39*C*Sin[3*c + (5*d*x)/2] + 6*A*Si

$$\begin{aligned} & n[4*c + (5*d*x)/2] - 12*B*\sin[4*c + (5*d*x)/2] + 21*C*\sin[4*c + (5*d*x)/2] \\ & - 8*A*\sin[2*c + (7*d*x)/2] + 20*B*\sin[2*c + (7*d*x)/2] - 32*C*\sin[2*c + (7*d*x)/2] \\ & + 6*B*\sin[3*c + (7*d*x)/2] - 12*C*\sin[3*c + (7*d*x)/2] - 8*A*\sin[4*c + (7*d*x)/2] \\ & + 14*B*\sin[4*c + (7*d*x)/2] - 20*C*\sin[4*c + (7*d*x)/2]) / (2*4*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2) \end{aligned}$$

Maple [B] time = 0.074, size = 373, normalized size = 2.2

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{3A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{5B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] $-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*B-1/6/d/a^2*C*\tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*A*\tan(1/2*d*x+1/2*c)+5/2/d/a^2*B*\tan(1/2*d*x+1/2*c)-7/2/d/a^2*C*\tan(1/2*d*x+1/2*c)-1/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*B+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*C+1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*A-2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B+7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/2/d/a^2*C/(\tan(1/2*d*x+1/2*c)+1)^2-1/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*B+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*C-1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*A+2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B-7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*C+1/2/d/a^2*C/(\tan(1/2*d*x+1/2*c)-1)^2$

Maxima [B] time = 0.972351, size = 582, normalized size = 3.44

$$C \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 - \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - B \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] $-1/6*(C*(6*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) - 5*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^2 - 2*a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^2*\sin(d*x$

$$+ c)^4/(\cos(dx + c) + 1)^4 + (21*\sin(dx + c)/(\cos(dx + c) + 1) + \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2 - 21*\log(\sin(dx + c)/(\cos(dx + c) + 1) + 1)/a^2 + 21*\log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^2 - B*((15*\sin(dx + c)/(\cos(dx + c) + 1) + \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2 - 12*\log(\sin(dx + c)/(\cos(dx + c) + 1) + 1)/a^2 + 12*\log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^2 + 12*\sin(dx + c)/((a^2 - a^2*\sin(dx + c)^2/(\cos(dx + c) + 1)^2)*(\cos(dx + c) + 1))) + A*((9*\sin(dx + c)/(\cos(dx + c) + 1) + \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2 - 6*\log(\sin(dx + c)/(\cos(dx + c) + 1) + 1)/a^2 + 6*\log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^2))/d$$

Fricas [A] time = 0.525568, size = 630, normalized size = 3.73

$$3\left((2A - 4B + 7C)\cos(dx + c)^4 + 2(2A - 4B + 7C)\cos(dx + c)^3 + (2A - 4B + 7C)\cos(dx + c)^2\right)\log(\sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^2,x, algorithm="fricas")

[Out] 1/12*(3*((2*A - 4*B + 7*C)*cos(dx + c)^4 + 2*(2*A - 4*B + 7*C)*cos(dx + c)^3 + (2*A - 4*B + 7*C)*cos(dx + c)^2)*log(sin(dx + c) + 1) - 3*((2*A - 4*B + 7*C)*cos(dx + c)^4 + 2*(2*A - 4*B + 7*C)*cos(dx + c)^3 + (2*A - 4*B + 7*C)*cos(dx + c)^2)*log(-sin(dx + c) + 1) - 2*(4*(2*A - 5*B + 8*C)*cos(dx + c)^3 + (10*A - 28*B + 43*C)*cos(dx + c)^2 - 6*(B - C)*cos(dx + c) - 3*C*sin(dx + c))/(a^2*d*cos(dx + c)^4 + 2*a^2*d*cos(dx + c)^3 + a^2*d*cos(dx + c)^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B \sec^4(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**3*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**2,x)

[Out] (Integral(A*sec(c + d*x)**3/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**4/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.26907, size = 317, normalized size = 1.88

$$\frac{3(2A-4B+7C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{3(2A-4B+7C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} - \frac{6\left(2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-5C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+3C\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^2}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(3*(2*A - 4*B + 7*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - 3*(2*A - 4*B + 7*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 - 6*(2*B*tan(1/2*d*x + 1/2*c)^3 - 5*C*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c) + 3*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^2) - (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*d*x + 1/2*c)^3 + 9*A*a^4*tan(1/2*d*x + 1/2*c) - 15*B*a^4*tan(1/2*d*x + 1/2*c) + 21*C*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

$$3.460 \quad \int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx$$

Optimal. Leaf size=112

$$\frac{(A-B+4C)\tan(c+dx)}{3a^2d} + \frac{(B-2C)\tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(B-2C)\tan(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{(A-B+C)\tan(c+dx)\sec^2(c+dx)}{3d(a\sec(c+dx)+a)^2}$$

[Out] ((B - 2*C)*ArcTanh[Sin[c + d*x]])/(a^2*d) + ((A - B + 4*C)*Tan[c + d*x])/(3*a^2*d) - ((B - 2*C)*Tan[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.282613, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 4008, 3787, 3770, 3767, 8}

$$\frac{(A-B+4C)\tan(c+dx)}{3a^2d} + \frac{(B-2C)\tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(B-2C)\tan(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{(A-B+C)\tan(c+dx)\sec^2(c+dx)}{3d(a\sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] ((B - 2*C)*ArcTanh[Sin[c + d*x]])/(a^2*d) + ((A - B + 4*C)*Tan[c + d*x])/(3*a^2*d) - ((B - 2*C)*Tan[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^2} dx &= -\frac{(A - B + C) \sec^2(c+dx) \tan(c+dx)}{3d(a + a \sec(c+dx))^2} + \frac{\int \frac{\sec^2(c+dx)(a(A+2B-2C) + a^2 \sec^2(c+dx))}{a+a \sec(c+dx)} dx}{3d(a + a \sec(c+dx))^2} \\
 &= -\frac{(B - 2C) \tan(c+dx)}{a^2 d (1 + \sec(c+dx))} - \frac{(A - B + C) \sec^2(c+dx) \tan(c+dx)}{3d(a + a \sec(c+dx))^2} \\
 &= -\frac{(B - 2C) \tan(c+dx)}{a^2 d (1 + \sec(c+dx))} - \frac{(A - B + C) \sec^2(c+dx) \tan(c+dx)}{3d(a + a \sec(c+dx))^2} \\
 &= \frac{(B - 2C) \tanh^{-1}(\sin(c+dx))}{a^2 d} - \frac{(B - 2C) \tan(c+dx)}{a^2 d (1 + \sec(c+dx))} - \frac{(A - B + C) \sec^2(c+dx) \tan(c+dx)}{3d(a + a \sec(c+dx))^2} \\
 &= \frac{(B - 2C) \tanh^{-1}(\sin(c+dx))}{a^2 d} + \frac{(A - B + 4C) \tan(c+dx)}{3a^2 d} - \frac{(A - B + C) \sec^2(c+dx) \tan(c+dx)}{3d(a + a \sec(c+dx))^2}
 \end{aligned}$$

Mathematica [B] time = 2.07581, size = 312, normalized size = 2.79

$$4 \cos\left(\frac{1}{2}(c + dx)\right) \left(A + B \sec(c + dx) + C \sec^2(c + dx)\right) \left(\tan\left(\frac{c}{2}\right) (A - B + C) \cos\left(\frac{1}{2}(c + dx)\right) + \sec\left(\frac{c}{2}\right) (A - B + C) \sin\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]^2,x]

[Out] (4*Cos[(c + d*x)/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((A - B + C)*Sec[c/2]*Sin[(d*x)/2] + 2*(A - 4*B + 7*C)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]^3*(-6*(B - 2*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) + (6*C*Sin[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) + (A - B + C)*Cos[(c + d*x)/2]*Tan[c/2))/(3*a^2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(1 + Sec[c + d*x])^2)

Maple [B] time = 0.063, size = 243, normalized size = 2.2

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] 1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*B+1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3+1/2/d/a^2*A*tan(1/2*d*x+1/2*c)-3/2/d/a^2*B*tan(1/2*d*x+1/2*c)+5/2/d/a^2*C*tan(1/2*d*x+1/2*c)+1/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*B-2/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^2/(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*B+2/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*C-1/d/a^2/(tan(1/2*d*x+1/2*c)-1)*C

Maxima [B] time = 0.96502, size = 387, normalized size = 3.46

$$\frac{C \left(\frac{15 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 - \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right) - B \left(\frac{9 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)}}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x
, algorithm="maxima")
```

```
[Out] 1/6*(C*((15*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c)
+ 1)^3)/a^2 - 12*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 12*log(sin(
d*x + c)/(cos(d*x + c) + 1) - 1)/a^2 + 12*sin(d*x + c)/((a^2 - a^2*sin(d*x
+ c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1))) - B*((9*sin(d*x + c)/(cos
(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 6*log(sin(d*x +
c)/(cos(d*x + c) + 1) + 1)/a^2 + 6*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1
)/a^2) + A*(3*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c
) + 1)^3)/a^2)/d
```

Fricas [A] time = 0.522094, size = 513, normalized size = 4.58

$$\frac{3 \left((B - 2C) \cos(dx + c)^3 + 2(B - 2C) \cos(dx + c)^2 + (B - 2C) \cos(dx + c) \right) \log(\sin(dx + c) + 1) - 3 \left((B - 2C) \cos(dx + c) \right)}{6(a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x
, algorithm="fricas")
```

```
[Out] 1/6*(3*((B - 2*C)*cos(d*x + c)^3 + 2*(B - 2*C)*cos(d*x + c)^2 + (B - 2*C)*c
os(d*x + c))*log(sin(d*x + c) + 1) - 3*((B - 2*C)*cos(d*x + c)^3 + 2*(B - 2
*C)*cos(d*x + c)^2 + (B - 2*C)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*((A
- 4*B + 10*C)*cos(d*x + c)^2 + (2*A - 5*B + 14*C)*cos(d*x + c) + 3*C)*sin(
d*x + c))/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x +
c))
```


Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B \sec^3(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A*sec(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**3/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**4/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.2245, size = 244, normalized size = 2.18

$$\frac{6(B-2C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{6(B-2C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} - \frac{12C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right)a^2} + \frac{Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + Ca^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(6*(B - 2*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - 6*(B - 2*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 - 12*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*d*x + 1/2*c)^3 + 3*A*a^4*tan(1/2*d*x + 1/2*c) - 9*B*a^4*tan(1/2*d*x + 1/2*c) + 15*C*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

$$3.461 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx$$

Optimal. Leaf size=81

$$\frac{(A+2B-5C)\tan(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{C \tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{(A-B+C)\tan(c+dx)}{3d(a\sec(c+dx)+a)^2}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^2*d) + ((A + 2*B - 5*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B + C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.171757, antiderivative size = 87, normalized size of antiderivative = 1.07, number of steps used = 4, number of rules used = 4, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {4078, 3998, 3770, 3794}

$$\frac{(2A+B-4C)\tan(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{C \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A-B+C)\tan(c+dx)\sec(c+dx)}{3d(a\sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^2*d) + ((2*A + B - 4*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4078

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*Csc[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*B - b*C - 2*A*b*(m + 1) - (b*B*(m + 2) - a*(A*(m + 2) - C*(m - 1)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x],

$x], x] + \text{Dist}[(A*b - a*B)/b, \text{Int}[\text{Csc}[e + f*x]/(a + b*\text{Csc}[e + f*x]), x], x]$
 $;/; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x]$
 $;/; \text{FreeQ}[\{c, d\}, x]$

Rule 3794

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol]$
 $\text{ :> } -\text{Simp}[\text{Cot}[e + f*x]/(f*(b + a*\text{Csc}[e + f*x])), x] /; \text{FreeQ}[\{a, b, e, f\}, x]$
 $\&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\int \frac{\sec(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^2} dx = -\frac{(A - B + C) \sec(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\sec(c+dx)(a(2A+B-C))}{a+a \sec(c+dx)}}{3a^2}$$

$$= -\frac{(A - B + C) \sec(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(2A + B - 4C) \int \frac{\sec(c+dx)}{a+a \sec(c+dx)}}{3a}$$

$$= \frac{C \tanh^{-1}(\sin(c + dx))}{a^2 d} - \frac{(A - B + C) \sec(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2}$$

Mathematica [B] time = 0.827799, size = 219, normalized size = 2.7

$$\frac{4 \cos\left(\frac{1}{2}(c + dx)\right) \left(A \cos^2(c + dx) + B \cos(c + dx) + C\right) \left(\tan\left(\frac{c}{2}\right) (A - B + C) \cos\left(\frac{1}{2}(c + dx)\right) + \sec\left(\frac{c}{2}\right) (A - B + C) \sin\left(\frac{1}{2}(c + dx)\right)\right)}{3a^2 d (\cos(c + dx) + 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]^2,x]

[Out] (-4*Cos[(c + d*x)/2]*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*(6*C*Cos[(c + d*x)/2]^3*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (A - B + C)*Sec[c/2]*Sin[(d*x)/2] - 2*(2*A + B - 4*C)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + (A - B + C)*Cos[(c + d*x)/2]*Tan[c/2))/(3*a^2*d*(1 + Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos

[2*(c + d*x)])

Maple [B] time = 0.066, size = 157, normalized size = 1.9

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{da^2} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{3C}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{C}{da^2} \ln\left(\tan\left(\frac{d}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] -1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*B+1/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*C-3/2/d/a^2*C*tan(1/2*d*x+1/2*c)-1/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*C+1/2/d/a^2*A*tan(1/2*d*x+1/2*c)+1/2/d/a^2*B*tan(1/2*d*x+1/2*c)-1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3

Maxima [B] time = 0.959797, size = 257, normalized size = 3.17

$$\frac{C \left(\frac{9 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - \frac{B \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2} - \frac{A \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] -1/6*(C*((9*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 6*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 6*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^2 - B*(3*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - A*(3*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2)/d

Fricas [A] time = 0.526687, size = 351, normalized size = 4.33

$$\frac{3 \left(C \cos(dx+c)^2 + 2C \cos(dx+c) + C \right) \log(\sin(dx+c)+1) - 3 \left(C \cos(dx+c)^2 + 2C \cos(dx+c) + C \right) \log(-\sin(dx+c))}{6 \left(a^2 d \cos(dx+c)^2 + 2a^2 d \cos(dx+c) + a^2 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,
algorithm="fricas")

[Out] $\frac{1}{6}*(3*(C*\cos(d*x + c)^2 + 2*C*\cos(d*x + c) + C)*\log(\sin(d*x + c) + 1) - 3*(C*\cos(d*x + c)^2 + 2*C*\cos(d*x + c) + C)*\log(-\sin(d*x + c) + 1) + 2*((2*A + B - 4*C)*\cos(d*x + c) + A + 2*B - 5*C)*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx + \int \frac{B \sec^2(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x
)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.29305, size = 194, normalized size = 2.4

$$\frac{6C \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^2} - \frac{6C \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^2} - \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 3Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 3Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{6d a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,
algorithm="giac")

[Out] $\frac{1}{6}*(6*C*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^2 - 6*C*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^2 - (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 + C*a^4*\tan(1/2*d*x + 1/2*c)^3 - 3*A*a^4*\tan(1/2*d*x + 1/2*c) - 3*B*a^4*\tan(1/2*d*x + 1/2*c) + 9*C*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

$$3.462 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=74

$$-\frac{(4A-B-2C) \tan(c+dx)}{3a^2 d(\sec(c+dx)+1)} + \frac{Ax}{a^2} - \frac{(A-B+C) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] (A*x)/a^2 - ((4*A - B - 2*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.12873, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {4052, 3919, 3794}

$$-\frac{(4A-B-2C) \tan(c+dx)}{3a^2 d(\sec(c+dx)+1)} + \frac{Ax}{a^2} - \frac{(A-B+C) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^2,x]

[Out] (A*x)/a^2 - ((4*A - B - 2*C)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol]
:= -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^2} dx &= -\frac{(A - B + C) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{-3aA + a(A - B - 2C) \sec(c + dx)}{a + a \sec(c + dx)} dx}{3a^2} \\ &= \frac{Ax}{a^2} - \frac{(A - B + C) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(4A - B - 2C) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx}{3a} \\ &= \frac{Ax}{a^2} - \frac{(A - B + C) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(4A - B - 2C) \tan(c + dx)}{3d(a^2 + a^2 \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.504773, size = 175, normalized size = 2.36

$$\sec\left(\frac{c}{2}\right) \sec^3\left(\frac{1}{2}(c + dx)\right) \left(12A \sin\left(c + \frac{dx}{2}\right) - 10A \sin\left(c + \frac{3dx}{2}\right) + 9Adx \cos\left(c + \frac{dx}{2}\right) + 3Adx \cos\left(c + \frac{3dx}{2}\right) + 3Adx \cos\left(\frac{c}{2}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^2, x]
```

```
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^3*(9*A*d*x*Cos[(d*x)/2] + 9*A*d*x*Cos[c + (d*x)/2] + 3*A*d*x*Cos[c + (3*d*x)/2] + 3*A*d*x*Cos[2*c + (3*d*x)/2] - 18*A*Sin[(d*x)/2] + 6*B*Sin[(d*x)/2] + 6*C*Sin[(d*x)/2] + 12*A*Sin[c + (d*x)/2] - 6*B*Sin[c + (d*x)/2] - 10*A*Sin[c + (3*d*x)/2] + 4*B*Sin[c + (3*d*x)/2] + 2*C*Sin[c + (3*d*x)/2]))/(24*a^2*d)
```

Maple [A] time = 0.069, size = 135, normalized size = 1.8

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{3A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2, x)
```

[Out] $1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*B+1/6/d/a^2*C*\tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*A*\tan(1/2*d*x+1/2*c)+1/2/d/a^2*B*\tan(1/2*d*x+1/2*c)+1/2/d/a^2*C*\tan(1/2*d*x+1/2*c)+2/d/a^2*A*\arctan(\tan(1/2*d*x+1/2*c))$

Maxima [B] time = 1.4278, size = 221, normalized size = 2.99

$$\frac{A \left(\frac{9 \sin(dx+c) - \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - \frac{C \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2} - \frac{B \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] $-1/6*(A*((9*\sin(d*x + c))/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 12*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2) - C*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - B*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2)/d$

Fricas [A] time = 0.473313, size = 242, normalized size = 3.27

$$\frac{3 A d x \cos (d x + c)^2 + 6 A d x \cos (d x + c) + 3 A d x - ((5 A - 2 B - C) \cos (d x + c) + 4 A - B - 2 C) \sin (d x + c)}{3 \left(a^2 d \cos (d x + c)^2 + 2 a^2 d \cos (d x + c) + a^2 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")`

[Out] $1/3*(3*A*d*x*cos(d*x + c)^2 + 6*A*d*x*cos(d*x + c) + 3*A*d*x - ((5*A - 2*B - C)*cos(d*x + c) + 4*A - B - 2*C)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B \sec(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.28628, size = 157, normalized size = 2.12

$$\frac{\frac{6(dx+c)A}{a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 9Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{6d}}{a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(6*(d*x + c)*A/a^2 + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*d*x + 1/2*c)^3 - 9*A*a^4*tan(1/2*d*x + 1/2*c) + 3*B*a^4*tan(1/2*d*x + 1/2*c) + 3*C*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

$$3.463 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=100

$$\frac{(10A - 4B + C) \sin(c + dx)}{3a^2d} - \frac{(2A - B) \sin(c + dx)}{a^2d(\sec(c + dx) + 1)} - \frac{x(2A - B)}{a^2} - \frac{(A - B + C) \sin(c + dx)}{3d(a \sec(c + dx) + a)^2}$$

[Out] -(((2*A - B)*x)/a^2) + ((10*A - 4*B + C)*Sin[c + d*x])/(3*a^2*d) - ((2*A - B)*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.25863, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {4084, 4020, 3787, 2637, 8}

$$\frac{(10A - 4B + C) \sin(c + dx)}{3a^2d} - \frac{(2A - B) \sin(c + dx)}{a^2d(\sec(c + dx) + 1)} - \frac{x(2A - B)}{a^2} - \frac{(A - B + C) \sin(c + dx)}{3d(a \sec(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] -(((2*A - B)*x)/a^2) + ((10*A - 4*B + C)*Sin[c + d*x])/(3*a^2*d) - ((2*A - B)*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m),
x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m)*
(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(A*b
```

$- a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> \text{Simp}[\sin[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^2} dx &= -\frac{(A - B + C) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\cos(c + dx)(a(4A - B + C) - a(2A - 2B - C) \sec(c + dx))}{a + a \sec(c + dx)} dx}{3a^2} \\ &= -\frac{(2A - B) \sin(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \cos(c + dx) dx}{a^2} \\ &= -\frac{(2A - B) \sin(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(2A - B) \cos(c + dx)}{a^2} \\ &= -\frac{(2A - B)x}{a^2} + \frac{(10A - 4B + C) \sin(c + dx)}{3a^2 d} - \frac{(2A - B) \sin(c + dx)}{a^2 d(1 + \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.831113, size = 279, normalized size = 2.79

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-18dx(2A - B) \cos\left(c + \frac{dx}{2}\right) - 18dx(2A - B) \cos\left(\frac{dx}{2}\right) - 30A \sin\left(c + \frac{dx}{2}\right) + 41A \sin\left(c + \frac{3dx}{2}\right)\right) +$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-18*(2*A - B)*d*x*Cos[(d*x)/2] - 18*(2*A - B)*d*x*Cos[c + (d*x)/2] - 12*A*d*x*Cos[c + (3*d*x)/2] + 6*B*d*x*Cos[c + (3*d*x)/2] - 12*A*d*x*Cos[2*c + (3*d*x)/2] + 6*B*d*x*Cos[2*c + (3*d*x)/2] + 66*A*Sin[(d*x)/2] - 36*B*Sin[(d*x)/2] + 12*C*Sin[(d*x)/2] - 30*A*Sin[c + (d*x)/2] + 24*B*Sin[c + (d*x)/2] - 12*C*Sin[c + (d*x)/2] + 41*A*Sin[c + (3*d*x)/2] - 20*B*Sin[c + (3*d*x)/2] + 8*C*Sin[c + (3*d*x)/2] + 9*A*Sin[2*c + (3*d*x)/2] + 3*A*Sin[2*c + (5*d*x)/2] + 3*A*Sin[3*c + (5*d*x)/2]))/(12*a^2*d*(1 + Cos[c + d*x])^2)

Maple [A] time = 0.098, size = 187, normalized size = 1.9

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{C}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{5A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x)

[Out] -1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*B-1/6/d/a^2*C*tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*A*tan(1/2*d*x+1/2*c)-3/2/d/a^2*B*tan(1/2*d*x+1/2*c)+1/2/d/a^2*C*tan(1/2*d*x+1/2*c)+2/d/a^2*A*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-4/d/a^2*A*arctan(tan(1/2*d*x+1/2*c))+2/d/a^2*B*arctan(tan(1/2*d*x+1/2*c))

Maxima [B] time = 1.44759, size = 317, normalized size = 3.17

$$\frac{A \left(\frac{15 \sin(dx+c) - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 + \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right) - B \left(\frac{9 \sin(dx+c) - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{6} \cdot (A \cdot ((15 \cdot \sin(dx + c)) / (\cos(dx + c) + 1) - \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2 - 24 \cdot \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^2 + 12 \cdot \sin(dx + c) / ((a^2 + a^2 \cdot \sin(dx + c)^2 / (\cos(dx + c) + 1)^2) \cdot (\cos(dx + c) + 1))) - B \cdot ((9 \cdot \sin(dx + c)) / (\cos(dx + c) + 1) - \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2 - 12 \cdot \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^2 + C \cdot (3 \cdot \sin(dx + c) / (\cos(dx + c) + 1) - \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2) / d$

Fricas [A] time = 0.487391, size = 309, normalized size = 3.09

$$\frac{3(2A - B)dx \cos(dx + c)^2 + 6(2A - B)dx \cos(dx + c) + 3(2A - B)dx - (3A \cos(dx + c)^2 + (14A - 5B + 2C) \cos(dx + c) + 10A - 4B + C) \sin(dx + c)}{3(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")`

[Out] $-\frac{1}{3} \cdot (3 \cdot (2A - B) \cdot dx \cdot \cos(dx + c)^2 + 6 \cdot (2A - B) \cdot dx \cdot \cos(dx + c) + 3 \cdot (2A - B) \cdot dx - (3A \cdot \cos(dx + c)^2 + (14A - 5B + 2C) \cdot \cos(dx + c) + 10A - 4B + C) \cdot \sin(dx + c)) / (a^2 \cdot d \cdot \cos(dx + c)^2 + 2 \cdot a^2 \cdot d \cdot \cos(dx + c) + a^2 \cdot d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx + \int \frac{C \cos(c+dx) \sec^2(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)`

[Out] $(\text{Integral}(A \cdot \cos(c + dx) / (\sec(c + dx)**2 + 2 \cdot \sec(c + dx) + 1), x) + \text{Integral}(B \cdot \cos(c + dx) \cdot \sec(c + dx) / (\sec(c + dx)**2 + 2 \cdot \sec(c + dx) + 1), x) + \text{Integral}(C \cdot \cos(c + dx) \cdot \sec(c + dx)**2 / (\sec(c + dx)**2 + 2 \cdot \sec(c + dx) + 1), x)) / a**2$

Giac [A] time = 1.26524, size = 205, normalized size = 2.05

$$\frac{6(dx+c)(2A-B)}{a^2} - \frac{12A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 9Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x,
algorithm="giac")

[Out] $-1/6*(6*(d*x + c)*(2*A - B)/a^2 - 12*A*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*a^2) + (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 + C*a^4*\tan(1/2*d*x + 1/2*c)^3 - 15*A*a^4*\tan(1/2*d*x + 1/2*c) + 9*B*a^4*\tan(1/2*d*x + 1/2*c) - 3*C*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

$$3.464 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=156

$$-\frac{2(8A-5B+2C)\sin(c+dx)}{3a^2d} + \frac{(7A-4B+2C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(8A-5B+2C)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)} + \dots$$

```
[Out] ((7*A - 4*B + 2*C)*x)/(2*a^2) - (2*(8*A - 5*B + 2*C)*Sin[c + d*x])/(3*a^2*d)
+ ((7*A - 4*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((8*A - 5*B +
2*C)*Cos[c + d*x]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C
)*Cos[c + d*x]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)
```

Rubi [A] time = 0.334872, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 4020, 3787, 2635, 8, 2637}

$$-\frac{2(8A-5B+2C)\sin(c+dx)}{3a^2d} + \frac{(7A-4B+2C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(8A-5B+2C)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c +
d*x])^2, x]
```

```
[Out] ((7*A - 4*B + 2*C)*x)/(2*a^2) - (2*(8*A - 5*B + 2*C)*Sin[c + d*x])/(3*a^2*d)
+ ((7*A - 4*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((8*A - 5*B +
2*C)*Cos[c + d*x]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C
)*Cos[c + d*x]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)
```

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))* (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rule 2637

```

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \int \frac{\cos^2(c+dx)(a(5A-2B+C))}{a+a\sec(c+dx)} dx \\
&= -\frac{(8A-5B+2C)\cos(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))} \\
&= -\frac{(8A-5B+2C)\cos(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))} \\
&= -\frac{2(8A-5B+2C)\sin(c+dx)}{3a^2d} + \frac{(7A-4B+2C)\cos(c+dx)\sin(c+dx)}{2a^2d} \\
&= \frac{(7A-4B+2C)x}{2a^2} - \frac{2(8A-5B+2C)\sin(c+dx)}{3a^2d} + \frac{(7A-4B+2C)\cos(c+dx)\sin(c+dx)}{2a^2d}
\end{aligned}$$

Mathematica [B] time = 1.51753, size = 377, normalized size = 2.42

$$\sec\left(\frac{c}{2}\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\left(36dx(7A-4B+2C)\cos\left(c+\frac{dx}{2}\right)+36dx(7A-4B+2C)\cos\left(\frac{dx}{2}\right)+147A\sin\left(c+\frac{dx}{2}\right)-239A\sin\left(\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^3*(36*(7*A - 4*B + 2*C)*d*x*Cos[(d*x)/2] + 36*(7*A - 4*B + 2*C)*d*x*Cos[c + (d*x)/2] + 84*A*d*x*Cos[c + (3*d*x)/2] - 48*B*d*x*Cos[c + (3*d*x)/2] + 24*C*d*x*Cos[c + (3*d*x)/2] + 84*A*d*x*Cos[2*c + (3*d*x)/2] - 48*B*d*x*Cos[2*c + (3*d*x)/2] + 24*C*d*x*Cos[2*c + (3*d*x)/2] - 381*A*Sin[(d*x)/2] + 264*B*Sin[(d*x)/2] - 144*C*Sin[(d*x)/2] + 147*A*Sin[c + (d*x)/2] - 120*B*Sin[c + (d*x)/2] + 96*C*Sin[c + (d*x)/2] - 239*A*Sin[c + (3*d*x)/2] + 164*B*Sin[c + (3*d*x)/2] - 80*C*Sin[c + (3*d*x)/2] - 63*A*Sin[2*c + (3*d*x)/2] + 36*B*Sin[2*c + (3*d*x)/2] - 15*A*Sin[2*c + (5*d*x)/2] + 12*B*Sin[2*c + (5*d*x)/2] - 15*A*Sin[3*c + (5*d*x)/2] + 12*B*Sin[3*c + (5*d*x)/2] + 3*A*Sin[3*c + (7*d*x)/2] + 3*A*Sin[4*c + (7*d*x)/2]))/(192*a^2*d)

Maple [B] time = 0.106, size = 309, normalized size = 2.

$$\frac{A}{6da^2}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3-\frac{B}{6da^2}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{C}{6da^2}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3-\frac{7A}{2da^2}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+\frac{5B}{2da^2}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x)$

[Out] $\frac{1}{6} \frac{d}{a^2} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A - \frac{1}{6} \frac{d}{a^2} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 B + \frac{1}{6} \frac{d}{a^2} C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - \frac{7}{2} \frac{d}{a^2} A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{5}{2} \frac{d}{a^2} B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{3}{2} \frac{d}{a^2} C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{5}{d a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))^2} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A + \frac{2}{d a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))^2} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 B - \frac{3}{d a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))^2} A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{2}{d a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))^2} B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{7}{d a^2} A \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) - \frac{4}{d a^2} B \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) + \frac{2}{d a^2} \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) * C$

Maxima [B] time = 1.44225, size = 475, normalized size = 3.04

$$\frac{A \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 + \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{42 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - B \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x, \text{algorithm}=\text{"maxima"})$

[Out] $-\frac{1}{6} * (A * (6 * (3 * \sin(dx + c) / (\cos(dx + c) + 1) + 5 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / (a^2 + 2 * a^2 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + a^2 * \sin(dx + c)^4 / (\cos(dx + c) + 1)^4) + (21 * \sin(dx + c) / (\cos(dx + c) + 1) - \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2 - 42 * \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^2 - B * ((15 * \sin(dx + c) / (\cos(dx + c) + 1) - \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2 - 24 * \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^2 + 12 * \sin(dx + c) / ((a^2 + a^2 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2) * (\cos(dx + c) + 1))) + C * ((9 * \sin(dx + c) / (\cos(dx + c) + 1) - \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2 - 12 * \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^2)) / d$

Fricas [A] time = 0.49705, size = 383, normalized size = 2.46

$$\frac{3(7A - 4B + 2C)dx \cos(dx + c)^2 + 6(7A - 4B + 2C)dx \cos(dx + c) + 3(7A - 4B + 2C)dx + (3A \cos(dx + c)^3 - 6C \cos(dx + c))}{6(a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{6}*(3*(7*A - 4*B + 2*C)*d*x*\cos(d*x + c)^2 + 6*(7*A - 4*B + 2*C)*d*x*\cos(d*x + c) + 3*(7*A - 4*B + 2*C)*d*x + (3*A*\cos(d*x + c)^3 - 6*(A - B)*\cos(d*x + c)^2 - (43*A - 28*B + 10*C)*\cos(d*x + c) - 32*A + 20*B - 8*C)*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.24307, size = 267, normalized size = 1.71

$$\frac{3(dx+c)(7A-4B+2C)}{a^2} - \frac{6\left(5A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 3A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^2 a^2} + \frac{Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] $\frac{1}{6}*(3*(d*x + c)*(7*A - 4*B + 2*C)/a^2 - 6*(5*A*\tan(1/2*d*x + 1/2*c)^3 - 2*B*\tan(1/2*d*x + 1/2*c)^3 + 3*A*\tan(1/2*d*x + 1/2*c) - 2*B*\tan(1/2*d*x + 1/2*c)))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^2) + (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 + C*a^4*\tan(1/2*d*x + 1/2*c)^3 - 21*A*a^4*\tan(1/2*d*x + 1/2*c) + 15*B*a^4*\tan(1/2*d*x + 1/2*c) - 9*C*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

$$3.465 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=185

$$-\frac{(12A-8B+5C)\sin^3(c+dx)}{3a^2d} + \frac{(12A-8B+5C)\sin(c+dx)}{a^2d} - \frac{(10A-7B+4C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(10A-7B+4C)\cos(c+dx)}{3a^2d}$$

[Out] $-\frac{(10A-7B+4C)x}{2a^2} + \frac{(12A-8B+5C)\sin[c+dx]}{a^2d} - \frac{(10A-7B+4C)\cos[c+dx]\sin[c+dx]}{2a^2d} - \frac{(10A-7B+4C)\cos[c+dx]}{3a^2d} - \frac{(A-B+C)\cos[c+dx]^2\sin[c+dx]}{3d(a+a\sec[c+dx])^2} - \frac{(12A-8B+5C)\sin[c+dx]^3}{3a^2d}$

Rubi [A] time = 0.362868, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 4020, 3787, 2633, 2635, 8}

$$-\frac{(12A-8B+5C)\sin^3(c+dx)}{3a^2d} + \frac{(12A-8B+5C)\sin(c+dx)}{a^2d} - \frac{(10A-7B+4C)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(10A-7B+4C)\cos(c+dx)}{3a^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\cos[c+dx]^3(A+B\sec[c+dx]+C\sec[c+dx]^2))/(a+a\sec[c+dx])^2, x]$

[Out] $-\frac{(10A-7B+4C)x}{2a^2} + \frac{(12A-8B+5C)\sin[c+dx]}{a^2d} - \frac{(10A-7B+4C)\cos[c+dx]\sin[c+dx]}{2a^2d} - \frac{(10A-7B+4C)\cos[c+dx]}{3a^2d} - \frac{(A-B+C)\cos[c+dx]^2\sin[c+dx]}{3d(a+a\sec[c+dx])^2} - \frac{(12A-8B+5C)\sin[c+dx]^3}{3a^2d}$

Rule 4084

$\text{Int}[(\frac{A}{a} + \csc[\frac{e}{a} + (f_{-})x])*(\frac{B}{a} + \csc[\frac{e}{a} + (f_{-})x])^2*(\frac{C}{a} + \csc[\frac{e}{a} + (f_{-})x])*(\frac{d}{a})^n*(\csc[\frac{e}{a} + (f_{-})x])*(\frac{b}{a} + (\frac{a}{a})^m), x_Symbol] :> -\text{Simp}[(aA-bB+aC)*\text{Cot}[e+fx]*(a+b*\text{Csc}[e+fx])^m*(d*\text{Csc}[e+fx])^n]/(a*f*(2*m+1)), x] - \text{Dist}[1/(a*b*(2*m+1)), \text{Int}[(a+b*\text{Csc}[e+fx])^{m+1}*(d*\text{Csc}[e+fx])^n*\text{Simp}[a*B*n-b*C*n-A*b*(2*m+n+1)-(b*B*(m+n+1)-a*(A*(m+n+1)-C*(m-n))]*\text{Csc}[e+fx], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{EqQ}[a^2-b^2$

, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_)), x_Symbol] :> -Simp[(b*Cos[c + d*x])*(b*Sine[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sine[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \int \frac{\cos^3(c+dx)(3a(2A-B+C))}{a+a\sec(c+dx)} dx \\
&= -\frac{(10A-7B+4C)\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))} \\
&= -\frac{(10A-7B+4C)\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))} \\
&= -\frac{(10A-7B+4C)\cos(c+dx)\sin(c+dx)}{2a^2d} - \frac{(10A-7B+4C)\cos(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} \\
&= -\frac{(10A-7B+4C)x}{2a^2} + \frac{(12A-8B+5C)\sin(c+dx)}{a^2d} - \frac{(10A-7B+4C)\sin(c+dx)}{3a^2d(1+\sec(c+dx))}
\end{aligned}$$

Mathematica [B] time = 1.81922, size = 473, normalized size = 2.56

$$\frac{\sec\left(\frac{c}{2}\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\left(-36dx(10A-7B+4C)\cos\left(c+\frac{dx}{2}\right)-36dx(10A-7B+4C)\cos\left(\frac{dx}{2}\right)-156A\sin\left(c+\frac{dx}{2}\right)+342A\sin\left(\frac{dx}{2}\right)\right)}{(a+a\sec(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^3*(-36*(10*A - 7*B + 4*C)*d*x*Cos[(d*x)/2] - 36*(10*A - 7*B + 4*C)*d*x*Cos[c + (d*x)/2] - 120*A*d*x*Cos[c + (3*d*x)/2] + 84*B*d*x*Cos[c + (3*d*x)/2] - 48*C*d*x*Cos[c + (3*d*x)/2] - 120*A*d*x*Cos[2*c + (3*d*x)/2] + 84*B*d*x*Cos[2*c + (3*d*x)/2] - 48*C*d*x*Cos[2*c + (3*d*x)/2] + 516*A*Sin[(d*x)/2] - 381*B*Sin[(d*x)/2] + 264*C*Sin[(d*x)/2] - 156*A*Sin[c + (d*x)/2] + 147*B*Sin[c + (d*x)/2] - 120*C*Sin[c + (d*x)/2] + 342*A*Sin[c + (3*d*x)/2] - 239*B*Sin[c + (3*d*x)/2] + 164*C*Sin[c + (3*d*x)/2] + 118*A*Sin[2*c + (3*d*x)/2] - 63*B*Sin[2*c + (3*d*x)/2] + 36*C*Sin[2*c + (3*d*x)/2] + 30*A*Sin[2*c + (5*d*x)/2] - 15*B*Sin[2*c + (5*d*x)/2] + 12*C*Sin[2*c + (5*d*x)/2] + 30*A*Sin[3*c + (5*d*x)/2] - 15*B*Sin[3*c + (5*d*x)/2] + 12*C*Sin[3*c + (5*d*x)/2] - 3*A*Sin[3*c + (7*d*x)/2] + 3*B*Sin[3*c + (7*d*x)/2] - 3*A*Sin[4*c + (7*d*x)/2] + 3*B*Sin[4*c + (7*d*x)/2] + A*Sin[4*c + (9*d*x)/2] + A*Sin[5*c + (9*d*x)/2]))/(192*a^2*d)

Maple [B] time = 0.112, size = 482, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x)$

[Out]
$$\begin{aligned} & -1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*B-1/6/d/a^2 \\ & *C*\tan(1/2*d*x+1/2*c)^3+9/2/d/a^2*A*\tan(1/2*d*x+1/2*c)-7/2/d/a^2*B*\tan(1/2 \\ & *d*x+1/2*c)+5/2/d/a^2*C*\tan(1/2*d*x+1/2*c)+10/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2 \\ &)^3*\tan(1/2*d*x+1/2*c)^5*A-5/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1 \\ & /2*c)^5*B+2/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*C+40/3/d \\ & /a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*A-8/d/a^2/(1+\tan(1/2*d* \\ & x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*B+4/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*C*t \\ & \tan(1/2*d*x+1/2*c)^3+6/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*A*\tan(1/2*d*x+1/2*c) \\ & -3/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*B*\tan(1/2*d*x+1/2*c)+2/d/a^2/(1+\tan(1/2 \\ & *d*x+1/2*c)^2)^3*C*\tan(1/2*d*x+1/2*c)-10/d/a^2*A*\arctan(\tan(1/2*d*x+1/2*c)) \\ & +7/d/a^2*B*\arctan(\tan(1/2*d*x+1/2*c))-4/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*C \end{aligned}$$

Maxima [B] time = 1.45625, size = 657, normalized size = 3.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2,x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & 1/6*(A*(4*(9*\sin(dx+c)/(\cos(dx+c)+1)+20*\sin(dx+c)^3/(\cos(dx+c)+1)^3+15*\sin(dx+c)^5/(\cos(dx+c)+1)^5)/(a^2+3*a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2+3*a^2*\sin(dx+c)^4/(\cos(dx+c)+1)^4+a^2*\sin(dx+c)^6/(\cos(dx+c)+1)^6)+(27*\sin(dx+c)/(\cos(dx+c)+1)-\sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2-60*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2-B*(6*(3*\sin(dx+c)/(\cos(dx+c)+1)+5*\sin(dx+c)^3/(\cos(dx+c)+1)^3)/(a^2+2*a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2+a^2*\sin(dx+c)^4/(\cos(dx+c)+1)^4)+(21*\sin(dx+c)/(\cos(dx+c)+1)-\sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2-42*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2+C*((15*\sin(dx+c)/(\cos(dx+c)+1)-\sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2-24*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2+12*\sin(dx+c)/((a^2+a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2)*(\cos(dx+c)+1))))/d \end{aligned}$$

Fricas [A] time = 0.512127, size = 437, normalized size = 2.36

$$\frac{3(10A - 7B + 4C)dx \cos(dx + c)^2 + 6(10A - 7B + 4C)dx \cos(dx + c) + 3(10A - 7B + 4C)dx - \left(2A \cos(dx + c)^4\right)}{6\left(a^2 d \cos(dx + c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] -1/6*(3*(10*A - 7*B + 4*C)*d*x*cos(d*x + c)^2 + 6*(10*A - 7*B + 4*C)*d*x*cos(d*x + c) + 3*(10*A - 7*B + 4*C)*d*x - (2*A*cos(d*x + c)^4 - (2*A - 3*B)*cos(d*x + c)^3 + 6*(2*A - B + C)*cos(d*x + c)^2 + (66*A - 43*B + 28*C)*cos(d*x + c) + 48*A - 32*B + 20*C)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.251, size = 359, normalized size = 1.94

$$\frac{3(dx+c)(10A-7B+4C)}{a^2} - \frac{2\left(30A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 40A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 24B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")


```
[Out] -1/6*(3*(d*x + c)*(10*A - 7*B + 4*C)/a^2 - 2*(30*A*tan(1/2*d*x + 1/2*c)^5 -
15*B*tan(1/2*d*x + 1/2*c)^5 + 6*C*tan(1/2*d*x + 1/2*c)^5 + 40*A*tan(1/2*d*
x + 1/2*c)^3 - 24*B*tan(1/2*d*x + 1/2*c)^3 + 12*C*tan(1/2*d*x + 1/2*c)^3 +
18*A*tan(1/2*d*x + 1/2*c) - 9*B*tan(1/2*d*x + 1/2*c) + 6*C*tan(1/2*d*x + 1/
2*c)))/((tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3
- B*a^4*tan(1/2*d*x + 1/2*c)^3 + C*a^4*tan(1/2*d*x + 1/2*c)^3 - 27*A*a^4*ta
n(1/2*d*x + 1/2*c) + 21*B*a^4*tan(1/2*d*x + 1/2*c) - 15*C*a^4*tan(1/2*d*x +
1/2*c))/a^6)/d
```

$$3.466 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=216

$$-\frac{2(11A-36B+76C) \tan(c+dx)}{15a^3d} + \frac{(2A-6B+13C) \tanh^{-1}(\sin(c+dx))}{2a^3d} - \frac{(11A-36B+76C) \tan(c+dx) \sec^2(c+dx)}{15d(a^3 \sec(c+dx) + a^3)}$$

```
[Out] ((2*A - 6*B + 13*C)*ArcTanh[Sin[c + d*x]])/(2*a^3*d) - (2*(11*A - 36*B + 76
*C)*Tan[c + d*x])/(15*a^3*d) + ((2*A - 6*B + 13*C)*Sec[c + d*x]*Tan[c + d*x
])/((2*a^3*d) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(5*d*(a + a*Sec[c
+ d*x])^3) - ((A - 6*B + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(15*a*d*(a + a*
Sec[c + d*x])^2) - ((11*A - 36*B + 76*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d
*(a^3 + a^3*Sec[c + d*x])))
```

Rubi [A] time = 0.516282, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4084, 4019, 3787, 3767, 8, 3768, 3770}

$$-\frac{2(11A-36B+76C) \tan(c+dx)}{15a^3d} + \frac{(2A-6B+13C) \tanh^{-1}(\sin(c+dx))}{2a^3d} - \frac{(11A-36B+76C) \tan(c+dx) \sec^2(c+dx)}{15d(a^3 \sec(c+dx) + a^3)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c +
d*x])^3,x]
```

```
[Out] ((2*A - 6*B + 13*C)*ArcTanh[Sin[c + d*x]])/(2*a^3*d) - (2*(11*A - 36*B + 76
*C)*Tan[c + d*x])/(15*a^3*d) + ((2*A - 6*B + 13*C)*Sec[c + d*x]*Tan[c + d*x
])/((2*a^3*d) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(5*d*(a + a*Sec[c
+ d*x])^3) - ((A - 6*B + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(15*a*d*(a + a*
Sec[c + d*x])^2) - ((11*A - 36*B + 76*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d
*(a^3 + a^3*Sec[c + d*x])))
```

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
```

$b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[A*(a*d*(n-1)) - B*(b*d*(n-1)) - d*(a*B*(m-n+1) + A*b*(m+n))*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^n, x_Symbol] :> -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \text{Cot}[c + d*x]], x] /;$ FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a*x, x] /;$ FreeQ[a, x]

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{n-1})/(d*(n-1)), x] + \text{Dist}[(b^2*(n-2))/(n-1), \text{Int}[(b*\text{Csc}[c + d*x])^{n-2}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] :> -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\sec^4(c+dx)(a(A+4B-4C))}{(a+a\sec(c+dx))^3} dx \\
&= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A-6B+11C)\sec^4(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A-6B+11C)\sec^4(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A-6B+11C)\sec^4(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= \frac{(2A-6B+13C)\sec(c+dx)\tan(c+dx)}{2a^3d} - \frac{(A-B+C)\sec^4(c+dx)}{5d(a+a\sec(c+dx))^3} \\
&= \frac{(2A-6B+13C)\tanh^{-1}(\sin(c+dx))}{2a^3d} - \frac{2(11A-36B+76C)\sec^4(c+dx)}{15a^3d}
\end{aligned}$$

Mathematica [B] time = 6.45349, size = 1081, normalized size = 5.

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] (-8*(2*A - 6*B + 13*C)*Cos[c/2 + (d*x)/2]^6*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^3) + (8*(2*A - 6*B + 13*C)*Cos[c/2 + (d*x)/2]^6*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^3) + (Cos[c/2 + (d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(490*A*Sin[(d*x)/2] - 870*B*Sin[(d*x)/2] + 1235*C*Sin[(d*x)/2] - 530*A*Sin[(3*d*x)/2] + 1830*B*Sin[(3*d*x)/2] - 3805*C*Sin[(3*d*x)/2] + 654*A*Sin[c - (d*x)/2] - 2094*B*Sin[c - (d*x)/2] + 4329*C*Sin[c - (d*x)/2] - 654*A*Sin[c + (d*x)/2] + 1314*B*Sin[c + (d*x)/2] - 1989*C*Sin[c + (d*x)/2] + 490*A*Sin[2*c + (d*x)/2] - 1650*B*Sin[2*c + (d*x)/2] + 3575*C*Sin[2*c + (d*x)/2] + 350*A*Sin[c + (3*d*x)/2] - 450*B*Sin[c + (3*d*x)/2] + 475*C*Sin[c + (3*d*x)/2] - 530*A*Sin[2*c + (3*d*x)/2] + 1230*B*Sin[2*c + (3*d*x)/2] - 2005*C*Sin[2*c + (3*d*x)/2] + 350*A*Sin[3*c + (3*d*x)/2] - 1050*B*Sin[3*c + (3
```

*d*x)/2] + 2275*C*Sin[3*c + (3*d*x)/2] - 378*A*Sin[c + (5*d*x)/2] + 1278*B*Sin[c + (5*d*x)/2] - 2673*C*Sin[c + (5*d*x)/2] + 150*A*Sin[2*c + (5*d*x)/2] - 90*B*Sin[2*c + (5*d*x)/2] - 105*C*Sin[2*c + (5*d*x)/2] - 378*A*Sin[3*c + (5*d*x)/2] + 918*B*Sin[3*c + (5*d*x)/2] - 1593*C*Sin[3*c + (5*d*x)/2] + 150*A*Sin[4*c + (5*d*x)/2] - 450*B*Sin[4*c + (5*d*x)/2] + 975*C*Sin[4*c + (5*d*x)/2] - 190*A*Sin[2*c + (7*d*x)/2] + 630*B*Sin[2*c + (7*d*x)/2] - 1325*C*Sin[2*c + (7*d*x)/2] + 30*A*Sin[3*c + (7*d*x)/2] + 60*B*Sin[3*c + (7*d*x)/2] - 255*C*Sin[3*c + (7*d*x)/2] - 190*A*Sin[4*c + (7*d*x)/2] + 480*B*Sin[4*c + (7*d*x)/2] - 875*C*Sin[4*c + (7*d*x)/2] + 30*A*Sin[5*c + (7*d*x)/2] - 90*B*Sin[5*c + (7*d*x)/2] + 195*C*Sin[5*c + (7*d*x)/2] - 44*A*Sin[3*c + (9*d*x)/2] + 144*B*Sin[3*c + (9*d*x)/2] - 304*C*Sin[3*c + (9*d*x)/2] + 30*B*Sin[4*c + (9*d*x)/2] - 90*C*Sin[4*c + (9*d*x)/2] - 44*A*Sin[5*c + (9*d*x)/2] + 114*B*Sin[5*c + (9*d*x)/2] - 214*C*Sin[5*c + (9*d*x)/2])/(240*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3)

Maple [B] time = 0.082, size = 433, normalized size = 2.

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] -1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*A+1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*B-1/20/d/a^3*C*tan(1/2*d*x+1/2*c)^5-1/3/d/a^3*tan(1/2*d*x+1/2*c)^3*A+1/2/d/a^3*tan(1/2*d*x+1/2*c)^3*B-2/3/d/a^3*C*tan(1/2*d*x+1/2*c)^3-7/4/d/a^3*A*tan(1/2*d*x+1/2*c)+17/4/d/a^3*B*tan(1/2*d*x+1/2*c)-31/4/d/a^3*C*tan(1/2*d*x+1/2*c)+7/2/d/a^3/(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^3/(tan(1/2*d*x+1/2*c)+1)*B+1/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*A-3/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*B+13/2/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*C-1/2/d/a^3*C/(tan(1/2*d*x+1/2*c)+1)^2+7/2/d/a^3/(tan(1/2*d*x+1/2*c)-1)*C-1/d/a^3/(tan(1/2*d*x+1/2*c)-1)*B-1/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*A+3/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*B-13/2/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*C+1/2/d/a^3*C/(tan(1/2*d*x+1/2*c)-1)^2

Maxima [B] time = 0.988907, size = 666, normalized size = 3.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x
, algorithm="maxima")
```

```
[Out] -1/60*(C*(60*(5*sin(d*x + c)/(cos(d*x + c) + 1) - 7*sin(d*x + c)^3/(cos(d*x
+ c) + 1)^3)/(a^3 - 2*a^3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a^3*sin(d*
x + c)^4/(cos(d*x + c) + 1)^4) + (465*sin(d*x + c)/(cos(d*x + c) + 1) + 40*
sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5
)/a^3 - 390*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 + 390*log(sin(d*x
+ c)/(cos(d*x + c) + 1) - 1)/a^3) - 3*B*(40*sin(d*x + c)/((a^3 - a^3*sin(d*
x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (85*sin(d*x + c)/(cos(
d*x + c) + 1) + 10*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + sin(d*x + c)^5/(co
s(d*x + c) + 1)^5)/a^3 - 60*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 +
60*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^3) + A*((105*sin(d*x + c)/(co
s(d*x + c) + 1) + 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5
/(cos(d*x + c) + 1)^5)/a^3 - 60*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^
3 + 60*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^3))/d
```

Fricas [A] time = 0.532569, size = 849, normalized size = 3.93

$$15\left((2A - 6B + 13C)\cos(dx + c)^5 + 3(2A - 6B + 13C)\cos(dx + c)^4 + 3(2A - 6B + 13C)\cos(dx + c)^3 + (2A - 6B + 13C)\cos(dx + c)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x
, algorithm="fricas")
```

```
[Out] 1/60*(15*((2*A - 6*B + 13*C)*cos(d*x + c)^5 + 3*(2*A - 6*B + 13*C)*cos(d*x
+ c)^4 + 3*(2*A - 6*B + 13*C)*cos(d*x + c)^3 + (2*A - 6*B + 13*C)*cos(d*x +
c)^2)*log(sin(d*x + c) + 1) - 15*((2*A - 6*B + 13*C)*cos(d*x + c)^5 + 3*(2
*A - 6*B + 13*C)*cos(d*x + c)^4 + 3*(2*A - 6*B + 13*C)*cos(d*x + c)^3 + (2*
A - 6*B + 13*C)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(4*(11*A - 36*B
+ 76*C)*cos(d*x + c)^4 + 3*(34*A - 114*B + 239*C)*cos(d*x + c)^3 + (64*A -
234*B + 479*C)*cos(d*x + c)^2 - 15*(2*B - 3*C)*cos(d*x + c) - 15*C)*sin(d*x
+ c))/(a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c
)^3 + a^3*d*cos(d*x + c)^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec^4(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{B \sec^5(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^6(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx$$

a^3

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**4/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**5/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**6/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.25943, size = 389, normalized size = 1.8

$$\frac{30(2A-6B+13C) \log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{30(2A-6B+13C) \log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} - \frac{60\left(2B \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 7C \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 2B \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 - 1\right)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(30*(2*A - 6*B + 13*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 30*(2*A - 6*B + 13*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 - 60*(2*B*tan(1/2*d*x + 1/2*c)^3 - 7*C*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c) + 5*C*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 + 20*A*a^12*tan(1/2*d*x + 1/2*c)^3 - 30*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 40*C*a^12*tan(1/2*d*x + 1/2*c)^3 + 105*A*a^12*tan(1/2*d*x + 1/2*c) - 255*B*a^12*tan(1/2*d*x + 1/2*c) + 465*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

$$3.467 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=161

$$\frac{(2A - 7B + 27C) \tan(c + dx)}{15a^3d} + \frac{(B - 3C) \tanh^{-1}(\sin(c + dx))}{a^3d} - \frac{(B - 3C) \tan(c + dx)}{d(a^3 \sec(c + dx) + a^3)} - \frac{(A - B + C) \tan(c + dx) \sec^3(c + dx)}{5d(a \sec(c + dx) + a)^3}$$

[Out] ((B - 3*C)*ArcTanh[Sin[c + d*x]])/(a^3*d) + ((2*A - 7*B + 27*C)*Tan[c + d*x])/((15*a^3*d) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((A + 4*B - 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((B - 3*C)*Tan[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x])))

Rubi [A] time = 0.45006, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4084, 4019, 4008, 3787, 3770, 3767, 8}

$$\frac{(2A - 7B + 27C) \tan(c + dx)}{15a^3d} + \frac{(B - 3C) \tanh^{-1}(\sin(c + dx))}{a^3d} - \frac{(B - 3C) \tan(c + dx)}{d(a^3 \sec(c + dx) + a^3)} - \frac{(A - B + C) \tan(c + dx) \sec^3(c + dx)}{5d(a \sec(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] ((B - 3*C)*ArcTanh[Sin[c + d*x]])/(a^3*d) + ((2*A - 7*B + 27*C)*Tan[c + d*x])/((15*a^3*d) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((A + 4*B - 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((B - 3*C)*Tan[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x])))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{\int \frac{\sec^3(c+dx)(a(2A+3B-9C)+a^2C)}{(a+a\sec(c+dx))^3} dx}{5d(a+a\sec(c+dx))^3} \\
&= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A+4B-9C)\sec^2(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A+4B-9C)\sec^2(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A+4B-9C)\sec^2(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(B-3C)\tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} \\
&= \frac{(B-3C)\tanh^{-1}(\sin(c+dx))}{a^3d} + \frac{(2A-7B+27C)\tan(c+dx)}{15a^3d}
\end{aligned}$$

Mathematica [B] time = 6.3667, size = 839, normalized size = 5.21

$$\frac{16(3C-B)\log\left(\cos\left(\frac{c}{2}+\frac{dx}{2}\right)-\sin\left(\frac{c}{2}+\frac{dx}{2}\right)\right)\sec(c+dx)(C\sec^2(c+dx)+B\sec(c+dx)+A)\cos^6\left(\frac{c}{2}+\frac{dx}{2}\right)}{d(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))(\sec(c+dx)a+a)^3} - \frac{16(3C-B)\log\left(\cos\left(\frac{c}{2}+\frac{dx}{2}\right)-\sin\left(\frac{c}{2}+\frac{dx}{2}\right)\right)\sec(c+dx)(C\sec^2(c+dx)+B\sec(c+dx)+A)\cos^6\left(\frac{c}{2}+\frac{dx}{2}\right)}{d(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))(\sec(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (16*(-B + 3*C)*Cos[c/2 + (d*x)/2]^6*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^3 - (16*(-B + 3*C)*Cos[c/2 + (d*x)/2]^6*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^3 + (Cos[c/2 + (d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-20*A*Sin[(d*x)/2] + 160*B*Sin[(d*x)/2] - 255*C*Sin[(d*x)/2] + 22*A*Sin[(3*d*x)/2] - 167*B*Sin[(3*d*x)/2] + 567*C*Sin[(3*d*x)/2] - 10*A*Sin[c - (d*x)/2] + 170*B*Sin[c - (d*x)/2] - 600*C*Sin[c - (d*x)/2] + 10*A*Sin[c + (d*x)/2] - 170*B*Sin[c + (d*x)/2] + 375*C*Sin[c + (d*x)/2] - 20*A*Sin[2*c + (d*x)/2] + 160*B*Sin[2*c + (d*x)/2] - 480*C*Sin[2*c + (d*x)/2] + 75*B*Sin[c + (3*d*x)/2] - 60*C*Sin[c + (3*d*x)/2] + 22*A*Sin[2*c + (3*d*x)/2] - 167*B*Sin[2*c +

$$(3*d*x)/2] + 402*C*\sin[2*c + (3*d*x)/2] + 75*B*\sin[3*c + (3*d*x)/2] - 225*C*\sin[3*c + (3*d*x)/2] + 10*A*\sin[c + (5*d*x)/2] - 95*B*\sin[c + (5*d*x)/2] + 315*C*\sin[c + (5*d*x)/2] + 15*B*\sin[2*c + (5*d*x)/2] + 30*C*\sin[2*c + (5*d*x)/2] + 10*A*\sin[3*c + (5*d*x)/2] - 95*B*\sin[3*c + (5*d*x)/2] + 240*C*\sin[3*c + (5*d*x)/2] + 15*B*\sin[4*c + (5*d*x)/2] - 45*C*\sin[4*c + (5*d*x)/2] + 2*A*\sin[2*c + (7*d*x)/2] - 22*B*\sin[2*c + (7*d*x)/2] + 72*C*\sin[2*c + (7*d*x)/2] + 15*C*\sin[3*c + (7*d*x)/2] + 2*A*\sin[4*c + (7*d*x)/2] - 22*B*\sin[4*c + (7*d*x)/2] + 57*C*\sin[4*c + (7*d*x)/2]))/(60*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3)$$

Maple [A] time = 0.072, size = 303, normalized size = 1.9

$$\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] 1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*A-1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*B+1/20/d/a^3*C*tan(1/2*d*x+1/2*c)^5+1/6/d/a^3*tan(1/2*d*x+1/2*c)^3*A-1/3/d/a^3*tan(1/2*d*x+1/2*c)^3*B+1/2/d/a^3*C*tan(1/2*d*x+1/2*c)^3+1/4/d/a^3*A*tan(1/2*d*x+1/2*c)-7/4/d/a^3*B*tan(1/2*d*x+1/2*c)+17/4/d/a^3*C*tan(1/2*d*x+1/2*c)+1/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*B-3/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^3/(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*B+3/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*C-1/d/a^3/(tan(1/2*d*x+1/2*c)-1)*C

Maxima [B] time = 0.981516, size = 473, normalized size = 2.94

$$3C \left(\frac{40 \sin(dx+c)}{\left(a^3 - \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - B \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} \right)$$

60d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

```
[Out] 1/60*(3*C*(40*sin(d*x + c)/((a^3 - a^3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)
*(cos(d*x + c) + 1)) + (85*sin(d*x + c)/(cos(d*x + c) + 1) + 10*sin(d*x + c)
)^3/(cos(d*x + c) + 1)^3 + sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 60*log
(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 + 60*log(sin(d*x + c)/(cos(d*x +
c) + 1) - 1)/a^3 - B*((105*sin(d*x + c)/(cos(d*x + c) + 1) + 20*sin(d*x +
c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 6
0*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 + 60*log(sin(d*x + c)/(cos(d
*x + c) + 1) - 1)/a^3) + A*(15*sin(d*x + c)/(cos(d*x + c) + 1) + 10*sin(d*x
+ c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3)/
d
```

Fricas [A] time = 0.521837, size = 690, normalized size = 4.29

$$15 \left((B - 3C) \cos(dx + c)^4 + 3(B - 3C) \cos(dx + c)^3 + 3(B - 3C) \cos(dx + c)^2 + (B - 3C) \cos(dx + c) \right) \log(\sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x
, algorithm="fricas")
```

```
[Out] 1/30*(15*((B - 3*C)*cos(d*x + c)^4 + 3*(B - 3*C)*cos(d*x + c)^3 + 3*(B - 3*
C)*cos(d*x + c)^2 + (B - 3*C)*cos(d*x + c))*log(sin(d*x + c) + 1) - 15*((B
- 3*C)*cos(d*x + c)^4 + 3*(B - 3*C)*cos(d*x + c)^3 + 3*(B - 3*C)*cos(d*x +
c)^2 + (B - 3*C)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(2*(A - 11*B + 36
*C)*cos(d*x + c)^3 + 3*(2*A - 17*B + 57*C)*cos(d*x + c)^2 + (7*A - 32*B + 1
7*C)*cos(d*x + c) + 15*C)*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*co
s(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{B \sec^4(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**
3,x)
```

[Out] (Integral(A*sec(c + d*x)**3/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**4/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.2796, size = 316, normalized size = 1.96

$$\frac{60(B-3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{60(B-3C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} - \frac{120C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)a^3} + \frac{3Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 3Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5}{a^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(60*(B - 3*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 60*(B - 3*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 - 120*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^3) + (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 + 10*A*a^12*tan(1/2*d*x + 1/2*c)^3 - 20*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 30*C*a^12*tan(1/2*d*x + 1/2*c)^3 + 15*A*a^12*tan(1/2*d*x + 1/2*c) - 105*B*a^12*tan(1/2*d*x + 1/2*c) + 255*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

$$3.468 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=132

$$\frac{(6A+4B-29C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{C \tanh^{-1}(\sin(c+dx))}{a^3 d} - \frac{(A-B+C) \tan(c+dx) \sec^2(c+dx)}{5d(a \sec(c+dx)+a)^3} - \frac{(3A+2B-7C) \tan(c+dx)}{15ad(a \sec(c+dx)+a)}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^3*d) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/((5*d*(a + a*Sec[c + d*x])^3) - ((3*A + 2*B - 7*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((6*A + 4*B - 29*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x])))

Rubi [A] time = 0.350824, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4084, 4008, 3998, 3770, 3794}

$$\frac{(6A+4B-29C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{C \tanh^{-1}(\sin(c+dx))}{a^3 d} - \frac{(A-B+C) \tan(c+dx) \sec^2(c+dx)}{5d(a \sec(c+dx)+a)^3} - \frac{(3A+2B-7C) \tan(c+dx)}{15ad(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^3*d) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/((5*d*(a + a*Sec[c + d*x])^3) - ((3*A + 2*B - 7*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((6*A + 4*B - 29*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x])))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(
csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(
e_.) + (f_.)*(x_.)]*(b_.) + (a_.), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.), x_Symbol]
:= -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f},
x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{\sec^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^3} dx = -\frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\sec^2(c + dx)(a(3A + 2B) + C)}{(a + a \sec(c + dx))^3} dx}{5d}$$

$$= -\frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(3A + 2B - 7C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^3}$$

$$= -\frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(3A + 2B - 7C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^3}$$

$$= \frac{C \tanh^{-1}(\sin(c + dx))}{a^3 d} - \frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3}$$

Mathematica [B] time = 1.61372, size = 277, normalized size = 2.1

$$(A \cos^2(c + dx) + B \cos(c + dx) + C) \left(240C \cos^6\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] -((C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*(240*C*Cos[(c + d*x)/2]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - Cos[(c + d*x)/2]*Sec[c/2]*(5*(3*A + 4*B - 29*C)*Sin[(d*x)/2] - 15*(A - 5*C)*Sin[c + (d*x)/2] + 15*A*Sin[c + (3*d*x)/2] + 10*B*Sin[c + (3*d*x)/2] - 95*C*Sin[c + (3*d*x)/2] + 15*C*Sin[2*c + (3*d*x)/2] + 3*A*Sin[2*c + (5*d*x)/2] + 2*B*Sin[2*c + (5*d*x)/2] - 22*C*Sin[2*c + (5*d*x)/2]))/(15*a^3*d*(1 + Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.069, size = 197, normalized size = 1.5

$$\frac{B}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{da^3} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) + \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] 1/6/d/a^3*tan(1/2*d*x+1/2*c)^3*B+1/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*C+1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*B-1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*A-1/20/d/a^3*C*tan(1/2*d*x+1/2*c)^5-7/4/d/a^3*C*tan(1/2*d*x+1/2*c)-1/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*C+1/4/d/a^3*A*tan(1/2*d*x+1/2*c)+1/4/d/a^3*B*tan(1/2*d*x+1/2*c)-1/3/d/a^3*C*tan(1/2*d*x+1/2*c)^3

Maxima [A] time = 0.967131, size = 313, normalized size = 2.37

$$C \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - \frac{B \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x
, algorithm="maxima")

[Out]
$$-1/60*(C*((105*\sin(d*x + c))/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^3 + 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^3) - B*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) + 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 3*A*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$$

Fricas [A] time = 0.511033, size = 505, normalized size = 3.83

$$\frac{15(C \cos(dx + c)^3 + 3C \cos(dx + c)^2 + 3C \cos(dx + c) + C) \log(\sin(dx + c) + 1) - 15(C \cos(dx + c)^3 + 3C \cos(dx + c)^2 + 3C \cos(dx + c) + C) \log(\sin(dx + c) - 1)}{30(a^3 d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x
, algorithm="fricas")

[Out]
$$1/30*(15*(C*\cos(d*x + c)^3 + 3*C*\cos(d*x + c)^2 + 3*C*\cos(d*x + c) + C)*\log(\sin(d*x + c) + 1) - 15*(C*\cos(d*x + c)^3 + 3*C*\cos(d*x + c)^2 + 3*C*\cos(d*x + c) + C)*\log(-\sin(d*x + c) + 1) + 2*((3*A + 2*B - 22*C)*\cos(d*x + c)^2 + 3*(3*A + 2*B - 17*C)*\cos(d*x + c) + 3*A + 7*B - 32*C)*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{B \sec^3(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**3/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**4/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.31097, size = 243, normalized size = 1.84

$$\frac{60C \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^3} - \frac{60C \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 10Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 20Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 15Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 105Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(60*C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 60*C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 - 10*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 20*C*a^12*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^12*tan(1/2*d*x + 1/2*c) - 15*B*a^12*tan(1/2*d*x + 1/2*c) + 105*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

$$3.469 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx$$

Optimal. Leaf size=110

$$\frac{(2A+3B+7C)\tan(c+dx)}{15d(a^3\sec(c+dx)+a^3)} - \frac{(A-B+C)\tan(c+dx)\sec(c+dx)}{5d(a\sec(c+dx)+a)^3} + \frac{(A-C)\tan(c+dx)}{3ad(a\sec(c+dx)+a)^2}$$

[Out] -((A - B + C)*Sec[c + d*x]*Tan[c + d*x])/((5*d*(a + a*Sec[c + d*x])^3) + ((A - C)*Tan[c + d*x])/(3*a*d*(a + a*Sec[c + d*x])^2) + ((2*A + 3*B + 7*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x])))

Rubi [A] time = 0.207278, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {4078, 4000, 3794}

$$\frac{(2A+3B+7C)\tan(c+dx)}{15d(a^3\sec(c+dx)+a^3)} - \frac{(A-B+C)\tan(c+dx)\sec(c+dx)}{5d(a\sec(c+dx)+a)^3} + \frac{(A-C)\tan(c+dx)}{3ad(a\sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] -((A - B + C)*Sec[c + d*x]*Tan[c + d*x])/((5*d*(a + a*Sec[c + d*x])^3) + ((A - C)*Tan[c + d*x])/(3*a*d*(a + a*Sec[c + d*x])^2) + ((2*A + 3*B + 7*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x])))

Rule 4078

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*Csc[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*B - b*C - 2*A*b*(m + 1) - (b*B*(m + 2) - a*(A*(m + 2) - C*(m - 1)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 4000

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[((A*b - a*B)*Cot[e +

```
f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] & NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx = -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{\int \frac{\sec(c+dx)(a(4A+B-C)-a}{(a+a\sec(c+dx))^3} dx}{5a}$$

$$= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-C)\tan(c+dx)}{3ad(a+a\sec(c+dx))}$$

$$= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-C)\tan(c+dx)}{3ad(a+a\sec(c+dx))}$$

Mathematica [A] time = 0.566438, size = 156, normalized size = 1.42

$$\frac{\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left(-15(2A+B)\sin\left(c+\frac{dx}{2}\right)+5(8A+3B+4C)\sin\left(\frac{dx}{2}\right)+20A\sin\left(c+\frac{3dx}{2}\right)-15A\sin\left(2c+\frac{3dx}{2}\right)\right)}{240a^3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]
```

```
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(5*(8*A + 3*B + 4*C)*Sin[(d*x)/2] - 15*(2*A + B)*Sin[c + (d*x)/2] + 20*A*Sin[c + (3*d*x)/2] + 15*B*Sin[c + (3*d*x)/2] + 10*C*Sin[c + (3*d*x)/2] - 15*A*Sin[2*c + (3*d*x)/2] + 7*A*Sin[2*c + (5*d*x)/2] + 3*B*Sin[2*c + (5*d*x)/2] + 2*C*Sin[2*c + (5*d*x)/2]))/(240*a^3*d)
```

Maple [A] time = 0.068, size = 113, normalized size = 1.

$$\frac{1}{4da^3}\left(\frac{A}{5}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{B}{5}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5+\frac{C}{5}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{2A}{3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{2C}{3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)`

[Out] $\frac{1}{4}d/a^3*(1/5*\tan(1/2*d*x+1/2*c)^5*A-1/5*\tan(1/2*d*x+1/2*c)^5*B+1/5*C*\tan(1/2*d*x+1/2*c)^5-2/3*\tan(1/2*d*x+1/2*c)^3*A+2/3*C*\tan(1/2*d*x+1/2*c)^3+A*\tan(1/2*d*x+1/2*c)+B*\tan(1/2*d*x+1/2*c)+C*\tan(1/2*d*x+1/2*c))$

Maxima [A] time = 0.976994, size = 242, normalized size = 2.2

$$\frac{C\left(\frac{15\sin(dx+c)}{\cos(dx+c)+1} + \frac{10\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3\sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right) + \frac{A\left(\frac{15\sin(dx+c)}{\cos(dx+c)+1} - \frac{10\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3\sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)}{a^3} + \frac{3B\left(\frac{5\sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)}{a^3}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $\frac{1}{60}*(C*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) + 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 + A*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 + 3*B*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$

Fricas [A] time = 0.459965, size = 251, normalized size = 2.28

$$\frac{((7A + 3B + 2C)\cos(dx + c)^2 + 3(2A + 3B + 2C)\cos(dx + c) + 2A + 3B + 7C)\sin(dx + c)}{15(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] $\frac{1}{15}*((7*A + 3*B + 2*C)*\cos(d*x + c)^2 + 3*(2*A + 3*B + 2*C)*\cos(d*x + c) + 2*A + 3*B + 7*C)*\sin(d*x + c)/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx + \int \frac{B \sec^2(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx + \int \frac{C \sec^3(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.27846, size = 155, normalized size = 1.41

$$\frac{3 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 3 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 10 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 10 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{60 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(3*A*tan(1/2*d*x + 1/2*c)^5 - 3*B*tan(1/2*d*x + 1/2*c)^5 + 3*C*tan(1/2*d*x + 1/2*c)^5 - 10*A*tan(1/2*d*x + 1/2*c)^3 + 10*C*tan(1/2*d*x + 1/2*c)^3 + 15*A*tan(1/2*d*x + 1/2*c) + 15*B*tan(1/2*d*x + 1/2*c) + 15*C*tan(1/2*d*x + 1/2*c))/(a^3*d)

$$3.470 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=115

$$-\frac{(22A-2B-3C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{Ax}{a^3} - \frac{(7A-2B-3C) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(A-B+C) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

[Out] (A*x)/a^3 - ((A - B + C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((7*A - 2*B - 3*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((22*A - 2*B - 3*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.196376, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4052, 3922, 3919, 3794}

$$-\frac{(22A-2B-3C) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{Ax}{a^3} - \frac{(7A-2B-3C) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(A-B+C) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^3,x]

[Out] (A*x)/a^3 - ((A - B + C)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((7*A - 2*B - 3*C)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((22*A - 2*B - 3*C)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x]

] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^3} dx &= -\frac{(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{-5aA + a(2A - 2B - 3C) \sec(c + dx)}{(a + a \sec(c + dx))^2} dx}{5a^2} \\ &= -\frac{(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7A - 2B - 3C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\int \frac{15a^2 A - a^2(7A - 2B)}{a + a \sec(c + dx)} dx}{15a^2} \\ &= \frac{Ax}{a^3} - \frac{(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7A - 2B - 3C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(22A - 2B)}{15d} \\ &= \frac{Ax}{a^3} - \frac{(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7A - 2B - 3C) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(22A - 2B)}{15d} \end{aligned}$$

Mathematica [B] time = 0.908352, size = 289, normalized size = 2.51

$$\sec\left(\frac{c}{2}\right) \sec^5\left(\frac{1}{2}(c + dx)\right) \left(270A \sin\left(c + \frac{dx}{2}\right) - 230A \sin\left(c + \frac{3dx}{2}\right) + 90A \sin\left(2c + \frac{3dx}{2}\right) - 64A \sin\left(2c + \frac{5dx}{2}\right) + 150A dx \cos\left(c + \frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^3, x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(150*A*d*x*Cos[(d*x)/2] + 150*A*d*x*Cos[c + (d*x)/2] + 75*A*d*x*Cos[c + (3*d*x)/2] + 75*A*d*x*Cos[2*c + (3*d*x)/2] + 15*A

$$\begin{aligned} & *d*x*\text{Cos}[2*c + (5*d*x)/2] + 15*A*d*x*\text{Cos}[3*c + (5*d*x)/2] - 370*A*\text{Sin}[(d*x)/2] + 80*B*\text{Sin}[(d*x)/2] + 30*C*\text{Sin}[(d*x)/2] + 270*A*\text{Sin}[c + (d*x)/2] - 60*B \\ & * \text{Sin}[c + (d*x)/2] - 30*C*\text{Sin}[c + (d*x)/2] - 230*A*\text{Sin}[c + (3*d*x)/2] + 40*B \\ & * \text{Sin}[c + (3*d*x)/2] + 30*C*\text{Sin}[c + (3*d*x)/2] + 90*A*\text{Sin}[2*c + (3*d*x)/2] - \\ & 30*B*\text{Sin}[2*c + (3*d*x)/2] - 64*A*\text{Sin}[2*c + (5*d*x)/2] + 14*B*\text{Sin}[2*c + (5* \\ & d*x)/2] + 6*C*\text{Sin}[2*c + (5*d*x)/2]))/(480*a^3*d) \end{aligned}$$

Maple [A] time = 0.079, size = 175, normalized size = 1.5

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] $-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*A+1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*B-1/20/d/a^3*C*\tan(1/2*d*x+1/2*c)^5+1/3/d/a^3*\tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^3*\tan(1/2*d*x+1/2*c)^3*B-7/4/d/a^3*A*\tan(1/2*d*x+1/2*c)+1/4/d/a^3*B*\tan(1/2*d*x+1/2*c)+1/4/d/a^3*C*\tan(1/2*d*x+1/2*c)+2/d/a^3*A*\arctan(\tan(1/2*d*x+1/2*c))$

Maxima [A] time = 1.43891, size = 277, normalized size = 2.41

$$\frac{A \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - \frac{B \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3} - \frac{3C \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] $-1/60*(A*((105*\sin(d*x + c))/(\cos(d*x + c) + 1) - 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3) - B*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 3*C*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$

Fricas [A] time = 0.48512, size = 375, normalized size = 3.26

$$\frac{15 A dx \cos(dx + c)^3 + 45 A dx \cos(dx + c)^2 + 45 A dx \cos(dx + c) + 15 A dx - ((32 A - 7 B - 3 C) \cos(dx + c)^2 + 3(17 A - 2 B - 3 C) \cos(dx + c) + 22 A - 2 B - 3 C) \sin(dx + c)}{15(a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] 1/15*(15*A*d*x*cos(d*x + c)^3 + 45*A*d*x*cos(d*x + c)^2 + 45*A*d*x*cos(d*x + c) + 15*A*d*x - ((32*A - 7*B - 3*C)*cos(d*x + c)^2 + 3*(17*A - 2*B - 3*C)*cos(d*x + c) + 22*A - 2*B - 3*C)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx + \int \frac{B \sec(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx + \int \frac{C \sec^2(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.30671, size = 207, normalized size = 1.8

$$\frac{60(dx+c)A}{a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 20Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 10Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{15}}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] 1/60*(60*(d*x + c)*A/a^3 - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 - 20*A*a^12*tan(1/2*d*x + 1/2*c)^3 + 10*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 105*A*a^12*tan(1/2*d*x + 1/2*c) - 15*B*a^12*tan(1/2*d*x + 1/2*c) - 15*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```

$$3.471 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=141

$$\frac{2(36A - 11B + C) \sin(c + dx)}{15a^3d} - \frac{(3A - B) \sin(c + dx)}{d(a^3 \sec(c + dx) + a^3)} - \frac{x(3A - B)}{a^3} - \frac{(9A - 4B - C) \sin(c + dx)}{15ad(a \sec(c + dx) + a)^2} - \frac{(A - B + C) \sin(c + dx)}{5d(a \sec(c + dx) + a)}$$

[Out] -(((3*A - B)*x)/a^3) + (2*(36*A - 11*B + C)*Sin[c + d*x])/(15*a^3*d) - ((A - B + C)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((9*A - 4*B - C)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((3*A - B)*Sin[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.403664, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {4084, 4020, 3787, 2637, 8}

$$\frac{2(36A - 11B + C) \sin(c + dx)}{15a^3d} - \frac{(3A - B) \sin(c + dx)}{d(a^3 \sec(c + dx) + a^3)} - \frac{x(3A - B)}{a^3} - \frac{(9A - 4B - C) \sin(c + dx)}{15ad(a \sec(c + dx) + a)^2} - \frac{(A - B + C) \sin(c + dx)}{5d(a \sec(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] -(((3*A - B)*x)/a^3) + (2*(36*A - 11*B + C)*Sin[c + d*x])/(15*a^3*d) - ((A - B + C)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((9*A - 4*B - C)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((3*A - B)*Sin[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^3} dx &= -\frac{(A - B + C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\cos(c + dx)(a(6A - B + C) - a(3A - 3B - 2C))}{(a + a \sec(c + dx))^2} dx}{5a^2} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - 4B - C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\int \frac{\cos(c + dx)(3A - 3B - 2C)}{(a + a \sec(c + dx))^2} dx}{d} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - 4B - C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(3A - 3B - 2C) \sin(c + dx)}{d(a + a \sec(c + dx))} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - 4B - C) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(3A - 3B - 2C) \sin(c + dx)}{d(a + a \sec(c + dx))} \\
 &= -\frac{(3A - B)x}{a^3} + \frac{2(36A - 11B + C) \sin(c + dx)}{15a^3d} - \frac{(A - B + C) \sin(c + dx)}{5d(a + a \sec(c + dx))}
 \end{aligned}$$

Mathematica [B] time = 1.63649, size = 419, normalized size = 2.97

$$\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left(-300dx(3A-B)\cos\left(c+\frac{dx}{2}\right)-300dx(3A-B)\cos\left(\frac{dx}{2}\right)-1125A\sin\left(c+\frac{dx}{2}\right)+1215A\sin\left(c+\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(-300*(3*A - B)*d*x*Cos[(d*x)/2] - 300*(3*A - B)*d*x*Cos[c + (d*x)/2] - 450*A*d*x*Cos[c + (3*d*x)/2] + 150*B*d*x*Cos[c + (3*d*x)/2] - 450*A*d*x*Cos[2*c + (3*d*x)/2] + 150*B*d*x*Cos[2*c + (3*d*x)/2] - 90*A*d*x*Cos[2*c + (5*d*x)/2] + 30*B*d*x*Cos[2*c + (5*d*x)/2] - 90*A*d*x*Cos[3*c + (5*d*x)/2] + 30*B*d*x*Cos[3*c + (5*d*x)/2] + 1755*A*Sin[(d*x)/2] - 740*B*Sin[(d*x)/2] + 160*C*Sin[(d*x)/2] - 1125*A*Sin[c + (d*x)/2] + 540*B*Sin[c + (d*x)/2] - 120*C*Sin[c + (d*x)/2] + 1215*A*Sin[c + (3*d*x)/2] - 460*B*Sin[c + (3*d*x)/2] + 80*C*Sin[c + (3*d*x)/2] - 225*A*Sin[2*c + (3*d*x)/2] + 180*B*Sin[2*c + (3*d*x)/2] - 60*C*Sin[2*c + (3*d*x)/2] + 363*A*Sin[2*c + (5*d*x)/2] - 128*B*Sin[2*c + (5*d*x)/2] + 28*C*Sin[2*c + (5*d*x)/2] + 75*A*Sin[3*c + (5*d*x)/2] + 15*A*Sin[3*c + (7*d*x)/2] + 15*A*Sin[4*c + (7*d*x)/2]))/(960*a^3*d)

Maple [A] time = 0.11, size = 247, normalized size = 1.8

$$\frac{A}{20da^3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{B}{20da^3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5+\frac{C}{20da^3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{A}{2da^3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{B}{3da^3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

[Out] 1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*A-1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*B+1/20/d/a^3*C*tan(1/2*d*x+1/2*c)^5-1/2/d/a^3*tan(1/2*d*x+1/2*c)^3*A+1/3/d/a^3*tan(1/2*d*x+1/2*c)^3*B-1/6/d/a^3*C*tan(1/2*d*x+1/2*c)^3+17/4/d/a^3*A*tan(1/2*d*x+1/2*c)-7/4/d/a^3*B*tan(1/2*d*x+1/2*c)+1/4/d/a^3*C*tan(1/2*d*x+1/2*c)+2/d/a^3*A*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-6/d/a^3*A*arctan(tan(1/2*d*x+1/2*c))+2/d/a^3*B*arctan(tan(1/2*d*x+1/2*c))

Maxima [B] time = 1.45872, size = 398, normalized size = 2.82

$$\frac{3A \left(\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{\cos(dx+c)+1} \right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - B \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} \right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="maxima")

[Out] 1/60*(3*A*(40*sin(d*x + c)/((a^3 + a^3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*
(cos(d*x + c) + 1)) + (85*sin(d*x + c)/(cos(d*x + c) + 1) - 10*sin(d*x + c)
)^3/(cos(d*x + c) + 1)^3 + sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 120*a
rctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^3) - B*((105*sin(d*x + c)/(cos(d*x
+ c) + 1) - 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos
(d*x + c) + 1)^5)/a^3 - 120*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^3) +
C*(15*sin(d*x + c)/(cos(d*x + c) + 1) - 10*sin(d*x + c)^3/(cos(d*x + c) + 1
)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3)/d

Fricas [A] time = 0.498218, size = 455, normalized size = 3.23

$$\frac{15(3A - B)dx \cos(dx + c)^3 + 45(3A - B)dx \cos(dx + c)^2 + 45(3A - B)dx \cos(dx + c) + 15(3A - B)dx - (15A \cos(dx + c)^3 + 45A \cos(dx + c)^2 + 45A \cos(dx + c) + 15A - 15B \cos(dx + c)^3 - 45B \cos(dx + c)^2 - 45B \cos(dx + c) - 15B)}{15(a^3d \cos(dx + c)^3 + 3a^3d \cos(dx + c)^2 + 3a^3d \cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="fricas")

[Out] -1/15*(15*(3*A - B)*d*x*cos(d*x + c)^3 + 45*(3*A - B)*d*x*cos(d*x + c)^2 +
45*(3*A - B)*d*x*cos(d*x + c) + 15*(3*A - B)*d*x - (15*A*cos(d*x + c)^3 + (
117*A - 32*B + 7*C)*cos(d*x + c)^2 + 3*(57*A - 17*B + 2*C)*cos(d*x + c) + 7
2*A - 22*B + 2*C)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c
)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)
```

[Out] Timed out

Giac [A] time = 1.22984, size = 278, normalized size = 1.97

$$\frac{60(dx+c)(3A-B)}{a^3} - \frac{120A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ca^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 30Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 20Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{a^{15}}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x,
algorithm="giac")
```

```
[Out] -1/60*(60*(d*x + c)*(3*A - B)/a^3 - 120*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 - 30*A*a^12*tan(1/2*d*x + 1/2*c)^3 + 20*B*a^12*tan(1/2*d*x + 1/2*c)^3 - 10*C*a^12*tan(1/2*d*x + 1/2*c)^3 + 255*A*a^12*tan(1/2*d*x + 1/2*c) - 105*B*a^12*tan(1/2*d*x + 1/2*c) + 15*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```


$$3.472 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=201

$$-\frac{2(76A - 36B + 11C) \sin(c + dx)}{15a^3d} + \frac{(13A - 6B + 2C) \sin(c + dx) \cos(c + dx)}{2a^3d} - \frac{(76A - 36B + 11C) \sin(c + dx) \cos(c + dx)}{15d(a^3 \sec(c + dx) + a^3)}$$

[Out] ((13*A - 6*B + 2*C)*x)/(2*a^3) - (2*(76*A - 36*B + 11*C)*Sin[c + d*x])/(15*a^3*d) + ((13*A - 6*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*d) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((11*A - 6*B + C)*Cos[c + d*x]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((76*A - 36*B + 11*C)*Cos[c + d*x]*Sin[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.517399, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 4020, 3787, 2635, 8, 2637}

$$-\frac{2(76A - 36B + 11C) \sin(c + dx)}{15a^3d} + \frac{(13A - 6B + 2C) \sin(c + dx) \cos(c + dx)}{2a^3d} - \frac{(76A - 36B + 11C) \sin(c + dx) \cos(c + dx)}{15d(a^3 \sec(c + dx) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] ((13*A - 6*B + 2*C)*x)/(2*a^3) - (2*(76*A - 36*B + 11*C)*Sin[c + d*x])/(15*a^3*d) + ((13*A - 6*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*d) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((11*A - 6*B + C)*Cos[c + d*x]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((76*A - 36*B + 11*C)*Cos[c + d*x]*Sin[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2

, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n_, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\cos^2(c+dx)(a(7A-2B+C))}{(a+a\sec(c+dx))^3} dx \\
&= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(11A-6B+C)\cos(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(11A-6B+C)\cos(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(11A-6B+C)\cos(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= -\frac{2(76A-36B+11C)\sin(c+dx)}{15a^3d} + \frac{(13A-6B+2C)\cos(c+dx)\sin(c+dx)}{2a^3d} \\
&= \frac{(13A-6B+2C)x}{2a^3} - \frac{2(76A-36B+11C)\sin(c+dx)}{15a^3d} + \frac{(13A-6B+2C)\cos(c+dx)\sin(c+dx)}{2a^3d}
\end{aligned}$$

Mathematica [B] time = 1.58546, size = 557, normalized size = 2.77

$$\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left(600dx(13A-6B+2C)\cos\left(c+\frac{dx}{2}\right)+600dx(13A-6B+2C)\cos\left(\frac{dx}{2}\right)+7560A\sin\left(c+\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]^3,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(600*(13*A - 6*B + 2*C)*d*x*Cos[(d*x)/2] + 600*(13*A - 6*B + 2*C)*d*x*Cos[c + (d*x)/2] + 3900*A*d*x*Cos[c + (3*d*x)/2] - 1800*B*d*x*Cos[c + (3*d*x)/2] + 600*C*d*x*Cos[c + (3*d*x)/2] + 3900*A*d*x*Cos[2*c + (3*d*x)/2] - 1800*B*d*x*Cos[2*c + (3*d*x)/2] + 600*C*d*x*Cos[2*c + (3*d*x)/2] + 780*A*d*x*Cos[2*c + (5*d*x)/2] - 360*B*d*x*Cos[2*c + (5*d*x)/2] + 120*C*d*x*Cos[2*c + (5*d*x)/2] + 780*A*d*x*Cos[3*c + (5*d*x)/2] - 360*B*d*x*Cos[3*c + (5*d*x)/2] + 120*C*d*x*Cos[3*c + (5*d*x)/2] - 12760*A*Sin[(d*x)/2] + 7020*B*Sin[(d*x)/2] - 2960*C*Sin[(d*x)/2] + 7560*A*Sin[c + (d*x)/2] - 4500*B*Sin[c + (d*x)/2] + 2160*C*Sin[c + (d*x)/2] - 9230*A*Sin[c + (3*d*x)/2] + 4860*B*Sin[c + (3*d*x)/2] - 1840*C*Sin[c + (3*d*x)/2] + 930*A*Sin[2*c + (3*d*x)/2] - 900*B*Sin[2*c + (3*d*x)/2] + 720*C*Sin[2*c + (3*d*x)/2] - 2782*A*Sin[2*c + (5*d*x)/2] + 1452*B*Sin[2*c + (5*d*x)/2] - 512*C*Sin[2*c + (5*d*x)/2] - 750*A*Sin[3*c + (5*d*x)/2] + 300*B*Sin[3*c + (5*d*x)/2] - 105*A*Sin[3*c + (7*d*x)/2] + 60*B*Sin[3*c + (7*d*x)/2] - 105*A*Sin[4*c + (7

$$*dx)/2] + 60*B*\sin[4*c + (7*dx)/2] + 15*A*\sin[4*c + (9*dx)/2] + 15*A*\sin[5*c + (9*dx)/2])/(3840*a^3*d)$$

Maple [A] time = 0.128, size = 369, normalized size = 1.8

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{C}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{2A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^3,x)

[Out] $-\frac{1}{20} \frac{d}{a^3} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 A + \frac{1}{20} \frac{d}{a^3} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 B - \frac{1}{20} \frac{d}{a^3} C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + \frac{2}{3} \frac{d}{a^3} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A - \frac{1}{2} \frac{d}{a^3} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 B + \frac{1}{3} \frac{d}{a^3} C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - \frac{31}{4} \frac{d}{a^3} A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{17}{4} \frac{d}{a^3} B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{7}{4} \frac{d}{a^3} C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{7}{d} \frac{d}{a^3} \frac{1}{(1+\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^2} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A + \frac{2}{d} \frac{d}{a^3} \frac{1}{(1+\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^2} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 B - \frac{5}{d} \frac{d}{a^3} \frac{1}{(1+\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^2} A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{2}{d} \frac{d}{a^3} \frac{1}{(1+\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^2} B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{13}{d} \frac{d}{a^3} A \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) - \frac{6}{d} \frac{d}{a^3} B \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) + \frac{2}{d} \frac{d}{a^3} \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) * C$

Maxima [B] time = 1.46466, size = 555, normalized size = 2.76

$$A \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} - \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{780 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - 3B \left(\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right) (\cos(dx+c)+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^3,x, algorithm="maxima")

[Out] $-\frac{1}{60} * (A * (60 * (5 * \sin(dx + c) / (\cos(dx + c) + 1) + 7 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / (a^3 + 2 * a^3 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + a^3 * \sin(dx + c)^4 / (\cos(dx + c) + 1)^4) + (465 * \sin(dx + c) / (\cos(dx + c) + 1) - 40 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 - 780 * \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^3 - 3 * B * (40 * \sin(dx + c) / ((a^3 + a^3 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2) * (\cos(dx + c) + 1))))$

$$+ c)/((a^3 + a^3 \sin(dx + c)^2 / (\cos(dx + c) + 1)^2) * (\cos(dx + c) + 1)) + (85 \sin(dx + c) / (\cos(dx + c) + 1) - 10 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 - 120 \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^3) + C * ((105 \sin(dx + c) / (\cos(dx + c) + 1) - 20 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 - 120 \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^3) / d$$

Fricas [A] time = 0.511017, size = 556, normalized size = 2.77

$$15(13A - 6B + 2C)dx \cos(dx + c)^3 + 45(13A - 6B + 2C)dx \cos(dx + c)^2 + 45(13A - 6B + 2C)dx \cos(dx + c) + 15(13A - 6B + 2C)dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^3,x, algorithm="fricas")
```

```
[Out] 1/30*(15*(13*A - 6*B + 2*C)*d*x*cos(dx + c)^3 + 45*(13*A - 6*B + 2*C)*d*x*cos(dx + c)^2 + 45*(13*A - 6*B + 2*C)*d*x*cos(dx + c) + 15*(13*A - 6*B + 2*C)*d*x + (15*A*cos(dx + c)^4 - 15*(3*A - 2*B)*cos(dx + c)^3 - (479*A - 234*B + 64*C)*cos(dx + c)^2 - 3*(239*A - 114*B + 34*C)*cos(dx + c) - 304*A + 144*B - 44*C)*sin(dx + c))/(a^3*d*cos(dx + c)^3 + 3*a^3*d*cos(dx + c)^2 + 3*a^3*d*cos(dx + c) + a^3*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)**2*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**3,x)
```

```
[Out] Timed out
```

Giac [A] time = 1.22925, size = 340, normalized size = 1.69

$$\frac{30(dx+c)(13A-6B+2C)}{a^3} - \frac{60\left(7A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 5A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^2 a^3} - \frac{3Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 3Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5}{a^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x
, algorithm="giac")

[Out] 1/60*(30*(d*x + c)*(13*A - 6*B + 2*C)/a^3 - 60*(7*A*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c)^3 + 5*A*tan(1/2*d*x + 1/2*c) - 2*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^12*tan(1/2*d*x + 1/2*c)^5 - 40*A*a^12*tan(1/2*d*x + 1/2*c)^3 + 30*B*a^12*tan(1/2*d*x + 1/2*c)^3 - 20*C*a^12*tan(1/2*d*x + 1/2*c)^3 + 465*A*a^12*tan(1/2*d*x + 1/2*c) - 255*B*a^12*tan(1/2*d*x + 1/2*c) + 105*C*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

$$3.473 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=237

$$-\frac{4(34A-19B+9C)\sin^3(c+dx)}{15a^3d} + \frac{4(34A-19B+9C)\sin(c+dx)}{5a^3d} - \frac{(23A-13B+6C)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{(23A-13B+6C)x}{2a^3} + \frac{4(34A-19B+9C)\sin(c+dx)\cos(c+dx)}{5a^3d} - \frac{(A+B+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B+3C)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(23A-13B+6C)\cos^2(c+dx)\sin(c+dx)}{3d(a^3+a^3\sec(c+dx))} - \frac{4(34A-19B+9C)\sin^3(c+dx)}{15a^3d}$$

[Out] $-\frac{(23A-13B+6C)x}{2a^3} + \frac{4(34A-19B+9C)\sin(c+dx)\cos(c+dx)}{5a^3d} - \frac{(A+B+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B+3C)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(23A-13B+6C)\cos^2(c+dx)\sin(c+dx)}{3d(a^3+a^3\sec(c+dx))} - \frac{4(34A-19B+9C)\sin^3(c+dx)}{15a^3d}$

Rubi [A] time = 0.544866, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 4020, 3787, 2633, 2635, 8}

$$-\frac{4(34A-19B+9C)\sin^3(c+dx)}{15a^3d} + \frac{4(34A-19B+9C)\sin(c+dx)}{5a^3d} - \frac{(23A-13B+6C)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{(23A-13B+6C)x}{2a^3} + \frac{4(34A-19B+9C)\sin(c+dx)\cos(c+dx)}{5a^3d} - \frac{(A+B+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B+3C)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(23A-13B+6C)\cos^2(c+dx)\sin(c+dx)}{3d(a^3+a^3\sec(c+dx))} - \frac{4(34A-19B+9C)\sin^3(c+dx)}{15a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] $-\frac{(23A-13B+6C)x}{2a^3} + \frac{4(34A-19B+9C)\sin(c+dx)\cos(c+dx)}{5a^3d} - \frac{(A+B+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B+3C)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(23A-13B+6C)\cos^2(c+dx)\sin(c+dx)}{3d(a^3+a^3\sec(c+dx))} - \frac{4(34A-19B+9C)\sin^3(c+dx)}{15a^3d}$

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*

$b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)]^n, x_Symbol] := -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{(n-1)/2}, x], x], x, \text{Cos}[c + d*x]], x] /;$ FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^n, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{n-1})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{n-2}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

$\text{Int}[a_, x_Symbol] := \text{Simp}[a*x, x] /;$ FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= \frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\cos^3(c+dx)(a(8A-3B))}{(a+a\sec(c+dx))^3} dx \\
&= \frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B+3C)\cos(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B+3C)\cos(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B+3C)\cos(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(23A-13B+6C)\cos(c+dx)\sin(c+dx)}{2a^3d} - \frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^2} \\
&= \frac{(23A-13B+6C)x}{2a^3} + \frac{4(34A-19B+9C)\sin(c+dx)}{5a^3d} - \frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^2}
\end{aligned}$$

Mathematica [B] time = 2.64782, size = 655, normalized size = 2.76

$$\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left(-600dx(23A-13B+6C)\cos\left(c+\frac{dx}{2}\right)-600dx(23A-13B+6C)\cos\left(\frac{dx}{2}\right)-11110A\sin\left(c+\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(-600*(23*A - 13*B + 6*C)*d*x*Cos[(d*x)/2] - 600*(23*A - 13*B + 6*C)*d*x*Cos[c + (d*x)/2] - 6900*A*d*x*Cos[c + (3*d*x)/2] + 3900*B*d*x*Cos[c + (3*d*x)/2] - 1800*C*d*x*Cos[c + (3*d*x)/2] - 6900*A*d*x*Cos[2*c + (3*d*x)/2] + 3900*B*d*x*Cos[2*c + (3*d*x)/2] - 1800*C*d*x*Cos[2*c + (3*d*x)/2] - 1380*A*d*x*Cos[2*c + (5*d*x)/2] + 780*B*d*x*Cos[2*c + (5*d*x)/2] - 360*C*d*x*Cos[2*c + (5*d*x)/2] - 1380*A*d*x*Cos[3*c + (5*d*x)/2] + 780*B*d*x*Cos[3*c + (5*d*x)/2] - 360*C*d*x*Cos[3*c + (5*d*x)/2] + 20410*A*Sin[(d*x)/2] - 12760*B*Sin[(d*x)/2] + 7020*C*Sin[(d*x)/2] - 11110*A*Sin[c + (d*x)/2] + 7560*B*Sin[c + (d*x)/2] - 4500*C*Sin[c + (d*x)/2] + 15380*A*Sin[c + (3*d*x)/2] - 9230*B*Sin[c + (3*d*x)/2] + 4860*C*Sin[c + (3*d*x)/2] - 380*A*Sin[2*c + (3*d*x)/2] + 930*B*Sin[2*c + (3*d*x)/2] - 900*C*Sin[2*c + (3*d*x)/2] + 4777*A*Sin[2*c + (5*d*x)/2] - 2782*B*Sin[2*c + (5*d*x)/2] + 1452*C*Sin[2*c + (5*d*x)/2] + 1625*A*Sin[3*c + (5*d*x)/2] - 750*B*Sin[3*c + (

$$\begin{aligned} & 5*d*x)/2] + 300*C*\sin[3*c + (5*d*x)/2] + 230*A*\sin[3*c + (7*d*x)/2] - 105*B \\ & *\sin[3*c + (7*d*x)/2] + 60*C*\sin[3*c + (7*d*x)/2] + 230*A*\sin[4*c + (7*d*x) \\ & /2] - 105*B*\sin[4*c + (7*d*x)/2] + 60*C*\sin[4*c + (7*d*x)/2] - 20*A*\sin[4*c \\ & + (9*d*x)/2] + 15*B*\sin[4*c + (9*d*x)/2] - 20*A*\sin[5*c + (9*d*x)/2] + 15* \\ & B*\sin[5*c + (9*d*x)/2] + 5*A*\sin[5*c + (11*d*x)/2] + 5*A*\sin[6*c + (11*d*x) \\ & /2]))/(3840*a^3*d) \end{aligned}$$

Maple [B] time = 0.122, size = 542, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^3, x)$

[Out] $\frac{1}{20}d/a^3*\tan(1/2*d*x+1/2*c)^5*A - \frac{1}{20}d/a^3*\tan(1/2*d*x+1/2*c)^5*B + \frac{1}{20}d/a^3*C*\tan(1/2*d*x+1/2*c)^5 - \frac{5}{6}d/a^3*\tan(1/2*d*x+1/2*c)^3*A + \frac{2}{3}d/a^3*\tan(1/2*d*x+1/2*c)^3*B - \frac{1}{2}d/a^3*C*\tan(1/2*d*x+1/2*c)^3 + \frac{49}{4}d/a^3*A*\tan(1/2*d*x+1/2*c) - \frac{31}{4}d/a^3*B*\tan(1/2*d*x+1/2*c) + \frac{17}{4}d/a^3*C*\tan(1/2*d*x+1/2*c) + \frac{17}{d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*A - \frac{7}{d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*B + \frac{2}{d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*C + \frac{76}{3}d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*A - \frac{12}{d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*B + \frac{4}{d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*C*\tan(1/2*d*x+1/2*c)^3 + \frac{11}{d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*A*\tan(1/2*d*x+1/2*c) - \frac{5}{d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*B*\tan(1/2*d*x+1/2*c) + \frac{2}{d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*C*\tan(1/2*d*x+1/2*c) - \frac{23}{d/a^3*A*\arctan(\tan(1/2*d*x+1/2*c)) + \frac{13}{d/a^3*B*\arctan(\tan(1/2*d*x+1/2*c)) - \frac{6}{d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*C}$

Maxima [B] time = 1.46487, size = 738, normalized size = 3.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(d*x+c)^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^3, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{60}*(A*(20*(33*\sin(d*x + c))/(\cos(d*x + c) + 1) + 76*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 51*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a^3 + 3*a^3*\sin(d*$

$$\begin{aligned} & x + c)^2/(\cos(dx + c) + 1)^2 + 3a^3\sin(dx + c)^4/(\cos(dx + c) + 1)^4 + \\ & a^3\sin(dx + c)^6/(\cos(dx + c) + 1)^6) + (735\sin(dx + c)/(\cos(dx + c) \\ & + 1) - 50\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + 3\sin(dx + c)^5/(\cos(dx \\ & + c) + 1)^5)/a^3 - 1380\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a^3) - B*(6 \\ & 0*(5\sin(dx + c)/(\cos(dx + c) + 1) + 7\sin(dx + c)^3/(\cos(dx + c) + 1)^ \\ & 3)/(a^3 + 2a^3\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + a^3\sin(dx + c)^4/(c \\ & \cos(dx + c) + 1)^4) + (465\sin(dx + c)/(\cos(dx + c) + 1) - 40\sin(dx + c \\ &)^3/(\cos(dx + c) + 1)^3 + 3\sin(dx + c)^5/(\cos(dx + c) + 1)^5)/a^3 - 780 \\ & *\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a^3) + 3C*(40\sin(dx + c)/((a^3 \\ & + a^3\sin(dx + c)^2/(\cos(dx + c) + 1)^2)*(\cos(dx + c) + 1)) + (85\sin(dx \\ & x + c)/(\cos(dx + c) + 1) - 10\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + \sin(dx \\ & x + c)^5/(\cos(dx + c) + 1)^5)/a^3 - 120*\arctan(\sin(dx + c)/(\cos(dx + c) \\ & + 1))/a^3))/d \end{aligned}$$

Fricas [A] time = 0.519655, size = 613, normalized size = 2.59

$$15(23A - 13B + 6C)dx \cos(dx + c)^3 + 45(23A - 13B + 6C)dx \cos(dx + c)^2 + 45(23A - 13B + 6C)dx \cos(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)^3*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^3,x
, algorithm="fricas")
```

```
[Out] -1/30*(15*(23*A - 13*B + 6*C)*d*x*cos(dx + c)^3 + 45*(23*A - 13*B + 6*C)*d
*x*cos(dx + c)^2 + 45*(23*A - 13*B + 6*C)*d*x*cos(dx + c) + 15*(23*A - 13
*B + 6*C)*d*x - (10*A*cos(dx + c)^5 - 15*(A - B)*cos(dx + c)^4 + 5*(19*A
- 9*B + 6*C)*cos(dx + c)^3 + (869*A - 479*B + 234*C)*cos(dx + c)^2 + 3*(4
29*A - 239*B + 114*C)*cos(dx + c) + 544*A - 304*B + 144*C)*sin(dx + c))/(
a^3*d*cos(dx + c)^3 + 3*a^3*d*cos(dx + c)^2 + 3*a^3*d*cos(dx + c) + a^3*
d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)**3*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**
3,x)
```

[Out] Timed out

Giac [A] time = 1.19437, size = 432, normalized size = 1.82

$$\frac{30(dx+c)(23A-13B+6C)}{a^3} - \frac{20\left(51A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 21B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 76A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 36B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x
, algorithm="giac")

[Out]
$$\frac{-1/60*(30*(d*x + c)*(23*A - 13*B + 6*C)/a^3 - 20*(51*A*\tan(1/2*d*x + 1/2*c)^5 - 21*B*\tan(1/2*d*x + 1/2*c)^5 + 6*C*\tan(1/2*d*x + 1/2*c)^5 + 76*A*\tan(1/2*d*x + 1/2*c)^3 - 36*B*\tan(1/2*d*x + 1/2*c)^3 + 12*C*\tan(1/2*d*x + 1/2*c)^3 + 33*A*\tan(1/2*d*x + 1/2*c) - 15*B*\tan(1/2*d*x + 1/2*c) + 6*C*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^3) - (3*A*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^{12}*\tan(1/2*d*x + 1/2*c)^5 + 3*C*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 50*A*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 40*B*a^{12}*\tan(1/2*d*x + 1/2*c)^3 - 30*C*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 735*A*a^{12}*\tan(1/2*d*x + 1/2*c) - 465*B*a^{12}*\tan(1/2*d*x + 1/2*c) + 255*C*a^{12}*\tan(1/2*d*x + 1/2*c))/a^{15}}{d}$$

$$3.474 \quad \int \frac{\sec^5(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=254

$$\frac{8(20A - 83B + 216C) \tan(c + dx)}{105a^4d} + \frac{(2A - 8B + 21C) \tanh^{-1}(\sin(c + dx))}{2a^4d} - \frac{(10A - 52B + 129C) \tan(c + dx) \sec^3(c + dx)}{105a^4d(\sec(c + dx) + 1)^2}$$

[Out] $((2*A - 8*B + 21*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*a^4*d) - (8*(20*A - 83*B + 216*C)*\text{Tan}[c + d*x])/(105*a^4*d) + ((2*A - 8*B + 21*C)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a^4*d) - ((10*A - 52*B + 129*C)*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(105*a^4*d*(1 + \text{Sec}[c + d*x])^2) - (4*(20*A - 83*B + 216*C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(105*a^4*d*(1 + \text{Sec}[c + d*x])) - ((A - B + C)*\text{Sec}[c + d*x]^5*\text{Tan}[c + d*x])/(7*d*(a + a*\text{Sec}[c + d*x])^4) + ((B - 2*C)*\text{Sec}[c + d*x]^4*\text{Tan}[c + d*x])/(5*a*d*(a + a*\text{Sec}[c + d*x])^3)$

Rubi [A] time = 0.689982, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4084, 4019, 3787, 3767, 8, 3768, 3770}

$$\frac{8(20A - 83B + 216C) \tan(c + dx)}{105a^4d} + \frac{(2A - 8B + 21C) \tanh^{-1}(\sin(c + dx))}{2a^4d} - \frac{(10A - 52B + 129C) \tan(c + dx) \sec^3(c + dx)}{105a^4d(\sec(c + dx) + 1)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^5*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x])^4, x]$

[Out] $((2*A - 8*B + 21*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*a^4*d) - (8*(20*A - 83*B + 216*C)*\text{Tan}[c + d*x])/(105*a^4*d) + ((2*A - 8*B + 21*C)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a^4*d) - ((10*A - 52*B + 129*C)*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(105*a^4*d*(1 + \text{Sec}[c + d*x])^2) - (4*(20*A - 83*B + 216*C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(105*a^4*d*(1 + \text{Sec}[c + d*x])) - ((A - B + C)*\text{Sec}[c + d*x]^5*\text{Tan}[c + d*x])/(7*d*(a + a*\text{Sec}[c + d*x])^4) + ((B - 2*C)*\text{Sec}[c + d*x]^4*\text{Tan}[c + d*x])/(5*a*d*(a + a*\text{Sec}[c + d*x])^3)$

Rule 4084

$\text{Int}(((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol) := -\text{Simp}(((a*A - b*B + a*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(a*f*(2*m + 1)), x) - \text{Dist}[1/(a*b*(2*m + 1)),$

Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^n, x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^5(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A-B+C)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \int \frac{\sec^5(c+dx)(a(2A+5B)}{(a+a\sec(c+dx))^4} dx \\
&= -\frac{(A-B+C)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(B-2C)\sec^4(c+dx)}{5ad(a+a\sec(c+dx))^3} \\
&= -\frac{(10A-52B+129C)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sec^4(c+dx)}{7ad(a+a\sec(c+dx))^3} \\
&= -\frac{(10A-52B+129C)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sec^4(c+dx)}{7ad(a+a\sec(c+dx))^3} \\
&= -\frac{(10A-52B+129C)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sec^4(c+dx)}{7ad(a+a\sec(c+dx))^3} \\
&= \frac{(2A-8B+21C)\sec(c+dx)\tan(c+dx)}{2a^4d} - \frac{(10A-52B+129C)\sec^3(c+dx)\tan(c+dx)}{105a^4d} \\
&= \frac{(2A-8B+21C)\tanh^{-1}(\sin(c+dx))}{2a^4d} - \frac{8(20A-83B+216C)\sec^3(c+dx)\tan(c+dx)}{105a^4d}
\end{aligned}$$

Mathematica [B] time = 6.47611, size = 1322, normalized size = 5.2

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^5*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]

[Out] (-16*(2*A - 8*B + 21*C)*Cos[c/2 + (d*x)/2]^8*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^4 + (16*(2*A - 8*B + 21*C)*Cos[c/2 + (d*x)/2]^8*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^4 - (4*Cos[c/2 + (d*x)/2]^2*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(A*SIN[c/2] - B*SIN[c/2] + C*SIN[c/2]))/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^4 - (8*Cos[c/2 + (d*x)/2]^4*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(10*

$$\begin{aligned}
& A*\sin[c/2] - 17*B*\sin[c/2] + 24*C*\sin[c/2]))/(35*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^4) - (16*\cos[c/2 + (d*x)/2]^6*\sec[c/2]*\sec[c + d*x]^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(55*A*\sin[c/2] - 139*B*\sin[c/2] + 258*C*\sin[c/2]))/(105*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^4) - (4*\cos[c/2 + (d*x)/2]*\sec[c/2]*\sec[c + d*x]^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(7*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^4) - (8*\cos[c/2 + (d*x)/2]^3*\sec[c/2]*\sec[c + d*x]^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(10*A*\sin[(d*x)/2] - 17*B*\sin[(d*x)/2] + 24*C*\sin[(d*x)/2]))/(35*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^4) - (16*\cos[c/2 + (d*x)/2]^5*\sec[c/2]*\sec[c + d*x]^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(55*A*\sin[(d*x)/2] - 139*B*\sin[(d*x)/2] + 258*C*\sin[(d*x)/2]))/(105*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^4) - (32*\cos[c/2 + (d*x)/2]^7*\sec[c/2]*\sec[c + d*x]^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(160*A*\sin[(d*x)/2] - 559*B*\sin[(d*x)/2] + 1308*C*\sin[(d*x)/2]))/(105*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^4) + (16*C*\cos[c/2 + (d*x)/2]^8*\sec[c]*\sec[c + d*x]^4*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sin[d*x])/(d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^4) + (16*\cos[c/2 + (d*x)/2]^8*\sec[c]*\sec[c + d*x]^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(C*\sin[c] + 2*B*\sin[d*x] - 8*C*\sin[d*x]))/(d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^4)
\end{aligned}$$

Maple [B] time = 0.086, size = 493, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^5*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)`

[Out]
$$\begin{aligned}
& -1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*B-1/56/d/a^4*C*\tan(1/2*d*x+1/2*c)^7-1/8/d/a^4*\tan(1/2*d*x+1/2*c)^5*A+7/40/d/a^4*\tan(1/2*d*x+1/2*c)^5*B-9/40/d/a^4*C*\tan(1/2*d*x+1/2*c)^5-11/24/d/a^4*A*\tan(1/2*d*x+1/2*c)^3+23/24/d/a^4*B*\tan(1/2*d*x+1/2*c)^3-13/8/d/a^4*C*\tan(1/2*d*x+1/2*c)^3-15/8/d/a^4*A*\tan(1/2*d*x+1/2*c)+49/8/d/a^4*B*\tan(1/2*d*x+1/2*c)-111/8/d/a^4*C*\tan(1/2*d*x+1/2*c)+9/2/d/a^4*C/(tan(1/2*d*x+1/2*c)+1)-1/d/a^4/(tan(1/2*d*x+1/2*c)+1)*B+1/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*A-4/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*B+21/2/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*C-1/2/d/a^4*C/(tan(1/2*d*x+1/2*c)+1)^2+9/2/d/a^4*C/(tan(1/2*d*x+1/2*c)-1)-1/d/a^4/(tan(1/2*d*x+1/2*c)-1)*B-1/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*A+4/d/a^4*ln(tan(1/2*d*x+1/2*c)
\end{aligned}$$

$-1) * B - 21/2/d/a^4 * \ln(\tan(1/2*d*x+1/2*c)-1) * C + 1/2/d/a^4 * C / (\tan(1/2*d*x+1/2*c) - 1)^2$

Maxima [B] time = 1.00343, size = 751, normalized size = 2.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/840*(3*C*(280*(7*\sin(d*x + c)/(\cos(d*x + c) + 1) - 9*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^4 - 2*a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^4*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (3885*\sin(d*x + c)/(\cos(d*x + c) + 1) \\ & + 455*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 63*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 2940*\log(\sin(d*x + c) \\ &)/(\cos(d*x + c) + 1) + 1/a^4 + 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4 - B*(1680*\sin(d*x + c)/((a^4 - a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) + (5145*\sin(d*x + c)/(\cos(d*x + c) + 1) + 805*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 147*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 3360*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 3360*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4) \\ & + 5*A*((315*\sin(d*x + c)/(\cos(d*x + c) + 1) + 77*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 3*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 168*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 168*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4))/d \end{aligned}$$

Fricas [A] time = 0.547221, size = 1062, normalized size = 4.18

$105 \left((2A - 8B + 21C) \cos(dx + c)^6 + 4(2A - 8B + 21C) \cos(dx + c)^5 + 6(2A - 8B + 21C) \cos(dx + c)^4 + 4(2A - \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$1/420*(105*((2*A - 8*B + 21*C)*\cos(d*x + c)^6 + 4*(2*A - 8*B + 21*C)*\cos(d*x + c)^5 + 6*(2*A - 8*B + 21*C)*\cos(d*x + c)^4 + 4*(2*A - 8*B + 21*C)*\cos(d$$

$$\begin{aligned} & *x + c)^3 + (2*A - 8*B + 21*C)*\cos(d*x + c)^2*\log(\sin(d*x + c) + 1) - 105* \\ & ((2*A - 8*B + 21*C)*\cos(d*x + c)^6 + 4*(2*A - 8*B + 21*C)*\cos(d*x + c)^5 + \\ & 6*(2*A - 8*B + 21*C)*\cos(d*x + c)^4 + 4*(2*A - 8*B + 21*C)*\cos(d*x + c)^3 + \\ & (2*A - 8*B + 21*C)*\cos(d*x + c)^2*\log(-\sin(d*x + c) + 1) - 2*(16*(20*A - \\ & 83*B + 216*C)*\cos(d*x + c)^5 + (1070*A - 4472*B + 11619*C)*\cos(d*x + c)^4 + \\ & 4*(310*A - 1318*B + 3411*C)*\cos(d*x + c)^3 + 4*(130*A - 592*B + 1509*C)*\cos \\ & (d*x + c)^2 - 210*(B - 2*C)*\cos(d*x + c) - 105*C*\sin(d*x + c))/(a^4*d*\cos \\ & (d*x + c)^6 + 4*a^4*d*\cos(d*x + c)^5 + 6*a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos \\ & (d*x + c)^3 + a^4*d*\cos(d*x + c)^2) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^5(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{B \sec^6(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{C \sec^7(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**5*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A*sec(c + d*x)**5/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**6/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**7/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.32497, size = 458, normalized size = 1.8

$$\frac{420(2A-8B+21C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^4} - \frac{420(2A-8B+21C)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^4} - \frac{840\left(2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-9C\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] 1/840*(420*(2*A - 8*B + 21*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1)))/a^4 - 420*(2*A - 8*B + 21*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 - 840*(2*B*tan(1/2*d*x + 1/2*c)^3 - 9*C*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c)^2 - 1)^2/a^4

$$\begin{aligned}
& 2*d*x + 1/2*c)^3 - 9*C*\tan(1/2*d*x + 1/2*c)^3 - 2*B*\tan(1/2*d*x + 1/2*c) + \\
& 7*C*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^4) - (15*A*a^24 \\
& * \tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*\tan(1/2*d*x + 1/2*c)^7 + 15*C*a^24*\tan(\\
& 1/2*d*x + 1/2*c)^7 + 105*A*a^24*\tan(1/2*d*x + 1/2*c)^5 - 147*B*a^24*\tan(1/2 \\
& *d*x + 1/2*c)^5 + 189*C*a^24*\tan(1/2*d*x + 1/2*c)^5 + 385*A*a^24*\tan(1/2*d* \\
& x + 1/2*c)^3 - 805*B*a^24*\tan(1/2*d*x + 1/2*c)^3 + 1365*C*a^24*\tan(1/2*d*x \\
& + 1/2*c)^3 + 1575*A*a^24*\tan(1/2*d*x + 1/2*c) - 5145*B*a^24*\tan(1/2*d*x + 1 \\
& /2*c) + 11655*C*a^24*\tan(1/2*d*x + 1/2*c))/a^28)/d
\end{aligned}$$

$$3.475 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=204

$$\frac{(6A - 55B + 244C) \tan(c + dx)}{105a^4d} + \frac{(3A + 25B - 88C) \tan(c + dx) \sec^2(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{(B - 4C) \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(B - 4C) \tanh^{-1}(\sin(c + dx))}{a^4d(\sec(c + dx) + 1)}$$

[Out] ((B - 4*C)*ArcTanh[Sin[c + d*x]])/(a^4*d) + ((6*A - 55*B + 244*C)*Tan[c + d*x])/(105*a^4*d) + ((3*A + 25*B - 88*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - ((B - 4*C)*Tan[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((2*A + 5*B - 12*C)*Sec[c + d*x]^3*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.629072, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4084, 4019, 4008, 3787, 3770, 3767, 8}

$$\frac{(6A - 55B + 244C) \tan(c + dx)}{105a^4d} + \frac{(3A + 25B - 88C) \tan(c + dx) \sec^2(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{(B - 4C) \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(B - 4C) \tanh^{-1}(\sin(c + dx))}{a^4d(\sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]

[Out] ((B - 4*C)*ArcTanh[Sin[c + d*x]])/(a^4*d) + ((6*A - 55*B + 244*C)*Tan[c + d*x])/(105*a^4*d) + ((3*A + 25*B - 88*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - ((B - 4*C)*Tan[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((2*A + 5*B - 12*C)*Sec[c + d*x]^3*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x]]^m, x]

$f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 4019

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(B_.) + (A_.)), x_Symbol] \text{:>} \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0]$

Rule 4008

$\text{Int}[\text{csc}[e_.] + (f_.)*(x_.)]^2*(\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(B_.) + (A_.)), x_Symbol] \text{:>} -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m]/(b*f*(2*m + 1)), x] + \text{Dist}[1/(b^2*(2*m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*\text{Simp}[A*b*m - a*B*m + b*B*(2*m + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 3787

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.)), x_Symbol] \text{:>} \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{:>} -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \text{:>} -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x\} \&\& \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{:>} \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \int \frac{\sec^4(c+dx)(a(3A+4B-)}{(a+a\sec(c+dx))^4} dx \\
&= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(2A+5B-12C)\sec^4(c+dx)}{35ad(a+a\sec(c+dx))^4} \\
&= \frac{(3A+25B-88C)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sec^4(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= \frac{(3A+25B-88C)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sec^4(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= \frac{(3A+25B-88C)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sec^4(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= \frac{(B-4C)\tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{(3A+25B-88C)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} \\
&= \frac{(B-4C)\tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{(6A-55B+244C)\tan(c+dx)}{105a^4d}
\end{aligned}$$

Mathematica [B] time = 6.39385, size = 1208, normalized size = 5.92

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (32*(-B + 4*C)*Cos[c/2 + (d*x)/2]^8*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^4 - (32*(-B + 4*C)*Cos[c/2 + (d*x)/2]^8*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^4 + (4*Cos[c/2 + (d*x)/2]^2*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(A*Sin[c/2] - B*Sin[c/2] + C*Sin[c/2]))/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^4 + (8*Cos[c/2 + (d*x)/2]^4*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(3*A*Sin[c/2] - 10*B*Sin[c/2]))/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^4

$$\begin{aligned} & \sin\left[\frac{c}{2}\right] + 17C\sin\left[\frac{c}{2}\right]) / (35d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) \cdot (a + a\sec[c + dx])^4) + (16\cos\left[\frac{c}{2} + \frac{dx}{2}\right]^6 \sec\left[\frac{c}{2}\right] \sec[c + dx]^2 (A + B\sec[c + dx] + C\sec[c + dx]^2) \cdot (6A\sin\left[\frac{c}{2}\right] - 55B\sin\left[\frac{c}{2}\right] + 139C\sin\left[\frac{c}{2}\right])) / (105d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) \cdot (a + a\sec[c + dx])^4) + (4\cos\left[\frac{c}{2} + \frac{dx}{2}\right] \sec\left[\frac{c}{2}\right] \sec[c + dx]^2 (A + B\sec[c + dx] + C\sec[c + dx]^2) \cdot (A\sin\left[\frac{dx}{2}\right] - B\sin\left[\frac{dx}{2}\right] + C\sin\left[\frac{dx}{2}\right])) / (7d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) \cdot (a + a\sec[c + dx])^4) + (8\cos\left[\frac{c}{2} + \frac{dx}{2}\right]^3 \sec\left[\frac{c}{2}\right] \sec[c + dx]^2 (A + B\sec[c + dx] + C\sec[c + dx]^2) \cdot (3A\sin\left[\frac{dx}{2}\right] - 10B\sin\left[\frac{dx}{2}\right] + 17C\sin\left[\frac{dx}{2}\right])) / (35d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) \cdot (a + a\sec[c + dx])^4) + (16\cos\left[\frac{c}{2} + \frac{dx}{2}\right]^5 \sec\left[\frac{c}{2}\right] \sec[c + dx]^2 (A + B\sec[c + dx] + C\sec[c + dx]^2) \cdot (6A\sin\left[\frac{dx}{2}\right] - 55B\sin\left[\frac{dx}{2}\right] + 139C\sin\left[\frac{dx}{2}\right])) / (105d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) \cdot (a + a\sec[c + dx])^4) + (32\cos\left[\frac{c}{2} + \frac{dx}{2}\right]^7 \sec\left[\frac{c}{2}\right] \sec[c + dx]^2 (A + B\sec[c + dx] + C\sec[c + dx]^2) \cdot (6A\sin\left[\frac{dx}{2}\right] - 160B\sin\left[\frac{dx}{2}\right] + 559C\sin\left[\frac{dx}{2}\right])) / (105d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) \cdot (a + a\sec[c + dx])^4) + (32C\cos\left[\frac{c}{2} + \frac{dx}{2}\right]^8 \sec[c] \sec[c + dx]^3 (A + B\sec[c + dx] + C\sec[c + dx]^2) \sin[dx]) / (d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) \cdot (a + a\sec[c + dx])^4) \end{aligned}$$

Maple [A] time = 0.076, size = 363, normalized size = 1.8

$$\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{B}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{C}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{3A}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(dx+c)^4*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^4,x)

[Out] 1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A-1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*B+1/56/d/a^4*C*tan(1/2*d*x+1/2*c)^7+3/40/d/a^4*tan(1/2*d*x+1/2*c)^5*A-1/8/d/a^4*tan(1/2*d*x+1/2*c)^5*B+7/40/d/a^4*C*tan(1/2*d*x+1/2*c)^5+1/8/d/a^4*A*tan(1/2*d*x+1/2*c)^3-11/24/d/a^4*B*tan(1/2*d*x+1/2*c)^3+23/24/d/a^4*C*tan(1/2*d*x+1/2*c)^3+1/8/d/a^4*A*tan(1/2*d*x+1/2*c)-15/8/d/a^4*B*tan(1/2*d*x+1/2*c)+49/8/d/a^4*C*tan(1/2*d*x+1/2*c)+1/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*B-4/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/a^4*C/(tan(1/2*d*x+1/2*c)+1)-1/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*B+4/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*C-1/d/a^4*C/(tan(1/2*d*x+1/2*c)-1)

Maxima [B] time = 0.994374, size = 555, normalized size = 2.72

$$C \left(\frac{1680 \sin(dx+c)}{\left(a^4 - \frac{a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} + \frac{805 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{147 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x
, algorithm="maxima")

[Out] 1/840*(C*(1680*sin(d*x + c)/((a^4 - a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (5145*sin(d*x + c)/(cos(d*x + c) + 1) + 805*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 147*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 3360*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^4 + 3360*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^4 - 5*B*((315*sin(d*x + c)/(cos(d*x + c) + 1) + 77*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 3*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 168*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^4 + 168*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^4 + 3*A*(35*sin(d*x + c)/(cos(d*x + c) + 1) + 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 5*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4)/d

Fricas [A] time = 0.530904, size = 872, normalized size = 4.27

$$105 \left((B - 4C) \cos(dx + c)^5 + 4(B - 4C) \cos(dx + c)^4 + 6(B - 4C) \cos(dx + c)^3 + 4(B - 4C) \cos(dx + c)^2 + (B - 4C) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x
, algorithm="fricas")

[Out] 1/210*(105*((B - 4*C)*cos(d*x + c)^5 + 4*(B - 4*C)*cos(d*x + c)^4 + 6*(B - 4*C)*cos(d*x + c)^3 + 4*(B - 4*C)*cos(d*x + c)^2 + (B - 4*C)*cos(d*x + c))*log(sin(d*x + c) + 1) - 105*((B - 4*C)*cos(d*x + c)^5 + 4*(B - 4*C)*cos(d*x + c)^4 + 6*(B - 4*C)*cos(d*x + c)^3 + 4*(B - 4*C)*cos(d*x + c)^2 + (B - 4*C)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(2*(3*A - 80*B + 332*C)*cos(d*x + c)^4 + (24*A - 535*B + 2236*C)*cos(d*x + c)^3 + (39*A - 620*B + 2636*C)*cos(d*x + c)^2 + 4*(9*A - 65*B + 296*C)*cos(d*x + c) + 105*C)*sin(d*x + c))

$$/(a^4 d \cos(dx + c)^5 + 4a^4 d \cos(dx + c)^4 + 6a^4 d \cos(dx + c)^3 + 4a^4 d \cos(dx + c)^2 + a^4 d \cos(dx + c))$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec^4(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{B \sec^5(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{C}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**4,x)

[Out] (Integral(A*sec(c + dx)**4/(sec(c + dx)**4 + 4*sec(c + dx)**3 + 6*sec(c + dx)**2 + 4*sec(c + dx) + 1), x) + Integral(B*sec(c + dx)**5/(sec(c + dx)**4 + 4*sec(c + dx)**3 + 6*sec(c + dx)**2 + 4*sec(c + dx) + 1), x) + Integral(C*sec(c + dx)**6/(sec(c + dx)**4 + 4*sec(c + dx)**3 + 6*sec(c + dx)**2 + 4*sec(c + dx) + 1), x))/a**4

Giac [A] time = 1.36198, size = 385, normalized size = 1.89

$$\frac{840(B-4C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^4} - \frac{840(B-4C) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^4} - \frac{1680 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) a^4} + \frac{15 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 15 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 105 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 147 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 105 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 385 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 805 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 105 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1575 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 5145 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^{28}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^4,x, algorithm="giac")

[Out] 1/840*(840*(B - 4*C)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 840*(B - 4*C)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 - 1680*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^4) + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 15*C*a^24*tan(1/2*d*x + 1/2*c)^3 - 105*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 147*C*a^24*tan(1/2*d*x + 1/2*c)^5 + 105*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 385*B*a^24*tan(1/2*d*x + 1/2*c)^3 + 805*C*a^24*tan(1/2*d*x + 1/2*c)^3 + 105*A*a^24*tan(1/2*d*x + 1/2*c) - 1575*B*a^24*tan(1/2*d*x + 1/2*c) + 5145*C*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

$$3.476 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=173

$$\frac{(16A + 12B - 215C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)} - \frac{(8A + 6B - 55C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{C \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(A - B + C) \tan(c + dx) \sec(c + dx)}{7d(a \sec(c + dx) + 1)}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^4*d) - ((8*A + 6*B - 55*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + ((16*A + 12*B - 215*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((4*A + 3*B - 10*C)*Sec[c + d*x]^2*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.496624, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 4019, 4008, 3998, 3770, 3794}

$$\frac{(16A + 12B - 215C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)} - \frac{(8A + 6B - 55C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{C \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(A - B + C) \tan(c + dx) \sec(c + dx)}{7d(a \sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(a^4*d) - ((8*A + 6*B - 55*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + ((16*A + 12*B - 215*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((4*A + 3*B - 10*C)*Sec[c + d*x]^2*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2

, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\sec^3(c+dx)(a(4A+3B-10C))}{(a+a\sec(c+dx))^4} dx}{7a} \\
&= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(4A+3B-10C)\sec^3(c+dx)\tan(c+dx)}{35ad(a+a\sec(c+dx))^4} \\
&= -\frac{(8A+6B-55C)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= -\frac{(8A+6B-55C)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{a^4d} - \frac{(8A+6B-55C)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4}
\end{aligned}$$

Mathematica [A] time = 2.81439, size = 335, normalized size = 1.94

$$\frac{(A \cos^2(c+dx) + B \cos(c+dx) + C) \left(6720C \cos^8\left(\frac{1}{2}(c+dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) \right) \right)}{7a^4d(1+\sec(c+dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] -((C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*(6720*C*Cos[(c + d*x)/2]^8*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) - Cos[(c + d*x)/2]*Sec[c/2]*(70*(2*A + 3*B - 49*C)*Sin[(d*x)/2] - 70*(2*A - 31*C)*Sin[c + (d*x)/2] + 168*A*Sin[c + (3*d*x)/2] + 126*B*Sin[c + (3*d*x)/2] - 2625*C*Sin[c + (3*d*x)/2] + 735*C*Sin[2*c + (3*d*x)/2] + 56*A*Sin[2*c + (5*d*x)/2] + 42*B*Sin[2*c + (5*d*x)/2] - 1015*C*Sin[2*c + (5*d*x)/2] + 105*C*Sin[3*c + (5*d*x)/2] + 8*A*Sin[3*c + (7*d*x)/2] + 6*B*Sin[3*c + (7*d*x)/2] - 160*C*Sin[3*c + (7*d*x)/2]))/(210*a^4*d*(1 + Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.077, size = 277, normalized size = 1.6

$$\frac{A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{C}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) + \frac{3B}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{A}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^4,x)$

[Out] $\frac{1}{24}d/a^4A*\tan(1/2*d*x+1/2*c)^3+1/8/d/a^4B*\tan(1/2*d*x+1/2*c)^3+1/d/a^4*\ln(\tan(1/2*d*x+1/2*c)+1)*C+3/40/d/a^4*\tan(1/2*d*x+1/2*c)^5*B-1/40/d/a^4*\tan(1/2*d*x+1/2*c)^5*A-1/8/d/a^4*C*\tan(1/2*d*x+1/2*c)^5-15/8/d/a^4*C*\tan(1/2*d*x+1/2*c)-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*B-1/d/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)*C+1/8/d/a^4A*\tan(1/2*d*x+1/2*c)+1/8/d/a^4B*\tan(1/2*d*x+1/2*c)-11/24/d/a^4C*\tan(1/2*d*x+1/2*c)^3-1/56/d/a^4C*\tan(1/2*d*x+1/2*c)^7$

Maxima [A] time = 0.991262, size = 423, normalized size = 2.45

$$5C \left(\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} + \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right) - \frac{A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^4,x, \text{algorithm}="maxima")$

[Out] $-\frac{1}{840}*(5*C*((\frac{315*\sin(dx+c)}{\cos(dx+c)+1} + 77*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 21*\sin(dx+c)^5/(\cos(dx+c)+1)^5 + 3*\sin(dx+c)^7/(\cos(dx+c)+1)^7)/a^4 - 168*\log(\sin(dx+c)/(\cos(dx+c)+1)+1)/a^4 + 168*\log(\sin(dx+c)/(\cos(dx+c)+1)-1)/a^4 - A*(\frac{105*\sin(dx+c)}{\cos(dx+c)+1} + 35*\sin(dx+c)^3/(\cos(dx+c)+1)^3 - 21*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 15*\sin(dx+c)^7/(\cos(dx+c)+1)^7)/a^4 - 3*B*(\frac{35*\sin(dx+c)}{\cos(dx+c)+1} + 35*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 21*\sin(dx+c)^5/(\cos(dx+c)+1)^5 + 5*\sin(dx+c)^7/(\cos(dx+c)+1)^7)/a^4)/d$

Fricas [A] time = 0.537018, size = 660, normalized size = 3.82

$$105 \left(C \cos(dx+c)^4 + 4C \cos(dx+c)^3 + 6C \cos(dx+c)^2 + 4C \cos(dx+c) + C \right) \log(\sin(dx+c)+1) - 105 \left(C \cos(dx+c)^4 + 4C \cos(dx+c)^3 + 6C \cos(dx+c)^2 + 4C \cos(dx+c) + C \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] $\frac{1}{210} \cdot (105 \cdot (C \cdot \cos(dx + c))^4 + 4 \cdot C \cdot \cos(dx + c)^3 + 6 \cdot C \cdot \cos(dx + c)^2 + 4 \cdot C \cdot \cos(dx + c) + C) \cdot \log(\sin(dx + c) + 1) - 105 \cdot (C \cdot \cos(dx + c))^4 + 4 \cdot C \cdot \cos(dx + c)^3 + 6 \cdot C \cdot \cos(dx + c)^2 + 4 \cdot C \cdot \cos(dx + c) + C) \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (2 \cdot (4 \cdot A + 3 \cdot B - 80 \cdot C) \cdot \cos(dx + c)^3 + (32 \cdot A + 24 \cdot B - 535 \cdot C) \cdot \cos(dx + c)^2 + (52 \cdot A + 39 \cdot B - 620 \cdot C) \cdot \cos(dx + c) + 13 \cdot A + 36 \cdot B - 260 \cdot C) \cdot \sin(dx + c)) / (a^4 \cdot d \cdot \cos(dx + c)^4 + 4 \cdot a^4 \cdot d \cdot \cos(dx + c)^3 + 6 \cdot a^4 \cdot d \cdot \cos(dx + c)^2 + 4 \cdot a^4 \cdot d \cdot \cos(dx + c) + a^4 \cdot d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec^3(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{B \sec^4(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{C \sec^5(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A*sec(c + d*x)**3/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**4/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**5/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.23529, size = 335, normalized size = 1.94

$$\frac{840 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^4} - \frac{840 C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^4} - \frac{15 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 15 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 21 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^6 - 21 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^6 + 21 C a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^6}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")

```
[Out] 1/840*(840*C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 840*C*log(abs(tan(1/2
*d*x + 1/2*c) - 1))/a^4 - (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan
(1/2*d*x + 1/2*c)^7 + 15*C*a^24*tan(1/2*d*x + 1/2*c)^7 + 21*A*a^24*tan(1/2*
d*x + 1/2*c)^5 - 63*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 105*C*a^24*tan(1/2*d*x
+ 1/2*c)^5 - 35*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 105*B*a^24*tan(1/2*d*x + 1/
2*c)^3 + 385*C*a^24*tan(1/2*d*x + 1/2*c)^3 - 105*A*a^24*tan(1/2*d*x + 1/2*c
) - 105*B*a^24*tan(1/2*d*x + 1/2*c) + 1575*C*a^24*tan(1/2*d*x + 1/2*c))/a^2
8)/d
```

$$3.477 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=148

$$\frac{(8A + 13B + 36C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)} + \frac{(23A - 2B - 54C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{(A - B + C) \tan(c + dx) \sec^2(c + dx)}{7d(a \sec(c + dx) + a)^4} - \frac{(6A + B - 8C) \tan(c + dx)}{35ad(a \sec(c + dx) + a)^3}$$

[Out] ((23*A - 2*B - 54*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + ((8*A + 13*B + 36*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((6*A + B - 8*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.406298, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4084, 4008, 4000, 3794}

$$\frac{(8A + 13B + 36C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)} + \frac{(23A - 2B - 54C) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{(A - B + C) \tan(c + dx) \sec^2(c + dx)}{7d(a \sec(c + dx) + a)^4} - \frac{(6A + B - 8C) \tan(c + dx)}{35ad(a \sec(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]

[Out] ((23*A - 2*B - 54*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + ((8*A + 13*B + 36*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((6*A + B - 8*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4008


```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(
csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4000

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[((A*b - a*B)*Cot[e +
f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m +
1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]
/; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &
& NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}
, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{\sec^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^4} dx = -\frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{\int \frac{\sec^2(c + dx)(a(5A + 2B) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^4} dx}{7d(a + a \sec(c + dx))^4}$$

$$= -\frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(6A + B - 8C) \tan(c + dx)}{35ad(a + a \sec(c + dx))^4}$$

$$= \frac{(23A - 2B - 54C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4}$$

$$= \frac{(23A - 2B - 54C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B + C) \sec^2(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4}$$

Mathematica [A] time = 0.683712, size = 200, normalized size = 1.35

$$\sec\left(\frac{c}{2}\right) \sec^7\left(\frac{1}{2}(c + dx)\right) \left(-35(5A + 4B) \sin\left(c + \frac{dx}{2}\right) + 70(4A + 2B + 3C) \sin\left(\frac{dx}{2}\right) + 168A \sin\left(c + \frac{3dx}{2}\right) - 105A \sin\left(2c + dx\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(70*(4*A + 2*B + 3*C)*Sin[(d*x)/2] - 35*(5*A + 4*B)*Sin[c + (d*x)/2] + 168*A*Sin[c + (3*d*x)/2] + 168*B*Sin[c + (3*d*x)/2] + 126*C*Sin[c + (3*d*x)/2] - 105*A*Sin[2*c + (3*d*x)/2] + 91*A*Sin[2*c + (5*d*x)/2] + 56*B*Sin[2*c + (5*d*x)/2] + 42*C*Sin[2*c + (5*d*x)/2] + 13*A*Sin[3*c + (7*d*x)/2] + 8*B*Sin[3*c + (7*d*x)/2] + 6*C*Sin[3*c + (7*d*x)/2]))/(6720*a^4*d)

Maple [A] time = 0.075, size = 106, normalized size = 0.7

$$\frac{1}{8da^4} \left(\frac{A-B+C}{7} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{-A+3C-B}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{-A+B+3C}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)

[Out] 1/8/d/a^4*(1/7*(A-B+C)*tan(1/2*d*x+1/2*c)^7+1/5*(-A+3*C-B)*tan(1/2*d*x+1/2*c)^5+1/3*(-A+B+3*C)*tan(1/2*d*x+1/2*c)^3+A*tan(1/2*d*x+1/2*c)+B*tan(1/2*d*x+1/2*c)+C*tan(1/2*d*x+1/2*c))

Maxima [A] time = 0.986233, size = 350, normalized size = 2.36

$$\frac{B \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{3C \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(B*(105*sin(d*x + c)/(cos(d*x + c) + 1) + 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 + A*(105*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 + 3*C*(35*sin(d*x + c)/(cos(d*x + c) + 1) + 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3))

$$+ c) + 1) + 35 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 21 \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 + 5 \sin(dx + c)^7 / (\cos(dx + c) + 1)^7 / a^4 / d$$

Fricas [A] time = 0.472272, size = 343, normalized size = 2.32

$$\frac{((13A + 8B + 6C) \cos(dx + c)^3 + 4(13A + 8B + 6C) \cos(dx + c)^2 + (32A + 52B + 39C) \cos(dx + c) + 8A + 13B) \sin(dx + c)^5 + 5 \sin(dx + c)^7 / (\cos(dx + c) + 1)^7}{105(a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + 6a^4 d \cos(dx + c)^2 + 4a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^4,x, algorithm="fricas")

[Out] 1/105*((13*A + 8*B + 6*C)*cos(dx + c)^3 + 4*(13*A + 8*B + 6*C)*cos(dx + c)^2 + (32*A + 52*B + 39*C)*cos(dx + c) + 8*A + 13*B + 36*C)*sin(dx + c)/(a^4*d*cos(dx + c)^4 + 4*a^4*d*cos(dx + c)^3 + 6*a^4*d*cos(dx + c)^2 + 4*a^4*d*cos(dx + c) + a^4*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec^2(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{B \sec^3(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{C \sec^4(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**4,x)

[Out] (Integral(A*sec(c + dx)**2/(sec(c + dx)**4 + 4*sec(c + dx)**3 + 6*sec(c + dx)**2 + 4*sec(c + dx) + 1), x) + Integral(B*sec(c + dx)**3/(sec(c + dx)**4 + 4*sec(c + dx)**3 + 6*sec(c + dx)**2 + 4*sec(c + dx) + 1), x) + Integral(C*sec(c + dx)**4/(sec(c + dx)**4 + 4*sec(c + dx)**3 + 6*sec(c + dx)**2 + 4*sec(c + dx) + 1), x))/a**4

Giac [A] time = 1.21144, size = 231, normalized size = 1.56

$$15A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 15C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 21A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 21B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x  
, algorithm="giac")
```

```
[Out] 1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 - 15*B*tan(1/2*d*x + 1/2*c)^7 + 15*C*tan  
(1/2*d*x + 1/2*c)^7 - 21*A*tan(1/2*d*x + 1/2*c)^5 - 21*B*tan(1/2*d*x + 1/2*  
c)^5 + 63*C*tan(1/2*d*x + 1/2*c)^5 - 35*A*tan(1/2*d*x + 1/2*c)^3 + 35*B*tan  
(1/2*d*x + 1/2*c)^3 + 105*C*tan(1/2*d*x + 1/2*c)^3 + 105*A*tan(1/2*d*x + 1/  
2*c) + 105*B*tan(1/2*d*x + 1/2*c) + 105*C*tan(1/2*d*x + 1/2*c))/(a^4*d)
```

$$3.478 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx$$

Optimal. Leaf size=154

$$\frac{(6A+8B+13C)\tan(c+dx)}{105d(a^4\sec(c+dx)+a^4)} + \frac{(6A+8B+13C)\tan(c+dx)}{105d(a^2\sec(c+dx)+a^2)^2} + \frac{(8A-B-6C)\tan(c+dx)}{35ad(a\sec(c+dx)+a)^3} - \frac{(A-B+C)\tan(c+dx)}{7d(a\sec(c+dx))}$$

[Out] -((A - B + C)*Sec[c + d*x]*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((8 *A - B - 6*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3) + ((6*A + 8*B + 13*C)*Tan[c + d*x])/(105*d*(a^2 + a^2*Sec[c + d*x])^2) + ((6*A + 8*B + 13*C)*Tan[c + d*x])/(105*d*(a^4 + a^4*Sec[c + d*x]))

Rubi [A] time = 0.260498, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {4078, 4000, 3796, 3794}

$$\frac{(6A+8B+13C)\tan(c+dx)}{105d(a^4\sec(c+dx)+a^4)} + \frac{(6A+8B+13C)\tan(c+dx)}{105d(a^2\sec(c+dx)+a^2)^2} + \frac{(8A-B-6C)\tan(c+dx)}{35ad(a\sec(c+dx)+a)^3} - \frac{(A-B+C)\tan(c+dx)}{7d(a\sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]

[Out] -((A - B + C)*Sec[c + d*x]*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((8 *A - B - 6*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3) + ((6*A + 8*B + 13*C)*Tan[c + d*x])/(105*d*(a^2 + a^2*Sec[c + d*x])^2) + ((6*A + 8*B + 13*C)*Tan[c + d*x])/(105*d*(a^4 + a^4*Sec[c + d*x]))

Rule 4078

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*Csc[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*B - b*C - 2*A*b*(m + 1) - (b*B*(m + 2) - a*(A*(m + 2) - C*(m - 1)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 4000

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[((A*b - a*B)*Cot[e +
f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m +
1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]
/; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &
& NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]

```

Rule 3796

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] := Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x]
+ Dist[(m + 1)/(a*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1
), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
&& IntegerQ[2*m]

```

Rule 3794

```

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbo
l] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}
, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\sec(c+dx)(a(6A+B-C)-a}{(a+a\sec(c+dx))^4} dx}{7d} \\
&= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(8A-B-6C)\tan(c+dx)}{35ad(a+a\sec(c+dx))^4} \\
&= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(8A-B-6C)\tan(c+dx)}{35ad(a+a\sec(c+dx))^4} \\
&= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(8A-B-6C)\tan(c+dx)}{35ad(a+a\sec(c+dx))^4}
\end{aligned}$$

Mathematica [A] time = 0.762154, size = 231, normalized size = 1.5

$$\sec\left(\frac{c}{2}\right)\sec^7\left(\frac{1}{2}(c+dx)\right)\left(-35(18A+5B+4C)\sin\left(c+\frac{dx}{2}\right)+70(9A+4B+2C)\sin\left(\frac{dx}{2}\right)+441A\sin\left(c+\frac{3dx}{2}\right)-315A\sin\left(c+\frac{5dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(70*(9*A + 4*B + 2*C)*Sin[(d*x)/2] - 35*(18*A + 5*B + 4*C)*Sin[c + (d*x)/2] + 441*A*Sin[c + (3*d*x)/2] + 168*B*Sin[c + (3*d*x)/2] + 168*C*Sin[c + (3*d*x)/2] - 315*A*Sin[2*c + (3*d*x)/2] - 105*B*Sin[2*c + (3*d*x)/2] + 147*A*Sin[2*c + (5*d*x)/2] + 91*B*Sin[2*c + (5*d*x)/2] + 56*C*Sin[2*c + (5*d*x)/2] - 105*A*Sin[3*c + (5*d*x)/2] + 36*A*Sin[3*c + (7*d*x)/2] + 13*B*Sin[3*c + (7*d*x)/2] + 8*C*Sin[3*c + (7*d*x)/2]))/(6720*a^4*d)

Maple [A] time = 0.078, size = 108, normalized size = 0.7

$$\frac{1}{8da^4} \left(\frac{-A+B-C}{7} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{3A-C-B}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{-3A-B+C}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)

[Out] 1/8/d/a^4*(1/7*(-A+B-C)*tan(1/2*d*x+1/2*c)^7+1/5*(3*A-C-B)*tan(1/2*d*x+1/2*c)^5+1/3*(-3*A-B+C)*tan(1/2*d*x+1/2*c)^3+A*tan(1/2*d*x+1/2*c)+B*tan(1/2*d*x+1/2*c)+C*tan(1/2*d*x+1/2*c))

Maxima [A] time = 0.989747, size = 350, normalized size = 2.27

$$\frac{C \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{B \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{3A \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(C*(105*sin(d*x + c)/(cos(d*x + c) + 1) + 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 + B*(105*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 + 3A*(35*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/840d)

$5*\sin(dx + c)^7/(\cos(dx + c) + 1)^7/a^4 + 3*A*(35*\sin(dx + c)/(\cos(dx + c) + 1) - 35*\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + 21*\sin(dx + c)^5/(\cos(dx + c) + 1)^5 - 5*\sin(dx + c)^7/(\cos(dx + c) + 1)^7)/a^4)/d$

Fricas [A] time = 0.473608, size = 343, normalized size = 2.23

$$\frac{((36A + 13B + 8C)\cos(dx + c)^3 + (39A + 52B + 32C)\cos(dx + c)^2 + 4(6A + 8B + 13C)\cos(dx + c) + 6A + 8B + 13C)\sin(dx + c)}{105(a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + 6a^4d\cos(dx + c)^2 + 4a^4d\cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^4,x, algorithm="fricas")

[Out] 1/105*((36*A + 13*B + 8*C)*cos(dx + c)^3 + (39*A + 52*B + 32*C)*cos(dx + c)^2 + 4*(6*A + 8*B + 13*C)*cos(dx + c) + 6*A + 8*B + 13*C)*sin(dx + c)/(a^4*d*cos(dx + c)^4 + 4*a^4*d*cos(dx + c)^3 + 6*a^4*d*cos(dx + c)^2 + 4*a^4*d*cos(dx + c) + a^4*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{B \sec^2(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{C}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**4,x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**2/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**3/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.2063, size = 231, normalized size = 1.5

$$\frac{15 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 15 C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 63 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 21 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x,
algorithm="giac")

[Out] -1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 - 15*B*tan(1/2*d*x + 1/2*c)^7 + 15*C*tan(1/2*d*x + 1/2*c)^7 - 63*A*tan(1/2*d*x + 1/2*c)^5 + 21*B*tan(1/2*d*x + 1/2*c)^5 + 21*C*tan(1/2*d*x + 1/2*c)^5 + 105*A*tan(1/2*d*x + 1/2*c)^3 + 35*B*tan(1/2*d*x + 1/2*c)^3 - 35*C*tan(1/2*d*x + 1/2*c)^3 - 105*A*tan(1/2*d*x + 1/2*c) - 105*B*tan(1/2*d*x + 1/2*c) - 105*C*tan(1/2*d*x + 1/2*c))/(a^4*d)

$$3.479 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=148

$$-\frac{2(80A-3B-4C)\tan(c+dx)}{105a^4d(\sec(c+dx)+1)} - \frac{(55A-6B-8C)\tan(c+dx)}{105a^4d(\sec(c+dx)+1)^2} + \frac{Ax}{a^4} - \frac{(10A-3B-4C)\tan(c+dx)}{35ad(a\sec(c+dx)+a)^3} - \frac{(A-B+C)\tan(c+dx)}{7d(a\sec(c+dx)+a)}$$

[Out] (A*x)/a^4 - ((55*A - 6*B - 8*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (2*(80*A - 3*B - 4*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((10*A - 3*B - 4*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.283938, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4052, 3922, 3919, 3794}

$$-\frac{2(80A-3B-4C)\tan(c+dx)}{105a^4d(\sec(c+dx)+1)} - \frac{(55A-6B-8C)\tan(c+dx)}{105a^4d(\sec(c+dx)+1)^2} + \frac{Ax}{a^4} - \frac{(10A-3B-4C)\tan(c+dx)}{35ad(a\sec(c+dx)+a)^3} - \frac{(A-B+C)\tan(c+dx)}{7d(a\sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^4, x]

[Out] (A*x)/a^4 - ((55*A - 6*B - 8*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (2*(80*A - 3*B - 4*C)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((10*A - 3*B - 4*C)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

```
x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^4} dx &= -\frac{(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{\int \frac{-7aA + a(3A - 3B - 4C) \sec(c + dx)}{(a + a \sec(c + dx))^3} dx}{7a^2} \\ &= -\frac{(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(10A - 3B - 4C) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{\int \frac{35a^2A - 2a^2(10A - 3B - 4C) \sec(c + dx)}{(a + a \sec(c + dx))^2} dx}{35ad} \\ &= -\frac{(55A - 6B - 8C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(10A - 3B - 4C) \tan(c + dx)}{35ad(a + a \sec(c + dx))} \\ &= \frac{Ax}{a^4} - \frac{(55A - 6B - 8C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(10A - 3B - 4C) \tan(c + dx)}{35ad} \\ &= \frac{Ax}{a^4} - \frac{(55A - 6B - 8C) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(10A - 3B - 4C) \tan(c + dx)}{35ad} \end{aligned}$$

Mathematica [B] time = 1.36193, size = 405, normalized size = 2.74

$$\sec\left(\frac{c}{2}\right) \sec^7\left(\frac{1}{2}(c + dx)\right) \left(8260A \sin\left(c + \frac{dx}{2}\right) - 7140A \sin\left(c + \frac{3dx}{2}\right) + 3780A \sin\left(2c + \frac{3dx}{2}\right) - 2800A \sin\left(2c + \frac{5dx}{2}\right) + 800A \sin\left(2c + \frac{7dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^4,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(3675*A*d*x*Cos[(d*x)/2] + 3675*A*d*x*Cos[c + (d*x)/2] + 2205*A*d*x*Cos[c + (3*d*x)/2] + 2205*A*d*x*Cos[2*c + (3*d*x)/2] + 735*A*d*x*Cos[2*c + (5*d*x)/2] + 735*A*d*x*Cos[3*c + (5*d*x)/2] + 105*A*d*x*Cos[3*c + (7*d*x)/2] + 105*A*d*x*Cos[4*c + (7*d*x)/2] - 9940*A*Sin[(d*x)/2] + 1260*B*Sin[(d*x)/2] + 560*C*Sin[(d*x)/2] + 8260*A*Sin[c + (d*x)/2] - 1260*B*Sin[c + (d*x)/2] - 350*C*Sin[c + (d*x)/2] - 7140*A*Sin[c + (3*d*x)/2] + 882*B*Sin[c + (3*d*x)/2] + 336*C*Sin[c + (3*d*x)/2] + 3780*A*Sin[2*c + (3*d*x)/2] - 630*B*Sin[2*c + (3*d*x)/2] - 210*C*Sin[2*c + (3*d*x)/2] - 2800*A*Sin[2*c + (5*d*x)/2] + 294*B*Sin[2*c + (5*d*x)/2] + 182*C*Sin[2*c + (5*d*x)/2] + 840*A*Sin[3*c + (5*d*x)/2] - 210*B*Sin[3*c + (5*d*x)/2] - 520*A*Sin[3*c + (7*d*x)/2] + 72*B*Sin[3*c + (7*d*x)/2] + 26*C*Sin[3*c + (7*d*x)/2])/((13440*a^4*d)

Maple [A] time = 0.085, size = 255, normalized size = 1.7

$$\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{B}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{C}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{A}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{3B}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)

[Out] 1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A-1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*B+1/56/d/a^4*C*tan(1/2*d*x+1/2*c)^7-1/8/d/a^4*tan(1/2*d*x+1/2*c)^5*A+3/40/d/a^4*tan(1/2*d*x+1/2*c)^5*B-1/40/d/a^4*C*tan(1/2*d*x+1/2*c)^5+11/24/d/a^4*A*tan(1/2*d*x+1/2*c)^3-1/8/d/a^4*B*tan(1/2*d*x+1/2*c)^3-1/24/d/a^4*C*tan(1/2*d*x+1/2*c)^3-15/8/d/a^4*A*tan(1/2*d*x+1/2*c)+1/8/d/a^4*B*tan(1/2*d*x+1/2*c)+1/8/d/a^4*C*tan(1/2*d*x+1/2*c)+2/d/a^4*A*arctan(tan(1/2*d*x+1/2*c))

Maxima [B] time = 1.45776, size = 386, normalized size = 2.61

$$5A \left(\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} - \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{336 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - \frac{C \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}$$

840d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out]
$$-1/840*(5*A*((315*\sin(d*x + c)/(\cos(d*x + c) + 1) - 77*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 3*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 336*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^4 - C*(105*\sin(d*x + c)/(\cos(d*x + c) + 1) - 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 - 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 3*B*(35*\sin(d*x + c)/(\cos(d*x + c) + 1) - 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4)/d$$

Fricas [A] time = 0.49751, size = 512, normalized size = 3.46

$$\frac{105 A dx \cos(dx + c)^4 + 420 A dx \cos(dx + c)^3 + 630 A dx \cos(dx + c)^2 + 420 A dx \cos(dx + c) + 105 A dx - ((260 A - 36 B - 13 C) \cos(dx + c)^3 + (620 A - 39 B - 52 C) \cos(dx + c)^2 + (535 A - 24 B - 32 C) \cos(dx + c) + 160 A - 6 B - 8 C) \sin(dx + c)}{105 (a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$1/105*(105*A*d*x*\cos(d*x + c)^4 + 420*A*d*x*\cos(d*x + c)^3 + 630*A*d*x*\cos(d*x + c)^2 + 420*A*d*x*\cos(d*x + c) + 105*A*d*x - ((260*A - 36*B - 13*C)*\cos(d*x + c)^3 + (620*A - 39*B - 52*C)*\cos(d*x + c)^2 + (535*A - 24*B - 32*C)*\cos(d*x + c) + 160*A - 6*B - 8*C)*\sin(d*x + c))/(a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3 + 6*a^4*d*\cos(d*x + c)^2 + 4*a^4*d*\cos(d*x + c) + a^4*d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{B \sec(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{C}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)

```
[Out] (Integral(A/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4
```

Giac [A] time = 1.17882, size = 297, normalized size = 2.01

$$\frac{840(dx+c)A}{a^4} + \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 15Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 + 15Ca^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 105Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 + 63Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 21Ca^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5}{a^{28}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")
```

```
[Out] 1/840*(840*(d*x + c)*A/a^4 + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 + 15*C*a^24*tan(1/2*d*x + 1/2*c)^7 - 105*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 63*B*a^24*tan(1/2*d*x + 1/2*c)^5 - 21*C*a^24*tan(1/2*d*x + 1/2*c)^5 + 385*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 105*B*a^24*tan(1/2*d*x + 1/2*c)^3 - 35*C*a^24*tan(1/2*d*x + 1/2*c)^3 - 1575*A*a^24*tan(1/2*d*x + 1/2*c) + 105*B*a^24*tan(1/2*d*x + 1/2*c) + 105*C*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d
```

$$3.480 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=176

$$\frac{2(332A - 80B + 3C) \sin(c + dx)}{105a^4d} - \frac{(88A - 25B - 3C) \sin(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{(4A - B) \sin(c + dx)}{a^4d(\sec(c + dx) + 1)} - \frac{x(4A - B)}{a^4} - \frac{(12A - 5B - 2C) \sin(c + dx)}{35ad(a \sec(c + dx) + 1)}$$

[Out] -(((4*A - B)*x)/a^4) + (2*(332*A - 80*B + 3*C)*Sin[c + d*x])/(105*a^4*d) - ((88*A - 25*B - 3*C)*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - ((4*A - B)*Sin[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((12*A - 5*B - 2*C)*Sin[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.559175, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {4084, 4020, 3787, 2637, 8}

$$\frac{2(332A - 80B + 3C) \sin(c + dx)}{105a^4d} - \frac{(88A - 25B - 3C) \sin(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{(4A - B) \sin(c + dx)}{a^4d(\sec(c + dx) + 1)} - \frac{x(4A - B)}{a^4} - \frac{(12A - 5B - 2C) \sin(c + dx)}{35ad(a \sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]

[Out] -(((4*A - B)*x)/a^4) + (2*(332*A - 80*B + 3*C)*Sin[c + d*x])/(105*a^4*d) - ((88*A - 25*B - 3*C)*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - ((4*A - B)*Sin[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((12*A - 5*B - 2*C)*Sin[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A-B+C)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\cos(c+dx)(a(8A-B+C)-a(4A-4B-3C))}{(a+a\sec(c+dx))^3}}{7a^2} \\
&= -\frac{(A-B+C)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{(12A-5B-2C)\sin(c+dx)}{35ad(a+a\sec(c+dx))^3} + \dots \\
&= -\frac{(88A-25B-3C)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \dots \\
&= -\frac{(88A-25B-3C)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \dots \\
&= -\frac{(88A-25B-3C)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \dots \\
&= -\frac{(4A-B)x}{a^4} + \frac{2(332A-80B+3C)\sin(c+dx)}{105a^4d} - \frac{(88A-25B-3C)\sin(c+dx)}{105a^4d}
\end{aligned}$$

Mathematica [B] time = 1.92801, size = 567, normalized size = 3.22

$$\sec\left(\frac{c}{2}\right)\sec^7\left(\frac{1}{2}(c+dx)\right)\left(-7350dx(4A-B)\cos\left(c+\frac{dx}{2}\right)-7350dx(4A-B)\cos\left(\frac{dx}{2}\right)-46130A\sin\left(c+\frac{dx}{2}\right)+46116A\sin\left(\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(-7350*(4*A - B)*d*x*Cos[(d*x)/2] - 7350*(4*A - B)*d*x*Cos[c + (d*x)/2] - 17640*A*d*x*Cos[c + (3*d*x)/2] + 4410*B*d*x*Cos[c + (3*d*x)/2] - 17640*A*d*x*Cos[2*c + (3*d*x)/2] + 4410*B*d*x*Cos[2*c + (3*d*x)/2] - 5880*A*d*x*Cos[2*c + (5*d*x)/2] + 1470*B*d*x*Cos[2*c + (5*d*x)/2] - 5880*A*d*x*Cos[3*c + (5*d*x)/2] + 1470*B*d*x*Cos[3*c + (5*d*x)/2] - 840*A*d*x*Cos[3*c + (7*d*x)/2] + 210*B*d*x*Cos[3*c + (7*d*x)/2] - 840*A*d*x*Cos[4*c + (7*d*x)/2] + 210*B*d*x*Cos[4*c + (7*d*x)/2] + 60830*A*Sin[(d*x)/2] - 19880*B*Sin[(d*x)/2] + 2520*C*Sin[(d*x)/2] - 46130*A*Sin[c + (d*x)/2] + 16520*B*Sin[c + (d*x)/2] - 2520*C*Sin[c + (d*x)/2] + 46116*A*Sin[c + (3*d*x)/2] - 14280*B*Sin[c + (3*d*x)/2] + 1764*C*Sin[c + (3*d*x)/2] - 18060*A*Sin[2*c + (3*d*x)/2] + 7560*B*Sin[2*c + (3*d*x)/2] - 1260*C*Sin[2*c + (3*d*x)/2] + 19292*A*Sin[2*c + (5*d*x)/2] - 5600*B*Sin[2*c + (5*d*x)/2] + 588*C*Sin[2*c + (5*d*x)/2] - 2100*A*Sin[3*c + (5*d*x)/2] + 1680*B*Sin[3*c + (5*d*x)/2] - 420*C*Sin[3*c + (5*d*x)/2] + 3791*A*Sin[3*c + (7*d*x)/2] - 1040*B*Sin[

$$3*c + (7*d*x)/2] + 144*C*\sin[3*c + (7*d*x)/2] + 735*A*\sin[4*c + (7*d*x)/2] + 105*A*\sin[4*c + (9*d*x)/2] + 105*A*\sin[5*c + (9*d*x)/2]))/(26880*a^4*d)$$

Maple [A] time = 0.122, size = 307, normalized size = 1.7

$$-\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{B}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{C}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{7A}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)`

[Out] $-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*B-1/56/d/a^4*C*\tan(1/2*d*x+1/2*c)^7+7/40/d/a^4*\tan(1/2*d*x+1/2*c)^5*A-1/8/d/a^4*\tan(1/2*d*x+1/2*c)^5*B+3/40/d/a^4*C*\tan(1/2*d*x+1/2*c)^5-23/24/d/a^4*A*\tan(1/2*d*x+1/2*c)^3+11/24/d/a^4*B*\tan(1/2*d*x+1/2*c)^3-1/8/d/a^4*C*\tan(1/2*d*x+1/2*c)^3+49/8/d/a^4*A*\tan(1/2*d*x+1/2*c)-15/8/d/a^4*B*\tan(1/2*d*x+1/2*c)+1/8/d/a^4*C*\tan(1/2*d*x+1/2*c)+2/d/a^4*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-8/d/a^4*A*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*B$

Maxima [B] time = 1.46788, size = 481, normalized size = 2.73

$$A \left(\frac{1680 \sin(dx+c)}{\left(a^4 + \frac{a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} - \frac{805 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{147 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{6720 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - 5B \left(\frac{315 \sin(dx+c)}{\cos(dx+c)+1} \right)$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")`

[Out] $1/840*(A*(1680*\sin(d*x + c)/((a^4 + a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2))*(\cos(d*x + c) + 1)) + (5145*\sin(d*x + c)/(\cos(d*x + c) + 1) - 805*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 147*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 6720*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^4) - 5*B*((315*\sin(d*x + c)/(\cos(d*x + c) + 1) - 77*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 3*s$

$\frac{\sin(dx+c)^7/(\cos(dx+c)+1)^7/a^4 - 336\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^4 + 3C(35\sin(dx+c)/(\cos(dx+c)+1) - 35\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 21\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 5\sin(dx+c)^7/(\cos(dx+c)+1)^7)/a^4}{d}$

Fricas [A] time = 0.512233, size = 608, normalized size = 3.45

$\frac{105(4A-B)dx \cos(dx+c)^4 + 420(4A-B)dx \cos(dx+c)^3 + 630(4A-B)dx \cos(dx+c)^2 + 420(4A-B)dx \cos(dx+c)}{105}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^4,x, algorithm="fricas")`

[Out]
$$\frac{-1/105*(105*(4A-B)*d*x*\cos(dx+c)^4 + 420*(4A-B)*d*x*\cos(dx+c)^3 + 630*(4A-B)*d*x*\cos(dx+c)^2 + 420*(4A-B)*d*x*\cos(dx+c) + 105*(4A-B)*d*x - (105*A*\cos(dx+c)^4 + 4*(296*A - 65*B + 9*C)*\cos(dx+c)^3 + (2636*A - 620*B + 39*C)*\cos(dx+c)^2 + (2236*A - 535*B + 24*C)*\cos(dx+c) + 664*A - 160*B + 6*C)*\sin(dx+c))/(a^4*d*\cos(dx+c)^4 + 4*a^4*d*\cos(dx+c)^3 + 6*a^4*d*\cos(dx+c)^2 + 4*a^4*d*\cos(dx+c) + a^4*d)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**4,x)`

[Out] Timed out

Giac [A] time = 1.16047, size = 346, normalized size = 1.97

$$\frac{840(dx+c)(4A-B)}{a^4} - \frac{1680A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^4} + \frac{15Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 15Ca^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 147Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x,
algorithm="giac")
```

```
[Out] -1/840*(840*(d*x + c)*(4*A - B)/a^4 - 1680*A*tan(1/2*d*x + 1/2*c)/((tan(1/2
*d*x + 1/2*c)^2 + 1)*a^4) + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*t
an(1/2*d*x + 1/2*c)^7 + 15*C*a^24*tan(1/2*d*x + 1/2*c)^7 - 147*A*a^24*tan(1
/2*d*x + 1/2*c)^5 + 105*B*a^24*tan(1/2*d*x + 1/2*c)^5 - 63*C*a^24*tan(1/2*d
*x + 1/2*c)^5 + 805*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 385*B*a^24*tan(1/2*d*x
+ 1/2*c)^3 + 105*C*a^24*tan(1/2*d*x + 1/2*c)^3 - 5145*A*a^24*tan(1/2*d*x +
1/2*c) + 1575*B*a^24*tan(1/2*d*x + 1/2*c) - 105*C*a^24*tan(1/2*d*x + 1/2*c)
)/a^28)/d
```

$$3.481 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=239

$$-\frac{8(216A - 83B + 20C) \sin(c + dx)}{105a^4d} + \frac{(21A - 8B + 2C) \sin(c + dx) \cos(c + dx)}{2a^4d} - \frac{4(216A - 83B + 20C) \sin(c + dx) \cos(c + dx)}{105a^4d(\sec(c + dx) + 1)}$$

[Out] ((21*A - 8*B + 2*C)*x)/(2*a^4) - (8*(216*A - 83*B + 20*C)*Sin[c + d*x])/(105*a^4*d) + ((21*A - 8*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*d) - ((129*A - 52*B + 10*C)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (4*(216*A - 83*B + 20*C)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((2*A - B)*Cos[c + d*x]*Sin[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.698801, antiderivative size = 239, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 4020, 3787, 2635, 8, 2637}

$$-\frac{8(216A - 83B + 20C) \sin(c + dx)}{105a^4d} + \frac{(21A - 8B + 2C) \sin(c + dx) \cos(c + dx)}{2a^4d} - \frac{4(216A - 83B + 20C) \sin(c + dx) \cos(c + dx)}{105a^4d(\sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]

[Out] ((21*A - 8*B + 2*C)*x)/(2*a^4) - (8*(216*A - 83*B + 20*C)*Sin[c + d*x])/(105*a^4*d) + ((21*A - 8*B + 2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*d) - ((129*A - 52*B + 10*C)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (4*(216*A - 83*B + 20*C)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((2*A - B)*Cos[c + d*x]*Sin[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

```
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n, x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\cos^2(c+dx)(a(9A-2B+C))}{(a+a\sec(c+dx))^4} dx}{7d(a+a\sec(c+dx))^4} \\
&= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{(2A-B)\cos(c+dx)\sin(c+dx)}{5ad(a+a\sec(c+dx))^4} \\
&= -\frac{(129A-52B+10C)\cos(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= -\frac{(129A-52B+10C)\cos(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= -\frac{(129A-52B+10C)\cos(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= -\frac{8(216A-83B+20C)\sin(c+dx)}{105a^4d} + \frac{(21A-8B+2C)\cos(c+dx)}{2a^4} \\
&= \frac{(21A-8B+2C)x}{2a^4} - \frac{8(216A-83B+20C)\sin(c+dx)}{105a^4d} + \frac{(21A-8B+2C)\cos(c+dx)}{2a^4}
\end{aligned}$$

Mathematica [A] time = 5.25318, size = 345, normalized size = 1.44

$$4 \cos\left(\frac{1}{2}(c+dx)\right) \left(A \cos^2(c+dx) + B \cos(c+dx) + C\right) \left(210 \cos^7\left(\frac{1}{2}(c+dx)\right) (4(B-4A)\sin(c+dx) + 2dx(21A-8B+C))\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (4*Cos[(c + d*x)/2]*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*(15*(A - B + C)*Sec[c/2]*Sin[(d*x)/2] - 6*(39*A - 32*B + 25*C)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + 4*(447*A - 286*B + 160*C)*Cos[(c + d*x)/2]^4*Sec[c/2]*Sin[(d*x)/2] - 8*(1653*A - 764*B + 260*C)*Cos[(c + d*x)/2]^6*Sec[c/2]*Sin[(d*x)/2] + 210*Cos[(c + d*x)/2]^7*(2*(21*A - 8*B + 2*C)*d*x + 4*(-4*A + B)*Sin[c + d*x] + A*Sin[2*(c + d*x)])) + 15*(A - B + C)*Cos[(c + d*x)/2]*Tan[c/2] - 6*(39*A - 32*B + 25*C)*Cos[(c + d*x)/2]^3*Tan[c/2] + 4*(447*A - 286*B + 160*C)*Cos[(c + d*x)/2]^5*Tan[c/2))/(105*a^4*d*(1 + Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.128, size = 429, normalized size = 1.8

$$\frac{A}{56 da^4} \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)^7 - \frac{B}{56 da^4} \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)^7 + \frac{C}{56 da^4} \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)^7 - \frac{9A}{40 da^4} \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)^5 + \frac{7B}{40 da^4} \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)`

[Out] $\frac{1}{56} \frac{d}{a^4} \tan^7 \left(\frac{1}{2} d x + \frac{1}{2} c \right) A - \frac{1}{56} \frac{d}{a^4} \tan^7 \left(\frac{1}{2} d x + \frac{1}{2} c \right) B + \frac{1}{56} \frac{d}{a^4} C \tan^7 \left(\frac{1}{2} d x + \frac{1}{2} c \right) - \frac{9}{40} \frac{d}{a^4} \tan^5 \left(\frac{1}{2} d x + \frac{1}{2} c \right) A + \frac{7}{40} \frac{d}{a^4} \tan^5 \left(\frac{1}{2} d x + \frac{1}{2} c \right) B - \frac{1}{8} \frac{d}{a^4} C \tan^5 \left(\frac{1}{2} d x + \frac{1}{2} c \right) + \frac{13}{8} \frac{d}{a^4} A \tan^3 \left(\frac{1}{2} d x + \frac{1}{2} c \right) - \frac{23}{24} \frac{d}{a^4} B \tan^3 \left(\frac{1}{2} d x + \frac{1}{2} c \right) + \frac{11}{24} \frac{d}{a^4} C \tan^3 \left(\frac{1}{2} d x + \frac{1}{2} c \right) - \frac{111}{8} \frac{d}{a^4} A \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) + \frac{49}{8} \frac{d}{a^4} B \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) - \frac{15}{8} \frac{d}{a^4} C \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) - \frac{9}{d a^4} \frac{1}{(1 + \tan^2 \left(\frac{1}{2} d x + \frac{1}{2} c \right))} \tan^2 \left(\frac{1}{2} d x + \frac{1}{2} c \right) \left(3 A + \frac{2}{d a^4} \frac{1}{(1 + \tan^2 \left(\frac{1}{2} d x + \frac{1}{2} c \right))} \tan^2 \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right) \left(3 B - \frac{7}{d a^4} \frac{1}{(1 + \tan^2 \left(\frac{1}{2} d x + \frac{1}{2} c \right))} \tan^2 \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right) \left(2 A \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) + \frac{2}{d a^4} \frac{1}{(1 + \tan^2 \left(\frac{1}{2} d x + \frac{1}{2} c \right))} \tan^2 \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right) \left(2 B \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) + \frac{21}{d a^4} A \arctan \left(\tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right) - \frac{8}{d a^4} \arctan \left(\tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right) \right) \left(B + \frac{2}{d a^4} \arctan \left(\tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right) \right) C$

Maxima [B] time = 1.47432, size = 640, normalized size = 2.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")`

[Out] $-\frac{1}{840} \left(3 A \left(\frac{280 (7 \sin(d x + c))}{(\cos(d x + c) + 1)} + 9 \sin(d x + c)^3 / (\cos(d x + c) + 1)^3 \right) / (a^4 + 2 a^4 \sin(d x + c)^2 / (\cos(d x + c) + 1)^2 + a^4 \sin(d x + c)^4 / (\cos(d x + c) + 1)^4) + \frac{3885 \sin(d x + c)}{(\cos(d x + c) + 1)} - 455 \sin(d x + c)^3 / (\cos(d x + c) + 1)^3 + \frac{63 \sin(d x + c)^5}{(\cos(d x + c) + 1)^5} - \frac{5 \sin(d x + c)^7}{(\cos(d x + c) + 1)^7} \right) / a^4 - \frac{5880 \arctan(\sin(d x + c) / (\cos(d x + c) + 1))}{a^4} - \frac{B \left(\frac{1680 \sin(d x + c)}{(a^4 + a^4 \sin(d x + c)^2 / (\cos(d x + c) + 1)^2) (\cos(d x + c) + 1)} + \frac{5145 \sin(d x + c)}{(\cos(d x + c) + 1)} - 805 \sin(d x + c)^3 / (\cos(d x + c) + 1)^3 + \frac{147 \sin(d x + c)^5}{(\cos(d x + c) + 1)^5} - \frac{15 \sin(d x + c)^7}{(\cos(d x + c) + 1)^7} \right) / a^4 - \frac{6720 \arctan(\sin(d x + c) / (\cos(d x + c) + 1))}{a^4} + 5 C \left(\frac{315 \sin(d x + c)}{(\cos(d x + c) + 1)} + \frac{105 \sin(d x + c)^3}{(\cos(d x + c) + 1)^3} + \frac{15 \sin(d x + c)^5}{(\cos(d x + c) + 1)^5} + \frac{3 \sin(d x + c)^7}{(\cos(d x + c) + 1)^7} \right) / a^4 + \frac{105 \arctan(\sin(d x + c) / (\cos(d x + c) + 1))}{a^4} \right)$

$*x + c) + 1) - 77*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 3*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 336*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^4)/d$

Fricas [A] time = 0.524789, size = 730, normalized size = 3.05

$105(21A - 8B + 2C)dx \cos(dx + c)^4 + 420(21A - 8B + 2C)dx \cos(dx + c)^3 + 630(21A - 8B + 2C)dx \cos(dx + c)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] $1/210*(105*(21*A - 8*B + 2*C)*d*x*\cos(d*x + c)^4 + 420*(21*A - 8*B + 2*C)*d*x*\cos(d*x + c)^3 + 630*(21*A - 8*B + 2*C)*d*x*\cos(d*x + c)^2 + 420*(21*A - 8*B + 2*C)*d*x*\cos(d*x + c) + 105*(21*A - 8*B + 2*C)*d*x + (105*A*\cos(d*x + c)^5 - 210*(2*A - B)*\cos(d*x + c)^4 - 4*(1509*A - 592*B + 130*C)*\cos(d*x + c)^3 - 4*(3411*A - 1318*B + 310*C)*\cos(d*x + c)^2 - (11619*A - 4472*B + 1070*C)*\cos(d*x + c) - 3456*A + 1328*B - 320*C)*\sin(d*x + c))/a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3 + 6*a^4*d*\cos(d*x + c)^2 + 4*a^4*d*\cos(d*x + c) + a^4*d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)

[Out] Timed out

Giac [A] time = 1.16637, size = 408, normalized size = 1.71

$$\frac{420(dx+c)(21A-8B+2C)}{a^4} - \frac{840\left(9A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 7A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^2 a^4} + \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 15Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7}{a^{28}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x
, algorithm="giac")

[Out] 1/840*(420*(d*x + c)*(21*A - 8*B + 2*C)/a^4 - 840*(9*A*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c)^3 + 7*A*tan(1/2*d*x + 1/2*c) - 2*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^4) + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 + 15*C*a^24*tan(1/2*d*x + 1/2*c)^7 - 189*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 147*B*a^24*tan(1/2*d*x + 1/2*c)^5 - 105*C*a^24*tan(1/2*d*x + 1/2*c)^5 + 1365*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 805*B*a^24*tan(1/2*d*x + 1/2*c)^3 + 385*C*a^24*tan(1/2*d*x + 1/2*c)^3 - 1655*A*a^24*tan(1/2*d*x + 1/2*c) + 5145*B*a^24*tan(1/2*d*x + 1/2*c) - 1575*C*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

$$3.482 \quad \int \sec^4(c+dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec(c + dx)) dx$$

Optimal. Leaf size=239

$$\frac{2a(99A + 88B + 80C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{4(99A + 88B + 80C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{1155ad} - \frac{8(99A + 88B + 80C)}{1155ad}$$

```
[Out] (4*a*(99*A + 88*B + 80*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a*(99*A + 88*B + 80*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a*(11*B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) -
(8*(99*A + 88*B + 80*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) +
(2*C*Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(11*d) +
(4*(99*A + 88*B + 80*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*a*d)
```

Rubi [A] time = 0.55846, antiderivative size = 239, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4088, 4016, 3803, 3800, 4001, 3792}

$$\frac{2a(99A + 88B + 80C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{4(99A + 88B + 80C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{1155ad} - \frac{8(99A + 88B + 80C)}{1155ad}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a*(99*A + 88*B + 80*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a*(99*A + 88*B + 80*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) +
(2*a*(11*B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) -
(8*(99*A + 88*B + 80*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) +
(2*C*Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(11*d) +
(4*(99*A + 88*B + 80*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*a*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol]
:> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
```

```

+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3803

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

```

Rule 3800

```

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_),
x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]

```

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]

```

Rule 3792

```

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free

```

Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec^4(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^4(c + dx) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{11d} \\
 &= \frac{2a(11B + C) \sec^4(c + dx) \tan(c + dx)}{99d \sqrt{a + a \sec(c + dx)}} + \frac{2aC \sec^3(c + dx) \tan(c + dx)}{99d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a(99A + 88B + 80C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a(99A + 88B + 80C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a(99A + 88B + 80C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{4a(99A + 88B + 80C) \tan(c + dx)}{495d \sqrt{a + a \sec(c + dx)}} + \frac{2aC \sec^3(c + dx) \tan(c + dx)}{99d \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.72971, size = 185, normalized size = 0.77

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \sqrt{a(\sec(c + dx) + 1)} ((2871A + 3322B + 3020C) \cos(c + dx) + 13(99A + 88B + 80C) \cos(2(c + dx)))}{(3465d)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] ((1089*A + 968*B + 1510*C + (2871*A + 3322*B + 3020*C)*Cos[c + d*x] + 13*(99*A + 88*B + 80*C)*Cos[2*(c + d*x)] + 1287*A*Cos[3*(c + d*x)] + 1144*B*Cos[3*(c + d*x)] + 1040*C*Cos[3*(c + d*x)] + 198*A*Cos[4*(c + d*x)] + 176*B*Cos[4*(c + d*x)] + 160*C*Cos[4*(c + d*x)] + 198*A*Cos[5*(c + d*x)] + 176*B*Cos[5*(c + d*x)] + 160*C*Cos[5*(c + d*x)])*Sec[c + d*x]^5*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(3465*d)

Maple [A] time = 0.433, size = 204, normalized size = 0.9

$$\frac{(-2 + 2 \cos(dx + c)) (1584 A (\cos(dx + c))^5 + 1408 B (\cos(dx + c))^5 + 1280 C (\cos(dx + c))^5 + 792 A (\cos(dx + c))^4 + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out] `-2/3465/d*(-1+cos(d*x+c))*(1584*A*cos(d*x+c)^5+1408*B*cos(d*x+c)^5+1280*C*cos(d*x+c)^5+792*A*cos(d*x+c)^4+704*B*cos(d*x+c)^4+640*C*cos(d*x+c)^4+594*A*cos(d*x+c)^3+528*B*cos(d*x+c)^3+480*C*cos(d*x+c)^3+495*A*cos(d*x+c)^2+440*B*cos(d*x+c)^2+400*C*cos(d*x+c)^2+385*B*cos(d*x+c)+350*C*cos(d*x+c)+315*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^5/sin(d*x+c)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.517519, size = 405, normalized size = 1.69

$$\frac{2 \left(16 (99 A + 88 B + 80 C) \cos(dx + c)^5 + 8 (99 A + 88 B + 80 C) \cos(dx + c)^4 + 6 (99 A + 88 B + 80 C) \cos(dx + c)^3 + 5 (99 A + 88 B + 80 C) \cos(dx + c)^2 + 4 (99 A + 88 B + 80 C) \cos(dx + c) + 3 (99 A + 88 B + 80 C) \right)}{3465 \left(d \cos(dx + c)^6 + d \cos(dx + c)^5 + \dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] `2/3465*(16*(99*A + 88*B + 80*C)*cos(d*x + c)^5 + 8*(99*A + 88*B + 80*C)*cos(d*x + c)^4 + 6*(99*A + 88*B + 80*C)*cos(d*x + c)^3 + 5*(99*A + 88*B + 80*C)*cos(d*x + c)^2 + 4*(99*A + 88*B + 80*C)*cos(d*x + c) + 3*(99*A + 88*B + 80*C))`

) $\cos(dx + c)^2 + 35(11B + 10C)\cos(dx + c) + 315C\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\sin(dx + c)/(d\cos(dx + c)^6 + d\cos(dx + c)^5)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)**4*(A+B*sec(dx+c)+C*sec(dx+c)**2)*(a+a*sec(dx+c))**(1/2),x)`

[Out] Timed out

Giac [A] time = 4.98062, size = 554, normalized size = 2.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^4*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="giac")`

[Out]
$$\begin{aligned} & -2/3465*(3465*\sqrt{2}*A*a^6*\operatorname{sgn}(\cos(dx + c)) + 3465*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx + c)) + 3465*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx + c)) - (10395*\sqrt{2}*A*a^6*\operatorname{sgn}(\cos(dx + c)) + 8085*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx + c)) + 5775*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx + c)) - (15246*\sqrt{2}*A*a^6*\operatorname{sgn}(\cos(dx + c)) + 14322*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx + c)) + 16170*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx + c)) - (14058*\sqrt{2}*A*a^6*\operatorname{sgn}(\cos(dx + c)) + 13266*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx + c)) + 8910*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx + c)) - (6633*\sqrt{2}*A*a^6*\operatorname{sgn}(\cos(dx + c)) + 4741*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx + c)) + 5885*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx + c)) - (891*\sqrt{2}*A*a^6*\operatorname{sgn}(\cos(dx + c)) + 1177*\sqrt{2}*B*a^6*\operatorname{sgn}(\cos(dx + c)) + 755*\sqrt{2}*C*a^6*\operatorname{sgn}(\cos(dx + c))))*\tan(1/2*dx + 1/2*c)^2)*\tan(1/2*dx + 1/2*c)^2)*\tan(1/2*dx + 1/2*c)^2)*\tan(1/2*dx + 1/2*c)^2)*\tan(1/2*dx + 1/2*c)^2)*\tan(1/2*dx + 1/2*c)/((a*\tan(1/2*dx + 1/2*c)^2 - a)^5*\sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})*d \end{aligned}$$

3.483 $\int \sec^3(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx)+C\sec(c+dx))dx$

Optimal. Leaf size=193

$$\frac{2(21A+18B+16C)\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{105ad} - \frac{4(21A+18B+16C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{315d} + \frac{2a(21A+18B+16C)}{45a^2d}$$

[Out] (2*a*(21*A + 18*B + 16*C)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(9*B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) - (4*(21*A + 18*B + 16*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*C*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(9*d) + (2*(21*A + 18*B + 16*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*a*d)

Rubi [A] time = 0.473151, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4088, 4016, 3800, 4001, 3792}

$$\frac{2(21A+18B+16C)\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{105ad} - \frac{4(21A+18B+16C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{315d} + \frac{2a(21A+18B+16C)}{45a^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(21*A + 18*B + 16*C)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(9*B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) - (4*(21*A + 18*B + 16*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*C*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(9*d) + (2*(21*A + 18*B + 16*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*a*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3800

```
Int[csc[(e_.) + (f_.)*(x_.)]^3*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_),
x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{2C\sec^3(c+dx)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{9d} \\
&= \frac{2a(9B+C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2C}{9d} \\
&= \frac{2a(9B+C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2C}{9d} \\
&= \frac{2a(9B+C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} - \frac{4(2C)}{9d} \\
&= \frac{2a(21A+18B+16C)\tan(c+dx)}{45d\sqrt{a+a\sec(c+dx)}} + \frac{2a(9B+C)}{9d}
\end{aligned}$$

Mathematica [A] time = 1.84672, size = 153, normalized size = 0.79

$$\tan\left(\frac{1}{2}(c+dx)\right)\sec^4(c+dx)\sqrt{a(\sec(c+dx)+1)}(2(63A+99B+88C)\cos(c+dx)+11(21A+18B+16C)\cos(2(c+dx)))$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c+d*x]^3*Sqrt[a+a*Sec[c+d*x]]*(A+B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] ((189*A+162*B+214*C+2*(63*A+99*B+88*C)*Cos[c+d*x]+11*(21*A+18*B+16*C)*Cos[2*(c+d*x)]+42*A*Cos[3*(c+d*x)]+36*B*Cos[3*(c+d*x)]+32*C*Cos[3*(c+d*x)]+42*A*Cos[4*(c+d*x)]+36*B*Cos[4*(c+d*x)]+32*C*Cos[4*(c+d*x)])*Sec[c+d*x]^4*Sqrt[a*(1+Sec[c+d*x])]*Tan[(c+d*x)/2])/(315*d)

Maple [A] time = 0.37, size = 171, normalized size = 0.9

$$(-2+2\cos(dx+c))(168A(\cos(dx+c))^4+144B(\cos(dx+c))^4+128C(\cos(dx+c))^4+84A(\cos(dx+c))^3+72B(\cos(dx+c))^3+72C(\cos(dx+c))^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

[Out] $-2/315/d*(-1+\cos(dx+c))*(168*A*\cos(dx+c)^4+144*B*\cos(dx+c)^4+128*C*\cos(dx+c)^4+84*A*\cos(dx+c)^3+72*B*\cos(dx+c)^3+64*C*\cos(dx+c)^3+63*A*\cos(dx+c)^2+54*B*\cos(dx+c)^2+48*C*\cos(dx+c)^2+45*B*\cos(dx+c)+40*C*\cos(dx+c)+35*C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^4/\sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.505792, size = 343, normalized size = 1.78

$$\frac{2(8(21A + 18B + 16C)\cos(dx+c)^4 + 4(21A + 18B + 16C)\cos(dx+c)^3 + 3(21A + 18B + 16C)\cos(dx+c)^2 + 5(9B + 8C)\cos(dx+c) + 35C)\sqrt{(a*\cos(dx+c)+a)/\cos(dx+c)}*\sin(dx+c)/(d*\cos(dx+c)^5 + d*\cos(dx+c)^4)}{315(d*\cos(dx+c)^5 + d*\cos(dx+c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")`

[Out] $2/315*(8*(21*A + 18*B + 16*C)*\cos(dx + c)^4 + 4*(21*A + 18*B + 16*C)*\cos(dx + c)^3 + 3*(21*A + 18*B + 16*C)*\cos(dx + c)^2 + 5*(9*B + 8*C)*\cos(dx + c) + 35*C)*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}*\sin(dx + c)/(d*\cos(dx + c)^5 + d*\cos(dx + c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c+dx)+1)}(A+B\sec(c+dx)+C\sec^2(c+dx))\sec^3(c+dx)dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**
(1/2),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)
)*sec(c + d*x)**3, x)
```

Giac [B] time = 4.8382, size = 470, normalized size = 2.44

$$2 \left(315 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) - \left(840 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/
2),x, algorithm="giac")
```

```
[Out] 2/315*(315*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 315*sqrt(2)*B*a^5*sgn(cos(d*x
+ c)) + 315*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (840*sqrt(2)*A*a^5*sgn(cos(d*
x + c)) + 630*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 420*sqrt(2)*C*a^5*sgn(cos(d
*x + c)) - (882*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 756*sqrt(2)*B*a^5*sgn(cos
(d*x + c)) + 882*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (504*sqrt(2)*A*a^5*sgn(c
os(d*x + c)) + 522*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 324*sqrt(2)*C*a^5*sgn(
cos(d*x + c)) - (147*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 81*sqrt(2)*B*a^5*sgn
(cos(d*x + c)) + 107*sqrt(2)*C*a^5*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^
2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*
tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^4*sqrt(-a*tan(1/2*d*x
+ 1/2*c)^2 + a)*d)
```

3.484 $\int \sec^2(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx)+C\sec(c+dx))dx$

Optimal. Leaf size=147

$$\frac{2(35A-14B+18C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{105d} + \frac{2a(35A+49B+27C)\tan(c+dx)}{105d\sqrt{a\sec(c+dx)+a}} + \frac{2(7B+C)\tan(c+dx)(a\sec(c+dx)+a)}{35ad}$$

[Out] (2*a*(35*A + 49*B + 27*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(35*A - 14*B + 18*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(7*d) + (2*(7*B + C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*a*d)

Rubi [A] time = 0.427648, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.093$, Rules used = {4088, 4010, 4001, 3792}

$$\frac{2(35A-14B+18C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{105d} + \frac{2a(35A+49B+27C)\tan(c+dx)}{105d\sqrt{a\sec(c+dx)+a}} + \frac{2(7B+C)\tan(c+dx)(a\sec(c+dx)+a)}{35ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(35*A + 49*B + 27*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(35*A - 14*B + 18*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(7*d) + (2*(7*B + C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*a*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^2(c + dx) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{7d} \\ &= \frac{2C \sec^2(c + dx) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{7d} \\ &= \frac{2(35A - 14B + 18C) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} \\ &= \frac{2a(35A + 49B + 27C) \tan(c + dx)}{105d \sqrt{a + a \sec(c + dx)}} + \frac{2(35A - 14B + 18C) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} \end{aligned}$$

Mathematica [A] time = 1.31726, size = 119, normalized size = 0.81

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\sec(c + dx) + 1)} (3(35A + 42B + 36C) \cos(c + dx) + (35A + 28B + 24C) \cos(2(c + dx)))}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((35*A + 28*B + 54*C + 3*(35*A + 42*B + 36*C)*Cos[c + d*x] + (35*A + 28*B + 24*C)*Cos[2*(c + d*x)] + 35*A*Cos[3*(c + d*x)] + 28*B*Cos[3*(c + d*x)] + 24*C*Cos[3*(c + d*x)])*Sec[c + d*x]^3*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(105*d)

Maple [A] time = 0.334, size = 138, normalized size = 0.9

$$\frac{(-2 + 2 \cos(dx + c)) (70 A (\cos(dx + c))^3 + 56 B (\cos(dx + c))^3 + 48 C (\cos(dx + c))^3 + 35 A (\cos(dx + c))^2 + 28 B (\cos(dx + c))^2 + 15 C (\cos(dx + c)))}{105 d (\cos(dx + c))^3 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] -2/105/d*(-1+cos(d*x+c))*(70*A*cos(d*x+c)^3+56*B*cos(d*x+c)^3+48*C*cos(d*x+c)^3+35*A*cos(d*x+c)^2+28*B*cos(d*x+c)^2+24*C*cos(d*x+c)^2+21*B*cos(d*x+c)+18*C*cos(d*x+c)+15*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^3/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.494984, size = 286, normalized size = 1.95

$$\frac{2 \left((2(35A + 28B + 24C) \cos(dx + c))^3 + (35A + 28B + 24C) \cos(dx + c)^2 + 3(7B + 6C) \cos(dx + c) + 15C \right) \sqrt{\frac{a \cos(dx + c)}{\cos(dx + c)}}}{105 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 2/105*(2*(35*A + 28*B + 24*C)*cos(d*x + c)^3 + (35*A + 28*B + 24*C)*cos(d*x + c)^2 + 3*(7*B + 6*C)*cos(d*x + c) + 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2, x)

Giac [B] time = 4.65004, size = 386, normalized size = 2.63

$$2 \left(105 \sqrt{2} A a^4 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} B a^4 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} C a^4 \operatorname{sgn}(\cos(dx + c)) - \left(245 \sqrt{2} A a^4 \operatorname{sgn}(\cos(dx + c)) \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] -2/105*(105*sqrt(2)*A*a^4*sgn(cos(d*x + c)) + 105*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 105*sqrt(2)*C*a^4*sgn(cos(d*x + c)) - (245*sqrt(2)*A*a^4*sgn(cos(d*x + c)) + 175*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 105*sqrt(2)*C*a^4*sgn(cos(d*x + c)) - (175*sqrt(2)*A*a^4*sgn(cos(d*x + c)) + 119*sqrt(2)*B*a^4*sgn(cos(d*x + c)) + 147*sqrt(2)*C*a^4*sgn(cos(d*x + c)) - (35*sqrt(2)*A*a^4*sgn(c

$$\cos(dx + c) + 49\sqrt{2}B a^4 \operatorname{sgn}(\cos(dx + c)) + 27\sqrt{2}C a^4 \operatorname{sgn}(\cos(dx + c)) \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \left((a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))^2 - a \right)^3 \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} dx$$

3.485 $\int \sec(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))dx$

Optimal. Leaf size=104

$$\frac{2a(15A+5B+7C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2(5B-2C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15d} + \frac{2C\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{5ad}$$

[Out] (2*a*(15*A + 5*B + 7*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*B - 2*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*a*d)

Rubi [A] time = 0.209287, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {4082, 4001, 3792}

$$\frac{2a(15A+5B+7C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2(5B-2C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15d} + \frac{2C\tan(c+dx)(a\sec(c+dx)+a)^{3/2}}{5ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(15*A + 5*B + 7*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*B - 2*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*a*d)

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*(A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1))

)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sec(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5ad} + \frac{2 \int \sec(c + dx) \sqrt{a + a \sec(c + dx)} dx}{5ad} \\ &= \frac{2(5B - 2C) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \\ &= \frac{2a(15A + 5B + 7C) \tan(c + dx)}{15d \sqrt{a + a \sec(c + dx)}} + \frac{2(5B - 2C) \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \end{aligned}$$

Mathematica [A] time = 0.786311, size = 83, normalized size = 0.8

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\sec(c + dx) + 1)} ((15A + 10B + 8C) \cos(2(c + dx)) + 15A + 2(5B + 4C) \cos(c + dx) + 1)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((15*A + 10*B + 14*C + 2*(5*B + 4*C)*Cos[c + d*x] + (15*A + 10*B + 8*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^2*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/ (15*d)

Maple [A] time = 0.319, size = 105, normalized size = 1.

$$\frac{(-2 + 2 \cos(dx + c)) (15A (\cos(dx + c))^2 + 10B (\cos(dx + c))^2 + 8C (\cos(dx + c))^2 + 5B \cos(dx + c) + 4C \cos(dx + c))}{15d (\cos(dx + c))^2 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out]
$$-2/15/d*(-1+\cos(d*x+c))*(15*A*\cos(d*x+c)^2+10*B*\cos(d*x+c)^2+8*C*\cos(d*x+c)^2+5*B*\cos(d*x+c)+4*C*\cos(d*x+c)+3*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\cos(d*x+c)^2/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.494679, size = 225, normalized size = 2.16

$$\frac{2 \left((15A + 10B + 8C) \cos(dx + c)^2 + (5B + 4C) \cos(dx + c) + 3C \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{15 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out]
$$2/15*((15*A + 10*B + 8*C)*\cos(d*x + c)^2 + (5*B + 4*C)*\cos(d*x + c) + 3*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^3 + d*\cos(d*x + c)^2)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x), x)
```

Giac [B] time = 4.54192, size = 302, normalized size = 2.9

$$2 \left(15 \sqrt{2} A a^3 \operatorname{sgn}(\cos(dx + c)) + 15 \sqrt{2} B a^3 \operatorname{sgn}(\cos(dx + c)) + 15 \sqrt{2} C a^3 \operatorname{sgn}(\cos(dx + c)) - \left(30 \sqrt{2} A a^3 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] 2/15*(15*sqrt(2)*A*a^3*sgn(cos(d*x + c)) + 15*sqrt(2)*B*a^3*sgn(cos(d*x + c)) + 15*sqrt(2)*C*a^3*sgn(cos(d*x + c)) - (30*sqrt(2)*A*a^3*sgn(cos(d*x + c)) + 20*sqrt(2)*B*a^3*sgn(cos(d*x + c)) + 10*sqrt(2)*C*a^3*sgn(cos(d*x + c)) - (15*sqrt(2)*A*a^3*sgn(cos(d*x + c)) + 5*sqrt(2)*B*a^3*sgn(cos(d*x + c)) + 7*sqrt(2)*C*a^3*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.486 $\int \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=100

$$\frac{2\sqrt{a}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2a(3B+C) \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2C \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{3d}$$

[Out] (2*Sqrt[a]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*(3*B + C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.152305, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4054, 3915, 3774, 203, 3792}

$$\frac{2\sqrt{a}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2a(3B+C) \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2C \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (2*Sqrt[a]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*(3*B + C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rule 4054

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[
(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x
], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &&
!LtQ[m, -2^(-1)]
```

Rule 3915

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(d_.)
+ (c_.)), x_Symbol] := Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dis
t[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d
```

, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2 \int \sqrt{a + a \sec(c + dx)} \tan(c + dx) dx}{3d} \\ &= \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + A \int \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{2a(3B + C) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2C\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} \\ &= \frac{2\sqrt{a}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a(3B + C) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.687608, size = 101, normalized size = 1.01

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(3\sqrt{2}A \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \cos^3(c + dx) + 2 \sin\left(\frac{1}{2}(c + dx)\right) ((3B + C) \sec(c + dx) + C \sec^2(c + dx))}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sec[(c + d*x)/2]*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*A*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + 2*(C + (3*B + 2*C)*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*d)

Maple [B] time = 0.321, size = 236, normalized size = 2.4

$$\frac{1}{6d \sin(dx+c) \cos(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(3A\sqrt{2} \sin(dx+c) \cos(dx+c) \operatorname{Artanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx+c)}{\cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] 1/6/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)+3*A*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-12*B*cos(d*x+c)^2-8*C*cos(d*x+c)^2+12*B*cos(d*x+c)+4*C*cos(d*x+c)+4*C)/sin(d*x+c)/cos(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.551226, size = 792, normalized size = 7.92

$$\frac{3 \left(A \cos(dx+c)^2 + A \cos(dx+c) \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2((3B+2C) \cos(dx+c) + C) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{3 \left(d \cos(dx+c)^2 + d \cos(dx+c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/3*(3*(A*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*((3*B + 2*C)*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), -2/3*(3*(A*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((3*B + 2*C)*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c+dx)+1)} (A+B\sec(c+dx)+C\sec^2(c+dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.487 $\int \cos(c+dx)\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=98

$$\frac{\sqrt{a}(A + 2B) \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} - \frac{a(A - 2C) \tan(c + dx)}{d\sqrt{a\sec(c + dx) + a}} + \frac{A \sin(c + dx)\sqrt{a\sec(c + dx) + a}}{d}$$

[Out] (Sqrt[a]*(A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d - (a*(A - 2*C)*Tan[c + d*x])/d/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.210891, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4086, 3915, 3774, 203, 3792}

$$\frac{\sqrt{a}(A + 2B) \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} - \frac{a(A - 2C) \tan(c + dx)}{d\sqrt{a\sec(c + dx) + a}} + \frac{A \sin(c + dx)\sqrt{a\sec(c + dx) + a}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d - (a*(A - 2*C)*Tan[c + d*x])/d/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 3915

Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dis

`t[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]`

Rule 3774

`Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]`

Rule 203

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

Rule 3792

`Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]`

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + \frac{\int \sqrt{a + a \sec(c + dx)} \sin(c + dx) dx}{d} \\
 &= \frac{A \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + \frac{1}{2} (A + 2B) \sqrt{a + a \sec(c + dx)} \sin(c + dx) \\
 &= \frac{A \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} - \frac{a(A - 2B)}{d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{\sqrt{a} (A + 2B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{A \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d}
 \end{aligned}$$

Mathematica [A] time = 0.395689, size = 94, normalized size = 0.96

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(A + 2B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + 2 \sin\left(\frac{1}{2}(c + dx)\right) (A \cos(c + dx) + B \sec(c + dx) + C \sec^2(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(A + 2*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(2*C + A*Cos[c + d*x])*Sin[(c + d*x)/2]))/(2*d)

Maple [B] time = 0.351, size = 210, normalized size = 2.1

$$-\frac{1}{2d \sin(dx+c)} \left(A \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sqrt{2} \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sin(dx+c) + 2B \sqrt{2} \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

[Out] -1/2/d*(A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+2*B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*A*cos(d*x+c)^2-2*A*cos(d*x+c)+4*C*cos(d*x+c)-4*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [B] time = 1.97047, size = 1268, normalized size = 12.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/4*(4*B*sqrt(a)*arctan2((cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + cos(d*x + c)) + (2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))

$$\begin{aligned} &)) * \sin(dx + c) - (\cos(dx + c) - 1) * \sin(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) * \sqrt{a} + \sqrt{a} * (\arctan2(-(\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) * \sin(dx + c) - \cos(dx + c) * \sin(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))), (\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{1/4} * (\cos(dx + c) * \cos(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) + \sin(dx + c) * \sin(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1)))) + 1) - \arctan2(-(\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) * \sin(dx + c) - \cos(dx + c) * \sin(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))), (\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{1/4} * (\cos(dx + c) * \cos(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) + \sin(dx + c) * \sin(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1)))) - 1) - \arctan2((\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))), (\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{1/4} * \cos(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) + 1) + \arctan2((\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))), (\cos(2 * dx + 2 * c)^2 + \sin(2 * dx + 2 * c)^2 + 2 * \cos(2 * dx + 2 * c) + 1)^{1/4} * \cos(1/2 * \arctan2(\sin(2 * dx + 2 * c), \cos(2 * dx + 2 * c) + 1))) - 1))) * A) / d
\end{aligned}$$

Fricas [A] time = 0.667057, size = 717, normalized size = 7.32

$$\frac{\left(((A + 2B) \cos(dx + c) + A + 2B) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2(A \cos(dx + c) + 2C) \sqrt{a} \arctan \left(\frac{\sqrt{a \cos(dx+c)+a}}{\cos(dx+c)} \right) \right)}{2(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2), x, algorithm="fricas")

[Out] [1/2*(((A + 2*B)*cos(dx + c) + A + 2*B)*sqrt(-a)*log((2*a*cos(dx + c)^2 - 2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*cos(dx + c)*sin(dx + c) + a*cos(dx + c) - a)/(cos(dx + c) + 1)) + 2*(A*cos(dx + c) + 2*C)*sqrt(a)*arctan(sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c))/(d*cos(dx + c) + d), -((A + 2*B)*cos(dx + c) + A + 2*B)*sqrt(a)*arctan(sqrt((a*cos(dx + c) + a)/cos(dx + c))*cos(dx + c)/(sqrt(a)*sin(dx + c))) - (A*cos(dx + c) + 2*C

```
)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d
)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/
2),x)
```

[Out] Timed out

Giac [B] time = 6.38662, size = 531, normalized size = 5.42

$$\frac{4\sqrt{2}\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\operatorname{Csgn}(\cos(dx+c))\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a} + \left(A\sqrt{-a}\operatorname{sgn}(\cos(dx+c)) + 2B\sqrt{-a}\operatorname{sgn}(\cos(dx+c))\right) \log\left(\left(\sqrt{-a}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)
,x, algorithm="giac")
```

```
[Out] -1/2*(4*sqrt(2)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*C*a*sgn(cos(d*x + c))*t
an(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 - a) + (A*sqrt(-a)*sgn(cos(d*
x + c)) + 2*B*sqrt(-a)*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1
/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - (A*s
qrt(-a)*sgn(cos(d*x + c)) + 2*B*sqrt(-a)*sgn(cos(d*x + c)))*log(abs((sqrt(-
a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqr
t(2) - 3))) + 4*sqrt(2)*(3*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2
*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a*sgn(cos(d*x + c)) - A*sqrt(-a)*a^2*sgn
(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2
*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/
2*c)^2 + a))^2*a + a^2))/d
```

3.488 $\int \cos^2(c+dx)\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=117

$$\frac{\sqrt{a}(3A + 4B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{a(A + 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx) \cos(c + dx)\sqrt{a \sec(c + dx) + a}}{2d}$$

[Out] (Sqrt[a]*(3*A + 4*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a*(A + 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.277488, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.093$, Rules used = {4086, 4015, 3774, 203}

$$\frac{\sqrt{a}(3A + 4B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{a(A + 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx) \cos(c + dx)\sqrt{a \sec(c + dx) + a}}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(3*A + 4*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a*(A + 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C

ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
 [(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
 + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
 B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
 Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
 x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
 [a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
 , 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} \\ &= \frac{a(A + 4B) \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{A \cos(c + dx) \sqrt{a + a \sec(c + dx)}}{4d \sqrt{a + a \sec(c + dx)}} \\ &= \frac{a(A + 4B) \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{A \cos(c + dx) \sqrt{a + a \sec(c + dx)}}{4d \sqrt{a + a \sec(c + dx)}} \\ &= \frac{\sqrt{a}(3A + 4B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} \end{aligned}$$

Mathematica [A] time = 0.489035, size = 113, normalized size = 0.97

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(3A + 4B + 8C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{a + a \sec(c + dx)}}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

```
[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(3
*A + 4*B + 8*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(3*
A + 4*B + 2*A*Cos[c + d*x])*Sin[(c + d*x)/2]))/(8*d)
```

Maple [B] time = 0.383, size = 548, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/16/d*(3*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1)
)^(3/2)+4*B*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/co
s(d*x+c))+8*C*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/c
os(d*x+c))+3*A*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)
+4*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)+8*C*(-2*c
os(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x
+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)-8*A*cos(d*x+c)^4-4*
A*cos(d*x+c)^3-16*B*cos(d*x+c)^3+12*A*cos(d*x+c)^2+16*B*cos(d*x+c)^2)*(a*(c
os(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)/sin(d*x+c)
```

Maxima [B] time = 2.40706, size = 2695, normalized size = 23.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/
2),x, algorithm="maxima")
```

```
[Out] 1/16*(16*C*sqrt(a)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos
(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
+ 1)) + sin(d*x + c), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d
```


$$\frac{\sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}(\cos(dx + c)\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + \sin(dx + c)\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1))}{d}$$

Fricas [A] time = 0.913163, size = 833, normalized size = 7.12

$$\frac{\left((3A + 4B + 8C)\cos(dx + c) + 3A + 4B + 8C \right) \sqrt{-a} \log \left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) + a\cos(dx+c) - a}{\cos(dx+c)+1} \right) + \dots}{8(d\cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/8*(((3*A + 4*B + 8*C)*cos(dx + c) + 3*A + 4*B + 8*C)*sqrt(-a)*log((2*a*cos(dx + c)^2 - 2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*cos(dx + c)*sin(dx + c) + a*cos(dx + c) - a)/(cos(dx + c) + 1)) + 2*(2*A*cos(dx + c)^2 + (3*A + 4*B)*cos(dx + c))*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c))/(d*cos(dx + c) + d), -1/4*(((3*A + 4*B + 8*C)*cos(dx + c) + 3*A + 4*B + 8*C)*sqrt(a)*arctan(sqrt((a*cos(dx + c) + a)/cos(dx + c))*cos(dx + c)/(sqrt(a)*sin(dx + c))) - (2*A*cos(dx + c)^2 + (3*A + 4*B)*cos(dx + c))*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c))/(d*cos(dx + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**
(1/2),x)
```

```
[Out] Timed out
```

Giac [B] time = 6.67674, size = 891, normalized size = 7.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/
2),x, algorithm="giac")
```

```
[Out] -1/8*((3*A*sqrt(-a)*sgn(cos(d*x + c)) + 4*B*sqrt(-a)*sgn(cos(d*x + c)) + 8*
C*sqrt(-a)*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt
(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - (3*A*sqrt(-a)*sg
n(cos(d*x + c)) + 4*B*sqrt(-a)*sgn(cos(d*x + c)) + 8*C*sqrt(-a)*sgn(cos(d*x
+ c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*
c)^2 + a))^2 + a*(2*sqrt(2) - 3))) - 4*sqrt(2)*(5*(sqrt(-a)*tan(1/2*d*x + 1
/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a*sgn(cos(d*x + c
)) - 12*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a
))^6*B*sqrt(-a)*a*sgn(cos(d*x + c)) + 19*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - s
qrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 76
*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*
sqrt(-a)*a^2*sgn(cos(d*x + c)) - 17*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-
a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 36*(sqr
t(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(
-a)*a^3*sgn(cos(d*x + c)) + A*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 4*B*sqrt(-a)
*a^4*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d
*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*
d*x + 1/2*c)^2 + a))^2*a + a^2)^2)/d
```

3.489 $\int \cos^3(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx)+C\sec(c+dx))dx$

Optimal. Leaf size=163

$$\frac{a(5A+6B+8C)\sin(c+dx)}{8d\sqrt{a\sec(c+dx)+a}} + \frac{\sqrt{a}(5A+6B+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{8d} + \frac{a(A+6B)\sin(c+dx)\cos(c+dx)}{12d\sqrt{a\sec(c+dx)+a}} + \frac{A\sin(c+dx)}{3d}$$

[Out] (Sqrt[a]*(5*A + 6*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(5*A + 6*B + 8*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(A + 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.370184, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4086, 4015, 3805, 3774, 203}

$$\frac{a(5A+6B+8C)\sin(c+dx)}{8d\sqrt{a\sec(c+dx)+a}} + \frac{\sqrt{a}(5A+6B+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{8d} + \frac{a(A+6B)\sin(c+dx)\cos(c+dx)}{12d\sqrt{a\sec(c+dx)+a}} + \frac{A\sin(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(5*A + 6*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(5*A + 6*B + 8*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(A + 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{a(A + 6B) \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} + \frac{A \cos^2(c + dx) \sin(c + dx)}{3d} \\ &= \frac{a(5A + 6B + 8C) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{a(A + 6B)}{12d} \\ &= \frac{a(5A + 6B + 8C) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{a(A + 6B)}{12d} \\ &= \frac{\sqrt{a}(5A + 6B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} \end{aligned}$$

Mathematica [C] time = 0.482351, size = 152, normalized size = 0.93

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(2A\sqrt{1-\sec(c+dx)}\operatorname{Hypergeometric2F1}\left(\frac{1}{2},4,\frac{3}{2},1-\sec(c+dx)\right)+2B\sqrt{1-\sec(c+dx)}\right)}{d\sqrt{1-\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((C*(ArcTanh[Sqrt[1 - Sec[c + d*x]]] + Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]]) + 2*B*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]] + 2*A*Hypergeometric2F1[1/2, 4, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x]]*Tan[(c + d*x)/2])/(d*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.362, size = 832, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] -1/192/d*(15*A*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+18*B*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+24*C*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+30*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+36*B*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+48*C*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+15*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+18*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+24*C*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)

$$\begin{aligned} & \frac{1}{2} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) / \cos(d*x+c) * \sin(d*x+c) \\ & + 64 * A * \cos(d*x+c)^6 + 16 * A * \cos(d*x+c)^5 + 96 * B * \cos(d*x+c)^5 + 40 * A * \cos(d*x+c)^4 + 48 \\ & * B * \cos(d*x+c)^4 + 192 * C * \cos(d*x+c)^4 - 120 * A * \cos(d*x+c)^3 - 144 * B * \cos(d*x+c)^3 - 19 \\ & 2 * C * \cos(d*x+c)^3 * (a * (\cos(d*x+c)+1) / \cos(d*x+c))^{(1/2)} / \cos(d*x+c)^2 / \sin(d*x+c) \end{aligned}$$

Maxima [B] time = 3.143, size = 5090, normalized size = 31.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & \frac{1}{96} * ((4 * (\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \\ & \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(3/4)} * (\cos(3/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) * \sin(3*d*x + 3*c) - (\cos(3*d*x + 3*c) - 1) * \sin(3/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) * \sqrt{a} + 6 * (\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)} * ((\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 5 * \sin(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))) * \cos(1/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - (\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 3 * \cos(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - 4) * \sin(1/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) * \sqrt{a} + 15 * \sqrt{a} * (\arctan2(-(\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)} * (\cos(1/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) * \sin(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - \cos(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \sin(1/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))), (\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)} * (\cos(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \cos(1/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) \end{aligned}$$

$$\begin{aligned}
& n(3*d*x + 3*c), \cos(3*d*x + 3*c)), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3* \\
& *d*x + 3*c))) + 1)) + \sin(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \\
& \sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2 \\
& /3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) + 1) - \arctan2(-(\cos \\
& (2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3 \\
& *d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c))) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c) \\
&), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& + 1))*\sin(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - \cos(1/3*\arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3* \\
& d*x + 3*c))) + 1))), (\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^ \\
& 2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arct \\
& an2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{1/4}*(\cos(1/3*\arctan2(\sin(3* \\
& d*x + 3*c), \cos(3*d*x + 3*c)))*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
&))) + 1)) + \sin(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\sin(1/2*\ar \\
& ctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) - 1) - \arctan2((\cos(2/3*\arctan \\
& 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c) \\
& , \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3* \\
& c))) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)), (\cos \\
& (2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3 \\
& *d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c))) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c) \\
& , \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& + 1)) + 1) + \arctan2((\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^ \\
& 2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arct \\
& an2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2/3 \\
& *\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))) + 1)), (\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d* \\
& x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*c \\
& os(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{1/4}*\cos(1/2*\arct \\
& an2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(s \\
& in(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - 1))) * A + 6*(2*(\cos(2*d*x + 2*c) \\
& ^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*((\cos(1/2*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(2*d*x + 2*c) - (\cos(2*d*x + 2*c) - \\
& 2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(2*d*x + 2*c)) \\
& *\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + ((\cos(2*d*x + 2 \\
& *c) - 2)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(2*d*x + \\
& 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - \cos(2*d*x + 2* \\
& c) + 2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sqrt{a} + \\
& 3*\sqrt{a}*(\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x \\
& + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin
\end{aligned}$$

Fricas [A] time = 0.912951, size = 946, normalized size = 5.8

$$\left[\frac{3((5A + 6B + 8C)\cos(dx + c) + 5A + 6B + 8C)\sqrt{-a} \log\left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) + a\cos(dx+c) - a}{\cos(dx+c)+1}\right)}{48(d\cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/48*(3*((5*A + 6*B + 8*C)*cos(d*x + c) + 5*A + 6*B + 8*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*cos(d*x + c)^3 + 2*(5*A + 6*B)*cos(d*x + c)^2 + 3*(5*A + 6*B + 8*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((5*A + 6*B + 8*C)*cos(d*x + c) + 5*A + 6*B + 8*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*cos(d*x + c)^3 + 2*(5*A + 6*B)*cos(d*x + c)^2 + 3*(5*A + 6*B + 8*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 6.98312, size = 1596, normalized size = 9.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/48*(3*(5*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 6*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + \\ & 8*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c))) * \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2 - a*(2*\sqrt{2}+3))) - 3*(5*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 6*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 8*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c))) * \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2 + a*(2*\sqrt{2}-3))) + 4*\sqrt{2}*(63*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{10}*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) - 30*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{10}*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 72*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{10}*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) - 369*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^8*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 66*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^8*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) - 888*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^8*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 1638*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^6*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 756*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^6*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 3024*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^6*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) - 1074*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) - 732*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) - 1776*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 171*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 138*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) + 360*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) - 13*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) - 6*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)) - 24*C*\sqrt{-a}*\operatorname{sgn}(\cos(dx+c)))/((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^4 - 6*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2*a + a^2)^3)/d \end{aligned}$$

3.490 $\int \cos^4(c+dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=209

$$\frac{a(35A + 40B + 48C) \sin(c + dx)}{64d \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(35A + 40B + 48C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a(35A + 40B + 48C) \sin(c + dx) \cos(c + dx)}{96d \sqrt{a \sec(c + dx) + a}}$$

[Out] (Sqrt[a]*(35*A + 40*B + 48*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])]/(64*d) + (a*(35*A + 40*B + 48*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(35*A + 40*B + 48*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(A + 8*B)*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.45412, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4086, 4015, 3805, 3774, 203}

$$\frac{a(35A + 40B + 48C) \sin(c + dx)}{64d \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(35A + 40B + 48C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a(35A + 40B + 48C) \sin(c + dx) \cos(c + dx)}{96d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(35*A + 40*B + 48*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])]/(64*d) + (a*(35*A + 40*B + 48*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(35*A + 40*B + 48*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(A + 8*B)*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],

$x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&$
 $\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \parallel \text{EqQ}[m + n + 1, 0])$

Rule 4015

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.)](d_.))^n \cdot \text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](b_.) + (a_.)] \cdot (\text{csc}[e_.] + (f_.)(x_.)](B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A \cdot b^2 \cdot \text{Cot}[e + f \cdot x] \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (a \cdot f \cdot n \cdot \text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]])], x] + \text{Dist}[(A \cdot b \cdot (2 \cdot n + 1) + 2 \cdot a \cdot B \cdot n) / (2 \cdot a \cdot d \cdot n), \text{Int}[\text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]] \cdot (d \cdot \text{Csc}[e + f \cdot x])^{n+1}], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A \cdot b - a \cdot B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A \cdot b \cdot (2 \cdot n + 1) + 2 \cdot a \cdot B \cdot n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3805

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.)](d_.))^n \cdot \text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(a \cdot \text{Cot}[e + f \cdot x] \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (f \cdot n \cdot \text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]])], x] + \text{Dist}[(a \cdot (2 \cdot n + 1)) / (2 \cdot b \cdot d \cdot n), \text{Int}[\text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]] \cdot (d \cdot \text{Csc}[e + f \cdot x])^{n+1}], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -2^{(-1)}] \&\& \text{IntegerQ}[2 \cdot n]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[c_.] + (d_.)(x_.)](b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2 \cdot b) / d, \text{Subst}[\text{Int}[1 / (a + x^2)], x], x, (b \cdot \text{Cot}[c + d \cdot x]) / \text{Sqrt}[a + b \cdot \text{Csc}[c + d \cdot x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)(x_.)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTan}[(\text{Rt}[b, 2] \cdot x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] \cdot \text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{a(A + 8B) \cos^2(c + dx) \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} + \frac{A \cos^3(c + dx) \sin(c + dx)}{4d} \\
&= \frac{a(35A + 40B + 48C) \cos(c + dx) \sin(c + dx)}{96d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a(35A + 40B + 48C) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} + \frac{a(35A + 40B + 48C) \cos^3(c + dx) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a(35A + 40B + 48C) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} + \frac{a(35A + 40B + 48C) \cos^3(c + dx) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{\sqrt{a}(35A + 40B + 48C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{64d}
\end{aligned}$$

Mathematica [C] time = 0.238655, size = 90, normalized size = 0.43

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(A \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 5, \frac{3}{2}, 1 - \sec(c + dx)\right) + B \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 4, \frac{3}{2}, 1 - \sec(c + dx)\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(C*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]] + B*Hypergeometric2F1[1/2, 4, 3/2, 1 - Sec[c + d*x]] + A*Hypergeometric2F1[1/2, 5, 3/2, 1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x]])*Tan[(c + d*x)/2])/d

Maple [B] time = 0.398, size = 1105, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)


```
[Out] 1/3072/d*(105*A*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))
^(7/2)*2^(1/2)+120*B*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c
)+1))^(7/2)*2^(1/2)+144*C*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*c
os(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(
d*x+c)+1))^(7/2)*2^(1/2)+315*A*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(1/2)*
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(7/2)*2^(1/2)+360*B*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(
1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+432*C*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/
2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*c
os(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+315*A*sin(d*x+c)*cos(d*x+c)*arctanh
(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-
2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+360*B*sin(d*x+c)*cos(d*x+c)*arct
anh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))
*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+432*C*sin(d*x+c)*cos(d*x+c)*a
rctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+
c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+105*A*arctanh(1/2*2^(1/2)*
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(7/2)*2^(1/2)*sin(d*x+c)+120*B*arctanh(1/2*2^(1/2)*(-2*cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x
+c)+1))^(7/2)*2^(1/2)*sin(d*x+c)+144*C*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x
+c)+1))^(7/2)*sin(d*x+c)-768*A*cos(d*x+c)^8-128*A*cos(d*x+c)^7-1024*B*cos(d
*x+c)^7-224*A*cos(d*x+c)^6-256*B*cos(d*x+c)^6-1536*C*cos(d*x+c)^6-560*A*cos
(d*x+c)^5-640*B*cos(d*x+c)^5-768*C*cos(d*x+c)^5+1680*A*cos(d*x+c)^4+1920*B*
cos(d*x+c)^4+2304*C*cos(d*x+c)^4)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d
*x+c)/cos(d*x+c)^3
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/
2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 1.29231, size = 1084, normalized size = 5.19

$$\left[\frac{3((35A + 40B + 48C)\cos(dx+c) + 35A + 40B + 48C)\sqrt{-a} \log\left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) + a\cos(dx+c)}{\cos(dx+c)+1}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/384*(3*((35*A + 40*B + 48*C)*cos(d*x + c) + 35*A + 40*B + 48*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*A*cos(d*x + c)^4 + 8*(7*A + 8*B)*cos(d*x + c)^3 + 2*(35*A + 40*B + 48*C)*cos(d*x + c)^2 + 3*(35*A + 40*B + 48*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(3*((35*A + 40*B + 48*C)*cos(d*x + c) + 35*A + 40*B + 48*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*A*cos(d*x + c)^4 + 8*(7*A + 8*B)*cos(d*x + c)^3 + 2*(35*A + 40*B + 48*C)*cos(d*x + c)^2 + 3*(35*A + 40*B + 48*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 7.16694, size = 2049, normalized size = 9.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] -1/384*(3*(35*A*sqrt(-a)*sgn(cos(d*x + c)) + 40*B*sqrt(-a)*sgn(cos(d*x + c)) + 48*C*sqrt(-a)*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(35*A*sqrt(-a)*sgn(cos(d*x + c)) + 40*B*sqrt(-a)*sgn(cos(d*x + c)) + 48*C*sqrt(-a)*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) - 4*sqrt(2)*(279*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*A*sqrt(-a)*sgn(cos(d*x + c)) - 504*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*B*sqrt(-a)*sgn(cos(d*x + c)) + 240*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*C*sqrt(-a)*sgn(cos(d*x + c)) + 285*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 5976*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) - 1968*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*C*sqrt(-a)*a^2*sgn(cos(d*x + c)) - 4605*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 31320*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 2640*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 37281*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 90168*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 41616*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*C*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 35643*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 66024*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 42288*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*C*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 9175*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 16904*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 12528*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*C*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 1311*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 1992*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 1392*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*C*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 43*A*sqrt(-a)*a^8*sgn(cos(d*x + c)) + 104*B*sqrt(-a)*a^8*sgn(cos(d*x + c)) + 48*C*sqrt(-a)*a^8*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1
```

$$\frac{1}{2}dx + \frac{1}{2}c - \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}^4 - 6\left(\sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right)^2 a + a^2)^4 / d$$

3.491 $\int \sec^3(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=243

$$\frac{2a^2(99A + 110B + 84C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(429A + 374B + 336C) \tan(c + dx)}{495d\sqrt{a \sec(c + dx) + a}} + \frac{2(429A + 374B + 336C)}{11d}$$

```
[Out] (2*a^2*(429*A + 374*B + 336*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(99*A + 110*B + 84*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a*(429*A + 374*B + 336*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a*(11*B + 3*C)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(99*d) + (2*(429*A + 374*B + 336*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d) + (2*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)
```

Rubi [A] time = 0.694628, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4088, 4018, 4016, 3800, 4001, 3792}

$$\frac{2a^2(99A + 110B + 84C) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(429A + 374B + 336C) \tan(c + dx)}{495d\sqrt{a \sec(c + dx) + a}} + \frac{2(429A + 374B + 336C)}{11d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*a^2*(429*A + 374*B + 336*C)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(99*A + 110*B + 84*C)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a*(429*A + 374*B + 336*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a*(11*B + 3*C)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(99*d) + (2*(429*A + 374*B + 336*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d) + (2*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m, x]]
```

+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3800

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m + 1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S

```

ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^3(c + dx)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{11d} \\
 &= \frac{2a(11B + 3C) \sec^3(c + dx) \sqrt{a + a \sec(c + dx)}}{99d} \\
 &= \frac{2a^2(99A + 110B + 84C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^2(99A + 110B + 84C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^2(99A + 110B + 84C) \sec^3(c + dx) \tan(c + dx)}{693d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^2(429A + 374B + 336C) \tan(c + dx)}{495d \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 2.03983, size = 185, normalized size = 0.76

$$a \tan\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \sqrt{a(\sec(c + dx) + 1)} ((12441A + 12386B + 12684C) \cos(c + dx) + (4422A + 4862B + 4368C))$$

Antiderivative was successfully verified.

```

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2),x]

```

```

[Out] (a*(3564*A + 4114*B + 4956*C + (12441*A + 12386*B + 12684*C)*Cos[c + d*x] +
(4422*A + 4862*B + 4368*C)*Cos[2*(c + d*x)] + 5577*A*Cos[3*(c + d*x)] + 48
62*B*Cos[3*(c + d*x)] + 4368*C*Cos[3*(c + d*x)] + 858*A*Cos[4*(c + d*x)] +
748*B*Cos[4*(c + d*x)] + 672*C*Cos[4*(c + d*x)] + 858*A*Cos[5*(c + d*x)] +
748*B*Cos[5*(c + d*x)] + 672*C*Cos[5*(c + d*x)])*Sec[c + d*x]^5*Sqrt[a*(1 +
Sec[c + d*x])] * Tan[(c + d*x)/2]) / (6930*d)

```

Maple [A] time = 0.36, size = 205, normalized size = 0.8

$$\frac{2a(-1 + \cos(dx + c)) \left(3432 A (\cos(dx + c))^5 + 2992 B (\cos(dx + c))^5 + 2688 C (\cos(dx + c))^5 + 1716 A (\cos(dx + c)) \right)}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$-2/3465/d*a*(-1+\cos(d*x+c))*(3432*A*\cos(d*x+c)^5+2992*B*\cos(d*x+c)^5+2688*C*\cos(d*x+c)^5+1716*A*\cos(d*x+c)^4+1496*B*\cos(d*x+c)^4+1344*C*\cos(d*x+c)^4+287*A*\cos(d*x+c)^3+1122*B*\cos(d*x+c)^3+1008*C*\cos(d*x+c)^3+495*A*\cos(d*x+c)^2+935*B*\cos(d*x+c)^2+840*C*\cos(d*x+c)^2+385*B*\cos(d*x+c)+735*C*\cos(d*x+c)+315*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\cos(d*x+c)^5/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.523222, size = 435, normalized size = 1.79

$$\frac{2 \left(8(429 A + 374 B + 336 C) a \cos(dx + c)^5 + 4(429 A + 374 B + 336 C) a \cos(dx + c)^4 + 3(429 A + 374 B + 336 C) a \cos(dx + c)^3 + 5(99 A + 88 B + 84 C) a \cos(dx + c)^2 + 3(99 A + 88 B + 84 C) a \cos(dx + c) + 3(99 A + 88 B + 84 C) a \right)}{3465 \left(d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out]
$$2/3465*(8*(429*A + 374*B + 336*C)*a*\cos(d*x + c)^5 + 4*(429*A + 374*B + 336*C)*a*\cos(d*x + c)^4 + 3*(429*A + 374*B + 336*C)*a*\cos(d*x + c)^3 + 5*(99*A + 88*B + 84*C)*a*\cos(d*x + c)^2 + 3*(99*A + 88*B + 84*C)*a*\cos(d*x + c) + 3*(99*A + 88*B + 84*C)*a)$$

$$+ 187*B + 168*C)*a*\cos(d*x + c)^2 + 35*(11*B + 21*C)*a*\cos(d*x + c) + 315*C*a)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^6 + d*\cos(d*x + c)^5)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [A] time = 5.19118, size = 554, normalized size = 2.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -4/3465*(3465*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 3465*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 3465*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (11550*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 9240*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 6930*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (17094*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 14784*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 15246*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (14652*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 13662*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 11088*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (6897*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 5687*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 5313*sqrt(2)*C*a^7*sgn(cos(d*x + c))) - 2*(627*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 517*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 483*sqrt(2)*C*a^7*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^5*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.492 $\int \sec^2(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=187

$$\frac{8a^2(63A + 57B + 47C) \tan(c + dx)}{315d\sqrt{a \sec(c + dx) + a}} + \frac{2(63A - 18B + 22C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{315d} + \frac{2a(63A + 57B + 47C) \tan(c + dx)}{315d}$$

```
[Out] (8*a^2*(63*A + 57*B + 47*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]])
+ (2*a*(63*A + 57*B + 47*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d)
+ (2*(63*A - 18*B + 22*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(315*d)
+ (2*C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(9*d) + (2*(
3*B + C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(21*a*d)
```

Rubi [A] time = 0.515844, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4088, 4010, 4001, 3793, 3792}

$$\frac{8a^2(63A + 57B + 47C) \tan(c + dx)}{315d\sqrt{a \sec(c + dx) + a}} + \frac{2(63A - 18B + 22C) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{315d} + \frac{2a(63A + 57B + 47C) \tan(c + dx)}{315d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] (8*a^2*(63*A + 57*B + 47*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]])
+ (2*a*(63*A + 57*B + 47*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d)
+ (2*(63*A - 18*B + 22*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(315*d)
+ (2*C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(9*d) + (2*(
3*B + C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(21*a*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] :> -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] +
Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[
2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{2C\sec^2(c+dx)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{9d} \\
&= \frac{2C\sec^2(c+dx)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{9d} \\
&= \frac{2(63A-18B+22C)(a+a\sec(c+dx))^3}{315d} \\
&= \frac{2a(63A+57B+47C)\sqrt{a+a\sec(c+dx)}}{315d} \\
&= \frac{8a^2(63A+57B+47C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2a}{\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.14844, size = 152, normalized size = 0.81

$$\frac{a \tan\left(\frac{1}{2}(c+dx)\right) \sec^4(c+dx) \sqrt{a(\sec(c+dx)+1)} ((567A+648B+748C) \cos(c+dx) + (882A+858B+748C) \cos(2(c+dx)))}{630d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c+d*x]^2*(a+a*Sec[c+d*x])^(3/2)*(A+B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (a*(693*A+702*B+752*C+(567*A+648*B+748*C))*Cos[c+d*x]+(882*A+858*B+748*C))*Cos[2*(c+d*x)]+189*A*Cos[3*(c+d*x)]+156*B*Cos[3*(c+d*x)]+136*C*Cos[3*(c+d*x)]+189*A*Cos[4*(c+d*x)]+156*B*Cos[4*(c+d*x)]+136*C*Cos[4*(c+d*x)]*Sec[c+d*x]^4*Sqrt[a*(1+Sec[c+d*x])]*Tan[(c+d*x)/2])/(630*d)

Maple [A] time = 0.315, size = 172, normalized size = 0.9

$$\frac{2a(-1+\cos(dx+c))(378A(\cos(dx+c))^4+312B(\cos(dx+c))^4+272C(\cos(dx+c))^4+189A(\cos(dx+c))^3+189B(\cos(dx+c))^2+189C\cos(dx+c)+189A)}{630d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out]
$$-2/315/d*a*(-1+\cos(d*x+c))*(378*A*\cos(d*x+c)^4+312*B*\cos(d*x+c)^4+272*C*\cos(d*x+c)^4+189*A*\cos(d*x+c)^3+156*B*\cos(d*x+c)^3+136*C*\cos(d*x+c)^3+63*A*\cos(d*x+c)^2+117*B*\cos(d*x+c)^2+102*C*\cos(d*x+c)^2+45*B*\cos(d*x+c)+85*C*\cos(d*x+c)+35*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^4/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.50904, size = 363, normalized size = 1.94

$$\frac{2(2(189A + 156B + 136C)a \cos(dx + c)^4 + (189A + 156B + 136C)a \cos(dx + c)^3 + 3(21A + 39B + 34C)a \cos(dx + c)^2 + 5(9B + 17C)a \cos(dx + c) + 35Ca) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c)}{315(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out]
$$2/315*(2*(189*A + 156*B + 136*C)*a*\cos(d*x + c)^4 + (189*A + 156*B + 136*C)*a*\cos(d*x + c)^3 + 3*(21*A + 39*B + 34*C)*a*\cos(d*x + c)^2 + 5*(9*B + 17*C)*a*\cos(d*x + c) + 35*C*a)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^5 + d*\cos(d*x + c)^4)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)
)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 5.03251, size = 470, normalized size = 2.51

$$4 \left(315 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} C a^6 \operatorname{sgn}(\cos(dx + c)) - \left(945 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="giac")
```

```
[Out] 4/315*(315*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 315*sqrt(2)*B*a^6*sgn(cos(d*x
+ c)) + 315*sqrt(2)*C*a^6*sgn(cos(d*x + c)) - (945*sqrt(2)*A*a^6*sgn(cos(d*
x + c)) + 735*sqrt(2)*B*a^6*sgn(cos(d*x + c)) + 525*sqrt(2)*C*a^6*sgn(cos(d
*x + c)) - (1071*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 819*sqrt(2)*B*a^6*sgn(co
s(d*x + c)) + 819*sqrt(2)*C*a^6*sgn(cos(d*x + c)) - (567*sqrt(2)*A*a^6*sgn(
cos(d*x + c)) + 513*sqrt(2)*B*a^6*sgn(cos(d*x + c)) + 423*sqrt(2)*C*a^6*sgn
(cos(d*x + c)) - 2*(63*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 57*sqrt(2)*B*a^6*s
gn(cos(d*x + c)) + 47*sqrt(2)*C*a^6*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)
^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)
*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^4*sqrt(-a*tan(1/2*d*x
+ 1/2*c)^2 + a)*d)
```

3.493 $\int \sec(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=144

$$\frac{8a^2(35A + 21B + 19C) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{2a(35A + 21B + 19C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2(7B - 2C) \tan(c + dx)}{35d}$$

```
[Out] (8*a^2*(35*A + 21*B + 19*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]])
+ (2*a*(35*A + 21*B + 19*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d)
+ (2*(7*B - 2*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a
+ a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*a*d)
```

Rubi [A] time = 0.283473, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4082, 4001, 3793, 3792}

$$\frac{8a^2(35A + 21B + 19C) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{2a(35A + 21B + 19C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2(7B - 2C) \tan(c + dx)}{35d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] (8*a^2*(35*A + 21*B + 19*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]])
+ (2*a*(35*A + 21*B + 19*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d)
+ (2*(7*B - 2*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a
+ a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*a*d)
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
```

```
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7ad} + \frac{2a}{7ad} \\ &= \frac{2(7B - 2C)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{35d} \\ &= \frac{2a(35A + 21B + 19C)\sqrt{a + a \sec(c + dx)}}{105d} \\ &= \frac{8a^2(35A + 21B + 19C) \tan(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \frac{2a}{105d} \end{aligned}$$

Mathematica [A] time = 1.63287, size = 120, normalized size = 0.83

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\sec(c + dx) + 1)}((525A + 462B + 468C) \cos(c + dx) + 2(35A + 63B + 52C) \cos(2(c + dx)))}{210d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```


[Out] $(a(70A + 126B + 164C + (525A + 462B + 468C)\cos[c + dx] + 2(35A + 63B + 52C)\cos[2(c + dx)] + 175A\cos[3(c + dx)] + 126B\cos[3(c + dx)] + 104C\cos[3(c + dx)])\sec[c + dx]^3\sqrt{a(1 + \sec[c + dx])} \tan[(c + dx)/2]) / (210d)$

Maple [A] time = 0.296, size = 139, normalized size = 1.

$$\frac{2a(-1 + \cos(dx + c))(175A(\cos(dx + c))^3 + 126B(\cos(dx + c))^3 + 104C(\cos(dx + c))^3 + 35A(\cos(dx + c))^2 + 63B(\cos(dx + c))^2 + 52C(\cos(dx + c))^2 + 21B\cos(dx + c) + 39C\cos(dx + c) + 15C)(a(\cos(dx + c) + 1)/\cos(dx + c))^{1/2}/\cos(dx + c)^3}{105d(\cos(dx + c))^3 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $-2/105/d*a*(-1+\cos(d*x+c))*(175*A*\cos(d*x+c)^3+126*B*\cos(d*x+c)^3+104*C*\cos(d*x+c)^3+35*A*\cos(d*x+c)^2+63*B*\cos(d*x+c)^2+52*C*\cos(d*x+c)^2+21*B*\cos(d*x+c)+39*C*\cos(d*x+c)+15*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^3/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.501427, size = 300, normalized size = 2.08

$$\frac{2((175A + 126B + 104C)a\cos(dx + c)^3 + (35A + 63B + 52C)a\cos(dx + c)^2 + 3(7B + 13C)a\cos(dx + c) + 15Ca)}{105(d\cos(dx + c)^4 + d\cos(dx + c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 2/105*((175*A + 126*B + 104*C)*a*cos(d*x + c)^3 + (35*A + 63*B + 52*C)*a*cos(d*x + c)^2 + 3*(7*B + 13*C)*a*cos(d*x + c) + 15*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 4.89244, size = 386, normalized size = 2.68

$$4 \left(105 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} C a^5 \operatorname{sgn}(\cos(dx + c)) - \left(280 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -4/105*(105*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 105*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 105*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (280*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 210*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 140*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - (245*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 147*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 133*sqrt(2)*C*a^5*sgn(cos(d*x + c)) - 2*(35*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 21*sqrt(2)*B*a^5*sgn(cos(d*x + c)) + 19*sqrt(2)*C*a^5*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^3*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.494 $\int (a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=142

$$\frac{2a^2(15A + 20B + 12C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2} A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2a(5B + 3C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{15d} + \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d}$$

[Out] $(2*a^{(3/2)}*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(15*A + 20*B + 12*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(5*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^{(3/2)}*Tan[c + d*x])/(5*d)$

Rubi [A] time = 0.23624, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4054, 3917, 3915, 3774, 203, 3792}

$$\frac{2a^2(15A + 20B + 12C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2} A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2a(5B + 3C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{15d} + \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Sec}[c + d*x])^{(3/2)}*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*a^{(3/2)}*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(15*A + 20*B + 12*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(5*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + a*Sec[c + d*x])^{(3/2)}*Tan[c + d*x])/(5*d)$

Rule 4054

$\text{Int}[(A + csc[e + f*x])*(B + csc[e + f*x])^2*(C + csc[e + f*x])^m, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(b*(m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3917

$\text{Int}[(csc[e + f*x])*(b + (a + csc[e + f*x])^m)*(csc[e + f*x])*(d + c), x_Symbol] \rightarrow -\text{Simp}[(b*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)} + (c + csc[e + f*x])*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x]$

1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3915

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :=> Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2 \int (a + a \sec(c + dx))^{3/2} \tan(c + dx) dx}{5d} \\
&= \frac{2a(5B + 3C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
&= \frac{2a(5B + 3C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2C(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
&= \frac{2a^2(15A + 20B + 12C) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2a(5B + 3C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \\
&= \frac{2a^{3/2} A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a^2(15A + 20B + 12C) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.35286, size = 132, normalized size = 0.93

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((15A + 25B + 18C) \cos(2(c + dx)) + 15A + 2(5B + 9C))\right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sec[c + d*x]^2*Sqrt[a*(1 + Sec[c + d*x])]*(30*Sqrt[2]*A*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(5/2) + 2*(15*A + 25*B + 24*C + 2*(5*B + 9*C))*Cos[c + d*x] + (15*A + 25*B + 18*C)*Cos[2*(c + d*x)]*Sin[(c + d*x)/2])/ (30*d)

Maple [B] time = 0.322, size = 361, normalized size = 2.5

$$-\frac{a}{60d(\cos(dx + c))^2 \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(15A\sqrt{2}(\cos(dx + c))^2 \sin(dx + c) \left(-2\frac{\cos(dx + c)}{\cos(dx + c) + 1}\right)^{5/2} \operatorname{Ar} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] -1/60/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(15*A*2^(1/2)*cos(d*x+c)^2*si
n(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+30*A*2^(1/2)*cos(d*x+c)*
sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos
(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+15*A*(-2*cos(d*x+c)/(c
os(d*x+c)+1))^(5/2)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+
1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+120*A*cos(d*x+c)^3+200*B*cos(d*
x+c)^3+144*C*cos(d*x+c)^3-120*A*cos(d*x+c)^2-160*B*cos(d*x+c)^2-72*C*cos(d*
x+c)^2-40*B*cos(d*x+c)-48*C*cos(d*x+c)-24*C)/cos(d*x+c)^2/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorit
hm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.573072, size = 944, normalized size = 6.65

$$\frac{15 \left(Aa \cos(dx+c)^3 + Aa \cos(dx+c)^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2 \left((15A + 25B + 18C) a \cos(dx+c)^2 + (5B + 9C) a \cos(dx+c) + 3C a \right) \sqrt{(a \cos(dx+c) + a) / \cos(dx+c)}}{15 \left(d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorit
hm="fricas")
```

```
[Out] [1/15*(15*(A*a*cos(d*x + c)^3 + A*a*cos(d*x + c)^2)*sqrt(-a)*log((2*a*cos(d
*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)
*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*((15*A + 25*B +
18*C)*a*cos(d*x + c)^2 + (5*B + 9*C)*a*cos(d*x + c) + 3*C*a)*sqrt((a*cos(d
```

```
*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)
^2), -2/15*(15*(A*a*cos(d*x + c)^3 + A*a*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt
((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) -
((15*A + 25*B + 18*C)*a*cos(d*x + c)^2 + (5*B + 9*C)*a*cos(d*x + c) + 3*C*
a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3
+ d*cos(d*x + c)^2)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(\sec(c + dx) + 1))^{\frac{3}{2}} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Integral((a*(sec(c + d*x) + 1))**(3/2)*(A + B*sec(c + d*x) + C*sec(c + d*x)
**2), x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorit
hm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.495 $\int \cos(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=144

$$-\frac{a^2(3A - 6B - 8C) \tan(c + dx)}{3d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(3A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(3A - 2C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{3d} + \frac{A}{d}$$

[Out] (a^(3/2)*(3*A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (a^2*(3*A - 6*B - 8*C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(3*A - 2*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.310406, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4086, 3917, 3915, 3774, 203, 3792}

$$-\frac{a^2(3A - 6B - 8C) \tan(c + dx)}{3d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(3A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(3A - 2C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{3d} + \frac{A}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(3*A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (a^2*(3*A - 6*B - 8*C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(3*A - 2*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 3917


```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3915

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{d} + \frac{\int (a + a \sec(c + dx))^{3/2} \sec(c + dx) dx}{d} \\
&= \frac{A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{a(3A + 2B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{A \int (a + a \sec(c + dx))^{3/2} \sec(c + dx) dx}{d} \\
&= \frac{A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{a(3A + 2B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{A \int (a + a \sec(c + dx))^{3/2} \sec(c + dx) dx}{d} \\
&= \frac{A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{a(3A + 2B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{A \int (a + a \sec(c + dx))^{3/2} \sec(c + dx) dx}{d}
\end{aligned}$$

Mathematica [A] time = 1.94935, size = 115, normalized size = 0.8

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{\sec(c + dx) - 1}(\sec(c + dx)(3A \cos(2(c + dx)) + 3A + 4C) + 4(3B + 5C)) + 6(3A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)\right)}{6d\sqrt{\sec(c + dx) - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*Sqrt[a*(1 + Sec[c + d*x])]*(6*(3*A + 2*B)*ArcTan[Sqrt[-1 + Sec[c + d*x]]] + Sqrt[-1 + Sec[c + d*x]]*(4*(3*B + 5*C) + (3*A + 4*C + 3*A*Cos[2*(c + d*x)]))*Sec[c + d*x]))*Tan[(c + d*x)/2])/(6*d*Sqrt[-1 + Sec[c + d*x]])

Maple [B] time = 0.371, size = 409, normalized size = 2.8

$$-\frac{a}{12d \cos(dx + c) \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(-9A\sqrt{2} \sin(dx + c) \cos(dx + c) \operatorname{Artanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx + c)}{\cos(dx + c)} \sqrt{-2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] -1/12/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-9*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)-6*B*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))-9*A*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-6*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)+12*A*cos(d*x+c)^3-12*A*cos(d*x+c)^2+24*B*cos(d*x+c)^2+40*C*cos(d*x+c)^2-24*B*cos(d*x+c)-32*C*cos(d*x+c)-8*C)/cos(d*x+c)/sin(d*x+c)
```

Maxima [B] time = 2.19349, size = 2431, normalized size = 16.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/4*((2*(a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - (a*cos(d*x + c) - a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))))*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + 3*(a*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) + 1) - a*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (c
```

```

os(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(
1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a))*A + 2*(
(a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arct
an2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c)))) + 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d
*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*
sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(
sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x
+ 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)
))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c)))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2
+ 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*
c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1)
+ a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c)
+ 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2
*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*
arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*(cos(2*d*x + 2*c)^2
+ sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + 4*(a*cos(1/2
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c)))) - (a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c)))) - a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*s
qrt(a))*B/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1
)^(1/4))/d

```

Fricas [A] time = 0.654096, size = 941, normalized size = 6.53

$$\left[\frac{3 \left((3A + 2B)a \cos(dx + c)^2 + (3A + 2B)a \cos(dx + c) \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)}{6 \left(d \cos(dx + c) \right)^2 + d \cos(dx + c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/6*(3*((3*A + 2*B)*a*cos(d*x + c)^2 + (3*A + 2*B)*a*cos(d*x + c))*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(3*A*a*cos(d*x + c)^2 + 2*(3*B + 5*C)*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), -1/3*(3*((3*A + 2*B)*a*cos(d*x + c)^2 + (3*A + 2*B)*a*cos(d*x + c))*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (3*A*a*cos(d*x + c)^2 + 2*(3*B + 5*C)*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 6.54185, size = 633, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/6*(3*(3*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 2*B*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(3*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 2*B*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 12*sqrt(2)*(3*(sq
```

$$\frac{\begin{aligned} & \text{rt}(-a) \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - \sqrt{-a \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 + a} \right)^2 \cdot A \cdot \sqrt{(-a) \cdot a^2 \cdot \text{sgn}(\cos(d*x + c)) - A \cdot \sqrt{-a} \cdot a^3 \cdot \text{sgn}(\cos(d*x + c))} \\ & \left(\left(\sqrt{-a} \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - \sqrt{-a \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 + a} \right)^4 - 6 \cdot \left(\sqrt{-a} \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - \sqrt{-a \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 + a} \right)^2 \cdot a + a^2 \right) + 4 \cdot \left(3 \cdot \sqrt{2} \cdot B \cdot a^3 \cdot \text{sgn}(\cos(d*x + c)) + 6 \cdot \sqrt{2} \cdot C \cdot a^3 \cdot \text{sgn}(\cos(d*x + c)) - \left(3 \cdot \sqrt{2} \cdot B \cdot a^3 \cdot \text{sgn}(\cos(d*x + c)) + 4 \cdot \sqrt{2} \cdot C \cdot a^3 \cdot \text{sgn}(\cos(d*x + c)) \right) \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \right) \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) \right) \left(a \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - a \right) \cdot \sqrt{-a \cdot \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 + a} \right) \right) / d \end{aligned}$$

3.496 $\int \cos^2(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=157

$$\frac{a^2(5A + 4B - 8C) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(7A + 12B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} - \frac{a(A - 4C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{2d}$$

[Out] (a^(3/2)*(7*A + 12*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^2*(5*A + 4*B - 8*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(A - 4*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) + (A *Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.450759, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4086, 4018, 4015, 3774, 203}

$$\frac{a^2(5A + 4B - 8C) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(7A + 12B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} - \frac{a(A - 4C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(7*A + 12*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^2*(5*A + 4*B - 8*C)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(A - 4*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) + (A *Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{2d} \\
&= -\frac{a(A - 4C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} \\
&= \frac{a^2(5A + 4B - 8C) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} - \frac{a(A - 4C)}{4d} \\
&= \frac{a^2(5A + 4B - 8C) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} - \frac{a(A - 4C)}{4d} \\
&= \frac{a^{3/2}(7A + 12B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.760699, size = 117, normalized size = 0.75

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(7A + 12B + 8C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + 2 \sin\left(\frac{1}{2}(c + dx)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(7*A + 12*B + 8*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(A + 8*C + (7*A + 4*B)*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(8*d)

Maple [B] time = 0.395, size = 569, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/16/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(7*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/co

$$\begin{aligned} & s(dx+c) * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} + 12B \cos(dx+c) \sin(dx+c) * 2^{1/2} * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) + 8C \cos(dx+c) \sin(dx+c) * 2^{1/2} * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) + 7A * 2^{1/2} * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} * \sin(dx+c) + 12B * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * 2^{1/2} * \sin(dx+c) + 8C * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * 2^{1/2} * \sin(dx+c) - 8A \cos(dx+c)^4 - 20A \cos(dx+c)^3 - 16B \cos(dx+c)^3 + 28A \cos(dx+c)^2 + 16B \cos(dx+c)^2 - 32C \cos(dx+c)^2 + 32C \cos(dx+c) / \cos(dx+c) / \sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a+a*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c))^2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.924091, size = 887, normalized size = 5.65

$$\left[\frac{((7A + 12B + 8C)a \cos(dx+c) + (7A + 12B + 8C)a) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)}{8(d \cos(dx+c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a+a*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c))^2),x, algorithm="fricas")

```
[Out] [1/8*(((7*A + 12*B + 8*C)*a*cos(d*x + c) + (7*A + 12*B + 8*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*A*a*cos(d*x + c)^2 + (7*A + 4*B)*a*cos(d*x + c) + 8*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/4*(((7*A + 12*B + 8*C)*a*cos(d*x + c) + (7*A + 12*B + 8*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))) - (2*A*a*cos(d*x + c)^2 + (7*A + 4*B)*a*cos(d*x + c) + 8*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [B] time = 6.76439, size = 990, normalized size = 6.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/8*(16*sqrt(2)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*C*a^2*sgn(cos(d*x + c))*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 - a) + (7*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 12*B*sqrt(-a)*a*sgn(cos(d*x + c)) + 8*C*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - (7*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 12*B*sqrt(-a)*a*sgn(cos(d*x + c)) + 8*C*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(7*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 12*(
```

$$\begin{aligned} & \sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \Big)^6 B \sqrt{-a} a^2 \operatorname{sgn}(\cos(dx + c)) - 95 \left(\sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \right)^4 A \sqrt{-a} a^3 \operatorname{sgn}(\cos(dx + c)) - 76 \left(\sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \right)^4 B \sqrt{-a} a^3 \operatorname{sgn}(\cos(dx + c)) + 53 \left(\sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \right)^2 A \sqrt{-a} a^4 \operatorname{sgn}(\cos(dx + c)) + 36 \left(\sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \right)^2 B \sqrt{-a} a^4 \operatorname{sgn}(\cos(dx + c)) - 5 A \sqrt{-a} a^5 \operatorname{sgn}(\cos(dx + c)) - 4 B \sqrt{-a} a^5 \operatorname{sgn}(\cos(dx + c)) \Big) / \left(\left(\sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \right)^4 - 6 \left(\sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \right)^2 a + a^2 \right)^2 \Big) / d \end{aligned}$$

$$3.497 \quad \int \cos^3(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$$

Optimal. Leaf size=165

$$\frac{a^2(19A + 30B + 24C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(11A + 14B + 24C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a(A + 2B) \sin(c + dx) \cos(c + dx)}{4d}$$

[Out] (a^(3/2)*(11*A + 14*B + 24*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^2*(19*A + 30*B + 24*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(A + 2*B)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.481126, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4086, 4017, 4015, 3774, 203}

$$\frac{a^2(19A + 30B + 24C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(11A + 14B + 24C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a(A + 2B) \sin(c + dx) \cos(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(11*A + 14*B + 24*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^2*(19*A + 30*B + 24*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(A + 2*B)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^2(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{3d} \\
&= \frac{a(A+2B)\cos(c+dx)\sqrt{a+a\sec(c+dx)}}{4d} \\
&= \frac{a^2(19A+30B+24C)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{a(11A+14B+24C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8d}
\end{aligned}$$

Mathematica [A] time = 1.67123, size = 124, normalized size = 0.75

$$\frac{a \tan\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(\cos(c+dx)\sqrt{\sec(c+dx)-1}(2(11A+6B)\cos(c+dx)+4A\cos(2(c+dx)))+37\right)}{24d\sqrt{\sec(c+dx)-1}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a*((33*A + 42*B + 72*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]] + Cos[c + d*x]*(37*A + 42*B + 24*C + 2*(11*A + 6*B)*Cos[c + d*x] + 4*A*Cos[2*(c + d*x)])*Sqrt[-1 + Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(24*d*Sqrt[-1 + Sec[c + d*x]])

Maple [B] time = 0.297, size = 833, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

```
[Out] -1/192/d*a*(33*A*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+42*B*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+72*C*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+66*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+84*B*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+144*C*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+33*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+42*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+72*C*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+64*A*cos(d*x+c)^6+112*A*cos(d*x+c)^5+96*B*cos(d*x+c)^5+88*A*cos(d*x+c)^4+240*B*cos(d*x+c)^4+192*C*cos(d*x+c)^4-264*A*cos(d*x+c)^3-336*B*cos(d*x+c)^3-192*C*cos(d*x+c)^3)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^2/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c))^2),x, algorithm="maxima")
```

```
[Out] Timed out
```


Fricas [A] time = 0.916013, size = 1003, normalized size = 6.08

$$\left[\frac{3((11A + 14B + 24C)a \cos(dx + c) + (11A + 14B + 24C)a)\sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a}{\cos(dx+c)+1} \right)}{48(d} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/48*(3*((11*A + 14*B + 24*C)*a*cos(d*x + c) + (11*A + 14*B + 24*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*a*cos(d*x + c)^3 + 2*(11*A + 6*B)*a*cos(d*x + c)^2 + 3*(11*A + 14*B + 8*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((11*A + 14*B + 24*C)*a*cos(d*x + c) + (11*A + 14*B + 24*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*a*cos(d*x + c)^3 + 2*(11*A + 6*B)*a*cos(d*x + c)^2 + 3*(11*A + 14*B + 8*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 7.28482, size = 1612, normalized size = 9.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c))^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/48*(3*(11*A*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c)) + 14*B*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c)) + 24*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c))) * \log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3))) - 3*(11*A*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c)) + 14*B*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c)) + 24*C*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c))) * \log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(33*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 42*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 72*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) - 303*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*A*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) - 822*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) - 888*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*C*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) + 2394*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) + 3780*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) + 3024*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*C*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) - 1806*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) - 2508*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) - 1776*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*C*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) + 309*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)) + 498*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)) + 360*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*C*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)) - 19*A*\sqrt{-a}*a^7*\operatorname{sgn}(\cos(dx + c)) - 30*B*\sqrt{-a}*a^7*\operatorname{sgn}(\cos(dx + c)) - 24*C*\sqrt{-a}*a^7*\operatorname{sgn}(\cos(dx + c)))/((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^3/d \end{aligned}$$

3.498 $\int \cos^4(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=215

$$\frac{a^2(75A + 88B + 112C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(75A + 88B + 112C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(39A + 56B + 48C) \sin(c + dx)}{96d\sqrt{a \sec(c + dx) + a}}$$

```
[Out] (a^(3/2)*(75*A + 88*B + 112*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(75*A + 88*B + 112*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(39*A + 56*B + 48*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(3*A + 8*B)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)
```

Rubi [A] time = 0.58606, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4086, 4017, 4015, 3805, 3774, 203}

$$\frac{a^2(75A + 88B + 112C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(75A + 88B + 112C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(39A + 56B + 48C) \sin(c + dx)}{96d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(3/2)*(75*A + 88*B + 112*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(75*A + 88*B + 112*C)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(39*A + 56*B + 48*C)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(3*A + 8*B)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
```

$x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&$
 $\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \mid\mid \text{EqQ}[m + n + 1, 0])$

Rule 4017

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.))(d_.))^{(n_.)}(\text{csc}[e_.] + (f_.)(x_.))(b_.) + (a_.))^{(m_.)}(\text{csc}[e_.] + (f_.)(x_.))(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(aA\text{Cot}[e + f*x](a + b\text{Csc}[e + f*x])^{(m-1)}(d\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b\text{Csc}[e + f*x])^{(m-1)}(d\text{Csc}[e + f*x])^{(n+1)}\text{Simp}[aA*(m-n-1) - b*B*n - (a*B*n + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] /;$
 $\text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$

Rule 4015

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.))(d_.))^{(n_.)}\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.))(b_.) + (a_.)](\text{csc}[e_.] + (f_.)(x_.))(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*b^2\text{Cot}[e + f*x](d\text{Csc}[e + f*x])^n)/(a*f*n*\text{Sqrt}[a + b\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n+1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b\text{Csc}[e + f*x]](d\text{Csc}[e + f*x])^{(n+1)}, x], x] /;$
 $\text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n+1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3805

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.))(d_.))^{(n_.)}\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.))(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(a*\text{Cot}[e + f*x](d\text{Csc}[e + f*x])^n)/(f*n*\text{Sqrt}[a + b\text{Csc}[e + f*x]]), x] + \text{Dist}[(a*(2*n+1))/(2*b*d*n), \text{Int}[\text{Sqrt}[a + b\text{Csc}[e + f*x]](d\text{Csc}[e + f*x])^{(n+1)}, x], x] /;$
 $\text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -2^{(-1)}] \&\& \text{IntegerQ}[2*n]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[c_.] + (d_.)(x_.))(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/ \text{Sqrt}[a + b\text{Csc}[c + d*x]]], x] /;$
 $\text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)(x_.)^2]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$
 $\text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \mid\mid \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{4d} \\
&= \frac{a(3A + 8B) \cos^2(c + dx) \sqrt{a + a \sec(c + dx)}}{24d} \\
&= \frac{a^2(39A + 56B + 48C) \cos(c + dx) \sin(c + dx)}{96d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(75A + 88B + 112C) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(75A + 88B + 112C) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(75A + 88B + 112C) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(75A + 88B + 112C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{64d}
\end{aligned}$$

Mathematica [A] time = 1.74926, size = 157, normalized size = 0.73

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(3\sqrt{2}(75A + 88B + 112C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + \left(\sin\left(\frac{3}{2}(c + dx)\right)\right)}{384d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(75*A + 88*B + 112*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (285*A + 296*B + 336*C + 2*(93*A + 88*B + 48*C)*Cos[c + d*x] + 4*(15*A + 8*B)*Cos[2*(c + d*x)] + 12*A*Cos[3*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/(384*d)

Maple [B] time = 0.342, size = 1106, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^4*(a+a*\sec(d*x+c))^{(3/2)}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $\frac{1}{3072}d*a*(225*A*\sin(d*x+c)*\cos(d*x+c)^3*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+264*B*\sin(d*x+c)*\cos(d*x+c)^3*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+336*C*\sin(d*x+c)*\cos(d*x+c)^3*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+675*A*\sin(d*x+c)*\cos(d*x+c)^2*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+792*B*\sin(d*x+c)*\cos(d*x+c)^2*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+1008*C*\sin(d*x+c)*\cos(d*x+c)^2*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+675*A*\sin(d*x+c)*\cos(d*x+c)*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+792*B*\sin(d*x+c)*\cos(d*x+c)*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+1008*C*\sin(d*x+c)*\cos(d*x+c)*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+225*A*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}*\sin(d*x+c)+264*B*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}*\sin(d*x+c)+336*C*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*\sin(d*x+c)-768*A*\cos(d*x+c)^8-1152*A*\cos(d*x+c)^7-1024*B*\cos(d*x+c)^7-480*A*\cos(d*x+c)^6-1792*B*\cos(d*x+c)^6-1536*C*\cos(d*x+c)^6-1200*A*\cos(d*x+c)^5-1408*B*\cos(d*x+c)^5-3840*C*\cos(d*x+c)^5+3600*A*\cos(d*x+c)^4+4224*B*\cos(d*x+c)^4+5376*C*\cos(d*x+c)^4)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^3/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(d*x+c)^4*(a+a*\sec(d*x+c))^{(3/2)}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 1.3044, size = 1133, normalized size = 5.27

$$3((75A + 88B + 112C)a \cos(dx + c) + (75A + 88B + 112C)a)\sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c)}{\cos(dx+c)+1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/384*(3*((75*A + 88*B + 112*C)*a*cos(d*x + c) + (75*A + 88*B + 112*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*A*a*cos(d*x + c)^4 + 8*(15*A + 8*B)*a*cos(d*x + c)^3 + 2*(75*A + 88*B + 48*C)*a*cos(d*x + c)^2 + 3*(75*A + 88*B + 112*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(3*((75*A + 88*B + 112*C)*a*cos(d*x + c) + (75*A + 88*B + 112*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*A*a*cos(d*x + c)^4 + 8*(15*A + 8*B)*a*cos(d*x + c)^3 + 2*(75*A + 88*B + 48*C)*a*cos(d*x + c)^2 + 3*(75*A + 88*B + 112*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 7.69475, size = 2066, normalized size = 9.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/384*(3*(75*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 88*B*sqrt(-a)*a*sgn(cos(d*x + c)) + 112*C*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(75*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 88*B*sqrt(-a)*a*sgn(cos(d*x + c)) + 112*C*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(25*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 264*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 336*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*C*sqrt(-a)*a^2*sgn(cos(d*x + c)) - 6261*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 4008*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 8592*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*C*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 35925*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 33960*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 70032*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 127449*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 131784*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 208080*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*C*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 101667*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 108312*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 154608*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*C*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 26079*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 29432*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 44208*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*C*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 3303*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2
```


$$\begin{aligned} & /2*c)^2 + a))^2*A*\sqrt{-a}*a^8*\text{sgn}(\cos(d*x + c)) + 3384*(\sqrt{-a}*\tan(1/2*d \\ & *x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}))^2*B*\sqrt{-a}*a^8*\text{sgn}(\cos \\ & (d*x + c)) + 5424*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/ \\ & 2*c)^2 + a}))^2*C*\sqrt{-a}*a^8*\text{sgn}(\cos(d*x + c)) - 147*A*\sqrt{-a}*a^9*\text{sgn}(\cos \\ & (d*x + c)) - 152*B*\sqrt{-a}*a^9*\text{sgn}(\cos(d*x + c)) - 240*C*\sqrt{-a}*a^9*\text{sgn} \\ & (\cos(d*x + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2 \\ & *c)^2 + a}))^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/ \\ & 2*c)^2 + a}))^2*a + a^2)^4)/d \end{aligned}$$

3.499 $\int \cos^5(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=263

$$\frac{a^2(133A + 150B + 176C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(133A + 150B + 176C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(67A + 90B + 80C) \sin(c + dx)}{240d\sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(3/2)*(133*A + 150*B + 176*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(128*d) + (a^2*(133*A + 150*B + 176*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(133*A + 150*B + 176*C)*Cos[c + d*x]*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(67*A + 90*B + 80*C)*Cos[c + d*x]^2*Ssin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(3*A + 10*B)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.672605, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4086, 4017, 4015, 3805, 3774, 203}

$$\frac{a^2(133A + 150B + 176C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(133A + 150B + 176C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(67A + 90B + 80C) \sin(c + dx)}{240d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(133*A + 150*B + 176*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(128*d) + (a^2*(133*A + 150*B + 176*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(133*A + 150*B + 176*C)*Cos[c + d*x]*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(67*A + 90*B + 80*C)*Cos[c + d*x]^2*Ssin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(3*A + 10*B)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x_Symbol]

$$\frac{(f*x)^n}{(f*n)}, x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \mid\mid \text{EqQ}[m + n + 1, 0])$$

Rule 4017

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m-1}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{:>} \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$$

Rule 4015

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{:>} \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$$

Rule 3805

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Simp}[(a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(a*(2*n + 1))/(2*b*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -2^{(-1)}] \&\& \text{IntegerQ}[2*n]$$

Rule 3774

$$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/ \text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /;$$

$$\text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$$

Rule 203

$$\text{Int}[(a + b*(x^2))^{-1}, x_Symbol] \text{:>} \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$$

$$\text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \mid\mid \text{GtQ}[b, 0])$$

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d} \\
&= \frac{a(3A + 10B) \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}}{40d} \\
&= \frac{a^2(67A + 90B + 80C) \cos^2(c + dx) \sin(c + dx)}{240d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(133A + 150B + 176C) \cos(c + dx) \sin(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(133A + 150B + 176C) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(133A + 150B + 176C) \cos(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(133A + 150B + 176C) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(133A + 150B + 176C) \cos(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^{3/2}(133A + 150B + 176C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{128d}
\end{aligned}$$

Mathematica [A] time = 2.67023, size = 182, normalized size = 0.69

$$a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(15\sqrt{2}(133A + 150B + 176C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + \left(\sin\left(\frac{3}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(15*Sqrt[2]*(133*A + 150*B + 176*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (2671*A + 2850*B + 2960*C + 2*(1007*A + 930*B + 880*C)*Cos[c + d*x] + 4*(181*A + 150*B + 80*C)*Cos[2*(c + d*x)] + 228*A*Cos[3*(c + d*x)] + 120*B*Cos[3*(c + d*x)] + 48*A*Cos[4*(c + d*x)]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2])))/(3840*d)

Maple [B] time = 0.365, size = 1379, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^5(a+a\sec(dx+c))^{3/2}(A+B\sec(dx+c)+C\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/61440/d*a*(13500*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2} \\ & /2)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)* \\ & \cos(dx+c)^2*2^{1/2}+15840*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1 \\ & /2*2^{1/2})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(\\ & dx+c)*\cos(dx+c)^2*2^{1/2}+12288*A*\cos(dx+c)^{10}+16896*A*\cos(dx+c)^9+2048 \\ & 0*C*\cos(dx+c)^8+15360*B*\cos(dx+c)^9+9000*B*(-2*\cos(dx+c)/(\cos(dx+c)+1)) \\ & ^{9/2}*\operatorname{arctanh}(1/2*2^{1/2})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/ \\ & \cos(dx+c))*\sin(dx+c)*\cos(dx+c)*2^{1/2}+10560*C*(-2*\cos(dx+c)/(\cos(dx+c) \\ &)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx \\ & x+c)/\cos(dx+c))*\sin(dx+c)*\cos(dx+c)*2^{1/2}+1995*A*2^{1/2}*\operatorname{arctanh}(1/2*2 \\ & ^{1/2})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(\\ & dx+c)/(\cos(dx+c)+1))^{9/2}*\cos(dx+c)^4*\sin(dx+c)+7980*A*2^{1/2}*\operatorname{arctanh} \\ & (1/2*2^{1/2})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(- \\ & 2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\cos(dx+c)^3*\sin(dx+c)+11970*A*2^{1/2}* \\ & \operatorname{arctanh}(1/2*2^{1/2})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx \\ & +c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\cos(dx+c)^2*\sin(dx+c)+7980*A*2^{ \\ & 1/2}*\operatorname{arctanh}(1/2*2^{1/2})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/c \\ & \cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\cos(dx+c)*\sin(dx+c)+2250* \\ & B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2})*(-2*\cos(dx+c)/ \\ & \cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)*\cos(dx+c)^4*2^{1/2} \\ & +2640*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2})*(-2*\cos(dx \\ & x+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)*\cos(dx+c)^4*2 \\ & ^{1/2}+9000*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2})*(-2* \\ & \cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)*\cos(dx+c) \\ & ^3*2^{1/2}+10560*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2})* \\ & (-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)*c \\ & \cos(dx+c)^3*2^{1/2}+21280*A*\cos(dx+c)^6-63840*A*\cos(dx+c)^5-72000*B*\cos(d \\ & *x+c)^5-84480*C*\cos(dx+c)^5+4864*A*\cos(dx+c)^8+8512*A*\cos(dx+c)^7+9600*B \\ & *\cos(dx+c)^7+24000*B*\cos(dx+c)^6+28160*C*\cos(dx+c)^6+2250*B*(-2*\cos(dx+c) \\ & /(\cos(dx+c)+1))^{9/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2})*(-2*\cos(dx+c)/(\cos(dx \\ & x+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+2640*C*(-2*\cos(dx+c)/(\cos \\ & (dx+c)+1))^{9/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2})*(-2*\cos(dx+c)/(\cos(dx+c)+1) \\ &)^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+1995*A*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2} \\ &)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c) \\ &)/(\cos(dx+c)+1))^{9/2}*\sin(dx+c)+23040*B*\cos(dx+c)^8+35840*C*\cos(dx+c)^ \\ & 7)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^4/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.31934, size = 1295, normalized size = 4.92

$$\left[\frac{15((133A + 150B + 176C)a \cos(dx + c) + (133A + 150B + 176C)a)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c)}{\cos(dx+c)+1}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/3840*(15*((133*A + 150*B + 176*C)*a*cos(d*x + c) + (133*A + 150*B + 176*C)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(384*A*a*cos(d*x + c)^5 + 48*(19*A + 10*B)*a*cos(d*x + c)^4 + 8*(133*A + 150*B + 80*C)*a*cos(d*x + c)^3 + 10*(133*A + 150*B + 176*C)*a*cos(d*x + c)^2 + 15*(133*A + 150*B + 176*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/1920*(15*((133*A + 150*B + 176*C)*a*cos(d*x + c) + (133*A + 150*B + 176*C)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (384*A*a*cos(d*x + c)^5 + 48*(19*A + 10*B)*a*cos(d*x + c)^4 + 8*(133*A + 150*B + 80*C)*a*cos(d*x + c)^3 + 10*(133*A + 150*B + 176*C)*a*cos(d*x + c)^2 + 15*(133*A + 150*B + 176*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 8.00739, size = 2519, normalized size = 9.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/3840*(15*(133*A*\sqrt{-a})*a*\operatorname{sgn}(\cos(d*x + c)) + 150*B*\sqrt{-a})*a*\operatorname{sgn}(\cos(d*x + c)) + 176*C*\sqrt{-a})*a*\operatorname{sgn}(\cos(d*x + c)))*\log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3))) \\ & - 15*(133*A*\sqrt{-a})*a*\operatorname{sgn}(\cos(d*x + c)) + 150*B*\sqrt{-a})*a*\operatorname{sgn}(\cos(d*x + c)) + 176*C*\sqrt{-a})*a*\operatorname{sgn}(\cos(d*x + c)))*\log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(1995*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{18}*A*\sqrt{-a})*a^2*\operatorname{sgn}(\cos(d*x + c)) + 2250*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{18}*B*\sqrt{-a})*a^2*\operatorname{sgn}(\cos(d*x + c)) + 2640*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{18}*C*\sqrt{-a})*a^2*\operatorname{sgn}(\cos(d*x + c)) - 38505*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{16}*A*\sqrt{-a})*a^3*\operatorname{sgn}(\cos(d*x + c)) - 76110*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{16}*B*\sqrt{-a})*a^3*\operatorname{sgn}(\cos(d*x + c)) - 55920*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{16}*C*\sqrt{-a})*a^3*\operatorname{sgn}(\cos(d*x + c)) + 561660*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*A*\sqrt{-a})*a^4*\operatorname{sgn}(\cos(d*x + c)) + 737160*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*B*\sqrt{-a})*a^4*\operatorname{sgn}(\cos(d*x + c)) + 582720*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*C*\sqrt{-a})*a^4*\operatorname{sgn}(\cos(d*x + c)) - 2684100*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*A*\sqrt{-a})*a^5*\operatorname{sgn}(\cos(d*x + c)) - 3492600*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*B*\sqrt{-a})*a^5*\operatorname{sgn}(\cos(d*x + c)) - 2684100*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*C*\sqrt{-a})*a^5*\operatorname{sgn}(\cos(d*x + c)) \end{aligned}$$

$$\begin{aligned}
& ((1/2*d*x + 1/2*c)^2 + a)^{12} * B * \sqrt{-a} * a^5 * \operatorname{sgn}(\cos(d*x + c)) - 3395520 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^{12} * C * \sqrt{-a} * a^5 * \operatorname{sgn}(\cos(d*x + c)) + 7371738 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^{10} * A * \sqrt{-a} * a^6 * \operatorname{sgn}(\cos(d*x + c)) + 9022860 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^{10} * B * \sqrt{-a} * a^6 * \operatorname{sgn}(\cos(d*x + c)) + 9329760 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^{10} * C * \sqrt{-a} * a^6 * \operatorname{sgn}(\cos(d*x + c)) - 6407470 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^8 * A * \sqrt{-a} * a^7 * \operatorname{sgn}(\cos(d*x + c)) - 7635300 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^8 * B * \sqrt{-a} * a^7 * \operatorname{sgn}(\cos(d*x + c)) - 8110880 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^8 * C * \sqrt{-a} * a^7 * \operatorname{sgn}(\cos(d*x + c)) + 2176620 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^6 * A * \sqrt{-a} * a^8 * \operatorname{sgn}(\cos(d*x + c)) + 2614440 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^6 * B * \sqrt{-a} * a^8 * \operatorname{sgn}(\cos(d*x + c)) + 2882880 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^6 * C * \sqrt{-a} * a^8 * \operatorname{sgn}(\cos(d*x + c)) - 399860 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^4 * A * \sqrt{-a} * a^9 * \operatorname{sgn}(\cos(d*x + c)) - 460440 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^4 * B * \sqrt{-a} * a^9 * \operatorname{sgn}(\cos(d*x + c)) - 498880 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^4 * C * \sqrt{-a} * a^9 * \operatorname{sgn}(\cos(d*x + c)) + 34035 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^2 * A * \sqrt{-a} * a^{10} * \operatorname{sgn}(\cos(d*x + c)) + 41850 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^2 * B * \sqrt{-a} * a^{10} * \operatorname{sgn}(\cos(d*x + c)) + 42960 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^2 * C * \sqrt{-a} * a^{10} * \operatorname{sgn}(\cos(d*x + c)) - 1201 * A * \sqrt{-a} * a^{11} * \operatorname{sgn}(\cos(d*x + c)) - 1470 * B * \sqrt{-a} * a^{11} * \operatorname{sgn}(\cos(d*x + c)) - 1520 * C * \sqrt{-a} * a^{11} * \operatorname{sgn}(\cos(d*x + c)) / ((\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6 * (\sqrt{-a} * \tan(1/2*d*x + 1/2*c) - \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a})^2 * a + a^2)^5) / d
\end{aligned}$$

3.500 $\int \sec^3(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=294

$$\frac{2a^3(2717A + 2522B + 2224C) \tan(c + dx) \sec^3(c + dx)}{9009d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(143A + 182B + 136C) \tan(c + dx) \sec^3(c + dx)\sqrt{a \sec(c + dx) + a}}{1287d}$$

```
[Out] (2*a^3*(10439*A + 9230*B + 8368*C)*Tan[c + d*x])/(6435*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2717*A + 2522*B + 2224*C)*Sec[c + d*x]^3*Tan[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a^2*(10439*A + 9230*B + 8368*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(45045*d) + (2*a^2*(143*A + 182*B + 136*C)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(1287*d) + (2*a*(10439*A + 9230*B + 8368*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(15015*d) + (2*a*(13*B + 5*C)*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(143*d) + (2*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(13*d)
```

Rubi [A] time = 0.90489, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4088, 4018, 4016, 3800, 4001, 3792}

$$\frac{2a^3(2717A + 2522B + 2224C) \tan(c + dx) \sec^3(c + dx)}{9009d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(143A + 182B + 136C) \tan(c + dx) \sec^3(c + dx)\sqrt{a \sec(c + dx) + a}}{1287d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (2*a^3*(10439*A + 9230*B + 8368*C)*Tan[c + d*x])/(6435*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2717*A + 2522*B + 2224*C)*Sec[c + d*x]^3*Tan[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a^2*(10439*A + 9230*B + 8368*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(45045*d) + (2*a^2*(143*A + 182*B + 136*C)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(1287*d) + (2*a*(10439*A + 9230*B + 8368*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(15015*d) + (2*a*(13*B + 5*C)*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(143*d) + (2*C*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(13*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3800

```
Int[csc[(e_.) + (f_.)*(x_.)]^3*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_),
x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
```

+ 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{13d} \\
 &= \frac{2a(13B + 5C) \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{143d} \\
 &= \frac{2a^2(143A + 182B + 136C) \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{1287d} \\
 &= \frac{2a^3(2717A + 2522B + 2224C) \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{9009d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^3(2717A + 2522B + 2224C) \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{9009d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^3(2717A + 2522B + 2224C) \sec^3(c + dx)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{9009d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^3(10439A + 9230B + 8368C) \tan(c + dx)(a + a \sec(c + dx))^{5/2}}{6435d\sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 2.14288, size = 222, normalized size = 0.76

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^6(c + dx) \sqrt{a(\sec(c + dx) + 1)} (70(4576A + 5083B + 5552C) \cos(c + dx) + 14(32747A + 31850B + 30334C) \cos[2(c + dx)] + 141570A \cos[3(c + dx)] + 141570B \cos[4(c + dx)] + 141570C \cos[5(c + dx)])}{6435d\sqrt{a + a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*(322751*A + 325910*B + 343612*C + 70*(4576*A + 5083*B + 5552*C))*Cos[c + d*x] + 14*(32747*A + 31850*B + 30334*C))*Cos[2*(c + d*x)] + 141570*A*Cos[3(c + d*x)] + 141570*B*Cos[4(c + d*x)] + 141570*C*Cos[5(c + d*x)]

*(c + d*x)] + 138450*B*Cos[3*(c + d*x)] + 125520*C*Cos[3*(c + d*x)] + 15658
 5*A*Cos[4*(c + d*x)] + 138450*B*Cos[4*(c + d*x)] + 125520*C*Cos[4*(c + d*x)]
] + 20878*A*Cos[5*(c + d*x)] + 18460*B*Cos[5*(c + d*x)] + 16736*C*Cos[5*(c
 + d*x)] + 20878*A*Cos[6*(c + d*x)] + 18460*B*Cos[6*(c + d*x)] + 16736*C*Cos
 [6*(c + d*x)])*Sec[c + d*x]^6*sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2)]/
 (180180*d)

Maple [A] time = 0.37, size = 240, normalized size = 0.8

$2a^2(-1 + \cos(dx + c)) \left(83512A(\cos(dx + c))^6 + 73840B(\cos(dx + c))^6 + 66944C(\cos(dx + c))^6 + 41756A(\cos(dx + c))^5 + 31317A^2(\cos(dx + c))^4 + 27690B(\cos(dx + c))^4 + 25104C(\cos(dx + c))^4 + 18590A^2(\cos(dx + c))^3 + 23075B(\cos(dx + c))^3 + 20920C(\cos(dx + c))^3 + 5005A^2(\cos(dx + c))^2 + 14560B(\cos(dx + c))^2 + 18305C(\cos(dx + c))^2 + 4095B^2(\cos(dx + c)) + 11970C^2(\cos(dx + c)) + 3465C^3 \right) / (\cos(dx + c))^{1/2} / \cos(dx + c)^6 / \sin(dx + c)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] -2/45045/d*a^2*(-1+cos(d*x+c))*(83512*A*cos(d*x+c)^6+73840*B*cos(d*x+c)^6+6
 6944*C*cos(d*x+c)^6+41756*A*cos(d*x+c)^5+36920*B*cos(d*x+c)^5+33472*C*cos(d
 *x+c)^5+31317*A*cos(d*x+c)^4+27690*B*cos(d*x+c)^4+25104*C*cos(d*x+c)^4+1859
 0*A*cos(d*x+c)^3+23075*B*cos(d*x+c)^3+20920*C*cos(d*x+c)^3+5005*A*cos(d*x+c
)^2+14560*B*cos(d*x+c)^2+18305*C*cos(d*x+c)^2+4095*B*cos(d*x+c)+11970*C*cos
 (d*x+c)+3465*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^6/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.570552, size = 541, normalized size = 1.84

$2 \left(8(10439A + 9230B + 8368C)a^2 \cos(dx + c)^6 + 4(10439A + 9230B + 8368C)a^2 \cos(dx + c)^5 + 3(10439A + 9230B + 8368C)a^2 \cos(dx + c)^4 + 2(10439A + 9230B + 8368C)a^2 \cos(dx + c)^3 + (10439A + 9230B + 8368C)a^2 \cos(dx + c)^2 + (10439A + 9230B + 8368C)a^2 \cos(dx + c) + (10439A + 9230B + 8368C)a^2 \right) / \cos(dx + c)^6 / \sin(dx + c)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 2/45045*(8*(10439*A + 9230*B + 8368*C)*a^2*cos(d*x + c)^6 + 4*(10439*A + 9230*B + 8368*C)*a^2*cos(d*x + c)^5 + 3*(10439*A + 9230*B + 8368*C)*a^2*cos(d*x + c)^4 + 5*(3718*A + 4615*B + 4184*C)*a^2*cos(d*x + c)^3 + 35*(143*A + 416*B + 523*C)*a^2*cos(d*x + c)^2 + 315*(13*B + 38*C)*a^2*cos(d*x + c) + 3465*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^7 + d*cos(d*x + c)^6)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 5.7069, size = 637, normalized size = 2.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 8/45045*(45045*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 45045*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 45045*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (180180*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 150150*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 120120*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (342342*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 300300*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 294294*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (391248*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 356070*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 310596*sqrt(2)*C*a^9*sgn(cos(d*x + c)) - (265837*sqrt(2)*A*a^9*sgn(cos(d*x + c)) + 265837*sqrt(2)*B*a^9*sgn(cos(d*x + c)) + 265837*sqrt(2)*C*a^9*sgn(cos(d*x + c))))*sin(d*x + c)/(d*cos(d*x + c)^7 + d*cos(d*x + c)^6)
```

$$\begin{aligned}
& n(\cos(dx + c)) + 232375\sqrt{2}B*a^9\text{sgn}(\cos(dx + c)) + 212069\sqrt{2}C \\
& *a^9\text{sgn}(\cos(dx + c)) - 4*(24167\sqrt{2}A*a^9\text{sgn}(\cos(dx + c)) + 21125\sqrt{2} \\
& *B*a^9\text{sgn}(\cos(dx + c)) + 19279\sqrt{2}C*a^9\text{sgn}(\cos(dx + c)) - 2* \\
& (1859\sqrt{2}A*a^9\text{sgn}(\cos(dx + c)) + 1625\sqrt{2}B*a^9\text{sgn}(\cos(dx + c) \\
&) + 1483\sqrt{2}C*a^9\text{sgn}(\cos(dx + c))) * \tan(1/2*dx + 1/2*c)^2 * \tan(1/2*d \\
& *x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x \\
& + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c) / ((a*\tan(1/2*d*x + \\
& 1/2*c)^2 - a)^6 * \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a} * d)
\end{aligned}$$

3.501 $\int \sec^2(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=229

$$\frac{16a^2(165A + 143B + 125C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{3465d} + \frac{64a^3(165A + 143B + 125C) \tan(c + dx)}{3465d \sqrt{a \sec(c + dx) + a}} + \frac{2(99A - 22B + 26C)}{11d}$$

```
[Out] (64*a^3*(165*A + 143*B + 125*C)*Tan[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(165*A + 143*B + 125*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a*(165*A + 143*B + 125*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d) + (2*(99*A - 22*B + 26*C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(693*d) + (2*C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(11*d) + (2*(11*B + 5*C)*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(99*a*d)
```

Rubi [A] time = 0.586802, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4088, 4010, 4001, 3793, 3792}

$$\frac{16a^2(165A + 143B + 125C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{3465d} + \frac{64a^3(165A + 143B + 125C) \tan(c + dx)}{3465d \sqrt{a \sec(c + dx) + a}} + \frac{2(99A - 22B + 26C)}{11d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (64*a^3*(165*A + 143*B + 125*C)*Tan[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(165*A + 143*B + 125*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a*(165*A + 143*B + 125*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d) + (2*(99*A - 22*B + 26*C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(693*d) + (2*C*Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(11*d) + (2*(11*B + 5*C)*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(99*a*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m, x]]
```

```

+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4010

```

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]

```

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]

```

Rule 3793

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_
Symbol] := -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] +
Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[
2*m]

```

Rule 3792

```

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^2(c + dx)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{11d} \\
&= \frac{2C \sec^2(c + dx)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{11d} \\
&= \frac{2(99A - 22B + 26C)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{693d} \\
&= \frac{2a(165A + 143B + 125C)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{1155d} \\
&= \frac{16a^2(165A + 143B + 125C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3465d} \\
&= \frac{64a^3(165A + 143B + 125C) \tan(c + dx)}{3465d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.66857, size = 188, normalized size = 0.82

$$a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \sqrt{a(\sec(c + dx) + 1)} ((49830A + 49654B + 50140C) \cos(c + dx) + 4(4290A + 4642B + 4615C))$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(13365*A + 15356*B + 18140*C + (49830*A + 49654*B + 50140*C)*Cos[c + d*x] + 4*(4290*A + 4642*B + 4615*C)*Cos[2*(c + d*x)] + 22935*A*Cos[3*(c + d*x)] + 20878*B*Cos[3*(c + d*x)] + 18460*C*Cos[3*(c + d*x)] + 3795*A*Cos[4*(c + d*x)] + 3212*B*Cos[4*(c + d*x)] + 2840*C*Cos[4*(c + d*x)] + 3795*A*Cos[5*(c + d*x)] + 3212*B*Cos[5*(c + d*x)] + 2840*C*Cos[5*(c + d*x)])*Sec[c + d*x]^5*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(13860*d)

Maple [A] time = 0.33, size = 207, normalized size = 0.9

$$2a^2(-1 + \cos(dx + c)) \left(7590A(\cos(dx + c))^5 + 6424B(\cos(dx + c))^5 + 5680C(\cos(dx + c))^5 + 3795A(\cos(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$-2/3465/d*a^2*(-1+\cos(d*x+c))*(7590*A*\cos(d*x+c)^5+6424*B*\cos(d*x+c)^5+5680*C*\cos(d*x+c)^5+3795*A*\cos(d*x+c)^4+3212*B*\cos(d*x+c)^4+2840*C*\cos(d*x+c)^4+1980*A*\cos(d*x+c)^3+2409*B*\cos(d*x+c)^3+2130*C*\cos(d*x+c)^3+495*A*\cos(d*x+c)^2+1430*B*\cos(d*x+c)^2+1775*C*\cos(d*x+c)^2+385*B*\cos(d*x+c)+1120*C*\cos(d*x+c)+315*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^5/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.543928, size = 456, normalized size = 1.99

$$2\left(2(3795A + 3212B + 2840C)a^2 \cos(dx + c)^5 + (3795A + 3212B + 2840C)a^2 \cos(dx + c)^4 + 3(660A + 803B + 710C)a^2 \cos(dx + c)^3 + 5(99A + 286B + 355C)a^2 \cos(dx + c)^2 + 35(11B + 32C)a^2 \cos(dx + c) + 315C a^2\right) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c) / (d \cos(dx + c)^6 + d \cos(dx + c)^5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out]
$$2/3465*(2*(3795*A + 3212*B + 2840*C)*a^2*\cos(d*x + c)^5 + (3795*A + 3212*B + 2840*C)*a^2*\cos(d*x + c)^4 + 3*(660*A + 803*B + 710*C)*a^2*\cos(d*x + c)^3 + 5*(99*A + 286*B + 355*C)*a^2*\cos(d*x + c)^2 + 35*(11*B + 32*C)*a^2*\cos(d*x + c) + 315*C*a^2)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^6 + d*\cos(d*x + c)^5)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 5.5264, size = 554, normalized size = 2.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -8/3465*(3465*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(dx + c)) + 3465*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(dx + c)) \\ & + 3465*\sqrt{2}*C*a^8*\operatorname{sgn}(\cos(dx + c)) - (12705*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(dx + c)) \\ & + 10395*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(dx + c)) + 8085*\sqrt{2}*C*a^8*\operatorname{sgn}(\cos(dx + c)) \\ & - (19635*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(dx + c)) + 15939*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(dx + c)) \\ & + 15015*\sqrt{2}*C*a^8*\operatorname{sgn}(\cos(dx + c)) - (16335*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(dx + c)) \\ & + 14157*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(dx + c)) + 12375*\sqrt{2}*C*a^8*\operatorname{sgn}(\cos(dx + c)) \\ & - 4*(1815*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(dx + c)) + 1573*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(dx + c)) \\ & + 1375*\sqrt{2}*C*a^8*\operatorname{sgn}(\cos(dx + c)) - 2*(165*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(dx + c)) \\ & + 143*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(dx + c)) + 125*\sqrt{2}*C*a^8*\operatorname{sgn}(\cos(dx + c))) \\ & * \tan(1/2*dx + 1/2*c)^2 * \tan(1/2*dx + 1/2*c)^2 * \tan(1/2*dx + 1/2*c)^2 * \tan(1/2*dx + 1/2*c)^2 \\ & * \tan(1/2*dx + 1/2*c)^2 * \tan(1/2*dx + 1/2*c) / ((a*\tan(1/2*dx + 1/2*c)^2 - a)^5 * \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a}) * dx \end{aligned}$$

3.502 $\int \sec(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=184

$$\frac{16a^2(21A + 15B + 13C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(21A + 15B + 13C) \tan(c + dx)}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a(21A + 15B + 13C) \tan^2(c + dx)}{315d}$$

```
[Out] (64*a^3*(21*A + 15*B + 13*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]])
+ (16*a^2*(21*A + 15*B + 13*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315
*d) + (2*a*(21*A + 15*B + 13*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1
05*d) + (2*(9*B - 2*C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*d) + (2
*C*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*a*d)
```

Rubi [A] time = 0.3447, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4082, 4001, 3793, 3792}

$$\frac{16a^2(21A + 15B + 13C) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(21A + 15B + 13C) \tan(c + dx)}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a(21A + 15B + 13C) \tan^2(c + dx)}{315d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] (64*a^3*(21*A + 15*B + 13*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]])
+ (16*a^2*(21*A + 15*B + 13*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315
*d) + (2*a*(21*A + 15*B + 13*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1
05*d) + (2*(9*B - 2*C)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*d) + (2
*C*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*a*d)
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{7/2} \tan(c + dx)}{9ad} + \frac{2(9B - 2C)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{63d} \\ &= \frac{2a(21A + 15B + 13C)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{105d} \\ &= \frac{16a^2(21A + 15B + 13C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{315d} \\ &= \frac{64a^3(21A + 15B + 13C) \tan(c + dx)}{315d\sqrt{a + a \sec(c + dx)}} + \frac{1}{315d} \int \frac{1}{\sqrt{a + a \sec(c + dx)}} dx \end{aligned}$$

Mathematica [A] time = 2.44974, size = 156, normalized size = 0.85

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \sqrt{a(\sec(c + dx) + 1)} (2(882A + 1215B + 1396C) \cos(c + dx) + 4(966A + 870B + 803C))}{315d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*(2961*A + 2790*B + 2908*C + 2*(882*A + 1215*B + 1396*C)*Cos[c + d*x] + 4*(966*A + 870*B + 803*C)*Cos[2*(c + d*x)] + 588*A*Cos[3*(c + d*x)] + 690*B*Cos[3*(c + d*x)] + 584*C*Cos[3*(c + d*x)] + 903*A*Cos[4*(c + d*x)] + 690*B*Cos[4*(c + d*x)] + 584*C*Cos[4*(c + d*x)])*Sec[c + d*x]^4*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d)

Maple [A] time = 0.29, size = 174, normalized size = 1.

$$\frac{2a^2(-1 + \cos(dx + c))\left(903A(\cos(dx + c))^4 + 690B(\cos(dx + c))^4 + 584C(\cos(dx + c))^4 + 294A(\cos(dx + c))^3 + \dots\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] -2/315/d*a^2*(-1+cos(d*x+c))*(903*A*cos(d*x+c)^4+690*B*cos(d*x+c)^4+584*C*cos(d*x+c)^4+294*A*cos(d*x+c)^3+345*B*cos(d*x+c)^3+292*C*cos(d*x+c)^3+63*A*cos(d*x+c)^2+180*B*cos(d*x+c)^2+219*C*cos(d*x+c)^2+45*B*cos(d*x+c)+130*C*cos(d*x+c)+35*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^4/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.533747, size = 374, normalized size = 2.03

$$\frac{2\left((903A + 690B + 584C)a^2 \cos(dx + c)^4 + (294A + 345B + 292C)a^2 \cos(dx + c)^3 + 3(21A + 60B + 73C)a^2 \cos(dx + c)^2 + 5(9B + 26C)a^2 \cos(dx + c) + 35Ca^2\right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{315\left(d \cos(dx + c)^5 + d \cos(dx + c)^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 2/315*((903*A + 690*B + 584*C)*a^2*cos(d*x + c)^4 + (294*A + 345*B + 292*C)*a^2*cos(d*x + c)^3 + 3*(21*A + 60*B + 73*C)*a^2*cos(d*x + c)^2 + 5*(9*B + 26*C)*a^2*cos(d*x + c) + 35*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 5.36341, size = 470, normalized size = 2.55

$$8\left(315\sqrt{2}Aa^7\operatorname{sgn}(\cos(dx + c)) + 315\sqrt{2}Ba^7\operatorname{sgn}(\cos(dx + c)) + 315\sqrt{2}Ca^7\operatorname{sgn}(\cos(dx + c)) - \left(1050\sqrt{2}Aa^7\operatorname{sgn}(\cos(dx + c))\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 8/315*(315*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 315*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 315*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (1050*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 840*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 630*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - (1323*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 945*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 819*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - 4*(189*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 135*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 117*sqrt(2)*C*a^7*sgn(cos(d*x + c)) - 2*(21*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 15*sqrt(2)*B*a^7*sgn(cos(d*x + c)) + 13*sqrt(2)*C*a^7*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^4*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```


3.503 $\int (a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))$

Optimal. Leaf size=182

$$\frac{2a^3(245A + 224B + 160C) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(35A + 56B + 40C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d}$$

```
[Out] (2*a^(5/2)*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (
2*a^3*(245*A + 224*B + 160*C)*Tan[c + d*x]/(105*d*Sqrt[a + a*Sec[c + d*x]]
) + (2*a^2*(35*A + 56*B + 40*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x]/(105
*d) + (2*a*(7*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x]/(35*d) + (2
*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x]/(7*d)
```

Rubi [A] time = 0.324399, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4054, 3917, 3915, 3774, 203, 3792}

$$\frac{2a^3(245A + 224B + 160C) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(35A + 56B + 40C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*a^(5/2)*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (
2*a^3*(245*A + 224*B + 160*C)*Tan[c + d*x]/(105*d*Sqrt[a + a*Sec[c + d*x]]
) + (2*a^2*(35*A + 56*B + 40*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x]/(105
*d) + (2*a*(7*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x]/(35*d) + (2
*C*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x]/(7*d)
```

Rule 4054

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[
(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x
], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &&
!LtQ[m, -2^(-1)]
```

Rule 3917

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3915

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7d} + \frac{2 \int (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{7d} \\
&= \frac{2a(7B + 5C)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{35d} + \frac{2 \int (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{35d} \\
&= \frac{2a^2(35A + 56B + 40C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} + \frac{2 \int (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{105d} \\
&= \frac{2a^2(35A + 56B + 40C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} + \frac{2 \int (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx}{105d} \\
&= \frac{2a^3(245A + 224B + 160C) \tan(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(35A + 56B + 40C)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} \\
&= \frac{2a^{5/2} A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{2a^3(245A + 224B + 160C) \tan(c + dx)}{105d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.43599, size = 170, normalized size = 0.93

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right)\right) ((840A + 987B + 930C) \cos(c + dx) + 2(35A + 98B + 115C) \cos[2(c + dx)] + 280A \cos[3(c + dx)] + 301B \cos[3(c + dx)] + 230C \cos[3(c + dx)]) \sin\left(\frac{1}{2}(c + dx)\right) / (420d)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]^3*Sqrt[a*(1 + Sec[c + d*x])]*(420*Sqrt[2]*A*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(7/2) + 2*(70*A + 196*B + 290*C + (840*A + 987*B + 930*C)*Cos[c + d*x] + 2*(35*A + 98*B + 115*C)*Cos[2*(c + d*x)] + 280*A*Cos[3*(c + d*x)] + 301*B*Cos[3*(c + d*x)] + 230*C*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(420*d)

Maple [B] time = 0.355, size = 476, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$-1/840/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-105*A*\sin(d*x+c)*\cos(d*x+c)^3*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{7/2}*2^{1/2}-315*A*\sin(d*x+c)*\cos(d*x+c)^2*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{7/2}*2^{1/2}-315*A*\sin(d*x+c)*\cos(d*x+c)*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{7/2}*2^{1/2}-105*A*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{7/2}*2^{1/2}*\sin(d*x+c)+4480*A*\cos(d*x+c)^4+4816*B*\cos(d*x+c)^4+3680*C*\cos(d*x+c)^4-3920*A*\cos(d*x+c)^3-3248*B*\cos(d*x+c)^3-1840*C*\cos(d*x+c)^3-560*A*\cos(d*x+c)^2-1232*B*\cos(d*x+c)^2-880*C*\cos(d*x+c)^2-336*B*\cos(d*x+c)-720*C*\cos(d*x+c)-240*C)/\cos(d*x+c)^3/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.595144, size = 1111, normalized size = 6.1

$$\left[\frac{105 \left(Aa^2 \cos(dx+c)^4 + Aa^2 \cos(dx+c)^3 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)-a}{\cos(dx+c)+1} \right)}{105(d} + 2 \left((28 \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

```
[Out] [1/105*(105*(A*a^2*cos(d*x + c)^4 + A*a^2*cos(d*x + c)^3)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*((280*A + 301*B + 230*C)*a^2*cos(d*x + c)^3 + (35*A + 98*B + 115*C)*a^2*cos(d*x + c)^2 + 3*(7*B + 20*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), -2/105*(105*(A*a^2*cos(d*x + c)^4 + A*a^2*cos(d*x + c)^3)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((280*A + 301*B + 230*C)*a^2*cos(d*x + c)^3 + (35*A + 98*B + 115*C)*a^2*cos(d*x + c)^2 + 3*(7*B + 20*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.504 $\int \cos(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=184

$$\frac{a^3(15A + 70B + 64C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(15A - 10B - 16C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{a^{5/2}(5A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d}$$

[Out] (a^(5/2)*(5*A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/d + (a^3*(15*A + 70*B + 64*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(15*A - 10*B - 16*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) - (a*(5*A - 2*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

Rubi [A] time = 0.40408, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4086, 3917, 3915, 3774, 203, 3792}

$$\frac{a^3(15A + 70B + 64C) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(15A - 10B - 16C) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{a^{5/2}(5A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(5*A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/d + (a^3*(15*A + 70*B + 64*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(15*A - 10*B - 16*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) - (a*(5*A - 2*C)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 3917

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3915

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} + \frac{\int (a + a \sec(c + dx))^{5/2} \sin(c + dx) dx}{d} \\
&= \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{a^2(1 - \cos(c + dx))^{3/2}}{d} \\
&= \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{a^2(1 - \cos(c + dx))^{3/2}}{d} \\
&= \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} + \frac{a^3(1 - \cos(c + dx))^{3/2}}{d} \\
&= \frac{a^{5/2}(5A + 2B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 1.75414, size = 209, normalized size = 1.14

$$\frac{\cos(c + dx)(a(\sec(c + dx) + 1))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{\cos(c + dx) \tan\left(\frac{1}{2}(c + dx)\right) ((45A + 40B + 112C) \cos(c + dx) + 4(15A + 2B))}{(\cos(c + dx) + 1)^2} \right)}{30d(A \cos(2(c + dx)) + A + 2B \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]*(a*(1 + Sec[c + d*x]))^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((60*(5*A + 2*B)*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Sin[c + d*x])/(Sqrt[-1 + Sec[c + d*x]]*(1 + Sec[c + d*x])^3) + (Cos[c + d*x]*(60*A + 160*B + 196*C + (45*A + 40*B + 112*C)*Cos[c + d*x] + 4*(15*A + 40*B + 43*C)*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(1 + Cos[c + d*x])^2)/(30*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [B] time = 0.368, size = 604, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)*(a+a*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x)$

[Out]
$$-1/120/d*a^2*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(75*A*2^{1/2}*\cos(dx+c)^2*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+30*B*\cos(dx+c)^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+150*A*2^{1/2}*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+60*B*\cos(dx+c)^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+75*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+30*B*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+120*A*\cos(dx+c)^4+120*A*\cos(dx+c)^3+640*B*\cos(dx+c)^3+688*C*\cos(dx+c)^3-240*A*\cos(dx+c)^2-560*B*\cos(dx+c)^2-464*C*\cos(dx+c)^2-80*B*\cos(dx+c)-176*C*\cos(dx+c)-48*C)/\sin(dx+c)/\cos(dx+c)^2$$

Maxima [B] time = 2.40302, size = 3753, normalized size = 20.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)*(a+a*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x,\text{algorithm}=\text{"maxima"})$

[Out]
$$1/12*(3*(18*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{3/4}*a^{5/2}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4})*((4*a^2*\sin(3*d*x + 3*c) + 5*a^2*\sin(2*d*x + 2*c) + 4*a^2*\sin(d*x + c))*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + (a^2*\cos(2*d*x + 2*c))^2*\sin(d*x + c) + a^2*\sin(2*d*x + 2*c))^2*\sin(d*x + c) + 2*a^2*\cos(2*d*x + 2*c)*\sin(d*x + c) + a^2*\sin(d*x + c))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - (4*a^2*\cos(3*d*x + 3*c) + 5*a^2*\cos(2*d*x + 2*c) + 4*a^2*\cos(d*x + c) + 5*a^2)*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - ((a^2*\cos(d*x + c) - a^2)*\cos(2*d*x + 2*c))^2 + a^2*\cos(d*x + c) + (a^2*\cos(d*x + c) - a^2)*\sin(2*d*x + 2*c))^2 - a^2 + 2*(a^2*\cos(d*x + c) - a^2)*\cos(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)$$

$$\begin{aligned} &) + 1)) * \text{sqrt}(a) + 5 * ((a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c)^2 + 2 * \\ & a^2 * \cos(2*d*x + 2*c) + a^2) * \text{arctan2}(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c) \\ & ^2 + 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2 \\ & *d*x + 2*c) + 1)) * \sin(d*x + c) - \cos(d*x + c) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2 \\ & *c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \\ & \cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(d*x + c) * \cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \\ & \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos \\ & (2*d*x + 2*c) + 1))) + 1) - (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c) \\ & ^2 + 2 * a^2 * \cos(2*d*x + 2*c) + a^2) * \text{arctan2}(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x \\ & + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c) \\ & , \cos(2*d*x + 2*c) + 1)) * \sin(d*x + c) - \cos(d*x + c) * \sin(1/2 * \text{arctan2}(\sin(2 * \\ & d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c) \\ & ^2 + 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(d*x + c) * \cos(1/2 * \text{arctan2}(\sin(2*d*x \\ & + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2 \\ & *c), \cos(2*d*x + 2*c) + 1))) - 1) - (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x \\ & + 2*c)^2 + 2 * a^2 * \cos(2*d*x + 2*c) + a^2) * \text{arctan2}((\cos(2*d*x + 2*c)^2 + \sin \\ & (2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2 * \text{arctan2}(\sin(2*d*x + \\ & 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \\ & \cos(2*d*x + 2*c) + 1)^{(1/4)} * \cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + \\ & 2*c) + 1)) + 1) + (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c)^2 + 2 * a^2 * \\ & \cos(2*d*x + 2*c) + a^2) * \text{arctan2}((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + \\ & 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + \\ & 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) \\ & + 1)^{(1/4)} * \cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1)) * \text{s} \\ & \text{qrt}(a) * A / ((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1 \\ &) + 2 * (30 * (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1 \\ &))^{(3/4)} * a^{(5/2)} * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \\ & 2 * (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * \\ & ((12 * a^2 * \cos(3/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2 \\ & *c) - 3 * a^2 * \sin(2*d*x + 2*c) - 4 * (3 * a^2 * \cos(2*d*x + 2*c) + 4 * a^2) * \sin(3/2 * a \\ & \text{rctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \cos(3/2 * \text{arctan2}(\sin(2*d*x + 2 * \\ & c), \cos(2*d*x + 2*c) + 1)) + (12 * a^2 * \sin(2*d*x + 2*c) * \sin(3/2 * \text{arctan2}(\sin(2 \\ & *d*x + 2*c), \cos(2*d*x + 2*c))) + 3 * a^2 * \cos(2*d*x + 2*c) - a^2 + 4 * (3 * a^2 * c \\ & \cos(2*d*x + 2*c) + 4 * a^2) * \cos(3/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\ &)) * \sin(3/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \text{sqrt}(a) + 3 * (\\ & (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c)^2 + 2 * a^2 * \cos(2*d*x + 2*c) + \\ & a^2) * \text{arctan2}((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) \\ & + 1)^{(1/4)} * (\cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2 * a \\ & \text{rctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2 * \text{arctan2}(\sin(2*d*x \\ & + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x \\ & + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + \\ & 1)^{(1/4)} * (\cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \cos(1/2 \\ & * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(1/2 * \text{arctan2}(\sin(2*d*x + \\ & 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + \\ & 2*c)))) + 1) - (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c)^2 + 2 * a^2 * \cos \end{aligned}$$

$$\begin{aligned} & s(2*d*x + 2*c) + a^2) * \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2* \\ & \cos(2*d*x + 2*c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\ & 2*c))) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2 * a \\ & rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + \\ & 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*co \\ & s(2*d*x + 2*c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\ & c) + 1)) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(1/2 * arc \\ & tan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2 \\ & *c), \cos(2*d*x + 2*c)))) - 1) - (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2 \\ & *c)^2 + 2*a^2 * \cos(2*d*x + 2*c) + a^2) * \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d \\ & *x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c) \\ &), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos \\ & (2*d*x + 2*c) + 1)^{1/4} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\ & + 1)) + 1) + (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c)^2 + 2*a^2 * \cos(\\ & 2*d*x + 2*c) + a^2) * \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*co \\ & s(2*d*x + 2*c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\ &) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\ & ^{1/4} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1)) * \sqrt{a} \\ &) * B / (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) / d \end{aligned}$$

Fricas [A] time = 0.681727, size = 1108, normalized size = 6.02

$$\left[\frac{15 \left((5A + 2B)a^2 \cos(dx + c)^3 + (5A + 2B)a^2 \cos(dx + c)^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx + c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \cos(dx + c) \sin(dx + c) + a \cos(dx + c)}{\cos(dx + c) + 1} \right)}{30(dx + c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/30*(15*((5*A + 2*B)*a^2*cos(d*x + c)^3 + (5*A + 2*B)*a^2*cos(d*x + c)^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(15*A*a^2*cos(d*x + c)^3 + 2*(15*A + 40*B + 43*C)*a^2*cos(d*x + c)^2 + 2*(5*B + 14*C)*a^2*cos(d*x + c) + 6*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), -1/15*(15*((5*A + 2*B)*a^2*cos(d*x + c)^3 + (5*A + 2*B)*a^2*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*

$$x + c))) - (15Aa^2\cos(dx + c)^3 + 2(15A + 40B + 43C)a^2\cos(dx + c)^2 + 2(5B + 14C)a^2\cos(dx + c) + 6Ca^2)\sqrt{(a\cos(dx + c) + a/\cos(dx + c))\sin(dx + c)}/(d\cos(dx + c)^3 + d\cos(dx + c)^2)]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)*(a+a*sec(dx+c))**(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)
```

[Out] Timed out

Giac [B] time = 6.86492, size = 771, normalized size = 4.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)*(a+a*sec(dx+c))^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="giac")
```

```
[Out] -1/30*(15*(5*A*sqrt(-a)*a^2*sgn(cos(dx + c)) + 2*B*sqrt(-a)*a^2*sgn(cos(dx + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 15*(5*A*sqrt(-a)*a^2*sgn(cos(dx + c)) + 2*B*sqrt(-a)*a^2*sgn(cos(dx + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 60*sqrt(2)*(3*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^3*sgn(cos(dx + c)) - A*sqrt(-a)*a^4*sgn(cos(dx + c)))/(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2) - 4*(15*sqrt(2)*A*a^5*sgn(cos(dx + c)) + 45*sqrt(2)*B*a^5*sgn(cos(dx + c)) + 60*sqrt(2)*C*a^5*sgn(cos(dx + c)) - (30*sqrt(2)*A*a^5*sgn(cos(dx + c)) + 80*sqrt(2)*B*a^5*sgn(cos(dx + c)) + 80*sqrt(2)*C*a^5*sgn(cos(dx + c)) - (15*sqrt(2)*A*a^5*sgn(cos(dx + c)) + 35*sqrt(2)*B*a^5*sgn(cos(dx + c)) + 32*sqrt(2)*C*a^5*sgn(cos(dx + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d
```

3.505 $\int \cos^2(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=197

$$\frac{a^3(27A - 12B - 56C) \sin(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(A - 4B - 8C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{2d} + \frac{a^{5/2}(19A + 20B + 8C) \tan^{-1}\left(\frac{\sqrt{a \sec(c + dx) + a}}{\sqrt{a}}\right)}{4d}$$

```
[Out] (a^(5/2)*(19*A + 20*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^3*(27*A - 12*B - 56*C)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(A - 4*B - 8*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) - (a*(3*A - 4*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.631031, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4086, 4018, 4015, 3774, 203}

$$\frac{a^3(27A - 12B - 56C) \sin(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(A - 4B - 8C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{2d} + \frac{a^{5/2}(19A + 20B + 8C) \tan^{-1}\left(\frac{\sqrt{a \sec(c + dx) + a}}{\sqrt{a}}\right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(5/2)*(19*A + 20*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^3*(27*A - 12*B - 56*C)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(A - 4*B - 8*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) - (a*(3*A - 4*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(2*d)
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{2d} \\
&= -\frac{a(3A - 4C)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{6d} \\
&= -\frac{a^2(A - 4B - 8C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} \\
&= \frac{a^3(27A - 12B - 56C) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} - \frac{a^2 C \cos(c + dx)}{2d} \\
&= \frac{a^3(27A - 12B - 56C) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} - \frac{a^2 C \cos(c + dx)}{2d} \\
&= \frac{a^{5/2}(19A + 20B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d}
\end{aligned}$$

Mathematica [A] time = 1.19124, size = 152, normalized size = 0.77

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(6\sqrt{2}(19A + 20B + 8C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \cos^{\frac{3}{2}}(c + dx) + 2\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right) \cos^{\frac{3}{2}}(c + dx)\right)}{4}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(19*A + 20*B + 8*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + 2*(33*A + 12*B + 16*C + (9*A + 48*B + 128*C)*Cos[c + d*x] + 3*(11*A + 4*B)*Cos[2*(c + d*x)] + 3*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d)

Maple [B] time = 0.388, size = 583, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(a+a*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out] $\frac{1}{48}d^2a^2\left(\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}\right)^{1/2}\left(57A^2\sqrt{\frac{\sin(dx+c)\cos(dx+c)\operatorname{arctanh}\left(\frac{1}{2}\sqrt{\frac{-2\cos(dx+c)}{\cos(dx+c)+1}}\right)}{\cos(dx+c)}}\right)^{1/2}\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{3/2}+60B\cos(dx+c)\sin(dx+c)\sqrt{\frac{-2\cos(dx+c)}{\cos(dx+c)+1}}\right)^{3/2}\operatorname{arctanh}\left(\frac{1}{2}\sqrt{\frac{-2\cos(dx+c)}{\cos(dx+c)+1}}\right)\sqrt{\frac{\sin(dx+c)\cos(dx+c)}{\cos(dx+c)}}+24C\cos(dx+c)\sin(dx+c)\sqrt{\frac{-2\cos(dx+c)}{\cos(dx+c)+1}}\right)^{3/2}\operatorname{arctanh}\left(\frac{1}{2}\sqrt{\frac{-2\cos(dx+c)}{\cos(dx+c)+1}}\right)\sqrt{\frac{\sin(dx+c)\cos(dx+c)}{\cos(dx+c)}}+57A^2\sqrt{\frac{\sin(dx+c)\cos(dx+c)\operatorname{arctanh}\left(\frac{1}{2}\sqrt{\frac{-2\cos(dx+c)}{\cos(dx+c)+1}}\right)}{\cos(dx+c)}}\right)^{1/2}\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{3/2}\sin(dx+c)+60B\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{3/2}\operatorname{arctanh}\left(\frac{1}{2}\sqrt{\frac{-2\cos(dx+c)}{\cos(dx+c)+1}}\right)\sqrt{\frac{\sin(dx+c)\cos(dx+c)}{\cos(dx+c)}}+24C\left(\frac{-2\cos(dx+c)}{\cos(dx+c)+1}\right)^{3/2}\operatorname{arctanh}\left(\frac{1}{2}\sqrt{\frac{-2\cos(dx+c)}{\cos(dx+c)+1}}\right)\sqrt{\frac{\sin(dx+c)\cos(dx+c)}{\cos(dx+c)}}\right)^{1/2}\sin(dx+c)-24A\cos(dx+c)^4-108A\cos(dx+c)^3-48B\cos(dx+c)^3+132A\cos(dx+c)^2-48B\cos(dx+c)^2-256C\cos(dx+c)^2+96B\cos(dx+c)+224C\cos(dx+c)+32C\sqrt{\frac{\cos(dx+c)}{\sin(dx+c)}}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2*(a+a*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [A] time = 0.955547, size = 1111, normalized size = 5.64

$$\left[\frac{3\left((19A+20B+8C)a^2\cos(dx+c)^2+(19A+20B+8C)a^2\cos(dx+c)\right)\sqrt{-a}\log\left(\frac{2a\cos(dx+c)^2-2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)}{\cos(dx+c)+1}\right)}{24(d^2\cos(dx+c)+d\sin(dx+c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/24*(3*((19*A + 20*B + 8*C)*a^2*cos(d*x + c)^2 + (19*A + 20*B + 8*C)*a^2*cos(d*x + c))*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(6*A*a^2*cos(d*x + c)^3 + 3*(11*A + 4*B)*a^2*cos(d*x + c)^2 + 8*(3*B + 8*C)*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), -1/12*(3*((19*A + 20*B + 8*C)*a^2*cos(d*x + c)^2 + (19*A + 20*B + 8*C)*a^2*cos(d*x + c))*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (6*A*a^2*cos(d*x + c)^3 + 3*(11*A + 4*B)*a^2*cos(d*x + c)^2 + 8*(3*B + 8*C)*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 7.08242, size = 1095, normalized size = 5.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/24*(3*(19*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 20*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 8*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(19*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 20*B*sqrt(-a)*a^2*sgn(cos(d*x + c))
```

$$\begin{aligned}
&)) + 8*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c))*\log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) + 16*(3 \\
&*\sqrt{2}*B*a^4*\operatorname{sgn}(\cos(dx + c)) + 9*\sqrt{2}*C*a^4*\operatorname{sgn}(\cos(dx + c)) - (3*\sqrt{2} \\
&*\sqrt{2}*B*a^4*\operatorname{sgn}(\cos(dx + c)) + 7*\sqrt{2}*C*a^4*\operatorname{sgn}(\cos(dx + c))))*\tan(1/2 \\
&*dx + 1/2*c)^2)*\tan(1/2*dx + 1/2*c)/((a*\tan(1/2*dx + 1/2*c)^2 - a)*\sqrt{ \\
&-a*\tan(1/2*dx + 1/2*c)^2 + a}) + 12*\sqrt{2}*(19*(\sqrt{-a})*\tan(1/2*dx + 1/ \\
&2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^6*A*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + \\
&c)) + 12*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + \\
&a})^6*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) - 171*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) \\
&- \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) \\
&- 76*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^4 \\
&*B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) + 89*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{ \\
&-a*\tan(1/2*dx + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) + 36* \\
&(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^2*B*\sqrt{ \\
&-a})*a^5*\operatorname{sgn}(\cos(dx + c)) - 9*A*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)) - 4*B*\sqrt{ \\
&-a})*a^6*\operatorname{sgn}(\cos(dx + c)))/((\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan \\
&(1/2*dx + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan \\
&n(1/2*dx + 1/2*c)^2 + a})^2*a + a^2)^2)/d
\end{aligned}$$

3.506 $\int \cos^3(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=207

$$\frac{a^3(49A + 54B - 24C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(3A + 2B - 8C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{4d} + \frac{a^{5/2}(25A + 38B + 40C) \tan^{-1}\left(\frac{\sqrt{a \sec(c + dx) + a} \tan(c + dx)}{a}\right)}{8d}$$

```
[Out] (a^(5/2)*(25*A + 38*B + 40*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^3*(49*A + 54*B - 24*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(3*A + 2*B - 8*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*(5*A + 6*B)*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 0.658396, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4086, 4017, 4018, 4015, 3774, 203}

$$\frac{a^3(49A + 54B - 24C) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(3A + 2B - 8C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{4d} + \frac{a^{5/2}(25A + 38B + 40C) \tan^{-1}\left(\frac{\sqrt{a \sec(c + dx) + a} \tan(c + dx)}{a}\right)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(5/2)*(25*A + 38*B + 40*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^3*(49*A + 54*B - 24*C)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(3*A + 2*B - 8*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*(5*A + 6*B)*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
```

$x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&$
 $\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \parallel \text{EqQ}[m + n + 1, 0])$

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \text{:>} \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*(m-n-1) - b*B*n - (a*B*n + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \text{:>} -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(b*d*n) + (A*b*d*(m+n) + a*B*d*(2*m+n-1))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{!LtQ}[n, -1]$

Rule 4015

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \text{:>} \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n+1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n+1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)(x_)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/ \text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)(x_)^2)^{-1}, x_Symbol] \text{:>} \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{3d} \\
&= \frac{a(5A + 6B) \cos(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{12d} \\
&= -\frac{a^2(3A + 2B - 8C) \sqrt{a + a \sec(c + dx)}}{4d} \\
&= \frac{a^3(49A + 54B - 24C) \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} - \frac{a^2}{24d} \\
&= \frac{a^3(49A + 54B - 24C) \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} - \frac{a^2}{24d} \\
&= \frac{a^{5/2}(25A + 38B + 40C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d}
\end{aligned}$$

Mathematica [A] time = 1.70356, size = 140, normalized size = 0.68

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{\sec(c + dx) - 1}(3(27A + 22B + 8C) \cos(c + dx) + (17A + 6B) \cos(2(c + dx)))\right)}{24d \sqrt{\sec(c + dx) - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*(3*(25*A + 38*B + 40*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]] + (17*A + 6*B + 48*C + 3*(27*A + 22*B + 8*C)*Cos[c + d*x] + (17*A + 6*B)*Cos[2*(c + d*x)] + 2*A*Cos[3*(c + d*x)])*Sqrt[-1 + Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(24*d*Sqrt[-1 + Sec[c + d*x]])

Maple [B] time = 0.323, size = 846, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3(a+a\sec(dx+c))^{5/2}(A+B\sec(dx+c)+C\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/192/d*a^2*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(75*A*2^{1/2}*\cos(dx+c)^2 \\ & * \sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos \\ & s(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+114*B*\cos(dx+c)^2*2^{1/2} \\ & *(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c) \\ & c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+120*C*\cos(dx+c) \\ & ^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos \\ & (dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+150*A*2^{1/2} \\ & * \cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2} \\ & ^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+228*B*\cos \\ & s(dx+c)*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(\\ & -2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+240*C \\ & * \cos(dx+c)*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2} \\ &)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+75 \\ & *A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos \\ & (dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+114*B*2^{1/2} \\ & *(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/ \\ & (\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+120*C*2^{1/2}*(-2*\cos \\ & os(dx+c)/(\cos(dx+c)+1))^{5/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx \\ & c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+64*A*\cos(dx+c)^6+208*A*\cos \\ & (dx+c)^5+96*B*\cos(dx+c)^5+328*A*\cos(dx+c)^4+432*B*\cos(dx+c)^4+192*C*\cos \\ & (dx+c)^4-600*A*\cos(dx+c)^3-528*B*\cos(dx+c)^3+192*C*\cos(dx+c)^3-384*C*\cos \\ & s(dx+c)^2)/\cos(dx+c)^2/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3(a+a\sec(dx+c))^{5/2}(A+B\sec(dx+c)+C\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.926529, size = 1060, normalized size = 5.12

$$\left[3 \left((25A + 38B + 40C)a^2 \cos(dx + c) + (25A + 38B + 40C)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c)}{\cos(dx+c)+1} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/48*(3*((25*A + 38*B + 40*C)*a^2*cos(d*x + c) + (25*A + 38*B + 40*C)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*a^2*cos(d*x + c)^3 + 2*(17*A + 6*B)*a^2*cos(d*x + c)^2 + 3*(25*A + 22*B + 8*C)*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((25*A + 38*B + 40*C)*a^2*cos(d*x + c) + (25*A + 38*B + 40*C)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*a^2*cos(d*x + c)^3 + 2*(17*A + 6*B)*a^2*cos(d*x + c)^2 + 3*(25*A + 22*B + 8*C)*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 7.79896, size = 1712, normalized size = 8.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/48*(96*sqrt(2)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*C*a^3*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 - a) + 3*(25*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 38*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 40*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(25*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 38*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 40*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(75*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 114*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 72*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 1125*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 1710*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 888*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*C*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 6174*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 6804*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 3024*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*C*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 4314*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 4284*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 1776*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*C*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 807*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 858*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 360*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*C*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 49*A*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 54*B*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 24*C*sqrt(-a)*a^8*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^3)/d
```


3.507 $\int \cos^4(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=215

$$\frac{a^3(299A + 392B + 432C) \sin(c + dx)}{192d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(163A + 200B + 304C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(17A + 24B + 16C) \sin(c + dx)}{32d}$$

[Out] (a^(5/2)*(163*A + 200*B + 304*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(299*A + 392*B + 432*C)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(17*A + 24*B + 16*C)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + (a*(5*A + 8*B)*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.699186, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4086, 4017, 4015, 3774, 203}

$$\frac{a^3(299A + 392B + 432C) \sin(c + dx)}{192d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(163A + 200B + 304C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64d} + \frac{a^2(17A + 24B + 16C) \sin(c + dx)}{32d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(163*A + 200*B + 304*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(299*A + 392*B + 432*C)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(17*A + 24*B + 16*C)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + (a*(5*A + 8*B)*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],

$x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&$
 $\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \parallel \text{EqQ}[m + n + 1, 0])$

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*(m-n-1) - b*B*n - (a*B*n + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] /;$
 $\text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$

Rule 4015

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$
 $\text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)(x_)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/ \text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /;$
 $\text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$
 $\text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{4d} \\
&= \frac{a(5A + 8B) \cos^2(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{24d} \\
&= \frac{a^2(17A + 24B + 16C) \cos(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{32d} \\
&= \frac{a^3(299A + 392B + 432C) \sin(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(299A + 392B + 432C) \sin(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^{5/2}(163A + 200B + 304C) \tan^{-1} \left(\frac{\sqrt{a + a \sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} \right)}{64d}
\end{aligned}$$

Mathematica [A] time = 2.33545, size = 156, normalized size = 0.73

$$\frac{a^2 \sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(3\sqrt{2}(163A + 200B + 304C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)\right)}{64d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(163*A + 200*B + 304*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(581*A + 632*B + 528*C + (362*A + 272*B + 96*C)*Cos[c + d*x] + 4*(23*A + 8*B)*Cos[2*(c + d*x)] + 12*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/ (384*d)

Maple [B] time = 0.309, size = 1108, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^4*(a+a*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/3072/d*a^2*(-489*A*\sin(dx+c)*\cos(dx+c)^3*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}-600*B*\sin(dx+c)*\cos(dx+c)^3*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}-912*C*\sin(dx+c)*\cos(dx+c)^3*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}-1467*A*\sin(dx+c)*\cos(dx+c)^2*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}-1800*B*\sin(dx+c)*\cos(dx+c)^2*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}-2736*C*\sin(dx+c)*\cos(dx+c)^2*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}-1467*A*\sin(dx+c)*\cos(dx+c)*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}-1800*B*\sin(dx+c)*\cos(dx+c)*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}-2736*C*\sin(dx+c)*\cos(dx+c)*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}-489*A*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}*\sin(dx+c)-600*B*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*2^{1/2}*\sin(dx+c)-912*C*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{7/2}*\sin(dx+c)+768*A*\cos(dx+c)^8+2176*A*\cos(dx+c)^7+1024*B*\cos(dx+c)^7+2272*A*\cos(dx+c)^6+3328*B*\cos(dx+c)^6+1536*C*\cos(dx+c)^6+2608*A*\cos(dx+c)^5+5248*B*\cos(dx+c)^5+6912*C*\cos(dx+c)^5-7824*A*\cos(dx+c)^4-9600*B*\cos(dx+c)^4-8448*C*\cos(dx+c)^4)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^3/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^4*(a+a*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 1.29515, size = 1187, normalized size = 5.52

$$3 \left((163 A + 200 B + 304 C) a^2 \cos(dx + c) + (163 A + 200 B + 304 C) a^2 \right) \sqrt{-a} \log \left(\frac{2 a \cos(dx+c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c)}{\cos(dx+c)+1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/384*(3*((163*A + 200*B + 304*C)*a^2*cos(d*x + c) + (163*A + 200*B + 304*C)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*A*a^2*cos(d*x + c)^4 + 8*(23*A + 8*B)*a^2*cos(d*x + c)^3 + 2*(163*A + 136*B + 48*C)*a^2*cos(d*x + c)^2 + 3*(163*A + 200*B + 176*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(3*((163*A + 200*B + 304*C)*a^2*cos(d*x + c) + (163*A + 200*B + 304*C)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*A*a^2*cos(d*x + c)^4 + 8*(23*A + 8*B)*a^2*cos(d*x + c)^3 + 2*(163*A + 136*B + 48*C)*a^2*cos(d*x + c)^2 + 3*(163*A + 200*B + 176*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 8.35373, size = 2082, normalized size = 9.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/384*(3*(163*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 200*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 304*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(163*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 200*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 304*C*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(489*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 600*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 912*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*C*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 10269*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*A*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 12600*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*B*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 19152*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*C*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 69885*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 103992*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 137424*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 259233*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 339864*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 374544*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*C*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 209979*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 262920*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 266928*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*C*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 55511*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 73640*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 75888*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*C*sqrt(-a)*a^8*sgn(cos(d*x + c)) + 6687*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sq
```

$$\begin{aligned} & \text{rt}(-a \tan(1/2 dx + 1/2 c)^2 + a))^2 A \sqrt{-a} a^9 \text{sgn}(\cos(dx + c)) + 880 \\ & 8 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 B \\ & \sqrt{-a} a^9 \text{sgn}(\cos(dx + c)) + 9456 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 C \\ & \sqrt{-a} a^9 \text{sgn}(\cos(dx + c)) - 299 A \sqrt{-a} a^{10} \text{sgn}(\cos(dx + c)) - 392 B \sqrt{-a} a^{10} \text{sgn}(\cos(dx + c)) - \\ & 432 C \sqrt{-a} a^{10} \text{sgn}(\cos(dx + c))) / ((\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^4 - \\ & 6 (\sqrt{-a} \tan(1/2 dx + 1/2 c) - \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a})^2 a + a^2)^4) / d \end{aligned}$$

3.508 $\int \cos^5(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=261

$$\frac{a^3(283A + 326B + 400C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(283A + 326B + 400C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(79A + 110B + 80C) \sin(c + dx)}{128d}$$

```
[Out] (a^(5/2)*(283*A + 326*B + 400*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(128*d) + (a^3*(283*A + 326*B + 400*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(787*A + 950*B + 1040*C)*Cos[c + d*x]*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(79*A + 110*B + 80*C)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d) + (a*(A + 2*B)*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 0.810299, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4086, 4017, 4015, 3805, 3774, 203}

$$\frac{a^3(283A + 326B + 400C) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(283A + 326B + 400C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{128d} + \frac{a^2(79A + 110B + 80C) \sin(c + dx)}{128d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(5/2)*(283*A + 326*B + 400*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(128*d) + (a^3*(283*A + 326*B + 400*C)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(787*A + 950*B + 1040*C)*Cos[c + d*x]*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(79*A + 110*B + 80*C)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d) + (a*(A + 2*B)*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x_Symbol]
```


$(+ f*x]^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_1}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*(m-n-1) - b*B*n - (a*B*n + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(a*(2*n + 1))/(2*b*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/ \text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /;$ FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

$\text{Int}[(a + b*(x^2))^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cos^5(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^4(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{5d} \\
&= \frac{a(A+2B)\cos^3(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{8d} \\
&= \frac{a^2(79A+110B+80C)\cos^2(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{240d} \\
&= \frac{a^3(787A+950B+1040C)\cos(c+dx)\sin(c+dx)\sqrt{a+a\sec(c+dx)}}{960d} \\
&= \frac{a^3(283A+326B+400C)\sin(c+dx)\sqrt{a+a\sec(c+dx)}}{128d} + \frac{a^3(283A+326B+400C)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^5/2(283A+326B+400C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{128d}
\end{aligned}$$

Mathematica [A] time = 2.39056, size = 183, normalized size = 0.7

$$a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(15\sqrt{2}(283A+326B+400C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right) \sqrt{\cos(c+dx)} + \left(\sin\left(\frac{3}{2}(c+dx)\right)\right) \sqrt{a+a\sec(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(15*Sqrt[2]*(283*A + 326*B + 400*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (5521*A + 5810*B + 6320*C + (3874*A + 3620*B + 2720*C)*Cos[c + d*x] + 4*(331*A + 230*B + 80*C)*Cos[2*(c + d*x)] + 348*A*Cos[3*(c + d*x)] + 120*B*Cos[3*(c + d*x)] + 48*A*Cos[4*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2])))/(3840*d)

Maple [B] time = 0.368, size = 1381, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^5(a+a\sec(dx+c))^{5/2}(A+B\sec(dx+c)+C\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/61440/d*a^2*(29340*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2} \\ & (1/2)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c) \\ &)*\cos(dx+c)^2*2^{1/2}+36000*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh} \\ & (1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin \\ & n(dx+c)*\cos(dx+c)^2*2^{1/2}+12288*A*\cos(dx+c)^{10}+32256*A*\cos(dx+c)^9+20 \\ & 480*C*\cos(dx+c)^8+15360*B*\cos(dx+c)^9+19560*B*(-2*\cos(dx+c)/(\cos(dx+c)+ \\ & 1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\ &)/\cos(dx+c))*\sin(dx+c)*\cos(dx+c)*2^{1/2}+24000*C*(-2*\cos(dx+c)/(\cos(dx \\ & x+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin \\ & (dx+c)/\cos(dx+c))*\sin(dx+c)*\cos(dx+c)*2^{1/2}+4245*A*2^{1/2}*\operatorname{arctanh}(1/ \\ & 2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*c \\ & os(dx+c)/(\cos(dx+c)+1))^{9/2}*\cos(dx+c)^4*\sin(dx+c)+16980*A*2^{1/2}*\operatorname{arc} \\ & tanh(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c) \\ &)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\cos(dx+c)^3*\sin(dx+c)+25470*A*2^{1 \\ & /2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos \\ & (dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\cos(dx+c)^2*\sin(dx+c)+16980 \\ & *A*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx \\ & +c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\cos(dx+c)*\sin(dx+c)+ \\ & 4890*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx \\ & +c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)*\cos(dx+c)^4*2^{ \\ & (1/2}+6000*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*c \\ & os(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)*\cos(dx+c) \\ &)^4*2^{1/2}+19560*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2} \\ &)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)*co \\ & s(dx+c)^3*2^{1/2}+24000*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2 \\ & *2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx \\ & x+c)*\cos(dx+c)^3*2^{1/2}+45280*A*\cos(dx+c)^6-135840*A*\cos(dx+c)^5-156480 \\ & *B*\cos(dx+c)^5-192000*C*\cos(dx+c)^5+27904*A*\cos(dx+c)^8+18112*A*\cos(dx+ \\ & c)^7+45440*B*\cos(dx+c)^7+52160*B*\cos(dx+c)^6+104960*C*\cos(dx+c)^6+4890*B \\ & *(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d \\ & *x+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+6000*C*(-2*co \\ & s(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/ \\ & \cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+4245*A*2^{1/2}*\operatorname{arcta} \\ & nh(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))* \\ & (-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\sin(dx+c)+43520*B*\cos(dx+c)^8+66560* \\ & C*\cos(dx+c)^7)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^4/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c))^2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.32708, size = 1332, normalized size = 5.1

$$\left[\frac{15 \left((283 A + 326 B + 400 C) a^2 \cos(dx + c) + (283 A + 326 B + 400 C) a^2 \right) \sqrt{-a} \log \left(\frac{2 a \cos(dx+c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c)}{\cos(dx+c)+1} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c))^2),x, algorithm="fricas")

[Out] [1/3840*(15*((283*A + 326*B + 400*C)*a^2*cos(d*x + c) + (283*A + 326*B + 400*C)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(384*A*a^2*cos(d*x + c)^5 + 48*(29*A + 10*B)*a^2*cos(d*x + c)^4 + 8*(283*A + 230*B + 80*C)*a^2*cos(d*x + c)^3 + 10*(283*A + 326*B + 272*C)*a^2*cos(d*x + c)^2 + 15*(283*A + 326*B + 400*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), - 1/1920*(15*((283*A + 326*B + 400*C)*a^2*cos(d*x + c) + (283*A + 326*B + 400*C)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (384*A*a^2*cos(d*x + c)^5 + 48*(29*A + 10*B)*a^2*cos(d*x + c)^4 + 8*(283*A + 230*B + 80*C)*a^2*cos(d*x + c)^3 + 10*(283*A + 326*B + 272*C)*a^2*cos(d*x + c)^2 + 15*(283*A + 326*B + 400*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 8.92671, size = 2535, normalized size = 9.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$-1/3840*(15*(283*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)) + 326*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)) + 400*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)))*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2 - a*(2*\sqrt{2}+3))) - 15*(283*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)) + 326*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)) + 400*C*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx+c)))*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^2 + a*(2*\sqrt{2}-3))) + 4*\sqrt{2}*(4245*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{18}*A*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx+c)) + 4890*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{18}*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx+c)) + 6000*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{18}*C*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx+c)) - 114615*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{16}*A*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx+c)) - 132030*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{16}*B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx+c)) - 162000*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{16}*C*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx+c)) + 1298820*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{14}*A*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx+c)) + 1319880*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{14}*B*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx+c)) + 1801920*(\sqrt{-a}*\tan(1/2*dx+1/2*c) - \sqrt{-a*\tan(1/2*dx+1/2*c)^2+a})^{14}*C*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx+c)) -$$

$$\begin{aligned}
& 6176700 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^{12} * A * \sqrt{-a} * a^6 * \operatorname{sgn}(\cos(d * x + c)) - 6888120 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^{12} * B * \sqrt{-a} * a^6 * \operatorname{sgn}(\cos(d * x + c)) - 9764160 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^{12} * C * \sqrt{-a} * a^6 * \operatorname{sgn}(\cos(d * x + c)) + 16394598 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^{10} * A * \sqrt{-a} * a^7 * \operatorname{sgn}(\cos(d * x + c)) + 18352620 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^{10} * B * \sqrt{-a} * a^7 * \operatorname{sgn}(\cos(d * x + c)) + 24060960 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^{10} * C * \sqrt{-a} * a^7 * \operatorname{sgn}(\cos(d * x + c)) - 14042770 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^8 * A * \sqrt{-a} * a^8 * \operatorname{sgn}(\cos(d * x + c)) - 15746180 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^8 * B * \sqrt{-a} * a^8 * \operatorname{sgn}(\cos(d * x + c)) - 19910240 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^8 * C * \sqrt{-a} * a^8 * \operatorname{sgn}(\cos(d * x + c)) + 4791060 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^6 * A * \sqrt{-a} * a^9 * \operatorname{sgn}(\cos(d * x + c)) + 5497320 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^6 * B * \sqrt{-a} * a^9 * \operatorname{sgn}(\cos(d * x + c)) + 7135680 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^6 * C * \sqrt{-a} * a^9 * \operatorname{sgn}(\cos(d * x + c)) - 860300 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^4 * A * \sqrt{-a} * a^{10} * \operatorname{sgn}(\cos(d * x + c)) - 959320 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^4 * B * \sqrt{-a} * a^{10} * \operatorname{sgn}(\cos(d * x + c)) - 1268800 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^4 * C * \sqrt{-a} * a^{10} * \operatorname{sgn}(\cos(d * x + c)) + 75885 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^2 * A * \sqrt{-a} * a^{11} * \operatorname{sgn}(\cos(d * x + c)) + 84810 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^2 * B * \sqrt{-a} * a^{11} * \operatorname{sgn}(\cos(d * x + c)) + 111600 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^2 * C * \sqrt{-a} * a^{11} * \operatorname{sgn}(\cos(d * x + c)) - 2671 * A * \sqrt{-a} * a^{12} * \operatorname{sgn}(\cos(d * x + c)) - 2990 * B * \sqrt{-a} * a^{12} * \operatorname{sgn}(\cos(d * x + c)) - 3920 * C * \sqrt{-a} * a^{12} * \operatorname{sgn}(\cos(d * x + c)) / ((\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^4 - 6 * (\sqrt{-a} * \tan(1/2 * d * x + 1/2 * c) - \sqrt{-a * \tan(1/2 * d * x + 1/2 * c)^2 + a})^2 * a + a^2)^5) / d
\end{aligned}$$

3.509 $\int \cos^6(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=311

$$\frac{a^3(1015A + 1132B + 1304C) \sin(c + dx)}{512d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(1015A + 1132B + 1304C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{512d} + \frac{a^2(115A + 156B + 120C)}{480d}$$

```
[Out] (a^(5/2)*(1015*A + 1132*B + 1304*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(512*d) + (a^3*(1015*A + 1132*B + 1304*C)*Sin[c + d*x])/(512*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1015*A + 1132*B + 1304*C)*Cos[c + d*x]*Sin[c + d*x])/(768*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(545*A + 628*B + 680*C)*Cos[c + d*x]^2*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(115*A + 156*B + 120*C)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(480*d) + (a*(5*A + 12*B)*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(60*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d)
```

Rubi [A] time = 0.894864, antiderivative size = 311, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4086, 4017, 4015, 3805, 3774, 203}

$$\frac{a^3(1015A + 1132B + 1304C) \sin(c + dx)}{512d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(1015A + 1132B + 1304C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{512d} + \frac{a^2(115A + 156B + 120C)}{480d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(5/2)*(1015*A + 1132*B + 1304*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(512*d) + (a^3*(1015*A + 1132*B + 1304*C)*Sin[c + d*x])/(512*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1015*A + 1132*B + 1304*C)*Cos[c + d*x]*Sin[c + d*x])/(768*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(545*A + 628*B + 680*C)*Cos[c + d*x]^2*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(115*A + 156*B + 120*C)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(480*d) + (a*(5*A + 12*B)*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(60*d) + (A*Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d)
```

Rule 4086

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

```


, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \cos^6(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^5(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{6d} \\
 &= \frac{a(5A + 12B) \cos^4(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{60d} \\
 &= \frac{a^2(115A + 156B + 120C) \cos^3(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{480d} \\
 &= \frac{a^3(545A + 628B + 680C) \cos^2(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{960d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^3(1015A + 1132B + 1304C) \cos(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{768d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^3(1015A + 1132B + 1304C) \sin(c + dx)(a + a \sec(c + dx))^{5/2}}{512d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^3(1015A + 1132B + 1304C) \sin(c + dx)}{512d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^{5/2}(1015A + 1132B + 1304C) \tan^{-1}\left(\frac{\sin(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{512d}
 \end{aligned}$$

Mathematica [A] time = 3.42134, size = 217, normalized size = 0.7

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(15\sqrt{2}(1015A + 1132B + 1304C) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \sqrt{\cos(c + dx)} + \left(\sin\left(\frac{1}{2}(c + dx)\right)\right)^2\right)}{512d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(15*Sqrt[2]*(1015*A + 1132*B + 1304*C)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (20965*A + 22084*B + 23240*C + 2*(8085*A + 7748*B + 7240*C)*Cos[c + d*x] + 4*(1575*A + 1324*B + 920*C)*Cos[2*(c + d*x)] + 2140*A*Cos[3*(c + d*x)] + 1392*B*Cos

$$\begin{aligned}
& 11/2) * 2^{(1/2)} * \cos(d*x+c)^5 * \sin(d*x+c) + 84900 * B * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(d \\
& *x+c) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) / \cos(d*x+c)) * (-2 * \cos(d*x+c) / (\cos(d*x+ \\
& c)+1))^{(11/2)} * 2^{(1/2)} * \cos(d*x+c)^4 * \sin(d*x+c) + 169800 * B * \operatorname{arctanh}(1/2 * 2^{(1/2)} * \\
& (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) / \cos(d*x+c)) * (-2 * \cos(d*x+c) / \\
& (\cos(d*x+c)+1))^{(11/2)} * 2^{(1/2)} * \cos(d*x+c)^3 * \sin(d*x+c) + 169800 * B * \operatorname{arctanh}(1/2 \\
& * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) / \cos(d*x+c)) * (-2 * \cos \\
& s(d*x+c) / (\cos(d*x+c)+1))^{(11/2)} * 2^{(1/2)} * \cos(d*x+c)^2 * \sin(d*x+c) + 84900 * B * \operatorname{arc} \\
& \operatorname{tanh}(1/2 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) / \cos(d*x+c) \\
&) * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(11/2)} * 2^{(1/2)} * \cos(d*x+c) * \sin(d*x+c) + 19560 \\
& * C * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(11/2)} * 2^{(1/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos \\
& s(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) / \cos(d*x+c)) * \sin(d*x+c) - 81920 * A * \cos \\
& s(d*x+c)^{12} - 204800 * A * \cos(d*x+c)^{11} - 122880 * C * \cos(d*x+c)^{10} - 348160 * C * \cos(d*x+ \\
& c)^9 + 1251840 * C * \cos(d*x+c)^6 - 144896 * B * \cos(d*x+c)^8 - 417280 * C * \cos(d*x+c)^7 * (a \\
& * (\cos(d*x+c)+1) / \cos(d*x+c))^{(1/2)} / \cos(d*x+c)^5 / \sin(d*x+c)
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.336, size = 1507, normalized size = 4.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/15360*(15*((1015*A + 1132*B + 1304*C)*a^2*cos(d*x + c) + (1015*A + 1132*B + 1304*C)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c))^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(1280*A*a^2*cos(d*x + c)^6 + 128*(35*A + 12*B)*a^2*cos(d*x + c)^5 + 48*(145*A + 116*B + 40*C)*a^2*cos(d*x + c)^4 + 8*(1015*A

$$+ 1132*B + 920*C)*a^2*\cos(d*x + c)^3 + 10*(1015*A + 1132*B + 1304*C)*a^2*\cos(d*x + c)^2 + 15*(1015*A + 1132*B + 1304*C)*a^2*\cos(d*x + c)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c) + d), -1/7680*(15*((1015*A + 1132*B + 1304*C)*a^2*\cos(d*x + c) + (1015*A + 1132*B + 1304*C)*a^2)*\sqrt{a}*\arctan(\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)/(\sqrt{a}*\sin(d*x + c))) - (1280*A*a^2*\cos(d*x + c)^6 + 128*(35*A + 12*B)*a^2*\cos(d*x + c)^5 + 48*(145*A + 116*B + 40*C)*a^2*\cos(d*x + c)^4 + 8*(1015*A + 1132*B + 920*C)*a^2*\cos(d*x + c)^3 + 10*(1015*A + 1132*B + 1304*C)*a^2*\cos(d*x + c)^2 + 15*(1015*A + 1132*B + 1304*C)*a^2*\cos(d*x + c)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c) + d)]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 9.33477, size = 2989, normalized size = 9.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $-1/15360*(15*(1015*A*\sqrt{-a})*a^2*\operatorname{sgn}(\cos(d*x + c)) + 1132*B*\sqrt{-a})*a^2*\operatorname{sgn}(\cos(d*x + c)) + 1304*C*\sqrt{-a})*a^2*\operatorname{sgn}(\cos(d*x + c))*\log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3))) - 15*(1015*A*\sqrt{-a})*a^2*\operatorname{sgn}(\cos(d*x + c)) + 1132*B*\sqrt{-a})*a^2*\operatorname{sgn}(\cos(d*x + c)) + 1304*C*\sqrt{-a})*a^2*\operatorname{sgn}(\cos(d*x + c))*\log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(15225*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a})*a^3*\operatorname{sgn}(\cos(d*x + c)) + 16980*(\sqrt{2}*(15225*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))*a^2*\operatorname{sgn}(\cos(d*x + c)) + 16980*(\sqrt{2}*(15225*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))*a*\operatorname{sgn}(\cos(d*x + c)) + 16980*\operatorname{sgn}(\cos(d*x + c))$

$$\begin{aligned}
& (-a) \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a} \Big)^{22} B \sqrt{(-a) a^3 \operatorname{sgn}(\cos(d*x + c)) + 19560 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{22} C \sqrt{(-a) a^3 \operatorname{sgn}(\cos(d*x + c)) - 502425 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{20} A \sqrt{(-a) a^4 \operatorname{sgn}(\cos(d*x + c)) - 560340 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{20} B \sqrt{(-a) a^4 \operatorname{sgn}(\cos(d*x + c)) - 645480 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{20} C \sqrt{(-a) a^4 \operatorname{sgn}(\cos(d*x + c)) + 6518495 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{18} A \sqrt{(-a) a^5 \operatorname{sgn}(\cos(d*x + c)) + 7963020 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{18} B \sqrt{(-a) a^5 \operatorname{sgn}(\cos(d*x + c)) + 8467800 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{18} C \sqrt{(-a) a^5 \operatorname{sgn}(\cos(d*x + c)) - 49683495 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{16} A \sqrt{(-a) a^6 \operatorname{sgn}(\cos(d*x + c)) - 56336940 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{16} B \sqrt{(-a) a^6 \operatorname{sgn}(\cos(d*x + c)) - 59757720 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{16} C \sqrt{(-a) a^6 \operatorname{sgn}(\cos(d*x + c)) + 191286330 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{14} A \sqrt{(-a) a^7 \operatorname{sgn}(\cos(d*x + c)) + 219014472 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{14} B \sqrt{(-a) a^7 \operatorname{sgn}(\cos(d*x + c)) + 244004880 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{14} C \sqrt{(-a) a^7 \operatorname{sgn}(\cos(d*x + c)) - 418895130 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{12} A \sqrt{(-a) a^8 \operatorname{sgn}(\cos(d*x + c)) - 474348232 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{12} B \sqrt{(-a) a^8 \operatorname{sgn}(\cos(d*x + c)) - 531000080 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{12} C \sqrt{(-a) a^8 \operatorname{sgn}(\cos(d*x + c)) + 374587230 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{10} A \sqrt{(-a) a^9 \operatorname{sgn}(\cos(d*x + c)) + 421769112 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{10} B \sqrt{(-a) a^9 \operatorname{sgn}(\cos(d*x + c)) + 473308080 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^{10} C \sqrt{(-a) a^9 \operatorname{sgn}(\cos(d*x + c)) - 154254030 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^8 A \sqrt{(-a) a^{10} \operatorname{sgn}(\cos(d*x + c)) - 174597720 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^8 B \sqrt{(-a) a^{10} \operatorname{sgn}(\cos(d*x + c)) - 198757680 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^8 C \sqrt{(-a) a^{10} \operatorname{sgn}(\cos(d*x + c)) + 35939005 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^6 A \sqrt{(-a) a^{11} \operatorname{sgn}(\cos(d*x + c)) + 40114980 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^6 B \sqrt{(-a) a^{11} \operatorname{sgn}(\cos(d*x + c)) + 45352200 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^6 C \sqrt{(-a) a^{11} \operatorname{sgn}(\cos(d*x + c)) - 4649085 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^4 A \sqrt{(-a) a^{12} \operatorname{sgn}(\cos(d*x + c)) - 5273124 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^4 B \sqrt{(-a) a^{12} \operatorname{sgn}(\cos(d*x + c)) - 5884680 (\sqrt{-a} \tan(1/2*d*x + 1/2*c) - \sqrt{-a \tan(1/2*d*x + 1/2*c)^2 + a})^4 C \sqrt{(-a) a^{12} \operatorname{sgn}(\cos(d*x + c)) + }
\end{aligned}$$

$$\begin{aligned}
& 324435*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^{13}*sgn(\cos(d*x + c)) + 367644*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a}*a^{13}*sgn(\cos(d*x + c)) + 411000*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*C*\sqrt{-a}*a^{13}*sgn(\cos(d*x + c)) - 9435*A*\sqrt{-a}*a^{14}*sgn(\cos(d*x + c)) - 10684*B*\sqrt{-a}*a^{14}*sgn(\cos(d*x + c)) - 11960*C*\sqrt{-a}*a^{14}*sgn(\cos(d*x + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^6)/d
\end{aligned}$$

$$3.510 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=254

$$\frac{2(21A - 3B + 19C) \tan(c + dx) \sec^2(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(21A - 93B + 29C) \tan(c + dx)}{315ad}$$

[Out] -((Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (4*(147*A - 111*B + 143*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(21*A - 3*B + 19*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(9*B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(21*A - 93*B + 29*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*a*d)

Rubi [A] time = 0.856623, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4088, 4021, 4010, 4001, 3795, 203}

$$\frac{2(21A - 3B + 19C) \tan(c + dx) \sec^2(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(21A - 93B + 29C) \tan(c + dx)}{315ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -((Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (4*(147*A - 111*B + 143*C)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(21*A - 3*B + 19*C)*Sec[c + d*x]^2*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(9*B - C)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(21*A - 93*B + 29*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*a*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4021

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]

```

Rule 4010

```

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[C
sc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*C
sc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]

```

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(c
sc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]

```

Rule 3795

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

```


, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2C\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^4(c+dx)\left(\frac{1}{2}a(9A+8C)+\frac{1}{2}a(9B-C)\right)}{\sqrt{a+a\sec(c+dx)}}}{9a} \\
 &= \frac{2(9B-C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{2(21A-3B+19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(9B-C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{2(21A-3B+19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(9B-C)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{4(147A-111B+143C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2(21A-3B+19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{4(147A-111B+143C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2(21A-3B+19C)\sec^2(c+dx)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} \\
 &= -\frac{\sqrt{2}(A-B+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{4(147A-111B+143C)\tan(c+dx)}{315d\sqrt{a+a\sec(c+dx)}}
 \end{aligned}$$

Mathematica [C] time = 29.6254, size = 7186, normalized size = 28.29

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.45, size = 1429, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -1/5040/d/a*(-1120*C-3264*B*\cos(dx+c)^3-9152*C*\cos(dx+c)^4-9408*A*\cos(dx+c)^4+2752*C*\cos(dx+c)^3-1984*C*\cos(dx+c)^2+1280*C*\cos(dx+c)+315*A*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))* \\ & (-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\sin(dx+c)-315*B*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))* \\ & (-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\sin(dx+c)+315*C*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))* \\ & (-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\sin(dx+c)+8736*A*\cos(dx+c)^5-4128*B*\cos(dx+c)^5+1260*A*\cos(dx+c)*\sin(dx+c)* \\ & \ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}-1260*B*\cos(dx+c)*\sin(dx+c)* \\ & \ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}+8224*C*\cos(dx+c)^5+7104*B*\cos(dx+c)^4+ \\ & 2688*A*\cos(dx+c)^3+1728*B*\cos(dx+c)^2-2016*A*\cos(dx+c)^2+1260*C*\cos(dx+c)*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))* \\ & (-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}-315*B*\cos(dx+c)^4*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}+315*C*\cos(dx+c)^4*\sin(dx+c)* \\ & \ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}+1890*A*\cos(dx+c)^2*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))* \\ & (-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}-1890*B*\cos(dx+c)^2*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}+1890*C*\cos(dx+c)^2*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}+1260*A*\cos(dx+c)^3*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}-1260*B*\cos(dx+c)^3*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}+1260*C*\cos(dx+c)^3*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}+315*A*\cos(dx+c)^4*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}-1440*B*\cos(dx+c))*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^4/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.648656, size = 1289, normalized size = 5.07

$$315 \sqrt{2} \left((A - B + C) a \cos(dx + c)^5 + (A - B + C) a \cos(dx + c)^4 \right) \sqrt{-\frac{1}{a}} \log \left(\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) + 3 \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/630*(315*sqrt(2)*((A - B + C)*a*cos(d*x + c)^5 + (A - B + C)*a*cos(d*x + c)^4)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((273*A - 129*B + 257*C)*cos(d*x + c)^4 - (21*A - 93*B + 29*C)*cos(d*x + c)^3 + 3*(21*A - 3*B + 19*C)*cos(d*x + c)^2 + 5*(9*B - C)*cos(d*x + c) + 35*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c)^5 + a*d*cos(d*x + c)^4), 1/315*(2*((273*A - 129*B + 257*C)*cos(d*x + c)^4 - (21*A - 93*B + 29*C)*cos(d*x + c)^3 + 3*(21*A - 3*B + 19*C)*cos(d*x + c)^2 + 5*(9*B - C)*cos(d*x + c) + 35*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 315*sqrt(2)*((A - B + C)*a*cos(d*x + c)^5 + (A - B + C)*a*cos(d*x + c)^4)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^5 + a*d*cos(d*x + c)^4)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^4(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**
(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**4/sqrt(a*(s
ec(c + d*x) + 1)), x)
```

Giac [B] time = 9.52989, size = 689, normalized size = 2.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/
2),x, algorithm="giac")
```

```
[Out] -1/315*(315*(sqrt(2)*A - sqrt(2)*B + sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d
*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d
*x + 1/2*c)^2 - 1)) + 2*(315*sqrt(2)*A*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)
+ 315*sqrt(2)*C*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (1050*sqrt(2)*A*a^4*s
gn(tan(1/2*d*x + 1/2*c)^2 - 1) - 420*sqrt(2)*B*a^4*sgn(tan(1/2*d*x + 1/2*c)
^2 - 1) + 840*sqrt(2)*C*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (1512*sqrt(2)
*A*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 756*sqrt(2)*B*a^4*sgn(tan(1/2*d*x
+ 1/2*c)^2 - 1) + 1638*sqrt(2)*C*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (113
4*sqrt(2)*A*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 612*sqrt(2)*B*a^4*sgn(tan
(1/2*d*x + 1/2*c)^2 - 1) + 936*sqrt(2)*C*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1
) - (357*sqrt(2)*A*a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 276*sqrt(2)*B*a^4*
sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 383*sqrt(2)*C*a^4*sgn(tan(1/2*d*x + 1/2*c
)^2 - 1))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2
*c)^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)
)^2 - a)^4*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d
```

$$3.511 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=208

$$\frac{\sqrt{2}(A-B+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(35A-7B+31C) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{105ad} - \frac{4(35A-49B+37C) \tan(c+dx)}{105d \sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(35*A - 49*B + 37*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(7*B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(35*A - 7*B + 31*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*a*d)

Rubi [A] time = 0.637046, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4088, 4021, 4010, 4001, 3795, 203}

$$\frac{\sqrt{2}(A-B+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(35A-7B+31C) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{105ad} - \frac{4(35A-49B+37C) \tan(c+dx)}{105d \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(35*A - 49*B + 37*C)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(7*B - C)*Sec[c + d*x]^2*Tan[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(35*A - 7*B + 31*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*a*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e

```

+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4021

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]

```

Rule 4010

```

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^m*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]

```

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^m*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]

```

Rule 3795

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^3(c+dx)\left(\frac{1}{2}a(7A+6C)+\frac{1}{2}a(7B-C)\right)}{\sqrt{a+a\sec(c+dx)}}}{7a} \\
&= \frac{2(7B-C)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(7B-C)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{4(35A-49B+37C)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(7B-C)\sec^2(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{4(35A-49B+37C)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(7B-C)\sec^2(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{2}(A-B+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{4(35A-49B+37C)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 29.5461, size = 7134, normalized size = 34.3

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.39, size = 1144, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/840/d/a*(105*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-2*cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(
d*x+c)^3-105*B*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*
x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*cos(d*x+c)^3*sin(d
*x+c)+105*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-2*cos(d*x+c)/(cos(
d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)
^3+315*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-2*cos(d*x+c)/(cos(d*x
+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2-
315*B*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/s
in(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*cos(d*x+c)^2*sin(d*x+c)+315
*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1)
)^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2+315*A*
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)-315*B*ln(-(-
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*cos(d*x+c)*sin(d*x+c)+315*C*(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d
*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)+105*A*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(7/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)
+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-105*B*ln(-(-2*cos(d*x+c)/(cos(d*x+c
)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c
)+1))^(7/2)*sin(d*x+c)+105*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-2*
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d
*x+c)-560*A*cos(d*x+c)^4+1456*B*cos(d*x+c)^4-688*C*cos(d*x+c)^4+1120*A*cos(
d*x+c)^3-1568*B*cos(d*x+c)^3+1184*C*cos(d*x+c)^3-560*A*cos(d*x+c)^2+448*B*c
os(d*x+c)^2-544*C*cos(d*x+c)^2-336*B*cos(d*x+c)+288*C*cos(d*x+c)-240*C)*(a*
(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^3/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/
2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.633937, size = 1176, normalized size = 5.65

$$105 \sqrt{2} \left((A - B + C) a \cos(dx + c)^4 + (A - B + C) a \cos(dx + c)^3 \right) \sqrt{-\frac{1}{a}} \log \left(-\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) - 3 \cos(dx+c)^2 + 2 \cos(dx+c) + 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/210*(105*sqrt(2)*((A - B + C)*a*cos(d*x + c)^4 + (A - B + C)*a*cos(d*x + c)^3)*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((35*A - 91*B + 43*C)*cos(d*x + c)^3 - (35*A - 7*B + 31*C)*cos(d*x + c)^2 - 3*(7*B - C)*cos(d*x + c) - 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3), -1/105*(2*((35*A - 91*B + 43*C)*cos(d*x + c)^3 - (35*A - 7*B + 31*C)*cos(d*x + c)^2 - 3*(7*B - C)*cos(d*x + c) - 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 105*sqrt(2)*((A - B + C)*a*cos(d*x + c)^4 + (A - B + C)*a*cos(d*x + c)^3)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 9.26495, size = 412, normalized size = 1.98

$$\frac{105 \sqrt{2}(A-B+C) \log\left(-\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{2 \left(\frac{105 \sqrt{2} B a^3}{\operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \left(\frac{\sqrt{2}(70 A a^3 - 119 B a^3 + 92 C a^3) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{\operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{7 \sqrt{2}(20 A a^3 - 37 B a^3 + 16 C a^3)}{\operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right)}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a\right)}$$

105 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] 1/105*(105*sqrt(2)*(A - B + C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 2*(105*sqrt(2)*B*a^3/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + ((sqrt(2)*(70*A*a^3 - 119*B*a^3 + 92*C*a^3)*tan(1/2*d*x + 1/2*c)^2/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 7*sqrt(2)*(20*A*a^3 - 37*B*a^3 + 16*C*a^3)/sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2 + 35*sqrt(2)*(2*A*a^3 - 7*B*a^3 + 4*C*a^3)/sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 - a)^3*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d
```

$$3.512 \quad \int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx$$

Optimal. Leaf size=164

$$\frac{\sqrt{2}(A-B+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(15A-10B+14C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2(5B-C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15ad}$$

[Out] -((Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*(15*A - 10*B + 14*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*B - C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*a*d)

Rubi [A] time = 0.451997, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4088, 4010, 4001, 3795, 203}

$$\frac{\sqrt{2}(A-B+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(15A-10B+14C)\tan(c+dx)}{15d\sqrt{a\sec(c+dx)+a}} + \frac{2(5B-C)\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{15ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -((Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*(15*A - 10*B + 14*C)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*B - C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*a*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n

, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^2(c+dx)(\frac{1}{2}a(5A+4C)+\frac{1}{2}a(5B-2C))}{\sqrt{a+a\sec(c+dx)}} dx}{5a} \\
&= \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2(5B-C)\sqrt{a+a\sec(c+dx)}}{15ad} \\
&= \frac{2(15A-10B+14C)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(15A-10B+14C)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2C\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{\sqrt{2}(A-B+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2(15A-10B+14C)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 10.6567, size = 1666, normalized size = 10.16

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] (4*Cos[(c + d*x)/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - 2*Sin[(c + d*x)/2]^2)^(-1)]*Sqrt[1 - 2*Sin[(c + d*x)/2]^2]*(-(A*Sin[(c + d*x)/2])/(2*(1 - 2*Sin[(c + d*x)/2]^2)^(5/2)) + (2*B*Sin[(c + d*x)/2])/(5*(1 - 2*Sin[(c + d*x)/2]^2)^(5/2)) + (8*B*(Sin[(c + d*x)/2]/(1 - 2*Sin[(c + d*x)/2]^2)^(3/2) + (2*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c + d*x)/2]^2]))/15 - ((A - B + C)*Csc[(c + d*x)/2]^7*(4725*Sin[(c + d*x)/2]^2 - 48825*Sin[(c + d*x)/2]^4 + 210105*Sin[(c + d*x)/2]^6 - 486630*Sin[(c + d*x)/2]^8 + 655812*Sin[(c + d*x)/2]^10 - 710*Hypergeometric2F1[2, 9/2, 11/2, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^10 - 40*Cos[(c + d*x)/2]^6*HypergeometricPFQ[{2, 2, 2, 9/2}, {1, 1, 11/2}, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^10 - 518760*Sin[(c + d*x)/2]^12 + 1770*Hypergeometric2F1[2, 9/2, 11/2, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^12 + 226656*Sin[(c + d*x)/2]^14 - 1500*Hypergeometric2F1[2, 9/2, 11/2, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^14 - 42048*Sin[(c + d*x)/2]^16 + 440*Hypergeometric2F1[2, 9/2, 11/2, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^16 + 4725*Ar
```

```

cTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sqrt[Sin[(c + d
*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] - 56700*ArcTanh[Sqrt[Sin[(c + d*x)/2]
^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*x)/2]^2*Sqrt[Sin[(c + d*x)/2]^2
/(-1 + 2*Sin[(c + d*x)/2]^2)] + 291060*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1
+ 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*x)/2]^4*Sqrt[Sin[(c + d*x)/2]^2/(-1 +
2*Sin[(c + d*x)/2]^2)] - 833760*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin
[(c + d*x)/2]^2)]]*Sin[(c + d*x)/2]^6*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c
+ d*x)/2]^2)] + 1458000*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d
*x)/2]^2)]]*Sin[(c + d*x)/2]^8*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*
x)/2]^2)] - 1598400*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]
^2)]]*Sin[(c + d*x)/2]^10*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]
^2)] + 1080000*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]
*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^12*
Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] - 414720*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[
(c + d*x)/2]^14*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] + 6912
0*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*
x)/2]^16*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] + 60*Cos[(c +
d*x)/2]^4*HypergeometricPFQ[{2, 2, 9/2}, {1, 11/2}, Sin[(c + d*x)/2]^2/(-1
+ 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^10*(-5 + 4*Sin[(c + d*x)/2]^2))
/(675*(1 - 2*Sin[(c + d*x)/2]^2)^(7/2)*(-1 + 2*Sin[(c + d*x)/2]^2)) + (A*((
3*Sin[(c + d*x)/2])/(1 - 2*Sin[(c + d*x)/2]^2)^(5/2) + 4*(Sin[(c + d*x)/2]/
(1 - 2*Sin[(c + d*x)/2]^2)^(3/2) + (2*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c +
d*x)/2]^2]))/30)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Se
c[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])])

```

Maple [B] time = 0.353, size = 859, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x)
```

```
[Out] -1/60/d/a*(15*A*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d
*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2*sin(
d*x+c)-15*B*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c
)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2*sin(d*x+
c)+15*C*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)
/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2*sin(d*x+c)+3
0*A*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin
(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)*sin(d*x+c)-30*B*ln
(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c)

```

$$\begin{aligned} &)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) * \sin(dx+c) + 30 * C * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) * \sin(dx+c) + 15 * A * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) - 15 * B * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) + 15 * C * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) + 120 * A * \cos(dx+c)^3 - 40 * B * \cos(dx+c)^3 + 104 * C * \cos(dx+c)^3 - 120 * A * \cos(dx+c)^2 + 80 * B * \cos(dx+c)^2 - 112 * C * \cos(dx+c)^2 - 40 * B * \cos(dx+c) + 32 * C * \cos(dx+c) - 24 * C) * (a * (\cos(dx+c)+1) / \cos(dx+c))^{(1/2)} / \cos(dx+c)^2 / \sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.618778, size = 1057, normalized size = 6.45

$$\left[\frac{15 \sqrt{2} \left((A - B + C) a \cos(dx + c)^3 + (A - B + C) a \cos(dx + c)^2 \right) \sqrt{-\frac{1}{a}} \log \left(\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) + 3 \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{30 (ad \cos(dx + c))^3 + \dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/30*(15*sqrt(2))*((A - B + C)*a*cos(dx + c)^3 + (A - B + C)*a*cos(dx + c)^2)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt

$(-1/a) \cdot \cos(dx + c) \cdot \sin(dx + c) + 3 \cdot \cos(dx + c)^2 + 2 \cdot \cos(dx + c) - 1) / (\cos(dx + c)^2 + 2 \cdot \cos(dx + c) + 1) + 4 \cdot ((15A - 5B + 13C) \cdot \cos(dx + c)^2 + (5B - C) \cdot \cos(dx + c) + 3C) \cdot \sqrt{(a \cdot \cos(dx + c) + a) / \cos(dx + c)} \cdot \sin(dx + c) / (a \cdot d \cdot \cos(dx + c)^3 + a \cdot d \cdot \cos(dx + c)^2), 1/15 \cdot (2 \cdot ((15A - 5B + 13C) \cdot \cos(dx + c)^2 + (5B - C) \cdot \cos(dx + c) + 3C) \cdot \sqrt{(a \cdot \cos(dx + c) + a) / \cos(dx + c)} \cdot \sin(dx + c) + 15 \cdot \sqrt{2} \cdot ((A - B + C) \cdot a \cdot \cos(dx + c)^3 + (A - B + C) \cdot a \cdot \cos(dx + c)^2) \cdot \arctan(\sqrt{2} \cdot \sqrt{(a \cdot \cos(dx + c) + a) / \cos(dx + c)}) \cdot \cos(dx + c) / (\sqrt{a} \cdot \sin(dx + c))) / \sqrt{a}) / (a \cdot d \cdot \cos(dx + c)^3 + a \cdot d \cdot \cos(dx + c)^2)]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{\sqrt{a} (\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+a*sec(dx+c))**
(1/2),x)

[Out] Integral((A + B*sec(c + dx) + C*sec(c + dx)**2)*sec(c + dx)**2/sqrt(a*(s
ec(c + dx) + 1)), x)

Giac [B] time = 9.15661, size = 464, normalized size = 2.83

$$\frac{15(\sqrt{2}A - \sqrt{2}B + \sqrt{2}C) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right|\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{2\left(15\sqrt{2}Aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) + 15\sqrt{2}Ca^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/
2),x, algorithm="giac")

[Out] $-1/15 \cdot (15 \cdot (\sqrt{2} \cdot A - \sqrt{2} \cdot B + \sqrt{2} \cdot C) \cdot \log(\operatorname{abs}(-\sqrt{-a} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + \sqrt{-a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 + a})) / (\sqrt{-a} \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c)^2 - 1)) + 2 \cdot (15 \cdot \sqrt{2} \cdot A \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c)^2 - 1) + 15 \cdot \sqrt{2} \cdot C \cdot a^2 \cdot \operatorname{sgn}(\tan(1/2 \cdot dx + 1/2 \cdot c)^2 - 1)) - (30 \cdot \sqrt{2} \cdot A \cdot a^2 \cdot \operatorname{sgn}(\tan$

$$\frac{\begin{aligned} & (\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) - 10\sqrt{2}B a^2 \operatorname{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) \\ & + 20\sqrt{2}C a^2 \operatorname{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) - (15\sqrt{2}A a^2 \operatorname{sgn} \\ & (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) - 10\sqrt{2}B a^2 \operatorname{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 \\ & - 1) + 17\sqrt{2}C a^2 \operatorname{sgn}(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)) \tan(\frac{1}{2}dx + \frac{1}{2}c) \\ & ^2) \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) / ((a \tan(\frac{1}{2}dx + \frac{1}{2}c) \\ & ^2 - a)^2 \sqrt{-a \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + a}) / d \end{aligned}}$$

$$3.513 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx$$

Optimal. Leaf size=118

$$\frac{\sqrt{2}(A-B+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2\sqrt{a}\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(3B-2C)\tan(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2C\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{3ad}$$

[Out] (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*(3*B - 2*C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*a*d)

Rubi [A] time = 0.225303, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4082, 4001, 3795, 203}

$$\frac{\sqrt{2}(A-B+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2\sqrt{a}\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(3B-2C)\tan(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2C\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*(3*B - 2*C)*Tan[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*C*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*a*d)

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a

+ b*Csc[e + f*x]^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx &= \frac{2C\sqrt{a+a \sec(c+dx)} \tan(c+dx)}{3ad} + \frac{2 \int \frac{\sec(c+dx) \left(\frac{1}{2}a(3A+C) + \frac{1}{2}a \sec(c+dx)\right)}{\sqrt{a+a \sec(c+dx)}} dx}{3a} \\ &= \frac{2(3B-2C) \tan(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} + \frac{2C\sqrt{a+a \sec(c+dx)} \tan(c+dx)}{3ad} \\ &= \frac{2(3B-2C) \tan(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} + \frac{2C\sqrt{a+a \sec(c+dx)} \tan(c+dx)}{3ad} \\ &= \frac{\sqrt{2}(A-B+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2(3B-2C) \tan(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} \end{aligned}$$

Mathematica [C] time = 7.13237, size = 628, normalized size = 5.32

$$4 \sqrt{\frac{1}{1-2 \sin^2\left(\frac{1}{2}(c+dx)\right)}} \sqrt{1-2 \sin^2\left(\frac{1}{2}(c+dx)\right)} \cos\left(\frac{1}{2}(c+dx)\right) (A + B \sec(c+dx) + C \sec^2(c+dx)) \left(\frac{(A-B+C) \csc^5\left(\frac{1}{2}(c+dx)\right)}{\dots} \right)^{-1}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] $(4*\cos[(c + d*x)/2]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sqrt{(1 - 2*\sin[(c + d*x)/2]^2)^{-1}}*\sqrt{1 - 2*\sin[(c + d*x)/2]^2}*((2*B*\sin[(c + d*x)/2])/(3*(1 - 2*\sin[(c + d*x)/2]^2)^{3/2}) - (4*A*\sin[(c + d*x)/2]^3)/(3*(1 - 2*\sin[(c + d*x)/2]^2)^{3/2}) + (4*B*\sin[(c + d*x)/2])/(3*\sqrt{1 - 2*\sin[(c + d*x)/2]^2})) + ((A - B + C)*\csc[(c + d*x)/2]^5*(-12*\cos[(c + d*x)/2]^4*\text{HypergeometricPFQ}\{2, 2, 7/2\}, \{1, 9/2\}, -(\sin[(c + d*x)/2]^2/(1 - 2*\sin[(c + d*x)/2]^2)))*\sin[(c + d*x)/2]^8 - 12*\text{Hypergeometric2F1}[2, 7/2, 9/2, -(\sin[(c + d*x)/2]^2/(1 - 2*\sin[(c + d*x)/2]^2))]*\sin[(c + d*x)/2]^8*(4 - 7*\sin[(c + d*x)/2]^2 + 3*\sin[(c + d*x)/2]^4) + 7*\sqrt{-(\sin[(c + d*x)/2]^2/(1 - 2*\sin[(c + d*x)/2]^2))}*(1 - 2*\sin[(c + d*x)/2]^2)^3*(15 - 20*\sin[(c + d*x)/2]^2 + 8*\sin[(c + d*x)/2]^4)*((3 - 7*\sin[(c + d*x)/2]^2)*\sqrt{-(\sin[(c + d*x)/2]^2/(1 - 2*\sin[(c + d*x)/2]^2))} - 3*\text{ArcTanh}[\sqrt{-(\sin[(c + d*x)/2]^2/(1 - 2*\sin[(c + d*x)/2]^2))}])*(1 - 2*\sin[(c + d*x)/2]^2)))/(63*(1 - 2*\sin[(c + d*x)/2]^2)^{7/2}))/d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*Sec[c + d*x]^{3/2}*\sqrt{a*(1 + Sec[c + d*x])})$

Maple [B] time = 0.339, size = 563, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)

[Out] $-1/6/d/a*(3*A*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-3*B*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+3*C*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+3*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)-3*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+3*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+12*B*\cos(d*x+c)^2-4*C*\cos(d*x+c)^2-12*B*\cos(d*x+c)+8*C*\cos(d*x+c)-4*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 0.615628, size = 937, normalized size = 7.94

$$\left[\frac{3\sqrt{2}((A-B+C)a\cos(dx+c)^2 + (A-B+C)a\cos(dx+c))\sqrt{-\frac{1}{a}}\log\left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)-3\cos(dx+c)}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)}{6(ad\cos(dx+c)^2 + ad\cos(dx+c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/6*(3*sqrt(2)*((A - B + C)*a*cos(d*x + c)^2 + (A - B + C)*a*cos(d*x + c)) *sqrt(-1/a)*log(-2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((3*B - C)*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c)), 1/3*(2*((3*B - C)*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 3*sqrt(2)*((A - B + C)*a*cos(d*x + c)^2 + (A - B + C)*a*cos(d*x + c))*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c)]]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 8.95486, size = 252, normalized size = 2.14

$$\frac{3\sqrt{2}(A-B+C)\log\left(-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{2\left(\frac{\sqrt{2}(3Ba-2Ca)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{3\sqrt{2}Ba}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] 1/3*(3*sqrt(2)*(A - B + C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 2*(sqrt(2)*(3*B*a - 2*C*a)*tan(1/2*d*x + 1/2*c)^2/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 3*sqrt(2)*B*a/sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d

$$3.514 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=118

$$-\frac{\sqrt{2}(A-B+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2C \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (2*C*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.172013, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4054, 3920, 3774, 203, 3795}

$$-\frac{\sqrt{2}(A-B+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2C \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (2*C*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4054

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[
(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x]
], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &&
!LtQ[m, -2^(-1)]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D
```

ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx &= \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{\frac{aA}{2} + \frac{1}{2}a(B-C) \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{a} \\
 &= \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{a} + (-A + B - C) \int \frac{\sec}{\sqrt{a + a \sec}} \\
 &= \frac{2C \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} - \frac{(2A) \text{Subst} \left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right)}{d} + \frac{(2(A - B + C) \int \sqrt{a + a \sec(c + dx)} dx)}{a} \\
 &= \frac{2A \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right)}{\sqrt{ad}} - \frac{\sqrt{2}(A - B + C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a+a \sec(c+dx)}}} \right)}{\sqrt{ad}} + \frac{2C}{d\sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.18443, size = 123, normalized size = 1.04

$$\frac{2 \cos \left(\frac{1}{2}(c + dx) \right) \sec(c + dx) \left(-(A - B + C) \sqrt{\cos(c + dx)} \tan^{-1} \left(\frac{\sin \left(\frac{1}{2}(c+dx) \right)}{\sqrt{\cos(c+dx)}} \right) + \sqrt{2}A \sin^{-1} \left(\sqrt{2} \sin \left(\frac{1}{2}(c + dx) \right) \right) \right) \sqrt{\cos(c + dx)}}{d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[a + a*Sec[c + d*x]],
x]
```

```
[Out] (2*Cos[(c + d*x)/2]*Sec[c + d*x]*(Sqrt[2]*A*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]
)*Sqrt[Cos[c + d*x]] - (A - B + C)*ArcTan[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x
]]]*Sqrt[Cos[c + d*x]] + 2*C*Sin[(c + d*x)/2))/(d*Sqrt[a*(1 + Sec[c + d*x]
]))]
```

Maple [B] time = 0.299, size = 347, normalized size = 2.9

$$-\frac{1}{ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(A \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sqrt{2} \operatorname{Artanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(A*(-2*cos(d*x+c)/(cos(d*x+c)+1))
)^(1/2)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*si
n(d*x+c)/cos(d*x+c))*sin(d*x+c)+A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)
)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)
)*sin(d*x+c)-B*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x
+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+C*ln(-(-
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-
2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*C*cos(d*x+c)-2*C)/sin(d*x+
c)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorit
hm="maxima")
```

[Out] Exception raised: ValueError

Fricas [A] time = 12.6248, size = 1172, normalized size = 9.93

$$\sqrt{2}((A - B + C)a \cos(dx + c) + (A - B + C)a) \sqrt{-\frac{1}{a}} \log \left(\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) + 3 \cos(dx+c)^2 + 2 \cos(dx+c) - 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right) - \frac{\dots}{2(ad \cos(dx+c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2*(sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 2*(A*cos(d*x + c) + A)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 4*C*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c) + a*d), -(2*(A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*C*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [B] time = 10.9916, size = 396, normalized size = 3.36

$$\frac{\sqrt{2}(A-B+C) \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a}\right)^2\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{4\sqrt{2} \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) - a\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{2A \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a}\right)^2\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(\sqrt{2}*(A - B + C)*\log((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2)/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) - 4* \\ & \sqrt{2}*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*C*\tan(1/2*d*x + 1/2*c)/((a*\tan(1/2*d*x + 1/2*c)^2 - a)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + 2*A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) - 2*A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)))/d \end{aligned}$$

$$3.515 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=120

$$\frac{\sqrt{2}(A-B+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(A-2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

[Out] -(((A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d)) + (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (A*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.239328, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4086, 3920, 3774, 203, 3795}

$$\frac{\sqrt{2}(A-B+C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(A-2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -(((A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d)) + (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (A*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c+dx) (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx &= \frac{A \sin(c+dx)}{d \sqrt{a+a \sec(c+dx)}} + \frac{\int \frac{-\frac{1}{2}a(A-2B)+\frac{1}{2}a(A+2C) \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{a} \\
 &= \frac{A \sin(c+dx)}{d \sqrt{a+a \sec(c+dx)}} - \frac{(A-2B) \int \sqrt{a+a \sec(c+dx)} dx}{2a} + \dots \\
 &= \frac{A \sin(c+dx)}{d \sqrt{a+a \sec(c+dx)}} + \frac{(A-2B) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} \\
 &= -\frac{(A-2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A-B+C) \tan^{-1}\left(\frac{1}{\sqrt{2}}\right)}{\sqrt{ad}}
 \end{aligned}$$

Mathematica [A] time = 1.14681, size = 120, normalized size = 1.

$$\frac{\sin(c + dx) \left(-\sqrt{2}(A - B + C)\sqrt{\sec(c + dx) - 1} \tan^{-1} \left(\frac{\sqrt{\sec(c + dx) - 1}}{\sqrt{2}} \right) + (A - 2B)\sqrt{\sec(c + dx) - 1} \tan^{-1} \left(\sqrt{\sec(c + dx) - 1} \right) \right)}{d(\cos(c + dx) - 1)\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((A*(-1 + Cos[c + d*x]) + (A - 2*B)*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Sqrt[-1 + Sec[c + d*x]] - Sqrt[2]*(A - B + C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]]/Sqrt[2])*Sqrt[-1 + Sec[c + d*x]]*Sin[c + d*x])/(d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.352, size = 430, normalized size = 3.6

$$-\frac{1}{2ad \sin(dx + c)} \left(-A \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \sqrt{2} \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx + c)}{2 \cos(dx + c)} \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \right) \sin(dx + c) + 2B \sqrt{2} \operatorname{Arctanh} \left(\frac{\sqrt{2} \sin(dx + c)}{2 \cos(dx + c)} \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x)

[Out] -1/2/d/a*(-A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+2*B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*A*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*B*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*C*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*A*cos(d*x+c)^2-2*A*cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)/sqrt(a*sec(d*x + c) + a), x)
```

Fricas [A] time = 16.585, size = 1237, normalized size = 10.31

$$2A\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) + \sqrt{2}((A-B+C)a\cos(dx+c) + (A-B+C)a)\sqrt{-\frac{1}{a}}\log\left(-\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}}{\cos(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/2*(2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + ((A - 2*B)*cos(d*x + c) + A - 2*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)))/(a*d*cos(d*x + c) + a*d), (A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + ((A - 2*B)*cos(d*x + c) + A - 2*B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))) - sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \cos(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*cos(c + d*x)/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [B] time = 11.1194, size = 532, normalized size = 4.43

$$\frac{\sqrt{2(A-B+C)} \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a}\right)^2\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{(A-2B) \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a}\right)^2 - a(2\sqrt{2}+3)\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{(A-2B)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] 1/2*(sqrt(2)*(A - B + C)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + (A - 2*B)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (A - 2*B)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 4*sqrt(2)*(3*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a) - A*sqrt(-a)*a)/(((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.516 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=169

$$\frac{(7A - 4B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A - B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(A - 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx)}{2d\sqrt{a \sec(c + dx) + a}}$$

[Out] ((7*A - 4*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]) / (4*Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]]) / (Sqrt[a]*d) - ((A - 4*B)*Sin[c + d*x]) / (4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x]) / (2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.397217, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4086, 4022, 3920, 3774, 203, 3795}

$$\frac{(7A - 4B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A - B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(A - 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{A \sin(c + dx)}{2d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((7*A - 4*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]) / (4*Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]]) / (Sqrt[a]*d) - ((A - 4*B)*Sin[c + d*x]) / (4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x]) / (2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\cos(c+dx)\left(-\frac{1}{2}a(A-4B)+\frac{1}{2}a(3A+4C)\right)}{\sqrt{a+a\sec(c+dx)}}}{2a} \\
&= -\frac{(A-4B)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\frac{1}{4}a^2}{\sqrt{a+a\sec(c+dx)}}}{2a} \\
&= -\frac{(A-4B)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + (-A) \\
&= -\frac{(A-4B)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + \frac{(2(A-4B))\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(7A-4B+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A-B+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4\sqrt{ad}}
\end{aligned}$$

Mathematica [C] time = 27.6679, size = 16865, normalized size = 99.79

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] Result too large to show

Maple [B] time = 0.33, size = 1025, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)

[Out]
$$-1/16/d/a*(-7*A*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}+4*B*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1)$$

$$\begin{aligned} &)^{3/2} \operatorname{arctanh}\left(\frac{1}{2} 2^{1/2} \frac{-2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) \\ &) / \cos(dx+c) - 8C \cos(dx+c) \sin(dx+c) 2^{1/2} \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \operatorname{arctanh}\left(\frac{1}{2} 2^{1/2} \frac{-2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) \\ &) / \cos(dx+c) - 8A \cos(dx+c) \sin(dx+c) \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \ln\left(-\left(-\frac{2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c) \\ &) - 7A 2^{1/2} \operatorname{arctanh}\left(\frac{1}{2} 2^{1/2} \frac{-2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \\ &) \sin(dx+c) / \cos(dx+c) \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \sin(dx+c) + 8B \cos(dx+c) \sin(dx+c) \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \ln\left(-\left(-\frac{2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c) \\ &) + 4B \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \operatorname{arctanh}\left(\frac{1}{2} 2^{1/2} \frac{-2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) / \cos(dx+c) \\ &) 2^{1/2} \sin(dx+c) - 8C \cos(dx+c) \sin(dx+c) \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \ln\left(-\left(-\frac{2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c) \\ &) - 8C \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \operatorname{arctanh}\left(\frac{1}{2} 2^{1/2} \frac{-2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) / \cos(dx+c) \\ &) 2^{1/2} \sin(dx+c) - 8A \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \ln\left(-\left(-\frac{2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c) \\ &) \sin(dx+c) + 8B \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \ln\left(-\left(-\frac{2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c) \\ &) \sin(dx+c) - 8C \frac{-2 \cos(dx+c)}{\cos(dx+c)+1} \\ &)^{3/2} \ln\left(-\left(-\frac{2 \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c) \\ &) \sin(dx+c) + 8A \cos(dx+c) \\ &)^4 - 12A \cos(dx+c)^3 + 16B \cos(dx+c)^3 + 4A \cos(dx+c)^2 - 16B \cos(dx+c)^2 \cdot \\ &) \cdot \left(\frac{a \cos(dx+c)+1}{\cos(dx+c)}\right)^{1/2} / \cos(dx+c) / \sin(dx+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)^2}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*cos(dx+c)^2/sqrt(a*sec(dx+c) + a), x)

Fricas [A] time = 43.0983, size = 1374, normalized size = 8.13

$$4\sqrt{2}((A-B+C)a\cos(dx+c) + (A-B+C)a)\sqrt{-\frac{1}{a}}\log\left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)+3\cos(dx+c)^2+2\cos(dx+c)-1}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/8*(4*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - ((7*A - 4*B + 8*C)*cos(d*x + c) + 7*A - 4*B + 8*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*A*cos(d*x + c)^2 - (A - 4*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c) + a*d), -1/4*(((7*A - 4*B + 8*C)*cos(d*x + c) + 7*A - 4*B + 8*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (2*A*cos(d*x + c)^2 - (A - 4*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 4*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 11.8042, size = 886, normalized size = 5.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$-1/8*(4*\sqrt{2}*(A - B + C)*\log((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2)/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + (7*A - 4*B + 8*C)*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) - (7*A - 4*B + 8*C)*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + 4*\sqrt{2}*(17*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a} - 12*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{-a} - 57*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a + 76*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*\sqrt{-a}*a + 19*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^2 - 36*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a}*a^2 - 3*A*\sqrt{-a}*a^3 + 4*B*\sqrt{-a}*a^3)/(((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^2*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))/d$$

$$3.517 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=213

$$\frac{(7A - 2B + 8C) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} - \frac{(9A - 14B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A - B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a \sec(c+dx)+a}}}\right)}{\sqrt{ad}} - \frac{(A - B + C) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}}$$

[Out] -((9*A - 14*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + ((7*A - 2*B + 8*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - ((A - 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.588598, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4086, 4022, 3920, 3774, 203, 3795}

$$\frac{(7A - 2B + 8C) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} - \frac{(9A - 14B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A - B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a \sec(c+dx)+a}}}\right)}{\sqrt{ad}} - \frac{(A - B + C) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -((9*A - 14*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + ((7*A - 2*B + 8*C)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - ((A - 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x]]

```

+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4022

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

```

Rule 3920

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D
ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre
eQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 3795

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \int \frac{\cos^2(c+dx)\left(-\frac{1}{2}a(A-6B)+\frac{1}{2}a(5A+6C)\right)}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{(A-6B)\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(7A-2B+8C)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{(A-6B)\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(7A-2B+8C)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{(A-6B)\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(7A-2B+8C)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{(A-6B)\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(9A-14B+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A-B+C)}{8\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.809781, size = 161, normalized size = 0.76

$$\frac{\tan(c+dx)\left(\cos(c+dx)\sqrt{1-\sec(c+dx)}\left(-2(A-6B)\cos(c+dx)+3(7A-2B+8C)+8A\cos^2(c+dx)\right)-3(9A-14B+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\right)}{24d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((-3*(9*A - 14*B + 8*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 24*Sqrt[2]*(A - B + C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + Cos[c + d*x]*(3*(7*A - 2*B + 8*C) - 2*(A - 6*B)*Cos[c + d*x] + 8*A*Cos[c + d*x]^2)*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(24*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.361, size = 1561, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{(1/2)},x)$

[Out] $\frac{1}{192} \frac{d}{a} * (-42 * B * \cos(dx+c)^2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * \sin(dx+c) + 27 * A * 2^{(1/2)} * \cos(dx+c)^2 * \sin(dx+c) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) + 24 * C * \cos(dx+c)^2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * \sin(dx+c) - 48 * B * \cos(dx+c)^3 - 84 * B * \cos(dx+c) * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * \sin(dx+c) + 48 * C * \cos(dx+c) * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * \sin(dx+c) - 192 * C * \cos(dx+c)^4 + 48 * A * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) - 48 * B * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) + 48 * C * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) - 184 * A * \cos(dx+c)^4 + 54 * A * 2^{(1/2)} * \cos(dx+c) * \sin(dx+c) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) + 192 * C * \cos(dx+c)^3 + 48 * A * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c)^2 * \sin(dx+c) - 48 * B * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c)^2 * \sin(dx+c) + 48 * C * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c)^2 * \sin(dx+c) + 96 * A * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) * \sin(dx+c) - 96 * B * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) * \sin(dx+c) + 96 * C * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) * \sin(dx+c) - 64 * A * \cos(dx+c)^6 + 80 * A * \cos(dx+c)^5 - 96 * B * \cos(dx+c)^5 - 42 * B * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * \sin(dx+c) + 24 * C * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * \sin(dx+c) + 144 * B * \cos(dx+c)^4 + 168 * A * \cos(dx+c)^3 + 27 * A * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * 2^{(1/2)} * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) / \cos(dx+c)) * \sin(dx+c)) * (a * (\cos(dx+c)+1) / \cos(dx+c))^{(1/2)} / \cos(dx+c)^2 / \sin(dx+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)^3}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^3/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 42.7949, size = 1496, normalized size = 7.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/48*(24*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*log(-2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 3*((9*A - 14*B + 8*C)*cos(d*x + c) + 9*A - 14*B + 8*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*cos(d*x + c)^3 - 2*(A - 6*B)*cos(d*x + c)^2 + 3*(7*A - 2*B + 8*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c) + a*d), 1/24*(3*((9*A - 14*B + 8*C)*cos(d*x + c) + 9*A - 14*B + 8*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + (8*A*cos(d*x + c)^3 - 2*(A - 6*B)*cos(d*x + c)^2 + 3*(7*A - 2*B + 8*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 24*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**
(1/2),x)
```

```
[Out] Timed out
```

Giac [B] time = 11.8569, size = 1490, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/
2),x, algorithm="giac")
```

```
[Out] 1/48*(24*sqrt(2)*(A - B + C)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) +
3*(9*A - 14*B + 8*C)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 3*(9*A - 14*B + 8*C)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 4*sqrt(2)*(165*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a) - 102*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a) + 72*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*C*sqrt(-a) - 1323*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a + 954*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a - 888*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*C*sqrt(-a)*a + 3906*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^2 - 2268*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^2 + 3024*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*C*sqrt(-a)*a^2 - 2118*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^3 + 1044*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^3 - 1776*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*C*sqrt(-a)*a^3 + 393*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^4 - 222*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a^4 + 360*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*C*sqrt(-a)*a^4 - 31*A*sqrt(-a)*a^5 + 18*B*sqrt(-a)*a^5 - 24*C*sqrt(-a)*a^5)/(((sqrt
```

$$\frac{(-a)\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}}{d} - \frac{6*(\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2}{(\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^3*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)}$$

$$3.518 \quad \int \frac{\cos^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=259

$$-\frac{(21A - 56B + 16C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{(107A - 72B + 112C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64\sqrt{ad}} - \frac{\sqrt{2}(A - B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] ((107*A - 72*B + 112*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(64*Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) - ((21*A - 56*B + 16*C)*Sin[c + d*x]/(64*d*Sqrt[a + a*Sec[c + d*x]]) + ((43*A - 8*B + 48*C)*Cos[c + d*x]*Sin[c + d*x]/(96*d*Sqrt[a + a*Sec[c + d*x]]) - ((A - 8*B)*Cos[c + d*x]^2*Sin[c + d*x]/(24*d*Sqrt[a + a*Sec[c + d*x]])) + (A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.776892, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4086, 4022, 3920, 3774, 203, 3795}

$$-\frac{(21A - 56B + 16C) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{(107A - 72B + 112C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{64\sqrt{ad}} - \frac{\sqrt{2}(A - B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[((Cos[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]]], x]

[Out] ((107*A - 72*B + 112*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(64*Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) - ((21*A - 56*B + 16*C)*Sin[c + d*x]/(64*d*Sqrt[a + a*Sec[c + d*x]]) + ((43*A - 8*B + 48*C)*Cos[c + d*x]*Sin[c + d*x]/(96*d*Sqrt[a + a*Sec[c + d*x]]) - ((A - 8*B)*Cos[c + d*x]^2*Sin[c + d*x]/(24*d*Sqrt[a + a*Sec[c + d*x]])) + (A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4022

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

```

Rule 3920

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_
.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D
ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre
eQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 3795

```

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{A\cos^3(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \int \frac{\cos^3(c+dx)\left(-\frac{1}{2}a(A-8B)+\frac{1}{2}a(7A+8C)\right)}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{(A-8B)\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^3(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(43A-8B+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} - \frac{(A-8B)\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(21A-56B+16C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{(43A-8B+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(21A-56B+16C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{(43A-8B+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(21A-56B+16C)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{(43A-8B+48C)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(107A-72B+112C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64\sqrt{ad}} - \frac{\sqrt{2}(A-B+C)}{192d\sqrt{1-\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.969472, size = 178, normalized size = 0.69

$$\frac{\tan(c+dx)\left(\cos(c+dx)\sqrt{1-\sec(c+dx)}\left(2(43A-8B+48C)\cos(c+dx)-8(A-8B)\cos^2(c+dx)+48A\cos^3(c+dx)\right)\right)}{192d\sqrt{1-\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]
```

```
[Out] ((3*(107*A - 72*B + 112*C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]] - 192*Sqrt[2]*(A - B + C)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + Cos[c + d*x]*(-63*A + 168*B - 48*C + 2*(43*A - 8*B + 48*C)*Cos[c + d*x] - 8*(A - 8*B)*Cos[c + d*x]^2 + 48*A*Cos[c + d*x]^3)*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(192*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])
```


Maple [B] time = 0.413, size = 2086, normalized size = 8.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^4 * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^{1/2}, x)$

[Out] $\frac{1}{3072} \frac{d}{a} * (321 * A * \sin(dx+c) * \cos(dx+c)^3 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} - 216 * B * \sin(dx+c) * \cos(dx+c)^3 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 336 * C * \sin(dx+c) * \cos(dx+c)^3 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 321 * A * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} * \sin(dx+c) - 216 * B * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} * \sin(dx+c) + 384 * A * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) + 384 * C * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * \sin(dx+c) - 768 * C * \cos(dx+c)^4 + 1008 * C * \sin(dx+c) * \cos(dx+c)^2 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 1008 * C * \sin(dx+c) * \cos(dx+c) * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} - 1152 * B * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \cos(dx+c)^2 * \sin(dx+c) - 1152 * B * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \cos(dx+c) * \sin(dx+c) - 384 * B * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \cos(dx+c)^3 * \sin(dx+c) - 1008 * A * \cos(dx+c)^4 - 1504 * A * \cos(dx+c)^6 + 2384 * A * \cos(dx+c)^5 - 2944 * B * \cos(dx+c)^5 + 2304 * C * \cos(dx+c)^5 + 2688 * B * \cos(dx+c)^4 - 768 * A * \cos(dx+c)^8 + 896 * A * \cos(dx+c)^7 - 1024 * B * \cos(dx+c)^7 + 1280 * B * \cos(dx+c)^6 - 384 * B * \ln(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * \sin(dx+c) + 963 * A * \sin(dx+c) * \cos(dx+c)^2 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} - 648 * B * \sin(dx+c) * \cos(dx+c)^2 * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} + 963 * A * \sin(dx+c) * \cos(dx+c) * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{7/2} * 2^{1/2} - 648 * B * \sin(dx+c) * \cos(dx+c) * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c))$

$$\begin{aligned}
 &) * (-2 * \cos(d * x + c) / (\cos(d * x + c) + 1))^{(7/2)} * 2^{(1/2)} + 336 * C * \operatorname{arctanh}(1/2 * 2^{(1/2)} * (- \\
 & 2 * \cos(d * x + c) / (\cos(d * x + c) + 1))^{(1/2)} * \sin(d * x + c) / \cos(d * x + c)) * 2^{(1/2)} * (-2 * \cos(d \\
 & * x + c) / (\cos(d * x + c) + 1))^{(7/2)} * \sin(d * x + c) - 1536 * C * \cos(d * x + c)^6 + 384 * A * (-2 * \cos(d * \\
 & x + c) / (\cos(d * x + c) + 1))^{(7/2)} * \ln(-(-(-2 * \cos(d * x + c) / (\cos(d * x + c) + 1))^{(1/2)} * \sin(d \\
 & * x + c) + \cos(d * x + c) - 1) / \sin(d * x + c)) * \sin(d * x + c) * \cos(d * x + c)^3 + 384 * C * (-2 * \cos(d * x + c) \\
 &) / (\cos(d * x + c) + 1))^{(7/2)} * \ln(-(-(-2 * \cos(d * x + c) / (\cos(d * x + c) + 1))^{(1/2)} * \sin(d * x + \\
 & c) + \cos(d * x + c) - 1) / \sin(d * x + c)) * \sin(d * x + c) * \cos(d * x + c)^3 + 1152 * A * (-2 * \cos(d * x + c) / \\
 & (\cos(d * x + c) + 1))^{(7/2)} * \ln(-(-(-2 * \cos(d * x + c) / (\cos(d * x + c) + 1))^{(1/2)} * \sin(d * x + c) \\
 & + \cos(d * x + c) - 1) / \sin(d * x + c)) * \sin(d * x + c) * \cos(d * x + c)^2 + 1152 * C * (-2 * \cos(d * x + c) / (c \\
 & \cos(d * x + c) + 1))^{(7/2)} * \ln(-(-(-2 * \cos(d * x + c) / (\cos(d * x + c) + 1))^{(1/2)} * \sin(d * x + c) + c \\
 & \cos(d * x + c) - 1) / \sin(d * x + c)) * \sin(d * x + c) * \cos(d * x + c)^2 + 1152 * A * (-2 * \cos(d * x + c) / (\cos \\
 & (d * x + c) + 1))^{(7/2)} * \ln(-(-(-2 * \cos(d * x + c) / (\cos(d * x + c) + 1))^{(1/2)} * \sin(d * x + c) + \cos \\
 & (d * x + c) - 1) / \sin(d * x + c)) * \sin(d * x + c) * \cos(d * x + c) + 1152 * C * (-2 * \cos(d * x + c) / (\cos(d * x \\
 & + c) + 1))^{(7/2)} * \ln(-(-(-2 * \cos(d * x + c) / (\cos(d * x + c) + 1))^{(1/2)} * \sin(d * x + c) + \cos(d * x \\
 & + c) - 1) / \sin(d * x + c)) * \sin(d * x + c) * \cos(d * x + c)) * (a * (\cos(d * x + c) + 1) / \cos(d * x + c))^{(1/ \\
 & 2)} / \sin(d * x + c) / \cos(d * x + c)^3
 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^4}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^4/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 64.5368, size = 1639, normalized size = 6.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

```
[Out] [1/384*(192*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)
*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x
+ c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2
+ 2*cos(d*x + c) + 1)) - 3*((107*A - 72*B + 112*C)*cos(d*x + c) + 107*A - 7
2*B + 112*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(co
s(d*x + c) + 1)) + 2*(48*A*cos(d*x + c)^4 - 8*(A - 8*B)*cos(d*x + c)^3 + 2*
(43*A - 8*B + 48*C)*cos(d*x + c)^2 - 3*(21*A - 56*B + 16*C)*cos(d*x + c))*s
qrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*
d), -1/192*(3*((107*A - 72*B + 112*C)*cos(d*x + c) + 107*A - 72*B + 112*C)*
sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)
*sin(d*x + c))) - (48*A*cos(d*x + c)^4 - 8*(A - 8*B)*cos(d*x + c)^3 + 2*(4
3*A - 8*B + 48*C)*cos(d*x + c)^2 - 3*(21*A - 56*B + 16*C)*cos(d*x + c))*sqr
t((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 192*sqrt(2)*((A - B + C)
*a*cos(d*x + c) + (A - B + C)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/
cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x +
c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**
(1/2),x)
```

[Out] Timed out

Giac [B] time = 12.3017, size = 1887, normalized size = 7.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/
2),x, algorithm="giac")
```

```
[Out] -1/384*(192*sqrt(2)*(A - B + C)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-
a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)
```

$$\begin{aligned}
&) + 3*(107*A - 72*B + 112*C)*\log(\text{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) - 3*(107*A - 72*B + 112*C)*\log(\text{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + 4*\sqrt{2}*(1599*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*A*\sqrt{-a} - 1320*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*B*\sqrt{-a} + 816*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*C*\sqrt{-a} - 18219*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*A*\sqrt{-a}*a + 18504*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*B*\sqrt{-a}*a - 12528*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*C*\sqrt{-a}*a + 91467*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*A*\sqrt{-a}*a^2 - 96072*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*B*\sqrt{-a}*a^2 + 64752*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*C*\sqrt{-a}*a^2 - 177735*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*A*\sqrt{-a}*a^3 + 215016*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*B*\sqrt{-a}*a^3 - 124848*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*C*\sqrt{-a}*a^3 + 100413*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a}*a^4 - 136056*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{-a}*a^4 + 70032*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*C*\sqrt{-a}*a^4 - 26881*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a^5 + 36056*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*\sqrt{-a}*a^5 - 19152*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*C*\sqrt{-a}*a^5 + 3321*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^6 - 4632*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a}*a^6 + 2640*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*C*\sqrt{-a}*a^6 - 205*A*\sqrt{-a}*a^7 + 248*B*\sqrt{-a}*a^7 - 144*C*\sqrt{-a}*a^7)/(((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^4*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))/d
\end{aligned}$$

$$3.519 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=277

$$\frac{(11A - 15B + 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(245A - 273B + 397C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{210a^2d} - \frac{(A - B + C) \tan(c+dx)}{2d(a \sec(c+dx)+a)}$$

[Out] ((11*A - 15*B + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((455*A - 651*B + 799*C)*Tan[c + d*x])/(105*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((35*A - 63*B + 67*C)*Sec[c + d*x]^2*Tan[c + d*x])/(70*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((7*A - 7*B + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(14*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((245*A - 273*B + 397*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(210*a^2*d)

Rubi [A] time = 0.877086, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 4021, 4010, 4001, 3795, 203}

$$\frac{(11A - 15B + 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(245A - 273B + 397C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{210a^2d} - \frac{(A - B + C) \tan(c+dx)}{2d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((11*A - 15*B + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((455*A - 651*B + 799*C)*Tan[c + d*x])/(105*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((35*A - 63*B + 67*C)*Sec[c + d*x]^2*Tan[c + d*x])/(70*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((7*A - 7*B + 11*C)*Sec[c + d*x]^3*Tan[c + d*x])/(14*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((245*A - 273*B + 397*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(210*a^2*d)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + a

```

_)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4021

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]

```

Rule 4010

```

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]

```

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]

```

Rule 3795

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

```

, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \int \frac{\sec^4(c+dx)^{-2a(A-2}}{\dots} \\
 &= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(7A-7B+11C)s}{14ad\sqrt{a+\dots}} \\
 &= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(35A-63B+67C)}{70ad\sqrt{a+\dots}} \\
 &= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(35A-63B+67C)}{70ad\sqrt{a+\dots}} \\
 &= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(455A-651B+7)}{105ad\sqrt{a+\dots}} \\
 &= -\frac{(A-B+C)\sec^4(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(455A-651B+7)}{105ad\sqrt{a+\dots}} \\
 &= \frac{(11A-15B+19C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B+C)s}{2d(a+\dots)}
 \end{aligned}$$

Mathematica [C] time = 11.7739, size = 2746, normalized size = 9.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (4*Cos[(c + d*x)/2]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - 2*Sin[(c + d*x)/2]^2)^(-1)]*Sqrt[1 - 2*Sin[(c + d*x)/2]^2]*((4*A*Sin[(c + d*x)/2])/(7*(1 - 2*Sin[(c + d*x)/2]^2)^(7/2)) - ((A - B + C)*(1 - 2*Sin[(c + d*x)/2]))/(28*(1 + Sin[(c + d*x)/2]))*(1 - 2*Sin[(c + d*x)/2]^2)^(7/2)) + ((A - B + C)*(1 + 2*Sin[(c + d*x)/2]))/(28*(1 - Sin[(c + d*x)/2]))*(1 - 2*Sin[(c

$$\begin{aligned}
& + d*x)/2]^2)^{(7/2)} - ((A - B + C)*(315*ArcTan[(1 - 2*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c + d*x)/2]^2]] + (5 + 3*Sin[(c + d*x)/2])/((1 - Sin[(c + d*x)/2]))*(1 - 2*Sin[(c + d*x)/2]^2)^{(5/2)} - (11 + 17*Sin[(c + d*x)/2])/((1 - Sin[(c + d*x)/2]))*(1 - 2*Sin[(c + d*x)/2]^2)^{(3/2)} + (61 + 71*Sin[(c + d*x)/2])/((1 - Sin[(c + d*x)/2])*Sqrt[1 - 2*Sin[(c + d*x)/2]^2]) + (193*Sqrt[1 - 2*Sin[(c + d*x)/2]^2])/((1 - Sin[(c + d*x)/2])))/70 + ((A - B + C)*(315*ArcTan[(1 + 2*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c + d*x)/2]^2]] + (5 - 3*Sin[(c + d*x)/2])/((1 + Sin[(c + d*x)/2]))*(1 - 2*Sin[(c + d*x)/2]^2)^{(5/2)} - (11 - 17*Sin[(c + d*x)/2])/((1 + Sin[(c + d*x)/2]))*(1 - 2*Sin[(c + d*x)/2]^2)^{(3/2)} + (61 - 71*Sin[(c + d*x)/2])/((1 + Sin[(c + d*x)/2])*Sqrt[1 - 2*Sin[(c + d*x)/2]^2]) + (193*Sqrt[1 - 2*Sin[(c + d*x)/2]^2])/((1 + Sin[(c + d*x)/2])))/70 - ((7*A - 3*B - C)*Csc[(c + d*x)/2]^9*(363825*Sin[(c + d*x)/2]^2 - 4729725*Sin[(c + d*x)/2]^4 + 26785605*Sin[(c + d*x)/2]^6 - 86790165*Sin[(c + d*x)/2]^8 + 177677808*Sin[(c + d*x)/2]^10 - 239283044*Sin[(c + d*x)/2]^12 + 52080*Hypergeometric2F1[2, 11/2, 13/2, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^12 + 560*HypergeometricPFQ[{2, 2, 2, 2, 11/2}, {1, 1, 1, 13/2}, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^12 + 213120160*Sin[(c + d*x)/2]^14 - 168280*Hypergeometric2F1[2, 11/2, 13/2, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^14 - 2240*HypergeometricPFQ[{2, 2, 2, 2, 11/2}, {1, 1, 1, 13/2}, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^14 - 121497024*Sin[(c + d*x)/2]^16 + 212520*Hypergeometric2F1[2, 11/2, 13/2, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^16 + 3360*HypergeometricPFQ[{2, 2, 2, 2, 11/2}, {1, 1, 1, 13/2}, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^16 + 40125184*Sin[(c + d*x)/2]^18 - 124320*Hypergeometric2F1[2, 11/2, 13/2, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^18 - 2240*HypergeometricPFQ[{2, 2, 2, 2, 11/2}, {1, 1, 1, 13/2}, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^18 - 5840384*Sin[(c + d*x)/2]^20 + 28000*Hypergeometric2F1[2, 11/2, 13/2, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^20 + 560*HypergeometricPFQ[{2, 2, 2, 2, 11/2}, {1, 1, 1, 13/2}, Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^20 + 363825*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] - 5336100*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*x)/2]^2*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] + 34636140*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*x)/2]^4*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] - 131060160*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*x)/2]^6*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] + 320535600*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*x)/2]^8*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] - 530671680*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*x)/2]^10*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] + 604296000*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*x)/2]^12*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]
\end{aligned}$$


```

- 468948480*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*S
in[(c + d*x)/2]^14*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] + 2
37726720*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[
(c + d*x)/2]^16*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] - 7096
3200*ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c +
d*x)/2]^18*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] + 9461760*
ArcTanh[Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]]*Sin[(c + d*x)
/2]^20*Sqrt[Sin[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)] - 1120*Cos[(c +
d*x)/2]^6*HypergeometricPFQ[{2, 2, 2, 11/2}, {1, 1, 13/2}, Sin[(c + d*x)/2
]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^12*(-6 + 5*Sin[(c + d*x)/
2]^2) + 280*Cos[(c + d*x)/2]^4*HypergeometricPFQ[{2, 2, 11/2}, {1, 13/2}, S
in[(c + d*x)/2]^2/(-1 + 2*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^12*(103 - 1
64*Sin[(c + d*x)/2]^2 + 70*Sin[(c + d*x)/2]^4))/(80850*(1 - 2*Sin[(c + d*x
)/2]^2)^(9/2)*(-1 + 2*Sin[(c + d*x)/2]^2)) + (8*A*((3*Sin[(c + d*x)/2])/(1
- 2*Sin[(c + d*x)/2]^2)^(5/2) + 4*(Sin[(c + d*x)/2]/(1 - 2*Sin[(c + d*x)/2]
^2)^(3/2) + (2*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c + d*x)/2]^2]))/35)/(d*
(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a*(1
+ Sec[c + d*x]))^(3/2))

```

Maple [B] time = 0.407, size = 1437, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)
```

```
[Out] 1/3360/d/a^2*(-1+cos(d*x+c))*(-960*C-13440*B*cos(d*x+c)^3+1155*A*(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d
*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+1995*C*(-2*cos(d*x+c)/(cos(d*x+c
)+1))^(7/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c
)-1)/sin(d*x+c))*sin(d*x+c)+6352*C*cos(d*x+c)^4-9450*B*ln(-(-(-2*cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(7/2)*cos(d*x+c)^2*sin(d*x+c)-6300*B*ln(-(-(-2*cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(c
os(d*x+c)+1))^(7/2)*cos(d*x+c)*sin(d*x+c)-6300*B*ln(-(-(-2*cos(d*x+c)/(cos(
d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(7/2)*cos(d*x+c)^3*sin(d*x+c)+3920*A*cos(d*x+c)^4+16000*C*cos(d*x
+c)^3-3712*C*cos(d*x+c)^2+1536*C*cos(d*x+c)-10640*A*cos(d*x+c)^5+16464*B*co
s(d*x+c)^5-19216*C*cos(d*x+c)^5-4368*B*cos(d*x+c)^4+8960*A*cos(d*x+c)^3+268
8*B*cos(d*x+c)^2+1155*A*sin(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)

```

```

)*cos(d*x+c)^4+1995*C*sin(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)
*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*
cos(d*x+c)^4-1575*B*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+c
os(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*sin(d*x+c)-15
75*B*sin(d*x+c)*cos(d*x+c)^4*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin
(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)-2240
*A*cos(d*x+c)^2+4620*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-(-2*cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)
*cos(d*x+c)^3+7980*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-(-2*cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*c
os(d*x+c)^3+6930*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-(-2*cos(d*x+c
)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos
(d*x+c)^2+11970*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-(-2*cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(
d*x+c)^2+4620*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-(-2*cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*
x+c)+7980*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*ln(-(-(-2*cos(d*x+c)/(cos(
d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)
-1344*B*cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^3/cos(d*
x+c)^3

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/
2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [A] time = 0.694546, size = 1535, normalized size = 5.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/
2),x, algorithm="fricas")

```

```
[Out] [-1/840*(105*sqrt(2)*((11*A - 15*B + 19*C)*cos(d*x + c)^5 + 2*(11*A - 15*B + 19*C)*cos(d*x + c)^4 + (11*A - 15*B + 19*C)*cos(d*x + c)^3)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((665*A - 1029*B + 1201*C)*cos(d*x + c)^4 + 12*(35*A - 63*B + 67*C)*cos(d*x + c)^3 - 28*(5*A - 3*B + 7*C)*cos(d*x + c)^2 - 12*(7*B - 3*C)*cos(d*x + c) - 60*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^5 + 2*a^2*d*cos(d*x + c)^4 + a^2*d*cos(d*x + c)^3), -1/420*(105*sqrt(2)*((11*A - 15*B + 19*C)*cos(d*x + c)^5 + 2*(11*A - 15*B + 19*C)*cos(d*x + c)^4 + (11*A - 15*B + 19*C)*cos(d*x + c)^3)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((665*A - 1029*B + 1201*C)*cos(d*x + c)^4 + 12*(35*A - 63*B + 67*C)*cos(d*x + c)^3 - 28*(5*A - 3*B + 7*C)*cos(d*x + c)^2 - 12*(7*B - 3*C)*cos(d*x + c) - 60*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^5 + 2*a^2*d*cos(d*x + c)^4 + a^2*d*cos(d*x + c)^3)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^4(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**4/(a*(sec(c + d*x) + 1))**(3/2), x)
```

Giac [B] time = 9.75266, size = 756, normalized size = 2.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] 1/420*(105*(11*sqrt(2)*A - 15*sqrt(2)*B + 19*sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (((105*(sqrt(2)*A*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*B*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + sqrt(2)*C*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a^3 - 4*(455*sqrt(2)*A*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 693*sqrt(2)*B*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 877*sqrt(2)*C*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^3)*tan(1/2*d*x + 1/2*c)^2 + 14*(305*sqrt(2)*A*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 453*sqrt(2)*B*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 517*sqrt(2)*C*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^3)*tan(1/2*d*x + 1/2*c)^2 - 140*(25*sqrt(2)*A*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 39*sqrt(2)*B*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 47*sqrt(2)*C*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^3)*tan(1/2*d*x + 1/2*c)^2 + 105*(9*sqrt(2)*A*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 17*sqrt(2)*B*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 17*sqrt(2)*C*a^5*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^3)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^3*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d
```

$$3.520 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=229

$$\frac{(7A - 11B + 15C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(15A - 35B + 39C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{30a^2d} - \frac{(A - B + C) \tan(c+dx)}{2d(a \sec(c+dx)+a)}$$

[Out] -((7*A - 11*B + 15*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((45*A - 65*B + 93*C)*Tan[c + d*x])/(15*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A - 5*B + 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((15*A - 35*B + 39*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(30*a^2*d)

Rubi [A] time = 0.682523, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 4021, 4010, 4001, 3795, 203}

$$\frac{(7A - 11B + 15C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(15A - 35B + 39C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{30a^2d} - \frac{(A - B + C) \tan(c+dx)}{2d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((7*A - 11*B + 15*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((45*A - 65*B + 93*C)*Tan[c + d*x])/(15*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A - 5*B + 9*C)*Sec[c + d*x]^2*Tan[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((15*A - 35*B + 39*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(30*a^2*d)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \int \frac{\sec^3(c+dx)(-a(A-3B+C))}{(a+a\sec(c+dx))^{3/2}} dx \\
&= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(5A-5B+9C)\sec^3(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(5A-5B+9C)\sec^3(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(45A-65B+93C)\sec^3(c+dx)}{15ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(45A-65B+93C)\sec^3(c+dx)}{15ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(7A-11B+15C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B+C)\sec^3(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 8.84682, size = 2025, normalized size = 8.84

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (4*Cos[(c + d*x)/2]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - 2*Sin[(c + d*x)/2]^2)^(-1)]*Sqrt[1 - 2*Sin[(c + d*x)/2]^2]*((4*A*Sin[(c + d*x)/2])/(5*(1 - 2*Sin[(c + d*x)/2]^2)^(5/2)) - ((A - B + C)*(1 - 2*Sin[(c + d*x)/2]))/(20*(1 + Sin[(c + d*x)/2]))*(1 - 2*Sin[(c + d*x)/2]^2)^(5/2)) + ((A - B + C)*(1 + 2*Sin[(c + d*x)/2]))/(20*(1 - Sin[(c + d*x)/2]))*(1 - 2*Sin[(c + d*x)/2]^2)^(5/2)) + (16*A*(Sin[(c + d*x)/2]/(1 - 2*Sin[(c + d*x)/2]^2)^(3/2) + (2*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c + d*x)/2]^2]))/15 - ((A - B + C)*(-105*ArcTan[(1 - 2*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c + d*x)/2]^2]] + (4 + 3*Sin[(c + d*x)/2])/((1 - Sin[(c + d*x)/2])*(1 - 2*Sin[(c + d*x)/2]^2)^(3/2)) - (19 + 29*Sin[(c + d*x)/2])/((1 - Sin[(c + d*x)/2])*Sqrt[1 - 2*Sin[(c + d*x)/2]^2]) - (67*Sqrt[1 - 2*Sin[(c + d*x)/2]^2])/(1 - Sin[(c + d*x)/2]))

$$\begin{aligned}
& /2])))/30 + ((A - B + C)*(-105*\text{ArcTan}[(1 + 2*\text{Sin}[(c + d*x)/2])/ \text{Sqrt}[1 - 2*\text{Sin} \\
& \text{in}[(c + d*x)/2]^2]] + (4 - 3*\text{Sin}[(c + d*x)/2])/((1 + \text{Sin}[(c + d*x)/2])*(1 - \\
& 2*\text{Sin}[(c + d*x)/2]^2)^{(3/2)}) - (19 - 29*\text{Sin}[(c + d*x)/2])/((1 + \text{Sin}[(c + d \\
& *x)/2])*\text{Sqrt}[1 - 2*\text{Sin}[(c + d*x)/2]^2]) - (67*\text{Sqrt}[1 - 2*\text{Sin}[(c + d*x)/2]^2 \\
&])/(1 + \text{Sin}[(c + d*x)/2])))/30 + ((7*A - 3*B - C)*\text{Csc}[(c + d*x)/2]^7*(4725* \\
& \text{Sin}[(c + d*x)/2]^2 - 48825*\text{Sin}[(c + d*x)/2]^4 + 210105*\text{Sin}[(c + d*x)/2]^6 - \\
& 486630*\text{Sin}[(c + d*x)/2]^8 + 655812*\text{Sin}[(c + d*x)/2]^10 - 710*\text{Hypergeometri} \\
& \text{c2F1}[2, 9/2, 11/2, \text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]*\text{Sin}[(c + \\
& d*x)/2]^10 - 40*\text{Cos}[(c + d*x)/2]^6*\text{HypergeometricPFQ}[\{2, 2, 2, 9/2\}, \{1, 1 \\
& , 11/2\}, \text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]*\text{Sin}[(c + d*x)/2]^1 \\
& 0 - 518760*\text{Sin}[(c + d*x)/2]^12 + 1770*\text{Hypergeometric2F1}[2, 9/2, 11/2, \text{Sin}[(c \\
& + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]*\text{Sin}[(c + d*x)/2]^12 + 226656*\text{Sin} \\
& [(c + d*x)/2]^14 - 1500*\text{Hypergeometric2F1}[2, 9/2, 11/2, \text{Sin}[(c + d*x)/2]^2/ \\
& (-1 + 2*\text{Sin}[(c + d*x)/2]^2)]*\text{Sin}[(c + d*x)/2]^14 - 42048*\text{Sin}[(c + d*x)/2]^1 \\
& 6 + 440*\text{Hypergeometric2F1}[2, 9/2, 11/2, \text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + \\
& d*x)/2]^2)]*\text{Sin}[(c + d*x)/2]^16 + 4725*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/(-1 \\
& + 2*\text{Sin}[(c + d*x)/2]^2)]]*\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^ \\
& ^2)] - 56700*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]]* \\
& \text{Sin}[(c + d*x)/2]^2*\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)] + 2 \\
& 91060*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]]*\text{Sin}[(c \\
& + d*x)/2]^4*\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)] - 833760*A \\
& \text{rcTanh}[\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]]*\text{Sin}[(c + d*x)/ \\
& 2]^6*\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)] + 1458000*\text{ArcTanh} \\
& [\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]]*\text{Sin}[(c + d*x)/2]^8*S \\
& \text{qrt}[\text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)] - 1598400*\text{ArcTanh}[\text{Sqrt} \\
& \text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]]*\text{Sin}[(c + d*x)/2]^10*\text{Sqrt}[\text{S} \\
& \text{in}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)] + 1080000*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[(c \\
& + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]]*\text{Sin}[(c + d*x)/2]^12*\text{Sqrt}[\text{Sin}[(c \\
& + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)] - 414720*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[(c + d* \\
& x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]]*\text{Sin}[(c + d*x)/2]^14*\text{Sqrt}[\text{Sin}[(c + d*x \\
&)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)] + 69120*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2 \\
& /(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]]*\text{Sin}[(c + d*x)/2]^16*\text{Sqrt}[\text{Sin}[(c + d*x)/2]^2/ \\
& (-1 + 2*\text{Sin}[(c + d*x)/2]^2)] + 60*\text{Cos}[(c + d*x)/2]^4*\text{HypergeometricPFQ}[\{2, \\
& 2, 9/2\}, \{1, 11/2\}, \text{Sin}[(c + d*x)/2]^2/(-1 + 2*\text{Sin}[(c + d*x)/2]^2)]*\text{Sin}[(c \\
& + d*x)/2]^10*(-5 + 4*\text{Sin}[(c + d*x)/2]^2))/(1350*(1 - 2*\text{Sin}[(c + d*x)/2]^2) \\
& ^{(7/2)}*(-1 + 2*\text{Sin}[(c + d*x)/2]^2)))/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Co} \\
& \text{s}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d*x]))^{(3/2)})
\end{aligned}$$

Maple [B] time = 0.376, size = 1152, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{(3/2)}, x)$

[Out] $\frac{1}{240} \frac{d}{a^2} (-1 + \cos(dx+c)) * (105 * A * \cos(dx+c)^3 * \sin(dx+c) * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} - 165 * B * \cos(dx+c)^3 * \sin(dx+c) * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} + 225 * C * \cos(dx+c)^3 * \sin(dx+c) * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} + 315 * A * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c)^2 * \sin(dx+c) - 495 * B * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c)^2 * \sin(dx+c) + 675 * C * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c)^2 * \sin(dx+c) + 315 * A * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) * \sin(dx+c) - 495 * B * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) * \sin(dx+c) + 675 * C * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \cos(dx+c) * \sin(dx+c) + 105 * A * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) - 165 * B * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) + 225 * C * \ln(-(-(-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{(5/2)} * \sin(dx+c) + 600 * A * \cos(dx+c)^4 - 760 * B * \cos(dx+c)^4 + 1176 * C * \cos(dx+c)^4 - 120 * A * \cos(dx+c)^3 + 280 * B * \cos(dx+c)^3 - 312 * C * \cos(dx+c)^3 - 480 * A * \cos(dx+c)^2 + 640 * B * \cos(dx+c)^2 - 960 * C * \cos(dx+c)^2 - 160 * B * \cos(dx+c) + 192 * C * \cos(dx+c) - 96 * C) * (a * (\cos(dx+c)+1) / \cos(dx+c))^{(1/2)} / \cos(dx+c)^2 / \sin(dx+c)^3$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(d*x+c)^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.652874, size = 1399, normalized size = 6.11

$$\frac{15\sqrt{2}\left((7A - 11B + 15C)\cos(dx + c)^4 + 2(7A - 11B + 15C)\cos(dx + c)^3 + (7A - 11B + 15C)\cos(dx + c)^2\right)\sqrt{-a}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/120*(15*sqrt(2)*((7*A - 11*B + 15*C)*cos(d*x + c)^4 + 2*(7*A - 11*B + 15*C)*cos(d*x + c)^3 + (7*A - 11*B + 15*C)*cos(d*x + c)^2)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((75*A - 95*B + 147*C)*cos(d*x + c)^3 + 12*(5*A - 5*B + 9*C)*cos(d*x + c)^2 + 4*(5*B - 3*C)*cos(d*x + c) + 12*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2), 1/60*(15*sqrt(2)*((7*A - 11*B + 15*C)*cos(d*x + c)^4 + 2*(7*A - 11*B + 15*C)*cos(d*x + c)^3 + (7*A - 11*B + 15*C)*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((75*A - 95*B + 147*C)*cos(d*x + c)^3 + 12*(5*A - 5*B + 9*C)*cos(d*x + c)^2 + 4*(5*B - 3*C)*cos(d*x + c) + 12*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [A] time = 9.61757, size = 456, normalized size = 1.99

$$\frac{15\sqrt{2}(7A-11B+15C)\log\left(-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\left(\left(\frac{15\sqrt{2}(Aa^3-Ba^3+Ca^3)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\sqrt{2}(165Aa^3-245Ba^3+381Ca^3)}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)^2\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] -1/60*(15*sqrt(2)*(7*A - 11*B + 15*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (((15*sqrt(2)*(A*a^3 - B*a^3 + C*a^3)*tan(1/2*d*x + 1/2*c)^2/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(165*A*a^3 - 245*B*a^3 + 381*C*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)^2 + 5*sqrt(2)*(57*A*a^3 - 73*B*a^3 + 105*C*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)^2 - 15*sqrt(2)*(9*A*a^3 - 9*B*a^3 + 17*C*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/d

$$3.521 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=181

$$\frac{(3A - 7B + 11C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3A - 3B + 7C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{6a^2d} - \frac{(A - B + C) \tan(c+dx) \sec(c+dx)}{2d(a \sec(c+dx)+a)}$$

[Out] ((3*A - 7*B + 11*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((3*A - 9*B + 13*C)*Tan[c + d*x])/(3*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((3*A - 3*B + 7*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(6*a^2*d)

Rubi [A] time = 0.476456, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4084, 4010, 4001, 3795, 203}

$$\frac{(3A - 7B + 11C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3A - 3B + 7C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{6a^2d} - \frac{(A - B + C) \tan(c+dx) \sec(c+dx)}{2d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[((Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((3*A - 7*B + 11*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((3*A - 9*B + 13*C)*Tan[c + d*x])/(3*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((3*A - 3*B + 7*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(6*a^2*d)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +

$f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}]$

Rule 4010

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2 * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \ :> \ -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}) / (b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m * \text{Simp}[b*B*(m + 1) + (A*b*(m + 2) - a*B)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ !\text{LtQ}[m, -1]$

Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)] * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \ :> \ -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m) / (f*(m + 1)), x] + \text{Dist}[(a*B*m + A*b*(m + 1)) / (b*(m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, A, B, e, f, m\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[a*B*m + A*b*(m + 1), 0] \ \&\& \ !\text{LtQ}[m, -2^{(-1)}]$

Rule 3795

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \ :> \ \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2), x], x, (b*\text{Cot}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x_Symbol] \ :> \ \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B+C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \int \frac{\sec^2(c+dx)(2a(B-C)+\sqrt{a+a\sec(c+dx)})}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{(A-B+C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A-3B+7C)\sqrt{a+a\sec(c+dx)}}{2d} \\
&= -\frac{(A-B+C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(3A-9B+13C)\tan(c+dx)}{3ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(3A-9B+13C)\tan(c+dx)}{3ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(3A-7B+11C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B+C)\sec^2(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 25.2684, size = 7119, normalized size = 39.33

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] Result too large to show

Maple [B] time = 0.321, size = 867, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)

[Out] 1/24/d/a^2*(-1+cos(d*x+c))*(9*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-21*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-2*

```

cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*cos(d
*x+c)^2*sin(d*x+c)+33*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*cos(d*x+c
)^2*sin(d*x+c)+18*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3
/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin
(d*x+c))-42*B*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln
(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c
))+66*C*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-
2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+9*A
*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-21*B*(-2*cos(d*x+c)/(
cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+
cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+33*C*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3
/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin
(d*x+c))*sin(d*x+c)-12*A*cos(d*x+c)^3+60*B*cos(d*x+c)^3-76*C*cos(d*x+c)^3+1
2*A*cos(d*x+c)^2-12*B*cos(d*x+c)^2+28*C*cos(d*x+c)^2-48*B*cos(d*x+c)+64*C*cos
os(d*x+c)-16*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^3/cos(d*x+c)

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/
2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [A] time = 0.637374, size = 1257, normalized size = 6.94

$$\frac{3\sqrt{2}\left((3A-7B+11C)\cos(dx+c)^3+2(3A-7B+11C)\cos(dx+c)^2+(3A-7B+11C)\cos(dx+c)\right)\sqrt{-a}\log\left(\frac{\dots}{24(a^2d\cos(dx+c)+\dots)}\right)}{24(a^2d\cos(dx+c)+\dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/24*(3*sqrt(2)*((3*A - 7*B + 11*C)*cos(d*x + c)^3 + 2*(3*A - 7*B + 11*C)*cos(d*x + c)^2 + (3*A - 7*B + 11*C)*cos(d*x + c))*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((3*A - 15*B + 19*C)*cos(d*x + c)^2 - 12*(B - C)*cos(d*x + c) - 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c)), -1/12*(3*sqrt(2)*((3*A - 7*B + 11*C)*cos(d*x + c)^3 + 2*(3*A - 7*B + 11*C)*cos(d*x + c)^2 + (3*A - 7*B + 11*C)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((3*A - 15*B + 19*C)*cos(d*x + c)^2 - 12*(B - C)*cos(d*x + c) - 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(a (\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [B] time = 9.28646, size = 491, normalized size = 2.71

$$\left(\frac{3 \left(\sqrt{2} A \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - \sqrt{2} B \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) + \sqrt{2} C \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{a} - \frac{2 \left(3 \sqrt{2} A \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - 15 \sqrt{2} B \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right)}{a} \right) \left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - \right.$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] -1/12*(((3*(sqrt(2)*A*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*B*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + sqrt(2)*C*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a - 2*(3*sqrt(2)*A*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 15*sqrt(2)*B*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 23*sqrt(2)*C*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a)*tan(1/2*d*x + 1/2*c)^2 + 3*(sqrt(2)*A*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 9*sqrt(2)*B*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 9*sqrt(2)*C*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)) - 3*(3*sqrt(2)*A - 7*sqrt(2)*B + 11*sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d
```

$$3.522 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=120

$$\frac{(A+3B-7C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B+C)\tan(c+dx)}{2d(a\sec(c+dx)+a)^{3/2}} + \frac{2C\tan(c+dx)}{ad\sqrt{a\sec(c+dx)+a}}$$

[Out] ((A + 3*B - 7*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B + C)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + (2*C*Tan[c + d*x])/(a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.246218, antiderivative size = 135, normalized size of antiderivative = 1.12, number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4078, 4001, 3795, 203}

$$\frac{(A+3B-7C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B+5C)\tan(c+dx)}{2ad\sqrt{a\sec(c+dx)+a}} - \frac{(A-B+C)\tan(c+dx)\sec(c+dx)}{2d(a\sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((A + 3*B - 7*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((A - B + 5*C)*Tan[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4078

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*Csc[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*B - b*C - 2*A*b*(m + 1) - (b*B*(m + 2) - a*(A*(m + 2) - C*(m - 1))]*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]

```

Rule 3795

```

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\sec(c+dx)(a(A+B-C)+\sqrt{a+a\sec(c+dx)})}{2\sqrt{a+a\sec(c+dx)}} dx}{2} \\
&= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A-B+5C)\tan(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A-B+5C)\tan(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(A+3B-7C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B+C)\sec(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 6.48058, size = 748, normalized size = 6.23

$$4 \sqrt{\frac{1}{1-2\sin^2\left(\frac{1}{2}(c+dx)\right)}} \sqrt{1-2\sin^2\left(\frac{1}{2}(c+dx)\right)} \cos^3\left(\frac{1}{2}(c+dx)\right) (A+B\sec(c+dx)+C\sec^2(c+dx)) \left(\frac{(7A-3B-C)\sin\left(\frac{1}{2}(c+dx)\right)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2),x]
```

```
[Out] (4*Cos[(c + d*x)/2]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - 2*Sin[(c + d*x)/2]^2)^(-1)]*Sqrt[1 - 2*Sin[(c + d*x)/2]^2]*((3*(A - B + C)*ArcTan[(1 - 2*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c + d*x)/2]^2]]/2 - (3*(A - B + C)*ArcTan[(1 + 2*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c + d*x)/2]^2]])/2 + (4*A*Sin[(c + d*x)/2])/Sqrt[1 - 2*Sin[(c + d*x)/2]^2] - ((A - B + C)*(1 - 2*Sin[(c + d*x)/2]))/(4*(1 + Sin[(c + d*x)/2]))*Sqrt[1 - 2*Sin[(c + d*x)/2]^2] + ((A - B + C)*(1 + 2*Sin[(c + d*x)/2]))/(4*(1 - Sin[(c + d*x)/2]))*Sqrt[1 - 2*Sin[(c + d*x)/2]^2] + ((A - B + C)*Sqrt[1 - 2*Sin[(c + d*x)/2]^2])/(1 - Sin[(c + d*x)/2]) - ((A - B + C)*Sqrt[1 - 2*Sin[(c + d*x)/2]^2])/(1 + Sin[(c + d*x)/2]) + ((7*A - 3*B - C)*Sin[(c + d*x)/2]*((2*Cos[(c + d*x)/2]^2*Hypergeometric2F1[2, 5/2, 7/2, -(Sin[(c + d*x)/2]^2/(1 - 2*Sin[(c + d*x)/2]^2))]*Sin[(c + d*x)/2]^2)/(1 - 2*Sin[(c + d*x)/2]^2) + 5*Csc[(c + d*x)/2]^4*Sqrt[-(Sin[(c + d*x)/2]^2/(1 - 2*Sin[(c + d*x)/2]^2))]*(1 - 2*Sin[(c + d*x)/2]^2)^2*(3 - 2*Sin[(c + d*x)/2]^2)*(-ArcTanh[Sqrt[-(Sin[(c + d*x)/2]^2/(1 - 2*Sin[(c + d*x)/2]^2))]] + Sqrt[-(Sin[(c + d*x)/2]^2/(1 - 2*Sin[(c + d*x)/2]^2))]))/(10*(1 - 2*Sin[(c + d*x)/2]^2)^(3/2)))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))
```

Maple [B] time = 0.306, size = 583, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)`

[Out] $\frac{1}{4} \frac{1}{d} \frac{1}{a^2} (a \cos(dx+c) + 1) \cos(dx+c)^{-1/2} (-1 + \cos(dx+c)) (-A \cos(dx+c) \sin(dx+c) \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} - 3B \cos(dx+c) \sin(dx+c) \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} + 7C \cos(dx+c) \sin(dx+c) \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} - A \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) - 3B \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + 7C \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + 2A \cos(dx+c)^2 - 2B \cos(dx+c)^2 + 10C \cos(dx+c)^2 - 2A \cos(dx+c) + 2B \cos(dx+c) - 2C \cos(dx+c) - 8C) / \sin(dx+c)^3$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.611697, size = 1046, normalized size = 8.72

$$\frac{\sqrt{2} \left((A + 3B - 7C) \cos(dx+c)^2 + 2(A + 3B - 7C) \cos(dx+c) + A + 3B - 7C \right) \sqrt{-a} \log \left(-\frac{2\sqrt{2}\sqrt{-a} \sqrt{\frac{a \cos(dx+c) + a}{\cos(dx+c)}} \cos(dx+c)}{\cos(dx+c)} \right)}{8 \left(a^2 d \cos(dx+c)^2 + 2a^2 d \cos(dx+c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/8*(sqrt(2)*((A + 3*B - 7*C)*cos(d*x + c)^2 + 2*(A + 3*B - 7*C)*cos(d*x + c) + A + 3*B - 7*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((A - B + 5*C)*cos(d*x + c) + 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((A + 3*B - 7*C)*cos(d*x + c)^2 + 2*(A + 3*B - 7*C)*cos(d*x + c) + A + 3*B - 7*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((A - B + 5*C)*cos(d*x + c) + 4*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [A] time = 8.98315, size = 271, normalized size = 2.26

$$\frac{\left(\frac{\sqrt{2}(Aa^2 - Ba^2 + Ca^2) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^3 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{\sqrt{2}(Aa^2 - Ba^2 + 9Ca^2)}{a^3 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}} + \frac{\sqrt{2}(A + 3B - 7C) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right|\right)}{\sqrt{-a \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}}$$

$4d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)
,x, algorithm="giac")
```

```
[Out] 1/4*((sqrt(2)*(A*a^2 - B*a^2 + C*a^2)*tan(1/2*d*x + 1/2*c)^2/(a^3*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(A*a^2 - B*a^2 + 9*C*a^2)/(a^3*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)/sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a) + sqrt(2)*(A + 3*B - 7*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))/d
```

$$3.523 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=131

$$-\frac{(5A - B - 3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A - B + C) \tan(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(3/2)*d) - ((5*A - B - 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.194571, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4052, 3920, 3774, 203, 3795}

$$-\frac{(5A - B - 3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A - B + C) \tan(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(3/2),x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(3/2)*d) - ((5*A - B - 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3920


```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A - B + C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{\int \frac{-2aA + \frac{1}{2}a(A - B - 3C) \sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx}{2a^2} \\ &= -\frac{(A - B + C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{a^2} - \frac{(5A - B - 3C) \int \frac{1}{\sqrt{a + a \sec(c + dx)}} dx}{4a^2} \\ &= -\frac{(A - B + C) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(2A) \text{Subst}\left(\int \frac{1}{a + x^2} dx, x, -\frac{a \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{ad} + \frac{(5A - B - 3C) \int \frac{1}{\sqrt{a + a \sec(c + dx)}} dx}{4a^2} \\ &= \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{a^{3/2}d} - \frac{(5A - B - 3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B - 3C) \int \frac{1}{\sqrt{a + a \sec(c + dx)}} dx}{2da^2} \end{aligned}$$

Mathematica [C] time = 28.1837, size = 16094, normalized size = 122.85

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(3/2),x]

[Out] Result too large to show

Maple [B] time = 0.249, size = 732, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)

[Out]
$$-1/4/d/a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(4*A*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*2^{1/2}*\cos(d*x+c)+5*A*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+4*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)-B*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}-3*C*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+5*A*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-B*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-3*C*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-2*A*\cos(d*x+c)^2+2*B*\cos(d*x+c)^2-2*C*\cos(d*x+c)^2+2*A*\cos(d*x+c)-2*B*\cos(d*x+c)+2*C*\cos(d*x+c))/(\cos(d*x+c)+1)/\sin(d*x+c)$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(3/2), x)
```

Fricas [B] time = 24.7142, size = 1625, normalized size = 12.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [-1/16*(8*(A - B + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((5*A - B - 3*C)*cos(d*x + c)^2 + 2*(5*A - B - 3*C)*cos(d*x + c) + 5*A - B - 3*C)*sqrt(-a)*log((17*a*cos(d*x + c)^3 + 4*sqrt(2)*(3*cos(d*x + c)^2 - cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 3*a*cos(d*x + c)^2 - 13*a*cos(d*x + c) + a)/(cos(d*x + c)^3 + 3*cos(d*x + c)^2 + 3*cos(d*x + c) + 1)) + 8*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*sqrt(-a)*log((8*a*cos(d*x + c)^3 + 4*(2*cos(d*x + c)^2 - cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c) + a)/(cos(d*x + c) + 1)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/8*(4*(A - B + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((5*A - B - 3*C)*cos(d*x + c)^2 + 2*(5*A - B - 3*C)*cos(d*x + c) + 5*A - B - 3*C)*sqrt(a)*arctan(1/4*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(3*cos(d*x + c) - 1)/(sqrt(a)*sin(d*x + c))) + 8*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(1/2*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(2*cos(d*x + c) - 1)/(sqrt(a)*sin(d*x + c)))))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [B] time = 10.9264, size = 448, normalized size = 3.42

$$\frac{\sqrt{2}(5A-B-3C)\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{8A\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}+3)\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{8A\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}-3)\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(\sqrt{2}*(5*A - B - 3*C)*\log((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c} \\ & \tan(1/2*d*x + 1/2*c)^2 + a))^2)/(\sqrt{-a}*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) \\ &) + 8*A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c} \\ & c)^2 + a))^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - \\ & 1)) - 8*A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1 \\ & /2*c)^2 + a))^2 + a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^ \\ & 2 - 1)) - 2*(\sqrt{2}*A*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - \sqrt{2}*B*a*\operatorname{sgn} \\ & \tan(1/2*d*x + 1/2*c)^2 - 1) + \sqrt{2}*C*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))* \\ & \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*\tan(1/2*d*x + 1/2*c)/a^3/d \end{aligned}$$

$$3.524 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=173

$$\frac{(9A - 5B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(3A - 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(3A - B + C) \sin(c + dx)}{2ad\sqrt{a \sec(c + dx) + a}} - \frac{(A - B + C) \sin(c + dx)}{2d(a \sec(c + dx) + a)}$$

```
[Out] -(((3*A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(3/2)*d) + ((9*A - 5*B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*A - B + C)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.416723, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4084, 4022, 3920, 3774, 203, 3795}

$$\frac{(9A - 5B + C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(3A - 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(3A - B + C) \sin(c + dx)}{2ad\sqrt{a \sec(c + dx) + a}} - \frac{(A - B + C) \sin(c + dx)}{2d(a \sec(c + dx) + a)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]
```

```
[Out] -(((3*A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(3/2)*d) + ((9*A - 5*B + C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*A - B + C)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4084

```
Int[((A_) + csc[(e_) + (f_)*(x_)])*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_) * (csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
```

$f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}]$

Rule 4022

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*m - b*B*n - A*b*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[n, 0]$

Rule 3920

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[c/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(b*c - a*d)/a, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/\text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rule 3795

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2), x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B+C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos(c+dx)(a(3A-B+C)-\frac{1}{2}a(3A-3B-C))}{\sqrt{a+a\sec(c+dx)}}}{2a^2} \\
&= -\frac{(A-B+C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A-B+C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\cos(c+dx)(a(3A-B+C)-\frac{1}{2}a(3A-3B-C))}{\sqrt{a+a\sec(c+dx)}}}{2a^2} \\
&= -\frac{(A-B+C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A-B+C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \frac{(3A-B+C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A-B+C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{(3A-B+C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(3A-2B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{3/2}d} + \frac{(9A-5B+C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 2.37418, size = 179, normalized size = 1.03

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\left(2\sin^2\left(\frac{1}{2}(c+dx)\right)(2A\cos(c+dx)+3A-B+C)+\sqrt{2}(9A-5B+C)\cos^2\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}\right)}{2ad(\cos(c+dx)-1)\sqrt{a(\sec(c+dx)-1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((-4*(3*A - 2*B)*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] + Sqrt[2]*(9*A - 5*B + C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]]/Sqrt[2])*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] + 2*(3*A - B + C + 2*A*Cos[c + d*x])*Sin[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(2*a*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.352, size = 889, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)

[Out]
$$-1/4/d/a^2*(-1+\cos(dx+c))*(6A*\sin(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*\cos(dx+c)-4B*\cos(dx+c)*2^{1/2}*\sin(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+6A*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+9A*\cos(dx+c)*\sin(dx+c)*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}-4B*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-5B*\cos(dx+c)*\sin(dx+c)*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}+C*\cos(dx+c)*\sin(dx+c)*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}+9A*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-4A*\cos(dx+c)^3-5B*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+C*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-2A*\cos(dx+c)^2+2B*\cos(dx+c)^2-2C*\cos(dx+c)^2+6A*\cos(dx+c)-2B*\cos(dx+c)+2C*\cos(dx+c))*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)^3$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)/(a*sec(d*x + c) + a)^(3/2), x)

Fricas [A] time = 60.3448, size = 1619, normalized size = 9.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [-1/8*(sqrt(2)*((9*A - 5*B + C)*cos(d*x + c)^2 + 2*(9*A - 5*B + C)*cos(d*x + c) + 9*A - 5*B + C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((3*A - 2*B)*cos(d*x + c)^2 + 2*(3*A - 2*B)*cos(d*x + c) + 3*A - 2*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 4*(2*A*cos(d*x + c)^2 + (3*A - B + C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((9*A - 5*B + C)*cos(d*x + c)^2 + 2*(9*A - 5*B + C)*cos(d*x + c) + 9*A - 5*B + C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 4*((3*A - 2*B)*cos(d*x + c)^2 + 2*(3*A - 2*B)*cos(d*x + c) + 3*A - 2*B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*(2*A*cos(d*x + c)^2 + (3*A - B + C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \cos(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*cos(c + d*x)/(a*(sec(c + d*x) + 1))**(3/2), x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)
,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.525 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=232

$$\frac{(19A - 12B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A - 9B + 5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A - 6B + 2C) \sin(c+dx)}{4ad\sqrt{a \sec(c+dx)+a}} + \dots$$

[Out] ((19*A - 12*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(3/2)*d) - ((13*A - 9*B + 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((7*A - 6*B + 2*C)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((2*A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.622673, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 4022, 3920, 3774, 203, 3795}

$$\frac{(19A - 12B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A - 9B + 5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A - 6B + 2C) \sin(c+dx)}{4ad\sqrt{a \sec(c+dx)+a}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((19*A - 12*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(3/2)*d) - ((13*A - 9*B + 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((7*A - 6*B + 2*C)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((2*A - B + C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

```
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D
ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre
eQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \int \frac{\cos^2(c+dx)(2a(2A-B+C)\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(2A-B+C)\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7A-6B+2C)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7A-6B+2C)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7A-6B+2C)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(19A-12B+8C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4a^{3/2}d} - \frac{(13A-9B+5C)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 28.1997, size = 17669, normalized size = 76.16

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2),x]

[Out] Result too large to show

Maple [B] time = 0.319, size = 1569, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)

[Out]
$$\begin{aligned}
& -1/16/d/a^2*(-1+\cos(d*x+c))*(-12*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\operatorname{arc} \\
& \operatorname{tanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c) \\
&)*2^{1/2}*\sin(d*x+c)+8*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\operatorname{arctanh}(1/2*2 \\
& ^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*2^{1/2}* \\
& \sin(d*x+c)+38*A*2^{1/2}*\sin(d*x+c)*\cos(d*x+c)*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d \\
& *x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+ \\
& c)+1))^{3/2}+19*A*\sin(d*x+c)*\cos(d*x+c)^2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c \\
&)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d* \\
& x+c)/\cos(d*x+c))-24*B*\cos(d*x+c)*\sin(d*x+c)*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x \\
& +c)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(\\
& d*x+c)/\cos(d*x+c))-8*B*\cos(d*x+c)^3+19*A*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*co \\
& s(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d \\
& *x+c)+1))^{3/2}*\sin(d*x+c)+20*A*\cos(d*x+c)^4+8*C*\sin(d*x+c)*\cos(d*x+c)^2*2^ \\
& (1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+ \\
& c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))+8*C*\cos(d*x+c)^3-8*C*\cos(d* \\
& x+c)^2+10*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos \\
& d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+ \\
& c)-8*A*\cos(d*x+c)^5-16*B*\cos(d*x+c)^4+16*A*\cos(d*x+c)^3+24*B*\cos(d*x+c)^2+1 \\
& 6*C*\cos(d*x+c)*\sin(d*x+c)*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\operatorname{arct} \\
& \operatorname{anh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c)) \\
& +26*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c) \\
& +1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)-18*B*(-2*\cos(d*x \\
& +c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d* \\
& x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+10*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1 \\
&))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1 \\
&)/\sin(d*x+c))*\sin(d*x+c)+26*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(- \\
& 2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos \\
& (d*x+c)^2*\sin(d*x+c)-18*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*co \\
& s(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x \\
& +c)^2*\sin(d*x+c)-12*B*\sin(d*x+c)*\cos(d*x+c)^2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d \\
& *x+c)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin \\
& (d*x+c)/\cos(d*x+c))-28*A*\cos(d*x+c)^2+52*A*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d \\
& *x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(\\
& d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-36*B*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/ \\
& (\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c) \\
& +\cos(d*x+c)-1)/\sin(d*x+c))+20*C*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d \\
& *x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d \\
& *x+c)-1)/\sin(d*x+c)))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\sin(d*x+c)^3/\cos(\\
& d*x+c)
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)^2}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^2/(a*sec(d*x + c) + a)^(3/2), x)

Fricas [A] time = 118.304, size = 1789, normalized size = 7.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/8*(sqrt(2)*((13*A - 9*B + 5*C)*cos(d*x + c)^2 + 2*(13*A - 9*B + 5*C)*cos(d*x + c) + 13*A - 9*B + 5*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + ((19*A - 12*B + 8*C)*cos(d*x + c)^2 + 2*(19*A - 12*B + 8*C)*cos(d*x + c) + 19*A - 12*B + 8*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 2*(2*A*cos(d*x + c)^3 - (3*A - 4*B)*cos(d*x + c)^2 - (7*A - 6*B + 2*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/4*(sqrt(2)*((13*A - 9*B + 5*C)*cos(d*x + c)^2 + 2*(13*A - 9*B + 5*C)*cos(d*x + c) + 13*A - 9*B + 5*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((19*A - 12*B + 8*C)*cos(d*x + c)^2 + 2*(19*A - 12*B + 8*C)*cos(d*x + c) + 19*A - 12*B + 8*C)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + (2*A*cos(d*x + c)^3 - (3*A - 4*B)*cos(d*x + c)^2 - (7*A - 6*B + 2*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**  
(3/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/  
2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```


$$3.526 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=284

$$\frac{(47A - 38B + 24C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8a^{3/2}d} + \frac{(17A - 13B + 9C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(21A - 14B + 12C) \sin(c+dx)}{8ad\sqrt{a \sec(c+dx)+a}}$$

[Out] -((47*A - 38*B + 24*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*a^(3/2)*d) + ((17*A - 13*B + 9*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Cos[c + d*x]^2*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((21*A - 14*B + 12*C)*Sin[c + d*x])/(8*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((13*A - 12*B + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A - 3*B + 3*C)*Cos[c + d*x]^2*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.834081, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 4022, 3920, 3774, 203, 3795}

$$\frac{(47A - 38B + 24C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8a^{3/2}d} + \frac{(17A - 13B + 9C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(21A - 14B + 12C) \sin(c+dx)}{8ad\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((47*A - 38*B + 24*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*a^(3/2)*d) + ((17*A - 13*B + 9*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Cos[c + d*x]^2*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((21*A - 14*B + 12*C)*Sin[c + d*x])/(8*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((13*A - 12*B + 6*C)*Cos[c + d*x]*Sin[c + d*x])/(12*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A - 3*B + 3*C)*Cos[c + d*x]^2*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```

_)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4022

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

```

Rule 3920

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_
.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D
ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre
eQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 3795

```

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \int \frac{\cos^3(c+dx)(a(5A-3B+3C))}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(5A-3B+3C)\cos(c+dx)}{6ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(13A-12B+6C)\cos(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(21A-14B+12C)\cos(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(21A-14B+12C)\cos(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(21A-14B+12C)\cos(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(21A-14B+12C)\cos(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(47A-38B+24C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8a^{3/2}d} + \frac{(17A-13B+9C)\cos(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.97019, size = 221, normalized size = 0.78

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\left(-4\sin^2\left(\frac{1}{2}(c+dx)\right)\left((43A-18B+24C)\cos(c+dx)-3(A-2B)\cos(2(c+dx))+2A\cos(3(c+dx))\right)+\right)}{\sqrt{a+a\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((12*(47*A - 38*B + 24*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] - 24*Sqrt[2]*(17*A - 13*B + 9*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sqrt[-1 + Sec[c + d*x]] - 4*(60*A - 36*B + 36*C + (43*A - 18*B + 24*C)*Cos[c + d*x] - 3*(A - 2*B)*Cos[2*(c + d*x)] + 2*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(48*a*d*(-1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.357, size = 2094, normalized size = 7.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3(A+B\sec(dx+c)+C\sec(dx+c)^2)/(a+a\sec(dx+c))^{3/2}, x)$

[Out] $\frac{1}{192} \frac{d}{a^2} (-1 + \cos(dx+c)) (342B\cos(dx+c)^2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1))^{5/2} \operatorname{arctanh}(1/2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c) - 423A 2^{1/2} \cos(dx+c)^2 \sin(dx+c) (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \operatorname{arctanh}(1/2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c) - 216C \cos(dx+c)^2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \operatorname{arctanh}(1/2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c) + 336B \cos(dx+c)^3 + 342B \cos(dx+c)^2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \operatorname{arctanh}(1/2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c) * \sin(dx+c) - 216C \cos(dx+c)^2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \operatorname{arctanh}(1/2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c) * \sin(dx+c) + 96C \cos(dx+c)^4 - 204A \ln(-(-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \sin(dx+c) + 156B \ln(-(-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \sin(dx+c) - 108C \ln(-(-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \sin(dx+c) + 208A \cos(dx+c)^4 - 423A 2^{1/2} \cos(dx+c) \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \operatorname{arctanh}(1/2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c) - 288C \cos(dx+c)^3 - 612A \ln(-(-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \cos(dx+c)^2 \sin(dx+c) + 468B \ln(-(-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \cos(dx+c)^2 \sin(dx+c) - 324C \ln(-(-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \cos(dx+c)^2 \sin(dx+c) - 612A \ln(-(-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \cos(dx+c) \sin(dx+c) + 468B \ln(-(-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \cos(dx+c) \sin(dx+c) - 324C \ln(-(-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c) * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \cos(dx+c) \sin(dx+c) - 112A \cos(dx+c)^6 + 344A \cos(dx+c)^5 - 240B \cos(dx+c)^5 - 141A \cos(dx+c)^3 * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \operatorname{arctanh}(1/2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) / \cos(dx+c) * 2^{1/2} \sin(dx+c) + 114B \cos(dx+c)^3 * (-2\cos(dx+c)) / (\cos(dx+c)+1)^{5/2} \operatorname{arctanh}(1/2 2^{1/2} (-2\cos(dx+c)) / (\cos(dx+c)+1))^{1/2}$

$$\begin{aligned} & (1/2)*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}*\sin(d*x+c)-72*C*\cos(d*x+c)^3*(-2*\cos(d \\ & *x+c)/(\cos(d*x+c)+1))^{(5/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+ \\ & 1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}*\sin(d*x+c)+114*B*2^{(1/2)}*(-2*\cos(d \\ & *x+c)/(\cos(d*x+c)+1))^{(5/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+ \\ & 1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)-72*C*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos \\ & (d*x+c)+1))^{(5/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)+192*C*\cos(d*x+c)^5-192*B*\cos(d*x+c)^4-50 \\ & 4*A*\cos(d*x+c)^3+64*A*\cos(d*x+c)^7+96*B*\cos(d*x+c)^6-204*A*\cos(d*x+c)^3*\sin \\ & (d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1) \\ & / \sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}+156*B*\cos(d*x+c)^3*\sin(d* \\ & x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin \\ & (d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}-108*C*\cos(d*x+c)^3*\sin(d*x+c) \\ &)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d \\ & *x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}-141*A*(-2*\cos(d*x+c)/(\cos(d*x+c) \\ &)+1))^{(5/2)}*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ &)*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos \\ & (d*x+c)^2/\sin(d*x+c)^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)^3}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^3/(a*sec(d*x + c) + a)^(3/2), x)

Fricas [A] time = 118.417, size = 1935, normalized size = 6.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

```
[Out] [-1/48*(6*sqrt(2)*((17*A - 13*B + 9*C)*cos(d*x + c)^2 + 2*(17*A - 13*B + 9*
C)*cos(d*x + c) + 17*A - 13*B + 9*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt(
(a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x
+ c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 3*(
(47*A - 38*B + 24*C)*cos(d*x + c)^2 + 2*(47*A - 38*B + 24*C)*cos(d*x + c) +
47*A - 38*B + 24*C)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c)
- a)/(cos(d*x + c) + 1)) - 2*(8*A*cos(d*x + c)^4 - 6*(A - 2*B)*cos(d*x + c)
^3 + (37*A - 18*B + 24*C)*cos(d*x + c)^2 + 3*(21*A - 14*B + 12*C)*cos(d*x +
c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x +
c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/24*(6*sqrt(2)*((17*A - 13*B + 9*C)
)*cos(d*x + c)^2 + 2*(17*A - 13*B + 9*C)*cos(d*x + c) + 17*A - 13*B + 9*C)*
sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)
/(sqrt(a)*sin(d*x + c))) - 3*((47*A - 38*B + 24*C)*cos(d*x + c)^2 + 2*(47*A
- 38*B + 24*C)*cos(d*x + c) + 47*A - 38*B + 24*C)*sqrt(a)*arctan(sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*
cos(d*x + c)^4 - 6*(A - 2*B)*cos(d*x + c)^3 + (37*A - 18*B + 24*C)*cos(d*x
+ c)^2 + 3*(21*A - 14*B + 12*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos
(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2
*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**
(3/2),x)
```

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/
2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.527 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=277

$$\frac{(45A - 85B + 157C) \tan(c+dx) \sec^2(c+dx)}{80a^2 d \sqrt{a \sec(c+dx) + a}} - \frac{(75A - 163B + 283C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx) + a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(195A - 475B + 787C)}{16\sqrt{2} a^{5/2} d}$$

[Out] -((75*A - 163*B + 283*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((5*A - 13*B + 21*C)*Sec[c + d*x]^3*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((465*A - 985*B + 1729*C)*Tan[c + d*x])/(120*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((45*A - 85*B + 157*C)*Sec[c + d*x]^2*Tan[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((195*A - 475*B + 787*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(240*a^3*d)

Rubi [A] time = 0.901622, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4019, 4021, 4010, 4001, 3795, 203}

$$\frac{(45A - 85B + 157C) \tan(c+dx) \sec^2(c+dx)}{80a^2 d \sqrt{a \sec(c+dx) + a}} - \frac{(75A - 163B + 283C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx) + a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(195A - 475B + 787C)}{16\sqrt{2} a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -((75*A - 163*B + 283*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^4*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((5*A - 13*B + 21*C)*Sec[c + d*x]^3*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((465*A - 985*B + 1729*C)*Tan[c + d*x])/(120*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((45*A - 85*B + 157*C)*Sec[c + d*x]^2*Tan[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((195*A - 475*B + 787*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(240*a^3*d)

Rule 4084


```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^n)*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_)^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4019

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.)^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_)^m)*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 4021

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.)^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_)^m)*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]

```

Rule 4010

```

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)^m)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]

```

Rule 4001

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)^m)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e

```

, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^{5/2}} dx &= -\frac{(A - B + C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} + \int \frac{\sec^4(c+dx) (4a(B-C) + (a+a \sec(c+dx))^{5/2})}{(a+a \sec(c+dx))^{5/2}} dx \\
 &= -\frac{(A - B + C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A - 13B + 21C) \sec^4(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= -\frac{(A - B + C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A - 13B + 21C) \sec^4(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= -\frac{(A - B + C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A - 13B + 21C) \sec^4(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= -\frac{(A - B + C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A - 13B + 21C) \sec^4(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= -\frac{(A - B + C) \sec^4(c+dx) \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(5A - 13B + 21C) \sec^4(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= -\frac{(75A - 163B + 283C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B + C) \sec^4(c+dx)}{4d(a + a \sec(c+dx))^{5/2}}
 \end{aligned}$$

Mathematica [C] time = 25.1746, size = 7237, normalized size = 26.13

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]
```

[Out] Result too large to show

Maple [B] time = 0.421, size = 1439, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)
```

```
[Out] -1/1920/d/a^3*(-1+cos(d*x+c))^2*(-768*C+13720*B*cos(d*x+c)^3+15072*C*cos(d*x+c)^4+1125*A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)-2445*B*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c)))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+4245*C*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+4320*A*cos(d*x+c)^4-23896*C*cos(d*x+c)^3-13824*C*cos(d*x+c)^2+2048*C*cos(d*x+c)+6750*A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2*sin(d*x+c)-14670*B*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2*sin(d*x+c)+25470*C*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2*sin(d*x+c)+4500*A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)*sin(d*x+c)-9780*B*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)*sin(d*x+c)+16980*C*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)*sin(d*x+c)+5880*A*cos(d*x+c)^5-11960*B*cos(d*x+c)^5+21368*C*cos(d*x+c)^5-8160*B*cos(d*x+c)^4-6360*A*cos(d*x+c)^3+7680*B*cos(d*x+c)^2+4500*A*cos(d*x+c)^3*sin(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)-978
```

```

0*B*cos(d*x+c)^3*sin(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(
d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)+16980
*C*cos(d*x+c)^3*sin(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d
*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)+4245*C
*sin(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c
)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^4+1125*A*s
in(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-
1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^4-2445*B*sin
(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)
/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^4-3840*A*cos(d
*x+c)^2-1280*B*cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^5
/cos(d*x+c)^2

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/
2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [A] time = 0.698488, size = 1735, normalized size = 6.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/
2),x, algorithm="fricas")

```

```

[Out] [-1/960*(15*sqrt(2)*((75*A - 163*B + 283*C)*cos(d*x + c)^5 + 3*(75*A - 163*
B + 283*C)*cos(d*x + c)^4 + 3*(75*A - 163*B + 283*C)*cos(d*x + c)^3 + (75*A
- 163*B + 283*C)*cos(d*x + c)^2)*sqrt(-a)*log(-(2*sqrt(2))*sqrt(-a)*sqrt((a
*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x +
c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((7
35*A - 1495*B + 2671*C)*cos(d*x + c)^4 + 5*(255*A - 503*B + 911*C)*cos(d*x
+ c)^3 + 32*(15*A - 25*B + 49*C)*cos(d*x + c)^2 + 160*(B - C)*cos(d*x + c)

```

```
+ 96*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*
x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x
+ c)^2), 1/480*(15*sqrt(2)*((75*A - 163*B + 283*C)*cos(d*x + c)^5 + 3*(75*A
- 163*B + 283*C)*cos(d*x + c)^4 + 3*(75*A - 163*B + 283*C)*cos(d*x + c)^3
+ (75*A - 163*B + 283*C)*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos
(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((735
*A - 1495*B + 2671*C)*cos(d*x + c)^4 + 5*(255*A - 503*B + 911*C)*cos(d*x +
c)^3 + 32*(15*A - 25*B + 49*C)*cos(d*x + c)^2 + 160*(B - C)*cos(d*x + c) +
96*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x
+ c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x +
c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**
(5/2),x)
```

[Out] Timed out

Giac [B] time = 10.4614, size = 755, normalized size = 2.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/
2),x, algorithm="giac")
```

```
[Out] 1/480*(((15*(2*(sqrt(2)*A*a^2*sgn(tan(1/2*d*x + 1/2*c))^2 - 1) - sqrt(2)*B*
a^2*sgn(tan(1/2*d*x + 1/2*c))^2 - 1) + sqrt(2)*C*a^2*sgn(tan(1/2*d*x + 1/2*c)
)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a^2 + (13*sqrt(2)*A*a^2*sgn(tan(1/2*d*x +
1/2*c))^2 - 1) - 21*sqrt(2)*B*a^2*sgn(tan(1/2*d*x + 1/2*c))^2 - 1) + 29*sqrt(
2)*C*a^2*sgn(tan(1/2*d*x + 1/2*c))^2 - 1)/a^2)*tan(1/2*d*x + 1/2*c)^2 - (17
25*sqrt(2)*A*a^2*sgn(tan(1/2*d*x + 1/2*c))^2 - 1) - 3685*sqrt(2)*B*a^2*sgn(t
an(1/2*d*x + 1/2*c))^2 - 1) + 6733*sqrt(2)*C*a^2*sgn(tan(1/2*d*x + 1/2*c))^2
```

$$\begin{aligned}
& - 1)) / a^2) * \tan(1/2*d*x + 1/2*c)^2 + 5*(549*\sqrt{2}) * A * a^2 * \operatorname{sgn}(\tan(1/2*d*x + \\
& 1/2*c)^2 - 1) - 1133*\sqrt{2} * B * a^2 * \operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) + 1973*s \\
& \operatorname{qrt}(2) * C * a^2 * \operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) / a^2) * \tan(1/2*d*x + 1/2*c)^2 - \\
& 15*(83*\sqrt{2}) * A * a^2 * \operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - 155*\sqrt{2} * B * a^2 * s \\
& \operatorname{gn}(\tan(1/2*d*x + 1/2*c)^2 - 1) + 291*\sqrt{2} * C * a^2 * \operatorname{sgn}(\tan(1/2*d*x + 1/2*c) \\
& ^2 - 1)) / a^2) * \tan(1/2*d*x + 1/2*c) / ((a * \tan(1/2*d*x + 1/2*c)^2 - a)^2 * \operatorname{sqrt}(- \\
& a * \tan(1/2*d*x + 1/2*c)^2 + a)) - 15*(75*\sqrt{2}) * A - 163*\sqrt{2} * B + 283*sqr \\
& t(2) * C) * \log(\operatorname{abs}(-\operatorname{sqrt}(-a) * \tan(1/2*d*x + 1/2*c) + \operatorname{sqrt}(-a * \tan(1/2*d*x + 1/2* \\
& c)^2 + a))) / (\operatorname{sqrt}(-a) * a^2 * \operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))) / d
\end{aligned}$$

$$3.528 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=227

$$\frac{(19A - 75B + 163C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(15A - 39B + 95C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{48a^3d} - \frac{(21A - 93B + 197C)}{24a^2d\sqrt{a \sec(c+dx)+a}}$$

[Out] ((19*A - 75*B + 163*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((A - 9*B + 17*C)*Sec[c + d*x]^2*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((21*A - 93*B + 197*C)*Tan[c + d*x])/(24*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((15*A - 39*B + 95*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(48*a^3*d)

Rubi [A] time = 0.695241, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 4019, 4010, 4001, 3795, 203}

$$\frac{(19A - 75B + 163C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(15A - 39B + 95C) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{48a^3d} - \frac{(21A - 93B + 197C)}{24a^2d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((19*A - 75*B + 163*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((A - 9*B + 17*C)*Sec[c + d*x]^2*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((21*A - 93*B + 197*C)*Tan[c + d*x])/(24*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((15*A - 39*B + 95*C)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(48*a^3*d)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \int \frac{\sec^3(c+dx)(a(A+3B+C))}{(a+a\sec(c+dx))^{5/2}} dx \\
 &= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(A-9B+17C)\sec^3(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
 &= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(A-9B+17C)\sec^3(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
 &= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(A-9B+17C)\sec^3(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
 &= -\frac{(A-B+C)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(A-9B+17C)\sec^3(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
 &= \frac{(19A-75B+163C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A-B+C)\sec^3(c+dx)}{4d(a+a\sec(c+dx))^{5/2}}
 \end{aligned}$$

Mathematica [C] time = 25.6931, size = 7197, normalized size = 31.7

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 0.356, size = 1154, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{5/2}, x)$

[Out]
$$\begin{aligned} & -1/192/d/a^3*(-1+\cos(d*x+c))^2*(57*A*\sin(d*x+c)*\cos(d*x+c)^3*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}-225*B*\sin(d*x+c)*\cos(d*x+c)^3*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}+489*C*\sin(d*x+c)*\cos(d*x+c)^3*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}+171*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)-675*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)+1467*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)+171*A*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-675*B*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+1467*C*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+57*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)-225*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+489*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)-108*A*\cos(d*x+c)^4+588*B*\cos(d*x+c)^4-1196*C*\cos(d*x+c)^4-48*A*\cos(d*x+c)^3+432*B*\cos(d*x+c)^3-816*C*\cos(d*x+c)^3+156*A*\cos(d*x+c)^2-636*B*\cos(d*x+c)^2+1372*C*\cos(d*x+c)^2-384*B*\cos(d*x+c)+768*C*\cos(d*x+c)-128*C)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\sin(d*x+c)^5/\cos(d*x+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(d*x+c)^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{5/2}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.650645, size = 1590, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/192*(3*sqrt(2)*((19*A - 75*B + 163*C)*cos(d*x + c)^4 + 3*(19*A - 75*B + 163*C)*cos(d*x + c)^3 + 3*(19*A - 75*B + 163*C)*cos(d*x + c)^2 + (19*A - 75*B + 163*C)*cos(d*x + c))*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((27*A - 147*B + 299*C)*cos(d*x + c)^3 + (39*A - 255*B + 503*C)*cos(d*x + c)^2 - 32*(3*B - 5*C)*cos(d*x + c) - 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c)), -1/96*(3*sqrt(2)*((19*A - 75*B + 163*C)*cos(d*x + c)^4 + 3*(19*A - 75*B + 163*C)*cos(d*x + c)^3 + 3*(19*A - 75*B + 163*C)*cos(d*x + c)^2 + (19*A - 75*B + 163*C)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((27*A - 147*B + 299*C)*cos(d*x + c)^3 + (39*A - 255*B + 503*C)*cos(d*x + c)^2 - 32*(3*B - 5*C)*cos(d*x + c) - 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [A] time = 10.032, size = 455, normalized size = 2.

$$\frac{\left(\left(\frac{2\sqrt{2}(Aa^5 - Ba^5 + Ca^5)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} + \frac{\sqrt{2}(7Aa^5 - 15Ba^5 + 23Ca^5)}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \frac{4\sqrt{2}(15Aa^5 - 75Ba^5 + 167Ca^5)}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + \frac{3\sqrt{2}(11Aa^5 - 83Ba^5 + 155Ca^5)}{a^6\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \right)}{\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a \right) \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}}$$

96d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] -1/96*(((3*(2*sqrt(2)*(A*a^5 - B*a^5 + C*a^5)*tan(1/2*d*x + 1/2*c)^2/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + sqrt(2)*(7*A*a^5 - 15*B*a^5 + 23*C*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))))*tan(1/2*d*x + 1/2*c)^2 - 4*sqrt(2)*(15*A*a^5 - 75*B*a^5 + 167*C*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))))*tan(1/2*d*x + 1/2*c)^2 + 3*sqrt(2)*(11*A*a^5 - 83*B*a^5 + 155*C*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)) - 3*sqrt(2)*(19*A - 75*B + 163*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.529 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=179

$$\frac{(5A + 19B - 75C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A - B + 9C) \tan(c + dx)}{4a^2d\sqrt{a \sec(c + dx) + a}} - \frac{(A - B + C) \tan(c + dx) \sec^2(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}} - \frac{(3A - B + C) \tan(c + dx)}{16\sqrt{2}a^{5/2}d}$$

[Out] ((5*A + 19*B - 75*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((3*A + 5*B - 13*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((A - B + 9*C)*Tan[c + d*x])/(4*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.49072, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4084, 4008, 4001, 3795, 203}

$$\frac{(5A + 19B - 75C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A - B + 9C) \tan(c + dx)}{4a^2d\sqrt{a \sec(c + dx) + a}} - \frac{(A - B + C) \tan(c + dx) \sec^2(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}} - \frac{(3A - B + C) \tan(c + dx)}{16\sqrt{2}a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((5*A + 19*B - 75*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^2*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((3*A + 5*B - 13*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((A - B + 9*C)*Tan[c + d*x])/(4*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +

$f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}]$

Rule 4008

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2 * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{:>} -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m / (b*f*(2*m + 1)), x] + \text{Dist}[1/(b^2*(2*m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)} * \text{Simp}[A*b*m - a*B*m + b*B*(2*m + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}]$

Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)] * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{:>} -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m) / (f*(m + 1)), x] + \text{Dist}[(a*B*m + A*b*(m + 1)) / (b*(m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, A, B, e, f, m\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[a*B*m + A*b*(m + 1), 0] \ \&\& \ !\text{LtQ}[m, -2^{(-1)}]$

Rule 3795

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2), x], x, (b*\text{Cot}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x_Symbol] \text{:>} \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A-B+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \int \frac{\sec^2(c+dx)(2a(A+B+C))}{(a+a\sec(c+dx))^{5/2}} dx \\
&= -\frac{(A-B+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(3A+5B-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
&= -\frac{(A-B+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(3A+5B-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
&= -\frac{(A-B+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(3A+5B-13C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
&= \frac{(5A+19B-75C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A-B+C)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [C] time = 25.0304, size = 7172, normalized size = 40.07

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 0.319, size = 870, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

[Out] $-1/32/d/a^3*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))^{-2}*(-5*A*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}-19*B*\cos(d*x+c)$

```

+c)^2*sin(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(
d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+75*C*cos(d*x+c)^
2*sin(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+
c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-10*A*cos(d*x+c)*sin(
d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/
sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-38*B*cos(d*x+c)*sin(d*x+c)
*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*
x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+150*C*cos(d*x+c)*sin(d*x+c)*ln(-
(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))
*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+2*A*cos(d*x+c)^3-5*A*ln(-(-(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-18*B*cos(d*x+c)^3-19*B*ln(-(-(-2*cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+98*C*cos(d*x+c)^3+75*C*ln(-(-(-2*cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+8*A*cos(d*x+c)^2-8*B*cos(d*x+c)^2+72
*C*cos(d*x+c)^2-10*A*cos(d*x+c)+26*B*cos(d*x+c)-106*C*cos(d*x+c)-64*C)/sin(
d*x+c)^5

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/
2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [A] time = 0.626159, size = 1365, normalized size = 7.63

$$\sqrt{2} \left((5A + 19B - 75C) \cos(dx + c)^3 + 3(5A + 19B - 75C) \cos(dx + c)^2 + 3(5A + 19B - 75C) \cos(dx + c) + 5A + 19B - 75C \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/64*(sqrt(2)*((5*A + 19*B - 75*C)*cos(d*x + c)^3 + 3*(5*A + 19*B - 75*C)*cos(d*x + c)^2 + 3*(5*A + 19*B - 75*C)*cos(d*x + c) + 5*A + 19*B - 75*C)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((A - 9*B + 49*C)*cos(d*x + c)^2 + (5*A - 13*B + 85*C)*cos(d*x + c) + 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((5*A + 19*B - 75*C)*cos(d*x + c)^3 + 3*(5*A + 19*B - 75*C)*cos(d*x + c)^2 + 3*(5*A + 19*B - 75*C)*cos(d*x + c) + 5*A + 19*B - 75*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((A - 9*B + 49*C)*cos(d*x + c)^2 + (5*A - 13*B + 85*C)*cos(d*x + c) + 32*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [B] time = 9.76439, size = 487, normalized size = 2.72

$$\left(\frac{2 \left(\sqrt{2} A a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - \sqrt{2} B a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) + \sqrt{2} C a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{a^8} + \frac{\sqrt{2} A a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - 9 \sqrt{2} B a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right)}{a^8} \right) \sqrt{-a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}$$

$\sqrt{-a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] 1/32*(((2*(sqrt(2)*A*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*B*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + sqrt(2)*C*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a^8 + (sqrt(2)*A*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 9*sqrt(2)*B*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 17*sqrt(2)*C*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^8)*tan(1/2*d*x + 1/2*c)^2 - (3*sqrt(2)*A*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 11*sqrt(2)*B*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) + 83*sqrt(2)*C*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^8)*tan(1/2*d*x + 1/2*c)/sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a) + (5*sqrt(2)*A + 19*sqrt(2)*B - 75*sqrt(2)*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d
```

$$3.530 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=137

$$\frac{(3A + 5B + 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(7A + B - 9C) \tan(c+dx)}{16ad(a \sec(c+dx) + a)^{3/2}} - \frac{(A - B + C) \tan(c+dx) \sec(c+dx)}{4d(a \sec(c+dx) + a)^{5/2}}$$

[Out] ((3*A + 5*B + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((7*A + B - 9*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.272791, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4078, 4000, 3795, 203}

$$\frac{(3A + 5B + 19C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(7A + B - 9C) \tan(c+dx)}{16ad(a \sec(c+dx) + a)^{3/2}} - \frac{(A - B + C) \tan(c+dx) \sec(c+dx)}{4d(a \sec(c+dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((3*A + 5*B + 19*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((7*A + B - 9*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4078

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*Csc[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*B - b*C - 2*A*b*(m + 1) - (b*B*(m + 2) - a*(A*(m + 2) - C*(m - 1))]*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 4000

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[((A*b - a*B)*Cot[e +
f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m +
1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]
/; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &
& NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \int \frac{\sec(c+dx)(a(3A+B-C)-\frac{1}{2}A)}{(a+a\sec(c+dx))^{5/2}} dx \\ &= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A+B-9C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\ &= -\frac{(A-B+C)\sec(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A+B-9C)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\ &= \frac{(3A+5B+19C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A-B+C)\sec(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} \end{aligned}$$

Mathematica [C] time = 24.9314, size = 7163, normalized size = 52.28

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2),x]

[Out] Result too large to show

Maple [B] time = 0.292, size = 875, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x)

[Out]
$$-1/32/d/a^3*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(3*A*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+5*B*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+19*C*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+6*A*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+10*B*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+38*C*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+3*A*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+14*A*\cos(d*x+c)^3+5*B*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+18*C*\cos(d*x+c)^3+8*A*\cos(d*x+c)^2-8*B*\cos(d*x+c)^2+8*C*\cos(d*x+c)^2+6*A*\cos(d*x+c)+10*B*\cos(d*x+c)-26*C*\cos(d*x+c))/(\cos(d*x+c)+1)/\sin(d*x+c)^3$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)
,x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.62427, size = 1330, normalized size = 9.71

$$\frac{\sqrt{2}((3A + 5B + 19C)\cos(dx + c)^3 + 3(3A + 5B + 19C)\cos(dx + c)^2 + 3(3A + 5B + 19C)\cos(dx + c) + 3A + 5B + 19C)}{64(a^3 \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)
,x, algorithm="fricas")
```

```
[Out] [-1/64*(sqrt(2)*((3*A + 5*B + 19*C)*cos(d*x + c)^3 + 3*(3*A + 5*B + 19*C)*c
os(d*x + c)^2 + 3*(3*A + 5*B + 19*C)*cos(d*x + c) + 3*A + 5*B + 19*C)*sqrt(
-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x
+ c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x +
c)^2 + 2*cos(d*x + c) + 1)) - 4*((7*A + B - 9*C)*cos(d*x + c)^2 + (3*A + 5*
B - 13*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c
))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) +
a^3*d), -1/32*(sqrt(2)*((3*A + 5*B + 19*C)*cos(d*x + c)^3 + 3*(3*A + 5*B +
19*C)*cos(d*x + c)^2 + 3*(3*A + 5*B + 19*C)*cos(d*x + c) + 3*A + 5*B + 19*C
)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x +
c)/(sqrt(a)*sin(d*x + c))) - 2*((7*A + B - 9*C)*cos(d*x + c)^2 + (3*A + 5*B
- 13*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c
))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a
^3*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(a (\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [A] time = 9.41366, size = 277, normalized size = 2.02

$$\frac{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left(\frac{2\sqrt{2}(Aa^5 - Ba^5 + Ca^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{\sqrt{2}(5Aa^5 + 3Ba^5 - 11Ca^5)}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \frac{\sqrt{2}(3A + 5B + 19C) \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)}{\sqrt{2}}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] 1/32*(sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(A*a^5 - B*a^5 + C*a^5)*tan(1/2*d*x + 1/2*c)^2/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(5*A*a^5 + 3*B*a^5 - 11*C*a^5)/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c) + sqrt(2)*(3*A + 5*B + 19*C)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))/d

$$3.531 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=171

$$-\frac{(43A-3B-5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A-3B-5C) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{3/2}} - \frac{(A-B+C) \tan(c+dx)}{4d(a \sec(c+dx)+a)^{3/2}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*A - 3*B - 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/((Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]))]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((11*A - 3*B - 5*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.277868, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4052, 3922, 3920, 3774, 203, 3795}

$$-\frac{(43A-3B-5C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A-3B-5C) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{3/2}} - \frac{(A-B+C) \tan(c+dx)}{4d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*A - 3*B - 5*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/((Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]))]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((11*A - 3*B - 5*C)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3922

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol] := -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{5/2}} dx &= -\frac{(A - B + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{\int \frac{-4aA + \frac{1}{2}a(3A - 3B - 5C) \sec(c + dx)}{(a + a \sec(c + dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A - B + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(11A - 3B - 5C) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{8a^2A - \frac{1}{4}a^2(11A - 3B - 5C) \sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx}{8a^3} \\
&= -\frac{(A - B + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(11A - 3B - 5C) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{a^3} \\
&= -\frac{(A - B + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(11A - 3B - 5C) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} - \frac{(2A) \text{Subst} \left(\int \frac{\sqrt{a + a \sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx \right)}{a^3} \\
&= \frac{2A \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{a^{5/2}d} - \frac{(43A - 3B - 5C) \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B + C) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [C] time = 28.2715, size = 16181, normalized size = 94.63

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 0.244, size = 1097, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

[Out] $-1/32/d/a^3*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(32*A*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctanh(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\cos(d*x+c)^{2*2^{1/2}}+64*A*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctanh(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\cos(d*x+c)^{2*2^{1/2}}$

$$\begin{aligned}
& c)+1))^{\frac{1}{2}}*\sin(d*x+c)/\cos(d*x+c))*2^{\frac{1}{2}}*\cos(d*x+c)+43*A*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}-3*B*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}-5*C*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}+32*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*2^{\frac{1}{2}}*\operatorname{arctanh}(1/2*2^{\frac{1}{2}}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)+86*A*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}-6*B*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}-10*C*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}+43*A*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)-30*A*\cos(d*x+c)^3-3*B*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+14*B*\cos(d*x+c)^3-5*C*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+2*C*\cos(d*x+c)^3+8*A*\cos(d*x+c)^2-8*B*\cos(d*x+c)^2+8*C*\cos(d*x+c)^2+22*A*\cos(d*x+c)-6*B*\cos(d*x+c)-10*C*\cos(d*x+c))/(\cos(d*x+c)+1)^2/\sin(d*x+c)
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 96.8348, size = 1845, normalized size = 10.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [1/64*(sqrt(2)*((43*A - 3*B - 5*C)*cos(d*x + c)^3 + 3*(43*A - 3*B - 5*C)*cos(d*x + c)^2 + 3*(43*A - 3*B - 5*C)*cos(d*x + c) + 43*A - 3*B - 5*C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 64*(A*cos(d*x + c)^3 + 3*A*cos(d*x + c)^2 + 3*A*cos(d*x + c) + A)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 4*((15*A - 7*B - C)*cos(d*x + c)^2 + (11*A - 3*B - 5*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(sqrt(2)*((43*A - 3*B - 5*C)*cos(d*x + c)^3 + 3*(43*A - 3*B - 5*C)*cos(d*x + c)^2 + 3*(43*A - 3*B - 5*C)*cos(d*x + c) + 43*A - 3*B - 5*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 64*(A*cos(d*x + c)^3 + 3*A*cos(d*x + c)^2 + 3*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((15*A - 7*B - C)*cos(d*x + c)^2 + (11*A - 3*B - 5*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a*(sec(d*x+c)+1))**(5/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(5/2), x)
```

Giac [B] time = 11.2594, size = 490, normalized size = 2.87

$$2\sqrt{-a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} \left(\frac{2\sqrt{2}(Aa^5 - Ba^5 + Ca^5)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^8\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} - \frac{\sqrt{2}(13Aa^5 - 5Ba^5 - 3Ca^5)}{a^8\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{\sqrt{2}(43A - 3B - 5C)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/64*(2*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})*(2*\sqrt{2}*(A*a^5 - B*a^5 + C*a^5)*\tan(1/2*d*x + 1/2*c)^2/(a^8*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) - \sqrt{2} \\ & *(13*A*a^5 - 5*B*a^5 - 3*C*a^5)/(a^8*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)))*\tan(\\ & 1/2*d*x + 1/2*c) + \sqrt{2}*(43*A - 3*B - 5*C)*\log((\sqrt{-a})*\tan(1/2*d*x + 1 \\ & /2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2)/(\sqrt{-a}*a^2*\operatorname{sgn}(\tan(1/2*d \\ & *x + 1/2*c)^2 - 1)) + 64*A*\log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a} \\ & *\tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*\sqrt{2} + 3))/(\sqrt{-a}*a^2*\operatorname{sgn}(\tan \\ & (1/2*d*x + 1/2*c)^2 - 1)) - 64*A*\log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a} \\ & *\tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*\sqrt{2} - 3))/(\sqrt{-a}*a^2*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)))/d \end{aligned}$$

$$3.532 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=217

$$\frac{(35A - 11B + 3C) \sin(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(115A - 43B + 3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a \sec(c+dx)+a}}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(5A - 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(15A - 11B + 3C) \sin(c + dx)}{16ad} \quad (15A - 11B + 3C)$$

```
[Out] -(((5*A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(5/2)*d)) + ((115*A - 43*B + 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((15*A - 7*B - C)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((35*A - 11*B + 3*C)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.610402, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4084, 4020, 4022, 3920, 3774, 203, 3795}

$$\frac{(35A - 11B + 3C) \sin(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(115A - 43B + 3C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a \sec(c+dx)+a}}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(5A - 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(15A - 11B + 3C) \sin(c + dx)}{16ad} \quad (15A - 11B + 3C)$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]
```

```
[Out] -(((5*A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(5/2)*d)) + ((115*A - 43*B + 3*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((15*A - 7*B - C)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((35*A - 11*B + 3*C)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
```

```
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D
ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre
eQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A-B+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \int \frac{\cos(c+dx)\left(a(5A-B+C)-\frac{1}{2}a(5A-5B-3C)\right)}{(a+a\sec(c+dx))^{3/2}} \frac{1}{4a^2} \\ &= -\frac{(A-B+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B-C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \int \frac{c}{1} \\ &= -\frac{(A-B+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B-C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A-21B-7C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\ &= -\frac{(A-B+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B-C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A-21B-7C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\ &= -\frac{(A-B+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B-C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A-21B-7C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\ &= -\frac{(A-B+C)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B-C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A-21B-7C)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\ &= -\frac{(5A-2B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{5/2}d} + \frac{(115A-43B+3C)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} \end{aligned}$$

Mathematica [A] time = 5.28304, size = 181, normalized size = 0.83

$$\frac{-2 \tan^3\left(\frac{1}{2}(c+dx)\right)\left((55A-15B+7C)\cos(c+dx)+8A\cos(2(c+dx))+43A-11B+3C\right)-\sqrt{2}(115A-43B+3C)\sin(c+dx)}{32a^2d(\cos(c+dx)-1)\sqrt{a+a\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]
```

```
[Out] (32*(5*A - 2*B)*ArcTan[Sqrt[-1 + Sec[c + d*x]]]*Sqrt[-1 + Sec[c + d*x]]*Sin[c + d*x] - Sqrt[2]*(115*A - 43*B + 3*C)*ArcTan[Sqrt[-1 + Sec[c + d*x]]]/Sqrt[2]*Sqrt[-1 + Sec[c + d*x]]*Sin[c + d*x] - 2*(43*A - 11*B + 3*C + (55*A - 15*B + 7*C)*Cos[c + d*x] + 8*A*Cos[2*(c + d*x)])*Tan[(c + d*x)/2]^3)/(32*a
```


$$^2*d*(-1 + \text{Cos}[c + d*x])*Sqrt[a*(1 + \text{Sec}[c + d*x])]$$

Maple [B] time = 0.39, size = 1338, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{5/2}, x)$

[Out] $\frac{1}{32} \frac{d}{a^3} (-1 + \cos(d*x+c))^2 (115*A*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} - 43*B*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} + 3*C*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} + 230*A*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} - 86*B*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} + 115*A*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c) - 43*B*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c) + 3*C*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c) + 30*B*\cos(d*x+c)^3 + 70*A*\cos(d*x+c) + 160*A*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*2^{1/2}*\cos(d*x+c) + 80*A*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\cos(d*x+c)^2*2^{1/2} - 32*A*\cos(d*x+c)^4 - 14*C*\cos(d*x+c)^3 + 8*C*\cos(d*x+c)^2 + 6*C*\cos(d*x+c) + 6*C*\cos(d*x+c)*\sin(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} - 78*A*\cos(d*x+c)^3 - 8*B*\cos(d*x+c)^2 - 64*B*\cos(d*x+c)*2^{1/2}*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c)) + 80*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*2^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c) - 32*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*2^{1/2} + 40*A*\cos(d*x+c)^2 - 32*B*2^{1/2}*\text{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c) - 22*B*\cos(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}$

)/sin(d*x+c)^5

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)
,x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 129.546, size = 2043, normalized size = 9.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)
,x, algorithm="fricas")
```

```
[Out] [-1/64*(sqrt(2)*((115*A - 43*B + 3*C)*cos(d*x + c)^3 + 3*(115*A - 43*B + 3*
C)*cos(d*x + c)^2 + 3*(115*A - 43*B + 3*C)*cos(d*x + c) + 115*A - 43*B + 3*
C)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(co
s(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 32*((5*A - 2*B)*cos(d*x + c)^3 + 3*(5
*A - 2*B)*cos(d*x + c)^2 + 3*(5*A - 2*B)*cos(d*x + c) + 5*A - 2*B)*sqrt(-a)
*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c
))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 4*
(16*A*cos(d*x + c)^3 + (55*A - 15*B + 7*C)*cos(d*x + c)^2 + (35*A - 11*B +
3*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a
^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d
), -1/32*(sqrt(2)*((115*A - 43*B + 3*C)*cos(d*x + c)^3 + 3*(115*A - 43*B +
3*C)*cos(d*x + c)^2 + 3*(115*A - 43*B + 3*C)*cos(d*x + c) + 115*A - 43*B +
3*C)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x
+ c)/(sqrt(a)*sin(d*x + c))) - 32*((5*A - 2*B)*cos(d*x + c)^3 + 3*(5*A - 2
*B)*cos(d*x + c)^2 + 3*(5*A - 2*B)*cos(d*x + c) + 5*A - 2*B)*sqrt(a)*arctan
(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)
)) - 2*(16*A*cos(d*x + c)^3 + (55*A - 15*B + 7*C)*cos(d*x + c)^2 + (35*A -
```

$$\frac{11*B + 3*C)*\cos(d*x + c)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)}{(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.533 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=280

$$-\frac{(63A - 35B + 11C) \sin(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(39A - 20B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A - 115B + 43C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d}$$

[Out] ((39*A - 20*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(4*a^(5/2)*d) - ((219*A - 115*B + 43*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x]/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((19*A - 11*B + 3*C)*Cos[c + d*x]*Sin[c + d*x]/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((63*A - 35*B + 11*C)*Sin[c + d*x]/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])) + ((31*A - 15*B + 7*C)*Cos[c + d*x]*Sin[c + d*x]/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.868814, antiderivative size = 280, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4020, 4022, 3920, 3774, 203, 3795}

$$-\frac{(63A - 35B + 11C) \sin(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(39A - 20B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A - 115B + 43C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((39*A - 20*B + 8*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(4*a^(5/2)*d) - ((219*A - 115*B + 43*C)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Cos[c + d*x]*Sin[c + d*x]/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((19*A - 11*B + 3*C)*Cos[c + d*x]*Sin[c + d*x]/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((63*A - 35*B + 11*C)*Sin[c + d*x]/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])) + ((31*A - 15*B + 7*C)*Cos[c + d*x]*Sin[c + d*x]/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]))

Rule 4084

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4020

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 4022

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

```

Rule 3920

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - D
ist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre
eQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3774

```

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

```

, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^{5/2}} dx &= -\frac{(A - B + C) \cos(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} + \int \frac{\cos^2(c+dx) (2a(3A - B + C))}{(a + a \sec(c+dx))^{5/2}} dx \\
 &= -\frac{(A - B + C) \cos(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(19A - 11B + 3C) \cos(c+dx) \sin(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= -\frac{(A - B + C) \cos(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(19A - 11B + 3C) \cos(c+dx) \sin(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= -\frac{(A - B + C) \cos(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(19A - 11B + 3C) \cos(c+dx) \sin(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= -\frac{(A - B + C) \cos(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(19A - 11B + 3C) \cos(c+dx) \sin(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= -\frac{(A - B + C) \cos(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(19A - 11B + 3C) \cos(c+dx) \sin(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\
 &= \frac{(39A - 20B + 8C) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{4a^{5/2}d} - \frac{(219A - 115B + 42C)}{16ad(a + a \sec(c+dx))^{5/2}}
 \end{aligned}$$

Mathematica [C] time = 28.4276, size = 17747, normalized size = 63.38

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 0.367, size = 2096, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2 * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^{5/2}, x)$

[Out]
$$\begin{aligned} & -1/64/d/a^3*(-1+\cos(dx+c))^2*(80*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\arctanh(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c) \\ &)^2^{1/2}*\sin(dx+c)-32*C*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\arctanh(1/2 \\ & *2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))^2^{1/2} \\ &)*\sin(dx+c)-468*A*2^{1/2}*\sin(dx+c)*\cos(dx+c)*\arctanh(1/2*2^{1/2}*(-2*\cos \\ & (dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*(-2*\cos(dx+c)/(\cos(dx \\ & *x+c)+1))^{3/2}-468*A*\sin(dx+c)*\cos(dx+c)^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx \\ & *x+c)+1))^{3/2}*\arctanh(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin \\ & (dx+c)/\cos(dx+c))+80*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\arctanh(1/2* \\ & 2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\cos(dx \\ & +c)^3*\sin(dx+c)*2^{1/2}+240*B*\cos(dx+c)*\sin(dx+c)*2^{1/2}*(-2*\cos(dx+c) \\ & /(\cos(dx+c)+1))^{3/2}*\arctanh(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ &)*\sin(dx+c)/\cos(dx+c)-80*B*\cos(dx+c)^3-60*C*\cos(dx+c)^4-156*A*2^{1/2} \\ &)*\arctanh(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c) \\ &)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)-300*A*\cos(dx+c)^4- \\ & 96*C*\sin(dx+c)*\cos(dx+c)^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ar \\ & rctanh(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c) \\ &)+16*C*\cos(dx+c)^3+44*C*\cos(dx+c)^2-129*C*(-2*\cos(dx+c)/(\cos(dx+c)+1) \\ &)^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1) \\ & / \sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)+32*A*\cos(dx+c)^6-112*A*\cos(dx+c)^5+6 \\ & 4*B*\cos(dx+c)^5+156*B*\cos(dx+c)^4+128*A*\cos(dx+c)^3-140*B*\cos(dx+c)^2-1 \\ & 56*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\arctanh(1/2*2^{1/2}*(-2*\cos(dx+c) \\ &)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\cos(dx+c)^3*\sin(dx+c)*2^{1/2} \\ &)-96*C*\cos(dx+c)*\sin(dx+c)*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2} \\ &)*\arctanh(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx \\ & *x+c))-219*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx \\ & *x+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)+115*B*(-2* \\ & \cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ &)*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)-43*C*(-2*\cos(dx+c)/(\cos(dx \\ & *x+c)+1))^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx \\ & *x+c)-1)/\sin(dx+c))*\sin(dx+c)-219*A*\sin(dx+c)*\cos(dx+c)^3*\ln(-(-2*\cos \\ & (dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(\end{aligned}$$

$$\begin{aligned} & d*x+c)/(\cos(d*x+c)+1))^{(3/2)}-657*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\ln(\\ & -(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c) \\ &)*\cos(d*x+c)^2*\sin(d*x+c)+345*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\ln(-(- \\ & (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))* \\ & \cos(d*x+c)^2*\sin(d*x+c)+240*B*\sin(d*x+c)*\cos(d*x+c)^2*2^{(1/2)}*(-2*\cos(d*x+c) \\ & /(\cos(d*x+c)+1))^{(3/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(\\ & 1/2)}*\sin(d*x+c)/\cos(d*x+c))-32*C*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\operatorname{arcta} \\ & \operatorname{nh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))* \\ & \cos(d*x+c)^3*\sin(d*x+c)*2^{(1/2)}+252*A*\cos(d*x+c)^2-657*A*\cos(d*x+c)*\sin(d*x \\ & +c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1 \\ &))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+345*B*\cos(d*x+c)*\sin(d*x+c)* \\ & (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1 \\ & /2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-129*C*\cos(d*x+c)*\sin(d*x+c)*(-2*co \\ & s(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*s \\ & \sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+115*B*\sin(d*x+c)*\cos(d*x+c)^3*\ln(-(-(-2 \\ & *\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2* \\ & \cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}-43*C*\sin(d*x+c)*\cos(d*x+c)^3*\ln(-(-(-2*\cos \\ & (d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(\\ & d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c \\ &)/\sin(d*x+c)^5 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**
(5/2),x)`

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/
2),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

3.534 $\int \sec^2(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=217

$$\frac{2a(7A + 7B + 5C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a(7A + 7B + 5C)\sin(c + dx)\sec^3(c + dx)}{21d} + \frac{2a(5A + 3(B + C))\sin(c + dx)\sqrt{\sec(c + dx)}}{5d}$$

[Out] $(-2*a*(5*A + 3*(B + C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*a*(7*A + 7*B + 5*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]]/(21*d) + (2*a*(5*A + 3*(B + C))*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*a*(7*A + 7*B + 5*C))*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x]/(21*d) + (2*a*(B + C))*\text{Sec}[c + d*x]^(5/2)*\text{Sin}[c + d*x]/(5*d) + (2*a*C*\text{Sec}[c + d*x]^(7/2)*\text{Sin}[c + d*x])/(7*d)$

Rubi [A] time = 0.256471, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4076, 4047, 3768, 3771, 2641, 4046, 2639}

$$\frac{2a(7A + 7B + 5C)\sin(c + dx)\sec^3(c + dx)}{21d} + \frac{2a(5A + 3(B + C))\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} + \frac{2a(7A + 7B + 5C)\sqrt{\cos(c + dx)}}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]^(3/2)*(a + a*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*a*(5*A + 3*(B + C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*a*(7*A + 7*B + 5*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]]/(21*d) + (2*a*(5*A + 3*(B + C))*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*a*(7*A + 7*B + 5*C))*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x]/(21*d) + (2*a*(B + C))*\text{Sec}[c + d*x]^(5/2)*\text{Sin}[c + d*x]/(5*d) + (2*a*C*\text{Sec}[c + d*x]^(7/2)*\text{Sin}[c + d*x])/(7*d)$

Rule 4076

$\text{Int}[(A + \csc(e + f*x))(B + \csc(e + f*x))^2(C + \csc(e + f*x))(D + \csc(e + f*x))^n], x] \rightarrow -\text{Simp}[b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n]/(f*(n + 2)), x] + \text{Dist}[1/(n + 2), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))]*\text{Csc}[e + f*x] + (a*C + B*b)*(n + 2)), x]]$

2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{2aC\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{3}{2}}(c+dx)dx \\
&= \frac{2aC\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{3}{2}}(c+dx)dx \\
&= \frac{2a(7A+7B+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{21d} \\
&= \frac{2a(5A+3(B+C))\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} \\
&= \frac{2a(7A+7B+5C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\right)}{21d} \\
&= -\frac{2a(5A+3(B+C))\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{5d}
\end{aligned}$$

Mathematica [C] time = 6.69553, size = 527, normalized size = 2.43

$$2a \csc(c)e^{-idx} \cos^2(c+dx) (A+B\sec(c+dx)+C\sec^2(c+dx)) \left(7\sqrt{2}(-1+e^{2ic})e^{2idx}(5A+3(B+C))\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*Cos[c + d*x]^2*Csc[c]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(7*sqrt[2]*(5*A + 3*(B + C))*E^((2*I)*d*x)*(-1 + E^((2*I)*c))*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] - ((-1 + E^((2*I)*c))*(35*A*(1 + E^((2*I)*(c + d*x)))^2*(-1 + 3*E^(I*(c + d*x)) + E^((2*I)*(c + d*x)) + 3*E^((3*I)*(c + d*x))) + 7*B*(-5 + 3*E^(I*(c + d*x)) - 5*E^((2*I)*(c + d*x)) + 27*E^((3*I)*(c + d*x)) + 5*E^((4*I)*(c + d*x)) + 33*E^((5*I)*(c + d*x)) + 5*E^((6*I)*(c + d*x)) + 9*E^((7*I)*(c + d*x))) + C*(-25 + 21*E^(I*(c + d*x)) - 85*E^((2*I)*(c + d*x)) + 189*E^((3*I)*(c + d*x)) + 85*E^((4*I)*(c + d*x)) + 231*E^((5*I)*(c + d*x)) + 25*E^((6*I)*(c + d*x)) + 63*E^((7*I)*(c + d*x))))*sqrt[Sec[c + d*x]]/(E^(I*(c - d*x))*(1 + E^((2*I)*(c + d*x)))^3) + 10*(7*A + 7*B + 5*C)*E^(I*d*x)*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]]*Sin[c])/(105*d*E^(I*d*x)*(A + 2*C + 2*B*cos[c + d*x] + A*cos[c

$2*(c + d*x)]))$

Maple [B] time = 8.038, size = 850, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(a+a*\sec(dx+c))*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out] $-a*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4/5*(1/2*C+1/2*B)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+4*(1/2*A+1/2*B)*(-1/6*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*C*(-1/56*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca \sec(dx+c)^4 + (B+C)a \sec(dx+c)^3 + (A+B)a \sec(dx+c)^2 + Aa \sec(dx+c)\right)\sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a*sec(d*x + c)^4 + (B + C)*a*sec(d*x + c)^3 + (A + B)*a*sec(d*x + c)^2 + A*a*sec(d*x + c))*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a) \sec(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sec(d*x + c)^(3/2), x)
```

3.535 $\int \sqrt{\sec(c + dx)}(a + a \sec(c + dx)) (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=181

$$\frac{2a(3A + B + C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(5A + 5B + 3C)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} - \frac{2a(5A + 5B + 3C)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d}$$

[Out] $(-2*a*(5*A + 5*B + 3*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*a*(3*A + B + C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a*(5*A + 5*B + 3*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*a*(B + C)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*a*C*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

Rubi [A] time = 0.22118, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4076, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2a(5A + 5B + 3C)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} + \frac{2a(3A + B + C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a(5A + 5B + 3C)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*a*(5*A + 5*B + 3*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*a*(3*A + B + C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a*(5*A + 5*B + 3*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*a*(B + C)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*a*C*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

Rule 4076

$\text{Int}[(A + \csc[e + f*x] + (f*x))*(B + \csc[e + f*x] + (f*x))^2*(C + \csc[e + f*x] + (f*x)*(d*x))^{(n)}*(\csc[e + f*x] + (f*x)*(b*x) + a), x_Symbol] \rightarrow -\text{Simp}[b*C*\csc[e + f*x]*\text{Cot}[e + f*x]*(d*\csc[e + f*x])^n]/(f*(n + 2)), x] + \text{Dist}[1/(n + 2), \text{Int}[(d*\csc[e + f*x])^n*\text{Simp}[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))]*\csc[e + f*x] + (a*C + B*b)*(n + 2)*\csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+a\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{2aC\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5}\int\sqrt{\sec(c+dx)}dx \\
&= \frac{2aC\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5}\int\sqrt{\sec(c+dx)}dx \\
&= \frac{2a(5A+5B+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} \\
&= \frac{2a(5A+5B+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} \\
&= \frac{2a(5A+5B+3C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{5d}
\end{aligned}$$

Mathematica [C] time = 6.26046, size = 366, normalized size = 2.02

$$2ae^{-ic}(-1+e^{2ic})\csc(c)(A+B\sec(c+dx)+C\sec^2(c+dx))\left((5A+5B+3C)e^{i(c+dx)}(1+e^{2i(c+dx)})^{5/2}\operatorname{Hypergeometric2F1}\left[\frac{1}{2},\frac{3}{4},\frac{7}{4},-E^{i(c+dx)}\right]\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(-1 + E^((2*I)*c))*Csc[c]*(5*B + 5*C - 15*A*E^(I*(c + d*x)) - 15*B*E^(I*(c + d*x)) - 3*C*E^(I*(c + d*x)) - 30*A*E^((3*I)*(c + d*x)) - 30*B*E^((3*I)*(c + d*x)) - 24*C*E^((3*I)*(c + d*x)) - 5*B*E^((4*I)*(c + d*x)) - 5*C*E^((4*I)*(c + d*x)) - 15*A*E^((5*I)*(c + d*x)) - 15*B*E^((5*I)*(c + d*x)) - 9*C*E^((5*I)*(c + d*x)) - (5*I)*(3*A + B + C)*(1 + E^((2*I)*(c + d*x))))^2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (5*A + 5*B + 3*C)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(15*d*E^(I*c)*(1 + E^((2*I)*(c + d*x)))^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(3/2))

Maple [B] time = 6.857, size = 741, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x)`

[Out]
$$-a*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5*C/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+4*(1/2*C+1/2*B)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+4*(1/2*A+1/2*B)*(-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x,algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca \sec(dx+c)^3 + (B+C)a \sec(dx+c)^2 + (A+B)a \sec(dx+c) + Aa\right)\sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a*sec(d*x + c)^3 + (B + C)*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)\sqrt{\sec(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)
```

$$3.536 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=143

$$\frac{2a(3A + 3B + C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(A - B - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx)\right)}{d}$$

```
[Out] (2*a*(A - B - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(3*A + 3*B + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 0.219038, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(3A + 3B + C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a(A - B - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (2*a*(A - B - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(3*A + 3*B + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2aC \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \frac{1}{2}a(3A + C)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aC \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \frac{3}{2}a(B + C)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a(B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2aC \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
&= \frac{2a(3A + 3B + C)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{3d} \\
&= \frac{2a(A - B - C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 1.84693, size = 208, normalized size = 1.45

$$\frac{ae^{-idx} \sec^{\frac{3}{2}}(c + dx)(\cos(dx) + i \sin(dx)) \left(-i(A - B - C) \left(1 + e^{2i(c+dx)}\right)^{\frac{3}{2}} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 2(3A + 3B + C) \cos\left(\frac{c + dx}{2}\right)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (a*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*((3*I)*A - (3*I)*B - (3*I)*C + (3*I)*A*Cos[2*(c + d*x)] - (3*I)*B*Cos[2*(c + d*x)] - (3*I)*C*Cos[2*(c + d*x)]) + 2*(3*A + 3*B + C)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] - I*(A - B - C)*(1 + E^((2*I)*(c + d*x)))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*C*Sin[c + d*x] + 3*B*Sin[2*(c + d*x)] + 3*C*Sin[2*(c + d*x)])/(3*d*E^(I*d*x))
```

Maple [B] time = 5.522, size = 516, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2), x)
```

```
[Out] -a*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*C*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+4*(1/2*C+1/2*B)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx+c)^3 + (B+C)a \sec(dx+c)^2 + (A+B)a \sec(dx+c) + Aa}{\sqrt{\sec(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```


[Out] `integral((C*a*sec(d*x + c)^3 + (B + C)*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sqrt(sec(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)`

$$3.537 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=138

$$\frac{2a(A+3(B+C))\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a(A+B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{d}$$

[Out] (2*a*(A + B - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + 3*(B + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*a*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.209211, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4074, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(A+3(B+C))\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A+B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (2*a*(A + B - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + 3*(B + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*a*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}a(A + B) - \frac{1}{2}a(A + 3(B + C))}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}a(A + B) - \frac{3}{2}aC \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2aC\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (a(A + B - C)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a(A + 3(B + C))\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \\
&= \frac{2a(A + B - C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 1.8731, size = 183, normalized size = 1.33

$$\frac{ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-2i(A + B - C)e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + \dots\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((6*I)*A*Cos[c + d*x] + (6*I)*B*Cos[c + d*x] - (6*I)*C*Cos[c + d*x] + 2*(A + 3*(B + C))*Sqrt[Cos[c + d*x]])*EllipticF[(c + d*x)/2, 2] - (2*I)*(A + B - C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 6*C*Sin[c + d*x] + A*Sin[2*(c + d*x)])/(3*d*E^(I*d*x))

Maple [B] time = 2.306, size = 380, normalized size = 2.8

$$-\frac{2a}{3d} \left(4A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4 + A \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)`

[Out]
$$-2/3*a*(4*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*A+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*C)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca \sec(dx+c)^3 + (B+C)a \sec(dx+c)^2 + (A+B)a \sec(dx+c) + Aa}{\sec(dx+c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")`

[Out] `integral((C*a*sec(d*x + c)^3 + (B + C)*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sec(d*x + c)^(3/2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{A}{\sqrt{\sec(c + dx)}} dx + \int \frac{B}{\sqrt{\sec(c + dx)}} dx + \int B \sqrt{\sec(c + dx)} dx + \int C \sqrt{\sec(c + dx)} dx + \int \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)`

[Out] `a*(Integral(A/sec(c + d*x)**(3/2), x) + Integral(A/sqrt(sec(c + d*x)), x) + Integral(B/sqrt(sec(c + d*x)), x) + Integral(B*sqrt(sec(c + d*x)), x) + Integral(C*sqrt(sec(c + d*x)), x) + Integral(C*sec(c + d*x)**(3/2), x))`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)`

$$3.538 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=146

$$\frac{2a(A+B+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a(3A+5(B+C))\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx), 2\right)}{5d}$$

[Out] (2*a*(3*A + 5*(B + C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*a*(A + B + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(A + B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.216795, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4074, 4047, 3771, 2639, 4045, 2641}

$$\frac{2a(A+B+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(3A+5(B+C))\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx), 2\right)}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (2*a*(3*A + 5*(B + C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*a*(A + B + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(A + B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(A + B) - \frac{1}{2}a(3A + 5(B + C))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(A + B) - \frac{5}{2}aC \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3}(a(A + B + C)) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a(3A + 5(B + C)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{2a(3A + 5(B + C)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 1.80058, size = 177, normalized size = 1.21

$$ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-4i(3A + 5(B + C)) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(20*(A + B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (4*I)*(3*A + 5*(B + C))*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*Cos[c + d*x]*((6*I)*(3*A + 5*(B + C)) + 10*(A + B)*Sin[c + d*x] + 3*A*Sin[2*(c + d*x)])))/(30*d*E^(I*d*x))

Maple [B] time = 2.182, size = 447, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2), x)

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(-24*A*cos(
1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(44*A+20*B)*sin(1/2*d*x+1/2*c)^4*cos(1/
2*d*x+1/2*c)+(-16*A-10*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+5*A*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*
d*x+1/2*c),2^(1/2))-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^
2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+5*B*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2
))-15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellip
ticE(cos(1/2*d*x+1/2*c),2^(1/2))+15*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1
/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-15*C*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*
x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin
(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)
,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca \sec(dx + c)^3 + (B + C)a \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa}{\sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)
,x, algorithm="fricas")
```

```
[Out] integral((C*a*sec(d*x + c)^3 + (B + C)*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x
+ c) + A*a)/sec(d*x + c)^(5/2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sec^{\frac{5}{2}}(c+dx)} dx + \int \frac{A}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{B}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{B}{\sqrt{\sec(c+dx)}} dx + \int \frac{C}{\sqrt{\sec(c+dx)}} dx + \int C \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] a*(Integral(A/sec(c + d*x)**(5/2), x) + Integral(A/sec(c + d*x)**(3/2), x) + Integral(B/sec(c + d*x)**(3/2), x) + Integral(B/sqrt(sec(c + d*x)), x) + Integral(C/sqrt(sec(c + d*x)), x) + Integral(C*sqrt(sec(c + d*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x,algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

$$3.539 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=182

$$\frac{2a(5A + 7(B + C))\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a(5A + 7(B + C))\sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2a(3(A + B) + 5C)\sqrt{\cos(c + dx)}}{21d}$$

[Out] (2*a*(3*(A + B) + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*a*(5*A + 7*(B + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*(A + B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(5*A + 7*(B + C))*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.24431, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4074, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2a(5A + 7(B + C))\sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2a(5A + 7(B + C))\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a(3(A + B) + 5C)\sqrt{\cos(c + dx)}}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*a*(3*(A + B) + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*a*(5*A + 7*(B + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*(A + B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(5*A + 7*(B + C))*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{

a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}a(A + B) - \frac{1}{2}a(5A + 7(B + C))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}a(A + B) - \frac{7}{2}aC \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 7(B + C)) \sin(c + dx)}{21d \sec^{\frac{1}{2}}(c + dx)} \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 7(B + C)) \sin(c + dx)}{21d \sec^{\frac{1}{2}}(c + dx)} \\
&= \frac{2a(3(A + B) + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 2.20212, size = 201, normalized size = 1.1

$$ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-56i(3A + 3B + 5C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2),x]

[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x]))*(40*(5*A + 7*(B + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (56*I)*(3*A + 3*B + 5*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*Cos[c + d*x]*((84*I)*(3*A + 3*B + 5*C) + 5*(23*A + 28*(B + C))*Sin[c + d*x] + 42*(A + B)*Sin[2*(c + d*x)] + 15*A*Sin[3*(c + d*x)]))/ (420*d*E^(I*d*x))

Maple [B] time = 2.415, size = 481, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x)`

[Out]
$$\begin{aligned} & -2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(240*A*\cos \\ & (1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-528*A-168*B)*\sin(1/2*d*x+1/2*c)^6*\cos \\ & (1/2*d*x+1/2*c)+(448*A+308*B+140*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c \\ &)+(-122*A-112*B-70*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+25*A*(\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x \\ & +1/2*c),2^{(1/2)})-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2- \\ & 1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+35*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ &)-63*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Elliptic \\ & E(\cos(1/2*d*x+1/2*c),2^{(1/2)})+35*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/ \\ & 2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-105*C*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d* \\ & x+1/2*c),2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin \\ & (1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca \sec(dx+c)^3 + (B+C)a \sec(dx+c)^2 + (A+B)a \sec(dx+c) + Aa}{\sec(dx+c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")`

[Out] `integral((C*a*sec(d*x + c)^3 + (B + C)*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sec(d*x + c)^(7/2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)`

$$3.540 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$$

Optimal. Leaf size=215

$$\frac{2a(5(A+B)+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a(7A+9(B+C))\sin(c+dx)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a(5(A+B))}{21d\sqrt{\sec(c+dx)}}$$

[Out] (2*a*(7*A + 9*(B + C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*a*(5*(A + B) + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*a*(A + B)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*(7*A + 9*(B + C))*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*a*(5*(A + B) + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.282104, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4074, 4047, 3769, 3771, 2639, 4045, 2641}

$$\frac{2a(7A+9(B+C))\sin(c+dx)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a(5(A+B)+7C)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2a(5(A+B)+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx), 2\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (2*a*(7*A + 9*(B + C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*a*(5*(A + B) + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*a*(A + B)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*(7*A + 9*(B + C))*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*a*(5*(A + B) + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x]^n)/(f*n), x] + Di

st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{-\frac{9}{2}a(A + B) - \frac{1}{2}a(7A + 9(B + C))}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{-\frac{9}{2}a(A + B) - \frac{9}{2}aC \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(7A + 9(B + C)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} \\
&= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(7A + 9(B + C)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
\end{aligned}$$

Mathematica [C] time = 2.51103, size = 231, normalized size = 1.07

$$\frac{ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-112i(7A + 9(B + C)) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]

[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(240*(5*A + 5*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (112*I)*(7*A + 9*(B + C))*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*Cos[c + d*x]*((1176*I)*A + (1512*I)*B + (1512*I)*C + 30*(23*A + 23*B + 28*C)*Sin[c + d*x] + 14*(19*A + 18*(B + C))*Sin[2*(c + d*x)] + 90*A*Sin[3*(c + d*x)] + 90*B*Sin[3*(c + d*x)] + 35*A*Sin[4*(c + d*x)]))/((2520*d*E^(I*d*x))

Maple [B] time = 2.228, size = 512, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)`

[Out]
$$-2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-1120*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(2960*A+720*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-3152*A-1584*B-504*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(1792*A+1344*B+924*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-408*A-366*B-336*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+75*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-147*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+75*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-189*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+105*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-189*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx+c)^3 + (B+C)a \sec(dx+c)^2 + (A+B)a \sec(dx+c) + Aa}{\sec(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")`

[Out] `integral((C*a*sec(d*x + c)^3 + (B + C)*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sec(d*x + c)^(9/2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)`

3.541 $\int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=291

$$\frac{4a^2(7A + 6B + 5C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a^2(21A + 27B + 19C)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{105d}$$

```
[Out] (-4*a^2*(12*A + 9*B + 8*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(7*A + 6*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^2*(12*A + 9*B + 8*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (4*a^2*(7*A + 6*B + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*a^2*(21*A + 27*B + 19*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(105*d) + (2*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(9*d) + (2*(9*B + 4*C)*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(63*d)
```

Rubi [A] time = 0.495369, antiderivative size = 291, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4088, 4018, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{2a^2(21A + 27B + 19C)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{105d} + \frac{4a^2(7A + 6B + 5C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{4a^2(12A + 9B + 8C)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-4*a^2*(12*A + 9*B + 8*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(7*A + 6*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^2*(12*A + 9*B + 8*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (4*a^2*(7*A + 6*B + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*a^2*(21*A + 27*B + 19*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(105*d) + (2*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(9*d) + (2*(9*B + 4*C)*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(63*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
```

$_))^{(m_)} , x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]$

Rule 4018

$Int[(csc[(e_)] + (f_)*(x_)]*(d_))^{(n_)}*(csc[(e_)] + (f_)*(x_)]*(b_)] + (a_))^{(m_)}*(csc[(e_)] + (f_)*(x_)]*(B_)] + (A_)] , x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^{(m - 1)}*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^{(m - 1)}*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]$

Rule 3997

$Int[(csc[(e_)] + (f_)*(x_)]*(d_))^{(n_)}*(csc[(e_)] + (f_)*(x_)]*(b_)] + (a_)]*(csc[(e_)] + (f_)*(x_)]*(B_)] + (A_)] , x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]$

Rule 3787

$Int[(csc[(e_)] + (f_)*(x_)]*(d_))^{(n_)}*(csc[(e_)] + (f_)*(x_)]*(b_)] + (a_)] , x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^{(n + 1)}, x], x] /; FreeQ[{a, b, d, e, f, n}, x]$

Rule 3768

$Int[(csc[(c_)] + (d_)*(x_)]*(b_))^{(n_)} , x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^{(n - 2)}, x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]$

Rule 3771

$Int[(csc[(c_)] + (d_)*(x_)]*(b_))^{(n_)} , x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{2C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{9d} \\
 &= \frac{2C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{9d} \\
 &= \frac{2a^2(21A+27B+19C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{105d} \\
 &= \frac{2a^2(21A+27B+19C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{105d} \\
 &= \frac{4a^2(12A+9B+8C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15d} \\
 &= \frac{4a^2(12A+9B+8C)\sqrt{\sec(c+dx)}\sin(c+dx)}{15d} \\
 &= -\frac{4a^2(12A+9B+8C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{15d}
 \end{aligned}$$

Mathematica [C] time = 7.14858, size = 1270, normalized size = 4.36

$$\frac{4\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\cos^4(c+dx)\csc(c)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{15d(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]


```
[Out] (4*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^4*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^4*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (8*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^4*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(45*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (2*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + (4*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + (10*C*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + (Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(12*A + 9*B + 8*C)*Cos[d*x]*Csc[c])/(15*d) + (C*Sec[c]*Sec[c + d*x]^4*Sin[d*x])/(9*d) + (Sec[c]*Sec[c + d*x]^3*(7*C*Sin[c] + 9*B*Sin[d*x] + 18*C*Sin[d*x]))/(63*d) + (Sec[c]*Sec[c + d*x]^2*(45*B*Sin[c] + 90*C*Sin[c] + 63*A*Sin[d*x] + 126*B*Sin[d*x] + 112*C*Sin[d*x]))/(315*d) + (Sec[c]*Sec[c + d*x]*(63*A*Sin[c] + 126*B*Sin[c] + 112*C*Sin[c] + 210*A*Sin[d*x] + 180*B*Sin[d*x] + 150*C*Sin[d*x]))/(315*d) + (2*(7*A + 6*B + 5*C)*Tan[c])/(21*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2))
```

Maple [B] time = 10.199, size = 1183, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] -a^2*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(8*(1/4*B+1/2*C)*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))))+2*C*(-1/144*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^5-7/180*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^3-1/4/15*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)/(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)+7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))))-8/5*(1/4*A+1/2*B+1/4*C)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+8*(1/2*A+1/4*B)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*A*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^2*sec(dx+c)^5 + (B+2C)*a^2*sec(dx+c)^4 + (A+2B+C)*a^2*sec(dx+c)^3 + (2A+B)*a^2*sec(dx+c)^2 + A

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x+c)^5 + (B+2*C)*a^2*sec(d*x+c)^4 + (A+2*B+C)*a^2*sec(d*x+c)^3 + (2*A+B)*a^2*sec(d*x+c)^2 + A*a^2*sec(d*x+c))*sqrt(sec(d*x+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^2 \sec(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x+c)^2 + B*sec(d*x+c) + A)*(a*sec(d*x+c) + a)^2*sec(d*x+c)^(3/2), x)

3.542 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec(c+dx)) dx$

Optimal. Leaf size=255

$$\frac{4a^2(14A+7B+6C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a^2(35A+49B+33C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{105d}$$

```
[Out] (-4*a^2*(5*A + 4*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^2*(14*A + 7*B + 6*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^2*(5*A + 4*B + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a^2*(35*A + 49*B + 33*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d) + (2*(7*B + 4*C)*Sec[c + d*x]^(3/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(35*d)
```

Rubi [A] time = 0.505565, antiderivative size = 255, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4088, 4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2a^2(35A+49B+33C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{105d} + \frac{4a^2(5A+4B+3C)\sin(c+dx)\sqrt{\sec(c+dx)}}{5d} + \frac{4a^2(14A+7B+6C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-4*a^2*(5*A + 4*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^2*(14*A + 7*B + 6*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^2*(5*A + 4*B + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a^2*(35*A + 49*B + 33*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d) + (2*(7*B + 4*C)*Sec[c + d*x]^(3/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(35*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m, x]]
```

$(+ f*x)^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

$Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

$Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

$Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

$Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 3768

$Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I$

nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\sec(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))} dx &= \frac{2C \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{7d} \\
 &= \frac{2C \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{7d} \\
 &= \frac{2a^2(35A + 49B + 33C) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} \\
 &= \frac{2a^2(35A + 49B + 33C) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} \\
 &= \frac{4a^2(5A + 4B + 3C) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
 &= \frac{4a^2(14A + 7B + 6C) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx)\right)}{21d} \\
 &= -\frac{4a^2(5A + 4B + 3C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{5d}
 \end{aligned}$$

Mathematica [C] time = 7.00799, size = 1216, normalized size = 4.77

$$\frac{\sqrt{2} A e^{-i d x} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos^4(c+dx) \csc(c) \left(e^{2i d x} (-1+e^{2i c}) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}} \right)}{3d(\cos(2c+2dx)A + A + 2C + 2B \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2), x]

```
[Out] (Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))] * Cos[c + d*x]^4*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))] * Cos[c + d*x]^4*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))] * Cos[c + d*x]^4*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + (4*C*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + (Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(5*A + 4*B + 3*C)*Cos[d*x]*Csc[c])/(5*d) + (C*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(7*d) + (Sec[c]*Sec[c + d*x]^2*(5*C*Sin[c] + 7*B*Sin[d*x] + 14*C*Sin[d*x]))/(35*d) + (Sec[c]*Sec[c + d*x]*(21*B*Sin[c] + 42*C*Sin[c] + 35*A*Sin[d*x] + 70*B*Sin[d*x] + 60*C*Sin[d*x]))/(105*d) + ((7*A + 14*B + 12*C)*Tan[c])/(21*d)))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2))
```

Maple [B] time = 9., size = 934, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x)
```

```
[Out] -a^2*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
```

$$\begin{aligned}
& *c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2*C \\
& *(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^4 - 5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - \\
& 8/5*(1/4*B+1/2*C)/(8*\sin(1/2*d*x+1/2*c)^6 - 12*\sin(1/2*d*x+1/2*c)^4 + 6*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c)^2 * (12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^4 - 24*\sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) - 12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 + 24*\sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + 3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} - 8*\sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c)) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 8*(1/4*A+1/2*B+1/4*C)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 8*(1/2*A+1/4*B)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 2*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2) / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ca^2 sec(dx+c)^4 + (B+2C)a^2 sec(dx+c)^3 + (A+2B+C)a^2 sec(dx+c)^2 + (2A+B)a^2 sec(dx+c) + Aa^2

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^2*sec(d*x + c)^4 + (B + 2*C)*a^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)
```

$$3.543 \quad \int \frac{(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=214

$$\frac{4a^2(3A+2B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a^2(15A+25B+17C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d}$$

[Out] $(-4*a^2*(5*B + 4*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^2*(3*A + 2*B + C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^2*(15*A + 25*B + 17*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*C*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(5*d) + (2*(5*B + 4*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*(a^2 + a^2*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(15*d)$

Rubi [A] time = 0.453359, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4088, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{2a^2(15A+25B+17C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{4a^2(3A+2B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(5B+C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)]/\text{Sqrt}[\text{Sec}[c + d*x]], x]$

[Out] $(-4*a^2*(5*B + 4*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^2*(3*A + 2*B + C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^2*(15*A + 25*B + 17*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*C*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(5*d) + (2*(5*B + 4*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*(a^2 + a^2*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(15*d)$

Rule 4088

$\text{Int}[(A + \csc(e + f*x) + (f*x))*(B + \csc(e + f*x) + (f*x))^2*(C + \csc(e + f*x) + (f*x)*(d*x))^{n-1}*(\csc(e + f*x) + (f*x)*(b + a*x))^{m-1}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*($

$(m + n + 1) \cdot \text{Csc}[e + f \cdot x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ !\text{LtQ}[m, -2^{(-1)}] \ \&\& \ !\text{LtQ}[n, -2^{(-1)}] \ \&\& \ \text{NeQ}[m + n + 1, 0]$

Rule 4018

$\text{Int}[(\text{csc}[(e \cdot) + (f \cdot)(x)] \cdot (d \cdot))^n \cdot (\text{csc}[(e \cdot) + (f \cdot)(x)] \cdot (b \cdot) + (a \cdot))^m \cdot (\text{csc}[(e \cdot) + (f \cdot)(x)] \cdot (B \cdot) + (A \cdot)), x_Symbol] \ :> \ -\text{Simp}[(b \cdot B \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^{m-1} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (f \cdot (m + n)), x] + \text{Dist}[1 / (d \cdot (m + n)), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{m-1} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n \cdot \text{Simp}[a \cdot A \cdot d \cdot (m + n) + B \cdot (b \cdot d \cdot n) + (A \cdot b \cdot d \cdot (m + n) + a \cdot B \cdot d \cdot (2 \cdot m + n - 1)) \cdot \text{Csc}[e + f \cdot x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \ \&\& \ \text{NeQ}[A \cdot b - a \cdot B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 1/2] \ \&\& \ !\text{LtQ}[n, -1]$

Rule 3997

$\text{Int}[(\text{csc}[(e \cdot) + (f \cdot)(x)] \cdot (d \cdot))^n \cdot (\text{csc}[(e \cdot) + (f \cdot)(x)] \cdot (b \cdot) + (a \cdot)) \cdot (\text{csc}[(e \cdot) + (f \cdot)(x)] \cdot (B \cdot) + (A \cdot)), x_Symbol] \ :> \ -\text{Simp}[(b \cdot B \cdot \text{Cot}[e + f \cdot x] \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (f \cdot (n + 1)), x] + \text{Dist}[1 / (n + 1), \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^n \cdot \text{Simp}[A \cdot a \cdot (n + 1) + B \cdot b \cdot n + (A \cdot b + B \cdot a) \cdot (n + 1) \cdot \text{Csc}[e + f \cdot x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A \cdot b - a \cdot B, 0] \ \&\& \ !\text{LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e \cdot) + (f \cdot)(x)] \cdot (d \cdot))^n \cdot (\text{csc}[(e \cdot) + (f \cdot)(x)] \cdot (b \cdot) + (a \cdot)), x_Symbol] \ :> \ \text{Dist}[a, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^{n+1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c \cdot) + (d \cdot)(x)] \cdot (b \cdot))^n, x_Symbol] \ :> \ \text{Dist}[(b \cdot \text{Csc}[c + d \cdot x])^n \cdot \text{Sin}[c + d \cdot x]^n, \text{Int}[1 / \text{Sin}[c + d \cdot x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c \cdot) + (d \cdot)(x)]], x_Symbol] \ :> \ \text{Simp}[(2 \cdot \text{EllipticE}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2]) / d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1 / \text{Sqrt}[\text{sin}[(c \cdot) + (d \cdot)(x)]], x_Symbol] \ :> \ \text{Simp}[(2 \cdot \text{EllipticF}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2]) / d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2 \int}{5d} \\
&= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2(5)}{5d} \\
&= \frac{2a^2(15A + 25B + 17C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2C}{15d} \\
&= \frac{2a^2(15A + 25B + 17C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2C}{15d} \\
&= \frac{2a^2(15A + 25B + 17C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2C}{15d} \\
&= -\frac{4a^2(5B + 4C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 3.50829, size = 265, normalized size = 1.24

$$\frac{a^2 e^{-idx} \sec^{\frac{5}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(40(3A + 2B + C) \cos^{\frac{5}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 2i(5B + 4C) e^{-i(c+dx)} \right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (a^2*Sec[c + d*x]^(5/2)*(Cos[d*x] + I*Sin[d*x])*((-90*I)*B*Cos[c + d*x] - (72*I)*C*Cos[c + d*x] - (30*I)*B*Cos[3*(c + d*x)] - (24*I)*C*Cos[3*(c + d*x)] + 40*(3*A + 2*B + C)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + ((2*I)*(5*B + 4*C)*(1 + E^((2*I)*(c + d*x)))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*(c + d*x)) + 15*A*Sin[c + d*x] + 30*B*Sin[c + d*x] + 36*C*Sin[c + d*x] + 10*B*Sin[2*(c + d*x)] + 20*C*Sin[2*(c + d*x)] + 15*A*Sin[3*(c + d*x)] + 30*B*Sin[3*(c + d*x)] + 24*C*Sin[3*(c + d*x)]))/(30*d*E^(I*d*x))

Maple [B] time = 6.886, size = 908, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(1/2)}, x)$

[Out] $-a^2*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2/5*C/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+8*(1/4*B+1/2*C)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+8*(1/4*A+1/2*B+1/4*C)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + (B+2C)a^2 \sec(dx+c)^3 + (A+2B+C)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sqrt{\sec(dx+c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + (B + 2*C)*a^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^2}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)
```

$$3.544 \quad \int \frac{(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=208

$$\frac{4a^2(2A+3B+2C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2a^2(A-3B-5C)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} - \frac{2(A-C)}{3d}$$

[Out] (4*a^2*(A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (4*a^2*(2*A + 3*B + 2*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(A - 3*B - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(A - C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.445799, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4086, 4018, 3997, 3787, 3771, 2639, 2641}

$$-\frac{2a^2(A-3B-5C)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} + \frac{4a^2(2A+3B+2C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(A-C)}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (4*a^2*(A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (4*a^2*(2*A + 3*B + 2*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(A - 3*B - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(A - C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x])*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e

$(+ f*x)^{(n+1)} * \text{Simp}[a*A*m - b*B*n - b*(A*(m+n+1) + C*n)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^n)/(f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^n * \text{Simp}[a*A*d*(m+n) + B*(b*d*n) + (A*b*d*(m+n) + a*B*d*(2*m+n-1))*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n+1)), x] + \text{Dist}[1/(n+1), \text{Int}[(d*\text{Csc}[e + f*x])^n * \text{Simp}[A*a*(n+1) + B*b*n + (A*b + B*a)*(n+1)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] :> \text{Dist}[(b*\text{Csc}[c + d*x])^n * \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{(a + a \sec(c + dx))^2}{\sec^{\frac{3}{2}}(c + dx)} dx}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2(A - C)\sqrt{\sec(c + dx)}}{3d} \\
&= -\frac{2a^2(A - 3B - 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= -\frac{2a^2(A - 3B - 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= -\frac{2a^2(A - 3B - 5C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{4a^2(A - C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 2.45074, size = 209, normalized size = 1.

$$a^2 e^{-idx} \sec^{\frac{3}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(8(2A + 3B + 2C) \cos^{\frac{3}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - 4i(A - C) (1 + e^{2i(c+dx)}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)))/Sec[c + d*x]^(3/2), x]

[Out] (a^2*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*((12*I)*A - (12*I)*C + (12*I)*A*Cos[2*(c + d*x)] - (12*I)*C*Cos[2*(c + d*x)] + 8*(2*A + 3*B + 2*C)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] - (4*I)*(A - C)*(1 + E^((2*I)*(c + d*x))))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + A*Sin[c + d*x] + 4*C*Sin[c + d*x] + 6*B*Sin[2*(c + d*x)] + 12*C*Sin[2*(c + d*x)] + A*Sin[3*(c + d*x)])/(6*d*E^(I*d*x))

Maple [B] time = 6.223, size = 801, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (a+a\sec(dx+c))^2(A+B\sec(dx+c)+C\sec(dx+c)^2)/\sec(dx+c)^{(3/2)}, x$

[Out]
$$-4/3a^2(-(-2\cos(1/2dx+1/2c)^2+1)\sin(1/2dx+1/2c)^2)^{(1/2)}/(4\sin(1/2dx+1/2c)^4-4\sin(1/2dx+1/2c)^2+1)/\sin(1/2dx+1/2c)^3(-4A\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^6+6A(\sin(1/2dx+1/2c)^2)^{(1/2)}\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)})*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\sin(1/2dx+1/2c)^2-4A(\sin(1/2dx+1/2c)^2)^{(1/2)}\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)})*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\sin(1/2dx+1/2c)^2+4A\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^4-6B(\sin(1/2dx+1/2c)^2)^{(1/2)}\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)})*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\sin(1/2dx+1/2c)^2+6B\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^4-6C(\sin(1/2dx+1/2c)^2)^{(1/2)}\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)})*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\sin(1/2dx+1/2c)^2-4C(\sin(1/2dx+1/2c)^2)^{(1/2)}\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)})*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\sin(1/2dx+1/2c)^2+12C\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^4-3A(\sin(1/2dx+1/2c)^2)^{(1/2)}*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)})+2A(\sin(1/2dx+1/2c)^2)^{(1/2)}*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)})-\sin(1/2dx+1/2c)^2\cos(1/2dx+1/2c)*A+3B(\sin(1/2dx+1/2c)^2)^{(1/2)}*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)})-3B\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^2+3C(\sin(1/2dx+1/2c)^2)^{(1/2)}*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)})+2C(\sin(1/2dx+1/2c)^2)^{(1/2)}*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)})-7\sin(1/2dx+1/2c)^2\cos(1/2dx+1/2c)*C*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}/(2\cos(1/2dx+1/2c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a\sec(dx+c))^2(A+B\sec(dx+c)+C\sec(dx+c)^2)/\sec(dx+c)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^2 \sec(dx+c)^4 + (B+2C)a^2 \sec(dx+c)^3 + (A+2B+C)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{3}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + (B + 2*C)*a^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/se  
c(d*x + c)^(3/2), x)
```

$$3.545 \quad \int \frac{(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=214

$$\frac{4a^2(A+2B+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2a^2(7A+5B-15C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \dots$$

[Out] (4*a^2*(4*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(A + 2*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(7*A + 5*B - 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(4*A + 5*B)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.493026, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4086, 4017, 3997, 3787, 3771, 2639, 2641}

$$-\frac{2a^2(7A+5B-15C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{4a^2(A+2B+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(4A+5B)(a^2+a^2\sec(c+dx))\sin(c+dx)}{15d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (4*a^2*(4*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(A + 2*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(7*A + 5*B - 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(4*A + 5*B)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n+1) + (A + B*Csc[e + f*x])*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n], x_Symbol]

$$+ f*x]^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*\text{Csc}[e + f*x], x], x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \mid\mid \text{EqQ}[m + n + 1, 0])$$

Rule 4017

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{:>} \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[a*A*(m-n-1) - b*B*n - (a*B*n + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$$

Rule 3997

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{:>} -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n+1)), x] + \text{Dist}[1/(n+1), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n+1) + B*b*n + (A*b + B*a)*(n+1)*\text{Csc}[e + f*x], x], x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{!LeQ}[n, -1]$$

Rule 3787

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \text{:>} \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}, x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, n\}, x\}$$

Rule 3771

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \text{:>} \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$$

$$\text{FreeQ}\{b, c, d\}, x\} \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2639

$$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{:>} \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$$

$$\text{FreeQ}\{c, d\}, x\}$$

Rule 2641

$$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{:>} \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$$

$$\text{FreeQ}\{c, d\}, x\}$$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^2}{\sec^{\frac{3}{2}}(c + dx)} dx}{15d} \\
&= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(4A + 5B)(a^2 + a^2 \sec^2(c + dx)) \sin(c + dx)}{15d} \\
&= -\frac{2a^2(7A + 5B - 15C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a^2 + a^2 \sec^2(c + dx)) \sin(c + dx)}{15d} \\
&= -\frac{2a^2(7A + 5B - 15C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a^2 + a^2 \sec^2(c + dx)) \sin(c + dx)}{15d} \\
&= -\frac{2a^2(7A + 5B - 15C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a^2 + a^2 \sec^2(c + dx)) \sin(c + dx)}{15d} \\
&= \frac{4a^2(4A + 5B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 2.06259, size = 187, normalized size = 0.87

$$a^2 \sqrt{\sec(c + dx)} \left(40(A + 2B + 3C) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - 8i(4A + 5B) e^{i(c + dx)} \sqrt{1 + e^{2i(c + dx)}} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{\left(\frac{2i}{1}(c + dx)\right)}\right] \right) \sqrt{\sec(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2),x]

[Out] (a^2*Sqrt[Sec[c + d*x]]*((96*I)*A*Cos[c + d*x] + (120*I)*B*Cos[c + d*x] + 40*(A + 2*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (8*I)*(4*A + 5*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + 3*A*Sin[c + d*x] + 60*C*Sin[c + d*x] + 20*A*Sin[2*(c + d*x)] + 10*B*Sin[2*(c + d*x)] + 3*A*Sin[3*(c + d*x)]))/(30*d)

Maple [B] time = 2.448, size = 595, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}, x)$

[Out]
$$-4/15*a^2*(-12*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(16*A+5*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(13*A+5*B+15*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-12*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+10*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+15*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^2 \sec(dx+c)^4 + (B+2C)a^2 \sec(dx+c)^3 + (A+2B+C)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{5}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + (B + 2*C)*a^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(5/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{A}{\sec^{\frac{5}{2}}(c+dx)} dx + \int \frac{2A}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{A}{\sqrt{\sec(c+dx)}} dx + \int \frac{B}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{2B}{\sqrt{\sec(c+dx)}} dx + \int B \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] a**2*(Integral(A/sec(c + d*x)**(5/2), x) + Integral(2*A/sec(c + d*x)**(3/2), x) + Integral(A/sqrt(sec(c + d*x)), x) + Integral(B/sec(c + d*x)**(3/2), x) + Integral(2*B/sqrt(sec(c + d*x)), x) + Integral(B*sqrt(sec(c + d*x)), x) + Integral(C/sqrt(sec(c + d*x)), x) + Integral(2*C*sqrt(sec(c + d*x)), x) + Integral(C*sec(c + d*x)**(3/2), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(5/2), x)
```

$$3.546 \quad \int \frac{(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=219

$$\frac{4a^2(6A+7B+14C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a^2(33A+49B+35C)\sin(c+dx)}{105d\sqrt{\sec(c+dx)}} + \frac{4a^2(3A+4B+5C)}{105d}$$

[Out] (4*a^2*(3*A + 4*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^2*(6*A + 7*B + 14*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(33*A + 49*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(4*A + 7*B)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.496946, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4086, 4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2a^2(33A+49B+35C)\sin(c+dx)}{105d\sqrt{\sec(c+dx)}} + \frac{4a^2(6A+7B+14C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{4a^2(3A+4B+5C)}{105d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (4*a^2*(3*A + 4*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^2*(6*A + 7*B + 14*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(33*A + 49*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(4*A + 7*B)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e

$$\frac{(a + b \csc[e + f x])^n}{(f x)^n} - \text{Dist}\left[\frac{1}{(b d^n)}, \text{Int}\left[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \text{Simp}[a A^m - b B^n - b(A(m+n+1) + C n) \csc[e + f x], x], x], x\right] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \mid \mid \text{EqQ}[m+n+1, 0])$$

Rule 4017

$$\text{Int}[(\csc[e] + (f x) \csc[e + f x])^n (d \csc[e + f x])^m (a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^n / (f x)^n - \text{Dist}[b / (a d^n), \text{Int}[(a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^{n+1} \text{Simp}[a A(m-n-1) - b B^n - (a B^n + A b(m+n)) \csc[e + f x], x], x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A b - a B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$$

Rule 3996

$$\text{Int}[(\csc[e] + (f x) \csc[e + f x])^n (d \csc[e + f x])^m (a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^n / (f x)^n + \text{Dist}[1 / (d^n), \text{Int}[(d \csc[e + f x])^{n+1} \text{Simp}[n(B a + A b) + (B b^n + A a(n+1)) \csc[e + f x], x], x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A b - a B, 0] \&\& \text{LeQ}[n, -1]$$

Rule 3787

$$\text{Int}[(\csc[e] + (f x) \csc[e + f x])^n (d \csc[e + f x])^m (a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^n / (f x)^n + \text{Dist}[a, \text{Int}[(d \csc[e + f x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d \csc[e + f x])^{n+1}, x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, n\}, x\}$$

Rule 3771

$$\text{Int}[(\csc[c] + (d x) \csc[c + d x])^n (b \csc[c + d x])^n \sin[c + d x]^n, \text{Int}[1 / \sin[c + d x]^n, x], x] /;$$

$$\text{FreeQ}\{b, c, d\}, x\} \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2639

$$\text{Int}[\text{Sqrt}[\sin[c] + (d x) \sin[c + d x]], x_Symbol] \text{ :> } \text{Simp}[(2 \text{EllipticE}[(1(c - P i/2 + d x))/2, 2])/d, x] /;$$

$$\text{FreeQ}\{c, d\}, x\}$$

Rule 2641

$$\text{Int}[1/\text{Sqrt}[\sin[c] + (d x) \sin[c + d x]], x_Symbol] \text{ :> } \text{Simp}[(2 \text{EllipticF}[(1(c - P i/2 + d x))/2, 2])/d, x] /;$$

$$\text{FreeQ}\{c, d\}, x\}$$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^2}{\sec^{\frac{5}{2}}(c + dx)} dx}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(4A + 7B)(a^2 + a^2 \sec^2(c + dx))}{35d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a^2(33A + 49B + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a^2(33A + 49B + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a^2(33A + 49B + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{4a^2(3A + 4B + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 2.25534, size = 189, normalized size = 0.86

$$\frac{a^2 \sqrt{\sec(c + dx)} \left(-112i(3A + 4B + 5C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 80(6A + 7(B + 2C)) \right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (a^2*Sqrt[Sec[c + d*x]]*(80*(6*A + 7*(B + 2*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (112*I)*(3*A + 4*B + 5*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*Cos[c + d*x]*((504*I)*A + (672*I)*B + (840*I)*C + 5*(51*A + 28*(2*B + C))*Sin[c + d*x] + 42*(2*A + B)*Sin[2*(c + d*x)] + 15*A*Ssin[3*(c + d*x)])))/(420*d)
```

Maple [A] time = 2.378, size = 483, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(7/2)}, x)$

[Out]
$$-4/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(120*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-348*A-84*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(378*A+224*B+70*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-117*A-91*B-35*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+35*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-84*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+70*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-105*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(7/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Ca^2 \sec(dx+c)^4 + (B+2C)a^2 \sec(dx+c)^3 + (A+2B+C)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{7}{2}}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^2*sec(d*x + c)^4 + (B + 2*C)*a^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(7/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(7/2), x)
```


$$3.547 \quad \int \frac{(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=255

$$\frac{4a^2(5A+6B+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a^2(19A+27B+21C)\sin(c+dx)}{105d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(5A+6B+7C)\sin(c+dx)}{21d}$$

```
[Out] (4*a^2*(8*A + 9*B + 12*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(5*A + 6*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(19*A + 27*B + 21*C)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (4*a^2*(5*A + 6*B + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(4*A + 9*B)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))
```

Rubi [A] time = 0.501663, antiderivative size = 255, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4086, 4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a^2(19A+27B+21C)\sin(c+dx)}{105d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(5A+6B+7C)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{4a^2(5A+6B+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]
```

```
[Out] (4*a^2*(8*A + 9*B + 12*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(5*A + 6*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(19*A + 27*B + 21*C)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (4*a^2*(5*A + 6*B + 7*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(4*A + 9*B)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))
```

Rule 4086

$\text{Int}[(A_.) + \csc[(e_.) + (f_.)*(x_)]*(B_.) + \csc[(e_.) + (f_.)*(x_)]^2*(C_.)]*(\csc[(e_.) + (f_.)*(x_)]*(d_.)^n*(\csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)$

```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx}{9d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(4A + 9B)(a^2)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(19A + 27B + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))}{9d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(19A + 27B + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))}{9d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(19A + 27B + 21C) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^2(5A + 6B + 3C)}{21d \sqrt{\sec(c + dx)}} \\
 &= \frac{4a^2(8A + 9B + 12C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} \\
 &= \frac{4a^2(8A + 9B + 12C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
 \end{aligned}$$

Mathematica [C] time = 3.56378, size = 234, normalized size = 0.92

$$\frac{a^2 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-112i(8A + 9B + 12C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/
Sec[c + d*x]^(9/2),x]
```

```
[Out] (a^2*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(240*(5*A + 6*B + 7*C)*Sqrt
[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (112*I)*(8*A + 9*B + 12*C)*E^(I*
(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -
E^((2*I)*(c + d*x))] + Cos[c + d*x]*((2688*I)*A + (3024*I)*B + (4032*I)*C +
30*(46*A + 51*B + 56*C)*Sin[c + d*x] + 14*(37*A + 36*B + 18*C)*Sin[2*(c +
d*x)] + 180*A*Sin[3*(c + d*x)] + 90*B*Sin[3*(c + d*x)] + 35*A*Sin[4*(c + d*
x)])))/(1260*d*E^(I*d*x))
```

Maple [A] time = 2.476, size = 514, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)
```

```
[Out] -4/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(-560*A*
cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(1840*A+360*B)*sin(1/2*d*x+1/2*c)^
8*cos(1/2*d*x+1/2*c)+(-2368*A-1044*B-252*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*
x+1/2*c)+(1568*A+1134*B+672*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-38
7*A-351*B-273*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+75*A*(sin(1/2*d*x+
1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*
c),2^(1/2))-168*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+90*B*(sin(1/2*d*x+1/2*c)^2)^(1/2
)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-18
9*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE
(cos(1/2*d*x+1/2*c),2^(1/2))+105*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*
d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-252*C*(sin(1/2*
d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+
1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1
/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + (B+2C)a^2 \sec(dx+c)^3 + (A+2B+C)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + (B + 2*C)*a^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(9/2), x)
```

$$3.548 \quad \int \frac{(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=291

$$\frac{4a^2(50A + 55B + 66C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^2(7A + 8B + 9C) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^2(89A + 121B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)}$$

```
[Out] (4*a^2*(7*A + 8*B + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(50*A + 55*B + 66*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a^2*(89*A + 121*B + 99*C)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)) + (4*a^2*(7*A + 8*B + 9*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (4*a^2*(50*A + 55*B + 66*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (2*(4*A + 11*B)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2))
```

Rubi [A] time = 0.523717, antiderivative size = 291, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4086, 4017, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{4a^2(7A + 8B + 9C) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^2(89A + 121B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2(50A + 55B + 66C) \sin(c + dx)}{231d \sqrt{\sec(c + dx)}} + \frac{4a^2(50A + 55B + 66C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]
```

```
[Out] (4*a^2*(7*A + 8*B + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^2*(50*A + 55*B + 66*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a^2*(89*A + 121*B + 99*C)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)) + (4*a^2*(7*A + 8*B + 9*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (4*a^2*(50*A + 55*B + 66*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (2*(4*A + 11*B)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2))
```

Rule 4086

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```


Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx}{11d \sec^{\frac{9}{2}}(c + dx)} \\
 &= \frac{2A(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2(4A + 11B)(a + a \sec(c + dx))}{11d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(89A + 121B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))}{11d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(89A + 121B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))}{11d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(89A + 121B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2(7A + 8B)}{45d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{2a^2(89A + 121B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2(7A + 8B)}{45d \sec^{\frac{7}{2}}(c + dx)} \\
 &= \frac{4a^2(7A + 8B + 9C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
 \end{aligned}$$

Mathematica [C] time = 4.54627, size = 270, normalized size = 0.93

$$\frac{a^2 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-2464i(7A + 8B + 9C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2),x]

[Out] (a^2*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x]))*(480*(50*A + 55*B + 66*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (2464*I)*(7*A + 8*B + 9*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((51744*I)*A + (59136*I)*B + (66528*I)*C + 30*(941*A + 22*(46*B + 51*C))*Sin[c + d*x] + 308*(38*A + 37*B + 36*C)*Sin[2*(c + d*x)] + 4545*A*Sin[3*(c + d*x)] + 3960*B*Sin[3*(c + d*x)] + 1980*C*Sin[3*(c + d*x)] + 1540*A*Sin[4*(c + d*x)] + 770*B*Sin[4*(c + d*x)] + 315*A*Sin[5*(c + d*x)])))/(27720*d*E^(I*d*x))

Maple [A] time = 2.298, size = 545, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x)

[Out] -4/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(10080*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-37520*A-6160*B)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(57040*A+20240*B+3960*C)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-46192*A-26048*B-11484*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(22022*A+17248*B+12474*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-4563*A-4257*B-3861*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+750*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1617*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+825*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1848*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+990*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2079*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + (B+2C)a^2 \sec(dx+c)^3 + (A+2B+C)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{11}{2}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + (B + 2*C)*a^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(11/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(11/2), x)
```

$$3.549 \quad \int \sec^3(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)) dx$$

Optimal. Leaf size=343

$$\frac{4a^3(143A + 121B + 105C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^3(264A + 253B + 210C)\sin(c + dx)}{1155d}$$

```
[Out] (-4*a^3*(21*A + 17*B + 15*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(143*A + 121*B + 105*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (4*a^3*(21*A + 17*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (4*a^3*(143*A + 121*B + 105*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(231*d) + (4*a^3*(264*A + 253*B + 210*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(1155*d) + (2*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(11*d) + (2*(11*B + 6*C)*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(99*a*d) + (2*(99*A + 143*B + 105*C)*Sec[c + d*x]^(5/2)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(693*d)
```

Rubi [A] time = 0.699487, antiderivative size = 343, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4088, 4018, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{4a^3(264A + 253B + 210C)\sin(c + dx)\sec^5(c + dx)}{1155d} + \frac{4a^3(143A + 121B + 105C)\sin(c + dx)\sec^3(c + dx)}{231d} + \frac{2(99A + 143B + 105C)\sin(c + dx)\sec^2(c + dx)}{693d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-4*a^3*(21*A + 17*B + 15*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(143*A + 121*B + 105*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (4*a^3*(21*A + 17*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (4*a^3*(143*A + 121*B + 105*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(231*d) + (4*a^3*(264*A + 253*B + 210*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(1155*d) + (2*C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(11*d) + (2*(11*B + 6*C)*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(99*a*d) + (2*(99*A + 143*B + 105*C)*Sec[c + d*x]^(5/2)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(693*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
 + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*Cot[e
 + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
 + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{11d} \\
 &= \frac{2C \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{11d} \\
 &= \frac{2C \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{11d} \\
 &= \frac{4a^3(264A + 253B + 210C) \sec^{\frac{5}{2}}(c + dx)}{1155d} \\
 &= \frac{4a^3(264A + 253B + 210C) \sec^{\frac{5}{2}}(c + dx)}{1155d} \\
 &= \frac{4a^3(21A + 17B + 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} \\
 &= \frac{4a^3(21A + 17B + 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} \\
 &= -\frac{4a^3(21A + 17B + 15C) \sqrt{\cos(c + dx)} E\left(\frac{c + dx}{2}\right)}{15d}
 \end{aligned}$$

Mathematica [C] time = 7.35393, size = 1324, normalized size = 3.86

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (7*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(15*Sqrt[2]*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (17*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(45*Sqrt[2]*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*Sqrt[2]*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (13*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + (11*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + (5*C*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(11*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + (Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((21*A + 17*B + 15*C)*Cos[d*x]*Csc[c])/(15*d) + (C*Sec[c]*Sec[c + d*x]^5*Sin[d*x])/(22*d) + (Sec[c]*Sec[c + d*x]^4*(9*C*Sin[c] + 11*B*Sin[d*x] + 33*C*Sin[d*x]))/(198*d) + (Sec[c]*Sec[c + d*x]^3*(77*B*Sin[c] + 231*C*Sin[c] + 99*A*Sin[d*x] + 297*B*Sin[d*x] + 378*C*Sin[d*x]))/(1386*d) + (Sec[c]*Sec[c + d*x]^2*(495*A*Sin[c] + 1485*B*Sin[c] + 1890*C*Sin[c] + 2079*A*Sin[d*x] + 2618*B*Sin[d*x] + 2310*C*Sin[d*x]))/(6930*d) + (Sec[c]*Sec[c + d*x]*(2079*A*Sin[c] + 2618*B*Sin[c] + 2310*C*Sin[c] + 4290*A*Sin[d*x] + 3630*B*Sin[d*x] + 3150*C*Sin[d*x]))/(6930*d) + ((143*A + 121*B + 105*C)*Tan[c])/(231*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2))

Maple [B] time = 12.427, size = 1427, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{3/2} * (a+a*\sec(dx+c))^{3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out] $-a^3 * (-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * (16*(1/8*A+3/8*B+3/8*C) * (-1/56*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2-1/2)^4 - 5/42*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2-1/2)^2 + 5/21*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})) - 16/5*(3/8*A+3/8*B+1/8*C) / (8*\sin(1/2*d*x+1/2*c)^6 - 12*\sin(1/2*d*x+1/2*c)^4 + 6*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c)^2 * (12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * \sin(1/2*d*x+1/2*c)^4 - 24*\sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) - 12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * \sin(1/2*d*x+1/2*c)^2 + 24*\sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + 3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} - 8*\sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c)) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} + 16*(3/8*A+1/8*B) * (-1/6*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2-1/2)^2 + 1/3*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})) + 2*C * (-1/352*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2-1/2)^6 - 9/616*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2-1/2)^4 - 15/154*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2-1/2)^2 + 15/77*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})) + 16*(1/8*B+3/8*C) * (-1/144*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2-1/2)^5 - 7/180*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2-1/2)^3 - 14/15*\sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) / (-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{1/2} + 7/15*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 7/15*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2})) + 2*A * (-\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (-2*\sin(1/2*$

$$d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((Ca^3 \sec(dx + c)^6 + (B + 3C)a^3 \sec(dx + c)^5 + (A + 3B + 3C)a^3 \sec(dx + c)^4 + (3A + 3B + C)a^3 \sec(dx + c)^3 + (3A + B)a^3 \sec(dx + c)^2 + Aa^3 \sec(dx + c))\sqrt{\sec(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*sec(d*x + c)^6 + (B + 3*C)*a^3*sec(d*x + c)^5 + (A + 3*B + 3*C)*a^3*sec(d*x + c)^4 + (3*A + 3*B + C)*a^3*sec(d*x + c)^3 + (3*A + B)*a^3*sec(d*x + c)^2 + A*a^3*sec(d*x + c))*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)

3.550 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec(c+dx)) dx$

Optimal. Leaf size=307

$$\frac{4a^3(21A+13B+11C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{4a^3(42A+41B+32C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{105d}$$

[Out] $(-4a^3(27A+21B+17C)\sqrt{\cos[c+dx]}\text{EllipticE}[(c+dx)/2, 2]\sqrt{\sec[c+dx]})/(15d) + (4a^3(21A+13B+11C)\sqrt{\cos[c+dx]}\text{EllipticF}[(c+dx)/2, 2]\sqrt{\sec[c+dx]})/(21d) + (4a^3(27A+21B+17C)\sqrt{\sec[c+dx]}\sin[c+dx])/(15d) + (4a^3(42A+41B+32C)\sec[c+dx]^{3/2}\sin[c+dx])/(105d) + (2C\sec[c+dx]^{3/2}(a+a\sec[c+dx])^3\sin[c+dx])/(9d) + (2(3B+2C)\sec[c+dx]^{3/2}(a^2+a^2\sec[c+dx])^2\sin[c+dx])/(21ad) + (2(63A+99B+73C)\sec[c+dx]^{3/2}(a^3+a^3\sec[c+dx])\sin[c+dx])/(315d)$

Rubi [A] time = 0.645568, antiderivative size = 307, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4088, 4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{4a^3(42A+41B+32C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{105d} + \frac{2(63A+99B+73C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)(a^3\sec(c+dx)+a^3)}{315d} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[\sqrt{\sec[c+dx]}(a+a\sec[c+dx])^3(A+B\sec[c+dx]+C\sec[c+dx]^2), x]$

[Out] $(-4a^3(27A+21B+17C)\sqrt{\cos[c+dx]}\text{EllipticE}[(c+dx)/2, 2]\sqrt{\sec[c+dx]})/(15d) + (4a^3(21A+13B+11C)\sqrt{\cos[c+dx]}\text{EllipticF}[(c+dx)/2, 2]\sqrt{\sec[c+dx]})/(21d) + (4a^3(27A+21B+17C)\sqrt{\sec[c+dx]}\sin[c+dx])/(15d) + (4a^3(42A+41B+32C)\sec[c+dx]^{3/2}\sin[c+dx])/(105d) + (2C\sec[c+dx]^{3/2}(a+a\sec[c+dx])^3\sin[c+dx])/(9d) + (2(3B+2C)\sec[c+dx]^{3/2}(a^2+a^2\sec[c+dx])^2\sin[c+dx])/(21ad) + (2(63A+99B+73C)\sec[c+dx]^{3/2}(a^3+a^3\sec[c+dx])\sin[c+dx])/(315d)$

Rule 4088

$\text{Int}[(A_+ + \csc(e_+) + (f_+)(x_+))(B_+ + \csc[(e_+) + (f_+)(x_+)]^2(C_+))(\csc[(e_+) + (f_+)(x_+)](d_+))^{(n_+)}(\csc[(e_+) + (f_+)(x_+)](b_+) + (a_+)$

$_))^{(m_)} , x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]$

Rule 4018

$Int[(csc[(e_)] + (f_)*(x_)]*(d_))^{(n_)}*(csc[(e_)] + (f_)*(x_)]*(b_)] + (a_))^{(m_)}*(csc[(e_)] + (f_)*(x_)]*(B_)] + (A_)] , x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^{(m - 1)}*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^{(m - 1)}*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]$

Rule 3997

$Int[(csc[(e_)] + (f_)*(x_)]*(d_))^{(n_)}*(csc[(e_)] + (f_)*(x_)]*(b_)] + (a_)]*(csc[(e_)] + (f_)*(x_)]*(B_)] + (A_)] , x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]$

Rule 3787

$Int[(csc[(e_)] + (f_)*(x_)]*(d_))^{(n_)}*(csc[(e_)] + (f_)*(x_)]*(b_)] + (a_)] , x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^{(n + 1)}, x], x] /; FreeQ[{a, b, d, e, f, n}, x]$

Rule 3771

$Int[(csc[(c_)] + (d_)*(x_)]*(b_))^{(n_)} , x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]$

Rule 2641

$Int[1/Sqrt[sin[(c_)] + (d_)*(x_)]] , x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]$

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)(a+a\sec(c+dx))^3} (A+B\sec(c+dx)+C\sec^2(c+dx)) dx &= \frac{2C \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^3 \sin(c+dx)}{9d} \\
&= \frac{2C \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^3 \sin(c+dx)}{9d} \\
&= \frac{2C \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^3 \sin(c+dx)}{9d} \\
&= \frac{4a^3(42A+41B+32C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{105d} \\
&= \frac{4a^3(42A+41B+32C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{105d} \\
&= \frac{4a^3(27A+21B+17C) \sqrt{\sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{4a^3(21A+13B+11C) \sqrt{\cos(c+dx)} F\left(\frac{1}{2}\right)}{21d} \\
&= -\frac{4a^3(27A+21B+17C) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}\right)}{15d}
\end{aligned}$$

Mathematica [C] time = 7.19545, size = 1267, normalized size = 4.13

$$\frac{3Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos^5(c+dx) \csc(c) \left(e^{2idx} (-1+e^{2ic}) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}} \right)}{5\sqrt{2}d(\cos(2c+2dx)A + A + 2C + 2B \cos(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (3*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*Sqrt[2]*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (7*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(15*Sqrt[2]*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (17*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^5*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(45*Sqrt[2]*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + (13*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + (11*C*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + (Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((27*A + 21*B + 17*C)*Cos[d*x]*Csc[c])/(15*d) + (C*Sec[c]*Sec[c + d*x]^4*Sin[d*x])/(18*d) + (Sec[c]*Sec[c + d*x]^3*(7*C*Sin[c] + 9*B*Sin[d*x] + 27*C*Sin[d*x]))/(126*d) + (Sec[c]*Sec[c + d*x]^2*(45*B*Sin[c] + 135*C*Sin[c] + 63*A*Sin[d*x] + 189*B*Sin[d*x] + 238*C*Sin[d*x]))/(630*d) + (Sec[c]*Sec[c + d*x]*(63*A*Sin[c] + 189*B*Sin[c] + 238*C*Sin[c] + 315*A*Sin[d*x] + 390*B*Sin[d*x] + 330*C*Sin[d*x]))/(630*d) + ((21*A + 26*B + 22*C)*Tan[c])/(42*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2))

Maple [B] time = 11.043, size = 1265, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)*\sec(dx+c)^{(1/2)}, x)$

[Out] $-a^3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+16*(1/8*B+3/8*C)*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-16/5*(1/8*A+3/8*B+3/8*C)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+16*(3/8*A+3/8*B+1/8*C)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*C*(-1/144*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^5-7/180*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))+16*(3/8*A+1/8*B)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral((C*a^3*sec(dx+c)^5 + (B+3C)*a^3*sec(dx+c)^4 + (A+3B+3C)*a^3*sec(dx+c)^3 + (3A+3B+C)*a^3*sec(dx+c)^2 + (3A+B)*a^3*sec(dx+c) + A*a^3)*sqrt(sec(dx+c)), x)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*sec(d*x+c)^5 + (B+3C)*a^3*sec(d*x+c)^4 + (A+3B+3C)*a^3*sec(d*x+c)^3 + (3A+3B+C)*a^3*sec(d*x+c)^2 + (3A+B)*a^3*sec(d*x+c) + A*a^3)*sqrt(sec(d*x+c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^3 \sqrt{\sec(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3*sq  
rt(sec(d*x + c)), x)
```

$$3.551 \quad \int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=271

$$\frac{4a^3(35A + 21B + 13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{4a^3(140A + 147B + 106C)\sin(c+dx)\sqrt{\sec(c+dx)}}{105d}$$

```
[Out] (-4*a^3*(5*A + 9*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(35*A + 21*B + 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(140*A + 147*B + 106*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(7*d) + (2*(7*B + 6*C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(35*a*d) + (2*(5*A + 9*B + 7*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)
```

Rubi [A] time = 0.630653, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4088, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(140A + 147B + 106C)\sin(c+dx)\sqrt{\sec(c+dx)}}{105d} + \frac{2(5A + 9B + 7C)\sin(c+dx)\sqrt{\sec(c+dx)}(a^3 \sec(c+dx) + a^3)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (-4*a^3*(5*A + 9*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(35*A + 21*B + 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(140*A + 147*B + 106*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(7*d) + (2*(7*B + 6*C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(35*a*d) + (2*(5*A + 9*B + 7*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
```

$(e + f*x)^n / (f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n * \text{Simp}[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(b*B*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m-1} * (d*\text{Csc}[e + f*x])^n / (f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1} * (d*\text{Csc}[e + f*x])^n * \text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(b*B*\text{Cot}[e + f*x] * (d*\text{Csc}[e + f*x])^n / (f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e + f*x])^n * \text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := \text{Dist}[(b*\text{Csc}[c + d*x])^n * \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} + \frac{2}{7d} \\
 &= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} + \frac{2}{7d} \\
 &= \frac{2C\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3 \sin(c + dx)}{7d} + \frac{2}{7d} \\
 &= \frac{4a^3(140A + 147B + 106C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} \\
 &= \frac{4a^3(140A + 147B + 106C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} \\
 &= \frac{4a^3(140A + 147B + 106C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} \\
 &= -\frac{4a^3(5A + 9B + 7C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

Mathematica [C] time = 5.46975, size = 359, normalized size = 1.32

$$a^3 e^{-idx} \sec^{\frac{7}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(14i(5A + 9B + 7C) e^{-2i(c+dx)} (1 + e^{2i(c+dx)})^{7/2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (a^3*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x]))*((-630*I)*A - (1134*I)*B - (882*I)*C - (840*I)*A*Cos[2*(c + d*x)] - (1512*I)*B*Cos[2*(c + d*x)] - (117*6*I)*C*Cos[2*(c + d*x)] - (210*I)*A*Cos[4*(c + d*x)] - (378*I)*B*Cos[4*(c + d*x)] - (294*I)*C*Cos[4*(c + d*x)] + 80*(35*A + 21*B + 13*C)*Cos[c + d*x]^

$$\frac{(7/2)*\text{EllipticF}[(c + d*x)/2, 2] + ((14*I)*(5*A + 9*B + 7*C)*(1 + E^{((2*I)*(c + d*x))})^{(7/2)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))}]]/E^{((2*I)*(c + d*x))} + 70*A*\text{Sin}[c + d*x] + 210*B*\text{Sin}[c + d*x] + 380*C*\text{Sin}[c + d*x] + 630*A*\text{Sin}[2*(c + d*x)] + 840*B*\text{Sin}[2*(c + d*x)] + 840*C*\text{Sin}[2*(c + d*x)] + 70*A*\text{Sin}[3*(c + d*x)] + 210*B*\text{Sin}[3*(c + d*x)] + 260*C*\text{Sin}[3*(c + d*x)] + 315*A*\text{Sin}[4*(c + d*x)] + 378*B*\text{Sin}[4*(c + d*x)] + 294*C*\text{Sin}[4*(c + d*x)]))/(420*d*E^{(I*d*x)}}$$

Maple [B] time = 9.23, size = 1099, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(1/2)}, x)$

[Out] $-a^3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+4*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*C*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-16/5*(1/8*B+3/8*C)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+16*(1/8*A+3/8*B+3/8*C)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+16*(3/8*A+3/8*B+1/8*C)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*s$

$$\frac{\sin(1/2*d*x+1/2*c)^{2-1} \sqrt{\cos(1/2*d*x+1/2*c)} \operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} + 2*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^{2-1})}{\sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^{2-1})^{1/2}} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{Ca^3 \sec(dx+c)^5 + (B+3C)a^3 \sec(dx+c)^4 + (A+3B+3C)a^3 \sec(dx+c)^3 + (3A+3B+C)a^3 \sec(dx+c)^2}{\sqrt{\sec(dx+c)}}\right), x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + (B + 3*C)*a^3*sec(d*x + c)^4 + (A + 3*B + 3*C)*a^3*sec(d*x + c)^3 + (3*A + 3*B + C)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**
(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sq
rt(sec(d*x + c)), x)
```


$$3.552 \quad \int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=271

$$\frac{4a^3(5A+5B+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{4a^3(5A+20B+21C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d}$$

[Out] (4*a^3*(5*A - 5*B - 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(5*A + 5*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^3*(5*A + 20*B + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(5*A - 3*C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(15*a*d) - (2*(5*A - 5*B - 9*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)

Rubi [A] time = 0.630659, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4086, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(5A+20B+21C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} - \frac{2(5A-5B-9C)\sin(c+dx)\sqrt{\sec(c+dx)}(a^3\sec(c+dx)+a^3)}{15d} + \frac{4a^3}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (4*a^3*(5*A - 5*B - 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(5*A + 5*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^3*(5*A + 20*B + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(5*A - 3*C)*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(15*a*d) - (2*(5*A - 5*B - 9*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_))^(m)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 3997

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx}{3d\sqrt{\sec(c + dx)}} \\
 &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2(5A - 3C)\sqrt{\sec(c + dx)}}{3d\sqrt{\sec(c + dx)}} \\
 &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2(5A - 3C)\sqrt{\sec(c + dx)}}{3d\sqrt{\sec(c + dx)}} \\
 &= \frac{4a^3(5A + 20B + 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A}{15d} \\
 &= \frac{4a^3(5A + 20B + 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A}{15d} \\
 &= \frac{4a^3(5A + 20B + 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A}{15d} \\
 &= \frac{4a^3(5A - 5B - 9C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

Mathematica [C] time = 4.72114, size = 316, normalized size = 1.17

$$a^3 e^{-idx} \sec^{\frac{5}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(-4i(5A - 5B - 9C) e^{-i(c+dx)} (1 + e^{2i(c+dx)})^{5/2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (a^3*Sec[c + d*x]^(5/2)*(Cos[d*x] + I*Sin[d*x]))*((180*I)*A*Cos[c + d*x] - (180*I)*B*Cos[c + d*x] - (324*I)*C*Cos[c + d*x] + (60*I)*A*Cos[3*(c + d*x)])

$$\begin{aligned}
& - (60*I)*B*\text{Cos}[3*(c + d*x)] - (108*I)*C*\text{Cos}[3*(c + d*x)] + 80*(5*A + 5*B + \\
& 3*C)*\text{Cos}[c + d*x]^{(5/2)}*\text{EllipticF}[(c + d*x)/2, 2] - ((4*I)*(5*A - 5*B - 9*C) \\
&)*(1 + E^{((2*I)*(c + d*x))})^{(5/2)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2*I) \\
&)*(c + d*x)}])/E^{(I*(c + d*x))} + 30*A*\text{Sin}[c + d*x] + 90*B*\text{Sin}[c + d*x] + 13 \\
& 2*C*\text{Sin}[c + d*x] + 10*A*\text{Sin}[2*(c + d*x)] + 20*B*\text{Sin}[2*(c + d*x)] + 60*C*\text{Sin} \\
& [2*(c + d*x)] + 30*A*\text{Sin}[3*(c + d*x)] + 90*B*\text{Sin}[3*(c + d*x)] + 108*C*\text{Sin}[3 \\
& *(c + d*x)] + 5*A*\text{Sin}[4*(c + d*x)])))/(60*d*E^{(I*d*x)})
\end{aligned}$$

Maple [B] time = 8.219, size = 1328, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(3/2)}, x)$

[Out] $4/15*a^3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^3*(40*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+90*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-120*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+15*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+15*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+27*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+25*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-60*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4+100*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4+60*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4+60*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4+108*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4+100*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4-60*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2+190*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+246*C*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-50*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2$

```
+60*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2
*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*sin(1/2*d*x+1/2*c)^2-100*A*(sin(1/2*d*x+1/2*
c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1
)^(1/2)*sin(1/2*d*x+1/2*c)^2-100*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(c
os(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*sin(1/2*d*x+1/2
*c)^2-108*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/
2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*sin(1/2*d*x+1/2*c)^2-60*C*(sin(1/2*d*x
+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c
)^2-1)^(1/2)*sin(1/2*d*x+1/2*c)^2-20*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c
)*A-72*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*C-180*B*cos(1/2*d*x+1/2*c)*s
in(1/2*d*x+1/2*c)^6-216*C*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6)*(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/
2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/
2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^3 \sec(dx+c)^5 + (B+3C)a^3 \sec(dx+c)^4 + (A+3B+3C)a^3 \sec(dx+c)^3 + (3A+3B+C)a^3 \sec(dx+c)^2}{\sec(dx+c)^{\frac{3}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/
2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*sec(d*x + c)^5 + (B + 3*C)*a^3*sec(d*x + c)^4 + (A + 3*B +
3*C)*a^3*sec(d*x + c)^3 + (3*A + 3*B + C)*a^3*sec(d*x + c)^2 + (3*A + B)*a^
3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(3/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(3/2), x)

$$3.553 \quad \int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=270

$$\frac{4a^3(3A+5(B+C))\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{4a^3(6A-5B-20C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d}$$

[Out] (4*a^3*(9*A + 5*B - 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(3*A + 5*(B + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (4*a^3*(6*A - 5*B - 20*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(6*A + 5*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(15*a*d*Sqrt[Sec[c + d*x]]) - (2*(9*A + 5*B - 5*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)

Rubi [A] time = 0.657914, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4086, 4017, 4018, 3997, 3787, 3771, 2639, 2641}

$$-\frac{4a^3(6A-5B-20C)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} - \frac{2(9A+5B-5C)\sin(c+dx)\sqrt{\sec(c+dx)}(a^3\sec(c+dx)+a^3)}{15d} + \frac{4a^3}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (4*a^3*(9*A + 5*B - 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(3*A + 5*(B + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (4*a^3*(6*A - 5*B - 20*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(6*A + 5*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(15*a*d*Sqrt[Sec[c + d*x]]) - (2*(9*A + 5*B - 5*C)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```
)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
```


EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx}{1} \\
 &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(6A + 5B)(a^2)}{1} \\
 &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(6A + 5B)(a^2)}{1} \\
 &= -\frac{4a^3(6A - 5B - 20C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A}{1} \\
 &= -\frac{4a^3(6A - 5B - 20C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A}{1} \\
 &= -\frac{4a^3(6A - 5B - 20C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A}{1} \\
 &= \frac{4a^3(9A + 5B - 5C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

Mathematica [C] time = 3.06768, size = 275, normalized size = 1.02

$$a^3 e^{-idx} \sec^3(c+dx) (\cos(dx) + i \sin(dx)) \left(-8i(9A + 5B - 5C) (1 + e^{2i(c+dx)})^{3/2} \operatorname{Hypergeometric2F1} \left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (a^3*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*((216*I)*A + (120*I)*B - (120*I)*C + (216*I)*A*Cos[2*(c + d*x)] + (120*I)*B*Cos[2*(c + d*x)] - (120*I)*C*Cos[2*(c + d*x)] + 80*(3*A + 5*(B + C))*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] - (8*I)*(9*A + 5*B - 5*C)*(1 + E^((2*I)*(c + d*x)))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 30*A*Sin[c + d*x] + 10*B*Sin[c + d*x] + 40*C*Sin[c + d*x] + 6*A*Sin[2*(c + d*x)] + 60*B*Sin[2*(c + d*x)] + 180*C*Sin[2*(c + d*x)] + 30*A*Sin[3*(c + d*x)] + 10*B*Sin[3*(c + d*x)] + 3*A*Sin[4*(c + d*x)]))/(60*d*E^(I*d*x))

Maple [B] time = 7.704, size = 950, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2), x)

[Out] -4/15*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3/(4*sin(1/2*d*x+1/2*c)^4-4*sin(1/2*d*x+1/2*c)^2+1)/sin(1/2*d*x+1/2*c)^3*(24*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8-96*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-20*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^5+54*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*sin(1/2*d*x+1/2*c)^2-30*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*sin(1/2*d*x+1/2*c)^2+78*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+30*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*sin(1/2*d*x+1/2*c)^2-50*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*sin(1/2*d*x+1/2*c)^2+50*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-30*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*sin(1/2*d*x+1/2*c)^2-50*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x

```
+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*sin(1/2*d*x+1/2*c)^2+90*C
*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-27*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+15*A
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(co
s(1/2*d*x+1/2*c),2^(1/2))-18*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*A-15*B
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(co
s(1/2*d*x+1/2*c),2^(1/2))+25*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+
1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-20*B*cos(1/2*d*x+1/
2*c)*sin(1/2*d*x+1/2*c)^2+15*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+
1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+25*C*(sin(1/2*d*x+1
/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c
),2^(1/2))-50*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*C*(-2*sin(1/2*d*x+1/
2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/
2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^3 \sec(dx+c)^5 + (B+3C)a^3 \sec(dx+c)^4 + (A+3B+3C)a^3 \sec(dx+c)^3 + (3A+3B+C)a^3 \sec(dx+c)^2 + (3A+B)a^3 \sec(dx+c) + Aa^3}{\sec(dx+c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/
2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*sec(d*x + c)^5 + (B + 3*C)*a^3*sec(d*x + c)^4 + (A + 3*B +
3*C)*a^3*sec(d*x + c)^3 + (3*A + 3*B + C)*a^3*sec(d*x + c)^2 + (3*A + B)*a^
3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(5/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(5/2), x)

$$3.554 \quad \int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=271

$$\frac{4a^3(13A + 21B + 35C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} - \frac{4a^3(41A + 42B - 35C)\sin(c + dx)\sqrt{\sec(c + dx)}}{105d}$$

[Out] (4*a^3*(7*A + 9*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(13*A + 21*B + 35*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) - (4*a^3*(41*A + 42*B - 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(6*A + 7*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(35*a*d*Sec[c + d*x]^(3/2)) + (2*(7*A + 9*B + 5*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.632989, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4086, 4017, 3997, 3787, 3771, 2639, 2641}

$$-\frac{4a^3(41A + 42B - 35C)\sin(c + dx)\sqrt{\sec(c + dx)}}{105d} + \frac{2(7A + 9B + 5C)\sin(c + dx)(a^3 \sec(c + dx) + a^3)}{15d\sqrt{\sec(c + dx)}} + \frac{4a^3(13A + 21B + 35C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (4*a^3*(7*A + 9*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(13*A + 21*B + 35*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) - (4*a^3*(41*A + 42*B - 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(6*A + 7*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(35*a*d*Sec[c + d*x]^(3/2)) + (2*(7*A + 9*B + 5*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_))^(m)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3997

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx}{3} \\
 &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(6A + 7B)(a^2)}{3} \\
 &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(6A + 7B)(a^2)}{3} \\
 &= -\frac{4a^3(41A + 42B - 35C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} + \\
 &= -\frac{4a^3(41A + 42B - 35C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} + \\
 &= -\frac{4a^3(41A + 42B - 35C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d} + \\
 &= \frac{4a^3(7A + 9B + 5C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

Mathematica [C] time = 3.08927, size = 266, normalized size = 0.98

$$\frac{a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-112i(7A + 9B + 5C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right)\right)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2),x]

```
[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((2352*I)*A*Cos[c + d*x] +
(3024*I)*B*Cos[c + d*x] + (1680*I)*C*Cos[c + d*x] + 80*(13*A + 21*B + 35*C)
*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (112*I)*(7*A + 9*B + 5*C)*E
^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/
4, -E^((2*I)*(c + d*x))] + 126*A*Sin[c + d*x] + 42*B*Sin[c + d*x] + 840*C*S
in[c + d*x] + 550*A*Sin[2*(c + d*x)] + 420*B*Sin[2*(c + d*x)] + 140*C*Sin[2
*(c + d*x)] + 126*A*Sin[3*(c + d*x)] + 42*B*Sin[3*(c + d*x)] + 15*A*Sin[4*(
c + d*x)])))/(420*d*E^(I*d*x))
```

Maple [B] time = 2.711, size = 727, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2), x)
```

```
[Out] -4/105*a^3*(120*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(
1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8-12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x
+1/2*c)^2)^(1/2)*(36*A+7*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+14*(-2*
sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(43*A+21*B+5*C)*sin(1/2*d*
x+1/2*c)^4*cos(1/2*d*x+1/2*c)-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)*(104*A+63*B+70*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+65*A*(-
2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))
-147*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c)
, 2^(1/2))+105*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1
/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d
*x+1/2*c), 2^(1/2))-189*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/
2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(
cos(1/2*d*x+1/2*c), 2^(1/2))+175*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d
*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(-2*sin(1/2*d*x+
1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-105*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*
sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2
)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin
(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2
)/d
```


Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^3 \sec(dx+c)^5 + (B+3C)a^3 \sec(dx+c)^4 + (A+3B+3C)a^3 \sec(dx+c)^3 + (3A+3B+C)a^3 \sec(dx+c)^2}{\sec(dx+c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + (B + 3*C)*a^3*sec(d*x + c)^4 + (A + 3*B + 3*C)*a^3*sec(d*x + c)^3 + (3*A + 3*B + C)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(7/2), x)
```

$$3.555 \quad \int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=271

$$\frac{4a^3(11A + 13B + 21C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2(73A + 99B + 63C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{315d \sec^{\frac{3}{2}}(c + dx)}$$

[Out] (4*a^3*(17*A + 21*B + 27*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(11*A + 13*B + 21*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(32*A + 41*B + 42*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(2*A + 3*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(21*a*d*Sec[c + d*x]^(5/2)) + (2*(73*A + 99*B + 63*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.646838, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4086, 4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2(73A + 99B + 63C) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{315d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(32A + 41B + 42C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{4a^3(11A + 13B + 21C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (4*a^3*(17*A + 21*B + 27*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(11*A + 13*B + 21*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(32*A + 41*B + 42*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(2*A + 3*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(21*a*d*Sec[c + d*x]^(5/2)) + (2*(73*A + 99*B + 63*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```
)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{7}{2}}(c + dx)} dx}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(2A + 3B) \left(a^2 \int \frac{1}{\sec^{\frac{7}{2}}(c + dx)} dx \right)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(2A + 3B) \left(a^2 \int \frac{1}{\sec^{\frac{7}{2}}(c + dx)} dx \right)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(32A + 41B + 42C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(32A + 41B + 42C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(32A + 41B + 42C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(17A + 21B + 27C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d}
\end{aligned}$$

Mathematica [C] time = 3.04776, size = 214, normalized size = 0.79

$$\frac{a^3 \sqrt{\sec(c + dx)} \left(-224i(17A + 21B + 27C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 480(11A + 13B + 21C) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (a^3*Sqrt[Sec[c + d*x]]*(480*(11*A + 13*B + 21*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (224*I)*(17*A + 21*B + 27*C)*E^(I*(c + d*x))*Sqrt[1 +

$$\frac{E^{((2*I)*(c + d*x))} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))}] + 2*\text{Cos}[c + d*x] * ((5712*I)*A + (7056*I)*B + (9072*I)*C + 30*(97*A + 107*B + 84*C)*\text{Sin}[c + d*x] + 14*(73*A + 54*B + 18*C)*\text{Sin}[2*(c + d*x)] + 270*A*\text{Sin}[3*(c + d*x)] + 90*B*\text{Sin}[3*(c + d*x)] + 35*A*\text{Sin}[4*(c + d*x)])}{(2520*d)}$$

Maple [A] time = 2.337, size = 514, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(9/2)}, x)$

[Out]
$$\frac{-4/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(-560*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(2200*A+360*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-3412*A-1296*B-252*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(2702*A+1806*B+882*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-738*A-624*B-378*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+165*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-357*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+195*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-441*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+315*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-567*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})}{(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(9/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^3 \sec(dx+c)^5 + (B+3C)a^3 \sec(dx+c)^4 + (A+3B+3C)a^3 \sec(dx+c)^3 + (3A+3B+C)a^3 \sec(dx+c)^2}{\sec(dx+c)^{\frac{9}{2}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + (B + 3*C)*a^3*sec(d*x + c)^4 + (A + 3*B + 3*C)*a^3*sec(d*x + c)^3 + (3*A + 3*B + C)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(9/2), x)

$$3.556 \quad \int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=307

$$\frac{4a^3(105A + 121B + 143C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{231d} + \frac{4a^3(210A + 253B + 264C)\sin(c+dx)}{1155d \sec^{\frac{3}{2}}(c+dx)} +$$

[Out] (4*a^3*(15*A + 17*B + 21*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(105*A + 121*B + 143*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (4*a^3*(210*A + 253*B + 264*C)*Sin[c + d*x])/(1155*d*Sec[c + d*x]^(3/2)) + (4*a^3*(105*A + 121*B + 143*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (2*(6*A + 11*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(99*a*d*Sec[c + d*x]^(7/2)) + (2*(105*A + 143*B + 99*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.675096, antiderivative size = 307, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4086, 4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{4a^3(210A + 253B + 264C)\sin(c+dx)}{1155d \sec^{\frac{3}{2}}(c+dx)} + \frac{2(105A + 143B + 99C)\sin(c+dx)(a^3 \sec(c+dx) + a^3)}{693d \sec^{\frac{5}{2}}(c+dx)} + \frac{4a^3(105A + 121B + 143C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{231d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (4*a^3*(15*A + 17*B + 21*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(105*A + 121*B + 143*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (4*a^3*(210*A + 253*B + 264*C)*Sin[c + d*x])/(1155*d*Sec[c + d*x]^(3/2)) + (4*a^3*(105*A + 121*B + 143*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (2*(6*A + 11*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(99*a*d*Sec[c + d*x]^(7/2)) + (2*(105*A + 143*B + 99*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2))

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
```

EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx}{9} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2(6A + 11B)(a + a \sec(c + dx))}{9} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2(6A + 11B)(a + a \sec(c + dx))}{9} \\
&= \frac{4a^3(210A + 253B + 264C) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))}{11} \\
&= \frac{4a^3(210A + 253B + 264C) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))}{11} \\
&= \frac{4a^3(210A + 253B + 264C) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(105A + 121B + 143C)}{2} \\
&= \frac{4a^3(15A + 17B + 21C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} \\
&= \frac{4a^3(15A + 17B + 21C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d}
\end{aligned}$$

Mathematica [C] time = 5.1811, size = 246, normalized size = 0.8

$$a^3 \sqrt{\sec(c + dx)} \left(-2464i(15A + 17B + 21C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \text{Hypergeometric2F1} \left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)} \right) + 480(105A + 121B + 143C) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (a^3*Sqrt[Sec[c + d*x]]*(480*(105*A + 121*B + 143*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (2464*I)*(15*A + 17*B + 21*C)*E^(I*(c + d*x))*Sqrt

$$\frac{[1 + E^{((2I)*(c + d*x))}] * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2I)*(c + d*x))}] + \text{Cos}[c + d*x] * ((110880*I)*A + (125664*I)*B + (155232*I)*C + 30*(1953*A + 2134*B + 2354*C)*\text{Sin}[c + d*x] + 308*(75*A + 73*B + 54*C)*\text{Sin}[2*(c + d*x)] + 8505*A*\text{Sin}[3*(c + d*x)] + 5940*B*\text{Sin}[3*(c + d*x)] + 1980*C*\text{Sin}[3*(c + d*x)] + 2310*A*\text{Sin}[4*(c + d*x)] + 770*B*\text{Sin}[4*(c + d*x)] + 315*A*\text{Sin}[5*(c + d*x)])]) / (27720*d)}$$

Maple [A] time = 2.188, size = 545, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(11/2)}, x)$

[Out] $-4/3465*((2*\cos(1/2*d*x+1/2*c)^{-2-1}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(10080*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{12}+(-43680*A-6160*B)*\sin(1/2*d*x+1/2*c)^{10}*\cos(1/2*d*x+1/2*c)+(77280*A+24200*B+3960*C)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-72240*A-37532*B-14256*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(39270*A+29722*B+19866*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-8820*A-8118*B-6864*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+1575*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3465*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1815*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3927*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2145*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-4851*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(11/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^3 \sec(dx+c)^5 + (B+3C)a^3 \sec(dx+c)^4 + (A+3B+3C)a^3 \sec(dx+c)^3 + (3A+3B+C)a^3 \sec(dx+c)^2}{\sec(dx+c)^{\frac{11}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + (B + 3*C)*a^3*sec(d*x + c)^4 + (A + 3*B + 3*C)*a^3*sec(d*x + c)^3 + (3*A + 3*B + C)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(11/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/se  
c(d*x + c)^(11/2), x)
```

$$3.557 \quad \int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx$$

Optimal. Leaf size=343

$$\frac{4a^3(95A + 105B + 121C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{231d} + \frac{4a^3(175A + 195B + 221C)\sin(c+dx)}{585d \sec^{\frac{3}{2}}(c+dx)}$$

```
[Out] (4*a^3*(175*A + 195*B + 221*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]
*Sqrt[Sec[c + d*x]]/(195*d) + (4*a^3*(95*A + 105*B + 121*C)*Sqrt[Cos[c + d
*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (20*a^3*(236*A
+ 273*B + 286*C)*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2)) + (4*a^3*(175*A
+ 195*B + 221*C)*Sin[c + d*x])/(585*d*Sec[c + d*x]^(3/2)) + (4*a^3*(95*A +
105*B + 121*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[
c + d*x])^3*Ssin[c + d*x])/(13*d*Sec[c + d*x]^(11/2)) + (2*(6*A + 13*B)*(a^2
+ a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(143*a*d*Sec[c + d*x]^(9/2)) + (2*(145
*A + 195*B + 143*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(1287*d*Sec[c +
d*x]^(7/2))
```

Rubi [A] time = 0.717735, antiderivative size = 343, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4086, 4017, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{4a^3(175A + 195B + 221C)\sin(c+dx)}{585d \sec^{\frac{3}{2}}(c+dx)} + \frac{20a^3(236A + 273B + 286C)\sin(c+dx)}{9009d \sec^{\frac{5}{2}}(c+dx)} + \frac{2(145A + 195B + 143C)\sin(c+dx)}{1287d \sec^{\frac{7}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c
+ d*x]^(13/2), x]
```

```
[Out] (4*a^3*(175*A + 195*B + 221*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]
*Sqrt[Sec[c + d*x]]/(195*d) + (4*a^3*(95*A + 105*B + 121*C)*Sqrt[Cos[c + d
*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (20*a^3*(236*A
+ 273*B + 286*C)*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2)) + (4*a^3*(175*A
+ 195*B + 221*C)*Sin[c + d*x])/(585*d*Sec[c + d*x]^(3/2)) + (4*a^3*(95*A +
105*B + 121*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[
c + d*x])^3*Ssin[c + d*x])/(13*d*Sec[c + d*x]^(11/2)) + (2*(6*A + 13*B)*(a^2
+ a^2*Sec[c + d*x])^2*Ssin[c + d*x])/(143*a*d*Sec[c + d*x]^(9/2)) + (2*(145
```

*A + 195*B + 143*C)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(1287*d*Sec[c + d*x]^(7/2))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{13}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^5}{\sec^{\frac{13}{2}}(c + dx)} dx}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} + \frac{2(6A + 13B)(a^2)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} + \frac{2(6A + 13B)(a^2)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{20a^3(236A + 273B + 286C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{20a^3(236A + 273B + 286C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^3 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{20a^3(236A + 273B + 286C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(175A + 195B + 221C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{195d} \\
&= \frac{20a^3(236A + 273B + 286C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(175A + 195B + 221C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{195d}
\end{aligned}$$

Mathematica [C] time = 6.50075, size = 300, normalized size = 0.87

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-4928i(175A + 195B + 221C) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{3}{2}, \frac{1 + e^{2i(c+dx)}}{2}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(13/2), x]
```

```
[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x]))*(12480*(95*A + 105*B + 121*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (4928*I)*(175*A + 195*B + 221*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2])
```

$$\frac{221 * C * E^{(I * (c + d * x))} * \text{Sqrt}[1 + E^{((2 * I) * (c + d * x))}] * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2 * I) * (c + d * x))}] + \text{Cos}[c + d * x] * ((2587200 * I) * A + (2882880 * I) * B + (3267264 * I) * C + 780 * (1811 * A + 1953 * B + 2134 * C) * \text{Sin}[c + d * x] + 77 * (7825 * A + 7800 * B + 7592 * C) * \text{Sin}[2 * (c + d * x)] + 251550 * A * \text{Sin}[3 * (c + d * x)] + 221130 * B * \text{Sin}[3 * (c + d * x)] + 154440 * C * \text{Sin}[3 * (c + d * x)] + 90860 * A * \text{Sin}[4 * (c + d * x)] + 60060 * B * \text{Sin}[4 * (c + d * x)] + 20020 * C * \text{Sin}[4 * (c + d * x)] + 24570 * A * \text{Sin}[5 * (c + d * x)] + 8190 * B * \text{Sin}[5 * (c + d * x)] + 3465 * A * \text{Sin}[6 * (c + d * x)])}{(720720 * d * E^{(I * d * x)}}$$

Maple [A] time = 2.474, size = 576, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a + a * \sec(dx + c))^3 * (A + B * \sec(dx + c) + C * \sec(dx + c)^2) / \sec(dx + c)^{(13/2)}, x)$

[Out]
$$\frac{-4/45045 * ((2 * \cos(1/2 * dx + 1/2 * c))^2 - 1) * \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * a^3 * (-221760 * A * \cos(1/2 * dx + 1/2 * c) * \sin(1/2 * dx + 1/2 * c)^{14} + (1058400 * A + 131040 * B) * \sin(1/2 * dx + 1/2 * c)^{12} * \cos(1/2 * dx + 1/2 * c) + (-2122400 * A - 567840 * B - 80080 * C) * \sin(1/2 * dx + 1/2 * c)^{10} * \cos(1/2 * dx + 1/2 * c) + (2331040 * A + 1004640 * B + 314600 * C) * \sin(1/2 * dx + 1/2 * c)^8 * \cos(1/2 * dx + 1/2 * c) + (-1535860 * A - 939120 * B - 487916 * C) * \sin(1/2 * dx + 1/2 * c)^6 * \cos(1/2 * dx + 1/2 * c) + (633710 * A + 510510 * B + 386386 * C) * \sin(1/2 * dx + 1/2 * c)^4 * \cos(1/2 * dx + 1/2 * c) + (-121230 * A - 114660 * B - 105534 * C) * \sin(1/2 * dx + 1/2 * c)^2 * \cos(1/2 * dx + 1/2 * c) + 18525 * A * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) - 40425 * A * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) + 20475 * B * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) - 45045 * B * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) + 23595 * C * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) - 51051 * C * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)})}{(-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * dx + 1/2 * c) / (2 * \cos(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} / d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^3 \sec(dx+c)^5 + (B+3C)a^3 \sec(dx+c)^4 + (A+3B+3C)a^3 \sec(dx+c)^3 + (3A+3B+C)a^3 \sec(dx+c)^2}{\sec(dx+c)^{\frac{13}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x+c)^5 + (B+3*C)*a^3*sec(d*x+c)^4 + (A+3*B+3*C)*a^3*sec(d*x+c)^3 + (3*A+3*B+C)*a^3*sec(d*x+c)^2 + (3*A+B)*a^3*sec(d*x+c) + A*a^3)/sec(d*x+c)^(13/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(13/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(13/2), x)
```

$$3.558 \quad \int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=250

$$\frac{(3A - 5B + 5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{(A - B + C) \sin(c+dx) \sec^{\frac{7}{2}}(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(5A - 5B + 5C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad}$$

[Out] (-3*(5*A - 5*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - ((3*A - 5*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + (3*(5*A - 5*B + 7*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*a*d) - ((3*A - 5*B + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) + ((5*A - 5*B + 7*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*a*d) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.27642, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 3787, 3768, 3771, 2641, 2639}

$$-\frac{(A - B + C) \sin(c+dx) \sec^{\frac{7}{2}}(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(5A - 5B + 7C) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{5ad} - \frac{(3A - 5B + 5C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (-3*(5*A - 5*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - ((3*A - 5*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + (3*(5*A - 5*B + 7*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*a*d) - ((3*A - 5*B + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) + ((5*A - 5*B + 7*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*a*d) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

```
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= -\frac{(A-B+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \sec^{\frac{5}{2}}(c+dx)\left(-\frac{1}{2}\right)}{d(a+a\sec(c+dx))} \\
&= -\frac{(A-B+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(3A-5B+5C)\int \sec^{\frac{5}{2}}(c+dx)}{2a} \\
&= -\frac{(3A-5B+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{(5A-5B+7C)\int \sec^{\frac{5}{2}}(c+dx)}{5ad} \\
&= \frac{3(5A-5B+7C)\sqrt{\sec(c+dx)}\sin(c+dx)}{5ad} - \frac{(3A-5B+5C)\int \sec^{\frac{5}{2}}(c+dx)}{5ad} \\
&= -\frac{(3A-5B+5C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{3ad} \\
&= -\frac{3(5A-5B+7C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5ad}
\end{aligned}$$

Mathematica [C] time = 7.87158, size = 1307, normalized size = 5.23

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]
```

```
[Out] (Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (7*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*
```


$$\begin{aligned}
& B \cos[c + dx] + A \cos[2c + 2dx]) (a + a \sec[c + dx]) - (2A \cos[c/2 + \\
& (dx)/2]^2 \sqrt{\cos[c + dx]} \operatorname{Csc}[c/2] \operatorname{EllipticF}[(c + dx)/2, 2] \sec[c/2] * \\
& (A + B \sec[c + dx] + C \sec[c + dx]^2) \sin[c]) / (d(A + 2C + 2B \cos[c + d \\
& *x] + A \cos[2c + 2dx]) \sqrt{\sec[c + dx]} (a + a \sec[c + dx])) + (10B * \\
& \cos[c/2 + (dx)/2]^2 \sqrt{\cos[c + dx]} \operatorname{Csc}[c/2] \operatorname{EllipticF}[(c + dx)/2, 2] * \\
& \sec[c/2] (A + B \sec[c + dx] + C \sec[c + dx]^2) \sin[c]) / (3d(A + 2C + 2 * \\
& B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{\sec[c + dx]} (a + a \sec[c + dx] \\
&)) - (10C \cos[c/2 + (dx)/2]^2 \sqrt{\cos[c + dx]} \operatorname{Csc}[c/2] \operatorname{EllipticF}[(c + \\
& dx)/2, 2] \sec[c/2] (A + B \sec[c + dx] + C \sec[c + dx]^2) \sin[c]) / (3d(A \\
& + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{\sec[c + dx]} (a + a \sec[c + dx] \\
&)) + (\cos[c/2 + (dx)/2]^2 (A + B \sec[c + dx] + C \sec[c + dx]^2) * \\
& ((6(5A - 5B + 7C) \cos[dx] \operatorname{Csc}[c/2] \sec[c/2]) / (5d) - (4 \sec[c/2] \sec \\
& [c/2 + (dx)/2] (A \sin[(dx)/2] - B \sin[(dx)/2] + C \sin[(dx)/2])) / d + (8 \\
& * C \sec[c] \sec[c + dx]^2 \sin[dx]) / (5d) + (8 \sec[c] \sec[c + dx] (3C \sin[\\
& c] + 5B \sin[dx] - 5C \sin[dx])) / (15d) - (4(-2B + 2C + 3A \cos[c] - 5 \\
& * B \cos[c] + 5C \cos[c]) \sec[c] \tan[c/2]) / (3d)) / ((A + 2C + 2B \cos[c + d * \\
& x] + A \cos[2c + 2dx]) \sqrt{\sec[c + dx]} (a + a \sec[c + dx]))
\end{aligned}$$

Maple [B] time = 8.685, size = 812, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c))^{5/2} (A+B\sec(dx+c)+C\sec(dx+c)^2) / (a+a\sec(dx+c)), x$

[Out]
$$\begin{aligned}
& -1/a * (-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2)^{1/2} * (-2/5 C / (8 * \sin(1/2 dx + 1/2 c)^6 - 12 \sin(1/2 dx + 1/2 c)^4 + 6 \sin(1/2 dx + 1/2 c)^2 - 1) / \sin(1/2 dx + 1/2 c)^2 * (12 \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) * (2 * \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * \sin(1/2 dx + 1/2 c)^4 - 24 \sin(1/2 dx + 1/2 c)^6 * \cos(1/2 dx + 1/2 c) - 12 \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) * (2 * \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * \sin(1/2 dx + 1/2 c)^2 + 24 \sin(1/2 dx + 1/2 c)^4 * \cos(1/2 dx + 1/2 c) + 3 * \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) * (2 * \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * (\sin(1/2 dx + 1/2 c)^2)^{1/2} - 8 \sin(1/2 dx + 1/2 c)^2 * \cos(1/2 dx + 1/2 c)) * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} + (2B - 2C) * (-1/6 \cos(1/2 dx + 1/2 c) * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (\cos(1/2 dx + 1/2 c)^2 - 1/2)^2 + 1/3 * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} * \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2})) + (-A + B - C) * (\cos(1/2 dx + 1/2 c) * (2 * \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (\operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2})) - 2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2) / \cos(1/2 dx + 1/2 c)
\end{aligned}$$

$$+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(2*A-2*B+2*C)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^4 + B \sec(dx+c)^3 + A \sec(dx+c)^2)\sqrt{\sec(dx+c)}}{a \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)^{\frac{5}{2}}}{a \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a), x)
```

$$3.559 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=205

$$\frac{(3A - 3B + 5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{(A - B + C) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(3A - 3B + 5C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad} - \frac{(A - 3B + 3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad}$$

[Out] ((A - 3*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((3*A - 3*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) - ((A - 3*B + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) + ((3*A - 3*B + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) - ((A - B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.24829, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 3787, 3768, 3771, 2639, 2641}

$$-\frac{(A - B + C) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(3A - 3B + 5C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad} - \frac{(A - 3B + 3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] ((A - 3*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((3*A - 3*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) - ((A - 3*B + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) + ((3*A - 3*B + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) - ((A - B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +

$f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 3787

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.))(d_.)^{(n_.)}(\text{csc}[e_.] + (f_.)(x_.))(b_.) + (a_.), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3768

$\text{Int}[(\text{csc}[c_.] + (d_.)(x_.))(b_.)^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Csc}[c + d*x])^{(n - 1)}) / (d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2)) / (n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 3771

$\text{Int}[(\text{csc}[c_.] + (d_.)(x_.))(b_.)^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n * \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \sec^{\frac{3}{2}}(c+dx)\left(-\frac{1}{2}\right)}{d(a+a\sec(c+dx))} \\
&= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(A-3B+3C)\int \sec^{\frac{3}{2}}(c+dx)}{2a} \\
&= -\frac{(A-3B+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} + \frac{(3A-3B+5C)\int \sec^{\frac{3}{2}}(c+dx)}{2a} \\
&= -\frac{(A-3B+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} + \frac{(3A-3B+5C)\int \sec^{\frac{3}{2}}(c+dx)}{2a} \\
&= \frac{(A-3B+3C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} + \dots
\end{aligned}$$

Mathematica [C] time = 7.43532, size = 1261, normalized size = 6.15

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]
```

```
[Out] -(Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (2*A*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(d*(A + 2*C + 2*B*Cos[c + d*x]))
```

$$\begin{aligned}
& x] + A \cos[2c + 2dx] \sqrt{\sec[c + dx]} (a + a \sec[c + dx]) - (2B \cos[c/2 + (dx)/2]^2 \sqrt{\cos[c + dx]} \operatorname{Csc}[c/2] \operatorname{EllipticF}[(c + dx)/2, 2] \sec[c/2] (A + B \sec[c + dx] + C \sec[c + dx]^2) \sin[c]) / (d(A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{\sec[c + dx]} (a + a \sec[c + dx])) + \\
& (10C \cos[c/2 + (dx)/2]^2 \sqrt{\cos[c + dx]} \operatorname{Csc}[c/2] \operatorname{EllipticF}[(c + dx)/2, 2] \sec[c/2] (A + B \sec[c + dx] + C \sec[c + dx]^2) \sin[c]) / (3d(A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{\sec[c + dx]} (a + a \sec[c + dx])) + \\
& (\cos[c/2 + (dx)/2]^2 (A + B \sec[c + dx] + C \sec[c + dx]^2) (-2(A - 3B + 3C) \cos[dx] \operatorname{Csc}[c/2] \sec[c/2]) / d + (4 \sec[c/2] \sec[c/2 + (dx)/2] (A \sin[(dx)/2] - B \sin[(dx)/2] + C \sin[(dx)/2])) / d + (8C \sec[c] \sec[c + dx] \sin[dx]) / (3d) + (4(2C + 3A \cos[c] - 3B \cos[c] + 5C \cos[c]) \sec[c] \tan[c/2]) / (3d)) / ((A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{\sec[c + dx]} (a + a \sec[c + dx]))
\end{aligned}$$

Maple [B] time = 6.934, size = 494, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c))^{3/2} (A+B\sec(dx+c)+C\sec(dx+c)^2) / (a+a\sec(dx+c)), x$

[Out]
$$\begin{aligned}
& -1/a * (-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2)^{1/2} * (2C * (-1/6 * \cos(1/2 dx + 1/2 c) * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (\cos(1/2 dx + 1/2 c)^2 - 1/2)^2 + 1/3 * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} * \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2})) + (A - B + C) * (\cos(1/2 dx + 1/2 c) * (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (\operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2})) - 2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2) / \cos(1/2 dx + 1/2 c) / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} + (2B - 2C) * (-\sin(1/2 dx + 1/2 c)^2)^{1/2} * (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} + 2 * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} * \cos(1/2 dx + 1/2 c) * \sin(1/2 dx + 1/2 c)^2 / \sin(1/2 dx + 1/2 c)^2 / (2 \sin(1/2 dx + 1/2 c)^2 - 1) / \sin(1/2 dx + 1/2 c) / (2 \cos(1/2 dx + 1/2 c)^2 - 1)^{1/2} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + B \sec(dx+c)^2 + A \sec(dx+c))\sqrt{\sec(dx+c)}}{a \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(sec(d*
x + c))/(a*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)
),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)^{\frac{3}{2}}}{a \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))  
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec  
(d*x + c) + a), x)
```

$$3.560 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=162

$$\frac{(A+B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{(A-B+C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(A-B+3C)\sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

```
[Out] -(((A - B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d)) + ((A + B - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((A - B + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))
```

Rubi [A] time = 0.213708, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 3787, 3771, 2641, 3768, 2639}

$$-\frac{(A-B+C)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(A-B+3C)\sin(c+dx)\sqrt{\sec(c+dx)}}{ad} + \frac{(A+B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]
```

```
[Out] -(((A - B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d)) + ((A + B - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((A - B + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))
```

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n))]*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
```

, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= -\frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \sqrt{\sec(c+dx)}\left(\frac{1}{2}c\right)}{d(a+a\sec(c+dx))} \\
&= -\frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{(A+B-C)\int \sqrt{\sec(c+dx)}}{2a} \\
&= \frac{(A-B+3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} - \frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)}{d(a+a\sec(c+dx))} \\
&= \frac{(A+B-C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} + \frac{(A-B+3C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} + \dots
\end{aligned}$$

Mathematica [C] time = 6.80785, size = 1224, normalized size = 7.56

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]
```

```
[Out] (Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (2*A*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*
```

$(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sin}[c]/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])) + (2*B*C*\text{os}[c/2 + (d*x)/2]^2*\text{Sqrt}[\text{Cos}[c + d*x]]*C*\text{Csc}[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sin}[c]/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])) - (2*C*\text{Cos}[c/2 + (d*x)/2]^2*\text{Sqrt}[\text{Cos}[c + d*x]]*C*\text{Csc}[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sin}[c]/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])) + (\text{Cos}[c/2 + (d*x)/2]^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*(A - B + 3*C)*\text{Cos}[d*x]*C*\text{Csc}[c/2]*\text{Sec}[c/2])/d - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/d - (4*(A - B + C)*\text{Tan}[c/2])/d)/((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x]))$

Maple [A] time = 4.813, size = 353, normalized size = 2.2

$$-\frac{1}{ad} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2(\sin(1/2 dx + c/2))^4 + \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x)

[Out] $-1/a*(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(A*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})+A*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})+B*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-C*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})+3*C*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)}))-2*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-B+3*C)*\text{sin}(1/2*d*x+1/2*c)^4+(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-B+5*C)*\text{sin}(1/2*d*x+1/2*c)^2)/\text{sin}(1/2*d*x+1/2*c)^3/(2*\text{sin}(1/2*d*x+1/2*c)^2-1)/\text{cos}(1/2*d*x+1/2*c)/(2*\text{cos}(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))
,x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(
d*x + c) + a), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{a \sec(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))
,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(
d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c)
)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))  
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec  
(d*x + c) + a), x)
```

$$3.561 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=133

$$\frac{(A-B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{(A-B+C)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(3A-B+C)\sqrt{\cos(c+dx)}}{d(a \sec(c+dx)+a)}$$

[Out] ((3*A - B + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - ((A - B - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.209064, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4084, 3787, 3771, 2639, 2641}

$$\frac{(A-B+C)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} - \frac{(A-B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(3A-B+C)\sqrt{\cos(c+dx)}}{d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])), x]

[Out] ((3*A - B + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - ((A - B - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} dx &= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(3A - B + C) - \frac{1}{2}a(A - B - C) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{a^2} \\
 &= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - B - C) \int \sqrt{\sec(c + dx)} dx}{2a} + \\
 &= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{((A - B - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{2a} \\
 &= \frac{(3A - B + C)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{ad} - \frac{(A - B - C)\sqrt{\cos(c + dx)}}{2a}
 \end{aligned}$$

Mathematica [C] time = 6.543, size = 1243, normalized size = 9.35

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])),x]

[Out] -((Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (2*A*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])) + (2*B*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])) + (2*C*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])) + (Cos[c/2 + (d*x)/2]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(2*A - B + C + A*Cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c/2])/d + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/d + (8*A*Cos[c]*Sin[d*x])/d + (4*(A - B + C)*Tan[c/2])/d)/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))

Maple [A] time = 1.951, size = 281, normalized size = 2.1

$$\frac{1}{ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right) \left(A \text{Ellip}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x)`

[Out] $((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c))^2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+(2*A-2*B+2*C)*\sin(1/2*d*x+1/2*c)^4+(-A+B-C)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a) \sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\sec(dx+c)}}{a \sec(dx+c)^2 + a \sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^2 + a*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^{\frac{3}{2}}(c+dx) + \sqrt{\sec(c+dx)}} dx + \int \frac{B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx) + \sqrt{\sec(c+dx)}} dx + \int \frac{C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx) + \sqrt{\sec(c+dx)}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] (Integral(A/(sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)

$$3.562 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=174

$$\frac{(5A - 3B + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3ad} + \frac{(5A - 3B + 3C) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{(A - B + C) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a \sec(c + dx) + a)}$$

[Out] -(((3*A - 3*B + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d)) + ((5*A - 3*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((5*A - 3*B + 3*C)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.233566, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 3787, 3769, 3771, 2641, 2639}

$$\frac{(5A - 3B + 3C) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{(A - B + C) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a \sec(c + dx) + a)} + \frac{(5A - 3B + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx), 2\right)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])), x]

[Out] -(((3*A - 3*B + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d)) + ((5*A - 3*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((5*A - 3*B + 3*C)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x]]^m, x]

```
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_, x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} dx &= -\frac{(A - B + C) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(5A-3B+3C) - \frac{1}{2}a(3A-3B+C) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A - B + C) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} - \frac{(3A - 3B + C) \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a} + \frac{(5A - 3B + 3C) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{(A - B + C) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} + \frac{(5A - 3B + 3C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(5A - 3B + 3C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(5A - 3B + 3C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(5A - 3B + 3C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad}
\end{aligned}$$

Mathematica [C] time = 6.68384, size = 1287, normalized size = 7.4

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])),x]

[Out] (Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (10*A*Cos[c/2 +

$$\begin{aligned} & (d*x)/2)^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sec}[c/2]*(\\ & A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sin}[c]/(3*d*(A + 2*C + 2*B*\text{Cos}[c + \\ & d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])) - (2*B* \\ & \text{Cos}[c/2 + (d*x)/2]^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c/2]*\text{EllipticF}[(c + d*x)/2, 2]* \\ & \text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sin}[c]/(d*(A + 2*C + 2*B* \\ & \text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])) \\ & + (2*C*\text{Cos}[c/2 + (d*x)/2]^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c/2]*\text{EllipticF}[(c + d*x) \\ &)/2, 2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sin}[c]/(d*(A + 2* \\ & C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c \\ & + d*x])) + (\text{Cos}[c/2 + (d*x)/2]^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\\ & 2*(2*A - 2*B + C + A*\text{Cos}[2*c] - B*\text{Cos}[2*c])*\text{Cos}[d*x]*\text{Csc}[c/2]*\text{Sec}[c/2])/d + \\ & (4*A*\text{Cos}[2*d*x]*\text{Sin}[2*c])/(3*d) - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(A*\text{Sin}[(d \\ & *x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/d - (8*(A - B)*\text{Cos}[c]*\text{Sin}[d*x])/ \\ & d + (4*A*\text{Cos}[2*c]*\text{Sin}[2*d*x])/(3*d) - (4*(A - B + C)*\text{Tan}[c/2])/d))/((A + 2* \\ & C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c \\ & + d*x])) \end{aligned}$$

Maple [A] time = 2.449, size = 300, normalized size = 1.7

$$-\frac{1}{3ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1} \left(5A\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x)

[Out]
$$\begin{aligned} & -1/3*((2*\text{cos}(1/2*d*x+1/2*c)^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{cos}(1/2*d*x+1 \\ & /2*c)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(5*A*\text{El} \\ & \text{lipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+9*A*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)} \\ &))-3*B*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-9*B*\text{EllipticE}(\text{cos}(1/2*d*x+1/2* \\ & c), 2^{(1/2)})+3*C*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+3*C*\text{EllipticE}(\text{cos}(1/2 \\ & *d*x+1/2*c), 2^{(1/2)}))-8*A*\text{sin}(1/2*d*x+1/2*c)^6+(18*A-6*B+6*C)*\text{sin}(1/2*d*x+1 \\ & /2*c)^4+(-7*A+3*B-3*C)*\text{sin}(1/2*d*x+1/2*c)^2)/a/\text{cos}(1/2*d*x+1/2*c)/(-2*\text{sin}(1 \\ & /2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/\text{sin}(1/2*d*x+1/2*c)/(2*\text{cos}(1/2*d \\ & *x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a) \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\sec(dx+c)}}{a \sec(dx+c)^3 + a \sec(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^3 + a*sec(d*x + c)^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^{\frac{5}{2}}(c+dx) + \sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx) + \sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx) + \sec^{\frac{3}{2}}(c+dx)} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A/(sec(c + d*x)**(5/2) + sec(c + d*x)**(3/2)), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**(5/2) + sec(c + d*x)**(3/2)), x) + Integral(C*sec

$(c + d*x)**2/(\sec(c + d*x)**(5/2) + \sec(c + d*x)**(3/2)), x)/a$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

$$3.563 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \sec^2(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=214

$$\frac{(5A - 5B + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3ad} - \frac{(A - B + C) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a \sec(c + dx) + a)} + \frac{(7A - 5B + 5C) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)}$$

[Out] (3*(7*A - 5*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - ((5*A - 5*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((7*A - 5*B + 5*C)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - ((5*A - 5*B + 3*C)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.253706, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 3787, 3769, 3771, 2639, 2641}

$$\frac{(A - B + C) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a \sec(c + dx) + a)} + \frac{(7A - 5B + 5C) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{(5A - 5B + 3C) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(5A - 5B + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])), x]

[Out] (3*(7*A - 5*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - ((5*A - 5*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((7*A - 5*B + 5*C)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - ((5*A - 5*B + 3*C)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m-1) + (A + B*Csc[e + f*x] + C*Csc[e + f*x]^2)*Csc[e + f*x]*d)^(n-1) + (A + B*Csc[e + f*x] + C*Csc[e + f*x]^2)*Csc[e + f*x]*d*(a + b*Csc[e + f*x])^(m-1), x_Symbol]

```
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx &= -\frac{(A - B + C) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(7A-5B+5C) - \frac{1}{2}a(5A-5B+3C) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A - B + C) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} - \frac{(5A - 5B + 3C) \int \frac{1}{\sec^{\frac{3}{2}}(c+dx)} dx}{2a} + \dots \\
&= \frac{(7A - 5B + 5C) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{(5A - 5B + 3C) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(A - B + C)}{d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{(7A - 5B + 5C) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{(5A - 5B + 3C) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(A - B + C)}{d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{3(7A - 5B + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} - \frac{(5A - 5B + 3C) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(A - B + C)}{d \sec^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.77207, size = 1350, normalized size = 6.31

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])),x]

[Out] (-7*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*

```

Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*E^(I*d*x)*(A + 2*C + 2
*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (10*A*Cos[c/2
+ (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2
]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C + 2*B*Cos[c
+ d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])) + (1
0*B*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2,
2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C
+ 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c +
d*x])) - (2*C*Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c
+ d*x)/2, 2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(d*(
A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*
Sec[c + d*x])) + (Cos[c/2 + (d*x)/2]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]
^2)*(-(51*A - 40*B + 40*C + 33*A*Cos[2*c] - 20*B*Cos[2*c] + 20*C*Cos[2*c])
*Cos[d*x]*Csc[c/2]*Sec[c/2])/(10*d) - (4*(A - B)*Cos[2*d*x]*Sin[2*c])/(3*d)
+ (2*A*Cos[3*d*x]*Sin[3*c])/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*SIN[
(d*x)/2] - B*SIN[(d*x)/2] + C*SIN[(d*x)/2]))/d + (2*(33*A - 20*B + 20*C)*Co
s[c]*Sin[d*x])/(5*d) - (4*(A - B)*Cos[2*c]*Sin[2*d*x])/(3*d) + (2*A*Cos[3*c
]*Sin[3*d*x])/(5*d) + (4*(A - B + C)*Tan[c/2])/d)/((A + 2*C + 2*B*Cos[c +
d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))

```

Maple [A] time = 2.247, size = 320, normalized size = 1.5

$$-\frac{1}{15ad} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)), x)

[Out] -1/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-cos(1/2*d*x+1/2*c)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(63*A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+25*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-45*B*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-25*B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+45*C*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+15*C*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2)))+48*A*sin(1/2*d*x+1/2*c)^8+(-56*A-40*B)*sin(1/2*d*x+1/2*c)^6+(-30*A+90*B-30*C)*sin(1/2*d*x+1/2*c)^4+(23*A-35*B+15*C)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\sec(dx+c)}}{a \sec(dx+c)^4 + a \sec(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^4 + a*sec(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sec
(d*x + c)^(5/2)), x)
```


$$3.564 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{7 \sec^2(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=250

$$\frac{5(9A - 7B + 7C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21ad} - \frac{(A - B + C)\sin(c + dx)}{d \sec^{\frac{5}{2}}(c + dx)(a \sec(c + dx) + a)} - \frac{(7A - 7B + 7C)\sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)}$$

[Out] (-3*(7*A - 7*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*a*d) + (5*(9*A - 7*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*a*d) + ((9*A - 7*B + 7*C)*Sin[c + d*x])/(7*a*d*Sec[c + d*x]^(5/2)) - ((7*A - 7*B + 5*C)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) + (5*(9*A - 7*B + 7*C)*Sin[c + d*x])/(21*a*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(d*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.281834, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 3787, 3769, 3771, 2641, 2639}

$$-\frac{(A - B + C)\sin(c + dx)}{d \sec^{\frac{5}{2}}(c + dx)(a \sec(c + dx) + a)} - \frac{(7A - 7B + 5C)\sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} + \frac{(9A - 7B + 7C)\sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} + \frac{5(9A - 7B + 7C)\sin(c + dx)}{21ad \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])), x]

[Out] (-3*(7*A - 7*B + 5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*a*d) + (5*(9*A - 7*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*a*d) + ((9*A - 7*B + 7*C)*Sin[c + d*x])/(7*a*d*Sec[c + d*x]^(5/2)) - ((7*A - 7*B + 5*C)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) + (5*(9*A - 7*B + 7*C)*Sin[c + d*x])/(21*a*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(d*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```

_)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))} dx &= -\frac{(A - B + C) \sin(c + dx)}{d \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(9A-7B+7C) - \frac{1}{2}a(7A-7B+5C) \sec(c+dx)}{\sec^{\frac{7}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A - B + C) \sin(c + dx)}{d \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} - \frac{(7A - 7B + 5C) \int \frac{1}{\sec^{\frac{5}{2}}(c+dx)} dx}{2a} + \dots \\
&= \frac{(9A - 7B + 7C) \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{(7A - 7B + 5C) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{(A - B + C) \sin(c + dx)}{d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{(9A - 7B + 7C) \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{(7A - 7B + 5C) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} + \frac{5(9A - 7B + 7C) \sin(c + dx)}{21ad \sqrt{\sec(c + dx)}} \\
&= -\frac{3(7A - 7B + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} + \frac{(9A - 7B + 7C) \sin(c + dx)}{7ad} \\
&= -\frac{3(7A - 7B + 5C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} + \frac{5(9A - 7B + 7C) \sin(c + dx)}{21ad \sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.90396, size = 1406, normalized size = 5.62

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])),x]

[Out] (7*sqrt[2]*A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (7*sqrt[2]*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (sqrt[2]*C*sqrt[E^(I*(c + d*x))])

$$\begin{aligned} &)/(1 + E^{((2*I)*(c + d*x))}) * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] * \text{Cos}[c/2 + (d*x) \\ & /2]^2 * \text{Cos}[c + d*x] * \text{Csc}[c/2] * (-3 * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] + E^{((2*I)*d*x)} \\ & * (-1 + E^{((2*I)*c)}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))} \\ &] * \text{Sec}[c/2] * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) / (d * E^{(I*d*x)} * (A + 2 * C \\ & + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])) + (30 * A * \text{Cos}[\\ & c/2 + (d*x)/2]^2 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[\\ & c/2] * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (7 * d * (A + 2 * C + 2 * B * \text{Co} \\ & s[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[\text{Sec}[c + d*x]] * (a + a * \text{Sec}[c + d*x])) - \\ & (10 * B * \text{Cos}[c/2 + (d*x)/2]^2 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x) \\ & /2, 2] * \text{Sec}[c/2] * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (3 * d * (A + 2 \\ & * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[\text{Sec}[c + d*x]] * (a + a * \text{Sec}[c \\ & + d*x])) + (10 * C * \text{Cos}[c/2 + (d*x)/2]^2 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{Elliptic} \\ & F[(c + d*x)/2, 2] * \text{Sec}[c/2] * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * \text{Sin}[c]) / \\ & (3 * d * (A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[\text{Sec}[c + d*x]] * (\\ & a + a * \text{Sec}[c + d*x])) + (\text{Cos}[c/2 + (d*x)/2]^2 * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c \\ & + d*x]^2) * ((51 * A - 51 * B + 40 * C + 33 * A * \text{Cos}[2*c] - 33 * B * \text{Cos}[2*c] + 20 * C * \text{Cos}[\\ & 2*c]) * \text{Cos}[d*x] * \text{Csc}[c/2] * \text{Sec}[c/2]) / (10 * d) + (2 * (27 * A - 14 * B + 14 * C) * \text{Cos}[2*d*x] \\ & * \text{Sin}[2*c]) / (21 * d) - (2 * (A - B) * \text{Cos}[3*d*x] * \text{Sin}[3*c]) / (5 * d) + (A * \text{Cos}[4*d*x] \\ & * \text{Sin}[4*c]) / (7 * d) - (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (A * \text{Sin}[(d*x)/2] - B * \text{Sin}[(\\ & d*x)/2] + C * \text{Sin}[(d*x)/2])) / d - (2 * (33 * A - 33 * B + 20 * C) * \text{Cos}[c] * \text{Sin}[d*x]) / (5 * \\ & d) + (2 * (27 * A - 14 * B + 14 * C) * \text{Cos}[2*c] * \text{Sin}[2*d*x]) / (21 * d) - (2 * (A - B) * \text{Cos}[3 \\ & * c] * \text{Sin}[3*d*x]) / (5 * d) + (A * \text{Cos}[4*c] * \text{Sin}[4*d*x]) / (7 * d) - (4 * (A - B + C) * \text{Tan}[\\ & c/2]) / d) / ((A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[\text{Sec}[c + d \\ & * x]] * (a + a * \text{Sec}[c + d*x])) \end{aligned}$$

Maple [A] time = 2.282, size = 341, normalized size = 1.4

$$-\frac{1}{105ad} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c)),x)

[Out] -1/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(225*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+441*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-175*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-441*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+175*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+315*C*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-480*A*sin(1/2*d*x+1/2*c)^10+(864*A+336*B)*sin(1/2*d*x+1/2*c)^8+(-888*A-392*B-280*C)*sin(1/2*d*x+1/2*c)^6+(930*A-21

$$0*B+630*C)*\sin(1/2*d*x+1/2*c)^4+(-321*A+161*B-245*C)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\sec(dx+c)}}{a \sec(dx+c)^5 + a \sec(dx+c)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^5 + a*sec(d*x + c)^4), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2)/(a+a*sec(d*x+c)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(7/2)), x)

$$3.565 \quad \int \frac{\sec^5(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=251

$$\frac{(2A - 5B + 10C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3a^2d} - \frac{(A - 4B + 7C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{3a^2d(\sec(c + dx) + 1)} + \frac{(2A - 5B + 10C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{a^2d}$$

```
[Out] ((A - 4*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((2*A - 5*B + 10*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((A - 4*B + 7*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + ((2*A - 5*B + 10*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d) - ((A - 4*B + 7*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)
```

Rubi [A] time = 0.41211, antiderivative size = 251, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4019, 3787, 3768, 3771, 2639, 2641}

$$-\frac{(A - 4B + 7C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{3a^2d(\sec(c + dx) + 1)} + \frac{(2A - 5B + 10C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^2d} - \frac{(A - 4B + 7C) \sin(c + dx) \sqrt{\sec(c + dx)}}{a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]
```

```
[Out] ((A - 4*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((2*A - 5*B + 10*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((A - 4*B + 7*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + ((2*A - 5*B + 10*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d) - ((A - 4*B + 7*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)
```

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
```

```
)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c+dx) (A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx &= -\frac{(A-B+C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))^2} + \int \frac{\sec^{\frac{5}{2}}(c+dx) \left(\frac{1}{2}a(A+B+C)\right)}{(a+a \sec(c+dx))^2} dx \\
 &= -\frac{(A-4B+7C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))} \\
 &= -\frac{(A-4B+7C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d(a+a \sec(c+dx))} \\
 &= -\frac{(A-4B+7C) \sqrt{\sec(c+dx)} \sin(c+dx)}{a^2d} + \frac{(2A-5B+10C) \sqrt{\sec(c+dx)} \sin(c+dx)}{3d(a+a \sec(c+dx))} \\
 &= -\frac{(A-4B+7C) \sqrt{\sec(c+dx)} \sin(c+dx)}{a^2d} + \frac{(2A-5B+10C) \sqrt{\sec(c+dx)} \sin(c+dx)}{3d(a+a \sec(c+dx))} \\
 &= \frac{(A-4B+7C) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{a^2d} + \frac{(2A-5B+10C) \sqrt{\sec(c+dx)} \sin(c+dx)}{3d(a+a \sec(c+dx))}
 \end{aligned}$$

Mathematica [C] time = 7.84023, size = 1347, normalized size = 5.37

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (-2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (8*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2)

$$\begin{aligned} & d*x]^2))/((3*d*E^{(I*d*x)}*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2 - (14*\sqrt{2}*C*\sqrt{E^{(I*(c + d*x))}/(1 + E^{(2*I)*(c + d*x))}})*\sqrt{1 + E^{(2*I)*(c + d*x)}}*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*(-3*\sqrt{1 + E^{(2*I)*(c + d*x)}} + E^{(2*I)*d*x})*(-1 + E^{(2*I)*c})*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2*I)*(c + d*x)}])* \sec[c/2]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2))/((3*d*E^{(I*d*x)}*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2 + (8*A*\cos[c/2 + (d*x)/2]^4*\sqrt{\cos[c + d*x]}*\csc[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\sec[c/2]*\sqrt{\sec[c + d*x]}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sin[c]))/(3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2 - (20*B*\cos[c/2 + (d*x)/2]^4*\sqrt{\cos[c + d*x]}*\csc[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\sec[c/2]*\sqrt{\sec[c + d*x]}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sin[c]))/(3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2 + (40*C*\cos[c/2 + (d*x)/2]^4*\sqrt{\cos[c + d*x]}*\csc[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\sec[c/2]*\sqrt{\sec[c + d*x]}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sin[c]))/(3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2 + (\cos[c/2 + (d*x)/2]^4*\sqrt{\sec[c + d*x]}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((-4*(A - 4*B + 7*C)*\cos[d*x]*\csc[c/2]*\sec[c/2])/d + (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(3*d) + (8*\sec[c/2]*\sec[c/2 + (d*x)/2]*(2*A*\sin[(d*x)/2] - 5*B*\sin[(d*x)/2] + 8*C*\sin[(d*x)/2]))/(3*d) + (16*C*\sec[c]*\sec[c + d*x]*\sin[d*x])/((3*d) + (8*(2*C + 2*A*\cos[c] - 5*B*\cos[c] + 10*C*\cos[c])* \sec[c]*\tan[c/2]))/(3*d) + (4*(A - B + C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/((3*d)))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2) \end{aligned}$$

Maple [B] time = 8.239, size = 751, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^2, x)$

[Out]
$$\begin{aligned} & -1/2*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a^2*(1/3*(A-B+C)*(2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(2*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(2*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)-12*\sin(1/2*d*x+1/2*c)^6+20*\sin(1/2*d*x+1/2*c)^4-7*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)/(\sin(1/2*d*x+1/2*c)^2-1)+4*C*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \end{aligned}$$

$$\begin{aligned} &)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*c \\ &\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ &)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+ (4*C-2*B)*(\cos(1/2*d*x+1/2*c) \\ &*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(c \\ &\cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2*\sin(1/2 \\ &*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2* \\ &c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(-8*C+4*B)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ &(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*(-2* \\ &\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4 \\ &+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1 \\ &/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d \\ &*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^4 + B \sec(dx+c)^3 + A \sec(dx+c)^2)\sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^2 + 2a^2 \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^2, x)

$$3.566 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=207

$$\frac{(A+2B-5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(A+2B-5C)\sin(c+dx)\sec^3(c+dx)}{3a^2d(\sec(c+dx)+1)} - \frac{(B-4C)}{a}$$

[Out] ((B - 4*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((A + 2*B - 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((B - 4*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + ((A + 2*B - 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.38067, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{(A+2B-5C)\sin(c+dx)\sec^3(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{(A+2B-5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(B-4C)\sin(c+dx)}{a}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] ((B - 4*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((A + 2*B - 5*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((B - 4*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + ((A + 2*B - 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(A+B\sec(c+dx))+C\sec^2(c+dx)\right)}{a^2} dx \\
&= \frac{(A+2B-5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= \frac{(A+2B-5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} \\
&= -\frac{(B-4C)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} + \frac{(A+2B-5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} \\
&= \frac{(A+2B-5C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{3a^2d} - \frac{(B-4C)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} \\
&= \frac{(B-4C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2d} + \frac{(A+2B-5C)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{3a^2d}
\end{aligned}$$

Mathematica [C] time = 4.44942, size = 567, normalized size = 2.74

$$2 \cos^4\left(\frac{1}{2}(c+dx)\right) (A+B\sec(c+dx)+C\sec^2(c+dx)) \left(4A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - 2\sqrt{2}B\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] (2*Cos[(c + d*x)/2]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*sqrt[2]*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]])/E^(I*d*x) + (8*sqrt[2]*C*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]])/E^(I*d*x) + 4*A*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]] + 8*B*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]] - 20*C*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]] - 2*S

$$\sqrt{\frac{\sec[c + dx] \cdot (6(B - 4C) \cos[dx] \operatorname{Csc}[c] - 2(A + 2B - 5C) \sec[c/2] \cdot \sec[(c + dx)/2] \sin[(dx)/2] + (A - B + C) \sec[c/2] \sec[(c + dx)/2]^3 \sin[(dx)/2] - 2(A + 2B - 5C) \tan[c/2] + (A - B + C) \sec[(c + dx)/2]^2 \tan[c/2])}{(3a^2 d(A + 2C + 2B \cos[c + dx] + A \cos[2(c + dx)]) \cdot (1 + \sec[c + dx]))^2}}$$

Maple [B] time = 5.62, size = 559, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^2,x)`

[Out]
$$-1/6 * (-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2)^{1/2} / a^2 * (-2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} * (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * (A \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 2B \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 3B \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 5C \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 12C \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2})) \cos(1/2 dx + 1/2 c) \sin(1/2 dx + 1/2 c)^2 + 2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} * (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * (A \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 2B \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 3B \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 5C \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 12C \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2})) \cos(1/2 dx + 1/2 c) + 12 (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} * (B - 4C) \sin(1/2 dx + 1/2 c)^6 + 2 (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} * (A - 10B + 43C) \sin(1/2 dx + 1/2 c)^4 - (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} * (A - 7B + 37C) \sin(1/2 dx + 1/2 c)^2) / \sin(1/2 dx + 1/2 c)^3 / (2 \sin(1/2 dx + 1/2 c)^2 - 1) / \cos(1/2 dx + 1/2 c) / (\sin(1/2 dx + 1/2 c)^2 - 1) / (2 \cos(1/2 dx + 1/2 c)^2 - 1)^{1/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^2,x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^3 + B \sec(dx + c)^2 + A \sec(dx + c))\sqrt{\sec(dx + c)}}{a^2 \sec(dx + c)^2 + 2a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec  
(d*x + c) + a)^2, x)
```

$$3.567 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=173

$$\frac{(2A+B+2C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(A-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} - \frac{(A-C)\sqrt{\cos(c+dx)}}{a^2d}$$

```
[Out] -(((A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a^2*d) + ((2*A + B + 2*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*S
qrt[Sec[c + d*x]])/(3*a^2*d) + ((A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a
^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3
*d*(a + a*Sec[c + d*x])^2)
```

Rubi [A] time = 0.362718, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 4019, 3787, 3771, 2639, 2641}

$$\frac{(2A+B+2C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(A-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} - \frac{(A-C)\sqrt{\cos(c+dx)}}{a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec
[c + d*x])^2, x]
```

```
[Out] -(((A - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a^2*d) + ((2*A + B + 2*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*S
qrt[Sec[c + d*x]])/(3*a^2*d) + ((A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a
^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3
*d*(a + a*Sec[c + d*x])^2)
```

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.)^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
```

, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^ (n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(5A\right)}{dx} \\
&= \frac{(A-C)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)}{3d(a+a\sec(c+dx))} \\
&= \frac{(A-C)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)}{3d(a+a\sec(c+dx))} \\
&= \frac{(A-C)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)}{3d(a+a\sec(c+dx))} \\
&= -\frac{(A-C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2d} + \dots
\end{aligned}$$

Mathematica [C] time = 6.82155, size = 1097, normalized size = 6.34

$$\frac{2\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\operatorname{csc}\left(\frac{c}{2}\right)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{3d(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))(\sec(c+dx)a+)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] (2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2 - (2*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (8*A*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (4*B*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c +

$$d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c]]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (8*C*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c]]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (Cos[c/2 + (d*x)/2]^4*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(A - C)*Cos[d*x]*Csc[c/2]*Sec[c/2])/d - (8*Sec[c/2]*Sec[c/2 + (d*x)/2]*(4*A*Sin[(d*x)/2] - B*Sin[(d*x)/2] - 2*C*Sin[(d*x)/2]))/(3*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(3*d) - (8*(4*A - B - 2*C)*Tan[c/2])/(3*d) + (4*(A - B + C)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d)))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2)$$

Maple [B] time = 2.318, size = 509, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x)

[Out] $-1/6*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^6+4*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+6*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-12*C*\cos(1/2*d*x+1/2*c)^6+4*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-20*A*\cos(1/2*d*x+1/2*c)^4+2*B*\cos(1/2*d*x+1/2*c)^4+16*C*\cos(1/2*d*x+1/2*c)^4+9*A*\cos(1/2*d*x+1/2*c)^2-3*B*\cos(1/2*d*x+1/2*c)^2-3*C*\cos(1/2*d*x+1/2*c)^2-A+B-C)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^2,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a^2 \sec(dx + c)^2 + 2a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^2,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^2*se
c(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c)
)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))  
^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec  
(d*x + c) + a)^2, x)
```


$$3.568 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=184

$$\frac{(5A-2B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(5A-2B-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{3a^2d(\sec(c+dx)+1)} + \frac{(4A-B)\sqrt{\cos(c+dx)}}{3a^2d}$$

[Out] ((4*A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) - ((5*A - 2*B - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((5*A - 2*B - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.364301, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 4020, 3787, 3771, 2639, 2641}

$$\frac{(5A-2B-C)\sin(c+dx)\sqrt{\sec(c+dx)}}{3a^2d(\sec(c+dx)+1)} - \frac{(5A-2B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(4A-B)\sqrt{\cos(c+dx)}}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2), x]

[Out] ((4*A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) - ((5*A - 2*B - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((5*A - 2*B - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2

, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^ (n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))^2}} dx &= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(7A - B + C) - \frac{3}{2}a(A - B - C) \sec(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))}} dx}{3a^2} \\
&= -\frac{(5A - 2B - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\
&= -\frac{(5A - 2B - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\
&= -\frac{(5A - 2B - C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\
&= \frac{(4A - B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2d} - \frac{(5A - 2B - C)\sqrt{\cos(c + dx)}}{a^2d}
\end{aligned}$$

Mathematica [C] time = 6.89314, size = 1114, normalized size = 6.05

$$\frac{8\sqrt{2}Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \csc\left(\frac{c}{2}\right) \left(e^{2idx} (-1+e^{2ic}) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}}\right)}{3d(\cos(2c+2dx)A + A + 2C + 2B \cos(c+dx))(\sec(c+dx)a}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2), x]

[Out] (-8*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (2*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) - (20*A*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (8*B*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c

$$\begin{aligned}
& + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*(A + \\
& B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] \\
&] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (4*C*Cos[c/2 + (d*x)/2]^4 \\
& *Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c \\
& + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c])/(3*d*(A + 2*C + 2*B \\
& *Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (Cos[c/2 + (d \\
& *x)/2]^4*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(3 \\
& *A - B + A*Cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c/2])/d + (8*Sec[c/2]*Sec[c/2 + \\
& (d*x)/2]*(7*A*Sin[(d*x)/2] - 4*B*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(3*d) - (4 \\
& *Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2] + C*Sin[(d*x) \\
& /2]))/(3*d) + (16*A*Cos[c]*Sin[d*x])/d + (8*(7*A - 4*B + C)*Tan[c/2])/(3*d) \\
& - (4*(A - B + C)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d))/((A + 2*C + 2*B* \\
& Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2)
\end{aligned}$$

Maple [B] time = 2.51, size = 509, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^2/\sec(d*x+c)^{(1/2)}, x)$

[Out] $\frac{1}{6}((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(24*A*\cos(1/2*d*x+1/2*c)^6+10*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+24*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-12*B*\cos(1/2*d*x+1/2*c)^6-4*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-6*B*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-38*A*\cos(1/2*d*x+1/2*c)^4+20*B*\cos(1/2*d*x+1/2*c)^4-2*C*\cos(1/2*d*x+1/2*c)^4+15*A*\cos(1/2*d*x+1/2*c)^2-9*B*\cos(1/2*d*x+1/2*c)^2+3*C*\cos(1/2*d*x+1/2*c)^2-A+B-C)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^3 + 2a^2 \sec(dx+c)^2 + a^2 \sec(dx+c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^3 + 2*a^2*sec(d*x + c)^2 + a^2*sec(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^{\frac{5}{2}}(c+dx)+2\sec^{\frac{3}{2}}(c+dx)+\sqrt{\sec(c+dx)}} dx + \int \frac{B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)+2\sec^{\frac{3}{2}}(c+dx)+\sqrt{\sec(c+dx)}} dx + \int \frac{C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)+2\sec^{\frac{3}{2}}(c+dx)+\sqrt{\sec(c+dx)}} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2/sec(d*x+c)**(1/2),x)

[Out] (Integral(A/(sec(c + d*x)**(5/2) + 2*sec(c + d*x)**(3/2) + sqrt(sec(c + d*x)))), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**(5/2) + 2*sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x) + Integral(C*sec(c + d*x)**2/(sec(c + d*x)**(5/2) + 2*sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x))/a**2

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)
```

$$3.569 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=220

$$\frac{(10A - 5B + 2C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3a^2d} + \frac{(10A - 5B + 2C) \sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}} - \frac{(7A - 4B + C) \sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}}$$

[Out] -(((7*A - 4*B + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((10*A - 5*B + 2*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((10*A - 5*B + 2*C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((7*A - 4*B + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]*(1 + Sec[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.402946, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{(10A - 5B + 2C) \sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}} - \frac{(7A - 4B + C) \sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}(\sec(c + dx) + 1)} + \frac{(10A - 5B + 2C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx), 2\right)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] -(((7*A - 4*B + C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((10*A - 5*B + 2*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((10*A - 5*B + 2*C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((7*A - 4*B + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]*(1 + Sec[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= -\frac{(A - B + C) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} + \frac{\int \frac{\frac{3}{2}a(3A-B+C) - \frac{1}{2}a(5A-5B-C) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} a}{3a^2} \\
&= -\frac{(7A - 4B + C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
&= -\frac{(7A - 4B + C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
&= \frac{(10A - 5B + 2C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(7A - 4B + C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{1}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{(7A - 4B + C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{(10A - 5B + 2C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} \\
&= -\frac{(7A - 4B + C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{(10A - 5B + 2C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.74433, size = 762, normalized size = 3.46

$$2 \cos^4\left(\frac{1}{2}(c + dx)\right) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(-14\sqrt{2}A \csc(c) e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} \left((-1 + e^{2ic}) e^{2id} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (-2*Cos[(c + d*x)/2]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-14*sqrt[2]*A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]])/E^(I*d*x) + (8*sqrt[2]*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]])/E^(I*d*x) - (2*sqrt[2]*C*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*S

$$\begin{aligned} & \sqrt{1 + E^{(2I)(c + dx)}} \cdot \text{Csc}[c] \cdot (-3\sqrt{1 + E^{(2I)(c + dx)}}) + E^{(2I)dx} \cdot (-1 + E^{(2I)c}) \cdot \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{(2I)(c + dx)}\right] \\ & \left. \right) / E^{I dx} - 40A\sqrt{\text{Cos}[c + dx]} \cdot \text{EllipticF}\left[\frac{c + dx}{2}, 2\right] \cdot \text{Sqrt}[\text{Sec}[c + dx]] \\ & + 20B\sqrt{\text{Cos}[c + dx]} \cdot \text{EllipticF}\left[\frac{c + dx}{2}, 2\right] \cdot \text{Sqrt}[\text{Sec}[c + dx]] - 8C\sqrt{\text{Cos}[c + dx]} \cdot \text{EllipticF}\left[\frac{c + dx}{2}, 2\right] \cdot \text{Sqrt}[\text{Sec}[c + dx]] \\ & - 2\sqrt{\text{Sec}[c + dx]} \cdot (3(5A - 3B + C + (2A - B)\text{Cos}[2c]) \cdot \text{Cos}[dx] \cdot \text{Csc}[c/2] \cdot \text{Sec}[c/2] \\ & + 2A\text{Cos}[2dx] \cdot \text{Sin}[2c] - 2(10A - 7B + 4C) \cdot \text{Sec}[c/2] \cdot \text{Sec}[(c + dx)/2] \cdot \text{Sin}[(dx)/2] \\ & + (A - B + C) \cdot \text{Sec}[c/2] \cdot \text{Sec}[(c + dx)/2]^3 \cdot \text{Sin}[(dx)/2] - 12(2A - B) \cdot \text{Cos}[c] \cdot \text{Sin}[dx] \\ & + 2A\text{Cos}[2c] \cdot \text{Sin}[2dx] - 2(10A - 7B + 4C) \cdot \text{Tan}[c/2] + (A - B + C) \cdot \text{Sec}[(c + dx)/2]^2 \cdot \text{Tan}[c/2]) \\ & \left. \right) / (3a^2d(A + 2C + 2B\text{Cos}[c + dx] + A\text{Cos}[2(c + dx)]) \cdot (1 + \text{Sec}[c + dx])^2) \end{aligned}$$

Maple [A] time = 3.004, size = 472, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B\sec(dx+c)+C\sec(dx+c)^2)/\sec(dx+c)^{(3/2)/(a+a\sec(dx+c))^2}, x)$

[Out]
$$\begin{aligned} & -1/6 \cdot ((2\cos(1/2dx+1/2c)^2-1) \cdot \sin(1/2dx+1/2c)^2)^{(1/2)} \cdot (-2(2\sin(1/2dx+1/2c)^2-1)^{(1/2)} \cdot (\sin(1/2dx+1/2c)^2)^{(1/2)} \cdot (10A\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) \\ & + 21A\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 5B\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 12B\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) \\ & + 2C\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) + 3C\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)})) \cdot \cos(1/2dx+1/2c) \cdot \sin(1/2dx+1/2c)^2 \\ & + 2(2\sin(1/2dx+1/2c)^2-1)^{(1/2)} \cdot (\sin(1/2dx+1/2c)^2)^{(1/2)} \cdot (10A\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) \\ & + 21A\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 5B\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 12B\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) \\ & + 2C\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) + 3C\text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)})) \cdot \cos(1/2dx+1/2c) \\ & + 16A\sin(1/2dx+1/2c)^8 + (-76A+24B-12C) \cdot \sin(1/2dx+1/2c)^6 + (84A-34B+16C) \cdot \sin(1/2dx+1/2c)^4 \\ & + (-25A+11B-5C) \cdot \sin(1/2dx+1/2c)^2) / a^2 / \cos(1/2dx+1/2c)^3 / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} \\ & / \sin(1/2dx+1/2c) / (2\cos(1/2dx+1/2c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))
^2,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^4 + 2a^2 \sec(dx+c)^3 + a^2 \sec(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))
^2,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^2*se
c(d*x + c)^4 + 2*a^2*sec(d*x + c)^3 + a^2*sec(d*x + c)^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c)
)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a)^2 \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))  
^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*s  
ec(d*x + c)^(3/2)), x)
```

$$3.570 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \sec^2(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=254

$$\frac{5(3A - 2B + C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3a^2d} - \frac{(3A - 2B + C)\sin(c + dx)}{a^2d \sec^{\frac{3}{2}}(c + dx)(\sec(c + dx) + 1)} + \frac{(56A - 35B + 20C)\sin(c + dx)}{15a^2d \sec^{\frac{3}{2}}(c + dx)(\sec(c + dx) + 1)}$$

[Out] ((56*A - 35*B + 20*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*a^2*d) - (5*(3*A - 2*B + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*a^2*d) + ((56*A - 35*B + 20*C)*Sin[c + d*x])/(15*a^2*d*Sec[c + d*x]^(3/2)) - (5*(3*A - 2*B + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((3*A - 2*B + C)*Sin[c + d*x])/(a^2*d*Sec[c + d*x]^(3/2)*(1 + Sec[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.425377, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4020, 3787, 3769, 3771, 2639, 2641}

$$-\frac{(3A - 2B + C)\sin(c + dx)}{a^2d \sec^{\frac{3}{2}}(c + dx)(\sec(c + dx) + 1)} + \frac{(56A - 35B + 20C)\sin(c + dx)}{15a^2d \sec^{\frac{3}{2}}(c + dx)} - \frac{5(3A - 2B + C)\sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}} - \frac{5(3A - 2B + C)\sin(c + dx)}{15a^2d \sec^{\frac{3}{2}}(c + dx)(\sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2), x]

[Out] ((56*A - 35*B + 20*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*a^2*d) - (5*(3*A - 2*B + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*a^2*d) + ((56*A - 35*B + 20*C)*Sin[c + d*x])/(15*a^2*d*Sec[c + d*x]^(3/2)) - (5*(3*A - 2*B + C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((3*A - 2*B + C)*Sin[c + d*x])/(a^2*d*Sec[c + d*x]^(3/2)*(1 + Sec[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2)

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```
)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= -\frac{(A - B + C) \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(11A - 5B + 5C) - \frac{1}{2}a(7A - 7B + C) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx}{3a^2} \\
&= -\frac{(3A - 2B + C) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} \\
&= -\frac{(3A - 2B + C) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} \\
&= \frac{(56A - 35B + 20C) \sin(c + dx)}{15a^2 d \sec^{\frac{3}{2}}(c + dx)} - \frac{5(3A - 2B + C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(3A - 2B + C) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{(56A - 35B + 20C) \sin(c + dx)}{15a^2 d \sec^{\frac{3}{2}}(c + dx)} - \frac{5(3A - 2B + C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(3A - 2B + C) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{(56A - 35B + 20C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5a^2 d} - \frac{5(3A - 2B + C) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(3A - 2B + C) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 7.22942, size = 1442, normalized size = 5.68

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2),x]

[Out] (-112*sqrt[2]*A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]^2) + (14*sqrt[2]*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))

$$\begin{aligned}
& E^{((2*I)*(c + d*x))} + E^{((2*I)*d*x)*(-1 + E^{((2*I)*c)})} * \text{Hypergeometric2F1} [\\
& 1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))}] * \text{Sec}[c/2] * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[\\
& c + d*x]^2) / (3*d*E^{(I*d*x)} * (A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x \\
&]) * (a + a*\text{Sec}[c + d*x]^2) - (8*\text{Sqrt}[2]*C*\text{Sqrt}[E^{(I*(c + d*x))} / (1 + E^{((2*I) \\
&)*(c + d*x))}] * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] * \text{Cos}[c/2 + (d*x)/2]^4 * \text{Csc}[c/2] * \\
& (-3*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] + E^{((2*I)*d*x)*(-1 + E^{((2*I)*c)})} * \text{Hyperg} \\
& eometric2F1[1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))}] * \text{Sec}[c/2] * (A + B*\text{Sec}[c + d \\
& *x] + C*\text{Sec}[c + d*x]^2) / (3*d*E^{(I*d*x)} * (A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos} \\
& [2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x]^2) - (20*A*\text{Cos}[c/2 + (d*x)/2]^4 * \text{Sqrt}[\text{Co} \\
& s[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sqrt}[\text{Sec}[c + d*x]] * \\
& (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (d*(A + 2*C + 2*B*\text{Cos}[c + d \\
& *x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x]^2) + (40*B*\text{Cos}[c/2 + (d*x)/2 \\
&]^4 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sqrt}[\text{Sec} \\
& [c + d*x]] * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (3*d*(A + 2*C + \\
& 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x]^2) - (20*C*\text{Cos}[\\
& c/2 + (d*x)/2]^4 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[\\
& c/2] * \text{Sqrt}[\text{Sec}[c + d*x]] * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (3* \\
& d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x]^2) \\
& + (\text{Cos}[c/2 + (d*x)/2]^4 * \text{Sqrt}[\text{Sec}[c + d*x]] * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + \\
& d*x]^2) * (-((151*A - 100*B + 60*C + 73*A*\text{Cos}[2*c] - 40*B*\text{Cos}[2*c] + 20*C*\text{Co} \\
& s[2*c]) * \text{Cos}[d*x] * \text{Csc}[c/2] * \text{Sec}[c/2]) / (5*d) - (8*(2*A - B) * \text{Cos}[2*d*x] * \text{Sin}[2*c \\
&]) / (3*d) + (4*A*\text{Cos}[3*d*x] * \text{Sin}[3*c]) / (5*d) - (4*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] \\
& ^3 * (A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2])) / (3*d) + (8*\text{Sec}[c/2] * \\
& \text{Sec}[c/2 + (d*x)/2] * (13*A*\text{Sin}[(d*x)/2] - 10*B*\text{Sin}[(d*x)/2] + 7*C*\text{Sin}[(d*x)/2 \\
&])) / (3*d) + (4*(73*A - 40*B + 20*C) * \text{Cos}[c] * \text{Sin}[d*x]) / (5*d) - (8*(2*A - B) * C \\
& os[2*c] * \text{Sin}[2*d*x]) / (3*d) + (4*A*\text{Cos}[3*c] * \text{Sin}[3*d*x]) / (5*d) + (8*(13*A - 10 \\
& *B + 7*C) * \text{Tan}[c/2]) / (3*d) - (4*(A - B + C) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (\\
& 3*d)) / ((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d* \\
& x])^2)
\end{aligned}$$

Maple [A] time = 2.749, size = 491, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/\text{sec}(d*x+c)^{(5/2)}/(a+a*\text{sec}(d*x+c))^2, x)$

[Out] $-1/30*((2*\text{cos}(1/2*d*x+1/2*c)^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(75*A*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+168*A*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-50*B*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-105*B*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})$

)+25*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+60*C*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(75*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+168*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-50*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-105*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+25*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+60*C*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*cos(1/2*d*x+1/2*c)-96*A*sin(1/2*d*x+1/2*c)^10+(128*A+80*B)*sin(1/2*d*x+1/2*c)^8+(328*A-380*B+120*C)*sin(1/2*d*x+1/2*c)^6+(-526*A+420*B-170*C)*sin(1/2*d*x+1/2*c)^4+(171*A-125*B+55*C)*sin(1/2*d*x+1/2*c)^2/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a^2 \sec(dx + c)^5 + 2a^2 \sec(dx + c)^4 + a^2 \sec(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^5 + 2*a^2*sec(d*x + c)^4 + a^2*sec(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*sec(d*x + c)^(5/2)), x)

$$3.571 \quad \int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=308

$$\frac{(3A - 13B + 33C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} - \frac{(9A - 49B + 119C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{30d(a^3 \sec(c + dx) + a^3)} +$$

[Out] ((9*A - 49*B + 119*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((3*A - 13*B + 33*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((9*A - 49*B + 119*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) + ((3*A - 13*B + 33*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*a^3*d) - ((A - B + C)*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((B - 2*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*a*d*(a + a*Sec[c + d*x])^2) - ((9*A - 49*B + 119*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.62118, antiderivative size = 308, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4019, 3787, 3768, 3771, 2639, 2641}

$$-\frac{(9A - 49B + 119C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{30d(a^3 \sec(c + dx) + a^3)} + \frac{(3A - 13B + 33C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{6a^3d} - \frac{(9A - 49B + 119C) \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{10a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] ((9*A - 49*B + 119*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((3*A - 13*B + 33*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((9*A - 49*B + 119*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) + ((3*A - 13*B + 33*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*a^3*d) - ((A - B + C)*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((B - 2*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*a*d*(a + a*Sec[c + d*x])^2) - ((9*A - 49*B + 119*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4084

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4019

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{7}{2}}(c+dx) (A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A-B+C)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\sec^{\frac{7}{2}}(c+dx)\left(\frac{1}{2}a(3A+B-2C)\right)}{(a+a\sec(c+dx))^3} dx \\
 &= -\frac{(A-B+C)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(B-2C)\sec^{\frac{7}{2}}(c+dx)}{3ad(a+a\sec(c+dx))^2} \\
 &= -\frac{(A-B+C)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(B-2C)\sec^{\frac{7}{2}}(c+dx)}{3ad(a+a\sec(c+dx))^2} \\
 &= -\frac{(A-B+C)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(B-2C)\sec^{\frac{7}{2}}(c+dx)}{3ad(a+a\sec(c+dx))^2} \\
 &= -\frac{(9A-49B+119C)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} + \frac{(3A-13B)\sec^{\frac{7}{2}}(c+dx)}{3ad(a+a\sec(c+dx))^2} \\
 &= -\frac{(9A-49B+119C)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} + \frac{(3A-13B)\sec^{\frac{7}{2}}(c+dx)}{3ad(a+a\sec(c+dx))^2} \\
 &= \frac{(9A-49B+119C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d}
 \end{aligned}$$

Mathematica [C] time = 8.60798, size = 1462, normalized size = 4.75

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (-6*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))])

$$\begin{aligned}
& *x))] + E^{((2*I)*d*x)*(-1 + E^{((2*I)*c)})} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, - \\
& E^{((2*I)*(c + d*x))}] * \text{Sec}[c/2] * \text{Sec}[c + d*x] * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + \\
& d*x]^2)) / (5*d*E^{(I*d*x)} * (A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \\
& (a + a*\text{Sec}[c + d*x])^3) + (98*\text{Sqrt}[2] * B*\text{Sqrt}[E^{(I*(c + d*x))}] / (1 + E^{((2*I)* \\
& (c + d*x))})] * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * (- \\
& 3*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] + E^{((2*I)*d*x)*(-1 + E^{((2*I)*c)})} * \text{Hypergeo} \\
& \text{metric2F1}[1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))}] * \text{Sec}[c/2] * \text{Sec}[c + d*x] * (A + \\
& B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)) / (15*d*E^{(I*d*x)} * (A + 2*C + 2*B*\text{Cos}[c + \\
& d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x])^3) - (238*\text{Sqrt}[2] * C*\text{Sqrt}[E^{ \\
& (I*(c + d*x))}] / (1 + E^{((2*I)*(c + d*x))})] * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] * \text{Cos}[\\
& c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * (-3*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] + E^{((2*I)*d*x)} \\
& * (-1 + E^{((2*I)*c)}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))}] \\
& * \text{Sec}[c/2] * \text{Sec}[c + d*x] * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)) / (15*d*E^{(I* \\
& d*x)} * (A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x]) \\
& ^3) + (4*A*\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + \\
& d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x] \\
& ^2) * \text{Sin}[c]) / (d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec} \\
& [c + d*x])^3) - (52*B*\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{Elli} \\
& \text{pticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B*\text{Sec}[c + d*x] + C*\text{S} \\
& \text{ec}[c + d*x]^2) * \text{Sin}[c]) / (3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x \\
&] * (a + a*\text{Sec}[c + d*x])^3) + (44*C*\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \\
& \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B*\text{Sec}[c \\
& + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[\\
& 2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x])^3) + (\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sec}[c + d*x]^{ \\
& (3/2)} * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * ((-4*(9*A - 49*B + 119*C)*\text{Cos} \\
& [d*x]*\text{Csc}[c/2]*\text{Sec}[c/2]) / (5*d) + (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^5 * (A*\text{Sin}[(d \\
& *x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2])) / (5*d) + (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d \\
& *x)/2]^3 * (3*A*\text{Sin}[(d*x)/2] - 8*B*\text{Sin}[(d*x)/2] + 13*C*\text{Sin}[(d*x)/2])) / (15*d) \\
& + (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2] * (3*A*\text{Sin}[(d*x)/2] - 13*B*\text{Sin}[(d*x)/2] + 29 \\
& *C*\text{Sin}[(d*x)/2])) / (3*d) + (32*C*\text{Sec}[c]*\text{Sec}[c + d*x]*\text{Sin}[d*x]) / (3*d) + (8*(4 \\
& *C + 3*A*\text{Cos}[c] - 13*B*\text{Cos}[c] + 33*C*\text{Cos}[c]) * \text{Sec}[c] * \text{Tan}[c/2]) / (3*d) + (8*(3 \\
& *A - 8*B + 13*C) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (15*d) + (4*(A - B + C) * \text{Sec} \\
& [c/2 + (d*x)/2]^4 * \text{Tan}[c/2]) / (5*d)) / ((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2* \\
& c + 2*d*x]) * (a + a*\text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 10.019, size = 1040, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

```
[Out] -1/4*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/a^3*(1/3*(4*
C-2*B)*(2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(2*
EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2
))) *cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(2*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3
*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))) *cos(1/2*d*x+1/2*c)-12*sin(1/2*d*x+1
/2*c)^6+20*sin(1/2*d*x+1/2*c)^4-7*sin(1/2*d*x+1/2*c)^2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)/(sin(1/2*d*x+1/2*c)^2-
1)+8*C*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2
*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^
2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+(-4*B+12*C)*(cos(1/2*d*x+1/
2*c)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(Ellipti
cF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))))-2*sin
(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+
1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+(A-B+C)*(1/5*(-2*sin(1/2*d*x+1/2*c)^4+
sin(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)^5+4/5*(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)^3+18/5*(-2*sin(1/2*d*x+1/
2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)-8/5*(sin(1/2*d*x+1/2*
c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(
1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+18/5*(sin(1/2
*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*
c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-Ell
ipticE(cos(1/2*d*x+1/2*c),2^(1/2))))+(8*B-24*C)*(-sin(1/2*d*x+1/2*c)^2)^(1
/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*
(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*
c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/s
in(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1
/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^5 + B \sec(dx+c)^4 + A \sec(dx+c)^3)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^5 + B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(sec(
d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) +
a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)
)**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)^{\frac{7}{2}}}{(a \sec(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(7/2)/(a*sec
(d*x + c) + a)^3, x)
```


$$3.572 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=269

$$\frac{(A+3B-13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(A+3B-13C)\sin(c+dx)\sec^3(c+dx)}{6d(a^3\sec(c+dx)+a^3)} - \frac{(A+9B-49C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticE}\left(\frac{c+dx}{2}, 2\right)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(A+3B-13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{c+dx}{2}, 2\right)\sqrt{\sec(c+dx)}}{6a^3d} - \frac{(A+9B-49C)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} - \frac{(A-B+C)\sec(c+dx)^{7/2}\sin(c+dx)}{(5d(a+a\sec(c+dx))^3) + ((2A+3B-8C)\sec(c+dx)^{5/2}\sin(c+dx))} + \frac{(A+3B-13C)\sec(c+dx)^{3/2}\sin(c+dx)}{(15ad(a+a\sec(c+dx))^2) + ((A+3B-13C)\sec(c+dx)^{3/2}\sin(c+dx))/(6d(a^3+a^3\sec(c+dx)))}$$

```
[Out] ((A + 9*B - 49*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((A + 3*B - 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A + 9*B - 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((2*A + 3*B - 8*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((A + 3*B - 13*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))
```

Rubi [A] time = 0.584145, antiderivative size = 269, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{(A+3B-13C)\sin(c+dx)\sec^3(c+dx)}{6d(a^3\sec(c+dx)+a^3)} - \frac{(A+9B-49C)\sin(c+dx)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(A+3B-13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{6a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]
```

```
[Out] ((A + 9*B - 49*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((A + 3*B - 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A + 9*B - 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((2*A + 3*B - 8*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((A + 3*B - 13*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))
```

Rule 4084

$\text{Int}[(A_. + \csc[e_.] + (f_.)(x_.)](B_.) + \csc[e_.] + (f_.)(x_.)]^2(C_.) * (\csc[e_.] + (f_.)(x_.)](d_.))^{(n_.)} * (\csc[e_.] + (f_.)(x_.)](b_.) + (a$

```

_)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4019

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^3} dx &= -\frac{(A - B + C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{5d(a + a \sec(c+dx))^3} + \int \frac{\sec^{\frac{5}{2}}(c+dx) \left(\frac{5}{2}a(A+B+C) \sec^2(c+dx) - \frac{5}{2}a(A+B+C)\right)}{(a + a \sec(c+dx))^3} dx \\
 &= -\frac{(A - B + C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{5d(a + a \sec(c+dx))^3} + \frac{(2A + 3B - 8C) \sec^{\frac{5}{2}}(c+dx)}{15ad(a + a \sec(c+dx))^2} \\
 &= -\frac{(A - B + C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{5d(a + a \sec(c+dx))^3} + \frac{(2A + 3B - 8C) \sec^{\frac{5}{2}}(c+dx)}{15ad(a + a \sec(c+dx))^2} \\
 &= -\frac{(A - B + C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{5d(a + a \sec(c+dx))^3} + \frac{(2A + 3B - 8C) \sec^{\frac{5}{2}}(c+dx)}{15ad(a + a \sec(c+dx))^2} \\
 &= -\frac{(A + 9B - 49C) \sqrt{\sec(c+dx)} \sin(c+dx)}{10a^3d} - \frac{(A - B + C) \sec^{\frac{5}{2}}(c+dx)}{5d(a + a \sec(c+dx))^2} \\
 &= \frac{(A + 3B - 13C) \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{6a^3d} \\
 &= \frac{(A + 9B - 49C) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{10a^3d}
 \end{aligned}$$

Mathematica [C] time = 7.40387, size = 1430, normalized size = 5.32

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (-2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c +

$$\begin{aligned}
& d*x]^2))/((15*d*E^{(I*d*x)}*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) \\
& *(a + a*\sec[c + d*x])^3) - (6*\sqrt{2}*B*\sqrt{E^{(I*(c + d*x))/(1 + E^{(2*I)* \\
& (c + d*x))}}*\sqrt{1 + E^{(2*I)*(c + d*x)}}*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*(- \\
& 3*\sqrt{1 + E^{(2*I)*(c + d*x)}} + E^{(2*I)*d*x})*(-1 + E^{(2*I)*c}))*\text{Hypergeo} \\
& \text{metric2F1}[1/2, 3/4, 7/4, -E^{(2*I)*(c + d*x)}))*\sec[c/2]*\sec[c + d*x]*(A + \\
& B*\sec[c + d*x] + C*\sec[c + d*x]^2))/((5*d*E^{(I*d*x)}*(A + 2*C + 2*B*\cos[c + d \\
& *x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3) + (98*\sqrt{2}*C*\sqrt{E^{(I \\
& *(c + d*x))/(1 + E^{(2*I)*(c + d*x))}}*\sqrt{1 + E^{(2*I)*(c + d*x)}}*\cos[c/ \\
& 2 + (d*x)/2]^6*\csc[c/2]*(-3*\sqrt{1 + E^{(2*I)*(c + d*x)}} + E^{(2*I)*d*x})*(\\
& -1 + E^{(2*I)*c}))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2*I)*(c + d*x)}))*\sec \\
& [c/2]*\sec[c + d*x]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2))/((15*d*E^{(I*d* \\
& x)}*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3 \\
&) + (4*A*\cos[c/2 + (d*x)/2]^6*\sqrt{\cos[c + d*x]}*\csc[c/2]*\text{EllipticF}[(c + d* \\
& x)/2, 2]*\sec[c/2]*\sec[c + d*x]^{(3/2)}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2 \\
&)*\sin[c])/(3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec \\
& [c + d*x])^3) + (4*B*\cos[c/2 + (d*x)/2]^6*\sqrt{\cos[c + d*x]}*\csc[c/2]*\text{Ellip} \\
& \text{ticF}[(c + d*x)/2, 2]*\sec[c/2]*\sec[c + d*x]^{(3/2)}*(A + B*\sec[c + d*x] + C*\sec \\
& [c + d*x]^2)*\sin[c])/(d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])* \\
& (a + a*\sec[c + d*x])^3) - (52*C*\cos[c/2 + (d*x)/2]^6*\sqrt{\cos[c + d*x]}*\csc \\
& [c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\sec[c/2]*\sec[c + d*x]^{(3/2)}*(A + B*\sec[c + \\
& d*x] + C*\sec[c + d*x]^2)*\sin[c])/(3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2 \\
& *c + 2*d*x])*(a + a*\sec[c + d*x])^3) + (\cos[c/2 + (d*x)/2]^6*\sec[c + d*x]^{(\\
& 3/2)}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((-4*(A + 9*B - 49*C)*\cos[d*x] \\
& *\csc[c/2]*\sec[c/2])/(5*d) + (8*\sec[c/2]*\sec[c/2 + (d*x)/2]*(A*\sin[(d*x)/2] \\
& + 3*B*\sin[(d*x)/2] - 13*C*\sin[(d*x)/2]))/(3*d) + (8*\sec[c/2]*\sec[c/2 + (d*x) \\
&)/2]^3*(2*A*\sin[(d*x)/2] + 3*B*\sin[(d*x)/2] - 8*C*\sin[(d*x)/2]))/(15*d) - (\\
& 4*\sec[c/2]*\sec[c/2 + (d*x)/2]^5*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2] + C*\sin[(d \\
& *x)/2]))/(5*d) - (8*(-A - 3*B + 13*C)*\tan[c/2])/(3*d) + (8*(2*A + 3*B - 8*C \\
&)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(15*d) - (4*(A - B + C)*\sec[c/2 + (d*x)/2] \\
& ^4*\tan[c/2])/(5*d)))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a \\
& + a*\sec[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 3.349, size = 789, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{(5/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^3, x)$

[Out] $\frac{1}{60}*(-2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x$

```

+1/2*c),2^(1/2))-3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+15*B*EllipticF(c
os(1/2*d*x+1/2*c),2^(1/2))-27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-65*C*
EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+147*C*EllipticE(cos(1/2*d*x+1/2*c),2^
(1/2)))*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+4*(2*sin(1/2*d*x+1/2*c)^2-1
)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1
/2*c)^2)^(1/2)*(5*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*A*EllipticE(cos
(1/2*d*x+1/2*c),2^(1/2))+15*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-27*B*El
lipticE(cos(1/2*d*x+1/2*c),2^(1/2))-65*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/
2))+147*C*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*sin(1/2*d*x+1/2*c)^2*cos(1
/2*d*x+1/2*c)-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/
2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A*EllipticF(cos(
1/2*d*x+1/2*c),2^(1/2))-3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+15*B*Elli
pticF(cos(1/2*d*x+1/2*c),2^(1/2))-27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)
)-65*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+147*C*EllipticE(cos(1/2*d*x+1/
2*c),2^(1/2)))*cos(1/2*d*x+1/2*c)+12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1
/2*c)^2)^(1/2)*(A+9*B-49*C)*sin(1/2*d*x+1/2*c)^8-2*(-2*sin(1/2*d*x+1/2*c)^4
+sin(1/2*d*x+1/2*c)^2)^(1/2)*(13*A+147*B-817*C)*sin(1/2*d*x+1/2*c)^6+6*(-2*
sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A+43*B-248*C)*sin(1/2*d
*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(A+69*B-43
9*C)*sin(1/2*d*x+1/2*c)^2/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^
4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1
)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left(C \sec(dx+c)^4 + B \sec(dx+c)^3 + A \sec(dx+c)^2 \right) \sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3 a^3 \sec(dx+c)^2 + 3 a^3 \sec(dx+c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(sec(
d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) +
a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)
)**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec
(d*x + c) + a)^3, x)
```

$$3.573 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=231

$$\frac{(A+B+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(A-B-9C)\sin(c+dx)\sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} - \frac{(A-B-9C)\sqrt{\cos(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)}$$

[Out] -((A - B - 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((A + B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A - B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((4*A + B - 6*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((A - B - 9*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.548874, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 4019, 3787, 3771, 2639, 2641}

$$\frac{(A-B-9C)\sin(c+dx)\sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} + \frac{(A+B+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A-B-9C)\sqrt{\cos(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] -((A - B - 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((A + B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A - B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((4*A + B - 6*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((A - B - 9*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m, x_Symbol)

```
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx) (A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{1}{2}a(7A-6B-9C)\right)}{(a+a\sec(c+dx))^3} dx \\
&= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4A+B-6C)\sec^{\frac{3}{2}}(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4A+B-6C)\sec^{\frac{3}{2}}(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4A+B-6C)\sec^{\frac{3}{2}}(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4A+B-6C)\sec^{\frac{3}{2}}(c+dx)}{15ad(a+a\sec(c+dx))^3} \\
&= -\frac{(A-B-9C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d} + \dots
\end{aligned}$$

Mathematica [C] time = 7.10411, size = 1425, normalized size = 6.17

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] (2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (2*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (6*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2
```

$$\begin{aligned}
& + (d*x)/2]^6 * \text{Csc}[c/2] * (-3 * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] + E^{((2*I)*d*x)} * (- \\
& 1 + E^{((2*I)*c)}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))}] * \text{Sec}[c/2] * \text{Sec}[c + d*x] * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) / (5 * d * E^{(I*d*x)} \\
& * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^3 \\
& + (4 * A * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x) \\
& /2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * \\
& \text{Sin}[c]) / (3 * d * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c \\
& + d*x])^3) + (4 * B * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{Ellipti} \\
& \text{cF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[\\
& c + d*x]^2) * \text{Sin}[c]) / (3 * d * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * \\
& (a + a * \text{Sec}[c + d*x])^3) + (4 * C * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[\\
& c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B * \text{Sec}[c + d \\
& *x] + C * \text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (d * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c \\
& + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^3) + (\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sec}[c + d*x]^{(3/2)} \\
& * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * ((4 * (A - B - 9 * C) * \text{Cos}[d*x] * \text{Csc}[c/ \\
& 2] * \text{Sec}[c/2]) / (5 * d) - (8 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (7 * A * \text{Sin}[(d*x)/2] - 2 \\
& * B * \text{Sin}[(d*x)/2] - 3 * C * \text{Sin}[(d*x)/2])) / (15 * d) + (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/ \\
& 2]^5 * (A * \text{Sin}[(d*x)/2] - B * \text{Sin}[(d*x)/2] + C * \text{Sin}[(d*x)/2])) / (5 * d) + (8 * \text{Sec}[c/2] \\
& * \text{Sec}[c/2 + (d*x)/2] * (A * \text{Sin}[(d*x)/2] + B * \text{Sin}[(d*x)/2] + 3 * C * \text{Sin}[(d*x)/2])) / (\\
& 3 * d) + (8 * (A + B + 3 * C) * \text{Tan}[c/2]) / (3 * d) - (8 * (7 * A - 2 * B - 3 * C) * \text{Sec}[c/2 + (d \\
& *x)/2]^2 * \text{Tan}[c/2]) / (15 * d) + (4 * (A - B + C) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{Tan}[c/2]) / (\\
& 5 * d)) / ((A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2 * c + 2 * d * x]) * (a + a * \text{Sec}[c + d * \\
& x])^3)
\end{aligned}$$

Maple [B] time = 2.55, size = 624, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)`

[Out] `-1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(12*A*cos(1/2*d*x+1/2*c)^8+10*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+6*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-12*B*cos(1/2*d*x+1/2*c)^8+10*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-6*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-108*C*cos(1/2*d*x+1/2*c)^8+30*C*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos`

$$\begin{aligned} & (1/2*d*x+1/2*c), 2^{(1/2)}) - 54*C*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & - 2*A*\cos(1/2*d*x+1/2*c)^6 + 22*B*\cos(1/2*d*x+1/2*c)^6 + 138*C*\cos(1/2*d*x+1/2*c)^6 \\ & - 24*A*\cos(1/2*d*x+1/2*c)^4 - 6*B*\cos(1/2*d*x+1/2*c)^4 - 24*C*\cos(1/2*d*x+1/2*c)^4 \\ & + 17*A*\cos(1/2*d*x+1/2*c)^2 - 7*B*\cos(1/2*d*x+1/2*c)^2 - 3*C*\cos(1/2*d*x+1/2*c)^2 \\ & - 3*A+3*B-3*C) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))³,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + B \sec(dx+c)^2 + A \sec(dx+c))\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))³,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))**3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^3, x)
```

$$3.574 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=231

$$\frac{(3A+B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(3A+B+C)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} - \frac{(9A+B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticE}\left[\frac{1}{2}(c+dx), 2\right]}{6a^3d}$$

[Out] -((9*A + B - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((3*A + B + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((6*A - B - 4*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((3*A + B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.555442, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(3A+B+C)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(3A+B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(9A+B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left[\frac{1}{2}(c+dx), 2\right]}{6a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] -((9*A + B - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((3*A + B + C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((6*A - B - 4*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((3*A + B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(9A\right)}{ } \\
 &= -\frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6A-B-4C)\sqrt{s}}{15ad(a+)} \\
 &= -\frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6A-B-4C)\sqrt{s}}{15ad(a+)} \\
 &= -\frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6A-B-4C)\sqrt{s}}{15ad(a+)} \\
 &= -\frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6A-B-4C)\sqrt{s}}{15ad(a+)} \\
 &= -\frac{(A-B+C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6A-B-4C)\sqrt{s}}{15ad(a+)} \\
 &= -\frac{(9A+B-C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d}
 \end{aligned}$$

Mathematica [C] time = 7.20596, size = 1431, normalized size = 6.19

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] (6*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3 + (2*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*

$$\begin{aligned} & \sqrt{1 + E^{((2I)(c + dx))}} + E^{((2I)dx)}(-1 + E^{((2I)c)}) \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2I)(c + dx))}] \text{Sec}[c/2] \text{Sec}[c + dx] (A + B \text{Sec}[c + dx] + C \text{Sec}[c + dx]^2) / (15d E^{(I dx)} (A + 2C + 2B \text{Cos}[c + dx] + A \text{Cos}[2c + 2dx]) (a + a \text{Sec}[c + dx])^3) - (2\sqrt{2} C \sqrt{E^{(I(c + dx))}} / (1 + E^{((2I)(c + dx))}) \sqrt{1 + E^{((2I)(c + dx))}} \text{Cos}[c/2 + (dx)/2]^6 \text{Csc}[c/2] (-3\sqrt{1 + E^{((2I)(c + dx))}} + E^{((2I)dx)}(-1 + E^{((2I)c)}) \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2I)(c + dx))}] \text{Sec}[c/2] \text{Sec}[c + dx] (A + B \text{Sec}[c + dx] + C \text{Sec}[c + dx]^2) / (15d E^{(I dx)} (A + 2C + 2B \text{Cos}[c + dx] + A \text{Cos}[2c + 2dx]) (a + a \text{Sec}[c + dx])^3) + (4A \text{Cos}[c/2 + (dx)/2]^6 \sqrt{\text{Cos}[c + dx]} \text{Csc}[c/2] \text{EllipticF}[(c + dx)/2, 2] \text{Sec}[c/2] \text{Sec}[c + dx]^{(3/2)} (A + B \text{Sec}[c + dx] + C \text{Sec}[c + dx]^2) \text{Sin}[c]) / (d(A + 2C + 2B \text{Cos}[c + dx] + A \text{Cos}[2c + 2dx]) (a + a \text{Sec}[c + dx])^3) + (4B \text{Cos}[c/2 + (dx)/2]^6 \sqrt{\text{Cos}[c + dx]} \text{Csc}[c/2] \text{EllipticF}[(c + dx)/2, 2] \text{Sec}[c/2] \text{Sec}[c + dx]^{(3/2)} (A + B \text{Sec}[c + dx] + C \text{Sec}[c + dx]^2) \text{Sin}[c]) / (3d(A + 2C + 2B \text{Cos}[c + dx] + A \text{Cos}[2c + 2dx]) (a + a \text{Sec}[c + dx])^3) + (4C \text{Cos}[c/2 + (dx)/2]^6 \sqrt{\text{Cos}[c + dx]} \text{Csc}[c/2] \text{EllipticF}[(c + dx)/2, 2] \text{Sec}[c/2] \text{Sec}[c + dx]^{(3/2)} (A + B \text{Sec}[c + dx] + C \text{Sec}[c + dx]^2) \text{Sin}[c]) / (3d(A + 2C + 2B \text{Cos}[c + dx] + A \text{Cos}[2c + 2dx]) (a + a \text{Sec}[c + dx])^3) + (\text{Cos}[c/2 + (dx)/2]^6 \text{Sec}[c + dx]^{(3/2)} (A + B \text{Sec}[c + dx] + C \text{Sec}[c + dx]^2) ((4(9A + B - C) \text{Cos}[dx] \text{Csc}[c/2] \text{Sec}[c/2]) / (5d) - (8 \text{Sec}[c/2] \text{Sec}[c/2 + (dx)/2] (9A \text{Sin}[(dx)/2] - B \text{Sin}[(dx)/2] - C \text{Sin}[(dx)/2])) / (3d) - (4 \text{Sec}[c/2] \text{Sec}[c/2 + (dx)/2]^5 (A \text{Sin}[(dx)/2] - B \text{Sin}[(dx)/2] + C \text{Sin}[(dx)/2])) / (5d) + (8 \text{Sec}[c/2] \text{Sec}[c/2 + (dx)/2]^3 (12A \text{Sin}[(dx)/2] - 7B \text{Sin}[(dx)/2] + 2C \text{Sin}[(dx)/2])) / (15d) - (8(9A - B - C) \text{Tan}[c/2]) / (3d) + (8(12A - 7B + 2C) \text{Sec}[c/2 + (dx)/2]^2 \text{Tan}[c/2]) / (15d) - (4(A - B + C) \text{Sec}[c/2 + (dx)/2]^4 \text{Tan}[c/2]) / (5d)) / ((A + 2C + 2B \text{Cos}[c + dx] + A \text{Cos}[2c + 2dx]) (a + a \text{Sec}[c + dx])^3) \end{aligned}$$

Maple [B] time = 2.505, size = 624, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(dx+c)+C*\text{sec}(dx+c)^2)*\text{sec}(dx+c)^{(1/2)}/(a+a*\text{sec}(dx+c))^3,x)$

[Out] $-1/60*((2*\cos(1/2*dx+1/2*c)^2-1)*\sin(1/2*dx+1/2*c)^2)^{(1/2)}*(108*A*\cos(1/2*dx+1/2*c)^8+30*A*\cos(1/2*dx+1/2*c)^5*(\sin(1/2*dx+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*dx+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*dx+1/2*c),2^{(1/2)})+54*A*\cos(1/2*dx+1/2*c)^5*(\sin(1/2*dx+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*dx+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*dx+1/2*c),2^{(1/2)})+12*B*\cos(1/2*dx+1/2*c)^8+10*B*$


```

cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+
1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+6*B*cos(1/2*d*x+1/2*c)^5*(si
n(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1
/2*d*x+1/2*c),2^(1/2))-12*C*cos(1/2*d*x+1/2*c)^8+10*C*cos(1/2*d*x+1/2*c)^5*
(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(co
s(1/2*d*x+1/2*c),2^(1/2))-6*C*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)
)-198*A*cos(1/2*d*x+1/2*c)^6-2*B*cos(1/2*d*x+1/2*c)^6+22*C*cos(1/2*d*x+1/2*
c)^6+114*A*cos(1/2*d*x+1/2*c)^4-24*B*cos(1/2*d*x+1/2*c)^4-6*C*cos(1/2*d*x+1
/2*c)^4-27*A*cos(1/2*d*x+1/2*c)^2+17*B*cos(1/2*d*x+1/2*c)^2-7*C*cos(1/2*d*x
+1/2*c)^2+3*A-3*B+3*C)/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+si
n(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/
2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^3,x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a^3 \sec(dx + c)^3 + 3a^3 \sec(dx + c)^2 + 3a^3 \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^3,x, algorithm="fricas")

```

```

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^3*se
c(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^3, x)

$$3.575 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=241

$$\frac{(13A - 3B - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} - \frac{(13A - 3B - C) \sin(c + dx)\sqrt{\sec(c + dx)}}{6d(a^3 \sec(c + dx) + a^3)} + \frac{(49A - 9B - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticE}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} - \frac{(49A - 9B - C) \sin(c + dx)\sqrt{\sec(c + dx)}}{6d(a^3 \sec(c + dx) + a^3)}$$

[Out] ((49*A - 9*B - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((13*A - 3*B - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((8*A - 3*B - 2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((13*A - 3*B - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.562311, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4084, 4020, 3787, 3771, 2639, 2641}

$$\frac{(13A - 3B - C) \sin(c + dx)\sqrt{\sec(c + dx)}}{6d(a^3 \sec(c + dx) + a^3)} - \frac{(13A - 3B - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(49A - 9B - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticE}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} - \frac{(49A - 9B - C) \sin(c + dx)\sqrt{\sec(c + dx)}}{6d(a^3 \sec(c + dx) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3), x]

[Out] ((49*A - 9*B - C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((13*A - 3*B - C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((8*A - 3*B - 2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((13*A - 3*B - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))^3}} dx &= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(11A - B + C) - \frac{5}{2}a(A - B - C) \sec(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))^2}}}{5a^2} \\
&= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B - 2C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
&= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B - 2C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
&= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B - 2C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
&= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B - 2C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
&= \frac{(49A - 9B - C)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{(13A - 3B - 2C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}
\end{aligned}$$

Mathematica [C] time = 7.53288, size = 1449, normalized size = 6.01

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3),x]

[Out] (-98*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) + (6*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) + (2*Sqrt[2]*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3)

$$\begin{aligned}
& 2 + (d*x)/2]^6 * \text{Csc}[c/2] * (-3 * \text{Sqrt}[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x) * (-1 + E^((2*I)*c)) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) * \text{Sec}[c/2] * \text{Sec}[c + d*x] * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) / (15 * d * E^(I*d*x) * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^3) \\
& - (52 * A * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (3 * d * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^3) \\
& + (4 * B * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (d * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^3) \\
& + (4 * C * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * \text{Sin}[c]) / (3 * d * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])^3) \\
& + (8 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (23 * A * \text{Sin}[(d*x)/2] - 9 * B * \text{Sin}[(d*x)/2] + C * \text{Sin}[(d*x)/2])) / (3 * d) + (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (A * \text{Sin}[(d*x)/2] - B * \text{Sin}[(d*x)/2] + C * \text{Sin}[(d*x)/2])) / (5 * d) \\
& - (8 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (17 * A * \text{Sin}[(d*x)/2] - 12 * B * \text{Sin}[(d*x)/2] + 7 * C * \text{Sin}[(d*x)/2])) / (15 * d) + (32 * A * \text{Cos}[c] * \text{Sin}[d*x]) / d + (8 * (23 * A - 9 * B + C) * \text{Tan}[c/2]) / (3 * d) \\
& - (8 * (17 * A - 12 * B + 7 * C) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (15 * d) + (4 * (A - B + C) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{Tan}[c/2]) / (5 * d) / ((A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2 * c + 2 * d * x]) * (a + a * \text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 2.616, size = 624, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/sec(d*x+c)^(1/2),x)`

[Out] `1/60/a^3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(348*A*cos(1/2*d*x+1/2*c)^8+130*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+294*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-108*B*cos(1/2*d*x+1/2*c)^8-30*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-54*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-12*C*cos(1/2*d*x+1/2*c)^8-10*C*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*Ellip`

```
ticF(cos(1/2*d*x+1/2*c),2^(1/2))-6*C*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-578*A*cos(1/2*d*x+1/2*c)^6+198*B*cos(1/2*d*x+1/2*c)^6+2*C*cos(1/2*d*x+1/2*c)^6+264*A*cos(1/2*d*x+1/2*c)^4-114*B*cos(1/2*d*x+1/2*c)^4+24*C*cos(1/2*d*x+1/2*c)^4-37*A*cos(1/2*d*x+1/2*c)^2+27*B*cos(1/2*d*x+1/2*c)^2-17*C*cos(1/2*d*x+1/2*c)^2+3*A-3*B+3*C)/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^4 + 3a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + a^3 \sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^4 + 3*a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + a^3*sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3/sec(d*x+c)**
(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/sec(d*x+c)^(1/
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*s
qrt(sec(d*x + c))), x)
```


$$3.576 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=274

$$\frac{(33A - 13B + 3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(33A - 13B + 3C)\sin(c+dx)}{6a^3d\sqrt{\sec(c+dx)}} - \frac{(119A - 49B + 9C)\sin(c+dx)}{30d\sqrt{\sec(c+dx)}}$$

[Out] -((119*A - 49*B + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(10*a^3*d) + ((33*A - 13*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(6*a^3*d) + ((33*A - 13*B + 3*C)*Sin[c + d*x])/(6*a^3*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(5*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3) - ((2*A - B)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2) - ((119*A - 49*B + 9*C)*Sin[c + d*x])/(30*d*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.599819, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{(33A - 13B + 3C)\sin(c+dx)}{6a^3d\sqrt{\sec(c+dx)}} - \frac{(119A - 49B + 9C)\sin(c+dx)}{30d\sqrt{\sec(c+dx)}(a^3 \sec(c+dx) + a^3)} + \frac{(33A - 13B + 3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{6a^3d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]

[Out] -((119*A - 49*B + 9*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(10*a^3*d) + ((33*A - 13*B + 3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(6*a^3*d) + ((33*A - 13*B + 3*C)*Sin[c + d*x])/(6*a^3*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(5*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3) - ((2*A - B)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2) - ((119*A - 49*B + 9*C)*Sin[c + d*x])/(30*d*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x]))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```
)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= -\frac{(A - B + C) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(13A - 3B + 3C) - \frac{1}{2}a(7A - 7B - 3C) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} dx}{5a^2} \\
&= -\frac{(A - B + C) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}(a + a \sec(c + dx))} \\
&= -\frac{(A - B + C) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}(a + a \sec(c + dx))} \\
&= -\frac{(A - B + C) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}(a + a \sec(c + dx))} \\
&= \frac{(33A - 13B + 3C) \sin(c + dx)}{6a^3 d \sqrt{\sec(c + dx)}} - \frac{(A - B + C) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}(a + a \sec(c + dx))} \\
&= -\frac{(119A - 49B + 9C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3 d} + \frac{(33A - 13B + 3C) \sin(c + dx)}{6a^3 d} \\
&= -\frac{(119A - 49B + 9C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3 d} + \frac{(33A - 13B + 3C) \sin(c + dx)}{6a^3 d}
\end{aligned}$$

Mathematica [C] time = 7.55158, size = 1497, normalized size = 5.46

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]

[Out] (238*sqrt[2]*A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c

$$\begin{aligned}
& + d*x]^2)) / (15*d*E^{(I*d*x)}*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) \\
&)*(a + a*\sec[c + d*x])^3) - (98*\sqrt{2}*B*\sqrt{E^{(I*(c + d*x))} / (1 + E^{(2*I \\
&)*(c + d*x))}}]*\sqrt{1 + E^{(2*I)*(c + d*x)}}*\cos[c/2 + (d*x)/2]^6*\csc[c/2]* \\
& (-3*\sqrt{1 + E^{(2*I)*(c + d*x)}} + E^{(2*I)*d*x}*(-1 + E^{(2*I)*c}))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2*I)*(c + d*x)}] \\
&)*\sec[c/2]*\sec[c + d*x]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)) / (15*d*E^{(I*d*x)}*(A + 2*C + 2*B*\cos[c \\
& + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3) + (6*\sqrt{2}*C*\sqrt{E^{(I*(c + d*x))} / (1 + E^{(2*I)*(c + d*x))}}] \\
&)*\sqrt{1 + E^{(2*I)*(c + d*x)}}*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*(-3*\sqrt{1 + E^{(2*I)*(c + d*x)}} + E^{(2*I)*d*x} \\
&)*(-1 + E^{(2*I)*c}))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2*I)*(c + d*x)}] \\
&)*\sec[c/2]*\sec[c + d*x]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)) / (5*d*E^{(I*d*x)}*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) \\
&)*(a + a*\sec[c + d*x])^3) + (44*A*\cos[c/2 + (d*x)/2]^6*\sqrt{\cos[c + d*x]}*\csc[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\sec[c/2]*\sec[c + d*x]^{(3/2)} \\
&)*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sin[c] / (d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3) \\
& - (52*B*\cos[c/2 + (d*x)/2]^6*\sqrt{\cos[c + d*x]}*\csc[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\sec[c/2]*\sec[c + d*x]^{(3/2)} \\
&)*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sin[c] / (3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) \\
&)*(a + a*\sec[c + d*x])^3) + (4*C*\cos[c/2 + (d*x)/2]^6*\sqrt{\cos[c + d*x]}*\csc[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\sec[c/2]*\sec[c + d*x]^{(3/2)} \\
&)*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sin[c] / (d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) \\
&)*(a + a*\sec[c + d*x])^3) + (\cos[c/2 + (d*x)/2]^6*\sec[c + d*x]^{(3/2)}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * ((4*(89*A - 39*B + 9*C + 30*A* \\
& \cos[2*c] - 10*B*\cos[2*c])* \cos[d*x]*\csc[c/2]*\sec[c/2])) / (5*d) + (16*A*\cos[2*d*x]*\sin[2*c]) / (3*d) - (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^5 * (A*\sin[(d*x)/2] - B* \\
& \sin[(d*x)/2] + C*\sin[(d*x)/2])) / (5*d) - (8*\sec[c/2]*\sec[c/2 + (d*x)/2] * (43*A*\sin[(d*x)/2] - 23*B*\sin[(d*x)/2] + 9*C*\sin[(d*x)/2])) / (3*d) + (8*\sec[c/2] \\
& *\sec[c/2 + (d*x)/2]^3 * (22*A*\sin[(d*x)/2] - 17*B*\sin[(d*x)/2] + 12*C*\sin[(d*x)/2])) / (15*d) - (32*(3*A - B)*\cos[c]*\sin[d*x]) / d + (16*A*\cos[2*c]*\sin[2*d*x] \\
&) / (3*d) - (8*(43*A - 23*B + 9*C)*\tan[c/2]) / (3*d) + (8*(22*A - 17*B + 12*C) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (15*d) - (4*(A - B + C) * \sec[c/2 + (d*x)/2] \\
& ^4 * \tan[c/2]) / (5*d)) / ((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 2.704, size = 638, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x)

```
[Out] -1/60/a^3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(160*A*cos(1/2*d*x+1/2*c)^10+468*A*cos(1/2*d*x+1/2*c)^8+330*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+714*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-348*B*cos(1/2*d*x+1/2*c)^8-130*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-294*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+108*C*cos(1/2*d*x+1/2*c)^8+30*C*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+54*C*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1058*A*cos(1/2*d*x+1/2*c)^6+578*B*cos(1/2*d*x+1/2*c)^6-198*C*cos(1/2*d*x+1/2*c)^6+474*A*cos(1/2*d*x+1/2*c)^4-264*B*cos(1/2*d*x+1/2*c)^4+114*C*cos(1/2*d*x+1/2*c)^4-47*A*cos(1/2*d*x+1/2*c)^2+37*B*cos(1/2*d*x+1/2*c)^2-27*C*cos(1/2*d*x+1/2*c)^2+3*A-3*B+3*C)/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))
^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^5 + 3a^3 \sec(dx+c)^4 + 3a^3 \sec(dx+c)^3 + a^3 \sec(dx+c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))
^3,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^5 + 3*a^3*sec(d*x + c)^4 + 3*a^3*sec(d*x + c)^3 + a^3*sec(d*x + c)^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**3,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*sec(d*x + c)^(3/2)), x)
```

$$3.577 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \sec^2(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=313

$$\frac{(63A - 33B + 13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(63A - 33B + 13C) \sin(c+dx)}{10d \sec^{\frac{3}{2}}(c+dx) (a^3 \sec(c+dx) + a^3)} + \frac{7(33A - 17B + 7C) \sin(c+dx)}{30a^3d \sec^{\frac{3}{2}}(c+dx) (a^3 \sec(c+dx) + a^3)}$$

[Out] (7*(33*A - 17*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((63*A - 33*B + 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) + (7*(33*A - 17*B + 7*C)*Sin[c + d*x])/(30*a^3*d*Sec[c + d*x]^(3/2)) - ((63*A - 33*B + 13*C)*Sin[c + d*x])/(6*a^3*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3) - ((12*A - 7*B + 2*C)*Sin[c + d*x])/(15*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2) - ((63*A - 33*B + 13*C)*Sin[c + d*x])/(10*d*Sec[c + d*x]^(3/2)*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.638633, antiderivative size = 313, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4084, 4020, 3787, 3769, 3771, 2639, 2641}

$$\frac{(63A - 33B + 13C) \sin(c+dx)}{10d \sec^{\frac{3}{2}}(c+dx) (a^3 \sec(c+dx) + a^3)} + \frac{7(33A - 17B + 7C) \sin(c+dx)}{30a^3d \sec^{\frac{3}{2}}(c+dx)} - \frac{(63A - 33B + 13C) \sin(c+dx)}{6a^3d \sqrt{\sec(c+dx)}} - \frac{(63A - 33B + 13C) \sin(c+dx)}{10d \sec^{\frac{3}{2}}(c+dx) (a^3 \sec(c+dx) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

[Out] (7*(33*A - 17*B + 7*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((63*A - 33*B + 13*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) + (7*(33*A - 17*B + 7*C)*Sin[c + d*x])/(30*a^3*d*Sec[c + d*x]^(3/2)) - ((63*A - 33*B + 13*C)*Sin[c + d*x])/(6*a^3*d*Sqrt[Sec[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3) - ((12*A - 7*B + 2*C)*Sin[c + d*x])/(15*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2) - ((63*A - 33*B + 13*C)*Sin[c + d*x])/(10*d*Sec[c + d*x]^(3/2)*(a^3 + a^3*Sec[c + d*x]))

Rule 4084

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4020

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= -\frac{(A - B + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} + \frac{\int \frac{\frac{5}{2}a(3A-B+C) - \frac{1}{2}a(9A-9B-C) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx}{5a^2} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{(12A - 7B + 2C) \sin(c + dx)}{15ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{(12A - 7B + 2C) \sin(c + dx)}{15ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{(12A - 7B + 2C) \sin(c + dx)}{15ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
 &= \frac{7(33A - 17B + 7C) \sin(c + dx)}{30a^3d \sec^{\frac{3}{2}}(c + dx)} - \frac{(63A - 33B + 13C) \sin(c + dx)}{6a^3d \sqrt{\sec(c + dx)}} - \frac{(63A - 33B + 13C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{7(33A - 17B + 7C) \sin(c + dx)}{30a^3d \sec^{\frac{3}{2}}(c + dx)} - \frac{(63A - 33B + 13C) \sin(c + dx)}{6a^3d \sqrt{\sec(c + dx)}} - \frac{(63A - 33B + 13C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{7(33A - 17B + 7C) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{(63A - 33B + 13C) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}
 \end{aligned}$$

Mathematica [C] time = 7.74251, size = 1555, normalized size = 4.97

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

```
[Out] (-154*sqrt[2]*A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^
((2*I)*(c + d*x))]*cos[c/2 + (d*x)/2]^6*csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c +
d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4,
-E^((2*I)*(c + d*x))]*sec[c/2]*sec[c + d*x]*(A + B*sec[c + d*x] + C*sec[c
+ d*x]^2))/(5*d*E^(I*d*x)*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x]
)*(a + a*sec[c + d*x]^3) + (238*sqrt[2]*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*
I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*cos[c/2 + (d*x)/2]^6*csc[c/2]
*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hyper
geometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*sec[c/2]*sec[c + d*x]*(A
+ B*sec[c + d*x] + C*sec[c + d*x]^2))/(15*d*E^(I*d*x)*(A + 2*C + 2*B*cos[c
+ d*x] + A*cos[2*c + 2*d*x])*(a + a*sec[c + d*x]^3) - (98*sqrt[2]*C*sqrt[
E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Co
s[c/2 + (d*x)/2]^6*csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*
x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))
])*sec[c/2]*sec[c + d*x]*(A + B*sec[c + d*x] + C*sec[c + d*x]^2))/(15*d*E^(
I*d*x)*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + a*sec[c + d*x
]^3) - (84*A*cos[c/2 + (d*x)/2]^6*sqrt[cos[c + d*x]]*csc[c/2]*EllipticF[(c
+ d*x)/2, 2]*sec[c/2]*sec[c + d*x]^(3/2)*(A + B*sec[c + d*x] + C*sec[c + d
*x]^2)*sin[c])/(d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + a*
sec[c + d*x]^3) + (44*B*cos[c/2 + (d*x)/2]^6*sqrt[cos[c + d*x]]*csc[c/2]*E
llipticF[(c + d*x)/2, 2]*sec[c/2]*sec[c + d*x]^(3/2)*(A + B*sec[c + d*x] +
C*sec[c + d*x]^2)*sin[c])/(d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*
x])*(a + a*sec[c + d*x]^3) - (52*C*cos[c/2 + (d*x)/2]^6*sqrt[cos[c + d*x]]
*csc[c/2]*EllipticF[(c + d*x)/2, 2]*sec[c/2]*sec[c + d*x]^(3/2)*(A + B*sec[
c + d*x] + C*sec[c + d*x]^2)*sin[c])/(3*d*(A + 2*C + 2*B*cos[c + d*x] + A*C
os[2*c + 2*d*x])*(a + a*sec[c + d*x]^3) + (cos[c/2 + (d*x)/2]^6*sec[c + d*
x]^(3/2)*(A + B*sec[c + d*x] + C*sec[c + d*x]^2)*((-2*(329*A - 178*B + 78*C
+ 133*A*cos[2*c] - 60*B*cos[2*c] + 20*C*cos[2*c]))*cos[d*x]*csc[c/2]*sec[c/
2])/(5*d) - (16*(3*A - B)*cos[2*d*x]*sin[2*c])/(3*d) + (8*A*cos[3*d*x]*sin[
3*c])/(5*d) + (4*sec[c/2]*sec[c/2 + (d*x)/2]^5*(A*sin[(d*x)/2] - B*sin[(d*x
)/2] + C*sin[(d*x)/2]))/(5*d) - (8*sec[c/2]*sec[c/2 + (d*x)/2]^3*(27*A*sin[
(d*x)/2] - 22*B*sin[(d*x)/2] + 17*C*sin[(d*x)/2]))/(15*d) + (8*sec[c/2]*sec
[c/2 + (d*x)/2]*(69*A*sin[(d*x)/2] - 43*B*sin[(d*x)/2] + 23*C*sin[(d*x)/2]
))/(3*d) + (8*(133*A - 60*B + 20*C)*cos[c]*sin[d*x])/(5*d) - (16*(3*A - B)*C
os[2*c]*sin[2*d*x])/(3*d) + (8*A*cos[3*c]*sin[3*d*x])/(5*d) + (8*(69*A - 43
*B + 23*C)*tan[c/2])/(3*d) - (8*(27*A - 22*B + 17*C)*sec[c/2 + (d*x)/2]^2*T
an[c/2])/(15*d) + (4*(A - B + C)*sec[c/2 + (d*x)/2]^4*tan[c/2])/(5*d)))/((A
+ 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + a*sec[c + d*x]^3)
```

Maple [A] time = 2.47, size = 666, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}/(a+a*\sec(dx+c))^3,x)$

[Out]
$$-1/60/a^3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(192*A*\cos(1/2*d*x+1/2*c)^{12}-864*A*\cos(1/2*d*x+1/2*c)^{10}+160*B*\cos(1/2*d*x+1/2*c)^{10}-228*A*\cos(1/2*d*x+1/2*c)^8-630*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1386*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+468*B*\cos(1/2*d*x+1/2*c)^8+330*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+714*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-348*C*\cos(1/2*d*x+1/2*c)^8-130*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-294*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1590*A*\cos(1/2*d*x+1/2*c)^6-1058*B*\cos(1/2*d*x+1/2*c)^6+578*C*\cos(1/2*d*x+1/2*c)^6-744*A*\cos(1/2*d*x+1/2*c)^4+474*B*\cos(1/2*d*x+1/2*c)^4-264*C*\cos(1/2*d*x+1/2*c)^4+57*A*\cos(1/2*d*x+1/2*c)^2-47*B*\cos(1/2*d*x+1/2*c)^2+37*C*\cos(1/2*d*x+1/2*c)^2-3*A+3*B-3*C)/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}/(a+a*\sec(dx+c))^3,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^6 + 3a^3 \sec(dx+c)^5 + 3a^3 \sec(dx+c)^4 + a^3 \sec(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^3,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^3*se
c(d*x + c)^6 + 3*a^3*sec(d*x + c)^5 + 3*a^3*sec(d*x + c)^4 + a^3*sec(d*x +
c)^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c
))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*s
ec(d*x + c)^(5/2)), x)
```

$$3.578 \quad \int \sec^{\frac{5}{2}}(c+dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec(c + dx)) dx$$

Optimal. Leaf size=227

$$\frac{a(48A + 40B + 35C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{96d\sqrt{a \sec(c + dx) + a}} + \frac{a(48A + 40B + 35C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(48A + 40B + 35C) \sin(c + dx)}{64d}$$

[Out] (Sqrt[a]*(48*A + 40*B + 35*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a*(48*A + 40*B + 35*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 40*B + 35*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.518342, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4088, 4016, 3803, 3801, 215}

$$\frac{a(48A + 40B + 35C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{96d\sqrt{a \sec(c + dx) + a}} + \frac{a(48A + 40B + 35C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(48A + 40B + 35C) \sin(c + dx)}{64d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(48*A + 40*B + 35*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a*(48*A + 40*B + 35*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 40*B + 35*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(

$m + n + 1)) * \text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}] \&\& !\text{LtQ}[n, -2^{(-1)}] \&\& \text{NeQ}[m + n + 1, 0]$

Rule 4016

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)] * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(-2*b*B * \text{Cot}[e + f*x] * (d * \text{Csc}[e + f*x])^n) / (f * (2*n + 1) * \text{Sqrt}[a + b * \text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n) / (b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b * \text{Csc}[e + f*x]] * (d * \text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& !\text{LtQ}[n, 0]$

Rule 3803

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*b*d * \text{Cot}[e + f*x] * (d * \text{Csc}[e + f*x])^{n-1}) / (f * (2*n - 1) * \text{Sqrt}[a + b * \text{Csc}[e + f*x]]), x] + \text{Dist}[(2*a*d*(n - 1)) / (b*(2*n - 1)), \text{Int}[\text{Sqrt}[a + b * \text{Csc}[e + f*x]] * (d * \text{Csc}[e + f*x])^{n-1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*a * \text{Sqrt}[(a*d)/b]) / (b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b * \text{Cot}[e + f*x]) / \text{Sqrt}[a + b * \text{Csc}[e + f*x]]], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} \\
&= \frac{a(8B+C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{C\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a(48A+40B+35C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a(48A+40B+35C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a(48A+40B+35C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{a}(48A+40B+35C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d}
\end{aligned}$$

Mathematica [A] time = 2.10504, size = 179, normalized size = 0.79

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{7}{2}}(c+dx)\sqrt{a(\sec(c+dx)+1)}\left(4\sin\left(\frac{1}{2}(c+dx)\right)\left((432A+77(8B+7C))\cos(c+dx)+4(48A+40B+35C)\right)\right)}{64d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Sec[(c + d*x)/2]*Sec[c + d*x]^(7/2)*Sqrt[a*(1 + Sec[c + d*x])]*(24*Sqrt[2]*(48*A + 40*B + 35*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + 4*(192*A + 160*B + 332*C + (432*A + 77*(8*B + 7*C))*Cos[c + d*x] + 4*(48*A + 40*B + 35*C)*Cos[2*(c + d*x)] + 144*A*Cos[3*(c + d*x)] + 120*B*Cos[3*(c + d*x)] + 105*C*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/(3072*d)

Maple [B] time = 0.443, size = 638, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(5/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)*(a+a*\sec(dx+c))^{(1/2)},x)$

[Out] $\frac{1}{768d}*(144*A*\cos(dx+c)^4*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))^{(1/2)}-144*A*\cos(dx+c)^4*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))^{(1/2)}+120*B*\cos(dx+c)^4*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))^{(1/2)}-120*B*\cos(dx+c)^4*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))^{(1/2)}+105*C*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))^{(1/2)}*\cos(dx+c)^4-105*C*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))^{(1/2)}*\cos(dx+c)^4+288*A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+240*B*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+210*C*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+192*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+160*B*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+140*C*\sin(dx+c)*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{(1/2)}+128*B*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+112*C*\sin(dx+c)*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+96*C*(-2/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c))*(1/\cos(dx+c))^{(5/2)}*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}/\sin(dx+c)^2/\cos(dx+c)*(\cos(dx+c)^2-1)$

Maxima [B] time = 4.19588, size = 8764, normalized size = 38.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(5/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)*(a+a*\sec(dx+c))^{(1/2)},x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/768*(48*(12*(\sqrt{2}*\sin(4dx+4c)+2*\sqrt{2}*\sin(2dx+2c))*\cos(7/2*\arctan2(\sin(dx+c),\cos(dx+c)))+4*(\sqrt{2}*\sin(4dx+4c)+2*\sqrt{2}*\sin(2dx+2c))*\cos(5/2*\arctan2(\sin(dx+c),\cos(dx+c)))-4*(\sqrt{2}*\sin(4dx+4c)+2*\sqrt{2}*\sin(2dx+2c))*\cos(3/2*\arctan2(\sin(dx+c),\cos(dx+c)))-12*(\sqrt{2}*\sin(4dx+4c)+2*\sqrt{2}*\sin(2dx+2c))*\cos(1/2*\arctan2(\sin(dx+c),\cos(dx+c)))-3*(2*(2*\cos(2dx+2c)+1)*\cos(4dx+4c)+\cos(4dx+4c)^2+4*\cos(2dx+2c)^2+\sin(4dx+4c)^2+4*\sin(4dx+4c)*\sin(2dx+2c)+4*\sin(2dx+2c)^2+4*\cos(2dx+2c)+1)*\log(2*\cos(1/2*\arctan2(\sin(dx+c),\cos(dx+c))))^2+2*\sin(1/2*\arctan2(\sin(dx+c),\cos(dx+c)))^2+2*\sqrt{2}*c$

$$\begin{aligned}
& \cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 2\sqrt{2} \sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 2) + 3(2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) \log(2\cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))))^2 + 2\sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sqrt{2} \cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) - 2\sqrt{2} \sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 3(2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) \log(2\cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))))^2 + 2\sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2} \cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 2\sqrt{2} \sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 2) + 3(2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) \log(2\cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))))^2 + 2\sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2} \cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) - 2\sqrt{2} \sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 12(\sqrt{2} \cos(4dx + 4c) + 2\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(7/2 \arctan2(\sin(dx + c), \cos(dx + c))) - 4(\sqrt{2} \cos(4dx + 4c) + 2\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(5/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 4(\sqrt{2} \cos(4dx + 4c) + 2\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(3/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 12(\sqrt{2} \cos(4dx + 4c) + 2\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) * A \sqrt{a} / (2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) + 8(60(\sqrt{2} \sin(6dx + 6c) + 3\sqrt{2} \sin(4dx + 4c) + 3\sqrt{2} \sin(2dx + 2c)) \cos(11/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 20(\sqrt{2} \sin(6dx + 6c) + 3\sqrt{2} \sin(4dx + 4c) + 3\sqrt{2} \sin(2dx + 2c)) \cos(9/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 168(\sqrt{2} \sin(6dx + 6c) + 3\sqrt{2} \sin(4dx + 4c) + 3\sqrt{2} \sin(2dx + 2c)) \cos(7/2 \arctan2(\sin(dx + c), \cos(dx + c))) - 168(\sqrt{2} \sin(6dx + 6c) + 3\sqrt{2} \sin(4dx + 4c) + 3\sqrt{2} \sin(2dx + 2c)) \cos(5/2 \arctan2(\sin(dx + c), \cos(dx + c))) - 20(\sqrt{2} \sin(6dx + 6c) + 3\sqrt{2} \sin(4dx + 4c) + 3\sqrt{2} \sin(2dx + 2c)) \cos(3/2 \arctan2(\sin(dx + c), \cos(dx + c))) - 60(\sqrt{2} \sin(6dx + 6c) + 3\sqrt{2} \sin(4dx + 4c) + 3\sqrt{2} \sin(2dx + 2c)) \cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) - 15(2(3\cos(4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) + \cos(6dx + 6c)^2 + 6(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^2 + 9\cos(2dx + 2c)^2 + 6(\sin(4dx + 4c) + \sin(2dx + 2c)) \sin(6dx + 6c) + \sin(6dx + 6c)^2 + 9\sin(4dx + 4c)^2 + 18\sin(4dx + 4c)\sin(2dx + 2c) + 9\sin(2dx + 2c)^2 + 6\cos(2dx + 2c) + 1) \log(2\cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))))^2 + 2\sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sqrt{2} \cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c)))
\end{aligned}$$

$$\begin{aligned}
& d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x \\
& + c))) + 2) + 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x \\
& + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) \\
& + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2 \\
& *d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + \\
& 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x \\
& + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/ \\
& 2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d* \\
& x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + \\
& c))) + 2) - 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + \\
& 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \\
& 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d \\
& *x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 1 \\
& 8*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + \\
& 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2* \\
& arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c) \\
&)) + 2) + 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6 \\
& *c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9* \\
& \cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x \\
& + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18* \\
& \sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2* \\
& c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2* \\
& arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + \\
& c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) \\
& + 2) - 60*(\sqrt{2}*\cos(6*d*x + 6*c) + 3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*(\\
& 2)*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c)) \\
&) - 20*(\sqrt{2}*\cos(6*d*x + 6*c) + 3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2* \\
& *d*x + 2*c) + \sqrt{2})*\sin(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 1 \\
& 68*(\sqrt{2}*\cos(6*d*x + 6*c) + 3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2 \\
& *d*x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 168*(\\
& \sqrt{2}*\cos(6*d*x + 6*c) + 3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x \\
& + 2*c) + \sqrt{2})*\sin(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 20*(\sqrt{2} \\
& *2)*\cos(6*d*x + 6*c) + 3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x + 2* \\
& c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 60*(\sqrt{2})*\cos \\
& (6*d*x + 6*c) + 3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x + 2*c) + \\
& \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*B*\sqrt{a}/(2*(3*\cos(\\
& 4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 \\
& + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9* \\
& \cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6* \\
& c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2* \\
& d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1) + (420*(\sqrt{2} \\
& *2)*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) \\
& + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(15/2*\arctan2(\sin(d*x + c), \cos(d*x + c)) \\
&) + 140*(\sqrt{2})*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2})*
\end{aligned}$$

$$\begin{aligned}
& \sin(4dx + 4c) + 4\sqrt{2}\sin(2dx + 2c))\cos(13/2\arctan2(\sin(dx + c), \\
& \cos(dx + c))) + 1596(\sqrt{2}\sin(8dx + 8c) + 4\sqrt{2}\sin(6dx + \\
& 6c) + 6\sqrt{2}\sin(4dx + 4c) + 4\sqrt{2}\sin(2dx + 2c))\cos(11/2\ar \\
& \text{ctan2}(\sin(dx + c), \cos(dx + c))) + 500(\sqrt{2}\sin(8dx + 8c) + 4\sqrt{2} \\
& \sin(6dx + 6c) + 6\sqrt{2}\sin(4dx + 4c) + 4\sqrt{2}\sin(2dx + 2 \\
& c))\cos(9/2\arctan2(\sin(dx + c), \cos(dx + c))) - 500(\sqrt{2}\sin(8dx \\
& + 8c) + 4\sqrt{2}\sin(6dx + 6c) + 6\sqrt{2}\sin(4dx + 4c) + 4\sqrt{2}(2 \\
&)\sin(2dx + 2c))\cos(7/2\arctan2(\sin(dx + c), \cos(dx + c))) - 1596(\sqrt{2} \\
& \sin(8dx + 8c) + 4\sqrt{2}\sin(6dx + 6c) + 6\sqrt{2}\sin(4dx + \\
& 4c) + 4\sqrt{2}\sin(2dx + 2c))\cos(5/2\arctan2(\sin(dx + c), \cos(dx + \\
& c))) - 140(\sqrt{2}\sin(8dx + 8c) + 4\sqrt{2}\sin(6dx + 6c) + 6\sqrt{2} \\
& \sin(4dx + 4c) + 4\sqrt{2}\sin(2dx + 2c))\cos(3/2\arctan2(\sin(dx \\
& + c), \cos(dx + c))) - 420(\sqrt{2}\sin(8dx + 8c) + 4\sqrt{2}\sin(6dx \\
& + 6c) + 6\sqrt{2}\sin(4dx + 4c) + 4\sqrt{2}\sin(2dx + 2c))\cos(1/2*a \\
& \text{rctan2}(\sin(dx + c), \cos(dx + c))) - 105*(2*(4\cos(6dx + 6c) + 6\cos(4 \\
& dx + 4c) + 4\cos(2dx + 2c) + 1)*\cos(8dx + 8c) + \cos(8dx + 8c)^2 \\
& + 8*(6\cos(4dx + 4c) + 4\cos(2dx + 2c) + 1)*\cos(6dx + 6c) + 16\cos \\
& (6dx + 6c)^2 + 12*(4\cos(2dx + 2c) + 1)*\cos(4dx + 4c) + 36\cos(4dx \\
& + 4c)^2 + 16\cos(2dx + 2c)^2 + 4*(2*\sin(6dx + 6c) + 3*\sin(4dx + \\
& 4c) + 2*\sin(2dx + 2c))*\sin(8dx + 8c) + \sin(8dx + 8c)^2 + 16*(3*s \\
& \text{in}(4dx + 4c) + 2*\sin(2dx + 2c))*\sin(6dx + 6c) + 16*\sin(6dx + 6c \\
&)^2 + 36*\sin(4dx + 4c)^2 + 48*\sin(4dx + 4c)*\sin(2dx + 2c) + 16*\sin \\
& (2dx + 2c)^2 + 8*\cos(2dx + 2c) + 1)*\log(2*\cos(1/2\arctan2(\sin(dx + c \\
&), \cos(dx + c)))^2 + 2*\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2* \\
& \sqrt{2}*\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2*\sqrt{2}*\sin(1/2\ar \\
& \text{ctan2}(\sin(dx + c), \cos(dx + c))) + 2) + 105*(2*(4\cos(6dx + 6c) + 6*co \\
& \text{s}(4dx + 4c) + 4\cos(2dx + 2c) + 1)*\cos(8dx + 8c) + \cos(8dx + 8c \\
&)^2 + 8*(6\cos(4dx + 4c) + 4\cos(2dx + 2c) + 1)*\cos(6dx + 6c) + 16 \\
& *\cos(6dx + 6c)^2 + 12*(4\cos(2dx + 2c) + 1)*\cos(4dx + 4c) + 36*\cos \\
& (4dx + 4c)^2 + 16*\cos(2dx + 2c)^2 + 4*(2*\sin(6dx + 6c) + 3*\sin(4dx \\
& + 4c) + 2*\sin(2dx + 2c))*\sin(8dx + 8c) + \sin(8dx + 8c)^2 + 16* \\
& (3*\sin(4dx + 4c) + 2*\sin(2dx + 2c))*\sin(6dx + 6c) + 16*\sin(6dx + \\
& 6c)^2 + 36*\sin(4dx + 4c)^2 + 48*\sin(4dx + 4c)*\sin(2dx + 2c) + 16 \\
& *\sin(2dx + 2c)^2 + 8*\cos(2dx + 2c) + 1)*\log(2*\cos(1/2\arctan2(\sin(dx \\
& + c), \cos(dx + c)))^2 + 2*\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 \\
& + 2*\sqrt{2}*\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 2*\sqrt{2}*\sin(1/ \\
& 2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 105*(2*(4\cos(6dx + 6c) + \\
& 6\cos(4dx + 4c) + 4\cos(2dx + 2c) + 1)*\cos(8dx + 8c) + \cos(8dx + \\
& 8c)^2 + 8*(6\cos(4dx + 4c) + 4\cos(2dx + 2c) + 1)*\cos(6dx + 6c) \\
& + 16*\cos(6dx + 6c)^2 + 12*(4\cos(2dx + 2c) + 1)*\cos(4dx + 4c) + 36 \\
& *\cos(4dx + 4c)^2 + 16*\cos(2dx + 2c)^2 + 4*(2*\sin(6dx + 6c) + 3*\sin \\
& (4dx + 4c) + 2*\sin(2dx + 2c))*\sin(8dx + 8c) + \sin(8dx + 8c)^2 + \\
& 16*(3*\sin(4dx + 4c) + 2*\sin(2dx + 2c))*\sin(6dx + 6c) + 16*\sin(6dx \\
& + 6c)^2 + 36*\sin(4dx + 4c)^2 + 48*\sin(4dx + 4c)*\sin(2dx + 2c) \\
& + 16*\sin(2dx + 2c)^2 + 8*\cos(2dx + 2c) + 1)*\log(2*\cos(1/2\arctan2(\sin
\end{aligned}$$

$$\begin{aligned}
& (d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 420*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(15/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 140*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(13/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 1596*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 500*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 500*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1596*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 140*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 420*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*C*\sqrt{a}/(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 2.39991, size = 1338, normalized size = 5.89

$$\frac{3 \left((48A + 40B + 35C) \cos(dx + c)^4 + (48A + 40B + 35C) \cos(dx + c)^3 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2)}{\cos(dx+c)^3 + c}}{\cos(dx+c)^3 + c} \right)}{768 (d \cos(dx + c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/768*(3*((48*A + 40*B + 35*C)*cos(d*x + c)^4 + (48*A + 40*B + 35*C)*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(48*A + 40*B + 35*C)*cos(d*x + c)^3 + 2*(48*A + 40*B + 35*C)*cos(d*x + c)^2 + 8*(8*B + 7*C)*cos(d*x + c) + 48*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/384*(3*((48*A + 40*B + 35*C)*cos(d*x + c)^4 + (48*A + 40*B + 35*C)*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(48*A + 40*B + 35*C)*cos(d*x + c)^3 + 2*(48*A + 40*B + 35*C)*cos(d*x + c)^2 + 8*(8*B + 7*C)*cos(d*x + c) + 48*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))  
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*  
sec(d*x + c)^(5/2), x)
```

$$3.579 \quad \int \sec^{\frac{3}{2}}(c+dx) \sqrt{a + a \sec(c + dx)} \left(A + B \sec(c + dx) + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=179

$$\frac{a(8A + 6B + 5C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(8A + 6B + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a(6B + C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{12d\sqrt{a \sec(c + dx) + a}}$$

[Out] (Sqrt[a]*(8*A + 6*B + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(8*A + 6*B + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(6*B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.422774, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4088, 4016, 3803, 3801, 215}

$$\frac{a(8A + 6B + 5C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(8A + 6B + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a(6B + C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{12d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(8*A + 6*B + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(8*A + 6*B + 5*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(6*B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ

[m + n + 1, 0]

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{3d} \\
&= \frac{a(6B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{Cs}{3d} \\
&= \frac{a(8A+6B+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a(8A+6B+5C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{a}(8A+6B+5C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8d}
\end{aligned}$$

Mathematica [A] time = 1.18962, size = 141, normalized size = 0.79

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{5}{2}}(c+dx)\sqrt{a(\sec(c+dx)+1)}\left(4\sin\left(\frac{1}{2}(c+dx)\right)(3(8A+6B+5C)\cos(2(c+dx))+24A+4(6B+5C))\right)}{192d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Sec[(c + d*x)/2]*Sec[c + d*x]^(5/2)*Sqrt[a*(1 + Sec[c + d*x])]*(12*Sqrt[2]*(8*A + 6*B + 5*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + 4*(24*A + 18*B + 31*C + 4*(6*B + 5*C)*Cos[c + d*x] + 3*(8*A + 6*B + 5*C)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])/(192*d)

Maple [B] time = 0.433, size = 543, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

```
[Out] -1/48/d*(-1+cos(d*x+c))*(-24*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)
*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^3*2^(1/2)+24*A*arctan(1/4*2^(1/2)*(-
2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^3*2^(1/2)-18*
B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*c
os(d*x+c)^3*2^(1/2)+18*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(
d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^3*2^(1/2)-15*C*arctan(1/4*2^(1/2)*(-2/(cos
(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^3*2^(1/2)+15*C*arct
an(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x
+c)^3*2^(1/2)+48*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+36*B*c
os(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+30*C*sin(d*x+c)*cos(d*x+c)
^2*(-2/(cos(d*x+c)+1))^(1/2)+24*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))
^(1/2)+20*C*sin(d*x+c)*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+16*C*(-2/(cos(d
*x+c)+1))^(1/2)*sin(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(cos(d*x+c)+1)/cos(d*x+
c))^(1/2)/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2/cos(d*x+c)
```

Maxima [B] time = 3.02556, size = 5403, normalized size = 30.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))
^(1/2),x, algorithm="maxima")
```

```
[Out] -1/96*(24*(4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x
+ 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x
+ 2*c) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(s
in(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos
(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) +
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*c
os(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x +
c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c
))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*
d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*a
rctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos
(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*
sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + (cos(2*d*x + 2*
c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(s
in(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c
)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*
sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 4*(sqrt(2)*cos(2*d*x +
```

$$\begin{aligned}
& 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*c \\
& \cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*A* \\
& \sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\
& + 6*(12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/2*\arcc \\
& \tan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2} \\
& *\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{2} \\
&)*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + \\
& c), \cos(d*x + c))) - 12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2 \\
& *c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 3*(2*(2*\cos(2*d*x + 2*c \\
&) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4 \\
& *d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 \\
& + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)) \\
&)^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2* \\
& \arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + \\
& c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \\
& \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d* \\
& x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)* \\
& \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin \\
& (d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(\\
& d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - \\
& 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos \\
& (2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) \\
& + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(\\
& d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) \\
&)^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin \\
& (1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + \\
& 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d* \\
& x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4 \\
& *\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 \\
& + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arcc \\
& tan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \\
& \cos(d*x + c))) + 2) - 12*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + \\
& 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{2}* \\
& \cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arctan2(\sin \\
& (d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2* \\
& d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 12*(\sqrt{2} \\
& *\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arct \\
& an2(\sin(d*x + c), \cos(d*x + c))))*B*\sqrt{a}/(2*(2*\cos(2*d*x + 2*c) + 1)*\cos \\
& (4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c \\
&)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2* \\
& d*x + 2*c) + 1) + (60*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) \\
&) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c) \\
&)) + 20*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}* \\
& \sin(2*d*x + 2*c))*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 168*(\sqrt{2} \\
&)*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*
\end{aligned}$$

$$\begin{aligned} & \sqrt{2}) \sin\left(\frac{5}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) + 20 \sqrt{2} \cos(6dx+6c) + 3 \sqrt{2} \cos(4dx+4c) + 3 \sqrt{2} \cos(2dx+2c) + \sqrt{2} \\ & \sin\left(\frac{3}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) + 60 \sqrt{2} \cos(6dx+6c) + 3 \sqrt{2} \cos(4dx+4c) + 3 \sqrt{2} \cos(2dx+2c) + \sqrt{2}) \\ & \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) \cdot C \sqrt{a} / (2 \cdot (3 \cos(4dx+4c) + 3 \cos(2dx+2c) + 1) \cos(6dx+6c) + \cos(6dx+6c)^2 + 6 \cdot (3 \cos(2dx+2c) + 1) \cos(4dx+4c) + 9 \cos(4dx+4c)^2 + 9 \cos(2dx+2c)^2 + 6 \cdot (\sin(4dx+4c) + \sin(2dx+2c)) \sin(6dx+6c) + \sin(6dx+6c)^2 + 9 \sin(4dx+4c)^2 + 18 \sin(4dx+4c) \sin(2dx+2c) + 9 \sin(2dx+2c)^2 + 6 \cos(2dx+2c) + 1) / d \end{aligned}$$

Fricas [A] time = 1.49327, size = 1200, normalized size = 6.7

$$\left[\frac{3 \left((8A + 6B + 5C) \cos(dx+c)^3 + (8A + 6B + 5C) \cos(dx+c)^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c))}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{96 \left(d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/96*(3*((8*A + 6*B + 5*C)*cos(dx + c)^3 + (8*A + 6*B + 5*C)*cos(dx + c)^2)*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 4*(3*(8*A + 6*B + 5*C)*cos(dx + c)^2 + 2*(6*B + 5*C)*cos(dx + c) + 8*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^3 + d*cos(dx + c)^2), 1/48*(3*((8*A + 6*B + 5*C)*cos(dx + c)^3 + (8*A + 6*B + 5*C)*cos(dx + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/(a*cos(dx + c)^2 - a*cos(dx + c) - 2*a)) + 2*(3*(8*A + 6*B + 5*C)*cos(dx + c)^2 + 2*(6*B + 5*C)*cos(dx + c) + 8*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^3 + d*cos(dx + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(3/2), x)

3.580 $\int \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C$

Optimal. Leaf size=131

$$\frac{\sqrt{a}(8A + 4B + 3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{a(4B + C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d \sqrt{a \sec(c + dx) + a}} + \frac{C \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{2d}$$

[Out] (Sqrt[a]*(8*A + 4*B + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a*(4*B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.33842, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4088, 4016, 3801, 215}

$$\frac{\sqrt{a}(8A + 4B + 3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{a(4B + C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d \sqrt{a \sec(c + dx) + a}} + \frac{C \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(8*A + 4*B + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a*(4*B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\sec(c+dx)} \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= \frac{C \sec^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{2d} \\ &= \frac{a(4B+C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d \sqrt{a+a \sec(c+dx)}} + \frac{C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d} \\ &= \frac{a(4B+C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d \sqrt{a+a \sec(c+dx)}} + \frac{C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d} \\ &= \frac{\sqrt{a}(8A+4B+3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{4d} \end{aligned}$$

Mathematica [A] time = 0.838574, size = 109, normalized size = 0.83

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(\sqrt{2}(8A+4B+3C) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right) + 2 \sin\left(\frac{1}{2}(c+dx)\right) \sec(c+dx)(4B+3C)}{8d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] +
C*Sec[c + d*x]^2),x]
```

```
[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(8*A + 4*B + 3*C)*Arc
Tanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(4*B + 3*C + 2*C*Sec[c + d*
x])*Sin[(c + d*x)/2]))/(8*d*Sqrt[Sec[c + d*x]])
```

Maple [B] time = 0.47, size = 452, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)
,x)
```

```
[Out] 1/16/d*(8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(
d*x+c)))^2^(1/2)*cos(d*x+c)^2-8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1
/2)*(cos(d*x+c)+1-sin(d*x+c)))^2^(1/2)*cos(d*x+c)^2+4*B*arctan(1/4*2^(1/2)*
(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))^2^(1/2)*cos(d*x+c)^2-4
*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))^
2^(1/2)*cos(d*x+c)^2+3*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(
d*x+c)+1+sin(d*x+c)))^2^(1/2)*cos(d*x+c)^2-3*C*arctan(1/4*2^(1/2)*(-2/(cos(
d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))^2^(1/2)*cos(d*x+c)^2+8*B*cos(d*
x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+6*C*sin(d*x+c)*cos(d*x+c)*(-2/(co
s(d*x+c)+1))^(1/2)+4*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(1/cos(d*x+c))
^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*
x+c)^2/cos(d*x+c)*(cos(d*x+c)^2-1)
```

Maxima [B] time = 2.60528, size = 2925, normalized size = 22.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))
^(1/2),x, algorithm="maxima")
```

```

[Out] 1/16*(8*A*sqrt(a)*(log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2
+ 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - lo
g(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d
*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + log(2*cos(1/2*d*x + 1/2
*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(
2)*sin(1/2*d*x + 1/2*c) + 2) - log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x
+ 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*
c) + 2)) - 4*(4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*
d*x + 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*d
*x + 2*c) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c),
cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2
) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(
2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*
x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x
+ c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - (cos
(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/
2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c),
cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) +
2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + (cos(2*d*x +
2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan
2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x
+ c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(
2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 4*(sqrt(2)*cos(2*d*x
+ 2*c) + sqrt(2))*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)
)*cos(2*d*x + 2*c) + sqrt(2))*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))
*B*sqrt(a)/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1) - (12*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(7/2*ar
ctan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)
)*sin(2*d*x + 2*c))*cos(5/2*arctan2(sin(d*x + c), cos(d*x + c))) - 4*(sqrt(
2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(3/2*arctan2(sin(d*x +
c), cos(d*x + c))) - 12*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x +
2*c))*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 3*(2*(2*cos(2*d*x + 2*
c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(
4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2
+ 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)
))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2
*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x +
c), cos(d*x + c))) + 2) + 3*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) +
cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d
*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)
*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(s
in(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos
(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) -

```

$$\begin{aligned}
& 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) \\
& + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 12*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{2})*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2})*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 12*(\sqrt{2})*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) * C*\sqrt{a}/(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 1.48598, size = 1077, normalized size = 8.22

$$\left[\frac{\left((8A + 4B + 3C) \cos(dx + c)^2 + (8A + 4B + 3C) \cos(dx + c) \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{16 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/16*(((8*A + 4*B + 3*C)*cos(d*x + c)^2 + (8*A + 4*B + 3*C)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((4*B + 3*

```
C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)
/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/8*(((8*A + 4*B
+ 3*C)*cos(d*x + c)^2 + (8*A + 4*B + 3*C)*cos(d*x + c))*sqrt(-a)*arctan(2*s
qrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x
+ c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*((4*B + 3*C)*cos(d*x +
c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x
+ c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c)
)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c)
)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*
sqrt(sec(d*x + c)), x)
```

$$3.581 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=119

$$\frac{a(2A-C) \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(2B+C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{C \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}{d}$$

[Out] (Sqrt[a]*(2*B + C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a*(2*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.330895, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4088, 4015, 3801, 215}

$$\frac{a(2A-C) \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(2B+C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{C \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (Sqrt[a]*(2*B + C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a*(2*A - C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx = \frac{C \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + \frac{\int \frac{\sqrt{a + a \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx}{d}$$

$$= \frac{a(2A - C) \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{d \sqrt{a + a \sec(c + dx)}}$$

$$= \frac{a(2A - C) \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{d \sqrt{a + a \sec(c + dx)}}$$

$$= \frac{\sqrt{a}(2B + C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{a(2A - C) \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}}$$

Mathematica [A] time = 0.582514, size = 94, normalized size = 0.79

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (2A + C \sec(c + dx)) + \sqrt{2}(2B + C) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{2d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(2*B + C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*(2*A + C*Sec[c + d*x])*Sin[(c + d*x)/2]))/(2*d*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.445, size = 344, normalized size = 2.9

$$-\frac{1}{4d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(2B \cos(dx+c) \sqrt{2} \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x)

[Out] -1/4/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(2*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-2*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+C*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-C*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+8*A*cos(d*x+c)^2-8*A*cos(d*x+c)+4*C*cos(d*x+c)-4*C*(1/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [B] time = 2.35329, size = 1246, normalized size = 10.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/4*(8*sqrt(2)*A*sqrt(a)*sin(1/2*d*x + 1/2*c) + 2*B*sqrt(a)*(log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - log(2*cos(1/2*d*x + 1/2*c)^2 + 2*si

```

n(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d
*x + 1/2*c) + 2) + log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2
- 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - lo
g(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d
*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2)) - (4*sqrt(2)*cos(3/2*arct
an2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x + 2*c) - 4*sqrt(2)*cos(1/2*arct
an2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x + 2*c) - (cos(2*d*x + 2*c)^2 + s
in(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x +
c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 +
2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2*sqrt(2)*sin(1/2*
arctan2(sin(d*x + c), cos(d*x + c))) + 2) + (cos(2*d*x + 2*c)^2 + sin(2*d*x
+ 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos
(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2
)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) - 2*sqrt(2)*sin(1/2*arctan2(
sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^
2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c
)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/
2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x
+ c), cos(d*x + c))) + 2) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*co
s(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 +
2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan
2(sin(d*x + c), cos(d*x + c)))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), co
s(d*x + c))) + 2) - 4*(sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(3/2*arctan2(
sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(1
/2*arctan2(sin(d*x + c), cos(d*x + c))) * C*sqrt(a)/(cos(2*d*x + 2*c)^2 + si
n(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 0.783009, size = 919, normalized size = 7.72

$$\left[\frac{((2B + C) \cos(dx + c) + 2B + C) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c)) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{4(d \cos(dx + c) + d)} \right] + \frac{4(2A \cos(dx + c) + 2A + C) \sqrt{a}}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)
^(1/2),x, algorithm="fricas")

```



```
[Out] [1/4*(((2*B + C)*cos(d*x + c) + 2*B + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*
a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(
d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x
+ c)^3 + cos(d*x + c)^2)) + 4*(2*A*cos(d*x + c) + C)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1
/2*(((2*B + C)*cos(d*x + c) + 2*B + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*c
os(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x +
c)^2 - a*cos(d*x + c) - 2*a)) + 2*(2*A*cos(d*x + c) + C)*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d
)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+
c)**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/
sqrt(sec(d*x + c)), x)
```

$$3.582 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=120

$$\frac{2a(A+3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{3d \sqrt{\sec(c+dx)}} + \frac{2\sqrt{a}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

[Out] (2*Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c+d*x])/Sqrt[a+a*Sec[c+d*x]])/d + (2*a*(A+3*B)*Sqrt[Sec[c+d*x]]*Sin[c+d*x])/(3*d*Sqrt[a+a*Sec[c+d*x]]) + (2*A*Sqrt[a+a*Sec[c+d*x]]*Sin[c+d*x])/(3*d*Sqrt[Sec[c+d*x]])

Rubi [A] time = 0.320724, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4086, 4015, 3801, 215}

$$\frac{2a(A+3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{3d \sqrt{\sec(c+dx)}} + \frac{2\sqrt{a}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a+a*Sec[c+d*x]]*(A+B*Sec[c+d*x]+C*Sec[c+d*x]^2))/Sec[c+d*x]^(3/2),x]

[Out] (2*Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c+d*x])/Sqrt[a+a*Sec[c+d*x]])/d + (2*a*(A+3*B)*Sqrt[Sec[c+d*x]]*Sin[c+d*x])/(3*d*Sqrt[a+a*Sec[c+d*x]]) + (2*A*Sqrt[a+a*Sec[c+d*x]]*Sin[c+d*x])/(3*d*Sqrt[Sec[c+d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e+f*x]*(a+b*Csc[e+f*x])^m*(d*Csc[e+f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a+b*Csc[e+f*x])^m*(d*Csc[e+f*x])^(n+1)*Simp[a*A*m - b*B*n - b*(A*(m+n+1) + C*n)*Csc[e+f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m+n+1, 0])

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx = \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{\sqrt{a + a \sec(c + dx)}}{\sec^{\frac{3}{2}}(c + dx)} dx}{3d\sqrt{\sec(c + dx)}}$$

$$= \frac{2a(A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)}}{3d\sqrt{\sec(c + dx)}}$$

$$= \frac{2a(A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)}}{3d\sqrt{\sec(c + dx)}}$$

$$= \frac{2\sqrt{a}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a(A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}}$$

Mathematica [A] time = 0.723258, size = 94, normalized size = 0.78

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (A \cos(c + dx) + 2A + 3B) + 3\sqrt{2}C \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{3d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sec[c + d*x]^(3/2),x]

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*(2*A + 3*B + A*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*d*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.431, size = 210, normalized size = 1.8

$$-\frac{(\cos(dx+c))^2}{6d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(-3C \sqrt{-2(\cos(dx+c)+1)^{-1}} \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}} (\cos(dx+c)+1) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x)

[Out] -1/6/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-3*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*sin(d*x+c)+3*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)+4*A*cos(d*x+c)^2+4*A*cos(d*x+c)+12*B*cos(d*x+c)-8*A-12*B)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)

Maxima [B] time = 2.23262, size = 504, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/6*(sqrt(2)*(3*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(3/2*d*x + 3/2*c) - 3*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2*sin(3/2*d*x + 3/2*c) + 3*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*A*sqrt(a) + 12*sqrt(2)*B*sqrt(a)*sin(1/2*d*x + 1/2*c) + 3*C*sqrt(a)*(log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c))

$$\frac{1}{2}dx + \frac{1}{2}c) + 2) - \log(2\cos(\frac{1}{2}dx + \frac{1}{2}c)^2 + 2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 + 2\sqrt{2}\cos(\frac{1}{2}dx + \frac{1}{2}c) - 2\sqrt{2}\sin(\frac{1}{2}dx + \frac{1}{2}c) + 2) + \log(2\cos(\frac{1}{2}dx + \frac{1}{2}c)^2 + 2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 2\sqrt{2}\cos(\frac{1}{2}dx + \frac{1}{2}c) + 2\sqrt{2}\sin(\frac{1}{2}dx + \frac{1}{2}c) + 2) - \log(2\cos(\frac{1}{2}dx + \frac{1}{2}c)^2 + 2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 2\sqrt{2}\cos(\frac{1}{2}dx + \frac{1}{2}c) - 2\sqrt{2}\sin(\frac{1}{2}dx + \frac{1}{2}c) + 2)))/d$$

Fricas [A] time = 0.597208, size = 949, normalized size = 7.91

$$\frac{3(C \cos(dx + c) + C)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)} \sin(dx+c)}}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + \frac{4(A \cos(dx+c)^2 + (2A+3))}{6(d \cos(dx+c) + d)}}{6(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] [1/6*(3*(C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(A*cos(d*x + c)^2 + (2*A + 3*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/3*(3*(C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(A*cos(d*x + c)^2 + (2*A + 3*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sec(c+dx)+1)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(3/2),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sec(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

$$3.583 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=129

$$\frac{2a(7A + 5B + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} + \frac{2(A + 5B) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{15d \sqrt{\sec(c + dx)}} + \frac{2A \sin(c + dx) \sqrt{a \sec(c + dx)}}{5d \sec^{\frac{3}{2}}(c + dx)}$$

[Out] (2*a*(7*A + 5*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.353531, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {4086, 4013, 3804}

$$\frac{2a(7A + 5B + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} + \frac{2(A + 5B) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{15d \sqrt{\sec(c + dx)}} + \frac{2A \sin(c + dx) \sqrt{a \sec(c + dx)}}{5d \sec^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (2*a*(7*A + 5*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^2(c + dx)} dx = \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + a \sec(c + dx)}}{\sec^{\frac{1}{2}}(c + dx)} dx}{15d \sqrt{a + a \sec(c + dx)}}$$

$$= \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(A + 5B)\sqrt{a + a \sec(c + dx)}}{15d \sqrt{a + a \sec(c + dx)}}$$

$$= \frac{2a(7A + 5B + 15C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)}}{15d \sqrt{a + a \sec(c + dx)}}$$

Mathematica [A] time = 0.499872, size = 77, normalized size = 0.6

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}(2(4A + 5B) \cos(c + dx) + 3A \cos(2(c + dx)) + 19A + 20B + 30C)}{15d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]
```

```
[Out] ((19*A + 20*B + 30*C + 2*(4*A + 5*B)*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(15*d*Sqrt[Sec[c + d*x]])
```

Maple [A] time = 0.426, size = 99, normalized size = 0.8

$$\frac{(-2 + 2 \cos(dx + c)) (3A (\cos(dx + c))^2 + 4A \cos(dx + c) + 5B \cos(dx + c) + 8A + 10B + 15C) (\cos(dx + c))^3}{15d \sin(dx + c)} \sqrt{\quad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x)

[Out] -2/15/d*(-1+cos(d*x+c))*(3*A*cos(d*x+c)^2+4*A*cos(d*x+c)+5*B*cos(d*x+c)+8*A+10*B+15*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)

Maxima [B] time = 2.22649, size = 452, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] 1/60*(sqrt(2)*(30*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) + 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) - 30*cos(5/2*d*x + 5/2*c) * sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*cos(5/2*d*x + 5/2*c) * sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 6*sin(5/2*d*x + 5/2*c) + 5*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 30*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))) * A * sqrt(a) + 10*sqrt(2)*(3*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(3/2*d*x + 3/2*c) - 3*cos(3/2*d*x + 3/2*c) * sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sin(3/2*d*x + 3/2*c) + 3*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) * B * sqrt(a) + 120*sqrt(2) * C * sqrt(a) * sin(1/2*d*x + 1/2*c))/d

Fricas [A] time = 0.482774, size = 251, normalized size = 1.95

$$\frac{2 \left(3 A \cos(dx + c)^3 + (4 A + 5 B) \cos(dx + c)^2 + (8 A + 10 B + 15 C) \cos(dx + c) \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{15 (d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] 2/15*(3*A*cos(d*x + c)^3 + (4*A + 5*B)*cos(d*x + c)^2 + (8*A + 10*B + 15*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

$$3.584 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=178

$$\frac{4a(24A + 28B + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a(24A + 28B + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2a(A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

[Out] (2*a*(A + 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(24*A + 28*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a*(24*A + 28*B + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.42577, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4086, 4015, 3805, 3804}

$$\frac{4a(24A + 28B + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a(24A + 28B + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2a(A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*a*(A + 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(24*A + 28*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a*(24*A + 28*B + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx = \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + a \sec(c + dx)} \left(\frac{1}{2}\right)}{dx}}{\sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2a(A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)}}{7d \sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2a(A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(24A + 28B)}{105d \sqrt{\sec(c + dx)}}$$

$$= \frac{2a(A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(24A + 28B)}{105d \sqrt{\sec(c + dx)}}$$

Mathematica [A] time = 0.866304, size = 99, normalized size = 0.56

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}((141A + 28(4B + 5C)) \cos(c + dx) + 6(6A + 7B) \cos(2(c + dx)) + 15A \cos(3(c + dx)))}{210d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sec[c + d*x]^(7/2), x]

[Out] ((228*A + 266*B + 280*C + (141*A + 28*(4*B + 5*C))*Cos[c + d*x] + 6*(6*A + 7*B)*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(210*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.422, size = 130, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) (15 A (\cos(dx + c))^3 + 18 A (\cos(dx + c))^2 + 21 B (\cos(dx + c))^2 + 24 A \cos(dx + c) + 28 B \cos(dx + c))}{105 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2), x)

[Out] -2/105/d*(-1+cos(d*x+c))*(15*A*cos(d*x+c)^3+18*A*cos(d*x+c)^2+21*B*cos(d*x+c)^2+24*A*cos(d*x+c)+28*B*cos(d*x+c)+35*C*cos(d*x+c)+48*A+56*B+70*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

Maxima [B] time = 2.34806, size = 822, normalized size = 4.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2), x, algorithm="maxima")

```
[Out] 1/840*(3*sqrt(2)*(105*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))*sin(7/2*d*x + 7/2*c) + 35*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))*sin(7/2*d*x + 7/2*c) + 7*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))*sin(7/2*d*x + 7/2*c) - 105*cos(7/2*d*x + 7/2*c)*sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 35*cos(7/2*d*x + 7/2*c)*sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 7*cos(7/2*d*x + 7/2*c)*sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) + 10*sin(7/2*d*x + 7/2*c) + 7*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 35*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 105*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))*A*sqrt(a) + 14*sqrt(2)*(30*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) + 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) - 30*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*cos(5/2*d*x + 5/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 6*sin(5/2*d*x + 5/2*c) + 5*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 30*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))))*B*sqrt(a) + 140*sqrt(2)*(3*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(3/2*d*x + 3/2*c) - 3*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sin(3/2*d*x + 3/2*c) + 3*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*C*sqrt(a))/d
```

Fricas [A] time = 0.488662, size = 312, normalized size = 1.75

$$\frac{2(15A \cos(dx+c)^4 + 3(6A+7B) \cos(dx+c)^3 + (24A+28B+35C) \cos(dx+c)^2 + 2(24A+28B+35C) \cos(dx+c) + 105(d \cos(dx+c) + d)\sqrt{\cos(dx+c)}}{105(d \cos(dx+c) + d)\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] 2/105*(15*A*cos(d*x + c)^4 + 3*(6*A + 7*B)*cos(d*x + c)^3 + (24*A + 28*B + 35*C)*cos(d*x + c)^2 + 2*(24*A + 28*B + 35*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)

$$3.585 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$$

Optimal. Leaf size=226

$$\frac{2a(16A+18B+21C) \sin(c+dx)}{105d \sec^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{16a(16A+18B+21C) \sin(c+dx) \sqrt{\sec(c+dx)}}{315d \sqrt{a \sec(c+dx)+a}} + \frac{8a(16A+18B+21C) \sin(c+dx)}{315d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}$$

[Out] (2*a*(A + 9*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(16*A + 18*B + 21*C)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(16*A + 18*B + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(16*A + 18*B + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.51009, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4086, 4015, 3805, 3804}

$$\frac{2a(16A+18B+21C) \sin(c+dx)}{105d \sec^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{16a(16A+18B+21C) \sin(c+dx) \sqrt{\sec(c+dx)}}{315d \sqrt{a \sec(c+dx)+a}} + \frac{8a(16A+18B+21C) \sin(c+dx)}{315d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (2*a*(A + 9*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(16*A + 18*B + 21*C)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(16*A + 18*B + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(16*A + 18*B + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e


```

+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + a \sec(c + dx)} \left(\frac{1}{2}\right)}{\sec^{\frac{7}{2}}(c + dx)} dx}{\sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)}}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(16A + 18B)}{105d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(16A + 18B)}{105d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(16A + 18B)}{105d \sec^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 1.35198, size = 121, normalized size = 0.54

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}((752A + 846B + 672C) \cos(c + dx) + 4(83A + 54B + 63C) \cos(2(c + dx)) + 80A \cos(3(c + dx)))}{1260d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]

[Out] ((1321*A + 1368*B + 1596*C + (752*A + 846*B + 672*C)*Cos[c + d*x] + 4*(83*A + 54*B + 63*C)*Cos[2*(c + d*x)] + 80*A*Cos[3*(c + d*x)] + 90*B*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.441, size = 163, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) (35 A (\cos(dx + c))^4 + 40 A (\cos(dx + c))^3 + 45 B (\cos(dx + c))^3 + 48 A (\cos(dx + c))^2 + 54 B (\cos(dx + c)) + 27 C)}{1260 d \sqrt{\sec(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x)
```

```
[Out] -2/315/d*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+40*A*cos(d*x+c)^3+45*B*cos(d*x+c)^3+48*A*cos(d*x+c)^2+54*B*cos(d*x+c)^2+63*C*cos(d*x+c)^2+64*A*cos(d*x+c)+72*B*cos(d*x+c)+84*C*cos(d*x+c)+128*A+144*B+168*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^5*(1/cos(d*x+c))^(9/2)/sin(d*x+c)
```

Maxima [B] time = 2.36974, size = 1185, normalized size = 5.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(1890*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 420*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 252*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 45*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) - 1890*cos(9/2*d*x + 9/2*c) * sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 420*cos(9/2*d*x + 9/2*c) * sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 252*cos(9/2*d*x + 9/2*c) * sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 45*cos(9/2*d*x + 9/2*c) * sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*sin(9/2*d*x + 9/2*c) + 45*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 252*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 420*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 1890*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) * A * sqrt(a) + 18*sqrt(2)*(105*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 35*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 7*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 105*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 35*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 7*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 10*sin(7/2*d*x + 7/2*c) + 7*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 35*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 105*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) * B * sqrt(a) + 84*sqrt(2)*(30*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(
```

$$\begin{aligned} & 5/2*d*x + 5/2*c) + 5*\cos(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/ \\ & 2*c))) * \sin(5/2*d*x + 5/2*c) - 30*\cos(5/2*d*x + 5/2*c) * \sin(4/5*\arctan2(\sin(5 \\ & /2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) - 5*\cos(5/2*d*x + 5/2*c) * \sin(2/5*\ar \\ & ctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 6*\sin(5/2*d*x + 5/2*c) \\ & + 5*\sin(3/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 30*\sin(\\ & 1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * C * \sqrt{a}) / d \end{aligned}$$

Fricas [A] time = 0.494847, size = 369, normalized size = 1.63

$$\frac{2(35A \cos(dx+c)^5 + 5(8A+9B) \cos(dx+c)^4 + 3(16A+18B+21C) \cos(dx+c)^3 + 4(16A+18B+21C) \cos(dx+c)^2 + 8(16A+18B+21C) \cos(dx+c) + 5a) \sqrt{a \cos(dx+c) + a}}{315(d \cos(dx+c) + d) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] 2/315*(35*A*cos(d*x + c)^5 + 5*(8*A + 9*B)*cos(d*x + c)^4 + 3*(16*A + 18*B + 21*C)*cos(d*x + c)^3 + 4*(16*A + 18*B + 21*C)*cos(d*x + c)^2 + 8*(16*A + 18*B + 21*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{a \sec(dx+c) + a}}{\sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)
```

$$3.586 \quad \int \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$$

Optimal. Leaf size=283

$$\frac{a^2(80A + 90B + 67C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{240d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 150B + 133C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{192d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 150B + 133C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(3/2)*(176*A + 150*B + 133*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^2*(176*A + 150*B + 133*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 150*B + 133*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 90*B + 67*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(10*B + 3*C)*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.748112, antiderivative size = 283, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4088, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(80A + 90B + 67C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{240d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 150B + 133C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{192d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 150B + 133C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(176*A + 150*B + 133*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^2*(176*A + 150*B + 133*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 150*B + 133*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 90*B + 67*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(10*B + 3*C)*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 4088

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3803

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{5d} \\
 &= \frac{a(10B+3C)\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{40d} \\
 &= \frac{a^2(80A+90B+67C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{240d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{a^2(176A+150B+133C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{a^2(176A+150B+133C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{a^2(176A+150B+133C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{a^{3/2}(176A+150B+133C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{128d}
 \end{aligned}$$

Mathematica [A] time = 3.89925, size = 211, normalized size = 0.75

$$\frac{a\sec\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{9}{2}}(c+dx)\sqrt{a(\sec(c+dx)+1)}\left(4\sin\left(\frac{1}{2}(c+dx)\right)(12(880A+1070B+1273C)\cos(c+dx)+4(3280A+1070B+1273C))\right)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sec[c + d*x]^(9/2)*Sqrt[a*(1 + Sec[c + d*x])]*(240*Sqrt[2]*(176*A + 150*B + 133*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x])^

$$5 + 4*(10480*A + 11550*B + 13313*C + 12*(880*A + 1070*B + 1273*C)*\text{Cos}[c + d*x] + 4*(3280*A + 3450*B + 3059*C)*\text{Cos}[2*(c + d*x)] + 3520*A*\text{Cos}[3*(c + d*x)] + 3000*B*\text{Cos}[3*(c + d*x)] + 2660*C*\text{Cos}[3*(c + d*x)] + 2640*A*\text{Cos}[4*(c + d*x)] + 2250*B*\text{Cos}[4*(c + d*x)] + 1995*C*\text{Cos}[4*(c + d*x)]*\text{Sin}[(c + d*x)/2])/(61440*d)$$

Maple [B] time = 0.417, size = 732, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{7680} \frac{1}{d} a (2640 A \cos(d*x+c)^5 \arctan(1/4 * 2^{1/2} * (-2/(\cos(d*x+c)+1)))^{1/2} * (\cos(d*x+c)+1+\sin(d*x+c))) * 2^{1/2} - 2640 A \cos(d*x+c)^5 \arctan(1/4 * 2^{1/2} * (-2/(\cos(d*x+c)+1)))^{1/2} * (\cos(d*x+c)+1-\sin(d*x+c))) * 2^{1/2} + 2250 B \cos(d*x+c)^5 \arctan(1/4 * 2^{1/2} * (-2/(\cos(d*x+c)+1)))^{1/2} * (\cos(d*x+c)+1+\sin(d*x+c))) * 2^{1/2} - 2250 B \cos(d*x+c)^5 \arctan(1/4 * 2^{1/2} * (-2/(\cos(d*x+c)+1)))^{1/2} * (\cos(d*x+c)+1-\sin(d*x+c))) * 2^{1/2} + 1995 C \cos(d*x+c)^5 \arctan(1/4 * 2^{1/2} * (-2/(\cos(d*x+c)+1)))^{1/2} * (\cos(d*x+c)+1+\sin(d*x+c))) * 2^{1/2} - 1995 C \cos(d*x+c)^5 \arctan(1/4 * 2^{1/2} * (-2/(\cos(d*x+c)+1)))^{1/2} * (\cos(d*x+c)+1-\sin(d*x+c))) * 2^{1/2} + 5280 A \sin(d*x+c) * (-2/(\cos(d*x+c)+1))^{1/2} * \cos(d*x+c)^4 + 4500 B \cos(d*x+c)^4 * (-2/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) + 3990 C \sin(d*x+c) * (-2/(\cos(d*x+c)+1))^{1/2} * \cos(d*x+c)^4 + 3520 A \sin(d*x+c) * \cos(d*x+c)^3 * (-2/(\cos(d*x+c)+1))^{1/2} + 3000 B \sin(d*x+c) * \cos(d*x+c)^3 * (-2/(\cos(d*x+c)+1))^{1/2} + 2660 C \sin(d*x+c) * \cos(d*x+c)^3 * (-2/(\cos(d*x+c)+1))^{1/2} + 1280 A \cos(d*x+c)^2 * \sin(d*x+c) * (-2/(\cos(d*x+c)+1))^{1/2} + 2400 B \cos(d*x+c)^2 * \sin(d*x+c) * (-2/(\cos(d*x+c)+1))^{1/2} + 2128 C \sin(d*x+c) * \cos(d*x+c)^2 * (-2/(\cos(d*x+c)+1))^{1/2} + 960 B \cos(d*x+c) * \sin(d*x+c) * (-2/(\cos(d*x+c)+1))^{1/2} + 1824 C \sin(d*x+c) * \cos(d*x+c) * (-2/(\cos(d*x+c)+1))^{1/2} + 768 C * (-2/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c)) * (a * (\cos(d*x+c)+1) / \cos(d*x+c))^{1/2} * (1/\cos(d*x+c))^{5/2} * (-2/(\cos(d*x+c)+1))^{1/2} / \cos(d*x+c)^2 / \sin(d*x+c)^2 * (\cos(d*x+c)^2 - 1)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 2.41543, size = 1543, normalized size = 5.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/7680*(15*((176*A + 150*B + 133*C)*a*cos(d*x + c)^5 + (176*A + 150*B + 133*C)*a*cos(d*x + c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(15*(176*A + 150*B + 133*C)*a*cos(d*x + c)^4 + 10*(176*A + 150*B + 133*C)*a*cos(d*x + c)^3 + 8*(80*A + 150*B + 133*C)*a*cos(d*x + c)^2 + 48*(10*B + 19*C)*a*cos(d*x + c) + 384*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4), 1/3840*(15*((176*A + 150*B + 133*C)*a*cos(d*x + c)^5 + (176*A + 150*B + 133*C)*a*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(15*(176*A + 150*B + 133*C)*a*cos(d*x + c)^4 + 10*(176*A + 150*B + 133*C)*a*cos(d*x + c)^3 + 8*(80*A + 150*B + 133*C)*a*cos(d*x + c)^2 + 48*(10*B + 19*C)*a*cos(d*x + c) + 384*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(5/2), x)

$$3.587 \quad \int \sec^2(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec$$

Optimal. Leaf size=233

$$\frac{a^2(48A + 56B + 39C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{96d\sqrt{a} \sec(c + dx) + a} + \frac{a^2(112A + 88B + 75C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a} \sec(c + dx) + a} + \frac{a^{3/2}(112A + 88B + 75C)}{64d\sqrt{a} \sec(c + dx) + a}$$

[Out] (a^(3/2)*(112*A + 88*B + 75*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(112*A + 88*B + 75*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(48*A + 56*B + 39*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*B + 3*C)*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.646121, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4088, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(48A + 56B + 39C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{96d\sqrt{a} \sec(c + dx) + a} + \frac{a^2(112A + 88B + 75C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a} \sec(c + dx) + a} + \frac{a^{3/2}(112A + 88B + 75C)}{64d\sqrt{a} \sec(c + dx) + a}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(112*A + 88*B + 75*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(112*A + 88*B + 75*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(48*A + 56*B + 39*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*B + 3*C)*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(

$(m + n + 1) \cdot \text{Csc}[e + f \cdot x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ !\text{LtQ}[m, -2^{(-1)}] \ \&\& \ !\text{LtQ}[n, -2^{(-1)}] \ \&\& \ \text{NeQ}[m + n + 1, 0]$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)](d_.))^{(n_.)}(\text{csc}[(e_.) + (f_.)(x_)](b_.) + (a_.))^{(m_.)}(\text{csc}[(e_.) + (f_.)(x_)](B_.) + (A_.)), x_Symbol] \text{:>} -\text{Simp}[(b \cdot B \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^{(m - 1)} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (f \cdot (m + n)), x] + \text{Dist}[1 / (d \cdot (m + n)), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{(m - 1)} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n \cdot \text{Simp}[a \cdot A \cdot d \cdot (m + n) + B \cdot (b \cdot d \cdot n) + (A \cdot b \cdot d \cdot (m + n) + a \cdot B \cdot d \cdot (2 \cdot m + n - 1)) \cdot \text{Csc}[e + f \cdot x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \ \&\& \ \text{NeQ}[A \cdot b - a \cdot B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 1/2] \ \&\& \ !\text{LtQ}[n, -1]$

Rule 4016

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)](d_.))^{(n_.)} \cdot \text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)](b_.) + (a_.)] \cdot (\text{csc}[(e_.) + (f_.)(x_)](B_.) + (A_.)), x_Symbol] \text{:>} \text{Simp}[(-2 \cdot b \cdot B \cdot \text{Cot}[e + f \cdot x] \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (f \cdot (2 \cdot n + 1) \cdot \text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]]), x] + \text{Dist}[(A \cdot b \cdot (2 \cdot n + 1) + 2 \cdot a \cdot B \cdot n) / (b \cdot (2 \cdot n + 1)), \text{Int}[\text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]] \cdot (d \cdot \text{Csc}[e + f \cdot x])^n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \ \&\& \ \text{NeQ}[A \cdot b - a \cdot B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[A \cdot b \cdot (2 \cdot n + 1) + 2 \cdot a \cdot B \cdot n, 0] \ \&\& \ !\text{LtQ}[n, 0]$

Rule 3803

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)](d_.))^{(n_.)} \cdot \text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)](b_.) + (a_.)], x_Symbol] \text{:>} \text{Simp}[(-2 \cdot b \cdot d \cdot \text{Cot}[e + f \cdot x] \cdot (d \cdot \text{Csc}[e + f \cdot x])^{(n - 1)}) / (f \cdot (2 \cdot n - 1) \cdot \text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]]), x] + \text{Dist}[(2 \cdot a \cdot d \cdot (n - 1)) / (b \cdot (2 \cdot n - 1)), \text{Int}[\text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]] \cdot (d \cdot \text{Csc}[e + f \cdot x])^{(n - 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2 \cdot n]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)](d_.)] \cdot \text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_)](b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[(-2 \cdot a \cdot \text{Sqrt}[(a \cdot d) / b]) / (b \cdot f), \text{Subst}[\text{Int}[1 / \text{Sqrt}[1 + x^2 / a], x], x, (b \cdot \text{Cot}[e + f \cdot x]) / \text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]]], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[(a \cdot d) / b, 0]$

Rule 215

$\text{Int}[1 / \text{Sqrt}[(a_.) + (b_.)(x_)^2], x_Symbol] \text{:>} \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2] \cdot x) / \text{Sqrt}[a]] / \text{Rt}[b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{4d} \\
&= \frac{a(8B+3C)\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{24d} \\
&= \frac{a^2(48A+56B+39C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(112A+88B+75C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(112A+88B+75C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{3/2}(112A+88B+75C)\sinh^{-1}\left(\frac{\sqrt{a}\tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d}
\end{aligned}$$

Mathematica [A] time = 2.44121, size = 177, normalized size = 0.76

$$a \sec\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{7}{2}}(c+dx) \sqrt{a(\sec(c+dx)+1)} \left(4 \sin\left(\frac{1}{2}(c+dx)\right) ((1008A+1048B+1155C) \cos(c+dx) + 4(48A+88B+75C) \cos(2(c+dx)) + 336A \cos(3(c+dx)) + 264B \cos(3(c+dx)) + 225C \cos(3(c+dx))) \sin\left(\frac{c+dx}{2}\right)\right) / (3072d)$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (a*Sec[(c + d*x)/2]*Sec[c + d*x]^(7/2)*Sqrt[a*(1 + Sec[c + d*x])]*(24*Sqrt[2]*(112*A + 88*B + 75*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + 4*(192*A + 352*B + 492*C + (1008*A + 1048*B + 1155*C)*Cos[c + d*x] + 4*(48*A + 88*B + 75*C)*Cos[2*(c + d*x)] + 336*A*Cos[3*(c + d*x)] + 264*B*Cos[3*(c + d*x)] + 225*C*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/ (3072*d)
```

Maple [B] time = 0.394, size = 637, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -1/384/d*a*(-1+cos(d*x+c))*(336*A*cos(d*x+c)^4*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*2^(1/2)-336*A*cos(d*x+c)^4*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))))+264*B*cos(d*x+c)^4*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*2^(1/2)-264*B*cos(d*x+c)^4*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))))+225*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*2^(1/2)*cos(d*x+c)^4-225*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))))*2^(1/2)*cos(d*x+c)^4+672*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+528*B*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+450*C*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+192*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+352*B*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+300*C*sin(d*x+c)*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+128*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+240*C*sin(d*x+c)*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+96*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(3/2)/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2/cos(d*x+c)^2
```

Maxima [B] time = 4.52806, size = 10963, normalized size = 47.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] -1/768*(48*(56*sqrt(2)*a*cos(7/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) - 24*sqrt(2)*a*cos(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) - 12*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 28*sqrt(2)*a*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 4*(3*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 7*sqrt(2)*a*sin(7/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 3*sqrt(2)*a*sin(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 7*sqrt(2)*a*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) * cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 8*(3*sqrt(2)*a*sin(3/2*d*x
```

$$\begin{aligned}
& + 3/2*c) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7* \\
& (a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos \\
& (4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\ar \\
& ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(s \\
& in(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3 \\
& /2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), c \\
& os(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)) \\
&) + a)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 \\
& + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{ \\
& 2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{ \\
& 2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 7*(a \\
& *\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4 \\
& /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2 \\
& *c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + a)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
& 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{ \\
& 2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2} \\
& *\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 7*(a*c \\
& os(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3 \\
& *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2 \\
& (\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c \\
&), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \\
& a)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2 \\
& *\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2} \\
& *\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*s \\
& in(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 7*(a*\cos \\
& (8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*a \\
& rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2(s \\
& in(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2 \\
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c
\end{aligned}$$

$$\begin{aligned}
&)) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a \\
& * \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*s \\
& \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*c \\
& \cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin \\
& (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 4*(3*\sqrt{2} \\
&)*a*\cos(3/2*d*x + 3/2*c) + 7*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2}*a*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c))) - 28*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))) + \sqrt{2}*a)*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c))) + 12*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c))) + \sqrt{2}*a)*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c))) + 8*(3*\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\cos(\\
& 1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(s \\
& in(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*A*\sqrt{a}/(2*(2*\cos(4/3*\arctan \\
& 2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2 \\
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c)))^2 + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c)))^2 + 4*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \\
& \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\sin(4/3*\ar \\
& ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*\arctan2(si \\
& n(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) + 8*(132*(\sqrt{2}*a*\sin(6*d \\
& *x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*co \\
& s(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2}*a*\sin(6*d \\
& *x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*co \\
& s(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2}*a*\sin(6*d \\
& *x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*co \\
& s(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2}*a*\sin(6*d \\
& *x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*co \\
& s(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2}*a*\sin(6*d* \\
& x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*cos \\
& (3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 132*(\sqrt{2}*a*\sin(6*d* \\
& x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*cos \\
& (1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 33*(a*\cos(6*d*x + 6*c)^ \\
& 2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 \\
& + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin \\
& (2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6 \\
& *d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x \\
& + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a \\
& * \log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d*x +
\end{aligned}$$

$$\begin{aligned}
& 4c)^2 + 9a\cos(2dx + 2c)^2 + a\sin(6dx + 6c)^2 + 9a\sin(4dx + 4c)^2 + 4 \\
& *c)^2 + 18a\sin(4dx + 4c)\sin(2dx + 2c) + 9a\sin(2dx + 2c)^2 + 2 \\
& *(3a\cos(4dx + 4c) + 3a\cos(2dx + 2c) + a)\cos(6dx + 6c) + 6*(3a \\
& \cos(2dx + 2c) + a)\cos(4dx + 4c) + 6a\cos(2dx + 2c) + 6*(a\sin(\\
& 4dx + 4c) + a\sin(2dx + 2c))\sin(6dx + 6c) + a)\log(2\cos(1/4\arctan \\
& \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + \\
& 2c), \cos(2dx + 2c)))^2 + 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos \\
& (2dx + 2c))) - 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + \\
& 2c))) + 2) - 33*(a\cos(6dx + 6c)^2 + 9a\cos(4dx + 4c)^2 + 9a\cos(2 \\
& dx + 2c)^2 + a\sin(6dx + 6c)^2 + 9a\sin(4dx + 4c)^2 + 18a\sin(4 \\
& dx + 4c)\sin(2dx + 2c) + 9a\sin(2dx + 2c)^2 + 2*(3a\cos(4dx + 4 \\
& c) + 3a\cos(2dx + 2c) + a)\cos(6dx + 6c) + 6*(3a\cos(2dx + 2c) \\
& + a)\cos(4dx + 4c) + 6a\cos(2dx + 2c) + 6*(a\sin(4dx + 4c) + a\sin \\
& (2dx + 2c))\sin(6dx + 6c) + a)\log(2\cos(1/4\arctan2(\sin(2dx + 2c) \\
&), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2 \\
& c)))^2 - 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \\
& 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 33*(a \\
& \cos(6dx + 6c)^2 + 9a\cos(4dx + 4c)^2 + 9a\cos(2dx + 2c)^2 + a\sin \\
& (6dx + 6c)^2 + 9a\sin(4dx + 4c)^2 + 18a\sin(4dx + 4c)\sin(2dx \\
& x + 2c) + 9a\sin(2dx + 2c)^2 + 2*(3a\cos(4dx + 4c) + 3a\cos(2dx \\
& + 2c) + a)\cos(6dx + 6c) + 6*(3a\cos(2dx + 2c) + a)\cos(4dx + 4 \\
& c) + 6a\cos(2dx + 2c) + 6*(a\sin(4dx + 4c) + a\sin(2dx + 2c))\sin \\
& (6dx + 6c) + a)\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) \\
&))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2\sqrt{2} \\
& *\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2\sqrt{2}\sin(1/4\ar \\
& rctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 132*(\sqrt{2})a\cos(6dx \\
& + 6c) + 3\sqrt{2})a\cos(4dx + 4c) + 3\sqrt{2})a\cos(2dx + 2c) + \sqrt{2} \\
& t(2)a)\sin(11/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 44*(\sqrt{2} \\
& *a\cos(6dx + 6c) + 3\sqrt{2})a\cos(4dx + 4c) + 3\sqrt{2})a\cos(2dx \\
& + 2c) + \sqrt{2})a)\sin(9/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - \\
& 216*(\sqrt{2})a\cos(6dx + 6c) + 3\sqrt{2})a\cos(4dx + 4c) + 3\sqrt{2})a \\
& \cos(2dx + 2c) + \sqrt{2})a)\sin(7/4\arctan2(\sin(2dx + 2c), \cos(2dx \\
& + 2c))) + 216*(\sqrt{2})a\cos(6dx + 6c) + 3\sqrt{2})a\cos(4dx + 4c) \\
& + 3\sqrt{2})a\cos(2dx + 2c) + \sqrt{2})a)\sin(5/4\arctan2(\sin(2dx + 2c \\
&), \cos(2dx + 2c))) + 44*(\sqrt{2})a\cos(6dx + 6c) + 3\sqrt{2})a\cos(4 \\
& dx + 4c) + 3\sqrt{2})a\cos(2dx + 2c) + \sqrt{2})a)\sin(3/4\arctan2(\sin \\
& (2dx + 2c), \cos(2dx + 2c))) + 132*(\sqrt{2})a\cos(6dx + 6c) + 3\sqrt{2} \\
& (2)a\cos(4dx + 4c) + 3\sqrt{2})a\cos(2dx + 2c) + \sqrt{2})a)\sin(1/4\ar \\
& rctan2(\sin(2dx + 2c), \cos(2dx + 2c))) * B\sqrt{a}/(2*(3\cos(4dx + 4 \\
& *c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) + \cos(6dx + 6c)^2 + 6*(3 \\
& \cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^2 + 9\cos(2dx \\
& + 2c)^2 + 6*(\sin(4dx + 4c) + \sin(2dx + 2c))\sin(6dx + 6c) + \sin(\\
& 6dx + 6c)^2 + 9\sin(4dx + 4c)^2 + 18\sin(4dx + 4c)\sin(2dx + 2c \\
&) + 9\sin(2dx + 2c)^2 + 6\cos(2dx + 2c) + 1) + 3*(300*(\sqrt{2})a\sin(\\
& 8dx + 8c) + 4\sqrt{2})a\sin(6dx + 6c) + 6\sqrt{2})a\sin(4dx + 4c)
\end{aligned}$$

$$\begin{aligned}
& + 4\sqrt{2}a\sin(2dx + 2c)\cos(15/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 100(\sqrt{2}a\sin(8dx + 8c) + 4\sqrt{2}a\sin(6dx + 6c) \\
& + 6\sqrt{2}a\sin(4dx + 4c) + 4\sqrt{2}a\sin(2dx + 2c))\cos(13/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1140(\sqrt{2}a\sin(8dx + 8c) \\
& + 4\sqrt{2}a\sin(6dx + 6c) + 6\sqrt{2}a\sin(4dx + 4c) + 4\sqrt{2}a\sin(2dx + 2c))\cos(11/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& - 228(\sqrt{2}a\sin(8dx + 8c) + 4\sqrt{2}a\sin(6dx + 6c) + 6\sqrt{2}a\sin(4dx + 4c) + 4\sqrt{2}a\sin(2dx + 2c))\cos(9/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& + 228(\sqrt{2}a\sin(8dx + 8c) + 4\sqrt{2}a\sin(6dx + 6c) + 6\sqrt{2}a\sin(4dx + 4c) + 4\sqrt{2}a\sin(2dx + 2c))\cos(7/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& - 1140(\sqrt{2}a\sin(8dx + 8c) + 4\sqrt{2}a\sin(6dx + 6c) + 6\sqrt{2}a\sin(4dx + 4c) + 4\sqrt{2}a\sin(2dx + 2c))\cos(5/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& - 100(\sqrt{2}a\sin(8dx + 8c) + 4\sqrt{2}a\sin(6dx + 6c) + 6\sqrt{2}a\sin(4dx + 4c) + 4\sqrt{2}a\sin(2dx + 2c))\cos(3/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& - 300(\sqrt{2}a\sin(8dx + 8c) + 4\sqrt{2}a\sin(6dx + 6c) + 6\sqrt{2}a\sin(4dx + 4c) + 4\sqrt{2}a\sin(2dx + 2c))\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& - 75(a\cos(8dx + 8c)^2 + 16a\cos(6dx + 6c)^2 + 36a\cos(4dx + 4c)^2 + 16a\cos(2dx + 2c)^2 + a\sin(8dx + 8c)^2 + 16a\sin(6dx + 6c)^2 \\
& + 36a\sin(4dx + 4c)^2 + 48a\sin(4dx + 4c)\sin(2dx + 2c) + 16a\sin(2dx + 2c)^2 + 2(4a\cos(6dx + 6c) + 6a\cos(4dx + 4c) + 4a\cos(2dx + 2c) + a)\cos(8dx + 8c) \\
& + 8(6a\cos(4dx + 4c) + 4a\cos(2dx + 2c) + a)\cos(6dx + 6c) + 12(4a\cos(2dx + 2c) + a)\cos(4dx + 4c) + 8a\cos(2dx + 2c) + 4(2a\sin(6dx + 6c) + 3a\sin(4dx + 4c) + 2a\sin(2dx + 2c))\sin(8dx + 8c) \\
& + 16(3a\sin(4dx + 4c) + 2a\sin(2dx + 2c))\sin(6dx + 6c) + a\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 75(a\cos(8dx + 8c)^2 + 16a\cos(6dx + 6c)^2 + 36a\cos(4dx + 4c)^2 + 16a\cos(2dx + 2c)^2 + a\sin(8dx + 8c)^2 + 16a\sin(6dx + 6c)^2 + 36a\sin(4dx + 4c)^2 + 48a\sin(4dx + 4c)\sin(2dx + 2c) + 16a\sin(2dx + 2c)^2 + 2(4a\cos(6dx + 6c) + 6a\cos(4dx + 4c) + 4a\cos(2dx + 2c) + a)\cos(8dx + 8c) + 8(6a\cos(4dx + 4c) + 4a\cos(2dx + 2c) + a)\cos(6dx + 6c) + 12(4a\cos(2dx + 2c) + a)\cos(4dx + 4c) + 8a\cos(2dx + 2c) + 4(2a\sin(6dx + 6c) + 3a\sin(4dx + 4c) + 2a\sin(2dx + 2c))\sin(8dx + 8c) + 16(3a\sin(4dx + 4c) + 2a\sin(2dx + 2c))\sin(6dx + 6c) + a\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 75(a\cos(8dx + 8c)^2 + 16a\cos(6dx + 6c)^2 + 36a\cos(4dx + 4c)^2 + 16a\cos(2dx + 2c)^2 + a\sin(8dx + 8c)^2 + 16a\sin(6dx + 6c)^2 + 36a\sin(4dx + 4c)^2 + 48a\sin(4dx + 4c)\sin(2dx + 2c)
\end{aligned}$$

$$\begin{aligned}
& + 2*c) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x \\
& + 4*c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4* \\
& c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) \\
& + a)*\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3* \\
& a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4 \\
& *d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\text{arc} \\
& \text{tan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\text{arctan2}(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\text{arctan2}(\sin(2*d*x + 2*c), c \\
& \text{os}(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c))) + 2) + 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\text{co} \\
& \text{s}(4*d*x + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\text{si} \\
& \text{n}(6*d*x + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d* \\
& x + 2*c) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d* \\
& x + 4*c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + \\
& 4*c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) \\
&) + a)*\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + \\
& 3*a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\text{sin} \\
& (4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*a \\
& \text{rctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\text{arctan2}(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\text{arctan2}(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c))) + 2) - 300*(\sqrt{2}*a*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a*\cos(6*d*x + \\
& 6*c) + 6*\sqrt{2}*a*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2} \\
&)*a*\sin(15/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 100*(\sqrt{2}*a \\
& *\cos(8*d*x + 8*c) + 4*\sqrt{2}*a*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a*\cos(4*d*x + \\
& 4*c) + 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(13/4*\text{arctan2}(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))) - 1140*(\sqrt{2}*a*\cos(8*d*x + 8*c) + 4*\sqrt{2}* \\
& a*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a*\cos(2*d*x + \\
& 2*c) + \sqrt{2}*a*\sin(11/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \\
& 228*(\sqrt{2}*a*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a*\cos(6*d*x + 6*c) + 6*\sqrt{2}* \\
& a*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(9/4*\text{arct} \\
& \text{an2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 228*(\sqrt{2}*a*\cos(8*d*x + 8*c) \\
& + 4*\sqrt{2}*a*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a \\
& *\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(7/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c))) + 1140*(\sqrt{2}*a*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a*\cos(6*d*x + 6*c) \\
& + 6*\sqrt{2}*a*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a* \\
& \sin(5/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 100*(\sqrt{2}*a*\cos(8 \\
& *d*x + 8*c) + 4*\sqrt{2}*a*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a*\cos(4*d*x + 4*c) + \\
& 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(3/4*\text{arctan2}(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c))) + 300*(\sqrt{2}*a*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a*\cos(6* \\
& d*x + 6*c) + 6*\sqrt{2}*a*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + \\
& \sqrt{2}*a*\sin(1/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*C*\sqrt{a}/ \\
& (2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8 \\
& *d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2* \\
& c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) +
\end{aligned}$$

$$\frac{1*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)}{d}$$

Fricas [A] time = 2.38893, size = 1381, normalized size = 5.93

$$\frac{3\left((112A + 88B + 75C)a\cos(dx + c)^4 + (112A + 88B + 75C)a\cos(dx + c)^3\right)\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - 4\left(\cos(dx+c)^2 - 2\cos(dx+c)\right)\sqrt{a}\sqrt{\frac{\cos(dx+c) + a}{\cos(dx+c)}}\sin(dx+c)/\sqrt{\cos(dx+c)} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{768(d\cos(dx+c)^4 + d\cos(dx+c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/768*(3*((112*A + 88*B + 75*C)*a*cos(d*x + c)^4 + (112*A + 88*B + 75*C)*a*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(112*A + 88*B + 75*C)*a*cos(d*x + c)^3 + 2*(48*A + 88*B + 75*C)*a*cos(d*x + c)^2 + 8*(8*B + 15*C)*a*cos(d*x + c) + 48*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/384*(3*((112*A + 88*B + 75*C)*a*cos(d*x + c)^4 + (112*A + 88*B + 75*C)*a*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(112*A + 88*B + 75*C)*a*cos(d*x + c)^3 + 2*(48*A + 88*B + 75*C)*a*cos(d*x + c)^2 + 8*(8*B + 15*C)*a*cos(d*x + c) + 48*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2), x)
```

3.588 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C$

Optimal. Leaf size=181

$$\frac{a^2(24A+30B+19C) \sin(c+dx) \sec^3(c+dx)}{24d\sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(24A+14B+11C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a(2B+C) \sin(c+dx)}{8d}$$

```
[Out] (a^(3/2)*(24*A + 14*B + 11*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^2*(24*A + 30*B + 19*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(2*B + C)*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 0.548173, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4088, 4018, 4016, 3801, 215}

$$\frac{a^2(24A+30B+19C) \sin(c+dx) \sec^3(c+dx)}{24d\sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(24A+14B+11C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{a(2B+C) \sin(c+dx)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(3/2)*(24*A + 14*B + 11*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^2*(24*A + 30*B + 19*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(2*B + C)*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
```

$[m + n + 1, 0]$

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{3d} \\
&= \frac{a(2B+C)\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{4d} \\
&= \frac{a^2(24A+30B+19C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(24A+30B+19C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{3/2}(24A+14B+11C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8d}
\end{aligned}$$

Mathematica [A] time = 1.47986, size = 142, normalized size = 0.78

$$\frac{a\sec\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{5}{2}}(c+dx)\sqrt{a(\sec(c+dx)+1)}\left(4\sin\left(\frac{1}{2}(c+dx)\right)(3(8A+14B+11C)\cos(2(c+dx))+24A+4(6B+11C))\right)}{192d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*Sec[(c + d*x)/2]*Sec[c + d*x]^(5/2)*Sqrt[a*(1 + Sec[c + d*x])]*(12*Sqrt[2]*(24*A + 14*B + 11*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + 4*(24*A + 42*B + 49*C + 4*(6*B + 11*C))*Cos[c + d*x] + 3*(8*A + 14*B + 11*C)*Cos[2*(c + d*x)]*Sin[(c + d*x)/2])/(192*d)
```

Maple [B] time = 0.379, size = 546, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] 1/96/d*a*(72*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))
*cos(d*x+c)^3*2^(1/2)-72*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))
*cos(d*x+c)^3*2^(1/2)+42*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))
*cos(d*x+c)^3*2^(1/2)-42*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))
*cos(d*x+c)^3*2^(1/2)+33*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))
*cos(d*x+c)^3*2^(1/2)-33*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))
*cos(d*x+c)^3*2^(1/2)+48*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+84*B*cos(d*x+c)^2*sin(d*x+c)
*(-2/(cos(d*x+c)+1))^(1/2)+66*C*sin(d*x+c)*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+24*B*cos(d*x+c)*sin(d*x+c)
*(-2/(cos(d*x+c)+1))^(1/2)+44*C*sin(d*x+c)*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+16*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)
*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c)^2/sin(d*x+c)^2*(cos(d*x+c)^2-1)
```

Maxima [B] time = 3.27295, size = 7760, normalized size = 42.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/96*(24*(3*(a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c)^2 + 3*(a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*sin(2*d*x + 2*c)^2 + 4*sqrt(2)*a*sin(3/2*d*x + 3/2*c) - 4*sqrt(2)*a*sin(1/2*d*x + 1/2*c) + 2*(2*sqrt(2)*a*sin(3/2*d*x + 3/2*c) - 2*sqrt(2)*a*sin(1/2*d*x + 1/2*c) + 3*a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)
```

$$\begin{aligned}
 &)*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2* \\
 & d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1 \\
 & /2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - \\
 & 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a* \\
 & \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2 \\
 & *d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 3*a \\
 & *\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/ \\
 & 2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d* \\
 & x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - \\
 & 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2* \\
 & \sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2 \\
 & *d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2 \\
 & *c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2 \\
 &) - 4*(\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - \sqrt{2}*a*\cos(1/2*d*x + 1/2*c))*\sin \\
 & (2*d*x + 2*c))*A*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2 \\
 & *d*x + 2*c) + 1) - 6*(56*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
 & (3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/ \\
 & 2*c))) - 24*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
 & /2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*s \\
 & \sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 28*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + \\
 & 3/2*c), \cos(3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2} \\
 & *a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2} \\
 & *a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2} \\
 & *a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8 \\
 & /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 8*(3*\sqrt{2}*a*\sin \\
 & (3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
 & 3/2*d*x + 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
 & *c))) - 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 \\
 & + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin \\
 & (8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3 \\
 & *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3 \\
 & /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + \\
 & 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/ \\
 & 2*c), \cos(3/2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
 & (3/2*d*x + 3/2*c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
 & + 3/2*c))) + a)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
 & 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
 & ^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
 & + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \\
 & 2) + 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
 & 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin \\
 & (8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*a \\
 & rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2 \\
 & *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3 \\
 & /2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*
 \end{aligned}$$

$$\begin{aligned}
& /2*d*x + 3/2*c))\wedge 2 + 4*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c)))\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4* \\
& \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))\wedge 2 + 4*\cos(4/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - (132*(\sqrt{2})*a \\
& *\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + \\
& 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2})*a \\
& *\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + \\
& 2*c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2})*a \\
& *\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + \\
& 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2})*a \\
& *\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + \\
& 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2})*a* \\
& \sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2 \\
& *c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 132*(\sqrt{2})*a* \\
& \sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2 \\
& *c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 33*(a*\cos(6*d*x \\
& + 6*c)\wedge 2 + 9*a*\cos(4*d*x + 4*c)\wedge 2 + 9*a*\cos(2*d*x + 2*c)\wedge 2 + a*\sin(6*d*x + \\
& 6*c)\wedge 2 + 9*a*\sin(4*d*x + 4*c)\wedge 2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + \\
& 9*a*\sin(2*d*x + 2*c)\wedge 2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + \\
& a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*c \\
& \cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6 \\
& *c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))\wedge 2 + 2*s \\
& \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))\wedge 2 + 2*\sqrt{2}*\cos(1/4*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos(6*d*x + 6*c)\wedge 2 + 9*a*\cos \\
& (4*d*x + 4*c)\wedge 2 + 9*a*\cos(2*d*x + 2*c)\wedge 2 + a*\sin(6*d*x + 6*c)\wedge 2 + 9*a*\sin(4 \\
& *d*x + 4*c)\wedge 2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2* \\
& c)\wedge 2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) \\
& + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6 \\
& *(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(\\
& 1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))\wedge 2 + 2*\sin(1/4*\arctan2(\sin(\\
& 2*d*x + 2*c), \cos(2*d*x + 2*c)))\wedge 2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(\\
& 2*d*x + 2*c))) + 2) - 33*(a*\cos(6*d*x + 6*c)\wedge 2 + 9*a*\cos(4*d*x + 4*c)\wedge 2 + 9 \\
& *a*\cos(2*d*x + 2*c)\wedge 2 + a*\sin(6*d*x + 6*c)\wedge 2 + 9*a*\sin(4*d*x + 4*c)\wedge 2 + 18* \\
& a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)\wedge 2 + 2*(3*a*\cos(4 \\
& *d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x \\
& + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c \\
&) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d \\
& *x + 2*c), \cos(2*d*x + 2*c)))\wedge 2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2 \\
& *d*x + 2*c)))\wedge 2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) \\
& + 33*(a*\cos(6*d*x + 6*c)\wedge 2 + 9*a*\cos(4*d*x + 4*c)\wedge 2 + 9*a*\cos(2*d*x + 2*c) \\
& \wedge 2 + a*\sin(6*d*x + 6*c)\wedge 2 + 9*a*\sin(4*d*x + 4*c)\wedge 2 + 18*a*\sin(4*d*x + 4*c)* \\
& \sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)\wedge 2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*c
\end{aligned}$$

```

os(2*d*x + 2*c) + a)*cos(6*d*x + 6*c) + 6*(3*a*cos(2*d*x + 2*c) + a)*cos(4*
d*x + 4*c) + 6*a*cos(2*d*x + 2*c) + 6*(a*sin(4*d*x + 4*c) + a*sin(2*d*x + 2
*c))*sin(6*d*x + 6*c) + a)*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2
*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2*sqrt(2)*s
in(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - 132*(sqrt(2)*a*c
os(6*d*x + 6*c) + 3*sqrt(2)*a*cos(4*d*x + 4*c) + 3*sqrt(2)*a*cos(2*d*x + 2*
c) + sqrt(2)*a)*sin(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 44*
(sqrt(2)*a*cos(6*d*x + 6*c) + 3*sqrt(2)*a*cos(4*d*x + 4*c) + 3*sqrt(2)*a*co
s(2*d*x + 2*c) + sqrt(2)*a)*sin(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2
*c))) - 216*(sqrt(2)*a*cos(6*d*x + 6*c) + 3*sqrt(2)*a*cos(4*d*x + 4*c) + 3*
sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(7/4*arctan2(sin(2*d*x + 2*c), c
os(2*d*x + 2*c))) + 216*(sqrt(2)*a*cos(6*d*x + 6*c) + 3*sqrt(2)*a*cos(4*d*x
+ 4*c) + 3*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(5/4*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c))) + 44*(sqrt(2)*a*cos(6*d*x + 6*c) + 3*sqrt(2)*
a*cos(4*d*x + 4*c) + 3*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(3/4*arct
an2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 132*(sqrt(2)*a*cos(6*d*x + 6*c)
+ 3*sqrt(2)*a*cos(4*d*x + 4*c) + 3*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*
sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*C*sqrt(a)/(2*(3*cos(4
*d*x + 4*c) + 3*cos(2*d*x + 2*c) + 1)*cos(6*d*x + 6*c) + cos(6*d*x + 6*c)^2
+ 6*(3*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + 9*cos(4*d*x + 4*c)^2 + 9*c
os(2*d*x + 2*c)^2 + 6*(sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c
) + sin(6*d*x + 6*c)^2 + 9*sin(4*d*x + 4*c)^2 + 18*sin(4*d*x + 4*c)*sin(2*d
*x + 2*c) + 9*sin(2*d*x + 2*c)^2 + 6*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 1.5024, size = 1251, normalized size = 6.91

$$\left[\frac{3 \left((24A + 14B + 11C)a \cos(dx + c)^3 + (24A + 14B + 11C)a \cos(dx + c)^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - 4(\cos(dx + c)^2 - 2 \cos(dx + c) + 1) \cos(dx + c) + 1}{\cos(dx + c)^3 + \cos(dx + c) + 1} \right)}{96 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 + 6d \cos(dx + c) + 6d \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/96*(3*((24*A + 14*B + 11*C)*a*cos(d*x + c)^3 + (24*A + 14*B + 11*C)*a*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d

```
*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2))
+ 4*(3*(8*A + 14*B + 11*C)*a*cos(d*x + c)^2 + 2*(6*B + 11*C)*a*cos(d*x + c)
+ 8*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x
+ c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/48*(3*((24*A + 14*B + 11*C)
)*a*cos(d*x + c)^3 + (24*A + 14*B + 11*C)*a*cos(d*x + c)^2)*sqrt(-a)*arctan
(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(
d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(8*A + 14*B + 11
*C)*a*cos(d*x + c)^2 + 2*(6*B + 11*C)*a*cos(d*x + c) + 8*C*a)*sqrt((a*cos(d
*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)
^3 + d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d
*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x
+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)
)*sqrt(sec(d*x + c)), x)
```

$$3.589 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=183

$$\frac{a^2(8A - 4B - 5C) \sin(c + dx) \sqrt{\sec(c + dx)}}{4d \sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(8A + 12B + 7C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{4d} + \frac{a(4B + 3C) \sin(c + dx) \sqrt{\sec(c + dx)}}{4d}$$

[Out] (a^(3/2)*(8*A + 12*B + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^2*(8*A - 4*B - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(4*B + 3*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.524863, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4088, 4018, 4015, 3801, 215}

$$\frac{a^2(8A - 4B - 5C) \sin(c + dx) \sqrt{\sec(c + dx)}}{4d \sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(8A + 12B + 7C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{4d} + \frac{a(4B + 3C) \sin(c + dx) \sqrt{\sec(c + dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

[Out] (a^(3/2)*(8*A + 12*B + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^2*(8*A - 4*B - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(4*B + 3*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n

}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{C \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} \sin(c + dx)}{2d} + \int \frac{a(4B + 3C) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{a^2(8A - 4B - 5C) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{a(4B + 3C) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{a^2(8A - 4B - 5C) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{a(4B + 3C) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{a^{3/2}(8A + 12B + 7C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} + \frac{a^2(8A - 4B - 5C) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.23574, size = 129, normalized size = 0.7

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(8A + 12B + 7C) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx)\right)}{8d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(8*A + 12*B + 7*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*((4*B + 7*C)*Cos[c + d*x] + 2*(2*A + C + 2*A*Cos[2*(c + d*x)]))*Sec[c + d*x]^2*Sin[(c + d*x)/2]))/(8*d*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.388, size = 533, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{1/2},x)$

[Out] $\frac{1}{16}d*a*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(8*A*2^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))-8*A*2^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{1/2}+12*B*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)^2*2^{1/2}*\sin(d*x+c)-12*B*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\cos(d*x+c)^2*2^{1/2}*\sin(d*x+c)+7*C*2^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))-7*C*2^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{1/2}-32*A*\cos(d*x+c)^3+32*A*\cos(d*x+c)^2-16*B*\cos(d*x+c)^2-28*C*\cos(d*x+c)^2+16*B*\cos(d*x+c)+20*C*\cos(d*x+c)+8*C)*(1/\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)$

Maxima [B] time = 2.80073, size = 4942, normalized size = 27.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{1/2},x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{16}*(4*\sqrt{2}*(\sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \sqrt{2})*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 8*a*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a} + 4*(3*(a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x$

$$\begin{aligned}
& + 1/2*c) + 2)) * \cos(2*d*x + 2*c)^2 + 3*(a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)) * \sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 4*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 2*(2*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 2*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)) * \cos(2*d*x + 2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 4*(\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - \sqrt{2}*a*\cos(1/2*d*x + 1/2*c)) * \sin(2*d*x + 2*c)) * B * \sqrt{a} / (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) - (56*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 24*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 28*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2}*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2}*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) * \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 8*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) * \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), c
\end{aligned}$$

, $\cos(3/2*d*x + 3/2*c)) - 28*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 8*(3*\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*C*\sqrt{a}/(2*(2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1))/d$

Fricas [A] time = 1.4962, size = 1166, normalized size = 6.37

$$\left[\frac{\left((8A + 12B + 7C)a \cos(dx + c)^2 + (8A + 12B + 7C)a \cos(dx + c) \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{16 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/16*(((8*A + 12*B + 7*C)*a*cos(d*x + c)^2 + (8*A + 12*B + 7*C)*a*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(8*A*a*cos(d*x + c)^2 + (4*B + 7*C)*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/8*(((8*A + 12*B + 7*C)*a*cos(d*x + c)^2 + (8*A + 12*B + 7*C)*a*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(8*A*a*cos(d*x + c)^2 + (4*B + 7*C)*a*cos(d*x + c) + 2*C*a)

```
*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(
d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+
c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)
)/sqrt(sec(d*x + c)), x)
```

$$3.590 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=177

$$\frac{a^2(8A+6B-3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(2B+3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(2A-3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d}$$

[Out] (a^(3/2)*(2*B + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^2*(8*A + 6*B - 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(2*A - 3*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.522638, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4018, 4015, 3801, 215}

$$\frac{a^2(8A+6B-3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(2B+3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(2A-3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (a^(3/2)*(2*B + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^2*(8*A + 6*B - 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) - (a*(2*A - 3*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^m), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n *Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{a(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{a^2(8A + 6B - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} - \frac{a(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{a^2(8A + 6B - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} - \frac{a(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{a^{3/2}(2B + 3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{a^2(8A + 6B - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

Mathematica [A] time = 1.07353, size = 122, normalized size = 0.69

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (2(5A + 3B) \cos(c + dx) + A \cos(2(c + dx)) + A + 3C)\right)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2),x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(2*B + 3*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*(A + 3*C + 2*(5*A + 3*B)*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(6*d)

Maple [B] time = 0.405, size = 383, normalized size = 2.2

$$-\frac{a \cos(dx + c)}{12d \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(6B \cos(dx + c) \sqrt{2} \sin(dx + c) \sqrt{-2(\cos(dx + c) + 1)^{-1}} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}}\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned}
& 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) \\
& + 2) + a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& (2)*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos \\
& (1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/ \\
& 2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})* \\
& a*\sin(3/2*d*x + 3/2*c) - 4*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 2*(2*\sqrt{2})*a* \\
& \sin(3/2*d*x + 3/2*c) - 2*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 3*a*\log(2*\cos(1/2 \\
& *d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) \\
& + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + \\
& 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(\\
& 1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) \\
& + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& (2)*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + \\
& 2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\
& t(2)*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2 \\
& *\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x \\
& + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\
& (2)*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/ \\
& 2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2) - 4*(\sqrt{2})*a*\cos(3/2*d*x + 3/2*c) - \sqrt{2})*a*\cos(1/2*d*x + \\
& 1/2*c))*\sin(2*d*x + 2*c))*C*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^ \\
& 2 + 2*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.798965, size = 1058, normalized size = 5.98

$$\left[\frac{3((2B + 3C)a \cos(dx + c) + (2B + 3C)a)\sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c))\sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a \right)}{\cos(dx+c)^3 + \cos(dx+c)^2} \right] + \frac{\quad}{12(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] [1/12*(3*((2*B + 3*C)*a*cos(d*x + c) + (2*B + 3*C)*a))*sqrt(a)*log((a*cos(d*x + c))^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)

```
*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) +
8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(2*A*a*cos(d*x + c)^2 + 2*(5*A
+ 3*B)*a*cos(d*x + c) + 3*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(
d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/6*(3*((2*B + 3*C)*a*co
s(d*x + c) + (2*B + 3*C)*a)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*c
os(d*x + c) - 2*a)) + 2*(2*A*a*cos(d*x + c)^2 + 2*(5*A + 3*B)*a*cos(d*x + c
) + 3*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*
x + c)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+
c)**(3/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2
)/sec(d*x + c)^(3/2), x)
```

$$3.591 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=172

$$\frac{2a^2(12A+20B+15C) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2a^{3/2} C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}} \right)}{d} + \frac{2a(3A+5B) \sin(c+dx) \sqrt{a \sec(c+dx)}}{15d \sqrt{\sec(c+dx)}}$$

[Out] (2*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(12*A + 20*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.51202, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4017, 4015, 3801, 215}

$$\frac{2a^2(12A+20B+15C) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2a^{3/2} C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}} \right)}{d} + \frac{2a(3A+5B) \sin(c+dx) \sqrt{a \sec(c+dx)}}{15d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (2*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(12*A + 20*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],

$x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&$
 $\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \mid \mid \text{EqQ}[m + n + 1, 0])$

Rule 4017

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_)](d_.))^{\text{(n_.)}}(\text{csc}[e_.] + (f_.)(x_)](b_.) + (a_.))^{\text{(m_.)}}(\text{csc}[e_.] + (f_.)(x_)](B_.) + (A_.)), x_Symbol] \text{:> } \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{\text{(m - 1)}}(d*\text{Csc}[e + f*x])^{\text{(n)}})/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{\text{(m - 1)}}(d*\text{Csc}[e + f*x])^{\text{(n + 1)}}*\text{Simp}[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$

Rule 4015

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_)](d_.))^{\text{(n_.)}}*\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)](b_.) + (a_.)](\text{csc}[e_.] + (f_.)(x_)](B_.) + (A_.)), x_Symbol] \text{:> } \text{Simp}[(A*b^2*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{\text{(n)}})/(a*f*n*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{\text{(n + 1)}}], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& \text{LtQ}[n, 0]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)](d_.)]*\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)](b_.) + (a_.)], x_Symbol] \text{:> } \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/ \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)(x_)^2], x_Symbol] \text{:> } \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(3A + 5B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{15d\sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a^2(12A + 20B + 15C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a^2(12A + 20B + 15C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a^3 C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a^2(12A + 20B + 15C)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.84905, size = 162, normalized size = 0.94

$$\frac{\sec^3\left(\frac{1}{2}(c + dx)\right) (a(\sec(c + dx) + 1))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\sin\left(\frac{1}{2}(c + dx)\right) (2(9A + 5B) \cos(c + dx) + 1)\right)}{15d \sec^{\frac{7}{2}}(c + dx) (A \cos(2(c + dx)) + A + 2B \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2),x]

[Out] (Sec[(c + d*x)/2]^3*(a*(1 + Sec[c + d*x]))^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(15*sqrt(2)*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + (39*A + 50*B + 30*C + 2*(9*A + 5*B)*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(15*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/2))

Maple [A] time = 0.411, size = 245, normalized size = 1.4

$$-\frac{a(\cos(dx + c))^3}{30d \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(-15C \sqrt{-2(\cos(dx + c) + 1)^{-1}} \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}} (\cos(dx + c) + 1)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)
```

```
[Out] -1/30/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-15*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*sin(d*x+c)+15*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)+12*A*cos(d*x+c)^3+24*A*cos(d*x+c)^2+20*B*cos(d*x+c)^2+36*A*cos(d*x+c)+80*B*cos(d*x+c)+60*C*cos(d*x+c)-72*A-100*B-60*C)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)
```

Maxima [B] time = 2.31892, size = 705, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] 1/60*(3*sqrt(2)*(20*a*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) + 5*a*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) - 20*a*cos(5/2*d*x + 5/2*c) * sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*a*cos(5/2*d*x + 5/2*c) * sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 2*a*sin(5/2*d*x + 5/2*c) + 5*a*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 20*a*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))) * A*sqrt(a) + 15*sqrt(2)*(sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 8*a*sin(1/2*d*x + 1/2*c))*C*sqrt(a) + 20*(sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 9*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*B*sqrt(a))/d
```

Fricas [A] time = 0.627288, size = 1089, normalized size = 6.33

$$\left[\frac{15 (Ca \cos(dx + c) + Ca) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c)) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{30 (d \cos(dx + c) + d)} + \frac{4 (3 Aa \cos(dx+c)^3 + 9} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/30*(15*(C*a*cos(d*x + c) + C*a)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*A*a*cos(d*x + c)^3 + (9*A + 5*B)*a*cos(d*x + c)^2 + (18*A + 25*B + 15*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/15*(15*(C*a*cos(d*x + c) + C*a)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*A*a*cos(d*x + c)^3 + (9*A + 5*B)*a*cos(d*x + c)^2 + (18*A + 25*B + 15*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(5/2), x)
```

$$3.592 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=181

$$\frac{8a^2(19A + 21B + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a(19A + 21B + 35C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{105d \sqrt{\sec(c + dx)}} + \frac{2(3A + 7B) \sin(c + dx)}{35d}$$

[Out] (8*a^2*(19*A + 21*B + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(19*A + 21*B + 35*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(3*A + 7*B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.465627, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4086, 4013, 3809, 3804}

$$\frac{8a^2(19A + 21B + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a(19A + 21B + 35C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{105d \sqrt{\sec(c + dx)}} + \frac{2(3A + 7B) \sin(c + dx)}{35d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (8*a^2*(19*A + 21*B + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(19*A + 21*B + 35*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(3*A + 7*B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &

& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3809

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2*m]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx}{7d \sec^{\frac{5}{2}}(c + dx)} \\ &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(3A + 7B)}{7d \sec^{\frac{5}{2}}(c + dx)} \\ &= \frac{2a(19A + 21B + 35C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{105d\sqrt{\sec(c + dx)}} \\ &= \frac{8a^2(19A + 21B + 35C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \end{aligned}$$

Mathematica [A] time = 0.965081, size = 100, normalized size = 0.55

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}((253A + 28(9B + 5C)) \cos(c + dx) + 6(13A + 7B) \cos(2(c + dx)) + 15A \cos(3(c + dx)))}{210d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2),x]

[Out] (a*(494*A + 546*B + 700*C + (253*A + 28*(9*B + 5*C))*Cos[c + d*x] + 6*(13*A + 7*B)*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])] *Tan[(c + d*x)/2])/(210*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.361, size = 131, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c))(15A(\cos(dx + c))^3 + 39A(\cos(dx + c))^2 + 21B(\cos(dx + c))^2 + 52A\cos(dx + c) + 63B\cos(dx + c))}{105d\sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x)

[Out] -2/105/d*a*(-1+cos(d*x+c))*(15*A*cos(d*x+c)^3+39*A*cos(d*x+c)^2+21*B*cos(d*x+c)^2+52*A*cos(d*x+c)+63*B*cos(d*x+c)+35*C*cos(d*x+c)+104*A+126*B+175*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

Maxima [B] time = 2.31557, size = 743, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="maxima")

```
[Out] 1/840*(sqrt(2)*(735*a*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))
*sin(7/2*d*x + 7/2*c) + 175*a*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))
*sin(7/2*d*x + 7/2*c) + 63*a*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))
*sin(7/2*d*x + 7/2*c) - 735*a*cos(7/2*d*x + 7/2*c)*sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))
- 175*a*cos(7/2*d*x + 7/2*c)*sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))
- 63*a*cos(7/2*d*x + 7/2*c)*sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))
+ 30*a*sin(7/2*d*x + 7/2*c) + 63*a*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))
+ 175*a*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 735*a*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))
)*A*sqrt(a) + 42*sqrt(2)*(20*a*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
*sin(5/2*d*x + 5/2*c) + 5*a*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
*sin(5/2*d*x + 5/2*c) - 20*a*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
- 5*a*cos(5/2*d*x + 5/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
+ 2*a*sin(5/2*d*x + 5/2*c) + 5*a*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
+ 20*a*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
)*B*sqrt(a) + 280*(sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 9*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*C*sqrt(a)/d
```

Fricas [A] time = 0.489389, size = 325, normalized size = 1.8

$$\frac{2(15 A a \cos(dx + c)^4 + 3(13 A + 7 B) a \cos(dx + c)^3 + (52 A + 63 B + 35 C) a \cos(dx + c)^2 + (104 A + 126 B + 175 C) a \cos(dx + c) + 280 a \sin(dx + c)) \sqrt{a}}{105(d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] 2/105*(15*A*a*cos(d*x + c)^4 + 3*(13*A + 7*B)*a*cos(d*x + c)^3 + (52*A + 63*B + 35*C)*a*cos(d*x + c)^2 + (104*A + 126*B + 175*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(7/2), x)

$$3.593 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=232

$$\frac{2a^2(52A + 72B + 63C) \sin(c + dx)}{315d \sec^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{4a^2(136A + 156B + 189C) \sin(c + dx) \sqrt{\sec(c + dx)}}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 156B + 189C)}{315d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

```
[Out] (2*a^2*(52*A + 72*B + 63*C)*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 156*B + 189*C)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^2*(136*A + 156*B + 189*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(A + 3*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))
```

Rubi [A] time = 0.653402, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4017, 4015, 3805, 3804}

$$\frac{2a^2(52A + 72B + 63C) \sin(c + dx)}{315d \sec^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{4a^2(136A + 156B + 189C) \sin(c + dx) \sqrt{\sec(c + dx)}}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 156B + 189C)}{315d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]
```

```
[Out] (2*a^2*(52*A + 72*B + 63*C)*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 156*B + 189*C)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^2*(136*A + 156*B + 189*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(A + 3*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
```

```

+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(A + 3B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^2(52A + 72B + 63C) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a(A + 3B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a^2(52A + 72B + 63C) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(136A + 170B + 90C) \sin(c + dx)}{315d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^2(52A + 72B + 63C) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(136A + 170B + 90C) \sin(c + dx)}{315d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.55762, size = 123, normalized size = 0.53

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}(2(799A + 759B + 756C) \cos(c + dx) + 4(137A + 117B + 63C) \cos(2(c + dx)) + 170A \cos(3(c + dx)) + 90B \cos(4(c + dx)))}{1260d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]

[Out] (a*(2689*A + 2964*B + 3276*C + 2*(799*A + 759*B + 756*C)*Cos[c + d*x] + 4*(137*A + 117*B + 63*C)*Cos[2*(c + d*x)] + 170*A*Cos[3*(c + d*x)] + 90*B*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.402, size = 164, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c))(35A(\cos(dx + c))^4 + 85A(\cos(dx + c))^3 + 45B(\cos(dx + c))^3 + 102A(\cos(dx + c))^2 + 117B(\cos(dx + c)) + 35C)}{1260d\sqrt{\sec(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)
```

```
[Out] -2/315/d*a*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+85*A*cos(d*x+c)^3+45*B*cos(d*x+c)^3+102*A*cos(d*x+c)^2+117*B*cos(d*x+c)^2+63*C*cos(d*x+c)^2+136*A*cos(d*x+c)+156*B*cos(d*x+c)+189*C*cos(d*x+c)+272*A+312*B+378*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^5*(1/cos(d*x+c))^(9/2)/sin(d*x+c)
```

Maxima [B] time = 2.45184, size = 1226, normalized size = 5.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(3780*a*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 1050*a*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 378*a*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 135*a*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) - 3780*a*cos(9/2*d*x + 9/2*c) * sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 1050*a*cos(9/2*d*x + 9/2*c) * sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 378*a*cos(9/2*d*x + 9/2*c) * sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 135*a*cos(9/2*d*x + 9/2*c) * sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*a*sin(9/2*d*x + 9/2*c) + 135*a*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 378*a*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 1050*a*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 3780*a*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) * A * sqrt(a) + 6*sqrt(2)*(735*a*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 175*a*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 63*a*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 735*a*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 175*a*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 63*a*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 30*a*sin(7/2*d*x + 7/2*c) + 63*a*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 175*a*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 735*a*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) * B * sqrt(a) + 252*sqrt(2)*(20*a*cos(4
```

$$\begin{aligned} & /5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))*\sin(5/2*d*x + 5/2*c) \\ &) + 5*a*\cos(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))*\sin(5/ \\ & 2*d*x + 5/2*c) - 20*a*\cos(5/2*d*x + 5/2*c)*\sin(4/5*\arctan2(\sin(5/2*d*x + 5/ \\ & 2*c), \cos(5/2*d*x + 5/2*c))) - 5*a*\cos(5/2*d*x + 5/2*c)*\sin(2/5*\arctan2(\sin \\ & (5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 2*a*\sin(5/2*d*x + 5/2*c) + 5*a* \\ & \sin(3/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 20*a*\sin(1/5 \\ & *\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * C*\sqrt{a})/d \end{aligned}$$

Fricas [A] time = 0.498864, size = 389, normalized size = 1.68

$$\frac{2(35 A a \cos(dx + c)^5 + 5(17 A + 9 B)a \cos(dx + c)^4 + 3(34 A + 39 B + 21 C)a \cos(dx + c)^3 + (136 A + 156 B + 189 C)a \cos(dx + c)^2 + 2(136 A + 156 B + 189 C)a \cos(dx + c))\sqrt{(a \cos(dx + c) + a)/\cos(dx + c)}\sin(dx + c)}{315(d \cos(dx + c) + d)\sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] 2/315*(35*A*a*cos(d*x + c)^5 + 5*(17*A + 9*B)*a*cos(d*x + c)^4 + 3*(34*A + 39*B + 21*C)*a*cos(d*x + c)^3 + (136*A + 156*B + 189*C)*a*cos(d*x + c)^2 + 2*(136*A + 156*B + 189*C)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(9/2), x)
```

$$3.594 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=284

$$\frac{2a^2(336A + 374B + 429C) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(84A + 110B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{16a^2(336A + 374B + 429C) \sin(c + dx)}{3465d \sqrt{a \sec(c + dx) + a}}$$

```
[Out] (2*a^2*(84*A + 110*B + 99*C)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(336*A + 374*B + 429*C)*Sin[c + d*x])/(1155*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(336*A + 374*B + 429*C)*Sin[c + d*x])/(3465*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(336*A + 374*B + 429*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 11*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rubi [A] time = 0.739475, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4017, 4015, 3805, 3804}

$$\frac{2a^2(336A + 374B + 429C) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(84A + 110B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{16a^2(336A + 374B + 429C) \sin(c + dx)}{3465d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]
```

```
[Out] (2*a^2*(84*A + 110*B + 99*C)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(336*A + 374*B + 429*C)*Sin[c + d*x])/(1155*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(336*A + 374*B + 429*C)*Sin[c + d*x])/(3465*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(336*A + 374*B + 429*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 11*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rule 4086

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx}{11d \sec^{\frac{9}{2}}(c + dx)} \\
&= \frac{2a(3A + 11B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2A}{11d \sec^{\frac{9}{2}}(c + dx)} \\
&= \frac{2a^2(84A + 110B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a(3A + 11B)}{11d \sec^{\frac{9}{2}}(c + dx)} \\
&= \frac{2a^2(84A + 110B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(336A + 110B + 99C)}{1155d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a^2(84A + 110B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(336A + 110B + 99C)}{1155d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a^2(84A + 110B + 99C) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(336A + 110B + 99C)}{1155d \sec^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 2.33363, size = 158, normalized size = 0.56

$$a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}((34734A + 44(799B + 759C)) \cos(c + dx) + 8(1743A + 1507B + 1287C) \cos(2(c + dx)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (a*(55482*A + 59158*B + 65208*C + (34734*A + 44*(799*B + 759*C))*Cos[c + d*x] + 8*(1743*A + 1507*B + 1287*C))*Cos[2*(c + d*x)] + 4935*A*Cos[3*(c + d*x)] + 3740*B*Cos[3*(c + d*x)] + 1980*C*Cos[3*(c + d*x)] + 1470*A*Cos[4*(c + d*x)] + 770*B*Cos[4*(c + d*x)] + 315*A*Cos[5*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])] * Tan[(c + d*x)/2]/(27720*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.403, size = 197, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c)) \left(315 A (\cos(dx + c))^5 + 735 A (\cos(dx + c))^4 + 385 B (\cos(dx + c))^4 + 840 A (\cos(dx + c))^3 + 9 \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x)

[Out] -2/3465/d*a*(-1+cos(d*x+c))*(315*A*cos(d*x+c)^5+735*A*cos(d*x+c)^4+385*B*cos(d*x+c)^4+840*A*cos(d*x+c)^3+935*B*cos(d*x+c)^3+495*C*cos(d*x+c)^3+1008*A*cos(d*x+c)^2+1122*B*cos(d*x+c)^2+1287*C*cos(d*x+c)^2+1344*A*cos(d*x+c)+1496*B*cos(d*x+c)+1716*C*cos(d*x+c)+2688*A+2992*B+3432*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^6*(1/cos(d*x+c))^(11/2)/sin(d*x+c)

Maxima [B] time = 2.51371, size = 1604, normalized size = 5.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="maxima")

[Out] 1/110880*(21*sqrt(2)*(3630*a*cos(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) + 990*a*cos(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) + 429*a*cos(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) + 165*a*cos(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) + 55*a*cos(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) - 3630*a*cos(11/2*d*x + 11/2*c) * sin(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 990*a*cos(11/2*d*x + 11/2*c) * sin(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 429*a*cos(11/2*d*x + 11/2*c) * sin(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 165*a*cos(11/2*d*x + 11/2*c) * sin(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 55*a*cos(11/2*d*x + 11/2*c) * sin(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 30*a*sin(11/2*d*x + 11/2*c) + 55*a*sin(9/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 165*a*sin(7/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 429*a*sin(5/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))

```

/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 990*a*sin(3/11*arctan2(sin(11/
2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 3630*a*sin(1/11*arctan2(sin(11/
2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) *A*sqrt(a) + 22*sqrt(2)*(3780*a*c
os(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) *sin(9/2*d*x + 9
/2*c) + 1050*a*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))
*sin(9/2*d*x + 9/2*c) + 378*a*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2
*d*x + 9/2*c))) *sin(9/2*d*x + 9/2*c) + 135*a*cos(2/9*arctan2(sin(9/2*d*x +
9/2*c), cos(9/2*d*x + 9/2*c))) *sin(9/2*d*x + 9/2*c) - 3780*a*cos(9/2*d*x +
9/2*c) *sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 1050*
a*cos(9/2*d*x + 9/2*c) *sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x +
9/2*c))) - 378*a*cos(9/2*d*x + 9/2*c) *sin(4/9*arctan2(sin(9/2*d*x + 9/2*c),
cos(9/2*d*x + 9/2*c))) - 135*a*cos(9/2*d*x + 9/2*c) *sin(2/9*arctan2(sin(9/
2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*a*sin(9/2*d*x + 9/2*c) + 135*a*
sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 378*a*sin(5/
9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 1050*a*sin(1/3*arc
tan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 3780*a*sin(1/9*arctan2(
sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) *B*sqrt(a) + 132*sqrt(2)*(735*
a*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) *sin(7/2*d*x
+ 7/2*c) + 175*a*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)
)) *sin(7/2*d*x + 7/2*c) + 63*a*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/
2*d*x + 7/2*c))) *sin(7/2*d*x + 7/2*c) - 735*a*cos(7/2*d*x + 7/2*c) *sin(6/7*
arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 175*a*cos(7/2*d*x +
7/2*c) *sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 63*a*
cos(7/2*d*x + 7/2*c) *sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/
2*c))) + 30*a*sin(7/2*d*x + 7/2*c) + 63*a*sin(5/7*arctan2(sin(7/2*d*x + 7/2
*c), cos(7/2*d*x + 7/2*c))) + 175*a*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), c
os(7/2*d*x + 7/2*c))) + 735*a*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2
*d*x + 7/2*c))) *C*sqrt(a))/d

```

Fricas [A] time = 0.506846, size = 460, normalized size = 1.62

$$2(315 A a \cos(dx + c)^6 + 35(21 A + 11 B) a \cos(dx + c)^5 + 5(168 A + 187 B + 99 C) a \cos(dx + c)^4 + 3(336 A + 374 B$$

3465 (d co

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)
^(11/2),x, algorithm="fricas")

```

```

[Out] 2/3465*(315*A*a*cos(d*x + c)^6 + 35*(21*A + 11*B)*a*cos(d*x + c)^5 + 5*(168
*A + 187*B + 99*C)*a*cos(d*x + c)^4 + 3*(336*A + 374*B + 429*C)*a*cos(d*x +

```

$$c)^3 + 4*(336*A + 374*B + 429*C)*a*\cos(d*x + c)^2 + 8*(336*A + 374*B + 429*C)*a*\cos(d*x + c))*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c))*\sin(d*x + c)/((d*\cos(d*x + c) + d)*\sqrt{\cos(d*x + c)})}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(11/2), x)

$$3.595 \quad \int \sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$$

Optimal. Leaf size=333

$$\frac{a^2(120A + 156B + 115C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{480d} + \frac{a^3(680A + 628B + 545C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{960d \sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(5/2)*(1304*A + 1132*B + 1015*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(512*d) + (a^3*(1304*A + 1132*B + 1015*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(512*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1132*B + 1015*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(768*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(680*A + 628*B + 545*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(120*A + 156*B + 115*C)*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(480*d) + (a*(12*B + 5*C)*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(60*d) + (C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d)

Rubi [A] time = 0.949499, antiderivative size = 333, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4088, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(120A + 156B + 115C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{480d} + \frac{a^3(680A + 628B + 545C) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{960d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(1304*A + 1132*B + 1015*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(512*d) + (a^3*(1304*A + 1132*B + 1015*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(512*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1132*B + 1015*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(768*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(680*A + 628*B + 545*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(120*A + 156*B + 115*C)*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(480*d) + (a*(12*B + 5*C)*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(60*d) + (C*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d)

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)(x_)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{PosQ}[b]$

Rubi steps

$$\begin{aligned} \int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx)) dx &= \frac{C\sec^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{6d} \\ &= \frac{a(12B+5C)\sec^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{60d} \\ &= \frac{a^2(120A+156B+115C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{480d} \\ &= \frac{a^3(680A+628B+545C)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{960d\sqrt{a+a\sec(c+dx)}} \\ &= \frac{a^3(1304A+1132B+1015C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{768d\sqrt{a+a\sec(c+dx)}} \\ &= \frac{a^3(1304A+1132B+1015C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{512d\sqrt{a+a\sec(c+dx)}} \\ &= \frac{a^3(1304A+1132B+1015C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{512d\sqrt{a+a\sec(c+dx)}} \\ &= \frac{a^{5/2}(1304A+1132B+1015C)\sinh^{-1}\left(\frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{512d} \end{aligned}$$

Mathematica [A] time = 4.68739, size = 245, normalized size = 0.74

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{11}{2}}(c+dx) \sqrt{a(\sec(c+dx)+1)} \left(4 \sin\left(\frac{1}{2}(c+dx)\right) ((283920A+303048B+321370C) \cos(c+dx) - \right)}{512d\sqrt{a+a\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

```
[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]^(11/2)*Sqrt[a*(1 + Sec[c + d*x])]*(480*S
qrt[2]*(1304*A + 1132*B + 1015*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c +
d*x]^6 + 4*(93600*A + 112464*B + 137060*C + (283920*A + 303048*B + 321370*
C)*Cos[c + d*x] + 16*(7480*A + 8444*B + 8555*C)*Cos[2*(c + d*x)] + 127240*A
*Cos[3*(c + d*x)] + 121124*B*Cos[3*(c + d*x)] + 108605*C*Cos[3*(c + d*x)] +
26080*A*Cos[4*(c + d*x)] + 22640*B*Cos[4*(c + d*x)] + 20300*C*Cos[4*(c + d
*x)] + 19560*A*Cos[5*(c + d*x)] + 16980*B*Cos[5*(c + d*x)] + 15225*C*Cos[5*
(c + d*x)])*Sin[(c + d*x)/2))/(491520*d)
```

Maple [B] time = 0.451, size = 827, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x)
```

```
[Out] 1/30720/d*a^2*(19560*A*cos(d*x+c)^6*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x
+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-19560*A*cos(d*x+c)^6*2^(1/2)*arcta
n(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+16980*B*
cos(d*x+c)^6*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin
(d*x+c)))*2^(1/2)-16980*B*cos(d*x+c)^6*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1
))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)+15225*C*cos(d*x+c)^6*2^(1/2)*ar
ctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-15225
*C*cos(d*x+c)^6*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d
*x+c)+1-sin(d*x+c)))+39120*A*cos(d*x+c)^5*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x
+c)+33960*B*cos(d*x+c)^5*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+30450*C*cos(d
*x+c)^5*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+26080*A*sin(d*x+c)*(-2/(cos(d*
x+c)+1))^(1/2)*cos(d*x+c)^4+22640*B*cos(d*x+c)^4*(-2/(cos(d*x+c)+1))^(1/2)*
sin(d*x+c)+20300*C*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^4+14720*
A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+18112*B*sin(d*x+c)*cos(
d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+16240*C*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos
(d*x+c)+1))^(1/2)+3840*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+
11136*B*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+13920*C*sin(d*x+c
)*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+3072*B*cos(d*x+c)*sin(d*x+c)*(-2/(
cos(d*x+c)+1))^(1/2)+8960*C*sin(d*x+c)*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)
+2560*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))
^(1/2)*(1/cos(d*x+c))^(5/2)*(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c)^3/sin(d*x+
c)^2*(cos(d*x+c)^2-1)
```


Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 2.40478, size = 1756, normalized size = 5.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/30720*(15*((1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^6 + (1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^5)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(15*(1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^5 + 10*(1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^4 + 8*(920*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^3 + 48*(40*A + 116*B + 145*C)*a^2*cos(d*x + c)^2 + 128*(12*B + 35*C)*a^2*cos(d*x + c) + 1280*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5), 1/15360*(15*((1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^6 + (1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^5)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(15*(1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^5 + 10*(1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^4 + 8*(920*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^3 + 48*(40*A + 116*B + 145*C)*a^2*cos(d*x + c)^2 + 128*(12*B + 35*C)*a^2*cos(d*x + c) + 1280*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2), x)

$$3.596 \quad \int \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=281

$$\frac{a^3(1040A + 950B + 787C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{960d\sqrt{a \sec(c + dx) + a}} + \frac{a^3(400A + 326B + 283C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 110B + 79C) \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(5/2)*(400*A + 326*B + 283*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(400*A + 326*B + 283*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1040*A + 950*B + 787*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 110*B + 79*C)*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d) + (a*(2*B + C)*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d) + (C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.858446, antiderivative size = 281, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4088, 4018, 4016, 3803, 3801, 215}

$$\frac{a^3(1040A + 950B + 787C) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{960d\sqrt{a \sec(c + dx) + a}} + \frac{a^3(400A + 326B + 283C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 110B + 79C) \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{128d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^(5/2)*(400*A + 326*B + 283*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(400*A + 326*B + 283*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1040*A + 950*B + 787*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(960*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 110*B + 79*C)*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d) + (a*(2*B + C)*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d) + (C*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)(x_)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{PosQ}[b]$

Rubi steps

$$\begin{aligned} \int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx)) dx &= \frac{C\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin^{-1}\left(\frac{\sqrt{a}\sec(c+dx)}{\sqrt{a^2+b^2}}\right)}{5d} \\ &= \frac{a(2B+C)\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin^{-1}\left(\frac{\sqrt{a}\sec(c+dx)}{\sqrt{a^2+b^2}}\right)}{8d} \\ &= \frac{a^2(80A+110B+79C)\sec^{\frac{5}{2}}(c+dx)\sqrt{a}\sin^{-1}\left(\frac{\sqrt{a}\sec(c+dx)}{\sqrt{a^2+b^2}}\right)}{240d} \\ &= \frac{a^3(1040A+950B+787C)\sec^{\frac{5}{2}}(c+dx)\sqrt{a}\sin^{-1}\left(\frac{\sqrt{a}\sec(c+dx)}{\sqrt{a^2+b^2}}\right)}{960d\sqrt{a+a\sec(c+dx)}} \\ &= \frac{a^3(400A+326B+283C)\sec^{\frac{3}{2}}(c+dx)\sqrt{a}\sin^{-1}\left(\frac{\sqrt{a}\sec(c+dx)}{\sqrt{a^2+b^2}}\right)}{128d\sqrt{a+a\sec(c+dx)}} \\ &= \frac{a^3(400A+326B+283C)\sec^{\frac{3}{2}}(c+dx)\sqrt{a}\sin^{-1}\left(\frac{\sqrt{a}\sec(c+dx)}{\sqrt{a^2+b^2}}\right)}{128d\sqrt{a+a\sec(c+dx)}} \\ &= \frac{a^{5/2}(400A+326B+283C)\sinh^{-1}\left(\frac{\sqrt{a}\sec(c+dx)}{\sqrt{a^2+b^2}}\right)}{128d} \end{aligned}$$

Mathematica [A] time = 3.21727, size = 213, normalized size = 0.76

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{9}{2}}(c+dx) \sqrt{a(\sec(c+dx)+1)} \left(4 \sin\left(\frac{1}{2}(c+dx)\right) (12(1360A+1950B+2343C) \cos(c+dx) + 4(660A+400B+283C))\right)}{128d\sqrt{a+a\sec(c+dx)}} \operatorname{ArcTanh}\left[\frac{\sqrt{a}\sec(c+dx)}{\sqrt{a^2+b^2}}\right]$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]^(9/2)*Sqrt[a*(1 + Sec[c + d*x])]*(240*Sqrt[2]*(400*A + 326*B + 283*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x])

$$\begin{aligned} &]^5 + 4*(20560*A + 22030*B + 24863*C + 12*(1360*A + 1950*B + 2343*C)*\cos[c \\ & + d*x] + 4*(6640*A + 6730*B + 6509*C)*\cos[2*(c + d*x)] + 5440*A*\cos[3*(c + \\ & d*x)] + 6520*B*\cos[3*(c + d*x)] + 5660*C*\cos[3*(c + d*x)] + 6000*A*\cos[4*(c \\ & + d*x)] + 4890*B*\cos[4*(c + d*x)] + 4245*C*\cos[4*(c + d*x)]*\sin[(c + d*x) \\ & /2]))/(61440*d) \end{aligned}$$

Maple [B] time = 0.402, size = 732, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$\begin{aligned} & -1/3840/d*a^2*(-1+\cos(d*x+c))*(6000*A*\cos(d*x+c)^5*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))^2^{(1/2)}-6000*A*\cos(d*x+c)^5 \\ & *\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))^2^{(1/2)}+4890*B*\cos(d*x+c)^5*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos \\ & (d*x+c)+1+\sin(d*x+c)))^2^{(1/2)}-4890*B*\cos(d*x+c)^5*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos \\ & (d*x+c)+1-\sin(d*x+c)))^2^{(1/2)}+4245*C*\cos(d*x+c)^5*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos \\ & (d*x+c)+1+\sin(d*x+c)))^2^{(1/2)}-4245*C*\cos(d*x+c)^5*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos \\ & (d*x+c)+1-\sin(d*x+c)))^2^{(1/2)}+12000*A*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)} \\ & *\cos(d*x+c)^4+9780*B*\cos(d*x+c)^4*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+8490 \\ & *C*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^4+5440*A*\sin(d*x+c)*\cos \\ & (d*x+c)^3*(-2/(\cos(d*x+c)+1))^{(1/2)}+6520*B*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos \\ & (d*x+c)+1))^{(1/2)}+5660*C*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{(1/2)}+1 \\ & 280*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+3680*B*\cos(d*x+c)^2 \\ & *\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+4528*C*\sin(d*x+c)*\cos(d*x+c)^2*(-2/(\cos \\ & (d*x+c)+1))^{(1/2)}+960*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+2 \\ & 784*C*\sin(d*x+c)*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+768*C*(-2/(\cos(d*x+c) \\ & +1))^{(1/2)}*\sin(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(1/\cos(d*x+c))^{(3/2)}/(-2/(\cos(d*x+c)+1))^{(1/2)}/\cos(d*x+c)^3/\sin(d*x+c)^2 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 2.43503, size = 1581, normalized size = 5.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/7680*(15*((400*A + 326*B + 283*C)*a^2*cos(d*x + c)^5 + (400*A + 326*B + 283*C)*a^2*cos(d*x + c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(15*(400*A + 326*B + 283*C)*a^2*cos(d*x + c)^4 + 10*(272*A + 326*B + 283*C)*a^2*cos(d*x + c)^3 + 8*(80*A + 230*B + 283*C)*a^2*cos(d*x + c)^2 + 48*(10*B + 29*C)*a^2*cos(d*x + c) + 384*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4), 1/3840*(15*((400*A + 326*B + 283*C)*a^2*cos(d*x + c)^5 + (400*A + 326*B + 283*C)*a^2*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(15*(400*A + 326*B + 283*C)*a^2*cos(d*x + c)^4 + 10*(272*A + 326*B + 283*C)*a^2*cos(d*x + c)^3 + 8*(80*A + 230*B + 283*C)*a^2*cos(d*x + c)^2 + 48*(10*B + 29*C)*a^2*cos(d*x + c) + 384*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2), x)

3.597 $\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C$

Optimal. Leaf size=233

$$\frac{a^3(432A+392B+299C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{192d\sqrt{a \sec(c+dx)+a}} + \frac{a^2(16A+24B+17C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}}{32d}$$

[Out] (a^(5/2)*(304*A + 200*B + 163*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(432*A + 392*B + 299*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 24*B + 17*C)*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + (a*(8*B + 5*C)*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.752273, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4088, 4018, 4016, 3801, 215}

$$\frac{a^3(432A+392B+299C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{192d\sqrt{a \sec(c+dx)+a}} + \frac{a^2(16A+24B+17C) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}}{32d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(304*A + 200*B + 163*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(432*A + 392*B + 299*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 24*B + 17*C)*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + (a*(8*B + 5*C)*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (C*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(

$m + n + 1)) * \text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m, n\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}] \&\& !\text{LtQ}[n, -2^{(-1)}] \&\& \text{NeQ}[m + n + 1, 0]$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n * \text{Simp}[a*A*d*(m+n) + B*(b*d*n) + (A*b*d*(m+n) + a*B*d*(2*m+n-1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& !\text{LtQ}[n, -1]$

Rule 4016

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)] * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(-2*b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(2*n+1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n+1) + 2*a*B*n)/(b*(2*n+1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n+1) + 2*a*B*n, 0] \&\& !\text{LtQ}[n, 0]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_.)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSinh}[\text{Rt}[b, 2]*x]/\text{Sqrt}[a]/\text{Rt}[b, 2], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C\sec^3(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{4d} \\
&= \frac{a(8B+5C)\sec^3(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{24d} \\
&= \frac{a^2(16A+24B+17C)\sec^3(c+dx)\sqrt{a}\sin(c+dx)}{32d} \\
&= \frac{a^3(432A+392B+299C)\sec^3(c+dx)\sqrt{a}\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(432A+392B+299C)\sec^3(c+dx)\sqrt{a}\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{5/2}(304A+200B+163C)\sinh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d}
\end{aligned}$$

Mathematica [A] time = 2.15909, size = 179, normalized size = 0.77

$$a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{7}{2}}(c+dx) \sqrt{a(\sec(c+dx)+1)} \left(4 \sin\left(\frac{1}{2}(c+dx)\right) ((1584A+2056B+2203C) \cos(c+dx) + 4(48A + 136B + 163C) \cos[2(c+dx)] + 528A \cos[3(c+dx)] + 600B \cos[3(c+dx)] + 489C \cos[3(c+dx)]) \sin\left(\frac{c+dx}{2}\right)\right) / (3072d)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]^(7/2)*Sqrt[a*(1 + Sec[c + d*x])]*(24*Sqrt[2]*(304*A + 200*B + 163*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + 4*(192*A + 544*B + 844*C + (1584*A + 2056*B + 2203*C)*Cos[c + d*x] + 4*(48*A + 136*B + 163*C)*Cos[2*(c + d*x)] + 528*A*Cos[3*(c + d*x)] + 600*B*Cos[3*(c + d*x)] + 489*C*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/ (3072*d)

Maple [B] time = 0.375, size = 641, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(1/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x)$

[Out] $\frac{1}{768}d*a^2*(912*A*\cos(dx+c)^4*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1)))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))*2^{(1/2)}-912*A*\cos(dx+c)^4*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1)))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))+600*B*\cos(dx+c)^4*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1)))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))*2^{(1/2)}-600*B*\cos(dx+c)^4*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1)))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))+489*C*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1)))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))*2^{(1/2)}*\cos(dx+c)^4-489*C*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1)))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))*2^{(1/2)}*\cos(dx+c)^4+1056*A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+1200*B*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+978*C*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+192*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+544*B*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+652*C*\sin(dx+c)*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{(1/2)}+128*B*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+368*C*\sin(dx+c)*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+96*C*(-2/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c))*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(1/\cos(dx+c))^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}/\sin(dx+c)^2/\cos(dx+c)^3*(\cos(dx+c)^2-1)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(1/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [A] time = 2.37755, size = 1435, normalized size = 6.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/768*(3*((304*A + 200*B + 163*C)*a^2*cos(d*x + c)^4 + (304*A + 200*B + 163*C)*a^2*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(176*A + 200*B + 163*C)*a^2*cos(d*x + c)^3 + 2*(48*A + 136*B + 163*C)*a^2*cos(d*x + c)^2 + 8*(8*B + 23*C)*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/384*(3*((304*A + 200*B + 163*C)*a^2*cos(d*x + c)^4 + (304*A + 200*B + 163*C)*a^2*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(176*A + 200*B + 163*C)*a^2*cos(d*x + c)^3 + 2*(48*A + 136*B + 163*C)*a^2*cos(d*x + c)^2 + 8*(8*B + 23*C)*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c)), x)
```

$$3.598 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=233

$$\frac{a^3(24A - 54B - 49C) \sin(c + dx) \sqrt{\sec(c + dx)}}{24d \sqrt{a \sec(c + dx) + a}} + \frac{a^2(24A + 42B + 31C) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{24d} + \dots$$

[Out] (a^(5/2)*(40*A + 38*B + 25*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^3*(24*A - 54*B - 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 42*B + 31*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*(6*B + 5*C)*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.725627, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4088, 4018, 4015, 3801, 215}

$$\frac{a^3(24A - 54B - 49C) \sin(c + dx) \sqrt{\sec(c + dx)}}{24d \sqrt{a \sec(c + dx) + a}} + \frac{a^2(24A + 42B + 31C) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{24d} + \dots$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (a^(5/2)*(40*A + 38*B + 25*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^3*(24*A - 54*B - 49*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 42*B + 31*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*(6*B + 5*C)*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (C*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e

```

+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{C \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{5/2} \sin(c + dx)}{3d} + \dots \\
&= \frac{a(6B + 5C) \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} \sin(c + dx)}{12d} \\
&= \frac{a^2(24A + 42B + 31C) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{24d} \\
&= \frac{a^3(24A - 54B - 49C) \sqrt{\sec(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{a^3(24A - 54B - 49C) \sqrt{\sec(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{a^{5/2}(40A + 38B + 25C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \dots
\end{aligned}$$

Mathematica [A] time = 1.75494, size = 158, normalized size = 0.68

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(4 \sin\left(\frac{1}{2}(c + dx)\right) (4(18A + 6B + 17C) \cos(c + dx) + 3(8A + 22B + \dots)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]^(5/2)*Sqrt[a*(1 + Sec[c + d*x])]*(12*Sqrt[2]*(40*A + 38*B + 25*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + 4*(24*A + 66*B + 91*C + 4*(18*A + 6*B + 17*C)*Cos[c + d*x] + 3*(8*A + 22*B + 25*C)*Cos[2*(c + d*x)] + 24*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2))/(192*d)

Maple [B] time = 0.399, size = 568, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{1/2},x)$

[Out] $\frac{1}{96}d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(120*A*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*\sin(d*x+c)*2^{1/2}*\cos(d*x+c)^3-120*A*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\sin(d*x+c)*2^{1/2}*\cos(d*x+c)^3+114*B*2^{1/2}*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*\sin(d*x+c)-114*B*2^{1/2}*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\sin(d*x+c)+75*C*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*\sin(d*x+c)*2^{1/2}*\cos(d*x+c)^3-75*C*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\sin(d*x+c)*2^{1/2}*\cos(d*x+c)^3-192*A*\cos(d*x+c)^4+96*A*\cos(d*x+c)^3-264*B*\cos(d*x+c)^3-300*C*\cos(d*x+c)^3+96*A*\cos(d*x+c)^2+216*B*\cos(d*x+c)^2+164*C*\cos(d*x+c)^2+48*B*\cos(d*x+c)+104*C*\cos(d*x+c)+32*C)*(1/\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^2$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{1/2},x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [A] time = 1.53903, size = 1349, normalized size = 5.79

$$\frac{3 \left((40A + 38B + 25C)a^2 \cos(dx + c)^3 + (40A + 38B + 25C)a^2 \cos(dx + c)^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - 4 \cos(dx + c)^2 - 2 \cos(dx + c)}{\cos(dx + c)} \right)}{96 \left(d \cos(dx + c)^2 + \dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/96*(3*((40*A + 38*B + 25*C)*a^2*cos(d*x + c)^3 + (40*A + 38*B + 25*C)*a^2*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(48*A*a^2*cos(d*x + c)^3 + 3*(8*A + 22*B + 25*C)*a^2*cos(d*x + c)^2 + 2*(6*B + 17*C)*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/48*(3*((40*A + 38*B + 25*C)*a^2*cos(d*x + c)^3 + (40*A + 38*B + 25*C)*a^2*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(48*A*a^2*cos(d*x + c)^3 + 3*(8*A + 22*B + 25*C)*a^2*cos(d*x + c)^2 + 2*(6*B + 17*C)*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)
```

$$3.599 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=233

$$\frac{a^3(56A+12B-27C) \sin(c+dx) \sqrt{\sec(c+dx)}}{12d \sqrt{a \sec(c+dx)+a}} - \frac{a^2(8A-12B-21C) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}{12d} + \dots$$

```
[Out] (a^(5/2)*(8*A + 20*B + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^3*(56*A + 12*B - 27*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(8*A - 12*B - 21*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(12*d) - (a*(4*A - 3*C)*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 0.741483, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4018, 4015, 3801, 215}

$$\frac{a^3(56A+12B-27C) \sin(c+dx) \sqrt{\sec(c+dx)}}{12d \sqrt{a \sec(c+dx)+a}} - \frac{a^2(8A-12B-21C) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}{12d} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (a^(5/2)*(8*A + 20*B + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^3*(56*A + 12*B - 27*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(8*A - 12*B - 21*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(12*d) - (a*(4*A - 3*C)*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
```

```

+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^3(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + 2 \int \frac{(a + a \sec(c + dx))^{5/2}}{\sec^3(c + dx)} dx \\
&= -\frac{a(4A - 3C)\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{6d} \\
&= -\frac{a^2(8A - 12B - 21C)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}}{12d} \\
&= \frac{a^3(56A + 12B - 27C)\sqrt{\sec(c + dx)} \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} - \frac{a^3}{4d} \\
&= \frac{a^3(56A + 12B - 27C)\sqrt{\sec(c + dx)} \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} - \frac{a^3}{4d} \\
&= \frac{a^{5/2}(8A + 20B + 19C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} + \frac{a^3}{4d}
\end{aligned}$$

Mathematica [A] time = 1.27296, size = 155, normalized size = 0.67

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(4 \sin\left(\frac{1}{2}(c + dx)\right) (3(2A + 4B + 11C) \cos(c + dx) + 4(8A + 3B) \cos\left(\frac{1}{2}(c + dx)\right))\right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(8*A + 20*B + 19*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + 4*(32*A + 12*B + 6*C + 3*(2*A + 4*B + 11*C))*Cos[c + d*x] + 4*(8*A + 3*B)*Cos[2*(c + d*x)] + 2*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/(48*d)

Maple [B] time = 0.351, size = 549, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)`

[Out]
$$-1/48/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-24*A*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))+24*A*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{(1/2)}-60*B*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*2^{(1/2)}*\sin(d*x+c)+60*B*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))*\cos(d*x+c)^2*2^{(1/2)}*\sin(d*x+c)-57*C*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))+57*C*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{(1/2)}+32*A*\cos(d*x+c)^4+224*A*\cos(d*x+c)^3+96*B*\cos(d*x+c)^3-256*A*\cos(d*x+c)^2-48*B*\cos(d*x+c)^2+132*C*\cos(d*x+c)^2-48*B*\cos(d*x+c)-108*C*\cos(d*x+c)-24*C)*(1/\cos(d*x+c))^{(3/2)}/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 1.50063, size = 1308, normalized size = 5.61

$$\left[\frac{3 \left((8A + 20B + 19C)a^2 \cos(dx + c)^2 + (8A + 20B + 19C)a^2 \cos(dx + c) \right) \sqrt{a} \log \left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - \frac{4(\cos(dx + c)^2 - 2 \cos(dx + c) + 1)}{\cos(dx + c)^3 + \cos(dx + c)}}{48(d \cos(dx + c))^2 + \dots} \right)}{48(d \cos(dx + c))^2 + \dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] [1/48*(3*((8*A + 20*B + 19*C)*a^2*cos(d*x + c)^2 + (8*A + 20*B + 19*C)*a^2*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(8*A*a^2*cos(d*x + c)^3 + 8*(8*A + 3*B)*a^2*cos(d*x + c)^2 + 3*(4*B + 11*C)*a^2*cos(d*x + c) + 6*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/24*(3*((8*A + 20*B + 19*C)*a^2*cos(d*x + c)^2 + (8*A + 20*B + 19*C)*a^2*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(8*A*a^2*cos(d*x + c)^3 + 8*(8*A + 3*B)*a^2*cos(d*x + c)^2 + 3*(4*B + 11*C)*a^2*cos(d*x + c) + 6*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(3/2), x)
```

$$3.600 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=223

$$\frac{a^3(64A + 70B + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} - \frac{a^2(16A + 10B - 15C) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{15d} +$$

[Out] (a^(5/2)*(2*B + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (a^3*(64*A + 70*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(16*A + 10*B - 15*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*(A + B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.71922, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4086, 4017, 4018, 4015, 3801, 215}

$$\frac{a^3(64A + 70B + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} - \frac{a^2(16A + 10B - 15C) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{15d} +$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (a^(5/2)*(2*B + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (a^3*(64*A + 70*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(16*A + 10*B - 15*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*(A + B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m], x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e

```

+ f*x]]^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^2(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{\sec^2(c + dx)} dx}{5d \sec^2(c + dx)} \\
&= \frac{2a(A + B)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d \sec^2(c + dx)} \\
&= -\frac{a^2(16A + 10B - 15C) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{15d} \\
&= \frac{a^3(64A + 70B + 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \sec(c + dx)}} - \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d \sec^2(c + dx)} \\
&= \frac{a^3(64A + 70B + 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \sec(c + dx)}} - \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d \sec^2(c + dx)} \\
&= \frac{a^{5/2}(2B + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{a^3(64A + 70B + 15C) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.1362, size = 149, normalized size = 0.67

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((181A + 160B + 60C) \cos(c + dx) + 2(14A + 5B) \cos[2(c + dx)] + 3A \cos[3(c + dx)]) \sin\left(\frac{c + dx}{2}\right)\right) / (60d)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])]*(30*Sqrt[2]*(2*B + 5*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*(28*A + 10*B + 30*C + (181*A + 160*B + 60*C)*Cos[c + d*x] + 2*(14*A + 5*B)*Cos[2*(c + d*x)] + 3*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(60*d)

Maple [B] time = 0.36, size = 420, normalized size = 1.9

$$-\frac{a^2 (\cos(dx+c))^2}{60 d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(-30 B \cos(dx+c) \sqrt{2} \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)

[Out] -1/60/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-30*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+30*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-75*C*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+75*C*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+24*A*cos(d*x+c)^4+88*A*cos(d*x+c)^3+40*B*cos(d*x+c)^3+232*A*cos(d*x+c)^2+280*B*cos(d*x+c)^2+120*C*cos(d*x+c)^2-344*A*cos(d*x+c)-320*B*cos(d*x+c)-60*C*cos(d*x+c)-60*C*cos(d*x+c)^2*(1/cos(d*x+c))^(5/2)/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.819469, size = 1214, normalized size = 5.44

$$\left[\frac{15 \left((2B + 5C)a^2 \cos(dx + c) + (2B + 5C)a^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4 \left(\cos(dx+c)^2 - 2 \cos(dx+c) \right) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{60 (d \cos(dx + c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] [1/60*(15*((2*B + 5*C)*a^2*cos(d*x + c) + (2*B + 5*C)*a^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c))) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(6*A*a^2*cos(d*x + c)^3 + 2*(14*A + 5*B)*a^2*cos(d*x + c)^2 + 2*(43*A + 40*B + 15*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/30*(15*((2*B + 5*C)*a^2*cos(d*x + c) + (2*B + 5*C)*a^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(6*A*a^2*cos(d*x + c)^3 + 2*(14*A + 5*B)*a^2*cos(d*x + c)^2 + 2*(43*A + 40*B + 15*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(5/2), x)
```


$$3.601 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=222

$$\frac{2a^3(160A + 224B + 245C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(40A + 56B + 35C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{105d \sqrt{\sec(c + dx)}} + \frac{2a^{5/2}C}{105d}$$

[Out] (2*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(160*A + 224*B + 245*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(40*A + 56*B + 35*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*a*(5*A + 7*B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.696677, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4017, 4015, 3801, 215}

$$\frac{2a^3(160A + 224B + 245C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(40A + 56B + 35C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{105d \sqrt{\sec(c + dx)}} + \frac{2a^{5/2}C}{105d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(160*A + 224*B + 245*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(40*A + 56*B + 35*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*a*(5*A + 7*B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e

```

+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{7/2}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{7d \sec^{5/2}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{\sec^{5/2}(c + dx)} dx}{7d \sec^{5/2}(c + dx)} \\
&= \frac{2a(5A + 7B)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{35d \sec^{3/2}(c + dx)} + \frac{2A}{7d \sec^{5/2}(c + dx)} \\
&= \frac{2a^2(40A + 56B + 35C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} \\
&= \frac{2a^3(160A + 224B + 245C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(160A + 224B + 245C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^{5/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{2a^3(160A + 224B + 245C)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 6.35336, size = 194, normalized size = 0.87

$$\frac{\sec^5\left(\frac{1}{2}(c + dx)\right) (a(\sec(c + dx) + 1))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(-140(8A + 4B + C) \sin^3\left(\frac{1}{2}(c + dx)\right) + 210d \sec^{9/2}(c + dx)(A \cos(c + dx) + B \sin(c + dx) + C \sec(c + dx))\right)}{210d \sec^{9/2}(c + dx)(A \cos(c + dx) + B \sin(c + dx) + C \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2),x]

[Out] (Sec[(c + d*x)/2]^5*(a*(1 + Sec[c + d*x]))^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(105*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 210*(4*A + 4*B + 3*C)*Sin[(c + d*x)/2] - 140*(8*A + 4*B + C)*Sin[(c + d*x)/2]^3 + 168*(5*A + B)*Sin[(c + d*x)/2]^5 - 240*A*Sin[(c + d*x)/2]^7)/(210*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*Sec[c + d*x]^(9/2)

Maple [A] time = 0.436, size = 280, normalized size = 1.3

$$-\frac{a^2 (\cos(dx+c))^4}{210 d \sin(dx+c)} \sqrt{\frac{a (\cos(dx+c)+1)}{\cos(dx+c)}} \left(60 A (\cos(dx+c))^4 - 105 C \sqrt{-2 (\cos(dx+c)+1)^{-1}} \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x)

[Out] -1/210/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(60*A*cos(d*x+c)^4-105*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*sin(d*x+c)+105*C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)+180*A*cos(d*x+c)^3+84*B*cos(d*x+c)^3+220*A*cos(d*x+c)^2+308*B*cos(d*x+c)^2+140*C*cos(d*x+c)^2+460*A*cos(d*x+c)+812*B*cos(d*x+c)+980*C*cos(d*x+c)-920*A-1204*B-1120*C)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

Maxima [B] time = 2.52191, size = 1318, normalized size = 5.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] 1/840*(5*sqrt(2)*(315*a^2*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 77*a^2*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 21*a^2*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 315*a^2*cos(7/2*d*x + 7/2*c)*sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 77*a^2*cos(7/2*d*x + 7/2*c)*sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 21*a^2*cos(7/2*d*x + 7/2*c)*sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 6*a^2*sin(7/2*d*x + 7/2*c) + 21*a^2*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 77*a^2*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 315*a^2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))*A*sqrt(a) + 70*sqrt(2)*(30*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(3/2*d*x + 3/2*c) - 30*a^2*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*B + 70*sqrt(2)*(30*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(3/2*d*x + 3/2*c) - 30*a^2*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*C

+ 3/2*c), cos(3/2*d*x + 3/2*c))) + 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) - 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) + 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) - 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) + 4*a^2*sin(3/2*d*x + 3/2*c) + 30*a^2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*C*sqrt(a) + 28*(3*sqrt(2)*a^2*sin(5/2*d*x + 5/2*c) + 25*sqrt(2)*a^2*sin(3/2*d*x + 3/2*c) + 150*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c))*B*sqrt(a))/d

Fricas [A] time = 0.642632, size = 1257, normalized size = 5.66

$$\left[\frac{105 \left(Ca^2 \cos(dx+c) + Ca^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4 \left(\cos(dx+c)^2 - 2 \cos(dx+c) \right) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{210 (d \cos(dx+c) + \dots)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] [1/210*(105*(C*a^2*cos(d*x + c) + C*a^2)*sqrt(a)*log((a*cos(d*x + c))^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(15*A*a^2*cos(d*x + c)^4 + 3*(20*A + 7*B)*a^2*cos(d*x + c)^3 + (115*A + 98*B + 35*C)*a^2*cos(d*x + c)^2 + (230*A + 301*

```
B + 280*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/105*(105*(C*a^2*cos(d*x + c) + C*a^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(15*A*a^2*cos(d*x + c)^4 + 3*(20*A + 7*B)*a^2*cos(d*x + c)^3 + (15*A + 98*B + 35*C)*a^2*cos(d*x + c)^2 + (230*A + 301*B + 280*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(7/2), x)
```

$$3.602 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=231

$$\frac{64a^3(13A+15B+21C) \sin(c+dx) \sqrt{\sec(c+dx)}}{315d \sqrt{a \sec(c+dx)+a}} + \frac{16a^2(13A+15B+21C) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{315d \sqrt{\sec(c+dx)}} + \frac{2a(13A+15B+21C) \sin(c+dx)}{315d}$$

```
[Out] (64*a^3*(13*A + 15*B + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(13*A + 15*B + 21*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]) + (2*a*(13*A + 15*B + 21*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(5*A + 9*B)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))
```

Rubi [A] time = 0.555245, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4086, 4013, 3809, 3804}

$$\frac{64a^3(13A+15B+21C) \sin(c+dx) \sqrt{\sec(c+dx)}}{315d \sqrt{a \sec(c+dx)+a}} + \frac{16a^2(13A+15B+21C) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{315d \sqrt{\sec(c+dx)}} + \frac{2a(13A+15B+21C) \sin(c+dx)}{315d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]
```

```
[Out] (64*a^3*(13*A + 15*B + 21*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(13*A + 15*B + 21*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]) + (2*a*(13*A + 15*B + 21*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(5*A + 9*B)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x]]
```

```

+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3809

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_), x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*
(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e
+ f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m
, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2
*m]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(5A + 9B)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(13A + 15B + 21C)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{16a^2(13A + 15B + 21C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{315d\sqrt{\sec(c + dx)}} \\
&= \frac{64a^3(13A + 15B + 21C)\sqrt{\sec(c + dx)} \sin(c + dx)}{315d\sqrt{a + a \sec(c + dx)}} + \dots
\end{aligned}$$

Mathematica [A] time = 1.63969, size = 124, normalized size = 0.54

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}((3116A + 3030B + 2352C) \cos(c + dx) + 4(254A + 180B + 63C) \cos(2(c + dx)))}{1260d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]

[Out] (a^2*(5653*A + 6240*B + 7476*C + (3116*A + 3030*B + 2352*C)*Cos[c + d*x] + 4*(254*A + 180*B + 63*C)*Cos[2*(c + d*x)] + 260*A*Cos[3*(c + d*x)] + 90*B*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.371, size = 166, normalized size = 0.7

$$\frac{2a^2(-1 + \cos(dx + c))\left(35A(\cos(dx + c))^4 + 130A(\cos(dx + c))^3 + 45B(\cos(dx + c))^3 + 219A(\cos(dx + c))^2 + 1\right)}{1260d\sqrt{\sec(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)
```

```
[Out] -2/315/d*a^2*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+130*A*cos(d*x+c)^3+45*B*cos(d*x+c)^3+219*A*cos(d*x+c)^2+180*B*cos(d*x+c)^2+63*C*cos(d*x+c)^2+292*A*cos(d*x+c)+345*B*cos(d*x+c)+294*C*cos(d*x+c)+584*A+690*B+903*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^5*(1/cos(d*x+c))^(9/2)/sin(d*x+c)
```

Maxima [B] time = 2.41028, size = 1085, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(8190*a^2*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 2100*a^2*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 756*a^2*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 225*a^2*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) - 8190*a^2*cos(9/2*d*x + 9/2*c)*sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 2100*a^2*cos(9/2*d*x + 9/2*c)*sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 756*a^2*cos(9/2*d*x + 9/2*c)*sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 225*a^2*cos(9/2*d*x + 9/2*c)*sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*a^2*sin(9/2*d*x + 9/2*c) + 225*a^2*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 756*a^2*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 2100*a^2*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 8190*a^2*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) * A*sqrt(a) + 30*sqrt(2)*(315*a^2*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 77*a^2*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 21*a^2*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 315*a^2*cos(7/2*d*x + 7/2*c)*sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 77*a^2*cos(7/2*d*x + 7/2*c)*sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 21*a^2*cos(7/2*d*x + 7/2*c)*sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 6*a^2*sin(7/2*d*x + 7/2*c) + 21*a^2*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 77*a^2*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 315*a^2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))
```

$2*c))))*B*\sqrt{a} + 168*(3*\sqrt{2})*a^2*\sin(5/2*d*x + 5/2*c) + 25*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 150*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c))*C*\sqrt{a))/d$

Fricas [A] time = 0.497328, size = 400, normalized size = 1.73

$$\frac{2(35 A a^2 \cos(dx + c)^5 + 5(26 A + 9 B) a^2 \cos(dx + c)^4 + 3(73 A + 60 B + 21 C) a^2 \cos(dx + c)^3 + (292 A + 345 B + 294 C) a^2 \cos(dx + c)^2 + (584 A + 690 B + 903 C) a^2 \cos(dx + c)) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c)}{315 (d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] 2/315*(35*A*a^2*cos(d*x + c)^5 + 5*(26*A + 9*B)*a^2*cos(d*x + c)^4 + 3*(73*A + 60*B + 21*C)*a^2*cos(d*x + c)^3 + (292*A + 345*B + 294*C)*a^2*cos(d*x + c)^2 + (584*A + 690*B + 903*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(9/2), x)
```

$$3.603 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=284

$$\frac{2a^3(1160A + 1364B + 1485C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(32A + 44B + 33C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{231d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(2840A + 3212B + 3795C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

```
[Out] (2*a^3*(1160*A + 1364*B + 1485*C)*Sin[c + d*x])/(3465*d*Sec[c + d*x]^(3/2)*
Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2840*A + 3212*B + 3795*C)*Sin[c + d*x])
/(3465*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^3*(2840*A + 32
12*B + 3795*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c +
d*x]]) + (2*a^2*(32*A + 44*B + 33*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])
/(231*d*Sec[c + d*x]^(5/2)) + (2*a*(5*A + 11*B)*(a + a*Sec[c + d*x])^(3/2)*
Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*S
in[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rubi [A] time = 0.863486, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4017, 4015, 3805, 3804}

$$\frac{2a^3(1160A + 1364B + 1485C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(32A + 44B + 33C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{231d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(2840A + 3212B + 3795C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Se
c[c + d*x]^(11/2), x]
```

```
[Out] (2*a^3*(1160*A + 1364*B + 1485*C)*Sin[c + d*x])/(3465*d*Sec[c + d*x]^(3/2)*
Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2840*A + 3212*B + 3795*C)*Sin[c + d*x])
/(3465*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^3*(2840*A + 32
12*B + 3795*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c +
d*x]]) + (2*a^2*(32*A + 44*B + 33*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])
/(231*d*Sec[c + d*x]^(5/2)) + (2*a*(5*A + 11*B)*(a + a*Sec[c + d*x])^(3/2)*
Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*S
in[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rule 4086

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/sqrt[csc[(e_.) + (f_.)*(x_.)
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*sqrt[a + b*Csc[e + f*x]]*
sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx}{11d \sec^{\frac{9}{2}}(c + dx)} \\
&= \frac{2a(5A + 11B)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx}{231d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a^3(1160A + 1364B + 1485C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^3(28A + 36B + 38C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(1160A + 1364B + 1485C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^3(28A + 36B + 38C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(1160A + 1364B + 1485C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^3(28A + 36B + 38C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.52795, size = 157, normalized size = 0.55

$$a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} ((69890A + 68552B + 66660C) \cos(c + dx) + 16(1625A + 1397B + 990C) \cos(2(c + dx))) / (27720d \sqrt{\sec(c + dx)})$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2),x]

[Out] (a^2*(114640*A + 124366*B + 137280*C + (69890*A + 68552*B + 66660*C)*Cos[c + d*x] + 16*(1625*A + 1397*B + 990*C)*Cos[2*(c + d*x)] + 8675*A*Cos[3*(c + d*x)] + 5720*B*Cos[3*(c + d*x)] + 1980*C*Cos[3*(c + d*x)] + 2240*A*Cos[4*(c + d*x)] + 770*B*Cos[4*(c + d*x)] + 315*A*Cos[5*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(27720*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.387, size = 199, normalized size = 0.7

$$2a^2(-1 + \cos(dx + c)) \left(315A(\cos(dx + c))^5 + 1120A(\cos(dx + c))^4 + 385B(\cos(dx + c))^4 + 1775A(\cos(dx + c))^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x)`

[Out] `-2/3465/d*a^2*(-1+cos(d*x+c))*(315*A*cos(d*x+c)^5+1120*A*cos(d*x+c)^4+385*B*cos(d*x+c)^4+1775*A*cos(d*x+c)^3+1430*B*cos(d*x+c)^3+495*C*cos(d*x+c)^3+2130*A*cos(d*x+c)^2+2409*B*cos(d*x+c)^2+1980*C*cos(d*x+c)^2+2840*A*cos(d*x+c)+3212*B*cos(d*x+c)+3795*C*cos(d*x+c)+5680*A+6424*B+7590*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^6*(1/cos(d*x+c))^(11/2)/sin(d*x+c)`

Maxima [B] time = 2.54516, size = 1709, normalized size = 6.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="maxima")`

[Out] `1/110880*(5*sqrt(2)*(31878*a^2*cos(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) + 8778*a^2*cos(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) + 3465*a^2*cos(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) + 1287*a^2*cos(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) + 385*a^2*cos(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * sin(11/2*d*x + 11/2*c) - 31878*a^2*cos(11/2*d*x + 11/2*c) * sin(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 8778*a^2*cos(11/2*d*x + 11/2*c) * sin(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 3465*a^2*cos(11/2*d*x + 11/2*c) * sin(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 1287*a^2*cos(11/2*d*x + 11/2*c) * sin(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 385*a^2*cos(11/2*d*x + 11/2*c) * sin(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 126*a^2*sin(11/2*d*x + 11/2*c) + 385*a^2*sin(9/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 1287*a^2*sin(7/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))`


```

2*c))) + 3465*a^2*sin(5/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 1
1/2*c))) + 8778*a^2*sin(3/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x +
11/2*c))) + 31878*a^2*sin(1/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*
x + 11/2*c))) *A*sqrt(a) + 22*sqrt(2)*(8190*a^2*cos(8/9*arctan2(sin(9/2*d*x
+ 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c) + 2100*a^2*cos(2/3*a
rctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c) +
756*a^2*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/
2*d*x + 9/2*c) + 225*a^2*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x
+ 9/2*c)))*sin(9/2*d*x + 9/2*c) - 8190*a^2*cos(9/2*d*x + 9/2*c)*sin(8/9*arc
tan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 2100*a^2*cos(9/2*d*x +
9/2*c)*sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 756*a
^2*cos(9/2*d*x + 9/2*c)*sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x +
9/2*c))) - 225*a^2*cos(9/2*d*x + 9/2*c)*sin(2/9*arctan2(sin(9/2*d*x + 9/2*
c), cos(9/2*d*x + 9/2*c))) + 70*a^2*sin(9/2*d*x + 9/2*c) + 225*a^2*sin(7/9*
arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 756*a^2*sin(5/9*arct
an2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 2100*a^2*sin(1/3*arctan2
(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 8190*a^2*sin(1/9*arctan2(si
n(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) *B*sqrt(a) + 660*sqrt(2)*(315*a^
2*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))*sin(7/2*d*x
+ 7/2*c) + 77*a^2*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c
)))*sin(7/2*d*x + 7/2*c) + 21*a^2*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos
(7/2*d*x + 7/2*c)))*sin(7/2*d*x + 7/2*c) - 315*a^2*cos(7/2*d*x + 7/2*c)*sin
(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 77*a^2*cos(7/2*
d*x + 7/2*c)*sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) -
21*a^2*cos(7/2*d*x + 7/2*c)*sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*
d*x + 7/2*c))) + 6*a^2*sin(7/2*d*x + 7/2*c) + 21*a^2*sin(5/7*arctan2(sin(7/
2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 77*a^2*sin(3/7*arctan2(sin(7/2*d*x
+ 7/2*c), cos(7/2*d*x + 7/2*c))) + 315*a^2*sin(1/7*arctan2(sin(7/2*d*x + 7
/2*c), cos(7/2*d*x + 7/2*c)))) *C*sqrt(a))/d

```

Fricas [A] time = 0.508561, size = 482, normalized size = 1.7

$$2(315 A a^2 \cos(dx + c)^6 + 35(32 A + 11 B) a^2 \cos(dx + c)^5 + 5(355 A + 286 B + 99 C) a^2 \cos(dx + c)^4 + 3(710 A + 803 B + 660 C) a^2 \cos(dx + c)^3 + 21 A a^2 \cos(dx + c)^2 + 6 A a^2 \cos(dx + c) + 21 A a^2) \sqrt{a} / d$$

3465

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)
^(11/2),x, algorithm="fricas")

```

```

[Out] 2/3465*(315*A*a^2*cos(d*x + c)^6 + 35*(32*A + 11*B)*a^2*cos(d*x + c)^5 + 5*
(355*A + 286*B + 99*C)*a^2*cos(d*x + c)^4 + 3*(710*A + 803*B + 660*C)*a^2*c

```

```
os(d*x + c)^3 + (2840*A + 3212*B + 3795*C)*a^2*cos(d*x + c)^2 + 2*(2840*A +
  3212*B + 3795*C)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+
c)**(11/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)
^(11/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)
)/sec(d*x + c)^(11/2), x)
```

$$3.604 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx$$

Optimal. Leaf size=334

$$\frac{2a^3(8368A + 9230B + 10439C) \sin(c + dx)}{15015d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(2224A + 2522B + 2717C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 182B + 143C)}{1287d \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

```
[Out] (2*a^3*(2224*A + 2522*B + 2717*C)*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2)*
Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(8368*A + 9230*B + 10439*C)*Sin[c + d*x]
)/(15015*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(8368*A +
9230*B + 10439*C)*Sin[c + d*x])/(45045*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[
c + d*x]]) + (16*a^3*(8368*A + 9230*B + 10439*C)*Sqrt[Sec[c + d*x]]*Sin[c +
d*x])/(45045*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 182*B + 143*C)*
Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(1287*d*Sec[c + d*x]^(7/2)) + (2*a*(
5*A + 13*B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(143*d*Sec[c + d*x]^(9
/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(13*d*Sec[c + d*x]^(11
/2))
```

Rubi [A] time = 0.940532, antiderivative size = 334, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4017, 4015, 3805, 3804}

$$\frac{2a^3(8368A + 9230B + 10439C) \sin(c + dx)}{15015d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(2224A + 2522B + 2717C) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 182B + 143C)}{1287d \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Se
c[c + d*x]^(13/2), x]
```

```
[Out] (2*a^3*(2224*A + 2522*B + 2717*C)*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2)*
Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(8368*A + 9230*B + 10439*C)*Sin[c + d*x]
)/(15015*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(8368*A +
9230*B + 10439*C)*Sin[c + d*x])/(45045*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[
c + d*x]]) + (16*a^3*(8368*A + 9230*B + 10439*C)*Sqrt[Sec[c + d*x]]*Sin[c +
d*x])/(45045*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 182*B + 143*C)*
Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(1287*d*Sec[c + d*x]^(7/2)) + (2*a*(
5*A + 13*B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(143*d*Sec[c + d*x]^(9
/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(13*d*Sec[c + d*x]^(11
/2))
```

/2))

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)
]*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{13/2}(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{13d \sec^{11/2}(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx}{13d \sec^{11/2}(c + dx)} \\
&= \frac{2a(5A + 13B)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{143d \sec^9(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{1/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^9(c + dx)} dx}{143d \sec^9(c + dx)} \\
&= \frac{2a^2(136A + 182B + 143C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{1287d \sec^7(c + dx)} + \frac{2 \int \frac{(a + a \sec(c + dx))^{1/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^7(c + dx)} dx}{1287d \sec^7(c + dx)} \\
&= \frac{2a^3(2224A + 2522B + 2717C) \sin(c + dx)}{9009d \sec^5(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(136A + 182B + 143C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{1287d \sec^7(c + dx)} \\
&= \frac{2a^3(2224A + 2522B + 2717C) \sin(c + dx)}{9009d \sec^5(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(8A + 8B + 8C) \sin(c + dx)}{150d \sec^5(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(2224A + 2522B + 2717C) \sin(c + dx)}{9009d \sec^5(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(8A + 8B + 8C) \sin(c + dx)}{150d \sec^5(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(2224A + 2522B + 2717C) \sin(c + dx)}{9009d \sec^5(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(8A + 8B + 8C) \sin(c + dx)}{150d \sec^5(c + dx)\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.61267, size = 190, normalized size = 0.57

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}(4(453146A + 454285B + 445588C) \cos(c + dx) + (746519A + 676000B + 581152C) \cos[2(c + dx)] + 287060)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(13/2),x]

[Out] (a^2*(2798182*A + 2980640*B + 3233516*C + 4*(453146*A + 454285*B + 445588*C)*Cos[c + d*x] + (746519*A + 676000*B + 581152*C)*Cos[2*(c + d*x)] + 287060)

```
*A*cos[3*(c + d*x)] + 225550*B*cos[3*(c + d*x)] + 148720*C*cos[3*(c + d*x)]
+ 94010*A*cos[4*(c + d*x)] + 58240*B*cos[4*(c + d*x)] + 20020*C*cos[4*(c +
d*x)] + 23940*A*cos[5*(c + d*x)] + 8190*B*cos[5*(c + d*x)] + 3465*A*cos[6*
(c + d*x)]*sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(720720*d*sqrt[Sec
[c + d*x]])
```

Maple [A] time = 0.418, size = 232, normalized size = 0.7

$$2a^2(-1 + \cos(dx + c)) \left(3465A(\cos(dx + c))^6 + 11970A(\cos(dx + c))^5 + 4095B(\cos(dx + c))^5 + 18305A(\cos(dx + c))^4 + 14560B(\cos(dx + c))^4 + 5005C(\cos(dx + c))^4 + 20920A(\cos(dx + c))^3 + 23075B(\cos(dx + c))^3 + 18590C(\cos(dx + c))^3 + 25104A(\cos(dx + c))^2 + 27690B(\cos(dx + c))^2 + 31317C(\cos(dx + c))^2 + 33472A(\cos(dx + c)) + 36920B(\cos(dx + c)) + 41756C(\cos(dx + c)) + 66944A + 73840B + 83512C \right) \cdot \frac{a(\cos(dx + c) + 1)}{\cos(dx + c)^{1/2}} \cdot \frac{\cos(dx + c)^7}{\cos(dx + c)^{13/2}} \cdot \frac{1}{\sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x)
```

```
[Out] -2/45045/d*a^2*(-1+cos(d*x+c))*(3465*A*cos(d*x+c)^6+11970*A*cos(d*x+c)^5+40
95*B*cos(d*x+c)^5+18305*A*cos(d*x+c)^4+14560*B*cos(d*x+c)^4+5005*C*cos(d*x+
c)^4+20920*A*cos(d*x+c)^3+23075*B*cos(d*x+c)^3+18590*C*cos(d*x+c)^3+25104*A
*cos(d*x+c)^2+27690*B*cos(d*x+c)^2+31317*C*cos(d*x+c)^2+33472*A*cos(d*x+c)+
36920*B*cos(d*x+c)+41756*C*cos(d*x+c)+66944*A+73840*B+83512*C)*(a*(cos(d*x+
c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^7*(1/cos(d*x+c))^(13/2)/sin(d*x+c)
```

Maxima [B] time = 2.6364, size = 2109, normalized size = 6.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="maxima")
```

```
[Out] 1/2882880*(sqrt(2)*(3783780*a^2*cos(12/13*arctan2(sin(13/2*d*x + 13/2*c), c
os(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13/2*c) + 1066065*a^2*cos(10/13*arct
an2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13/2*c)
+ 459459*a^2*cos(8/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*
c)))*sin(13/2*d*x + 13/2*c) + 193050*a^2*cos(6/13*arctan2(sin(13/2*d*x + 13
/2*c), cos(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13/2*c) + 70070*a^2*cos(4/13
*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13
```

$$\begin{aligned}
& /2*c) + 20475*a^2*\cos(2/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) * \sin(13/2*d*x + 13/2*c) - 3783780*a^2*\cos(13/2*d*x + 13/2*c) * \sin(12/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) - 1066065*a^2 * \cos(13/2*d*x + 13/2*c) * \sin(10/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) - 459459*a^2*\cos(13/2*d*x + 13/2*c) * \sin(8/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) - 193050*a^2*\cos(13/2*d*x + 13/2*c) * \sin(6/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) - 70070*a^2*\cos(13/2*d*x + 13/2*c) * \sin(4/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) - 20475*a^2*\cos(13/2*d*x + 13/2*c) * \sin(2/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) + 6930*a^2*\sin(13/2*d*x + 13/2*c) + 20475*a^2*\sin(11/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) + 70070*a^2*\sin(9/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) + 193050*a^2*\sin(7/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) + 459459*a^2*\sin(5/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) + 1066065*a^2*\sin(3/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) + 3783780*a^2*\sin(1/13*\arctan2(\sin(13/2*d*x + 13/2*c), \cos(13/2*d*x + 13/2*c))) * A * \sqrt{a} + 130*\sqrt{2} * (31878*a^2*\cos(10/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 8778*a^2*\cos(8/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 3465*a^2*\cos(6/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 1287*a^2*\cos(4/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 385*a^2*\cos(2/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) - 31878*a^2*\cos(11/2*d*x + 11/2*c) * \sin(10/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 8778*a^2*\cos(11/2*d*x + 11/2*c) * \sin(8/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 3465*a^2*\cos(11/2*d*x + 11/2*c) * \sin(6/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 1287*a^2*\cos(11/2*d*x + 11/2*c) * \sin(4/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 385*a^2*\cos(11/2*d*x + 11/2*c) * \sin(2/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 126*a^2*\sin(11/2*d*x + 11/2*c) + 385*a^2*\sin(9/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 1287*a^2*\sin(7/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 3465*a^2*\sin(5/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 8778*a^2*\sin(3/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 31878*a^2*\sin(1/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c)))) * B * \sqrt{a} + 572*\sqrt{2} * (8190*a^2*\cos(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 2100*a^2*\cos(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 756*a^2*\cos(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 225*a^2*\cos(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) - 8190*a^2*\cos(9/2*d*x + 9/2*c) * \sin(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 2100*a^2*\cos(9/2*d*x + 9/2*c) * \sin(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 756*a^2*\cos(9/2*d*x + 9/2*c) * \sin(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 225*a^2*\cos(9/2*d*x + 9/2*c)
\end{aligned}$$

) $\sin(2/9\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 70*a^2\sin(9/2*d*x + 9/2*c) + 225*a^2\sin(7/9\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 756*a^2\sin(5/9\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 2100*a^2\sin(1/3\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 8190*a^2\sin(1/9\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)))$) $C\sqrt{a})/d$

Fricas [A] time = 0.51812, size = 567, normalized size = 1.7

$2(3465 A a^2 \cos(dx + c)^7 + 315(38 A + 13 B)a^2 \cos(dx + c)^6 + 35(523 A + 416 B + 143 C)a^2 \cos(dx + c)^5 + 5(4184 A -$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="fricas")

[Out] $2/45045*(3465*A*a^2*\cos(d*x + c)^7 + 315*(38*A + 13*B)*a^2*\cos(d*x + c)^6 + 35*(523*A + 416*B + 143*C)*a^2*\cos(d*x + c)^5 + 5*(4184*A + 4615*B + 3718*C)*a^2*\cos(d*x + c)^4 + 3*(8368*A + 9230*B + 10439*C)*a^2*\cos(d*x + c)^3 + 4*(8368*A + 9230*B + 10439*C)*a^2*\cos(d*x + c)^2 + 8*(8368*A + 9230*B + 10439*C)*a^2*\cos(d*x + c)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/((d*\cos(d*x + c) + d)*\sqrt{\cos(d*x + c)})$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(13/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(13/2), x)
```

$$3.605 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=241

$$\frac{(8A - 2B + 7C) \sin(c + dx) \sec^3(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B + C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(8A - 14B + 9C) \sinh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}}$$

```
[Out] -((8*A - 14*B + 9*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*Sqrt[a]*d) + (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(Sqrt[a]*d) + ((8*A - 2*B + 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + ((6*B - C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]))
```

Rubi [A] time = 0.803534, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4088, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(8A - 2B + 7C) \sin(c + dx) \sec^3(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B + C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(8A - 14B + 9C) \sinh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]
```

```
[Out] -((8*A - 14*B + 9*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*Sqrt[a]*d) + (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(Sqrt[a]*d) + ((8*A - 2*B + 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + ((6*B - C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]))
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x_Symbol]
```

$(e + f*x)^n / (f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n * \text{Simp}[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4021

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(B*d*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1}) / (f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1} * \text{Simp}[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x]) / (\text{Sqrt}[a + b*\text{Csc}[e + f*x]] * \text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

$\text{Int}[(a + (b_.)*(x_)^2)^{-1}, x_Symbol] := \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b]) / (b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]`

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx &= \frac{C \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} + \int \frac{\sec^{\frac{5}{2}}(c+dx) \left(\frac{1}{2}a(6A+5C) + \frac{1}{2}a(6B-C) \sec(c+dx)\right)}{\sqrt{a+a \sec(c+dx)}} dx \\
 &= \frac{(6B-C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{12d\sqrt{a+a \sec(c+dx)}} + \frac{C \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d\sqrt{a+a \sec(c+dx)}} \\
 &= \frac{(8A-2B+7C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{8d\sqrt{a+a \sec(c+dx)}} + \frac{(6B-C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{12d\sqrt{a+a \sec(c+dx)}} \\
 &= \frac{(8A-2B+7C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{8d\sqrt{a+a \sec(c+dx)}} + \frac{(6B-C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{12d\sqrt{a+a \sec(c+dx)}} \\
 &= \frac{(8A-2B+7C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{8d\sqrt{a+a \sec(c+dx)}} + \frac{(6B-C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{12d\sqrt{a+a \sec(c+dx)}} \\
 &= \frac{(8A-14B+9C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A-B+C) \tan\left(\frac{1}{2}(c+dx)\right)}{12d \sec^{\frac{3}{2}}(c+dx) \sqrt{a(\sec(c+dx)+1)}} (A \cos\left(\frac{1}{2}(c+dx)\right) + B \sec(c+dx) + C \sec^2(c+dx))
 \end{aligned}$$

Mathematica [A] time = 1.42648, size = 198, normalized size = 0.82

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right) (A+B \sec(c+dx) + C \sec^2(c+dx)) \left(48(A-B+C) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - 3\sqrt{2}(8A-14B+9C) \tan\left(\frac{1}{2}(c+dx)\right)\right)}{12d \sec^{\frac{3}{2}}(c+dx) \sqrt{a(\sec(c+dx)+1)}} (A \cos\left(\frac{1}{2}(c+dx)\right) + B \sec(c+dx) + C \sec^2(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (Cos[(c + d*x)/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(48*(A - B + C)*ArcTanh[Sin[(c + d*x)/2]] - 3*Sqrt[2]*(8*A - 14*B + 9*C)*ArcTanh[Sqrt[2]*Sin

$$\left[\frac{c + dx}{2} \right] + 2 \operatorname{Sec}[c + dx] * (3 * (8A - 2B + 7C) + 2 * (6B - C) * \operatorname{Sec}[c + dx] + 8 * C * \operatorname{Sec}[c + dx]^2 * \operatorname{Sin}[\frac{c + dx}{2}]) / (12 * d * (A + 2 * C + 2 * B * \operatorname{Cos}[c + dx] + A * \operatorname{Cos}[2 * (c + dx)]) * \operatorname{Sec}[c + dx]^{3/2} * \operatorname{Sqrt}[a * (1 + \operatorname{Sec}[c + dx])])$$

Maple [B] time = 0.417, size = 640, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2),x)`

[Out]
$$\begin{aligned} & -1/48/d/a * (-1 + \cos(dx+c)) * (-24 * A * \arctan(1/4 * 2^{1/2} * (-2 / (\cos(dx+c)+1)))^{1/2} * (\cos(dx+c)+1 + \sin(dx+c))) * \cos(dx+c)^3 * 2^{1/2} + 24 * A * \arctan(1/4 * 2^{1/2} * (-2 / (\cos(dx+c)+1)))^{1/2} * (\cos(dx+c)+1 - \sin(dx+c))) * \cos(dx+c)^3 * 2^{1/2} + 4 * 2 * B * \arctan(1/4 * 2^{1/2} * (-2 / (\cos(dx+c)+1)))^{1/2} * (\cos(dx+c)+1 + \sin(dx+c))) * \cos(dx+c)^3 * 2^{1/2} - 42 * B * \arctan(1/4 * 2^{1/2} * (-2 / (\cos(dx+c)+1)))^{1/2} * (\cos(dx+c)+1 - \sin(dx+c))) * \cos(dx+c)^3 * 2^{1/2} - 27 * C * \arctan(1/4 * 2^{1/2} * (-2 / (\cos(dx+c)+1)))^{1/2} * (\cos(dx+c)+1 + \sin(dx+c))) * \cos(dx+c)^3 * 2^{1/2} + 27 * C * \arctan(1/4 * 2^{1/2} * (-2 / (\cos(dx+c)+1)))^{1/2} * (\cos(dx+c)+1 - \sin(dx+c))) * \cos(dx+c)^3 * 2^{1/2} + 48 * A * \cos(dx+c)^2 * \sin(dx+c) * (-2 / (\cos(dx+c)+1))^{1/2} + 96 * A * \arctan(1/2 * \sin(dx+c) * (-2 / (\cos(dx+c)+1)))^{1/2} * \cos(dx+c)^3 - 12 * B * \cos(dx+c)^2 * \sin(dx+c) * (-2 / (\cos(dx+c)+1))^{1/2} - 96 * B * \arctan(1/2 * \sin(dx+c) * (-2 / (\cos(dx+c)+1)))^{1/2} * \cos(dx+c)^3 + 42 * C * \sin(dx+c) * \cos(dx+c)^2 * (-2 / (\cos(dx+c)+1))^{1/2} + 96 * C * \arctan(1/2 * \sin(dx+c) * (-2 / (\cos(dx+c)+1)))^{1/2} * \cos(dx+c)^3 + 24 * B * \cos(dx+c) * \sin(dx+c) * (-2 / (\cos(dx+c)+1))^{1/2} - 4 * C * \sin(dx+c) * \cos(dx+c) * (-2 / (\cos(dx+c)+1))^{1/2} + 16 * C * (-2 / (\cos(dx+c)+1))^{1/2} * \sin(dx+c)) * (a * (\cos(dx+c)+1) / \cos(dx+c))^{1/2} * (1 / \cos(dx+c))^{5/2} / (-2 / (\cos(dx+c)+1))^{1/2} / \sin(dx+c)^2 \end{aligned}$$

Maxima [B] time = 3.36399, size = 7028, normalized size = 29.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2),x, algorithm="maxima")`

```
[Out] -1/96*(24*(4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x
+ 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x
+ 2*c) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(s
in(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos
(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2) -
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*c
os(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x +
c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c
)))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2) + (cos(2*
d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*a
rctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos
(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2*
sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2) - (cos(2*d*x + 2*
c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(s
in(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c
))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*
sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2) - 2*(sqrt(2)*cos(2*d*x +
2*c)^2 + sqrt(2)*sin(2*d*x + 2*c)^2 + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))
*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(1/2*arctan2(sin(d
*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))
+ 1) + 2*(sqrt(2)*cos(2*d*x + 2*c)^2 + sqrt(2)*sin(2*d*x + 2*c)^2 + 2*sqrt(
2)*cos(2*d*x + 2*c) + sqrt(2))*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x +
c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sin(1/2*arctan2
(sin(d*x + c), cos(d*x + c)))) + 1) - 4*(sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))
*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*cos(2*d*x + 2*c)
+ sqrt(2))*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*A/((cos(2*d*x + 2
*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*sqrt(a)) - 6*(4*(sqrt(
2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(7/2*arctan2(sin(d*x +
c), cos(d*x + c))) - 20*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x +
2*c))*cos(5/2*arctan2(sin(d*x + c), cos(d*x + c))) + 20*(sqrt(2)*sin(4*d*x
+ 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(3/2*arctan2(sin(d*x + c), cos(d*x
+ c))) - 4*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(1/2*
arctan2(sin(d*x + c), cos(d*x + c))) + 7*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*
d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2
+ 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x
+ 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1
/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d
*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x +
c)))) + 2) - 7*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4
*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(
2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2
*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), c
os(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) -
2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2) + 7*(2*(2*cos(2
```

$$\begin{aligned}
& *d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c) \\
& ^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x \\
& + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos \\
& (d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2} \\
&)*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\\
& \sin(d*x + c), \cos(d*x + c))) + 2) - 7*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x \\
& + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + \\
& 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + \\
& 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2* \\
& \arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c) \\
&)) + 2) - 8*(\sqrt{2}*\cos(4*d*x + 4*c)^2 + 4*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2} \\
&)*\sin(4*d*x + 4*c)^2 + 4*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4* \\
& \sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4 \\
& *d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(\cos(1/2*\arctan2(\sin \\
& (d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^ \\
& 2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1) + 8*(\sqrt{2}*\cos(4* \\
& d*x + 4*c)^2 + 4*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(4*d*x + 4*c)^2 + \\
& 4*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c)^2 \\
& + 2*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos \\
& (2*d*x + 2*c) + \sqrt{2})*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 \\
& + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sin(1/2*\arctan2(\sin(d \\
& *x + c), \cos(d*x + c))) + 1) - 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(\\
& 2*d*x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 20*(\\
& \sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*ar \\
& ctan2(\sin(d*x + c), \cos(d*x + c))) - 20*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2} \\
&)*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) \\
& + 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(\\
& 1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*B/((2*(2*\cos(2*d*x + 2*c) + 1)*co \\
& s(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4* \\
& c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2 \\
& *d*x + 2*c) + 1)*\sqrt{a}) + (84*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4 \\
& *d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(11/2*\arctan2(\sin(d*x + c), co \\
& s(d*x + c))) - 100*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + \\
& 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + \\
& 312*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin \\
& (2*d*x + 2*c))*\cos(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 312*(\sqrt{2}* \\
& \sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c)) \\
& *\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 100*(\sqrt{2}*\sin(6*d*x + 6* \\
& c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*arcta \\
& n2(\sin(d*x + c), \cos(d*x + c))) - 84*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}* \\
& \sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c) \\
& , \cos(d*x + c))) + 27*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(\\
& 6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + \\
& 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) +
\end{aligned}$$

$$\begin{aligned}
& \sin(2d^*x + 2*c)) * \sin(6d^*x + 6*c) + \sin(6d^*x + 6*c)^2 + 9 * \sin(4d^*x + 4*c) \\
&)^2 + 18 * \sin(4d^*x + 4*c) * \sin(2d^*x + 2*c) + 9 * \sin(2d^*x + 2*c)^2 + 6 * \cos(2 \\
& *d^*x + 2*c) + 1) * \log(2 * \cos(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c)))^2 + 2 * s \\
& \sin(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c)))^2 + 2 * \sqrt{2} * \cos(1/2 * \arctan2(s \\
& \sin(d^*x + c), \cos(d^*x + c))) + 2 * \sqrt{2} * \sin(1/2 * \arctan2(\sin(d^*x + c), \cos(d \\
& *x + c))) + 2) - 27 * (2 * (3 * \cos(4d^*x + 4*c) + 3 * \cos(2d^*x + 2*c) + 1) * \cos(6* \\
& d^*x + 6*c) + \cos(6d^*x + 6*c)^2 + 6 * (3 * \cos(2d^*x + 2*c) + 1) * \cos(4d^*x + 4* \\
& c) + 9 * \cos(4d^*x + 4*c)^2 + 9 * \cos(2d^*x + 2*c)^2 + 6 * (\sin(4d^*x + 4*c) + \sin \\
& (2d^*x + 2*c)) * \sin(6d^*x + 6*c) + \sin(6d^*x + 6*c)^2 + 9 * \sin(4d^*x + 4*c)^ \\
& 2 + 18 * \sin(4d^*x + 4*c) * \sin(2d^*x + 2*c) + 9 * \sin(2d^*x + 2*c)^2 + 6 * \cos(2d \\
& *x + 2*c) + 1) * \log(2 * \cos(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c)))^2 + 2 * \sin \\
& (1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c)))^2 + 2 * \sqrt{2} * \cos(1/2 * \arctan2(\sin \\
& (d^*x + c), \cos(d^*x + c))) - 2 * \sqrt{2} * \sin(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x \\
& + c))) + 2) + 27 * (2 * (3 * \cos(4d^*x + 4*c) + 3 * \cos(2d^*x + 2*c) + 1) * \cos(6*d^* \\
& x + 6*c) + \cos(6d^*x + 6*c)^2 + 6 * (3 * \cos(2d^*x + 2*c) + 1) * \cos(4d^*x + 4*c) \\
& + 9 * \cos(4d^*x + 4*c)^2 + 9 * \cos(2d^*x + 2*c)^2 + 6 * (\sin(4d^*x + 4*c) + \sin(\\
& 2d^*x + 2*c)) * \sin(6d^*x + 6*c) + \sin(6d^*x + 6*c)^2 + 9 * \sin(4d^*x + 4*c)^2 \\
& + 18 * \sin(4d^*x + 4*c) * \sin(2d^*x + 2*c) + 9 * \sin(2d^*x + 2*c)^2 + 6 * \cos(2*d^*x \\
& + 2*c) + 1) * \log(2 * \cos(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c)))^2 + 2 * \sin(1 \\
& /2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c)))^2 - 2 * \sqrt{2} * \cos(1/2 * \arctan2(\sin(d \\
& *x + c), \cos(d^*x + c))) + 2 * \sqrt{2} * \sin(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + \\
& c))) + 2) - 27 * (2 * (3 * \cos(4d^*x + 4*c) + 3 * \cos(2d^*x + 2*c) + 1) * \cos(6*d^*x \\
& + 6*c) + \cos(6d^*x + 6*c)^2 + 6 * (3 * \cos(2d^*x + 2*c) + 1) * \cos(4d^*x + 4*c) + \\
& 9 * \cos(4d^*x + 4*c)^2 + 9 * \cos(2d^*x + 2*c)^2 + 6 * (\sin(4d^*x + 4*c) + \sin(2* \\
& d^*x + 2*c)) * \sin(6d^*x + 6*c) + \sin(6d^*x + 6*c)^2 + 9 * \sin(4d^*x + 4*c)^2 + \\
& 18 * \sin(4d^*x + 4*c) * \sin(2d^*x + 2*c) + 9 * \sin(2d^*x + 2*c)^2 + 6 * \cos(2d^*x + \\
& 2*c) + 1) * \log(2 * \cos(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c)))^2 + 2 * \sin(1/2 \\
& * \arctan2(\sin(d^*x + c), \cos(d^*x + c)))^2 - 2 * \sqrt{2} * \cos(1/2 * \arctan2(\sin(d^*x \\
& + c), \cos(d^*x + c))) - 2 * \sqrt{2} * \sin(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c \\
&))) + 2) - 48 * (\sqrt{2} * \cos(6d^*x + 6*c)^2 + 9 * \sqrt{2} * \cos(4d^*x + 4*c)^2 + \\
& 9 * \sqrt{2} * \cos(2d^*x + 2*c)^2 + \sqrt{2} * \sin(6d^*x + 6*c)^2 + 9 * \sqrt{2} * \sin(4 \\
& *d^*x + 4*c)^2 + 18 * \sqrt{2} * \sin(4d^*x + 4*c) * \sin(2d^*x + 2*c) + 9 * \sqrt{2} * \sin \\
& (2d^*x + 2*c)^2 + 2 * (3 * \sqrt{2} * \cos(4d^*x + 4*c) + 3 * \sqrt{2} * \cos(2d^*x + 2* \\
& c) + \sqrt{2}) * \cos(6d^*x + 6*c) + 6 * (3 * \sqrt{2} * \cos(2d^*x + 2*c) + \sqrt{2}) * \cos \\
& (4d^*x + 4*c) + 6 * (\sqrt{2} * \sin(4d^*x + 4*c) + \sqrt{2} * \sin(2d^*x + 2*c)) * \sin \\
& (6d^*x + 6*c) + 6 * \sqrt{2} * \cos(2d^*x + 2*c) + \sqrt{2}) * \log(\cos(1/2 * \arctan2 \\
& (\sin(d^*x + c), \cos(d^*x + c)))^2 + \sin(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c \\
&)))^2 + 2 * \sin(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c))) + 1) + 48 * (\sqrt{2} * \cos \\
& (6d^*x + 6*c)^2 + 9 * \sqrt{2} * \cos(4d^*x + 4*c)^2 + 9 * \sqrt{2} * \cos(2d^*x + 2* \\
& c)^2 + \sqrt{2} * \sin(6d^*x + 6*c)^2 + 9 * \sqrt{2} * \sin(4d^*x + 4*c)^2 + 18 * \sqrt{2} * (\ \\
& 2) * \sin(4d^*x + 4*c) * \sin(2d^*x + 2*c) + 9 * \sqrt{2} * \sin(2d^*x + 2*c)^2 + 2 * (3 * \\
& \sqrt{2} * \cos(4d^*x + 4*c) + 3 * \sqrt{2} * \cos(2d^*x + 2*c) + \sqrt{2}) * \cos(6d^*x \\
& + 6*c) + 6 * (3 * \sqrt{2} * \cos(2d^*x + 2*c) + \sqrt{2}) * \cos(4d^*x + 4*c) + 6 * (\sqrt{2} * \sin \\
& (4d^*x + 4*c) + \sqrt{2} * \sin(2d^*x + 2*c)) * \sin(6d^*x + 6*c) + 6 * \sqrt{2} \\
& (2) * \cos(2d^*x + 2*c) + \sqrt{2}) * \log(\cos(1/2 * \arctan2(\sin(d^*x + c), \cos(d^*x + c)
\end{aligned}$$

$$\begin{aligned} & c))^{2} + \sin(1/2 \arctan 2(\sin(dx + c), \cos(dx + c)))^{2} - 2 \sin(1/2 \arctan \\ & 2(\sin(dx + c), \cos(dx + c))) + 1) - 84(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \\ & (2) \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(11/2 \arctan \\ & 2(\sin(dx + c), \cos(dx + c))) + 100(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \\ & (2) \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(9/2 \arctan 2(s \\ & \sin(dx + c), \cos(dx + c))) - 312(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos \\ & (4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(7/2 \arctan 2(\sin(d \\ & x + c), \cos(dx + c))) + 312(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4d \\ & x + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(5/2 \arctan 2(\sin(dx + \\ & c), \cos(dx + c))) - 100(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + \\ & 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(3/2 \arctan 2(\sin(dx + c), \\ & \cos(dx + c))) + 84(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) \\ & + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(1/2 \arctan 2(\sin(dx + c), \cos(\\ & dx + c)))) * C / ((2 * (3 * \cos(4dx + 4c) + 3 * \cos(2dx + 2c) + 1) * \cos(6dx + \\ & 6c) + \cos(6dx + 6c)^2 + 6 * (3 * \cos(2dx + 2c) + 1) * \cos(4dx + 4c) + \\ & 9 * \cos(4dx + 4c)^2 + 9 * \cos(2dx + 2c)^2 + 6 * (\sin(4dx + 4c) + \sin(2d \\ & x + 2c)) * \sin(6dx + 6c) + \sin(6dx + 6c)^2 + 9 * \sin(4dx + 4c)^2 + 1 \\ & 8 * \sin(4dx + 4c) * \sin(2dx + 2c) + 9 * \sin(2dx + 2c)^2 + 6 * \cos(2dx + \\ & 2c) + 1) * \sqrt{a}) / d \end{aligned}$$

Fricas [A] time = 1.80223, size = 1809, normalized size = 7.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(dx+c)^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] [1/96*(3*((8*A - 14*B + 9*C)*cos(dx + c)^3 + (8*A - 14*B + 9*C)*cos(dx +
c)^2)*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 + 4*(cos(dx + c)^
2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx
+ c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 48*sqrt
(2)*((A - B + C)*a*cos(dx + c)^3 + (A - B + C)*a*cos(dx + c)^2)*log(-(co
s(dx + c)^2 - 2*sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(d
*x + c))*sin(dx + c)/sqrt(a) - 2*cos(dx + c) - 3)/(cos(dx + c)^2 + 2*cos
(dx + c) + 1))/sqrt(a) + 4*(3*(8*A - 2*B + 7*C)*cos(dx + c)^2 + 2*(6*B -
C)*cos(dx + c) + 8*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)
/sqrt(cos(dx + c)))/(a*d*cos(dx + c)^3 + a*d*cos(dx + c)^2), -1/48*(48*sqrt
(2)*((A - B + C)*a*cos(dx + c)^3 + (A - B + C)*a*cos(dx + c)^2)*sqrt(-
1/a)*arctan(sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(-1/a)*sqrt
(cos(dx + c))/sin(dx + c)) + 3*((8*A - 14*B + 9*C)*cos(dx + c)^3 + (8*A
```

```
- 14*B + 9*C)*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a
*cos(d*x + c) - 2*a)) - 2*(3*(8*A - 2*B + 7*C)*cos(d*x + c)^2 + 2*(6*B - C)
*cos(d*x + c) + 8*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/s
qrt(cos(d*x + c)))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)
)**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/sqrt(a
*sec(d*x + c) + a), x)
```

$$3.606 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=195

$$-\frac{\sqrt{2}(A-B+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(8A-4B+7C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{(4B-C) \sin(c+dx) \sec^2(c+dx)}{4d\sqrt{a \sec(c+dx)+a}}$$

[Out] ((8*A - 4*B + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((4*B - C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.598531, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4088, 4021, 4023, 3808, 206, 3801, 215}

$$-\frac{\sqrt{2}(A-B+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(8A-4B+7C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{(4B-C) \sin(c+dx) \sec^2(c+dx)}{4d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((8*A - 4*B + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((4*B - C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(

$m + n + 1)) * \text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m, n\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}] \&\& !\text{LtQ}[n, -2^{(-1)}] \&\& \text{NeQ}[m + n + 1, 0]$

Rule 4021

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1}) / (f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1}) * \text{Simp}[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1]$

Rule 4023

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x]) / (\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 206

$\text{Int}[(a_.) + (b_.)*(x_.^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]]) / (\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b]) / (b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned} \int \frac{\sec^{\frac{3}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{\sqrt{a + a \sec(c+dx)}} dx &= \frac{C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a + a \sec(c+dx)}} + \int \frac{\sec^{\frac{3}{2}}(c+dx) \left(\frac{1}{2}a(4A+3C) + \frac{1}{2}a(4B-C) \right)}{\sqrt{a+a \sec(c+dx)}} dx \\ &= \frac{(4B-C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d\sqrt{a + a \sec(c+dx)}} + \frac{C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a + a \sec(c+dx)}} \\ &= \frac{(4B-C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d\sqrt{a + a \sec(c+dx)}} + \frac{C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a + a \sec(c+dx)}} \\ &= \frac{(4B-C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d\sqrt{a + a \sec(c+dx)}} + \frac{C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a + a \sec(c+dx)}} \\ &= \frac{(8A-4B+7C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A-B+C) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+a \sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.836023, size = 174, normalized size = 0.89

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right) (A + B \sec(c+dx) + C \sec^2(c+dx)) \left(-8(A-B+C) \tanh^{-1} \left(\sin\left(\frac{1}{2}(c+dx)\right) \right) + \sqrt{2}(8A-4B+7C) \tan\left(\frac{1}{2}(c+dx)\right) \right)}{2d \sec^{\frac{3}{2}}(c+dx) \sqrt{a(\sec(c+dx)+1)} (A \cos(2(c+dx)) + A)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Cos[(c + d*x)/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-8*(A - B + C)*ArcTanh[Sin[(c + d*x)/2]] + Sqrt[2]*(8*A - 4*B + 7*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(4*B - C + 2*C*Sec[c + d*x])*Sin[(c + d*x)/2])/(2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.39, size = 549, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{(1/2)},x)$

[Out] $\frac{1}{16} \frac{1}{d} \frac{1}{a} (8A \arctan(\frac{1}{4} 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1+\sin(dx+c)))) * 2^{(1/2)} * \cos(dx+c)^2 - 8A \arctan(\frac{1}{4} 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1-\sin(dx+c)))) * 2^{(1/2)} * \cos(dx+c)^2 - 4B \arctan(\frac{1}{4} 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1+\sin(dx+c)))) * 2^{(1/2)} * \cos(dx+c)^2 + 4B \arctan(\frac{1}{4} 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1-\sin(dx+c)))) * 2^{(1/2)} * \cos(dx+c)^2 + 7C \arctan(\frac{1}{4} 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1+\sin(dx+c)))) * 2^{(1/2)} * \cos(dx+c)^2 - 7C \arctan(\frac{1}{4} 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1-\sin(dx+c)))) * 2^{(1/2)} * \cos(dx+c)^2 - 16A \cos(dx+c)^2 \arctan(\frac{1}{2} \sin(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)}) + 16B \cos(dx+c)^2 \arctan(\frac{1}{2} \sin(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)}) + 8B \cos(dx+c) * \sin(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)} - 16C \cos(dx+c)^2 \arctan(\frac{1}{2} \sin(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)}) - 2C \sin(dx+c) * \cos(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)} + 4C * (-2/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c)) * (a * (\cos(dx+c)+1) / \cos(dx+c))^{(1/2)} * (1/\cos(dx+c))^{(3/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} / \sin(dx+c)^2 * (\cos(dx+c)^2 - 1)$

Maxima [B] time = 2.87679, size = 4047, normalized size = 20.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(3/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{(1/2)},x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/16 * (8 * (\text{sqrt}(2) * \log(\cos(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c))))^2 + \sin(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c))))^2 + 2 * \sin(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c)))) + 1) - \text{sqrt}(2) * \log(\cos(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c))))^2 + \sin(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c))))^2 - 2 * \sin(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c)))) + 1) - \log(2 * \cos(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c))))^2 + 2 * \sin(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c))))^2 + 2 * \text{sqrt}(2) * \cos(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c)))) + 2 * \text{sqrt}(2) * \sin(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c)))) + 2) + \log(2 * \cos(1/2 * \arctan(2 * \sin(dx+c), \cos(dx+c))))$

$$\begin{aligned}
& \cos(dx + c))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sqrt{2} \\
& \cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 2\sqrt{2}\sin(1/2\arctan \\
& 2(\sin(dx + c), \cos(dx + c))) + 2) - \log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2} \\
& \cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2\sqrt{2}\sin(1/2\arctan \\
& 2(\sin(dx + c), \cos(dx + c))) + 2) + \log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2} \\
& \cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 2\sqrt{2}\sin(1/2\arctan \\
& 2(\sin(dx + c), \cos(dx + c))) + 2))A/\sqrt{a} + 4(4\sqrt{2}\cos(3/2\arctan \\
& 2(\sin(dx + c), \cos(dx + c)))\sin(2dx + 2c) - 4\sqrt{2}\cos(1/2\arctan \\
& 2(\sin(dx + c), \cos(dx + c)))\sin(2dx + 2c) + (\cos(2dx + 2c))^2 + \sin \\
& (2dx + 2c))^2 + 2\cos(2dx + 2c) + 1)\log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sqrt{2} \\
& \cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2\sqrt{2}\sin(1/2\ar \\
& ctan2(\sin(dx + c), \cos(dx + c))) + 2) - (\cos(2dx + 2c))^2 + \sin(2dx + \\
& 2c))^2 + 2\cos(2dx + 2c) + 1)\log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sqrt{2} \\
& \cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) + (\cos(2dx + 2c))^2 + \sin(2dx + 2c))^2 \\
& + 2\cos(2dx + 2c) + 1)\log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2}\cos(1/2\ar \\
& ctan2(\sin(dx + c), \cos(dx + c))) + 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) - (\cos(2dx + 2c))^2 + \sin(2dx + 2c))^2 + 2\cos(\\
& 2dx + 2c) + 1)\log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2}\cos(1/2\arctan2(\\
& \sin(dx + c), \cos(dx + c))) - 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 2(\sqrt{2}\cos(2dx + 2c))^2 + \sqrt{2}\sin(2dx + 2c))^2 \\
& + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\log(\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + \sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(\\
& 1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 1) + 2(\sqrt{2}\cos(2dx + 2c))^2 + \sqrt{2}\sin(2dx + 2c))^2 + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\log \\
& (\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + \sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 1) \\
& - 4(\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(3/2\arctan2(\sin(dx + c), \cos(dx + c))) + 4(\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))))B/((\cos(2dx + 2c))^2 + \sin(2dx + 2c))^2 + 2\cos \\
& (2dx + 2c) + 1)\sqrt{a}) - (4(\sqrt{2}\sin(4dx + 4c) + 2\sqrt{2}\sin(2dx + 2c))\cos(7/2\arctan2(\sin(dx + c), \cos(dx + c))) - 20(\sqrt{2}\sin(4dx + 4c) + 2\sqrt{2}\sin(2dx + 2c))\cos(5/2\arctan2(\sin(dx + c), \cos(dx + c))) + 20(\sqrt{2}\sin(4dx + 4c) + 2\sqrt{2}\sin(2dx + 2c))\cos(3/2\arctan2(\sin(dx + c), \cos(dx + c))) - 4(\sqrt{2}\sin(4dx + 4c) + 2\sqrt{2}\sin(2dx + 2c))\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 7(2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c))^2 + 4\cos(2dx + 2c))^2 + \sin(4dx + 4c))^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c))^2 + 4\cos(2dx + 2c) + 1)\log(2\cos(1/2\arctan2(s
\end{aligned}$$

$$\begin{aligned}
& \sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 7*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 7*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 7*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 8*(\sqrt{2}*\cos(4*d*x + 4*c))^2 + 4*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(4*d*x + 4*c)^2 + 4*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1) + 8*(\sqrt{2}*\cos(4*d*x + 4*c))^2 + 4*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(4*d*x + 4*c)^2 + 4*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1) - 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 20*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 20*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*C/((2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\sqrt{a}))/d
\end{aligned}$$

Fricas [A] time = 1.76519, size = 1671, normalized size = 8.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] [1/16*(((8*A - 4*B + 7*C)*cos(d*x + c)^2 + (8*A - 4*B + 7*C)*cos(d*x + c))*
sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*
cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/
sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 8*sqrt(2)*((
A - B + C)*a*cos(d*x + c)^2 + (A - B + C)*a*cos(d*x + c))*log(-(cos(d*x + c)
)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*
sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c)
+ 1))/sqrt(a) + 4*((4*B - C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)
/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c)^2 + a*d*c
os(d*x + c)), 1/8*(8*sqrt(2)*((A - B + C)*a*cos(d*x + c)^2 + (A - B + C)*a*
cos(d*x + c))*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + ((8*A - 4*B + 7*C)*cos(d
*x + c)^2 + (8*A - 4*B + 7*C)*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt
((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(
d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*((4*B - C)*cos(d*x + c) + 2*C)*sqrt
((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*c
os(d*x + c)^2 + a*d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)
)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(a
*sec(d*x + c) + a), x)
```

$$3.607 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=141

$$\frac{\sqrt{2}(A-B+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2B-C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{C \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{d \sqrt{a \sec(c+dx)+a}}$$

[Out] ((2*B - C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.417567, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4088, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A-B+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2B-C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{C \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{d \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((2*B - C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{C\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(2A+C)+\frac{1}{2}a(2B-C)\right)}{\sqrt{a+a\sec(c+dx)}}}{a} \\
&= \frac{C\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{(2B-C)\int\sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)}}{2a} \\
&= \frac{C\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} - \frac{(2B-C)\text{Subst}\left(\int\frac{1}{\sqrt{1+\frac{x^2}{a}}}dx,\right)}{ad} \\
&= \frac{(2B-C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A-B+C)\tanh^{-1}\left(\frac{\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.623653, size = 107, normalized size = 0.76

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}\left(2(A-B+C)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\right) + \sqrt{2}(2B-C)\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right) + 2C}{d\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]
```

```
[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(2*(A - B + C)*ArcTanh[Sin[(c + d*x)/2]] + Sqrt[2]*(2*B - C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*C*Sec[c + d*x]*Sin[(c + d*x)/2]))/(d*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.409, size = 378, normalized size = 2.7

$$\frac{(\cos(dx+c))^2-1}{4ad(\sin(dx+c))^2}\sqrt{(\cos(dx+c))^{-1}}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(2B\sqrt{2}\cos(dx+c)\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x)
```

```
[Out] 1/4/d/a*(1/cos(d*x+c))^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(2*B*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-2*B*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))-C*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+C*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+4*A*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-4*B*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+4*C*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+2*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2*(cos(d*x+c)^2-1)
```

Maxima [B] time = 2.57597, size = 1947, normalized size = 13.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/4*(2*(sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*A/sqrt(a) - 2*(sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 1) - sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 1) - log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2))*B/sqrt(a) - (4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c))) * sin(2*d*x + 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) * sin(2*d*x + 2*c) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x +
```

$$\begin{aligned}
& 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2 \\
& *\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c \\
&))) + 2) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + \\
& 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2 \\
& (\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), c \\
& os(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) \\
& + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2 \\
& * \cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + \\
& c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - (\cos(\\
& 2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2 \\
& *\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), c \\
& os(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - \\
& 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 2*(\sqrt{2}*co \\
& s(2*d*x + 2*c)^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*\cos(2*d*x + 2*c) \\
& + \sqrt{2})*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*arc \\
& tan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d \\
& *x + c))) + 1) + 2*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 \\
& + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(\cos(1/2*\arctan2(\sin(d*x + c), \\
& \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sin(1 \\
& /2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1) - 4*(\sqrt{2}*\cos(2*d*x + 2*c) \\
& + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\cos(2* \\
& d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*C/((\cos \\
& (2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\sqrt{a))/d
\end{aligned}$$

Fricas [A] time = 0.890274, size = 1424, normalized size = 10.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/4*(((2*B - C)*cos(d*x + c) + 2*B - C)*sqrt(a)*log((a*cos(d*x + c))^3 - 7
*a*cos(d*x + c)^2 + 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos
(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*
x + c)^3 + cos(d*x + c)^2)) - 2*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A -
B + C)*a)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*
x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(
d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a) - 4*C*sqrt((a*cos(d*x + c) + a)/c
```

```

os(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), -1/
2*(2*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*arctan
(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x +
c))/sin(d*x + c)) - ((2*B - C)*cos(d*x + c) + 2*B - C)*sqrt(-a)*arctan(2*sq
rt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x +
c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) - 2*C*sqrt((a*cos(d*x + c) +
a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)
]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c
))**(1/2),x)

```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="giac")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(a
*sec(d*x + c) + a), x)

```


$$3.608 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=138

$$-\frac{\sqrt{2}(A-B+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{d\sqrt{a \sec(c+dx)+a}} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.388291, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4086, 4023, 3808, 206, 3801, 215}

$$-\frac{\sqrt{2}(A-B+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{d\sqrt{a \sec(c+dx)+a}} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{\sqrt{\sec(c + dx)} \left(-\frac{1}{2} a(A - B) + \frac{1}{2} a C \sec(c + dx) \right)}{\sqrt{a + a \sec(c + dx)}} dx}{a} \\
&= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + (-A + B - C) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx + \frac{C}{a} \int \frac{1}{\sqrt{1 + \frac{x^2}{a}}} dx, x, -\frac{a \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \\
&= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} - \frac{(2C) \operatorname{Subst} \left(\int \frac{1}{\sqrt{1 + \frac{x^2}{a}}} dx, x, -\frac{a \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{ad} \\
&= \frac{2C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{\sqrt{ad}} - \frac{\sqrt{2}(A - B + C) \tanh^{-1} \left(\frac{\sqrt{a} \sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \sec(c + dx)}} \right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.502301, size = 96, normalized size = 0.7

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(-(A - B + C) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 2A \sin\left(\frac{1}{2}(c + dx)\right) + \sqrt{2}C \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (2*Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(-((A - B + C)*ArcTanh[Sin[(c + d*x)/2]]) + Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*A*Sin[(c + d*x)/2])/((d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.351, size = 319, normalized size = 2.3

$$-\frac{1}{2ad \sin(dx + c)} \left(-C \sqrt{-2(\cos(dx + c) + 1)^{-1}} \sqrt{2} \arctan \left(\frac{\sqrt{2}(\cos(dx + c) + 1 - \sin(dx + c))}{4} \sqrt{-2(\cos(dx + c) + 1)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x)

```
[Out] -1/2/d/a*(-C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))) *sin(d*x+c)+C*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))) *sin(d*x+c)-2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)-2*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+4*A*cos(d*x+c)-4*A)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/(1/cos(d*x+c))^(1/2)
```

Maxima [B] time = 2.40783, size = 902, normalized size = 6.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/2*((sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1) - 4*sqrt(2)*sin(1/2*d*x + 1/2*c))*A/sqrt(a) - (sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*B/sqrt(a) + (sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 1) - sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 1) - log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2))*C/sqrt(a))/d
```

Fricas [A] time = 0.678405, size = 1373, normalized size = 9.95

$$4 A \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + (C \cos(dx+c) + C) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7 a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c)) \sqrt{a}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)$$

$$2(ad \cos(dx+c) + a^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] [1/2*(4*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*
x + c) + (C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x +
c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) +
a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + c
os(d*x + c)^2)) + sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*log(
-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(c
os(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2
*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), (sqrt(2)*((A - B + C
)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*A*
sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (
C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/co
s(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x +
c) - 2*a)))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**1/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

$$3.609 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx) \sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=143

$$\frac{\sqrt{2}(A-B+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(A-3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx)}{3d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.361446, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4086, 4013, 3808, 206}

$$\frac{\sqrt{2}(A-B+C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(A-3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx)}{3d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^2(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{-\frac{1}{2}a(A-3B) + \frac{1}{2}a(2A+3C) \sec(c+dx)}{\sqrt{\sec(c+dx)} \sqrt{a+a \sec(c+dx)}} dx}{3a} \\ &= \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} + \dots \\ &= \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} - \dots \\ &= \frac{\sqrt{2}(A - B + C) \tanh^{-1} \left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}} \right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.586395, size = 88, normalized size = 0.62

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(3(A - B + C) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) (A \cos(c + dx) - A + 3B)}{3d \sqrt{a} (\sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]),x]
```

```
[Out] (2*Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(3*(A - B + C)*ArcTanh[Sin[(c + d*x)/2]] + 2*(-A + 3*B + A*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*d*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [A] time = 0.401, size = 229, normalized size = 1.6

$$-\frac{(\cos(dx+c))^2}{3ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(3 \arctan\left(\frac{1}{2} \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \sqrt{-2(\cos(dx+c)+1)^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/3/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-3*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+3*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+2*A*cos(d*x+c)^2-4*A*cos(d*x+c)+6*B*cos(d*x+c)+2*A-6*B)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)
```

Maxima [B] time = 2.31069, size = 641, normalized size = 4.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/6*((3*sqrt(2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(3/2*d*x + 3/2*c) - 3*sqrt(2)*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) - 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))
```

$x + 3/2*c), \cos(3/2*d*x + 3/2*c))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) + 3*\sqrt{2}*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - 2*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 3*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*A/\sqrt{a} + 3*(\sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 4*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*B/\sqrt{a} - 3*(\sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*C/\sqrt{a})/d$

Fricas [A] time = 0.540836, size = 960, normalized size = 6.71

$$\frac{3\sqrt{2}((A-B+C)a \cos(dx+c) + (A-B+C)a) \log\left(\frac{\cos(dx+c)^2 - \frac{2\sqrt{2}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{\sqrt{a}} - 2 \cos(dx+c) - 3}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{\sqrt{a}} + \frac{4(A \cos(dx+c)^2 - (A-3B) \cos(dx+c)) \sqrt{\frac{a \cos(dx+c)}{c}}}{\sqrt{\cos(dx+c)}}$$

$$\frac{\text{[The above expression]}}{6(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/6*(3*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*log(-(cos(d*x + c))^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a) + 4*(A*cos(d*x + c)^2 - (A - 3*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), -1/3*(3*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*(A*cos(d*x + c)^2 - (A - 3*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a(\sec(c + dx) + 1)} \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(sqrt(a*(sec(c + d*x) + 1))*sec(c + d*x)**(3/2)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

$$3.610 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \sec^2(c+dx) \sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=191

$$\frac{2(13A - 5B + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B + C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{\sqrt{ad}} - \frac{2(A - 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx)}}$$

[Out] -((Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 5*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(13*A - 5*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.570631, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4022, 4013, 3808, 206}

$$\frac{2(13A - 5B + 15C) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B + C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{\sqrt{ad}} - \frac{2(A - 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] -((Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 5*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(13*A - 5*B + 15*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],

$x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&$
 $\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -2^{(-1)}] \parallel \text{EqQ}[m + n + 1, 0])$

Rule 4022

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.))(d_.)^{(n_.)}(\text{csc}[e_.] + (f_.)(x_.))(b_.) + (a_.)^{(m_.)}(\text{csc}[e_.] + (f_.)(x_.))(B_.) + (A_.)], x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*A*m - b*B*n - A*b*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, 0]$

Rule 4013

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.))(d_.)^{(n_.)}(\text{csc}[e_.] + (f_.)(x_.))(b_.) + (a_.)^{(m_.)}(\text{csc}[e_.] + (f_.)(x_.))(B_.) + (A_.)], x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[(a*A*m - b*B*n)/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{EqQ}[m + n + 1, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](d_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x])]/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 206

$\text{Int}[(a_.) + (b_.)(x_.^2)^{-1}], x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{-\frac{1}{2}a(A-5B) + \frac{1}{2}a(4A+5C) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)}} dx}{5a} \\
&= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \\
&= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \\
&= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \\
&= -\frac{\sqrt{2}(A - B + C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.885045, size = 155, normalized size = 0.81

$$\frac{4 \cos\left(\frac{1}{2}(c + dx)\right) \left(A + B \sec(c + dx) + C \sec^2(c + dx)\right) \left(15(A - B + C) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 20(A + B) \sin^3\left(\frac{1}{2}(c + dx)\right)}{15d \sec^{\frac{3}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)} (A \cos(2c + 2dx) + A + 2B \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (-4*Cos[(c + d*x)/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(15*(A - B + C)*ArcTanh[Sin[(c + d*x)/2]] - 30*(A + C)*Sin[(c + d*x)/2] + 20*(A + B)*Sin[(c + d*x)/2]^3 - 24*A*Sin[(c + d*x)/2]^5)/(15*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.427, size = 263, normalized size = 1.4

$$\frac{(\cos(dx + c))^3}{15ad \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(15 \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2(\cos(dx + c) + 1)^{-1}}\right) \sqrt{-2(\cos(dx + c) + 1)^{-1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/15/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(15*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-6*A*cos(d*x+c)^3-15*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+15*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+8*A*cos(d*x+c)^2-10*B*cos(d*x+c)^2-28*A*cos(d*x+c)+20*B*cos(d*x+c)-30*C*cos(d*x+c)+26*A-10*B+30*C)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)
```

Maxima [B] time = 2.45713, size = 1002, normalized size = 5.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/60*(sqrt(2)*(60*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) *sin(5/2*d*x + 5/2*c) - 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) *sin(5/2*d*x + 5/2*c) - 60*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 5*cos(5/2*d*x + 5/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 30*log(cos(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + 2*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 1) + 30*log(cos(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 - 2*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 1) + 6*sin(5/2*d*x + 5/2*c) - 5*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 60*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))))*A/sqrt(a) - 10*(3*sqrt(2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) *sin(3/2*d*x + 3/2*c) - 3*sqrt(2)*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) + 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2
```

$3 \cdot \arctan2(\sin(3/2 \cdot d \cdot x + 3/2 \cdot c), \cos(3/2 \cdot d \cdot x + 3/2 \cdot c)) + 1 - 2 \cdot \sqrt{2} \cdot \sin(3/2 \cdot d \cdot x + 3/2 \cdot c) + 3 \cdot \sqrt{2} \cdot \sin(1/3 \cdot \arctan2(\sin(3/2 \cdot d \cdot x + 3/2 \cdot c), \cos(3/2 \cdot d \cdot x + 3/2 \cdot c))) \cdot B / \sqrt{a} - 30 \cdot (\sqrt{2} \cdot \log(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1) - \sqrt{2} \cdot \log(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1) - 4 \cdot \sqrt{2} \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot C / \sqrt{a}) / d$

Fricas [A] time = 0.544631, size = 1069, normalized size = 5.6

$$\frac{15 \sqrt{2} ((A-B+C)a \cos(dx+c) + (A-B+C)a) \log \left(\frac{\cos(dx+c)^2 + \frac{2\sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{\sqrt{a}} - 2 \cos(dx+c) - 3}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{\sqrt{a}} + \frac{4(3A \cos(dx+c)^3 - (A-5B) \cos(dx+c)^2 + (13A - 5B + 15C) \cos(dx+c)) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c) / \sqrt{a}}{30(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/30*(15*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*log(-(cos(d*x + c))^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a) + 4*(3*A*cos(d*x + c)^3 - (A - 5*B)*cos(d*x + c)^2 + (13*A - 5*B + 15*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), 1/15*(15*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*(3*A*cos(d*x + c)^3 - (A - 5*B)*cos(d*x + c)^2 + (13*A - 5*B + 15*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{\sqrt{a \sec(dx+c) + a \sec(dx+c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a*sec(d*x + c)^(5/2))), x)
```

$$3.611 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{7 \sec^2(c+dx) \sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=237

$$-\frac{2(43A - 91B + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2(31A - 7B + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B + C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a \sec(c + dx) + a}}\right)}{\sqrt{ad}}$$

[Out] (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A - 7*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(43*A - 91*B + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.758292, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4086, 4022, 4013, 3808, 206}

$$-\frac{2(43A - 91B + 35C) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{2(31A - 7B + 35C) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B + C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a \sec(c + dx) + a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A - 7*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(43*A - 91*B + 35*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]))

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4022

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{-\frac{1}{2}a(A-7B) + \frac{1}{2}a(6A+7C) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx) \sqrt{a+a \sec(c+dx)}} dx}{7a} \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \\
&= \frac{\sqrt{2}(A - B + C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.56284, size = 175, normalized size = 0.74

$$\frac{4 \cos\left(\frac{1}{2}(c + dx)\right) \left(A + B \sec(c + dx) + C \sec^2(c + dx)\right) \left(-140(2A + B + C) \sin^3\left(\frac{1}{2}(c + dx)\right) + 105(A - B + C) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)} (A \cos(2c + 2dx) + \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (4*Cos[(c + d*x)/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(105*(A - B + C)*ArcTanh[Sin[(c + d*x)/2]] + 210*B*Sin[(c + d*x)/2] - 140*(2*A + B + C)*Sin[(c + d*x)/2]^3 + 168*(2*A + B)*Sin[(c + d*x)/2]^5 - 240*A*Sin[(c + d*x)/2]^7))/(105*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.377, size = 296, normalized size = 1.3

$$\frac{(\cos(dx+c))^4}{105ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(30A(\cos(dx+c))^4 + 105 \arctan\left(\frac{1}{2} \sin(dx+c)\right) \sqrt{-2(\cos(dx+c)+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x)

[Out] -1/105/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(30*A*cos(d*x+c)^4+105*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-36*A*cos(d*x+c)^3-105*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+42*B*cos(d*x+c)^3+105*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+68*A*cos(d*x+c)^2-56*B*cos(d*x+c)^2+70*C*cos(d*x+c)^2-148*A*cos(d*x+c)+196*B*cos(d*x+c)-140*C*cos(d*x+c)+86*A-182*B+70*C)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

Maxima [B] time = 2.58547, size = 1465, normalized size = 6.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] -1/840*(sqrt(2)*(525*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 175*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 21*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 525*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) + 175*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) - 21*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) - 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 1) + 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))^2 - 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 1) - 30*sin(7/2*d*x +

$7/2*c) + 21*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) -$
 $175*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 525*\sin$
 $(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * A/\sqrt{a} - 14*s$
 $\sqrt{2}*(60*\cos(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * \sin$
 $(5/2*d*x + 5/2*c) - 5*\cos(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5$
 $/2*c))) * \sin(5/2*d*x + 5/2*c) - 60*\cos(5/2*d*x + 5/2*c) * \sin(4/5*\arctan2(\sin($
 $5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 5*\cos(5/2*d*x + 5/2*c) * \sin(2/5*a$
 $rctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) - 30*\log(\cos(1/5*\arctan$
 $2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))^2 + \sin(1/5*\arctan2(\sin(5/2*$
 $d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))^2 + 2*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/$
 $2*c), \cos(5/2*d*x + 5/2*c))) + 1) + 30*\log(\cos(1/5*\arctan2(\sin(5/2*d*x + 5/$
 $2*c), \cos(5/2*d*x + 5/2*c)))^2 + \sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos($
 $5/2*d*x + 5/2*c)))^2 - 2*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x$
 $+ 5/2*c))) + 1) + 6*\sin(5/2*d*x + 5/2*c) - 5*\sin(3/5*\arctan2(\sin(5/2*d*x +$
 $5/2*c), \cos(5/2*d*x + 5/2*c))) + 60*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), c$
 $os(5/2*d*x + 5/2*c))) * B/\sqrt{a} + 140*(3*\sqrt{2}*\cos(2/3*\arctan2(\sin(3/2*d$
 $*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(3/2*d*x + 3/2*c) - 3*\sqrt{2}*\cos(3/$
 $2*d*x + 3/2*c) * \sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))$
 $- 3*\sqrt{2}*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)$
 $))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*s$
 $\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) + 3*\sqrt{2}$
 $) * \log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin($
 $1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sin(1/3*\arct$
 $an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - 2*\sqrt{2}*\sin(3/2*d$
 $*x + 3/2*c) + 3*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x +$
 $3/2*c))) * C/\sqrt{a})/d$

Fricas [A] time = 0.566275, size = 1187, normalized size = 5.01

$$\frac{105 \sqrt{2}((A-B+C)a \cos(dx+c)+(A-B+C)a) \log \left(\frac{\cos(dx+c)^2 - \frac{2\sqrt{2}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{\sqrt{a}} - 2 \cos(dx+c) - 3}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{\sqrt{a}} + \frac{4(15A \cos(dx+c)^4 - 3(A-7B) \cos(dx+c))}{210(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))

$^{(1/2)}, x$, algorithm="fricas")

```
[Out] [1/210*(105*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a) + 4*(15*A*cos(d*x + c)^4 - 3*(A - 7*B)*cos(d*x + c)^3 + (31*A - 7*B + 35*C)*cos(d*x + c)^2 - (43*A - 91*B + 35*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), -1/105*(105*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*(15*A*cos(d*x + c)^4 - 3*(A - 7*B)*cos(d*x + c)^3 + (31*A - 7*B + 35*C)*cos(d*x + c)^2 - (43*A - 91*B + 35*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2)/(a+a*sec(d*x+c))**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a \sec(dx + c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(7/2)), x)
```

$$3.612 \quad \int \frac{\sqrt{\sec(c+dx)}(aA+(Ab+aB)\sec(c+dx)+bB\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx$$

Optimal. Leaf size=152

$$\frac{\sqrt{2}(a-b)(A-B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2aB+2Ab-bB)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{bB\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{d\sqrt{a\sec(c+dx)+a}}$$

[Out] ((2*A*b + 2*a*B - b*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (Sqrt[2]*(a - b)*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (b*B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.472165, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 54, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4088, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(a-b)(A-B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2aB+2Ab-bB)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{bB\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{d\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(a*A + (A*b + a*B)*Sec[c + d*x] + b*B*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((2*A*b + 2*a*B - b*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (Sqrt[2]*(a - b)*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (b*B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(aA + (Ab + aB)\sec(c+dx) + bB\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{bB\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(2aA + \dots)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{\sqrt{a+a\sec(c+dx)}} \\
&= \frac{bB\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + ((a-b)(A-B)) \int \frac{1}{\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{bB\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} - \frac{(2(a-b)(A-B))S}{\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(2Ab + 2aB - bB)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right) + \sqrt{2}(a-b)(A-B)}{\sqrt{ad}} + \frac{\sqrt{2}(a-b)(A-B)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.515238, size = 118, normalized size = 0.78

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}\left(2(a-b)(A-B)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) + \sqrt{2}(2aB + 2Ab - bB)\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{d\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Sec[c + d*x]]*(a*A + (A*b + a*B)*Sec[c + d*x] + b*B*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(2*(a - b)*(A - B)*ArcTanh[Sin[(c + d*x)/2]] + Sqrt[2]*(2*A*b + 2*a*B - b*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*b*B*Sec[c + d*x]*Sin[(c + d*x)/2]))/(d*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.419, size = 515, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A*a+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/4/d/a*(1/cos(d*x+c))^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(2*A*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*b-2*A*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*b+2*B*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*a-B*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*b-2*B*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*a+B*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*b+4*A*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*a-4*A*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*b-4*B*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*a+4*B*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*b+2*B*(-2/(cos(d*x+c)+1))^(1/2)*b*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2*(cos(d*x+c)^2-1)
```

Maxima [B] time = 2.99421, size = 2589, normalized size = 17.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/4*(2*(sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*A*sqrt(a) - 2*(sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 1) - sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 1) - log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))
```


$$2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\sqrt{a}))/d$$

Fricas [B] time = 1.83382, size = 1563, normalized size = 10.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*(4*B*b*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) - (2*B*a + (2*A - B)*b + (2*B*a + (2*A - B)*b)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 + 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 2*sqrt(2)*((A - B)*a^2 - (A - B)*a*b + ((A - B)*a^2 - (A - B)*a*b)*cos(d*x + c))*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), -1/2*(2*sqrt(2)*((A - B)*a^2 - (A - B)*a*b + ((A - B)*a^2 - (A - B)*a*b)*cos(d*x + c))*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*B*b*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) - (2*B*a + (2*A - B)*b + (2*B*a + (2*A - B)*b)*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)) \sqrt{\sec(dx + c)}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(sec(d*x + c))/sqrt(a*sec(d*x + c) + a), x)

$$3.613 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=260

$$\frac{(5A - 9B + 13C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(8A - 12B + 19C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(A - B + C) \sin(c + dx)}{2d(a \sec(c + dx))}$$

[Out] ((8*A - 12*B + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*a^(3/2)*d) - ((5*A - 9*B + 13*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((2*A - 6*B + 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((A - B + 2*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.90626, antiderivative size = 260, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4084, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(5A - 9B + 13C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(8A - 12B + 19C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(A - B + C) \sin(c + dx)}{2d(a \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((8*A - 12*B + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*a^(3/2)*d) - ((5*A - 9*B + 13*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((2*A - 6*B + 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((A - B + 2*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```

_)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4021

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]

```

Rule 4023

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```


Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^{\frac{3}{2}}} dx &= -\frac{(A - B + C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{2d(a + a \sec(c+dx))^{\frac{3}{2}}} + \int \frac{\sec^{\frac{5}{2}}(c+dx) \left(-\frac{1}{2}a(A - B + C) \sec^{\frac{5}{2}}(c+dx) + \frac{1}{2}a(A - B + C) \sec^{\frac{3}{2}}(c+dx) + \frac{1}{2}a(A - B + C) \sec^{\frac{1}{2}}(c+dx)\right)}{(a + a \sec(c+dx))^{\frac{3}{2}}} dx \\
 &= -\frac{(A - B + C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{2d(a + a \sec(c+dx))^{\frac{3}{2}}} + \frac{(A - B + 2C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2ad\sqrt{a + a \sec(c+dx)}} \\
 &= -\frac{(A - B + C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{2d(a + a \sec(c+dx))^{\frac{3}{2}}} - \frac{(2A - 6B + 7C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{4ad\sqrt{a + a \sec(c+dx)}} \\
 &= -\frac{(A - B + C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{2d(a + a \sec(c+dx))^{\frac{3}{2}}} - \frac{(2A - 6B + 7C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{4ad\sqrt{a + a \sec(c+dx)}} \\
 &= -\frac{(A - B + C) \sec^{\frac{7}{2}}(c+dx) \sin(c+dx)}{2d(a + a \sec(c+dx))^{\frac{3}{2}}} - \frac{(2A - 6B + 7C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{4ad\sqrt{a + a \sec(c+dx)}} \\
 &= \frac{(8A - 12B + 19C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a + a \sec(c+dx)}}\right)}{4a^{\frac{3}{2}}d} - \frac{(5A - 9B + 13C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{4ad\sqrt{a + a \sec(c+dx)}}
 \end{aligned}$$

Mathematica [A] time = 2.2754, size = 239, normalized size = 0.92

$$\frac{\cos^3\left(\frac{1}{2}(c+dx)\right) (A + B \sec(c+dx) + C \sec^2(c+dx)) \left(-2(5A - 9B + 13C) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - \frac{\sqrt{2}(8A - 12B + 19C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{4ad\sqrt{a + a \sec(c+dx)}}\right)}{d\sqrt{\sec(c+dx)}(a(\sec(c+dx) + 1))^{\frac{3}{2}}(A \cos(2(c+dx)/2) + \dots)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Cos[(c + d*x)/2]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-2*(5*A - 9*B + 13*C)*ArcTanh[Sin[(c + d*x)/2]] - (Sqrt[2]*(8*A - 12*B + 19*C)*ArcTanh[Sq

```
rt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^2 + ((-2*A + 6*B - 3*C + (8*B - 6*
C)*Cos[c + d*x] + (-2*A + 6*B - 7*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^2*Sin[(
c + d*x)/2])/(-1 + Sin[(c + d*x)/2]^2))/((d*(A + 2*C + 2*B*Cos[c + d*x]
+ A*Cos[2*(c + d*x)])*Sqrt[Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))
```

Maple [B] time = 0.363, size = 741, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)
,x)
```

```
[Out] 1/16/d/a^2*(8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+
sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-8*A*arctan(1/4*2^(1/2)*(-2/(co
s(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+
c)-12*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+
c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+12*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c
)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+19*C
*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*co
s(d*x+c)^2*2^(1/2)*sin(d*x+c)-19*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(
1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+4*A*(-2/(co
s(d*x+c)+1))^(1/2)*cos(d*x+c)^3-20*A*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+
1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)-12*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c
)^3+36*B*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(
d*x+c)+14*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-52*C*arctan(1/2*sin(d*x+
c))*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)-4*A*cos(d*x+c)^2*(-2/
(cos(d*x+c)+1))^(1/2)+4*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2-8*C*cos(d*
x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+8*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)-1
0*C*cos(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)+4*C*(-2/(cos(d*x+c)+1))^(1/2))*cos
(d*x+c)*(1/cos(d*x+c))^(5/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-2/(cos(d
*x+c)+1))^(1/2)/sin(d*x+c)^3*(cos(d*x+c)^2-1)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 2.23739, size = 2103, normalized size = 8.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="fricas")
```

```
[Out] [1/16*(2*sqrt(2)*((5*A - 9*B + 13*C)*cos(d*x + c)^3 + 2*(5*A - 9*B + 13*C)*
cos(d*x + c)^2 + (5*A - 9*B + 13*C)*cos(d*x + c))*sqrt(a)*log(-(a*cos(d*x +
c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(
d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*
x + c) + 1)) + ((8*A - 12*B + 19*C)*cos(d*x + c)^3 + 2*(8*A - 12*B + 19*C)*
cos(d*x + c)^2 + (8*A - 12*B + 19*C)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x +
c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sq
rt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a
)/(cos(d*x + c)^3 + cos(d*x + c)^2)) - 4*((2*A - 6*B + 7*C)*cos(d*x + c)^2
- (4*B - 3*C)*cos(d*x + c) - 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*s
in(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c
)^2 + a^2*d*cos(d*x + c)), 1/8*(2*sqrt(2)*((5*A - 9*B + 13*C)*cos(d*x + c)^
3 + 2*(5*A - 9*B + 13*C)*cos(d*x + c)^2 + (5*A - 9*B + 13*C)*cos(d*x + c))*
sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sq
rt(cos(d*x + c))/(a*sin(d*x + c))) + ((8*A - 12*B + 19*C)*cos(d*x + c)^3 +
2*(8*A - 12*B + 19*C)*cos(d*x + c)^2 + (8*A - 12*B + 19*C)*cos(d*x + c))*sq
rt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d
*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) - 2*((2*A
- 6*B + 7*C)*cos(d*x + c)^2 - (4*B - 3*C)*cos(d*x + c) - 2*C)*sqrt((a*cos(d
*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x
+ c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^(3/2), x)
```

$$3.614 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=202

$$\frac{(A-5B+9C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(2B-3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2} d} - \frac{(A-B+C) \sin(c+dx) \sec^2(c+dx)^{5/2}}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] $((2*B - 3*C)*\text{ArcSinh}[(\text{Sqrt}[a]*\text{Tan}[c + d*x])/\text{Sqrt}[a + a*\text{Sec}[c + d*x]])/(a^{(3/2)*d} + ((A - 5*B + 9*C)*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[a + a*\text{Sec}[c + d*x]])]/(2*\text{Sqrt}[2]*a^{(3/2)*d} - ((A - B + C)*\text{Sec}[c + d*x]^{(5/2)*\text{Sin}[c + d*x]}/(2*d*(a + a*\text{Sec}[c + d*x])^{(3/2)}) + ((A - B + 3*C)*\text{Sec}[c + d*x]^{(3/2)*\text{Sin}[c + d*x]}/(2*a*d*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]))$

Rubi [A] time = 0.603515, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4084, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(A-5B+9C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(2B-3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2} d} - \frac{(A-B+C) \sin(c+dx) \sec^2(c+dx)^{5/2}}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^{(3/2)}*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(a + a*\text{Sec}[c + d*x]^{(3/2)}, x]$

[Out] $((2*B - 3*C)*\text{ArcSinh}[(\text{Sqrt}[a]*\text{Tan}[c + d*x])/\text{Sqrt}[a + a*\text{Sec}[c + d*x]])/(a^{(3/2)*d} + ((A - 5*B + 9*C)*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[a + a*\text{Sec}[c + d*x]])]/(2*\text{Sqrt}[2]*a^{(3/2)*d} - ((A - B + C)*\text{Sec}[c + d*x]^{(5/2)*\text{Sin}[c + d*x]}/(2*d*(a + a*\text{Sec}[c + d*x])^{(3/2)}) + ((A - B + 3*C)*\text{Sec}[c + d*x]^{(3/2)*\text{Sin}[c + d*x]}/(2*a*d*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]))$

Rule 4084

$\text{Int}[(A_. + \text{csc}[e_. + (f_.)*(x_.)]*(B_.) + \text{csc}[e_. + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[e_. + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[e_. + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] :> -\text{Simp}[(a*A - b*B + a*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*\text{Csc}[e +$

f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{\frac{3}{2}}} dx &= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{1}{2}a(A+B+C)\right)}{\sqrt{a+a\sec(c+dx)}} dx \\
&= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(A-B+3C)\sec^{\frac{3}{2}}(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(A-B+3C)\sec^{\frac{3}{2}}(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B+C)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(A-B+3C)\sec^{\frac{3}{2}}(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(2B-3C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{\frac{3}{2}}d} + \frac{(A-5B+9C)\tanh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{\frac{3}{2}}d}
\end{aligned}$$

Mathematica [A] time = 2.1853, size = 177, normalized size = 0.88

$$\frac{(A+B\sec(c+dx)+C\sec^2(c+dx))\left(\tan\left(\frac{1}{2}(c+dx)\right)(A-B+2C\sec(c+dx)+3C)+(A-5B+9C)\cos\left(\frac{1}{2}(c+dx)\right)\right)}{ad\sec^{\frac{3}{2}}(c+dx)\sqrt{a(\sec(c+dx)+1)}(A\cos(2(c+dx))+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2),x]

[Out] ((A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((A - 5*B + 9*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + 2*Sqrt[2]*(2*B - 3*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + (A - B + 3*C + 2*C*Sec[c + d*x])*Tan[(c + d*x)/2]))/(a*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.389, size = 561, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^{(3/2)}, x)$

[Out] $\frac{1}{4} \frac{d}{a^2} (-2B2^{(1/2)} \sin(dx+c) \arctan(1/4 * 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1 - \sin(dx+c))) * \cos(dx+c) + 2B2^{(1/2)} \sin(dx+c) \arctan(1/4 * 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1 + \sin(dx+c))) * \cos(dx+c) + 3C \sin(dx+c) * 2^{(1/2)} \cos(dx+c) \arctan(1/4 * 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1 - \sin(dx+c))) - 3C \sin(dx+c) * 2^{(1/2)} \cos(dx+c) \arctan(1/4 * 2^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} * (\cos(dx+c)+1 + \sin(dx+c))) + A \sin(dx+c) * \cos(dx+c) \arctan(1/2 * \sin(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)}) - A \cos(dx+c)^2 * (-2/(\cos(dx+c)+1))^{(1/2)} - 5B \sin(dx+c) \arctan(1/2 * \sin(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)}) * \cos(dx+c) + B * (-2/(\cos(dx+c)+1))^{(1/2)} * \cos(dx+c)^2 + 9C \sin(dx+c) * \cos(dx+c) \arctan(1/2 * \sin(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)}) - 3C \cos(dx+c)^2 * (-2/(\cos(dx+c)+1))^{(1/2)} + A \cos(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)} - B * (-2/(\cos(dx+c)+1))^{(1/2)} * \cos(dx+c) + C \cos(dx+c) * (-2/(\cos(dx+c)+1))^{(1/2)} + 2C * (-2/(\cos(dx+c)+1))^{(1/2)} * \cos(dx+c) * (1/\cos(dx+c))^{(3/2)} * (a * (\cos(dx+c)+1) / \cos(dx+c))^{(1/2)} * (-2/(\cos(dx+c)+1))^{(1/2)} / \sin(dx+c)^3 * (\cos(dx+c)^2 - 1)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(3/2)} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 1.03804, size = 1793, normalized size = 8.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [1/8*(sqrt(2)*((A - 5*B + 9*C)*cos(d*x + c)^2 + 2*(A - 5*B + 9*C)*cos(d*x + c) + A - 5*B + 9*C)*sqrt(a)*log(-(a*cos(d*x + c))^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 2*((2*B - 3*C)*cos(d*x + c)^2 + 2*(2*B - 3*C)*cos(d*x + c) + 2*B - 3*C)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 + 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((A - B + 3*C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((A - 5*B + 9*C)*cos(d*x + c)^2 + 2*(A - 5*B + 9*C)*cos(d*x + c) + A - 5*B + 9*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*((2*B - 3*C)*cos(d*x + c)^2 + 2*(2*B - 3*C)*cos(d*x + c) + 2*B - 3*C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) - 2*((A - B + 3*C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))  
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec  
(d*x + c) + a)^(3/2), x)
```

$$3.615 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=149

$$\frac{(3A + B - 5C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A - B + C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) + ((3*A + B - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.406162, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4084, 4023, 3808, 206, 3801, 215}

$$\frac{(3A + B - 5C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A - B + C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) + ((3*A + B - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)} (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^{3/2}} dx &= -\frac{(A - B + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d(a + a \sec(c+dx))^{3/2}} + \int \frac{\sqrt{\sec(c+dx)} \left(\frac{1}{2}a(3A + B - 5C)\right)}{\sqrt{a+a \sec(c+dx)}} dx \\
&= -\frac{(A - B + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d(a + a \sec(c+dx))^{3/2}} + \frac{(3A + B - 5C) \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a \sec(c+dx)}} dx}{4a} \\
&= -\frac{(A - B + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d(a + a \sec(c+dx))^{3/2}} - \frac{(3A + B - 5C) \operatorname{Sinh}^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} \\
&= \frac{2C \operatorname{sinh}^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{a^{3/2}d} + \frac{(3A + B - 5C) \operatorname{tanh}^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 1.30354, size = 175, normalized size = 1.17

$$\frac{\cos^3\left(\frac{1}{2}(c+dx)\right) (A + B \sec(c+dx) + C \sec^2(c+dx)) \left(\frac{A-B+C}{\sin\left(\frac{1}{2}(c+dx)\right)-1} + \frac{A-B+C}{\sin\left(\frac{1}{2}(c+dx)\right)+1} + 2(3A + B - 5C) \operatorname{tanh}^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) \right)}{d\sqrt{\sec(c+dx)}(a(\sec(c+dx) + 1))^{3/2}(A \cos(2(c+dx)) + A + 2B \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Cos[(c + d*x)/2]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(2*(3*A + B - 5*C)*ArcTanh[Sin[(c + d*x)/2]] + 8*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]) + (A - B + C)/(-1 + Sin[(c + d*x)/2]) + (A - B + C)/(1 + Sin[(c + d*x)/2]))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sqrt[Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.371, size = 384, normalized size = 2.6

$$\frac{\cos(dx+c) \left((\cos(dx+c))^2 - 1 \right) \sqrt{(\cos(dx+c))^{-1}} \sqrt{a(\cos(dx+c)+1)}}{4da^2(\sin(dx+c))^3} \left(-2C\sqrt{2} \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{1/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2},x)$

[Out] $\frac{1}{4}d/a^2*(1/\cos(dx+c))^{1/2}*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*\cos(dx+c)*(-2*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1)))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))*\sin(dx+c)+2*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1)))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))*\sin(dx+c)+A*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+3*A*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})*\sin(dx+c)-B*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)+B*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})*\sin(dx+c)+C*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}-5*C*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})*\sin(dx+c)-A*(-2/(\cos(dx+c)+1))^{1/2}+B*(-2/(\cos(dx+c)+1))^{1/2}-C*(-2/(\cos(dx+c)+1))^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}/\sin(dx+c)^3*(\cos(dx+c)^2-1)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{1/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [B] time = 0.715002, size = 1656, normalized size = 11.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{1/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2},x, \text{algorithm}="fricas")$

[Out] $[-1/8*(\sqrt{2})*((3*A + B - 5*C)*\cos(dx + c)^2 + 2*(3*A + B - 5*C)*\cos(dx + c) + 3*A + B - 5*C)*\sqrt{a}*\log(-a*\cos(dx + c)^2 + 2*\sqrt{2}*\sqrt{a}*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}*\sqrt{\cos(dx + c)}*\sin(dx + c) - 2*a*\cos(dx + c) - 3*a)/(\cos(dx + c)^2 + 2*\cos(dx + c) + 1)) + 4*(A - B + C)*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}*\sqrt{\cos(dx + c)}*\sin(dx + c) -$

```

4*(C*cos(d*x + c)^2 + 2*C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 -
7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos
os(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(
d*x + c)^3 + cos(d*x + c)^2)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c)
+ a^2*d), -1/4*(sqrt(2)*((3*A + B - 5*C)*cos(d*x + c)^2 + 2*(3*A + B - 5*C
)*cos(d*x + c) + 3*A + B - 5*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*co
s(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(A -
B + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x
+ c) - 4*(C*cos(d*x + c)^2 + 2*C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-
a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/
(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d
*cos(d*x + c) + a^2*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c
))**(3/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec
(d*x + c) + a)^(3/2), x)
```

$$3.616 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=161

$$-\frac{(7A-3B-C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A-B+C) \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(A-B+C) \sin(c+dx) \sqrt{\sec(c+dx)}}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] -((7*A - 3*B - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((5*A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.382554, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4084, 4013, 3808, 206}

$$-\frac{(7A-3B-C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A-B+C) \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(A-B+C) \sin(c+dx) \sqrt{\sec(c+dx)}}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] -((7*A - 3*B - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((5*A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(5A - B + C) - a(A - B - C) \sec(c + dx)}{\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} dx}{2a^2} \\ &= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{(5A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{(5A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(7A - 3B - C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 1.11864, size = 147, normalized size = 0.91

$$\frac{\cos^3\left(\frac{1}{2}(c + dx)\right) \left(A + B \sec(c + dx) + C \sec^2(c + dx)\right) \left(2(-7A + 3B + C) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \tan\left(\frac{1}{2}(c + dx)\right)\right)}{d\sqrt{\sec(c + dx)}(a(\sec(c + dx) + 1))^{3/2}(A \cos(2(c + dx)) + A + 2B \cos(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)),x]
```

```
[Out] (Cos[(c + d*x)/2]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(2*(-7*A + 3*B + C)*ArcTanh[Sin[(c + d*x)/2]] + 2*(5*A - B + C + 4*A*Cos[c + d*x])*Sec[(c + d*x)/2]*Tan[(c + d*x)/2]))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sqrt[Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))
```

Maple [B] time = 0.366, size = 397, normalized size = 2.5

$$-\frac{-1 + \cos(dx + c)}{4da^2(\sin(dx + c))^3} \left(7A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2(\cos(dx + c) + 1)^{-1}}\right) \sqrt{-2(\cos(dx + c) + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x)
```

```
[Out] -1/4/d/a^2*(-1+cos(d*x+c))*(7*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-3*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-C*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)+7*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-3*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)-C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-8*A*cos(d*x+c)^2-2*A*cos(d*x+c)+2*B*cos(d*x+c)-2*C*cos(d*x+c)+10*A-2*B+2*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^3/(1/cos(d*x+c))^(1/2)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.545915, size = 1157, normalized size = 7.19

$$\frac{\sqrt{2}((7A - 3B - C)\cos(dx + c)^2 + 2(7A - 3B - C)\cos(dx + c) + 7A - 3B - C)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)}{\cos(dx+c)}}}{\cos(dx+c)}\right)}{8(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/8*(sqrt(2)*((7*A - 3*B - C)*cos(d*x + c)^2 + 2*(7*A - 3*B - C)*cos(d*x + c) + 7*A - 3*B - C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(4*A*cos(d*x + c)^2 + (5*A - B + C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/4*(sqrt(2)*((7*A - 3*B - C)*cos(d*x + c)^2 + 2*(7*A - 3*B - C)*cos(d*x + c) + 7*A - 3*B - C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)))/(a*sin(d*x + c)) + 2*(4*A*cos(d*x + c)^2 + (5*A - B + C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**3/2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))  
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/  
2)*sqrt(sec(d*x + c))), x)
```

$$3.617 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=213

$$\frac{(11A - 7B + 3C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(19A - 15B + 3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{6ad\sqrt{a \sec(c+dx)+a}} + \frac{(7A - 3B + 3C) \sin(c+dx)}{6ad\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

[Out] ((11*A - 7*B + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((7*A - 3*B + 3*C)*Sin[c + d*x])/(6*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((19*A - 15*B + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.57464, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4084, 4022, 4013, 3808, 206}

$$\frac{(11A - 7B + 3C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(19A - 15B + 3C) \sin(c+dx) \sqrt{\sec(c+dx)}}{6ad\sqrt{a \sec(c+dx)+a}} + \frac{(7A - 3B + 3C) \sin(c+dx)}{6ad\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] ((11*A - 7*B + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((7*A - 3*B + 3*C)*Sin[c + d*x])/(6*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((19*A - 15*B + 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

```
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A - B + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(7A-3B+3C)-2a(A-B)\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{(7A - 3B + 3C) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{(7A - 3B + 3C) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{(7A - 3B + 3C) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= \frac{(11A - 7B + 3C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B + C) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.52552, size = 126, normalized size = 0.59

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (-12(A - B) \cos(c + dx) + 2A \cos(2(c + dx)) - 17A + 15B - 3C) + 6(11A - 7B + 3C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\right)}{12ad\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] (Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(6*(11*A - 7*B + 3*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^2 + 2*(-17*A + 15*B - 3*C - 12*(A - B)*Cos[c + d*x] + 2*A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])/(12*a*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.379, size = 427, normalized size = 2.

$$\frac{(-1 + \cos(dx + c)) (\cos(dx + c))^2}{12 da^2 (\sin(dx + c))^3} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} \left(33 A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x)
```

```
[Out] 1/12/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(33*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-21*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+9*C*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)+33*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+8*A*cos(d*x+c)^3-21*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+9*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-32*A*cos(d*x+c)^2+24*B*cos(d*x+c)^2-14*A*cos(d*x+c)+6*B*cos(d*x+c)-6*C*cos(d*x+c)+38*A-30*B+6*C)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)^3
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.558188, size = 1281, normalized size = 6.01

$$\left[\frac{3\sqrt{2}\left((11A-7B+3C)\cos(dx+c)^2+2(11A-7B+3C)\cos(dx+c)+11A-7B+3C\right)\sqrt{a}\log\left(\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a}\cos(dx+c)+a}{24(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2)}\right)}{24(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```



```
[Out] [1/24*(3*sqrt(2)*((11*A - 7*B + 3*C)*cos(d*x + c)^2 + 2*(11*A - 7*B + 3*C)*
cos(d*x + c) + 11*A - 7*B + 3*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)
*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x
+ c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*
(4*A*cos(d*x + c)^3 - 12*(A - B)*cos(d*x + c)^2 - (19*A - 15*B + 3*C)*cos(d
*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x
+ c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/12*(3*sqrt
(2)*((11*A - 7*B + 3*C)*cos(d*x + c)^2 + 2*(11*A - 7*B + 3*C)*cos(d*x + c)
+ 11*A - 7*B + 3*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) +
a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*(4*A*cos(d*x + c)
^3 - 12*(A - B)*cos(d*x + c)^2 - (19*A - 15*B + 3*C)*cos(d*x + c))*sqrt((a
*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*co
s(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c)
)**(3/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/
2)*sec(d*x + c)^(3/2)), x)
```

$$3.618 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \sec^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=263

$$\frac{(15A - 11B + 7C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A - 5B + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} - \frac{(A - B + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a \sec(c + dx) + a)}$$

[Out] -((15*A - 11*B + 7*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((9*A - 5*B + 5*C)*Sin[c + d*x])/(10*a*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 35*B + 15*C)*Sin[c + d*x])/(30*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((147*A - 95*B + 75*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.752957, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4084, 4022, 4013, 3808, 206}

$$\frac{(15A - 11B + 7C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A - 5B + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} - \frac{(A - B + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a \sec(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] -((15*A - 11*B + 7*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((9*A - 5*B + 5*C)*Sin[c + d*x])/(10*a*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 35*B + 15*C)*Sin[c + d*x])/(30*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((147*A - 95*B + 75*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4022

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A - B + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(9A-5B+5C)-a(3A-3B+C) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A - 5B + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A - 5B + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A - 5B + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A - 5B + 5C) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(15A - 11B + 7C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B + C) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 2.0798, size = 148, normalized size = 0.56

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (3(39A + 20(C - B)) \cos(c + dx) + (10B - 6A) \cos(2(c + dx)) + 3A \cos(3(c + dx)))\right)}{60ad\sqrt{a}(\sec(c + dx) + 1)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] (Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(-30*(15*A - 11*B + 7*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^2 + 2*(141*A - 85*B + 75*C + 3*(39*A + 20*(-B + C))*Cos[c + d*x] + (-6*A + 10*B)*Cos[2*(c + d*x)] + 3*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(60*a*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.402, size = 460, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x)`

[Out]
$$-1/60/d/a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(225*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}-24*A*\cos(d*x+c)^4-165*B*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}+105*C*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)+225*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*A*\sin(d*x+c)+48*A*\cos(d*x+c)^3-165*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*B*\sin(d*x+c)-40*B*\cos(d*x+c)^3+105*C*(-2/(\cos(d*x+c)+1))^{1/2}*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)-240*A*\cos(d*x+c)^2+160*B*\cos(d*x+c)^2-120*C*\cos(d*x+c)^2-78*A*\cos(d*x+c)+70*B*\cos(d*x+c)-30*C*\cos(d*x+c)+294*A-190*B+150*C)*\cos(d*x+c)^3*(1/\cos(d*x+c))^{5/2}/\sin(d*x+c)^3$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 0.568519, size = 1411, normalized size = 5.37

$$\left[\frac{15\sqrt{2}\left((15A-11B+7C)\cos(dx+c)^2+2(15A-11B+7C)\cos(dx+c)+15A-11B+7C\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2+\dots}{120(a^2\dots)}\right)}{120(a^2\dots)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="fricas")
```

```
[Out] [1/120*(15*sqrt(2)*((15*A - 11*B + 7*C)*cos(d*x + c)^2 + 2*(15*A - 11*B + 7
*C)*cos(d*x + c) + 15*A - 11*B + 7*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sq
rt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*si
n(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))
+ 4*(12*A*cos(d*x + c)^4 - 4*(3*A - 5*B)*cos(d*x + c)^3 + 12*(9*A - 5*B +
5*C)*cos(d*x + c)^2 + (147*A - 95*B + 75*C)*cos(d*x + c))*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)
^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/60*(15*sqrt(2)*((15*A - 11*B + 7*C)*c
os(d*x + c)^2 + 2*(15*A - 11*B + 7*C)*cos(d*x + c) + 15*A - 11*B + 7*C)*sq
rt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(
cos(d*x + c))/(a*sin(d*x + c))) + 2*(12*A*cos(d*x + c)^4 - 4*(3*A - 5*B)*co
s(d*x + c)^3 + 12*(9*A - 5*B + 5*C)*cos(d*x + c)^2 + (147*A - 95*B + 75*C)*
cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos
(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c)
)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(5/2)), x)
```

$$3.619 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=254

$$\frac{(3A - 11B + 35C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(3A - 43B + 115C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(2B - 5C) \sinh^{-1}\left(\frac{\sqrt{a}}{\sqrt{a \sec(c+dx) + a}}\right)}{a^{5/2} d}$$

[Out] ((2*B - 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) + ((3*A - 43*B + 115*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((A + 7*B - 15*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*A - 11*B + 35*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.824856, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4084, 4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(3A - 11B + 35C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(3A - 43B + 115C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(2B - 5C) \sinh^{-1}\left(\frac{\sqrt{a}}{\sqrt{a \sec(c+dx) + a}}\right)}{a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((2*B - 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) + ((3*A - 43*B + 115*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((A + 7*B - 15*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*A - 11*B + 35*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a


```

_)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4019

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 4021

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]

```

Rule 4023

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^5(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A-B+C)\sec^7(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \int \frac{\sec^5(c+dx)\left(\frac{1}{2}a(3A+5B)\right)}{(a+a\sec(c+dx))^{5/2}} dx \\
 &= -\frac{(A-B+C)\sec^7(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(A+7B-15C)\sec^5(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
 &= -\frac{(A-B+C)\sec^7(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(A+7B-15C)\sec^5(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
 &= -\frac{(A-B+C)\sec^7(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(A+7B-15C)\sec^5(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
 &= -\frac{(A-B+C)\sec^7(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(A+7B-15C)\sec^5(c+dx)}{16ad(a+a\sec(c+dx))^{5/2}} \\
 &= \frac{(2B-5C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{5/2}d} + \frac{(3A-43B+115C)\tanh^2\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}ad}
 \end{aligned}$$

Mathematica [A] time = 3.54744, size = 222, normalized size = 0.87

$$\frac{\cos^5\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))\left((6A-86B+230C)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)+\frac{1}{2}\right)}{4d(a+a\sec(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (Cos[(c + d*x)/2]^5*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((6*A - 86*B + 230*C)*ArcTanh[Sin[(c + d*x)/2]] + 32*Sqrt[2]*(2*B - 5*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + ((3*A - 11*B + 67*C + 2*(7*A - 15*B + 55*C)*Cos[c + d*x] + (3*A - 11*B + 35*C)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^3*Sec[c + d*x]*Tan[(c + d*x)/2])/2))/(4*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.415, size = 982, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

[Out] 1/16/d/a^3*(1/cos(d*x+c))^(5/2)*cos(d*x+c)^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(16*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-16*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-40*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+40*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+3*A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)-3*A*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-43*B*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)+16*B*2^(1/2)*sin(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)-16*B*2^(1/2)*sin(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)+11*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3+115*C*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)-40*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*

$$(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))+40*C*\sin(dx+c)*2^{1/2}*\cos(dx+c)*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))-35*C*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)^3+3*A*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})-4*A*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}-43*B*\sin(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})*\cos(dx+c)+4*B*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)^2+115*C*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})-20*C*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}+7*A*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}-15*B*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)+39*C*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+16*C*(-2/(\cos(dx+c)+1))^{1/2})/(-2/(\cos(dx+c)+1))^{1/2}/\sin(dx+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.18421, size = 2217, normalized size = 8.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(5/2),x, algorithm="fricas")

[Out] [1/64*(sqrt(2)*((3*A - 43*B + 115*C)*cos(dx + c)^3 + 3*(3*A - 43*B + 115*C)*cos(dx + c)^2 + 3*(3*A - 43*B + 115*C)*cos(dx + c) + 3*A - 43*B + 115*C)*sqrt(a)*log(-(a*cos(dx + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) - 2*a*cos(dx + c) - 3*a)/(cos(dx + c)^2 + 2*cos(dx + c) + 1)) - 16*((2*B - 5*C)*cos(dx + c)^3 + 3*(2*B - 5*C)*cos(dx + c)^2 + 3*(2*B - 5*C)*cos(dx + c) + 2*B - 5*C)*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 + 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt

```
(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((3*A - 11*B +
35*C)*cos(d*x + c)^2 + (7*A - 15*B + 55*C)*cos(d*x + c) + 16*C)*sqrt((a*cos
(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d
*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(
sqrt(2))*((3*A - 43*B + 115*C)*cos(d*x + c)^3 + 3*(3*A - 43*B + 115*C)*cos(d
*x + c)^2 + 3*(3*A - 43*B + 115*C)*cos(d*x + c) + 3*A - 43*B + 115*C)*sqrt(
-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(co
s(d*x + c))/(a*sin(d*x + c))) - 16*((2*B - 5*C)*cos(d*x + c)^3 + 3*(2*B - 5
*C)*cos(d*x + c)^2 + 3*(2*B - 5*C)*cos(d*x + c) + 2*B - 5*C)*sqrt(-a)*arcta
n(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin
(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) - 2*((3*A - 11*B + 35*
C)*cos(d*x + c)^2 + (7*A - 15*B + 55*C)*cos(d*x + c) + 16*C)*sqrt((a*cos(d*
x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x +
c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c
))** (5/2), x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(5/2), x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec
(d*x + c) + a)^(5/2), x)
```

$$3.620 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=201

$$\frac{(5A + 3B - 43C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(A - B + C) \sin(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx) + a)^{5/2}} + \dots$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) + ((5*A + 3*B - 43*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B - 11*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.596285, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4084, 4019, 4023, 3808, 206, 3801, 215}

$$\frac{(5A + 3B - 43C) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(A - B + C) \sin(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx) + a)^{5/2}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) + ((5*A + 3*B - 43*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B - 11*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

```
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned} \int \frac{\sec^{\frac{3}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{5}{2}}} dx &= -\frac{(A-B+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} + \int \frac{\sec^{\frac{3}{2}}(c+dx) \left(\frac{1}{2}a(5A+3B-11C)\right)}{(a+a \sec(c+dx))^{\frac{5}{2}}} dx \\ &= -\frac{(A-B+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} + \frac{(5A+3B-11C) \sec^{\frac{3}{2}}(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{5}{2}}} \\ &= -\frac{(A-B+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} + \frac{(5A+3B-11C) \sec^{\frac{3}{2}}(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{5}{2}}} \\ &= -\frac{(A-B+C) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} + \frac{(5A+3B-11C) \sec^{\frac{3}{2}}(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{5}{2}}} \\ &= \frac{2C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{a^{\frac{5}{2}}d} + \frac{(5A+3B-43C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{16\sqrt{2}a^{\frac{5}{2}}d} \end{aligned}$$

Mathematica [A] time = 1.60902, size = 204, normalized size = 1.01

$$\frac{\cos^5\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} (A+B \sec(c+dx) + C \sec^2(c+dx)) \left(2(5A+3B-43C) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) + \frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{4d(a(\sec(c+dx)+1))^{\frac{5}{2}}(A \cos(2(c+dx)) + A + 2B \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2),x]

[Out] (Cos[(c + d*x)/2]^5*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(2*(5*A + 3*B - 43*C)*ArcTanh[Sin[(c + d*x)/2]] + (64*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + (A + 7*B - 15*C + (5*A + 3*B - 11*C)*Cos[c + d*x])*Sin[(c + d*x)/2])/(-1 + Sin[(c + d*x)/2]^2)^2)/(4*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^5)

(5/2))

Maple [B] time = 0.381, size = 684, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{3/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^{5/2} , x)$

[Out] $\frac{1}{16} \frac{d}{a^3} (-1+\cos(dx+c))^{-2} * (-16*C*\sin(dx+c)*2^{1/2}*\cos(dx+c)*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))) + 16*C*\sin(dx+c)*2^{1/2}*\cos(dx+c)*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))) + 5*A*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}) - 5*A*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2} + 3*B*\sin(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})*\cos(dx+c) - 3*B*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)^2 - 43*C*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}) - 16*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))*\sin(dx+c) + 16*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))*\sin(dx+c) + 11*C*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2} + 5*A*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})*\sin(dx+c) + 4*A*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2} + 3*B*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})*\sin(dx+c) - 4*B*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c) - 43*C*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2})*\sin(dx+c) + 4*C*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2} + A*(-2/(\cos(dx+c)+1))^{1/2} + 7*B*(-2/(\cos(dx+c)+1))^{1/2} - 15*C*(-2/(\cos(dx+c)+1))^{1/2})* (a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*\cos(dx+c)^2*(1/\cos(dx+c))^{3/2}/\sin(dx+c)^5/(-2/(\cos(dx+c)+1))^{1/2}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{3/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^{5/2} , x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [B] time = 0.767072, size = 2064, normalized size = 10.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/64*(\sqrt{2})*((5*A + 3*B - 43*C)*\cos(d*x + c)^3 + 3*(5*A + 3*B - 43*C)*\cos(d*x + c)^2 + 3*(5*A + 3*B - 43*C)*\cos(d*x + c) + 5*A + 3*B - 43*C)*\sqrt{a} \\ & \log(-a*\cos(d*x + c)^2 + 2*\sqrt{2}*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)})*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 32*(C*\cos(d*x + c)^3 + 3*C*\cos(d*x + c)^2 + 3*C*\cos(d*x + c) + C)*\sqrt{a} \\ & \log((a*\cos(d*x + c)^3 - 7*a*\cos(d*x + c)^2 - 4*(\cos(d*x + c)^2 - 2*\cos(d*x + c))*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)})*\sin(d*x + c)/\sqrt{\cos(d*x + c)} + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)) - 4*((5*A + 3*B - 11*C)*\cos(d*x + c)^2 + (A + 7*B - 15*C)*\cos(d*x + c))*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}} \\ & / (a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d), -1/32*(\sqrt{2})*((5*A + 3*B - 43*C)*\cos(d*x + c)^3 + 3*(5*A + 3*B - 43*C)*\cos(d*x + c)^2 + 3*(5*A + 3*B - 43*C)*\cos(d*x + c) + 5*A + 3*B - 43*C)*\sqrt{-a} \\ & \arctan(\sqrt{2}*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)})*\sqrt{\cos(d*x + c)})/(a*\sin(d*x + c)) - 32*(C*\cos(d*x + c)^3 + 3*C*\cos(d*x + c)^2 + 3*C*\cos(d*x + c) + C)*\sqrt{-a} \\ & \arctan(2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)})*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(a*\cos(d*x + c)^2 - a*\cos(d*x + c) - 2*a)) - 2*((5*A + 3*B - 11*C)*\cos(d*x + c)^2 + (A + 7*B - 15*C)*\cos(d*x + c))*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}} \\ & / (a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))** (5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)^{\frac{3}{2}}}{(a \sec(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(5/2), x)
```

$$3.621 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=163

$$\frac{(19A + 5B + 3C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - B - 7C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(A - B + C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

[Out] ((19*A + 5*B + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((9*A - B - 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.408229, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4084, 4012, 3808, 206}

$$\frac{(19A + 5B + 3C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - B - 7C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(A - B + C) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((19*A + 5*B + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((9*A - B - 7*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4012

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] + Dist[(a*A*m + b*B*(m + 1))/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)} (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^{5/2}} dx &= -\frac{(A - B + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} + \frac{\int \frac{\sqrt{\sec(c+dx)} \left(\frac{1}{2}a(7A + 7B \sec(c+dx) + 3C \sec^2(c+dx))\right)}{(a + a \sec(c+dx))^{5/2}} dx}{(a + a \sec(c+dx))^{5/2}} \\ &= -\frac{(A - B + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(9A - B - 7C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\ &= -\frac{(A - B + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} - \frac{(9A - B - 7C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a + a \sec(c+dx))^{5/2}} \\ &= \frac{(19A + 5B + 3C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a + a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B + C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a + a \sec(c+dx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 1.9, size = 119, normalized size = 0.73

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{3}{2}}(c+dx) \left(8(19A + 5B + 3C) \cos^4\left(\frac{1}{2}(c+dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - 4 \sin\left(\frac{1}{2}(c+dx)\right) \left((13A - 7B - 3C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx) - (9A - B - 7C) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)\right)\right)}{64ad(a(\sec(c+dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2),x]
```

```
[Out] (Sec[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(8*(19*A + 5*B + 3*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 - 4*(9*A - B - 7*C + (13*A - 5*B - 3*C)*Cos[c + d*x])*Sin[(c + d*x)/2]))/(64*a*d*(a*(1 + Sec[c + d*x]))^(3/2))
```

Maple [B] time = 0.374, size = 482, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x)
```

```
[Out] 1/16/d/a^3*(1/cos(d*x+c))^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^2*(13*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+19*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-5*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2+5*B*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)-3*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+3*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-4*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+19*A*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+4*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)+5*B*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-4*C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+3*C*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-9*A*(-2/(cos(d*x+c)+1))^(1/2)+B*(-2/(cos(d*x+c)+1))^(1/2)+7*C*(-2/(cos(d*x+c)+1))^(1/2))/sin(d*x+c)^5/(-2/(cos(d*x+c)+1))^(1/2)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.54422, size = 1400, normalized size = 8.59

$$\frac{\sqrt{2}((19A + 5B + 3C)\cos(dx + c)^3 + 3(19A + 5B + 3C)\cos(dx + c)^2 + 3(19A + 5B + 3C)\cos(dx + c) + 19A + 5B + 3C)}{64(a^3d\cos(dx + c))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/64*(sqrt(2)*((19*A + 5*B + 3*C)*cos(d*x + c)^3 + 3*(19*A + 5*B + 3*C)*cos(d*x + c)^2 + 3*(19*A + 5*B + 3*C)*cos(d*x + c) + 19*A + 5*B + 3*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((13*A - 5*B - 3*C)*cos(d*x + c)^2 + (9*A - B - 7*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((19*A + 5*B + 3*C)*cos(d*x + c)^3 + 3*(19*A + 5*B + 3*C)*cos(d*x + c)^2 + 3*(19*A + 5*B + 3*C)*cos(d*x + c) + 19*A + 5*B + 3*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)))/(a*sin(d*x + c))) + 2*((13*A - 5*B - 3*C)*cos(d*x + c)^2 + (9*A - B - 7*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^(5/2), x)

$$3.622 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=211

$$\frac{(49A - 9B + C) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(75A - 19B - 5C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(13A - 5B - 3C) \sin(c + dx)}{16ad(a \sec(c + dx) + a)}$$

[Out] -((75*A - 19*B - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 5*B - 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((49*A - 9*B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.5896, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4084, 4020, 4013, 3808, 206}

$$\frac{(49A - 9B + C) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(75A - 19B - 5C) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(13A - 5B - 3C) \sin(c + dx)}{16ad(a \sec(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] -((75*A - 19*B - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 5*B - 3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((49*A - 9*B + C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),

Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} dx &= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(9A - B + C) - 2a(A - B - C) \sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(13A - 5B - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} \\
&= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(13A - 5B - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} \\
&= -\frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(13A - 5B - 3C)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} \\
&= -\frac{(75A - 19B - 5C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B + C)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 1.53791, size = 128, normalized size = 0.61

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx) \left(4 \sin\left(\frac{1}{2}(c + dx)\right) \left((85A - 13B + 5C) \cos(c + dx) + 16A \cos(2(c + dx)) + 65A - 9B + C\right) - 64ad(a(\sec(c + dx) + 1))^{3/2}\right)}{64ad(a(\sec(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (Sec[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(-8*(75*A - 19*B - 5*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + 4*(65*A - 9*B + C + (85*A - 13*B + 5*C)*Cos[c + d*x] + 16*A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])/(64*a*d*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.378, size = 594, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2), x)

```
[Out] 1/32/d/a^3*(-1+cos(d*x+c))^2*(75*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-19*B*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-5*C*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)^2+150*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-38*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-10*C*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)+75*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-64*A*cos(d*x+c)^3-19*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)-5*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-106*A*cos(d*x+c)^2+26*B*cos(d*x+c)^2-10*C*cos(d*x+c)^2+72*A*cos(d*x+c)-8*B*cos(d*x+c)+8*C*cos(d*x+c)+98*A-18*B+2*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^5/(1/cos(d*x+c))^(1/2)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.557281, size = 1476, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [-1/64*(sqrt(2)*((75*A - 19*B - 5*C)*cos(d*x + c)^3 + 3*(75*A - 19*B - 5*C)*cos(d*x + c)^2 + 3*(75*A - 19*B - 5*C)*cos(d*x + c) + 75*A - 19*B - 5*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(c
```

```

os(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(32*A*cos(d*x + c)^3 + (85*A - 13*
B + 5*C)*cos(d*x + c)^2 + (49*A - 9*B + C)*cos(d*x + c))*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^
3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(sqrt(2)*(
(75*A - 19*B - 5*C)*cos(d*x + c)^3 + 3*(75*A - 19*B - 5*C)*cos(d*x + c)^2 +
3*(75*A - 19*B - 5*C)*cos(d*x + c) + 75*A - 19*B - 5*C)*sqrt(-a)*arctan(sq
rt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(
a*sin(d*x + c))) + 2*(32*A*cos(d*x + c)^3 + (85*A - 13*B + 5*C)*cos(d*x + c
)^2 + (49*A - 9*B + C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)
)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x
+ c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+a*sec(d*x+c
))**(5/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/
2)*sqrt(sec(d*x + c))), x)
```

$$3.623 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=261

$$\frac{(299A - 147B + 27C) \sin(c + dx) \sqrt{\sec(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(95A - 39B + 15C) \sin(c + dx)}{48a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A - 75B + 19C) \tanh^{-1}}{16\sqrt{2}a^5}$$

[Out] ((163*A - 75*B + 19*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((17*A - 9*B + C)*Sin[c + d*x])/(16*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((95*A - 39*B + 15*C)*Sin[c + d*x])/(48*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((299*A - 147*B + 27*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.802, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4084, 4020, 4022, 4013, 3808, 206}

$$\frac{(299A - 147B + 27C) \sin(c + dx) \sqrt{\sec(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(95A - 39B + 15C) \sin(c + dx)}{48a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A - 75B + 19C) \tanh^{-1}}{16\sqrt{2}a^5}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((163*A - 75*B + 19*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((17*A - 9*B + C)*Sin[c + d*x])/(16*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((95*A - 39*B + 15*C)*Sin[c + d*x])/(48*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((299*A - 147*B + 27*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4020

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 4022

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/

```

Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

Rubi steps

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx = -\frac{(A - B + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(11A-3B+3C)-a(3A-3B-C)\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}} dx}{4a^2}$$

$$= -\frac{(A - B + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A - 9B + C) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}}$$

$$= -\frac{(A - B + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A - 9B + C) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}}$$

$$= -\frac{(A - B + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A - 9B + C) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}}$$

$$= -\frac{(A - B + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A - 9B + C) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}}$$

$$= \frac{(163A - 75B + 19C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B + C) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}}$$

Mathematica [A] time = 2.0878, size = 146, normalized size = 0.56

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx) \left(4 \sin\left(\frac{1}{2}(c + dx)\right) \left((-479A + 255B - 39C) \cos(c + dx) + (48B - 80A) \cos(2(c + dx)) + 8A \cos(3(c + dx))\right) + (-80A + 48B) \cos(2(c + dx)) + 8A \cos(3(c + dx))\right)}{192ad(a(\sec(c + dx)))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)),x]

[Out] (Sec[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(24*(163*A - 75*B + 19*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + 4*(-379*A + 195*B - 27*C + (-479*A + 255*B - 39*C)*Cos[c + d*x] + (-80*A + 48*B)*Cos[2*(c + d*x)] + 8*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/(192*a*d*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.391, size = 624, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(5/2)},x)$

[Out]
$$-1/96/d/a^3*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))^{(2/2)}*(489*A*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}-225*B*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}+57*C*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2+978*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}+64*A*\cos(d*x+c)^4-450*B*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}+114*C*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)+489*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*A*\sin(d*x+c)-384*A*\cos(d*x+c)^3-225*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*B*\sin(d*x+c)+192*B*\cos(d*x+c)^3+57*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-686*A*\cos(d*x+c)^2+318*B*\cos(d*x+c)^2-78*C*\cos(d*x+c)^2+408*A*\cos(d*x+c)-216*B*\cos(d*x+c)+24*C*\cos(d*x+c)+598*A-294*B+54*C)*\cos(d*x+c)^2*(1/\cos(d*x+c))^{(3/2)}/\sin(d*x+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(5/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.572841, size = 1615, normalized size = 6.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/192*(3*sqrt(2)*((163*A - 75*B + 19*C)*cos(d*x + c)^3 + 3*(163*A - 75*B + 19*C)*cos(d*x + c)^2 + 3*(163*A - 75*B + 19*C)*cos(d*x + c) + 163*A - 75*B + 19*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(32*A*cos(d*x + c)^4 - 32*(5*A - 3*B)*cos(d*x + c)^3 - (503*A - 255*B + 39*C)*cos(d*x + c)^2 - (299*A - 147*B + 27*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/96*(3*sqrt(2)*((163*A - 75*B + 19*C)*cos(d*x + c)^3 + 3*(163*A - 75*B + 19*C)*cos(d*x + c)^2 + 3*(163*A - 75*B + 19*C)*cos(d*x + c) + 163*A - 75*B + 19*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c)))) - 2*(32*A*cos(d*x + c)^4 - 32*(5*A - 3*B)*cos(d*x + c)^3 - (503*A - 255*B + 39*C)*cos(d*x + c)^2 - (299*A - 147*B + 27*C)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))  
^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/  
2)*sec(d*x + c)^(3/2)), x)
```

$$3.624 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \sec^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=313

$$\frac{(157A - 85B + 45C) \sin(c + dx)}{80a^2 d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{(2671A - 1495B + 735C) \sin(c + dx) \sqrt{\sec(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A - 475B + 195C)}{240a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

[Out] $-\left(\frac{(283A - 163B + 75C) \operatorname{ArcTanh}\left[\frac{\sqrt{a} \sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \sec(c + dx)}}\right]}{(16 \sqrt{2} a^{5/2} d) - ((A - B + C) \sin(c + dx) / (4 d \sec(c + dx)^{3/2} (a + a \sec(c + dx))^{5/2}) - ((21A - 13B + 5C) \sin(c + dx) / (16 a d \sec(c + dx)^{3/2} (a + a \sec(c + dx))^{3/2})) + ((157A - 85B + 45C) \sin(c + dx) / (80 a^2 d \sec(c + dx)^{3/2} \sqrt{a + a \sec(c + dx)}) - ((787A - 475B + 195C) \sin(c + dx) / (240 a^2 d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}) + ((2671A - 1495B + 735C) \sqrt{\sec(c + dx)} \sin(c + dx) / (240 a^2 d \sqrt{a + a \sec(c + dx)}))\right)$

Rubi [A] time = 0.990029, antiderivative size = 313, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4084, 4020, 4022, 4013, 3808, 206}

$$\frac{(157A - 85B + 45C) \sin(c + dx)}{80a^2 d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{(2671A - 1495B + 735C) \sin(c + dx) \sqrt{\sec(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A - 475B + 195C)}{240a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{(A + B \sec(c + dx) + C \sec^2(c + dx))}{(\sec(c + dx)^{5/2} (a + a \sec(c + dx)))^{5/2}}, x\right]$

[Out] $-\left(\frac{(283A - 163B + 75C) \operatorname{ArcTanh}\left[\frac{\sqrt{a} \sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \sec(c + dx)}}\right]}{(16 \sqrt{2} a^{5/2} d) - ((A - B + C) \sin(c + dx) / (4 d \sec(c + dx)^{3/2} (a + a \sec(c + dx))^{5/2}) - ((21A - 13B + 5C) \sin(c + dx) / (16 a d \sec(c + dx)^{3/2} (a + a \sec(c + dx))^{3/2})) + ((157A - 85B + 45C) \sin(c + dx) / (80 a^2 d \sec(c + dx)^{3/2} \sqrt{a + a \sec(c + dx)}) - ((787A - 475B + 195C) \sin(c + dx) / (240 a^2 d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}) + ((2671A - 1495B + 735C) \sqrt{\sec(c + dx)} \sin(c + dx) / (240 a^2 d \sqrt{a + a \sec(c + dx)}))\right)$

Rule 4084

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4020

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 4022

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= -\frac{(A - B + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(13A - 5B + 5C) - 4a(A - B) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx}{4a^2} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B + 5C) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= -\frac{(283A - 163B + 75C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B + C) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}}
 \end{aligned}$$

Mathematica [A] time = 3.29578, size = 221, normalized size = 0.71

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \left(A + B \sec(c + dx) + C \sec^2(c + dx)\right) \left(15(283A - 163B + 75C) \cos^4\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{60ad\sqrt{2}a^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)),x]

[Out] $-(\text{Sec}[(c + dx)/2]*(A + B*\text{Sec}[c + dx] + C*\text{Sec}[c + dx]^2)*(15*(283*A - 163*B + 75*C)*\text{ArcTanh}[\text{Sin}[(c + dx)/2]]*\text{Cos}[(c + dx)/2]^4 - ((3491*A - 1895*B + 975*C + 5*(887*A - 479*B + 255*C))*\text{Cos}[c + dx] + 16*(52*A - 25*B + 15*C))*\text{Cos}[2*(c + dx)] - 40*A*\text{Cos}[3*(c + dx)] + 40*B*\text{Cos}[3*(c + dx)] + 12*A*\text{Cos}[4*(c + dx)]*\text{Sin}[(c + dx)/2])/2)/(60*a*d*(A + 2*C + 2*B*\text{Cos}[c + dx] + A*\text{Cos}[2*(c + dx)])*\text{Sqrt}[\text{Sec}[c + dx]]*(a*(1 + \text{Sec}[c + dx]))^(3/2))$

Maple [B] time = 0.423, size = 657, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x)

[Out] $1/480/d/a^3*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))^{2*(4245*A*\sin(dx+c)*\cos(dx+c)^2*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1)))^{1/2))*(-2/(\cos(dx+c)+1))^{1/2}-192*A*\cos(dx+c)^5-2445*B*\sin(dx+c)*\cos(dx+c)^2*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1)))^{1/2))*(-2/(\cos(dx+c)+1))^{1/2}+1125*C*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1)))^{1/2))*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*\cos(dx+c)^2+8490*A*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1)))^{1/2))*(-2/(\cos(dx+c)+1))^{1/2}+512*A*\cos(dx+c)^4-4890*B*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1)))^{1/2))*(-2/(\cos(dx+c)+1))^{1/2}-320*B*\cos(dx+c)^4+2250*C*\sin(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1)))^{1/2))*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)+4245*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1)))^{1/2))*(-2/(\cos(dx+c)+1))^{1/2}*A*\sin(dx+c)-3456*A*\cos(dx+c)^3-2445*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1)))^{1/2))*(-2/(\cos(dx+c)+1))^{1/2}*B*\sin(dx+c)+1920*B*\cos(dx+c)^3+1125*C*(-2/(\cos(dx+c)+1))^{1/2}*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1)))^{1/2))*\sin(dx+c)-960*C*\cos(dx+c)^3-5974*A*\cos(dx+c)^2+3430*B*\cos(dx+c)^2-1590*C*\cos(dx+c)^2+3768*A*\cos(dx+c)-2040*B*\cos(dx+c)+1080*C*\cos(dx+c)+5342*A-2990*B+1470*C)*\cos(dx+c)^3*(1/\cos(dx+c))^{5/2}/\sin(dx+c)^5$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.586198, size = 1747, normalized size = 5.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="fricas")
```

```
[Out] [1/960*(15*sqrt(2)*((283*A - 163*B + 75*C)*cos(d*x + c)^3 + 3*(283*A - 163*
B + 75*C)*cos(d*x + c)^2 + 3*(283*A - 163*B + 75*C)*cos(d*x + c) + 283*A -
163*B + 75*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*co
s(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x
+ c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(96*A*cos(d*x + c)^
5 - 160*(A - B)*cos(d*x + c)^4 + 32*(49*A - 25*B + 15*C)*cos(d*x + c)^3 + 5
*(911*A - 503*B + 255*C)*cos(d*x + c)^2 + (2671*A - 1495*B + 735*C)*cos(d*x
+ c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x +
c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c)
+ a^3*d), 1/480*(15*sqrt(2)*((283*A - 163*B + 75*C)*cos(d*x + c)^3 + 3*(283
*A - 163*B + 75*C)*cos(d*x + c)^2 + 3*(283*A - 163*B + 75*C)*cos(d*x + c) +
283*A - 163*B + 75*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c)))) + 2*(96*A*cos(d*x
+ c)^5 - 160*(A - B)*cos(d*x + c)^4 + 32*(49*A - 25*B + 15*C)*cos(d*x + c)
^3 + 5*(911*A - 503*B + 255*C)*cos(d*x + c)^2 + (2671*A - 1495*B + 735*C)*c
os(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(
d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x
+ c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**5/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a)^{\frac{5}{2}} \sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2)), x)
```

3.625 $\int (a + a \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=446

$$\frac{3^{3/4}(5B + 2C) \tan(c + dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right) \sqrt{\frac{(\sec(c + dx) + 1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c + dx) + 1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}} (a \sec(c + dx) + a)^{2/3} \text{EllipticF} \left(\frac{3 \sqrt[3]{2} d (1 - \sec(c + dx)) (\sec(c + dx) + 1) \sqrt{\frac{\sqrt[3]{\sec(c + dx) + 1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right)}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}}}{\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1}} \right)}{10 \sqrt[3]{2} d (1 - \sec(c + dx)) (\sec(c + dx) + 1) \sqrt{\frac{\sqrt[3]{\sec(c + dx) + 1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right)}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}}}$$

[Out] (3*C*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(5*d) + (3*Sqrt[2]*A*AppellF1[7/6, 1/2, 1, 13/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(7*d*Sqrt[1 - Sec[c + d*x]]) + (3*(5*B + 2*C)*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(10*d*(1 + Sec[c + d*x])) - (3^(3/4)*(5*B + 2*C)*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x])/(10*2^(1/3)*d*(1 - Sec[c + d*x]))*(1 + Sec[c + d*x])*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]]

Rubi [A] time = 0.722644, antiderivative size = 446, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4054, 3924, 3779, 3778, 136, 3828, 3827, 50, 63, 225}

$$\frac{3\sqrt{2}A \tan(c + dx)(a \sec(c + dx) + a)^{2/3} F_1\left(\frac{7}{6}; \frac{1}{2}, 1; \frac{13}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)}{7d\sqrt{1 - \sec(c + dx)}} + \frac{3(5B + 2C) \tan(c + dx)(a \sec(c + dx) + a)^{2/3}}{10d(\sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*C*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(5*d) + (3*Sqrt[2]*A*AppellF1[7/6, 1/2, 1, 13/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(7*d*Sqrt[1 - Sec[c + d*x]]) + (3*(5*B + 2*C)*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(10*d*(1 + Sec[c + d*x])) - (3^(3/4)*(5*B + 2*C)*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x])/(10*2^(1/3)*d*(1 - Sec[c + d*x]))*(1 + Sec[c + d*x])*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]]

```

+ a*Sec[c + d*x]^(2/3)*Tan[c + d*x])/(10*d*(1 + Sec[c + d*x])) - (3^(3/4)*
(5*B + 2*C)*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1
/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*
(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/
3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3)
- (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2*Tan[c + d*x])/(10*2^(1/3)*d*(1
- Sec[c + d*x]))*(1 + Sec[c + d*x])*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/
3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])
^(1/3))^2]]

```

Rule 4054

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[
(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x
], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &&
!LtQ[m, -2^(-1)]

```

Rule 3924

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)^(m_))*csc[(e_.) + (f_.)*(x_)]*(d
_.) + (c_.), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist
[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e
, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

```

Rule 3779

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)^(n_)), x_Symbol] := Dist[(a^IntPa
rt[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n
], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && E
qQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

```

Rule 3778

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)^(n_)), x_Symbol] := Dist[(a^n*Cot
[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1
+ (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; Fre
eQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

```

Rule 136

```

Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))
^(p_), x_Symbol] := Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -
n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/

```

$(b^{(p+1)}(m+1)(b/(b*c - a*d))^n), x] /;$ FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_], x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_], x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n-1)*(a + b*x)^(m-1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 50

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m+1)*(c + d*x)^n/(b*(m+n+1)), x] + Dist[(n*(b*c - a*d))/(b*(m+n+1)), Int[(a + b*x)^m*(c + d*x)^(n-1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m+n+1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m-n, 0]))) && !ILtQ[m+n+2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 225

Int[1/Sqrt[(a_.) + (b_.)*(x_)^6], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x]

]

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{3 \int (a + a \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx}{5d} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + A \int (a + a \sec(c + dx))^{2/3} dx \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{(A(a + a \sec(c + dx))^{2/3} \int (a + a \sec(c + dx))^{2/3} dx)}{5d} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} - \frac{(A(a + a \sec(c + dx))^{2/3} \int (a + a \sec(c + dx))^{2/3} dx)}{5d} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{3\sqrt{2}AF_1\left(\frac{7}{6}; \frac{a + a \sec(c + dx)}{2a}\right)}{5d} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{3\sqrt{2}AF_1\left(\frac{7}{6}; \frac{a + a \sec(c + dx)}{2a}\right)}{5d} \\
&= \frac{3C(a + a \sec(c + dx))^{2/3} \tan(c + dx)}{5d} + \frac{3\sqrt{2}AF_1\left(\frac{7}{6}; \frac{a + a \sec(c + dx)}{2a}\right)}{5d}
\end{aligned}$$

Mathematica [B] time = 21.0617, size = 5449, normalized size = 12.22

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + a*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

[Out] Result too large to show

Maple [F] time = 0.182, size = 0, normalized size = 0.

$$\int (a + a \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(2/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a (\sec(c + dx) + 1))^{\frac{2}{3}} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((a*(sec(c + d*x) + 1))**(2/3)*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(2/3), x)

$$3.626 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=390

$$\frac{3^{3/4}(2B-C) \tan(c+dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right) \sqrt{\frac{(\sec(c+dx)+1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c+dx)+1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \operatorname{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - (1-\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right)}{\right)}{2 \sqrt[3]{2} d (1 - \sec(c+dx)) \sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right)}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2} \sqrt[3]{a \sec(c+dx) + a}}}$$

[Out] (3*C*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(1/3)) + (3*Sqrt[2]*A*AppellF1[1/6, 1/2, 1, 7/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)) - (3^(3/4)*(2*B - C)*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))]^2]*Tan[c + d*x])/(2*2^(1/3)*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3))*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]]

Rubi [A] time = 0.451648, antiderivative size = 390, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4054, 3924, 3779, 3778, 136, 3828, 3827, 63, 225}

$$\frac{3\sqrt{2}A \tan(c+dx) F_1\left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(\sec(c+dx)+1), \sec(c+dx)+1\right)}{d\sqrt{1-\sec(c+dx)}\sqrt[3]{a \sec(c+dx)+a}} - \frac{3^{3/4}(2B-C) \tan(c+dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right)}{2 \sqrt[3]{2} d (1 - \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(1/3), x]

[Out] (3*C*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(1/3)) + (3*Sqrt[2]*A*AppellF1[1/6, 1/2, 1, 7/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)) - (3^(3/4)*(2*B - C)*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(2^(1/3) - (1

$$+ \text{Sec}[c + d*x]^{(1/3)} * \text{Sqrt}[(2^{(2/3)} + 2^{(1/3)} * (1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)}) / (2^{(1/3)} - (1 + \text{Sqrt}[3]) * (1 + \text{Sec}[c + d*x])^{(1/3)})^2] * \text{Tan}[c + d*x] / (2 * 2^{(1/3)} * d * (1 - \text{Sec}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^{(1/3)}) * \text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)} * (2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})) / (2^{(1/3)} - (1 + \text{Sqrt}[3]) * (1 + \text{Sec}[c + d*x])^{(1/3)})^2)]]$$

Rule 4054

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)(x_.)] * (B_.) + \text{csc}[(e_.) + (f_.)(x_.)]^2 * (C_.) * (\text{csc}[(e_.) + (f_.)(x_.)] * (b_.) + (a_.))^{(m_.)}, x_Symbol] :> -\text{Simp}[(C * \text{Cot}[e + f*x] * (a + b * \text{Csc}[e + f*x])^m) / (f * (m + 1)), x] + \text{Dist}[1 / (b * (m + 1)), \text{Int}[(a + b * \text{Csc}[e + f*x])^m * \text{Simp}[A * b * (m + 1) + (a * C * m + b * B * (m + 1)) * \text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$$

Rule 3924

$$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)] * (b_.) + (a_.))^{(m_.)} * (\text{csc}[(e_.) + (f_.)(x_.)] * (d_.) + (c_.)), x_Symbol] :> \text{Dist}[c, \text{Int}[(a + b * \text{Csc}[e + f*x])^m, x], x] + \text{Dist}[d, \text{Int}[(a + b * \text{Csc}[e + f*x])^m * \text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b * c - a * d, 0] \&\& !\text{IntegerQ}[2 * m]$$

Rule 3779

$$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_.)] * (b_.) + (a_.))^{(n_.)}, x_Symbol] :> \text{Dist}[(a^{\text{IntPart}[n]} * (a + b * \text{Csc}[c + d*x])^{\text{FracPart}[n]}) / (1 + (b * \text{Csc}[c + d*x]) / a)^{\text{FracPart}[n]}, \text{Int}[(1 + (b * \text{Csc}[c + d*x]) / a)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[2 * n] \&\& !\text{GtQ}[a, 0]$$

Rule 3778

$$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_.)] * (b_.) + (a_.))^{(n_.)}, x_Symbol] :> \text{Dist}[(a^n * \text{Cot}[c + d*x]) / (d * \text{Sqrt}[1 + \text{Csc}[c + d*x]] * \text{Sqrt}[1 - \text{Csc}[c + d*x]]), \text{Subst}[\text{Int}[(1 + (b*x) / a)^{(n - 1/2)} / (x * \text{Sqrt}[1 - (b*x) / a]), x], x, \text{Csc}[c + d*x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[2 * n] \&\& \text{GtQ}[a, 0]$$

Rule 136

$$\text{Int}[(a_.) + (b_.)(x_.))^{(m_.)} * ((c_.) + (d_.)(x_.))^{(n_.)} * ((e_.) + (f_.)(x_.))^{(p_.)}, x_Symbol] :> \text{Simp}[(b * e - a * f)^p * (a + b*x)^{(m + 1)} * \text{AppellF1}[m + 1, -n, -p, m + 2, -((d * (a + b*x)) / (b * c - a * d)), -((f * (a + b*x)) / (b * e - a * f))] / (b^{(p + 1)} * (m + 1) * (b / (b * c - a * d))^n), x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n\}, x] \&\& !\text{IntegerQ}[m] \&\& !\text{IntegerQ}[n] \&\& \text{IntegerQ}[p] \&\& \text{GtQ}[b / (b * c - a * d), 0] \&\& !(\text{GtQ}[d / (d * a - c * b), 0] \&\& \text{SimplerQ}[c + d*x, a + b*x])$$

Rule 3828

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)^(m_), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m
])/((1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a]^m*(d*
Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2
, 0] && !IntegerQ[m] && !GtQ[a, 0]
```

Rule 3827

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)^(m_), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*
x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2)
)/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x
] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x
]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx &= \frac{3C \tan(c + dx)}{2d \sqrt[3]{a + a \sec(c + dx)}} + \frac{3 \int \frac{\frac{2aA}{3} + \frac{1}{3}a(2B-C) \sec(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx}{2a} \\
&= \frac{3C \tan(c + dx)}{2d \sqrt[3]{a + a \sec(c + dx)}} + A \int \frac{1}{\sqrt[3]{a + a \sec(c + dx)}} dx + \frac{1}{2}(2B - C) \int \frac{\sec(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx \\
&= \frac{3C \tan(c + dx)}{2d \sqrt[3]{a + a \sec(c + dx)}} + \frac{(A \sqrt[3]{1 + \sec(c + dx)}) \int \frac{1}{\sqrt[3]{1 + \sec(c + dx)}} dx}{\sqrt[3]{a + a \sec(c + dx)}} + \frac{(2B - C) \int \frac{\sec(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx}{\sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{3C \tan(c + dx)}{2d \sqrt[3]{a + a \sec(c + dx)}} - \frac{(A \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1 - xx(1+x)^{5/6}}} dx, x, \sec(c + dx) \right)}{d \sqrt{1 - \sec(c + dx)} \sqrt[3]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{3C \tan(c + dx)}{2d \sqrt[3]{a + a \sec(c + dx)}} + \frac{3\sqrt{2} AF_1 \left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right)}{d \sqrt{1 - \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{3C \tan(c + dx)}{2d \sqrt[3]{a + a \sec(c + dx)}} + \frac{3\sqrt{2} AF_1 \left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right)}{d \sqrt{1 - \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 19.5951, size = 2931, normalized size = 7.52

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(1/3), x]

[Out] (3*C*Cos[c + d*x]^2*((1 + Cos[c + d*x])*Sec[c + d*x])^(2/3)*(1 + Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Tan[(c + d*x)/2])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a*(1 + Sec[c + d*x]))^(1/3)) + (2^(2/3)*Cos[c + d*x]^2*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(2/3)*(1 + Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(A*Cos[c + d*x]*Sec[(c + d*x)/2]^2*(1 + Sec[c + d*x])^(2/3) + Sec[(c + d*x)/2]^2*(B*(1 + Sec[c + d*x])^(2/3) - (C*(1 + Sec[c + d*x])^(2/3))/2))*Tan[(c + d*x)/2]*(-(2*A - 2*B + C)*AppellF1[3/2, 2/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)*Tan[(c + d*x)/2]^2) + (27*(2*A + 2*B - C)*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Cos[(c + d*x)/2]^2)/(9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2,

$$\begin{aligned} & -\operatorname{Tan}[(c+d*x)/2]^2 + 2*(-3*\operatorname{AppellF1}[3/2, 2/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, \\ & -\operatorname{Tan}[(c+d*x)/2]^2 + 2*\operatorname{AppellF1}[3/2, 5/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan} \\ & \operatorname{Tan}[(c+d*x)/2]^2])*\operatorname{Tan}[(c+d*x)/2]^2)/((3*d*(A+2*C+2*B*\operatorname{Cos}[c+d*x] \\ & +A*\operatorname{Cos}[2*c+2*d*x])*(a*(1+\operatorname{Sec}[c+d*x]))^(1/3)*((\operatorname{Sec}[(c+d*x)/2]^2*(\operatorname{Co} \\ & \operatorname{s}[(c+d*x)/2]^2*\operatorname{Sec}[c+d*x])^(2/3)*(-(2*A-2*B+C)*\operatorname{AppellF1}[3/2, 2/3, \\ & 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*(\operatorname{Cos}[c+d*x]*\operatorname{Sec}[(c+d*x) \\ &]/2]^2)^(2/3)*\operatorname{Tan}[(c+d*x)/2]^2 + (27*(2*A+2*B-C)*\operatorname{AppellF1}[1/2, 2/3, \\ & 1, 3/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Cos}[(c+d*x)/2]^2)/(9*\operatorname{App} \\ & \operatorname{ellF1}[1/2, 2/3, 1, 3/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2 + 2*(-3*\operatorname{App} \\ & \operatorname{ellF1}[3/2, 2/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2 + 2*\operatorname{Appel} \\ & \operatorname{lF1}[3/2, 5/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2])*\operatorname{Tan}[(c+d* \\ & x)/2]^2))/((3*2^(1/3)) + (2^(2/3)*(\operatorname{Cos}[(c+d*x)/2]^2*\operatorname{Sec}[c+d*x])^(2/3)*\operatorname{T} \\ & \operatorname{an}[(c+d*x)/2]*(-(2*A-2*B+C)*\operatorname{AppellF1}[3/2, 2/3, 1, 5/2, \operatorname{Tan}[(c+d*x) \\ &]/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Sec}[(c+d*x)/2]^2*(\operatorname{Cos}[c+d*x]*\operatorname{Sec}[(c+d*x) \\ &]/2]^2)^(2/3)*\operatorname{Tan}[(c+d*x)/2]) - (2*A-2*B+C)*(\operatorname{Cos}[c+d*x]*\operatorname{Sec}[(c+d*x) \\ &]/2]^2)^(2/3)*\operatorname{Tan}[(c+d*x)/2]^2*(-3*\operatorname{AppellF1}[5/2, 2/3, 2, 7/2, \operatorname{Tan}[(c+d* \\ & x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c+d*x)/2])/5 + (2*A \\ & \operatorname{ppellF1}[5/2, 5/3, 1, 7/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Sec}[(c+ \\ & d*x)/2]^2*\operatorname{Tan}[(c+d*x)/2])/5 - (2*(2*A-2*B+C)*\operatorname{AppellF1}[3/2, 2/3, 1, \\ & 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Tan}[(c+d*x)/2]^2*(-(\operatorname{Sec}[(c \\ & +d*x)/2]^2*\operatorname{Sin}[c+d*x]) + \operatorname{Cos}[c+d*x]*\operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c+d*x)/2 \\ &]))/((3*(\operatorname{Cos}[c+d*x]*\operatorname{Sec}[(c+d*x)/2]^2)^(1/3)) - (27*(2*A+2*B-C)*\operatorname{Appel} \\ & \operatorname{lF1}[1/2, 2/3, 1, 3/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Cos}[(c+d*x) \\ &]/2]*\operatorname{Sin}[(c+d*x)/2])/((9*\operatorname{AppellF1}[1/2, 2/3, 1, 3/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{T} \\ & \operatorname{an}[(c+d*x)/2]^2 + 2*(-3*\operatorname{AppellF1}[3/2, 2/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, - \\ & \operatorname{Tan}[(c+d*x)/2]^2 + 2*\operatorname{AppellF1}[3/2, 5/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan} \\ & [(c+d*x)/2]^2])*\operatorname{Tan}[(c+d*x)/2]^2 + (27*(2*A+2*B-C)*\operatorname{Cos}[(c+d*x)/2] \\ &]^2*(-(\operatorname{AppellF1}[3/2, 2/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2* \\ & \operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c+d*x)/2])/3 + (2*\operatorname{AppellF1}[3/2, 5/3, 1, 5/2, \operatorname{Tan} \\ & (c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c+d*x)/2])/9 \\ &))/(9*\operatorname{AppellF1}[1/2, 2/3, 1, 3/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2 + \\ & 2*(-3*\operatorname{AppellF1}[3/2, 2/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2 \\ & + 2*\operatorname{AppellF1}[3/2, 5/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2])*\operatorname{T} \\ & \operatorname{an}[(c+d*x)/2]^2 - (27*(2*A+2*B-C)*\operatorname{AppellF1}[1/2, 2/3, 1, 3/2, \operatorname{Tan}[(c+ \\ & d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Cos}[(c+d*x)/2]^2*(2*(-3*\operatorname{AppellF1}[3/2, 2/ \\ & 3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2 + 2*\operatorname{AppellF1}[3/2, 5/3, \\ & 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2])*\operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c \\ & +d*x)/2] + 9*(-(\operatorname{AppellF1}[3/2, 2/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+ \\ & d*x)/2]^2*\operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c+d*x)/2])/3 + (2*\operatorname{AppellF1}[3/2, 5/3, 1 \\ & , 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c+ \\ & d*x)/2])/9) + 2*\operatorname{Tan}[(c+d*x)/2]^2*(-3*(-6*\operatorname{AppellF1}[5/2, 2/3, 3, 7/2, \operatorname{Tan} \\ & [(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c+d*x)/2])/ \\ & 5 + (2*\operatorname{AppellF1}[5/2, 5/3, 2, 7/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2* \\ & \operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c+d*x)/2])/5) + 2*((-3*\operatorname{AppellF1}[5/2, 5/3, 2, 7/2, \\ & \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2*\operatorname{Sec}[(c+d*x)/2]^2*\operatorname{Tan}[(c+d*x)/ \\ \end{aligned}$$

2))/5 + AppellF1[5/2, 8/3, 1, 7/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2 * Sec[(c + d*x)/2]^2 * Tan[(c + d*x)/2]])/(9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2)/3 + (2*2^(2/3)*Tan[(c + d*x)/2]*(-(2*A - 2*B + C)*AppellF1[3/2, 2/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)*Tan[(c + d*x)/2]^2) + (27*(2*A + 2*B - C)*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Cos[(c + d*x)/2]^2)/(9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2))*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(9*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(1/3)))

Maple [F] time = 0.178, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c) + C (\sec(dx + c))^2) \frac{1}{\sqrt[3]{a + a \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x)

[Out] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(1/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/3),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(1/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(1/3), x)

$$3.627 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=402

$$\frac{3^{3/4}(A-B-4C) \tan(c+dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right) \sqrt{\frac{(\sec(c+dx)+1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c+dx)+1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \operatorname{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - (1-\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right)}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right)}{5 \sqrt[3]{2} ad(1 - \sec(c+dx)) \sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right)}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \sqrt[3]{a \sec(c+dx) + a}}$$

[Out] $(-3*(A - B + C)*\operatorname{Tan}[c + d*x]) / (5*d*(a + a*\operatorname{Sec}[c + d*x])^{(4/3)}) + (3*\operatorname{Sqrt}[2]*A*\operatorname{AppellF1}[1/6, 1/2, 1, 7/6, (1 + \operatorname{Sec}[c + d*x])/2, 1 + \operatorname{Sec}[c + d*x]]*\operatorname{Tan}[c + d*x]) / (a*d*\operatorname{Sqrt}[1 - \operatorname{Sec}[c + d*x]]*(a + a*\operatorname{Sec}[c + d*x])^{(1/3)}) + (3^{(3/4)}*(A - B - 4*C)*\operatorname{EllipticF}[\operatorname{ArcCos}[(2^{(1/3)} - (1 - \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)}] / (2^{(1/3)} - (1 + \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)}], (2 + \operatorname{Sqrt}[3]) / 4] * (2^{(1/3)} - (1 + \operatorname{Sec}[c + d*x])^{(1/3)}) * \operatorname{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \operatorname{Sec}[c + d*x])^{(1/3)} + (1 + \operatorname{Sec}[c + d*x])^{(2/3)}) / (2^{(1/3)} - (1 + \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})^2] * \operatorname{Tan}[c + d*x]) / (5*2^{(1/3)}*a*d*(1 - \operatorname{Sec}[c + d*x])*(a + a*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Sqrt}[-((1 + \operatorname{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \operatorname{Sec}[c + d*x])^{(1/3)})) / (2^{(1/3)} - (1 + \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})^2])$

Rubi [A] time = 0.469029, antiderivative size = 402, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4052, 3924, 3779, 3778, 136, 3828, 3827, 63, 225}

$$\frac{3\sqrt{2}A \tan(c+dx) F_1 \left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(\sec(c+dx)+1), \sec(c+dx)+1 \right)}{ad\sqrt{1 - \sec(c+dx)} \sqrt[3]{a \sec(c+dx) + a}} - \frac{3(A-B+C) \tan(c+dx)}{5d(a \sec(c+dx) + a)^{4/3}} + \frac{3^{3/4}(A-B-4C) \tan(c+dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right) \sqrt{\frac{(\sec(c+dx)+1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c+dx)+1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \operatorname{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - (1-\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right)}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right)}{5 \sqrt[3]{2} ad(1 - \sec(c+dx)) \sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right)}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \sqrt[3]{a \sec(c+dx) + a}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2) / (a + a*\operatorname{Sec}[c + d*x])^{(4/3)}, x]$

[Out] $(-3*(A - B + C)*\operatorname{Tan}[c + d*x]) / (5*d*(a + a*\operatorname{Sec}[c + d*x])^{(4/3)}) + (3*\operatorname{Sqrt}[2]*A*\operatorname{AppellF1}[1/6, 1/2, 1, 7/6, (1 + \operatorname{Sec}[c + d*x])/2, 1 + \operatorname{Sec}[c + d*x]]*\operatorname{Tan}[c + d*x]) / (a*d*\operatorname{Sqrt}[1 - \operatorname{Sec}[c + d*x]]*(a + a*\operatorname{Sec}[c + d*x])^{(1/3)}) + (3^{(3/4)}*(A - B - 4*C)*\operatorname{EllipticF}[\operatorname{ArcCos}[(2^{(1/3)} - (1 - \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)}] / (2^{(1/3)} - (1 + \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)}], (2 + \operatorname{Sqrt}[3]) / 4] * (2^{(1/3)} - (1 + \operatorname{Sec}[c + d*x])^{(1/3)}) * \operatorname{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \operatorname{Sec}[c + d*x])^{(1/3)} + (1 + \operatorname{Sec}[c + d*x])^{(2/3)}) / (2^{(1/3)} - (1 + \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})^2] * \operatorname{Tan}[c + d*x]) / (5*2^{(1/3)}*a*d*(1 - \operatorname{Sec}[c + d*x])*(a + a*\operatorname{Sec}[c + d*x])^{(1/3)}*\operatorname{Sqrt}[-((1 + \operatorname{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \operatorname{Sec}[c + d*x])^{(1/3)})) / (2^{(1/3)} - (1 + \operatorname{Sqrt}[3]))*(1 + \operatorname{Sec}[c + d*x])^{(1/3)})^2])$

$$4] * (2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)}) * \text{Sqrt}[(2^{(2/3)} + 2^{(1/3)} * (1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)}) / (2^{(1/3)} - (1 + \text{Sqrt}[3]) * (1 + \text{Sec}[c + d*x])^{(1/3)})^2] * \text{Tan}[c + d*x] / (5 * 2^{(1/3)} * a * d * (1 - \text{Sec}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^{(1/3)} * \text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)} * (2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})) / (2^{(1/3)} - (1 + \text{Sqrt}[3]) * (1 + \text{Sec}[c + d*x])^{(1/3)})^2)])$$

Rule 4052

$$\text{Int}[(A_{.}) + \text{csc}[(e_{.}) + (f_{.}) * (x_{.})] * (B_{.}) + \text{csc}[(e_{.}) + (f_{.}) * (x_{.})]^2 * (C_{.}) * (\text{csc}[(e_{.}) + (f_{.}) * (x_{.})] * (b_{.}) + (a_{.}))^{(m_{.})}, x_Symbol] \rightarrow -\text{Simp}[(a * A - b * B + a * C) * \text{Cot}[e + f * x] * (a + b * \text{Csc}[e + f * x])^m / (a * f * (2 * m + 1)), x] + \text{Dist}[1 / (a * b * (2 * m + 1)), \text{Int}[(a + b * \text{Csc}[e + f * x])^{(m + 1)} * \text{Simp}[A * b * (2 * m + 1) + (b * B * (m + 1) - a * (A * (m + 1) - C * m)) * \text{Csc}[e + f * x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$$

Rule 3924

$$\text{Int}[(\text{csc}[(e_{.}) + (f_{.}) * (x_{.})] * (b_{.}) + (a_{.}))^{(m_{.})} * (\text{csc}[(e_{.}) + (f_{.}) * (x_{.})] * (d_{.}) + (c_{.})), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(a + b * \text{Csc}[e + f * x])^m, x], x] + \text{Dist}[d, \text{Int}[(a + b * \text{Csc}[e + f * x])^m * \text{Csc}[e + f * x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b * c - a * d, 0] \&\& \text{IntegerQ}[2 * m]$$

Rule 3779

$$\text{Int}[(\text{csc}[(c_{.}) + (d_{.}) * (x_{.})] * (b_{.}) + (a_{.}))^{(n_{.})}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[n]} * (a + b * \text{Csc}[c + d * x])^{\text{FracPart}[n]}) / (1 + (b * \text{Csc}[c + d * x]) / a)^{\text{FracPart}[n]}, \text{Int}[(1 + (b * \text{Csc}[c + d * x]) / a)^n, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2 * n] \&\& \text{GtQ}[a, 0]$$

Rule 3778

$$\text{Int}[(\text{csc}[(c_{.}) + (d_{.}) * (x_{.})] * (b_{.}) + (a_{.}))^{(n_{.})}, x_Symbol] \rightarrow \text{Dist}[(a^n * \text{Cot}[c + d * x] / (d * \text{Sqrt}[1 + \text{Csc}[c + d * x]] * \text{Sqrt}[1 - \text{Csc}[c + d * x]]), \text{Subst}[\text{Int}[(1 + (b * x) / a)^{(n - 1/2)} / (x * \text{Sqrt}[1 - (b * x) / a]), x], x, \text{Csc}[c + d * x]], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2 * n] \&\& \text{GtQ}[a, 0]$$

Rule 136

$$\text{Int}[(a_{.}) + (b_{.}) * (x_{.})^{(m_{.})} * ((c_{.}) + (d_{.}) * (x_{.}))^{(n_{.})} * ((e_{.}) + (f_{.}) * (x_{.}))^{(p_{.})}, x_Symbol] \rightarrow \text{Simp}[(b * e - a * f)^p * (a + b * x)^{(m + 1)} * \text{AppellF1}[m + 1, -n, -p, m + 2, -((d * (a + b * x)) / (b * c - a * d)), -((f * (a + b * x)) / (b * e - a * f))] / (b^{(p + 1)} * (m + 1) * (b / (b * c - a * d))^n), x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n\}, x] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n] \&\& \text{IntegerQ}[p] \&\& \text{GtQ}[b / (b * c - a * d), 0] \&\& \text{!(GtQ}[d / (d * a - c * b), 0] \&\& \text{SimplerQ}[c + d * x, a + b * x])$$

Rule 3828

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m]
)/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*
Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2
, 0] && !IntegerQ[m] && !GtQ[a, 0]
```

Rule 3827

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)^(m_), x_Symbol] := Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*
x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2)
)/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x]
] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{4/3}} dx &= -\frac{3(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} - \frac{3 \int \frac{-\frac{5aA}{3} + \frac{1}{3}a(A - B - 4C) \sec(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx}{5a^2} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} + \frac{A \int \frac{1}{\sqrt[3]{a + a \sec(c + dx)}} dx}{a} - \frac{(A - B - 4C) \int \frac{\sec(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx}{5a} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} + \frac{(A \sqrt[3]{1 + \sec(c + dx)}) \int \frac{1}{\sqrt[3]{1 + \sec(c + dx)}} dx}{a \sqrt[3]{a + a \sec(c + dx)}} - \frac{(A - B - 4C) \int \frac{\sec(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx}{5a} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} - \frac{(A \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1 - xx(1+x)^{5/6}}} dx, x, \sec(c + dx) \right)}{ad \sqrt{1 - \sec(c + dx)} \sqrt[6]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} + \frac{3\sqrt{2} AF_1 \left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right)}{ad \sqrt{1 - \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{5d(a + a \sec(c + dx))^{4/3}} + \frac{3\sqrt{2} AF_1 \left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx) \right)}{ad \sqrt{1 - \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 19.5334, size = 3029, normalized size = 7.53

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(4/3), x]

[Out] (Cos[c + d*x]^2*((1 + Cos[c + d*x])*Sec[c + d*x])^(2/3)*(1 + Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-6*Sec[(c + d*x)/2]*(A*Sin[(c + d*x)/2] - B*Sin[(c + d*x)/2] + C*Sin[(c + d*x)/2]))/5 + (3*Sec[(c + d*x)/2]^3*(A*Sin[(c + d*x)/2] - B*Sin[(c + d*x)/2] + C*Sin[(c + d*x)/2]))/5)/((d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a*(1 + Sec[c + d*x]))^(4/3)) + (2*2^(2/3)*Cos[c + d*x]^2*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(2/3)*(1 + Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(A*Cos[c + d*x]*Sec[(c + d*x)/2]^2*(1 + Sec[c + d*x])^(2/3) + Sec[(c + d*x)/2]^2*(-(A*(1 + Sec[c + d*x])^(2/3))/5 + (B*(1 + Sec[c + d*x])^(2/3))/5 + (4*C*(1 + Sec[c + d*x])^(2/3))/5))*Tan[(c + d*x)/2]*((-6*A + B + 4*C)*AppellF1[3/2, 2/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(Cos[c + d*x]*Sec[(c

$$\begin{aligned}
& + d*x)/2]^2)^{(2/3)*\text{Tan}[(c + d*x)/2]^2 + (27*(4*A + B + 4*C)*\text{AppellF1}[1/2, 2 \\
& /3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Cos}[(c + d*x)/2]^2)/(9 \\
& *\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*(- \\
& 3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*A \\
& \text{ppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c \\
& + d*x)/2]^2)))/(15*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a*(\\
& 1 + \text{Sec}[c + d*x]))^{(4/3)*((2^{(2/3)*\text{Sec}[(c + d*x)/2]^2*(\text{Cos}[(c + d*x)/2]^2*S \\
& \text{ec}[c + d*x])^{(2/3)*((-6*A + B + 4*C)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d* \\
& x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)*\text{Tan}[(\\
& c + d*x)/2]^2 + (27*(4*A + B + 4*C)*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x \\
&)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Cos}[(c + d*x)/2]^2)/(9*\text{AppellF1}[1/2, 2/3, 1, 3 \\
& /2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*(-3*\text{AppellF1}[3/2, 2/3, 2, \\
& 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2 \\
& , \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c + d*x)/2]^2)))/15 + (2*2 \\
& ^{(2/3)*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^{(2/3)*\text{Tan}[(c + d*x)/2]*((-6*A + B \\
& + 4*C)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)* \\
& \text{Sec}[(c + d*x)/2]^2*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)*\text{Tan}[(c + d*x)/2] \\
& + (-6*A + B + 4*C)*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)*\text{Tan}[(c + d*x)/2] \\
&]^2*((-3*\text{AppellF1}[5/2, 2/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 \\
&]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + (2*\text{AppellF1}[5/2, 5/3, 1, 7/2, \text{Tan} \\
& [(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2] \\
& /5) + (2*(-6*A + B + 4*C)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{T} \\
& \text{an}[(c + d*x)/2]^2)*\text{Tan}[(c + d*x)/2]^2*(-(\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]) + \\
& \text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/(3*(\text{Cos}[c + d*x]*\text{Sec}[(c \\
& + d*x)/2]^2)^{(1/3)}) - (27*(4*A + B + 4*C)*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(\\
& c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Cos}[(c + d*x)/2]*\text{Sin}[(c + d*x)/2])/(9*A \\
& \text{ppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*(-3* \\
& \text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*\text{App} \\
& \text{ellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c + \\
& d*x)/2]^2) + (27*(4*A + B + 4*C)*\text{Cos}[(c + d*x)/2]^2*(-(\text{AppellF1}[3/2, 2/3, 2 \\
& , 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + \\
& d*x)/2])/3 + (2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d \\
& *x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/9))/(9*\text{AppellF1}[1/2, 2/3, 1, \\
& 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*(-3*\text{AppellF1}[3/2, 2/3, 2 \\
& , 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*\text{AppellF1}[3/2, 5/3, 1, 5 \\
& /2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c + d*x)/2]^2) - (27*(4* \\
& A + B + 4*C)*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/ \\
& 2]^2]*\text{Cos}[(c + d*x)/2]^2*(2*(-3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2] \\
& ^2, -\text{Tan}[(c + d*x)/2]^2 + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, \\
& -\text{Tan}[(c + d*x)/2]^2))*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2] + 9*(-(\text{AppellF1}[\\
& 3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2] \\
& ^2*\text{Tan}[(c + d*x)/2])/3 + (2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, \\
& -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/9) + 2*\text{Tan}[(c + d \\
& *x)/2]^2*(-3*(-6*\text{AppellF1}[5/2, 2/3, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + \\
& d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + (2*\text{AppellF1}[5/2, 5/3, 2
\end{aligned}$$

, 7/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/5) + 2*((-3*AppellF1[5/2, 5/3, 2, 7/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/5 + AppellF1[5/2, 8/3, 1, 7/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])))/(9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2))/15 + (4*2^(2/3)*Tan[(c + d*x)/2]*((-6*A + B + 4*C)*AppellF1[3/2, 2/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)*Tan[(c + d*x)/2]^2 + (27*(4*A + B + 4*C)*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Cos[(c + d*x)/2]^2)/(9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2))*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(45*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(1/3)))

Maple [F] time = 0.185, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c) + C (\sec(dx + c))^2) (a + a \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x)

[Out] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(4/3),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(4/3), x)

$$3.628 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{7/3}} dx$$

Optimal. Leaf size=466

$$\frac{3^{3/4}(4A - 4B - 7C) \tan(c + dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right) \sqrt{\frac{(\sec(c+dx)+1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c+dx)+1} + 2^{2/3}}{(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1})^2}} \text{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - (1-\sqrt{3})}{\sqrt[3]{2} - (1+\sqrt{3})} \right) \right)}{55 \sqrt[3]{2} a^2 d (1 - \sec(c + dx)) \sqrt{\frac{\sqrt[3]{\sec(c+dx)+1} (\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1})}{(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1})^2}} \sqrt[3]{a \sec(c + dx) + a}}$$

[Out] $(-3*(A - B + C)*\text{Tan}[c + d*x])/(11*d*(a + a*\text{Sec}[c + d*x])^{(7/3)}) - (3*(4*A - 4*B - 7*C)*\text{Tan}[c + d*x])/(55*a^2*d*(1 + \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}) - (3*\text{Sqrt}[2]*A*\text{AppellF1}[-5/6, 1/2, 1, 1/6, (1 + \text{Sec}[c + d*x])/2, 1 + \text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(5*a^2*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(1 + \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}) + (3^{(3/4)}*(4*A - 4*B - 7*C)*\text{EllipticF}[\text{ArcCos}[(2^{(1/3)} - (1 - \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})], (2 + \text{Sqrt}[3])/4]*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2]*\text{Tan}[c + d*x])/(55*2^{(1/3)}*a^2*d*(1 - \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)}))/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2])])$

Rubi [A] time = 0.518451, antiderivative size = 466, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4052, 3924, 3779, 3778, 136, 3828, 3827, 51, 63, 225}

$$\frac{3\sqrt{2}A \tan(c + dx) F_1 \left(-\frac{5}{6}; \frac{1}{2}, 1; \frac{1}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1 \right)}{5a^2 d \sqrt{1 - \sec(c + dx)} (\sec(c + dx) + 1) \sqrt[3]{a \sec(c + dx) + a}} - \frac{3(4A - 4B - 7C) \tan(c + dx)}{55a^2 d (\sec(c + dx) + 1) \sqrt[3]{a \sec(c + dx) + a}} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/(a + a*\text{Sec}[c + d*x])^{(7/3)}, x]$

[Out] $(-3*(A - B + C)*\text{Tan}[c + d*x])/(11*d*(a + a*\text{Sec}[c + d*x])^{(7/3)}) - (3*(4*A - 4*B - 7*C)*\text{Tan}[c + d*x])/(55*a^2*d*(1 + \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}) - (3*\text{Sqrt}[2]*A*\text{AppellF1}[-5/6, 1/2, 1, 1/6, (1 + \text{Sec}[c + d*x])/2, 1$

$$+ \text{Sec}[c + d*x]]*\text{Tan}[c + d*x]]/(5*a^2*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(1 + \text{Sec}[c + d*x]))*(a + a*\text{Sec}[c + d*x])^{(1/3)} + (3^{(3/4)}*(4*A - 4*B - 7*C)*\text{EllipticF}[\text{ArcCos}[(2^{(1/3)} - (1 - \text{Sqrt}[3]))*(1 + \text{Sec}[c + d*x])^{(1/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3]))*(1 + \text{Sec}[c + d*x])^{(1/3)}], (2 + \text{Sqrt}[3])/4]*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3]))*(1 + \text{Sec}[c + d*x])^{(1/3)})^2]*\text{Tan}[c + d*x])/(55*2^{(1/3)}*a^2*d*(1 - \text{Sec}[c + d*x]))*(a + a*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)}))/(2^{(1/3)} - (1 + \text{Sqrt}[3]))*(1 + \text{Sec}[c + d*x])^{(1/3)})^2])]$$

Rule 4052

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)])*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m_)}, x_Symbol] :> -\text{Simp}[(a*A - b*B + a*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m]/(a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*\text{Simp}[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$$

Rule 3924

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol] :> \text{Dist}[c, \text{Int}[(a + b*\text{Csc}[e + f*x])^m, x], x] + \text{Dist}[d, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[2*m]$$

Rule 3779

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.) + (a_))^{(n_)}, x_Symbol] :> \text{Dist}[(a^{\text{IntPart}[n]}*(a + b*\text{Csc}[c + d*x])^{\text{FracPart}[n]})/(1 + (b*\text{Csc}[c + d*x])/a)^{\text{FracPart}[n]}], \text{Int}[(1 + (b*\text{Csc}[c + d*x])/a)^n, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[2*n] \&\& !\text{GtQ}[a, 0]$$

Rule 3778

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.) + (a_))^{(n_)}, x_Symbol] :> \text{Dist}[(a^n*\text{Cot}[c + d*x])/(d*\text{Sqrt}[1 + \text{Csc}[c + d*x]]*\text{Sqrt}[1 - \text{Csc}[c + d*x]]), \text{Subst}[\text{Int}[(1 + (b*x)/a)^{(n - 1/2)}/(x*\text{Sqrt}[1 - (b*x)/a]), x], x, \text{Csc}[c + d*x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[2*n] \&\& \text{GtQ}[a, 0]$$

Rule 136

$$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_)}*((c_.) + (d_.)*(x_))^{(n_)}*((e_.) + (f_.)*(x_))^{(p_)}, x_Symbol] :> \text{Simp}[(b*e - a*f)^p*(a + b*x)^{(m + 1)}*\text{AppellF1}[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/$$

$(b^{(p+1)}(m+1)(b/(b*c - a*d))^n), x] /;$ FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_, x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_, x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n-1)*(a + b*x)^(m-1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 51

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m+1)*(c + d*x)^(n+1))/((b*c - a*d)*(m+1)), x] - Dist[(d*(m+n+2))/((b*c - a*d)*(m+1)), Int[(a + b*x)^(m+1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 225

Int[1/Sqrt[(a_.) + (b_.)*(x_)^6], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x]

]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{7/3}} dx &= -\frac{3(A - B + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{3 \int \frac{-\frac{11aA}{3} + \frac{1}{3}a(4A - 4B - 7C) \sec(c + dx)}{(a + a \sec(c + dx))^{4/3}} dx}{11a^2} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} + \frac{A \int \frac{1}{(a + a \sec(c + dx))^{4/3}} dx}{a} - \frac{(4A - 4B - 7C) \int \frac{1}{(a + a \sec(c + dx))^{4/3}} dx}{11a} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} + \frac{(A \sqrt[3]{1 + \sec(c + dx)}) \int \frac{1}{(1 + \sec(c + dx))^{4/3}} dx}{a^2 \sqrt[3]{a + a \sec(c + dx)}} - \frac{(4A - 4B - 7C) \int \frac{1}{(1 + \sec(c + dx))^{4/3}} dx}{11a} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{(A \tan(c + dx)) \text{Subst}\left(\int \frac{1}{\sqrt{1 - xx}(1 + x)^{11/6}} dx, x, \sqrt[3]{a + a \sec(c + dx)}\right)}{a^2 d \sqrt{1 - \sec(c + dx)} \sqrt[6]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{3(4A - 4B - 7C) \tan(c + dx)}{55a^2 d (1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{3(4A - 4B - 7C) \tan(c + dx)}{55a^2 d (1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{11d(a + a \sec(c + dx))^{7/3}} - \frac{3(4A - 4B - 7C) \tan(c + dx)}{55a^2 d (1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 19.6769, size = 3111, normalized size = 6.68

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(7/3), x]
```

```
[Out] (Cos[c + d*x]^2*((1 + Cos[c + d*x])*Sec[c + d*x])^(2/3)*(1 + Sec[c + d*x])^(7/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-6*Sec[(c + d*x)/2]*(20*A*Sin[(c + d*x)/2] - 9*B*Sin[(c + d*x)/2] - 2*C*Sin[(c + d*x)/2]))/55 - (3*Sec[(c + d*x)/2]^5*(A*Sin[(c + d*x)/2] - B*Sin[(c + d*x)/2] + C*Sin[(c + d*x)/2]))/55
```

$$\begin{aligned}
& 2]))/22 + (3*\text{Sec}[(c + d*x)/2]^3*(25*A*\text{Sin}[(c + d*x)/2] - 14*B*\text{Sin}[(c + d*x)/2] + 3*C*\text{Sin}[(c + d*x)/2]))/55)/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a*(1 + \text{Sec}[c + d*x]))^{(7/3)}) + (2*2^{(2/3)}*\text{Cos}[c + d*x]^2*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]^{(2/3)}*(1 + \text{Sec}[c + d*x])^{(7/3)}*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*(A*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*(1 + \text{Sec}[c + d*x])^{(2/3)} + \text{Sec}[(c + d*x)/2]^2*((-3*A*(1 + \text{Sec}[c + d*x])^{(2/3)}))/11 + (4*B*(1 + \text{Sec}[c + d*x])^{(2/3)})/55 + (7*C*(1 + \text{Sec}[c + d*x])^{(2/3)})/55))*\text{Tan}[(c + d*x)/2]*((-70*A + 4*B + 7*C)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}*\text{Tan}[(c + d*x)/2]^2 + (27*(40*A + 4*B + 7*C)*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2*\text{Cos}[(c + d*x)/2]^2)/(9*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(-3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Tan}[(c + d*x)/2]^2))/165*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a*(1 + \text{Sec}[c + d*x]))^{(7/3)}*((2^{(2/3)}*\text{Sec}[(c + d*x)/2]^2*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]^{(2/3)}*((-70*A + 4*B + 7*C)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}*\text{Tan}[(c + d*x)/2]^2 + (27*(40*A + 4*B + 7*C)*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Cos}[(c + d*x)/2]^2)/(9*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(-3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Tan}[(c + d*x)/2]^2))/165 + (2*2^{(2/3)}*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]^{(2/3)}*\text{Tan}[(c + d*x)/2]*((-70*A + 4*B + 7*C)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}*\text{Tan}[(c + d*x)/2] + (-70*A + 4*B + 7*C)*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}*\text{Tan}[(c + d*x)/2]^2*((-3*\text{AppellF1}[5/2, 2/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/5 + (2*\text{AppellF1}[5/2, 5/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + (2*(-70*A + 4*B + 7*C)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Tan}[(c + d*x)/2]^2*(-\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x] + \text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/(3*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(1/3)}) - (27*(40*A + 4*B + 7*C)*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Cos}[(c + d*x)/2]*\text{Sin}[(c + d*x)/2])/9*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(-3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Tan}[(c + d*x)/2]^2 + (27*(40*A + 4*B + 7*C)*\text{Cos}[(c + d*x)/2]^2*(-\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/3 + (2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/9)/(9*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(-3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Tan}[(c + d*x)/2]^2) - (27*(40*A + 4
\end{aligned}$$

```

*B + 7*C)*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^
2]*Cos[(c + d*x)/2]^2*(2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2,
-Tan[(c + d*x)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -T
an[(c + d*x)/2]^2])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2] + 9*(-(AppellF1[3/2
, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*
Tan[(c + d*x)/2]))/3 + (2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Ta
n[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/9) + 2*Tan[(c + d*x)
/2]^2*(-3*((-6*AppellF1[5/2, 2/3, 3, 7/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x
)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/5 + (2*AppellF1[5/2, 5/3, 2, 7
/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*
x)/2])/5) + 2*((-3*AppellF1[5/2, 5/3, 2, 7/2, Tan[(c + d*x)/2]^2, -Tan[(c +
d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/5 + AppellF1[5/2, 8/3, 1,
7/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d
*x)/2])))))/(9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)
/2]^2] + 2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x
)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2
]^2])*Tan[(c + d*x)/2]^2))/165 + (4*2^(2/3)*Tan[(c + d*x)/2]*((-70*A + 4
*B + 7*C)*AppellF1[3/2, 2/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^
2]*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)*Tan[(c + d*x)/2]^2 + (27*(40*A +
4*B + 7*C)*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2
]^2]*Cos[(c + d*x)/2]^2)/(9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2,
-Tan[(c + d*x)/2]^2] + 2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2,
-Tan[(c + d*x)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -T
an[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2))*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*S
in[(c + d*x)/2] + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(495*(Cos
[(c + d*x)/2]^2*Sec[c + d*x])^(1/3)))

```

Maple [F] time = 0.187, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c) + C (\sec(dx + c))^2) (a + a \sec(dx + c))^{-\frac{7}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x)

[Out] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(7/3),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(7/3),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(7/3), x)
```

3.629 $\int (a + a \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=839

$$\frac{3C \tan(c + dx)(\sec(c + dx)a + a)^{4/3}}{7d} + \frac{3\sqrt{2}a AF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)(\sec(c + dx) + 1) \tan(c + dx)}{11d\sqrt{1 - \sec(c + dx)}}$$

```
[Out] (3*a*(7*B + 4*C)*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(28*d) + (3*Sqrt[2]*a*A*AppellF1[11/6, 1/2, 1, 17/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(11*d*Sqrt[1 - Sec[c + d*x]]) + (3*C*(a + a*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*d) - (15*(1 + Sqrt[3])*a*(7*B + 4*C)*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(28*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)) + (15*3^(1/4)*a*(7*B + 4*C)*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]) , (2 + Sqrt[3])/4*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(14*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]]) + (5*3^(3/4)*(1 - Sqrt[3])*a*(7*B + 4*C)*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(28*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]])
```

Rubi [A] time = 1.06779, antiderivative size = 839, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$, Rules used = {4054, 3924, 3779, 3778, 136, 3828, 3827, 50, 63, 308, 225, 1881}

$$\frac{3C \tan(c + dx)(\sec(c + dx)a + a)^{4/3}}{7d} + \frac{3\sqrt{2}a AF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)(\sec(c + dx) + 1) \tan(c + dx)}{11d\sqrt{1 - \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (3*a*(7*B + 4*C)*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(28*d) + (3*Sqrt[2]*a*A*AppellF1[11/6, 1/2, 1, 17/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(11*d*Sqrt[1 - Sec[c + d*x]]) + (3*C*(a + a*Sec[c + d*x])^(4/3)*Tan[c + d*x])/(7*d) - (15*(1 + Sqrt[3])*a*(7*B + 4*C)*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(28*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)) + (15*3^(1/4)*a*(7*B + 4*C)*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]) , (2 + Sqrt[3])/4*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2*Tan[c + d*x])/(14*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2])) + (5*3^(3/4)*(1 - Sqrt[3])*a*(7*B + 4*C)*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2*Tan[c + d*x])/(28*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]))

Rule 4054

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]
```

Rule 3778

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]
```

Rule 136

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])
```

Rule 3828

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]
```

Rule 3827

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
```


+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 308

Int[(x_)^4/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a + b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqrt[a + b*x^6], x], x]] /; FreeQ[{a, b}, x]

Rule 225

Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x]

Rule 1881

Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqrt[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sqrt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1 - Sqrt[3])*d, 0]

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{4/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{3C(a + a \sec(c + dx))^{4/3} \tan(c + dx)}{7d} + \frac{3 \int (a + a \sec(c + dx))^{4/3} dx}{7d} \\
&= \frac{3C(a + a \sec(c + dx))^{4/3} \tan(c + dx)}{7d} + A \int (a + a \sec(c + dx))^{4/3} dx \\
&= \frac{3C(a + a \sec(c + dx))^{4/3} \tan(c + dx)}{7d} + \frac{(aA\sqrt[3]{a + a \sec(c + dx)})}{7d} \\
&= \frac{3C(a + a \sec(c + dx))^{4/3} \tan(c + dx)}{7d} - \frac{(aA\sqrt[3]{a + a \sec(c + dx)})}{7d} \\
&= \frac{3a(7B + 4C)\sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{28d} + \frac{3\sqrt[3]{2a} \tan(c + dx)}{28d} \\
&= \frac{3a(7B + 4C)\sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{28d} + \frac{3\sqrt[3]{2a} \tan(c + dx)}{28d} \\
&= \frac{3a(7B + 4C)\sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{28d} + \frac{3\sqrt[3]{2a} \tan(c + dx)}{28d} \\
&= \frac{3a(7B + 4C)\sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{28d} + \frac{3\sqrt[3]{2a} \tan(c + dx)}{28d}
\end{aligned}$$

Mathematica [B] time = 20.3094, size = 4995, normalized size = 5.95

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^2*((1 + Cos[c + d*x])*Sec[c + d*x])^(1/3)*(a*(1 + Sec[c + d*x]))^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((3*(28*A + 35*B + 20*C)*Sin[c + d*x])/14 + (3*Sec[c + d*x]*(7*B*Sin[c + d*x] + 8*C*Sin[c + d*x]))/14 + (6*C*Sec[c + d*x]*Tan[c + d*x])/7))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(1 + Sec[c + d*x])^(4/3)) + (Cos[c + d*x]^2*(a*(1 + Sec[c + d*x]))^(4/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(4*A*(1 + Sec[c + d*x])^(1/3) + 3*B*Sec[c + d*x] + 3*C*Sec[c + d*x]^2)))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(1 + Sec[c + d*x])^(4/3))

$$\begin{aligned}
& *x])^{(1/3)} + (5*B*(1 + \text{Sec}[c + d*x])^{(1/3)})/2 + (10*C*(1 + \text{Sec}[c + d*x])^{(1/3)})/7 + \text{Cos}[c + d*x]*(-6*A*(1 + \text{Sec}[c + d*x])^{(1/3)} - (15*B*(1 + \text{Sec}[c + d*x])^{(1/3)})/2 - (30*C*(1 + \text{Sec}[c + d*x])^{(1/3)})/7))*\text{Tan}[(c + d*x)/2]*(-((2*8*A + 35*B + 20*C)*\text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Tan}[(c + d*x)/2]^2)/(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}) + (\text{Cos}[(c + d*x)/2]^2*(18*(28*A + 35*B + 20*C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2) - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + 27*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*(-4*(14*A + 35*B + 20*C) + 3*(28*A + 35*B + 20*C)*\text{Tan}[(c + d*x)/2]^2)))/((-1 + \text{Tan}[(c + d*x)/2]^2)*(-9*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c + d*x)/2]^2)))/(21*2^{(2/3)}*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]))*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^{(2/3)}*(1 + \text{Sec}[c + d*x])^{(4/3)}*((\text{Sec}[(c + d*x)/2]^2*(-((28*A + 35*B + 20*C)*\text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Tan}[(c + d*x)/2]^2)/(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}) + (\text{Cos}[(c + d*x)/2]^2*(18*(28*A + 35*B + 20*C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2) - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + 27*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*(-4*(14*A + 35*B + 20*C) + 3*(28*A + 35*B + 20*C)*\text{Tan}[(c + d*x)/2]^2)))/((-1 + \text{Tan}[(c + d*x)/2]^2)*(-9*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c + d*x)/2]^2)))/(42*2^{(2/3)}*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^{(2/3)}) + (\text{Tan}[(c + d*x)/2]*(-((28*A + 35*B + 20*C)*\text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}) - ((28*A + 35*B + 20*C)*\text{Tan}[(c + d*x)/2]^2*(-3*\text{AppellF1}[5/2, 1/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + (\text{AppellF1}[5/2, 4/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5)/(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)} + (2*(28*A + 35*B + 20*C)*\text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Tan}[(c + d*x)/2]^2*(-(\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]) + \text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/(3*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(5/3)}) - (\text{Tan}[(c + d*x)/2]*(18*(28*A + 35*B + 20*C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2) - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + 27*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*(-4*(14*A + 35*B + 20*C) + 3*(28*A + 35*B + 20*C)*\text{Tan}[(c + d*x)/2]^2)))/((-1 + \text{Tan}[(c + d*x)/2]^2)^2*(-9*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c
\end{aligned}$$

$$\begin{aligned}
& + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Tan}[(c + d*x)/2]^2)) - (\text{Cos}[(c + d*x)/2] \\
& *\text{Sin}[(c + d*x)/2]*(18*(28*A + 35*B + 20*C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan} \\
& [(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c \\
& + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + \\
& d*x)/2]^2 + 27*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d* \\
& x)/2]^2]*(-4*(14*A + 35*B + 20*C) + 3*(28*A + 35*B + 20*C)*\text{Tan}[(c + d*x)/2] \\
& ^2)))/((-1 + \text{Tan}[(c + d*x)/2]^2)*(-9*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d* \\
& x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d* \\
& x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2] \\
& ^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Tan}[(c + d*x)/2]^2)) - (\text{Cos}[(c + d*x)/2]^2*(18*(2 \\
& 8*A + 35*B + 20*C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c \\
& + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d \\
& *x)/2]^2])*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + 27*\text{AppellF1} \\
& [1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*(-4*(14*A + 35* \\
& B + 20*C) + 3*(28*A + 35*B + 20*C)*\text{Tan}[(c + d*x)/2]^2))*(2*(3*\text{AppellF1}[3/2, \\
& 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, \\
& 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c \\
& + d*x)/2] - 9*(-(\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + \\
& d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/3 + (\text{AppellF1}[3/2, 4/3, 1, \\
& 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + \\
& d*x)/2])/9) + 2*\text{Tan}[(c + d*x)/2]^2*((3*\text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + \\
& d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 - (4 \\
& *\text{AppellF1}[5/2, 7/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c \\
& + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + 3*((-6*\text{AppellF1}[5/2, 1/3, 3, 7/2, \text{Tan}[(c \\
& + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + \\
& (\text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c \\
& + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5)))/((-1 + \text{Tan}[(c + d*x)/2]^2)*(-9*\text{Appell} \\
& \text{F1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(3*\text{Appell} \\
& \text{F1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/ \\
& 2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Tan}[(c + d*x)/2]^2 \\
& ^2) + (\text{Cos}[(c + d*x)/2]^2*(81*(28*A + 35*B + 20*C)*\text{AppellF1}[1/2, 1/3, 1, \\
& 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d \\
& *x)/2] + 18*(28*A + 35*B + 20*C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x) \\
&)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2 \\
& ^2, -\text{Tan}[(c + d*x)/2]^2])*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^4*\text{Tan}[(c + d*x)/2] - \\
& 18*(28*A + 35*B + 20*C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, \\
& -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c \\
& + d*x)/2]^2])*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2]^2 + 18*(2 \\
& 8*A + 35*B + 20*C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c \\
& + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d \\
& *x)/2]^2])*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^3 + 27*(-(\text{Appel} \\
& \text{F1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x) \\
&)/2]^2*\text{Tan}[(c + d*x)/2])/3 + (\text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2 \\
& , -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/9)*(-4*(14*A + \\
& 35*B + 20*C) + 3*(28*A + 35*B + 20*C)*\text{Tan}[(c + d*x)/2]^2) + 18*(28*A + 35*B
\end{aligned}$$

$$\begin{aligned}
& + 20*C)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2*((3*\text{AppellF1}[5/2, \\
& 2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2 \\
& * \text{Tan}[(c + d*x)/2])/5 - (4*\text{AppellF1}[5/2, 7/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan} \\
& \text{an}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + 3*((-6*\text{AppellF1} \\
& [5/2, 1/3, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2] \\
&]^2*\text{Tan}[(c + d*x)/2])/5 + (\text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, - \\
& \text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5))))/((-1 + \text{Tan}[(c \\
& + d*x)/2]^2)*(-9*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + \\
& d*x)/2]^2] + 2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + \\
& d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x) \\
& /2]^2])* \text{Tan}[(c + d*x)/2]^2)))/(21*2^{(2/3)}*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x] \\
&)^{(2/3)}) - (2^{(1/3)}*\text{Tan}[(c + d*x)/2]*(-((28*A + 35*B + 20*C)*\text{AppellF1}[3/2, \\
& 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Tan}[(c + d*x)/2]^2)/ \\
& (\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}) + (\text{Cos}[(c + d*x)/2]^2*(18*(28*A + \\
& 35*B + 20*C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x) \\
& /2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2] \\
& ^2])* \text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + 27*\text{AppellF1}[1/2, \\
& 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*(-4*(14*A + 35*B + 20 \\
& *C) + 3*(28*A + 35*B + 20*C)*\text{Tan}[(c + d*x)/2]^2)))/((-1 + \text{Tan}[(c + d*x)/2]^2) \\
& *(-9*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] \\
& + 2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] \\
& - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])* \text{Tan} \\
& [(c + d*x)/2]^2)))*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos} \\
& [(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(63*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + \\
& d*x])^{(5/3)}))
\end{aligned}$$

Maple [F] time = 0.19, size = 0, normalized size = 0.

$$\int (a + a \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(4/3), x)
```

3.630 $\int \sqrt[3]{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=786

$$\frac{3^{3/4} (1 - \sqrt{3}) (4B + C) \tan(c + dx) (\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1}) \sqrt{\frac{(\sec(c + dx) + 1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c + dx) + 1} + 2^{2/3}}{(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}} \sqrt[3]{a \sec(c + dx) + a \text{EllipticE}}}{4 \cdot 2^{2/3} d (1 - \sec(c + dx)) (\sec(c + dx) + 1)^{2/3} \sqrt{-\frac{\sqrt[3]{\sec(c + dx) + 1} (\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1})}{(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}}}$$

```
[Out] (3*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d) + (3*Sqrt[2]*A*AppellF1
[5/6, 1/2, 1, 11/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c +
d*x])^(1/3)*Tan[c + d*x])/(5*d*Sqrt[1 - Sec[c + d*x]]) - (3*(1 + Sqrt[3])*
(4*B + C)*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d*(1 + Sec[c + d*x])^(
2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*3^(1/4)*(4*B
+ C)*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2
^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*
Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(
1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 +
Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(2*2^(2/3)*d*(1 - Sec[c
+ d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3)
- (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(
1/3))^2)]) + (3^(3/4)*(1 - Sqrt[3])*(4*B + C)*EllipticF[ArcCos[(2^(1/3) - (
1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c
+ d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1
+ Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (
1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))
^2]*Tan[c + d*x])/(4*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*
Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(
1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2)])
```

Rubi [A] time = 0.844691, antiderivative size = 786, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4054, 3924, 3779, 3778, 136, 3828, 3827, 63, 308, 225, 1881}

$$\frac{3\sqrt{2}A \tan(c + dx) \sqrt[3]{a \sec(c + dx) + a} F_1\left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)}{5d\sqrt{1 - \sec(c + dx)}} - \frac{3(1 + \sqrt{3})(4B + C) \tan(c + dx)}{4d(\sec(c + dx) + 1)^{2/3} (\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (3*C*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d) + (3*Sqrt[2]*A*AppellF1[5/6, 1/2, 1, 11/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(5*d*Sqrt[1 - Sec[c + d*x]]) - (3*(1 + Sqrt[3])*(4*B + C)*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*3^(1/4)*(4*B + C)*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(2*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2])) + (3^(3/4)*(1 - Sqrt[3])*(4*B + C)*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(4*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]))

Rule 4054

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(b*(m + 1)), Int[(a + b*Csc[e + f*x])^m*Simp[A*b*(m + 1) + (a*C*m + b*B*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_.) + (d_.)*(x_)])*(b_.) + (a_.))^(n_.), x_Symbol] := Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n]

], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

Rule 136

Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_), x_Symbol] := Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))])/(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 63

Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 308

```
Int[(x_)^4/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a,
3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a
+ b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqr
t[a + b*x^6], x], x]] /; FreeQ[{a, b}, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x
]
```

Rule 1881

```
Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r =
Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqr
t[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x
*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*El
lipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + S
qrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sq
rt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1
- Sqrt[3])*d, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt[3]{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3 \int \sqrt[3]{a + a \sec(c + dx)} dx}{\sqrt[3]{1}} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + A \int \sqrt[3]{a + a \sec(c + dx)} dx \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{(A \sqrt[3]{a + a \sec(c + dx)})}{\sqrt[3]{1}} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} - \frac{(A \sqrt[3]{a + a \sec(c + dx)})}{\sqrt[3]{1}} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2} AF_1\left(\frac{5}{6}; \frac{1}{2}, 1; \dots\right)}{\sqrt[3]{1}} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2} AF_1\left(\frac{5}{6}; \frac{1}{2}, 1; \dots\right)}{\sqrt[3]{1}} \\
&= \frac{3C \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2} AF_1\left(\frac{5}{6}; \frac{1}{2}, 1; \dots\right)}{\sqrt[3]{1}}
\end{aligned}$$

Mathematica [B] time = 19.7487, size = 4191, normalized size = 5.33

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + a*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^2*((1 + Cos[c + d*x])*Sec[c + d*x])^(1/3)*(a*(1 + Sec[c + d*x]))^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((3*(4*B + C)*Sin[c + d*x])/2 + (3*C*Tan[c + d*x])/2))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(1 + Sec[c + d*x])^(1/3)) + (Cos[c + d*x]^2*(a*(1 + Sec[c + d*x]))^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(2*A*(1 + Sec[c + d*x])^(1/3) + 2*B*(1 + Sec[c + d*x])^(1/3) + (C*(1 + Sec[c + d*x])^(1/3))/2 + Cos[c + d*x]*(-6*B*(1 + Sec[c + d*x])^(1/3) - (3*C*(1 + Sec[c + d*x])^(1/3))/2))*Tan[(c + d*x)/2]*(-(((4*B + C)*AppellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Tan[(c + d*x)/2]^2)/(Cos[c + d*x]*Sec[(c + d*x)/2]^2))
```

$$\begin{aligned}
& ^{(2/3)} + (9*((3*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*(8*A - 4*B - C + (8*A - 7*(4*B + C))*\text{Cos}[c + d*x]))/2 + 2*(4*B + C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Cos}[c + d*x]*\text{Tan}[(c + d*x)/2]^2))/((-1 + \text{Tan}[(c + d*x)/2]^2)*(-9*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c + d*x)/2]^2)))/(3*2^{(2/3)}*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]))*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^{(2/3)}*(1 + \text{Sec}[c + d*x])^{(1/3)}*((\text{Sec}[(c + d*x)/2]^2*(-((4*B + C)*\text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Tan}[(c + d*x)/2]^2)/(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)} + (9*((3*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*(8*A - 4*B - C + (8*A - 7*(4*B + C))*\text{Cos}[c + d*x]))/2 + 2*(4*B + C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Cos}[c + d*x]*\text{Tan}[(c + d*x)/2]^2))/((-1 + \text{Tan}[(c + d*x)/2]^2)*(-9*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c + d*x)/2]^2)))/(6*2^{(2/3)}*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^{(2/3)} + (\text{Tan}[(c + d*x)/2]*(-((4*B + C)*\text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)} - ((4*B + C)*\text{Tan}[(c + d*x)/2]^2*(-3*\text{AppellF1}[5/2, 1/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/5 + (\text{AppellF1}[5/2, 4/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/5)/(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)} + (2*(4*B + C)*\text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Tan}[(c + d*x)/2]^2*(-(\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]) + \text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/(3*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(5/3)} - (9*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]*((3*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*(8*A - 4*B - C + (8*A - 7*(4*B + C))*\text{Cos}[c + d*x]))/2 + 2*(4*B + C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Cos}[c + d*x]*\text{Tan}[(c + d*x)/2]^2))/((-1 + \text{Tan}[(c + d*x)/2]^2)^2*(-9*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c + d*x)/2]^2) - (9*((3*\text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*(8*A - 4*B - C + (8*A - 7*(4*B + C))*\text{Cos}[c + d*x]))/2 + 2*(4*B + C)*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Cos}[c + d*x]*\text{Tan}[(c + d*x)/2]^2*(2*(3*\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2] - 9*(-(A
\end{aligned}$$

$$\begin{aligned}
& \text{ppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/3 + (\text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/9) + 2 * \text{Tan}[(c + d*x)/2]^2 * ((3 * \text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/5 - (4 * \text{AppellF1}[5/2, 7/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/5 + 3 * ((-6 * \text{AppellF1}[5/2, 1/3, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/5 + (\text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/5))) / ((-1 + \text{Tan}[(c + d*x)/2]^2) * (-9 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2)^2) + (9 * ((-3 * (8 * A - 7 * (4 * B + C)) * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sin}[c + d*x])/2 + 2 * (4 * B + C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] - 2 * (4 * B + C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2]^2 + (3 * (8 * A - 4 * B - C + (8 * A - 7 * (4 * B + C)) * \text{Cos}[c + d*x]) * (-\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/3 + (\text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/9)) / 2 + 2 * (4 * B + C) * \text{Cos}[c + d*x] * \text{Tan}[(c + d*x)/2]^2 * ((3 * \text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/5 - (4 * \text{AppellF1}[5/2, 7/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/5 + 3 * ((-6 * \text{AppellF1}[5/2, 1/3, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/5 + (\text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]]/5))) / ((-1 + \text{Tan}[(c + d*x)/2]^2) * (-9 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2))) / (3 * 2^(2/3) * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x])^(2/3)) - (2^(1/3) * \text{Tan}[(c + d*x)/2] * (-((4 * B + C) * \text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]^2) / (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^(2/3)) + (9 * ((3 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 * (8 * A - 4 * B - C + (8 * A - 7 * (4 * B + C)) * \text{Cos}[c + d*x])) / 2 + 2 * (4 * B + C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Cos}[c + d*x] * \text{Tan}[(c + d*x)/2]^2) / ((-1 + \text{Tan}[(c + d*x)/2]^2) * (-9 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 + 2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2 - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2)) * (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Sin}[(c + d*x)/2]
\end{aligned}$$

) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(9*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(5/3))))

Maple [F] time = 0.191, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + a \sec(dx + c)} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(1/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt[3]{a(\sec(c+dx)+1)}(A+B\sec(c+dx)+C\sec^2(c+dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Integral((a*(sec(c + d*x) + 1))**(1/3)*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(1/3), x)

$$3.631 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=803

$$3\sqrt[3]{2}\sqrt[4]{3}(A-B+2C)E\left(\cos^{-1}\left(\frac{\sqrt[3]{2-(1-\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}\right)\middle|\frac{1}{4}(2+\sqrt{3})\right)\sqrt[3]{\sec(c+dx)a+a}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)\sqrt{\frac{\sec(c+dx)+1}{\sec(c+dx)+1}}$$

$$ad(1-\sec(c+dx))(\sec(c+dx)+1)^{2/3}\sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)}{\left(\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}\right)^2}}$$

[Out] $(-3*(A - B + C)*\text{Tan}[c + d*x])/(d*(a + a*\text{Sec}[c + d*x])^{(2/3)}) + (3*\text{Sqrt}[2]*A * \text{AppellF1}[5/6, 1/2, 1, 11/6, (1 + \text{Sec}[c + d*x])/2, 1 + \text{Sec}[c + d*x]]*(a + a * \text{Sec}[c + d*x])^{(1/3)}*\text{Tan}[c + d*x])/(5*a*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]) - (3*(1 + \text{Sqrt}[3])*(A - B + 2*C)*(a + a*\text{Sec}[c + d*x])^{(1/3)}*\text{Tan}[c + d*x])/(a*d*(1 + \text{Sec}[c + d*x])^{(2/3)}*(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})) + (3*2^{(1/3)}*3^{(1/4)}*(A - B + 2*C)*\text{EllipticE}[\text{ArcCos}[(2^{(1/3)} - (1 - \text{Sqrt}[3]))*(1 + \text{Sec}[c + d*x])^{(1/3)}]/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})], (2 + \text{Sqrt}[3])/4)*(a + a*\text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2]*\text{Tan}[c + d*x])/(a*d*(1 - \text{Sec}[c + d*x])*(1 + \text{Sec}[c + d*x])^{(2/3)}*\text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2]) + (3^{(3/4)}*(1 - \text{Sqrt}[3])*(A - B + 2*C)*\text{EllipticF}[\text{ArcCos}[(2^{(1/3)} - (1 - \text{Sqrt}[3]))*(1 + \text{Sec}[c + d*x])^{(1/3)}]/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})], (2 + \text{Sqrt}[3])/4)*(a + a*\text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2]*\text{Tan}[c + d*x])/(2^{(2/3)}*a*d*(1 - \text{Sec}[c + d*x])*(1 + \text{Sec}[c + d*x])^{(2/3)}*\text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2])$

Rubi [A] time = 0.887594, antiderivative size = 803, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4052, 3924, 3779, 3778, 136, 3828, 3827, 63, 308, 225, 1881}

$$3\sqrt[3]{2}\sqrt[4]{3}(A-B+2C)E\left(\cos^{-1}\left(\frac{\sqrt[3]{2-(1-\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}\right)\middle|\frac{1}{4}(2+\sqrt{3})\right)\sqrt[3]{\sec(c+dx)a+a}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)\sqrt{\frac{\sec(c+dx)+1}{\sec(c+dx)+1}}$$

$$ad(1-\sec(c+dx))(\sec(c+dx)+1)^{2/3}\sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)}{\left(\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}\right)^2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(2/3), x]

[Out] (-3*(A - B + C)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])^(2/3)) + (3*Sqrt[2]*A*AppellF1[5/6, 1/2, 1, 11/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(5*a*d*Sqrt[1 - Sec[c + d*x]]) - (3*(1 + Sqrt[3])*(A - B + 2*C)*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(a*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*2^(1/3)*3^(1/4)*(A - B + 2*C)*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(a*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2)]) + (3^(3/4)*(1 - Sqrt[3])*(A - B + 2*C)*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(2^(2/3)*a*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2)])

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^(n_), x_Symbol] :> Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n]

], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^(n_), x_Symbol] :> Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

Rule 136

Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_), x_Symbol] :> Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 63

Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 308

```
Int[(x_)^4/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a + b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqrt[a + b*x^6], x], x]] /; FreeQ[{a, b}, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x]
```

Rule 1881

```
Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqrt[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sqrt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1 - Sqrt[3])*d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{2/3}} dx &= -\frac{3(A - B + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} - \frac{3 \int \sqrt[3]{a + a \sec(c + dx)} \left(-\frac{aA}{3} - \frac{1}{3}a(A - B + 2C)\right) dx}{a^2} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{A \int \sqrt[3]{a + a \sec(c + dx)} dx}{a} + \frac{(A - B + 2C) \int \sqrt[3]{a + a \sec(c + dx)} dx}{a} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{(A \sqrt[3]{a + a \sec(c + dx)}) \int \sqrt[3]{1 + \sec(c + dx)} dx}{a \sqrt[3]{1 + \sec(c + dx)}} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} - \frac{(A \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)) \text{Subst}\left(\int \sqrt[3]{1 - \sec(c + dx)} dx\right)}{ad \sqrt{1 - \sec(c + dx)}(1 + \sec(c + dx))} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{3\sqrt{2}AF_1\left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right)}{5ad \sqrt{1 - \sec(c + dx)}} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{3\sqrt{2}AF_1\left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right)}{5ad \sqrt{1 - \sec(c + dx)}} \\
&= -\frac{3(A - B + C) \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} + \frac{3\sqrt{2}AF_1\left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right)}{5ad \sqrt{1 - \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 19.6808, size = 4253, normalized size = 5.3

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(2/3), x]

[Out] (Cos[c + d*x]^2*((1 + Cos[c + d*x])*Sec[c + d*x])^(1/3)*(1 + Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-6*Sec[(c + d*x)/2]*(A*Sin[(c + d*x)/2] - B*Sin[(c + d*x)/2] + C*Sin[(c + d*x)/2]) + 6*(A - B + 2*C)*Sin[c + d*x]))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a*(1 + Sec[c + d*x]))^(2/3)) - (2*2^(1/3)*Cos[c + d*x]^2*(1 + Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(4*A*(1 + Sec[c + d*x])^(1/3) - 2*B*(1 + Sec[c + d*x])^(1/3) + 4*C*(1 + Sec[c + d*x])^(1/3) + Cos[c + d*x]*(-6*A*(1 + Sec[c + d*x])^(1/3) + 6*B*(1 + Sec[c + d*x])^(1/3) - 12*C*(1 + Sec[c + d*x])^(1/3) + 6*(A - B + 2*C)*Sin[c + d*x]))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a*(1 + Sec[c + d*x]))^(2/3))

$$\begin{aligned}
& + d*x))^{(1/3)}) * \text{Tan}[(c + d*x)/2] * (((A - B + 2*C) * \text{AppellF1}[3/2, 1/3, 1, 5/2, \\
& \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Tan}[(c + d*x)/2]^2) / (\text{Cos}[c + d*x] \\
&] * \text{Sec}[(c + d*x)/2]^2)^{(2/3)} + (9 * (-3 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d* \\
& x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * (A + B - 2*C + (-5*A + 7*(B - 2*C)) * \text{Cos}[c + d \\
& *x]) - 4*(A - B + 2*C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{T} \\
& \text{an}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c \\
& + d*x)/2]^2]) * \text{Cos}[c + d*x] * \text{Tan}[(c + d*x)/2]^2) / (2 * (-1 + \text{Tan}[(c + d*x)/2]^ \\
& 2) * (-9 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] \\
& + 2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] \\
& - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2) \\
&)) / (3 * d * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x])^{(2/3)} * (a * (1 + \text{Sec}[c + d*x]))^{(2/3)} * (-2^{(1/3)} * \text{Sec}[(c + d*x)/2]^2 * ((A - B + 2*C) * \text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Tan}[(c + d*x)/2]^2) / (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^{(2/3)} + (9 * (-3 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * (A + B - 2*C + (-5*A + 7*(B - 2*C)) * \text{Cos}[c + d*x]) - 4*(A - B + 2*C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Cos}[c + d*x] * \text{Tan}[(c + d*x)/2]^2) / (2 * (-1 + \text{Tan}[(c + d*x)/2]^2) * (-9 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2) / (3 * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x])^{(2/3)}) - (2 * 2^{(1/3)} * \text{Tan}[(c + d*x)/2] * ((A - B + 2*C) * \text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^{(2/3)} + ((A - B + 2*C) * \text{Tan}[(c + d*x)/2]^2 * (-3 * \text{AppellF1}[5/2, 1/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5 + (\text{AppellF1}[5/2, 4/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5) / (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^{(2/3)} - (2 * (A - B + 2*C) * \text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Tan}[(c + d*x)/2]^2 * (-\text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x]) + \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3 * (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^{(5/3)}) - (9 * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] * (-3 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * (A + B - 2*C + (-5*A + 7*(B - 2*C)) * \text{Cos}[c + d*x]) - 4*(A - B + 2*C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Cos}[c + d*x] * \text{Tan}[(c + d*x)/2]^2) / (2 * (-1 + \text{Tan}[(c + d*x)/2]^2)^2 * (-9 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2) - (9 * (-3 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * (A + B - 2*C + (-5*A + 7*(B - 2*C)) * \text{Cos}[c + d*x]) - 4*(A - B + 2*C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Cos}[c + d*x] * \text{Tan}[(c + d*x)/2]
\end{aligned}$$

$$\begin{aligned}
& ^2) * (2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] - 9 * (-\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2])) / 3 + \\
& (\text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 9 + 2 * \text{Tan}[(c + d*x)/2]^2 * ((3 * \text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5 - (4 * \text{AppellF1}[5/2, 7/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5 + 3 * ((-6 * \text{AppellF1}[5/2, 1/3, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5 + (\text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5))) / (2 * (-1 + \text{Tan}[(c + d*x)/2]^2) * (-9 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2) + (9 * (3 * (-5 * A + 7 * (B - 2 * C)) * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sin}[c + d*x] - 4 * (A - B + 2 * C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] + 4 * (A - B + 2 * C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2]^2 - 3 * (A + B - 2 * C + (-5 * A + 7 * (B - 2 * C)) * \text{Cos}[c + d*x]) * (-\text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 3 + (\text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 9 - 4 * (A - B + 2 * C) * \text{Cos}[c + d*x] * \text{Tan}[(c + d*x)/2]^2 * ((3 * \text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5 - (4 * \text{AppellF1}[5/2, 7/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5 + 3 * ((-6 * \text{AppellF1}[5/2, 1/3, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5 + (\text{AppellF1}[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5))) / (2 * (-1 + \text{Tan}[(c + d*x)/2]^2) * (-9 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2)) / (3 * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x])^(2/3)) + (4 * 2^(1/3) * \text{Tan}[(c + d*x)/2] * (((A - B + 2 * C) * \text{AppellF1}[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Tan}[(c + d*x)/2]^2) / (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^(2/3) + (9 * (-3 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * (A + B - 2 * C + (-5 * A + 7 * (B - 2 * C)) * \text{Cos}[c + d*x]) - 4 * (A - B + 2 * C) * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Cos}[c + d*x] * \text{Tan}[(c + d*x)/2]^2)) / (2 * (-1 + \text{Tan}[(c + d*x)/2]^2) * (-9 * \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2 * (3 * \text{AppellF1}[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2],
\end{aligned}$$

$$\frac{1}{3}, 2, \frac{5}{2}, \tan\left[\frac{c + dx}{2}\right]^2, -\tan\left[\frac{c + dx}{2}\right]^2 - \text{AppellF1}\left[\frac{3}{2}, \frac{4}{3}, 1, \frac{5}{2}, \tan\left[\frac{c + dx}{2}\right]^2, -\tan\left[\frac{c + dx}{2}\right]^2\right] \cdot \tan\left[\frac{c + dx}{2}\right]^2\right) \cdot (-\cos\left[\frac{c + dx}{2}\right] \cdot \sec[c + dx] \cdot \sin\left[\frac{c + dx}{2}\right]) + \cos\left[\frac{c + dx}{2}\right]^2 \cdot \sec[c + dx] \cdot \tan[c + dx])}{9 \cdot (\cos\left[\frac{c + dx}{2}\right]^2 \cdot \sec[c + dx])^{5/3}}$$

Maple [F] time = 0.185, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c) + C (\sec(dx + c))^2) (a + a \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x)

[Out] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(2/3),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(2/3), x)

$$3.632 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+a \sec(c+dx))^{5/3}} dx$$

Optimal. Leaf size=856

$$3\sqrt[3]{2}\sqrt[4]{3}(2A-2B-5C)E\left(\cos^{-1}\left(\frac{\sqrt[3]{2-(1-\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}}\right)\middle|\frac{1}{4}(2+\sqrt{3})\right)\sqrt[3]{\sec(c+dx)+1}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)\sqrt{\frac{\sec(c+dx)+1}{\sec(c+dx)+1}}$$

$$7ad(1-\sec(c+dx))(\sec(c+dx)a+a)^{2/3}\sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)}{\left(\sqrt[3]{2-(1+\sqrt{3})}\sqrt[3]{\sec(c+dx)+1}\right)^2}}$$

[Out] (-3*(A - B + C)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^(5/3)) - (3*(2*A - 2*B - 5*C)*Tan[c + d*x])/(7*a*d*(a + a*Sec[c + d*x])^(2/3)) - (3*sqrt[2]*A*AppellF1[-1/6, 1/2, 1, 5/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(a*d*sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)) - (3*(1 + sqrt[3])*(2*A - 2*B - 5*C)*(1 + Sec[c + d*x])^(1/3)*Tan[c + d*x])/(7*a*d*(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*2^(1/3)*3^(1/4)*(2*A - 2*B - 5*C)*EllipticE[ArcCos[(2^(1/3) - (1 - sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + sqrt[3])/4]*(1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(7*a*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(2/3)*sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]]) + (3^(3/4)*(1 - sqrt[3])*(2*A - 2*B - 5*C)*EllipticF[ArcCos[(2^(1/3) - (1 - sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + sqrt[3])/4]*(1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(7*2^(2/3)*a*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(2/3)*sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]])

Rubi [A] time = 0.973871, antiderivative size = 856, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}}$

= 0.343, Rules used = {4052, 3924, 3779, 3778, 136, 3828, 3827, 51, 63, 308, 225, 1881}

$$3\sqrt[3]{2}\sqrt[4]{3}(2A - 2B - 5C)E\left(\cos^{-1}\left(\frac{\sqrt[3]{2}-(1-\sqrt{3})\sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2}-(1+\sqrt{3})\sqrt[3]{\sec(c+dx)+1}}\right)\middle|\frac{1}{4}(2+\sqrt{3})\right)\sqrt[3]{\sec(c+dx)+1}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)\sqrt{\frac{\sec(c+dx)+1}{\sqrt[3]{2}-(1+\sqrt{3})\sqrt[3]{\sec(c+dx)+1}}}}$$

$$\frac{7ad(1-\sec(c+dx))(\sec(c+dx)a+a)^{2/3}}{\sqrt{\frac{\sqrt[3]{\sec(c+dx)+1}\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)}{\left(\sqrt[3]{2}-(1+\sqrt{3})\sqrt[3]{\sec(c+dx)+1}\right)^2}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/3), x]

[Out] (-3*(A - B + C)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^(5/3)) - (3*(2*A - 2*B - 5*C)*Tan[c + d*x])/(7*a*d*(a + a*Sec[c + d*x])^(2/3)) - (3*sqrt[2]*A*AppellF1[-1/6, 1/2, 1, 5/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(a*d*sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)) - (3*(1 + sqrt[3])*(2*A - 2*B - 5*C)*(1 + Sec[c + d*x])^(1/3)*Tan[c + d*x])/(7*a*d*(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*2^(1/3)*3^(1/4)*(2*A - 2*B - 5*C)*EllipticE[ArcCos[(2^(1/3) - (1 - sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + sqrt[3])/4*(1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(7*a*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(2/3)*sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]]) + (3^(3/4)*(1 - sqrt[3])*(2*A - 2*B - 5*C)*EllipticF[ArcCos[(2^(1/3) - (1 - sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + sqrt[3])/4*(1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(7*2^(2/3)*a*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(2/3)*sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]])

Rule 4052

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*(2*m + 1) + (b*B*(m + 1) - a*(A*(m + 1) - C*m))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] :> Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] :> Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

Rule 136

Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x]

] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 51

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 308

Int[(x_)^4/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a,
3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a
+ b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqr
t[a + b*x^6], x], x] /; FreeQ[{a, b}, x]

Rule 225

Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x
]

Rule 1881

Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r =
Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqr
t[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x
*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*El
lipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + S
qrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sq
rt[a + b*x^6]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1

- Sqrt[3])*d, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + a \sec(c + dx))^{5/3}} dx &= -\frac{3(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3 \int \frac{-\frac{7aA}{3} + \frac{1}{3}a(2A - 2B - 5C) \sec(c + dx)}{(a + a \sec(c + dx))^{2/3}} dx}{7a^2} \\
 &= -\frac{3(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} + \frac{A \int \frac{1}{(a + a \sec(c + dx))^{2/3}} dx}{a} - \frac{(2A - 2B - 5C) \int \frac{1}{a + a \sec(c + dx)} dx}{7a} \\
 &= -\frac{3(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} + \frac{(A(1 + \sec(c + dx))^{2/3}) \int \frac{1}{(1 + \sec(c + dx))^{2/3}} dx}{a(a + a \sec(c + dx))^{2/3}} - \frac{(2A - 2B - 5C) \int \frac{1}{a + a \sec(c + dx)} dx}{7a} \\
 &= -\frac{3(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{(A \sqrt[6]{1 + \sec(c + dx)} \tan(c + dx)) \text{Subst}\left(\int \frac{1}{\sqrt{1 - \sec(c + dx)}} dx\right)}{ad \sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}} - \frac{(2A - 2B - 5C) \int \frac{1}{a + a \sec(c + dx)} dx}{7a} \\
 &= -\frac{3(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3(2A - 2B - 5C) \tan(c + dx)}{7ad(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1\left(-\frac{1}{6}, \frac{1}{6}, \frac{1}{6}, \frac{1}{6}\right)}{7a} \\
 &= -\frac{3(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3(2A - 2B - 5C) \tan(c + dx)}{7ad(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1\left(-\frac{1}{6}, \frac{1}{6}, \frac{1}{6}, \frac{1}{6}\right)}{7a} \\
 &= -\frac{3(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3(2A - 2B - 5C) \tan(c + dx)}{7ad(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1\left(-\frac{1}{6}, \frac{1}{6}, \frac{1}{6}, \frac{1}{6}\right)}{7a} \\
 &= -\frac{3(A - B + C) \tan(c + dx)}{7d(a + a \sec(c + dx))^{5/3}} - \frac{3(2A - 2B - 5C) \tan(c + dx)}{7ad(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1\left(-\frac{1}{6}, \frac{1}{6}, \frac{1}{6}, \frac{1}{6}\right)}{7a}
 \end{aligned}$$

Mathematica [B] time = 19.6848, size = 4383, normalized size = 5.12

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + a*Sec[c + d*x])^(5/3), x]

```
[Out] (Cos[c + d*x]^2*((1 + Cos[c + d*x])*Sec[c + d*x])^(1/3)*(1 + Sec[c + d*x])^(5/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-6*Sec[(c + d*x)/2]*(10*A*Sin[(c + d*x)/2] - 3*B*Sin[(c + d*x)/2] - 4*C*Sin[(c + d*x)/2]))/7 + (3*Sec[(c + d*x)/2]^3*(A*Sin[(c + d*x)/2] - B*Sin[(c + d*x)/2] + C*Sin[(c + d*x)/2]))/7 + (6*(9*A - 2*B - 5*C)*Sin[c + d*x])/7))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a*(1 + Sec[c + d*x]))^(5/3)) + (2*2^(1/3)*Cos[c + d*x]^2*(1 + Sec[c + d*x])^(5/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((32*A*(1 + Sec[c + d*x])^(1/3))/7 - (4*B*(1 + Sec[c + d*x])^(1/3))/7 - (10*C*(1 + Sec[c + d*x])^(1/3))/7 + Cos[c + d*x]*((-54*A*(1 + Sec[c + d*x])^(1/3))/7 + (12*B*(1 + Sec[c + d*x])^(1/3))/7 + (30*C*(1 + Sec[c + d*x])^(1/3))/7))*Tan[(c + d*x)/2]*(-((9*A - 2*B - 5*C)*AppellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Tan[(c + d*x)/2]^2)/(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)) + (9*(3*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(5*A + 2*B + 5*C - 7*(7*A - 2*B - 5*C)*Cos[c + d*x]) + 4*(9*A - 2*B - 5*C)*(3*AppellF1[3/2, 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Cos[c + d*x]*Tan[(c + d*x)/2]^2))/(2*(-1 + Tan[(c + d*x)/2]^2)*(-9*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(3*AppellF1[3/2, 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2)))/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])* (Cos[(c + d*x)/2]^2*Sec[c + d*x])^(2/3)*(a*(1 + Sec[c + d*x]))^(5/3)*((2^(1/3)*Sec[(c + d*x)/2]^2*(-((9*A - 2*B - 5*C)*AppellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Tan[(c + d*x)/2]^2)/(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)) + (9*(3*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(5*A + 2*B + 5*C - 7*(7*A - 2*B - 5*C)*Cos[c + d*x]) + 4*(9*A - 2*B - 5*C)*(3*AppellF1[3/2, 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Cos[c + d*x]*Tan[(c + d*x)/2]^2))/(2*(-1 + Tan[(c + d*x)/2]^2)*(-9*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(3*AppellF1[3/2, 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2)))/(21*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(2/3)) + (2*2^(1/3)*Tan[(c + d*x)/2]*(-((9*A - 2*B - 5*C)*AppellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)) - ((9*A - 2*B - 5*C)*Tan[(c + d*x)/2]^2*(-(3*AppellF1[5/2, 1/3, 2, 7/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/5 + (AppellF1[5/2, 4/3, 1, 7/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/5))/(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3) + (2*(9*A - 2*B - 5*C)*AppellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Tan[(c + d*x)/2]^2*(-(Sec[(c + d*x)/2]^2*Sin[c + d*x]) + Cos[c + d*x]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(3*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(5/3)) - (9*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]*(3*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(5*A + 2*B + 5*C - 7*(7*A - 2*B - 5*C)*Cos[c + d*x]))
```


2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]) * Tan[(c + d*x)/2]^2)) / (21 * (Cos[(c + d*x)/2]^2 * Sec[c + d*x])^(2/3)) - (4 * 2^(1/3) * Tan[(c + d*x)/2] * (-((9 * A - 2 * B - 5 * C) * AppellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] * Tan[(c + d*x)/2]^2) / (Cos[c + d*x] * Sec[(c + d*x)/2]^2)^(2/3)) + (9 * (3 * AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] * (5 * A + 2 * B + 5 * C - 7 * (7 * A - 2 * B - 5 * C) * Cos[c + d*x]) + 4 * (9 * A - 2 * B - 5 * C) * (3 * AppellF1[3/2, 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]) * Cos[c + d*x] * Tan[(c + d*x)/2]^2)) / (2 * (-1 + Tan[(c + d*x)/2]^2) * (-9 * AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2 * (3 * AppellF1[3/2, 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]) * Tan[(c + d*x)/2]^2)) * (-Cos[(c + d*x)/2] * Sec[c + d*x] * Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2 * Sec[c + d*x] * Tan[c + d*x])) / (63 * (Cos[(c + d*x)/2]^2 * Sec[c + d*x])^(5/3)))

Maple [F] time = 0.192, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c) + C (\sec(dx + c))^2) (a + a \sec(dx + c))^{-\frac{5}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x)

[Out] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/3),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a*(sec(c + d*x) + 1))**(5/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(5/3), x)

3.633 $\int \sec^m(c+dx)(a+a \sec(c+dx))^n (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=259

$$\frac{2^{n+\frac{1}{2}} \tan(c+dx)(A(m+n+1) - B(m+n+1) + C(m-n))(\sec(c+dx) + 1)^{-n-\frac{1}{2}}(a \sec(c+dx) + a)^n F_1\left(\frac{1}{2}; 1-m, \frac{1}{2}-n\right)}{d(m+n+1)}$$

[Out] (C*Sec[c + d*x]^(1 + m)*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n) + (2^(3/2 + n)*(C*n + B*(1 + m + n))*AppellF1[1/2, 1 - m, -1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + m + n)) + (2^(1/2 + n)*(C*(m - n) + A*(1 + m + n) - B*(1 + m + n))*AppellF1[1/2, 1 - m, 1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + m + n))

Rubi [A] time = 0.612415, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4088, 4023, 3828, 3825, 133}

$$\frac{2^{n+\frac{1}{2}} \tan(c+dx)(A(m+n+1) - B(m+n+1) + C(m-n))(\sec(c+dx) + 1)^{-n-\frac{1}{2}}(a \sec(c+dx) + a)^n F_1\left(\frac{1}{2}; 1-m, \frac{1}{2}-n\right)}{d(m+n+1)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^m*(a + a*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (C*Sec[c + d*x]^(1 + m)*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + m + n) + (2^(3/2 + n)*(C*n + B*(1 + m + n))*AppellF1[1/2, 1 - m, -1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + m + n)) + (2^(1/2 + n)*(C*(m - n) + A*(1 + m + n) - B*(1 + m + n))*AppellF1[1/2, 1 - m, 1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/(d*(1 + m + n))

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^(-n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(-m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[

$(e + f*x)^n / (f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4023

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3828

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> \text{Dist}[(a^{\text{IntPart}[m]}*(a + b*\text{Csc}[e + f*x])^{\text{FracPart}[m]})/(1 + (b*\text{Csc}[e + f*x])/a)^{\text{FracPart}[m]}, \text{Int}[(1 + (b*\text{Csc}[e + f*x])/a)^m*(d*\text{Csc}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3825

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -\text{Dist}[(a*d/b)^n*\text{Cot}[e + f*x]/(a^{n-2}*f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[a - b*\text{Csc}[e + f*x]]), \text{Subst}[\text{Int}[(a - x)^{n-1}*(2*a - x)^{m-1/2})/\text{Sqrt}[x], x], x, a - b*\text{Csc}[e + f*x], x] /;$ FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0] && !IntegerQ[n] && GtQ[(a*d)/b, 0]

Rule 133

$\text{Int}[(b_.)*(x_.)^m*((c_.) + (d_.)*(x_.))^n*((e_.) + (f_.)*(x_.))^p, x_Symbol] :> \text{Simp}[(c^n*e^p*(b*x)^{m+1}*\text{AppellF1}[m+1, -n, -p, m+2, -((d*x)/c), -((f*x)/e)])/(b*(m+1)), x] /;$ FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned}
\int \sec^m(c + dx)(a + a \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C \sec^{1+m}(c + dx)(a + a \sec(c + dx))^n \sin}{d(1 + m + n)} \\
&= \frac{C \sec^{1+m}(c + dx)(a + a \sec(c + dx))^n \sin}{d(1 + m + n)} \\
&= \frac{C \sec^{1+m}(c + dx)(a + a \sec(c + dx))^n \sin}{d(1 + m + n)} \\
&= \frac{C \sec^{1+m}(c + dx)(a + a \sec(c + dx))^n \sin}{d(1 + m + n)} \\
&= \frac{C \sec^{1+m}(c + dx)(a + a \sec(c + dx))^n \sin}{d(1 + m + n)}
\end{aligned}$$

Mathematica [F] time = 4.19021, size = 0, normalized size = 0.

$$\int \sec^m(c + dx)(a + a \sec(c + dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]^m*(a + a*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] Integrate[Sec[c + d*x]^m*(a + a*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

Maple [F] time = 1.272, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (a + a \sec(dx + c))^n (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^n*se
c(d*x + c)^m, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right)(a \sec(dx + c) + a)^n \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^n*sec
(d*x + c)^m, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**m*(a+a*sec(d*x+c))**n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^n*se
c(d*x + c)^m, x)
```

3.634 $\int \sec^{-1-n}(c+dx)(a+a \sec(c+dx))^n (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=258

$$\frac{(An + B(n + 1) - C(n + 1)) \sin(c + dx) \sec^{1-n}(c + dx) \left(\frac{\sec(c+dx)+1}{1-\sec(c+dx)}\right)^{\frac{1}{2}-n} (a \sec(c + dx) + a)^n \text{Hypergeometric2F1}\left(\frac{1}{2} - n, -n, 1 - n, (-2 \sec(c + dx) + 1) \sec(c + dx)\right)}{dn(n + 1)(\sec(c + dx) + 1)}$$

[Out] (A*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n) + ((A*n + B*(1 + n) - C*(1 + n))*Hypergeometric2F1[1/2 - n, -n, 1 - n, (-2*Sec[c + d*x])/(1 - Sec[c + d*x])]*Sec[c + d*x]^(1 - n)*((1 + Sec[c + d*x])/(1 - Sec[c + d*x]))^(1/2 - n)*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*(1 + n)*(1 + Sec[c + d*x])) + (2^(3/2 + n)*C*AppellF1[1/2, 1 + n, -1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/d

Rubi [A] time = 0.555473, antiderivative size = 258, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4086, 4023, 3828, 3825, 132, 133}

$$\frac{(An + B(n + 1) - C(n + 1)) \sin(c + dx) \sec^{1-n}(c + dx) \left(\frac{\sec(c+dx)+1}{1-\sec(c+dx)}\right)^{\frac{1}{2}-n} (a \sec(c + dx) + a)^n {}_2F_1\left(\frac{1}{2} - n, -n; 1 - n; -\frac{2 \sec(c + dx)}{1 - \sec(c + dx)}\right)}{dn(n + 1)(\sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (A*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n) + ((A*n + B*(1 + n) - C*(1 + n))*Hypergeometric2F1[1/2 - n, -n, 1 - n, (-2*Sec[c + d*x])/(1 - Sec[c + d*x])]*Sec[c + d*x]^(1 - n)*((1 + Sec[c + d*x])/(1 - Sec[c + d*x]))^(1/2 - n)*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*(1 + n)*(1 + Sec[c + d*x])) + (2^(3/2 + n)*C*AppellF1[1/2, 1 + n, -1/2 - n, 3/2, 1 - Sec[c + d*x], (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - n)*(a + a*Sec[c + d*x])^n*Tan[c + d*x])/d

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] & !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m), x_Symbol] := Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3825

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m), x_Symbol] := -Dist[(((a*d)/b)^n*Cot[e + f*x])/(a^(n - 2)*f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((a - x)^(n - 1)*(2*a - x)^(m - 1/2))/Sqrt[x], x], x, a - b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0] && !IntegerQ[n] && GtQ[(a*d)/b, 0]

Rule 132

Int[((a_.) + (b_.)*(x_))^m)*((c_.) + (d_.)*(x_))^n)*((e_.) + (f_.)*(x_))^p), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1)*Hypergeometric2F1[m + 1, -n, m + 2, -(((d*e - c*f)*(a + b*x))/((b*c - a*d)*(e + f*x)))]/(((b*e - a*f)*(m + 1))*(((b*e - a*f)*(c + d*x))/((b*c - a*d)*(e + f*x)))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[m + n + p + 2, 0] && !IntegerQ[n]

Rule 133

Int[((b_.)*(x_))^m)*((c_.) + (d_.)*(x_))^n)*((e_.) + (f_.)*(x_))^p), x_Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] &

& !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned} \int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n (A+B\sec(c+dx)+C\sec^2(c+dx)) dx &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin}{d(1+n)} \\ &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin}{d(1+n)} \\ &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin}{d(1+n)} \\ &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin}{d(1+n)} \\ &= \frac{A\sec^{-n}(c+dx)(a+a\sec(c+dx))^n \sin}{d(1+n)} \end{aligned}$$

Mathematica [F] time = 2.49207, size = 0, normalized size = 0.

$$\int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n (A+B\sec(c+dx)+C\sec^2(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] Integrate[Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

Maple [F] time = 0.4, size = 0, normalized size = 0.

$$\int (\sec(dx+c))^{-1-n} (a+a\sec(dx+c))^n (A+B\sec(dx+c)+C(\sec(dx+c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $\int (\sec(dx+c)^{-1-n} * (a+a*\sec(dx+c))^n * (A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^n \sec(dx+c)^{-n-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^(-1-n)*(a+a*sec(dx+c))^n*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*(a*sec(dx+c) + a)^n*sec(dx+c)^(-n-1), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^n \sec(dx+c)^{-n-1}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^(-1-n)*(a+a*sec(dx+c))^n*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(dx+c)^2 + B*sec(dx+c) + A)*(a*sec(dx+c) + a)^n*sec(dx+c)^(-n-1), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)**(-1-n)*(a+a*sec(dx+c))**n*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^n \sec(dx + c)^{-n-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^(-n - 1), x)

$$3.635 \quad \int \left(\frac{\sec^{-n}(c+dx)(a+a \sec(c+dx))^n(-a(B+An+Bn)-aC(1+n) \sec(c+dx))}{a(1+n)} + \sec^{-n}(c+dx) \right) dx$$

Optimal. Leaf size=38

$$\frac{A \sin(c+dx) \sec^{-n}(c+dx)(a \sec(c+dx) + a)^n}{d(n+1)}$$

[Out] (A*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n)

Rubi [A] time = 0.981481, antiderivative size = 38, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 6, integrand size = 102, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {4023, 3828, 3825, 132, 133, 4086}

$$\frac{A \sin(c+dx) \sec^{-n}(c+dx)(a \sec(c+dx) + a)^n}{d(n+1)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^n*(-(a*(B + A*n + B*n)) - a*C*(1 + n)*Sec[c + d*x]))/(a*(1 + n)*Sec[c + d*x]^n + Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (A*(a + a*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n)

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3828

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3825

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Dist[(((a*d)/b)^n*Cot[e + f*x])/(a^(n - 2)*f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((a - x)^(n - 1)*(2*a - x)^(m - 1/2))/Sqrt[x], x], x, a - b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0] && !IntegerQ[n] && GtQ[(a*d)/b, 0]
```

Rule 132

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1)*Hypergeometric2F1[m + 1, -n, m + 2, -(((d*e - c*f)*(a + b*x))/((b*c - a*d)*(e + f*x))))]/(((b*e - a*f)*(m + 1))*((b*e - a*f)*(c + d*x))/((b*c - a*d)*(e + f*x)))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[m + n + p + 2, 0] && !IntegerQ[n]
```

Rule 133

```
Int[((b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1))), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rubi steps

$$\int \left(\frac{\sec^{-n}(c+dx)(a+a\sec(c+dx))^n(-a(B+An+Bn)-aC(1+n)\sec(c+dx))}{a(1+n)} + \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n \right)$$

Mathematica [A] time = 0.154944, size = 38, normalized size = 1.

$$\frac{A \sin(c+dx) \sec^{-n}(c+dx) (a(\sec(c+dx)+1))^n}{d(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[((a+a*Sec[c+d*x])^n*(-(a*(B+A*n+B*n)) - a*C*(1+n)*Sec[c+d*x]))/(a*(1+n)*Sec[c+d*x]^n + Sec[c+d*x]^(-1-n)*(a+a*Sec[c+d*x])^n*(A+B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (A*(a*(1+Sec[c+d*x]))^n*Sin[c+d*x])/(d*(1+n)*Sec[c+d*x]^n)

Maple [F] time = 1.303, size = 0, normalized size = 0.

$$\int \frac{(a+a\sec(dx+c))^n(-a(An+Bn+B)-aC(1+n)\sec(dx+c))}{(1+n)a(\sec(dx+c))^n} + (\sec(dx+c))^{-1-n}(a+a\sec(dx+c))^n(A+B\sec(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^n*(-a*(A*n+B*n+B)-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x+c)^n)+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int((a+a*sec(d*x+c))^n*(-a*(A*n+B*n+B)-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x+c)^n)+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [B] time = 19.4958, size = 419, normalized size = 11.03

$$\frac{(\cos(dx+c)^2 + \sin(dx+c)^2 + 2\cos(dx+c) + 1)^n A a^n \cos(-(dn+d)x + 2n \arctan(\sin(dx+c), \cos(dx+c) + 1) - c)}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^n*(-a*(A*n+B*n+B)-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x+c)^n)+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/2*((cos(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1)^n*A*a^n*cos(-(d*n + d)*x + 2*n*arctan2(sin(d*x + c), cos(d*x + c) + 1) - c)*sin(c*n) - (cos(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1)^n*A*a^n*cos(-(d*n - d)*x + 2*n*arctan2(sin(d*x + c), cos(d*x + c) + 1) + c)*sin(c*n) - (cos(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1)^n*A*a^n*cos(c*n)*sin(-(d*n + d)*x + 2*n*arctan2(sin(d*x + c), cos(d*x + c) + 1) - c) + (cos(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1)^n*A*a^n*cos(c*n)*sin(-(d*n - d)*x + 2*n*arctan2(sin(d*x + c), cos(d*x + c) + 1) + c))/((d*n + d)*2^n*cos(c*n)^2 + (d*n + d)*2^n*sin(c*n)^2)

Fricas [A] time = 0.595195, size = 142, normalized size = 3.74

$$\frac{A \left(\frac{a \cos(dx+c)+a}{\cos(dx+c)} \right)^n \frac{1}{\cos(dx+c)} \sin(dx+c)^{-n-1}}{(dn+d) \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^n*(-a*(A*n+B*n+B)-a*C*(1+n)*sec(d*x+c))/a/(1+n)/(sec(d*x+c)^n)+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d


```
*x+c)^2),x, algorithm="fricas")
```

```
[Out] A*((a*cos(d*x + c) + a)/cos(d*x + c))^n*(1/cos(d*x + c))^(n - 1)*sin(d*x + c)/((d*n + d)*cos(d*x + c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^n*(-a*(A*n+B*n+B)-a*C*(1+n)*sec(d*x+c))/a/(1+n)/
(sec(d*x+c)**n)+sec(d*x+c)**(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^n \sec(dx + c)^{-n-1} - \frac{Ca(n+1) \sec(dx + c) + (An + Bn + B)a}{a(n+1) \sec(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^n*(-a*(A*n+B*n+B)-a*C*(1+n)*sec(d*x+c))/a/(1+n)/
(sec(d*x+c)^n)+sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^(-n - 1) - (C*a*(n + 1)*sec(d*x + c) + (A*n + B*n + B)*a)*(a*sec(d*x + c) + a)^n/(a*(n + 1)*sec(d*x + c)^n), x)
```

3.636 $\int (a + a \sec(c + dx))^m (B - C + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=171

$$\frac{C 2^{m+\frac{3}{2}} \tan(c + dx) (\sec(c + dx) + 1)^{-m-\frac{1}{2}} (a \sec(c + dx) + a)^m \text{Hypergeometric2F1}\left(\frac{1}{2}, -m - \frac{1}{2}, \frac{3}{2}, \frac{1}{2}(1 - \sec(c + dx))\right)}{d} +$$

[Out] (Sqrt[2]*(B - C)*AppellF1[3/2 + m, 1/2, 1, 5/2 + m, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^m*Tan[c + d*x])/(d*(3 + 2*m)*Sqrt[1 - Sec[c + d*x]]) + (2^(3/2 + m)*C*Hypergeometric2F1[1/2, -1/2 - m, 3/2, (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - m)*(a + a*Sec[c + d*x])^m*Tan[c + d*x])/d

Rubi [A] time = 0.263587, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4041, 3924, 3779, 3778, 136, 3828, 3827, 69}

$$\frac{\sqrt{2}(B - C) \tan(c + dx) (\sec(c + dx) + 1) (a \sec(c + dx) + a)^m F_1\left(m + \frac{3}{2}; \frac{1}{2}, 1; m + \frac{5}{2}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)}{d(2m + 3)\sqrt{1 - \sec(c + dx)}} +$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^m*(B - C + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[2]*(B - C)*AppellF1[3/2 + m, 1/2, 1, 5/2 + m, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^m*Tan[c + d*x])/(d*(3 + 2*m)*Sqrt[1 - Sec[c + d*x]]) + (2^(3/2 + m)*C*Hypergeometric2F1[1/2, -1/2 - m, 3/2, (1 - Sec[c + d*x])/2]*(1 + Sec[c + d*x])^(-1/2 - m)*(a + a*Sec[c + d*x])^m*Tan[c + d*x])/d

Rule 4041

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[b*B - a*C + b*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist

$[d, \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^m \cdot \text{Csc}[e + f \cdot x], x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

$\text{Int}[(\text{csc}[(c_.) + (d_.) \cdot (x_)] \cdot (b_.) + (a_))^n, x_Symbol] :> \text{Dist}[(a^{\text{IntPart}[n]} \cdot (a + b \cdot \text{Csc}[c + d \cdot x])^{\text{FracPart}[n]} / (1 + (b \cdot \text{Csc}[c + d \cdot x]) / a)^{\text{FracPart}[n]}], \text{Int}[(1 + (b \cdot \text{Csc}[c + d \cdot x]) / a)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

$\text{Int}[(\text{csc}[(c_.) + (d_.) \cdot (x_)] \cdot (b_.) + (a_))^n, x_Symbol] :> \text{Dist}[(a^n \cdot \text{Cot}[c + d \cdot x] / (d \cdot \text{Sqrt}[1 + \text{Csc}[c + d \cdot x]] \cdot \text{Sqrt}[1 - \text{Csc}[c + d \cdot x]]), \text{Subst}[\text{Int}[(1 + (b \cdot x) / a)^{n - 1/2} / (x \cdot \text{Sqrt}[1 - (b \cdot x) / a]), x], x, \text{Csc}[c + d \cdot x]], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

Rule 136

$\text{Int}[(a_.) + (b_.) \cdot (x_)]^{(m_)} \cdot ((c_.) + (d_.) \cdot (x_))^{(n_)} \cdot ((e_.) + (f_.) \cdot (x_))^{(p_)}, x_Symbol] :> \text{Simp}[(b \cdot e - a \cdot f)^p \cdot (a + b \cdot x)^{m+1} \cdot \text{AppellF1}[m+1, -n, -p, m+2, -(d \cdot (a + b \cdot x)) / (b \cdot c - a \cdot d), -(f \cdot (a + b \cdot x)) / (b \cdot e - a \cdot f)] / (b^{p+1} \cdot (m+1) \cdot (b / (b \cdot c - a \cdot d))^n), x] /;$ FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b / (b*c - a*d), 0] && !(GtQ[d / (d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

Rule 3828

$\text{Int}[(\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (d_.)^{(n_)} \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.) + (a_))^m, x_Symbol] :> \text{Dist}[(a^{\text{IntPart}[m]} \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^{\text{FracPart}[m]} / (1 + (b \cdot \text{Csc}[e + f \cdot x]) / a)^{\text{FracPart}[m]}], \text{Int}[(1 + (b \cdot \text{Csc}[e + f \cdot x]) / a)^m \cdot (d \cdot \text{Csc}[e + f \cdot x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

$\text{Int}[(\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (d_.)^{(n_)} \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.) + (a_))^m, x_Symbol] :> \text{Dist}[(a^2 \cdot d \cdot \text{Cot}[e + f \cdot x] / (f \cdot \text{Sqrt}[a + b \cdot \text{Csc}[e + f \cdot x]] \cdot \text{Sqrt}[a - b \cdot \text{Csc}[e + f \cdot x]]), \text{Subst}[\text{Int}[(d \cdot x)^{n-1} \cdot (a + b \cdot x)^{m-1/2} / \text{Sqrt}[a - b \cdot x], x], x, \text{Csc}[e + f \cdot x]], x] /;$ FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 69

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((
a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*(a + b*x))/(b*c -
a*d))]/(b*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, m, n}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && !IntegerQ[n] && GtQ[b/(b*c - a*d)
, 0] && (RationalQ[m] || !(RationalQ[n] && GtQ[-(d/(b*c - a*d)), 0]))
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^m (B - C + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (a + a \sec(c + dx))^{1+m} (a(B - C) + aC \sec(c + dx)) dx}{a^2} \\
&= \frac{(B - C) \int (a + a \sec(c + dx))^{1+m} dx}{a} + \frac{C \int \sec(c + dx) (a + a \sec(c + dx))^m dx}{a} \\
&= \frac{(B - C)(1 + \sec(c + dx))^{-m} (a + a \sec(c + dx))^m}{a} + \frac{C \int (1 + \sec(c + dx))^{-m} (a + a \sec(c + dx))^m dx}{a} \\
&= \frac{(B - C)(1 + \sec(c + dx))^{-\frac{1}{2}-m} (a + a \sec(c + dx))^m}{d\sqrt{1 - \sec^2(c + dx)}} + \frac{C \int (1 + \sec(c + dx))^{-\frac{1}{2}-m} (a + a \sec(c + dx))^m dx}{d\sqrt{1 - \sec^2(c + dx)}} \\
&= \frac{\sqrt{2}(B - C)F_1\left(\frac{3}{2} + m; \frac{1}{2}, 1; \frac{5}{2} + m; \frac{1}{2}(1 + \sec(c + dx))\right)}{d(3 - 2\sec(c + dx))} + \frac{C \int (1 + \sec(c + dx))^{-\frac{1}{2}-m} (a + a \sec(c + dx))^m dx}{d\sqrt{1 - \sec^2(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 16.9767, size = 2582, normalized size = 15.1

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + a*Sec[c + d*x])^m*(B - C + B*Sec[c + d*x] + C*Sec[c + d*x]^2
),x]
```

```
[Out] (2^(1 + m)*Cos[(c + d*x)/2]*Cos[c + d*x]*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^
m*(1 + Sec[c + d*x])^(-1 - m)*(a*(1 + Sec[c + d*x]))^(1 + m)*(B - C + C*Sec
[c + d*x])*(2*C*Sec[c + d*x]^2*(1 + Sec[c + d*x])^m + Sec[c + d*x]*(2*B*(1
+ Sec[c + d*x])^m - 2*C*(1 + Sec[c + d*x])^m))*Sin[(c + d*x)/2]*((B - C)*H
ypergeometric2F1[1/2, 1 + m, 3/2, Tan[(c + d*x)/2]^2] + 2*C*Hypergeometric2
F1[1/2, 2 + m, 3/2, Tan[(c + d*x)/2]^2])*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^
m + (3*(B - C)*AppellF1[1/2, m, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/
2]^2]*Cos[(c + d*x)/2]^2)/(3*AppellF1[1/2, m, 1, 3/2, Tan[(c + d*x)/2]^2, -
Tan[(c + d*x)/2]^2] - 2*(AppellF1[3/2, m, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[
(c + d*x)/2]^2] - m*AppellF1[3/2, 1 + m, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[
```

$$\begin{aligned}
& (c + d*x)/2]^2)) * \text{Tan}[(c + d*x)/2]^2)) / (a*d*(C + B*\text{Cos}[c + d*x] - C*\text{Cos}[c + \\
& d*x]) * (2^m * \text{Sec}[(c + d*x)/2]^2 * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x])^m * ((B - C) \\
& * \text{Hypergeometric2F1}[1/2, 1 + m, 3/2, \text{Tan}[(c + d*x)/2]^2] + 2*C*\text{Hypergeometri} \\
& c2F1[1/2, 2 + m, 3/2, \text{Tan}[(c + d*x)/2]^2]) * (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 \\
&)^m + (3*(B - C)*\text{AppellF1}[1/2, m, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x) \\
&)/2]^2] * \text{Cos}[(c + d*x)/2]^2) / (3*\text{AppellF1}[1/2, m, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, \\
& -\text{Tan}[(c + d*x)/2]^2] - 2*(\text{AppellF1}[3/2, m, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan} \\
& n[(c + d*x)/2]^2] - m*\text{AppellF1}[3/2, 1 + m, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan} \\
& [(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2)) + 2^(1 + m) * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec} \\
& c + d*x])^m * \text{Tan}[(c + d*x)/2] * (m * ((B - C) * \text{Hypergeometric2F1}[1/2, 1 + m, 3/2, \\
& \text{Tan}[(c + d*x)/2]^2] + 2*C*\text{Hypergeometric2F1}[1/2, 2 + m, 3/2, \text{Tan}[(c + d*x) \\
& /2]^2]) * (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^(-1 + m) * (-\text{Sec}[(c + d*x)/2]^2 * \text{Si} \\
& n[c + d*x]) + \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) - (3*(B - C) \\
&) * \text{AppellF1}[1/2, m, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Cos}[(c \\
& + d*x)/2] * \text{Sin}[(c + d*x)/2]) / (3*\text{AppellF1}[1/2, m, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, \\
& -\text{Tan}[(c + d*x)/2]^2] - 2*(\text{AppellF1}[3/2, m, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan} \\
& n[(c + d*x)/2]^2] - m*\text{AppellF1}[3/2, 1 + m, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan} \\
& [(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2) + (3*(B - C) * \text{Cos}[(c + d*x)/2]^2 * (-\text{Ap} \\
& pcellF1[3/2, m, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x) \\
&)/2]^2 * \text{Tan}[(c + d*x)/2]) / 3 + (m * \text{AppellF1}[3/2, 1 + m, 1, 5/2, \text{Tan}[(c + d*x) \\
& /2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 3)) / (3*\text{App} \\
& ellF1[1/2, m, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - 2*(\text{AppellF} \\
& 1[3/2, m, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - m*\text{AppellF1}[3/2 \\
& , 1 + m, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2] \\
& ^2) - (3*(B - C) * \text{AppellF1}[1/2, m, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x) \\
&)/2]^2] * \text{Cos}[(c + d*x)/2]^2 * (-2*(\text{AppellF1}[3/2, m, 2, 5/2, \text{Tan}[(c + d*x)/2]^2 \\
& , -\text{Tan}[(c + d*x)/2]^2] - m*\text{AppellF1}[3/2, 1 + m, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, \\
& -\text{Tan}[(c + d*x)/2]^2]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] + 3*(-\text{AppellF1}[\\
& 3/2, m, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 \\
& * \text{Tan}[(c + d*x)/2]) / 3 + (m * \text{AppellF1}[3/2, 1 + m, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, \\
& -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 3) - 2 * \text{Tan}[(c + d \\
& *x)/2]^2 * ((-6 * \text{AppellF1}[5/2, m, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2] \\
&]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5 + (3 * m * \text{AppellF1}[5/2, 1 + m, 2, \\
& 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d \\
& *x)/2]) / 5 - m * ((-3 * \text{AppellF1}[5/2, 1 + m, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c \\
& + d*x)/2]^2] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / 5 + (3 * (1 + m) * \text{AppellF1}[\\
& 5/2, 2 + m, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] * \text{Sec}[(c + d*x) / \\
& 2]^2 * \text{Tan}[(c + d*x)/2]) / 5))) / (3 * \text{AppellF1}[1/2, m, 1, 3/2, \text{Tan}[(c + d*x)/2]^2 \\
& , -\text{Tan}[(c + d*x)/2]^2] - 2 * (\text{AppellF1}[3/2, m, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{T} \\
& an[(c + d*x)/2]^2] - m * \text{AppellF1}[3/2, 1 + m, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan} \\
& n[(c + d*x)/2]^2]) * \text{Tan}[(c + d*x)/2]^2)^2 + (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 \\
&)^m * (C * \text{Csc}[(c + d*x)/2] * \text{Sec}[(c + d*x)/2] * (-\text{Hypergeometric2F1}[1/2, 2 + m, 3/ \\
& 2, \text{Tan}[(c + d*x)/2]^2] + (1 - \text{Tan}[(c + d*x)/2]^2)^(-2 - m)) + ((B - C) * \text{Csc} \\
& (c + d*x)/2] * \text{Sec}[(c + d*x)/2] * (-\text{Hypergeometric2F1}[1/2, 1 + m, 3/2, \text{Tan}[(c + \\
& d*x)/2]^2] + (1 - \text{Tan}[(c + d*x)/2]^2)^(-1 - m))) / 2)) + 2^(1 + m) * m * (\text{Cos}[(c
\end{aligned}$$

$$+ d*x)/2]^2*\text{Sec}[c + d*x]^{(-1 + m)*\text{Tan}[(c + d*x)/2]*((B - C)*\text{Hypergeometric2F1}[1/2, 1 + m, 3/2, \text{Tan}[(c + d*x)/2]^2] + 2*C*\text{Hypergeometric2F1}[1/2, 2 + m, 3/2, \text{Tan}[(c + d*x)/2]^2])*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^m + (3*(B - C)*\text{AppellF1}[1/2, m, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Cos}[(c + d*x)/2]^2)/(3*\text{AppellF1}[1/2, m, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - 2*(\text{AppellF1}[3/2, m, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - m*\text{AppellF1}[3/2, 1 + m, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2))*\text{Tan}[(c + d*x)/2]^2)*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))$$

Maple [F] time = 0.487, size = 0, normalized size = 0.

$$\int (a + a \sec(dx + c))^m (B - C + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^m*(B-C+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] int((a+a*sec(d*x+c))^m*(B-C+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + B - C)(a \sec(dx + c) + a)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^m*(B-C+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + B - C)*(a*sec(d*x + c) + a)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^2 + B \sec(dx + c) + B - C)(a \sec(dx + c) + a)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^m*(B-C+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + B - C)*(a*sec(d*x + c) + a)^m, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(\sec(c + dx) + 1))^m (\sec(c + dx) + 1) (B + C \sec(c + dx) - C) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**m*(B-C+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Integral((a*(sec(c + d*x) + 1))**m*(sec(c + d*x) + 1)*(B + C*sec(c + d*x) - C), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + B - C)(a \sec(dx + c) + a)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^m*(B-C+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + B - C)*(a*sec(d*x + c) + a)^m, x)
```

3.637 $\int \sec^3(c+dx)(a+b \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=140

$$\frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 3C) \tan(c + dx) \sec(c + dx)}{8d} + \frac{aC \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{b(5A + 4C) \tan(c + dx) \sec^2(c + dx)}{15d}$$

[Out] (a*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (b*(5*A + 4*C)*Tan[c + d*x])/(5*d) + (a*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (b*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + (b*(5*A + 4*C)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.174958, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4077, 4047, 3767, 4046, 3768, 3770}

$$\frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4A + 3C) \tan(c + dx) \sec(c + dx)}{8d} + \frac{aC \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{b(5A + 4C) \tan(c + dx) \sec^2(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (b*(5*A + 4*C)*Tan[c + d*x])/(5*d) + (a*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (b*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + (b*(5*A + 4*C)*Tan[c + d*x]^3)/(15*d)

Rule 4077

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x]

$x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_.)]^{(n_.)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], \text{Cot}[c + d*x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)(x_.)]^{2*(C_.) + (A_.)}), x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}[\{b, e, f, A, C, m\}, x] \ \&\& \ \text{NeQ}[C*m + A*(m + 1), 0] \ \&\& \ !\text{LeQ}[m, -1]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_.)]*(b_.))^{(n_.)}, x_Symbol] \text{ :> } -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \sec^3(c + dx)(a + b \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{bC \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^3(c + dx) (5aA + b^2) dx \\ &= \frac{bC \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^3(c + dx) (5aA + 5b^2) dx \\ &= \frac{aC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{bC \sec^4(c + dx) \tan(c + dx)}{5d} \\ &= \frac{b(5A + 4C) \tan(c + dx)}{5d} + \frac{a(4A + 3C) \sec(c + dx) \tan(c + dx)}{8d} \\ &= \frac{a(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(5A + 4C) \tan(c + dx)}{5d} \end{aligned}$$

Mathematica [A] time = 0.854788, size = 96, normalized size = 0.69

$$\frac{\tan(c + dx) (15a(4A + 3C) \sec(c + dx) + 30aC \sec^3(c + dx) + 8b (5(A + 2C) \tan^2(c + dx) + 15(A + C) + 3C \tan^4(c + dx)))}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (15*a*(4*A + 3*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*a*(4*A + 3*C)*Sec[c + d*x] + 30*a*C*Sec[c + d*x]^3 + 8*b*(15*(A + C) + 5*(A + 2*C)*Tan[c + d*x]^2 + 3*C*Tan[c + d*x]^4))/(120*d)

Maple [A] time = 0.039, size = 192, normalized size = 1.4

$$\frac{Aa \sec(dx + c) \tan(dx + c)}{2d} + \frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{aC (\sec(dx + c))^3 \tan(dx + c)}{4d} + \frac{3aC \sec(dx + c) \tan(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)

[Out] 1/2/d*A*a*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+1/4*a*C*sec(d*x+c)^3*tan(d*x+c)/d+3/8*a*C*sec(d*x+c)*tan(d*x+c)/d+3/8/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*A*b*tan(d*x+c)+1/3/d*A*b*tan(d*x+c)*sec(d*x+c)^2+8/15*b*C*tan(d*x+c)/d+1/5*b*C*sec(d*x+c)^4*tan(d*x+c)/d+4/15*b*C*sec(d*x+c)^2*tan(d*x+c)/d

Maxima [A] time = 0.990882, size = 236, normalized size = 1.69

$$80 (\tan(dx + c)^3 + 3 \tan(dx + c)) Ab + 16 (3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c)) Cb - 15 Ca \left(\frac{2(3 \sin(dx + c) \cos(dx + c)^4 - \sin(dx + c)^4)}{\sin(dx + c)^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

```
[Out] 1/240*(80*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*b + 16*(3*tan(d*x + c)^5 + 10
*tan(d*x + c)^3 + 15*tan(d*x + c))*C*b - 15*C*a*(2*(3*sin(d*x + c)^3 - 5*si
n(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) +
1) + 3*log(sin(d*x + c) - 1)) - 60*A*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1)
- log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)))/d
```

Fricas [A] time = 0.577245, size = 389, normalized size = 2.78

$$\frac{15(4A + 3C)a \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(4A + 3C)a \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(16(5A + 3C)a \cos(dx + c)^4 + 15(4A + 3C)a \cos(dx + c)^3 + 8(5A + 4C)b \cos(dx + c)^2 + 30C a \cos(dx + c) + 24C b) \sin(dx + c)}{240 d c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fr
icas")
```

```
[Out] 1/240*(15*(4*A + 3*C)*a*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(4*A + 3*
C)*a*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(16*(5*A + 4*C)*b*cos(d*x +
c)^4 + 15*(4*A + 3*C)*a*cos(d*x + c)^3 + 8*(5*A + 4*C)*b*cos(d*x + c)^2 + 3
0*C*a*cos(d*x + c) + 24*C*b)*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) (a + b \sec(c + dx)) \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))*sec(c + d*x)**3, x)
```

Giac [B] time = 1.23531, size = 451, normalized size = 3.22

$$15(4Aa + 3Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(4Aa + 3Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(60Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 75Ca\right)}{240 d c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{120} \cdot (15 \cdot (4 \cdot A \cdot a + 3 \cdot C \cdot a) \cdot \log(\abs{\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 1}) - 15 \cdot (4 \cdot A \cdot a + 3 \cdot C \cdot a) \cdot \log(\abs{\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 1}) + 2 \cdot (60 \cdot A \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 + 75 \cdot C \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 - 120 \cdot A \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 - 120 \cdot C \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 - 120 \cdot A \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 30 \cdot C \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 + 320 \cdot A \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 + 160 \cdot C \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 400 \cdot A \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 464 \cdot C \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 120 \cdot A \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 30 \cdot C \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 320 \cdot A \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 160 \cdot C \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 60 \cdot A \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 75 \cdot C \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 120 \cdot A \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 120 \cdot C \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)) / (\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^2 - 1)^5 / d$

3.638 $\int \sec^2(c+dx)(a+b \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=117

$$\frac{a(3A + 2C) \tan(c + dx)}{3d} + \frac{aC \tan(c + dx) \sec^2(c + dx)}{3d} + \frac{b(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(4A + 3C) \tan(c + dx)}{8d}$$

[Out] (b*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(3*A + 2*C)*Tan[c + d*x])/(3*d) + (b*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d) + (b*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)

Rubi [A] time = 0.163016, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4077, 4047, 3768, 3770, 4046, 3767, 8}

$$\frac{a(3A + 2C) \tan(c + dx)}{3d} + \frac{aC \tan(c + dx) \sec^2(c + dx)}{3d} + \frac{b(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(4A + 3C) \tan(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (b*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(3*A + 2*C)*Tan[c + d*x])/(3*d) + (b*(4*A + 3*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d) + (b*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)

Rule 4077

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Cs c[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{bC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^2(c + dx) (4aA + b(4A + 3C) \sec(c + dx) \tan(c + dx)) dx \\
 &= \frac{bC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^2(c + dx) (4aA + 4ab \sec(c + dx) \tan(c + dx) + aC \sec^2(c + dx) \tan^2(c + dx)) dx \\
 &= \frac{b(4A + 3C) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aC \sec^2(c + dx) \tan^2(c + dx)}{3d} \\
 &= \frac{b(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(4A + 3C) \sec(c + dx)}{8d} \\
 &= \frac{b(4A + 3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(3A + 2C) \tan(c + dx)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.490301, size = 80, normalized size = 0.68

$$\frac{\tan(c + dx) \left(8a \left(3(A + C) + C \tan^2(c + dx) \right) + 3b(4A + 3C) \sec(c + dx) + 6bC \sec^3(c + dx) \right) + 3b(4A + 3C) \tanh^{-1}(\sin(c + dx))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (3*b*(4*A + 3*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(3*b*(4*A + 3*C)*Sec[c + d*x] + 6*b*C*Sec[c + d*x]^3 + 8*a*(3*(A + C) + C*Tan[c + d*x]^2)))/(24*d)

Maple [A] time = 0.035, size = 149, normalized size = 1.3

$$\frac{Aa \tan(dx + c)}{d} + \frac{2aC \tan(dx + c)}{3d} + \frac{C(\sec(dx + c))^2 a \tan(dx + c)}{3d} + \frac{A \sec(dx + c) b \tan(dx + c)}{2d} + \frac{Ab \ln(\sec(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*A*a*tan(d*x+c)+2/3*a*C*tan(d*x+c)/d+1/3*a*C*sec(d*x+c)^2*tan(d*x+c)/d+1/2/d*A*b*sec(d*x+c)*tan(d*x+c)+1/2/d*A*b*ln(sec(d*x+c)+tan(d*x+c))+1/4*b*C*sec(d*x+c)^3*tan(d*x+c)/d+3/8*b*C*sec(d*x+c)*tan(d*x+c)/d+3/8/d*C*b*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.961949, size = 205, normalized size = 1.75

$$\frac{16 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ca - 3Cb \left(\frac{2 \left(3 \sin(dx + c)^3 - 5 \sin(dx + c) \right)}{\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1} - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1) \right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a - 3*C*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1))

$+ c) + 1) + 3 \log(\sin(dx + c) - 1) - 12Ab(2 \sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 48Aa \tan(dx + c))/d$

Fricas [A] time = 0.562531, size = 335, normalized size = 2.86

$$\frac{3(4A + 3C)b \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(4A + 3C)b \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(8(3A + 2C) + 3(4A + 3C)b \cos(dx + c)^2 + 8Ca \cos(dx + c) + 6Cb) \sin(dx + c)}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{48} \frac{(3(4A + 3C)b \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(4A + 3C)b \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(8(3A + 2C) + 3(4A + 3C)b \cos(dx + c)^2 + 8Ca \cos(dx + c) + 6Cb) \sin(dx + c))}{(d \cos(dx + c))^4}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx))(a + b \sec(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(a+b*sec(dx+c))*(A+C*sec(dx+c)**2),x)

[Out] Integral((A + C*sec(c + dx)**2)*(a + b*sec(c + dx))*sec(c + dx)**2, x)

Giac [B] time = 1.22292, size = 410, normalized size = 3.5

$$3(4Ab + 3Cb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(4Ab + 3Cb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(24Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 24Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{24} \cdot (3 \cdot (4 \cdot A \cdot b + 3 \cdot C \cdot b) \cdot \log(\abs{\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 1}) - 3 \cdot (4 \cdot A \cdot b + 3 \cdot C \cdot b) \cdot \log(\abs{\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 1}) - 2 \cdot (24 \cdot A \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 + 24 \cdot C \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 12 \cdot A \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 15 \cdot C \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 72 \cdot A \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 40 \cdot C \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 12 \cdot A \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 9 \cdot C \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 72 \cdot A \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 40 \cdot C \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 12 \cdot A \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 9 \cdot C \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 24 \cdot A \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 24 \cdot C \cdot a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 12 \cdot A \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 15 \cdot C \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)) / (\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^2 - 1)^4 / d$

3.639 $\int \sec(c+dx)(a+b \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=86

$$\frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d} + \frac{b(3A + 2C) \tan(c + dx)}{3d} + \frac{bC \tan(c + dx) \sec^2(c + dx)}{3d}$$

[Out] (a*(2*A + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (b*(3*A + 2*C)*Tan[c + d*x])/(3*d) + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (b*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.102999, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4077, 4047, 3767, 8, 4046, 3770}

$$\frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx) \sec(c + dx)}{2d} + \frac{b(3A + 2C) \tan(c + dx)}{3d} + \frac{bC \tan(c + dx) \sec^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(2*A + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (b*(3*A + 2*C)*Tan[c + d*x])/(3*d) + (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (b*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 4077

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + b \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) (3aA + b(3aC + 2A^2)) dx \\ &= \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) (3aA + 3aC \sec^2(c + dx)) dx \\ &= \frac{aC \sec(c + dx) \tan(c + dx)}{2d} + \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{a(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b(3A + 2C) \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.305646, size = 59, normalized size = 0.69

$$\frac{\tan(c + dx) (3aC \sec(c + dx) + 6b(A + C) + 2bC \tan^2(c + dx)) + 3a(2A + C) \tanh^{-1}(\sin(c + dx))}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] $(3*a*(2*A + C)*\text{ArcTanh}[\text{Sin}[c + d*x]] + \text{Tan}[c + d*x]*(6*b*(A + C) + 3*a*C*\text{Sec}[c + d*x] + 2*b*C*\text{Tan}[c + d*x]^2))/(6*d)$

Maple [A] time = 0.035, size = 108, normalized size = 1.3

$$\frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aC \sec(dx + c) \tan(dx + c)}{2d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{Ab \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)`

[Out] $1/d*A*a*\ln(\sec(d*x+c)+\tan(d*x+c))+1/2*a*C*\sec(d*x+c)*\tan(d*x+c)/d+1/2/d*a*C*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*A*b*\tan(d*x+c)+2/3*b*C*\tan(d*x+c)/d+1/3*b*C*\sec(d*x+c)^2*\tan(d*x+c)/d$

Maxima [A] time = 0.973692, size = 135, normalized size = 1.57

$$\frac{4(\tan(dx + c)^3 + 3 \tan(dx + c))Cb - 3Ca\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) + 12Aa \log(\sec(dx + c) + \tan(dx + c))}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] $1/12*(4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*C*b - 3*C*a*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 12*A*a*\log(\sec(d*x + c) + \tan(d*x + c)) + 12*A*b*\tan(d*x + c))/d$

Fricas [A] time = 0.571301, size = 285, normalized size = 3.31

$$\frac{3(2A + C)a \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(2A + C)a \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(3A + 2C)b \cos(dx + c) + 3A^2)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{12} \cdot (3 \cdot (2A + C) \cdot a \cdot \cos(dx + c)^3 \cdot \log(\sin(dx + c) + 1) - 3 \cdot (2A + C) \cdot a \cdot \cos(dx + c)^3 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (2 \cdot (3A + 2C) \cdot b \cdot \cos(dx + c)^2 + 3 \cdot C \cdot a \cdot \cos(dx + c) + 2 \cdot C \cdot b) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) (a + b \sec(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))*sec(c + d*x), x)

Giac [B] time = 1.23619, size = 248, normalized size = 2.88

$$3(2Aa + Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa + Ca) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(3Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 6Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{6d}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{6} \cdot (3 \cdot (2A \cdot a + C \cdot a) \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) + 1)) - 3 \cdot (2A \cdot a + C \cdot a) \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) - 1)) + 2 \cdot (3 \cdot C \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 - 6 \cdot A \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 - 6 \cdot C \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 12 \cdot A \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 4 \cdot C \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 3 \cdot C \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) - 6 \cdot A \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) - 6 \cdot C \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)) / (\tan(1/2 \cdot dx + 1/2 \cdot c)^2 - 1)^3) / d$

3.640 $\int (a + b \sec(c + dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=58

$$aAx + \frac{aC \tan(c + dx)}{d} + \frac{b(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] a*A*x + (b*(2*A + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*C*Tan[c + d*x])/d + (b*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.0536912, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {4049, 3770, 3767, 8}

$$aAx + \frac{aC \tan(c + dx)}{d} + \frac{b(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] a*A*x + (b*(2*A + C)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*C*Tan[c + d*x])/d + (b*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 4049

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + b*(2*A + C)*Csc[e + f*x] + 2*a*C*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx)) (A + C \sec^2(c + dx)) dx &= \frac{bC \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (2aA + b(2A + C) \sec(c + dx) + 2aC \sec^2(c + dx)) dx \\
 &= aAx + \frac{bC \sec(c + dx) \tan(c + dx)}{2d} + (aC) \int \sec^2(c + dx) dx + \frac{1}{2} (b(2A + C) \int \sec(c + dx) dx) \\
 &= aAx + \frac{b(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \sec(c + dx) \tan(c + dx)}{2d} + \frac{aC \tan(c + dx)}{d} \\
 &= aAx + \frac{b(2A + C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aC \tan(c + dx)}{d} + \frac{bC \sec(c + dx) \tan(c + dx)}{2d}
 \end{aligned}$$

Mathematica [A] time = 0.019705, size = 67, normalized size = 1.16

$$aAx + \frac{aC \tan(c + dx)}{d} + \frac{Ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] a*A*x + (A*b*ArcTanh[Sin[c + d*x]])/d + (b*C*ArcTanh[Sin[c + d*x]])/(2*d) + (a*C*Tan[c + d*x])/d + (b*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Maple [A] time = 0.035, size = 85, normalized size = 1.5

$$aAx + \frac{Aac}{d} + \frac{aC \tan(dx + c)}{d} + \frac{Ab \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Cb \sec(dx + c) \tan(dx + c)}{2d} + \frac{Cb \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)

[Out] a*A*x+1/d*A*a*c+a*C*tan(d*x+c)/d+1/d*A*b*ln(sec(d*x+c)+tan(d*x+c))+1/2*b*C*sec(d*x+c)*tan(d*x+c)/d+1/2/d*C*b*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.964559, size = 119, normalized size = 2.05

$$\frac{4(dx+c)Aa - Cb\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + 4Ab\log(\sec(dx+c) + \tan(dx+c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/4*(4*(d*x + c)*A*a - C*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 4*A*b*log(sec(d*x + c) + tan(d*x + c)) + 4*C*a*tan(d*x + c))/d

Fricas [A] time = 0.572936, size = 267, normalized size = 4.6

$$\frac{4Aadx\cos(dx+c)^2 + (2A+C)b\cos(dx+c)^2\log(\sin(dx+c)+1) - (2A+C)b\cos(dx+c)^2\log(-\sin(dx+c)+1)}{4d\cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/4*(4*A*a*d*x*cos(d*x + c)^2 + (2*A + C)*b*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (2*A + C)*b*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(2*C*a*cos(d*x + c) + C*b)*sin(d*x + c))/(d*cos(d*x + c)^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx))(a + b \sec(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x)), x)

Giac [B] time = 1.15396, size = 181, normalized size = 3.12

$$2(dx+c)Aa + (2Ab+Cb)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Ab+Cb)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(2Ca\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/2*(2*(d*x + c)*A*a + (2*A*b + C*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*A*b + C*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*C*a*tan(1/2*d*x + 1/2*c)^3 - C*b*tan(1/2*d*x + 1/2*c)^3 - 2*C*a*tan(1/2*d*x + 1/2*c) - C*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d

3.641 $\int \cos(c+dx)(a+b \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=42

$$\frac{aA \sin(c + dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + Abx + \frac{bC \tan(c + dx)}{d}$$

[Out] A*b*x + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (b*C*Tan[c + d*x])/d

Rubi [A] time = 0.0960225, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {4077, 4047, 8, 4045, 3770}

$$\frac{aA \sin(c + dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + Abx + \frac{bC \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] A*b*x + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (b*C*Tan[c + d*x])/d

Rule 4077

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Cs
c[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2
), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))*Csc[
e + f*x] + a*C*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, C, n}, x] && !LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{bC \tan(c + dx)}{d} + \int \cos(c + dx)(aA + Ab \sec(c + dx) + aC \sec^2(c + dx)) dx \\ &= \frac{bC \tan(c + dx)}{d} + (Ab) \int 1 dx + \int \cos(c + dx)(aA + aC \sec^2(c + dx)) dx \\ &= Abx + \frac{aA \sin(c + dx)}{d} + \frac{bC \tan(c + dx)}{d} + (aC) \int \sec(c + dx) dx \\ &= Abx + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \sin(c + dx)}{d} + \frac{bC \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0195565, size = 54, normalized size = 1.29

$$\frac{aA \sin(c) \cos(dx)}{d} + \frac{aA \cos(c) \sin(dx)}{d} + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + Abx + \frac{bC \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] A*b*x + (a*C*ArcTanh[Sin[c + d*x]])/d + (a*A*Cos[d*x]*Sin[c])/d + (a*A*Cos[c]*Sin[d*x])/d + (b*C*Tan[c + d*x])/d

Maple [A] time = 0.047, size = 57, normalized size = 1.4

$$Abx + \frac{A \sin(dx + c) a}{d} + \frac{Abc}{d} + \frac{Cb \tan(dx + c)}{d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)
```

```
[Out] A*b*x+a*A*sin(d*x+c)/d+1/d*A*b*c+b*C*tan(d*x+c)/d+1/d*a*C*ln(sec(d*x+c)+tan
(d*x+c))
```

Maxima [A] time = 0.950508, size = 80, normalized size = 1.9

$$\frac{2(dx+c)Ab + Ca(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2Aa\sin(dx+c) + 2Cb\tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxi
ma")
```

```
[Out] 1/2*(2*(d*x + c)*A*b + C*a*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1))
+ 2*A*a*sin(d*x + c) + 2*C*b*tan(d*x + c))/d
```

Fricas [B] time = 0.540632, size = 232, normalized size = 5.52

$$\frac{2Abdx\cos(dx+c) + Ca\cos(dx+c)\log(\sin(dx+c)+1) - Ca\cos(dx+c)\log(-\sin(dx+c)+1) + 2(Aa\cos(dx+c) + Cb\sin(dx+c))\sin(dx+c)}{2d\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fric
as")
```

```
[Out] 1/2*(2*A*b*d*x*cos(d*x + c) + C*a*cos(d*x + c)*log(sin(d*x + c) + 1) - C*a*
cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*(A*a*cos(d*x + c) + C*b)*sin(d*x +
c))/(d*cos(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx))(a + b \sec(c + dx)) \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))*cos(c + d*x), x)

Giac [B] time = 1.1475, size = 161, normalized size = 3.83

$$(dx + c)Ab + Ca \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - Ca \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + \frac{2\left(Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Cb \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 - Cb \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] ((d*x + c)*A*b + C*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - C*a*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - C*b*tan(1/2*d*x + 1/2*c)^3 - A*a*tan(1/2*d*x + 1/2*c) - C*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1))/d

3.642 $\int \cos^2(c+dx)(a+b \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=58

$$\frac{aA \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + 2C) + \frac{Ab \sin(c + dx)}{d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] (a*(A + 2*C)*x)/2 + (b*C*ArcTanh[Sin[c + d*x]])/d + (A*b*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.122537, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4075, 4047, 8, 4045, 3770}

$$\frac{aA \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + 2C) + \frac{Ab \sin(c + dx)}{d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (a*(A + 2*C)*x)/2 + (b*C*ArcTanh[Sin[c + d*x]])/d + (A*b*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rule 4075

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[
e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])
^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) (-2Ab - a) dx \\ &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) (-2Ab - 2a) dx \\ &= \frac{1}{2}a(A + 2C)x + \frac{Ab \sin(c + dx)}{d} + \frac{aA \cos(c + dx) \sin(c + dx)}{2d} \\ &= \frac{1}{2}a(A + 2C)x + \frac{bC \tanh^{-1}(\sin(c + dx))}{d} + \frac{Ab \sin(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.131695, size = 73, normalized size = 1.26

$$\frac{aA(c + dx)}{2d} + \frac{aA \sin(2(c + dx))}{4d} + aCx + \frac{Ab \sin(c) \cos(dx)}{d} + \frac{Ab \cos(c) \sin(dx)}{d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] a*C*x + (a*A*(c + d*x))/(2*d) + (b*C*ArcTanh[Sin[c + d*x]])/d + (A*b*Cos[d*x]*Sin[c])/d + (A*b*Cos[c]*Sin[d*x])/d + (a*A*Sin[2*(c + d*x)])/(4*d)

Maple [A] time = 0.061, size = 77, normalized size = 1.3

$$\frac{Aa \cos(dx + c) \sin(dx + c)}{2d} + \frac{aAx}{2} + \frac{Aac}{2d} + aCx + \frac{Cac}{d} + \frac{Ab \sin(dx + c)}{d} + \frac{Cb \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{2}aA\cos(dx+c)\sin(dx+c)/d + \frac{1}{2}aAx + \frac{1}{2}dAa^2c + aCx + \frac{1}{d}Ca^2c + Ab\sin(dx+c)/d + \frac{1}{d}Cb\ln(\sec(dx+c) + \tan(dx+c))$

Maxima [A] time = 0.982577, size = 95, normalized size = 1.64

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa + 4(dx + c)Ca + 2Cb(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4Ab\sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{4} * ((2dx + 2c + \sin(2dx + 2c))Aa + 4(dx + c)Ca + 2Cb(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4Ab\sin(dx + c)) / d$

Fricas [A] time = 0.517982, size = 167, normalized size = 2.88

$$\frac{(A + 2C)adx + Cb \log(\sin(dx + c) + 1) - Cb \log(-\sin(dx + c) + 1) + (Aa \cos(dx + c) + 2Ab)\sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{2} * ((A + 2C)a^2dx + Cb\log(\sin(dx + c) + 1) - Cb\log(-\sin(dx + c) + 1) + (Aa\cos(dx + c) + 2Ab)\sin(dx + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.24247, size = 171, normalized size = 2.95

$$2Cb \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2Cb \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (Aa + 2Ca)(dx + c) - \frac{2\left(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] $\frac{1}{2}*(2*C*b*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 2*C*b*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))) + (A*a + 2*C*a)*(d*x + c) - 2*(A*a*\tan(1/2*d*x + 1/2*c)^3 - 2*A*b*\tan(1/2*d*x + 1/2*c)^3 - A*a*\tan(1/2*d*x + 1/2*c) - 2*A*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^2/d$

3.643 $\int \cos^3(c+dx)(a+b \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=77

$$\frac{a(2A + 3C) \sin(c + dx)}{3d} + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d} + \frac{Ab \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}bx(A + 2C)$$

[Out] (b*(A + 2*C)*x)/2 + (a*(2*A + 3*C)*Sin[c + d*x])/(3*d) + (A*b*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.140967, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4075, 4047, 2637, 4045, 8}

$$\frac{a(2A + 3C) \sin(c + dx)}{3d} + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d} + \frac{Ab \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}bx(A + 2C)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (b*(A + 2*C)*x)/2 + (a*(2*A + 3*C)*Sin[c + d*x])/(3*d) + (A*b*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rule 4075

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[
e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])
^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + b \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (-3Ab - \\ &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (-3Ab - \\ &= \frac{a(2A + 3C) \sin(c + dx)}{3d} + \frac{Ab \cos(c + dx) \sin(c + dx)}{2d} + \frac{a}{2} \\ &= \frac{1}{2} b(A + 2C)x + \frac{a(2A + 3C) \sin(c + dx)}{3d} + \frac{Ab \cos(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.11832, size = 64, normalized size = 0.83

$$\frac{3a(3A + 4C) \sin(c + dx) + aA \sin(3(c + dx)) + 3Ab \sin(2(c + dx)) + 6Abc + 6Abdx + 12bCdx}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (6*A*b*c + 6*A*b*d*x + 12*b*C*d*x + 3*a*(3*A + 4*C)*Sin[c + d*x] + 3*A*b*Si
n[2*(c + d*x)] + a*A*SIn[3*(c + d*x)])/(12*d)
```

Maple [A] time = 0.057, size = 68, normalized size = 0.9

$$\frac{1}{d} \left(\frac{Aa(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + Ab \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + aC \sin(dx + c) + Cb(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)`

[Out] $1/d*(1/3*A*a*(2+\cos(d*x+c)^2)*\sin(d*x+c)+A*b*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+a*C*\sin(d*x+c)+C*b*(d*x+c)$

Maxima [A] time = 0.955525, size = 90, normalized size = 1.17

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa - 3(2dx + 2c + \sin(2dx + 2c))Ab - 12(dx+c)Cb - 12Ca\sin(dx+c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $-1/12*(4*(\sin(d*x+c)^3 - 3*\sin(d*x+c))*A*a - 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*b - 12*(d*x+c)*C*b - 12*C*a*\sin(d*x+c))/d$

Fricas [A] time = 0.486873, size = 140, normalized size = 1.82

$$\frac{3(A+2C)bdx + (2Aa\cos(dx+c)^2 + 3Ab\cos(dx+c) + 2(2A+3C)a)\sin(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/6*(3*(A+2*C)*b*d*x + (2*A*a*\cos(d*x+c)^2 + 3*A*b*\cos(d*x+c) + 2*(2*A+3*C)*a)*\sin(d*x+c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.14409, size = 207, normalized size = 2.69

$$3(Ab + 2Cb)(dx + c) + \frac{2\left(6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3} \cdot \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/6*(3*(A*b + 2*C*b)*(d*x + c) + 2*(6*A*a*tan(1/2*d*x + 1/2*c)^5 + 6*C*a*tan(1/2*d*x + 1/2*c)^5 - 3*A*b*tan(1/2*d*x + 1/2*c)^5 + 4*A*a*tan(1/2*d*x + 1/2*c)^3 + 12*C*a*tan(1/2*d*x + 1/2*c)^3 + 6*A*a*tan(1/2*d*x + 1/2*c) + 6*C*a*tan(1/2*d*x + 1/2*c) + 3*A*b*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d

3.644 $\int \cos^4(c+dx)(a+b \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=95

$$\frac{a(3A + 4C) \sin(c + dx) \cos(c + dx)}{8d} + \frac{aA \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{1}{8}ax(3A + 4C) + \frac{b(A + C) \sin(c + dx)}{d} - \frac{Ab \sin^3(c + dx)}{3d}$$

[Out] (a*(3*A + 4*C)*x)/8 + (b*(A + C)*Sin[c + d*x])/d + (a*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (A*b*Sin[c + d*x]^3)/(3*d)

Rubi [A] time = 0.172779, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4075, 4047, 2635, 8, 4044, 3013}

$$\frac{a(3A + 4C) \sin(c + dx) \cos(c + dx)}{8d} + \frac{aA \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{1}{8}ax(3A + 4C) + \frac{b(A + C) \sin(c + dx)}{d} - \frac{Ab \sin^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (a*(3*A + 4*C)*x)/8 + (b*(A + C)*Sin[c + d*x])/d + (a*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (A*b*Sin[c + d*x]^3)/(3*d)

Rule 4075

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4044

```
Int[csc[(e_.) + (f_.)*(x_)]^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)),
x_Symbol] := Int[(C + A*Sin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[
{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]
```

Rule 3013

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2),
x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^(m - 1)/2*(A + C - C*x^2)
, x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + b \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) (-4Ab - \\
&= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) (-4Ab - \\
&= \frac{a(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} \\
&= \frac{1}{8} a(3A + 4C)x + \frac{a(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} \\
&= \frac{1}{8} a(3A + 4C)x + \frac{b(A + C) \sin(c + dx)}{d} + \frac{a(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 0.209407, size = 84, normalized size = 0.88

$$\frac{24a(A + C) \sin(2(c + dx)) + 3aA \sin(4(c + dx)) + 36aAc + 36aAdx + 48acC + 48aCdx + 24b(3A + 4C) \sin(c + dx) + 96d}{96d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]
```

[Out] $(36*a*A*c + 48*a*c*C + 36*a*A*d*x + 48*a*C*d*x + 24*b*(3*A + 4*C)*\sin[c + d*x] + 24*a*(A + C)*\sin[2*(c + d*x)] + 8*A*b*\sin[3*(c + d*x)] + 3*a*A*\sin[4*(c + d*x)])/(96*d)$

Maple [A] time = 0.066, size = 96, normalized size = 1.

$$\frac{1}{d} \left(Aa \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ab \left(2 + (\cos(dx+c))^2 \right) \sin(dx+c)}{3} + aC \left(\frac{\cos(dx+c)}{4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)`

[Out] $1/d*(A*a*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*b*(2+\cos(d*x+c)^2)*\sin(d*x+c)+a*C*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+C*\sin(d*x+c)*b)$

Maxima [A] time = 0.95724, size = 122, normalized size = 1.28

$$\frac{3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Aa + 24(2dx + 2c + \sin(2dx + 2c))Ca - 32(\sin(dx + c)^3 - 3 \sin(dx + c))}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/96*(3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a + 24*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a - 32*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*A*b + 96*C*b*\sin(d*x + c))/d$

Fricas [A] time = 0.49443, size = 189, normalized size = 1.99

$$\frac{3(3A + 4C)adx + (6Aa \cos(dx + c)^3 + 8Ab \cos(dx + c)^2 + 3(3A + 4C)a \cos(dx + c) + 8(2A + 3C)b) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{24}*(3*(3*A + 4*C)*a*d*x + (6*A*a*\cos(d*x + c)^3 + 8*A*b*\cos(d*x + c)^2 + 3*(3*A + 4*C)*a*\cos(d*x + c) + 8*(2*A + 3*C)*b)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.20293, size = 367, normalized size = 3.86

$$3(3Aa + 4Ca)(dx + c) - \frac{2\left(15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 24Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 24Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 40Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 40Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 24Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 24Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1)^4}/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{24}*(3*(3*A*a + 4*C*a)*(d*x + c) - 2*(15*A*a*\tan(1/2*d*x + 1/2*c)^7 + 12*C*a*\tan(1/2*d*x + 1/2*c)^7 - 24*A*b*\tan(1/2*d*x + 1/2*c)^7 - 24*C*b*\tan(1/2*d*x + 1/2*c)^7 - 9*A*a*\tan(1/2*d*x + 1/2*c)^5 + 12*C*a*\tan(1/2*d*x + 1/2*c)^5 - 40*A*b*\tan(1/2*d*x + 1/2*c)^5 - 72*C*b*\tan(1/2*d*x + 1/2*c)^5 + 9*A*a*\tan(1/2*d*x + 1/2*c)^3 - 12*C*a*\tan(1/2*d*x + 1/2*c)^3 - 40*A*b*\tan(1/2*d*x + 1/2*c)^3 - 72*C*b*\tan(1/2*d*x + 1/2*c)^3 - 15*A*a*\tan(1/2*d*x + 1/2*c) - 12*C*a*\tan(1/2*d*x + 1/2*c) - 24*A*b*\tan(1/2*d*x + 1/2*c) - 24*C*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^4)/d$

3.645 $\int \cos^5(c+dx)(a+b \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=131

$$-\frac{a(4A+5C)\sin^3(c+dx)}{15d} + \frac{a(4A+5C)\sin(c+dx)}{5d} + \frac{aA\sin(c+dx)\cos^4(c+dx)}{5d} + \frac{b(3A+4C)\sin(c+dx)\cos(c+dx)}{8d}$$

[Out] (b*(3*A + 4*C)*x)/8 + (a*(4*A + 5*C)*Sin[c + d*x])/(5*d) + (b*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (A*b*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) + (a*A*Cos[c + d*x]^4*Sin[c + d*x])/(5*d) - (a*(4*A + 5*C)*Sin[c + d*x]^3)/(15*d)

Rubi [A] time = 0.172793, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4075, 4047, 2633, 4045, 2635, 8}

$$-\frac{a(4A+5C)\sin^3(c+dx)}{15d} + \frac{a(4A+5C)\sin(c+dx)}{5d} + \frac{aA\sin(c+dx)\cos^4(c+dx)}{5d} + \frac{b(3A+4C)\sin(c+dx)\cos(c+dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (b*(3*A + 4*C)*x)/8 + (a*(4*A + 5*C)*Sin[c + d*x])/(5*d) + (b*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (A*b*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) + (a*A*Cos[c + d*x]^4*Sin[c + d*x])/(5*d) - (a*(4*A + 5*C)*Sin[c + d*x]^3)/(15*d)

Rule 4075

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[A*b*n + a*(C*n + A*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^5(c + dx)(a + b \sec(c + dx))(A + C \sec^2(c + dx)) dx &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (-5Ab - \\ &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (-5Ab - \\ &= \frac{Ab \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} \\ &= \frac{a(4A + 5C) \sin(c + dx)}{5d} + \frac{b(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d} \\ &= \frac{1}{8} b(3A + 4C)x + \frac{a(4A + 5C) \sin(c + dx)}{5d} + \frac{b(3A + 4C) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 0.310102, size = 89, normalized size = 0.68

$$\frac{-160a(2A + C) \sin^3(c + dx) + 480a(A + C) \sin(c + dx) + 96aA \sin^5(c + dx) + 15b(4(3A + 4C)(c + dx) + 8(A + C) \sin(c + dx)) \cos(c + dx)}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (480*a*(A + C)*Sin[c + d*x] - 160*a*(2*A + C)*Sin[c + d*x]^3 + 96*a*A*SIN[c + d*x]^5 + 15*b*(4*(3*A + 4*C)*(c + d*x) + 8*(A + C)*Sin[2*(c + d*x)] + A*SIN[4*(c + d*x)]))/(480*d)

Maple [A] time = 0.067, size = 117, normalized size = 0.9

$$\frac{1}{d} \left(\frac{A \sin(dx+c)a}{5} \left(\frac{8}{3} + (\cos(dx+c))^4 + \frac{4(\cos(dx+c))^2}{3} \right) + Ab \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3\cos(dx+c)}{2} \right) + \frac{3d}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)

[Out] 1/d*(1/5*A*a*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+A*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a*C*(2+cos(d*x+c)^2)*sin(d*x+c)+C*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

Maxima [A] time = 0.979189, size = 153, normalized size = 1.17

$$\frac{32(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Aa - 160(\sin(dx+c)^3 - 3 \sin(dx+c))Ca + 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))A*b + 120(2dx + 2c + \sin(2dx + 2c))C*b}{480d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*b + 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*b)/d

Fricas [A] time = 0.507375, size = 242, normalized size = 1.85

$$\frac{15(3A + 4C)bdx + (24Aa \cos(dx + c)^4 + 30Ab \cos(dx + c)^3 + 8(4A + 5C)a \cos(dx + c)^2 + 15(3A + 4C)b \cos(dx + c))}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/120*(15*(3*A + 4*C)*b*d*x + (24*A*a*cos(d*x + c)^4 + 30*A*b*cos(d*x + c)^3 + 8*(4*A + 5*C)*a*cos(d*x + c)^2 + 15*(3*A + 4*C)*b*cos(d*x + c) + 16*(4*A + 5*C)*a)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.16463, size = 408, normalized size = 3.11

$$15(3Ab + 4Cb)(dx + c) + \frac{2\left(120Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 120Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 - 75Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 - 60Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 160Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9\right)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/120*(15*(3*A*b + 4*C*b)*(d*x + c) + 2*(120*A*a*tan(1/2*d*x + 1/2*c)^9 + 120*C*a*tan(1/2*d*x + 1/2*c)^9 - 75*A*b*tan(1/2*d*x + 1/2*c)^9 - 60*C*b*tan(1/2*d*x + 1/2*c)^9 + 160*A*a*tan(1/2*d*x + 1/2*c)^7 + 320*C*a*tan(1/2*d*x + 1/2*c)^7 - 160*A*a*tan(1/2*d*x + 1/2*c)^5 - 320*C*a*tan(1/2*d*x + 1/2*c)^5 + 160*A*a*tan(1/2*d*x + 1/2*c)^3 + 320*C*a*tan(1/2*d*x + 1/2*c)^3 - 160*A*a*tan(1/2*d*x + 1/2*c) - 320*C*a*tan(1/2*d*x + 1/2*c)))/d

$$\begin{aligned} & \frac{1}{2}c)^7 - 30Ab\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 120Cb\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 \\ & + 464Aa\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 400Ca\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 160Aa \\ & * \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 320Ca\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 30Ab\tan\left(\frac{1}{2}d \\ & * x + \frac{1}{2}c\right)^3 + 120Cb\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 120Aa\tan\left(\frac{1}{2}dx + \frac{1}{2} \\ & c\right) + 120Ca\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 75Ab\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60Cb\tan \\ & \left(\frac{1}{2}dx + \frac{1}{2}c\right) / (\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1)^5 / d \end{aligned}$$

3.646 $\int \sec^2(c+dx)(a+b \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=226

$$\frac{(2a^2b^2(5A + 3C) + a^4C + 2b^4(5A + 4C)) \tan(c + dx)}{15b^2d} + \frac{(a^2C + 2b^2(5A + 4C)) \tan(c + dx)(a + b \sec(c + dx))^2}{30b^2d} + \frac{a(2a^2b^2(5A + 3C) + a^4C + 2b^4(5A + 4C)) \tan(c + dx)}{15b^2d}$$

[Out] (a*b*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(4*d) + ((a^4*C + 2*a^2*b^2*(5*A + 3*C) + 2*b^4*(5*A + 4*C))*Tan[c + d*x])/(15*b^2*d) + (a*(20*A*b^2 + 2*a^2*C + 13*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(60*b*d) + ((a^2*C + 2*b^2*(5*A + 4*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(30*b^2*d) - (a*C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(10*b^2*d) + (C*Sec[c + d*x]*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(5*b*d)

Rubi [A] time = 0.502938, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4093, 4082, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(2a^2b^2(5A + 3C) + a^4C + 2b^4(5A + 4C)) \tan(c + dx)}{15b^2d} + \frac{(a^2C + 2b^2(5A + 4C)) \tan(c + dx)(a + b \sec(c + dx))^2}{30b^2d} + \frac{a(2a^2b^2(5A + 3C) + a^4C + 2b^4(5A + 4C)) \tan(c + dx)}{15b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (a*b*(4*A + 3*C)*ArcTanh[Sin[c + d*x]])/(4*d) + ((a^4*C + 2*a^2*b^2*(5*A + 3*C) + 2*b^4*(5*A + 4*C))*Tan[c + d*x])/(15*b^2*d) + (a*(20*A*b^2 + 2*a^2*C + 13*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(60*b*d) + ((a^2*C + 2*b^2*(5*A + 4*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(30*b^2*d) - (a*C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(10*b^2*d) + (C*Sec[c + d*x]*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(5*b*d)

Rule 4093

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - 2*a*C*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{C \sec(c + dx)(a + b \sec(c + dx))^3 \tan(c + dx)}{5bd} + \frac{\int \sec(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx}{5bd} \\
 &= -\frac{aC(a + b \sec(c + dx))^3 \tan(c + dx)}{10b^2d} + \frac{C \sec(c + dx)(a + b \sec(c + dx))^2 \tan(c + dx)}{5bd} \\
 &= \frac{(a^2C + 2b^2(5A + 4C))(a + b \sec(c + dx))^2 \tan(c + dx)}{30b^2d} \\
 &= \frac{a(20Ab^2 + 2a^2C + 13b^2C) \sec(c + dx) \tan(c + dx)}{60bd} + \frac{a(20Ab^2 + 2a^2C + 13b^2C) \sec(c + dx) \tan(c + dx)}{60bd} \\
 &= \frac{a(20Ab^2 + 2a^2C + 13b^2C) \sec(c + dx) \tan(c + dx)}{60bd} + \frac{a(20Ab^2 + 2a^2C + 13b^2C) \sec(c + dx) \tan(c + dx)}{60bd} \\
 &= \frac{ab(4A + 3C) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{a(20Ab^2 + 2a^2C + 13b^2C) \sec(c + dx) \tan(c + dx)}{60bd} \\
 &= \frac{ab(4A + 3C) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{(a^4C + 2a^2b^2(5A + 4C)) \sec(c + dx) \tan(c + dx)}{60bd}
 \end{aligned}$$

Mathematica [A] time = 2.29767, size = 275, normalized size = 1.22

$$\frac{\sec^5(c + dx) (A \cos^2(c + dx) + C) (60ab(4A + 3C) \cos^5(c + dx) \left(\log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \right) - \log \left(\sin \left(\frac{1}{2}(c + dx) \right) \right)}{60bd}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),x]

[Out] -((C + A*Cos[c + d*x]^2)*Sec[c + d*x]^5*(60*a*b*(4*A + 3*C)*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - (90*a^2*A + 100*A*b^2 + 100*a^2*C + 128*b^2*C + 15*a*b*(12*A + 17*C)*Cos[c + d*x] + 24*(5*a^2*(A + C) + b^2*(5*A + 4*C))*Cos[2*(c + d*x)] + 60*a*A*b*Cos[3*(c + d*x)] + 45*a*b*C*Cos[3*(c + d*x)] + 30*a^2*A*Cos[4*(c + d*x)] + 20*A*b^2*Cos[4*(c + d*x)] + 20*a^2*C*Cos[4*(c + d*x)] + 16*b^2*C*Cos[4*(c + d*x)]*Sin[c + d*x]))/(120*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.044, size = 257, normalized size = 1.1

$$\frac{a^2 A \tan(dx+c)}{d} + \frac{2a^2 C \tan(dx+c)}{3d} + \frac{a^2 C \tan(dx+c) (\sec(dx+c))^2}{3d} + \frac{Aab \sec(dx+c) \tan(dx+c)}{d} + \frac{Aab \ln(\sec(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*a^2*A*tan(d*x+c)+2/3/d*a^2*C*tan(d*x+c)+1/3/d*a^2*C*tan(d*x+c)*sec(d*x+c)^2+1/d*A*a*b*sec(d*x+c)*tan(d*x+c)+1/d*A*a*b*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*a*b*C*tan(d*x+c)*sec(d*x+c)^3+3/4*a*b*C*sec(d*x+c)*tan(d*x+c)/d+3/4/d*a*b*C*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*A*b^2*tan(d*x+c)+1/3/d*A*b^2*tan(d*x+c)*sec(d*x+c)^2+8/15*b^2*C*tan(d*x+c)/d+1/5/d*b^2*C*tan(d*x+c)*sec(d*x+c)^4+4/15/d*b^2*C*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 1.0013, size = 292, normalized size = 1.29

$$40(\tan(dx+c)^3 + 3 \tan(dx+c))Ca^2 + 40(\tan(dx+c)^3 + 3 \tan(dx+c))Ab^2 + 8(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/120*(40*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^2 + 40*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*b^2 + 8*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*b^2 - 15*C*a*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c)))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 60*A*a*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 120*A*a^2*tan(d*x + c))/d

Fricas [A] time = 0.539279, size = 455, normalized size = 2.01

$$15(4A + 3C)ab \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15(4A + 3C)ab \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 2(15(4A + 3C)ab \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15(4A + 3C)ab \cos(dx+c)^5 \log(-\sin(dx+c) + 1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/120*(15*(4*A + 3*C)*a*b*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(4*A + 3*C)*a*b*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(15*(4*A + 3*C)*a*b*cos(d*x + c)^3 + 4*(5*(3*A + 2*C)*a^2 + 2*(5*A + 4*C)*b^2)*cos(d*x + c)^4 + 30*C*a*b*cos(d*x + c) + 12*C*b^2 + 4*(5*C*a^2 + (5*A + 4*C)*b^2)*cos(d*x + c)^2)*sin(d*x + c))/(d*cos(d*x + c)^5)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) (a + b \sec(c + dx))^2 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**2*sec(c + d*x)**2, x)

Giac [B] time = 1.20978, size = 718, normalized size = 3.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/60*(15*(4*A*a*b + 3*C*a*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(4*A*a*b + 3*C*a*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(60*A*a^2*tan(1/2*d*x + 1/2*c)^9 + 60*C*a^2*tan(1/2*d*x + 1/2*c)^9 - 60*A*a*b*tan(1/2*d*x + 1/2*c)^9 - 75*C*a*b*tan(1/2*d*x + 1/2*c)^9 + 60*A*b^2*tan(1/2*d*x + 1/2*c)^9 + 60*C*b^2*tan(1/2*d*x + 1/2*c)^9 - 240*A*a^2*tan(1/2*d*x + 1/2*c)^7 - 160*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 120*A*a*b*tan(1/2*d*x + 1/2*c)^7 + 30*C*a*b*tan(1/2*d*x + 1/2*c)^7 - 160*A*b^2*tan(1/2*d*x + 1/2*c)^7 - 80*C*b^2*tan(1/2*d*x + 1/2*c)^7 + 360*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 200*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 200*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 232*C*b^2*tan(1/2*d*x + 1/2*c)^5 - 240*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 160*C*a^2*tan(1/2*d*x + 1/2*c)^3 -

$$\frac{120Aab\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 30Cab\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 160A^2b^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 80Cb^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 60Aa^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60Ca^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60Aab\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 75Cab\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60A^2b^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60Cb^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^5} \cdot \frac{1}{d}$$

3.647 $\int \sec(c+dx)(a+b \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=170

$$\frac{a(a^2(-C) + 12Ab^2 + 8b^2C) \tan(c + dx)}{6bd} + \frac{(4a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} - \frac{(2a^2C - 3b^2(4A + 3C)) \sec(c + dx) \tan(c + dx)}{12bd} + \frac{C(a + b \sec(c + dx))^3 \tan(c + dx)}{4bd}$$

[Out] $((4*a^2*(2*A + C) + b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(12*A*b^2 - a^2*C + 8*b^2*C)*Tan[c + d*x])/(6*b*d) - ((2*a^2*C - 3*b^2*(4*A + 3*C))*Sec[c + d*x]*Tan[c + d*x])/(24*d) - (a*C*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*b*d) + (C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*b*d)$

Rubi [A] time = 0.308335, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4083, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{a(a^2(-C) + 12Ab^2 + 8b^2C) \tan(c + dx)}{6bd} + \frac{(4a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} - \frac{(2a^2C - 3b^2(4A + 3C)) \sec(c + dx) \tan(c + dx)}{12bd} + \frac{C(a + b \sec(c + dx))^3 \tan(c + dx)}{4bd}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),x]

[Out] $((4*a^2*(2*A + C) + b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(12*A*b^2 - a^2*C + 8*b^2*C)*Tan[c + d*x])/(6*b*d) - ((2*a^2*C - 3*b^2*(4*A + 3*C))*Sec[c + d*x]*Tan[c + d*x])/(24*d) - (a*C*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*b*d) + (C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*b*d)$

Rule 4083

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*

$\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, A, B, e, f\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{:>} -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& !\text{LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \text{:>} \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}(n + 1), x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x\}$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{:>} -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x\}$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{\wedge}(n_), x_Symbol] \text{:>} -\text{Dist}[d^{\wedge}(-1), \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{\wedge}(n/2 - 1), x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x\} \&\& \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{:>} \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^3 \tan(c + dx)}{4bd} + \frac{\int \sec(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx}{4bd} \\
&= -\frac{aC(a + b \sec(c + dx))^2 \tan(c + dx)}{12bd} + \frac{C(a + b \sec(c + dx))^3 \tan(c + dx)}{4bd} \\
&= -\frac{(2a^2C - 3b^2(4A + 3C)) \sec(c + dx) \tan(c + dx)}{24d} - \frac{aC(a + b \sec(c + dx))^2 \tan(c + dx)}{4bd} \\
&= -\frac{(2a^2C - 3b^2(4A + 3C)) \sec(c + dx) \tan(c + dx)}{24d} - \frac{aC(a + b \sec(c + dx))^2 \tan(c + dx)}{4bd} \\
&= \frac{(4a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} - \frac{(2a^2C - 3b^2(4A + 3C)) \sec(c + dx) \tan(c + dx)}{4bd} \\
&= \frac{(4a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(1 - \cos^2(c + dx)) \sec(c + dx)}{4bd}
\end{aligned}$$

Mathematica [B] time = 6.31943, size = 1123, normalized size = 6.61

$$\frac{(-8Aa^2 - 4Ca^2 - 4Ab^2 - 3b^2C) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) (a + b \sec(c + dx))^2 (C \sec^2(c + dx) + A) \cos^4\left(\frac{1}{2}(c + dx)\right)}{4d(b + a \cos(c + dx))^2(\cos(2c + 2dx)A + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] ((-8*a^2*A - 4*A*b^2 - 4*a^2*C - 3*b^2*C)*Cos[c + d*x]^4*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(4*d*(b + a*Cos[c + d*x])^2*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((8*a^2*A + 4*A*b^2 + 4*a^2*C + 3*b^2*C)*Cos[c + d*x]^4*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(4*d*(b + a*Cos[c + d*x])^2*(A + 2*C + A*Cos[2*c + 2*d*x])) + (b^2*C*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^2*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^4 + ((12*A*b^2 + 12*a^2*C + 8*a*b*C + 9*b^2*C)*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(24*d*(b + a*Cos[c + d*x])^2*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (2*a*b*C*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sin[(c + d*x)/2])/(3*d*(b + a*Cos[c + d*x])^2*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 - (b^2*C*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^2*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^4 + (2*a*b*C*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*

$$\begin{aligned} & (A + C \sec[c + d*x]^2) \sin[(c + d*x)/2] / (3*d*(b + a*\cos[c + d*x])^2*(A + 2*C + A*\cos[2*c + 2*d*x]) * (\cos[(c + d*x)/2] + \sin[(c + d*x)/2])^3) + ((-12*A*b^2 - 12*a^2*C - 8*a*b*C - 9*b^2*C) * \cos[c + d*x]^4 * (a + b*\sec[c + d*x])^2 * (A + C*\sec[c + d*x]^2)) / (24*d*(b + a*\cos[c + d*x])^2*(A + 2*C + A*\cos[2*c + 2*d*x]) * (\cos[(c + d*x)/2] + \sin[(c + d*x)/2])^2) + (4*\cos[c + d*x]^4 * (a + b*\sec[c + d*x])^2 * (A + C*\sec[c + d*x]^2) * (3*a*A*b*\sin[(c + d*x)/2] + 2*a*b*C*\sin[(c + d*x)/2])) / (3*d*(b + a*\cos[c + d*x])^2*(A + 2*C + A*\cos[2*c + 2*d*x]) * (\cos[(c + d*x)/2] - \sin[(c + d*x)/2])) + (4*\cos[c + d*x]^4 * (a + b*\sec[c + d*x])^2 * (A + C*\sec[c + d*x]^2) * (3*a*A*b*\sin[(c + d*x)/2] + 2*a*b*C*\sin[(c + d*x)/2])) / (3*d*(b + a*\cos[c + d*x])^2*(A + 2*C + A*\cos[2*c + 2*d*x]) * (\cos[(c + d*x)/2] + \sin[(c + d*x)/2])) \end{aligned}$$

Maple [A] time = 0.044, size = 229, normalized size = 1.4

$$\frac{a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^2 C \sec(dx + c) \tan(dx + c)}{2d} + \frac{a^2 C \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 2 \frac{Aab \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x)

[Out] 1/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*a^2*C*sec(d*x+c)*tan(d*x+c)+1/2/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+2/d*A*a*b*tan(d*x+c)+4/3/d*a*b*C*tan(d*x+c)+2/3/d*a*b*C*tan(d*x+c)*sec(d*x+c)^2+1/2/d*A*b^2*sec(d*x+c)*tan(d*x+c)+1/2/d*A*b^2*ln(sec(d*x+c)+tan(d*x+c))+1/4/d*b^2*C*tan(d*x+c)*sec(d*x+c)^3+3/8/d*b^2*C*sec(d*x+c)*tan(d*x+c)+3/8/d*b^2*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.988969, size = 304, normalized size = 1.79

$$32 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Cab - 3 Cb^2 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/48*(32*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a*b - 3*C*b^2*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(dx + c) + 1) + 3*log(sin(dx + c) - 1)))

$d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 12*C*a^2*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 12*A*b^2*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 48*A*a^2*\log(\sec(d*x + c) + \tan(d*x + c)) + 96*A*a*b*\tan(d*x + c))/d$

Fricas [A] time = 0.537459, size = 424, normalized size = 2.49

$3(4(2A + C)a^2 + (4A + 3C)b^2)\cos(dx + c)^4\log(\sin(dx + c) + 1) - 3(4(2A + C)a^2 + (4A + 3C)b^2)\cos(dx + c)^4\log(\sin(dx + c) - 1) + 2(16(3A + 2C)ab\cos(dx + c)^3 + 16Cab\cos(dx + c) + 6C^2b^2 + 3(4Ca^2 + (4A + 3C)b^2)\cos(dx + c)^2)\sin(dx + c)/(d\cos(dx + c)^4)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $1/48*(3*(4*(2*A + C)*a^2 + (4*A + 3*C)*b^2)*\cos(d*x + c)^4*\log(\sin(d*x + c) + 1) - 3*(4*(2*A + C)*a^2 + (4*A + 3*C)*b^2)*\cos(d*x + c)^4*\log(-\sin(d*x + c) + 1) + 2*(16*(3*A + 2*C)*a*b*\cos(d*x + c)^3 + 16*C*a*b*\cos(d*x + c) + 6*C*b^2 + 3*(4*C*a^2 + (4*A + 3*C)*b^2)*\cos(d*x + c)^2)*\sin(d*x + c))/(d*\cos(d*x + c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx))(a + b \sec(c + dx))^2 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**2*sec(c + d*x), x)

Giac [B] time = 1.21912, size = 575, normalized size = 3.38

$3(8Aa^2 + 4Ca^2 + 4Ab^2 + 3Cb^2)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(8Aa^2 + 4Ca^2 + 4Ab^2 + 3Cb^2)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\frac{1}{24} \cdot (3 \cdot (8Aa^2 + 4Ca^2 + 4Ab^2 + 3Cb^2) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1) - 3 \cdot (8Aa^2 + 4Ca^2 + 4Ab^2 + 3Cb^2) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) + 2 \cdot (12Ca^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 48Aa^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 48Ca^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 12Ab^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 15Cb^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 12Ca^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 144Aa^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 80Ca^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 12Ab^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 9Cb^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 12Ca^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 144Aa^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 80Ca^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 12Ab^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 9Cb^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 12Ca^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 48Aa^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 48Ca^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 12Ab^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 15Cb^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^4 / d$$

3.648 $\int (a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=103

$$\frac{(2C(a^2 + b^2) + 3Ab^2) \tan(c + dx)}{3d} + a^2 Ax + \frac{ab(2A + C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{abC \tan(c + dx) \sec(c + dx)}{3d} + \frac{C \tan(c + dx)}{3d}$$

[Out] $a^2 A x + (a b (2 A + C) \operatorname{ArcTanh}[\sin[c + d x]])/d + ((3 A b^2 + 2 (a^2 + b^2) C) \operatorname{Tan}[c + d x])/(3 d) + (a b C \operatorname{Sec}[c + d x] \operatorname{Tan}[c + d x])/(3 d) + (C (a + b \operatorname{Sec}[c + d x])^2 \operatorname{Tan}[c + d x])/(3 d)$

Rubi [A] time = 0.139301, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4057, 4048, 3770, 3767, 8}

$$\frac{(2C(a^2 + b^2) + 3Ab^2) \tan(c + dx)}{3d} + a^2 Ax + \frac{ab(2A + C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{abC \tan(c + dx) \sec(c + dx)}{3d} + \frac{C \tan(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \operatorname{Sec}[c + d x])^2 (A + C \operatorname{Sec}[c + d x]^2), x]$

[Out] $a^2 A x + (a b (2 A + C) \operatorname{ArcTanh}[\sin[c + d x]])/d + ((3 A b^2 + 2 (a^2 + b^2) C) \operatorname{Tan}[c + d x])/(3 d) + (a b C \operatorname{Sec}[c + d x] \operatorname{Tan}[c + d x])/(3 d) + (C (a + b \operatorname{Sec}[c + d x])^2 \operatorname{Tan}[c + d x])/(3 d)$

Rule 4057

$\operatorname{Int}[(A + \operatorname{csc}[(e + f x)] + (b + c x)^2 (C + D x)) (\operatorname{csc}[(e + f x)] + (b + c x)) (b + c x)^m, x] \rightarrow -\operatorname{Simp}[(C \operatorname{Cot}[e + f x] (a + b \operatorname{Csc}[e + f x])^m) / (f (m + 1)), x] + \operatorname{Dist}[1 / (m + 1), \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^{m - 1} \operatorname{Simp}[a A (m + 1) + (A b (m + 1) + b C m) \operatorname{Csc}[e + f x] + a C m \operatorname{Csc}[e + f x]^2, x], x], x] /;$ $\operatorname{FreeQ}\{a, b, e, f, A, C\}, x$ && $\operatorname{NeQ}[a^2 - b^2, 0]$ && $\operatorname{IGTQ}[2 m, 0]$

Rule 4048

$\operatorname{Int}[(A + \operatorname{csc}[(e + f x)] + (b + c x)) (B + \operatorname{csc}[(e + f x)] + (b + c x)^2 (C + D x)) (\operatorname{csc}[(e + f x)] + (b + c x)) (b + c x)^m, x] \rightarrow -\operatorname{Simp}[(b C \operatorname{Csc}[e + f x] \operatorname{Cot}[e + f x]) / (2 f), x] + \operatorname{Dist}[1 / 2, \operatorname{Int}[\operatorname{Simp}[2 A a + (2 B a + b (2 A + C)) \operatorname{Csc}[e + f x] + 2 (a C + B b) \operatorname{Csc}[e + f x]^2, x], x], x] /;$ $\operatorname{FreeQ}\{a, b, e, f, A, B, C\}, x$

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]`

Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3} \int (a + b \sec(c + dx)) (3aA + b(3 \\
 &= \frac{abC \sec(c + dx) \tan(c + dx)}{3d} + \frac{C(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{6} \int \\
 &= a^2 Ax + \frac{abC \sec(c + dx) \tan(c + dx)}{3d} + \frac{C(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} \\
 &= a^2 Ax + \frac{ab(2A + C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{abC \sec(c + dx) \tan(c + dx)}{3d} \\
 &= a^2 Ax + \frac{ab(2A + C) \tanh^{-1}(\sin(c + dx))}{d} + \frac{(3Ab^2 + 2(a^2 + b^2)C) \tan(c + dx)}{3d}
 \end{aligned}$$

Mathematica [B] time = 1.24115, size = 242, normalized size = 2.35

$$\frac{\sec^3(c + dx) \left(2 \sin(c + dx) \left((3a^2C + 3Ab^2 + 2b^2C) \cos(2(c + dx)) + 3a^2C + 6abC \cos(c + dx) + 3Ab^2 + 4b^2C \right) + 9a \cos(c + dx) \right)}{3d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]`

`[Out] (Sec[c + d*x]^3*(9*a*Cos[c + d*x]*(a*A*(c + d*x) - b*(2*A + C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + b*(2*A + C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 3*a*Cos[3*(c + d*x)]*(a*A*(c + d*x) - b*(2*A + C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + b*(2*A + C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])`

$$*x)/2]]) + 2*(3*A*b^2 + 3*a^2*C + 4*b^2*C + 6*a*b*C*\text{Cos}[c + d*x] + (3*A*b^2 + 3*a^2*C + 2*b^2*C)*\text{Cos}[2*(c + d*x)])*\text{Sin}[c + d*x]))/(12*d)$$

Maple [A] time = 0.045, size = 145, normalized size = 1.4

$$a^2Ax + \frac{Aa^2c}{d} + \frac{a^2C \tan(dx + c)}{d} + 2 \frac{Aab \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{abC \sec(dx + c) \tan(dx + c)}{d} + \frac{abC \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] a^2*A*x+1/d*A*a^2*c+1/d*a^2*C*tan(d*x+c)+2/d*A*a*b*ln(sec(d*x+c)+tan(d*x+c))+a*b*C*sec(d*x+c)*tan(d*x+c)/d+1/d*a*b*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*b^2*tan(d*x+c)+2/3*b^2*C*tan(d*x+c)/d+1/3/d*b^2*C*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.988857, size = 174, normalized size = 1.69

$$\frac{6(dx+c)Aa^2 + 2(\tan(dx+c)^3 + 3\tan(dx+c))Cb^2 - 3Cab\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + 12Aa*b*\log(\sec(dx+c)+\tan(dx+c)) + 6C*a^2*\tan(dx+c) + 6A*b^2*\tan(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/6*(6*(d*x + c)*A*a^2 + 2*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*b^2 - 3*C*a*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 12*A*a*b*log(sec(d*x + c) + tan(d*x + c)) + 6*C*a^2*tan(d*x + c) + 6*A*b^2*tan(d*x + c))/d

Fricas [A] time = 0.531963, size = 347, normalized size = 3.37

$$\frac{6Aa^2dx \cos(dx+c)^3 + 3(2A+C)ab \cos(dx+c)^3 \log(\sin(dx+c)+1) - 3(2A+C)ab \cos(dx+c)^3 \log(-\sin(dx+c)+1)}{6d \cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{6}*(6*A*a^2*d*x*\cos(d*x + c)^3 + 3*(2*A + C)*a*b*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(2*A + C)*a*b*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(3*C*a*b*\cos(d*x + c) + C*b^2 + (3*C*a^2 + (3*A + 2*C)*b^2)*\cos(d*x + c)^2)*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx))(a + b \sec(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x)

[Out] Integral((A + C*sec(c + d*x)^2)*(a + b*sec(c + d*x))^2, x)

Giac [B] time = 1.24665, size = 354, normalized size = 3.44

$$3(dx + c)Aa^2 + 3(2Aab + Cab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aab + Cab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(3Ca^2 \tan\left(\frac{1}{2}\right)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{3}*(3*(d*x + c)*A*a^2 + 3*(2*A*a*b + C*a*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*A*a*b + C*a*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(3*C*a^2*\tan(1/2*d*x + 1/2*c)^5 - 3*C*a*b*\tan(1/2*d*x + 1/2*c)^5 + 3*A*b^2*\tan(1/2*d*x + 1/2*c)^5 + 3*C*b^2*\tan(1/2*d*x + 1/2*c)^5 - 6*C*a^2*\tan(1/2*d*x + 1/2*c)^3 - 6*A*b^2*\tan(1/2*d*x + 1/2*c)^3 - 2*C*b^2*\tan(1/2*d*x + 1/2*c)^3 + 3*C*a^2*\tan(1/2*d*x + 1/2*c) + 3*C*a*b*\tan(1/2*d*x + 1/2*c) + 3*A*b^2*\tan(1/2*d*x + 1/2*c) + 3*C*b^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^3/d$

3.649 $\int \cos(c+dx)(a+b \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=109

$$\frac{(C(2a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{2ab(A - C) \tan(c + dx)}{d} + \frac{A \sin(c + dx)(a + b \sec(c + dx))^2}{d} + 2aAbx -$$

[Out] 2*a*A*b*x + ((2*A*b^2 + (2*a^2 + b^2)*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/d - (2*a*b*(A - C)*Tan[c + d*x])/d - (b^2*(2*A - C)*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.164549, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4095, 4048, 3770, 3767, 8}

$$\frac{(C(2a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{2ab(A - C) \tan(c + dx)}{d} + \frac{A \sin(c + dx)(a + b \sec(c + dx))^2}{d} + 2aAbx -$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] 2*a*A*b*x + ((2*A*b^2 + (2*a^2 + b^2)*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/d - (2*a*b*(A - C)*Tan[c + d*x])/d - (b^2*(2*A - C)*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4048

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b

, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^2 \sin(c + dx)}{d} + \int (a + b \sec(c + dx)) (2 \\ &= \frac{A(a + b \sec(c + dx))^2 \sin(c + dx)}{d} - \frac{b^2(2A - C) \sec(c + dx)}{2d} \\ &= 2aAbx + \frac{A(a + b \sec(c + dx))^2 \sin(c + dx)}{d} - \frac{b^2(2A - C) \sec(c + dx)}{2d} \\ &= 2aAbx + \frac{(2Ab^2 + (2a^2 + b^2)C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A(a + b \sec(c + dx))^2 \sin(c + dx)}{d} \\ &= 2aAbx + \frac{(2Ab^2 + (2a^2 + b^2)C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A(a + b \sec(c + dx))^2 \sin(c + dx)}{d} \end{aligned}$$

Mathematica [B] time = 0.87785, size = 352, normalized size = 3.23

$$\frac{\sec^2(c + dx) \left((a^2 A + 2b^2 C) \sin(c + dx) + \cos(2(c + dx)) \left(- (C(2a^2 + b^2) + 2Ab^2) \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (Sec[c + d*x]^2*(4*a*A*b*c + 4*a*A*b*d*x - 2*A*b^2*Log[Cos[(c + d*x)/2]] - Sin[(c + d*x)/2]) - 2*a^2*C*Log[Cos[(c + d*x)/2]] - b^2*C

*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*A*b^2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 2*a^2*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + b^2*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + Cos[2*(c + d*x)]*(4*a*A*b*(c + d*x) - (2*A*b^2 + (2*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + (2*A*b^2 + 2*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a^2*A + 2*b^2*C)*Sin[c + d*x] + 4*a*b*C*Ssin[2*(c + d*x)] + a^2*A*Ssin[3*(c + d*x)])))/(4*d)

Maple [A] time = 0.063, size = 133, normalized size = 1.2

$$\frac{a^2 A \sin(dx + c)}{d} + \frac{a^2 C \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 a A b x + 2 \frac{A a b c}{d} + 2 \frac{a b C \tan(dx + c)}{d} + \frac{A b^2 \ln(\sec(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x)

[Out] 1/d*a^2*A*sin(d*x+c)+1/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+2*a*A*b*x+2/d*A*a*b*c+2/d*a*b*C*tan(d*x+c)+1/d*A*b^2*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*b^2*C*sec(d*x+c)*tan(d*x+c)+1/2/d*b^2*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.989743, size = 189, normalized size = 1.73

$$\frac{8(dx + c)Aab - Cb^2\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) + 2Ca^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/4*(8*(d*x + c)*A*a*b - C*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 2*C*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 2*A*b^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*A*a^2*sin(d*x + c) + 8*C*a*b*tan(d*x + c))/d

Fricas [A] time = 0.537493, size = 347, normalized size = 3.18

$$\frac{8 A b d x \cos (d x+c)^2+\left(2 C a^2+(2 A+C) b^2\right) \cos (d x+c)^2 \log (\sin (d x+c)+1)-\left(2 C a^2+(2 A+C) b^2\right) \cos (d x+c)^2 \log (\sin (d x+c)-1)}{4 d \cos (d x+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/4*(8*A*a*b*d*x*cos(d*x + c)^2 + (2*C*a^2 + (2*A + C)*b^2)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (2*C*a^2 + (2*A + C)*b^2)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(2*A*a^2*cos(d*x + c)^2 + 4*C*a*b*cos(d*x + c) + C*b^2)*sin(d*x + c))/(d*cos(d*x + c)^2)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [A] time = 1.17603, size = 258, normalized size = 2.37

$$4(d x+c) A a b+\frac{4 A a^2 \tan \left(\frac{1}{2} d x+\frac{1}{2} c\right)}{\tan \left(\frac{1}{2} d x+\frac{1}{2} c\right)^2+1}+\left(2 C a^2+2 A b^2+C b^2\right) \log \left(\left|\tan \left(\frac{1}{2} d x+\frac{1}{2} c\right)+1\right|\right)-\left(2 C a^2+2 A b^2+C b^2\right) \log \left(\left|\tan \left(\frac{1}{2} d x+\frac{1}{2} c\right)-1\right|\right)$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/2*(4*(d*x + c)*A*a*b + 4*A*a^2*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + (2*C*a^2 + 2*A*b^2 + C*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) -

$$\frac{(2Ca^2 + 2Ab^2 + Cb^2)\log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) - 2(4Cab\tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - Cb^2\tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 4Cab\tan(\frac{1}{2}dx + \frac{1}{2}c) - Cb^2\tan(\frac{1}{2}dx + \frac{1}{2}c))}{(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^2} \cdot \frac{1}{d}$$

3.650 $\int \cos^2(c+dx)(a+b \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=103

$$\frac{1}{2}x \left(a^2(A + 2C) + 2Ab^2 \right) + \frac{aAb \sin(c + dx)}{d} + \frac{A \sin(c + dx) \cos(c + dx)(a + b \sec(c + dx))^2}{2d} + \frac{2abC \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] $((2*A*b^2 + a^2*(A + 2*C))*x)/2 + (2*a*b*C*ArcTanh[Sin[c + d*x]])/d + (a*A*b*\sin[c + d*x])/d + (A*\cos[c + d*x]*(a + b*\sec[c + d*x])^2*\sin[c + d*x])/(2*d) - (b^2*(A - 2*C)*\tan[c + d*x])/(2*d)$

Rubi [A] time = 0.289607, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4095, 4076, 4047, 8, 4045, 3770}

$$\frac{1}{2}x \left(a^2(A + 2C) + 2Ab^2 \right) + \frac{aAb \sin(c + dx)}{d} + \frac{A \sin(c + dx) \cos(c + dx)(a + b \sec(c + dx))^2}{2d} + \frac{2abC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\cos[c + d*x]^2*(a + b*\sec[c + d*x])^2*(A + C*\sec[c + d*x]^2), x]$

[Out] $((2*A*b^2 + a^2*(A + 2*C))*x)/2 + (2*a*b*C*ArcTanh[Sin[c + d*x]])/d + (a*A*b*\sin[c + d*x])/d + (A*\cos[c + d*x]*(a + b*\sec[c + d*x])^2*\sin[c + d*x])/(2*d) - (b^2*(A - 2*C)*\tan[c + d*x])/(2*d)$

Rule 4095

$\text{Int}[\left((A_{.}) + \csc[(e_{.}) + (f_{.})*(x_{.})]^2*(C_{.}) \right) * (\csc[(e_{.}) + (f_{.})*(x_{.})] * (d_{.}))^{(n_{.})} * (\csc[(e_{.}) + (f_{.})*(x_{.})] * (b_{.}) + (a_{.}))^{(m_{.})}, x_Symbol] \rightarrow \text{Simp}[(A * \text{Cot}[e + f*x] * (a + b * \text{Csc}[e + f*x])^m * (d * \text{Csc}[e + f*x])^n) / (f * n), x] - \text{Dist}[1 / (d * n), \text{Int}[(a + b * \text{Csc}[e + f*x])^{(m - 1)} * (d * \text{Csc}[e + f*x])^{(n + 1)} * \text{Simp}[A * b * m - a * (C * n + A * (n + 1)) * \text{Csc}[e + f*x] - b * (C * n + A * (m + n + 1)) * \text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$

Rule 4076

$\text{Int}[\left((A_{.}) + \csc[(e_{.}) + (f_{.})*(x_{.})] * (B_{.}) + \csc[(e_{.}) + (f_{.})*(x_{.})]^2 * (C_{.}) \right) * (\csc[(e_{.}) + (f_{.})*(x_{.})] * (d_{.}))^{(n_{.})} * (\csc[(e_{.}) + (f_{.})*(x_{.})] * (b_{.}) + (a_{.})), x_Symbol] \rightarrow -\text{Simp}[(b * C * \text{Csc}[e + f*x] * \text{Cot}[e + f*x] * (d * \text{Csc}[e + f*x])^n) / (f * (n + 2)), x] + \text{Dist}[1 / (n + 2), \text{Int}[(d * \text{Csc}[e + f*x])^n * \text{Simp}[A * a * (n + 2)$

+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{1}{2} \int \cos \\
 &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} - \frac{b^2(A - 2)}{2d} \\
 &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} - \frac{b^2(A - 2)}{2d} \\
 &= \frac{1}{2} (2Ab^2 + a^2(A + 2C))x + \frac{aAb \sin(c + dx)}{d} + \frac{A \cos(c + dx)}{d} \\
 &= \frac{1}{2} (2Ab^2 + a^2(A + 2C))x + \frac{2abC \tanh^{-1}(\sin(c + dx))}{d} +
 \end{aligned}$$

Mathematica [A] time = 0.748399, size = 130, normalized size = 1.26

$$\frac{2(c + dx) \left(a^2(A + 2C) + 2Ab^2 \right) + \tan(c + dx) \left(a^2A \cos(2(c + dx)) + a^2A + 4b^2C \right) + 8aAb \sin(c + dx) - 8abC \log \left(\cos \left(\frac{1}{2} \right. \right.}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (2*(2*A*b^2 + a^2*(A + 2*C))*(c + d*x) - 8*a*b*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 8*a*b*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 8*a*A*b*Sin[c + d*x] + (a^2*A + 4*b^2*C + a^2*A*Cos[2*(c + d*x)])*Tan[c + d*x])/(4*d)

Maple [A] time = 0.059, size = 120, normalized size = 1.2

$$\frac{a^2A \cos(dx + c) \sin(dx + c)}{2d} + \frac{a^2Ax}{2} + \frac{a^2Ac}{2d} + a^2Cx + \frac{Ca^2c}{d} + 2 \frac{Aab \sin(dx + c)}{d} + 2 \frac{abC \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] 1/2/d*a^2*A*cos(d*x+c)*sin(d*x+c)+1/2*a^2*A*x+1/2/d*A*a^2*c+a^2*C*x+1/d*C*a^2*c+2*a*A*b*sin(d*x+c)/d+2/d*a*b*C*ln(sec(d*x+c)+tan(d*x+c))+A*b^2*x+1/d*A*b^2*c+b^2*C*tan(d*x+c)/d

Maxima [A] time = 1.02662, size = 134, normalized size = 1.3

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa^2 + 4(dx + c)Ca^2 + 4(dx + c)Ab^2 + 4Cab(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 + 4*(d*x + c)*C*a^2 + 4*(d*x + c)*A*b^2 + 4*C*a*b*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 8*A*a*

$$b \sin(dx + c) + 4Cb^2 \tan(dx + c) / d$$

Fricas [A] time = 0.5304, size = 309, normalized size = 3.

$$\frac{2Cab \cos(dx + c) \log(\sin(dx + c) + 1) - 2Cab \cos(dx + c) \log(-\sin(dx + c) + 1) + ((A + 2C)a^2 + 2Ab^2)dx \cos(dx + c)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a+b*sec(dx+c))^2*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] 1/2*(2*C*a*b*cos(dx + c)*log(sin(dx + c) + 1) - 2*C*a*b*cos(dx + c)*log(-sin(dx + c) + 1) + ((A + 2*C)*a^2 + 2*A*b^2)*dx*cos(dx + c) + (A*a^2*cos(dx + c)^2 + 4*A*a*b*cos(dx + c) + 2*C*b^2)*sin(dx + c))/(d*cos(dx + c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(a+b*sec(dx+c))**2*(A+C*sec(dx+c)**2),x)

[Out] Timed out

Giac [A] time = 1.19432, size = 236, normalized size = 2.29

$$\frac{4Cab \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 4Cab \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{4Cb^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} + (Aa^2 + 2Ca^2 + 2Ab^2)(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{2}*(4*C*a*b*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 4*C*a*b*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))) - 4*C*b^2*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) + (A*a^2 + 2*C*a^2 + 2*A*b^2)*(d*x + c) - 2*(A*a^2*\tan(1/2*d*x + 1/2*c)^3 - 4*A*a*b*\tan(1/2*d*x + 1/2*c)^3 - A*a^2*\tan(1/2*d*x + 1/2*c) - 4*A*a*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^2/d$

3.651 $\int \cos^3(c+dx)(a+b \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=112

$$\frac{(a^2(2A + 3C) + 2Ab^2) \sin(c + dx)}{3d} + \frac{aAb \sin(c + dx) \cos(c + dx)}{3d} + \frac{A \sin(c + dx) \cos^2(c + dx)(a + b \sec(c + dx))^2}{3d} + a$$

[Out] a*b*(A + 2*C)*x + (b^2*C*ArcTanh[Sin[c + d*x]])/d + ((2*A*b^2 + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*d) + (a*A*b*Cos[c + d*x]*Sin[c + d*x])/(3*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.291247, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4095, 4074, 4047, 8, 4045, 3770}

$$\frac{(a^2(2A + 3C) + 2Ab^2) \sin(c + dx)}{3d} + \frac{aAb \sin(c + dx) \cos(c + dx)}{3d} + \frac{A \sin(c + dx) \cos^2(c + dx)(a + b \sec(c + dx))^2}{3d} + a$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] a*b*(A + 2*C)*x + (b^2*C*ArcTanh[Sin[c + d*x]])/d + ((2*A*b^2 + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*d) + (a*A*b*Cos[c + d*x]*Sin[c + d*x])/(3*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b

) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int \cos^2(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx \\
 &= \frac{aAb \cos(c + dx) \sin(c + dx)}{3d} + \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} \\
 &= \frac{aAb \cos(c + dx) \sin(c + dx)}{3d} + \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} \\
 &= ab(A + 2C)x + \frac{(2Ab^2 + a^2(2A + 3C)) \sin(c + dx)}{3d} + \frac{aAb \cos(c + dx) \sin(c + dx)}{3d} \\
 &= ab(A + 2C)x + \frac{b^2C \tanh^{-1}(\sin(c + dx))}{d} + \frac{(2Ab^2 + a^2(2A + 3C)) \sin(c + dx)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.252356, size = 144, normalized size = 1.29

$$\frac{3(a^2(3A + 4C) + 4Ab^2)\sin(c + dx) + a^2A\sin(3(c + dx)) + 6aAb\sin(2(c + dx)) + 12aAbc + 12aAbdx + 24abcC + 24a^2b^2C}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (12*a*A*b*c + 24*a*b*c*C + 12*a*A*b*d*x + 24*a*b*C*d*x - 12*b^2*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*b^2*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 3*(4*A*b^2 + a^2*(3*A + 4*C))*Sin[c + d*x] + 6*a*A*b*Sin[2*(c + d*x)] + a^2*A*Sin[3*(c + d*x)])/(12*d)

Maple [A] time = 0.067, size = 137, normalized size = 1.2

$$\frac{A\sin(dx+c)(\cos(dx+c))^2a^2}{3d} + \frac{2a^2A\sin(dx+c)}{3d} + \frac{a^2C\sin(dx+c)}{d} + \frac{Aab\cos(dx+c)\sin(dx+c)}{d} + aAbx + \frac{Aab}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] 1/3/d*A*sin(d*x+c)*cos(d*x+c)^2*a^2+2/3/d*a^2*A*sin(d*x+c)+1/d*a^2*C*sin(d*x+c)+a*A*b*cos(d*x+c)*sin(d*x+c)/d+a*A*b*x+1/d*A*a*b*c+2*a*b*C*x+2/d*C*a*b*c+1/d*A*b^2*sin(d*x+c)+1/d*b^2*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.964166, size = 151, normalized size = 1.35

$$\frac{2(\sin(dx+c)^3 - 3\sin(dx+c))Aa^2 - 3(2dx+2c+\sin(2dx+2c))Aab - 12(dx+c)Cab - 3Cb^2(\log(\sin(dx+c)) + 1)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] -1/6*(2*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a*b - 12*(d*x + c)*C*a*b - 3*C*b^2*(log(sin(d*x + c) + 1) - log

$$(\sin(dx + c) - 1) - 6Ca^2\sin(dx + c) - 6A^2b\sin(dx + c))/d$$

Fricas [A] time = 0.53749, size = 250, normalized size = 2.23

$$\frac{6(A + 2C)abdx + 3Cb^2 \log(\sin(dx + c) + 1) - 3Cb^2 \log(-\sin(dx + c) + 1) + 2(Aa^2 \cos(dx + c)^2 + 3Aab \cos(dx + c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(a+b*sec(dx+c))^2*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] 1/6*(6*(A + 2*C)*a*b*d*x + 3*C*b^2*log(sin(dx + c) + 1) - 3*C*b^2*log(-sin(dx + c) + 1) + 2*(A*a^2*cos(dx + c)^2 + 3*A*a*b*cos(dx + c) + (2*A + 3*C)*a^2 + 3*A*b^2)*sin(dx + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**3*(a+b*sec(dx+c))**2*(A+C*sec(dx+c)**2),x)

[Out] Timed out

Giac [B] time = 1.21707, size = 346, normalized size = 3.09

$$3Cb^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3Cb^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(Aab + 2Cab)(dx + c) + \frac{2\left(3Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(a+b*sec(dx+c))^2*(A+C*sec(dx+c)^2),x, algorithm="giac")

```
[Out] 1/3*(3*C*b^2*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*C*b^2*log(abs(tan(1/2*d
*x + 1/2*c) - 1)) + 3*(A*a*b + 2*C*a*b)*(d*x + c) + 2*(3*A*a^2*tan(1/2*d*x
+ 1/2*c)^5 + 3*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 3*A*a*b*tan(1/2*d*x + 1/2*c)^
5 + 3*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 2*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 6*C*a
^2*tan(1/2*d*x + 1/2*c)^3 + 6*A*b^2*tan(1/2*d*x + 1/2*c)^3 + 3*A*a^2*tan(1/
2*d*x + 1/2*c) + 3*C*a^2*tan(1/2*d*x + 1/2*c) + 3*A*a*b*tan(1/2*d*x + 1/2*c
) + 3*A*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d
```

3.652 $\int \cos^4(c+dx)(a+b \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=145

$$\frac{(a^2(3A + 4C) + 2Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(a^2(3A + 4C) + 4b^2(A + 2C)) + \frac{2ab(2A + 3C) \sin(c + dx)}{3d} + \frac{aAb^2 \cos^2(c + dx)}{4d}$$

[Out] $((4*b^2*(A + 2*C) + a^2*(3*A + 4*C))*x)/8 + (2*a*b*(2*A + 3*C)*\text{Sin}[c + d*x])/(3*d) + ((2*A*b^2 + a^2*(3*A + 4*C))*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*A*b*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(6*d) + (A*\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(4*d)$

Rubi [A] time = 0.381924, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4095, 4074, 4047, 2637, 4045, 8}

$$\frac{(a^2(3A + 4C) + 2Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(a^2(3A + 4C) + 4b^2(A + 2C)) + \frac{2ab(2A + 3C) \sin(c + dx)}{3d} + \frac{aAb^2 \cos^2(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^4*(a + b*\text{Sec}[c + d*x])^2*(A + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((4*b^2*(A + 2*C) + a^2*(3*A + 4*C))*x)/8 + (2*a*b*(2*A + 3*C)*\text{Sin}[c + d*x])/(3*d) + ((2*A*b^2 + a^2*(3*A + 4*C))*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*A*b*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(6*d) + (A*\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(4*d)$

Rule 4095

$\text{Int}[(A + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(d + \text{csc}[e + f*x])^n, x] - \text{Dist}[1/(d + \text{csc}[e + f*x]), \text{Int}[(A + \text{csc}[e + f*x])^{m-1}*(d + \text{csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*(C*n + A*(n+1))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C\}, x \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$

Rule 4074

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])^n*(d + \text{csc}[e + f*x])^m, x] - \text{Dist}[1/(d + \text{csc}[e + f*x]), \text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^{2m-1}*(C + \text{csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*(C*n + A*(n+1))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$

`_) , x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]`

Rule 4047

`Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]`

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 4045

`Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]`

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rubi steps

$$\begin{aligned}
 \int \cos^4(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^3(c + dx)(a + b \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx \\
 &= \frac{aAb \cos^2(c + dx) \sin(c + dx)}{6d} + \frac{A \cos^3(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{4d} \\
 &= \frac{aAb \cos^2(c + dx) \sin(c + dx)}{6d} + \frac{A \cos^3(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{4d} \\
 &= \frac{2ab(2A + 3C) \sin(c + dx)}{3d} + \frac{(2Ab^2 + a^2(3A + 4C)) \cos(c + dx)}{8d} \\
 &= \frac{1}{8} (4b^2(A + 2C) + a^2(3A + 4C)) x + \frac{2ab(2A + 3C) \sin(c + dx)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.391724, size = 104, normalized size = 0.72

$$\frac{12(c + dx) \left(a^2(3A + 4C) + 4b^2(A + 2C) \right) + 24 \left(a^2(A + C) + Ab^2 \right) \sin(2(c + dx)) + 3a^2A \sin(4(c + dx)) + 48ab(3A + 4C)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (12*(4*b^2*(A + 2*C) + a^2*(3*A + 4*C))*(c + d*x) + 48*a*b*(3*A + 4*C)*Sin[c + d*x] + 24*(A*b^2 + a^2*(A + C))*Sin[2*(c + d*x)] + 16*a*A*b*Ssin[3*(c + d*x)] + 3*a^2*A*Ssin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.071, size = 140, normalized size = 1.

$$\frac{1}{d} \left(a^2 A \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 dx}{8} + \frac{3c}{8} \right) + \frac{2 A a b (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + A b^2 \left(\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*(a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*A*a*b*(2+cos(d*x+c)^2)*sin(d*x+c)+A*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^2*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+2*a*b*C*sin(d*x+c)+b^2*C*(d*x+c))

Maxima [A] time = 0.996142, size = 176, normalized size = 1.21

$$\frac{3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Aa^2 + 24(2dx + 2c + \sin(2dx + 2c))Ca^2 - 64(\sin(dx + c)^3 - 3 \sin(dx + c))}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2 - 64*(sin(d*x + c)^3 - 3*sin(d*x + c))

))*A*a*b + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*b^2 + 96*(d*x + c)*C*b^2 + 192*C*a*b*sin(d*x + c))/d

Fricas [A] time = 0.510309, size = 248, normalized size = 1.71

$$\frac{3\left((3A + 4C)a^2 + 4(A + 2C)b^2\right)dx + \left(6Aa^2 \cos(dx + c)^3 + 16Aab \cos(dx + c)^2 + 16(2A + 3C)ab + 3\left((3A + 4C)a^2 + 4(A + 2C)b^2\right)\cos(dx + c)\right)\sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/24*(3*((3*A + 4*C)*a^2 + 4*(A + 2*C)*b^2)*d*x + (6*A*a^2*cos(d*x + c)^3 + 16*A*a*b*cos(d*x + c)^2 + 16*(2*A + 3*C)*a*b + 3*((3*A + 4*C)*a^2 + 4*A*b^2)*cos(d*x + c))*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.16697, size = 510, normalized size = 3.52

$$3\left(3Aa^2 + 4Ca^2 + 4Ab^2 + 8Cb^2\right)(dx + c) - \frac{2\left(15Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 48Aab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 48Cab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7\right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

```
[Out] 1/24*(3*(3*A*a^2 + 4*C*a^2 + 4*A*b^2 + 8*C*b^2)*(d*x + c) - 2*(15*A*a^2*tan
(1/2*d*x + 1/2*c)^7 + 12*C*a^2*tan(1/2*d*x + 1/2*c)^7 - 48*A*a*b*tan(1/2*d*
x + 1/2*c)^7 - 48*C*a*b*tan(1/2*d*x + 1/2*c)^7 + 12*A*b^2*tan(1/2*d*x + 1/2
*c)^7 - 9*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 12*C*a^2*tan(1/2*d*x + 1/2*c)^5 -
80*A*a*b*tan(1/2*d*x + 1/2*c)^5 - 144*C*a*b*tan(1/2*d*x + 1/2*c)^5 + 12*A*b
^2*tan(1/2*d*x + 1/2*c)^5 + 9*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 12*C*a^2*tan(1
/2*d*x + 1/2*c)^3 - 80*A*a*b*tan(1/2*d*x + 1/2*c)^3 - 144*C*a*b*tan(1/2*d*x
+ 1/2*c)^3 - 12*A*b^2*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^2*tan(1/2*d*x + 1/2*
c) - 12*C*a^2*tan(1/2*d*x + 1/2*c) - 48*A*a*b*tan(1/2*d*x + 1/2*c) - 48*C*a
*b*tan(1/2*d*x + 1/2*c) - 12*A*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2
*c)^2 + 1)^4)/d
```

3.653 $\int \cos^5(c+dx)(a+b \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=161

$$-\frac{(a^2(4A+5C)+2Ab^2)\sin^3(c+dx)}{15d} + \frac{(a^2+b^2)(4A+5C)\sin(c+dx)}{5d} + \frac{ab(3A+4C)\sin(c+dx)\cos(c+dx)}{4d} + \frac{aAb}{d}$$

[Out] (a*b*(3*A + 4*C)*x)/4 + ((a^2 + b^2)*(4*A + 5*C)*Sin[c + d*x])/(5*d) + (a*b*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(4*d) + (a*A*b*Cos[c + d*x]^3*SIN[c + d*x])/(10*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(5*d) - ((2*A*b^2 + a^2*(4*A + 5*C))*Sin[c + d*x]^3)/(15*d)

Rubi [A] time = 0.399549, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4074, 4047, 2635, 8, 4044, 3013}

$$-\frac{(a^2(4A+5C)+2Ab^2)\sin^3(c+dx)}{15d} + \frac{(a^2+b^2)(4A+5C)\sin(c+dx)}{5d} + \frac{ab(3A+4C)\sin(c+dx)\cos(c+dx)}{4d} + \frac{aAb}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),x]

[Out] (a*b*(3*A + 4*C)*x)/4 + ((a^2 + b^2)*(4*A + 5*C)*Sin[c + d*x])/(5*d) + (a*b*(3*A + 4*C)*Cos[c + d*x]*Sin[c + d*x])/(4*d) + (a*A*b*Cos[c + d*x]^3*SIN[c + d*x])/(10*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(5*d) - ((2*A*b^2 + a^2*(4*A + 5*C))*Sin[c + d*x]^3)/(15*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^(n+1)*Simp[A*b*m - a*(C*n + A*(n+1))*Csc[e + f*x] - b*(C*n + A*(m+n+1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] :> Simp[(A*B*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^(n+1)*Simp[A*b*m - a*(C*n + A*(n+1))*Csc[e + f*x] - b*(C*n + A*(m+n+1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rule 4044

```

Int[csc[(e_.) + (f_.)*(x_)]^m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] := Int[(C + A*Sin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]

```

Rule 3013

```

Int[sin[(e_.) + (f_.)*(x_)]^m_)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2), x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^5(c+dx)(a+b\sec(c+dx))^2(A+C\sec^2(c+dx))dx &= \frac{A\cos^4(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{5d} + \frac{1}{5}\int \cos^3(c+dx)(a+b\sec(c+dx))^2(A+C\sec^2(c+dx))dx \\
&= \frac{aAb\cos^3(c+dx)\sin(c+dx)}{10d} + \frac{A\cos^4(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{5d} \\
&= \frac{aAb\cos^3(c+dx)\sin(c+dx)}{10d} + \frac{A\cos^4(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{5d} \\
&= \frac{ab(3A+4C)\cos(c+dx)\sin(c+dx)}{4d} + \frac{aAb\cos^3(c+dx)\sin(c+dx)}{10d} \\
&= \frac{1}{4}ab(3A+4C)x + \frac{ab(3A+4C)\cos(c+dx)\sin(c+dx)}{4d} \\
&= \frac{1}{4}ab(3A+4C)x + \frac{(a^2+b^2)(4A+5C)\sin(c+dx)}{5d} + \frac{ab(3A+4C)\cos(c+dx)\sin(c+dx)}{10d}
\end{aligned}$$

Mathematica [A] time = 0.45228, size = 126, normalized size = 0.78

$$\frac{30(a^2(5A+6C)+2b^2(3A+4C))\sin(c+dx)+5(a^2(5A+4C)+4Ab^2)\sin(3(c+dx))+3a^2A\sin(5(c+dx))+60ab(3A+4C)\cos(c+dx)\sin(c+dx)}{240d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (60*a*b*(3*A + 4*C)*(c + d*x) + 30*(2*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*Sin[c + d*x] + 120*a*b*(A + C)*Sin[2*(c + d*x)] + 5*(4*A*b^2 + a^2*(5*A + 4*C))*Sin[3*(c + d*x)] + 15*a*A*b*Ssin[4*(c + d*x)] + 3*a^2*A*Ssin[5*(c + d*x)])/(240*d)

Maple [A] time = 0.077, size = 158, normalized size = 1.

$$\frac{1}{d} \left(\frac{a^2 A \sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^4 + \frac{4(\cos(dx+c))^2}{3} \right) + \frac{a^2 C (2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + 2 A a b \left(\frac{1}{4} (\cos(dx+c))^3 + \frac{3}{2} \cos(dx+c) \right) \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*(1/5*a^2*A*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+1/3*a^2*C*(2+cos(d*x+c)^2)*sin(d*x+c)+2*A*a*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c))

$+c)+3/8*d*x+3/8*c)+2*a*b*C*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+1/3*A*b^2*(2+\cos(d*x+c))^2*\sin(d*x+c)+b^2*C*\sin(d*x+c))$

Maxima [A] time = 0.989982, size = 208, normalized size = 1.29

$$\frac{16(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^2 - 80(\sin(dx + c)^3 - 3 \sin(dx + c))Ca^2 + 15(12 dx + 12 c +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{240}*(16*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*A*a^2 - 80*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*C*a^2 + 15*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a*b + 120*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a*b - 80*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*A*b^2 + 240*C*b^2*\sin(d*x + c)) / d$

Fricas [A] time = 0.513828, size = 300, normalized size = 1.86

$$\frac{15(3A + 4C)abdx + (12Aa^2 \cos(dx + c)^4 + 30Aab \cos(dx + c)^3 + 15(3A + 4C)ab \cos(dx + c) + 8(4A + 5C)a^2 + 20C)b^2 + 4*((4A + 5C)a^2 + 5A*b^2)*\cos(dx + c)^2*\sin(dx + c)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{60}*(15*(3*A + 4*C)*a*b*d*x + (12*A*a^2*\cos(d*x + c)^4 + 30*A*a*b*\cos(d*x + c)^3 + 15*(3*A + 4*C)*a*b*\cos(d*x + c) + 8*(4*A + 5*C)*a^2 + 20*(2*A + 3*C)*b^2 + 4*((4*A + 5*C)*a^2 + 5*A*b^2)*\cos(d*x + c)^2*\sin(d*x + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.19396, size = 672, normalized size = 4.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/60*(15*(3*A*a*b + 4*C*a*b)*(d*x + c) + 2*(60*A*a^2*tan(1/2*d*x + 1/2*c)^9
+ 60*C*a^2*tan(1/2*d*x + 1/2*c)^9 - 75*A*a*b*tan(1/2*d*x + 1/2*c)^9 - 60*C
*a*b*tan(1/2*d*x + 1/2*c)^9 + 60*A*b^2*tan(1/2*d*x + 1/2*c)^9 + 60*C*b^2*ta
n(1/2*d*x + 1/2*c)^9 + 80*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 160*C*a^2*tan(1/2*
d*x + 1/2*c)^7 - 30*A*a*b*tan(1/2*d*x + 1/2*c)^7 - 120*C*a*b*tan(1/2*d*x +
1/2*c)^7 + 160*A*b^2*tan(1/2*d*x + 1/2*c)^7 + 240*C*b^2*tan(1/2*d*x + 1/2*c
)^7 + 232*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 200*C*a^2*tan(1/2*d*x + 1/2*c)^5 +
200*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 360*C*b^2*tan(1/2*d*x + 1/2*c)^5 + 80*A
*a^2*tan(1/2*d*x + 1/2*c)^3 + 160*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 30*A*a*b*t
an(1/2*d*x + 1/2*c)^3 + 120*C*a*b*tan(1/2*d*x + 1/2*c)^3 + 160*A*b^2*tan(1/
2*d*x + 1/2*c)^3 + 240*C*b^2*tan(1/2*d*x + 1/2*c)^3 + 60*A*a^2*tan(1/2*d*x
+ 1/2*c) + 60*C*a^2*tan(1/2*d*x + 1/2*c) + 75*A*a*b*tan(1/2*d*x + 1/2*c) +
60*C*a*b*tan(1/2*d*x + 1/2*c) + 60*A*b^2*tan(1/2*d*x + 1/2*c) + 60*C*b^2*ta
n(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5)/d
```

3.654 $\int \sec^2(c+dx)(a+b \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=306

$$\frac{a(a^2b^2(30A + 17C) + 2a^4C + 24b^4(5A + 4C)) \tan(c + dx)}{60b^2d} + \frac{b(6a^2(4A + 3C) + b^2(6A + 5C)) \tanh^{-1}(\sin(c + dx))}{16d} + \dots$$

```
[Out] (b*(6*a^2*(4*A + 3*C) + b^2*(6*A + 5*C))*ArcTanh[Sin[c + d*x]]/(16*d) + (a
*(2*a^4*C + 24*b^4*(5*A + 4*C) + a^2*b^2*(30*A + 17*C))*Tan[c + d*x]/(60*b
^2*d) + ((4*a^4*C + 12*a^2*b^2*(5*A + 3*C) + 15*b^4*(6*A + 5*C))*Sec[c + d*
x]*Tan[c + d*x])/(240*b*d) + (a*(30*A*b^2 + 2*a^2*C + 21*b^2*C)*(a + b*Sec[
c + d*x])^2*Tan[c + d*x])/(120*b^2*d) + ((2*a^2*C + 5*b^2*(6*A + 5*C))*(a +
b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b^2*d) - (a*C*(a + b*Sec[c + d*x])^4*
Tan[c + d*x])/(15*b^2*d) + (C*Sec[c + d*x]*(a + b*Sec[c + d*x])^4*Tan[c + d
*x]))/(6*b*d)
```

Rubi [A] time = 0.719236, antiderivative size = 306, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4093, 4082, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{a(a^2b^2(30A + 17C) + 2a^4C + 24b^4(5A + 4C)) \tan(c + dx)}{60b^2d} + \frac{b(6a^2(4A + 3C) + b^2(6A + 5C)) \tanh^{-1}(\sin(c + dx))}{16d} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (b*(6*a^2*(4*A + 3*C) + b^2*(6*A + 5*C))*ArcTanh[Sin[c + d*x]]/(16*d) + (a
*(2*a^4*C + 24*b^4*(5*A + 4*C) + a^2*b^2*(30*A + 17*C))*Tan[c + d*x]/(60*b
^2*d) + ((4*a^4*C + 12*a^2*b^2*(5*A + 3*C) + 15*b^4*(6*A + 5*C))*Sec[c + d*
x]*Tan[c + d*x])/(240*b*d) + (a*(30*A*b^2 + 2*a^2*C + 21*b^2*C)*(a + b*Sec[
c + d*x])^2*Tan[c + d*x])/(120*b^2*d) + ((2*a^2*C + 5*b^2*(6*A + 5*C))*(a +
b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b^2*d) - (a*C*(a + b*Sec[c + d*x])^4*
Tan[c + d*x])/(15*b^2*d) + (C*Sec[c + d*x]*(a + b*Sec[c + d*x])^4*Tan[c + d
*x]))/(6*b*d)
```

Rule 4093

```
Int[Csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))* (cs
c[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Csc[e + f*x
]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*
(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) +
```


$A*(m + 3)*\text{Csc}[e + f*x] - 2*a*C*\text{Csc}[e + f*x]^2, x], x] /;$ FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_)}, x_Symbol] := -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4002

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] := -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /;$ FreeQ[{c,

d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{C \sec(c + dx)(a + b \sec(c + dx))^4 \tan(c + dx)}{6bd} + \frac{\int \sec(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx}{6bd} \\
 &= -\frac{aC(a + b \sec(c + dx))^4 \tan(c + dx)}{15b^2d} + \frac{C \sec(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx))}{6bd} \\
 &= \frac{(2a^2C + 5b^2(6A + 5C))(a + b \sec(c + dx))^3 \tan(c + dx)}{120b^2d} - \frac{aC(a + b \sec(c + dx))^4 \tan(c + dx)}{15b^2d} \\
 &= \frac{a(30Ab^2 + 2a^2C + 21b^2C)(a + b \sec(c + dx))^2 \tan(c + dx)}{120b^2d} - \frac{aC(a + b \sec(c + dx))^4 \tan(c + dx)}{15b^2d} \\
 &= \frac{(4a^4C + 12a^2b^2(5A + 3C) + 15b^4(6A + 5C)) \sec(c + dx) \tan(c + dx)}{240bd} - \frac{aC(a + b \sec(c + dx))^4 \tan(c + dx)}{15b^2d} \\
 &= \frac{(4a^4C + 12a^2b^2(5A + 3C) + 15b^4(6A + 5C)) \sec(c + dx) \tanh^{-1}(\sin(c + dx))}{240bd} - \frac{aC(a + b \sec(c + dx))^4 \tan(c + dx)}{15b^2d} \\
 &= \frac{b(6a^2(4A + 3C) + b^2(6A + 5C)) \tanh^{-1}(\sin(c + dx))}{16d} - \frac{aC(a + b \sec(c + dx))^4 \tan(c + dx)}{15b^2d} \\
 &= \frac{b(6a^2(4A + 3C) + b^2(6A + 5C)) \tanh^{-1}(\sin(c + dx))}{16d} - \frac{aC(a + b \sec(c + dx))^4 \tan(c + dx)}{15b^2d}
 \end{aligned}$$

Mathematica [A] time = 3.61659, size = 407, normalized size = 1.33

$$\frac{\sec^6(c + dx) (A \cos^2(c + dx) + C) \left(2 \sin(c + dx) (16a (a^2(75A + 80C) + 24b^2(10A + 11C)) \cos(c + dx) + 20b (18a^2(4A + 5C) + b^2(6A + 5C)) \sin(c + dx) \right)}{16d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] ((C + A*Cos[c + d*x]^2)*Sec[c + d*x]^6*(-240*b*(6*a^2*(4*A + 3*C) + b^2*(6*A + 5*C))*Cos[c + d*x]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) + 2*(1080*a^2*A*b + 510*A*b^3 + 1530*a^2*b*C + 745*b^3*C + 16*a*(24*b^2*(10*A + 11*C) + a^2*(75*A + 80*C))*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))

$d*x] + 20*b*(18*a^2*(4*A + 5*C) + 5*b^2*(6*A + 5*C))*\text{Cos}[2*(c + d*x)] + 60$
 $0*a^3*A*\text{Cos}[3*(c + d*x)] + 1680*a*A*b^2*\text{Cos}[3*(c + d*x)] + 560*a^3*C*\text{Cos}[3*$
 $(c + d*x)] + 1344*a*b^2*C*\text{Cos}[3*(c + d*x)] + 360*a^2*A*b*\text{Cos}[4*(c + d*x)] +$
 $90*A*b^3*\text{Cos}[4*(c + d*x)] + 270*a^2*b*C*\text{Cos}[4*(c + d*x)] + 75*b^3*C*\text{Cos}[4*$
 $(c + d*x)] + 120*a^3*A*\text{Cos}[5*(c + d*x)] + 240*a*A*b^2*\text{Cos}[5*(c + d*x)] + 80$
 $*a^3*C*\text{Cos}[5*(c + d*x)] + 192*a*b^2*C*\text{Cos}[5*(c + d*x)]*\text{Sin}[c + d*x]))/(192$
 $0*d*(A + 2*C + A*\text{Cos}[2*(c + d*x)]))$

Maple [A] time = 0.051, size = 430, normalized size = 1.4

$$\frac{Aa^3 \tan(dx + c)}{d} + \frac{2a^3C \tan(dx + c)}{3d} + \frac{a^3C \tan(dx + c) (\sec(dx + c))^2}{3d} + \frac{3Aa^2b \sec(dx + c) \tan(dx + c)}{2d} + \frac{3Aa^2b \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)`

[Out] $1/d*A*a^3*\tan(d*x+c)+2/3*a^3*C*\tan(d*x+c)/d+1/3/d*a^3*C*\tan(d*x+c)*\sec(d*x+c)^2+3/2/d*A*a^2*b*\sec(d*x+c)*\tan(d*x+c)+3/2/d*A*a^2*b*\ln(\sec(d*x+c)+\tan(d*x+c))+3/4/d*a^2*b*C*\tan(d*x+c)*\sec(d*x+c)^3+9/8/d*a^2*b*C*\sec(d*x+c)*\tan(d*x+c)+9/8/d*a^2*b*C*\ln(\sec(d*x+c)+\tan(d*x+c))+2/d*A*a*b^2*\tan(d*x+c)+1/d*A*a*b^2*\tan(d*x+c)*\sec(d*x+c)^2+8/5/d*C*a*b^2*\tan(d*x+c)+3/5/d*C*a*b^2*\tan(d*x+c)*\sec(d*x+c)^4+4/5/d*C*a*b^2*\tan(d*x+c)*\sec(d*x+c)^2+1/4/d*A*b^3*\tan(d*x+c)*\sec(d*x+c)^3+3/8/d*A*b^3*\sec(d*x+c)*\tan(d*x+c)+3/8/d*A*b^3*\ln(\sec(d*x+c)+\tan(d*x+c))+1/6/d*C*b^3*\tan(d*x+c)*\sec(d*x+c)^5+5/24/d*C*b^3*\tan(d*x+c)*\sec(d*x+c)^3+5/16/d*C*b^3*\sec(d*x+c)*\tan(d*x+c)+5/16/d*C*b^3*\ln(\sec(d*x+c)+\tan(d*x+c))$

Maxima [A] time = 1.02067, size = 521, normalized size = 1.7

$$160(\tan(dx + c)^3 + 3 \tan(dx + c))Ca^3 + 480(\tan(dx + c)^3 + 3 \tan(dx + c))Aab^2 + 96(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))A^2b^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] $1/480*(160*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*C*a^3 + 480*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a*b^2 + 96*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*A^2*b^3)$

```
(d*x + c))*C*a*b^2 - 5*C*b^3*(2*(15*sin(d*x + c)^5 - 40*sin(d*x + c)^3 + 33
*sin(d*x + c))/(sin(d*x + c)^6 - 3*sin(d*x + c)^4 + 3*sin(d*x + c)^2 - 1) -
15*log(sin(d*x + c) + 1) + 15*log(sin(d*x + c) - 1)) - 90*C*a^2*b*(2*(3*si
n(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*
log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 30*A*b^3*(2*(3*sin(d*x +
c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin
(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 360*A*a^2*b*(2*sin(d*x + c)/(si
n(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 480*A*
a^3*tan(d*x + c))/d
```

Fricas [A] time = 0.576212, size = 636, normalized size = 2.08

$$15 \left(6(4A + 3C)a^2b + (6A + 5C)b^3 \right) \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15 \left(6(4A + 3C)a^2b + (6A + 5C)b^3 \right) \cos(dx + c)^6 \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="
fricas")
```

```
[Out] 1/480*(15*(6*(4*A + 3*C)*a^2*b + (6*A + 5*C)*b^3)*cos(d*x + c)^6*log(sin(d*
x + c) + 1) - 15*(6*(4*A + 3*C)*a^2*b + (6*A + 5*C)*b^3)*cos(d*x + c)^6*log
(-sin(d*x + c) + 1) + 2*(16*(5*(3*A + 2*C)*a^3 + 6*(5*A + 4*C)*a*b^2)*cos(d
*x + c)^5 + 144*C*a*b^2*cos(d*x + c) + 15*(6*(4*A + 3*C)*a^2*b + (6*A + 5*C
)*b^3)*cos(d*x + c)^4 + 40*C*b^3 + 16*(5*C*a^3 + 3*(5*A + 4*C)*a*b^2)*cos(d
*x + c)^3 + 10*(18*C*a^2*b + (6*A + 5*C)*b^3)*cos(d*x + c)^2)*sin(d*x + c)
/(d*cos(d*x + c)^6)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) (a + b \sec(c + dx))^3 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**3*sec(c + d*x)**2, x
)
```

Giac [B] time = 1.27429, size = 1258, normalized size = 4.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\frac{1}{240} \cdot (15 \cdot (24 \cdot A \cdot a^2 \cdot b + 18 \cdot C \cdot a^2 \cdot b + 6 \cdot A \cdot b^3 + 5 \cdot C \cdot b^3) \cdot \log(\abs{\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 1}) - 15 \cdot (24 \cdot A \cdot a^2 \cdot b + 18 \cdot C \cdot a^2 \cdot b + 6 \cdot A \cdot b^3 + 5 \cdot C \cdot b^3) \cdot \log(\abs{\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 1}) - 2 \cdot (240 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^{11} + 240 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^{11} - 360 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^{11} - 450 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^{11} + 720 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^{11} + 720 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^{11} - 150 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^{11} - 165 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^{11} - 1200 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 - 880 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 + 1080 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 + 630 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 - 2640 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 - 1680 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 + 210 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 - 25 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^9 + 2400 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 + 1440 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 720 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 180 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 + 4320 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 + 3744 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 60 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 450 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^7 - 2400 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 1440 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 720 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 180 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 4320 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 3744 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 60 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 450 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 1200 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 880 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 1080 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 630 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 2640 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 1680 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 210 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 25 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 240 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 240 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 360 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 450 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 720 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 720 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 150 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 165 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)) / (\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^2 - 1)^6 / d$$

3.655 $\int \sec(c+dx)(a+b \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=234

$$\frac{(-4a^2b^2(20A + 13C) + 3a^4C - 4b^4(5A + 4C)) \tan(c + dx)}{30bd} + \frac{a(4a^2(2A + C) + 3b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d}$$

[Out] (a*(4*a^2*(2*A + C) + 3*b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]]/(8*d) - ((3*a^4*C - 4*b^4*(5*A + 4*C) - 4*a^2*b^2*(20*A + 13*C))*Tan[c + d*x])/(30*b*d) + (a*(100*A*b^2 - 6*a^2*C + 71*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(120*d) - ((3*a^2*C - 4*b^2*(5*A + 4*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*b*d) - (a*C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*b*d) + (C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*b*d)

Rubi [A] time = 0.488304, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4083, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(-4a^2b^2(20A + 13C) + 3a^4C - 4b^4(5A + 4C)) \tan(c + dx)}{30bd} + \frac{a(4a^2(2A + C) + 3b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(4*a^2*(2*A + C) + 3*b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]]/(8*d) - ((3*a^4*C - 4*b^4*(5*A + 4*C) - 4*a^2*b^2*(20*A + 13*C))*Tan[c + d*x])/(30*b*d) + (a*(100*A*b^2 - 6*a^2*C + 71*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(120*d) - ((3*a^2*C - 4*b^2*(5*A + 4*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*b*d) - (a*C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*b*d) + (C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*b*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} + \frac{\int \sec(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx}{5bd} \\
&= -\frac{aC(a + b \sec(c + dx))^3 \tan(c + dx)}{20bd} + \frac{C(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} \\
&= -\frac{(3a^2C - 4b^2(5A + 4C))(a + b \sec(c + dx))^2 \tan(c + dx)}{60bd} \\
&= \frac{a(100Ab^2 - 6a^2C + 71b^2C) \sec(c + dx) \tan(c + dx)}{120d} - \frac{(3a^2C - 4b^2(5A + 4C)) \sec(c + dx) \tan(c + dx)}{60bd} \\
&= \frac{a(100Ab^2 - 6a^2C + 71b^2C) \sec(c + dx) \tan(c + dx)}{120d} - \frac{(3a^2C - 4b^2(5A + 4C)) \sec(c + dx) \tan(c + dx)}{60bd} \\
&= \frac{a(4a^2(2A + C) + 3b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4a^2(2A + C) + 3b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} \\
&= \frac{a(4a^2(2A + C) + 3b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} - \frac{(3a^2C - 4b^2(5A + 4C)) \sec(c + dx) \tan(c + dx)}{60bd}
\end{aligned}$$

Mathematica [A] time = 1.88146, size = 324, normalized size = 1.38

$$\frac{\sec^5(c + dx) (A \cos^2(c + dx) + C) (120a (4a^2(2A + C) + 3b^2(4A + 3C)) \cos^5(c + dx) \left(\log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] -((C + A*Cos[c + d*x]^2)*Sec[c + d*x]^5*(120*a*(4*a^2*(2*A + C) + 3*b^2*(4*A + 3*C))*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 2*(540*a^2*A*b + 200*A*b^3 + 600*a^2*b*C + 256*b^3*C + 45*a*(12*A*b^2 + 4*a^2*C + 17*b^2*C))*Cos[c + d*x] + 48*b*(15*a^2*(A + C) + b^2*(5*A + 4*C))*Cos[2*(c + d*x)] + 180*a*A*b^2*Cos[3*(c + d*x)] + 60*a^3*C*Cos[3*(c + d*x)] + 135*a*b^2*C*Cos[3*(c + d*x)] + 180*a^2*A*b*Cos[4*(c + d*x)] + 40*A*b^3*Cos[4*(c + d*x)] + 120*a^2*b*C*Cos[4*(c + d*x)] + 32*b^3*C*Cos[4*(c + d*x)]*Sin[c + d*x))/(480*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.056, size = 338, normalized size = 1.4

$$\frac{Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^3 C \sec(dx + c) \tan(dx + c)}{2d} + \frac{a^3 C \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 3 \frac{Aa^2 b \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{d}Aa^3\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{2}d^3C\sec(dx+c)\tan(dx+c)+\frac{1}{2}d^3Ca^3\ln(\sec(dx+c)+\tan(dx+c))+\frac{3}{d}Aa^2b\tan(dx+c)+\frac{2}{d}a^2bC\tan(dx+c)+\frac{1}{d}a^2bC\tan(dx+c)\sec(dx+c)^2+\frac{3}{2}dAa^2b^2\sec(dx+c)\tan(dx+c)+\frac{3}{2}dAa^2b^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{3}{4}dCa^2b^2\tan(dx+c)\sec(dx+c)^3+\frac{9}{8}dCa^2b^2\sec(dx+c)\tan(dx+c)+\frac{9}{8}dCa^2b^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{2}{3}dAb^3\tan(dx+c)+\frac{1}{3}dAb^3\tan(dx+c)\sec(dx+c)^2+\frac{8}{15}dCb^3\tan(dx+c)+\frac{1}{5}dCb^3\tan(dx+c)\sec(dx+c)^4+\frac{4}{15}dCb^3\tan(dx+c)\sec(dx+c)^2$

Maxima [A] time = 1.00404, size = 390, normalized size = 1.67

$240(\tan(dx+c)^3+3\tan(dx+c))Ca^2b+80(\tan(dx+c)^3+3\tan(dx+c))Ab^3+16(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))C^2b^3-45C^2a^2b^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-60C^2a^3(2\sin(dx+c))/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)-180Aa^2b^2(2\sin(dx+c))/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)+240Aa^3\log(\sec(dx+c)+\tan(dx+c))+720Aa^2b\tan(dx+c)/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{240}(240(\tan(dx+c)^3+3\tan(dx+c))C^2a^2b+80(\tan(dx+c)^3+3\tan(dx+c))Ab^3+16(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))C^2b^3-45C^2a^2b^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-60C^2a^3(2\sin(dx+c))/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)-180Aa^2b^2(2\sin(dx+c))/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)+240Aa^3\log(\sec(dx+c)+\tan(dx+c))+720Aa^2b\tan(dx+c))/d$

Fricas [A] time = 0.553672, size = 552, normalized size = 2.36

$15(4(2A+C)a^3+3(4A+3C)ab^2)\cos(dx+c)^5\log(\sin(dx+c)+1)-15(4(2A+C)a^3+3(4A+3C)ab^2)\cos(dx+c)^5\log(\sin(dx+c)-1)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 1/240*(15*(4*(2*A + C)*a^3 + 3*(4*A + 3*C)*a*b^2)*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(4*(2*A + C)*a^3 + 3*(4*A + 3*C)*a*b^2)*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(90*C*a*b^2*cos(d*x + c) + 8*(15*(3*A + 2*C)*a^2*b + 2*(5*A + 4*C)*b^3))*cos(d*x + c)^4 + 24*C*b^3 + 15*(4*C*a^3 + 3*(4*A + 3*C)*a*b^2)*cos(d*x + c)^3 + 8*(15*C*a^2*b + (5*A + 4*C)*b^3)*cos(d*x + c)^2)*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) (a + b \sec(c + dx))^3 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**3*sec(c + d*x), x)
```

Giac [B] time = 1.24651, size = 886, normalized size = 3.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/120*(15*(8*A*a^3 + 4*C*a^3 + 12*A*a*b^2 + 9*C*a*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(8*A*a^3 + 4*C*a^3 + 12*A*a*b^2 + 9*C*a*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(60*C*a^3*tan(1/2*d*x + 1/2*c)^9 - 360*A*a^2*b*tan(1/2*d*x + 1/2*c)^9 - 360*C*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 180*A*a*b^2*tan(1/2*d*x + 1/2*c)^9 + 225*C*a*b^2*tan(1/2*d*x + 1/2*c)^9 - 120*A*b^3*tan(1/2*d*x + 1/2*c)^9 - 120*C*b^3*tan(1/2*d*x + 1/2*c)^9 - 120*C*a^3*tan(1/2*d*x + 1/2*c)^7 + 1440*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 960*C*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 360*A*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 90*C*a*b^2*tan(1/2*d*x + 1/2*c)^7 + 320*A*b^3*tan(1/2*d*x + 1/2*c)^7 + 160*C*b^3*tan(1/2*d*x + 1/2*c)^7 - 2160*A*a^2*b*tan(1/2*d*x + 1/2*c)^5 - 1200*C*a^2*b*tan(1/2*d*x +
```

$$\begin{aligned}
& \frac{1}{2}c)^5 - 400A^3b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 464C^3b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 \\
& + 120C^3a^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 1440A^2a^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\
& + 960C^2a^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 360A^2a^2b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\
& + 90C^2a^2b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 320A^3b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 1 \\
& 60C^3b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 60C^3a^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 360A^2a^2 \\
& b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 360C^2a^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 180A^2a^2b^2 \tan \\
& \left(\frac{1}{2}dx + \frac{1}{2}c\right) - 225C^2a^2b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 120A^3b^3 \tan\left(\frac{1}{2}d \\
& x + \frac{1}{2}c\right) - 120C^3b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) / (\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1)^5 / d
\end{aligned}$$

3.656 $\int (a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=167

$$\frac{a(C(a^2 + 4b^2) + 6Ab^2) \tan(c + dx)}{2d} + \frac{b(12a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(2a^2C + b^2(4A + 3C))}{8d}$$

[Out] $a^3 A x + (b(12a^2(2A + C) + b^2(4A + 3C)) \operatorname{ArcTanh}[\sin(c + dx)]) / (8d) + (a(6Ab^2 + (a^2 + 4b^2)C) \operatorname{Tan}[c + dx]) / (2d) + (b(2a^2C + b^2(4A + 3C)) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]) / (8d) + (aC(a + b \operatorname{Sec}[c + dx])^2 \operatorname{Tan}[c + dx]) / (4d) + (C(a + b \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx]) / (4d)$

Rubi [A] time = 0.313253, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {4057, 4056, 4048, 3770, 3767, 8}

$$\frac{a(C(a^2 + 4b^2) + 6Ab^2) \tan(c + dx)}{2d} + \frac{b(12a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(2a^2C + b^2(4A + 3C))}{8d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \operatorname{Sec}[c + dx])^3 (A + C \operatorname{Sec}[c + dx]^2), x]$

[Out] $a^3 A x + (b(12a^2(2A + C) + b^2(4A + 3C)) \operatorname{ArcTanh}[\sin(c + dx)]) / (8d) + (a(6Ab^2 + (a^2 + 4b^2)C) \operatorname{Tan}[c + dx]) / (2d) + (b(2a^2C + b^2(4A + 3C)) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]) / (8d) + (aC(a + b \operatorname{Sec}[c + dx])^2 \operatorname{Tan}[c + dx]) / (4d) + (C(a + b \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx]) / (4d)$

Rule 4057

$\operatorname{Int}[(A + \operatorname{csc}[e + f x] + (f x) \operatorname{Csc}[e + f x]) (\operatorname{csc}[e + f x] + (f x) \operatorname{Csc}[e + f x]) (b + a)^m, x] \rightarrow -\operatorname{Simp}[(C \operatorname{Cot}[e + f x] (a + b \operatorname{Csc}[e + f x])^m) / (f(m + 1)), x] + \operatorname{Dist}[1 / (m + 1), \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^{m-1} \operatorname{Simp}[a A (m + 1) + (A b (m + 1) + b C m) \operatorname{Csc}[e + f x] + a C m \operatorname{Csc}[e + f x]^2, x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{IGtQ}[2m, 0]$

Rule 4056

$\operatorname{Int}[(A + \operatorname{csc}[e + f x] + (f x) \operatorname{Csc}[e + f x]) (B + \operatorname{csc}[e + f x] + (f x) \operatorname{Csc}[e + f x])^2 (C + \operatorname{csc}[e + f x] + (f x) \operatorname{Csc}[e + f x]) (b + a)^m, x] \rightarrow -\operatorname{Simp}[(C \operatorname{Cot}[e + f x] (a + b \operatorname{Csc}[e + f x])^m) / (f(m + 1)), x] + \operatorname{Dist}[1 / (m + 1), \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^{m-1} \operatorname{Simp}[a A (m + 1) + ((A b + a B) (m + 1) + b C m) C$

$\text{sc}[e + f*x] + (b*B*(m + 1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[2*m, 0]$

Rule 4048

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow -\text{Simp}[(b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x])/(2*f), x] + \text{Dist}[1/2, \text{Int}[\text{Simp}[2*A*a + (2*B*a + b*(2*A + C))*\text{Csc}[e + f*x] + 2*(a*C + B*b)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x\} \&\& \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int (a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4} \int (a + b \sec(c + dx))^2 (4aA + aC(a + b \sec(c + dx))^2 \tan(c + dx) + C(a + b \sec(c + dx))^3 \tan(c + dx)) dx \\ &= \frac{aC(a + b \sec(c + dx))^2 \tan(c + dx)}{4d} + \frac{C(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} \\ &= \frac{b(2a^2C + b^2(4A + 3C)) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aC(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} \\ &= a^3Ax + \frac{b(2a^2C + b^2(4A + 3C)) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aC(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} \\ &= a^3Ax + \frac{b(12a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(2a^2C + b^2(4A + 3C)) \sec(c + dx) \tan(c + dx)}{8d} \\ &= a^3Ax + \frac{b(12a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(6a^2C + b^2(4A + 3C)) \sec(c + dx) \tan(c + dx)}{8d} \end{aligned}$$

Mathematica [B] time = 6.41372, size = 1241, normalized size = 7.43

$$\frac{(-4Ab^3 - 3Cb^3 - 24a^2Ab - 12a^2Cb) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) (a + b \sec(c + dx))^3 (C \sec^2(c + dx) + A) \cos(c + dx)}{4d(b + a \cos(c + dx))^3 (\cos(2c + 2dx)A + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a^3*A*(c + d*x)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((-24*a^2*A*b - 4*A*b^3 - 12*a^2*b*C - 3*b^3*C)*Cos[c + d*x]^5*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(4*d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((24*a^2*A*b + 4*A*b^3 + 12*a^2*b*C + 3*b^3*C)*Cos[c + d*x]^5*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(4*d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x])) + (b^3*C*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^4 + ((4*A*b^3 + 12*a^2*b*C + 4*a*b^2*C + 3*b^3*C)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (a*b^2*C*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sin[(c + d*x)/2])/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 - (b^3*C*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^4 + (a*b^2*C*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sin[(c + d*x)/2])/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3 + ((-4*A*b^3 - 12*a^2*b*C - 4*a*b^2*C - 3*b^3*C)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (2*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*(3*a*A*b^2*Sin[(c + d*x)/2] + a^3*C*Sin[(c + d*x)/2] + 2*a*b^2*C*Sin[(c + d*x)/2]))/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (2*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*(3*a*A*b^2*Sin[(c + d*x)/2] + a^3*C*Sin[(c + d*x)/2] + 2*a*b^2*C*Sin[(c + d*x)/2]))/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])

Maple [A] time = 0.049, size = 267, normalized size = 1.6

$$a^3Ax + \frac{Aa^3c}{d} + \frac{a^3C \tan(dx+c)}{d} + 3 \frac{Aa^2b \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{3a^2bC \sec(dx+c) \tan(dx+c)}{2d} + \frac{3a^2bC}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)

[Out] a^3*A*x+1/d*A*a^3*c+a^3*C*tan(d*x+c)/d+3/d*A*a^2*b*ln(sec(d*x+c)+tan(d*x+c))+3/2/d*a^2*b*C*sec(d*x+c)*tan(d*x+c)+3/2/d*a^2*b*C*ln(sec(d*x+c)+tan(d*x+c))+3/d*A*a*b^2*tan(d*x+c)+2/d*C*a*b^2*tan(d*x+c)+1/d*C*a*b^2*tan(d*x+c)*sec(d*x+c)^2+1/2/d*A*b^3*sec(d*x+c)*tan(d*x+c)+1/2/d*A*b^3*ln(sec(d*x+c)+tan(d*x+c))+1/4/d*C*b^3*tan(d*x+c)*sec(d*x+c)^3+3/8/d*C*b^3*sec(d*x+c)*tan(d*x+c)+3/8/d*C*b^3*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.963603, size = 343, normalized size = 2.05

$$16(dx+c)Aa^3 + 16(\tan(dx+c)^3 + 3 \tan(dx+c))Cab^2 - Cb^3 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/16*(16*(d*x + c)*A*a^3 + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a*b^2 - C*b^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*C*a^2*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 4*A*b^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 48*A*a^2*b*log(sec(d*x + c) + tan(d*x + c)) + 16*C*a^3*tan(d*x + c) + 48*A*a*b^2*tan(d*x + c))/d

Fricas [A] time = 0.557219, size = 485, normalized size = 2.9

$$16Aa^3dx \cos(dx+c)^4 + (12(2A+C)a^2b + (4A+3C)b^3) \cos(dx+c)^4 \log(\sin(dx+c)+1) - (12(2A+C)a^2b + (4A+3C)b^3) \cos(dx+c)^4 \log(\sin(dx+c)-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{16} \cdot (16Aa^3dxc \cos(dx+c)^4 + (12(2A+C)a^2b + (4A+3C)b^3) \cos(dx+c)^4 \log(\sin(dx+c)+1) - (12(2A+C)a^2b + (4A+3C)b^3) \cos(dx+c)^4 \log(-\sin(dx+c)+1) + 2(8Ca^2b^2 \cos(dx+c) + 2Cb^3 + 8(Ca^3 + (3A+2C)ab^2) \cos(dx+c)^3 + (12Ca^2b + (4A+3C)b^3) \cos(dx+c)^2) \sin(dx+c)) / (d \cos(dx+c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) (a + b \sec(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.25045, size = 710, normalized size = 4.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{8} \cdot (8(dx+c)Aa^3 + (24Aa^2b + 12Ca^2b + 4Ab^3 + 3Cb^3) \log(|\tan(1/2dx + 1/2c) + 1|) - (24Aa^2b + 12Ca^2b + 4Ab^3 + 3Cb^3) \log(|\tan(1/2dx + 1/2c) - 1|) - 2(8Ca^3 \tan(1/2dx + 1/2c)^7 - 12Ca^2b \tan(1/2dx + 1/2c)^7 + 24Aa^2b^2 \tan(1/2dx + 1/2c)^7 + 24Ca^2b^2 \tan(1/2dx + 1/2c)^7 - 4Ab^3 \tan(1/2dx + 1/2c)^7 - 5Cb^3 \tan(1/2dx + 1/2c)^7 - 24Ca^3 \tan(1/2dx + 1/2c)^5 + 12Ca^2b \tan(1/2dx + 1/2c)^5 - 72Aa^2b^2 \tan(1/2dx + 1/2c)^5 - 40Ca^2b^2 \tan(1/2dx + 1/2c)^5 + 4Ab^3 \tan(1/2dx + 1/2c)^5 - 3Cb^3 \tan(1/2dx + 1/2c)^5 + 24Ca^3 \tan(1/2dx + 1/2c)^3 + 12Ca^2b \tan(1/2dx + 1/2c)^3 + 72Aa^2b^2 \tan(1/2dx + 1/2c)^3 + 40Ca^2b^2 \tan(1/2dx + 1/2c)^3 + 4Ab^3 \tan(1/2dx + 1/2c)^3 - 3Cb^3 \tan(1/2dx + 1/2c)^3 - 8Ca^3 \tan(1/2dx + 1/2c) - 12Ca^2b \tan(1/2dx + 1/2c) - 24Aa^2b^2 \tan(1/2dx + 1/2c) - 24Ca^2b^2 \tan(1/2dx + 1/2c) - 4Ab^3 \tan(1/2dx + 1/2c) - 4Cb^3 \tan(1/2dx + 1/2c)) / (d \cos(dx+c)^4)$

$$*c) - 5*C*b^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4)/d$$

3.657 $\int \cos(c+dx)(a+b \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=167

$$\frac{b(a^2(6A-8C) - b^2(3A+2C)) \tan(c+dx)}{3d} + \frac{a(2a^2C + 6Ab^2 + 3b^2C) \tanh^{-1}(\sin(c+dx))}{2d} + 3a^2Abx - \frac{ab^2(6A-5C)}{3d}$$

[Out] $3a^2Abx + (a(6Ab^2 + 2a^2C + 3b^2C) \operatorname{ArcTanh}[\sin(c+dx)])/(2d) + (A(a + b \sec(c+dx))^3 \sin(c+dx))/d - (b(a^2(6A-8C) - b^2(3A+2C)) \tan(c+dx))/(3d) - (a b^2(6A-5C) \sec(c+dx) \tan(c+dx))/(6d) - (b(3A-C)(a + b \sec(c+dx))^2 \tan(c+dx))/(3d)$

Rubi [A] time = 0.312066, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4095, 4056, 4048, 3770, 3767, 8}

$$\frac{b(a^2(6A-8C) - b^2(3A+2C)) \tan(c+dx)}{3d} + \frac{a(2a^2C + 6Ab^2 + 3b^2C) \tanh^{-1}(\sin(c+dx))}{2d} + 3a^2Abx - \frac{ab^2(6A-5C)}{3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos(c+dx)(a+b \sec(c+dx))^3(A+C \sec^2(c+dx)), x]$

[Out] $3a^2Abx + (a(6Ab^2 + 2a^2C + 3b^2C) \operatorname{ArcTanh}[\sin(c+dx)])/(2d) + (A(a + b \sec(c+dx))^3 \sin(c+dx))/d - (b(a^2(6A-8C) - b^2(3A+2C)) \tan(c+dx))/(3d) - (a b^2(6A-5C) \sec(c+dx) \tan(c+dx))/(6d) - (b(3A-C)(a + b \sec(c+dx))^2 \tan(c+dx))/(3d)$

Rule 4095

$\operatorname{Int}[(A + \csc(e + f x) + (f x) \csc(e + f x))^2 (C + \csc(e + f x) + (f x) \csc(e + f x)) (d + e x)^n (C + \csc(e + f x) + (f x) \csc(e + f x))^{m-1}, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[A \operatorname{Cot}[e + f x] (a + b \csc[e + f x])^m (d \csc[e + f x])^n / (f n), x] - \operatorname{Dist}[1 / (d n), \operatorname{Int}[(a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^{n+1} \operatorname{Simp}[A b^m - a(C n + A(n+1)) \csc[e + f x] - b(C n + A(m+n+1)) \csc[e + f x]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, C\}, x \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{LeQ}[n, -1]$

Rule 4056

$\operatorname{Int}[(A + \csc(e + f x) + (f x) \csc(e + f x)) (B + \csc(e + f x) + (f x) \csc(e + f x))^2 (C + \csc(e + f x) + (f x) \csc(e + f x)) (d + e x)^m, x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[C \operatorname{Cot}[$

```
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^3 \sin(c + dx)}{d} + \int (a + b \sec(c + dx))^3 dx \\
 &= \frac{A(a + b \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{b(3A - C)(a + b \sec(c + dx))^3}{3d} \\
 &= \frac{A(a + b \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{ab^2(6A - 5C) \sec(c + dx)}{6d} \\
 &= 3a^2 Abx + \frac{A(a + b \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{ab^2(6A - 5C) \sec(c + dx)}{6d} \\
 &= 3a^2 Abx + \frac{a(6Ab^2 + 2a^2C + 3b^2C) \tanh^{-1}(\sin(c + dx))}{2d} \\
 &= 3a^2 Abx + \frac{a(6Ab^2 + 2a^2C + 3b^2C) \tanh^{-1}(\sin(c + dx))}{2d}
 \end{aligned}$$

Mathematica [A] time = 1.61292, size = 325, normalized size = 1.95

$$\sec^3(c + dx) \left(2 \sin(c + dx) (9a(a^2A + 2b^2C) \cos(c + dx) + 2(9a^2bC + 3Ab^3 + 2b^3C) \cos(2(c + dx)) + 3a^3A \cos(3(c + dx))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (Sec[c + d*x]^3*(9*a*Cos[c + d*x]*(6*a*A*b*(c + d*x) - (6*A*b^2 + 2*a^2*C + 3*b^2*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]) + (6*A*b^2 + 2*a^2*C + 3*b^2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 3*a*Cos[3*(c + d*x)]*(6*a*A*b*(c + d*x) - (6*A*b^2 + 2*a^2*C + 3*b^2*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]) + (6*A*b^2 + 2*a^2*C + 3*b^2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 2*(6*A*b^3 + 18*a^2*b*C + 8*b^3*C + 9*a*(a^2*A + 2*b^2*C)*Cos[c + d*x] + 2*(3*A*b^3 + 9*a^2*b*C + 2*b^3*C)*Cos[2*(c + d*x)] + 3*a^3*A*Cos[3*(c + d*x)])*Sin[c + d*x))/(24*d)

Maple [A] time = 0.069, size = 195, normalized size = 1.2

$$\frac{Aa^3 \sin(dx + c)}{d} + \frac{a^3 C \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3a^2 Abx + 3 \frac{Aa^2 bc}{d} + 3 \frac{a^2 bC \tan(dx + c)}{d} + 3 \frac{Aab^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)

[Out] a^3*A*sin(d*x+c)/d+1/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+3*a^2*A*b*x+3/d*A*a^2*b*c+3/d*a^2*b*C*tan(d*x+c)+3/d*A*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+3/2/d*C*a*b^2*sec(d*x+c)*tan(d*x+c)+3/2/d*C*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*b^3*tan(d*x+c)+2/3/d*C*b^3*tan(d*x+c)+1/3/d*C*b^3*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.970288, size = 244, normalized size = 1.46

$$36(dx + c)Aa^2b + 4(\tan(dx + c)^3 + 3 \tan(dx + c))Cb^3 - 9Cab^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{12}*(36*(d*x + c)*A*a^2*b + 4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*C*b^3 - 9*C*a*b^2*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 6*C*a^3*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 18*A*a*b^2*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 12*A*a^3*\sin(d*x + c) + 36*C*a^2*b*\tan(d*x + c) + 12*A*b^3*\tan(d*x + c))/d$

Fricas [A] time = 0.555508, size = 440, normalized size = 2.63

$\frac{36 A a^2 b d x \cos (d x+c)^3+3\left(2 C a^3+3(2 A+C) a b^2\right) \cos (d x+c)^3 \log (\sin (d x+c)+1)-3\left(2 C a^3+3(2 A+C) a b^2\right) c}{d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{12}*(36*A*a^2*b*d*x*\cos(d*x + c)^3 + 3*(2*C*a^3 + 3*(2*A + C)*a*b^2)*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(2*C*a^3 + 3*(2*A + C)*a*b^2)*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(6*A*a^3*\cos(d*x + c)^3 + 9*C*a*b^2*\cos(d*x + c) + 2*C*b^3 + 2*(9*C*a^2*b + (3*A + 2*C)*b^3)*\cos(d*x + c)^2)*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.24784, size = 435, normalized size = 2.6

$$18(dx+c)Aa^2b + \frac{12Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 3(2Ca^3 + 6Aab^2 + 3Cab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Ca^3 + 6Aab^2 + 3Cab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - 2(18Ca^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 9Cab^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Aab^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Cb^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 36Ca^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 12Aab^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 4Cb^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 18Ca^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 9Cab^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6Aab^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6Cb^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)) / (\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1)^3 / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/6*(18*(d*x + c)*A*a^2*b + 12*A*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 3*(2*C*a^3 + 6*A*a*b^2 + 3*C*a*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*C*a^3 + 6*A*a*b^2 + 3*C*a*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(18*C*a^2*b*tan(1/2*d*x + 1/2*c)^5 - 9*C*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^3*tan(1/2*d*x + 1/2*c)^5 + 6*C*b^3*tan(1/2*d*x + 1/2*c)^5 - 36*C*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 12*A*b^3*tan(1/2*d*x + 1/2*c)^3 - 4*C*b^3*tan(1/2*d*x + 1/2*c)^3 + 18*C*a^2*b*tan(1/2*d*x + 1/2*c) + 9*C*a*b^2*tan(1/2*d*x + 1/2*c) + 6*A*b^3*tan(1/2*d*x + 1/2*c) + 6*C*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3/d

3.658 $\int \cos^2(c+dx)(a+b \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=168

$$\frac{b(C(6a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{1}{2}ax(a^2(A + 2C) + 6Ab^2) - \frac{3ab^2(3A - 2C) \tan(c + dx)}{2d} + \frac{3Ab \sin(c + dx)}{2d}$$

```
[Out] (a*(6*A*b^2 + a^2*(A + 2*C))*x)/2 + (b*(2*A*b^2 + (6*a^2 + b^2)*C)*ArcTanh[
Sin[c + d*x]])/(2*d) + (3*A*b*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) +
(A*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(2*d) - (3*a*b^2*(3*A
- 2*C)*Tan[c + d*x])/(2*d) - (b^3*(4*A - C)*Sec[c + d*x]*Tan[c + d*x])/(2*d
)
```

Rubi [A] time = 0.393104, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4095, 4094, 4048, 3770, 3767, 8}

$$\frac{b(C(6a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{1}{2}ax(a^2(A + 2C) + 6Ab^2) - \frac{3ab^2(3A - 2C) \tan(c + dx)}{2d} + \frac{3Ab \sin(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*(6*A*b^2 + a^2*(A + 2*C))*x)/2 + (b*(2*A*b^2 + (6*a^2 + b^2)*C)*ArcTanh[
Sin[c + d*x]])/(2*d) + (3*A*b*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) +
(A*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(2*d) - (3*a*b^2*(3*A
- 2*C)*Tan[c + d*x])/(2*d) - (b^3*(4*A - C)*Sec[c + d*x]*Tan[c + d*x])/(2*d
)
```

Rule 4095

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m
- a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2
, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ
[m, 0] && LeQ[n, -1]
```

Rule 4094

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4048

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rule 3767

```

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{2d} + \frac{1}{2} \int \cos \\
&= \frac{3Ab(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{A \cos(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{3Ab(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{A \cos(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{1}{2}a(6Ab^2 + a^2(A + 2C))x + \frac{3Ab(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{1}{2}a(6Ab^2 + a^2(A + 2C))x + \frac{b(2Ab^2 + (6a^2 + b^2)C) \tan(c + dx)}{2d} \\
&= \frac{1}{2}a(6Ab^2 + a^2(A + 2C))x + \frac{b(2Ab^2 + (6a^2 + b^2)C) \tan(c + dx)}{2d}
\end{aligned}$$

Mathematica [A] time = 1.91745, size = 287, normalized size = 1.71

$$2a(c + dx)(a^2(A + 2C) + 6Ab^2) - 2b(C(6a^2 + b^2) + 2Ab^2) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2b(C(6a^2 + b^2) \tan\left(\frac{1}{2}(c + dx)\right) + a^2(A + 2C)x)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a*(6*A*b^2 + a^2*(A + 2*C))*(c + d*x) - 2*b*(2*A*b^2 + (6*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*b*(2*A*b^2 + (6*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^3*C)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (12*a*b^2*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (b^3*C)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (12*a*b^2*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 12*a^2*A*b*Sin[c + d*x] + a^3*A*Sin[2*(c + d*x)]/(4*d)

Maple [A] time = 0.07, size = 196, normalized size = 1.2

$$\frac{Aa^3 \sin(dx + c) \cos(dx + c)}{2d} + \frac{a^3 Ax}{2} + \frac{Aa^3 c}{2d} + a^3 Cx + \frac{Ca^3 c}{d} + 3 \frac{Aa^2 b \sin(dx + c)}{d} + 3 \frac{a^2 b C \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x)

[Out] $\frac{1}{2}dAa^3\sin(dx+c)\cos(dx+c)+\frac{1}{2}a^3Ax+\frac{1}{2}dAa^3c+a^3Cx+\frac{1}{dCa^3c+3/dAa^2b\sin(dx+c)+3/dAa^2bC\ln(\sec(dx+c)+\tan(dx+c))+3Aa^2b^2*x+3/dAa^2b^2c+3/dCa^2b^2\tan(dx+c)+1/dA^2b^3\ln(\sec(dx+c)+\tan(dx+c))+1/2/dCb^3\sec(dx+c)\tan(dx+c)+1/2/dCb^3\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 1.01732, size = 242, normalized size = 1.44

$(2dx + 2c + \sin(2dx + 2c))Aa^3 + 4(dx + c)Ca^3 + 12(dx + c)Aab^2 - Cb^3\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{4}*((2dx + 2c + \sin(2dx + 2c))*Aa^3 + 4(dx + c)Ca^3 + 12(dx + c)Aa^2b^2 - Cb^3*(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 6Ca^2b*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2A^2b^3*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 12Aa^2b^2*\sin(dx + c) + 12Ca^2b^2*\tan(dx + c))/d$

Fricas [A] time = 0.558954, size = 419, normalized size = 2.49

$2((A + 2C)a^3 + 6Aab^2)dx \cos(dx + c)^2 + (6Ca^2b + (2A + C)b^3) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (6Ca^2b + (2A + C)b^3) \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(Aa^3\cos(dx + c)^3 + 6Aa^2b\cos(dx + c)^2 + 6Ca^2b^2\cos(dx + c) + Cb^3)\sin(dx + c)/(d\cos(dx + c)^2)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{4}*(2*((A + 2C)a^3 + 6Aa^2b^2)*dx*\cos(dx + c)^2 + (6Ca^2b + (2A + C)b^3)*\cos(dx + c)^2*\log(\sin(dx + c) + 1) - (6Ca^2b + (2A + C)b^3)*\cos(dx + c)^2*\log(-\sin(dx + c) + 1) + 2*(Aa^3*\cos(dx + c)^3 + 6Aa^2b*\cos(dx + c)^2 + 6Ca^2b^2*\cos(dx + c) + Cb^3)*\sin(dx + c))/(d*\cos(dx + c)^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.24466, size = 522, normalized size = 3.11

$$(Aa^3 + 2Ca^3 + 6Aab^2)(dx + c) + (6Ca^2b + 2Ab^3 + Cb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (6Ca^2b + 2Ab^3 + Cb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{2} * ((A*a^3 + 2*C*a^3 + 6*A*a*b^2) * (d*x + c) + (6*C*a^2*b + 2*A*b^3 + C*b^3) * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (6*C*a^2*b + 2*A*b^3 + C*b^3) * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(A*a^3*\tan(1/2*d*x + 1/2*c)^7 - 6*A*a^2*b*\tan(1/2*d*x + 1/2*c)^7 + 6*C*a*b^2*\tan(1/2*d*x + 1/2*c)^7 - C*b^3*\tan(1/2*d*x + 1/2*c)^7 - 3*A*a^3*\tan(1/2*d*x + 1/2*c)^5 + 6*A*a^2*b*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a*b^2*\tan(1/2*d*x + 1/2*c)^5 - 3*C*b^3*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a^3*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a^2*b*\tan(1/2*d*x + 1/2*c)^3 - 6*C*a*b^2*\tan(1/2*d*x + 1/2*c)^3 - 3*C*b^3*\tan(1/2*d*x + 1/2*c)^3 - A*a^3*\tan(1/2*d*x + 1/2*c) - 6*A*a^2*b*\tan(1/2*d*x + 1/2*c) - 6*C*a*b^2*\tan(1/2*d*x + 1/2*c) - C*b^3*\tan(1/2*d*x + 1/2*c)) / (\tan(1/2*d*x + 1/2*c)^4 - 1)^2 / d$

3.659 $\int \cos^3(c+dx)(a+b \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=163

$$\frac{a(a^2(2A+3C)+3Ab^2)\sin(c+dx)}{3d} + \frac{1}{2}bx(3a^2(A+2C)+2Ab^2) + \frac{A\sin(c+dx)\cos^2(c+dx)(a+b\sec(c+dx))^3}{3d} + \frac{A}{d}$$

[Out] (b*(2*A*b^2 + 3*a^2*(A + 2*C))*x)/2 + (3*a*b^2*C*ArcTanh[Sin[c + d*x]])/d + (a*(3*A*b^2 + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*d) + (A*b*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(2*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(3*d) - (b^3*(5*A - 6*C)*Tan[c + d*x])/(6*d)

Rubi [A] time = 0.523604, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4094, 4076, 4047, 8, 4045, 3770}

$$\frac{a(a^2(2A+3C)+3Ab^2)\sin(c+dx)}{3d} + \frac{1}{2}bx(3a^2(A+2C)+2Ab^2) + \frac{A\sin(c+dx)\cos^2(c+dx)(a+b\sec(c+dx))^3}{3d} + \frac{A}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),x]

[Out] (b*(2*A*b^2 + 3*a^2*(A + 2*C))*x)/2 + (3*a*b^2*C*ArcTanh[Sin[c + d*x]])/d + (a*(3*A*b^2 + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*d) + (A*b*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(2*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(3*d) - (b^3*(5*A - 6*C)*Tan[c + d*x])/(6*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^(n+1)*Simp[A*b*m - a*(C*n + A*(n+1))*Csc[e + f*x] - b*(C*n + A*(m+n+1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4076

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rule 4045

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx &= \frac{A\cos^2(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{3d} + \frac{1}{3}\int\cos^2(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx \\
&= \frac{Ab\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{2d} + \frac{A\cos^2(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{3d} \\
&= \frac{Ab\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{2d} + \frac{A\cos^2(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{3d} \\
&= \frac{Ab\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{2d} + \frac{A\cos^2(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{3d} \\
&= \frac{1}{2}b(2Ab^2+3a^2(A+2C))x + \frac{a(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3d} \\
&= \frac{1}{2}b(2Ab^2+3a^2(A+2C))x + \frac{3ab^2C\tanh^{-1}(\sin(c+dx))}{d}
\end{aligned}$$

Mathematica [A] time = 0.911944, size = 184, normalized size = 1.13

$$3a(a^2(3A+4C)+12Ab^2)\sin(c+dx)+9a^2Ab\sin(2(c+dx))+18a^2Abc+18a^2Abdx+a^3A\sin(3(c+dx))+36a^2bcC$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (18*a^2*A*b*c + 12*A*b^3*c + 36*a^2*b*c*C + 18*a^2*A*b*d*x + 12*A*b^3*d*x + 36*a^2*b*C*d*x - 36*a*b^2*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 36*a*b^2*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 3*a*(12*A*b^2 + a^2*(3*A + 4*C))*Sin[c + d*x] + 9*a^2*A*b*Sin[2*(c + d*x)] + a^3*A*Sin[3*(c + d*x)] + 12*b^3*C*Tan[c + d*x])/(12*d)

Maple [A] time = 0.069, size = 183, normalized size = 1.1

$$\frac{A(\cos(dx+c))^2\sin(dx+c)a^3}{3d} + \frac{2Aa^3\sin(dx+c)}{3d} + \frac{a^3C\sin(dx+c)}{d} + \frac{3Aa^2b\sin(dx+c)\cos(dx+c)}{2d} + \frac{3a^2Abx}{2} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)

```
[Out] 1/3/d*A*cos(d*x+c)^2*sin(d*x+c)*a^3+2/3*a^3*A*sin(d*x+c)/d+a^3*C*sin(d*x+c)
/d+3/2/d*A*a^2*b*sin(d*x+c)*cos(d*x+c)+3/2*a^2*A*b*x+3/2/d*A*a^2*b*c+3*a^2*
b*C*x+3/d*C*a^2*b*c+3/d*A*a*b^2*sin(d*x+c)+3/d*C*a*b^2*ln(sec(d*x+c)+tan(d*
x+c))+A*b^3*x+1/d*A*b^3*c+1/d*C*b^3*tan(d*x+c)
```

Maxima [A] time = 0.977301, size = 190, normalized size = 1.17

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^3 - 9(2dx+2c+\sin(2dx+2c))Aa^2b - 36(dx+c)Ca^2b - 12(dx+c)Ab^3 - 18C}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="
maxima")
```

```
[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3 - 9*(2*d*x + 2*c + sin(2*d
*x + 2*c))*A*a^2*b - 36*(d*x + c)*C*a^2*b - 12*(d*x + c)*A*b^3 - 18*C*a*b^2
*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 12*C*a^3*sin(d*x + c) -
36*A*a*b^2*sin(d*x + c) - 12*C*b^3*tan(d*x + c))/d
```

Fricas [A] time = 0.550193, size = 394, normalized size = 2.42

$$\frac{9Cab^2 \cos(dx+c) \log(\sin(dx+c)+1) - 9Cab^2 \cos(dx+c) \log(-\sin(dx+c)+1) + 3(3(A+2C)a^2b + 2Ab^3)dx c}{6d \cos}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="
fricas")
```

```
[Out] 1/6*(9*C*a*b^2*cos(d*x + c)*log(sin(d*x + c) + 1) - 9*C*a*b^2*cos(d*x + c)*
log(-sin(d*x + c) + 1) + 3*(3*(A + 2*C)*a^2*b + 2*A*b^3)*d*x*cos(d*x + c) +
(2*A*a^3*cos(d*x + c)^3 + 9*A*a^2*b*cos(d*x + c)^2 + 6*C*b^3 + 2*((2*A + 3
*C)*a^3 + 9*A*a*b^2)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**3*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.23739, size = 413, normalized size = 2.53

$$18Cab^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 18Cab^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{12Cb^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} + 3(3Aa^2b + 6Ca^2b + 2A^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] $\frac{1}{6} * (18 * C * a * b^2 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 18 * C * a * b^2 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) - 12 * C * b^3 * \tan(1/2 * d * x + 1/2 * c) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1) + 3 * (3 * A * a^2 * b + 6 * C * a^2 * b + 2 * A * b^3) * (d * x + c) + 2 * (6 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 6 * C * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 - 9 * A * a^2 * b * \tan(1/2 * d * x + 1/2 * c)^5 + 18 * A * a * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 4 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 12 * C * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 36 * A * a * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 6 * A * a^3 * \tan(1/2 * d * x + 1/2 * c) + 6 * C * a^3 * \tan(1/2 * d * x + 1/2 * c) + 9 * A * a^2 * b * \tan(1/2 * d * x + 1/2 * c) + 18 * A * a * b^2 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 + 1)^3) / d$

$$3.660 \quad \int \cos^4(c+dx)(a+b \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=182

$$\frac{b(a^2(4A + 6C) + Ab^2) \sin(c + dx)}{2d} + \frac{a(a^2(3A + 4C) + 2Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}ax(a^2(3A + 4C) + 12b^2(A + C) \sec^2(c + dx))$$

```
[Out] (a*(12*b^2*(A + 2*C) + a^2*(3*A + 4*C))*x)/8 + (b^3*C*ArcTanh[Sin[c + d*x]])/d + (b*(A*b^2 + a^2*(4*A + 6*C))*Sin[c + d*x])/(2*d) + (a*(2*A*b^2 + a^2*(3*A + 4*C))*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (A*b*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(4*d)
```

Rubi [A] time = 0.558659, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4094, 4074, 4047, 8, 4045, 3770}

$$\frac{b(a^2(4A + 6C) + Ab^2) \sin(c + dx)}{2d} + \frac{a(a^2(3A + 4C) + 2Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}ax(a^2(3A + 4C) + 12b^2(A + C) \sec^2(c + dx))$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*(12*b^2*(A + 2*C) + a^2*(3*A + 4*C))*x)/8 + (b^3*C*ArcTanh[Sin[c + d*x]])/d + (b*(A*b^2 + a^2*(4*A + 6*C))*Sin[c + d*x])/(2*d) + (a*(2*A*b^2 + a^2*(3*A + 4*C))*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (A*b*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(4*d)
```

Rule 4095

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx &= \frac{A\cos^3(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{4d} + \frac{1}{4}\int \cos^3(c+dx)(a+b\sec(c+dx))^3(A+C\sec^2(c+dx))dx \\
&= \frac{Ab\cos^2(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{4d} + \frac{A\cos^3(c+dx)(a+b\sec(c+dx))^3}{4d} \\
&= \frac{a(2Ab^2+a^2(3A+4C))\cos(c+dx)\sin(c+dx)}{8d} + \frac{Ab\cos^2(c+dx)(a+b\sec(c+dx))^2}{4d} \\
&= \frac{a(2Ab^2+a^2(3A+4C))\cos(c+dx)\sin(c+dx)}{8d} + \frac{Ab\cos^2(c+dx)(a+b\sec(c+dx))^2}{4d} \\
&= \frac{1}{8}a(12b^2(A+2C)+a^2(3A+4C))x + \frac{b(Ab^2+a^2(4A+3C))\sin^2(c+dx)}{2d} \\
&= \frac{1}{8}a(12b^2(A+2C)+a^2(3A+4C))x + \frac{b^3C\tanh^{-1}(\sin(c+dx))}{d}
\end{aligned}$$

Mathematica [A] time = 0.55403, size = 177, normalized size = 0.97

$$4a(c+dx)(a^2(3A+4C)+12b^2(A+2C))+8a(a^2(A+C)+3Ab^2)\sin(2(c+dx))+8b(3a^2(3A+4C)+4Ab^2)\sin(c+dx)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (4*a*(12*b^2*(A + 2*C) + a^2*(3*A + 4*C))*(c + d*x) - 32*b^3*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 32*b^3*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 8*b*(4*A*b^2 + 3*a^2*(3*A + 4*C))*Sin[c + d*x] + 8*a*(3*A*b^2 + a^2*(A + C))*Sin[2*(c + d*x)] + 8*a^2*A*b*Sin[3*(c + d*x)] + a^3*A*Sin[4*(c + d*x)])/(32*d)

Maple [A] time = 0.073, size = 252, normalized size = 1.4

$$\frac{Aa^3\sin(dx+c)(\cos(dx+c))^3}{4d} + \frac{3Aa^3\sin(dx+c)\cos(dx+c)}{8d} + \frac{3a^3Ax}{8} + \frac{3Aa^3c}{8d} + \frac{a^3C\sin(dx+c)\cos(dx+c)}{2d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)

```
[Out] 1/4/d*A*a^3*sin(d*x+c)*cos(d*x+c)^3+3/8/d*A*a^3*sin(d*x+c)*cos(d*x+c)+3/8*a^3*A*x+3/8/d*A*a^3*c+1/2/d*a^3*C*sin(d*x+c)*cos(d*x+c)+1/2*a^3*C*x+1/2/d*C*a^3*c+1/d*A*cos(d*x+c)^2*sin(d*x+c)*a^2*b+2/d*A*a^2*b*sin(d*x+c)+3/d*a^2*b*C*sin(d*x+c)+3/2/d*A*a*b^2*sin(d*x+c)*cos(d*x+c)+3/2*A*a*b^2*x+3/2/d*A*a*b^2*c+3*C*a*b^2*x+3/d*C*a*b^2*c+1/d*A*b^3*sin(d*x+c)+1/d*C*b^3*ln(sec(d*x+c)+tan(d*x+c))
```

Maxima [A] time = 0.993957, size = 235, normalized size = 1.29

$$(12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c))Aa^3 + 8(2 dx + 2 c + \sin(2 dx + 2 c))Ca^3 - 32(\sin(dx + c))^3 - 3 \sin(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/32*((12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^3 + 8*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^3 - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2*b + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a*b^2 + 96*(d*x + c)*C*a*b^2 + 16*C*b^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 96*C*a^2*b*sin(d*x + c) + 32*A*b^3*sin(d*x + c))/d
```

Fricas [A] time = 0.554237, size = 354, normalized size = 1.95

$$\frac{4Cb^3 \log(\sin(dx + c) + 1) - 4Cb^3 \log(-\sin(dx + c) + 1) + ((3A + 4C)a^3 + 12(A + 2C)ab^2)dx + (2Aa^3 \cos(dx + c))^3}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 1/8*(4*C*b^3*log(sin(d*x + c) + 1) - 4*C*b^3*log(-sin(d*x + c) + 1) + ((3*A + 4*C)*a^3 + 12*(A + 2*C)*a*b^2)*d*x + (2*A*a^3*cos(d*x + c)^3 + 8*A*a^2*b*cos(d*x + c)^2 + 8*(2*A + 3*C)*a^2*b + 8*A*b^3 + ((3*A + 4*C)*a^3 + 12*A*a*b^2)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.26949, size = 679, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\frac{1}{8} \cdot (8 \cdot C \cdot b^3 \cdot \log(\abs{\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 1}) - 8 \cdot C \cdot b^3 \cdot \log(\abs{\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 1})) + (3 \cdot A \cdot a^3 + 4 \cdot C \cdot a^3 + 12 \cdot A \cdot a \cdot b^2 + 24 \cdot C \cdot a \cdot b^2) \cdot (d \cdot x + c) - 2 \cdot (5 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 4 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 24 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 24 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 12 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 8 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 3 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 4 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 40 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 72 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 12 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 24 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 3 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 4 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 40 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 72 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 12 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 24 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 5 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 4 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 24 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 24 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 12 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 8 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)) / (\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^2 + 1)^4 / d$$

3.661 $\int \cos^5(c+dx)(a+b \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=218

$$\frac{a(2a^2(4A+5C)+15b^2(2A+3C))\sin(c+dx)}{15d} + \frac{a(2a^2(4A+5C)+3Ab^2)\sin(c+dx)\cos^2(c+dx)}{30d} + \frac{3b(5a^2(3A+4C))\cos^3(c+dx)}{30d}$$

```
[Out] (b*(4*b^2*(A + 2*C) + 3*a^2*(3*A + 4*C))*x)/8 + (a*(15*b^2*(2*A + 3*C) + 2*
a^2*(4*A + 5*C))*Sin[c + d*x])/(15*d) + (3*b*(2*A*b^2 + 5*a^2*(3*A + 4*C))*
Cos[c + d*x]*Sin[c + d*x])/(40*d) + (a*(3*A*b^2 + 2*a^2*(4*A + 5*C))*Cos[c
+ d*x]^2*SIN[c + d*x])/(30*d) + (3*A*b*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^
2*SIN[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^3*SIN[c + d
*x])/(5*d)
```

Rubi [A] time = 0.650911, antiderivative size = 218, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4094, 4074, 4047, 2637, 4045, 8}

$$\frac{a(2a^2(4A+5C)+15b^2(2A+3C))\sin(c+dx)}{15d} + \frac{a(2a^2(4A+5C)+3Ab^2)\sin(c+dx)\cos^2(c+dx)}{30d} + \frac{3b(5a^2(3A+4C))\cos^3(c+dx)}{30d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (b*(4*b^2*(A + 2*C) + 3*a^2*(3*A + 4*C))*x)/8 + (a*(15*b^2*(2*A + 3*C) + 2*
a^2*(4*A + 5*C))*Sin[c + d*x])/(15*d) + (3*b*(2*A*b^2 + 5*a^2*(3*A + 4*C))*
Cos[c + d*x]*Sin[c + d*x])/(40*d) + (a*(3*A*b^2 + 2*a^2*(4*A + 5*C))*Cos[c
+ d*x]^2*SIN[c + d*x])/(30*d) + (3*A*b*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^
2*SIN[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^3*SIN[c + d
*x])/(5*d)
```

Rule 4095

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m
- a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2
, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ
[m, 0] && LeQ[n, -1]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b)
+ A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(
B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^4(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx \\
&= \frac{3Ab \cos^3(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{20d} + \frac{A \cos^4(c + dx)(a + b \sec(c + dx))^3}{20d} \\
&= \frac{a(3Ab^2 + 2a^2(4A + 5C)) \cos^2(c + dx) \sin(c + dx)}{30d} + \frac{3Ab \cos^3(c + dx)(a + b \sec(c + dx))^2}{30d} \\
&= \frac{a(3Ab^2 + 2a^2(4A + 5C)) \cos^2(c + dx) \sin(c + dx)}{30d} + \frac{3Ab \cos^3(c + dx)(a + b \sec(c + dx))^2}{30d} \\
&= \frac{a(15b^2(2A + 3C) + 2a^2(4A + 5C)) \sin(c + dx)}{15d} + \frac{3b(2Ab^2 \cos^2(c + dx)(a + b \sec(c + dx))^2 + A \cos^4(c + dx)(a + b \sec(c + dx))^3)}{15d} \\
&= \frac{1}{8} b(4b^2(A + 2C) + 3a^2(3A + 4C))x + \frac{a(15b^2(2A + 3C) + 2a^2(4A + 5C)) \sin(c + dx)}{15d} + \frac{3b(2Ab^2 \cos^2(c + dx)(a + b \sec(c + dx))^2 + A \cos^4(c + dx)(a + b \sec(c + dx))^3)}{15d}
\end{aligned}$$

Mathematica [A] time = 0.644841, size = 155, normalized size = 0.71

$$\frac{60b(c + dx)(3a^2(3A + 4C) + 4b^2(A + 2C)) + 60a(a^2(5A + 6C) + 6b^2(3A + 4C)) \sin(c + dx) + 10a(a^2(5A + 4C) + 12Ab^2) \cos^2(c + dx) \sin(c + dx) + 3b(2Ab^2 \cos^2(c + dx)(a + b \sec(c + dx))^2 + A \cos^4(c + dx)(a + b \sec(c + dx))^3)}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (60*b*(4*b^2*(A + 2*C) + 3*a^2*(3*A + 4*C))*(c + d*x) + 60*a*(6*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*Sin[c + d*x] + 120*b*(A*b^2 + 3*a^2*(A + C))*Sin[2*(c + d*x)] + 10*a*(12*A*b^2 + a^2*(5*A + 4*C))*Sin[3*(c + d*x)] + 45*a^2*A*b*Ssin[4*(c + d*x)] + 6*a^3*A*Ssin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.073, size = 201, normalized size = 0.9

$$\frac{1}{d} \left(\frac{Aa^3 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + 3Aa^2b \left(\frac{1}{4} ((\cos(dx + c))^3 + \frac{3}{2} \cos(dx + c)) \sin(dx + c) + \frac{1}{4} (\cos(dx + c))^3 + \frac{3}{2} \cos(dx + c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)

[Out] 1/d*(1/5*A*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+3*A*a^2*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+A*a*b^2*(2+cos(d*x+c)))

$$(x+c)^2 \sin(dx+c) + \frac{1}{3}a^3 C (2 + \cos(dx+c))^2 \sin(dx+c) + A b^3 \left(\frac{1}{2} \cos(dx+c) \sin(dx+c) + \frac{1}{2} dx + \frac{1}{2} c \right) + 3a^2 b C \left(\frac{1}{2} \cos(dx+c) \sin(dx+c) + \frac{1}{2} dx + \frac{1}{2} c \right) + 3C a b^2 \sin(dx+c) + C b^3 (dx+c)$$

Maxima [A] time = 1.00878, size = 262, normalized size = 1.2

$$\frac{32 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) A a^3 - 160 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) C a^3 + 45 (12 dx + 12 c)}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+b*sec(dx+c))^3*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{480} (32 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) A a^3 - 160 (\sin(dx+c)^3 - 3 \sin(dx+c)) C a^3 + 45 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^2 b + 360 (2 dx + 2 c + \sin(2 dx + 2 c)) C a^2 b - 480 (\sin(dx+c)^3 - 3 \sin(dx+c)) A a b^2 + 120 (2 dx + 2 c + \sin(2 dx + 2 c)) A b^3 + 480 (dx+c) C b^3 + 1440 C a b^2 \sin(dx+c)) / d$

Fricas [A] time = 0.527668, size = 367, normalized size = 1.68

$$\frac{15 \left(3 (3 A + 4 C) a^2 b + 4 (A + 2 C) b^3 \right) dx + \left(24 A a^3 \cos(dx+c)^4 + 90 A a^2 b \cos(dx+c)^3 + 16 (4 A + 5 C) a^3 + 120 (2 A + 3 C) a b^2 + 8 ((4 A + 5 C) a^3 + 15 A a b^2) \cos(dx+c)^2 + 15 (3 (3 A + 4 C) a^2 b + 4 A b^3) \cos(dx+c) \right) \sin(dx+c)}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+b*sec(dx+c))^3*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{120} (15 (3 (3 A + 4 C) a^2 b + 4 (A + 2 C) b^3) dx + (24 A a^3 \cos(dx+c)^4 + 90 A a^2 b \cos(dx+c)^3 + 16 (4 A + 5 C) a^3 + 120 (2 A + 3 C) a b^2 + 8 ((4 A + 5 C) a^3 + 15 A a b^2) \cos(dx+c)^2 + 15 (3 (3 A + 4 C) a^2 b + 4 A b^3) \cos(dx+c)) \sin(dx+c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.23341, size = 818, normalized size = 3.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/120*(15*(9*A*a^2*b + 12*C*a^2*b + 4*A*b^3 + 8*C*b^3)*(d*x + c) + 2*(120*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 120*C*a^3*tan(1/2*d*x + 1/2*c)^9 - 225*A*a^2*b*tan(1/2*d*x + 1/2*c)^9 - 180*C*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 360*A*a*b^2*tan(1/2*d*x + 1/2*c)^9 + 360*C*a*b^2*tan(1/2*d*x + 1/2*c)^9 - 60*A*b^3*tan(1/2*d*x + 1/2*c)^9 + 160*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 320*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 90*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 360*C*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 960*A*a*b^2*tan(1/2*d*x + 1/2*c)^7 + 1440*C*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 120*A*b^3*tan(1/2*d*x + 1/2*c)^7 + 464*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 400*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 1200*A*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 2160*C*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 160*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 320*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 90*A*a^2*b*tan(1/2*d*x + 1/2*c)^3 + 360*C*a^2*b*tan(1/2*d*x + 1/2*c)^3 + 960*A*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 1440*C*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 120*A*b^3*tan(1/2*d*x + 1/2*c)^3 + 120*A*a^3*tan(1/2*d*x + 1/2*c) + 120*C*a^3*tan(1/2*d*x + 1/2*c) + 225*A*a^2*b*tan(1/2*d*x + 1/2*c) + 180*C*a^2*b*tan(1/2*d*x + 1/2*c) + 360*A*a*b^2*tan(1/2*d*x + 1/2*c) + 360*C*a*b^2*tan(1/2*d*x + 1/2*c) + 60*A*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5)/d
```

3.662 $\int \cos^6(c+dx)(a+b \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=257

$$\frac{b(3a^2(4A+5C)+Ab^2)\sin^3(c+dx)}{15d} + \frac{b(9a^2(4A+5C)+b^2(11A+15C))\sin(c+dx)}{15d} + \frac{a(5a^2(5A+6C)+6Ab^2)\sin(c+dx)}{120d}$$

[Out] (a*(6*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*x)/16 + (b*(9*a^2*(4*A + 5*C) + b^2*(11*A + 15*C))*Sin[c + d*x])/(15*d) + (a*(6*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a*(6*A*b^2 + 5*a^2*(5*A + 6*C))*Cos[c + d*x]^3*Sin[c + d*x])/(120*d) + (A*b*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(10*d) + (A*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) - (b*(A*b^2 + 3*a^2*(4*A + 5*C))*Sin[c + d*x]^3)/(15*d)

Rubi [A] time = 0.752351, antiderivative size = 257, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4095, 4094, 4074, 4047, 2635, 8, 4044, 3013}

$$\frac{b(3a^2(4A+5C)+Ab^2)\sin^3(c+dx)}{15d} + \frac{b(9a^2(4A+5C)+b^2(11A+15C))\sin(c+dx)}{15d} + \frac{a(5a^2(5A+6C)+6Ab^2)\sin(c+dx)}{120d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (a*(6*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*x)/16 + (b*(9*a^2*(4*A + 5*C) + b^2*(11*A + 15*C))*Sin[c + d*x])/(15*d) + (a*(6*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a*(6*A*b^2 + 5*a^2*(5*A + 6*C))*Cos[c + d*x]^3*Sin[c + d*x])/(120*d) + (A*b*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(10*d) + (A*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) - (b*(A*b^2 + 3*a^2*(4*A + 5*C))*Sin[c + d*x]^3)/(15*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^(n+1)*Simp[A*b*m - a*(C*n + A*(n+1))*Csc[e + f*x] - b*(C*n + A*(m+n+1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(
B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4044

```
Int[csc[(e_.) + (f_.)*(x_.)]^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_)),
x_Symbol] := Int[(C + A*Ssin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[
{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]
```

Rule 3013

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2),
  x_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2)
, x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^6(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^5(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{6d} + \frac{1}{6} \int \cos^5(c + dx)(a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx \\
&= \frac{Ab \cos^4(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{10d} + \frac{A \cos^5(c + dx)(a + b \sec(c + dx))^3}{10d} \\
&= \frac{a(6Ab^2 + 5a^2(5A + 6C)) \cos^3(c + dx) \sin(c + dx)}{120d} + \frac{Ab \cos^4(c + dx)(a + b \sec(c + dx))^2}{120d} \\
&= \frac{a(6Ab^2 + 5a^2(5A + 6C)) \cos^3(c + dx) \sin(c + dx)}{120d} + \frac{Ab \cos^4(c + dx)(a + b \sec(c + dx))^2}{120d} \\
&= \frac{a(6b^2(3A + 4C) + a^2(5A + 6C)) \cos(c + dx) \sin(c + dx)}{16d} \\
&= \frac{1}{16} a (6b^2(3A + 4C) + a^2(5A + 6C)) x + \frac{a(6b^2(3A + 4C)) \sin^2(c + dx)}{16} \\
&= \frac{1}{16} a (6b^2(3A + 4C) + a^2(5A + 6C)) x + \frac{b(9a^2(4A + 5C)) \sin^2(c + dx)}{16}
\end{aligned}$$

Mathematica [A] time = 1.12658, size = 253, normalized size = 0.98

$$\frac{15a(a^2(15A + 16C) + 48b^2(A + C)) \sin(2(c + dx)) + 120b(3a^2(5A + 6C) + 2b^2(3A + 4C)) \sin(c + dx) + 300a^2 Ab \sin^2(c + dx)}{16}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (300*a^3*A*c + 1080*a*A*b^2*c + 360*a^3*c*C + 1440*a*b^2*c*C + 300*a^3*A*d*x + 1080*a*A*b^2*d*x + 360*a^3*C*d*x + 1440*a*b^2*C*d*x + 120*b*(2*b^2*(3*A + 4*C) + 3*a^2*(5*A + 6*C))*Sin[c + d*x] + 15*a*(48*b^2*(A + C) + a^2*(15*A + 16*C))*Sin[2*(c + d*x)] + 300*a^2*A*b*Ssin[3*(c + d*x)] + 80*A*b^3*Ssin[3*(c + d*x)] + 240*a^2*b*C*Ssin[3*(c + d*x)] + 45*a^3*A*Ssin[4*(c + d*x)] + 90*a*A*b^2*Ssin[4*(c + d*x)] + 30*a^3*C*Ssin[4*(c + d*x)] + 36*a^2*A*b*Ssin[5*(c + d*x)] + 5*a^3*A*Ssin[6*(c + d*x)])/(960*d)

Maple [A] time = 0.084, size = 249, normalized size = 1.

$$\frac{1}{d} \left(Aa^3 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + a^3 C \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)`

[Out] `1/d*(A*a^3*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+a^3*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+3/5*A*a^2*b*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+a^2*b*C*(2+cos(d*x+c)^2)*sin(d*x+c)+3*A*a*b^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+3*C*a*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+1/3*A*b^3*(2+cos(d*x+c)^2)*sin(d*x+c)+C*b^3*sin(d*x+c))`

Maxima [A] time = 1.02243, size = 328, normalized size = 1.28

$$5(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c))Aa^3 - 30(12dx+12c+\sin(4dx+4c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] `-1/960*(5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*a^3 - 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^3 - 192*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2*b + 960*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^2*b - 90*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a*b^2 - 720*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a*b^2 + 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*b^3 - 960*C*b^3*sin(d*x + c))/d`

Fricas [A] time = 0.553126, size = 450, normalized size = 1.75

$$15((5A+6C)a^3+6(3A+4C)ab^2)dx+(40Aa^3\cos(dx+c)^5+144Aa^2b\cos(dx+c)^4+96(4A+5C)a^2b+80(2A+5C)ab^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 1/240*(15*((5*A + 6*C)*a^3 + 6*(3*A + 4*C)*a*b^2)*d*x + (40*A*a^3*cos(d*x + c)^5 + 144*A*a^2*b*cos(d*x + c)^4 + 96*(4*A + 5*C)*a^2*b + 80*(2*A + 3*C)*b^3 + 10*((5*A + 6*C)*a^3 + 18*A*a*b^2)*cos(d*x + c)^3 + 16*(3*(4*A + 5*C)*a^2*b + 5*A*b^3)*cos(d*x + c)^2 + 15*((5*A + 6*C)*a^3 + 6*(3*A + 4*C)*a*b^2)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**6*(a+b*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.26488, size = 1191, normalized size = 4.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/240*(15*(5*A*a^3 + 6*C*a^3 + 18*A*a*b^2 + 24*C*a*b^2)*(d*x + c) - 2*(165*A*a^3*tan(1/2*d*x + 1/2*c)^11 + 150*C*a^3*tan(1/2*d*x + 1/2*c)^11 - 720*A*a^2*b*tan(1/2*d*x + 1/2*c)^11 - 720*C*a^2*b*tan(1/2*d*x + 1/2*c)^11 + 450*A*a*b^2*tan(1/2*d*x + 1/2*c)^11 + 360*C*a*b^2*tan(1/2*d*x + 1/2*c)^11 - 240*A*b^3*tan(1/2*d*x + 1/2*c)^11 - 240*C*b^3*tan(1/2*d*x + 1/2*c)^11 - 25*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 210*C*a^3*tan(1/2*d*x + 1/2*c)^9 - 1680*A*a^2*b*tan(1/2*d*x + 1/2*c)^9 - 2640*C*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 630*A*a*b^2*tan(1/2*d*x + 1/2*c)^9 + 1080*C*a*b^2*tan(1/2*d*x + 1/2*c)^9 - 880*A*b^3*tan(1/2*d*x + 1/2*c)^9 - 1200*C*b^3*tan(1/2*d*x + 1/2*c)^9 + 450*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 60*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 3744*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 4320*C*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 180*A*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 180*C*a*b^2*tan(1/2*d*x + 1/2*c)^7)/d
```

$$\begin{aligned}
& x + 1/2*c)^7 + 720*C*a*b^2*\tan(1/2*d*x + 1/2*c)^7 - 1440*A*b^3*\tan(1/2*d*x \\
& + 1/2*c)^7 - 2400*C*b^3*\tan(1/2*d*x + 1/2*c)^7 - 450*A*a^3*\tan(1/2*d*x + 1/ \\
& 2*c)^5 - 60*C*a^3*\tan(1/2*d*x + 1/2*c)^5 - 3744*A*a^2*b*\tan(1/2*d*x + 1/2*c \\
&)^5 - 4320*C*a^2*b*\tan(1/2*d*x + 1/2*c)^5 - 180*A*a*b^2*\tan(1/2*d*x + 1/2*c \\
&)^5 - 720*C*a*b^2*\tan(1/2*d*x + 1/2*c)^5 - 1440*A*b^3*\tan(1/2*d*x + 1/2*c)^ \\
& 5 - 2400*C*b^3*\tan(1/2*d*x + 1/2*c)^5 + 25*A*a^3*\tan(1/2*d*x + 1/2*c)^3 - 2 \\
& 10*C*a^3*\tan(1/2*d*x + 1/2*c)^3 - 1680*A*a^2*b*\tan(1/2*d*x + 1/2*c)^3 - 264 \\
& 0*C*a^2*b*\tan(1/2*d*x + 1/2*c)^3 - 630*A*a*b^2*\tan(1/2*d*x + 1/2*c)^3 - 108 \\
& 0*C*a*b^2*\tan(1/2*d*x + 1/2*c)^3 - 880*A*b^3*\tan(1/2*d*x + 1/2*c)^3 - 1200* \\
& C*b^3*\tan(1/2*d*x + 1/2*c)^3 - 165*A*a^3*\tan(1/2*d*x + 1/2*c) - 150*C*a^3*t \\
& an(1/2*d*x + 1/2*c) - 720*A*a^2*b*\tan(1/2*d*x + 1/2*c) - 720*C*a^2*b*\tan(1/ \\
& 2*d*x + 1/2*c) - 450*A*a*b^2*\tan(1/2*d*x + 1/2*c) - 360*C*a*b^2*\tan(1/2*d*x \\
& + 1/2*c) - 240*A*b^3*\tan(1/2*d*x + 1/2*c) - 240*C*b^3*\tan(1/2*d*x + 1/2*c) \\
&)/(\tan(1/2*d*x + 1/2*c)^2 + 1)^6)/d
\end{aligned}$$

3.663 $\int \sec^2(c+dx)(a+b \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=381

$$\frac{(a^4b^2(42A + 23C) + 8a^2b^4(49A + 39C) + 2a^6C + 8b^6(7A + 6C)) \tan(c + dx)}{105b^2d} + \frac{ab(a^2(8A + 6C) + b^2(6A + 5C)) \tanh}{4d}$$

[Out] (a*b*(b^2*(6*A + 5*C) + a^2*(8*A + 6*C))*ArcTanh[Sin[c + d*x]])/(4*d) + ((2*a^6*C + 8*b^6*(7*A + 6*C) + a^4*b^2*(42*A + 23*C) + 8*a^2*b^4*(49*A + 39*C))*Tan[c + d*x])/(105*b^2*d) + (a*(4*a^4*C + 12*a^2*b^2*(7*A + 4*C) + b^4*(406*A + 333*C))*Sec[c + d*x]*Tan[c + d*x])/(420*b*d) + ((2*a^4*C + 8*b^4*(7*A + 6*C) + 3*a^2*b^2*(14*A + 9*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(210*b^2*d) + (a*(42*A*b^2 + 2*a^2*C + 31*b^2*C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(210*b^2*d) + ((a^2*C + 3*b^2*(7*A + 6*C))*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(105*b^2*d) - (a*C*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(21*b^2*d) + (C*Sec[c + d*x]*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(7*b*d)

Rubi [A] time = 0.982717, antiderivative size = 381, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4093, 4082, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(a^4b^2(42A + 23C) + 8a^2b^4(49A + 39C) + 2a^6C + 8b^6(7A + 6C)) \tan(c + dx)}{105b^2d} + \frac{ab(a^2(8A + 6C) + b^2(6A + 5C)) \tanh}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (a*b*(b^2*(6*A + 5*C) + a^2*(8*A + 6*C))*ArcTanh[Sin[c + d*x]])/(4*d) + ((2*a^6*C + 8*b^6*(7*A + 6*C) + a^4*b^2*(42*A + 23*C) + 8*a^2*b^4*(49*A + 39*C))*Tan[c + d*x])/(105*b^2*d) + (a*(4*a^4*C + 12*a^2*b^2*(7*A + 4*C) + b^4*(406*A + 333*C))*Sec[c + d*x]*Tan[c + d*x])/(420*b*d) + ((2*a^4*C + 8*b^4*(7*A + 6*C) + 3*a^2*b^2*(14*A + 9*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(210*b^2*d) + (a*(42*A*b^2 + 2*a^2*C + 31*b^2*C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(210*b^2*d) + ((a^2*C + 3*b^2*(7*A + 6*C))*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(105*b^2*d) - (a*C*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(21*b^2*d) + (C*Sec[c + d*x]*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(7*b*d)

Rule 4093

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_)), x_Symbol] :> -Simp[(C*Csc[e + f*x

```
] *Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - 2*a*C*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{C \sec(c + dx)(a + b \sec(c + dx))^5 \tan(c + dx)}{7bd} + \frac{\int \sec(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx}{7bd} \\
 &= -\frac{aC(a + b \sec(c + dx))^5 \tan(c + dx)}{21b^2d} + \frac{C \sec(c + dx)(a + b \sec(c + dx))^4 \tan(c + dx)}{7bd} \\
 &= \frac{(a^2C + 3b^2(7A + 6C))(a + b \sec(c + dx))^4 \tan(c + dx)}{105b^2d} \\
 &= \frac{a(42Ab^2 + 2a^2C + 31b^2C)(a + b \sec(c + dx))^3 \tan(c + dx)}{210b^2d} \\
 &= \frac{(2a^4C + 8b^4(7A + 6C) + 3a^2b^2(14A + 9C))(a + b \sec(c + dx))^2 \tan(c + dx)}{210b^2d} \\
 &= \frac{a(4a^4C + 12a^2b^2(7A + 4C) + b^4(406A + 333C)) \sec(c + dx) \tan(c + dx)}{420bd} \\
 &= \frac{a(4a^4C + 12a^2b^2(7A + 4C) + b^4(406A + 333C)) \sec(c + dx)}{420bd} \\
 &= \frac{ab(b^2(6A + 5C) + a^2(8A + 6C)) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{ab(b^2(6A + 5C) + a^2(8A + 6C)) \tanh^{-1}(\sin(c + dx))}{4d} + \dots
 \end{aligned}$$

Mathematica [A] time = 2.72815, size = 371, normalized size = 0.97

$$\frac{\sec^6(c + dx) (A \cos^2(c + dx) + C) \left(-2b^2 (3 (6C (7a^2 + b^2) + 7Ab^2) \sin(2(c + dx)) + 140abC \sin(c + dx) + 30b^2C \tan(c + dx)) \right)}{420bd}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

```
[Out] -((C + A*cos[c + d*x]^2)*sec[c + d*x]^6*(105*a*b*(b^2*(6*A + 5*C) + a^2*(8*A + 6*C))*cos[c + d*x]^6*(log[cos[(c + d*x)/2] - sin[(c + d*x)/2]] - log[cos[(c + d*x)/2] + sin[(c + d*x)/2]]) - 70*a*b*(6*A*b^2 + 6*a^2*C + 5*b^2*C)*cos[c + d*x]^2*sin[c + d*x] - 4*(35*a^4*C + 42*a^2*b^2*(5*A + 4*C) + 4*b^4*(7*A + 6*C))*cos[c + d*x]^3*sin[c + d*x] - 105*a*b*(b^2*(6*A + 5*C) + a^2*(8*A + 6*C))*cos[c + d*x]^4*sin[c + d*x] - 4*(35*a^4*(3*A + 2*C) + 84*a^2*b^2*(5*A + 4*C) + 8*b^4*(7*A + 6*C))*cos[c + d*x]^5*sin[c + d*x] - 2*b^2*(140*a*b*C*sin[c + d*x] + 3*(7*A*b^2 + 6*(7*a^2 + b^2)*C))*sin[2*(c + d*x)] + 30*b^2*C*tan[c + d*x]))/(210*d*(A + 2*C + A*cos[2*(c + d*x)]))
```

Maple [A] time = 0.061, size = 591, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x)
```

```
[Out] 8/15/d*A*b^4*tan(d*x+c)+16/35/d*C*b^4*tan(d*x+c)+2/3/d*a^4*C*tan(d*x+c)+1/d*A*a^4*tan(d*x+c)+1/3/d*a^4*C*tan(d*x+c)*sec(d*x+c)^2+2/3/d*C*a*b^3*tan(d*x+c)*sec(d*x+c)^5+1/5/d*A*b^4*tan(d*x+c)*sec(d*x+c)^4+5/4/d*C*a*b^3*ln(sec(d*x+c)+tan(d*x+c))+4/d*A*a^2*b^2*tan(d*x+c)+4/15/d*A*b^4*tan(d*x+c)*sec(d*x+c)^2+1/7/d*C*b^4*tan(d*x+c)*sec(d*x+c)^6+6/35/d*C*b^4*tan(d*x+c)*sec(d*x+c)^4+8/35/d*C*b^4*tan(d*x+c)*sec(d*x+c)^2+16/5/d*C*a^2*b^2*tan(d*x+c)+2/d*A*a^3*b*ln(sec(d*x+c)+tan(d*x+c))+3/2/d*a^3*b*C*ln(sec(d*x+c)+tan(d*x+c))+3/2/d*A*a*b^3*ln(sec(d*x+c)+tan(d*x+c))+6/5/d*C*a^2*b^2*tan(d*x+c)*sec(d*x+c)^4+8/5/d*C*a^2*b^2*tan(d*x+c)*sec(d*x+c)^2+2/d*A*a^3*b*sec(d*x+c)*tan(d*x+c)+1/d*a^3*b*C*tan(d*x+c)*sec(d*x+c)^3+3/2/d*a^3*b*C*sec(d*x+c)*tan(d*x+c)+5/6/d*C*a*b^3*tan(d*x+c)*sec(d*x+c)^3+5/4/d*C*a*b^3*sec(d*x+c)*tan(d*x+c)+2/d*A*a^2*b^2*tan(d*x+c)*sec(d*x+c)^2+1/d*A*a*b^3*tan(d*x+c)*sec(d*x+c)^3+3/2/d*A*a*b^3*sec(d*x+c)*tan(d*x+c)
```

Maxima [A] time = 1.00559, size = 637, normalized size = 1.67

$$280(\tan(dx+c)^3 + 3 \tan(dx+c))Ca^4 + 1680(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^2b^2 + 336(3 \tan(dx+c)^5 + 10 \tan(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{840} \cdot (280 \cdot (\tan(dx + c))^3 + 3 \cdot \tan(dx + c)) \cdot C \cdot a^4 + 1680 \cdot (\tan(dx + c))^3 + 3 \cdot \tan(dx + c) \cdot A \cdot a^2 \cdot b^2 + 336 \cdot (3 \cdot \tan(dx + c))^5 + 10 \cdot \tan(dx + c)^3 + 15 \cdot \tan(dx + c) \cdot C \cdot a^2 \cdot b^2 + 56 \cdot (3 \cdot \tan(dx + c))^5 + 10 \cdot \tan(dx + c)^3 + 15 \cdot \tan(dx + c) \cdot A \cdot b^4 + 24 \cdot (5 \cdot \tan(dx + c))^7 + 21 \cdot \tan(dx + c)^5 + 35 \cdot \tan(dx + c)^3 + 35 \cdot \tan(dx + c) \cdot C \cdot b^4 - 35 \cdot C \cdot a \cdot b^3 \cdot (2 \cdot (15 \cdot \sin(dx + c))^5 - 40 \cdot \sin(dx + c)^3 + 33 \cdot \sin(dx + c)) / (\sin(dx + c)^6 - 3 \cdot \sin(dx + c)^4 + 3 \cdot \sin(dx + c)^2 - 1) - 15 \cdot \log(\sin(dx + c) + 1) + 15 \cdot \log(\sin(dx + c) - 1) - 210 \cdot C \cdot a^3 \cdot b \cdot (2 \cdot (3 \cdot \sin(dx + c))^3 - 5 \cdot \sin(dx + c)) / (\sin(dx + c)^4 - 2 \cdot \sin(dx + c)^2 + 1) - 3 \cdot \log(\sin(dx + c) + 1) + 3 \cdot \log(\sin(dx + c) - 1) - 210 \cdot A \cdot a \cdot b^3 \cdot (2 \cdot (3 \cdot \sin(dx + c))^3 - 5 \cdot \sin(dx + c)) / (\sin(dx + c)^4 - 2 \cdot \sin(dx + c)^2 + 1) - 3 \cdot \log(\sin(dx + c) + 1) + 3 \cdot \log(\sin(dx + c) - 1) - 840 \cdot A \cdot a^3 \cdot b \cdot (2 \cdot \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 840 \cdot A \cdot a^4 \cdot \tan(dx + c) / d$

Fricas [A] time = 0.609102, size = 783, normalized size = 2.06

$\frac{105 \left(2(4A + 3C)a^3b + (6A + 5C)ab^3 \right) \cos(dx + c)^7 \log(\sin(dx + c) + 1) - 105 \left(2(4A + 3C)a^3b + (6A + 5C)ab^3 \right) \cos(dx + c)^7 \log(\sin(dx + c) - 1)}{d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{840} \cdot (105 \cdot (2 \cdot (4A + 3C) \cdot a^3 \cdot b + (6A + 5C) \cdot a \cdot b^3) \cdot \cos(dx + c)^7 \cdot \log(\sin(dx + c) + 1) - 105 \cdot (2 \cdot (4A + 3C) \cdot a^3 \cdot b + (6A + 5C) \cdot a \cdot b^3) \cdot \cos(dx + c)^7 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (4 \cdot (35 \cdot (3A + 2C) \cdot a^4 + 84 \cdot (5A + 4C) \cdot a^2 \cdot b^2 + 8 \cdot (7A + 6C) \cdot b^4) \cdot \cos(dx + c)^6 + 280 \cdot C \cdot a \cdot b^3 \cdot \cos(dx + c) + 105 \cdot (2 \cdot (4A + 3C) \cdot a^3 \cdot b + (6A + 5C) \cdot a \cdot b^3) \cdot \cos(dx + c)^5 + 60 \cdot C \cdot b^4 + 4 \cdot (35 \cdot C \cdot a^4 + 42 \cdot (5A + 4C) \cdot a^2 \cdot b^2 + 4 \cdot (7A + 6C) \cdot b^4) \cdot \cos(dx + c)^4 + 70 \cdot (6 \cdot C \cdot a^3 \cdot b + (6A + 5C) \cdot a \cdot b^3) \cdot \cos(dx + c)^3 + 12 \cdot (42 \cdot C \cdot a^2 \cdot b^2 + (7A + 6C) \cdot b^4) \cdot \cos(dx + c)^2 \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^7)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) (a + b \sec(c + dx))^4 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**4*sec(c + d*x)**2, x)

Giac [B] time = 1.28149, size = 1728, normalized size = 4.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & \frac{1}{420} * (105 * (8 * A * a^3 * b + 6 * C * a^3 * b + 6 * A * a * b^3 + 5 * C * a * b^3) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 105 * (8 * A * a^3 * b + 6 * C * a^3 * b + 6 * A * a * b^3 + 5 * C * a * b^3) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) - 2 * (420 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^{13} + 420 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^{13} - 840 * A * a^3 * b * \tan(1/2 * d * x + 1/2 * c)^{13} - 1050 * C * a^3 * b * \tan(1/2 * d * x + 1/2 * c)^{13} + 2520 * A * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^{13} + 2520 * C * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^{13} - 1050 * A * a * b^3 * \tan(1/2 * d * x + 1/2 * c)^{13} - 1155 * C * a * b^3 * \tan(1/2 * d * x + 1/2 * c)^{13} + 420 * A * b^4 * \tan(1/2 * d * x + 1/2 * c)^{13} + 420 * C * b^4 * \tan(1/2 * d * x + 1/2 * c)^{13} - 2520 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^{11} - 1960 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^{11} + 3360 * A * a^3 * b * \tan(1/2 * d * x + 1/2 * c)^{11} + 2520 * C * a^3 * b * \tan(1/2 * d * x + 1/2 * c)^{11} - 11760 * A * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^{11} - 8400 * C * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^{11} + 2520 * A * a * b^3 * \tan(1/2 * d * x + 1/2 * c)^{11} + 980 * C * a * b^3 * \tan(1/2 * d * x + 1/2 * c)^{11} - 1400 * A * b^4 * \tan(1/2 * d * x + 1/2 * c)^{11} - 840 * C * b^4 * \tan(1/2 * d * x + 1/2 * c)^{11} + 6300 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^9 + 4060 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^9 - 4200 * A * a^3 * b * \tan(1/2 * d * x + 1/2 * c)^9 - 1890 * C * a^3 * b * \tan(1/2 * d * x + 1/2 * c)^9 + 24360 * A * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^9 + 18984 * C * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^9 - 1890 * A * a * b^3 * \tan(1/2 * d * x + 1/2 * c)^9 - 2975 * C * a * b^3 * \tan(1/2 * d * x + 1/2 * c)^9 + 3164 * A * b^4 * \tan(1/2 * d * x + 1/2 * c)^9 + 3612 * C * b^4 * \tan(1/2 * d * x + 1/2 * c)^9 - 8400 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^7 - 5040 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^7 - 30240 * A * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 26208 * C * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 4368 * A * b^4 * \tan(1/2 * d * x + 1/2 * c)^7 - 2544 * C * b^4 * \tan(1/2 * d * x + 1/2 * c)^7 + 6300 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^5 + 4060 * C * a^4 * \tan(1/2 * d * x + 1/2 * c)^5 + 4200 * A * a^3 * b * \tan(1/2 * d * x + 1/2 * c)^5 + 1890 * C * a^3 * b * \tan(1/2 * d * x + 1/2 * c)^5 + 24360 * A * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 18984 * C * a^2 * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 1890 * A * a * b^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 2975 * C * a * b^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 3164 * A * b^4 * \tan(1/2 * d * x + 1/2 * c)^5 + 3612 * C * b^4 * \tan(1/2 * d * x + 1/2 * c)^5 - 2520 * A * a^4 * \tan \end{aligned}$$

$$\begin{aligned}
& (1/2*d*x + 1/2*c)^3 - 1960*C*a^4*\tan(1/2*d*x + 1/2*c)^3 - 3360*A*a^3*b*\tan(\\
& 1/2*d*x + 1/2*c)^3 - 2520*C*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 11760*A*a^2*b^2* \\
& \tan(1/2*d*x + 1/2*c)^3 - 8400*C*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 - 2520*A*a*b \\
& ^3*\tan(1/2*d*x + 1/2*c)^3 - 980*C*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 1400*A*b^4 \\
& *\tan(1/2*d*x + 1/2*c)^3 - 840*C*b^4*\tan(1/2*d*x + 1/2*c)^3 + 420*A*a^4*\tan(\\
& 1/2*d*x + 1/2*c) + 420*C*a^4*\tan(1/2*d*x + 1/2*c) + 840*A*a^3*b*\tan(1/2*d*x \\
& + 1/2*c) + 1050*C*a^3*b*\tan(1/2*d*x + 1/2*c) + 2520*A*a^2*b^2*\tan(1/2*d*x \\
& + 1/2*c) + 2520*C*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 1050*A*a*b^3*\tan(1/2*d*x + \\
& 1/2*c) + 1155*C*a*b^3*\tan(1/2*d*x + 1/2*c) + 420*A*b^4*\tan(1/2*d*x + 1/2*c \\
&) + 420*C*b^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^7/d
\end{aligned}$$

3.664 $\int \sec(c+dx)(a+b \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=310

$$\frac{a(-a^2b^2(190A + 121C) + 4a^4C - 32b^4(5A + 4C)) \tan(c + dx)}{60bd} + \frac{(12a^2b^2(4A + 3C) + 8a^4(2A + C) + b^4(6A + 5C)) \tan(c + dx)}{16d}$$

[Out] ((8*a^4*(2*A + C) + 12*a^2*b^2*(4*A + 3*C) + b^4*(6*A + 5*C))*ArcTanh[Sin[c + d*x]]/(16*d) - (a*(4*a^4*C - 32*b^4*(5*A + 4*C) - a^2*b^2*(190*A + 121*C))*Tan[c + d*x])/(60*b*d) - ((8*a^4*C - 15*b^4*(6*A + 5*C) - 2*a^2*b^2*(130*A + 89*C))*Sec[c + d*x]*Tan[c + d*x])/(240*d) + (a*(70*A*b^2 - 4*a^2*C + 53*b^2*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(120*b*d) - ((4*a^2*C - 5*b^2*(6*A + 5*C))*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b*d) - (a*C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(30*b*d) + (C*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(6*b*d)

Rubi [A] time = 0.704779, antiderivative size = 310, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4083, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{a(-a^2b^2(190A + 121C) + 4a^4C - 32b^4(5A + 4C)) \tan(c + dx)}{60bd} + \frac{(12a^2b^2(4A + 3C) + 8a^4(2A + C) + b^4(6A + 5C)) \tan(c + dx)}{16d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] ((8*a^4*(2*A + C) + 12*a^2*b^2*(4*A + 3*C) + b^4*(6*A + 5*C))*ArcTanh[Sin[c + d*x]]/(16*d) - (a*(4*a^4*C - 32*b^4*(5*A + 4*C) - a^2*b^2*(190*A + 121*C))*Tan[c + d*x])/(60*b*d) - ((8*a^4*C - 15*b^4*(6*A + 5*C) - 2*a^2*b^2*(130*A + 89*C))*Sec[c + d*x]*Tan[c + d*x])/(240*d) + (a*(70*A*b^2 - 4*a^2*C + 53*b^2*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(120*b*d) - ((4*a^2*C - 5*b^2*(6*A + 5*C))*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b*d) - (a*C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(30*b*d) + (C*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(6*b*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc

$[e + f*x], x], x], x] /;$ FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x]^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x]^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x]^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx &= \frac{C(a+b\sec(c+dx))^5 \tan(c+dx)}{6bd} + \frac{\int \sec(c+dx)(a+b\sec(c+dx))^4 dx}{6bd} \\
&= -\frac{aC(a+b\sec(c+dx))^4 \tan(c+dx)}{30bd} + \frac{C(a+b\sec(c+dx))^5}{6bd} \\
&= -\frac{(4a^2C-5b^2(6A+5C))(a+b\sec(c+dx))^3 \tan(c+dx)}{120bd} \\
&= \frac{a(70Ab^2-4a^2C+53b^2C)(a+b\sec(c+dx))^2 \tan(c+dx)}{120bd} \\
&= -\frac{(8a^4C-15b^4(6A+5C)-2a^2b^2(130A+89C))\sec(c+dx)}{240d} \\
&= -\frac{(8a^4C-15b^4(6A+5C)-2a^2b^2(130A+89C))\sec(c+dx)}{240d} \\
&= \frac{(8a^4(2A+C)+12a^2b^2(4A+3C)+b^4(6A+5C))\tanh^{-1}\left(\frac{\sec(c+dx)}{2}\right)}{16d} \\
&= \frac{(8a^4(2A+C)+12a^2b^2(4A+3C)+b^4(6A+5C))\tanh^{-1}\left(\frac{\sec(c+dx)}{2}\right)}{16d}
\end{aligned}$$

Mathematica [A] time = 2.90493, size = 460, normalized size = 1.48

$$\frac{\sec^6(c+dx)(A\cos^2(c+dx)+C)\left(240(12a^2b^2(4A+3C)+8a^4(2A+C)+b^4(6A+5C))\cos^6(c+dx)\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)}{16d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] -((C + A*Cos[c + d*x]^2)*Sec[c + d*x]^6*(240*(8*a^4*(2*A + C) + 12*a^2*b^2*(4*A + 3*C) + b^4*(6*A + 5*C))*Cos[c + d*x]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 2*(2160*a^2*A*b^2*(4*A + 3*C) + 510*A*b^4 + 360*a^4*C + 3060*a^2*b^2*C + 745*b^4*C + 64*a*b*(8*b^2*(10*A + 11*C) + a^2*(75*A + 80*C))*Cos[c + d*x] + 20*(24*a^4*C + 36*a^2*b^2*(4*A + 5*C) + 5*b^4*(6*A + 5*C))*Cos[2*(c + d*x)] + 2400*a^3*A*b*Cos[3*(c + d*x)] + 2240*a*A*b^3*Cos[3*(c + d*x)] + 2240*a^3*b*C*Cos[3*(c + d*x)] + 1792*a*b^3*C*Cos[3*(c + d*x)] + 720*a^2*A*b^2*Cos[4*(c + d*x)] + 90*A*b^4*Cos[4*(c + d*x)] + 120*a^4*C*Cos[4*(c + d*x)] + 540*a^2*b^2*C*Cos[4*(c + d*x)] + 75*b^4*C*Cos[4*(c + d*x)] + 480*a^3*A*b*Cos[5*(c + d*x)] + 320*a*A*b^3*Cos[5*(c + d*x)] + 320*a^3*b*C*Cos[5*(c + d*x)] + 256*a*b^3*C*Cos[5*(c + d*x)]*Sin[c + d*x]))/(1920*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.059, size = 511, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{d}Aa^4\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{2}d^4C\sec(dx+c)\tan(dx+c)+\frac{1}{2}d^4C\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{d}Aa^3b\tan(dx+c)+\frac{8}{3}d^3b^3C\tan(dx+c)+\frac{4}{3}d^3b^3C\tan(dx+c)\sec(dx+c)^2+\frac{3}{d}Aa^2b^2\sec(dx+c)\tan(dx+c)+\frac{3}{d}Aa^2b^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{3}{2}d^2C^2a^2b^2\tan(dx+c)\sec(dx+c)^3+\frac{9}{4}d^2C^2a^2b^2\sec(dx+c)\tan(dx+c)+\frac{9}{4}d^2C^2a^2b^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{8}{3}d^2Aa^3b^3\tan(dx+c)+\frac{4}{3}d^2Aa^3b^3\tan(dx+c)\sec(dx+c)^2+\frac{32}{15}d^2C^2a^3b^3\tan(dx+c)+\frac{4}{5}d^2C^2a^3b^3\tan(dx+c)\sec(dx+c)^4+\frac{16}{15}d^2C^2a^3b^3\tan(dx+c)\sec(dx+c)^2+\frac{1}{4}d^2A^2b^4\tan(dx+c)\sec(dx+c)^3+\frac{3}{8}d^2A^2b^4\sec(dx+c)\tan(dx+c)+\frac{3}{8}d^2A^2b^4\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{6}d^2C^2b^4\tan(dx+c)\sec(dx+c)^5+\frac{5}{24}d^2C^2b^4\tan(dx+c)\sec(dx+c)^3+\frac{5}{16}d^2C^2b^4\sec(dx+c)\tan(dx+c)+\frac{5}{16}d^2C^2b^4\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 1.02264, size = 620, normalized size = 2.

$640(\tan(dx+c)^3+3\tan(dx+c))Ca^3b+640(\tan(dx+c)^3+3\tan(dx+c))Aab^3+128(3\tan(dx+c)^5+10\tan(dx+c)^3+3\tan(dx+c))A^2a^3b^3-5C^2b^4(2(15\sin(dx+c)^5-40\sin(dx+c)^3+33\sin(dx+c)))/(\sin(dx+c)^6-3\sin(dx+c)^4+3\sin(dx+c)^2-1)-15\log(\sin(dx+c)+1)+15\log(\sin(dx+c)-1)-180C^2a^2b^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-30A^2b^4(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-120C^2a^4(2\sin(dx+c)^3+3\tan(dx+c))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{480}(640(\tan(dx+c)^3+3\tan(dx+c))C^2a^3b+640(\tan(dx+c)^3+3\tan(dx+c))A^2a^3b^3+128(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))C^2a^3b^3-5C^2b^4(2(15\sin(dx+c)^5-40\sin(dx+c)^3+33\sin(dx+c)))/(\sin(dx+c)^6-3\sin(dx+c)^4+3\sin(dx+c)^2-1)-15\log(\sin(dx+c)+1)+15\log(\sin(dx+c)-1)-180C^2a^2b^2(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-30A^2b^4(2(3\sin(dx+c)^3-5\sin(dx+c)))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)-120C^2a^4(2\sin(dx+c)^3+3\tan(dx+c))$

$$\frac{(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) - 720Aa^2b^2(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 480Aa^4\log(\sec(dx + c) + \tan(dx + c)) + 1920Aa^3b\tan(dx + c)}{d}$$

Fricas [A] time = 0.592328, size = 716, normalized size = 2.31

$$15(8(2A + C)a^4 + 12(4A + 3C)a^2b^2 + (6A + 5C)b^4)\cos(dx + c)^6\log(\sin(dx + c) + 1) - 15(8(2A + C)a^4 + 12(4A + 3C)a^2b^2 + (6A + 5C)b^4)\cos(dx + c)^6\log(-\sin(dx + c) + 1) + 2(192Ca^2b^3\cos(dx + c) + 64(5(3A + 2C)a^3b + 2(5A + 4C)ab^3)\cos(dx + c)^5 + 40Cb^4 + 15(8Ca^4 + 12(4A + 3C)a^2b^2 + (6A + 5C)b^4)\cos(dx + c)^4 + 64(5Ca^3b + (5A + 4C)ab^3)\cos(dx + c)^3 + 10(36Ca^2b^2 + (6A + 5C)b^4)\cos(dx + c)^2)\sin(dx + c)/(d\cos(dx + c)^6)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+b*sec(dx+c))^4*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] 1/480*(15*(8*(2*A + C)*a^4 + 12*(4*A + 3*C)*a^2*b^2 + (6*A + 5*C)*b^4)*cos(dx + c)^6*log(sin(dx + c) + 1) - 15*(8*(2*A + C)*a^4 + 12*(4*A + 3*C)*a^2*b^2 + (6*A + 5*C)*b^4)*cos(dx + c)^6*log(-sin(dx + c) + 1) + 2*(192*C*a*b^3*cos(dx + c) + 64*(5*(3*A + 2*C)*a^3*b + 2*(5*A + 4*C)*a*b^3)*cos(dx + c)^5 + 40*C*b^4 + 15*(8*C*a^4 + 12*(4*A + 3*C)*a^2*b^2 + (6*A + 5*C)*b^4)*cos(dx + c)^4 + 64*(5*C*a^3*b + (5*A + 4*C)*a*b^3)*cos(dx + c)^3 + 10*(36*C*a^2*b^2 + (6*A + 5*C)*b^4)*cos(dx + c)^2)*sin(dx + c)/(d*cos(dx + c)^6)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) (a + b \sec(c + dx))^4 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+b*sec(dx+c))**4*(A+C*sec(dx+c)**2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**4*sec(c + d*x), x)

Giac [B] time = 1.23601, size = 1485, normalized size = 4.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{240} \cdot (15 \cdot (16Aa^4 + 8Ca^4 + 48Aa^2b^2 + 36Ca^2b^2 + 6Ab^4 + 5Cb^4) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1)) - 15 \cdot (16Aa^4 + 8Ca^4 + 48Aa^2b^2 + 36Ca^2b^2 + 6Ab^4 + 5Cb^4) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) + 2 \cdot (120Ca^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 960Aa^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 960Ca^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 720Aa^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 900Ca^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 960Aa^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 960Ca^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 150Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 165Cb^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 360Ca^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 4800Aa^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 3520Ca^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 - 2160Aa^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 - 1260Ca^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 3520Aa^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 2240Ca^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 240Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 25Cb^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 240Ca^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 9600Aa^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 5760Ca^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 1440Aa^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 360Ca^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 5760Aa^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 4992Ca^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 60Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 450Cb^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 240Ca^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 9600Aa^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 5760Ca^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 1440Aa^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 360Ca^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 5760Aa^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 4992Ca^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 60Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 450Cb^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 360Ca^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 4800Aa^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 3520Ca^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 2160Aa^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 1260Ca^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 3520Aa^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 2240Ca^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 210Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 25Cb^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 120Ca^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 960Aa^3b \tan(\frac{1}{2}dx + \frac{1}{2}c) + 960Ca^3b \tan(\frac{1}{2}dx + \frac{1}{2}c) + 720Aa^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 900Ca^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 960Aa^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 960Ca^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 150Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 165Cb^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^6 / d$

3.665 $\int (a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=227

$$\frac{(a^2b^2(85A + 56C) + 6a^4C + 2b^4(5A + 4C)) \tan(c + dx)}{15d} + \frac{ab(4a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{ab(6a^2b^2(5A + 4C) + 6a^4C + 2b^4(5A + 4C)) \tan(c + dx)}{15d}$$

```
[Out] a^4*A*x + (a*b*(4*a^2*(2*A + C) + b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(
2*d) + ((6*a^4*C + 2*b^4*(5*A + 4*C) + a^2*b^2*(85*A + 56*C))*Tan[c + d*x])
/(15*d) + (a*b*(40*A*b^2 + 6*a^2*C + 29*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(
30*d) + ((3*a^2*C + b^2*(5*A + 4*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(
15*d) + (a*C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(5*d) + (C*(a + b*Sec[c +
d*x])^4*Tan[c + d*x])/(5*d)
```

Rubi [A] time = 0.478201, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {4057, 4056, 4048, 3770, 3767, 8}

$$\frac{(a^2b^2(85A + 56C) + 6a^4C + 2b^4(5A + 4C)) \tan(c + dx)}{15d} + \frac{ab(4a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{ab(6a^2b^2(5A + 4C) + 6a^4C + 2b^4(5A + 4C)) \tan(c + dx)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] a^4*A*x + (a*b*(4*a^2*(2*A + C) + b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(
2*d) + ((6*a^4*C + 2*b^4*(5*A + 4*C) + a^2*b^2*(85*A + 56*C))*Tan[c + d*x])
/(15*d) + (a*b*(40*A*b^2 + 6*a^2*C + 29*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(
30*d) + ((3*a^2*C + b^2*(5*A + 4*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(
15*d) + (a*C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(5*d) + (C*(a + b*Sec[c +
d*x])^4*Tan[c + d*x])/(5*d)
```

Rule 4057

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_.)^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)
/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a
A*(m + 1) + (A*b*(m + 1) + b*C*m)*Csc[e + f*x] + a*C*m*Csc[e + f*x]^2, x],
x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^4 \tan(c + dx)}{5d} + \frac{1}{5} \int (a + b \sec(c + dx))^3 (5aA + b) dx \\
&= \frac{aC(a + b \sec(c + dx))^3 \tan(c + dx)}{5d} + \frac{C(a + b \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= \frac{(3a^2C + b^2(5A + 4C))(a + b \sec(c + dx))^2 \tan(c + dx)}{15d} + \frac{aC(a + b \sec(c + dx))^3 \tan(c + dx)}{5d} \\
&= \frac{ab(40Ab^2 + 6a^2C + 29b^2C) \sec(c + dx) \tan(c + dx)}{30d} + \frac{(3a^2C + b^2(5A + 4C))(a + b \sec(c + dx))^2 \tan(c + dx)}{15d} \\
&= a^4Ax + \frac{ab(40Ab^2 + 6a^2C + 29b^2C) \sec(c + dx) \tan(c + dx)}{30d} + \frac{(3a^2C + b^2(5A + 4C))(a + b \sec(c + dx))^2 \tan(c + dx)}{15d} \\
&= a^4Ax + \frac{ab(4a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{ab(40Ab^2 + 6a^2C + 29b^2C) \sec(c + dx) \tan(c + dx)}{30d} \\
&= a^4Ax + \frac{ab(4a^2(2A + C) + b^2(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(6a^4C + b^4(5A + 4C)) \tan(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 2.5729, size = 503, normalized size = 2.22

$$\frac{\sec^5(c + dx) (A \cos^2(c + dx) + C) \left(-120ab(4a^2(2A + C) + b^2(4A + 3C)) \cos^5(c + dx) \left(\log \left(\cos \left(\frac{1}{2}(c + dx) \right) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2),x]

[Out] ((C + A*Cos[c + d*x]^2)*Sec[c + d*x]^5*(150*a^4*A*(c + d*x)*Cos[c + d*x] + 75*a^4*A*(c + d*x)*Cos[3*(c + d*x)] + 15*a^4*A*c*Cos[5*(c + d*x)] + 15*a^4*A*d*x*Cos[5*(c + d*x)] - 120*a*b*(4*a^2*(2*A + C) + b^2*(4*A + 3*C))*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 180*a^2*A*b^2*Sin[c + d*x] + 40*A*b^4*Sin[c + d*x] + 30*a^4*C*Sin[c + d*x] + 240*a^2*b^2*C*Sin[c + d*x] + 80*b^4*C*Sin[c + d*x] + 120*a*A*b^3*Sin[2*(c + d*x)] + 120*a^3*b*C*Sin[2*(c + d*x)] + 210*a*b^3*C*Sin[2*(c + d*x)] + 270*a^2*A*b^2*Sin[3*(c + d*x)] + 50*A*b^4*Sin[3*(c + d*x)] + 45*a^4*C*Sin[3*(c + d*x)] + 300*a^2*b^2*C*Sin[3*(c + d*x)] + 40*b^4*C*Sin[3*(c + d*x)] + 60*a*A*b^3*Sin[4*(c + d*x)] + 60*a^3*b*C*Sin[4*(c + d*x)] + 45*a*b^3*C*Sin[4*(c + d*x)] + 90*a^2*A*b^2*Sin[5*(c + d*x)] + 10*A*b^4*Sin[5*(c + d*x)] + 15*a^4*C*Sin[5*(c + d*x)] + 60*a^2*b^2*C*Sin[5*(c + d*x)] + 8*b^4*C*Sin[5*(c + d*x)]))/(120*d*(A + 2*C + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.056, size = 377, normalized size = 1.7

$$a^4Ax + \frac{Aa^4c}{d} + \frac{a^4C \tan(dx+c)}{d} + 4 \frac{Aa^3b \ln(\sec(dx+c) + \tan(dx+c))}{d} + 2 \frac{a^3bC \sec(dx+c) \tan(dx+c)}{d} + 2 \frac{a^3bC}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)

[Out] $a^4A*x+1/d*A*a^4*c+1/d*a^4*C*\tan(d*x+c)+4/d*A*a^3*b*\ln(\sec(d*x+c)+\tan(d*x+c))+2/d*a^3*b*C*\sec(d*x+c)*\tan(d*x+c)+2/d*a^3*b*C*\ln(\sec(d*x+c)+\tan(d*x+c))+6/d*A*a^2*b^2*\tan(d*x+c)+4/d*C*a^2*b^2*\tan(d*x+c)+2/d*C*a^2*b^2*\tan(d*x+c)*\sec(d*x+c)^2+2/d*A*a*b^3*\sec(d*x+c)*\tan(d*x+c)+2/d*A*a*b^3*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*C*a*b^3*\tan(d*x+c)*\sec(d*x+c)^3+3/2/d*C*a*b^3*\sec(d*x+c)*\tan(d*x+c)+3/2/d*C*a*b^3*\ln(\sec(d*x+c)+\tan(d*x+c))+2/3/d*A*b^4*\tan(d*x+c)+1/3/d*A*b^4*\tan(d*x+c)*\sec(d*x+c)^2+8/15/d*C*b^4*\tan(d*x+c)+1/5/d*C*b^4*\tan(d*x+c)*\sec(d*x+c)^4+4/15/d*C*b^4*\tan(d*x+c)*\sec(d*x+c)^2$

Maxima [A] time = 0.979258, size = 429, normalized size = 1.89

$$60(dx+c)Aa^4 + 120(\tan(dx+c)^3 + 3 \tan(dx+c))Ca^2b^2 + 20(\tan(dx+c)^3 + 3 \tan(dx+c))Ab^4 + 4(3 \tan(dx+c) + \tan(dx+c)^3)A^2b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $1/60*(60*(d*x+c)*A*a^4 + 120*(\tan(d*x+c)^3 + 3*\tan(d*x+c))*C*a^2*b^2 + 20*(\tan(d*x+c)^3 + 3*\tan(d*x+c))*A*b^4 + 4*(3*\tan(d*x+c)^5 + 10*\tan(d*x+c)^3 + 15*\tan(d*x+c))*C*b^4 - 15*C*a*b^3*(2*(3*\sin(d*x+c)^3 - 5*\sin(d*x+c))/(\sin(d*x+c)^4 - 2*\sin(d*x+c)^2 + 1) - 3*\log(\sin(d*x+c) + 1) + 3*\log(\sin(d*x+c) - 1)) - 60*C*a^3*b*(2*\sin(d*x+c)/(\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c) + 1) + \log(\sin(d*x+c) - 1)) - 60*A*a*b^3*(2*\sin(d*x+c)/(\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c) + 1) + \log(\sin(d*x+c) - 1)) + 240*A*a^3*b*\log(\sec(d*x+c) + \tan(d*x+c)) + 60*C*a^4*\tan(d*x+c) + 360*A*a^2*b^2*\tan(d*x+c))/d$

Fricas [A] time = 0.582037, size = 610, normalized size = 2.69

$$60 Aa^4 dx \cos(dx+c)^5 + 15(4(2A+C)a^3b + (4A+3C)ab^3) \cos(dx+c)^5 \log(\sin(dx+c)+1) - 15(4(2A+C)a^3b + (4A+3C)ab^3) \cos(dx+c)^5 \log(\sin(dx+c)-1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 1/60*(60*A*a^4*d*x*cos(d*x + c)^5 + 15*(4*(2*A + C)*a^3*b + (4*A + 3*C)*a*b^3)*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(4*(2*A + C)*a^3*b + (4*A + 3*C)*a*b^3)*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(30*C*a*b^3*cos(d*x + c) + 6*C*b^4 + 2*(15*C*a^4 + 30*(3*A + 2*C)*a^2*b^2 + 2*(5*A + 4*C)*b^4)*cos(d*x + c)^4 + 15*(4*C*a^3*b + (4*A + 3*C)*a*b^3)*cos(d*x + c)^3 + 2*(30*C*a^2*b^2 + (5*A + 4*C)*b^4)*cos(d*x + c)^2*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx))(a + b \sec(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**4, x)
```

Giac [B] time = 1.22534, size = 1050, normalized size = 4.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/30*(30*(d*x + c)*A*a^4 + 15*(8*A*a^3*b + 4*C*a^3*b + 4*A*a*b^3 + 3*C*a*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(8*A*a^3*b + 4*C*a^3*b + 4*A*a*b^3 + 3*C*a*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(30*C*a^4*tan(1/2*d*x + 1/2*c)^9 - 60*C*a^3*b*tan(1/2*d*x + 1/2*c)^9 + 180*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 + 180*C*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 - 60*A*a*b^3*tan(1/2*d*x + 1/2*c)^9 - 75*C*a*b^3*tan(1/2*d*x + 1/2*c)^9 + 30*A*b^4*tan(1/2*d*x + 1/2*c)^9 + 30*C*b^4*tan(1/2*d*x + 1/2*c)^9 - 120*C*a^4*tan(1/2*d*x + 1/2*c)^7 + 120*C*a^3*b*tan(1/2*d*x + 1/2*c)^7 - 720*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 480*C*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 + 120*A*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 30*C*a*b^3*tan(1/2*d*x + 1/2*c)^7 - 80*A*b^4*tan(1/2*d*x + 1/2*c)^7 -
```

$$\begin{aligned}
& 40C^2b^4\tan(1/2dx + 1/2c)^7 + 180C^2a^4\tan(1/2dx + 1/2c)^5 + 1080* \\
& A^2a^2b^2\tan(1/2dx + 1/2c)^5 + 600C^2a^2b^2\tan(1/2dx + 1/2c)^5 + 1 \\
& 00A^2b^4\tan(1/2dx + 1/2c)^5 + 116C^2b^4\tan(1/2dx + 1/2c)^5 - 120C^2* \\
& a^4\tan(1/2dx + 1/2c)^3 - 120C^2a^3b\tan(1/2dx + 1/2c)^3 - 720A^2a^2* \\
& b^2\tan(1/2dx + 1/2c)^3 - 480C^2a^2b^2\tan(1/2dx + 1/2c)^3 - 120A^2* \\
& a^3\tan(1/2dx + 1/2c)^3 - 30C^2a^3b^3\tan(1/2dx + 1/2c)^3 - 80A^2b^4* \\
& \tan(1/2dx + 1/2c)^3 - 40C^2b^4\tan(1/2dx + 1/2c)^3 + 30C^2a^4\tan(1/ \\
& 2dx + 1/2c) + 60C^2a^3b\tan(1/2dx + 1/2c) + 180A^2a^2b^2\tan(1/2d* \\
& x + 1/2c) + 180C^2a^2b^2\tan(1/2dx + 1/2c) + 60A^2a^3b^3\tan(1/2dx + \\
& 1/2c) + 75C^2a^3b^3\tan(1/2dx + 1/2c) + 30A^2b^4\tan(1/2dx + 1/2c) + \\
& 30C^2b^4\tan(1/2dx + 1/2c))/(\tan(1/2dx + 1/2c)^2 - 1)^5/d
\end{aligned}$$

3.666 $\int \cos(c+dx)(a+b \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=229

$$\frac{ab(a^2(12A-19C)-8b^2(3A+2C))\tan(c+dx)}{6d} + \frac{(24a^2b^2(2A+C)+8a^4C+b^4(4A+3C))\tanh^{-1}(\sin(c+dx))}{8d} - \frac{b^2}{8d}$$

```
[Out] 4*a^3*A*b*x + ((8*a^4*C + 24*a^2*b^2*(2*A + C) + b^4*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + (A*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/d - (a*b*(a^2*(12*A - 19*C) - 8*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*d) - (b^2*(a^2*(24*A - 26*C) - 3*b^2*(4*A + 3*C))*Sec[c + d*x]*Tan[c + d*x])/(24*d) - (a*b*(12*A - 7*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) - (b*(4*A - C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rubi [A] time = 0.492718, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4095, 4056, 4048, 3770, 3767, 8}

$$\frac{ab(a^2(12A-19C)-8b^2(3A+2C))\tan(c+dx)}{6d} + \frac{(24a^2b^2(2A+C)+8a^4C+b^4(4A+3C))\tanh^{-1}(\sin(c+dx))}{8d} - \frac{b^2}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] 4*a^3*A*b*x + ((8*a^4*C + 24*a^2*b^2*(2*A + C) + b^4*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + (A*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/d - (a*b*(a^2*(12*A - 19*C) - 8*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*d) - (b^2*(a^2*(24*A - 26*C) - 3*b^2*(4*A + 3*C))*Sec[c + d*x]*Tan[c + d*x])/(24*d) - (a*b*(12*A - 7*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) - (b*(4*A - C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rule 4095

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^(n+1)*Simp[A*b*m - a*(C*n + A*(n+1))*Csc[e + f*x] - b*(C*n + A*(m+n+1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
) * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
) * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} + \int (a + b \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx \\
&= \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{b(4A - C)(a + b \sec(c + dx))^3}{4d} \\
&= \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{ab(12A - 7C)(a + b \sec(c + dx))^2}{12d} \\
&= \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{b^2(a^2(24A - 26C) - 3C^2)}{12d} \\
&= 4a^3 Abx + \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{b^2(a^2(24A - 26C) - 3C^2)}{12d} \\
&= 4a^3 Abx + \frac{(8a^4C + 24a^2b^2(2A + C) + b^4(4A + 3C)) \tanh^{-1}\left(\frac{a + b \sec(c + dx)}{a}\right)}{8d} \\
&= 4a^3 Abx + \frac{(8a^4C + 24a^2b^2(2A + C) + b^4(4A + 3C)) \tanh^{-1}\left(\frac{a + b \sec(c + dx)}{a}\right)}{8d}
\end{aligned}$$

Mathematica [B] time = 6.5741, size = 1357, normalized size = 5.93

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (8*a^3*A*b*(c + d*x)*Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2))/(d*(b + a*Cos[c + d*x])^4*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((-48*a^2*A*b^2 - 4*A*b^4 - 8*a^4*C - 24*a^2*b^2*C - 3*b^4*C)*Cos[c + d*x]^6*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2))/(4*d*(b + a*Cos[c + d*x])^4*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((48*a^2*A*b^2 + 4*A*b^4 + 8*a^4*C + 24*a^2*b^2*C + 3*b^4*C)*Cos[c + d*x]^6*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2))/(4*d*(b + a*Cos[c + d*x])^4*(A + 2*C + A*Cos[2*c + 2*d*x])) + (b^4*C*Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^4*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^4 + ((12*A*b^4 + 72*a^2*b^2*C + 16*a*b^3*C + 9*b^4*C)*Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2))/(24*d*(b + a*Cos[c + d*x])^4*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (4*a*b^3*C*Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2)*Sin[(c + d*x)/2])/(3*d*(b + a*Cos[c + d*x])^4*(A + 2*C + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 - (b^4*C*Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^4*(A +

$$2C + A\cos[2c + 2dx] \cdot (\cos[(c + dx)/2] + \sin[(c + dx)/2])^4 + (4a^3C\cos[c + dx]^6(a + b\sec[c + dx])^4(A + C\sec[c + dx]^2)\sin[(c + dx)/2]) / (3d(b + a\cos[c + dx])^4(A + 2C + A\cos[2c + 2dx]) \cdot (\cos[(c + dx)/2] + \sin[(c + dx)/2])^3 + ((-12Ab^4 - 72a^2b^2C - 16a^3b^3C - 9b^4C)\cos[c + dx]^6(a + b\sec[c + dx])^4(A + C\sec[c + dx]^2)) / (24d(b + a\cos[c + dx])^4(A + 2C + A\cos[2c + 2dx]) \cdot (\cos[(c + dx)/2] + \sin[(c + dx)/2])^2 + (8\cos[c + dx]^6(a + b\sec[c + dx])^4(A + C\sec[c + dx]^2)(3a^3b^3\sin[(c + dx)/2] + 3a^3b^3C\sin[(c + dx)/2] + 2a^3b^3C\sin[(c + dx)/2])) / (3d(b + a\cos[c + dx])^4(A + 2C + A\cos[2c + 2dx]) \cdot (\cos[(c + dx)/2] - \sin[(c + dx)/2])) + (8\cos[c + dx]^6(a + b\sec[c + dx])^4(A + C\sec[c + dx]^2)(3a^3b^3\sin[(c + dx)/2] + 3a^3b^3C\sin[(c + dx)/2] + 2a^3b^3C\sin[(c + dx)/2])) / (3d(b + a\cos[c + dx])^4(A + 2C + A\cos[2c + 2dx]) \cdot (\cos[(c + dx)/2] + \sin[(c + dx)/2])) + (2a^4A\cos[c + dx]^6(a + b\sec[c + dx])^4(A + C\sec[c + dx]^2)\sin[c + dx]) / (d(b + a\cos[c + dx])^4(A + 2C + A\cos[2c + 2dx]))$$

Maple [A] time = 0.082, size = 316, normalized size = 1.4

$$\frac{Aa^4 \sin(dx + c)}{d} + \frac{a^4 C \ln(\sec(dx + c) + \tan(dx + c))}{d} + 4a^3 Abx + 4 \frac{Aa^3 bc}{d} + 4 \frac{a^3 b C \tan(dx + c)}{d} + 6 \frac{Aa^2 b^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)*(a+b*sec(dx+c))^4*(A+C*sec(dx+c)^2),x)

[Out] 1/d*A*a^4*sin(dx+c)+1/d*a^4*C*ln(sec(dx+c)+tan(dx+c))+4*a^3*A*b*x+4/d*A*a^3*b*c+4/d*a^3*b*C*tan(dx+c)+6/d*A*a^2*b^2*ln(sec(dx+c)+tan(dx+c))+3/d*C*a^2*b^2*sec(dx+c)*tan(dx+c)+3/d*C*a^2*b^2*ln(sec(dx+c)+tan(dx+c))+4/d*A*a*b^3*tan(dx+c)+8/3/d*C*a*b^3*tan(dx+c)+4/3/d*C*a*b^3*tan(dx+c)*sec(dx+c)^2+1/2/d*A*b^4*sec(dx+c)*tan(dx+c)+1/2/d*A*b^4*ln(sec(dx+c)+tan(dx+c))+1/4/d*C*b^4*tan(dx+c)*sec(dx+c)^3+3/8/d*C*b^4*sec(dx+c)*tan(dx+c)+3/8/d*C*b^4*ln(sec(dx+c)+tan(dx+c))

Maxima [A] time = 0.992264, size = 413, normalized size = 1.8

$$192(dx + c)Aa^3b + 64(\tan(dx + c)^3 + 3 \tan(dx + c))Cab^3 - 3Cb^4 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx + c) + 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{48} \cdot (192 \cdot (d \cdot x + c) \cdot A \cdot a^3 \cdot b + 64 \cdot (\tan(d \cdot x + c))^3 + 3 \cdot \tan(d \cdot x + c)) \cdot C \cdot a \cdot b^3 - 3 \cdot C \cdot b^4 \cdot (2 \cdot (3 \cdot \sin(d \cdot x + c))^3 - 5 \cdot \sin(d \cdot x + c)) / (\sin(d \cdot x + c)^4 - 2 \cdot \sin(d \cdot x + c)^2 + 1) - 3 \cdot \log(\sin(d \cdot x + c) + 1) + 3 \cdot \log(\sin(d \cdot x + c) - 1)) - 72 \cdot C \cdot a^2 \cdot b^2 \cdot (2 \cdot \sin(d \cdot x + c) / (\sin(d \cdot x + c)^2 - 1) - \log(\sin(d \cdot x + c) + 1) + \log(\sin(d \cdot x + c) - 1)) - 12 \cdot A \cdot b^4 \cdot (2 \cdot \sin(d \cdot x + c) / (\sin(d \cdot x + c)^2 - 1) - \log(\sin(d \cdot x + c) + 1) + \log(\sin(d \cdot x + c) - 1)) + 24 \cdot C \cdot a^4 \cdot (\log(\sin(d \cdot x + c) + 1) - \log(\sin(d \cdot x + c) - 1)) + 144 \cdot A \cdot a^2 \cdot b^2 \cdot (\log(\sin(d \cdot x + c) + 1) - \log(\sin(d \cdot x + c) - 1)) + 48 \cdot A \cdot a^4 \cdot \sin(d \cdot x + c) + 192 \cdot C \cdot a^3 \cdot b \cdot \tan(d \cdot x + c) + 192 \cdot A \cdot a \cdot b^3 \cdot \tan(d \cdot x + c)) / d$

Fricas [A] time = 0.59003, size = 575, normalized size = 2.51

$192 A a^3 b d x \cos(dx + c)^4 + 3(8 C a^4 + 24(2 A + C) a^2 b^2 + (4 A + 3 C) b^4) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(8 C a^4 +$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{48} \cdot (192 \cdot A \cdot a^3 \cdot b \cdot d \cdot x \cdot \cos(d \cdot x + c)^4 + 3 \cdot (8 \cdot C \cdot a^4 + 24 \cdot (2 \cdot A + C) \cdot a^2 \cdot b^2 + (4 \cdot A + 3 \cdot C) \cdot b^4) \cdot \cos(d \cdot x + c)^4 \cdot \log(\sin(d \cdot x + c) + 1) - 3 \cdot (8 \cdot C \cdot a^4 + 24 \cdot (2 \cdot A + C) \cdot a^2 \cdot b^2 + (4 \cdot A + 3 \cdot C) \cdot b^4) \cdot \cos(d \cdot x + c)^4 \cdot \log(-\sin(d \cdot x + c) + 1) + 2 \cdot (24 \cdot A \cdot a^4 \cdot \cos(d \cdot x + c)^4 + 32 \cdot C \cdot a \cdot b^3 \cdot \cos(d \cdot x + c) + 6 \cdot C \cdot b^4 + 32 \cdot (3 \cdot C \cdot a^3 \cdot b + (3 \cdot A + 2 \cdot C) \cdot a \cdot b^3) \cdot \cos(d \cdot x + c)^3 + 3 \cdot (24 \cdot C \cdot a^2 \cdot b^2 + (4 \cdot A + 3 \cdot C) \cdot b^4) \cdot \cos(d \cdot x + c)^2) \cdot \sin(d \cdot x + c)) / (d \cdot \cos(d \cdot x + c)^4)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.26404, size = 797, normalized size = 3.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\frac{1}{24} \cdot (96 \cdot (d \cdot x + c) \cdot A \cdot a^3 \cdot b + 48 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1) + 3 \cdot (8 \cdot C \cdot a^4 + 48 \cdot A \cdot a^2 \cdot b^2 + 24 \cdot C \cdot a^2 \cdot b^2 + 4 \cdot A \cdot b^4 + 3 \cdot C \cdot b^4) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) - 3 \cdot (8 \cdot C \cdot a^4 + 48 \cdot A \cdot a^2 \cdot b^2 + 24 \cdot C \cdot a^2 \cdot b^2 + 4 \cdot A \cdot b^4 + 3 \cdot C \cdot b^4) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) - 2 \cdot (96 \cdot C \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 72 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 96 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 96 \cdot C \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 12 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 15 \cdot C \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 288 \cdot C \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 72 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 288 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 160 \cdot C \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 12 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 9 \cdot C \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 288 \cdot C \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 72 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 288 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 160 \cdot C \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 12 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 9 \cdot C \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 96 \cdot C \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 72 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 96 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 96 \cdot C \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 12 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 15 \cdot C \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^4 / d$$

3.667 $\int \cos^2(c+dx)(a+b \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=219

$$\frac{b^2(a^2(39A - 34C) - 2b^2(3A + 2C)) \tan(c + dx)}{6d} + \frac{2ab(C(2a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{d} + \frac{1}{2}a^2x(a^2(A + 2C))$$

```
[Out] (a^2*(12*A*b^2 + a^2*(A + 2*C))*x)/2 + (2*a*b*(2*A*b^2 + (2*a^2 + b^2)*C)*ArcTanh[Sin[c + d*x]])/d + (2*A*b*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/d + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(2*d) - (b^2*(a^2*(39*A - 34*C) - 2*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*d) - (a*b^3*(9*A - 4*C)*Sec[c + d*x]*Tan[c + d*x])/(3*d) - (b^2*(15*A - 2*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(6*d)
```

Rubi [A] time = 0.60505, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4094, 4056, 4048, 3770, 3767, 8}

$$\frac{b^2(a^2(39A - 34C) - 2b^2(3A + 2C)) \tan(c + dx)}{6d} + \frac{2ab(C(2a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{d} + \frac{1}{2}a^2x(a^2(A + 2C))$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^2*(12*A*b^2 + a^2*(A + 2*C))*x)/2 + (2*a*b*(2*A*b^2 + (2*a^2 + b^2)*C)*ArcTanh[Sin[c + d*x]])/d + (2*A*b*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/d + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(2*d) - (b^2*(a^2*(39*A - 34*C) - 2*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*d) - (a*b^3*(9*A - 4*C)*Sec[c + d*x]*Tan[c + d*x])/(3*d) - (b^2*(15*A - 2*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(6*d)
```

Rule 4095

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol]
:> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol]
:> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol]
:> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol]
:> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol]
:> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx &= \frac{A\cos(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{2d} + \frac{1}{2}\int \cos(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx \\
&= \frac{2Ab(a+b\sec(c+dx))^3\sin(c+dx)}{d} + \frac{A\cos(c+dx)(a+b\sec(c+dx))^4}{2} \\
&= \frac{2Ab(a+b\sec(c+dx))^3\sin(c+dx)}{d} + \frac{A\cos(c+dx)(a+b\sec(c+dx))^4}{2} \\
&= \frac{2Ab(a+b\sec(c+dx))^3\sin(c+dx)}{d} + \frac{A\cos(c+dx)(a+b\sec(c+dx))^4}{2} \\
&= \frac{1}{2}a^2(12Ab^2+a^2(A+2C))x + \frac{2Ab(a+b\sec(c+dx))^3\sin(c+dx)}{d} \\
&= \frac{1}{2}a^2(12Ab^2+a^2(A+2C))x + \frac{2ab(2Ab^2+(2a^2+b^2)C)}{d} \\
&= \frac{1}{2}a^2(12Ab^2+a^2(A+2C))x + \frac{2ab(2Ab^2+(2a^2+b^2)C)}{d}
\end{aligned}$$

Mathematica [A] time = 6.11514, size = 416, normalized size = 1.9

$$6a^2(c+dx)(a^2(A+2C)+12Ab^2) + \frac{4b^2(2C(9a^2+b^2)+3Ab^2)\sin(\frac{1}{2}(c+dx))}{\cos(\frac{1}{2}(c+dx))-\sin(\frac{1}{2}(c+dx))} + \frac{4b^2(2C(9a^2+b^2)+3Ab^2)\sin(\frac{1}{2}(c+dx))}{\sin(\frac{1}{2}(c+dx))+\cos(\frac{1}{2}(c+dx))} - 24ab(C(2a^2+b^2))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (6*a^2*(12*A*b^2 + a^2*(A + 2*C))*(c + d*x) - 24*a*b*(2*A*b^2 + (2*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 24*a*b*(2*A*b^2 + (2*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^3*(12*a + b)*C)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (2*b^4*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 + (4*b^2*(3*A*b^2 + 2*(9*a^2 + b^2)*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (2*b^4*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3 - (b^3*(12*a + b)*C)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*b^2*(3*A*b^2 + 2*(9*a^2 + b^2)*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 48*a^3*A*b*Sin[c + d*x] + 3*a^4*A*Sin[2*(c + d*x)]/(12*d)

Maple [A] time = 0.085, size = 258, normalized size = 1.2

$$\frac{Aa^4\cos(dx+c)\sin(dx+c)}{2d} + \frac{a^4Ax}{2} + \frac{Aa^4c}{2d} + a^4Cx + \frac{Ca^4c}{d} + 4\frac{Aa^3b\sin(dx+c)}{d} + 4\frac{a^3bC\ln(\sec(dx+c)+\tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{2}dAa^4\cos(dx+c)\sin(dx+c)+\frac{1}{2}a^4Ax+\frac{1}{2}dAa^4c+a^4Cx+\frac{1}{d}Ca^4c+\frac{4}{d}Aa^3b\sin(dx+c)+\frac{4}{d}a^3bC\ln(\sec(dx+c)+\tan(dx+c))+6Aa^2b^2x+\frac{6}{d}Aa^2b^2c+\frac{6}{d}Ca^2b^2\tan(dx+c)+\frac{4}{d}Aa^3b\ln(\sec(dx+c)+\tan(dx+c))+\frac{2}{d}Ca^3b^2\sec(dx+c)\tan(dx+c)+\frac{2}{d}Ca^3b^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{d}Aa^4b^2\tan(dx+c)+\frac{2}{3}dCb^4\tan(dx+c)+\frac{1}{3}dCb^4\tan(dx+c)\sec(dx+c)^2$

Maxima [A] time = 0.987792, size = 298, normalized size = 1.36

$3(2dx+2c+\sin(2dx+2c))Aa^4+12(dx+c)Ca^4+72(dx+c)Aa^2b^2+4(\tan(dx+c)^3+3\tan(dx+c))Cb^4-12C$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{12}(3(2dx+2c+\sin(2dx+2c))Aa^4+12(dx+c)Ca^4+72(dx+c)Aa^2b^2+4(\tan(dx+c)^3+3\tan(dx+c))Cb^4-12C^3a^3b^2\frac{2\sin(dx+c)}{(\sin(dx+c)^2-1)}-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+24C^3a^3b^2(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+24Aa^3b^3(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+48Aa^3b^3\sin(dx+c)+72C^3a^2b^2\tan(dx+c)+12Aa^4b^4\tan(dx+c))/d$

Fricas [A] time = 0.584596, size = 509, normalized size = 2.32

$3((A+2C)a^4+12Aa^2b^2)dx\cos(dx+c)^3+6(2Ca^3b+(2A+C)ab^3)\cos(dx+c)^3\log(\sin(dx+c)+1)-6(2Ca^3b$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

```
[Out] 1/6*(3*((A + 2*C)*a^4 + 12*A*a^2*b^2)*d*x*cos(d*x + c)^3 + 6*(2*C*a^3*b + (2*A + C)*a*b^3)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 6*(2*C*a^3*b + (2*A + C)*a*b^3)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + (3*A*a^4*cos(d*x + c)^4 + 24*A*a^3*b*cos(d*x + c)^3 + 12*C*a*b^3*cos(d*x + c) + 2*C*b^4 + 2*(18*C*a^2*b^2 + (3*A + 2*C)*b^4)*cos(d*x + c)^2)*sin(d*x + c))/(d*cos(d*x + c)^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**4*(A+C*sec(d*x+c)**2), x)
```

[Out] Timed out

Giac [A] time = 1.21575, size = 536, normalized size = 2.45

$$3(Aa^4 + 2Ca^4 + 12Aa^2b^2)(dx + c) + 12(2Ca^3b + 2Aab^3 + Cab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 12(2Ca^3b + 2Aab^3 +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x, algorithm="giac")
```

```
[Out] 1/6*(3*(A*a^4 + 2*C*a^4 + 12*A*a^2*b^2)*(d*x + c) + 12*(2*C*a^3*b + 2*A*a*b^3 + C*a*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 12*(2*C*a^3*b + 2*A*a*b^3 + C*a*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 6*(A*a^4*tan(1/2*d*x + 1/2*c)^3 - 8*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 - A*a^4*tan(1/2*d*x + 1/2*c) - 8*A*a^3*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2 - 4*(18*C*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 - 6*C*a*b^3*tan(1/2*d*x + 1/2*c)^5 + 3*A*b^4*tan(1/2*d*x + 1/2*c)^5 + 3*C*b^4*tan(1/2*d*x + 1/2*c)^5 - 36*C*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 - 6*A*b^4*tan(1/2*d*x + 1/2*c)^3 - 2*C*b^4*tan(1/2*d*x + 1/2*c)^3 + 18*C*a^2*b^2*tan(1/2*d*x + 1/2*c) + 6*C*a*b^3*tan(1/2*d*x + 1/2*c) + 3*A*b^4*tan(1/2*d*x + 1/2*c) + 3*C*b^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

3.668 $\int \cos^3(c+dx)(a+b \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=251

$$\frac{2ab(a^2(2A+3C)+b^2(11A-6C))\tan(c+dx)}{3d} + \frac{b^2(C(12a^2+b^2)+2Ab^2)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(a^2(2A+3C)+C)}{d}$$

```
[Out] 2*a*b*(2*A*b^2 + a^2*(A + 2*C))*x + (b^2*(2*A*b^2 + (12*a^2 + b^2)*C)*ArcTan
nh[Sin[c + d*x]]/(2*d) + ((6*A*b^2 + a^2*(2*A + 3*C))*(a + b*Sec[c + d*x])
^2*Sin[c + d*x])/(3*d) + (2*A*b*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c +
d*x])/(3*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(3*d)
- (2*a*b*(b^2*(11*A - 6*C) + a^2*(2*A + 3*C))*Tan[c + d*x])/(3*d) - (b^2*(
3*b^2*(6*A - C) + a^2*(4*A + 6*C))*Sec[c + d*x]*Tan[c + d*x])/(6*d)
```

Rubi [A] time = 0.754271, antiderivative size = 251, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4095, 4094, 4048, 3770, 3767, 8}

$$\frac{2ab(a^2(2A+3C)+b^2(11A-6C))\tan(c+dx)}{3d} + \frac{b^2(C(12a^2+b^2)+2Ab^2)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(a^2(2A+3C)+C)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] 2*a*b*(2*A*b^2 + a^2*(A + 2*C))*x + (b^2*(2*A*b^2 + (12*a^2 + b^2)*C)*ArcTan
nh[Sin[c + d*x]]/(2*d) + ((6*A*b^2 + a^2*(2*A + 3*C))*(a + b*Sec[c + d*x])
^2*Sin[c + d*x])/(3*d) + (2*A*b*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c +
d*x])/(3*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(3*d)
- (2*a*b*(b^2*(11*A - 6*C) + a^2*(2*A + 3*C))*Tan[c + d*x])/(3*d) - (b^2*(
3*b^2*(6*A - C) + a^2*(4*A + 6*C))*Sec[c + d*x]*Tan[c + d*x])/(6*d)
```

Rule 4095

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m
- a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2
, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ
[m, 0] && LeQ[n, -1]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^n, x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx &= \frac{A\cos^2(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{3d} + \frac{1}{3}\int \cos^3(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx \\
&= \frac{2Ab\cos(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{3d} + \frac{A\cos^2(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{3d} \\
&= \frac{(6Ab^2+a^2(2A+3C))(a+b\sec(c+dx))^2\sin(c+dx)}{3d} + \frac{A\cos^2(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{3d} \\
&= \frac{(6Ab^2+a^2(2A+3C))(a+b\sec(c+dx))^2\sin(c+dx)}{3d} + \frac{A\cos^2(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{3d} \\
&= 2ab(2Ab^2+a^2(A+2C))x + \frac{(6Ab^2+a^2(2A+3C))(a+b\sec(c+dx))^2\sin(c+dx)}{3d} \\
&= 2ab(2Ab^2+a^2(A+2C))x + \frac{b^2(2Ab^2+(12a^2+b^2)C)}{2d} \\
&= 2ab(2Ab^2+a^2(A+2C))x + \frac{b^2(2Ab^2+(12a^2+b^2)C)}{2d}
\end{aligned}$$

Mathematica [A] time = 3.27344, size = 324, normalized size = 1.29

$$24ab(c+dx)(a^2(A+2C)+2Ab^2)+3a^2(a^2(3A+4C)+24Ab^2)\sin(c+dx)-6b^2(C(12a^2+b^2)+2Ab^2)\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (24*a*b*(2*A*b^2 + a^2*(A + 2*C))*(c + d*x) - 6*b^2*(2*A*b^2 + (12*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 6*b^2*(2*A*b^2 + (12*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (3*b^4*C)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (48*a*b^3*C*Ssin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (3*b^4*C)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (48*a*b^3*C*Ssin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 3*a^2*(24*A*b^2 + a^2*(3*A + 4*C))*Sin[c + d*x] + 12*a^3*A*b*Ssin[2*(c + d*x)] + a^4*A*Ssin[3*(c + d*x)]/(12*d)

Maple [A] time = 0.076, size = 259, normalized size = 1.

$$\frac{A(\cos(dx+c))^2\sin(dx+c)a^4}{3d} + \frac{2Aa^4\sin(dx+c)}{3d} + \frac{a^4C\sin(dx+c)}{d} + 2\frac{Aa^3b\sin(dx+c)\cos(dx+c)}{d} + 2a^3Abx + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)
```

```
[Out] 1/3/d*A*cos(d*x+c)^2*sin(d*x+c)*a^4+2/3/d*A*a^4*sin(d*x+c)+1/d*a^4*C*sin(d*
x+c)+2/d*A*a^3*b*sin(d*x+c)*cos(d*x+c)+2*a^3*A*b*x+2/d*A*a^3*b*c+4*a^3*b*C*
x+4/d*C*a^3*b*c+6/d*A*a^2*b^2*sin(d*x+c)+6/d*C*a^2*b^2*ln(sec(d*x+c)+tan(d*
x+c))+4*A*a*b^3*x+4/d*A*a*b^3*c+4/d*C*a*b^3*tan(d*x+c)+1/d*A*b^4*ln(sec(d*x
+c)+tan(d*x+c))+1/2/d*C*b^4*sec(d*x+c)*tan(d*x+c)+1/2/d*C*b^4*ln(sec(d*x+c)
+tan(d*x+c))
```

Maxima [A] time = 1.01557, size = 298, normalized size = 1.19

$$4\left(\sin(dx+c)^3 - 3\sin(dx+c)\right)Aa^4 - 12(2dx+2c+\sin(2dx+2c))Aa^3b - 48(dx+c)Ca^3b - 48(dx+c)Aab^3 + 3C$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
maxima")
```

```
[Out] -1/12*(4*(sin(d*x+c)^3 - 3*sin(d*x+c))*A*a^4 - 12*(2*d*x + 2*c + sin(2*
d*x + 2*c))*A*a^3*b - 48*(d*x + c)*C*a^3*b - 48*(d*x + c)*A*a*b^3 + 3*C*b^4
*(2*sin(d*x+c)/(sin(d*x+c)^2 - 1) - log(sin(d*x+c)+1) + log(sin(d*x
+c) - 1)) - 36*C*a^2*b^2*(log(sin(d*x+c)+1) - log(sin(d*x+c) - 1))
- 6*A*b^4*(log(sin(d*x+c)+1) - log(sin(d*x+c) - 1)) - 12*C*a^4*sin(d*
x+c) - 72*A*a^2*b^2*sin(d*x+c) - 48*C*a*b^3*tan(d*x+c))/d
```

Fricas [A] time = 0.581085, size = 516, normalized size = 2.06

$$24\left((A+2C)a^3b + 2Aab^3\right)dx \cos(dx+c)^2 + 3\left(12Ca^2b^2 + (2A+C)b^4\right) \cos(dx+c)^2 \log(\sin(dx+c)+1) - 3\left(12Ca^2b^2 + (2A+C)b^4\right) \cos(dx+c)^2 \log(\sin(dx+c)-1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
fricas")
```

```
[Out] 1/12*(24*((A + 2*C)*a^3*b + 2*A*a*b^3)*d*x*cos(d*x + c)^2 + 3*(12*C*a^2*b^2 +
+ (2*A + C)*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - 3*(12*C*a^2*b^2 +
(2*A + C)*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(2*A*a^4*cos(d*x +
c)^4 + 12*A*a^3*b*cos(d*x + c)^3 + 24*C*a*b^3*cos(d*x + c) + 3*C*b^4 + 2*(
(2*A + 3*C)*a^4 + 18*A*a^2*b^2)*cos(d*x + c)^2)*sin(d*x + c))/(d*cos(d*x +
c)^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.24721, size = 537, normalized size = 2.14

$$12(Aa^3b + 2Ca^3b + 2Aab^3)(dx + c) + 3(12Ca^2b^2 + 2Ab^4 + Cb^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(12Ca^2b^2 + 2Ab^4 + Cb^4)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
giac")
```

```
[Out] 1/6*(12*(A*a^3*b + 2*C*a^3*b + 2*A*a*b^3)*(d*x + c) + 3*(12*C*a^2*b^2 + 2*A
*b^4 + C*b^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(12*C*a^2*b^2 + 2*A*b^
4 + C*b^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 6*(8*C*a*b^3*tan(1/2*d*x +
1/2*c)^3 - C*b^4*tan(1/2*d*x + 1/2*c)^3 - 8*C*a*b^3*tan(1/2*d*x + 1/2*c) -
C*b^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2 + 4*(3*A*a^4*tan
(1/2*d*x + 1/2*c)^5 + 3*C*a^4*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^3*b*tan(1/2*d*
x + 1/2*c)^5 + 18*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 2*A*a^4*tan(1/2*d*x +
1/2*c)^3 + 6*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 36*A*a^2*b^2*tan(1/2*d*x + 1/2*
c)^3 + 3*A*a^4*tan(1/2*d*x + 1/2*c) + 3*C*a^4*tan(1/2*d*x + 1/2*c) + 6*A*a^
3*b*tan(1/2*d*x + 1/2*c) + 18*A*a^2*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x
+ 1/2*c)^2 + 1)^3)/d
```

3.669 $\int \cos^4(c+dx)(a+b \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=246

$$\frac{ab(a^2(23A + 36C) + 12Ab^2) \sin(c + dx)}{12d} - \frac{b^2(3a^2(3A + 4C) + 2b^2(13A - 12C)) \tan(c + dx)}{24d} + \frac{(a^2(3A + 4C) + 4Ab^2) \operatorname{arctan}(\sin(c + dx))}{d}$$

```
[Out] ((8*A*b^4 + 24*a^2*b^2*(A + 2*C) + a^4*(3*A + 4*C))*x)/8 + (4*a*b^3*C*ArcTan[
Sin[c + d*x]])/d + (a*b*(12*A*b^2 + a^2*(23*A + 36*C))*Sin[c + d*x])/(12
*d) + ((4*A*b^2 + a^2*(3*A + 4*C))*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[
c + d*x])/(8*d) + (A*b*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/
(3*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(4*d) - (b^2
*(2*b^2*(13*A - 12*C) + 3*a^2*(3*A + 4*C))*Tan[c + d*x])/(24*d)
```

Rubi [A] time = 0.846502, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4094, 4076, 4047, 8, 4045, 3770}

$$\frac{ab(a^2(23A + 36C) + 12Ab^2) \sin(c + dx)}{12d} - \frac{b^2(3a^2(3A + 4C) + 2b^2(13A - 12C)) \tan(c + dx)}{24d} + \frac{(a^2(3A + 4C) + 4Ab^2) \operatorname{arctan}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] ((8*A*b^4 + 24*a^2*b^2*(A + 2*C) + a^4*(3*A + 4*C))*x)/8 + (4*a*b^3*C*ArcTan[
Sin[c + d*x]])/d + (a*b*(12*A*b^2 + a^2*(23*A + 36*C))*Sin[c + d*x])/(12
*d) + ((4*A*b^2 + a^2*(3*A + 4*C))*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[
c + d*x])/(8*d) + (A*b*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/
(3*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(4*d) - (b^2
*(2*b^2*(13*A - 12*C) + 3*a^2*(3*A + 4*C))*Tan[c + d*x])/(24*d)
```

Rule 4095

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m
- a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2
, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ
[m, 0] && LeQ[n, -1]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(
B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx &= \frac{A\cos^3(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{4d} + \frac{1}{4}\int \cos^3(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))dx \\
&= \frac{Ab\cos^2(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{3d} + \frac{A\cos^3(c+dx)(a+b\sec(c+dx))^4(A+C\sec^2(c+dx))}{4d} \\
&= \frac{(4Ab^2+a^2(3A+4C))\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{8d} \\
&= \frac{(4Ab^2+a^2(3A+4C))\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{8d} \\
&= \frac{(4Ab^2+a^2(3A+4C))\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{8d} \\
&= \frac{1}{8}(8Ab^4+24a^2b^2(A+2C)+a^4(3A+4C))x + \frac{ab(12Ab^2+12a^2C)\sin^2(c+dx)}{8d} \\
&= \frac{1}{8}(8Ab^4+24a^2b^2(A+2C)+a^4(3A+4C))x + \frac{4ab^3C\tan(c+dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 1.39823, size = 270, normalized size = 1.1

$$12(c+dx)(24a^2b^2(A+2C)+a^4(3A+4C)+8Ab^4)+24a^2(a^2(A+C)+6Ab^2)\sin(2(c+dx))+96ab(a^2(3A+4C)+4a^2C)\tan(c+dx)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (12*(8*A*b^4 + 24*a^2*b^2*(A + 2*C) + a^4*(3*A + 4*C))*(c + d*x) - 384*a*b^3*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 384*a*b^3*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (96*b^4*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (96*b^4*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 96*a*b*(4*A*b^2 + a^2*(3*A + 4*C))*Sin[c + d*x] + 24*a^2*(6*A*b^2 + a^2*(A + C))*Sin[2*(c + d*x)] + 32*a^3*A*b*Sin[3*(c + d*x)] + 3*a^4*A*Sin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.071, size = 296, normalized size = 1.2

$$\frac{Aa^4\sin(dx+c)(\cos(dx+c))^3}{4d} + \frac{3Aa^4\cos(dx+c)\sin(dx+c)}{8d} + \frac{3a^4Ax}{8} + \frac{3Aa^4c}{8d} + \frac{a^4C\sin(dx+c)\cos(dx+c)}{2d} + \frac{4ab^3C\tan(c+dx)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^4*(a+b*\sec(dx+c))^4*(A+C*\sec(dx+c)^2),x)$

[Out] $\frac{1}{4}dAa^4\sin(dx+c)\cos(dx+c)^3 + \frac{3}{8}dAa^4\cos(dx+c)\sin(dx+c) + \frac{3}{8}a^4Ax + \frac{3}{8}dAa^4c + \frac{1}{2}d^4C\sin(dx+c)\cos(dx+c) + \frac{1}{2}a^4Cx + \frac{1}{2}dCa^4c + \frac{4}{3}dA\cos(dx+c)^2\sin(dx+c)a^3b + \frac{8}{3}dAa^3b\sin(dx+c) + \frac{4}{d}a^3bC\sin(dx+c) + \frac{3}{d}Aa^2b^2\sin(dx+c)\cos(dx+c) + 3Aa^2b^2x + \frac{3}{d}Aa^2b^2c + 6Ca^2b^2x + \frac{6}{d}Ca^2b^2c + \frac{4}{d}Aa^3b\sin(dx+c) + \frac{4}{d}Ca^3b\ln(\sec(dx+c) + \tan(dx+c)) + Ab^4x + \frac{1}{d}Ab^4c + \frac{1}{d}Cb^4\tan(dx+c)$

Maxima [A] time = 1.01347, size = 275, normalized size = 1.12

$3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^4 + 24(2dx + 2c + \sin(2dx + 2c))Ca^4 - 128(\sin(dx + c)^3 - 3$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^4*(a+b*\sec(dx+c))^4*(A+C*\sec(dx+c)^2),x, \text{algorithm}="maxima")$

[Out] $\frac{1}{96}(3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^4 + 24(2dx + 2c + \sin(2dx + 2c))Ca^4 - 128(\sin(dx + c)^3 - 3\sin(dx + c))Aa^3b + 144(2dx + 2c + \sin(2dx + 2c))Aa^2b^2 + 576(dx + c)Ca^2b^2 + 96(dx + c)Ab^4 + 192Ca^3b(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 384Ca^3b\sin(dx + c) + 384Aa^3b\sin(dx + c) + 96Cb^4\tan(dx + c))/d$

Fricas [A] time = 0.584909, size = 504, normalized size = 2.05

$48Cab^3\cos(dx+c)\log(\sin(dx+c)+1) - 48Cab^3\cos(dx+c)\log(-\sin(dx+c)+1) + 3((3A+4C)a^4 + 24(A+2$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^4*(a+b*\sec(dx+c))^4*(A+C*\sec(dx+c)^2),x, \text{algorithm}="fricas")$

[Out] $\frac{1}{24}(48Ca^3b^3\cos(dx+c)\log(\sin(dx+c)+1) - 48Ca^3b^3\cos(dx+c)\log(-\sin(dx+c)+1) + 3((3A+4C)a^4 + 24(A+2C)a^2b^2 + 8A$

$$*b^4)*d*x*\cos(d*x + c) + (6*A*a^4*\cos(d*x + c)^4 + 32*A*a^3*b*\cos(d*x + c)^3 + 24*C*b^4 + 3*((3*A + 4*C)*a^4 + 24*A*a^2*b^2)*\cos(d*x + c)^2 + 32*((2*A + 3*C)*a^3*b + 3*A*a*b^3)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c))$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.28809, size = 753, normalized size = 3.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{24}*(96*C*a*b^3*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 96*C*a*b^3*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 48*C*b^4*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) + 3*(3*A*a^4 + 4*C*a^4 + 24*A*a^2*b^2 + 48*C*a^2*b^2 + 8*A*b^4)*(d*x + c) - 2*(15*A*a^4*\tan(1/2*d*x + 1/2*c)^7 + 12*C*a^4*\tan(1/2*d*x + 1/2*c)^7 - 96*A*a^3*b*\tan(1/2*d*x + 1/2*c)^7 - 96*C*a^3*b*\tan(1/2*d*x + 1/2*c)^7 + 72*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 - 96*A*a*b^3*\tan(1/2*d*x + 1/2*c)^7 - 9*A*a^4*\tan(1/2*d*x + 1/2*c)^5 + 12*C*a^4*\tan(1/2*d*x + 1/2*c)^5 - 160*A*a^3*b*\tan(1/2*d*x + 1/2*c)^5 - 288*C*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 72*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 - 288*A*a*b^3*\tan(1/2*d*x + 1/2*c)^5 + 9*A*a^4*\tan(1/2*d*x + 1/2*c)^3 - 12*C*a^4*\tan(1/2*d*x + 1/2*c)^3 - 160*A*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 288*C*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 72*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 - 288*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 15*A*a^4*\tan(1/2*d*x + 1/2*c) - 12*C*a^4*\tan(1/2*d*x + 1/2*c) - 96*A*a^3*b*\tan(1/2*d*x + 1/2*c) - 96*C*a^3*b*\tan(1/2*d*x + 1/2*c) - 72*A*a^2*b^2*\tan(1/2*d*x + 1/2*c) - 96*A*a*b^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^4)/d$

$$3.670 \quad \int \cos^5(c+dx)(a+b \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=250

$$\frac{(a^2b^2(56A + 85C) + 2a^4(4A + 5C) + 6Ab^4) \sin(c + dx)}{15d} + \frac{ab(a^2(29A + 40C) + 6Ab^2) \sin(c + dx) \cos(c + dx)}{30d} + \frac{(a^2(4$$

```
[Out] (a*b*(4*b^2*(A + 2*C) + a^2*(3*A + 4*C))*x)/2 + (b^4*C*ArcTanh[Sin[c + d*x]]/d + ((6*A*b^4 + 2*a^4*(4*A + 5*C) + a^2*b^2*(56*A + 85*C))*Sin[c + d*x])/(15*d) + (a*b*(6*A*b^2 + a^2*(29*A + 40*C))*Cos[c + d*x]*Sin[c + d*x])/(30*d) + ((3*A*b^2 + a^2*(4*A + 5*C))*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(15*d) + (A*b*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(5*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 0.884453, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4094, 4074, 4047, 8, 4045, 3770}

$$\frac{(a^2b^2(56A + 85C) + 2a^4(4A + 5C) + 6Ab^4) \sin(c + dx)}{15d} + \frac{ab(a^2(29A + 40C) + 6Ab^2) \sin(c + dx) \cos(c + dx)}{30d} + \frac{(a^2(4$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*b*(4*b^2*(A + 2*C) + a^2*(3*A + 4*C))*x)/2 + (b^4*C*ArcTanh[Sin[c + d*x]]/d + ((6*A*b^4 + 2*a^4*(4*A + 5*C) + a^2*b^2*(56*A + 85*C))*Sin[c + d*x])/(15*d) + (a*b*(6*A*b^2 + a^2*(29*A + 40*C))*Cos[c + d*x]*Sin[c + d*x])/(30*d) + ((3*A*b^2 + a^2*(4*A + 5*C))*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(15*d) + (A*b*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(5*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(5*d)
```

Rule 4095

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(
B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^4(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx \\
&= \frac{Ab \cos^3(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{5d} + \frac{A \cos^4(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx))}{5d} \\
&= \frac{(3Ab^2 + a^2(4A + 5C)) \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{15d} \\
&= \frac{ab(6Ab^2 + a^2(29A + 40C)) \cos(c + dx) \sin(c + dx)}{30d} + \frac{(3Ab^2 + a^2(4A + 5C)) \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{15d} \\
&= \frac{ab(6Ab^2 + a^2(29A + 40C)) \cos(c + dx) \sin(c + dx)}{30d} + \frac{(3Ab^2 + a^2(4A + 5C)) \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{15d} \\
&= \frac{1}{2} ab(4b^2(A + 2C) + a^2(3A + 4C)) x + \frac{(6Ab^4 + 2a^4(4A + 5C)) \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{15d} \\
&= \frac{1}{2} ab(4b^2(A + 2C) + a^2(3A + 4C)) x + \frac{b^4 C \tanh^{-1}(\sin(c + dx))}{d}
\end{aligned}$$

Mathematica [A] time = 0.83344, size = 223, normalized size = 0.89

$$120ab(c + dx)(a^2(3A + 4C) + 4b^2(A + 2C)) + 5a^2(a^2(5A + 4C) + 24Ab^2) \sin(3(c + dx)) + 240ab(a^2(A + C) + Ab^2) \sin(3(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (120*a*b*(4*b^2*(A + 2*C) + a^2*(3*A + 4*C))*(c + d*x) - 240*b^4*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 240*b^4*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 30*(8*A*b^4 + 12*a^2*b^2*(3*A + 4*C) + a^4*(5*A + 6*C))*Sin[c + d*x] + 240*a*b*(A*b^2 + a^2*(A + C))*Sin[2*(c + d*x)] + 5*a^2*(24*A*b^2 + a^2*(5*A + 4*C))*Sin[3*(c + d*x)] + 30*a^3*A*b*Sin[4*(c + d*x)] + 3*a^4*A*Sin[5*(c + d*x)]/(240*d)

Maple [A] time = 0.085, size = 364, normalized size = 1.5

$$\frac{8 A a^4 \sin(dx + c)}{15 d} + \frac{A a^4 \sin(dx + c) (\cos(dx + c))^4}{5 d} + \frac{4 A (\cos(dx + c))^2 \sin(dx + c) a^4}{15 d} + \frac{C \sin(dx + c) (\cos(dx + c))}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)`

[Out] $\frac{8}{15} \frac{a^4 \sin(dx+c)}{d} + \frac{1}{5} \frac{a^4 \sin(dx+c) \cos(dx+c)}{d} + \frac{4}{15} \frac{\cos(dx+c)^4}{d} + \frac{4}{15} \frac{\cos(dx+c)^2 \sin(dx+c) a^4}{d} + \frac{1}{3} \frac{C \sin(dx+c) \cos(dx+c)^2 a^4}{d} + \frac{2}{3} \frac{a^4 C \sin(dx+c)}{d} + \frac{1}{d} \frac{a^3 b \sin(dx+c) \cos(dx+c)^3}{d} + \frac{3}{2} \frac{a^3 b \sin(dx+c) \cos(dx+c)}{d} + \frac{3}{2} \frac{a^3 A b x}{d} + \frac{3}{2} \frac{a^3 b C}{d} + \frac{2}{d} \frac{a^3 b C \cos(dx+c) \sin(dx+c)}{d} + \frac{2}{d} \frac{a^3 b C x}{d} + \frac{2}{d} \frac{a^3 b C}{d} + \frac{2}{d} \frac{a \sin(dx+c) \cos(dx+c)^2 a^2 b^2}{d} + \frac{4}{d} \frac{a^2 b^2 \sin(dx+c)}{d} + \frac{6}{d} \frac{C a^2 b^2 \sin(dx+c)}{d} + \frac{2}{d} \frac{A a b^3 \cos(dx+c) \sin(dx+c)}{d} + \frac{2}{d} \frac{A a b^3 x}{d} + \frac{2}{d} \frac{A a b^3 C}{d} + \frac{4}{d} \frac{C a b^3 x}{d} + \frac{4}{d} \frac{C a b^3 C}{d} + \frac{1}{d} \frac{A b^4 \sin(dx+c)}{d} + \frac{1}{d} \frac{C b^4 \ln(\sec(dx+c) + \tan(dx+c))}{d}$

Maxima [A] time = 0.987768, size = 323, normalized size = 1.29

$$\frac{8(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) A a^4 - 40(\sin(dx+c)^3 - 3 \sin(dx+c)) C a^4 + 15(12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^3 b + 120(2 dx + 2 c + \sin(2 dx + 2 c)) C a^3 b - 240(\sin(dx+c)^3 - 3 \sin(dx+c)) A a^2 b^2 + 120(2 dx + 2 c + \sin(2 dx + 2 c)) A a b^3 + 480(dx+c) C a b^3 + 60 C b^4 (\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) + 720 C a^2 b^2 \sin(dx+c) + 120 A b^4 \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{120} (8(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) A a^4 - 40(\sin(dx+c)^3 - 3 \sin(dx+c)) C a^4 + 15(12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^3 b + 120(2 dx + 2 c + \sin(2 dx + 2 c)) C a^3 b - 240(\sin(dx+c)^3 - 3 \sin(dx+c)) A a^2 b^2 + 120(2 dx + 2 c + \sin(2 dx + 2 c)) A a b^3 + 480(dx+c) C a b^3 + 60 C b^4 (\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) + 720 C a^2 b^2 \sin(dx+c) + 120 A b^4 \sin(dx+c)) / d$

Fricas [A] time = 0.57952, size = 473, normalized size = 1.89

$$15 C b^4 \log(\sin(dx+c) + 1) - 15 C b^4 \log(-\sin(dx+c) + 1) + 15((3 A + 4 C) a^3 b + 4(A + 2 C) a b^3) dx + (6 A a^4 \cos(dx+c) + 12 C a^4 \sin(dx+c)) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

```
[Out] 1/30*(15*C*b^4*log(sin(d*x + c) + 1) - 15*C*b^4*log(-sin(d*x + c) + 1) + 15
*((3*A + 4*C)*a^3*b + 4*(A + 2*C)*a*b^3)*d*x + (6*A*a^4*cos(d*x + c)^4 + 30
*A*a^3*b*cos(d*x + c)^3 + 4*(4*A + 5*C)*a^4 + 60*(2*A + 3*C)*a^2*b^2 + 30*A
*b^4 + 2*((4*A + 5*C)*a^4 + 30*A*a^2*b^2)*cos(d*x + c)^2 + 15*((3*A + 4*C)*
a^3*b + 4*A*a*b^3)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.28982, size = 1017, normalized size = 4.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
giac")
```

```
[Out] 1/30*(30*C*b^4*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 30*C*b^4*log(abs(tan(1/
2*d*x + 1/2*c) - 1)) + 15*(3*A*a^3*b + 4*C*a^3*b + 4*A*a*b^3 + 8*C*a*b^3)*(
d*x + c) + 2*(30*A*a^4*tan(1/2*d*x + 1/2*c)^9 + 30*C*a^4*tan(1/2*d*x + 1/2*
c)^9 - 75*A*a^3*b*tan(1/2*d*x + 1/2*c)^9 - 60*C*a^3*b*tan(1/2*d*x + 1/2*c)^
9 + 180*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 + 180*C*a^2*b^2*tan(1/2*d*x + 1/2*
c)^9 - 60*A*a*b^3*tan(1/2*d*x + 1/2*c)^9 + 30*A*b^4*tan(1/2*d*x + 1/2*c)^9
+ 40*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 80*C*a^4*tan(1/2*d*x + 1/2*c)^7 - 30*A*
a^3*b*tan(1/2*d*x + 1/2*c)^7 - 120*C*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 480*A*a
^2*b^2*tan(1/2*d*x + 1/2*c)^7 + 720*C*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 120*
A*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 120*A*b^4*tan(1/2*d*x + 1/2*c)^7 + 116*A*a
^4*tan(1/2*d*x + 1/2*c)^5 + 100*C*a^4*tan(1/2*d*x + 1/2*c)^5 + 600*A*a^2*b^
2*tan(1/2*d*x + 1/2*c)^5 + 1080*C*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 180*A*b^
4*tan(1/2*d*x + 1/2*c)^5 + 40*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 80*C*a^4*tan(1
/2*d*x + 1/2*c)^3 + 30*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 + 120*C*a^3*b*tan(1/2
```

$$\begin{aligned} & *d*x + 1/2*c)^3 + 480*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 720*C*a^2*b^2*\tan(\\ & 1/2*d*x + 1/2*c)^3 + 120*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 120*A*b^4*\tan(1/2 \\ & *d*x + 1/2*c)^3 + 30*A*a^4*\tan(1/2*d*x + 1/2*c) + 30*C*a^4*\tan(1/2*d*x + 1/ \\ & 2*c) + 75*A*a^3*b*\tan(1/2*d*x + 1/2*c) + 60*C*a^3*b*\tan(1/2*d*x + 1/2*c) + \\ & 180*A*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 180*C*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 6 \\ & 0*A*a*b^3*\tan(1/2*d*x + 1/2*c) + 30*A*b^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d* \\ & x + 1/2*c)^2 + 1)^5)/d \end{aligned}$$

3.671 $\int \cos^6(c+dx)(a+b \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=298

$$\frac{4ab(2a^2(4A+5C)+5b^2(2A+3C))\sin(c+dx)}{15d} + \frac{ab(a^2(39A+50C)+4Ab^2)\sin(c+dx)\cos^2(c+dx)}{60d} + \frac{(10a^2b^2(49A+66C)+12a^2b^2(3A+4C)+a^4(5A+6C))\cos(c+dx)\sin(c+dx)}{60d} + \frac{(24A^2b^4+15a^4(5A+6C)+10a^2b^2(49A+66C))\cos^2(c+dx)\sin^2(c+dx)}{240d} + \frac{(a^2b^2(4A+5C)+a^2(39A+50C))\cos^3(c+dx)\sin^2(c+dx)}{60d} + \frac{(12A^2b^2+5a^2(5A+6C))\cos^4(c+dx)\sin^3(c+dx)}{120d} + \frac{(2A^2b^2\cos^4(c+dx)(a+b\sec(c+dx))^3\sin^4(c+dx))}{15d} + \frac{(A\cos^5(c+dx)(a+b\sec(c+dx))^4\sin^4(c+dx))}{6d}$$

[Out] $((8*b^4*(A + 2*C) + 12*a^2*b^2*(3*A + 4*C) + a^4*(5*A + 6*C))*x)/16 + (4*a*b*(5*b^2*(2*A + 3*C) + 2*a^2*(4*A + 5*C))*\text{Sin}[c + d*x])/(15*d) + ((24*A*b^4 + 15*a^4*(5*A + 6*C) + 10*a^2*b^2*(49*A + 66*C))*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(240*d) + (a*b*(4*A*b^2 + a^2*(39*A + 50*C))*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(60*d) + ((12*A*b^2 + 5*a^2*(5*A + 6*C))*\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(120*d) + (2*A*b*\text{Cos}[c + d*x]^4*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(15*d) + (A*\text{Cos}[c + d*x]^5*(a + b*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(6*d)$

Rubi [A] time = 1.03726, antiderivative size = 298, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4094, 4074, 4047, 2637, 4045, 8}

$$\frac{4ab(2a^2(4A+5C)+5b^2(2A+3C))\sin(c+dx)}{15d} + \frac{ab(a^2(39A+50C)+4Ab^2)\sin(c+dx)\cos^2(c+dx)}{60d} + \frac{(10a^2b^2(49A+66C)+12a^2b^2(3A+4C)+a^4(5A+6C))\cos(c+dx)\sin(c+dx)}{60d} + \frac{(24A^2b^4+15a^4(5A+6C)+10a^2b^2(49A+66C))\cos^2(c+dx)\sin^2(c+dx)}{240d} + \frac{(a^2b^2(4A+5C)+a^2(39A+50C))\cos^3(c+dx)\sin^2(c+dx)}{60d} + \frac{(12A^2b^2+5a^2(5A+6C))\cos^4(c+dx)\sin^3(c+dx)}{120d} + \frac{(2A^2b^2\cos^4(c+dx)(a+b\sec(c+dx))^3\sin^4(c+dx))}{15d} + \frac{(A\cos^5(c+dx)(a+b\sec(c+dx))^4\sin^4(c+dx))}{6d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^6*(a + b*\text{Sec}[c + d*x])^4*(A + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((8*b^4*(A + 2*C) + 12*a^2*b^2*(3*A + 4*C) + a^4*(5*A + 6*C))*x)/16 + (4*a*b*(5*b^2*(2*A + 3*C) + 2*a^2*(4*A + 5*C))*\text{Sin}[c + d*x])/(15*d) + ((24*A*b^4 + 15*a^4*(5*A + 6*C) + 10*a^2*b^2*(49*A + 66*C))*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(240*d) + (a*b*(4*A*b^2 + a^2*(39*A + 50*C))*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(60*d) + ((12*A*b^2 + 5*a^2*(5*A + 6*C))*\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(120*d) + (2*A*b*\text{Cos}[c + d*x]^4*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(15*d) + (A*\text{Cos}[c + d*x]^5*(a + b*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(6*d)$

Rule 4095

$\text{Int}[(A + C \csc(e + f*x) + C \csc(e + f*x) + C \csc(e + f*x))^n * (a + b \csc(e + f*x))^m * (d \csc(e + f*x))^n, x] - \text{Dist}[1/(d*n), \text{Int}[(a + b \csc(e + f*x))^{m-1} * (d \csc(e + f*x))^{n+1} * \text{Simp}[A*b*m$

- a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^5(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{6d} + \frac{1}{6} \int \cos^5(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx \\
 &= \frac{2Ab \cos^4(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{15d} + \frac{A \cos^5(c + dx)(a + b \sec(c + dx))^4}{6d} \\
 &= \frac{(12Ab^2 + 5a^2(5A + 6C)) \cos^3(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{120d} \\
 &= \frac{ab(4Ab^2 + a^2(39A + 50C)) \cos^2(c + dx) \sin(c + dx)}{60d} + \frac{A \cos^5(c + dx)(a + b \sec(c + dx))^4}{6d} \\
 &= \frac{ab(4Ab^2 + a^2(39A + 50C)) \cos^2(c + dx) \sin(c + dx)}{60d} + \frac{A \cos^5(c + dx)(a + b \sec(c + dx))^4}{6d} \\
 &= \frac{4ab(5b^2(2A + 3C) + 2a^2(4A + 5C)) \sin(c + dx)}{15d} + \frac{(24A^2 + 12Ab^2 + 5a^2(5A + 6C)) \cos^3(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{120d} \\
 &= \frac{1}{16} (8b^4(A + 2C) + 12a^2b^2(3A + 4C) + a^4(5A + 6C)) x + \frac{ab(4Ab^2 + a^2(39A + 50C)) \cos^2(c + dx) \sin(c + dx)}{60d} + \frac{A \cos^5(c + dx)(a + b \sec(c + dx))^4}{6d}
 \end{aligned}$$

Mathematica [A] time = 0.906359, size = 302, normalized size = 1.01

$$\frac{480ab(a^2(5A + 6C) + 2b^2(3A + 4C)) \sin(c + dx) + 15(96a^2b^2(A + C) + a^4(15A + 16C) + 16Ab^4) \sin(2(c + dx)) + 180A \cos^5(c + dx)(a + b \sec(c + dx))^4}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (300*a^4*A*c + 2160*a^2*A*b^2*c + 480*A*b^4*c + 360*a^4*c*C + 2880*a^2*b^2*c*C + 960*b^4*c*C + 300*a^4*A*d*x + 2160*a^2*A*b^2*d*x + 480*A*b^4*d*x + 360*a^4*C*d*x + 2880*a^2*b^2*C*d*x + 960*b^4*C*d*x + 480*a*b*(2*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*Sin[c + d*x] + 15*(16*A*b^4 + 96*a^2*b^2*(A + C) + a^4*(15*A + 16*C))*Sin[2*(c + d*x)] + 400*a^3*A*b*Ssin[3*(c + d*x)] + 320*a*A*b^3*Ssin[3*(c + d*x)] + 320*a^3*b*C*Ssin[3*(c + d*x)] + 45*a^4*A*Ssin[4*(c + d*x)] + 180*a^2*A*b^2*Ssin[4*(c + d*x)] + 30*a^4*C*Ssin[4*(c + d*x)] + 48*a^3*A*b*Ssin[5*(c + d*x)] + 5*a^4*A*Ssin[6*(c + d*x)])/(960*d)

Maple [A] time = 0.084, size = 294, normalized size = 1.

$$\frac{1}{d} \left(Aa^4 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{4Aa^3b\sin(dx+c)}{5} \left(\frac{8}{3} + c \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x)`

[Out] `1/d*(A*a^4*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+4/5*A*a^3*b*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+6*A*a^2*b^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a^4*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4/3*A*a*b^3*(2+cos(d*x+c)^2)*sin(d*x+c)+4/3*a^3*b*C*(2+cos(d*x+c)^2)*sin(d*x+c)+A*b^4*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+6*C*a^2*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+4*C*a*b^3*sin(d*x+c)+C*b^4*(d*x+c))`

Maxima [A] time = 1.01971, size = 382, normalized size = 1.28

$$\frac{5(4\sin(2dx+2c)^3 - 60dx - 60c - 9\sin(4dx+4c) - 48\sin(2dx+2c))Aa^4 - 30(12dx + 12c + \sin(4dx+4c) + 8\sin(2dx+2c))Ca^4 - 256(3\sin(dx+c)^5 - 10\sin(dx+c)^3 + 15\sin(dx+c))Aa^3b + 1280(\sin(dx+c)^3 - 3\sin(dx+c))Ca^3b - 180(12dx + 12c + \sin(4dx+4c) + 8\sin(2dx+2c))Aa^2b^2 - 1440(2dx + 2c + \sin(2dx+2c))Ca^2b^2 + 1280(\sin(dx+c)^3 - 3\sin(dx+c))Aa^2b^3 - 240(2dx + 2c + \sin(2dx+2c))Aab^4 - 960(dx+c)Cb^4 - 3840Ca^2b^3\sin(dx+c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] `-1/960*(5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*a^4 - 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^4 - 256*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^3*b + 1280*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^3*b - 180*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2*b^2 - 1440*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2*b^2 + 1280*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2*b^3 - 240*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*b^4 - 960*(d*x + c)*C*b^4 - 3840*C*a*b^3*sin(d*x + c))/d`

Fricas [A] time = 0.567601, size = 504, normalized size = 1.69

$$15((5A+6C)a^4 + 12(3A+4C)a^2b^2 + 8(A+2C)b^4)dx + (40Aa^4\cos(dx+c)^5 + 192Aa^3b\cos(dx+c)^4 + 128(4A + 6C)a^2b^3\sin(dx+c)^3 - 60(4A+6C)dx - 60(4A+6C)c - 9(4A+6C)\sin(4dx+4c) - 48(4A+6C)\sin(2dx+2c))Aa^4 - 30(12dx + 12c + \sin(4dx+4c) + 8\sin(2dx+2c))Ca^4 - 256(3\sin(dx+c)^5 - 10\sin(dx+c)^3 + 15\sin(dx+c))Aa^3b + 1280(\sin(dx+c)^3 - 3\sin(dx+c))Ca^3b - 180(12dx + 12c + \sin(4dx+4c) + 8\sin(2dx+2c))Aa^2b^2 - 1440(2dx + 2c + \sin(2dx+2c))Ca^2b^2 + 1280(\sin(dx+c)^3 - 3\sin(dx+c))Aa^2b^3 - 240(2dx + 2c + \sin(2dx+2c))Aab^4 - 960(dx+c)Cb^4 - 3840Ca^2b^3\sin(dx+c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
fricas")
```

```
[Out] 1/240*(15*((5*A + 6*C)*a^4 + 12*(3*A + 4*C)*a^2*b^2 + 8*(A + 2*C)*b^4)*d*x
+ (40*A*a^4*cos(d*x + c)^5 + 192*A*a^3*b*cos(d*x + c)^4 + 128*(4*A + 5*C)*a
^3*b + 320*(2*A + 3*C)*a*b^3 + 10*((5*A + 6*C)*a^4 + 36*A*a^2*b^2)*cos(d*x
+ c)^3 + 64*((4*A + 5*C)*a^3*b + 5*A*a*b^3)*cos(d*x + c)^2 + 15*((5*A + 6*C
)*a^4 + 12*(3*A + 4*C)*a^2*b^2 + 8*A*b^4)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**6*(a+b*sec(d*x+c))**4*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.27712, size = 1396, normalized size = 4.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="
giac")
```

```
[Out] 1/240*(15*(5*A*a^4 + 6*C*a^4 + 36*A*a^2*b^2 + 48*C*a^2*b^2 + 8*A*b^4 + 16*C
*b^4)*(d*x + c) - 2*(165*A*a^4*tan(1/2*d*x + 1/2*c)^11 + 150*C*a^4*tan(1/2*
d*x + 1/2*c)^11 - 960*A*a^3*b*tan(1/2*d*x + 1/2*c)^11 - 960*C*a^3*b*tan(1/2
*d*x + 1/2*c)^11 + 900*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^11 + 720*C*a^2*b^2*ta
n(1/2*d*x + 1/2*c)^11 - 960*A*a*b^3*tan(1/2*d*x + 1/2*c)^11 - 960*C*a*b^3*t
an(1/2*d*x + 1/2*c)^11 + 120*A*b^4*tan(1/2*d*x + 1/2*c)^11 - 25*A*a^4*tan(1
/2*d*x + 1/2*c)^9 + 210*C*a^4*tan(1/2*d*x + 1/2*c)^9 - 2240*A*a^3*b*tan(1/2
*d*x + 1/2*c)^9 - 3520*C*a^3*b*tan(1/2*d*x + 1/2*c)^9 + 1260*A*a^2*b^2*tan(
1/2*d*x + 1/2*c)^9 + 2160*C*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 - 3520*A*a*b^3*t
```

$$\begin{aligned}
& \tan(1/2*d*x + 1/2*c)^9 - 4800*C*a*b^3*\tan(1/2*d*x + 1/2*c)^9 + 360*A*b^4*\tan \\
& (1/2*d*x + 1/2*c)^9 + 450*A*a^4*\tan(1/2*d*x + 1/2*c)^7 + 60*C*a^4*\tan(1/2*d \\
& *x + 1/2*c)^7 - 4992*A*a^3*b*\tan(1/2*d*x + 1/2*c)^7 - 5760*C*a^3*b*\tan(1/2* \\
& d*x + 1/2*c)^7 + 360*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 + 1440*C*a^2*b^2*\tan(\\
& 1/2*d*x + 1/2*c)^7 - 5760*A*a*b^3*\tan(1/2*d*x + 1/2*c)^7 - 9600*C*a*b^3*\tan \\
& (1/2*d*x + 1/2*c)^7 + 240*A*b^4*\tan(1/2*d*x + 1/2*c)^7 - 450*A*a^4*\tan(1/2* \\
& d*x + 1/2*c)^5 - 60*C*a^4*\tan(1/2*d*x + 1/2*c)^5 - 4992*A*a^3*b*\tan(1/2*d*x \\
& + 1/2*c)^5 - 5760*C*a^3*b*\tan(1/2*d*x + 1/2*c)^5 - 360*A*a^2*b^2*\tan(1/2*d \\
& *x + 1/2*c)^5 - 1440*C*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 - 5760*A*a*b^3*\tan(1/ \\
& 2*d*x + 1/2*c)^5 - 9600*C*a*b^3*\tan(1/2*d*x + 1/2*c)^5 - 240*A*b^4*\tan(1/2* \\
& d*x + 1/2*c)^5 + 25*A*a^4*\tan(1/2*d*x + 1/2*c)^3 - 210*C*a^4*\tan(1/2*d*x + \\
& 1/2*c)^3 - 2240*A*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 3520*C*a^3*b*\tan(1/2*d*x + \\
& 1/2*c)^3 - 1260*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 - 2160*C*a^2*b^2*\tan(1/2* \\
& d*x + 1/2*c)^3 - 3520*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 4800*C*a*b^3*\tan(1/2 \\
& *d*x + 1/2*c)^3 - 360*A*b^4*\tan(1/2*d*x + 1/2*c)^3 - 165*A*a^4*\tan(1/2*d*x \\
& + 1/2*c) - 150*C*a^4*\tan(1/2*d*x + 1/2*c) - 960*A*a^3*b*\tan(1/2*d*x + 1/2*c \\
&) - 960*C*a^3*b*\tan(1/2*d*x + 1/2*c) - 900*A*a^2*b^2*\tan(1/2*d*x + 1/2*c) - \\
& 720*C*a^2*b^2*\tan(1/2*d*x + 1/2*c) - 960*A*a*b^3*\tan(1/2*d*x + 1/2*c) - 96 \\
& 0*C*a*b^3*\tan(1/2*d*x + 1/2*c) - 120*A*b^4*\tan(1/2*d*x + 1/2*c))/(tan(1/2*d \\
& *x + 1/2*c)^2 + 1)^6)/d
\end{aligned}$$

$$3.672 \quad \int \cos^7(c+dx)(a+b \sec(c+dx))^4 (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=339

$$\frac{(3a^2b^2(50A + 63C) + 4a^4(6A + 7C) + 4Ab^4) \sin^3(c + dx)}{105d} + \frac{(3a^2b^2(162A + 203C) + 12a^4(6A + 7C) + b^4(74A + 105C)) \cos^3(c + dx)}{105d}$$

[Out] (a*b*(2*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*x)/4 + ((12*a^4*(6*A + 7*C) + b^4*(74*A + 105*C) + 3*a^2*b^2*(162*A + 203*C))*Sin[c + d*x])/(105*d) + (a*b*(2*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*Cos[c + d*x]*Sin[c + d*x])/(4*d) + (a*b*(6*A*b^2 + a^2*(103*A + 126*C))*Cos[c + d*x]^3*SIN[c + d*x])/(210*d) + ((2*A*b^2 + a^2*(6*A + 7*C))*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(35*d) + (2*A*b*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*SIN[c + d*x])/(21*d) + (A*Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*SIN[c + d*x])/(7*d) - ((4*A*b^4 + 4*a^4*(6*A + 7*C) + 3*a^2*b^2*(50*A + 63*C))*Sin[c + d*x]^3)/(105*d)

Rubi [A] time = 1.15132, antiderivative size = 339, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4095, 4094, 4074, 4047, 2635, 8, 4044, 3013}

$$\frac{(3a^2b^2(50A + 63C) + 4a^4(6A + 7C) + 4Ab^4) \sin^3(c + dx)}{105d} + \frac{(3a^2b^2(162A + 203C) + 12a^4(6A + 7C) + b^4(74A + 105C)) \cos^3(c + dx)}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^7*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (a*b*(2*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*x)/4 + ((12*a^4*(6*A + 7*C) + b^4*(74*A + 105*C) + 3*a^2*b^2*(162*A + 203*C))*Sin[c + d*x])/(105*d) + (a*b*(2*b^2*(3*A + 4*C) + a^2*(5*A + 6*C))*Cos[c + d*x]*Sin[c + d*x])/(4*d) + (a*b*(6*A*b^2 + a^2*(103*A + 126*C))*Cos[c + d*x]^3*SIN[c + d*x])/(210*d) + ((2*A*b^2 + a^2*(6*A + 7*C))*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(35*d) + (2*A*b*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*SIN[c + d*x])/(21*d) + (A*Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*SIN[c + d*x])/(7*d) - ((4*A*b^4 + 4*a^4*(6*A + 7*C) + 3*a^2*b^2*(50*A + 63*C))*Sin[c + d*x]^3)/(105*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m

- a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n, x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 4044

Int[csc[(e_.) + (f_.)*(x_)]^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> Int[(C + A*Ssin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[

{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]

Rule 3013

Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2),
x_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2),
x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^7(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx &= \frac{A \cos^6(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{7d} + \frac{1}{7} \int \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + C \sec^2(c + dx)) dx \\
 &= \frac{2Ab \cos^5(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{21d} + \frac{A \cos^6(c + dx)(a + b \sec(c + dx))^4}{21d} \\
 &= \frac{(2Ab^2 + a^2(6A + 7C)) \cos^4(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{35d} \\
 &= \frac{ab(6Ab^2 + a^2(103A + 126C)) \cos^3(c + dx) \sin(c + dx)}{210d} \\
 &= \frac{ab(6Ab^2 + a^2(103A + 126C)) \cos^3(c + dx) \sin(c + dx)}{210d} \\
 &= \frac{ab(2b^2(3A + 4C) + a^2(5A + 6C)) \cos(c + dx) \sin(c + dx)}{4d} \\
 &= \frac{1}{4} ab(2b^2(3A + 4C) + a^2(5A + 6C)) x + \frac{ab(2b^2(3A + 4C) + a^2(5A + 6C)) \sin(2(c + dx))}{4} \\
 &= \frac{1}{4} ab(2b^2(3A + 4C) + a^2(5A + 6C)) x + \frac{(12a^4(6A + 7C) + 48a^2b^2(5A + 6C) + 5a^4(7A + 8C) + 16b^4(3A + 4C)) \sin(2(c + dx))}{4}
 \end{aligned}$$

Mathematica [A] time = 0.858602, size = 351, normalized size = 1.04

$$\frac{420ab(a^2(15A + 16C) + 16b^2(A + C)) \sin(2(c + dx)) + 105(48a^2b^2(5A + 6C) + 5a^4(7A + 8C) + 16b^4(3A + 4C)) \sin(2(c + dx))}{4}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^7*(a + b*Sec[c + d*x])^4*(A + C*Sec[c + d*x]^2), x]

[Out] (8400*a^3*A*b*c + 10080*a*A*b^3*c + 10080*a^3*b*c*C + 13440*a*b^3*c*C + 8400*a^3*A*b*d*x + 10080*a*A*b^3*d*x + 10080*a^3*b*C*d*x + 13440*a*b^3*C*d*x + 105*(16*b^4*(3*A + 4*C) + 48*a^2*b^2*(5*A + 6*C) + 5*a^4*(7*A + 8*C))*Sin[2*(c + d*x)]

$$c + dx] + 420*a*b*(16*b^2*(A + C) + a^2*(15*A + 16*C))*\sin[2*(c + dx)] + 735*a^4*A*\sin[3*(c + dx)] + 4200*a^2*A*b^2*\sin[3*(c + dx)] + 560*A*b^4*\sin[3*(c + dx)] + 700*a^4*C*\sin[3*(c + dx)] + 3360*a^2*b^2*C*\sin[3*(c + dx)] + 1260*a^3*A*b*\sin[4*(c + dx)] + 840*a*A*b^3*\sin[4*(c + dx)] + 840*a^3*b*C*\sin[4*(c + dx)] + 147*a^4*A*\sin[5*(c + dx)] + 504*a^2*A*b^2*\sin[5*(c + dx)] + 84*a^4*C*\sin[5*(c + dx)] + 140*a^3*A*b*\sin[6*(c + dx)] + 15*a^4*A*\sin[7*(c + dx)]/(6720*d)$$

Maple [A] time = 0.1, size = 332, normalized size = 1.

$$\frac{1}{d} \left(\frac{Aa^4 \sin(dx+c)}{7} \left(\frac{16}{5} + (\cos(dx+c))^6 + \frac{6(\cos(dx+c))^4}{5} + \frac{8(\cos(dx+c))^2}{5} \right) + \frac{a^4 C \sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^6 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^7*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x)

[Out] 1/d*(1/7*A*a^4*(16/5+cos(d*x+c)^6+6/5*cos(d*x+c)^4+8/5*cos(d*x+c)^2)*sin(d*x+c)+1/5*a^4*C*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+4*A*a^3*b*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+4*a^3*b*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+6/5*A*a^2*b^2*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+2*C*a^2*b^2*(2+cos(d*x+c)^2)*sin(d*x+c)+4*A*a*b^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4*C*a*b^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+1/3*A*b^4*(2+cos(d*x+c)^2)*sin(d*x+c)+C*b^4*sin(d*x+c))

Maxima [A] time = 0.991636, size = 444, normalized size = 1.31

$$\frac{48(5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c))Aa^4 - 112(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))C a^4 + 35(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c))}{6720d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^7*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] -1/1680*(48*(5*sin(d*x + c)^7 - 21*sin(d*x + c)^5 + 35*sin(d*x + c)^3 - 35*sin(d*x + c))*A*a^4 - 112*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*C*a^4 + 35*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c))

$$c) - 48\sin(2dx + 2c)Aa^3b - 210(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Ca^3b - 672(3\sin(dx + c)^5 - 10\sin(dx + c)^3 + 15\sin(dx + c))Aa^2b^2 + 3360(\sin(dx + c)^3 - 3\sin(dx + c))Ca^2b^2 - 210(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^3b - 1680(2dx + 2c + \sin(2dx + 2c))Ca^3b + 560(\sin(dx + c)^3 - 3\sin(dx + c))A^2b^4 - 1680Cb^4\sin(dx + c))/d$$

Fricas [A] time = 0.581904, size = 595, normalized size = 1.76

$$105 \left((5A + 6C)a^3b + 2(3A + 4C)ab^3 \right) dx + \left(60Aa^4 \cos(dx + c)^6 + 280Aa^3b \cos(dx + c)^5 + 32(6A + 7C)a^4 + 336($$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^7*(a+b*sec(dx+c))^4*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] 1/420*(105*((5*A + 6*C)*a^3*b + 2*(3*A + 4*C)*a*b^3)*dx + (60*A*a^4*cos(dx + c)^6 + 280*A*a^3*b*cos(dx + c)^5 + 32*(6*A + 7*C)*a^4 + 336*(4*A + 5*C)*a^2*b^2 + 140*(2*A + 3*C)*b^4 + 12*((6*A + 7*C)*a^4 + 42*A*a^2*b^2)*cos(dx + c)^4 + 70*((5*A + 6*C)*a^3*b + 6*A*a*b^3)*cos(dx + c)^3 + 4*(4*(6*A + 7*C)*a^4 + 42*(4*A + 5*C)*a^2*b^2 + 35*A*b^4)*cos(dx + c)^2 + 105*((5*A + 6*C)*a^3*b + 2*(3*A + 4*C)*a*b^3)*cos(dx + c))*sin(dx + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**7*(a+b*sec(dx+c))**4*(A+C*sec(dx+c)**2),x)

[Out] Timed out

Giac [B] time = 1.25626, size = 1658, normalized size = 4.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^7*(a+b*sec(d*x+c))^4*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{420} \cdot (105 \cdot (5Aa^3b + 6Ca^3b + 6Aab^3 + 8Cab^3) \cdot (dx + c) + 2 \cdot (420Aa^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} + 420Ca^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} - 1155Aa^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} - 1050Ca^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} + 2520Aa^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} + 2520Ca^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} - 1050Aab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} - 840Cab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} + 420Aab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} + 420Cab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{13} + 840Aa^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 1400Ca^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 980Aa^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 2520Ca^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 8400Aa^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 11760Ca^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 2520Aab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 3360Cab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 1960Aab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 2520Cab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 3612Aa^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 + 3164Ca^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 - 2975Aa^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 - 1890Ca^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 + 18984Aa^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 + 24360Ca^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 - 1890Aab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 - 4200Cab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 + 4060Aab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 + 6300Cab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^9 + 2544Aa^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^7 + 4368Ca^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^7 + 26208Aa^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^7 + 30240Ca^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^7 + 5040Aab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^7 + 8400Cab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^7 + 3612Aa^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 3164Ca^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 2975Aa^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 1890Ca^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 18984Aa^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 24360Ca^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 1890Aab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 4200Cab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 4060Aab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 6300Cab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^5 + 840Aa^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 1400Ca^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 980Aa^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 2520Ca^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 8400Aa^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 11760Ca^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 2520Aab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 3360Cab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 1960Aab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 2520Cab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)^3 + 420Aa^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 420Ca^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 1155Aa^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 1050Ca^3b \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 2520Aa^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 2520Ca^2b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 1050Aab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 840Cab^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 420Aab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 420Cab^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 1)^7) / d$

3.673 $\int (a + b \sec(c + dx))^3 (a^2 - b^2 \sec^2(c + dx)) dx$

Optimal. Leaf size=158

$$\frac{ab^2(5a^2 - 4b^2)\tan(c + dx)}{2d} + \frac{b(-8a^2b^2 + 24a^4 - 3b^4)\tanh^{-1}(\sin(c + dx))}{8d} + \frac{b^3(2a^2 - 3b^2)\tan(c + dx)\sec(c + dx)}{8d} +$$

[Out] $a^5x + (b(24a^4 - 8a^2b^2 - 3b^4)\text{ArcTanh}[\text{Sin}[c + dx]])/(8d) + (ab^2(5a^2 - 4b^2)\text{Tan}[c + dx])/(2d) + (b^3(2a^2 - 3b^2)\text{Sec}[c + dx]\text{Tan}[c + dx])/(8d) - (ab^2(a + b\text{Sec}[c + dx])^2\text{Tan}[c + dx])/(4d) - (b^2(a + b\text{Sec}[c + dx])^3\text{Tan}[c + dx])/(4d)$

Rubi [A] time = 0.28609, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {4042, 3918, 4056, 4048, 3770, 3767, 8}

$$\frac{ab^2(5a^2 - 4b^2)\tan(c + dx)}{2d} + \frac{b(-8a^2b^2 + 24a^4 - 3b^4)\tanh^{-1}(\sin(c + dx))}{8d} + \frac{b^3(2a^2 - 3b^2)\tan(c + dx)\sec(c + dx)}{8d} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b\text{Sec}[c + dx])^3(a^2 - b^2\text{Sec}[c + dx]^2), x]$

[Out] $a^5x + (b(24a^4 - 8a^2b^2 - 3b^4)\text{ArcTanh}[\text{Sin}[c + dx]])/(8d) + (ab^2(5a^2 - 4b^2)\text{Tan}[c + dx])/(2d) + (b^3(2a^2 - 3b^2)\text{Sec}[c + dx]\text{Tan}[c + dx])/(8d) - (ab^2(a + b\text{Sec}[c + dx])^2\text{Tan}[c + dx])/(4d) - (b^2(a + b\text{Sec}[c + dx])^3\text{Tan}[c + dx])/(4d)$

Rule 4042

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)x]^2(C_.)](\text{csc}[(e_.) + (f_.)x] + (b_.) + (a_.)^m), x_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[(a + b\text{Csc}[e + fx])^{m+1}\text{Simp}[-a + b\text{Csc}[e + fx], x], x], x] /;$ $\text{FreeQ}\{a, b, e, f, A, C, m\}, x$ && $\text{EqQ}[A*b^2 + a^2*C, 0]$

Rule 3918

$\text{Int}[(\text{csc}[(e_.) + (f_.)x] + (b_.) + (a_.)^m)(\text{csc}[(e_.) + (f_.)x] + (d_.) + (c_.)^n), x_Symbol] \rightarrow -\text{Simp}[(b*d*\text{Cot}[e + fx]*(a + b\text{Csc}[e + fx])^{m-1})/(f*m), x] + \text{Dist}[1/m, \text{Int}[(a + b\text{Csc}[e + fx])^{m-2}\text{Simp}[a^2*c*m + (b^2*d*(m-1) + 2*a*b*c*m + a^2*d*m)*\text{Csc}[e + fx] + b*(b*c*m + a*d*(2*m-1))*\text{Csc}[e + fx]^2, x], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x$ && $\text{NeQ}[b*c -$

$a*d, 0 \ \&\& \text{GtQ}[m, 1] \ \&\& \text{NeQ}[a^2 - b^2, 0] \ \&\& \text{IntegerQ}[2*m]$

Rule 4056

$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \csc[e + f*x]*(b + a)^m), x_Symbol] \rightarrow -\text{Simp}[C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*\text{Simp}[a*A*(m + 1) + (A*b + a*B)*(m + 1) + b*C*m]*\text{Csc}[e + f*x] + (b*B*(m + 1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x \ \&\& \text{NeQ}[a^2 - b^2, 0] \ \&\& \text{IGtQ}[2*m, 0]$

Rule 4048

$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \csc[e + f*x]*(b + a)), x_Symbol] \rightarrow -\text{Simp}[b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]/(2*f), x] + \text{Dist}[1/2, \text{Int}[\text{Simp}[2*A*a + (2*B*a + b*(2*A + C))*\text{Csc}[e + f*x] + 2*(a*C + B*b)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x]$

Rule 3770

$\text{Int}[\csc[c + d*x], x_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3767

$\text{Int}[\csc[c + d*x]^{n_1}, x_Symbol] \rightarrow -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x \ \&\& \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^3 (a^2 - b^2 \sec^2(c + dx)) dx &= - \int (-a + b \sec(c + dx))(a + b \sec(c + dx))^4 dx \\
&= - \frac{b^2(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} - \frac{1}{4} \int (a + b \sec(c + dx))^2 (-4a^3 \\
&= - \frac{ab^2(a + b \sec(c + dx))^2 \tan(c + dx)}{4d} - \frac{b^2(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} \\
&= \frac{b^3(2a^2 - 3b^2) \sec(c + dx) \tan(c + dx)}{8d} - \frac{ab^2(a + b \sec(c + dx))^2 \tan(c + dx)}{4d} \\
&= a^5 x + \frac{b^3(2a^2 - 3b^2) \sec(c + dx) \tan(c + dx)}{8d} - \frac{ab^2(a + b \sec(c + dx))^2 \tan(c + dx)}{4d} \\
&= a^5 x + \frac{b(24a^4 - 8a^2b^2 - 3b^4) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b^3(2a^2 - 3b^2) \sec(c + dx) \tan(c + dx)}{4d} \\
&= a^5 x + \frac{b(24a^4 - 8a^2b^2 - 3b^4) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{ab^2(5a^2 - 4b^2) \tan(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 6.40467, size = 1299, normalized size = 8.22

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^3*(a^2 - b^2*Sec[c + d*x]^2),x]

[Out] (2*a^5*(c + d*x)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(a^2 - b^2*Sec[c + d*x]^2))/(d*(b + a*Cos[c + d*x])^3*(a^2 - 2*b^2 + a^2*Cos[2*c + 2*d*x])) + ((-24*a^4*b + 8*a^2*b^3 + 3*b^5)*Cos[c + d*x]^5*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^3*(a^2 - b^2*Sec[c + d*x]^2))/(4*d*(b + a*Cos[c + d*x])^3*(a^2 - 2*b^2 + a^2*Cos[2*c + 2*d*x])) + ((24*a^4*b - 8*a^2*b^3 - 3*b^5)*Cos[c + d*x]^5*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^3*(a^2 - b^2*Sec[c + d*x]^2))/(4*d*(b + a*Cos[c + d*x])^3*(a^2 - 2*b^2 + a^2*Cos[2*c + 2*d*x])) - (b^5*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(a^2 - b^2*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^3*(a^2 - 2*b^2 + a^2*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^4 + ((-8*a^2*b^3 - 4*a*b^4 - 3*b^5)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(a^2 - b^2*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^3*(a^2 - 2*b^2 + a^2*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - (a*b^4*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(a^2 - b^2*Sec[c + d*x]^2)*Sin[(c + d*x)/2))/(d*(b + a*Cos[c + d*x])^3*(a^2 - 2*b^2 + a^2*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 + (b^5*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(a^2 - b^2*Sec[c + d*x]^2))/(8*d*(b + a*Cos[c + d*x])^3*(a^2 - 2*b^2 + a^2*Cos[2*c + 2*d*x]))

$$d*x])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^4) - (a*b^4*\text{Cos}[c + d*x]^5*(a + b*\text{Sec}[c + d*x])^3*(a^2 - b^2*\text{Sec}[c + d*x]^2)*\text{Sin}[(c + d*x)/2])/(d*(b + a*\text{Cos}[c + d*x])^3*(a^2 - 2*b^2 + a^2*\text{Cos}[2*c + 2*d*x])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^3) + ((8*a^2*b^3 + 4*a*b^4 + 3*b^5)*\text{Cos}[c + d*x]^5*(a + b*\text{Sec}[c + d*x])^3*(a^2 - b^2*\text{Sec}[c + d*x]^2))/(8*d*(b + a*\text{Cos}[c + d*x])^3*(a^2 - 2*b^2 + a^2*\text{Cos}[2*c + 2*d*x])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2) - (4*\text{Cos}[c + d*x]^5*(a + b*\text{Sec}[c + d*x])^3*(a^2 - b^2*\text{Sec}[c + d*x]^2)*(-(a^3*b^2*\text{Sin}[(c + d*x)/2]) + a*b^4*\text{Sin}[(c + d*x)/2]))/(d*(b + a*\text{Cos}[c + d*x])^3*(a^2 - 2*b^2 + a^2*\text{Cos}[2*c + 2*d*x])*(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2])) - (4*\text{Cos}[c + d*x]^5*(a + b*\text{Sec}[c + d*x])^3*(a^2 - b^2*\text{Sec}[c + d*x]^2)*(-(a^3*b^2*\text{Sin}[(c + d*x)/2]) + a*b^4*\text{Sin}[(c + d*x)/2]))/(d*(b + a*\text{Cos}[c + d*x])^3*(a^2 - 2*b^2 + a^2*\text{Cos}[2*c + 2*d*x])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]))$$

Maple [A] time = 0.05, size = 205, normalized size = 1.3

$$a^5x + \frac{a^5c}{d} + 2\frac{a^3b^2 \tan(dx+c)}{d} + 3\frac{a^4b \ln(\sec(dx+c) + \tan(dx+c))}{d} - \frac{a^2b^3 \sec(dx+c) \tan(dx+c)}{d} - \frac{a^2b^3 \ln(\sec(dx+c) + \tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^3*(a^2-b^2*sec(d*x+c)^2), x)

[Out] $a^5*x+1/d*a^5*c+2/d*a^3*b^2*\tan(d*x+c)+3/d*a^4*b*\ln(\sec(d*x+c)+\tan(d*x+c))-1/d*a^2*b^3*\sec(d*x+c)*\tan(d*x+c)-1/d*a^2*b^3*\ln(\sec(d*x+c)+\tan(d*x+c))-2/d*a*b^4*\tan(d*x+c)-1/d*a*b^4*\tan(d*x+c)*\sec(d*x+c)^2-1/4/d*b^5*\tan(d*x+c)*\sec(d*x+c)^3-3/8/d*b^5*\sec(d*x+c)*\tan(d*x+c)-3/8/d*b^5*\ln(\sec(d*x+c)+\tan(d*x+c))$

Maxima [A] time = 0.974706, size = 259, normalized size = 1.64

$$16(dx+c)a^5 - 16(\tan(dx+c)^3 + 3\tan(dx+c))ab^4 + b^5\left(\frac{2(3\sin(dx+c)^3 - 5\sin(dx+c))}{\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1} - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(a^2-b^2*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $1/16*(16*(d*x + c)*a^5 - 16*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*a*b^4 + b^5*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1))$

1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) + 8*a^2*b^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 48*a^4*b*log(sec(d*x + c) + tan(d*x + c)) + 32*a^3*b^2*tan(d*x + c))/d

Fricas [A] time = 0.546008, size = 428, normalized size = 2.71

$$\frac{16 a^5 dx \cos(dx + c)^4 + (24 a^4 b - 8 a^2 b^3 - 3 b^5) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - (24 a^4 b - 8 a^2 b^3 - 3 b^5) \cos(dx + c)^4 \log(-\sin(dx + c) + 1) - 2(8 a^3 b^4 \cos(dx + c) + 2 b^5 - 16(a^3 b^2 - a b^4) \cos(dx + c)^3 + (8 a^2 b^3 + 3 b^5) \cos(dx + c)^2) \sin(dx + c)}{16 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(a^2-b^2*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/16*(16*a^5*d*x*cos(d*x + c)^4 + (24*a^4*b - 8*a^2*b^3 - 3*b^5)*cos(d*x + c)^4*log(sin(d*x + c) + 1) - (24*a^4*b - 8*a^2*b^3 - 3*b^5)*cos(d*x + c)^4*log(-sin(d*x + c) + 1) - 2*(8*a*b^4*cos(d*x + c) + 2*b^5 - 16*(a^3*b^2 - a*b^4)*cos(d*x + c)^3 + (8*a^2*b^3 + 3*b^5)*cos(d*x + c)^2)*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a - b \sec(c + dx))(a + b \sec(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(a**2-b**2*sec(d*x+c)**2),x)

[Out] Integral((a - b*sec(c + d*x))*(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.26838, size = 512, normalized size = 3.24

$$8(dx + c)a^5 + (24a^4b - 8a^2b^3 - 3b^5) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (24a^4b - 8a^2b^3 - 3b^5) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(a^2-b^2*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{8}(8(d*x + c)*a^5 + (24*a^4*b - 8*a^2*b^3 - 3*b^5)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (24*a^4*b - 8*a^2*b^3 - 3*b^5)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(16*a^3*b^2*\tan(1/2*d*x + 1/2*c)^7 + 8*a^2*b^3*\tan(1/2*d*x + 1/2*c)^7 - 24*a*b^4*\tan(1/2*d*x + 1/2*c)^7 + 5*b^5*\tan(1/2*d*x + 1/2*c)^7 - 48*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 - 8*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 + 40*a*b^4*\tan(1/2*d*x + 1/2*c)^5 + 3*b^5*\tan(1/2*d*x + 1/2*c)^5 + 48*a^3*b^2*\tan(1/2*d*x + 1/2*c)^3 - 8*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 - 40*a*b^4*\tan(1/2*d*x + 1/2*c)^3 + 3*b^5*\tan(1/2*d*x + 1/2*c)^3 - 16*a^3*b^2*\tan(1/2*d*x + 1/2*c) + 8*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 24*a*b^4*\tan(1/2*d*x + 1/2*c) + 5*b^5*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

3.674 $\int (a + b \sec(c + dx))^2 (a^2 - b^2 \sec^2(c + dx)) dx$

Optimal. Leaf size=106

$$\frac{b^2 (a^2 - 2b^2) \tan(c + dx)}{3d} + \frac{ab (2a^2 - b^2) \tanh^{-1}(\sin(c + dx))}{d} + a^4 x - \frac{ab^3 \tan(c + dx) \sec(c + dx)}{3d} - \frac{b^2 \tan(c + dx)(a^2 - b^2 \sec^2(c + dx))}{3d}$$

[Out] $a^4 x + (a b (2 a^2 - b^2) \text{ArcTanh}[\text{Sin}[c + d x]])/d + (b^2 (a^2 - 2 b^2) \text{Tan}[c + d x])/(3 d) - (a b^3 \text{Sec}[c + d x] \text{Tan}[c + d x])/(3 d) - (b^2 (a + b \text{Sec}[c + d x])^2 \text{Tan}[c + d x])/(3 d)$

Rubi [A] time = 0.172336, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4042, 3918, 4048, 3770, 3767, 8}

$$\frac{b^2 (a^2 - 2b^2) \tan(c + dx)}{3d} + \frac{ab (2a^2 - b^2) \tanh^{-1}(\sin(c + dx))}{d} + a^4 x - \frac{ab^3 \tan(c + dx) \sec(c + dx)}{3d} - \frac{b^2 \tan(c + dx)(a^2 - b^2 \sec^2(c + dx))}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \text{Sec}[c + d x])^2 (a^2 - b^2 \text{Sec}[c + d x]^2), x]$

[Out] $a^4 x + (a b (2 a^2 - b^2) \text{ArcTanh}[\text{Sin}[c + d x]])/d + (b^2 (a^2 - 2 b^2) \text{Tan}[c + d x])/(3 d) - (a b^3 \text{Sec}[c + d x] \text{Tan}[c + d x])/(3 d) - (b^2 (a + b \text{Sec}[c + d x])^2 \text{Tan}[c + d x])/(3 d)$

Rule 4042

$\text{Int}[(A + \text{csc}[(e + f x)]^2 (C)) (\text{csc}[(e + f x)] (b + a))^m, x_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[(a + b \text{Csc}[e + f x])^{m+1} \text{Simp}[-a + b \text{Csc}[e + f x], x], x] /; \text{FreeQ}\{a, b, e, f, A, C, m\}, x] \&\& \text{EqQ}[A b^2 + a^2 C, 0]$

Rule 3918

$\text{Int}[(\text{csc}[(e + f x)] (b + a))^m (\text{csc}[(e + f x)] (d + c))^n, x_Symbol] \rightarrow -\text{Simp}[(b d \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^{m-1})/(f m), x] + \text{Dist}[1/m, \text{Int}[(a + b \text{Csc}[e + f x])^{m-2} \text{Simp}[a^2 c m + (b^2 d (m-1) + 2 a b c m + a^2 d m) \text{Csc}[e + f x] + b (b c m + a d (2 m - 1)) \text{Csc}[e + f x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2 m]$

Rule 4048

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^2 (a^2 - b^2 \sec^2(c + dx)) dx &= - \int (-a + b \sec(c + dx))(a + b \sec(c + dx))^3 dx \\
 &= - \frac{b^2 (a + b \sec(c + dx))^2 \tan(c + dx)}{3d} - \frac{1}{3} \int (a + b \sec(c + dx)) (-3a^3 - \\
 &= - \frac{ab^3 \sec(c + dx) \tan(c + dx)}{3d} - \frac{b^2 (a + b \sec(c + dx))^2 \tan(c + dx)}{3d} - \frac{1}{6} \\
 &= a^4 x - \frac{ab^3 \sec(c + dx) \tan(c + dx)}{3d} - \frac{b^2 (a + b \sec(c + dx))^2 \tan(c + dx)}{3d} \\
 &= a^4 x + \frac{ab(2a^2 - b^2) \tanh^{-1}(\sin(c + dx))}{d} - \frac{ab^3 \sec(c + dx) \tan(c + dx)}{3d} \\
 &= a^4 x + \frac{ab(2a^2 - b^2) \tanh^{-1}(\sin(c + dx))}{d} + \frac{b^2(a^2 - 2b^2) \tan(c + dx)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.238483, size = 86, normalized size = 0.81

$$\frac{2a^3 b \tanh^{-1}(\sin(c + dx))}{d} + a^4 x - \frac{ab^3 \tanh^{-1}(\sin(c + dx))}{d} - \frac{ab^3 \tan(c + dx) \sec(c + dx)}{d} - \frac{b^4 \left(\frac{1}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^2*(a^2 - b^2*Sec[c + d*x]^2),x]

[Out] $a^4x + (2a^3b \operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/d - (a*b^3 \operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/d - (a*b^3 \operatorname{Sec}[c + d*x] * \operatorname{Tan}[c + d*x])/d - (b^4 * (\operatorname{Tan}[c + d*x] + \operatorname{Tan}[c + d*x]^{3/3}))/d$

Maple [A] time = 0.043, size = 118, normalized size = 1.1

$$a^4x + \frac{a^4c}{d} + 2 \frac{a^3b \ln(\sec(dx+c) + \tan(dx+c))}{d} - \frac{ab^3 \sec(dx+c) \tan(dx+c)}{d} - \frac{ab^3 \ln(\sec(dx+c) + \tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^2*(a^2-b^2*sec(d*x+c)^2),x)

[Out] $a^4x + 1/d * a^4c + 2/d * a^3b * \ln(\sec(d*x+c) + \tan(d*x+c)) - a*b^3 * \sec(d*x+c) * \tan(d*x+c)/d - 1/d * a*b^3 * \ln(\sec(d*x+c) + \tan(d*x+c)) - 2/3/d * b^4 * \tan(d*x+c) - 1/3/d * b^4 * \tan(d*x+c) * \sec(d*x+c)^2$

Maxima [A] time = 0.99441, size = 142, normalized size = 1.34

$$\frac{6(dx+c)a^4 - 2(\tan(dx+c)^3 + 3 \tan(dx+c))b^4 + 3ab^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(a^2-b^2*sec(d*x+c)^2),x, algorithm="maxima")

[Out] $1/6 * (6 * (d*x + c) * a^4 - 2 * (\tan(d*x + c)^3 + 3 * \tan(d*x + c)) * b^4 + 3 * a * b^3 * (2 * \sin(d*x + c) / (\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 12 * a^3 * b * \log(\sec(d*x + c) + \tan(d*x + c))) / d$

Fricas [A] time = 0.528129, size = 323, normalized size = 3.05

$$\frac{6a^4dx \cos(dx+c)^3 + 3(2a^3b - ab^3) \cos(dx+c)^3 \log(\sin(dx+c) + 1) - 3(2a^3b - ab^3) \cos(dx+c)^3 \log(-\sin(dx+c))}{6d \cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(a^2-b^2*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{6}(6a^4dx\cos(dx+c)^3 + 3(2a^3b - ab^3)\cos(dx+c)^3\log(\sin(dx+c)+1) - 3(2a^3b - ab^3)\cos(dx+c)^3\log(-\sin(dx+c)+1) - 2(2b^4\cos(dx+c)^2 + 3ab^3\cos(dx+c) + b^4)\sin(dx+c))/(d\cos(dx+c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a - b \sec(c + dx))(a + b \sec(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(a**2-b**2*sec(d*x+c)**2),x)

[Out] Integral((a - b*sec(c + d*x))*(a + b*sec(c + d*x))**3, x)

Giac [A] time = 1.17904, size = 227, normalized size = 2.14

$$\frac{3(dx+c)a^4 + 3(2a^3b - ab^3)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2a^3b - ab^3)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(3ab^3\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1)}{3d}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(a^2-b^2*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{3}(3(dx+c)a^4 + 3(2a^3b - ab^3)\log(\abs{\tan(1/2dx + 1/2c) + 1}) - 3(2a^3b - ab^3)\log(\abs{\tan(1/2dx + 1/2c) - 1}) - 2(3ab^3\tan(1/2dx + 1/2c)^5 - 3b^4\tan(1/2dx + 1/2c)^5 + 2b^4\tan(1/2dx + 1/2c)^3 - 3ab^3\tan(1/2dx + 1/2c) - 3b^4\tan(1/2dx + 1/2c)))/(\tan(1/2dx + 1/2c)^2 - 1)^3/d$

3.675 $\int (a + b \sec(c + dx)) (a^2 - b^2 \sec^2(c + dx)) dx$

Optimal. Leaf size=75

$$\frac{b(2a^2 - b^2) \tanh^{-1}(\sin(c + dx))}{2d} + a^3x - \frac{ab^2 \tan(c + dx)}{2d} - \frac{b^2 \tan(c + dx)(a + b \sec(c + dx))}{2d}$$

[Out] $a^3x + (b(2a^2 - b^2) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) - (a^3b^2 \tan(c + dx))/(2d) - (b^2(a + b \sec(c + dx)) \tan(c + dx))/(2d)$

Rubi [A] time = 0.08655, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$, Rules used = {4042, 3918, 3770, 3767, 8}

$$\frac{b(2a^2 - b^2) \tanh^{-1}(\sin(c + dx))}{2d} + a^3x - \frac{ab^2 \tan(c + dx)}{2d} - \frac{b^2 \tan(c + dx)(a + b \sec(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \sec(c + dx))(a^2 - b^2 \sec^2(c + dx)^2), x]$

[Out] $a^3x + (b(2a^2 - b^2) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) - (a^3b^2 \tan(c + dx))/(2d) - (b^2(a + b \sec(c + dx)) \tan(c + dx))/(2d)$

Rule 4042

$\operatorname{Int}[(A_.) + \csc[(e_.) + (f_.)x]^2(C_.)] \cdot (\csc[(e_.) + (f_.)x] \cdot (b_.) + (a_.)^m), x_Symbol] \rightarrow \operatorname{Dist}[C/b^2, \operatorname{Int}[(a + b \csc[e + fx])^{m+1}] \cdot \operatorname{Simp}[-a + b \csc[e + fx], x], x] /;$ $\text{FreeQ}\{a, b, e, f, A, C, m\}, x$ && $\text{EqQ}[A \cdot b^2 + a^2 \cdot C, 0]$

Rule 3918

$\operatorname{Int}[(\csc[(e_.) + (f_.)x] \cdot (b_.) + (a_.)^m) \cdot (\csc[(e_.) + (f_.)x] \cdot (d_.) + (c_.)], x_Symbol] \rightarrow -\operatorname{Simp}[(b \cdot d \cdot \cot[e + fx] \cdot (a + b \csc[e + fx])^{m-1}) / (f \cdot m), x] + \operatorname{Dist}[1/m, \operatorname{Int}[(a + b \csc[e + fx])^{m-2}] \cdot \operatorname{Simp}[a^2 \cdot c \cdot m + (b^2 \cdot d \cdot (m-1) + 2 \cdot a \cdot b \cdot c \cdot m + a^2 \cdot d \cdot m) \cdot \csc[e + fx] + b \cdot (b \cdot c \cdot m + a \cdot d \cdot (2 \cdot m - 1)) \cdot \csc[e + fx]^2, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x$ && $\text{NeQ}[b \cdot c - a \cdot d, 0]$ && $\text{GtQ}[m, 1]$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{IntegerQ}[2 \cdot m]$

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))(a^2 - b^2 \sec^2(c + dx)) dx &= - \int (-a + b \sec(c + dx))(a + b \sec(c + dx))^2 dx \\
 &= - \frac{b^2(a + b \sec(c + dx)) \tan(c + dx)}{2d} - \frac{1}{2} \int (-2a^3 - b(2a^2 - b^2) \sec(c + dx)) dx \\
 &= a^3x - \frac{b^2(a + b \sec(c + dx)) \tan(c + dx)}{2d} - \frac{1}{2} (ab^2) \int \sec^2(c + dx) dx + \dots \\
 &= a^3x + \frac{b(2a^2 - b^2) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2(a + b \sec(c + dx)) \tan(c + dx)}{2d} \\
 &= a^3x + \frac{b(2a^2 - b^2) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{ab^2 \tan(c + dx)}{2d} - \frac{b^2(a + b \sec(c + dx)) \tan(c + dx)}{2d}
 \end{aligned}$$

Mathematica [A] time = 0.0204045, size = 75, normalized size = 1.

$$\frac{a^2b \tanh^{-1}(\sin(c + dx))}{d} + a^3x - \frac{ab^2 \tan(c + dx)}{d} - \frac{b^3 \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^3 \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sec[c + d*x])*(a^2 - b^2*Sec[c + d*x]^2), x]
```

```
[Out] a^3*x + (a^2*b*ArcTanh[Sin[c + d*x]])/d - (b^3*ArcTanh[Sin[c + d*x]])/(2*d)
  - (a*b^2*Tan[c + d*x])/d - (b^3*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

Maple [A] time = 0.039, size = 94, normalized size = 1.3

$$a^3x + \frac{a^3c}{d} - \frac{ab^2 \tan(dx+c)}{d} + \frac{a^2b \ln(\sec(dx+c) + \tan(dx+c))}{d} - \frac{b^3 \sec(dx+c) \tan(dx+c)}{2d} - \frac{b^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(a^2-b^2*sec(d*x+c)^2),x)

[Out] a^3*x+1/d*a^3*c-a*b^2*tan(d*x+c)/d+1/d*a^2*b*ln(sec(d*x+c)+tan(d*x+c))-1/2/d*b^3*sec(d*x+c)*tan(d*x+c)-1/2/d*b^3*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.970634, size = 126, normalized size = 1.68

$$\frac{4(dx+c)a^3 + b^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) + 4a^2b \log(\sec(dx+c) + \tan(dx+c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(a^2-b^2*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/4*(4*(d*x + c)*a^3 + b^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 4*a^2*b*log(sec(d*x + c) + tan(d*x + c)) - 4*a*b^2*tan(d*x + c))/d

Fricas [A] time = 0.515588, size = 281, normalized size = 3.75

$$\frac{4a^3 dx \cos(dx+c)^2 + (2a^2b - b^3) \cos(dx+c)^2 \log(\sin(dx+c)+1) - (2a^2b - b^3) \cos(dx+c)^2 \log(-\sin(dx+c)+1)}{4d \cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(a^2-b^2*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/4*(4*a^3*d*x*cos(d*x + c)^2 + (2*a^2*b - b^3)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (2*a^2*b - b^3)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(2*a*b^2*cos(d*x + c) + b^3)*sin(d*x + c))/(d*cos(d*x + c)^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a - b \sec(c + dx)) (a + b \sec(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(a**2-b**2*sec(d*x+c)**2),x)

[Out] Integral((a - b*sec(c + d*x))*(a + b*sec(c + d*x))**2, x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(a^2-b^2*sec(d*x+c)^2),x, algorithm="giac")

[Out] Timed out

$$3.676 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=186

$$\frac{(3a^2C + b^2(3A + 2C)) \tan(c + dx)}{3b^3d} - \frac{a(C(2a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2b^4d} + \frac{2a^2(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan(c+dx)}{\sqrt{a+b}}\right)}{b^4d\sqrt{a-b}\sqrt{a+b}}$$

[Out] $-(a*(2*A*b^2 + (2*a^2 + b^2)*C)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) + (2*a^2*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^4*Sqrt[a + b]*d) + ((3*a^2*C + b^2*(3*A + 2*C))*Tan[c + d*x])/(3*b^3*d) - (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*d) + (C*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*d)$

Rubi [A] time = 0.645232, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4103, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(3a^2C + b^2(3A + 2C)) \tan(c + dx)}{3b^3d} - \frac{a(C(2a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2b^4d} + \frac{2a^2(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan(c+dx)}{\sqrt{a+b}}\right)}{b^4d\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^3*(A + C*\text{Sec}[c + d*x]^2))/(a + b*\text{Sec}[c + d*x]), x]$

[Out] $-(a*(2*A*b^2 + (2*a^2 + b^2)*C)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) + (2*a^2*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^4*Sqrt[a + b]*d) + ((3*a^2*C + b^2*(3*A + 2*C))*Tan[c + d*x])/(3*b^3*d) - (a*C*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*d) + (C*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*d)$

Rule 4103

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^m), x_Symbol] \rightarrow -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1})/(b*f*(m+n+1)), x] + \text{Dist}[d/(b*(m+n+1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[a*C*(n-1) + (A*b*(m+n+1) + b*C*(m+n))*\text{Csc}[e + f*x] - a*C*n*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C,$

m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]

&& NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{C\sec^2(c+dx)\tan(c+dx)}{3bd} + \frac{\int \frac{\sec^2(c+dx)(2aC+b(3A+2C)\sec(c+dx)-3aC\sec^2(c+dx))}{a+b\sec(c+dx)}}{3b} \\
 &= -\frac{aC\sec(c+dx)\tan(c+dx)}{2b^2d} + \frac{C\sec^2(c+dx)\tan(c+dx)}{3bd} + \frac{\int \frac{\sec(c+dx)(-3a^2)}{a+b\sec(c+dx)}}{3b} \\
 &= \frac{(3a^2C+b^2(3A+2C))\tan(c+dx)}{3b^3d} - \frac{aC\sec(c+dx)\tan(c+dx)}{2b^2d} + \frac{C\sec^2(c+dx)\tan(c+dx)}{3bd} \\
 &= \frac{(3a^2C+b^2(3A+2C))\tan(c+dx)}{3b^3d} - \frac{aC\sec(c+dx)\tan(c+dx)}{2b^2d} + \frac{C\sec^2(c+dx)\tan(c+dx)}{3bd} \\
 &= -\frac{a(2Ab^2+(2a^2+b^2)C)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{(3a^2C+b^2(3A+2C))\tan(c+dx)}{3b^3d} \\
 &= -\frac{a(2Ab^2+(2a^2+b^2)C)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{(3a^2C+b^2(3A+2C))\tan(c+dx)}{3b^3d} \\
 &= -\frac{a(2Ab^2+(2a^2+b^2)C)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{2a^2(Ab^2+a^2C)\tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{a-bb^4\sqrt{a+b^2}}}\right)}{\sqrt{a-bb^4}\sqrt{a+b^2}}
 \end{aligned}$$

Mathematica [C] time = 3.7097, size = 657, normalized size = 3.53

$$\cos(c+dx)(a\cos(c+dx)+b)(A+C\sec^2(c+dx)) \left(\frac{4b\sin\left(\frac{dx}{2}\right)(3a^2C+3Ab^2+2b^2C)}{\left(\cos\left(\frac{c}{2}\right)-\sin\left(\frac{c}{2}\right)\right)\left(\cos\left(\frac{1}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)} + \frac{4b\sin\left(\frac{dx}{2}\right)(3a^2C+3Ab^2+2b^2C)}{\left(\sin\left(\frac{c}{2}\right)+\cos\left(\frac{c}{2}\right)\right)\left(\sin\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)\right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

```
[Out] (Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*(6*a*(2*A*b^2 + (
2*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 6*a*(2*A*b^2 + (
2*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - ((24*I)*a^2*(A*b
^2 + a^2*C)*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*
x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(Cos[c] - I*Sin[c]))
/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]) + (2*b^3*C*Sin[(d*x)/2])/((C
os[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3) + (b^2*C*((-3*
a + b)*Cos[c/2] + (3*a + b)*Sin[c/2]))/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x
)/2] - Sin[(c + d*x)/2])^2) + (4*b*(3*A*b^2 + 3*a^2*C + 2*b^2*C)*Sin[(d*x)/
2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (2*b^3*
C*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]
)^3) + (b^2*C*((3*a - b)*Cos[c/2] + (3*a + b)*Sin[c/2]))/((Cos[c/2] + Sin[c
/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*b*(3*A*b^2 + 3*a^2*C + 2
*b^2*C)*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d
*x)/2])))))/(6*b^4*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x]))
```

Maple [B] time = 0.087, size = 554, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)
```

```
[Out] 2/d*a^2/b^2/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-
b))^(1/2))*A+2/d*a^4/b^4/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*
c))/((a+b)*(a-b))^(1/2))*C-1/3/d*C/b/(tan(1/2*d*x+1/2*c)+1)^3-1/d/b/(tan(1/2
*d*x+1/2*c)+1)*A-1/d/b^3/(tan(1/2*d*x+1/2*c)+1)*a^2*C-1/2/d/b^2/(tan(1/2*d*
x+1/2*c)+1)*a*C-1/d/b/(tan(1/2*d*x+1/2*c)+1)*C+1/2/d*C/b^2/(tan(1/2*d*x+1/2
*c)+1)^2*a+1/2/d*C/b/(tan(1/2*d*x+1/2*c)+1)^2-1/d*a/b^2*ln(tan(1/2*d*x+1/2*
c)+1)*A-1/d*a^3/b^4*ln(tan(1/2*d*x+1/2*c)+1)*C-1/2/d*a/b^2*ln(tan(1/2*d*x+1
/2*c)+1)*C-1/3/d*C/b/(tan(1/2*d*x+1/2*c)-1)^3-1/d/b/(tan(1/2*d*x+1/2*c)-1)*
A-1/d/b^3/(tan(1/2*d*x+1/2*c)-1)*a^2*C-1/2/d/b^2/(tan(1/2*d*x+1/2*c)-1)*a*C
-1/d/b/(tan(1/2*d*x+1/2*c)-1)*C-1/2/d*C/b^2/(tan(1/2*d*x+1/2*c)-1)^2*a-1/2/
d*C/b/(tan(1/2*d*x+1/2*c)-1)^2+1/d*a/b^2*ln(tan(1/2*d*x+1/2*c)-1)*A+1/d*a^3
/b^4*ln(tan(1/2*d*x+1/2*c)-1)*C+1/2/d*a/b^2*ln(tan(1/2*d*x+1/2*c)-1)*C
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 7.08132, size = 1486, normalized size = 7.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] [1/12*(6*(C*a^4 + A*a^2*b^2)*sqrt(a^2 - b^2)*cos(d*x + c)^3*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 3*(2*C*a^5 + (2*A - C)*a^3*b^2 - (2*A + C)*a*b^4)*cos(d*x + c)^3*log(sin(d*x + c) + 1) + 3*(2*C*a^5 + (2*A - C)*a^3*b^2 - (2*A + C)*a*b^4)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*C*a^2*b^3 - 2*C*b^5 + 2*(3*C*a^4*b + (3*A - C)*a^2*b^3 - (3*A + 2*C)*b^5)*cos(d*x + c)^2 - 3*(C*a^3*b^2 - C*a*b^4)*cos(d*x + c))*sin(d*x + c))/((a^2*b^4 - b^6)*d*cos(d*x + c)^3), 1/12*(12*(C*a^4 + A*a^2*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^3 - 3*(2*C*a^5 + (2*A - C)*a^3*b^2 - (2*A + C)*a*b^4)*cos(d*x + c)^3*log(sin(d*x + c) + 1) + 3*(2*C*a^5 + (2*A - C)*a^3*b^2 - (2*A + C)*a*b^4)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*C*a^2*b^3 - 2*C*b^5 + 2*(3*C*a^4*b + (3*A - C)*a^2*b^3 - (3*A + 2*C)*b^5)*cos(d*x + c)^2 - 3*(C*a^3*b^2 - C*a*b^4)*cos(d*x + c))*sin(d*x + c))/((a^2*b^4 - b^6)*d*cos(d*x + c)^3)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^3(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*sec(c + d*x)), x)

Giac [B] time = 1.45972, size = 502, normalized size = 2.7

$$\frac{3(2Ca^3+2Aab^2+Cab^2)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{b^4} - \frac{3(2Ca^3+2Aab^2+Cab^2)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{b^4} - \frac{12(Ca^4+Aa^2b^2)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(\frac{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b}{\sqrt{-a^2+b^2}}\right)\right)}{\sqrt{-a^2+b^2}b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(3*(2*C*a^3 + 2*A*a*b^2 + C*a*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1)))/ \\ & b^4 - 3*(2*C*a^3 + 2*A*a*b^2 + C*a*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1))/ \\ & b^4 - 12*(C*a^4 + A*a^2*b^2)*(pi*\operatorname{floor}(1/2*(d*x + c)/pi + 1/2)*\operatorname{sgn}(-2*a + \\ & *b) + \operatorname{arctan}((-a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + \\ & b^2}))/(\sqrt{-a^2 + b^2})*b^4 + 2*(6*C*a^2*\tan(1/2*d*x + 1/2*c)^5 + 3*C*a* \\ & b*\tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*\tan(1/2*d*x + 1/2*c)^5 + 6*C*b^2*\tan(1/2 \\ & *d*x + 1/2*c)^5 - 12*C*a^2*\tan(1/2*d*x + 1/2*c)^3 - 12*A*b^2*\tan(1/2*d*x + \\ & 1/2*c)^3 - 4*C*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*\tan(1/2*d*x + 1/2*c) - \\ & 3*C*a*b*\tan(1/2*d*x + 1/2*c) + 6*A*b^2*\tan(1/2*d*x + 1/2*c) + 6*C*b^2*\tan(1 \\ & /2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*b^3))/d \end{aligned}$$

$$3.677 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=137

$$\frac{(2a^2C + b^2(2A + C)) \tanh^{-1}(\sin(c + dx))}{2b^3d} - \frac{2a(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} - \frac{aC \tan(c + dx)}{b^2d} + \frac{C \tan(c + dx)}{b^2d}$$

[Out] ((2*a^2*C + b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*b^3*d) - (2*a*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^3*Sqrt[a + b]*d) - (a*C*Tan[c + d*x])/(b^2*d) + (C*Sec[c + d*x]*Tan[c + d*x])/(2*b*d)

Rubi [A] time = 0.380863, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4093, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(2a^2C + b^2(2A + C)) \tanh^{-1}(\sin(c + dx))}{2b^3d} - \frac{2a(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} - \frac{aC \tan(c + dx)}{b^2d} + \frac{C \tan(c + dx)}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] ((2*a^2*C + b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*b^3*d) - (2*a*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^3*Sqrt[a + b]*d) - (a*C*Tan[c + d*x])/(b^2*d) + (C*Sec[c + d*x]*Tan[c + d*x])/(2*b*d)

Rule 4093

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_, x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - 2*a*C*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{C\sec(c+dx)\tan(c+dx)}{2bd} + \frac{\int \frac{\sec(c+dx)(aC+b(2A+C)\sec(c+dx)-2aC\sec^2(c+dx))}{a+b\sec(c+dx)} dx}{2b} \\
&= -\frac{aC\tan(c+dx)}{b^2d} + \frac{C\sec(c+dx)\tan(c+dx)}{2bd} + \frac{\int \frac{\sec(c+dx)(abC+(2a^2C+b^2(2A+C)))}{a+b\sec(c+dx)} dx}{2b^2} \\
&= -\frac{aC\tan(c+dx)}{b^2d} + \frac{C\sec(c+dx)\tan(c+dx)}{2bd} - \frac{(a(Ab^2+a^2C))\int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx}{b^3} \\
&= \frac{(2a^2C+b^2(2A+C))\tanh^{-1}(\sin(c+dx))}{2b^3d} - \frac{aC\tan(c+dx)}{b^2d} + \frac{C\sec(c+dx)}{2b} \\
&= \frac{(2a^2C+b^2(2A+C))\tanh^{-1}(\sin(c+dx))}{2b^3d} - \frac{aC\tan(c+dx)}{b^2d} + \frac{C\sec(c+dx)}{2b} \\
&= \frac{(2a^2C+b^2(2A+C))\tanh^{-1}(\sin(c+dx))}{2b^3d} - \frac{2a(Ab^2+a^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}\tan\left(\frac{c+dx}{2}\right)}\right)}{\sqrt{a-b}b^3\sqrt{a+bd}}
\end{aligned}$$

Mathematica [C] time = 1.96736, size = 428, normalized size = 3.12

$$\cos(c+dx)(a\cos(c+dx)+b)(A+C\sec^2(c+dx)) \left(-2(C(2a^2+b^2)+2Ab^2) \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*(-2*(2*A*b^2 + (2*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*(2*A*b^2 + (2*a^2 + b^2)*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (8*a*(A*b^2 + a^2*C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*x)/2])))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(I*Cos[c] + Sin[c]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]) + (b^2*C)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - (4*a*b*C*Sin[(d*x)/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - (b^2*C)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 - (4*a*b*C*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(2*b^3*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x]))

Maple [B] time = 0.076, size = 362, normalized size = 2.6

$$-2 \frac{Aa}{db\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) - 2 \frac{a^3 C}{db^3\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)`

[Out]
$$-2/d*a/b/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A-2/d*a^3/b^3/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C-1/2/d*C/b/(\tan(1/2*d*x+1/2*c)+1)^2+1/d/b*\ln(\tan(1/2*d*x+1/2*c)+1)*A+1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)+1)*a^2*C+1/2/d/b*\ln(\tan(1/2*d*x+1/2*c)+1)*C+1/2/d/b/(\tan(1/2*d*x+1/2*c)+1)*C+1/d/b^2/(\tan(1/2*d*x+1/2*c)+1)*a*C+1/2/d*C/b/(\tan(1/2*d*x+1/2*c)-1)^2-1/d/b*\ln(\tan(1/2*d*x+1/2*c)-1)*A-1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*a^2*C-1/2/d/b*\ln(\tan(1/2*d*x+1/2*c)-1)*C+1/2/d/b/(\tan(1/2*d*x+1/2*c)-1)*C+1/d/b^2/(\tan(1/2*d*x+1/2*c)-1)*a*C$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 7.02013, size = 1254, normalized size = 9.15

$$\left[\frac{2(Ca^3 + Aab^2)\sqrt{a^2 - b^2} \cos(dx + c)^2 \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right) + (2Ca^4 + \dots}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/4*(2*(C*a^3 + A*a*b^2)*sqrt(a^2 - b^2)*cos(d*x + c)^2*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (2*C*a^4 + (2*A - C)*a^2*b^2 - (2*A + C)*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (2*C*a^4 + (2*A - C)*a^2*b^2 - (2*A + C)*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(C*a^2*b^2 - C*b^4 - 2*(C*a^3*b - C*a*b^3)*cos(d*x + c))*sin(d*x + c)/((a^2*b^3 - b^5)*d*cos(d*x + c)^2), -1/4*(4*(C*a^3 + A*a*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^2 - (2*C*a^4 + (2*A - C)*a^2*b^2 - (2*A + C)*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (2*C*a^4 + (2*A - C)*a^2*b^2 - (2*A + C)*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(C*a^2*b^2 - C*b^4 - 2*(C*a^3*b - C*a*b^3)*cos(d*x + c))*sin(d*x + c)/((a^2*b^3 - b^5)*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.3369, size = 327, normalized size = 2.39

$$\frac{(2Ca^2+2Ab^2+Cb^2)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{b^3} - \frac{(2Ca^2+2Ab^2+Cb^2)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{b^3} - \frac{4(Ca^3+Ab^2)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{dx+c}{2\pi}+\frac{1}{2}\right)}{\sqrt{-a^2+b^2}}\right)\right)}{\sqrt{-a^2+b^2}b^3}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

```
[Out] 1/2*((2*C*a^2 + 2*A*b^2 + C*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 - (
2*C*a^2 + 2*A*b^2 + C*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^3 - 4*(C*a^
3 + A*a*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a
*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a
^2 + b^2)*b^3) + 2*(2*C*a*tan(1/2*d*x + 1/2*c)^3 + C*b*tan(1/2*d*x + 1/2*c)
^3 - 2*C*a*tan(1/2*d*x + 1/2*c) + C*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x +
1/2*c)^2 - 1)^2*b^2))/d
```

$$3.678 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=95

$$\frac{2(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d\sqrt{a-b}\sqrt{a+b}} - \frac{aC \tanh^{-1}(\sin(c+dx))}{b^2d} + \frac{C \tan(c+dx)}{bd}$$

[Out] -((a*C*ArcTanh[Sin[c + d*x]])/(b^2*d)) + (2*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + (C*Tan[c + d*x])/(b*d)

Rubi [A] time = 0.1929, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4083, 3998, 3770, 3831, 2659, 208}

$$\frac{2(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d\sqrt{a-b}\sqrt{a+b}} - \frac{aC \tanh^{-1}(\sin(c+dx))}{b^2d} + \frac{C \tan(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] -((a*C*ArcTanh[Sin[c + d*x]])/(b^2*d)) + (2*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + (C*Tan[c + d*x])/(b*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],

```
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{C \tan(c+dx)}{bd} + \frac{\int \frac{\sec(c+dx)(Ab-aC\sec(c+dx))}{a+b\sec(c+dx)} dx}{b} \\
&= \frac{C \tan(c+dx)}{bd} - \frac{(aC) \int \sec(c+dx) dx}{b^2} + \left(A + \frac{a^2C}{b^2}\right) \int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx \\
&= -\frac{aC \tanh^{-1}(\sin(c+dx))}{b^2d} + \frac{C \tan(c+dx)}{bd} + \frac{(Ab^2+a^2C) \int \frac{1}{1+\frac{a\cos(c+dx)}{b}} dx}{b^3} \\
&= -\frac{aC \tanh^{-1}(\sin(c+dx))}{b^2d} + \frac{C \tan(c+dx)}{bd} + \frac{(2(Ab^2+a^2C)) \text{Subst}\left(\int \frac{1}{1+\frac{a}{b}+}\right)}{b^3} \\
&= -\frac{aC \tanh^{-1}(\sin(c+dx))}{b^2d} + \frac{2(Ab^2+a^2C) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b^2\sqrt{a+b}} + \frac{C \tan(c+dx)}{bd}
\end{aligned}$$

Mathematica [C] time = 2.30183, size = 331, normalized size = 3.48

$$2 \cos(c+dx)(a \cos(c+dx) + b)(A + C \sec^2(c+dx)) \left(-\frac{2i(\cos(c)-i\sin(c))(a^2C+Ab^2) \tan^{-1}\left(\frac{(\sin(c)+i\cos(c))\left(\tan\left(\frac{dx}{2}\right)(a\cos(c)-b)+a\sin(c)\right)}{\sqrt{a^2-b^2}\sqrt{(\cos(c)-i\sin(c))^2}}\right)}{\sqrt{a^2-b^2}\sqrt{(\cos(c)-i\sin(c))^2}} \right) +$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (2*Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*(a*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - a*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - ((2*I)*(A*b^2 + a^2*C)*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(Cos[c] - I*Sin[c])/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]) + (b*C*Sin[(d*x)/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (b*C*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) / (b^2*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x]))

Maple [B] time = 0.072, size = 183, normalized size = 1.9

$$2 \frac{A}{d\sqrt{(a+b)(a-b)}} \operatorname{Arctanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) + 2 \frac{a^2C}{db^2\sqrt{(a+b)(a-b)}} \operatorname{Arctanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) - \frac{C}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)`

[Out]
$$\frac{2}{d} \frac{((a+b)(a-b))^{1/2} \operatorname{arctanh}((a-b)\tan(1/2 dx + 1/2 c))}{((a+b)(a-b))^{1/2}} + \frac{2}{d} \frac{A}{b^2} \frac{((a+b)(a-b))^{1/2} \operatorname{arctanh}((a-b)\tan(1/2 dx + 1/2 c))}{((a+b)(a-b))^{1/2}} + \frac{a^2 C - 1}{d} \frac{1}{b} \frac{1}{\tan(1/2 dx + 1/2 c) + 1} + \frac{C - 1}{d} \frac{a}{b^2} \ln(\tan(1/2 dx + 1/2 c) + 1) + \frac{C - 1}{d} \frac{1}{b} \frac{1}{\tan(1/2 dx + 1/2 c) - 1} + \frac{C + 1}{d} \frac{a}{b^2} \ln(\tan(1/2 dx + 1/2 c) - 1) + C$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.98854, size = 967, normalized size = 10.18

$$\frac{\left((Ca^2 + Ab^2) \sqrt{a^2 - b^2} \cos(dx + c) \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2} \right) - (Ca^3 - Cab^2) \right)}{2(a^2 b^2 - b^4) d c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out]
$$\frac{1}{2} \frac{((Ca^2 + Ab^2) \sqrt{a^2 - b^2} \cos(dx + c) \log((2ab \cos(dx + c) - (a^2 - 2b^2) \cos(dx + c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx + c) + a) \sin(dx + c) + 2a^2 - b^2)) / (a^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + b^2)) - (Ca^3 - Cab^2) \cos(dx + c) \log(\sin(dx + c) + 1) + (Ca^3 - Cab^2) \cos(dx + c) \log(-\sin(dx + c) + 1) + 2(Ca^2 b - Cb^3) \sin(dx + c))}{(a^2 b^2 - b^4) d \cos(dx + c)} + \frac{1}{2} \frac{2(Ca^2 + Ab^2) \sqrt{-a^2 + b^2} \operatorname{arctan}(\frac{b \cos(dx + c) + a}{\sqrt{-a^2 + b^2}})}{d \cos(dx + c)}$$

$n(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c)))*\cos(d*x + c) - (C*a^3 - C*a*b^2)*\cos(d*x + c)*\log(\sin(d*x + c) + 1) + (C*a^3 - C*a*b^2)*\cos(d*x + c)*\log(-\sin(d*x + c) + 1) + 2*(C*a^2*b - C*b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d*\cos(d*x + c))]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.39042, size = 220, normalized size = 2.32

$$\frac{Ca \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{b^2} - \frac{Ca \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{b^2} + \frac{2C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)b} + \frac{2(Ca^2 + Ab^2)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1}{\sqrt{-a^2 + b^2}}\right)\right)}{\sqrt{-a^2 + b^2}b^2}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] $-(C*a*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1)))/b^2 - C*a*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1))/b^2 + 2*C*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*b) + 2*(C*a^2 + A*b^2)*(pi*\operatorname{floor}(1/2*(d*x + c)/pi + 1/2)*\operatorname{sgn}(2*a - 2*b) + \operatorname{arctan}((a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/(\sqrt{-a^2 + b^2}*b^2))/d$

$$3.679 \quad \int \frac{A+C \sec^2(c+dx)}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=88

$$-\frac{2(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{abd\sqrt{a-b}\sqrt{a+b}} + \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c+dx))}{bd}$$

[Out] (A*x)/a + (C*ArcTanh[Sin[c + d*x]])/(b*d) - (2*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*b*Sqrt[a + b]*d)

Rubi [A] time = 0.148926, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {4051, 3770, 3919, 3831, 2659, 208}

$$-\frac{2(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{abd\sqrt{a-b}\sqrt{a+b}} + \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c+dx))}{bd}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]),x]

[Out] (A*x)/a + (C*ArcTanh[Sin[c + d*x]])/(b*d) - (2*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*b*Sqrt[a + b]*d)

Rule 4051

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[C/b, Int[Csc[e + f*x], x], x] + Dist[1/b, Int[(A*b - a*C*Csc[e + f*x])/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{a + b \sec(c + dx)} dx &= \frac{\int \frac{Ab - aC \sec(c + dx)}{a + b \sec(c + dx)} dx}{b} + \frac{C \int \sec(c + dx) dx}{b} \\
&= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{bd} - \left(\frac{Ab}{a} + \frac{aC}{b} \right) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx \\
&= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{bd} - \frac{\left(\frac{Ab}{a} + \frac{aC}{b} \right) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{b} \\
&= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{bd} - \frac{\left(2 \left(\frac{Ab}{a} + \frac{aC}{b} \right) \right) \text{Subst} \left(\int \frac{1}{1 + \frac{a}{b} + \left(1 - \frac{a}{b}\right)x^2} dx, x, \tan \left(\frac{1}{2}(c + dx) \right) \right)}{bd} \\
&= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{bd} - \frac{2 \left(\frac{Ab}{a} + \frac{aC}{b} \right) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b} bd}
\end{aligned}$$

Mathematica [C] time = 0.409273, size = 239, normalized size = 2.72

$$2 \left(A \cos^2(c + dx) + C \right) \left(\sqrt{a^2 - b^2} \sqrt{(\cos(c) - i \sin(c))^2} \left(-aC \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + aC \log \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) \right) \right)$$

$$abd \sqrt{a^2 - b^2} \sqrt{(\cos(c) - i \sin(c))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]),x]

[Out] (2*(C + A*Cos[c + d*x]^2)*(Sqrt[a^2 - b^2]*(A*b*d*x - a*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + a*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])*Sqrt[(Cos[c] - I*Sin[c])^2] + 2*(A*b^2 + a^2*C)*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2])])*(I*Cos[c] + Sin[c]))/(a*b*Sqrt[a^2 - b^2]*d*(A + 2*C + A*Cos[2*(c + d*x)])*Sqrt[(Cos[c] - I*Sin[c])^2])

Maple [A] time = 0.084, size = 158, normalized size = 1.8

$$2 \frac{A \arctan(\tan(1/2 dx + c/2))}{ad} - 2 \frac{Ab}{ad \sqrt{(a+b)(a-b)}} \operatorname{Artanh} \left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}} \right) - 2 \frac{aC}{db \sqrt{(a+b)(a-b)}} \operatorname{Artanh} \left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)

[Out] 2/a/d*A*arctan(tan(1/2*d*x+1/2*c))-2/d*b/a/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-2/d/b*a/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+1/d/b*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/b*ln(tan(1/2*d*x+1/2*c)-1)*C

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.99619, size = 802, normalized size = 9.11

$$\frac{2 \left(Aa^2b - Ab^3 \right) dx + \left(Ca^2 + Ab^2 \right) \sqrt{a^2 - b^2} \log \left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2} (b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2} \right) + (C)}{2 \left(a^3b - ab^3 \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/2*(2*(A*a^2*b - A*b^3)*d*x + (C*a^2 + A*b^2)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (C*a^3 - C*a*b^2)*log(sin(d*x + c) + 1) - (C*a^3 - C*a*b^2)*log(-sin(d*x + c) + 1))/((a^3*b - a*b^3)*d), 1/2*(2*(A*a^2*b - A*b^3)*d*x - 2*(C*a^2 + A*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (C*a^3 - C*a*b^2)*log(sin(d*x + c) + 1) - (C*a^3 - C*a*b^2)*log(-sin(d*x + c) + 1))/((a^3*b - a*b^3)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((A + C*sec(c + d*x)**2)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.28436, size = 194, normalized size = 2.2

$$\frac{\frac{(dx+c)A}{a} + \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b} - \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b} - \frac{2(Ca^2 + Ab^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2 + b^2}} \right)}{\sqrt{-a^2 + b^2} ab}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] ((d*x + c)*A/a + C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b - C*log(abs(tan(1/2
*d*x + 1/2*c) - 1))/b - 2*(C*a^2 + A*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)
*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c)
)/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*a*b)/d
```

$$3.680 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=86

$$\frac{2(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d\sqrt{a-b}\sqrt{a+b}} - \frac{Abx}{a^2} + \frac{A \sin(c+dx)}{ad}$$

[Out] -((A*b*x)/a^2) + (2*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]*d) + (A*Sin[c + d*x])/(a*d)

Rubi [A] time = 0.177109, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4105, 3919, 3831, 2659, 208}

$$\frac{2(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d\sqrt{a-b}\sqrt{a+b}} - \frac{Abx}{a^2} + \frac{A \sin(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] -((A*b*x)/a^2) + (2*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]*d) + (A*Sin[c + d*x])/(a*d)

Rule 4105

Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_)*(csc[(e_) + (f_)*(x_)]*(d_)^n)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[-(A*b*(m + n + 1)) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 3919

Int[(csc[(e_) + (f_)*(x_)]*(d_) + (c_))/(csc[(e_) + (f_)*(x_)]*(b_) + (a_)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x

]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] :=> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c + dx) (A + C \sec^2(c + dx))}{a + b \sec(c + dx)} dx &= \frac{A \sin(c + dx)}{ad} - \frac{\int \frac{Ab - aC \sec(c + dx)}{a + b \sec(c + dx)} dx}{a} \\
 &= -\frac{Abx}{a^2} + \frac{A \sin(c + dx)}{ad} + \left(\frac{Ab^2}{a^2} + C\right) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx \\
 &= -\frac{Abx}{a^2} + \frac{A \sin(c + dx)}{ad} + \frac{\left(\frac{Ab^2}{a^2} + C\right) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{b} \\
 &= -\frac{Abx}{a^2} + \frac{A \sin(c + dx)}{ad} + \frac{\left(2\left(\frac{Ab^2}{a^2} + C\right)\right) \text{Subst}\left(\int \frac{1}{1 + \frac{a}{b} + \left(1 - \frac{a}{b}\right)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{bd} \\
 &= -\frac{Abx}{a^2} + \frac{2\left(\frac{Ab^2}{a^2} + C\right) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}\sqrt{a+bd}} + \frac{A \sin(c + dx)}{ad}
 \end{aligned}$$

Mathematica [A] time = 0.233935, size = 82, normalized size = 0.95

$$\frac{2(a^2C + Ab^2) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + aA \sin(c+dx) - Ab(c+dx)}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] $(-(A*b*(c + d*x)) - (2*(A*b^2 + a^2*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2]])/Sqrt[a^2 - b^2])/Sqrt[a^2 - b^2] + a*A*Sin[c + d*x])/(a^2*d)$

Maple [A] time = 0.103, size = 149, normalized size = 1.7

$$2 \frac{A \tan(1/2 dx + c/2)}{ad(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{Ab \arctan(\tan(1/2 dx + c/2))}{da^2} + 2 \frac{Ab^2}{da^2 \sqrt{(a+b)(a-b)}} \operatorname{Arctanh}\left(\frac{(a-b) \tan(1/2 dx)}{\sqrt{(a+b)(a-b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)

[Out] $2/d*A/a*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-2/d*A/a^2*b*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^2/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*A*b^2+2/d/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*C$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.550187, size = 656, normalized size = 7.63

$$\left[\frac{2(Aa^2b - Ab^3)dx - (Ca^2 + Ab^2)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right) - 2(Aa^2b - Ab^3)dx - (Ca^2 + Ab^2)\sqrt{a^2 - b^2} \arctan\left(\frac{b \cos(dx+c) + a}{\sin(dx+c)}\right)}{2(a^4 - a^2b^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [-1/2*(2*(A*a^2*b - A*b^3)*d*x - (C*a^2 + A*b^2)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 2*(A*a^3 - A*a*b^2)*sin(d*x + c))/((a^4 - a^2*b^2)*d), -((A*a^2*b - A*b^3)*d*x - (C*a^2 + A*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))) - (A*a^3 - A*a*b^2)*sin(d*x + c))/((a^4 - a^2*b^2)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \cos(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((A + C*sec(c + d*x)**2)*cos(c + d*x)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.2548, size = 184, normalized size = 2.14

$$\frac{\frac{(dx+c)Ab}{a^2} - \frac{2A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 + 1}a}{d} - \frac{2(Ca^2 + Ab^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2 + b^2}} \right) \right)}{\sqrt{-a^2 + b^2}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -((d*x + c)*A*b/a^2 - 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a) - 2*(C*a^2 + A*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2))))/(sqrt(-a^2 + b^2)*a^2)/d
```

$$3.681 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=128

$$\frac{2b(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d\sqrt{a-b}\sqrt{a+b}} + \frac{x(a^2(A+2C) + 2Ab^2)}{2a^3} - \frac{Ab \sin(c+dx)}{a^2d} + \frac{A \sin(c+dx) \cos(c+dx)}{2ad}$$

[Out] $((2Ab^2 + a^2(A + 2C))x)/(2a^3) - (2b(Ab^2 + a^2C) \operatorname{ArcTanh}[\operatorname{Sqrt}[a - b] \operatorname{Tan}[(c + dx)/2]/\operatorname{Sqrt}[a + b]])/(a^3 \operatorname{Sqrt}[a - b] \operatorname{Sqrt}[a + b] d) - (Ab \operatorname{Sin}[c + dx])/(a^2 d) + (A \operatorname{Cos}[c + dx] \operatorname{Sin}[c + dx])/(2a d)$

Rubi [A] time = 0.387222, antiderivative size = 126, normalized size of antiderivative = 0.98, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4105, 4104, 3919, 3831, 2659, 208}

$$\frac{2b(a^2C + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d\sqrt{a-b}\sqrt{a+b}} + \frac{x\left(\frac{2Ab^2}{a^2} + A + 2C\right)}{2a} - \frac{Ab \sin(c+dx)}{a^2d} + \frac{A \sin(c+dx) \cos(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cos}[c + dx])^{2(A + C \operatorname{Sec}[c + dx])}]/(a + b \operatorname{Sec}[c + dx]), x]$

[Out] $((A + (2Ab^2)/a^2 + 2C)x)/(2a) - (2b(Ab^2 + a^2C) \operatorname{ArcTanh}[\operatorname{Sqrt}[a - b] \operatorname{Tan}[(c + dx)/2]/\operatorname{Sqrt}[a + b]])/(a^3 \operatorname{Sqrt}[a - b] \operatorname{Sqrt}[a + b] d) - (Ab \operatorname{Sin}[c + dx])/(a^2 d) + (A \operatorname{Cos}[c + dx] \operatorname{Sin}[c + dx])/(2a d)$

Rule 4105

$\operatorname{Int}[(A + \operatorname{csc}[e + f x])^{2(C + D \operatorname{csc}[e + f x])}]/(a + b \operatorname{csc}[e + f x]), x] \rightarrow \operatorname{Simp}[(A \operatorname{Cot}[e + f x] (a + b \operatorname{Csc}[e + f x])^{m+1} (d \operatorname{Csc}[e + f x])^n)/(a f n), x] + \operatorname{Dist}[1/(a d n), \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^m (d \operatorname{Csc}[e + f x])^{n+1} \operatorname{Simp}[-(A b (m + n + 1) + a(A + A n + C n) \operatorname{Csc}[e + f x] + A b (m + n + 2) \operatorname{Csc}[e + f x]^2), x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, C, m\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LeQ}[n, -1]$

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2ad} - \frac{\int \frac{\cos(c+dx)(2Ab-a(A+2C)\sec(c+dx)-Ab\sec^2(c+dx))}{a+b\sec(c+dx)} dx}{2a} \\
&= -\frac{Ab\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} + \frac{\int \frac{2Ab^2+a^2(A+2C)+aAb\sec(c+dx)}{a+b\sec(c+dx)} dx}{2a^2} \\
&= \frac{(2Ab^2+a^2(A+2C))x}{2a^3} - \frac{Ab\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} - \frac{(b(A+2C))x}{2a^2} \\
&= \frac{(2Ab^2+a^2(A+2C))x}{2a^3} - \frac{Ab\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} - \frac{(Ab^2+a^2C)x}{2a^2} \\
&= \frac{(2Ab^2+a^2(A+2C))x}{2a^3} - \frac{Ab\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} - \frac{(2(A+2C))x}{2a} \\
&= \frac{(2Ab^2+a^2(A+2C))x}{2a^3} - \frac{2b(Ab^2+a^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3\sqrt{a-b}\sqrt{a+bd}} - \frac{Ab\sin(c+dx)}{a^2d}
\end{aligned}$$

Mathematica [A] time = 0.357908, size = 115, normalized size = 0.9

$$\frac{2(c+dx)(a^2(A+2C)+2Ab^2) + \frac{8b(a^2C+Ab^2)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + a^2A\sin(2(c+dx)) - 4aAb\sin(c+dx)}{4a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (2*(2*A*b^2 + a^2*(A + 2*C))*(c + d*x) + (8*b*(A*b^2 + a^2*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - 4*a*A*b*Sin[c + d*x] + a^2*A*Sin[2*(c + d*x)]/(4*a^3*d)

Maple [B] time = 0.114, size = 296, normalized size = 2.3

$$-\frac{A}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2} - 2 \frac{(\tan(1/2 dx + c/2))^3 Ab}{da^2 (1 + (\tan(1/2 dx + c/2))^2)^2} + \frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)`

[Out]
$$-1/a/d/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A*b+1/a/d/(1+\tan(1/2*d*x+1/2*c))^2*A*\tan(1/2*d*x+1/2*c)-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A*b+1/a/d*A*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*A*b^2+2/a/d*\arctan(\tan(1/2*d*x+1/2*c))*C-2/d*b^3/a^3/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-2/d*b/a/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.56873, size = 848, normalized size = 6.62

$$\left[\frac{\left((A + 2C)a^4 + (A - 2C)a^2b^2 - 2Ab^4 \right) dx + (Ca^2b + Ab^3) \sqrt{a^2 - b^2} \log \left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2} (b \cos(dx+c) - a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2)}{2(a^5 - a^3b^2)d} \right)}{2(a^5 - a^3b^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out]
$$\left[\frac{1}{2} * \left((A + 2C) * a^4 + (A - 2C) * a^2 * b^2 - 2 * A * b^4 \right) * d * x + (C * a^2 * b + A * b^3) * \sqrt{a^2 - b^2} * \log \left((2 * a * b * \cos(d * x + c) - (a^2 - 2 * b^2) * \cos(d * x + c))^2 - 2 * \sqrt{a^2 - b^2} * (b * \cos(d * x + c) + a) * \sin(d * x + c) + 2 * a^2 - b^2 \right) / (a^2 * \cos(d * x + c)^2 + 2 * a * b * \cos(d * x + c) + b^2) - (2 * A * a^3 * b - 2 * A * a * b^3 - (A * a^4 -$$

$$\frac{Aa^2b^2 \cos(dx+c) \sin(dx+c)}{(a^5 - a^3b^2)d} + \frac{1}{2} \left(\frac{(A + 2C)a^4 + (A - 2C)a^2b^2 - 2Ab^4}{d} - \frac{2(Ca^2b + Ab^3) \sqrt{-a^2 + b^2} \arctan\left(\frac{-\sqrt{-a^2 + b^2}(b \cos(dx+c) + a)}{(a^2 - b^2) \sin(dx+c)}\right)}{d} - \frac{(2Aa^3b - 2Aab^3 - (Aa^4 - Aa^2b^2) \cos(dx+c) \sin(dx+c))}{(a^5 - a^3b^2)d} \right)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \cos^2(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(A+C*sec(dx+c)**2)/(a+b*sec(dx+c)),x)

[Out] Integral((A + C*sec(c + dx)**2)*cos(c + dx)**2/(a + b*sec(c + dx)), x)

Giac [A] time = 1.2499, size = 269, normalized size = 2.1

$$\frac{(Aa^2 + 2Ca^2 + 2Ab^2)(dx+c)}{a^3} - \frac{4(Ca^2b + Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2 + b^2}} \right) \right)}{\sqrt{-a^2 + b^2} a^3} - \frac{2 \left(Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 2Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c)),x, algorithm="giac")

[Out]
$$\frac{1}{2} \left(\frac{(Aa^2 + 2Ca^2 + 2Ab^2)(dx+c)}{a^3} - \frac{4(Ca^2b + Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2 + b^2}} \right) \right)}{\sqrt{-a^2 + b^2} a^3} - \frac{2 \left(Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 2Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{2d} \right)$$

$$3.682 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=175

$$\frac{(a^2(2A+3C)+3Ab^2)\sin(c+dx)}{3a^3d} + \frac{2b^2(a^2C+Ab^2)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d\sqrt{a-b}\sqrt{a+b}} - \frac{bx(a^2(A+2C)+2Ab^2)}{2a^4} - \frac{Ab\sin(c+dx)}{2a^2}$$

[Out] $-(b*(2*A*b^2 + a^2*(A + 2*C))*x)/(2*a^4) + (2*b^2*(A*b^2 + a^2*C)*ArcTanh[(\sqrt{a-b}*\tan[(c+d*x)/2])/(\sqrt{a+b})]/(a^4*\sqrt{a-b}*\sqrt{a+b}*d) + ((3*A*b^2 + a^2*(2*A + 3*C))*\sin[c+d*x])/(3*a^3*d) - (A*b*\cos[c+d*x]*\sin[c+d*x])/(2*a^2*d) + (A*\cos[c+d*x]^2*\sin[c+d*x])/(3*a*d)$

Rubi [A] time = 0.605461, antiderivative size = 173, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4105, 4104, 3919, 3831, 2659, 208}

$$\frac{(a^2(2A+3C)+3Ab^2)\sin(c+dx)}{3a^3d} + \frac{2b^2(a^2C+Ab^2)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d\sqrt{a-b}\sqrt{a+b}} - \frac{bx\left(\frac{2Ab^2}{a^2} + A + 2C\right)}{2a^2} - \frac{Ab\sin(c+dx)}{2a^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\cos[c+d*x]^3*(A+C*\sec[c+d*x]^2))/(a+b*\sec[c+d*x]),x]$

[Out] $-(b*(A + (2*A*b^2)/a^2 + 2*C)*x)/(2*a^2) + (2*b^2*(A*b^2 + a^2*C)*ArcTanh[(\sqrt{a-b}*\tan[(c+d*x)/2])/(\sqrt{a+b})]/(a^4*\sqrt{a-b}*\sqrt{a+b}*d) + ((3*A*b^2 + a^2*(2*A + 3*C))*\sin[c+d*x])/(3*a^3*d) - (A*b*\cos[c+d*x]*\sin[c+d*x])/(2*a^2*d) + (A*\cos[c+d*x]^2*\sin[c+d*x])/(3*a*d)$

Rule 4105

$\text{Int}[(A_. + \csc[e_. + (f_.)*(x_.)]^2*(C_.))*(\csc[e_. + (f_.)*(x_.)]*(d_.))^n*(\csc[e_. + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := \text{Simp}[(A*C \text{ot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[-(A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad} - \frac{\int \frac{\cos^2(c+dx)(3Ab-a(2A+3C)\sec(c+dx)-2Ab\sec^2(c+dx))}{a+b\sec(c+dx)} dx}{3a} \\
&= -\frac{Ab\cos(c+dx)\sin(c+dx)}{2a^2d} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad} + \frac{\int \frac{\cos(c+dx)(2(3A}{3a} \\
&= \frac{(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3a^3d} - \frac{Ab\cos(c+dx)\sin(c+dx)}{2a^2d} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad} \\
&= -\frac{b(2Ab^2+a^2(A+2C))x}{2a^4} + \frac{(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3a^3d} - \frac{Ab\cos(c+dx)\sin(c+dx)}{2a^2d} \\
&= -\frac{b(2Ab^2+a^2(A+2C))x}{2a^4} + \frac{(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3a^3d} - \frac{Ab\cos(c+dx)\sin(c+dx)}{2a^2d} \\
&= -\frac{b(2Ab^2+a^2(A+2C))x}{2a^4} + \frac{(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3a^3d} - \frac{Ab\cos(c+dx)\sin(c+dx)}{2a^2d} \\
&= -\frac{b(2Ab^2+a^2(A+2C))x}{2a^4} + \frac{(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3a^3d} - \frac{Ab\cos(c+dx)\sin(c+dx)}{2a^2d} \\
&= -\frac{b(2Ab^2+a^2(A+2C))x}{2a^4} + \frac{2b^2(Ab^2+a^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4\sqrt{a-b}\sqrt{a+bd}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.500142, size = 149, normalized size = 0.85

$$\frac{-6b(c+dx)(a^2(A+2C)+2Ab^2)+3a(a^2(3A+4C)+4Ab^2)\sin(c+dx)-\frac{24b^2(a^2C+Ab^2)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}}-3a^2Ab}{12a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (-6*b*(2*A*b^2 + a^2*(A + 2*C))*(c + d*x) - (24*b^2*(A*b^2 + a^2*C)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])/Sqrt[a^2 - b^2] + 3*a*(4*A*b^2 + a^2*(3*A + 4*C))*Sin[c + d*x] - 3*a^2*A*b*Ssin[2*(c + d*x)] + a^3*A*Ssin[3*(c + d*x)]/(12*a^4*d)

Maple [B] time = 0.118, size = 551, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+b*\sec(dx+c)), x)$

[Out] $\frac{2}{d} \frac{a}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 A + \frac{1}{d} \frac{a^2}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 A b + \frac{2}{d} \frac{a^3}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 A b^2 + \frac{2}{d} \frac{a}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 C + \frac{4}{3} \frac{d}{a} \frac{1}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 A + \frac{4}{d} \frac{a^3}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 A b^2 + \frac{4}{d} \frac{a}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 C + \frac{2}{d} \frac{a}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 A + \frac{2}{d} \frac{a^3}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 A b^2 + \frac{2}{d} \frac{a}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 C - \frac{1}{d} \frac{a^2}{(1+\tan(\frac{1}{2}dx+\frac{1}{2}c))^2} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 A b - \frac{1}{d} \frac{A}{a^2} b \arctan(\tan(\frac{1}{2}dx+\frac{1}{2}c)) - \frac{2}{d} \frac{a^4 A}{a^4} \arctan(\tan(\frac{1}{2}dx+\frac{1}{2}c)) b^3 - \frac{2}{d} \frac{a^2 C}{a^2} \arctan(\tan(\frac{1}{2}dx+\frac{1}{2}c)) b^2 + \frac{2}{d} \frac{b^4}{a^4} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}((a-b)*\tan(\frac{1}{2}dx+\frac{1}{2}c)) / ((a+b)*(a-b))^{1/2} + \frac{2}{d} \frac{b^2}{a^2} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}((a-b)*\tan(\frac{1}{2}dx+\frac{1}{2}c)) / ((a+b)*(a-b))^{1/2} + C$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+b*\sec(dx+c)), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [A] time = 0.596147, size = 1067, normalized size = 6.1

$$\frac{3((A+2C)a^4b + (A-2C)a^2b^3 - 2Ab^5)dx - 3(Ca^2b^2 + Ab^4)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) - a \sin(dx+c))}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) - b^2}\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3*(A+C*\sec(dx+c)^2)/(a+b*\sec(dx+c)), x, \text{algorithm}="fricas")$

```
[Out] [-1/6*(3*((A + 2*C)*a^4*b + (A - 2*C)*a^2*b^3 - 2*A*b^5)*d*x - 3*(C*a^2*b^2 + A*b^4)*sqrt(a^2 - b^2)*log(((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c))^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - (2*(2*A + 3*C)*a^5 + 2*(A - 3*C)*a^3*b^2 - 6*A*a*b^4 + 2*(A*a^5 - A*a^3*b^2)*cos(d*x + c)^2 - 3*(A*a^4*b - A*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d), -1/6*(3*((A + 2*C)*a^4*b + (A - 2*C)*a^2*b^3 - 2*A*b^5)*d*x - 6*(C*a^2*b^2 + A*b^4)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (2*(2*A + 3*C)*a^5 + 2*(A - 3*C)*a^3*b^2 - 6*A*a*b^4 + 2*(A*a^5 - A*a^3*b^2)*cos(d*x + c)^2 - 3*(A*a^4*b - A*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.21354, size = 440, normalized size = 2.51

$$\frac{3(Aa^2b+2Ca^2b+2Ab^3)(dx+c)}{a^4} - \frac{12(Ca^2b^2+Ab^4)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{-a^2+b^2}}\right)\right)}{\sqrt{-a^2+b^2}a^4} - \frac{2\left(6Aa^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^5+6\left(6Aa^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^4}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/6*(3*(A*a^2*b + 2*C*a^2*b + 2*A*b^3)*(d*x + c)/a^4 - 12*(C*a^2*b^2 + A*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/sqrt(-a^2 + b^2))*a^4 - 2*(6*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 3*A*a*b*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 4*A*a^2
```

$$\begin{aligned} & * \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12C*a^2*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12A*b^2*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\ & + 6A*a^2*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6C*a^2*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 3A*a*b*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \\ & + 6A*b^2*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \Big/ \left(\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1 \right)^3 * a^3 \right) \Big/ d \end{aligned}$$

$$3.683 \quad \int \frac{\cos^4(c+dx)(A+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=232

$$\frac{b(a^2(2A+3C)+3Ab^2)\sin(c+dx)}{3a^4d} + \frac{(a^2(3A+4C)+4Ab^2)\sin(c+dx)\cos(c+dx)}{8a^3d} - \frac{2b^3(a^2C+Ab^2)\tanh^{-1}\left(\frac{\sqrt{a-b}\sqrt{a+b}}{a-b}\right)}{a^5d\sqrt{a-b}\sqrt{a+b}}$$

[Out] $((8A*b^4 + 4*a^2*b^2*(A + 2*C) + a^4*(3*A + 4*C))*x)/(8*a^5) - (2*b^3*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*Sqrt[a - b]*Sqrt[a + b]*d) - (b*(3*A*b^2 + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*a^4*d) + ((4*A*b^2 + a^2*(3*A + 4*C))*Cos[c + d*x]*Sin[c + d*x])/(8*a^3*d) - (A*b*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*d) + (A*Cos[c + d*x]^3*Sin[c + d*x])/(4*a*d)$

Rubi [A] time = 0.927148, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4105, 4104, 3919, 3831, 2659, 208}

$$\frac{b(a^2(2A+3C)+3Ab^2)\sin(c+dx)}{3a^4d} + \frac{(a^2(3A+4C)+4Ab^2)\sin(c+dx)\cos(c+dx)}{8a^3d} - \frac{2b^3(a^2C+Ab^2)\tanh^{-1}\left(\frac{\sqrt{a-b}\sqrt{a+b}}{a-b}\right)}{a^5d\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] $((8A*b^4 + 4*a^2*b^2*(A + 2*C) + a^4*(3*A + 4*C))*x)/(8*a^5) - (2*b^3*(A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*Sqrt[a - b]*Sqrt[a + b]*d) - (b*(3*A*b^2 + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*a^4*d) + ((4*A*b^2 + a^2*(3*A + 4*C))*Cos[c + d*x]*Sin[c + d*x])/(8*a^3*d) - (A*b*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*d) + (A*Cos[c + d*x]^3*Sin[c + d*x])/(4*a*d)$

Rule 4105

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[-(

$A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x] /;$ FreeQ[{a, b, d, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4104

$Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :=$ Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 3919

$Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=$ Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

$Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=$ Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

$Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] :=$ With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

$Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :=$ Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A\cos^3(c+dx)\sin(c+dx)}{4ad} - \frac{\int \frac{\cos^3(c+dx)(4Ab-a(3A+4C)\sec(c+dx)-3Ab\sec^2(c+dx))}{a+b\sec(c+dx)}}{4a} \\
&= -\frac{Ab\cos^2(c+dx)\sin(c+dx)}{3a^2d} + \frac{A\cos^3(c+dx)\sin(c+dx)}{4ad} + \frac{\int \frac{\cos^2(c+dx)(3(4Ab-a(3A+4C)\sec(c+dx)-3Ab\sec^2(c+dx)))}{a+b\sec(c+dx)}}{4a} \\
&= \frac{(4Ab^2+a^2(3A+4C))\cos(c+dx)\sin(c+dx)}{8a^3d} - \frac{Ab\cos^2(c+dx)\sin(c+dx)}{3a^2d} \\
&= -\frac{b(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3a^4d} + \frac{(4Ab^2+a^2(3A+4C))\cos(c+dx)}{8a^3d} \\
&= \frac{(8Ab^4+4a^2b^2(A+2C)+a^4(3A+4C))x}{8a^5} - \frac{b(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3a^4d} \\
&= \frac{(8Ab^4+4a^2b^2(A+2C)+a^4(3A+4C))x}{8a^5} - \frac{b(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3a^4d} \\
&= \frac{(8Ab^4+4a^2b^2(A+2C)+a^4(3A+4C))x}{8a^5} - \frac{b(3Ab^2+a^2(2A+3C))\sin(c+dx)}{3a^4d} \\
&= \frac{(8Ab^4+4a^2b^2(A+2C)+a^4(3A+4C))x}{8a^5} - \frac{2b^3(Ab^2+a^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}}{\sqrt{a+b}}\right)}{a^5\sqrt{a-b}\sqrt{a+bd}}
\end{aligned}$$

Mathematica [A] time = 0.658355, size = 191, normalized size = 0.82

$$\frac{12(c+dx)(4a^2b^2(A+2C)+a^4(3A+4C)+8Ab^4)+24a^2(a^2(A+C)+Ab^2)\sin(2(c+dx))-24ab(a^2(3A+4C)+4Ab^2)}{96a^5d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (12*(8*A*b^4 + 4*a^2*b^2*(A + 2*C) + a^4*(3*A + 4*C))*(c + d*x) + (192*b^3*(A*b^2 + a^2*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - 24*a*b*(4*A*b^2 + a^2*(3*A + 4*C))*Sin[c + d*x] + 24*a^2*(A*b^2 + a^2*(A + C))*Sin[2*(c + d*x)] - 8*a^3*A*b*Ssin[3*(c + d*x)] + 3*a^4*A*Ssin[4*(c + d*x)]/(96*a^5*d)

Maple [B] time = 0.125, size = 1060, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^4*(A+C*\sec(dx+c)^2)/(a+b*\sec(dx+c)), x)$

[Out]
$$\begin{aligned} & -6/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*A*b^3+1/a/d*\arctan \\ & (\tan(1/2*d*x+1/2*c))*C+3/4/a/d*A*\arctan(\tan(1/2*d*x+1/2*c))-2/d*b^5/a^5/((a \\ & +b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})} *A-10 \\ & /3/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*A*b-2/d/a^2/(1+\tan \\ & (1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)*A*b-2/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2 \\ &)^4*\tan(1/2*d*x+1/2*c)*A*b^3-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x \\ & +1/2*c)^7*b*C-2/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*A*b^3 \\ & -10/3/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*A*b-2/d/a^2/(1+ \\ & \tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*A*b-6/d/a^2/(1+\tan(1/2*d*x+1/2 \\ & *c))^2)^4*\tan(1/2*d*x+1/2*c)^3*b*C-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/ \\ & 2*d*x+1/2*c)*b*C-6/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*A* \\ & b^3-6/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*b*C-1/d/a^3/(1+ \\ & \tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*A*b^2+1/d/a^3/(1+\tan(1/2*d*x+1 \\ & /2*c))^2)^4*\tan(1/2*d*x+1/2*c)*A*b^2+1/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/ \\ & 2*d*x+1/2*c)*C-5/4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*A-3/ \\ & 4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*A+1/d/a/(1+\tan(1/2*d* \\ & x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*C-1/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1 \\ & /2*d*x+1/2*c)^7*C+2/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*C*b^2+2/d/a^5*\arctan(t \\ & \tan(1/2*d*x+1/2*c))*A*b^4+5/4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2 \\ & *c)*A-1/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*C+1/d/a^3*\arcta \\ & n(\tan(1/2*d*x+1/2*c))*A*b^2+3/4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+ \\ & 1/2*c)^5*A+1/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*A*b^2-2/ \\ & d*b^3/a^3/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b) \\ &)^{(1/2)})} *C-1/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*A*b^2 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^4*(A+C*\sec(dx+c)^2)/(a+b*\sec(dx+c)), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [A] time = 0.662604, size = 1328, normalized size = 5.72

$$\int 3 \left((3A + 4C)a^6 + (A + 4C)a^4b^2 + 4(A - 2C)a^2b^4 - 8Ab^6 \right) dx + 12 \left(Ca^2b^3 + Ab^5 \right) \sqrt{a^2 - b^2} \log \left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/24*(3*((3*A + 4*C)*a^6 + (A + 4*C)*a^4*b^2 + 4*(A - 2*C)*a^2*b^4 - 8*A*b^6)*d*x + 12*(C*a^2*b^3 + A*b^5)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - (8*(2*A + 3*C)*a^5*b + 8*(A - 3*C)*a^3*b^3 - 24*A*a*b^5 - 6*(A*a^6 - A*a^4*b^2)*cos(d*x + c)^3 + 8*(A*a^5*b - A*a^3*b^3)*cos(d*x + c)^2 - 3*((3*A + 4*C)*a^6 + (A - 4*C)*a^4*b^2 - 4*A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^7 - a^5*b^2)*d), 1/24*(3*((3*A + 4*C)*a^6 + (A + 4*C)*a^4*b^2 + 4*(A - 2*C)*a^2*b^4 - 8*A*b^6)*d*x - 24*(C*a^2*b^3 + A*b^5)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (8*(2*A + 3*C)*a^5*b + 8*(A - 3*C)*a^3*b^3 - 24*A*a*b^5 - 6*(A*a^6 - A*a^4*b^2)*cos(d*x + c)^3 + 8*(A*a^5*b - A*a^3*b^3)*cos(d*x + c)^2 - 3*((3*A + 4*C)*a^6 + (A - 4*C)*a^4*b^2 - 4*A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^7 - a^5*b^2)*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 1.38957, size = 775, normalized size = 3.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\frac{1}{24} \cdot (3 \cdot (3Aa^4 + 4Ca^4 + 4Aa^2b^2 + 8Ca^2b^2 + 8Ab^4) \cdot (dx + c) / a^5 - 48 \cdot (Ca^2b^3 + Ab^5) \cdot (\pi \cdot \text{floor}(1/2 \cdot (dx + c) / \pi + 1/2) \cdot \text{sgn}(-2a + 2b) + \arctan(-(a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) - b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)) / \sqrt{-a^2 + b^2}))) / (\sqrt{-a^2 + b^2}) \cdot a^5 - 2 \cdot (15Aa^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 12Ca^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 24Aa^2 \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 24Ca^2 \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 12Aa \cdot b^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 24Ab^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 - 9Aa^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 12Ca^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 40Aa^2 \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 72Ca^2 \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 12Aa \cdot b^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 72Ab^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 9Aa^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 12Ca^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 40Aa^2 \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 72Ca^2 \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 12Aa \cdot b^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 72Ab^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 15Aa^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) - 12Ca^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + 24Aa^2 \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + 24Ca^2 \cdot b \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) - 12Aa \cdot b^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + 24Ab^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)) / ((\tan(1/2 \cdot dx + 1/2 \cdot c)^2 + 1)^4 \cdot a^4)) / d$$

$$3.684 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=271

$$\frac{a(3a^2C + Ab^2 - 2b^2C) \tan(c+dx)}{b^3d(a^2 - b^2)} + \frac{(C(6a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{2a(a^2Ab^2 - 4a^2b^2C + 3a^4C - 2a^2b^2)}{b^4d(a-b)^{3/2}}$$

[Out] $((2Ab^2 + (6a^2 + b^2)C) \operatorname{ArcTanh}[\operatorname{Sin}[c + dx]]) / (2b^4d) - (2a(a^2Ab^2 - 2Ab^4 + 3a^4C - 4a^2b^2C) \operatorname{ArcTanh}[(\operatorname{Sqrt}[a - b] \operatorname{Tan}[(c + dx) / 2]) / \operatorname{Sqrt}[a + b]]) / ((a - b)^{3/2} b^4 (a + b)^{3/2} d) - (a(Ab^2 + 3a^2C - 2b^2C) \operatorname{Tan}[c + dx]) / (b^3(a^2 - b^2)d) + ((2Ab^2 + 3a^2C - b^2C) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]) / (2b^2(a^2 - b^2)d) - ((Ab^2 + a^2C) \operatorname{Sec}[c + dx]^2 \operatorname{Tan}[c + dx]) / (b(a^2 - b^2)d(a + b \operatorname{Sec}[c + dx]))$

Rubi [A] time = 0.86113, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4099, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{a(3a^2C + Ab^2 - 2b^2C) \tan(c+dx)}{b^3d(a^2 - b^2)} + \frac{(C(6a^2 + b^2) + 2Ab^2) \tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{2a(a^2Ab^2 - 4a^2b^2C + 3a^4C - 2a^2b^2)}{b^4d(a-b)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + dx]^3(A + C \operatorname{Sec}[c + dx]^2)) / (a + b \operatorname{Sec}[c + dx])^2, x]$

[Out] $((2Ab^2 + (6a^2 + b^2)C) \operatorname{ArcTanh}[\operatorname{Sin}[c + dx]]) / (2b^4d) - (2a(a^2Ab^2 - 2Ab^4 + 3a^4C - 4a^2b^2C) \operatorname{ArcTanh}[(\operatorname{Sqrt}[a - b] \operatorname{Tan}[(c + dx) / 2]) / \operatorname{Sqrt}[a + b]]) / ((a - b)^{3/2} b^4 (a + b)^{3/2} d) - (a(Ab^2 + 3a^2C - 2b^2C) \operatorname{Tan}[c + dx]) / (b^3(a^2 - b^2)d) + ((2Ab^2 + 3a^2C - b^2C) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]) / (2b^2(a^2 - b^2)d) - ((Ab^2 + a^2C) \operatorname{Sec}[c + dx]^2 \operatorname{Tan}[c + dx]) / (b(a^2 - b^2)d(a + b \operatorname{Sec}[c + dx]))$

Rule 4099

$\operatorname{Int}(((A_.) + \operatorname{csc}[(e_.) + (f_.)(x_.)]^2(C_.)) * (\operatorname{csc}[(e_.) + (f_.)(x_.)] * (d_.))^{(n_.)} * (\operatorname{csc}[(e_.) + (f_.)(x_.)] * (b_.) + (a_.))^{(m_.)}, x_Symbol) := -\operatorname{Simp}[(d * (Ab^2 + a^2C) \operatorname{Cot}[e + fx] * (a + b \operatorname{Csc}[e + fx])^{(m + 1)} * (d \operatorname{Csc}[e + fx])^n)$

```
(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) + a^2*C*(n - 1) + a*b*(A + C)*(m + 1)*Csc[e + f*x] - (A*b^2*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4092

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= -\frac{(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\sec^2(c+dx)(2(Ab^2+a^2C)-ab(A+C)\sec(c+dx))}{(a+b\sec(c+dx))^2} dx \\
&= \frac{(2Ab^2+3a^2C-b^2C)\sec(c+dx)\tan(c+dx)}{2b^2(a^2-b^2)d} - \frac{(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{a(Ab^2+3a^2C-2b^2C)\tan(c+dx)}{b^3(a^2-b^2)d} + \frac{(2Ab^2+3a^2C-b^2C)\sec(c+dx)\tan(c+dx)}{2b^2(a^2-b^2)d} \\
&= -\frac{a(Ab^2+3a^2C-2b^2C)\tan(c+dx)}{b^3(a^2-b^2)d} + \frac{(2Ab^2+3a^2C-b^2C)\sec(c+dx)\tan(c+dx)}{2b^2(a^2-b^2)d} \\
&= \frac{(2Ab^2+(6a^2+b^2)C)\tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{a(Ab^2+3a^2C-2b^2C)\tan(c+dx)}{b^3(a^2-b^2)d} \\
&= \frac{(2Ab^2+(6a^2+b^2)C)\tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{a(Ab^2+3a^2C-2b^2C)\tan(c+dx)}{b^3(a^2-b^2)d} \\
&= \frac{(2Ab^2+(6a^2+b^2)C)\tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{2a(a^2Ab^2-2Ab^4+3a^4C-4a^2b^2C)}{(a-b)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 3.79693, size = 461, normalized size = 1.7

$$(a \cos(c + dx) + b) (A + C \sec^2(c + dx)) \left(\frac{4a^2 b (a^2 C + Ab^2) \sin(c + dx)}{(b-a)(a+b)} - 2 (C (6a^2 + b^2) + 2Ab^2) (a \cos(c + dx) + b) \log \left(\cos \left(\frac{1}{2} (c + dx) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*((8*a*(-2*A*b^4 + a^2*b^2*(A - 4*C) + 3*a^4*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*Cos[c + d*x]))/(a^2 - b^2)^(3/2) - 2*(2*A*b^2 + (6*a^2 + b^2)*C)*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*(2*A*b^2 + (6*a^2 + b^2)*C)*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^2*C*(b + a*Cos[c + d*x]))/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - (8*a*b*C*(b + a*Cos[c + d*x])*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (b^2*C*(b + a*Cos[c + d*x]))/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 - (8*a*b*C*(b + a*Cos[c + d*x])*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + (4*a^2*b*(A*b^2 + a^2*C)*Sin[c + d*x])/((-a + b)*(a + b)))/(2*b^4*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x])^2)

Maple [B] time = 0.104, size = 646, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)

[Out] 2/d*a^2/b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*A+2/d*a^4/b^3/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*C-2/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+4/d*a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-6/d*a^5/b^4/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+8/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-1/2/d*C/b^2/(tan(1/2*d*x+1/2*c)+1)^2+1/d/b^2*ln(tan(1/2*d*x+1/2*c)+1)*A+3/d/b^4*ln(tan(1/2*d*x+1/2*c)+1)

$$x+1/2*c)+1)*a^2*C+1/2/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*C+2/d*C/b^3/(\tan(1/2*d*x+1/2*c)+1)*a+1/2/d*C/b^2/(\tan(1/2*d*x+1/2*c)+1)+1/2/d*C/b^2/(\tan(1/2*d*x+1/2*c)-1)^2-1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*A-3/d/b^4*\ln(\tan(1/2*d*x+1/2*c)-1)*a^2*C-1/2/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*C+2/d*C/b^3/(\tan(1/2*d*x+1/2*c)-1)*a+1/2/d*C/b^2/(\tan(1/2*d*x+1/2*c)-1)$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 29.9701, size = 2553, normalized size = 9.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(2*((3*C*a^6 + (A - 4*C)*a^4*b^2 - 2*A*a^2*b^4)*\cos(d*x + c)^3 + (3*C*a^5*b + (A - 4*C)*a^3*b^3 - 2*A*a*b^5)*\cos(d*x + c)^2)*\sqrt{a^2 - b^2}*\log(\\ & (2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) + ((6*C*a^7 + (2*A - 11*C)*a^5*b^2 - 4*(A - C)*a^3*b^4 + \\ & (2*A + C)*a*b^6)*\cos(d*x + c)^3 + (6*C*a^6*b + (2*A - 11*C)*a^4*b^3 - 4*(A - C)*a^2*b^5 + (2*A + C)*b^7)*\cos(d*x + c)^2)*\log(\sin(d*x + c) + 1) - ((6*C*a^7 + (2*A - 11*C)*a^5*b^2 - 4*(A - C)*a^3*b^4 + (2*A + C)*a*b^6)*\cos(d*x + c)^3 + (6*C*a^6*b + (2*A - 11*C)*a^4*b^3 - 4*(A - C)*a^2*b^5 + (2*A + C)*b^7)*\cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) + 2*(C*a^4*b^3 - 2*C*a^2*b^5 + C*b^7 - 2*(3*C*a^6*b + (A - 5*C)*a^4*b^3 - (A - 2*C)*a^2*b^5)*\cos(d*x + c)^2 - 3*(C*a^5*b^2 - 2*C*a^3*b^4 + C*a*b^6)*\cos(d*x + c))*\sin(d*x + c))/((a^5*b^4 - 2*a^3*b^6 + a*b^8)*d*\cos(d*x + c)^3 + (a^4*b^5 - 2*a^2*b^7 + b^9)*d*\cos(d*x + c)^2), -1/4*(4*((3*C*a^6 + (A - 4*C)*a^4*b^2 - 2*A*a^2*b^4)*\cos(\end{aligned}$$

$$d*x + c)^3 + (3*C*a^5*b + (A - 4*C)*a^3*b^3 - 2*A*a*b^5)*\cos(d*x + c)^2*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c))) - ((6*C*a^7 + (2*A - 11*C)*a^5*b^2 - 4*(A - C)*a^3*b^4 + (2*A + C)*a*b^6)*\cos(d*x + c)^3 + (6*C*a^6*b + (2*A - 11*C)*a^4*b^3 - 4*(A - C)*a^2*b^5 + (2*A + C)*b^7)*\cos(d*x + c)^2*\log(\sin(d*x + c) + 1) + ((6*C*a^7 + (2*A - 11*C)*a^5*b^2 - 4*(A - C)*a^3*b^4 + (2*A + C)*a*b^6)*\cos(d*x + c)^3 + (6*C*a^6*b + (2*A - 11*C)*a^4*b^3 - 4*(A - C)*a^2*b^5 + (2*A + C)*b^7)*\cos(d*x + c)^2*\log(-\sin(d*x + c) + 1) - 2*(C*a^4*b^3 - 2*C*a^2*b^5 + C*b^7 - 2*(3*C*a^6*b + (A - 5*C)*a^4*b^3 - (A - 2*C)*a^2*b^5)*\cos(d*x + c)^2 - 3*(C*a^5*b^2 - 2*C*a^3*b^4 + C*a*b^6)*\cos(d*x + c))*\sin(d*x + c))/((a^5*b^4 - 2*a^3*b^6 + a*b^8)*d*\cos(d*x + c)^3 + (a^4*b^5 - 2*a^2*b^7 + b^9)*d*\cos(d*x + c)^2)]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.39989, size = 483, normalized size = 1.78

$$\frac{4(3Ca^5 + Aa^3b^2 - 4Ca^3b^2 - 2Aab^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^4 - b^6)\sqrt{-a^2+b^2}} - \frac{4(Ca^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + Aa^2b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^2b^3 - b^5) \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] -1/2*(4*(3*C*a^5 + A*a^3*b^2 - 4*C*a^3*b^2 - 2*A*a*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^2*b^4 - b^6)*sqrt(-a^2 + b^2)) - 4*(C*a^4*tan(1/2*d*x + 1/2*c) + A*a^2*b^2*tan(1/2*d*x + 1/2*c))/(a^2*b^3 - b^5)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c))

$$\begin{aligned}
& 2*d*x + 1/2*c)) / \sqrt{-a^2 + b^2}))) / ((a^2*b^4 - b^6)*\sqrt{-a^2 + b^2}) - 4*(\\
& C*a^4*\tan(1/2*d*x + 1/2*c) + A*a^2*b^2*\tan(1/2*d*x + 1/2*c)) / ((a^2*b^3 - b^ \\
& 5)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)) - (6*C*a^ \\
& 2 + 2*A*b^2 + C*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) / b^4 + (6*C*a^2 + 2* \\
& A*b^2 + C*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) / b^4 - 2*(4*C*a*\tan(1/2*d* \\
& x + 1/2*c)^3 + C*b*\tan(1/2*d*x + 1/2*c)^3 - 4*C*a*\tan(1/2*d*x + 1/2*c) + C* \\
& b*\tan(1/2*d*x + 1/2*c)) / ((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*b^3)) / d
\end{aligned}$$

$$3.685 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=153

$$-\frac{2(3a^2b^2C - 2a^4C + Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(a^2C + Ab^2) \tan(c+dx)}{b^2d(a^2 - b^2)(a+b \sec(c+dx))} - \frac{2aC \tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{C}{b^3d}$$

[Out] $(-2*a*C*ArcTanh[Sin[c + d*x]])/(b^3*d) - (2*(A*b^4 - 2*a^4*C + 3*a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^{(3/2)*b^3*(a + b)^{(3/2)*d} + (C*Tan[c + d*x])/(b^2*d) + (a*(A*b^2 + a^2*C)*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 0.484777, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4091, 4082, 3998, 3770, 3831, 2659, 208}

$$-\frac{2(3a^2b^2C - 2a^4C + Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(a^2C + Ab^2) \tan(c+dx)}{b^2d(a^2 - b^2)(a+b \sec(c+dx))} - \frac{2aC \tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{C}{b^3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^2*(A + C*\text{Sec}[c + d*x]^2))/(a + b*\text{Sec}[c + d*x]^2, x]$

[Out] $(-2*a*C*ArcTanh[Sin[c + d*x]])/(b^3*d) - (2*(A*b^4 - 2*a^4*C + 3*a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^{(3/2)*b^3*(a + b)^{(3/2)*d} + (C*Tan[c + d*x])/(b^2*d) + (a*(A*b^2 + a^2*C)*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rule 4091

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(a*(A*b^2 + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)})/(b^2*f*(m+1)*(a^2 - b^2)), x] - \text{Dist}[1/(b^2*(m+1)*(a^2 - b^2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*\text{Simp}[b*(m+1)*(a^2*C + A*b^2) - a*(A*b^2*(m+2) + C*(a^2 + b^2*(m+1))]*\text{Csc}[e + f*x] - b*C*(m+1)*(a^2 - b^2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, C\}, x] \&\amp; \text{NeQ}[a^2 - b^2, 0] \&\amp; \text{LtQ}[m, -1]$

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{a(Ab^2+a^2C)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} + \frac{\int \frac{\sec(c+dx)(-b(Ab^2+a^2C)-a(a^2-b^2)C\sec(c+dx)+b(a^2-b^2))}{a+b\sec(c+dx)} dx}{b^2(a^2-b^2)} \\
&= \frac{C\tan(c+dx)}{b^2d} + \frac{a(Ab^2+a^2C)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} + \frac{\int \frac{\sec(c+dx)(-b^2(Ab^2+a^2C)-2a(a^2-b^2)C)}{a+b\sec(c+dx)} dx}{b^3(a^2-b^2)} \\
&= \frac{C\tan(c+dx)}{b^2d} + \frac{a(Ab^2+a^2C)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} - \frac{(2aC)\int \sec(c+dx) dx}{b^3} \\
&= -\frac{2aC\tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{C\tan(c+dx)}{b^2d} + \frac{a(Ab^2+a^2C)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{2aC\tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{C\tan(c+dx)}{b^2d} + \frac{a(Ab^2+a^2C)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{2aC\tanh^{-1}(\sin(c+dx))}{b^3d} - \frac{2(Ab^4-2a^4C+3a^2b^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b^3(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [B] time = 2.67776, size = 336, normalized size = 2.2

$$2(a\cos(c+dx)+b)(A+C\sec^2(c+dx))\left(\frac{ab(a^2C+Ab^2)\sin(c+dx)}{(a-b)(a+b)} + \frac{2(3a^2b^2C-2a^4C+Ab^4)(a\cos(c+dx)+b)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + \frac{bC}{c}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]^2,x]

[Out] (2*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*((2*(A*b^4 - 2*a^4*C + 3*a^2*b^2*C)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])*(b + a*Cos[c + d*x]))/(a^2 - b^2)^(3/2) + 2*a*C*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 2*a*C*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b*C*(b + a*Cos[c + d*x])*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (b*C*(b + a*Cos[c + d*x])*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + (a*b*(A*b^2 + a^2*C)*Sin[c + d*x])/((a - b)*(a + b)))/(b^3*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x])^2

2)

Maple [B] time = 0.084, size = 402, normalized size = 2.6

$$-2 \frac{a \tan(1/2 dx + c/2) A}{d(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)} - 2 \frac{a^3 \tan(1/2 dx + c/2)}{db^2(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)`

[Out] `-2/d*a/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*A-2/d/b^2*a^3/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*C-2/d*b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+4/d/b^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*a^4*C-6/d/b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C*a^2-1/d*C/b^2/(tan(1/2*d*x+1/2*c)+1)-2/d*a*C/b^3*ln(tan(1/2*d*x+1/2*c)+1)+2/d*a*C/b^3*ln(tan(1/2*d*x+1/2*c)-1)-1/d*C/b^2/(tan(1/2*d*x+1/2*c)-1)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 7.49633, size = 1904, normalized size = 12.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="
fricas")
```

```
[Out] [1/2*(((2*C*a^5 - 3*C*a^3*b^2 - A*a*b^4)*cos(d*x + c)^2 + (2*C*a^4*b - 3*C*
a^2*b^3 - A*b^5)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a
^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x
+ c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 2*(
(C*a^6 - 2*C*a^4*b^2 + C*a^2*b^4)*cos(d*x + c)^2 + (C*a^5*b - 2*C*a^3*b^3 +
C*a*b^5)*cos(d*x + c))*log(sin(d*x + c) + 1) + 2*((C*a^6 - 2*C*a^4*b^2 + C
*a^2*b^4)*cos(d*x + c)^2 + (C*a^5*b - 2*C*a^3*b^3 + C*a*b^5)*cos(d*x + c))*
log(-sin(d*x + c) + 1) + 2*(C*a^4*b^2 - 2*C*a^2*b^4 + C*b^6 + (2*C*a^5*b +
(A - 3*C)*a^3*b^3 - (A - C)*a*b^5)*cos(d*x + c))*sin(d*x + c))/((a^5*b^3 -
2*a^3*b^5 + a*b^7)*d*cos(d*x + c)^2 + (a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x
+ c)), (((2*C*a^5 - 3*C*a^3*b^2 - A*a*b^4)*cos(d*x + c)^2 + (2*C*a^4*b - 3
*C*a^2*b^3 - A*b^5)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)
*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - ((C*a^6 - 2*C*a^4*b^2 +
C*a^2*b^4)*cos(d*x + c)^2 + (C*a^5*b - 2*C*a^3*b^3 + C*a*b^5)*cos(d*x + c)
)*log(sin(d*x + c) + 1) + ((C*a^6 - 2*C*a^4*b^2 + C*a^2*b^4)*cos(d*x + c)^2
+ (C*a^5*b - 2*C*a^3*b^3 + C*a*b^5)*cos(d*x + c))*log(-sin(d*x + c) + 1) +
(C*a^4*b^2 - 2*C*a^2*b^4 + C*b^6 + (2*C*a^5*b + (A - 3*C)*a^3*b^3 - (A - C
)*a*b^5)*cos(d*x + c))*sin(d*x + c))/((a^5*b^3 - 2*a^3*b^5 + a*b^7)*d*cos(d
*x + c)^2 + (a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**2, x
)
```


Giac [B] time = 1.28794, size = 516, normalized size = 3.37

$$2 \left(\frac{(2Ca^4 - 3Ca^2b^2 - Ab^4) \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^3 - b^5) \sqrt{-a^2+b^2}} \right) - \frac{Ca \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b^3} + \frac{Ca \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] 2*((2*C*a^4 - 3*C*a^2*b^2 - A*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^2*b^3 - b^5)*sqrt(-a^2 + b^2)) - C*a*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 + C*a*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^3 - (2*C*a^3*tan(1/2*d*x + 1/2*c)^3 - C*a^2*b*tan(1/2*d*x + 1/2*c)^3 + A*a*b^2*tan(1/2*d*x + 1/2*c)^3 - C*a*b^2*tan(1/2*d*x + 1/2*c)^3 + C*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*C*a^3*tan(1/2*d*x + 1/2*c) - C*a^2*b*tan(1/2*d*x + 1/2*c) - A*a*b^2*tan(1/2*d*x + 1/2*c) + C*a*b^2*tan(1/2*d*x + 1/2*c) + C*b^3*tan(1/2*d*x + 1/2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 - 2*a*tan(1/2*d*x + 1/2*c)^2 + a + b)*(a^2*b^2 - b^4))/d

$$3.686 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=135

$$\frac{2a(a^2(-C) + Ab^2 + 2b^2C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(a^2C + Ab^2) \tan(c+dx)}{bd(a^2 - b^2)(a+b \sec(c+dx))} + \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^2*d) + (2*a*(A*b^2 - a^2*C + 2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^2*(a + b)^(3/2)*d) - ((A*b^2 + a^2*C)*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.272399, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4081, 3998, 3770, 3831, 2659, 208}

$$\frac{2a(a^2(-C) + Ab^2 + 2b^2C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(a^2C + Ab^2) \tan(c+dx)}{bd(a^2 - b^2)(a+b \sec(c+dx))} + \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2, x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^2*d) + (2*a*(A*b^2 - a^2*C + 2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^2*(a + b)^(3/2)*d) - ((A*b^2 + a^2*C)*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4081

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*b*(A + C)*(m + 1) - (A*b^2 + a^2*C + b*(A*b + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= -\frac{(Ab^2+a^2C)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{\int \frac{\sec(c+dx)(-ab(A+C)-(a^2-b^2)C\sec(c+dx))}{a+b\sec(c+dx)} dx}{b(a^2-b^2)} \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \frac{C \int \sec(c+dx) dx}{b^2} - \frac{(a(a^2-b^2)C-ab^2(A+C))}{b^2(a^2-b^2)} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d} - \frac{(Ab^2+a^2C)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{(a(a^2-b^2)C-ab^2(A+C))}{b^3(a^2-b^2)} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d} - \frac{(Ab^2+a^2C)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{\left(2a\left(C-\frac{b^2(A+C)}{a^2-b^2}\right)\right)}{b^3(a^2-b^2)} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d} + \frac{2a(Ab^2-a^2C+2b^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b^2(a+b)^{3/2}d} - \frac{2a(\sin(c)+i\cos(c))(C(a^2-2b^2)-Ab^2)(a\cos(c+dx)+b)}{(a^2-b^2)^{3/2}\sqrt{a+b}}
\end{aligned}$$

Mathematica [C] time = 2.3422, size = 331, normalized size = 2.45

$$\frac{2(a\cos(c+dx)+b)(A+C\sec^2(c+dx))}{a(a-b)(a+b)\left(\cos\left(\frac{c}{2}\right)-\sin\left(\frac{c}{2}\right)\right)\left(\sin\left(\frac{c}{2}\right)+\cos\left(\frac{c}{2}\right)\right)} \left(\frac{b(a^2C+Ab^2)(b\sin(c)-a\sin(dx))}{a(a-b)(a+b)\left(\cos\left(\frac{c}{2}\right)-\sin\left(\frac{c}{2}\right)\right)\left(\sin\left(\frac{c}{2}\right)+\cos\left(\frac{c}{2}\right)\right)} + \frac{2a(\sin(c)+i\cos(c))(C(a^2-2b^2)-Ab^2)(a\cos(c+dx)+b)}{(a^2-b^2)^{3/2}\sqrt{a+b}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (2*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*(-(C*(b + a*Cos[c + d*x]))*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]) + C*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*a*(-(A*b^2) + (a^2 - 2*b^2)*C)*ArcTan[(I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*x)/2])])/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2])*(b + a*Cos[c + d*x])*(I*Cos[c] + Sin[c])/(a^2 - b^2)^(3/2)*Sqrt[(Cos[c] - I*Sin[c])^2]) + (b*(A*b^2 + a^2*C)*(b*Sin[c] - a*Sin[d*x]))/(a*(a - b)*(a + b)*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])))/(b^2*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x])^2)

Maple [B] time = 0.089, size = 350, normalized size = 2.6

$$2 \frac{b \tan(1/2 dx + c/2) A}{d(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)} + 2 \frac{\tan(1/2 dx + c/2) a^2 C}{db(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)`

[Out] `2/d*b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*A+2/d/b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*a^2*C+2/d*a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-2/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+4/d*a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+1/d/b^2*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/b^2*ln(tan(1/2*d*x+1/2*c)-1)*C`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 5.4835, size = 1513, normalized size = 11.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")`

```
[Out] [1/2*((C*a^3*b - (A + 2*C)*a*b^3 + (C*a^4 - (A + 2*C)*a^2*b^2)*cos(d*x + c)
)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 -
2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos
(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (C*a^4*b - 2*C*a^2*b^3 + C*b^5 +
(C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(sin(d*x + c) + 1) - (C*a
^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*
log(-sin(d*x + c) + 1) - 2*(C*a^4*b + (A - C)*a^2*b^3 - A*b^5)*sin(d*x + c)
)/((a^5*b^2 - 2*a^3*b^4 + a*b^6)*d*cos(d*x + c) + (a^4*b^3 - 2*a^2*b^5 + b^
7)*d), -1/2*(2*(C*a^3*b - (A + 2*C)*a*b^3 + (C*a^4 - (A + 2*C)*a^2*b^2)*cos
(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/(
(a^2 - b^2)*sin(d*x + c))) - (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*
a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(sin(d*x + c) + 1) + (C*a^4*b - 2*C*a^2
*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(-sin(d*x +
c) + 1) + 2*(C*a^4*b + (A - C)*a^2*b^3 - A*b^5)*sin(d*x + c))/((a^5*b^2 -
2*a^3*b^4 + a*b^6)*d*cos(d*x + c) + (a^4*b^3 - 2*a^2*b^5 + b^7)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x))**2, x)
```

Giac [A] time = 1.27165, size = 312, normalized size = 2.31

$$\frac{2(Ca^3 - Aab^2 - 2Cab^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^2 - b^4) \sqrt{-a^2+b^2}} + \frac{C \log\left(\left| \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1 \right|\right)}{b^2} - \frac{C \log\left(\left| \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1 \right|\right)}{b^2} + \frac{d}{(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] (2*(C*a^3 - A*a*b^2 - 2*C*a*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a
- 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2
+ b^2)))/((a^2*b^2 - b^4)*sqrt(-a^2 + b^2)) + C*log(abs(tan(1/2*d*x + 1/2*
c) + 1))/b^2 - C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^2 + 2*(C*a^2*tan(1/2*
d*x + 1/2*c) + A*b^2*tan(1/2*d*x + 1/2*c))/((a^2*b - b^3)*(a*tan(1/2*d*x +
1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b))/d
```

$$3.687 \quad \int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=125

$$-\frac{2b(2a^2A + a^2C - Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{(a^2C + Ab^2) \tan(c+dx)}{ad(a^2 - b^2)(a + b \sec(c+dx))} + \frac{Ax}{a^2}$$

[Out] (A*x)/a^2 - (2*b*(2*a^2*A - A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((A*b^2 + a^2*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.226777, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4061, 3919, 3831, 2659, 208}

$$-\frac{2b(2a^2A + a^2C - Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{(a^2C + Ab^2) \tan(c+dx)}{ad(a^2 - b^2)(a + b \sec(c+dx))} + \frac{Ax}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2, x]

[Out] (A*x)/a^2 - (2*b*(2*a^2*A - A*b^2 + a^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((A*b^2 + a^2*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4061

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*b*(A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m] && LtQ[m, -1]

Rule 3919


```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx &= \frac{(Ab^2 + a^2C) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} - \frac{\int \frac{-A(a^2 - b^2) + ab(A + C) \sec(c + dx)}{a + b \sec(c + dx)} dx}{a(a^2 - b^2)} \\ &= \frac{Ax}{a^2} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} + \frac{(b(Ab^2 - a^2(2A + C))) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx}{a^2(a^2 - b^2)} \\ &= \frac{Ax}{a^2} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} + \frac{(Ab^2 - a^2(2A + C)) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{a^2(a^2 - b^2)} \\ &= \frac{Ax}{a^2} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} + \frac{(2(Ab^2 - a^2(2A + C))) \text{Subst}\left(\int \frac{1}{1 + \frac{a}{b} + (1 - \frac{a}{b})x^2} dx, \right)}{a^2(a^2 - b^2)d} \\ &= \frac{Ax}{a^2} - \frac{2b(2a^2A - Ab^2 + a^2C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}d} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} \end{aligned}$$

Mathematica [C] time = 1.97814, size = 270, normalized size = 2.16

$$2(a \cos(c + dx) + b) \left(A + C \sec^2(c + dx) \right) \left(\frac{(a^2 C + A b^2)(a \sin(dx) - b \sin(c))}{d(a-b)(a+b) \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right) \right) \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right) \right)} + \frac{2b(\sin(c) + i \cos(c))(a^2(2A+C) - A b^2)(a \cos(c+dx) + b)}{d(a^2 - b^2)^{3/2} \sqrt{c}} \right)$$

$$a^2(a + b \sec(c + dx))^2(A \cos(2(c + dx)) + A + 2C)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2, x]

[Out] (2*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*(A*x*(b + a*Cos[c + d*x]) + (2*b*(-(A*b^2) + a^2*(2*A + C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c]))*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b + a*Cos[c + d*x])*(I*Cos[c] + Sin[c]))/((a^2 - b^2)^(3/2)*d*Sqrt[(Cos[c] - I*Sin[c])^2]) + ((A*b^2 + a^2*C)*(- (b*Sin[c]) + a*Sin[d*x]))/((a - b)*(a + b)*d*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2]))) / (a^2*(A + 2*C + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x])^2)

Maple [B] time = 0.094, size = 328, normalized size = 2.6

$$2 \frac{A \arctan(\tan(1/2 dx + c/2))}{da^2} - 2 \frac{A \tan(1/2 dx + c/2) b^2}{ad(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)} - 2 \frac{A}{d(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2, x)

[Out] 2/d*A/a^2*arctan(tan(1/2*d*x+1/2*c))-2/d/a/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*A*b^2-2/d*a/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*C-4/d*b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2))*A+2/d/a^2*b^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2))*A-2/d*b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2))*C

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.599719, size = 1188, normalized size = 9.5

$$\left[\frac{2(Aa^5 - 2Aa^3b^2 + Aab^4)dx \cos(dx + c) + 2(Aa^4b - 2Aa^2b^3 + Ab^5)dx - ((2A + C)a^2b^2 - Ab^4 + ((2A + C)a^3b - Aa^2b^3 + Ab^5)dx}{2((a^7 - 2a^5b^2 + a^3b^4)dx \cos(dx + c) + (a^6b - 2a^4b^3 + a^2b^5)dx)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] [1/2*(2*(A*a^5 - 2*A*a^3*b^2 + A*a*b^4)*d*x*cos(d*x + c) + 2*(A*a^4*b - 2*A*a^2*b^3 + A*b^5)*d*x - ((2*A + C)*a^2*b^2 - A*b^4 + ((2*A + C)*a^3*b - A*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(C*a^5 + (A - C)*a^3*b^2 - A*a*b^4)*sin(d*x + c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d), ((A*a^5 - 2*A*a^3*b^2 + A*a*b^4)*d*x*cos(d*x + c) + (A*a^4*b - 2*A*a^2*b^3 + A*b^5)*d*x - ((2*A + C)*a^2*b^2 - A*b^4 + ((2*A + C)*a^3*b - A*a*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (C*a^5 + (A - C)*a^3*b^2 - A*a*b^4)*sin(d*x + c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.19606, size = 277, normalized size = 2.22

$$\frac{2(2Aa^2b + Ca^2b - Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 - a^2b^2)\sqrt{-a^2+b^2}} - \frac{(dx+c)A}{a^2} + \frac{2(Ca^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + Ab^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^3 - ab^2) \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \right)}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] $-(2*(2*A*a^2*b + C*a^2*b - A*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^4 - a^2*b^2)*sqrt(-a^2 + b^2)) - (d*x + c)*A/a^2 + 2*(C*a^2*tan(1/2*d*x + 1/2*c) + A*b^2*tan(1/2*d*x + 1/2*c))/((a^3 - a*b^2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b))/d$

$$3.688 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=171

$$-\frac{(2Ab^2 - a^2(A - C)) \sin(c + dx)}{a^2d(a^2 - b^2)} + \frac{2(3a^2Ab^2 + a^4C - 2Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{(a^2C + Ab^2) \sin(c + dx)}{ad(a^2 - b^2)(a + b \sec(c + dx))}$$

[Out] $(-2*A*b*x)/a^3 + (2*(3*a^2*A*b^2 - 2*A*b^4 + a^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^{(3/2)}*(a + b)^{(3/2)*d} - ((2*A*b^2 - a^2*(A - C))*Sin[c + d*x])/(a^2*(a^2 - b^2)*d) + ((A*b^2 + a^2*C)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 0.433962, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4101, 4104, 3919, 3831, 2659, 208}

$$-\frac{(2Ab^2 - a^2(A - C)) \sin(c + dx)}{a^2d(a^2 - b^2)} + \frac{2(3a^2Ab^2 + a^4C - 2Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{(a^2C + Ab^2) \sin(c + dx)}{ad(a^2 - b^2)(a + b \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] $(-2*A*b*x)/a^3 + (2*(3*a^2*A*b^2 - 2*A*b^4 + a^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^{(3/2)}*(a + b)^{(3/2)*d} - ((2*A*b^2 - a^2*(A - C))*Sin[c + d*x])/(a^2*(a^2 - b^2)*d) + ((A*b^2 + a^2*C)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rule 4101

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a^2*(A + C)*(m + 1) - (A*b^2 + a^2*C)*(m + n + 1) - a*b*(A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x]

$\&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$

Rule 4104

$\text{Int}[(A + \csc[e + f x] + (f x) * (B + \csc[e + f x])^2 * (C + \csc[e + f x] + (f x) * (d + \csc[e + f x])^n) * (a + b * \csc[e + f x])^m + (a + b * \csc[e + f x])^m * (d + \csc[e + f x])^n] / (a * f * n), x] + \text{Dist}[1 / (a * d * n), \text{Int}[(a + b * \csc[e + f x])^m * (d + \csc[e + f x])^n] * \text{Simp}[a * B * n - A * b * (m + n + 1) + a * (A + A * n + C * n) * \csc[e + f x] + A * b * (m + n + 2) * \csc[e + f x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 3919

$\text{Int}[(\csc[e + f x] + (f x) * (d + (c + \csc[e + f x]) / (\csc[e + f x] * (b + a))) / (\csc[e + f x] * (b + a)), x] \text{Symbol} \text{ :> } \text{Simp}[(c * x) / a, x] - \text{Dist}[(b * c - a * d) / a, \text{Int}[\csc[e + f x] / (a + b * \csc[e + f x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b * c - a * d, 0]$

Rule 3831

$\text{Int}[\csc[e + f x] / (\csc[e + f x] * (b + a)), x] \text{Symbol} \text{ :> } \text{Dist}[1 / b, \text{Int}[1 / (1 + (a * \sin[e + f x]) / b), x], x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2659

$\text{Int}[(a + (b * \sin[\pi/2 + (c + d * x)])^{-1}), x] \text{Symbol} \text{ :> } \text{With}\{e = \text{FreeFactors}[\text{Tan}[(c + d * x) / 2], x]\}, \text{Dist}[(2 * e) / d, \text{Subst}[\text{Int}[1 / (a + b + (a - b) * e^2 * x^2), x], x, \text{Tan}[(c + d * x) / 2] / e], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a + (b * x^2))^{-1}), x] \text{Symbol} \text{ :> } \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{(Ab^2+a^2C)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} - \frac{\int \frac{\cos(c+dx)(2Ab^2-a^2(A-C)+ab(A+C)\sec(c+dx)-(Ab^2+a^2C)\sec^2(c+dx))}{a+b\sec(c+dx)} dx}{a(a^2-b^2)} \\
&= -\frac{(2Ab^2-a^2(A-C))\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{(Ab^2+a^2C)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} + \int \frac{-2Abx}{a^3} dx \\
&= -\frac{2Abx}{a^3} - \frac{(2Ab^2-a^2(A-C))\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{(Ab^2+a^2C)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{2Abx}{a^3} - \frac{(2Ab^2-a^2(A-C))\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{(Ab^2+a^2C)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{2Abx}{a^3} - \frac{(2Ab^2-a^2(A-C))\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{(Ab^2+a^2C)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{2Abx}{a^3} + \frac{2(3a^2Ab^2-2Ab^4+a^4C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^3(a-b)^{3/2}(a+b)^{3/2}d} - \frac{(2Ab^2-a^2C)\sin(c+dx)}{a^2}
\end{aligned}$$

Mathematica [A] time = 0.95258, size = 137, normalized size = 0.8

$$\frac{-\frac{ab(a^2C+Ab^2)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)} - \frac{2(3a^2Ab^2+a^4C-2Ab^4)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + aA\sin(c+dx) - 2Ab(c+dx)}{a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (-2*A*b*(c + d*x) - (2*(3*a^2*A*b^2 - 2*A*b^4 + a^4*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(3/2) + a*A*Sin[c + d*x] - (a*b*(A*b^2 + a^2*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x]))/(a^3*d)

Maple [B] time = 0.123, size = 367, normalized size = 2.2

$$2 \frac{A \tan(1/2 dx + c/2)}{da^2 (1 + (\tan(1/2 dx + c/2))^2)} - 4 \frac{Ab \arctan(\tan(1/2 dx + c/2))}{da^3} + 2 \frac{b^3 \tan(1/2 dx + c/2) A}{da^2 (a^2 - b^2) ((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2)))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)

[Out] 2/d*A/a^2*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-4/d*A/a^3*b*arctan(tan(1/2*d*x+1/2*c))+2/d/a^2*b^3/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*A+2/d*b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*C+6/d/a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^2-4/d/a^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^4+2/d*a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.630061, size = 1404, normalized size = 8.21

$$\left[\frac{4(Aa^5b - 2Aa^3b^3 + Aab^5)dx \cos(dx + c) + 4(Aa^4b^2 - 2Aa^2b^4 + Ab^6)dx + (Ca^4b + 3Aa^2b^3 - 2Ab^5 + (Ca^5 + 3Aa^3b^2))dx}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")


```
[Out] [-1/2*(4*(A*a^5*b - 2*A*a^3*b^3 + A*a*b^5)*d*x*cos(d*x + c) + 4*(A*a^4*b^2 - 2*A*a^2*b^4 + A*b^6)*d*x + (C*a^4*b + 3*A*a^2*b^3 - 2*A*b^5 + (C*a^5 + 3*A*a^3*b^2 - 2*A*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 2*((A - C)*a^5*b - (3*A - C)*a^3*b^3 + 2*A*a*b^5 + (A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c) + (a^7*b - 2*a^5*b^3 + a^3*b^5)*d), -(2*(A*a^5*b - 2*A*a^3*b^3 + A*a*b^5)*d*x*cos(d*x + c) + 2*(A*a^4*b^2 - 2*A*a^2*b^4 + A*b^6)*d*x - (C*a^4*b + 3*A*a^2*b^3 - 2*A*b^5 + (C*a^5 + 3*A*a^3*b^2 - 2*A*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - ((A - C)*a^5*b - (3*A - C)*a^3*b^3 + 2*A*a*b^5 + (A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c) + (a^7*b - 2*a^5*b^3 + a^3*b^5)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \cos(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*cos(c + d*x)/(a + b*sec(c + d*x))**2, x)
```

Giac [B] time = 1.18463, size = 479, normalized size = 2.8

$$2 \left(\frac{(Ca^4 + 3Aa^2b^2 - 2Ab^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^5 - a^3b^2)\sqrt{-a^2+b^2}} - \frac{(dx+c)Ab}{a^3} + \frac{Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Aa^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] 2*((C*a^4 + 3*A*a^2*b^2 - 2*A*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2
*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(
-a^2 + b^2)))/((a^5 - a^3*b^2)*sqrt(-a^2 + b^2)) - (d*x + c)*A*b/a^3 + (A*a
^3*tan(1/2*d*x + 1/2*c)^3 - A*a^2*b*tan(1/2*d*x + 1/2*c)^3 + C*a^2*b*tan(1/
2*d*x + 1/2*c)^3 - A*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 2*A*b^3*tan(1/2*d*x + 1
/2*c)^3 - A*a^3*tan(1/2*d*x + 1/2*c) - A*a^2*b*tan(1/2*d*x + 1/2*c) + C*a^2
*b*tan(1/2*d*x + 1/2*c) + A*a*b^2*tan(1/2*d*x + 1/2*c) + 2*A*b^3*tan(1/2*d*
x + 1/2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 - 2*b*tan
(1/2*d*x + 1/2*c)^2 - a - b)*(a^4 - a^2*b^2))/d
```

$$3.689 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=256

$$\frac{b(3Ab^2 - a^2(2A - C)) \sin(c + dx)}{a^3d(a^2 - b^2)} - \frac{(3Ab^2 - a^2(A - 2C)) \sin(c + dx) \cos(c + dx)}{2a^2d(a^2 - b^2)} - \frac{2b(4a^2Ab^2 - a^2b^2C + 2a^4C - 3A^2b^2)}{a^4d(a - b)^{3/2}}$$

[Out] $((6A*b^2 + a^2*(A + 2*C))*x)/(2*a^4) - (2*b*(4*a^2*A*b^2 - 3*A*b^4 + 2*a^4*C - a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^{(3/2)}*(a + b)^{(3/2)*d} + (b*(3*A*b^2 - a^2*(2*A - C))*Sin[c + d*x])/(a^3*(a^2 - b^2)*d) - ((3*A*b^2 - a^2*(A - 2*C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)*d) + ((A*b^2 + a^2*C)*Cos[c + d*x]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 0.860479, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4101, 4104, 3919, 3831, 2659, 208}

$$\frac{b(3Ab^2 - a^2(2A - C)) \sin(c + dx)}{a^3d(a^2 - b^2)} - \frac{(3Ab^2 - a^2(A - 2C)) \sin(c + dx) \cos(c + dx)}{2a^2d(a^2 - b^2)} - \frac{2b(4a^2Ab^2 - a^2b^2C + 2a^4C - 3A^2b^2)}{a^4d(a - b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] $((6A*b^2 + a^2*(A + 2*C))*x)/(2*a^4) - (2*b*(4*a^2*A*b^2 - 3*A*b^4 + 2*a^4*C - a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^{(3/2)}*(a + b)^{(3/2)*d} + (b*(3*A*b^2 - a^2*(2*A - C))*Sin[c + d*x])/(a^3*(a^2 - b^2)*d) - ((3*A*b^2 - a^2*(A - 2*C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)*d) + ((A*b^2 + a^2*C)*Cos[c + d*x]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rule 4101

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/

```
(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*
Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a^2*(A + C)*(m + 1) - (A*b^2
+ a^2*C)*(m + n + 1) - a*b*(A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(
m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{(Ab^2+a^2C)\cos(c+dx)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\cos^2(c+dx)(3Ab^2-a^2(A-2C)+ab(A+C)\sec(c+dx))}{a+b\sec(c+dx)} dx \\
&= -\frac{(3Ab^2-a^2(A-2C))\cos(c+dx)\sin(c+dx)}{2a^2(a^2-b^2)d} + \frac{(Ab^2+a^2C)\cos(c+dx)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{b(3Ab^2-a^2(2A-C))\sin(c+dx)}{a^3(a^2-b^2)d} - \frac{(3Ab^2-a^2(A-2C))\cos(c+dx)\sin(c+dx)}{2a^2(a^2-b^2)d} \\
&= \frac{(6Ab^2+a^2(A+2C))x}{2a^4} + \frac{b(3Ab^2-a^2(2A-C))\sin(c+dx)}{a^3(a^2-b^2)d} - \frac{(3Ab^2-a^2(A-2C))\cos(c+dx)\sin(c+dx)}{2a^2(a^2-b^2)d} \\
&= \frac{(6Ab^2+a^2(A+2C))x}{2a^4} + \frac{b(3Ab^2-a^2(2A-C))\sin(c+dx)}{a^3(a^2-b^2)d} - \frac{(3Ab^2-a^2(A-2C))\cos(c+dx)\sin(c+dx)}{2a^2(a^2-b^2)d} \\
&= \frac{(6Ab^2+a^2(A+2C))x}{2a^4} + \frac{b(3Ab^2-a^2(2A-C))\sin(c+dx)}{a^3(a^2-b^2)d} - \frac{(3Ab^2-a^2(A-2C))\cos(c+dx)\sin(c+dx)}{2a^2(a^2-b^2)d} \\
&= \frac{(6Ab^2+a^2(A+2C))x}{2a^4} - \frac{2b(4a^2Ab^2-3Ab^4+2a^4C-a^2b^2C)\tanh^{-1}\left(\frac{\sqrt{a^2-b^2}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^4(a-b)^{3/2}(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 0.946795, size = 176, normalized size = 0.69

$$\frac{2(c+dx)(a^2(A+2C)+6Ab^2) + \frac{4ab^2(a^2C+Ab^2)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)} - \frac{8b(a^2b^2(C-4A)-2a^4C+3Ab^4)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + a^2A\sin(2(c+dx))}{4a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (2*(6*A*b^2 + a^2*(A + 2*C))*(c + d*x) - (8*b*(3*A*b^4 - 2*a^4*C + a^2*b^2*(-4*A + C))*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(3/2) - 8*a*A*b*Sin[c + d*x] + (4*a*b^2*(A*b^2 + a^2*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x])) + a^2*A*Sin[2*(c + d*x)]/(4*a^4*d)

Maple [B] time = 0.128, size = 577, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2 (A+C\sec(dx+c)^2) / (a+b\sec(dx+c))^2, x)$

[Out]
$$-1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A-4/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A*b+1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A-4/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A*b+1/d*A/a^2*\arctan(\tan(1/2*d*x+1/2*c))+6/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*A*b^2+2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*C-2/d*b^4/a^3/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*A-2/d*b^2/a/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*C-8/d/a^2*b^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*A+6/d*b^5/a^4/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*A-4/d*b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*C+2/d*b^3/a^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*C$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\cos(dx+c)^2 (A+C\sec(dx+c)^2) / (a+b\sec(dx+c))^2, x, \operatorname{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [A] time = 0.715402, size = 1820, normalized size = 7.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] [1/2*(((A + 2*C)*a^7 + 4*(A - C)*a^5*b^2 - (11*A - 2*C)*a^3*b^4 + 6*A*a*b^6)*d*x*cos(d*x + c) + ((A + 2*C)*a^6*b + 4*(A - C)*a^4*b^3 - (11*A - 2*C)*a^2*b^5 + 6*A*b^7)*d*x + (2*C*a^4*b^2 + (4*A - C)*a^2*b^4 - 3*A*b^6 + (2*C*a^5*b + (4*A - C)*a^3*b^3 - 3*A*a*b^5)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - (2*(2*A - C)*a^5*b^2 - 2*(5*A - C)*a^3*b^4 + 6*A*a*b^6 - (A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4)*cos(d*x + c)^2 + 3*(A*a^6*b - 2*A*a^4*b^3 + A*a^2*b^5)*cos(d*x + c))*sin(d*x + c))/((a^9 - 2*a^7*b^2 + a^5*b^4)*d*cos(d*x + c) + (a^8*b - 2*a^6*b^3 + a^4*b^5)*d), 1/2*(((A + 2*C)*a^7 + 4*(A - C)*a^5*b^2 - (11*A - 2*C)*a^3*b^4 + 6*A*a*b^6)*d*x*cos(d*x + c) + ((A + 2*C)*a^6*b + 4*(A - C)*a^4*b^3 - (11*A - 2*C)*a^2*b^5 + 6*A*b^7)*d*x - 2*(2*C*a^4*b^2 + (4*A - C)*a^2*b^4 - 3*A*b^6 + (2*C*a^5*b + (4*A - C)*a^3*b^3 - 3*A*a*b^5)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (2*(2*A - C)*a^5*b^2 - 2*(5*A - C)*a^3*b^4 + 6*A*a*b^6 - (A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4)*cos(d*x + c)^2 + 3*(A*a^6*b - 2*A*a^4*b^3 + A*a^2*b^5)*cos(d*x + c))*sin(d*x + c))/((a^9 - 2*a^7*b^2 + a^5*b^4)*d*cos(d*x + c) + (a^8*b - 2*a^6*b^3 + a^4*b^5)*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.25938, size = 425, normalized size = 1.66

$$\frac{4(2Ca^4b+4Aa^2b^3-Ca^2b^3-3Ab^5)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{-a^2+b^2}}\right)\right)}{(a^6-a^4b^2)\sqrt{-a^2+b^2}}+\frac{4\left(Ca^2b^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+Ab^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{(a^5-a^3b^2)\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="
giac")
```

```
[Out] -1/2*(4*(2*C*a^4*b + 4*A*a^2*b^3 - C*a^2*b^3 - 3*A*b^5)*(pi*floor(1/2*(d*x
+ c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/
2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^6 - a^4*b^2)*sqrt(-a^2 + b^2)) + 4*(
C*a^2*b^2*tan(1/2*d*x + 1/2*c) + A*b^4*tan(1/2*d*x + 1/2*c))/((a^5 - a^3*b^
2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)) - (A*a^2
+ 2*C*a^2 + 6*A*b^2)*(d*x + c)/a^4 + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 + 4*A*b*
tan(1/2*d*x + 1/2*c)^3 - A*a*tan(1/2*d*x + 1/2*c) + 4*A*b*tan(1/2*d*x + 1/2
*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^3)/d
```


$$3.690 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=326

$$\frac{(-a^2b^2(7A-6C) + a^4(-2A+3C) + 12Ab^4) \sin(c+dx)}{3a^4d(a^2-b^2)} - \frac{(4Ab^2 - a^2(A-3C)) \sin(c+dx) \cos^2(c+dx)}{3a^2d(a^2-b^2)} + \frac{b(2Ab^2)}{3a^2d(a^2-b^2)}$$

[Out] $-\left(\frac{b(4Ab^2 + a^2(A+2C))x}{a^5} + \frac{2b^2(5a^2Ab^2 - 4Ab^4 + 3a^4C - 2a^2b^2C) \operatorname{ArcTanh}\left[\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right]}{a^5(a-b)^{3/2}(a+b)^{3/2}d} - \frac{(12Ab^4 - a^2b^2(7A-6C) - a^4(2A+3C)) \sin[c+dx]}{3a^4(a^2-b^2)d} + \frac{b(2Ab^2 - a^2(A-C)) \cos[c+dx] \sin[c+dx]}{a^3(a^2-b^2)d} - \frac{(4Ab^2 - a^2(A-3C)) \cos[c+dx]^2 \sin[c+dx]}{3a^2(a^2-b^2)d} + \frac{(Ab^2 + a^2C) \cos[c+dx]^2 \sin[c+dx]}{a(a^2-b^2)d(a+b \sec[c+dx])}\right)$

Rubi [A] time = 1.25529, antiderivative size = 326, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4101, 4104, 3919, 3831, 2659, 208}

$$\frac{(-a^2b^2(7A-6C) + a^4(-2A+3C) + 12Ab^4) \sin(c+dx)}{3a^4d(a^2-b^2)} - \frac{(4Ab^2 - a^2(A-3C)) \sin(c+dx) \cos^2(c+dx)}{3a^2d(a^2-b^2)} + \frac{b(2Ab^2)}{3a^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2}, x\right]$

[Out] $-\left(\frac{b(4Ab^2 + a^2(A+2C))x}{a^5} + \frac{2b^2(5a^2Ab^2 - 4Ab^4 + 3a^4C - 2a^2b^2C) \operatorname{ArcTanh}\left[\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right]}{a^5(a-b)^{3/2}(a+b)^{3/2}d} - \frac{(12Ab^4 - a^2b^2(7A-6C) - a^4(2A+3C)) \sin[c+dx]}{3a^4(a^2-b^2)d} + \frac{b(2Ab^2 - a^2(A-C)) \cos[c+dx] \sin[c+dx]}{a^3(a^2-b^2)d} - \frac{(4Ab^2 - a^2(A-3C)) \cos[c+dx]^2 \sin[c+dx]}{3a^2(a^2-b^2)d} + \frac{(Ab^2 + a^2C) \cos[c+dx]^2 \sin[c+dx]}{a(a^2-b^2)d(a+b \sec[c+dx])}\right)$

Rule 4101

$\operatorname{Int}\left[\frac{(A_.) + \csc[(e_.) + (f_.)x]}{(b_.) + (a_.)^m}, x\right] \rightarrow \operatorname{Simp}\left[\frac{(A_.) + \csc[(e_.) + (f_.)x]}{(b_.) + (a_.)^m}, x\right]$

$$b^2 + a^2 C) \cot[e + f x] (a + b \operatorname{Csc}[e + f x])^{m+1} (d \operatorname{Csc}[e + f x])^n /$$

$$(a f (m+1) (a^2 - b^2)), x] + \operatorname{Dist}[1/(a (m+1) (a^2 - b^2)), \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^{m+1} (d \operatorname{Csc}[e + f x])^n \operatorname{Simp}[a^2 (A + C) (m+1) - (A b^2 + a^2 C) (m + n + 1) - a b (A + C) (m+1) \operatorname{Csc}[e + f x] + (A b^2 + a^2 C) (m + n + 2) \operatorname{Csc}[e + f x]^2, x], x], x] /;$$

$$\operatorname{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& !(\operatorname{ILtQ}[m + 1/2, 0] \&\& \operatorname{ILtQ}[n, 0])$$

Rule 4104

$$\operatorname{Int}[(A + \operatorname{csc}[e + f x] (d + (f x) B) + \operatorname{csc}[e + f x] (d + (f x) B))^2 (C + \operatorname{csc}[e + f x] (d + (f x) B) (d + (f x) B))^n (C + \operatorname{csc}[e + f x] (d + (f x) B) (d + (f x) B))^m, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(A \cot[e + f x] (a + b \operatorname{Csc}[e + f x])^{m+1} (d \operatorname{Csc}[e + f x])^n) / (a f n), x] + \operatorname{Dist}[1/(a d n), \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^m (d \operatorname{Csc}[e + f x])^{n+1} \operatorname{Simp}[a B n - A b (m + n + 1) + a (A + A n + C n) \operatorname{Csc}[e + f x] + A b (m + n + 2) \operatorname{Csc}[e + f x]^2, x], x], x] /;$$

$$\operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LeQ}[n, -1]$$

Rule 3919

$$\operatorname{Int}[(\operatorname{csc}[e + f x] (d + (f x) B) + (c)) / (\operatorname{csc}[e + f x] (d + (f x) B) (b + a)), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(c x) / a, x] - \operatorname{Dist}[(b c - a d) / a, \operatorname{Int}[\operatorname{Csc}[e + f x] / (a + b \operatorname{Csc}[e + f x]), x], x] /;$$

$$\operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{NeQ}[b c - a d, 0]$$

Rule 3831

$$\operatorname{Int}[\operatorname{csc}[e + f x] (d + (f x) B) / (\operatorname{csc}[e + f x] (d + (f x) B) (b + a)), x_{\text{Symbol}}] \rightarrow \operatorname{Dist}[1/b, \operatorname{Int}[1/(1 + (a \sin[e + f x]) / b), x], x] /;$$

$$\operatorname{FreeQ}\{a, b, e, f\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$

Rule 2659

$$\operatorname{Int}[(a + (b \sin[\pi/2 + (c + d x)])^{-1}), x_{\text{Symbol}}] \rightarrow \operatorname{With}\{e = \operatorname{FreeFactors}[\operatorname{Tan}[(c + d x) / 2], x]\}, \operatorname{Dist}[(2 e) / d, \operatorname{Subst}[\operatorname{Int}[1/(a + b + (a - b) e^2 x^2), x], x, \operatorname{Tan}[(c + d x) / 2] / e], x] /;$$

$$\operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$

Rule 208

$$\operatorname{Int}[(a + (b x^2)^{-1}), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2] \operatorname{ArcTanh}[x / \operatorname{Rt}[-(a/b), 2]]) / a, x] /;$$

$$\operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$$

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{(Ab^2+a^2C)\cos^2(c+dx)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\cos^3(c+dx)(4Ab^2-a^2(A-3C)+ab(A+C)\sec^2(c+dx))}{a(a^2-b^2)d(a+b\sec(c+dx))} dx \\
&= -\frac{(4Ab^2-a^2(A-3C))\cos^2(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)d} + \frac{(Ab^2+a^2C)\cos^2(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{b(2Ab^2-a^2(A-C))\cos(c+dx)\sin(c+dx)}{a^3(a^2-b^2)d} - \frac{(4Ab^2-a^2(A-3C))\cos^2(c+dx)}{3a^2(a^2-b^2)d} \\
&= -\frac{(12Ab^4-a^2b^2(7A-6C)-a^4(2A+3C))\sin(c+dx)}{3a^4(a^2-b^2)d} + \frac{b(2Ab^2-a^2(A-C))\cos(c+dx)}{a^3(a^2-b^2)d} \\
&= -\frac{b(4Ab^2+a^2(A+2C))x}{a^5} - \frac{(12Ab^4-a^2b^2(7A-6C)-a^4(2A+3C))\sin(c+dx)}{3a^4(a^2-b^2)d} \\
&= -\frac{b(4Ab^2+a^2(A+2C))x}{a^5} - \frac{(12Ab^4-a^2b^2(7A-6C)-a^4(2A+3C))\sin(c+dx)}{3a^4(a^2-b^2)d} \\
&= -\frac{b(4Ab^2+a^2(A+2C))x}{a^5} - \frac{(12Ab^4-a^2b^2(7A-6C)-a^4(2A+3C))\sin(c+dx)}{3a^4(a^2-b^2)d} \\
&= -\frac{b(4Ab^2+a^2(A+2C))x}{a^5} + \frac{2b^2(5a^2Ab^2-4Ab^4+3a^4C-2a^2b^2C)\tanh^{-1}\left(\frac{a+b\sec(c+dx)}{a-b}\right)}{a^5(a-b)^{3/2}(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 1.16316, size = 212, normalized size = 0.65

$$\frac{-12b(c+dx)(a^2(A+2C)+4Ab^2)+3a(a^2(3A+4C)+12Ab^2)\sin(c+dx)-\frac{12ab^3(a^2C+Ab^2)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)}}{12a^5d} + \frac{24b^2(a^2b^2(2C-5A)-3a^4C)}{a^5(a-b)^{3/2}(a+b)^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (-12*b*(4*A*b^2 + a^2*(A + 2*C))*(c + d*x) + (24*b^2*(4*A*b^4 - 3*a^4*C + a^2*b^2*(-5*A + 2*C))*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]))/12*a^5*d

$$(a^2 - b^2)^{3/2} + 3*a*(12*A*b^2 + a^2*(3*A + 4*C))*\text{Sin}[c + d*x] - (12*a*b^3*(A*b^2 + a^2*C)*\text{Sin}[c + d*x])/((a - b)*(a + b)*(b + a*\text{Cos}[c + d*x])) - 6*a^2*A*b*\text{Sin}[2*(c + d*x)] + a^3*A*\text{Sin}[3*(c + d*x)]/(12*a^5*d)$$

Maple [B] time = 0.128, size = 836, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)`

[Out]
$$\begin{aligned} & 2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*A*\tan(1/2*d*x+1/2*c)^5+2/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^3*A*\tan(1/2*d*x+1/2*c)^5*b+6/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^3*A*\tan(1/2*d*x+1/2*c)^5*b^2+2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*C*\tan(1/2*d*x+1/2*c)^5+4/3/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3*A+12/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3*A*b^2+4/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3*C+2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*A*\tan(1/2*d*x+1/2*c)-2/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^3*A*\tan(1/2*d*x+1/2*c)*b+6/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^3*A*\tan(1/2*d*x+1/2*c)*b^2+2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*C*\tan(1/2*d*x+1/2*c)-2/d*A/a^3*b*\arctan(\tan(1/2*d*x+1/2*c))-8/d/a^5*A*\arctan(\tan(1/2*d*x+1/2*c))*b^3-4/d/a^3*C*\arctan(\tan(1/2*d*x+1/2*c))*b+2/d*b^5/a^4/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c))^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*A+2/d*b^3/a^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c))^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*C+10/d/a^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^4-8/d*b^6/a^5/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+6/d*b^2/a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-4/d*b^4/a^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.785335, size = 2187, normalized size = 6.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/6*(6*((A + 2*C)*a^7*b + 2*(A - 2*C)*a^5*b^3 - (7*A - 2*C)*a^3*b^5 + 4*A \\ & *a*b^7)*d*x*\cos(d*x + c) + 6*((A + 2*C)*a^6*b^2 + 2*(A - 2*C)*a^4*b^4 - (7* \\ & A - 2*C)*a^2*b^6 + 4*A*b^8)*d*x - 3*(3*C*a^4*b^3 + (5*A - 2*C)*a^2*b^5 - 4* \\ & A*b^7 + (3*C*a^5*b^2 + (5*A - 2*C)*a^3*b^4 - 4*A*a*b^6)*\cos(d*x + c))*\sqrt{ \\ & a^2 - b^2}*\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c))^2 + 2*\sqrt{ \\ & a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + \\ & c)^2 + 2*a*b*\cos(d*x + c) + b^2)) - 2*((2*A + 3*C)*a^7*b + (5*A - 9*C)*a^5* \\ & b^3 - (19*A - 6*C)*a^3*b^5 + 12*A*a*b^7 + (A*a^8 - 2*A*a^6*b^2 + A*a^4*b^4) \\ & *\cos(d*x + c)^3 - 2*(A*a^7*b - 2*A*a^5*b^3 + A*a^3*b^5)*\cos(d*x + c)^2 + ((\\ & 2*A + 3*C)*a^8 + 2*(A - 3*C)*a^6*b^2 - (10*A - 3*C)*a^4*b^4 + 6*A*a^2*b^6)* \\ & \cos(d*x + c))*\sin(d*x + c))/((a^{10} - 2*a^8*b^2 + a^6*b^4)*d*\cos(d*x + c) + \\ & (a^9*b - 2*a^7*b^3 + a^5*b^5)*d), -1/3*(3*((A + 2*C)*a^7*b + 2*(A - 2*C)*a^ \\ & 5*b^3 - (7*A - 2*C)*a^3*b^5 + 4*A*a*b^7)*d*x*\cos(d*x + c) + 3*((A + 2*C)*a^ \\ & 6*b^2 + 2*(A - 2*C)*a^4*b^4 - (7*A - 2*C)*a^2*b^6 + 4*A*b^8)*d*x - 3*(3*C*a^ \\ & 4*b^3 + (5*A - 2*C)*a^2*b^5 - 4*A*b^7 + (3*C*a^5*b^2 + (5*A - 2*C)*a^3*b^4 \\ & - 4*A*a*b^6)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos \\ & (d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c))) - ((2*A + 3*C)*a^7*b + (5*A - 9 \\ & *C)*a^5*b^3 - (19*A - 6*C)*a^3*b^5 + 12*A*a*b^7 + (A*a^8 - 2*A*a^6*b^2 + A* \\ & a^4*b^4)*\cos(d*x + c)^3 - 2*(A*a^7*b - 2*A*a^5*b^3 + A*a^3*b^5)*\cos(d*x + c \\ &)^2 + ((2*A + 3*C)*a^8 + 2*(A - 3*C)*a^6*b^2 - (10*A - 3*C)*a^4*b^4 + 6*A*a^ \\ & 2*b^6)*\cos(d*x + c))*\sin(d*x + c))/((a^{10} - 2*a^8*b^2 + a^6*b^4)*d*\cos(d*x \\ & + c) + (a^9*b - 2*a^7*b^3 + a^5*b^5)*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.25442, size = 595, normalized size = 1.83

$$\frac{6(3Ca^4b^2+5Aa^2b^4-2Ca^2b^4-4Ab^6)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{-a^2+b^2}}\right)\right)}{(a^7-a^5b^2)\sqrt{-a^2+b^2}} + \frac{6\left(Ca^2b^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+Ab^5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{(a^6-a^4b^2)\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] $\frac{1}{3}*(6*(3*C*a^4*b^2 + 5*A*a^2*b^4 - 2*C*a^2*b^4 - 4*A*b^6)*(pi*\operatorname{floor}(1/2*(d*x + c)/pi + 1/2)*\operatorname{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^7 - a^5*b^2)*\sqrt{-a^2 + b^2}) + 6*(C*a^2*b^3*\tan(1/2*d*x + 1/2*c) + A*b^5*\tan(1/2*d*x + 1/2*c))/((a^6 - a^4*b^2)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)) - 3*(A*a^2*b + 2*C*a^2*b + 4*A*b^3)*(d*x + c)/a^5 + 2*(3*A*a^2*\tan(1/2*d*x + 1/2*c)^5 + 3*C*a^2*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a*b*\tan(1/2*d*x + 1/2*c)^5 + 9*A*b^2*\tan(1/2*d*x + 1/2*c)^5 + 2*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*\tan(1/2*d*x + 1/2*c)^3 + 18*A*b^2*\tan(1/2*d*x + 1/2*c)^3 + 3*A*a^2*\tan(1/2*d*x + 1/2*c) + 3*C*a^2*\tan(1/2*d*x + 1/2*c) - 3*A*a*b*\tan(1/2*d*x + 1/2*c) + 9*A*b^2*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^4))/d$

$$3.691 \quad \int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=381

$$\frac{a(a^2b^2(2A-21C)+12a^4C-b^4(5A-6C)) \tan(c+dx)}{2b^4d(a^2-b^2)^2} + \frac{(C(12a^2+b^2)+2Ab^2) \tanh^{-1}(\sin(c+dx))}{2b^5d} - \frac{a(a^4b^2(2A-21C)+12a^6C-b^4(5A-6C)) \tan(c+dx)}{2b^4d(a^2-b^2)^2}$$

[Out] $((2A*b^2 + (12*a^2 + b^2)*C)*ArcTanh[Sin[c + d*x]])/(2*b^5*d) - (a*(6*A*b^6 + a^4*b^2*(2*A - 29*C) - 5*a^2*b^4*(A - 4*C) + 12*a^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^5*(a + b)^(5/2)*d) - (a*(a^2*b^2*(2*A - 21*C) - b^4*(5*A - 6*C) + 12*a^4*C)*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^2*d) + ((a^2*b^2*(A - 10*C) - b^4*(4*A - C) + 6*a^4*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) - ((A*b^2 + a^2*C)*Sec[c + d*x]^3*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((3*A*b^4 - 4*a^4*C + 7*a^2*b^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 1.62036, antiderivative size = 381, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4099, 4098, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{a(a^2b^2(2A-21C)+12a^4C-b^4(5A-6C)) \tan(c+dx)}{2b^4d(a^2-b^2)^2} + \frac{(C(12a^2+b^2)+2Ab^2) \tanh^{-1}(\sin(c+dx))}{2b^5d} - \frac{a(a^4b^2(2A-21C)+12a^6C-b^4(5A-6C)) \tan(c+dx)}{2b^4d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] $((2A*b^2 + (12*a^2 + b^2)*C)*ArcTanh[Sin[c + d*x]])/(2*b^5*d) - (a*(6*A*b^6 + a^4*b^2*(2*A - 29*C) - 5*a^2*b^4*(A - 4*C) + 12*a^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^5*(a + b)^(5/2)*d) - (a*(a^2*b^2*(2*A - 21*C) - b^4*(5*A - 6*C) + 12*a^4*C)*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^2*d) + ((a^2*b^2*(A - 10*C) - b^4*(4*A - C) + 6*a^4*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) - ((A*b^2 + a^2*C)*Sec[c + d*x]^3*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((3*A*b^4 - 4*a^4*C + 7*a^2*b^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))$

$a + b \operatorname{Sec}[c + d x]$

Rule 4099

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(d*
(A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^
(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), In
t[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1)
+ a^2*C*(n - 1) + a*b*(A + C)*(m + 1)*Csc[e + f*x] - (A*b^2*(m + n + 1) + C
*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.))^(m_), x_Symbol] :> -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4092

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[
(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x
_Symbol] :> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_S
ymbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```


Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab^2+a^2C)\sec^3(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\sec^3(c+dx)(3(Ab^2+a^2C)-2ab(A+C)\sec(c+dx))}{(a+b\sec(c+dx))^3} dx \\
&= -\frac{(Ab^2+a^2C)\sec^3(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(3Ab^4-4a^4C+7a^2b^2C)\sec^2(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{(a^2b^2(A-10C)-b^4(4A-C)+6a^4C)\sec(c+dx)\tan(c+dx)}{2b^3(a^2-b^2)^2d} - \frac{(Ab^2+a^2C)\sec^3(c+dx)\tan(c+dx)}{2b(a^2-b^2)d} \\
&= -\frac{a(a^2b^2(2A-21C)-b^4(5A-6C)+12a^4C)\tan(c+dx)}{2b^4(a^2-b^2)^2d} + \frac{(a^2b^2(A-10C)-b^4(4A-C)+6a^4C)\sec(c+dx)\tan(c+dx)}{2b^3(a^2-b^2)^2d} \\
&= -\frac{a(a^2b^2(2A-21C)-b^4(5A-6C)+12a^4C)\tan(c+dx)}{2b^4(a^2-b^2)^2d} + \frac{(a^2b^2(A-10C)-b^4(4A-C)+6a^4C)\sec(c+dx)\tan(c+dx)}{2b^3(a^2-b^2)^2d} \\
&= \frac{(2Ab^2+(12a^2+b^2)C)\tanh^{-1}(\sin(c+dx))}{2b^5d} - \frac{a(a^2b^2(2A-21C)-b^4(5A-6C)+12a^4C)\tan(c+dx)}{2b^4(a^2-b^2)^2d} \\
&= \frac{(2Ab^2+(12a^2+b^2)C)\tanh^{-1}(\sin(c+dx))}{2b^5d} - \frac{a(a^2b^2(2A-21C)-b^4(5A-6C)+12a^4C)\tan(c+dx)}{2b^4(a^2-b^2)^2d} \\
&= \frac{(2Ab^2+(12a^2+b^2)C)\tanh^{-1}(\sin(c+dx))}{2b^5d} - \frac{a(2a^4Ab^2-5a^2Ab^4+6Ab^6+6a^4C-5a^2Cb^2+Cb^4)}{2b^5d}
\end{aligned}$$

Mathematica [A] time = 4.14997, size = 559, normalized size = 1.47

$$\sec(c+dx)(a\cos(c+dx)+b)(A+C\sec^2(c+dx)) \left(\frac{2a^2b^2(a^2C+Ab^2)\sin(c+dx)}{(b-a)(a+b)} + \frac{2a^2b(a^2b^2(9C-2A)-6a^4C+5Ab^4)\sin(c+dx)(a\cos(c+dx)+b)}{(a-b)^2(a+b)^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

```
[Out] ((b + a*cos[c + d*x])*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((4*a*(6*A*b^6 +
a^4*b^2*(2*A - 29*C) - 5*a^2*b^4*(A - 4*C) + 12*a^6*C)*ArcTanh[((-a + b)*Ta
n[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*cos[c + d*x])^2)/(a^2 - b^2)^(5/2)
- 2*(2*A*b^2 + (12*a^2 + b^2)*C)*(b + a*cos[c + d*x])^2*Log[Cos[(c + d*x)/2
] - Sin[(c + d*x)/2]] + 2*(2*A*b^2 + (12*a^2 + b^2)*C)*(b + a*cos[c + d*x])
^2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^2*C*(b + a*cos[c + d*x])^2
)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - (12*a*b*C*(b + a*cos[c + d*x])^
2*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (b^2*C*(b + a*c
os[c + d*x])^2)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 - (12*a*b*C*(b + a*
Cos[c + d*x])^2*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + (
2*a^2*b^2*(A*b^2 + a^2*C)*Sin[c + d*x])/((-a + b)*(a + b)) + (2*a^2*b*(5*A*
b^4 - 6*a^4*C + a^2*b^2*(-2*A + 9*C))*(b + a*cos[c + d*x])*Sin[c + d*x])/((
a - b)^2*(a + b)^2))/(2*b^5*d*(A + 2*C + A*cos[2*(c + d*x)])*(a + b*Sec[c
+ d*x])^3)
```

Maple [B] time = 0.109, size = 1547, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] 1/2/d*C/b^3/(tan(1/2*d*x+1/2*c)+1)+1/2/d*C/b^3/(tan(1/2*d*x+1/2*c)-1)^2-1/d
/b^3*ln(tan(1/2*d*x+1/2*c)-1)*A-1/2/d/b^3*ln(tan(1/2*d*x+1/2*c)-1)*C+1/2/d*
C/b^3/(tan(1/2*d*x+1/2*c)-1)-1/2/d*C/b^3/(tan(1/2*d*x+1/2*c)+1)^2+1/d/b^3*1
n(tan(1/2*d*x+1/2*c)+1)*A+1/2/d/b^3*ln(tan(1/2*d*x+1/2*c)+1)*C+29/d*a^5/b^3
/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/
(a+b)*(a-b))^(1/2))*C-20/d*a^3/b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*ar
ctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-2/d*a^5/b^3/(a^4-2*a^
2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b
))^(1/2))*A+5/d*a^3/b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)
*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-12/d*a^7/b^5/(a^4-2*a^2*b^2+b^4)
/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*
C-6/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+
2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+6/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d
*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-6/d*a*b/(a^4-2*a^2*
b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))
^(1/2))*A-2/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2
/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-1/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1
/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-6/d*a^6/b^4/(ta
n(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*
```

$$\begin{aligned}
& x+1/2*c)*C-1/d*a^3/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/ \\
& (a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-1/d*a^5/b^3/(\tan(1/2*d*x+1/2*c) \\
&)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C+2/d* \\
& a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2* \\
& a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+10/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/ \\
& 2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C+6/d*a^6/b^4/(\tan \\
& (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan \\
& (1/2*d*x+1/2*c)^3*C-1/d*a^5/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^ \\
& 2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C-10/d*a^4/b^2/(\tan(1 \\
& /2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1 \\
& /2*d*x+1/2*c)^3*C+6/d/b^5*\ln(\tan(1/2*d*x+1/2*c)+1)*a^2*C+3/d*C/b^4/(\tan(1/2 \\
& *d*x+1/2*c)-1)*a+3/d*C/b^4/(\tan(1/2*d*x+1/2*c)+1)*a-6/d/b^5*\ln(\tan(1/2*d*x+ \\
& 1/2*c)-1)*a^2*C
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 78.1789, size = 4635, normalized size = 12.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned}
& [1/4*((12*C*a^9 + (2*A - 29*C)*a^7*b^2 - 5*(A - 4*C)*a^5*b^4 + 6*A*a^3*b^6) \\
&)*\cos(d*x + c)^4 + 2*(12*C*a^8*b + (2*A - 29*C)*a^6*b^3 - 5*(A - 4*C)*a^4*b \\
& ^5 + 6*A*a^2*b^7)*\cos(d*x + c)^3 + (12*C*a^7*b^2 + (2*A - 29*C)*a^5*b^4 - 5 \\
& *(A - 4*C)*a^3*b^6 + 6*A*a*b^8)*\cos(d*x + c)^2)*\sqrt{a^2 - b^2}*\log((2*a*b* \\
& \cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x \\
& + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x +
\end{aligned}$$

$$\begin{aligned}
& c) + b^2)) + ((12*C*a^{10} + (2*A - 35*C)*a^8*b^2 - 3*(2*A - 11*C)*a^6*b^4 + \\
& 3*(2*A - 3*C)*a^4*b^6 - (2*A + C)*a^2*b^8)*\cos(d*x + c)^4 + 2*(12*C*a^9*b \\
& + (2*A - 35*C)*a^7*b^3 - 3*(2*A - 11*C)*a^5*b^5 + 3*(2*A - 3*C)*a^3*b^7 - (\\
& 2*A + C)*a*b^9)*\cos(d*x + c)^3 + (12*C*a^8*b^2 + (2*A - 35*C)*a^6*b^4 - 3*(\\
& 2*A - 11*C)*a^4*b^6 + 3*(2*A - 3*C)*a^2*b^8 - (2*A + C)*b^{10})*\cos(d*x + c)^ \\
& 2)*\log(\sin(d*x + c) + 1) - ((12*C*a^{10} + (2*A - 35*C)*a^8*b^2 - 3*(2*A - 11 \\
& *C)*a^6*b^4 + 3*(2*A - 3*C)*a^4*b^6 - (2*A + C)*a^2*b^8)*\cos(d*x + c)^4 + 2 \\
& *(12*C*a^9*b + (2*A - 35*C)*a^7*b^3 - 3*(2*A - 11*C)*a^5*b^5 + 3*(2*A - 3*C \\
&)*a^3*b^7 - (2*A + C)*a*b^9)*\cos(d*x + c)^3 + (12*C*a^8*b^2 + (2*A - 35*C)* \\
& a^6*b^4 - 3*(2*A - 11*C)*a^4*b^6 + 3*(2*A - 3*C)*a^2*b^8 - (2*A + C)*b^{10})* \\
& \cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) + 2*(C*a^6*b^4 - 3*C*a^4*b^6 + 3*C*a \\
& ^2*b^8 - C*b^{10} - (12*C*a^9*b + (2*A - 33*C)*a^7*b^3 - (7*A - 27*C)*a^5*b^5 \\
& + (5*A - 6*C)*a^3*b^7)*\cos(d*x + c)^3 - (18*C*a^8*b^2 + (3*A - 50*C)*a^6*b \\
& ^4 - (9*A - 43*C)*a^4*b^6 + (6*A - 11*C)*a^2*b^8)*\cos(d*x + c)^2 - 4*(C*a^7 \\
& *b^3 - 3*C*a^5*b^5 + 3*C*a^3*b^7 - C*a*b^9)*\cos(d*x + c))*\sin(d*x + c))/((a \\
& ^8*b^5 - 3*a^6*b^7 + 3*a^4*b^9 - a^2*b^{11})*d*\cos(d*x + c)^4 + 2*(a^7*b^6 - \\
& 3*a^5*b^8 + 3*a^3*b^{10} - a*b^{12})*d*\cos(d*x + c)^3 + (a^6*b^7 - 3*a^4*b^9 + \\
& 3*a^2*b^{11} - b^{13})*d*\cos(d*x + c)^2), -1/4*(2*((12*C*a^9 + (2*A - 29*C)*a^7 \\
& *b^2 - 5*(A - 4*C)*a^5*b^4 + 6*A*a^3*b^6)*\cos(d*x + c)^4 + 2*(12*C*a^8*b + \\
& (2*A - 29*C)*a^6*b^3 - 5*(A - 4*C)*a^4*b^5 + 6*A*a^2*b^7)*\cos(d*x + c)^3 + \\
& (12*C*a^7*b^2 + (2*A - 29*C)*a^5*b^4 - 5*(A - 4*C)*a^3*b^6 + 6*A*a*b^8)*\cos \\
& (d*x + c)^2)*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a) \\
& /((a^2 - b^2)*\sin(d*x + c))) - ((12*C*a^{10} + (2*A - 35*C)*a^8*b^2 - 3*(2*A \\
& - 11*C)*a^6*b^4 + 3*(2*A - 3*C)*a^4*b^6 - (2*A + C)*a^2*b^8)*\cos(d*x + c)^4 \\
& + 2*(12*C*a^9*b + (2*A - 35*C)*a^7*b^3 - 3*(2*A - 11*C)*a^5*b^5 + 3*(2*A - \\
& 3*C)*a^3*b^7 - (2*A + C)*a*b^9)*\cos(d*x + c)^3 + (12*C*a^8*b^2 + (2*A - 35 \\
& *C)*a^6*b^4 - 3*(2*A - 11*C)*a^4*b^6 + 3*(2*A - 3*C)*a^2*b^8 - (2*A + C)*b^{ \\
& 10})*\cos(d*x + c)^2)*\log(\sin(d*x + c) + 1) + ((12*C*a^{10} + (2*A - 35*C)*a^8* \\
& b^2 - 3*(2*A - 11*C)*a^6*b^4 + 3*(2*A - 3*C)*a^4*b^6 - (2*A + C)*a^2*b^8)*\c \\
& \cos(d*x + c)^4 + 2*(12*C*a^9*b + (2*A - 35*C)*a^7*b^3 - 3*(2*A - 11*C)*a^5*b \\
& ^5 + 3*(2*A - 3*C)*a^3*b^7 - (2*A + C)*a*b^9)*\cos(d*x + c)^3 + (12*C*a^8*b^ \\
& 2 + (2*A - 35*C)*a^6*b^4 - 3*(2*A - 11*C)*a^4*b^6 + 3*(2*A - 3*C)*a^2*b^8 - \\
& (2*A + C)*b^{10})*\cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) - 2*(C*a^6*b^4 - 3* \\
& C*a^4*b^6 + 3*C*a^2*b^8 - C*b^{10} - (12*C*a^9*b + (2*A - 33*C)*a^7*b^3 - (7* \\
& A - 27*C)*a^5*b^5 + (5*A - 6*C)*a^3*b^7)*\cos(d*x + c)^3 - (18*C*a^8*b^2 + (\\
& 3*A - 50*C)*a^6*b^4 - (9*A - 43*C)*a^4*b^6 + (6*A - 11*C)*a^2*b^8)*\cos(d*x \\
& + c)^2 - 4*(C*a^7*b^3 - 3*C*a^5*b^5 + 3*C*a^3*b^7 - C*a*b^9)*\cos(d*x + c))* \\
& \sin(d*x + c))/((a^8*b^5 - 3*a^6*b^7 + 3*a^4*b^9 - a^2*b^{11})*d*\cos(d*x + c)^ \\
& 4 + 2*(a^7*b^6 - 3*a^5*b^8 + 3*a^3*b^{10} - a*b^{12})*d*\cos(d*x + c)^3 + (a^6*b \\
& ^7 - 3*a^4*b^9 + 3*a^2*b^{11} - b^{13})*d*\cos(d*x + c)^2)]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**4/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.34949, size = 1602, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(2*(12*C*a^7 + 2*A*a^5*b^2 - 29*C*a^5*b^2 - 5*A*a^3*b^4 + 20*C*a^3*b^4 \\ & + 6*A*a*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-(\\ & a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^4*b \\ & ^5 - 2*a^2*b^7 + b^9)*\sqrt{-a^2 + b^2}) - 2*(12*C*a^7*\tan(1/2*d*x + 1/2*c)^7 \\ & - 18*C*a^6*b*\tan(1/2*d*x + 1/2*c)^7 + 2*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 \\ & - 17*C*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 - 3*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 \\ & + 33*C*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 - 5*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 \\ & - 2*C*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 + 6*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 - \\ & 13*C*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 + 4*C*a*b^6*\tan(1/2*d*x + 1/2*c)^7 + C \\ & *b^7*\tan(1/2*d*x + 1/2*c)^7 - 36*C*a^7*\tan(1/2*d*x + 1/2*c)^5 + 18*C*a^6*b* \\ & \tan(1/2*d*x + 1/2*c)^5 - 6*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 + 67*C*a^5*b^2* \\ & \tan(1/2*d*x + 1/2*c)^5 + 3*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 - 29*C*a^4*b^3* \\ & \tan(1/2*d*x + 1/2*c)^5 + 15*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 - 26*C*a^3*b^4 \\ & *\tan(1/2*d*x + 1/2*c)^5 - 6*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 + 5*C*a^2*b^5* \\ & \tan(1/2*d*x + 1/2*c)^5 + 4*C*a*b^6*\tan(1/2*d*x + 1/2*c)^5 + 3*C*b^7*\tan(1/2 \\ & *d*x + 1/2*c)^5 + 36*C*a^7*\tan(1/2*d*x + 1/2*c)^3 + 18*C*a^6*b*\tan(1/2*d*x \\ & + 1/2*c)^3 + 6*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 - 67*C*a^5*b^2*\tan(1/2*d*x \\ & + 1/2*c)^3 + 3*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 - 29*C*a^4*b^3*\tan(1/2*d*x \\ & + 1/2*c)^3 - 15*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 + 26*C*a^3*b^4*\tan(1/2*d*x \\ & + 1/2*c)^3 - 6*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 + 5*C*a^2*b^5*\tan(1/2*d*x \end{aligned}$$

$$\begin{aligned}
& + 1/2*c)^3 - 4*C*a*b^6*\tan(1/2*d*x + 1/2*c)^3 + 3*C*b^7*\tan(1/2*d*x + 1/2*c) \\
&)^3 - 12*C*a^7*\tan(1/2*d*x + 1/2*c) - 18*C*a^6*b*\tan(1/2*d*x + 1/2*c) - 2*A \\
& *a^5*b^2*\tan(1/2*d*x + 1/2*c) + 17*C*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 3*A*a^4 \\
& *b^3*\tan(1/2*d*x + 1/2*c) + 33*C*a^4*b^3*\tan(1/2*d*x + 1/2*c) + 5*A*a^3*b^4 \\
& *\tan(1/2*d*x + 1/2*c) + 2*C*a^3*b^4*\tan(1/2*d*x + 1/2*c) + 6*A*a^2*b^5*\tan(\\
& 1/2*d*x + 1/2*c) - 13*C*a^2*b^5*\tan(1/2*d*x + 1/2*c) - 4*C*a*b^6*\tan(1/2*d* \\
& x + 1/2*c) + C*b^7*\tan(1/2*d*x + 1/2*c))/((a^4*b^4 - 2*a^2*b^6 + b^8)*(a*\tan \\
& (1/2*d*x + 1/2*c)^4 - b*\tan(1/2*d*x + 1/2*c)^4 - 2*a*\tan(1/2*d*x + 1/2*c)^ \\
& 2 + a + b)^2) - (12*C*a^2 + 2*A*b^2 + C*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + \\
& 1))/b^5 + (12*C*a^2 + 2*A*b^2 + C*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/ \\
& b^5)/d
\end{aligned}$$

$$3.692 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=271

$$\frac{(3a^2C + Ab^2 - 2b^2C) \tan(c + dx)}{2b^3d(a^2 - b^2)} + \frac{(a^2b^4(A + 12C) - 15a^4b^2C + 6a^6C + 2Ab^6) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2C + Ab^2)}{2bd(a^2 - b^2)}$$

[Out] $(-3*a*C*ArcTanh[Sin[c + d*x]])/(b^4*d) + ((2*A*b^6 + 6*a^6*C - 15*a^4*b^2*C + a^2*b^4*(A + 12*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^{(5/2)*b^4*(a + b)^{(5/2)*d}) + ((A*b^2 + 3*a^2*C - 2*b^2*C)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) - ((A*b^2 + a^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a*(2*A*b^4 - 3*a^4*C + a^2*b^2*(A + 6*C))*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 1.02213, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4099, 4090, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(3a^2C + Ab^2 - 2b^2C) \tan(c + dx)}{2b^3d(a^2 - b^2)} + \frac{(a^2b^4(A + 12C) - 15a^4b^2C + 6a^6C + 2Ab^6) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2C + Ab^2)}{2bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^3*(A + C*\text{Sec}[c + d*x]^2))/(a + b*\text{Sec}[c + d*x])^3, x]$

[Out] $(-3*a*C*ArcTanh[Sin[c + d*x]])/(b^4*d) + ((2*A*b^6 + 6*a^6*C - 15*a^4*b^2*C + a^2*b^4*(A + 12*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^{(5/2)*b^4*(a + b)^{(5/2)*d}) + ((A*b^2 + 3*a^2*C - 2*b^2*C)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) - ((A*b^2 + a^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a*(2*A*b^4 - 3*a^4*C + a^2*b^2*(A + 6*C))*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))$

Rule 4099

$\text{Int}[(A + \text{csc}[e + f*x])*(\text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(\text{csc}[e + f*x])^m, x_Symbol] := -\text{Simp}[(d*(A*b^2 + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})*(d*\text{Csc}[e + f*x])^m, x_Symbol]$


```
(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), In
t[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1)
+ a^2*C*(n - 1) + a*b*(A + C)*(m + 1)*Csc[e + f*x] - (A*b^2*(m + n + 1) + C
*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[
(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x
_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x
])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^
2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-a*(b*B
- a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 +
b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/(csc[(
e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\sec^2(c+dx)(2(Ab^2+a^2C)-2ab(A+C)\sec(c+dx))}{(a+b\sec(c+dx))^2} dx \\
&= -\frac{(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a(2Ab^4-3a^4C+a^2b^2(A+6C))\tan(c+dx)}{2b^3(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{(Ab^2+3a^2C-2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} - \frac{(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} \\
&= \frac{(Ab^2+3a^2C-2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} - \frac{(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} \\
&= -\frac{3aC\tanh^{-1}(\sin(c+dx))}{b^4d} + \frac{(Ab^2+3a^2C-2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} - \frac{(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} \\
&= -\frac{3aC\tanh^{-1}(\sin(c+dx))}{b^4d} + \frac{(Ab^2+3a^2C-2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} - \frac{(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} \\
&= -\frac{3aC\tanh^{-1}(\sin(c+dx))}{b^4d} + \frac{(a^2Ab^4+2Ab^6+6a^6C-15a^4b^2C+12a^2b^4C)\tan(c+dx)}{(a-b)^{5/2}b^4(a+b)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 2.26337, size = 421, normalized size = 1.55

$$\sec(c + dx)(a \cos(c + dx) + b) \left(A + C \sec^2(c + dx) \right) \left(\frac{ab^2(a^2C + Ab^2) \sin(c + dx)}{(a-b)(a+b)} + \frac{ab(-7a^2b^2C + 4a^4C - 3Ab^4) \sin(c + dx)(a \cos(c + dx) + b)}{(a-b)^2(a+b)^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((-2*(2*A*b^6 + 6*a^6*C - 15*a^4*b^2*C + a^2*b^4*(A + 12*C))*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])*(b + a*Cos[c + d*x])^2)/(a^2 - b^2)^(5/2) + 6*a*C*(b + a*Cos[c + d*x])^2*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 6*a*C*(b + a*Cos[c + d*x])^2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*b*C*(b + a*Cos[c + d*x])^2*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (2*b*C*(b + a*Cos[c + d*x])^2*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + (a*b^2*(A*b^2 + a^2*C)*Sin[c + d*x])/((a - b)*(a + b)) + (a*b*(-3*A*b^4 + 4*a^4*C - 7*a^2*b^2*C)*(b + a*Cos[c + d*x])*Sin[c + d*x])/((a - b)^2*(a + b)^2))/(b^4*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x])^3)

Maple [B] time = 0.098, size = 1167, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)

[Out] 1/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+4/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-4/d*a^5/b^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+1/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+8/d/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a^3/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+1/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a^2/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)*A-4/d*b/(tan(1/2*d*x+1/2*c)

$$\begin{aligned} &^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2* \\ &c)*A+4/d/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a^5/(a+b \\ &)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)*C+1/d/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(\\ &1/2*d*x+1/2*c)^2*b-a-b)^2*a^4/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)*C-8/ \\ &d/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a^3/(a+b)/(a^2-2* \\ &a*b+b^2)*\tan(1/2*d*x+1/2*c)*C+1/d/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*a \\ &rctanh((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*a^2+2/d*b^2/(a^4-2*a \\ &^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a- \\ &b))^(1/2))*A+6/d/b^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)* \\ &\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*a^6*C-15/d/b^2/(a^4-2*a^2*b^2+b^4)/ \\ &((a+b)*(a-b))^(1/2)*arctanh((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*a \\ &^4*C+12/d/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*\tan(1/2*d*x \\ &+1/2*c)/((a+b)*(a-b))^(1/2))*C*a^2-1/d*C/b^3/(\tan(1/2*d*x+1/2*c)+1)-3/d*a*C \\ &/b^4*\ln(\tan(1/2*d*x+1/2*c)+1)-1/d*C/b^3/(\tan(1/2*d*x+1/2*c)-1)+3/d*a*C/b^4* \\ &\ln(\tan(1/2*d*x+1/2*c)-1) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 28.1077, size = 3416, normalized size = 12.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] [1/4*(((6*C*a^8 - 15*C*a^6*b^2 + (A + 12*C)*a^4*b^4 + 2*A*a^2*b^6)*cos(d*x + c)^3 + 2*(6*C*a^7*b - 15*C*a^5*b^3 + (A + 12*C)*a^3*b^5 + 2*A*a*b^7)*cos(d*x + c)^2 + (6*C*a^6*b^2 - 15*C*a^4*b^4 + (A + 12*C)*a^2*b^6 + 2*A*b^8)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x

$$\begin{aligned}
& + c)^2 + 2\sqrt{a^2 - b^2}*(b*\cos(dx + c) + a)*\sin(dx + c) + 2*a^2 - b^2 \\
&)/(a^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + b^2)) - 6*((C*a^9 - 3*C*a^7*b^2 \\
& + 3*C*a^5*b^4 - C*a^3*b^6)*\cos(dx + c)^3 + 2*(C*a^8*b - 3*C*a^6*b^3 + 3* \\
& C*a^4*b^5 - C*a^2*b^7)*\cos(dx + c)^2 + (C*a^7*b^2 - 3*C*a^5*b^4 + 3*C*a^3* \\
& b^6 - C*a*b^8)*\cos(dx + c))*\log(\sin(dx + c) + 1) + 6*((C*a^9 - 3*C*a^7*b^2 \\
& + 3*C*a^5*b^4 - C*a^3*b^6)*\cos(dx + c)^3 + 2*(C*a^8*b - 3*C*a^6*b^3 + 3* \\
& C*a^4*b^5 - C*a^2*b^7)*\cos(dx + c)^2 + (C*a^7*b^2 - 3*C*a^5*b^4 + 3*C*a^3* \\
& b^6 - C*a*b^8)*\cos(dx + c))*\log(-\sin(dx + c) + 1) + 2*(2*C*a^6*b^3 - 6*C* \\
& a^4*b^5 + 6*C*a^2*b^7 - 2*C*b^9 + (6*C*a^8*b - 17*C*a^6*b^3 - (3*A - 13*C)* \\
& a^4*b^5 + (3*A - 2*C)*a^2*b^7)*\cos(dx + c)^2 + (9*C*a^7*b^2 + (A - 25*C)*a \\
& ^5*b^4 - 5*(A - 4*C)*a^3*b^6 + 4*(A - C)*a*b^8)*\cos(dx + c))*\sin(dx + c)) \\
& /((a^8*b^4 - 3*a^6*b^6 + 3*a^4*b^8 - a^2*b^10)*d*\cos(dx + c)^3 + 2*(a^7*b^5 \\
& - 3*a^5*b^7 + 3*a^3*b^9 - a*b^11)*d*\cos(dx + c)^2 + (a^6*b^6 - 3*a^4*b^8 \\
& + 3*a^2*b^10 - b^12)*d*\cos(dx + c)), 1/2*(((6*C*a^8 - 15*C*a^6*b^2 + (A + \\
& 12*C)*a^4*b^4 + 2*A*a^2*b^6)*\cos(dx + c)^3 + 2*(6*C*a^7*b - 15*C*a^5*b^3 \\
& + (A + 12*C)*a^3*b^5 + 2*A*a*b^7)*\cos(dx + c)^2 + (6*C*a^6*b^2 - 15*C*a^4* \\
& b^4 + (A + 12*C)*a^2*b^6 + 2*A*b^8)*\cos(dx + c))*\sqrt{-a^2 + b^2}*\arctan(- \\
& \sqrt{-a^2 + b^2}*(b*\cos(dx + c) + a)/((a^2 - b^2)*\sin(dx + c))) - 3*((C*a \\
& ^9 - 3*C*a^7*b^2 + 3*C*a^5*b^4 - C*a^3*b^6)*\cos(dx + c)^3 + 2*(C*a^8*b - 3 \\
& *C*a^6*b^3 + 3*C*a^4*b^5 - C*a^2*b^7)*\cos(dx + c)^2 + (C*a^7*b^2 - 3*C*a^5 \\
& *b^4 + 3*C*a^3*b^6 - C*a*b^8)*\cos(dx + c))*\log(\sin(dx + c) + 1) + 3*((C*a \\
& ^9 - 3*C*a^7*b^2 + 3*C*a^5*b^4 - C*a^3*b^6)*\cos(dx + c)^3 + 2*(C*a^8*b - 3 \\
& *C*a^6*b^3 + 3*C*a^4*b^5 - C*a^2*b^7)*\cos(dx + c)^2 + (C*a^7*b^2 - 3*C*a^5 \\
& *b^4 + 3*C*a^3*b^6 - C*a*b^8)*\cos(dx + c))*\log(-\sin(dx + c) + 1) + (2*C*a \\
& ^6*b^3 - 6*C*a^4*b^5 + 6*C*a^2*b^7 - 2*C*b^9 + (6*C*a^8*b - 17*C*a^6*b^3 - \\
& (3*A - 13*C)*a^4*b^5 + (3*A - 2*C)*a^2*b^7)*\cos(dx + c)^2 + (9*C*a^7*b^2 + \\
& (A - 25*C)*a^5*b^4 - 5*(A - 4*C)*a^3*b^6 + 4*(A - C)*a*b^8)*\cos(dx + c))* \\
& \sin(dx + c))/((a^8*b^4 - 3*a^6*b^6 + 3*a^4*b^8 - a^2*b^10)*d*\cos(dx + c)^ \\
& 3 + 2*(a^7*b^5 - 3*a^5*b^7 + 3*a^3*b^9 - a*b^11)*d*\cos(dx + c)^2 + (a^6*b^6 \\
& - 3*a^4*b^8 + 3*a^2*b^10 - b^12)*d*\cos(dx + c))]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**3*(A+C*sec(dx+c)**2)/(a+b*sec(dx+c))**3,x)

[Out] Integral((A + C*sec(c + dx)**2)*sec(c + dx)**3/(a + b*sec(c + dx))**3, x)

Giac [B] time = 1.31827, size = 703, normalized size = 2.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out]
$$\frac{((6Ca^6 - 15C^2a^4b^2 + Aa^2b^4 + 12Ca^2b^4 + 2Ab^6)(\pi \operatorname{floor}(1/2(d*x + c)/\pi + 1/2) \operatorname{sgn}(-2a + 2b) + \arctan(-a \tan(1/2d*x + 1/2c) - b \tan(1/2d*x + 1/2c))/\sqrt{-a^2 + b^2})) / ((a^4b^4 - 2a^2b^6 + b^8) \sqrt{-a^2 + b^2}) - 3Ca \log(\operatorname{abs}(\tan(1/2d*x + 1/2c) + 1))/b^4 + 3Ca \log(\operatorname{abs}(\tan(1/2d*x + 1/2c) - 1))/b^4 - (4Ca^6 \tan(1/2d*x + 1/2c)^3 - 5Ca^5b \tan(1/2d*x + 1/2c)^3 - 7Ca^4b^2 \tan(1/2d*x + 1/2c)^3 - Aa^3b^3 \tan(1/2d*x + 1/2c)^3 + 8Ca^3b^3 \tan(1/2d*x + 1/2c)^3 - 3Aa^2b^4 \tan(1/2d*x + 1/2c)^3 + 4Aa^2b^5 \tan(1/2d*x + 1/2c)^3 - 4Ca^6 \tan(1/2d*x + 1/2c) - 5Ca^5b \tan(1/2d*x + 1/2c) + 7Ca^4b^2 \tan(1/2d*x + 1/2c) - Aa^3b^3 \tan(1/2d*x + 1/2c) + 8Ca^3b^3 \tan(1/2d*x + 1/2c) + 3Aa^2b^4 \tan(1/2d*x + 1/2c) + 4Aa^2b^5 \tan(1/2d*x + 1/2c)) / ((a^4b^3 - 2a^2b^5 + b^7)(a \tan(1/2d*x + 1/2c)^2 - b \tan(1/2d*x + 1/2c)^2 - a - b)^2) - 2C \tan(1/2d*x + 1/2c) / ((\tan(1/2d*x + 1/2c)^2 - 1)b^3)}{d}$$

$$3.693 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=212

$$\frac{a \left(C(-5a^2b^2 + 2a^4 + 6b^4) + 3Ab^4 \right) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{b^3 d (a-b)^{5/2} (a+b)^{5/2}} + \frac{(a^2b^2(A+6C) - 3a^4C + 2Ab^4) \tan(c+dx)}{2b^2 d (a^2 - b^2)^2 (a+b \sec(c+dx))} + \frac{a}{2b^2 d}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^3*d) - (a*(3*A*b^4 + (2*a^4 - 5*a^2*b^2 + 6*b^4)*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^3*(a + b)^(5/2)*d) + (a*(A*b^2 + a^2*C)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((2*A*b^4 - 3*a^4*C + a^2*b^2*(A + 6*C))*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.594275, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4091, 4080, 3998, 3770, 3831, 2659, 208}

$$\frac{a \left(C(-5a^2b^2 + 2a^4 + 6b^4) + 3Ab^4 \right) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{b^3 d (a-b)^{5/2} (a+b)^{5/2}} + \frac{(a^2b^2(A+6C) - 3a^4C + 2Ab^4) \tan(c+dx)}{2b^2 d (a^2 - b^2)^2 (a+b \sec(c+dx))} + \frac{a}{2b^2 d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^3*d) - (a*(3*A*b^4 + (2*a^4 - 5*a^2*b^2 + 6*b^4)*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^3*(a + b)^(5/2)*d) + (a*(A*b^2 + a^2*C)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((2*A*b^4 - 3*a^4*C + a^2*b^2*(A + 6*C))*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4091

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(a*(A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(a^2*C + A*b^2) - a*(A*b^2*(m + 2) + C*(a^2 + b^2

```
*(m + 1))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4080

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_S
ymbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^
(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), In
t[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1
) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2,
0]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/(csc[(
e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```


Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{a(Ab^2+a^2C)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{\int \frac{\sec(c+dx)(-2b(Ab^2+a^2C)+a(Ab^2-(a^2-2b^2)C))}{(a+b\sec(c+dx))} dx}{2b^2(a^2-b^2)} \\
&= \frac{a(Ab^2+a^2C)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(2Ab^4-3a^4C+a^2b^2(A+6C))\tan(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab^2+a^2C)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(2Ab^4-3a^4C+a^2b^2(A+6C))\tan(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{a(Ab^2+a^2C)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(2Ab^4-3a^4C+a^2b^2(A+6C))\tan(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{a(Ab^2+a^2C)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(2Ab^4-3a^4C+a^2b^2(A+6C))\tan(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^3d} - \frac{a(3Ab^4+2a^4C-5a^2b^2C+6b^4C) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan(c+dx)}{\sqrt{a^2-b^2}}\right)}{(a-b)^{5/2}b^3(a+b)^{5/2}d}
\end{aligned}$$

Mathematica [C] time = 5.17715, size = 445, normalized size = 2.1

$$\sec(c+dx)(a\cos(c+dx)+b)(A+C\sec^2(c+dx)) \left(\frac{4a(\sin(c)+i\cos(c))(C(-5a^2b^2+2a^4+6b^4)+3Ab^4)(a\cos(c+dx)+b)^2 \tan^{-1}\left(\frac{(\sin(c)+i\cos(c))}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2} \sqrt{(\cos(c)-i\sin(c))^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*(-4*C*(b + a*Cos[c + d*x])^2*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*C*(b + a*Cos[c + d*x])^2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (4*a*(3*A*b^4 + (2*a^4 - 5*a^2*b^2 + 6*b^4)*C)*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c]))*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b + a*Cos

$$\begin{aligned} & [c + d*x])^2*(I*\cos[c] + \sin[c]))/((a^2 - b^2)^{(5/2)}*\sqrt{(\cos[c] - I*\sin[c])^2}) + (b*(a*\sec[c]*((4*A*b^5 - 7*a^4*b*C + a^2*b^3*(5*A + 16*C))*\sin[d*x] \\ & + a*(a*b*(-3*A*b^2 + (a^2 - 4*b^2)*C)*\sin[2*c + d*x] + (A*b^4 - 2*a^4*C + a^2*b^2*(2*A + 5*C))*\sin[c + 2*d*x])) + (a^2 + 2*b^2)*(-(A*b^4) + 2*a^4*C \\ & - a^2*b^2*(2*A + 5*C))*\tan[c]))/(a*(a^2 - b^2)^2))/(2*b^3*d*(A + 2*C + A*\cos[2*(c + d*x)]))*(a + b*\sec[c + d*x])^3) \end{aligned}$$

Maple [B] time = 0.097, size = 1165, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(A+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^3, x)$

[Out]
$$\begin{aligned} & -2/d*a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2 \\ & *a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-1/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+ \\ & 1/2*c)^2*b-a-b)^2*a/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-2/d*b^2/(t \\ & \tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*t \\ & \tan(1/2*d*x+1/2*c)^3*A+2/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c \\ &)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C-1/d*b/(\tan(1/2*d* \\ & x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a^3/(a-b)/(a^2+2*a*b+b^2)*\tan(1/ \\ & 2*d*x+1/2*c)^3*C-6/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/ \\ & (a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C*a^2+2/d*a^2/(\tan(1/2*d*x+1/2*c \\ &)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-1/d* \\ & b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1 \\ & /2*d*x+1/2*c)*A*a+2/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a- \\ & b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-2/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a \\ & -\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C-1/d*b/(t \\ & \tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d* \\ & x+1/2*c)*a^3*C+6/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a \\ & +b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C*a^2-3/d*a*b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a- \\ & b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A-2/d*a^5/b \\ & ^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) \\ & /((a+b)*(a-b))^{(1/2)})*C+5/d*a^3/b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)}*a \\ & \operatorname{rctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C-6/d*b*a/(a^4-2*a^2*b \\ & ^2+b^4)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(\\ & 1/2)})*C+1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1 \\ &)*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 17.1034, size = 2866, normalized size = 13.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*((2*C*a^5*b^2 - 5*C*a^3*b^4 + 3*(A + 2*C)*a*b^6 + (2*C*a^7 - 5*C*a^5*b^2 + 3*(A + 2*C)*a^3*b^4)*\cos(d*x + c)^2 + 2*(2*C*a^6*b - 5*C*a^4*b^3 + 3*(A + 2*C)*a^2*b^5)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a))*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) + 2*(C*a^6*b^2 - 3*C*a^4*b^4 + 3*C*a^2*b^6 - C*b^8 + (C*a^8 - 3*C*a^6*b^2 + 3*C*a^4*b^4 - C*a^2*b^6)*\cos(d*x + c)^2 + 2*(C*a^7*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 - C*a*b^7)*\cos(d*x + c))*\log(\sin(d*x + c) + 1) - 2*(C*a^6*b^2 - 3*C*a^4*b^4 + 3*C*a^2*b^6 - C*b^8 + (C*a^8 - 3*C*a^6*b^2 + 3*C*a^4*b^4 - C*a^2*b^6)*\cos(d*x + c)^2 + 2*(C*a^7*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 - C*a*b^7)*\cos(d*x + c))*\log(-\sin(d*x + c) + 1) - 2*(3*C*a^6*b^2 - (A + 9*C)*a^4*b^4 - (A - 6*C)*a^2*b^6 + 2*A*b^8 + (2*C*a^7*b - (2*A + 7*C)*a^5*b^3 + (A + 5*C)*a^3*b^5 + A*a*b^7)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^3 - 3*a^6*b^5 + 3*a^4*b^7 - a^2*b^9)*d*\cos(d*x + c)^2 + 2*(a^7*b^4 - 3*a^5*b^6 + 3*a^3*b^8 - a*b^10)*d*\cos(d*x + c) + (a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*d), -1/2*((2*C*a^5*b^2 - 5*C*a^3*b^4 + 3*(A + 2*C)*a*b^6 + (2*C*a^7 - 5*C*a^5*b^2 + 3*(A + 2*C)*a^3*b^4)*\cos(d*x + c)^2 + 2*(2*C*a^6*b - 5*C*a^4*b^3 + 3*(A + 2*C)*a^2*b^5)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c))) - (C*a^6*b^2 - 3*C*a^4*b^4 + 3*C*a^2*b^6 - C*b^8 + (C*a^8 - 3*C*a^6*b^2 + 3*C*a^4*b^4 - C*a^2*b^6)*\cos(d*x + c)^2 + 2*(C*a^7*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 - C*a*b^7)*\cos(d*x + c))*\log(\sin(d*x + c) + 1) + (C*a^6*b^2 - 3*C*a^4*b^4 + 3*C*a^2*b^6 - C*b^8 + (C*a^8 - 3*C$$

```
*a^6*b^2 + 3*C*a^4*b^4 - C*a^2*b^6)*cos(d*x + c)^2 + 2*(C*a^7*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 - C*a*b^7)*cos(d*x + c))*log(-sin(d*x + c) + 1) + (3*C*a^6*b^2 - (A + 9*C)*a^4*b^4 - (A - 6*C)*a^2*b^6 + 2*A*b^8 + (2*C*a^7*b - (2*A + 7*C)*a^5*b^3 + (A + 5*C)*a^3*b^5 + A*a*b^7))*cos(d*x + c))*sin(d*x + c))/(a^8*b^3 - 3*a^6*b^5 + 3*a^4*b^7 - a^2*b^9)*d*cos(d*x + c)^2 + 2*(a^7*b^4 - 3*a^5*b^6 + 3*a^3*b^8 - a*b^10)*d*cos(d*x + c) + (a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**3, x)
```

Giac [B] time = 1.29897, size = 687, normalized size = 3.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] -((2*C*a^5 - 5*C*a^3*b^2 + 3*A*a*b^4 + 6*C*a*b^4)*(pi*floor(1/2*(d*x + c)/p
i + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x
+ 1/2*c))/sqrt(-a^2 + b^2)))/((a^4*b^3 - 2*a^2*b^5 + b^7)*sqrt(-a^2 + b^2))
- C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 + C*log(abs(tan(1/2*d*x + 1/2*c
) - 1))/b^3 - (2*C*a^5*tan(1/2*d*x + 1/2*c)^3 - 3*C*a^4*b*tan(1/2*d*x + 1/2
*c)^3 - 2*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 - 5*C*a^3*b^2*tan(1/2*d*x + 1/2*
c)^3 + A*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*b^3*tan(1/2*d*x + 1/2*c)^
3 - A*a*b^4*tan(1/2*d*x + 1/2*c)^3 + 2*A*b^5*tan(1/2*d*x + 1/2*c)^3 - 2*C*a
^5*tan(1/2*d*x + 1/2*c) - 3*C*a^4*b*tan(1/2*d*x + 1/2*c) + 2*A*a^3*b^2*tan(
1/2*d*x + 1/2*c) + 5*C*a^3*b^2*tan(1/2*d*x + 1/2*c) + A*a^2*b^3*tan(1/2*d*x
```

$$\begin{aligned} &+ 1/2*c) + 6*C*a^2*b^3*\tan(1/2*d*x + 1/2*c) + A*a*b^4*\tan(1/2*d*x + 1/2*c) \\ &+ 2*A*b^5*\tan(1/2*d*x + 1/2*c))/((a^4*b^2 - 2*a^2*b^4 + b^6)*(a*\tan(1/2*d* \\ &x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^2))/d \end{aligned}$$

$$3.694 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=177

$$\frac{(a^2(2A+C) + b^2(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a(a^2(-C) + 3Ab^2 + 4b^2C) \tan(c+dx)}{2bd(a^2-b^2)^2(a+b \sec(c+dx))} - \frac{(a^2C + Ab^2) \tan(c+dx)}{2bd(a^2-b^2)(a+b \sec(c+dx))}$$

[Out] ((a^2*(2*A + C) + b^2*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d) - ((A*b^2 + a^2*C)*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a*(3*A*b^2 - a^2*C + 4*b^2*C)*Tan[c + d*x])/(2*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.321387, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4081, 4003, 12, 3831, 2659, 208}

$$\frac{(a^2(2A+C) + b^2(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a(a^2(-C) + 3Ab^2 + 4b^2C) \tan(c+dx)}{2bd(a^2-b^2)^2(a+b \sec(c+dx))} - \frac{(a^2C + Ab^2) \tan(c+dx)}{2bd(a^2-b^2)(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]

[Out] ((a^2*(2*A + C) + b^2*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d) - ((A*b^2 + a^2*C)*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a*(3*A*b^2 - a^2*C + 4*b^2*C)*Tan[c + d*x])/(2*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4081

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*b*(A + C)*(m + 1) - (A*b^2 + a^2*C + b*(A*b + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && LtQ[m, -1] && NeQ[a

$a^2 - b^2, 0]$

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab^2+a^2C)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{\int \frac{\sec(c+dx)(-2ab(A+C)+(Ab^2-a^2C+2b^2C)\sec(c+dx))}{(a+b\sec(c+dx))^2}}{2b(a^2-b^2)} \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a(3Ab^2-a^2C+4b^2C)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} + \frac{\int \frac{a(3Ab^2-a^2C+4b^2C)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))}}{2b(a^2-b^2)} \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a(3Ab^2-a^2C+4b^2C)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} + \frac{a(3Ab^2-a^2C+4b^2C)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a(3Ab^2-a^2C+4b^2C)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} + \frac{a(3Ab^2-a^2C+4b^2C)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a(3Ab^2-a^2C+4b^2C)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} + \frac{a(3Ab^2-a^2C+4b^2C)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{(2a^2A+Ab^2+a^2C+2b^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} - \frac{(Ab^2+a^2C)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))}
\end{aligned}$$

Mathematica [C] time = 3.39468, size = 342, normalized size = 1.93

$$\frac{\sec(c+dx)(a\cos(c+dx)+b)(A+C\sec^2(c+dx))}{(a^3-ab^2)^2} \left(\frac{a\sec(c)\left((a^2b^2(5A+2C)+a^4C-2Ab^4)\sin(2c+dx)+ab(Ab^2-a^2(4A+3C))\sin(c+2dx)+\sin(dx)\right)}{2d(a+b\sec(c+dx))} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*(((-4*I)*(a^2*(2*A + C) + b^2*(A + 2*C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b + a*Cos[c + d*x])^2*(Cos[c] - I*Sin[c]))/((a^2 - b^2)^(5/2)*Sqrt[(Cos[c] - I*Sin[c])^2]) + (a*Sec[c]*((2*A*b^4 + a^4*C - a^2*b^2*(11*A + 10*C))*Sin[d*x] + (-2*A*b^4 + a^4*C + a^2*b^2*(5*A + 2*C))*Sin[2*c + d*x] + a*b*(A*b^2 - a^2*

$$(4A + 3C) \sin[c + 2dx] + b(a^2 + 2b^2) \left(-Ab^2 + a^2(4A + 3C) \right) \tan[c] / (a^3 - ab^2)^2 / (2d(A + 2C + A \cos[2(c + dx)]) (a + b \sec[c + dx]))^3$$

Maple [A] time = 0.093, size = 230, normalized size = 1.3

$$\frac{1}{d} \left(-2 \frac{1}{((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)^2} \left(-1/2 \frac{(4Aab + Ab^2 + a^2C + 4abC) (\tan(1/2 dx + c/2))}{(a-b)(a^2 + 2ab + b^2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(dx+c)*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^3,x)

[Out] 1/d*(-2*(-1/2*(4A*a*b+A*b^2+C*a^2+4*C*a*b)/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c))^3+1/2*(4A*a*b-A*b^2-C*a^2+4*C*a*b)/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c))/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2+(2*A*a^2+A*b^2+C*a^2+2*C*b^2)/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.647531, size = 1577, normalized size = 8.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] [1/4*((2*A + C)*a^2*b^2 + (A + 2*C)*b^4 + ((2*A + C)*a^4 + (A + 2*C)*a^2*b^2)*cos(d*x + c)^2 + 2*((2*A + C)*a^3*b + (A + 2*C)*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(C*a^5 - (3*A + 5*C)*a^3*b^2 + (3*A + 4*C)*a*b^4 - ((4*A + 3*C)*a^4*b - (5*A + 3*C)*a^2*b^3 + A*b^5)*cos(d*x + c))*sin(d*x + c)/((a^8 - 3*a^6*b^2 + 3*a^4*b^4 - a^2*b^6)*d*cos(d*x + c)^2 + 2*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d*cos(d*x + c) + (a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8)*d), 1/2*((2*A + C)*a^2*b^2 + (A + 2*C)*b^4 + ((2*A + C)*a^4 + (A + 2*C)*a^2*b^2)*cos(d*x + c)^2 + 2*((2*A + C)*a^3*b + (A + 2*C)*a*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (C*a^5 - (3*A + 5*C)*a^3*b^2 + (3*A + 4*C)*a*b^4 - ((4*A + 3*C)*a^4*b - (5*A + 3*C)*a^2*b^3 + A*b^5)*cos(d*x + c))*sin(d*x + c)/((a^8 - 3*a^6*b^2 + 3*a^4*b^4 - a^2*b^6)*d*cos(d*x + c)^2 + 2*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d*cos(d*x + c) + (a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.28683, size = 501, normalized size = 2.83

$$\frac{(2Aa^2 + Ca^2 + Ab^2 + 2Cb^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4) \sqrt{-a^2+b^2}} + \frac{Ca^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 4Aa^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 3Ca^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{(a^4 - 2a^2b^2 + b^4) \sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out]
$$\frac{((2Aa^2 + Ca^2 + Ab^2 + 2Cb^2)(\pi \operatorname{floor}(1/2(dx + c)/\pi + 1/2) \operatorname{sgn}(-2a + 2b) + \arctan(-(a \tan(1/2dx + 1/2c) - b \tan(1/2dx + 1/2c))/\sqrt{-a^2 + b^2}))) / ((a^4 - 2a^2b^2 + b^4) \sqrt{-a^2 + b^2}) + (Ca^3 \tan(1/2dx + 1/2c)^3 + 4Aa^2b \tan(1/2dx + 1/2c)^3 + 3Ca^2b \tan(1/2dx + 1/2c)^3 - 3Aab^2 \tan(1/2dx + 1/2c)^3 - 4Cab^2 \tan(1/2dx + 1/2c)^3 - Ab^3 \tan(1/2dx + 1/2c)^3 + Ca^3 \tan(1/2dx + 1/2c) - 4Aa^2b \tan(1/2dx + 1/2c) - 3Ca^2b \tan(1/2dx + 1/2c) - 3Aab^2 \tan(1/2dx + 1/2c) - 4Cab^2 \tan(1/2dx + 1/2c) + Ab^3 \tan(1/2dx + 1/2c)) / ((a^4 - 2a^2b^2 + b^4)(a \tan(1/2dx + 1/2c)^2 - b \tan(1/2dx + 1/2c)^2 - a - b^2))}{d}$$

$$3.695 \quad \int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=202

$$\frac{b(5a^2Ab^2 - 3a^4(2A + C) - 2Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(-a^2b^2(5A + 2C) + a^4(-C) + 2Ab^4) \tan(c + dx)}{2a^2d(a^2 - b^2)^2(a + b \sec(c + dx))} + \frac{(\dots)}{2ad(\dots)}$$

[Out] (A*x)/a^3 + (b*(5*a^2*A*b^2 - 2*A*b^4 - 3*a^4*(2*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(5/2)*(a + b)^(5/2)*d) + ((A*b^2 + a^2*C)*Tan[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((2*A*b^4 - a^4*C - a^2*b^2*(5*A + 2*C))*Tan[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.445455, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {4061, 4060, 3919, 3831, 2659, 208}

$$\frac{b(5a^2Ab^2 - 3a^4(2A + C) - 2Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(-a^2b^2(5A + 2C) + a^4(-C) + 2Ab^4) \tan(c + dx)}{2a^2d(a^2 - b^2)^2(a + b \sec(c + dx))} + \frac{(\dots)}{2ad(\dots)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3,x]

[Out] (A*x)/a^3 + (b*(5*a^2*A*b^2 - 2*A*b^4 - 3*a^4*(2*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(5/2)*(a + b)^(5/2)*d) + ((A*b^2 + a^2*C)*Tan[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((2*A*b^4 - a^4*C - a^2*b^2*(5*A + 2*C))*Tan[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4061

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.), x_Symbol] :> Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*b*(A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x

], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m] && LtQ[m, -1]

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sine[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx &= \frac{(Ab^2 + a^2C) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{\int \frac{-2A(a^2 - b^2) + 2ab(A + C) \sec(c + dx) - (Ab^2 + a^2C) \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx}{2a(a^2 - b^2)} \\
&= \frac{(Ab^2 + a^2C) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{(2Ab^4 - a^4C - a^2b^2(5A + 2C)) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} + \frac{\int \frac{2A(a^2 - b^2)}{(a + b \sec(c + dx))^2} dx}{2a(a^2 - b^2)} \\
&= \frac{Ax}{a^3} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{(2Ab^4 - a^4C - a^2b^2(5A + 2C)) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} + \frac{(b^2 \tan^2(c + dx) - (a^2 - b^2)) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^3} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{(2Ab^4 - a^4C - a^2b^2(5A + 2C)) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} + \frac{(b^2 \tan^2(c + dx) - (a^2 - b^2)) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^3} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{(2Ab^4 - a^4C - a^2b^2(5A + 2C)) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} + \frac{(b^2 \tan^2(c + dx) - (a^2 - b^2)) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^3} - \frac{b(6a^4A - 5a^2Ab^2 + 2Ab^4 + 3a^4C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3(a-b)^{5/2}(a+b)^{5/2}d} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))}
\end{aligned}$$

Mathematica [C] time = 4.72937, size = 642, normalized size = 3.18

$$\sec(c + dx)(a \cos(c + dx) + b) (A + C \sec^2(c + dx)) \left(\frac{\sec(c) (6a^4 Ab^2 \sin(c+2dx) - 7a^3 Ab^3 \sin(2c+dx) - 3a^2 Ab^4 \sin(c+2dx) - 2a^4 Ab^2 dx \cos(c+2dx))}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3, x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((4*b*(-5*a^2*A*b^2 + 2*A*b^4 + 3*a^4*(2*A + C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c]))*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b + a*Cos[c + d*x])^2*(I*Cos[c] + Sin[c]))/((a^2 - b^2)^(5/2)*Sqrt[(Cos[c] - I*Sin[c])^2]) + (Sec[c]*(2*A*(a^2 - b^2)^2*(a^2 + 2*b^2)*d*x*Cos[c] + 4*a*A*b*(a^2 - b^2)^2*d*x*Cos[d*x] + 4*a^5*A*b*d*x*Cos[2*c + d*x] - 8*a^3*A*b

$$\begin{aligned} &^3d*x*\text{Cos}[2*c + d*x] + 4*a*A*b^5*d*x*\text{Cos}[2*c + d*x] + a^6*A*d*x*\text{Cos}[c + 2* \\ &d*x] - 2*a^4*A*b^2*d*x*\text{Cos}[c + 2*d*x] + a^2*A*b^4*d*x*\text{Cos}[c + 2*d*x] + a^6* \\ &A*d*x*\text{Cos}[3*c + 2*d*x] - 2*a^4*A*b^2*d*x*\text{Cos}[3*c + 2*d*x] + a^2*A*b^4*d*x*C \\ &\text{os}[3*c + 2*d*x] - 6*a^4*A*b^2*\text{Sin}[c] - 9*a^2*A*b^4*\text{Sin}[c] + 6*A*b^6*\text{Sin}[c] \\ &- 2*a^6*C*\text{Sin}[c] - 5*a^4*b^2*C*\text{Sin}[c] - 2*a^2*b^4*C*\text{Sin}[c] + 17*a^3*A*b^3*S \\ &\text{in}[d*x] - 8*a*A*b^5*\text{Sin}[d*x] + 5*a^5*b*C*\text{Sin}[d*x] + 4*a^3*b^3*C*\text{Sin}[d*x] - \\ &7*a^3*A*b^3*\text{Sin}[2*c + d*x] + 4*a*A*b^5*\text{Sin}[2*c + d*x] - 3*a^5*b*C*\text{Sin}[2*c + \\ &d*x] + 6*a^4*A*b^2*\text{Sin}[c + 2*d*x] - 3*a^2*A*b^4*\text{Sin}[c + 2*d*x] + 2*a^6*C*S \\ &\text{in}[c + 2*d*x] + a^4*b^2*C*\text{Sin}[c + 2*d*x]))/(a^2 - b^2)^2)/(2*a^3*d*(A + 2* \\ &C + A*\text{Cos}[2*(c + d*x)])*(a + b*\text{Sec}[c + d*x])^3) \end{aligned}$$

Maple [B] time = 0.101, size = 1143, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\text{sec}(d*x+c))^2)/(a+b*\text{sec}(d*x+c))^3, x)$

[Out]
$$\begin{aligned} &2/d*A/a^3*\arctan(\tan(1/2*d*x+1/2*c))-6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/ \\ &2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-1/d/a/ \\ &(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2) \\ &* \tan(1/2*d*x+1/2*c)^3*A*b^3+2/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2 \\ &*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^4-2/d/(\tan(1/ \\ &2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/ \\ &2*d*x+1/2*c)^3*C*a^2-1/d*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a \\ &-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*b*C-2/d/(\tan(1/2*d*x+1/2*c \\ &)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c \\ &)^3*C*b^2+6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+ \\ &b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-1/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1 \\ &/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A*b^3-2/d/a^2/(\tan(1/2*d* \\ &x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c) \\ &*A*b^4+2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b \\ &)^2*\tan(1/2*d*x+1/2*c)*C*a^2-1/d*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2* \\ &c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*b*C+2/d/(\tan(1/2*d*x+1/2*c)^ \\ &2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C*b^2-6/ \\ &d*a*b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2 \\ &*c)/((a+b)*(a-b))^(1/2))*A+5/d/a*b^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2) \\ &)*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-2/d/a^3*b^5/(a^4- \\ &2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)* \\ &(a-b))^(1/2))*A-3/d*b*a/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*\text{arctanh}((a- \\ &b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.712418, size = 2295, normalized size = 11.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(4*(A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6)*d*x*cos(d*x + c)^2 \\ & + 8*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*d*x*cos(d*x + c) + 4*(A \\ & *a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*d*x + (3*(2*A + C)*a^4*b^3 - \\ & 5*A*a^2*b^5 + 2*A*b^7 + (3*(2*A + C)*a^6*b - 5*A*a^4*b^3 + 2*A*a^2*b^5)*cos \\ & (d*x + c)^2 + 2*(3*(2*A + C)*a^5*b^2 - 5*A*a^3*b^4 + 2*A*a*b^6)*cos(d*x + c \\ &))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - \\ & 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos \\ & s(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(C*a^7*b + (5*A + C)*a^5*b^3 \\ & - (7*A + 2*C)*a^3*b^5 + 2*A*a*b^7 + (2*C*a^8 + (6*A - C)*a^6*b^2 - (9*A + C \\ &)*a^4*b^4 + 3*A*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^11 - 3*a^9*b^2 + 3 \\ & *a^7*b^4 - a^5*b^6)*d*cos(d*x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - \\ & a^4*b^7)*d*cos(d*x + c) + (a^9*b^2 - 3*a^7*b^4 + 3*a^5*b^6 - a^3*b^8)*d), 1 \\ & /2*(2*(A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6)*d*x*cos(d*x + c)^2 + \\ & 4*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*d*x*cos(d*x + c) + 2*(A*a \\ & ^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*d*x - (3*(2*A + C)*a^4*b^3 - 5* \\ & A*a^2*b^5 + 2*A*b^7 + (3*(2*A + C)*a^6*b - 5*A*a^4*b^3 + 2*A*a^2*b^5)*cos(d \\ & *x + c)^2 + 2*(3*(2*A + C)*a^5*b^2 - 5*A*a^3*b^4 + 2*A*a*b^6)*cos(d*x + c)) \\ & *sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2 \\ &)*sin(d*x + c))) + (C*a^7*b + (5*A + C)*a^5*b^3 - (7*A + 2*C)*a^3*b^5 + 2*A \\ & *a*b^7 + (2*C*a^8 + (6*A - C)*a^6*b^2 - (9*A + C)*a^4*b^4 + 3*A*a^2*b^6)*co \\ & s(d*x + c))*sin(d*x + c))/((a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*d*cos(d \\ & *x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7)*d*cos(d*x + c) + (\end{aligned}$$

$$a^9 b^2 - 3 a^7 b^4 + 3 a^5 b^6 - a^3 b^8) * d]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)

[Out] Integral((A + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.24462, size = 653, normalized size = 3.23

$$\frac{(6 A a^4 b + 3 C a^4 b - 5 A a^2 b^3 + 2 A b^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^7 - 2a^5 b^2 + a^3 b^4) \sqrt{-a^2+b^2}} - \frac{(dx+c)A}{a^3} + \frac{2Ca^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ca^4 b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] -((6*A*a^4*b + 3*C*a^4*b - 5*A*a^2*b^3 + 2*A*b^5)*(pi*floor(1/2*(d*x + c)/p
i + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x
+ 1/2*c))/sqrt(-a^2 + b^2)))/((a^7 - 2*a^5*b^2 + a^3*b^4)*sqrt(-a^2 + b^2))
- (d*x + c)*A/a^3 + (2*C*a^5*tan(1/2*d*x + 1/2*c)^3 - C*a^4*b*tan(1/2*d*x
+ 1/2*c)^3 + 6*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 + C*a^3*b^2*tan(1/2*d*x + 1
/2*c)^3 - 5*A*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*C*a^2*b^3*tan(1/2*d*x + 1/
2*c)^3 - 3*A*a*b^4*tan(1/2*d*x + 1/2*c)^3 + 2*A*b^5*tan(1/2*d*x + 1/2*c)^3
- 2*C*a^5*tan(1/2*d*x + 1/2*c) - C*a^4*b*tan(1/2*d*x + 1/2*c) - 6*A*a^3*b^2
*tan(1/2*d*x + 1/2*c) - C*a^3*b^2*tan(1/2*d*x + 1/2*c) - 5*A*a^2*b^3*tan(1/
2*d*x + 1/2*c) - 2*C*a^2*b^3*tan(1/2*d*x + 1/2*c) + 3*A*a*b^4*tan(1/2*d*x +
1/2*c) + 2*A*b^5*tan(1/2*d*x + 1/2*c))/((a^6 - 2*a^4*b^2 + a^2*b^4)*(a*tan
(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)^2))/d

$$3.696 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=266

$$\frac{(11a^2Ab^2 + a^4(-2A - 3C)) - 6Ab^4 \sin(c + dx)}{2a^3d(a^2 - b^2)^2} - \frac{(-a^4b^2(12A + C) + 15a^2Ab^4 - 2a^6C - 6Ab^6) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{5/2}(a+b)^{5/2}}$$

[Out] $(-3A*b*x)/a^4 - ((15*a^2*A*b^4 - 6*A*b^6 - 2*a^6*C - a^4*b^2*(12*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2]]/Sqrt[a + b]])/(a^4*(a - b)^{(5/2)}*(a + b)^{(5/2)*d} - ((11*a^2*A*b^2 - 6*A*b^4 - a^4*(2*A - 3*C))*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + ((A*b^2 + a^2*C)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((3*A*b^4 - 2*a^4*C - a^2*b^2*(6*A + C))*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 0.96297, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4101, 4100, 4104, 3919, 3831, 2659, 208}

$$\frac{(11a^2Ab^2 + a^4(-2A - 3C)) - 6Ab^4 \sin(c + dx)}{2a^3d(a^2 - b^2)^2} - \frac{(-a^4b^2(12A + C) + 15a^2Ab^4 - 2a^6C - 6Ab^6) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]

[Out] $(-3A*b*x)/a^4 - ((15*a^2*A*b^4 - 6*A*b^6 - 2*a^6*C - a^4*b^2*(12*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2]]/Sqrt[a + b]])/(a^4*(a - b)^{(5/2)}*(a + b)^{(5/2)*d} - ((11*a^2*A*b^2 - 6*A*b^4 - a^4*(2*A - 3*C))*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + ((A*b^2 + a^2*C)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((3*A*b^4 - 2*a^4*C - a^2*b^2*(6*A + C))*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))$

Rule 4101

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n]/

```
(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*
Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a^2*(A + C)*(m + 1) - (A*b^2
+ a^2*C)*(m + n + 1) - a*b*(A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(
m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
```

$a - b) * e^{2*x^2}, x], x, \text{Tan}[(c + d*x)/2]/e], x]] /; \text{FreeQ}[\{a, b, c, d\}, x]$
 $\&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a_ + (b_.) * (x_)^2)^{-1}, x_Symbol] :> \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x/$
 $\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{(Ab^2+a^2C)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{\int \frac{\cos(c+dx)(3Ab^2-a^2(2A-C)+2ab(A+C)\sec(c+dx)-2(a+b\sec(c+dx))^2)}{2a(a^2-b^2)} dx}{2a(a^2-b^2)} \\ &= \frac{(Ab^2+a^2C)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{(3Ab^4-2a^4C-a^2b^2(6A+C))\sin(c+dx)}{2a^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\ &= -\frac{(11a^2Ab^2-6Ab^4-a^4(2A-3C))\sin(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{(Ab^2+a^2C)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))} \\ &= -\frac{3Abx}{a^4} - \frac{(11a^2Ab^2-6Ab^4-a^4(2A-3C))\sin(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{(Ab^2+a^2C)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))} \\ &= -\frac{3Abx}{a^4} - \frac{(11a^2Ab^2-6Ab^4-a^4(2A-3C))\sin(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{(Ab^2+a^2C)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))} \\ &= -\frac{3Abx}{a^4} - \frac{(11a^2Ab^2-6Ab^4-a^4(2A-3C))\sin(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{(Ab^2+a^2C)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))} \\ &= -\frac{3Abx}{a^4} + \frac{(12a^4Ab^2-15a^2Ab^4+6Ab^6+2a^6C+a^4b^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{5/2}(a+b)^{5/2}d} \end{aligned}$$

Mathematica [C] time = 6.58112, size = 902, normalized size = 3.39

$$(b + a \cos(c + dx)) \sec(c + dx) \left(C \sec^2(c + dx) + A \right) \frac{\sec(c) \left(A \sin(dx) a^7 + A \sin(2c+dx) a^7 + A \sin(2c+3dx) a^7 + A \sin(4c+3dx) a^7 - 6 A b d x \cos(c) \right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((b + a*cos[c + d*x])*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((-8*I)*(-15*a^2 *A*b^4 + 6*A*b^6 + 2*a^6*C + a^4*b^2*(12*A + C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b + a*Cos[c + d*x])^2*(Cos[c] - I*Sin[c]))/((a^2 - b^2)^(5/2)*Sqrt[(Cos[c] - I*Sin[c])^2]) + (Sec[c]*(-12*A*b*(a^2 - b^2)^2*(a^2 + 2*b^2)*d*x*Cos[c] - 24*a*A*b^2*(a^2 - b^2)^2*d*x*Cos[d*x] - 24*a^5*A*b^2*d*x*Cos[2*c + d*x] + 48*a^3*A*b^4*d*x*Cos[2*c + d*x] - 24*a*A*b^6*d*x*Cos[2*c + d*x] - 6*a^6*A*b*d*x*Cos[c + 2*d*x] + 12*a^4*A*b^3*d*x*Cos[c + 2*d*x] - 6*a^2*A*b^5*d*x*Cos[c + 2*d*x] - 6*a^6*A*b*d*x*Cos[3*c + 2*d*x] + 12*a^4*A*b^3*d*x*Cos[3*c + 2*d*x] - 6*a^2*A*b^5*d*x*Cos[3*c + 2*d*x] + 16*a^4*A*b^3*S in[c] + 22*a^2*A*b^5*Sin[c] - 20*A*b^7*Sin[c] + 8*a^6*b*C*Sin[c] + 14*a^4*b^3*C*Sin[c] - 4*a^2*b^5*C*Sin[c] + a^7*A*Sin[d*x] + 2*a^5*A*b^2*Sin[d*x] - 53*a^3*A*b^4*Sin[d*x] + 32*a*A*b^6*Sin[d*x] - 22*a^5*b^2*C*Sin[d*x] + 4*a^3*b^4*C*Sin[d*x] + a^7*A*Sin[2*c + d*x] + 2*a^5*A*b^2*Sin[2*c + d*x] + 11*a^3*A*b^4*Sin[2*c + d*x] - 8*a*A*b^6*Sin[2*c + d*x] + 10*a^5*b^2*C*Sin[2*c + d*x] - 4*a^3*b^4*C*Sin[2*c + d*x] + 4*a^6*A*b*Sin[c + 2*d*x] - 24*a^4*A*b^3*Sin[c + 2*d*x] + 14*a^2*A*b^5*Sin[c + 2*d*x] - 8*a^6*b*C*Sin[c + 2*d*x] + 2*a^4*b^3*C*Sin[c + 2*d*x] + 4*a^6*A*b*Sin[3*c + 2*d*x] - 8*a^4*A*b^3*Sin[3*c + 2*d*x] + 4*a^2*A*b^5*Sin[3*c + 2*d*x] + a^7*A*Sin[2*c + 3*d*x] - 2*a^5*A*b^2*Sin[2*c + 3*d*x] + a^3*A*b^4*Sin[2*c + 3*d*x] + a^7*A*Sin[4*c + 3*d*x] - 2*a^5*A*b^2*Sin[4*c + 3*d*x] + a^3*A*b^4*Sin[4*c + 3*d*x]))/(a^2 - b^2)^2)/(4*a^4*d*(A + 2*C + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x])^3)

Maple [B] time = 0.138, size = 1132, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)

```
[Out] 2/d*A/a^3*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-6/d*A/a^4*b*arctan(tan(1/2*d*x+1/2*c))+8/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A*b^3+1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A*b^4-4/d/a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^5/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+4/d*a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+1/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C*b^2-8/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)*A+1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^4/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)*A+4/d/a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^5/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)*A-4/d*a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)*C+1/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^2/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)*C+12/d*b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-15/d/a^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^4+6/d/a^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^6+2/d/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C*a^2+1/d/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*b^2*C
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 0.786619, size = 2654, normalized size = 9.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] [-1/4*(12*(A*a^8*b - 3*A*a^6*b^3 + 3*A*a^4*b^5 - A*a^2*b^7)*d*x*cos(d*x + c)^2 + 24*(A*a^7*b^2 - 3*A*a^5*b^4 + 3*A*a^3*b^6 - A*a*b^8)*d*x*cos(d*x + c) + 12*(A*a^6*b^3 - 3*A*a^4*b^5 + 3*A*a^2*b^7 - A*b^9)*d*x - (2*C*a^6*b^2 + (12*A + C)*a^4*b^4 - 15*A*a^2*b^6 + 6*A*b^8 + (2*C*a^8 + (12*A + C)*a^6*b^2 - 15*A*a^4*b^4 + 6*A*a^2*b^6)*cos(d*x + c)^2 + 2*(2*C*a^7*b + (12*A + C)*a^5*b^3 - 15*A*a^3*b^5 + 6*A*a*b^7)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 2*((2*A - 3*C)*a^7*b^2 - (13*A - 3*C)*a^5*b^4 + 17*A*a^3*b^6 - 6*A*a*b^8 + 2*(A*a^9 - 3*A*a^7*b^2 + 3*A*a^5*b^4 - A*a^3*b^6)*cos(d*x + c)^2 + (4*(A - C)*a^8*b - 5*(4*A - C)*a^6*b^3 + (25*A - C)*a^4*b^5 - 9*A*a^2*b^7)*cos(d*x + c))*sin(d*x + c))/((a^12 - 3*a^10*b^2 + 3*a^8*b^4 - a^6*b^6)*d*cos(d*x + c)^2 + 2*(a^11*b - 3*a^9*b^3 + 3*a^7*b^5 - a^5*b^7)*d*cos(d*x + c) + (a^10*b^2 - 3*a^8*b^4 + 3*a^6*b^6 - a^4*b^8)*d), -1/2*(6*(A*a^8*b - 3*A*a^6*b^3 + 3*A*a^4*b^5 - A*a^2*b^7)*d*x*cos(d*x + c)^2 + 12*(A*a^7*b^2 - 3*A*a^5*b^4 + 3*A*a^3*b^6 - A*a*b^8)*d*x*cos(d*x + c) + 6*(A*a^6*b^3 - 3*A*a^4*b^5 + 3*A*a^2*b^7 - A*b^9)*d*x - (2*C*a^6*b^2 + (12*A + C)*a^4*b^4 - 15*A*a^2*b^6 + 6*A*b^8 + (2*C*a^8 + (12*A + C)*a^6*b^2 - 15*A*a^4*b^4 + 6*A*a^2*b^6)*cos(d*x + c)^2 + 2*(2*C*a^7*b + (12*A + C)*a^5*b^3 - 15*A*a^3*b^5 + 6*A*a*b^7)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - ((2*A - 3*C)*a^7*b^2 - (13*A - 3*C)*a^5*b^4 + 17*A*a^3*b^6 - 6*A*a*b^8 + 2*(A*a^9 - 3*A*a^7*b^2 + 3*A*a^5*b^4 - A*a^3*b^6)*cos(d*x + c)^2 + (4*(A - C)*a^8*b - 5*(4*A - C)*a^6*b^3 + (25*A - C)*a^4*b^5 - 9*A*a^2*b^7)*cos(d*x + c))*sin(d*x + c))/((a^12 - 3*a^10*b^2 + 3*a^8*b^4 - a^6*b^6)*d*cos(d*x + c)^2 + 2*(a^11*b - 3*a^9*b^3 + 3*a^7*b^5 - a^5*b^7)*d*cos(d*x + c) + (a^10*b^2 - 3*a^8*b^4 + 3*a^6*b^6 - a^4*b^8)*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [A] time = 1.29381, size = 663, normalized size = 2.49

$$\frac{(2Ca^6 + 12Aa^4b^2 + Ca^4b^2 - 15Aa^2b^4 + 6Ab^6) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^8 - 2a^6b^2 + a^4b^4) \sqrt{-a^2+b^2}} - \frac{3(dx+c)Ab}{a^4} + \frac{4Ca^5b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] ((2*C*a^6 + 12*A*a^4*b^2 + C*a^4*b^2 - 15*A*a^2*b^4 + 6*A*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^8 - 2*a^6*b^2 + a^4*b^4)*sqrt(-a^2 + b^2)) - 3*(d*x + c)*A*b/a^4 + (4*C*a^5*b*tan(1/2*d*x + 1/2*c)^3 - 3*C*a^4*b^2*tan(1/2*d*x + 1/2*c)^3 + 8*A*a^3*b^3*tan(1/2*d*x + 1/2*c)^3 - C*a^3*b^3*tan(1/2*d*x + 1/2*c)^3 - 7*A*a^2*b^4*tan(1/2*d*x + 1/2*c)^3 - 5*A*a*b^5*tan(1/2*d*x + 1/2*c)^3 + 4*A*b^6*tan(1/2*d*x + 1/2*c)^3 - 4*C*a^5*b*tan(1/2*d*x + 1/2*c) - 3*C*a^4*b^2*tan(1/2*d*x + 1/2*c) - 8*A*a^3*b^3*tan(1/2*d*x + 1/2*c) + C*a^3*b^3*tan(1/2*d*x + 1/2*c) - 7*A*a^2*b^4*tan(1/2*d*x + 1/2*c) + 5*A*a*b^5*tan(1/2*d*x + 1/2*c) + 4*A*b^6*tan(1/2*d*x + 1/2*c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c))^2 - a - b)^2) + 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^3))/d

$$3.697 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=369

$$\frac{b(-a^2b^2(21A-2C) + a^4(6A-5C) + 12Ab^4) \sin(c+dx)}{2a^4d(a^2-b^2)^2} + \frac{(-a^2b^2(10A-C) + a^4(A-4C) + 6Ab^4) \sin(c+dx) \cos(c+dx)}{2a^3d(a^2-b^2)^2}$$

[Out] ((12*A*b^2 + a^2*(A + 2*C))*x)/(2*a^5) - (b*(12*A*b^6 - a^2*b^4*(29*A - 2*C) + 5*a^4*b^2*(4*A - C) + 6*a^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(5/2)*(a + b)^(5/2)*d) - (b*(12*A*b^4 + a^4*(6*A - 5*C) - a^2*b^2*(21*A - 2*C))*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^2*d) + ((6*A*b^4 + a^4*(A - 4*C) - a^2*b^2*(10*A - C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + ((A*b^2 + a^2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((7*a^2*A*b^2 - 4*A*b^4 + 3*a^4*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.61451, antiderivative size = 369, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4101, 4100, 4104, 3919, 3831, 2659, 208}

$$\frac{b(-a^2b^2(21A-2C) + a^4(6A-5C) + 12Ab^4) \sin(c+dx)}{2a^4d(a^2-b^2)^2} + \frac{(-a^2b^2(10A-C) + a^4(A-4C) + 6Ab^4) \sin(c+dx) \cos(c+dx)}{2a^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((12*A*b^2 + a^2*(A + 2*C))*x)/(2*a^5) - (b*(12*A*b^6 - a^2*b^4*(29*A - 2*C) + 5*a^4*b^2*(4*A - C) + 6*a^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(5/2)*(a + b)^(5/2)*d) - (b*(12*A*b^4 + a^4*(6*A - 5*C) - a^2*b^2*(21*A - 2*C))*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^2*d) + ((6*A*b^4 + a^4*(A - 4*C) - a^2*b^2*(10*A - C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + ((A*b^2 + a^2*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((7*a^2*A*b^2 - 4*A*b^4 + 3*a^4*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4101

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] := Simp[((A*
b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/
(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*
Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a^2*(A + C)*(m + 1) - (A*b^2
+ a^2*C)*(m + n + 1) - a*b*(A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(
m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c + dx) (A + C \sec^2(c + dx))}{(a + b \sec(c + dx))^3} dx &= \frac{(Ab^2 + a^2C) \cos(c + dx) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \int \frac{\cos^2(c + dx)(2(2Ab^2 - a^2(A - C)) + 2ab(A + C)\sec(c + dx))}{(a + b \sec(c + dx))^3} dx \\
 &= \frac{(Ab^2 + a^2C) \cos(c + dx) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{(7a^2Ab^2 - 4Ab^4 + 3a^4C) \cos(c + dx) \sin(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
 &= \frac{(6Ab^4 + a^4(A - 4C) - a^2b^2(10A - C)) \cos(c + dx) \sin(c + dx)}{2a^3(a^2 - b^2)^2 d} + \frac{(Ab^2 + a^2C) \cos(c + dx) \sin(c + dx)}{2a(a^2 - b^2)d} \\
 &= -\frac{b(12Ab^4 + a^4(6A - 5C) - a^2b^2(21A - 2C)) \sin(c + dx)}{2a^4(a^2 - b^2)^2 d} + \frac{(6Ab^4 + a^4(A - 4C) - a^2b^2(10A - C)) \cos(c + dx) \sin(c + dx)}{2a^3(a^2 - b^2)^2 d} \\
 &= \frac{(12Ab^2 + a^2(A + 2C))x}{2a^5} - \frac{b(12Ab^4 + a^4(6A - 5C) - a^2b^2(21A - 2C)) \sin(c + dx)}{2a^4(a^2 - b^2)^2 d} \\
 &= \frac{(12Ab^2 + a^2(A + 2C))x}{2a^5} - \frac{b(12Ab^4 + a^4(6A - 5C) - a^2b^2(21A - 2C)) \sin(c + dx)}{2a^4(a^2 - b^2)^2 d} \\
 &= \frac{(12Ab^2 + a^2(A + 2C))x}{2a^5} - \frac{b(12Ab^4 + a^4(6A - 5C) - a^2b^2(21A - 2C)) \sin(c + dx)}{2a^4(a^2 - b^2)^2 d} \\
 &= \frac{(12Ab^2 + a^2(A + 2C))x}{2a^5} - \frac{b(20a^4Ab^2 - 29a^2Ab^4 + 12Ab^6 + 6a^6C - 5a^4b^2)}{a^5(a - b)^{5/2}(a + b)}
 \end{aligned}$$

Mathematica [A] time = 2.43933, size = 256, normalized size = 0.69

$$2(c + dx) \left(a^2(A + 2C) + 12Ab^2 \right) - \frac{2ab^3(a^2C + Ab^2) \sin(c + dx)}{(a-b)(a+b)(a \cos(c + dx) + b)^2} + \frac{2ab^2(a^2b^2(10A - 3C) + 6a^4C - 7Ab^4) \sin(c + dx)}{(a-b)^2(a+b)^2(a \cos(c + dx) + b)} + \frac{4b(5a^4b^2(4A - C) + a^2b^4(2C - 29A))}{4a^5d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] (2*(12*A*b^2 + a^2*(A + 2*C))*(c + d*x) + (4*b*(12*A*b^6 + 5*a^4*b^2*(4*A - C) + 6*a^6*C + a^2*b^4*(-29*A + 2*C))*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(5/2) - 12*a*A*b*Sin[c + d*x] - (2*a*b^3*(A*b^2 + a^2*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x])^2) + (2*a*b^2*(-7*A*b^4 + a^2*b^2*(10*A - 3*C) + 6*a^4*C)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(b + a*Cos[c + d*x])) + a^2*A*Sin[2*(c + d*x)]/(4*a^5*d)

Maple [B] time = 0.149, size = 1478, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)

[Out] 1/d*A/a^3*arctan(tan(1/2*d*x+1/2*c))+5/d*b^3/a/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-2/d*b^5/a^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-12/d*b^7/a^5/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+6/d*b^6/a^4/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-1/d*b^3/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+2/d*b^4/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C-1/d*b^5/a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-6/d*b^6/a^4/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-1/d*b^3/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C-2/d*b^4/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C-6/d*b*a/(a^4-2*a^2*b^2+b^4)/((a+b)

$$\begin{aligned}
& b) * (a-b)^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2 * d * x + 1/2 * c)) / ((a+b) * (a-b))^{(1/2)} * C + 10 / \\
& d / a^2 / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b - a - b)^2 / (a+b) / (a-b)^2 * \tan(1/2 * d * x + 1/2 * c) * A * b^4 - 10 / d / a^2 / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b - a - b)^2 / (a-b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c)^3 * A * b^4 - 6 / d / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b - a - b)^2 / (a-b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c)^3 * C * b^2 + 6 / d / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b - a - b)^2 / (a+b) / (a-b)^2 * \tan(1/2 * d * x + 1/2 * c) * C * b^2 - 20 / d / a * b^3 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2 * d * x + 1/2 * c)) / ((a+b) * (a-b))^{(1/2)} * A + 29 / d / a^3 * b^5 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2 * d * x + 1/2 * c)) / ((a+b) * (a-b))^{(1/2)} * A - 1 / d / a^3 / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b - a - b)^2 * b^5 / (a-b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c)^3 * A + 2 / d / a^3 * \operatorname{arctan}(\tan(1/2 * d * x + 1/2 * c)) * C + 1 / d / a^3 / (1 + \tan(1/2 * d * x + 1/2 * c)^2)^2 * \tan(1/2 * d * x + 1/2 * c) * A + 12 / d / a^5 * \operatorname{arctan}(\tan(1/2 * d * x + 1/2 * c)) * A * b^2 - 1 / d / a^3 / (1 + \tan(1/2 * d * x + 1/2 * c)^2)^2 * \tan(1/2 * d * x + 1/2 * c)^3 * A - 6 / d / a^4 / (1 + \tan(1/2 * d * x + 1/2 * c)^2)^2 * \tan(1/2 * d * x + 1/2 * c)^3 * A * b - 6 / d / a^4 / (1 + \tan(1/2 * d * x + 1/2 * c)^2)^2 * \tan(1/2 * d * x + 1/2 * c) * A * b
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.943741, size = 3407, normalized size = 9.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned}
& [1/4 * (2 * ((A + 2 * C) * a^{10} + 3 * (3 * A - 2 * C) * a^8 * b^2 - 3 * (11 * A - 2 * C) * a^6 * b^4 + \\
& (35 * A - 2 * C) * a^4 * b^6 - 12 * A * a^2 * b^8) * d * x * \cos(d * x + c)^2 + 4 * ((A + 2 * C) * a^9 * \\
& b + 3 * (3 * A - 2 * C) * a^7 * b^3 - 3 * (11 * A - 2 * C) * a^5 * b^5 + (35 * A - 2 * C) * a^3 * b^7 -
\end{aligned}$$

$$\begin{aligned}
& 12Aa^8b^9 dx \cos(dx+c) + 2((A+2C)a^8b^2 + 3(3A-2C)a^6b^4 - 3(11A-2C)a^4b^6 + (35A-2C)a^2b^8 - 12Ab^{10}) dx + (6Ca^6b^3 + 5(4A-C)a^4b^5 - (29A-2C)a^2b^7 + 12Ab^9 + (6Ca^8b + 5(4A-C)a^6b^3 - (29A-2C)a^4b^5 + 12Aa^2b^7) \cos(dx+c)^2 + 2(6Ca^7b^2 + 5(4A-C)a^5b^4 - (29A-2C)a^3b^6 + 12Aa^2b^8) \cos(dx+c)) \sqrt{a^2-b^2} \log((2ab \cos(dx+c) - (a^2-2b^2) \cos(dx+c))^2 - 2\sqrt{a^2-b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2) / (a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2)) - 2((6A-5C)a^7b^3 - (27A-7C)a^5b^5 + (33A-2C)a^3b^7 - 12Aa^2b^9 - (Aa^{10} - 3Aa^8b^2 + 3Aa^6b^4 - Aa^4b^6) \cos(dx+c)^3 + 4(Aa^9b - 3Aa^7b^3 + 3Aa^5b^5 - Aa^3b^7) \cos(dx+c)^2 + ((11A-6C)a^8b^2 - (43A-9C)a^6b^4 + (50A-3C)a^4b^6 - 18Aa^2b^8) \cos(dx+c)) \sin(dx+c) / ((a^{13} - 3a^{11}b^2 + 3a^9b^4 - a^7b^6) d \cos(dx+c)^2 + 2(a^{12}b - 3a^{10}b^3 + 3a^8b^5 - a^6b^7) d \cos(dx+c) + (a^{11}b^2 - 3a^9b^4 + 3a^7b^6 - a^5b^8) d), 1/2(((A+2C)a^{10} + 3(3A-2C)a^8b^2 - 3(11A-2C)a^6b^4 + (35A-2C)a^4b^6 - 12Aa^2b^8) dx \cos(dx+c)^2 + 2((A+2C)a^9b + 3(3A-2C)a^7b^3 - 3(11A-2C)a^5b^5 + (35A-2C)a^3b^7 - 12Aa^2b^9) dx \cos(dx+c) + ((A+2C)a^8b^2 + 3(3A-2C)a^6b^4 - 3(11A-2C)a^4b^6 + (35A-2C)a^2b^8 - 12Ab^{10}) dx - (6Ca^6b^3 + 5(4A-C)a^4b^5 - (29A-2C)a^2b^7 + 12Aa^2b^9 + (6Ca^8b + 5(4A-C)a^6b^3 - (29A-2C)a^4b^5 + 12Aa^2b^7) \cos(dx+c)^2 + 2(6Ca^7b^2 + 5(4A-C)a^5b^4 - (29A-2C)a^3b^6 + 12Aa^2b^8) \cos(dx+c)) \sqrt{-a^2+b^2} \arctan(-\sqrt{-a^2+b^2}(b \cos(dx+c) + a) / ((a^2-b^2) \sin(dx+c))) - ((6A-5C)a^7b^3 - (27A-7C)a^5b^5 + (33A-2C)a^3b^7 - 12Aa^2b^9 - (Aa^{10} - 3Aa^8b^2 + 3Aa^6b^4 - Aa^4b^6) \cos(dx+c)^3 + 4(Aa^9b - 3Aa^7b^3 + 3Aa^5b^5 - Aa^3b^7) \cos(dx+c)^2 + ((11A-6C)a^8b^2 - (43A-9C)a^6b^4 + (50A-3C)a^4b^6 - 18Aa^2b^8) \cos(dx+c)) \sin(dx+c) / ((a^{13} - 3a^{11}b^2 + 3a^9b^4 - a^7b^6) d \cos(dx+c)^2 + 2(a^{12}b - 3a^{10}b^3 + 3a^8b^5 - a^6b^7) d \cos(dx+c) + (a^{11}b^2 - 3a^9b^4 + 3a^7b^6 - a^5b^8) d)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(A+C*sec(dx+c)**2)/(a+b*sec(dx+c))**3,x)

[Out] Timed out

Giac [B] time = 1.30796, size = 1551, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out]
$$-1/2*(2*(6*C*a^6*b + 20*A*a^4*b^3 - 5*C*a^4*b^3 - 29*A*a^2*b^5 + 2*C*a^2*b^5 + 12*A*b^7)*(pi*\text{floor}(1/2*(d*x + c)/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^9 - 2*a^7*b^2 + a^5*b^4)*\sqrt{-a^2 + b^2}) + 2*(A*a^7*\tan(1/2*d*x + 1/2*c)^7 + 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^7 - 13*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 + 6*C*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 - 2*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 - 5*C*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 + 33*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 - 3*C*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 - 17*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 + 2*C*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 - 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^7 + 12*A*b^7*\tan(1/2*d*x + 1/2*c)^7 - 3*A*a^7*\tan(1/2*d*x + 1/2*c)^5 - 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^5 - 5*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 + 26*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 - 15*C*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 + 29*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 - 3*C*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 - 67*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 - 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^5 + 36*A*b^7*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a^7*\tan(1/2*d*x + 1/2*c)^3 - 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^3 + 5*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 - 6*C*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 + 26*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 - 15*C*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 - 29*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 + 3*C*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 - 67*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 + 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^3 + 36*A*b^7*\tan(1/2*d*x + 1/2*c)^3 - A*a^7*\tan(1/2*d*x + 1/2*c) + 4*A*a^6*b*\tan(1/2*d*x + 1/2*c) + 13*A*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 6*C*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 2*A*a^4*b^3*\tan(1/2*d*x + 1/2*c) - 5*C*a^4*b^3*\tan(1/2*d*x + 1/2*c) - 33*A*a^3*b^4*\tan(1/2*d*x + 1/2*c) + 3*C*a^3*b^4*\tan(1/2*d*x + 1/2*c) - 17*A*a^2*b^5*\tan(1/2*d*x + 1/2*c) + 2*C*a^2*b^5*\tan(1/2*d*x + 1/2*c) + 18*A*a*b^6*\tan(1/2*d*x + 1/2*c) + 12*A*b^7*\tan(1/2*d*x + 1/2*c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*(a*\tan(1/2*d*x + 1/2*c)^4 - b*\tan(1/2*d*x + 1/2*c)^4 - 2*b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^2) - (A*a^2 + 2*C*a^2 + 12*A*b^2)*(d*x + c)/a^5)/d$$

$$3.698 \quad \int \frac{\sec^4(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=378

$$\frac{(5Ab^4 - C(-23a^2b^2 + 12a^4 + 6b^4)) \tan(c+dx)}{6b^4d(a^2 - b^2)^2} - \frac{(a^2b^6(3A + 20C) + 28a^6b^2C - 35a^4b^4C - 8a^8C + 2Ab^8) \tanh^{-1}\left(\frac{\sqrt{a-b}}{\sqrt{a+b}}\right)}{b^5d(a-b)^{7/2}(a+b)^{7/2}}$$

[Out] (-4*a*C*ArcTanh[Sin[c + d*x]])/(b^5*d) - ((2*A*b^8 - 8*a^8*C + 28*a^6*b^2*C - 35*a^4*b^4*C + a^2*b^6*(3*A + 20*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^5*(a + b)^(7/2)*d) - ((5*A*b^4 - (12*a^4 - 23*a^2*b^2 + 6*b^4)*C)*Tan[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) - ((A*b^2 + a^2*C)*Sec[c + d*x]^3*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + ((3*A*b^4 - 4*a^4*C + a^2*b^2*(2*A + 9*C))*Sec[c + d*x]^2*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (a*(2*A*b^6 + 4*a^6*C - 11*a^4*b^2*C + 3*a^2*b^4*(A + 4*C))*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.8112, antiderivative size = 378, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4099, 4098, 4090, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(5Ab^4 - C(-23a^2b^2 + 12a^4 + 6b^4)) \tan(c+dx)}{6b^4d(a^2 - b^2)^2} - \frac{(a^2b^6(3A + 20C) + 28a^6b^2C - 35a^4b^4C - 8a^8C + 2Ab^8) \tanh^{-1}\left(\frac{\sqrt{a-b}}{\sqrt{a+b}}\right)}{b^5d(a-b)^{7/2}(a+b)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out] (-4*a*C*ArcTanh[Sin[c + d*x]])/(b^5*d) - ((2*A*b^8 - 8*a^8*C + 28*a^6*b^2*C - 35*a^4*b^4*C + a^2*b^6*(3*A + 20*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^5*(a + b)^(7/2)*d) - ((5*A*b^4 - (12*a^4 - 23*a^2*b^2 + 6*b^4)*C)*Tan[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) - ((A*b^2 + a^2*C)*Sec[c + d*x]^3*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + ((3*A*b^4 - 4*a^4*C + a^2*b^2*(2*A + 9*C))*Sec[c + d*x]^2*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (a*(2*A*b^6 + 4*a^6*C - 11*a^4*b^2*C + 3*a^2*b^4*(A + 4*C))*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

$(a + b \sec[c + dx])$

Rule 4099

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(d*
(A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^
(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), In
t[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1)
+ a^2*C*(n - 1) + a*b*(A + C)*(m + 1)*Csc[e + f*x] - (A*b^2*(m + n + 1) + C
*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^(m_), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[
(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x
_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x]
)^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^
2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-a*(b*B
- a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 +
b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^4} dx &= -\frac{(Ab^2+a^2C)\sec^3(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{\int \frac{\sec^3(c+dx)(3(Ab^2+a^2C)-3ab(A+C)\sec(c+dx))}{(a+b\sec(c+dx))^3} dx}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= -\frac{(Ab^2+a^2C)\sec^3(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C))}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(Ab^2+a^2C)\sec^3(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C))}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(5Ab^4-(12a^4-23a^2b^2+6b^4)C)\tan(c+dx)}{6b^4(a^2-b^2)^2d} - \frac{(Ab^2+a^2C)\sec^3(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(5Ab^4-(12a^4-23a^2b^2+6b^4)C)\tan(c+dx)}{6b^4(a^2-b^2)^2d} - \frac{(Ab^2+a^2C)\sec^3(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{4aC\tanh^{-1}(\sin(c+dx))}{b^5d} - \frac{(5Ab^4-(12a^4-23a^2b^2+6b^4)C)\tan(c+dx)}{6b^4(a^2-b^2)^2d} \\
&= -\frac{4aC\tanh^{-1}(\sin(c+dx))}{b^5d} - \frac{(5Ab^4-(12a^4-23a^2b^2+6b^4)C)\tan(c+dx)}{6b^4(a^2-b^2)^2d} \\
&= -\frac{4aC\tanh^{-1}(\sin(c+dx))}{b^5d} - \frac{(3a^2Ab^6+2Ab^8-8a^8C+28a^6b^2C-35a^4b^4C)}{b^5d(a-b)^{7/2}b^5(a+b\sec(c+dx))}
\end{aligned}$$

Mathematica [A] time = 4.4066, size = 564, normalized size = 1.49

$$\sec^3(c+dx)(a\cos(c+dx)+b)(A+C\sec^2(c+dx)) \left(-\frac{2b\sin(c+dx)(6a^2b(a^2b^4(A+53C)-57a^4b^2C+20a^6C+3b^6(3A-2C))\cos(2(c+dx))+a(5...)}{...} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

```
[Out] ((b + a*cos[c + d*x])*Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2)*((-48*(-2*A*b^8
+ 8*a^8*C - 28*a^6*b^2*C + 35*a^4*b^4*C - a^2*b^6*(3*A + 20*C))*ArcTanh[((
-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*Cos[c + d*x]*(b + a*cos[c + d*x]
)^3)/(a^2 - b^2)^(7/2) + 192*a*C*cos[c + d*x]*(b + a*cos[c + d*x])^3*Log[Co
s[(c + d*x)/2] - Sin[(c + d*x)/2]] - 192*a*C*cos[c + d*x]*(b + a*cos[c + d*
x])^3*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - (2*b*(6*a^4*A*b^5 + 54*a^2
*A*b^7 + 120*a^8*b*C - 318*a^6*b^3*C + 246*a^4*b^5*C + 36*a^2*b^7*C - 24*b^
9*C + a*(5*a^4*b^4*(4*A - 61*C) + 72*b^8*(A - C) + 72*a^8*C - 28*a^6*b^2*C
+ a^2*b^6*(13*A + 438*C))*Cos[c + d*x] + 6*a^2*b*(3*b^6*(3*A - 2*C) + 20*a^
6*C - 57*a^4*b^2*C + a^2*b^4*(A + 53*C))*Cos[2*(c + d*x)] + 4*a^5*A*b^4*Cos
[3*(c + d*x)] + 11*a^3*A*b^6*Cos[3*(c + d*x)] + 24*a^9*C*Cos[3*(c + d*x)] -
68*a^7*b^2*C*Cos[3*(c + d*x)] + 65*a^5*b^4*C*Cos[3*(c + d*x)] - 6*a^3*b^6*
C*Cos[3*(c + d*x)]*Sin[c + d*x])/(-a^2 + b^2)^3)/(24*b^5*d*(A + 2*C + A*C
os[2*(c + d*x)]*(a + b*Sec[c + d*x]))^4)
```

Maple [B] time = 0.11, size = 2318, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x)
```

```
[Out] 8/d/b^5/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan
(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*a^8*C-3/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b
^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2
))*A*a^2-28/d/b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh
((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*a^6*C+35/d/b/(a^6-3*a^4*b^2+
3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*
(a-b))^(1/2))*a^4*C-20/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b
)^3*a^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*C+4/3/d/(tan(1
/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a^2-2*a*b+b^2)/(a^2+2*
a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-4/d*a*C/b^5*ln(tan(1/2*d*x+1/2*c)+1)+40/d/(
tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a^2-2*a*b+b^2)/(a
^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C-2/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*
x+1/2*c)^2*b-a-b)^3*a^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*
A-20/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a+b)/(a^3
-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*C-2/d/(tan(1/2*d*x+1/2*c)^2*a-tan(
1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1
/2*c)^5*A-20/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh(
(a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C*a^2+5/d/b/(tan(1/2*d*x+1/2*
c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^4/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*ta
```

$$\begin{aligned} & n(1/2*d*x+1/2*c)*C-2/d/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a \\ & -b)^3*a^6/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C-6/d/b^4/(\tan \\ & (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^7/(a-b)/(a^3+3*a^2*b+3* \\ & a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C+2/d/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d \\ & *x+1/2*c)^2*b-a-b)^3*a^6/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c) \\ & ^5*C-6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a/(a+b)/ \\ & (a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-6/d/b^4/(\tan(1/2*d*x+1/2*c)^ \\ & 2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^7/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1 \\ & /2*d*x+1/2*c)*C-116/3/d/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b- \\ & a-b)^3*a^5/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C+18/d/b^2/ \\ & (\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^5/(a-b)/(a^3+3*a^2* \\ & b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C-5/d/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2 \\ & *d*x+1/2*c)^2*b-a-b)^3*a^4/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2* \\ & c)^5*C+3/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^2/(a+b \\ &)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-3/d*b/(\tan(1/2*d*x+1/2*c)^ \\ & 2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1 \\ & /2*d*x+1/2*c)^5*A-6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a- \\ & b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+12/d*b^2/(\tan \\ & (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a/(a^2-2*a*b+b^2)/(a^2+2* \\ & a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+12/d/b^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d* \\ & x+1/2*c)^2*b-a-b)^3*a^7/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^ \\ & 3*C+18/d/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^5/(a+b \\ &)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C-1/d*C/b^4/(\tan(1/2*d*x+1/2 \\ & *c)+1)-1/d*C/b^4/(\tan(1/2*d*x+1/2*c)-1)-2/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^ \\ & 6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2) \\ &)*A+4/d*a*C/b^5*\ln(\tan(1/2*d*x+1/2*c)-1) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 65.1669, size = 5434, normalized size = 14.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out] [1/12*(3*((8*C*a^11 - 28*C*a^9*b^2 + 35*C*a^7*b^4 - (3*A + 20*C)*a^5*b^6 - 2*A*a^3*b^8)*cos(d*x + c)^4 + 3*(8*C*a^10*b - 28*C*a^8*b^3 + 35*C*a^6*b^5 - (3*A + 20*C)*a^4*b^7 - 2*A*a^2*b^9)*cos(d*x + c)^3 + 3*(8*C*a^9*b^2 - 28*C*a^7*b^4 + 35*C*a^5*b^6 - (3*A + 20*C)*a^3*b^8 - 2*A*a*b^10)*cos(d*x + c)^2 + (8*C*a^8*b^3 - 28*C*a^6*b^5 + 35*C*a^4*b^7 - (3*A + 20*C)*a^2*b^9 - 2*A*b^11)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 24*((C*a^12 - 4*C*a^10*b^2 + 6*C*a^8*b^4 - 4*C*a^6*b^6 + C*a^4*b^8)*cos(d*x + c)^4 + 3*(C*a^11*b - 4*C*a^9*b^3 + 6*C*a^7*b^5 - 4*C*a^5*b^7 + C*a^3*b^9)*cos(d*x + c)^3 + 3*(C*a^10*b^2 - 4*C*a^8*b^4 + 6*C*a^6*b^6 - 4*C*a^4*b^8 + C*a^2*b^10)*cos(d*x + c)^2 + (C*a^9*b^3 - 4*C*a^7*b^5 + 6*C*a^5*b^7 - 4*C*a^3*b^9 + C*a*b^11)*cos(d*x + c))*log(sin(d*x + c) + 1) + 24*((C*a^12 - 4*C*a^10*b^2 + 6*C*a^8*b^4 - 4*C*a^6*b^6 + C*a^4*b^8)*cos(d*x + c)^4 + 3*(C*a^11*b - 4*C*a^9*b^3 + 6*C*a^7*b^5 - 4*C*a^5*b^7 + C*a^3*b^9)*cos(d*x + c)^3 + 3*(C*a^10*b^2 - 4*C*a^8*b^4 + 6*C*a^6*b^6 - 4*C*a^4*b^8 + C*a^2*b^10)*cos(d*x + c)^2 + (C*a^9*b^3 - 4*C*a^7*b^5 + 6*C*a^5*b^7 - 4*C*a^3*b^9 + C*a*b^11)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(6*C*a^8*b^4 - 24*C*a^6*b^6 + 36*C*a^4*b^8 - 24*C*a^2*b^10 + 6*C*b^12 + (24*C*a^11*b - 92*C*a^9*b^3 + (4*A + 133*C)*a^7*b^5 + (7*A - 71*C)*a^5*b^7 - (11*A - 6*C)*a^3*b^9)*cos(d*x + c)^3 + 3*(20*C*a^10*b^2 - 77*C*a^8*b^4 + (A + 110*C)*a^6*b^6 + (8*A - 59*C)*a^4*b^8 - 3*(3*A - 2*C)*a^2*b^10)*cos(d*x + c)^2 + (44*C*a^9*b^3 + (2*A - 169*C)*a^7*b^5 - (7*A - 239*C)*a^5*b^7 + (23*A - 132*C)*a^3*b^9 - 18*(A - C)*a*b^11)*cos(d*x + c))*sin(d*x + c))/((a^11*b^5 - 4*a^9*b^7 + 6*a^7*b^9 - 4*a^5*b^11 + a^3*b^13)*d*cos(d*x + c)^4 + 3*(a^10*b^6 - 4*a^8*b^8 + 6*a^6*b^10 - 4*a^4*b^12 + a^2*b^14)*d*cos(d*x + c)^3 + 3*(a^9*b^7 - 4*a^7*b^9 + 6*a^5*b^11 - 4*a^3*b^13 + a*b^15)*d*cos(d*x + c)^2 + (a^8*b^8 - 4*a^6*b^10 + 6*a^4*b^12 - 4*a^2*b^14 + b^16)*d*cos(d*x + c)), 1/6*(3*((8*C*a^11 - 28*C*a^9*b^2 + 35*C*a^7*b^4 - (3*A + 20*C)*a^5*b^6 - 2*A*a^3*b^8)*cos(d*x + c)^4 + 3*(8*C*a^10*b - 28*C*a^8*b^3 + 35*C*a^6*b^5 - (3*A + 20*C)*a^4*b^7 - 2*A*a^2*b^9)*cos(d*x + c)^3 + 3*(8*C*a^9*b^2 - 28*C*a^7*b^4 + 35*C*a^5*b^6 - (3*A + 20*C)*a^3*b^8 - 2*A*a*b^10)*cos(d*x + c)^2 + (8*C*a^8*b^3 - 28*C*a^6*b^5 + 35*C*a^4*b^7 - (3*A + 20*C)*a^2*b^9 - 2*A*b^11)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - 12*((C*a^12 - 4*C*a^10*b^2 + 6*C*a^8*b^4 - 4*C*a^6*b^6 + C*a^4*b^8)*cos(d*x + c)^4 + 3*(C*a^11*b - 4*C*a^9*b^3 + 6*C*a^7*b^5 - 4*C*a^5*b^7 + C*a^3*b^9)*cos(d*x + c)^3 + 3*(C*a^10*b^2 - 4*C*a^8*b^4 + 6*C*a^6*b^6 - 4*C*a^4*b^8 + C*a^2*b^10)*cos(d*x + c)^2 + (C*a^9*b^3 - 4*C*a^7*b^5 + 6*C*a^5*b^7 - 4*C*a^3*b^9 + C*a*b^11)*cos(d*x + c))*log(sin(d*x + c) + 1) + 12*((C*a^12 - 4*C

$$\begin{aligned}
& a^{10}b^2 + 6Ca^8b^4 - 4Ca^6b^6 + C^2a^4b^8) \cos(dx + c)^4 + 3(Ca^{11}b - 4Ca^9b^3 + 6Ca^7b^5 - 4Ca^5b^7 + C^2a^3b^9) \cos(dx + c)^3 + \\
& 3(Ca^{10}b^2 - 4Ca^8b^4 + 6Ca^6b^6 - 4Ca^4b^8 + C^2a^2b^{10}) \cos(dx + c)^2 + (Ca^9b^3 - 4Ca^7b^5 + 6Ca^5b^7 - 4Ca^3b^9 + C^2ab^{11}) \cos(dx + c) \\
& \cdot \log(-\sin(dx + c) + 1) + (6Ca^8b^4 - 24Ca^6b^6 + 36Ca^4b^8 - 24Ca^2b^{10} + 6Cb^{12} + (24Ca^{11}b - 92Ca^9b^3 + (4A + 133C)a^7b^5 \\
& + (7A - 71C)a^5b^7 - (11A - 6C)a^3b^9) \cos(dx + c)^3 + 3(20Ca^{10}b^2 - 77Ca^8b^4 + (A + 110C)a^6b^6 + (8A - 59C)a^4b^8 \\
& - 3(3A - 2C)a^2b^{10}) \cos(dx + c)^2 + (44Ca^9b^3 + (2A - 169C)a^7b^5 - (7A - 239C)a^5b^7 + (23A - 132C)a^3b^9 - 18(A - C)a^2b^{11}) \cos(dx + c) \\
& \cdot \sin(dx + c) / ((a^{11}b^5 - 4a^9b^7 + 6a^7b^9 - 4a^5b^{11} + a^3b^{13})d \cos(dx + c)^4 + 3(a^{10}b^6 - 4a^8b^8 + 6a^6b^{10} - 4a^4b^{12} \\
& + a^2b^{14})d \cos(dx + c)^3 + 3(a^9b^7 - 4a^7b^9 + 6a^5b^{11} - 4a^3b^{13} + ab^{15})d \cos(dx + c)^2 + (a^8b^8 - 4a^6b^{10} + 6a^4b^{12} \\
& - 4a^2b^{14} + b^{16})d \cos(dx + c)]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(A+C*sec(dx+c)**2)/(a+b*sec(dx+c))**4,x)

[Out] Integral((A + C*sec(c + dx)**2)*sec(c + dx)**4/(a + b*sec(c + dx))**4, x)

Giac [B] time = 1.41093, size = 1185, normalized size = 3.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^4,x, algorithm="giac")

[Out] 1/3*(3*(8Ca^8 - 28Ca^6b^2 + 35Ca^4b^4 - 3Aa^2b^6 - 20Ca^2b^6 - 2Ab^8)*(pi*floor(1/2*(dx + c)/pi + 1/2)*sgn(-2a + 2b) + arctan(-(a*t

$$\begin{aligned}
& \frac{\arctan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2 + b^2}} \Big/ \left((a^6 b^5 - 3a^4 b^7 + 3a^2 b^9 - b^{11}) \sqrt{-a^2 + b^2} - 12C a \log(\abs{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1}) / b^5 + 12C a \log(\abs{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1}) / b^5 - (18C a^9 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 42C a^8 b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 24C a^7 b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 117C a^6 b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6A a^5 b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 24C a^5 b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3A a^4 b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 105C a^4 b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6A a^3 b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 60C a^3 b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 27A a^2 b^7 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 18A a b^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 36C a^9 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 152C a^7 b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 4A a^5 b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 236C a^5 b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 32A a^3 b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 120C a^3 b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 36A a b^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 18C a^9 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 42C a^8 b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 24C a^7 b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 117C a^6 b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6A a^5 b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 24C a^5 b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3A a^4 b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 105C a^4 b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6A a^3 b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60C a^3 b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 27A a^2 b^7 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 18A a b^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right) \Big/ \left((a^6 b^4 - 3a^4 b^6 + 3a^2 b^8 - b^{10}) (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a - b)^3 - 6C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) / ((\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1) b^4) \right) / d
\end{aligned}$$

$$3.699 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=313

$$\frac{a(a^2b^4(A-8C) + 7a^4b^2C - 2a^6C + 4b^6(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} - \frac{(a^2C + Ab^2) \tan(c+dx) \sec^2(c+dx)}{3bd(a^2-b^2)(a+b \sec(c+dx))^3}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^4*d) + (a*(a^2*b^4*(A - 8*C) - 2*a^6*C + 7*a^4*b^2*C + 4*b^6*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^4*(a + b)^(7/2)*d) - ((A*b^2 + a^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - (a*(2*A*b^4 - 3*a^4*C + a^2*b^2*(3*A + 8*C))*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((4*A*b^6 + 9*a^6*C + 2*a^2*b^4*(7*A + 17*C) - a^4*b^2*(3*A + 28*C))*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.25142, antiderivative size = 313, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4099, 4090, 4080, 3998, 3770, 3831, 2659, 208}

$$\frac{a(a^2b^4(A-8C) + 7a^4b^2C - 2a^6C + 4b^6(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} - \frac{(a^2C + Ab^2) \tan(c+dx) \sec^2(c+dx)}{3bd(a^2-b^2)(a+b \sec(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4, x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^4*d) + (a*(a^2*b^4*(A - 8*C) - 2*a^6*C + 7*a^4*b^2*C + 4*b^6*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^4*(a + b)^(7/2)*d) - ((A*b^2 + a^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - (a*(2*A*b^4 - 3*a^4*C + a^2*b^2*(3*A + 8*C))*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((4*A*b^6 + 9*a^6*C + 2*a^2*b^4*(7*A + 17*C) - a^4*b^2*(3*A + 28*C))*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4099

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := -Simp[(d*

```
(A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) + a^2*C*(n - 1) + a*b*(A + C)*(m + 1)*Csc[e + f*x] - (A*b^2*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B - a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4080

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}
```

}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^3(c + dx) (A + C \sec^2(c + dx))}{(a + b \sec(c + dx))^4} dx &= -\frac{(Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^3} - \int \frac{\sec^2(c + dx) (2(Ab^2 + a^2C) - 3ab(A + C) \sec(c + dx))}{(a + b \sec(c + dx))^4} dx \\
 &= -\frac{(Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{a(2Ab^4 - 3a^4C + a^2b^2(3A + 8C))}{6b^3(a^2 - b^2)^2 d(a + b \sec(c + dx))^3} \\
 &= -\frac{(Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{a(2Ab^4 - 3a^4C + a^2b^2(3A + 8C))}{6b^3(a^2 - b^2)^2 d(a + b \sec(c + dx))^3} \\
 &= -\frac{(Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{a(2Ab^4 - 3a^4C + a^2b^2(3A + 8C))}{6b^3(a^2 - b^2)^2 d(a + b \sec(c + dx))^3} \\
 &= \frac{C \tanh^{-1}(\sin(c + dx))}{b^4 d} - \frac{(Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{a(2Ab^4 - 3a^4C + a^2b^2(3A + 8C))}{6b^3(a^2 - b^2)^2 d(a + b \sec(c + dx))^3} \\
 &= \frac{C \tanh^{-1}(\sin(c + dx))}{b^4 d} - \frac{(Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{a(2Ab^4 - 3a^4C + a^2b^2(3A + 8C))}{6b^3(a^2 - b^2)^2 d(a + b \sec(c + dx))^3} \\
 &= \frac{C \tanh^{-1}(\sin(c + dx))}{b^4 d} + \frac{a(a^2Ab^4 + 4Ab^6 - 2a^6C + 7a^4b^2C - 8a^2b^4C + 8b^6C)}{(a - b)^{7/2}b^4(a + b)^{7/2}d}
 \end{aligned}$$

Mathematica [C] time = 7.16969, size = 1092, normalized size = 3.49

$$\frac{2C \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \sec^2(c + dx) (C \sec^2(c + dx) + A) (b + a \cos(c + dx))^4}{b^4 d (\cos(2c + 2dx) A + A + 2C) (a + b \sec(c + dx))^4} + \frac{2C \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \sec^2(c + dx) (C \sec^2(c + dx) + A) (b + a \cos(c + dx))^4}{b^4 d (\cos(2c + 2dx) A + A + 2C) (a + b \sec(c + dx))^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out] (-2*C*(b + a*Cos[c + d*x])^4*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(b^4*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) + (2*C*(b + a*Cos[c + d*x])^4*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(b^4*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) + ((a^2*A*b^4 + 4*A*b^6 - 2*a^6*C + 7*a^4*b^2*C - 8*a^2*b^4*C + 8*b^6*C)*(b + a*Cos[c + d*x])^4*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*((2*I)*a*ArcTan[Sec[(d*x)/2]*(Cos[c]/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]]) - (I*Sin[c])/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]]))*((-I)*b*Sin[(d*x)/2] + I*a*Sin[c + (d*x)/2]))*Cos[c]/(b^4*Sqrt[a^2 - b^2]*d*Sqrt[Cos[2*c] - I*Sin[2*c]]) + (2*a*ArcTan[Sec[(d*x)/2]*(Cos[c]/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]]) - (I*Sin[c])/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]]))*((-I)*b*Sin[(d*x)/2] + I*a*Sin[c + (d*x)/2]))*Sin[c]/(b^4*Sqrt[a^2 - b^2]*d*Sqrt[Cos[2*c] - I*Sin[2*c]])))/((-a^2 + b^2)^3*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) - (2*(b + a*Cos[c + d*x])*Sec[c]*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*(A*b^3*Sin[c] + a^2*b*C*Sin[c] - a*A*b^2*Sin[d*x] - a^3*C*Sin[d*x]))/(3*a*b*(-a^2 + b^2)*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) + ((b + a*Cos[c + d*x])^2*Sec[c]*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*(-5*a*A*b^3*Sin[c] + a^3*b*C*Sin[c] - 6*a*b^3*C*Sin[c] + 3*a^2*A*b^2*Sin[d*x] + 2*A*b^4*Sin[d*x] - 3*a^4*C*Sin[d*x] + 8*a^2*b^2*C*Sin[d*x]))/(3*b^2*(-a^2 + b^2)^2*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) + ((b + a*Cos[c + d*x])^3*Sec[c]*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*(-3*a^3*A*b^3*Sin[c] - 12*a*A*b^5*Sin[c] - 3*a^5*b*C*Sin[c] + 6*a^3*b^3*C*Sin[c] - 18*a*b^5*C*Sin[c] + 13*a^2*A*b^4*Sin[d*x] + 2*A*b^6*Sin[d*x] + 6*a^6*C*Sin[d*x] - 17*a^4*b^2*C*Sin[d*x] + 26*a^2*b^4*C*Sin[d*x]))/(3*b^3*(-a^2 + b^2)^3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4)

Maple [B] time = 0.113, size = 2428, normalized size = 7.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^3(A+C\sec(dx+c)^2)/(a+b\sec(dx+c))^4, x)$

[Out]
$$\frac{4}{d} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^3}{(a-b)} \frac{1}{(a^3+3a^2b+3ab^2+b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 C + \frac{12}{d} \frac{1}{b} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3}{(a+b)} \frac{1}{(a^3-3a^2b+3ab^2-b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c) C a^2 + \frac{44}{3} \frac{1}{d} \frac{1}{b} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3}{(a^2-2ab+b^2)} \frac{1}{(a^2+2ab+b^2)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 a^4 C - \frac{24}{d} \frac{1}{b} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3}{(a^2-2ab+b^2)} \frac{1}{(a^2+2ab+b^2)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 C a^2 - \frac{1}{d} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^3}{(a+b)} \frac{1}{(a^3-3a^2b+3ab^2-b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c) A - \frac{4}{d} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^3}{(a-b)} \frac{1}{(a^3-3a^2b+3ab^2-b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c) C + \frac{1}{d} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^3}{(a-b)} \frac{1}{(a^3+3a^2b+3ab^2+b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 A + \frac{12}{d} \frac{1}{b} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3}{(a-b)} \frac{1}{(a^3+3a^2b+3ab^2+b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 C a^2 - \frac{28}{3} \frac{1}{d} \frac{1}{b} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3}{(a^2-2ab+b^2)} \frac{1}{(a^2+2ab+b^2)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 A a^2 - \frac{4}{d} \frac{1}{b^3} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3}{(a^2-2ab+b^2)} \frac{1}{(a^2+2ab+b^2)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 a^6 C - \frac{6}{d} \frac{1}{b} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^4}{(a+b)} \frac{1}{(a^3-3a^2b+3ab^2-b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c) C + \frac{2}{d} \frac{1}{b^3} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^6}{(a+b)} \frac{1}{(a^3-3a^2b+3ab^2-b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c) C + \frac{2}{d} \frac{1}{b^3} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^6}{(a-b)} \frac{1}{(a^3+3a^2b+3ab^2+b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 C - \frac{2}{d} \frac{1}{b^2} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a}{(a+b)} \frac{1}{(a^3-3a^2b+3ab^2-b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c) A - \frac{1}{d} \frac{1}{b^2} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^5}{(a-b)} \frac{1}{(a^3+3a^2b+3ab^2+b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 C - \frac{6}{d} \frac{1}{b} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^4}{(a-b)} \frac{1}{(a^3+3a^2b+3ab^2+b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 C + \frac{6}{d} \frac{1}{b} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^2}{(a+b)} \frac{1}{(a^3-3a^2b+3ab^2-b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c) A + \frac{6}{d} \frac{1}{b} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^2}{(a-b)} \frac{1}{(a^3+3a^2b+3ab^2+b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 A + \frac{2}{d} \frac{1}{b^2} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a}{(a-b)} \frac{1}{(a^3+3a^2b+3ab^2+b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^5 A + \frac{1}{d} \frac{1}{b^2} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3 a^5}{(a+b)} \frac{1}{(a^3-3a^2b+3ab^2-b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c) C - \frac{4}{d} \frac{1}{b^3} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3}{(a^2-2ab+b^2)} \frac{1}{(a^2+2ab+b^2)} \tan(\frac{1}{2}dx+\frac{1}{2}c)^3 A + \frac{2}{d} \frac{1}{b^3} \frac{(\tan(\frac{1}{2}dx+\frac{1}{2}c)^2a - \tan(\frac{1}{2}dx+\frac{1}{2}c)^2b - a - b)^3}{(a+b)} \frac{1}{(a^3-3a^2b+3ab^2-b^3)} \tan(\frac{1}{2}dx+\frac{1}{2}c) A + \frac{4}{d} \frac{1}{b^2} \frac{a}{(a^6-3a^4b^2+3a^2b^4-b^6)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}((a-b)\tan(\frac{1}{2}dx+\frac{1}{2}c)) / ((a+b)*(a-b))^{1/2} + \frac{7}{d} \frac{1}{b^2} \frac{a^5}{(a^6-3a^4b^2+3a^2b^4-b^6)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}((a-b)\tan(\frac{1}{2}dx+\frac{1}{2}c)) / ((a+b)*(a-b))^{1/2} + \frac{8}{d} \frac{1}{b^2} \frac{a}{(a^6-3a^4b^2+3a^2b^4-b^6)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}((a-b)\tan(\frac{1}{2}dx+\frac{1}{2}c)) / ((a+b)*(a-b))^{1/2} - \frac{2}{d} \frac{1}{b^4} \frac{a^7}{(a^6-3a^4b^2+3a^2b^4-b^6)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}((a-b)\tan(\frac{1}{2}dx+\frac{1}{2}c)) / ((a+b)*(a-b))^{1/2}$$

$$(a+b)(a-b)^{1/2} \operatorname{arctanh}((a-b)\tan(1/2dx+1/2c))/((a+b)(a-b)^{1/2}) * C + 2/d*b^3/(\tan(1/2dx+1/2c)^2*a - \tan(1/2dx+1/2c)^2*b - a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3) * \tan(1/2dx+1/2c)^5 * A - 1/d*C/b^4 * \ln(\tan(1/2dx+1/2c)-1) + 1/d*C/b^4 * \ln(\tan(1/2dx+1/2c)+1) - 8/d*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)(a-b)^{1/2} \operatorname{arctanh}((a-b)\tan(1/2dx+1/2c))/((a+b)(a-b)^{1/2}) * C + 1/d*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)(a-b)^{1/2} \operatorname{arctanh}((a-b)\tan(1/2dx+1/2c))/((a+b)(a-b)^{1/2}) * A$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 51.2194, size = 4779, normalized size = 15.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/12*(3*(2*C*a^7*b^3 - 7*C*a^5*b^5 - (A - 8*C)*a^3*b^7 - 4*(A + 2*C)*a*b^9 \\ & + (2*C*a^{10} - 7*C*a^8*b^2 - (A - 8*C)*a^6*b^4 - 4*(A + 2*C)*a^4*b^6)*\cos(dx + c)^3 + 3*(2*C*a^9*b - 7*C*a^7*b^3 - (A - 8*C)*a^5*b^5 - 4*(A + 2*C)*a^3*b^7)*\cos(dx + c)^2 + 3*(2*C*a^8*b^2 - 7*C*a^6*b^4 - (A - 8*C)*a^4*b^6 - 4*(A + 2*C)*a^2*b^8)*\cos(dx + c)*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(dx + c) - (a^2 - 2*b^2)*\cos(dx + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(dx + c) + a)*\sin(dx + c) + 2*a^2 - b^2)/(a^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + b^2)) + 6*(C*a^8*b^3 - 4*C*a^6*b^5 + 6*C*a^4*b^7 - 4*C*a^2*b^9 + C*b^{11} + (C*a^{11} - 4*C*a^9*b^2 + 6*C*a^7*b^4 - 4*C*a^5*b^6 + C*a^3*b^8)*\cos(dx + c)^3 + 3*(C*a^{10}*b - 4*C*a^8*b^3 + 6*C*a^6*b^5 - 4*C*a^4*b^7 + C*a^2*b^9)*\cos(dx + c)^2 + 3*(C*a^9*b^2 - 4*C*a^7*b^4 + 6*C*a^5*b^6 - 4*C*a^3*b^8 + C*a*b^{10})*\cos(dx + c))*\log(\sin(dx + c) + 1) - 6*(C*a^8*b^3 - 4*C*a^6*b^5 + 6*C*a^4*b^7 \end{aligned}$$

```

7 - 4*C*a^2*b^9 + C*b^11 + (C*a^11 - 4*C*a^9*b^2 + 6*C*a^7*b^4 - 4*C*a^5*b^
6 + C*a^3*b^8)*cos(d*x + c)^3 + 3*(C*a^10*b - 4*C*a^8*b^3 + 6*C*a^6*b^5 - 4
*C*a^4*b^7 + C*a^2*b^9)*cos(d*x + c)^2 + 3*(C*a^9*b^2 - 4*C*a^7*b^4 + 6*C*a
^5*b^6 - 4*C*a^3*b^8 + C*a*b^10)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(
11*C*a^8*b^3 - (A + 43*C)*a^6*b^5 + (11*A + 68*C)*a^4*b^7 - 4*(A + 9*C)*a^2
*b^9 - 6*A*b^11 + (6*C*a^10*b - 23*C*a^8*b^3 + (13*A + 43*C)*a^6*b^5 - (11*
A + 26*C)*a^4*b^7 - 2*A*a^2*b^9)*cos(d*x + c)^2 + 3*(5*C*a^9*b^2 - (A + 20*
C)*a^7*b^4 + 5*(2*A + 7*C)*a^5*b^6 - (7*A + 20*C)*a^3*b^8 - 2*A*a*b^10)*cos
(d*x + c))*sin(d*x + c))/((a^11*b^4 - 4*a^9*b^6 + 6*a^7*b^8 - 4*a^5*b^10 +
a^3*b^12)*d*cos(d*x + c)^3 + 3*(a^10*b^5 - 4*a^8*b^7 + 6*a^6*b^9 - 4*a^4*b^
11 + a^2*b^13)*d*cos(d*x + c)^2 + 3*(a^9*b^6 - 4*a^7*b^8 + 6*a^5*b^10 - 4*a
^3*b^12 + a*b^14)*d*cos(d*x + c) + (a^8*b^7 - 4*a^6*b^9 + 6*a^4*b^11 - 4*a^
2*b^13 + b^15)*d), -1/6*(3*(2*C*a^7*b^3 - 7*C*a^5*b^5 - (A - 8*C)*a^3*b^7 -
4*(A + 2*C)*a*b^9 + (2*C*a^10 - 7*C*a^8*b^2 - (A - 8*C)*a^6*b^4 - 4*(A + 2
*C)*a^4*b^6)*cos(d*x + c)^3 + 3*(2*C*a^9*b - 7*C*a^7*b^3 - (A - 8*C)*a^5*b^
5 - 4*(A + 2*C)*a^3*b^7)*cos(d*x + c)^2 + 3*(2*C*a^8*b^2 - 7*C*a^6*b^4 - (A
- 8*C)*a^4*b^6 - 4*(A + 2*C)*a^2*b^8)*cos(d*x + c))*sqrt(-a^2 + b^2)*arcta
n(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - 3*(C
*a^8*b^3 - 4*C*a^6*b^5 + 6*C*a^4*b^7 - 4*C*a^2*b^9 + C*b^11 + (C*a^11 - 4*C
*a^9*b^2 + 6*C*a^7*b^4 - 4*C*a^5*b^6 + C*a^3*b^8)*cos(d*x + c)^3 + 3*(C*a^1
0*b - 4*C*a^8*b^3 + 6*C*a^6*b^5 - 4*C*a^4*b^7 + C*a^2*b^9)*cos(d*x + c)^2 +
3*(C*a^9*b^2 - 4*C*a^7*b^4 + 6*C*a^5*b^6 - 4*C*a^3*b^8 + C*a*b^10)*cos(d*x
+ c))*log(sin(d*x + c) + 1) + 3*(C*a^8*b^3 - 4*C*a^6*b^5 + 6*C*a^4*b^7 - 4
*C*a^2*b^9 + C*b^11 + (C*a^11 - 4*C*a^9*b^2 + 6*C*a^7*b^4 - 4*C*a^5*b^6 + C
*a^3*b^8)*cos(d*x + c)^3 + 3*(C*a^10*b - 4*C*a^8*b^3 + 6*C*a^6*b^5 - 4*C*a^
4*b^7 + C*a^2*b^9)*cos(d*x + c)^2 + 3*(C*a^9*b^2 - 4*C*a^7*b^4 + 6*C*a^5*b^
6 - 4*C*a^3*b^8 + C*a*b^10)*cos(d*x + c))*log(-sin(d*x + c) + 1) + (11*C*a^
8*b^3 - (A + 43*C)*a^6*b^5 + (11*A + 68*C)*a^4*b^7 - 4*(A + 9*C)*a^2*b^9 -
6*A*b^11 + (6*C*a^10*b - 23*C*a^8*b^3 + (13*A + 43*C)*a^6*b^5 - (11*A + 26*
C)*a^4*b^7 - 2*A*a^2*b^9)*cos(d*x + c)^2 + 3*(5*C*a^9*b^2 - (A + 20*C)*a^7*
b^4 + 5*(2*A + 7*C)*a^5*b^6 - (7*A + 20*C)*a^3*b^8 - 2*A*a*b^10)*cos(d*x +
c))*sin(d*x + c))/((a^11*b^4 - 4*a^9*b^6 + 6*a^7*b^8 - 4*a^5*b^10 + a^3*b^1
2)*d*cos(d*x + c)^3 + 3*(a^10*b^5 - 4*a^8*b^7 + 6*a^6*b^9 - 4*a^4*b^11 + a^
2*b^13)*d*cos(d*x + c)^2 + 3*(a^9*b^6 - 4*a^7*b^8 + 6*a^5*b^10 - 4*a^3*b^12
+ a*b^14)*d*cos(d*x + c) + (a^8*b^7 - 4*a^6*b^9 + 6*a^4*b^11 - 4*a^2*b^13
+ b^15)*d)]

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.38448, size = 1183, normalized size = 3.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$-1/3*(3*(2*C*a^7 - 7*C*a^5*b^2 - A*a^3*b^4 + 8*C*a^3*b^4 - 4*A*a*b^6 - 8*C*a*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^10)*sqrt(-a^2 + b^2)) - 3*C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^4 + 3*C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^4 - (6*C*a^8*tan(1/2*d*x + 1/2*c)^5 - 15*C*a^7*b*tan(1/2*d*x + 1/2*c)^5 - 6*C*a^6*b^2*tan(1/2*d*x + 1/2*c)^5 + 3*A*a^5*b^3*tan(1/2*d*x + 1/2*c)^5 + 45*C*a^5*b^3*tan(1/2*d*x + 1/2*c)^5 + 12*A*a^4*b^4*tan(1/2*d*x + 1/2*c)^5 - 6*C*a^4*b^4*tan(1/2*d*x + 1/2*c)^5 - 27*A*a^3*b^5*tan(1/2*d*x + 1/2*c)^5 - 60*C*a^3*b^5*tan(1/2*d*x + 1/2*c)^5 + 12*A*a^2*b^6*tan(1/2*d*x + 1/2*c)^5 + 36*C*a^2*b^6*tan(1/2*d*x + 1/2*c)^5 - 6*A*a*b^7*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^8*tan(1/2*d*x + 1/2*c)^5 - 12*C*a^8*tan(1/2*d*x + 1/2*c)^3 + 56*C*a^6*b^2*tan(1/2*d*x + 1/2*c)^3 - 28*A*a^4*b^4*tan(1/2*d*x + 1/2*c)^3 - 116*C*a^4*b^4*tan(1/2*d*x + 1/2*c)^3 + 16*A*a^2*b^6*tan(1/2*d*x + 1/2*c)^3 + 72*C*a^2*b^6*tan(1/2*d*x + 1/2*c)^3 + 12*A*b^8*tan(1/2*d*x + 1/2*c)^3 + 6*C*a^8*tan(1/2*d*x + 1/2*c) + 15*C*a^7*b*tan(1/2*d*x + 1/2*c) - 6*C*a^6*b^2*tan(1/2*d*x + 1/2*c) - 3*A*a^5*b^3*tan(1/2*d*x + 1/2*c) - 45*C*a^5*b^3*tan(1/2*d*x + 1/2*c) + 12*A*a^4*b^4*tan(1/2*d*x + 1/2*c) - 6*C*a^4*b^4*tan(1/2*d*x + 1/2*c) + 27*A*a^3*b^5*tan(1/2*d*x + 1/2*c) + 60*C*a^3*b^5*tan(1/2*d*x + 1/2*c) + 12*A*a^2*b^6*tan(1/2*d*x + 1/2*c) + 36*C*a^2*b^6*tan(1/2*d*x + 1/2*c) + 6*A*a*b^7*tan(1/2*d*x + 1/2*c) + 6*A*b^8*tan(1/2*d*x + 1/2*c))/((a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)^3)/d$$

$$3.700 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=261

$$\frac{b(a^2(4A+3C)+b^2(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(a^2b^2(2A-5C)+2a^4C+b^4(13A+18C)) \tan(c+dx)}{6b^2d(a^2-b^2)^3(a+b \sec(c+dx))}$$

[Out] $-\left(\frac{b(b^2(A+2C)+a^2(4A+3C)) \operatorname{ArcTanh}\left[\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right]}{d(a-b)^{7/2}(a+b)^{7/2}}\right) + \frac{a(Ab^2+a^2C) \tan(c+dx)}{3b^2(a^2-b^2)d(a+b \sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C)) \tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b \sec(c+dx))^2} + \frac{a(a^2b^2(2A-5C)+2a^4C+b^4(13A+18C)) \tan(c+dx)}{6b^2(a^2-b^2)^3d(a+b \sec(c+dx))}$

Rubi [A] time = 0.672904, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4091, 4080, 4003, 12, 3831, 2659, 208}

$$\frac{b(a^2(4A+3C)+b^2(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(a^2b^2(2A-5C)+2a^4C+b^4(13A+18C)) \tan(c+dx)}{6b^2d(a^2-b^2)^3(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{(\sec(c+dx))^2(A+C \sec(c+dx))^2}{(a+b \sec(c+dx))^4}, x\right]$

[Out] $-\left(\frac{b(b^2(A+2C)+a^2(4A+3C)) \operatorname{ArcTanh}\left[\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right]}{d(a-b)^{7/2}(a+b)^{7/2}}\right) + \frac{a(Ab^2+a^2C) \tan(c+dx)}{3b^2(a^2-b^2)d(a+b \sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C)) \tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b \sec(c+dx))^2} + \frac{a(a^2b^2(2A-5C)+2a^4C+b^4(13A+18C)) \tan(c+dx)}{6b^2(a^2-b^2)^3d(a+b \sec(c+dx))}$

Rule 4091

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)x]^2((A_.) + \operatorname{csc}[(e_.) + (f_.)x]^2(C_.))(\operatorname{csc}[(e_.) + (f_.)x](b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(a(Ab^2+a^2C) \operatorname{Cot}[e+fx](a+b \operatorname{Csc}[e+fx])^{(m+1)})/(b^2f(m+1)(a^2-b^2)),$

```
x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(a^2*C + A*b^2) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4080

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^4} dx &= \frac{a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{\int \frac{\sec(c+dx)(-3b(Ab^2+a^2C)+a(2Ab^2-(a^2-3b^2)C))}{(a+b\sec(c+dx))} dx}{3b^2(a^2-b^2)} \\
&= \frac{a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C))\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C))\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C))\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C))\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C))\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(3Ab^4-4a^4C+a^2b^2(2A+9C))\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{b(4a^2A+Ab^2+3a^2C+2b^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} + \frac{a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)}
\end{aligned}$$

Mathematica [A] time = 1.27293, size = 221, normalized size = 0.85

$$\frac{2\sin(c+dx)(6b(9a^2b^2(A+C)+a^4(2A+C)-Ab^4)\cos(c+dx)+a((a^2b^2(10A+11C)+a^4(6A+4C)-Ab^4)\cos(2(c+dx))+a^2b^2(14A+C)+a^4(6A+8C)+b^4(25A+36C))}{(a\cos(c+dx)+b)^3}$$

$$24d(b^2-a^2)^3$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out] $-\left(\frac{24*b*(b^2*(A + 2*C) + a^2*(4*A + 3*C))*\text{ArcTanh}\left[\frac{(-a + b)*\text{Tan}\left[\frac{c + d*x}{2}\right]}{\sqrt{a^2 - b^2}}\right]}{\sqrt{a^2 - b^2}} + (2*(6*b*(-(A*b^4) + 9*a^2*b^2*(A + C) + a^4*(2*A + C))*\text{Cos}[c + d*x] + a*(a^2*b^2*(14*A + C) + a^4*(6*A + 8*C) + b^4*(25*A + 36*C) + (-A*b^4) + a^4*(6*A + 4*C) + a^2*b^2*(10*A + 11*C))*\text{Cos}[2*(c + d*x)])*\text{Sin}[c + d*x]}{(b + a*\text{Cos}[c + d*x])^3}\right)/(24*(-a^2 + b^2)^3*d)$

Maple [A] time = 0.095, size = 374, normalized size = 1.4

$$\frac{1}{d} \left(2 \frac{1}{\left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)^3} \left(-1/2 \frac{(2 A a^3 + 2 A a^2 b + 6 A a b^2 + A b^3 + 2 a^3 C + 3 a^2 b C - (a - b)(a^3 + 3 a^2 b + 3 a b^2))}{(a - b)(a^3 + 3 a^2 b + 3 a b^2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x)

[Out] $\frac{1}{d} \left(\frac{2 * (-1/2 * (2 * A * a^3 + 2 * A * a^2 * b + 6 * A * a * b^2 + A * b^3 + 2 * C * a^3 + 3 * C * a^2 * b + 6 * C * a * b^2))}{(a - b) * (a^3 + 3 * a^2 * b + 3 * a * b^2 - b^3)} * \tan(1/2 * d * x + 1/2 * c)^5 + \frac{2}{3} * (3 * A * a^2 + 7 * A * b^2 + C * a^2 + 9 * C * b^2) * a / (a^2 + 2 * a * b + b^2) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c)^3 - \frac{1}{2} * (2 * A * a^3 - 2 * A * a^2 * b + 6 * A * a * b^2 - A * b^3 + 2 * C * a^3 - 3 * C * a^2 * b + 6 * C * a * b^2) / (a + b) / (a^3 - 3 * a^2 * b + 3 * a * b^2 - b^3) * \tan(1/2 * d * x + 1/2 * c)}{(\tan(1/2 * d * x + 1/2 * c))^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b - a - b}^3 - \frac{b * (4 * A * a^2 + A * b^2 + 3 * C * a^2 + 2 * C * b^2)}{(a^6 - 3 * a^4 * b^2 + 3 * a^2 * b^4 - b^6)} / ((a + b) * (a - b))^{1/2} * \text{arctanh}\left(\frac{(a - b) * \tan(1/2 * d * x + 1/2 * c)}{(a + b) * (a - b)}\right) \right)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.755258, size = 2475, normalized size = 9.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/12*(3*((4*A + 3*C)*a^2*b^4 + (A + 2*C)*b^6 + ((4*A + 3*C)*a^5*b + (A + 2*C)*a^3*b^3)*\cos(d*x + c)^3 + 3*((4*A + 3*C)*a^4*b^2 + (A + 2*C)*a^2*b^4)* \\ & \cos(d*x + c)^2 + 3*((4*A + 3*C)*a^3*b^3 + (A + 2*C)*a*b^5)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 + 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) - 2*(2*C*a^7 + (2*A - 7*C)*a^5*b^2 + (11*A + 23*C)*a^3*b^4 - (13*A + 18*C)*a*b^6 + (2*(3*A + 2*C)*a^7 + (4*A + 7*C)*a^5*b^2 - 11*(A + C)*a^3*b^4 + A*a*b^6)*\cos(d*x + c)^2 + 3*((2*A + C)*a^6*b + (7*A + 8*C)*a^4*b^3 - (10*A + 9*C)*a^2*b^5 + A*b^7)*\cos(d*x + c))*\sin(d*x + c))/((a^{11} - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*\cos(d*x + c)^3 + 3*(a^{10}*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^{10})*d*\cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^{11})*d), -1/6*(3*((4*A + 3*C)*a^2*b^4 + (A + 2*C)*b^6 + ((4*A + 3*C)*a^5*b + (A + 2*C)*a^3*b^3)*\cos(d*x + c)^3 + 3*((4*A + 3*C)*a^4*b^2 + (A + 2*C)*a^2*b^4)*\cos(d*x + c)^2 + 3*((4*A + 3*C)*a^3*b^3 + (A + 2*C)*a*b^5)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a))/((a^2 - b^2)*\sin(d*x + c))] - (2*C*a^7 + (2*A - 7*C)*a^5*b^2 + (11*A + 23*C)*a^3*b^4 - (13*A + 18*C)*a*b^6 + (2*(3*A + 2*C)*a^7 + (4*A + 7*C)*a^5*b^2 - 11*(A + C)*a^3*b^4 + A*a*b^6)*\cos(d*x + c)^2 + 3*((2*A + C)*a^6*b + (7*A + 8*C)*a^4*b^3 - (10*A + 9*C)*a^2*b^5 + A*b^7)*\cos(d*x + c))*\sin(d*x + c))/((a^{11} - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*\cos(d*x + c)^3 + 3*(a^{10}*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^{10})*d*\cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^{11})*d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**4, x
)
```

Giac [B] time = 1.29461, size = 936, normalized size = 3.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="
giac")
```

```
[Out] -1/3*(3*(4*A*a^2*b + 3*C*a^2*b + A*b^3 + 2*C*b^3)*(pi*floor(1/2*(d*x + c)/p
i + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x
+ 1/2*c))/sqrt(-a^2 + b^2)))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*sqrt(-a^2
+ b^2)) + (6*A*a^5*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^5*tan(1/2*d*x + 1/2*c)^5
- 6*A*a^4*b*tan(1/2*d*x + 1/2*c)^5 - 3*C*a^4*b*tan(1/2*d*x + 1/2*c)^5 + 12
*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^3*b^2*tan(1/2*d*x + 1/2*c)^5 - 27
*A*a^2*b^3*tan(1/2*d*x + 1/2*c)^5 - 27*C*a^2*b^3*tan(1/2*d*x + 1/2*c)^5 + 1
2*A*a*b^4*tan(1/2*d*x + 1/2*c)^5 + 18*C*a*b^4*tan(1/2*d*x + 1/2*c)^5 + 3*A*
b^5*tan(1/2*d*x + 1/2*c)^5 - 12*A*a^5*tan(1/2*d*x + 1/2*c)^3 - 4*C*a^5*tan(
1/2*d*x + 1/2*c)^3 - 16*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 - 32*C*a^3*b^2*tan
(1/2*d*x + 1/2*c)^3 + 28*A*a*b^4*tan(1/2*d*x + 1/2*c)^3 + 36*C*a*b^4*tan(1/
2*d*x + 1/2*c)^3 + 6*A*a^5*tan(1/2*d*x + 1/2*c) + 6*C*a^5*tan(1/2*d*x + 1/2
*c) + 6*A*a^4*b*tan(1/2*d*x + 1/2*c) + 3*C*a^4*b*tan(1/2*d*x + 1/2*c) + 12*
A*a^3*b^2*tan(1/2*d*x + 1/2*c) + 6*C*a^3*b^2*tan(1/2*d*x + 1/2*c) + 27*A*a^
2*b^3*tan(1/2*d*x + 1/2*c) + 27*C*a^2*b^3*tan(1/2*d*x + 1/2*c) + 12*A*a*b^4
*tan(1/2*d*x + 1/2*c) + 18*C*a*b^4*tan(1/2*d*x + 1/2*c) - 3*A*b^5*tan(1/2*d
*x + 1/2*c))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*tan(1/2*d*x + 1/2*c)^2
- b*tan(1/2*d*x + 1/2*c)^2 - a - b)^3))/d
```

$$3.701 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=252

$$\frac{a(a^2(2A+C) + b^2(3A+4C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(-a^2b^2(11A+10C) + a^4C - 2b^4(2A+3C)) \tan(c+dx)}{6bd(a^2-b^2)^3(a+b \sec(c+dx))}$$

[Out] (a*(a^2*(2*A + C) + b^2*(3*A + 4*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d) - ((A*b^2 + a^2*C)*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - (a*(5*A*b^2 - a^2*C + 6*b^2*C)*Tan[c + d*x])/(6*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((a^4*C - 2*b^4*(2*A + 3*C) - a^2*b^2*(11*A + 10*C))*Tan[c + d*x])/(6*b*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.553413, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4081, 4003, 12, 3831, 2659, 208}

$$\frac{a(a^2(2A+C) + b^2(3A+4C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(-a^2b^2(11A+10C) + a^4C - 2b^4(2A+3C)) \tan(c+dx)}{6bd(a^2-b^2)^3(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4, x]

[Out] (a*(a^2*(2*A + C) + b^2*(3*A + 4*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d) - ((A*b^2 + a^2*C)*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - (a*(5*A*b^2 - a^2*C + 6*b^2*C)*Tan[c + d*x])/(6*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((a^4*C - 2*b^4*(2*A + 3*C) - a^2*b^2*(11*A + 10*C))*Tan[c + d*x])/(6*b*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4081

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] +

```
Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*b*(A + C)*(m + 1) - (A*b^2 + a^2*C + b*(A*b + b*C)*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^4} dx &= -\frac{(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{\int \frac{\sec(c+dx)(-3ab(A+C)+(2Ab^2-a^2C+3b^2C)\sec(c+dx))}{(a+b\sec(c+dx))^3} dx}{3b(a^2-b^2)} \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{a(5Ab^2-a^2C+6b^2C)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} + \dots \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{a(5Ab^2-a^2C+6b^2C)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} + \dots \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{a(5Ab^2-a^2C+6b^2C)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} + \dots \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{a(5Ab^2-a^2C+6b^2C)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} + \dots \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{a(5Ab^2-a^2C+6b^2C)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} + \dots \\
&= -\frac{(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{a(5Ab^2-a^2C+6b^2C)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} + \dots \\
&= \frac{a(2a^2A+3Ab^2+a^2C+4b^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} - \frac{(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3}
\end{aligned}$$

Mathematica [C] time = 6.16409, size = 438, normalized size = 1.74

$$\sec^2(c+dx)(a\cos(c+dx)+b)(A+C\sec^2(c+dx)) \left(\frac{2b\sec(c)(a^2C+Ab^2)(b\sin(c)-a\sin(dx))}{a^5-a^3b^2} - \frac{6ia(\cos(c)-i\sin(c))(a^2(2A+C)+b^2(3A+4C))}{(a-b)^{7/2}(a+b)^{7/2}d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4, x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*((-6*I)*a*(a^2*(2*A + C) + b^2*(3*A + 4*C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b

$$+ a \cos[c + dx]^3 (\cos[c] - I \sin[c]) / ((a^2 - b^2)^{7/2} \sqrt{(\cos[c] - I \sin[c])^2}) + (2*b*(A*b^2 + a^2*C)*\sec[c]*(b*\sin[c] - a*\sin[dx])) / (a^5 - a^3*b^2) + ((b + a*\cos[c + dx])* \sec[c]*((-11*a^2*A*b^3 + 6*A*b^5 - 5*a^4*b*C)*\sin[c] + a*(-4*A*b^4 + 3*a^4*C + a^2*b^2*(9*A + 2*C))*\sin[dx])) / (a^3*(a^2 - b^2)^2) + ((b + a*\cos[c + dx])^2*\sec[c]*(3*(-6*a^2*A*b^4 + 2*A*b^6 + a^6*C + a^4*b^2*(9*A + 4*C))*\sin[c] - a*b*(2*A*b^4 + a^2*b^2*(-5*A + 2*C)) + a^4*(18*A + 13*C))*\sin[dx])) / (a^3 - a*b^2)^3) / (3*d*(A + 2*C + A*\cos[c + dx]))*(a + b*\sec[c + dx])^4$$

Maple [A] time = 0.102, size = 373, normalized size = 1.5

$$\frac{1}{d} \left(-2 \frac{1}{((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)^3} \left(-1/2 \frac{(6 A a^2 b + 3 A a b^2 + 2 A b^3 + a^3 C + 6 a^2 b C + 2 C a b^2)}{(a - b)(a^3 + 3 a^2 b + 3 a b^2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(dx+c)*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^4,x)

[Out] $\frac{1}{d} \left(-2 \left(-1/2 \left(\frac{6 A a^2 b + 3 A a b^2 + 2 A b^3 + C a^3 + 6 C a^2 b + 2 C a b^2 + 2 C b^3}{(a - b) (a^3 + 3 a^2 b + 3 a b^2)} \right) \tan(1/2 d x + 1/2 c)^5 + \frac{2}{3} \left(\frac{9 A a^2 + A b^2 + 7 C a^2 + 3 C b^2}{(a^2 + 2 a b + b^2)} \right) \tan(1/2 d x + 1/2 c)^3 - \frac{1}{2} \left(\frac{6 A a^2 b - 3 A a b^2 + 2 A b^3 - C a^3 + 6 C a^2 b - 2 C a b^2 + 2 C b^3}{(a + b) (a^3 - 3 a^2 b + 3 a b^2 - b^3)} \right) \tan(1/2 d x + 1/2 c) \right) / (\tan(1/2 d x + 1/2 c)^2 a - \tan(1/2 d x + 1/2 c)^2 b - a - b)^3 + a \left(\frac{2 A a^2 + 3 A b^2 + C a^2 + 4 C b^2}{(a^6 - 3 a^4 b^2 + 3 a^2 b^4 - b^6)} \right) / ((a + b) (a - b))^{1/2} \operatorname{arctanh} \left(\frac{(a - b) \tan(1/2 d x + 1/2 c)}{(a + b) (a - b)} \right)^{1/2} \right)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.750736, size = 2473, normalized size = 9.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/12*(3*((2*A + C)*a^3*b^3 + (3*A + 4*C)*a*b^5 + ((2*A + C)*a^6 + (3*A + 4*C)*a^4*b^2)*\cos(d*x + c)^3 + 3*((2*A + C)*a^5*b + (3*A + 4*C)*a^3*b^3)*\cos(d*x + c)^2 + 3*((2*A + C)*a^4*b^2 + (3*A + 4*C)*a^2*b^4)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) - 2*(C*a^6*b - 11*(A + C)*a^4*b^3 + (7*A + 4*C)*a^2*b^5 + 2*(2*A + 3*C)*b^7 - ((18*A + 13*C)*a^6*b - (23*A + 11*C)*a^4*b^3 + (7*A - 2*C)*a^2*b^5 - 2*A*b^7)*\cos(d*x + c)^2 + 3*(C*a^7 - (9*A + 10*C)*a^5*b^2 + (8*A + 7*C)*a^3*b^4 + (A + 2*C)*a*b^6)*\cos(d*x + c))*\sin(d*x + c))/((a^{11} - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*\cos(d*x + c)^3 + 3*(a^{10}*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^{10})*d*\cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^{11})*d), 1/6*(3*((2*A + C)*a^3*b^3 + (3*A + 4*C)*a*b^5 + ((2*A + C)*a^6 + (3*A + 4*C)*a^4*b^2)*\cos(d*x + c)^3 + 3*((2*A + C)*a^5*b + (3*A + 4*C)*a^3*b^3)*\cos(d*x + c)^2 + 3*((2*A + C)*a^4*b^2 + (3*A + 4*C)*a^2*b^4)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c))) + (C*a^6*b - 11*(A + C)*a^4*b^3 + (7*A + 4*C)*a^2*b^5 + 2*(2*A + 3*C)*b^7 - ((18*A + 13*C)*a^6*b - (23*A + 11*C)*a^4*b^3 + (7*A - 2*C)*a^2*b^5 - 2*A*b^7)*\cos(d*x + c)^2 + 3*(C*a^7 - (9*A + 10*C)*a^5*b^2 + (8*A + 7*C)*a^3*b^4 + (A + 2*C)*a*b^6)*\cos(d*x + c))*\sin(d*x + c))/((a^{11} - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*\cos(d*x + c)^3 + 3*(a^{10}*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^{10})*d*\cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^{11})*d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.31245, size = 936, normalized size = 3.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/3*(3*(2*A*a^3 + C*a^3 + 3*A*a*b^2 + 4*C*a*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + \arctan((a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*\sqrt{-a^2 + b^2}) \\ & - (3*C*a^5*\tan(1/2*d*x + 1/2*c)^5 + 18*A*a^4*b*\tan(1/2*d*x + 1/2*c)^5 + 12*C*a^4*b*\tan(1/2*d*x + 1/2*c)^5 - 27*A*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 \\ & - 27*C*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 + 6*A*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 + 12*C*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 - 3*A*a*b^4*\tan(1/2*d*x + 1/2*c)^5 \\ & - 6*C*a*b^4*\tan(1/2*d*x + 1/2*c)^5 + 6*A*b^5*\tan(1/2*d*x + 1/2*c)^5 + 6*C*b^5*\tan(1/2*d*x + 1/2*c)^5 - 36*A*a^4*b*\tan(1/2*d*x + 1/2*c)^3 \\ & - 28*C*a^4*b*\tan(1/2*d*x + 1/2*c)^3 + 32*A*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 + 16*C*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 + 4*A*b^5*\tan(1/2*d*x + 1/2*c)^3 \\ & + 12*C*b^5*\tan(1/2*d*x + 1/2*c)^3 - 3*C*a^5*\tan(1/2*d*x + 1/2*c) + 18*A*a^4*b*\tan(1/2*d*x + 1/2*c) + 12*C*a^4*b*\tan(1/2*d*x + 1/2*c) \\ & + 27*A*a^3*b^2*\tan(1/2*d*x + 1/2*c) + 6*A*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 12*C*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 3*A*a*b^4*\tan(1/2*d*x + 1/2*c) \\ & + 6*C*a*b^4*\tan(1/2*d*x + 1/2*c) + 6*A*b^5*\tan(1/2*d*x + 1/2*c) + 6*C*b^5*\tan(1/2*d*x + 1/2*c))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^3))/d \end{aligned}$$

$$3.702 \quad \int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=292

$$\frac{b(-a^4b^2(8A-C) + 7a^2Ab^4 + 4a^6(2A+C) - 2Ab^6) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{7/2}(a+b)^{7/2}} - \frac{(-13a^4b^2(2A+C) + 17a^2Ab^4 - 2a^6)}{6a^3d(a^2-b^2)^3(a+b \sec(c+dx))}$$

[Out] (A*x)/a^4 - (b*(7*a^2*A*b^4 - 2*A*b^6 - a^4*b^2*(8*A - C) + 4*a^6*(2*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(7/2)*(a + b)^(7/2)*d) + ((A*b^2 + a^2*C)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((3*A*b^4 - 2*a^4*C - a^2*b^2*(8*A + 3*C))*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((17*a^2*A*b^4 - 6*A*b^6 - 2*a^6*C - 13*a^4*b^2*(2*A + C))*Tan[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.93672, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {4061, 4060, 3919, 3831, 2659, 208}

$$\frac{b(-a^4b^2(8A-C) + 7a^2Ab^4 + 4a^6(2A+C) - 2Ab^6) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{7/2}(a+b)^{7/2}} - \frac{(-13a^4b^2(2A+C) + 17a^2Ab^4 - 2a^6)}{6a^3d(a^2-b^2)^3(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^4, x]

[Out] (A*x)/a^4 - (b*(7*a^2*A*b^4 - 2*A*b^6 - a^4*b^2*(8*A - C) + 4*a^6*(2*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(7/2)*(a + b)^(7/2)*d) + ((A*b^2 + a^2*C)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((3*A*b^4 - 2*a^4*C - a^2*b^2*(8*A + 3*C))*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((17*a^2*A*b^4 - 6*A*b^6 - 2*a^6*C - 13*a^4*b^2*(2*A + C))*Tan[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4061

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(b_. + (a_.)^(m_.), x_Symbol] := Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[

```
e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 -
b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*b*(
A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
&& LtQ[m, -1]
```

Rule 4060

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^4} dx &= \frac{(Ab^2 + a^2C) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{\int \frac{-3A(a^2 - b^2) + 3ab(A + C) \sec(c + dx) - 2(Ab^2 + a^2C) \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx}{3a(a^2 - b^2)} \\
&= \frac{(Ab^2 + a^2C) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 - 2a^4C - a^2b^2(8A + 3C)) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} + \frac{\int \frac{6A(a^2 - b^2)}{(a + b \sec(c + dx))^3} dx}{3a(a^2 - b^2)} \\
&= \frac{(Ab^2 + a^2C) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 - 2a^4C - a^2b^2(8A + 3C)) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} - \frac{(17a^2 - 12Ab^2 + 8a^2C)}{3a(a^2 - b^2)} \\
&= \frac{Ax}{a^4} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 - 2a^4C - a^2b^2(8A + 3C)) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} - \frac{(17a^2 - 12Ab^2 + 8a^2C)}{3a(a^2 - b^2)} \\
&= \frac{Ax}{a^4} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 - 2a^4C - a^2b^2(8A + 3C)) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} - \frac{(17a^2 - 12Ab^2 + 8a^2C)}{3a(a^2 - b^2)} \\
&= \frac{Ax}{a^4} + \frac{(Ab^2 + a^2C) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 - 2a^4C - a^2b^2(8A + 3C)) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} - \frac{(17a^2 - 12Ab^2 + 8a^2C)}{3a(a^2 - b^2)} \\
&= \frac{Ax}{a^4} - \frac{b(8a^6A - 8a^4Ab^2 + 7a^2Ab^4 - 2Ab^6 + 4a^6C + a^4b^2C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{7/2}(a+b)^{7/2}d} + \frac{(17a^2 - 12Ab^2 + 8a^2C)}{3a(a^2 - b^2)}
\end{aligned}$$

Mathematica [C] time = 7.21228, size = 995, normalized size = 3.41

$$\frac{2Ax \sec^2(c + dx) (C \sec^2(c + dx) + A) (b + a \cos(c + dx))^4}{a^4 (\cos(2c + 2dx)A + A + 2C)(a + b \sec(c + dx))^4} + \frac{(-8Aa^6 - 4Ca^6 + 8Ab^2a^4 - b^2Ca^4 - 7Ab^4a^2 + 2Ab^6)}{a^4(a-b)^{7/2}(a+b)^{7/2}d} \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right) + \frac{(17a^2 - 12Ab^2 + 8a^2C)}{3a(a^2 - b^2)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^4,x]

[Out] (2*A*x*(b + a*Cos[c + d*x])^4*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a^4*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) + (((-8*a^6*A + 8*a^4*A*b^2 - 7*a^2*A*b^4 + 2*A*b^6 - 4*a^6*C - a^4*b^2*C)*(b + a*Cos[c + d*x])^4

```

*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*(((2*I)*b*ArcTan[Sec[(d*x)/2]*(Cos[c
]/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]]) - (I*Sin[c])/(Sqrt[a^2 - b^
2]*Sqrt[Cos[2*c] - I*Sin[2*c]])))*((-I)*b*Sin[(d*x)/2] + I*a*Sin[c + (d*x)/2
]))*Cos[c]/(a^4*Sqrt[a^2 - b^2]*d*Sqrt[Cos[2*c] - I*Sin[2*c]]) + (2*b*ArcT
an[Sec[(d*x)/2]*(Cos[c]/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]]) - (I*
Sin[c])/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]])))*((-I)*b*Sin[(d*x)/2]
 + I*a*Sin[c + (d*x)/2]))*Sin[c]/(a^4*Sqrt[a^2 - b^2]*d*Sqrt[Cos[2*c] - I*
Sin[2*c]])))/((-a^2 + b^2)^3*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c +
d*x])^4) - (2*(b + a*Cos[c + d*x])*Sec[c]*Sec[c + d*x]^2*(A + C*Sec[c + d*x
]^2)*(A*b^5*Sin[c] + a^2*b^3*C*Sin[c] - a*A*b^4*Sin[d*x] - a^3*b^2*C*Sin[d*
x]))/(3*a^4*(a^2 - b^2)*d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x
])^4) + ((b + a*Cos[c + d*x])^2*Sec[c]*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2
)*(14*a^2*A*b^4*Sin[c] - 9*A*b^6*Sin[c] + 8*a^4*b^2*C*Sin[c] - 3*a^2*b^4*C*
Sin[c] - 12*a^3*A*b^3*Sin[d*x] + 7*a*A*b^5*Sin[d*x] - 6*a^5*b*C*Sin[d*x] +
a^3*b^3*C*Sin[d*x]))/(3*a^4*(a^2 - b^2)^2*d*(A + 2*C + A*Cos[2*c + 2*d*x])*
(a + b*Sec[c + d*x])^4) + ((b + a*Cos[c + d*x])^3*Sec[c]*Sec[c + d*x]^2*(A
 + C*Sec[c + d*x]^2)*(-48*a^4*A*b^3*Sin[c] + 51*a^2*A*b^5*Sin[c] - 18*A*b^7*
Sin[c] - 12*a^6*b*C*Sin[c] - 3*a^4*b^3*C*Sin[c] + 36*a^5*A*b^2*Sin[d*x] - 3
2*a^3*A*b^4*Sin[d*x] + 11*a*A*b^6*Sin[d*x] + 6*a^7*C*Sin[d*x] + 10*a^5*b^2*
C*Sin[d*x] - a^3*b^4*C*Sin[d*x]))/(3*a^4*(a^2 - b^2)^3*d*(A + 2*C + A*Cos[2
*c + 2*d*x])*(a + b*Sec[c + d*x])^4)

```

Maple [B] time = 0.113, size = 2407, normalized size = 8.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x)
```

```

[Out] -8/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(
1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*a^2-2/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1
/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/
2*c)^5*C-1/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a
^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*C*b^3-6/d*a/(tan(1/2*d*x+1/2*c
)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2
*d*x+1/2*c)^5*b^2*C-44/3/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b
-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A*b^4-2/d/a^3/
(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*
a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A*b^6+6/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d
*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A
*b^4+2/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3

```


$$\begin{aligned}
& -3a^2b+3ab^2-b^3) \tan(1/2dx+1/2c) * C a^2+1/d/a^2/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a-b)/(a^3+3a^2b+3ab^2+b^3) \tan(1/2dx+1/2c)^5 A b^5-2/d/a^3/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a-b)/(a^3+3a^2b+3ab^2+b^3) \tan(1/2dx+1/2c)^5 A b^6+4/d/a^3/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a^2-2ab+b^2)/(a^2+2ab+b^2) \tan(1/2dx+1/2c)^3 A b^6+28/3/d/a/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a^2-2ab+b^2)/(a^2+2ab+b^2) \tan(1/2dx+1/2c)^3 b^2 C-6/d/a/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a+b)/(a^3-3a^2b+3ab^2-b^3) \tan(1/2dx+1/2c) b^2 C-1/d/a^2/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a+b)/(a^3-3a^2b+3ab^2-b^3) \tan(1/2dx+1/2c) A b^5+6/d/a/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a+b)/(a^3-3a^2b+3ab^2-b^3) \tan(1/2dx+1/2c) A b^4-7/d/a^2 b^5/(a^6-3a^4 b^2+3a^2 b^4-b^6)/((a+b)*(a-b))^{1/2} \operatorname{arctanh}((a-b) \tan(1/2dx+1/2c))/((a+b)*(a-b))^{1/2} A+2/d/a^4 b^7/(a^6-3a^4 b^2+3a^2 b^4-b^6)/((a+b)*(a-b))^{1/2} \operatorname{arctanh}((a-b) \tan(1/2dx+1/2c))/((a+b)*(a-b))^{1/2} A+1/d/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a+b)/(a^3-3a^2b+3ab^2-b^3) \tan(1/2dx+1/2c) C b^3+4/d/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3 a^3/(a^2-2ab+b^2)/(a^2+2ab+b^2) \tan(1/2dx+1/2c)^3 C-2/d/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3 a^3/(a+b)/(a^3-3a^2b+3ab^2-b^3) \tan(1/2dx+1/2c) C-4/d b/(a^6-3a^4 b^2+3a^2 b^4-b^6)/((a+b)*(a-b))^{1/2} \operatorname{arctanh}((a-b) \tan(1/2dx+1/2c))/((a+b)*(a-b))^{1/2} C a^2-2/d b/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a-b)/(a^3+3a^2b+3ab^2+b^3) \tan(1/2dx+1/2c)^5 C a^2-12/d b^2/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3 a/(a+b)/(a^3-3a^2b+3ab^2-b^3) \tan(1/2dx+1/2c) A-12/d b^2/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3 a/(a-b)/(a^3+3a^2b+3ab^2+b^3) \tan(1/2dx+1/2c)^5 A+24/d b^2/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3 a/(a^2-2ab+b^2)/(a^2+2ab+b^2) \tan(1/2dx+1/2c)^3 A+2/d A/a^4 \operatorname{arctan}(\tan(1/2dx+1/2c))+4/d b^3/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a+b)/(a^3-3a^2b+3ab^2-b^3) \tan(1/2dx+1/2c) A-4/d b^3/(\tan(1/2dx+1/2c)^{2a}-\tan(1/2dx+1/2c)^{2b-a-b})^3/(a-b)/(a^3+3a^2b+3ab^2+b^3) \tan(1/2dx+1/2c)^5 A+8/d b^3/(a^6-3a^4 b^2+3a^2 b^4-b^6)/((a+b)*(a-b))^{1/2} \operatorname{arctanh}((a-b) \tan(1/2dx+1/2c))/((a+b)*(a-b))^{1/2} A-1/d b^3/(a^6-3a^4 b^2+3a^2 b^4-b^6)/((a+b)*(a-b))^{1/2} \operatorname{arctanh}((a-b) \tan(1/2dx+1/2c))/((a+b)*(a-b))^{1/2} C
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.922288, size = 3868, normalized size = 13.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out] [1/12*(12*(A*a^11 - 4*A*a^9*b^2 + 6*A*a^7*b^4 - 4*A*a^5*b^6 + A*a^3*b^8)*d*x*cos(d*x + c)^3 + 36*(A*a^10*b - 4*A*a^8*b^3 + 6*A*a^6*b^5 - 4*A*a^4*b^7 + A*a^2*b^9)*d*x*cos(d*x + c)^2 + 36*(A*a^9*b^2 - 4*A*a^7*b^4 + 6*A*a^5*b^6 - 4*A*a^3*b^8 + A*a*b^10)*d*x*cos(d*x + c) + 12*(A*a^8*b^3 - 4*A*a^6*b^5 + 6*A*a^4*b^7 - 4*A*a^2*b^9 + A*b^11)*d*x + 3*(4*(2*A + C)*a^6*b^4 - (8*A - C)*a^4*b^6 + 7*A*a^2*b^8 - 2*A*b^10 + (4*(2*A + C)*a^9*b - (8*A - C)*a^7*b^3 + 7*A*a^5*b^5 - 2*A*a^3*b^7)*cos(d*x + c)^3 + 3*(4*(2*A + C)*a^8*b^2 - (8*A - C)*a^6*b^4 + 7*A*a^4*b^6 - 2*A*a^2*b^8)*cos(d*x + c)^2 + 3*(4*(2*A + C)*a^7*b^3 - (8*A - C)*a^5*b^5 + 7*A*a^3*b^7 - 2*A*a*b^9)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(2*C*a^9*b^2 + (26*A + 11*C)*a^7*b^4 - (43*A + 13*C)*a^5*b^6 + 23*A*a^3*b^8 - 6*A*a*b^10 + (6*C*a^11 + 4*(9*A + C)*a^9*b^2 - (68*A + 11*C)*a^7*b^4 + (43*A + C)*a^5*b^6 - 11*A*a^3*b^8)*cos(d*x + c)^2 + 3*(2*C*a^10*b + (20*A + 7*C)*a^8*b^3 - 5*(7*A + 2*C)*a^6*b^5 + (20*A + C)*a^4*b^7 - 5*A*a^2*b^9)*cos(d*x + c))*sin(d*x + c)]/((a^15 - 4*a^13*b^2 + 6*a^11*b^4 - 4*a^9*b^6 + a^7*b^8)*d*cos(d*x + c)^3 + 3*(a^14*b - 4*a^12*b^3 + 6*a^10*b^5 - 4*a^8*b^7 + a^6*b^9)*d*cos(d*x + c)^2 + 3*(a^13*b^2 - 4*a^11*b^4 + 6*a^9*b^6 - 4*a^7*b^8 + a^5*b^10)*d*cos(d*x + c) + (a^12*b^3 - 4*a^10*b^5 + 6*a^8*b^7 - 4*a^6*b^9 + a^4*b^11)*d), 1/6*(6*(A*a^11 - 4*A*a^9*b^2 + 6*A*a^7*b^4 - 4*A*a^5*b^6 + A*a^3*b^8)*d*x*cos(d*x + c)^3 + 18*(A*a^10*b - 4*A*a^8*b^3 + 6*A*a^6*b^5 - 4*A*a^4*b^7 + A*a^2*b^9)*d*x*cos(d*x + c)^2 + 18*(A*a^9*b^2 - 4*A*a^7*b^4 + 6*A*a^5*b^6 - 4*A*a^3*b^8 + A*a*b^10)*d*x*cos(d*x + c) + 6*(A*a^8*b^3 - 4*A*a^6*b^5 + 6*A*a^4*b^7 - 4*A*a^2*b^9 + A*b^11)*d*x - 3*(4*(2*A + C)*a^6*b^4 - (8*A - C)*a^4*b^6 + 7*A*a^2*b^8 - 2*A*b^10 + (4*(2*A + C)*a^9*b - (8*A - C)*a^7*b^3 + 7*A*a^5*b^5 - 2*A*a^3*b^7)*cos(d*x + c)^3 + 3*(4*(2*A + C)*a^8*b^2 - (8*A - C)*a^6*b^4 + 7*A*a^4*b^6 - 2*A*a^2*b^8)*cos(d*x + c)^2 + 3*(4*(2*A + C)*a^7*b^3 - (8*A - C)*a^5*b^5 + 7*A*a^3*b^7 - 2*A*a*b^9)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*C*a^9*b^2 + (26*A + 11*C)*a^7*b^4 - (43*A + 13*C)*a^5*b^6 + 23*A*a^3*b^8 - 6*A*a

```
*b^10 + (6*C*a^11 + 4*(9*A + C)*a^9*b^2 - (68*A + 11*C)*a^7*b^4 + (43*A + C)
)*a^5*b^6 - 11*A*a^3*b^8)*cos(d*x + c)^2 + 3*(2*C*a^10*b + (20*A + 7*C)*a^8
*b^3 - 5*(7*A + 2*C)*a^6*b^5 + (20*A + C)*a^4*b^7 - 5*A*a^2*b^9)*cos(d*x +
c))*sin(d*x + c))/((a^15 - 4*a^13*b^2 + 6*a^11*b^4 - 4*a^9*b^6 + a^7*b^8)*d
*cos(d*x + c)^3 + 3*(a^14*b - 4*a^12*b^3 + 6*a^10*b^5 - 4*a^8*b^7 + a^6*b^9
)*d*cos(d*x + c)^2 + 3*(a^13*b^2 - 4*a^11*b^4 + 6*a^9*b^6 - 4*a^7*b^8 + a^5
*b^10)*d*cos(d*x + c) + (a^12*b^3 - 4*a^10*b^5 + 6*a^8*b^7 - 4*a^6*b^9 + a^
4*b^11)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**4, x)
```

Giac [B] time = 1.31741, size = 1141, normalized size = 3.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")
```

```
[Out] -1/3*(3*(8*A*a^6*b + 4*C*a^6*b - 8*A*a^4*b^3 + C*a^4*b^3 + 7*A*a^2*b^5 - 2*
A*b^7)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1
/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^10 - 3*a^8
*b^2 + 3*a^6*b^4 - a^4*b^6)*sqrt(-a^2 + b^2)) - 3*(d*x + c)*A/a^4 + (6*C*a^
8*tan(1/2*d*x + 1/2*c)^5 - 6*C*a^7*b*tan(1/2*d*x + 1/2*c)^5 + 36*A*a^6*b^2*
tan(1/2*d*x + 1/2*c)^5 + 12*C*a^6*b^2*tan(1/2*d*x + 1/2*c)^5 - 60*A*a^5*b^3
*tan(1/2*d*x + 1/2*c)^5 - 27*C*a^5*b^3*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^4*b^4
*tan(1/2*d*x + 1/2*c)^5 + 12*C*a^4*b^4*tan(1/2*d*x + 1/2*c)^5 + 45*A*a^3*b^
5*tan(1/2*d*x + 1/2*c)^5 + 3*C*a^3*b^5*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^2*b^6
*tan(1/2*d*x + 1/2*c)^5 - 15*A*a*b^7*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^8*tan(1
/2*d*x + 1/2*c)^5 - 12*C*a^8*tan(1/2*d*x + 1/2*c)^3 - 72*A*a^6*b^2*tan(1/2*
```

$$\begin{aligned}
& d*x + 1/2*c)^3 - 16*C*a^6*b^2*\tan(1/2*d*x + 1/2*c)^3 + 116*A*a^4*b^4*\tan(1/2*d*x + 1/2*c)^3 + 28*C*a^4*b^4*\tan(1/2*d*x + 1/2*c)^3 - 56*A*a^2*b^6*\tan(1/2*d*x + 1/2*c)^3 + 12*A*b^8*\tan(1/2*d*x + 1/2*c)^3 + 6*C*a^8*\tan(1/2*d*x + 1/2*c) + 6*C*a^7*b*\tan(1/2*d*x + 1/2*c) + 36*A*a^6*b^2*\tan(1/2*d*x + 1/2*c) + 12*C*a^6*b^2*\tan(1/2*d*x + 1/2*c) + 60*A*a^5*b^3*\tan(1/2*d*x + 1/2*c) + 27*C*a^5*b^3*\tan(1/2*d*x + 1/2*c) - 6*A*a^4*b^4*\tan(1/2*d*x + 1/2*c) + 12*C*a^4*b^4*\tan(1/2*d*x + 1/2*c) - 45*A*a^3*b^5*\tan(1/2*d*x + 1/2*c) - 3*C*a^3*b^5*\tan(1/2*d*x + 1/2*c) - 6*A*a^2*b^6*\tan(1/2*d*x + 1/2*c) + 15*A*a*b^7*\tan(1/2*d*x + 1/2*c) + 6*A*b^8*\tan(1/2*d*x + 1/2*c))/((a^9 - 3*a^7*b^2 + 3*a^5*b^4 - a^3*b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^3))/d
\end{aligned}$$

$$3.703 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=367

$$\frac{(-a^4b^2(65A+4C)+68a^2Ab^4+a^6(6A-11C)-24Ab^6)\sin(c+dx)}{6a^4d(a^2-b^2)^3} - \frac{(-a^6b^2(20A+3C)+35a^4Ab^4-28a^2Ab^6-2a^8)}{a^5d(a-b)^{7/2}(a+b)}$$

[Out] $(-4A*b*x)/a^5 - ((35*a^4*A*b^4 - 28*a^2*A*b^6 + 8*A*b^8 - 2*a^8*C - a^6*b^2*(20*A + 3*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^{(7/2)}*(a + b)^{(7/2)*d} + ((68*a^2*A*b^4 - 24*A*b^6 + a^6*(6*A - 11*C) - a^4*b^2*(65*A + 4*C))*Sin[c + d*x])/(6*a^4*(a^2 - b^2)^3*d) + ((A*b^2 + a^2*C)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((4*A*b^4 - 3*a^4*C - a^2*b^2*(9*A + 2*C))*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((11*a^2*A*b^4 - 4*A*b^6 - 2*a^6*C - 3*a^4*b^2*(4*A + C))*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 1.82357, antiderivative size = 367, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4101, 4100, 4104, 3919, 3831, 2659, 208}

$$\frac{(-a^4b^2(65A+4C)+68a^2Ab^4+a^6(6A-11C)-24Ab^6)\sin(c+dx)}{6a^4d(a^2-b^2)^3} - \frac{(-a^6b^2(20A+3C)+35a^4Ab^4-28a^2Ab^6-2a^8)}{a^5d(a-b)^{7/2}(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out] $(-4A*b*x)/a^5 - ((35*a^4*A*b^4 - 28*a^2*A*b^6 + 8*A*b^8 - 2*a^8*C - a^6*b^2*(20*A + 3*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^{(7/2)}*(a + b)^{(7/2)*d} + ((68*a^2*A*b^4 - 24*A*b^6 + a^6*(6*A - 11*C) - a^4*b^2*(65*A + 4*C))*Sin[c + d*x])/(6*a^4*(a^2 - b^2)^3*d) + ((A*b^2 + a^2*C)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((4*A*b^4 - 3*a^4*C - a^2*b^2*(9*A + 2*C))*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((11*a^2*A*b^4 - 4*A*b^6 - 2*a^6*C - 3*a^4*b^2*(4*A + C))*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))$

Rule 4101

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[((A*
b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/
(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*
Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a^2*(A + C)*(m + 1) - (A*b^2
+ a^2*C)*(m + n + 1) - a*b*(A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(
m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
.))^m, x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^4} dx &= \frac{(Ab^2+a^2C)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{\int \frac{\cos(c+dx)(4Ab^2-a^2(3A-C)+3ab(A+C)\sec(c+dx))}{(a+b\sec(c+dx))^3} dx}{3a(a^2-b^2)} \\
 &= \frac{(Ab^2+a^2C)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{(4Ab^4-3a^4C-a^2b^2(9A+2C))\sin(c+dx)}{6a^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
 &= \frac{(Ab^2+a^2C)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{(4Ab^4-3a^4C-a^2b^2(9A+2C))\sin(c+dx)}{6a^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
 &= \frac{(68a^2Ab^4-24Ab^6+a^6(6A-11C)-a^4b^2(65A+4C))\sin(c+dx)}{6a^4(a^2-b^2)^3d} + \frac{(A-b)}{3a(a^2-b^2)} \\
 &= -\frac{4Abx}{a^5} + \frac{(68a^2Ab^4-24Ab^6+a^6(6A-11C)-a^4b^2(65A+4C))\sin(c+dx)}{6a^4(a^2-b^2)^3d} \\
 &= -\frac{4Abx}{a^5} + \frac{(68a^2Ab^4-24Ab^6+a^6(6A-11C)-a^4b^2(65A+4C))\sin(c+dx)}{6a^4(a^2-b^2)^3d} \\
 &= -\frac{4Abx}{a^5} + \frac{(68a^2Ab^4-24Ab^6+a^6(6A-11C)-a^4b^2(65A+4C))\sin(c+dx)}{6a^4(a^2-b^2)^3d} \\
 &= -\frac{4Abx}{a^5} + \frac{(20a^6Ab^2-35a^4Ab^4+28a^2Ab^6-8Ab^8+2a^8C+3a^6b^2C)\tanh^{-1}\left(\frac{x}{\sqrt{-a/b}}\right)}{a^5(a-b)^{7/2}(a+b)^{7/2}d}
 \end{aligned}$$

Mathematica [C] time = 7.42231, size = 1089, normalized size = 2.97

$$\frac{8Abx \sec^2(c + dx) (C \sec^2(c + dx) + A) (b + a \cos(c + dx))^4}{a^5 (\cos(2c + 2dx)A + A + 2C)(a + b \sec(c + dx))^4} + \frac{(-2Ca^8 - 20Ab^2a^6 - 3b^2Ca^6 + 35Ab^4a^4 - 28Ab^6a^2 + 8b^8)}{a^5 (\cos(2c + 2dx)A + A + 2C)(a + b \sec(c + dx))^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out]
$$\begin{aligned} & (-8*A*b*x*(b + a*\cos[c + d*x])^4*\sec[c + d*x]^2*(A + C*\sec[c + d*x]^2))/(a^5*(A + 2*C + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) + ((-20*a^6*A*b^2 + 35*a^4*A*b^4 - 28*a^2*A*b^6 + 8*A*b^8 - 2*a^8*C - 3*a^6*b^2*C)*(b + a*\cos[c + d*x])^4*\sec[c + d*x]^2*(A + C*\sec[c + d*x]^2)*(((-2*I)*\text{ArcTan}[\sec[(d*x)/2]*(\cos[c]/(\sqrt{a^2 - b^2}*\sqrt{\cos[2*c] - I*\sin[2*c]}) - (I*\sin[c])/\sqrt{a^2 - b^2}*\sqrt{\cos[2*c] - I*\sin[2*c]})]*((-I)*b*\sin[(d*x)/2] + I*a*\sin[c + (d*x)/2]))*\cos[c])/(a^5*\sqrt{a^2 - b^2}*d*\sqrt{\cos[2*c] - I*\sin[2*c]}) \\ & - (2*\text{ArcTan}[\sec[(d*x)/2]*(\cos[c]/(\sqrt{a^2 - b^2}*\sqrt{\cos[2*c] - I*\sin[2*c]}) - (I*\sin[c])/\sqrt{a^2 - b^2}*\sqrt{\cos[2*c] - I*\sin[2*c]})]*((-I)*b*\sin[(d*x)/2] + I*a*\sin[c + (d*x)/2]))*\sin[c])/(a^5*\sqrt{a^2 - b^2}*d*\sqrt{\cos[2*c] - I*\sin[2*c]}) \\ &))/((-a^2 + b^2)^3*(A + 2*C + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) + (2*(b + a*\cos[c + d*x])*sec[c]*sec[c + d*x]^2*(A + C*sec[c + d*x]^2)*(A*b^6*\sin[c] + a^2*b^4*C*\sin[c] - a*A*b^5*\sin[d*x] - a^3*b^3*C*\sin[d*x]))/(3*a^5*(a^2 - b^2)*d*(A + 2*C + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) + ((b + a*\cos[c + d*x])^2*sec[c]*sec[c + d*x]^2*(A + C*sec[c + d*x]^2)*(-17*a^2*A*b^5*\sin[c] + 12*A*b^7*\sin[c] - 11*a^4*b^3*C*\sin[c] + 6*a^2*b^5*C*\sin[c] + 15*a^3*A*b^4*\sin[d*x] - 10*a*A*b^6*\sin[d*x] + 9*a^5*b^2*C*\sin[d*x] - 4*a^3*b^4*C*\sin[d*x]))/(3*a^5*(a^2 - b^2)^2*d*(A + 2*C + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) + ((b + a*\cos[c + d*x])^3*sec[c]*sec[c + d*x]^2*(A + C*sec[c + d*x]^2)*(75*a^4*A*b^4*\sin[c] - 96*a^2*A*b^6*\sin[c] + 36*A*b^8*\sin[c] + 27*a^6*b^2*C*\sin[c] - 18*a^4*b^4*C*\sin[c] + 6*a^2*b^6*C*\sin[c] - 60*a^5*A*b^3*\sin[d*x] + 71*a^3*A*b^5*\sin[d*x] - 26*a*A*b^7*\sin[d*x] - 18*a^7*b*C*\sin[d*x] + 5*a^5*b^3*C*\sin[d*x] - 2*a^3*b^5*C*\sin[d*x]))/(3*a^5*(a^2 - b^2)^3*d*(A + 2*C + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) + (2*A*(b + a*\cos[c + d*x])^4*sec[c + d*x]*(A + C*sec[c + d*x]^2)*tan[c + d*x])/(a^4*d*(A + 2*C + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) \end{aligned}$$

Maple [B] time = 0.152, size = 2283, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)*(A+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^4,x)$

[Out]
$$\begin{aligned} & 2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2* \\ & b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C*b^3+6/d/a^4/(\tan(1/2*d*x+1/2*c)^2*a-t \\ & \tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^7/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d* \\ & x+1/2*c)*A+6/d/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^ \\ & 7/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+116/3/d/a^2/(\tan(1 \\ & /2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^5/(a^2-2*a*b+b^2)/(a^2+2* \\ & a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-12/d/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d* \\ & x+1/2*c)^2*b-a-b)^3*b^7/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^ \\ & 3*A+3/d*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+ \\ & 3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*b^2*C+2/d/a^3/(\tan(1/2*d*x+1/2*c) \\ & ^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2* \\ & d*x+1/2*c)*A*b^6+5/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^ \\ & 3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^4+6/d*b/(\tan(1/2 \\ & *d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^ \\ & 3)*\tan(1/2*d*x+1/2*c)*C*a^2-12/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2* \\ & c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C*a^2-18 \\ & /d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a \\ & ^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^5-2/d/a^3/(\tan(1/2*d*x+1/2*c)^2* \\ & a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x \\ & +1/2*c)^5*A*b^6-3/d*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3 \\ & /(\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c) \\ & *b^2*C-18/d/a^2/(\tan(1/2 \\ & *d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^ \\ & 3)*\tan(1/2*d*x+1/2*c)*A*b^5-5/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c) \\ &)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^4+2/d/ \\ & (\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a \\ & *b^2-b^3)*\tan(1/2*d*x+1/2*c)*C*b^3+6/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d* \\ & x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C* \\ & a^2-40/d*b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a \\ & *b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+20/d*b^3/(\tan(1/2*d*x+1/2*c) \\ & ^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2* \\ & d*x+1/2*c)*A+20/d*b^2*a/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*a \\ & rctanh((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+3/d*b^2*a/(a^6-3*a^4 \\ & *b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*\tan(1/2*d*x+1/2*c)/((\\ & a+b)*(a-b))^(1/2))*C+20/d*b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2* \\ & b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-35/d/a/(a^6 \\ & -3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*\tan(1/2*d*x+1/2 \\ & *c)/((a+b)*(a-b))^(1/2))*A*b^4-8/d/a^5/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b) \\ & *(a-b))^(1/2)*arctanh((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^8+2 \\ & 8/d/a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*\tan \\ & (1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^6-4/3/d/(\tan(1/2*d*x+1/2*c)^2*a-ta \end{aligned}$$

$$\frac{n(1/2*d*x+1/2*c)^2*b-a-b)^3*b^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C+2/d*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)*\arctan((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C+2/d*A/a^4*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-8/d*A/a^5*b*\arctan(\tan(1/2*d*x+1/2*c))$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.06307, size = 4319, normalized size = 11.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} &[-1/12*(48*(A*a^{11}*b - 4*A*a^9*b^3 + 6*A*a^7*b^5 - 4*A*a^5*b^7 + A*a^3*b^9) \\ &*d*x*\cos(d*x + c)^3 + 144*(A*a^{10}*b^2 - 4*A*a^8*b^4 + 6*A*a^6*b^6 - 4*A*a^4 \\ &*b^8 + A*a^2*b^{10})*d*x*\cos(d*x + c)^2 + 144*(A*a^9*b^3 - 4*A*a^7*b^5 + 6*A* \\ &a^5*b^7 - 4*A*a^3*b^9 + A*a*b^{11})*d*x*\cos(d*x + c) + 48*(A*a^8*b^4 - 4*A*a^6 \\ &b^6 + 6*A*a^4*b^8 - 4*A*a^2*b^{10} + A*b^{12})*d*x - 3*(2*C*a^8*b^3 + (20*A + \\ &3*C)*a^6*b^5 - 35*A*a^4*b^7 + 28*A*a^2*b^9 - 8*A*b^{11} + (2*C*a^{11} + (20*A \\ &+ 3*C)*a^9*b^2 - 35*A*a^7*b^4 + 28*A*a^5*b^6 - 8*A*a^3*b^8)*\cos(d*x + c)^3 \\ &+ 3*(2*C*a^{10}*b + (20*A + 3*C)*a^8*b^3 - 35*A*a^6*b^5 + 28*A*a^4*b^7 - 8*A* \\ &a^2*b^9)*\cos(d*x + c)^2 + 3*(2*C*a^9*b^2 + (20*A + 3*C)*a^7*b^4 - 35*A*a^5* \\ &b^6 + 28*A*a^3*b^8 - 8*A*a*b^{10})*\cos(d*x + c))*\sqrt{a^2 - b^2}*\log((2*a*b*c \\ &\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 + 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + \\ &c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + \\ &c) + b^2)) - 2*((6*A - 11*C)*a^9*b^3 - (71*A - 7*C)*a^7*b^5 + (133*A + 4*C) \\ &*a^5*b^7 - 92*A*a^3*b^9 + 24*A*a*b^{11} + 6*(A*a^{12} - 4*A*a^{10}*b^2 + 6*A*a^8* \\ &b^4 - 4*A*a^6*b^6 + A*a^4*b^8)*\cos(d*x + c)^3 + (18*(A - C)*a^{11}*b - (132*A \end{aligned}$$

$$\begin{aligned}
& - 23C)a^9b^3 + (239A - 7C)a^7b^5 - (169A - 2C)a^5b^7 + 44Aa^3 \\
& *b^9)\cos(dx + c)^2 + 3*(3*(2A - 3C)a^{10}b^2 - (59A - 8C)a^8b^4 + (\\
& 110A + C)a^6b^6 - 77Aa^4b^8 + 20Aa^2b^{10})\cos(dx + c))\sin(dx + \\
& c))/((a^{16} - 4a^{14}b^2 + 6a^{12}b^4 - 4a^{10}b^6 + a^8b^8)*d*\cos(dx + c) \\
& ^3 + 3*(a^{15}b - 4a^{13}b^3 + 6a^{11}b^5 - 4a^9b^7 + a^7b^9)*d*\cos(dx + \\
& c)^2 + 3*(a^{14}b^2 - 4a^{12}b^4 + 6a^{10}b^6 - 4a^8b^8 + a^6b^{10})*d*\cos \\
& (dx + c) + (a^{13}b^3 - 4a^{11}b^5 + 6a^9b^7 - 4a^7b^9 + a^5b^{11})*d), \\
& -1/6*(24*(Aa^{11}b - 4Aa^9b^3 + 6Aa^7b^5 - 4Aa^5b^7 + Aa^3b^9)*d \\
& *x*\cos(dx + c)^3 + 72*(Aa^{10}b^2 - 4Aa^8b^4 + 6Aa^6b^6 - 4Aa^4b^ \\
& 8 + Aa^2b^{10})*d*x*\cos(dx + c)^2 + 72*(Aa^9b^3 - 4Aa^7b^5 + 6Aa^5b \\
& b^7 - 4Aa^3b^9 + Aa*b^{11})*d*x*\cos(dx + c) + 24*(Aa^8b^4 - 4Aa^6b^ \\
& 6 + 6Aa^4b^8 - 4Aa^2b^{10} + Ab^{12})*d*x - 3*(2Ca^8b^3 + (20A + 3C \\
&)a^6b^5 - 35Aa^4b^7 + 28Aa^2b^9 - 8Ab^{11} + (2Ca^{11} + (20A + 3C \\
& C)a^9b^2 - 35Aa^7b^4 + 28Aa^5b^6 - 8Aa^3b^8)*\cos(dx + c)^3 + 3* \\
& (2Ca^{10}b + (20A + 3C)a^8b^3 - 35Aa^6b^5 + 28Aa^4b^7 - 8Aa^2b^ \\
& b^9)*\cos(dx + c)^2 + 3*(2Ca^9b^2 + (20A + 3C)a^7b^4 - 35Aa^5b^6 \\
& + 28Aa^3b^8 - 8Aa*b^{10})*\cos(dx + c))\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a \\
& ^2 + b^2}*(b*\cos(dx + c) + a)/((a^2 - b^2)*\sin(dx + c))) - ((6A - 11C)* \\
& a^9b^3 - (71A - 7C)a^7b^5 + (133A + 4C)a^5b^7 - 92Aa^3b^9 + 24* \\
& Aa*b^{11} + 6*(Aa^{12} - 4Aa^{10}b^2 + 6Aa^8b^4 - 4Aa^6b^6 + Aa^4b^8 \\
&)*\cos(dx + c)^3 + (18*(A - C)a^{11}b - (132A - 23C)a^9b^3 + (239A - 7 \\
& *C)a^7b^5 - (169A - 2C)a^5b^7 + 44Aa^3b^9)*\cos(dx + c)^2 + 3*(3*(\\
& 2A - 3C)a^{10}b^2 - (59A - 8C)a^8b^4 + (110A + C)a^6b^6 - 77Aa^4 \\
& *b^8 + 20Aa^2b^{10})\cos(dx + c))\sin(dx + c))/((a^{16} - 4a^{14}b^2 + 6a \\
& ^{12}b^4 - 4a^{10}b^6 + a^8b^8)*d*\cos(dx + c)^3 + 3*(a^{15}b - 4a^{13}b^3 + \\
& 6a^{11}b^5 - 4a^9b^7 + a^7b^9)*d*\cos(dx + c)^2 + 3*(a^{14}b^2 - 4a^{12}b \\
& b^4 + 6a^{10}b^6 - 4a^8b^8 + a^6b^{10})*d*\cos(dx + c) + (a^{13}b^3 - 4a^{1 \\
& 1}b^5 + 6a^9b^7 - 4a^7b^9 + a^5b^{11})*d)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+C*sec(dx+c)**2)/(a+b*sec(dx+c))**4,x)

[Out] Timed out

Giac [B] time = 1.36366, size = 1143, normalized size = 3.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{1}{3} \cdot (3 \cdot (2 \cdot C \cdot a^8 + 20 \cdot A \cdot a^6 \cdot b^2 + 3 \cdot C \cdot a^6 \cdot b^2 - 35 \cdot A \cdot a^4 \cdot b^4 + 28 \cdot A \cdot a^2 \cdot b^6 - 8 \cdot A \cdot b^8) \cdot (\pi \cdot \text{floor}(1/2 \cdot (d \cdot x + c) / \pi + 1/2) \cdot \text{sgn}(-2 \cdot a + 2 \cdot b) + \arctan(-\frac{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)}{\sqrt{-a^2 + b^2}})) / ((a^{11} - 3 \cdot a^9 \cdot b^2 + 3 \cdot a^7 \cdot b^4 - a^5 \cdot b^6) \cdot \sqrt{-a^2 + b^2}) - 12 \cdot (d \cdot x + c) \cdot A \cdot b / a^5 + (18 \cdot C \cdot a^8 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 27 \cdot C \cdot a^7 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 60 \cdot A \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 6 \cdot C \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 105 \cdot A \cdot a^5 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 3 \cdot C \cdot a^5 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 24 \cdot A \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 6 \cdot C \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 117 \cdot A \cdot a^3 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 24 \cdot A \cdot a^2 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 42 \cdot A \cdot a \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 18 \cdot A \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 36 \cdot C \cdot a^8 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 120 \cdot A \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 32 \cdot C \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 236 \cdot A \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 4 \cdot C \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 152 \cdot A \cdot a^2 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 36 \cdot A \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 18 \cdot C \cdot a^8 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 27 \cdot C \cdot a^7 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 60 \cdot A \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 6 \cdot C \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 105 \cdot A \cdot a^5 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 3 \cdot C \cdot a^5 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 24 \cdot A \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 6 \cdot C \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 117 \cdot A \cdot a^3 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 24 \cdot A \cdot a^2 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 42 \cdot A \cdot a \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 18 \cdot A \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / ((a^{10} - 3 \cdot a^8 \cdot b^2 + 3 \cdot a^6 \cdot b^4 - a^4 \cdot b^6) \cdot (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - a - b)^3) + 6 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1) \cdot a^4) / d$$

$$3.704 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=513

$$\frac{b(a^4b^2(146A-17C) - a^2b^4(167A-6C) + a^6(-24A-26C)) + 60Ab^6 \sin(c+dx)}{6a^5d(a^2-b^2)^3} - \frac{(a^4b^2(23A-2C) - a^2b^4(27A-6C)) \cos(c+dx)}{6a^5d(a^2-b^2)^3}$$

```
[Out] ((20*A*b^2 + a^2*(A + 2*C))*x)/(2*a^6) + ((20*A*b^9 - a^2*b^7*(69*A - 2*C)
- 8*a^6*b^3*(5*A - C) + 7*a^4*b^5*(12*A - C) - 8*a^8*b*C)*ArcTanh[(Sqrt[a -
b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^6*Sqrt[a - b]*Sqrt[a + b]*(a^2 - b^2
)^3*d) + (b*(60*A*b^6 - a^6*(24*A - 26*C) + a^4*b^2*(146*A - 17*C) - a^2*b^
4*(167*A - 6*C))*Sin[c + d*x])/(6*a^5*(a^2 - b^2)^3*d) - ((10*A*b^6 - a^6*(
A - 6*C) + a^4*b^2*(23*A - 2*C) - a^2*b^4*(27*A - C))*Cos[c + d*x]*Sin[c +
d*x])/(2*a^4*(a^2 - b^2)^3*d) + ((A*b^2 + a^2*C)*Cos[c + d*x]*Sin[c + d*x])
/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((5*A*b^4 - 4*a^4*C - a^2*b^2
*(10*A + C))*Cos[c + d*x]*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c
+ d*x])^2) + ((20*A*b^6 - a^2*b^4*(53*A - 2*C) + 12*a^6*C + a^4*b^2*(48*A
+ C))*Cos[c + d*x]*Sin[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]
))
```

Rubi [A] time = 2.3451, antiderivative size = 513, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4101, 4100, 4104, 3919, 3831, 2659, 208}

$$\frac{b(a^4b^2(146A-17C) - a^2b^4(167A-6C) + a^6(-24A-26C)) + 60Ab^6 \sin(c+dx)}{6a^5d(a^2-b^2)^3} - \frac{(a^4b^2(23A-2C) - a^2b^4(27A-6C)) \cos(c+dx)}{6a^5d(a^2-b^2)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]
```

```
[Out] ((20*A*b^2 + a^2*(A + 2*C))*x)/(2*a^6) + ((20*A*b^9 - a^2*b^7*(69*A - 2*C)
- 8*a^6*b^3*(5*A - C) + 7*a^4*b^5*(12*A - C) - 8*a^8*b*C)*ArcTanh[(Sqrt[a -
b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^6*Sqrt[a - b]*Sqrt[a + b]*(a^2 - b^2
)^3*d) + (b*(60*A*b^6 - a^6*(24*A - 26*C) + a^4*b^2*(146*A - 17*C) - a^2*b^
4*(167*A - 6*C))*Sin[c + d*x])/(6*a^5*(a^2 - b^2)^3*d) - ((10*A*b^6 - a^6*(
A - 6*C) + a^4*b^2*(23*A - 2*C) - a^2*b^4*(27*A - C))*Cos[c + d*x]*Sin[c +
```

```
d*x]]/(2*a^4*(a^2 - b^2)^3*d) + ((A*b^2 + a^2*C)*Cos[c + d*x]*Sin[c + d*x])
/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((5*A*b^4 - 4*a^4*C - a^2*b^2
*(10*A + C))*Cos[c + d*x]*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c
+ d*x])^2) + ((20*A*b^6 - a^2*b^4*(53*A - 2*C) + 12*a^6*C + a^4*b^2*(48*A
+ C))*Cos[c + d*x]*Sin[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]
))
```

Rule 4101

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[((A*
b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/
(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*
Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a^2*(A + C)*(m + 1) - (A*b^2
+ a^2*C)*(m + n + 1) - a*b*(A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(
m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
.))^m, x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
```

a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out]
$$\begin{aligned} &((-96*b*(20*A*b^8 + 7*a^4*b^4*(12*A - C) - 8*a^8*C + 8*a^6*b^2*(-5*A + C) + \\ &a^2*b^6*(-69*A + 2*C))*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2] \\ &)]/(a^2 - b^2)^{(7/2)} + (72*a^{10}*A*b*c + 1272*a^8*A*b^3*c - 3288*a^6*A*b^5*c \\ &+ 1512*a^4*A*b^7*c + 1392*a^2*A*b^9*c - 960*A*b^{11}*c + 144*a^{10}*b*c*C - 33 \\ &6*a^8*b^3*c*C + 144*a^6*b^5*c*C + 144*a^4*b^7*c*C - 96*a^2*b^9*c*C + 72*a^{10} \\ &0*A*b*d*x + 1272*a^8*A*b^3*d*x - 3288*a^6*A*b^5*d*x + 1512*a^4*A*b^7*d*x + \\ &1392*a^2*A*b^9*d*x - 960*A*b^{11}*d*x + 144*a^{10}*b*C*d*x - 336*a^8*b^3*C*d*x \\ &+ 144*a^6*b^5*C*d*x + 144*a^4*b^7*C*d*x - 96*a^2*b^9*C*d*x + 36*a*(a^2 - b^2)^3 \\ &*(a^2 + 4*b^2)*(20*A*b^2 + a^2*(A + 2*C))*(c + d*x)*Cos[c + d*x] + 72*a^2*b*(a^2 - b^2)^3 \\ &*(20*A*b^2 + a^2*(A + 2*C))*(c + d*x)*Cos[2*(c + d*x)] + 12*a^{11}*A*c*Cos[3*(c + d*x)] \\ &+ 204*a^9*A*b^2*c*Cos[3*(c + d*x)] - 684*a^7*A*b^4*c*Cos[3*(c + d*x)] + 708*a^5*A*b^6*c*Cos[3*(c + d*x)] \\ &- 240*a^3*A*b^8*c*Cos[3*(c + d*x)] + 24*a^{11}*c*Cos[3*(c + d*x)] - 72*a^9*b^2*c*Cos[3*(c + d*x)] \\ &+ 72*a^7*b^4*c*Cos[3*(c + d*x)] - 24*a^5*b^6*c*Cos[3*(c + d*x)] + 12*a^{11}*A*d*x*Cos[3*(c + d*x)] \\ &+ 204*a^9*A*b^2*d*x*Cos[3*(c + d*x)] - 684*a^7*A*b^4*d*x*Cos[3*(c + d*x)] + 708*a^5*A*b^6*d*x*Cos[3*(c + d*x)] \\ &- 240*a^3*A*b^8*d*x*Cos[3*(c + d*x)] + 24*a^{11}*C*d*x*Cos[3*(c + d*x)] - 72*a^9*b^2*C*d*x*Cos[3*(c + d*x)] \\ &+ 72*a^7*b^4*C*d*x*Cos[3*(c + d*x)] - 24*a^5*b^6*C*d*x*Cos[3*(c + d*x)] + 6*a^{11}*A*Sin[c + d*x] \\ &- 270*a^9*A*b^2*Sin[c + d*x] + 750*a^7*A*b^4*Sin[c + d*x] + 1086*a^5*A*b^6*Sin[c + d*x] - 2232*a^3*A*b^8*Sin[c + d*x] \\ &+ 960*a*A*b^{10}*Sin[c + d*x] + 144*a^9*b^2*C*Sin[c + d*x] + 288*a^7*b^4*C*Sin[c + d*x] \\ &- 228*a^5*b^6*C*Sin[c + d*x] + 96*a^3*b^8*C*Sin[c + d*x] - 60*a^{10}*A*b*Sin[2*(c + d*x)] \\ &- 372*a^8*A*b^3*Sin[2*(c + d*x)] + 2772*a^6*A*b^5*Sin[2*(c + d*x)] - 3300*a^4*A*b^7*Sin[2*(c + d*x)] \\ &+ 1200*a^2*A*b^9*Sin[2*(c + d*x)] + 480*a^8*b^3*C*Sin[2*(c + d*x)] - 360*a^6*b^5*C*Sin[2*(c + d*x)] \\ &+ 120*a^4*b^7*C*Sin[2*(c + d*x)] + 9*a^{11}*A*Sin[3*(c + d*x)] - 279*a^9*A*b^2*Sin[3*(c + d*x)] \\ &+ 1143*a^7*A*b^4*Sin[3*(c + d*x)] - 1253*a^5*A*b^6*Sin[3*(c + d*x)] + 440*a^3*A*b^8*Sin[3*(c + d*x)] \\ &+ 144*a^9*b^2*C*Sin[3*(c + d*x)] - 128*a^7*b^4*C*Sin[3*(c + d*x)] + 44*a^5*b^6*C*Sin[3*(c + d*x)] \\ &- 30*a^{10}*A*b*Sin[4*(c + d*x)] + 90*a^8*A*b^3*Sin[4*(c + d*x)] - 90*a^6*A*b^5*Sin[4*(c + d*x)] \\ &+ 30*a^4*A*b^7*Sin[4*(c + d*x)] + 3*a^{11}*A*Sin[5*(c + d*x)] - 9*a^9*A*b^2*Sin[5*(c + d*x)] \\ &+ 9*a^7*A*b^4*Sin[5*(c + d*x)] - 3*a^5*A*b^6*Sin[5*(c + d*x)]/((a^2 - b^2)^3*(b + a*Cos[c + d*x])^3)/(9 \\ &6*a^6*d) \end{aligned}$$

Maple [B] time = 0.161, size = 3023, normalized size = 5.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(A+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^4,x)$

[Out]
$$\begin{aligned} & -44/3/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2* \\ & a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C+4/d*b^6/a^3/(\tan(1/2*d*x+1/ \\ & 2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(\\ & 1/2*d*x+1/2*c)^3*C+6/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b \\ & -a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C+1/d*b^5/a^2/ \\ & (\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3* \\ & a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C-12/d*b^8/a^5/(\tan(1/2*d*x+1/2*c)^2*a-\tan(\\ & 1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c \\ &)*A+6/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(\\ & a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C+24/d*b^8/a^5/(\tan(1/2*d*x+1/2 \\ & *c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1 \\ & /2*d*x+1/2*c)^3*A-2/d*b^6/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2* \\ & b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C-1/d*b^5/a^2 \\ & /(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3 \\ & *a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C-2/d*b^6/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/ \\ & 2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)* \\ & C-12/d*b^8/a^5/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/ \\ & (a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-4/d/(\tan(1/2*d*x+1/2*c)^2* \\ & a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x \\ & +1/2*c)^5*C*b^3-1/d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A+1 \\ & /d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*A-3/d/a^4/(\tan(1/2*d*x \\ & +1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^7/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^ \\ & 3)*\tan(1/2*d*x+1/2*c)*A+3/d/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^ \\ & 2*b-a-b)^3*b^7/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-12/d* \\ & a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+ \\ & 3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*b^2*C+60/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(\\ & 1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c \\ &)^3*A*b^4+34/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a \\ & +b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^6-30/d/a/(\tan(1/2*d*x+ \\ & 1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan \\ & (1/2*d*x+1/2*c)^5*A*b^4-6/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c) \\ & ^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^5+34/d \\ & /a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2 \\ & *b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^6-212/3/d/a^3/(\tan(1/2*d*x+1/2*c)^ \\ & 2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d \\ & *x+1/2*c)^3*A*b^6+24/d*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b \\ &)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*b^2*C-12/d*a/(\tan(\\ & 1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2 \\ & -b^3)*\tan(1/2*d*x+1/2*c)*b^2*C+6/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+ \\ & 1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^5- \\ & 30/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a \\ & ^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^4+84/d/a^2*b^5/(a^6-3*a^4*b^2+3*a^ \\ & \end{aligned}$$

$$2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A-69/d/a^4*b^7/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A+4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C*b^3-8/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C*a^2+1/d*A/a^4*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))+2/d*b^7/a^4/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C+20/d*b^9/a^6/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A-7/d*b^5/a^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C+2/d/a^4*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))*C-40/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A-8/d/a^5/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A*b-8/d/a^5/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*A*b+8/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C+20/d/a^6*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))*A*b^2$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.44403, size = 5536, normalized size = 10.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out] [1/12*(6*((A + 2*C)*a^13 + 8*(2*A - C)*a^11*b^2 - 2*(37*A - 6*C)*a^9*b^4 + 4*(29*A - 2*C)*a^7*b^6 - (79*A - 2*C)*a^5*b^8 + 20*A*a^3*b^10)*d*x*cos(d*x

$$\begin{aligned}
& + c)^3 + 18*((A + 2*C)*a^{12}*b + 8*(2*A - C)*a^{10}*b^3 - 2*(37*A - 6*C)*a^8*b^5 + 4*(29*A - 2*C)*a^6*b^7 - (79*A - 2*C)*a^4*b^9 + 20*A*a^2*b^{11})*d*x*\cos \\
& (d*x + c)^2 + 18*((A + 2*C)*a^{11}*b^2 + 8*(2*A - C)*a^9*b^4 - 2*(37*A - 6*C) \\
& *a^7*b^6 + 4*(29*A - 2*C)*a^5*b^8 - (79*A - 2*C)*a^3*b^{10} + 20*A*a*b^{12})*d* \\
& x*\cos(d*x + c) + 6*((A + 2*C)*a^{10}*b^3 + 8*(2*A - C)*a^8*b^5 - 2*(37*A - 6* \\
& C)*a^6*b^7 + 4*(29*A - 2*C)*a^4*b^9 - (79*A - 2*C)*a^2*b^{11} + 20*A*b^{13})*d* \\
& x + 3*(8*C*a^8*b^4 + 8*(5*A - C)*a^6*b^6 - 7*(12*A - C)*a^4*b^8 + (69*A - 2* \\
& C)*a^2*b^{10} - 20*A*b^{12} + (8*C*a^{11}*b + 8*(5*A - C)*a^9*b^3 - 7*(12*A - C) \\
& *a^7*b^5 + (69*A - 2*C)*a^5*b^7 - 20*A*a^3*b^9)*\cos(d*x + c)^3 + 3*(8*C*a^{1 \\
& 0}*b^2 + 8*(5*A - C)*a^8*b^4 - 7*(12*A - C)*a^6*b^6 + (69*A - 2*C)*a^4*b^8 - \\
& 20*A*a^2*b^{10})*\cos(d*x + c)^2 + 3*(8*C*a^9*b^3 + 8*(5*A - C)*a^7*b^5 - 7*(\\
& 12*A - C)*a^5*b^7 + (69*A - 2*C)*a^3*b^9 - 20*A*a*b^{11})*\cos(d*x + c))*\sqrt{ \\
& a^2 - b^2}*\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{ \\
& a^2 - b^2})*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + \\
& c)^2 + 2*a*b*\cos(d*x + c) + b^2)) - 2*(2*(12*A - 13*C)*a^9*b^4 - (170*A - 4 \\
& 3*C)*a^7*b^6 + (313*A - 23*C)*a^5*b^8 - (227*A - 6*C)*a^3*b^{10} + 60*A*a*b^{1 \\
& 2} - 3*(A*a^{13} - 4*A*a^{11}*b^2 + 6*A*a^9*b^4 - 4*A*a^7*b^6 + A*a^5*b^8)*\cos(d \\
& *x + c)^4 + 15*(A*a^{12}*b - 4*A*a^{10}*b^3 + 6*A*a^8*b^5 - 4*A*a^6*b^7 + A*a^4 \\
& *b^9)*\cos(d*x + c)^3 + (9*(7*A - 4*C)*a^{11}*b^2 - 2*(171*A - 34*C)*a^9*b^4 + \\
& (590*A - 43*C)*a^7*b^6 - (421*A - 11*C)*a^5*b^8 + 110*A*a^3*b^{10})*\cos(d*x \\
& + c)^2 + 3*((23*A - 20*C)*a^{10}*b^3 - (146*A - 35*C)*a^8*b^5 + (263*A - 20*C) \\
&)*a^6*b^7 - 5*(38*A - C)*a^4*b^9 + 50*A*a^2*b^{11})*\cos(d*x + c))*\sin(d*x + c \\
&))/((a^{17} - 4*a^{15}*b^2 + 6*a^{13}*b^4 - 4*a^{11}*b^6 + a^9*b^8)*d*\cos(d*x + c)^ \\
& 3 + 3*(a^{16}*b - 4*a^{14}*b^3 + 6*a^{12}*b^5 - 4*a^{10}*b^7 + a^8*b^9)*d*\cos(d*x + \\
& c)^2 + 3*(a^{15}*b^2 - 4*a^{13}*b^4 + 6*a^{11}*b^6 - 4*a^9*b^8 + a^7*b^{10})*d*\cos \\
& (d*x + c) + (a^{14}*b^3 - 4*a^{12}*b^5 + 6*a^{10}*b^7 - 4*a^8*b^9 + a^6*b^{11})*d), \\
& 1/6*(3*((A + 2*C)*a^{13} + 8*(2*A - C)*a^{11}*b^2 - 2*(37*A - 6*C)*a^9*b^4 + 4 \\
& *(29*A - 2*C)*a^7*b^6 - (79*A - 2*C)*a^5*b^8 + 20*A*a^3*b^{10})*d*x*\cos(d*x + \\
& c)^3 + 9*((A + 2*C)*a^{12}*b + 8*(2*A - C)*a^{10}*b^3 - 2*(37*A - 6*C)*a^8*b^5 \\
& + 4*(29*A - 2*C)*a^6*b^7 - (79*A - 2*C)*a^4*b^9 + 20*A*a^2*b^{11})*d*x*\cos(d \\
& *x + c)^2 + 9*((A + 2*C)*a^{11}*b^2 + 8*(2*A - C)*a^9*b^4 - 2*(37*A - 6*C)*a^ \\
& 7*b^6 + 4*(29*A - 2*C)*a^5*b^8 - (79*A - 2*C)*a^3*b^{10} + 20*A*a*b^{12})*d*x*c \\
& os(d*x + c) + 3*((A + 2*C)*a^{10}*b^3 + 8*(2*A - C)*a^8*b^5 - 2*(37*A - 6*C)* \\
& a^6*b^7 + 4*(29*A - 2*C)*a^4*b^9 - (79*A - 2*C)*a^2*b^{11} + 20*A*b^{13})*d*x - \\
& 3*(8*C*a^8*b^4 + 8*(5*A - C)*a^6*b^6 - 7*(12*A - C)*a^4*b^8 + (69*A - 2*C) \\
& *a^2*b^{10} - 20*A*b^{12} + (8*C*a^{11}*b + 8*(5*A - C)*a^9*b^3 - 7*(12*A - C)*a^ \\
& 7*b^5 + (69*A - 2*C)*a^5*b^7 - 20*A*a^3*b^9)*\cos(d*x + c)^3 + 3*(8*C*a^{10}*b \\
& ^2 + 8*(5*A - C)*a^8*b^4 - 7*(12*A - C)*a^6*b^6 + (69*A - 2*C)*a^4*b^8 - 20 \\
& *A*a^2*b^{10})*\cos(d*x + c)^2 + 3*(8*C*a^9*b^3 + 8*(5*A - C)*a^7*b^5 - 7*(12* \\
& A - C)*a^5*b^7 + (69*A - 2*C)*a^3*b^9 - 20*A*a*b^{11})*\cos(d*x + c))*\sqrt{-a^ \\
& 2 + b^2}*\arctan(-\sqrt{-a^2 + b^2})*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x \\
& + c))) - (2*(12*A - 13*C)*a^9*b^4 - (170*A - 43*C)*a^7*b^6 + (313*A - 23*C) \\
&)*a^5*b^8 - (227*A - 6*C)*a^3*b^{10} + 60*A*a*b^{12} - 3*(A*a^{13} - 4*A*a^{11}*b^2 \\
& + 6*A*a^9*b^4 - 4*A*a^7*b^6 + A*a^5*b^8)*\cos(d*x + c)^4 + 15*(A*a^{12}*b - 4 \\
& *A*a^{10}*b^3 + 6*A*a^8*b^5 - 4*A*a^6*b^7 + A*a^4*b^9)*\cos(d*x + c)^3 + (9*(7
\end{aligned}$$

```
*A - 4*C)*a^11*b^2 - 2*(171*A - 34*C)*a^9*b^4 + (590*A - 43*C)*a^7*b^6 - (4
21*A - 11*C)*a^5*b^8 + 110*A*a^3*b^10)*cos(d*x + c)^2 + 3*((23*A - 20*C)*a^
10*b^3 - (146*A - 35*C)*a^8*b^5 + (263*A - 20*C)*a^6*b^7 - 5*(38*A - C)*a^4
*b^9 + 50*A*a^2*b^11)*cos(d*x + c))*sin(d*x + c))/((a^17 - 4*a^15*b^2 + 6*a
^13*b^4 - 4*a^11*b^6 + a^9*b^8)*d*cos(d*x + c)^3 + 3*(a^16*b - 4*a^14*b^3 +
6*a^12*b^5 - 4*a^10*b^7 + a^8*b^9)*d*cos(d*x + c)^2 + 3*(a^15*b^2 - 4*a^13
*b^4 + 6*a^11*b^6 - 4*a^9*b^8 + a^7*b^10)*d*cos(d*x + c) + (a^14*b^3 - 4*a^
12*b^5 + 6*a^10*b^7 - 4*a^8*b^9 + a^6*b^11)*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)
```

```
[Out] Timed out
```

Giac [B] time = 1.35943, size = 1392, normalized size = 2.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="
giac")
```

```
[Out] -1/6*(6*(8*C*a^8*b + 40*A*a^6*b^3 - 8*C*a^6*b^3 - 84*A*a^4*b^5 + 7*C*a^4*b^
5 + 69*A*a^2*b^7 - 2*C*a^2*b^7 - 20*A*b^9)*(pi*floor(1/2*(d*x + c)/pi + 1/2
)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c
)))/sqrt(-a^2 + b^2)))/((a^12 - 3*a^10*b^2 + 3*a^8*b^4 - a^6*b^6)*sqrt(-a^2
+ b^2)) + 2*(36*C*a^8*b^2*tan(1/2*d*x + 1/2*c)^5 - 60*C*a^7*b^3*tan(1/2*d*x
+ 1/2*c)^5 + 90*A*a^6*b^4*tan(1/2*d*x + 1/2*c)^5 - 6*C*a^6*b^4*tan(1/2*d*x
+ 1/2*c)^5 - 162*A*a^5*b^5*tan(1/2*d*x + 1/2*c)^5 + 45*C*a^5*b^5*tan(1/2*d
*x + 1/2*c)^5 - 48*A*a^4*b^6*tan(1/2*d*x + 1/2*c)^5 - 6*C*a^4*b^6*tan(1/2*d
*x + 1/2*c)^5 + 213*A*a^3*b^7*tan(1/2*d*x + 1/2*c)^5 - 15*C*a^3*b^7*tan(1/2
*d*x + 1/2*c)^5 - 48*A*a^2*b^8*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*b^8*tan(1/2
*d*x + 1/2*c)^5 - 81*A*a*b^9*tan(1/2*d*x + 1/2*c)^5 + 36*A*b^10*tan(1/2*d*x
```

$$\begin{aligned}
& + 1/2*c)^5 - 72*C*a^8*b^2*\tan(1/2*d*x + 1/2*c)^3 - 180*A*a^6*b^4*\tan(1/2*d \\
& *x + 1/2*c)^3 + 116*C*a^6*b^4*\tan(1/2*d*x + 1/2*c)^3 + 392*A*a^4*b^6*\tan(1/ \\
& 2*d*x + 1/2*c)^3 - 56*C*a^4*b^6*\tan(1/2*d*x + 1/2*c)^3 - 284*A*a^2*b^8*\tan(\\
& 1/2*d*x + 1/2*c)^3 + 12*C*a^2*b^8*\tan(1/2*d*x + 1/2*c)^3 + 72*A*b^10*\tan(1/ \\
& 2*d*x + 1/2*c)^3 + 36*C*a^8*b^2*\tan(1/2*d*x + 1/2*c) + 60*C*a^7*b^3*\tan(1/2 \\
& *d*x + 1/2*c) + 90*A*a^6*b^4*\tan(1/2*d*x + 1/2*c) - 6*C*a^6*b^4*\tan(1/2*d*x \\
& + 1/2*c) + 162*A*a^5*b^5*\tan(1/2*d*x + 1/2*c) - 45*C*a^5*b^5*\tan(1/2*d*x + \\
& 1/2*c) - 48*A*a^4*b^6*\tan(1/2*d*x + 1/2*c) - 6*C*a^4*b^6*\tan(1/2*d*x + 1/2 \\
& *c) - 213*A*a^3*b^7*\tan(1/2*d*x + 1/2*c) + 15*C*a^3*b^7*\tan(1/2*d*x + 1/2*c \\
&) - 48*A*a^2*b^8*\tan(1/2*d*x + 1/2*c) + 6*C*a^2*b^8*\tan(1/2*d*x + 1/2*c) + \\
& 81*A*a*b^9*\tan(1/2*d*x + 1/2*c) + 36*A*b^10*\tan(1/2*d*x + 1/2*c))/((a^11 - \\
& 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x \\
& + 1/2*c)^2 - a - b)^3) - 3*(A*a^2 + 2*C*a^2 + 20*A*b^2)*(d*x + c)/a^6 + 6*(\\
& A*a*\tan(1/2*d*x + 1/2*c)^3 + 8*A*b*\tan(1/2*d*x + 1/2*c)^3 - A*a*\tan(1/2*d*x \\
& + 1/2*c) + 8*A*b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^5 \\
&))/d
\end{aligned}$$

$$3.705 \quad \int \frac{a^2 - b^2 \sec^2(c+dx)}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=17

$$ax - \frac{b \tanh^{-1}(\sin(c+dx))}{d}$$

[Out] a*x - (b*ArcTanh[Sin[c + d*x]])/d

Rubi [A] time = 0.0442866, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {4042, 3770}

$$ax - \frac{b \tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]),x]

[Out] a*x - (b*ArcTanh[Sin[c + d*x]])/d

Rule 4042

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Dist[C/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[-a + b*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A*b^2 + a^2*C, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{a^2 - b^2 \sec^2(c + dx)}{a + b \sec(c + dx)} dx &= - \int (-a + b \sec(c + dx)) dx \\ &= ax - b \int \sec(c + dx) dx \\ &= ax - \frac{b \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.0066265, size = 17, normalized size = 1.

$$ax - \frac{b \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]),x]

[Out] a*x - (b*ArcTanh[Sin[c + d*x]])/d

Maple [A] time = 0.043, size = 31, normalized size = 1.8

$$ax - \frac{b \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{ac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)

[Out] a*x-1/d*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*a*c

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.497741, size = 95, normalized size = 5.59

$$\frac{2adx - b \log(\sin(dx + c) + 1) + b \log(-\sin(dx + c) + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*a*d*x - b*log(sin(d*x + c) + 1) + b*log(-sin(d*x + c) + 1))/d

Sympy [A] time = 3.25023, size = 41, normalized size = 2.41

$$ax - b \begin{cases} \frac{x(\tan(c)\sec(c)+\sec^2(c))}{\tan(c)+\sec(c)} & \text{for } d = 0 \\ \frac{\log(\tan(c+dx)+\sec(c+dx))}{d} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**2-b**2*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] a*x - b*Piecewise((x*(tan(c)*sec(c) + sec(c)**2)/(tan(c) + sec(c)), Eq(d, 0)), (log(tan(c + d*x) + sec(c + d*x))/d, True))

Giac [B] time = 1.19349, size = 58, normalized size = 3.41

$$\frac{(dx + c)a - b \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + b \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)*a - b*log(abs(tan(1/2*d*x + 1/2*c) + 1)) + b*log(abs(tan(1/2*d*x + 1/2*c) - 1)))/d

$$3.706 \quad \int \frac{a^2 - b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=52

$$x - \frac{4b \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d\sqrt{a-b}\sqrt{a+b}}$$

[Out] x - (4*b*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*Sqrt[a + b]*d)

Rubi [A] time = 0.130744, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4042, 3919, 3831, 2659, 208}

$$x - \frac{4b \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2,x]

[Out] x - (4*b*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*Sqrt[a + b]*d)

Rule 4042

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.), x_Symbol] :> Dist[C/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[-a + b*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A*b^2 + a^2*C, 0]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
  := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x]
  && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
  e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
  a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
  && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
  Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
 \int \frac{a^2 - b^2 \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx &= - \int \frac{-a + b \sec(c + dx)}{a + b \sec(c + dx)} dx \\
 &= x - (2b) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx \\
 &= x - 2 \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx \\
 &= x - \frac{4 \operatorname{Subst} \left(\int \frac{1}{1 + \frac{a}{b} + (1 - \frac{a}{b})x^2} dx, x, \tan \left(\frac{1}{2}(c + dx) \right) \right)}{d} \\
 &= x - \frac{4b \tanh^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+bd}}
 \end{aligned}$$

Mathematica [A] time = 0.0994043, size = 56, normalized size = 1.08

$$\frac{4b \tanh^{-1} \left(\frac{(b-a) \tan \left(\frac{1}{2}(c+dx) \right)}{\sqrt{a^2-b^2}} \right)}{d\sqrt{a^2-b^2}} + \frac{c}{d} + x$$

Antiderivative was successfully verified.

[In] Integrate[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2,x]

[Out] c/d + x + (4*b*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])/(Sqrt[a^2 - b^2]*d)

Maple [A] time = 0.079, size = 61, normalized size = 1.2

$$2 \frac{\arctan(\tan(1/2 dx + c/2))}{d} - 4 \frac{b}{d\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)

[Out] 2/d*arctan(tan(1/2*d*x+1/2*c))-4/d*b/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.527682, size = 491, normalized size = 9.44

$$\left[\frac{(a^2 - b^2)dx + \sqrt{a^2 - b^2}b \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{(a^2 - b^2)d}, \frac{(a^2 - b^2)dx - 2\sqrt{-a^2 + b^2} \log\left(\frac{b \cos(dx+c) + a}{b \cos(dx+c) - a}\right)}{(a^2 - b^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\left[\frac{((a^2 - b^2)dx + \sqrt{a^2 - b^2})b \log((2ab \cos(dx + c) - (a^2 - 2b^2) \cos(dx + c)^2 - 2\sqrt{a^2 - b^2})(b \cos(dx + c) + a) \sin(dx + c) + 2(a^2 - b^2)) / (a^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + b^2))}{((a^2 - b^2)d)}, \frac{((a^2 - b^2)dx - 2\sqrt{-a^2 + b^2})b \arctan(-\sqrt{-a^2 + b^2})(b \cos(dx + c) + a) / ((a^2 - b^2) \sin(dx + c))}{((a^2 - b^2)d)} \right]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a - b \sec(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**2-b**2*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Integral((a - b*sec(c + d*x))/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.18053, size = 113, normalized size = 2.17

$$dx + \frac{4 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{-a^2+b^2}} \right) \right) b}{\sqrt{-a^2+b^2}} + c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out]
$$(dx + 4 * (\pi * \text{floor}(1/2 * (dx + c) / \pi + 1/2) * \text{sgn}(2*a - 2*b) + \arctan((a * \tan(1/2 * dx + 1/2 * c) - b * \tan(1/2 * dx + 1/2 * c)) / \sqrt{-a^2 + b^2}))) * b / \sqrt{-a^2 + b^2} + c) / d$$

$$3.707 \quad \int \frac{a^2 - b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=107

$$-\frac{2b(3a^2 - b^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad(a-b)^{3/2}(a+b)^{3/2}} + \frac{2b^2 \tan(c+dx)}{d(a^2 - b^2)(a+b \sec(c+dx))} + \frac{x}{a}$$

[Out] x/a - (2*b*(3*a^2 - b^2)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*(a - b)^(3/2)*(a + b)^(3/2)*d) + (2*b^2*Tan[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.205855, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4042, 3923, 3919, 3831, 2659, 208}

$$-\frac{2b(3a^2 - b^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad(a-b)^{3/2}(a+b)^{3/2}} + \frac{2b^2 \tan(c+dx)}{d(a^2 - b^2)(a+b \sec(c+dx))} + \frac{x}{a}$$

Antiderivative was successfully verified.

[In] Int[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3,x]

[Out] x/a - (2*b*(3*a^2 - b^2)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*(a - b)^(3/2)*(a + b)^(3/2)*d) + (2*b^2*Tan[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4042

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.), x_Symbol] :> Dist[C/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[-a + b*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A*b^2 + a^2*C, 0]

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f

```
*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)
), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c -
a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && Ne
Q[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{a^2 - b^2 \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx &= - \int \frac{-a + b \sec(c + dx)}{(a + b \sec(c + dx))^2} dx \\
&= \frac{2b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))} + \frac{\int \frac{a(a^2 - b^2) - 2a^2 b \sec(c + dx)}{a + b \sec(c + dx)} dx}{a(a^2 - b^2)} \\
&= \frac{x}{a} + \frac{2b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{(b(3a^2 - b^2)) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx}{a(a^2 - b^2)} \\
&= \frac{x}{a} + \frac{2b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{(3a^2 - b^2) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{a(a^2 - b^2)} \\
&= \frac{x}{a} + \frac{2b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{(2(3a^2 - b^2)) \text{Subst} \left(\int \frac{1}{1 + \frac{a}{b} + (1 - \frac{a}{b})x^2} dx, x, \tan \left(\frac{1}{2}(c + dx) \right) \right)}{a(a^2 - b^2) d} \\
&= \frac{x}{a} - \frac{2b(3a^2 - b^2) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a+b}} \right)}{a(a-b)^{3/2}(a+b)^{3/2}d} + \frac{2b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))}
\end{aligned}$$

Mathematica [A] time = 0.460015, size = 139, normalized size = 1.3

$$\frac{b((a^2 - b^2)(c + dx) + 2ab \sin(c + dx)) + a(a^2 - b^2)(c + dx) \cos(c + dx)}{a \cos(c + dx) + b} - \frac{2b(b^2 - 3a^2) \tanh^{-1} \left(\frac{(b-a) \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a^2 - b^2}} \right)}{\sqrt{a^2 - b^2}}$$

$$ad(a - b)(a + b)$$

Antiderivative was successfully verified.

[In] Integrate[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3,x]

[Out] ((-2*b*(-3*a^2 + b^2)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + (a*(a^2 - b^2)*(c + d*x)*Cos[c + d*x] + b*((a^2 - b^2)*(c + d*x) + 2*a*b*Sin[c + d*x]))/(b + a*Cos[c + d*x]))/(a*(a - b)*(a + b)*d)

Maple [B] time = 0.098, size = 202, normalized size = 1.9

$$2 \frac{\arctan(\tan(1/2 dx + c/2))}{ad} - 4 \frac{b^2 \tan(1/2 dx + c/2)}{d(a^2 - b^2)((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)} - 6 \frac{a}{d(a + b)(a - b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a^2-b^2*\sec(dx+c)^2)/(a+b*\sec(dx+c))^3,x)$

[Out] $\frac{2}{d} \frac{a \arctan(\tan(1/2 dx + 1/2 c)) - 4/d b^2 / (a^2 - b^2) \tan(1/2 dx + 1/2 c)}{\tan(1/2 dx + 1/2 c)^2 a - \tan(1/2 dx + 1/2 c)^2 b - a - b} - \frac{6}{d} \frac{b a}{(a+b)(a-b)} \frac{1}{((a+b)(a-b))^{1/2} \operatorname{arctanh}((a-b) \tan(1/2 dx + 1/2 c) / ((a+b)(a-b))^{1/2})} + \frac{2}{d} \frac{b^3}{a} \frac{1}{(a+b)(a-b)} \frac{1}{((a+b)(a-b))^{1/2} \operatorname{arctanh}((a-b) \tan(1/2 dx + 1/2 c) / ((a+b)(a-b))^{1/2})}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a^2-b^2*\sec(dx+c)^2)/(a+b*\sec(dx+c))^3,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [B] time = 0.616108, size = 1050, normalized size = 9.81

$$\frac{2 \left(a^5 - 2 a^3 b^2 + a b^4 \right) dx \cos(dx + c) + 2 \left(a^4 b - 2 a^2 b^3 + b^5 \right) dx + \left(3 a^2 b^2 - b^4 + \left(3 a^3 b - a b^3 \right) \cos(dx + c) \right) \sqrt{a^2 - b^2} \log \left(\frac{2 \left(a^6 - 2 a^4 b^2 + a^2 b^4 \right) d \cos(dx + c) + \left(a^5 b - 2 a^3 b^3 + a b^5 \right) dx + \left(3 a^2 b^2 - b^4 + \left(3 a^3 b - a b^3 \right) \cos(dx + c) \right) \sqrt{a^2 - b^2}}{2 \left(a^6 - 2 a^4 b^2 + a^2 b^4 \right) d \cos(dx + c) + \left(a^5 b - 2 a^3 b^3 + a b^5 \right) dx + \left(3 a^2 b^2 - b^4 + \left(3 a^3 b - a b^3 \right) \cos(dx + c) \right) \sqrt{a^2 - b^2}} \right)}{2 \left(a^6 - 2 a^4 b^2 + a^2 b^4 \right) d \cos(dx + c) + \left(a^5 b - 2 a^3 b^3 + a b^5 \right) dx + \left(3 a^2 b^2 - b^4 + \left(3 a^3 b - a b^3 \right) \cos(dx + c) \right) \sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a^2-b^2*\sec(dx+c)^2)/(a+b*\sec(dx+c))^3,x, \text{algorithm}="fricas")$

[Out] $\frac{1}{2} \left(2 \left(a^5 - 2 a^3 b^2 + a b^4 \right) d x \cos(dx + c) + 2 \left(a^4 b - 2 a^2 b^3 + b^5 \right) d x + \left(3 a^2 b^2 - b^4 + \left(3 a^3 b - a b^3 \right) \cos(dx + c) \right) \sqrt{a^2 - b^2} \log \left(\frac{2 a b \cos(dx + c) - \left(a^2 - 2 b^2 \right) \cos(dx + c)^2 - 2 \sqrt{a^2 - b^2} \left(b \cos(dx + c) + a \right) \sin(dx + c) + 2 a^2 - b^2}{\left(a^2 \cos(dx + c)^2 + 2 a b \cos(dx + c) + b^2 \right) + 4 \left(a^3 b^2 - a b^4 \right) \sin(dx + c)} \right) + 4 \left(a^3 b^2 - a b^4 \right) \sin(dx + c) \right) / \left(\left(a^6 - 2 a^4 b^2 + a^2 b^4 \right) d \cos(dx + c) + \left(a^5 b - 2 a^3 b^3 + a b^5 \right) d \right), \left(\left(a^5 - 2 a^3 b^2 + a b^4 \right) d x \cos(dx + c) + \left(a^4 b - 2 a^2 b^3 + b^5 \right) d x - \left(3 a^2 b^2 - b^4 + \left(3 a^3 b - a b^3 \right) \cos(dx + c) \right) \sqrt{-a^2 + b^2} \right) \arctan \left(-\sqrt{-a^2 + b^2} \right)$

$$-a^2 + b^2)(b \cos(dx + c) + a)/((a^2 - b^2) \sin(dx + c)) + 2(a^3 b^2 - a b^4) \sin(dx + c)/((a^6 - 2a^4 b^2 + a^2 b^4) d \cos(dx + c) + (a^5 b - 2a^3 b^3 + a b^5) d)]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a - b \sec(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**2-b**2*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)

[Out] Integral((a - b*sec(c + d*x))/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.26168, size = 236, normalized size = 2.21

$$\frac{4b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 - a - b} \frac{2(3a^2b - b^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^3 - ab^2) \sqrt{-a^2+b^2}} - \frac{dx+c}{a}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] $-(4b^2 \tan(1/2 dx + 1/2 c) / ((a \tan(1/2 dx + 1/2 c)^2 - b \tan(1/2 dx + 1/2 c)^2 - a - b) * (a^2 - b^2)) - 2 * (3a^2 b - b^3) * (\pi * \text{floor}(1/2 * (dx + c) / \pi + 1/2) * \operatorname{sgn}(2a - 2b) + \arctan((a \tan(1/2 dx + 1/2 c) - b \tan(1/2 dx + 1/2 c)) / \sqrt{-a^2 + b^2}))) / ((a^3 - a b^2) * \sqrt{-a^2 + b^2}) - (dx + c) / a) / d$

$$3.708 \quad \int \frac{a^2 - b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=162

$$\frac{2b(-2a^2b^2 + 4a^4 + b^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d (a-b)^{5/2} (a+b)^{5/2}} + \frac{b^2 (4a^2 - b^2) \tan(c+dx)}{ad (a^2 - b^2)^2 (a+b \sec(c+dx))} + \frac{b^2 \tan(c+dx)}{d (a^2 - b^2) (a+b \sec(c+dx))}$$

[Out] x/a^2 - (2*b*(4*a^4 - 2*a^2*b^2 + b^4)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(5/2)*(a + b)^(5/2)*d) + (b^2*Tan[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b^2*(4*a^2 - b^2)*Tan[c + d*x])/(a*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.339561, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {4042, 3923, 4060, 3919, 3831, 2659, 208}

$$\frac{2b(-2a^2b^2 + 4a^4 + b^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d (a-b)^{5/2} (a+b)^{5/2}} + \frac{b^2 (4a^2 - b^2) \tan(c+dx)}{ad (a^2 - b^2)^2 (a+b \sec(c+dx))} + \frac{b^2 \tan(c+dx)}{d (a^2 - b^2) (a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^4,x]

[Out] x/a^2 - (2*b*(4*a^4 - 2*a^2*b^2 + b^4)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(5/2)*(a + b)^(5/2)*d) + (b^2*Tan[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b^2*(4*a^2 - b^2)*Tan[c + d*x])/(a*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4042

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(b_. + (a_.)^(m_.), x_Symbol] :> Dist[C/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[-a + b*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A*b^2 + a^2*C, 0]

Rule 3923

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4060

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{a^2 - b^2 \sec^2(c + dx)}{(a + b \sec(c + dx))^4} dx &= - \int \frac{-a + b \sec(c + dx)}{(a + b \sec(c + dx))^3} dx \\
&= \frac{b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))^2} + \frac{\int \frac{2a(a^2 - b^2) - 4a^2 b \sec(c + dx) + 2ab^2 \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx}{2a(a^2 - b^2)} \\
&= \frac{b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))^2} + \frac{b^2 (4a^2 - b^2) \tan(c + dx)}{a(a^2 - b^2)^2 d(a + b \sec(c + dx))} - \frac{\int \frac{-2a(a^2 - b^2)^2 + 6a^4 b \sec(c + dx)}{a + b \sec(c + dx)} dx}{2a^2 (a^2 - b^2)^2} \\
&= \frac{x}{a^2} + \frac{b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))^2} + \frac{b^2 (4a^2 - b^2) \tan(c + dx)}{a(a^2 - b^2)^2 d(a + b \sec(c + dx))} - \frac{(b(4a^4 - 2a^2 b^2 + b^4) \tan^{-1}(\frac{\sqrt{a-b} \tan(\frac{1}{2}(c+dx))}{\sqrt{a+b}}))}{a^2} \\
&= \frac{x}{a^2} + \frac{b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))^2} + \frac{b^2 (4a^2 - b^2) \tan(c + dx)}{a(a^2 - b^2)^2 d(a + b \sec(c + dx))} - \frac{(4a^4 - 2a^2 b^2 + b^4) \tan^{-1}(\frac{\sqrt{a-b} \tan(\frac{1}{2}(c+dx))}{\sqrt{a+b}})}{a^2} \\
&= \frac{x}{a^2} + \frac{b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))^2} + \frac{b^2 (4a^2 - b^2) \tan(c + dx)}{a(a^2 - b^2)^2 d(a + b \sec(c + dx))} - \frac{(2(4a^4 - 2a^2 b^2 + b^4) \tan^{-1}(\frac{\sqrt{a-b} \tan(\frac{1}{2}(c+dx))}{\sqrt{a+b}}))}{a^2} \\
&= \frac{x}{a^2} - \frac{2b(4a^4 - 2a^2 b^2 + b^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2(a-b)^{5/2}(a+b)^{5/2}d} + \frac{b^2 \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))^2} + \dots
\end{aligned}$$

Mathematica [A] time = 0.775569, size = 223, normalized size = 1.38

$$\frac{\sec^2(c + dx)(a \cos(c + dx) + b)(a - b \sec(c + dx)) \left(\frac{ab^2(5a^2 - 2b^2) \sin(c + dx)(a \cos(c + dx) + b)}{(a - b)^2(a + b)^2} + \frac{2b(-2a^2 b^2 + 4a^4 + b^4)(a \cos(c + dx) + b)^2 \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a^2 - b^2)^{5/2}} \right)}{a^2 d(a \cos(c + dx) - b)(a + b \sec(c + dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^4,x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^2*(a - b*Sec[c + d*x]))*((c + d*x)*(b + a*Cos[c + d*x])^2 + (2*b*(4*a^4 - 2*a^2*b^2 + b^4)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])*(b + a*Cos[c + d*x])^2)/(a^2 - b^2)^(5/2) + (a*b^3*Sin[c + d*x])/((-a + b)*(a + b)) + (a*b^2*(5*a^2 - 2*b^2)*(b + a*Cos[c

$$+ d*x])*\text{Sin}[c + d*x])/((a - b)^2*(a + b)^2))/((a^2*d*(-b + a*\text{Cos}[c + d*x])*(a + b*\text{Sec}[c + d*x])^3)$$

Maple [B] time = 0.102, size = 659, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x)`

[Out]
$$\begin{aligned} & 2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))-10/d*b^2*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3-2/d*b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+2/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+10/d*b^2*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)-2/d*b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)-2/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)-8/d*b*a^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))+4/d*b^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))-2/d*b^5/a^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.684094, size = 1925, normalized size = 11.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out] [1/2*(2*(a^8 - 3*a^6*b^2 + 3*a^4*b^4 - a^2*b^6)*d*x*cos(d*x + c)^2 + 4*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d*x*cos(d*x + c) + 2*(a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8)*d*x + (4*a^4*b^3 - 2*a^2*b^5 + b^7 + (4*a^6*b - 2*a^4*b^3 + a^2*b^5)*cos(d*x + c)^2 + 2*(4*a^5*b^2 - 2*a^3*b^4 + a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*log(((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c))^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(4*a^5*b^3 - 5*a^3*b^5 + a*b^7 + (5*a^6*b^2 - 7*a^4*b^4 + 2*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^10 - 3*a^8*b^2 + 3*a^6*b^4 - a^4*b^6)*d*cos(d*x + c)^2 + 2*(a^9*b - 3*a^7*b^3 + 3*a^5*b^5 - a^3*b^7)*d*cos(d*x + c) + (a^8*b^2 - 3*a^6*b^4 + 3*a^4*b^6 - a^2*b^8)*d), ((a^8 - 3*a^6*b^2 + 3*a^4*b^4 - a^2*b^6)*d*x*cos(d*x + c)^2 + 2*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d*x*cos(d*x + c) + (a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8)*d*x - (4*a^4*b^3 - 2*a^2*b^5 + b^7 + (4*a^6*b - 2*a^4*b^3 + a^2*b^5)*cos(d*x + c)^2 + 2*(4*a^5*b^2 - 2*a^3*b^4 + a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (4*a^5*b^3 - 5*a^3*b^5 + a*b^7 + (5*a^6*b^2 - 7*a^4*b^4 + 2*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^10 - 3*a^8*b^2 + 3*a^6*b^4 - a^4*b^6)*d*cos(d*x + c)^2 + 2*(a^9*b - 3*a^7*b^3 + 3*a^5*b^5 - a^3*b^7)*d*cos(d*x + c) + (a^8*b^2 - 3*a^6*b^4 + 3*a^4*b^6 - a^2*b^8)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a - b \sec(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**2-b**2*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)

[Out] Integral((a - b*sec(c + d*x))/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.30622, size = 428, normalized size = 2.64

$$\frac{2(4a^4b - 2a^2b^3 + b^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^6 - 2a^4b^2 + a^2b^4) \sqrt{-a^2+b^2}} + \frac{dx+c}{a^2} - \frac{2 \left(5a^3b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 4a^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2ab^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + b^5 \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out] (2*(4*a^4*b - 2*a^2*b^3 + b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^6 - 2*a^4*b^2 + a^2*b^4)*sqrt(-a^2 + b^2)) + (d*x + c)/a^2 - 2*(5*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 - 4*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*a*b^4*tan(1/2*d*x + 1/2*c)^3 + b^5*tan(1/2*d*x + 1/2*c)^3 - 5*a^3*b^2*tan(1/2*d*x + 1/2*c) - 4*a^2*b^3*tan(1/2*d*x + 1/2*c) + 2*a*b^4*tan(1/2*d*x + 1/2*c) + b^5*tan(1/2*d*x + 1/2*c))/((a^5 - 2*a^3*b^2 + a*b^4)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)^2))/d

$$3.709 \quad \int \sec^3(c+dx) \sqrt{a + b \sec(c + dx)} \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=467

$$\frac{2(a-b)\sqrt{a+b}(12a^2bC + 16a^3C + 6ab^2(7A + 6C) + 21b^3(9A + 7C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticE}[\text{ArcSin}[\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}]]}{315b^4d}$$

[Out] (2*(a - b)*Sqrt[a + b]*(16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^5*d) + (2*(a - b)*Sqrt[a + b]*(16*a^3*C + 12*a^2*b*C + 6*a*b^2*(7*A + 6*C) + 21*b^3*(9*A + 7*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) + (2*a*(21*A*b^2 + 8*a^2*C + 13*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((315*b^3*d) - (2*(6*a^2*C - 7*b^2*(9*A + 7*C))*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(315*b^2*d) + (2*a*C*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(63*b*d) + (2*C*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(9*d)

Rubi [A] time = 1.30483, antiderivative size = 467, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4097, 4102, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(6a^2C - 7b^2(9A + 7C)) \tan(c + dx) \sec(c + dx) \sqrt{a + b \sec(c + dx)}}{315b^2d} + \frac{2a(8a^2C + 21Ab^2 + 13b^2C) \tan(c + dx) \sqrt{a + b \sec(c + dx)}}{315b^3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (2*(a - b)*Sqrt[a + b]*(16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^5*d) + (2*(a - b)*Sqrt[a + b]*(16*a^3*C + 12*a^2*b*C + 6*a*b^2*(7*A + 6*C) + 21*b^3*(9*A + 7*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) + (2*a*(21*A*b^2 + 8*a^2*C + 13*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((315*b^3*d) - (2*(6*a^2*C - 7*b^2*(9*A + 7*C))*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(315*b^2*d) + (2*a*C*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(315*b^2*d) + (2*C*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(9*d)

$[c + d*x]]*Tan[c + d*x]/(63*b*d) + (2*C*Sec[c + d*x]^3*sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(9*d)$

Rule 4097

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + b*(A*(m + n + 1) + C*(m + n))*Csc[e + f*x] + a*C*m*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :=> Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] :=> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)])/ (b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :=> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)])/ (b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^3(c + dx)\sqrt{a + b \sec(c + dx)}(A + C \sec^2(c + dx)) dx &= \frac{2C \sec^3(c + dx)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{9d} + \frac{2}{9} \int \frac{\sec^3(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{2aC \sec^2(c + dx)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{63bd} + \frac{2C \sec^3(c + dx)}{9d} \\
&= -\frac{2(6a^2C - 7b^2(9A + 7C)) \sec(c + dx)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{315b^2d} \\
&= \frac{2a(21Ab^2 + 8a^2C + 13b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{315b^3d} \\
&= \frac{2a(21Ab^2 + 8a^2C + 13b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{315b^3d} \\
&= \frac{2(a - b)\sqrt{a + b}(16a^4C + 6a^2b^2(7A + 4C) - 21b^4(9A + 7C))}{315b^3d}
\end{aligned}$$

Mathematica [B] time = 23.7268, size = 3518, normalized size = 7.53

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((4*(-42*a^2*A*b^2 + 189*A*b^4 - 16*a^4*C - 24*a^2*b^2*C + 147*b^4*C)*Sin[c + d*x])/(315*b^4) + (4*Sec[c + d*x]^2*(63*A*b^2*Sin[c + d*x] - 6*a^2*C*Sin[c + d*x] + 49*b^2*C*Sin[c + d*x]))/(315*b^2) + (4*Sec[c + d*x]*(21*a*A*b^2*Sin[c + d*x] + 8*a^3*C*Sin[c + d*x] + 13*a*b^2*C*Sin[c + d*x]))/(315*b^3) + (4*a*C*Sec[c + d*x]^2*Tan[c + d*x])/(63*b) + (4*C*Sec[c + d*x]^3*Tan[c + d*x])/9)/(d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (4*((4*a^2*A)/(15*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (6*A*b)/(5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (32*a^4*C)/(315*b^3*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (16*a^2*C)/(105*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (14*b*C)/(15*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (4*a*A*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) + (4*a^3*A*Sqrt[Sec[c + d*x]])/(15*b^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a*C*Sqrt[Sec[c + d*x]])/(35*Sqrt[b + a*Cos[c + d*x]]) + (32*a^5*C*Sqrt[Sec[c + d*x]])/(315*b^4*Sqrt[b + a*Cos[c + d*x]])

$$\begin{aligned}
& + (8*a^3*C*sqrt[Sec[c + d*x]])/(63*b^2*sqrt[b + a*cos[c + d*x]]) - (6*a*A* \\
& Cos[2*(c + d*x)]*sqrt[Sec[c + d*x]]/(5*sqrt[b + a*cos[c + d*x]]) + (4*a^3* \\
& A*cos[2*(c + d*x)]*sqrt[Sec[c + d*x]]/(15*b^2*sqrt[b + a*cos[c + d*x]]) - \\
& (14*a^2*C*cos[2*(c + d*x)]*sqrt[Sec[c + d*x]]/(15*sqrt[b + a*cos[c + d*x]]) \\
& + (32*a^5*C*cos[2*(c + d*x)]*sqrt[Sec[c + d*x]]/(315*b^4*sqrt[b + a*cos[c \\
& + d*x]]) + (16*a^3*C*cos[2*(c + d*x)]*sqrt[Sec[c + d*x]]/(105*b^2*sqrt[b + \\
& a*cos[c + d*x]])*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*sqrt[a + b*Sec[c + \\
& d*x]]*(A + C*Sec[c + d*x]^2)*((a + b)*((16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - \\
& 21*b^4*(9*A + 7*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + \\
& b*(-16*a^3*C + 12*a^2*b*C - 6*a*b^2*(7*A + 6*C) + 21*b^3*(9*A + 7*C))*Elli \\
& pticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(Cos[c + d*x]*Sec[(c + d* \\
& x)/2]^2)^(3/2)*sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b))*Sec[\\
& c + d*x] + (16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*Cos[c + \\
& d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(315*b^4*d* \\
& (b + a*cos[c + d*x])*(A + 2*C + A*cos[2*c + 2*d*x])*(Sec[(c + d*x)/2]^2)^(3 \\
& /2)*Sec[c + d*x]^(5/2)*((2*a*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + \\
& d*x]*((a + b)*((16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*Elli \\
& pticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + b*(-16*a^3*C + 12*a^2*b* \\
& C - 6*a*b^2*(7*A + 6*C) + 21*b^3*(9*A + 7*C))*EllipticF[ArcSin[Tan[(c + d*x \\
&)/2]], (a - b)/(a + b)]*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*sqrt[((b + \\
& a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b))*Sec[c + d*x] + (16*a^4*C + 6* \\
& a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*Cos[c + d*x]*(b + a*cos[c + d*x]) \\
& *Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(315*b^4*(b + a*cos[c + d*x])^(3/2)* \\
& (Sec[(c + d*x)/2]^2)^(3/2)) - (2*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[\\
& (c + d*x)/2]*((a + b)*((16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7* \\
& C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + b*(-16*a^3*C + 1 \\
& 2*a^2*b*C - 6*a*b^2*(7*A + 6*C) + 21*b^3*(9*A + 7*C))*EllipticF[ArcSin[Tan[\\
& (c + d*x)/2]], (a - b)/(a + b)]*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*sq \\
& rt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b))*Sec[c + d*x] + (16*a^ \\
& 4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*Cos[c + d*x]*(b + a*cos[c \\
& + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(105*b^4*sqrt[b + a*cos[c + \\
& d*x]])*(Sec[(c + d*x)/2]^2)^(3/2)) + (2*((a + b)*((16*a^4*C + 6*a^2*b^2*(7*A \\
& + 4*C) - 21*b^4*(9*A + 7*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(\\
& a + b)] + b*(-16*a^3*C + 12*a^2*b*C - 6*a*b^2*(7*A + 6*C) + 21*b^3*(9*A + 7 \\
& *C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(Cos[c + d*x]*Se \\
& c[(c + d*x)/2]^2)^(3/2)*sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + \\
& b))*Sec[c + d*x] + (16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C)) \\
& *Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2))*(- \\
& Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c \\
& + d*x]*Tan[c + d*x]))/(315*b^4*sqrt[b + a*cos[c + d*x]])*(Sec[(c + d*x)/2]^2 \\
&)^(3/2)*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]) + (4*sqrt[Cos[(c + d*x)/2]^2 \\
& *Sec[c + d*x]]*((16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*Co \\
& s[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^6)/2 - a*(16*a^4*C + 6*a^2 \\
& *b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*Cos[c + d*x]*Sec[(c + d*x)/2]^4*S \\
& in[c + d*x]*Tan[(c + d*x)/2] - (16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A
\end{aligned}$$

$$\begin{aligned}
& + 7*C)) * (b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^4 * \sin[c + d*x] * \tan[(c + d*x)/2] \\
& + 2*(16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C)) * \cos[c + d*x] \\
& *(b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^4 * \tan[(c + d*x)/2]^2 + (3*(a + b) * \\
& (16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C)) * \text{EllipticE}[\text{ArcSin}[\text{Tan} \\
& [(c + d*x)/2]], (a - b)/(a + b)] + b*(-16*a^3*C + 12*a^2*b*C - 6*a*b^2*(7* \\
& A + 6*C) + 21*b^3*(9*A + 7*C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / \\
& (a + b)]) * \sqrt{\cos[c + d*x] * \sec[(c + d*x)/2]^2} * \sqrt{((b + a*\cos[c + d*x]) * \\
& \sec[(c + d*x)/2]^2) / (a + b)} * \sec[c + d*x] * (-\sec[(c + d*x)/2]^2 * \sin[c + d*x] \\
&) + \cos[c + d*x] * \sec[(c + d*x)/2]^2 * \tan[(c + d*x)/2])) / 2 + ((a + b) * ((16*a \\
& ^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C)) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c \\
& + d*x)/2]], (a - b)/(a + b)] + b*(-16*a^3*C + 12*a^2*b*C - 6*a*b^2*(7*A + 6 \\
& *C) + 21*b^3*(9*A + 7*C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + \\
& b)]) * (\cos[c + d*x] * \sec[(c + d*x)/2]^2)^{(3/2)} * \sec[c + d*x] * (-((a * \sec[(c + d* \\
& x)/2]^2 * \sin[c + d*x]) / (a + b)) + ((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2 * \text{T} \\
& \text{an}[(c + d*x)/2]) / (a + b))) / (2 * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2 \\
&) / (a + b)}) + (a + b) * (\cos[c + d*x] * \sec[(c + d*x)/2]^2)^{(3/2)} * \sqrt{((b + a * \\
& \cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} * \sec[c + d*x] * ((b * (-16*a^3*C + 12 \\
& *a^2*b*C - 6*a*b^2*(7*A + 6*C) + 21*b^3*(9*A + 7*C)) * \sec[(c + d*x)/2]^2) / (2 \\
& * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{1 - ((a - b) * \tan[(c + d*x)/2]^2) / (a + b) \\
&)} + ((16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C)) * \sec[(c + d*x) \\
& /2]^2 * \sqrt{1 - ((a - b) * \tan[(c + d*x)/2]^2) / (a + b)}) / (2 * \sqrt{1 - \tan[(c + \\
& d*x)/2]^2})) + (a + b) * ((16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7 \\
& *C)) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(-16*a^3*C + \\
& 12*a^2*b*C - 6*a*b^2*(7*A + 6*C) + 21*b^3*(9*A + 7*C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan} \\
& [(c + d*x)/2]], (a - b)/(a + b)]) * (\cos[c + d*x] * \sec[(c + d*x)/2]^2)^{(3/2)} * \text{S} \\
& \text{qrt}(((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)) * \sec[c + d*x] * \tan[c + \\
& d*x])) / (315*b^4 * \sqrt{b + a*\cos[c + d*x]} * (\sec[(c + d*x)/2]^2)^{(3/2)}))
\end{aligned}$$

Maple [B] time = 1.671, size = 4131, normalized size = 8.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^3 * (A+C*\sec(d*x+c)^2) * (a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out] $\frac{2}{315} \frac{d}{b^4} (\cos(d*x+c)+1)^2 * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)} * (-1+\cos(d*x+c))^{(1/2)} * (4*C*\cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3 * b^2 - 189 * A * \cos(d*x+c)^5 * b^5 + 105 * A * \cos(d*x+c)^5 * a * b^4 + 16 * C * \cos(d*x+c)^5 * a^4 * b - 26 * C * \cos(d*x+c)^5 * a^3 * b^2 + 24 * C * \cos(d*x+c)^5 * a^2 * b^3 + 85 * C * \cos(d*x+c)^5 * a * b^4 - 21 * A * \cos(d*x+c)^4 * a^2 * b^3 - 8 * C * \cos(d*x+c)^4$

$$\begin{aligned}
& *a^4*b-10*C*\cos(d*x+c)^4*a^2*b^3+84*A*\cos(d*x+c)^3*a*b^4+2*C*\cos(d*x+c)^3*a \\
& ^3*b^2+22*C*\cos(d*x+c)^3*a*b^4+42*A*\cos(d*x+c)^6*a^3*b^2-21*A*\cos(d*x+c)^6* \\
& a^2*b^3-189*A*\cos(d*x+c)^6*a*b^4-8*C*\cos(d*x+c)^6*a^4*b+24*C*\cos(d*x+c)^6*a \\
& ^3*b^2-13*C*\cos(d*x+c)^6*a^2*b^3-147*C*\cos(d*x+c)^6*a*b^4-C*\cos(d*x+c)^2*a^ \\
& 2*b^3+40*C*\cos(d*x+c)*a*b^4-42*A*\cos(d*x+c)^5*a^3*b^2+42*A*\cos(d*x+c)^5*a^2 \\
& *b^3-16*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+ \\
& c),((a-b)/(a+b))^{(1/2)})*a^5+147*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(\\
& d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE(\\
& (-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^5-189*A*\cos(d*x+c)^5*\sin(\\
& d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\
& +c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^5 \\
& +189*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(\\
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{(1/2)})*b^5-147*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x \\
& +c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1 \\
& +\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^5-16*C*\cos(d*x+c)^5*\sin(d*x+ \\
& c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+ \\
& 1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^5+147 \\
& *C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a* \\
& \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a- \\
& b)/(a+b))^{(1/2)})*b^5-189*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+ \\
& 1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos \\
& (d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^5+189*A*\cos(d*x+c)^4*\sin(d*x+c)* \\
& (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1)) \\
& ^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^5-147*C* \\
& \cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/ \\
& (a+b))^{(1/2)})*b^5-16*C*\cos(d*x+c)^5*a^5-147*C*\cos(d*x+c)^5*b^5+126*A*\cos(d* \\
& x+c)^4*b^5+98*C*\cos(d*x+c)^4*b^5+63*A*\cos(d*x+c)^2*b^5+14*C*\cos(d*x+c)^2*b^ \\
& 5+16*C*\cos(d*x+c)^6*a^5+24*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c) \\
&)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+c \\
& os(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^3-111*C*\cos(d*x+c)^5*\sin(d \\
& *x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+ \\
& c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^ \\
& 4-16*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(\\
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{(1/2)})*a^4*b-24*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d* \\
& x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((- \\
& 1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*b^2-24*C*\cos(d*x+c)^5*\sin \\
& (d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
& x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^ \\
& 2*b^3+147*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d* \\
& x+c),((a-b)/(a+b))^{(1/2)})*a*b^4+42*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(c
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx+c)^5 + A \sec(dx+c)^3\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^5 + A*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) \sqrt{a + b \sec(c + dx)} \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorit
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^3, x
)
```

$$3.710 \quad \int \sec^2(c+dx) \sqrt{a + b \sec(c + dx)} \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=375

$$\frac{2(a-b)\sqrt{a+b} \left(C(8a^2 + 6ab + 25b^2) + 35Ab^2 \right) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF} \left(\sin^{-1} \left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}} \right) \right)}{105b^3d}$$

```
[Out] (-2*a*(a - b)*Sqrt[a + b]*(35*A*b^2 + 8*a^2*C + 19*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) - (2*(a - b)*Sqrt[a + b]*(35*A*b^2 + (8*a^2 + 6*a*b + 25*b^2)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(8*a^2*C + 5*b^2*(7*A + 5*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b^2*d) - (8*a*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(7*b*d))
```

Rubi [A] time = 0.772456, antiderivative size = 375, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4093, 4082, 4002, 4005, 3832, 4004}

$$\frac{2(8a^2C + 5b^2(7A + 5C)) \tan(c+dx) \sqrt{a + b \sec(c + dx)}}{105b^2d} - \frac{2(a-b)\sqrt{a+b} \left(C(8a^2 + 6ab + 25b^2) + 35Ab^2 \right) \cot(c+dx)}{105b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (-2*a*(a - b)*Sqrt[a + b]*(35*A*b^2 + 8*a^2*C + 19*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) - (2*(a - b)*Sqrt[a + b]*(35*A*b^2 + (8*a^2 + 6*a*b + 25*b^2)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(8*a^2*C + 5*b^2*(7*A + 5*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b^2*d) - (8*a*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(7*b*d))
```

Rule 4093

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - 2*a*C*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{2C \sec(c + dx) (a + b \sec(c + dx))^{3/2} \tan(c + dx)}{7bd} + \frac{2 \int \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} dx}{7bd} \\ &= -\frac{8aC(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{35b^2d} + \frac{2C \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^2d} \\ &= \frac{2(8a^2C + 5b^2(7A + 5C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^2d} \\ &= \frac{2(8a^2C + 5b^2(7A + 5C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^2d} \\ &= -\frac{2a(a - b) \sqrt{a + b} (35Ab^2 + 8a^2C + 19b^2C) \cot(c + dx) E}{105b^2d} \end{aligned}$$

Mathematica [A] time = 19.9581, size = 560, normalized size = 1.49

$$4 \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) \left(2b(a + b) (C(8a^2 - 6ab + 25b^2) + 35Ab^2) \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a + b \sec(c + dx)} (A + C \sec^2(c + dx))}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (4*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*(-2*a*(a + b)*(35*A*b^2 + 8*a^2*C + 19*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(35*A*b^2 + (8*a^2 - 6*a*b + 25*b^2)*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan

$$\begin{aligned} & [(c + d*x)/2]], (a - b)/(a + b)] - a*(35*A*b^2 + 8*a^2*C + 19*b^2*C)*\text{Cos}[c \\ & + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2))/ (105*b^3* \\ & d*(b + a*\text{Cos}[c + d*x])*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[\text{Sec}[(c + d*x)/2] \\ & ^2]* \text{Sec}[c + d*x]^{(5/2)}) + (\text{Cos}[c + d*x]^2*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*(A + C*\text{S} \\ & \text{ec}[c + d*x]^2)*((4*a*(35*A*b^2 + 8*a^2*C + 19*b^2*C)*\text{Sin}[c + d*x]))/(105*b^3 \\ &) + (4*\text{Sec}[c + d*x]*(35*A*b^2*\text{Sin}[c + d*x] - 4*a^2*C*\text{Sin}[c + d*x] + 25*b^2* \\ & C*\text{Sin}[c + d*x]))/(105*b^2) + (4*a*C*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(35*b) + (4* \\ & C*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/7)))/(d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])) \end{aligned}$$

Maple [B] time = 1., size = 2784, normalized size = 7.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x)`

[Out]
$$\begin{aligned} & 2/105/d/b^3*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-1+\cos(d* \\ & x+c))^2*(35*A*\cos(d*x+c)^2*b^4+35*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos \\ & (d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{Elliptic} \\ & \text{E}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b^2-8*C*\cos(d*x+c)^5* \\ & a^4+8*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)* \\ & (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c) \\ & , ((a-b)/(a+b))^{(1/2)})*a^4-25*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x \\ & +c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1 \\ & +\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4-35*A*\sin(d*x+c)*\cos(d*x+c) \\ & ^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+ \\ & 1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4+8*C \\ & *\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*co \\ & s(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b) \\ & /(\cos(d*x+c)+1))^{(1/2)})*a^4-25*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1)) \\ & ^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d* \\ & x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4+70*A*\cos(d*x+c)^3*a*b^3+35*A*\cos \\ & (d*x+c)^4*a^2*b^2+35*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(\\ & 1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+ \\ & c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^3-35*A*\cos(d*x+c)^4*a*b^3-8*C*\cos(d \\ & *x+c)^4*a^3*b+20*C*\cos(d*x+c)^4*a^2*b^2-19*C*\cos(d*x+c)^4*a*b^3+4*C*\cos(d*x \\ & +c)^3*a^3*b+26*C*\cos(d*x+c)^3*a*b^3-C*\cos(d*x+c)^2*a^2*b^2+18*C*\cos(d*x+c)* \\ & a*b^3-35*A*\cos(d*x+c)^5*a^2*b^2-35*A*\cos(d*x+c)^5*a*b^3+4*C*\cos(d*x+c)^5*a^ \\ & 3*b-19*C*\cos(d*x+c)^5*a^2*b^2-25*C*\cos(d*x+c)^5*a*b^3-35*A*\sin(d*x+c)*\cos(d \\ & *x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\ & x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^ \end{aligned}$$

$$\begin{aligned}
& 4-35A\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a*b^3+8*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^3*b+19*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^2*b^2+19*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a*b^3-8*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^3*b-2*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^2*b^2-19*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a*b^3+35*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^2*b^2+35*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a*b^3-35*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a*b^3+8*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^3*b+19*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^2*b^2+19*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a*b^3-8*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^3*b-2*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^2*b^2-19*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a*b^3+8*C*\cos(d*x+c)^4*a^4+10*C*\cos(d*x+c)^2*b^4-35*A*\cos(d*x+c)^4*b^4-25*C*\cos(d*x+c)^4*b^4+15*C*b^4)/(b+a*\cos(d*x+c))/\cos(d*x+c)^3/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx+c)^4 + A \sec(dx+c)^2\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) \sqrt{a + b \sec(c + dx)} \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A) \sqrt{b \sec(dx+c) + a} \sec(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^2, x  
)
```

3.711 $\int \sec(c+dx)\sqrt{a+b\sec(c+dx)}(A+C\sec^2(c+dx))dx$

Optimal. Leaf size=308

$$\frac{2(a-b)\sqrt{a+b}(2aC+15Ab+9bC)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{15b^2d} + \frac{2(a-b)\sqrt{a+b}(2a^2C-3b^2(5A+3C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{15b^3d} + \frac{2(a-b)\sqrt{a+b}(15A^2b+2a^2C+9b^2C)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{15b^2d} - \frac{4a^2C\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15b^2d} + \frac{2C(a+b\sec(c+dx))^{3/2}\tan(c+dx)}{5b^2d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(2*a^2*C - 3*b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticE
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^3*
d) + (2*(a - b)*Sqrt[a + b]*(15*A*b + 2*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticF
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^2*
d) - (4*a^2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b^2*d) + (2*C*(a + b*S
ec[c + d*x])^(3/2)*Tan[c + d*x])/(5*b^2*d)
```

Rubi [A] time = 0.505171, antiderivative size = 308, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4083, 4002, 4005, 3832, 4004}

$$\frac{2(a-b)\sqrt{a+b}(2a^2C-3b^2(5A+3C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{15b^3d} + \frac{2(a-b)\sqrt{a+b}(2a^2C-3b^2(5A+3C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{15b^3d} + \frac{2(a-b)\sqrt{a+b}(15A^2b+2a^2C+9b^2C)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{15b^2d} - \frac{4a^2C\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15b^2d} + \frac{2C(a+b\sec(c+dx))^{3/2}\tan(c+dx)}{5b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(2*a^2*C - 3*b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticE
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^3*
d) + (2*(a - b)*Sqrt[a + b]*(15*A*b + 2*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticF
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^2*
d) - (4*a^2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b^2*d) + (2*C*(a + b*S
ec[c + d*x])^(3/2)*Tan[c + d*x])/(5*b^2*d)
```

Rule 4083

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[
(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*
(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[C
```

$\text{sc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m + 2) + b*C*(m + 1) - a*C*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4002

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 4005

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := \text{Dist}[A - B, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /;$ FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(b*f*\text{Cot}[e + f*x]), x] /;$ FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /;$ FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)\sqrt{a+b\sec(c+dx)}(A+C\sec^2(c+dx))dx &= \frac{2C(a+b\sec(c+dx))^{3/2}\tan(c+dx)}{5bd} + \frac{2\int\sec(c+dx)\sqrt{a+b\sec(c+dx)}dx}{5bd} \\
&= -\frac{4aC\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15bd} + \frac{2C(a+b\sec(c+dx))^{3/2}\tan(c+dx)}{5bd} \\
&= -\frac{4aC\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15bd} + \frac{2C(a+b\sec(c+dx))^{3/2}\tan(c+dx)}{5bd} \\
&= \frac{2(a-b)\sqrt{a+b}(2a^2C-3b^2(5A+3C))\cot(c+dx)E\left(\sin^{-1}\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)}{15b^3d}
\end{aligned}$$

Mathematica [A] time = 18.0112, size = 507, normalized size = 1.65

$$4\sqrt{2}\sqrt{\frac{\cos(c+dx)}{(\cos(c+dx)+1)^2}}\sqrt{\cos(c+dx)\sec^2\left(\frac{1}{2}(c+dx)\right)}\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)^{3/2}\sqrt{a+b\sec(c+dx)}(A+C\sec^2(c+dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (4*Sqrt[2]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])^2]*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((a + b)*((-15*A*b^2 + 2*a^2*C - 9*b^2*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + b*(15*A*b - 2*a*C + 9*b*C)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)])*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Sec[c + d*x] - (15*A*b^2 - 2*a^2*C + 9*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(15*b^2*d*Sqrt[(1 + Cos[c + d*x])^(-1)]*(b + a*Cos[c + d*x])*(A + 2*C + A*Cos[2*c + 2*d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]^(5/2)) + (Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((4*(15*A*b^2 - 2*a^2*C + 9*b^2*C)*Sin[c + d*x])/(15*b^2) + (4*a*C*Tan[c + d*x])/(15*b) + (4*C*Sec[c + d*x]*Tan[c + d*x])/5))/(d*(A + 2*C + A*Cos[2*c + 2*d*x]))

$x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b - 9 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^2 - 2 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 7 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 15 * A * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 + 2 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 - 9 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 + 9 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 + 9 * C * \cos(d*x+c)^3 * b^3 - 15 * A * \cos(d*x+c)^2 * b^3 - 6 * C * \cos(d*x+c)^2 * b^3 - 2 * C * \cos(d*x+c)^4 * a^3 + 15 * A * \cos(d*x+c)^4 * a * b^2 + C * \cos(d*x+c)^4 * a^2 * b + 9 * C * \cos(d*x+c)^4 * a * b^2 - 15 * A * \cos(d*x+c)^3 * a * b^2 - 2 * C * \cos(d*x+c)^3 * a^2 * b - 5 * C * \cos(d*x+c)^3 * a * b^2 + C * \cos(d*x+c)^2 * a^2 * b - 4 * C * \cos(d*x+c) * a * b^2 - 3 * C * b^3) / (b+a*\cos(d*x+c)) / \cos(d*x+c)^2 / \sin(d*x+c)^5$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a \sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \sec(dx + c)^3 + A \sec(dx + c)) \sqrt{b \sec(dx + c) + a}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^3 + A*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) \sqrt{a + b \sec(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sqrt(a + b*sec(c + d*x))*sec(c + d*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a \sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c), x)
```

3.712 $\int \sqrt{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=355

$$\frac{2\sqrt{a+b}(3Ab - C(a-b)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - 2A\sqrt{a+b} \cot(c+dx)}{3bd}$$

```
[Out] (-2*a*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*Sqrt[a + b]*(3*A*b - (a - b)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/d + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)
```

Rubi [A] time = 0.36746, antiderivative size = 355, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4057, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(3Ab - C(a-b)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) - 2A\sqrt{a+b} \cot(c+dx)}{3bd}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*a*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*Sqrt[a + b]*(3*A*b - (a - b)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/d + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)
```

Rule 4057


```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + (A*b*(m + 1) + b*C*m)*Csc[e + f*x] + a*C*m*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))]/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))]/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))]/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
```

f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sqrt{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \frac{1}{2}b(3A + C) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \left(-\frac{aC}{2} + \frac{1}{2}b(3A + C)\right) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= -\frac{2a(a - b)\sqrt{a + b}C \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{3b^2d} \\
 &= -\frac{2a(a - b)\sqrt{a + b}C \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{3b^2d}
 \end{aligned}$$

Mathematica [C] time = 11.181, size = 570, normalized size = 1.61

$$\frac{\cos^2(c + dx)\sqrt{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) \left(\frac{4aC \sin(c + dx)}{3b} + \frac{4}{3}C \tan(c + dx)\right)}{d(A \cos(2c + 2dx) + A + 2C)} + \frac{4 \cos^2\left(\frac{1}{2}(c + dx)\right) \cos^2(c + dx) \sqrt{a + b \sec(c + dx)}}{d(A \cos(2c + 2dx) + A + 2C)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (4*Cos[(c + d*x)/2]^2*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((2*I)*a*(a - b)*C*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)] + (2*I)*(a - b)*b*(3*A + C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)] - (12*I)*a*A*b*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-(a + b)/(a - b), I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)] - a*Sqrt[(-a + b)/(a + b)]*C*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(3*b*Sqrt[(-a + b)/(a + b)]*d*(b + a*Cos[c + d*x])*(A + 2*C + A*Cos[2*c + 2*d*x])) + (Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*((4*a*C*Sin[c + d*x])/(3*b) + (4*C*Tan[c + d*x])/3))/(d*(A + 2*C + A*Cos[2*c + 2*d*x]))

Maple [B] time = 0.499, size = 1510, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)*(a+b*\sec(d*x+c))^{1/2}, x)$

[Out] $\frac{2}{3} \frac{d}{b} (-1 + \cos(dx+c))^2 (3A \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b - 3A \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^2 - 6A \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 b - C \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b - C \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 + C \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b + 3A \cos(dx+c) \sin(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b - 3A \cos(dx+c) \sin(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^2 - 6A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 b - C \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b - C \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^2 + C \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 + C \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b - C \cos(dx+c)^3 a^2 - C \cos(dx+c)^3 a^2 b + C \cos(dx+c)^2 a^2 - C \cos(dx+c)^2 a^2 b - C \cos(dx+c)^2 b^2 + 2C \cos(dx+c) a^2 b + b^2 C) * ((b+a \cos(dx+c))/\cos(dx+c))^{1/2} (\cos(dx+c)+1)^2 / (b+a \cos(dx+c))/\cos(dx+c)/\sin(dx+c)$

^5

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) \sqrt{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a), x)
```

3.713 $\int \cos(c+dx)\sqrt{a+b\sec(c+dx)}(A+C\sec^2(c+dx))dx$

Optimal. Leaf size=352

$$\frac{\sqrt{a+b}(2C(a-b)+Ab)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{bd} + \frac{(a-b)\sqrt{a+b}}{d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(A - 2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec
[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a +
b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(A*b + 2*
(a - b)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + S
ec[c + d*x]))/(a - b))]/(b*d) - (A*b*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(
a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sq
rt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])
/(a*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rubi [A] time = 0.379191, antiderivative size = 352, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4095, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(2C(a-b)+Ab)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{bd} + \frac{(a-b)\sqrt{a+b}(A-2C)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(A - 2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec
[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a +
b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(A*b + 2*
(a - b)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + S
ec[c + d*x]))/(a - b))]/(b*d) - (A*b*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(
a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sq
rt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])
/(a*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rule 4095

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m
- a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2
, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ
[m, 0] && LeQ[n, -1]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3921

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3784

```

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,

```

2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)\sqrt{a + b \sec(c + dx)}(A + C \sec^2(c + dx)) dx &= \frac{A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \int \frac{\frac{Ab}{2} + aC \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} - \frac{1}{2}(b(A - 2C)) \int \frac{\sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{(a - b)\sqrt{a + b}(A - 2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{bd} \\
 &= \frac{(a - b)\sqrt{a + b}(A - 2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{bd}
 \end{aligned}$$

Mathematica [B] time = 18.2512, size = 727, normalized size = 2.07

$$\sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}} \sqrt{a + b \sec(c + dx)} \left(-2(Ab - C(a + b)) \sqrt{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)} \left(\tan^2\left(\frac{1}{2}(c + dx)\right) + 1 \right) \sqrt{\frac{-a \tan^2\left(\frac{1}{2}(c + dx)\right) + a}{a + b}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (2*C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d + (Sqrt[a + b*Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(a*A*Tan[(c + d*x)/2] + A*b*Tan[(c + d*x)/2] - 2*a*C*Tan[(c + d*x)/2] - 2*b*C*Tan[(c + d*x)/2] - 2*a*A*Tan[(c + d*x)/2]^3 + 4*a*C*Tan[(c + d*x)/2]^3 + a*A*Tan[(c + d*x)/2]^5 - A*b*Tan[(c + d*x)/2]^5 - 2*a*C*Tan[(c + d*x)/2]^5 + 2*b*C*Tan[(c + d*x)/2]^5 - 2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(A - 2*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]))

$$\begin{aligned} & d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + \\ & b)] - 2*(A*b - (a + b)*C)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + \\ & b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a* \\ & \text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b))]/(d*\text{Sqrt}[b + a*\text{Cos}[c + \\ & d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]*(1 + \text{Tan}[(c + d*x)/2]^2)^{(3/2)}*\text{Sqrt}[(a + b - a*\text{Tan} \\ & n[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(1 + \text{Tan}[(c + d*x)/2]^2)]) \end{aligned}$$

Maple [B] time = 0.508, size = 1602, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)*(A+C*\sec(d*x+c)^2)*(a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -1/d*(-1+\cos(d*x+c))^{(1/2)}*(A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1)) \\ & ^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d* \\ & x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a+A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c) \\ & /(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{Elli \\ & pticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b-2*A*\sin(d*x+c)*\cos(\\ & d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\ & +c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b+2 \\ & *A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*co \\ & s(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((\\ & a-b)/(a+b))^{(1/2)}*b-2*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x \\ & +c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a-2*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c) \\ &)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{Elli \\ & pticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b+2*C*\sin(d*x+c)*\cos \\ & (d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\ & x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a+ \\ & 2*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*c \\ & os(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b) \\ &)/(a+b))^{(1/2)}*b+A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x \\ & +c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b) \\ &))^{(1/2)}*a*\sin(d*x+c)+A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*co \\ & s(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b) \\ & /(\cos(d*x+c)+1))^{(1/2)}*b*\sin(d*x+c)-2*A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b) \\ & /(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\ & (\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*b+2*A*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c) \\ &), -1, ((a-b)/(a+b))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*c \\ & os(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*b-2*C*\text{EllipticE}((-1+\cos(d*x+c)) \end{aligned}$$

$$\frac{1}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2} \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)}$$

$$\frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) a - 2C \operatorname{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)}$$

$$\frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) b + 2C \operatorname{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)}$$

$$\frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) a + 2C \operatorname{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)}$$

$$\frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) b + A \cos(dx+c)^3 a - A \cos(dx+c)^2 a + A \cos(dx+c)^2 b + 2C \cos(dx+c)^2 a - A \cos(dx+c) b - 2C \cos(dx+c) a + 2C \cos(dx+c) b - 2C^2 b \left(\cos(dx+c)+1 \right)^2 \frac{(b+a \cos(dx+c))}{\cos(dx+c)} \right)^{1/2} / (b+a \cos(dx+c)) / \sin(dx+c)^5$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A) \sqrt{b \sec(dx+c) + a \cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx + c)^2 + A)*sqrt(b*sec(dx + c) + a)*cos(dx + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\left(C \cos(dx+c) \sec(dx+c)^2 + A \cos(dx+c) \right) \sqrt{b \sec(dx+c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(dx + c)*sec(dx + c)^2 + A*cos(dx + c))*sqrt(b*sec(dx + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c), x)`

$$3.714 \quad \int \cos^2(c+dx) \sqrt{a + b \sec(c + dx)} \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=411

$$\frac{\sqrt{a+b}(2a(A+4C)+Ab)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)+\sqrt{a+b}(Ab)}{4ad}$$

[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + (Sqrt[a + b]*(A*b + 2*a*(A + 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + (Sqrt[a + b]*(A*b^2 - 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + (A*b*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*a*d) + (A*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.681003, antiderivative size = 411, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4095, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(Ab^2-4a^2(A+2C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{a};\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)+\sqrt{a+b}(2a(A+4C)+Ab)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{4a^2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + (Sqrt[a + b]*(A*b + 2*a*(A + 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + (Sqrt[a + b]*(A*b^2 - 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + (A*b*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*a*d) + (A*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-(b*(1 + Csc[c + d*x]))/(a - b)]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{\cos(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{Ab \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4ad} + \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{2d} \\ &= \frac{Ab \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4ad} + \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{2d} \\ &= \frac{A(a - b) \sqrt{a + b} \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right)}{4ad} \\ &= \frac{A(a - b) \sqrt{a + b} \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right)}{4ad} \end{aligned}$$

Mathematica [C] time = 19.1701, size = 1417, normalized size = 3.45

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (A*Sqrt[a + b*Sec[c + d*x]]*Sin[2*(c + d*x)]/(4*d) + (Sqrt[a + b*Sec[c + d
*x]]*(-(a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]) - A*b^2*Sqrt[(-a + b
)/(a + b)]*Tan[(c + d*x)/2] + 2*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/
2]^3 - a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 + A*b^2*Sqrt[(-a + b
)/(a + b)]*Tan[(c + d*x)/2]^5 + (8*I)*a^2*A*EllipticPi[-((a + b)/(a - b)),
I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1
- Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)
/2]^2)/(a + b)] - (2*I)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt
[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*
x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b
)] + (16*I)*a^2*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a
+ b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt
[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (8*I)*a^2
*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c +
d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]
*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (2*I
)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan
[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/
2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] +
(16*I)*a^2*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b
)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c +
d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a +
b)] + I*A*(a - b)*b*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*
x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]
^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (
2*I)*(a - b)*(A*b + 2*a*(A + 2*C))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b
)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Ta
n[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2
)/(a + b)))/(4*a*Sqrt[(-a + b)/(a + b)]*d*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Se
c[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-1 + Tan[(c + d*x)/2]^2)*(
1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c
+ d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))]
```

Maple [B] time = 0.427, size = 1834, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2), x)
```

```
[Out] 1/4/d/a*(-1+cos(d*x+c))^2*(4*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b))*(
b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
```

$$\begin{aligned}
& ((a-b)/(a+b))^{1/2} * a^2 * \sin(dx+c) - 2 * A * \cos(dx+c)^4 * a^2 + 8 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * \sin(dx+c) - 3 * A * \cos(dx+c)^3 * a * b + A * \cos(dx+c)^2 * a * b + 2 * A * \cos(dx+c) * a * b - 2 * A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b - 8 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b - 16 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * \sin(dx+c) - 8 * A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * \sin(dx+c) + 2 * A * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) - A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^2 * \sin(dx+c) - A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b - A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^2 + 8 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 - 16 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 - 8 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b * \sin(dx+c) + 4 * A * \cos(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) - 8 * A * \cos(dx+c) * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) + 2 * A * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b^2 - A * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) * a * b - 2 * A * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) * a * b + 2 * A * \cos(dx+c)^2 * a^2 - A * \cos(dx+c)^2 * b^2 + A * \cos(dx+c) * b^2 * (\cos(dx+c)+1)^2 * ((b+a * \cos(dx+c)) / \cos(dx+c))^{1/2} / (b+a * \cos(dx+c)) / \sin(dx+c)^5
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^2 \sec(dx + c)^2 + A \cos(dx + c)^2\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^2, x)
```

$$3.715 \quad \int \cos^3(c+dx) \sqrt{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=502

$$\frac{\sqrt{a+b} (8a^2(2A+3C) + 2aAb - 3Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{24a^2d}$$

```
[Out] -((a - b)*Sqrt[a + b]*(3*A*b^2 - 8*a^2*(2*A + 3*C))*Cot[c + d*x]*EllipticE[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a^2*b
*d) + (Sqrt[a + b]*(2*a*A*b - 3*A*b^2 + 8*a^2*(2*A + 3*C))*Cot[c + d*x]*Ell
ipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[
(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(2
4*a^2*d) - (b*Sqrt[a + b]*(A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi
[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
])/(8*a^3*d) - ((3*A*b^2 - 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[
c + d*x])/(24*a^2*d) + (A*b*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d
*x])/(12*a*d) + (A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3
*d)
```

Rubi [A] time = 1.06099, antiderivative size = 502, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4095, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(3Ab^2 - 8a^2(2A + 3C)) \sin(c + dx) \sqrt{a + b \sec(c + dx)}}{24a^2d} + \frac{\sqrt{a+b} (8a^2(2A+3C) + 2aAb - 3Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{24a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(3*A*b^2 - 8*a^2*(2*A + 3*C))*Cot[c + d*x]*EllipticE[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a^2*b
*d) + (Sqrt[a + b]*(2*a*A*b - 3*A*b^2 + 8*a^2*(2*A + 3*C))*Cot[c + d*x]*Ell
ipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[
(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(2
4*a^2*d) - (b*Sqrt[a + b]*(A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi
[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
])/(8*a^3*d) - ((3*A*b^2 - 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[
c + d*x])/(24*a^2*d) + (A*b*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d
*x])/(12*a*d) + (A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3
*d)
```

$$\frac{1}{(8a^3d) - ((3Ab^2 - 8a^2(2A + 3C))\sqrt{a + b\sec[c + dx]}\sin[c + dx]) / (24a^2d) + (Ab\cos[c + dx]\sqrt{a + b\sec[c + dx]}\sin[c + dx]) / (12ad) + (A\cos[c + dx]^2\sqrt{a + b\sec[c + dx]}\sin[c + dx]) / (3d)}$$

Rule 4095

$$\text{Int}[\frac{((A_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})])^2(C_{.})}{(A_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})]}(d_{.})]^n \cdot (\csc[(e_{.}) + (f_{.})(x_{.})](b_{.}) + (a_{.}))^{m_{.}}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(A \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (f \cdot n), x] - \text{Dist}[1 / (d \cdot n), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{m-1} \cdot (d \cdot \text{Csc}[e + f \cdot x])^{n+1} \cdot \text{Simp}[A \cdot b \cdot m - a \cdot (C \cdot n + A \cdot (n + 1)) \cdot \text{Csc}[e + f \cdot x] - b \cdot (C \cdot n + A \cdot (m + n + 1)) \cdot \text{Csc}[e + f \cdot x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[\frac{((A_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})]) \cdot (B_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})]^2(C_{.})}{(A_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})]}(d_{.})]^n \cdot (\csc[(e_{.}) + (f_{.})(x_{.})](b_{.}) + (a_{.}))^{m_{.}}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(A \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^{m+1} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (a \cdot f \cdot n), x] + \text{Dist}[1 / (a \cdot d \cdot n), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^m \cdot (d \cdot \text{Csc}[e + f \cdot x])^{n+1} \cdot \text{Simp}[a \cdot B \cdot n - A \cdot b \cdot (m + n + 1) + a \cdot (A + A \cdot n + C \cdot n) \cdot \text{Csc}[e + f \cdot x] + A \cdot b \cdot (m + n + 2) \cdot \text{Csc}[e + f \cdot x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4058

$$\text{Int}[\frac{((A_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})]) \cdot (B_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})]^2(C_{.})}{\sqrt{\csc[(e_{.}) + (f_{.})(x_{.})](b_{.}) + (a_{.})}}(d_{.})], x_{\text{Symbol}}] \rightarrow \text{Int}[(A + (B - C) \cdot \text{Csc}[e + f \cdot x]) / \sqrt{a + b \cdot \text{Csc}[e + f \cdot x]}, x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f \cdot x] \cdot (1 + \text{Csc}[e + f \cdot x])) / \sqrt{a + b \cdot \text{Csc}[e + f \cdot x]}, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(\csc[(e_{.}) + (f_{.})(x_{.})](d_{.}) + (c_{.})) / \sqrt{\csc[(e_{.}) + (f_{.})(x_{.})](b_{.}) + (a_{.})}], x_{\text{Symbol}}] \rightarrow \text{Dist}[c, \text{Int}[1 / \sqrt{a + b \cdot \text{Csc}[e + f \cdot x]}, x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f \cdot x] / \sqrt{a + b \cdot \text{Csc}[e + f \cdot x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3784

$$\text{Int}[1 / \sqrt{\csc[(c_{.}) + (d_{.})(x_{.})](b_{.}) + (a_{.})}], x_{\text{Symbol}}] \rightarrow \text{Simp}[(2 \cdot \text{Rt}[a + b, 2] \cdot \sqrt{(b \cdot (1 - \text{Csc}[c + d \cdot x]))} / (a + b)) \cdot \sqrt{-((b \cdot (1 + \text{Csc}[c + d \cdot x])) / (a - b))}] \cdot \text{EllipticPi}[(a + b) / a, \text{ArcSin}[\sqrt{a + b \cdot \text{Csc}[c + d \cdot x]}] / \text{Rt}[a + b,$$

2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)\sqrt{a + b \sec(c + dx)}(A + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} \int \frac{\cos^3(c + dx)\sqrt{a + b \sec(c + dx)}}{\sec(c + dx)} dx \\
 &= \frac{Ab \cos(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12ad} + \frac{A \cos^2(c + dx)\sqrt{a + b \sec(c + dx)}}{3d} \\
 &= -\frac{(3Ab^2 - 8a^2(2A + 3C))\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24a^2d} \\
 &= -\frac{(3Ab^2 - 8a^2(2A + 3C))\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24a^2d} \\
 &= \frac{(a - b)\sqrt{a + b} \left(A \left(16 - \frac{3b^2}{a^2} \right) + 24C \right) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{\sqrt{a + b}} \right) \right)}{24bd} \\
 &= \frac{(a - b)\sqrt{a + b} \left(A \left(16 - \frac{3b^2}{a^2} \right) + 24C \right) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{\sqrt{a + b}} \right) \right)}{24bd}
 \end{aligned}$$

Mathematica [B] time = 19.3302, size = 1347, normalized size = 2.68

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((A*Sin[c + d*x])/12 + (A*b*Sin[2*(c + d*x)])/(24*a) + (A*Sin[3*(c + d*x)]/12))/d + (Sqrt[a + b*Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(-16*a^3*A*Tan[(c + d*x)/2] - 16*a^2*A*b*Tan[(c + d*x)/2] + 3*a*A*b^2*Tan[(c + d*x)/2] + 3*A*b^3*Tan[(c + d*x)/2] - 24*a^3*C*Tan[(c + d*x)/2] - 24*a^2*b*C*Tan[(c + d*x)/2] + 32*a^3*A*Tan[(c + d*x)/2]^3 - 6*a*A*b^2*Tan[(c + d*x)/2]^3 + 48*a^3*C*Tan[(c + d*x)/2]^3 - 16*a^3*A*Tan[(c + d*x)/2]^5 + 16*a^2*A*b*Tan[(c + d*x)/2]^5 + 3*a*A*b^2*Tan[(c + d*x)/2]^5 - 3*A*b^3*Tan[(c + d*x)/2]^5 - 24*a^3*C*Tan[(c + d*x)/2]^5 + 24*a^2*b*C*Tan[(c + d*x)/2]^5 + 24*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*a^2*b*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 24*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*a^2*b*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (a + b)*(-3*A*b^2 + 8*a^2*(2*A + 3*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*a*b*(14*a*A - A*b + 24*a*C)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(24*a^2*d*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Tan[(c + d*x)/2]^2]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))

Maple [B] time = 0.485, size = 2535, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^3 \cdot (A+C \sec(dx+c)^2) \cdot (a+b \sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -1/24/d/a^2 \cdot (-1 + \cos(dx+c))^{-2} \cdot (16 \cdot A \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) \cdot a^3 \cdot \sin(dx+c) - 3 \cdot A \cdot b^3 \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) + 24 \cdot C \cdot \cos(dx+c)^3 \cdot a^3 + 6 \cdot A \cdot b^3 \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c)), -1, ((a-b)/(a+b))^{1/2}) \\ & + 24 \cdot C \cdot a^3 \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) + 8 \cdot A \cdot \cos(dx+c)^3 \cdot a^3 - 16 \cdot A \cdot \cos(dx+c)^2 \cdot a^3 - 24 \cdot C \cdot \cos(dx+c)^2 \cdot a^3 + 3 \cdot A \cdot \cos(dx+c) \cdot b^3 + 8 \cdot A \cdot \cos(dx+c)^5 \cdot a^3 + 10 \cdot A \cdot \cos(dx+c)^4 \cdot a^2 \cdot b + 6 \cdot A \cdot \cos(dx+c)^2 \cdot a^2 \cdot b + 3 \cdot A \cdot \cos(dx+c)^2 \cdot a \cdot b^2 - 16 \cdot A \cdot \cos(dx+c) \cdot a^2 \cdot b - 2 \cdot A \cdot \cos(dx+c) \cdot a \cdot b^2 - 24 \cdot C \cdot \cos(dx+c) \cdot a^2 \cdot b + 16 \cdot A \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot a^3 - 3 \cdot A \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot b^3 + 6 \cdot A \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c)), -1, ((a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot b^3 + 24 \cdot C \cdot a^3 \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) + 16 \cdot A \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) \cdot a^2 \cdot b \cdot \sin(dx+c) - 3 \cdot A \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) \cdot a^2 \cdot b \cdot \sin(dx+c) + 2 \cdot A \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) \cdot a \cdot b^2 \cdot \sin(dx+c) + 24 \cdot A \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c)), -1, ((a-b)/(a+b))^{1/2}) \cdot a^2 \cdot b \cdot \sin(dx+c) + 24 \cdot C \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) \cdot a^2 \cdot b \cdot \sin(dx+c) - 48 \cdot C \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c)/\sin(dx+c)), \\ & ((a-b)/(a+b))^{1/2}) \end{aligned}$$

```

d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+48*C*(cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*Ellipt
icPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+16
*A*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x
+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2))*b-3*A*b^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+
a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos
(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a-28*A*a^2*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d
*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b+2*A*(cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2
)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(
d*x+c)*a*b^2+24*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c
)))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a
+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^2*b+24*C*a^2*(cos(d*x+c)/(cos(d*x+c)+1)
)^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+
c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b-48*C*(cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*
EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*
x+c)*a^2*b+48*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))
)/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b
))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^2*b-3*A*cos(d*x+c)^2*b^3-A*cos(d*x+c)^3*a
*b^2+24*C*cos(d*x+c)^2*a^2*b*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c)
)^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorit
hm="maxima")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^3, x
)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^3 \sec(dx + c)^2 + A \cos(dx + c)^3\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + A*cos(d*x + c)^3)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^3, x)
```

3.716 $\int \cos^4(c+dx)\sqrt{a+b\sec(c+dx)}(A+C\sec^2(c+dx))dx$

Optimal. Leaf size=587

$$\frac{\sqrt{a+b}(-4a^2b(7A+12C)-24a^3(3A+4C)+10aAb^2-15Ab^3)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{b(1-\sec(c+dx))}{a+b}\right)\right)}{192a^3d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(15*A*b^2 + 4*a^2*(7*A + 12*C))*Cot[c + d*x]*EllipticE
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a^3
*d) - (Sqrt[a + b]*(10*a*A*b^2 - 15*A*b^3 - 24*a^3*(3*A + 4*C) - 4*a^2*b*(7
*A + 12*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 +
Sec[c + d*x]))/(a - b))]/(192*a^3*d) + (Sqrt[a + b]*(5*A*b^4 + 8*a^2*b^2*(
A + 2*C) - 16*a^4*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sq
rt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c +
d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^4*d) + (b*(1
5*A*b^2 + 4*a^2*(7*A + 12*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*a
^3*d) - ((5*A*b^2 - 12*a^2*(3*A + 4*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x
]]*Sin[c + d*x])/(96*a^2*d) + (A*b*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*
Sin[c + d*x])/(24*a*d) + (A*Cos[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Sin[c +
d*x])/(4*d)
```

Rubi [A] time = 1.57532, antiderivative size = 587, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4095, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{b(4a^2(7A+12C)+15Ab^2)\sin(c+dx)\sqrt{a+b\sec(c+dx)}}{192a^3d} - \frac{(5Ab^2-12a^2(3A+4C))\sin(c+dx)\cos(c+dx)\sqrt{a+b\sec(c+dx)}}{96a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(15*A*b^2 + 4*a^2*(7*A + 12*C))*Cot[c + d*x]*EllipticE
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a^3
*d) - (Sqrt[a + b]*(10*a*A*b^2 - 15*A*b^3 - 24*a^3*(3*A + 4*C) - 4*a^2*b*(7
*A + 12*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 +
Sec[c + d*x]))/(a - b))]/(192*a^3*d) + (Sqrt[a + b]*(5*A*b^4 + 8*a^2*b^2*(
```

$$A + 2C) - 16a^4(3A + 4C) \cot[c + dx] \operatorname{EllipticPi}[(a + b)/a, \operatorname{ArcSin}[\sqrt{a + b \sec[c + dx]}] / \sqrt{a + b}], (a + b)/(a - b) \sqrt{(b(1 - \sec[c + dx]))/(a + b)} \sqrt{-(b(1 + \sec[c + dx]))/(a - b))} / (64a^4d) + (b(15Ab^2 + 4a^2(7A + 12C)) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (192a^3d) - ((5Ab^2 - 12a^2(3A + 4C)) \cos[c + dx] \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (96a^2d) + (Ab \cos[c + dx]^2 \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (24ad) + (A \cos[c + dx]^3 \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (4d)$$

Rule 4095

$$\operatorname{Int}[(A + \csc[e + f(x)] + (f(x))^2(C)) (\csc[e + f(x)] + (f(x))) (d)^n] \operatorname{Cot}[e + f(x)] (a + b \csc[e + f(x)])^m (d \csc[e + f(x)])^n / (f^n), x] - \operatorname{Dist}[1/(d^n), \operatorname{Int}[(a + b \csc[e + f(x)])^{m-1} (d \csc[e + f(x)])^{n+1} \operatorname{Simp}[A b^m - a(Cn + A(n+1)) \csc[e + f(x)] - b(Cn + A(m+n+1)) \csc[e + f(x)]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, C\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{LeQ}[n, -1]$$

Rule 4104

$$\operatorname{Int}[(A + \csc[e + f(x)] + (f(x))(B) + \csc[e + f(x)]^2(C)) (\csc[e + f(x)] + (f(x))(d)^n] \operatorname{Cot}[e + f(x)] (a + b \csc[e + f(x)])^{m+1} (d \csc[e + f(x)])^n / (a f^n), x] + \operatorname{Dist}[1/(a d^n), \operatorname{Int}[(a + b \csc[e + f(x)])^m (d \csc[e + f(x)])^{n+1} \operatorname{Simp}[a B^n - A b(m+n+1) + a(A + A^n + C^n) \csc[e + f(x)] + A b(m+n+2) \csc[e + f(x)]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LeQ}[n, -1]$$

Rule 4058

$$\operatorname{Int}[(A + \csc[e + f(x)] + (f(x))(B) + \csc[e + f(x)]^2(C)) / \sqrt{\csc[e + f(x)] + (f(x))(b) + (a)}, x] \operatorname{Symbol} \operatorname{Int}[(A + (B - C) \csc[e + f(x)]) / \sqrt{a + b \csc[e + f(x)]}, x] + \operatorname{Dist}[C, \operatorname{Int}[(\csc[e + f(x)](1 + \csc[e + f(x)])) / \sqrt{a + b \csc[e + f(x)]}, x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\operatorname{Int}[(\csc[e + f(x)] + (f(x))(d) + (c)) / \sqrt{\csc[e + f(x)] + (f(x))(b) + (a)}, x] \operatorname{Symbol} \operatorname{Dist}[c, \operatorname{Int}[1/\sqrt{a + b \csc[e + f(x)]}, x], x] + \operatorname{Dist}[d, \operatorname{Int}[\csc[e + f(x)] / \sqrt{a + b \csc[e + f(x)]}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx) \sqrt{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{1}{4} \int \frac{\cos^5(c + dx) \sqrt{a + b \sec(c + dx)}}{\sec(c + dx)} dx \\
&= \frac{Ab \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} + \frac{A \cos^3(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
&= -\frac{(5Ab^2 - 12a^2(3A + 4C)) \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{96a^2d} \\
&= \frac{b(15Ab^2 + 4a^2(7A + 12C)) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{192a^3d} \\
&= \frac{b(15Ab^2 + 4a^2(7A + 12C)) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{192a^3d} \\
&= \frac{(a - b) \sqrt{a + b} (15Ab^2 + 4a^2(7A + 12C)) \cot(c + dx) E(\sin(c + dx) \sqrt{a + b})}{192a^3d} \\
&= \frac{(a - b) \sqrt{a + b} (15Ab^2 + 4a^2(7A + 12C)) \cot(c + dx) E(\sin(c + dx) \sqrt{a + b})}{192a^3d}
\end{aligned}$$

Mathematica [B] time = 15.3776, size = 1845, normalized size = 3.14

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^4*Sqrt[a + b*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((A*b*Sin[c + d*x])/(96*a) + ((48*a^2*A - 5*A*b^2 + 48*a^2*C)*Sin[2*(c + d*x)]/(192*a^2) + (A*b*Sin[3*(c + d*x)]/(96*a) + (A*Sin[4*(c + d*x)]/32))/d + (Sqrt[a + b*Sec[c + d*x]]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2])*(28*a^3*A*b*Tan[(c + d*x)/2] + 28*a^2*A*b^2*Tan[(c + d*x)/2] + 15*a*A*b^3*Tan[(c + d*x)/2] + 15*A*b^4*Tan[(c + d*x)/2] + 48*a^3*b*C*Tan[(c + d*x)/2] + 48*a^2*b^2*C*Tan[(c + d*x)/2] - 56*a^3*A*b*Tan[(c + d*x)/2]^3 - 30*a*A*b^3*Tan[(c + d*x)/2]^3 - 96*a^3*b*C*Tan[(c + d*x)/2]^3 + 28*a^3*A*b*Tan[(c + d*x)/2]^5 - 28*a^2*A*b^2*Tan[(c + d*x)/2]^5 + 15*a*A*b^3*Tan[(c + d*x)/2]^5 - 15*A*b^4*Tan[(c + d*x)/2]^5 + 48*a^3*b*C*Tan[(c + d*x)/2]^5 - 48*a^2*b^2*C*Tan[(c + d*x)/2]^5 - 288*a^4*A*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(

```

a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b
*Tan[(c + d*x)/2]^2)/(a + b)] + 48*a^2*A*b^2*EllipticPi[-1, -ArcSin[Tan[(c
+ d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*T
an[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 30*A*b^4*EllipticPi[-1
, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*
Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 384*a
^4*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Ta
n[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2
)/(a + b)] + 96*a^2*b^2*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)
/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 +
b*Tan[(c + d*x)/2]^2)/(a + b)] - 288*a^4*A*EllipticPi[-1, -ArcSin[Tan[(c +
d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]
*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*a
^2*A*b^2*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c
+ d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2
+ b*Tan[(c + d*x)/2]^2)/(a + b)] + 30*A*b^4*EllipticPi[-1, -ArcSin[Tan[(c
+ d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2
]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 384
*a^4*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c +
d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 +
b*Tan[(c + d*x)/2]^2)/(a + b)] + 96*a^2*b^2*C*EllipticPi[-1, -ArcSin[Tan[(c
+ d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^
2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + b
*(a + b)*(15*A*b^2 + 4*a^2*(7*A + 12*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]]
, (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sq
rt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*a*(2*
a*A*b^2 + 5*A*b^3 + 24*a^3*(3*A + 4*C) - 12*a^2*b*(3*A + 4*C))*EllipticF[Arc
Sin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 +
Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]
^2)/(a + b)))/(192*a^3*d*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(-1 +
Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)
]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))

```

Maple [B] time = 0.619, size = 3606, normalized size = 6.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^4(A+C\sec(dx+c)^2)(a+b\sec(dx+c))^{1/2}, x)$

[Out] $\frac{1}{192} \frac{d}{a^3} (-1 + \cos(dx+c))^2 (-288A(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1 + \cos(dx+c))/\sin$

$$\begin{aligned}
& (d*x+c), -1, ((a-b)/(a+b))^{(1/2)} * a^4 * \sin(d*x+c) - 24*A*a^4 * \cos(d*x+c)^4 + 72*A*a^4 * \cos(d*x+c)^2 - 15*A * \cos(d*x+c)^2 * b^4 + 30*A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * b^4 * \sin(d*x+c) - 28*A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b^2 * \sin(d*x+c) - 15*A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^3 * \sin(d*x+c) - 72*A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3 * b * \sin(d*x+c) + 4*A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b^2 * \sin(d*x+c) + 10*A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^3 * \sin(d*x+c) + 192*C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^4 * \sin(d*x+c) - 384*C * a^4 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) - 44*A * \cos(d*x+c)^3 * a^3 * b - 5*A * \cos(d*x+c)^3 * a * b^3 + 28*A * \cos(d*x+c)^2 * a^3 * b - 30*A * \cos(d*x+c)^2 * a^2 * b^2 + 72*A * \cos(d*x+c) * a^3 * b + 28*A * \cos(d*x+c) * a^2 * b^2 - 10*A * \cos(d*x+c) * a * b^3 - 48*A * a^4 * \cos(d*x+c)^6 + 15*A * \cos(d*x+c)^2 * a * b^3 + 2*A * \cos(d*x+c)^4 * a^2 * b^2 - 96*C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a^3 * b - 48*C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a^3 * b - 48*C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a^2 * b^2 + 96 * C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a^2 * b^2 - 15*A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^4 * \sin(d*x+c) + 144*A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^4 * \sin(d*x+c) + 48*A * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^2 * b^2 - 28*A * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3 * b - 28*A * \cos(d*x+c) * a^2 * b^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) - 15*A * \cos(d*x+c) * b^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a - 72
\end{aligned}$$

```

*A*cos(d*x+c)*a^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2))*b+4*A*cos(d*x+c)*a^2*b^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1
+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))+10*A*cos(d*x+c)*b^3*(cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin
(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a-144*C*c
os(d*x+c)^3*a^3*b-48*C*cos(d*x+c)^2*a^2*b^2-56*A*cos(d*x+c)^5*a^3*b+48*C*co
s(d*x+c)^2*a^3*b+96*C*cos(d*x+c)*a^3*b+48*C*cos(d*x+c)*a^2*b^2-288*A*cos(d*
x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b)
))^(1/2))*a^4+30*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/
sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*b^4-15*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*El
lipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^4+144*A*cos(d*x+c)
)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2)
))*a^4+48*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(
1/2))*a^2*b^2*sin(d*x+c)-28*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),
((a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)+96*C*cos(d*x+c)^2*a^4+192*C*(cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ell
ipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)
)*a^4-384*C*a^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b)
))^(1/2))*cos(d*x+c)*sin(d*x+c)-96*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(
a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d
*x+c),((a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)-48*C*(cos(d*x+c)/(cos(d*x+c)+1)
)^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)-48*C*(cos(d*x+c)/(c
os(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellipti
cE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)+96*C*
(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*b^
2*sin(d*x+c)-96*C*cos(d*x+c)^4*a^4+15*A*cos(d*x+c)*b^4*(cos(d*x+c)+1)^2*((
b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A) \sqrt{b \sec(dx+c) + a \cos(dx+c)}^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^4, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^4 \sec(dx + c)^2 + A \cos(dx + c)^4\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^4*sec(d*x + c)^2 + A*cos(d*x + c)^4)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + A \right) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^4, x  
)
```

$$3.717 \quad \int \sec^3(c+dx)(a+b \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=550

$$\frac{2(a-b)\sqrt{a+b}(6a^2b^2(11A+8C)+12a^3bC+16a^4C+3ab^3(209A+157C)-25b^4(11A+9C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{1155b^4d}$$

[Out] (4*a*(a - b)*Sqrt[a + b]*(8*a^4*C + 3*a^2*b^2*(11*A + 6*C) - b^4*(451*A + 348*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(1155*b^5*d) + (2*(a - b)*Sqrt[a + b]*(16*a^4*C + 12*a^3*b*C + 6*a^2*b^2*(11*A + 8*C) - 25*b^4*(11*A + 9*C) + 3*a*b^3*(209*A + 157*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(1155*b^4*d) + (2*(8*a^4*C + 25*b^4*(11*A + 9*C) + a^2*b^2*(33*A + 19*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(1155*b^3*d) + (4*a*(132*A*b^2 - 3*a^2*C + 101*b^2*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(1155*b^2*d) + (2*(a^2*C + 3*b^2*(11*A + 9*C))*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(231*b*d) + (2*a*C*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(33*d) + (2*C*Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)

Rubi [A] time = 1.91918, antiderivative size = 550, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4097, 4096, 4102, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(a^2C + 3b^2(11A + 9C))\tan(c + dx)\sec^2(c + dx)\sqrt{a + b\sec(c + dx)}}{231bd} + \frac{4a(-3a^2C + 132Ab^2 + 101b^2C)\tan(c + dx)\sec^2(c + dx)}{1155b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (4*a*(a - b)*Sqrt[a + b]*(8*a^4*C + 3*a^2*b^2*(11*A + 6*C) - b^4*(451*A + 348*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(1155*b^5*d) + (2*(a - b)*Sqrt[a + b]*(16*a^4*C + 12*a^3*b*C + 6*a^2*b^2*(11*A + 8*C) - 25*b^4*(11*A + 9*C) + 3*a*b^3*(209*A + 157*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(1155*b^4*d) + (2*(8*a^4*C + 25*b^4*(11*A + 9*C) + a^2*b^2*(33*A + 19*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(1155*b^3*d) + (4*a*(132*A*b^2 - 3*a^2*C + 101*b^2*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(1155*b^2*d) + (2*(a^2*C + 3*b^2*(11*A + 9*C))*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(231*b*d) + (2*a*C*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(33*d) + (2*C*Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)

$$b^2(33A + 19C) \sqrt{a + b \sec[c + dx]} \tan[c + dx] / (1155b^3d) + (4a(132Ab^2 - 3a^2C + 101b^2C) \sec[c + dx] \sqrt{a + b \sec[c + dx]} \tan[c + dx]) / (1155b^2d) + (2(a^2C + 3b^2(11A + 9C)) \sec[c + dx]^2 \sqrt{a + b \sec[c + dx]} \tan[c + dx]) / (231b^2d) + (2aC \sec[c + dx]^3 \sqrt{a + b \sec[c + dx]} \tan[c + dx]) / (33d) + (2C \sec[c + dx]^3 (a + b \sec[c + dx])^{3/2} \tan[c + dx]) / (11d)$$

Rule 4097

$$\text{Int}[(A + \csc[e + f x] + (f x) \cdot (x))^{2m} (\csc[e + f x] + (f x) \cdot (x))^{2n} (C + \csc[e + f x] + (f x) \cdot (x))^{m+n} (b + a)^m, x_Symbol] \rightarrow -\text{Simp}[(C \cot[e + f x] (a + b \csc[e + f x])^m (d \csc[e + f x])^n) / (f(m+n+1)), x] + \text{Dist}[1/(m+n+1), \text{Int}[(a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^n \text{Simp}[a A (m+n+1) + a C n + b(A(m+n+1) + C(m+n)) \csc[e + f x] + a C m \csc[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LeQ}[n, -1]$$

Rule 4096

$$\text{Int}[(A + \csc[e + f x] + (f x) \cdot (x))^{2m} (B + \csc[e + f x] + (f x) \cdot (x))^{2n} (C + \csc[e + f x] + (f x) \cdot (x))^{m+n} (b + a)^m, x_Symbol] \rightarrow -\text{Simp}[(C \cot[e + f x] (a + b \csc[e + f x])^m (d \csc[e + f x])^n) / (f(m+n+1)), x] + \text{Dist}[1/(m+n+1), \text{Int}[(a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^n \text{Simp}[a A (m+n+1) + a C n + ((A b + a B)(m+n+1) + b C (m+n)) \csc[e + f x] + (b B (m+n+1) + a C m) \csc[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LeQ}[n, -1]$$

Rule 4102

$$\text{Int}[(A + \csc[e + f x] + (f x) \cdot (x))^{2m} (B + \csc[e + f x] + (f x) \cdot (x))^{2n} (C + \csc[e + f x] + (f x) \cdot (x))^{m+n} (b + a)^m, x_Symbol] \rightarrow -\text{Simp}[(C d \cot[e + f x] (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^{n-1}) / (b f (m+n+1)), x] + \text{Dist}[d/(b(m+n+1)), \text{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n-1} \text{Simp}[a C (n-1) + (A b (m+n+1) + b C (m+n)) \csc[e + f x] + (b B (m+n+1) - a C n) \csc[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$$

Rule 4092

$$\text{Int}[\csc[e + f x]^{2m} (A + \csc[e + f x] + (f x) \cdot (x))^{2n} (B + \csc[e + f x] + (f x) \cdot (x))^{2m} (C + \csc[e + f x] + (f x) \cdot (x))^{m+n} (b + a)^m, x_Symbol] \rightarrow -\text{Simp}[(C \csc[e + f x] \cot[e + f x] (a + b \csc[e + f x])^{m+1}) / (b f (m+3)), x] + \text{Dist}[1/(b(m+3)), \text{Int}[\csc[e + f x] (a + b \csc[e + f x])^{m+1} (C + \csc[e + f x] + (f x) \cdot (x))^{m+n} (b + a)^m, x], x]$$

```
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^3(c + dx)(a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{2C \sec^3(c + dx)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{11d} + \frac{2}{11} \int \\
&= \frac{2aC \sec^3(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{33d} + \frac{2C \sec^3(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{33d} \\
&= \frac{2(a^2C + 3b^2(11A + 9C)) \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{231bd} \\
&= \frac{4a(132Ab^2 - 3a^2C + 101b^2C) \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{1155b^2d} \\
&= \frac{2(8a^4C + 25b^4(11A + 9C) + a^2b^2(33A + 19C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{1155b^3d} \\
&= \frac{2(8a^4C + 25b^4(11A + 9C) + a^2b^2(33A + 19C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{1155b^3d} \\
&= \frac{4a(a - b) \sqrt{a + b} (8a^4C + 3a^2b^2(11A + 6C) - b^4(451A + 19C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{1155b^3d}
\end{aligned}$$

Mathematica [B] time = 26.0968, size = 3988, normalized size = 7.25

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((-8*a*(3*3*a^2*A*b^2 - 451*A*b^4 + 8*a^4*C + 18*a^2*b^2*C - 348*b^4*C)*Sin[c + d*x])/(1155*b^4) + (4*Sec[c + d*x]^3*(33*A*b^2*SIN[c + d*x] + a^2*C*SIN[c + d*x] + 27*b^2*C*SIN[c + d*x]))/(231*b) + (8*Sec[c + d*x]^2*(132*a*A*b^2*SIN[c + d*x] - 3*a^3*C*SIN[c + d*x] + 101*a*b^2*C*SIN[c + d*x]))/(1155*b^2) + (4*Sec[c + d*x]*(33*a^2*A*b^2*SIN[c + d*x] + 275*A*b^4*SIN[c + d*x] + 8*a^4*C*SIN[c + d*x] + 19*a^2*b^2*C*SIN[c + d*x] + 225*b^4*C*SIN[c + d*x]))/(1155*b^3) + (16*a*C*Sec[c + d*x]^3*Tan[c + d*x])/33 + (4*b*C*Sec[c + d*x]^4*Tan[c + d*x])/11)/(d*(b + a*cos[c + d*x])*(A + 2*C + A*cos[2*c + 2*d*x])) + (8*(4*a^3*A)/(35*b*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (164*a*A*b)/(105*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (32*a^5*C)/(1155*b^3*Sq

$$\begin{aligned}
& \text{rt}[b + a\cos[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]] + (24*a^3*C)/(385*b*\text{Sqrt}[b + a\cos[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (464*a*b*C)/(385*\text{Sqrt}[b + a\cos[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (62*a^2*A*\text{Sqrt}[\text{Sec}[c + d*x]])/(105*\text{Sqrt}[b + a\cos[c + d*x]]) + (4*a^4*A*\text{Sqrt}[\text{Sec}[c + d*x]])/(35*b^2*\text{Sqrt}[b + a\cos[c + d*x]]) \\
& + (10*A*b^2*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*\text{Sqrt}[b + a\cos[c + d*x]]) - (26*a^2*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(55*\text{Sqrt}[b + a\cos[c + d*x]]) + (32*a^6*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(1155*b^4*\text{Sqrt}[b + a\cos[c + d*x]]) + (64*a^4*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(1155*b^2*\text{Sqrt}[b + a\cos[c + d*x]]) + (30*b^2*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(77*\text{Sqrt}[b + a\cos[c + d*x]]) - (164*a^2*A*\cos[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(105*\text{Sqrt}[b + a\cos[c + d*x]]) + (4*a^4*A*\cos[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(35*b^2*\text{Sqrt}[b + a\cos[c + d*x]]) - (464*a^2*C*\cos[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(385*\text{Sqrt}[b + a\cos[c + d*x]]) + (32*a^6*C*\cos[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(1155*b^4*\text{Sqrt}[b + a\cos[c + d*x]]) + (24*a^4*C*\cos[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(385*b^2*\text{Sqrt}[b + a\cos[c + d*x]])*\text{Sqrt}[\cos[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(3/2)*(A + C*\text{Sec}[c + d*x]^2)*(2*a*(a + b)*(8*a^4*C + 3*a^2*b^2*(11*A + 6*C) - b^4*(451*A + 348*C))*\text{Sqrt}[\cos[c + d*x]/(1 + \cos[c + d*x])]*\text{Sqrt}[(b + a\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-16*a^4*C + 12*a^3*b*C - 6*a^2*b^2*(11*A + 8*C) + 25*b^4*(11*A + 9*C) + 3*a*b^3*(209*A + 157*C))*\text{Sqrt}[\cos[c + d*x]/(1 + \cos[c + d*x])]*\text{Sqrt}[(b + a\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(8*a^4*C + 3*a^2*b^2*(11*A + 6*C) - b^4*(451*A + 348*C))*\cos[c + d*x]*(b + a\cos[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((1155*b^4*d*(b + a\cos[c + d*x])^2*(A + 2*C + A*\cos[2*c + 2*d*x])*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2*\text{Sec}[c + d*x]^(7/2)*((4*a*\text{Sqrt}[\cos[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\sin[c + d*x]*(2*a*(a + b)*(8*a^4*C + 3*a^2*b^2*(11*A + 6*C) - b^4*(451*A + 348*C))*\text{Sqrt}[\cos[c + d*x]/(1 + \cos[c + d*x])]*\text{Sqrt}[(b + a\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-16*a^4*C + 12*a^3*b*C - 6*a^2*b^2*(11*A + 8*C) + 25*b^4*(11*A + 9*C) + 3*a*b^3*(209*A + 157*C))*\text{Sqrt}[\cos[c + d*x]/(1 + \cos[c + d*x])]*\text{Sqrt}[(b + a\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(8*a^4*C + 3*a^2*b^2*(11*A + 6*C) - b^4*(451*A + 348*C))*\cos[c + d*x]*(b + a\cos[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((1155*b^4*(b + a\cos[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2) - (4*\text{Sqrt}[\cos[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*a*(a + b)*(8*a^4*C + 3*a^2*b^2*(11*A + 6*C) - b^4*(451*A + 348*C))*\text{Sqrt}[\cos[c + d*x]/(1 + \cos[c + d*x])]*\text{Sqrt}[(b + a\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-16*a^4*C + 12*a^3*b*C - 6*a^2*b^2*(11*A + 8*C) + 25*b^4*(11*A + 9*C) + 3*a*b^3*(209*A + 157*C))*\text{Sqrt}[\cos[c + d*x]/(1 + \cos[c + d*x])]*\text{Sqrt}[(b + a\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(8*a^4*C + 3*a^2*b^2*(11*A + 6*C) - b^4*(451*A + 348*C))*\cos[c + d*x]*(b + a\cos[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((1155*b^4*\text{Sqrt}[b + a\cos[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2) + (8*\text{Sqrt}[\cos[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((a*(8*a^4*C + 3*a^2*b^2*(11*A + 6*C)
\end{aligned}$$

$$\begin{aligned}
&) - b^4(451A + 348C) \cos[c + dx] (b + a \cos[c + dx]) \sec[(c + dx)/2] \\
& ^4)/2 + (a(a + b)(8a^4C + 3a^2b^2(11A + 6C) - b^4(451A + 348C)) \\
& * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan} \\
& [(c + dx)/2]], (a - b)/(a + b) * ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c \\
& + dx]))^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c \\
& + dx])}] + (b(a + b)(-16a^4C + 12a^3bC - 6a^2b^2(11A + 8C) + 25 \\
& * b^4(11A + 9C) + 3a*b^3(209A + 157C)) * \sqrt{(b + a \cos[c + dx]) / ((a \\
& + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + \\
& b) * ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c + dx]))^2 - \sin[c + dx] / (1 + \cos[c + dx] \\
&)) / (2 * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])})] + (a(a + b)(8a^4 \\
& C + 3a^2b^2(11A + 6C) - b^4(451A + 348C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx] \\
&)} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b) * (-((a \sin[c + dx] \\
&) / ((a + b)(1 + \cos[c + dx]))) + ((b + a \cos[c + dx]) \sin[c + dx]) / ((a + b)(1 + \cos[c + dx] \\
&)^2)) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + (b(a + b)(-16a^4C + 12a^3bC - 6a^2b^2(11A \\
& + 8C) + 25b^4(11A + 9C) + 3a*b^3(209A + 157C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx] \\
&)} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b) * (-((a \sin[c + dx] \\
&) / ((a + b)(1 + \cos[c + dx]))) + ((b + a \cos[c + dx]) \sin[c + dx]) / ((a + b)(1 + \cos[c + dx] \\
&)^2)) / (2 * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} - a^2(8a^4C + 3a^2b^2(11A + 6C) - b^4(451A + 348C)) \\
& * \cos[c + dx] * \sec[(c + dx)/2]^2 * \sin[c + dx] * \tan[(c + dx)/2] - a(8a^4C + 3a^2b^2(11A + 6C) - b^4(451A + 348C)) * (b + a \cos[c + dx] \\
&) * \sec[(c + dx)/2]^2 * \sin[c + dx] * \tan[(c + dx)/2] + a(8a^4C + 3a^2b^2(11A + 6C) - b^4(451A + 348C)) * \cos[c + dx] * (b + a \cos[c + dx] \\
&) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]^2 + (b(a + b)(-16a^4C + 12a^3bC - 6a^2b^2(11A + 8C) + 25b^4(11A + 9C) + 3a*b^3(209A + 157C)) \\
&) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \sec[(c + dx)/2]^2 / (2 * \sqrt{1 - \tan[(c + dx)/2]^2} * \sqrt{1 - ((a - b) * \tan[(c + dx)/2]^2) / (a + b)})] + (a(a + b)(8a^4C + 3a^2b^2(11A + 6C) - b^4(451A + 348C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx] \\
&)} * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \sec[(c + dx)/2]^2 * \sqrt{1 - ((a - b) * \tan[(c + dx)/2]^2) / (a + b)} / \sqrt{1 - \tan[(c + dx)/2]^2}) / (1155 * b^4 * \sqrt{b + a \cos[c + dx]} * \sqrt{\sec[(c + dx)/2]^2}) + (4 * (2 * a * (a + b) * (8a^4C + 3a^2b^2(11A + 6C) - b^4(451A + 348C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + b * (a + b) * (-16a^4C + 12a^3bC - 6a^2b^2(11A + 8C) + 25b^4(11A + 9C) + 3a*b^3(209A + 157C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + a(8a^4C + 3a^2b^2(11A + 6C) - b^4(451A + 348C)) * \cos[c + dx] * (b + a \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) * (-((\cos[(c + dx)/2] * \sec[c + dx] * \sin[(c + dx)/2]) + \cos[(c + dx)/2]^2 * \sec[c + dx] * \tan[c + dx])) / (1155 * b^4 * \sqrt{b + a \cos[c + dx]} * \sqrt{\sec[(c + dx)/2]^2} * \sqrt{\cos[(c + dx)/2]^2 * \sec[c + dx]})
\end{aligned}$$

$$\begin{aligned} & \int (d*x+c) * a^5 * b - 36 * C * \cos(d*x+c)^6 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) \\ & * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), \\ & ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^4 * b^2 - 275 * A * \cos(d*x+c)^6 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^6 - 225 * C * \cos(d*x+c)^6 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^6 - 16 * C * \cos(d*x+c)^6 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^6 - 275 * A * \cos(d*x+c)^5 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^6 - 225 * C * \cos(d*x+c)^5 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^6 - 16 * C * \cos(d*x+c)^5 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^6 + 66 * A * \cos(d*x+c)^7 * a^4 * b^2 - 33 * A * \cos(d*x+c)^7 * a^3 * b^3 - 902 * A * \cos(d*x+c)^7 * a^2 * b^4 - 275 * A * \cos(d*x+c)^7 * a * b^5 - 8 * C * \cos(d*x+c)^7 * a^5 * b + 36 * C * \cos(d*x+c)^7 * a^4 * b^2 + 245 * C * \cos(d*x+c) * a * b^5 + 2 * C * \cos(d*x+c)^4 * a^4 * b^2 + 76 * C * \cos(d*x+c)^4 * a^2 * b^4 + 429 * A * \cos(d*x+c)^3 * a * b^5 - C * \cos(d*x+c)^3 * a^3 * b^3 + 92 * C * \cos(d*x+c)^3 * a * b^5 + 145 * C * \cos(d*x+c)^2 * a^2 * b^4 - 19 * C * \cos(d*x+c)^7 * a^3 * b^3 - 696 * C * \cos(d*x+c)^7 * a^2 * b^4 - 225 * C * \cos(d*x+c)^7 * a * b^5 - 66 * A * \cos(d*x+c)^6 * a^4 * b^2 + 66 * A * \cos(d*x+c)^6 * a^3 * b^3 + 605 * A * \cos(d*x+c)^6 * a^2 * b^4 - 902 * A * \cos(d*x+c)^6 * a * b^5 + 16 * C * \cos(d*x+c)^6 * a^5 * b - 38 * C * \cos(d*x+c)^6 * a^4 * b^2 + 36 * C * \cos(d*x+c)^6 * a^3 * b^3 + 475 * C * \cos(d*x+c)^6 * a^2 * b^4 - 696 * C * \cos(d*x+c)^6 * a * b^5 - 33 * A * \cos(d*x+c)^5 * a^3 * b^3 + 748 * A * \cos(d*x+c)^5 * a * b^5 - 8 * C * \cos(d*x+c)^5 * a^5 * b - 16 * C * \cos(d*x+c)^6 * a^6 - 275 * A * \cos(d*x+c)^6 * b^6 - 225 * C * \cos(d*x+c)^6 * b^6 + 110 * A * \cos(d*x+c)^4 * b^6 + 90 * C * \cos(d*x+c)^4 * b^6 + 165 * A * \cos(d*x+c)^2 * b^6 + 30 * C * \cos(d*x+c)^2 * b^6 + 105 * C * b^6) / (b+a*\cos(d*x+c)) / \cos(d*x+c)^5 / \sin(d*x+c)^5 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$\text{integral}((Cb \sec(dx + c)^6 + Ca \sec(dx + c)^5 + Ab \sec(dx + c)^4 + Aa \sec(dx + c)^3) \sqrt{b \sec(dx + c) + a}, x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*b*sec(d*x + c)^6 + C*a*sec(d*x + c)^5 + A*b*sec(d*x + c)^4 + A*a*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^3, x)`

3.718 $\int \sec^2(c+dx)(a+b \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=454

$$\frac{2(a-b)\sqrt{a+b}(6a^2bC + 8a^3C + 3ab^2(21A + 13C) - 21b^3(9A + 7C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticE}[\text{ArcSin}[\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}]]}{315b^3d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(8*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(21*A + 1
1*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]],
(a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c
+ d*x]))/(a - b))]/(315*b^4*d) - (2*(a - b)*Sqrt[a + b]*(8*a^3*C + 6*a^2*b
*C - 21*b^3*(9*A + 7*C) + 3*a*b^2*(21*A + 13*C))*Cot[c + d*x]*EllipticF[Arc
Sin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Se
c[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^3*d)
+ (2*a*(63*A*b^2 + 8*a^2*C + 39*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x
]/(315*b^2*d) + (2*(8*a^2*C + 7*b^2*(9*A + 7*C))*(a + b*Sec[c + d*x])^(3/2
)*Tan[c + d*x]/(315*b^2*d) - (8*a*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x
]/(63*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/
(9*b*d)
```

Rubi [A] time = 1.04972, antiderivative size = 454, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4093, 4082, 4002, 4005, 3832, 4004}

$$\frac{2(8a^2C + 7b^2(9A + 7C)) \tan(c+dx)(a+b \sec(c+dx))^{3/2}}{315b^2d} + \frac{2a(8a^2C + 63Ab^2 + 39b^2C) \tan(c+dx) \sqrt{a+b \sec(c+dx)}}{315b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(8*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(21*A + 1
1*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]],
(a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c
+ d*x]))/(a - b))]/(315*b^4*d) - (2*(a - b)*Sqrt[a + b]*(8*a^3*C + 6*a^2*b
*C - 21*b^3*(9*A + 7*C) + 3*a*b^2*(21*A + 13*C))*Cot[c + d*x]*EllipticF[Arc
Sin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Se
c[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^3*d)
+ (2*a*(63*A*b^2 + 8*a^2*C + 39*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x
]/(315*b^2*d) + (2*(8*a^2*C + 7*b^2*(9*A + 7*C))*(a + b*Sec[c + d*x])^(3/2
)*Tan[c + d*x]/(315*b^2*d) - (8*a*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x
```

)]/(63*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(9*b*d)

Rule 4093

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - 2*a*C*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,

f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{2C \sec(c + dx)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{9bd} + \frac{2 \int \sec^2(c + dx)(a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx}{9bd} \\
 &= -\frac{8aC(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{63b^2d} + \frac{2C \sec(c + dx)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{63b^2d} \\
 &= \frac{2(8a^2C + 7b^2(9A + 7C))(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{315b^2d} \\
 &= \frac{2a(63Ab^2 + 8a^2C + 39b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{315b^2d} \\
 &= \frac{2a(63Ab^2 + 8a^2C + 39b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{315b^2d} \\
 &= -\frac{2(a - b)\sqrt{a + b}(8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 7C))}{315b^2d}
 \end{aligned}$$

Mathematica [B] time = 24.1276, size = 3537, normalized size = 7.79

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((4*(63*a^2*A*b^2 + 189*A*b^4 + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*Sin[c + d*x]))/(3

$$\begin{aligned}
& 15*b^3) + (4*Sec[c + d*x]^2*(63*A*b^2*Sin[c + d*x] + 3*a^2*C*Sin[c + d*x] + \\
& 49*b^2*C*Sin[c + d*x]))/(315*b) + (8*Sec[c + d*x]*(63*a*A*b^2*Sin[c + d*x] \\
& - 2*a^3*C*Sin[c + d*x] + 44*a*b^2*C*Sin[c + d*x]))/(315*b^2) + (40*a*C*Sec \\
& [c + d*x]^2*Tan[c + d*x])/63 + (4*b*C*Sec[c + d*x]^3*Tan[c + d*x])/9)/(d*(\\
& b + a*cos[c + d*x])*(A + 2*C + A*cos[2*c + 2*d*x])) - (4*((-2*a^2*A)/(5*Sqr \\
& t[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (6*A*b^2)/(5*Sqrt[b + a*cos[c + \\
& d*x]]*Sqrt[Sec[c + d*x]]) - (22*a^2*C)/(105*Sqrt[b + a*cos[c + d*x]]*Sqrt[\\
& Sec[c + d*x]]) - (16*a^4*C)/(315*b^2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + \\
& d*x]]) - (14*b^2*C)/(15*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a \\
& ^3*A*Sqrt[Sec[c + d*x]])/(5*b*Sqrt[b + a*cos[c + d*x]]) + (2*a*A*b*Sqrt[Sec \\
& [c + d*x]])/(5*Sqrt[b + a*cos[c + d*x]]) - (16*a^5*C*Sqrt[Sec[c + d*x]])/(3 \\
& 15*b^3*Sqrt[b + a*cos[c + d*x]]) - (62*a^3*C*Sqrt[Sec[c + d*x]])/(315*b*Sqr \\
& t[b + a*cos[c + d*x]]) + (26*a*b*C*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*cos[\\
& c + d*x]]) - (2*a^3*A*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*b*Sqrt[b + a* \\
& cos[c + d*x]]) - (6*a*A*b*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + \\
& a*cos[c + d*x]]) - (16*a^5*C*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(315*b^3* \\
& Sqrt[b + a*cos[c + d*x]]) - (22*a^3*C*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/ \\
& (105*b*Sqrt[b + a*cos[c + d*x]]) - (14*a*b*C*cos[2*(c + d*x)]*Sqrt[Sec[c + \\
& d*x]])/(15*Sqrt[b + a*cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x] \\
& *(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((a + b)*((8*a^4*C + 21* \\
& b^4*(9*A + 7*C) + 3*a^2*b^2*(21*A + 11*C))*EllipticE[ArcSin[Tan[(c + d*x)/2 \\
&]], (a - b)/(a + b)] - b*(8*a^3*C - 6*a^2*b*C + 21*b^3*(9*A + 7*C) + 3*a*b^ \\
& 2*(21*A + 13*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(Cos \\
& [c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x \\
&)/2]^2)/(a + b))*Sec[c + d*x] + (8*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(\\
& 21*A + 11*C))*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + \\
& d*x)/2]))/(315*b^3*d*(b + a*cos[c + d*x])^2*(A + 2*C + A*cos[2*c + 2*d*x]) \\
& *(Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]^(7/2)*((-2*a*Sqrt[Cos[(c + d*x)/2] \\
& ^2*Sec[c + d*x]]*Sin[c + d*x]*((a + b)*((8*a^4*C + 21*b^4*(9*A + 7*C) + 3*a \\
& ^2*b^2*(21*A + 11*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] \\
& - b*(8*a^3*C - 6*a^2*b*C + 21*b^3*(9*A + 7*C) + 3*a*b^2*(21*A + 13*C))*Elli \\
& pticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(Cos[c + d*x]*Sec[(c + d* \\
& x)/2]^2)^(3/2)*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b))*Sec[\\
& c + d*x] + (8*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(21*A + 11*C))*Cos[c + \\
& d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(315*b^3*(\\
& b + a*cos[c + d*x])^(3/2)*(Sec[(c + d*x)/2]^2)^(3/2)) + (2*Sqrt[Cos[(c + d* \\
& x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*((a + b)*((8*a^4*C + 21*b^4*(9*A + 7 \\
& *C) + 3*a^2*b^2*(21*A + 11*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/ \\
& (a + b)] - b*(8*a^3*C - 6*a^2*b*C + 21*b^3*(9*A + 7*C) + 3*a*b^2*(21*A + 13 \\
& *C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(Cos[c + d*x]*Se \\
& c[(c + d*x)/2]^2)^(3/2)*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + \\
& b))*Sec[c + d*x] + (8*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(21*A + 11*C) \\
&)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(\\
& 105*b^3*Sqrt[b + a*cos[c + d*x]]*(Sec[(c + d*x)/2]^2)^(3/2)) - (2*((a + b)* \\
& ((8*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(21*A + 11*C))*EllipticE[ArcSin[
\end{aligned}$$

$$\begin{aligned} & \tan\left[\frac{c + dx}{2}\right], \frac{a - b}{a + b} - b(8a^3C - 6a^2bC + 21b^3(9A + 7C) + 3ab^2(21A + 13C)) \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{a - b}{a + b}\right] \\ & \left(\cos\left[\frac{c + dx}{2}\right] \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2\right)^{3/2} \sqrt{\left(\frac{b + a\cos\left[\frac{c + dx}{2}\right]}{a + b}\right) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2} \\ & \left(\frac{8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)}{a + b}\right) \cos\left[\frac{c + dx}{2}\right] (b + a\cos\left[\frac{c + dx}{2}\right]) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^4 \\ & \tan\left[\frac{c + dx}{2}\right] \left(-\cos\left[\frac{c + dx}{2}\right] \operatorname{Sec}\left[\frac{c + dx}{2}\right] \sin\left[\frac{c + dx}{2}\right] + \cos\left[\frac{c + dx}{2}\right]^2 \operatorname{Sec}\left[\frac{c + dx}{2}\right] \tan\left[\frac{c + dx}{2}\right]\right) \\ & \left(\frac{315b^3 \sqrt{b + a\cos\left[\frac{c + dx}{2}\right]} \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2\right)^{3/2} \sqrt{\cos\left[\frac{c + dx}{2}\right]^2 \operatorname{Sec}\left[\frac{c + dx}{2}\right]} \\ & - \left(4\sqrt{\cos\left[\frac{c + dx}{2}\right]^2 \operatorname{Sec}\left[\frac{c + dx}{2}\right]} \left(\frac{8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)}{a + b}\right) \cos\left[\frac{c + dx}{2}\right] \right. \\ & \left. (b + a\cos\left[\frac{c + dx}{2}\right]) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^6\right) / 2 - a(8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) \cos\left[\frac{c + dx}{2}\right] \\ & \operatorname{Sec}\left[\frac{c + dx}{2}\right]^4 \sin\left[\frac{c + dx}{2}\right] \tan\left[\frac{c + dx}{2}\right] - (8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) \\ & (b + a\cos\left[\frac{c + dx}{2}\right]) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^4 \sin\left[\frac{c + dx}{2}\right] \tan\left[\frac{c + dx}{2}\right] + 2(8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) \\ & \cos\left[\frac{c + dx}{2}\right] (b + a\cos\left[\frac{c + dx}{2}\right]) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^4 \tan\left[\frac{c + dx}{2}\right]^2 \\ & + (3(a + b) \left(\frac{8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)}{a + b}\right) \operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{a - b}{a + b}\right] \\ & - b(8a^3C - 6a^2bC + 21b^3(9A + 7C) + 3ab^2(21A + 13C)) \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{a - b}{a + b}\right] \\ & \sqrt{\cos\left[\frac{c + dx}{2}\right] \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2} \sqrt{\left(\frac{b + a\cos\left[\frac{c + dx}{2}\right]}{a + b}\right) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2} \\ & \left(-\operatorname{Sec}\left[\frac{c + dx}{2}\right]^2 \sin\left[\frac{c + dx}{2}\right] + \cos\left[\frac{c + dx}{2}\right] \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2 \tan\left[\frac{c + dx}{2}\right]\right) / 2 \\ & + ((a + b) \left(\frac{8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)}{a + b}\right) \operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{a - b}{a + b}\right] \\ & - b(8a^3C - 6a^2bC + 21b^3(9A + 7C) + 3ab^2(21A + 13C)) \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{a - b}{a + b}\right]) \\ & \left(\cos\left[\frac{c + dx}{2}\right] \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2\right)^{3/2} \left(-\frac{a \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2 \sin\left[\frac{c + dx}{2}\right]}{a + b} + \frac{(b + a\cos\left[\frac{c + dx}{2}\right]) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2 \tan\left[\frac{c + dx}{2}\right]}{a + b}\right) \\ & \left(\frac{2\sqrt{\left(\frac{b + a\cos\left[\frac{c + dx}{2}\right]}{a + b}\right) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2}}{a + b}\right) + (a + b) \left(\cos\left[\frac{c + dx}{2}\right] \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2\right)^{3/2} \\ & \sqrt{\left(\frac{b + a\cos\left[\frac{c + dx}{2}\right]}{a + b}\right) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2} \operatorname{Sec}\left[\frac{c + dx}{2}\right] \left(-\frac{b(8a^3C - 6a^2bC + 21b^3(9A + 7C) + 3ab^2(21A + 13C)) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2}{2\sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2}} \right. \\ & \left. \sqrt{1 - \left(\frac{a - b}{a + b}\right) \tan\left[\frac{c + dx}{2}\right]^2}\right) + \left(\frac{8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)}{a + b}\right) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2 \\ & \sqrt{1 - \left(\frac{a - b}{a + b}\right) \tan\left[\frac{c + dx}{2}\right]^2} \right) / (2\sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2}) + (a + b) \left(\frac{8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)}{a + b}\right) \\ & \operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{a - b}{a + b}\right] - b(8a^3C - 6a^2bC + 21b^3(9A + 7C) + 3ab^2(21A + 13C)) \\ & \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{a - b}{a + b}\right] \left(\cos\left[\frac{c + dx}{2}\right] \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2\right)^{3/2} \sqrt{\left(\frac{b + a\cos\left[\frac{c + dx}{2}\right]}{a + b}\right) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2} \\ & \operatorname{Sec}\left[\frac{c + dx}{2}\right] \tan\left[\frac{c + dx}{2}\right] \left.\right) / (315b^3 \sqrt{b + a\cos\left[\frac{c + dx}{2}\right]} \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2)^{3/2} \end{aligned}$$

Maple [B] time = 1.669, size = 4115, normalized size = 9.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^2 (a+b\sec(dx+c))^{3/2} (A+C\sec(dx+c)^2), x)$

[Out]
$$-2/315/d/b^3 * (\cos(dx+c)+1)^2 * ((b+a\cos(dx+c))/\cos(dx+c))^{1/2} * (-1+\cos(dx+c))^{2/2} * (2*C*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3*b^2+189*A*\cos(dx+c)^5*b^5+8*C*\cos(dx+c)^5*a^4*b-34*C*\cos(dx+c)^5*a^3*b^2+33*C*\cos(dx+c)^5*a^2*b^3-10*C*\cos(dx+c)^5*a*b^4-189*A*\cos(dx+c)^4*a^2*b^3-4*C*\cos(dx+c)^4*a^4*b-68*C*\cos(dx+c)^4*a^2*b^3-189*A*\cos(dx+c)^3*a*b^4+C*\cos(dx+c)^3*a^3*b^2-52*C*\cos(dx+c)^3*a*b^4+63*A*\cos(dx+c)^6*a^3*b^2+126*A*\cos(dx+c)^6*a^2*b^3+189*A*\cos(dx+c)^6*a*b^4-4*C*\cos(dx+c)^6*a^4*b+33*C*\cos(dx+c)^6*a^3*b^2+88*C*\cos(dx+c)^6*a^2*b^3+147*C*\cos(dx+c)^6*a*b^4-53*C*\cos(dx+c)^2*a^2*b^3-85*C*\cos(dx+c)*a*b^4-63*A*\cos(dx+c)^5*a^3*b^2+63*A*\cos(dx+c)^5*a^2*b^3-8*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^5-147*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^5+189*A*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^5-189*A*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^5+147*C*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^5-8*C*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^5-147*C*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^5+189*A*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^5-189*A*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^5+147*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^5-8*C*\cos(dx+c)^5*a^5+147*C*\cos(dx+c)^5*b^5-126*A*\cos(dx+c)^4*b^5-98*C*\cos(dx+c)^4*b^5-63*A*\cos(dx+c)^2*b^5-14*C*\cos(dx+c)^2*b^5+8*C*\cos(dx+c)^6*a^5+3$$

$$\begin{aligned} & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1)) \\ & ^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^3 + 25 \\ & 2 * A * \cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \\ & * \cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a \\ & -b)/(a+b))^{1/2}) * a * b^4 - 63 * A * \cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c) \\ & +1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+c \\ & \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * b^2 - 63 * A * \cos(dx+c)^5 * \sin(d \\ & x+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c) \\ & +1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b \\ & ^3 - 189 * A * \cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) \\ & * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) \\ &), ((a-b)/(a+b))^{1/2}) * a * b^4 + 8 * C * \cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(\cos(d \\ & *x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((\\ & -1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^4 * b - 35 * C * b^5 / (b+a*\cos(dx \\ & +c))/\cos(dx+c)^4/\sin(dx+c)^5 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))^(3/2)*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb sec(dx+c)^5 + Ca sec(dx+c)^4 + Ab sec(dx+c)^3 + Aa sec(dx+c)^2) * sqrt(b sec(dx+c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))^(3/2)*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] integral((C*b*sec(dx+c)^5 + C*a*sec(dx+c)^4 + A*b*sec(dx+c)^3 + A*a*sec(dx+c)^2)*sqrt(b*sec(dx+c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^2, x)

3.719 $\int \sec(c+dx)(a+b \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=374

$$\frac{2(a-b)\sqrt{a+b}(6a^2C + 105aAb + 57abC - 35Ab^2 - 25b^2C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\dots}{105b^2d}\right)\right)}{105b^2d}$$

```
[Out] (-4*a*(a - b)*Sqrt[a + b]*(70*A*b^2 - 3*a^2*C + 41*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(a - b)*Sqrt[a + b]*(105*a*A*b - 35*A*b^2 + 6*a^2*C + 57*a*b*C - 25*b^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^2*d) - (2*(6*a^2*C - 5*b^2*(7*A + 5*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b*d) - (4*a*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*b*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*b*d))
```

Rubi [A] time = 0.760999, antiderivative size = 374, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4083, 4002, 4005, 3832, 4004}

$$\frac{2(6a^2C - 5b^2(7A + 5C)) \tan(c+dx) \sqrt{a+b \sec(c+dx)}}{105bd} + \frac{2(a-b)\sqrt{a+b}(6a^2C + 105aAb + 57abC - 35Ab^2 - 25b^2C)}{105bd}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (-4*a*(a - b)*Sqrt[a + b]*(70*A*b^2 - 3*a^2*C + 41*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(a - b)*Sqrt[a + b]*(105*a*A*b - 35*A*b^2 + 6*a^2*C + 57*a*b*C - 25*b^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^2*d) - (2*(6*a^2*C - 5*b^2*(7*A + 5*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b*d) - (4*a*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*b*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*b*d))
```

Rule 4083

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[
(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*
(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[C
sc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a
+ b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*
Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B,
0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{7bd} + \frac{2 \int \sec(c + dx)(a + b \sec(c + dx))^{3/2} dx}{7bd} \\
&= -\frac{4aC(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{35bd} + \frac{2C(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{7bd} \\
&= -\frac{2(6a^2C - 5b^2(7A + 5C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105bd} \\
&= -\frac{2(6a^2C - 5b^2(7A + 5C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105bd} \\
&= -\frac{4a(a - b)\sqrt{a + b}(70Ab^2 - 3a^2C + 41b^2C) \cot(c + dx) E\left(\frac{c + dx}{2} \middle| \frac{a + b \sec(c + dx)}{a + b}\right)}{105bd}
\end{aligned}$$

Mathematica [B] time = 23.7816, size = 3214, normalized size = 8.59

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((-8*a*(-70*A*b^2 + 3*a^2*C - 41*b^2*C)*Sin[c + d*x])/(105*b^2) + (4*Sec[c + d*x]*(35*A*b^2*Sin[c + d*x] + 3*a^2*C*Sin[c + d*x] + 25*b^2*C*Sin[c + d*x]))/(105*b) + (32*a*C*Sec[c + d*x]*Tan[c + d*x])/35 + (4*b*C*Sec[c + d*x]^2*Tan[c + d*x])/7)/(d*(b + a*Cos[c + d*x])*(A + 2*C + A*Cos[2*c + 2*d*x])) + (8*((-8*a*A*b)/(3*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (4*a^3*C)/(35*b*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (164*a*b*C)/(105*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a^2*A*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) + (2*A*b^2*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) - (62*a^2*C*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) + (4*a^4*C*Sqrt[Sec[c + d*x]])/(35*b^2*Sqrt[b + a*Cos[c + d*x]]) + (10*b^2*C*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (8*a^2*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) - (164*a^2*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) + (4*a^4*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(35*b^2*Sqrt[b + a*Cos[c + d*x]]))*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*(2*a*(a + b)*(-70*A*b^2 + 3*a^2*C - 41*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/(a + b)*(1 + Cos[c + d*x])])*EllipticE[Arc

$$\begin{aligned} & \text{Sin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-6*a^2*C + 5*b^2*(7*A \\ & + 5*C) + 3*a*b*(35*A + 19*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b \\ & + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + \\ & d*x)/2]], (a - b)/(a + b)] + a*(-70*A*b^2 + 3*a^2*C - 41*b^2*C)*\text{Cos}[c + d*x] \\ &]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2))/((105*b^2*d*(b \\ & + a*\text{Cos}[c + d*x])^2*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] \\ & * \text{Sec}[c + d*x]^{7/2})*((4*a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x] \\ &]*(2*a*(a + b)*(-70*A*b^2 + 3*a^2*C - 41*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[\\ & c + d*x]])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Elliptic} \\ & \text{E}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-6*a^2*C + 5*b^2* \\ & (7*A + 5*C) + 3*a*b*(35*A + 19*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sq} \\ & \text{rt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan} \\ & (c + d*x)/2]], (a - b)/(a + b)] + a*(-70*A*b^2 + 3*a^2*C - 41*b^2*C)*\text{Cos}[c \\ & + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2))/((105*b^2* \\ & (b + a*\text{Cos}[c + d*x])^{3/2})*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (4*\text{Sqrt}[\text{Cos}[(c + d*x) \\ &)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*a*(a + b)*(-70*A*b^2 + 3*a^2*C - 4 \\ & 1*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((\\ & a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a \\ & + b)] + b*(a + b)*(-6*a^2*C + 5*b^2*(7*A + 5*C) + 3*a*b*(35*A + 19*C))*\text{Sqrt} \\ & [\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + C \\ & os[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(-7 \\ & 0*A*b^2 + 3*a^2*C - 41*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d* \\ & x)/2]^2*\text{Tan}[(c + d*x)/2))/((105*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + \\ & d*x)/2]^2]) + (8*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((a*(-70*A*b^2 + 3*a \\ & ^2*C - 41*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4)/2 + \\ & (a*(a + b)*(-70*A*b^2 + 3*a^2*C - 41*b^2*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + \\ & b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b \\ &)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + Co \\ & s[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (b*(a + b)*(-6*a^2*C \\ & + 5*b^2*(7*A + 5*C) + 3*a*b*(35*A + 19*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + \\ & b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b \\ &]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + Cos \\ & [c + d*x])))/(2*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])) + (a*(a + b)*(-70*A* \\ & b^2 + 3*a^2*C - 41*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[A \\ & rcSin[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \\ & \text{Cos}[c + d*x])) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\ & + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(\\ & a + b)*(-6*a^2*C + 5*b^2*(7*A + 5*C) + 3*a*b*(35*A + 19*C))*\text{Sqrt}[\text{Cos}[c + d* \\ & x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] \\ & *(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])) + ((b + a*\text{Cos}[c + d*x])* \\ & \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/(2*\text{Sqrt}[(b + a*\text{Cos}[c + d*x]) \\ &]/((a + b)*(1 + \text{Cos}[c + d*x])))) - a^2*(-70*A*b^2 + 3*a^2*C - 41*b^2*C)*\text{Cos} \\ & [c + d*x]* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - a*(-70*A*b^2 + \\ & 3*a^2*C - 41*b^2*C)*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Ta} \\ & n[(c + d*x)/2] + a*(-70*A*b^2 + 3*a^2*C - 41*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos} \end{aligned}$$

$$\begin{aligned}
& [c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]^2 + (b*(a + b)*(-6*a^2*C + 5 \\
& *b^2*(7*A + 5*C) + 3*a*b*(35*A + 19*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x] \\
&)] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2] \\
& ^2)/(2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(\\
& a + b)]) + (a*(a + b)*(-70*A*b^2 + 3*a^2*C - 41*b^2*C) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 \\
& + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{S} \\
& \text{ec}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)] / \text{Sqrt}[1 - \\
& \text{Tan}[(c + d*x)/2]^2]) / (105*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/ \\
& 2]^2]) + (4*(2*a*(a + b)*(-70*A*b^2 + 3*a^2*C - 41*b^2*C) * \text{Sqrt}[\text{Cos}[c + d*x] \\
& / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] \\
&] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-6*a^2* \\
& C + 5*b^2*(7*A + 5*C) + 3*a*b*(35*A + 19*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + \\
& d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{A} \\
& \text{rcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(-70*A*b^2 + 3*a^2*C - 41*b^2 \\
& *C) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] * \\
& (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2 * \text{Sec} \\
& [c + d*x] * \text{Tan}[c + d*x]) / (105*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d* \\
& x)/2]^2] * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]))))
\end{aligned}$$

Maple [B] time = 0.986, size = 2986, normalized size = 8.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x)`

[Out]
$$\begin{aligned}
& -2/105/d/b^2*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-1+\cos(d \\
& *x+c))^2*(-35*A*\cos(d*x+c)^2*b^4+105*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/ \\
& (\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{Ellip} \\
& \text{ticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2-140*A*\sin(d*x+ \\
& c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)) \\
& /(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(\\
& 1/2)})*a^2*b^2-6*C*\cos(d*x+c)^5*a^4+6*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/ \\
& (\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{Ellip} \\
& \text{ticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^4+25*C*\sin(d*x+c)*\cos \\
& (d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)}) \\
& *b^4+35*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+ \\
& c),((a-b)/(a+b))^{(1/2)})*b^4+6*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d* \\
& x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-
\end{aligned}$$

$$\begin{aligned}
& 1 + \cos(dx+c) / \sin(dx+c), ((a-b)/(a+b))^{1/2} * a^4 + 25C * \sin(dx+c) * \cos(dx+c) \\
&)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c) \\
& +1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^4 - 17 \\
& 5 * A * \cos(dx+c)^3 * a * b^3 - 140 * A * \cos(dx+c)^4 * a^2 * b^2 - 140 * A * \sin(dx+c) * \cos(dx+c) \\
&)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c) \\
& +1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^3 \\
& + 140 * A * \cos(dx+c)^4 * a * b^3 - 6 * C * \cos(dx+c)^4 * a^3 * b - 55 * C * \cos(dx+c)^4 * a^2 * b^2 + \\
& 82 * C * \cos(dx+c)^4 * a * b^3 + 3 * C * \cos(dx+c)^3 * a^3 * b - 68 * C * \cos(dx+c)^3 * a * b^3 - 27 * C \\
& * \cos(dx+c)^2 * a^2 * b^2 - 39 * C * \cos(dx+c) * a * b^3 + 140 * A * \cos(dx+c)^5 * a^2 * b^2 + 35 * A \\
& * \cos(dx+c)^5 * a * b^3 + 3 * C * \cos(dx+c)^5 * a^3 * b + 82 * C * \cos(dx+c)^5 * a^2 * b^2 + 25 * C * \cos \\
& (dx+c)^5 * a * b^3 + 35 * A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \\
&)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c) \\
&) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^4 + 105 * A * \cos(dx+c)^3 * \sin(dx+c) * (\cos \\
& (dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
&)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 + 140 * A * \\
& \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos \\
& (dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b) / \\
& (a+b))^{1/2}) * a * b^3 + 6 * C * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1)) \\
&)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c) \\
&) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * b - 82 * C * \sin(dx+c) * \cos(dx+c)^4 * (\cos \\
& (dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
&)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 - 82 * C \\
& * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos \\
& (dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b) / \\
& (a+b))^{1/2}) * a * b^3 - 6 * C * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1) \\
&)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c) \\
&) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * b + 51 * C * \sin(dx+c) * \cos(dx+c)^4 * (\cos \\
& (dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
&)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 + 82 * \\
& C * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos \\
& (dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b) \\
&) / (a+b))^{1/2}) * a * b^3 - 140 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c) \\
& +1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos \\
& (dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 - 140 * A * \sin(dx+c) * \cos(dx+c) \\
&)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c) \\
& +1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^3 \\
& + 140 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (\\
& b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\
& ((a-b)/(a+b))^{1/2}) * a * b^3 + 6 * C * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c) \\
& +1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 \\
& +\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * b - 82 * C * \sin(dx+c) * \cos(dx+c) \\
&)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c) \\
& +1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b \\
& ^2 - 82 * C * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * \\
& (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)
\end{aligned}$$

$$, ((a-b)/(a+b))^{1/2} * a * b^3 - 6 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 * b + 51 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 + 82 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^3 + 6 * C * \cos(d*x+c)^4 * a^4 - 10 * C * \cos(d*x+c)^2 * b^4 + 35 * A * \cos(d*x+c)^4 * b^4 + 25 * C * \cos(d*x+c)^4 * b^4 - 15 * C * b^4 / (b+a*\cos(d*x+c)) / \cos(d*x+c)^3 / \sin(d*x+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((Cb \sec(dx+c)^4 + Ca \sec(dx+c)^3 + Ab \sec(dx+c)^2 + Aa \sec(dx+c)) \sqrt{b \sec(dx+c) + a}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^4 + C*a*sec(d*x + c)^3 + A*b*sec(d*x + c)^2 + A*a*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c), x
)
```

3.720 $\int (a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=415

$$\frac{2\sqrt{a+b}(a^2C - 2ab(5A + 2C) + b^2(5A + 3C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{5bd}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(a^2*C + b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(5*b^2*d) - (2*Sqrt[a + b]*(a^2*C - 2*a*b*(5*A + 2*C) + b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(5*b*d) - (2*a*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*a*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*d) + (2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)
```

Rubi [A] time = 0.576313, antiderivative size = 415, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {4057, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(a^2C - 2ab(5A + 2C) + b^2(5A + 3C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right) \Big|_{\frac{a+b}{a-b}}}{5bd}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(a^2*C + b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(5*b^2*d) - (2*Sqrt[a + b]*(a^2*C - 2*a*b*(5*A + 2*C) + b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(5*b*d) - (2*a*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*a*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*d) + (2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)
```

$c + d*x]/(5*d)$

Rule 4057

$\text{Int}[\left((A_{.}) + \csc[(e_{.}) + (f_{.})*(x_{.})]^2*(C_{.})\right)*(\csc[(e_{.}) + (f_{.})*(x_{.})]*(b_{.}) + (a_{.})^{(m_{.})}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[a*A*(m + 1) + (A*b*(m + 1) + b*C*m)*\text{Csc}[e + f*x] + a*C*m*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[2*m, 0]$

Rule 4056

$\text{Int}[\left((A_{.}) + \csc[(e_{.}) + (f_{.})*(x_{.})]*(B_{.}) + \csc[(e_{.}) + (f_{.})*(x_{.})]^2*(C_{.})\right)*(\csc[(e_{.}) + (f_{.})*(x_{.})]*(b_{.}) + (a_{.})^{(m_{.})}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*\text{Csc}[e + f*x] + (b*B*(m + 1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[2*m, 0]$

Rule 4058

$\text{Int}[\left((A_{.}) + \csc[(e_{.}) + (f_{.})*(x_{.})]*(B_{.}) + \csc[(e_{.}) + (f_{.})*(x_{.})]^2*(C_{.})\right)/\text{Sqrt}[\csc[(e_{.}) + (f_{.})*(x_{.})]*(b_{.}) + (a_{.})], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\csc[(e_{.}) + (f_{.})*(x_{.})]*(d_{.}) + (c_{.}))/\text{Sqrt}[\csc[(e_{.}) + (f_{.})*(x_{.})]*(b_{.}) + (a_{.})], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

$\text{Int}[1/\text{Sqrt}[\csc[(c_{.}) + (d_{.})*(x_{.})]*(b_{.}) + (a_{.})], x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[c + d*x]))/(a - b))]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(a*d*\text{Cot}[c + d*x]), x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2}{5} \int \sqrt{a + b \sec(c + dx)} \left(\frac{5aA}{2} \right. \\
&= \frac{2aC\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{5d} + \frac{2C(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
&= \frac{2aC\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{5d} + \frac{2C(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
&= -\frac{2(a - b)\sqrt{a + b} (a^2C + b^2(5A + 3C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{5b^2d} \\
&= -\frac{2(a - b)\sqrt{a + b} (a^2C + b^2(5A + 3C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{5b^2d}
\end{aligned}$$

Mathematica [B] time = 25.1141, size = 6143, normalized size = 14.8

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] Result too large to show
```


Maple [B] time = 0.773, size = 2834, normalized size = 6.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b*\sec(dx+c))^{3/2}*(A+C*\sec(dx+c)^2), x)$

[Out]
$$-2/5/d/b*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))^{2*}(5*A*\cos(dx+c)^3*b^3-5*A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b+10*A*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^2*b-5*A*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b+10*A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^2*b-C*\cos(dx+c)^3*a^3-5*A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-5*A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+5*A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3-3*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+3*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-5*A*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+10*A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-3*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a$$

$$\begin{aligned} & * \cos(dx+c) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 4 * C * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 - 5 * A * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 10 * A * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 - C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b - 3 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 4 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 5 * A * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 - C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 - 3 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 3 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 3 * C * \cos(dx+c)^3 * b^3 - 5 * A * \cos(dx+c)^2 * b^3 - 2 * C * \cos(dx+c)^2 * b^3 + C * \cos(dx+c)^4 * a^3 + 5 * A * \cos(dx+c)^4 * a * b^2 + 2 * C * \cos(dx+c)^4 * a^2 * b + 3 * C * \cos(dx+c)^4 * a * b^2 - 5 * A * \cos(dx+c)^3 * a * b^2 + C * \cos(dx+c)^3 * a^2 * b - 3 * C * \cos(dx+c)^2 * a^2 * b - 3 * C * \cos(dx+c) * a * b^2 - C * b^3 / (b+a * \cos(dx+c)) / \cos(dx+c)^2 / \sin(dx+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A)(b \sec(dx+c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(3/2)*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + A)*(b*sec(dx+c) + a)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) (a + b \sec(c + dx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**(3/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2), x)`

3.721 $\int \cos(c+dx)(a+b \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=408

$$\frac{\sqrt{a+b}(6a^2C + ab(3A - 8C) + 2b^2(3A + C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3bd}$$

[Out] (a*(a - b)*Sqrt[a + b]*(3*A - 8*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (Sqrt[a + b]*(a*b*(3*A - 8*C) + 6*a^2*C + 2*b^2*(3*A + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) - (3*A*b*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (b*(3*A - 2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.574512, antiderivative size = 408, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(6a^2C + ab(3A - 8C) + 2b^2(3A + C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right) \Big|_{\frac{a+b}{a-b}}}{3bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2),x]

[Out] (a*(a - b)*Sqrt[a + b]*(3*A - 8*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (Sqrt[a + b]*(a*b*(3*A - 8*C) + 6*a^2*C + 2*b^2*(3*A + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) - (3*A*b*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (b*(3*A - 2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.)^(n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4056

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)^(m_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)])/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_S

```

ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} + \int \sqrt{a + b \sec(c + dx)} dx \\
&= \frac{A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{b(3A - 2C)\sqrt{a + b \sec(c + dx)}}{3bd} \\
&= \frac{A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{b(3A - 2C)\sqrt{a + b \sec(c + dx)}}{3bd} \\
&= \frac{a(a - b)\sqrt{a + b}(3A - 8C) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3bd} \\
&= \frac{a(a - b)\sqrt{a + b}(3A - 8C) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3bd}
\end{aligned}$$

Mathematica [B] time = 24.4298, size = 4024, normalized size = 9.86

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((16*a*C*
Sin[c + d*x])/3 + (4*b*C*Tan[c + d*x])/3))/(d*(b + a*Cos[c + d*x])*(A + 2*C
+ A*Cos[2*c + 2*d*x])) + (2*((4*a*A*b)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[

```

$$\begin{aligned}
& c + d*x]) - (8*a*b*C)/(3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) + (a \\
& ^2*A*\text{Sqrt}[\text{Sec}[c + d*x]])/\text{Sqrt}[b + a*\text{Cos}[c + d*x]] + (2*A*b^2*\text{Sqrt}[\text{Sec}[c + d \\
& *x]])/\text{Sqrt}[b + a*\text{Cos}[c + d*x]] - (2*a^2*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*\text{Sqrt}[b + a \\
& * \text{Cos}[c + d*x]]) + (2*b^2*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) \\
& + (a^2*A*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/\text{Sqrt}[b + a*\text{Cos}[c + d*x]] - (\\
& 8*a^2*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]])* \\
& \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(3/2)*(A + C*\text{Sec} \\
& [c + d*x]^2)*(2*a*(a + b)*(3*A - 8*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] \\
& *\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{T} \\
& \text{an}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + 4*(3*a^2*C + b^2*(3 \\
& *A + C) + a*(-6*A*b + 4*b*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b \\
& + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + \\
& d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + a*(-36*A*b*\text{Sqrt}[\text{Cos}[c + d*x] \\
&]/(1 + \text{Cos}[c + d*x]))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]) \\
&)]*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x) \\
& /2]^2 + (3*A - 8*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4*\text{T} \\
& \text{an}[(c + d*x)/2]))/(3*d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C + A*\text{Cos}[2*c + 2*d*x] \\
&)*(\text{Sec}[(c + d*x)/2]^2)^(3/2)*\text{Sec}[c + d*x]^(7/2)*((a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 \\
& *\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*(2*a*(a + b)*(3*A - 8*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \\
& \text{Cos}[c + d*x]))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{E} \\
& \text{llipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + 4*(3 \\
& *a^2*C + b^2*(3*A + C) + a*(-6*A*b + 4*b*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + \\
& d*x]])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{A} \\
& \text{rcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + a*(-36*A*b*\text{S} \\
& \text{qrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 \\
& + \text{Cos}[c + d*x]))]*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b) \\
&]*\text{Sec}[(c + d*x)/2]^2 + (3*A - 8*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c \\
& + d*x)/2]^4*\text{Tan}[(c + d*x)/2]))/(3*(b + a*\text{Cos}[c + d*x])^(3/2)*(\text{Sec}[(c + d* \\
& x)/2]^2)^(3/2)) - (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(\\
& 2*a*(a + b)*(3*A - 8*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*C \\
& \text{os}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2 \\
&]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + 4*(3*a^2*C + b^2*(3*A + C) + a*(- \\
& 6*A*b + 4*b*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d \\
& *x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - \\
& b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + a*(-36*A*b*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + \\
& d*x]])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticPi} \\
& [-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + (3*A - \\
& 8*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4*\text{Tan}[(c + d*x)/2] \\
&))/(\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*(\text{Sec}[(c + d*x)/2]^2)^(3/2)) + (2*\text{Sqrt}[\text{Cos}[(c \\
& + d*x)/2]^2*\text{Sec}[c + d*x]]*((a*(a + b)*(3*A - 8*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x]) \\
&]/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/ \\
& (a + b)]*\text{Sec}[(c + d*x)/2]^2*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x]) \\
& ^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]) \\
&] + (2*(3*a^2*C + b^2*(3*A + C) + a*(-6*A*b + 4*b*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d \\
& *x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a -
\end{aligned}$$

$$\begin{aligned}
& b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x]))^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x])) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] + (a * (a + b) * (3*A - 8*C) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * (-((a * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))) + ((b + a * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] + (2 * (3*a^2*C + b^2 * (3*A + C) + a * (-6*A*b + 4*b*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * (-((a * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))) + ((b + a * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] + 2 * a * (a + b) * (3*A - 8*C) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] + 4 * (3*a^2*C + b^2 * (3*A + C) + a * (-6*A*b + 4*b*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] + (2 * (3*a^2*C + b^2 * (3*A + C) + a * (-6*A*b + 4*b*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^4) / (\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) + (a * (a + b) * (3*A - 8*C) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^4 * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) / \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] + a * (((3*A - 8*C) * \text{Cos}[c + d*x] * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^6) / 2 - (18*A*b * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x])))) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] - (18*A*b * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * (-((a * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))) + ((b + a * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] - 36*A*b * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] - a * (3*A - 8*C) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^4 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] - (3*A - 8*C) * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] + 2 * (3*A - 8*C) * \text{Cos}[c + d*x] * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Tan}[(c + d*x)/2]^2 + (18*A*b * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^4) / (\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)])) / (3 * \text{Sqrt}[b + a * \text{Cos}[c + d*x]] * (\text{Sec}[(c + d*x)/2]^2)^(3/2)) + ((2 * a * (a + b) * (3*A - 8*C) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 + 4 * (3*a^2*C + b^2 * (3*A + C) + a * (-6*A*b + 4*b*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}
\end{aligned}$$

$$\left[\frac{(b + a \cos[c + d*x])}{(a + b)(1 + \cos[c + d*x])} \right] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b) * \text{Sec}[(c + d*x)/2]^2 + a * (-36 * A * b * \text{Sqrt}[\cos[c + d*x]/(1 + \cos[c + d*x])]) * \text{Sqrt}[(b + a \cos[c + d*x]) / ((a + b)(1 + \cos[c + d*x]))] * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b) * \text{Sec}[(c + d*x)/2]^2 + (3 * A - 8 * C) * \cos[c + d*x] * (b + a \cos[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Tan}[(c + d*x)/2]) * (-\cos[(c + d*x)/2] * \text{Sec}[c + d*x] * \sin[(c + d*x)/2]) + \cos[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x]) / (3 * \text{Sqrt}[b + a \cos[c + d*x]] * (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Sqrt}[\cos[(c + d*x)/2]^2 * \text{Sec}[c + d*x]])$$

Maple [B] time = 0.638, size = 2147, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x)`

[Out]
$$\begin{aligned} & -1/3/d * (\cos(d*x+c)+1)^2 * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)} * (-1+\cos(d*x+c)) \\ & ^2 * (3*A*\cos(d*x+c)^4*a^2+3*A*\cos(d*x+c)^3*a*b-3*A*\cos(d*x+c)^2*a*b+8*C*\cos(d*x+c) \\ & ^3*a^2-12*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & ((a-b)/(a+b))^{(1/2)} * a*b+18*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, \\ & ((a-b)/(a+b))^{(1/2)} * a*b+8*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & ((a-b)/(a+b))^{(1/2)} * a*b-8*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & ((a-b)/(a+b))^{(1/2)} * a*b-12*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & ((a-b)/(a+b))^{(1/2)} * a*b+18*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, \\ & ((a-b)/(a+b))^{(1/2)} * a*b+8*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & ((a-b)/(a+b))^{(1/2)} * a*b-8*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & ((a-b)/(a+b))^{(1/2)} * a*b+3*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & ((a-b)/(a+b))^{(1/2)} * a*b+3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \\ & \cos(d*x+c)^2 * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \sin(d \end{aligned}$$

```

*x+c)*a*b+6*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a
+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*
x+c),((a-b)/(a+b))^(1/2))*a^2+6*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(
d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF(
(-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+2*C*sin(d*x+c)*cos(d*x+
c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c
)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-8
*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*
cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-
b)/(a+b))^(1/2))*a^2+6*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x
+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+2*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*E
llipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-8*C*sin(d*x+c)
*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2)
)*a^2+2*C*cos(d*x+c)^3*a*b+8*C*cos(d*x+c)^2*a*b-10*C*cos(d*x+c)*a*b-3*A*cos
(d*x+c)^3*a^2+3*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c
)))/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x+c),
((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2+6*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(
1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/si
n(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^2+3*A*(cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*cos(d*
x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a
^2-2*b^2*C-8*C*cos(d*x+c)^2*a^2+2*C*cos(d*x+c)^2*b^2)/sin(d*x+c)^5/(b+a*cos
(d*x+c))/cos(d*x+c)

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm
="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c), x
)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb cos(dx + c) sec(dx + c)³ + Ca cos(dx + c) sec(dx + c)² + Ab cos(dx + c) sec(dx + c) + Aa cos(dx + c))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b*cos(d*x + c)*sec(d*x + c)^3 + C*a*cos(d*x + c)*sec(d*x + c)^2 + A*b*cos(d*x + c)*sec(d*x + c) + A*a*cos(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c), x)

3.722 $\int \cos^2(c+dx)(a+b \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=414

$$\frac{\sqrt{a+b}(2aA+16aC+5Ab-8bC)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{4d} + \sqrt{a+b}(2aA+16aC+5Ab-8bC)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)$$

[Out] ((a - b)*Sqrt[a + b]*(5*A - 8*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) + (Sqrt[a + b]*(2*a*A + 5*A*b + 16*a*C - 8*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(3*A*b^2 + 4*A^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + (3*A*b*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/ (4*d) + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/ (2*d)

Rubi [A] time = 0.675403, antiderivative size = 414, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4095, 4094, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(4a^2(A+2C)+3Ab^2)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{a};\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\left|\frac{a+b}{a-b}\right.\right)}{4ad} + \sqrt{a+b}(2aA+16aC+5Ab-8bC)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2),x]

[Out] ((a - b)*Sqrt[a + b]*(5*A - 8*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) + (Sqrt[a + b]*(2*a*A + 5*A*b + 16*a*C - 8*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(3*A*b^2 + 4*A^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + (3*A*b*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/ (4*d) + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/ (2*d)

$[c + d*x]/(2*d)$

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{2d} + \frac{1}{2} \int \cos(c + dx)(a + b \sec(c + dx))^{3/2} dx \\ &= \frac{3Ab\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{A \cos(c + dx)(a + b \sec(c + dx))^{3/2}}{2d} \\ &= \frac{3Ab\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{A \cos(c + dx)(a + b \sec(c + dx))^{3/2}}{2d} \\ &= \frac{(a - b)\sqrt{a + b}(5A - 8C) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{4d} \\ &= \frac{(a - b)\sqrt{a + b}(5A - 8C) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{4d} \end{aligned}$$

Mathematica [C] time = 19.7006, size = 1618, normalized size = 3.91

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] ((Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(4*b*C*Sin[c + d*x] + (a*A*Sin[2*
(c + d*x)]/2))/(d*(b + a*Cos[c + d*x])) - ((a + b*Sec[c + d*x])^(3/2)*(5*a
*A*b*sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 5*A*b^2*sqrt[(-a + b)/(a + b
)]*Tan[(c + d*x)/2] - 8*a*b*sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] - 8*b
^2*sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] - 10*a*A*b*sqrt[(-a + b)/(a +
b)]*Tan[(c + d*x)/2]^3 + 16*a*b*sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^3
+ 5*a*A*b*sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 - 5*A*b^2*sqrt[(-a + b
)/(a + b)]*Tan[(c + d*x)/2]^5 - 8*a*b*sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x
)/2]^5 + 8*b^2*sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^5 - (8*I)*a^2*A*El
lipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)
/2]], (a + b)/(a - b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b - a*Tan[(c
+ d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (6*I)*A*b^2*EllipticPi[-((a
+ b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/
(a - b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b - a*Tan[(c + d*x)/2]^2 +
b*Tan[(c + d*x)/2]^2)/(a + b)] - (16*I)*a^2*C*EllipticPi[-((a + b)/(a - b))
, I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*sqrt
[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*
x)/2]^2)/(a + b)] - (8*I)*a^2*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sq
rt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2
*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c
+ d*x)/2]^2)/(a + b)] - (6*I)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSi
nh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)
/2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*T
an[(c + d*x)/2]^2)/(a + b)] - (16*I)*a^2*C*EllipticPi[-((a + b)/(a - b)), I
*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c
+ d*x)/2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b - a*Tan[(c + d*x)/2]^2
+ b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*b*(5*A - 8*C)*EllipticE[I*Arc
Sinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*sqrt[1 - Ta
n[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a + b - a*Tan[(c + d*x)/2]
^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*(a - b)*(b*(A - 4*C) + 2*a*(A +
2*C))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b
)/(a - b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a +
b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(2*sqrt[(-a + b
)/(a + b)]*d*(b + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)*sqrt[(1 - Tan[(c
+ d*x)/2]^2)^(-1)]*(-1 + Tan[(c + d*x)/2]^2)*(1 + Tan[(c + d*x)/2]^2)^(3/2
)*sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c +
d*x)/2]^2)))/2
```

Maple [B] time = 0.648, size = 2617, normalized size = 6.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^2*(a+b*\sec(d*x+c))^{3/2}*(A+C*\sec(d*x+c)^2), x)$

[Out]
$$-1/4/d*(-1+\cos(d*x+c))^2*(-4*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*\sin(d*x+c)-8*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2*\sin(d*x+c)+2*A*\cos(d*x+c)^4*a^2-8*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*\sin(d*x+c)+7*A*\cos(d*x+c)^3*a*b-5*A*\cos(d*x+c)^2*a*b-2*A*\cos(d*x+c)*a*b+2*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b+16*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b-8*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b+16*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2*\sin(d*x+c)+8*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2*\sin(d*x+c)+6*A*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)+5*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2*\sin(d*x+c)+5*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b-8*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2*\sin(d*x+c)+8*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2*\sin(d*x+c)+5*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2-8*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2+16*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2+16*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b*\sin(d*x+c)-4*A*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)+8*A*\cos(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*$$

$$\begin{aligned} & 1/2)) * a^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) + 6*A*\sin(d*x+c)*\cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * b^2 + 5*A*\text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * a*b + 2*A*\text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * a*b - 2*A*\cos(d*x+c)^2 * a^2 + 5*A*\cos(d*x+c)^2 * b^2 - 5*A*\cos(d*x+c) * b^2 - 8*A*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2 + 8*C*\sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2 + 8*C*\cos(d*x+c)^2 * a*b - 8*C*\cos(d*x+c) * a*b - 8*C*\text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * a*b - 8*C*\text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \cos(d*x+c) * b^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) + 8*C*\cos(d*x+c) * b^2 - 8*b^2*C) * (\cos(d*x+c)+1)^2 * ((b+a*\cos(d*x+c)) / \cos(d*x+c))^{1/2} / (b+a*\cos(d*x+c)) / \sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A)(b \sec(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb cos(dx+c)^2 sec(dx+c)^3 + Ca cos(dx+c)^2 sec(dx+c)^2 + Ab cos(dx+c)^2 sec(dx+c) + Aa cos(dx+c)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^2*sec(d*x + c)^3 + C*a*cos(d*x + c)^2*sec(d*x + c)^2 + A*b*cos(d*x + c)^2*sec(d*x + c) + A*a*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x)
```

3.723 $\int \cos^3(c+dx)(a+b \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=504

$$\frac{\sqrt{a+b}(16a^2A + 24a^2C + 14aAb + 48abC + 3Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{24ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(3*A*b^2 + 8*a^2*(2*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*b*d) + (Sqrt[a + b]*(16*a^2*A + 14*a*A*b + 3*A*b^2 + 24*a^2*C + 48*a*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*d) + (b*Sqrt[a + b]*(A*b^2 - 12*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^2*d) + ((3*A*b^2 + 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a*d) + (A*b*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.17798, antiderivative size = 504, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4095, 4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(8a^2(2A + 3C) + 3Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{24ad} + \frac{\sqrt{a+b}(16a^2A + 24a^2C + 14aAb + 48abC + 3Ab^2) \cot(c+dx)}{24ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(3*A*b^2 + 8*a^2*(2*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*b*d) + (Sqrt[a + b]*(16*a^2*A + 14*a*A*b + 3*A*b^2 + 24*a^2*C + 48*a*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*d) + (b*Sqrt[a + b]*(A*b^2 - 12*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^2*d) + ((3*A*b^2 + 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a*d) + (A*b*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

)/(a - b))]/(8*a^2*d) + ((3*A*b^2 + 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a*d) + (A*b*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{1}{3} \int \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx \\
&= \frac{Ab \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{(3Ab^2 + 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} + \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} \\
&= \frac{(3Ab^2 + 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} + \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} \\
&= \frac{(a - b) \sqrt{a + b} (3Ab^2 + 8a^2(2A + 3C)) \cot(c + dx) E\left(\sin\left(\frac{c + dx}{2}\right) \sqrt{\frac{a + b \sec(c + dx)}{a + b}}\right)}{24ab} + \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} \\
&= \frac{(a - b) \sqrt{a + b} (3Ab^2 + 8a^2(2A + 3C)) \cot(c + dx) E\left(\sin\left(\frac{c + dx}{2}\right) \sqrt{\frac{a + b \sec(c + dx)}{a + b}}\right)}{24ab} + \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad}
\end{aligned}$$

Mathematica [B] time = 18.7106, size = 1393, normalized size = 2.76

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((a*A*Sin[c + d*x])/6 + (7*A*b*Sin[2*(c + d*x)]/12 + (a*A*Sin[3*(c + d*x)]/6)))/(d*(b + a*Cos[c + d*x])*(A + 2*C + A*Cos[2*c + 2*d*x])) + ((a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(16*a^3*A*Tan[(c + d*x)/2] + 16*a^2*A*b*Tan[(c + d*x)/2] + 3*a*A*b^2*Tan[(c + d*x)/2] + 3*A*b^3*Tan[(c + d*x)/2] + 24*a^3*C*Tan[(c + d*x)/2] + 24*a^2*b*C*Tan[(c + d*x)/2] - 32*a^3*A*Tan[(c + d*x)/2]^3 - 6*a*A*b^2*Tan[(c + d*x)/2]^3 - 48*a^3*C*Tan[(c + d*x)/2]^3 + 16*a^3*A*Tan[(c + d*x)/2]^5 - 16*a^2*A*b*Tan[(c + d*x)/2]^5 + 3*a*A*b^2*Tan[(c + d*x)/2]^5 - 3*A*b^3*Tan[(c + d*x)/2]^5 + 24*a^3*C*Tan[(c + d*x)/2]^5 - 24*a^2*b*C*Tan[(c + d*x)/2]^5 - 72*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)) + 6*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b))

$$\begin{aligned}
& + d*x)/2]^2)/(a + b)] - 144*a^2*b*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2] \\
&]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + \\
& d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 72*a^2*A*b*EllipticPi[-1, -Arc \\
& Sin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c \\
& + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a \\
& + b)] + 6*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]* \\
& Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d* \\
& x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 144*a^2*b*C*EllipticPi[-1, -ArcS \\
& in[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + \\
& d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + \\
& b)] + (a + b)*(3*A*b^2 + 8*a^2*(2*A + 3*C))*EllipticE[ArcSin[Tan[(c + d*x) \\
& /2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2 \\
&)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*a \\
& *b*(26*a*A - 7*A*b + 48*a*C - 24*b*C)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (\\
& a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[\\
& (a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(12*a*d*(b \\
& + a*Cos[c + d*x])^(3/2)*(A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)* \\
& (1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c \\
& + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))]
\end{aligned}$$

Maple [B] time = 0.477, size = 2723, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x)`

[Out]
$$\begin{aligned}
& 1/24/d/a*(-1+\cos(d*x+c))^2*(-16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+ \\
& c), ((a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)-3*A*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*EllipticE(\\
& (-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})-24*C*\cos(d*x+c)^3*a^3+6*A*b \\
& ^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+ \\
& 1))^{1/2}*\sin(d*x+c)*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b)) \\
& ^{1/2})-24*C*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a \\
& -b)/(a+b))^{1/2})-48*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(\\
& d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(\\
& a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a*b^2-8*A*\cos(d*x+c)^3*a^3+16*A*\cos(d*x+ \\
& c)^2*a^3+24*C*\cos(d*x+c)^2*a^3+3*A*\cos(d*x+c)*b^3-8*A*\cos(d*x+c)^5*a^3-22*A \\
& *\cos(d*x+c)^4*a^2*b+6*A*\cos(d*x+c)^2*a^2*b+3*A*\cos(d*x+c)^2*a*b^2+16*A*\cos(
\end{aligned}$$

$$\begin{aligned}
& d*x+c)*a^2*b+14*A*\cos(d*x+c)*a*b^2+24*C*\cos(d*x+c)*a^2*b-16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3-3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^3+6*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^3-24*C*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})-16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)-3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)+52*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)-14*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)-72*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)-24*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+96*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)-144*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)-16*A*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*b-3*A*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a+52*A*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*\sin(d*x+c)*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*b-14*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b^2-72*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^2*b-24*C*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*b+96*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^2*b-144*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticPi((-1+\cos(d*x+c))
\end{aligned}$$

$$\frac{1}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2} \sin(dx+c) \cos(dx+c) a^2 b^3 - 3A \cos(dx+c)^2 b^3 - 17A \cos(dx+c)^3 a b^2 - 24C \cos(dx+c)^2 a^2 b - 48C \cos(dx+c) / (\cos(dx+c)+1)^{1/2} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \left(\frac{a-b}{a+b}\right)^{1/2}) * a b^2 \sin(dx+c) * (\cos(dx+c)+1)^2 * ((b+a \cos(dx+c))/\cos(dx+c))^{1/2} / (b+a \cos(dx+c)) / \sin(dx+c)^5$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A)(b \sec(dx+c) + a)^{3/2} \cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(a+b*sec(dx+c))^(3/2)*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + A)*(b*sec(dx+c) + a)^(3/2)*cos(dx+c)^3, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb cos(dx+c)^3 sec(dx+c)^3 + Ca cos(dx+c)^3 sec(dx+c)^2 + Ab cos(dx+c)^3 sec(dx+c) + Aa cos(dx+c)^3), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(a+b*sec(dx+c))^(3/2)*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] integral((C*b*cos(dx+c)^3*sec(dx+c)^3 + C*a*cos(dx+c)^3*sec(dx+c)^2 + A*b*cos(dx+c)^3*sec(dx+c) + A*a*cos(dx+c)^3)*sqrt(b*sec(dx+c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^3, x)
```

$$3.724 \quad \int \cos^4(c+dx)(a+b \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=583

$$\frac{\sqrt{a+b}(a^2(52Ab+80bC)+8a^3(3A+4C)+2aAb^2-3Ab^3)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\right)}{64a^2d}$$

```
[Out] -((a - b)*Sqrt[a + b]*(3*A*b^2 - 4*a^2*(13*A + 20*C))*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(64*a^2
*d) + (Sqrt[a + b]*(2*a*A*b^2 - 3*A*b^3 + 8*a^3*(3*A + 4*C) + a^2*(52*A*b +
80*b*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b
]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Se
c[c + d*x]))/(a - b)))]/(64*a^2*d) - (Sqrt[a + b]*(3*A*b^4 + 24*a^2*b^2*(A
+ 2*C) + 16*a^4*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt
[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*
x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(64*a^3*d) - (b*(3*A
*b^2 - 4*a^2*(13*A + 20*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(64*a^2*
d) + ((A*b^2 + 4*a^2*(3*A + 4*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin
[c + d*x])/(32*a*d) + (A*b*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c +
d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4
*d)
```

Rubi [A] time = 1.54025, antiderivative size = 583, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4095, 4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{b(3Ab^2 - 4a^2(13A + 20C))\sin(c + dx)\sqrt{a + b\sec(c + dx)}}{64a^2d} + \frac{(4a^2(3A + 4C) + Ab^2)\sin(c + dx)\cos(c + dx)\sqrt{a + b\sec(c + dx)}}{32ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(3*A*b^2 - 4*a^2*(13*A + 20*C))*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(64*a^2
*d) + (Sqrt[a + b]*(2*a*A*b^2 - 3*A*b^3 + 8*a^3*(3*A + 4*C) + a^2*(52*A*b +
80*b*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b
]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Se
c[c + d*x]))/(a - b)))]/(64*a^2*d) - (Sqrt[a + b]*(3*A*b^4 + 24*a^2*b^2*(A
```

+ 2*C) + 16*a^4*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^3*d) - (b*(3*A*b^2 - 4*a^2*(13*A + 20*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(64*a^2*d) + ((A*b^2 + 4*a^2*(3*A + 4*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(32*a*d) + (A*b*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rule 4095

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*(C*n + A*(n + 1))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,

B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= \frac{A\cos^3(c+dx)(a+b\sec(c+dx))^{3/2}\sin(c+dx)}{4d} + \frac{1}{4}\int \cos^3(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx \\
&= \frac{Ab\cos^2(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{8d} + \frac{A\cos^3(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))}{4d} \\
&= \frac{(Ab^2+4a^2(3A+4C))\cos(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{32ad} \\
&= -\frac{b(3Ab^2-4a^2(13A+20C))\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{64a^2d} \\
&= -\frac{b(3Ab^2-4a^2(13A+20C))\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{64a^2d} \\
&= \frac{(a-b)\sqrt{a+b}\left(A\left(52-\frac{3b^2}{a^2}\right)+80C\right)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sin(c+dx)}{\sqrt{a+b\sec(c+dx)}}\right)\right)}{64d} \\
&= \frac{(a-b)\sqrt{a+b}\left(A\left(52-\frac{3b^2}{a^2}\right)+80C\right)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sin(c+dx)}{\sqrt{a+b\sec(c+dx)}}\right)\right)}{64d}
\end{aligned}$$

Mathematica [A] time = 14.871, size = 651, normalized size = 1.12

$$\frac{\cos^3(c+dx)(a+b\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))\left(\frac{(16a^2A+16a^2C+Ab^2)\sin(2(c+dx))}{32a} + \frac{1}{16}aA\sin(4(c+dx)) + \frac{3}{16}Ab\sin(c+dx)\right)}{d(a\cos(c+dx)+b)(A\cos(2c+2dx)+A+2C)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((3*A*b*Sin[c + d*x])/16 + ((16*a^2*A + A*b^2 + 16*a^2*C)*Sin[2*(c + d*x)]/(32*a) + (3*A*b*Sin[3*(c + d*x)]/16 + (a*A*Sin[4*(c + d*x)]/16)))/(d*(b + a*Cos[c + d*x])*(A + 2*C + A*Cos[2*c + 2*d*x])) - (Cos[c + d*x]^5*(a + b*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*(-(a*b*(a + b)*(-3*A*b^2 + a^2*(52*A + 80*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b])) + b*(a + b)*(-6*a

$$\begin{aligned}
& *A*b^2 + 3*A*b^3 + 8*a^3*(3*A + 4*C) + 4*a^2*b*(7*A + 12*C)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2]/(a + b) \\
& + (3*A*b^4 + 24*a^2*b^2*(A + 2*C) + 16*a^4*(3*A + 4*C))*((a - b)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)])*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2]/(a + b) \\
& - a*b*(-3*A*b^2 + a^2*(52*A + 80*C))*(b + a*\text{Cos}[c + d*x])*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sec}[c + d*x]*\text{Tan}[(c + d*x)/2])/((32*a^3*d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}))
\end{aligned}$$

Maple [B] time = 0.615, size = 3798, normalized size = 6.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^4*(a+b*\sec(d*x+c))^{3/2}*(A+C*\sec(d*x+c)^2), x)$

[Out] $\begin{aligned}
& -1/64/d/a^2*(-1+\cos(d*x+c))^{2*}(96*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^4*\sin(d*x+c)+8*A*a^4*\cos(d*x+c)^4-24*A*a^4*\cos(d*x+c)^2-3*A*\cos(d*x+c)^2*b^4+6*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^4*\sin(d*x+c)+52*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b^2*\sin(d*x+c)-3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^3*\sin(d*x+c)+24*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3*b*\sin(d*x+c)-76*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b^2*\sin(d*x+c)+2*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^3*\sin(d*x+c)-64*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^4*\sin(d*x+c)+128*C*a^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}))+36*A*\cos(d*x+c)^3*a^3*b-A*\cos(d*x+c)^3*a*b^3-52*A*\cos(d*x+c)^2*a^3*b+26*A*\cos(d*x+c)^2*a^2*b^2-24*A*\cos(d*x+c)*a^3*b-52*A*\cos(d*x+c)*a^2*b^2-2*A*\cos(d*x+c)*a*b^3+16*A
\end{aligned}$

$$\begin{aligned}
& *a^4*\cos(d*x+c)^6+3*A*\cos(d*x+c)^2*a*b^3+26*A*\cos(d*x+c)^4*a^2*b^2+32*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*a^3*b+80*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*a^3*b+80*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*a^2*b^2+96*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*a^2*b^2-128*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2*\sin(d*x+c)-3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^4*\sin(d*x+c)-48*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^4*\sin(d*x+c)+48*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^2*b^2+52*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*b+52*A*\cos(d*x+c)*a^2*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})-3*A*\cos(d*x+c)*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a+24*A*\cos(d*x+c)*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b-76*A*\cos(d*x+c)*a^2*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})+2*A*\cos(d*x+c)*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a+112*C*\cos(d*x+c)^3*a^3*b+80*C*\cos(d*x+c)^2*a^2*b^2+40*A*\cos(d*x+c)^5*a^3*b-80*C*\cos(d*x+c)^2*a^3*b-32*C*\cos(d*x+c)*a^3*b-80*C*\cos(d*x+c)*a^2*b^2+96*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^4+6*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*b^4-3*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^4-48*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^4+48*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(
\end{aligned}$$

$(d*x+c+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * b^2 * \sin(d*x+c) + 52 * A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 * b * \sin(d*x+c) - 32 * C * \cos(d*x+c)^2 * a^4 - 128 * C * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 - 64 * C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \cos(d*x+c) * \sin(d*x+c) * a^4 + 128 * C * a^4 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * \cos(d*x+c) * \sin(d*x+c) + 32 * C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 * b * \sin(d*x+c) + 80 * C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 * b * \sin(d*x+c) + 80 * C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 * \sin(d*x+c) + 96 * C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * b^2 * \sin(d*x+c) + 32 * C * \cos(d*x+c)^4 * a^4 + 3 * A * \cos(d*x+c) * b^4 * (\cos(d*x+c)+1)^2 * ((b+a * \cos(d*x+c))/\cos(d*x+c))^{1/2} / (b+a * \cos(d*x+c)) / \sin(d*x+c)^5$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^4, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb cos(dx + c)^4 sec(dx + c)^3 + Ca cos(dx + c)^4 sec(dx + c)^2 + Ab cos(dx + c)^4 sec(dx + c) + Aa cos(dx + c)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^4*sec(d*x + c)^3 + C*a*cos(d*x + c)^4*sec(d*x + c)^2 + A*b*cos(d*x + c)^4*sec(d*x + c) + A*a*cos(d*x + c)^4)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^4, x)
```

3.725 $\int \sec^3(c+dx)(a+b \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=650

$$\frac{2(a-b)\sqrt{a+b}(10a^3b^2(143A+94C)+15a^2b^3(1573A+1175C)+180a^4bC+240a^5C-6ab^4(2717A+2174C)+1617b^5C)}{45045b^4d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(14
3*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C))*Cot[c + d*x]*EllipticE[ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(45045*b^5*d) +
(2*(a - b)*Sqrt[a + b]*(240*a^5*C + 180*a^4*b*C + 1617*b^5*(13*A + 11*C) +
10*a^3*b^2*(143*A + 94*C) + 15*a^2*b^3*(1573*A + 1175*C) - 6*a*b^4*(2717*A
+ 2174*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + S
ec[c + d*x]))/(a - b))]/(45045*b^4*d) + (2*a*(120*a^4*C + 5*a^2*b^2*(143*A
+ 79*C) + b^4*(23309*A + 18973*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/
(45045*b^3*d) - (2*(90*a^4*C - 539*b^4*(13*A + 11*C) - 15*a^2*b^2*(715*A +
543*C))*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(45045*b^2*d) +
(2*a*(2717*A*b^2 + 15*a^2*C + 2209*b^2*C))*Sec[c + d*x]^2*Sqrt[a + b*Sec[c
+ d*x]]*Tan[c + d*x]/(9009*b*d) + (2*(15*a^2*C + 11*b^2*(13*A + 11*C))*Sec
[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(1287*d) + (10*a*C*Sec[c
+ d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(143*d) + (2*C*Sec[c + d
*x]^3*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(13*d)
```

Rubi [A] time = 2.77039, antiderivative size = 650, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4097, 4096, 4102, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(15a^2C + 11b^2(13A + 11C)) \tan(c + dx) \sec^3(c + dx) \sqrt{a + b \sec(c + dx)}}{1287d} + \frac{2a(15a^2C + 2717Ab^2 + 2209b^2C) \tan(c + dx)}{9009bd}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

```
[Out] (2*(a - b)*Sqrt[a + b]*(240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(14
3*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C))*Cot[c + d*x]*EllipticE[ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(45045*b^5*d) +
(2*(a - b)*Sqrt[a + b]*(240*a^5*C + 180*a^4*b*C + 1617*b^5*(13*A + 11*C) +
```

$$10a^3b^2(143A + 94C) + 15a^2b^3(1573A + 1175C) - 6ab^4(2717A + 2174C) \cdot \text{Cot}[c + dx] \cdot \text{EllipticF}[\text{ArcSin}[\sqrt{a + b\text{Sec}[c + dx]}] / \sqrt{a + b}], (a + b) / (a - b) \cdot \sqrt{(b(1 - \text{Sec}[c + dx])) / (a + b)} \cdot \sqrt{-((b(1 + \text{Sec}[c + dx])) / (a - b))} / (45045b^4d) + (2a(120a^4C + 5a^2b^2(143A + 79C) + b^4(23309A + 18973C)) \cdot \sqrt{a + b\text{Sec}[c + dx]} \cdot \text{Tan}[c + dx]) / (45045b^3d) - (2(90a^4C - 539b^4(13A + 11C) - 15a^2b^2(715A + 543C)) \cdot \text{Sec}[c + dx] \cdot \sqrt{a + b\text{Sec}[c + dx]} \cdot \text{Tan}[c + dx]) / (45045b^2d) + (2a(2717Ab^2 + 15a^2C + 2209b^2C) \cdot \text{Sec}[c + dx]^2 \cdot \sqrt{a + b\text{Sec}[c + dx]} \cdot \text{Tan}[c + dx]) / (9009bd) + (2(15a^2C + 11b^2(13A + 11C)) \cdot \text{Sec}[c + dx]^3 \cdot \sqrt{a + b\text{Sec}[c + dx]} \cdot \text{Tan}[c + dx]) / (1287d) + (10a^2C \cdot \text{Sec}[c + dx]^3 \cdot (a + b\text{Sec}[c + dx])^{3/2} \cdot \text{Tan}[c + dx]) / (143d) + (2C \cdot \text{Sec}[c + dx]^3 \cdot (a + b\text{Sec}[c + dx])^{5/2} \cdot \text{Tan}[c + dx]) / (13d)$$

Rule 4097

$$\text{Int}[\left((A_{\cdot}) + \text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right)^2(C_{\cdot}) \cdot (\text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})) \cdot (d_{\cdot})^n \cdot (\text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})) \cdot (b_{\cdot}) + (a_{\cdot})^{m_{\cdot}}, x_{\text{Symbol}}] \rightarrow -\text{Simp}[(C \cdot \text{Cot}[e + fx] \cdot (a + b\text{Csc}[e + fx])^m \cdot (d\text{Csc}[e + fx])^n) / (f(m + n + 1)), x] + \text{Dist}[1 / (m + n + 1), \text{Int}[(a + b\text{Csc}[e + fx])^{m-1} \cdot (d\text{Csc}[e + fx])^n \cdot \text{Simp}[aA(m + n + 1) + aCn + b(A(m + n + 1) + C(m + n)) \cdot \text{Csc}[e + fx] + aCm \cdot \text{Csc}[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{!LeQ}[n, -1]$$

Rule 4096

$$\text{Int}[\left((A_{\cdot}) + \text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right) \cdot (B_{\cdot}) + \text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})^2(C_{\cdot}) \cdot (\text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})) \cdot (d_{\cdot})^n \cdot (\text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})) \cdot (b_{\cdot}) + (a_{\cdot})^{m_{\cdot}}, x_{\text{Symbol}}] \rightarrow -\text{Simp}[(C \cdot \text{Cot}[e + fx] \cdot (a + b\text{Csc}[e + fx])^m \cdot (d\text{Csc}[e + fx])^n) / (f(m + n + 1)), x] + \text{Dist}[1 / (m + n + 1), \text{Int}[(a + b\text{Csc}[e + fx])^{m-1} \cdot (d\text{Csc}[e + fx])^n \cdot \text{Simp}[aA(m + n + 1) + aCn + ((A \cdot b + a \cdot B) \cdot (m + n + 1) + b \cdot C \cdot (m + n)) \cdot \text{Csc}[e + fx] + (b \cdot B \cdot (m + n + 1) + a \cdot C \cdot m) \cdot \text{Csc}[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{!LeQ}[n, -1]$$

Rule 4102

$$\text{Int}[\left((A_{\cdot}) + \text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right) \cdot (B_{\cdot}) + \text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})^2(C_{\cdot}) \cdot (\text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})) \cdot (d_{\cdot})^n \cdot (\text{csc}[e_{\cdot}] + (f_{\cdot})(x_{\cdot})) \cdot (b_{\cdot}) + (a_{\cdot})^{m_{\cdot}}, x_{\text{Symbol}}] \rightarrow -\text{Simp}[(C \cdot d \cdot \text{Cot}[e + fx] \cdot (a + b\text{Csc}[e + fx])^{m+1} \cdot (d\text{Csc}[e + fx])^{n-1}) / (b \cdot f \cdot (m + n + 1)), x] + \text{Dist}[d / (b \cdot (m + n + 1)), \text{Int}[(a + b\text{Csc}[e + fx])^m \cdot (d\text{Csc}[e + fx])^{n-1} \cdot \text{Simp}[aC(n-1) + (A \cdot b \cdot (m + n + 1) + b \cdot C \cdot (m + n)) \cdot \text{Csc}[e + fx] + (b \cdot B \cdot (m + n + 1) - a \cdot C \cdot n) \cdot \text{Csc}[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$$

Rule 4092

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[
(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x
_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx)) dx &= \frac{2C\sec^3(c+dx)(a+b\sec(c+dx))^{5/2}\tan(c+dx)}{13d} + \frac{2}{13} \int \sec^3(c+dx)(a+b\sec(c+dx))^{5/2} dx \\
&= \frac{10aC\sec^3(c+dx)(a+b\sec(c+dx))^{3/2}\tan(c+dx)}{143d} + \frac{2}{13} \int \sec^3(c+dx)(a+b\sec(c+dx))^{5/2} dx \\
&= \frac{2(15a^2C+11b^2(13A+11C))\sec^3(c+dx)\sqrt{a+b\sec(c+dx)}}{1287d} \\
&= \frac{2a(2717Ab^2+15a^2C+2209b^2C)\sec^2(c+dx)\sqrt{a+b\sec(c+dx)}}{9009bd} \\
&= -\frac{2(90a^4C-539b^4(13A+11C)-15a^2b^2(715A+543C))\sec(c+dx)\sqrt{a+b\sec(c+dx)}}{45045b^2d} \\
&= \frac{2a(120a^4C+5a^2b^2(143A+79C)+b^4(23309A+18973C))\sec(c+dx)\sqrt{a+b\sec(c+dx)}}{45045b^3d} \\
&= \frac{2a(120a^4C+5a^2b^2(143A+79C)+b^4(23309A+18973C))\sec(c+dx)\sqrt{a+b\sec(c+dx)}}{45045b^3d} \\
&= \frac{2(a-b)\sqrt{a+b}(240a^6C-1617b^6(13A+11C)+10a^4b^2(13A+11C)+10a^2b^4(13A+11C)+10ab^6(13A+11C))\sec(c+dx)\sqrt{a+b\sec(c+dx)}}{45045b^3d}
\end{aligned}$$

Mathematica [B] time = 26.4095, size = 4418, normalized size = 6.8

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*((4*(-1430*a^4*A*b^2 + 39897*a^2*A*b^4 + 21021*A*b^6 - 240*a^6*C - 760*a^4*b^2*C + 30669*a^2*b^4*C + 17787*b^6*C)*Sin[c + d*x])/(45045*b^4) + (4*Sec[c + d*x]^4*(143*A*b^2*Sin[c + d*x] + 159*a^2*C*Sin[c + d*x] + 121*b^2*C*Sin[c + d*x]))/1287 + (4*Sec[c + d*x]^3*(2717*a*A*b^2*Sin[c + d*x] + 15*a^3*C*Sin[c + d*x] + 2209*a*b^2*C*Sin[c + d*x]))/(9009*b) + (4*Sec[c + d*x]^2*(10725*a^2*A*b^2*Sin[c + d*x] + 7007*A*b^4*Sin[c + d*x] - 90*a^4*C*Sin[c + d*x] + 8145*a
```

$$\begin{aligned}
& ^2*b^2*C*\sin[c + d*x] + 5929*b^4*C*\sin[c + d*x]))/(45045*b^2) + (4*\sec[c + \\
& d*x]*(715*a^3*A*b^2*\sin[c + d*x] + 23309*a^4*A*b^4*\sin[c + d*x] + 120*a^5*C*S \\
& \sin[c + d*x] + 395*a^3*b^2*C*\sin[c + d*x] + 18973*a*b^4*C*\sin[c + d*x]))/(45 \\
& 045*b^3) + (108*a*b*C*\sec[c + d*x]^4*\tan[c + d*x])/143 + (4*b^2*C*\sec[c + d \\
& *x]^5*\tan[c + d*x])/13)))/(d*(b + a*\cos[c + d*x])^2*(A + 2*C + A*\cos[2*c + 2 \\
& *d*x])) + (4*((4*a^4*A)/(63*b*Sqrt[b + a*\cos[c + d*x]]*Sqrt[\sec[c + d*x]]) \\
& - (62*a^2*A*b)/(35*Sqrt[b + a*\cos[c + d*x]]*Sqrt[\sec[c + d*x]]) - (14*A*b^3 \\
&)/(15*Sqrt[b + a*\cos[c + d*x]]*Sqrt[\sec[c + d*x]]) + (32*a^6*C)/(3003*b^3*S \\
& \sqrt[b + a*\cos[c + d*x]]*Sqrt[\sec[c + d*x]]) + (304*a^4*C)/(9009*b*Sqrt[b + \\
& a*\cos[c + d*x]]*Sqrt[\sec[c + d*x]]) - (20446*a^2*b*C)/(15015*Sqrt[b + a*\cos \\
& [c + d*x]]*Sqrt[\sec[c + d*x]]) - (154*b^3*C)/(195*Sqrt[b + a*\cos[c + d*x]]* \\
& Sqrt[\sec[c + d*x]]) - (248*a^3*A*Sqrt[\sec[c + d*x]])/(315*Sqrt[b + a*\cos[c \\
& + d*x]]) + (4*a^5*A*Sqrt[\sec[c + d*x]])/(63*b^2*Sqrt[b + a*\cos[c + d*x]]) + \\
& (76*a^4*A*b^2*Sqrt[\sec[c + d*x]])/(105*Sqrt[b + a*\cos[c + d*x]]) - (27968*a^ \\
& 3*C*Sqrt[\sec[c + d*x]])/(45045*Sqrt[b + a*\cos[c + d*x]]) + (32*a^7*C*Sqrt[S \\
& \sec[c + d*x]])/(3003*b^4*Sqrt[b + a*\cos[c + d*x]]) + (40*a^5*C*Sqrt[\sec[c + \\
& d*x]])/(1287*b^2*Sqrt[b + a*\cos[c + d*x]]) + (8696*a*b^2*C*Sqrt[\sec[c + d*x \\
&]])/(15015*Sqrt[b + a*\cos[c + d*x]]) - (62*a^3*A*\cos[2*(c + d*x)]*Sqrt[\sec[\\
& c + d*x]])/(35*Sqrt[b + a*\cos[c + d*x]]) + (4*a^5*A*\cos[2*(c + d*x)]*Sqrt[S \\
& \sec[c + d*x]])/(63*b^2*Sqrt[b + a*\cos[c + d*x]]) - (14*a^4*A*b^2*\cos[2*(c + d \\
& x)]*Sqrt[\sec[c + d*x]])/(15*Sqrt[b + a*\cos[c + d*x]]) - (20446*a^3*C*\cos[2* \\
& (c + d*x)]*Sqrt[\sec[c + d*x]])/(15015*Sqrt[b + a*\cos[c + d*x]]) + (32*a^7*C \\
& *\cos[2*(c + d*x)]*Sqrt[\sec[c + d*x]])/(3003*b^4*Sqrt[b + a*\cos[c + d*x]]) + \\
& (304*a^5*C*\cos[2*(c + d*x)]*Sqrt[\sec[c + d*x]])/(9009*b^2*Sqrt[b + a*\cos[c \\
& + d*x]]) - (154*a*b^2*C*\cos[2*(c + d*x)]*Sqrt[\sec[c + d*x]])/(195*Sqrt[b + \\
& a*\cos[c + d*x]])*Sqrt[\cos[(c + d*x)/2]^2*\sec[c + d*x]]*(a + b*\sec[c + d*x \\
&])^{(5/2)}*(A + C*\sec[c + d*x]^2)*((a + b)*((240*a^6*C - 1617*b^6*(13*A + 11* \\
& C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C))*EllipticE[A \\
& rcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + b*(-240*a^5*C + 180*a^4*b*C + 1 \\
& 617*b^5*(13*A + 11*C) - 10*a^3*b^2*(143*A + 94*C) + 15*a^2*b^3*(1573*A + 11 \\
& 75*C) + 6*a*b^4*(2717*A + 2174*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - \\
& b)/(a + b)])*(\cos[c + d*x]*\sec[(c + d*x)/2]^2)^{(3/2)}*Sqrt[((b + a*\cos[c + \\
& d*x])*Sec[(c + d*x)/2]^2)/(a + b))*Sec[c + d*x] + (240*a^6*C - 1617*b^6*(13 \\
& *A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C))*\cos \\
& [c + d*x]*(b + a*\cos[c + d*x])*Sec[(c + d*x)/2]^4*\tan[(c + d*x)/2))/(45045 \\
& *b^4*d*(b + a*\cos[c + d*x])^3*(A + 2*C + A*\cos[2*c + 2*d*x])*(Sec[(c + d*x) \\
& /2]^2)^{(3/2)}*Sec[c + d*x]^{(9/2)}*((2*a*Sqrt[\cos[(c + d*x)/2]^2*\sec[c + d*x]] \\
& *Sin[c + d*x]*((a + b)*((240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(1 \\
& 43*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C))*EllipticE[ArcSin[Tan[(c + d*x) \\
&]/2]], (a - b)/(a + b)] + b*(-240*a^5*C + 180*a^4*b*C + 1617*b^5*(13*A + 11 \\
& *C) - 10*a^3*b^2*(143*A + 94*C) + 15*a^2*b^3*(1573*A + 1175*C) + 6*a*b^4*(2 \\
& 717*A + 2174*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)])*(\cos \\
& [c + d*x]*\sec[(c + d*x)/2]^2)^{(3/2)}*Sqrt[((b + a*\cos[c + d*x])*Sec[(c + d*x) \\
&]/2]^2)/(a + b))*Sec[c + d*x] + (240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^ \\
& 4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C))*\cos[c + d*x]*(b + a*C
\end{aligned}$$

$$\begin{aligned}
& \cos[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Tan}[(c + d*x)/2]) / (45045*b^4*(b + a*\text{Cos}[c + d*x])^{3/2} * (\text{Sec}[(c + d*x)/2]^2)^{3/2}) - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]) * \text{Tan}[(c + d*x)/2] * ((a + b) * ((240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b * (-240*a^5*C + 180*a^4*b*C + 1617*b^5*(13*A + 11*C) - 10*a^3*b^2*(143*A + 94*C) + 15*a^2*b^3*(1573*A + 1175*C) + 6*a*b^4*(2717*A + 2174*C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]) * (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^{3/2} * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2) / (a + b)] * \text{Sec}[c + d*x] + (240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Tan}[(c + d*x)/2]) / (15015*b^4 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]] * (\text{Sec}[(c + d*x)/2]^2)^{3/2}) + (2*((a + b) * ((240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b * (-240*a^5*C + 180*a^4*b*C + 1617*b^5*(13*A + 11*C) - 10*a^3*b^2*(143*A + 94*C) + 15*a^2*b^3*(1573*A + 1175*C) + 6*a*b^4*(2717*A + 2174*C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]) * (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^{3/2} * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2) / (a + b)] * \text{Sec}[c + d*x] + (240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Tan}[(c + d*x)/2]) * (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Sin}[(c + d*x)/2] + \text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x]) / (45045*b^4 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]] * (\text{Sec}[(c + d*x)/2]^2)^{3/2} * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]]) + (4 * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * (((240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^6) / 2 - a * (240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^4 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] - (240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] + 2 * (240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Tan}[(c + d*x)/2]^2 + (3*(a + b) * ((240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b * (-240*a^5*C + 180*a^4*b*C + 1617*b^5*(13*A + 11*C) - 10*a^3*b^2*(143*A + 94*C) + 15*a^2*b^3*(1573*A + 1175*C) + 6*a*b^4*(2717*A + 2174*C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]) * \text{Sqrt}[\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2) / (a + b)] * \text{Sec}[c + d*x] * (-\text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] + \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2])) / 2 + ((a + b) * ((240*a^6*C - 1617*b^6*(13*A + 11*C) + 10*a^4*b^2*(143*A + 76*C) - 3*a^2*b^4*(13299*A + 10223*C)) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b * (-240*a^5*C + 180*a^4*b*C + 1617*b^5*(13*A + 11*C) - 10*a^3*b^2*(143*A + 94*C) + 15*a^2*b^3*(1573*A + 1175*C) + 6*a*b^4*(2717*A + 2174*C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]) * (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)
\end{aligned}$$

$$\begin{aligned} &^{(3/2)} \text{Sec}[c + d*x] * (- ((a * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x]) / (a + b)) + ((b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (a + b)) / (2 * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)]) + (a + b) * (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] * \text{Sec}[c + d*x] * ((b * (-240 * a^5 * C + 180 * a^4 * b * C + 1617 * b^5 * (13 * A + 11 * C) - 10 * a^3 * b^2 * (143 * A + 94 * C) + 15 * a^2 * b^3 * (1573 * A + 1175 * C) + 6 * a * b^4 * (2717 * A + 2174 * C)) * \text{Sec}[(c + d*x)/2]^2) / (2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) + ((240 * a^6 * C - 1617 * b^6 * (13 * A + 11 * C) + 10 * a^4 * b^2 * (143 * A + 76 * C) - 3 * a^2 * b^4 * (13299 * A + 10223 * C)) * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) / (2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]) + (a + b) * ((240 * a^6 * C - 1617 * b^6 * (13 * A + 11 * C) + 10 * a^4 * b^2 * (143 * A + 76 * C) - 3 * a^2 * b^4 * (13299 * A + 10223 * C)) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] + b * (-240 * a^5 * C + 180 * a^4 * b * C + 1617 * b^5 * (13 * A + 11 * C) - 10 * a^3 * b^2 * (143 * A + 94 * C) + 15 * a^2 * b^3 * (1573 * A + 1175 * C) + 6 * a * b^4 * (2717 * A + 2174 * C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)]) * (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] * \text{Sec}[c + d*x] * \text{Tan}[c + d*x]) / (45045 * b^4 * \text{Sqrt}[b + a * \text{Cos}[c + d*x]]) * (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} \end{aligned}$$

Maple [B] time = 3.911, size = 6077, normalized size = 9.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb² sec(dx + c)⁷ + 2 Cab sec(dx + c)⁶ + 2 Aab sec(dx + c)⁴ + Aa² sec(dx + c)³ + (Ca² + Ab²) sec(dx + c)⁵)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^7 + 2*C*a*b*sec(d*x + c)^6 + 2*A*a*b*sec(d*x + c)^4 + A*a^2*sec(d*x + c)^3 + (C*a^2 + A*b^2)*sec(d*x + c)^5)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^3, x)

3.726 $\int \sec^2(c+dx)(a+b \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=534

$$\frac{2(a-b)\sqrt{a+b}(3a^2b^2(33A+19C)+6a^3bC+8a^4C-6ab^3(132A+101C)+15b^4(11A+9C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{693b^3d}$$

```
[Out] (-2*a*(a - b)*Sqrt[a + b]*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(693*b^4*d) - (2*(a - b)*Sqrt[a + b]*(8*a^4*C + 6*a^3*b*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(33*A + 19*C) - 6*a*b^3*(132*A + 101*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(693*b^3*d) + (2*(8*a^4*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(33*A + 19*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(693*b^2*d) + (2*a*(99*A*b^2 + 8*a^2*C + 67*b^2*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(693*b^2*d) + (2*(8*a^2*C + 9*b^2*(11*A + 9*C))*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(693*b^2*d) - (8*a*C*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(99*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(11*b*d)
```

Rubi [A] time = 1.48963, antiderivative size = 534, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4093, 4082, 4002, 4005, 3832, 4004}

$$\frac{2(8a^2C + 9b^2(11A + 9C)) \tan(c + dx)(a + b \sec(c + dx))^{5/2}}{693b^2d} + \frac{2a(8a^2C + 99Ab^2 + 67b^2C) \tan(c + dx)(a + b \sec(c + dx))^{5/2}}{693b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*a*(a - b)*Sqrt[a + b]*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(693*b^4*d) - (2*(a - b)*Sqrt[a + b]*(8*a^4*C + 6*a^3*b*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(33*A + 19*C) - 6*a*b^3*(132*A + 101*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(693*b^3*d) + (2*(8*a^4*C + 15*b^4*(11*A + 9*C) + 3*a
```

$$\begin{aligned} & ^2*b^2*(33*A + 19*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]/(693*b^2*d) + \\ & (2*a*(99*A*b^2 + 8*a^2*C + 67*b^2*C)*(a + b*\text{Sec}[c + d*x])^{(3/2)}*\text{Tan}[c + d*x] \\ &)/(693*b^2*d) + (2*(8*a^2*C + 9*b^2*(11*A + 9*C))*(a + b*\text{Sec}[c + d*x])^{(5/2)}*\text{Tan}[c + d*x] \\ &)/(693*b^2*d) - (8*a*C*(a + b*\text{Sec}[c + d*x])^{(7/2)}*\text{Tan}[c + d*x] \\ &)/(99*b^2*d) + (2*C*\text{Sec}[c + d*x]*(a + b*\text{Sec}[c + d*x])^{(7/2)}*\text{Tan}[c + d*x] \\ &)/(11*b*d) \end{aligned}$$
Rule 4093

$$\begin{aligned} & \text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]^2*((A_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.))*(\text{csc} \\ & [(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Csc}[e + f*x] \\ &]*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 3)), x] + \text{Dist}[1/(b* \\ & (m + 3)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[a*C + b*(C*(m + 2) + \\ & A*(m + 3))*\text{Csc}[e + f*x] - 2*a*C*\text{Csc}[e + f*x]^2, x], x], x] \text{ /; } \text{FreeQ}\{a, b, \\ & e, f, A, C, m\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{!LtQ}[m, -1] \end{aligned}$$
Rule 4082

$$\begin{aligned} & \text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]*((A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e \\ & _.) + (f_.)*(x_)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_.)}, x_S \\ & ymbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)) \\ & , x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A \\ & *(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Csc}[e + f*x], x], x], x] \text{ /; } \text{Fr} \\ & eeQ}\{a, b, e, f, A, B, C, m\}, x] \ \&\& \ \text{!LtQ}[m, -1] \end{aligned}$$
Rule 4002

$$\begin{aligned} & \text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_.)}*(\text{cs} \\ & c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(B*\text{Cot}[e + f*x]*(a \\ & + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[\text{Csc}[e + f*x]*(a \\ & + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))* \\ & \text{Csc}[e + f*x], x], x], x] \text{ /; } \text{FreeQ}\{a, b, A, B, e, f\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, \\ & 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 0] \end{aligned}$$
Rule 4005

$$\begin{aligned} & \text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/\text{Sqrt}[\text{c} \\ & sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] \text{ :> } \text{Dist}[A - B, \text{Int}[\text{Csc}[e + \\ & f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[\\ & e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] \text{ /; } \text{FreeQ}\{a, b, e, f, A, B\}, x] \\ & \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[A^2 - B^2, 0] \end{aligned}$$
Rule 3832

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S$$

```

ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + b \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{2C \sec(c + dx)(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{11bd} + \frac{2 \int \sec^2(c + dx)(a + b \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx}{11bd} \\
&= -\frac{8aC(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{99b^2d} + \frac{2C \sec(c + dx)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{99b^2d} \\
&= \frac{2(8a^2C + 9b^2(11A + 9C))(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{693b^2d} \\
&= \frac{2a(99Ab^2 + 8a^2C + 67b^2C)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{693b^2d} \\
&= \frac{2(8a^4C + 15b^4(11A + 9C) + 3a^2b^2(33A + 19C))\sqrt{a + b \sec(c + dx)}}{693b^2d} \\
&= \frac{2(8a^4C + 15b^4(11A + 9C) + 3a^2b^2(33A + 19C))\sqrt{a + b \sec(c + dx)}}{693b^2d} \\
&= -\frac{2a(a - b)\sqrt{a + b}(8a^4C + 3a^2b^2(33A + 17C) + 3b^4(31A + 17C))}{693b^2d}
\end{aligned}$$

Mathematica [B] time = 26.6819, size = 3989, normalized size = 7.47

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*((4*a*(99*a^2*A*b^2 + 957*A*b^4 + 8*a^4*C + 51*a^2*b^2*C + 741*b^4*C)*Sin[c + d*x])/ (693*b^3) + (4*Sec[c + d*x]^3*(99*A*b^2*SIN[c + d*x] + 113*a^2*C*SIN[c + d*x] + 81*b^2*C*SIN[c + d*x]))/693 + (4*Sec[c + d*x]^2*(297*a*A*b^2*SIN[c + d*x] + 3*a^3*C*SIN[c + d*x] + 229*a*b^2*C*SIN[c + d*x]))/(693*b) + (4*Sec[c + d*x]*(297*a^2*A*b^2*SIN[c + d*x] + 165*A*b^4*SIN[c + d*x] - 4*a^4*C*SIN[c + d*x] + 205*a^2*b^2*C*SIN[c + d*x] + 135*b^4*C*SIN[c + d*x]))/(693*b^2) + (92*a*b*C*Sec[c + d*x]^3*Tan[c + d*x])/99 + (4*b^2*C*Sec[c + d*x]^4*Tan[c + d*x])/11))/(d*(b + a*cos[c + d*x])^2*(A + 2*C + A*cos[2*c + 2*d*x])) - (4*((-2*a^3*A)/(7*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (58*a*A*b^2)/(21*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (34*a^3*C)/(231*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (16*a^5*C)/(693*b^2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (494*a*b^2*C)/(231*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a^4*A*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*cos[c + d*x]]) - (4*a^2*A*b*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*cos[c + d*x]]) + (10*A*b^3*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*cos[c + d*x]]) - (16*a^6*C*Sqrt[Sec[c + d*x]])/(693*b^3*Sqrt[b + a*cos[c + d*x]]) - (14*a^4*C*Sqrt[Sec[c + d*x]])/(99*b*Sqrt[b + a*cos[c + d*x]]) - (52*a^2*b*C*Sqrt[Sec[c + d*x]])/(231*Sqrt[b + a*cos[c + d*x]]) + (30*b^3*C*Sqrt[Sec[c + d*x]])/(77*Sqrt[b + a*cos[c + d*x]]) - (2*a^4*A*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*cos[c + d*x]]) - (58*a^2*A*b*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*cos[c + d*x]]) - (16*a^6*C*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(693*b^3*Sqrt[b + a*cos[c + d*x]]) - (34*a^4*C*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(231*b*Sqrt[b + a*cos[c + d*x]]) - (494*a^2*b*C*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(231*Sqrt[b + a*cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*(2*a*(a + b)*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^4*C - 6*a^3*b*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(33*A + 19*C) + 6*a*b^3*(132*A + 101*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + a*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C))*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/ (693*b^3*d*(b + a*cos[c + d*x])^3*(A + 2*C + A*cos[2*c + 2*d*x])*Sqrt[Sec[(c + d*x)/2]^2*Sec[c + d*x])^(9/2)*((-2*a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*a*(a + b)*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^4*C - 6*a^3*b*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(33*A + 19*C) + 6*a*b^3*(132*A + 101*C))*Sqrt[Cos[c + d*x]/(1 + Cos

$$\begin{aligned}
& [c + d*x]] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (693*b^3*(b + a*\text{Cos}[c + d*x])^(3/2) * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * \text{Tan}[(c + d*x)/2] * (2*a*(a + b)*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^4*C - 6*a^3*b*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(33*A + 19*C) + 6*a*b^3*(132*A + 101*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (693*b^3 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (4*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * ((a*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4) / 2 + (a*(a + b)*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x])) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] - (b*(a + b)*(8*a^4*C - 6*a^3*b*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(33*A + 19*C) + 6*a*b^3*(132*A + 101*C)) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x])) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] + (a*(a + b) * (8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-((a*\text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] - (b*(a + b)*(8*a^4*C - 6*a^3*b*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(33*A + 19*C) + 6*a*b^3*(132*A + 101*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-((a*\text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] - a^2*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] - a*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] + a*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]^2 - (b*(a + b)*(8*a^4*C - 6*a^3*b*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(33*A + 19*C) + 6*a*b^3*(132*A + 101*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^2) / (\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2) / (a + b)]) + (a*(a + b)*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + 247*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 +
\end{aligned}$$

$$\begin{aligned} & \cos[c + d*x]) * \sqrt{(b + a*\cos[c + d*x]) / ((a + b)*(1 + \cos[c + d*x]))} * \sec \\ & [(c + d*x)/2]^2 * \sqrt{1 - ((a - b)*\tan[(c + d*x)/2]^2 / (a + b))} / \sqrt{1 - \tan \\ & [(c + d*x)/2]^2}) / (693*b^3*\sqrt{b + a*\cos[c + d*x]} * \sqrt{\sec[(c + d*x)/2] \\ & ^2}) - (2*(2*a*(a + b)*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) + 3*b^4*(319*A + \\ & 247*C)) * \sqrt{\cos[c + d*x] / (1 + \cos[c + d*x])} * \sqrt{(b + a*\cos[c + d*x]) / ((a \\ & + b)*(1 + \cos[c + d*x]))} * \text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + \\ & b)] - 2*b*(a + b)*(8*a^4*C - 6*a^3*b*C + 15*b^4*(11*A + 9*C) + 3*a^2*b^2*(\\ & 33*A + 19*C) + 6*a*b^3*(132*A + 101*C)) * \sqrt{\cos[c + d*x] / (1 + \cos[c + d*x] \\ &)} * \sqrt{(b + a*\cos[c + d*x]) / ((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticF}[\text{ArcSin} \\ & [\tan[(c + d*x)/2]], (a - b)/(a + b)] + a*(8*a^4*C + 3*a^2*b^2*(33*A + 17*C) \\ & + 3*b^4*(319*A + 247*C)) * \cos[c + d*x] * (b + a*\cos[c + d*x]) * \sec[(c + d*x)/2] \\ & ^2 * \tan[(c + d*x)/2] * (-\cos[(c + d*x)/2] * \sec[c + d*x] * \sin[(c + d*x)/2]) + \\ & \cos[(c + d*x)/2]^2 * \sec[c + d*x] * \tan[c + d*x]) / (693*b^3*\sqrt{b + a*\cos[c + \\ & d*x]} * \sqrt{\sec[(c + d*x)/2]^2} * \sqrt{\cos[(c + d*x)/2]^2 * \sec[c + d*x]}) \end{aligned}$$

Maple [B] time = 2.224, size = 4695, normalized size = 8.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out]
$$\begin{aligned} & -2/693/d/b^3*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-1+\cos(d \\ & *x+c))^2*(-741*C*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b \\ & +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (\\ & (a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^4+8*C*\cos(d*x+c)^7*a^6-140*C*\cos(d*x+c) \\ &)^5*a^3*b^3-566*C*\cos(d*x+c)^5*a*b^5-594*A*\cos(d*x+c)^4*a^2*b^4-51*C*\cos(d* \\ & x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\ & +c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin \\ & (d*x+c)*a^3*b^3-741*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+ \\ & b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x \\ & +c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^4-741*C*\cos(d*x+c)^6*(\cos(d*x+c)/ \\ & (\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{Ellip \\ & ticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a*b^5+99*A* \\ & \cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\ & (d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} \\ &)*\sin(d*x+c)*a^3*b^3+891*A*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}* \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin \\ & (d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^4+957*A*\cos(d*x+c)^5*(\cos(d \\ & *x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\ & *\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a*b^5 \end{aligned}$$

$$\begin{aligned}
& *(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a^5*b^5+8*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a^5*b^2+2*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a^4*b^2+51*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a^3*b^3+663*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a^2*b^4+741*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a*b^5-8*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a^5*b-51*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a^4*b^2+165*A*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*b^6+135*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*b^6-8*C*\cos(d*x+c)^6*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a^6+165*A*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*b^6+135*C*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*b^6-8*C*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c) \\
&)*a^6+99*A*\cos(d*x+c)^7*a^4*b^2+297*A*\cos(d*x+c)^7*a^3*b^3+957*A*\cos(d*x+c)^7*a^2*b^4+165*A*\cos(d*x+c)^7*a*b^5-4*C*\cos(d*x+c)^7*a^5*b+51*C*\cos(d*x+c)^7*a^4*b^2-224*C*\cos(d*x+c)*a*b^5+C*\cos(d*x+c)^4*a^4*b^2-160*C*\cos(d*x+c)^4*a^2*b^4-396*A*\cos(d*x+c)^3*a*b^5-116*C*\cos(d*x+c)^3*a^3*b^3-86*C*\cos(d*x+c)^3*a*b^5-274*C*\cos(d*x+c)^2*a^2*b^4+205*C*\cos(d*x+c)^7*a^3*b^3+741*C*\cos(d*x+c)^7*a^2*b^4+135*C*\cos(d*x+c)^7*a*b^5-99*A*\cos(d*x+c)^6*a^4*b^2+99*A*\cos(d*x+c)^6*a^3*b^3-363*A*\cos(d*x+c)^6*a^2*b^4+957*A*\cos(d*x+c)^6*a*b^5+8*C*\cos(d*x+c)^6*a^5*b-52*C*\cos(d*x+c)^6*a^4*b^2+51*C*\cos(d*x+c)^6*a^3*b^3-307*C*\cos(d*x+c)^6*a^2*b^4+741*C*\cos(d*x+c)^6*a*b^5-396*A*\cos(d*x+c)^5*a^3*b^3-726*A*\cos(d*x+c)^5*a*b^5-4*C*\cos(d*x+c)^5*a^5*b-8*C*\cos(d*x+c)^6*a^6+165*A*\cos(d*x+c)^6*b^6+135*C*\cos(d*x+c)^6*b^6-66*A*\cos(d*x+c)^4*b^6-54*C*\cos(d*x+c)^4*b^6-99*A*\cos(d*x+c)^2*b^6-18*C*\cos(d*x+c)^2*b^6-63*C*b^6)/(b+a*\cos(d*x+c))/\cos(d*x+c)^5/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^2 sec(dx + c)^6 + 2 Cab sec(dx + c)^5 + 2 Aab sec(dx + c)^3 + Aa^2 sec(dx + c)^2 + (Ca^2 + Ab^2) sec(dx + c)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^6 + 2*C*a*b*sec(d*x + c)^5 + 2*A*a*b*sec(d*x + c)^3 + A*a^2*sec(d*x + c)^2 + (C*a^2 + A*b^2)*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^2, x)

3.727 $\int \sec(c+dx)(a+b \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=454

$$\frac{2(a-b)\sqrt{a+b}(15a^2b(21A+11C)+10a^3C-6ab^2(28A+19C)+21b^3(9A+7C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx))}{a-b}}}{315b^2d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(10*a^4*C - 21*b^4*(9*A + 7*C) - 3*a^2*b^2*(161*A +
93*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]],
(a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c
+ d*x]))/(a - b))]/(315*b^3*d) + (2*(a - b)*Sqrt[a + b]*(10*a^3*C + 21*b^
3*(9*A + 7*C) + 15*a^2*b*(21*A + 11*C) - 6*a*b^2*(28*A + 19*C))*Cot[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(315*b^2*d) + (4*a*(84*A*b^2 - 5*a^2*C + 57*b^2*C)*Sqrt[a + b*Sec[c + d*
x]]*Tan[c + d*x]/(315*b*d) - (2*(10*a^2*C - 7*b^2*(9*A + 7*C))*(a + b*Sec[
c + d*x])^(3/2)*Tan[c + d*x]/(315*b*d) - (4*a*C*(a + b*Sec[c + d*x])^(5/2)
*Tan[c + d*x]/(63*b*d) + (2*C*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x]/(9*
b*d)
```

Rubi [A] time = 1.03208, antiderivative size = 454, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4083, 4002, 4005, 3832, 4004}

$$\frac{2(10a^2C - 7b^2(9A + 7C))\tan(c + dx)(a + b \sec(c + dx))^{3/2}}{315bd} + \frac{4a(-5a^2C + 84Ab^2 + 57b^2C)\tan(c + dx)\sqrt{a + b \sec(c + dx)}}{315bd}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(10*a^4*C - 21*b^4*(9*A + 7*C) - 3*a^2*b^2*(161*A +
93*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]],
(a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c
+ d*x]))/(a - b))]/(315*b^3*d) + (2*(a - b)*Sqrt[a + b]*(10*a^3*C + 21*b^
3*(9*A + 7*C) + 15*a^2*b*(21*A + 11*C) - 6*a*b^2*(28*A + 19*C))*Cot[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(315*b^2*d) + (4*a*(84*A*b^2 - 5*a^2*C + 57*b^2*C)*Sqrt[a + b*Sec[c + d*
x]]*Tan[c + d*x]/(315*b*d) - (2*(10*a^2*C - 7*b^2*(9*A + 7*C))*(a + b*Sec[
c + d*x])^(3/2)*Tan[c + d*x]/(315*b*d) - (4*a*C*(a + b*Sec[c + d*x])^(5/2)
```

*Tan[c + d*x]]/(63*b*d) + (2*C*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*b*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx &= \frac{2C(a+b\sec(c+dx))^{7/2}\tan(c+dx)}{9bd} + \frac{2\int \sec(c+dx)(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx}{9bd} \\
&= -\frac{4aC(a+b\sec(c+dx))^{5/2}\tan(c+dx)}{63bd} + \frac{2C(a+b\sec(c+dx))^{7/2}\tan(c+dx)}{9bd} \\
&= -\frac{2(10a^2C-7b^2(9A+7C))(a+b\sec(c+dx))^{3/2}\tan(c+dx)}{315bd} \\
&= \frac{4a(84Ab^2-5a^2C+57b^2C)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{315bd} \\
&= \frac{4a(84Ab^2-5a^2C+57b^2C)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{315bd} \\
&= \frac{2(a-b)\sqrt{a+b}(10a^4C-21b^4(9A+7C)-3a^2b^2(161A+93C))}{315bd}
\end{aligned}$$

Mathematica [A] time = 22.2411, size = 710, normalized size = 1.56

$$4\sqrt{2}\sqrt{\frac{\cos(c+dx)}{(\cos(c+dx)+1)^2}}\sqrt{\cos(c+dx)\sec^2\left(\frac{1}{2}(c+dx)\right)}\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)^{3/2}(a+b\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (4*Sqrt[2]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])^2]*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*((a + b)*((10*a^4*C - 21*b^4*(9*A + 7*C) - 3*a^2*b^2*(161*A + 93*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + b*(-10*a^3*C + 21*b^3*(9*A + 7*C) + 15*a^2*b*(21*A + 11*C) + 6*a*b^2*(28*A + 19*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b))*Sec[c + d*x] + (10*a^4*C - 21*b^4*(9*A + 7*C) - 3*a^2*b^2*(161*A + 93*C))*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(315*b^2*d*Sqrt[(1 + Cos[c + d*x])^(-1)]*(b + a*Cos[c + d*x])^3*(A

$$\begin{aligned}
& + 2C + A\cos[2c + 2d*x])*(\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sec}[c + d*x]^{(9/2)} \\
& + (\text{Cos}[c + d*x]^4*(a + b*\text{Sec}[c + d*x])^{(5/2)}*(A + C*\text{Sec}[c + d*x]^2)*((4*(48 \\
& 3*a^2*A*b^2 + 189*A*b^4 - 10*a^4*C + 279*a^2*b^2*C + 147*b^4*C)*\text{Sin}[c + d*x \\
&])/(315*b^2) + (4*\text{Sec}[c + d*x]^2*(63*A*b^2*\text{Sin}[c + d*x] + 75*a^2*C*\text{Sin}[c + \\
& d*x] + 49*b^2*C*\text{Sin}[c + d*x]))/315 + (4*\text{Sec}[c + d*x]*(231*a*A*b^2*\text{Sin}[c + d \\
& *x] + 5*a^3*C*\text{Sin}[c + d*x] + 163*a*b^2*C*\text{Sin}[c + d*x]))/(315*b) + (76*a*b*C \\
& *\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/63 + (4*b^2*C*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/9) \\
&)/(d*(b + a*\text{Cos}[c + d*x])^2*(A + 2C + A*\text{Cos}[2c + 2*d*x]))
\end{aligned}$$

Maple [B] time = 1.669, size = 4333, normalized size = 9.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out]
$$\begin{aligned}
& 2/315/d/b^2*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))^{(1/2)} \\
& *(-315*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^3*b^2-155*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}* \\
& (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^3*b^2-315*A*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}* \\
& (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^3*b^2-189*A*\cos(d*x+c)^5*b^5-105*A*\cos(d*x+c)^5*a*b^4+10*C*\cos(d*x+c)^5*a^4*b+ \\
& 199*C*\cos(d*x+c)^5*a^3*b^2-279*C*\cos(d*x+c)^5*a^2*b^3-65*C*\cos(d*x+c)^5*a*b^4+714*A*\cos(d*x+c)^4*a^2*b^3-5*C*\cos(d*x+c)^4*a^4*b+272*C* \\
& \cos(d*x+c)^4*a^2*b^3+294*A*\cos(d*x+c)^3*a*b^4+80*C*\cos(d*x+c)^3*a^3*b^2+82*C*\cos(d*x+c)^3*a*b^4-483*A*\cos(d*x+c)^6*a^3*b^2-231*A*\cos(d*x+c)^6*a^2*b^3- \\
& 189*A*\cos(d*x+c)^6*a*b^4-5*C*\cos(d*x+c)^6*a^4*b-279*C*\cos(d*x+c)^6*a^3*b^2-163*C*\cos(d*x+c)^6*a^2*b^3-147*C*\cos(d*x+c)^6*a*b^4+170*C*\cos(d*x+c)^2*a^2*b^3+ \\
& 130*C*\cos(d*x+c)*a*b^4+483*A*\cos(d*x+c)^5*a^3*b^2-483*A*\cos(d*x+c)^5*a^2*b^3-10*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^5+147*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b^5-189*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b^5+189*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c)
\end{aligned}$$

, $\left(\frac{a-b}{a+b}\right)^{1/2} b^5 - 147 C \cos(dx+c)^5 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} b^5 - 10 C \cos(dx+c)^5 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} b^5 - 189 A \cos(dx+c)^4 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} b^5 + 189 A \cos(dx+c)^4 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} b^5 - 147 C \cos(dx+c)^4 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} b^5 - 10 C \cos(dx+c)^5 a^5 - 147 C \cos(dx+c)^5 b^5 + 126 A \cos(dx+c)^4 b^5 + 98 C \cos(dx+c)^4 b^5 + 63 A \cos(dx+c)^2 b^5 + 14 C \cos(dx+c)^2 b^5 + 10 C \cos(dx+c)^6 a^5 - 279 C \cos(dx+c)^5 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a^2 b^3 - 261 C \cos(dx+c)^5 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a b^4 - 10 C \cos(dx+c)^5 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a^4 b + 279 C \cos(dx+c)^5 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a^3 b^2 + 279 C \cos(dx+c)^5 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a^2 b^3 + 147 C \cos(dx+c)^5 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a b^4 - 483 A \cos(dx+c)^4 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a^2 b^3 - 357 A \cos(dx+c)^4 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a^3 b^2 + 483 A \cos(dx+c)^4 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a^2 b^3 + 189 A \cos(dx+c)^4 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a b^4 + 10 C \cos(dx+c)^4 \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \left(\frac{a-b}{a+b}\right)^{1/2} a^4 b - 155 C \cos(dx+c)^4 \sin(dx+c)$

$$\begin{aligned}
&) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 * b^2 - \\
& 279 * C * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2}) * a^2 * b^3 - 261 * C * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF} \\
& (-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^4 - 10 * C * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^4 * b + 279 * C * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 * b^2 + 279 * C * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^3 + 147 * C * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^4 - 483 * A * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^3 - 357 * A * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^4 + 483 * A * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 * b^2 + 483 * A * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^3 + 189 * A * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^4 + 10 * C * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^4 * b + 35 * C * b^5 / (b+a*\cos(d*x+c)) / \cos(d*x+c)^4 / \sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb² sec(dx + c)⁵ + 2Cab sec(dx + c)⁴ + 2Aab sec(dx + c)² + Aa² sec(dx + c) + (Ca² + Ab²) sec(dx + c)³)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b²*sec(d*x + c)⁵ + 2*C*a*b*sec(d*x + c)⁴ + 2*A*a*b*sec(d*x + c)² + A*a²*sec(d*x + c) + (C*a² + A*b²)*sec(d*x + c)³)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c), x)

3.728 $\int (a + b \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=481

$$\frac{2\sqrt{a+b}(-9a^2b(7A+3C)+3a^3C+ab^2(49A+29C)-b^3(7A+5C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left[\text{ArcSin}\left[\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right],\frac{(a+b)}{(a-b)}\sqrt{\frac{b(1-\sec(c+dx))}{(a+b)}}\sqrt{-\frac{b(1+\sec(c+dx))}{(a-b)}}\right]}{21bd}$$

```
[Out] (-2*a*(a - b)*Sqrt[a + b]*(49*A*b^2 + 3*a^2*C + 29*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(21*b^2*d) - (2*Sqrt[a + b]*(3*a^3*C - 9*a^2*b*(7*A + 3*C) - b^3*(7*A + 5*C) + a*b^2*(49*A + 29*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(21*b*d) - (2*a^2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*(3*a^2*C + b^2*(7*A + 5*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(21*d) + (2*a*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(7*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)
```

Rubi [A] time = 0.83106, antiderivative size = 481, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {4057, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{2(3a^2C + b^2(7A + 5C))\tan(c + dx)\sqrt{a + b\sec(c + dx)}}{21d} - \frac{2\sqrt{a+b}(-9a^2b(7A+3C)+3a^3C+ab^2(49A+29C)-b^3(7A+5C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left[\text{ArcSin}\left[\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right],\frac{(a+b)}{(a-b)}\sqrt{\frac{b(1-\sec(c+dx))}{(a+b)}}\sqrt{-\frac{b(1+\sec(c+dx))}{(a-b)}}\right]}{21bd}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*a*(a - b)*Sqrt[a + b]*(49*A*b^2 + 3*a^2*C + 29*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(21*b^2*d) - (2*Sqrt[a + b]*(3*a^3*C - 9*a^2*b*(7*A + 3*C) - b^3*(7*A + 5*C) + a*b^2*(49*A + 29*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(21*b*d) - (2*a^2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*(3*a^2*C + b^2*(7*A + 5*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(21*d) + (2*a*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(7*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)
```

$x]] \cdot \tan[c + d \cdot x] / (21 \cdot d) + (2 \cdot a \cdot C \cdot (a + b \cdot \sec[c + d \cdot x])^{3/2} \cdot \tan[c + d \cdot x]) / (7 \cdot d) + (2 \cdot C \cdot (a + b \cdot \sec[c + d \cdot x])^{5/2} \cdot \tan[c + d \cdot x]) / (7 \cdot d)$

Rule 4057

$\text{Int}[(A \cdot _) + \csc[(e \cdot _) + (f \cdot _)(x \cdot _)]^2 \cdot (C \cdot _)] \cdot (\csc[(e \cdot _) + (f \cdot _)(x \cdot _)] \cdot (b \cdot _) + (a \cdot _))^{(m \cdot _)}, x_Symbol] \rightarrow -\text{Simp}[(C \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m) / (f \cdot (m + 1)), x] + \text{Dist}[1 / (m + 1), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{(m - 1)} \cdot \text{Simp}[a \cdot A \cdot (m + 1) + (A \cdot b \cdot (m + 1) + b \cdot C \cdot m) \cdot \text{Csc}[e + f \cdot x] + a \cdot C \cdot m \cdot \text{Csc}[e + f \cdot x]^2, x], x], x] /;$ FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4056

$\text{Int}[(A \cdot _) + \csc[(e \cdot _) + (f \cdot _)(x \cdot _)] \cdot (B \cdot _) + \csc[(e \cdot _) + (f \cdot _)(x \cdot _)]^2 \cdot (C \cdot _)] \cdot (\csc[(e \cdot _) + (f \cdot _)(x \cdot _)] \cdot (b \cdot _) + (a \cdot _))^{(m \cdot _)}, x_Symbol] \rightarrow -\text{Simp}[(C \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m) / (f \cdot (m + 1)), x] + \text{Dist}[1 / (m + 1), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{(m - 1)} \cdot \text{Simp}[a \cdot A \cdot (m + 1) + ((A \cdot b + a \cdot B) \cdot (m + 1) + b \cdot C \cdot m) \cdot \text{Csc}[e + f \cdot x] + (b \cdot B \cdot (m + 1) + a \cdot C \cdot m) \cdot \text{Csc}[e + f \cdot x]^2, x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4058

$\text{Int}[(A \cdot _) + \csc[(e \cdot _) + (f \cdot _)(x \cdot _)] \cdot (B \cdot _) + \csc[(e \cdot _) + (f \cdot _)(x \cdot _)]^2 \cdot (C \cdot _)] / \sqrt{\csc[(e \cdot _) + (f \cdot _)(x \cdot _)] \cdot (b \cdot _) + (a \cdot _)}, x_Symbol] \rightarrow \text{Int}[(A + (B - C) \cdot \text{Csc}[e + f \cdot x]) / \sqrt{a + b \cdot \text{Csc}[e + f \cdot x]}, x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f \cdot x] \cdot (1 + \text{Csc}[e + f \cdot x])) / \sqrt{a + b \cdot \text{Csc}[e + f \cdot x]}, x], x] /;$ FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

$\text{Int}[(\csc[(e \cdot _) + (f \cdot _)(x \cdot _)] \cdot (d \cdot _) + (c \cdot _)) / \sqrt{\csc[(e \cdot _) + (f \cdot _)(x \cdot _)] \cdot (b \cdot _) + (a \cdot _)}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1 / \sqrt{a + b \cdot \text{Csc}[e + f \cdot x]}, x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f \cdot x] / \sqrt{a + b \cdot \text{Csc}[e + f \cdot x]}, x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

$\text{Int}[1 / \sqrt{\csc[(c \cdot _) + (d \cdot _)(x \cdot _)] \cdot (b \cdot _) + (a \cdot _)}, x_Symbol] \rightarrow \text{Simp}[(2 \cdot \text{Rt}[a + b, 2] \cdot \sqrt{(b \cdot (1 - \text{Csc}[c + d \cdot x]))} / (a + b)) \cdot \sqrt{-((b \cdot (1 + \text{Csc}[c + d \cdot x]))} / (a - b))] \cdot \text{EllipticPi}[(a + b) / a, \text{ArcSin}[\sqrt{a + b \cdot \text{Csc}[c + d \cdot x]}] / \text{Rt}[a + b, 2]], (a + b) / (a - b)] / (a \cdot d \cdot \text{Cot}[c + d \cdot x]), x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{7d} + \frac{2}{7} \int (a + b \sec(c + dx))^{3/2} \left(\frac{7a}{2} \right. \\
 &= \frac{2aC(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{7d} + \frac{2C(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{7d} \\
 &= \frac{2(3a^2C + b^2(7A + 5C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{21d} + \frac{2aC(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{7d} \\
 &= \frac{2(3a^2C + b^2(7A + 5C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{21d} + \frac{2aC(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{7d} \\
 &= -\frac{2a(a - b)\sqrt{a + b}(49Ab^2 + 3a^2C + 29b^2C) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{21b^2d} \\
 &= -\frac{2a(a - b)\sqrt{a + b}(49Ab^2 + 3a^2C + 29b^2C) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{21b^2d}
 \end{aligned}$$

Mathematica [B] time = 25.5112, size = 4087, normalized size = 8.5

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```

[Out] (Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*((4*a*(49
*A*b^2 + 3*a^2*C + 29*b^2*C)*Sin[c + d*x])/(21*b) + (4*Sec[c + d*x]*(7*A*b^
2*Ssin[c + d*x] + 9*a^2*C*Sin[c + d*x] + 5*b^2*C*Sin[c + d*x]))/21 + (12*a*b
*C*Sec[c + d*x]*Tan[c + d*x])/7 + (4*b^2*C*Sec[c + d*x]^2*Tan[c + d*x])/7))
/(d*(b + a*Cos[c + d*x])^2*(A + 2*C + A*Cos[2*c + 2*d*x])) + (4*((2*a^3*A)/
(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (14*a*A*b^2)/(3*Sqrt[b + a*
Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a^3*C)/(7*Sqrt[b + a*Cos[c + d*x]]*S
qrt[Sec[c + d*x]]) - (58*a*b^2*C)/(21*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c +
d*x]]) + (4*a^2*A*b*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) + (2*
A*b^3*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) - (2*a^4*C*Sqrt[Sec[
c + d*x]])/(7*b*Sqrt[b + a*Cos[c + d*x]]) - (4*a^2*b*C*Sqrt[Sec[c + d*x]])/
(21*Sqrt[b + a*Cos[c + d*x]]) + (10*b^3*C*Sqrt[Sec[c + d*x]])/(21*Sqrt[b +
a*Cos[c + d*x]]) - (14*a^2*A*b*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*Sqrt
[b + a*Cos[c + d*x]]) - (2*a^4*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(7*b*
Sqrt[b + a*Cos[c + d*x]]) - (58*a^2*b*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]]
)/(21*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a +
b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*(-2*a*(a + b)*(49*A*b^2 + 3*a
^2*C + 29*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c +
d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a
- b)/(a + b)] + 2*b*(3*a^3*(-7*A + C) + 9*a^2*b*(7*A + 3*C) + b^3*(7*A + 5*
C) + a*b^2*(49*A + 29*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a
*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)
/2]], (a - b)/(a + b)] - 84*a^3*A*b*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*S
qrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, -ArcS
in[Tan[(c + d*x)/2]], (a - b)/(a + b)] - a*(49*A*b^2 + 3*a^2*C + 29*b^2*C)*
Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(21
*b*d*(b + a*Cos[c + d*x])^3*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[Sec[(c + d*
x)/2]^2*Sec[c + d*x]^(9/2)*((2*a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin
[c + d*x]*(-2*a*(a + b)*(49*A*b^2 + 3*a^2*C + 29*b^2*C)*Sqrt[Cos[c + d*x]/(
1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*
EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(3*a^3*(-7*A + C
) + 9*a^2*b*(7*A + 3*C) + b^3*(7*A + 5*C) + a*b^2*(49*A + 29*C))*Sqrt[Cos[c
+ d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c +
d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 84*a^3*A*b*
Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1
+ Cos[c + d*x]))]*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b
)] - a*(49*A*b^2 + 3*a^2*C + 29*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Se
c[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(21*b*(b + a*Cos[c + d*x])^(3/2)*Sqrt[S
ec[(c + d*x)/2]^2) - (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)
/2]*(-2*a*(a + b)*(49*A*b^2 + 3*a^2*C + 29*b^2*C)*Sqrt[Cos[c + d*x]/(1 + C
os[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Ellip
ticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(3*a^3*(-7*A + C) + 9
*a^2*b*(7*A + 3*C) + b^3*(7*A + 5*C) + a*b^2*(49*A + 29*C))*Sqrt[Cos[c + d*
x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]
))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 84*a^3*A*b*Sqrt[

```

$$\begin{aligned}
& \cos[c + dx]/(1 + \cos[c + dx]) \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - \\
& a(49A^2b^2 + 3a^2C + 29b^2C) \cos[c + dx] (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \tan[(c + dx)/2] / (21b \sqrt{b + a \cos[c + dx]} \sqrt{\operatorname{Sec}[(c + dx)/2]^2}) + \\
& (4 \sqrt{\cos[(c + dx)/2]^2 \operatorname{Sec}[(c + dx)/2]} (-a(49A^2b^2 + 3a^2C + 29b^2C) \cos[c + dx] (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^4 / 2 - \\
& (a(a + b)(49A^2b^2 + 3a^2C + 29b^2C) \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \\
&) * ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx]))) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} + \\
& (b(3a^3(-7A + C) + 9a^2b(7A + 3C) + b^3(7A + 5C) + a^2b^2(49A + 29C)) \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], \\
& (a - b)/(a + b)] * ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx]))) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} - \\
& (42a^3A^2b \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c + dx])^2 - \\
& \sin[c + dx] / (1 + \cos[c + dx]))) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} - (a(a + b)(49A^2b^2 + 3a^2C + 29b^2C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], \\
& (a - b)/(a + b)] * (-((a \sin[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + ((b + a \cos[c + dx]) \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + \\
& (b(3a^3(-7A + C) + 9a^2b(7A + 3C) + b^3(7A + 5C) + a^2b^2(49A + 29C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] * (-((a \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])) + ((b + a \cos[c + dx]) \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} - \\
& (42a^3A^2b \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] * (-((a \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])) + ((b + a \cos[c + dx]) \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + \\
& a^2(49A^2b^2 + 3a^2C + 29b^2C) \cos[c + dx] \operatorname{Sec}[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] + a(49A^2b^2 + 3a^2C + 29b^2C) (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] - \\
& a(49A^2b^2 + 3a^2C + 29b^2C) \cos[c + dx] (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \tan[(c + dx)/2]^2 + (b(3a^3(-7A + C) + 9a^2b(7A + 3C) + b^3(7A + 5C) + a^2b^2(49A + 29C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{Sec}[(c + dx)/2]^2) / (\sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)}) + \\
& (42a^3A^2b \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{Sec}[(c + dx)/2]^2) / (\sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)}) - \\
& (a(a + b)(49A^2b^2 + 3a^2C + 29b^2C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{Sec}[(c + dx)/2]^2 \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \tan[(c + dx)/2]^2}) / (21b \sqrt{b + a \cos[c + dx]} \sqrt{\operatorname{Sec}[(c + dx)/2]^2}) + (2
\end{aligned}$$

$$\begin{aligned} & *(-2*a*(a + b)*(49*A*b^2 + 3*a^2*C + 29*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c \\ & + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE} \\ & [\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(3*a^3*(-7*A + C) + 9*a^2 \\ & *b*(7*A + 3*C) + b^3*(7*A + 5*C) + a*b^2*(49*A + 29*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(\\ & 1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]* \\ & \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 84*a^3*A*b*\text{Sqrt}[\text{Cos}[\\ & c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\ & + d*x]))]*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - a*(4 \\ & 9*A*b^2 + 3*a^2*C + 29*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d* \\ & x)/2]^2*\text{Tan}[(c + d*x)/2]*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2] \\ &) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(21*b*\text{Sqrt}[b + a*\text{Cos}[c + \\ & d*x])* \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]])) \end{aligned}$$

Maple [B] time = 1.008, size = 3384, normalized size = 7.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{sec}(d*x+c))^{5/2}*(A+C*\text{sec}(d*x+c)^2), x)$

[Out]
$$\begin{aligned} & 2/21/d/b*(\text{cos}(d*x+c)+1)^2*((b+a*\text{cos}(d*x+c))/\text{cos}(d*x+c))^{1/2}*(-1+\text{cos}(d*x+c) \\ &)^2*(7*A*\text{cos}(d*x+c)^2*b^4-42*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)^3*(\text{cos}(d*x+c)/(\text{cos}(d* \\ & x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticPi}((\\ & -1+\text{cos}(d*x+c))/\text{sin}(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^3*b+21*A*\text{sin}(d*x+c)*\text{cos} \\ & (d*x+c)^4*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(\\ & d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{1/2})* \\ & a^3*b-42*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+ \\ & b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\text{cos}(d*x+c))/\text{sin}(d* \\ & x+c), -1, ((a-b)/(a+b))^{1/2})*a^3*b-63*A*\text{cos}(d*x+c)^4*\text{sin}(d*x+c)*(\text{cos}(d*x+c) \\ & /(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{Elli \\ & pticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b^2+21*A*\text{sin}(d*x+ \\ & c)*\text{cos}(d*x+c)^3*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c)) \\ & /(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{1/2} \\ &)*a^3*b+49*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}* \\ & (1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin} \\ & (d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b^2-3*C*\text{cos}(d*x+c)^5*a^4+3*C*\text{sin}(d*x+c)* \\ & \text{cos}(d*x+c)^4*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{c} \\ & \text{os}(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{1/2} \\ &)*a^4-5*C*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+ \\ & b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x \\ & +c), ((a-b)/(a+b))^{1/2})*b^4-7*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)^3*(\text{cos}(d*x+c)/(\text{cos}(d \end{aligned}$$

$$\begin{aligned}
& *x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((\\
& -1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^4+3*C*\sin(d*x+c) * \cos(d*x+c) \\
&)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c) \\
& +1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^4-5* \\
& C*\sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*c \\
& os(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) \\
&) / (a+b))^{1/2}) * b^4+56*A*\cos(d*x+c)^3 * a*b^3+49*A*\cos(d*x+c)^4 * a^2*b^2+49*A* \\
& \sin(d*x+c) * \cos(d*x+c)^4 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos \\
& (d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / \\
& (a+b))^{1/2}) * a*b^3-49*A*\cos(d*x+c)^4 * a*b^3-3*C*\cos(d*x+c)^4 * a^3*b+11*C*\cos \\
& (d*x+c)^4 * a^2*b^2-29*C*\cos(d*x+c)^4 * a*b^3+12*C*\cos(d*x+c)^3 * a^3*b+22*C*\cos \\
& (d*x+c)^3 * a*b^3+18*C*\cos(d*x+c)^2 * a^2*b^2+12*C*\cos(d*x+c) * a*b^3-49*A*\cos(d*x \\
& +c)^5 * a^2*b^2-7*A*\cos(d*x+c)^5 * a*b^3-9*C*\cos(d*x+c)^5 * a^3*b-29*C*\cos(d*x+c) \\
& ^5 * a^2*b^2-5*C*\cos(d*x+c)^5 * a*b^3-7*A*\sin(d*x+c) * \cos(d*x+c)^4 * (\cos(d*x+c) / (\\
& \cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{Ellipti \\
& cF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^4-63*A*\cos(d*x+c)^3 * s \\
& in(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos \\
& (d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \\
& a^2*b^2-49*A*\sin(d*x+c) * \cos(d*x+c)^4 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1 / \\
& (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d \\
& *x+c), ((a-b)/(a+b))^{1/2}) * a*b^3+3*C*\sin(d*x+c) * \cos(d*x+c)^4 * (\cos(d*x+c) / (c \\
& os(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{Ellipti \\
& cE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3*b+29*C*\sin(d*x+c) * co \\
& s(d*x+c)^4 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos \\
& (d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\
& * a^2*b^2+29*C*\sin(d*x+c) * \cos(d*x+c)^4 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1 / \\
& (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin \\
& (d*x+c), ((a-b)/(a+b))^{1/2}) * a*b^3-3*C*\sin(d*x+c) * \cos(d*x+c)^4 * (\cos(d*x+c) / (\\
& \cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{Ellipti \\
& cF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3*b-27*C*\sin(d*x+c) * c \\
& os(d*x+c)^4 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (co \\
& s(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\
&) * a^2*b^2-29*C*\sin(d*x+c) * \cos(d*x+c)^4 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1 \\
& / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin \\
& (d*x+c), ((a-b)/(a+b))^{1/2}) * a*b^3+49*A*\sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) \\
& / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{Ellipti \\
& cE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2*b^2+49*A*\sin(d*x+ \\
& c) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) \\
& / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\
&) * a*b^3-49*A*\sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * \\
& (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / s \\
& in(d*x+c), ((a-b)/(a+b))^{1/2}) * a*b^3+3*C*\sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) \\
&) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{Ell \\
& ipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3*b+29*C*\sin(d*x+c \\
&) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) /
\end{aligned}$$

$$\begin{aligned} & (\cos(dx+c)+1)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) * a^2 * b^2 + 29 * C * \sin(dx+c) * \cos(dx+c)^3 * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \\ & * \left(\frac{1}{a+b}\right) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) * a * b^3 - 3 * C * \sin(dx+c) * \cos(dx+c)^3 * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \\ & * \left(\frac{1}{a+b}\right) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) * a^3 * b - 27 * C * \sin(dx+c) * \cos(dx+c)^3 * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \\ & * \left(\frac{1}{a+b}\right) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) * a^2 * b^2 - 29 * C * \sin(dx+c) * \cos(dx+c)^3 * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \\ & * \left(\frac{1}{a+b}\right) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) * a * b^3 + 3 * C * \cos(dx+c)^4 * a^4 + 2 * C * \cos(dx+c)^2 * b^4 - 7 * A * \cos(dx+c)^4 * b^4 - 5 * C * \cos(dx+c)^4 * b^4 + 3 * C * b^4 / (b+a * \cos(dx+c)) / \cos(dx+c)^3 / \sin(dx+c)^5 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb^2 sec(dx+c)^4 + 2Cab sec(dx+c)^3 + 2Aab sec(dx+c) + Aa^2 + (Ca^2 + Ab^2) sec(dx+c)^2) * sqrt(b*sec(dx+c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(dx+c)^4 + 2*C*a*b*sec(dx+c)^3 + 2*A*a*b*sec(dx+c) + A*a^2 + (C*a^2 + A*b^2)*sec(dx+c)^2)*sqrt(b*sec(dx+c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2), x)

3.729 $\int \cos(c+dx)(a+b \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=478

$$\frac{\sqrt{a+b} (a^2 b (15A - 46C) + 30a^3 C + 2ab^2 (45A + 17C) - 6b^3 (5A + 3C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{Ellip}}{15bd}$$

```
[Out] ((a - b)*Sqrt[a + b]*(a^2*(15*A - 46*C) - 6*b^2*(5*A + 3*C))*Cot[c + d*x]*E
llipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqr
t[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/
(15*b*d) + (Sqrt[a + b]*(a^2*b*(15*A - 46*C) + 30*a^3*C - 6*b^3*(5*A + 3*C)
+ 2*a*b^2*(45*A + 17*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c +
d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*S
qrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b*d) - (5*a*A*b*Sqrt[a + b]*Cot
[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]
], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec
[c + d*x]))/(a - b))])/d + (A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/d -
(a*b*(15*A - 16*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*d) - (b*(5*A
- 2*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)
```

Rubi [A] time = 0.809596, antiderivative size = 478, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4095, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b} (a^2 b (15A - 46C) + 30a^3 C + 2ab^2 (45A + 17C) - 6b^3 (5A + 3C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F(\sin)}{15bd}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(a^2*(15*A - 46*C) - 6*b^2*(5*A + 3*C))*Cot[c + d*x]*E
llipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqr
t[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/
(15*b*d) + (Sqrt[a + b]*(a^2*b*(15*A - 46*C) + 30*a^3*C - 6*b^3*(5*A + 3*C)
+ 2*a*b^2*(45*A + 17*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c +
d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*S
qrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b*d) - (5*a*A*b*Sqrt[a + b]*Cot
[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]
], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec
[c + d*x]))/(a - b))])/d + (A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/d -
```

$(a*b*(15*A - 16*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(15*d) - (b*(5*A - 2*C)*(a + b*\text{Sec}[c + d*x])^{3/2}*\text{Tan}[c + d*x])/(5*d)$

Rule 4095

$\text{Int}[(A + \text{csc}[e + f*x])^{n+1}*(B + \text{csc}[e + f*x])^m*(d + \text{csc}[e + f*x])^n, x] := \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*(C*n + A*(n+1))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ \text{LeQ}[n, -1]$

Rule 4056

$\text{Int}[(A + \text{csc}[e + f*x])^{n+1}*(B + \text{csc}[e + f*x])^m*(d + \text{csc}[e + f*x])^n, x] := -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[1/(m+1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*\text{Simp}[a*A*(m+1) + ((A*b + a*B)*(m+1) + b*C*m)*\text{Csc}[e + f*x] + (b*B*(m+1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[2*m, 0]$

Rule 4058

$\text{Int}[(A + \text{csc}[e + f*x])^{n+1}*(B + \text{csc}[e + f*x])^m*(d + \text{csc}[e + f*x])^n, x] := \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\text{csc}[e + f*x])^{n+1}*(d + \text{csc}[e + f*x])^m*(a + \text{csc}[e + f*x])^n, x] := \text{Dist}[c, \text{Int}[1/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

$\text{Int}[1/(\text{Sqrt}[\text{csc}[c + d*x] + (d + \text{csc}[c + d*x])*(b + \text{csc}[c + d*x])], x) := \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x]))/(a + b)]*\text{Sqrt}[-(b*(1 + \text{Csc}[c + d*x]))/(a - b)])*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(a*d*\text{Cot}[c + d*x]), x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{d} + \int (a + b \sec(c + dx))^{5/2} \cos(c + dx) dx \\
&= \frac{A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{b(5A - 2C)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} \\
&= \frac{A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{ab(15A - 16C)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} \\
&= \frac{A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{ab(15A - 16C)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} \\
&= \frac{(a - b)\sqrt{a + b} (a^2(15A - 46C) - 6b^2(5A + 3C)) \cot(c + dx)}{d} \\
&= \frac{(a - b)\sqrt{a + b} (a^2(15A - 46C) - 6b^2(5A + 3C)) \cot(c + dx)}{d}
\end{aligned}$$

Mathematica [B] time = 25.7418, size = 6811, normalized size = 14.25

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] Result too large to show

Maple [B] time = 0.977, size = 3498, normalized size = 7.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x)

[Out]
$$-1/15/d*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))^{1/2}*(30*A*\cos(d*x+c)^3*b^3-90*A*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b+150*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2*b-90*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b+150*A*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2*b-46*C*\cos(d*x+c)^3*a^3-30*A*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2+15*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3+30*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3+15*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3+30*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3-15*A*\cos(d*x+c)^3*a^2*b-30*A*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^3+30*A*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^3-46*C*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3-18*C*c$$

$$x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 + 15*A*\cos(d*x+c)^4 * a^2 * b + 18*C*\cos(d*x+c)^3 * b^3 - 30*A*\cos(d*x+c)^2 * b^3 - 12*C*\cos(d*x+c)^2 * b^3 + 46*C*\cos(d*x+c)^4 * a^3 + 30*A*\cos(d*x+c)^4 * a * b^2 + 22*C*\cos(d*x+c)^4 * a^2 * b + 18*C*\cos(d*x+c)^4 * a * b^2 - 30*A*\cos(d*x+c)^3 * a * b^2 + 46*C*\cos(d*x+c)^3 * a^2 * b + 10*C*\cos(d*x+c)^3 * a * b^2 - 68*C*\cos(d*x+c)^2 * a^2 * b - 28*C*\cos(d*x+c) * a * b^2 - 6*C * b^3) / (b+a*\cos(d*x+c)) / \cos(d*x+c)^2 / \sin(d*x+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^2 cos(dx + c) sec(dx + c)^4 + 2 Cab cos(dx + c) sec(dx + c)^3 + 2 Aab cos(dx + c) sec(dx + c) + Aa^2 cos(dx + c) sec(dx + c)^2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*cos(d*x + c)*sec(d*x + c)^4 + 2*C*a*b*cos(d*x + c)*sec(d*x + c)^3 + 2*A*a*b*cos(d*x + c)*sec(d*x + c) + A*a^2*cos(d*x + c) + (C*a^2 + A*b^2)*cos(d*x + c)*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c), x
)
```

3.730 $\int \cos^2(c+dx)(a+b \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=463

$$\frac{\sqrt{a+b} \left(6a^2(A+12C) + ab(27A-56C) + 8b^2(3A+C) \right) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF} \left(\sin^{-1} \left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}} \right) \right)}{12d}$$

```
[Out] (a*(a - b)*Sqrt[a + b]*(27*A - 56*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a +
b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(12*d) + (Sqrt[a + b]*(a
*b*(27*A - 56*C) + 8*b^2*(3*A + C) + 6*a^2*(A + 12*C))*Cot[c + d*x]*Ellipti
cF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(
1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(12*d)
- (Sqrt[a + b]*(15*A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b
)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b
*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d
) + (5*A*b*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]
*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(2*d) - (b^2*(21*A - 8*C)*Sqrt[a
+ b*Sec[c + d*x]]*Tan[c + d*x])/(12*d)
```

Rubi [A] time = 0.913231, antiderivative size = 463, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4095, 4094, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b} \left(6a^2(A+12C) + ab(27A-56C) + 8b^2(3A+C) \right) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F \left(\sin^{-1} \left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}} \right) \right)}{12d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (a*(a - b)*Sqrt[a + b]*(27*A - 56*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a +
b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(12*d) + (Sqrt[a + b]*(a
*b*(27*A - 56*C) + 8*b^2*(3*A + C) + 6*a^2*(A + 12*C))*Cot[c + d*x]*Ellipti
cF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(
1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(12*d)
- (Sqrt[a + b]*(15*A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b
)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b
*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d
) + (5*A*b*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]
```

$$*(a + b*\text{Sec}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x]/(2*d) - (b^2*(21*A - 8*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(12*d)$$

Rule 4095

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^{2*(C_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*C \text{ot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m*(d*\text{Csc}[e + f*x])^n}/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*(C*n + A*(n+1))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4094

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^{2*(C_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m*(d*\text{Csc}[e + f*x])^n}/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4056

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^{2*(C_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[1/(m+1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*\text{Simp}[a*A*(m+1) + ((A*b + a*B)*(m+1) + b*C*m)*\text{Csc}[e + f*x] + (b*B*(m+1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[2*m, 0]$$

Rule 4058

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^{2*(C_.)})/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c,$$

d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{2d} + \frac{1}{2} \int \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} dx \\
&= \frac{5Ab(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d} + \frac{A \cos(c + dx)(a + b \sec(c + dx))^{5/2}}{4d} \\
&= \frac{5Ab(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d} + \frac{A \cos(c + dx)(a + b \sec(c + dx))^{5/2}}{4d} \\
&= \frac{5Ab(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d} + \frac{A \cos(c + dx)(a + b \sec(c + dx))^{5/2}}{4d} \\
&= \frac{a(a - b)\sqrt{a + b}(27A - 56C) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b}\sin(c + dx)}{\sqrt{a + b \sec^2(c + dx) + a}}\right)\right)}{12d} \\
&= \frac{a(a - b)\sqrt{a + b}(27A - 56C) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b}\sin(c + dx)}{\sqrt{a + b \sec^2(c + dx) + a}}\right)\right)}{12d}
\end{aligned}$$

Mathematica [B] time = 25.9887, size = 4903, normalized size = 10.59

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] ((Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*((28*a*b*C*Sin[c + d*x])/3 + (a^2*A*Sin[2*(c + d*x)]/2 + (4*b^2*C*Tan[c + d*x])/3))/(d*(b + a*Cos[c + d*x])^2) + (((a^3*A)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (6*a*A*b^2)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*a^3*C)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (14*a*b^2*C)/(3*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (11*a^2*A*b*Sqrt[Sec[c + d*x]])/(4*Sqrt[b + a*Cos[c + d*x]]) + (2*A*b^3*Sqrt[Sec[c + d*x]])/Sqrt[b + a*Cos[c + d*x]] + (4*a^2*b*C*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) + (2*b^3*C*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) + (9*a^2*A*b*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(4*Sqrt[b + a*Cos[c + d*x]]) - (14*a^2*b*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]])*(a + b*Sec[c + d*x])^(5/2)*(-2*a*b*(a + b)*(27*A - 56*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2 + 4*(4*a*b^2*(9*A - 7*C) - 4*b^3*(3*A + C) + 6*a^3*(A + 2*C) - 3*a^2*b*(A + 12*C))*Sqrt[Cos[c + d*x]/(1 +

$$\begin{aligned}
& \cos[c + dx] \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \operatorname{Sec}[(c + dx)/2]^2 + a(12 \\
& * (15A^2 b^2 + 4a^2(A + 2C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan \\
& [(c + dx)/2]], (a - b)/(a + b)] \operatorname{Sec}[(c + dx)/2]^2 - b(27A - 56C) \cos[c + dx] (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^4 \tan[(c + dx)/2]) / (6d(b \\
& + a \cos[c + dx])^3 (\operatorname{Sec}[(c + dx)/2]^2)^{(3/2)} \operatorname{Sec}[c + dx]^{(5/2)} \sqrt{\cos \\
& [(c + dx)/2]^2 \operatorname{Sec}[c + dx]} (-1 + \tan[(c + dx)/2]^2) (-\tan[(c + dx)/2] \\
& * (-2ab(a + b)(27A - 56C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + \\
& dx)/2]], (a - b)/(a + b)] \operatorname{Sec}[(c + dx)/2]^2 + 4(4a^2 b^2 (9A - 7C) - 4 \\
& b^3 (3A + C) + 6a^3 (A + 2C) - 3a^2 b (A + 12C)) \sqrt{\cos[c + dx] / (1 \\
& + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{E \\
& llipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \operatorname{Sec}[(c + dx)/2]^2 + a \\
& (12(15A^2 b^2 + 4a^2(A + 2C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan \\
& [(c + dx)/2]], (a - b)/(a + b)] \operatorname{Sec}[(c + dx)/2]^2 - b(27A - 56C) \cos \\
& [c + dx] (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^4 \tan[(c + dx)/2]) / (6S \\
& qrt[b + a \cos[c + dx]] \sqrt{\operatorname{Sec}[(c + dx)/2]^2} \sqrt{\cos[(c + dx)/2]^2 \operatorname{Se \\
& c}[c + dx]} (-1 + \tan[(c + dx)/2]^2)^2 + (a \sin[c + dx] * (-2ab(a + b) \\
& (27A - 56C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx] \\
&) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b) \\
&) / (a + b)] \operatorname{Sec}[(c + dx)/2]^2 + 4(4a^2 b^2 (9A - 7C) - 4b^3 (3A + C) + \\
& 6a^3 (A + 2C) - 3a^2 b (A + 12C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \\
& * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan \\
& [(c + dx)/2]], (a - b)/(a + b)] \operatorname{Sec}[(c + dx)/2]^2 + a(12(15A^2 b^2 + 4 \\
& a^2(A + 2C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + d \\
& x]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]] \\
& , (a - b)/(a + b)] \operatorname{Sec}[(c + dx)/2]^2 - b(27A - 56C) \cos[c + dx] (b + a \\
& * \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^4 \tan[(c + dx)/2]) / (12(b + a \cos[c + d \\
& x])^{(3/2)} (\operatorname{Sec}[(c + dx)/2]^2)^{(3/2)} \sqrt{\cos[(c + dx)/2]^2 \operatorname{Sec}[c + dx]} \\
& (-1 + \tan[(c + dx)/2]^2) - (\tan[(c + dx)/2] * (-2ab(a + b)(27A - 56C) \\
&) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b) \\
& (1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \operatorname{S \\
& ec}[(c + dx)/2]^2 + 4(4a^2 b^2 (9A - 7C) - 4b^3 (3A + C) + 6a^3 (A + 2 \\
& * C) - 3a^2 b (A + 12C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \\
& * \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx) \\
& /2]], (a - b)/(a + b)] \operatorname{Sec}[(c + dx)/2]^2 + a(12(15A^2 b^2 + 4a^2(A + 2 \\
& C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b) \\
&) * (1 + \cos[c + dx]))} \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a \\
& + b)] \operatorname{Sec}[(c + dx)/2]^2 - b(27A - 56C) \cos[c + dx] (b + a \cos[c + dx] \\
&) \operatorname{Sec}[(c + dx)/2]^4 \tan[(c + dx)/2]) / (4 \sqrt{b + a \cos[c + dx]} (\operatorname{Sec} \\
& [(c + dx)/2]^2)^{(3/2)} \sqrt{\cos[(c + dx)/2]^2 \operatorname{Sec}[c + dx]} (-1 + \tan[(c + \\
& dx)/2]^2) + (-((a * b * (a + b) * (27A - 56C) \sqrt{(b + a \cos[c + dx]) / ((a + \\
& b) * (1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)
\end{aligned}$$

$$\begin{aligned}
&) * \text{Sec}[(c + d*x)/2]^2 * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x])) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] + (\\
& 2 * (4 * a * b^2 * (9 * A - 7 * C) - 4 * b^3 * (3 * A + C) + 6 * a^3 * (A + 2 * C) - 3 * a^2 * b * (A + 12 * C)) * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{Arc} \\
& \text{Sin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x])) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] - (a * b * (a + b) * (27 * A - 56 * C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * (-((a * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))) + (\\
& (b + a * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] + (2 * (4 * a * b^2 * (9 * A - 7 * C) \\
& - 4 * b^3 * (3 * A + C) + 6 * a^3 * (A + 2 * C) - 3 * a^2 * b * (A + 12 * C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec} \\
& [(c + d*x)/2]^2 * (-((a * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))) + ((b + a * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] - 2 * a * b * (a + b) * (27 * A - 56 * C) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec} \\
& [(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] + 4 * (4 * a * b^2 * (9 * A - 7 * C) - 4 * b^3 * (3 * A + C) + 6 * a^3 * (A + 2 * C) - 3 * a^2 * b * (A + 12 * C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSi} \\
& \text{n}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] + \\
& (2 * (4 * a * b^2 * (9 * A - 7 * C) - 4 * b^3 * (3 * A + C) + 6 * a^3 * (A + 2 * C) - 3 * a^2 * b * (A + 12 * C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^4 / (\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) - (a * b * (a + b) * (27 * A - 56 * C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^4 * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)] / \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] + a * (- (b * (27 * A - 56 * C)) * \text{Cos}[c + d*x] * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^6) / 2 + (6 * (15 * A * b^2 + 4 * a^2 * (A + 2 * C)) * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x])) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] + (6 * (15 * A * b^2 + 4 * a^2 * (A + 2 * C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * (-((a * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])) + ((b + a * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] + 12 * (15 * A * b^2 + 4 * a^2 * (A + 2 * C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] + a * b * (27 * A - 56 * C) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^4 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] + b * (27 * A - 56 * C) * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] - 2 * b * (27 * A - 56 * C) * \text{Cos}[c + d*x] * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4 * \text{Tan}[(c + d*x)/2]^2 - (6 * (15 * A * b^2 + 4 * a^2 * (A + 2 * C)) * \text{Sqrt}[\text{Cos}[c + d
\end{aligned}$$

```

*x]/(1 + Cos[c + d*x]))*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x
]))]*Sec[(c + d*x)/2]^4/(Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2
]^2)*Sqrt[1 - ((a - b)*Tan[(c + d*x)/2]^2)/(a + b)])))/(6*Sqrt[b + a*Cos[c
+ d*x]]*(Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-
1 + Tan[(c + d*x)/2]^2)) - ((-2*a*b*(a + b)*(27*A - 56*C)*Sqrt[Cos[c + d*x]
/(1 + Cos[c + d*x]))*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))
]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2 +
4*(4*a*b^2*(9*A - 7*C) - 4*b^3*(3*A + C) + 6*a^3*(A + 2*C) - 3*a^2*b*(A +
12*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]))*Sqrt[(b + a*Cos[c + d*x])/((a
+ b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a +
b)]*Sec[(c + d*x)/2]^2 + a*(12*(15*A*b^2 + 4*a^2*(A + 2*C))*Sqrt[Cos[c + d*
x]/(1 + Cos[c + d*x]))*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]
))]*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x
)/2]^2 - b*(27*A - 56*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2
]^4*Tan[(c + d*x)/2]))*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) +
Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(12*Sqrt[b + a*Cos[c + d*x]
]*(Sec[(c + d*x)/2]^2)^(3/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(-1 + T
an[(c + d*x)/2]^2))))/2

```

Maple [B] time = 0.772, size = 3206, normalized size = 6.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)
```

```

[Out] 1/12/d*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))
^2*(-6*A*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c
), ((a-b)/(a+b))^(1/2))*a^2*b-48*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*
x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((
-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^3+24*C*sin(d*x+c)*cos(d
*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*
x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^
3+27*A*cos(d*x+c)^3*a^2*b-90*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x
+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-
1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a*b^2-90*A*sin(d*x+c)*cos(
d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x
+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2)
)*a*b^2+56*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+

```

$$\begin{aligned}
& c), ((a-b)/(a+b))^{1/2} * a * b^2 - 27 * A * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 72 * A * \cos(d*x+c)^2 * \sin \\
& (d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d \\
& *x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a \\
& * b^2 + 56 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b \\
&) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+ \\
& c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 56 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^2 - 72 * C * \cos(d*x+c)^2 * \sin \\
& (d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d \\
& *x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a \\
& ^2 * b - 56 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b \\
&) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+ \\
& c), ((a-b)/(a+b))^{1/2}) * a * b^2 - 27 * A * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b - 56 * C * (\cos(d*x+c)/(\co \\
& s(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{Elliptic} \\
& \text{F}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \cos(d*x+c) * \sin(d*x+c) * a * b \\
& ^2 - 56 * C * \cos(d*x+c)^2 * a * b^2 + 6 * A * \cos(d*x+c)^3 * a^3 - 6 * A * \cos(d*x+c)^5 * a^3 - 24 * A * c \\
& \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(\\
& d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(\\
& a+b))^{1/2}) * b^3 - 8 * C * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c) \\
&))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 - 33 * A * \cos(d*x+c)^4 * a^2 * b + 6 * A * \cos(d*x+ \\
& c)^2 * a^2 * b + 27 * A * \cos(d*x+c)^2 * a * b^2 - 27 * A * a^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * \text{El} \\
& \text{lipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b - 27 * A * b^2 * (\cos(d*x \\
& +c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin \\
& (d*x+c) * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a - 6 * A * a^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x \\
& +c), ((a-b)/(a+b))^{1/2}) * b + 72 * A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) \\
&) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c) \\
&), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * \cos(d*x+c) * a * b^2 + 56 * C * a^2 * (\cos(d*x+c)/(\co \\
& s(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+ \\
& c) * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b - 7 \\
& 2 * C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d* \\
& x+c) * \cos(d*x+c) * a^2 * b - 8 * C * \cos(d*x+c)^2 * b^3 - 27 * A * \cos(d*x+c)^3 * a * b^2 - 56 * C * \cos \\
& (d*x+c)^3 * a^2 * b - 8 * C * \cos(d*x+c)^3 * a * b^2 + 56 * C * \cos(d*x+c)^2 * a^2 * b + 64 * C * \cos(d*x \\
& +c) * a * b^2 + 12 * A * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1 \\
& / (a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin \\
& (d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 - 24 * A * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{Ellipt}
\end{aligned}$$

```
icPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^3-48*C*sin(d*x+c)
*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))
^(1/2))*a^3+12*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1
/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin
(d*x+c), ((a-b)/(a+b))^(1/2))*a^3-24*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(co
s(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elliptic
F((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^3-24*A*sin(d*x+c)*cos(d
*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+
c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*
a^3+24*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(
b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
((a-b)/(a+b))^(1/2))*a^3-8*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+
1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos
(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^3+8*C*b^3/sin(d*x+c)^5/(b+a*cos
(d*x+c))/cos(d*x+c)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorit
hm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^2,
x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral((Cb^2 cos(dx + c)^2 sec(dx + c)^4 + 2 Cab cos(dx + c)^2 sec(dx + c)^3 + 2 Aab cos(dx + c)^2 sec(dx + c) + Aa^2 cos
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorit
hm="fricas")
```

```
[Out] integral((C*b^2*cos(d*x + c)^2*sec(d*x + c)^4 + 2*C*a*b*cos(d*x + c)^2*sec(
d*x + c)^3 + 2*A*a*b*cos(d*x + c)^2*sec(d*x + c) + A*a^2*cos(d*x + c)^2 + (
```

$C*a^2 + A*b^2)*\cos(d*x + c)^2*\sec(d*x + c)^2*\sqrt{b*\sec(d*x + c) + a}, x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x)

3.731 $\int \cos^3(c+dx)(a+b \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=507

$$\frac{\sqrt{a+b}(16a^2A + 24a^2C + 26aAb + 144abC + 33Ab^2 - 48b^2C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{b(1-\sec(c+dx))}{a+b}\right)\right)}{24d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(3*b^2*(11*A - 16*C) + 8*a^2*(2*A + 3*C))*Cot[c + d*x]
*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*S
qrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(24*b*d) + (Sqrt[a + b]*(16*a^2*A + 26*a*A*b + 33*A*b^2 + 24*a^2*C + 144*
a*b*C - 48*b^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sq
rt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b
*(1 + Sec[c + d*x]))/(a - b))]/(24*d) - (5*b*Sqrt[a + b]*(A*b^2 + 4*a^2*(A
+ 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]
/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-
((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a*d) + ((15*A*b^2 + 8*a^2*(2*A + 3*C)
)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (5*A*b*Cos[c + d*x]*(a +
b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c
+ d*x])^(5/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.20201, antiderivative size = 507, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4095, 4094, 4058, 3921, 3784, 3832, 4004}

$$\frac{(8a^2(2A + 3C) + 15Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{24d} + \frac{\sqrt{a+b}(16a^2A + 24a^2C + 26aAb + 144abC + 33Ab^2 - 48b^2C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{b(1-\sec(c+dx))}{a+b}\right)\right)}{24d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(3*b^2*(11*A - 16*C) + 8*a^2*(2*A + 3*C))*Cot[c + d*x]
*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*S
qrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(24*b*d) + (Sqrt[a + b]*(16*a^2*A + 26*a*A*b + 33*A*b^2 + 24*a^2*C + 144*
a*b*C - 48*b^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sq
rt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b
*(1 + Sec[c + d*x]))/(a - b))]/(24*d) - (5*b*Sqrt[a + b]*(A*b^2 + 4*a^2*(A
+ 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]
/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-
```

$$\frac{((b*(1 + \sec[c + d*x]))/(a - b)))/(8*a*d) + ((15*A*b^2 + 8*a^2*(2*A + 3*C)) * \sqrt{a + b*\sec[c + d*x]} * \sin[c + d*x])/(24*d) + (5*A*b*\cos[c + d*x]*(a + b*\sec[c + d*x])^{3/2} * \sin[c + d*x])/(12*d) + (A*\cos[c + d*x]^2*(a + b*\sec[c + d*x])^{5/2} * \sin[c + d*x])/(3*d)}$$

Rule 4095

$$\text{Int}[(A_.) + \csc[(e_.) + (f_.)(x_.)]^2(C_.)] * (\csc[(e_.) + (f_.)(x_.)] * (d_.))^n * (\csc[(e_.) + (f_.)(x_.)] * (b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A * \text{Cot}[e + f*x] * (a + b * \text{Csc}[e + f*x])^m * (d * \text{Csc}[e + f*x])^n) / (f * n), x] - \text{Dist}[1 / (d * n), \text{Int}[(a + b * \text{Csc}[e + f*x])^{m-1} * (d * \text{Csc}[e + f*x])^{n+1} * \text{Simp}[A * b * m - a * (C * n + A * (n + 1)) * \text{Csc}[e + f*x] - b * (C * n + A * (m + n + 1)) * \text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4094

$$\text{Int}[(A_.) + \csc[(e_.) + (f_.)(x_.)] * (B_.) + \csc[(e_.) + (f_.)(x_.)]^2(C_.)] * (\csc[(e_.) + (f_.)(x_.)] * (d_.))^n * (\csc[(e_.) + (f_.)(x_.)] * (b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A * \text{Cot}[e + f*x] * (a + b * \text{Csc}[e + f*x])^m * (d * \text{Csc}[e + f*x])^n) / (f * n), x] - \text{Dist}[1 / (d * n), \text{Int}[(a + b * \text{Csc}[e + f*x])^{m-1} * (d * \text{Csc}[e + f*x])^{n+1} * \text{Simp}[A * b * m - a * B * n - (b * B * n + a * (C * n + A * (n + 1))) * \text{Csc}[e + f*x] - b * (C * n + A * (m + n + 1)) * \text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4058

$$\text{Int}[(A_.) + \csc[(e_.) + (f_.)(x_.)] * (B_.) + \csc[(e_.) + (f_.)(x_.)]^2(C_.)] / \sqrt{\csc[(e_.) + (f_.)(x_.)] * (b_.) + (a_.)}, x_Symbol] \rightarrow \text{Int}[(A + (B - C) * \text{Csc}[e + f*x]) / \sqrt{a + b * \text{Csc}[e + f*x]}, x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x] * (1 + \text{Csc}[e + f*x])) / \sqrt{a + b * \text{Csc}[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(\csc[(e_.) + (f_.)(x_.)] * (d_.) + (c_.)) / \sqrt{\csc[(e_.) + (f_.)(x_.)] * (b_.) + (a_.)}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1 / \sqrt{a + b * \text{Csc}[e + f*x]}, x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x] / \sqrt{a + b * \text{Csc}[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b * c - a * d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3784

$$\text{Int}[1 / \sqrt{\csc[(c_.) + (d_.)(x_.)] * (b_.) + (a_.)}, x_Symbol] \rightarrow \text{Simp}[(2 * \text{Rt}[a + b, 2] * \sqrt{(b * (1 - \text{Csc}[c + d*x]))} / (a + b)) * \sqrt{-((b * (1 + \text{Csc}[c + d*x]))} / (a - b))] * \text{EllipticPi}[(a + b) / a, \text{ArcSin}[\sqrt{a + b * \text{Csc}[c + d*x]}] / \text{Rt}[a + b,$$

2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + b \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{3d} + \frac{1}{3} \int \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx \\
 &= \frac{5Ab \cos(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{12d} + \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{3d} \\
 &= \frac{(15Ab^2 + 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d} \\
 &= \frac{(15Ab^2 + 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d} \\
 &= \frac{(a - b) \sqrt{a + b} (3b^2(11A - 16C) + 8a^2(2A + 3C)) \cot(c + dx)}{24d} \\
 &= \frac{(a - b) \sqrt{a + b} (3b^2(11A - 16C) + 8a^2(2A + 3C)) \cot(c + dx)}{24d}
 \end{aligned}$$

Mathematica [B] time = 19.7311, size = 1513, normalized size = 2.98

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*(((a^2*A + 24*b^2*C)*Sin[c + d*x])/6 + (13*a*A*b*Ssin[2*(c + d*x)]/12 + (a^2*A*Ssin[3*(c + d*x)]/6)))/(d*(b + a*cos[c + d*x])^2*(A + 2*C + A*cos[2*c + 2*d*x])) + ((a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2])^2]^(-1))*(16*a^3*A*Tan[(c + d*x)/2] + 16*a^2*A*b*Tan[(c + d*x)/2] + 33*a*A*b^2*Tan[(c + d*x)/2] + 33*A*b^3*Tan[(c + d*x)/2] + 24*a^3*C*Tan[(c + d*x)/2] + 24*a^2*b*C*Tan[(c + d*x)/2] - 48*a*b^2*C*Tan[(c + d*x)/2] - 48*b^3*C*Tan[(c + d*x)/2] - 32*a^3*A*Tan[(c + d*x)/2]^3 - 66*a*A*b^2*Tan[(c + d*x)/2]^3 - 48*a^3*C*Tan[(c + d*x)/2]^3 + 96*a*b^2*C*Tan[(c + d*x)/2]^3 + 16*a^3*A*Tan[(c + d*x)/2]^5 - 16*a^2*A*b*Tan[(c + d*x)/2]^5 + 33*a*A*b^2*Tan[(c + d*x)/2]^5 - 33*A*b^3*Tan[(c + d*x)/2]^5 + 24*a^3*C*Tan[(c + d*x)/2]^5 - 24*a^2*b*C*Tan[(c + d*x)/2]^5 - 48*a*b^2*C*Tan[(c + d*x)/2]^5 + 48*b^3*C*Tan[(c + d*x)/2]^5 - 120*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 240*a^2*b*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 120*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 240*a^2*b*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(3*b^2*(11*A - 16*C) + 8*a^2*(2*A + 3*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*b*(24*b^2*(A - C) - a*b*(13*A + 72*C) + a^2*(38*A + 72*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)])))/(12*d*(b + a*cos[c + d*x])^(5/2)*(A + 2*C + A*cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))]

$+c), ((a-b)/(a+b))^{(1/2)} * a * b^2 * \sin(dx+c) - 48 * C * \cos(dx+c) * b^3 * (\cos(dx+c) + 1)^2 * ((b+a * \cos(dx+c))/\cos(dx+c))^{(1/2)} / (b+a * \cos(dx+c)) / \sin(dx+c)^5$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A)(b \sec(dx+c) + a)^{5/2} \cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(a+b*sec(dx+c))^(5/2)*(A+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + A)*(b*sec(dx+c) + a)^(5/2)*cos(dx+c)^3, x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(a+b*sec(dx+c))^(5/2)*(A+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**3*(a+b*sec(dx+c))**(5/2)*(A+C*sec(dx+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^3,  
x)
```

3.732 $\int \cos^4(c+dx)(a+b \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=587

$$\frac{\sqrt{a+b}(4a^2b(71A+108C)+24a^3(3A+4C)+2ab^2(59A+192C)+15Ab^3)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}}{192ad} E$$

[Out] ((a - b)*Sqrt[a + b]*(15*A*b^2 + 4*a^2*(71*A + 108*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) + (Sqrt[a + b]*(15*A*b^3 + 24*a^3*(3*A + 4*C) + 4*a^2*b*(71*A + 108*C) + 2*a*b^2*(59*A + 192*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) + (Sqrt[a + b]*(5*A*b^4 - 120*a^2*b^2*(A + 2*C) - 16*a^4*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^2*d) + (b*(15*A*b^2 + 4*a^2*(71*A + 108*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*a*d) + ((5*A*b^2 + 4*a^2*(3*A + 4*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + (5*A*b*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 1.63304, antiderivative size = 587, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4095, 4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{b(4a^2(71A+108C)+15Ab^2)\sin(c+dx)\sqrt{a+b\sec(c+dx)}}{192ad} + \frac{(4a^2(3A+4C)+5Ab^2)\sin(c+dx)\cos(c+dx)\sqrt{a+b\sec(c+dx)}}{32d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] ((a - b)*Sqrt[a + b]*(15*A*b^2 + 4*a^2*(71*A + 108*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) + (Sqrt[a + b]*(15*A*b^3 + 24*a^3*(3*A + 4*C) + 4*a^2*b*(71*A + 108*C) + 2*a*b^2*(59*A + 192*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) + (Sqrt[a + b]*(5*A*b^4 -

$$120a^2b^2(A + 2C) - 16a^4(3A + 4C))\cot[c + dx]\operatorname{EllipticPi}\left[\frac{a + b}{a}, \operatorname{ArcSin}\left[\frac{\sqrt{a + b\sec[c + dx]}}{\sqrt{a + b}}\right], \frac{a + b}{a - b}\right]\sqrt{\frac{b(1 - \sec[c + dx])}{a + b}}\sqrt{-\frac{b(1 + \sec[c + dx])}{a - b}}\left/\frac{64a^2d}{(b(15Ab^2 + 4a^2(71A + 108C))\sqrt{a + b\sec[c + dx]}\sin[c + dx]) + (192ad) + ((5Ab^2 + 4a^2(3A + 4C))\cos[c + dx]\sqrt{a + b\sec[c + dx]}\sin[c + dx]) + (32d) + (5Ab\cos[c + dx])^2(a + b\sec[c + dx])^{3/2}\sin[c + dx]) + (A\cos[c + dx]^3(a + b\sec[c + dx])^{5/2}\sin[c + dx]) + (4d)}\right.$$

Rule 4095

$$\operatorname{Int}\left[\left(\frac{A}{a} + \csc[e + fx] + (f_*)(x_*)^2(C_*)\right)\left(\csc[e + fx] + (f_*)(x_*)\right)(d_*)\right)^{n_*}\left(\csc[e + fx] + (f_*)(x_*)\right)(b_*) + (a_*)^{m_*}, x_Symbol] \rightarrow \operatorname{Simp}\left[\frac{A\cot[e + fx](a + b\csc[e + fx])^m(d\csc[e + fx])^n}{(f_*n)}, x\right] - \operatorname{Dist}\left[\frac{1}{(d_*n)}, \operatorname{Int}\left[\frac{(a + b\csc[e + fx])^{m-1}(d\csc[e + fx])^{n+1}\operatorname{Simp}[A*b*m - a*(C*n + A*(n+1))*\csc[e + fx] - b*(C*n + A*(m+n+1))*\csc[e + fx]^2, x], x]}{x}\right]; \operatorname{FreeQ}\{a, b, d, e, f, A, C\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{LeQ}[n, -1]$$

Rule 4094

$$\operatorname{Int}\left[\left(\frac{A}{a} + \csc[e + fx] + (f_*)(x_*)\right)(B_*) + \csc[e + fx] + (f_*)(x_*)^2(C_*)\right)\left(\csc[e + fx] + (f_*)(x_*)\right)(d_*)^{n_*}\left(\csc[e + fx] + (f_*)(x_*)\right)(b_*) + (a_*)^{m_*}, x_Symbol] \rightarrow \operatorname{Simp}\left[\frac{A\cot[e + fx](a + b\csc[e + fx])^m(d\csc[e + fx])^n}{(f_*n)}, x\right] - \operatorname{Dist}\left[\frac{1}{(d_*n)}, \operatorname{Int}\left[\frac{(a + b\csc[e + fx])^{m-1}(d\csc[e + fx])^{n+1}\operatorname{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\csc[e + fx] - b*(C*n + A*(m+n+1))*\csc[e + fx]^2, x], x]}{x}\right]; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{LeQ}[n, -1]$$

Rule 4104

$$\operatorname{Int}\left[\left(\frac{A}{a} + \csc[e + fx] + (f_*)(x_*)\right)(B_*) + \csc[e + fx] + (f_*)(x_*)^2(C_*)\right)\left(\csc[e + fx] + (f_*)(x_*)\right)(d_*)^{n_*}\left(\csc[e + fx] + (f_*)(x_*)\right)(b_*) + (a_*)^{m_*}, x_Symbol] \rightarrow \operatorname{Simp}\left[\frac{A\cot[e + fx](a + b\csc[e + fx])^{m+1}(d\csc[e + fx])^n}{(a*f_*n)}, x\right] + \operatorname{Dist}\left[\frac{1}{(a*d_*n)}, \operatorname{Int}\left[\frac{(a + b\csc[e + fx])^m(d\csc[e + fx])^{n+1}\operatorname{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\csc[e + fx] + A*b*(m+n+2)*\csc[e + fx]^2, x], x]}{x}\right]; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LeQ}[n, -1]$$

Rule 4058

$$\operatorname{Int}\left[\left(\frac{A}{a} + \csc[e + fx] + (f_*)(x_*)\right)(B_*) + \csc[e + fx] + (f_*)(x_*)^2(C_*)\right)/\sqrt{\csc[e + fx] + (f_*)(x_*)\left(\frac{b}{a} + (a_*)\right)}, x_Symbol] \rightarrow \operatorname{Int}\left[\frac{A + (B - C)*\csc[e + fx]}{\sqrt{a + b\csc[e + fx]}}, x\right] + \operatorname{Dist}\left[C, \operatorname{Int}\left[\frac{\csc[e + fx](1 + \csc[e + fx])}{\sqrt{a + b\csc[e + fx]}}, x\right]; \operatorname{FreeQ}\{a, b, e, f, A,$$

B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + b \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{4d} + \frac{1}{4} \int \\
&= \frac{5Ab \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{24d} + \frac{A}{4} \\
&= \frac{(5Ab^2 + 4a^2(3A + 4C)) \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{32d} \\
&= \frac{b(15Ab^2 + 4a^2(71A + 108C)) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{192ad} \\
&= \frac{b(15Ab^2 + 4a^2(71A + 108C)) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{192ad} \\
&= \frac{(a - b) \sqrt{a + b} (15Ab^2 + 4a^2(71A + 108C)) \cot(c + dx)}{192ad} \\
&= \frac{(a - b) \sqrt{a + b} (15Ab^2 + 4a^2(71A + 108C)) \cot(c + dx)}{192ad}
\end{aligned}$$

Mathematica [B] time = 24.139, size = 5006, normalized size = 8.53

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] Result too large to show

Maple [B] time = 0.644, size = 3986, normalized size = 6.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x)

```
[Out] 1/192/d/a*(-1+cos(d*x+c))^2*(-288*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^4*sin(d*x+c)-24*A*a^4*cos(d*x+c)^4+72*A*a^4*cos(d*x+c)^2-15*A*cos(d*x+c)^2*b^4+30*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*b^4*sin(d*x+c)-284*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)-15*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3*sin(d*x+c)-72*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)+644*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)-118*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3*sin(d*x+c)+192*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^4*sin(d*x+c)-384*C*a^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))-172*A*cos(d*x+c)^3*a^3*b-133*A*cos(d*x+c)^3*a*b^3+284*A*cos(d*x+c)^2*a^3*b-30*A*cos(d*x+c)^2*a^2*b^2+72*A*cos(d*x+c)*a^3*b+284*A*cos(d*x+c)*a^2*b^2+118*A*cos(d*x+c)*a*b^3-48*A*a^4*cos(d*x+c)^6+15*A*cos(d*x+c)^2*a*b^3-254*A*cos(d*x+c)^4*a^2*b^2-96*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^3*b-432*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^3*b-432*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^2*b^2-1440*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^2*b^2+1152*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)-15*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^4*sin(d*x+c)+144*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^4*sin(d*x+c)-720*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*b^2-284*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*b-284*A*cos(d*x+c)*a
```

$$\begin{aligned}
& ^2b^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\sin(dx+c)\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& -15A\cos(dx+c)b^3(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\sin(dx+c)\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *a-72A\cos(dx+c)a^3(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\sin(dx+c)\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *b+644A\cos(dx+c)a^2b^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\sin(dx+c)\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& -118A\cos(dx+c)b^3(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\sin(dx+c)\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *a-528C\cos(dx+c)^3a^3b-432C\cos(dx+c)^2a^2b^2-184A\cos(dx+c)^5a^3b+432C\cos(dx+c)^2a^3b+96C\cos(dx+c)a^3b+432C\cos(dx+c)a^2b^2-288A\cos(dx+c)\sin(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& (1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c),-1,((a-b)/(a+b))^{1/2}) \\
& *a^4+30A\cos(dx+c)\sin(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c),-1,((a-b)/(a+b))^{1/2}) \\
& *b^4-15A\cos(dx+c)\sin(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *b^4+144A\cos(dx+c)\sin(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *a^4-720A(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c),-1,((a-b)/(a+b))^{1/2}) \\
& *a^2b^2\sin(dx+c)-284A(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *a^3b\sin(dx+c)-384C(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *a*b^3\sin(dx+c)+96C\cos(dx+c)^2a^4+1152C\cos(dx+c)\sin(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *a^2b^2-384C\sin(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *cos(dx+c)a*b^3+192C(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *cos(dx+c)\sin(dx+c)a^4-384C*a^4(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c),-1,((a-b)/(a+b))^{1/2}) \\
& *cos(dx+c)\sin(dx+c)-96C(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *a^3b\sin(dx+c)-432C(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2}) \\
& *a^3b\sin(dx+c)-432C(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})
\end{aligned}$$

)^(1/2))*a^2*b^2*sin(d*x+c)-1440*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)-96*C*cos(d*x+c)^4*a^4+15*A*cos(d*x+c)*b^4*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^4, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^2 cos(dx + c)^4 sec(dx + c)^4 + 2 Cab cos(dx + c)^4 sec(dx + c)^3 + 2 Aab cos(dx + c)^4 sec(dx + c) + Aa^2 cos

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*cos(d*x + c)^4*sec(d*x + c)^4 + 2*C*a*b*cos(d*x + c)^4*sec(d*x + c)^3 + 2*A*a*b*cos(d*x + c)^4*sec(d*x + c) + A*a^2*cos(d*x + c)^4 + (C*a^2 + A*b^2)*cos(d*x + c)^4*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^4, x)
```

3.733 $\int (a + b \sec(c + dx))^{3/2} (a^2 - b^2 \sec^2(c + dx)) dx$

Optimal. Leaf size=403

$$\frac{2\sqrt{a+b}(-4a^2b + 10a^3 - 4ab^2 + 3b^3) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{5d}$$

[Out] $(-2*(a - b)*\text{Sqrt}[a + b]*(4*a^2 - 3*b^2)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(5*d) + (2*\text{Sqrt}[a + b]*(10*a^3 - 4*a^2*b - 4*a*b^2 + 3*b^3)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(5*d) - (2*a^3*\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/d - (2*a*b^2*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/5*d) - (2*b^2*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Tan}[c + d*x])/5*d$

Rubi [A] time = 0.569701, antiderivative size = 403, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {4042, 3918, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(-4a^2b + 10a^3 - 4ab^2 + 3b^3) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{5d} - \frac{2(a-b)\sqrt{a+b}}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Sec}[c + d*x])^(3/2)*(a^2 - b^2*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*(a - b)*\text{Sqrt}[a + b]*(4*a^2 - 3*b^2)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(5*d) + (2*\text{Sqrt}[a + b]*(10*a^3 - 4*a^2*b - 4*a*b^2 + 3*b^3)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(5*d) - (2*a^3*\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/d - (2*a*b^2*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/5*d) - (2*b^2*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Tan}[c + d*x])/5*d$

Rule 4042

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Dist[C/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[-a + b*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A*b^2 + a^2*C, 0]

Rule 3918

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4056

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-(b*(1 + Csc[c + d*x]))/(a - b)])*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,

2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^{3/2} (a^2 - b^2 \sec^2(c + dx)) dx &= - \int (-a + b \sec(c + dx))(a + b \sec(c + dx))^{5/2} dx \\
 &= - \frac{2b^2(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} - \frac{2}{5} \int \sqrt{a + b \sec(c + dx)} \left(-\frac{5}{2} \right) dx \\
 &= - \frac{2ab^2 \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{5d} - \frac{2b^2(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
 &= - \frac{2ab^2 \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{5d} - \frac{2b^2(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
 &= - \frac{2(a - b)\sqrt{a + b} (4a^2 - 3b^2) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right)}{5d} \\
 &= - \frac{2(a - b)\sqrt{a + b} (4a^2 - 3b^2) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right)}{5d}
 \end{aligned}$$

Mathematica [B] time = 15.2999, size = 960, normalized size = 2.38

$$\frac{\cos^3(c + dx)(a + b \sec(c + dx))^{3/2} (a^2 - b^2 \sec^2(c + dx)) \left(-\frac{4}{5} \sec(c + dx) \tan(c + dx) b^3 - \frac{8}{5} a \tan(c + dx) b^2 - \frac{4}{5} (3b^2 - 4a^2) \right)}{d(b + a \cos(c + dx)) (\cos(2c + 2dx) a^2 + a^2 - 2b^2)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Sec[c + d*x])^(3/2)*(a^2 - b^2*Sec[c + d*x]^2),x]

[Out] $(-4*(a + b*\text{Sec}[c + d*x])^{3/2}*(a^2 - b^2*\text{Sec}[c + d*x]^2)*(-4*a^3*b*\text{Tan}[(c + d*x)/2] - 4*a^2*b^2*\text{Tan}[(c + d*x)/2] + 3*a*b^3*\text{Tan}[(c + d*x)/2] + 3*b^4*\text{Tan}[(c + d*x)/2] + 8*a^3*b*\text{Tan}[(c + d*x)/2]^3 - 6*a*b^3*\text{Tan}[(c + d*x)/2]^3 - 4*a^3*b*\text{Tan}[(c + d*x)/2]^5 + 4*a^2*b^2*\text{Tan}[(c + d*x)/2]^5 + 3*a*b^3*\text{Tan}[(c + d*x)/2]^5 - 3*b^4*\text{Tan}[(c + d*x)/2]^5 - 10*a^4*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)) - 10*a^4*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)) + b*(-4*a^3 - 4*a^2*b + 3*a*b^2 + 3*b^3)*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)) - (5*a^4 - 10*a^3*b - 4*a^2*b^2 + 4*a*b^3 + 3*b^4)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)))/(5*d*(b + a*\text{Cos}[c + d*x])^{3/2}*(a^2 - 2*b^2 + a^2*\text{Cos}[2*c + 2*d*x])*\text{Sec}[c + d*x]^{7/2}*\text{Sqrt}[(1 - \text{Tan}[(c + d*x)/2]^2)^{-1}]*(-1 + \text{Tan}[(c + d*x)/2]^2)*(1 + \text{Tan}[(c + d*x)/2]^2)^{3/2}*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(1 + \text{Tan}[(c + d*x)/2]^2)) + (\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])^{3/2}*(a^2 - b^2*\text{Sec}[c + d*x]^2)*((-4*b*(-4*a^2 + 3*b^2)*\text{Sin}[c + d*x])/5 - (8*a*b^2*\text{Tan}[c + d*x])/5 - (4*b^3*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/5))/(d*(b + a*\text{Cos}[c + d*x])*(a^2 - 2*b^2 + a^2*\text{Cos}[2*c + 2*d*x]))$

Maple [B] time = 0.694, size = 2169, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(d*x+c))^{(3/2)}*(a^2-b^2*\sec(d*x+c)^2),x)$

[Out]
$$-2/5/d*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))^{(1/2)}*(-5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^4+10*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^3*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^4+4*\cos(d*x+c)^4*a^3*b+b^4-2*\cos(d*x+c)^4*a^2*b^2-3*\cos(d*x+c)^4*a*b^3-4*\cos(d*x+c)^3*a^3*b+4*\cos(d*x+c)^3*a^2*b^2-2*\cos(d*x+c)^2*a^2*b^2+3*\cos(d*x+c)*a*b^3-4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a*b^3-4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^3*b-4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2*b^2+3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b^3+10*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)^2*\sin(d*x+c)*a^3*b+4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)^2*\sin(d*x+c)*a^2*b^2-4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)^2*\sin(d*x+c)*a*b^3-4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^3*b-4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2*b^2+3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b^3+10*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b+4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^2-3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)^3*\sin(d*x+c)*b^4+3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^4+10*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)}$$

2))*sin(d*x+c)*a^4-5*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^4-3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*b^4+3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4-3*cos(d*x+c)^3*b^4+2*cos(d*x+c)^2*b^4)/(b+a*cos(d*x+c))/cos(d*x+c)^2/sin(d*x+c)^5

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\int (b^2 \sec(dx+c)^2 - a^2)(b \sec(dx+c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(a^2-b^2*sec(d*x+c)^2),x, algorithm="maxima")

[Out] -integrate((b^2*sec(d*x + c)^2 - a^2)*(b*sec(d*x + c) + a)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(b^3 \sec(dx+c)^3 + ab^2 \sec(dx+c)^2 - a^2 b \sec(dx+c) - a^3\right)\sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(a^2-b^2*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral(-(b^3*sec(d*x + c)^3 + a*b^2*sec(d*x + c)^2 - a^2*b*sec(d*x + c) - a^3)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a - b \sec(c + dx))(a + b \sec(c + dx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(a**2-b**2*sec(d*x+c)**2),x)

[Out] Integral((a - b*sec(c + d*x))*(a + b*sec(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -(b^2 \sec(dx + c)^2 - a^2)(b \sec(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(a^2-b^2*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate(-(b^2*sec(d*x + c)^2 - a^2)*(b*sec(d*x + c) + a)^(3/2), x)

$$3.734 \quad \int \sqrt{a + b \sec(c + dx)} (a^2 - b^2 \sec^2(c + dx)) dx$$

Optimal. Leaf size=353

$$\frac{2\sqrt{a+b}(3a^2+ab-b^2)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{3d} - \frac{2a^2\sqrt{a+b}\cot(c+dx)}{3d}$$

```
[Out] (2*a*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*d) + (2*Sqrt[a + b]*(3*a^2 + a*b - b^2)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*d) - (2*a^2*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (2*b^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/d)
```

Rubi [A] time = 0.402935, antiderivative size = 353, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {4042, 3918, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(3a^2+ab-b^2)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{3d} - \frac{2a^2\sqrt{a+b}\cot(c+dx)}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Sec[c + d*x]]*(a^2 - b^2*Sec[c + d*x]^2),x]
```

```
[Out] (2*a*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*d) + (2*Sqrt[a + b]*(3*a^2 + a*b - b^2)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*d) - (2*a^2*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (2*b^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/d)
```

Rule 4042

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Dist[C/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[-a + b*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A*b^2 + a^2*C, 0]
```

Rule 3918

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \sec(c + dx)} (a^2 - b^2 \sec^2(c + dx)) dx &= - \int (-a + b \sec(c + dx))(a + b \sec(c + dx))^{3/2} dx \\
&= -\frac{2b^2 \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} - \frac{2}{3} \int \frac{-\frac{3a^3}{2} - \frac{1}{2}b(3a^2 - b^2) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
&= -\frac{2b^2 \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} - \frac{2}{3} \int \frac{-\frac{3a^3}{2} + \left(-\frac{ab^2}{2} - \frac{1}{2}b(3a^2 - b^2)\right) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{2a(a - b)\sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{3d} \\
&= \frac{2a(a - b)\sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{3d}
\end{aligned}$$

Mathematica [C] time = 12.7076, size = 598, normalized size = 1.69

$$\frac{\cos^2(c + dx) \sqrt{a + b \sec(c + dx)} (a^2 - b^2 \sec^2(c + dx)) \left(-\frac{4}{3} ab \sin(c + dx) - \frac{4}{3} b^2 \tan(c + dx)\right)}{d(a^2 \cos(2c + 2dx) + a^2 - 2b^2)} - \frac{4 \cos^2\left(\frac{1}{2}(c + dx)\right) \cos^2(c + dx)}{d(a^2 \cos(2c + 2dx) + a^2 - 2b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Sec[c + d*x]]*(a^2 - b^2*Sec[c + d*x]^2), x]
```

```
[Out] (-4*Cos[(c + d*x)/2]^2*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(a^2 - b^2*Sec[c + d*x]^2)*((2*I)*a*(a - b)*b*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b) - (2*I)*(3*a^3 - 3*a^2*b - a*b^2 + b^3)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[I*ArcSinh[Sqrt[(-a + b)/
```

$$\begin{aligned} & (a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] + (12*I)*a^3*\text{Sqrt}[\text{Cos}[c + d*x] \\ & / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] \\ &] * \text{EllipticPi}[-((a + b)/(a - b)), I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + \\ & d*x)/2]], (a + b)/(a - b)] - a*b*\text{Sqrt}[(-a + b)/(a + b)] * \text{Cos}[c + d*x] * (b + a \\ & * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*\text{Sqrt}[(-a + b)/(a + \\ & b)] * d * (b + a*\text{Cos}[c + d*x]) * (a^2 - 2*b^2 + a^2*\text{Cos}[2*c + 2*d*x])) + (\text{Cos}[c + \\ & d*x]^2 * \text{Sqrt}[a + b*\text{Sec}[c + d*x]] * (a^2 - b^2*\text{Sec}[c + d*x]^2) * ((-4*a*b*\text{Sin}[c \\ & + d*x])/3 - (4*b^2*\text{Tan}[c + d*x])/3)) / (d*(a^2 - 2*b^2 + a^2*\text{Cos}[2*c + 2*d*x] \\ &)) \end{aligned}$$

Maple [B] time = 0.505, size = 1508, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a^2 - b^2 * \sec(d*x + c))^2 * (a + b * \sec(d*x + c))^{1/2}, x)$

[Out] $\begin{aligned} & 2/3/d*(-1+\text{cos}(d*x+c))^2*(3*\text{cos}(d*x+c)^2*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+ \\ & 1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos} \\ & (d*x+c))/\text{sin}(d*x+c),((a-b)/(a+b))^{1/2})*a^3-3*\text{cos}(d*x+c)^2*\text{sin}(d*x+c)*(\text{cos} \\ & (d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2} \\ &)*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b+\text{cos}(d*x+ \\ & c)^2*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c)) \\ & /(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c),((a-b)/(a+b))^{1/2} \\ &)*a*b^2+\text{cos}(d*x+c)^2*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a \\ & +b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d* \\ & x+c),((a-b)/(a+b))^{1/2})*b^3-\text{cos}(d*x+c)^2*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+ \\ & c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+ \\ & \text{cos}(d*x+c))/\text{sin}(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b-\text{cos}(d*x+c)^2*\text{sin}(d*x+c)* \\ & (\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2} \\ &)*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c),((a-b)/(a+b))^{1/2})*a*b^2-6*\text{cos} \\ & (d*x+c)^2*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d* \\ & x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c),-1,((a-b) \\ & /(\text{cos}(d*x+c)+1))^{1/2})*a^3+3*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2} \\ &)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c)) \\ & / \text{sin}(d*x+c),((a-b)/(a+b))^{1/2})*a^3-3*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{c} \\ & \text{os}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*\text{Ellipti} \\ & \text{cF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b+\text{cos}(d*x+c)*\text{sin}(d*x \\ & +c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c) \\ & +1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c),((a-b)/(a+b))^{1/2})*a*b^2+ \\ & \text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\text{cos}(d \end{aligned}$

$$\frac{\sin(x+c)}{\cos(dx+c)+1} \Big)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot b^3 - \cos(dx+c) \sin(dx+c) \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c)) \cdot (\cos(dx+c)+1)^{1/2}} \cdot \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a^2 \cdot b - \cos(dx+c) \sin(dx+c) \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c)) \cdot (\cos(dx+c)+1)^{1/2}} \cdot \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a \cdot b^2 - 6 \cos(dx+c) \sin(dx+c) \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c)) \cdot (\cos(dx+c)+1)^{1/2}} \cdot \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a^3 + \cos(dx+c)^3 \cdot a^2 \cdot b + \cos(dx+c)^3 \cdot a \cdot b^2 - \cos(dx+c)^2 \cdot a^2 \cdot b + \cos(dx+c)^2 \cdot a \cdot b^2 + \cos(dx+c)^2 \cdot b^3 - 2 \cos(dx+c) \cdot a \cdot b^2 - b^3 \cdot \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)}\right)^{1/2} \cdot \left(\frac{\cos(dx+c)+1}{b+a \cos(dx+c)}\right) \cdot \frac{1}{\cos(dx+c) \sin(dx+c)^5}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\int (b^2 \sec(dx+c)^2 - a^2) \sqrt{b \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] -integrate((b^2*sec(dx + c)^2 - a^2)*sqrt(b*sec(dx + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(b^2 \sec(dx+c)^2 - a^2\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral(-(b^2*sec(dx + c)^2 - a^2)*sqrt(b*sec(dx + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a - b \sec(c + dx)) (a + b \sec(c + dx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**2-b**2*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((a - b*sec(c + d*x))*(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -(b^2 \sec(dx + c)^2 - a^2) \sqrt{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(-(b^2*sec(d*x + c)^2 - a^2)*sqrt(b*sec(d*x + c) + a), x)

$$3.735 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=393

$$\frac{2\sqrt{a+b}(-12a^2bC + 48a^3C + 2ab^2(35A + 22C) + 5b^3(7A + 5C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\frac{\dots}{105b^4d}\right)}{105b^4d}$$

```
[Out] (4*a*(a - b)*Sqrt[a + b]*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^5*d) + (2*Sqrt[a + b]*(48*a^3*C - 12*a^2*b*C + 5*b^3*(7*A + 5*C) + 2*a*b^2*(35*A + 22*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) + (2*(24*a^2*C + 5*b^2*(7*A + 5*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b^3*d) - (12*a*C*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(35*b^2*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(7*b*d))
```

Rubi [A] time = 0.907902, antiderivative size = 393, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4103, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(24a^2C + 5b^2(7A + 5C)) \tan(c+dx) \sqrt{a+b \sec(c+dx)}}{105b^3d} + \frac{2\sqrt{a+b}(-12a^2bC + 48a^3C + 2ab^2(35A + 22C) + 5b^3(7A + 5C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\frac{\dots}{105b^4d}\right)}{105b^4d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (4*a*(a - b)*Sqrt[a + b]*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^5*d) + (2*Sqrt[a + b]*(48*a^3*C - 12*a^2*b*C + 5*b^3*(7*A + 5*C) + 2*a*b^2*(35*A + 22*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) + (2*(24*a^2*C + 5*b^2*(7*A + 5*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b^3*d) - (12*a*C*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(35*b^2*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(7*b*d))
```

Rule 4103

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*
d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*
(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Cs
c[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[
e + f*x] - a*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C,
m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```

Rule 4092

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[
(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x
_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \frac{\sec^3(c + dx)(A + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx = \frac{2C \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{7bd} + \frac{2 \int \frac{\sec^2(c + dx) \left(2aC + \frac{1}{2}b(7A + 5C)\right)}{\sqrt{a + b \sec(c + dx)}} dx}{7bd}$$

$$= -\frac{12aC \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{35b^2d} + \frac{2C \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{7bd}$$

$$= \frac{2(24a^2C + 5b^2(7A + 5C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^3d} - \frac{12aC \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{7bd}$$

$$= \frac{2(24a^2C + 5b^2(7A + 5C)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^3d} - \frac{12aC \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{7bd}$$

$$= \frac{4a(a - b) \sqrt{a + b} (35Ab^2 + 24a^2C + 22b^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{105b^5d}$$

Mathematica [B] time = 23.6397, size = 3255, normalized size = 8.28

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],
x]
```

```
[Out] (Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*((-8*a*(35*A*b^2
+ 24*a^2*C + 22*b^2*C)*Sin[c + d*x])/(105*b^4) + (4*Sec[c + d*x]*(35*A*b^2*
Sin[c + d*x] + 24*a^2*C*Ssin[c + d*x] + 25*b^2*C*Ssin[c + d*x]))/(105*b^3) -
(24*a*C*Sec[c + d*x]*Tan[c + d*x])/(35*b^2) + (4*C*Sec[c + d*x]^2*Tan[c + d
*x]))/(7*b)))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[a + b*Sec[c + d*x]]) +
(8*((4*a*A)/(3*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (32*a^3*C)/
```

$$\begin{aligned}
& (35*b^3*\sqrt{b + a*\cos[c + d*x]}\sqrt{\sec[c + d*x]}) + (88*a*C)/(105*b*\sqrt{b + a*\cos[c + d*x]}\sqrt{\sec[c + d*x]}) + (2*A*\sqrt{\sec[c + d*x]})/(3*\sqrt{b + a*\cos[c + d*x]}) + (4*a^2*A*\sqrt{\sec[c + d*x]})/(3*b^2*\sqrt{b + a*\cos[c + d*x]}) + (10*C*\sqrt{\sec[c + d*x]})/(21*\sqrt{b + a*\cos[c + d*x]}) + (32*a^4*C*\sqrt{\sec[c + d*x]})/(35*b^4*\sqrt{b + a*\cos[c + d*x]}) + (64*a^2*C*\sqrt{\sec[c + d*x]})/(105*b^2*\sqrt{b + a*\cos[c + d*x]}) + (4*a^2*A*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(3*b^2*\sqrt{b + a*\cos[c + d*x]}) + (32*a^4*C*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(35*b^4*\sqrt{b + a*\cos[c + d*x]}) + (88*a^2*C*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(105*b^2*\sqrt{b + a*\cos[c + d*x]}) \\
& *\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*(A + C*\sec[c + d*x]^2)*(2*a*(a + b)*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(-48*a^3*C - 12*a^2*b*C + 5*b^3*(7*A + 5*C) - 2*a*b^2*(35*A + 22*C))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\cos[c + d*x]*(b + a*\cos[c + d*x])*sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/((105*b^4*d*(A + 2*C + A*\cos[2*c + 2*d*x])*\sqrt{\sec[(c + d*x)/2]^2}*\sec[c + d*x]^(3/2)*\sqrt{a + b*\sec[c + d*x]}*((4*a*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*\sin[c + d*x])*(2*a*(a + b)*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(-48*a^3*C - 12*a^2*b*C + 5*b^3*(7*A + 5*C) - 2*a*b^2*(35*A + 22*C))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\cos[c + d*x]*(b + a*\cos[c + d*x])*sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/((105*b^4*(b + a*\cos[c + d*x])^(3/2)*\sqrt{\sec[(c + d*x)/2]^2}) - (4*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*\tan[(c + d*x)/2]*(2*a*(a + b)*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(-48*a^3*C - 12*a^2*b*C + 5*b^3*(7*A + 5*C) - 2*a*b^2*(35*A + 22*C))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\cos[c + d*x]*(b + a*\cos[c + d*x])*sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/((105*b^4*\sqrt{b + a*\cos[c + d*x]}*\sqrt{\sec[(c + d*x)/2]^2}) + (8*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*((a*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\cos[c + d*x]*(b + a*\cos[c + d*x])*sec[(c + d*x)/2]^4)/2 + (a*(a + b)*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\cos[c + d*x]*\sin[c + d*x])/(1 + \cos[c + d*x])^2 - \sin[c + d*x]/(1 + \cos[c + d*x])))/\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} + (b*(-48*a^3*C - 12*a^2*b*C + 5*b^3*(7*A + 5*C) - 2*a*b^2*(35*A + 22*C))*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\cos[c + d*x]*\sin[c + d*x])/(1 + \cos[c + d*x])^2 - \sin[c + d*x]/(1 + \cos[c + d*x])))/(2*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}
\end{aligned}$$

$$\begin{aligned}
&)] + (a*(a + b)*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(-48*a^3*C - 12*a^2*b*C + 5*b^3*(7*A + 5*C) - 2*a*b^2*(35*A + 22*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/(2*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a^2*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - a*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + a*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (b*(-48*a^3*C - 12*a^2*b*C + 5*b^3*(7*A + 5*C) - 2*a*b^2*(35*A + 22*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + (a*(a + b)*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)])/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2])/(105*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (4*(2*a*(a + b)*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(-48*a^3*C - 12*a^2*b*C + 5*b^3*(7*A + 5*C) - 2*a*b^2*(35*A + 22*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(35*A*b^2 + 24*a^2*C + 22*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(105*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]))
\end{aligned}$$

Maple [B] time = 1.015, size = 2784, normalized size = 7.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^3*(A+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out] $2/105/d/b^4*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)*(-1+\cos(d*x+c))}^2*(35*A*\cos(d*x+c)^2*b^4-70*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos$

$$\begin{aligned}
& s(d*x+c+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Elliptic \\
& E((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b^2+48*C*\cos(d*x+c)^5 \\
& *a^4-48*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+ \\
& c), ((a-b)/(a+b))^{(1/2)})*a^4-25*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d \\
& *x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((\\
& -1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4-35*A*\sin(d*x+c)*\cos(d*x+ \\
& c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4-4 \\
& 8*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a \\
& *cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a \\
& -b)/(a+b))^{(1/2)})*a^4-25*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+ \\
& 1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos \\
& (d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4-35*A*\cos(d*x+c)^3*a*b^3-70*A*c \\
& os(d*x+c)^4*a^2*b^2-70*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1) \\
&)^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d \\
& *x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^3+70*A*\cos(d*x+c)^4*a*b^3+48*C*c \\
& os(d*x+c)^4*a^3*b-50*C*\cos(d*x+c)^4*a^2*b^2+44*C*\cos(d*x+c)^4*a*b^3-24*C*co \\
& s(d*x+c)^3*a^3*b-16*C*\cos(d*x+c)^3*a*b^3+6*C*\cos(d*x+c)^2*a^2*b^2-3*C*\cos(d \\
& *x+c)*a*b^3+70*A*\cos(d*x+c)^5*a^2*b^2-35*A*\cos(d*x+c)^5*a*b^3-24*C*\cos(d*x+ \\
& c)^5*a^3*b+44*C*\cos(d*x+c)^5*a^2*b^2-25*C*\cos(d*x+c)^5*a*b^3-35*A*\sin(d*x+c \\
&)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1 \\
& /2)})*b^4+70*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/ \\
& (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(\\
& d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^3-48*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/ \\
& (\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Ellip \\
& ticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3*b-44*C*\sin(d*x+c)* \\
& cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\c \\
& os(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2) \\
&))*a^2*b^2-44*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(\\
& 1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/si \\
& n(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^3+48*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c) \\
&)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Ell \\
& ipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3*b+12*C*\sin(d*x+c \\
&)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1 \\
& /2)})*a^2*b^2+44*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2) \\
&)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/ \\
& \sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^3-70*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x \\
& +c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*E \\
& llipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b^2-70*A*\sin(d \\
& *x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+ \\
& c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b) \\
&)^{(1/2)})*a*b^3+70*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/
\end{aligned}$$

$$\begin{aligned}
& 2) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a*b^3 - 48*C*\sin(d*x+c)*\cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} \\
& * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3*b - 44*C*\sin(d*x+c)*\cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2*b^2 - 44*C*\sin(d*x+c)*\cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a*b^3 + 48*C*\sin(d*x+c)*\cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3*b + 12*C*\sin(d*x+c)*\cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2*b^2 + 44*C*\sin(d*x+c)*\cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a*b^3 - 48*C*\cos(d*x+c)^4 * a^4 + 10*C*\cos(d*x+c)^2 * b^4 - 35*A*\cos(d*x+c)^4 * b^4 - 25*C*\cos(d*x+c)^4 * b^4 + 15*C*b^4 / (b+a*\cos(d*x+c)) / \cos(d*x+c)^3 / \sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx+c)^5 + A \sec(dx+c)^3}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] `integral((C*sec(d*x + c)^5 + A*sec(d*x + c)^3)/sqrt(b*sec(d*x + c) + a), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^3(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2), x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**3/sqrt(a + b*sec(c + d*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^3}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^3/sqrt(b*sec(d*x + c) + a), x)`

$$3.736 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=320

$$\frac{2\sqrt{a+b}(8a^2C - 2abC + 3b^2(5A + 3C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{15b^3d}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(8*a^2*C + 3*b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^4*d) - (2*Sqrt[a + b]*(8*a^2*C - 2*a*b*C + 3*b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^3*d) - (8*a*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b^2*d) + (2*C*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b*d)

Rubi [A] time = 0.571993, antiderivative size = 320, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4093, 4082, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b}(8a^2C - 2abC + 3b^2(5A + 3C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{15b^3d} - 2(a$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (-2*(a - b)*Sqrt[a + b]*(8*a^2*C + 3*b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^4*d) - (2*Sqrt[a + b]*(8*a^2*C - 2*a*b*C + 3*b^2*(5*A + 3*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^3*d) - (8*a*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b^2*d) + (2*C*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b*d)

Rule 4093

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.), x_Symbol] :> -Simp[(C*Csc[e + f*x

```
] *Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - 2*a*C*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \frac{2C\sec(c+dx)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{5bd} + \frac{2\int \frac{\sec(c+dx)\left(aC+\frac{1}{2}b(5A+3C)\sec(c+dx)\right)}{\sqrt{a+b\sec(c+dx)}} dx}{5b} \\
&= -\frac{8aC\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15b^2d} + \frac{2C\sec(c+dx)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{5bd} \\
&= -\frac{8aC\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15b^2d} + \frac{2C\sec(c+dx)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{5bd} \\
&= -\frac{2(a-b)\sqrt{a+b}\left(15A+\left(9+\frac{8a^2}{b^2}\right)C\right)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{15b^2d}
\end{aligned}$$

Mathematica [B] time = 22.8277, size = 2993, normalized size = 9.35

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*((4*(15*A*b^2 + 8*a^2*C + 9*b^2*C)*Sin[c + d*x])/(15*b^3) - (16*a*C*Tan[c + d*x])/(15*b^2) + (4*C*Sec[c + d*x]*Tan[c + d*x])/(5*b)))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[a + b*Sec[c + d*x]]) - (4*((-2*A)/(Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (6*C)/(5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (16*a^2*C)/(15*b^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (2*a*A*Sqrt[Sec[c + d*x]])/(b*Sqrt[b + a*Cos[c + d*x]]) - (16*a^3*C*Sqrt[Sec[c + d*x]])/(15*b^3*Sqrt[b + a*Cos[c + d*x]]) - (14*a*C*Sqrt[Sec[c + d*x]])/(15*b*Sqrt[b + a*Cos[c + d*x]]) - (2*a*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(b*Sqrt[b + a*Cos[c + d*x]]) - (16*a^3*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*b^3*Sqrt[b + a*Cos[c + d*x]]) - (6*a*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*(2*(a + b)*(15*A*b^2 + 8*a^2*C + 9*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(15*A*b^2 + (8*a^2 + 2*a*b + 9*b^2)*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (15*A*b^2 + 8*a^2*C + 9*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(15*b^3*d*(A + 2*C + A*C

$$\begin{aligned}
& \cos[2*c + 2*d*x]) * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] * \text{Sec}[c + d*x]^{(3/2)} * \text{Sqrt}[a + b * \text{Sec} \\
& [c + d*x]] * ((-2*a * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * \text{Sin}[c + d*x] * (2*(a \\
& + b) * (15*A*b^2 + 8*a^2*C + 9*b^2*C) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) * \text{S} \\
& \text{qrt}[(b + a * \text{Cos}[c + d*x])/((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticE}[\text{ArcSin}[\text{Tan} \\
& [(c + d*x)/2]], (a - b)/(a + b)] - 2*b * (15*A*b^2 + (8*a^2 + 2*a*b + 9*b^2) * \\
& C) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x])/((a + b) \\
& * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] \\
& + (15*A*b^2 + 8*a^2*C + 9*b^2*C) * \text{Cos}[c + d*x] * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + \\
& d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (15*b^3 * (b + a * \text{Cos}[c + d*x])^{(3/2)} * \text{Sqrt}[\text{Sec}[(\\
& c + d*x)/2]^2]) + (2 * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * \text{Tan}[(c + d*x)/2] \\
& * (2*(a + b) * (15*A*b^2 + 8*a^2*C + 9*b^2*C) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d \\
& *x])]) * \text{Sqrt}[(b + a * \text{Cos}[c + d*x])/((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticE}[\text{Arc} \\
& \text{Sin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b * (15*A*b^2 + (8*a^2 + 2*a*b + \\
& 9*b^2) * C) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x])/ \\
& (a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a \\
& + b)] + (15*A*b^2 + 8*a^2*C + 9*b^2*C) * \text{Cos}[c + d*x] * (b + a * \text{Cos}[c + d*x]) * \text{S} \\
& \text{ec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (15*b^3 * \text{Sqrt}[b + a * \text{Cos}[c + d*x]] * \text{Sqrt} \\
& [\text{Sec}[(c + d*x)/2]^2]) - (4 * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * (((15*A*b^2 \\
& + 8*a^2*C + 9*b^2*C) * \text{Cos}[c + d*x] * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4) \\
& / 2 + ((a + b) * (15*A*b^2 + 8*a^2*C + 9*b^2*C) * \text{Sqrt}[(b + a * \text{Cos}[c + d*x])/((a \\
& + b) * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + \\
& b)] * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{C} \\
& \text{os}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (b * (15*A*b^2 + (8*a^ \\
& 2 + 2*a*b + 9*b^2) * C) * \text{Sqrt}[(b + a * \text{Cos}[c + d*x])/((a + b) * (1 + \text{Cos}[c + d*x]) \\
&)]) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x] * \text{Sin} \\
& [c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos} \\
& [c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b) * (15*A*b^2 + 8*a^2*C + 9*b^2*C) * \text{Sqr} \\
& \text{t}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - \\
& b)/(a + b)] * (-((a * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])))) + ((b + a * \text{Co} \\
& s[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2)) / \text{Sqrt}[(b + a * \text{Cos} \\
& [c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] - (b * (15*A*b^2 + (8*a^2 + 2*a*b + 9 \\
& *b^2) * C) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d* \\
& x)/2]], (a - b)/(a + b)] * (-((a * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])))) \\
& + ((b + a * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt} \\
& [(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] - a * (15*A*b^2 + 8*a^2*C \\
& + 9*b^2*C) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] - \\
& (15*A*b^2 + 8*a^2*C + 9*b^2*C) * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Sin} \\
& [c + d*x] * \text{Tan}[(c + d*x)/2] + (15*A*b^2 + 8*a^2*C + 9*b^2*C) * \text{Cos}[c + d*x] * (b \\
& + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]^2 - (b * (15*A*b^2 + (\\
& 8*a^2 + 2*a*b + 9*b^2) * C) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a \\
& * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{Sec}[(c + d*x)/2]^2) / (\text{Sqrt}[1 - \\
& \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) + ((a + \\
& b) * (15*A*b^2 + 8*a^2*C + 9*b^2*C) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sq} \\
& \text{rt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{Sec}[(c + d*x)/2]^2 * \text{Sq} \\
& \text{rt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) / \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2])
\end{aligned}$$

$$\begin{aligned} &)/(15*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (2*(2*(a + b) \\ &)*(15*A*b^2 + 8*a^2*C + 9*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt} \\ &[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c \\ &+ d*x)/2]], (a - b)/(a + b)] - 2*b*(15*A*b^2 + (8*a^2 + 2*a*b + 9*b^2)*C)* \\ &\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 \\ &+ \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (\\ &15*A*b^2 + 8*a^2*C + 9*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d* \\ &x)/2]^2*\text{Tan}[(c + d*x)/2]*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2] \\ &)+ \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(15*b^3*\text{Sqrt}[b + a*\text{Cos}[c \\ &+ d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]])) \end{aligned}$$

Maple [B] time = 0.78, size = 2256, normalized size = 7.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(A+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned} &-2/15/d/b^3*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx \\ &x+c))^2*(15*A*\cos(dx+c)^3*b^3-8*C*\cos(dx+c)^3*a^3-15*A*\cos(dx+c)^3*\sin(d \\ &*x+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+ \\ &c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^ \\ &2-15*A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(\\ &b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), \\ &((a-b)/(a+b))^{1/2})*b^3+15*A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+ \\ &c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+ \\ &\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-8*C*\cos(dx+c)^3*\sin(dx+c) \\ &*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1) \\ &)^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3-9*C*c \\ &\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(\\ &d*x+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(\\ &a+b))^{1/2})*b^3+9*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ &*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c) \\ &))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-15*A*\cos(dx+c)^2*\sin(dx+c)*(\cos(d* \\ &x+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}* \\ &\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-8*C*\cos(dx+c) \\ &^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/ \\ &(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} \\ &)*a^2*b-9*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1 \\ &/a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin \\ &(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+8*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/ \end{aligned}$$

$$\begin{aligned}
& (\cos(dx+c)+1)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 2 * C * \cos(dx+c)^3 \\
& * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
&) * a * b^2 - 15 * A * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 - 8 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b - 9 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 8 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 2 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 15 * A * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 - 8 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 - 9 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 9 * C * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 9 * C * \cos(dx+c)^3 * b^3 - 15 * A * \cos(dx+c)^2 * b^3 - 6 * C * \cos(dx+c)^2 * b^3 + 8 * C * \cos(dx+c)^4 * a^3 + 15 * A * \cos(dx+c)^4 * a * b^2 - 4 * C * \cos(dx+c)^4 * a^2 * b + 9 * C * \cos(dx+c)^4 * a * b^2 - 15 * A * \cos(dx+c)^3 * a * b^2 + 8 * C * \cos(dx+c)^3 * a^2 * b - 10 * C * \cos(dx+c)^3 * a * b^2 - 4 * C * \cos(dx+c)^2 * a^2 * b + C * \cos(dx+c) * a * b^2 - 3 * C * b^3 / (b+a*\cos(dx+c)) / \cos(dx+c)^2 / \sin(dx+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^4 + A \sec(dx + c)^2}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

$$3.737 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=253

$$\frac{2\sqrt{a+b}(C(2a+b)+3Ab) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + 4aC(a-b)}{3b^2d}$$

[Out] (4*a*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*d) + (2*Sqrt[a + b]*(3*A*b + (2*a + b)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b*d)

Rubi [A] time = 0.322425, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4083, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b}(C(2a+b)+3Ab) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + 4aC(a-b)\sqrt{a+b}}{3b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (4*a*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*d) + (2*Sqrt[a + b]*(3*A*b + (2*a + b)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b*d)

Rule 4083

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) - a*C*Csc

$[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

Rule 4005

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4004

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3bd} + \frac{2 \int \frac{\sec(c+dx) \left(\frac{1}{2}b(3A+C) - aC \sec(c+dx) \right)}{\sqrt{a+b \sec(c+dx)}} dx}{3b} \\ &= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3bd} - \frac{(2aC) \int \frac{\sec(c+dx)(1+\sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx}{3b} + \frac{(3Ab - 2a^2) \int \frac{\sec(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx}{3b} \\ &= \frac{4a(a - b)\sqrt{a + b}C \cot(c + dx)E \left(\sin^{-1} \left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}} \right) \middle| \frac{a+b}{a-b} \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{a+b}{a+b}}}{3b^3d} \end{aligned}$$

Mathematica [A] time = 14.7989, size = 409, normalized size = 1.62

$$8\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\left(A+C\sec^2(c+dx)\right)\left(b(C(b-2a)+3Ab)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{a\cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}}\operatorname{EllipticF}\left(\sin\left(\frac{1}{2}(c+dx)\right),\frac{a+b}{a+b}\right)\right)}{3b^2d\sqrt{\sec^2\left(\frac{1}{2}(c+dx)\right)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (8*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*(2*a*(a + b)*C*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + b*(3*A*b + (-2*a + b)*C) * Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + a*C*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(3*b^2*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[Sec[(c + d*x)/2]^2*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) + (Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*((-8*a*C*Sin[c + d*x])/(3*b^2) + (4*C*Tan[c + d*x])/(3*b)))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.5, size = 1125, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x)

[Out] -2/3/d/b^2*(-1+cos(d*x+c))^2*(3*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-2*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+2*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2+2*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d

```

*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+3*A*cos(d*x+
c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/
2))*b^2-2*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+
c),((a-b)/(a+b))^(1/2))*a*b+C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+2*C*sin(d*x+c)*cos(d*x+c)*(co
s(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2+2*C*sin(d
*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*a*b-2*C*cos(d*x+c)^3*a^2+C*cos(d*x+c)^3*a*b+2*C*cos(d*x+c)^2*a^2-2*C
*cos(d*x+c)^2*a*b+C*cos(d*x+c)^2*b^2+C*cos(d*x+c)*a*b-b^2*C)*((b+a*cos(d*x+
c))/cos(d*x+c))^(1/2)*(cos(d*x+c)+1)^2/(b+a*cos(d*x+c))/cos(d*x+c)/sin(d*x+
c)^5

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx+c)^3 + A \sec(dx+c)}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] `integral((C*sec(d*x + c)^3 + A*sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/sqrt(a + b*sec(c + d*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)/sqrt(b*sec(d*x + c) + a), x)`

$$3.738 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=313

$$\frac{2C\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + 2A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{bd}$$

[Out] (-2*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d) - (2*Sqrt[a + b]*C*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d)

Rubi [A] time = 0.234126, antiderivative size = 313, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {4059, 3921, 3784, 3832, 4004}

$$\frac{2A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + 2C(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (-2*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d) - (2*Sqrt[a + b]*C*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d)

Rule 4059

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Int[(A - C*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]]

]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx &= C \int \frac{\sec(c + dx)(1 + \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx + \int \frac{A - C \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
&= -\frac{2(a - b)\sqrt{a + b} C \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{-\frac{b(1 + \sec(c + dx))}{a - b}}}{b^2 d} \\
&= -\frac{2(a - b)\sqrt{a + b} C \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{-\frac{b(1 + \sec(c + dx))}{a - b}}}{b^2 d}
\end{aligned}$$

Mathematica [C] time = 16.4139, size = 914, normalized size = 2.92

$$\frac{4C \cos(c + dx)(b + a \cos(c + dx))(C \sec^2(c + dx) + A) \sin(c + dx)}{bd(\cos(2c + 2dx)A + A + 2C)\sqrt{a + b \sec(c + dx)}} + \frac{4\sqrt{b + a \cos(c + dx)}(C \sec^2(c + dx) + A) \sqrt{1 - \tan^2(c + dx)}}{bd}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (4*C*Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*Sin[c + d*x]) / (b*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[a + b*Sec[c + d*x]]) + (4*Sqrt[b + a*Cos[c + d*x])*(A + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(-a*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]*Sqrt[1 - Tan[(c + d*x)/2]^2]) - b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]*Sqrt[1 - Tan[(c + d*x)/2]^2] + a*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^3*Sqrt[1 - Tan[(c + d*x)/2]^2] - b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^3*Sqrt[1 - Tan[(c + d*x)/2]^2] - (2*I)*A*b*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*A*b*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*C*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + I*b*(A + C)*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)])) / (b*Sqrt[(-a + b)/(a + b)]*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(1 + Tan

$n[(c + d*x)/2]^2)^{(3/2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)]/(1 + \text{Tan}[(c + d*x)/2]^2)}$

Maple [B] time = 0.467, size = 1011, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c))^2/(a+b*\sec(d*x+c))^{1/2}, x)$

[Out] $2/d/b*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^{1/2}*(A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b-2*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b-C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b+C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a+C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b+A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b-2*A*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b-C*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b+C*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*a+C*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b-C*\cos(d*x+c)^2*a+C*\cos(d*x+c)*a-C*\cos(d*x+c)*b+C*b)/\sin(d*x+c)^5/(b+a*\cos(d*x+c))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + A}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/sqrt(b*sec(d*x + c) + a), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + A}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)/sqrt(b*sec(d*x + c) + a), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)/sqrt(a + b*sec(c + d*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

```
[Out] integrate((C*sec(d*x + c)^2 + A)/sqrt(b*sec(d*x + c) + a), x)
```

$$3.739 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=352

$$\frac{\sqrt{a+b}(2aC+Ab) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + Ab\sqrt{a+b} \cot(c+dx)}{abd}$$

[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (Sqrt[a + b]*(A*b + 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (A*b*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(a*d)

Rubi [A] time = 0.395225, antiderivative size = 352, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4105, 4058, 3921, 3784, 3832, 4004}

$$\frac{Ab\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + \sqrt{a+b}(2aC+Ab) \cot(c+dx)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (Sqrt[a + b]*(A*b + 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (A*b*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(a*d)

Rule 4105

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] +
Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[-(
A*b*(m + n + 1)) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e +
f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && NeQ[a^2 - b^2,
0] && LeQ[n, -1]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3921

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist
[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3784

```

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,

```

2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \frac{A\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{ad} - \frac{\int \frac{\frac{Ab}{2}-aC\sec(c+dx)+\frac{1}{2}Ab\sec^2(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{a} \\
 &= \frac{A\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{ad} - \frac{\int \frac{\frac{Ab}{2}+\left(-\frac{Ab}{2}-aC\right)\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{a} - \frac{(Ab)\int \frac{\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{a} \\
 &= \frac{A(a-b)\sqrt{a+b}\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b}{a+b}}}{abd} \\
 &= \frac{A(a-b)\sqrt{a+b}\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b}{a+b}}}{abd}
 \end{aligned}$$

Mathematica [A] time = 15.8516, size = 386, normalized size = 1.1

$$2\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)(A\cos(c+dx)+C\sec(c+dx))}\left(4aC\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{a\cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b}{a+b}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A*Cos[c + d*x] + C*Sec[c + d*x]))*(2*A*(a + b)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])) * EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 4*a*C*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])) * EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 4*A*b*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])) * EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + A*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(a*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.462, size = 841, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x)`

[Out]
$$\begin{aligned} & -1/d/a*(-1+\cos(d*x+c))^2*(A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a + A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b - 2*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * b + 2*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a + A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * \sin(d*x+c) + A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b * \sin(d*x+c) - 2*A * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * b + 2*C * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * a + A*\cos(d*x+c)^3 * a - A*\cos(d*x+c)^2 * a + A*\cos(d*x+c)^2 * b - A*\cos(d*x+c) * b * (\cos(d*x+c)+1)^2 * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2} / (b+a*\cos(d*x+c))/\sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/sqrt(b*sec(d*x + c) + a), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \cos(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*cos(c + d*x)/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/sqrt(b*sec(d*x + c) + a), x)

$$3.740 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=411

$$\frac{A(2a-3b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + \sqrt{a+b}(4a^2(A+2C))}{4a^2d}$$

[Out] (-3*A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + (A*(2*a - 3*b)*Sqrt[a + b]*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) - (Sqrt[a + b]*(3*A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^3*d) - (3*A*b*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((4*a^2*d) + (A*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*a*d))

Rubi [A] time = 0.640174, antiderivative size = 411, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4105, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(4a^2(A+2C) + 3Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + 3Ab \sin(c+dx)}{4a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (-3*A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + (A*(2*a - 3*b)*Sqrt[a + b]*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) - (Sqrt[a + b]*(3*A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^3*d) - (3*A*b*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((4*a^2*d) + (A*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*a*d))

a*d)

Rule 4105

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] +
Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[-(
A*b*(m + n + 1)) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e +
f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && NeQ[a^2 - b^2,
0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^ (m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))] * EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \frac{\cos^2(c + dx) (A + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx = \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2ad} - \int \frac{\cos(c + dx) \left(\frac{3Ab}{2} - a(A + 2C) \sec(c + dx) \right)}{\sqrt{a + b \sec(c + dx)}} dx$$

$$= -\frac{3Ab \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4a^2 d} + \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2ad}$$

$$= -\frac{3Ab \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4a^2 d} + \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2ad}$$

$$= -\frac{3A(a - b) \sqrt{a + b} \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{-1}}{4a^2 d}$$

$$= -\frac{3A(a - b) \sqrt{a + b} \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{-1}}{4a^2 d}$$

Mathematica [C] time = 15.0509, size = 1475, normalized size = 3.59

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],
x]
```

```
[Out] (A*(b + a*cos[c + d*x])*Sec[c + d*x]*Sin[2*(c + d*x)]/(4*a*d*Sqrt[a + b*Sec[c + d*x]]) - (Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(3*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 3*A*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] - 6*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3 + 3*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 - 3*A*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 + (8*I)*a^2*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)) + (6*I)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)) + (16*I)*a^2*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)) + (8*I)*a^2*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)) + (6*I)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)) + (16*I)*a^2*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)) - (3*I)*A*(a - b)*b*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)) - (2*I)*(-(a*A*b) + 3*A*b^2 + 2*a^2*(A + 2*C))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(4*a^2*Sqrt[(-a + b)/(a + b)]*d*Sqrt[a + b*Sec[c + d*x]]*(-1 + Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))
```

Maple [B] time = 0.414, size = 1652, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^2*(A+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -1/4/d/a^2*(-1+\cos(d*x+c))^2*(8*A*\cos(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) + 6*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * b^2 - 4*A*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) + 2*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a*b - 3*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a*b - 3*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^2 + 16*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^2 - 8*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 + 8*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^2*\sin(d*x+c) + 6*A*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 4*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2*\sin(d*x+c) + 2*A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * a*b - 3*A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * a*b - 3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^2*\sin(d*x+c) + 2*A*\cos(d*x+c)^4*a^2 + 16*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^2*\sin(d*x+c) - 8*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2*\sin(d*x+c) - A*\cos(d*x+c)^3*a*b - 2*A*\cos(d*x+c)^2*a^2 + 3*A*\cos(d*x+c)^2*a*b - 3*A*\cos(d*x+c)^2*b^2 - 2*A*\cos(d*x+c)*a*b + 3*A*\cos(d*x+c)*b^2*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(b+a*\cos(d*x+c))/\sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \cos(dx + c)^2 \sec(dx + c)^2 + A \cos(dx + c)^2}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)/sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorit
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x
)
```


$$3.741 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=506

$$\frac{\sqrt{a+b}(-8a^2(2A+3C)+10aAb-15Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{24a^3d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(15*A*b^2 + 8*a^2*(2*A + 3*C))*Cot[c + d*x]*EllipticE[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a^3*b
*d) - (Sqrt[a + b]*(10*a*A*b - 15*A*b^2 - 8*a^2*(2*A + 3*C))*Cot[c + d*x]*E
llipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqr
t[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/
(24*a^3*d) + (b*Sqrt[a + b]*(5*A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*Ellipt
icPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a -
b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a -
b)))]/(8*a^4*d) + ((15*A*b^2 + 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]
*Sin[c + d*x])/(12*a^2*d) - (5*A*b*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Si
n[c + d*x])/(12*a^2*d) + (A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c +
d*x])/(3*a*d)
```

Rubi [A] time = 1.02765, antiderivative size = 506, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4105, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(8a^2(2A+3C)+15Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{24a^3d} - \frac{\sqrt{a+b}(-8a^2(2A+3C)+10aAb-15Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{24a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(15*A*b^2 + 8*a^2*(2*A + 3*C))*Cot[c + d*x]*EllipticE[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a^3*b
*d) - (Sqrt[a + b]*(10*a*A*b - 15*A*b^2 - 8*a^2*(2*A + 3*C))*Cot[c + d*x]*E
llipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqr
t[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/
(24*a^3*d) + (b*Sqrt[a + b]*(5*A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*Ellipt
icPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a -
```

b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(8*a^4*d) + ((15*A*b^2 + 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a^3*d) - (5*A*b*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*a^2*d) + (A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d)

Rule 4105

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[-(A*b*(m + n + 1)) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))

$$\frac{1}{(a-b)} \text{EllipticPi}\left[\frac{a+b}{a}, \text{ArcSin}\left[\frac{\sqrt{a+b\text{Csc}[c+dx]}}{\text{Rt}[a+b, 2]}\right], \frac{a+b}{a-b}\right] / (a*d\text{Cot}[c+dx]), x \text{ ; FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

Rule 3832

$$\text{Int}[\text{csc}[e_.] + (f_.)*(x_)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \text{ :> Simp}[(-2*\text{Rt}[a+b, 2]*\text{Sqrt}[(b*(1-\text{Csc}[e+f*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Csc}[e+f*x]))/(a-b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b\text{Csc}[e+f*x]]]/\text{Rt}[a+b, 2]], (a+b)/(a-b)])/ (b*f*\text{Cot}[e+f*x]), x \text{ ; FreeQ}\{a, b, e, f\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

Rule 4004

$$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(\text{csc}[e_.] + (f_.)*(x_)]*(B_.) + (A_))]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \text{ :> Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1-\text{Csc}[e+f*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Csc}[e+f*x]))/(a-b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b\text{Csc}[e+f*x]]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)])/ (b^2*f*\text{Cot}[e+f*x]), x \text{ ; FreeQ}\{a, b, e, f, A, B\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{EqQ}[A^2 - B^2, 0]$$

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \frac{A\cos^2(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3ad} - \int \frac{\cos^2(c+dx)\left(\frac{5Ab}{2}-a(2A+3C)\sec(c+dx)\right)}{\sqrt{a+b\sec(c+dx)}} dx \\ &= -\frac{5Ab\cos(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{12a^2d} + \frac{A\cos^2(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3ad} \\ &= \frac{(15Ab^2+8a^2(2A+3C))\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{24a^3d} - \frac{5Ab\cos(c+dx)\sqrt{a+b\sec(c+dx)}}{24a^3d} \\ &= \frac{(15Ab^2+8a^2(2A+3C))\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{24a^3d} - \frac{5Ab\cos(c+dx)\sqrt{a+b\sec(c+dx)}}{24a^3d} \\ &= \frac{(a-b)\sqrt{a+b}(15Ab^2+8a^2(2A+3C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{24a^3bd} \\ &= \frac{(a-b)\sqrt{a+b}(15Ab^2+8a^2(2A+3C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{24a^3bd} \end{aligned}$$

Mathematica [B] time = 19.0436, size = 1363, normalized size = 2.69

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^3*(A + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*((A*Sin[c + d*x])/(12*a) - (5*A*b*Sin[2*(c + d*x)])/(24*a^2) + (A*Sin[3*(c + d*x)])/(12*a)))/(d*Sqrt[a + b*Sec[c + d*x]]) - (Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(16*a^3*A*Tan[(c + d*x)/2] + 16*a^2*A*b*Tan[(c + d*x)/2] + 15*a*A*b^2*Tan[(c + d*x)/2] + 15*A*b^3*Tan[(c + d*x)/2] + 24*a^3*C*Tan[(c + d*x)/2] + 24*a^2*b*C*Tan[(c + d*x)/2] - 32*a^3*A*Tan[(c + d*x)/2]^3 - 30*a*A*b^2*Tan[(c + d*x)/2]^3 - 48*a^3*C*Tan[(c + d*x)/2]^3 + 16*a^3*A*Tan[(c + d*x)/2]^5 - 16*a^2*A*b*Tan[(c + d*x)/2]^5 + 15*a*A*b^2*Tan[(c + d*x)/2]^5 - 15*A*b^3*Tan[(c + d*x)/2]^5 + 24*a^3*C*Tan[(c + d*x)/2]^5 - 24*a^2*b*C*Tan[(c + d*x)/2]^5 + 24*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 30*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*a^2*b*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 24*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 30*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(15*A*b^2 + 8*a^2*(2*A + 3*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*a*A*b*(2*a + 5*b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(24*a^3*d*Sqrt[a + b*Sec[c + d*x]]*Sqrt[1 + Tan[(c + d*x)/2]^2]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))

Maple [B] time = 0.495, size = 2347, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^3(A+C\sec(dx+c)^2)/(a+b\sec(dx+c))^{1/2}, x)$

[Out] $\frac{1}{24} \frac{d}{dx} \frac{1}{a^3} (-1 + \cos(dx+c))^2 (-16A \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticE}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) a^3 \sin(dx+c) - 15A b^3 \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \text{EllipticE}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) - 24C \cos(dx+c)^3 a^3 + 30A b^3 \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \text{EllipticPi}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, (\frac{a-b}{a+b})^{1/2}) - 24C a^3 \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \text{EllipticE}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) - 8A \cos(dx+c)^3 a^3 + 16A \cos(dx+c)^2 a^3 + 24C \cos(dx+c)^2 a^3 + 15A \cos(dx+c) b^3 - 8A \cos(dx+c)^5 a^3 + 2A \cos(dx+c)^4 a^2 b - 18A \cos(dx+c)^2 a^2 b + 15A \cos(dx+c)^2 a b^2 + 16A \cos(dx+c) a^2 b - 10A \cos(dx+c) a b^2 + 24C \cos(dx+c) a^2 b - 16A \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticE}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) \sin(dx+c) \cos(dx+c) a^3 - 15A \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticE}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) \sin(dx+c) \cos(dx+c) a b^3 + 30A \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticPi}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, (\frac{a-b}{a+b})^{1/2}) \sin(dx+c) \cos(dx+c) b^3 - 24C a^3 \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \cos(dx+c) \text{EllipticE}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) - 16A \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticE}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) a^2 b \sin(dx+c) - 15A \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticE}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) a b^2 \sin(dx+c) + 4A \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticF}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) a^2 b \sin(dx+c) + 10A \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticF}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) a b^2 \sin(dx+c) + 24A \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticPi}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, (\frac{a-b}{a+b})^{1/2}) a^2 b \sin(dx+c) - 24C \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticE}(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (\frac{a-b}{a+b})^{1/2}) a^2 b \sin(dx+c) + 48C \frac{\cos(dx+c)}{\cos(dx+c)+1})^{1/2} \frac{1}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticPi}$

```
((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)-16*A*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b-15*A*b^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a+4*A*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b+10*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a*b^2+24*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^2*b-24*C*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b+48*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^2*b-15*A*cos(d*x+c)^2*b^3-5*A*cos(d*x+c)^3*a*b^2-24*C*cos(d*x+c)^2*a^2*b*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^3}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^3/sqrt(b*sec(d*x + c) + a), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^3}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^3/sqrt(b*sec(d*x + c) + a), x)
```

$$3.742 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=460

$$\frac{2(12a^2bC + 16a^3C + 2ab^2(5A + 2C) + b^3(5A + 3C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a-b}}\right)\right)}{5b^4d\sqrt{a+b}}$$

[Out] $(-2*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(5*b^5*\text{Sqrt}[a + b]*d) - (2*(16*a^3*C + 12*a^2*b*C + 2*a*b^2*(5*A + 2*C) + b^3*(5*A + 3*C))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(5*b^4*\text{Sqrt}[a + b]*d) - (2*(A*b^2 + a^2*C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]/(b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*a*(5*A*b^2 + 8*a^2*C - 3*b^2*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]/(5*b^3*(a^2 - b^2)*d) + (2*(5*A*b^2 + 6*a^2*C - b^2*C)*\text{Sec}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]/(5*b^2*(a^2 - b^2)*d)$

Rubi [A] time = 1.08091, antiderivative size = 460, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4099, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(a^2C + Ab^2) \tan(c + dx) \sec^2(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \sec(c + dx)}} + \frac{2(6a^2C + 5Ab^2 - b^2C) \tan(c + dx) \sec(c + dx) \sqrt{a + b \sec(c + dx)}}{5b^2d(a^2 - b^2)} - \frac{2a(8a^2 - b^2)}{5b^2d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^3*(A + C*\text{Sec}[c + d*x]^2))/(a + b*\text{Sec}[c + d*x])^{3/2}, x]$

[Out] $(-2*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(5*b^5*\text{Sqrt}[a + b]*d) - (2*(16*a^3*C + 12*a^2*b*C + 2*a*b^2*(5*A + 2*C) + b^3*(5*A + 3*C))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(5*b^4*\text{Sqrt}[a + b]*d) - (2*(A*b^2 + a^2*C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]/(b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*a*(5*A*b^2 + 8*a^2*C - 3*b^2*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]/(5*b^3*(a^2 - b^2)*d)$

$a^2 - b^2)d + (2*(5*A*b^2 + 6*a^2*C - b^2*C)*\text{Sec}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(5*b^2*(a^2 - b^2)*d)$

Rule 4099

$\text{Int}[(A + \csc(e) + (f)(x))^2(C)(\csc(e) + (f)(x))(d)^{(n)}(\csc(e) + (f)(x))(b) + (a))^{(m)}, x_Symbol] \rightarrow -\text{Simp}[(d*(A*b^2 + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^{(n-1)})/(b*f*(a^2 - b^2)*(m+1)), x] + \text{Dist}[d/(b*(a^2 - b^2)*(m+1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^{(n-1)}*\text{Simp}[A*b^2*(n-1) + a^2*C*(n-1) + a*b*(A + C)*(m+1)*\text{Csc}[e + f*x] - (A*b^2*(m+n+1) + C*(a^2*n + b^2*(m+1)))*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0]$

Rule 4092

$\text{Int}[\csc(e) + (f)(x))^2((A) + \csc(e) + (f)(x))(B) + \csc(e) + (f)(x))^2(C)(\csc(e) + (f)(x))(b) + (a))^{(m)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)})/(b*f*(m+3)), x] + \text{Dist}[1/(b*(m+3)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[a*C + b*(C*(m+2) + A*(m+3))*\text{Csc}[e + f*x] - (2*a*C - b*B*(m+3))*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -1]$

Rule 4082

$\text{Int}[\csc(e) + (f)(x)((A) + \csc(e) + (f)(x))(B) + \csc(e) + (f)(x))^2(C)(\csc(e) + (f)(x))(b) + (a))^{(m)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& \text{!LtQ}[m, -1]$

Rule 4005

$\text{Int}[(\csc(e) + (f)(x))*(\csc(e) + (f)(x))(B) + (A))/\text{Sqrt}[\csc(e) + (f)(x))(b) + (a)], x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\csc(e) + (f)(x)]/\text{Sqrt}[\csc(e) + (f)(x))(b) + (a)], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-$

```
((b*(1 + Csc[e + f*x]))/(a - b))*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= -\frac{2(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2\int \frac{\sec^2(c+dx)(2(Ab^2+a^2C)-\frac{1}{2}ab(A+C)\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx}{b(a^2-b^2)} \\ &= -\frac{2(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(5Ab^2+6a^2C-b^2C)\sec(c+dx)}{5b^2(a^2-b^2)} \\ &= -\frac{2(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2a(5Ab^2+8a^2C-3b^2C)\sqrt{a+b\sec(c+dx)}}{5b^3(a^2-b^2)} \\ &= -\frac{2(Ab^2+a^2C)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2a(5Ab^2+8a^2C-3b^2C)\sqrt{a+b\sec(c+dx)}}{5b^3(a^2-b^2)} \\ &= -\frac{2(2a^2b^2(5A-4C)+16a^4C-b^4(5A+3C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{5b^5\sqrt{a+bd}} \end{aligned}$$

Mathematica [B] time = 25.8587, size = 3853, normalized size = 8.38

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```

[Out] ((b + a*Cos[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((4*(-10*a^2*A*b^2 + 5*A*b^4
- 16*a^4*C + 8*a^2*b^2*C + 3*b^4*C)*Sin[c + d*x])/(5*b^4*(-a^2 + b^2)) + (
4*(a^2*A*b^2*Sin[c + d*x] + a^4*C*Sin[c + d*x]))/(b^3*(-a^2 + b^2)*(b + a*C
os[c + d*x])) - (12*a*C*Tan[c + d*x])/(5*b^3) + (4*C*Sec[c + d*x]*Tan[c + d
*x])/(5*b^2)))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(3/2)
) + (4*(b + a*Cos[c + d*x])*((4*a^2*A)/(b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d
*x]])*Sqrt[Sec[c + d*x]]) - (2*A*b)/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*S
qrt[Sec[c + d*x]]) + (32*a^4*C)/(5*b^3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]
])*Sqrt[Sec[c + d*x]]) - (16*a^2*C)/(5*b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x
]])*Sqrt[Sec[c + d*x]]) - (6*b*C)/(5*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*S
qrt[Sec[c + d*x]]) - (4*a*A*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)*Sqrt[b + a*Co
s[c + d*x]]) + (4*a^3*A*Sqrt[Sec[c + d*x]])/(b^2*(-a^2 + b^2)*Sqrt[b + a*Co
s[c + d*x]]) - (8*a*C*Sqrt[Sec[c + d*x]])/(5*(-a^2 + b^2)*Sqrt[b + a*Cos[c
+ d*x]]) + (32*a^5*C*Sqrt[Sec[c + d*x]])/(5*b^4*(-a^2 + b^2)*Sqrt[b + a*Cos
[c + d*x]]) - (24*a^3*C*Sqrt[Sec[c + d*x]])/(5*b^2*(-a^2 + b^2)*Sqrt[b + a*
Cos[c + d*x]]) - (2*a*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)*
Sqrt[b + a*Cos[c + d*x]]) + (4*a^3*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(
b^2*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) - (6*a*C*Cos[2*(c + d*x)]*Sqrt[S
ec[c + d*x]])/(5*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (32*a^5*C*Cos[2*(
c + d*x)]*Sqrt[Sec[c + d*x]])/(5*b^4*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])
- (16*a^3*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*b^2*(-a^2 + b^2)*Sqrt[
b + a*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A + C*Sec[c +
d*x]^2)*(2*(a + b)*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*Sqr
t[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 +
Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*
(a + b)*(-16*a^3*C + 12*a^2*b*C - 2*a*b^2*(5*A + 2*C) + b^3*(5*A + 3*C))*Sq
rt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 +
Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (2*
a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*Cos[c + d*x]*(b + a*Cos[c
+ d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(5*b^4*(-a^2 + b^2)*d*(A + 2
*C + A*Cos[2*c + 2*d*x])*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]]*(a + b
*Sec[c + d*x])^(3/2)*((2*a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d
*x]*(2*(a + b)*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*Sqrt[Cos
[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c
+ d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a +
b)*(-16*a^3*C + 12*a^2*b*C - 2*a*b^2*(5*A + 2*C) + b^3*(5*A + 3*C))*Sqrt[Co
s[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[
c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (2*a^2*b
^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*Cos[c + d*x]*(b + a*Cos[c + d
*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(5*b^4*(-a^2 + b^2)*(b + a*Cos[c
+ d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2]) - (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c
+ d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4
*(5*A + 3*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x
])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b
)/(a + b)] + 2*b*(a + b)*(-16*a^3*C + 12*a^2*b*C - 2*a*b^2*(5*A + 2*C) + b^

```

$$\begin{aligned}
& 3*(5*A + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((5*b^4*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (4*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4)/2 + ((a + b)*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (b*(a + b)*(-16*a^3*C + 12*a^2*b*C - 2*a*b^2*(5*A + 2*C) + b^3*(5*A + 3*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(a + b)*(-16*a^3*C + 12*a^2*b*C - 2*a*b^2*(5*A + 2*C) + b^3*(5*A + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (b*(a + b)*(-16*a^3*C + 12*a^2*b*C - 2*a*b^2*(5*A + 2*C) + b^3*(5*A + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)])/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2])/((5*b^4*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*(2*(a + b)*(2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^3*C + 12*a^2*b*C - 2*a*b^2*(5*A + 2*C) + b^3*(5*A + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (2*a^2*b^2*(5*A - 4*C) + 16*a^4*C - b^4*(5*A + 3*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c
\end{aligned}$$

$$+ d*x)/2]) + \text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x]) / (5*b^4*(-a^2 + b^2) * \text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]]))$$

Maple [B] time = 1.272, size = 4055, normalized size = 8.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^3*(A+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{3/2}, x)$

[Out]
$$\begin{aligned} & -1/5/d/(a-b)/(a+b)/b^4*4^{1/2}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(-5*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^5+5*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^5-3*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^5-16*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^5+3*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^5-5*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^5+5*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^5-3*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^5-16*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^5+3*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^5+16*C*\cos(d*x+c)^4*a^5+10*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b^3-5*A*\cos(d*x+c)^3*b^5-16*C*\cos(d*x+c)^3*a^5-3*C*\cos(d*x+c)^3*b^5+5*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^4-10*A*\sin(d*x+c)*\cos(d* \end{aligned}$$

$$\begin{aligned}
& x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^3 \\
& *b^2-10*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b^3+5*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a*b^4+16*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^4*b+4*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^3*b^2-8*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b^3+C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a*b^4-16*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^4*b+8*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^3*b^2+8*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b^3+3*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a*b^4-5*A*\cos(d*x+c)^4*a^2*b^3-8*C*\cos(d*x+c)^4*a^4*b+3*C*\cos(d*x+c)^4*a^2*b^3+5*A*\cos(d*x+c)^3*a*b^4+6*C*\cos(d*x+c)^3*a^3*b^2+5*C*\cos(d*x+c)^3*a*b^4+6*C*\cos(d*x+c)^2*a^2*b^3-2*C*\cos(d*x+c)*a*b^4+5*A*\cos(d*x+c)^2*b^5+2*C*\cos(d*x+c)^2*b^5-C*a^2*b^3+C*b^5+2*C*\cos(d*x+c)*a^3*b^2+10*A*\cos(d*x+c)^4*a^3*b^2-5*A*\cos(d*x+c)^4*a*b^4-8*C*\cos(d*x+c)^4*a^3*b^2-3*C*\cos(d*x+c)^4*a*b^4-10*A*\cos(d*x+c)^3*a^3*b^2+10*A*\cos(d*x+c)^3*a^2*b^3+16*C*\cos(d*x+c)^3*a^4*b-8*C*\cos(d*x+c)^3*a^2*b^3-5*A*\cos(d*x+c)^2*a^2*b^3-8*C*\cos(d*x+c)^2*a^4*b+5*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a*b^4-10*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^3*b^2-10*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b^3+5*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a*b^4+16*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^4*b+4*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a
\end{aligned}$$

$$\begin{aligned} & * \cos(dx+c) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 b^2 - 8C * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b^3 + C * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a b^4 - 16C * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^4 b + 8C * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 b^2 + 8C * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b^3 + 3C * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a b^4 + 10A * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b^3 / (b+a \cos(dx+c)) / \cos(dx+c)^2 / \sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^5 + A \sec(dx+c)^3) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] `integral((C*sec(d*x + c)^5 + A*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2), x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*sec(c + d*x))**(3/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^3/(b*sec(d*x + c) + a)^(3/2), x)`

$$3.743 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=327

$$\frac{2(C(8a^2 + 6ab + b^2) + 3Ab^2) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + \frac{2a}{b^2 d}}{3b^3 d \sqrt{a+b}}$$

```
[Out] (2*a*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^4*Sqrt[a + b]*d) + (2
*(3*A*b^2 + (8*a^2 + 6*a*b + b^2)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a +
b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^3*Sqrt[a + b]*d) +
(2*a*(A*b^2 + a^2*C)*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*
x]]) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b^2*d)
```

Rubi [A] time = 0.675296, antiderivative size = 327, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4091, 4082, 4005, 3832, 4004}

$$\frac{2a(a^2C + Ab^2) \tan(c + dx)}{b^2 d (a^2 - b^2) \sqrt{a + b \sec(c + dx)}} + \frac{2(C(8a^2 + 6ab + b^2) + 3Ab^2) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^3 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] (2*a*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^4*Sqrt[a + b]*d) + (2
*(3*A*b^2 + (8*a^2 + 6*a*b + b^2)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a +
b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^3*Sqrt[a + b]*d) +
(2*a*(A*b^2 + a^2*C)*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*
x]]) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b^2*d)
```

Rule 4091

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(cs
c[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_), x_Symbol] := Simp[(a*(A*b^2 + a^2
```

```
*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)/(b^2*f*(m + 1)*(a^2 - b^2)),
x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x
])^(m + 1)*Simp[b*(m + 1)*(a^2*C + A*b^2) - a*(A*b^2*(m + 2) + C*(a^2 + b^2
*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \frac{2a(Ab^2+a^2C)\tan(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2\int \frac{\sec(c+dx)\left(-\frac{1}{2}b(Ab^2+a^2C)-\frac{1}{2}a(Ab^2+2a^2C-b^2C)\right)}{\sqrt{a+b\sec(c+dx)}} dx}{b^2(a^2-b^2)} \\
&= \frac{2a(Ab^2+a^2C)\tan(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2C\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{3b^2d} + \frac{4\int \frac{\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{b^2(a^2-b^2)} \\
&= \frac{2a(Ab^2+a^2C)\tan(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2C\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{3b^2d} - \frac{(a+b)\sqrt{a+b\sec(c+dx)}}{b^2(a^2-b^2)} \\
&= \frac{2a(3Ab^2+8a^2C-5b^2C)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3b^4\sqrt{a+bd}}
\end{aligned}$$

Mathematica [B] time = 23.5756, size = 3312, normalized size = 10.13

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((4*a*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*Sin[c + d*x])/(3*b^3*(-a^2 + b^2)) - (4*(a*A*b^2*SIN[c + d*x] + a^3*C*SIN[c + d*x]))/(b^2*(-a^2 + b^2)*(b + a*Cos[c + d*x])) + (4*C*Tan[c + d*x])/(3*b^2)))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(3/2)) + (4*(b + a*Cos[c + d*x])*((-2*a*A)/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (10*a*C)/(3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]] - (16*a^3*C)/(3*b^2*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]] - (2*a^2*A*Sqrt[Sec[c + d*x]])/(b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (2*A*b*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) - (16*a^4*C*Sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (14*a^2*C*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (2*b*C*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) - (2*a^2*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) - (16*a^4*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (10*a^2*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*(-2*a*(a + b)*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos

$$\begin{aligned}
& [c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]] \\
& , (a - b)/(a + b)] + 2*b*(a + b)*(3*A*b^2 + (8*a^2 - 6*a*b + b^2)*C)*\text{Sqrt}[\text{C} \\
& \text{os}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos} \\
& [c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - a*(3*A* \\
& b^2 + 8*a^2*C - 5*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2] \\
& ^2*\text{Tan}[(c + d*x)/2])/((3*b^3*(-a^2 + b^2)*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])* \\
& \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(3/2))*((2* \\
& a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*(-2*a*(a + b)*(3*A*b^2 \\
& + 8*a^2*C - 5*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos} \\
& [c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]] \\
& , (a - b)/(a + b)] + 2*b*(a + b)*(3*A*b^2 + (8*a^2 - 6*a*b + b^2)*C)*\text{Sqrt}[\text{C} \\
& \text{os}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos} \\
& [c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - a*(3*A* \\
& b^2 + 8*a^2*C - 5*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2] \\
& ^2*\text{Tan}[(c + d*x)/2])/((3*b^3*(-a^2 + b^2)*(b + a*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{S} \\
& \text{ec}[(c + d*x)/2]^2]) - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x) \\
&]/2)*(-2*a*(a + b)*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos} \\
& [c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Ellipti} \\
& \text{cE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(3*A*b^2 + (8*a \\
& ^2 - 6*a*b + b^2)*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[\\
& c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], \\
& (a - b)/(a + b)] - a*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos} \\
& [c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*b^3*(-a^2 + b^2)*\text{Sqrt}[b \\
& + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (4*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{S} \\
& \text{ec}[c + d*x]]*(-(a*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + \\
& d*x])* \text{Sec}[(c + d*x)/2]^4)/2 - (a*(a + b)*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*\text{Sqr} \\
& \text{t}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(\\
& c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d* \\
& x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d* \\
& x])] + (b*(a + b)*(3*A*b^2 + (8*a^2 - 6*a*b + b^2)*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d \\
& *x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - \\
& b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d* \\
& x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (a*(a + b)* \\
& (3*A*b^2 + 8*a^2*C - 5*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Ellipti} \\
& \text{cE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)* \\
& (1 + \text{Cos}[c + d*x]))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{C} \\
& \text{os}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + \\
& (b*(a + b)*(3*A*b^2 + (8*a^2 - 6*a*b + b^2)*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c \\
& + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c \\
& + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x]) \\
& /((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{C} \\
& \text{os}[c + d*x]))] + a^2*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*\text{Cos}[c + d*x]* \text{Sec}[(c + d* \\
& x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + a*(3*A*b^2 + 8*a^2*C - 5*b^2*C)*(b \\
& + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - a*(3*A \\
& *b^2 + 8*a^2*C - 5*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]
\end{aligned}$$

```

]^2*Tan[(c + d*x)/2]^2 + (b*(a + b)*(3*A*b^2 + (8*a^2 - 6*a*b + b^2)*C)*Sqr
t[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 +
Cos[c + d*x]))] * Sec[(c + d*x)/2]^2 / (Sqrt[1 - Tan[(c + d*x)/2]^2] * Sqrt[1 -
((a - b)*Tan[(c + d*x)/2]^2)/(a + b)]) - (a*(a + b)*(3*A*b^2 + 8*a^2*C - 5*
b^2*C) * Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*cos[c + d*x])/((a
+ b)*(1 + Cos[c + d*x]))] * Sec[(c + d*x)/2]^2 * Sqrt[1 - ((a - b)*Tan[(c + d*x
)/2]^2)/(a + b)]) / Sqrt[1 - Tan[(c + d*x)/2]^2])) / (3*b^3*(-a^2 + b^2) * Sqrt[b
+ a*cos[c + d*x]] * Sqrt[Sec[(c + d*x)/2]^2]) + (2*(-2*a*(a + b)*(3*A*b^2 +
8*a^2*C - 5*b^2*C) * Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*cos[c
+ d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticE[ArcSin[Tan[(c + d*x)/2]], (
a - b)/(a + b)] + 2*b*(a + b)*(3*A*b^2 + (8*a^2 - 6*a*b + b^2)*C) * Sqrt[Cos[
c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c
+ d*x]))] * EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - a*(3*A*b^2
+ 8*a^2*C - 5*b^2*C) * Cos[c + d*x] * (b + a*cos[c + d*x]) * Sec[(c + d*x)/2]^2 *
Tan[(c + d*x)/2]) * (-Cos[(c + d*x)/2] * Sec[c + d*x] * Sin[(c + d*x)/2]) + Cos[
(c + d*x)/2]^2 * Sec[c + d*x] * Tan[c + d*x])) / (3*b^3*(-a^2 + b^2) * Sqrt[b + a*C
os[c + d*x]] * Sqrt[Sec[(c + d*x)/2]^2] * Sqrt[Cos[(c + d*x)/2]^2 * Sec[c + d*x]]
)))

```

Maple [B] time = 0.629, size = 2672, normalized size = 8.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^2 * (A+C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^{(3/2)}, x)$

[Out]
$$-1/3/d/(a-b)/(a+b)/b^3*4^{(1/2)}*((b+a*\cos(dx+c))/\cos(dx+c))^{(1/2)}*(-3*A*\cos(dx+c)^2*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)})*(\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*b^4+8*C*\cos(dx+c)^2*\sin(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)})*(\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^4-C*\cos(dx+c)^2*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)})*(\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*b^4-3*A*\cos(dx+c)*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)})*(\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*b^4+8*C*\cos(dx+c)*\sin(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)})*(\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^4-C*\cos(dx+c)*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)})*(\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*b^4-8*C*\cos(dx+c)^3*a^4-5*C*\cos(dx+c)$$

$$\begin{aligned}
&) * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& * a*b^3+3*A*\cos(dx+c)^2*\sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a^2*b^2+3*A*\cos(dx+c)^2*\sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a*b^3-3*A*\cos(dx+c)^2 \\
& * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& * a*b^3+8*C*\cos(dx+c)^2*\sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a^3*b-5*C*\cos(dx+c)^2*\sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a^2*b^2-5*C*\cos(dx+c)^2 * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a*b^3-8*C*\cos(dx+c)^2*\sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a^3*b-2*C*\cos(dx+c)^2*\sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a^2*b^2+5*C*\cos(dx+c)^2 * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a*b^3+3*A*\cos(dx+c)^3*a*b^3+3*A*\cos(dx+c)^2*a^2*b^2-3*A*\cos(dx+c)^2*a*b^3-8*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c) * \sin(dx+c) * a^3*b+8*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c) * \sin(dx+c) * a^3*b-5*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c) * \sin(dx+c) * a^2*b^2+3*A*\cos(dx+c) * a^2*b^2 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) + 3*A*\cos(dx+c) * b^3 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a-3*A*\cos(dx+c) * b^3 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a+4*C*\cos(dx+c)^3 * a^3*b-C*\cos(dx+c)^3 * a*b^3-4*C*\cos(dx+c)^2 * a^2*b^2-4*C*\cos(dx+c) * a*b^3-8*C*\cos(dx+c)^2 * a^3*b+4*C*\cos(dx+c) * a^3*b+8*C*\cos(dx+c)^2 * a^4-2*C*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2*b^2-C*a^2*b^2+5*C*\sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c) * a*b^3-C*\cos(dx+c)^2 * b^4-3*A*\cos
\end{aligned}$$

$$(d*x+c)^3*a^2*b^2+5*C*cos(d*x+c)^3*a^2*b^2+5*C*cos(d*x+c)^2*a*b^3+C*b^4)/(b+a*cos(d*x+c))/sin(d*x+c)/cos(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^4 + A \sec(dx+c)^2) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^2/(b*sec(d*x + c) + a)^(3/2), x)

$$3.744 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=279

$$\frac{2(Ab - C(2a + b)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - \frac{2(a^2C + Ab^2) \tan(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \sec(c + dx)}}}{b^2 d \sqrt{a + b}}$$

[Out] (-2*(A*b^2 + 2*a^2*C - b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^3*Sqrt[a + b]*d) + (2*(A*b - (2*a + b)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) - (2*(A*b^2 + a^2*C)*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.3914, antiderivative size = 279, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4081, 4005, 3832, 4004}

$$\frac{2(a^2C + Ab^2) \tan(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \sec(c + dx)}} - \frac{2(2a^2C + Ab^2 - b^2C) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{b^3 d \sqrt{a + b}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (-2*(A*b^2 + 2*a^2*C - b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^3*Sqrt[a + b]*d) + (2*(A*b - (2*a + b)*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) - (2*(A*b^2 + a^2*C)*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4081

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] +

Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*b*(A + C)*(m + 1) - (A*b^2 + a^2*C + b*(A*b + b*C)*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx &= -\frac{2 (Ab^2 + a^2 C) \tan(c + dx)}{b (a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\sec(c + dx) \left(-\frac{1}{2} ab(A + C) - \frac{1}{2} (Ab^2 + 2a^2 C - b^2 C) \sec(c + dx) \right)}{\sqrt{a + b \sec(c + dx)}}}{b (a^2 - b^2)} \\ &= -\frac{2 (Ab^2 + a^2 C) \tan(c + dx)}{b (a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{(Ab^2 + 2a^2 C - b^2 C) \int \frac{\sec(c + dx) (1 + \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}}}{b (a^2 - b^2)} \\ &= -\frac{2 (Ab^2 + 2a^2 C - b^2 C) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{b^3 \sqrt{a + b} d} \end{aligned}$$

Mathematica [A] time = 18.757, size = 541, normalized size = 1.94

$$4\sqrt{2}\sqrt{\frac{\cos(c+dx)}{(\cos(c+dx)+1)^2}}\sqrt{\cos(c+dx)\sec^2\left(\frac{1}{2}(c+dx)\right)\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)^{3/2}}(a\cos(c+dx)+b)(A+C\sec^2(c+dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((-4*(A*b^2 + 2*a^2*C - b^2*C)*Sin[c + d*x])/(b^2*(-a^2 + b^2)) + (4*(A*b^2*Sin[c + d*x] + a^2*C*Sin[c + d*x]))/(b*(-a^2 + b^2)*(b + a*Cos[c + d*x])))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(3/2)) + (4*Sqrt[2]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])^2]*(b + a*Cos[c + d*x])*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2)*((a + b)*((A*b^2 + 2*a^2*C - b^2*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + b*(-(A*b) + (-2*a + b)*C)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]))*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)*Sec[c + d*x] + (A*b^2 + 2*a^2*C - b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(b^2*(-a^2 + b^2)*d*Sqrt[(1 + Cos[c + d*x])^(-1)]*(A + 2*C + A*Cos[2*c + 2*d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2))

Maple [B] time = 0.504, size = 2272, normalized size = 8.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2), x)

[Out] 1/d/b^2/(a+b)/(a-b)*4^(1/2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)+A*b^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))-C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+

$$\begin{aligned}
& a \cos(dx+c) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 - C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 * \sin(dx+c) + C * b^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) - C * b^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) - C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 2 * C * a^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) - C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c) * \sin(dx+c) * a * b^2 + C * \cos(dx+c)^2 * a * b^2 - 2 * C * \cos(dx+c)^2 * a^3 - A * \cos(dx+c) * b^3 + a^2 * b * C - A * \cos(dx+c)^2 * a * b^2 + A * \cos(dx+c) * a * b^2 - 2 * C * \cos(dx+c) * a^2 * b + A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * b^3 + 2 * C * a^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) + A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 * \sin(dx+c) - A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 * \sin(dx+c) + 2 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b * \sin(dx+c) - 2 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b * \sin(dx+c) + 2 * C * \cos(dx+c) * a^3 + A * b^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a - A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * a * b^2 + 2 * C * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b - 2 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 * b + A * \cos(dx+c)^2 * b^3 + C * \cos(dx+c)^2 * a^2 * b - C * \cos(dx+c) * a * b^2 - A * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 - C * b^3 - C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticF}((
\end{aligned}$$

$-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c)+C*\cos(d*x+c)*b^3)/(b+a*\cos(d*x+c))/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + A \sec(dx+c))\sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^3 + A*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.745 \quad \int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=381

$$\frac{2(Ab - aC) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{abd\sqrt{a+b}} + \frac{2(a^2C + Ab^2) \tan(c)}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(A*b^2 + a^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b^2*Sqrt[a + b]*d) - (2*(A*b - a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*(A*b^2 + a^2*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.421251, antiderivative size = 381, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4061, 4058, 3921, 3784, 3832, 4004}

$$\frac{2(a^2C + Ab^2) \tan(c + dx)}{ad(a^2 - b^2)\sqrt{a + b \sec(c + dx)}} + \frac{2(a^2C + Ab^2) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right) \frac{a+b}{a-b}}{ab^2d\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(A*b^2 + a^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b^2*Sqrt[a + b]*d) - (2*(A*b - a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*(A*b^2 + a^2*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4061

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*b*(A + C)*(m + 1)*Csc[e + f*x] + (A*b^2 + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m] && LtQ[m, -1]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
```


$a + (b*B)/A, 2] * \text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)] * \text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx &= \frac{2(Ab^2 + a^2C) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}A(a^2 - b^2) + \frac{1}{2}ab(A+C) \sec(c+dx) + \frac{1}{2}(Ab^2 + a^2C) \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{2(Ab^2 + a^2C) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}A(a^2 - b^2) + (\frac{1}{2}ab(A+C) + \frac{1}{2}(-Ab^2 - a^2C)) \sec(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx}{a(a^2 - b^2)} - \frac{(Ab^2 + a^2C) \cot(c + dx)}{a(a^2 - b^2)} \\ &= \frac{2(Ab^2 + a^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(1+\sec(c+dx))}{a-b}}}{ab^2 \sqrt{a + bd}} + \frac{(Ab^2 + a^2C) \cot(c + dx)}{a(a^2 - b^2)} \\ &= \frac{2(Ab^2 + a^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(1+\sec(c+dx))}{a-b}}}{ab^2 \sqrt{a + bd}} - \frac{(Ab^2 + a^2C) \cot(c + dx)}{a(a^2 - b^2)} \end{aligned}$$

Mathematica [B] time = 18.0515, size = 1127, normalized size = 2.96

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(3/2), x]

[Out] $((b + a*\text{Cos}[c + d*x])^2*(A + C*\text{Sec}[c + d*x]^2)*((4*(A*b^2 + a^2*C)*\text{Sin}[c + d*x])/(a*b*(-a^2 + b^2)) + (4*(A*b^2*\text{Sin}[c + d*x] + a^2*C*\text{Sin}[c + d*x]))/(a*(a^2 - b^2)*(b + a*\text{Cos}[c + d*x]))) / (d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(a + b*\text{Sec}[c + d*x])^{3/2}) - (4*(b + a*\text{Cos}[c + d*x])^{3/2}*(A + C*\text{Sec}[c + d*x]^2)*\text{Sqrt}[(1 - \text{Tan}[(c + d*x)/2]^2)^{-1}]*((a*A*b^2*\text{Tan}[(c + d*x)/2] + A*b^3*\text{Tan}[(c + d*x)/2] + a^3*C*\text{Tan}[(c + d*x)/2] + a^2*b*C*\text{Tan}[(c + d*x)/2] - 2*a*A*b^2*\text{Tan}[(c + d*x)/2]^3 - 2*a^3*C*\text{Tan}[(c + d*x)/2]^3 + a*A*b^2*\text{Tan}[(c + d*x)/2]^5 - A*b^3*\text{Tan}[(c + d*x)/2]^5 + a^3*C*\text{Tan}[(c + d*x)/2]^5 - a^2*b*C*\text{Tan}[(c + d*x)/2]^5 - 2*a^2*A*b*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)) + 2*A*b^3*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b))$

$$\begin{aligned} & \left[\frac{(c + dx)^2}{2} + b \tan\left(\frac{c + dx}{2}\right)^2 \right] / (a + b) - 2a^2 A b \operatorname{EllipticPi}\left[-1, \right. \\ & \left. -\operatorname{ArcSin}\left[\tan\left(\frac{c + dx}{2}\right)\right], \frac{a - b}{a + b}\right] \tan\left(\frac{c + dx}{2}\right)^2 \sqrt{1 - \tan\left(\frac{c + dx}{2}\right)^2} \\ & \sqrt{\frac{a + b - a \tan\left(\frac{c + dx}{2}\right)^2 + b \tan\left(\frac{c + dx}{2}\right)^2}{a + b}} + 2A b^3 \operatorname{EllipticPi}\left[-1, \right. \\ & \left. -\operatorname{ArcSin}\left[\tan\left(\frac{c + dx}{2}\right)\right], \frac{a - b}{a + b}\right] \tan\left(\frac{c + dx}{2}\right)^2 \sqrt{1 - \tan\left(\frac{c + dx}{2}\right)^2} \\ & \sqrt{\frac{a + b - a \tan\left(\frac{c + dx}{2}\right)^2 + b \tan\left(\frac{c + dx}{2}\right)^2}{a + b}} + (a + b) (A b^2 + a^2 C) \operatorname{EllipticE}\left[\right. \\ & \left. \operatorname{ArcSin}\left[\tan\left(\frac{c + dx}{2}\right)\right], \frac{a - b}{a + b}\right] \sqrt{1 - \tan\left(\frac{c + dx}{2}\right)^2} \\ & (1 + \tan\left(\frac{c + dx}{2}\right)^2) \sqrt{\frac{a + b - a \tan\left(\frac{c + dx}{2}\right)^2 + b \tan\left(\frac{c + dx}{2}\right)^2}{a + b}} \\ & - a b (a + b) (A + C) \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\tan\left(\frac{c + dx}{2}\right)\right], \frac{a - b}{a + b}\right] \sqrt{1 - \tan\left(\frac{c + dx}{2}\right)^2} \\ & (1 + \tan\left(\frac{c + dx}{2}\right)^2) \sqrt{\frac{a + b - a \tan\left(\frac{c + dx}{2}\right)^2 + b \tan\left(\frac{c + dx}{2}\right)^2}{a + b}} \Big] / \left(a \left(-a^2 b + b^3 \right) d (A + 2C + A \cos[2c + 2dx]) \sqrt{\sec[c + dx]} (a + b \sec[c + dx])^{3/2} \right. \\ & \left. (1 + \tan\left(\frac{c + dx}{2}\right)^2)^{3/2} \sqrt{\frac{a + b - a \tan\left(\frac{c + dx}{2}\right)^2 + b \tan\left(\frac{c + dx}{2}\right)^2}{1 + \tan\left(\frac{c + dx}{2}\right)^2}} \right) \end{aligned}$$

Maple [B] time = 0.442, size = 2043, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}\left(\frac{(A+C \sec(dx+c))^2}{(a+b \sec(dx+c))^{3/2}}, x\right)$

[Out]
$$\begin{aligned} & -1/d/b/a/(a+b)/(a-b) \cdot 4^{1/2} \cdot ((b+a \cos(dx+c))/\cos(dx+c))^{1/2} \cdot (A b^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) - 2 A b^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot \operatorname{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) + C a^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) - C (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot \cos(dx+c) \cdot \sin(dx+c) \cdot a b^2 - C \cos(dx+c)^2 a^3 - A \cos(dx+c) \cdot b^3 - A \cos(dx+c)^2 a b^2 + A \cos(dx+c) \cdot a b^2 - C \cos(dx+c) \cdot a^2 b + A (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot b^3 - 2 A (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \operatorname{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot b^3 + C a^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) + A (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \operatorname{EllipticE}((-1+\cos(dx+c) \end{aligned}$$

$$\begin{aligned} &))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c)-A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*b*\sin(d*x+c)-A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c)+2*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}*a^2*b*\sin(d*x+c)+C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*b*\sin(d*x+c)-C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*b*\sin(d*x+c)+C*\cos(d*x+c)*a^3+A*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a-A*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b-A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*a*b^2+2*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^2*b+C*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b-C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^2*b+A*\cos(d*x+c)^2*b^3+C*\cos(d*x+c)^2*a^2*b-C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c))/(b+a*\cos(d*x+c))/\sin(d*x+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) \sqrt{b \sec(dx + c) + a}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.746 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=431

$$\frac{(2a^2C + aAb + 3Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{a^2bd\sqrt{a+b}} - \frac{b(3Ab^2 - a^2)}{a^2d(a^2 - b^2)}$$

```
[Out] -(((3*A*b^2 - a^2*(A - 2*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*b*Sqrt[a + b]*d) + ((a*A*b + 3*A*b^2 + 2*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*b*Sqrt[a + b]*d) + (3*A*b*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^3*d) + (A*Sin[c + d*x])/(a*d*Sqrt[a + b*Sec[c + d*x]]) - (b*(3*A*b^2 - a^2*(A - 2*C))*Tan[c + d*x])/(a^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.658895, antiderivative size = 431, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4105, 4060, 4058, 3921, 3784, 3832, 4004}

$$-\frac{b(3Ab^2 - a^2(A - 2C)) \tan(c+dx)}{a^2d(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} + \frac{(2a^2C + aAb + 3Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{a^2bd\sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] -(((3*A*b^2 - a^2*(A - 2*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*b*Sqrt[a + b]*d) + ((a*A*b + 3*A*b^2 + 2*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*b*Sqrt[a + b]*d) + (3*A*b*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^3*d) + (A*Sin[c + d*x])/(a*d*Sqrt[a + b*Sec[c + d*x]])
```

$c[c + d*x]] - (b*(3*A*b^2 - a^2*(A - 2*C))*Tan[c + d*x])/(a^2*(a^2 - b^2)*d*sqrt[a + b*Sec[c + d*x]])$

Rule 4105

$Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_}, x_Symbol] \rightarrow Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^{m+1}*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^{n+1}*Simp[-(A*b*(m + n + 1)) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] \&\& NeQ[a^2 - b^2, 0] \&\& LeQ[n, -1]$

Rule 4060

$Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_}, x_Symbol] \rightarrow Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^{m+1})/(a*f*(m+1)*(a^2 - b^2)), x] + Dist[1/(a*(m+1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^{m+1}*Simp[A*(a^2 - b^2)*(m+1) - a*(A*b - a*B + b*C)*(m+1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] \&\& NeQ[a^2 - b^2, 0] \&\& LtQ[m, -1]$

Rule 4058

$Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow Int[(A + (B - C)*Csc[e + f*x])/sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] \&\& NeQ[a^2 - b^2, 0]$

Rule 3921

$Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow Dist[c, Int[1/sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[a^2 - b^2, 0]$

Rule 3784

$Int[1/sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow Simp[(2*Rt[a + b, 2]*sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] \&\&$

NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c + dx) (A + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx &= \frac{A \sin(c + dx)}{ad\sqrt{a + b \sec(c + dx)}} - \frac{\int \frac{\frac{3Ab}{2} - aC \sec(c + dx) - \frac{1}{2}Ab \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{a} \\
 &= \frac{A \sin(c + dx)}{ad\sqrt{a + b \sec(c + dx)}} - \frac{b(3Ab^2 - a^2(A - 2C)) \tan(c + dx)}{a^2(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} + \frac{2 \int \frac{-\frac{3}{4}Ab(a^2 - b^2)}{a + b \sec(c + dx)} dx}{a^2(a^2 - b^2)} \\
 &= \frac{A \sin(c + dx)}{ad\sqrt{a + b \sec(c + dx)}} - \frac{b(3Ab^2 - a^2(A - 2C)) \tan(c + dx)}{a^2(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} + \frac{2 \int \frac{-\frac{3}{4}Ab(a^2 - b^2)}{a + b \sec(c + dx)} dx}{a^2(a^2 - b^2)} \\
 &= -\frac{(3Ab^2 - a^2(A - 2C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{a^2 b \sqrt{a + b} d} \\
 &= -\frac{(3Ab^2 - a^2(A - 2C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{a^2 b \sqrt{a + b} d}
 \end{aligned}$$

Mathematica [B] time = 18.946, size = 1259, normalized size = 2.92

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2),
x]
```

```
[Out] ((b + a*cos[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((4*(A*b^2 + a^2*C)*Sin[c +
d*x])/(a^2*(a^2 - b^2)) - (4*(A*b^3*SIN[c + d*x] + a^2*b*C*SIN[c + d*x]))/(
a^2*(a^2 - b^2)*(b + a*cos[c + d*x])))/(d*(A + 2*C + A*cos[2*c + 2*d*x])*(
a + b*Sec[c + d*x])^(3/2)) - (2*(b + a*cos[c + d*x])^(3/2)*(A + C*Sec[c + d
*x]^2)*sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*sqrt[(a + b - a*Tan[(c + d*x)/2]
^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(a^3*A*Tan[(c + d*x)/2
] + a^2*A*b*Tan[(c + d*x)/2] - 3*a*A*b^2*Tan[(c + d*x)/2] - 3*A*b^3*Tan[(c
+ d*x)/2] - 2*a^3*C*Tan[(c + d*x)/2] - 2*a^2*b*C*Tan[(c + d*x)/2] - 2*a^3*A
*Tan[(c + d*x)/2]^3 + 6*a*A*b^2*Tan[(c + d*x)/2]^3 + 4*a^3*C*Tan[(c + d*x)/
2]^3 + a^3*A*Tan[(c + d*x)/2]^5 - a^2*A*b*Tan[(c + d*x)/2]^5 - 3*a*A*b^2*Ta
n[(c + d*x)/2]^5 + 3*A*b^3*Tan[(c + d*x)/2]^5 - 2*a^3*C*Tan[(c + d*x)/2]^5
+ 2*a^2*b*C*Tan[(c + d*x)/2]^5 + 6*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c +
d*x)/2]], (a - b)/(a + b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b - a*Tan
[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*A*b^3*EllipticPi[-1, -
ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*Sqr
t[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*a^2*A*
b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/
2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Ta
n[(c + d*x)/2]^2)/(a + b)] - 6*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2
]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(
a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(-3
*A*b^2 + a^2*(A - 2*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)
]*sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a + b - a*Tan
[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*a*(a + b)*(A*b + a*C)*
EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*sqrt[1 - Tan[(c + d*x)
/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[
(c + d*x)/2]^2)/(a + b)))/(a^2*(a^2 - b^2)*d*(A + 2*C + A*cos[2*c + 2*d*x]
)*sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*sqrt[1 + Tan[(c + d*x)/2]^2
]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))
```

Maple [B] time = 0.405, size = 2489, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x)
```



```
[Out] -1/2/d/a^2/(a+b)/(a-b)*4^(1/2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(2*C*sin
(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^
3+A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)
+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*si
n(d*x+c)-3*A*b^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a
-b)/(a+b))^(1/2))+6*A*b^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(
d*x+c),-1,((a-b)/(a+b))^(1/2))-2*C*a^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1
/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(
d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))+A*cos(d*x+c)^3*a^3-A*cos(d*x+c)^2*a
^3+2*C*cos(d*x+c)^2*a^3+3*A*cos(d*x+c)*b^3+A*cos(d*x+c)^2*a^2*b+3*A*cos(d*x
+c)^2*a*b^2-A*cos(d*x+c)*a^2*b-2*A*cos(d*x+c)*a*b^2+2*C*cos(d*x+c)*a^2*b+A
(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)
*cos(d*x+c)*a^3-3*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x
+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b)
))^(1/2))*sin(d*x+c)*cos(d*x+c)*b^3+6*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(
1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/s
in(d*x+c),-1,((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*b^3-2*C*a^3*(cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*
sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1
/2))+A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x
+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2
*b*sin(d*x+c)-3*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))
^(1/2))*a*b^2*sin(d*x+c)+2*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+
a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+2*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(
1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/si
n(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)-6*A*(cos(d*x+c)/(cos(d*x+c)+
1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+co
s(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)-2*C*(cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*El
lipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+2*
C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*si
n(d*x+c)-2*C*cos(d*x+c)*a^3+A*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticE((-
1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b-3*A*b^2*(cos(d*x+c)/(cos(d*
x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*c
os(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a+2*A*a
^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+
1))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)
```

$$\begin{aligned} &/(a+b)^{(1/2)} * b + 2 * A * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * \sin(dx+c) * \cos(dx+c) * a * b^2 - 6 * A * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{(1/2)}) * \sin(dx+c) * \cos(dx+c) * a^2 * b - 2 * C * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * b + 2 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * \sin(dx+c) * \cos(dx+c) * a^2 * b - 3 * A * \cos(dx+c)^2 * b^3 - A * \cos(dx+c)^3 * a * b^2 - 2 * C * \cos(dx+c)^2 * a^2 * b + 2 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * a^3 / (b+a*\cos(dx+c)) / \sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx+c) \sec(dx+c)^2 + A \cos(dx+c)) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*cos(dx+c)*sec(dx+c)^2 + A*cos(dx+c))*sqrt(b*sec(dx+c) + a)/(b^2*sec(dx+c)^2 + 2*a*b*sec(dx+c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \cos(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*cos(c + d*x)/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.747 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=501

$$\frac{(-2a^2(A-4C) + 5aAb + 15Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + b^2}{4a^3 d \sqrt{a+b}}$$

[Out] ((15*A*b^2 - a^2*(7*A - 8*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^3*Sqrt[a + b]*d) - ((5*a*A*b + 15*A*b^2 - 2*a^2*(A - 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^3*Sqrt[a + b]*d) - (Sqrt[a + b]*(15*A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^4*d) - (5*A*b*Sin[c + d*x])/(4*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + b*Sec[c + d*x]]) + (b^2*(15*A*b^2 - a^2*(7*A - 8*C))*Tan[c + d*x])/(4*a^3*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 1.01229, antiderivative size = 501, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4105, 4104, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{b^2(15Ab^2 - a^2(7A - 8C)) \tan(c+dx)}{4a^3 d (a^2 - b^2) \sqrt{a + b \sec(c+dx)}} - \frac{(-2a^2(A-4C) + 5aAb + 15Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{4a^3 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((15*A*b^2 - a^2*(7*A - 8*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^3*Sqrt[a + b]*d) - ((5*a*A*b + 15*A*b^2 - 2*a^2*(A - 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^3*Sqrt[a + b]*d) - (Sqrt[a + b]*(15*A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - S

$$\frac{\text{ec}[c + d*x]}{(a + b)} * \text{Sqrt}\left[-\frac{(b*(1 + \text{Sec}[c + d*x]))}{(a - b)}\right] / (4*a^4*d) - \frac{(5*A*b*\text{Sin}[c + d*x])}{(4*a^2*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])} + \frac{(A*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])}{(2*a*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])} + \frac{(b^2*(15*A*b^2 - a^2*(7*A - 8*C))*\text{Tan}[c + d*x])}{(4*a^3*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])}$$

Rule 4105

$$\text{Int}\left[\frac{(A_. + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)] * (d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)] * (b_.) + (a_.))^{m_}}{x_Symbol} \right] \rightarrow \text{Simp}[(A*C \text{ot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n) / (a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n+1} * \text{Simp}[-(A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}\left[\frac{(A_. + \text{csc}[(e_.) + (f_.)*(x_.)] * (B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)] * (d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)] * (b_.) + (a_.))^{m_}}{x_Symbol} \right] \rightarrow \text{Simp}[(A*C \text{ot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n) / (a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n+1} * \text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4060

$$\text{Int}\left[\frac{(A_. + \text{csc}[(e_.) + (f_.)*(x_.)] * (B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)] * (b_.) + (a_.))^{m_}}{x_Symbol} \right] \rightarrow \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1} / (a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * \text{Simp}[A*(a^2 - b^2)*(m+1) - a*(A*b - a*B + b*C)*(m+1)*\text{Csc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$$

Rule 4058

$$\text{Int}\left[\frac{(A_. + \text{csc}[(e_.) + (f_.)*(x_.)] * (B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))}{\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)] * (b_.) + (a_.)]}, x_Symbol \right] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x] * (1 + \text{Csc}[e + f*x])) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} - \frac{\int \frac{\cos(c+dx)\left(\frac{5Ab}{2}-a(A+2C)\sec(c+dx)-\frac{3}{2}Ab\sec^2(c+dx)\right)}{(a+b\sec(c+dx))^{3/2}} dx}{2a} \\
&= -\frac{5Ab\sin(c+dx)}{4a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} + \frac{\int \frac{\frac{1}{4}(15Ab^2+4a^2(A+2C))}{(a+b\sec(c+dx))^{3/2}} dx}{2a} \\
&= -\frac{5Ab\sin(c+dx)}{4a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} + \frac{b^2(15Ab^2-a^2(7A+2C))}{4a^3(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{5Ab\sin(c+dx)}{4a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} + \frac{b^2(15Ab^2-a^2(7A+2C))}{4a^3(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(15Ab^2-a^2(7A-8C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{4a^3\sqrt{a+bd}} \\
&= \frac{(15Ab^2-a^2(7A-8C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{4a^3\sqrt{a+bd}}
\end{aligned}$$

Mathematica [C] time = 17.4603, size = 2500, normalized size = 4.99

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*((4*b*(A*b^2 + a^2*C)*Sin[c + d*x])/ (a^3*(-a^2 + b^2)) + (4*(A*b^4*Sin[c + d*x] + a^2*b^2*C*Sin[c + d*x]))/(a^3*(a^2 - b^2)*(b + a*Cos[c + d*x])) + (A*Sin[2*(c + d*x)]/(2*a^2)))/(d*(a + b*Sec[c + d*x])^(3/2)) + ((b + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2])*(-7*a^3*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] - 7*a^2*A*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 15*a*A*b^3*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 15*A*b^4*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 8*a^3*b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] + 8*a^2*b^2*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] + 14*a^3*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3 - 30*a*A*b^3*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3 - 16*a^3*b*Sqrt

$$\begin{aligned}
& [(-a + b)/(a + b)] * C * \tan[(c + d*x)/2]^3 - 7*a^3*A*b*\sqrt{(-a + b)/(a + b)} * \\
& \tan[(c + d*x)/2]^5 + 7*a^2*A*b^2*\sqrt{(-a + b)/(a + b)} * \tan[(c + d*x)/2]^5 \\
& + 15*a*A*b^3*\sqrt{(-a + b)/(a + b)} * \tan[(c + d*x)/2]^5 - 15*A*b^4*\sqrt{(-a + b)/(a + b)} * \\
& \tan[(c + d*x)/2]^5 + 8*a^3*b*\sqrt{(-a + b)/(a + b)} * C * \tan[(c + d*x)/2]^5 - (8*I) \\
& * a^4*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - (22*I) * a^2*A*b^2*El \\
& lipticPi[-((a + b)/(a - b)), I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + (30*I) * A*b^4*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - (16*I) * a^4*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + (16*I) * a^2*b^2*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - (8*I) * a^4*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \tan[(c + d*x)/2]^2 * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - (22*I) * a^2*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \tan[(c + d*x)/2]^2 * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + (30*I) * A*b^4*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \tan[(c + d*x)/2]^2 * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - (16*I) * a^4*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \tan[(c + d*x)/2]^2 * \sqrt{1 - \tan[(c + d*x)/2]^2} * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + I*(a - b)*b*(-15*A*b^2 + a^2*(7*A - 8*C))*EllipticE[I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \sqrt{1 - \tan[(c + d*x)/2]^2} * (1 + \tan[(c + d*x)/2]^2) * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + (2*I) * (a - b) * (10*a*A*b^2 + 15*A*b^3 + 2*a^3*(A + 2*C) + a^2*b*(A + 8*C)) * EllipticF[I*ArcSinh[\sqrt{(-a + b)/(a + b)}] * \tan[(c + d*x)/2]], \\
& (a + b)/(a - b)] * \sqrt{1 - \tan[(c + d*x)/2]^2} * (1 + \tan[(c + d*x)/2]^2) * \sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)))/(2*a^3*\sqrt{(-a + b)/(a + b)} * (a^2 - b^2) * d * (a + b * \sec[c + d*x])^(3/2) * (-1 + \tan[(c + d*x)/2]^2) * \sqrt{(1 + \tan[(c + d*x)/2]^2)/(1 - \tan[(c + d*x)/2]^2)} * (a*(-1 + \tan[(c + d*x)/2]^2) - b*(1 + \tan[(c + d*x)/2]^2)))/2
\end{aligned}$$

Maple [B] time = 0.51, size = 3529, normalized size = 7.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2 * (A+C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^{3/2}, x)$

[Out] $\frac{1}{8} \frac{d}{a^3} \frac{1}{(a+b)} \frac{1}{(a-b)} a^4 \sqrt{\frac{b+a \cos(dx+c)}{\cos(dx+c)}} \left(-8A \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^4 \sin(dx+c) - 2A a^4 \cos(dx+c)^4 + 2A a^4 \cos(dx+c)^2 - 15A \cos(dx+c)^2 b^4 + 30A \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b} \right)^{1/2} \right) b^4 \sin(dx+c) + 7A \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \sin(dx+c) - 15A \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \sin(dx+c) - 2A \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \sin(dx+c) + 4A \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \sin(dx+c) + 10A \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \sin(dx+c) + 8C \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^4 \sin(dx+c) - 16C a^4 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \sin(dx+c) \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b} \right)^{1/2} \right) + 5A \cos(dx+c)^3 a^3 b - 5A \cos(dx+c)^3 a^3 b^3 - 7A \cos(dx+c)^2 a^3 b + 5A \cos(dx+c)^2 a^2 b^2 + 2A \cos(dx+c) a^3 b - 7A \cos(dx+c) a^2 b^2 - 10A \cos(dx+c) a^3 b^3 + 15A \cos(dx+c)^2 a^2 b^3 + 2A \cos(dx+c)^4 a^2 b^2 + 8C \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) \cos(dx+c) \sin(dx+c) a^3 b - 8C \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) \cos(dx+c) \sin(dx+c) a^3 b - 8C \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) \cos(dx+c) \sin(dx+c) a^2 b^2 + 16C \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b} \right)^{1/2} \right) \cos(dx+c)$

$$\begin{aligned}
& x+c) \cdot \sin(d*x+c) \cdot a^2 \cdot b^2 - 15 \cdot A \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+ \\
& a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((\\
& a-b)/(a+b))^{1/2}) \cdot b^4 \cdot \sin(d*x+c) + 4 \cdot A \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/ \\
& (a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(d*x+c)) / \sin(\\
& d*x+c), ((a-b)/(a+b))^{1/2}) \cdot a^4 \cdot \sin(d*x+c) - 22 \cdot A \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(\\
& d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \\
&) \cdot \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) \cdot a^2 \cdot b^2 + 7 \cdot A \\
& \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(\\
& d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(\\
& a+b))^{1/2}) \cdot a^3 \cdot b + 7 \cdot A \cdot \cos(d*x+c) \cdot a^2 \cdot b^2 \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \\
& \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \sin(d*x+c) \cdot \text{EllipticE}((-1+c \\
& os(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) - 15 \cdot A \cdot \cos(d*x+c) \cdot b^3 \cdot (\cos(d*x+c) / \\
& (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \sin(d \\
& *x+c) \cdot \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) \cdot a^{-2} \cdot A \cdot \cos(d \\
& *x+c) \cdot a^3 \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(\\
& d*x+c)+1))^{1/2} \cdot \sin(d*x+c) \cdot \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+ \\
& b))^{1/2}) \cdot b + 4 \cdot A \cdot \cos(d*x+c) \cdot a^2 \cdot b^2 \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a \\
& +b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \sin(d*x+c) \cdot \text{EllipticF}((-1+\cos(d*x \\
& +c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) + 10 \cdot A \cdot \cos(d*x+c) \cdot b^3 \cdot (\cos(d*x+c) / (\cos(d \\
& *x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \sin(d*x+c) \cdot \\
& \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) \cdot a^{-8} \cdot C \cdot \cos(d*x+c) \cdot \\
& 2 \cdot a^2 \cdot b^2 + 8 \cdot C \cdot \cos(d*x+c) \cdot 2 \cdot a^3 \cdot b - 8 \cdot C \cdot \cos(d*x+c) \cdot a^3 \cdot b + 8 \cdot C \cdot \cos(d*x+c) \cdot a^2 \cdot b^2 \\
& - 8 \cdot A \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \\
& \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1 \\
& , ((a-b)/(a+b))^{1/2}) \cdot a^4 + 30 \cdot A \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c) / (\cos(d*x+c) \\
& +1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticPi}((-1+ \\
& \cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) \cdot b^4 - 15 \cdot A \cdot \cos(d*x+c) \cdot \sin(d*x+ \\
& c) \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+ \\
& 1))^{1/2} \cdot \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) \cdot b^4 + 4 \cdot A \\
& \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(\\
& d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(\\
& a+b))^{1/2}) \cdot a^4 - 22 \cdot A \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d \\
& *x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b) \\
&) / (a+b))^{1/2}) \cdot a^2 \cdot b^2 \cdot \sin(d*x+c) + 7 \cdot A \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1 \\
& / (a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(d*x+c)) / \sin \\
& (d*x+c), ((a-b)/(a+b))^{1/2}) \cdot a^3 \cdot b \cdot \sin(d*x+c) + 8 \cdot C \cdot (\cos(d*x+c) / (\cos(d*x+c)+1 \\
&))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(\\
& d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot a^4 - 16 \cdot C \cdot a^4 \cdot \\
& (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1)) \\
& ^{1/2} \cdot \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) \cdot \cos(d* \\
& x+c) \cdot \sin(d*x+c) + 8 \cdot C \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(d*x \\
& +c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b) \\
&))^{1/2}) \cdot a^3 \cdot b \cdot \sin(d*x+c) - 8 \cdot C \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \cdot (1/(a+b) \cdot (\\
& b+a \cdot \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2}) \cdot a^3 \cdot b \cdot \sin(d*x+c) - 8 \cdot C \cdot (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}
\end{aligned}$$

$$\frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)} \sqrt{\frac{-1+\cos(dx+c)}{\sin(dx+c)}} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^2 \sin(dx+c) + 16 C \frac{\cos(dx+c)}{(\cos(dx+c)+1)} \sqrt{\frac{-1+\cos(dx+c)}{\sin(dx+c)}} \operatorname{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^2 \sin(dx+c) + 15 A \cos(dx+c) b^4 \frac{1}{(b+a \cos(dx+c)) \sin(dx+c)}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \cos(dx+c)^2}{(b \sec(dx+c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + A)*cos(dx+c)^2/(b*sec(dx+c) + a)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(C \cos(dx+c)^2 \sec(dx+c)^2 + A \cos(dx+c)^2) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*cos(dx+c)^2*sec(dx+c)^2 + A*cos(dx+c)^2)*sqrt(b*sec(dx+c) + a)/(b^2*sec(dx+c)^2 + 2*a*b*sec(dx+c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/(b*sec(d*x + c) + a)^(3/2), x)
```

$$3.748 \quad \int \frac{\sec^3(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=488

$$\frac{2(2a^2b^2(A-8C) + 12a^3bC + 16a^4C + 3ab^3(A-3C) - b^4(3A+C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticE}}{3b^4d\sqrt{a+b}(a^2-b^2)}$$

```
[Out] (4*a*(a^2*b^2*(A - 14*C) - b^4*(3*A - 4*C) + 8*a^4*C)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^5*
Sqrt[a + b]*(a^2 - b^2)*d) + (2*(2*a^2*b^2*(A - 8*C) + 3*a*b^3*(A - 3*C) +
16*a^4*C + 12*a^3*b*C - b^4*(3*A + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a
+ b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]
))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^4*Sqrt[a + b]*(a^
2 - b^2)*d) - (2*(A*b^2 + a^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 - b
^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (4*a*(2*A*b^4 - 3*a^4*C + 5*a^2*b^2*C)*
Tan[c + d*x])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b^2
+ 2*a^2*C - b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b^3*(a^2 - b^2
)*d)
```

Rubi [A] time = 1.30115, antiderivative size = 488, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4099, 4090, 4082, 4005, 3832, 4004}

$$\frac{2(a^2C + Ab^2) \tan(c+dx) \sec^2(c+dx)}{3bd(a^2 - b^2)(a + b \sec(c+dx))^{3/2}} + \frac{2(2a^2C + Ab^2 - b^2C) \tan(c+dx) \sqrt{a + b \sec(c+dx)}}{3b^3d(a^2 - b^2)} - \frac{4a(5a^2b^2C - 3a^4C)}{3b^3d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2),x]
```

```
[Out] (4*a*(a^2*b^2*(A - 14*C) - b^4*(3*A - 4*C) + 8*a^4*C)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^5*
Sqrt[a + b]*(a^2 - b^2)*d) + (2*(2*a^2*b^2*(A - 8*C) + 3*a*b^3*(A - 3*C) +
16*a^4*C + 12*a^3*b*C - b^4*(3*A + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a
+ b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]
))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^4*Sqrt[a + b]*(a^
2 - b^2)*d) - (2*(A*b^2 + a^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 - b
^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (4*a*(2*A*b^4 - 3*a^4*C + 5*a^2*b^2*C)*
Tan[c + d*x])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b^2
+ 2*a^2*C - b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b^3*(a^2 - b^2
)*d)
```

$$2 - b^2)d) - (2*(A*b^2 + a^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^{(3/2)}) - (4*a*(2*A*b^4 - 3*a^4*C + 5*a^2*b^2*C)*Tan[c + d*x])/(3*b^3*(a^2 - b^2)^2*d*sqrt[a + b*Sec[c + d*x]]) + (2*(A*b^2 + 2*a^2*C - b^2*C)*sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b^3*(a^2 - b^2)*d)$$

Rule 4099

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(d*(A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) + a^2*C*(n - 1) + a*b*(A + C)*(m + 1)*Csc[e + f*x] - (A*b^2*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B - a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^3(c + dx) (A + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx &= -\frac{2 (Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b (a^2 - b^2) d (a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{\sec^2(c+dx) \left(2(Ab^2+a^2C) - \frac{3}{2}ab(A+C)\right)}{(a+b \sec(c+dx))^{3/2}} dx}{3b (a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} \\
 &= -\frac{2 (Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b (a^2 - b^2) d (a + b \sec(c + dx))^{3/2}} - \frac{4a (2Ab^4 - 3a^4C + 5a^2b^2C) \tan(c + dx)}{3b^3 (a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\
 &= -\frac{2 (Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b (a^2 - b^2) d (a + b \sec(c + dx))^{3/2}} - \frac{4a (2Ab^4 - 3a^4C + 5a^2b^2C) \tan(c + dx)}{3b^3 (a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\
 &= -\frac{2 (Ab^2 + a^2C) \sec^2(c + dx) \tan(c + dx)}{3b (a^2 - b^2) d (a + b \sec(c + dx))^{3/2}} - \frac{4a (2Ab^4 - 3a^4C + 5a^2b^2C) \tan(c + dx)}{3b^3 (a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{4a (a^2b^2(A - 14C) - b^4(3A - 4C) + 8a^4C) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}} \right) \right)}{3(a-b)b^5(a+b)^{3/2}d}
 \end{aligned}$$

Mathematica [B] time = 26.4024, size = 4050, normalized size = 8.3

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2),x]

[Out]
$$\begin{aligned} & ((b + a\cos[c + dx])^3 \sec[c + dx] (A + C \sec[c + dx]^2) \left((-8a(a^2Ab^2 - 3A^2b^4 + 8a^4C - 14a^2b^2C + 4b^4C)) \sin[c + dx] \right) / (3b^4(a^2 - b^2)^2) \\ & - (4(aAb^2 \sin[c + dx] + a^3C \sin[c + dx])) / (3b^2(-a^2 + b^2)(b + a\cos[c + dx])^2) \\ & - (4(-a^3Ab^2 \sin[c + dx]) + 5aAb^4 \sin[c + dx] - 7a^5C \sin[c + dx] + 11a^3b^2C \sin[c + dx]) / (3b^3(-a^2 + b^2)^2(b + a\cos[c + dx])) \\ & + (4C \tan[c + dx]) / (3b^3)) / (d(A + 2C + A \cos[2c + 2dx]) (a + b \sec[c + dx])^{5/2}) \\ & + (8(b + a\cos[c + dx])^2 \left((4a^3A) / (3b(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]} \sqrt{\sec[c + dx]} \right) \\ & - (4aAb) / ((-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]} \sqrt{\sec[c + dx]}) \\ & + (32a^5C) / (3b^3(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]} \sqrt{\sec[c + dx]}) \\ & - (56a^3C) / (3b(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]} \sqrt{\sec[c + dx]}) \\ & + (16aAbC) / (3(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]} \sqrt{\sec[c + dx]}) \\ & - (10a^2A \sqrt{\sec[c + dx]}) / (3(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & + (4a^4A \sqrt{\sec[c + dx]}) / (3b^2(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & + (2Ab^2 \sqrt{\sec[c + dx]}) / ((-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & + (10a^2C \sqrt{\sec[c + dx]}) / ((-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & + (32a^6C \sqrt{\sec[c + dx]}) / (3b^4(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & - (64a^4C \sqrt{\sec[c + dx]}) / (3b^2(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & + (2b^2C \sqrt{\sec[c + dx]}) / (3(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & - (4a^2A \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / ((-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & + (4a^4A \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (3b^2(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & + (16a^2C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (3(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & + (32a^6C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (3b^4(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & - (56a^4C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (3b^2(-a^2 + b^2)^2 \sqrt{b + a\cos[c + dx]}) \\ & \left. \right) \sqrt{\sec[c + dx]} \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} (A + C \sec[c + dx]^2) (2a(a + b)(a^2b^2(A - 14C) + 8a^4C + b^4(-3A + 4C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])}) \\ & \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + b(a + b)(-2a^2b^2(A - 8C) + 3aAb^3(A - 3C) - 16a^4C + 12a^3bC + b^4(3A + C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \\ & \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + a(a^2b^2(A - 14C) + 8a^4C + b^4(-3A + 4C)) \cos[c + dx] (b + a\cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) \\ & / (3b^4(a^2 - b^2)^2 d(A + 2C + A \cos[2c + 2dx]) \sqrt{\sec[(c + dx)/2]^2} (a + b \sec[c + dx])^{5/2} \left((4a \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \sin[c + dx] (2a(a + b)(a^2b^2(A - 14C) + 8a^4C + b^4(-3A + 4C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])}) \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + b(a + b)(-2a^2b^2(A - 8C) + 3aAb^3(A - 3C) - 16a^4C + 12a^3bC + b^4(3A + C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \right) \end{aligned}$$

$$\begin{aligned}
& [c + d*x]]*Sqrt[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*b^4*(a^2 - b^2)^2*(b + a*\text{Cos}[c + d*x])^(3/2)*Sqrt[\text{Sec}[(c + d*x)/2]^2]) - (4*Sqrt[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*a*(a + b)*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*Sqrt[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*Sqrt[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-2*a^2*b^2*(A - 8*C) + 3*a*b^3*(A - 3*C) - 16*a^4*C + 12*a^3*b*C + b^4*(3*A + C))*Sqrt[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*Sqrt[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*b^4*(a^2 - b^2)^2*Sqrt[b + a*\text{Cos}[c + d*x]]*Sqrt[\text{Sec}[(c + d*x)/2]^2]) + (8*Sqrt[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((a*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4)/2 + (a*(a + b)*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*Sqrt[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/((1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))))/Sqrt[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (b*(a + b)*(-2*a^2*b^2*(A - 8*C) + 3*a*b^3*(A - 3*C) - 16*a^4*C + 12*a^3*b*C + b^4*(3*A + C))*Sqrt[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/((1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))))/(2*Sqrt[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) + (a*(a + b)*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*Sqrt[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((-(a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/Sqrt[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(a + b)*(-2*a^2*b^2*(A - 8*C) + 3*a*b^3*(A - 3*C) - 16*a^4*C + 12*a^3*b*C + b^4*(3*A + C))*Sqrt[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((-(a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/((2*Sqrt[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]) - a^2*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - a*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + a*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (b*(a + b)*(-2*a^2*b^2*(A - 8*C) + 3*a*b^3*(A - 3*C) - 16*a^4*C + 12*a^3*b*C + b^4*(3*A + C))*Sqrt[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*Sqrt[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(2*Sqrt[1 - \text{Tan}[(c + d*x)/2]^2]*Sqrt[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + (a*(a + b)*(a^2*b^2*(A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*Sqrt[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*Sqrt[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*Sqrt[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)])
\end{aligned}$$

$$\begin{aligned} & x)/2)^2/(a+b)]/Sqrt[1 - Tan[(c+d*x)/2]^2])/(3*b^4*(a^2 - b^2)^2*Sqrt \\ & [b + a*Cos[c + d*x]]*Sqrt[Sec[(c+d*x)/2]^2]) + (4*(2*a*(a+b)*(a^2*b^2*(\\ & A - 14*C) + 8*a^4*C + b^4*(-3*A + 4*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x] \\ &)]*Sqrt[(b + a*Cos[c + d*x])/((a+b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin \\ & [Tan[(c+d*x)/2]], (a-b)/(a+b)] + b*(a+b)*(-2*a^2*b^2*(A - 8*C) + 3* \\ & a*b^3*(A - 3*C) - 16*a^4*C + 12*a^3*b*C + b^4*(3*A + C))*Sqrt[Cos[c + d*x]/ \\ & (1 + Cos[c + d*x]))*Sqrt[(b + a*Cos[c + d*x])/((a+b)*(1 + Cos[c + d*x]))] \\ & *EllipticF[ArcSin[Tan[(c+d*x)/2]], (a-b)/(a+b)] + a*(a^2*b^2*(A - 14* \\ & C) + 8*a^4*C + b^4*(-3*A + 4*C))*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + \\ & d*x)/2]^2*Tan[(c+d*x)/2]*(-(Cos[(c+d*x)/2]*Sec[c + d*x]*Sin[(c+d*x) \\ & /2]) + Cos[(c+d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(3*b^4*(a^2 - b^2)^2* \\ & Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c+d*x)/2]^2]*Sqrt[Cos[(c+d*x)/2]^2*S \\ & ec[c + d*x]])) \end{aligned}$$

Maple [B] time = 1.344, size = 7051, normalized size = 14.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^5 + A \sec(dx+c)^3) \sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^5 + A*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^3/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.749 \quad \int \frac{\sec^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=408

$$\frac{2(6a^2bC + 8a^3C - ab^2(A + 9C) + 3b^3(A - C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3b^3d\sqrt{a+b}(a^2 - b^2)}$$

```
[Out] (2*(3*b^4*(A - C) - 8*a^4*C + a^2*b^2*(A + 15*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^4*Sqrt[a + b]*(a^2 - b^2)*d) - (2*(3*b^3*(A - C) + 8*a^3*C + 6*a^2*b*C - a*b^2*(A + 9*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*Sqrt[a + b]*(a^2 - b^2)*d) + (2*a*(A*b^2 + a^2*C)*Tan[c + d*x])/((3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(3*A*b^4 - 5*a^4*C + a^2*b^2*(A + 9*C))*Tan[c + d*x])/((3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))
```

Rubi [A] time = 0.821386, antiderivative size = 408, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4091, 4080, 4005, 3832, 4004}

$$\frac{2(a^2b^2(A + 9C) - 5a^4C + 3Ab^4) \tan(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} + \frac{2a(a^2C + Ab^2) \tan(c + dx)}{3b^2d(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} - \frac{2(6a^2bC + 8a^3C - ab^2(A + 9C) - 3b^3(A - C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3b^3d\sqrt{a+b}(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] (2*(3*b^4*(A - C) - 8*a^4*C + a^2*b^2*(A + 15*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^4*Sqrt[a + b]*(a^2 - b^2)*d) - (2*(3*b^3*(A - C) + 8*a^3*C + 6*a^2*b*C - a*b^2*(A + 9*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*Sqrt[a + b]*(a^2 - b^2)*d) + (2*a*(A*b^2 + a^2*C)*Tan[c + d*x])/((3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(3*A*b^4 - 5*a^4*C + a^2*b^2*(A + 9*C))*Tan[c + d*x])/((3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))
```

Sqrt[a + b*Sec[c + d*x]])

Rule 4091

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(a*(A*b^2 + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(a^2*C + A*b^2) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4080

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,

2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \frac{2a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2\int \frac{\sec(c+dx)\left(-\frac{3}{2}b(Ab^2+a^2C)+\frac{1}{2}a(Ab^2-2a^2C+3b^2)\right)}{(a+b\sec(c+dx))^{3/2}} dx}{3b^2(a^2-b^2)} \\ &= \frac{2a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(3Ab^4-5a^4C+a^2b^2(A+9C))\tan(c+dx)}{3b^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\ &= \frac{2a(Ab^2+a^2C)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(3Ab^4-5a^4C+a^2b^2(A+9C))\tan(c+dx)}{3b^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\ &= \frac{2(3b^4(A-C)-8a^4C+a^2b^2(A+15C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3(a-b)b^4(a+b)^{3/2}d} \end{aligned}$$

Mathematica [A] time = 22.5669, size = 702, normalized size = 1.72

$$4\sqrt{2}\sqrt{\frac{\cos(c+dx)}{(\cos(c+dx)+1)^2}}\sqrt{\sec(c+dx)}\sqrt{\cos(c+dx)\sec^2\left(\frac{1}{2}(c+dx)\right)}\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)^{3/2}(a\cos(c+dx)+b)^2(A$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((-4*(a^2*A*b^2 + 3*A*b^4 - 8*a^4*C + 15*a^2*b^2*C - 3*b^4*C)*Sin[c + d*x])/(3*b^3*(-a^2 + b^2)^2) + (4*(A*b^2*SIN[c + d*x] + a^2*C*SIN[c + d*x]))/(3*b*(-a^2 + b^2)*(b + a*Cos[c + d*x])^2) + (8*(a^2*A*b^2*SIN[c + d*x] + A*b^4*SIN[c + d*x] - 2*a^4*C*SIN[c + d*x] + 4*a^2*b^2*C*SIN[c + d*x]))/(3*b^2*(-a^2 + b^2)^2*(b + a*Cos[c + d*x])))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(5/2)) + (4*Sqrt[2]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])^2]*(b + a*Cos[c + d*x])^2*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]]*(Cos[(c

$$+ d*x)/2]^2*\text{Sec}[c + d*x]^{(3/2)}*(A + C*\text{Sec}[c + d*x]^2)*(-((a + b)*((8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(3*b^3*(A - C) - 8*a^3*C + 6*a^2*b*C + a*b^2*(A + 9*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b))*\text{Sec}[c + d*x] + (3*b^4*(A - C) - 8*a^4*C + a^2*b^2*(A + 15*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4*\text{Tan}[(c + d*x)/2]))/(3*b^3*(a^2 - b^2)^2*d*\text{Sqrt}[(1 + \text{Cos}[c + d*x])^{-1}]*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*(a + b*\text{Sec}[c + d*x])^{(5/2)})$$

Maple [B] time = 0.805, size = 6135, normalized size = 15.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^4 + A \sec(dx + c)^2)\sqrt{b \sec(dx + c) + a}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^4 + A*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**(5/2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)^2/(b*sec(d*x + c) + a)^(5/2), x)
```


$$3.750 \quad \int \frac{\sec(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=378

$$\frac{2(2a^2C + 3ab(A + C) - b^2(A + 3C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^2 d \sqrt{a+b} (a^2 - b^2)}$$

```
[Out] (-4*a*(2*A*b^2 - a^2*C + 3*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*
Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^3*(a + b)^(3/2
)*d) + (2*(2*a^2*C + 3*a*b*(A + C) - b^2*(A + 3*C))*Cot[c + d*x]*EllipticF[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*Sq
rt[a + b]*(a^2 - b^2)*d) - (2*(A*b^2 + a^2*C)*Tan[c + d*x])/((3*b*(a^2 - b^2
)*d*(a + b*Sec[c + d*x])^(3/2)) - (4*a*(2*A*b^2 - a^2*C + 3*b^2*C)*Tan[c +
d*x])/((3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))
```

Rubi [A] time = 0.693751, antiderivative size = 378, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4081, 4003, 4005, 3832, 4004}

$$\frac{4a(a^2(-C) + 2Ab^2 + 3b^2C) \tan(c + dx)}{3bd(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} - \frac{2(a^2C + Ab^2) \tan(c + dx)}{3bd(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} + \frac{2(2a^2C + 3ab(A + C) - b^2(A + 3C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^2 d \sqrt{a+b} (a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2),x]
```

```
[Out] (-4*a*(2*A*b^2 - a^2*C + 3*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*
Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^3*(a + b)^(3/2
)*d) + (2*(2*a^2*C + 3*a*b*(A + C) - b^2*(A + 3*C))*Cot[c + d*x]*EllipticF[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*Sq
rt[a + b]*(a^2 - b^2)*d) - (2*(A*b^2 + a^2*C)*Tan[c + d*x])/((3*b*(a^2 - b^2
)*d*(a + b*Sec[c + d*x])^(3/2)) - (4*a*(2*A*b^2 - a^2*C + 3*b^2*C)*Tan[c +
d*x])/((3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))
```

Rule 4081

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[
(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((A*b^2 + a^2*C)
*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] +
Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m +
1)*Simp[a*b*(A + C)*(m + 1) - (A*b^2 + a^2*C + b*(A*b + b*C)*(m + 1))*Csc[
e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && LtQ[m, -1] && NeQ[a
^2 - b^2, 0]
```

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e
+ f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(
(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a
*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x] /; FreeQ[{
a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -
1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= -\frac{2(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2\int \frac{\sec(c+dx)\left(-\frac{3}{2}ab(A+C)+\frac{1}{2}(Ab^2-2a^2C+3b^2C)\right)}{(a+b\sec(c+dx))^{3/2}}}{3b(a^2-b^2)} \\
&= -\frac{2(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{4a(2Ab^2-a^2C+3b^2C)\tan(c+dx)}{3b(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{2(Ab^2+a^2C)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{4a(2Ab^2-a^2C+3b^2C)\tan(c+dx)}{3b(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{4a(2Ab^2-(a^2-3b^2)C)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3(a-b)b^3(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [B] time = 23.8041, size = 3369, normalized size = 8.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((-8*a*(-2*A*b^2 + a^2*C - 3*b^2*C)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2) + (4*(A*b^2*Sin[c + d*x] + a^2*C*Sin[c + d*x]))/(3*a*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (4*(-5*a^2*A*b^2*Sin[c + d*x] + A*b^4*Sin[c + d*x] + a^4*C*Sin[c + d*x] - 5*a^2*b^2*C*Sin[c + d*x]))/(3*a*b*(-a^2 + b^2)^2*(b + a*Cos[c + d*x]))) / (d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(5/2)) + (8*(b + a*Cos[c + d*x])^2*((-8*a*A*b)/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (4*a^3*C)/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (4*a*b*C)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (2*a^2*A*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (2*A*b^2*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (10*a^2*C*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (4*a^4*C*Sqrt[Sec[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (2*b^2*C*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^2*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (4*a^2*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]]

$$\begin{aligned}
&])/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + d*x]}) + (4*a^4*C*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(3*b^2*(-a^2 + b^2)^2 \sqrt{b + a \cos[c + d*x]}) * \sqrt{\sec[c + d*x]} * \sqrt{\cos[(c + d*x)/2]^2 \sec[c + d*x]} * (A + C*\sec[c + d*x]^2) * (2*a*(a + b)*(-2*A*b^2 + (a^2 - 3*b^2)*C) * \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}) * \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-2*a^2*C + 3*a*b*(A + C) + b^2*(A + 3*C)) * \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} * \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(-2*A*b^2 + (a^2 - 3*b^2)*C) * \cos[c + d*x] * (b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2 * \tan[(c + d*x)/2]) / (3*(-(a^2*b) + b^3)^2 * d * (A + 2*C + A*\cos[2*c + 2*d*x]) * \sqrt{\sec[(c + d*x)/2]^2} * (a + b*\sec[c + d*x])^{5/2} * ((4*a*\sqrt{\cos[(c + d*x)/2]^2 \sec[c + d*x]} * \sin[c + d*x] * (2*a*(a + b)*(-2*A*b^2 + (a^2 - 3*b^2)*C) * \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}) * \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-2*a^2*C + 3*a*b*(A + C) + b^2*(A + 3*C)) * \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} * \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(-2*A*b^2 + (a^2 - 3*b^2)*C) * \cos[c + d*x] * (b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2 * \tan[(c + d*x)/2]) / (3*(-(a^2*b) + b^3)^2 * (b + a*\cos[c + d*x])^{3/2} * \sqrt{\sec[(c + d*x)/2]^2}) - (4*\sqrt{\cos[(c + d*x)/2]^2 \sec[c + d*x]} * \tan[(c + d*x)/2] * (2*a*(a + b)*(-2*A*b^2 + (a^2 - 3*b^2)*C) * \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}) * \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(a + b)*(-2*a^2*C + 3*a*b*(A + C) + b^2*(A + 3*C)) * \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} * \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + a*(-2*A*b^2 + (a^2 - 3*b^2)*C) * \cos[c + d*x] * (b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2 * \tan[(c + d*x)/2]) / (3*(-(a^2*b) + b^3)^2 * \sqrt{b + a*\cos[c + d*x]} * \sqrt{\sec[(c + d*x)/2]^2}) + (8*\sqrt{\cos[(c + d*x)/2]^2 \sec[c + d*x]} * ((a*(-2*A*b^2 + (a^2 - 3*b^2)*C) * \cos[c + d*x] * (b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^4) / 2 + (a*(a + b)*(-2*A*b^2 + (a^2 - 3*b^2)*C) * \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\cos[c + d*x] * \sin[c + d*x]) / (1 + \cos[c + d*x])^2 - \sin[c + d*x] / (1 + \cos[c + d*x]))) / \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}) + (b*(a + b)*(-2*a^2*C + 3*a*b*(A + C) + b^2*(A + 3*C)) * \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\cos[c + d*x] * \sin[c + d*x]) / (1 + \cos[c + d*x])^2 - \sin[c + d*x] / (1 + \cos[c + d*x]))) / (2*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}) + (a*(a + b)*(-2*A*b^2 + (a^2 - 3*b^2)*C) * \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-(a*\sin[c + d*x]) / ((a + b)*(1 + \cos[c + d*x]))) + ((b + a*\cos[c + d*x]) * \sin[c + d*x]) / ((a + b)*(1 + \cos[c + d*x])^2)) / \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} + (b*(a + b)*(-2*a^2*C + 3*a*b*(A + C) + b^2*(A + 3*C)) * \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-(a*\sin[c + d*x]) / ((a + b)*(1 + \cos[c + d*x]))) + ((b + a*\cos[c + d*x]) * \sin[c + d*x]) / ((a + b)*(1 + \cos[c + d*x])^2)) / (2*\sqrt{(b + a*
\end{aligned}$$

$$\begin{aligned} & \cos[c + dx] / ((a + b)(1 + \cos[c + dx])) - a^2(-2Ab^2 + (a^2 - 3b^2)C) \cos[c + dx] \sec[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] - a(-2Ab^2 + (a^2 - 3b^2)C) (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] + a(-2Ab^2 + (a^2 - 3b^2)C) \cos[c + dx] (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]^2 + (b(a + b)(-2a^2C + 3ab(A + C) + b^2(A + 3C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \sec[(c + dx)/2]^2) / (2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)}) + (a(a + b)(-2Ab^2 + (a^2 - 3b^2)C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \sec[(c + dx)/2]^2 \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \tan[(c + dx)/2]^2}) / (3(-a^2b) + b^3)^2 \sqrt{b + a \cos[c + dx]} \sqrt{\sec[(c + dx)/2]^2} + (4(2a(a + b)(-2Ab^2 + (a^2 - 3b^2)C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b) / (a + b)] + b(a + b)(-2a^2C + 3ab(A + C) + b^2(A + 3C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b) / (a + b)] + a(-2Ab^2 + (a^2 - 3b^2)C) \cos[c + dx] (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) * (-\cos[(c + dx)/2] \sec[c + dx] \sin[(c + dx)/2] + \cos[(c + dx)/2]^2 \sec[c + dx] \tan[c + dx])) / (3(-a^2b) + b^3)^2 \sqrt{b + a \cos[c + dx]} \sqrt{\sec[(c + dx)/2]^2} \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]}) \end{aligned}$$

Maple [B] time = 0.44, size = 4550, normalized size = 12.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c) * (A+C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^{5/2}, x)$

[Out]
$$\begin{aligned} & -1/3/d/(a-b)^2/(a+b)^2/b^2*4^{1/2}*(2*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c) / (\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^5+A*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^5+3*C*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^5+A*\cos(dx+c)^3*b^5-2*C*\cos(dx+c)^3*a^5-4*A*\cos(dx+c)^2*a^3*b^2-4*A*\cos(dx+c)^2*a*b^4-4*C*\cos(dx+c)^2*a^3*b^2+2*C*\cos(dx+c)^2*a^5-A*\cos(dx+c)*b^5+7*A*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)*\operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b) \end{aligned}$$

$$\begin{aligned}
&)/(a+b)^{(1/2)} * a^2 * b^3 - 4 * A * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 \\
&/ (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin \\
&(d*x+c), ((a-b)/(a+b))^{(1/2)} * a * b^4 - 2 * C * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1 \\
&))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(\\
&d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a^3 * b^2 + C * \sin(d*x+c) * (\cos(d*x+c) / (c \\
&os(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{Ellipti \\
&cF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a^2 * b^3 + 6 * C * \sin(d*x+c) * (\\
&\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(\\
&1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a * b^4 + 2 * C * s \\
&\sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(\\
&d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \\
&a^4 * b + 2 * C * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d* \\
&x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+ \\
&b))^{(1/2)} * a^3 * b^2 - 6 * C * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b \\
&)) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+ \\
&c), ((a-b)/(a+b))^{(1/2)} * a^2 * b^3 - 6 * C * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(\\
&1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x \\
&+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a * b^4 + 5 * A * \sin(d*x+c) * (\cos(d*x+c) / (\cos(\\
&d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c) \\
&* \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a * b^4 - 4 * A * \sin(d* \\
&x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c \\
&+1))^{(1/2)} * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(\\
&1/2)} * a^3 * b^2 - 4 * A * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+ \\
&a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin \\
&(d*x+c), ((a-b)/(a+b))^{(1/2)} * a * b^4 - 2 * C * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+ \\
&1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c) * \text{Ellipt \\
&icF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a^4 * b - C * \sin(d*x+c) * (\cos \\
&(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/ \\
&2)} * \cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a^3 \\
&* b^2 + 7 * C * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x \\
&+c)) / (\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), \\
&((a-b)/(a+b))^{(1/2)} * a^2 * b^3 + 9 * C * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/ \\
&2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c) * \text{EllipticF}((-1 \\
&+ \cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a * b^4 - 4 * C * \sin(d*x+c) * (\cos(d*x+ \\
&c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * co \\
&s(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a^3 * b^2 - \\
&6 * C * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / \\
&(\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b \\
&)/(a+b))^{(1/2)} * a * b^4 + 3 * A * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\\
&a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c)^2 * \text{EllipticF}((-1+\cos(\\
&d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a^3 * b^2 - 8 * A * \sin(d*x+c) * (\cos(d*x+c) / \\
&(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{Ellip \\
&ticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \cos(d*x+c) * a^2 * b^3 + 3 * A \\
&* \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (co \\
&s(d*x+c)+1))^{(1/2)} * \cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(
\end{aligned}$$

$$x+c)^3 a^4 b - 5C \cos(dx+c)^3 a^2 b^3 + 8A \cos(dx+c)^2 a^2 b^3 - 4C \cos(dx+c)^2 a^4 b + 4A \sin(dx+c) \cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \left(\frac{1}{(a+b)(b+a \cos(dx+c))(\cos(dx+c)+1)}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^3 \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)}\right)^{1/2} / \sin(dx+c) / (b+a \cos(dx+c))^2$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + A \sec(dx+c)) \sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2 b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(5/2),x, algorithm="fricas")

[Out] integral((C*sec(dx + c)^3 + A*sec(dx + c))*sqrt(b*sec(dx + c) + a)/(b^3*sec(dx + c)^3 + 3*a*b^2*sec(dx + c)^2 + 3*a^2*b*sec(dx + c) + a^3), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x))**(5/2),
x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sec(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x
)
```

$$3.751 \quad \int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=517

$$\frac{2(6a^2Ab + 3a^2bC + a^3(-C) - aAb^2 - 3Ab^3) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3a^2bd(a-b)(a+b)^{3/2}}$$

[Out] (-2*(3*A*b^4 - a^4*C - a^2*b^2*(7*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*b^2*Sqrt[a + b]*(a^2 - b^2)*d) - (2*(6*a^2*A*b - a*A*b^2 - 3*A*b^3 - a^3*C + 3*a^2*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*b*(a + b)^(3/2)*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (2*(A*b^2 + a^2*C)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(3*A*b^4 - a^4*C - a^2*b^2*(7*A + 3*C))*Tan[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.773228, antiderivative size = 517, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {4061, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{2(-a^2b^2(7A + 3C) + a^4(-C) + 3Ab^4) \tan(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a + b \sec(c+dx)}} + \frac{2(a^2C + Ab^2) \tan(c+dx)}{3ad(a^2 - b^2)(a + b \sec(c+dx))^{3/2}} - \frac{2(6a^2Ab + 3a^2bC + a^3(-C))}{3a^2bd(a-b)(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (-2*(3*A*b^4 - a^4*C - a^2*b^2*(7*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*b^2*Sqrt[a + b]*(a^2 - b^2)*d) - (2*(6*a^2*A*b - a*A*b^2 - 3*A*b^3 - a^3*C + 3*a^2*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*b*(a + b)^(3/2)*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (2*(A*b^2 + a^2*C)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(3*A*b^4 - a^4*C - a^2*b^2*(7*A + 3*C))*Tan[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

$$\frac{(a+b)/(a-b)\sqrt{(b(1-\sec[c+dx]))/(a+b)\sqrt{-((b(1+\sec[c+dx]))/(a-b))}}/(a^3d) + (2*(A*b^2 + a^2*C)*\tan[c+dx])/(3*a*(a^2 - b^2)*d*(a + b*\sec[c+dx])^{(3/2)} - (2*(3*A*b^4 - a^4*C - a^2*b^2*(7*A + 3*C))*\tan[c+dx])/(3*a^2*(a^2 - b^2)^2*d*\sqrt{a + b*\sec[c+dx]})$$
Rule 4061

$$\text{Int}[(A + \csc[e + f*x])^m * (a + b*\csc[e + f*x])^{m+1} / (a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\csc[e + f*x])^{m+1} * \text{Simp}[A*(a^2 - b^2)*(m+1) - a*b*(A + C)*(m+1)*\csc[e + f*x] + (A*b^2 + a^2*C)*(m+2)*\csc[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m] \&\& \text{LtQ}[m, -1]$$
Rule 4060

$$\text{Int}[(A + \csc[e + f*x])^m * (B + \csc[e + f*x])^{m+1} / (a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\csc[e + f*x])^{m+1} * \text{Simp}[A*(a^2 - b^2)*(m+1) - a*(A*b - a*B + b*C)*(m+1)*\csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+2)*\csc[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$$
Rule 4058

$$\text{Int}[(A + \csc[e + f*x]) / \sqrt{a + b*\csc[e + f*x]}, x] + \text{Dist}[C, \text{Int}[(\csc[e + f*x])^{m+1} / \sqrt{a + b*\csc[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3921

$$\text{Int}[(\csc[e + f*x])^m * (d + c) / \sqrt{a + b*\csc[e + f*x]}, x] + \text{Dist}[d, \text{Int}[\csc[e + f*x] / \sqrt{a + b*\csc[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3784

$$\text{Int}[1/\sqrt{a + b*\csc[c + dx]}, x] + \text{Dist}[2*\text{Rt}[a + b, 2]*\sqrt{(b(1 - \csc[c + dx]))/(a + b)}*\sqrt{-((b(1 + \csc[c + dx]))/(a - b))}*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\sqrt{a + b*\csc[c + dx]}/\text{Rt}[a + b,$$

2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx &= \frac{2(Ab^2 + a^2C) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}A(a^2 - b^2) + \frac{3}{2}ab(A + C) \sec(c + dx) - \frac{1}{2}(Ab^2 + a^2C) \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{3a(a^2 - b^2)} \\ &= \frac{2(Ab^2 + a^2C) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} - \frac{2(3Ab^4 - a^4C - a^2b^2(7A + 3C)) \tan(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} + \frac{4 \int \dots}{\dots} \\ &= \frac{2(Ab^2 + a^2C) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} - \frac{2(3Ab^4 - a^4C - a^2b^2(7A + 3C)) \tan(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} + \frac{4 \int \dots}{\dots} \\ &= -\frac{2(3Ab^4 - a^4C - a^2b^2(7A + 3C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \Big| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3a^2(a-b)b^2(a+b)^{3/2}d} \\ &= -\frac{2(3Ab^4 - a^4C - a^2b^2(7A + 3C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \Big| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3a^2(a-b)b^2(a+b)^{3/2}d} \end{aligned}$$

Mathematica [B] time = 20.7577, size = 1727, normalized size = 3.34

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2),x]

[Out]
$$\begin{aligned} & ((b + a \cos[c + dx])^3 \sec[c + dx] (A + C \sec[c + dx]^2) \left((4(-7a^2Ab^2 + 3Ab^4 - a^4C - 3a^2b^2C) \sin[c + dx]) / (3a^2b(-a^2 + b^2)^2) \right. \\ & - (4(Ab^3 \sin[c + dx] + a^2b^2C \sin[c + dx])) / (3a^2(a^2 - b^2)(b + a \cos[c + dx])^2) \\ & + (8(4a^2Ab^2 \sin[c + dx] - 2Ab^4 \sin[c + dx] + a^4C \sin[c + dx] + a^2b^2C \sin[c + dx])) / (3a^2(a^2 - b^2)^2(b + a \cos[c + dx])) \\ & \left. \right) / (d(A + 2C + A \cos[2c + 2dx]) (a + b \sec[c + dx])^{5/2}) \\ & - (4(b + a \cos[c + dx])^{5/2} \sqrt{\sec[c + dx]} (A + C \sec[c + dx]^2) \sqrt{(1 - \tan[(c + dx)/2]^2)^{-1}} \\ & \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (1 + \tan[(c + dx)/2]^2)} \\ & (7a^3Ab^2 \tan[(c + dx)/2] + 7a^2Ab^3 \tan[(c + dx)/2] - 3aAb^4 \tan[(c + dx)/2] - 3Ab^5 \tan[(c + dx)/2] \\ & + a^5C \tan[(c + dx)/2] + a^4b^2C \tan[(c + dx)/2] + 3a^3b^2C \tan[(c + dx)/2] + 3a^2b^3C \tan[(c + dx)/2] \\ & - 14a^3Ab^2 \tan[(c + dx)/2]^3 + 6aAb^4 \tan[(c + dx)/2]^3 - 2a^5C \tan[(c + dx)/2]^3 - 6a^3b^2C \tan[(c + dx)/2]^3 \\ & + 7a^3Ab^2 \tan[(c + dx)/2]^5 - 7a^2Ab^3 \tan[(c + dx)/2]^5 - 3aAb^4 \tan[(c + dx)/2]^5 + 3Ab^5 \tan[(c + dx)/2]^5 \\ & + a^5C \tan[(c + dx)/2]^5 - a^4b^2C \tan[(c + dx)/2]^5 + 3a^3b^2C \tan[(c + dx)/2]^5 - 3a^2b^3C \tan[(c + dx)/2]^5 \\ & - 6a^4Ab \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \\ & \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} + 12a^2Ab^3 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \\ & \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} - 6Ab^5 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \\ & \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} - 6a^4Ab \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \\ & \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} + 12a^2Ab^3 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \\ & \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} - 6Ab^5 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \\ & \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} + (a + b) (-3Ab^4 + a^4C + a^2b^2(7A + 3C)) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \\ & (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} - a b (a + b) (-2Ab^2 + 3ab(A + C) + a^2(3A + C)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \end{aligned}$$

$$\frac{(x/2)^2 \sqrt{(a+b - a \tan[(c+dx)/2]^2 + b \tan[(c+dx)/2]^2) / (a+b)}}{(3a^2b(a^2 - b^2)^2 d (A + 2C + A \cos[2c + 2dx]) (a + b \sec[c + dx])^{5/2} \sqrt{1 + \tan[(c+dx)/2]^2} (a(-1 + \tan[(c+dx)/2]^2) - b(1 + \tan[(c+dx)/2]^2))}$$

Maple [B] time = 0.477, size = 6380, normalized size = 12.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2), x)

[Out] Integral((A + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.752 \quad \int \frac{\cos(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=559

$$\frac{(21a^2Ab^2 + a^3b(3A - 2C) + 6a^4C - 5aAb^3 - 15Ab^4) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3a^3bd(a-b)(a+b)^{3/2}}$$

```
[Out] -((26*a^2*A*b^2 - 15*A*b^4 - a^4*(3*A - 8*C))*Cot[c + d*x]*EllipticE[ArcSin
[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(3*a^3*(a - b)*
b*(a + b)^(3/2)*d) + ((21*a^2*A*b^2 - 5*a*A*b^3 - 15*A*b^4 + a^3*b*(3*A - 2
*C) + 6*a^4*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[
a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1
+ Sec[c + d*x]))/(a - b))])/(3*a^3*(a - b)*b*(a + b)^(3/2)*d) + (5*A*b*Sqr
t[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]
/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-
((b*(1 + Sec[c + d*x]))/(a - b))])/(a^4*d) + (A*Sin[c + d*x])/(a*d*(a + b*S
ec[c + d*x])^(3/2)) - (b*(5*A*b^2 - a^2*(3*A - 2*C))*Tan[c + d*x])/(3*a^2*(
a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (b*(26*a^2*A*b^2 - 15*A*b^4 - a^
4*(3*A - 8*C))*Tan[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]
])]
```

Rubi [A] time = 1.19001, antiderivative size = 559, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4105, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{b(26a^2Ab^2 + a^4(-3A - 8C) - 15Ab^4) \tan(c + dx)}{3a^3d(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} - \frac{b(5Ab^2 - a^2(3A - 2C)) \tan(c + dx)}{3a^2d(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} + \frac{(21a^2Ab^2 + a^3b(3A - 2C) + 6a^4C - 5aAb^3 - 15Ab^4) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3a^3bd(a-b)(a+b)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] -((26*a^2*A*b^2 - 15*A*b^4 - a^4*(3*A - 8*C))*Cot[c + d*x]*EllipticE[ArcSin
[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(3*a^3*(a - b)*
b*(a + b)^(3/2)*d) + ((21*a^2*A*b^2 - 5*a*A*b^3 - 15*A*b^4 + a^3*b*(3*A - 2
*C) + 6*a^4*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[
```



```

a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1
+ Sec[c + d*x]))/(a - b))]/(3*a^3*(a - b)*b*(a + b)^(3/2)*d) + (5*A*b*Sqr
t[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]
/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-
((b*(1 + Sec[c + d*x]))/(a - b))]/(a^4*d) + (A*Sin[c + d*x])/(a*d*(a + b*S
ec[c + d*x])^(3/2)) - (b*(5*A*b^2 - a^2*(3*A - 2*C))*Tan[c + d*x])/(3*a^2*(
a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (b*(26*a^2*A*b^2 - 15*A*b^4 - a^
4*(3*A - 8*C))*Tan[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]
])

```

Rule 4105

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] +
Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[-(
A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e +
f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && NeQ[a^2 - b^2,
0] && LeQ[n, -1]

```

Rule 4060

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3921

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} - \frac{\int \frac{\frac{5Ab}{2}-aC\sec(c+dx)-\frac{3}{2}Ab\sec^2(c+dx)}{(a+b\sec(c+dx))^{5/2}} dx}{a} \\
&= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} - \frac{b(5Ab^2-a^2(3A-2C))\tan(c+dx)}{3a^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2\int \frac{-\frac{15}{4}Ab(c+dx)}{(a+b\sec(c+dx))^{5/2}} dx}{3a^3} \\
&= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} - \frac{b(5Ab^2-a^2(3A-2C))\tan(c+dx)}{3a^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{b(26a^2Ab^2-15Ab^4-a^4(3A-8C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)\frac{a+b}{a-b}}{3a^3} \\
&= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} - \frac{b(5Ab^2-a^2(3A-2C))\tan(c+dx)}{3a^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{b(26a^2Ab^2-15Ab^4-a^4(3A-8C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)\frac{a+b}{a-b}}{3a^3} \\
&= -\frac{(26a^2Ab^2-15Ab^4-a^4(3A-8C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)\frac{a+b}{a-b}}{3a^3(a-b)b(a+b)^{3/2}d} \\
&= -\frac{(26a^2Ab^2-15Ab^4-a^4(3A-8C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)\frac{a+b}{a-b}}{3a^3(a-b)b(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [B] time = 20.4938, size = 1714, normalized size = 3.07

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] ((b + a*cos[c + d*x])^3*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((-8*(-5*a^2*A*b^2 + 3*A*b^4 - 2*a^4*C)*Sin[c + d*x])/(3*a^3*(-a^2 + b^2)^2) + (4*(A*b^4*Sin[c + d*x] + a^2*b^2*C*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)*(b + a*cos[c + d*x])^2) + (4*(-11*a^2*A*b^3*Sin[c + d*x] + 7*A*b^5*Sin[c + d*x] - 5*a^4*b*C*Sin[c + d*x] + a^2*b^3*C*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)^2*(b + a*cos[c + d*x]))) / (d*(A + 2*C + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(5/2)) - (2*(b + a*cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]*(A + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(3*a^5*A*Tan[(c + d*x)/2] + 3*a^4*A*b*Tan[(c + d*x)/2] - 26*a^3*A*b^2*Tan[(c + d*x)/2] - 26*a^2*A*b^3*Tan[(c + d*x)/2] + 15*a*b^4*C*Tan[(c + d*x)/2] + a^4*C*Tan[(c + d*x)/2])) / (3*a^3*(a^2 - b^2)^2*(b + a*cos[c + d*x])^2)
```

$$\begin{aligned}
& + d*x)/2] + 15*a*A*b^4*\text{Tan}[(c + d*x)/2] + 15*A*b^5*\text{Tan}[(c + d*x)/2] - 8*a^5*C*\text{Tan}[(c + d*x)/2] - 8*a^4*b*C*\text{Tan}[(c + d*x)/2] - 6*a^5*A*\text{Tan}[(c + d*x)/2]^3 + 52*a^3*A*b^2*\text{Tan}[(c + d*x)/2]^3 - 30*a*A*b^4*\text{Tan}[(c + d*x)/2]^3 + 16*a^5*C*\text{Tan}[(c + d*x)/2]^3 + 3*a^5*A*\text{Tan}[(c + d*x)/2]^5 - 3*a^4*A*b*\text{Tan}[(c + d*x)/2]^5 - 26*a^3*A*b^2*\text{Tan}[(c + d*x)/2]^5 + 26*a^2*A*b^3*\text{Tan}[(c + d*x)/2]^5 + 15*a*A*b^4*\text{Tan}[(c + d*x)/2]^5 - 15*A*b^5*\text{Tan}[(c + d*x)/2]^5 - 8*a^5*C*\text{Tan}[(c + d*x)/2]^5 + 8*a^4*b*C*\text{Tan}[(c + d*x)/2]^5 + 30*a^4*A*b*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - 60*a^2*A*b^3*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + 30*A*b^5*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + 30*a^4*A*b*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - 60*a^2*A*b^3*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + 30*A*b^5*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + (a + b)*(-26*a^2*A*b^2 + 15*A*b^4 + a^4*(3*A - 8*C))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + 2*a*(a + b)*(3*a*A*b^2 - 5*A*b^3 + 3*a^3*C + a^2*b*(6*A + C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)))/(3*a*(a^3 - a*b^2)^2*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(a + b*\text{Sec}[c + d*x])^(5/2)*\text{Sqrt}[1 + \text{Tan}[(c + d*x)/2]^2]*(a*(-1 + \text{Tan}[(c + d*x)/2]^2) - b*(1 + \text{Tan}[(c + d*x)/2]^2))
\end{aligned}$$

Maple [B] time = 0.683, size = 6418, normalized size = 11.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)) \sqrt{b \sec(dx + c) + a}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.753 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=645

$$\frac{(-3a^2b^2(45A - 8C) - a^3(27Ab - 8bC) + 6a^4(A - 8C) + 35aAb^3 + 105Ab^4) \cot(c + dx) \sqrt{\frac{b(1 - \sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{12a^4d\sqrt{a+b}(a^2 - b^2)}$$

```
[Out] -((105*A*b^4 + a^4*(33*A - 56*C) - 2*a^2*b^2*(85*A - 12*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(12*a^4*Sqrt[a + b]*(a^2 - b^2)*d) + ((35*a*A*b^3 + 105*A*b^4 + 6*a^4*(A - 8*C) - 3*a^2*b^2*(45*A - 8*C) - a^3*(27*A*b - 8*b*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(12*a^4*Sqrt[a + b]*(a^2 - b^2)*d) - (Sqrt[a + b]*(35*A*b^2 + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(4*a^5*d) - (7*A*b*Sin[c + d*x])/(4*a^2*d*(a + b*Sec[c + d*x])^(3/2)) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*(a + b*Sec[c + d*x])^(3/2)) + (b^2*(35*A*b^2 - a^2*(27*A - 8*C))*Tan[c + d*x])/(12*a^3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (b^2*(105*A*b^4 + a^4*(33*A - 56*C) - 2*a^2*b^2*(85*A - 12*C))*Tan[c + d*x])/(12*a^4*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.55869, antiderivative size = 645, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4105, 4104, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{b^2(-2a^2b^2(85A - 12C) + a^4(33A - 56C) + 105Ab^4) \tan(c + dx)}{12a^4d(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} + \frac{b^2(35Ab^2 - a^2(27A - 8C)) \tan(c + dx)}{12a^3d(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} + \frac{(-3a^2b^2(45A - 8C) - a^3(27Ab - 8bC) + 6a^4(A - 8C) + 35aAb^3 + 105Ab^4) \cot(c + dx) \sqrt{\frac{b(1 - \sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{12a^4d\sqrt{a+b}(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]

```
[Out] -((105*A*b^4 + a^4*(33*A - 56*C) - 2*a^2*b^2*(85*A - 12*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(
```

$$12a^4\sqrt{a+b}(a^2-b^2)d + ((35a^3b^3 + 105a^2b^4 + 6a^4(A-8C) - 3a^2b^2(45A-8C) - a^3(27Ab-8b^2C))\cot[c+dx]\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a+b\sec[c+dx]}/\sqrt{a+b}], (a+b)/(a-b)]\sqrt{(b(1-\sec[c+dx]))/(a+b)}\sqrt{-((b(1+\sec[c+dx]))/(a-b))})/(12a^4\sqrt{a+b}(a^2-b^2)d - (\sqrt{a+b}(35a^2b^2 + 4a^2(A+2C))\cot[c+dx]\operatorname{EllipticPi}[(a+b)/a, \operatorname{ArcSin}[\sqrt{a+b\sec[c+dx]}/\sqrt{a+b}], (a+b)/(a-b)]\sqrt{(b(1-\sec[c+dx]))/(a+b)}\sqrt{-((b(1+\sec[c+dx]))/(a-b))})/(4a^5d - (7Ab\sin[c+dx])/(4a^2d(a+b\sec[c+dx])^{3/2}) + (A\cos[c+dx]\sin[c+dx])/(2ad(a+b\sec[c+dx])^{3/2}) + (b^2(35a^2b^2 - a^2(27A-8C))\tan[c+dx])/(12a^3(a^2-b^2)d(a+b\sec[c+dx])^{3/2}) - (b^2(105a^2b^4 + a^4(33A-56C) - 2a^2b^2(85A-12C))\tan[c+dx])/(12a^4(a^2-b^2)^2d\sqrt{a+b\sec[c+dx]})$$

Rule 4105

$$\operatorname{Int}(((A_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})]^2(C_{.}))(\csc[(e_{.}) + (f_{.})(x_{.})](d_{.}))^{(n_{.})}(\csc[(e_{.}) + (f_{.})(x_{.})](b_{.}) + (a_{.}))^{(m_{.})}, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(A\cot[e+fx](a+b\csc[e+fx])^{(m+1)}(d\csc[e+fx])^n)/(a^f n), x] + \operatorname{Dist}[1/(a^d n), \operatorname{Int}[(a+b\csc[e+fx])^m(d\csc[e+fx])^{(n+1)}\operatorname{Simp}[-(A^b(m+n+1) + a(A+A^n+C^n)\csc[e+fx] + A^b(m+n+2)\csc[e+fx]^2, x), x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, C, m\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LeQ}[n, -1]$$

Rule 4104

$$\operatorname{Int}(((A_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})](B_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})]^2(C_{.}))(\csc[(e_{.}) + (f_{.})(x_{.})](d_{.}))^{(n_{.})}(\csc[(e_{.}) + (f_{.})(x_{.})](b_{.}) + (a_{.}))^{(m_{.})}, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(A\cot[e+fx](a+b\csc[e+fx])^{(m+1)}(d\csc[e+fx])^n)/(a^f n), x] + \operatorname{Dist}[1/(a^d n), \operatorname{Int}[(a+b\csc[e+fx])^m(d\csc[e+fx])^{(n+1)}\operatorname{Simp}[a^B n - A^b(m+n+1) + a(A+A^n+C^n)\csc[e+fx] + A^b(m+n+2)\csc[e+fx]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LeQ}[n, -1]$$

Rule 4060

$$\operatorname{Int}(((A_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})](B_{.}) + \csc[(e_{.}) + (f_{.})(x_{.})]^2(C_{.}))(\csc[(e_{.}) + (f_{.})(x_{.})](b_{.}) + (a_{.}))^{(m_{.})}, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(A^b^2 - a^b B + a^2 C)\cot[e+fx](a+b\csc[e+fx])^{(m+1)}(a^f(m+1)(a^2-b^2)), x] + \operatorname{Dist}[1/(a(m+1)(a^2-b^2)), \operatorname{Int}[(a+b\csc[e+fx])^{(m+1)}\operatorname{Simp}[A(a^2-b^2)(m+1) - a(A^b - a^b B + b^2 C)(m+1)\csc[e+fx] + (A^b^2 - a^b B + a^2 C)(m+2)\csc[e+fx]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1]$$

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)*(b_
.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)])*(csc[(e_.) + (f_.)*(x_)*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} - \int \frac{\cos(c+dx)\left(\frac{7Ab}{2}-a(A+2C)\sec(c+dx)-\frac{5}{2}Ab\sec^2(c+dx)\right)}{(a+b\sec(c+dx))^{5/2}} dx \\
&= -\frac{7Ab\sin(c+dx)}{4a^2d(a+b\sec(c+dx))^{3/2}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} + \frac{\int \frac{1}{4}(35Ab^2+4a^2(A+2C))}{(a+b\sec(c+dx))^{5/2}} dx \\
&= -\frac{7Ab\sin(c+dx)}{4a^2d(a+b\sec(c+dx))^{3/2}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} + \frac{b^2(35Ab^2-a^2(27C+A))}{12a^3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{7Ab\sin(c+dx)}{4a^2d(a+b\sec(c+dx))^{3/2}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} + \frac{b^2(35Ab^2-a^2(27C+A))}{12a^3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{7Ab\sin(c+dx)}{4a^2d(a+b\sec(c+dx))^{3/2}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} + \frac{b^2(35Ab^2-a^2(27C+A))}{12a^3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{(105Ab^4+a^4(33A-56C)-2a^2b^2(85A-12C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a^2-b^2}}\right)\right)}{12a^4(a-b)(a+b)^{3/2}d} \\
&= -\frac{(105Ab^4+a^4(33A-56C)-2a^2b^2(85A-12C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a^2-b^2}}\right)\right)}{12a^4(a-b)(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 14.4784, size = 801, normalized size = 1.24

$$\frac{1}{2} \left(\frac{(b+a\cos(c+dx))^3 \sec^3(c+dx) \left(\frac{4b(-7Ca^4-13Ab^2a^2+3b^2Ca^2+9Ab^4)\sin(c+dx)}{3a^4(b^2-a^2)^2} - \frac{4(A\sin(c+dx)b^5+a^2C\sin(c+dx)b^3)}{3a^4(a^2-b^2)(b+a\cos(c+dx))^2} - \frac{8(5A\sin(c+dx)b^6-...)}{d(a+b\sec(c+dx))^{5/2}} \right)}{d(a+b\sec(c+dx))^{5/2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((4*b*(-13*a^2*A*b^2 + 9*A*b^4 - 7*a^4*C + 3*a^2*b^2*C)*Sin[c + d*x])/(3*a^4*(-a^2 + b^2)^2) - (4*(A*b^5*Sin[c

$$\begin{aligned}
& + d*x] + a^2*b^3*C*\sin[c + d*x]))/(3*a^4*(a^2 - b^2)*(b + a*\cos[c + d*x])^2) - (8*(-7*a^2*A*b^4*\sin[c + d*x] + 5*A*b^6*\sin[c + d*x] - 4*a^4*b^2*C*\sin[c + d*x] + 2*a^2*b^4*C*\sin[c + d*x]))/(3*a^4*(a^2 - b^2)^2*(b + a*\cos[c + d*x])) + (A*\sin[2*(c + d*x)]/(2*a^3))/(d*(a + b*\sec[c + d*x])^(5/2)) - ((b + a*\cos[c + d*x])^2*\sec[c + d*x]*(a*b*(a + b)*(105*A*b^4 + a^4*(33*A - 56*C) + 2*a^2*b^2*(-85*A + 12*C))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)} - b*(a + b)*(210*a*A*b^4 - 105*A*b^5 + 2*a^2*b^3*(29*A - 12*C) + 12*a^3*b^2*(-19*A + 4*C) - 6*a^5*(A + 12*C) + a^4*b*(39*A + 16*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)} + 3*(a - b)^2*(a + b)^2*(35*A*b^2 + 4*a^2*(A + 2*C))*((a - b)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)])*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)} + a*b*(105*A*b^4 + a^4*(33*A - 56*C) + 2*a^2*b^2*(-85*A + 12*C))*(b + a*\cos[c + d*x])*(\cos[c + d*x]*\sec[(c + d*x)/2]^2)^(3/2)*\sec[c + d*x]*\tan[(c + d*x)/2]))/(6*a^5*(a^2 - b^2)^2*d*(\cos[c + d*x]*\sec[(c + d*x)/2]^2)^(3/2)*(a + b*\sec[c + d*x])^(5/2))/2
\end{aligned}$$

Maple [B] time = 0.955, size = 9631, normalized size = 14.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/(b*sec(d*x + c) + a)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx + c)^2 \sec(dx + c)^2 + A \cos(dx + c)^2) \sqrt{b \sec(dx + c) + a}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^2/(b*sec(d*x + c) + a)^(5/2),  
x)
```

$$3.754 \quad \int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{7/2}} dx$$

Optimal. Leaf size=626

$$\frac{2(a^3b^2(13A+5C) + 36a^2Ab^3 - 3a^4b(15A+8C) + 3a^5C - 5aAb^4 - 15Ab^5) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{15a^3bd\sqrt{a+b}(a^2-b^2)^2} \text{EllipticE}[\dots]$$

[Out] (-2*(41*a^2*A*b^4 - 15*A*b^6 - 3*a^6*C - 29*a^4*b^2*(2*A + C))*Cot[c + d*x] *EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*a^3*b^2*Sqrt[a + b]*(a^2 - b^2)^2*d) + (2*(36*a^2*A*b^3 - 5*a*A*b^4 - 15*A*b^5 + 3*a^5*C + a^3*b^2*(13*A + 5*C) - 3*a^4*b*(15*A + 8*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*a^3*b*Sqrt[a + b]*(a^2 - b^2)^2*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^4*d) + (2*(A*b^2 + a^2*C)*Tan[c + d*x])/(5*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(5/2)) - (2*(5*A*b^4 - 3*a^4*C - a^2*b^2*(13*A + 5*C))*Tan[c + d*x])/(15*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(41*a^2*A*b^4 - 15*A*b^6 - 3*a^6*C - 29*a^4*b^2*(2*A + C))*Tan[c + d*x])/(15*a^3*(a^2 - b^2)^3*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 1.2757, antiderivative size = 626, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {4061, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{2(-29a^4b^2(2A+C) + 41a^2Ab^4 - 3a^6C - 15Ab^6) \tan(c+dx)}{15a^3d(a^2-b^2)^3\sqrt{a+b\sec(c+dx)}} - \frac{2(-a^2b^2(13A+5C) - 3a^4C + 5Ab^4) \tan(c+dx)}{15a^2d(a^2-b^2)^2(a+b\sec(c+dx))^{3/2}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(7/2), x]

[Out] (-2*(41*a^2*A*b^4 - 15*A*b^6 - 3*a^6*C - 29*a^4*b^2*(2*A + C))*Cot[c + d*x] *EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*a^3*b^2*Sqrt[a + b]*(a^2 - b^2)^2*d) + (2*(36*a^2*A*b^3 - 5*a*A*b^4 - 15*A*b^5 + 3*a^5*C + a^3*b^2*(13*A + 5*C) - 3*a^4*b*(15*A + 8*C))*Cot[c +

$d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b) \\
)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))] \\
)/(15*a^3*b*\text{Sqrt}[a + b]*(a^2 - b^2)^2*d) - (2*A*\text{Sqrt}[a + b]*\text{Cot}[c + d*x] \\
)*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b) \\
)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x] \\
)))/(a - b))]/(a^4*d) + (2*(A*b^2 + a^2*C)*\text{Tan}[c + d*x])/(5*a*(a^2 - b^2)* \\
d*(a + b*\text{Sec}[c + d*x])^(5/2)) - (2*(5*A*b^4 - 3*a^4*C - a^2*b^2*(13*A + 5*C) \\
)*\text{Tan}[c + d*x])/(15*a^2*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + d*x])^(3/2)) - (2*(\\
41*a^2*A*b^4 - 15*A*b^6 - 3*a^6*C - 29*a^4*b^2*(2*A + C))*\text{Tan}[c + d*x])/(15 \\
a^3(a^2 - b^2)^3*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$

Rule 4061

$\text{Int}[(A + \text{csc}[e + f*x])^m, x] := \text{Simp}[(A*b^2 + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[\\
e + f*x])^{m+1})/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - \\
b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*\text{Simp}[A*(a^2 - b^2)*(m+1) - a*b*(\\
A + C)*(m+1)*\text{Csc}[e + f*x] + (A*b^2 + a^2*C)*(m+2)*\text{Csc}[e + f*x]^2, x], x \\
] /; \text{FreeQ}\{a, b, e, f, A, C\}, x \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m] \\
\&\& \text{LtQ}[m, -1]$

Rule 4060

$\text{Int}[(A + \text{csc}[e + f*x])^m, x] := \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*\text{Simp}[A*(a^2 - b^2)*(m+1) - a*(A*b - a*B + b*C)*(m+1)*\text{Csc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+2)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 4058

$\text{Int}[(A + \text{csc}[e + f*x])^m, x] := \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\text{csc}[e + f*x])^m, x] := \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c,$

d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{7/2}} dx &= \frac{2(Ab^2 + a^2C) \tan(c + dx)}{5a(a^2 - b^2)d(a + b \sec(c + dx))^{5/2}} - \frac{2 \int \frac{-\frac{5}{2}A(a^2 - b^2) + \frac{5}{2}ab(A+C) \sec(c+dx) - \frac{3}{2}(Ab^2 + a^2C) \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}}}{5a(a^2 - b^2)} \\
&= \frac{2(Ab^2 + a^2C) \tan(c + dx)}{5a(a^2 - b^2)d(a + b \sec(c + dx))^{5/2}} - \frac{2(5Ab^4 - 3a^4C - a^2b^2(13A + 5C)) \tan(c + dx)}{15a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^{3/2}} + \dots \\
&= \frac{2(Ab^2 + a^2C) \tan(c + dx)}{5a(a^2 - b^2)d(a + b \sec(c + dx))^{5/2}} - \frac{2(5Ab^4 - 3a^4C - a^2b^2(13A + 5C)) \tan(c + dx)}{15a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^{3/2}} - \dots \\
&= \frac{2(Ab^2 + a^2C) \tan(c + dx)}{5a(a^2 - b^2)d(a + b \sec(c + dx))^{5/2}} - \frac{2(5Ab^4 - 3a^4C - a^2b^2(13A + 5C)) \tan(c + dx)}{15a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^{3/2}} - \dots \\
&= \frac{2(41a^2Ab^4 - 15Ab^6 - 3a^6C - 29a^4b^2(2A + C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right) \Big|_{\frac{a+b}{a-b}}}{15a^3(a-b)^2b^2(a+b)^{5/2}d} \\
&= \frac{2(41a^2Ab^4 - 15Ab^6 - 3a^6C - 29a^4b^2(2A + C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right) \Big|_{\frac{a+b}{a-b}}}{15a^3(a-b)^2b^2(a+b)^{5/2}d}
\end{aligned}$$

Mathematica [B] time = 22.0851, size = 2204, normalized size = 3.52

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(7/2), x]

[Out] ((b + a*Cos[c + d*x])^4*Sec[c + d*x]^2*(A + C*Sec[c + d*x]^2)*((4*(58*a^4*A*b^2 - 41*a^2*A*b^4 + 15*A*b^6 + 3*a^6*C + 29*a^4*b^2*C)*Sin[c + d*x])/(15*a^3*b*(-a^2 + b^2)^3) + (4*(A*b^4*Sin[c + d*x] + a^2*b^2*C*Sin[c + d*x]))/(5*a^3*(a^2 - b^2)*(b + a*Cos[c + d*x])^3) + (4*(-19*a^2*A*b^3*Sin[c + d*x] + 11*A*b^5*Sin[c + d*x] - 9*a^4*b*C*Sin[c + d*x] + a^2*b^3*C*Sin[c + d*x]))/(15*a^3*(a^2 - b^2)^2*(b + a*Cos[c + d*x])^2) + (4*(74*a^4*A*b^2*Sin[c + d*x] - 65*a^2*A*b^4*Sin[c + d*x] + 23*A*b^6*Sin[c + d*x] + 9*a^6*C*Sin[c + d*x] + 25*a^4*b^2*C*Sin[c + d*x] - 2*a^2*b^4*C*Sin[c + d*x]))/(15*a^3*(a^2 - b^2)^3*(b + a*Cos[c + d*x]))) / (d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(7/2)) - (4*(b + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b - a*Tan[(c + d*x)/2])]) / (d*(A + 2*C + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(7/2))

$$\begin{aligned}
& c + dx)/2]^2 + b \cdot \tan[(c + dx)/2]^2 / (1 + \tan[(c + dx)/2]^2) \cdot (58a^5Ab^2 \tan[(c + dx)/2] + 58a^4A^3b^3 \tan[(c + dx)/2] - 41a^3A^2b^4 \tan[(c + dx)/2] - 41a^2A^2b^5 \tan[(c + dx)/2] + 15a^2A^2b^6 \tan[(c + dx)/2] + 15A^2b^7 \tan[(c + dx)/2] + 3a^7C \tan[(c + dx)/2] + 3a^6b^3C \tan[(c + dx)/2] + 29a^5b^2C \tan[(c + dx)/2] + 29a^4b^3C \tan[(c + dx)/2] - 116a^5A^2b^2 \tan[(c + dx)/2]^3 + 82a^3A^3b^4 \tan[(c + dx)/2]^3 - 30a^2A^2b^6 \tan[(c + dx)/2]^3 - 6a^7C \tan[(c + dx)/2]^3 - 58a^5b^2C \tan[(c + dx)/2]^3 + 58a^5A^2b^2 \tan[(c + dx)/2]^5 - 58a^4A^2b^3 \tan[(c + dx)/2]^5 - 41a^3A^2b^4 \tan[(c + dx)/2]^5 + 41a^2A^2b^5 \tan[(c + dx)/2]^5 + 15a^2A^2b^6 \tan[(c + dx)/2]^5 - 15A^2b^7 \tan[(c + dx)/2]^5 + 3a^7C \tan[(c + dx)/2]^5 - 3a^6b^3C \tan[(c + dx)/2]^5 + 29a^5b^2C \tan[(c + dx)/2]^5 - 29a^4b^3C \tan[(c + dx)/2]^5 - 30a^6A^2b \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + 90a^4A^2b^3 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 90a^2A^2b^5 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + 30A^2b^7 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 30a^6A^2b \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + 90a^4A^2b^3 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 90a^2A^2b^5 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + 30A^2b^7 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + (a + b) \cdot (-41a^2A^2b^4 + 15A^2b^6 + 3a^6C + 29a^4b^2(2A + C)) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \cdot (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - a \cdot b \cdot (a + b) \cdot (-6a^2A^2b^3 + 10A^2b^4 + 3a^4(5A + C) + 6a^3b(5A + 4C) + a^2b^2(-17A + 5C)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \cdot (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)})) / (15a^3b(a^2 - b^2)^3 d(A + 2C + A \cos[2c + 2dx]) \cdot (a + b \operatorname{Sec}[c + dx])^{7/2} \sqrt{1 + \tan[(c + dx)/2]^2} \cdot (a \cdot (-1 + \tan[(c + dx)/2]^2) - b \cdot (1 + \tan[(c + dx)/2]^2)))
\end{aligned}$$

Maple [B] time = 0.721, size = 11805, normalized size = 18.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A)\sqrt{b \sec(dx + c) + a}}{b^4 \sec(dx + c)^4 + 4ab^3 \sec(dx + c)^3 + 6a^2b^2 \sec(dx + c)^2 + 4a^3b \sec(dx + c) + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*sqrt(b*sec(d*x + c) + a)/(b^4*sec(d*x + c)^4 + 4*a*b^3*sec(d*x + c)^3 + 6*a^2*b^2*sec(d*x + c)^2 + 4*a^3*b*sec(d*x + c) + a^4), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c) + a)^(7/2), x)

$$3.755 \quad \int \frac{a^2 - b^2 \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=303

$$\frac{2b\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + 2(a-b)\sqrt{a+b} \cot(c+dx)}{d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*b*Sqrt[a + b]*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (2*a*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d
```

Rubi [A] time = 0.289166, antiderivative size = 303, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {4042, 3916, 3784, 12, 3837, 3832, 4004}

$$\frac{2b\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + 2(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a^2 - b^2*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*b*Sqrt[a + b]*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (2*a*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d
```

Rule 4042

```
Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_)]*(csc[(e_) + (f_)*(x_)]*(b_ + (a_)^(m_)), x_Symbol] := Dist[C/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*
```

```
Simp[-a + b*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] &&
EqQ[A*b^2 + a^2*C, 0]
```

Rule 3916

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(d_.)
+ (c_.)), x_Symbol] := Dist[a*c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] +
Int[(Csc[e + f*x]*(b*c + a*d + b*d*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2,
0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))] * EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3837

```
Int[csc[(e_.) + (f_.)*(x_.)]^2/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x
_Symbol] := -Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x] + Int[(Csc[e + f
*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] /; FreeQ[{a, b, e, f},
x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))] * EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))] * EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
```

2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{a^2 - b^2 \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx &= - \int (-a + b \sec(c + dx)) \sqrt{a + b \sec(c + dx)} dx \\
 &= a^2 \int \frac{1}{\sqrt{a + b \sec(c + dx)}} dx - \int \frac{b^2 \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= - \frac{2a\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(1+\sec(c+dx))}{a-b}}}{d} \\
 &= - \frac{2a\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(1+\sec(c+dx))}{a-b}}}{d} + \\
 &= \frac{2(a-b)\sqrt{a+b} \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(1+\sec(c+dx))}{a-b}}}{d} +
 \end{aligned}$$

Mathematica [C] time = 15.6402, size = 939, normalized size = 3.1

$$\frac{4b \cos(c + dx)(b + a \cos(c + dx))(a^2 - b^2 \sec^2(c + dx)) \sin(c + dx)}{d(\cos(2c + 2dx)a^2 + a^2 - 2b^2) \sqrt{a + b \sec(c + dx)}} - \frac{4\sqrt{b + a \cos(c + dx)}(a^2 - b^2 \sec^2(c + dx)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(1+\sec(c+dx))}{a-b}}}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a^2 - b^2*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (-4*b*Cos[c + d*x]*(b + a*Cos[c + d*x])*(a^2 - b^2*Sec[c + d*x]^2)*Sin[c + d*x])/(d*(a^2 - 2*b^2 + a^2*Cos[2*c + 2*d*x])*Sqrt[a + b*Sec[c + d*x]]) - (4*Sqrt[b + a*Cos[c + d*x]]*(a^2 - b^2*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(-(a*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]*Sqrt[1 - Tan[(c + d*x)/2]^2]) - b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]*Sqrt[1 - Tan[(c + d*x)/2]^2] + a*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3*Sqrt[1 - Tan[(c + d*x)/2]^2] - b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3*Sqrt[1 - Tan[(c + d*x)/2]^2] + (2*I)*a^2*EllipticPi[-(a + b)/(a - b)], I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a +

$$\begin{aligned} & b)/(a - b)] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + \\ & b)] + (2 * I) * a^2 * \text{EllipticPi}[-((a + b) / (a - b)), I * \text{ArcSinh}[\text{Sqrt}[-(a + b) / (a \\ & + b)] * \text{Tan}[(c + d * x) / 2]], (a + b) / (a - b)] * \text{Tan}[(c + d * x) / 2]^2 * \text{Sqrt}[(a + b - \\ & a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] + I * (a - b) * b * \text{EllipticE}[I * \text{ArcSinh}[\text{Sqrt}[-(a + b) / (a + b)] * \text{Tan}[(c + d * x) / 2]], (a + b) / (a - b)] * (1 \\ & + \text{Tan}[(c + d * x) / 2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / \\ & 2]^2) / (a + b)] - I * (a^2 - b^2) * \text{EllipticF}[I * \text{ArcSinh}[\text{Sqrt}[-(a + b) / (a + b)] * \text{T} \\ & \text{an}[(c + d * x) / 2]], (a + b) / (a - b)] * (1 + \text{Tan}[(c + d * x) / 2]^2) * \text{Sqrt}[(a + b - a \\ & * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b))] / (\text{Sqrt}[-(a + b) / (a + \\ & b)] * d * (a^2 - 2 * b^2 + a^2 * \text{Cos}[2 * c + 2 * d * x]) * \text{Sec}[c + d * x]^(3/2) * \text{Sqrt}[a + b * \text{Se} \\ & c[c + d * x]] * (1 + \text{Tan}[(c + d * x) / 2]^2)^(3/2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2] \\ & ^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (1 + \text{Tan}[(c + d * x) / 2]^2)]) \end{aligned}$$

Maple [B] time = 0.463, size = 1020, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2), x)`

[Out]
$$\begin{aligned} & 2/d * ((b + a * \cos(d * x + c)) / \cos(d * x + c))^{1/2} * (\cos(d * x + c) + 1)^2 * (-1 + \cos(d * x + c))^{2 * \\ & (\cos(d * x + c) * a^2 * (\cos(d * x + c) / (\cos(d * x + c) + 1))^{1/2} * (1 / (a + b) * (b + a * \cos(d * x + c)) \\ & / (\cos(d * x + c) + 1))^{1/2} * \sin(d * x + c) * \text{EllipticF}((-1 + \cos(d * x + c)) / \sin(d * x + c), ((a - \\ & b) / (a + b))^{1/2}) + \cos(d * x + c) * b^2 * (\cos(d * x + c) / (\cos(d * x + c) + 1))^{1/2} * (1 / (a + b) * \\ & (b + a * \cos(d * x + c)) / (\cos(d * x + c) + 1))^{1/2} * \sin(d * x + c) * \text{EllipticF}((-1 + \cos(d * x + c)) \\ & / \sin(d * x + c), ((a - b) / (a + b))^{1/2}) - \cos(d * x + c) * (\cos(d * x + c) / (\cos(d * x + c) + 1))^{1/2} * \\ & (1 / (a + b) * (b + a * \cos(d * x + c)) / (\cos(d * x + c) + 1))^{1/2} * \sin(d * x + c) * \text{EllipticE}((-1 \\ & + \cos(d * x + c)) / \sin(d * x + c), ((a - b) / (a + b))^{1/2}) * a * b - \cos(d * x + c) * b^2 * (\cos(d * x + c) \\ & / (\cos(d * x + c) + 1))^{1/2} * (1 / (a + b) * (b + a * \cos(d * x + c)) / (\cos(d * x + c) + 1))^{1/2} * \sin(d * x + c) * \\ & \text{EllipticE}((-1 + \cos(d * x + c)) / \sin(d * x + c), ((a - b) / (a + b))^{1/2}) - 2 * \cos(d * x + \\ & c) * a^2 * (\cos(d * x + c) / (\cos(d * x + c) + 1))^{1/2} * (1 / (a + b) * (b + a * \cos(d * x + c)) / (\cos(d * x \\ & + c) + 1))^{1/2} * \sin(d * x + c) * \text{EllipticPi}((-1 + \cos(d * x + c)) / \sin(d * x + c), -1, ((a - b) / (a \\ & + b))^{1/2}) + a^2 * (\cos(d * x + c) / (\cos(d * x + c) + 1))^{1/2} * (1 / (a + b) * (b + a * \cos(d * x + c)) \\ & / (\cos(d * x + c) + 1))^{1/2} * \sin(d * x + c) * \text{EllipticF}((-1 + \cos(d * x + c)) / \sin(d * x + c), ((a - \\ & b) / (a + b))^{1/2}) + b^2 * (\cos(d * x + c) / (\cos(d * x + c) + 1))^{1/2} * (1 / (a + b) * (b + a * \cos(d * \\ & x + c)) / (\cos(d * x + c) + 1))^{1/2} * \sin(d * x + c) * \text{EllipticF}((-1 + \cos(d * x + c)) / \sin(d * x + c) \\ & , ((a - b) / (a + b))^{1/2}) - (\cos(d * x + c) / (\cos(d * x + c) + 1))^{1/2} * (1 / (a + b) * (b + a * \cos(d \\ & * x + c)) / (\cos(d * x + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(d * x + c)) / \sin(d * x + c), ((a - b) / (a \\ & + b))^{1/2}) * a * b * \sin(d * x + c) - (\cos(d * x + c) / (\cos(d * x + c) + 1))^{1/2} * (1 / (a + b) * (b + a * \\ & \cos(d * x + c)) / (\cos(d * x + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(d * x + c)) / \sin(d * x + c), ((a - \\ & b) / (a + b))^{1/2}) * b^2 * \sin(d * x + c) - 2 * (\cos(d * x + c) / (\cos(d * x + c) + 1))^{1/2} * (1 / (a + b \end{aligned}$$

)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)+cos(d*x+c)^2*a*b-cos(d*x+c)*a*b+cos(d*x+c)*b^2-b^2)/sin(d*x+c)^5/(b+a*cos(d*x+c))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{b^2 \sec(dx+c)^2 - a^2}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] -integrate((b^2*sec(d*x + c)^2 - a^2)/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\sqrt{b \sec(dx+c) + a}(b \sec(dx+c) - a), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(b*sec(d*x + c) + a)*(b*sec(d*x + c) - a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a - b \sec(c + dx)) \sqrt{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**2-b**2*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((a - b*sec(c + d*x))*sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{b^2 \sec(dx + c)^2 - a^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(-(b^2*sec(d*x + c)^2 - a^2)/sqrt(b*sec(d*x + c) + a), x)
```

$$3.756 \quad \int \frac{a^2 - b^2 \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx$$

Optimal. Leaf size=200

$$\frac{2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - 2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{d}$$

[Out] $(-2*\sqrt{a+b}*\cot[c+dx]*\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a+b*\sec[c+dx]}]/\sqrt{a+b}], (a+b)/(a-b)]*\sqrt{[(b*(1-\sec[c+dx]))/(a+b)]}*\sqrt{-((b*(1+\sec[c+dx]))/(a-b))}/d - (2*\sqrt{a+b}*\cot[c+dx]*\operatorname{EllipticPi}[(a+b)/a, \operatorname{ArcSin}[\sqrt{a+b*\sec[c+dx]}]/\sqrt{a+b}], (a+b)/(a-b)]*\sqrt{[(b*(1-\sec[c+dx]))/(a+b)]}*\sqrt{-((b*(1+\sec[c+dx]))/(a-b))}/d$

Rubi [A] time = 0.16415, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4042, 3921, 3784, 3832}

$$\frac{2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) - 2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a^2 - b^2*\sec[c+dx]^2)/(a + b*\sec[c+dx])^{(3/2)}, x]$

[Out] $(-2*\sqrt{a+b}*\cot[c+dx]*\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a+b*\sec[c+dx]}]/\sqrt{a+b}], (a+b)/(a-b)]*\sqrt{[(b*(1-\sec[c+dx]))/(a+b)]}*\sqrt{-((b*(1+\sec[c+dx]))/(a-b))}/d - (2*\sqrt{a+b}*\cot[c+dx]*\operatorname{EllipticPi}[(a+b)/a, \operatorname{ArcSin}[\sqrt{a+b*\sec[c+dx]}]/\sqrt{a+b}], (a+b)/(a-b)]*\sqrt{[(b*(1-\sec[c+dx]))/(a+b)]}*\sqrt{-((b*(1+\sec[c+dx]))/(a-b))}/d$

Rule 4042

$\operatorname{Int}[(A + \csc[e + (f_*)(x_)]^2*(C_))*(\csc[e + (f_*)(x_)]*(b_ + (a_))^{(m_)}), x_Symbol] \rightarrow \operatorname{Dist}[C/b^2, \operatorname{Int}[(a + b*\csc[e + f*x])^{(m+1)}*\operatorname{Simp}[-a + b*\csc[e + f*x], x], x], x] /;$ $\operatorname{FreeQ}\{a, b, e, f, A, C, m\}, x$ && $\operatorname{EqQ}[A*b^2 + a^2*C, 0]$

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{a^2 - b^2 \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx &= - \int \frac{-a + b \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= a \int \frac{1}{\sqrt{a + b \sec(c + dx)}} dx - b \int \frac{\sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= - \frac{2\sqrt{a+b} \cot(c + dx) F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{-b(1+\sec(c+dx))}{a-b}}}{d} - \frac{2\sqrt{a+b}}{d} \end{aligned}$$

Mathematica [A] time = 2.08175, size = 145, normalized size = 0.72

$$\frac{4 \cos^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sec(c + dx) \sqrt{\frac{a \cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}} \left((a + b) \text{EllipticF}\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right), \frac{a-b}{a+b}\right) + 2a\Pi\left(\frac{a-b}{a+b}\right) \right)}{d\sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] (-4*cos[(c + d*x)/2]^2*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*((a + b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)])*Sec[c + d*x])/(d*Sqrt[a + b*Sec[c + d*x]])
```

Maple [A] time = 0.379, size = 214, normalized size = 1.1

$$-2 \frac{(\cos(dx + c) + 1)^2 (-1 + \cos(dx + c))}{d (b + a \cos(dx + c)) (\sin(dx + c))^2} \sqrt{\frac{b + a \cos(dx + c)}{\cos(dx + c)}} \sqrt{\frac{\cos(dx + c)}{\cos(dx + c) + 1}} \sqrt{\frac{b + a \cos(dx + c)}{(a + b) (\cos(dx + c) + 1)}} \left(\text{EllipticF} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2), x)
```

```
[Out] -2/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1)^2*(EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a+EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b-2*a*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2)))*(-1+cos(d*x+c))/(b+a*cos(d*x+c))/sin(d*x+c)^2
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2), x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \sec(dx + c) - a}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(-(b*sec(d*x + c) - a)/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a - b \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**2-b**2*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((a - b*sec(c + d*x))/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{b^2 \sec(dx + c)^2 - a^2}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(-(b^2*sec(d*x + c)^2 - a^2)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.757 \quad \int \frac{a^2 - b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=338

$$\frac{4 \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{d \sqrt{a+b}} + \frac{4b^2 \tan(c+dx)}{d(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} +$$

[Out] (4*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(Sqrt[a + b]*d) - (4*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(Sqrt[a + b]*d) - (2*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (4*b^2*Tan[c + d*x])/((a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]))

Rubi [A] time = 0.403918, antiderivative size = 338, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {4042, 3923, 4058, 3921, 3784, 3832, 4004}

$$\frac{4b^2 \tan(c+dx)}{d(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} - \frac{4 \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{d \sqrt{a+b}} + \frac{4 \cot(c+dx)}{d(a^2 - b^2) \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2),x]

[Out] (4*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(Sqrt[a + b]*d) - (4*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(Sqrt[a + b]*d) - (2*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (4*b^2*Tan[c + d*x])/((a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]))

Rule 4042

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Dist[C/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[-a + b*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A*b^2 + a^2*C, 0]
```

Rule 3923

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
```


f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{a^2 - b^2 \sec^2(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx &= - \int \frac{-a + b \sec(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx \\ &= \frac{4b^2 \tan(c + dx)}{(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}a(a^2 - b^2) - a^2 b \sec(c + dx) - ab^2 \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{4b^2 \tan(c + dx)}{(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}a(a^2 - b^2) + (-a^2 b + ab^2) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} - \frac{(2b^2) \int \frac{\sec(c + dx)(1 + \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx}{a^2 - b^2} \\ &= \frac{4 \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{-\frac{b(1 + \sec(c + dx))}{a - b}}}{\sqrt{a + b} d} + \frac{4b^2 \tan(c + dx)}{(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} \\ &= \frac{4 \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{-\frac{b(1 + \sec(c + dx))}{a - b}}}{\sqrt{a + b} d} - \frac{4 \cot(c + dx)}{d \sqrt{a + b \sec(c + dx)}} \end{aligned}$$

Mathematica [C] time = 14.0087, size = 616, normalized size = 1.82

$$\frac{\sec(c + dx)(a \cos(c + dx) + b)^2(a - b \sec(c + dx)) \left(\frac{4b \sin(c + dx)}{b^2 - a^2} - \frac{4b^2 \sin(c + dx)}{(b^2 - a^2)(a \cos(c + dx) + b)} \right)}{d(a \cos(c + dx) - b)(a + b \sec(c + dx))^{3/2}} + \frac{4 \sec^2\left(\frac{1}{2}(c + dx)\right)(a \cos(c + dx))}{d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]*(a - b*Sec[c + d*x])*((4*b*Sin[c + d*x])/(-a^2 + b^2) - (4*b^2*Sin[c + d*x])/((-a^2 + b^2)*(b + a*Cos[c + d*x])))

$$\begin{aligned} &)/(d*(-b + a*\cos[c + d*x])*(a + b*\sec[c + d*x])^{(3/2)}) + (4*(b + a*\cos[c + \\ &d*x])* \sec[(c + d*x)/2]^2*(a - b*\sec[c + d*x])*((2*I)*(a - b)*b*\sqrt{\cos[c + \\ &d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d \\ &*x]))})*\text{EllipticE}[I*\text{ArcSinh}[\sqrt{(-a + b)/(a + b)}*\tan[(c + d*x)/2]], (a + b \\ &)/(a - b)] - I*(a^2 + 2*a*b - 3*b^2)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}* \\ &\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))})*\text{EllipticF}[I*\text{ArcSinh} \\ &[\sqrt{(-a + b)/(a + b)}*\tan[(c + d*x)/2]], (a + b)/(a - b)] + (2*I)*(a^2 - \\ &b^2)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + \\ &b)*(1 + \cos[c + d*x]))})*\text{EllipticPi}[-((a + b)/(a - b)), I*\text{ArcSinh}[\sqrt{(-a + \\ &b)/(a + b)}*\tan[(c + d*x)/2]], (a + b)/(a - b)] - b*\sqrt{(-a + b)/(a + b)} \\ &*\cos[c + d*x]*(b + a*\cos[c + d*x])* \sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/(S \\ &\sqrt{(-a + b)/(a + b)}*(a^2 - b^2)*d*(-b + a*\cos[c + d*x])*(a + b*\sec[c + d \\ &x])^{(3/2)}*(-1 + \tan[(c + d*x)/2]^4)) \end{aligned}$$

Maple [B] time = 0.407, size = 1392, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a^2-b^2*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{(5/2)}, x)$

[Out] $\begin{aligned} &1/d/(a-b)/(a+b)*4^{(1/2)}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(\cos(d*x+c)*a^2 \\ &*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\ &)^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} \\ &)+2*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin \\ &(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d \\ &*x+c)+1))^{(1/2)}*a*b+\cos(d*x+c)*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+ \\ &b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+ \\ &c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})-2*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1) \\ &)^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{Elliptic} \\ &E((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b-2*\cos(d*x+c)*b^2*(\cos \\ &(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/ \\ &2)}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})-2*c \\ &os(d*x+c)*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\ &(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((\\ &a-b)/(a+b))^{(1/2)})+2*\cos(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((\\ &a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b \\ &+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*b^2+a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1 \\ &/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((- \\ &1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})+2*\text{EllipticF}((-1+\cos(d*x+c))/s \\ &\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)* \end{aligned}$

$$\begin{aligned}
& b+a\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*a*b+b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)* \\
& \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})-2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{Elliptic} \\
& \text{E}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b*\sin(d*x+c)-2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*E \\
& \text{llipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^2*\sin(d*x+c)-2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^2*\sin(d*x+c)+2*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*b^2+2*\cos(d*x+c)^2*a*b-2*\cos(d*x+c)^2*b^2-2*\cos(d*x+c)*a*b+2 \\
& *\cos(d*x+c)*b^2)/(b+a*\cos(d*x+c))/\sin(d*x+c)
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{b\sec(dx+c)+a}(b\sec(dx+c)-a)}{b^2\sec(dx+c)^2+2ab\sec(dx+c)+a^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(b*sec(d*x + c) + a)*(b*sec(d*x + c) - a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a - b \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**2-b**2*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Integral((a - b*sec(c + d*x))/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{b^2 \sec(dx + c)^2 - a^2}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(-(b^2*sec(d*x + c)^2 - a^2)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.758 \quad \int \frac{a^2 - b^2 \sec^2(c+dx)}{(a+b \sec(c+dx))^{7/2}} dx$$

Optimal. Leaf size=445

$$\frac{2(9a^2 - 2ab - 3b^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3ad(a-b)(a+b)^{3/2}} + \frac{2b^2(11a^2 - 3b^2)}{3ad(a^2 - b^2)^2}$$

[Out] (2*(11*a^2 - 3*b^2)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a*(a - b)*(a + b)^(3/2)*d) - (2*(9*a^2 - 2*a*b - 3*b^2)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a*(a - b)*(a + b)^(3/2)*d) - (2*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (4*b^2*Tan[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b^2*(11*a^2 - 3*b^2)*Tan[c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.626379, antiderivative size = 445, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {4042, 3923, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{2b^2(11a^2 - 3b^2) \tan(c+dx)}{3ad(a^2 - b^2)^2 \sqrt{a + b \sec(c+dx)}} + \frac{4b^2 \tan(c+dx)}{3d(a^2 - b^2)(a + b \sec(c+dx))^{3/2}} - \frac{2(9a^2 - 2ab - 3b^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3ad(a-b)}$$

Antiderivative was successfully verified.

[In] Int[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(7/2), x]

[Out] (2*(11*a^2 - 3*b^2)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a*(a - b)*(a + b)^(3/2)*d) - (2*(9*a^2 - 2*a*b - 3*b^2)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a*(a - b)*(a + b)^(3/2)*d) - (2*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (4*b^2*Tan[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b^2*(11*a^2 - 3*b^2)*Tan[c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

$*d*(a + b*\text{Sec}[c + d*x])^{(3/2)} + (2*b^2*(11*a^2 - 3*b^2)*\text{Tan}[c + d*x])/(3*a*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$

Rule 4042

$\text{Int}[(A + \text{csc}[e + f*x])^{m+1} * (b + a)]^{m+1}, x_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * \text{Simp}[-a + b*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, C, m\}, x] \&\& \text{EqQ}[A*b^2 + a^2*C, 0]$

Rule 3923

$\text{Int}[(\text{csc}[e + f*x] * (b + a))^{m+1} * (d + c)], x_Symbol] \rightarrow \text{Simp}[(b*(b*c - a*d)*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1}) / (a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * \text{Simp}[c*(a^2 - b^2)*(m+1) - (a*(b*c - a*d)*(m+1))*\text{Csc}[e + f*x] + b*(b*c - a*d)*(m+2)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m]$

Rule 4060

$\text{Int}[(A + \text{csc}[e + f*x] * (B + a))^{m+1} * (C + \text{csc}[e + f*x] * (b + a))^{m+1}], x_Symbol] \rightarrow \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1} / (a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * \text{Simp}[A*(a^2 - b^2)*(m+1) - a*(A*b - a*B + b*C)*(m+1)*\text{Csc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+2)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 4058

$\text{Int}[(A + \text{csc}[e + f*x] * (B + a)) / \text{Sqrt}[\text{csc}[e + f*x] * (b + a)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x] * (1 + \text{Csc}[e + f*x])) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\text{csc}[e + f*x] * (d + c)) / \text{Sqrt}[\text{csc}[e + f*x] * (b + a)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x] / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{a^2 - b^2 \sec^2(c + dx)}{(a + b \sec(c + dx))^{7/2}} dx &= - \int \frac{-a + b \sec(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx \\
&= \frac{4b^2 \tan(c + dx)}{3(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2 \int \frac{\frac{3}{2}a(a^2 - b^2) - 3a^2 b \sec(c + dx) + ab^2 \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{3a(a^2 - b^2)} \\
&= \frac{4b^2 \tan(c + dx)}{3(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b^2(11a^2 - 3b^2) \tan(c + dx)}{3a(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} - \frac{4 \int \frac{-\frac{3}{4}a(a^2 - b^2)^2 + \frac{1}{4}a}{\sqrt{a + b \sec(c + dx)}} dx}{3a(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\
&= \frac{4b^2 \tan(c + dx)}{3(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b^2(11a^2 - 3b^2) \tan(c + dx)}{3a(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} - \frac{4 \int \frac{-\frac{3}{4}a(a^2 - b^2)^2 + (-}{\sqrt{a + b \sec(c + dx)}} dx}{3a(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(11a^2 - 3b^2) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(1+\sec(c+dx))}{a-b}}}{3a(a-b)(a+b)^{3/2}d} + \frac{2 \int \frac{-\frac{3}{4}a(a^2 - b^2)^2 + (-}{\sqrt{a + b \sec(c + dx)}} dx}{3a(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(11a^2 - 3b^2) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(1+\sec(c+dx))}{a-b}}}{3a(a-b)(a+b)^{3/2}d} - \frac{2 \int \frac{-\frac{3}{4}a(a^2 - b^2)^2 + (-}{\sqrt{a + b \sec(c + dx)}} dx}{3a(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 14.544, size = 1849, normalized size = 4.16

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a^2 - b^2*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(7/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^2*(a - b*Sec[c + d*x])*((2*b*(-11*a^2 + 3*b^2)*Sin[c + d*x])/(3*a*(-a^2 + b^2)^2) - (4*b^3*Sin[c + d*x])/(3*a*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) - (2*(-13*a^2*b^2*Sin[c + d*x] + 5*b^4*Sin[c + d*x]))/(3*a*(a^2 - b^2)^2*(b + a*Cos[c + d*x])))/(d*(-b + a*Cos[c + d*x])*(a + b*Sec[c + d*x])^(5/2)) + (2*(b + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)*(a - b*Sec[c + d*x])*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2])*(11*a^3*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 11*a^2*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] - 3*a*b^3*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] - 3*b^4*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] - 22*a^3*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3 + 6*a*b^3*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3 + 11*a^3*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 - 11*a^2*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]


```

]^5 - 3*a*b^3*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 + 3*b^4*Sqrt[(-a +
b)/(a + b)]*Tan[(c + d*x)/2]^5 - (6*I)*a^4*EllipticPi[-((a + b)/(a - b)), I
*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1
- Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/
2]^2)/(a + b)] + (12*I)*a^2*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sq
rt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c +
d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a +
b)] - (6*I)*b^4*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a +
b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[
(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (6*I)*a^4*
EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*
x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sq
rt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (12*I)*
a^2*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan
[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/
2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] -
(6*I)*b^4*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*
Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*
x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)
] - I*b*(11*a^3 - 11*a^2*b - 3*a*b^2 + 3*b^3)*EllipticE[I*ArcSinh[Sqrt[(-a
+ b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]
^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c
+ d*x)/2]^2)/(a + b)] + I*(3*a^4 + 9*a^3*b - 17*a^2*b^2 - a*b^3 + 6*b^4)*El
lipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)
]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan
[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(3*a*Sqrt[(-a + b)/(a +
b)]*(a^2 - b^2)^2*d*(-b + a*Cos[c + d*x])*(a + b*Sec[c + d*x])^(5/2)*(-1 +
Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)
]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))

```

Maple [B] time = 0.433, size = 3887, normalized size = 8.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a^2 - b^2 \sec(dx+c)^2) / (a + b \sec(dx+c)))^{7/2}, x$

[Out] $-1/3/d/(a-b)^2/(a+b)^2/a^4^{1/2}*(6*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)^2*\sin(dx+c)*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^5-3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{b \sec(dx+c) + a}(b \sec(dx+c) - a)}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="fricas")

[Out] integral(-sqrt(b*sec(d*x + c) + a)*(b*sec(d*x + c) - a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**2-b**2*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{b^2 \sec(dx+c)^2 - a^2}{(b \sec(dx+c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^2-b^2*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="giac")
```

```
[Out] integrate(-(b^2*sec(d*x + c)^2 - a^2)/(b*sec(d*x + c) + a)^(7/2), x)
```

$$3.759 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=145

$$\frac{2Ab\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{a^2d} + \frac{2(a^2C + Ab^2)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{a^2d(a+b)}$$

[Out] (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*A*b*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*(A*b^2 + a^2*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a + b)*d)

Rubi [A] time = 0.251407, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4107, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2(a^2C + Ab^2)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{a^2d(a+b)} - \frac{2Ab\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\right)}{a^2d} + \frac{2A\sqrt{\cos(c+dx)}}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])), x]

[Out] (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*A*b*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*(A*b^2 + a^2*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a + b)*d)

Rule 4107

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - A*b*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1

$$\int \frac{1}{\sqrt{d \sin[e + f x] (b + a \sin[e + f x])}} dx$$
 ; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

$$\int \frac{1}{((a + b \sin[e + f x]) \sqrt{c + d \sin[e + f x]})} dx$$
 := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

$$\int (\csc[e + f x] + (d + f x) \csc[e + f x])^n dx$$
 := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$$\int (\csc[c + d x] + (d + f x) \csc[c + d x])^n dx$$
 := Dist[(b*Csc[c + d*x])^n * Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$$\int \sqrt{\sin[c + d x]} dx$$
 := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

$$\int \frac{1}{\sqrt{\sin[c + d x]}} dx$$
 := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))} dx &= \frac{\int \frac{aA - Ab \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{a^2} + \left(\frac{Ab^2}{a^2} + C \right) \int \frac{\sec^{\frac{3}{2}}(c + dx)}{a + b \sec(c + dx)} dx \\
&= \frac{A \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a} - \frac{(Ab) \int \sqrt{\sec(c + dx)} dx}{a^2} + \left(\left(\frac{Ab^2}{a^2} + C \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\
&= \frac{2 \left(\frac{Ab^2}{a^2} + C \right) \sqrt{\cos(c + dx)} \Pi \left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{\sec(c + dx)}}{(a + b)d} + \frac{(A \sqrt{\cos(c + dx)})}{a^2 d} \\
&= \frac{2A \sqrt{\cos(c + dx)} E \left(\frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{\sec(c + dx)}}{ad} - \frac{2Ab \sqrt{\cos(c + dx)} F \left(\frac{1}{2}(c + dx) \right)}{a^2 d}
\end{aligned}$$

Mathematica [F] time = 31.299, size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])), x]

[Out] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])), x]

Maple [A] time = 2.295, size = 259, normalized size = 1.8

$$2 \frac{\sqrt{(2 (\cos(1/2 dx + c/2))^2 - 1) (\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1}}{(a - b) a^2 \sqrt{-2 (\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2 (\cos(1/2 dx + c/2))^2 - 1} d} \left(A \text{EllipticF} \left(\right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/sec(d*x+c)^(1/2), x)

[Out] 2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*a*b-A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*b^2+A*EllipticE(cos

$(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2 - A * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a * b + A * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) * b^2 + C * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) * a^2) / a^2 / (a-b) / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)/((b*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx)) \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)/((a + b*sec(c + d*x))*sqrt(sec(c + d*x))),
x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm
="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((b*sec(d*x + c) + a)*sqrt(sec(d*x + c))),
x)

$$3.760 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=213

$$\frac{2Ab\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{ad\sqrt{a+b \sec(c+dx)}} + \frac{2A\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2C\sqrt{\sec(c+dx)}}{d\sqrt{a+b}}$$

[Out] $(-2*A*b*\operatorname{Sqrt}[(b+a*\operatorname{Cos}[c+d*x])/(a+b)]*\operatorname{EllipticF}[(c+d*x)/2, (2*a)/(a+b)]*\operatorname{Sqrt}[\operatorname{Sec}[c+d*x]])/(a*d*\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+d*x]]) + (2*C*\operatorname{Sqrt}[(b+a*\operatorname{Cos}[c+d*x])/(a+b)]*\operatorname{EllipticPi}[2, (c+d*x)/2, (2*a)/(a+b)]*\operatorname{Sqrt}[\operatorname{Sec}[c+d*x]])/(d*\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+d*x]]) + (2*A*\operatorname{EllipticE}[(c+d*x)/2, (2*a)/(a+b)]*\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+d*x]])/(a*d*\operatorname{Sqrt}[(b+a*\operatorname{Cos}[c+d*x])/(a+b)]*\operatorname{Sqrt}[\operatorname{Sec}[c+d*x]])$

Rubi [A] time = 0.566429, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.297$, Rules used = {4109, 3859, 2807, 2805, 3862, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2Ab\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{a+b \sec(c+dx)}} + \frac{2A\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2C\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{d\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A+C*\operatorname{Sec}[c+d*x]^2)/(\operatorname{Sqrt}[\operatorname{Sec}[c+d*x]]*\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+d*x]])], x]$

[Out] $(-2*A*b*\operatorname{Sqrt}[(b+a*\operatorname{Cos}[c+d*x])/(a+b)]*\operatorname{EllipticF}[(c+d*x)/2, (2*a)/(a+b)]*\operatorname{Sqrt}[\operatorname{Sec}[c+d*x]])/(a*d*\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+d*x]]) + (2*C*\operatorname{Sqrt}[(b+a*\operatorname{Cos}[c+d*x])/(a+b)]*\operatorname{EllipticPi}[2, (c+d*x)/2, (2*a)/(a+b)]*\operatorname{Sqrt}[\operatorname{Sec}[c+d*x]])/(d*\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+d*x]]) + (2*A*\operatorname{EllipticE}[(c+d*x)/2, (2*a)/(a+b)]*\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+d*x]])/(a*d*\operatorname{Sqrt}[(b+a*\operatorname{Cos}[c+d*x])/(a+b)]*\operatorname{Sqrt}[\operatorname{Sec}[c+d*x]])$

Rule 4109

$\operatorname{Int}[(A + csc[(e + f*x)] + (f*x)^2*(C))/(\operatorname{Sqrt}[csc[(e + f*x)] + (f*x)]*(d*x)*\operatorname{Sqrt}[csc[(e + f*x)]*(b + a)]), x_Symbol] := \operatorname{Dist}[C/d^2, \operatorname{Int}[(d*Csc[e + f*x])^(3/2)/\operatorname{Sqrt}[a + b*Csc[e + f*x]], x], x] + \operatorname{Dist}[A, \operatorname{Int}[1/(\operatorname{Sqrt}[d*Csc[e + f*x]]*\operatorname{Sqrt}[a + b*Csc[e + f*x]]), x], x] /; \operatorname{FreeQ}\{a, b,$

d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d])), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3862

Int[1/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[1/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[b/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,

0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx &= A \int \frac{1}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx + C \int \frac{\sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{A \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx}{a} - \frac{(Ab) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx}{a} + \frac{(C \sqrt{b + a \cos(c + dx)}) \sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} \\
&= -\frac{(Ab \sqrt{b + a \cos(c + dx)}) \sqrt{\sec(c + dx)}}{a \sqrt{a + b \sec(c + dx)}} + \frac{(C \sqrt{\frac{b + a \cos(c + dx)}{a + b}}) \sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2C \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}} - \frac{(Ab \sqrt{\frac{b + a \cos(c + dx)}{a + b}}) \sqrt{\sec(c + dx)}}{a \sqrt{a + b \sec(c + dx)}} \\
&= -\frac{2Ab \sqrt{\frac{b + a \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{ad \sqrt{a + b \sec(c + dx)}} + \frac{2C \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 9.0736, size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]), x]

Maple [C] time = 0.483, size = 1160, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2), x)

```
[Out] 2/d/((a-b)/(a+b))^(1/2)/a*(A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/si
n(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a-A*(1/(a+b)*(b+a*cos(
d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*
x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d
*x+c)*a+A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1)
)^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a
-b))^(1/2))*sin(d*x+c)*cos(d*x+c)*b+C*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)
+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a-2*C*(1/(a+b
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticP
i((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b)
)^(1/2))*sin(d*x+c)*cos(d*x+c)*a+A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(
1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x
+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-A*EllipticE((-1+cos(d*x+c)
))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+A*Ellipt
icE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*b*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*si
n(d*x+c)+C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)
/(a-b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*
x+c)+1))^(1/2)*sin(d*x+c)-2*C*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-A*((a-b)/(a+b))^(
1/2)*cos(d*x+c)^2*a+A*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a-A*((a-b)/(a+b))^(1/
2)*cos(d*x+c)*b+A*b*((a-b)/(a+b))^(1/2))*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2
)/(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(b+a*cos(d*x+c))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, alg
orithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/(sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c
))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/(sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```


$$3.761 \quad \int (a + b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=242

$$A \text{Unintegrable}((a + b \sec(c + dx))^{2/3}, x) + \frac{\sqrt{2} C (a + b) \tan(c + dx) (a + b \sec(c + dx))^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{5}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx))\right)}{b d \sqrt{\sec(c + dx) + 1} \left(\frac{a + b \sec(c + dx)}{a + b}\right)^{2/3}}$$

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -5/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) - (Sqrt[2]*a*C*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(2/3), x]

Rubi [A] time = 0.310348, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (a + b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sec[c + d*x])^(2/3)*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -5/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) - (Sqrt[2]*a*C*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(2/3), x]

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx &= \frac{\int (a + b \sec(c + dx))^{2/3} (Ab - aC \sec(c + dx)) dx}{b} + \frac{C \int \sec(c + dx)(a + b \sec(c + dx))^{2/3} dx}{b} \\
&= A \int (a + b \sec(c + dx))^{2/3} dx - \frac{(aC) \int \sec(c + dx)(a + b \sec(c + dx))^{2/3} dx}{b} \\
&= A \int (a + b \sec(c + dx))^{2/3} dx + \frac{(aC \tan(c + dx)) \operatorname{Subst} \left(\int \frac{(a+bx)^{2/3}}{\sqrt{1-x}\sqrt{1+x}} dx \right)}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2}(a + b)CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{5}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) (a + b \sec(c + dx))^{2/3}}{bd\sqrt{1 + \sec(c + dx)} \left(\frac{a + b \sec(c + dx)}{a + b} \right)^{2/3}} \\
&= \frac{\sqrt{2}(a + b)CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{5}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) (a + b \sec(c + dx))^{2/3}}{bd\sqrt{1 + \sec(c + dx)} \left(\frac{a + b \sec(c + dx)}{a + b} \right)^{2/3}}
\end{aligned}$$

Mathematica [A] time = 56.9036, size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^{2/3} (A + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sec[c + d*x])^(2/3)*(A + C*Sec[c + d*x]^2), x]

[Out] Integrate[(a + b*Sec[c + d*x])^(2/3)*(A + C*Sec[c + d*x]^2), x]

Maple [A] time = 0.172, size = 0, normalized size = 0.

$$\int (a + b \sec(dx + c))^{2/3} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2), x)

[Out] `int((a+b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(2/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx))(a + b \sec(c + dx))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))**(2/3)*(A+C*sec(d*x+c)**2),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**(2/3), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(2/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(2/3), x)
```

3.762 $\int \sqrt[3]{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=242

$$A \text{Unintegrable}(\sqrt[3]{a + b \sec(c + dx)}, x) + \frac{\sqrt{2} C (a + b) \tan(c + dx) \sqrt[3]{a + b \sec(c + dx)} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{4}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx))\right)}{b d \sqrt{\sec(c + dx) + 1} \sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}}$$

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -4/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) - (Sqrt[2]*a*C*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(1/3), x]

Rubi [A] time = 0.291975, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \sqrt[3]{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2),x]

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -4/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) - (Sqrt[2]*a*C*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(1/3), x]

Rubi steps

$$\begin{aligned}
\int \sqrt[3]{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= \frac{\int \sqrt[3]{a + b \sec(c + dx)} (Ab - aC \sec(c + dx)) dx}{b} + \frac{C \int \sec(c + dx)(a + b \sec(c + dx)) dx}{b} \\
&= A \int \sqrt[3]{a + b \sec(c + dx)} dx - \frac{(aC) \int \sec(c + dx) \sqrt[3]{a + b \sec(c + dx)} dx}{b} \\
&= A \int \sqrt[3]{a + b \sec(c + dx)} dx + \frac{(aC \tan(c + dx)) \operatorname{Subst} \left(\int \frac{\sqrt[3]{a+bx}}{\sqrt{1-x}\sqrt{1+x}} dx, x \right)}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2}(a + b)CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{4}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) \sqrt[3]{a + b \sec(c + dx)}}{bd\sqrt{1 + \sec(c + dx)}\sqrt{\frac{a + b \sec(c + dx)}{a + b}}} \\
&= \frac{\sqrt{2}(a + b)CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{4}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) \sqrt[3]{a + b \sec(c + dx)}}{bd\sqrt{1 + \sec(c + dx)}\sqrt{\frac{a + b \sec(c + dx)}{a + b}}}
\end{aligned}$$

Mathematica [A] time = 46.1698, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + b \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2), x]

[Out] Integrate[(a + b*Sec[c + d*x])^(1/3)*(A + C*Sec[c + d*x]^2), x]

Maple [A] time = 0.179, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + b \sec(dx + c)} (A + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2), x)

[Out] `int((a+b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(1/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (A + C \sec^2(c + dx)) \sqrt[3]{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))**(1/3)*(A+C*sec(d*x+c)**2),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)*(a + b*sec(c + d*x))**(1/3), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(b \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(1/3)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(b*sec(d*x + c) + a)^(1/3), x)
```


$$3.763 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=239

$$A\text{Unintegrable}\left(\frac{1}{\sqrt[3]{a+b \sec(c+dx)}}, x\right) - \frac{\sqrt{2}aC \tan(c+dx) \sqrt[3]{\frac{a+b \sec(c+dx)}{a+b}} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1-\sec(c+dx))\right), \frac{b(1-\sec(c+dx))}{a+b}}{bd\sqrt{\sec(c+dx)+1} \sqrt[3]{a+b \sec(c+dx)}}$$

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) - (Sqrt[2]*a*C*AppellF1[1/2, 1/2, 1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(1/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(-1/3), x]

Rubi [A] time = 0.294659, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(1/3), x]

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) - (Sqrt[2]*a*C*AppellF1[1/2, 1/2, 1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(1/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(-1/3), x]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx &= \frac{\int \frac{Ab - aC \sec(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx}{b} + \frac{C \int \sec(c + dx)(a + b \sec(c + dx))^{2/3} dx}{b} \\
&= A \int \frac{1}{\sqrt[3]{a + b \sec(c + dx)}} dx - \frac{(aC) \int \frac{\sec(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx}{b} - \frac{(C \tan(c + dx)) \text{Subst} \left(\int \frac{(a+bx)^{2/3}}{\sqrt{1-x}\sqrt{1+x}} dx \right)}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= A \int \frac{1}{\sqrt[3]{a + b \sec(c + dx)}} dx + \frac{(aC \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1-x}\sqrt{1+x}\sqrt[3]{a+bx}} dx, x, \sec(c + dx) \right)}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2}CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c+dx))}{a+b} \right) (a + b \sec(c + dx))^{2/3} \tan(c + dx)}{bd\sqrt{1 + \sec(c + dx)} \left(\frac{a+b \sec(c+dx)}{a+b} \right)^{2/3}} + A \\
&= \frac{\sqrt{2}CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c+dx))}{a+b} \right) (a + b \sec(c + dx))^{2/3} \tan(c + dx)}{bd\sqrt{1 + \sec(c + dx)} \left(\frac{a+b \sec(c+dx)}{a+b} \right)^{2/3}} - \sqrt{2}
\end{aligned}$$

Mathematica [A] time = 76.2612, size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(1/3), x]

[Out] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(1/3), x]

Maple [A] time = 0.163, size = 0, normalized size = 0.

$$\int (A + C (\sec(dx + c))^2) \frac{1}{\sqrt[3]{a + b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3), x)

[Out] `int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c) + a)^(1/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x, algorithm="fricas")`

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/3),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**(1/3), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c) + a)^(1/3), x)
```

$$3.764 \quad \int \frac{A+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=239

$$A\text{Unintegrable}\left(\frac{1}{(a+b \sec(c+dx))^{2/3}}, x\right) - \frac{\sqrt{2}aC \tan(c+dx) \left(\frac{a+b \sec(c+dx)}{a+b}\right)^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1-\sec(c+dx)), \frac{b(1-\sec(c+dx))}{a}\right)}{bd\sqrt{\sec(c+dx)+1}(a+b \sec(c+dx))^{2/3}}$$

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) - (Sqrt[2]*a*C*AppellF1[1/2, 1/2, 2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(2/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(-2/3), x]

Rubi [A] time = 0.294517, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx$$

Verification is Not applicable to the result.

[In] Int[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(2/3), x]

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) - (Sqrt[2]*a*C*AppellF1[1/2, 1/2, 2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(2/3)) + A*Defer[Int] [(a + b*Sec[c + d*x])^(-2/3), x]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx &= \frac{\int \frac{Ab - aC \sec(c+dx)}{(a+b \sec(c+dx))^{2/3}} dx}{b} + \frac{C \int \sec(c + dx) \sqrt[3]{a + b \sec(c + dx)} dx}{b} \\
&= A \int \frac{1}{(a + b \sec(c + dx))^{2/3}} dx - \frac{(aC) \int \frac{\sec(c+dx)}{(a+b \sec(c+dx))^{2/3}} dx}{b} - \frac{(C \tan(c + dx)) \text{Subst} \left(\int \frac{\sqrt[3]{a}}{\sqrt{1-x}} dx \right)}{bd \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}} \\
&= A \int \frac{1}{(a + b \sec(c + dx))^{2/3}} dx + \frac{(aC \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1-x} \sqrt{1+x} (a+bx)^{2/3}} dx, x, \sec(c + dx) \right)}{bd \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2} CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c+dx))}{a+b} \right) \sqrt[3]{a + b \sec(c + dx)} \tan(c + dx)}{bd \sqrt{1 + \sec(c + dx)} \sqrt[3]{\frac{a+b \sec(c+dx)}{a+b}}} + A \int \frac{1}{(a + b \sec(c + dx))^{2/3}} dx \\
&= \frac{\sqrt{2} CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c+dx))}{a+b} \right) \sqrt[3]{a + b \sec(c + dx)} \tan(c + dx)}{bd \sqrt{1 + \sec(c + dx)} \sqrt[3]{\frac{a+b \sec(c+dx)}{a+b}}} - \frac{\sqrt{2} CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c+dx))}{a+b} \right) \sqrt[3]{a + b \sec(c + dx)} \tan(c + dx)}{bd \sqrt{1 + \sec(c + dx)} \sqrt[3]{\frac{a+b \sec(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [A] time = 58.7904, size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(2/3), x]

[Out] Integrate[(A + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(2/3), x]

Maple [A] time = 0.173, size = 0, normalized size = 0.

$$\int (A + C (\sec(dx + c))^2) (a + b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3), x)

[Out] `int((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + A}{(b \sec(dx+c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c) + a)^(2/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(2/3),x)`

[Out] `Integral((A + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**(2/3), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(b \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/(b*sec(d*x + c) + a)^(2/3), x)
```


3.765 $\int \sec^3(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=145

$$\frac{(5aB + 4bC) \tan^3(c + dx)}{15d} + \frac{(5aB + 4bC) \tan(c + dx)}{5d} + \frac{3(aC + bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(aC + bB) \tan(c + dx) \sec^3(c + dx)}{4d}$$

```
[Out] (3*(b*B + a*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((5*a*B + 4*b*C)*Tan[c + d*x])/
(5*d) + (3*(b*B + a*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + ((b*B + a*C)*Sec
c[c + d*x]^3*Tan[c + d*x])/(4*d) + (b*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d)
+ ((5*a*B + 4*b*C)*Tan[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.203111, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3997, 3787, 3767, 3768, 3770}

$$\frac{(5aB + 4bC) \tan^3(c + dx)}{15d} + \frac{(5aB + 4bC) \tan(c + dx)}{5d} + \frac{3(aC + bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(aC + bB) \tan(c + dx) \sec^3(c + dx)}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (3*(b*B + a*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((5*a*B + 4*b*C)*Tan[c + d*x])/
(5*d) + (3*(b*B + a*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + ((b*B + a*C)*Sec
c[c + d*x]^3*Tan[c + d*x])/(4*d) + (b*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d)
+ ((5*a*B + 4*b*C)*Tan[c + d*x]^3)/(15*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)
)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)
*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m+
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
```

$+ f*x])^n \text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{!LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \text{:>} \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^n, x_Symbol] \text{:>} -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] \text{:>} -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Csc}[c + d*x])^{n-1}) / (d*(n-1)), x] + \text{Dist}[(b^2*(n-2)) / (n-1), \text{Int}[(b*\text{Csc}[c + d*x])^{n-2}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{:>} -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + b \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^4(c + dx)(a + b \sec(c + dx))(B + C \sec(c + dx)) dx \\
 &= \frac{bC \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^4(c + dx) dx \\
 &= \frac{bC \sec^4(c + dx) \tan(c + dx)}{5d} + (bB + aC) \int \sec^3(c + dx) dx \\
 &= \frac{(bB + aC) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{bC \sec^4(c + dx)}{5d} \\
 &= \frac{(5aB + 4bC) \tan(c + dx)}{5d} + \frac{3(bB + aC) \sec(c + dx)}{8d} \\
 &= \frac{3(bB + aC) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(5aB + 4bC) \sec(c + dx)}{5d}
 \end{aligned}$$

Mathematica [A] time = 0.88028, size = 106, normalized size = 0.73

$$\frac{45(aC + bB) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(8 \left(5(aB + 2bC) \tan^2(c + dx) + 15(aB + bC) + 3bC \tan^4(c + dx) \right) + 30 \right)}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (45*(b*B + a*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(45*(b*B + a*C)*Sec[c + d*x] + 30*(b*B + a*C)*Sec[c + d*x]^3 + 8*(15*(a*B + b*C) + 5*(a*B + 2*b*C))*Tan[c + d*x]^2 + 3*b*C*Tan[c + d*x]^4))/(120*d)

Maple [A] time = 0.036, size = 213, normalized size = 1.5

$$\frac{2Ba \tan(dx + c)}{3d} + \frac{Ba \tan(dx + c) (\sec(dx + c))^2}{3d} + \frac{aC (\sec(dx + c))^3 \tan(dx + c)}{4d} + \frac{3C \sec(dx + c) a \tan(dx + c)}{8d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 2/3/d*B*a*tan(d*x+c)+1/3/d*B*a*tan(d*x+c)*sec(d*x+c)^2+1/4*a*C*sec(d*x+c)^3*tan(d*x+c)/d+3/8*a*C*sec(d*x+c)*tan(d*x+c)/d+3/8/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+1/4/d*B*b*tan(d*x+c)*sec(d*x+c)^3+3/8/d*B*b*tan(d*x+c)*sec(d*x+c)+3/8/d*B*b*ln(sec(d*x+c)+tan(d*x+c))+8/15*b*C*tan(d*x+c)/d+1/5*b*C*sec(d*x+c)^4*tan(d*x+c)/d+4/15*b*C*sec(d*x+c)^2*tan(d*x+c)/d

Maxima [A] time = 0.968834, size = 270, normalized size = 1.86

$$80 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ba + 16 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) Cb - 15 Ca \left(\frac{2(3 \sin(dx + c))}{\sin(dx + c)^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $\frac{1}{240} \cdot (80 \cdot (\tan(dx + c))^3 + 3 \cdot \tan(dx + c)) \cdot B \cdot a + 16 \cdot (3 \cdot \tan(dx + c))^5 + 10 \cdot \tan(dx + c)^3 + 15 \cdot \tan(dx + c)) \cdot C \cdot b - 15 \cdot C \cdot a \cdot (2 \cdot (3 \cdot \sin(dx + c))^3 - 5 \cdot \sin(dx + c)) / ((\sin(dx + c))^4 - 2 \cdot \sin(dx + c)^2 + 1) - 3 \cdot \log(\sin(dx + c) + 1) + 3 \cdot \log(\sin(dx + c) - 1)) - 15 \cdot B \cdot b \cdot (2 \cdot (3 \cdot \sin(dx + c))^3 - 5 \cdot \sin(dx + c)) / ((\sin(dx + c))^4 - 2 \cdot \sin(dx + c)^2 + 1) - 3 \cdot \log(\sin(dx + c) + 1) + 3 \cdot \log(\sin(dx + c) - 1)) / d$

Fricas [A] time = 0.959076, size = 397, normalized size = 2.74

$$\frac{45(Ca + Bb) \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 45(Ca + Bb) \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(16(5Ba + 4Cb) \cos(dx + c)^4 + 45(Ca + Bb) \cos(dx + c)^3 + 8(5Ba + 4Cb) \cos(dx + c)^2 + 24Cb + 30(Ca + Bb) \cos(dx + c) \sin(dx + c)) / (d \cos(dx + c)^5)}{240 d \cos(dx + c)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3*(a+b*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{240} \cdot (45 \cdot (C \cdot a + B \cdot b) \cdot \cos(dx + c)^5 \cdot \log(\sin(dx + c) + 1) - 45 \cdot (C \cdot a + B \cdot b) \cdot \cos(dx + c)^5 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (16 \cdot (5 \cdot B \cdot a + 4 \cdot C \cdot b) \cdot \cos(dx + c)^4 + 45 \cdot (C \cdot a + B \cdot b) \cdot \cos(dx + c)^3 + 8 \cdot (5 \cdot B \cdot a + 4 \cdot C \cdot b) \cdot \cos(dx + c)^2 + 24 \cdot C \cdot b + 30 \cdot (C \cdot a + B \cdot b) \cdot \cos(dx + c) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^5)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx)) (a + b \sec(c + dx)) \sec^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)**3*(a+b*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)**2),x)`

[Out] `Integral((B + C*sec(c + dx))*(a + b*sec(c + dx))*sec(c + dx)**4, x)`

Giac [B] time = 1.27524, size = 446, normalized size = 3.08

$$45(Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 45(Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2\left(120 Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 - 75 Ca \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^8 + 30 Cb \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 Cc \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^6 + 3 Cc^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - Cc^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 + Cc^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Cc^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + Cc^6 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Cc^7\right)}{2 d \left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)^9}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/120*(45*(C*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 45*(C*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(120*B*a*tan(1/2*d*x + 1/2*c)^9 - 75*C*a*tan(1/2*d*x + 1/2*c)^9 - 75*B*b*tan(1/2*d*x + 1/2*c)^9 + 120*C*b*tan(1/2*d*x + 1/2*c)^9 - 320*B*a*tan(1/2*d*x + 1/2*c)^7 + 30*C*a*tan(1/2*d*x + 1/2*c)^7 + 30*B*b*tan(1/2*d*x + 1/2*c)^7 - 160*C*b*tan(1/2*d*x + 1/2*c)^7 + 400*B*a*tan(1/2*d*x + 1/2*c)^5 + 464*C*b*tan(1/2*d*x + 1/2*c)^5 - 320*B*a*tan(1/2*d*x + 1/2*c)^3 - 30*C*a*tan(1/2*d*x + 1/2*c)^3 - 30*B*b*tan(1/2*d*x + 1/2*c)^3 - 160*C*b*tan(1/2*d*x + 1/2*c)^3 + 120*B*a*tan(1/2*d*x + 1/2*c) + 75*C*a*tan(1/2*d*x + 1/2*c) + 75*B*b*tan(1/2*d*x + 1/2*c) + 120*C*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5)/d
```

3.766 $\int \sec^2(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=114

$$\frac{(aC + bB) \tan^3(c + dx)}{3d} + \frac{(aC + bB) \tan(c + dx)}{d} + \frac{(4aB + 3bC) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4aB + 3bC) \tan(c + dx) \sec(c + dx)}{8d}$$

[Out] $((4*a*B + 3*b*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((b*B + a*C)*Tan[c + d*x])/d + ((4*a*B + 3*b*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (b*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + ((b*B + a*C)*Tan[c + d*x]^3)/(3*d)$

Rubi [A] time = 0.185197, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3997, 3787, 3768, 3770, 3767}

$$\frac{(aC + bB) \tan^3(c + dx)}{3d} + \frac{(aC + bB) \tan(c + dx)}{d} + \frac{(4aB + 3bC) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4aB + 3bC) \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]^2*(a + b*\text{Sec}[c + d*x])*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((4*a*B + 3*b*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((b*B + a*C)*Tan[c + d*x])/d + ((4*a*B + 3*b*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (b*C*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + ((b*B + a*C)*Tan[c + d*x]^3)/(3*d)$

Rule 4072

$\text{Int}[(a + csc[e + f*x] + (f*x)*(b + csc[e + f*x]))^m * ((A + csc[e + f*x] + (f*x)*(B + csc[e + f*x]))^2 * (C + csc[e + f*x] + (f*x)*(d)))^n, x_Symbol] := \text{Dist}[1/b^2, \text{Int}[(a + b*Csc[e + f*x])^{m+1} * (c + d*Csc[e + f*x])^n * (b*B - a*C + b*C*Csc[e + f*x]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x\} \ \&\& \ \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 3997

$\text{Int}[(csc[e + f*x] + (f*x)*(d))^n * (csc[e + f*x] + (f*x)*(b + a*csc[e + f*x] + (f*x)*(B + A))), x_Symbol] := -\text{Simp}[(b*B*Cot[e + f*x] * (d*Csc[e + f*x])^n) / (f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*Csc[e + f*x])^n * \text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ !\text{LeQ}[n,$

-1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + b \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^3(c + dx)(a + b \sec(c + dx))(B + C \sec(c + dx)) dx \\
&= \frac{bC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^3(c + dx) dx \\
&= \frac{bC \sec^3(c + dx) \tan(c + dx)}{4d} + (bB + aC) \int \sec(c + dx) dx \\
&= \frac{(4aB + 3bC) \sec(c + dx) \tan(c + dx)}{8d} + \frac{bC \sec^3(c + dx)}{4d} \\
&= \frac{(4aB + 3bC) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(bB + aC) \sec(c + dx)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.627029, size = 85, normalized size = 0.75

$$\frac{3(4aB + 3bC) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \sec(c + dx) (8(aC + bB)(\cos(2(c + dx)) + 2) \sec(c + dx) + 12aB + 6bC)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*(4*a*B + 3*b*C)*ArcTanh[Sin[c + d*x]] + Sec[c + d*x]*(12*a*B + 9*b*C + 8*(b*B + a*C)*(2 + Cos[2*(c + d*x)]))*Sec[c + d*x] + 6*b*C*Sec[c + d*x]^2)*Tan[c + d*x])/(24*d)

Maple [A] time = 0.036, size = 171, normalized size = 1.5

$$\frac{Ba \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2aC \tan(dx + c)}{3d} + \frac{aC (\sec(dx + c))^2 \tan(dx + c)}{3d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/2/d*B*a*sec(d*x+c)*tan(d*x+c)+1/2/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+2/3*a*C*tan(d*x+c)/d+1/3*a*C*sec(d*x+c)^2*tan(d*x+c)/d+2/3/d*B*b*tan(d*x+c)+1/3/d*B*b*tan(d*x+c)*sec(d*x+c)^2+1/4*b*C*sec(d*x+c)^3*tan(d*x+c)/d+3/8*b*C*sec(d*x+c)*tan(d*x+c)/d+3/8/d*C*b*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.976387, size = 220, normalized size = 1.93

$$16(\tan(dx + c)^3 + 3 \tan(dx + c))Ca + 16(\tan(dx + c)^3 + 3 \tan(dx + c))Bb - 3Cb \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) - 1) \right) / 48d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*b - 3*C*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*B*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)))/d

Fricas [A] time = 1.01197, size = 352, normalized size = 3.09

$$\frac{3(4Ba + 3Cb) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(4Ba + 3Cb) \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(16(Ca + Bb) \cos(dx + c)^3 + 3(4B^2a + 3C^2b) \cos(dx + c)^2 + 6C^2b + 8(C^2a + B^2b) \cos(dx + c) \sin(dx + c))}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/48*(3*(4*B*a + 3*C*b)*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(4*B*a + 3*C*b)*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(16*(C*a + B*b)*cos(d*x + c)^3 + 3*(4*B*a + 3*C*b)*cos(d*x + c)^2 + 6*C*b + 8*(C*a + B*b)*cos(d*x + c)*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx))(a + b \sec(c + dx)) \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((B + C*sec(c + d*x))*(a + b*sec(c + d*x))*sec(c + d*x)**3, x)

Giac [B] time = 1.2163, size = 410, normalized size = 3.6

$$3(4Ba + 3Cb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(4Ba + 3Cb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(12Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 12B^2a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 12C^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

```
[Out] 1/24*(3*(4*B*a + 3*C*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(4*B*a + 3*C
*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(12*B*a*tan(1/2*d*x + 1/2*c)^7 -
24*C*a*tan(1/2*d*x + 1/2*c)^7 - 24*B*b*tan(1/2*d*x + 1/2*c)^7 + 15*C*b*tan
(1/2*d*x + 1/2*c)^7 - 12*B*a*tan(1/2*d*x + 1/2*c)^5 + 40*C*a*tan(1/2*d*x +
1/2*c)^5 + 40*B*b*tan(1/2*d*x + 1/2*c)^5 + 9*C*b*tan(1/2*d*x + 1/2*c)^5 - 1
2*B*a*tan(1/2*d*x + 1/2*c)^3 - 40*C*a*tan(1/2*d*x + 1/2*c)^3 - 40*B*b*tan(1
/2*d*x + 1/2*c)^3 + 9*C*b*tan(1/2*d*x + 1/2*c)^3 + 12*B*a*tan(1/2*d*x + 1/2
*c) + 24*C*a*tan(1/2*d*x + 1/2*c) + 24*B*b*tan(1/2*d*x + 1/2*c) + 15*C*b*ta
n(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4)/d
```

3.767 $\int \sec(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=93

$$\frac{(3aB + 2bC) \tan(c + dx)}{3d} + \frac{(aC + bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aC + bB) \tan(c + dx) \sec(c + dx)}{2d} + \frac{bC \tan(c + dx) \sec^2(c + dx)}{3d}$$

[Out] ((b*B + a*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((3*a*B + 2*b*C)*Tan[c + d*x])/(3*d) + ((b*B + a*C)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (b*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.153376, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4072, 3997, 3787, 3767, 8, 3768, 3770}

$$\frac{(3aB + 2bC) \tan(c + dx)}{3d} + \frac{(aC + bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aC + bB) \tan(c + dx) \sec(c + dx)}{2d} + \frac{bC \tan(c + dx) \sec^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((b*B + a*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((3*a*B + 2*b*C)*Tan[c + d*x])/(3*d) + ((b*B + a*C)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (b*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^n, x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,

-1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + b \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^2(c + dx)(a + b \sec(c + dx))(B + C \sec(c + dx)) dx \\
&= \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec^2(c + dx) dx \\
&= \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} + (bB + aC) \int \sec^3(c + dx) dx \\
&= \frac{(bB + aC) \sec(c + dx) \tan(c + dx)}{2d} + \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} \\
&= \frac{(bB + aC) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(3aB + 2bC) \tan(c + dx) \sec^2(c + dx)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.290459, size = 67, normalized size = 0.72

$$\frac{3(aC + bB) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(aC + bB) \sec(c + dx) + 6aB + 2bC \tan^2(c + dx) + 6bC)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*(b*B + a*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(6*a*B + 6*b*C + 3*(b*B + a*C)*Sec[c + d*x] + 2*b*C*Tan[c + d*x]^2))/(6*d)

Maple [A] time = 0.034, size = 128, normalized size = 1.4

$$\frac{Ba \tan(dx + c)}{d} + \frac{C \sec(dx + c) a \tan(dx + c)}{2d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{Bb \tan(dx + c) \sec(dx + c)}{2d} + \frac{E}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*B*a*tan(d*x+c)+1/2*a*C*sec(d*x+c)*tan(d*x+c)/d+1/2/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*B*b*tan(d*x+c)*sec(d*x+c)+1/2/d*B*b*ln(sec(d*x+c)+tan(d*x+c))+2/3*b*C*tan(d*x+c)/d+1/3*b*C*sec(d*x+c)^2*tan(d*x+c)/d

Maxima [A] time = 0.986974, size = 171, normalized size = 1.84

$$\frac{4 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Cb - 3 Ca \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) - 3 Bb \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/12*(4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*b - 3*C*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 3*B*b*(2

$$\frac{\sin(dx + c)}{(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)} + 12Ba \tan(dx + c) / d$$

Fricas [A] time = 0.683446, size = 298, normalized size = 3.2

$$\frac{3(Ca + Bb) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(Ca + Bb) \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(3Ba + 2Cb) \cos(dx + c)^2 + 2C^2b + 3(Ca + Bb) \cos(dx + c) \sin(dx + c)) / (d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+b*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorith="fricas")

[Out] 1/12*(3*(C*a + B*b)*cos(dx + c)^3*log(sin(dx + c) + 1) - 3*(C*a + B*b)*cos(dx + c)^3*log(-sin(dx + c) + 1) + 2*(2*(3*B*a + 2*C*b)*cos(dx + c)^2 + 2*C*b + 3*(C*a + B*b)*cos(dx + c)*sin(dx + c))/(d*cos(dx + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx))(a + b \sec(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+b*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] Integral((B + C*sec(c + d*x))*(a + b*sec(c + d*x))*sec(c + d*x)**2, x)

Giac [B] time = 1.18757, size = 284, normalized size = 3.05

$$3(Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(6Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algo
rithm="giac")
```

```
[Out] 1/6*(3*(C*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(C*a + B*b)*log(a
bs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*B*a*tan(1/2*d*x + 1/2*c)^5 - 3*C*a*tan
(1/2*d*x + 1/2*c)^5 - 3*B*b*tan(1/2*d*x + 1/2*c)^5 + 6*C*b*tan(1/2*d*x + 1/
2*c)^5 - 12*B*a*tan(1/2*d*x + 1/2*c)^3 - 4*C*b*tan(1/2*d*x + 1/2*c)^3 + 6*B
*a*tan(1/2*d*x + 1/2*c) + 3*C*a*tan(1/2*d*x + 1/2*c) + 3*B*b*tan(1/2*d*x +
1/2*c) + 6*C*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

3.768 $\int (a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=61

$$\frac{(aC + bB) \tan(c + dx)}{d} + \frac{(2aB + bC) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] $((2*a*B + b*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((b*B + a*C)*Tan[c + d*x])/d + (b*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)$

Rubi [A] time = 0.0658929, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4048, 3770, 3767, 8}

$$\frac{(aC + bB) \tan(c + dx)}{d} + \frac{(2aB + bC) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Sec}[c + d*x])*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((2*a*B + b*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((b*B + a*C)*Tan[c + d*x])/d + (b*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)$

Rule 4048

$\text{Int}[(A_.) + \csc[(e_.) + (f_.)*(x_)]*(B_.) + \csc[(e_.) + (f_.)*(x_)]^2*(C_.)]*(\csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := -\text{Simp}[(b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x])/(2*f), x] + \text{Dist}[1/2, \text{Int}[\text{Simp}[2*A*a + (2*B*a + b*(2*A + C))*\text{Csc}[e + f*x] + 2*(a*C + B*b)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x]$

Rule 3770

$\text{Int}[\csc[(c_.) + (d_.)*(x_)], x_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3767

$\text{Int}[\csc[(c_.) + (d_.)*(x_)]^{(n_)}, x_Symbol] := -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c,$

d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int (a + b \sec(c + dx)) (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{bC \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int ((2aB + bC) \sec(c + dx) \\ &= \frac{bC \sec(c + dx) \tan(c + dx)}{2d} + (bB + aC) \int \sec^2(c + dx) dx \\ &= \frac{(2aB + bC) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{(2aB + bC) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(bB + aC) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0270714, size = 75, normalized size = 1.23

$$\frac{aB \tanh^{-1}(\sin(c + dx))}{d} + \frac{aC \tan(c + dx)}{d} + \frac{bB \tan(c + dx)}{d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a*B*ArcTanh[Sin[c + d*x]])/d + (b*C*ArcTanh[Sin[c + d*x]])/(2*d) + (b*B*Tan[c + d*x])/d + (a*C*Tan[c + d*x])/d + (b*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Maple [A] time = 0.03, size = 86, normalized size = 1.4

$$\frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aC \tan(dx + c)}{d} + \frac{Bb \tan(dx + c)}{d} + \frac{Cb \sec(dx + c) \tan(dx + c)}{2d} + \frac{Cb \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] $1/d*B*a*\ln(\sec(dx+c)+\tan(dx+c))+a*C*\tan(dx+c)/d+1/d*B*b*\tan(dx+c)+1/2*b*C*\sec(dx+c)*\tan(dx+c)/d+1/2/d*C*b*\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 0.962397, size = 119, normalized size = 1.95

$$\frac{Cb\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) - 4Ba \log(\sec(dx+c) + \tan(dx+c)) - 4Ca \tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $-1/4*(C*b*(2*\sin(dx+c)/(\sin(dx+c)^2-1) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)) - 4*B*a*\log(\sec(dx+c) + \tan(dx+c)) - 4*C*a*\tan(dx+c) - 4*B*b*\tan(dx+c))/d$

Fricas [A] time = 0.52175, size = 247, normalized size = 4.05

$$\frac{(2Ba + Cb) \cos(dx+c)^2 \log(\sin(dx+c)+1) - (2Ba + Cb) \cos(dx+c)^2 \log(-\sin(dx+c)+1) + 2(Cb + 2(Ca + Bb) \cos(dx+c)) \sin(dx+c)}{4d \cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/4*((2*B*a + C*b)*\cos(dx+c)^2*\log(\sin(dx+c)+1) - (2*B*a + C*b)*\cos(dx+c)^2*\log(-\sin(dx+c)+1) + 2*(C*b + 2*(C*a + B*b)*\cos(dx+c))*\sin(dx+c))/(d*\cos(dx+c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx))(a + b \sec(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((B + C*sec(c + d*x))*(a + b*sec(c + d*x))*sec(c + d*x), x)

Giac [B] time = 1.18592, size = 207, normalized size = 3.39

$$(2Ba + Cb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Ba + Cb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(2Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3 + 2Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{2d}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{2} * ((2*B*a + C*b) * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (2*B*a + C*b) * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2 * (2*C*a*\tan(1/2*d*x + 1/2*c)^3 + 2*B*b*\tan(1/2*d*x + 1/2*c)^3 - C*b*\tan(1/2*d*x + 1/2*c)^3 - 2*C*a*\tan(1/2*d*x + 1/2*c) - 2*B*b*\tan(1/2*d*x + 1/2*c) - C*b*\tan(1/2*d*x + 1/2*c)) / (\tan(1/2*d*x + 1/2*c)^2 - 1)^2) / d$

3.769 $\int \cos(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=35

$$\frac{(aC + bB) \tanh^{-1}(\sin(c + dx))}{d} + aBx + \frac{bC \tan(c + dx)}{d}$$

[Out] a*B*x + ((b*B + a*C)*ArcTanh[Sin[c + d*x]])/d + (b*C*Tan[c + d*x])/d

Rubi [A] time = 0.0736953, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {4072, 3914, 3767, 8, 3770}

$$\frac{(aC + bB) \tanh^{-1}(\sin(c + dx))}{d} + aBx + \frac{bC \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a*B*x + ((b*B + a*C)*ArcTanh[Sin[c + d*x]])/d + (b*C*Tan[c + d*x])/d

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3914

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,

d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + b \sec(c + dx))(B + C \sec(c + dx)) dx \\ &= aBx + (bC) \int \sec^2(c + dx) dx + (bB + aC) \int \sec(c + dx) dx \\ &= aBx + \frac{(bB + aC) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(bC) \tan(c + dx)}{d} \\ &= aBx + \frac{(bB + aC) \tanh^{-1}(\sin(c + dx))}{d} + \frac{bC \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0135357, size = 43, normalized size = 1.23

$$aBx + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \tanh^{-1}(\sin(c + dx))}{d} + \frac{bC \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a*B*x + (b*B*ArcTanh[Sin[c + d*x]])/d + (a*C*ArcTanh[Sin[c + d*x]])/d + (b*C*Tan[c + d*x])/d

Maple [A] time = 0.046, size = 65, normalized size = 1.9

$$aBx + \frac{Bb \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bac}{d} + \frac{Cb \tan(dx + c)}{d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] a*B*x+1/d*B*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a*c+b*C*tan(d*x+c)/d+1/d*a*C*ln(sec(d*x+c)+tan(d*x+c))
```

Maxima [B] time = 0.971548, size = 99, normalized size = 2.83

$$\frac{2(dx+c)Ba + Ca(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + Bb(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2Cb}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/2*(2*(d*x + c)*B*a + C*a*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + B*b*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 2*C*b*tan(d*x + c))/d
```

Fricas [B] time = 0.510689, size = 225, normalized size = 6.43

$$\frac{2Badx \cos(dx+c) + (Ca+Bb) \cos(dx+c) \log(\sin(dx+c)+1) - (Ca+Bb) \cos(dx+c) \log(-\sin(dx+c)+1) + 2Cb}{2d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 1/2*(2*B*a*d*x*cos(d*x + c) + (C*a + B*b)*cos(d*x + c)*log(sin(d*x + c) + 1) - (C*a + B*b)*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*C*b*sin(d*x + c))/(d*cos(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx))(a + b \sec(c + dx)) \cos(c + dx) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((B + C*sec(c + d*x))*(a + b*sec(c + d*x))*cos(c + d*x)*sec(c + d*x), x)

Giac [B] time = 1.15949, size = 113, normalized size = 3.23

$$\frac{(dx + c)Ba + (Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2Cb \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] ((d*x + c)*B*a + (C*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (C*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*C*b*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1))/d

3.770 $\int \cos^2(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=35

$$x(aC + bB) + \frac{aB \sin(c + dx)}{d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] (b*B + a*C)*x + (b*C*ArcTanh[Sin[c + d*x]])/d + (a*B*Sin[c + d*x])/d

Rubi [A] time = 0.101763, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {4072, 3996, 3770}

$$x(aC + bB) + \frac{aB \sin(c + dx)}{d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (b*B + a*C)*x + (b*C*ArcTanh[Sin[c + d*x]])/d + (a*B*Sin[c + d*x])/d

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3770


```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)(a + b \sec(c + dx))(B + C \sec(c + dx)) dx \\ &= \frac{aB \sin(c + dx)}{d} - \int (-bB - aC - bC \sec(c + dx)) dx \\ &= (bB + aC)x + \frac{aB \sin(c + dx)}{d} + (bC) \int \sec(c + dx) dx \\ &= (bB + aC)x + \frac{bC \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \sin(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0274246, size = 46, normalized size = 1.31

$$\frac{aB \sin(c) \cos(dx)}{d} + \frac{aB \cos(c) \sin(dx)}{d} + aCx + bBx + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] b*B*x + a*C*x + (b*C*ArcTanh[Sin[c + d*x]])/d + (a*B*Cos[d*x]*Sin[c])/d + (a*B*Cos[c]*Sin[d*x])/d
```

Maple [A] time = 0.055, size = 56, normalized size = 1.6

$$Bbx + aCx + \frac{B \sin(dx + c) a}{d} + \frac{Bbc}{d} + \frac{Cb \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Cac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] B*b*x+a*C*x+a*B*sin(d*x+c)/d+1/d*B*b*c+1/d*C*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*C*a*c
```

Maxima [A] time = 0.969817, size = 78, normalized size = 2.23

$$\frac{2(dx+c)Ca + 2(dx+c)Bb + Cb(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2Ba \sin(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/2*(2*(d*x + c)*C*a + 2*(d*x + c)*B*b + C*b*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 2*B*a*sin(d*x + c))/d

Fricas [A] time = 0.510087, size = 142, normalized size = 4.06

$$\frac{2(Ca + Bb)dx + Cb \log(\sin(dx+c)+1) - Cb \log(-\sin(dx+c)+1) + 2Ba \sin(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/2*(2*(C*a + B*b)*d*x + C*b*log(sin(d*x + c) + 1) - C*b*log(-sin(d*x + c) + 1) + 2*B*a*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.21137, size = 107, normalized size = 3.06

$$\frac{Cb \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - Cb \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (Ca + Bb)(dx + c) + \frac{2Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] (C*b*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - C*b*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (C*a + B*b)*(d*x + c) + 2*B*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1))/d

3.771 $\int \cos^3(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=52

$$\frac{(aC + bB) \sin(c + dx)}{d} + \frac{1}{2}x(aB + 2bC) + \frac{aB \sin(c + dx) \cos(c + dx)}{2d}$$

[Out] $((a*B + 2*b*C)*x)/2 + ((b*B + a*C)*\text{Sin}[c + d*x])/d + (a*B*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d)$

Rubi [A] time = 0.141558, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4072, 3996, 3787, 2637, 8}

$$\frac{(aC + bB) \sin(c + dx)}{d} + \frac{1}{2}x(aB + 2bC) + \frac{aB \sin(c + dx) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((a*B + 2*b*C)*x)/2 + ((b*B + a*C)*\text{Sin}[c + d*x])/d + (a*B*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d)$

Rule 4072

$\text{Int}[(a + \text{csc}[e + f*x])*(b + \text{csc}[e + f*x])^m, x] := \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(c + d*\text{Csc}[e + f*x])^n*(b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x$ && $\text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 3996

$\text{Int}[(\text{csc}[e + f*x])^n*(\text{csc}[e + f*x]*b + a), x] := \text{Simp}[(A*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (B*b*n + A*a*(n+1))*\text{Csc}[e + f*x], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B\}, x$ && $\text{NeQ}[A*b - a*B, 0]$ && $\text{LeQ}[n, -1]$

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + b \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)(a + b \sec(c + dx))(B + C \sec(c + dx)) dx \\ &= \frac{aB \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) dx \\ &= \frac{aB \cos(c + dx) \sin(c + dx)}{2d} - (-bB - aC) \int \cos(c + dx) dx \\ &= \frac{1}{2}(aB + 2bC)x + \frac{(bB + aC) \sin(c + dx)}{d} + \frac{aB \cos(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.0866127, size = 51, normalized size = 0.98

$$\frac{4(aC + bB) \sin(c + dx) + aB \sin(2(c + dx)) + 2aBc + 2aBdx + 4bCd}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (2*a*B*c + 2*a*B*d*x + 4*b*C*d*x + 4*(b*B + a*C)*Sin[c + d*x] + a*B*Sin[2*(
c + d*x]))/(4*d)
```

Maple [A] time = 0.053, size = 57, normalized size = 1.1

$$\frac{1}{d} \left(Ba \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Bb \sin(dx + c) + aC \sin(dx + c) + Cb(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $1/d*(B*a*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+B*b*\sin(d*x+c)+a*C*\sin(d*x+c)+C*b*(d*x+c))$

Maxima [A] time = 0.954808, size = 74, normalized size = 1.42

$$\frac{(2 dx + 2 c + \sin(2 dx + 2 c))Ba + 4 (dx + c)Cb + 4 Ca \sin(dx + c) + 4 Bb \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/4*((2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a + 4*(d*x + c)*C*b + 4*C*a*\sin(d*x + c) + 4*B*b*\sin(d*x + c))/d$

Fricas [A] time = 0.482725, size = 104, normalized size = 2.

$$\frac{(Ba + 2 Cb)dx + (Ba \cos(dx + c) + 2 Ca + 2 Bb) \sin(dx + c)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/2*((B*a + 2*C*b)*d*x + (B*a*\cos(d*x + c) + 2*C*a + 2*B*b)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.17867, size = 163, normalized size = 3.13

$$(Ba + 2Cb)(dx + c) - \frac{2\left(Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{2} * ((B*a + 2*C*b) * (d*x + c) - 2 * (B*a * \tan(1/2*d*x + 1/2*c)^3 - 2*C*a * \tan(1/2*d*x + 1/2*c)^3 - 2*B*b * \tan(1/2*d*x + 1/2*c)^3 - B*a * \tan(1/2*d*x + 1/2*c) - 2*C*a * \tan(1/2*d*x + 1/2*c) - 2*B*b * \tan(1/2*d*x + 1/2*c)) / (\tan(1/2*d*x + 1/2*c)^2 + 1)^2 / d$

3.772 $\int \cos^4(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=84

$$\frac{(2aB + 3bC) \sin(c + dx)}{3d} + \frac{(aC + bB) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}x(aC + bB) + \frac{aB \sin(c + dx) \cos^2(c + dx)}{3d}$$

[Out] $((b*B + a*C)*x)/2 + ((2*a*B + 3*b*C)*\text{Sin}[c + d*x])/(3*d) + ((b*B + a*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a*B*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rubi [A] time = 0.16633, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3996, 3787, 2635, 8, 2637}

$$\frac{(2aB + 3bC) \sin(c + dx)}{3d} + \frac{(aC + bB) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}x(aC + bB) + \frac{aB \sin(c + dx) \cos^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^4*(a + b*\text{Sec}[c + d*x])*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((b*B + a*C)*x)/2 + ((2*a*B + 3*b*C)*\text{Sin}[c + d*x])/(3*d) + ((b*B + a*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a*B*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rule 4072

$\text{Int}[(a + \text{csc}[e + f*x])*(b + \text{csc}[e + f*x])^m, x] := \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(c + d*\text{Csc}[e + f*x])^n*(b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3996

$\text{Int}[(\text{csc}[e + f*x])^n*(\text{csc}[e + f*x]*b + a), x] := \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (B*b*n + A*a*(n+1))*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787


```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*cos[c + d*x]
)*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^4(c + dx)(a + b \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^3(c + dx)(a + b \sec(c + dx))(B + C \sec(c + dx)) dx \\
 &= \frac{aB \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (a + b \sec(c + dx)) dx \\
 &= \frac{aB \cos^2(c + dx) \sin(c + dx)}{3d} - (-bB - aC) \int \cos(c + dx) dx \\
 &= \frac{(2aB + 3bC) \sin(c + dx)}{3d} + \frac{(bB + aC) \cos(c + dx)}{2d} \\
 &= \frac{1}{2}(bB + aC)x + \frac{(2aB + 3bC) \sin(c + dx)}{3d} + \frac{(bB + aC) \cos(c + dx)}{2d}
 \end{aligned}$$

Mathematica [A] time = 0.161308, size = 75, normalized size = 0.89

$$\frac{3(3aB + 4bC) \sin(c + dx) + 3(aC + bB) \sin(2(c + dx)) + aB \sin(3(c + dx)) + 6aC + 6aCdx + 6bBc + 6bBdx}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

[Out] $(6*b*B*c + 6*a*c*C + 6*b*B*d*x + 6*a*C*d*x + 3*(3*a*B + 4*b*C)*\text{Sin}[c + d*x] + 3*(b*B + a*C)*\text{Sin}[2*(c + d*x)] + a*B*\text{Sin}[3*(c + d*x)])/(12*d)$

Maple [A] time = 0.069, size = 85, normalized size = 1.

$$\frac{1}{d} \left(\frac{Ba(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + Bb \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + aC \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $1/d*(1/3*B*a*(2+\cos(d*x+c)^2)*\sin(d*x+c)+B*b*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+a*C*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+C*\sin(d*x+c)*b)$

Maxima [A] time = 0.957332, size = 107, normalized size = 1.27

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Ba - 3(2dx + 2c + \sin(2dx + 2c))Ca - 3(2dx + 2c + \sin(2dx + 2c))Bb - 12Cb \sin(dx + c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $-1/12*(4*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a - 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a - 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*b - 12*C*b*\sin(d*x + c))/d$

Fricas [A] time = 0.489494, size = 149, normalized size = 1.77

$$\frac{3(Ca + Bb)dx + (2Ba \cos(dx + c)^2 + 4Ba + 6Cb + 3(Ca + Bb) \cos(dx + c)) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{6}*(3*(C*a + B*b)*d*x + (2*B*a*\cos(d*x + c)^2 + 4*B*a + 6*C*b + 3*(C*a + B*b)*\cos(d*x + c))*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.17514, size = 243, normalized size = 2.89

$$3(Ca + Bb)(dx + c) + \frac{2\left(6Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{6}*(3*(C*a + B*b)*(d*x + c) + 2*(6*B*a*\tan(1/2*d*x + 1/2*c)^5 - 3*C*a*\tan(1/2*d*x + 1/2*c)^5 - 3*B*b*\tan(1/2*d*x + 1/2*c)^5 + 6*C*b*\tan(1/2*d*x + 1/2*c)^5 + 4*B*a*\tan(1/2*d*x + 1/2*c)^3 + 12*C*b*\tan(1/2*d*x + 1/2*c)^3 + 6*B*a*\tan(1/2*d*x + 1/2*c) + 3*C*a*\tan(1/2*d*x + 1/2*c) + 3*B*b*\tan(1/2*d*x + 1/2*c) + 6*C*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d$

3.773 $\int \cos^5(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=105

$$-\frac{(aC + bB) \sin^3(c + dx)}{3d} + \frac{(aC + bB) \sin(c + dx)}{d} + \frac{(3aB + 4bC) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(3aB + 4bC) + \frac{aB \sin(c + dx)}{8d}$$

[Out] $((3*a*B + 4*b*C)*x)/8 + ((b*B + a*C)*\text{Sin}[c + d*x])/d + ((3*a*B + 4*b*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*B*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - ((b*B + a*C)*\text{Sin}[c + d*x]^3)/(3*d)$

Rubi [A] time = 0.177823, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3996, 3787, 2633, 2635, 8}

$$-\frac{(aC + bB) \sin^3(c + dx)}{3d} + \frac{(aC + bB) \sin(c + dx)}{d} + \frac{(3aB + 4bC) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(3aB + 4bC) + \frac{aB \sin(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^5*(a + b*\text{Sec}[c + d*x])*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((3*a*B + 4*b*C)*x)/8 + ((b*B + a*C)*\text{Sin}[c + d*x])/d + ((3*a*B + 4*b*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*B*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - ((b*B + a*C)*\text{Sin}[c + d*x]^3)/(3*d)$

Rule 4072

$\text{Int}[(a + \text{csc}[e + f*x])*(b + \text{csc}[e + f*x])^m*(c + \text{csc}[e + f*x])^n, x] \text{Symbol} \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(c + d*\text{Csc}[e + f*x])^n*(b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3996

$\text{Int}[(\text{csc}[e + f*x])*(b + \text{csc}[e + f*x])^n*(c + \text{csc}[e + f*x])^m, x] \text{Symbol} \rightarrow \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*\text{Csc}[e + f*x], x], x] /;$

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :=> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x])*(b*SIN[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \cos^5(c + dx)(a + b \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^4(c + dx)(a + b \sec(c + dx))(B + C \sec(c + dx)) dx \\
 &= \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) (a + b \sec(c + dx)) dx \\
 &= \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} - (-bB - aC) \int \cos^2(c + dx) dx \\
 &= \frac{(3aB + 4bC) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} \\
 &= \frac{1}{8}(3aB + 4bC)x + \frac{(bB + aC) \sin(c + dx)}{d} + \frac{3aB \cos^3(c + dx) \sin(c + dx)}{4d}
 \end{aligned}$$

Mathematica [A] time = 0.274893, size = 91, normalized size = 0.87

$$\frac{-32(aC + bB) \sin^3(c + dx) + 96(aC + bB) \sin(c + dx) + 24(aB + bC) \sin(2(c + dx)) + 3aB \sin(4(c + dx)) + 36aBc + 36a^2C}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (36*a*B*c + 48*b*c*C + 36*a*B*d*x + 48*b*C*d*x + 96*(b*B + a*C)*Sin[c + d*x] - 32*(b*B + a*C)*Sin[c + d*x]^3 + 24*(a*B + b*C)*Sin[2*(c + d*x)] + 3*a*B*Ssin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.069, size = 107, normalized size = 1.

$$\frac{1}{d} \left(Ba \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Bb(2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + \frac{aC(2 + (\cos(dx+c))^2) \sin(dx+c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(B*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*B*b*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a*C*(2+cos(d*x+c)^2)*sin(d*x+c)+C*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

Maxima [A] time = 0.982585, size = 136, normalized size = 1.3

$$\frac{3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Ba - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ca - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Bb + 24(2d*x + 2*c + \sin(2*d*x + 2*c))*C*b}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*b + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*b)/d

Fricas [A] time = 0.495079, size = 205, normalized size = 1.95

$$\frac{3(3Ba + 4Cb)dx + \left(6Ba \cos(dx + c)^3 + 8(Ca + Bb) \cos(dx + c)^2 + 16Ca + 16Bb + 3(3Ba + 4Cb) \cos(dx + c)\right) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/24*(3*(3*B*a + 4*C*b)*d*x + (6*B*a*cos(d*x + c)^3 + 8*(C*a + B*b)*cos(d*x + c)^2 + 16*C*a + 16*B*b + 3*(3*B*a + 4*C*b)*cos(d*x + c))*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.18547, size = 367, normalized size = 3.5

$$3(3Ba + 4Cb)(dx + c) - \frac{2\left(15Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 9Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 40Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5\right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/24*(3*(3*B*a + 4*C*b)*(d*x + c) - 2*(15*B*a*tan(1/2*d*x + 1/2*c)^7 - 24*C*a*tan(1/2*d*x + 1/2*c)^7 - 24*B*b*tan(1/2*d*x + 1/2*c)^7 + 12*C*b*tan(1/2*d*x + 1/2*c)^7 - 9*B*a*tan(1/2*d*x + 1/2*c)^5 - 40*C*a*tan(1/2*d*x + 1/2*c)^5 - 40*B*b*tan(1/2*d*x + 1/2*c)^5 + 12*C*b*tan(1/2*d*x + 1/2*c)^5 + 9*B*a

$$\frac{\tan(1/2*d*x + 1/2*c)^3 - 40*C*a*\tan(1/2*d*x + 1/2*c)^3 - 40*B*b*\tan(1/2*d*x + 1/2*c)^3 - 12*C*b*\tan(1/2*d*x + 1/2*c)^3 - 15*B*a*\tan(1/2*d*x + 1/2*c) - 24*C*a*\tan(1/2*d*x + 1/2*c) - 24*B*b*\tan(1/2*d*x + 1/2*c) - 12*C*b*\tan(1/2*d*x + 1/2*c)}{(\tan(1/2*d*x + 1/2*c)^2 + 1)^4}/d$$

3.774 $\int \cos^6(c+dx)(a+b \sec(c+dx)) (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=136

$$-\frac{(4aB + 5bC) \sin^3(c + dx)}{15d} + \frac{(4aB + 5bC) \sin(c + dx)}{5d} + \frac{(aC + bB) \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3(aC + bB) \sin(c + dx)}{8d}$$

```
[Out] (3*(b*B + a*C)*x)/8 + ((4*a*B + 5*b*C)*Sin[c + d*x])/(5*d) + (3*(b*B + a*C)
*Cos[c + d*x]*Sin[c + d*x])/(8*d) + ((b*B + a*C)*Cos[c + d*x]^3*Sin[c + d*x
])/ (4*d) + (a*B*Cos[c + d*x]^4*Sin[c + d*x])/(5*d) - ((4*a*B + 5*b*C)*Sin[c
+ d*x]^3)/(15*d)
```

Rubi [A] time = 0.199866, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3996, 3787, 2635, 8, 2633}

$$-\frac{(4aB + 5bC) \sin^3(c + dx)}{15d} + \frac{(4aB + 5bC) \sin(c + dx)}{5d} + \frac{(aC + bB) \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3(aC + bB) \sin(c + dx)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^6*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2)
,x]
```

```
[Out] (3*(b*B + a*C)*x)/8 + ((4*a*B + 5*b*C)*Sin[c + d*x])/(5*d) + (3*(b*B + a*C)
*Cos[c + d*x]*Sin[c + d*x])/(8*d) + ((b*B + a*C)*Cos[c + d*x]^3*Sin[c + d*x
])/ (4*d) + (a*B*Cos[c + d*x]^4*Sin[c + d*x])/(5*d) - ((4*a*B + 5*b*C)*Sin[c
+ d*x]^3)/(15*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)
)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)
*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m+
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_))*((csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
```

+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]

Rubi steps

$$\begin{aligned} \int \cos^6(c + dx)(a + b \sec(c + dx))(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^5(c + dx)(a + b \sec(c + dx))(B + C \sec(c + dx)) dx \\ &= \frac{aB \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) dx \\ &= \frac{aB \cos^4(c + dx) \sin(c + dx)}{5d} - (-bB - aC) \int \cos^3(c + dx) dx \\ &= \frac{(bB + aC) \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{aB \cos^4(c + dx)}{5d} \\ &= \frac{(4aB + 5bC) \sin(c + dx)}{5d} + \frac{3(bB + aC) \cos(c + dx)}{8d} \\ &= \frac{3}{8}(bB + aC)x + \frac{(4aB + 5bC) \sin(c + dx)}{5d} + \frac{3(bB + aC) \cos(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 0.239587, size = 88, normalized size = 0.65

$$\frac{-160(2aB + bC) \sin^3(c + dx) + 480(aB + bC) \sin(c + dx) + 15(aC + bB)(12(c + dx) + 8 \sin(2(c + dx)) + \sin(4(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + b*Sec[c + d*x])*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (480*(a*B + b*C)*Sin[c + d*x] - 160*(2*a*B + b*C)*Sin[c + d*x]^3 + 96*a*B*Sin[c + d*x]^5 + 15*(b*B + a*C)*(12*(c + d*x) + 8*Sin[2*(c + d*x)] + Sin[4*(c + d*x)]))/(480*d)

Maple [A] time = 0.067, size = 128, normalized size = 0.9

$$\frac{1}{d} \left(\frac{B \sin(dx + c) a}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4 (\cos(dx + c))^2}{3} \right) + Bb \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3a}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^6*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(1/5*B*a*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+B*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*C*b*(2+cos(d*x+c)^2)*sin(d*x+c))

Maxima [A] time = 0.97131, size = 167, normalized size = 1.23

$$\frac{32 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Ba + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) Ca}{480 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $\frac{1}{480} \cdot (32 \cdot (3 \cdot \sin(dx + c))^5 - 10 \cdot \sin(dx + c)^3 + 15 \cdot \sin(dx + c)) \cdot B \cdot a + 15 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot C \cdot a + 15 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot B \cdot b - 160 \cdot (\sin(dx + c))^3 - 3 \cdot \sin(dx + c) \cdot C \cdot b) / d$

Fricas [A] time = 0.50771, size = 248, normalized size = 1.82

$$\frac{45(Ca + Bb)dx + (24Ba \cos(dx + c)^4 + 30(Ca + Bb) \cos(dx + c)^3 + 8(4Ba + 5Cb) \cos(dx + c)^2 + 64Ba + 80Cb + 45(Ca + Bb) \cos(dx + c)) \sin(dx + c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^6*(a+b*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{120} \cdot (45 \cdot (C \cdot a + B \cdot b) \cdot dx + (24 \cdot B \cdot a \cdot \cos(dx + c)^4 + 30 \cdot (C \cdot a + B \cdot b) \cdot \cos(dx + c)^3 + 8 \cdot (4 \cdot B \cdot a + 5 \cdot C \cdot b) \cdot \cos(dx + c)^2 + 64 \cdot B \cdot a + 80 \cdot C \cdot b + 45 \cdot (C \cdot a + B \cdot b) \cdot \cos(dx + c)) \cdot \sin(dx + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**6*(a+b*sec(dx+c))*(B*sec(dx+c)+C*sec(dx+c)**2),x)`

[Out] Timed out

Giac [B] time = 1.17965, size = 405, normalized size = 2.98

$$45(Ca + Bb)(dx + c) + \frac{2 \left(120Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 - 75Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 - 75Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 120Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 160Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 300Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 300Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 120Cb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 \right)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\frac{1}{120}*(45*(C*a + B*b)*(d*x + c) + 2*(120*B*a*\tan(1/2*d*x + 1/2*c)^9 - 75*C*a*\tan(1/2*d*x + 1/2*c)^9 - 75*B*b*\tan(1/2*d*x + 1/2*c)^9 + 120*C*b*\tan(1/2*d*x + 1/2*c)^9 + 160*B*a*\tan(1/2*d*x + 1/2*c)^7 - 30*C*a*\tan(1/2*d*x + 1/2*c)^7 - 30*B*b*\tan(1/2*d*x + 1/2*c)^7 + 320*C*b*\tan(1/2*d*x + 1/2*c)^7 + 464*B*a*\tan(1/2*d*x + 1/2*c)^5 + 400*C*b*\tan(1/2*d*x + 1/2*c)^5 + 160*B*a*\tan(1/2*d*x + 1/2*c)^3 + 30*C*a*\tan(1/2*d*x + 1/2*c)^3 + 30*B*b*\tan(1/2*d*x + 1/2*c)^3 + 320*C*b*\tan(1/2*d*x + 1/2*c)^3 + 120*B*a*\tan(1/2*d*x + 1/2*c) + 75*C*a*\tan(1/2*d*x + 1/2*c) + 75*B*b*\tan(1/2*d*x + 1/2*c) + 120*C*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^5/d$$

3.775 $\int \sec^2(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=198

$$\frac{(4a^2B + 6abC + 3b^2B) \tanh^{-1}(\sin(c+dx))}{8d} + \frac{(4a^2B + 6abC + 3b^2B) \tan(c+dx) \sec(c+dx)}{8d} + \frac{(5a(aC + 2bB) + 4b^2C)}{15d}$$

[Out] $((4a^2B + 3b^2B + 6a*b*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((4b^2C + 5*a*(2*b*B + a*C))*Tan[c + d*x])/(5*d) + ((4a^2B + 3b^2B + 6a*b*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (b*(5*b*B + 6*a*C)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (b*C*Sec[c + d*x]^3*(a + b*Sec[c + d*x])*Tan[c + d*x])/(5*d) + ((4b^2C + 5*a*(2*b*B + a*C))*Tan[c + d*x]^3)/(15*d)$

Rubi [A] time = 0.351783, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4026, 4047, 3767, 4046, 3768, 3770}

$$\frac{(4a^2B + 6abC + 3b^2B) \tanh^{-1}(\sin(c+dx))}{8d} + \frac{(4a^2B + 6abC + 3b^2B) \tan(c+dx) \sec(c+dx)}{8d} + \frac{(5a(aC + 2bB) + 4b^2C)}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]^2*(a + b*\text{Sec}[c + d*x])^2*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((4a^2B + 3b^2B + 6a*b*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((4b^2C + 5*a*(2*b*B + a*C))*Tan[c + d*x])/(5*d) + ((4a^2B + 3b^2B + 6a*b*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (b*(5*b*B + 6*a*C)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (b*C*Sec[c + d*x]^3*(a + b*Sec[c + d*x])*Tan[c + d*x])/(5*d) + ((4b^2C + 5*a*(2*b*B + a*C))*Tan[c + d*x]^3)/(15*d)$

Rule 4072

$\text{Int}[(a + \csc[e + f*x])^m * (b + \csc[e + f*x])^n, x] \text{Symbol} \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\csc[e + f*x])^{m+1} * (c + d*\csc[e + f*x])^n * (b*B - a*C + b*C*\csc[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4026

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 3767

```

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]

```

Rule 4046

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \sec^2(c+dx)(a+b\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sec^3(c+dx)(a+b\sec(c+dx))^2(B+C\sec(c+dx))dx \\
&= \frac{bC\sec^3(c+dx)(a+b\sec(c+dx))\tan(c+dx)}{5d} \\
&= \frac{bC\sec^3(c+dx)(a+b\sec(c+dx))\tan(c+dx)}{5d} \\
&= \frac{b(5bB+6aC)\sec^3(c+dx)\tan(c+dx)}{20d} + \frac{bC\sec^3(c+dx)\tan(c+dx)}{5d} \\
&= \frac{(4b^2C+5a(2bB+aC))\tan(c+dx)}{5d} + \frac{(4a^2B+6abC)\tan^2(c+dx)}{5d} \\
&= \frac{(4a^2B+3b^2B+6abC)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{(4a^2B+6abC)\tan^2(c+dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 1.51463, size = 150, normalized size = 0.76

$$\frac{15(4a^2B+6abC+3b^2B)\tanh^{-1}(\sin(c+dx))+\tan(c+dx)\left(8\left(5\left(a^2C+2abB+2b^2C\right)\tan^2(c+dx)+15\left(a^2C+2abB+3b^2B\right)\tan(c+dx)\right)\right)}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (15*(4*a^2*B + 3*b^2*B + 6*a*b*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*(4*a^2*B + 3*b^2*B + 6*a*b*C)*Sec[c + d*x] + 30*b*(b*B + 2*a*C)*Sec[c + d*x]^3 + 8*(15*(2*a*b*B + a^2*C + b^2*C) + 5*(2*a*b*B + a^2*C + 2*b^2*C)*Tan[c + d*x]^2 + 3*b^2*C*Tan[c + d*x]^4)))/(120*d)

Maple [A] time = 0.046, size = 312, normalized size = 1.6

$$\frac{Ba^2\sec(dx+c)\tan(dx+c)}{2d} + \frac{Ba^2\ln(\sec(dx+c)+\tan(dx+c))}{2d} + \frac{2a^2C\tan(dx+c)}{3d} + \frac{a^2C\tan(dx+c)(\sec(dx+c)+\tan(dx+c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/2/d*B*a^2*sec(d*x+c)*tan(d*x+c)+1/2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*a^2*C*tan(d*x+c)+1/3/d*a^2*C*tan(d*x+c)*sec(d*x+c)^2+4/3/d*B*a*b*tan(d*x+c)

$$+c)+2/3/d*B*a*b*\tan(d*x+c)*\sec(d*x+c)^2+1/2/d*a*b*C*\tan(d*x+c)*\sec(d*x+c)^3$$

$$+3/4*a*b*C*\sec(d*x+c)*\tan(d*x+c)/d+3/4/d*a*b*C*\ln(\sec(d*x+c)+\tan(d*x+c))+1/$$

$$4/d*B*b^2*\tan(d*x+c)*\sec(d*x+c)^3+3/8/d*B*b^2*\sec(d*x+c)*\tan(d*x+c)+3/8/d*B$$

$$*b^2*\ln(\sec(d*x+c)+\tan(d*x+c))+8/15*b^2*C*\tan(d*x+c)/d+1/5/d*b^2*C*\tan(d*x+$$

$$c)*\sec(d*x+c)^4+4/15/d*b^2*C*\tan(d*x+c)*\sec(d*x+c)^2$$

Maxima [A] time = 1.01124, size = 373, normalized size = 1.88

$$80(\tan(dx+c)^3+3\tan(dx+c))Ca^2+160(\tan(dx+c)^3+3\tan(dx+c))Bab+16(3\tan(dx+c)^5+10\tan(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")
```

```
[Out] 1/240*(80*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^2 + 160*(tan(d*x + c)^3 + 3
*tan(d*x + c))*B*a*b + 16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*
x + c))*C*b^2 - 30*C*a*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x +
c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c)
- 1)) - 15*B*b^2*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 -
2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1))
- 60*B*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + l
og(sin(d*x + c) - 1)))/d
```

Fricas [A] time = 0.544358, size = 521, normalized size = 2.63

$$15(4Ba^2+6Cab+3Bb^2)\cos(dx+c)^5\log(\sin(dx+c)+1)-15(4Ba^2+6Cab+3Bb^2)\cos(dx+c)^5\log(-\sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/240*(15*(4*B*a^2 + 6*C*a*b + 3*B*b^2)*cos(d*x + c)^5*log(sin(d*x + c) + 1
) - 15*(4*B*a^2 + 6*C*a*b + 3*B*b^2)*cos(d*x + c)^5*log(-sin(d*x + c) + 1)
+ 2*(16*(5*C*a^2 + 10*B*a*b + 4*C*b^2)*cos(d*x + c)^4 + 15*(4*B*a^2 + 6*C*a
*b + 3*B*b^2)*cos(d*x + c)^3 + 24*C*b^2 + 8*(5*C*a^2 + 10*B*a*b + 4*C*b^2)*
```

$\cos(dx + c)^2 + 30*(2*C*a*b + B*b^2)*\cos(dx + c))*\sin(dx + c))/(d*\cos(dx + c)^5)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx))(a + b \sec(c + dx))^2 \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(a+b*sec(dx+c))**2*(B*sec(dx+c)+C*sec(dx+c)**2), x)

[Out] Integral((B + C*sec(c + dx))*(a + b*sec(c + dx))**2*sec(c + dx)**3, x)

Giac [B] time = 1.53993, size = 713, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))^2*(B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="giac")

[Out] $\frac{1}{120}*(15*(4*B*a^2 + 6*C*a*b + 3*B*b^2)*\log(\tan(\frac{1}{2}*dx + \frac{1}{2}*c) + 1)) - 15*(4*B*a^2 + 6*C*a*b + 3*B*b^2)*\log(\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 1)) + 2*(60*B*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^9 - 120*C*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^9 - 240*B*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^9 + 150*C*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^9 + 75*B*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^9 - 120*C*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^9 - 120*B*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 + 320*C*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 + 640*B*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 - 60*C*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 - 30*B*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 + 160*C*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 - 400*C*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^5 - 800*B*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^5 - 464*C*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^5 + 120*B*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 + 320*C*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 + 640*B*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 + 60*C*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 + 30*B*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 + 160*C*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 - 60*B*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 120*C*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 240*B*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 150*C*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 75*B*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 120*C*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c))/(\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^2 - 1)^5/d$

3.776 $\int \sec(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=179

$$\frac{(4a^2bB + a^3(-C) + 8ab^2C + 4b^3B) \tan(c+dx)}{6bd} + \frac{(4a^2C + 8abB + 3b^2C) \tanh^{-1}(\sin(c+dx))}{8d} + \frac{(-2a^2C + 8abB + 9b^2C) \sec^2(c+dx)}{4bd}$$

```
[Out] ((8*a*b*B + 4*a^2*C + 3*b^2*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((4*a^2*b*B + 4*b^3*B - a^3*C + 8*a*b^2*C)*Tan[c + d*x])/(6*b*d) + ((8*a*b*B - 2*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*b*B - a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*b*d) + (C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*b*d)
```

Rubi [A] time = 0.347556, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {4072, 4010, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(4a^2bB + a^3(-C) + 8ab^2C + 4b^3B) \tan(c+dx)}{6bd} + \frac{(4a^2C + 8abB + 3b^2C) \tanh^{-1}(\sin(c+dx))}{8d} + \frac{(-2a^2C + 8abB + 9b^2C) \sec^2(c+dx)}{4bd}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((8*a*b*B + 4*a^2*C + 3*b^2*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((4*a^2*b*B + 4*b^3*B - a^3*C + 8*a*b^2*C)*Tan[c + d*x])/(6*b*d) + ((8*a*b*B - 2*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*b*B - a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*b*d) + (C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*b*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a
+ b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*
Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B,
0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^n, x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec(c+dx)(a+b\sec(c+dx))^2 (B\sec(c+dx)+C\sec^2(c+dx)) dx &= \int \sec^2(c+dx)(a+b\sec(c+dx))^2 (B+C\sec(c+dx)) dx \\
 &= \frac{C(a+b\sec(c+dx))^3 \tan(c+dx)}{4bd} + \int \sec(c+dx)(a+b\sec(c+dx))^2 B dx \\
 &= \frac{(4bB-aC)(a+b\sec(c+dx))^2 \tan(c+dx)}{12bd} + \frac{(8abB-2a^2C+9b^2C)\sec(c+dx)\tan(c+dx)}{24d} \\
 &= \frac{(8abB-2a^2C+9b^2C)\sec(c+dx)\tan(c+dx)}{24d} \\
 &= \frac{(8abB+4a^2C+3b^2C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{(8abB+4a^2C+3b^2C)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{(8abB+4a^2C+3b^2C)\tanh^{-1}(\sin(c+dx))}{8d} + \dots
 \end{aligned}$$

Mathematica [A] time = 0.761261, size = 120, normalized size = 0.67

$$\frac{3(4a^2C+8abB+3b^2C)\tanh^{-1}(\sin(c+dx)) + \tan(c+dx)(3(4a^2C+8abB+3b^2C)\sec(c+dx) + 24(a^2B+2abC+3b^2C)\tan(c+dx))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c+d*x]*(a+b*Sec[c+d*x])^2*(B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (3*(8*a*b*B+4*a^2*C+3*b^2*C)*ArcTanh[Sin[c+d*x]]+Tan[c+d*x]*(24*(a^2*B+b^2*B+2*a*b*C)+3*(8*a*b*B+4*a^2*C+3*b^2*C)*Sec[c+d*x]+6*b^2*C*Sec[c+d*x]^3+8*b*(b*B+2*a*C)*Tan[c+d*x]^2))/(24*d)

Maple [A] time = 0.037, size = 241, normalized size = 1.4

$$\frac{Ba^2 \tan(dx+c)}{d} + \frac{a^2C \sec(dx+c) \tan(dx+c)}{2d} + \frac{a^2C \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{Bab \sec(dx+c) \tan(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{d}B^2a^2\tan(dx+c)+\frac{1}{2}d^2a^2C\sec(dx+c)\tan(dx+c)+\frac{1}{2}d^2a^2C\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{d}B^2a^2b\sec(dx+c)\tan(dx+c)+\frac{1}{d}B^2a^2b\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{3}d^2a^2b^2C\tan(dx+c)+\frac{2}{3}d^2a^2b^2C\tan(dx+c)\sec(dx+c)^2+\frac{2}{3}d^2B^2b^2\tan(dx+c)+\frac{1}{3}d^2B^2b^2\tan(dx+c)\sec(dx+c)^2+\frac{1}{4}d^2b^2C\tan(dx+c)\sec(dx+c)^3+\frac{3}{8}d^2b^2C\sec(dx+c)\tan(dx+c)+\frac{3}{8}d^2b^2C\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 0.977326, size = 308, normalized size = 1.72

$$32(\tan(dx+c)^3+3\tan(dx+c))Cab+16(\tan(dx+c)^3+3\tan(dx+c))Bb^2-3Cb^2\left(\frac{2(3\sin(dx+c)^3-5\sin(dx+c))}{\sin(dx+c)^4-2\sin(dx+c)^2+1}-3\log\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")`

[Out] $\frac{1}{48}(32(\tan(dx+c)^3+3\tan(dx+c))*C^2a^2b+16(\tan(dx+c)^3+3\tan(dx+c))*B^2b^2-3C^2b^2(2(3\sin(dx+c)^3-5\sin(dx+c))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1))-12C^2a^2(2\sin(dx+c))/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))-24B^2a^2b(2\sin(dx+c))/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+48B^2a^2\tan(dx+c))/d$

Fricas [A] time = 0.534846, size = 443, normalized size = 2.47

$$3(4Ca^2+8Bab+3Cb^2)\cos(dx+c)^4\log(\sin(dx+c)+1)-3(4Ca^2+8Bab+3Cb^2)\cos(dx+c)^4\log(-\sin(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="fricas")`

[Out] $\frac{1}{48}(3(4C^2a^2+8B^2a^2b+3C^2b^2)*\cos(dx+c)^4*\log(\sin(dx+c)+1)-3(4C^2a^2+8B^2a^2b+3C^2b^2)*\cos(dx+c)^4*\log(-\sin(dx+c)+1)+2$

$(8*(3*B*a^2 + 4*C*a*b + 2*B*b^2)*\cos(dx + c)^3 + 6*C*b^2 + 3*(4*C*a^2 + 8*B*a*b + 3*C*b^2)*\cos(dx + c)^2 + 8*(2*C*a*b + B*b^2)*\cos(dx + c))*\sin(dx + c)/(d*\cos(dx + c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx)) (a + b \sec(c + dx))^2 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+b*sec(dx+c))**2*(B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] Integral((B + C*sec(c + dx))*(a + b*sec(c + dx))**2*sec(c + dx)**2, x)

Giac [B] time = 1.42798, size = 645, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+b*sec(dx+c))^2*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="giac")

[Out] $\frac{1}{24}*(3*(4*C*a^2 + 8*B*a*b + 3*C*b^2)*\log(\tan(\frac{1}{2}*dx + \frac{1}{2}*c) + 1)) - 3*(4*C*a^2 + 8*B*a*b + 3*C*b^2)*\log(\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 1)) - 2*(24*B*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 - 12*C*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 - 24*B*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 + 48*C*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 + 24*B*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 - 15*C*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^7 - 72*B*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^5 + 12*C*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^5 + 24*B*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^5 - 80*C*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^5 - 40*B*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^5 - 9*C*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^5 + 72*B*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 + 12*C*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 + 24*B*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 + 80*C*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 + 40*B*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 - 9*C*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^3 - 24*B*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 12*C*a^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 24*B*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 48*C*a*b*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 24*B*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c) - 15*C*b^2*\tan(\frac{1}{2}*dx + \frac{1}{2}*c))/(\tan(\frac{1}{2}*dx + \frac{1}{2}*c)^2 - 1)^4/d$

3.777 $\int (a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=116

$$\frac{2(a^2C + 3abB + b^2C) \tan(c+dx)}{3d} + \frac{(2a^2B + 2abC + b^2B) \tanh^{-1}(\sin(c+dx))}{2d} + \frac{b(2aC + 3bB) \tan(c+dx) \sec(c+dx)}{6d}$$

[Out] $((2*a^2*B + b^2*B + 2*a*b*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (2*(3*a*b*B + a^2*C + b^2*C)*Tan[c + d*x])/(3*d) + (b*(3*b*B + 2*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (C*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)$

Rubi [A] time = 0.146461, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4056, 4048, 3770, 3767, 8}

$$\frac{2(a^2C + 3abB + b^2C) \tan(c+dx)}{3d} + \frac{(2a^2B + 2abC + b^2B) \tanh^{-1}(\sin(c+dx))}{2d} + \frac{b(2aC + 3bB) \tan(c+dx) \sec(c+dx)}{6d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Sec}[c + d*x])^2*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((2*a^2*B + b^2*B + 2*a*b*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (2*(3*a*b*B + a^2*C + b^2*C)*Tan[c + d*x])/(3*d) + (b*(3*b*B + 2*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (C*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)$

Rule 4056

$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \csc[e + f*x])*(a + b*\csc[e + f*x])^m]/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\csc[e + f*x])^{m-1}*\text{Simp}[a*A*(m + 1) + (A*b + a*B)*(m + 1) + b*C*m]*\csc[e + f*x] + (b*B*(m + 1) + a*C*m)*\csc[e + f*x]^2, x], x] /;$ FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4048

$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \csc[e + f*x])*(a + b*\csc[e + f*x])^m]/(2*f), x] + \text{Dist}[1/2, \text{Int}[\text{Simp}[2*A*a + (2*B*a + b*(2*A + C))*\csc[e + f*x] + 2*(a*C + B*b)*\csc[e + f*x]^2, x], x] /;$ FreeQ[{a, b

, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int (a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3} \int (a + b \sec(c + dx)) dx \\ &= \frac{b(3bB + 2aC) \sec(c + dx) \tan(c + dx)}{6d} + \frac{C(a + b \sec(c + dx))}{3d} \\ &= \frac{b(3bB + 2aC) \sec(c + dx) \tan(c + dx)}{6d} + \frac{C(a + b \sec(c + dx))}{3d} \\ &= \frac{(2a^2B + b^2B + 2abC) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b(3bB + 2aC)}{3d} \\ &= \frac{(2a^2B + b^2B + 2abC) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{2(3abB + a^2C)}{3d} \end{aligned}$$

Mathematica [A] time = 0.46486, size = 92, normalized size = 0.79

$$\frac{3(2a^2B + 2abC + b^2B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (2(3a^2C + 6abB + b^2C \tan^2(c + dx) + 3b^2C) + 3b(2aC + b^2C))}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (3*(2*a^2*B + b^2*B + 2*a*b*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(3*b*(b*B + 2*a*C)*Sec[c + d*x] + 2*(6*a*b*B + 3*a^2*C + 3*b^2*C + b^2*C*Tan[c + d

$\cdot x]^2)))/(6*d)$

Maple [A] time = 0.036, size = 174, normalized size = 1.5

$$\frac{Ba^2 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{a^2 C \tan(dx+c)}{d} + 2 \frac{Bab \tan(dx+c)}{d} + \frac{abC \sec(dx+c) \tan(dx+c)}{d} + \frac{abC \ln(s$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 1/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^2*C*tan(d*x+c)+2/d*B*a*b*tan(d*x+c)+a*b*C*sec(d*x+c)*tan(d*x+c)/d+1/d*a*b*C*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*B*b^2*sec(d*x+c)*tan(d*x+c)+1/2/d*B*b^2*ln(sec(d*x+c)+tan(d*x+c))+2/3*b^2*C*tan(d*x+c)/d+1/3/d*b^2*C*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.960264, size = 223, normalized size = 1.92

$$4 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) C b^2 - 6 C a b \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) - 3 B b^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/12*(4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*b^2 - 6*C*a*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 3*B*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 12*B*a^2*log(sec(d*x + c) + tan(d*x + c)) + 12*C*a^2*tan(d*x + c) + 24*B*a*b*tan(d*x + c))/d

Fricas [A] time = 0.51849, size = 371, normalized size = 3.2

$$\frac{3 \left(2 Ba^2 + 2 Cab + Bb^2 \right) \cos(dx+c)^3 \log(\sin(dx+c) + 1) - 3 \left(2 Ba^2 + 2 Cab + Bb^2 \right) \cos(dx+c)^3 \log(-\sin(dx+c) + 1)}{12 d \cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/12*(3*(2*B*a^2 + 2*C*a*b + B*b^2)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(2*B*a^2 + 2*C*a*b + B*b^2)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*C*b^2 + 2*(3*C*a^2 + 6*B*a*b + 2*C*b^2)*cos(d*x + c)^2 + 3*(2*C*a*b + B*b^2)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx)) (a + b \sec(c + dx))^2 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((B + C*sec(c + d*x))*(a + b*sec(c + d*x))**2*sec(c + d*x), x)

Giac [B] time = 1.31842, size = 397, normalized size = 3.42

$$3(2Ba^2 + 2Cab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Ba^2 + 2Cab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(6Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/6*(3*(2*B*a^2 + 2*C*a*b + B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*B*a^2 + 2*C*a*b + B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 12*B*a*b*tan(1/2*d*x + 1/2*c)^5 - 6*C*a*b*tan(1/2*d*x + 1/2*c)^5 - 3*B*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*C*b^2*tan(1/2*d*x + 1/2*c)^5 - 12*C*a^2*tan(1/2*d*x + 1/2*c)^3 - 24*B*a*b*tan(1/2*d*x + 1/2*c)^3 - 4*C*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*tan(1/2*d*x + 1/2*c) + 12*B*a*b*t

$$\frac{\tan(1/2*d*x + 1/2*c) + 6*C*a*b*\tan(1/2*d*x + 1/2*c) + 3*B*b^2*\tan(1/2*d*x + 1/2*c) + 6*C*b^2*\tan(1/2*d*x + 1/2*c)}{(\tan(1/2*d*x + 1/2*c)^2 - 1)^3}/d$$

$$3.778 \quad \int \cos(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx))$$

Optimal. Leaf size=86

$$\frac{(2a^2C + 4abB + b^2C) \tanh^{-1}(\sin(c+dx))}{2d} + a^2Bx + \frac{b(3aC + 2bB) \tan(c+dx)}{2d} + \frac{bC \tan(c+dx)(a+b \sec(c+dx))}{2d}$$

[Out] a^2*B*x + ((4*a*b*B + 2*a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (b*(2*b*B + 3*a*C)*Tan[c + d*x])/(2*d) + (b*C*(a + b*Sec[c + d*x])*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.141975, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4072, 3918, 3770, 3767, 8}

$$\frac{(2a^2C + 4abB + b^2C) \tanh^{-1}(\sin(c+dx))}{2d} + a^2Bx + \frac{b(3aC + 2bB) \tan(c+dx)}{2d} + \frac{bC \tan(c+dx)(a+b \sec(c+dx))}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a^2*B*x + ((4*a*b*B + 2*a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (b*(2*b*B + 3*a*C)*Tan[c + d*x])/(2*d) + (b*C*(a + b*Sec[c + d*x])*Tan[c + d*x])/(2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3918

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -

$a*d, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x]$
 $/; \text{FreeQ}\{c, d\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> } \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + b \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\ &= \frac{bC(a + b \sec(c + dx)) \tan(c + dx)}{2d} + \frac{1}{2} \int (2a^2B \\ &= a^2Bx + \frac{bC(a + b \sec(c + dx)) \tan(c + dx)}{2d} + \frac{1}{2} \int (b \\ &= a^2Bx + \frac{(4abB + 2a^2C + b^2C) \tanh^{-1}(\sin(c + d \\ &= a^2Bx + \frac{(4abB + 2a^2C + b^2C) \tanh^{-1}(\sin(c + d \end{aligned}$$

Mathematica [A] time = 0.26881, size = 67, normalized size = 0.78

$$\frac{(2a^2C + 4abB + b^2C) \tanh^{-1}(\sin(c + dx)) + 2a^2Bdx + b \tan(c + dx)(4aC + 2bB + bC \sec(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $(2*a^2*B*d*x + (4*a*b*B + 2*a^2*C + b^2*C)*ArcTanh[\sin[c + d*x]] + b*(2*b*B + 4*a*C + b*C*Sec[c + d*x])*Tan[c + d*x])/(2*d)$

Maple [A] time = 0.056, size = 133, normalized size = 1.6

$$a^2 B x + \frac{B a^2 c}{d} + \frac{a^2 C \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{B a b \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{a b C \tan(dx + c)}{d} + \frac{B b^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $a^2*B*x + 1/d*B*a^2*c + 1/d*a^2*C*\ln(\sec(d*x+c) + \tan(d*x+c)) + 2/d*B*a*b*\ln(\sec(d*x+c) + \tan(d*x+c)) + 2/d*a*b*C*\tan(d*x+c) + 1/d*B*b^2*\tan(d*x+c) + 1/2/d*b^2*C*\sec(d*x+c)*\tan(d*x+c) + 1/2/d*b^2*C*\ln(\sec(d*x+c) + \tan(d*x+c))$

Maxima [A] time = 0.963041, size = 189, normalized size = 2.2

$$\frac{4(dx+c)Ba^2 - Cb^2\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + 2Ca^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/4*(4*(d*x + c)*B*a^2 - C*b^2*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 2*C*a^2*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 4*B*a*b*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 8*C*a*b*\tan(d*x + c) + 4*B*b^2*\tan(d*x + c))/d$

Fricas [A] time = 0.524719, size = 335, normalized size = 3.9

$$\frac{4Ba^2dx \cos(dx + c)^2 + (2Ca^2 + 4Bab + Cb^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (2Ca^2 + 4Bab + Cb^2) \cos(dx + c)^2}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{4}*(4*B*a^2*d*x*\cos(d*x + c)^2 + (2*C*a^2 + 4*B*a*b + C*b^2)*\cos(d*x + c)^2*\log(\sin(d*x + c) + 1) - (2*C*a^2 + 4*B*a*b + C*b^2)*\cos(d*x + c)^2*\log(-\sin(d*x + c) + 1) + 2*(C*b^2 + 2*(2*C*a*b + B*b^2)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] Timed out

Giac [B] time = 1.23939, size = 259, normalized size = 3.01

$2(dx + c)Ba^2 + (2Ca^2 + 4Bab + Cb^2)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Ca^2 + 4Bab + Cb^2)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{2}*(2*(d*x + c)*B*a^2 + (2*C*a^2 + 4*B*a*b + C*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (2*C*a^2 + 4*B*a*b + C*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(4*C*a*b*\tan(1/2*d*x + 1/2*c)^3 + 2*B*b^2*\tan(1/2*d*x + 1/2*c)^3 - C*b^2*\tan(1/2*d*x + 1/2*c)^3 - 4*C*a*b*\tan(1/2*d*x + 1/2*c) - 2*B*b^2*\tan(1/2*d*x + 1/2*c) - C*b^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d$

3.779 $\int \cos^2(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=60

$$\frac{a^2 B \sin(c+dx)}{d} + \frac{b(2aC + bB) \tanh^{-1}(\sin(c+dx))}{d} + ax(aC + 2bB) + \frac{b^2 C \tan(c+dx)}{d}$$

[Out] $a*(2*b*B + a*C)*x + (b*(b*B + 2*a*C))*\text{ArcTanh}[\text{Sin}[c + d*x]]/d + (a^2*B*\text{Sin}[c + d*x])/d + (b^2*C*\text{Tan}[c + d*x])/d$

Rubi [A] time = 0.176471, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4024, 3770, 3767, 8}

$$\frac{a^2 B \sin(c+dx)}{d} + \frac{b(2aC + bB) \tanh^{-1}(\sin(c+dx))}{d} + ax(aC + 2bB) + \frac{b^2 C \tan(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^2*(a + b*\text{Sec}[c + d*x])^2*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $a*(2*b*B + a*C)*x + (b*(b*B + 2*a*C))*\text{ArcTanh}[\text{Sin}[c + d*x]]/d + (a^2*B*\text{Sin}[c + d*x])/d + (b^2*C*\text{Tan}[c + d*x])/d$

Rule 4072

$\text{Int}[(a + \csc(e + f*x))*(b + \csc(e + f*x))^m*(c + d*\csc(e + f*x))^n, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\csc(e + f*x))^{m+1}*(c + d*\csc(e + f*x))^n*(b*B - a*C + b*C*\csc(e + f*x)), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 4024

$\text{Int}[(\csc(e + f*x))*(d + \csc(e + f*x))^n*(\csc(e + f*x))*(b + a)^2*(\csc(e + f*x))*(B + A), x_Symbol] \rightarrow \text{Simp}[a^2*A*\text{Cos}[e + f*x]*(d*\csc(e + f*x))^{n+1}/(d*f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\csc(e + f*x))^{n+1}*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n+1)))*\csc(e + f*x) + b^2*B*n*\csc(e + f*x)^2), x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
 /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)(a + b \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\ &= \frac{a^2 B \sin(c + dx)}{d} - \int (-a(2bB + aC) + (-b^2 B - a^2 C)) dx \\ &= a(2bB + aC)x + \frac{a^2 B \sin(c + dx)}{d} + (b^2 C) \int \sec(c + dx) dx \\ &= a(2bB + aC)x + \frac{b(bB + 2aC) \tanh^{-1}(\sin(c + dx))}{d} \\ &= a(2bB + aC)x + \frac{b(bB + 2aC) \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.49343, size = 109, normalized size = 1.82

$$\frac{a^2 B \sin(c + dx) + a(c + dx)(aC + 2bB) - b(2aC + bB) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + b(2aC + bB) \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(2*b*B + a*C)*(c + d*x) - b*(b*B + 2*a*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + b*(b*B + 2*a*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + a^2*B*Sin[c + d*x] + b^2*C*Tan[c + d*x])/d

Maple [A] time = 0.054, size = 104, normalized size = 1.7

$$2 Babx + a^2 Cx + \frac{Ba^2 \sin(dx + c)}{d} + \frac{Bb^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{Babc}{d} + \frac{b^2 C \tan(dx + c)}{d} + 2 \frac{abC \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $2*B*a*b*x+a^2*C*x+a^2*B*\sin(dx+c)/d+1/d*B*b^2*\ln(\sec(dx+c)+\tan(dx+c))+2/d*B*a*b*c+b^2*C*\tan(dx+c)/d+2/d*a*b*C*\ln(\sec(dx+c)+\tan(dx+c))+1/d*C*a^2*c$

Maxima [A] time = 0.972229, size = 139, normalized size = 2.32

$$\frac{2(dx+c)Ca^2 + 4(dx+c)Bab + 2Cab(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + Bb^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")`

[Out] $1/2*(2*(d*x + c)*C*a^2 + 4*(d*x + c)*B*a*b + 2*C*a*b*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + B*b^2*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 2*B*a^2*\sin(d*x + c) + 2*C*b^2*\tan(d*x + c))/d$

Fricas [A] time = 0.522169, size = 294, normalized size = 4.9

$$\frac{2(Ca^2 + 2Bab)dx \cos(dx + c) + (2Cab + Bb^2) \cos(dx + c) \log(\sin(dx + c) + 1) - (2Cab + Bb^2) \cos(dx + c) \log(-\sin(dx + c))}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="fricas")`

[Out] $\frac{1}{2}*(2*(C*a^2 + 2*B*a*b)*d*x*\cos(d*x + c) + (2*C*a*b + B*b^2)*\cos(d*x + c)*\log(\sin(d*x + c) + 1) - (2*C*a*b + B*b^2)*\cos(d*x + c)*\log(-\sin(d*x + c) + 1) + 2*(B*a^2*\cos(d*x + c) + C*b^2)*\sin(d*x + c))/(d*\cos(d*x + c))$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)`

[Out] Timed out

Giac [B] time = 1.22587, size = 208, normalized size = 3.47

$$\frac{(Ca^2 + 2 Bab)(dx + c) + (2 Cab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (2 Cab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + \frac{2(Ba^2 + B^2 c^2)}{d}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] $((C*a^2 + 2*B*a*b)*(d*x + c) + (2*C*a*b + B*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (2*C*a*b + B*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 2*(B*a^2*\tan(1/2*d*x + 1/2*c)^3 - C*b^2*\tan(1/2*d*x + 1/2*c)^3 - B*a^2*\tan(1/2*d*x + 1/2*c) - C*b^2*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^4 - 1)/d$

3.780 $\int \cos^3(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=80

$$\frac{1}{2}x(a^2B + 4abC + 2b^2B) + \frac{a^2B \sin(c+dx) \cos(c+dx)}{2d} + \frac{a(aC + 2bB) \sin(c+dx)}{d} + \frac{b^2C \tanh^{-1}(\sin(c+dx))}{d}$$

[Out] $((a^2*B + 2*b^2*B + 4*a*b*C)*x)/2 + (b^2*C*ArcTanh[Sin[c + d*x]])/d + (a*(2*b*B + a*C)*Sin[c + d*x])/d + (a^2*B*Cos[c + d*x]*Sin[c + d*x])/(2*d)$

Rubi [A] time = 0.251598, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4024, 4047, 8, 4045, 3770}

$$\frac{1}{2}x(a^2B + 4abC + 2b^2B) + \frac{a^2B \sin(c+dx) \cos(c+dx)}{2d} + \frac{a(aC + 2bB) \sin(c+dx)}{d} + \frac{b^2C \tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])^2*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((a^2*B + 2*b^2*B + 4*a*b*C)*x)/2 + (b^2*C*ArcTanh[Sin[c + d*x]])/d + (a*(2*b*B + a*C)*Sin[c + d*x])/d + (a^2*B*Cos[c + d*x]*Sin[c + d*x])/(2*d)$

Rule 4072

$\text{Int}[(a + \csc(e + f*x))*(b + \csc(e + f*x))^m, x] \text{Symbol} \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\csc[e + f*x])^{m+1}*(c + d*\csc[e + f*x])^n*(b*B - a*C + b*C*\csc[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4024

$\text{Int}[(\csc(e + f*x))*(d + \csc(e + f*x))^n*(\csc(e + f*x))*(b + a)^2, x] \text{Symbol} \rightarrow \text{Simp}[(a^2*A*\cos[e + f*x]*(d*\csc[e + f*x])^{n+1})/(d*f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\csc[e + f*x])^{n+1}*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n+1)))*\csc[e + f*x] + b^2*B*n*\csc[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :=> Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] :=> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)(a + b \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\
&= \frac{a^2 B \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) dx \\
&= \frac{a^2 B \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) dx \\
&= \frac{1}{2} (a^2 B + 2b^2 B + 4abC) x + \frac{a(2bB + aC) \sin(c + dx)}{d} \\
&= \frac{1}{2} (a^2 B + 2b^2 B + 4abC) x + \frac{b^2 C \tanh^{-1}(\sin(c + dx))}{d}
\end{aligned}$$

Mathematica [A] time = 0.221225, size = 120, normalized size = 1.5

$$\frac{2(c + dx)(a^2 B + 4abC + 2b^2 B) + a^2 B \sin(2(c + dx)) + 4a(aC + 2bB) \sin(c + dx) - 4b^2 C \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $(2*(a^2*B + 2*b^2*B + 4*a*b*C)*(c + d*x) - 4*b^2*C*\text{Log}[\text{Cos}[(c + d*x)/2]] - \text{Sin}[(c + d*x)/2] + 4*b^2*C*\text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]] + 4*a*(2*b*B + a*C)*\text{Sin}[c + d*x] + a^2*B*\text{Sin}[2*(c + d*x)])/(4*d)$

Maple [A] time = 0.058, size = 120, normalized size = 1.5

$$\frac{Ba^2 \cos(dx + c) \sin(dx + c)}{2d} + \frac{a^2 Bx}{2} + \frac{Ba^2 c}{2d} + \frac{a^2 C \sin(dx + c)}{d} + 2 \frac{Bab \sin(dx + c)}{d} + 2 abCx + 2 \frac{Cabc}{d} + Bb^2 x + \frac{Bb^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $1/2*a^2*B*\cos(d*x+c)*\sin(d*x+c)/d+1/2*a^2*B*x+1/2/d*B*a^2*c+1/d*a^2*C*\sin(d*x+c)+2/d*B*a*b*\sin(d*x+c)+2*a*b*C*x+2/d*C*a*b*c+B*b^2*x+1/d*B*b^2*c+1/d*b^2*C*\ln(\sec(d*x+c)+\tan(d*x+c))$

Maxima [A] time = 0.959688, size = 134, normalized size = 1.68

$$\frac{(2 dx + 2 c + \sin(2 dx + 2 c))Ba^2 + 8(dx + c)Cab + 4(dx + c)Bb^2 + 2Cb^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $1/4*((2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^2 + 8*(d*x + c)*C*a*b + 4*(d*x + c)*B*b^2 + 2*C*b^2*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 4*C*a^2*\sin(d*x + c) + 8*B*a*b*\sin(d*x + c))/d$

Fricas [A] time = 0.522297, size = 213, normalized size = 2.66

$$\frac{Cb^2 \log(\sin(dx + c) + 1) - Cb^2 \log(-\sin(dx + c) + 1) + (Ba^2 + 4Cab + 2Bb^2)dx + (Ba^2 \cos(dx + c) + 2Ca^2 + 4Bab)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")

[Out] $\frac{1}{2}*(C*b^2*\log(\sin(d*x + c) + 1) - C*b^2*\log(-\sin(d*x + c) + 1) + (B*a^2 + 4*C*a*b + 2*B*b^2)*d*x + (B*a^2*\cos(d*x + c) + 2*C*a^2 + 4*B*a*b)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2),
x)

[Out] Timed out

Giac [B] time = 1.21033, size = 240, normalized size = 3.

$$2 C b^2 \log \left(\left| \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) + 1 \right| \right) - 2 C b^2 \log \left(\left| \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) - 1 \right| \right) + (B a^2 + 4 C a b + 2 B b^2) (d x + c) - \frac{2 \left(B a^2 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out] $\frac{1}{2}*(2*C*b^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 2*C*b^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + (B*a^2 + 4*C*a*b + 2*B*b^2)*(d*x + c) - 2*(B*a^2*\tan(1/2*d*x + 1/2*c)^3 - 2*C*a^2*\tan(1/2*d*x + 1/2*c)^3 - 4*B*a*b*\tan(1/2*d*x + 1/2*c)^3 - B*a^2*\tan(1/2*d*x + 1/2*c) - 2*C*a^2*\tan(1/2*d*x + 1/2*c) - 4*B*a*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d$

3.781 $\int \cos^4(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=107

$$\frac{(2a^2B + 6abC + 3b^2B) \sin(c+dx)}{3d} + \frac{1}{2}x(a^2C + 2abB + 2b^2C) + \frac{a^2B \sin(c+dx) \cos^2(c+dx)}{3d} + \frac{a(aC + 2bB) \sin(c+dx)}{2d}$$

[Out] $((2*a*b*B + a^2*C + 2*b^2*C)*x)/2 + ((2*a^2*B + 3*b^2*B + 6*a*b*C)*\text{Sin}[c + d*x])/(3*d) + (a*(2*b*B + a*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a^2*B*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rubi [A] time = 0.288676, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4024, 4047, 2637, 4045, 8}

$$\frac{(2a^2B + 6abC + 3b^2B) \sin(c+dx)}{3d} + \frac{1}{2}x(a^2C + 2abB + 2b^2C) + \frac{a^2B \sin(c+dx) \cos^2(c+dx)}{3d} + \frac{a(aC + 2bB) \sin(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^4*(a + b*\text{Sec}[c + d*x])^2*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((2*a*b*B + a^2*C + 2*b^2*C)*x)/2 + ((2*a^2*B + 3*b^2*B + 6*a*b*C)*\text{Sin}[c + d*x])/(3*d) + (a*(2*b*B + a*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a^2*B*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rule 4072

$\text{Int}[(a + \text{csc}[e + f*x] + (f*x)*(b + \text{csc}[e + f*x]))^m * ((A + \text{csc}[e + f*x] + (f*x)*(B + \text{csc}[e + f*x]))^n * (C + \text{csc}[e + f*x])), x, \text{Symbol}] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * (c + d*\text{Csc}[e + f*x])^n * (b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /;$ $\text{FreeQ}[a, b, c, d, e, f, A, B, C, m, n], x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 4024

$\text{Int}[(\text{csc}[e + f*x] + (f*x)*(d + \text{csc}[e + f*x]))^n * (\text{csc}[e + f*x] + (f*x)*(b + a))^2 * (\text{csc}[e + f*x] + (f*x)*(B + A)), x, \text{Symbol}] \rightarrow \text{Simp}[(a^2*A*\text{Cos}[e + f*x] * (d*\text{Csc}[e + f*x])^{n+1}) / (d*f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1} * (a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n+1))) * \text{Csc}[e + f*x] + b^2*B*n*\text{Csc}[e + f*x]^2), x], x] /;$ $\text{FreeQ}[a, b, d, e, f, A$

, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \cos^4(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^3(c + dx)(a + b \sec(c + dx))^2 (B + C \sec(c + dx)) dx \\
 &= \frac{a^2 B \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (a + b \sec(c + dx))^2 dx \\
 &= \frac{a^2 B \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (a^2 + 2ab \sec(c + dx) + b^2 \sec^2(c + dx)) dx \\
 &= \frac{(2a^2 B + 3b^2 B + 6abC) \sin(c + dx)}{3d} + \frac{a(2bB + a^2 C)}{3d} \\
 &= \frac{1}{2} (2abB + a^2 C + 2b^2 C) x + \frac{(2a^2 B + 3b^2 B + 6abC) \sin(c + dx)}{3d} + \frac{a(2bB + a^2 C)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.244285, size = 90, normalized size = 0.84

$$\frac{6(c + dx)(a^2 C + 2abB + 2b^2 C) + 3(3a^2 B + 8abC + 4b^2 B) \sin(c + dx) + a^2 B \sin(3(c + dx)) + 3a(aC + 2bB) \sin(2(c + dx))}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (6*(2*a*b*B + a^2*C + 2*b^2*C)*(c + d*x) + 3*(3*a^2*B + 4*b^2*B + 8*a*b*C)*Sin[c + d*x] + 3*a*(2*b*B + a*C)*Sin[2*(c + d*x)] + a^2*B*Sin[3*(c + d*x)])/(12*d)
```

Maple [A] time = 0.063, size = 114, normalized size = 1.1

$$\frac{1}{d} \left(\frac{Ba^2 (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + 2 Bab (1/2 \cos(dx + c) \sin(dx + c) + 1/2 dx + c/2) + a^2 C \left(\frac{\cos(dx + c) \sin(dx + c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] 1/d*(1/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+2*B*a*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^2*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*b^2*sin(d*x+c)+2*a*b*C*sin(d*x+c)+b^2*C*(d*x+c))
```

Maxima [A] time = 0.962853, size = 146, normalized size = 1.36

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Ba^2 - 3(2dx + 2c + \sin(2dx + 2c))Ca^2 - 6(2dx + 2c + \sin(2dx + 2c))Bab - 12(d \sin(dx + c) + 2c)Bb^2}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2 - 6*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a*b - 12*(d*x + c)*C*b^2 - 24*C*a*b*sin(d*x + c) - 12*B*b^2*sin(d*x + c))/d
```

Fricas [A] time = 0.493997, size = 201, normalized size = 1.88

$$\frac{3(Ca^2 + 2 Bab + 2 Cb^2)dx + (2 Ba^2 \cos(dx + c)^2 + 4 Ba^2 + 12 Cab + 6 Bb^2 + 3(Ca^2 + 2 Bab) \cos(dx + c)) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/6*(3*(C*a^2 + 2*B*a*b + 2*C*b^2)*d*x + (2*B*a^2*cos(d*x + c)^2 + 4*B*a^2 + 12*C*a*b + 6*B*b^2 + 3*(C*a^2 + 2*B*a*b)*cos(d*x + c))*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.18597, size = 343, normalized size = 3.21

$$3(Ca^2 + 2 Bab + 2 Cb^2)(dx + c) + \frac{2(6 Ba^2 \tan(\frac{1}{2} dx + \frac{1}{2} c)^5 - 3 Ca^2 \tan(\frac{1}{2} dx + \frac{1}{2} c)^5 - 6 Bab \tan(\frac{1}{2} dx + \frac{1}{2} c)^5 + 12 Cab \tan(\frac{1}{2} dx + \frac{1}{2} c)^5 + 6 Bb^2 \tan(\frac{1}{2} dx + \frac{1}{2} c)^5)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/6*(3*(C*a^2 + 2*B*a*b + 2*C*b^2)*(d*x + c) + 2*(6*B*a^2*tan(1/2*d*x + 1/2*c)^5 - 3*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 6*B*a*b*tan(1/2*d*x + 1/2*c)^5 + 12*C*a*b*tan(1/2*d*x + 1/2*c)^5 + 6*B*b^2*tan(1/2*d*x + 1/2*c)^5 + 4*B*a^2*t

$$\frac{\begin{aligned} & a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 24C a b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12B b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\ & + 6B a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3C a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6B a b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \\ & + 12C a b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6B b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \end{aligned}}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3} \frac{1}{d}$$

3.782 $\int \cos^5(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=136

$$\frac{(a^2C + 2abB + b^2C) \sin(c+dx)}{d} + \frac{(3a^2B + 8abC + 4b^2B) \sin(c+dx) \cos(c+dx)}{8d} + \frac{1}{8}x(3a^2B + 8abC + 4b^2B) + \frac{a^2B \sin^3(c+dx)}{3d}$$

[Out] $((3a^2B + 4b^2B + 8abC)x)/8 + ((2abB + a^2C + b^2C)\sin[c+dx])/d + ((3a^2B + 4b^2B + 8abC)\cos[c+dx]\sin[c+dx])/(8d) + (a^2B\cos[c+dx]^3\sin[c+dx])/(4d) - (a(2bB + aC)\sin[c+dx]^3)/(3d)$

Rubi [A] time = 0.320546, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4024, 4047, 2635, 8, 4044, 3013}

$$\frac{(a^2C + 2abB + b^2C) \sin(c+dx)}{d} + \frac{(3a^2B + 8abC + 4b^2B) \sin(c+dx) \cos(c+dx)}{8d} + \frac{1}{8}x(3a^2B + 8abC + 4b^2B) + \frac{a^2B \sin^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c+dx]^5(a+b\text{Sec}[c+dx])^2(B\text{Sec}[c+dx]+C\text{Sec}[c+dx])^2, x]$

[Out] $((3a^2B + 4b^2B + 8abC)x)/8 + ((2abB + a^2C + b^2C)\sin[c+dx])/d + ((3a^2B + 4b^2B + 8abC)\cos[c+dx]\sin[c+dx])/(8d) + (a^2B\cos[c+dx]^3\sin[c+dx])/(4d) - (a(2bB + aC)\sin[c+dx]^3)/(3d)$

Rule 4072

$\text{Int}[(a + \csc[e + f*x])*(b + \csc[e + f*x])^m * ((A + \csc[e + f*x])*(b + \csc[e + f*x]) + \csc[e + f*x])^n, x_Symbol] := \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(c + d*\text{Csc}[e + f*x])^n*(b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4024

$\text{Int}[(\csc[e + f*x])*(d + \csc[e + f*x])^n * (\csc[e + f*x])*(b + a)^2 * (\csc[e + f*x])*(B + A), x_Symbol] := \text{Simp}[(a^2*A*\text{Cos}[e + f*x]*(d*\text{Csc}[e + f*x])^{n+1})/(d*f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^n * (\csc[e + f*x])*(b + a)^2 * (\csc[e + f*x])*(B + A), x], x]$

```
e + f*x]^(n + 1)*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1))
)*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x]^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4044

```
Int[csc[(e_.) + (f_.)*(x_)]^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)),
x_Symbol] := Int[(C + A*Ssin[e + f*x]^2)/Ssin[e + f*x]^(m + 2), x] /; FreeQ[
{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]
```

Rule 3013

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2),
x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2)
, x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c+dx)(a+b\sec(c+dx))^2(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^4(c+dx)(a+b\sec(c+dx))^2(B+C\sec(c+dx))dx \\
&= \frac{a^2B\cos^3(c+dx)\sin(c+dx)}{4d} - \frac{1}{4} \int \cos^3(c+dx)dx \\
&= \frac{a^2B\cos^3(c+dx)\sin(c+dx)}{4d} - \frac{1}{4} \int \cos^3(c+dx)dx \\
&= \frac{(3a^2B+4b^2B+8abC)\cos(c+dx)\sin(c+dx)}{8d} \\
&= \frac{1}{8}(3a^2B+4b^2B+8abC)x + \frac{(3a^2B+4b^2B+8abC)\cos(c+dx)\sin(c+dx)}{8d} \\
&= \frac{1}{8}(3a^2B+4b^2B+8abC)x + \frac{(2abB+a^2C+b^2C)\sin(2(c+dx))}{8d}
\end{aligned}$$

Mathematica [A] time = 0.51283, size = 118, normalized size = 0.87

$$\frac{12(c+dx)(3a^2B+8abC+4b^2B)+24(3a^2C+6abB+4b^2C)\sin(c+dx)+24(a^2B+2abC+b^2B)\sin(2(c+dx))+3a^2C\sin(4(c+dx))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (12*(3*a^2*B + 4*b^2*B + 8*a*b*C)*(c + d*x) + 24*(6*a*b*B + 3*a^2*C + 4*b^2*C)*Sin[c + d*x] + 24*(a^2*B + b^2*B + 2*a*b*C)*Sin[2*(c + d*x)] + 8*a*(2*b*B + a*C)*Sin[3*(c + d*x)] + 3*a^2*B*Ssin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.068, size = 152, normalized size = 1.1

$$\frac{1}{d} \left(Ba^2 \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3\cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{a^2C(2+(\cos(dx+c))^2)\sin(dx+c)}{3} + \frac{2Bab(2+\cos(dx+c))\sin(dx+c)}{8d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a^2*C*(2+cos(d*x+c)^2)*sin(d*x+c)+2/3*B*a*b*(2+cos(d*x+c)^2)*sin(d*x+c)+2*

$a*b*C*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+B*b^2*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+b^2*C*\sin(d*x+c)$

Maxima [A] time = 0.964501, size = 192, normalized size = 1.41

$$\frac{3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Ba^2 - 32(\sin(dx + c)^3 - 3\sin(dx + c))Ca^2 - 64(\sin(dx + c)^3 - 3\sin(dx + c))Bab + 48(2dx + 2c + \sin(2dx + 2c))C^2a^2 + 24(2dx + 2c + \sin(2dx + 2c))C^2ab + 96C^2b^2\sin(dx + c)}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $1/96*(3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^2 - 32*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*C*a^2 - 64*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a*b + 48*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C^2*a^2 + 24*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C^2*a*b + 96*C^2*b^2*\sin(d*x + c))/d$

Fricas [A] time = 0.507277, size = 274, normalized size = 2.01

$$\frac{3(3Ba^2 + 8Cab + 4Bb^2)dx + (6Ba^2 \cos(dx + c)^3 + 16Ca^2 + 32Bab + 24Cb^2 + 8(Ca^2 + 2Bab) \cos(dx + c)^2 + 3(3Ba^2 + 8Cab + 4Bb^2) \sin(dx + c))}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] $1/24*(3*(3*B*a^2 + 8*C*a*b + 4*B*b^2)*d*x + (6*B*a^2*\cos(d*x + c)^3 + 16*C*a^2 + 32*B*a*b + 24*C*b^2 + 8*(C*a^2 + 2*B*a*b)*\cos(d*x + c)^2 + 3*(3*B*a^2 + 8*C*a*b + 4*B*b^2)*\cos(d*x + c))*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.22382, size = 590, normalized size = 4.34

$$3(3Ba^2 + 8Cab + 4Bb^2)(dx + c) - \frac{2\left(15Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ca^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 48Bab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 24Cab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Bb^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out]
$$\frac{1}{24} * (3 * (3 * B * a^2 + 8 * C * a * b + 4 * B * b^2) * (d * x + c) - 2 * (15 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 24 * C * a^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 48 * B * a * b * \tan(1/2 * d * x + 1/2 * c)^7 + 24 * C * a * b * \tan(1/2 * d * x + 1/2 * c)^7 + 12 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 24 * C * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 9 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 40 * C * a^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 80 * B * a * b * \tan(1/2 * d * x + 1/2 * c)^5 + 24 * C * a * b * \tan(1/2 * d * x + 1/2 * c)^5 + 12 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 72 * C * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 9 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 40 * C * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 80 * B * a * b * \tan(1/2 * d * x + 1/2 * c)^3 - 24 * C * a * b * \tan(1/2 * d * x + 1/2 * c)^3 - 12 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 72 * C * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 15 * B * a^2 * \tan(1/2 * d * x + 1/2 * c) - 24 * C * a^2 * \tan(1/2 * d * x + 1/2 * c) - 48 * B * a * b * \tan(1/2 * d * x + 1/2 * c) - 24 * C * a * b * \tan(1/2 * d * x + 1/2 * c) - 12 * B * b^2 * \tan(1/2 * d * x + 1/2 * c) - 24 * C * b^2 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 + 1)^4 / d$$

3.783 $\int \cos^6(c+dx)(a+b \sec(c+dx))^2 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=180

$$\frac{(4a^2B + 10abC + 5b^2B) \sin^3(c+dx)}{15d} + \frac{(4a^2B + 10abC + 5b^2B) \sin(c+dx)}{5d} + \frac{(3a^2C + 6abB + 4b^2C) \sin(c+dx) \cos(c+dx)}{8d}$$

```
[Out] ((6*a*b*B + 3*a^2*C + 4*b^2*C)*x)/8 + ((4*a^2*B + 5*b^2*B + 10*a*b*C)*Sin[c + d*x])/(5*d) + ((6*a*b*B + 3*a^2*C + 4*b^2*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(2*b*B + a*C)*Cos[c + d*x]^3*SIN[c + d*x])/(4*d) + (a^2*B*Cos[c + d*x]^4*SIN[c + d*x])/(5*d) - ((4*a^2*B + 5*b^2*B + 10*a*b*C)*Sin[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.338106, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4024, 4047, 2633, 4045, 2635, 8}

$$\frac{(4a^2B + 10abC + 5b^2B) \sin^3(c+dx)}{15d} + \frac{(4a^2B + 10abC + 5b^2B) \sin(c+dx)}{5d} + \frac{(3a^2C + 6abB + 4b^2C) \sin(c+dx) \cos(c+dx)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((6*a*b*B + 3*a^2*C + 4*b^2*C)*x)/8 + ((4*a^2*B + 5*b^2*B + 10*a*b*C)*Sin[c + d*x])/(5*d) + ((6*a*b*B + 3*a^2*C + 4*b^2*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(2*b*B + a*C)*Cos[c + d*x]^3*SIN[c + d*x])/(4*d) + (a^2*B*Cos[c + d*x]^4*SIN[c + d*x])/(5*d) - ((4*a^2*B + 5*b^2*B + 10*a*b*C)*Sin[c + d*x]^3)/(15*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^n_, x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4024

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(2*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a^2*A*Cos[e + f*x]*(d*Csc[e + f*x])^(n + 1))/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^6(c + dx)(a + b \sec(c + dx))^2 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^5(c + dx)(a + b \sec(c + dx))^2(B + C \sec(c + dx)) dx \\
&= \frac{a^2 B \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (a + b \sec(c + dx))^2 dx \\
&= \frac{a^2 B \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (a^2 + 2ab \sec(c + dx) + b^2 \sec^2(c + dx)) dx \\
&= \frac{a(2bB + aC) \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{a^2 B \cos^4(c + dx) \sin(c + dx)}{5d} \\
&= \frac{(4a^2 B + 5b^2 B + 10abC) \sin(c + dx)}{5d} + \frac{(6abB + 3a^2 C + 4b^2 C) x}{8} + \frac{(4a^2 B + 5b^2 B + 10abC) \sin(c + dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 0.473081, size = 146, normalized size = 0.81

$$\frac{60(c + dx)(3a^2 C + 6abB + 4b^2 C) + 60(5a^2 B + 12abC + 6b^2 B) \sin(c + dx) + 120(a^2 C + 2abB + b^2 C) \sin(2(c + dx)) + 10(5a^2 B + 4b^2 B + 8abC) \sin(3(c + dx)) + 15a(2bB + aC) \sin(4(c + dx)) + 6a^2 B \sin(5(c + dx))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (60*(6*a*b*B + 3*a^2*C + 4*b^2*C)*(c + d*x) + 60*(5*a^2*B + 6*b^2*B + 12*a*b*C)*Sin[c + d*x] + 120*(2*a*b*B + a^2*C + b^2*C)*Sin[2*(c + d*x)] + 10*(5*a^2*B + 4*b^2*B + 8*a*b*C)*Sin[3*(c + d*x)] + 15*a*(2*b*B + a*C)*Sin[4*(c + d*x)] + 6*a^2*B*Ssin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.073, size = 184, normalized size = 1.

$$\frac{1}{d} \left(\frac{Ba^2 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + a^2 C \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 \cos(dx + c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^6*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $1/d*(1/5*B*a^2*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+a^2*C*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+2*B*a*b*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+2/3*a*b*C*(2+\cos(d*x+c)^2)*\sin(d*x+c)+1/3*B*b^2*(2+\cos(d*x+c)^2)*\sin(d*x+c)+b^2*C*(1/2*\cos(d*x+c))*\sin(d*x+c)+1/2*d*x+1/2*c))$

Maxima [A] time = 0.967969, size = 238, normalized size = 1.32

$$\frac{32(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Ba^2 + 15(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Ca^2}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] $1/480*(32*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*B*a^2 + 15*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*C*a^2 + 30*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a*b - 320*(\sin(d*x + c))^3 - 3*\sin(d*x + c))*C*a*b - 160*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*b^2 + 120*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*b^2)/d$

Fricas [A] time = 0.528613, size = 350, normalized size = 1.94

$$\frac{15(3Ca^2 + 6Bab + 4Cb^2)dx + (24Ba^2 \cos(dx + c)^4 + 30(Ca^2 + 2Bab) \cos(dx + c)^3 + 64Ba^2 + 160Cab + 80Bb^2 + 80Cb^2) \sin(dx + c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")`

[Out] $1/120*(15*(3*C*a^2 + 6*B*a*b + 4*C*b^2)*d*x + (24*B*a^2*\cos(d*x + c)^4 + 30*(C*a^2 + 2*B*a*b)*\cos(d*x + c)^3 + 64*B*a^2 + 160*C*a*b + 80*B*b^2 + 8*(4*B*a^2 + 10*C*a*b + 5*B*b^2))*\cos(d*x + c)^2 + 15*(3*C*a^2 + 6*B*a*b + 4*C*b^2)*\cos(d*x + c))*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+b*sec(d*x+c))**2*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.22813, size = 657, normalized size = 3.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^2*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out]
$$\frac{1}{120} \cdot (15 \cdot (3 \cdot C \cdot a^2 + 6 \cdot B \cdot a \cdot b + 4 \cdot C \cdot b^2) \cdot (d \cdot x + c) + 2 \cdot (120 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 75 \cdot C \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 150 \cdot B \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 240 \cdot C \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 120 \cdot B \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 60 \cdot C \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 160 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 30 \cdot C \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 60 \cdot B \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 640 \cdot C \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 320 \cdot B \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 120 \cdot C \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 464 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 800 \cdot C \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 400 \cdot B \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 160 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 30 \cdot C \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 60 \cdot B \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 640 \cdot C \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 320 \cdot B \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 120 \cdot C \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 120 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 75 \cdot C \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 150 \cdot B \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 240 \cdot C \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 120 \cdot B \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 60 \cdot C \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^5 / d$$

3.784 $\int \sec^2(c+dx)(a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=278

$$\frac{(15a^2bB + 5a^3C + 12ab^2C + 4b^3B) \tan^3(c+dx)}{15d} + \frac{(15a^2bB + 5a^3C + 12ab^2C + 4b^3B) \tan(c+dx)}{5d} + \frac{(18a^2bC + 8a^3B + 12ab^2C + 4b^3B) \tan^2(c+dx)}{5d}$$

```
[Out] ((8*a^3*B + 18*a*b^2*B + 18*a^2*b*C + 5*b^3*C)*ArcTanh[Sin[c + d*x]])/(16*d) + ((15*a^2*b*B + 4*b^3*B + 5*a^3*C + 12*a*b^2*C)*Tan[c + d*x])/(5*d) + ((8*a^3*B + 18*a*b^2*B + 18*a^2*b*C + 5*b^3*C)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (b*(18*a*b*B + 14*a^2*C + 5*b^2*C)*Sec[c + d*x]^3*Tan[c + d*x])/(24*d) + (b^2*(3*b*B + 4*a*C)*Sec[c + d*x]^4*Tan[c + d*x])/(15*d) + (b*C*Sec[c + d*x]^3*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(6*d) + ((15*a^2*b*B + 4*b^3*B + 5*a^3*C + 12*a*b^2*C)*Tan[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.608875, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4072, 4026, 4076, 4047, 3767, 4046, 3768, 3770}

$$\frac{(15a^2bB + 5a^3C + 12ab^2C + 4b^3B) \tan^3(c+dx)}{15d} + \frac{(15a^2bB + 5a^3C + 12ab^2C + 4b^3B) \tan(c+dx)}{5d} + \frac{(18a^2bC + 8a^3B + 12ab^2C + 4b^3B) \tan^2(c+dx)}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((8*a^3*B + 18*a*b^2*B + 18*a^2*b*C + 5*b^3*C)*ArcTanh[Sin[c + d*x]])/(16*d) + ((15*a^2*b*B + 4*b^3*B + 5*a^3*C + 12*a*b^2*C)*Tan[c + d*x])/(5*d) + ((8*a^3*B + 18*a*b^2*B + 18*a^2*b*C + 5*b^3*C)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (b*(18*a*b*B + 14*a^2*C + 5*b^2*C)*Sec[c + d*x]^3*Tan[c + d*x])/(24*d) + (b^2*(3*b*B + 4*a*C)*Sec[c + d*x]^4*Tan[c + d*x])/(15*d) + (b*C*Sec[c + d*x]^3*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(6*d) + ((15*a^2*b*B + 4*b^3*B + 5*a^3*C + 12*a*b^2*C)*Tan[c + d*x]^3)/(15*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
```


{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B))*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^3(c + dx)(a + b \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\ &= \frac{bC \sec^3(c + dx)(a + b \sec(c + dx))^2 \tan(c + dx)}{6d} \\ &= \frac{b^2(3bB + 4aC) \sec^4(c + dx) \tan(c + dx)}{15d} + \frac{bCs}{15d} \\ &= \frac{b^2(3bB + 4aC) \sec^4(c + dx) \tan(c + dx)}{15d} + \frac{bCs}{15d} \\ &= \frac{b(18abB + 14a^2C + 5b^2C) \sec^3(c + dx) \tan(c + dx)}{24d} \\ &= \frac{(15a^2bB + 4b^3B + 5a^3C + 12ab^2C) \tan(c + dx)}{5d} \\ &= \frac{(8a^3B + 18ab^2B + 18a^2bC + 5b^3C) \tanh^{-1}(\sin(c + dx))}{16d} \end{aligned}$$

Mathematica [A] time = 2.61277, size = 214, normalized size = 0.77

$$\frac{15(18a^2bC + 8a^3B + 18ab^2B + 5b^3C) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (80(3a^2bB + a^3C + 6ab^2C + 2b^3B) \tan^2(c + dx) + \dots)}{16d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] (15*(8*a^3*B + 18*a*b^2*B + 18*a^2*b*C + 5*b^3*C)*ArcTanh[Sin[c + d*x]] + T
an[c + d*x]*(240*(3*a^2*b*B + b^3*B + a^3*C + 3*a*b^2*C) + 15*(8*a^3*B + 18
*a*b^2*B + 18*a^2*b*C + 5*b^3*C)*Sec[c + d*x] + 10*b*(18*a*b*B + 18*a^2*C +
5*b^2*C)*Sec[c + d*x]^3 + 40*b^3*C*Sec[c + d*x]^5 + 80*(3*a^2*b*B + 2*b^3*
```

$$\frac{B + a^3 C + 6ab^2 C \tan[c + dx]^2 + 48b^2 (bB + 3aC) \tan[c + dx]^4}{(240d)}$$

Maple [A] time = 0.052, size = 478, normalized size = 1.7

$$\frac{Ba^3 \sec(dx+c) \tan(dx+c)}{2d} + \frac{Ba^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{2a^3 C \tan(dx+c)}{3d} + \frac{a^3 C \tan(dx+c) (\sec(dx+c) + \tan(dx+c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(dx+c)^2*(a+b*sec(dx+c))^3*(B*sec(dx+c)+C*sec(dx+c)^2),x)

[Out] 1/2/d*B*a^3*sec(dx+c)*tan(dx+c)+1/2/d*B*a^3*ln(sec(dx+c)+tan(dx+c))+2/3*a^3*C*tan(dx+c)/d+1/3/d*a^3*C*tan(dx+c)*sec(dx+c)^2+2/d*B*a^2*b*tan(dx+c)+1/d*B*a^2*b*tan(dx+c)*sec(dx+c)^2+3/4/d*a^2*b*C*tan(dx+c)*sec(dx+c)^3+9/8/d*a^2*b*C*sec(dx+c)*tan(dx+c)+9/8/d*a^2*b*C*ln(sec(dx+c)+tan(dx+c))+3/4/d*B*a*b^2*tan(dx+c)*sec(dx+c)^3+9/8/d*B*a*b^2*sec(dx+c)*tan(dx+c)+9/8/d*B*a*b^2*ln(sec(dx+c)+tan(dx+c))+8/5/d*C*a*b^2*tan(dx+c)+3/5/d*C*a*b^2*tan(dx+c)*sec(dx+c)^4+4/5/d*C*a*b^2*tan(dx+c)*sec(dx+c)^2+8/15/d*B*b^3*tan(dx+c)+1/5/d*B*b^3*tan(dx+c)*sec(dx+c)^4+4/15/d*B*b^3*tan(dx+c)*sec(dx+c)^2+1/6/d*C*b^3*tan(dx+c)*sec(dx+c)^5+5/24/d*C*b^3*tan(dx+c)*sec(dx+c)^3+5/16/d*C*b^3*sec(dx+c)*tan(dx+c)+5/16/d*C*b^3*ln(sec(dx+c)+tan(dx+c))

Maxima [A] time = 0.99116, size = 552, normalized size = 1.99

$$160(\tan(dx+c)^3 + 3 \tan(dx+c))Ca^3 + 480(\tan(dx+c)^3 + 3 \tan(dx+c))Ba^2b + 96(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))C^2a^2b + 32(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))B^2b^3 - 5C^2b^3(2(15 \sin(dx+c)^5 - 40 \sin(dx+c)^3 + 33 \sin(dx+c))) / (\sin(dx+c)^6 - 3 \sin(dx+c)^4 + 3 \sin(dx+c)^2 - 1) - 15 \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))^3*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] 1/480*(160*(tan(dx+c)^3 + 3*tan(dx+c))*C*a^3 + 480*(tan(dx+c)^3 + 3*tan(dx+c))*B*a^2*b + 96*(3*tan(dx+c)^5 + 10*tan(dx+c)^3 + 15*tan(dx+c))*C^2*a^2*b + 32*(3*tan(dx+c)^5 + 10*tan(dx+c)^3 + 15*tan(dx+c))*B^2*b^3 - 5*C^2*b^3*(2*(15*sin(dx+c)^5 - 40*sin(dx+c)^3 + 33*sin(dx+c)))/(sin(dx+c)^6 - 3*sin(dx+c)^4 + 3*sin(dx+c)^2 - 1) - 15*log

$$\frac{(\sin(dx + c) + 1) + 15 \log(\sin(dx + c) - 1) - 90Ca^2b(2(3\sin(dx + c)^3 - 5\sin(dx + c)) / (\sin(dx + c)^4 - 2\sin(dx + c)^2 + 1) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1)) - 90B^2ab^2(2(3\sin(dx + c)^3 - 5\sin(dx + c)) / (\sin(dx + c)^4 - 2\sin(dx + c)^2 + 1) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1)) - 120B^3a^3(2\sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)))}{d}$$

Fricas [A] time = 0.579748, size = 706, normalized size = 2.54

$$15(8Ba^3 + 18Ca^2b + 18Bab^2 + 5Cb^3) \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15(8Ba^3 + 18Ca^2b + 18Bab^2 + 5Cb^3) \cos$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))^3*(B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="fricas")

[Out] 1/480*(15*(8*B*a^3 + 18*C*a^2*b + 18*B*a*b^2 + 5*C*b^3)*cos(dx + c)^6*log(sin(dx + c) + 1) - 15*(8*B*a^3 + 18*C*a^2*b + 18*B*a*b^2 + 5*C*b^3)*cos(dx + c)^6*log(-sin(dx + c) + 1) + 2*(32*(5*C*a^3 + 15*B*a^2*b + 12*C*a*b^2 + 4*B*b^3)*cos(dx + c)^5 + 15*(8*B*a^3 + 18*C*a^2*b + 18*B*a*b^2 + 5*C*b^3)*cos(dx + c)^4 + 40*C*b^3 + 16*(5*C*a^3 + 15*B*a^2*b + 12*C*a*b^2 + 4*B*b^3)*cos(dx + c)^3 + 10*(18*C*a^2*b + 18*B*a*b^2 + 5*C*b^3)*cos(dx + c)^2 + 48*(3*C*a*b^2 + B*b^3)*cos(dx + c))*sin(dx + c))/(d*cos(dx + c)^6)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx))(a + b \sec(c + dx))^3 \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(a+b*sec(dx+c))**3*(B*sec(dx+c)+C*sec(dx+c)**2), x)

[Out] Integral((B + C*sec(c + d*x))*(a + b*sec(c + d*x))**3*sec(c + d*x)**3, x)

Giac [B] time = 1.29572, size = 1258, normalized size = 4.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out]
$$\frac{1}{240} \cdot (15 \cdot (8 \cdot B \cdot a^3 + 18 \cdot C \cdot a^2 \cdot b + 18 \cdot B \cdot a \cdot b^2 + 5 \cdot C \cdot b^3) \cdot \log(\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 1) - 15 \cdot (8 \cdot B \cdot a^3 + 18 \cdot C \cdot a^2 \cdot b + 18 \cdot B \cdot a \cdot b^2 + 5 \cdot C \cdot b^3) \cdot \log(\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 1) + 2 \cdot (120 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 240 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 720 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} + 450 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} + 450 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 720 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 240 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} + 165 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 360 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 880 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 2640 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 - 630 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 - 630 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 1680 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 560 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 25 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 240 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 1440 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 4320 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 180 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 180 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 3744 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 1248 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 450 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 240 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 1440 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 4320 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 180 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 180 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 3744 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 1248 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 450 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 360 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 880 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 2640 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 630 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 630 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 1680 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 560 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 25 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 120 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 240 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 720 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 450 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 450 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 720 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 240 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 165 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)) / (\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^2 - 1)^6 / d$$

3.785 $\int \sec(c+dx)(a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=252

$$\frac{(52a^2b^2C + 15a^3bB - 3a^4C + 60ab^3B + 16b^4C) \tan(c+dx)}{30bd} + \frac{(12a^2bB + 4a^3C + 9ab^2C + 3b^3B) \tanh^{-1}(\sin(c+dx))}{8d} +$$

```
[Out] ((12*a^2*b*B + 3*b^3*B + 4*a^3*C + 9*a*b^2*C)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((15*a^3*b*B + 60*a*b^3*B - 3*a^4*C + 52*a^2*b^2*C + 16*b^4*C)*Tan[c + d*
x])/(30*b*d) + ((30*a^2*b*B + 45*b^3*B - 6*a^3*C + 71*a*b^2*C)*Sec[c + d*x]
*Tan[c + d*x])/(120*d) + ((15*a*b*B - 3*a^2*C + 16*b^2*C)*(a + b*Sec[c + d*
x])^2*Tan[c + d*x])/(60*b*d) + ((5*b*B - a*C)*(a + b*Sec[c + d*x])^3*Tan[c
+ d*x])/(20*b*d) + (C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*b*d)
```

Rubi [A] time = 0.498703, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {4072, 4010, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(52a^2b^2C + 15a^3bB - 3a^4C + 60ab^3B + 16b^4C) \tan(c+dx)}{30bd} + \frac{(12a^2bB + 4a^3C + 9ab^2C + 3b^3B) \tanh^{-1}(\sin(c+dx))}{8d} +$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((12*a^2*b*B + 3*b^3*B + 4*a^3*C + 9*a*b^2*C)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((15*a^3*b*B + 60*a*b^3*B - 3*a^4*C + 52*a^2*b^2*C + 16*b^4*C)*Tan[c + d*
x])/(30*b*d) + ((30*a^2*b*B + 45*b^3*B - 6*a^3*C + 71*a*b^2*C)*Sec[c + d*x]
*Tan[c + d*x])/(120*d) + ((15*a*b*B - 3*a^2*C + 16*b^2*C)*(a + b*Sec[c + d*
x])^2*Tan[c + d*x])/(60*b*d) + ((5*b*B - a*C)*(a + b*Sec[c + d*x])^3*Tan[c
+ d*x])/(20*b*d) + (C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*b*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)
]*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)
*(x_.)]*(d_.))^n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Cs
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a
+ b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*
Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B,
0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^2(c + dx)(a + b \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\
 &= \frac{C(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} + \frac{\int \sec(c + dx)(a + b \sec(c + dx))^3 (B + C \sec(c + dx)) dx}{5bd} \\
 &= \frac{(5bB - aC)(a + b \sec(c + dx))^3 \tan(c + dx)}{20bd} + \frac{C(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} \\
 &= \frac{(15abB - 3a^2C + 16b^2C)(a + b \sec(c + dx))^2 \tan(c + dx)}{60bd} \\
 &= \frac{(30a^2bB + 45b^3B - 6a^3C + 71ab^2C) \sec(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{(30a^2bB + 45b^3B - 6a^3C + 71ab^2C) \sec(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{(12a^2bB + 3b^3B + 4a^3C + 9ab^2C) \tanh^{-1}(\sin(c + dx))}{8d} \\
 &= \frac{(12a^2bB + 3b^3B + 4a^3C + 9ab^2C) \tanh^{-1}(\sin(c + dx))}{8d}
 \end{aligned}$$

Mathematica [A] time = 3.29128, size = 181, normalized size = 0.72

$$\frac{15(12a^2bB + 4a^3C + 9ab^2C + 3b^3B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (8(5b(3a^2C + 3abB + 2b^2C) \tan^2(c + dx) + 15(12a^2bB + 4a^3C + 9ab^2C + 3b^3B) \tanh^{-1}(\sin(c + dx)))}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (15*(12*a^2*b*B + 3*b^3*B + 4*a^3*C + 9*a*b^2*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*(12*a^2*b*B + 3*b^3*B + 4*a^3*C + 9*a*b^2*C)*Sec[c + d*x] + 30*b^2*(b*B + 3*a*C)*Sec[c + d*x]^3 + 8*(15*(a^3*B + 3*a*b^2*B + 3*a^2*b*C + b^3*C) + 5*b*(3*a*b*B + 3*a^2*C + 2*b^2*C)*Tan[c + d*x]^2 + 3*b^3*C*Tan[c + d*x]^4)))/(120*d)

Maple [A] time = 0.043, size = 382, normalized size = 1.5

$$\frac{Ba^3 \tan(dx+c)}{d} + \frac{a^3 C \sec(dx+c) \tan(dx+c)}{2d} + \frac{a^3 C \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{3Ba^2b \sec(dx+c) \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{d} B a^3 \tan(dx+c) + \frac{1}{2} \frac{a^3 C \sec(dx+c) \tan(dx+c)}{d} + \frac{1}{2} \frac{a^3 C \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{3}{2} \frac{B a^2 b \sec(dx+c) \tan(dx+c)}{d} + \frac{3}{2} \frac{B a^2 b \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{2}{d} a^2 b C \tan(dx+c) + \frac{1}{d} a^2 b C \tan(dx+c) \sec(dx+c)^2 + \frac{2}{d} B a^2 b^2 \tan(dx+c) + \frac{1}{d} B a^2 b^2 \tan(dx+c) \sec(dx+c)^2 + \frac{3}{4} \frac{C a^2 b^2 \tan(dx+c) \sec(dx+c)^3 + 9}{8} \frac{C a^2 b^2 \sec(dx+c) \tan(dx+c)}{d} + \frac{9}{8} \frac{C a^2 b^2 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{1}{4} \frac{B b^3 \tan(dx+c) \sec(dx+c)^3 + 3}{8} \frac{B b^3 \sec(dx+c) \tan(dx+c)}{d} + \frac{3}{8} \frac{B b^3 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{8}{15} \frac{C b^3 \tan(dx+c)}{d} + \frac{1}{5} \frac{C b^3 \tan(dx+c) \sec(dx+c)^4 + 4}{15} \frac{C b^3 \tan(dx+c) \sec(dx+c)^2}{d}$

Maxima [A] time = 0.984851, size = 460, normalized size = 1.83

$$240 (\tan(dx+c)^3 + 3 \tan(dx+c)) C a^2 b + 240 (\tan(dx+c)^3 + 3 \tan(dx+c)) B a b^2 + 16 (3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c)) C b^3 - 45 C a^2 b^2 (2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 15 B b^3 (2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 60 C a^3 (2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 180 B a^2 b (2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 240 B a^3 \tan(dx+c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{240} (240 (\tan(dx+c)^3 + 3 \tan(dx+c)) C a^2 b + 240 (\tan(dx+c)^3 + 3 \tan(dx+c)) B a b^2 + 16 (3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c)) C b^3 - 45 C a^2 b^2 (2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 15 B b^3 (2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 60 C a^3 (2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 180 B a^2 b (2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 240 B a^3 \tan(dx+c) / d$

Fricas [A] time = 0.561328, size = 612, normalized size = 2.43

$$\frac{15(4Ca^3 + 12Ba^2b + 9Cab^2 + 3Bb^3)\cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(4Ca^3 + 12Ba^2b + 9Cab^2 + 3Bb^3)\cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(8(15Ba^3 + 30Ca^2b + 30Ba^2b^2 + 8Cb^3)\cos(dx + c)^4 + 24Cb^3 + 15(4Ca^3 + 12Ba^2b + 9Ca^2b^2 + 3Bb^3)\cos(dx + c)^3 + 8(15Ca^2b + 15Ba^2b^2 + 4Cb^3)\cos(dx + c)^2 + 30(3Ca^2b^2 + Bb^3)\cos(dx + c))\sin(dx + c)}{(d\cos(dx + c))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/240*(15*(4*C*a^3 + 12*B*a^2*b + 9*C*a*b^2 + 3*B*b^3)*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(4*C*a^3 + 12*B*a^2*b + 9*C*a*b^2 + 3*B*b^3)*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(8*(15*B*a^3 + 30*C*a^2*b + 30*B*a*b^2 + 8*C*b^3)*cos(d*x + c)^4 + 24*C*b^3 + 15*(4*C*a^3 + 12*B*a^2*b + 9*C*a*b^2 + 3*B*b^3)*cos(d*x + c)^3 + 8*(15*C*a^2*b + 15*B*a*b^2 + 4*C*b^3)*cos(d*x + c)^2 + 30*(3*C*a*b^2 + B*b^3)*cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx))(a + b \sec(c + dx))^3 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((B + C*sec(c + d*x))*(a + b*sec(c + d*x))**3*sec(c + d*x)**2, x)

Giac [B] time = 1.28937, size = 975, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/120*(15*(4*C*a^3 + 12*B*a^2*b + 9*C*a*b^2 + 3*B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(4*C*a^3 + 12*B*a^2*b + 9*C*a*b^2 + 3*B*b^3)*log(abs(ta

$$\begin{aligned}
& n(1/2*d*x + 1/2*c) - 1)) - 2*(120*B*a^3*tan(1/2*d*x + 1/2*c)^9 - 60*C*a^3*t \\
& an(1/2*d*x + 1/2*c)^9 - 180*B*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 360*C*a^2*b*ta \\
& n(1/2*d*x + 1/2*c)^9 + 360*B*a*b^2*tan(1/2*d*x + 1/2*c)^9 - 225*C*a*b^2*tan \\
& (1/2*d*x + 1/2*c)^9 - 75*B*b^3*tan(1/2*d*x + 1/2*c)^9 + 120*C*b^3*tan(1/2*d \\
& *x + 1/2*c)^9 - 480*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 120*C*a^3*tan(1/2*d*x + \\
& 1/2*c)^7 + 360*B*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 960*C*a^2*b*tan(1/2*d*x + 1 \\
& /2*c)^7 - 960*B*a*b^2*tan(1/2*d*x + 1/2*c)^7 + 90*C*a*b^2*tan(1/2*d*x + 1/2 \\
& *c)^7 + 30*B*b^3*tan(1/2*d*x + 1/2*c)^7 - 160*C*b^3*tan(1/2*d*x + 1/2*c)^7 \\
& + 720*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 1200*C*a^2*b*tan(1/2*d*x + 1/2*c)^5 + \\
& 1200*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 464*C*b^3*tan(1/2*d*x + 1/2*c)^5 - 48 \\
& 0*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 120*C*a^3*tan(1/2*d*x + 1/2*c)^3 - 360*B*a \\
& ^2*b*tan(1/2*d*x + 1/2*c)^3 - 960*C*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 960*B*a* \\
& b^2*tan(1/2*d*x + 1/2*c)^3 - 90*C*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 30*B*b^3*t \\
& an(1/2*d*x + 1/2*c)^3 - 160*C*b^3*tan(1/2*d*x + 1/2*c)^3 + 120*B*a^3*tan(1/ \\
& 2*d*x + 1/2*c) + 60*C*a^3*tan(1/2*d*x + 1/2*c) + 180*B*a^2*b*tan(1/2*d*x + \\
& 1/2*c) + 360*C*a^2*b*tan(1/2*d*x + 1/2*c) + 360*B*a*b^2*tan(1/2*d*x + 1/2*c \\
&) + 225*C*a*b^2*tan(1/2*d*x + 1/2*c) + 75*B*b^3*tan(1/2*d*x + 1/2*c) + 120* \\
& C*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5)/d
\end{aligned}$$

3.786 $\int (a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=180

$$\frac{(16a^2bB + 3a^3C + 12ab^2C + 4b^3B) \tan(c+dx)}{6d} + \frac{(12a^2bC + 8a^3B + 12ab^2B + 3b^3C) \tanh^{-1}(\sin(c+dx))}{8d} + \frac{b(6a^2C + 2a^3B + 12ab^2C + 4b^3B)}{4d}$$

```
[Out] ((8*a^3*B + 12*a*b^2*B + 12*a^2*b*C + 3*b^3*C)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((16*a^2*b*B + 4*b^3*B + 3*a^3*C + 12*a*b^2*C)*Tan[c + d*x])/(6*d) + (b*
(20*a*b*B + 6*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*b*B
+ 3*a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + b*Sec[c + d*
x])^3*Tan[c + d*x])/(4*d)
```

Rubi [A] time = 0.26204, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4056, 4048, 3770, 3767, 8}

$$\frac{(16a^2bB + 3a^3C + 12ab^2C + 4b^3B) \tan(c+dx)}{6d} + \frac{(12a^2bC + 8a^3B + 12ab^2B + 3b^3C) \tanh^{-1}(\sin(c+dx))}{8d} + \frac{b(6a^2C + 2a^3B + 12ab^2C + 4b^3B)}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((8*a^3*B + 12*a*b^2*B + 12*a^2*b*C + 3*b^3*C)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((16*a^2*b*B + 4*b^3*B + 3*a^3*C + 12*a*b^2*C)*Tan[c + d*x])/(6*d) + (b*
(20*a*b*B + 6*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*b*B
+ 3*a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + b*Sec[c + d*
x])^3*Tan[c + d*x])/(4*d)
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4} \int (a + b \sec(c + dx) \\
 &= \frac{(4bB + 3aC)(a + b \sec(c + dx))^2 \tan(c + dx)}{12d} + \frac{C(a + b \sec(c + dx)) \tan(c + dx)}{4d} \\
 &= \frac{b(20abB + 6a^2C + 9b^2C) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(4bB + 3aC) \sec(c + dx) \tan(c + dx)}{4d} \\
 &= \frac{b(20abB + 6a^2C + 9b^2C) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(4bB + 3aC) \sec(c + dx) \tan(c + dx)}{4d} \\
 &= \frac{(8a^3B + 12ab^2B + 12a^2bC + 3b^3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4bB + 3aC) \sec(c + dx) \tan(c + dx)}{4d} \\
 &= \frac{(8a^3B + 12ab^2B + 12a^2bC + 3b^3C) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4bB + 3aC) \sec(c + dx) \tan(c + dx)}{4d}
 \end{aligned}$$

Mathematica [A] time = 0.828366, size = 140, normalized size = 0.78

$$\frac{3(12a^2bC + 8a^3B + 12ab^2B + 3b^3C) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (9b(4a^2C + 4abB + b^2C) \sec(c + dx) + 24(3a^2C + 2abB + b^2C) \tan(c + dx))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (3*(8*a^3*B + 12*a*b^2*B + 12*a^2*b*C + 3*b^3*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(24*(3*a^2*b*B + b^3*B + a^3*C + 3*a*b^2*C) + 9*b*(4*a*b*B + 4*a^2*C + b^2*C)*Sec[c + d*x] + 6*b^3*C*Sec[c + d*x]^3 + 8*b^2*(b*B + 3*a*C)*Tan[c + d*x]^2))/(24*d)

Maple [A] time = 0.043, size = 290, normalized size = 1.6

$$\frac{Ba^3 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{a^3 C \tan(dx+c)}{d} + 3 \frac{Ba^2 b \tan(dx+c)}{d} + \frac{3a^2 b C \sec(dx+c) \tan(dx+c)}{2d} + \frac{3a^2 b C \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 1/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+a^3*C*tan(d*x+c)/d+3/d*B*a^2*b*tan(d*x+c)+3/2/d*a^2*b*C*sec(d*x+c)*tan(d*x+c)+3/2/d*a^2*b*C*ln(sec(d*x+c)+tan(d*x+c))+3/2/d*B*a*b^2*sec(d*x+c)*tan(d*x+c)+3/2/d*B*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+2/d*C*a*b^2*tan(d*x+c)+1/d*C*a*b^2*tan(d*x+c)*sec(d*x+c)^2+2/3/d*B*b^3*tan(d*x+c)+1/3/d*B*b^3*tan(d*x+c)*sec(d*x+c)^2+1/4/d*C*b^3*tan(d*x+c)*sec(d*x+c)^3+3/8/d*C*b^3*sec(d*x+c)*tan(d*x+c)+3/8/d*C*b^3*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.987448, size = 359, normalized size = 1.99

$$48(\tan(dx+c)^3 + 3 \tan(dx+c))Cab^2 + 16(\tan(dx+c)^3 + 3 \tan(dx+c))Bb^3 - 3Cb^3 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \ln \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/48*(48*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a*b^2 + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*b^3 - 3*C*b^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c)))/(sin

$$\frac{d^4x + c - 2\sin(dx + c)^2 + 1 - 3\log(\sin(dx + c) + 1) + 3\log(\sin(dx + c) - 1) - 36Ca^2b(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 36Bab^2(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 48B^3a^3\log(\sec(dx + c) + \tan(dx + c)) + 48C^3a^3\tan(dx + c) + 144B^2ab\tan(dx + c))/d$$

Fricas [A] time = 0.543402, size = 510, normalized size = 2.83

$$3(8Ba^3 + 12Ca^2b + 12Bab^2 + 3Cb^3)\cos(dx + c)^4\log(\sin(dx + c) + 1) - 3(8Ba^3 + 12Ca^2b + 12Bab^2 + 3Cb^3)\cos(dx + c)^4\log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^3*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] 1/48*(3*(8*B*a^3 + 12*C*a^2*b + 12*B*a*b^2 + 3*C*b^3)*cos(dx + c)^4*log(sin(dx + c) + 1) - 3*(8*B*a^3 + 12*C*a^2*b + 12*B*a*b^2 + 3*C*b^3)*cos(dx + c)^4*log(-sin(dx + c) + 1) + 2*(6*C*b^3 + 8*(3*C*a^3 + 9*B*a^2*b + 6*C*a*b^2 + 2*B*b^3)*cos(dx + c)^3 + 9*(4*C*a^2*b + 4*B*a*b^2 + C*b^3)*cos(dx + c)^2 + 8*(3*C*a*b^2 + B*b^3)*cos(dx + c))*sin(dx + c))/(d*cos(dx + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx))(a + b \sec(c + dx))^3 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^3*(B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] Integral((B + C*sec(c + dx))*(a + b*sec(c + dx))^3*sec(c + dx), x)

Giac [B] time = 1.26039, size = 791, normalized size = 4.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\frac{1}{24} \cdot (3 \cdot (8 \cdot B \cdot a^3 + 12 \cdot C \cdot a^2 \cdot b + 12 \cdot B \cdot a \cdot b^2 + 3 \cdot C \cdot b^3) \cdot \log(\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 1)) - 3 \cdot (8 \cdot B \cdot a^3 + 12 \cdot C \cdot a^2 \cdot b + 12 \cdot B \cdot a \cdot b^2 + 3 \cdot C \cdot b^3) \cdot \log(\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 1)) - 2 \cdot (24 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 72 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 36 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 36 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 72 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 24 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 15 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 72 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 216 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 36 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 36 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 120 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 40 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 9 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 72 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 216 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 36 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 36 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 120 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 40 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 9 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 24 \cdot C \cdot a^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 72 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 36 \cdot C \cdot a^2 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 36 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 72 \cdot C \cdot a \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 24 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 15 \cdot C \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)) / (\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^2 - 1)^4 / d$$

$$3.787 \quad \int \cos(c+dx)(a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$$

Optimal. Leaf size=137

$$\frac{b(8a^2C + 9abB + 2b^2C) \tan(c+dx)}{3d} + \frac{(6a^2bB + 2a^3C + 3ab^2C + b^3B) \tanh^{-1}(\sin(c+dx))}{2d} + a^3Bx + \frac{b^2(5aC + 3bB) \tan^2(c+dx)}{3d}$$

[Out] a^3*B*x + ((6*a^2*b*B + b^3*B + 2*a^3*C + 3*a*b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (b*(9*a*b*B + 8*a^2*C + 2*b^2*C)*Tan[c + d*x])/(3*d) + (b^2*(3*b*B + 5*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (b*C*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.240119, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3918, 4048, 3770, 3767, 8}

$$\frac{b(8a^2C + 9abB + 2b^2C) \tan(c+dx)}{3d} + \frac{(6a^2bB + 2a^3C + 3ab^2C + b^3B) \tanh^{-1}(\sin(c+dx))}{2d} + a^3Bx + \frac{b^2(5aC + 3bB) \tan^2(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a^3*B*x + ((6*a^2*b*B + b^3*B + 2*a^3*C + 3*a*b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (b*(9*a*b*B + 8*a^2*C + 2*b^2*C)*Tan[c + d*x])/(3*d) + (b^2*(3*b*B + 5*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (b*C*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m+1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3918

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m-1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m-2)*Simp[a^2*c*m +

```
(b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + b \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\
 &= \frac{bC(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3} \int (a + b \sec(c + dx))^3 dx \\
 &= \frac{b^2(3bB + 5aC) \sec(c + dx) \tan(c + dx)}{6d} + \frac{bC(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} \\
 &= a^3 Bx + \frac{b^2(3bB + 5aC) \sec(c + dx) \tan(c + dx)}{6d} \\
 &= a^3 Bx + \frac{(6a^2bB + b^3B + 2a^3C + 3ab^2C) \tanh^{-1}(\sec(c + dx))}{2d} \\
 &= a^3 Bx + \frac{(6a^2bB + b^3B + 2a^3C + 3ab^2C) \tanh^{-1}(\sec(c + dx))}{2d}
 \end{aligned}$$

Mathematica [A] time = 0.585876, size = 108, normalized size = 0.79

$$\frac{3(6a^2bB + 2a^3C + 3ab^2C + b^3B) \tanh^{-1}(\sin(c + dx)) + 3b \tan(c + dx) (6a^2C + b(3aC + bB) \sec(c + dx) + 6abB + 2b^2C)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (6*a^3*B*d*x + 3*(6*a^2*b*B + b^3*B + 2*a^3*C + 3*a*b^2*C)*ArcTanh[Sin[c + d*x]] + 3*b*(6*a*b*B + 6*a^2*C + 2*b^2*C + b*(b*B + 3*a*C)*Sec[c + d*x])*Tan[c + d*x] + 2*b^3*C*Tan[c + d*x]^3)/(6*d)

Maple [A] time = 0.066, size = 223, normalized size = 1.6

$$a^3Bx + \frac{Ba^3c}{d} + \frac{a^3C \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3 \frac{Ba^2b \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3 \frac{a^2bC \tan(dx + c)}{d} + 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] a^3*B*x+1/d*B*a^3*c+1/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+3/d*B*a^2*b*ln(sec(d*x+c)+tan(d*x+c))+3/d*a^2*b*C*tan(d*x+c)+3/d*B*a*b^2*tan(d*x+c)+3/2/d*C*a*b^2*sec(d*x+c)*tan(d*x+c)+3/2/d*C*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*B*b^3*sec(d*x+c)*tan(d*x+c)+1/2/d*B*b^3*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*C*b^3*tan(d*x+c)+1/3/d*C*b^3*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.984015, size = 292, normalized size = 2.13

$$12(dx + c)Ba^3 + 4(\tan(dx + c)^3 + 3 \tan(dx + c))Cb^3 - 9Cab^2 \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $1/12*(12*(d*x + c)*B*a^3 + 4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*C*b^3 - 9*C*a*b^2*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 3*B*b^3*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 6*C*a^3*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 18*B*a^2*b*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 36*C*a^2*b*\tan(d*x + c) + 36*B*a*b^2*\tan(d*x + c))/d$

Fricas [A] time = 0.547865, size = 458, normalized size = 3.34

$12Ba^3dx \cos(dx + c)^3 + 3(2Ca^3 + 6Ba^2b + 3Cab^2 + Bb^3) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(2Ca^3 + 6Ba^2b + 3Cab^2 + Bb^3) \cos(dx + c)^3 \log(\sin(dx + c) - 1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")`

[Out] $1/12*(12*B*a^3*d*x*\cos(d*x + c)^3 + 3*(2*C*a^3 + 6*B*a^2*b + 3*C*a*b^2 + B*b^3)*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(2*C*a^3 + 6*B*a^2*b + 3*C*a*b^2 + B*b^3)*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(2*C*b^3 + 2*(9*C*a^2*b + 9*B*a*b^2 + 2*C*b^3))*\cos(d*x + c)^2 + 3*(3*C*a*b^2 + B*b^3)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)`

[Out] Timed out

Giac [B] time = 1.23836, size = 454, normalized size = 3.31

$6(dx + c)Ba^3 + 3(2Ca^3 + 6Ba^2b + 3Cab^2 + Bb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Ca^3 + 6Ba^2b + 3Cab^2 + Bb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/6*(6*(d*x + c)*B*a^3 + 3*(2*C*a^3 + 6*B*a^2*b + 3*C*a*b^2 + B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*C*a^3 + 6*B*a^2*b + 3*C*a*b^2 + B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(18*C*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 18*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 9*C*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 3*B*b^3*tan(1/2*d*x + 1/2*c)^5 + 6*C*b^3*tan(1/2*d*x + 1/2*c)^5 - 36*C*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 36*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 4*C*b^3*tan(1/2*d*x + 1/2*c)^3 + 18*C*a^2*b*tan(1/2*d*x + 1/2*c) + 18*B*a*b^2*tan(1/2*d*x + 1/2*c) + 9*C*a*b^2*tan(1/2*d*x + 1/2*c) + 3*B*b^3*tan(1/2*d*x + 1/2*c) + 6*C*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

3.788 $\int \cos^2(c+dx)(a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=131

$$\frac{b(2a^2B - 3abC - b^2B) \tan(c+dx)}{d} + \frac{b(6a^2C + 6abB + b^2C) \tanh^{-1}(\sin(c+dx))}{2d} + a^2x(aC + 3bB) - \frac{b^2(2aB - bC) \tan(c+dx)}{2d}$$

[Out] $a^2(3bB + aC)x + (b(6a^2C + 6abB + b^2C) \operatorname{ArcTanh}[\sin(c+dx)]) / (2d) + (aB(a + b \sec(c+dx))^2 \sin(c+dx)) / d - (b(2a^2B - b^2B - 3a^2bC) \tan(c+dx)) / d - (b^2(2aB - bC) \sec(c+dx) \tan(c+dx)) / (2d)$

Rubi [A] time = 0.29119, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4025, 4048, 3770, 3767, 8}

$$\frac{b(2a^2B - 3abC - b^2B) \tan(c+dx)}{d} + \frac{b(6a^2C + 6abB + b^2C) \tanh^{-1}(\sin(c+dx))}{2d} + a^2x(aC + 3bB) - \frac{b^2(2aB - bC) \tan(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\int \cos^2(c+dx)(a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx))^2 dx$

[Out] $a^2(3bB + aC)x + (b(6a^2C + 6abB + b^2C) \operatorname{ArcTanh}[\sin(c+dx)]) / (2d) + (aB(a + b \sec(c+dx))^2 \sin(c+dx)) / d - (b(2a^2B - b^2B - 3a^2bC) \tan(c+dx)) / d - (b^2(2aB - bC) \sec(c+dx) \tan(c+dx)) / (2d)$

Rule 4072

$\operatorname{Int}[(a + \csc(e + f x)) (b + \csc(e + f x))^{m-1} (A + \csc(e + f x)) (c + \csc(e + f x))^{n-1}, x_{\text{Symbol}}] \rightarrow \operatorname{Dist}[1/b^2, \operatorname{Int}[(a + b \csc(e + f x))^{m+1} (c + d \csc(e + f x))^n (bB - aC + bC \csc(e + f x)), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x$ && $\operatorname{EqQ}[A b^2 - a b B + a^2 C, 0]$

Rule 4025

$\operatorname{Int}[(\csc(e + f x)) (d + \csc(e + f x))^{n-1} (\csc(e + f x)) (b + a)^{m-1} (\csc(e + f x)) (B + A), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(a A \cot(e + f x) (a + b \csc(e + f x))^{m-1} (d \csc(e + f x))^n) / (f n), x] + \operatorname{Dis}$

```
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)(a + b \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\
&= \frac{aB(a + b \sec(c + dx))^2 \sin(c + dx)}{d} - \int (a + b \sec(c + dx))^3 dx \\
&= \frac{aB(a + b \sec(c + dx))^2 \sin(c + dx)}{d} - \frac{b^2(2aB + 3a^2C)}{2d} x \\
&= a^2(3bB + aC)x + \frac{aB(a + b \sec(c + dx))^2 \sin(c + dx)}{d} \\
&= a^2(3bB + aC)x + \frac{b(6abB + 6a^2C + b^2C) \tanh^{-1}(\frac{\cos(c + dx)}{a + b \sec(c + dx)})}{2d} \\
&= a^2(3bB + aC)x + \frac{b(6abB + 6a^2C + b^2C) \tanh^{-1}(\frac{\cos(c + dx)}{a + b \sec(c + dx)})}{2d}
\end{aligned}$$

Mathematica [B] time = 2.14965, size = 277, normalized size = 2.11

$$-2b(6a^2C + 6abB + b^2C) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2b(6a^2C + 6abB + b^2C) \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^2*(3*b*B + a*C)*(c + d*x) - 2*b*(6*a*b*B + 6*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*b*(6*a*b*B + 6*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^3*C)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (4*b^2*(b*B + 3*a*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (b^3*C)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*b^2*(b*B + 3*a*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 4*a^3*B*Sin[c + d*x]/(4*d)

Maple [A] time = 0.065, size = 172, normalized size = 1.3

$$\frac{Ba^3 \sin(dx + c)}{d} + a^3Cx + \frac{Ca^3c}{d} + 3Ba^2bx + 3\frac{Ba^2bc}{d} + 3\frac{a^2bC \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3\frac{Bab^2 \ln(\sec(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $a^3 B \sin(dx+c) / d + a^3 C x + 1/d C a^3 c + 3 B a^2 b x + 3/d B a^2 b c + 3/d a^2 b C \ln(\sec(dx+c) + \tan(dx+c)) + 3/d B a b^2 \ln(\sec(dx+c) + \tan(dx+c)) + 3/d C a b^2 \tan(dx+c) + 1/d B b^3 \tan(dx+c) + 1/2/d C b^3 \sec(dx+c) \tan(dx+c) + 1/2/d C b^3 \ln(\sec(dx+c) + \tan(dx+c))$

Maxima [A] time = 0.995158, size = 228, normalized size = 1.74

$4(dx+c)Ca^3 + 12(dx+c)Ba^2b - Cb^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) + 6Ca^2b(\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/4 * (4 * (d * x + c) * C * a^3 + 12 * (d * x + c) * B * a^2 * b - C * b^3 * (2 * \sin(d * x + c) / (\sin(d * x + c)^2 - 1) - \log(\sin(d * x + c) + 1) + \log(\sin(d * x + c) - 1)) + 6 * C * a^2 * b * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1)) + 6 * B * a * b^2 * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1)) + 4 * B * a^3 * \sin(d * x + c) + 12 * C * a * b^2 * \tan(d * x + c) + 4 * B * b^3 * \tan(d * x + c)) / d$

Fricas [A] time = 0.545468, size = 401, normalized size = 3.06

$4(Ca^3 + 3Ba^2b)dx \cos(dx+c)^2 + (6Ca^2b + 6Bab^2 + Cb^3) \cos(dx+c)^2 \log(\sin(dx+c) + 1) - (6Ca^2b + 6Bab^2 + Cb^3) \cos(dx+c)^2 \log(\sin(dx+c) - 1) + 2 * (2 * B * a^3 * \cos(dx+c)^2 + C * b^3 + 2 * (3 * C * a * b^2 + B * b^3) * \cos(dx+c)) * \sin(dx+c) / (d * \cos(dx+c)^2)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/4 * (4 * (C * a^3 + 3 * B * a^2 * b) * d * x * \cos(d * x + c)^2 + (6 * C * a^2 * b + 6 * B * a * b^2 + C * b^3) * \cos(d * x + c)^2 * \log(\sin(d * x + c) + 1) - (6 * C * a^2 * b + 6 * B * a * b^2 + C * b^3) * \cos(d * x + c)^2 * \log(-\sin(d * x + c) + 1) + 2 * (2 * B * a^3 * \cos(d * x + c)^2 + C * b^3 + 2 * (3 * C * a * b^2 + B * b^3) * \cos(d * x + c)) * \sin(d * x + c)) / (d * \cos(d * x + c)^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.24214, size = 325, normalized size = 2.48

$$\frac{4Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 2(Ca^3 + 3Ba^2b)(dx + c) + (6Ca^2b + 6Bab^2 + Cb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (6Ca^2b + 6Bab^2 + Cb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/2*(4*B*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 2*(C*a^3 + 3*B*a^2*b)*(d*x + c) + (6*C*a^2*b + 6*B*a*b^2 + C*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (6*C*a^2*b + 6*B*a*b^2 + C*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*C*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 2*B*b^3*tan(1/2*d*x + 1/2*c)^3 - C*b^3*tan(1/2*d*x + 1/2*c)^3 - 6*C*a*b^2*tan(1/2*d*x + 1/2*c) - 2*B*b^3*tan(1/2*d*x + 1/2*c) - C*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d

3.789 $\int \cos^3(c+dx)(a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=124

$$\frac{1}{2}ax(a^2B + 6abC + 6b^2B) + \frac{a^2(aC + 2bB)\sin(c+dx)}{d} - \frac{b^2(aB - 2bC)\tan(c+dx)}{2d} + \frac{b^2(3aC + bB)\tanh^{-1}(\sin(c+dx))}{d}$$

[Out] (a*(a^2*B + 6*b^2*B + 6*a*b*C)*x)/2 + (b^2*(b*B + 3*a*C)*ArcTanh[Sin[c + d*x]])/d + (a^2*(2*b*B + a*C)*Sin[c + d*x])/d + (a*B*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - (b^2*(a*B - 2*b*C)*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.404287, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4025, 4076, 4047, 8, 4045, 3770}

$$\frac{1}{2}ax(a^2B + 6abC + 6b^2B) + \frac{a^2(aC + 2bB)\sin(c+dx)}{d} - \frac{b^2(aB - 2bC)\tan(c+dx)}{2d} + \frac{b^2(3aC + bB)\tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*(a^2*B + 6*b^2*B + 6*a*b*C)*x)/2 + (b^2*(b*B + 3*a*C)*ArcTanh[Sin[c + d*x]])/d + (a^2*(2*b*B + a*C)*Sin[c + d*x])/d + (a*B*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - (b^2*(a*B - 2*b*C)*Tan[c + d*x])/(2*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m_.*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +

$f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4076

$Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n) / (f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n * Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

$Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m * ((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m * (A + C*Csc[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

$Int[a_, x_Symbol] := Simp[a*x, x] /;$ FreeQ[a, x]

Rule 4045

$Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m * (csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m) / (f*m), x] + Dist[(C*m + A*(m + 1)) / (b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /;$ FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

$Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+b\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^2(c+dx)(a+b\sec(c+dx))^3(B+C\sec(c+dx))dx \\
&= \frac{aB\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{2d} \\
&= \frac{aB\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{2d} \\
&= \frac{aB\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{2d} \\
&= \frac{1}{2}a(a^2B+6b^2B+6abC)x + \frac{a^2(2bB+aC)\sin(c+dx)}{d} \\
&= \frac{1}{2}a(a^2B+6b^2B+6abC)x + \frac{b^2(bB+3aC)\tan(c+dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.672071, size = 217, normalized size = 1.75

$$2a(c+dx)(a^2B+6abC+6b^2B)+4a^2(aC+3bB)\sin(c+dx)+a^3B\sin(2(c+dx))-4b^2(3aC+bB)\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(a^2*B + 6*b^2*B + 6*a*b*C)*(c + d*x) - 4*b^2*(b*B + 3*a*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*b^2*(b*B + 3*a*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (4*b^3*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (4*b^3*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 4*a^2*(3*b*B + a*C)*Sin[c + d*x] + a^3*B*Sin[2*(c + d*x)]/(4*d)

Maple [A] time = 0.059, size = 168, normalized size = 1.4

$$\frac{Ba^3\sin(dx+c)\cos(dx+c)}{2d} + \frac{a^3Bx}{2} + \frac{Ba^3c}{2d} + \frac{a^3C\sin(dx+c)}{d} + 3\frac{Ba^2b\sin(dx+c)}{d} + 3a^2bCx + 3\frac{Ca^2bc}{d} + 3Bab^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] 1/2/d*B*a^3*sin(d*x+c)*cos(d*x+c)+1/2*a^3*B*x+1/2/d*B*a^3*c+a^3*C*sin(d*x+c)
)/d+3/d*B*a^2*b*sin(d*x+c)+3*a^2*b*C*x+3/d*C*a^2*b*c+3*B*a*b^2*x+3/d*B*a*b^
2*c+3/d*C*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*b^3*ln(sec(d*x+c)+tan(d*x+c
))+1/d*C*b^3*tan(d*x+c)
```

Maxima [A] time = 0.997251, size = 194, normalized size = 1.56

$$\frac{(2dx + 2c + \sin(2dx + 2c))Ba^3 + 12(dx + c)Ca^2b + 12(dx + c)Bab^2 + 6Cab^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2Bb^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4C^2a^3\sin(dx + c) + 12B^2a^2b\sin(dx + c) + 4Cb^3\tan(dx + c)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x,
algorithm="maxima")
```

```
[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^3 + 12*(d*x + c)*C*a^2*b + 12*(d*
x + c)*B*a*b^2 + 6*C*a*b^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1))
+ 2*B*b^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*C*a^3*sin(d*x
+ c) + 12*B*a^2*b*sin(d*x + c) + 4*C*b^3*tan(d*x + c))/d
```

Fricas [A] time = 0.550354, size = 369, normalized size = 2.98

$$\frac{(Ba^3 + 6Ca^2b + 6Bab^2)dx \cos(dx + c) + (3Cab^2 + Bb^3) \cos(dx + c) \log(\sin(dx + c) + 1) - (3Cab^2 + Bb^3) \cos(dx + c)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x,
algorithm="fricas")
```

```
[Out] 1/2*((B*a^3 + 6*C*a^2*b + 6*B*a*b^2)*d*x*cos(d*x + c) + (3*C*a*b^2 + B*b^3)
*cos(d*x + c)*log(sin(d*x + c) + 1) - (3*C*a*b^2 + B*b^3)*cos(d*x + c)*log(
-sin(d*x + c) + 1) + (B*a^3*cos(d*x + c)^2 + 2*C*b^3 + 2*(C*a^3 + 3*B*a^2*b
)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [A] time = 1.22009, size = 316, normalized size = 2.55

$$\frac{4Cb^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - (Ba^3 + 6Ca^2b + 6Bab^2)(dx + c) - 2(3Cab^2 + Bb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 2(3Cab^2 + Bb^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(4*C*b^3*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) - (B*a^3 + \\ & 6*C*a^2*b + 6*B*a*b^2)*(d*x + c) - 2*(3*C*a*b^2 + B*b^3)*\log(\text{abs}(\tan(1/2*d*x \\ & x + 1/2*c) + 1)) + 2*(3*C*a*b^2 + B*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) \\ & + 2*(B*a^3*\tan(1/2*d*x + 1/2*c)^3 - 2*C*a^3*\tan(1/2*d*x + 1/2*c)^3 - 6*B*a \\ & ^2*b*\tan(1/2*d*x + 1/2*c)^3 - B*a^3*\tan(1/2*d*x + 1/2*c) - 2*C*a^3*\tan(1/2* \\ & d*x + 1/2*c) - 6*B*a^2*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1) \\ & ^2)/d \end{aligned}$$

3.790 $\int \cos^4(c+dx)(a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=145

$$\frac{a(2a^2B + 9abC + 8b^2B) \sin(c+dx)}{3d} + \frac{1}{2}x(3a^2bB + a^3C + 6ab^2C + 2b^3B) + \frac{a^2(3aC + 5bB) \sin(c+dx) \cos(c+dx)}{6d} + \frac{aB \cos^2(c+dx) \sin(c+dx)}{3d}$$

[Out] $((3a^2bB + 2b^3B + a^3C + 6ab^2C)x)/2 + (b^3C \operatorname{ArcTanh}[\sin(c+dx)])/d + (a(2a^2B + 8b^2B + 9abC) \sin(c+dx))/(3d) + (a^2(5b^2B + 3a^2C) \cos(c+dx) \sin(c+dx))/(6d) + (aB \cos^2(c+dx) \sin(c+dx))/(3d)$

Rubi [A] time = 0.4148, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4025, 4074, 4047, 8, 4045, 3770}

$$\frac{a(2a^2B + 9abC + 8b^2B) \sin(c+dx)}{3d} + \frac{1}{2}x(3a^2bB + a^3C + 6ab^2C + 2b^3B) + \frac{a^2(3aC + 5bB) \sin(c+dx) \cos(c+dx)}{6d} + \frac{aB \cos^2(c+dx) \sin(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cos^4(c+dx)(a+b \sec(c+dx))^3(B \sec(c+dx) + C \sec^2(c+dx)), x]$

[Out] $((3a^2bB + 2b^3B + a^3C + 6ab^2C)x)/2 + (b^3C \operatorname{ArcTanh}[\sin(c+dx)])/d + (a(2a^2B + 8b^2B + 9abC) \sin(c+dx))/(3d) + (a^2(5b^2B + 3a^2C) \cos(c+dx) \sin(c+dx))/(6d) + (aB \cos^2(c+dx) \sin(c+dx))/(3d)$

Rule 4072

$\operatorname{Int}[(a + \csc(e + f x) + (f x) b)^m ((A + \csc(e + f x) + (f x) b) + \csc(e + f x) + (f x) b)^n (C + \csc(e + f x) + (f x) b)^2 (d + \csc(e + f x) + (f x) b)^n, x_Symbol] \rightarrow \operatorname{Dist}[1/b^2, \operatorname{Int}[(a + b \csc(e + f x))^m (c + d \csc(e + f x))^n (b B - a C + b C \csc(e + f x)), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A b^2 - a b B + a^2 C, 0]

Rule 4025

$\operatorname{Int}[(\csc(e + f x) + (f x) b)^n (\csc(e + f x) + (f x) b) + (a + \csc(e + f x) + (f x) b)^m (\csc(e + f x) + (f x) b) + (A + \csc(e + f x) + (f x) b)^n, x_Symbol] \rightarrow \operatorname{Simp}[(a A \cot(e + f x) + (a + b \csc(e + f x))^{m-1} (d \csc(e + f x))^n] / (f n), x] + \operatorname{Dis}$


```
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.
+ (A_))), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+b\sec(c+dx))^3(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^3(c+dx)(a+b\sec(c+dx))^3(B+C\sec(c+dx))dx \\
&= \frac{aB\cos^2(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{3d} \\
&= \frac{a^2(5bB+3aC)\cos(c+dx)\sin(c+dx)}{6d} + \frac{aB\cos^2(c+dx)\sin(c+dx)}{3d} \\
&= \frac{a^2(5bB+3aC)\cos(c+dx)\sin(c+dx)}{6d} + \frac{aB\cos^2(c+dx)\sin(c+dx)}{3d} \\
&= \frac{1}{2}(3a^2bB+2b^3B+a^3C+6ab^2C)x + \frac{a(2a^2B+3aC)\sin^2(c+dx)}{6d} \\
&= \frac{1}{2}(3a^2bB+2b^3B+a^3C+6ab^2C)x + \frac{b^3C\tan^2(c+dx)}{6d}
\end{aligned}$$

Mathematica [A] time = 0.368836, size = 159, normalized size = 1.1

$$\frac{6(c+dx)(3a^2bB+a^3C+6ab^2C+2b^3B)+9a(a^2B+4abC+4b^2B)\sin(c+dx)+3a^2(aC+3bB)\sin(2(c+dx))+a^3B\sin^2(c+dx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (6*(3*a^2*b*B + 2*b^3*B + a^3*C + 6*a*b^2*C)*(c + d*x) - 12*b^3*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*b^3*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*a*(a^2*B + 4*b^2*B + 4*a*b*C)*Sin[c + d*x] + 3*a^2*(3*b*B + a*C)*Sin[2*(c + d*x)] + a^3*B*Sin[3*(c + d*x)])/(12*d)

Maple [A] time = 0.064, size = 207, normalized size = 1.4

$$\frac{B(\cos(dx+c))^2\sin(dx+c)a^3}{3d} + \frac{2Ba^3\sin(dx+c)}{3d} + \frac{a^3C\sin(dx+c)\cos(dx+c)}{2d} + \frac{a^3Cx}{2} + \frac{a^3Cc}{2d} + \frac{3Ba^2b\sin(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/3/d*B*cos(d*x+c)^2*sin(d*x+c)*a^3+2/3*a^3*B*sin(d*x+c)/d+1/2/d*a^3*C*sin(d*x+c)*cos(d*x+c)+1/2*a^3*C*x+1/2/d*C*a^3*c+3/2/d*B*a^2*b*sin(d*x+c)*cos(d*x+c)

$x+c)+3/2*B*a^2*b*x+3/2/d*B*a^2*b*c+3/d*a^2*b*C*\sin(d*x+c)+3/d*B*a*b^2*\sin(d*x+c)+3*C*a*b^2*x+3/d*C*a*b^2*c+B*b^3*x+1/d*B*b^3*c+1/d*C*b^3*\ln(\sec(d*x+c))+\tan(d*x+c))$

Maxima [A] time = 0.973428, size = 205, normalized size = 1.41

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Ba^3 - 3(2dx+2c+\sin(2dx+2c))Ca^3 - 9(2dx+2c+\sin(2dx+2c))Ba^2b - 36(Ca^3 + 3Ba^2b + 6Cab^2 + 2Bb^3)dx + (2Ba^3\cos(dx+c) + 4Ba^2b\sin(dx+c) + 4Bab^2\cos(dx+c) + 4Bb^3\sin(dx+c) - 3C\sin(dx+c) + 3C\cos(dx+c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out]
$$-1/12*(4*(\sin(dx+c)^3 - 3*\sin(dx+c))*B*a^3 - 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a^3 - 9*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^2*b - 36*(d*x + c)*C*a*b^2 - 12*(d*x + c)*B*b^3 - 6*C*b^3*(\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) - 36*C*a^2*b*\sin(dx+c) - 36*B*a*b^2*\sin(dx+c))/d$$

Fricas [A] time = 0.544111, size = 317, normalized size = 2.19

$$\frac{3Cb^3\log(\sin(dx+c)+1) - 3Cb^3\log(-\sin(dx+c)+1) + 3(Ca^3 + 3Ba^2b + 6Cab^2 + 2Bb^3)dx + (2Ba^3\cos(dx+c) + 4Ba^2b\sin(dx+c) + 4Bab^2\cos(dx+c) + 4Bb^3\sin(dx+c) - 3C\sin(dx+c) + 3C\cos(dx+c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out]
$$1/6*(3*C*b^3*\log(\sin(dx+c) + 1) - 3*C*b^3*\log(-\sin(dx+c) + 1) + 3*(C*a^3 + 3*B*a^2*b + 6*C*a*b^2 + 2*B*b^3)*d*x + (2*B*a^3*\cos(dx+c)^2 + 4*B*a^3 + 18*C*a^2*b + 18*B*a*b^2 + 3*(C*a^3 + 3*B*a^2*b)*\cos(dx+c))*\sin(dx+c))/d$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.27011, size = 424, normalized size = 2.92

$$6Cb^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 6Cb^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(Ca^3 + 3Ba^2b + 6Cab^2 + 2Bb^3)(dx + c) + \frac{2}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] $\frac{1}{6} * (6 * C * b^3 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 6 * C * b^3 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) + 3 * (C * a^3 + 3 * B * a^2 * b + 6 * C * a * b^2 + 2 * B * b^3) * (d * x + c) + 2 * (6 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 - 3 * C * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 - 9 * B * a^2 * b * \tan(1/2 * d * x + 1/2 * c)^5 + 18 * C * a^2 * b * \tan(1/2 * d * x + 1/2 * c)^5 + 18 * B * a * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 4 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 36 * C * a^2 * b * \tan(1/2 * d * x + 1/2 * c)^3 + 36 * B * a * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 6 * B * a^3 * \tan(1/2 * d * x + 1/2 * c) + 3 * C * a^3 * \tan(1/2 * d * x + 1/2 * c) + 9 * B * a^2 * b * \tan(1/2 * d * x + 1/2 * c) + 18 * C * a^2 * b * \tan(1/2 * d * x + 1/2 * c) + 18 * B * a * b^2 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 + 1)^3) / d$

3.791 $\int \cos^5(c+dx)(a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=179

$$\frac{(6a^2bB + 2a^3C + 9ab^2C + 3b^3B) \sin(c+dx)}{3d} + \frac{a(3a^2B + 12abC + 10b^2B) \sin(c+dx) \cos(c+dx)}{8d} + \frac{1}{8}x(12a^2bC + 3a^3C)$$

```
[Out] ((3*a^3*B + 12*a*b^2*B + 12*a^2*b*C + 8*b^3*C)*x)/8 + ((6*a^2*b*B + 3*b^3*B + 2*a^3*C + 9*a*b^2*C)*Sin[c + d*x])/(3*d) + (a*(3*a^2*B + 10*b^2*B + 12*a*b*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(3*b*B + 2*a*C)*Cos[c + d*x]^2*SIN[c + d*x])/(6*d) + (a*B*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(4*d)
```

Rubi [A] time = 0.491216, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4025, 4074, 4047, 2637, 4045, 8}

$$\frac{(6a^2bB + 2a^3C + 9ab^2C + 3b^3B) \sin(c+dx)}{3d} + \frac{a(3a^2B + 12abC + 10b^2B) \sin(c+dx) \cos(c+dx)}{8d} + \frac{1}{8}x(12a^2bC + 3a^3C)$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((3*a^3*B + 12*a*b^2*B + 12*a^2*b*C + 8*b^3*C)*x)/8 + ((6*a^2*b*B + 3*b^3*B + 2*a^3*C + 9*a*b^2*C)*Sin[c + d*x])/(3*d) + (a*(3*a^2*B + 10*b^2*B + 12*a*b*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(3*b*B + 2*a*C)*Cos[c + d*x]^2*SIN[c + d*x])/(6*d) + (a*B*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(4*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^n_, x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^4(c + dx)(a + b \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos^3(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{4d} \\
&= \frac{a^2(3bB + 2aC) \cos^2(c + dx) \sin(c + dx)}{6d} + \frac{aB \cos^3(c + dx) \sin(c + dx)}{6d} \\
&= \frac{a^2(3bB + 2aC) \cos^2(c + dx) \sin(c + dx)}{6d} + \frac{aB \cos^3(c + dx) \sin(c + dx)}{6d} \\
&= \frac{(6a^2bB + 3b^3B + 2a^3C + 9ab^2C) \sin(c + dx)}{3d} \\
&= \frac{1}{8} (3a^3B + 12ab^2B + 12a^2bC + 8b^3C) x + \frac{(6a^2bB + 3b^3B + 2a^3C + 9ab^2C) \sin(c + dx)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.415275, size = 140, normalized size = 0.78

$$\frac{12(c + dx)(12a^2bC + 3a^3B + 12ab^2B + 8b^3C) + 24a(a^2B + 3abC + 3b^2B) \sin(2(c + dx)) + 24(9a^2bB + 3a^3C + 12ab^2C) \sin(c + dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (12*(3*a^3*B + 12*a*b^2*B + 12*a^2*b*C + 8*b^3*C)*(c + d*x) + 24*(9*a^2*b*B + 4*b^3*B + 3*a^3*C + 12*a*b^2*C)*Sin[c + d*x] + 24*a*(a^2*B + 3*b^2*B + 3*a*b*C)*Sin[2*(c + d*x)] + 8*a^2*(3*b*B + a*C)*Sin[3*(c + d*x)] + 3*a^3*B*Sin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.067, size = 180, normalized size = 1.

$$\frac{1}{d} \left(Ba^3 \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + Ba^2b(2 + (\cos(dx + c))^2) \sin(dx + c) + \frac{a^3C}{2} (2 + \cos(dx + c))^2 \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(B*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+B*a^2*b*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a^3*C*(2+cos(d*x+c)^2)*sin(d*x+c)+3*B*

```
a*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+3*a^2*b*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*b^3*sin(d*x+c)+3*C*a*b^2*sin(d*x+c)+C*b^3*(d*x+c))
```

Maxima [A] time = 0.988208, size = 231, normalized size = 1.29

$$\frac{3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Ba^3 - 32(\sin(dx + c)^3 - 3\sin(dx + c))Ca^3 - 96(\sin(dx + c)^3 - 3\sin(dx + c))B*a^2*b + 72(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a^2*b + 72(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a*b^2 + 96*(d*x + c)*C*b^3 + 288*C*a*b^2*\sin(d*x + c) + 96*B*b^3*\sin(d*x + c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^3 - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^3 - 96*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2*b + 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2*b + 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a*b^2 + 96*(d*x + c)*C*b^3 + 288*C*a*b^2*sin(d*x + c) + 96*B*b^3*sin(d*x + c))/d
```

Fricas [A] time = 0.520797, size = 321, normalized size = 1.79

$$\frac{3(3Ba^3 + 12Ca^2b + 12Bab^2 + 8Cb^3)dx + (6Ba^3 \cos(dx + c)^3 + 16Ca^3 + 48Ba^2b + 72Cab^2 + 24Bb^3 + 8(Ca^3 + 3Ba^2b))\sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")
```

```
[Out] 1/24*(3*(3*B*a^3 + 12*C*a^2*b + 12*B*a*b^2 + 8*C*b^3)*d*x + (6*B*a^3*cos(d*x + c)^3 + 16*C*a^3 + 48*B*a^2*b + 72*C*a*b^2 + 24*B*b^3 + 8*(C*a^3 + 3*B*a^2*b)*cos(d*x + c)^2 + 9*(B*a^3 + 4*C*a^2*b + 4*B*a*b^2)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.24079, size = 724, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out]
$$\frac{1}{24} \cdot (3 \cdot (3 \cdot B \cdot a^3 + 12 \cdot C \cdot a^2 \cdot b + 12 \cdot B \cdot a \cdot b^2 + 8 \cdot C \cdot b^3) \cdot (d \cdot x + c) - 2 \cdot (15 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 24 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 72 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 36 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 36 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 72 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 24 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 9 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 40 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 120 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 36 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 36 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 216 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 72 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 9 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 40 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 120 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 36 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 36 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 216 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 72 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 15 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 24 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 72 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 36 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 36 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 72 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 24 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^4 / d$$

3.792 $\int \cos^6(c+dx)(a+b \sec(c+dx))^3 (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=221

$$\frac{a(4a^2B + 15abC + 12b^2B) \sin^3(c+dx)}{15d} + \frac{(15a^2bC + 4a^3B + 14ab^2B + 5b^3C) \sin(c+dx)}{5d} + \frac{(9a^2bB + 3a^3C + 12ab^2C + 12b^3C) \cos^2(c+dx)}{5d}$$

[Out] $((9a^2bB + 4b^3B + 3a^3C + 12ab^2C)x)/8 + ((4a^3B + 14ab^2B + 15a^2bC + 5b^3C) \sin[c+dx])/(5d) + ((9a^2bB + 4b^3B + 3a^3C + 12ab^2C) \cos[c+dx] \sin[c+dx])/(8d) + (a^2(7bB + 5aC) \cos[c+dx]^3 \sin[c+dx])/(20d) + (aB \cos[c+dx]^4 (a + b \sec[c+dx])^2 \sin[c+dx])/(5d) - (a(4a^2B + 12b^2B + 15abC) \sin[c+dx]^3)/(15d)$

Rubi [A] time = 0.548044, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4072, 4025, 4074, 4047, 2635, 8, 4044, 3013}

$$\frac{a(4a^2B + 15abC + 12b^2B) \sin^3(c+dx)}{15d} + \frac{(15a^2bC + 4a^3B + 14ab^2B + 5b^3C) \sin(c+dx)}{5d} + \frac{(9a^2bB + 3a^3C + 12ab^2C + 12b^3C) \cos^2(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^6*(a + b*\text{Sec}[c + d*x])^3*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((9a^2bB + 4b^3B + 3a^3C + 12ab^2C)x)/8 + ((4a^3B + 14ab^2B + 15a^2bC + 5b^3C) \sin[c+dx])/(5d) + ((9a^2bB + 4b^3B + 3a^3C + 12ab^2C) \cos[c+dx] \sin[c+dx])/(8d) + (a^2(7bB + 5aC) \cos[c+dx]^3 \sin[c+dx])/(20d) + (aB \cos[c+dx]^4 (a + b \sec[c+dx])^2 \sin[c+dx])/(5d) - (a(4a^2B + 12b^2B + 15abC) \sin[c+dx]^3)/(15d)$

Rule 4072

$\text{Int}[(a + \csc[e + f*x])*(b + \csc[e + f*x])^m*(A + \csc[e + f*x])*(x) + (B + \csc[e + f*x])^2*(C + \csc[e + f*x])*(x) + (D + \csc[e + f*x])^n], x, \text{Symbol}] := \text{Dist}[1/b^2, \text{Int}[(a + b*\csc[e + f*x])^m*(c + d*\csc[e + f*x])^n*(b*B - a*C + b*C*\csc[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4044

```
Int[csc[(e_.) + (f_.)*(x_.)]^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)),
x_Symbol] := Int[(C + A*Sin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[
{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]
```

Rule 3013

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2),
  x_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2)
, x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \cos^6(c + dx)(a + b \sec(c + dx))^3 (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^5(c + dx)(a + b \sec(c + dx))^3 (B + C \sec(c + dx)) dx \\
 &= \frac{aB \cos^4(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{5d} \\
 &= \frac{a^2(7bB + 5aC) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{aB \cos^4(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{5d} \\
 &= \frac{a^2(7bB + 5aC) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{aB \cos^4(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{5d} \\
 &= \frac{(9a^2bB + 4b^3B + 3a^3C + 12ab^2C) \cos(c + dx)}{8d} \\
 &= \frac{1}{8} (9a^2bB + 4b^3B + 3a^3C + 12ab^2C) x + \frac{(9a^2bB + 4b^3B + 3a^3C + 12ab^2C) \cos(c + dx)}{8d} \\
 &= \frac{1}{8} (9a^2bB + 4b^3B + 3a^3C + 12ab^2C) x + \frac{(4a^3B + 3a^2bC + 12ab^2C + 4b^3B) \sin(3(c + dx))}{8d}
 \end{aligned}$$

Mathematica [A] time = 0.667971, size = 176, normalized size = 0.8

$$\frac{60(c + dx)(9a^2bB + 3a^3C + 12ab^2C + 4b^3B) + 10a(5a^2B + 12abC + 12b^2B) \sin(3(c + dx)) + 60(18a^2bC + 5a^3B + 18ab^2C)}{480d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (60*(9*a^2*b*B + 4*b^3*B + 3*a^3*C + 12*a*b^2*C)*(c + d*x) + 60*(5*a^3*B + 18*a*b^2*B + 18*a^2*b*C + 8*b^3*C)*Sin[c + d*x] + 120*(3*a^2*b*B + b^3*B + a^3*C + 3*a*b^2*C)*Sin[2*(c + d*x)] + 10*a*(5*a^2*B + 12*b^2*B + 12*a*b*C)*Sin[3*(c + d*x)] + 15*a^2*(3*b*B + a*C)*Sin[4*(c + d*x)] + 6*a^3*B*Ssin[5*(c + d*x)])/(480*d)
```

Maple [A] time = 0.08, size = 227, normalized size = 1.

$$\frac{1}{d} \left(\frac{Ba^3 \sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^4 + \frac{4(\cos(dx+c))^2}{3} \right) + a^3 C \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `1/d*(1/5*B*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+a^3*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+3*B*a^2*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a^2*b*C*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a*b^2*(2+cos(d*x+c)^2)*sin(d*x+c)+3*C*a*b^2*(1/2*cos(d*x+c))*sin(d*x+c)+1/2*d*x+1/2*c)+B*b^3*(1/2*cos(d*x+c))*sin(d*x+c)+1/2*d*x+1/2*c)+C*b^3*sin(d*x+c))`

Maxima [A] time = 0.97372, size = 293, normalized size = 1.33

$$32 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) Ba^3 + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) Ca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")`

[Out] `1/480*(32*(3*sin(d*x+c)^5-10*sin(d*x+c)^3+15*sin(d*x+c))*B*a^3+15*(12*d*x+12*c+sin(4*d*x+4*c)+8*sin(2*d*x+2*c))*C*a^3+45*(12*d*x+12*c+sin(4*d*x+4*c)+8*sin(2*d*x+2*c))*B*a^2*b-480*(sin(d*x+c)^3-3*sin(d*x+c))*C*a^2*b-480*(sin(d*x+c)^3-3*sin(d*x+c))*B*a*b^2+360*(2*d*x+2*c+sin(2*d*x+2*c))*C*a*b^2+120*(2*d*x+2*c+sin(2*d*x+2*c))*B*b^3+480*C*b^3*sin(d*x+c))/d`

Fricas [A] time = 0.537056, size = 423, normalized size = 1.91

$$15 \left(3 Ca^3 + 9 Ba^2b + 12 Cab^2 + 4 Bb^3 \right) dx + \left(24 Ba^3 \cos(dx+c)^4 + 64 Ba^3 + 240 Ca^2b + 240 Bab^2 + 120 Cb^3 + 30 \left(Ca^3 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/120*(15*(3*C*a^3 + 9*B*a^2*b + 12*C*a*b^2 + 4*B*b^3)*d*x + (24*B*a^3*cos(
d*x + c)^4 + 64*B*a^3 + 240*C*a^2*b + 240*B*a*b^2 + 120*C*b^3 + 30*(C*a^3 +
3*B*a^2*b)*cos(d*x + c)^3 + 8*(4*B*a^3 + 15*C*a^2*b + 15*B*a*b^2)*cos(d*x
+ c)^2 + 15*(3*C*a^3 + 9*B*a^2*b + 12*C*a*b^2 + 4*B*b^3)*cos(d*x + c))*sin(
d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**6*(a+b*sec(d*x+c))**3*(B*sec(d*x+c)+C*sec(d*x+c)**2),
x)
```

```
[Out] Timed out
```

Giac [B] time = 1.27143, size = 907, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] 1/120*(15*(3*C*a^3 + 9*B*a^2*b + 12*C*a*b^2 + 4*B*b^3)*(d*x + c) + 2*(120*B
*a^3*tan(1/2*d*x + 1/2*c)^9 - 75*C*a^3*tan(1/2*d*x + 1/2*c)^9 - 225*B*a^2*b
*tan(1/2*d*x + 1/2*c)^9 + 360*C*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 360*B*a*b^2*
tan(1/2*d*x + 1/2*c)^9 - 180*C*a*b^2*tan(1/2*d*x + 1/2*c)^9 - 60*B*b^3*tan(
1/2*d*x + 1/2*c)^9 + 120*C*b^3*tan(1/2*d*x + 1/2*c)^9 + 160*B*a^3*tan(1/2*d
*x + 1/2*c)^7 - 30*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 90*B*a^2*b*tan(1/2*d*x +
1/2*c)^7 + 960*C*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 960*B*a*b^2*tan(1/2*d*x +
1/2*c)^7 - 360*C*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 120*B*b^3*tan(1/2*d*x + 1/2*
c)^7 + 480*C*b^3*tan(1/2*d*x + 1/2*c)^7 + 464*B*a^3*tan(1/2*d*x + 1/2*c)^5
+ 1200*C*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 1200*B*a*b^2*tan(1/2*d*x + 1/2*c)^5
```

$$\begin{aligned}
& + 720*C*b^3*\tan(1/2*d*x + 1/2*c)^5 + 160*B*a^3*\tan(1/2*d*x + 1/2*c)^3 + 30 \\
& *C*a^3*\tan(1/2*d*x + 1/2*c)^3 + 90*B*a^2*b*\tan(1/2*d*x + 1/2*c)^3 + 960*C*a \\
& ^2*b*\tan(1/2*d*x + 1/2*c)^3 + 960*B*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + 360*C*a* \\
& b^2*\tan(1/2*d*x + 1/2*c)^3 + 120*B*b^3*\tan(1/2*d*x + 1/2*c)^3 + 480*C*b^3*t \\
& \tan(1/2*d*x + 1/2*c)^3 + 120*B*a^3*\tan(1/2*d*x + 1/2*c) + 75*C*a^3*\tan(1/2*d \\
& *x + 1/2*c) + 225*B*a^2*b*\tan(1/2*d*x + 1/2*c) + 360*C*a^2*b*\tan(1/2*d*x + \\
& 1/2*c) + 360*B*a*b^2*\tan(1/2*d*x + 1/2*c) + 180*C*a*b^2*\tan(1/2*d*x + 1/2*c \\
&) + 60*B*b^3*\tan(1/2*d*x + 1/2*c) + 120*C*b^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/ \\
& 2*d*x + 1/2*c)^2 + 1)^5)/d
\end{aligned}$$

$$3.793 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=187

$$-\frac{(-3a^2C + 3abB - 2b^2C) \tan(c + dx)}{3b^3d} + \frac{(2a^2 + b^2)(bB - aC) \tanh^{-1}(\sin(c + dx))}{2b^4d} - \frac{2a^3(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d\sqrt{a-b}\sqrt{a+b}}$$

[Out] $((2*a^2 + b^2)*(b*B - a*C)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) - (2*a^3*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^4*Sqrt[a + b]*d) - ((3*a*b*B - 3*a^2*C - 2*b^2*C)*Tan[c + d*x])/(3*b^3*d) + ((b*B - a*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*d) + (C*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*d)$

Rubi [A] time = 0.716545, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.225$, Rules used = {4072, 4033, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$-\frac{(-3a^2C + 3abB - 2b^2C) \tan(c + dx)}{3b^3d} + \frac{(2a^2 + b^2)(bB - aC) \tanh^{-1}(\sin(c + dx))}{2b^4d} - \frac{2a^3(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] $((2*a^2 + b^2)*(b*B - a*C)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) - (2*a^3*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^4*Sqrt[a + b]*d) - ((3*a*b*B - 3*a^2*C - 2*b^2*C)*Tan[c + d*x])/(3*b^3*d) + ((b*B - a*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*d) + (C*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*d)$

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4033

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d^2 *Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + n)), x] + Dist[d^2/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 2)*Simp[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n) - a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n, 0] && !IGtQ[m, 1]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^3(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{a + b \sec(c + dx)} dx &= \int \frac{\sec^4(c + dx) (B + C \sec(c + dx))}{a + b \sec(c + dx)} dx \\
 &= \frac{C \sec^2(c + dx) \tan(c + dx)}{3bd} + \int \frac{\sec^2(c + dx) (2aC + 2bC \sec(c + dx) + 3(bB - aC) \sec(c + dx))}{a + b \sec(c + dx)} dx \\
 &= \frac{(bB - aC) \sec(c + dx) \tan(c + dx)}{2b^2d} + \frac{C \sec^2(c + dx) \tan(c + dx)}{3bd} + \int \frac{\sec^2(c + dx) (2aC + 2bC \sec(c + dx) + 3(bB - aC) \sec(c + dx))}{a + b \sec(c + dx)} dx \\
 &= -\frac{(3abB - 3a^2C - 2b^2C) \tan(c + dx)}{3b^3d} + \frac{(bB - aC) \sec(c + dx) \tan(c + dx)}{2b^2d} \\
 &= -\frac{(3abB - 3a^2C - 2b^2C) \tan(c + dx)}{3b^3d} + \frac{(bB - aC) \sec(c + dx) \tan(c + dx)}{2b^2d} \\
 &= \frac{(2a^2 + b^2) (bB - aC) \tanh^{-1}(\sin(c + dx))}{2b^4d} - \frac{(3abB - 3a^2C - 2b^2C) \tan(c + dx)}{3b^3d} \\
 &= \frac{(2a^2 + b^2) (bB - aC) \tanh^{-1}(\sin(c + dx))}{2b^4d} - \frac{(3abB - 3a^2C - 2b^2C) \tan(c + dx)}{3b^3d} \\
 &= \frac{(2a^2 + b^2) (bB - aC) \tanh^{-1}(\sin(c + dx))}{2b^4d} - \frac{2a^3(bB - aC) \tanh^{-1}(\sin(c + dx))}{\sqrt{a - bb^4d}}
 \end{aligned}$$

Mathematica [B] time = 2.34835, size = 422, normalized size = 2.26

$$\frac{4b(3a^2C-3abB+2b^2C)\sin\left(\frac{1}{2}(c+dx)\right)}{\cos\left(\frac{1}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)} + \frac{4b(3a^2C-3abB+2b^2C)\sin\left(\frac{1}{2}(c+dx)\right)}{\sin\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)} + \frac{24a^3(bB-aC)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + 6(2a^2+b^2)(aC-bB)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] ((24*a^3*(b*B - a*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + 6*(2*a^2 + b^2)*(-(b*B) + a*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 6*(2*a^2 + b^2)*(-(b*B) + a*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^2*(-3*a*C + b*(3*B + C)))/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (2*b^3*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 + (4*b*(-3*a*b*B + 3*a^2*C + 2*b^2*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (2*b^3*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3 - (b^2*(-3*a*C + b*(3*B + C)))/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*b*(-3*a*b*B + 3*a^2*C + 2*b^2*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])/(12*b^4*d)

Maple [B] time = 0.095, size = 688, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x)

[Out] -1/2/d/b/(tan(1/2*d*x+1/2*c)+1)^2*B+1/2/d/b/(tan(1/2*d*x+1/2*c)+1)^2*C-1/2/d/b*ln(tan(1/2*d*x+1/2*c)-1)*B+1/2/d/b/(tan(1/2*d*x+1/2*c)-1)*B+1/2/d/b*ln(tan(1/2*d*x+1/2*c)+1)*B+1/2/d/b/(tan(1/2*d*x+1/2*c)+1)*B-1/3/d*C/b/(tan(1/2*d*x+1/2*c)-1)^3+1/2/d/b/(tan(1/2*d*x+1/2*c)-1)^2*B-1/2/d/b/(tan(1/2*d*x+1/2*c)-1)^2*C-1/3/d*C/b/(tan(1/2*d*x+1/2*c)+1)^3-2/d*a^3/b^3/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-1/d/b/(tan(1/2*d*x+1/2*c)+1)*C-1/d/b/(tan(1/2*d*x+1/2*c)-1)*C+1/2/d/b^2/(tan(1/2*d*x+1/2*c)+1)^2*a*C+1/d/b^3*ln(tan(1/2*d*x+1/2*c)+1)*B*a^2-1/2/d*a/b^2*ln(tan(1/2*d*x+1/2*c)+1)*C+1/2/d*a/b^2*ln(tan(1/2*d*x+1/2*c)-1)*C+2/d*a^4/b^4/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-1/d/b^3*1

$$\begin{aligned} & n(\tan(1/2*d*x+1/2*c)-1)*B*a^2+1/d/b^4*\ln(\tan(1/2*d*x+1/2*c)-1)*a^3*C+1/d/b^2/ \\ & 2/(\tan(1/2*d*x+1/2*c)-1)*B*a-1/d/b^3/(\tan(1/2*d*x+1/2*c)-1)*a^2*C-1/2/d/b^2/ \\ & /(\tan(1/2*d*x+1/2*c)-1)*a*C-1/d/b^3/(\tan(1/2*d*x+1/2*c)+1)*a^2*C-1/2/d/b^2/ \\ & (\tan(1/2*d*x+1/2*c)+1)*a*C-1/2/d/b^2/(\tan(1/2*d*x+1/2*c)-1)^2*a*C-1/d/b^4*1 \\ & n(\tan(1/2*d*x+1/2*c)+1)*a^3*C+1/d/b^2/(\tan(1/2*d*x+1/2*c)+1)*B*a \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.29042, size = 1650, normalized size = 8.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/12*(6*(C*a^4 - B*a^3*b)*\sqrt{a^2 - b^2}*\cos(d*x + c)^3*\log((2*a*b*\cos(d*x + c) - \\ & (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + \\ & 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) + 3*(2*C*a^5 - 2*B*a^4*b - \\ & C*a^3*b^2 + B*a^2*b^3 - C*a*b^4 + B*b^5)*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - \\ & 3*(2*C*a^5 - 2*B*a^4*b - C*a^3*b^2 + B*a^2*b^3 - C*a*b^4 + B*b^5)*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) - \\ & 2*(2*C*a^2*b^3 - 2*C*b^5 + 2*(3*C*a^4*b - 3*B*a^3*b^2 - C*a^2*b^3 + 3*B*a*b^4 - 2*C*b^5)*\cos(d*x + c)^2 - \\ & 3*(C*a^3*b^2 - B*a^2*b^3 - C*a*b^4 + B*b^5)*\cos(d*x + c))*\sin(d*x + c)/((a^2*b^4 - b^6)*d*\cos(d*x + c)^3), \\ & 1/12*(12*(C*a^4 - B*a^3*b)*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/ \\ & (a^2 - b^2)*\sin(d*x + c))*\cos(d*x + c)^3 - 3*(2*C*a^5 - 2*B*a^4*b - C*a^3*b^2 + \\ & B*a^2*b^3 - C*a*b^4 + B*b^5)*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) + 3*(2*C*a^5 - 2*B*a^4*b - \\ & C*a^3*b^2 + B*a^2*b^3 - C*a*b^4 + B*b^5)*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + \\ & 2*(2*C*a^2*b^3 - 2*C*b^5 + 2*(3*C*a^4*b - 3*B \end{aligned}$$

$$*a^3*b^2 - C*a^2*b^3 + 3*B*a*b^4 - 2*C*b^5)*\cos(d*x + c)^2 - 3*(C*a^3*b^2 - B*a^2*b^3 - C*a*b^4 + B*b^5)*\cos(d*x + c))*\sin(d*x + c))/((a^2*b^4 - b^6)*d*\cos(d*x + c)^3]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^4(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)), x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**4/(a + b*sec(c + d*x)), x)

Giac [B] time = 1.23036, size = 556, normalized size = 2.97

$$\frac{3(2Ca^3-2Ba^2b+Cab^2-Bb^3)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{b^4} - \frac{3(2Ca^3-2Ba^2b+Cab^2-Bb^3)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{b^4} - \frac{12(Ca^4-Ba^3b)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)\right)}{\sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x, algorithm="giac")

[Out]
$$-1/6*(3*(2*C*a^3 - 2*B*a^2*b + C*a*b^2 - B*b^3)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1))/b^4 - 3*(2*C*a^3 - 2*B*a^2*b + C*a*b^2 - B*b^3)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1))/b^4 - 12*(C*a^4 - B*a^3*b)*(\pi*\operatorname{floor}(1/2*(d*x + c)/\pi + 1/2)*\operatorname{sgn}(-2*a + 2*b) + \operatorname{arctan}(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/(\sqrt{-a^2 + b^2})*b^4 + 2*(6*C*a^2*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a*b*\tan(1/2*d*x + 1/2*c)^5 + 3*C*a*b*\tan(1/2*d*x + 1/2*c)^5 - 3*B*b^2*\tan(1/2*d*x + 1/2*c)^5 + 6*C*b^2*\tan(1/2*d*x + 1/2*c)^5 - 12*C*a^2*\tan(1/2*d*x + 1/2*c)^3 + 12*B*a*b*\tan(1/2*d*x + 1/2*c)^3 - 4*C*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*\tan(1/2*d*x + 1/2*c) - 6*B*a*b*\tan(1/2*d*x + 1/2*c) - 3*C*a*b*\tan(1/2*d*x + 1/2*c) + 3*B*b^2*\tan(1/2*d*x + 1/2*c) + 6*C*b^2*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*b^3))/d$$

$$3.794 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=143

$$-\frac{(-2a^2C + 2abB - b^2C) \tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{2a^2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{(bB - aC) \tan(c+dx)}{b^2d} + \frac{C \tan(c+dx)}{b^2d}$$

[Out] -((2*a*b*B - 2*a^2*C - b^2*C)*ArcTanh[Sin[c + d*x]])/(2*b^3*d) + (2*a^2*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^3*Sqrt[a + b]*d) + ((b*B - a*C)*Tan[c + d*x])/(b^2*d) + (C*Sec[c + d*x]*Tan[c + d*x])/(2*b*d)

Rubi [A] time = 0.450333, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4072, 4033, 4082, 3998, 3770, 3831, 2659, 208}

$$-\frac{(-2a^2C + 2abB - b^2C) \tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{2a^2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{(bB - aC) \tan(c+dx)}{b^2d} + \frac{C \tan(c+dx)}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] -((2*a*b*B - 2*a^2*C - b^2*C)*ArcTanh[Sin[c + d*x]])/(2*b^3*d) + (2*a^2*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^3*Sqrt[a + b]*d) + ((b*B - a*C)*Tan[c + d*x])/(b^2*d) + (C*Sec[c + d*x]*Tan[c + d*x])/(2*b*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4033

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d^2
*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(
m + n)), x] + Dist[d^2/(b*(m + n)), Int[(a + b*Csc[e + f*x])^(m*(d*Csc[e + f
*x])^(n - 2)*Simp[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n)
- a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m
}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n,
0] && !IGtQ[m, 1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(
e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*SIN[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(c+dx)(B\sec(c+dx) + C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \int \frac{\sec^3(c+dx)(B+C\sec(c+dx))}{a+b\sec(c+dx)} dx \\
 &= \frac{C\sec(c+dx)\tan(c+dx)}{2bd} + \int \frac{\sec(c+dx)(aC+bC\sec(c+dx)+2(bB-aC)\sec^2(c+dx))}{a+b\sec(c+dx)} dx \\
 &= \frac{(bB-aC)\tan(c+dx)}{b^2d} + \frac{C\sec(c+dx)\tan(c+dx)}{2bd} + \int \frac{\sec(c+dx)(aC+bC\sec(c+dx)+2(bB-aC)\sec^2(c+dx))}{a+b\sec(c+dx)} dx \\
 &= \frac{(bB-aC)\tan(c+dx)}{b^2d} + \frac{C\sec(c+dx)\tan(c+dx)}{2bd} + \frac{(a^2(bB-aC)\tanh^{-1}(\sin(c+dx)))}{\sqrt{a^2-b^2}} \\
 &= -\frac{(2abB-2a^2C-b^2C)\tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{(bB-aC)\tan(c+dx)}{b^2d} \\
 &= -\frac{(2abB-2a^2C-b^2C)\tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{(bB-aC)\tan(c+dx)}{b^2d} \\
 &= -\frac{(2abB-2a^2C-b^2C)\tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{2a^2(bB-aC)\tanh^{-1}(\sin(c+dx))}{\sqrt{a^2-b^2}}
 \end{aligned}$$

Mathematica [B] time = 1.73591, size = 300, normalized size = 2.1

$$\frac{8a^2(aC-bB)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - 2(2a^2C-2abB+b^2C)\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) + 2(2a^2C-2abB+b^2C)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] ((8*a^2*(-(b*B) + a*C)*ArcTanh[(-(a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - 2*(-2*a*b*B + 2*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] - S

$$\ln[(c + d*x)/2] + 2*(-2*a*b*B + 2*a^2*C + b^2*C)*\text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]] + (b^2*C)/(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2])^2 + (4*b*(b*B - a*C)*\text{Sin}[(c + d*x)/2])/(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]) - (b^2*C)/(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2 + (4*b*(b*B - a*C)*\text{Sin}[(c + d*x)/2])/(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])/(4*b^3*d)$$

Maple [B] time = 0.08, size = 410, normalized size = 2.9

$$2 \frac{Ba^2}{db^2\sqrt{(a+b)(a-b)}} \text{Arctanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) - 2 \frac{a^3C}{db^3\sqrt{(a+b)(a-b)}} \text{Arctanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x)

[Out] $2/d*a^2/b^2/((a+b)*(a-b))^{(1/2)}*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*B-2/d*a^3/b^3/((a+b)*(a-b))^{(1/2)}*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C-1/2/d/b/(\tan(1/2*d*x+1/2*c)+1)^2*C-1/d/b/(\tan(1/2*d*x+1/2*c)+1)*B+1/d/b^2/(\tan(1/2*d*x+1/2*c)+1)*a*C+1/2/d/b/(\tan(1/2*d*x+1/2*c)+1)*C-1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B*a+1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)+1)*a^2*C+1/2/d/b*\ln(\tan(1/2*d*x+1/2*c)+1)*C+1/2/d/b/(\tan(1/2*d*x+1/2*c)-1)^2*C-1/d/b/(\tan(1/2*d*x+1/2*c)-1)*B+1/d/b^2/(\tan(1/2*d*x+1/2*c)-1)*a*C+1/2/d/b/(\tan(1/2*d*x+1/2*c)-1)*C+1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B*a-1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*a^2*C-1/2/d/b*\ln(\tan(1/2*d*x+1/2*c)-1)*C$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 11.3992, size = 1353, normalized size = 9.46

$$\left[\frac{2(Ca^3 - Ba^2b)\sqrt{a^2 - b^2} \cos(dx + c)^2 \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right) - (2Ca^4 - \dots}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [-1/4*(2*(C*a^3 - B*a^2*b)*sqrt(a^2 - b^2)*cos(d*x + c)^2*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - (2*C*a^4 - 2*B*a^3*b - C*a^2*b^2 + 2*B*a*b^3 - C*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (2*C*a^4 - 2*B*a^3*b - C*a^2*b^2 + 2*B*a*b^3 - C*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(C*a^2*b^2 - C*b^4 - 2*(C*a^3*b - B*a^2*b^2 - C*a*b^3 + B*b^4)*cos(d*x + c))*sin(d*x + c)/((a^2*b^3 - b^5)*d*cos(d*x + c)^2), -1/4*(4*(C*a^3 - B*a^2*b)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^2 - (2*C*a^4 - 2*B*a^3*b - C*a^2*b^2 + 2*B*a*b^3 - C*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (2*C*a^4 - 2*B*a^3*b - C*a^2*b^2 + 2*B*a*b^3 - C*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(C*a^2*b^2 - C*b^4 - 2*(C*a^3*b - B*a^2*b^2 - C*a*b^3 + B*b^4)*cos(d*x + c))*sin(d*x + c)/((a^2*b^3 - b^5)*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^3(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x)), x)

Giac [B] time = 1.21725, size = 363, normalized size = 2.54

$$\frac{(2Ca^2 - 2Bab + Cb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{b^3} - \frac{(2Ca^2 - 2Bab + Cb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{b^3} - \frac{4(Ca^3 - Ba^2b) \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2 + b^2}}\right) \right)}{\sqrt{-a^2 + b^2} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*((2*C*a^2 - 2*B*a*b + C*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 - (2*C*a^2 - 2*B*a*b + C*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^3 - 4*(C*a^3 - B*a^2*b)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/sqrt(-a^2 + b^2)*b^3 + 2*(2*C*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*b*tan(1/2*d*x + 1/2*c)^3 + C*b*tan(1/2*d*x + 1/2*c)^3 - 2*C*a*tan(1/2*d*x + 1/2*c) + 2*B*b*tan(1/2*d*x + 1/2*c) + C*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*b^2))/d

$$3.795 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=98

$$\frac{(bB - aC) \tanh^{-1}(\sin(c + dx))}{b^2 d} - \frac{2a(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} + \frac{C \tan(c + dx)}{bd}$$

[Out] ((b*B - a*C)*ArcTanh[Sin[c + d*x]])/(b^2*d) - (2*a*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + (C*Tan[c + d*x])/(b*d)

Rubi [A] time = 0.265515, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {4072, 4010, 12, 3789, 3770, 3831, 2659, 208}

$$\frac{(bB - aC) \tanh^{-1}(\sin(c + dx))}{b^2 d} - \frac{2a(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} + \frac{C \tan(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] ((b*B - a*C)*ArcTanh[Sin[c + d*x]])/(b^2*d) - (2*a*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + (C*Tan[c + d*x])/(b*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.], x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Cs
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3789

```
Int[csc[(e_.) + (f_.)*(x_)]^2/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Sym
bol] := Dist[1/b, Int[Csc[e + f*x], x], x] - Dist[a/b, Int[Csc[e + f*x]/(a
+ b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \int \frac{\sec^2(c+dx)(B+C\sec(c+dx))}{a+b\sec(c+dx)} dx \\
&= \frac{C \tan(c+dx)}{bd} + \frac{\int \frac{(bB-aC)\sec^2(c+dx)}{a+b\sec(c+dx)} dx}{b} \\
&= \frac{C \tan(c+dx)}{bd} + \frac{(bB-aC) \int \frac{\sec^2(c+dx)}{a+b\sec(c+dx)} dx}{b} \\
&= \frac{C \tan(c+dx)}{bd} + \frac{(bB-aC) \int \sec(c+dx) dx}{b^2} - \frac{(a(bB-aC)) \int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx}{b^2} \\
&= \frac{(bB-aC) \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{C \tan(c+dx)}{bd} - \frac{(a(bB-aC)) \int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx}{b^3} \\
&= \frac{(bB-aC) \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{C \tan(c+dx)}{bd} - \frac{(2a(bB-aC)) \int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx}{b^3} \\
&= \frac{(bB-aC) \tanh^{-1}(\sin(c+dx))}{b^2 d} - \frac{2a(bB-aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b^2 \sqrt{a+bd}}
\end{aligned}$$

Mathematica [A] time = 0.578953, size = 130, normalized size = 1.33

$$\frac{2a(aC-bB) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{(bB-aC) \left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\right)}{b^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] ((-2*a*(-(b*B) + a*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - (b*B - a*C)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + b*C*Tan[c + d*x])/(b^2*d)

Maple [B] time = 0.064, size = 228, normalized size = 2.3

$$-2 \frac{Ba}{db\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) + 2 \frac{a^2 C}{db^2 \sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & -2/d*a/b/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b)) \\ & ^{(1/2)})*B+2/d/b^2/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+ \\ & b)*(a-b))^{(1/2)})*a^2*C-1/d/b/(\tan(1/2*d*x+1/2*c)+1)*C+1/d/b*\ln(\tan(1/2*d*x+ \\ & 1/2*c)+1)*B-1/d*a/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/d/b/(\tan(1/2*d*x+1/2*c)- \\ & 1)*C-1/d/b*\ln(\tan(1/2*d*x+1/2*c)-1)*B+1/d*a/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.889201, size = 1065, normalized size = 10.87

$$\left[\frac{(Ca^2 - Bab)\sqrt{a^2 - b^2} \cos(dx + c) \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right) + (Ca^3 - Ba^2b)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [-1/2*((C*a^2 - B*a*b)*\sqrt{a^2 - b^2}*\cos(d*x + c)*\log((2*a*b*\cos(d*x + c) \\ & - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) \\ & + (C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*\cos(d*x + c)*\log(\sin(d*x + c) + 1) - \\ & (C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*\cos(d*x + c)*\log(-\sin(d*x + c) + 1) - 2 \\ & *(C*a^2*b - C*b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d*\cos(d*x + c)), 1/2*(2*(\end{aligned}$$

$$C*a^2 - B*a*b)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))*cos(d*x + c) - (C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*cos(d*x + c)*log(sin(d*x + c) + 1) + (C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*(C*a^2*b - C*b^3)*sin(d*x + c)/((a^2*b^2 - b^4)*d*cos(d*x + c))]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^2(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.23684, size = 236, normalized size = 2.41

$$\frac{(Ca-Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{b^2} - \frac{(Ca-Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{b^2} + \frac{2C \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 - 1} + \frac{2(Ca^2 - Bab) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2 + b^2}}\right) \right)}{\sqrt{-a^2 + b^2} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorith="giac")

[Out] -((C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^2 - (C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^2 + 2*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*b) + 2*(C*a^2 - B*a*b)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/sqrt(-a^2 + b^2))/d

$$3.796 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=76

$$\frac{2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{bd\sqrt{a-b}\sqrt{a+b}} + \frac{C \tanh^{-1}(\sin(c+dx))}{bd}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(b*d) + (2*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b*Sqrt[a + b]*d)

Rubi [A] time = 0.119925, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {4050, 3770, 12, 3831, 2659, 208}

$$\frac{2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{bd\sqrt{a-b}\sqrt{a+b}} + \frac{C \tanh^{-1}(\sin(c+dx))}{bd}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]),x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(b*d) + (2*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b*Sqrt[a + b]*d)

Rule 4050

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[C/b, Int[Csc[e + f*x], x], x] + Dist[1/b, Int[(A*b + (b*B - a*C)*Csc[e + f*x])/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{a + b \sec(c + dx)} dx &= \frac{\int \frac{(bB - aC) \sec(c + dx)}{a + b \sec(c + dx)} dx}{b} + \frac{C \int \sec(c + dx) dx}{b} \\
 &= \frac{C \tanh^{-1}(\sin(c + dx))}{bd} + \frac{(bB - aC) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx}{b} \\
 &= \frac{C \tanh^{-1}(\sin(c + dx))}{bd} + \frac{(bB - aC) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{b^2} \\
 &= \frac{C \tanh^{-1}(\sin(c + dx))}{bd} + \frac{(2(bB - aC)) \operatorname{Subst}\left(\int \frac{1}{1 + \frac{a}{b} + \left(1 - \frac{a}{b}\right)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{b^2 d} \\
 &= \frac{C \tanh^{-1}(\sin(c + dx))}{bd} + \frac{2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a - b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a + b}}\right)}{\sqrt{a - b} b \sqrt{a + b}}
 \end{aligned}$$

Mathematica [A] time = 0.167688, size = 112, normalized size = 1.47

$$\frac{2(aC - bB) \tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + C \left(\log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) \right) \Big/ bd$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]),x]

[Out] ((2*(-(b*B) + a*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + C*(-Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]))/(b*d)

Maple [A] time = 0.069, size = 135, normalized size = 1.8

$$2 \frac{B}{d\sqrt{(a+b)(a-b)}} \operatorname{Arctanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) - 2 \frac{aC}{db\sqrt{(a+b)(a-b)}} \operatorname{Arctanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) + \frac{C}{db}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)

[Out] 2/d*B/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))-2/d/b/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*a*C+1/d/b*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/b*ln(tan(1/2*d*x+1/2*c)-1)*C

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.9653, size = 707, normalized size = 9.3

$$\left[\frac{(Ca - Bb)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right) - (Ca^2 - Cb^2) \log(\sin(dx+c))}{2(a^2b - b^3)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [-1/2*((C*a - B*b)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - (C*a^2 - C*b^2)*log(sin(d*x + c) + 1) + (C*a^2 - C*b^2)*log(-sin(d*x + c) + 1))/((a^2*b - b^3)*d), -1/2*(2*(C*a - B*b)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (C*a^2 - C*b^2)*log(sin(d*x + c) + 1) + (C*a^2 - C*b^2)*log(-sin(d*x + c) + 1))/((a^2*b - b^3)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.22444, size = 173, normalized size = 2.28

$$\frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b} - \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b} - \frac{2 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}}\right) \right) (Ca-Bb)}{\sqrt{-a^2+b^2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] (C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b - C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b - 2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))*(C*a - B*b)/(sqrt(-a^2 + b^2)*b))/d
```

$$3.797 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=67

$$\frac{Bx}{a} - \frac{2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

[Out] (B*x)/a - (2*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d)

Rubi [A] time = 0.163537, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4072, 3919, 3831, 2659, 208}

$$\frac{Bx}{a} - \frac{2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (B*x)/a - (2*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -

$a*d, 0]$

Rule 3831

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol]$ \rightarrow $\text{Dist}[1/b, \text{Int}[1/(1 + (a*\text{Sin}[e + f*x])/b), x], x] /;$ $\text{FreeQ}\{a, b, e, f\}, x]$ $\&\&$ $\text{NeQ}[a^2 - b^2, 0]$

Rule 2659

$\text{Int}[(a_. + (b_.)*\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)])^{-1}, x_Symbol]$ \rightarrow $\text{With}\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x]$ $\&\&$ $\text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a_. + (b_.)*(x_)^2)^{-1}, x_Symbol]$ \rightarrow $\text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ $\text{FreeQ}\{a, b\}, x]$ $\&\&$ $\text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{a + b \sec(c+dx)} dx &= \int \frac{B + C \sec(c+dx)}{a + b \sec(c+dx)} dx \\ &= \frac{Bx}{a} - \frac{(bB - aC) \int \frac{\sec(c+dx)}{a + b \sec(c+dx)} dx}{a} \\ &= \frac{Bx}{a} - \frac{(bB - aC) \int \frac{1}{1 + \frac{a \cos(c+dx)}{b}} dx}{ab} \\ &= \frac{Bx}{a} - \frac{(2(bB - aC)) \text{Subst}\left(\int \frac{1}{1 + \frac{a}{b} + (1 - \frac{a}{b})x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{abd} \\ &= \frac{Bx}{a} - \frac{2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a\sqrt{a-b}\sqrt{a+b}d} \end{aligned}$$

Mathematica [A] time = 0.116234, size = 68, normalized size = 1.01

$$\frac{\frac{2(bB-aC) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + B(c+dx)}{ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]
```

```
[Out] (B*(c + d*x) + (2*(b*B - a*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2])/(a*d)
```

Maple [A] time = 0.093, size = 113, normalized size = 1.7

$$2 \frac{\arctan(\tan(1/2 dx + c/2)) B}{ad} - 2 \frac{Bb}{ad\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) + 2 \frac{C}{d\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x)
```

```
[Out] 2/a/d*arctan(tan(1/2*d*x+1/2*c))*B-2/d/a/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B*b+2/d/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 0.535513, size = 540, normalized size = 8.06

$$\left[\frac{2(Ba^2 - Bb^2)dx - (Ca - Bb)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{2(a^3 - ab^2)d}, (Ba^2 - Bb^2) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/2*(2*(B*a^2 - B*b^2)*d*x - (C*a - B*b)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)))/((a^3 - a*b^2)*d), ((B*a^2 - B*b^2)*d*x + (C*a - B*b)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))/((a^3 - a*b^2)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \cos(c + dx) \sec(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((B + C*sec(c + d*x))*cos(c + d*x)*sec(c + d*x)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.27133, size = 136, normalized size = 2.03

$$\frac{(dx+c)B}{a} + \frac{2\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2+b^2}}\right)\right)(Ca-Bb)}{\sqrt{-a^2+b^2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algo  
rithm="giac")
```

```
[Out] ((d*x + c)*B/a + 2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arct  
an(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))*(C  
*a - B*b)/(sqrt(-a^2 + b^2)*a))/d
```

$$3.798 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=90

$$\frac{2b(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(bB - aC)}{a^2} + \frac{B \sin(c+dx)}{ad}$$

[Out] -(((b*B - a*C)*x)/a^2) + (2*b*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]*d) + (B*Sin[c + d*x])/(a*d)

Rubi [A] time = 0.225905, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4034, 12, 3783, 2659, 208}

$$\frac{2b(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(bB - aC)}{a^2} + \frac{B \sin(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] -(((b*B - a*C)*x)/a^2) + (2*b*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]*d) + (B*Sin[c + d*x])/(a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4034

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dis
t[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n
- A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x
]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0]
&& NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 12

```

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]

```

Rule 3783

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_))^(n_), x_Symbol] := Simp[x/a, x]
- Dist[1/a, Int[1/(1 + (a*Sin[c + d*x])/b), x], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(n_), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{a+b \sec(c+dx)} dx &= \int \frac{\cos(c+dx)(B + C \sec(c+dx))}{a+b \sec(c+dx)} dx \\
&= \frac{B \sin(c+dx)}{ad} - \frac{\int \frac{bB-aC}{a+b \sec(c+dx)} dx}{a} \\
&= \frac{B \sin(c+dx)}{ad} - \frac{(bB-aC) \int \frac{1}{a+b \sec(c+dx)} dx}{a} \\
&= -\frac{(bB-aC)x}{a^2} + \frac{B \sin(c+dx)}{ad} + \frac{(bB-aC) \int \frac{1}{1+\frac{a \cos(c+dx)}{b}} dx}{a^2} \\
&= -\frac{(bB-aC)x}{a^2} + \frac{B \sin(c+dx)}{ad} + \frac{(2(bB-aC)) \text{Subst} \left(\int \frac{1}{1+\frac{a}{b}+(1-\frac{a}{b})} \right)}{a^2 d} \\
&= -\frac{(bB-aC)x}{a^2} + \frac{2b(bB-aC) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{a^2 \sqrt{a-b} \sqrt{a+bd}} + \frac{B \sin(c+dx)}{ad}
\end{aligned}$$

Mathematica [A] time = 0.203042, size = 85, normalized size = 0.94

$$-\frac{2b(bB-aC) \tanh^{-1} \left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}} \right)}{\sqrt{a^2-b^2}} + \frac{(c+dx)(aC-bB) + aB \sin(c+dx)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] ((-(b*B) + a*C)*(c + d*x) - (2*b*(b*B - a*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + a*B*Sin[c + d*x])/(a^2*d)

Maple [B] time = 0.114, size = 172, normalized size = 1.9

$$2 \frac{B \tan(1/2 dx + c/2)}{ad(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{\arctan(\tan(1/2 dx + c/2)) Bb}{da^2} + 2 \frac{\arctan(\tan(1/2 dx + c/2)) C}{ad} + 2 \frac{Bb^2}{da^2 \sqrt{(a+b)(a-b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)`

[Out]
$$\frac{2/d/a*B*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*B*b+2/a/d*\arctan(\tan(1/2*d*x+1/2*c))*C+2/d*B/a^2/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*b^{-2}-2/d*b/a/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*C}{1}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.555837, size = 702, normalized size = 7.8

$$\frac{2(Ca^3 - Ba^2b - Cab^2 + Bb^3)dx - (Cab - Bb^2)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}{2(a^4 - a^2b^2)d}\right)}{2(a^4 - a^2b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out]
$$\frac{1/2*(2*(C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*d*x - (C*a*b - B*b^2)*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 + 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) + 2*(B*a^3 - B*a*b^2)*\sin(d*x + c))/((a^4 - a^2*b^2)*d), ((C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*d*x - (C*a*b - B*b^2)*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c))) + (B*a^3 - B*a*b^2)*\sin(d*x + c))/((a^4 - a^2*b^2)*d)}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \cos^2(c + dx) \sec(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)), x)

[Out] Integral((B + C*sec(c + d*x))*cos(c + d*x)**2*sec(c + d*x)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.19928, size = 190, normalized size = 2.11

$$\frac{\frac{(Ca-Bb)(dx+c)}{a^2} + \frac{2B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right)a} - \frac{2(Cab-Bb^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{\sqrt{-a^2+b^2} a^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x, algorithm="giac")

[Out] ((C*a - B*b)*(d*x + c)/a^2 + 2*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a) - 2*(C*a*b - B*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*a^2))/d

$$3.799 \quad \int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=134

$$-\frac{2b^2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(a^2 B - 2abC + 2b^2 B)}{2a^3} - \frac{(bB - aC) \sin(c+dx)}{a^2 d} + \frac{B \sin(c+dx) \cos(c+dx)}{2ad}$$

[Out] ((a^2*B + 2*b^2*B - 2*a*b*C)*x)/(2*a^3) - (2*b^2*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*Sqrt[a - b]*Sqrt[a + b]*d) - ((b*B - a*C)*Sin[c + d*x])/(a^2*d) + (B*Cos[c + d*x]*Sin[c + d*x])/(2*a*d)

Rubi [A] time = 0.478919, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4034, 4104, 3919, 3831, 2659, 208}

$$-\frac{2b^2(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(a^2 B - 2abC + 2b^2 B)}{2a^3} - \frac{(bB - aC) \sin(c+dx)}{a^2 d} + \frac{B \sin(c+dx) \cos(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[((Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] ((a^2*B + 2*b^2*B - 2*a*b*C)*x)/(2*a^3) - (2*b^2*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*Sqrt[a - b]*Sqrt[a + b]*d) - ((b*B - a*C)*Sin[c + d*x])/(a^2*d) + (B*Cos[c + d*x]*Sin[c + d*x])/(2*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4034


```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dis
t[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n
- A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x
]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0]
&& NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{a+b \sec(c+dx)} dx &= \int \frac{\cos^2(c+dx)(B + C \sec(c+dx))}{a+b \sec(c+dx)} dx \\
&= \frac{B \cos(c+dx) \sin(c+dx)}{2ad} - \frac{\int \frac{\cos(c+dx)(2(bB-aC)-aB \sec(c+dx)-bB \sec^2(c+dx))}{a+b \sec(c+dx)} dx}{2a} \\
&= -\frac{(bB-aC) \sin(c+dx)}{a^2d} + \frac{B \cos(c+dx) \sin(c+dx)}{2ad} + \frac{\int \frac{a^2B+2b^2B-2abC}{a+b \sec(c+dx)} dx}{2a} \\
&= \frac{(a^2B+2b^2B-2abC)x}{2a^3} - \frac{(bB-aC) \sin(c+dx)}{a^2d} + \frac{B \cos(c+dx) \sin(c+dx)}{2ad} \\
&= \frac{(a^2B+2b^2B-2abC)x}{2a^3} - \frac{(bB-aC) \sin(c+dx)}{a^2d} + \frac{B \cos(c+dx) \sin(c+dx)}{2ad} \\
&= \frac{(a^2B+2b^2B-2abC)x}{2a^3} - \frac{(bB-aC) \sin(c+dx)}{a^2d} + \frac{B \cos(c+dx) \sin(c+dx)}{2ad} \\
&= \frac{(a^2B+2b^2B-2abC)x}{2a^3} - \frac{(bB-aC) \sin(c+dx)}{a^2d} + \frac{B \cos(c+dx) \sin(c+dx)}{2ad} \\
&= \frac{(a^2B+2b^2B-2abC)x}{2a^3} - \frac{2b^2(bB-aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3\sqrt{a-b}\sqrt{a+b}}
\end{aligned}$$

Mathematica [A] time = 0.32288, size = 121, normalized size = 0.9

$$\frac{2(c+dx)(a^2B-2abC+2b^2B) + \frac{8b^2(bB-aC) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + a^2B \sin(2(c+dx)) + 4a(aC-bB) \sin(c+dx)}{4a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (2*(a^2*B + 2*b^2*B - 2*a*b*C)*(c + d*x) + (8*b^2*(b*B - a*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + 4*a*(-(b*B) + a*C)*Sin[c + d*x] + a^2*B*Ssin[2*(c + d*x)]/(4*a^3*d)

Maple [B] time = 0.116, size = 367, normalized size = 2.7

$$-\frac{B}{ad} \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)^3 \left(1 + \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)^2 \right)^{-2} - 2 \frac{(\tan(1/2 dx + c/2))^3 Bb}{da^2 (1 + (\tan(1/2 dx + c/2))^2)^2} + 2 \frac{C (\tan(1/2 dx + c/2))^3}{ad (1 + (\tan(1/2 dx + c/2))^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & -1/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B-2/d/a^2/(1+\tan(1/2 \\ & *d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B*b+2/d/a/(1+\tan(1/2*d*x+1/2*c)^2)^2* \\ & \tan(1/2*d*x+1/2*c)^3*C+1/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*B*\tan(1/2*d*x+1/2*c \\ &)-2/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*B*b+2/d/a/(1+\tan(1/ \\ & 2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*C+1/a/d*\arctan(\tan(1/2*d*x+1/2*c))*B+2 \\ & /d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*B*b^2-2/d/a^2*C*\arctan(\tan(1/2*d*x+1/2*c) \\ &)*b-2/d*b^3/a^3/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b) \\ & *(a-b))^{(1/2)})*B+2/d*b^2/a^2/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+ \\ & 1/2*c)/((a+b)*(a-b))^{(1/2)})*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.574448, size = 934, normalized size = 6.97

$$\left[\frac{(Ba^4 - 2Ca^3b + Ba^2b^2 + 2Cab^3 - 2Bb^4)dx - (Cab^2 - Bb^3)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a \sin(dx+c))}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{2(a^5 - a^3b^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/2*((B*a^4 - 2*C*a^3*b + B*a^2*b^2 + 2*C*a*b^3 - 2*B*b^4)*d*x - (C*a*b^2 - B*b^3)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c))^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (2*C*a^4 - 2*B*a^3*b - 2*C*a^2*b^2 + 2*B*a*b^3 + (B*a^4 - B*a^2*b^2)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2)*d), 1/2*((B*a^4 - 2*C*a^3*b + B*a^2*b^2 + 2*C*a*b^3 - 2*B*b^4)*d*x + 2*(C*a*b^2 - B*b^3)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*C*a^4 - 2*B*a^3*b - 2*C*a^2*b^2 + 2*B*a*b^3 + (B*a^4 - B*a^2*b^2)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2)*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.22528, size = 306, normalized size = 2.28

$$\frac{(Ba^2 - 2Cab + 2Bb^2)(dx+c)}{a^3} + \frac{4(Cab^2 - Bb^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{\sqrt{-a^2+b^2}a^3} - \frac{2 \left(Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2Ca \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*((B*a^2 - 2*C*a*b + 2*B*b^2)*(d*x + c)/a^3 + 4*(C*a*b^2 - B*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*

$$\begin{aligned}
& c) - b \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \sqrt{-a^2 + b^2} \Big/ \left(\sqrt{-a^2 + b^2} \cdot a^3\right) - 2 \cdot \\
& (B \cdot a \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2 \cdot C \cdot a \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2 \cdot B \cdot b \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - \\
& B \cdot a \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2 \cdot C \cdot a \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2 \cdot \\
& B \cdot b \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)) / \left(\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 + 1\right)^2 \cdot a^2 \Big/ d
\end{aligned}$$

$$3.800 \quad \int \frac{\cos^4(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=178

$$\frac{(2a^2B - 3abC + 3b^2B) \sin(c + dx)}{3a^3d} + \frac{2b^3(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d\sqrt{a-b}\sqrt{a+b}} - \frac{x(a^2 + 2b^2)(bB - aC)}{2a^4} - \frac{(bB - aC) \sin(c + dx)}{2a^4}$$

[Out] -((a^2 + 2*b^2)*(b*B - a*C)*x)/(2*a^4) + (2*b^3*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*Sqrt[a - b]*Sqrt[a + b]*d) + ((2*a^2*B + 3*b^2*B - 3*a*b*C)*Sin[c + d*x])/(3*a^3*d) - ((b*B - a*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) + (B*Cos[c + d*x]^2*Sin[c + d*x])/(3*a*d)

Rubi [A] time = 0.704363, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4034, 4104, 3919, 3831, 2659, 208}

$$\frac{(2a^2B - 3abC + 3b^2B) \sin(c + dx)}{3a^3d} + \frac{2b^3(bB - aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d\sqrt{a-b}\sqrt{a+b}} - \frac{x(a^2 + 2b^2)(bB - aC)}{2a^4} - \frac{(bB - aC) \sin(c + dx)}{2a^4}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] -((a^2 + 2*b^2)*(b*B - a*C)*x)/(2*a^4) + (2*b^3*(b*B - a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*Sqrt[a - b]*Sqrt[a + b]*d) + ((2*a^2*B + 3*b^2*B - 3*a*b*C)*Sin[c + d*x])/(3*a^3*d) - ((b*B - a*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) + (B*Cos[c + d*x]^2*Sin[c + d*x])/(3*a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4034

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dis
t[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n
- A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x
]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0]
&& NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{a+b \sec(c+dx)} dx &= \int \frac{\cos^3(c+dx)(B+C \sec(c+dx))}{a+b \sec(c+dx)} dx \\
&= \frac{B \cos^2(c+dx) \sin(c+dx)}{3ad} - \int \frac{\cos^2(c+dx)(3(bB-aC)-2aB \sec(c+dx)-2bB \sec^2(c+dx))}{a+b \sec(c+dx)} dx \\
&= -\frac{(bB-aC) \cos(c+dx) \sin(c+dx)}{2a^2d} + \frac{B \cos^2(c+dx) \sin(c+dx)}{3ad} + \dots \\
&= \frac{(2a^2B+3b^2B-3abC) \sin(c+dx)}{3a^3d} - \frac{(bB-aC) \cos(c+dx) \sin(c+dx)}{2a^2d} + \dots \\
&= -\frac{(a^2+2b^2)(bB-aC)x}{2a^4} + \frac{(2a^2B+3b^2B-3abC) \sin(c+dx)}{3a^3d} - \frac{(bB-aC) \cos(c+dx) \sin(c+dx)}{2a^2d} + \dots \\
&= -\frac{(a^2+2b^2)(bB-aC)x}{2a^4} + \frac{(2a^2B+3b^2B-3abC) \sin(c+dx)}{3a^3d} - \frac{(bB-aC) \cos(c+dx) \sin(c+dx)}{2a^2d} + \dots \\
&= -\frac{(a^2+2b^2)(bB-aC)x}{2a^4} + \frac{(2a^2B+3b^2B-3abC) \sin(c+dx)}{3a^3d} - \frac{(bB-aC) \cos(c+dx) \sin(c+dx)}{2a^2d} + \dots \\
&= -\frac{(a^2+2b^2)(bB-aC)x}{2a^4} + \frac{2b^3(bB-aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 \sqrt{a-b} \sqrt{a+b}}
\end{aligned}$$

Mathematica [A] time = 0.490599, size = 152, normalized size = 0.85

$$\frac{6(a^2+2b^2)(c+dx)(aC-bB) + 3a(3a^2B-4abC+4b^2B) \sin(c+dx) - \frac{24b^3(bB-aC) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + 3a^2(aC-bB)}{12a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] (6*(a^2 + 2*b^2)*(-(b*B) + a*C)*(c + d*x) - (24*b^3*(b*B - a*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + 3*a*(3*a^2*B + 4*b^2*B - 4*a*b*C)*Sin[c + d*x] + 3*a^2*(-(b*B) + a*C)*Sin[2*(c + d*x)] +

$$a^3 B \sin[3(c + dx)] / (12 a^4 d)$$

Maple [B] time = 0.12, size = 641, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^4*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c)),x)`

[Out]
$$\begin{aligned} & 2/d/a/(1+\tan(1/2*dx+1/2*c))^2)^3*\tan(1/2*dx+1/2*c)^5*B+1/d/a^2/(1+\tan(1/2* \\ & dx+1/2*c)^2)^3*\tan(1/2*dx+1/2*c)^5*B*b+2/d/a^3/(1+\tan(1/2*dx+1/2*c)^2)^3 \\ & *\tan(1/2*dx+1/2*c)^5*B*b^2-1/d/a/(1+\tan(1/2*dx+1/2*c)^2)^3*\tan(1/2*dx+1/ \\ & 2*c)^5*C-2/d/a^2/(1+\tan(1/2*dx+1/2*c)^2)^3*\tan(1/2*dx+1/2*c)^5*b*C+4/3/d/ \\ & a/(1+\tan(1/2*dx+1/2*c)^2)^3*\tan(1/2*dx+1/2*c)^3*B+4/d/a^3/(1+\tan(1/2*dx+ \\ & 1/2*c)^2)^3*\tan(1/2*dx+1/2*c)^3*B*b^2-4/d/a^2/(1+\tan(1/2*dx+1/2*c)^2)^3*t \\ & an(1/2*dx+1/2*c)^3*b*C+2/d/a/(1+\tan(1/2*dx+1/2*c)^2)^3*\tan(1/2*dx+1/2*c) \\ & *B+2/d/a^3/(1+\tan(1/2*dx+1/2*c)^2)^3*\tan(1/2*dx+1/2*c)*B*b^2-2/d/a^2/(1+t \\ & an(1/2*dx+1/2*c)^2)^3*\tan(1/2*dx+1/2*c)*b*C-1/d/a^2/(1+\tan(1/2*dx+1/2*c) \\ & ^2)^3*\tan(1/2*dx+1/2*c)*B*b+1/d/a/(1+\tan(1/2*dx+1/2*c)^2)^3*\tan(1/2*dx+1 \\ & /2*c)*C-1/d/a^2*\arctan(\tan(1/2*dx+1/2*c))*B*b-2/d/a^4*\arctan(\tan(1/2*dx+1 \\ & /2*c))*B*b^3+1/a/d*\arctan(\tan(1/2*dx+1/2*c))*C+2/d/a^3*\arctan(\tan(1/2*dx+ \\ & 1/2*c))*C*b^2+2/d*b^4/a^4/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*dx+1/2 \\ & *c)/((a+b)*(a-b))^(1/2))*B-2/d*b^3/a^3/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan \\ & (1/2*dx+1/2*c)/((a+b)*(a-b))^(1/2))*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^4*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.636973, size = 1177, normalized size = 6.61

$$\left[\frac{3(Ca^5 - Ba^4b + Ca^3b^2 - Ba^2b^3 - 2Cab^4 + 2Bb^5)dx - 3(Cab^3 - Bb^4)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2} \cos(dx+c)}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/6*(3*(C*a^5 - B*a^4*b + C*a^3*b^2 - B*a^2*b^3 - 2*C*a*b^4 + 2*B*b^5)*d*x - 3*(C*a*b^3 - B*b^4)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (4*B*a^5 - 6*C*a^4*b + 2*B*a^3*b^2 + 6*C*a^2*b^3 - 6*B*a*b^4 + 2*(B*a^5 - B*a^3*b^2)*cos(d*x + c)^2 + 3*(C*a^5 - B*a^4*b - C*a^3*b^2 + B*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d), 1/6*(3*(C*a^5 - B*a^4*b + C*a^3*b^2 - B*a^2*b^3 - 2*C*a*b^4 + 2*B*b^5)*d*x - 6*(C*a*b^3 - B*b^4)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (4*B*a^5 - 6*C*a^4*b + 2*B*a^3*b^2 + 6*C*a^2*b^3 - 6*B*a*b^4 + 2*(B*a^5 - B*a^3*b^2)*cos(d*x + c)^2 + 3*(C*a^5 - B*a^4*b - C*a^3*b^2 + B*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 1.22358, size = 486, normalized size = 2.73

$$\frac{3(Ca^3 - Ba^2b + 2Cab^2 - 2Bb^3)(dx+c)}{a^4} - \frac{12(Cab^3 - Bb^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2 + b^2}} \right) \right)}{\sqrt{-a^2 + b^2} a^4} + \frac{2 \left(6Ba^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^5 - 3C \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/6*(3*(C*a^3 - B*a^2*b + 2*C*a*b^2 - 2*B*b^3)*(d*x + c)/a^4 - 12*(C*a*b^3 - B*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/sqrt(-a^2 + b^2)*a^4) + 2*(6*B*a^2*tan(1/2*d*x + 1/2*c)^5 - 3*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 3*B*a*b*tan(1/2*d*x + 1/2*c)^5 - 6*C*a*b*tan(1/2*d*x + 1/2*c)^5 + 6*B*b^2*tan(1/2*d*x + 1/2*c)^5 + 4*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 12*C*a*b*tan(1/2*d*x + 1/2*c)^3 + 12*B*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*B*a^2*tan(1/2*d*x + 1/2*c) + 3*C*a^2*tan(1/2*d*x + 1/2*c) - 3*B*a*b*tan(1/2*d*x + 1/2*c) - 6*C*a*b*tan(1/2*d*x + 1/2*c) + 6*B*b^2*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^3))/d
```

$$3.801 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=272

$$\frac{(2a^2bB - 3a^3C + 2ab^2C - b^3B) \tan(c+dx)}{b^3d(a^2 - b^2)} - \frac{(-6a^2C + 4abB - b^2C) \tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{2a^2(2a^2bB - 3a^3C + 4ab^2C)}{b^4d(a - b)}$$

[Out] -((4*a*b*B - 6*a^2*C - b^2*C)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) + (2*a^2*(2*a^2*b*B - 3*b^3*B - 3*a^3*C + 4*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^4*(a + b)^(3/2)*d) + ((2*a^2*b*B - b^3*B - 3*a^3*C + 2*a*b^2*C)*Tan[c + d*x])/(b^3*(a^2 - b^2)*d) - ((2*a*b*B - 3*a^2*C + b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d) + (a*(b*B - a*C)*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.884221, antiderivative size = 272, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.225$, Rules used = {4072, 4029, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(2a^2bB - 3a^3C + 2ab^2C - b^3B) \tan(c+dx)}{b^3d(a^2 - b^2)} - \frac{(-6a^2C + 4abB - b^2C) \tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{2a^2(2a^2bB - 3a^3C + 4ab^2C)}{b^4d(a - b)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] -((4*a*b*B - 6*a^2*C - b^2*C)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) + (2*a^2*(2*a^2*b*B - 3*b^3*B - 3*a^3*C + 4*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^4*(a + b)^(3/2)*d) + ((2*a^2*b*B - b^3*B - 3*a^3*C + 2*a*b^2*C)*Tan[c + d*x])/(b^3*(a^2 - b^2)*d) - ((2*a*b*B - 3*a^2*C + b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d) + (a*(b*B - a*C)*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)

```

*(x_)]*(d_.))^(n_), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

```

Rule 4029

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n
, 1]

```

Rule 4092

```

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[
(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x
_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 4082

```

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

```

Rule 3998

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[
(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]

```

;/; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] :=> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :=> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \int \frac{\sec^4(c+dx)(B+C\sec(c+dx))}{(a+b\sec(c+dx))^2} dx \\
&= \frac{a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \int \frac{\sec^2(c+dx)(2a(bB-aC)-b(bB-aC))}{(a+b\sec(c+dx))^2} dx \\
&= -\frac{(2abB-3a^2C+b^2C)\sec(c+dx)\tan(c+dx)}{2b^2(a^2-b^2)d} + \frac{a(bB-aC)\sec(c+dx)}{b(a^2-b^2)d} \\
&= \frac{(2a^2bB-b^3B-3a^3C+2ab^2C)\tan(c+dx)}{b^3(a^2-b^2)d} - \frac{(2abB-3a^2C+b^2C)}{2b^2d} \\
&= \frac{(2a^2bB-b^3B-3a^3C+2ab^2C)\tan(c+dx)}{b^3(a^2-b^2)d} - \frac{(2abB-3a^2C+b^2C)}{2b^2d} \\
&= -\frac{(4abB-6a^2C-b^2C)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{(2a^2bB-b^3B-3a^3C)}{b^3d} \\
&= -\frac{(4abB-6a^2C-b^2C)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{(2a^2bB-b^3B-3a^3C)}{b^3d} \\
&= -\frac{(4abB-6a^2C-b^2C)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{2a^2(2a^2bB-3b^3B-3a^3C)}{b^3d}
\end{aligned}$$

Mathematica [A] time = 6.27324, size = 438, normalized size = 1.61

$$\frac{a^4C\sin(c+dx)-a^3bB\sin(c+dx)}{b^3d(b-a)(a+b)(a\cos(c+dx)+b)} - \frac{2a^2(-2a^2bB+3a^3C-4ab^2C+3b^3B)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b^4d\sqrt{a^2-b^2}(b^2-a^2)} + \frac{(-6a^2C+4a^3C)}{b^3d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (-2*a^2*(-2*a^2*b*B + 3*b^3*B + 3*a^3*C - 4*a*b^2*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b^4*Sqrt[a^2 - b^2]*(-a^2 + b^2)*d) + ((4*

$$\begin{aligned}
& a*b*B - 6*a^2*C - b^2*C)*\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]]/(2*b^4*d) \\
&) + ((-4*a*b*B + 6*a^2*C + b^2*C)*\text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]]) \\
& / (2*b^4*d) + C/(4*b^2*d*(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2])^2) - C/(4*b^2 \\
& *d*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2) + (b*B*\text{Sin}[(c + d*x)/2] - 2*a*C \\
& *\text{Sin}[(c + d*x)/2])/ (b^3*d*(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2])) + (b*B*\text{Sin} \\
& [(c + d*x)/2] - 2*a*C*\text{Sin}[(c + d*x)/2])/ (b^3*d*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + \\
& d*x)/2])) + (- (a^3*b*B*\text{Sin}[c + d*x]) + a^4*C*\text{Sin}[c + d*x])/ (b^3*(-a + b)*(\\
& a + b)*d*(b + a*\text{Cos}[c + d*x]))
\end{aligned}$$

Maple [B] time = 0.11, size = 698, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)`

[Out]
$$\begin{aligned}
& -2/d*a^3/b^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d \\
& *x+1/2*c)^2*b-a-b)*B+2/d*a^4/b^3/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+ \\
& 1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*C+4/d*a^4/b^3/(a+b)/(a-b)/((a+b)*(a- \\
& b))^{(1/2)*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})}*B-6/d*a^2/b \\
& / (a+b)/(a-b)/((a+b)*(a-b))^{(1/2)*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a- \\
& -b))^{(1/2)})}*B-6/d*a^5/b^4/(a+b)/(a-b)/((a+b)*(a-b))^{(1/2)*\text{arctanh}((a-b)*\tan \\
& (1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})}*C+8/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b) \\
&)^{(1/2)*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})}*C-1/2*d*C/b^2 \\
& / (\tan(1/2*d*x+1/2*c)+1)^2-1/d/b^2/(\tan(1/2*d*x+1/2*c)+1)*B+2/d/b^3/(\tan(1/2 \\
& *d*x+1/2*c)+1)*a*C+1/2/d/b^2/(\tan(1/2*d*x+1/2*c)+1)*C-2/d/b^3*\ln(\tan(1/2*d* \\
& x+1/2*c)+1)*B*a+3/d/b^4*\ln(\tan(1/2*d*x+1/2*c)+1)*a^2*C+1/2/d/b^2*\ln(\tan(1/2 \\
& *d*x+1/2*c)+1)*C+1/2/d*C/b^2/(\tan(1/2*d*x+1/2*c)-1)^2-1/d/b^2/(\tan(1/2*d*x+ \\
& 1/2*c)-1)*B+2/d/b^3/(\tan(1/2*d*x+1/2*c)-1)*a*C+1/2/d/b^2/(\tan(1/2*d*x+1/2*c \\
&)-1)*C+2/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*B*a-3/d/b^4*\ln(\tan(1/2*d*x+1/2*c)-1) \\
&)*a^2*C-1/2/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*C
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 50.2189, size = 2969, normalized size = 10.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="fricas")
```

```
[Out] [1/4*(2*((3*C*a^6 - 2*B*a^5*b - 4*C*a^4*b^2 + 3*B*a^3*b^3)*cos(d*x + c)^3 +
(3*C*a^5*b - 2*B*a^4*b^2 - 4*C*a^3*b^3 + 3*B*a^2*b^4)*cos(d*x + c)^2)*sqrt
(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt
(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x +
c)^2 + 2*a*b*cos(d*x + c) + b^2)) + ((6*C*a^7 - 4*B*a^6*b - 11*C*a^5*b^2 +
8*B*a^4*b^3 + 4*C*a^3*b^4 - 4*B*a^2*b^5 + C*a*b^6)*cos(d*x + c)^3 + (6*C*a
^6*b - 4*B*a^5*b^2 - 11*C*a^4*b^3 + 8*B*a^3*b^4 + 4*C*a^2*b^5 - 4*B*a*b^6 +
C*b^7)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - ((6*C*a^7 - 4*B*a^6*b - 11*
C*a^5*b^2 + 8*B*a^4*b^3 + 4*C*a^3*b^4 - 4*B*a^2*b^5 + C*a*b^6)*cos(d*x + c)
^3 + (6*C*a^6*b - 4*B*a^5*b^2 - 11*C*a^4*b^3 + 8*B*a^3*b^4 + 4*C*a^2*b^5 -
4*B*a*b^6 + C*b^7)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) + 2*(C*a^4*b^3 -
2*C*a^2*b^5 + C*b^7 - 2*(3*C*a^6*b - 2*B*a^5*b^2 - 5*C*a^4*b^3 + 3*B*a^3*b
^4 + 2*C*a^2*b^5 - B*a*b^6)*cos(d*x + c)^2 - (3*C*a^5*b^2 - 2*B*a^4*b^3 - 6*
C*a^3*b^4 + 4*B*a^2*b^5 + 3*C*a*b^6 - 2*B*b^7)*cos(d*x + c))*sin(d*x + c))/
((a^5*b^4 - 2*a^3*b^6 + a*b^8)*d*cos(d*x + c)^3 + (a^4*b^5 - 2*a^2*b^7 + b
^9)*d*cos(d*x + c)^2), -1/4*(4*((3*C*a^6 - 2*B*a^5*b - 4*C*a^4*b^2 + 3*B*a^3
*b^3)*cos(d*x + c)^3 + (3*C*a^5*b - 2*B*a^4*b^2 - 4*C*a^3*b^3 + 3*B*a^2*b^4
)*cos(d*x + c)^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c)
+ a)/((a^2 - b^2)*sin(d*x + c))) - ((6*C*a^7 - 4*B*a^6*b - 11*C*a^5*b^2 +
8*B*a^4*b^3 + 4*C*a^3*b^4 - 4*B*a^2*b^5 + C*a*b^6)*cos(d*x + c)^3 + (6*C*a
^6*b - 4*B*a^5*b^2 - 11*C*a^4*b^3 + 8*B*a^3*b^4 + 4*C*a^2*b^5 - 4*B*a*b^6 +
C*b^7)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) + ((6*C*a^7 - 4*B*a^6*b - 11*
C*a^5*b^2 + 8*B*a^4*b^3 + 4*C*a^3*b^4 - 4*B*a^2*b^5 + C*a*b^6)*cos(d*x + c)^
3 + (6*C*a^6*b - 4*B*a^5*b^2 - 11*C*a^4*b^3 + 8*B*a^3*b^4 + 4*C*a^2*b^5 - 4
*B*a*b^6 + C*b^7)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(C*a^4*b^3 - 2
*C*a^2*b^5 + C*b^7 - 2*(3*C*a^6*b - 2*B*a^5*b^2 - 5*C*a^4*b^3 + 3*B*a^3*b^4
+ 2*C*a^2*b^5 - B*a*b^6)*cos(d*x + c)^2 - (3*C*a^5*b^2 - 2*B*a^4*b^3 - 6*
C*a^3*b^4 + 4*B*a^2*b^5 + 3*C*a*b^6 - 2*B*b^7)*cos(d*x + c))*sin(d*x + c))/
```

$(a^5 b^4 - 2 a^3 b^6 + a b^8) d \cos(dx + c)^3 + (a^4 b^5 - 2 a^2 b^7 + b^9) d \cos(dx + c)^2]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2, x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**4/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.25696, size = 518, normalized size = 1.9

$$\frac{4(3Ca^5 - 2Ba^4b - 4Ca^3b^2 + 3Ba^2b^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^4 - b^6) \sqrt{-a^2+b^2}} - \frac{4 \left(Ca^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - Ba^3b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}{(a^2b^3 - b^5) \left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2, x, algorithm="giac")

[Out] $-1/2*(4*(3*C*a^5 - 2*B*a^4*b - 4*C*a^3*b^2 + 3*B*a^2*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^2*b^4 - b^6)*\sqrt{-a^2 + b^2}) - 4*(C*a^4*\tan(1/2*d*x + 1/2*c) - B*a^3*b*\tan(1/2*d*x + 1/2*c))/((a^2*b^3 - b^5)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)) - (6*C*a^2 - 4*B*a*b + C*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1))/b^4 + (6*C*a^2 - 4*B*a*b + C*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1))/b^4 - 2*(4*C*a*\tan(1/2*d*x + 1/2*c)^3 - 2*B*b*\tan(1/2*d*x + 1/2*c)^3 + C*b*\tan(1/2*d*x + 1/2*c)^3 - 4*C*a*\tan(1/2*d*x + 1/2*c) + 2*B*b*\tan(1/2*d*x + 1/2*c) + C*b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*b^3))/d$

$$3.802 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=164

$$\frac{2a(a^2bB - 2a^3C + 3ab^2C - 2b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} - \frac{a^2(bB - aC) \tan(c+dx)}{b^2d(a^2 - b^2)(a+b \sec(c+dx))} + \frac{(bB - 2aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d}$$

[Out] ((b*B - 2*a*C)*ArcTanh[Sin[c + d*x]])/(b^3*d) - (2*a*(a^2*b*B - 2*b^3*B - 2*a^3*C + 3*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^3*(a + b)^(3/2)*d) + (C*Tan[c + d*x])/(b^2*d) - (a^2*(b*B - a*C)*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.622821, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4072, 4028, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{2a(a^2bB - 2a^3C + 3ab^2C - 2b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} - \frac{a^2(bB - aC) \tan(c+dx)}{b^2d(a^2 - b^2)(a+b \sec(c+dx))} + \frac{(bB - 2aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((b*B - 2*a*C)*ArcTanh[Sin[c + d*x]])/(b^3*d) - (2*a*(a^2*b*B - 2*b^3*B - 2*a^3*C + 3*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^3*(a + b)^(3/2)*d) + (C*Tan[c + d*x])/(b^2*d) - (a^2*(b*B - a*C)*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4028

```
Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(a^2*(A*b - a*B)*
Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x]
+ Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(
m + 1)*Simp[a*b*(A*b - a*B)*(m + 1) - (A*b - a*B)*(a^2 + b^2*(m + 1))*Csc[e
+ f*x] + b*B*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/(csc[(
e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \int \frac{\sec^3(c+dx)(B+C\sec(c+dx))}{(a+b\sec(c+dx))^2} dx \\
 &= -\frac{a^2(bB-aC)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\sec(c+dx)(-ab(bB-aC)-(a^2-b^2))}{(a+b\sec(c+dx))^2} dx \\
 &= \frac{C\tan(c+dx)}{b^2d} - \frac{a^2(bB-aC)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\sec(c+dx)(-a^2)}{(a+b\sec(c+dx))^2} dx \\
 &= \frac{C\tan(c+dx)}{b^2d} - \frac{a^2(bB-aC)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} + \frac{(bB-2aC)}{b^2(a^2-b^2)d} \int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx \\
 &= \frac{(bB-2aC)\tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{C\tan(c+dx)}{b^2d} - \frac{a^2(bB-aC)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} \\
 &= \frac{(bB-2aC)\tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{C\tan(c+dx)}{b^2d} - \frac{a^2(bB-aC)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} \\
 &= \frac{(bB-2aC)\tanh^{-1}(\sin(c+dx))}{b^3d} - \frac{2a(a^2bB-2b^3B-2a^3C+3ab^2C)}{(a-b)^{3/2}b^3d}
 \end{aligned}$$

Mathematica [A] time = 2.05006, size = 240, normalized size = 1.46

$$\frac{2a(-a^2bB+2a^3C-3ab^2C+2b^3B)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + \frac{a^2b(aC-bB)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)} + 2aC\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2, x]

```
[Out] ((-2*a*(-(a^2*b*B) + 2*b^3*B + 2*a^3*C - 3*a*b^2*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(3/2) - b*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*a*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + b*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 2*a*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a^2*b*(-(b*B) + a*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*cos[c + d*x])) + b*C*Tan[c + d*x])/(b^3*d)
```

Maple [B] time = 0.095, size = 510, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)
```

```
[Out] 2/d*a^2/b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*B-2/d*a^3/b^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*C-2/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2)*B+4/d*a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2)*B+4/d*a^4/b^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2)*C-6/d*a^2/b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2)*C-1/d/b^2/(tan(1/2*d*x+1/2*c)+1)*C+1/d/b^2*ln(tan(1/2*d*x+1/2*c)+1)*B-2/d/b^3*ln(tan(1/2*d*x+1/2*c)+1)*a*C-1/d/b^2/(tan(1/2*d*x+1/2*c)-1)*C-1/d/b^2*ln(tan(1/2*d*x+1/2*c)-1)*B+2/d/b^3*ln(tan(1/2*d*x+1/2*c)-1)*a*C
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 31.158, size = 2433, normalized size = 14.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="fricas")

[Out] [1/2*(((2*C*a^5 - B*a^4*b - 3*C*a^3*b^2 + 2*B*a^2*b^3)*cos(d*x + c)^2 + (2*C*a^4*b - B*a^3*b^2 - 3*C*a^2*b^3 + 2*B*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - ((2*C*a^6 - B*a^5*b - 4*C*a^4*b^2 + 2*B*a^3*b^3 + 2*C*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + (2*C*a^5*b - B*a^4*b^2 - 4*C*a^3*b^3 + 2*B*a^2*b^4 + 2*C*a*b^5 - B*b^6)*cos(d*x + c))*log(sin(d*x + c) + 1) + ((2*C*a^6 - B*a^5*b - 4*C*a^4*b^2 + 2*B*a^3*b^3 + 2*C*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + (2*C*a^5*b - B*a^4*b^2 - 4*C*a^3*b^3 + 2*B*a^2*b^4 + 2*C*a*b^5 - B*b^6)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(C*a^4*b^2 - 2*C*a^2*b^4 + C*b^6 + (2*C*a^5*b - B*a^4*b^2 - 3*C*a^3*b^3 + B*a^2*b^4 + C*a*b^5)*cos(d*x + c))*sin(d*x + c))/((a^5*b^3 - 2*a^3*b^5 + a*b^7)*d*cos(d*x + c)^2 + (a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c)), 1/2*(2*((2*C*a^5 - B*a^4*b - 3*C*a^3*b^2 + 2*B*a^2*b^3)*cos(d*x + c)^2 + (2*C*a^4*b - B*a^3*b^2 - 3*C*a^2*b^3 + 2*B*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - ((2*C*a^6 - B*a^5*b - 4*C*a^4*b^2 + 2*B*a^3*b^3 + 2*C*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + (2*C*a^5*b - B*a^4*b^2 - 4*C*a^3*b^3 + 2*B*a^2*b^4 + 2*C*a*b^5 - B*b^6)*cos(d*x + c))*log(sin(d*x + c) + 1) + ((2*C*a^6 - B*a^5*b - 4*C*a^4*b^2 + 2*B*a^3*b^3 + 2*C*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + (2*C*a^5*b - B*a^4*b^2 - 4*C*a^3*b^3 + 2*B*a^2*b^4 + 2*C*a*b^5 - B*b^6)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(C*a^4*b^2 - 2*C*a^2*b^4 + C*b^6 + (2*C*a^5*b - B*a^4*b^2 - 3*C*a^3*b^3 + B*a^2*b^4 + C*a*b^5)*cos(d*x + c))*sin(d*x + c))/((a^5*b^3 - 2*a^3*b^5 + a*b^7)*d*cos(d*x + c)^2 + (a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,

x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x))**2, x)

Giac [B] time = 1.23889, size = 545, normalized size = 3.32

$$\frac{2(2Ca^4 - Ba^3b - 3Ca^2b^2 + 2Bab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^3 - b^5) \sqrt{-a^2+b^2}} - \frac{2 \left(2Ca^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ba^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ca \right)}{\sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="giac")

[Out] (2*(2*C*a^4 - B*a^3*b - 3*C*a^2*b^2 + 2*B*a*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^2*b^3 - b^5)*sqrt(-a^2 + b^2)) - 2*(2*C*a^3*tan(1/2*d*x + 1/2*c)^3 - B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - C*a^2*b*tan(1/2*d*x + 1/2*c)^3 - C*a*b^2*tan(1/2*d*x + 1/2*c)^3 + C*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*C*a^3*tan(1/2*d*x + 1/2*c) + B*a^2*b*tan(1/2*d*x + 1/2*c) - C*a^2*b*tan(1/2*d*x + 1/2*c) + C*a*b^2*tan(1/2*d*x + 1/2*c) + C*b^3*tan(1/2*d*x + 1/2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 - 2*a*tan(1/2*d*x + 1/2*c)^2 + a + b)*(a^2*b^2 - b^4)) - (2*C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 + (2*C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^3)/d

$$3.803 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=131

$$\frac{2(a^3C - 2ab^2C + b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(bB - aC) \tan(c+dx)}{bd(a^2 - b^2)(a+b \sec(c+dx))} + \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^2*d) - (2*(b^3*B + a^3*C - 2*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^2*(a + b)^(3/2)*d) + (a*(b*B - a*C)*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.319354, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {4072, 4009, 3998, 3770, 3831, 2659, 208}

$$\frac{2(a^3C - 2ab^2C + b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(bB - aC) \tan(c+dx)}{bd(a^2 - b^2)(a+b \sec(c+dx))} + \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^2*d) - (2*(b^3*B + a^3*C - 2*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^2*(a + b)^(3/2)*d) + (a*(b*B - a*C)*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4009

```

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*(A*b - a*B)*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*
Simp[b*(A*b - a*B)*(m + 1) - (a*A*b*(m + 2) - B*(a^2 + b^2*(m + 1)))*Csc[e
+ f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] &&
NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 3998

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/(csc[(
e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \int \frac{\sec^2(c+dx)(B+C\sec(c+dx))}{(a+b\sec(c+dx))^2} dx \\
&= \frac{a(bB-aC)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \frac{\int \frac{\sec(c+dx)(-b(bB-aC)+(a^2-b^2)C\sec(c+dx))}{a+b\sec(c+dx)} dx}{b(a^2-b^2)} \\
&= \frac{a(bB-aC)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \frac{C \int \sec(c+dx) dx}{b^2} - \frac{(b^3B+a^3C)}{b^2} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d} + \frac{a(bB-aC)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{(b^3B+a^3C)}{b^2} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d} + \frac{a(bB-aC)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{(2(b^3B+a^3C)-2ab^2C)}{b^2} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d} - \frac{2(b^3B+a^3C-2ab^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b^2(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 0.661351, size = 191, normalized size = 1.46

$$\cos(c+dx)(B+C\sec(c+dx)) \left(\frac{2(a^3C-2ab^2C+b^3B)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + \frac{ab(aC-bB)\sin(c+dx)}{(b-a)(a+b)(a\cos(c+dx)+b)} - C \log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right) \right)$$

$$b^2d(B\cos(c+dx)+C)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2, x]

[Out] (Cos[c + d*x]*(B + C*Sec[c + d*x]))*((2*(b^3*B + a^3*C - 2*a*b^2*C)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])/(a^2 - b^2)^(3/2) - C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a*b*(-(b*B) + a*C)*Sin[c + d*x])/((-a + b)*(a + b)*(b + a*Cos[c + d*x])))/(b^2*d*(C + B*Cos[c + d*x]))

Maple [B] time = 0.087, size = 350, normalized size = 2.7

$$-2 \frac{a \tan(1/2 dx + c/2) B}{d(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)} + 2 \frac{a^2 \tan(1/2 dx + c/2) C}{db(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)`

[Out]
$$\begin{aligned} & -2/d*a/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2 \\ & *c)^2*b-a-b)*B+2/d/b*a^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2 \\ & *a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*C-2/d*b/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\arct \\ & \operatorname{anh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B-2/d*a^3/b^2/(a+b)/(a-b) \\ & /((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})* \\ & C+4/d*a/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((\\ & a+b)*(a-b))^{1/2})*C+1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*C-1/d/b^2*\ln(\tan(1/2* \\ & d*x+1/2*c)-1)*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 9.64177, size = 1551, normalized size = 11.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")`

```
[Out] [1/2*((C*a^3*b - 2*C*a*b^3 + B*b^4 + (C*a^4 - 2*C*a^2*b^2 + B*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c))^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(sin(d*x + c) + 1) - (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(C*a^4*b - B*a^3*b^2 - C*a^2*b^3 + B*a*b^4)*sin(d*x + c)/((a^5*b^2 - 2*a^3*b^4 + a*b^6)*d*cos(d*x + c) + (a^4*b^3 - 2*a^2*b^5 + b^7)*d), -1/2*(2*(C*a^3*b - 2*C*a*b^3 + B*b^4 + (C*a^4 - 2*C*a^2*b^2 + B*a*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(sin(d*x + c) + 1) + (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(C*a^4*b - B*a^3*b^2 - C*a^2*b^3 + B*a*b^4)*sin(d*x + c)/((a^5*b^2 - 2*a^3*b^4 + a*b^6)*d*cos(d*x + c) + (a^4*b^3 - 2*a^2*b^5 + b^7)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x))**2, x)
```

Giac [A] time = 1.23299, size = 309, normalized size = 2.36

$$\frac{2(Ca^3 - 2Cab^2 + Bb^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^2 - b^4) \sqrt{-a^2+b^2}} + \frac{C \log \left(\left| \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1 \right| \right)}{b^2} - \frac{C \log \left(\left| \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1 \right| \right)}{b^2} + \frac{d}{(a^2b^2 - b^4) \sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] (2*(C*a^3 - 2*C*a*b^2 + B*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a -
2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 +
b^2)))/((a^2*b^2 - b^4)*sqrt(-a^2 + b^2)) + C*log(abs(tan(1/2*d*x + 1/2*c)
+ 1))/b^2 - C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^2 + 2*(C*a^2*tan(1/2*d*
x + 1/2*c) - B*a*b*tan(1/2*d*x + 1/2*c))/((a^2*b - b^3)*(a*tan(1/2*d*x + 1/
2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b))/d
```

$$3.804 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=100

$$\frac{2(aB - bC) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(bB - aC) \tan(c+dx)}{d(a^2 - b^2)(a+b \sec(c+dx))}$$

[Out] (2*(a*B - b*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]]/((a - b)^(3/2)*(a + b)^(3/2)*d) - ((b*B - a*C)*Tan[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.125723, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4060, 12, 3831, 2659, 208}

$$\frac{2(aB - bC) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(bB - aC) \tan(c+dx)}{d(a^2 - b^2)(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2,x]

[Out] (2*(a*B - b*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]]/((a - b)^(3/2)*(a + b)^(3/2)*d) - ((b*B - a*C)*Tan[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) *(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_.), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx &= -\frac{(bB - aC) \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))} + \frac{\int \frac{a(bB - aC) \sec(c + dx)}{a + b \sec(c + dx)} dx}{a(a^2 - b^2)} \\
 &= -\frac{(bB - aC) \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))} + \frac{(aB - bC) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx}{a^2 - b^2} \\
 &= -\frac{(bB - aC) \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))} + \frac{(aB - bC) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{b(a^2 - b^2)} \\
 &= -\frac{(bB - aC) \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))} + \frac{(2(aB - bC)) \operatorname{Subst}\left(\int \frac{1}{1 + \frac{a}{b} + \left(1 - \frac{a}{b}\right)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{b(a^2 - b^2) d} \\
 &= \frac{2(aB - bC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a - b)^{3/2}(a + b)^{3/2}d} - \frac{(bB - aC) \tan(c + dx)}{(a^2 - b^2) d(a + b \sec(c + dx))}
 \end{aligned}$$

Mathematica [A] time = 0.338846, size = 97, normalized size = 0.97

$$\frac{\frac{(aC-bB)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)} - \frac{2(aB-bC)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2,x]

[Out] ((-2*(a*B - b*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(3/2) + ((-b*B) + a*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x]))/d

Maple [A] time = 0.085, size = 132, normalized size = 1.3

$$\frac{1}{d} \left(2 \frac{(Bb - aC) \tan(1/2 dx + c/2)}{(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)} + 2 \frac{Ba - Cb}{(a + b)(a - b)\sqrt{(a + b)(a - b)}} \operatorname{Arctanh} \left(\frac{(a - b)\tan(1/2 dx + c/2)}{\sqrt{(a + b)(a - b)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)

[Out] 1/d*(2*(B*b-C*a)/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)+2*(B*a-C*b)/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.542636, size = 861, normalized size = 8.61

$$\left[\frac{(Bab - Cb^2 + (Ba^2 - Cab) \cos(dx + c)) \sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{2((a^5 - 2a^3b^2 + ab^4)d \cos(dx + c) + (a^4b - 2a^2b^3 + b^5)d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] [1/2*((B*a*b - C*b^2 + (B*a^2 - C*a*b)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*sin(d*x + c))/((a^5 - 2*a^3*b^2 + a*b^4)*d*cos(d*x + c) + (a^4*b - 2*a^2*b^3 + b^5)*d), ((B*a*b - C*b^2 + (B*a^2 - C*a*b)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*sin(d*x + c))/((a^5 - 2*a^3*b^2 + a*b^4)*d*cos(d*x + c) + (a^4*b - 2*a^2*b^3 + b^5)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.17938, size = 235, normalized size = 2.35

$$2 \left(\frac{\left(\left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right) (Ba - Cb)}{(a^2 - b^2) \sqrt{-a^2 + b^2}} - \frac{Ca \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Bb \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a - b \right) (a^2 - b^2)} \right) d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] 2*((pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))*(B*a - C*b)/((a^2 - b^2)*sqrt(-a^2 + b^2)) - (C*a*tan(1/2*d*x + 1/2*c) - B*b*tan(1/2*d*x + 1/2*c))/((a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)*(a^2 - b^2)))/d
```

$$3.805 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=124

$$-\frac{2(2a^2bB + a^3(-C) - b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(bB - aC) \tan(c+dx)}{ad(a^2 - b^2)(a+b \sec(c+dx))} + \frac{Bx}{a^2}$$

[Out] (B*x)/a^2 - (2*(2*a^2*b*B - b^3*B - a^3*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + (b*(b*B - a*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.273872, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4072, 3923, 3919, 3831, 2659, 208}

$$-\frac{2(2a^2bB + a^3(-C) - b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(bB - aC) \tan(c+dx)}{ad(a^2 - b^2)(a+b \sec(c+dx))} + \frac{Bx}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2, x]

[Out] (B*x)/a^2 - (2*(2*a^2*b*B - b^3*B - a^3*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + (b*(b*B - a*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3923

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx &= \int \frac{B + C \sec(c+dx)}{(a+b \sec(c+dx))^2} dx \\
&= \frac{b(bB - aC) \tan(c+dx)}{a(a^2 - b^2)d(a+b \sec(c+dx))} - \frac{\int \frac{-(a^2-b^2)B+a(bB-aC) \sec(c+dx)}{a+b \sec(c+dx)} dx}{a(a^2 - b^2)} \\
&= \frac{Bx}{a^2} + \frac{b(bB - aC) \tan(c+dx)}{a(a^2 - b^2)d(a+b \sec(c+dx))} - \frac{(2a^2bB - b^3B - a^3C) \int \frac{\sec}{a+b}}{a^2(a^2 - b^2)} \\
&= \frac{Bx}{a^2} + \frac{b(bB - aC) \tan(c+dx)}{a(a^2 - b^2)d(a+b \sec(c+dx))} - \frac{(2a^2bB - b^3B - a^3C) \int \frac{1}{1+\frac{a}{b \sec}}}{a^2b(a^2 - b^2)} \\
&= \frac{Bx}{a^2} + \frac{b(bB - aC) \tan(c+dx)}{a(a^2 - b^2)d(a+b \sec(c+dx))} - \frac{(2(2a^2bB - b^3B - a^3C)) \operatorname{Si}}{a^2b(a^2 - b^2)} \\
&= \frac{Bx}{a^2} - \frac{2(2a^2bB - b^3B - a^3C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}d} + \frac{b(bB - aC)}{a(a^2 - b^2)}
\end{aligned}$$

Mathematica [A] time = 0.550004, size = 119, normalized size = 0.96

$$\frac{2(-2a^2bB+a^3C+b^3B) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + \frac{ab(bB-aC) \sin(c+dx)}{(a-b)(a+b)(a \cos(c+dx)+b)} + B(c+dx)}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (B*(c + d*x) - (2*(-2*a^2*b*B + b^3*B + a^3*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(3/2) + (a*b*(b*B - a*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x]))/(a^2*d)

Maple [B] time = 0.111, size = 328, normalized size = 2.7

$$2 \frac{B \arctan(\tan(1/2 dx + c/2))}{da^2} - 2 \frac{b^2 \tan(1/2 dx + c/2) B}{ad(a^2 - b^2)((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)} + 2 \frac{b(bB - aC)}{d(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^2,x)$

[Out] $\frac{2/d*B/a^2*\arctan(\tan(1/2*d*x+1/2*c))-2/d/a*b^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)}{(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*B+2/d*b/(a^2-b^2)*\tan(1/2*d*x+1/2*c)} + \frac{C-4/d*b/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B+2/d/a^2/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B*b^3+2/d*a/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*C}{(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^2,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [B] time = 0.601166, size = 1226, normalized size = 9.89

$$\frac{2(Ba^5 - 2Ba^3b^2 + Bab^4)dx \cos(dx + c) + 2(Ba^4b - 2Ba^2b^3 + Bb^5)dx - (Ca^3b - 2Ba^2b^2 + Bb^4 + (Ca^4 - 2Ba^3b + Ba^4 - 2Ba^2b^2 + Bb^5)dx \sin(dx + c))}{2((a^7 - 2a^5b^2 + a^4b^2 - 2a^3b^3 + a^2b^4 - ab^5) \cos(dx + c) + (a^7 - 2a^5b^2 + a^4b^2 - 2a^3b^3 + a^2b^4 - ab^5) \sin(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^2,x, \text{algorithm}="fricas")$

[Out] $\frac{1/2*(2*(B*a^5 - 2*B*a^3*b^2 + B*a*b^4)*d*x*\cos(dx + c) + 2*(B*a^4*b - 2*B*a^2*b^3 + B*b^5)*d*x - (C*a^3*b - 2*B*a^2*b^2 + B*b^4 + (C*a^4 - 2*B*a^3*b + B*a*b^3)*\cos(dx + c))*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(dx + c) - (a^2 - 2*b^2)*\cos(dx + c))^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(dx + c) + a)*\sin(dx + c))}{2*(a^7 - 2*a^5*b^2 + a^4*b^2 - 2*a^3*b^3 + a^2*b^4 - a*b^5) \cos(dx + c) + 2*(a^7 - 2*a^5*b^2 + a^4*b^2 - 2*a^3*b^3 + a^2*b^4 - a*b^5) \sin(dx + c)}$

$$+ 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) - 2*(C*a^4*b - B*a^3*b^2 - C*a^2*b^3 + B*a*b^4)*\sin(d*x + c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*\cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d), ((B*a^5 - 2*B*a^3*b^2 + B*a*b^4)*d*x*\cos(d*x + c) + (B*a^4*b - 2*B*a^2*b^3 + B*b^5)*d*x + (C*a^3*b - 2*B*a^2*b^2 + B*b^4 + (C*a^4 - 2*B*a^3*b + B*a*b^3)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c)))) - (C*a^4*b - B*a^3*b^2 - C*a^2*b^3 + B*a*b^4)*\sin(d*x + c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*\cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d)]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \cos(c + dx) \sec(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Integral((B + C*sec(c + d*x))*cos(c + d*x)*sec(c + d*x)/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.21217, size = 271, normalized size = 2.19

$$\frac{2(Ca^3 - 2Ba^2b + Bb^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 - a^2b^2)\sqrt{-a^2+b^2}} + \frac{(dx+c)B}{a^2} + \frac{2(Cab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Bb^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^3 - ab^2) \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] (2*(C*a^3 - 2*B*a^2*b + B*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^4 - a^2*b^2)*sqrt(-a^2 + b^2)) + (d*x + c)*B/a^2 + 2*(C*a*b*tan(1/2*d*x + 1/2*c) - B*b^2*tan(1/2*d*x + 1/2*c))/((a^3 - a*b^2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)))/d

$$3.806 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=180

$$\frac{(a^2B + abC - 2b^2B) \sin(c + dx)}{a^2d(a^2 - b^2)} + \frac{2b(3a^2bB - 2a^3C + ab^2C - 2b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(bB - aC) \sin(c + dx)}{ad(a^2 - b^2)(a + b \sec(c + dx))}$$

[Out] -(((2*b*B - a*C)*x)/a^3) + (2*b*(3*a^2*b*B - 2*b^3*B - 2*a^3*C + a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((a^2*B - 2*b^2*B + a*b*C)*Sin[c + d*x])/(a^2*(a^2 - b^2)*d) + (b*(b*B - a*C)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.632915, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4030, 4104, 3919, 3831, 2659, 208}

$$\frac{(a^2B + abC - 2b^2B) \sin(c + dx)}{a^2d(a^2 - b^2)} + \frac{2b(3a^2bB - 2a^3C + ab^2C - 2b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(bB - aC) \sin(c + dx)}{ad(a^2 - b^2)(a + b \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] -(((2*b*B - a*C)*x)/a^3) + (2*b*(3*a^2*b*B - 2*b^3*B - 2*a^3*C + a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((a^2*B - 2*b^2*B + a*b*C)*Sin[c + d*x])/(a^2*(a^2 - b^2)*d) + (b*(b*B - a*C)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
```

Rt[-(a/b), 2]]/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx &= \int \frac{\cos(c+dx)(B + C \sec(c+dx))}{(a+b \sec(c+dx))^2} dx \\
 &= \frac{b(bB - aC) \sin(c+dx)}{a(a^2 - b^2)d(a+b \sec(c+dx))} - \int \frac{\cos(c+dx)(-a^2B + 2b^2B - abC + a(bB - aC \sec(c+dx)))}{a(a^2 - b^2)d(a+b \sec(c+dx))^2} dx \\
 &= \frac{(a^2B - 2b^2B + abC) \sin(c+dx)}{a^2(a^2 - b^2)d} + \frac{b(bB - aC) \sin(c+dx)}{a(a^2 - b^2)d(a+b \sec(c+dx))} \\
 &= -\frac{(2bB - aC)x}{a^3} + \frac{(a^2B - 2b^2B + abC) \sin(c+dx)}{a^2(a^2 - b^2)d} + \frac{b(bB - aC) \sin(c+dx)}{a(a^2 - b^2)d} \\
 &= -\frac{(2bB - aC)x}{a^3} + \frac{(a^2B - 2b^2B + abC) \sin(c+dx)}{a^2(a^2 - b^2)d} + \frac{b(bB - aC) \sin(c+dx)}{a(a^2 - b^2)d} \\
 &= -\frac{(2bB - aC)x}{a^3} + \frac{(a^2B - 2b^2B + abC) \sin(c+dx)}{a^2(a^2 - b^2)d} + \frac{b(bB - aC) \sin(c+dx)}{a(a^2 - b^2)d} \\
 &= -\frac{(2bB - aC)x}{a^3} + \frac{2b(3a^2bB - 2b^3B - 2a^3C + ab^2C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^3(a-b)^{3/2}(a+b)^{3/2}d}
 \end{aligned}$$

Mathematica [A] time = 0.778907, size = 147, normalized size = 0.82

$$\frac{2b(-3a^2bB + 2a^3C - ab^2C + 2b^3B) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + \frac{ab^2(aC-bB) \sin(c+dx)}{(a-b)(a+b)(a \cos(c+dx)+b)} + \frac{(c+dx)(aC-2bB) + aB \sin(c+dx)}{a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2, x]

[Out] ((-2*b*B + a*C)*(c + d*x) + (2*b*(-3*a^2*b*B + 2*b^3*B + 2*a^3*C - a*b^2*C)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]))/(a^2 - b^2)^(3/2) +

$$a*B*\sin[c + d*x] + (a*b^2*(-(b*B) + a*C)*\sin[c + d*x])/((a - b)*(a + b)*(b + a*\cos[c + d*x]))/(a^3*d)$$

Maple [B] time = 0.121, size = 453, normalized size = 2.5

$$2 \frac{B \tan(1/2 dx + c/2)}{da^2 (1 + (\tan(1/2 dx + c/2))^2)} - 4 \frac{B \arctan(\tan(1/2 dx + c/2)) b}{da^3} + 2 \frac{C \arctan(\tan(1/2 dx + c/2))}{da^2} + 2 \frac{C}{da^2 (a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)`

[Out] $2/d/a^2*B*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-4/d/a^3*B*\arctan(\tan(1/2*d*x+1/2*c))*b+2/d/a^2*C*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^2*b^3/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*B-2/d/a*b^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*C+6/d/a*b^2/(a+b)/(a-b)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)})*B-4/d/a^3*b^4/(a+b)/(a-b)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)})*B-4/d*b/(a+b)/(a-b)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)})*C+2/d/a^2*b^3/(a+b)/(a-b)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)})*C$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.680988, size = 1715, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="fricas")

[Out] [1/2*(2*(C*a^6 - 2*B*a^5*b - 2*C*a^4*b^2 + 4*B*a^3*b^3 + C*a^2*b^4 - 2*B*a*b^5)*d*x*cos(d*x + c) + 2*(C*a^5*b - 2*B*a^4*b^2 - 2*C*a^3*b^3 + 4*B*a^2*b^4 + C*a*b^5 - 2*B*b^6)*d*x + (2*C*a^3*b^2 - 3*B*a^2*b^3 - C*a*b^4 + 2*B*b^5 + (2*C*a^4*b - 3*B*a^3*b^2 - C*a^2*b^3 + 2*B*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(B*a^5*b + C*a^4*b^2 - 3*B*a^3*b^3 - C*a^2*b^4 + 2*B*a*b^5 + (B*a^6 - 2*B*a^4*b^2 + B*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c) + (a^7*b - 2*a^5*b^3 + a^3*b^5)*d), ((C*a^6 - 2*B*a^5*b - 2*C*a^4*b^2 + 4*B*a^3*b^3 + C*a^2*b^4 - 2*B*a*b^5)*d*x*cos(d*x + c) + (C*a^5*b - 2*B*a^4*b^2 - 2*C*a^3*b^3 + 4*B*a^2*b^4 + C*a*b^5 - 2*B*b^6)*d*x - (2*C*a^3*b^2 - 3*B*a^2*b^3 - C*a*b^4 + 2*B*b^5 + (2*C*a^4*b - 3*B*a^3*b^2 - C*a^2*b^3 + 2*B*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (B*a^5*b + C*a^4*b^2 - 3*B*a^3*b^3 - C*a^2*b^4 + 2*B*a*b^5 + (B*a^6 - 2*B*a^4*b^2 + B*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c) + (a^7*b - 2*a^5*b^3 + a^3*b^5)*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [B] time = 1.22539, size = 505, normalized size = 2.81

$$\frac{2(2Ca^3b-3Ba^2b^2-Cab^3+2Bb^4)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{-a^2+b^2}}\right)\right)}{(a^5-a^3b^2)\sqrt{-a^2+b^2}} - 2\left(Ba^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-Ba^2b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="giac")
```

```
[Out] -(2*(2*C*a^3*b - 3*B*a^2*b^2 - C*a*b^3 + 2*B*b^4)*(pi*floor(1/2*(d*x + c)/p
i + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x
+ 1/2*c))/sqrt(-a^2 + b^2)))/((a^5 - a^3*b^2)*sqrt(-a^2 + b^2)) - 2*(B*a^3*
tan(1/2*d*x + 1/2*c)^3 - B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - B*a*b^2*tan(1/2*d
*x + 1/2*c)^3 - C*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 2*B*b^3*tan(1/2*d*x + 1/2*
c)^3 - B*a^3*tan(1/2*d*x + 1/2*c) - B*a^2*b*tan(1/2*d*x + 1/2*c) + B*a*b^2*
tan(1/2*d*x + 1/2*c) - C*a*b^2*tan(1/2*d*x + 1/2*c) + 2*B*b^3*tan(1/2*d*x +
1/2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 - 2*b*tan(1/
2*d*x + 1/2*c)^2 - a - b)*(a^4 - a^2*b^2)) - (C*a - 2*B*b)*(d*x + c)/a^3)/d
```

$$3.807 \quad \int \frac{\cos^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=261

$$\frac{(2a^2bB + a^3(-C) + 2ab^2C - 3b^3B) \sin(c+dx)}{a^3d(a^2 - b^2)} + \frac{(a^2B + 2abC - 3b^2B) \sin(c+dx) \cos(c+dx)}{2a^2d(a^2 - b^2)} - \frac{2b^2(4a^2bB - 3a^3C - \dots)}{\dots}$$

[Out] ((a^2*B + 6*b^2*B - 4*a*b*C)*x)/(2*a^4) - (2*b^2*(4*a^2*b*B - 3*b^3*B - 3*a^3*C + 2*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(3/2)*(a + b)^(3/2)*d) - ((2*a^2*b*B - 3*b^3*B - a^3*C + 2*a*b^2*C)*Sin[c + d*x])/(a^3*(a^2 - b^2)*d) + ((a^2*B - 3*b^2*B + 2*a*b*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)*d) + (b*(b*B - a*C)*Cos[c + d*x]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.930986, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 4030, 4104, 3919, 3831, 2659, 208}

$$\frac{(2a^2bB + a^3(-C) + 2ab^2C - 3b^3B) \sin(c+dx)}{a^3d(a^2 - b^2)} + \frac{(a^2B + 2abC - 3b^2B) \sin(c+dx) \cos(c+dx)}{2a^2d(a^2 - b^2)} - \frac{2b^2(4a^2bB - 3a^3C - \dots)}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((a^2*B + 6*b^2*B - 4*a*b*C)*x)/(2*a^4) - (2*b^2*(4*a^2*b*B - 3*b^3*B - 3*a^3*C + 2*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(3/2)*(a + b)^(3/2)*d) - ((2*a^2*b*B - 3*b^3*B - a^3*C + 2*a*b^2*C)*Sin[c + d*x])/(a^3*(a^2 - b^2)*d) + ((a^2*B - 3*b^2*B + 2*a*b*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)*d) + (b*(b*B - a*C)*Cos[c + d*x]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)

```
*(x_)]*(d_))^(n_), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
```


&& NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^3(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx &= \int \frac{\cos^2(c+dx)(B + C \sec(c+dx))}{(a+b \sec(c+dx))^2} dx \\
 &= \frac{b(bB - aC) \cos(c+dx) \sin(c+dx)}{a(a^2 - b^2)d(a+b \sec(c+dx))} - \int \frac{\cos^2(c+dx)(-a^2B + 3b^2B - 2abC + a^3C)}{a^3(a^2 - b^2)d} dx \\
 &= \frac{(a^2B - 3b^2B + 2abC) \cos(c+dx) \sin(c+dx)}{2a^2(a^2 - b^2)d} + \frac{b(bB - aC) \cos(c+dx) \sin(c+dx)}{a(a^2 - b^2)d} \\
 &= -\frac{(2a^2bB - 3b^3B - a^3C + 2ab^2C) \sin(c+dx)}{a^3(a^2 - b^2)d} + \frac{(a^2B - 3b^2B + 2abC) \cos(c+dx) \sin(c+dx)}{2a^2(a^2 - b^2)d} \\
 &= \frac{(a^2B + 6b^2B - 4abC)x}{2a^4} - \frac{(2a^2bB - 3b^3B - a^3C + 2ab^2C) \sin(c+dx)}{a^3(a^2 - b^2)d} \\
 &= \frac{(a^2B + 6b^2B - 4abC)x}{2a^4} - \frac{(2a^2bB - 3b^3B - a^3C + 2ab^2C) \sin(c+dx)}{a^3(a^2 - b^2)d} \\
 &= \frac{(a^2B + 6b^2B - 4abC)x}{2a^4} - \frac{(2a^2bB - 3b^3B - a^3C + 2ab^2C) \sin(c+dx)}{a^3(a^2 - b^2)d} \\
 &= \frac{(a^2B + 6b^2B - 4abC)x}{2a^4} - \frac{2b^2(4a^2bB - 3b^3B - 3a^3C + 2ab^2C) \tan\left(\frac{1}{2}(c+dx)\right)}{a^4(a-b)^{3/2}(a+b)^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 1.01909, size = 184, normalized size = 0.7

$$\frac{2(c+dx)(a^2B - 4abC + 6b^2B) - \frac{8b^2(-4a^2bB + 3a^3C - 2ab^2C + 3b^3B) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2}} + a^2B \sin(2(c+dx)) - \frac{4ab^3(aC - bB) \sin(c+dx)}{(a-b)(a+b)(a \cos(c+dx) + b)}}{4a^4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]
```

```
[Out] (2*(a^2*B + 6*b^2*B - 4*a*b*C)*(c + d*x) - (8*b^2*(-4*a^2*b*B + 3*b^3*B + 3*a^3*C - 2*a*b^2*C)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]))/(a^2 - b^2)^(3/2) + 4*a*(-2*b*B + a*C)*Sin[c + d*x] - (4*a*b^3*(-(b*B) + a*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x])) + a^2*B*Ssin[2*(c + d*x)]/(4*a^4*d)
```

Maple [B] time = 0.121, size = 651, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)
```

```
[Out] -1/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*B-4/d/a^3/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*C+1/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)*B-4/d/a^3/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)*B*b+2/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)*C+1/d*B/a^2*arctan(tan(1/2*d*x+1/2*c))+6/d/a^4*arctan(tan(1/2*d*x+1/2*c))*B*b^2-4/d/a^3*C*arctan(tan(1/2*d*x+1/2*c))*b-2/d*b^4/a^3/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*B+2/d*b^3/a^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*C-8/d/a^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*B*b^3+6/d*b^5/a^4/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*B+6/d*b^2/a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*C-4/d*b^4/a^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*C
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 0.755832, size = 2136, normalized size = 8.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="fricas")
```

```
[Out] [1/2*((B*a^7 - 4*C*a^6*b + 4*B*a^5*b^2 + 8*C*a^4*b^3 - 11*B*a^3*b^4 - 4*C*a^2*b^5 + 6*B*a*b^6)*d*x*cos(d*x + c) + (B*a^6*b - 4*C*a^5*b^2 + 4*B*a^4*b^3 + 8*C*a^3*b^4 - 11*B*a^2*b^5 - 4*C*a*b^6 + 6*B*b^7)*d*x + (3*C*a^3*b^3 - 4*B*a^2*b^4 - 2*C*a*b^5 + 3*B*b^6 + (3*C*a^4*b^2 - 4*B*a^3*b^3 - 2*C*a^2*b^4 + 3*B*a*b^5)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (2*C*a^6*b - 4*B*a^5*b^2 - 6*C*a^4*b^3 + 10*B*a^3*b^4 + 4*C*a^2*b^5 - 6*B*a*b^6 + (B*a^7 - 2*B*a^5*b^2 + B*a^3*b^4)*cos(d*x + c)^2 + (2*C*a^7 - 3*B*a^6*b - 4*C*a^5*b^2 + 6*B*a^4*b^3 + 2*C*a^3*b^4 - 3*B*a^2*b^5)*cos(d*x + c))*sin(d*x + c))/((a^9 - 2*a^7*b^2 + a^5*b^4)*d*cos(d*x + c) + (a^8*b - 2*a^6*b^3 + a^4*b^5)*d), 1/2*((B*a^7 - 4*C*a^6*b + 4*B*a^5*b^2 + 8*C*a^4*b^3 - 11*B*a^3*b^4 - 4*C*a^2*b^5 + 6*B*a*b^6)*d*x*cos(d*x + c) + (B*a^6*b - 4*C*a^5*b^2 + 4*B*a^4*b^3 + 8*C*a^3*b^4 - 11*B*a^2*b^5 - 4*C*a*b^6 + 6*B*b^7)*d*x + 2*(3*C*a^3*b^3 - 4*B*a^2*b^4 - 2*C*a*b^5 + 3*B*b^6 + (3*C*a^4*b^2 - 4*B*a^3*b^3 - 2*C*a^2*b^4 + 3*B*a*b^5)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*C*a^6*b - 4*B*a^5*b^2 - 6*C*a^4*b^3 + 10*B*a^3*b^4 + 4*C*a^2*b^5 - 6*B*a*b^6 + (B*a^7 - 2*B*a^5*b^2 + B*a^3*b^4)*cos(d*x + c)^2 + (2*C*a^7 - 3*B*a^6*b - 4*C*a^5*b^2 + 6*B*a^4*b^3 + 2*C*a^3*b^4 - 3*B*a^2*b^5)*cos(d*x + c))*sin(d*x + c))/((a^9 - 2*a^7*b^2 + a^5*b^4)*d*cos(d*x + c) + (a^8*b - 2*a^6*b^3 + a^4*b^5)*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2, x)

[Out] Timed out

Giac [A] time = 1.19554, size = 459, normalized size = 1.76

$$\frac{4(3Ca^3b^2 - 4Ba^2b^3 - 2Cab^4 + 3Bb^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^6 - a^4b^2) \sqrt{-a^2+b^2}} + \frac{4(Cab^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Bb^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^5 - a^3b^2) \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2, x, algorithm="giac")

[Out] 1/2*(4*(3*C*a^3*b^2 - 4*B*a^2*b^3 - 2*C*a*b^4 + 3*B*b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^6 - a^4*b^2)*sqrt(-a^2 + b^2)) + 4*(C*a*b^3*tan(1/2*d*x + 1/2*c) - B*b^4*tan(1/2*d*x + 1/2*c))/((a^5 - a^3*b^2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)) + (B*a^2 - 4*C*a*b + 6*B*b^2)*(d*x + c)/a^4 - 2*(B*a*tan(1/2*d*x + 1/2*c)^3 - 2*C*a*tan(1/2*d*x + 1/2*c)^3 + 4*B*b*tan(1/2*d*x + 1/2*c)^3 - B*a*tan(1/2*d*x + 1/2*c) - 2*C*a*tan(1/2*d*x + 1/2*c) + 4*B*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^3))/d

$$3.808 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=289

$$\frac{(-3a^2C + abB + 2b^2C) \tan(c+dx)}{2b^3d(a^2 - b^2)} - \frac{a(-5a^2b^3B + 15a^3b^2C + 2a^4bB - 6a^5C - 12ab^4C + 6b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}}$$

```
[Out] ((b*B - 3*a*C)*ArcTanh[Sin[c + d*x]])/(b^4*d) - (a*(2*a^4*b*B - 5*a^2*b^3*B + 6*b^5*B - 6*a^5*C + 15*a^3*b^2*C - 12*a*b^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^4*(a + b)^(5/2)*d) - ((a*b*B - 3*a^2*C + 2*b^2*C)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) + (a*(b*B - a*C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a^2*(a^2*b*B - 4*b^3*B - 3*a^3*C + 6*a*b^2*C)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 1.42482, antiderivative size = 289, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.225$, Rules used = {4072, 4029, 4090, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(-3a^2C + abB + 2b^2C) \tan(c+dx)}{2b^3d(a^2 - b^2)} - \frac{a(-5a^2b^3B + 15a^3b^2C + 2a^4bB - 6a^5C - 12ab^4C + 6b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]
```

```
[Out] ((b*B - 3*a*C)*ArcTanh[Sin[c + d*x]])/(b^4*d) - (a*(2*a^4*b*B - 5*a^2*b^3*B + 6*b^5*B - 6*a^5*C + 15*a^3*b^2*C - 12*a*b^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^4*(a + b)^(5/2)*d) - ((a*b*B - 3*a^2*C + 2*b^2*C)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) + (a*(b*B - a*C)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a^2*(a^2*b*B - 4*b^3*B - 3*a^3*C + 6*a*b^2*C)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)
)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)
*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n
, 1]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[
(e_.) + (f_.)*(x_.)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x
_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x
])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^
2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B
- a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 +
b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(
e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= \int \frac{\sec^4(c+dx)(B+C\sec(c+dx))}{(a+b\sec(c+dx))^3} dx \\
&= \frac{a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \int \frac{\sec^2(c+dx)(2a(bB-aC)-2b(bB-aC))}{(a+b\sec(c+dx))^3} dx \\
&= \frac{a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a^2(a^2bB-4b^3B-3a^3C+6a^2bC)}{2b^3(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(abB-3a^2C+2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} + \frac{a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(abB-3a^2C+2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} + \frac{a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{(bB-3aC)\tanh^{-1}(\sin(c+dx))}{b^4d} - \frac{(abB-3a^2C+2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} \\
&= \frac{(bB-3aC)\tanh^{-1}(\sin(c+dx))}{b^4d} - \frac{(abB-3a^2C+2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} \\
&= \frac{(bB-3aC)\tanh^{-1}(\sin(c+dx))}{b^4d} - \frac{a(2a^4bB-5a^2b^3B+6b^5B-6a^2b^2C)}{2b^3d(b-a)^2(a+b)^2(a\cos(c+dx)+b)}
\end{aligned}$$

Mathematica [A] time = 6.44998, size = 418, normalized size = 1.45

$$\frac{a^2bB\sin(c+dx)-a^3C\sin(c+dx)}{2b^2d(b-a)(a+b)(a\cos(c+dx)+b)^2} + \frac{5a^2b^3B\sin(c+dx)-7a^3b^2C\sin(c+dx)-2a^4bB\sin(c+dx)+4a^5C\sin(c+dx)}{2b^3d(b-a)^2(a+b)^2(a\cos(c+dx)+b)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]
```



```
[Out] (a*(2*a^4*b*B - 5*a^2*b^3*B + 6*b^5*B - 6*a^5*C + 15*a^3*b^2*C - 12*a*b^4*C)
)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]/(b^4*Sqrt[a^2 - b^2]
]*(-a^2 + b^2)^2*d) + ((-(b*B) + 3*a*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)
)/2]])/(b^4*d) + ((b*B - 3*a*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/(
b^4*d) + (C*Ssin[(c + d*x)/2])/(b^3*d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]))
+ (C*Ssin[(c + d*x)/2])/(b^3*d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])) + (a^
2*b*B*Ssin[c + d*x] - a^3*C*Ssin[c + d*x])/(2*b^2*(-a + b)*(a + b)*d*(b + a*C
os[c + d*x])^2) + (-2*a^4*b*B*Ssin[c + d*x] + 5*a^2*b^3*B*Ssin[c + d*x] + 4*a
^5*C*Ssin[c + d*x] - 7*a^3*b^2*C*Ssin[c + d*x])/(2*b^3*(-a + b)^2*(a + b)^2*d
*(b + a*Cos[c + d*x]))
```

Maple [B] time = 0.101, size = 1406, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] 2/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^
2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-1/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1
/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-6/d*a
^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b
^2)*tan(1/2*d*x+1/2*c)^3*B-4/d*a^5/b^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+
1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+1/d*a^4/b^2/
(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)
*tan(1/2*d*x+1/2*c)^3*C+8/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c
)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C-2/d*a^4/b^2/(tan(
1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+
1/2*c)*B-1/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a
+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B+6/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*
x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B+4/d*a^5/b^3/(tan(1/2
*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2
*c)*C+1/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+
b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C-8/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d
*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C-2/d*a^5/b^3/(a^4-2*
a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a
-b))^(1/2))*B+5/d*a^3/b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-
b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-6/d*a*b/(a^4-2*a^2*b^2+b^4)/((
a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+6
/d*a^6/b^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*
x+1/2*c)/((a+b)*(a-b))^(1/2))*C-15/d*a^4/b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-
```

$$b)^{(1/2)} \cdot \operatorname{arctanh}\left(\frac{(a-b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)}{(a+b) \cdot (a-b)^{(1/2)}}\right) \cdot C + 12/d \cdot a^2 / (a^4 - 2 \cdot a^2 \cdot b^2 + b^4) / ((a+b) \cdot (a-b))^{(1/2)} \cdot \operatorname{arctanh}\left(\frac{(a-b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)}{(a+b) \cdot (a-b)}\right) \cdot C - 1/d \cdot C / b^3 / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1) + 1/d / b^3 \cdot \ln(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1) \cdot B - 3/d / b^4 \cdot \ln(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1) \cdot a \cdot C - 1/d \cdot C / b^3 / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1) - 1/d / b^3 \cdot \ln(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1) \cdot B + 3/d / b^4 \cdot \ln(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1) \cdot a \cdot C$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 114.551, size = 4591, normalized size = 15.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4 * (((6 * C * a^8 - 2 * B * a^7 * b - 15 * C * a^6 * b^2 + 5 * B * a^5 * b^3 + 12 * C * a^4 * b^4 - \\ & 6 * B * a^3 * b^5) * \cos(d * x + c)^3 + 2 * (6 * C * a^7 * b - 2 * B * a^6 * b^2 - 15 * C * a^5 * b^3 + 5 \\ & * B * a^4 * b^4 + 12 * C * a^3 * b^5 - 6 * B * a^2 * b^6) * \cos(d * x + c)^2 + (6 * C * a^6 * b^2 - 2 * \\ & B * a^5 * b^3 - 15 * C * a^4 * b^4 + 5 * B * a^3 * b^5 + 12 * C * a^2 * b^6 - 6 * B * a * b^7) * \cos(d * x \\ & + c)) * \sqrt{a^2 - b^2} * \log((2 * a * b * \cos(d * x + c) - (a^2 - 2 * b^2) * \cos(d * x + c))^2 \\ & - 2 * \sqrt{a^2 - b^2} * (b * \cos(d * x + c) + a) * \sin(d * x + c) + 2 * a^2 - b^2) / (a^2 \\ & * \cos(d * x + c)^2 + 2 * a * b * \cos(d * x + c) + b^2)) + 2 * ((3 * C * a^9 - B * a^8 * b - 9 * C * \\ & a^7 * b^2 + 3 * B * a^6 * b^3 + 9 * C * a^5 * b^4 - 3 * B * a^4 * b^5 - 3 * C * a^3 * b^6 + B * a^2 * b^7) \\ &) * \cos(d * x + c)^3 + 2 * (3 * C * a^8 * b - B * a^7 * b^2 - 9 * C * a^6 * b^3 + 3 * B * a^5 * b^4 + 9 \\ & * C * a^4 * b^5 - 3 * B * a^3 * b^6 - 3 * C * a^2 * b^7 + B * a * b^8) * \cos(d * x + c)^2 + (3 * C * a^7 \\ & * b^2 - B * a^6 * b^3 - 9 * C * a^5 * b^4 + 3 * B * a^4 * b^5 + 9 * C * a^3 * b^6 - 3 * B * a^2 * b^7 - \\ & 3 * C * a * b^8 + B * b^9) * \cos(d * x + c)) * \log(\sin(d * x + c) + 1) - 2 * ((3 * C * a^9 - B * a^8 \\ & * b - 9 * C * a^7 * b^2 + 3 * B * a^6 * b^3 + 9 * C * a^5 * b^4 - 3 * B * a^4 * b^5 - 3 * C * a^3 * b^6 + \end{aligned}$$

$$\begin{aligned}
& B*a^2*b^7)*\cos(d*x + c)^3 + 2*(3*C*a^8*b - B*a^7*b^2 - 9*C*a^6*b^3 + 3*B*a^5*b^4 + 9*C*a^4*b^5 - 3*B*a^3*b^6 - 3*C*a^2*b^7 + B*a*b^8)*\cos(d*x + c)^2 \\
& + (3*C*a^7*b^2 - B*a^6*b^3 - 9*C*a^5*b^4 + 3*B*a^4*b^5 + 9*C*a^3*b^6 - 3*B*a^2*b^7 - 3*C*a*b^8 + B*b^9)*\cos(d*x + c))*\log(-\sin(d*x + c) + 1) - 2*(2*C*a^6*b^3 - 6*C*a^4*b^5 + 6*C*a^2*b^7 - 2*C*b^9 + (6*C*a^8*b - 2*B*a^7*b^2 - 17*C*a^6*b^3 + 7*B*a^5*b^4 + 13*C*a^4*b^5 - 5*B*a^3*b^6 - 2*C*a^2*b^7)*\cos(d*x + c)^2 + (9*C*a^7*b^2 - 3*B*a^6*b^3 - 25*C*a^5*b^4 + 9*B*a^4*b^5 + 20*C*a^3*b^6 - 6*B*a^2*b^7 - 4*C*a*b^8)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^4 - 3*a^6*b^6 + 3*a^4*b^8 - a^2*b^10)*d*\cos(d*x + c)^3 + 2*(a^7*b^5 - 3*a^5*b^7 + 3*a^3*b^9 - a*b^11)*d*\cos(d*x + c)^2 + (a^6*b^6 - 3*a^4*b^8 + 3*a^2*b^10 - b^12)*d*\cos(d*x + c)), 1/2*(((6*C*a^8 - 2*B*a^7*b - 15*C*a^6*b^2 + 5*B*a^5*b^3 + 12*C*a^4*b^4 - 6*B*a^3*b^5)*\cos(d*x + c)^3 + 2*(6*C*a^7*b - 2*B*a^6*b^2 - 15*C*a^5*b^3 + 5*B*a^4*b^4 + 12*C*a^3*b^5 - 6*B*a^2*b^6)*\cos(d*x + c)^2 + (6*C*a^6*b^2 - 2*B*a^5*b^3 - 15*C*a^4*b^4 + 5*B*a^3*b^5 + 12*C*a^2*b^6 - 6*B*a*b^7)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c)))) - ((3*C*a^9 - B*a^8*b - 9*C*a^7*b^2 + 3*B*a^6*b^3 + 9*C*a^5*b^4 - 3*B*a^4*b^5 - 3*C*a^3*b^6 + B*a^2*b^7)*\cos(d*x + c)^3 + 2*(3*C*a^8*b - B*a^7*b^2 - 9*C*a^6*b^3 + 3*B*a^5*b^4 + 9*C*a^4*b^5 - 3*B*a^3*b^6 - 3*C*a^2*b^7 + B*a*b^8)*\cos(d*x + c)^2 + (3*C*a^7*b^2 - B*a^6*b^3 - 9*C*a^5*b^4 + 3*B*a^4*b^5 + 9*C*a^3*b^6 - 3*B*a^2*b^7 - 3*C*a*b^8 + B*b^9)*\cos(d*x + c))*\log(\sin(d*x + c) + 1) + ((3*C*a^9 - B*a^8*b - 9*C*a^7*b^2 + 3*B*a^6*b^3 + 9*C*a^5*b^4 - 3*B*a^4*b^5 - 3*C*a^3*b^6 + B*a^2*b^7)*\cos(d*x + c)^3 + 2*(3*C*a^8*b - B*a^7*b^2 - 9*C*a^6*b^3 + 3*B*a^5*b^4 + 9*C*a^4*b^5 - 3*B*a^3*b^6 - 3*C*a^2*b^7 + B*a*b^8)*\cos(d*x + c)^2 + (3*C*a^7*b^2 - B*a^6*b^3 - 9*C*a^5*b^4 + 3*B*a^4*b^5 + 9*C*a^3*b^6 - 3*B*a^2*b^7 - 3*C*a*b^8 + B*b^9)*\cos(d*x + c))*\log(-\sin(d*x + c) + 1) + (2*C*a^6*b^3 - 6*C*a^4*b^5 + 6*C*a^2*b^7 - 2*C*b^9 + (6*C*a^8*b - 2*B*a^7*b^2 - 17*C*a^6*b^3 + 7*B*a^5*b^4 + 13*C*a^4*b^5 - 5*B*a^3*b^6 - 2*C*a^2*b^7)*\cos(d*x + c)^2 + (9*C*a^7*b^2 - 3*B*a^6*b^3 - 25*C*a^5*b^4 + 9*B*a^4*b^5 + 20*C*a^3*b^6 - 6*B*a^2*b^7 - 4*C*a*b^8)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^4 - 3*a^6*b^6 + 3*a^4*b^8 - a^2*b^10)*d*\cos(d*x + c)^3 + 2*(a^7*b^5 - 3*a^5*b^7 + 3*a^3*b^9 - a*b^11)*d*\cos(d*x + c)^2 + (a^6*b^6 - 3*a^4*b^8 + 3*a^2*b^10 - b^12)*d*\cos(d*x + c))]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3, x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**4/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.37067, size = 784, normalized size = 2.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="giac")

[Out]
$$\begin{aligned} & ((6*C*a^6 - 2*B*a^5*b - 15*C*a^4*b^2 + 5*B*a^3*b^3 + 12*C*a^2*b^4 - 6*B*a*b^5) * (\pi * \text{floor}(1/2*(d*x + c)/\pi + 1/2) * \text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))) / ((a^4*b^4 - 2*a^2*b^6 + b^8) * \sqrt{-a^2 + b^2}) - (4*C*a^6*\tan(1/2*d*x + 1/2*c)^3 - 2*B*a^5*b*\tan(1/2*d*x + 1/2*c)^3 - 5*C*a^5*b*\tan(1/2*d*x + 1/2*c)^3 + 3*B*a^4*b^2*\tan(1/2*d*x + 1/2*c)^3 - 7*C*a^4*b^2*\tan(1/2*d*x + 1/2*c)^3 + 5*B*a^3*b^3*\tan(1/2*d*x + 1/2*c)^3 + 8*C*a^3*b^3*\tan(1/2*d*x + 1/2*c)^3 - 6*B*a^2*b^4*\tan(1/2*d*x + 1/2*c)^3 - 4*C*a^6*\tan(1/2*d*x + 1/2*c) + 2*B*a^5*b*\tan(1/2*d*x + 1/2*c) - 5*C*a^5*b*\tan(1/2*d*x + 1/2*c) + 3*B*a^4*b^2*\tan(1/2*d*x + 1/2*c) + 7*C*a^4*b^2*\tan(1/2*d*x + 1/2*c) - 5*B*a^3*b^3*\tan(1/2*d*x + 1/2*c) + 8*C*a^3*b^3*\tan(1/2*d*x + 1/2*c) - 6*B*a^2*b^4*\tan(1/2*d*x + 1/2*c)) / ((a^4*b^3 - 2*a^2*b^5 + b^7) * (a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^2) - (3*C*a - B*b) * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) / b^4 + (3*C*a - B*b) * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) / b^4 - 2*C*\tan(1/2*d*x + 1/2*c) / ((\tan(1/2*d*x + 1/2*c)^2 - 1) * b^3)) / d \end{aligned}$$

$$3.809 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=220

$$\frac{(a^2b^3B + 5a^3b^2C - 2a^5C - 6ab^4C + 2b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2(bB - aC) \tan(c+dx)}{2b^2d(a^2 - b^2)(a+b \sec(c+dx))^2} + \frac{a(a^2bB - a^2b^2C)}{2b^2d}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^3*d) + ((a^2*b^3*B + 2*b^5*B - 2*a^5*C + 5*a^3*b^2*C - 6*a*b^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^3*(a + b)^(5/2)*d) - (a^2*(b*B - a*C)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (a*(a^2*b*B - 4*b^3*B - 3*a^3*C + 6*a*b^2*C)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.750799, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4072, 4028, 4080, 3998, 3770, 3831, 2659, 208}

$$\frac{(a^2b^3B + 5a^3b^2C - 2a^5C - 6ab^4C + 2b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2(bB - aC) \tan(c+dx)}{2b^2d(a^2 - b^2)(a+b \sec(c+dx))^2} + \frac{a(a^2bB - a^2b^2C)}{2b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^3*d) + ((a^2*b^3*B + 2*b^5*B - 2*a^5*C + 5*a^3*b^2*C - 6*a*b^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^3*(a + b)^(5/2)*d) - (a^2*(b*B - a*C)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (a*(a^2*b*B - 4*b^3*B - 3*a^3*C + 6*a*b^2*C)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4028

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(a^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*b*(A*b - a*B)*(m + 1) - (A*b - a*B)*(a^2 + b^2*(m + 1))*Csc[e + f*x] + b*B*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4080

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (

$a - b)e^{2*x^2}, x], x, \text{Tan}[(c + d*x)/2]/e], x]] /; \text{FreeQ}\{a, b, c, d\}, x]$
 $\&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] :> \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/$
 $\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)(B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^3} dx &= \int \frac{\sec^3(c + dx)(B + C \sec(c + dx))}{(a + b \sec(c + dx))^3} dx \\ &= -\frac{a^2(bB - aC) \tan(c + dx)}{2b^2(a^2 - b^2)d(a + b \sec(c + dx))^2} - \int \frac{\sec(c + dx)(-2ab(bB - aC) - (a^2 - b^2))}{(a + b \sec(c + dx))^3} dx \\ &= -\frac{a^2(bB - aC) \tan(c + dx)}{2b^2(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{a(a^2bB - 4b^3B - 3a^3C + 3abC)}{2b^2(a^2 - b^2)^2d(a + b \sec(c + dx))} \\ &= -\frac{a^2(bB - aC) \tan(c + dx)}{2b^2(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{a(a^2bB - 4b^3B - 3a^3C + 3abC)}{2b^2(a^2 - b^2)^2d(a + b \sec(c + dx))} \\ &= \frac{C \tanh^{-1}(\sin(c + dx))}{b^3d} - \frac{a^2(bB - aC) \tan(c + dx)}{2b^2(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{a(a^2bB - 4b^3B - 3a^3C + 3abC)}{2b^2(a^2 - b^2)^2d(a + b \sec(c + dx))} \\ &= \frac{C \tanh^{-1}(\sin(c + dx))}{b^3d} - \frac{a^2(bB - aC) \tan(c + dx)}{2b^2(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{a(a^2bB - 4b^3B - 3a^3C + 3abC)}{2b^2(a^2 - b^2)^2d(a + b \sec(c + dx))} \\ &= \frac{C \tanh^{-1}(\sin(c + dx))}{b^3d} + \frac{(a^2b^3B + 2b^5B - 2a^5C + 5a^3b^2C - 6abC)}{(a - b)^{5/2}b^3(a + b \sec(c + dx))} \end{aligned}$$

Mathematica [A] time = 1.88124, size = 270, normalized size = 1.23

$$\cos(c + dx)(B + C \sec(c + dx)) \left(\frac{ab(-2a^3C + 5ab^2C - 3b^3B) \sin(c + dx)}{(a - b)^2(a + b)^2(a \cos(c + dx) + b)} + \frac{2(-a^2b^3B - 5a^3b^2C + 2a^5C + 6ab^4C - 2b^5B) \tanh^{-1}\left(\frac{(b - a) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{5/2}} + \frac{a(a^2bB - 4b^3B - 3a^3C + 3abC)}{2b^2(a^2 - b^2)^2d(a + b \sec(c + dx))} \right)$$

$2b^3d(B \cos(c + dx) + C \sec(c + dx))$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]
```

```
[Out] (Cos[c + d*x]*(B + C*Sec[c + d*x])*((2*(-(a^2*b^3*B) - 2*b^5*B + 2*a^5*C - 5*a^3*b^2*C + 6*a*b^4*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(5/2) - 2*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a*b^2*(-(b*B) + a*C)*Sin[c + d*x])/((-a + b)*(a + b)*(b + a*cos[c + d*x])^2) + (a*b*(-3*b^3*B - 2*a^3*C + 5*a*b^2*C)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(b + a*cos[c + d*x])))/(2*b^3*d*(C + B*cos[c + d*x]))
```

Maple [B] time = 0.098, size = 1085, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] 1/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B+4/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B+2/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C-1/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C-6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+1/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B-4/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B-2/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C-1/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C+6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C+1/d/(a^4-2*a^2*b^2+b^4)/(a+b)*(a-b)^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B*a^2+2/d*b^2/(a^4-2*a^2*b^2+b^4)/(a+b)*(a-b)^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-2/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/(a+b)*(a-b)^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+5/d*a^3/b/(a^4-2*a^2*b^2+b^4)/(a+b)*(a-b)^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-6/d*b/(a^4-2*a^2*b^2+b^4)/(a+b)*(a-b)^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C*a+1/d/b^3*ln(tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))
```


$$2*d*x+1/2*c)+1)*C-1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*C$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 43.407, size = 3051, normalized size = 13.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="fricas")
```

```
[Out] [-1/4*((2*C*a^5*b^2 - 5*C*a^3*b^4 - B*a^2*b^5 + 6*C*a*b^6 - 2*B*b^7 + (2*C*
a^7 - 5*C*a^5*b^2 - B*a^4*b^3 + 6*C*a^3*b^4 - 2*B*a^2*b^5)*cos(d*x + c)^2 +
2*(2*C*a^6*b - 5*C*a^4*b^3 - B*a^3*b^4 + 6*C*a^2*b^5 - 2*B*a*b^6)*cos(d*x
+ c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^
2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2
*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 2*(C*a^6*b^2 - 3*C*a^4*b^4 +
3*C*a^2*b^6 - C*b^8 + (C*a^8 - 3*C*a^6*b^2 + 3*C*a^4*b^4 - C*a^2*b^6)*cos(
d*x + c)^2 + 2*(C*a^7*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 - C*a*b^7)*cos(d*x + c)
)*log(sin(d*x + c) + 1) + 2*(C*a^6*b^2 - 3*C*a^4*b^4 + 3*C*a^2*b^6 - C*b^8
+ (C*a^8 - 3*C*a^6*b^2 + 3*C*a^4*b^4 - C*a^2*b^6)*cos(d*x + c)^2 + 2*(C*a^7
*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 - C*a*b^7)*cos(d*x + c))*log(-sin(d*x + c) +
1) + 2*(3*C*a^6*b^2 - B*a^5*b^3 - 9*C*a^4*b^4 + 5*B*a^3*b^5 + 6*C*a^2*b^6
- 4*B*a*b^7 + (2*C*a^7*b - 7*C*a^5*b^3 + 3*B*a^4*b^4 + 5*C*a^3*b^5 - 3*B*a^
2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 3*a^6*b^5 + 3*a^4*b^7 - a^2*
b^9)*d*cos(d*x + c)^2 + 2*(a^7*b^4 - 3*a^5*b^6 + 3*a^3*b^8 - a*b^10)*d*cos(
d*x + c) + (a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*d), -1/2*((2*C*a^5*b^2
- 5*C*a^3*b^4 - B*a^2*b^5 + 6*C*a*b^6 - 2*B*b^7 + (2*C*a^7 - 5*C*a^5*b^2 -
B*a^4*b^3 + 6*C*a^3*b^4 - 2*B*a^2*b^5)*cos(d*x + c)^2 + 2*(2*C*a^6*b - 5*C*
```

$$\begin{aligned}
& a^4 b^3 - B a^3 b^4 + 6 C a^2 b^5 - 2 B a b^6) \cos(dx + c) \sqrt{-a^2 + b^2} \\
& 2) \arctan(-\sqrt{-a^2 + b^2} (b \cos(dx + c) + a) / ((a^2 - b^2) \sin(dx + c))) \\
&) - (C a^6 b^2 - 3 C a^4 b^4 + 3 C a^2 b^6 - C b^8 + (C a^8 - 3 C a^6 b^2 + \\
& 3 C a^4 b^4 - C a^2 b^6) \cos(dx + c)^2 + 2 (C a^7 b - 3 C a^5 b^3 + 3 C a^3 b^5 - \\
& C a b^7) \cos(dx + c)) \log(\sin(dx + c) + 1) + (C a^6 b^2 - 3 C a^4 b^4 + \\
& 3 C a^2 b^6 - C b^8 + (C a^8 - 3 C a^6 b^2 + 3 C a^4 b^4 - C a^2 b^6) \cos(dx + c)^2 + \\
& 2 (C a^7 b - 3 C a^5 b^3 + 3 C a^3 b^5 - C a b^7) \cos(dx + c)) \log(-\sin(dx + c) + 1) + \\
& (3 C a^6 b^2 - B a^5 b^3 - 9 C a^4 b^4 + 5 B a^3 b^5 + 6 C a^2 b^6 - 4 B a b^7 + \\
& (2 C a^7 b - 7 C a^5 b^3 + 3 B a^4 b^4 + 5 C a^3 b^5 - 3 B a^2 b^6) \cos(dx + c)) \sin(dx + c) / \\
& ((a^8 b^3 - 3 a^6 b^5 + 3 a^4 b^7 - a^2 b^9) d \cos(dx + c)^2 + 2 (a^7 b^4 - 3 a^5 b^6 + \\
& 3 a^3 b^8 - a b^{10}) d \cos(dx + c) + (a^6 b^5 - 3 a^4 b^7 + 3 a^2 b^9 - b^{11}) d)]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(B*sec(dx+c)+C*sec(dx+c)**2)/(a+b*sec(dx+c))**3, x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.46216, size = 656, normalized size = 2.98

$$\frac{(2 C a^5 - 5 C a^3 b^2 - B a^2 b^3 + 6 C a b^4 - 2 B b^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 b^3 - 2 a^2 b^5 + b^7) \sqrt{-a^2+b^2}} - \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b^3} + \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^3, x, algorithm="giac")

```
[Out] -((2*C*a^5 - 5*C*a^3*b^2 - B*a^2*b^3 + 6*C*a*b^4 - 2*B*b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/sqrt(-a^2 + b^2)) - C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 + C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^3 - (2*C*a^5*tan(1/2*d*x + 1/2*c)^3 - 3*C*a^4*b*tan(1/2*d*x + 1/2*c)^3 + B*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 - 5*C*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 + 3*B*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 - 4*B*a*b^4*tan(1/2*d*x + 1/2*c)^3 - 2*C*a^5*tan(1/2*d*x + 1/2*c) - 3*C*a^4*b*tan(1/2*d*x + 1/2*c) + B*a^3*b^2*tan(1/2*d*x + 1/2*c) + 5*C*a^3*b^2*tan(1/2*d*x + 1/2*c) - 3*B*a^2*b^3*tan(1/2*d*x + 1/2*c) + 6*C*a^2*b^3*tan(1/2*d*x + 1/2*c) - 4*B*a*b^4*tan(1/2*d*x + 1/2*c))/(a^4*b^2 - 2*a^2*b^4 + b^6)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)^2)/d
```

$$3.810 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=180

$$\frac{(a^2(-C) + 3abB - 2b^2C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(a^2bB + a^3C - 4ab^2C + 2b^3B) \tan(c+dx)}{2bd(a^2 - b^2)^2(a+b \sec(c+dx))} + \frac{a(bB - aC) \tan(c+dx)}{2bd(a^2 - b^2)(a+b \sec(c+dx))}$$

[Out] -(((3*a*b*B - a^2*C - 2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d)) + (a*(b*B - a*C)*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((a^2*b*B + 2*b^3*B + a^3*C - 4*a*b^2*C)*Tan[c + d*x])/(2*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.370616, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {4072, 4009, 4003, 12, 3831, 2659, 208}

$$\frac{(a^2(-C) + 3abB - 2b^2C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(a^2bB + a^3C - 4ab^2C + 2b^3B) \tan(c+dx)}{2bd(a^2 - b^2)^2(a+b \sec(c+dx))} + \frac{a(bB - aC) \tan(c+dx)}{2bd(a^2 - b^2)(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]

[Out] -(((3*a*b*B - a^2*C - 2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d)) + (a*(b*B - a*C)*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((a^2*b*B + 2*b^3*B + a^3*C - 4*a*b^2*C)*Tan[c + d*x])/(2*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4009

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*(A*b - a*B)*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*
Simp[b*(A*b - a*B)*(m + 1) - (a*A*b*(m + 2) - B*(a^2 + b^2*(m + 1)))*Csc[e
+ f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] &&
NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e
+ f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(
(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a
*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{
a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -
1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= \int \frac{\sec^2(c+dx)(B+C\sec(c+dx))}{(a+b\sec(c+dx))^3} dx \\
&= \frac{a(bB-aC)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{\int \frac{\sec(c+dx)(-2b(bB-aC)+(abB+a^2C-2a^2b))}{(a+b\sec(c+dx))^2} dx}{2b(a^2-b^2)} \\
&= \frac{a(bB-aC)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2bB+2b^3B+a^3C-4ab^2C)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(bB-aC)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2bB+2b^3B+a^3C-4ab^2C)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(bB-aC)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2bB+2b^3B+a^3C-4ab^2C)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(bB-aC)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2bB+2b^3B+a^3C-4ab^2C)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(bB-aC)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2bB+2b^3B+a^3C-4ab^2C)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{(3abB-a^2C-2b^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} + \frac{a(bB-aC)}{2b(a^2-b^2)d(a+b\sec(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.664668, size = 157, normalized size = 0.87

$$\frac{(2a^2B-3abC+b^2B)\sin(c+dx)}{(a-b)^2(a+b)^2(a\cos(c+dx)+b)} - \frac{2(a^2C-3abB+2b^2C)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2}} + \frac{(aC-bB)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)^2}$$

$2d$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((-2*(-3*a*b*B + a^2*C + 2*b^2*C)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]))/(a^2 - b^2)^(5/2) + ((-(b*B) + a*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x])^2) + ((2*a^2*B + b^2*B - 3*a*b*C)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(b + a*Cos[c + d*x]))/(2*d)

Maple [A] time = 0.087, size = 238, normalized size = 1.3

$$\frac{1}{d} \left(2 \frac{1}{((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)^2} \left(-1/2 \frac{(2Ba^2 + Bab + 2Bb^2 - a^2C - 4abC) (\tan(1/2 dx + c/2))}{(a-b)(a^2 + 2ab + b^2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)`

[Out] `1/d*(2*(-1/2*(2*B*a^2+B*a*b+2*B*b^2-C*a^2-4*C*a*b)/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3+1/2*(2*B*a^2-B*a*b+2*B*b^2+C*a^2-4*C*a*b)/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c))/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2-(3*B*a*b-C*a^2-2*C*b^2)/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2)))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.648945, size = 1631, normalized size = 9.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] `[1/4*((C*a^2*b^2 - 3*B*a*b^3 + 2*C*b^4 + (C*a^4 - 3*B*a^3*b + 2*C*a^2*b^2)*cos(d*x + c)^2 + 2*(C*a^3*b - 3*B*a^2*b^2 + 2*C*a*b^3)*cos(d*x + c))*sqrt(a`

$$\begin{aligned} &^2 - b^2) \cdot \log((2ab \cos(dx + c) - (a^2 - 2b^2) \cos(dx + c)^2 + 2\sqrt{a^2 - b^2} (b \cos(dx + c) + a) \sin(dx + c) + 2a^2 - b^2) / (a^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + b^2)) + 2(Ca^5 + Ba^4b - 5Ca^3b^2 + Ba^2b^3 + 4Cab^4 - 2Bb^5 + (2Ba^5 - 3Ca^4b - Ba^3b^2 + 3Ca^2b^3 - Bab^4) \cos(dx + c)) \sin(dx + c) / ((a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6) d \cos(dx + c)^2 + 2(a^7b - 3a^5b^3 + 3a^3b^5 - ab^7) d \cos(dx + c) + (a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8) d), 1/2 * ((Ca^2b^2 - 3Bab^3 + 2Cb^4 + (Ca^4 - 3Bba^3b + 2Ca^2b^2) \cos(dx + c)^2 + 2(Ca^3b - 3Ba^2b^2 + 2Cab^3) \cos(dx + c)) \sqrt{-a^2 + b^2} \arctan(-\sqrt{-a^2 + b^2} (b \cos(dx + c) + a) / ((a^2 - b^2) \sin(dx + c))) + (Ca^5 + Ba^4b - 5Ca^3b^2 + Ba^2b^3 + 4Cab^4 - 2Bb^5 + (2Ba^5 - 3Ca^4b - Ba^3b^2 + 3Ca^2b^3 - Bab^4) \cos(dx + c)) \sin(dx + c) / ((a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6) d \cos(dx + c)^2 + 2(a^7b - 3a^5b^3 + 3a^3b^5 - ab^7) d \cos(dx + c) + (a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8) d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(B*sec(dx+c)+C*sec(dx+c)**2)/(a+b*sec(dx+c))**3,x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.40995, size = 540, normalized size = 3.

$$\frac{(Ca^2 - 3Bab + 2Cb^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4) \sqrt{-a^2+b^2}} - \frac{2Ba^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ca^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ba^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^3,x, algorithm="giac")


```
[Out] ((C*a^2 - 3*B*a*b + 2*C*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2
*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 +
b^2)))/((a^4 - 2*a^2*b^2 + b^4)*sqrt(-a^2 + b^2)) - (2*B*a^3*tan(1/2*d*x +
1/2*c)^3 - C*a^3*tan(1/2*d*x + 1/2*c)^3 - B*a^2*b*tan(1/2*d*x + 1/2*c)^3 -
3*C*a^2*b*tan(1/2*d*x + 1/2*c)^3 + B*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 4*C*a*
b^2*tan(1/2*d*x + 1/2*c)^3 - 2*B*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^3*tan(1
/2*d*x + 1/2*c) - C*a^3*tan(1/2*d*x + 1/2*c) - B*a^2*b*tan(1/2*d*x + 1/2*c)
+ 3*C*a^2*b*tan(1/2*d*x + 1/2*c) - B*a*b^2*tan(1/2*d*x + 1/2*c) + 4*C*a*b^
2*tan(1/2*d*x + 1/2*c) - 2*B*b^3*tan(1/2*d*x + 1/2*c))/((a^4 - 2*a^2*b^2 +
b^4)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)^2)/d
```

$$3.811 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=164

$$\frac{(2a^2B - 3abC + b^2B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-C) + 3abB - 2b^2C) \tan(c+dx)}{2d(a^2 - b^2)^2(a+b \sec(c+dx))} - \frac{(bB - aC) \tan(c+dx)}{2d(a^2 - b^2)(a+b \sec(c+dx))}$$

[Out] ((2*a^2*B + b^2*B - 3*a*b*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d) - ((b*B - a*C)*Tan[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((3*a*b*B - a^2*C - 2*b^2*C)*Tan[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.264986, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4060, 12, 3831, 2659, 208}

$$\frac{(2a^2B - 3abC + b^2B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-C) + 3abB - 2b^2C) \tan(c+dx)}{2d(a^2 - b^2)^2(a+b \sec(c+dx))} - \frac{(bB - aC) \tan(c+dx)}{2d(a^2 - b^2)(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3,x]

[Out] ((2*a^2*B + b^2*B - 3*a*b*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d) - ((b*B - a*C)*Tan[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((3*a*b*B - a^2*C - 2*b^2*C)*Tan[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f},
x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx &= -\frac{(bB-aC) \tan(c+dx)}{2(a^2-b^2)d(a+b \sec(c+dx))^2} - \frac{\int \frac{-2a(aB-bC) \sec(c+dx)+a(bB-aC) \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx}{2a(a^2-b^2)} \\
&= -\frac{(bB-aC) \tan(c+dx)}{2(a^2-b^2)d(a+b \sec(c+dx))^2} - \frac{(3abB-a^2C-2b^2C) \tan(c+dx)}{2(a^2-b^2)^2 d(a+b \sec(c+dx))} + \frac{\int \frac{a^2(2a^2}{(a+b \sec(c+dx))^2} dx}{2(a^2-b^2)^2 d(a+b \sec(c+dx))} \\
&= -\frac{(bB-aC) \tan(c+dx)}{2(a^2-b^2)d(a+b \sec(c+dx))^2} - \frac{(3abB-a^2C-2b^2C) \tan(c+dx)}{2(a^2-b^2)^2 d(a+b \sec(c+dx))} + \frac{(2a^2B+a^2C)}{2(a^2-b^2)^2 d(a+b \sec(c+dx))} \\
&= -\frac{(bB-aC) \tan(c+dx)}{2(a^2-b^2)d(a+b \sec(c+dx))^2} - \frac{(3abB-a^2C-2b^2C) \tan(c+dx)}{2(a^2-b^2)^2 d(a+b \sec(c+dx))} + \frac{(2a^2B+a^2C)}{2(a^2-b^2)^2 d(a+b \sec(c+dx))} \\
&= -\frac{(bB-aC) \tan(c+dx)}{2(a^2-b^2)d(a+b \sec(c+dx))^2} - \frac{(3abB-a^2C-2b^2C) \tan(c+dx)}{2(a^2-b^2)^2 d(a+b \sec(c+dx))} + \frac{(2a^2B+a^2C)}{2(a^2-b^2)^2 d(a+b \sec(c+dx))} \\
&= \frac{(2a^2B+b^2B-3abC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} - \frac{(bB-aC) \tan(c+dx)}{2(a^2-b^2)d(a+b \sec(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.840085, size = 172, normalized size = 1.05

$$\frac{\frac{(-4a^2bB+2a^3C+ab^2C+b^3B) \sin(c+dx)}{a(a-b)^2(a+b)^2(a \cos(c+dx)+b)} - \frac{2(2a^2B-3abC+b^2B) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2}} + \frac{b(bB-aC) \sin(c+dx)}{a(a-b)(a+b)(a \cos(c+dx)+b)^2}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3,x]

[Out] ((-2*(2*a^2*B + b^2*B - 3*a*b*C)*ArcTanh[((-a + b)*Tan[(c + d*x])/2])/Sqrt[a^2 - b^2])/(a^2 - b^2)^(5/2) + (b*(b*B - a*C)*Sin[c + d*x])/(a*(a - b)*(a + b)*(b + a*Cos[c + d*x])^2) + ((-4*a^2*b*B + b^3*B + 2*a^3*C + a*b^2*C)*Sin[c + d*x])/(a*(a - b)^2*(a + b)^2*(b + a*Cos[c + d*x]))/(2*d)

Maple [A] time = 0.091, size = 236, normalized size = 1.4

$$\frac{1}{d} \left(-2 \frac{1}{\left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)^2} \left(-1/2 \frac{(4 Bab + Bb^2 - 2 a^2 C - abC - 2 b^2 C) (\tan(1/2 dx + c/2))}{(a - b) (a^2 + 2 ab + b^2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)

[Out] 1/d*(-2*(-1/2*(4*B*a*b+B*b^2-2*C*a^2-C*a*b-2*C*b^2)/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3+1/2*(4*B*a*b-B*b^2-2*C*a^2+C*a*b-2*C*b^2)/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c))/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2+(2*B*a^2+B*b^2-3*C*a*b)/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arc tanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.651, size = 1631, normalized size = 9.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] [1/4*((2*B*a^2*b^2 - 3*C*a*b^3 + B*b^4 + (2*B*a^4 - 3*C*a^3*b + B*a^2*b^2)*cos(d*x + c)^2 + 2*(2*B*a^3*b - 3*C*a^2*b^2 + B*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a

$$\begin{aligned} &^2 - b^2) * (b * \cos(dx + c) + a) * \sin(dx + c) + 2 * a^2 - b^2) / (a^2 * \cos(dx + c) \\ &)^2 + 2 * a * b * \cos(dx + c) + b^2)) + 2 * (C * a^4 * b - 3 * B * a^3 * b^2 + C * a^2 * b^3 + 3 \\ &* B * a * b^4 - 2 * C * b^5 + (2 * C * a^5 - 4 * B * a^4 * b - C * a^3 * b^2 + 5 * B * a^2 * b^3 - C * a * b \\ &^4 - B * b^5) * \cos(dx + c)) * \sin(dx + c)) / ((a^8 - 3 * a^6 * b^2 + 3 * a^4 * b^4 - a^2 \\ &* b^6) * d * \cos(dx + c)^2 + 2 * (a^7 * b - 3 * a^5 * b^3 + 3 * a^3 * b^5 - a * b^7) * d * \cos(dx \\ &x + c) + (a^6 * b^2 - 3 * a^4 * b^4 + 3 * a^2 * b^6 - b^8) * d), 1/2 * ((2 * B * a^2 * b^2 - 3 * \\ &C * a * b^3 + B * b^4 + (2 * B * a^4 - 3 * C * a^3 * b + B * a^2 * b^2) * \cos(dx + c))^2 + 2 * (2 * B \\ &* a^3 * b - 3 * C * a^2 * b^2 + B * a * b^3) * \cos(dx + c)) * \sqrt{-a^2 + b^2} * \arctan(-\sqrt{ \\ &(-a^2 + b^2) * (b * \cos(dx + c) + a) / ((a^2 - b^2) * \sin(dx + c))}) + (C * a^4 * b - \\ &3 * B * a^3 * b^2 + C * a^2 * b^3 + 3 * B * a * b^4 - 2 * C * b^5 + (2 * C * a^5 - 4 * B * a^4 * b - C * a^ \\ &3 * b^2 + 5 * B * a^2 * b^3 - C * a * b^4 - B * b^5) * \cos(dx + c)) * \sin(dx + c)) / ((a^8 - \\ &3 * a^6 * b^2 + 3 * a^4 * b^4 - a^2 * b^6) * d * \cos(dx + c)^2 + 2 * (a^7 * b - 3 * a^5 * b^3 + \\ &3 * a^3 * b^5 - a * b^7) * d * \cos(dx + c) + (a^6 * b^2 - 3 * a^4 * b^4 + 3 * a^2 * b^6 - b^8) \\ &* d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(dx+c)+C*sec(dx+c)**2)/(a+b*sec(dx+c))**3,x)

[Out] Integral((B + C*sec(c + dx))*sec(c + dx)/(a + b*sec(c + dx))**3, x)

Giac [B] time = 1.42175, size = 539, normalized size = 3.29

$$\frac{(2Ba^2 - 3Cab + Bb^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4) \sqrt{-a^2+b^2}} - \frac{2Ca^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 4Ba^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ca^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{\sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^3,x, algorithm="giac")

[Out] ((2*B*a^2 - 3*C*a*b + B*b^2)*(pi*floor(1/2*(dx + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*dx + 1/2*c) - b*tan(1/2*dx + 1/2*c))/sqrt(-a^2 +

$$\begin{aligned} & b^2)) / ((a^4 - 2a^2b^2 + b^4) \sqrt{-a^2 + b^2}) - (2Ca^3 \tan(1/2dx + 1/2c)^3 - 4Ba^2b \tan(1/2dx + 1/2c)^3 - Ca^2b \tan(1/2dx + 1/2c)^3 + 3Bab^2 \tan(1/2dx + 1/2c)^3 + C*ab^2 \tan(1/2dx + 1/2c)^3 + B*b^3 \tan(1/2dx + 1/2c)^3 - 2Cb^3 \tan(1/2dx + 1/2c)^3 - 2Ca^3 \tan(1/2dx + 1/2c) + 4Ba^2b \tan(1/2dx + 1/2c) - Ca^2b \tan(1/2dx + 1/2c) + 3Bab^2 \tan(1/2dx + 1/2c) - C*ab^2 \tan(1/2dx + 1/2c) - B*b^3 \tan(1/2dx + 1/2c) - 2Cb^3 \tan(1/2dx + 1/2c)) / ((a^4 - 2a^2b^2 + b^4) * (a \tan(1/2dx + 1/2c)^2 - b \tan(1/2dx + 1/2c)^2 - a - b)^2) / d \end{aligned}$$

$$3.812 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=205

$$\frac{(-5a^2b^3B - a^3b^2C + 6a^4bB - 2a^5C + 2b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b(5a^2bB - 3a^3C - 2b^3B) \tan(c+dx)}{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))} + \frac{b}{2ad(a+b \sec(c+dx))}$$

[Out] (B*x)/a^3 - (((6*a^4*b*B - 5*a^2*b^3*B + 2*b^5*B - 2*a^5*C - a^3*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(5/2)*(a + b)^(5/2)*d) + (b*(b*B - a*C)*Tan[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(5*a^2*b*B - 2*b^3*B - 3*a^3*C)*Tan[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.580986, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {4072, 3923, 4060, 3919, 3831, 2659, 208}

$$\frac{(-5a^2b^3B - a^3b^2C + 6a^4bB - 2a^5C + 2b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b(5a^2bB - 3a^3C - 2b^3B) \tan(c+dx)}{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))} + \frac{b}{2ad(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] (B*x)/a^3 - (((6*a^4*b*B - 5*a^2*b^3*B + 2*b^5*B - 2*a^5*C - a^3*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(5/2)*(a + b)^(5/2)*d) + (b*(b*B - a*C)*Tan[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(5*a^2*b*B - 2*b^3*B - 3*a^3*C)*Tan[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx &= \int \frac{B + C \sec(c+dx)}{(a+b \sec(c+dx))^3} dx \\
 &= \frac{b(bB - aC) \tan(c+dx)}{2a(a^2 - b^2)d(a+b \sec(c+dx))^2} - \frac{\int \frac{-2(a^2-b^2)B+2a(bB-aC)\sec(c+dx)-b}{(a+b \sec(c+dx))^2}}{2a(a^2 - b^2)} dx \\
 &= \frac{b(bB - aC) \tan(c+dx)}{2a(a^2 - b^2)d(a+b \sec(c+dx))^2} + \frac{b(5a^2bB - 2b^3B - 3a^3C) \tan(c+dx)}{2a^2(a^2 - b^2)^2 d(a+b \sec(c+dx))} \\
 &= \frac{Bx}{a^3} + \frac{b(bB - aC) \tan(c+dx)}{2a(a^2 - b^2)d(a+b \sec(c+dx))^2} + \frac{b(5a^2bB - 2b^3B - 3a^3C)}{2a^2(a^2 - b^2)^2 d(a+b \sec(c+dx))} \\
 &= \frac{Bx}{a^3} + \frac{b(bB - aC) \tan(c+dx)}{2a(a^2 - b^2)d(a+b \sec(c+dx))^2} + \frac{b(5a^2bB - 2b^3B - 3a^3C)}{2a^2(a^2 - b^2)^2 d(a+b \sec(c+dx))} \\
 &= \frac{Bx}{a^3} + \frac{b(bB - aC) \tan(c+dx)}{2a(a^2 - b^2)d(a+b \sec(c+dx))^2} + \frac{b(5a^2bB - 2b^3B - 3a^3C)}{2a^2(a^2 - b^2)^2 d(a+b \sec(c+dx))} \\
 &= \frac{Bx}{a^3} - \frac{(6a^4bB - 5a^2b^3B + 2b^5B - 2a^5C - a^3b^2C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^3(a-b)^{5/2}(a+b)^{5/2}d}
 \end{aligned}$$

Mathematica [A] time = 1.38194, size = 203, normalized size = 0.99

$$\frac{ab(6a^2bB - 4a^3C + ab^2C - 3b^3B) \sin(c+dx)}{(a-b)^2(a+b)^2(a \cos(c+dx)+b)} - \frac{2(5a^2b^3B + a^3b^2C - 6a^4bB + 2a^5C - 2b^5B) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2}} + \frac{ab^2(aC-bB) \sin(c+dx)}{(a-b)(a+b)(a \cos(c+dx)+b)^2} + 2B(c+dx)}{2a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]

```
[Out] (2*B*(c + d*x) - (2*(-6*a^4*b*B + 5*a^2*b^3*B - 2*b^5*B + 2*a^5*C + a^3*b^2
*C)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]))/(a^2 - b^2)^(5/2)
+ (a*b^2*(-(b*B) + a*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x]
)^2) + (a*b*(6*a^2*b*B - 3*b^3*B - 4*a^3*C + a*b^2*C)*Sin[c + d*x])/((a - b
)^2*(a + b)^2*(b + a*Cos[c + d*x]))/(2*a^3*d)
```

Maple [B] time = 0.125, size = 1063, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] 2/d*B/a^3*arctan(tan(1/2*d*x+1/2*c))-6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*
x+1/2*c)^2*b-a-b)^2*b^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-1/d/a/
(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a-b)/(a^2+2*a*b+
b^2)*tan(1/2*d*x+1/2*c)^3*B+2/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2
*c)^2*b-a-b)^2*b^4/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B+4/d*a/(tan(
1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b/(a-b)/(a^2+2*a*b+b^2)*ta
n(1/2*d*x+1/2*c)^3*C+1/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b
)^2*b^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+6/d/(tan(1/2*d*x+1/2*c
)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B-
1/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a+b)/(a-b)
^2*tan(1/2*d*x+1/2*c)*B-2/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^
2*b-a-b)^2*b^4/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B-4/d*a/(tan(1/2*d*x+1/2*c
)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C+1/d
/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^2/(a+b)/(a-b)^2*ta
n(1/2*d*x+1/2*c)*C-6/d*a*b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh(
(a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+5/d/a/(a^4-2*a^2*b^2+b^4)/(
(a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B*
b^3-2/d/a^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d
*x+1/2*c)/((a+b)*(a-b))^(1/2))*B*b^5+2/d*a^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-
b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+1/d/(a^4-
2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*
(a-b))^(1/2))*b^2*C
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 0.751762, size = 2479, normalized size = 12.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] [1/4*(4*(B*a^8 - 3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*d*x*cos(d*x + c)^2 + 8*(B*a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*d*x*cos(d*x + c) + 4*(B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8)*d*x - (2*C*a^5*b^2 - 6*B*a^4*b^3 + C*a^3*b^4 + 5*B*a^2*b^5 - 2*B*b^7 + (2*C*a^7 - 6*B*a^6*b + C*a^5*b^2 + 5*B*a^4*b^3 - 2*B*a^2*b^5)*cos(d*x + c)^2 + 2*(2*C*a^6*b - 6*B*a^5*b^2 + C*a^4*b^3 + 5*B*a^3*b^4 - 2*B*a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 2*(3*C*a^6*b^2 - 5*B*a^5*b^3 - 3*C*a^4*b^4 + 7*B*a^3*b^5 - 2*B*a*b^7 + (4*C*a^7*b - 6*B*a^6*b^2 - 5*C*a^5*b^3 + 9*B*a^4*b^4 + C*a^3*b^5 - 3*B*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*d*cos(d*x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7)*d*cos(d*x + c) + (a^9*b^2 - 3*a^7*b^4 + 3*a^5*b^6 - a^3*b^8)*d), 1/2*(2*(B*a^8 - 3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*d*x*cos(d*x + c)^2 + 4*(B*a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*d*x*cos(d*x + c) + 2*(B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8)*d*x + (2*C*a^5*b^2 - 6*B*a^4*b^3 + C*a^3*b^4 + 5*B*a^2*b^5 - 2*B*b^7 + (2*C*a^7 - 6*B*a^6*b + C*a^5*b^2 + 5*B*a^4*b^3 - 2*B*a^2*b^5)*cos(d*x + c)^2 + 2*(2*C*a^6*b - 6*B*a^5*b^2 + C*a^4*b^3 + 5*B*a^3*b^4 - 2*B*a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (3*C*a^6*b^2 - 5*B*a^5*b^3 - 3*C*a^4*b^4 + 7*B*a^3*b^5 - 2*B*a*b^7 + (4*C*a^7*b - 6*B*a^6*b^2 - 5*C*a^5*b^3 + 9*B*a^4*b^4 + C*a^3*b^5 - 3*B*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*d*cos(d*x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7)*d*cos(d*x + c) + (a^9*b^2 - 3*a^7*b^4 + 3*a^5*b^6 - a^3*b^8)*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [B] time = 1.61489, size = 617, normalized size = 3.01

$$\frac{(2Ca^5 - 6Ba^4b + Ca^3b^2 + 5Ba^2b^3 - 2Bb^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^7 - 2a^5b^2 + a^3b^4) \sqrt{-a^2+b^2}} + \frac{(dx+c)B}{a^3} + \frac{4Ca^4b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 6Ba^3}{-6Ba^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out]
$$\frac{((2Ca^5 - 6Ba^4b + Ca^3b^2 + 5Ba^2b^3 - 2Bb^5) * (\pi * \operatorname{floor}(1/2 * (dx + c) / \pi + 1/2) * \operatorname{sgn}(-2a + 2b) + \arctan(- (a * \tan(1/2 * dx + 1/2 * c) - b * \tan(1/2 * dx + 1/2 * c)) / \sqrt{-a^2 + b^2}))) / ((a^7 - 2a^5b^2 + a^3b^4) * \sqrt{-a^2 + b^2}) + (dx + c) * B / a^3 + (4Ca^4b * \tan(1/2 * dx + 1/2 * c)^3 - 6Ba^3b^2 * \tan(1/2 * dx + 1/2 * c)^3 - 3Ca^3b^2 * \tan(1/2 * dx + 1/2 * c)^3 + 5Ba^2b^3 * \tan(1/2 * dx + 1/2 * c)^3 - Ca^2b^3 * \tan(1/2 * dx + 1/2 * c)^3 + 3Ba^2b^4 * \tan(1/2 * dx + 1/2 * c)^3 - 2Bb^5 * \tan(1/2 * dx + 1/2 * c)^3 - 4Ca^4b * \tan(1/2 * dx + 1/2 * c) + 6Ba^3b^2 * \tan(1/2 * dx + 1/2 * c) - 3Ca^3b^2 * \tan(1/2 * dx + 1/2 * c) + 5Ba^2b^3 * \tan(1/2 * dx + 1/2 * c) + Ca^2b^3 * \tan(1/2 * dx + 1/2 * c) - 3Ba^2b^4 * \tan(1/2 * dx + 1/2 * c) - 2Bb^5 * \tan(1/2 * dx + 1/2 * c)) / ((a^6 - 2a^4b^2 + a^2b^4) * (a * \tan(1/2 * dx + 1/2 * c)^2 - b * \tan(1/2 * dx + 1/2 * c)^2 - a - b)^2)}{d}$$

$$3.813 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=290

$$\frac{(-11a^2b^2B + 5a^3bC + 2a^4B - 2ab^3C + 6b^4B) \sin(c+dx)}{2a^3d(a^2 - b^2)^2} + \frac{b(-15a^2b^3B + 5a^3b^2C + 12a^4bB - 6a^5C - 2ab^4C + 6b^5B) \tan(c+dx)}{a^4d(a-b)^{5/2}(a+b)^{5/2}}$$

[Out] -(((3*b*B - a*C)*x)/a^4) + (b*(12*a^4*b*B - 15*a^2*b^3*B + 6*b^5*B - 6*a^5*C + 5*a^3*b^2*C - 2*a*b^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(5/2)*(a + b)^(5/2)*d) + ((2*a^4*B - 11*a^2*b^2*B + 6*b^4*B + 5*a^3*b*C - 2*a*b^3*C)*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + (b*(b*B - a*C)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(6*a^2*b*B - 3*b^3*B - 4*a^3*C + a*b^2*C)*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.53299, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4072, 4030, 4100, 4104, 3919, 3831, 2659, 208}

$$\frac{(-11a^2b^2B + 5a^3bC + 2a^4B - 2ab^3C + 6b^4B) \sin(c+dx)}{2a^3d(a^2 - b^2)^2} + \frac{b(-15a^2b^3B + 5a^3b^2C + 12a^4bB - 6a^5C - 2ab^4C + 6b^5B) \tan(c+dx)}{a^4d(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] -(((3*b*B - a*C)*x)/a^4) + (b*(12*a^4*b*B - 15*a^2*b^3*B + 6*b^5*B - 6*a^5*C + 5*a^3*b^2*C - 2*a*b^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(5/2)*(a + b)^(5/2)*d) + ((2*a^4*B - 11*a^2*b^2*B + 6*b^4*B + 5*a^3*b*C - 2*a*b^3*C)*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + (b*(b*B - a*C)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(6*a^2*b*B - 3*b^3*B - 4*a^3*C + a*b^2*C)*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4030

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -

a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :=> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :=> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx &= \int \frac{\cos(c+dx)(B + C \sec(c+dx))}{(a+b \sec(c+dx))^3} dx \\
&= \frac{b(bB - aC) \sin(c+dx)}{2a(a^2 - b^2)d(a+b \sec(c+dx))^2} - \int \frac{\cos(c+dx)(-2a^2B + 3b^2B - abC + 2a^2C)}{(a+b \sec(c+dx))^3} dx \\
&= \frac{b(bB - aC) \sin(c+dx)}{2a(a^2 - b^2)d(a+b \sec(c+dx))^2} + \frac{b(6a^2bB - 3b^3B - 4a^3C + a^2C)}{2a^2(a^2 - b^2)^2 d(a+b \sec(c+dx))} \\
&= \frac{(2a^4B - 11a^2b^2B + 6b^4B + 5a^3bC - 2ab^3C) \sin(c+dx)}{2a^3(a^2 - b^2)^2 d} + \frac{b(12a^4bB - 15a^2b^3B + 6b^5B - 6a^5C + 5a^3b^2C)}{2a^4(a-b)^{5/2}(a+b)} \\
&= -\frac{(3bB - aC)x}{a^4} + \frac{(2a^4B - 11a^2b^2B + 6b^4B + 5a^3bC - 2ab^3C) \sin(c+dx)}{2a^3(a^2 - b^2)^2 d} \\
&= -\frac{(3bB - aC)x}{a^4} + \frac{(2a^4B - 11a^2b^2B + 6b^4B + 5a^3bC - 2ab^3C) \sin(c+dx)}{2a^3(a^2 - b^2)^2 d} \\
&= -\frac{(3bB - aC)x}{a^4} + \frac{(2a^4B - 11a^2b^2B + 6b^4B + 5a^3bC - 2ab^3C) \sin(c+dx)}{2a^3(a^2 - b^2)^2 d} \\
&= -\frac{(3bB - aC)x}{a^4} + \frac{b(12a^4bB - 15a^2b^3B + 6b^5B - 6a^5C + 5a^3b^2C)}{a^4(a-b)^{5/2}(a+b)}
\end{aligned}$$

Mathematica [A] time = 2.04294, size = 232, normalized size = 0.8

$$\frac{ab^2(-8a^2bB + 6a^3C - 3ab^2C + 5b^3B) \sin(c+dx)}{(a-b)^2(a+b)^2(a \cos(c+dx) + b)} - \frac{2b(-15a^2b^3B + 5a^3b^2C + 12a^4bB - 6a^5C - 2ab^4C + 6b^5B) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2}} + \frac{ab^3(bB-aC) \sin(c+dx)}{(a-b)(a+b)(a \cos(c+dx) + b)}$$

$$2a^4d$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

```
[Out] (2*(-3*b*B + a*C)*(c + d*x) - (2*b*(12*a^4*b*B - 15*a^2*b^3*B + 6*b^5*B - 6*a^5*C + 5*a^3*b^2*C - 2*a*b^4*C)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]))/(a^2 - b^2)^(5/2) + 2*a*B*Sin[c + d*x] + (a*b^3*(b*B - a*C)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x])^2) + (a*b^2*(-8*a^2*b*B + 5*b^3*B + 6*a^3*C - 3*a*b^2*C)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(b + a*Cos[c + d*x]))/(2*a^4*d)
```

Maple [B] time = 0.138, size = 1349, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] 2/d/a^3*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-6/d/a^4*B*arctan(tan(1/2*d*x+1/2*c))*b+2/d/a^3*C*arctan(tan(1/2*d*x+1/2*c))+8/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B+1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^4/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-4/d*b^5/a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C-1/d*b^3/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+2/d*b^4/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C-8/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B+1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^4/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B+4/d*b^5/a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B+6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C-1/d*b^3/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C-2/d*b^4/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C+12/d*b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-15/d*b^4/a^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+6/d*b^6/a^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-6/d*b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+a+5/d*b^3/a/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-2/d*b^5/a^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 0.896501, size = 3394, normalized size = 11.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="fricas")
```

```
[Out] [1/4*(4*(C*a^9 - 3*B*a^8*b - 3*C*a^7*b^2 + 9*B*a^6*b^3 + 3*C*a^5*b^4 - 9*B*
a^4*b^5 - C*a^3*b^6 + 3*B*a^2*b^7)*d*x*cos(d*x + c)^2 + 8*(C*a^8*b - 3*B*a^
7*b^2 - 3*C*a^6*b^3 + 9*B*a^5*b^4 + 3*C*a^4*b^5 - 9*B*a^3*b^6 - C*a^2*b^7 +
3*B*a*b^8)*d*x*cos(d*x + c) + 4*(C*a^7*b^2 - 3*B*a^6*b^3 - 3*C*a^5*b^4 + 9
*B*a^4*b^5 + 3*C*a^3*b^6 - 9*B*a^2*b^7 - C*a*b^8 + 3*B*b^9)*d*x - (6*C*a^5*
b^3 - 12*B*a^4*b^4 - 5*C*a^3*b^5 + 15*B*a^2*b^6 + 2*C*a*b^7 - 6*B*b^8 + (6*
C*a^7*b - 12*B*a^6*b^2 - 5*C*a^5*b^3 + 15*B*a^4*b^4 + 2*C*a^3*b^5 - 6*B*a^2
*b^6)*cos(d*x + c)^2 + 2*(6*C*a^6*b^2 - 12*B*a^5*b^3 - 5*C*a^4*b^4 + 15*B*a
^3*b^5 + 2*C*a^2*b^6 - 6*B*a*b^7)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*
cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x
+ c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x +
c) + b^2)) + 2*(2*B*a^7*b^2 + 5*C*a^6*b^3 - 13*B*a^5*b^4 - 7*C*a^4*b^5 + 1
7*B*a^3*b^6 + 2*C*a^2*b^7 - 6*B*a*b^8 + 2*(B*a^9 - 3*B*a^7*b^2 + 3*B*a^5*b^
4 - B*a^3*b^6)*cos(d*x + c)^2 + (4*B*a^8*b + 6*C*a^7*b^2 - 20*B*a^6*b^3 - 9
*C*a^5*b^4 + 25*B*a^4*b^5 + 3*C*a^3*b^6 - 9*B*a^2*b^7)*cos(d*x + c))*sin(d*
x + c))/((a^12 - 3*a^10*b^2 + 3*a^8*b^4 - a^6*b^6)*d*cos(d*x + c)^2 + 2*(a^
11*b - 3*a^9*b^3 + 3*a^7*b^5 - a^5*b^7)*d*cos(d*x + c) + (a^10*b^2 - 3*a^8*
b^4 + 3*a^6*b^6 - a^4*b^8)*d), 1/2*(2*(C*a^9 - 3*B*a^8*b - 3*C*a^7*b^2 + 9*
B*a^6*b^3 + 3*C*a^5*b^4 - 9*B*a^4*b^5 - C*a^3*b^6 + 3*B*a^2*b^7)*d*x*cos(d*
x + c)^2 + 4*(C*a^8*b - 3*B*a^7*b^2 - 3*C*a^6*b^3 + 9*B*a^5*b^4 + 3*C*a^4*b
```

$$\begin{aligned} &^5 - 9B^2a^3b^6 - C^2a^2b^7 + 3B^2a^4b^8)dx \cos(dx + c) + 2(C^2a^7b^2 - \\ &3B^2a^6b^3 - 3C^2a^5b^4 + 9B^2a^4b^5 + 3C^2a^3b^6 - 9B^2a^2b^7 - C^2a^2b^8 + 3B^2b^9)dx \\ &- (6C^2a^5b^3 - 12B^2a^4b^4 - 5C^2a^3b^5 + 15B^2a^2b^6 + 2C^2a^2b^7 - 6B^2b^8 + (6C^2a^7b - 12B^2a^6b^2 - 5C^2a^5b^3 + 15B^2a^4b^4 + 2C^2a^3b^5 - 6B^2a^2b^6) \cos(dx + c)^2 + 2(6C^2a^6b^2 - 12B^2a^5b^3 - 5C^2a^4b^4 + 15B^2a^3b^5 + 2C^2a^2b^6 - 6B^2a^2b^7) \cos(dx + c)) \sqrt{-a^2 + b^2} \arctan(-\sqrt{-a^2 + b^2}(b \cos(dx + c) + a) / ((a^2 - b^2) \sin(dx + c))) + (2B^2a^7b^2 + 5C^2a^6b^3 - 13B^2a^5b^4 - 7C^2a^4b^5 + 17B^2a^3b^6 + 2C^2a^2b^7 - 6B^2a^2b^8 + 2(B^2a^9 - 3B^2a^7b^2 + 3B^2a^5b^4 - B^2a^3b^6) \cos(dx + c)^2 + (4B^2a^8b + 6C^2a^7b^2 - 20B^2a^6b^3 - 9C^2a^5b^4 + 25B^2a^4b^5 + 3C^2a^3b^6 - 9B^2a^2b^7) \cos(dx + c)) \sin(dx + c) / ((a^{12} - 3a^{10}b^2 + 3a^8b^4 - a^6b^6) dx \cos(dx + c)^2 + 2(a^{11}b - 3a^9b^3 + 3a^7b^5 - a^5b^7) dx \cos(dx + c) + (a^{10}b^2 - 3a^8b^4 + 3a^6b^6 - a^4b^8) d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(B*sec(dx+c)+C*sec(dx+c)**2)/(a+b*sec(dx+c))**3, x)

[Out] Timed out

Giac [A] time = 1.40077, size = 737, normalized size = 2.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^3, x, algorithm="giac")

[Out] $-\left(\left(6C^2a^5b - 12B^2a^4b^2 - 5C^2a^3b^3 + 15B^2a^2b^4 + 2C^2a^2b^5 - 6B^2b^6\right) \left(\pi \operatorname{floor}\left(\frac{1}{2}(dx + c)\right) / \pi + \frac{1}{2}\right) \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2 + b^2}}\right)\right) / \left(\left(a^8 - 2a^6b^2 + a^4b^4\right) \sqrt{-a^2 + b^2}\right) + \left(6C^2a^4b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 8B^2\right)$

$$\begin{aligned}
& a^3 b^3 \tan(1/2 dx + 1/2 c)^3 - 5 C a^3 b^3 \tan(1/2 dx + 1/2 c)^3 + 7 B a^2 b^4 \tan(1/2 dx + 1/2 c)^3 \\
& - 3 C a^2 b^4 \tan(1/2 dx + 1/2 c)^3 + 5 B a b^5 \tan(1/2 dx + 1/2 c)^3 + 2 C a b^5 \tan(1/2 dx + 1/2 c)^3 \\
& - 4 B b^6 \tan(1/2 dx + 1/2 c)^3 - 6 C a^4 b^2 \tan(1/2 dx + 1/2 c) + 8 B a^3 b^3 \tan(1/2 dx + 1/2 c) \\
& - 5 C a^3 b^3 \tan(1/2 dx + 1/2 c) + 7 B a^2 b^4 \tan(1/2 dx + 1/2 c) + 3 C a^2 b^4 \tan(1/2 dx + 1/2 c) \\
& - 5 B a b^5 \tan(1/2 dx + 1/2 c) + 2 C a b^5 \tan(1/2 dx + 1/2 c) - 4 B b^6 \tan(1/2 dx + 1/2 c) \\
& \Big/ \left((a^7 - 2 a^5 b^2 + a^3 b^4) (a \tan(1/2 dx + 1/2 c))^2 - b \tan(1/2 dx + 1/2 c)^2 - (a - b)^2 \right) \\
& - (C a - 3 B b) (dx + c) / a^4 - 2 B \tan(1/2 dx + 1/2 c) / \left((\tan(1/2 dx + 1/2 c))^2 + 1 \right) a^3 \Big) / d
\end{aligned}$$

3.814 $\int \sec^3(c+dx)\sqrt{a+b\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx$

Optimal. Leaf size=485

$$\frac{2(a-b)\sqrt{a+b}(12a^2b(2B-C)-16a^3C+18ab^2(B-2C)+3b^3(25B-49C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{315b^4d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(24*a^3*b*B + 57*a*b^3*B - 16*a^4*C - 24*a^2*b^2*C
+ 147*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a
+ b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 +
Sec[c + d*x]))/(a - b))]/(315*b^5*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*
B - 49*C) + 18*a*b^2*(B - 2*C) + 12*a^2*b*(2*B - C) - 16*a^3*C)*Cot[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)
)]/(315*b^4*d) - (2*(12*a^2*b*B - 75*b^3*B - 8*a^3*C - 13*a*b^2*C)*Sqrt[a +
b*Sec[c + d*x]]*Tan[c + d*x])/(315*b^3*d) + (2*(9*a*b*B - 6*a^2*C + 49*b^2
*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(315*b^2*d) + (2*(9
*b*B + a*C)*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(63*b*d)
+ (2*C*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(9*d)
```

Rubi [A] time = 1.45366, antiderivative size = 485, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {4072, 4031, 4102, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(-6a^2C + 9abB + 49b^2C)\tan(c+dx)\sec(c+dx)\sqrt{a+b\sec(c+dx)}}{315b^2d} - \frac{2(12a^2bB - 8a^3C - 13ab^2C - 75b^3B)\tan(c+dx)}{315b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x
]^2),x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(24*a^3*b*B + 57*a*b^3*B - 16*a^4*C - 24*a^2*b^2*C
+ 147*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a
+ b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 +
Sec[c + d*x]))/(a - b))]/(315*b^5*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*
B - 49*C) + 18*a*b^2*(B - 2*C) + 12*a^2*b*(2*B - C) - 16*a^3*C)*Cot[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)
)]/(315*b^4*d) - (2*(12*a^2*b*B - 75*b^3*B - 8*a^3*C - 13*a*b^2*C)*Sqrt[a +
b*Sec[c + d*x]]*Tan[c + d*x])/(315*b^3*d) + (2*(9*a*b*B - 6*a^2*C + 49*b^2
*C)*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(63*b*d)
+ (2*C*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(9*d)
```

*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(315*b^2*d) + (2*(9*b*B + a*C)*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(63*b*d) + (2*C*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(9*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4031

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(m + n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n - 1)*Simp[a*B*(n - 1) + (b*B*(m + n - 1) + a*A*(m + n))*Csc[e + f*x] + (a*B*m + A*b*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && GtQ[n, 0]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

```

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol]
:> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

```

Rule 4005

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \sec^3(c + dx)\sqrt{a + b \sec(c + dx)}(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^4(c + dx)\sqrt{a + b \sec(c + dx)}(B + C \sec(c + dx)) dx \\
&= \frac{2C \sec^3(c + dx)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{9d} \\
&= \frac{2(9bB + aC) \sec^2(c + dx)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{63bd} \\
&= \frac{2(9abB - 6a^2C + 49b^2C) \sec(c + dx)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{315b^2d} \\
&= -\frac{2(12a^2bB - 75b^3B - 8a^3C - 13ab^2C)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{315b^3d} \\
&= -\frac{2(12a^2bB - 75b^3B - 8a^3C - 13ab^2C)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{315b^3d} \\
&= -\frac{2(a - b)\sqrt{a + b}(24a^3bB + 57ab^3B - 16a^4C - 24a^2b^2C + 147b^4C)\sin(c + dx)}{315b^4d} + \frac{2\sec^3(c + dx)(9bB \sin(c + dx) - 6a^2C \sin(c + dx) + 49b^2C \sin(c + dx))}{315b^2d} + \frac{2\sec^2(c + dx)(9abB \sin(c + dx) - 6a^2C \sin(c + dx) + 49b^2C \sin(c + dx))}{315b^3d} + \frac{2C \sec^3(c + dx) \tan(c + dx)}{9d} - \frac{8a^3B}{105b^2\sqrt{b + a \cos(c + dx)}\sqrt{\sec(c + dx)}} + \frac{16a^4C}{105b^3\sqrt{b + a \cos(c + dx)}\sqrt{\sec(c + dx)}} + \frac{8a^2C}{105b\sqrt{b + a \cos(c + dx)}\sqrt{\sec(c + dx)}} - \frac{7bC}{15\sqrt{b + a \cos(c + dx)}\sqrt{\sec(c + dx)}} - \frac{8a^4B\sqrt{\sec(c + dx)}}{105b^3\sqrt{b + a \cos(c + dx)}} - \frac{17a^2B\sqrt{\sec(c + dx)}}{105b\sqrt{b + a \cos(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 25.5508, size = 3734, normalized size = 7.7

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Sqrt[a + b*Sec[c + d*x]]*((2*(24*a^3*b*B + 57*a*b^3*B - 16*a^4*C - 24*a^2*b^2*C + 147*b^4*C)*Sin[c + d*x])/(315*b^4) + (2*Sec[c + d*x]^3*(9*b*B*SIN[c + d*x] + a*C*SIN[c + d*x]))/(63*b) + (2*Sec[c + d*x]^2*(9*a*b*B*SIN[c + d*x] - 6*a^2*C*SIN[c + d*x] + 49*b^2*C*SIN[c + d*x]))/(315*b^2) + (2*Sec[c + d*x]*(-12*a^2*b*B*SIN[c + d*x] + 75*b^3*B*SIN[c + d*x] + 8*a^3*C*SIN[c + d*x] + 13*a*b^2*C*SIN[c + d*x]))/(315*b^3) + (2*C*Sec[c + d*x]^3*Tan[c + d*x])/9))/d + (2*((-19*a*B)/(105*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^3*B)/(105*b^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*a^4*C)/(315*b^3*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (8*a^2*C)/(105*b*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (7*b*C)/(15*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^4*B*Sqrt[Sec[c + d*x]])/(105*b^3*Sqrt[b + a*Cos[c + d*x]]) - (17*a^2*B*Sqrt[Sec[c + d*x]])/(105*b*Sqrt[b + a*Cos[c + d*x]]))
```

$$\begin{aligned}
& c + d*x]] + (5*b*B*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (4* \\
& a*C*Sqrt[Sec[c + d*x]])/(35*Sqrt[b + a*Cos[c + d*x]]) + (16*a^5*C*Sqrt[Sec[\\
& c + d*x]])/(315*b^4*Sqrt[b + a*Cos[c + d*x]]) + (4*a^3*C*Sqrt[Sec[c + d*x]] \\
&)/(63*b^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c \\
& + d*x]])/(105*b^3*Sqrt[b + a*Cos[c + d*x]]) - (19*a^2*B*Cos[2*(c + d*x)]*Sq \\
& rt[Sec[c + d*x]])/(105*b*Sqrt[b + a*Cos[c + d*x]]) - (7*a*C*Cos[2*(c + d*x) \\
&]*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) + (16*a^5*C*Cos[2*(c + \\
& d*x)]*Sqrt[Sec[c + d*x]])/(315*b^4*Sqrt[b + a*Cos[c + d*x]]) + (8*a^3*C*Cos \\
& [2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*b^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[\\
& Cos[(c + d*x)/2]^2*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(2*(a + b)*(-24*a \\
& ^3*b*B - 57*a*b^3*B + 16*a^4*C + 24*a^2*b^2*C - 147*b^4*C)*Sqrt[Cos[c + d*x \\
&]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]) \\
&)]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16* \\
& a^3*C + 12*a^2*b*(2*B + C) - 18*a*b^2*(B + 2*C) + 3*b^3*(25*B + 49*C))*Sqrt \\
& [Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + C \\
& os[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-24* \\
& a^3*b*B - 57*a*b^3*B + 16*a^4*C + 24*a^2*b^2*C - 147*b^4*C)*Cos[c + d*x]*(b \\
& + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((315*b^4*d*(b + a* \\
& Cos[c + d*x])*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]]*((a*Sqrt[Cos[(c + \\
& d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-24*a^3*b*B - 57*a*b^3*B \\
& + 16*a^4*C + 24*a^2*b^2*C - 147*b^4*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]) \\
&]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[\\
& Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^3*C + 12*a^2*b*(2* \\
& B + C) - 18*a*b^2*(B + 2*C) + 3*b^3*(25*B + 49*C))*Sqrt[Cos[c + d*x]/(1 + C \\
& os[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Ellip \\
& ticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-24*a^3*b*B - 57*a*b^3*B \\
& + 16*a^4*C + 24*a^2*b^2*C - 147*b^4*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*S \\
& ec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((315*b^4*(b + a*Cos[c + d*x])^(3/2)*Sq \\
& rt[Sec[(c + d*x)/2]^2]) - (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d \\
& *x)/2]*(2*(a + b)*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 24*a^2*b^2*C - 147 \\
& *b^4*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a \\
& + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + \\
& b)] + 2*b*(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) - 18*a*b^2*(B + 2*C) + 3 \\
& *b^3*(25*B + 49*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c \\
& + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], \\
& (a - b)/(a + b)] + (-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 24*a^2*b^2*C - 14 \\
& 7*b^4*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x) \\
& /2])/((315*b^4*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + (2*Sqrt \\
& [Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(((-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + \\
& 24*a^2*b^2*C - 147*b^4*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2 \\
&]^4)/2 + ((a + b)*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 24*a^2*b^2*C - 147 \\
& *b^4*C)*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[A \\
& rcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + \\
& Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + \\
& Cos[c + d*x]]) + (b*(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) - 18*a*b^2*(B
\end{aligned}$$

$$\begin{aligned}
& + 2*C) + 3*b^3*(25*B + 49*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d \\
& *x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/ \\
& \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(-24*a^3*b*B - 57*a*b^3*B \\
& + 16*a^4*C + 24*a^2*b^2*C - 147*b^4*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]) \\
&]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/ \\
& ((a + b)*(1 + \text{Cos}[c + d*x]))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b \\
&)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d \\
& *x]))] + (b*(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) - 18*a*b^2*(B + 2*C) + \\
& 3*b^3*(25*B + 49*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin} \\
& [\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[\\
& c + d*x]))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x \\
&])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(-24*a^ \\
& 3*b*B - 57*a*b^3*B + 16*a^4*C + 24*a^2*b^2*C - 147*b^4*C)*\text{Cos}[c + d*x]*\text{Sec} \\
& (c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-24*a^3*b*B - 57*a*b^3*B + \\
& 16*a^4*C + 24*a^2*b^2*C - 147*b^4*C)*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^ \\
& 2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 24 \\
& *a^2*b^2*C - 147*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^ \\
& 2*\text{Tan}[(c + d*x)/2]^2 + (b*(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) - 18*a*b^ \\
& 2*(B + 2*C) + 3*b^3*(25*B + 49*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sq} \\
& \text{rt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/ \\
& \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b) \\
&) + ((a + b)*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 24*a^2*b^2*C - 147*b^4* \\
& C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b \\
&)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2 \\
& ^2)/(a + b)])/ \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2)])/ (315*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d* \\
& x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((2*(a + b)*(-24*a^3*b*B - 57*a*b^3*B + 16* \\
& a^4*C + 24*a^2*b^2*C - 147*b^4*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sq} \\
& \text{rt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(\\
& c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) \\
& - 18*a*b^2*(B + 2*C) + 3*b^3*(25*B + 49*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c \\
& + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF} \\
& [\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-24*a^3*b*B - 57*a*b^3*B + 16 \\
& *a^4*C + 24*a^2*b^2*C - 147*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c \\
& + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d* \\
& x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/ (315*b^4*\text{Sqrt}[b + a \\
& * \text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x \\
&]]))))
\end{aligned}$$

Maple [B] time = 1.737, size = 4395, normalized size = 9.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^3*(B*\sec(d*x+c)+C*\sec(d*x+c)^2)*(a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out] $\frac{2}{315} \frac{d}{b^4} (\cos(d*x+c)+1)^2 \left(\frac{b+a*\cos(d*x+c)}{\cos(d*x+c)} \right)^{(1/2)} (-1+\cos(d*x+c))^{(1/2)} (-75*B*\cos(d*x+c)^5*b^5+4*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3*b^2-24*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3*b^2+16*C*\cos(d*x+c)^5*a^4*b-26*C*\cos(d*x+c)^5*a^3*b^2+24*C*\cos(d*x+c)^5*a^2*b^3+85*C*\cos(d*x+c)^5*a*b^4-8*C*\cos(d*x+c)^4*a^4*b-10*C*\cos(d*x+c)^4*a^2*b^3+2*C*\cos(d*x+c)^3*a^3*b^2+22*C*\cos(d*x+c)^3*a*b^4-8*C*\cos(d*x+c)^6*a^4*b+24*C*\cos(d*x+c)^6*a^3*b^2-13*C*\cos(d*x+c)^6*a^2*b^3-147*C*\cos(d*x+c)^6*a*b^4-C*\cos(d*x+c)^2*a^2*b^3+40*C*\cos(d*x+c)*a*b^4+24*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^4*b+24*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3*b^2+57*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2*b^3+57*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a*b^4-6*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2*b^3-57*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a*b^4+24*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^4*b+24*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3*b^2-16*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^5+147*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^5-147*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^5-16*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^5+147*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} (1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d$

$$\begin{aligned}
& *x+c)+1))^{\frac{1}{2}} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * b \\
& ^5-147*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b) \\
& *(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c) \\
&), ((a-b)/(a+b))^{\frac{1}{2}}) * b^5-16*C*\cos(dx+c)^5*a^5-147*C*\cos(dx+c)^5*b^5+98* \\
& C*\cos(dx+c)^4*b^5+14*C*\cos(dx+c)^2*b^5+16*C*\cos(dx+c)^6*a^5+57*B*\sin(dx \\
& +c)*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c) \\
&))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) \\
& * a^2*b^3+57*B*\sin(dx+c)*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/ \\
& 2)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticE}((-1+\cos(dx+c) \\
&))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a*b^4-24*B*\sin(dx+c)*\cos(dx+c)^4*(\cos(d \\
& *x+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} \\
& * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a^3*b^2-6*B*\sin(\\
& dx+c)*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx \\
& +c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b) \\
&))^{\frac{1}{2}}) * a^2*b^3-57*B*\sin(dx+c)*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} \\
& *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx \\
& +c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a*b^4+24*C*\cos(dx+c)^5*\sin(dx+c)*(co \\
& s(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} \\
& * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a^2*b^3-111*C \\
& *\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*co \\
& s(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b) \\
& / (a+b))^{\frac{1}{2}}) * a*b^4-16*C*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+ \\
& 1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticE}((-1+\cos(\\
& dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a^4*b-24*C*\cos(dx+c)^5*\sin(dx+c)* \\
& (\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1)) \\
& ^{\frac{1}{2}} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a^3*b^2-24 \\
& *C*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a* \\
& cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a- \\
& b)/(a+b))^{\frac{1}{2}}) * a^2*b^3+147*C*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx \\
& +c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticE}((-1 \\
& +\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a*b^4+16*C*\cos(dx+c)^4*\sin(dx \\
& x+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c) \\
& +1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a^4*b \\
& +4*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+ \\
& a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((\\
& a-b)/(a+b))^{\frac{1}{2}}) * a^3*b^2+24*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx \\
& +c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticF}((- \\
& 1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a^2*b^3-111*C*\cos(dx+c)^4*si \\
& n(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(d \\
& *x+c)+1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a \\
& *b^4-16*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{\frac{1}{2}} *(1/(a+b) \\
&)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c \\
& +c), ((a-b)/(a+b))^{\frac{1}{2}}) * a^4*b-24*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos \\
& (dx+c)+1))^{\frac{1}{2}} *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{\frac{1}{2}} * \text{EllipticE} \\
& ((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{\frac{1}{2}}) * a^3*b^2-24*C*\cos(dx+c)^4*
\end{aligned}$$

```

sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos
(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))
*a^2*b^3+147*C*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1
/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin
(d*x+c),((a-b)/(a+b))^(1/2))*a*b^4+16*C*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elli
pticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^4*b+35*C*b^5+30*B*cos
os(d*x+c)^3*b^5+45*B*cos(d*x+c)*b^5+12*B*cos(d*x+c)^4*a^3*b^2+78*B*cos(d*x+c)
^4*a*b^4-3*B*cos(d*x+c)^3*a^2*b^3+54*B*cos(d*x+c)^2*a*b^4-24*B*cos(d*x+c)
^6*a^4*b+12*B*cos(d*x+c)^6*a^3*b^2-57*B*cos(d*x+c)^6*a^2*b^3-75*B*cos(d*x+c)
)^6*a*b^4+24*B*cos(d*x+c)^5*a^4*b-24*B*cos(d*x+c)^5*a^3*b^2+60*B*cos(d*x+c)
^5*a^2*b^3-57*B*cos(d*x+c)^5*a*b^4-75*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elli
pticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^5-75*B*sin(d*x+c)*cos
os(d*x+c)^5*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2)
)*b^5)/(b+a*cos(d*x+c))/cos(d*x+c)^4/sin(d*x+c)^5

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)
,x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx+c)^5 + B \sec(dx+c)^4\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)
,x, algorithm="fricas")

```

[Out] integral((C*sec(d*x + c)^5 + B*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sec^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((B + C*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**4, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{b \sec(dx + c) + a} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^3, x)

3.815 $\int \sec^2(c+dx)\sqrt{a+b\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx$

Optimal. Leaf size=397

$$\frac{2(a-b)\sqrt{a+b}\left(-8a^2C+2ab(7B-3C)+b^2(63B-25C)\right)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}}\right)\right)}{105b^3d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(14*a^2*b*B - 63*b^3*B - 8*a^3*C - 19*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) + (2*(a - b)*Sqrt[a + b]*(b^2*(63*B - 25*C) + 2*a*b*(7*B - 3*C) - 8*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(7*a*b*B - 4*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b^2*d) + (2*(7*b*B + a*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]))/(35*b*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x))/(7*d)
```

Rubi [A] time = 1.00261, antiderivative size = 397, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4031, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(-4a^2C+7abB+25b^2C)\tan(c+dx)\sqrt{a+b\sec(c+dx)}}{105b^2d} + \frac{2(a-b)\sqrt{a+b}\left(-8a^2C+2ab(7B-3C)+b^2(63B-25C)\right)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}}\right)\right)}{105b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(14*a^2*b*B - 63*b^3*B - 8*a^3*C - 19*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) + (2*(a - b)*Sqrt[a + b]*(b^2*(63*B - 25*C) + 2*a*b*(7*B - 3*C) - 8*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(7*a*b*B - 4*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b^2*d) + (2*(7*b*B + a*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]))/(35*b*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x))/(7*d)
```


Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4031

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(m + n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n - 1)*Simp[a*B*(n - 1) + (b*B*(m + n - 1) + a*A*(m + n))*Csc[e + f*x] + (a*B*m + A*b*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && GtQ[n, 0]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)])*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)\sqrt{a + b \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^3(c + dx)\sqrt{a + b \sec(c + dx)}(B + C \sec(c + dx)) dx \\
&= \frac{2C \sec^2(c + dx)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{7d} \\
&= \frac{2(7bB + aC) \sec(c + dx)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{35bd} \\
&= \frac{2(7abB - 4a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^2d} \\
&= \frac{2(7abB - 4a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^2d} \\
&= \frac{2(a - b)\sqrt{a + b} (14a^2bB - 63b^3B - 8a^3C - 19ab^2C)}{105b^2d}
\end{aligned}$$

Mathematica [B] time = 24.4625, size = 3330, normalized size = 8.39

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((2*(-14*a^2*b*B + 63*b^3*B + 8*a^3*C + 19*a*b^2*C)*Sin[c + d*x]))/(105*b^3) + (2*Sec[c + d*x]^2*(7*b*B*Sin[c + d*x] + a*C*Sin[c + d*x]))/(35*b) + (2*Sec[c + d*x]*(7*a*b*B*Sin[c + d*x] - 4*a^2*C*Sin[c + d*x] + 25*b^2*C*Sin[c + d*x]))/(105*b^2) + (2*C*Sec[c + d*x]^2*Tan[c + d*x])/7)/d - (2*((2*a^2*B)/(15*b*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (3*b*B)/(5*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (19*a*C)/(105*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^3*C)/(105*b^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a*B*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) + (2*a^3*B*Sqrt[Sec[c + d*x]])/(15*b^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^4*C*Sqrt[Sec[c + d*x]])/(105*b^3*Sqrt[b + a*Cos[c + d*x]]) - (17*a^2*C*Sqrt[Sec[c + d*x]])/(105*b*Sqrt[b + a*Cos[c + d*x]]) + (5*b*C*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (3*a*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*Cos[c + d*x]]) + (2*a^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*b^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^4*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*b^3*Sqrt[b + a*Cos[c + d*x]]) - (19*a^2*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*b*Sqrt[b + a*Cos[c + d*x]])))*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(2*(a + b)*(-14*a^2*b*B + 63*b^3*B + 8*a^3*C + 19*a*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^2*C - 2*a*b*(7*B + 3*C) + b^2*(63*B + 25*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-14*a^2*b*B + 63*b^3*B + 8*a^3*C + 19*a*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((105*b^3*d*(b + a*Cos[c + d*x])*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]])*(-(a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-14*a^2*b*B + 63*b^3*B + 8*a^3*C + 19*a*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^2*C - 2*a*b*(7*B + 3*C) + b^2*(63*B + 25*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-14*a^2*b*B + 63*b^3*B + 8*a^3*C + 19*a*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(105*b^3*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2] + (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(-14*a^2*b*B + 63*b^3*B + 8*a^3*C + 19*a*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^2*C - 2*a*b*(7*B + 3*C) + b^2*(63*B + 25*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-14*a^2*b*B + 63*b^3*B + 8*a^3*C + 19*a*b^2*C)*Cos[c + d*x]*(b

$$\begin{aligned}
& + a \cos[c + dx] \sec\left[\frac{c + dx}{2}\right]^2 \tan\left[\frac{c + dx}{2}\right] \Big/ \left(105 b^3 \sqrt{b + a \cos[c + dx]} \sqrt{\sec\left[\frac{c + dx}{2}\right]^2} - (2 \sqrt{\cos\left[\frac{c + dx}{2}\right]^2} \sec[c + dx]) \right. \\
& \left. \left((-14 a^2 b B + 63 b^3 B + 8 a^3 C + 19 a b^2 C) \cos[c + dx] (b + a \cos[c + dx]) \sec\left[\frac{c + dx}{2}\right]^4 / 2 + ((a + b) (-14 a^2 b B + 63 b^3 B + 8 a^3 C + 19 a b^2 C) \sqrt{(b + a \cos[c + dx])} / ((a + b) (1 + \cos[c + dx]))) \right) \right. \\
& \left. \right) \text{EllipticE}\left[\text{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], (a - b) / (a + b) \left(\cos[c + dx] \sin[c + dx] / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx]) \right) \right] / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} - (b (a + b) (8 a^2 C - 2 a b (7 B + 3 C) + b^2 (63 B + 25 C)) \sqrt{(b + a \cos[c + dx])} / ((a + b) (1 + \cos[c + dx])) \Big/ \\
& \left. \right) \text{EllipticF}\left[\text{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], (a - b) / (a + b) \left(\cos[c + dx] \sin[c + dx] / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx]) \right) \right] / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} + ((a + b) (-14 a^2 b B + 63 b^3 B + 8 a^3 C + 19 a b^2 C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \text{EllipticE}\left[\text{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], (a - b) / (a + b) \left(-((a \sin[c + dx]) / ((a + b) (1 + \cos[c + dx]))) \right) \right) \right. \\
& \left. + ((b + a \cos[c + dx]) \sin[c + dx]) / ((a + b) (1 + \cos[c + dx])^2) \right) \Big/ \sqrt{(b + a \cos[c + dx]) / ((a + b) (1 + \cos[c + dx]))} - (b (a + b) (8 a^2 C - 2 a b (7 B + 3 C) + b^2 (63 B + 25 C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \Big/ \\
& \left. \right) \text{EllipticF}\left[\text{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], (a - b) / (a + b) \left(-((a \sin[c + dx]) / ((a + b) (1 + \cos[c + dx]))) \right) + ((b + a \cos[c + dx]) \sin[c + dx]) / ((a + b) (1 + \cos[c + dx])^2) \right) \Big/ \sqrt{(b + a \cos[c + dx]) / ((a + b) (1 + \cos[c + dx]))} - a (-14 a^2 b B + 63 b^3 B + 8 a^3 C + 19 a b^2 C) \cos[c + dx] \Big/ \\
& \left. \right) \sec\left[\frac{c + dx}{2}\right]^2 \sin[c + dx] \tan\left[\frac{c + dx}{2}\right] - (-14 a^2 b B + 63 b^3 B + 8 a^3 C + 19 a b^2 C) (b + a \cos[c + dx]) \sec\left[\frac{c + dx}{2}\right]^2 \sin[c + dx] \tan\left[\frac{c + dx}{2}\right] + (-14 a^2 b B + 63 b^3 B + 8 a^3 C + 19 a b^2 C) \cos[c + dx] (b + a \cos[c + dx]) \sec\left[\frac{c + dx}{2}\right]^2 \tan\left[\frac{c + dx}{2}\right]^2 - (b (a + b) (8 a^2 C - 2 a b (7 B + 3 C) + b^2 (63 B + 25 C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \Big/ \\
& \left. \right) \sqrt{(b + a \cos[c + dx])} / ((a + b) (1 + \cos[c + dx])) \Big/ \sec\left[\frac{c + dx}{2}\right]^2 / (\sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \sqrt{1 - ((a - b) \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)}) + ((a + b) (-14 a^2 b B + 63 b^3 B + 8 a^3 C + 19 a b^2 C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} / ((a + b) (1 + \cos[c + dx])) \Big/ \sec\left[\frac{c + dx}{2}\right]^2 \sqrt{1 - ((a - b) \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)}) \Big/ \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \Big/ (105 b^3 \sqrt{b + a \cos[c + dx]} \sqrt{\sec\left[\frac{c + dx}{2}\right]^2} - ((2 (a + b) (-14 a^2 b B + 63 b^3 B + 8 a^3 C + 19 a b^2 C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} / ((a + b) (1 + \cos[c + dx])) \Big/ \text{EllipticE}\left[\text{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], (a - b) / (a + b) \right) - 2 b (a + b) (8 a^2 C - 2 a b (7 B + 3 C) + b^2 (63 B + 25 C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \Big/ \sqrt{(b + a \cos[c + dx])} / ((a + b) (1 + \cos[c + dx])) \Big/ \text{EllipticF}\left[\text{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], (a - b) / (a + b) \right) + (-14 a^2 b B + 63 b^3 B + 8 a^3 C + 19 a b^2 C) \cos[c + dx] (b + a \cos[c + dx]) \sec\left[\frac{c + dx}{2}\right]^2 \tan\left[\frac{c + dx}{2}\right] \Big/ \left(-(\cos\left[\frac{c + dx}{2}\right] \sec[c + dx] \sin\left[\frac{c + dx}{2}\right] + \cos\left[\frac{c + dx}{2}\right]^2 \sec[c + dx] \tan[c + dx]) \right) \Big/ (105 b^3 \sqrt{b + a \cos[c + dx]} \sqrt{\sec\left[\frac{c + dx}{2}\right]^2} \sqrt{\cos\left[\frac{c + dx}{2}\right]^2} \sec[c + dx] \Big/ \left. \right) \right)
\end{aligned}$$

Maple [B] time = 1.141, size = 3439, normalized size = 8.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^2 * (B*\sec(dx+c) + C*\sec(dx+c)^2) * (a+b*\sec(dx+c))^{1/2}, x)$

[Out] $\frac{2}{105} \frac{d}{b^3} (\cos(dx+c)+1)^2 \left(\frac{(b+a*\cos(dx+c))}{\cos(dx+c)} \right)^{1/2} (-1+\cos(dx+c))^2 (-63*B*\cos(dx+c)^4*b^4+42*B*\cos(dx+c)^3*b^4+21*B*\cos(dx+c)*b^4-14*B*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * a^3*b-8*C*\cos(dx+c)^5*a^4+8*C*\sin(dx+c)*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^4-25*C*\sin(dx+c)*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^4+8*C*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^4-25*C*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^4-7*B*\cos(dx+c)^3*a^2*b^2+28*B*\cos(dx+c)^2*a*b^3+63*B*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * b^4-63*B*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * b^4+63*B*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * b^4-63*B*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * a^2*b^2+63*B*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * a*b^3+14*B*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * a^2*b^2-49*B*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * a*b^3-14*B*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/($

$$\begin{aligned}
& (a+b)^{1/2} \sin(dx+c) a^3 b - 14 B \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1)) \\
& ^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} \sin(dx+c) a^2 b^2 + 63 B \cos(dx+c)^3 \\
& (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} \sin(dx+c) \\
& * a b^3 + 14 B \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} \sin(dx+c) a^2 b^2 - 49 B \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} \sin(dx+c) a^2 b^2 + 35 B \cos(dx+c)^4 a b^3 + 14 B \cos(dx+c)^5 a^3 b - 7 B \cos(dx+c)^5 a^2 b^2 - 63 B \cos(dx+c)^5 a b^3 - 8 C \cos(dx+c)^4 a^3 b + 20 C \cos(dx+c)^4 a^2 b^2 - 19 C \cos(dx+c)^4 a b^3 + 4 C \cos(dx+c)^3 a^3 b + 26 C \cos(dx+c)^3 a b^3 - C \cos(dx+c)^2 a^2 b^2 + 18 C \cos(dx+c) a b^3 + 4 C \cos(dx+c)^5 a^3 b - 19 C \cos(dx+c)^5 a^2 b^2 - 25 C \cos(dx+c)^5 a b^3 + 8 C \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a^3 b + 19 C \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a^2 b^2 + 19 C \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a b^3 - 8 C \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a^3 b - 2 C \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a^2 b^2 - 19 C \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a b^3 + 8 C \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a^3 b + 19 C \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a^2 b^2 + 19 C \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a b^3 - 8 C \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a^3 b - 2 C \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a^2 b^2 - 19 C \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} a b^3 + 8 C \cos(dx+c)^4 a^4 + 10 C \cos(dx+c)^2 b^4 - 25 C \cos(dx+c)^4 b^4 + 15 C b^4)/(b+a \cos(dx+c))/\cos(dx+c)^3/\sin(dx+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx+c)^4 + B \sec(dx+c)^3\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((B + C*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{b \sec(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sec(
d*x + c)^2, x)
```


3.816 $\int \sec(c+dx)\sqrt{a+b\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx$

Optimal. Leaf size=314

$$\frac{2(a-b)\sqrt{a+b}(-2aC+5bB-9bC)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{15b^2d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(5*a*b*B - 2*a^2*C + 9*b^2*C)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^3
*d) - (2*(a - b)*Sqrt[a + b]*(5*b*B - 2*a*C - 9*b*C)*Cot[c + d*x]*EllipticF
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^2*
d) + (2*(5*b*B - 2*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b*d) + (
2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*b*d)
```

Rubi [A] time = 0.601844, antiderivative size = 314, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4010, 4002, 4005, 3832, 4004}

$$\frac{2(a-b)\sqrt{a+b}(-2a^2C+5abB+9b^2C)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{15b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^
2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(5*a*b*B - 2*a^2*C + 9*b^2*C)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^3
*d) - (2*(a - b)*Sqrt[a + b]*(5*b*B - 2*a*C - 9*b*C)*Cot[c + d*x]*EllipticF
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^2*
d) + (2*(5*b*B - 2*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b*d) + (
2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*b*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.
)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.
```

```
*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
```

f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \sec(c+dx)\sqrt{a+b\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sec^2(c+dx)\sqrt{a+b\sec(c+dx)}(B+C\sec(c+dx))dx \\ &= \frac{2C(a+b\sec(c+dx))^{3/2}\tan(c+dx)}{5bd} + \frac{2\int \sec^2(c+dx)\sqrt{a+b\sec(c+dx)}dx}{5bd} \\ &= \frac{2(5bB-2aC)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15bd} + \frac{2\int \sec^2(c+dx)\sqrt{a+b\sec(c+dx)}dx}{15bd} \\ &= \frac{2(5bB-2aC)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15bd} + \frac{2(a-b)\sqrt{a+b}\left(5abB-2a^2C+9b^2C\right)\cot(c+dx)}{15bd} \end{aligned}$$

Mathematica [A] time = 18.4604, size = 434, normalized size = 1.38

$$2\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\sqrt{a+b\sec(c+dx)}}\left(2b(a+b)(-2aC+5bB+9bC)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{a\cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}}\text{EllipticE}\left[\text{ArcSin}\left[\frac{\tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b\sec(c+dx)}}\right], \frac{a-b}{a+b}\right] + 2b(a+b)(5bB-2aC+9bC)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{a\cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}}\text{EllipticF}\left[\text{ArcSin}\left[\frac{\tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b\sec(c+dx)}}\right], \frac{a-b}{a+b}\right] + (-5abB+2a^2C-9b^2C)\cos(c+dx)(b+a\cos(c+dx))\sec\left(\frac{c+dx}{2}\right)^2\tan\left(\frac{c+dx}{2}\right)\right)/(15b^2d\sqrt{a+b\sec(c+dx)}\sqrt{\sec\left(\frac{c+dx}{2}\right)^2}\sqrt{\sec(c+dx)} + (\sqrt{a+b\sec(c+dx)}((2(5abB-2a^2C+9b^2C)\sin(c+dx))/(15b^2) + (2\sec(c+dx)(5bB\sin(c+dx)+aC\sin(c+dx)))/(15b) + (2C\sec(c+dx)\tan(c+dx))/5))/d$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(2*(a + b)*(-5*a*b*B + 2*a^2*C - 9*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(5*b*B - 2*a*C + 9*b*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-5*a*b*B + 2*a^2*C - 9*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2 * Tan[(c + d*x)/2]))/(15*b^2*d*(b + a*Cos[c + d*x])*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b*Sec[c + d*x]]*((2*(5*a*b*B - 2*a^2*C + 9*b^2*C)*Sin[c + d*x])/(15*b^2) + (2*Sec[c + d*x]*(5*b*B*Ssin[c + d*x] + a*C*Ssin[c + d*x]))/(15*b) + (2*C*Sec[c + d*x]*Tan[c + d*x])/5))/d

Maple [B] time = 0.781, size = 2498, normalized size = 8.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)*(B*\sec(dx+c)+C*\sec(dx+c)^2)*(a+b*\sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -2/15/d/b^2*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))^{2*(2*C*\cos(dx+c)^3*a^3-5*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b+9*C*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+2*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3-9*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+9*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+5*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+5*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-5*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+5*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-5*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-5*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+5*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+2*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-9*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-2*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c) \end{aligned}$$

```

+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2
*b+7*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(
b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
((a-b)/(a+b))^(1/2))*a*b^2+2*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x
+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1
+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b-9*C*sin(d*x+c)*cos(d*x+c
)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c
)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2-
2*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a
-b)/(a+b))^(1/2))*a^2*b+7*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2+C*cos(d*x+c)^4*a^2*b+9*C*co
s(d*x+c)^4*a*b^2-2*C*cos(d*x+c)^3*a^2*b-5*C*cos(d*x+c)^3*a*b^2-4*C*cos(d*x+
c)*a*b^2+5*B*cos(d*x+c)^3*a*b^2-10*B*cos(d*x+c)^2*a*b^2+5*B*cos(d*x+c)^4*a^
2*b+5*B*cos(d*x+c)^4*a*b^2-5*B*cos(d*x+c)^3*a^2*b+C*cos(d*x+c)^2*a^2*b-2*C*
cos(d*x+c)^4*a^3+9*C*cos(d*x+c)^3*b^3-6*C*cos(d*x+c)^2*b^3+5*B*cos(d*x+c)^3
*b^3-5*B*cos(d*x+c)*b^3+2*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+co
s(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3-9*C*sin(d*x+c)*cos(d*x+c)^3*(
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3-3*C*b^3
)/(b+a*cos(d*x+c))/cos(d*x+c)^2/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{b \sec(dx + c) + a \sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x
, algorithm="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sec(
d*x + c), x)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^3 + B \sec(dx + c)^2) \sqrt{b \sec(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x
, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2)
,x)
```

```
[Out] Integral((B + C*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{b \sec(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sec(
d*x + c), x)
```

$$3.817 \quad \int \sqrt{a + b \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=256

$$\frac{2(a-b)\sqrt{a+b}(3B-C)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{3bd} - \frac{2(a-b)\sqrt{a+b}}{3d}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B + a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*(a - b)*Sqrt[a + b]*(3*B - C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.288772, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4056, 4058, 12, 3832, 4004}

$$\frac{2(a-b)\sqrt{a+b}(aC+3bB)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{3b^2d} + \frac{2(a-b)\sqrt{a+b}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B + a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*(a - b)*Sqrt[a + b]*(3*B - C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rule 4056

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,

b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}(3aB + bC) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{\left(\frac{1}{2}(-3bB - aC)\right) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
&= -\frac{2(a - b)\sqrt{a + b(3bB + aC)} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3b^2d} \\
&= -\frac{2(a - b)\sqrt{a + b(3bB + aC)} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3b^2d}
\end{aligned}$$

Mathematica [A] time = 14.9254, size = 358, normalized size = 1.4

$$2\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a + b \sec(c + dx)}} \left(2b(a + b)(3B + C) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \sqrt{\frac{a \cos(c + dx) + b}{(a + b)(\cos(c + dx) + 1)}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(-2*(a + b)*(3*b*B + a*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticE[ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a + b) + 2*b*(a + b)*(3*B + C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticF[ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a + b) - (3*b*B + a*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(3*b*d*(b + a*Cos[c + d*x])) * Sqrt[Sec[(c + d*x)/2]^2*Sqrt[Sec[c + d*x]]] + (Sqrt[a + b*Sec[c + d*x]]*(2*(3*b*B + a*C)*Sin[c + d*x])/(3*b) + (2*C*Tan[c + d*x])/3))/d

Maple [B] time = 0.524, size = 1752, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((B*\sec(d*x+c)+C*\sec(d*x+c)^2)*(a+b*\sec(d*x+c))^{(1/2)},x)$

[Out]
$$\begin{aligned} & -2/3/d/b*(-1+\cos(d*x+c))^2*(3*B*\cos(d*x+c)^3*a*b-3*B*\cos(d*x+c)^2*a*b+C*\cos \\ & (d*x+c)^3*a*b+C*\cos(d*x+c)^2*a*b-2*C*\cos(d*x+c)*a*b-3*B*\sin(d*x+c)*\cos(d*x+ \\ & c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\ & +1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b+C \\ & *\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos \\ & s(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b) \\ & /(a+b))^{(1/2)})*a*b-C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1 \\ & /2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c) \\ &))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b+C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/ \\ & (\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{Ellip \\ & ticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b-C*\sin(d*x+c)*\cos(d \\ & *x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+ \\ & c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b+ \\ & 3*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*c \\ & os(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b) \\ & /(a+b))^{(1/2)})*a*b-3*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(\\ & 1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+ \\ & c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b+3*B*\cos(d*x+c)^2*b^2+3*B*\sin(d*x+c) \\ & *\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\ & (\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/ \\ & 2)})*a*b+3*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\ &)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+ \\ & c),((a-b)/(a+b))^{(1/2)})*b^2+C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+ \\ & c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+ \\ & \cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^2-C*\sin(d*x+c)*\cos(d*x+c)^2*(\\ & \cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{ \\ & (1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2+C*\sin(d \\ & *x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c) \\ &))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{ \\ & (1/2)})*b^2-C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a \\ & b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x \\ & +c),((a-b)/(a+b))^{(1/2)})*a^2-3*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x \\ & +c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1 \\ & +\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^2+3*B*\sin(d*x+c)*\cos(d*x+c)^ \\ & 2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\ &))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^2-3*B* \\ & \sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos \\ & (d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/ \\ & (a+b))^{(1/2)})*b^2-b^2*C-3*B*\cos(d*x+c)*b^2+C*\cos(d*x+c)^3*a^2-C*\cos(d*x+c)^ \\ & 2*a^2+C*\cos(d*x+c)^2*b^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(\cos(d*x+c)+1 \\ &)^2/(b+a*\cos(d*x+c))/\cos(d*x+c)/\sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{b \sec(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((B + C*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)
```

3.818 $\int \cos(c+dx)\sqrt{a+b\sec(c+dx)}(B\sec(c+dx)+C\sec^2(c+dx))dx$

Optimal. Leaf size=320

$$\frac{2\sqrt{a+b}(aC+b(B-C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)+2B\sqrt{a+b}\cot(c+dx)}{bd}$$

[Out] $(-2*(a-b)*\text{Sqrt}[a+b]*C*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/(b*d)+(2*\text{Sqrt}[a+b]*(b*(B-C)+a*C)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/(b*d)-(2*\text{Sqrt}[a+b]*B*\text{Cot}[c+d*x]*\text{EllipticPi}[(a+b)/a,\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/d$

Rubi [A] time = 0.361109, antiderivative size = 320, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 3916, 3784, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b}(aC+b(B-C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)+2B\sqrt{a+b}\cot(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c+d*x]*\text{Sqrt}[a+b*\text{Sec}[c+d*x]]*(B*\text{Sec}[c+d*x]+C*\text{Sec}[c+d*x]^2),x]$

[Out] $(-2*(a-b)*\text{Sqrt}[a+b]*C*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/(b*d)+(2*\text{Sqrt}[a+b]*(b*(B-C)+a*C)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/(b*d)-(2*\text{Sqrt}[a+b]*B*\text{Cot}[c+d*x]*\text{EllipticPi}[(a+b)/a,\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/d$

Rule 4072

$\text{Int}[(a_. + \text{csc}[e_. + (f_.)*(x_.)]*(b_.))^m_.*((A_. + \text{csc}[e_. + (f_.)*(x_.)]*(B_. + \text{csc}[e_. + (f_.)*(x_.)]^2*(C_.))*((c_. + \text{csc}[e_. + (f_.)$

$*(x_)]*(d_)]^{(n_)]}, x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^{(m + 1)}*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] \&\& EqQ[A*b^2 - a*b*B + a^2*C, 0]$

Rule 3916

$Int[Sqrt[csc[(e_)] + (f_)]*(x_)]*(b_)] + (a_)]*(csc[(e_)] + (f_)]*(x_)]*(d_)] + (c_)]}, x_Symbol] := Dist[a*c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(Csc[e + f*x]*(b*c + a*d + b*d*Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[a^2 - b^2, 0]$

Rule 3784

$Int[1/Sqrt[csc[(c_)] + (d_)]*(x_)]*(b_)] + (a_)]}, x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] \&\& NeQ[a^2 - b^2, 0]$

Rule 4005

$Int[(csc[(e_)] + (f_)]*(x_)]*(csc[(e_)] + (f_)]*(x_)]*(B_)] + (A_)])/Sqrt[csc[(e_)] + (f_)]*(x_)]*(b_)] + (a_)]}, x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] \&\& NeQ[a^2 - b^2, 0] \&\& NeQ[A^2 - B^2, 0]$

Rule 3832

$Int[csc[(e_)] + (f_)]*(x_)]/Sqrt[csc[(e_)] + (f_)]*(x_)]*(b_)] + (a_)]}, x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] \&\& NeQ[a^2 - b^2, 0]$

Rule 4004

$Int[(csc[(e_)] + (f_)]*(x_)]*(csc[(e_)] + (f_)]*(x_)]*(B_)] + (A_)])/Sqrt[csc[(e_)] + (f_)]*(x_)]*(b_)] + (a_)]}, x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] \&\& NeQ[a^2 - b^2, 0] \&\& EqQ[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)\sqrt{a + b \sec(c + dx)}(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sqrt{a + b \sec(c + dx)}(B + C \sec(c + dx)) dx \\
&= (aB) \int \frac{1}{\sqrt{a + b \sec(c + dx)}} dx + \int \frac{\sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
&= -\frac{2\sqrt{a + b}B \cot(c + dx)\Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{d} \\
&= -\frac{2(a-b)\sqrt{a + b}C \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{bd}
\end{aligned}$$

Mathematica [C] time = 17.5319, size = 863, normalized size = 2.7

$$\frac{2C\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \frac{2\sqrt{a + b \sec(c + dx)} \left(a\sqrt{\frac{b-a}{a+b}} C \tan^5\left(\frac{1}{2}(c + dx)\right) - b\sqrt{\frac{b-a}{a+b}} C \tan^5\left(\frac{1}{2}(c + dx)\right) - 2a\sqrt{\frac{b-a}{a+b}} C \tan^3\left(\frac{1}{2}(c + dx)\right) + 2b\sqrt{\frac{b-a}{a+b}} C \tan^3\left(\frac{1}{2}(c + dx)\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d + (2*Sqrt[a + b*Sec[c + d*x]]*(a*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] + b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] - 2*a*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^3 + a*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^5 - b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^5 + (2*I)*a*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*a*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*C*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*(B - C)*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)]

$$+ b - a \cdot \tan\left[\frac{c + d \cdot x}{2}\right]^2 + b \cdot \tan\left[\frac{c + d \cdot x}{2}\right]^2 / (a + b) \Big) / \left(\sqrt{(-a + b) / (a + b)} \cdot \sqrt{b + a \cdot \cos[c + d \cdot x]} \cdot \sqrt{\sec[c + d \cdot x]} \cdot \sqrt{(1 - \tan[(c + d \cdot x) / 2]^2)^{-1}} \cdot (-1 + \tan[(c + d \cdot x) / 2]^2) \cdot (1 + \tan[(c + d \cdot x) / 2]^2)^{3/2} \cdot \sqrt{(a + b - a \cdot \tan[(c + d \cdot x) / 2]^2 + b \cdot \tan[(c + d \cdot x) / 2]^2) / (1 + \tan[(c + d \cdot x) / 2]^2)} \right)$$

Maple [B] time = 0.45, size = 1372, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x)`

[Out] $2/d \cdot \left(\frac{(b+a \cdot \cos(d \cdot x+c))}{\cos(d \cdot x+c)} \right)^{1/2} \cdot (\cos(d \cdot x+c)+1)^2 \cdot (-1+\cos(d \cdot x+c))^{-2} \cdot (B \cdot \cos(d \cdot x+c) \cdot \text{EllipticF}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot a - B \cdot \cos(d \cdot x+c) \cdot \text{EllipticF}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot b - 2 \cdot B \cdot \cos(d \cdot x+c) \cdot \text{EllipticPi}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot a - C \cdot \sin(d \cdot x+c) \cdot \cos(d \cdot x+c) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \text{EllipticF}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a - C \cdot \text{EllipticF}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \cos(d \cdot x+c) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot b + C \cdot \text{EllipticE}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \cos(d \cdot x+c) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot a + C \cdot \text{EllipticE}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \cos(d \cdot x+c) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot b + B \cdot \text{EllipticF}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot a - B \cdot \text{EllipticF}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot b - 2 \cdot B \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \text{EllipticPi}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a \cdot \sin(d \cdot x+c) - C \cdot \text{EllipticF}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot a - C \cdot \text{EllipticF}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \cos(d \cdot x+c) \cdot \left(\frac{\cos(d \cdot x+c)}{(\cos(d \cdot x+c)+1)}\right)^{1/2} \cdot \frac{1}{a+b} \cdot \frac{(b+a \cdot \cos(d \cdot x+c))}{(\cos(d \cdot x+c)+1)} \right)^{1/2} \cdot \sin(d \cdot x+c) \cdot b + C \cdot \text{EllipticE}\left(\frac{-1+\cos(d \cdot x+c)}{\sin(d \cdot x+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \cos(d \cdot x+c) / (co$

$$\frac{\sin(dx+c+1)^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot a + C \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \cdot \sin(dx+c) \cdot b - C \cdot \cos(dx+c)^2 \cdot a + C \cdot \cos(dx+c) \cdot a - C \cdot \cos(dx+c) \cdot b + C \cdot b) / \sin(dx+c)^5}{(b+a \cdot \cos(dx+c))}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c)) \sqrt{b \sec(dx+c) + a \cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2), x, algorithm="maxima")

[Out] integrate((C*sec(dx + c)^2 + B*sec(dx + c))*sqrt(b*sec(dx + c) + a)*cos(dx + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \cos(dx+c) \sec(dx+c)^2 + B \cos(dx+c) \sec(dx+c)) \sqrt{b \sec(dx+c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2), x, algorithm="fricas")

[Out] integral((C*cos(dx + c)*sec(dx + c)^2 + B*cos(dx + c)*sec(dx + c))*sqrt(b*sec(dx + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{b \sec(dx + c) + a} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*cos(d*x + c), x)
```

3.819 $\int \cos^2(c+dx) \sqrt{a+b \sec(c+dx)} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=344

$$\frac{\sqrt{a+b}(B+2C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + \sqrt{a+b}(2aC+bB) \cot(c+dx)}{d}$$

```
[Out] ((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(B + 2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (Sqrt[a + b]*(b*B + 2*a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rubi [A] time = 0.46364, antiderivative size = 344, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4032, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(B+2C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + \sqrt{a+b}(2aC+bB) \cot(c+dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(B + 2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (Sqrt[a + b]*(b*B + 2*a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4032

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*A*(n + 1))*Csc[e + f*x] - A*b*(m + n + 1)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,

f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)\sqrt{a + b \sec(c + dx)}(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)\sqrt{a + b \sec(c + dx)}(B + C \sec(c + dx)) dx \\ &= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \int \frac{\frac{1}{2}(bB + C \sec^2(c + dx)) \sin(c + dx)}{d} dx \\ &= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} - \frac{1}{2}(bB) \int \frac{\sec^2(c + dx) \sin(c + dx)}{d} dx \\ &= \frac{(a - b)\sqrt{a + b}B \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{bd} \\ &= \frac{(a - b)\sqrt{a + b}B \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{bd} \end{aligned}$$

Mathematica [C] time = 18.0138, size = 1107, normalized size = 3.22

$$\sqrt{a + b \sec(c + dx)} \sqrt{\frac{-a \tan^2\left(\frac{1}{2}(c + dx)\right) + b \tan^2\left(\frac{1}{2}(c + dx)\right) + a + b}{\tan^2\left(\frac{1}{2}(c + dx)\right) + 1}} \left(a \sqrt{\frac{b-a}{a+b}} B \tan^5\left(\frac{1}{2}(c + dx)\right) - b \sqrt{\frac{b-a}{a+b}} B \tan^5\left(\frac{1}{2}(c + dx)\right) - 2a \sqrt{\frac{b-a}{a+b}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

```
[Out] (Sqrt[a + b*Sec[c + d*x]]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(a*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] - 2*a*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^3 + a*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - (2*I)*b*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (4*I)*a*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*b*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (4*I)*a*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*B*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*(a - b)*C*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(Sqrt[(-a + b)/(a + b)]*d*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)]*(b - b*Tan[(c + d*x)/2]^4 + a*(-1 + Tan[(c + d*x)/2]^2)^2))
```

Maple [B] time = 0.423, size = 1386, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/d*(-1+cos(d*x+c))^2*(-2*B*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c)), ((a-b)/(a+b))^(1/2))*cos(d*x+c)/(cos(d*x+c)+1)^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+2*B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*sin(d*x+c)*b+B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*a+B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))
```

$$\frac{c)}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \sin(dx+c) \cdot b - 2C \sin(dx+c) \cos(dx+c) \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \\
\cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a + 2C \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cos(dx+c) \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \cdot b + 4C \cos(dx+c) \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \sin(dx+c) \cdot a - 2B \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \cdot b + 2B \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot b + B \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a + B \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot b - 2C \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \cdot a + 2C \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \cdot b + 4C \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b)} \frac{b+a \cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a \sin(dx+c) + B \cos(dx+c)^3 \cdot a - B \cdot a \cos(dx+c)^2 + B \cos(dx+c)^2 \cdot b - B \cdot b \cos(dx+c) \cdot (\cos(dx+c)+1)^2 \cdot \frac{b+a \cos(dx+c)}{\cos(dx+c)^{1/2}} \cdot \frac{1}{(b+a \cos(dx+c)) \sin(dx+c)^5}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c)) \sqrt{b \sec(dx+c) + a} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c))*sqrt(b*sec(dx+c) + a)*cos(dx+c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx+c)^2 \sec(dx+c)^2 + B \cos(dx+c)^2 \sec(dx+c)\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c)\right) \sqrt{b \sec(dx+c) + a} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^2, x)
```


$$3.820 \quad \int \cos^3(c+dx) \sqrt{a + b \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=429

$$\frac{\sqrt{a+b}(2a(B+2C)+bB) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + \sqrt{a+b}(4aC + b^2C)}{4ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(b*B + 4*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*b*d) + (Sqrt[a + b]*(
b*B + 2*a*(B + 2*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]
/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-
((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) - (Sqrt[a + b]*(4*a^2*B - b^2*B
+ 4*a*b*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x
]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt
[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + ((b*B + 4*a*C)*Sqrt[a + b*
Sec[c + d*x]]*Sin[c + d*x])/(4*a*d) + (B*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*
x]]*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.805279, antiderivative size = 429, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {4072, 4032, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(4a^2B + 4abC - b^2B) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + (4aC + b^2C)}{4a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(b*B + 4*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*b*d) + (Sqrt[a + b]*(
b*B + 2*a*(B + 2*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]
/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-
((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) - (Sqrt[a + b]*(4*a^2*B - b^2*B
+ 4*a*b*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x
]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt
[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + ((b*B + 4*a*C)*Sqrt[a + b*
Sec[c + d*x]]*Sin[c + d*x])/(4*a*d) + (B*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*
x]]*Sin[c + d*x])/(2*d)
```

$x]]*\sin[c + d*x]]/(2*d)$

Rule 4072

$\text{Int}[(a + \csc[e + f*x])*(b + \csc[e + f*x])^m*(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \csc[e + f*x])*(d)^n, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\csc[e + f*x])^{m+1}*(c + d*\csc[e + f*x])^n*(b*B - a*C + b*C*\csc[e + f*x]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x\} \ \&\& \ \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 4032

$\text{Int}[(\csc[e + f*x])*(d)^n*(\csc[e + f*x])*(b + a)^m*(\csc[e + f*x])*(B + A), x_Symbol] \rightarrow \text{Simp}[A*\cot[e + f*x]*(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^n/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\csc[e + f*x])^{m-1}*(d*\csc[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*A*(n+1))*\csc[e + f*x] - A*b*(m+n+1)*\csc[e + f*x]^2, x], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[0, m, 1] \ \&\& \ \text{LeQ}[n, -1]$

Rule 4104

$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \csc[e + f*x])*(d)^n*(\csc[e + f*x])*(b + a)^m, x_Symbol] \rightarrow \text{Simp}[A*\cot[e + f*x]*(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^n/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\csc[e + f*x] + A*b*(m+n+2)*\csc[e + f*x]^2, x], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LeQ}[n, -1]$

Rule 4058

$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \csc[e + f*x])/ \sqrt{\csc[e + f*x]*(b + a)}, x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\csc[e + f*x])/ \sqrt{a + b*\csc[e + f*x]}, x] + \text{Dist}[C, \text{Int}[(\csc[e + f*x]*(1 + \csc[e + f*x])/ \sqrt{a + b*\csc[e + f*x]}), x], x] /;$ $\text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\csc[e + f*x])*(d + c)/ \sqrt{\csc[e + f*x]*(b + a)}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/ \sqrt{a + b*\csc[e + f*x]}, x], x] + \text{Dist}[d, \text{Int}[\csc[e + f*x]/ \sqrt{a + b*\csc[e + f*x]}, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)\sqrt{a + b \sec(c + dx)}(B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)\sqrt{a + b \sec(c + dx)}(B + C \sec(c + dx)) dx \\
&= \frac{B \cos(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} + \frac{C \cos^2(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} \\
&= \frac{(bB + 4aC)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4ad} + \frac{B \cos^2(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} \\
&= \frac{(bB + 4aC)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4ad} + \frac{B \cos^2(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} \\
&= \frac{(a - b)\sqrt{a + b}(bB + 4aC) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sin(c + dx)}{\sqrt{a + b \sec(c + dx)}}\right)\right)}{4ad} + \frac{B \cos^2(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} \\
&= \frac{(a - b)\sqrt{a + b}(bB + 4aC) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sin(c + dx)}{\sqrt{a + b \sec(c + dx)}}\right)\right)}{4ad} + \frac{B \cos^2(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 18.6505, size = 1161, normalized size = 2.71

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (B*Sqrt[a + b*Sec[c + d*x]]*Sin[2*(c + d*x)])/(4*d) + (Sqrt[a + b*Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(a*b*B*Tan[(c + d*x)/2] + b^2*B*Tan[(c + d*x)/2] + 4*a^2*C*Tan[(c + d*x)/2] + 4*a*b*C*Tan[(c + d*x)/2] - 2*a*b*B*Tan[(c + d*x)/2]^3 - 8*a^2*C*Tan[(c + d*x)/2]^3 + a*b*B*Tan[(c + d*x)/2]^5 - b^2*B*Tan[(c + d*x)/2]^5 + 4*a^2*C*Tan[(c + d*x)/2]^5 - 4*a*b*C*Tan[(c + d*x)/2]^5 - 8*a^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 8*a*b*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 8*a^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (
```

$$\begin{aligned} & a - b)/(a + b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b \\ & - a * \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a + b)] - 8 * a * b * C * \text{Elliptic} \\ & \text{Pi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[\\ & 1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x) \\ &)/2]^2)/(a + b)] + (a + b) * (b * B + 4 * a * C) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]] \\ & , (a - b)/(a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqr} \\ & \text{rt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a + b)] - 2 * a * (2 * \\ & a * B - b * B + 4 * b * C) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Sqr} \\ & \text{t}[1 - \text{Tan}[(c + d*x)/2]^2] * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + \\ & d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a + b))] / (4 * a * d * \text{Sqrt}[b + a * \text{Cos}[c + d*x \\ &] * \text{Sqrt}[\text{Sec}[c + d*x]] * (1 + \text{Tan}[(c + d*x)/2]^2)^{(3/2)} * \text{Sqrt}[(a + b - a * \text{Tan}[(c \\ & + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(1 + \text{Tan}[(c + d*x)/2]^2)]) \end{aligned}$$

Maple [B] time = 0.403, size = 2065, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^3 * (B * \sec(d*x+c) + C * \sec(d*x+c)^2) * (a + b * \sec(d*x+c))^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -1/4/d/a * (-1 + \cos(d*x+c))^{(1/2)} * (3 * B * \cos(d*x+c)^3 * a * b - B * \cos(d*x+c)^2 * a * b + 4 * C * \cos \\ & (d*x+c)^2 * a * b - 4 * C * \cos(d*x+c) * a * b + 8 * B * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(\\ & a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1 + \cos(d*x+c))/\sin \\ & (d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^2 * \sin(d*x+c) - 8 * C * \sin(d*x+c) * \cos(d*x+c) * (\cos \\ & (d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1 \\ & /2)} * \text{EllipticF}((-1 + \cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b + 4 * C * \sin(d \\ & *x+c) * \cos(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c) \\ &)/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(\\ & 1/2)}) * a * b + 2 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(\\ & a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1 + \cos(d*x+c))/\sin(d \\ & *x+c), ((a-b)/(a+b))^{(1/2)}) * a * b + B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x \\ & +c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1 \\ & + \cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b - 2 * B * (\cos(d*x+c)/(\cos(d*x+c \\ &)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1 + \\ & \cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * b^2 * \sin(d*x+c) + B * \cos(d*x+c)^2 * b^2 + 2 * B * a^2 * \cos \\ & (d*x+c)^4 + 8 * C * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c) \\ &)/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1 + \cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * \cos \\ & (d*x+c) * a * b - 4 * B * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos \\ & (d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1 + \cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * \sin(d*x+c) + 4 * C * (\cos \\ & (d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{Elli} \end{aligned}$$

```

pticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)+B*b^2*
(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))
-2*B*cos(d*x+c)*a*b-2*B*cos(d*x+c)^2*a^2+4*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*E
llipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2+B*sin(d*x+c)*c
os(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*
b^2-B*cos(d*x+c)*b^2+4*C*cos(d*x+c)^3*a^2-4*C*cos(d*x+c)^2*a^2+2*B*(cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*E
llipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b*sin(d*x+c)+B*E
llipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*
a*b+4*C*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*si
n(d*x+c)*a*b-8*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*a*b*sin(d*x+c)+8*B*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(
a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(
d*x+c),-1,((a-b)/(a+b))^(1/2))*cos(d*x+c)*a^2-2*B*sin(d*x+c)*(cos(d*x+c)/(c
os(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellipti
cPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*cos(d*x+c)*b^2-4*B*s
in(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*
cos(d*x+c)*a^2+8*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(
a+b))^(1/2))*a*b*sin(d*x+c)*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))
^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{b \sec(dx + c) + a \cos(dx + c)}^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)
,x, algorithm="maxima")
```

```
[Out] integrate(((C*sec(d*x + c))^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*cos(
d*x + c)^3, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx+c)^3 \sec(dx+c)^2 + B \cos(dx+c)^3 \sec(dx+c)\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + B*cos(d*x + c)^3*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c)\right) \sqrt{b \sec(dx+c) + a} \cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^3, x)
```

3.821 $\int \sec^3(c+dx)(a+b \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=573

$$\frac{2(a-b)\sqrt{a+b}(6a^2b^2(11B-24C)+4a^3b(22B-9C)-48a^4C+3ab^3(143B-471C)-3b^4(539B-225C))\cot(c+dx)}{3465b^4d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(88*a^4*b*B + 363*a^2*b^3*B + 1617*b^5*B - 48*a^5*C
- 108*a^3*b^2*C + 2088*a*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec
ec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^5*d) - (2*(a - b)*Sqr
rt[a + b]*(3*a*b^3*(143*B - 471*C) - 3*b^4*(539*B - 225*C) + 6*a^2*b^2*(11*
B - 24*C) + 4*a^3*b*(22*B - 9*C) - 48*a^4*C)*Cot[c + d*x]*EllipticF[ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^4*d) + (
2*(88*a^3*b*B + 429*a*b^3*B - 48*a^4*C - 144*a^2*b^2*C + 675*b^4*C)*Sqrt[a
+ b*Sec[c + d*x]]*Tan[c + d*x])/((3465*b^3*d) + (2*(88*a^2*b*B + 539*b^3*B -
48*a^3*C - 204*a*b^2*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/((3465*b^3
*d) - (2*(44*a*b*B - 24*a^2*C - 81*b^2*C)*(a + b*Sec[c + d*x])^(5/2)*Tan[c
+ d*x])/((693*b^3*d) + (2*(11*b*B - 6*a*C)*Sec[c + d*x]*(a + b*Sec[c + d*x])
^(5/2)*Tan[c + d*x])/((99*b^2*d) + (2*C*Sec[c + d*x]^2*(a + b*Sec[c + d*x])
^(5/2)*Tan[c + d*x])/((11*b*d)
```

Rubi [A] time = 1.98108, antiderivative size = 573, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {4072, 4033, 4092, 4082, 4002, 4005, 3832, 4004}

$$\frac{2(-24a^2C + 44abB - 81b^2C)\tan(c+dx)(a+b\sec(c+dx))^{5/2}}{693b^3d} + \frac{2(88a^2bB - 48a^3C - 204ab^2C + 539b^3B)\tan(c+dx)}{3465b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(88*a^4*b*B + 363*a^2*b^3*B + 1617*b^5*B - 48*a^5*C
- 108*a^3*b^2*C + 2088*a*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec
ec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^5*d) - (2*(a - b)*Sqr
rt[a + b]*(3*a*b^3*(143*B - 471*C) - 3*b^4*(539*B - 225*C) + 6*a^2*b^2*(11*
B - 24*C) + 4*a^3*b*(22*B - 9*C) - 48*a^4*C)*Cot[c + d*x]*EllipticF[ArcSin[
```


$$\begin{aligned} & \text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b], (a + b)/(a - b)*\text{Sqrt}[(b*(1 - \text{Sec}[c \\ & + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3465*b^4*d) + (\\ & 2*(88*a^3*b*B + 429*a*b^3*B - 48*a^4*C - 144*a^2*b^2*C + 675*b^4*C)*\text{Sqrt}[a \\ & + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]/(3465*b^3*d) + (2*(88*a^2*b*B + 539*b^3*B - \\ & 48*a^3*C - 204*a*b^2*C)*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Tan}[c + d*x])/ (3465*b^3 \\ & *d) - (2*(44*a*b*B - 24*a^2*C - 81*b^2*C)*(a + b*\text{Sec}[c + d*x])^(5/2)*\text{Tan}[c \\ & + d*x])/ (693*b^3*d) + (2*(11*b*B - 6*a*C)*\text{Sec}[c + d*x]*(a + b*\text{Sec}[c + d*x]) \\ & ^{(5/2)*\text{Tan}[c + d*x])/ (99*b^2*d) + (2*C*\text{Sec}[c + d*x]^2*(a + b*\text{Sec}[c + d*x])^ \\ & (5/2)*\text{Tan}[c + d*x])/ (11*b*d) \end{aligned}$$

Rule 4072

$$\begin{aligned} & \text{Int}[(a_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(b_.)]^(m_.)*((A_.) + \text{csc}[(e_.) + (f_. \\ &)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + \text{csc}[(e_.) + (f_.) \\ &)*(x_.)]*(d_.)]^(n_.), x_Symbol] :> \text{Dist}[1/b^2, \text{Int}[(a + b*Csc[e + f*x])^(m + \\ & 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; \text{FreeQ}[\\ & \{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0] \end{aligned}$$

Rule 4033

$$\begin{aligned} & \text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]^(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (\\ & a_.)]^(m_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(B*d^2 \\ & *Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(\\ & m + n)), x] + \text{Dist}[d^2/(b*(m + n)), \text{Int}[(a + b*Csc[e + f*x])^m*(d*Csc[e + f \\ & *x])^(n - 2)*\text{Simp}[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n) \\ & - a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m \\ & \}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[m + n, \\ & 0] \&\& !\text{IGtQ}[m, 1] \end{aligned}$$

Rule 4092

$$\begin{aligned} & \text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[\\ & (e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]^(m_.), x \\ & _Symbol] :> -\text{Simp}[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1) \\ &)/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[Csc[e + f*x]*(a + b*Csc[e + f \\ & *x])^m*\text{Simp}[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m \\ & + 3))*Csc[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{N} \\ & \text{eQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -1] \end{aligned}$$

Rule 4082

$$\begin{aligned} & \text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e \\ & _.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]^(m_.), x_S \\ & ymbol] :> -\text{Simp}[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)) \\ & , x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*\text{Simp}[b*A \end{aligned}$$

$*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[\{a, b, e, f, A, B, C, m\}, x] \&\& !LtQ[m, -1]$

Rule 4002

$Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[\{a, b, A, B, e, f\}, x] \&\& NeQ[A*b - a*B, 0] \&\& NeQ[a^2 - b^2, 0] \&\& GtQ[m, 0]$

Rule 4005

$Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[\{a, b, e, f, A, B\}, x] \&\& NeQ[a^2 - b^2, 0] \&\& NeQ[A^2 - B^2, 0]$

Rule 3832

$Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[\{a, b, e, f\}, x] \&\& NeQ[a^2 - b^2, 0]$

Rule 4004

$Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[\{a, b, e, f, A, B\}, x] \&\& NeQ[a^2 - b^2, 0] \&\& EqQ[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned}
\int \sec^3(c + dx)(a + b \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^4(c + dx)(a + b \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
&= \frac{2C \sec^2(c + dx)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{11bd} \\
&= \frac{2(11bB - 6aC) \sec(c + dx)(a + b \sec(c + dx))^{3/2}}{99b^2d} \\
&= -\frac{2(44abB - 24a^2C - 81b^2C)(a + b \sec(c + dx))^{3/2}}{693b^3d} \\
&= \frac{2(88a^2bB + 539b^3B - 48a^3C - 204ab^2C)(a + b \sec(c + dx))^{3/2}}{3465b^3d} \\
&= \frac{2(88a^3bB + 429ab^3B - 48a^4C - 144a^2b^2C)(a + b \sec(c + dx))^{3/2}}{3465b^3d} \\
&= \frac{2(88a^3bB + 429ab^3B - 48a^4C - 144a^2b^2C)(a + b \sec(c + dx))^{3/2}}{3465b^3d} \\
&= -\frac{2(a - b)\sqrt{a + b}(88a^4bB + 363a^2b^3B + 1617ab^5B - 48a^5C + 108a^3b^2C - 2088a^2b^4C)(a + b \sec(c + dx))^{3/2}}{3465b^3d}
\end{aligned}$$

Mathematica [B] time = 26.5058, size = 4220, normalized size = 7.36

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*((-2*(-88*a^4*b*B - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*Sin[c + d*x]))/(3465*b^4) + (2*Sec[c + d*x]^4*(11*b*B*SIN[c + d*x] + 12*a*C*SIN[c + d*x]))/99 + (2*Sec[c + d*x]^3*(110*a*b*B*SIN[c + d*x] + 3*a^2*C*SIN[c + d*x] + 81*b^2*C*SIN[c + d*x]))/(693*b) + (2*Sec[c + d*x]^2*(33*a^2*b*B*SIN[c + d*x] + 539*b^3*B*SIN[c + d*x] - 18*a^3*C*SIN[c + d*x] + 606*a*b^2*C*SIN[c + d*x]))/(3465*b^2) + (2*Sec[c + d*x]*(-44*a^3*b*B*SIN[c + d*x] + 968*a*b^3*B*SIN[c + d*x] + 24*a^4*C*SIN[c + d*x] + 57*a^2*b^2*C*SIN[c + d*x] + 675*b^4*C*SIN[c + d*x]))/(3465*b^3) + (2*b*C*Sec[c + d*x]^4*Tan[c + d*x])/11)/(d*(b + a*Cos[c + d*x])) + (2*((-11*a^2*B)/(105*sqrt[b + a*Cos[c + d*x]])*sqrt[Sec[c + d*x]]))

$$\begin{aligned}
& *x]]) - (8*a^4*B)/(315*b^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (\\
& 7*b^2*B)/(15*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*a^5*C)/(115 \\
& 5*b^3*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (12*a^3*C)/(385*b*Sqrt \\
& [b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (232*a*b*C)/(385*Sqrt[b + a*Cos[\\
& c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^5*B*Sqrt[Sec[c + d*x]])/(315*b^3*Sqrt[\\
& b + a*Cos[c + d*x]]) - (31*a^3*B*Sqrt[Sec[c + d*x]])/(315*b*Sqrt[b + a*Cos[\\
& c + d*x]]) + (13*a*b*B*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) - \\
& (13*a^2*C*Sqrt[Sec[c + d*x]])/(55*Sqrt[b + a*Cos[c + d*x]]) + (16*a^6*C*Sqr \\
& rt[Sec[c + d*x]])/(1155*b^4*Sqrt[b + a*Cos[c + d*x]]) + (32*a^4*C*Sqrt[Sec[\\
& c + d*x]])/(1155*b^2*Sqrt[b + a*Cos[c + d*x]]) + (15*b^2*C*Sqrt[Sec[c + d*x \\
&]])/(77*Sqrt[b + a*Cos[c + d*x]]) - (8*a^5*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + \\
& d*x]])/(315*b^3*Sqrt[b + a*Cos[c + d*x]]) - (11*a^3*B*Cos[2*(c + d*x)]*Sqrt \\
& [Sec[c + d*x]])/(105*b*Sqrt[b + a*Cos[c + d*x]]) - (7*a*b*B*Cos[2*(c + d*x) \\
&]*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) - (232*a^2*C*Cos[2*(c + \\
& d*x)]*Sqrt[Sec[c + d*x]])/(385*Sqrt[b + a*Cos[c + d*x]]) + (16*a^6*C*Cos[2 \\
& *(c + d*x)]*Sqrt[Sec[c + d*x]])/(1155*b^4*Sqrt[b + a*Cos[c + d*x]]) + (12*a \\
& ^4*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(385*b^2*Sqrt[b + a*Cos[c + d*x] \\
&])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(2*(a + \\
& b)*(-88*a^4*b*B - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - \\
& 2088*a*b^4*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x \\
&])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b \\
&)/(a + b)] + 2*b*(a + b)*(-48*a^4*C + 4*a^3*b*(22*B + 9*C) - 6*a^2*b^2*(11* \\
& B + 24*C) + 3*b^4*(539*B + 225*C) + 3*a*b^3*(143*B + 471*C))*Sqrt[Cos[c + d \\
& *x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x \\
&]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-88*a^4*b*B - \\
& 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*Cos[c \\
& + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3465*b^ \\
& 4*d*(b + a*Cos[c + d*x])^2*Sqrt[Sec[(c + d*x)/2]^2]*Sec[c + d*x]^(3/2)*((a \\
& Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-88*a^4*b*B \\
& - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*Sqr \\
& t[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + \\
& Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b* \\
& (a + b)*(-48*a^4*C + 4*a^3*b*(22*B + 9*C) - 6*a^2*b^2*(11*B + 24*C) + 3*b^4 \\
& *(539*B + 225*C) + 3*a*b^3*(143*B + 471*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + \\
& d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[Ar \\
& cSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-88*a^4*b*B - 363*a^2*b^3*B - 1 \\
& 617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*Cos[c + d*x]*(b + a*Co \\
& s[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3465*b^4*(b + a*Cos[c + \\
& d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2]) - (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d \\
& x]]*Tan[(c + d*x)/2]*(2*(a + b)*(-88*a^4*b*B - 363*a^2*b^3*B - 1617*b^5*B + \\
& 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d \\
& *x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcS \\
& in[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-48*a^4*C + 4*a^3*b*(\\
& 22*B + 9*C) - 6*a^2*b^2*(11*B + 24*C) + 3*b^4*(539*B + 225*C) + 3*a*b^3*(14 \\
& 3*B + 471*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x
\end{aligned}$$

$$\begin{aligned}
&])/((a + b)*(1 + \text{Cos}[c + d*x]))*EllipticF[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) \\
&)/(a + b)] + (-88*a^4*b*B - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3 \\
& *b^2*C - 2088*a*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^2 \\
& *\text{Tan}[(c + d*x)/2)]/(3465*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2 \\
&]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((-88*a^4*b*B - 363*a^2*b \\
& ^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*\text{Cos}[c + d*x]*(\\
& b + a*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^4)/2 + ((a + b)*(-88*a^4*b*B - 363*a^2 \\
& *b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*\text{Sqrt}[(b + a* \\
& \text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*EllipticE[\text{ArcSin}[\text{Tan}[(c + d*x)/ \\
& 2]], (a - b)/(a + b))*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/((1 + \text{Cos}[c + d*x])^2 - \text{S} \\
& \text{in}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (b \\
& *(a + b)*(-48*a^4*C + 4*a^3*b*(22*B + 9*C) - 6*a^2*b^2*(11*B + 24*C) + 3*b^ \\
& 4*(539*B + 225*C) + 3*a*b^3*(143*B + 471*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a \\
& + b)*(1 + \text{Cos}[c + d*x]))]*EllipticF[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + \\
& b))*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/((1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{C} \\
& \text{os}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(-88*a^4*b*B \\
& - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*\text{S} \\
& \text{qrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*EllipticE[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a \\
& - b)/(a + b))*(-(a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])) + ((b + a* \\
& \text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*Co \\
& s[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(a + b)*(-48*a^4*C + 4*a^3*b \\
& *(22*B + 9*C) - 6*a^2*b^2*(11*B + 24*C) + 3*b^4*(539*B + 225*C) + 3*a*b^3*(\\
& 143*B + 471*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*EllipticF[\text{ArcSin}[\text{Tan} \\
& (c + d*x)/2]], (a - b)/(a + b))*(-(a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d \\
& *x])) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2) \\
&))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(-88*a^4*b*B \\
& - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*Co \\
& s[c + d*x]*Sec[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-88*a^4*b*B \\
& - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*(b \\
& + a*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-88*a \\
& ^4*b*B - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4 \\
& *C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 \\
& + (b*(a + b)*(-48*a^4*C + 4*a^3*b*(22*B + 9*C) - 6*a^2*b^2*(11*B + 24*C) + \\
& 3*b^4*(539*B + 225*C) + 3*a*b^3*(143*B + 471*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + Co \\
& s[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*Sec[(c \\
& + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x) \\
& /2]^2)/(a + b)]) + ((a + b)*(-88*a^4*b*B - 363*a^2*b^3*B - 1617*b^5*B + 48* \\
& a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] \\
& *\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*Sec[(c + d*x)/2]^2 \\
& *\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^ \\
& 2)]/(3465*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((2*(a \\
& + b)*(-88*a^4*b*B - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - \\
& 2088*a*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d* \\
& x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*EllipticE[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - \\
& b)/(a + b)] + 2*b*(a + b)*(-48*a^4*C + 4*a^3*b*(22*B + 9*C) - 6*a^2*b^2*(11
\end{aligned}$$

$$\begin{aligned} & *B + 24*C) + 3*b^4*(539*B + 225*C) + 3*a*b^3*(143*B + 471*C))*\text{Sqrt}[\text{Cos}[c + \\ & d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d* \\ & x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-88*a^4*b*B - \\ & 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 108*a^3*b^2*C - 2088*a*b^4*C)*\text{Cos}[\\ & c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]*(-(\text{Cos}[(\\ & c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x \\ &]*\text{Tan}[c + d*x]))/(3465*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2 \\ &]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]])) \end{aligned}$$

Maple [B] time = 2.543, size = 5368, normalized size = 9.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx + c)^6 + Ba \sec(dx + c)^4 + (Ca + Bb) \sec(dx + c)^5\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")`

```
[Out] integral((C*b*sec(d*x + c)^6 + B*a*sec(d*x + c)^4 + (C*a + B*b)*sec(d*x + c)^5)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c))*2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^3, x)
```

3.822 $\int \sec^2(c+dx)(a+b \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=475

$$\frac{2(a-b)\sqrt{a+b}(-6a^2b(3B-C) + 8a^3C - 3ab^2(57B-13C) + 3b^3(25B-49C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{315b^3d}$$

[Out] (2*(a - b)*Sqrt[a + b]*(18*a^3*b*B - 246*a*b^3*B - 8*a^4*C - 33*a^2*b^2*C - 147*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*B - 49*C) - 3*a*b^2*(57*B - 13*C) - 6*a^2*b*(3*B - C) + 8*a^3*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^3*d) - (2*(18*a^2*b*B - 75*b^3*B - 8*a^3*C - 39*a*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(315*b^2*d) - (2*(18*a*b*B - 8*a^2*C - 49*b^2*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(315*b^2*d) + (2*(9*b*B - 4*a*C)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(9*b*d)

Rubi [A] time = 1.22388, antiderivative size = 475, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4033, 4082, 4002, 4005, 3832, 4004}

$$\frac{2(-8a^2C + 18abB - 49b^2C) \tan(c+dx)(a+b \sec(c+dx))^{3/2}}{315b^2d} - \frac{2(18a^2bB - 8a^3C - 39ab^2C - 75b^3B) \tan(c+dx)\sqrt{a+b}}{315b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(a - b)*Sqrt[a + b]*(18*a^3*b*B - 246*a*b^3*B - 8*a^4*C - 33*a^2*b^2*C - 147*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*B - 49*C) - 3*a*b^2*(57*B - 13*C) - 6*a^2*b*(3*B - C) + 8*a^3*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^3*d) - (2*(18*a^2*b*B - 75*b^3*B - 8*a^3*C - 39*a*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(315*b^2*d) - (2*(18*a*b*B - 8*a^2*C - 49*b^2*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(315*b^2*d) + (2*(9*b*B - 4*a*C)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(9*b*d)

$2 * C * (a + b * \sec[c + d * x])^{3/2} * \tan[c + d * x] / (315 * b^2 * d) + (2 * (9 * b * B - 4 * a * C) * (a + b * \sec[c + d * x])^{5/2} * \tan[c + d * x]) / (63 * b^2 * d) + (2 * C * \sec[c + d * x] * (a + b * \sec[c + d * x])^{5/2} * \tan[c + d * x]) / (9 * b * d)$

Rule 4072

$\text{Int}[(a + \csc[e + f * x]) * (b + \csc[e + f * x])^m * (A + \csc[e + f * x]) * (B + \csc[e + f * x])^n, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b * \csc[e + f * x])^{m+1} * (c + d * \csc[e + f * x])^n * (b * B - a * C + b * C * \csc[e + f * x]), x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x \ \&\& \ \text{EqQ}[A * b^2 - a * b * B + a^2 * C, 0]$

Rule 4033

$\text{Int}[(\csc[e + f * x]) * (d + \csc[e + f * x])^n * (\csc[e + f * x]) * (b + a)^m * (\csc[e + f * x]) * (B + A), x_Symbol] \rightarrow -\text{Simp}[(B * d^2 * \cot[e + f * x] * (a + b * \csc[e + f * x])^{m+1} * (d * \csc[e + f * x])^{n-2}) / (b * f * (m + n)), x] + \text{Dist}[d^2 / (b * (m + n)), \text{Int}[(a + b * \csc[e + f * x])^m * (d * \csc[e + f * x])^{n-2} * \text{Simp}[a * B * (n - 2) + B * b * (m + n - 1) * \csc[e + f * x] + (A * b * (m + n) - a * B * (n - 1)) * \csc[e + f * x]^2, x], x], x] /;$
 $\text{FreeQ}\{a, b, d, e, f, A, B, m\}, x \ \&\& \ \text{NeQ}[A * b - a * B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{NeQ}[m + n, 0] \ \&\& \ !\text{IGtQ}[m, 1]$

Rule 4082

$\text{Int}[\csc[e + f * x] * (A + \csc[e + f * x]) * (B + \csc[e + f * x])^2 * (C + \csc[e + f * x]) * (b + a)^m, x_Symbol] \rightarrow -\text{Simp}[(C * \cot[e + f * x] * (a + b * \csc[e + f * x])^{m+1}) / (b * f * (m + 2)), x] + \text{Dist}[1 / (b * (m + 2)), \text{Int}[\csc[e + f * x] * (a + b * \csc[e + f * x])^m * \text{Simp}[b * A * (m + 2) + b * C * (m + 1) + (b * B * (m + 2) - a * C) * \csc[e + f * x], x], x], x] /;$
 $\text{FreeQ}\{a, b, e, f, A, B, C, m\}, x \ \&\& \ !\text{LtQ}[m, -1]$

Rule 4002

$\text{Int}[\csc[e + f * x] * (\csc[e + f * x]) * (b + a)^m * (\csc[e + f * x]) * (B + A), x_Symbol] \rightarrow -\text{Simp}[(B * \cot[e + f * x] * (a + b * \csc[e + f * x])^m) / (f * (m + 1)), x] + \text{Dist}[1 / (m + 1), \text{Int}[\csc[e + f * x] * (a + b * \csc[e + f * x])^{m-1} * \text{Simp}[b * B * m + a * A * (m + 1) + (a * B * m + A * b * (m + 1)) * \csc[e + f * x], x], x], x] /;$
 $\text{FreeQ}\{a, b, A, B, e, f\}, x \ \&\& \ \text{NeQ}[A * b - a * B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 0]$

Rule 4005

$\text{Int}[(\csc[e + f * x]) * (\csc[e + f * x]) * (B + A) / \sqrt{\csc[e + f * x] * (b + a)}, x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\csc[e + f * x] * (b + a), x], x] /;$

$f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b))]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}[\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4004

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B))]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^3(c + dx)(a + b \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
 &= \frac{2C \sec(c + dx)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{9bd} \\
 &= \frac{2(9bB - 4aC)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{63b^2d} \\
 &= -\frac{2(18abB - 8a^2C - 49b^2C)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{315b^2d} \\
 &= -\frac{2(18a^2bB - 75b^3B - 8a^3C - 39ab^2C)\sqrt{a + b \sec(c + dx)}}{315b^2d} \\
 &= -\frac{2(18a^2bB - 75b^3B - 8a^3C - 39ab^2C)\sqrt{a + b \sec(c + dx)}}{315b^2d} \\
 &= \frac{2(a - b)\sqrt{a + b}(18a^3bB - 246ab^3B - 8a^4C - 49b^4C)}{315b^2d}
 \end{aligned}$$

Mathematica [B] time = 25.9137, size = 3766, normalized size = 7.93

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out]
$$\begin{aligned} & (\cos[c + dx] \cdot (a + b \sec[c + dx])^{3/2} \cdot ((2 \cdot (-18a^3bB + 246a^2b^3B + 8a^4C + 33a^2b^2C + 147b^4C) \sin[c + dx]) / (315b^3) + (2 \sec[c + dx])^3 \cdot (9bB \sin[c + dx] + 10aC \sin[c + dx]) / 63 + (2 \sec[c + dx])^2 \cdot (72a^2bB \sin[c + dx] + 3a^2C \sin[c + dx] + 49b^2C \sin[c + dx]) / (315b) \\ & + (2 \sec[c + dx]) \cdot (9a^2bB \sin[c + dx] + 75b^3B \sin[c + dx] - 4a^3C \sin[c + dx] + 88a^2b^2C \sin[c + dx]) / (315b^2) + (2bC \sec[c + dx])^3 \tan[c + dx] / 9) / (d(b + a \cos[c + dx])) - (2((2a^3B) / (35b \sqrt{b + a \cos[c + dx]})) \sqrt{\sec[c + dx]} - (82abB) / (105 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]} - (11a^2C) / (105 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]} - (8a^4C) / (315b^2 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]} - (7b^2C) / (15 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]} - (31a^2B \sqrt{\sec[c + dx]}) / (105 \sqrt{b + a \cos[c + dx]}) + (2a^4B \sqrt{\sec[c + dx]}) / (35b^2 \sqrt{b + a \cos[c + dx]}) + (5b^2B \sqrt{\sec[c + dx]}) / (21 \sqrt{b + a \cos[c + dx]}) - (8a^5C \sqrt{\sec[c + dx]}) / (315b^3 \sqrt{b + a \cos[c + dx]}) - (31a^3C \sqrt{\sec[c + dx]}) / (315b \sqrt{b + a \cos[c + dx]}) + (13abC \sqrt{\sec[c + dx]}) / (105 \sqrt{b + a \cos[c + dx]}) - (82a^2B \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (105 \sqrt{b + a \cos[c + dx]}) + (2a^4B \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (35b^2 \sqrt{b + a \cos[c + dx]}) - (8a^5C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (315b^3 \sqrt{b + a \cos[c + dx]}) - (11a^3C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (105b \sqrt{b + a \cos[c + dx]}) - (7abC \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (15 \sqrt{b + a \cos[c + dx]}) \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \cdot (a + b \sec[c + dx])^{3/2} \cdot (2(a + b) \cdot (-18a^3bB + 246a^2b^3B + 8a^4C + 33a^2b^2C + 147b^4C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b) / (a + b)] - 2b(a + b) \cdot (8a^3C - 6a^2b(3B + C) + 3ab^2(57B + 13C) + 3b^3(25B + 49C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b) / (a + b)] + (-18a^3bB + 246a^2b^3B + 8a^4C + 33a^2b^2C + 147b^4C) \cos[c + dx] \cdot (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (315b^3 d (b + a \cos[c + dx])^2 \sqrt{\sec[(c + dx)/2]^2} \sec[c + dx]^{3/2} \cdot (-a \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \sin[c + dx] \cdot (2(a + b) \cdot (-18a^3bB + 246a^2b^3B + 8a^4C + 33a^2b^2C + 147b^4C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b) / (a + b)] \end{aligned}$$

$$\begin{aligned}
& - 2*b*(a + b)*(8*a^3*C - 6*a^2*b*(3*B + C) + 3*a*b^2*(57*B + 13*C) + 3*b^3*(25*B + 49*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / (315*b^3*(b + a*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*(a + b)*(-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^3*C - 6*a^2*b*(3*B + C) + 3*a*b^2*(57*B + 13*C) + 3*b^3*(25*B + 49*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / (315*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4)/2 + ((a + b)*(-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (b*(a + b)*(8*a^3*C - 6*a^2*b*(3*B + C) + 3*a*b^2*(57*B + 13*C) + 3*b^3*(25*B + 49*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - (b*(a + b)*(8*a^3*C - 6*a^2*b*(3*B + C) + 3*a*b^2*(57*B + 13*C) + 3*b^3*(25*B + 49*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*\text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 - (b*(a + b)*(8*a^3*C - 6*a^2*b*(3*B + C) + 3*a*b^2*(57*B + 13*C) + 3*b^3*(25*B + 49*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)
\end{aligned}$$

$$3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2)]/(315*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - ((2*(a + b)*(-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^3*C - 6*a^2*b*(3*B + C) + 3*a*b^2*(57*B + 13*C) + 3*b^3*(25*B + 49*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-18*a^3*b*B + 246*a*b^3*B + 8*a^4*C + 33*a^2*b^2*C + 147*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(315*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]))$$

Maple [B] time = 1.678, size = 4395, normalized size = 9.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^2*(a+b*\sec(d*x+c))^{3/2}*(B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $\frac{2}{315} \frac{d}{b^3} (\cos(d*x+c)+1)^2 * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2} * (-1+\cos(d*x+c))^2 * (-75*B*\cos(d*x+c)^5*b^5-2*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3*b^2+18*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3*b^2-8*C*\cos(d*x+c)^5*a^4*b+34*C*\cos(d*x+c)^5*a^3*b^2-33*C*\cos(d*x+c)^5*a^2*b^3+10*C*\cos(d*x+c)^5*a*b^4+4*C*\cos(d*x+c)^4*a^4*b+68*C*\cos(d*x+c)^4*a^2*b^3-C*\cos(d*x+c)^3*a^3*b^2+52*C*\cos(d*x+c)^3*a*b^4+4*C*\cos(d*x+c)^6*a^4*b-33*C*\cos(d*x+c)^6*a^3*b^2-88*C*\cos(d*x+c)^6*a^2*b^3-147*C*\cos(d*x+c)^6*a*b^4+53*C*\cos(d*x+c)^2*a^2*b^3+85*C*\cos(d*x+c)*a*b^4-18*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^4*b-18*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3*b^2+246*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2*b^3+246*B*\sin(d*x+c)*$

$$\begin{aligned}
& +\cos(d*x+c)/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^4*b+33*C*\cos(d*x+c)^5*\sin(d* \\
& x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\
&)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^3*b \\
& ^2+33*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)* \\
& (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c) \\
& , ((a-b)/(a+b))^{(1/2)}*a^2*b^3+147*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Elliptic \\
& E((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^4-8*C*\cos(d*x+c)^4*si \\
& n(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d \\
& *x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a \\
& ^4*b-2*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c) \\
&), ((a-b)/(a+b))^{(1/2)}*a^3*b^2-33*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Elliptic \\
& F((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*b^3-186*C*\cos(d*x+c)^4* \\
& sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} \\
&)*a*b^4+8*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(\\
& a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d \\
& *x+c), ((a-b)/(a+b))^{(1/2)}*a^4*b+33*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/ \\
& \cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Elliptic \\
& E((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^3*b^2+33*C*\cos(d*x+c) \\
& ^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& \cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} \\
&)*a^2*b^3+147*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/ \\
& \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^4-8*C*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+ \\
& c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*El \\
& lipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^4*b+35*C*b^5+30*B \\
& *cos(d*x+c)^3*b^5+45*B*cos(d*x+c)*b^5-9*B*cos(d*x+c)^4*a^3*b^2+204*B*cos(d* \\
& x+c)^4*a*b^4+81*B*cos(d*x+c)^3*a^2*b^3+117*B*cos(d*x+c)^2*a*b^4+18*B*cos(d* \\
& x+c)^6*a^4*b-9*B*cos(d*x+c)^6*a^3*b^2-246*B*cos(d*x+c)^6*a^2*b^3-75*B*cos(d \\
& *x+c)^6*a*b^4-18*B*cos(d*x+c)^5*a^4*b+18*B*cos(d*x+c)^5*a^3*b^2+165*B*cos(d \\
& *x+c)^5*a^2*b^3-246*B*cos(d*x+c)^5*a*b^4-75*B*sin(d*x+c)*cos(d*x+c)^4*(cos(\\
& d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\
&)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b^5-75*B*sin(d* \\
& x+c)*cos(d*x+c)^5*(cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b)) \\
& ^{(1/2)}*b^5)/(b+a*\cos(d*x+c))/\cos(d*x+c)^4/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx+c)^5 + Ba \sec(dx+c)^3 + (Ca+Bb) \sec(dx+c)^4\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^5 + B*a*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c))(b \sec(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^2, x)
```

3.823 $\int \sec(c+dx)(a+b \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=387

$$\frac{2(a-b)\sqrt{a+b}(-6a^2C + ab(21B - 57C) - b^2(63B - 25C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{b(1-\sec(c+dx))}{a+b}\right)\right)}{105b^2d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(21*a^2*b*B + 63*b^3*B - 6*a^3*C + 82*a*b^2*C)*Cot[
c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
- b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(
a - b))]/(105*b^3*d) - (2*(a - b)*Sqrt[a + b]*(a*b*(21*B - 57*C) - b^2*(63
*B - 25*C) - 6*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]
]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^2*d) + (2*(21*a*b*B - 6*a^2*C +
25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b*d) + (2*(7*b*B - 2*
a*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x]))/(35*b*d) + (2*C*(a + b*Sec[c
+ d*x])^(5/2)*Tan[c + d*x])/(7*b*d)
```

Rubi [A] time = 0.853035, antiderivative size = 387, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4010, 4002, 4005, 3832, 4004}

$$\frac{2(-6a^2C + 21abB + 25b^2C) \tan(c+dx) \sqrt{a+b \sec(c+dx)}}{105bd} - \frac{2(a-b)\sqrt{a+b}(-6a^2C + ab(21B - 57C) - b^2(63B - 25C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{b(1-\sec(c+dx))}{a+b}\right)\right)}{105b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(21*a^2*b*B + 63*b^3*B - 6*a^3*C + 82*a*b^2*C)*Cot[
c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
- b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(
a - b))]/(105*b^3*d) - (2*(a - b)*Sqrt[a + b]*(a*b*(21*B - 57*C) - b^2*(63
*B - 25*C) - 6*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]
]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^2*d) + (2*(21*a*b*B - 6*a^2*C +
25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((105*b*d) + (2*(7*b*B - 2*
a*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x]))/(35*b*d) + (2*C*(a + b*Sec[c
+ d*x])^(5/2)*Tan[c + d*x])/(7*b*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)
)*(x_)*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)
*(x_)*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)*(b_.) + (a_.)]^(m_.)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Cs
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)*(b_.) + (a_.)]^(m_.)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a
+ b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*
Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B,
0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)*(b_.) + (a_.)])/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)*(b_.) + (a_.)])/Sqrt[c
```

```
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + b \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^2(c + dx)(a + b \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
&= \frac{2C(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{7bd} + \frac{2 \int \sec^2(c + dx)(a + b \sec(c + dx))^{3/2} dx}{7bd} \\
&= \frac{2(7bB - 2aC)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{35bd} \\
&= \frac{2(21abB - 6a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)}}{105bd} \\
&= \frac{2(21abB - 6a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)}}{105bd} \\
&= \frac{2(a - b)\sqrt{a + b} (21a^2bB + 63b^3B - 6a^3C + 8b^3C)}{105bd}
\end{aligned}$$

Mathematica [B] time = 24.3403, size = 3342, normalized size = 8.64

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] (Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*((-2*(-21*a^2*b*B - 63*b^3*B + 6*a
^3*C - 82*a*b^2*C)*Sin[c + d*x])/(105*b^2) + (2*Sec[c + d*x]^2*(7*b*B*SIN[c
+ d*x] + 8*a*C*SIN[c + d*x]))/35 + (2*Sec[c + d*x]*(42*a*b*B*SIN[c + d*x]
+ 3*a^2*C*SIN[c + d*x] + 25*b^2*C*SIN[c + d*x]))/(105*b) + (2*b*C*Sec[c +
d*x]^2*Tan[c + d*x])/7))/(d*(b + a*cos[c + d*x])) + (2*(-(a^2*B)/(5*Sqrt[b +
a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (3*b^2*B)/(5*Sqrt[b + a*cos[c + d*x]
])*Sqrt[Sec[c + d*x]]) + (2*a^3*C)/(35*b*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[
c + d*x]]) - (82*a*b*C)/(105*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) -
```

$$\begin{aligned}
& (a^3 B \sqrt{\sec[c + dx]}) / (5b \sqrt{b + a \cos[c + dx]}) + (a b B \sqrt{\sec[c + dx]}) / (5 \sqrt{b + a \cos[c + dx]}) - (31 a^2 C \sqrt{\sec[c + dx]}) / (105 \sqrt{b + a \cos[c + dx]}) + (2 a^4 C \sqrt{\sec[c + dx]}) / (35 b^2 \sqrt{b + a \cos[c + dx]}) + (5 b^2 C \sqrt{\sec[c + dx]}) / (21 \sqrt{b + a \cos[c + dx]}) - (a^3 B \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (5 b \sqrt{b + a \cos[c + dx]}) - (3 a b B \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (5 \sqrt{b + a \cos[c + dx]}) - (82 a^2 C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (105 \sqrt{b + a \cos[c + dx]}) + (2 a^4 C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (35 b^2 \sqrt{b + a \cos[c + dx]}) * \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} * (a + b \sec[c + dx])^{3/2} * (2(a + b)(-21 a^2 b B - 63 b^3 B + 6 a^3 C - 82 a b^2 C) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))}) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2 b (a + b)(-6 a^2 C + 3 a b(7 B + 19 C) + b^2(63 B + 25 C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))}) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-21 a^2 b B - 63 b^3 B + 6 a^3 C - 82 a b^2 C) \cos[c + dx] * (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (105 b^2 d (b + a \cos[c + dx])^2 \sqrt{\sec[(c + dx)/2]^2} \sec[c + dx]^{3/2} * ((a \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} * \text{Sin}[c + dx] * (2(a + b)(-21 a^2 b B - 63 b^3 B + 6 a^3 C - 82 a b^2 C) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))}) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2 b (a + b)(-6 a^2 C + 3 a b(7 B + 19 C) + b^2(63 B + 25 C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))}) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-21 a^2 b B - 63 b^3 B + 6 a^3 C - 82 a b^2 C) \cos[c + dx] * (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (105 b^2 \sqrt{b + a \cos[c + dx]} * \sqrt{\sec[(c + dx)/2]^2}) + (2 \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} * (((-21 a^2 b B - 63 b^3 B + 6 a^3 C - 82 a b^2 C) \cos[c + dx] * (b + a \cos[c + dx]) \sec[(c + dx)/2]^4) / 2 + (a + b)(-21 a^2 b B - 63 b^3 B + 6 a^3 C - 82 a b^2 C) \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))}) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] \text{Sin}[c + dx]) / (1 + \cos[c + dx])^2 - \text{Sin}[c + dx] / (1 + \cos[c + dx]))) / \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} + (b(a + b)(-6 a^2 C + 3 a b(7 B + 19 C) + b^2(63 B + 25 C)) \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))}) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] \text{Sin}[c + dx]) / (1 + \cos[c + dx])^2 - \text{Sin}[c + dx] / (1 + \cos[c + dx]))) / \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} + ((a + b)(-
\end{aligned}$$

$$\begin{aligned}
& 21a^2b^3B - 63b^3B + 6a^3C - 82ab^2C) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \cdot (-((a \sin[c + dx])/((a + b)(1 + \cos[c + dx]))) + ((b + a \cos[c + dx]) \sin[c + dx])/((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))} \\
& + (b(a + b)(-6a^2C + 3ab(7B + 19C) + b^2(63B + 25C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \cdot (-((a \sin[c + dx])/((a + b)(1 + \cos[c + dx]))) + ((b + a \cos[c + dx]) \sin[c + dx])/((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))} \\
& - a(-21a^2b^3B - 63b^3B + 6a^3C - 82ab^2C) \cos[c + dx] \operatorname{Sec}[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] - (-21a^2b^3B - 63b^3B + 6a^3C - 82ab^2C) (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] \\
& + (-21a^2b^3B - 63b^3B + 6a^3C - 82ab^2C) \cos[c + dx] (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \tan[(c + dx)/2]^2 + (b(a + b)(-6a^2C + 3ab(7B + 19C) + b^2(63B + 25C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))} \operatorname{Sec}[(c + dx)/2]^2 / (\sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2)/(a + b)}) \\
& + ((a + b)(-21a^2b^3B - 63b^3B + 6a^3C - 82ab^2C) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))} \operatorname{Sec}[(c + dx)/2]^2 \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2)/(a + b)}) / \sqrt{1 - \tan[(c + dx)/2]^2} \\
& + ((2(a + b)(-21a^2b^3B - 63b^3B + 6a^3C - 82ab^2C) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b)(-6a^2C + 3ab(7B + 19C) + b^2(63B + 25C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + (-21a^2b^3B - 63b^3B + 6a^3C - 82ab^2C) \cos[c + dx] (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \tan[(c + dx)/2] \cdot (-\cos[(c + dx)/2] \operatorname{Sec}[c + dx] \sin[(c + dx)/2] + \cos[(c + dx)/2]^2 \operatorname{Sec}[c + dx] \tan[c + dx])) / (105b^2 \sqrt{b + a \cos[c + dx]} \sqrt{\operatorname{Sec}[(c + dx)/2]^2}) \\
& + ((2(a + b)(-21a^2b^3B - 63b^3B + 6a^3C - 82ab^2C) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b)(-6a^2C + 3ab(7B + 19C) + b^2(63B + 25C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + (-21a^2b^3B - 63b^3B + 6a^3C - 82ab^2C) \cos[c + dx] (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \tan[(c + dx)/2] \cdot (-\cos[(c + dx)/2] \operatorname{Sec}[c + dx] \sin[(c + dx)/2] + \cos[(c + dx)/2]^2 \operatorname{Sec}[c + dx] \tan[c + dx])) / (105b^2 \sqrt{b + a \cos[c + dx]} \sqrt{\operatorname{Sec}[(c + dx)/2]^2} \sqrt{\cos[(c + dx)/2]^2 \operatorname{Sec}[c + dx]})
\end{aligned}$$

Maple [B] time = 1.112, size = 3424, normalized size = 8.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c) \cdot (a+b \cdot \sec(dx+c))^{3/2} \cdot (B \cdot \sec(dx+c) + C \cdot \sec(dx+c)^2), x)$

[Out] $-2/105/d/b^2 \cdot (\cos(dx+c)+1)^2 \cdot ((b+a \cdot \cos(dx+c))/\cos(dx+c))^{1/2} \cdot (-1+\cos(dx+c))^{2 \cdot (63B \cdot \cos(dx+c)^4 \cdot b^4 - 42B \cdot \cos(dx+c)^3 \cdot b^4 - 21B \cdot \cos(dx+c) \cdot b^4 - 2$

$$\begin{aligned}
& a^2 b^2 + 82 C \cos(d*x+c)^4 a^3 b^3 + 3 C \cos(d*x+c)^3 a^3 b^3 - 68 C \cos(d*x+c)^3 a^3 b^3 \\
& - 27 C \cos(d*x+c)^2 a^2 b^2 - 39 C \cos(d*x+c) a^2 b^3 + 3 C \cos(d*x+c)^5 a^3 b^3 + 82 C \cos(d*x+c)^5 a^2 b^2 \\
& + 25 C \cos(d*x+c)^5 a^3 b^3 + 6 C \sin(d*x+c) \cos(d*x+c)^4 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \\
& \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 - 82 C \sin(d*x+c) \cos(d*x+c)^4 \\
& \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \\
& - 82 C \sin(d*x+c) \cos(d*x+c)^4 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \\
& - 6 C \sin(d*x+c) \cos(d*x+c)^4 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \\
& + 51 C \sin(d*x+c) \cos(d*x+c)^4 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \\
& + 82 C \sin(d*x+c) \cos(d*x+c)^4 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \\
& + 6 C \sin(d*x+c) \cos(d*x+c)^3 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \\
& - 82 C \sin(d*x+c) \cos(d*x+c)^3 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \\
& - 82 C \sin(d*x+c) \cos(d*x+c)^3 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \\
& - 6 C \sin(d*x+c) \cos(d*x+c)^3 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \\
& + 51 C \sin(d*x+c) \cos(d*x+c)^3 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \\
& + 82 C \sin(d*x+c) \cos(d*x+c)^3 \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \frac{1}{a+b} \frac{b+a \cos(d*x+c)}{\cos(d*x+c)+1} \left(\frac{\cos(d*x+c)}{\cos(d*x+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 b^3 \\
& + 6 C \cos(d*x+c)^4 a^4 - 10 C \cos(d*x+c)^2 b^4 + 25 C \cos(d*x+c)^4 b^4 - 15 C b^4 / (b+a \cos(d*x+c)) / \cos(d*x+c)^3 / \sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx+c)^4 + Ba \sec(dx+c)^2 + (Ca + Bb) \sec(dx+c)^3\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^4 + B*a*sec(d*x + c)^2 + (C*a + B*b)*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c)\right) (b \sec(dx+c) + a)^{\frac{3}{2}} \sec(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c), x)

3.824 $\int (a+b \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=312

$$\frac{2(a-b)\sqrt{a+b}(15aB-3aC-5bB+9bC)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{15bd}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(20*a*b*B + 3*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^2*d) + (2*(a - b)*Sqrt[a + b]*(15*a*B - 5*b*B - 3*a*C + 9*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b*d) + (2*(5*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(15*d) + (2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x]/(5*d))
```

Rubi [A] time = 0.467749, antiderivative size = 312, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4056, 4058, 12, 3832, 4004}

$$\frac{2(a-b)\sqrt{a+b}(3a^2C+20abB+9b^2C)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{15b^2d} + \frac{2(3a^2C+20abB+9b^2C)\cot(c+dx)\sqrt{a+b}}{15bd}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(20*a*b*B + 3*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^2*d) + (2*(a - b)*Sqrt[a + b]*(15*a*B - 5*b*B - 3*a*C + 9*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b*d) + (2*(5*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(15*d) + (2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x]/(5*d))
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
```

```
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2}{5} \int \sqrt{a + b \sec(c + dx)} dx \\
&= \frac{2(5bB + 3aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2C(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
&= \frac{2(5bB + 3aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2C(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
&= -\frac{2(a - b)\sqrt{a + b} (20abB + 3a^2C + 9b^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{15b^2} \\
&= -\frac{2(a - b)\sqrt{a + b} (20abB + 3a^2C + 9b^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{15b^2}
\end{aligned}$$

Mathematica [A] time = 18.6249, size = 456, normalized size = 1.46

$$\frac{\cos(c + dx)(a + b \sec(c + dx))^{3/2} \left(\frac{2(3a^2C + 20abB + 9b^2C) \sin(c + dx)}{15b} + \frac{2}{15} \sec(c + dx)(6aC \sin(c + dx) + 5bB \sin(c + dx)) + \frac{2}{5} bC \tan(c + dx) \right)}{d(a \cos(c + dx) + b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(2*(a + b)*(20*a*b*B + 3*a^2*C + 9*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(3*a*(5*B + C) + b*(5*B + 9*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (20*a*b*B + 3*a^2*C + 9*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(15*b*d*(b + a*Cos[c + d*x])^2*Sqrt[Sec[(c + d*x)/2]^2*Sec[c + d*x]^(3/2)) + (Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*((2*(20*a*b*B + 3*a^2*C + 9*b^2*C)*Sin[c + d*x])/(15*b) + (2*Sec[c + d*x]*(5*b*B*Sin[c + d*x] + 6*a*C*Sin[c + d*x]))/15 + (2*b*C*Sec[c + d*x]*Tan[c + d*x])/5))/(d*(b + a*Cos[c + d*x]))

Maple [B] time = 0.732, size = 2683, normalized size = 8.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(d*x+c))^{3/2}*(B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $\frac{2}{15} \frac{d}{b} (\cos(d*x+c)+1)^2 \left(\frac{b+a*\cos(d*x+c)}{\cos(d*x+c)} \right)^{1/2} (-1+\cos(d*x+c))^{3/2} (3*C*\cos(d*x+c)^3*a^3+20*B*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b-15*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b-9*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^3+3*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3+9*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^3-9*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^3-5*B*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^3-5*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^3+20*B*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2-20*B*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2+20*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b+20*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2-20*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2+3*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b+9*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})$

```

*a*b^2-3*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+
b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x
+c),((a-b)/(a+b))^(1/2))*a^2*b-12*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(co
s(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elliptic
F((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2+3*C*sin(d*x+c)*cos(
d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d
*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a
^2*b+9*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c
),((a-b)/(a+b))^(1/2))*a*b^2-3*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((
-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b-12*C*sin(d*x+c)*cos(d*
x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x
+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b
^2-15*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*
(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c)
,((a-b)/(a+b))^(1/2))*a^2*b-6*C*cos(d*x+c)^4*a^2*b-9*C*cos(d*x+c)^4*a*b^2-3
*C*cos(d*x+c)^3*a^2*b+9*C*cos(d*x+c)*a*b^2-20*B*cos(d*x+c)^3*a*b^2+25*B*cos
(d*x+c)^2*a*b^2-20*B*cos(d*x+c)^4*a^2*b-5*B*cos(d*x+c)^4*a*b^2+20*B*cos(d*x
+c)^3*a^2*b+9*C*cos(d*x+c)^2*a^2*b-3*C*cos(d*x+c)^4*a^3-9*C*cos(d*x+c)^3*b^
3+6*C*cos(d*x+c)^2*b^3-5*B*cos(d*x+c)^3*b^3+5*B*cos(d*x+c)*b^3+3*C*sin(d*x+
c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))
/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*a^3+9*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/
(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c),((a-b)/(a+b))^(1/2))*b^3+3*C*b^3/(b+a*cos(d*x+c))/cos(d*x+c)^2/sin(
d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c))(b \sec(dx+c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm
="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2), x
)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx + c)^3 + Ba \sec(dx + c) + (Ca + Bb) \sec(dx + c)^2\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^3 + B*a*sec(d*x + c) + (C*a + B*b)*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) \right) (b \sec(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2), x)

3.825 $\int \cos(c+dx)(a+b \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=380

$$\frac{2\sqrt{a+b}(3a^2C + ab(6B - 4C) - b^2(3B - C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3bd}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B + 4*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (2*Sqrt[a + b]*(a*b*(6*B - 4*C) - b^2*(3*B - C) + 3*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) - (2*a*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*b*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]))/(3*d)
```

Rubi [A] time = 0.529385, antiderivative size = 380, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 3918, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(3a^2C + ab(6B - 4C) - b^2(3B - C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{3bd} - 2$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B + 4*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (2*Sqrt[a + b]*(a*b*(6*B - 4*C) - b^2*(3*B - C) + 3*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) - (2*a*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*b*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]))/(3*d)
```


Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3918

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)])/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]

/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + b \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\ &= \frac{2bC\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{3a^2}{2} \\ &= \frac{2bC\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{3a^2}{2} \\ &= -\frac{2(a - b)\sqrt{a + b}(3bB + 4aC) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3d} \\ &= -\frac{2(a - b)\sqrt{a + b}(3bB + 4aC) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3d} \end{aligned}$$

Mathematica [B] time = 24.0928, size = 6047, normalized size = 15.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] Result too large to show

Maple [B] time = 0.509, size = 2340, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)*(a+b*\sec(dx+c))^{3/2}*(B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\frac{2}{3}d(-1+\cos(dx+c))^2(-3B\cos(dx+c)^3a^2b+3B\cos(dx+c)^2a^2b-C\cos(dx+c)^3a^2b-4C\cos(dx+c)^2a^2b+5C\cos(dx+c)a^2b+3B\sin(dx+c)\cos(dx+c)^2)/(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2b-4C\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2b+4C\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2b-4C\sin(dx+c)\cos(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2b+4C\sin(dx+c)\cos(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2b-6B\cos(dx+c)\sin(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2b+3B\cos(dx+c)\sin(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2b-3B\cos(dx+c)^2b^2-6B\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2b+3B\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2-6B\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})a^2-3C\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2-3C\sin(dx+c)\cos(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})a^2-3B\cos(dx+c)\sin(dx+c)(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})b^2-C\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/($$

$$\begin{aligned} & (a+b)^{(1/2)} * a^2 - C * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} \\ & * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \\ & \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^2 + 4*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c) / \\ & (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 + 3*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^2 - 3*B*\sin(d*x+c)*\cos(d*x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^2 + 3*B*\sin(d*x+c)*\cos(d*x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^2 + b^2 * C + 3*B*\cos(d*x+c) * b^2 - 4*C*\cos(d*x+c)^3 * a^2 + 4*C*\cos(d*x+c)^2 * a^2 - C*\cos(d*x+c)^2 * b^2 - 6*B*\sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * a^2 + 3*B*\sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * a^2 * ((b+a*\cos(d*x+c)) / \cos(d*x+c))^{(1/2)} * (\cos(d*x+c)+1)^2 / (b+a*\cos(d*x+c)) / \cos(d*x+c) / \sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c))(b \sec(dx+c) + a)^{3/2} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x+c)^2 + B*sec(d*x+c))*(b*sec(d*x+c) + a)^(3/2)*cos(d*x+c), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Cb \cos(dx+c) \sec(dx+c)^3 + Ba \cos(dx+c) \sec(dx+c) + (Ca + Bb) \cos(dx+c) \sec(dx+c)^2) \sqrt{b \sec(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")
```

[Out] integral((C*b*cos(d*x + c)*sec(d*x + c)^3 + B*a*cos(d*x + c)*sec(d*x + c) + (C*a + B*b)*cos(d*x + c)*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c), x)

3.826 $\int \cos^2(c+dx)(a+b \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=361

$$\frac{\sqrt{a+b}(a(B+4C)+2b(B-C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{d} + \frac{(a-b)\sqrt{a+b}}{d}$$

[Out] ((a - b)*Sqrt[a + b]*(a*B - 2*b*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(2*b*(B - C) + a*(B + 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (Sqrt[a + b]*(3*b*B + 2*a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (a*B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.548051, antiderivative size = 361, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4025, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(a(B+4C)+2b(B-C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{d} + \frac{(a-b)\sqrt{a+b}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((a - b)*Sqrt[a + b]*(a*B - 2*b*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(2*b*(B - C) + a*(B + 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (Sqrt[a + b]*(3*b*B + 2*a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (a*B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)
)*(x_)*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)
*(x_)*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_)^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.
) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)])*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
```

/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)(a + b \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\ &= \frac{aB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} - \int \frac{-\frac{1}{2}a(3 + \sec^2(c + dx))}{d} dx \\ &= \frac{aB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} - \frac{1}{2}(b(aB - aC) \cot(c + dx) E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{\sqrt{a + b}})) \\ &= \frac{(a - b)\sqrt{a + b}(aB - 2bC) \cot(c + dx) E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{\sqrt{a + b}}))}{2d} \\ &= \frac{(a - b)\sqrt{a + b}(aB - 2bC) \cot(c + dx) E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{\sqrt{a + b}}))}{2d} \end{aligned}$$

Mathematica [B] time = 18.3257, size = 979, normalized size = 2.71

$$\frac{2bC \cos(c + dx) \sin(c + dx)(a + b \sec(c + dx))^{3/2}}{d(b + a \cos(c + dx))} + \frac{\sqrt{\frac{1}{1 - \tan^2(\frac{1}{2}(c + dx))}} \left(a^2 B \tan^5\left(\frac{1}{2}(c + dx)\right) - abB \tan^5\left(\frac{1}{2}(c + dx)\right) + 2b^2 \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]


```
[Out] (2*b*C*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(d*(b + a*Cos[
c + d*x])) + ((a + b*Sec[c + d*x])^(3/2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)
]*(a^2*B*Tan[(c + d*x)/2] + a*b*B*Tan[(c + d*x)/2] - 2*a*b*C*Tan[(c + d*x)/
2] - 2*b^2*C*Tan[(c + d*x)/2] - 2*a^2*B*Tan[(c + d*x)/2]^3 + 4*a*b*C*Tan[(c
+ d*x)/2]^3 + a^2*B*Tan[(c + d*x)/2]^5 - a*b*B*Tan[(c + d*x)/2]^5 - 2*a*b*
C*Tan[(c + d*x)/2]^5 + 2*b^2*C*Tan[(c + d*x)/2]^5 - 6*a*b*B*EllipticPi[-1,
-ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sq
rt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 4*a^2*C
*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c
+ d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a
+ b)] - 6*a*b*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]
*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d
*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 4*a^2*C*EllipticPi[-1, -ArcSin[
Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*
x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b
)] + (a + b)*(a*B - 2*b*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a +
b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*T
an[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*(2*a*b*(B - C) + a^2
*C - b^2*(B + C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt
[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c +
d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(d*(b + a*Cos[c + d*x])^(3/2)*
Sec[c + d*x]^(3/2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c +
d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))]
```

Maple [B] time = 0.492, size = 2199, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] 1/d*(-1+cos(d*x+c))^2*(-2*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a
-b)/(a+b))^(1/2))*b^2*sin(d*x+c)-4*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(
a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(
d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)-2*B*(cos(d*x+c)/(cos(d*x+c)+
1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(
d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)-B*EllipticE((-1+cos(
d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-B*cos(d*x+c)^
2*a*b-2*C*cos(d*x+c)^2*a*b+2*C*cos(d*x+c)*a*b+2*C*(cos(d*x+c)/(cos(d*x+c)+1
```

$$\begin{aligned}
&))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2 * \sin(d*x+c) - 4 * C * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b + 2 * C * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b + 4 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b - B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b + 2 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * \sin(d*x+c) - B * \cos(d*x+c)^3 * a^2 + 2 * C * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 - 6 * B * \cos(d*x+c) * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * a * b + B * \cos(d*x+c) * a * b + B * \cos(d*x+c)^2 * a^2 - 2 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2 - 2 * C * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2 - 2 * C * \cos(d*x+c) * b^2 + 2 * b^2 * C + 4 * B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b * \sin(d*x+c) - B * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * a * b + 2 * C * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * a * b - 4 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b * \sin(d*x+c) - B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 - 6 * B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * a * b * \sin(d*x+c) + 2 * C * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \cos(d*x+c) * b^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) - 4 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \cos(d*x+c) * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^2 * (\cos(d*x+c)+1)^2 * ((b+a * \cos(d*x+c)) / \cos(d*x+c))^{1/2} / (b+a * \cos(d*x+c)) / \sin(d*x+c)^5
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Cb \cos(dx + c)^2 \sec(dx + c)^3 + Ba \cos(dx + c)^2 \sec(dx + c) + (Ca + Bb) \cos(dx + c)^2 \sec(dx + c)^2) \sqrt{b \sec(dx + c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b*cos(d*x + c)^2*sec(d*x + c)^3 + B*a*cos(d*x + c)^2*sec(d*x + c) + (C*a + B*b)*cos(d*x + c)^2*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x)
```

3.827 $\int \cos^3(c+dx)(a+b \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=428

$$\frac{\sqrt{a+b}(2aB+4aC+5bB+8bC) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) \sqrt{a+b}}{4d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(5*b*B + 4*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a +
b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(
2*a*B + 5*b*B + 4*a*C + 8*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec
[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a +
b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(4*a^2*B
+ 3*b^2*B + 12*a*b*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*
Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + ((5*b*B + 4*a*C)*
Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Cos[c + d*x]*Sqrt[a + b
*Sec[c + d*x]]*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.874381, antiderivative size = 428, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {4072, 4025, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(4a^2B+12abC+3b^2B) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{a+b}}{4ad} + \frac{(4aC + \dots)}{4ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(5*b*B + 4*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a +
b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(
2*a*B + 5*b*B + 4*a*C + 8*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec
[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a +
b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(4*a^2*B
+ 3*b^2*B + 12*a*b*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*
Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + ((5*b*B + 4*a*C)*
Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Cos[c + d*x]*Sqrt[a + b
*Sec[c + d*x]]*Sin[c + d*x])/(2*d)
```

$\text{Sec}[c + d*x] \cdot \text{Sin}[c + d*x] / (2*d)$

Rule 4072

$\text{Int}[(a + \text{csc}[e + f*x] + (f*x) \cdot (b + \text{csc}[e + f*x]))^{m_1} \cdot (A + \text{csc}[e + f*x] + (f*x) \cdot (B + \text{csc}[e + f*x]))^{n_1} \cdot (C + \text{csc}[e + f*x] + (f*x) \cdot (D + \text{csc}[e + f*x]))^{n_2}, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b \cdot \text{Csc}[e + f*x])^{m+1} \cdot (c + d \cdot \text{Csc}[e + f*x])^n \cdot (b \cdot B - a \cdot C + b \cdot C \cdot \text{Csc}[e + f*x]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x\} \ \&\& \ \text{EqQ}[A \cdot b^2 - a \cdot b \cdot B + a^2 \cdot C, 0]$

Rule 4025

$\text{Int}[(\text{csc}[e + f*x] + (f*x) \cdot (d + \text{csc}[e + f*x]))^{n_1} \cdot (\text{csc}[e + f*x] + (f*x) \cdot (b + \text{csc}[e + f*x]) + a)^{m_1} \cdot (\text{csc}[e + f*x] + (f*x) \cdot (B + \text{csc}[e + f*x]) + A), x_Symbol] \rightarrow \text{Simp}[(a \cdot A \cdot \text{Cot}[e + f*x] \cdot (a + b \cdot \text{Csc}[e + f*x])^{m-1} \cdot (d \cdot \text{Csc}[e + f*x])^n) / (f \cdot n), x] + \text{Dist}[1/(d \cdot n), \text{Int}[(a + b \cdot \text{Csc}[e + f*x])^{m-2} \cdot (d \cdot \text{Csc}[e + f*x])^{n+1} \cdot \text{Simp}[a \cdot (a \cdot B \cdot n - A \cdot b \cdot (m - n - 1)) + (2 \cdot a \cdot b \cdot B \cdot n + A \cdot (b^2 \cdot n + a^2 \cdot (1 + n))) \cdot \text{Csc}[e + f*x] + b \cdot (b \cdot B \cdot n + a \cdot A \cdot (m + n)) \cdot \text{Csc}[e + f*x]^2, x], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \ \&\& \ \text{NeQ}[A \cdot b - a \cdot B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{LeQ}[n, -1]$

Rule 4104

$\text{Int}[(A + \text{csc}[e + f*x] + (f*x) \cdot (B + \text{csc}[e + f*x]))^{m_1} \cdot (\text{csc}[e + f*x] + (f*x) \cdot (d + \text{csc}[e + f*x]))^{n_1} \cdot (\text{csc}[e + f*x] + (f*x) \cdot (b + \text{csc}[e + f*x]) + a)^{m_2}, x_Symbol] \rightarrow \text{Simp}[(A \cdot \text{Cot}[e + f*x] \cdot (a + b \cdot \text{Csc}[e + f*x])^{m+1} \cdot (d \cdot \text{Csc}[e + f*x])^n) / (a \cdot f \cdot n), x] + \text{Dist}[1/(a \cdot d \cdot n), \text{Int}[(a + b \cdot \text{Csc}[e + f*x])^m \cdot (d \cdot \text{Csc}[e + f*x])^{n+1} \cdot \text{Simp}[a \cdot B \cdot n - A \cdot b \cdot (m + n + 1) + a \cdot (A + A \cdot n + C \cdot n) \cdot \text{Csc}[e + f*x] + A \cdot b \cdot (m + n + 2) \cdot \text{Csc}[e + f*x]^2, x], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LeQ}[n, -1]$

Rule 4058

$\text{Int}[(A + \text{csc}[e + f*x] + (f*x) \cdot (B + \text{csc}[e + f*x])) / \sqrt{\text{csc}[e + f*x] + (f*x) \cdot (b + \text{csc}[e + f*x]) + a}, x_Symbol] \rightarrow \text{Int}[(A + (B - C) \cdot \text{Csc}[e + f*x]) / \sqrt{a + b \cdot \text{Csc}[e + f*x]}, x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x] \cdot (1 + \text{Csc}[e + f*x])) / \sqrt{a + b \cdot \text{Csc}[e + f*x]}, x], x] /;$ $\text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\text{csc}[e + f*x] + (f*x) \cdot (d + \text{csc}[e + f*x]) + c) / \sqrt{\text{csc}[e + f*x] + (f*x) \cdot (b + \text{csc}[e + f*x]) + a}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\sqrt{a + b \cdot \text{Csc}[e + f*x]}, x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x] / \sqrt{a + b \cdot \text{Csc}[e + f*x]}, x], x] /;$ $\text{FreeQ}\{a, b, c,$

d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + b \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} \\
&= \frac{(5bB + 4aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{(5bB + 4aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{(a - b) \sqrt{a + b} (5bB + 4aC) \cot(c + dx) E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}))}{4d} + \frac{C \sqrt{a + b} \cot(c + dx) E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}))}{4d} \\
&= \frac{(a - b) \sqrt{a + b} (5bB + 4aC) \cot(c + dx) E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}))}{4d} + \frac{C \sqrt{a + b} \cot(c + dx) E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}))}{4d}
\end{aligned}$$

Mathematica [C] time = 19.2847, size = 1580, normalized size = 3.69

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*B*Sqrt[a + b*Sec[c + d*x]]*Sin[2*(c + d*x)])/(4*d) - (Sqrt[a + b*Sec[c + d*x]]*(5*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 5*b^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 4*a^2*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] + 4*a*b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] - 10*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^3 - 8*a^2*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^3 + 5*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - 5*b^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 + 4*a^2*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^5 - 4*a*b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^5 - (8*I)*a^2*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (6*I)*b^2*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (24*I)*a*b*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)]
```



```

)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a
- b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*T
an[(c + d*x)/2]^2)/(a + b)] - (8*I)*a^2*B*EllipticPi[-((a + b)/(a - b)), I*
ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c +
d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2
+ b*Tan[(c + d*x)/2]^2)/(a + b)] - (6*I)*b^2*B*EllipticPi[-((a + b)/(a - b)
), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan
[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/
2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (24*I)*a*b*C*EllipticPi[-((a + b)/(
a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b
)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c +
d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*(5*b*B + 4*a*C)*Ell
ipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]
*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[
(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*(a - b)*(2*a*B + b*
(B + 4*C))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a
+ b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(
a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(4*Sqrt[(-a
+ b)/(a + b)]*d*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(1 - Tan[
(c + d*x)/2]^2)^(-1)]*(-1 + Tan[(c + d*x)/2]^2)*(1 + Tan[(c + d*x)/2]^2)^(3
/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c
+ d*x)/2]^2))]

```

Maple [B] time = 0.416, size = 2439, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] -1/4/d*(-1+cos(d*x+c))^2*(8*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (
(a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)-8*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1
/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin
(d*x+c), ((a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)+7*B*cos(d*x+c)^3*a*b-5*B*cos(d*
x+c)^2*a*b+4*C*cos(d*x+c)^2*a*b-4*C*cos(d*x+c)*a*b+8*B*(cos(d*x+c)/(cos(d*x
+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-
1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)-16*C*sin(d*
x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))
/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(
1/2))*a*b+4*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a

```

$$\begin{aligned}
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b+2*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b+5*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b+6*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*b^2*\sin(d*x+c)+5*B*\cos(d*x+c)^2*b^2+2*B*a^2*\cos(d*x+c)^4+24*C*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*a*b-4*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*\sin(d*x+c)+4*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*\sin(d*x+c)+5*B*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})-2*B*\cos(d*x+c)*a*b-2*B*\cos(d*x+c)^2*a^2-8*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^2+8*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^2+4*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2+5*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^2-5*B*\cos(d*x+c)*b^2+4*C*\cos(d*x+c)^3*a^2-4*C*\cos(d*x+c)^2*a^2+2*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b*\sin(d*x+c)+5*B*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*a*b+4*C*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*a*b-16*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b*\sin(d*x+c)+8*B*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*a^2+6*B*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*b^2-4*B*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*a^2+24*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a
\end{aligned}$$

$(+b))^{(1/2)} * a * b * \sin(d*x+c) * (\cos(d*x+c)+1)^2 * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)} / (b+a*\cos(d*x+c)) / \sin(d*x+c)^5$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{3/2} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^3, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb cos(dx + c)^3 sec(dx + c)^3 + Ba cos(dx + c)^3 sec(dx + c) + (Ca + Bb) cos(dx + c)^3 sec(dx + c)^2)*sqrt(b sec(dx + c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b*cos(d*x + c)^3*sec(d*x + c)^3 + B*a*cos(d*x + c)^3*sec(d*x + c) + (C*a + B*b)*cos(d*x + c)^3*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^3, x)

3.828 $\int \cos^4(c+dx)(a+b \sec(c+dx))^{3/2} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=520

$$\frac{\sqrt{a+b}(16a^2B + 12a^2C + 14abB + 30abC + 3b^2B) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{24ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*B + 3*b^2*B + 30*a*b*C)*Cot[c + d*x]*EllipticE
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*b*
d) + (Sqrt[a + b]*(16*a^2*B + 14*a*b*B + 3*b^2*B + 12*a^2*C + 30*a*b*C)*Cot
[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(
a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/
(a - b))]/(24*a*d) - (Sqrt[a + b]*(12*a^2*b*B - b^3*B + 8*a^3*C + 6*a*b^2*
C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[
a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1
+ Sec[c + d*x]))/(a - b))]/(8*a^2*d) + ((16*a^2*B + 3*b^2*B + 30*a*b*C)*S
qrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a*d) + ((7*b*B + 6*a*C)*Cos[c + d
*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d) + (a*B*Cos[c + d*x]^2*Sqr
t[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.32453, antiderivative size = 520, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {4072, 4025, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(16a^2B + 30abC + 3b^2B) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{24ad} + \frac{\sqrt{a+b}(16a^2B + 12a^2C + 14abB + 30abC + 3b^2B) \cot(c+dx)}{24ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*B + 3*b^2*B + 30*a*b*C)*Cot[c + d*x]*EllipticE
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*b*
d) + (Sqrt[a + b]*(16*a^2*B + 14*a*b*B + 3*b^2*B + 12*a^2*C + 30*a*b*C)*Cot
[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(
a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/
(a - b))]/(24*a*d) - (Sqrt[a + b]*(12*a^2*b*B - b^3*B + 8*a^3*C + 6*a*b^2*
C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[
```

$a + b]], (a + b)/(a - b)]\sqrt{(b(1 - \sec[c + dx]))/(a + b)]\sqrt{-((b(1 + \sec[c + dx]))/(a - b))}]/(8a^2d) + ((16a^2B + 3b^2B + 30abC)*\sqrt{a + b\sec[c + dx]}\sin[c + dx])/(24ad) + ((7bB + 6aC)*\cos[c + dx]*\sqrt{a + b\sec[c + dx]}\sin[c + dx])/(12d) + (aB\cos[c + dx]^2\sqrt{a + b\sec[c + dx]}\sin[c + dx])/(3d)$

Rule 4072

$\text{Int}[(a + \csc[e + f(x)](b))^{m_1}((A + \csc[e + f(x)](x))^{n_1} + \csc[e + f(x)](x))^{n_2}(C))^{n_3}((c + \csc[e + f(x)](x))^{n_4} + \csc[e + f(x)](x))^{n_5}(d))^{n_6}, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b\csc[e + fx])^{m+1}(c + d\csc[e + fx])^n(bB - aC + bC\csc[e + fx])], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A^2 - ab + a^2C, 0]$

Rule 4025

$\text{Int}[(\csc[e + f(x)](x))^{n_1}(\csc[e + f(x)](x))^{n_2}(b + a))^{m_1}(\csc[e + f(x)](x))^{n_3} + (A)), x_Symbol] \rightarrow \text{Simp}[aA\cot[e + fx](a + b\csc[e + fx])^{m-1}(d\csc[e + fx])^n/(f^n), x] + \text{Dist}[1/(d^n), \text{Int}[(a + b\csc[e + fx])^{m-2}(d\csc[e + fx])^{n+1}\text{Simp}[a(aBn - A^2(m-n-1)) + (2abBn + A(b^2n + a^2(1+n)))*\csc[e + fx] + b(bBn + aA(m+n))*\csc[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A^2 - ab, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$

Rule 4104

$\text{Int}[(A + \csc[e + f(x)](x))^{m_1} + \csc[e + f(x)](x))^{n_1}(\csc[e + f(x)](x))^{n_2}(b + a))^{m_2}, x_Symbol] \rightarrow \text{Simp}[A\cot[e + fx](a + b\csc[e + fx])^{m+1}(d\csc[e + fx])^n/(af^n), x] + \text{Dist}[1/(ad^n), \text{Int}[(a + b\csc[e + fx])^m(d\csc[e + fx])^{n+1}\text{Simp}[aBn - A^2(m+n+1) + a(A + A^n + C^n)*\csc[e + fx] + A^2b(m+n+2)*\csc[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 4058

$\text{Int}[(A + \csc[e + f(x)](x))^{m_1} + \csc[e + f(x)](x))^{n_1}]/\sqrt{\csc[e + f(x)](x)(b + a)}, x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\csc[e + fx])/\sqrt{a + b\csc[e + fx]}, x] + \text{Dist}[C, \text{Int}[(\csc[e + fx](1 + \csc[e + fx]))/\sqrt{a + b\csc[e + fx]}, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + b \sec(c + dx))^{3/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^3(c + dx)(a + b \sec(c + dx))^{3/2} (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{(7bB + 6aC) \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12d} \\
&= \frac{(16a^2B + 3b^2B + 30abC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} \\
&= \frac{(16a^2B + 3b^2B + 30abC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2B + 3b^2B + 30abC) \cot(c + dx)}{24ad} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2B + 3b^2B + 30abC) \cot(c + dx)}{24ad}
\end{aligned}$$

Mathematica [B] time = 18.9626, size = 1532, normalized size = 2.95

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Sqrt[a + b*Sec[c + d*x]]*((a*B*Sin[c + d*x])/12 + ((7*b*B + 6*a*C)*Sin[2*(c + d*x)])/24 + (a*B*Sin[3*(c + d*x)]/12))/d + (Sqrt[a + b*Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(16*a^3*B*Tan[(c + d*x)/2] + 16*a^2*b*B*Tan[(c + d*x)/2] + 3*a*b^2*B*Tan[(c + d*x)/2] + 3*b^3*B*Tan[(c + d*x)/2] + 30*a^2*b*C*Tan[(c + d*x)/2] + 30*a*b^2*C*Tan[(c + d*x)/2] - 32*a^3*B*Tan[(c + d*x)/2]^3 - 6*a*b^2*B*Tan[(c + d*x)/2]^3 - 60*a^2*b*C*Tan[(c + d*x)/2]^3 + 16*a^3*B*Tan[(c + d*x)/2]^5 - 16*a^2*b*B*Tan[(c + d*x)/2]^5 + 3*a*b^2*B*Tan[(c + d*x)/2]^5 - 3*b^3*B*Tan[(c + d*x)/2]^5 + 30*a^2*b*C*Tan[(c + d*x)/2]^5 - 30*a*b^2*C*Tan[(c + d*x)/2]^5 - 72*a^2*b*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*b^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2])
```


$$\begin{aligned} &^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] - 4 \\ &8 * a^3 * C * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Sqrt}[1 - \\ &\text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] \\ &- 36 * a * b^2 * C * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] \\ &- 72 * a^2 * b * B * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Tan}[(c + d * x) / 2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] + 6 * \\ &b^3 * B * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Tan}[(c + d * x) / 2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] \\ &- 48 * a^3 * C * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Tan}[(c + d * x) / 2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] - 36 * a * b^2 * C * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Tan}[(c + d * x) / 2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] + (a + b) * (16 * a^2 * B + 3 * b^2 * B + 30 * a * b * C) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * (1 + \text{Tan}[(c + d * x) / 2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] - 2 * a * (a * b * (26 * B - 6 * C) + 12 * a^2 * C + b^2 * (-7 * B + 24 * C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * (1 + \text{Tan}[(c + d * x) / 2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)])) / (24 * a * d * \text{Sqrt}[b + a * \text{Cos}[c + d * x]] * \text{Sqrt}[\text{Sec}[c + d * x]] * (1 + \text{Tan}[(c + d * x) / 2]^2)^{(3/2)} * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (1 + \text{Tan}[(c + d * x) / 2]^2)]) \end{aligned}$$

Maple [B] time = 0.459, size = 3142, normalized size = 6.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^4*(a+b*\sec(d*x+c))^{(3/2)}*(B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $-1/24/d/a*(-1+\cos(d*x+c))^2*(16*B*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})+3*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^3*\sin(d*x+c)+48*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^3*\sin(d*x+c)-24*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*\sin(d*x+c)-6*B$

$$\begin{aligned}
& *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b^3 * \sin(dx+c) \\
& + 72 * B * \cos(dx+c) * a^2 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& * \sin(dx+c) * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b - 52 * B * \cos(dx+c) * a^2 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b \\
& + 14 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 30 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 30 * C * a^2 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b \\
& + 12 * C * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 * b \\
& + 16 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 3 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 36 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a * b^2 - 48 * C * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c) * \sin(dx+c) * a * b^2 + 42 * C * \cos(dx+c)^3 * a^2 * b - 30 * C * \cos(dx+c) * a * b^2 + 17 * B * \cos(dx+c)^3 * a * b^2 - 3 * B * \cos(dx+c)^2 * a * b^2 + 22 * B * \cos(dx+c)^4 * a^2 * b - 30 * C * \cos(dx+c)^2 * a^2 * b + 8 * B * \cos(dx+c)^5 * a^3 + 8 * B * \cos(dx+c)^3 * a^3 - 16 * B * \cos(dx+c)^2 * a^3 + 3 * B * \cos(dx+c)^2 * b^3 - 12 * C * \cos(dx+c)^2 * a^3 + 12 * C * \cos(dx+c)^4 * a^3 - 3 * B * \cos(dx+c) * b^3 - 6 * B * \cos(dx+c)^2 * a^2 * b - 16 * B * \cos(dx+c) * a^2 * b - 14 * B * \cos(dx+c) * a * b^2 - 12 * C * \cos(dx+c) * a^2 * b + 30 * C * \cos(dx+c)^2 * a * b^2 - 48 * C * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 * \sin(dx+c) + 30 * C * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 30 * C * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b * \sin(dx+c) + 12 * C * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b * \sin(dx+c) - 6 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b^3 + 16 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 + 3 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)
\end{aligned}$$

$$\frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) b^3 + 48C \sin(dx+c) \cos(dx+c) \frac{(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^3 - 24C \sin(dx+c) \cos(dx+c) \frac{(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^3 + 72B \frac{(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b \sin(dx+c) - 52B \frac{(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b \sin(dx+c) + 14B \frac{(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a b^2 \sin(dx+c) + 16B \frac{(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b \sin(dx+c) + 3B \frac{(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a b^2 \sin(dx+c) + 36C b^2 \frac{(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}}{(a+b)(b+a\cos(dx+c))(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a (\cos(dx+c)+1)^2 \frac{(b+a\cos(dx+c))/\cos(dx+c)}{(b+a\cos(dx+c))/\sin(dx+c)}^5$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c)) (b \sec(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4*(a+b*sec(dx+c))^(3/2)*(B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c))*(b*sec(dx+c) + a)^(3/2)*cos(dx+c)^4, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb cos(dx+c)^4 sec(dx+c)^3 + Ba cos(dx+c)^4 sec(dx+c) + (Ca + Bb) cos(dx+c)^4 sec(dx+c)^2) sqrt(b sec(dx+c)))

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^4*sec(d*x + c)^3 + B*a*cos(d*x + c)^4*sec(d*x + c) + (C*a + B*b)*cos(d*x + c)^4*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^4, x)
```

3.829 $\int \sec^2(c+dx)(a+b \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=565

$$\frac{2(a-b)\sqrt{a+b}(-15a^2b^2(121B-19C) - a^3b(110B-30C) + 40a^4C + 6ab^3(209B-505C) - 3b^4(539B-225C)) \cot(c+dx)}{3465b^3d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(110*a^4*b*B - 3069*a^2*b^3*B - 1617*b^5*B - 40*a^5*
C - 255*a^3*b^2*C - 3705*a*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*
Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^4*d) - (2*(a - b)*S
qrt[a + b]*(6*a*b^3*(209*B - 505*C) - 3*b^4*(539*B - 225*C) - a^3*b*(110*B
- 30*C) - 15*a^2*b^2*(121*B - 19*C) + 40*a^4*C)*Cot[c + d*x]*EllipticF[ArcS
in[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec
[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^3*d)
- (2*(110*a^3*b*B - 1254*a*b^3*B - 40*a^4*C - 285*a^2*b^2*C - 675*b^4*C)*Sq
rt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((3465*b^2*d) - (2*(110*a^2*b*B - 539*b
^3*B - 40*a^3*C - 335*a*b^2*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/((34
65*b^2*d) - (2*(22*a*b*B - 8*a^2*C - 81*b^2*C)*(a + b*Sec[c + d*x])^(5/2)*T
an[c + d*x])/((693*b^2*d) + (2*(11*b*B - 4*a*C)*(a + b*Sec[c + d*x])^(7/2)*T
an[c + d*x])/((99*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(7/2)*Tan[
c + d*x])/((11*b*d)
```

Rubi [A] time = 1.81123, antiderivative size = 565, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4033, 4082, 4002, 4005, 3832, 4004}

$$\frac{2(-8a^2C + 22abB - 81b^2C) \tan(c+dx)(a+b \sec(c+dx))^{5/2}}{693b^2d} - \frac{2(110a^2bB - 40a^3C - 335ab^2C - 539b^3B) \tan(c+dx)}{3465b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(110*a^4*b*B - 3069*a^2*b^3*B - 1617*b^5*B - 40*a^5*
C - 255*a^3*b^2*C - 3705*a*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*
Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^4*d) - (2*(a - b)*S
qrt[a + b]*(6*a*b^3*(209*B - 505*C) - 3*b^4*(539*B - 225*C) - a^3*b*(110*B
- 30*C) - 15*a^2*b^2*(121*B - 19*C) + 40*a^4*C)*Cot[c + d*x]*EllipticF[ArcS
```

```
in[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec
[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^3*d)
- (2*(110*a^3*b*B - 1254*a*b^3*B - 40*a^4*C - 285*a^2*b^2*C - 675*b^4*C)*Sqr
rt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3465*b^2*d) - (2*(110*a^2*b*B - 539*b
^3*B - 40*a^3*C - 335*a*b^2*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(34
65*b^2*d) - (2*(22*a*b*B - 8*a^2*C - 81*b^2*C)*(a + b*Sec[c + d*x])^(5/2)*T
an[c + d*x])/(693*b^2*d) + (2*(11*b*B - 4*a*C)*(a + b*Sec[c + d*x])^(7/2)*T
an[c + d*x])/(99*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(7/2)*Tan[
c + d*x])/(11*b*d)
```

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.
)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.
)*(x_.)]*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4033

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d^2
*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(
m + n)), x] + Dist[d^2/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f
*x])^(n - 2)*Simp[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n)
- a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m
}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n,
0] && !IGtQ[m, 1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a
+ b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*
Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B,
```

0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + b \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^3(c + dx)(a + b \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
&= \frac{2C \sec(c + dx)(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{11bd} \\
&= \frac{2(11bB - 4aC)(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{99b^2d} \\
&= -\frac{2(22abB - 8a^2C - 81b^2C)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{693b^2d} \\
&= -\frac{2(110a^2bB - 539b^3B - 40a^3C - 335ab^2C)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{3465b^2d} \\
&= -\frac{2(110a^3bB - 1254ab^3B - 40a^4C - 285a^2b^2C)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{3465b^2d} \\
&= -\frac{2(110a^3bB - 1254ab^3B - 40a^4C - 285a^2b^2C)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{3465b^2d} \\
&= \frac{2(a - b)\sqrt{a + b}(110a^4bB - 3069a^2b^3B - 1617a^5C + 255a^3b^2C + 3705a^2b^4C)}{(b + a \cos(c + dx))^2}
\end{aligned}$$

Mathematica [B] time = 26.5292, size = 4227, normalized size = 7.48

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*((2*(-110*a^4*b*B + 3069*a^2*b^3*B + 1617*b^5*B + 40*a^5*C + 255*a^3*b^2*C + 3705*a*b^4*C)*Sin[c + d*x]))/(3465*b^3) + (2*Sec[c + d*x]^4*(11*b^2*B*SIN[c + d*x] + 23*a*b*C*SIN[c + d*x]))/99 + (2*Sec[c + d*x]^3*(209*a*b*B*SIN[c + d*x] + 113*a^2*C*SIN[c + d*x] + 81*b^2*C*SIN[c + d*x]))/693 + (2*Sec[c + d*x]^2*(825*a^2*b*B*SIN[c + d*x] + 539*b^3*B*SIN[c + d*x] + 15*a^3*C*SIN[c + d*x] + 1145*a*b^2*C*SIN[c + d*x]))/(3465*b) + (2*Sec[c + d*x]*(55*a^3*b*B*SIN[c + d*x] + 1793*a*b^3*B*SIN[c + d*x] - 20*a^4*C*SIN[c + d*x] + 1025*a^2*b^2*C*SIN[c + d*x] + 675*b^4*C*SIN[c + d*x]))/(3465*b^2) + (2*b^2*C*Sec[c + d*x]^4*Tan[c + d*x])/11)/(d*(b + a*cos[c + d*x])^2) - (2*((2*a^4*B)/(63*b*Sqrt[b + a*cos[c + d*x]])*Sqrt

$$\begin{aligned}
& [\text{Sec}[c + d*x]] - (31*a^2*b*B)/(35*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (7*b^3*B)/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (17*a^3*C)/(231*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (8*a^5*C)/(693*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (247*a*b^2*C)/(231*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (124*a^3*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(315*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*a^5*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(63*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (38*a*b^2*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(105*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a^6*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(693*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (7*a^4*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(99*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (26*a^2*b*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(231*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (15*b^3*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(77*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (31*a^3*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(35*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*a^5*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(63*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (7*a*b^2*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a^6*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(693*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (17*a^4*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(231*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (247*a^2*b*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(231*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(5/2)*(2*(a + b))*(-110*a^4*b*B + 3069*a^2*b^3*B + 1617*b^5*B + 40*a^5*C + 255*a^3*b^2*C + 3705*a*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(40*a^4*C - 10*a^3*b*(11*B + 3*C) + 15*a^2*b^2*(121*B + 19*C) + 3*b^4*(539*B + 225*C) + 6*a*b^3*(209*B + 505*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-110*a^4*b*B + 3069*a^2*b^3*B + 1617*b^5*B + 40*a^5*C + 255*a^3*b^2*C + 3705*a*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3465*b^3*d*(b + a*\text{Cos}[c + d*x])^3*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sec}[c + d*x]^(5/2)*(-a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*(2*(a + b))*(-110*a^4*b*B + 3069*a^2*b^3*B + 1617*b^5*B + 40*a^5*C + 255*a^3*b^2*C + 3705*a*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(40*a^4*C - 10*a^3*b*(11*B + 3*C) + 15*a^2*b^2*(121*B + 19*C) + 3*b^4*(539*B + 225*C) + 6*a*b^3*(209*B + 505*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-110*a^4*b*B + 3069*a^2*b^3*B + 1617*b^5*B + 40*a^5*C + 255*a^3*b^2*C + 3705*a*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3465*b^3*(b + a*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*(a + b))*(-110*a^4*b*B + 3069*a^2*b^3*B + 1617*b^5*B + 40*a^5*C + 255*a^3*b^2*C + 3705*a*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(40*a^4*C - 10*a^3*b*(11*B + 3*C) + 15*a^2*b^2*(121*B + 19*C) + 3*b^4*(539*B + 225*C) + 6*a*b^3*(209*B + 505*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b
\end{aligned}$$

$$\begin{aligned}
& + a \cos[c + dx] / ((a + b)(1 + \cos[c + dx])) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + (-110a^4b^2B + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705a^2b^4C) \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 \tan[(c + dx)/2] / (3465b^3 \sqrt{b + a \cos[c + dx]} * \sqrt{[\text{Sec}[(c + dx)/2]^2] - (2 \sqrt{\cos[(c + dx)/2]^2 \text{Sec}[c + dx]}) * ((-110a^4b^2B + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705a^2b^4C) \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^4) / 2 + ((a + b)(-110a^4b^2B + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705a^2b^4C) * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))}) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}] - (b(a + b)(40a^4C - 10a^3b(11B + 3C) + 15a^2b^2(121B + 19C) + 3b^4(539B + 225C) + 6ab^3(209B + 505C)) * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))}) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}] + ((a + b)(-110a^4b^2B + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705a^2b^4C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] * ((-\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + ((b + a \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} - (b(a + b)(40a^4C - 10a^3b(11B + 3C) + 15a^2b^2(121B + 19C) + 3b^4(539B + 225C) + 6ab^3(209B + 505C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] * ((-\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + ((b + a \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} - a(-110a^4b^2B + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705a^2b^4C) \cos[c + dx] * \text{Sec}[(c + dx)/2]^2 \sin[c + dx] * \tan[(c + dx)/2] - (-110a^4b^2B + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705a^2b^4C) \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 \sin[c + dx] * \tan[(c + dx)/2] + (-110a^4b^2B + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705a^2b^4C) \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 \tan[(c + dx)/2]^2 - (b(a + b)(40a^4C - 10a^3b(11B + 3C) + 15a^2b^2(121B + 19C) + 3b^4(539B + 225C) + 6ab^3(209B + 505C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{Sec}[(c + dx)/2]^2 / (\sqrt{1 - \tan[(c + dx)/2]^2} * \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)}) + ((a + b)(-110a^4b^2B + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705a^2b^4C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{Sec}[(c + dx)/2]^2 * \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \tan[(c + dx)/2]^2}) / (3465b^3 \sqrt{b + a \cos[c + dx]} * \sqrt{[\text{Sec}[(c + dx)/2]^2] - ((2(a + b)(-110a^4b^2B + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705a^2b^4C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))}) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - 2b(a + b)(40a^4C
\end{aligned}$$

$$- 10a^3b(11B + 3C) + 15a^2b^2(121B + 19C) + 3b^4(539B + 225C) + 6ab^3(209B + 505C) \sqrt{\frac{\cos[c + dx]}{1 + \cos[c + dx]}} \sqrt{\frac{b + a\cos[c + dx]}{(a + b)(1 + \cos[c + dx])}} \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\tan\left(\frac{c + dx}{2}\right)\right], \frac{a - b}{a + b}\right] + (-110a^4bB + 3069a^2b^3B + 1617b^5B + 40a^5C + 255a^3b^2C + 3705ab^4C) \cos[c + dx] (b + a\cos[c + dx]) \operatorname{Sec}\left[\frac{c + dx}{2}\right]^2 \tan\left[\frac{c + dx}{2}\right] \left(-\cos\left[\frac{c + dx}{2}\right] \operatorname{Sec}[c + dx] \sin\left[\frac{c + dx}{2}\right] + \cos\left[\frac{c + dx}{2}\right]^2 \operatorname{Sec}[c + dx] \tan[c + dx]\right) / (3465b^3 \sqrt{b + a\cos[c + dx]} \sqrt{\operatorname{Sec}\left[\frac{c + dx}{2}\right]^2} \sqrt{\cos\left[\frac{c + dx}{2}\right]^2 \operatorname{Sec}[c + dx]})$$

Maple [B] time = 2.526, size = 5368, normalized size = 9.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^2*(a+b*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^2*(a+b*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x,algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$\operatorname{integral}\left(\left(Cb^2 \sec(dx + c)^6 + Ba^2 \sec(dx + c)^3 + (2Cab + Bb^2) \sec(dx + c)^5 + (Ca^2 + 2Bab) \sec(dx + c)^4\right) \sqrt{b \sec(dx + c)}\right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^2*sec(d*x + c)^6 + B*a^2*sec(d*x + c)^3 + (2*C*a*b + B*b^2)*sec(d*x + c)^5 + (C*a^2 + 2*B*a*b)*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^2, x)
```

3.830 $\int \sec(c+dx)(a+b \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=469

$$\frac{2(a-b)\sqrt{a+b}(15a^2b(3B-11C)-10a^3C-6ab^2(60B-19C)+3b^3(25B-49C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{315b^2d}$$

[Out] $(-2*(a-b)*\text{Sqrt}[a+b]*(45*a^3*b*B+435*a*b^3*B-10*a^4*C+279*a^2*b^2*C+147*b^4*C)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/(315*b^3*d)-(2*(a-b)*\text{Sqrt}[a+b]*(3*b^3*(25*B-49*C)-6*a*b^2*(60*B-19*C)+15*a^2*b*(3*B-11*C)-10*a^3*C)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/(315*b^2*d)+(2*(45*a^2*b*B+75*b^3*B-10*a^3*C+114*a*b^2*C)*\text{Sqrt}[a+b*\text{Sec}[c+d*x]]*\text{Tan}[c+d*x])/(315*b*d)+(2*(45*a*b*B-10*a^2*C+49*b^2*C)*(a+b*\text{Sec}[c+d*x])^(3/2)*\text{Tan}[c+d*x])/(315*b*d)+(2*(9*b*B-2*a*C)*(a+b*\text{Sec}[c+d*x])^(5/2)*\text{Tan}[c+d*x])/(63*b*d)+(2*C*(a+b*\text{Sec}[c+d*x])^(7/2)*\text{Tan}[c+d*x])/(9*b*d)$

Rubi [A] time = 1.19562, antiderivative size = 469, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4010, 4002, 4005, 3832, 4004}

$$\frac{2(-10a^2C+45abB+49b^2C)\tan(c+dx)(a+b\sec(c+dx))^{3/2}}{315bd} + \frac{2(45a^2bB-10a^3C+114ab^2C+75b^3B)\tan(c+dx)}{315bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c+d*x]*(a+b*\text{Sec}[c+d*x])^(5/2)*(B*\text{Sec}[c+d*x]+C*\text{Sec}[c+d*x]^2),x]$

[Out] $(-2*(a-b)*\text{Sqrt}[a+b]*(45*a^3*b*B+435*a*b^3*B-10*a^4*C+279*a^2*b^2*C+147*b^4*C)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/(315*b^3*d)-(2*(a-b)*\text{Sqrt}[a+b]*(3*b^3*(25*B-49*C)-6*a*b^2*(60*B-19*C)+15*a^2*b*(3*B-11*C)-10*a^3*C)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[c+d*x]]/\text{Sqrt}[a+b]],(a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[c+d*x]))/(a-b))]/(315*b^2*d)+(2*(45*a^2*b*B+75*b^3*B-10*a^3*C+114*a*b^2*C)*\text{Sqrt}[a+b*\text{Sec}[c+d*x]]*\text{Tan}[c+d*x])/(315*b*d)+(2*(45*a*b*B-10*a^2*C+49*b^2*C)*(a+b*\text{Sec}[c+d*x])^(3/2)*\text{Tan}[c+d*x])/(315*b*d)+(2*(9*b*B-2*a*C)*(a+b*\text{Sec}[c+d*x])^(5/2)*\text{Tan}[c+d*x])/(63*b*d)+(2*C*(a+b*\text{Sec}[c+d*x])^(7/2)*\text{Tan}[c+d*x])/(9*b*d)$

$C + 49*b^2*C*(a + b*\text{Sec}[c + d*x])^{3/2}*\text{Tan}[c + d*x]/(315*b*d) + (2*(9*b*B - 2*a*C)*(a + b*\text{Sec}[c + d*x])^{5/2}*\text{Tan}[c + d*x])/(63*b*d) + (2*C*(a + b*\text{Sec}[c + d*x])^{7/2}*\text{Tan}[c + d*x])/(9*b*d)$

Rule 4072

$\text{Int}[(a_. + \text{csc}[e_. + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + \text{csc}[e_. + (f_.)*(x_.)]*(B_.) + \text{csc}[e_. + (f_.)*(x_.)]^2*(C_.))*((c_.) + \text{csc}[e_. + (f_.)*(x_.)]*(d_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(c + d*\text{Csc}[e + f*x])^n*(b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 4010

$\text{Int}[\text{csc}[e_. + (f_.)*(x_.)]^2*(\text{csc}[e_. + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[e_. + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*B*(m + 1) + (A*b*(m + 2) - a*B)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& !\text{LtQ}[m, -1]$

Rule 4002

$\text{Int}[\text{csc}[e_. + (f_.)*(x_.)]*(\text{csc}[e_. + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[e_. + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, A, B, e, f\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 4005

$\text{Int}[(\text{csc}[e_. + (f_.)*(x_.)]*(\text{csc}[e_. + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[e_. + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[e_. + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[e_. + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b))]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}[\{a, b, e,$

f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(a + b \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sec^2(c + dx)(a + b \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
 &= \frac{2C(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{9bd} + \frac{2 \int \sec^2(c + dx)(a + b \sec(c + dx))^{5/2} dx}{9bd} \\
 &= \frac{2(9bB - 2aC)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{63bd} \\
 &= \frac{2(45abB - 10a^2C + 49b^2C)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{315bd} \\
 &= \frac{2(45a^2bB + 75b^3B - 10a^3C + 114ab^2C) \sqrt{a + b \sec(c + dx)}}{315bd} \\
 &= \frac{2(45a^2bB + 75b^3B - 10a^3C + 114ab^2C) \sqrt{a + b \sec(c + dx)}}{315bd} \\
 &= -\frac{2(a - b)\sqrt{a + b}(45a^3bB + 435ab^3B - 10a^4C)}{315bd}
 \end{aligned}$$

Mathematica [B] time = 26.0134, size = 3781, normalized size = 8.06

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```

[Out] (Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*((2*(45*a^3*b*B + 435*a*b^3*B -
10*a^4*C + 279*a^2*b^2*C + 147*b^4*C)*Sin[c + d*x])/(315*b^2) + (2*Sec[c +
d*x]^3*(9*b^2*B*Sin[c + d*x] + 19*a*b*C*Sin[c + d*x]))/63 + (2*Sec[c + d*x]
^2*(135*a*b*B*Sin[c + d*x] + 75*a^2*C*Sin[c + d*x] + 49*b^2*C*Sin[c + d*x]
)/315 + (2*Sec[c + d*x]*(135*a^2*b*B*Sin[c + d*x] + 75*b^3*B*Sin[c + d*x] +
5*a^3*C*Sin[c + d*x] + 163*a*b^2*C*Sin[c + d*x]))/(315*b) + (2*b^2*C*Sec[c
+ d*x]^3*Tan[c + d*x])/9))/(d*(b + a*Cos[c + d*x])^2) + (2*(-(a^3*B)/(7*Sqr
t[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (29*a*b^2*B)/(21*Sqrt[b + a*Co
s[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*a^4*C)/(63*b*Sqrt[b + a*Cos[c + d*x]])*
Sqrt[Sec[c + d*x]]) - (31*a^2*b*C)/(35*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c
+ d*x]]) - (7*b^3*C)/(15*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (a^
4*B*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*Cos[c + d*x]]) - (2*a^2*b*B*Sqrt[Se
c[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) + (5*b^3*B*Sqrt[Sec[c + d*x]])/(
21*Sqrt[b + a*Cos[c + d*x]]) - (124*a^3*C*Sqrt[Sec[c + d*x]])/(315*Sqrt[b +
a*Cos[c + d*x]]) + (2*a^5*C*Sqrt[Sec[c + d*x]])/(63*b^2*Sqrt[b + a*Cos[c +
d*x]]) + (38*a*b^2*C*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) -
(a^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*Cos[c + d*x]])
- (29*a^2*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c +
d*x]]) - (31*a^3*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(35*Sqrt[b + a*Cos[
c + d*x]]) + (2*a^5*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(63*b^2*Sqrt[b +
a*Cos[c + d*x]]) - (7*a*b^2*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*Sqrt
[b + a*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c +
d*x])^(5/2)*(2*(a + b)*(-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^2
*C - 147*b^4*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d
*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a -
b)/(a + b)] + 2*b*(a + b)*(-10*a^3*C + 15*a^2*b*(3*B + 11*C) + 6*a*b^2*(60
*B + 19*C) + 3*b^3*(25*B + 49*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqr
t[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(
c + d*x)/2]], (a - b)/(a + b)] + (-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 27
9*a^2*b^2*C - 147*b^4*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]
^2*Tan[(c + d*x)/2))/(315*b^2*d*(b + a*Cos[c + d*x])^3*Sqrt[Sec[(c + d*x)/
2]^2]*Sec[c + d*x]^(5/2)*(a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c +
d*x]*(2*(a + b)*(-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^2*C - 147
*b^4*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a
+ b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a +
b)] + 2*b*(a + b)*(-10*a^3*C + 15*a^2*b*(3*B + 11*C) + 6*a*b^2*(60*B + 19*
C) + 3*b^3*(25*B + 49*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a
*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)
/2]], (a - b)/(a + b)] + (-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^
2*C - 147*b^4*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(
c + d*x)/2))/(315*b^2*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2])
- (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(-45*
a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^2*C - 147*b^4*C)*Sqrt[Cos[c +
d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d
x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-

```


$$\begin{aligned}
& 10*a^3*C + 15*a^2*b*(3*B + 11*C) + 6*a*b^2*(60*B + 19*C) + 3*b^3*(25*B + 49 \\
& *C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + \\
& b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b) \\
&] + (-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^2*C - 147*b^4*C)*Cos[\\
& c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/((315*b^ \\
& 2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + (2*Sqrt[Cos[(c + d*x) \\
&]/2]^2*Sec[c + d*x])*(((-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^2* \\
& C - 147*b^4*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4)/2 + ((\\
& a + b)*(-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^2*C - 147*b^4*C)*S \\
& qrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan \\
& [(c + d*x)/2]], (a - b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + \\
& d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + Cos[c + \\
& d*x])] + (b*(a + b)*(-10*a^3*C + 15*a^2*b*(3*B + 11*C) + 6*a*b^2*(60*B + 19 \\
& *C) + 3*b^3*(25*B + 49*C))*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + \\
& d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*((Cos[c + d*x] \\
& *Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqr \\
& t[Cos[c + d*x]/(1 + Cos[c + d*x])] + ((a + b)*(-45*a^3*b*B - 435*a*b^3*B + \\
& 10*a^4*C - 279*a^2*b^2*C - 147*b^4*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] \\
& *EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*Sin[c + d*x])/ \\
& (a + b)*(1 + Cos[c + d*x]))) + ((b + a*Cos[c + d*x])*Sin[c + d*x])/((a + b) \\
& *(1 + Cos[c + d*x])^2))/Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d* \\
& x]))] + (b*(a + b)*(-10*a^3*C + 15*a^2*b*(3*B + 11*C) + 6*a*b^2*(60*B + 19 \\
& *C) + 3*b^3*(25*B + 49*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*EllipticF[A \\
& rcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*Sin[c + d*x])/((a + b)*(1 + \\
& Cos[c + d*x]))) + ((b + a*Cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c \\
& + d*x])^2))/Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] - a*(- \\
& 45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^2*C - 147*b^4*C)*Cos[c + d* \\
& x]*Sec[(c + d*x)/2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] - (-45*a^3*b*B - 435*a* \\
& b^3*B + 10*a^4*C - 279*a^2*b^2*C - 147*b^4*C)*(b + a*Cos[c + d*x])*Sec[(c + \\
& d*x)/2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] + (-45*a^3*b*B - 435*a*b^3*B + 10* \\
& a^4*C - 279*a^2*b^2*C - 147*b^4*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c \\
& + d*x)/2]^2*Tan[(c + d*x)/2]^2 + (b*(a + b)*(-10*a^3*C + 15*a^2*b*(3*B + 1 \\
& 1*C) + 6*a*b^2*(60*B + 19*C) + 3*b^3*(25*B + 49*C))*Sqrt[Cos[c + d*x]/(1 + \\
& Cos[c + d*x])] *Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[\\
& (c + d*x)/2]^2)/(Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[1 - ((a - b)*Tan[(c + d* \\
& x)/2]^2)/(a + b)]) + ((a + b)*(-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a \\
& ^2*b^2*C - 147*b^4*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] *Sqrt[(b + a*Cos \\
& [c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2*Sqrt[1 - ((a - \\
& b)*Tan[(c + d*x)/2]^2)/(a + b)]/Sqrt[1 - Tan[(c + d*x)/2]^2]))/(315*b^2*Sq \\
& rt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + ((2*(a + b)*(-45*a^3*b*B \\
& - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^2*C - 147*b^4*C)*Sqrt[Cos[c + d*x]/(1 \\
& + Cos[c + d*x])] *Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*E \\
& llipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-10*a^3* \\
& C + 15*a^2*b*(3*B + 11*C) + 6*a*b^2*(60*B + 19*C) + 3*b^3*(25*B + 49*C))*Sq \\
& rt[Cos[c + d*x]/(1 + Cos[c + d*x])] *Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 +
\end{aligned}$$

```

Cos[c + d*x])))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-4
5*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 279*a^2*b^2*C - 147*b^4*C)*Cos[c + d*x
]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))*(-(Cos[(c + d*x
)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c
+ d*x]))/(315*b^2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[C
os[(c + d*x)/2]^2*Sec[c + d*x]]))

```

Maple [B] time = 1.703, size = 4395, normalized size = 9.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```

[Out] -2/315/d/b^2*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d
*x+c))^2*(75*B*cos(d*x+c)^5*b^5+155*C*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c)+1))^(1/2)*Ellipt
icF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^3*b^2+45*B*sin(d*x+c)
*cos(d*x+c)^5*(cos(d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/
cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/
2))*a^3*b^2-10*C*cos(d*x+c)^5*a^4*b-199*C*cos(d*x+c)^5*a^3*b^2+279*C*cos(d
*x+c)^5*a^2*b^3+65*C*cos(d*x+c)^5*a*b^4+5*C*cos(d*x+c)^4*a^4*b-272*C*cos(d*x
+c)^4*a^2*b^3-80*C*cos(d*x+c)^3*a^3*b^2-82*C*cos(d*x+c)^3*a*b^4+5*C*cos(d*x
+c)^6*a^4*b+279*C*cos(d*x+c)^6*a^3*b^2+163*C*cos(d*x+c)^6*a^2*b^3+147*C*cos
(d*x+c)^6*a*b^4-170*C*cos(d*x+c)^2*a^2*b^3-130*C*cos(d*x+c)*a*b^4-45*B*sin(
d*x+c)*cos(d*x+c)^5*(cos(d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x
+c))/cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b)
))^(1/2))*a^4*b-45*B*sin(d*x+c)*cos(d*x+c)^5*(cos(d*x+c)/cos(d*x+c)+1))^(1
/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^3*b^2-435*B*sin(d*x+c)*cos(d*x+c)^5*(c
os(d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c)+1))^(
1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*b^3-435*
B*sin(d*x+c)*cos(d*x+c)^5*(cos(d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*c
os(d*x+c))/cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)
)/(a+b))^(1/2))*a*b^4+405*B*sin(d*x+c)*cos(d*x+c)^5*(cos(d*x+c)/cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c)+1))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*b^3+435*B*sin(d*x+c)*cos(d*x+
c)^5*(cos(d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c
+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a*b^4
-45*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b
+a*cos(d*x+c))/cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (

```


$$\begin{aligned}
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{(1/2)})*a^4*b+155*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d \\
& *x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((\\
& -1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3*b^2+279*C*\cos(d*x+c)^4*s \\
& in(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(\\
& d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})* \\
& a^2*b^3+261*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/ \\
& (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(\\
& d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^4+10*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/ \\
& (\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Ellip \\
& ticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^4*b-279*C*\cos(d*x+c) \\
& ^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/ \\
& 2)})*a^3*b^2-279*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/ \\
& \sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b^3-147*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(\\
& d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\
&)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^4-10*C*\cos(\\
& d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x \\
& +c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b \\
&))^{(1/2)})*a^4*b-35*C*b^5-30*B*\cos(d*x+c)^3*b^5-45*B*\cos(d*x+c)*b^5-180*B*co \\
& s(d*x+c)^4*a^3*b^2-330*B*\cos(d*x+c)^4*a*b^4-270*B*\cos(d*x+c)^3*a^2*b^3-180* \\
& B*\cos(d*x+c)^2*a*b^4+45*B*\cos(d*x+c)^6*a^4*b+135*B*\cos(d*x+c)^6*a^3*b^2+435 \\
& *B*\cos(d*x+c)^6*a^2*b^3+75*B*\cos(d*x+c)^6*a*b^4-45*B*\cos(d*x+c)^5*a^4*b+45* \\
& B*\cos(d*x+c)^5*a^3*b^2-165*B*\cos(d*x+c)^5*a^2*b^3+435*B*\cos(d*x+c)^5*a*b^4+ \\
& 75*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+ \\
& a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((\\
& a-b)/(a+b))^{(1/2)})*b^5+75*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(\cos(d*x+c) \\
& +1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+co \\
& s(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^5)/(b+a*\cos(d*x+c))/\cos(d*x+c)^ \\
& 4/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb² sec(dx + c)⁵ + Ba² sec(dx + c)² + (2Cab + Bb²) sec(dx + c)⁴ + (Ca² + 2Bab) sec(dx + c)³)√b sec(dx + c)) dx

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^5 + B*a^2*sec(d*x + c)^2 + (2*C*a*b + B*b^2)*sec(d*x + c)^4 + (C*a^2 + 2*B*a*b)*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c), x)

3.831 $\int (a+b \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=384

$$\frac{2(a-b)\sqrt{a+b}(15a^2(7B-C) - 8ab(7B-15C) + b^2(63B-25C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right)\right)}{105bd}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(161*a^2*b*B + 63*b^3*B + 15*a^3*C + 145*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^2*d) + (2*(a - b)*Sqrt[a + b]*(b^2*(63*B - 25*C) - 8*a*b*(7*B - 15*C) + 15*a^2*(7*B - C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b*d) + (2*(56*a*b*B + 15*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*b*B + 5*a*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)
```

Rubi [A] time = 0.677614, antiderivative size = 384, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4056, 4058, 12, 3832, 4004}

$$\frac{2(15a^2C + 56abB + 25b^2C) \tan(c+dx) \sqrt{a+b \sec(c+dx)}}{105d} + \frac{2(a-b)\sqrt{a+b}(15a^2(7B-C) - 8ab(7B-15C) + b^2(63B-25C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right)\right)}{105bd}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(161*a^2*b*B + 63*b^3*B + 15*a^3*C + 145*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^2*d) + (2*(a - b)*Sqrt[a + b]*(b^2*(63*B - 25*C) - 8*a*b*(7*B - 15*C) + 15*a^2*(7*B - C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b*d) + (2*(56*a*b*B + 15*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*b*B + 5*a*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{7d} + \frac{2}{7} \int (a + b \sec(c + dx))^{5/2} dx \\
&= \frac{2(7bB + 5aC)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{35d} + \frac{2C(a + b \sec(c + dx))^{5/2}}{7d} \\
&= \frac{2(56abB + 15a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105d} \\
&= \frac{2(56abB + 15a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105d} \\
&= -\frac{2(a - b)\sqrt{a + b}(161a^2bB + 63b^3B + 15a^3C + 145ab^2C)}{105d} \\
&= -\frac{2(a - b)\sqrt{a + b}(161a^2bB + 63b^3B + 15a^3C + 145ab^2C)}{105d}
\end{aligned}$$

Mathematica [B] time = 22.9373, size = 2913, normalized size = 7.59

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*((2*(161*a^2*b*B + 63*b^3*B + 15*a^3*C + 145*a*b^2*C)*Sin[c + d*x])/(105*b) + (2*Sec[c + d*x]^2*(7*b^2*B*Sin[c + d*x] + 15*a*b*C*Sin[c + d*x]))/35 + (2*Sec[c + d*x]*(77*a*b*B*Sin[c + d*x] + 45*a^2*C*Sin[c + d*x] + 25*b^2*C*Sin[c + d*x]))/105 + (2*b^2*C*Sec[c + d*x]^2*Tan[c + d*x])/7)/(d*(b + a*Cos[c + d*x])^2) + (2*((-23*a^2*b*B)/(15*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (3*b^3*B)/(5*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (a^3*C)/(7*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (29*a*b^2*C)/(21*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^3*B*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) + (8*a*b^2*B*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) - (a^4*C*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*Cos[c + d*x]]) - (2*a^2*b*C*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) + (5*b^3*C*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (23*a^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) - (3*a*b^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*Cos[c + d*x]]) - (a^4*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*Cos[c + d*x]]) - (29*a^2*b*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])

$$\begin{aligned}
& / (21 \sqrt{b + a \cos[c + dx]}) \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} (a + b \sec[c + dx])^{5/2} (-2 \cos[c + dx] / (1 + \cos[c + dx]))^{3/2} ((161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(15 a^2 (7B + C) + 8 a b (7B + 15C) + b^2 (63B + 25C)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]) \sec[c + dx]) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + (161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \tan[(c + dx)/2] (-1 + \tan[(c + dx)/2]^2) / (105 b d (b + a \cos[c + dx])^2 \sqrt{\sec[(c + dx)/2]^2 \sec[c + dx]}^{5/2} (-a \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \sin[c + dx] (-2 \cos[c + dx] / (1 + \cos[c + dx]))^{3/2} ((161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(15 a^2 (7B + C) + 8 a b (7B + 15C) + b^2 (63B + 25C)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]) \sec[c + dx]) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + (161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \tan[(c + dx)/2] (-1 + \tan[(c + dx)/2]^2) / (105 b \sqrt{b + a \cos[c + dx]} \sqrt{\sec[(c + dx)/2]^2} - (\sqrt{b + a \cos[c + dx]} \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \tan[(c + dx)/2] (-2 \cos[c + dx] / (1 + \cos[c + dx]))^{3/2} ((161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(15 a^2 (7B + C) + 8 a b (7B + 15C) + b^2 (63B + 25C)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]) \sec[c + dx]) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + (161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \tan[(c + dx)/2] (-1 + \tan[(c + dx)/2]^2) / (105 b \sqrt{\sec[(c + dx)/2]^2} + (\sqrt{b + a \cos[c + dx]} (-2 \cos[c + dx] / (1 + \cos[c + dx]))^{3/2} ((161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(15 a^2 (7B + C) + 8 a b (7B + 15C) + b^2 (63B + 25C)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]) \sec[c + dx]) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + (161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \tan[(c + dx)/2] (-1 + \tan[(c + dx)/2]^2) (-\cos[(c + dx)/2] \sec[c + dx] \sin[(c + dx)/2] + \cos[(c + dx)/2]^2 \sec[c + dx] \tan[c + dx]) / (105 b \sqrt{\sec[(c + dx)/2]^2} \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]}) + (2 \sqrt{b + a \cos[c + dx]} \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} (-3 \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} ((161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(15 a^2 (7B + C) + 8 a b (7B + 15C) + b^2 (63B + 25C)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]) \sec[c + dx] ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx]))) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + ((\cos[c + dx] / (1 + \cos[c + dx]))^{3/2} ((161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(15 a^2 (7B + C) + 8 a b (7B + 15C) + b^2 (63B + 25C)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]) \sec[c + dx] (-a \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])) + ((b + a \cos[c + dx]) \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2)) / ((b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx])))^{3/2} + (161 a^2 b^2 B + 63 b^3 B + 15 a^3 C + 145 a^2 b^2 C) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]^2 + (
\end{aligned}$$

$$\begin{aligned} & (161*a^2*b*B + 63*b^3*B + 15*a^3*C + 145*a*b^2*C)*\text{Sec}[(c + d*x)/2]^2*(-1 + \\ & \text{Tan}[(c + d*x)/2]^2)/2 - (2*(\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]))^{(3/2)}*\text{Sec}[c + \\ & d*x]*(-(b*(15*a^2*(7*B + C) + 8*a*b*(7*B + 15*C) + b^2*(63*B + 25*C))*\text{Sec}[\\ & (c + d*x)/2]^2)/(2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + \\ & d*x)/2]^2)/(a + b)])) + ((161*a^2*b*B + 63*b^3*B + 15*a^3*C + 145*a*b^2*C)*\text{S} \\ & \text{ec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)])/(2*\text{Sqrt}[1 \\ & - \text{Tan}[(c + d*x)/2]^2]))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d \\ & *x]))] - (2*(\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]))^{(3/2)}*((161*a^2*b*B + 63*b^3*B \\ & + 15*a^3*C + 145*a*b^2*C)*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a \\ & + b)] - b*(15*a^2*(7*B + C) + 8*a*b*(7*B + 15*C) + b^2*(63*B + 25*C))*\text{Ellip} \\ & \text{ticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[c + d*x]*\text{Tan}[c + d*x] \\ & / \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]))/(105*b*\text{Sqrt}[\text{Sec} \\ & (c + d*x)/2]^2)) \end{aligned}$$

Maple [B] time = 1.117, size = 3637, normalized size = 9.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{sec}(d*x+c))^{(5/2)}*(B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2), x)$

[Out]
$$\begin{aligned} & -2/105/d/b*(\text{cos}(d*x+c)+1)^2*((b+a*\text{cos}(d*x+c))/\text{cos}(d*x+c))^{(1/2)}*(-1+\text{cos}(d*x \\ & +c))^{(5/2)}*(63*B*\text{cos}(d*x+c)^4*b^4+105*B*\text{cos}(d*x+c)^3*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{co} \\ & \text{s}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{Elliptic} \\ & \text{F}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3*b+105*B*\text{cos}(d*x+c)^4* \\ & \text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos} \\ & (d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a^3*b-42*B*\text{cos}(d*x+c)^3*b^4-21*B*\text{cos}(d*x+c)*b^4-161*B*\text{cos}(d*x+c)^4*(\text{cos}(d* \\ & x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*\text{sin}(d*x+c)*a^3*b+ \\ & 15*C*\text{cos}(d*x+c)^5*a^4-15*C*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+ \\ & 1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\text{cos} \\ & (d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^4+25*C*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*(\\ & \text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4-15*C*\text{si} \\ & \text{n}(d*x+c)*\text{cos}(d*x+c)^3*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d \\ & *x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a \\ & +b))^{(1/2)})*a^4+25*C*\text{sin}(d*x+c)*\text{cos}(d*x+c)^3*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{(1 \\ & /2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c) \\ &)/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4-238*B*\text{cos}(d*x+c)^3*a^2*b^2-98*B*\text{cos} \\ & (d*x+c)^2*a*b^3-63*B*\text{cos}(d*x+c)^4*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b) \end{aligned}$$

$$\begin{aligned} &*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c) \\ &),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^4+63*B*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d* \\ &x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((- \\ &1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^4-63*B*\cos(d*x+c) \\ &)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\ &+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d* \\ &x+c)*b^4+63*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a* \\ &\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a- \\ &b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^4-161*B*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+ \\ &1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos \\ &(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2*b^2-63*B*\cos(d*x+c) \\ &^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+ \\ &1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x \\ &+c)*a*b^3+161*B*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+ \\ &a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((\\ &a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2*b^2+119*B*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d \\ &*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((\\ &-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b^3-161*B*\cos(d \\ &*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\ &x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*si \\ &n(d*x+c)*a^3*b-161*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\ &)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+ \\ &c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2*b^2-63*B*\cos(d*x+c)^3*(\cos(d*x+c)/(c \\ &os(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Ellipti \\ &cE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b^3+161*B*c \\ &os(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\co \\ &s(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)} \\ &)*\sin(d*x+c)*a^2*b^2+119*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(\\ &1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/si \\ &n(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b^3-161*B*\cos(d*x+c)^4*a^3*b+161 \\ &*B*\cos(d*x+c)^4*a^2*b^2+35*B*\cos(d*x+c)^4*a*b^3+161*B*\cos(d*x+c)^5*a^3*b+77 \\ &*B*\cos(d*x+c)^5*a^2*b^2+63*B*\cos(d*x+c)^5*a*b^3+15*C*\cos(d*x+c)^4*a^3*b-55* \\ &C*\cos(d*x+c)^4*a^2*b^2+145*C*\cos(d*x+c)^4*a*b^3-60*C*\cos(d*x+c)^3*a^3*b-110 \\ &*C*\cos(d*x+c)^3*a*b^3-90*C*\cos(d*x+c)^2*a^2*b^2-60*C*\cos(d*x+c)*a*b^3+45*C* \\ &\cos(d*x+c)^5*a^3*b+145*C*\cos(d*x+c)^5*a^2*b^2+25*C*\cos(d*x+c)^5*a*b^3-15*C* \\ &\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos \\ &(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/ \\ &(a+b))^{(1/2)})*a^3*b-145*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1 \\ &))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(\\ &d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2-145*C*\sin(d*x+c)*\cos(d*x+c) \\ &^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+ \\ &1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^3+1 \\ &5*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a \\ &*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a \\ &-b)/(a+b))^{(1/2)})*a^3*b+135*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+ \end{aligned}$$

$$\begin{aligned}
& c+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+ \\
& \cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 + 145 * C * \sin(d*x+c) * \cos(d* \\
& x+c)^4 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x \\
& +c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b \\
& ^3 - 15 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * \\
& (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c) \\
& , ((a-b)/(a+b))^{1/2}) * a^3 * b - 145 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos \\
& d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}(\\
& (-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 - 145 * C * \sin(d*x+c) * \cos \\
& s(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\
& * a * b^3 + 15 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a \\
& +b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d* \\
& x+c), ((a-b)/(a+b))^{1/2}) * a^3 * b + 135 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/ \\
& \cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{Elliptic} \\
& icF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 + 145 * C * \sin(d*x+c) \\
&) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\
&) * a * b^3 - 15 * C * \cos(d*x+c)^4 * a^4 - 10 * C * \cos(d*x+c)^2 * b^4 + 25 * C * \cos(d*x+c)^4 * b^ \\
& 4 - 15 * C * b^4 / (b+a*\cos(d*x+c)) / \cos(d*x+c)^3 / \sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Cb^2 \sec(dx+c)^4 + Ba^2 \sec(dx+c) + (2Cab + Bb^2) \sec(dx+c)^3 + (Ca^2 + 2Bab) \sec(dx+c)^2) \sqrt{b \sec(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm
="fricas")
```

```
[Out] integral((C*b^2*sec(d*x + c)^4 + B*a^2*sec(d*x + c) + (2*C*a*b + B*b^2)*sec
(d*x + c)^3 + (C*a^2 + 2*B*a*b)*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x
)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2), x
)
```

3.832 $\int \cos(c+dx)(a+b \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=442

$$\frac{2\sqrt{a+b}(a^2b(45B-23C)+15a^3C-ab^2(35B-17C)+b^3(5B-9C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}}{15bd}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(35*a*b*B + 23*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b*d) + (2*Sqrt[a + b]*(a^2*b*(45*B - 23*C) - a*b^2*(35*B - 17*C) + b^3*(5*B - 9*C) + 15*a^3*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b*d) - (2*a^2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*b*(5*b*B + 8*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (15*d) + (2*b*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/ (5*d)
```

Rubi [A] time = 0.715349, antiderivative size = 442, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4072, 3918, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(a^2b(45B-23C)+15a^3C-ab^2(35B-17C)+b^3(5B-9C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F(\sin^{-1}(\frac{b(1-\sec(c+dx))}{a+b}))}{15bd}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(35*a*b*B + 23*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b*d) + (2*Sqrt[a + b]*(a^2*b*(45*B - 23*C) - a*b^2*(35*B - 17*C) + b^3*(5*B - 9*C) + 15*a^3*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b*d) - (2*a^2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*b*(5*b*B + 8*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (15*d) + (2*b*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/ (5*d)
```

$*x])/ (15*d) + (2*b*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)$

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3918

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4056

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int (a + b \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
&= \frac{2bC(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2}{5} \int \dots \\
&= \frac{2b(5bB + 8aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} \\
&= \frac{2b(5bB + 8aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} \\
&= -\frac{2(a - b)\sqrt{a + b} (35abB + 23a^2C + 9b^2C) \cot(c + dx)}{15d} \\
&= -\frac{2(a - b)\sqrt{a + b} (35abB + 23a^2C + 9b^2C) \cot(c + dx)}{15d}
\end{aligned}$$

Mathematica [B] time = 25.0387, size = 7124, normalized size = 16.12

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.781, size = 3285, normalized size = 7.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] 2/15/d*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))
^2*(23*C*cos(d*x+c)^3*a^3+35*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(cos(d*x
+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1
+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b-45*B*sin(d*x+c)*cos(d*x+
c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c
)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b
-9*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+
a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2))*b^3+23*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c
)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+co
s(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3+9*C*sin(d*x+c)*cos(d*x+c)^2*(
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3-9*C*sin
(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*
x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+
b))^(1/2))*b^3-5*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2
)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))
/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3-5*B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c
)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ell
ipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3+35*B*cos(d*x+c)^
3*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2
))*a*b^2-35*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/
```

$$\begin{aligned}
& (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2+35*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b+35*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2-35*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2+23*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b+9*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2-23*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b-17*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2+23*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b+9*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2-23*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b-17*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2-45*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b-11*C*\cos(d*x+c)^4*a^2*b-9*C*\cos(d*x+c)^4*a*b^2-23*C*\cos(d*x+c)^3*a^2*b-5*C*\cos(d*x+c)^3*a*b^2+14*C*\cos(d*x+c)*a*b^2-35*B*\cos(d*x+c)^3*a*b^2+40*B*\cos(d*x+c)^2*a*b^2-35*B*\cos(d*x+c)^4*a^2*b-5*B*\cos(d*x+c)^4*a*b^2+35*B*\cos(d*x+c)^3*a^2*b+34*C*\cos(d*x+c)^2*a^2*b+15*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3-30*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*a^3-15*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3+15*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3-30*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*a^3-23*C*\cos(d*x+c)^4*a^3-9*C*\cos(d*x+c)
\end{aligned}$$

$$\begin{aligned} &^3*b^3+6*C*\cos(d*x+c)^2*b^3-5*B*\cos(d*x+c)^3*b^3+5*B*\cos(d*x+c)*b^3+23*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3+9*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^3+3*C*b^3-15*C*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3)/(b+a*\cos(d*x+c))/\cos(d*x+c)^2/\sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb² cos(dx + c) sec(dx + c)⁴ + Ba² cos(dx + c) sec(dx + c) + (2Cab + Bb²) cos(dx + c) sec(dx + c)³ + (C

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*b²*cos(d*x + c)*sec(d*x + c)⁴ + B*a²*cos(d*x + c)*sec(d*x + c) + (2*C*a*b + B*b²)*cos(d*x + c)*sec(d*x + c)³ + (C*a² + 2*B*a*b)*cos(d*x + c)*sec(d*x + c)²)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) (b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c), x)
```

3.833 $\int \cos^2(c+dx)(a+b \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=433

$$\frac{\sqrt{a+b}(3a^2(B+6C)+2ab(9B-7C)-2b^2(3B-C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(3*a^2*B - 6*b^2*B - 14*a*b*C)*Cot[c + d*x]*EllipticE[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) +
(Sqrt[a + b]*(2*a*b*(9*B - 7*C) - 2*b^2*(3*B - C) + 3*a^2*(B + 6*C))*Cot[c
+ d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
- b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a
- b))]/(3*d) - (a*Sqrt[a + b]*(5*b*B + 2*a*C)*Cot[c + d*x]*EllipticPi[(a
+ b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt
[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d
+ (a*B*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (b*(3*a*B - 2*b*C)*Sqr
t[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (3*d)
```

Rubi [A] time = 0.777233, antiderivative size = 433, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {4072, 4025, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(3a^2(B+6C)+2ab(9B-7C)-2b^2(3B-C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(3*a^2*B - 6*b^2*B - 14*a*b*C)*Cot[c + d*x]*EllipticE[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) +
(Sqrt[a + b]*(2*a*b*(9*B - 7*C) - 2*b^2*(3*B - C) + 3*a^2*(B + 6*C))*Cot[c
+ d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
- b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a
- b))]/(3*d) - (a*Sqrt[a + b]*(5*b*B + 2*a*C)*Cot[c + d*x]*EllipticPi[(a
+ b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt
[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d
+ (a*B*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (b*(3*a*B - 2*b*C)*Sqr
```

$t[a + b\sec[c + dx]]\tan[c + dx]/(3d)$

Rule 4072

$\text{Int}[(a + \csc[e + f(x)](b))^{(m)}((A + \csc[e + f(x)](x))(B + \csc[e + f(x)]^2(C))((c + \csc[e + f(x)](x))(d))^{(n)}, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b\csc[e + fx])^{(m+1)}(c + d\csc[e + fx])^n(bB - aC + bC\csc[e + fx]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 4025

$\text{Int}[(\csc[e + f(x)](d))^{(n)}(\csc[e + f(x)](b) + (a))^{(m)}(\csc[e + f(x)](B) + (A)), x_Symbol] \rightarrow \text{Simp}[(aA\cot[e + fx](a + b\csc[e + fx])^{(m-1)}(d\csc[e + fx])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b\csc[e + fx])^{(m-2)}(d\csc[e + fx])^{(n+1)}\text{Simp}[a*(aB*n - A*b*(m-n-1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1+n)))*\csc[e + fx] + b*(b*B*n + a*A*(m+n))*\csc[e + fx]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$

Rule 4056

$\text{Int}[(A + \csc[e + f(x)](B) + \csc[e + f(x)]^2(C))(\csc[e + f(x)](b) + (a))^{(m)}, x_Symbol] \rightarrow -\text{Simp}[(C\cot[e + fx](a + b\csc[e + fx])^m)/(f*(m+1)), x] + \text{Dist}[1/(m+1), \text{Int}[(a + b\csc[e + fx])^{(m-1)}\text{Simp}[aA*(m+1) + ((A*b + a*B)*(m+1) + bC*m)*\csc[e + fx] + (b*B*(m+1) + aC*m)*\csc[e + fx]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[2*m, 0]$

Rule 4058

$\text{Int}[(A + \csc[e + f(x)](B) + \csc[e + f(x)]^2(C))/\text{Sqrt}[\csc[e + f(x)](b) + (a)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\csc[e + fx])/\text{Sqrt}[a + b\csc[e + fx]], x] + \text{Dist}[C, \text{Int}[(\csc[e + fx]*(1 + \csc[e + fx]))/\text{Sqrt}[a + b\csc[e + fx]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\csc[e + f(x)](d) + (c))/\text{Sqrt}[\csc[e + f(x)](b) + (a)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b\csc[e + fx]], x], x] + \text{Dist}[d, \text{Int}[\csc[e + fx]/\text{Sqrt}[a + b\csc[e + fx]], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos(c + dx)(a + b \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
&= \frac{aB(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \int \sqrt{a + b \sec(c + dx)} dx \\
&= \frac{aB(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{b(3a^2B - 6b^2B - 14abC) \cot(c + dx)}{(a - b)\sqrt{a + b}} \\
&= \frac{aB(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{b(3a^2B - 6b^2B - 14abC) \cot(c + dx)}{(a - b)\sqrt{a + b}}
\end{aligned}$$

Mathematica [B] time = 19.2026, size = 1146, normalized size = 2.65

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out]
$$\begin{aligned} & ((a + b\sec[c + dx])^{5/2} \sqrt{(1 - \tan[(c + dx)/2]^2)^{-1}} * (3a^3 B \tan[(c + dx)/2] + 3a^2 b B \tan[(c + dx)/2] - 6a^2 b^2 B \tan[(c + dx)/2] - 6b^3 B \tan[(c + dx)/2] - 14a^2 b C \tan[(c + dx)/2] - 14a b^2 C \tan[(c + dx)/2] - 6a^3 B \tan[(c + dx)/2]^3 + 12a^2 b^2 B \tan[(c + dx)/2]^3 + 28a^2 b C \tan[(c + dx)/2]^3 + 3a^3 B \tan[(c + dx)/2]^5 - 3a^2 b B \tan[(c + dx)/2]^5 - 6a b^2 B \tan[(c + dx)/2]^5 + 6b^3 B \tan[(c + dx)/2]^5 - 14a^2 b C \tan[(c + dx)/2]^5 + 14a b^2 C \tan[(c + dx)/2]^5 - 30a^2 b B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 12a^3 C \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 30a^2 b B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 12a^3 C \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + (a + b) * (3a^2 B - 6b^2 B - 14a b C) * \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} * (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 2 * (9a^2 b (B - C) + 3a^3 C - b^3 (3B + C) - a b^2 (9B + 7C)) * \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} * (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)})) / (3d * (b + a \cos[c + dx])^{5/2} \sec[c + dx]^{5/2} * (1 + \tan[(c + dx)/2]^2)^{3/2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(1 + \tan[(c + dx)/2]^2)} + (\cos[c + dx]^2 * (a + b \sec[c + dx])^{5/2} * ((2b * (3bB + 7aC) \sin[c + dx]) / 3 + (2b^2 C \tan[c + dx]) / 3)) / (d * (b + a \cos[c + dx])^2) \end{aligned}$$

Maple [B] time = 0.658, size = 3215, normalized size = 7.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(a+b*\sec(dx+c))^{5/2}*(B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/3/d*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c)) \\ & ^2*(2*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)* \\ & (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c) \\ & ,((a-b)/(a+b))^{1/2})*b^3+6*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c) \\ & +1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+ \\ & \cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*b^3+3*B*\cos(dx+c)^2*\sin(dx+c) \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1) \\ &)^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a^2*b-6*B \\ & *\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*co \\ & s(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b) \\ & /(\cos(dx+c)+1))^{1/2})*a*b^2+18*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1) \\ &))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(\\ & dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b^2-14*C*\sin(dx+c)*\cos(dx+c)^2* \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1)) \\ & ^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a^2*b-14*C \\ & *\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*co \\ & s(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b) \\ & /(\cos(dx+c)+1))^{1/2})*a*b^2+18*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1) \\ &))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(\\ & dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a^2*b+14*C*\sin(dx+c)*\cos(dx+c)^2* \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1)) \\ & ^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b^2+30*B \\ & *\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*co \\ & s(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c),-1,((\\ & a-b)/(a+b))^{1/2})*a^2*b-18*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c) \\ & +1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+ \\ & \cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a^2*b+30*B*\cos(dx+c)*a^2*(\cos(\\ & dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ &)*\sin(dx+c)*EllipticPi((-1+\cos(dx+c))/\sin(dx+c),-1,((a-b)/(a+b))^{1/2})* \\ & b-18*B*\cos(dx+c)*a^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*cos(d \\ & *x+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*EllipticF((-1+\cos(dx+c))/\sin(dx+c) \\ &),((a-b)/(a+b))^{1/2})*b+18*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c) \\ & +1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+co \\ & s(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b^2-14*C*\sin(dx+c)*\cos(dx+c)* \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1)) \\ & ^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b^2-14*C \\ & *a^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c) \\ & +1))^{1/2}*\sin(dx+c)*\cos(dx+c)*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a- \\ & b)/(a+b))^{1/2})*b+18*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*cos \\ & (dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),((a-b)/ \\ & (a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)*a^2*b+3*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx \\ & +c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}* \end{aligned}$$

```

EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*b-6*B*sin(d*x
+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/
(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1
/2))*a*b^2+14*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))
/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(
1/2))*cos(d*x+c)*sin(d*x+c)*a*b^2+14*C*cos(d*x+c)^3*a^2*b+2*C*cos(d*x+c)^3*
a*b^2-16*C*cos(d*x+c)*a*b^2+6*B*cos(d*x+c)^3*a*b^2-6*B*cos(d*x+c)^2*a*b^2+3
*B*cos(d*x+c)^3*a^2*b-14*C*cos(d*x+c)^2*a^2*b-3*B*cos(d*x+c)^3*a^3+6*B*cos(
d*x+c)^2*b^3+2*C*cos(d*x+c)^2*b^3-6*B*cos(d*x+c)*b^3+3*B*cos(d*x+c)^4*a^3+1
2*C*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a
*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1
, ((a-b)/(a+b))^(1/2))*a^3+6*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^3+3*B*cos(d*x+c)^2*sin(d*x+c)*(
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(
1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^3-6*B*cos
(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*
x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+
b))^(1/2))*b^3+2*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/s
in(d*x+c), ((a-b)/(a+b))^(1/2))*b^3-3*B*cos(d*x+c)^2*a^2*b+14*C*cos(d*x+c)^2
*a*b^2+3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c
), ((a-b)/(a+b))^(1/2))*a^3-6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c
)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+c
os(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^3+12*C*sin(d*x+c)*cos(d*x+c)*(
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(
1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^3-6*C
*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(
d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(
a+b))^(1/2))*a^3-2*C*b^3-6*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c
)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+c
os(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^3/sin(d*x+c)^5/(b+a*cos(d*x+c
))/cos(d*x+c)

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)

```
,x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb^2 \cos(dx + c)^2 \sec(dx + c)^4 + Ba^2 \cos(dx + c)^2 \sec(dx + c) + (2Cab + Bb^2) \cos(dx + c)^2 \sec(dx + c)^3 + \right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^2*cos(d*x + c)^2*sec(d*x + c)^4 + B*a^2*cos(d*x + c)^2*sec(d*x + c) + (2*C*a*b + B*b^2)*cos(d*x + c)^2*sec(d*x + c)^3 + (C*a^2 + 2*B*a*b)*cos(d*x + c)^2*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x)
```

3.834 $\int \cos^3(c+dx)(a+b \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=450

$$\frac{\sqrt{a+b} (2a^2(B+2C) + 3ab(3B+8C) + 8b^2(B-C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{4d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(9*a*b*B + 4*a^2*C - 8*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(8*b^2*(B - C) + 2*a^2*(B + 2*C) + 3*a*b*(3*B + 8*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(4*a^2*B + 15*b^2*B + 20*a*b*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) + (a*(7*b*B + 4*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.89977, antiderivative size = 450, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {4072, 4025, 4094, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b} (2a^2(B+2C) + 3ab(3B+8C) + 8b^2(B-C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(9*a*b*B + 4*a^2*C - 8*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(8*b^2*(B - C) + 2*a^2*(B + 2*C) + 3*a*b*(3*B + 8*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(4*a^2*B + 15*b^2*B + 20*a*b*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) + (a*(7*b*B + 4*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d)
```

$$/(4*d) + (a*B*\text{Cos}[c + d*x]*(a + b*\text{Sec}[c + d*x])^{3/2}*\text{Sin}[c + d*x])/(2*d)$$

Rule 4072

$$\text{Int}[(a + \text{csc}[e] + (f)(x))(b)^{m}((A + \text{csc}[e] + (f)(x))(B) + \text{csc}[e] + (f)(x))^2(C))((c) + \text{csc}[e] + (f)(x))(d)^n, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}(c + d*\text{Csc}[e + f*x])^n(b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$$

Rule 4025

$$\text{Int}[(\text{csc}[e] + (f)(x))(d)^n(\text{csc}[e] + (f)(x))(b) + (a))^{m}(\text{csc}[e] + (f)(x))(B) + (A)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x](a + b*\text{Csc}[e + f*x])^{m-1}(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-2}(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*(a*B*n - A*b*(m-n-1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1+n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m+n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$$

Rule 4094

$$\text{Int}[(A + \text{csc}[e] + (f)(x))(B) + \text{csc}[e] + (f)(x))^2(C))(\text{csc}[e] + (f)(x))(d)^n(\text{csc}[e] + (f)(x))(b) + (a))^{m}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x](a + b*\text{Csc}[e + f*x])^m(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4058

$$\text{Int}[(A + \text{csc}[e] + (f)(x))(B) + \text{csc}[e] + (f)(x))^2(C))/\text{Sqrt}[\text{csc}[e] + (f)(x)(b) + (a)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(\text{csc}[e] + (f)(x))(d) + (c))/\text{Sqrt}[\text{csc}[e] + (f)(x)(b) + (a)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c,$$

d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + b \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{2d} \\
&= \frac{a(7bB + 4aC)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{a(7bB + 4aC)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{(a - b)\sqrt{a + b} (9abB + 4a^2C - 8b^2C) \cot(c + dx)}{4d} \\
&= \frac{(a - b)\sqrt{a + b} (9abB + 4a^2C - 8b^2C) \cot(c + dx)}{4d}
\end{aligned}$$

Mathematica [B] time = 19.2177, size = 1338, normalized size = 2.97

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(2*b^2*C*Sin[c + d*x] + (a^2*B*Sin[2*(c + d*x)]/4))/(d*(b + a*Cos[c + d*x])^2) + ((a + b*Sec[c + d*x])^(5/2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(9*a^2*b*B*Tan[(c + d*x)/2] + 9*a*b^2*B*Tan[(c + d*x)/2] + 4*a^3*C*Tan[(c + d*x)/2] + 4*a^2*b*C*Tan[(c + d*x)/2] - 8*a*b^2*C*Tan[(c + d*x)/2] - 8*b^3*C*Tan[(c + d*x)/2] - 18*a^2*b*B*Tan[(c + d*x)/2]^3 - 8*a^3*C*Tan[(c + d*x)/2]^3 + 16*a*b^2*C*Tan[(c + d*x)/2]^3 + 9*a^2*b*B*Tan[(c + d*x)/2]^5 - 9*a*b^2*B*Tan[(c + d*x)/2]^5 + 4*a^3*C*Tan[(c + d*x)/2]^5 - 4*a^2*b*C*Tan[(c + d*x)/2]^5 - 8*a*b^2*C*Tan[(c + d*x)/2]^5 + 8*b^3*C*Tan[(c + d*x)/2]^5 - 8*a^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a + b)*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*a*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a + b)*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 40*a^2*b*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a + b)*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 8*a^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a

$$\begin{aligned}
& + b)] * \tan[(c + dx)/2]^2 * \sqrt{1 - \tan[(c + dx)/2]^2} * \sqrt{(a + b - a * \tan[(c + dx)/2]^2 + b * \tan[(c + dx)/2]^2) / (a + b)} - 30 * a * b^2 * B * \text{EllipticPi}[-1, \\
& - \text{ArcSin}[\tan[(c + dx)/2]], (a - b) / (a + b)] * \tan[(c + dx)/2]^2 * \sqrt{1 - \tan[(c + dx)/2]^2} * \sqrt{(a + b - a * \tan[(c + dx)/2]^2 + b * \tan[(c + dx)/2]^2) / (a + b)} \\
& / (a + b) - 40 * a^2 * b * C * \text{EllipticPi}[-1, - \text{ArcSin}[\tan[(c + dx)/2]], (a - b) / (a + b)] * \tan[(c + dx)/2]^2 * \sqrt{1 - \tan[(c + dx)/2]^2} * \sqrt{(a + b - a * \tan[(c + dx)/2]^2 + b * \tan[(c + dx)/2]^2) / (a + b)} + (a + b) * (9 * a * b * B + 4 * a^2 * C - 8 * b^2 * C) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b) / (a + b)] * \sqrt{1 - \tan[(c + dx)/2]^2} * (1 + \tan[(c + dx)/2]^2) * \sqrt{(a + b - a * \tan[(c + dx)/2]^2 + b * \tan[(c + dx)/2]^2) / (a + b)} - 2 * (2 * a^3 * B - a^2 * b * (B - 12 * C) + 12 * a * b^2 * (B - C) - 4 * b^3 * (B + C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b) / (a + b)] * \sqrt{1 - \tan[(c + dx)/2]^2} * (1 + \tan[(c + dx)/2]^2) * \sqrt{(a + b - a * \tan[(c + dx)/2]^2 + b * \tan[(c + dx)/2]^2) / (a + b)})) / (4 * d * (b + a * \cos[c + dx])^{5/2} * \sec[c + dx]^{5/2} * (1 + \tan[(c + dx)/2]^2)^{3/2} * \sqrt{(a + b - a * \tan[(c + dx)/2]^2 + b * \tan[(c + dx)/2]^2) / (1 + \tan[(c + dx)/2]^2)})
\end{aligned}$$

Maple [B] time = 0.652, size = 3271, normalized size = 7.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c))^3 * (a+b*\sec(dx+c))^{5/2} * (B*\sec(dx+c)+C*\sec(dx+c)^2), x$

[Out] $-1/4/d * (-1 + \cos(dx+c))^2 * (4 * C * \cos(dx+c)^3 * a^3 - 4 * B * a^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) - 4 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 + 30 * B * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a * b^2 * \sin(dx+c) + 40 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * b * \sin(dx+c) + 4 * C * a^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) - 8 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 8 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^3 + 4 * C * a^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c)) / s$

$$\begin{aligned} & \text{in}(d*x+c), ((a-b)/(a+b))^{(1/2)}+30*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticPi} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*a*b^2+8*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticPi} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*a^3*\sin(d*x+c)+8*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^3*\sin(d*x+c)-8*C*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticE} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^3+8*C*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^3+40*C*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticPi} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*a^2*b+2*B*\cos(d*x+c)*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \sin(d*x+c)* \text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b-24*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2-8*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticE} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2+4*C*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)* \text{EllipticE} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b-24*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*a^2*b+9*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticE} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b+9*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticE} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2+24*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*a*b^2-8*C*\cos(d*x+c)*a*b^2+9*B*\cos(d*x+c)^2*a*b^2+11*B*\cos(d*x+c)^3*a^2*b+4*C*\cos(d*x+c)^2*a^2*b-2*B*\cos(d*x+c)^2*a^3-4*C*\cos(d*x+c)^2*a^3+2*B*\cos(d*x+c)^4*a^3+8*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^3+8*C*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^3-9*B*\cos(d*x+c)^2*a^2*b-2*B*\cos(d*x+c)*a^2*b-9*B*\cos(d*x+c)*a*b^2-4*C*\cos(d*x+c)*a^2*b+8*C*\cos(d*x+c)^2*a*b^2+24*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2*\sin(d*x+c)-8*C*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \text{EllipticE} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2+4*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \end{aligned}$$

$$\begin{aligned} &)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b*\sin(d*x+c)-24*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b*\sin(d*x+c)+2*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b*\sin(d*x+c)-24*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2*\sin(d*x+c)+9*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b*\sin(d*x+c)+9*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2*\sin(d*x+c)-8*C*b^3+8*C*\cos(d*x+c)*b^3*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(b+a*\cos(d*x+c))/\sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^3, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Cb^2 \cos(dx + c)^3 \sec(dx + c)^4 + Ba^2 \cos(dx + c)^3 \sec(dx + c) + (2Cab + Bb^2) \cos(dx + c)^3 \sec(dx + c)^3 + \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*cos(d*x + c)^3*sec(d*x + c)^4 + B*a^2*cos(d*x + c)^3*sec(d*x + c) + (2*C*a*b + B*b^2)*cos(d*x + c)^3*sec(d*x + c)^3 + (C*a^2 + 2*B*a*b

) $\cos(dx + c)^3 \sec(dx + c)^2 \sqrt{b \sec(dx + c) + a}$, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**3*(a+b*sec(dx+c))**(5/2)*(B*sec(dx+c)+C*sec(dx+c))*2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(a+b*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(dx + c)^2 + B*sec(dx + c))*(b*sec(dx + c) + a)^(5/2)*cos(dx + c)^3, x)

3.835 $\int \cos^4(c+dx)(a+b \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c$

Optimal. Leaf size=518

$$\frac{\sqrt{a+b} (4a^2(4B+3C) + ab(26B+54C) + 3b^2(11B+16C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b} (4a^2(4B+3C) + ab(26B+54C) + 3b^2(11B+16C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}}{24d}\right)\right)}{24d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*B + 33*b^2*B + 54*a*b*C)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*b*d
) + (Sqrt[a + b]*(4*a^2*(4*B + 3*C) + 3*b^2*(11*B + 16*C) + a*b*(26*B + 54*
C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a
+ b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c +
d*x]))/(a - b)))]/(24*d) - (Sqrt[a + b]*(20*a^2*b*B + 5*b^3*B + 8*a^3*C + 3
0*a*b^2*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x
]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt
[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(8*a*d) + ((16*a^2*B + 33*b^2*B + 54*a
*b*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*(3*b*B + 2*a*C)*Co
s[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Cos[c + d*x]
^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.27429, antiderivative size = 518, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {4072, 4025, 4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(16a^2B + 54abC + 33b^2B) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{24d} + \frac{\sqrt{a+b} (4a^2(4B+3C) + ab(26B+54C) + 3b^2(11B+16C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b} (4a^2(4B+3C) + ab(26B+54C) + 3b^2(11B+16C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}}{24d}\right)\right)}{24d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*B + 33*b^2*B + 54*a*b*C)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*b*d
) + (Sqrt[a + b]*(4*a^2*(4*B + 3*C) + 3*b^2*(11*B + 16*C) + a*b*(26*B + 54*
C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a
+ b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c +
d*x]))/(a - b)))]/(24*d) - (Sqrt[a + b]*(20*a^2*b*B + 5*b^3*B + 8*a^3*C + 3
0*a*b^2*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x
```

]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a*d) + ((16*a^2*B + 33*b^2*B + 54*a*b*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*(3*b*B + 2*a*C)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (A_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (A_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)])*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + b \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^3(c + dx)(a + b \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
&= \frac{aB \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} \\
&= \frac{a(3bB + 2aC) \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{4d} \\
&= \frac{(16a^2B + 33b^2B + 54abC) \sqrt{a + b \sec(c + dx)}}{24d} \\
&= \frac{(16a^2B + 33b^2B + 54abC) \sqrt{a + b \sec(c + dx)}}{24d} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2B + 33b^2B + 54abC) \cot(c + dx)}{24d} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2B + 33b^2B + 54abC) \cot(c + dx)}{24d}
\end{aligned}$$

Mathematica [B] time = 19.3402, size = 1546, normalized size = 2.98

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Sqrt[a + b*Sec[c + d*x]]*((a^2*B*Sin[c + d*x])/12 + (a*(13*b*B + 6*a*C)*Sin[2*(c + d*x)]/24 + (a^2*B*Sin[3*(c + d*x)]/12))/d + (Sqrt[a + b*Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(16*a^3*B*Tan[(c + d*x)/2] + 16*a^2*b*B*Tan[(c + d*x)/2] + 33*a*b^2*B*Tan[(c + d*x)/2] + 33*b^3*B*Tan[(c + d*x)/2] + 54*a^2*b*C*Tan[(c + d*x)/2] + 54*a*b^2*C*Tan[(c + d*x)/2] - 32*a^3*B*Tan[(c + d*x)/2]^3 - 66*a*b^2*B*Tan[(c + d*x)/2]^3 - 108*a^2*b*C*Tan[(c + d*x)/2]^3 + 16*a^3*B*Tan[(c + d*x)/2]^5 - 16*a^2*b*B*Tan[(c + d*x)/2]^5 + 33*a*b^2*B*Tan[(c + d*x)/2]^5 - 33*b^3*B*Tan[(c + d*x)/2]^5 + 54*a^2*b*C*Tan[(c + d*x)/2]^5 - 54*a*b^2*C*Tan[(c + d*x)/2]^5 - 120*a^2*b*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*b^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - T
```


$$\begin{aligned} & \text{an}[(c + d*x)/2]^2 * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - 48*a^3*C*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - 180*a*b^2*C*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - 120*a^2*b*B*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - 30*b^3*B*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - 48*a^3*C*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - 180*a*b^2*C*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + (a + b)*(16*a^2*B + 33*b^2*B + 54*a*b*C)*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - 2*(a^2*b*(38*B - 6*C) + 24*b^3*(B - C) + 12*a^3*C + a*b^2*(-13*B + 72*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)))/(24*d*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]*(1 + \text{Tan}[(c + d*x)/2]^2)^(3/2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(1 + \text{Tan}[(c + d*x)/2]^2)]) \end{aligned}$$

Maple [B] time = 0.496, size = 3511, normalized size = 6.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^4*(a+b*\sec(d*x+c))^{(5/2)}*(B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out]
$$\begin{aligned} & -1/24/d*(-1+\cos(d*x+c))^2*(16*B*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a + b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x + c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})+33*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/ \sin(d*x+c), ((a-b)/(a+b))^{(1/2)})+b^3*\sin(d*x+c)-48*B*(\cos(d*x+c)/(\cos(d*x+c) +1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+co s(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})+48*C*\sin(d*x+c)*(c os(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \end{aligned}$$

$$\begin{aligned}
& 1/2) * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 48 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^3 * \sin(dx+c) - 24 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * \sin(dx+c) + 30 * B * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b^3 * \sin(dx+c) + 120 * B * \cos(dx+c) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \sin(dx+c) * \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b - 76 * B * \cos(dx+c) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \sin(dx+c) * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b + 26 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 54 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 54 * C * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b + 12 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 * b + 16 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 33 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 180 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a * b^2 - 144 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c) * \sin(dx+c) * a * b^2 + 66 * C * \cos(dx+c)^3 * a^2 * b - 54 * C * \cos(dx+c) * a * b^2 + 59 * B * \cos(dx+c)^3 * a * b^2 - 33 * B * \cos(dx+c)^2 * a * b^2 + 34 * B * \cos(dx+c)^4 * a^2 * b - 54 * C * \cos(dx+c)^2 * a^2 * b + 8 * B * \cos(dx+c)^5 * a^3 + 8 * B * \cos(dx+c)^3 * a^3 - 16 * B * \cos(dx+c)^2 * a^3 + 33 * B * \cos(dx+c)^2 * b^3 - 12 * C * \cos(dx+c)^2 * a^3 + 12 * C * \cos(dx+c)^4 * a^3 - 33 * B * \cos(dx+c) * b^3 - 48 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 48 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 - 18 * B * \cos(dx+c)^2 * a^2 * b - 16 * B * \cos(dx+c) * a^2 * b - 26 * B * \cos(dx+c) * a * b^2 - 12 * C * \cos(dx+c) * a^2 * b + 54 * C * \cos(dx+c)^2 * a * b^2 - 144 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 * \sin(dx+c) + 54 * C * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 54 * C * (
\end{aligned}$$

```

cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*sin(d
*x+c)+12*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos
(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))
*a^2*b*sin(d*x+c)+30*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1
/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+
c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*b^3+16*B*sin(d*x+c)*cos(d*x+c)*(cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2
)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3+33*B*sin(d*
x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))
/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*b^3+48*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(
a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(
d*x+c),-1,((a-b)/(a+b))^(1/2))*a^3-24*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellipt
icF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3+120*B*(cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellipt
icPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)-76
*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+
1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*s
in(d*x+c)+26*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/
(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1
/2))*a*b^2*sin(d*x+c)+16*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*
cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-
b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+33*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1
/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin
(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+180*C*b^2*(cos(d*x+c)/(cos(d*
x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*E
llipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a*(cos(d*x+c)
+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2)*co
s(d*x + c)^4, x)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left((Cb^2 \cos(dx+c)^4 \sec(dx+c)^4 + Ba^2 \cos(dx+c)^4 \sec(dx+c) + (2Cab + Bb^2) \cos(dx+c)^4 \sec(dx+c)^3 + \dots \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*cos(d*x + c)^4*sec(d*x + c)^4 + B*a^2*cos(d*x + c)^4*sec(d*x + c) + (2*C*a*b + B*b^2)*cos(d*x + c)^4*sec(d*x + c)^3 + (C*a^2 + 2*B*a*b)*cos(d*x + c)^4*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c))(b \sec(dx+c) + a)^{\frac{5}{2}} \cos(dx+c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^4, x)

3.836 $\int \cos^5(c+dx)(a+b \sec(c+dx))^{5/2} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=617

$$\frac{\sqrt{a+b}(4a^2b(71B+52C)+8a^3(9B+16C)+2ab^2(59B+132C)+15b^3B)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}[\text{ArcSin}[\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}]]}{192ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(284*a^2*b*B + 15*b^3*B + 128*a^3*C + 264*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(192*a*b*d) + (Sqrt[a + b]*(15*b^3*B + 8*a^3*(9*B + 16*C) + 4*a^2*b*(71*B + 52*C) + 2*a*b^2*(59*B + 132*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(192*a*d) - (Sqrt[a + b]*(48*a^4*B + 120*a^2*b^2*B - 5*b^4*B + 160*a^3*b*C + 40*a*b^3*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(64*a^2*d) + ((284*a^2*b*B + 15*b^3*B + 128*a^3*C + 264*a*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*a*d) + ((36*a^2*B + 59*b^2*B + 104*a*b*C)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*d) + (a*(11*b*B + 8*a*C)*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*B*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)
```

Rubi [A] time = 1.82782, antiderivative size = 617, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {4072, 4025, 4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(284a^2bB + 128a^3C + 264ab^2C + 15b^3B)\sin(c+dx)\sqrt{a+b\sec(c+dx)}}{192ad} + \frac{(36a^2B + 104abC + 59b^2B)\sin(c+dx)\cos(c+dx)}{96d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(284*a^2*b*B + 15*b^3*B + 128*a^3*C + 264*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(192*a*b*d) + (Sqrt[a + b]*(15*b^3*B + 8*a^3*(9*B + 16*C) + 4*a^2*b*(71*B + 52*C) + 2*a*b^2*(59*B + 132*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(192*a*d) - (Sqrt[a + b]*(48*a^4*B + 120*a^2*b^2*B - 5*b^4*B + 160*a^3*b*C + 40*a*b^3*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(64*a^2*d) + ((284*a^2*b*B + 15*b^3*B + 128*a^3*C + 264*a*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*a*d) + ((36*a^2*B + 59*b^2*B + 104*a*b*C)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*d) + (a*(11*b*B + 8*a*C)*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*B*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)
```

```

qrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c +
d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) - (Sqrt
[a + b]*(48*a^4*B + 120*a^2*b^2*B - 5*b^4*B + 160*a^3*b*C + 40*a*b^3*C)*Cot
[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]
], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec
[c + d*x]))/(a - b))]/(64*a^2*d) + ((284*a^2*b*B + 15*b^3*B + 128*a^3*C +
264*a*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((192*a*d) + ((36*a^2*B
+ 59*b^2*B + 104*a*b*C)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]
)/(96*d) + (a*(11*b*B + 8*a*C)*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c
+ d*x])/(24*d) + (a*B*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*
x]))/(4*d)

```

Rule 4072

```

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_)*((A_.) + csc[(e_.) + (f_.
)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.
)*(x_.)]*(d_.))^n_, x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

```

Rule 4025

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[
(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]

```

Rule 4094

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*((csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m_, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*((csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

$$\text{Int}[(A \cot[e + f x] (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^n) / (a f n), x] + \text{Dist}[1 / (a d n), \text{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \text{Simp}[a B n - A b (m + n + 1) + a (A + A n + C n) \csc[e + f x] + A b (m + n + 2) \csc[e + f x]^2, x], x], x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x \} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4058

$$\text{Int}[(A + C) / \sqrt{\csc[e + f x] (b + a)} + (B - C) \csc[e + f x] / \sqrt{a + b \csc[e + f x]}, x] + \text{Dist}[C, \text{Int}[(\csc[e + f x] (1 + \csc[e + f x])) / \sqrt{a + b \csc[e + f x]}, x], x] /;$$

$$\text{FreeQ}\{a, b, e, f, A, B, C\}, x \} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(c \csc[e + f x] (d + c)) / \sqrt{\csc[e + f x] (b + a)} + D \csc[e + f x] / \sqrt{a + b \csc[e + f x]}, x] + \text{Dist}[d, \text{Int}[\csc[e + f x] / \sqrt{a + b \csc[e + f x]}, x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f\}, x \} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3784

$$\text{Int}[1 / \sqrt{\csc[c + d x] (b + a)} + (2 \text{Rt}[a + b, 2] \sqrt{(b(1 - \csc[c + d x])) / (a + b)} \sqrt{-((b(1 + \csc[c + d x])) / (a - b))}) \text{EllipticPi}[(a + b) / a, \text{ArcSin}[\sqrt{a + b \csc[c + d x]}] / \text{Rt}[a + b, 2]], (a + b) / (a - b)] / (a d \cot[c + d x]), x] /;$$

$$\text{FreeQ}\{a, b, c, d\}, x \} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3832

$$\text{Int}[\csc[e + f x] / \sqrt{\csc[e + f x] (b + a)} + (-2 \text{Rt}[a + b, 2] \sqrt{(b(1 - \csc[e + f x])) / (a + b)} \sqrt{-((b(1 + \csc[e + f x])) / (a - b))}) \text{EllipticF}[\text{ArcSin}[\sqrt{a + b \csc[e + f x]}] / \text{Rt}[a + b, 2]], (a + b) / (a - b)] / (b f \cot[e + f x]), x] /;$$

$$\text{FreeQ}\{a, b, e, f\}, x \} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 4004

$$\text{Int}[(\csc[e + f x] (c \csc[e + f x] (B + A))) / \sqrt{\csc[e + f x] (b + a)} + (-2 (A b - a B) \text{Rt}[a + (b B) / A, 2] \sqrt{(b(1 - \csc[e + f x])) / (a + b)} \sqrt{-((b(1 + \csc[e + f x])) / (a - b))}) \text{EllipticE}[\text{ArcSin}[\sqrt{a + b \csc[e + f x]}] / \text{Rt}[a + (b B) / A, 2]], (a A + b B) / (a A - b B)] / (b^2 f \cot[e + f x]), x] /;$$

$$\text{FreeQ}\{a, b, e,$$

f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^5(c + dx)(a + b \sec(c + dx))^{5/2} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^4(c + dx)(a + b \sec(c + dx))^{5/2} (B + C \sec(c + dx)) dx \\
 &= \frac{aB \cos^3(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d} \\
 &= \frac{a(11bB + 8aC) \cos^2(c + dx) \sqrt{a + b \sec(c + dx)}}{24d} \\
 &= \frac{(36a^2B + 59b^2B + 104abC) \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{96d} \\
 &= \frac{(284a^2bB + 15b^3B + 128a^3C + 264ab^2C) \sqrt{a + b \sec(c + dx)}}{192ad} \\
 &= \frac{(284a^2bB + 15b^3B + 128a^3C + 264ab^2C) \sqrt{a + b \sec(c + dx)}}{192ad} \\
 &= \frac{(a - b) \sqrt{a + b} (284a^2bB + 15b^3B + 128a^3C + 264ab^2C)}{192ad} \\
 &= \frac{(a - b) \sqrt{a + b} (284a^2bB + 15b^3B + 128a^3C + 264ab^2C)}{192ad}
 \end{aligned}$$

Mathematica [B] time = 24.0517, size = 5186, normalized size = 8.41

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.582, size = 4231, normalized size = 6.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^5 * (a+b*\sec(dx+c))^{5/2} * (B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/192/d/a*(-1+\cos(dx+c))^2*(15*B*\cos(dx+c)^2*b^4+24*B*a^4*\cos(dx+c)^4+6 \\ & 4*C*\cos(dx+c)^3*a^4+288*B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a* \\ & \cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, \\ & ((a-b)/(a+b))^{1/2})*a^4*\sin(dx+c)-72*B*\cos(dx+c)^2*a^4-15*B*\cos(dx+c)*b \\ & ^4-30*B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx \\ & x+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2} \\ &)*b^4*\sin(dx+c)+48*B*\cos(dx+c)^6*a^4+64*C*\cos(dx+c)^5*a^4+15*B*(\cos(dx+x \\ & c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*El \\ & lipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^4*\sin(dx+c)+128* \\ & C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1 \\ &))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^4*\sin(\\ & dx+c)-144*B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(c \\ & os(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} \\ &)*a^4*\sin(dx+c)+284*B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos \\ & (dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/ \\ & (a+b))^{1/2})*a^3*b*\sin(dx+c)+284*B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(\\ & a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(d \\ & x+c), ((a-b)/(a+b))^{1/2})*a^2*b^2*\sin(dx+c)+15*B*b^3*(\cos(dx+c)/(\cos(dx \\ & +c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*El \\ & lipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a+72*B*a^3*(\cos(dx \\ & +c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*s \\ & in(dx+c)*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b-644*B \\ & *a^2*b^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(d \\ & x+c)+1))^{1/2}*\sin(dx+c)*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b \\ &))^{1/2}))-284*B*\cos(dx+c)^2*a^3*b-15*B*\cos(dx+c)^2*a*b^3-72*B*\cos(dx+c)* \\ & a^3*b-284*B*\cos(dx+c)*a^2*b^2+30*B*\cos(dx+c)^2*a^2*b^2-118*B*\cos(dx+c)*a \\ & *b^3+128*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos \\ & (dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\ & *\cos(dx+c)*\sin(dx+c)*a^4+118*B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b) \\ & *(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c \\ &), ((a-b)/(a+b))^{1/2})*a*b^3*\sin(dx+c)+720*B*(\cos(dx+c)/(\cos(dx+c)+1))^{(\\ & 1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx \\ & +c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^2*b^2*\sin(dx+c)+960*C*(\cos(dx+c \\ &)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*Ell \\ & ipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^3*b*\sin(dx+c) \\ & +240*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx \\ & +c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) \\ & *a*b^3*\sin(dx+c)+264*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos \\ & (dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/ \\ & (a+b))^{1/2})*a*b^3*\sin(dx+c)-608*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(\end{aligned}$$

$$\begin{aligned}
& a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d \\
& *x+c), ((a-b) / (a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a^3 * b + 128 * C * (\cos(d*x+c) / (c \\
& \cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{Ellipti} \\
& cE((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a^ \\
& 3 * b + 264 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(\\
& d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * \\
& \cos(d*x+c) * \sin(d*x+c) * a^2 * b^2 + 264 * C * \cos(d*x+c)^2 * a * b^3 + 172 * B * \cos(d*x+c)^3 * a \\
& ^3 * b + 133 * B * \cos(d*x+c)^3 * a * b^3 + 472 * C * \cos(d*x+c)^3 * a^2 * b^2 + 208 * C * (\cos(d*x+c) / \\
& (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{Ellip} \\
& ticF((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^2 * b^2 * \sin(d*x+c) + 254 \\
& * B * \cos(d*x+c)^4 * a^2 * b^2 + 184 * B * \cos(d*x+c)^5 * a^3 * b + 272 * C * \cos(d*x+c)^4 * a^3 * b - 2 \\
& 64 * C * \cos(d*x+c)^2 * a^2 * b^2 - 264 * C * \cos(d*x+c) * a * b^3 - 144 * C * \cos(d*x+c)^2 * a^3 * b - 1 \\
& 28 * C * \cos(d*x+c) * a^3 * b - 208 * C * \cos(d*x+c) * a^2 * b^2 + 284 * B * \cos(d*x+c) * \sin(d*x+c) * \\
& (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) \\
& ^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^3 * b + 284 * \\
& B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos \\
& (d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / \\
& (a+b))^{(1/2)}) * a^2 * b^2 + 15 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1) \\
&)^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d \\
& *x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a * b^3 + 72 * B * \cos(d*x+c) * \sin(d*x+c) * (co \\
& s(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1 \\
& /2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^3 * b - 644 * B * c \\
& \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d* \\
& x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+ \\
& b))^{(1/2)}) * a^2 * b^2 - 384 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * co \\
& s(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) \\
& / (a+b))^{(1/2)}) * a * b^3 * \sin(d*x+c) - 128 * C * \cos(d*x+c)^2 * a^4 + 118 * B * (\cos(d*x+c) / (c \\
& \cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{Ellipti} \\
& cF((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a * \\
& b^3 + 720 * B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(\\
& d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b) / (a+b))^{(1/ \\
& 2)}) * \cos(d*x+c) * \sin(d*x+c) * a^2 * b^2 + 960 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (\\
& 1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) / s \\
& in(d*x+c), -1, ((a-b) / (a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a^3 * b + 240 * C * (\cos(d* \\
& x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \\
& \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b) / (a+b))^{(1/2)}) * \cos(d*x+c) * si \\
& n(d*x+c) * a * b^3 + 264 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d* \\
& x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+ \\
& b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a * b^3 + 208 * C * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x \\
& +c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * E \\
& llipticF((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^2 * b^2 - 384 * C * \sin(\\
& d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x \\
& +c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * \cos \\
& (d*x+c) * a * b^3 - 608 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x \\
& +c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b
\end{aligned}$$

$$\begin{aligned} & \left. \right)^{(1/2)} \cdot a^3 \cdot b \cdot \sin(dx+c) + 128 \cdot C \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \cdot \left(\frac{1}{a+b} \right) \\ & \cdot \left(\frac{b+a \cdot \cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \cdot \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \right), \\ & \left(\frac{a-b}{a+b} \right)^{(1/2)} \cdot a^3 \cdot b \cdot \sin(dx+c) + 264 \cdot C \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \\ & \cdot \left(\frac{1}{a+b} \right) \cdot \left(\frac{b+a \cdot \cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \cdot \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \right), \\ & \left(\frac{a-b}{a+b} \right)^{(1/2)} \cdot a^2 \cdot b^2 \cdot \sin(dx+c) - 144 \cdot B \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \\ & \cdot \left(\frac{1}{a+b} \right) \cdot \left(\frac{b+a \cdot \cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \cdot \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \right), \\ & \left(\frac{a-b}{a+b} \right)^{(1/2)} \cdot \cos(dx+c) \cdot \sin(dx+c) \cdot a^4 + 288 \cdot B \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \\ & \cdot \left(\frac{1}{a+b} \right) \cdot \left(\frac{b+a \cdot \cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \cdot \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \right), \\ & -1, \left(\frac{a-b}{a+b} \right)^{(1/2)} \cdot \cos(dx+c) \cdot \sin(dx+c) \cdot a^4 - 30 \cdot B \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \\ & \cdot \left(\frac{1}{a+b} \right) \cdot \left(\frac{b+a \cdot \cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \cdot \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \right), \\ & -1, \left(\frac{a-b}{a+b} \right)^{(1/2)} \cdot \cos(dx+c) \cdot \sin(dx+c) \cdot b^4 + 15 \cdot B \cdot \cos(dx+c) \cdot b^4 \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \\ & \cdot \left(\frac{1}{a+b} \right) \cdot \left(\frac{b+a \cdot \cos(dx+c)}{\cos(dx+c)+1} \right)^{(1/2)} \cdot \sin(dx+c) \cdot \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \right), \\ & \left(\frac{a-b}{a+b} \right)^{(1/2)} \cdot \left(\frac{\cos(dx+c)+1}{(b+a \cdot \cos(dx+c)) / \cos(dx+c)} \right)^{(1/2)} / \left(\frac{b+a \cdot \cos(dx+c)}{\sin(dx+c)} \right)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c) \right) (b \sec(dx+c) + a)^{5/2} \cos(dx+c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+b*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c))*(b*sec(dx+c) + a)^(5/2)*cos(dx+c)^5, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\left(Cb^2 \cos(dx+c)^5 \sec(dx+c)^4 + Ba^2 \cos(dx+c)^5 \sec(dx+c) + (2Cab + Bb^2) \cos(dx+c)^5 \sec(dx+c)^3 + \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+b*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*cos(dx+c)^5*sec(dx+c)^4 + B*a^2*cos(dx+c)^5*sec(dx+c) + (2*C*a*b + B*b^2)*cos(dx+c)^5*sec(dx+c)^3 + (C*a^2 + 2*B*a*b

) $\cos(dx + c)^5 \sec(dx + c)^2 \sqrt{b \sec(dx + c) + a}$, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**5*(a+b*sec(dx+c))**(5/2)*(B*sec(dx+c)+C*sec(dx+c))*2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+b*sec(dx+c))^(5/2)*(B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(dx + c)^2 + B*sec(dx + c))*(b*sec(dx + c) + a)^(5/2)*cos(dx + c)^5, x)

$$3.837 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=411

$$\frac{2\sqrt{a+b}(4a^2b(14B+3C)-48a^3C-2ab^2(7B+22C)+b^3(63B-25C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{Elli}}{105b^4d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(56*a^2*b*B + 63*b^3*B - 48*a^3*C - 44*a*b^2*C)*Cot
[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(
a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/
(a - b))]/(105*b^5*d) - (2*Sqrt[a + b]*(b^3*(63*B - 25*C) - 48*a^3*C + 4*a
^2*b*(14*B + 3*C) - 2*a*b^2*(7*B + 22*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqr
t[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d
*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) - (2*(2
8*a*b*B - 24*a^2*C - 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (105*
b^3*d) + (2*(7*b*B - 6*a*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d
*x])/ (35*b^2*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]
)/ (7*b*d)
```

Rubi [A] time = 1.04485, antiderivative size = 411, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4033, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(-24a^2C + 28abB - 25b^2C)\tan(c+dx)\sqrt{a+b \sec(c+dx)}}{105b^3d} - \frac{2\sqrt{a+b}(4a^2b(14B+3C)-48a^3C-2ab^2(7B+22C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{Elli}}{105b^4d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c +
d*x]], x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(56*a^2*b*B + 63*b^3*B - 48*a^3*C - 44*a*b^2*C)*Cot
[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(
a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/
(a - b))]/(105*b^5*d) - (2*Sqrt[a + b]*(b^3*(63*B - 25*C) - 48*a^3*C + 4*a
^2*b*(14*B + 3*C) - 2*a*b^2*(7*B + 22*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqr
t[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d
*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) - (2*(2
8*a*b*B - 24*a^2*C - 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (105*
b^3*d) + (2*(7*b*B - 6*a*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d
```

$$\frac{*x]}{(35*b^2*d) + (2*C*Sec[c + d*x]^2*sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(7*b*d)}$$

Rule 4072

$$\text{Int}[(a_.) + \csc[(e_.) + (f_.)*(x_.)]*(b_.)]^{(m_.)}*((A_.) + \csc[(e_.) + (f_.)*(x_.)]*(B_.) + \csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + \csc[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(c + d*\text{Csc}[e + f*x])^n*(b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$$

Rule 4033

$$\text{Int}[(\csc[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d^2*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)})/(b*f*(m + n)), x] + \text{Dist}[d^2/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 2)}*\text{Simp}[a*B*(n - 2) + B*b*(m + n - 1)*\text{Csc}[e + f*x] + (A*b*(m + n) - a*B*(n - 1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[m + n, 0] \&\& !\text{IGtQ}[m, 1]$$

Rule 4092

$$\text{Int}[\csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + \csc[(e_.) + (f_.)*(x_.)]*(B_.) + \csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[a*C + b*(C*(m + 2) + A*(m + 3))*\text{Csc}[e + f*x] - (2*a*C - b*B*(m + 3))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -1]$$

Rule 4082

$$\text{Int}[\csc[(e_.) + (f_.)*(x_.)]*((A_.) + \csc[(e_.) + (f_.)*(x_.)]*(B_.) + \csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$$

Rule 4005

$$\text{Int}[(\csc[(e_.) + (f_.)*(x_.)]*(\csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{sqrt}[\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\text{Csc}[e +$$

$f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4004

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \int \frac{\sec^4(c + dx) (B + C \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{2C \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{7bd} + \frac{2 \int \frac{\sec^2(c + dx) (2B + C \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx}{7bd} \\ &= \frac{2(7bB - 6aC) \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{35b^2d} + \frac{2C \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{7bd} \\ &= -\frac{2(28abB - 24a^2C - 25b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^3d} + \frac{2(28abB - 24a^2C - 25b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^3d} \\ &= -\frac{2(a - b) \sqrt{a + b} (56a^2bB + 63b^3B - 48a^3C - 44ab^2C) \cot(c + dx)}{105b^3d} \end{aligned}$$

Mathematica [B] time = 24.6313, size = 3426, normalized size = 8.34

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out]
$$\begin{aligned} & ((b + a\cos[c + dx])\sec[c + dx] * ((2*(56a^2bB + 63b^3B - 48a^3C - 44ab^2C)\sin[c + dx]) / (105b^4) + (2\sec[c + dx]^2(7bB\sin[c + dx] - 6aC\sin[c + dx])) / (35b^2) + (2\sec[c + dx](-28abB\sin[c + dx] + 24a^2C\sin[c + dx] + 25b^2C\sin[c + dx])) / (105b^3) + (2C\sec[c + dx]^2\tan[c + dx]) / (7b))) / (d\sqrt{a + b\sec[c + dx]}) + (2((-3B) / (5\sqrt{b + a\cos[c + dx]})\sqrt{\sec[c + dx]}) - (8a^2B) / (15b^2\sqrt{b + a\cos[c + dx]})\sqrt{\sec[c + dx]}) + (16a^3C) / (35b^3\sqrt{b + a\cos[c + dx]})\sqrt{\sec[c + dx]}) + (44aC) / (105b\sqrt{b + a\cos[c + dx]})\sqrt{\sec[c + dx]}) - (8a^3B\sqrt{\sec[c + dx]}) / (15b^3\sqrt{b + a\cos[c + dx]}) - (7aB\sqrt{\sec[c + dx]}) / (15b\sqrt{b + a\cos[c + dx]}) + (5C\sqrt{\sec[c + dx]}) / (21\sqrt{b + a\cos[c + dx]}) + (16a^4C\sqrt{\sec[c + dx]}) / (35b^4\sqrt{b + a\cos[c + dx]}) + (32a^2C\sqrt{\sec[c + dx]}) / (105b^2\sqrt{b + a\cos[c + dx]}) - (8a^3B\cos[2(c + dx)]\sqrt{\sec[c + dx]}) / (15b^3\sqrt{b + a\cos[c + dx]}) - (3aB\cos[2(c + dx)]\sqrt{\sec[c + dx]}) / (5b\sqrt{b + a\cos[c + dx]}) + (16a^4C\cos[2(c + dx)]\sqrt{\sec[c + dx]}) / (35b^4\sqrt{b + a\cos[c + dx]}) + (44a^2C\cos[2(c + dx)]\sqrt{\sec[c + dx]}) / (105b^2\sqrt{b + a\cos[c + dx]}) * \sqrt{\sec[c + dx]} * \sqrt{\cos[(c + dx)/2]^2\sec[c + dx]} * (2(a + b)(-56a^2bB - 63b^3B + 48a^3C + 44ab^2C)\sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b) / (a + b)] + 2b(2ab^2(7B - 22C) + 4a^2b(14B - 3C) - 48a^3C + b^3(63B + 25C))\sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b) / (a + b)] + (-56a^2bB - 63b^3B + 48a^3C + 44ab^2C) * \cos[c + dx] * (b + a\cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) / (105b^4 * d * \sqrt{\sec[(c + dx)/2]^2} * \sqrt{a + b\sec[c + dx]} * ((a\sqrt{\cos[(c + dx)/2]^2\sec[c + dx]}\sin[c + dx] * (2(a + b)(-56a^2bB - 63b^3B + 48a^3C + 44ab^2C)\sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b) / (a + b)] + 2b(2ab^2(7B - 22C) + 4a^2b(14B - 3C) - 48a^3C + b^3(63B + 25C))\sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b) / (a + b)] + (-56a^2bB - 63b^3B + 48a^3C + 44ab^2C) * \cos[c + dx] * (b + a\cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) / (105b^4 * (b + a\cos[c + dx])^{3/2} * \sqrt{\sec[(c + dx)/2]^2}) - (\sqrt{\cos[(c + dx)/2]^2} * \sqrt{a + b\sec[c + dx]}) / (105b^4 * d * \sqrt{\sec[(c + dx)/2]^2}) \end{aligned}$$

$$\begin{aligned}
& + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*(a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(2*a*b^2*(7*B - 22*C) + 4*a^2*b*(14*B - 3*C) - 48*a^3*C + b^3*(63*B + 25*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])]/(105*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4)/2 + ((a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (b*(2*a*b^2*(7*B - 22*C) + 4*a^2*b*(14*B - 3*C) - 48*a^3*C + b^3*(63*B + 25*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(2*a*b^2*(7*B - 22*C) + 4*a^2*b*(14*B - 3*C) - 48*a^3*C + b^3*(63*B + 25*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (b*(2*a*b^2*(7*B - 22*C) + 4*a^2*b*(14*B - 3*C) - 48*a^3*C + b^3*(63*B + 25*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)])/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2])/(105*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((2*(a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(2*a*b^2*(7*B - 22*C) + 4*a^2*b*(14*B - 3*C) - 48*a^3*C + b^3*(63*B + 25*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])])
\end{aligned}$$

```
*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 44*a*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(105*b^4*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]))
```

Maple [B] time = 1.115, size = 3439, normalized size = 8.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2), x)
```

```
[Out] -2/105/d/b^4*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(63*B*cos(d*x+c)^4*b^4-42*B*cos(d*x+c)^3*b^4-21*B*cos(d*x+c)*b^4-56*B*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^3*b-48*C*cos(d*x+c)^5*a^4+48*C*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^4+25*C*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^4+48*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^4+25*C*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^4-28*B*cos(d*x+c)^3*a^2*b^2+7*B*cos(d*x+c)^2*a*b^3-63*B*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4+63*B*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4-63*B*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4+63*B*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4-56*B*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2*b^2-63*B*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos
```

$$\begin{aligned}
& (d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/ \\
& (a+b))^{(1/2)})*\sin(d*x+c)*a*b^3+56*B*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1) \\
&)^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d \\
& *x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2*b^2+14*B*\cos(d*x+c)^4 \\
& *(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
&)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x+c \\
&)*a*b^3-56*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*c \\
& os(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b) \\
&)/(a+b))^{(1/2)})*\sin(d*x+c)*a^3*b-56*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+ \\
& 1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos \\
& (d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2*b^2-63*B*\cos(d*x+c) \\
& ^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+ \\
& 1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x \\
& +c)*a*b^3+56*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a \\
& *cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a \\
& -b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2*b^2+14*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x \\
& +c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1 \\
& +\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b^3-56*B*\cos(d*x+ \\
& c)^4*a^3*b+56*B*\cos(d*x+c)^4*a^2*b^2-70*B*\cos(d*x+c)^4*a*b^3+56*B*\cos(d*x+c) \\
& ^5*a^3*b-28*B*\cos(d*x+c)^5*a^2*b^2+63*B*\cos(d*x+c)^5*a*b^3-48*C*\cos(d*x+c) \\
& ^4*a^3*b+50*C*\cos(d*x+c)^4*a^2*b^2-44*C*\cos(d*x+c)^4*a*b^3+24*C*\cos(d*x+c)^ \\
& 3*a^3*b+16*C*\cos(d*x+c)^3*a*b^3-6*C*\cos(d*x+c)^2*a^2*b^2+3*C*\cos(d*x+c)*a*b \\
& ^3+24*C*\cos(d*x+c)^5*a^3*b-44*C*\cos(d*x+c)^5*a^2*b^2+25*C*\cos(d*x+c)^5*a*b^ \\
& 3+48*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(\\
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{(1/2)})*a^3*b+44*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d* \\
& x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((- \\
& 1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b^2+44*C*\sin(d*x+c)*\cos(d \\
& *x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
& x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a \\
& b^3-48*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c \\
&), ((a-b)/(a+b))^{(1/2)})*a^3*b-12*C*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(\\
& d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF(\\
& (-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b^2-44*C*\sin(d*x+c)*\cos \\
& (d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(\\
& d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})* \\
& a*b^3+48*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+ \\
& b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x \\
& +c), ((a-b)/(a+b))^{(1/2)})*a^3*b+44*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(co \\
& s(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Elliptic \\
& E((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b^2+44*C*\sin(d*x+c)*c \\
& os(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\co \\
& s(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2) \\
&)*a*b^3-48*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(
\end{aligned}$$

$$\begin{aligned}
& (a+b) \cdot (b+a \cdot \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a^3 b - 12 C \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \\
& \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a^2 b^2 - 44 C \sin(dx+c) \cos(dx+c)^3 \\
& \cdot (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& \cdot a \cdot b^3 + 48 C \cos(dx+c)^4 a^4 - 10 C \cos(dx+c)^2 b^4 + 25 C \cos(dx+c)^4 b^4 - 15 C b^4 / (b+a \cdot \cos(dx+c)) / \cos(dx+c)^3 / \sin(dx+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(1/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx+c)^5 + B \sec(dx+c)^4}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(1/2), x, algorithm="fricas")

[Out] integral((C*sec(dx + c)^5 + B*sec(dx + c)^4)/sqrt(b*sec(dx + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^4(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**4/sqrt(a + b*sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)^3}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)^3/sqrt(b*sec(d*x + c) + a), x)
```

$$3.838 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=329

$$\frac{2\sqrt{a+b}(-8a^2C + 2ab(5B + C) + b^2(5B - 9C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{15b^3d}$$

[Out] (2*(a - b)*Sqrt[a + b]*(10*a*b*B - 8*a^2*C - 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^4*d) + (2*Sqrt[a + b]*(b^2*(5*B - 9*C) - 8*a^2*C + 2*a*b*(5*B + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^3*d) + (2*(5*b*B - 4*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((15*b^2*d) + (2*C*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b*d))

Rubi [A] time = 0.68511, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4033, 4082, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b}(-8a^2C + 2ab(5B + C) + b^2(5B - 9C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right) \Big|_{\frac{a+b}{a-b}}}{15b^3d} +$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*(a - b)*Sqrt[a + b]*(10*a*b*B - 8*a^2*C - 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^4*d) + (2*Sqrt[a + b]*(b^2*(5*B - 9*C) - 8*a^2*C + 2*a*b*(5*B + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^3*d) + (2*(5*b*B - 4*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((15*b^2*d) + (2*C*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b*d))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4033

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d^2*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + n)), x] + Dist[d^2/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 2)*Simp[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n) - a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n, 0] && !IGtQ[m, 1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)])*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)])*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)])/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B))]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \int \frac{\sec^3(c + dx) (B + C \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{2C \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{5bd} + \frac{2 \int \frac{\sec(c + dx) (aC + \frac{3}{2} b \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx}{5bd} \\ &= \frac{2(5bB - 4aC) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15b^2d} + \frac{2C \sec(c + dx) \sqrt{a + b \sec(c + dx)}}{15b^2d} \\ &= \frac{2(5bB - 4aC) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15b^2d} + \frac{2C \sec(c + dx) \sqrt{a + b \sec(c + dx)}}{15b^2d} \\ &= \frac{2(a - b) \sqrt{a + b} (10abB - 8a^2C - 9b^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{15b^4d} \end{aligned}$$

Mathematica [B] time = 22.667, size = 3000, normalized size = 9.12

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*S
ec[c + d*x]], x]
```

```
[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*((2*(-10*a*b*B + 8*a^2*C + 9*b^2*C)*Sin[
c + d*x])/(15*b^3) + (2*Sec[c + d*x]*(5*b*B*Ssin[c + d*x] - 4*a*C*Ssin[c + d
x]))/(15*b^2) + (2*C*Sec[c + d*x]*Tan[c + d*x])/(5*b)))/(d*Sqrt[a + b*Sec[c
+ d*x]]) - (2*((2*a*B)/(3*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) -
(3*C)/(5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (8*a^2*C)/(15*b^2*
Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (B*Sqrt[Sec[c + d*x]])/(3*Sq
rt[b + a*Cos[c + d*x]]) + (2*a^2*B*Sqrt[Sec[c + d*x]])/(3*b^2*Sqrt[b + a*Co
s[c + d*x]]) - (8*a^3*C*Sqrt[Sec[c + d*x]])/(15*b^3*Sqrt[b + a*Cos[c + d*x]
```


$$\begin{aligned}
&]) - (7*a*C*sqrt[Sec[c + d*x]])/(15*b*sqrt[b + a*cos[c + d*x]]) + (2*a^2*B* \\
&Cos[2*(c + d*x)]*sqrt[Sec[c + d*x]])/(3*b^2*sqrt[b + a*cos[c + d*x]]) - (8* \\
&a^3*C*cos[2*(c + d*x)]*sqrt[Sec[c + d*x]])/(15*b^3*sqrt[b + a*cos[c + d*x]]) \\
&)- (3*a*C*cos[2*(c + d*x)]*sqrt[Sec[c + d*x]])/(5*b*sqrt[b + a*cos[c + d*x \\
&]])*sqrt[Sec[c + d*x]]*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*(- \\
&10*a*b*B + 8*a^2*C + 9*b^2*C)*sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*sqrt[(b \\
&+ a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + \\
&d*x)/2]], (a - b)/(a + b)] - 2*b*(8*a^2*C + 2*a*b*(-5*B + C) + b^2*(5*B + 9 \\
&*C))*sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*sqrt[(b + a*cos[c + d*x])/((a + \\
&b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b \\
&)] + (-10*a*b*B + 8*a^2*C + 9*b^2*C)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c \\
&+ d*x)/2]^2*Tan[(c + d*x)/2))/(15*b^3*d*sqrt[Sec[(c + d*x)/2]^2]*sqrt[a \\
&+ b*Sec[c + d*x]]*(-(a*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(\\
&2*(a + b)*(-10*a*b*B + 8*a^2*C + 9*b^2*C)*sqrt[Cos[c + d*x]/(1 + Cos[c + d* \\
&x]])*sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcS \\
&in[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(8*a^2*C + 2*a*b*(-5*B + C) + \\
&b^2*(5*B + 9*C))*sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*sqrt[(b + a*cos[c + \\
&d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a \\
&- b)/(a + b)] + (-10*a*b*B + 8*a^2*C + 9*b^2*C)*Cos[c + d*x]*(b + a*cos[c + \\
&d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(15*b^3*(b + a*cos[c + d*x])^(\\
&3/2)*sqrt[Sec[(c + d*x)/2]^2]) + (sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan \\
&[(c + d*x)/2]*(2*(a + b)*(-10*a*b*B + 8*a^2*C + 9*b^2*C)*sqrt[Cos[c + d*x]/ \\
&(1 + Cos[c + d*x])]*sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] \\
&)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(8*a^2*C + 2*a* \\
&b*(-5*B + C) + b^2*(5*B + 9*C))*sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*sqrt[\\
&(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c \\
&+ d*x)/2]], (a - b)/(a + b)] + (-10*a*b*B + 8*a^2*C + 9*b^2*C)*Cos[c + d*x] \\
&*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(15*b^3*sqrt[b \\
&+ a*cos[c + d*x]]*sqrt[Sec[(c + d*x)/2]^2]) - (2*sqrt[Cos[(c + d*x)/2]^2*Se \\
&c[c + d*x]]*(((-10*a*b*B + 8*a^2*C + 9*b^2*C)*Cos[c + d*x]*(b + a*cos[c + d \\
&*x])*Sec[(c + d*x)/2]^4)/2 + ((a + b)*(-10*a*b*B + 8*a^2*C + 9*b^2*C)*sqrt[\\
&(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c \\
&+ d*x)/2]], (a - b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x] \\
&)^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/sqrt[Cos[c + d*x]/(1 + Cos[c + d*x] \\
&)] - (b*(8*a^2*C + 2*a*b*(-5*B + C) + b^2*(5*B + 9*C))*sqrt[(b + a*cos[c + \\
&d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a \\
&- b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d \\
&*x]/(1 + Cos[c + d*x])))/sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] + ((a + b)*(- \\
&10*a*b*B + 8*a^2*C + 9*b^2*C)*sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Ellipt \\
&icE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*sin[c + d*x])/((a + b) \\
&*(1 + Cos[c + d*x]))) + ((b + a*cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + C \\
&os[c + d*x])^2))/sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] - \\
&(b*(8*a^2*C + 2*a*b*(-5*B + C) + b^2*(5*B + 9*C))*sqrt[Cos[c + d*x]/(1 + C \\
&os[c + d*x])]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*Si \\
&n[c + d*x])/((a + b)*(1 + Cos[c + d*x])))) + ((b + a*cos[c + d*x])*Sin[c + d
\end{aligned}$$

$$\begin{aligned} & *x] / ((a + b) * (1 + \cos[c + d*x])^2)) / \sqrt{(b + a * \cos[c + d*x]) / ((a + b) * (1 \\ & + \cos[c + d*x]))} - a * (-10 * a * b * B + 8 * a^2 * C + 9 * b^2 * C) * \cos[c + d*x] * \sec[(c \\ & + d*x) / 2]^2 * \sin[c + d*x] * \tan[(c + d*x) / 2] - (-10 * a * b * B + 8 * a^2 * C + 9 * b^2 * C) \\ & * (b + a * \cos[c + d*x]) * \sec[(c + d*x) / 2]^2 * \sin[c + d*x] * \tan[(c + d*x) / 2] + (- \\ & 10 * a * b * B + 8 * a^2 * C + 9 * b^2 * C) * \cos[c + d*x] * (b + a * \cos[c + d*x]) * \sec[(c + d * \\ & x) / 2]^2 * \tan[(c + d*x) / 2]^2 - (b * (8 * a^2 * C + 2 * a * b * (-5 * B + C) + b^2 * (5 * B + 9 * \\ & C)) * \sqrt{\cos[c + d*x] / (1 + \cos[c + d*x])} * \sqrt{(b + a * \cos[c + d*x]) / ((a + b) \\ &) * (1 + \cos[c + d*x]))} * \sec[(c + d*x) / 2]^2) / (\sqrt{1 - \tan[(c + d*x) / 2]^2} * \sqrt{ \\ & 1 - ((a - b) * \tan[(c + d*x) / 2]^2) / (a + b)}) + ((a + b) * (-10 * a * b * B + 8 * a^2 \\ & * C + 9 * b^2 * C) * \sqrt{\cos[c + d*x] / (1 + \cos[c + d*x])} * \sqrt{(b + a * \cos[c + d*x] \\ &) / ((a + b) * (1 + \cos[c + d*x]))} * \sec[(c + d*x) / 2]^2 * \sqrt{1 - ((a - b) * \tan[(c \\ & + d*x) / 2]^2) / (a + b)}) / \sqrt{1 - \tan[(c + d*x) / 2]^2}) / (15 * b^3 * \sqrt{b + a * \\ & \cos[c + d*x]} * \sqrt{\sec[(c + d*x) / 2]^2}) - ((2 * (a + b) * (-10 * a * b * B + 8 * a^2 * C \\ & + 9 * b^2 * C) * \sqrt{\cos[c + d*x] / (1 + \cos[c + d*x])} * \sqrt{(b + a * \cos[c + d*x]) / \\ & ((a + b) * (1 + \cos[c + d*x]))} * \text{EllipticE}[\text{ArcSin}[\tan[(c + d*x) / 2]], (a - b) / (\\ & a + b)] - 2 * b * (8 * a^2 * C + 2 * a * b * (-5 * B + C) + b^2 * (5 * B + 9 * C)) * \sqrt{\cos[c + d \\ & * x] / (1 + \cos[c + d*x])} * \sqrt{(b + a * \cos[c + d*x]) / ((a + b) * (1 + \cos[c + d*x] \\ &))} * \text{EllipticF}[\text{ArcSin}[\tan[(c + d*x) / 2]], (a - b) / (a + b)] + (-10 * a * b * B + 8 * \\ & a^2 * C + 9 * b^2 * C) * \cos[c + d*x] * (b + a * \cos[c + d*x]) * \sec[(c + d*x) / 2]^2 * \tan[(c \\ & + d*x) / 2]) * (-\cos[(c + d*x) / 2] * \sec[c + d*x] * \sin[(c + d*x) / 2]) + \cos[(c + \\ & d*x) / 2]^2 * \sec[c + d*x] * \tan[c + d*x]) / (15 * b^3 * \sqrt{b + a * \cos[c + d*x]} * \sqrt{ \\ & \sec[(c + d*x) / 2]^2} * \sqrt{\cos[(c + d*x) / 2]^2 * \sec[c + d*x]})) \end{aligned}$$

Maple [B] time = 0.761, size = 2499, normalized size = 7.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^2 * (B * \sec(d*x+c) + C * \sec(d*x+c)^2) / (a + b * \sec(d*x+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -2/15/d/b^3 * (\cos(d*x+c)+1)^2 * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2} * (-1+\cos(d * \\ & x+c))^{2 * (-8 * C * \cos(d*x+c)^3 * a^3 + 10 * B * \cos(d*x+c)^3 * \sin(d*x+c) * (\cos(d*x+c) / (\cos \\ & (d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{Elliptic} \\ & \text{E}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 9 * C * \sin(d*x+c) * \cos(\\ & d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d \\ & *x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b \\ & ^3 - 8 * C * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (\\ & b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & ((a-b)/(a+b))^{1/2}) * a^3 - 9 * C * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c \\ &)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+c \\ & \os(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 + 9 * C * \sin(d*x+c) * \cos(d*x+c)^2 * \end{aligned}$$

$$\begin{aligned}
& (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1)) \\
& ^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 5*B*\cos \\
& (dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d \\
& *x+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a \\
& +b))^{1/2}) * b^3 + 5*B*\cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c) \\
&)/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 10*B*\cos(dx+c)^3 * \sin(dx+c) * (\cos(dx \\
& +c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * E \\
& llipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a*b^2 - 10*B*\cos(dx \\
& +c)^3 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c) \\
&)/\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * a*b^2 + 10*B*\cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/ \\
& \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 10*B*\cos(dx+c)^2 * \sin(dx+c) * (\cos(dx \\
& +c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * E \\
& llipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a*b^2 - 10*B*\cos(dx \\
& +c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c) \\
&)/\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * a*b^2 - 8*C*\sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * \\
& (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/s \\
& in(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b - 9*C*\sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c) \\
&)/\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * Ell \\
& ipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a*b^2 + 8*C*\sin(dx+c) \\
& * \cos(dx+c)^2 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/ \\
& \cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * a^2 * b + 2*C*\sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/ \\
& (a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(\\
& dx+c), ((a-b)/(a+b))^{1/2}) * a*b^2 - 8*C*\sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/ \\
& \cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * Ellipt \\
& icE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b - 9*C*\sin(dx+c) * co \\
& s(dx+c)^3 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos \\
& (dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& * a*b^2 + 8*C*\sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a \\
& +b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx \\
& +c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 2*C*\sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/ \\
& \cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * Ellipt \\
& icF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a*b^2 - 4*C*\cos(dx+c)^4 * a^2 \\
& * b + 9*C*\cos(dx+c)^4 * a*b^2 + 8*C*\cos(dx+c)^3 * a^2 * b - 10*C*\cos(dx+c)^3 * a*b^2 + C* \\
& \cos(dx+c) * a*b^2 - 10*B*\cos(dx+c)^3 * a*b^2 + 5*B*\cos(dx+c)^2 * a*b^2 - 10*B*\cos(dx \\
& +c)^4 * a^2 * b + 5*B*\cos(dx+c)^4 * a*b^2 + 10*B*\cos(dx+c)^3 * a^2 * b - 4*C*\cos(dx+c)^ \\
& 2 * a^2 * b + 8*C*\cos(dx+c)^4 * a^3 + 9*C*\cos(dx+c)^3 * b^3 - 6*C*\cos(dx+c)^2 * b^3 + 5*B* \\
& \cos(dx+c)^3 * b^3 - 5*B*\cos(dx+c) * b^3 - 8*C*\sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) \\
&)/\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * Elli \\
& pticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 - 9*C*\sin(dx+c) * co \\
& s(dx+c)^3 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos
\end{aligned}$$

$$(d*x+c+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})$$

$$* b^3 - 3*C*b^3) / (b+a*\cos(d*x+c)) / \cos(d*x+c)^2 / \sin(d*x+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx+c)^4 + B \sec(dx+c)^3}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3)/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^3(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2), x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**3/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

$$3.839 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=261

$$\frac{2\sqrt{a+b}(-2aC+3bB-bC)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{3b^2d} - \frac{2(a-b)}{3b^2d}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B - 2*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*d) - (2*Sqrt[a + b]*(3*b*B - 2*a*C - b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (3*b*d)

Rubi [A] time = 0.436528, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4010, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b}(-2aC+3bB-bC)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{3b^2d} - \frac{2(a-b)\sqrt{a+b}}{3b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B - 2*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*d) - (2*Sqrt[a + b]*(3*b*B - 2*a*C - b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (3*b*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^ (m +

1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \int \frac{\sec^2(c+dx)(B+C\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{2C\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{3bd} + \frac{2\int \frac{\sec(c+dx)\left(\frac{bC}{2}+\frac{1}{2}(3bB-2aC)\sec(c+dx)\right)}{\sqrt{a+b\sec(c+dx)}} dx}{3b} \\
&= \frac{2C\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{3bd} + \frac{(3bB-2aC)\int \frac{\sec(c+dx)(1+\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx}{3b} \\
&= -\frac{2(a-b)\sqrt{a+b}(3bB-2aC)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a}{a-b}\right)}{3b^3d}
\end{aligned}$$

Mathematica [A] time = 16.0296, size = 372, normalized size = 1.43

$$2\sqrt{\sec(c+dx)}\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)}\left(2b(b(3B+C)-2aC)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{a\cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}}\text{EllipticF}\left(\sin^{-1}\left(\tan\right)\right)\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (2*Sqrt[Sec[c + d*x]]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*(-3*b*B + 2*a*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(-2*a*C + b*(3*B + C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - (3*b*B - 2*a*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(3*b^2*d*Sqrt[Sec[(c + d*x)/2]^2*Sqrt[a + b*Sec[c + d*x]]) + ((b + a*Cos[c + d*x])*Sec[c + d*x]*((2*(3*b*B - 2*a*C)*Sin[c + d*x])/(3*b^2) + (2*C*Tan[c + d*x])/(3*b)))/(d*Sqrt[a + b*Sec[c + d*x]])
```

Maple [B] time = 0.509, size = 1563, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)*(B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^{1/2},x)$

[Out]
$$\begin{aligned} & -2/3/d/b^2*(-1+\cos(dx+c))^{2*}(3*B*\cos(dx+c)^3*a*b-3*B*\cos(dx+c)^2*a*b+C*\cos(dx+c)^3*a*b-2*C*\cos(dx+c)^2*a*b+C*\cos(dx+c)*a*b-3*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b-2*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b+2*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b-2*C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b+2*C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b-3*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a*b+3*B*\cos(dx+c)^2*b^2+3*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*b^2+C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*b^2+2*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a^2+C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*b^2+2*C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*a^2-3*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*b^2+3*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*b^2-3*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),((a-b)/(a+b))^{1/2})*b^2-b^2*C-3*B*\cos(dx+c)*b^2-2*C*\cos(dx+c)^3*a^2+2*C*\cos(dx+c)^2*a^2+C*\cos(dx+c)^2*b^2)*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(\cos(dx+c)+1)^{2/2}/(b+a*\cos(dx+c))/\cos(dx+c)/\sin(dx+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x
, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)/sqrt(b*sec(d*x +
c) + a), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^3 + B \sec(dx + c)^2}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x
, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2)/sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2)
,x)
```

```
[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**2/sqrt(a + b*sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)/sqrt(b*sec(d*x +
c) + a), x)
```

$$3.840 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=210

$$\frac{2\sqrt{a+b}(B-C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - 2C(a-b)\sqrt{a+b} \cot(c+dx)}{bd}$$

[Out] (-2*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d) + (2*Sqrt[a + b]*(B - C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d)))/(b*d)

Rubi [A] time = 0.173793, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {4058, 12, 3832, 4004}

$$\frac{2\sqrt{a+b}(B-C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) - 2C(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{a+b}}{bd}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (-2*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d) + (2*Sqrt[a + b]*(B - C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d)))/(b*d)

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx &= C \int \frac{\sec(c + dx)(1 + \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx + \int \frac{(B - C) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= -\frac{2(a - b)\sqrt{a + b}C \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\middle|\frac{a + b}{a - b}\right)\sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}\sqrt{-\frac{b}{a + b}}}{b^2 d} \\ &= -\frac{2(a - b)\sqrt{a + b}C \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\middle|\frac{a + b}{a - b}\right)\sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}\sqrt{-\frac{b}{a + b}}}{b^2 d} \end{aligned}$$

Mathematica [A] time = 14.2852, size = 312, normalized size = 1.49

$$\frac{2C \tan(c + dx)(a \cos(c + dx) + b)}{bd\sqrt{a + b \sec(c + dx)}} - \frac{2\sqrt{\sec(c + dx)}\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)\sec(c + dx)}\left(-2b(B + C)\sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}}\sqrt{\frac{a \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}}\right)}{bd\sqrt{a + b \sec(c + dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (-2*Sqrt[Sec[c + d*x]]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*C*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(B + C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + C*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/ (b*d*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[a + b*Sec[c + d*x]]) + (2*C*(b + a*Cos[c + d*x])*Tan[c + d*x])/ (b*d*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.418, size = 829, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x)

[Out] -2/d/b*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))^2*(B*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b-C*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a-C*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b-C*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a-C*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+C*cos(d*x+c)^2*a-C*cos(d*x+c)*a+C*cos(d*x+c)*b-C*b/sin(d*x+c)^5/(b+a*cos(d*x+c))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + B \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)
```


$$3.841 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=208

$$\frac{2C\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - 2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{bd}$$

[Out] (2*Sqrt[a + b]*C*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(b*d) - (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(a*d)

Rubi [A] time = 0.208505, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {4072, 3921, 3784, 3832}

$$\frac{2C\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) - 2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*Sqrt[a + b]*C*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(b*d) - (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(a*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[

{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \int \frac{B + C \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= B \int \frac{1}{\sqrt{a + b \sec(c + dx)}} dx + C \int \frac{\sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{2\sqrt{a + b}C \cot(c + dx)F\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{bd} \end{aligned}$$

Mathematica [A] time = 2.19066, size = 147, normalized size = 0.71

$$\frac{4 \cos^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \sec(c + dx) \sqrt{\frac{a \cos(c + dx) + b}{(a + b)(\cos(c + dx) + 1)}} \left((B - C) \text{EllipticF}\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right), \frac{a - b}{a + b}\right) + 2B\pi \right)}{d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] $(-4*\cos[(c + d*x)/2]^2*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*((B - C)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*B*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)])*\sec[c + d*x])/(d*\sqrt{a + b*\sec[c + d*x]})$

Maple [A] time = 0.365, size = 215, normalized size = 1.

$$-2 \frac{(\cos(dx + c) + 1)^2 (-1 + \cos(dx + c))}{d (b + a \cos(dx + c)) (\sin(dx + c))^2} \sqrt{\frac{b + a \cos(dx + c)}{\cos(dx + c)}} \sqrt{\frac{\cos(dx + c)}{\cos(dx + c) + 1}} \sqrt{\frac{b + a \cos(dx + c)}{(a + b) (\cos(dx + c) + 1)}} \left(B \text{Elliptic} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x)

[Out] $-2/d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))*(B*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})-2*B*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})-C*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}))/((b+a*\cos(d*x+c))/\sin(d*x+c))^2$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x
, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c))/sqrt
(b*sec(d*x + c) + a), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \cos(c + dx) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2)
,x)
```

```
[Out] Integral((B + C*sec(c + d*x))*cos(c + d*x)*sec(c + d*x)/sqrt(a + b*sec(c +
d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)/sqrt(b*sec(d*x +
c) + a), x)
```

$$3.842 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=348

$$\frac{B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + \sqrt{a+b}(bB-2aC) \cot(c+dx)}{ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a*d) + (Sqrt[a + b]*(b*B - 2*a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*d) + (B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(a*d)
```

Rubi [A] time = 0.499379, antiderivative size = 348, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4034, 4059, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(bB-2aC) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + \frac{B \sin(c+dx) \sqrt{a+b} \sec(c+dx)}{ad}}{a^2 d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] ((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a*d) + (Sqrt[a + b]*(b*B - 2*a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*d) + (B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(a*d)
```

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4034

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4059

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Int[(A - C*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]

/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \int \frac{\cos(c + dx)(B + C \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{ad} - \int \frac{\frac{1}{2}(bB - 2aC) + \frac{1}{2}bB \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{ad} - \int \frac{\frac{1}{2}(bB - 2aC) - \frac{1}{2}bB \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{(a - b)\sqrt{a + b}B \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a}}}{abd} \\ &= \frac{(a - b)\sqrt{a + b}B \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a}}}{abd} \end{aligned}$$

Mathematica [C] time = 16.7446, size = 1027, normalized size = 2.95

$$\frac{\sqrt{b + a \cos(c + dx)} \sqrt{\sec(c + dx)} \sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}} \sqrt{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)} \left(-a \sqrt{\frac{b - a}{a + b}} B \sqrt{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)} \tan^3\left(\frac{1}{2}(c + dx)\right)\right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

```
[Out] (Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2])^2]^(-1)*Sqrt[1 - Tan[(c + d*x)/2]^2]*(a*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]*Sqrt[1 - Tan[(c + d*x)/2]^2] + b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]*Sqrt[1 - Tan[(c + d*x)/2]^2] - a*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^3*Sqrt[1 - Tan[(c + d*x)/2]^2] + b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^3*Sqrt[1 - Tan[(c + d*x)/2]^2] + (2*I)*b*B*EllipticPi[-((a + b)/(a - b))], I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (4*I)*a*C*EllipticPi[-((a + b)/(a - b))], I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*b*B*EllipticPi[-((a + b)/(a - b))], I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (4*I)*a*C*EllipticPi[-((a + b)/(a - b))], I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*B*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*(b*B - a*C)*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(a*Sqrt[(-a + b)/(a + b)]*d*Sqrt[a + b*Sec[c + d*x]]*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))]
```

Maple [B] time = 0.385, size = 1025, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2), x)
```

```
[Out] -1/d/a*(-1+cos(d*x+c))^2*(B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*a+B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*b-2*B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*sin(d*x+c)*b+4*C*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*sin(d*x+c)*a-2*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)
```


)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a+B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a+B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b-2*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*b+4*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a*sin(d*x+c)-2*C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a+B*cos(d*x+c)^3*a-B*a*cos(d*x+c)^2+B*cos(d*x+c)^2*b-B*b*cos(d*x+c))*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \cos(dx + c)^2 \sec(dx + c)^2 + B \cos(dx + c)^2 \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] `integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)`

$$3.843 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=471

$$\frac{2(4a^2b(10B-9C)-48a^3C+6ab^2(5B-2C)+b^3(5B-9C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\right)}{15b^4d\sqrt{a+b}}$$

[Out] (2*(40*a^3*b*B - 25*a*b^3*B - 48*a^4*C + 24*a^2*b^2*C + 9*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(15*b^5*Sqrt[a + b]*d) + (2*(b^3*(5*B - 9*C) + 4*a^2*b*(10*B - 9*C) + 6*a*b^2*(5*B - 2*C) - 48*a^3*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(15*b^4*Sqrt[a + b]*d) + (2*a*(b*B - a*C)*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(20*a^2*b*B - 5*b^3*B - 24*a^3*C + 9*a*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b^3*(a^2 - b^2)*d) - (2*(5*a*b*B - 6*a^2*C + b^2*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b^2*(a^2 - b^2)*d)

Rubi [A] time = 1.27295, antiderivative size = 471, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4029, 4092, 4082, 4005, 3832, 4004}

$$\frac{2a(bB - aC) \tan(c + dx) \sec^2(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \sec(c + dx)}} - \frac{2(-6a^2C + 5abB + b^2C) \tan(c + dx) \sec(c + dx) \sqrt{a + b \sec(c + dx)}}{5b^2d(a^2 - b^2)} + \frac{2(20a^2bB - 5b^3B - 24a^3C + 9ab^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15b^3(a^2 - b^2)d} - \frac{2(5abB - 6a^2C + b^2C) \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{5b^2(a^2 - b^2)d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(40*a^3*b*B - 25*a*b^3*B - 48*a^4*C + 24*a^2*b^2*C + 9*b^4*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(15*b^5*Sqrt[a + b]*d) + (2*(b^3*(5*B - 9*C) + 4*a^2*b*(10*B - 9*C) + 6*a*b^2*(5*B - 2*C) - 48*a^3*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(15*b^4*Sqrt[a + b]*d) + (2*a*(b*B - a*C)*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(20*a^2*b*B - 5*b^3*B - 24*a^3*C + 9*a*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b^3*(a^2 - b^2)*d) - (2*(5*a*b*B - 6*a^2*C + b^2*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b^2*(a^2 - b^2)*d)

$$(b*B - a*C)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]/(b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (2*(20*a^2*b*B - 5*b^3*B - 24*a^3*C + 9*a*b^2*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(15*b^3*(a^2 - b^2)*d) - (2*(5*a*b*B - 6*a^2*C + b^2*C)*\text{Sec}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(5*b^2*(a^2 - b^2)*d)$$

Rule 4072

$$\text{Int}[(a_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(b_.)]^{(m_.)}*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(c + d*\text{Csc}[e + f*x])^n*(b*B - a*C + b*C*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$$

Rule 4029

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*d^2*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)})/(b*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[d/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)}*\text{Simp}[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*\text{Csc}[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$$

Rule 4092

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[a*C + b*(C*(m + 2) + A*(m + 3))*\text{Csc}[e + f*x] - (2*a*C - b*B*(m + 3))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -1]$$

Rule 4082

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{!LtQ}[m, -1]$$

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[
csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[
csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \int \frac{\sec^4(c+dx)(B+C\sec(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx \\
&= \frac{2a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2\int \frac{\sec^2(c+dx)(2a(bB-aC)-\frac{1}{2}b)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} dx}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(5abB-6a^2C+b^2C)\sec(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(20a^2bB-5b^3B-24a^3C)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(20a^2bB-5b^3B-24a^3C)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(40a^3bB-25ab^3B-48a^4C+24a^2b^2C+9b^4C)\cot(c+dx)E\left(\sin^{-1}\left(\frac{a+b\sec(c+dx)}{a+b}\right)\right)}{15b^5\sqrt{a+b}}
\end{aligned}$$

Mathematica [B] time = 25.8178, size = 3953, normalized size = 8.39

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*((2*(40*a^3*b*B - 25*a*b^3*B - 48*a^4*C + 24*a^2*b^2*C + 9*b^4*C)*Sin[c + d*x])/(15*b^4*(-a^2 + b^2)) + (2*Sec[c + d*x]*(5*b*B*SIN[c + d*x] - 9*a*C*SIN[c + d*x]))/(15*b^3) - (2*(a^3*b*B*SIN[c + d*x] - a^4*C*SIN[c + d*x]))/(b^3*(-a^2 + b^2)*(b + a*Cos[c + d*x])) + (2*C*Sec[c + d*x]*Tan[c + d*x])/(5*b^2)))/(d*(a + b*Sec[c + d*x])^(3/2)) + (2*(b + a*Cos[c + d*x])*((5*a*B)/(3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^3*B)/(3*b^2*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*a^4*C)/(5*b^3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^2*C)/(5*b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (3*b*C)/(5*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^4*B*Sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (7*a^2*B*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)*S
```

$$\begin{aligned}
& \sqrt{b + a \cos[c + dx]} + (bB \sqrt{\sec[c + dx]}) / (3(-a^2 + b^2) \sqrt{b + a \cos[c + dx]}) - (4a^2 C \sqrt{\sec[c + dx]}) / (5(-a^2 + b^2) \sqrt{b + a \cos[c + dx]}) \\
& + (16a^5 C \sqrt{\sec[c + dx]}) / (5b^4(-a^2 + b^2) \sqrt{b + a \cos[c + dx]}) - (12a^3 C \sqrt{\sec[c + dx]}) / (5b^2(-a^2 + b^2) \sqrt{b + a \cos[c + dx]}) \\
& - (8a^4 B \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (3b^3(-a^2 + b^2) \sqrt{b + a \cos[c + dx]}) + (5a^2 B \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (3b(-a^2 + b^2) \sqrt{b + a \cos[c + dx]}) \\
& - (3a^2 C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (5(-a^2 + b^2) \sqrt{b + a \cos[c + dx]}) + (16a^5 C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (5b^4(-a^2 + b^2) \sqrt{b + a \cos[c + dx]}) \\
& - (8a^3 C \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (5b^2(-a^2 + b^2) \sqrt{b + a \cos[c + dx]}) * \sec[c + dx]^{3/2} \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \\
& * (2(a + b)(-40a^3 b B + 25a^2 b^3 B + 48a^4 C - 24a^2 b^2 C - 9b^4 C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b)(-48a^3 C - 6a^2 b^2(5B + 2C) + b^3(5B + 9C) + 4a^2 b(10B + 9C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-40a^3 b B + 25a^2 b^3 B + 48a^4 C - 24a^2 b^2 C - 9b^4 C) \cos[c + dx] * (b + a \cos[c + dx]) * \sec[(c + dx)/2]^2 \tan[(c + dx)/2] \\
&) / (15b^4(-a^2 + b^2) d \sqrt{\sec[(c + dx)/2]^2} * (a + b \sec[c + dx])^{3/2} * ((a \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \sin[c + dx] * (2(a + b)(-40a^3 b B + 25a^2 b^3 B + 48a^4 C - 24a^2 b^2 C - 9b^4 C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b)(-48a^3 C - 6a^2 b^2(5B + 2C) + b^3(5B + 9C) + 4a^2 b(10B + 9C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-40a^3 b B + 25a^2 b^3 B + 48a^4 C - 24a^2 b^2 C - 9b^4 C) \cos[c + dx] * (b + a \cos[c + dx]) * \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (15b^4(-a^2 + b^2) * (b + a \cos[c + dx])^{3/2} \sqrt{\sec[(c + dx)/2]^2} - (\sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \tan[(c + dx)/2] * (2(a + b)(-40a^3 b B + 25a^2 b^3 B + 48a^4 C - 24a^2 b^2 C - 9b^4 C) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b)(-48a^3 C - 6a^2 b^2(5B + 2C) + b^3(5B + 9C) + 4a^2 b(10B + 9C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-40a^3 b B + 25a^2 b^3 B + 48a^4 C - 24a^2 b^2 C - 9b^4 C) \cos[c + dx] * (b + a \cos[c + dx]) * \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (15b^4(-a^2 + b^2) \sqrt{b + a \cos[c + dx]} \sqrt{\sec[(c + dx)/2]^2} + (2 \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} * ((-40a^3 b B + 25a^2 b^3 B + 48a^4 C - 24a^2 b^2 C - 9b^4 C) \cos[c + dx] * (b + a \cos[c + dx]) * \sec[(c + dx)/2]^4 / 2 + ((a + b)(-40a^3 b B + 25a^2 b^3 B + 48a^4 C - 24a^2 b^2 C - 9b^4 C) \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 +
\end{aligned}$$

$$\begin{aligned} & \cos[c + dx]) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} + (b(a + b)(-48a^3 \\ & * C - 6ab^2(5B + 2C) + b^3(5B + 9C) + 4a^2b(10B + 9C)) * \sqrt{(b \\ & + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d \\ & * x)/2]], (a - b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 \\ & - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \\ & + ((a + b)(-40a^3bB + 25ab^3B + 48a^4C - 24a^2b^2C - 9b^4C) * \text{S} \\ & \text{qrt}[\cos[c + dx] / (1 + \cos[c + dx])] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a \\ & - b)/(a + b)] * (-((a * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + ((b + a * \\ & \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(b + a * \cos \\ & [c + dx]) / ((a + b)(1 + \cos[c + dx]))} + (b(a + b)(-48a^3C - 6ab^2 \\ & *(5B + 2C) + b^3(5B + 9C) + 4a^2b(10B + 9C)) * \sqrt{\cos[c + dx] / (1 \\ & + \cos[c + dx])} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * (-((\\ & a * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + ((b + a * \cos[c + dx]) * \sin[c \\ & + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(b + a * \cos[c + dx]) / ((a + b \\ &) * (1 + \cos[c + dx]))} - a(-40a^3bB + 25ab^3B + 48a^4C - 24a^2b^2 \\ & * C - 9b^4C) * \cos[c + dx] * \sec[(c + dx)/2]^2 * \sin[c + dx] * \tan[(c + dx)/2] \\ & - (-40a^3bB + 25ab^3B + 48a^4C - 24a^2b^2C - 9b^4C) * (b + a * \cos \\ & [c + dx]) * \sec[(c + dx)/2]^2 * \sin[c + dx] * \tan[(c + dx)/2] + (-40a^3b * \\ & B + 25ab^3B + 48a^4C - 24a^2b^2C - 9b^4C) * \cos[c + dx] * (b + a * \cos \\ & [c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]^2 + (b(a + b)(-48a^3C - \\ & 6ab^2(5B + 2C) + b^3(5B + 9C) + 4a^2b(10B + 9C)) * \sqrt{\cos[c + \\ & dx] / (1 + \cos[c + dx])} * \sqrt{(b + a * \cos[c + dx]) / ((a + b)(1 + \cos[c + d \\ & x]))} * \sec[(c + dx)/2]^2) / (\sqrt{1 - \tan[(c + dx)/2]^2} * \sqrt{1 - ((a - b) * \text{T} \\ & \text{an}[(c + dx)/2]^2) / (a + b)}) + ((a + b)(-40a^3bB + 25ab^3B + 48a^4 \\ & C - 24a^2b^2C - 9b^4C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + \\ & a * \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \sec[(c + dx)/2]^2 * \sqrt{1 - \\ & ((a - b) * \tan[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \tan[(c + dx)/2]^2}) / (15 * b \\ & ^4 * (-a^2 + b^2) * \sqrt{b + a * \cos[c + dx]} * \sqrt{\sec[(c + dx)/2]^2}) + ((2 * (a \\ & + b)(-40a^3bB + 25ab^3B + 48a^4C - 24a^2b^2C - 9b^4C) * \sqrt{\cos[c \\ & + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a * \cos[c + dx]) / ((a + b)(1 + \cos \\ & [c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2 * b * (a \\ & + b)(-48a^3C - 6ab^2(5B + 2C) + b^3(5B + 9C) + 4a^2b(10B + 9 \\ & * C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a * \cos[c + dx]) / ((a + \\ & b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b) \\ &] + (-40a^3bB + 25ab^3B + 48a^4C - 24a^2b^2C - 9b^4C) * \cos[c + \\ & dx] * (b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) * (-\cos[(c + \\ & dx)/2] * \sec[c + dx] * \sin[(c + dx)/2]) + \cos[(c + dx)/2]^2 * \sec[c + dx] * \text{T} \\ & \text{an}[c + dx]) / (15 * b^4 * (-a^2 + b^2) * \sqrt{b + a * \cos[c + dx]} * \sqrt{\sec[(c + d \\ & x)/2]^2} * \sqrt{\cos[(c + dx)/2]^2 * \sec[c + dx]})) \end{aligned}$$

Maple [B] time = 1.248, size = 4320, normalized size = 9.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^3 * (B*\sec(dx+c) + C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^{3/2}, x)$

[Out] $\frac{1}{15} \frac{d}{dx} \frac{(a-b)}{(a+b)} \frac{1}{b^4} 4^{1/2} * ((b+a*\cos(dx+c)) / \cos(dx+c))^{1/2} * (-40*B*E$
 $llipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c)^3 * \sin(d$
 $*x+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+$
 $c)+1))^{1/2} * a^4 * b + 3*C*a^2 * b^3 + 24*C*\cos(dx+c)^4 * a^4 * b - 9*C*\cos(dx+c)^4 * a^2$
 $* b^3 - 18*C*\cos(dx+c)^3 * a^3 * b^2 - 15*C*\cos(dx+c)^3 * a * b^4 - 18*C*\cos(dx+c)^2 * a^$
 $2 * b^3 + 6*C*\cos(dx+c) * a * b^4 + 48*C*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)$
 $/(a+b))^{1/2}) * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1$
 $/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^5 - 9*C*EllipticE((-1+\cos(dx$
 $+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(c$
 $os(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * b^5 + 9*C$
 $* EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c)^3 * \sin$
 $(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(d*$
 $x+c)+1))^{1/2} * b^5 + 5*B*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos$
 $(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b$
 $+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * b^5 + 48*C*EllipticE((-1+\cos(dx+c))/\sin$
 $(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)$
 $+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^5 - 9*C*Ellipti$
 $cE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c)^2 * \sin(dx+c) *$
 $(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))$
 $^{1/2} * b^5 + 9*C*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos$
 $(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d$
 $*x+c)) / (\cos(dx+c)+1))^{1/2} * b^5 + 5*B*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ($
 $(a-b)/(a+b))^{1/2}) * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2}$
 $* (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * b^5 - 6*C*\cos(dx+c)^2 * b^5$
 $- 3*C*b^5 - 24*C*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos$
 $(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*$
 $x+c)) / (\cos(dx+c)+1))^{1/2} * a^3 * b^2 - 24*C*EllipticE((-1+\cos(dx+c))/\sin(dx+$
 $c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))$
 $^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^2 * b^3 - 9*C*Elliptic$
 $E((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c)^2 * \sin(dx+c) *$
 $(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2}$
 $* a * b^4 - 48*C*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos$
 $(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos$
 $(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^4 * b - 12*C*EllipticF((-1+\cos(dx+c))/\sin(dx$
 $+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1)$
 $)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^3 * b^2 + 24*C*Ellipt$
 $icF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos(dx+c)^2 * \sin(dx+c)$
 $* (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)$
 $)^{1/2} * a^2 * b^3 - 3*C*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \cos$
 $(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*$

$$\begin{aligned}
& \cos(dx+c)/(\cos(dx+c)+1))^{1/2} * a*b^4+5*B*\cos(dx+c)^3*b^5-5*B*\cos(dx+c) \\
& *b^5-40*B*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx \\
& +c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c) \\
&))/(\cos(dx+c)+1))^{1/2} * a^3*b^2+25*B*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (\\
& (a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * a^2*b^3+25*B*EllipticE((\\
& -1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*(\cos \\
& (dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} \\
& *a*b^4+40*B*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos \\
& (dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d \\
& x+c)))/(\cos(dx+c)+1))^{1/2} * a^3*b^2+10*B*EllipticF((-1+\cos(dx+c))/\sin(dx+ \\
& c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1)) \\
& ^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * a^2*b^3-25*B*Ellipti \\
& cF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)* \\
& (\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)) \\
& ^{1/2} * a*b^4+48*C*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
& *\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*co \\
& s(dx+c)))/(\cos(dx+c)+1))^{1/2} * a^4*b-24*C*EllipticE((-1+\cos(dx+c))/\sin(dx \\
& x+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1 \\
&))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * a^3*b^2-24*C*Ellip \\
& ticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c) \\
&)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1 \\
&))^{1/2} * a^2*b^3-9*C*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} \\
&)*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a \\
& *cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * a*b^4-48*C*EllipticF((-1+\cos(dx+c))/\sin \\
& (dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c) \\
& +1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * a^4*b-12*C*Elli \\
& pticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c) \\
&)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+ \\
& 1))^{1/2} * a^3*b^2+24*C*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} \\
&)*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b \\
& +a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * a^2*b^3-3*C*EllipticF((-1+\cos(dx+c))/ \\
& \sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx \\
& x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * a*b^4-40*B*E \\
& llipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(d \\
& *x+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+ \\
& c)+1))^{1/2} * a^4*b-40*B*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2} \\
&)*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(\\
& b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * a^3*b^2+25*B*EllipticE((-1+\cos(dx+c) \\
&)/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(\\
& dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2} * a^2*b^3+25 \\
& *B*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)^2*s \\
& in(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(\\
& dx+c)+1))^{1/2} * a*b^4+40*B*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+ \\
& b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+
\end{aligned}$$

$$\begin{aligned}
& b) * (b + a \cos(dx + c)) / (\cos(dx + c) + 1)^{1/2} * a^3 b^2 + 10 * B * \text{EllipticF}((-1 + \cos(dx + c)) / \sin(dx + c), ((a - b) / (a + b))^{1/2}) * \cos(dx + c)^2 * \sin(dx + c) * (\cos(dx + c) / (\cos(dx + c) + 1))^{1/2} * (1 / (a + b)) * (b + a \cos(dx + c)) / (\cos(dx + c) + 1)^{1/2} * a^2 b^3 - 25 * B * \text{EllipticF}((-1 + \cos(dx + c)) / \sin(dx + c), ((a - b) / (a + b))^{1/2}) * \cos(dx + c)^2 * \sin(dx + c) * (\cos(dx + c) / (\cos(dx + c) + 1))^{1/2} * (1 / (a + b)) * (b + a \cos(dx + c)) / (\cos(dx + c) + 1)^{1/2} * a * b^4 + 48 * C * \text{EllipticE}((-1 + \cos(dx + c)) / \sin(dx + c), ((a - b) / (a + b))^{1/2}) * \cos(dx + c)^2 * \sin(dx + c) * (\cos(dx + c) / (\cos(dx + c) + 1))^{1/2} * (1 / (a + b)) * (b + a \cos(dx + c)) / (\cos(dx + c) + 1)^{1/2} * a^4 b - 25 * B * \cos(dx + c)^3 * a^3 b^4 - 48 * C * \cos(dx + c)^3 * a^4 b + 24 * C * \cos(dx + c)^3 * a^2 b^3 - 20 * B * \cos(dx + c)^2 * a^3 b^2 + 24 * C * \cos(dx + c)^2 * a^4 b + 5 * B * \cos(dx + c) * a^2 b^3 - 6 * C * \cos(dx + c) * a^3 b^2 + 40 * B * \cos(dx + c)^4 * a^4 b - 25 * B * \cos(dx + c)^4 * a^2 b^3 + 24 * C * \cos(dx + c)^4 * a^3 b^2 + 9 * C * \cos(dx + c)^4 * a^4 b - 40 * B * \cos(dx + c)^3 * a^4 b + 40 * B * \cos(dx + c)^3 * a^3 b^2 - 20 * B * \cos(dx + c)^4 * a^3 b^2 + 5 * B * \cos(dx + c)^4 * a^4 b + 20 * B * \cos(dx + c)^3 * a^2 b^3 + 20 * B * \cos(dx + c)^2 * a^3 b^4 - 48 * C * \cos(dx + c)^4 * a^5 + 48 * C * \cos(dx + c)^3 * a^5 + 9 * C * \cos(dx + c)^3 * b^5) / (b + a \cos(dx + c)) / \cos(dx + c)^2 / \sin(dx + c)
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^5 + B \sec(dx + c)^4) \sqrt{b \sec(dx + c) + a}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(dx + c)^5 + B*sec(dx + c)^4)*sqrt(b*sec(dx + c) + a)/(b^2*sec(dx + c)^2 + 2*a*b*sec(dx + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**4/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)^3/(b*sec(d*x + c) + a)^(3/2), x)

$$3.844 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=329

$$\frac{2(2a+b)(-4aC+3bB-bC) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^3 d \sqrt{a+b}} - \frac{2a}{b^2 d (a$$

[Out] $(-2*(6*a^2*b*B - 3*b^3*B - 8*a^3*C + 5*a*b^2*C)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b)))]/(3*b^4*\text{Sqrt}[a + b]*d) - (2*(2*a + b)*(3*b*B - 4*a*C - b*C)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b)))]/(3*b^3*\text{Sqrt}[a + b]*d) - (2*a^2*(b*B - a*C)*\text{Tan}[c + d*x]/(b^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (2*C*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]/(3*b^2*d)$

Rubi [A] time = 0.810245, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4028, 4082, 4005, 3832, 4004}

$$\frac{2a^2(bB - aC) \tan(c + dx)}{b^2 d (a^2 - b^2) \sqrt{a + b \sec(c + dx)}} - \frac{2(6a^2bB - 8a^3C + 5ab^2C - 3b^3B) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^4 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^2*(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(a + b*\text{Sec}[c + d*x])^{3/2}, x]$

[Out] $(-2*(6*a^2*b*B - 3*b^3*B - 8*a^3*C + 5*a*b^2*C)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b)))]/(3*b^4*\text{Sqrt}[a + b]*d) - (2*(2*a + b)*(3*b*B - 4*a*C - b*C)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b)))]/(3*b^3*\text{Sqrt}[a + b]*d) - (2*a^2*(b*B - a*C)*\text{Tan}[c + d*x]/(b^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (2*C*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]/(3*b^2*d)$

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)
)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)
*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4028

```
Int[csc[(e_.) + (f_.)*(x_.)]^3*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*
(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(a^2*(A*b - a*B)*
Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x]
+ Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(
m + 1)*Simp[a*b*(A*b - a*B)*(m + 1) - (A*b - a*B)*(a^2 + b^2*(m + 1))*Csc[e
+ f*x] + b*B*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
```

$a + (b*B)/A, 2] * \text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)] * \text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx &= \int \frac{\sec^3(c + dx) (B + C \sec(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx \\ &= -\frac{2a^2(bB - aC) \tan(c + dx)}{b^2(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\sec(c + dx) \left(-\frac{1}{2} ab(bB - aC) - \frac{1}{2} (2a^2 - b^2) C\right)}{(a + b \sec(c + dx))^{3/2}} dx}{b^2(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} \\ &= -\frac{2a^2(bB - aC) \tan(c + dx)}{b^2(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{2C \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3b^2 d} \\ &= -\frac{2a^2(bB - aC) \tan(c + dx)}{b^2(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{2C \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3b^2 d} \\ &= -\frac{2(6a^2bB - 3b^3B - 8a^3C + 5ab^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3b^4 \sqrt{a + b d}} \end{aligned}$$

Mathematica [B] time = 24.5688, size = 3460, normalized size = 10.52

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*((2*(-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C)*Sin[c + d*x])/(3*b^3*(-a^2 + b^2)) + (2*(a^2*b*B*Sin[c + d*x] - a^3*C*Sin[c + d*x]))/(b^2*(-a^2 + b^2)*(b + a*Cos[c + d*x])) + (2*C*Tan[c + d*x])/(3*b^2)))/(d*(a + b*Sec[c + d*x])^(3/2)) - (2*(b + a*Cos[c + d*x])*((2*a^2*B)/(b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (b*B)/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (5*a*C)/(3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (8*a^3*C)/(3*b^2*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (2*a*B*Sqr

$$\begin{aligned}
& t[\text{Sec}[c + d*x]]/((-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*a^3*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^2*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a^4*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^3*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (7*a^2*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (b*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (a*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/((-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*a^3*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^2*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a^4*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^3*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (5*a^2*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) * \text{Sec}[c + d*x]^{(3/2)} * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * (2*(a + b)*(-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(-2*a^2 - a*b + b^2)*(-4*a*C + b*(3*B + C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b^3*(-a^2 + b^2)*d*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2 * (a + b*\text{Sec}[c + d*x])^{(3/2)} * (-a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * \text{Sin}[c + d*x] * (2*(a + b)*(-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(-2*a^2 - a*b + b^2)*(-4*a*C + b*(3*B + C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b^3*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]]) * (((-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4) / 2 + ((a + b)*(-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x]*\text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] - (b*(-2*a^2 - a*b + b^2)*(-4*a*C + b*(3*B + C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x]*\text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x]
\end{aligned}$$


```

]]) + ((a + b)*(-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C)*Sqrt[Cos[c + d*
x]/(1 + Cos[c + d*x])] * EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]
* (-((a * Sin[c + d*x]) / ((a + b) * (1 + Cos[c + d*x]))) + ((b + a * Cos[c + d*x]) *
Sin[c + d*x]) / ((a + b) * (1 + Cos[c + d*x])^2))) / Sqrt[(b + a * Cos[c + d*x]) / ((
a + b) * (1 + Cos[c + d*x]))] - (b * (-2*a^2 - a*b + b^2) * (-4*a*C + b * (3*B + C)
) * Sqrt[Cos[c + d*x] / (1 + Cos[c + d*x])] * EllipticF[ArcSin[Tan[(c + d*x)/2]],
(a - b)/(a + b)] * (-((a * Sin[c + d*x]) / ((a + b) * (1 + Cos[c + d*x]))) + ((b +
a * Cos[c + d*x]) * Sin[c + d*x]) / ((a + b) * (1 + Cos[c + d*x])^2))) / Sqrt[(b + a
* Cos[c + d*x]) / ((a + b) * (1 + Cos[c + d*x]))] - a * (-6*a^2*b*B + 3*b^3*B + 8*
a^3*C - 5*a*b^2*C) * Cos[c + d*x] * Sec[(c + d*x)/2]^2 * Sin[c + d*x] * Tan[(c + d*
x)/2] - (-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C) * (b + a * Cos[c + d*x]) * S
ec[(c + d*x)/2]^2 * Sin[c + d*x] * Tan[(c + d*x)/2] + (-6*a^2*b*B + 3*b^3*B + 8
*a^3*C - 5*a*b^2*C) * Cos[c + d*x] * (b + a * Cos[c + d*x]) * Sec[(c + d*x)/2]^2 * Ta
n[(c + d*x)/2]^2 - (b * (-2*a^2 - a*b + b^2) * (-4*a*C + b * (3*B + C))) * Sqrt[Cos[
c + d*x] / (1 + Cos[c + d*x])] * Sqrt[(b + a * Cos[c + d*x]) / ((a + b) * (1 + Cos[c
+ d*x]))] * Sec[(c + d*x)/2]^2 / (Sqrt[1 - Tan[(c + d*x)/2]^2] * Sqrt[1 - ((a -
b) * Tan[(c + d*x)/2]^2) / (a + b)]) + ((a + b) * (-6*a^2*b*B + 3*b^3*B + 8*a^3*C
- 5*a*b^2*C) * Sqrt[Cos[c + d*x] / (1 + Cos[c + d*x])] * Sqrt[(b + a * Cos[c + d*x]
) / ((a + b) * (1 + Cos[c + d*x]))] * Sec[(c + d*x)/2]^2 * Sqrt[1 - ((a - b) * Tan[
(c + d*x)/2]^2) / (a + b)]) / Sqrt[1 - Tan[(c + d*x)/2]^2]) / (3*b^3 * (-a^2 + b^2)
* Sqrt[b + a * Cos[c + d*x]] * Sqrt[Sec[(c + d*x)/2]^2]) - ((2 * (a + b) * (-6*a^2*b
*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C) * Sqrt[Cos[c + d*x] / (1 + Cos[c + d*x])] * S
qrt[(b + a * Cos[c + d*x]) / ((a + b) * (1 + Cos[c + d*x]))] * EllipticE[ArcSin[Tan
[(c + d*x)/2]], (a - b)/(a + b)] - 2*b * (-2*a^2 - a*b + b^2) * (-4*a*C + b * (3*
B + C))) * Sqrt[Cos[c + d*x] / (1 + Cos[c + d*x])] * Sqrt[(b + a * Cos[c + d*x]) / ((a
+ b) * (1 + Cos[c + d*x]))] * EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a +
b)] + (-6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C) * Cos[c + d*x] * (b + a * Cos
[c + d*x]) * Sec[(c + d*x)/2]^2 * Tan[(c + d*x)/2]) * (-Cos[(c + d*x)/2] * Sec[c +
d*x] * Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2 * Sec[c + d*x] * Tan[c + d*x])) / (3
*b^3 * (-a^2 + b^2) * Sqrt[b + a * Cos[c + d*x]] * Sqrt[Sec[(c + d*x)/2]^2] * Sqrt[Co
s[(c + d*x)/2]^2 * Sec[c + d*x]]))

```

Maple [B] time = 0.732, size = 3333, normalized size = 10.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^2 * (B*\sec(dx+c) + C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^{3/2}, x)$

[Out] $-1/3/d/(a-b)/(a+b)/b^3*4^{1/2}*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-3*B*\cos(dx+c)^2*b^4-8*C*\cos(dx+c)^3*a^4+3*B*\cos(dx+c)*b^4+6*B*EllipticF((-1+co$


```

*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a
*b^3+6*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(
b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
((a-b)/(a+b))^(1/2))*a^2*b^2-C*a^2*b^2+8*C*cos(d*x+c)^2*a^4+3*B*(cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elli
pticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)
*a*b^3-5*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos
(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))
*cos(d*x+c)*sin(d*x+c)*a*b^3-2*C*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x
+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1
+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2+5*C*sin(d*x+c)*(cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*
EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*a*b^3-
C*cos(d*x+c)^2*b^4+C*b^4-3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a
+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a
+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*b^4+3*B*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(
d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*b^4-C*Elli
pticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)
^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+
1))^(1/2)*b^4+8*C*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))
*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*co
s(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^4-3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c)
),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1
/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*b^4-C*EllipticF((-1+cos
(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/
(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*b^4+3
*B*cos(d*x+c)*b^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2)))/(b+a*cos(d*x+c))/sin(d*x+c)/cos(d*x+c)

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2)
,x, algorithm="maxima")

```

```

[Out] Timed out

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^4 + B \sec(dx+c)^3) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c)) \sec(dx+c)^2}{(b \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)^2/(b*sec(d*x + c) + a)^(3/2), x)
```

$$3.845 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=275

$$\frac{2(b(B-C) - 2aC) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{b^2 d \sqrt{a+b}} + \frac{2a(bB - aC) \tan(c+dx)}{bd(a^2 - b^2) \sqrt{a+b}}$$

[Out] (2*(a*b*B - 2*a^2*C + b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^3*Sqrt[a + b]*d) + (2*(b*(B - C) - 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) + (2*a*(b*B - a*C)*Tan[c + d*x])/((b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]))

Rubi [A] time = 0.504907, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4072, 4009, 4005, 3832, 4004}

$$\frac{2a(bB - aC) \tan(c+dx)}{bd(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} + \frac{2(-2a^2C + abB + b^2C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{b^3 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(a*b*B - 2*a^2*C + b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^3*Sqrt[a + b]*d) + (2*(b*(B - C) - 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) + (2*a*(b*B - a*C)*Tan[c + d*x])/((b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)

```
*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4009

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(A*b - a*B)*(m + 1) - (a*A*b*(m + 2) - B*(a^2 + b^2*(m + 1)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \int \frac{\sec^2(c+dx)(B+C\sec(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx \\
&= \frac{2a(bB-aC)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2\int \frac{\sec(c+dx)\left(-\frac{1}{2}b(bB-aC)-\frac{1}{2}(abB-2a^2C)\right)}{\sqrt{a+b\sec(c+dx)}}}{b(a^2-b^2)} \\
&= \frac{2a(bB-aC)\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{((a-b)(b(B-C)-2aC))\int \frac{\sec}{\sqrt{a+b}}}{b(a^2-b^2)} \\
&= \frac{2(abB-2a^2C+b^2C)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b}{a+b}}}{b^3\sqrt{a+bd}}
\end{aligned}$$

Mathematica [A] time = 18.4937, size = 466, normalized size = 1.69

$$\frac{2\sec^{\frac{3}{2}}(c+dx)\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}\sec(c+dx)(a\cos(c+dx)+b)\left(2b(a+b)(b(B+C))-2aC\right)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{a\cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}}}{b^3\sqrt{a+bd}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*((2*(a*b*B - 2*a^2*C + b^2*C)*Sin[c + d*x])/(b^2*(-a^2 + b^2)) - (2*(a*b*B*Sin[c + d*x] - a^2*C*Sin[c + d*x]))/(b*(-a^2 + b^2)*(b + a*Cos[c + d*x])))/(d*(a + b*Sec[c + d*x])^(3/2)) + (2*(b + a*Cos[c + d*x])*Sec[c + d*x]^(3/2)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*(-a*b*B) + 2*a^2*C - b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-2*a*C + b*(B + C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-a*b*B) + 2*a^2*C - b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(b^2*(-a^2 + b^2)*d*Sqrt[Sec[(c + d*x)/2]^2*(a + b*Sec[c + d*x])^(3/2))

Maple [B] time = 0.48, size = 2275, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c) * (B * \sec(dx+c) + C * \sec(dx+c)^2) / (a+b * \sec(dx+c))^{3/2}, x)$

[Out]
$$-1/d/b^2/(a+b)/(a-b)*4^{1/2}*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-2*C*\cos(dx+c)*a^3-2*C*a^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-2*C*a^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) - B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3*\sin(dx+c) + C*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3 - C*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3 - B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2 - a^2*b*C + C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2 - 2*C*a^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b + 2*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)*a^2*b + B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2 + B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2 + C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*a*b^2 + C*\cos(dx+c)*a*b^2 + B*\cos(dx+c)^2*a*b^2 - C*\cos(dx+c)^2*a^2*b + 2*C*\cos(dx+c)^2*a^3 - B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3 - C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3 - B*\cos(dx+c)^2*a^2*b + B*\cos$$

```
(d*x+c)*a^2*b-B*cos(d*x+c)*a*b^2+2*C*cos(d*x+c)*a^2*b-C*cos(d*x+c)^2*a*b^2+
C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2*si
n(d*x+c)+C*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d
*x+c))/(cos(d*x+c)+1))^^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a
+b))^^(1/2))*a*b^2-2*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d
*x+c))/(cos(d*x+c)+1))^^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a
+b))^^(1/2))*a^2*b*sin(d*x+c)+2*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c
),((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)-B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)
*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+B*(cos(d*x+c)/(cos(d*x+c)+
1))^^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^^(1/2)*EllipticE((-1+cos
(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+B*(cos(d*x+c)/(co
s(d*x+c)+1))^^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^^(1/2)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+C*b^3-C*
cos(d*x+c)*b^3/(b+a*cos(d*x+c))/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x
, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + B \sec(dx+c)^2)\sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x
, algorithm="fricas")
```

[Out] `integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2), x)`

[Out] `Integral((B + C*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x))**(3/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)`

$$3.846 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=254

$$\frac{2(B+C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{bd\sqrt{a+b}} - \frac{2(bB-aC) \tan(c+dx)}{d(a^2-b^2)\sqrt{a+b \sec(c+dx)}}$$

[Out] (-2*(b*B - a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) + (2*(B + C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*Sqrt[a + b]*d) - (2*(b*B - a*C)*Tan[c + d*x])/((a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.304376, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4060, 4058, 12, 3832, 4004}

$$\frac{2(bB-aC) \tan(c+dx)}{d(a^2-b^2)\sqrt{a+b \sec(c+dx)}} - \frac{2(bB-aC) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{b^2 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (-2*(b*B - a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) + (2*(B + C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*Sqrt[a + b]*d) - (2*(b*B - a*C)*Tan[c + d*x])/((a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^

```

2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 12

```

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx &= -\frac{2(bB - aC) \tan(c + dx)}{(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}a(bB - aC) \sec(c + dx) - \frac{1}{2}a(bB - aC) \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\
&= -\frac{2(bB - aC) \tan(c + dx)}{(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\left(\frac{1}{2}a(bB - aC) - \frac{1}{2}a(bB - aC)\right) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} + \frac{(bB - aC)}{a(a^2 - b^2)} \\
&= -\frac{2(bB - aC) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{b(1 + \sec(c + dx))}{a - b}}}{b^2 \sqrt{a + b} d} \\
&= -\frac{2(bB - aC) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{b(1 + \sec(c + dx))}{a - b}}}{b^2 \sqrt{a + b} d}
\end{aligned}$$

Mathematica [A] time = 15.3451, size = 426, normalized size = 1.68

$$\frac{\sec^2(c + dx)(a \cos(c + dx) + b)^2 \left(\frac{2(bB \sin(c + dx) - aC \sin(c + dx))}{(b^2 - a^2)(a \cos(c + dx) + b)} - \frac{2(bB - aC) \sin(c + dx)}{b(b^2 - a^2)} \right)}{d(a + b \sec(c + dx))^{3/2}} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx)}}{d(a + b \sec(c + dx))^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*((-2*(b*B - a*C)*Sin[c + d*x])/(b*(-a^2 + b^2)) + (2*(b*B*Sin[c + d*x] - a*C*Sin[c + d*x]))/((-a^2 + b^2)*(b + a*Cos[c + d*x])))/(d*(a + b*Sec[c + d*x])^(3/2)) - (2*(b + a*Cos[c + d*x])*Sec[c + d*x]^(3/2)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*(-b*B) + a*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/(a + b)*(1 + Cos[c + d*x])])*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(B - C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/(a + b)*(1 + Cos[c + d*x])])*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - (b*B - a*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((-a^2*b) + b^3)*d*Sqrt[Sec[(c + d*x)/2]^2*(a + b*Sec[c + d*x])^(3/2))

Maple [B] time = 0.392, size = 1633, normalized size = 6.4

result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c))\sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(b*sec(d*x + c) + a)^(3/2), x
)
```

$$3.847 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=376

$$\frac{2(bB - aC) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{abd\sqrt{a+b}} + \frac{2b(bB - aC) \tan(c + dx)}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(b*B - a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*(b*B - a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*b*(b*B - a*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])]

Rubi [A] time = 0.518813, antiderivative size = 376, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {4072, 3923, 4058, 3921, 3784, 3832, 4004}

$$\frac{2b(bB - aC) \tan(c + dx)}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} - \frac{2B\sqrt{a+b} \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(b*B - a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*(b*B - a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*b*(b*B - a*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])]

]])

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.)), x_Symbol] := Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx &= \int \frac{B + C \sec(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx \\ &= \frac{2b(bB - aC) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}(a^2 - b^2)B + \frac{1}{2}a(bB - aC) \sec(c + dx) + \dots}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{2b(bB - aC) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}(a^2 - b^2)B + (\frac{1}{2}a(bB - aC) - \frac{1}{2}b(bB - aC) \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{2(bB - aC) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{ab \sqrt{a + bd}} \\ &= \frac{2(bB - aC) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{ab \sqrt{a + bd}} \end{aligned}$$

Mathematica [C] time = 14.4943, size = 1445, normalized size = 3.84

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] ((b + a*cos[c + d*x])*Sec[c + d*x]*((2*(-(b*B) + a*C)*Sin[c + d*x])/(a*(a^2 - b^2)) - (2*(-(b^2*B*SIN[c + d*x]) + a*b*C*SIN[c + d*x]))/(a*(a^2 - b^2)*(b + a*cos[c + d*x])))/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + b^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] - a^2*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] - a*b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] - 2*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^3 + 2*a^2*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^3 + a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - b^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - a^2*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^5 + a*b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^5 - (2*I)*a^2*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*b^2*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*a^2*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*b^2*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*(-(b*B) + a*C)*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*(2*b*B + a*(B - C))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(a*Sqrt[(-a + b)/(a + b)]*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]*(-1 + Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))
```

Maple [B] time = 0.392, size = 2009, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2), x)
```

```
[Out] 1/d/a/(a+b)/(a-b)*4^(1/2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(B*cos(d*x+c)^2*a*b+C*cos(d*x+c)^2*a*b-C*cos(d*x+c)*a*b-2*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \cos(c + dx) \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2), x)

[Out] Integral((B + C*sec(c + d*x))*cos(c + d*x)*sec(c + d*x)/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.848 \quad \int \frac{\cos^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=427

$$\frac{(a(B-2C)+3bB) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{a^2 d \sqrt{a+b}} + \frac{b(a^2 B + 2abC - 3b^2 B)}{a^2 d (a^2 - b^2) \sqrt{a+b}}$$

```
[Out] ((a^2*B - 3*b^2*B + 2*a*b*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*b*Sqrt[a + b]*d) + ((3*b*B + a*(B - 2*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*Sqrt[a + b]*d) + (Sqrt[a + b]*(3*b*B - 2*a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (B*Sin[c + d*x])/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(a^2*B - 3*b^2*B + 2*a*b*C)*Tan[c + d*x])/(a^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.79253, antiderivative size = 427, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {4072, 4034, 4061, 4058, 3921, 3784, 3832, 4004}

$$\frac{b(a^2 B + 2abC - 3b^2 B) \tan(c+dx)}{a^2 d (a^2 - b^2) \sqrt{a+b \sec(c+dx)}} + \frac{(a^2 B + 2abC - 3b^2 B) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{a^2 b d \sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] ((a^2*B - 3*b^2*B + 2*a*b*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*b*Sqrt[a + b]*d) + ((3*b*B + a*(B - 2*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*Sqrt[a + b]*d) + (Sqrt[a + b]*(3*b*B - 2*a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (B*Sin[c + d*x])/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(a^2*B - 3*b^2*B + 2*a*b*C)*Tan[c + d*x])/(a^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

$$(1 + \text{Sec}[c + d*x])/(a - b)]/(a^3*d) + (B*\text{Sin}[c + d*x])/(a*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (b*(a^2*B - 3*b^2*B + 2*a*b*C)*\text{Tan}[c + d*x])/(a^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$$
Rule 4072

$$\text{Int}[\frac{((a_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^m * ((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * ((c_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n}{x_Symbol}] := \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * (c + d*\text{Csc}[e + f*x])^n * (b*B - a*C + b*C*\text{Csc}[e + f*x])], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, m, n\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$$
Rule 4034

$$\text{Int}[\frac{(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))}{x_Symbol}] := \text{Simp}[(A*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n) / (a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n+1} * \text{Simp}[a*B*n - A*b*(m+n+1) + A*a*(n+1)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4061

$$\text{Int}[\frac{((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m}{x_Symbol}] := \text{Simp}[\frac{((A*b^2 + a^2*C)*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1})}{(a*f*(m+1)*(a^2 - b^2))}, x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1} * \text{Simp}[A*(a^2 - b^2)*(m+1) - a*b*(A + C)*(m+1)*\text{Csc}[e + f*x] + (A*b^2 + a^2*C)*(m+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m] \&\& \text{LtQ}[m, -1]$$
Rule 4058

$$\text{Int}[\frac{((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))}{\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]}, x_Symbol] := \text{Int}[(A + (B - C)*\text{Csc}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x] * (1 + \text{Csc}[e + f*x])) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3921

$$\text{Int}[\frac{(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))}{\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]}, x_Symbol] := \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x] / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, c,$$

d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx &= \int \frac{\cos(c+dx)(B + C \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx \\
&= \frac{B \sin(c+dx)}{ad\sqrt{a+b \sec(c+dx)}} - \frac{\int \frac{\frac{1}{2}(3bB-2aC) - \frac{1}{2}bB \sec^2(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx}{a} \\
&= \frac{B \sin(c+dx)}{ad\sqrt{a+b \sec(c+dx)}} + \frac{b(a^2B - 3b^2B + 2abC) \tan(c+dx)}{a^2(a^2 - b^2)d\sqrt{a+b \sec(c+dx)}} + \frac{2 \int}{a^2(a^2 - b^2)d\sqrt{a+b \sec(c+dx)}} \\
&= \frac{B \sin(c+dx)}{ad\sqrt{a+b \sec(c+dx)}} + \frac{b(a^2B - 3b^2B + 2abC) \tan(c+dx)}{a^2(a^2 - b^2)d\sqrt{a+b \sec(c+dx)}} + \frac{2 \int}{a^2(a^2 - b^2)d\sqrt{a+b \sec(c+dx)}} \\
&= \frac{(a^2B - 3b^2B + 2abC) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b}{a-b}}}{a^2b\sqrt{a+bd}} \\
&= \frac{(a^2B - 3b^2B + 2abC) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b}{a-b}}}{a^2b\sqrt{a+bd}}
\end{aligned}$$

Mathematica [B] time = 19.4106, size = 1613, normalized size = 3.78

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*((-2*b*(b*B - a*C)*Sin[c + d*x])/(a^2*(-a^2 + b^2)) + (2*(-(b^3*B*Sin[c + d*x]) + a*b^2*C*Sin[c + d*x]))/(d*(a + b*Sec[c + d*x])^(3/2)) - ((b + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2])*(a^3*B*Tan[(c + d*x)/2] + a^2*b*B*Tan[(c + d*x)/2] - 3*a*b^2*B*Tan[(c + d*x)/2] - 3*b^3*B*Tan[(c + d*x)/2] + 2*a^2*b*C*Tan[(c + d*x)/2] + 2*a*b^2*C*Tan[(c + d*x)/2] - 2*a^3*B*Tan[(c + d*x)/2]^3 + 6*a*b^2*B*Tan[(c + d*x)/2]^3 - 4*a^2*b*C*Tan[(c + d*x)/2]^3 + a^3*B*Tan[(c + d*x)/2]^5 - a^2*b*B*Tan[(c + d*x)/2]^5 - 3*a*b^2*B*Tan[(c + d*x)/2]^5 + 3*b^3*B*Tan[(c + d*x)/2]^5 + 2*a^2*b*C*Tan[(c + d*x)/2]^5 - 2*a*b^2*C*Tan[(c + d*x)/2]^5 + 6*a^2*b*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 -
```

```

Tan[(c + d*x)/2]^2*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*b^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 4*a^3*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 4*a*b^2*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*a^2*b*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*b^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 4*a^3*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 4*a*b^2*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(a^2*B - 3*b^2*B + 2*a*b*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*a*(a + b)*(-(b*B) + a*C)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)])))/(a^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)*Sqrt[1 + Tan[(c + d*x)/2]^2]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))

```

Maple [B] time = 0.388, size = 2871, normalized size = 6.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x)
```

```

[Out] -1/2/d/a^2/(a+b)/(a-b)*4^(1/2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(B*a^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))-3*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)+4*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))

```


$$\frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c))} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a^3 - 6B \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c))} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a^2 \cdot b \cdot \sin(dx+c) + 2B \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c))} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a^2 \cdot b \cdot \sin(dx+c) + 2B \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c))} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a \cdot b^2 \cdot \sin(dx+c) + B \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c))} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a^2 \cdot b \cdot \sin(dx+c) - 3B \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c))} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a \cdot b^2 \cdot \sin(dx+c) - 4C \cdot b^2 \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c))} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \sin(dx+c) \cdot \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot a}{(b+a \cos(dx+c)) \cdot \sin(dx+c)}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c)) \cos(dx+c)^2}{(b \sec(dx+c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2), x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c))*cos(dx+c)^2/(b*sec(dx+c) + a)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx+c)^2 \sec(dx+c)^2 + B \cos(dx+c)^2 \sec(dx+c)) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2), x, algorithm="fricas")

```
[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c))*
sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x
)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3
/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^2/(b*sec(d*x + c)
) + a)^(3/2), x)
```


$$3.849 \quad \int \frac{\sec^3(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=509

$$\frac{2(2a^2b^2(3B+8C)+a^3b(8B-12C)-16a^4C-9ab^3(B-C)-b^4(3B-C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} E}{3b^4d\sqrt{a+b}(a^2-b^2)}$$

```
[Out] (-2*(8*a^4*b*B - 15*a^2*b^3*B + 3*b^5*B - 16*a^5*C + 28*a^3*b^2*C - 8*a*b^4
*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a
+ b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c +
d*x]))/(a - b))]/(3*(a - b)*b^5*(a + b)^(3/2)*d - (2*(a^3*b*(8*B - 12*C)
- 9*a*b^3*(B - C) - b^4*(3*B - C) - 16*a^4*C + 2*a^2*b^2*(3*B + 8*C))*Cot[c
+ d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
- b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a
- b))]/(3*b^4*Sqrt[a + b]*(a^2 - b^2)*d + (2*a*(b*B - a*C)*Sec[c + d*x]^
2*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*a^2*(3*
a^2*b*B - 7*b^3*B - 6*a^3*C + 10*a*b^2*C)*Tan[c + d*x])/(3*b^3*(a^2 - b^2)^
2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(a*b*B - 2*a^2*C + b^2*C)*Sqrt[a + b*Sec
[c + d*x]]*Tan[c + d*x])/(3*b^3*(a^2 - b^2)*d)
```

Rubi [A] time = 1.57479, antiderivative size = 509, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4072, 4029, 4090, 4082, 4005, 3832, 4004}

$$\frac{2a(bB - aC) \tan(c + dx) \sec^2(c + dx)}{3bd(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} - \frac{2a^2(3a^2bB - 6a^3C + 10ab^2C - 7b^3B) \tan(c + dx)}{3b^3d(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} - \frac{2(-2a^2C + abB + b^2C) \tan(c + dx)}{3b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x
])^(5/2), x]
```

```
[Out] (-2*(8*a^4*b*B - 15*a^2*b^3*B + 3*b^5*B - 16*a^5*C + 28*a^3*b^2*C - 8*a*b^4
*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a
+ b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c +
d*x]))/(a - b))]/(3*(a - b)*b^5*(a + b)^(3/2)*d - (2*(a^3*b*(8*B - 12*C)
- 9*a*b^3*(B - C) - b^4*(3*B - C) - 16*a^4*C + 2*a^2*b^2*(3*B + 8*C))*Cot[c
+ d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
```

$$- b)] * \text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)] * \text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b)))] / (3*b^4 * \text{Sqrt}[a + b] * (a^2 - b^2) * d) + (2*a*(b*B - a*C) * \text{Sec}[c + d*x]^2 * \text{Tan}[c + d*x]) / (3*b*(a^2 - b^2) * d * (a + b * \text{Sec}[c + d*x])^{(3/2)}) - (2*a^2*(3*a^2*b*B - 7*b^3*B - 6*a^3*C + 10*a*b^2*C) * \text{Tan}[c + d*x]) / (3*b^3*(a^2 - b^2)^2 * d * \text{Sqrt}[a + b * \text{Sec}[c + d*x]]) - (2*(a*b*B - 2*a^2*C + b^2*C) * \text{Sqrt}[a + b * \text{Sec}[c + d*x]] * \text{Tan}[c + d*x]) / (3*b^3*(a^2 - b^2) * d)$$

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)
)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)
*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n
, 1]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[
(e_.) + (f_.)*(x_.)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x
_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x
])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^
2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B
- a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 +
b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
```

eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \int \frac{\sec^4(c+dx)(B+C\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx \\
&= \frac{2a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2\int \frac{\sec^2(c+dx)(2a(bB-aC)-\frac{3}{2}b(2a^2bB-7b^3B-6a^3C))}{(a+b\sec(c+dx))^{5/2}} dx}{3b^3(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2a^2(3a^2bB-7b^3B-6a^3C)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2a^2(3a^2bB-7b^3B-6a^3C)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(bB-aC)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2a^2(3a^2bB-7b^3B-6a^3C)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{2(8a^4bB-15a^2b^3B+3b^5B-16a^5C+28a^3b^2C-8ab^4C)\cot(c+dx)}{3(a-b)b^5}
\end{aligned}$$

Mathematica [B] time = 26.4609, size = 4342, normalized size = 8.53

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^3*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((2*(8*a^4*b*B - 15*a^2*b^3*B + 3*b^5*B - 16*a^5*C + 28*a^3*b^2*C - 8*a*b^4*C)*Sin[c + d*x])/(3*b^4*(-a^2 + b^2)^2) + (2*(a^2*b*B*Sin[c + d*x] - a^3*C*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)*(b + a*Cos[c + d*x])^2) + (2*(-4*a^4*b*B*Sin[c + d*x] + 8*a^2*b^3*B*Sin[c + d*x] + 7*a^5*C*Sin[c + d*x] - 11*a^3*b^2*C*Sin[c + d*x]))/(3*b^3*(-a^2 + b^2)^2*(b + a*Cos[c + d*x])) + (2*C*Tan[c + d*x])/(3*b^3)))/(d*(a + b*Sec[c + d*x])^(5/2)) + (2*(b + a*Cos[c + d*x])^2*((5*a^2*B)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^4*B)/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (b^2*B)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*a^5*C)/(3*b^3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (28*a^3*C)/(3*b*(-a^2 + b^2)
```

$$\begin{aligned}
&^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) + (8*a*b*C)/(3*(-a^2 + b^2) \\
&^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (8*a^5*B*\text{Sqrt}[\text{Sec}[c + d*x \\
&]])/(3*b^3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (17*a^3*B*\text{Sqrt}[\text{Sec}[c \\
&+ d*x]])/(3*b*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (3*a*b*B*\text{Sqrt}[\text{Sec}[\\
&c + d*x]])/((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (5*a^2*C*\text{Sqrt}[\text{Sec}[c \\
&+ d*x]])/((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (16*a^6*C*\text{Sqrt}[\text{Sec}[c + \\
&d*x]])/(3*b^4*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (32*a^4*C*\text{Sqrt}[\text{Se \\
&c}[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (b^2*C*\text{Sqrt}[\text{ \\
&Sec}[c + d*x]])/(3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a^5*B*\text{Cos}[2 \\
&]*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d* \\
&x]]) + (5*a^3*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*(-a^2 + b^2)^2*\text{Sqrt} \\
&[b + a*\text{Cos}[c + d*x]]) - (a*b*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/((-a^2 \\
&+ b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (8*a^2*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + \\
&d*x]])/(3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (16*a^6*C*\text{Cos}[2*(c + \\
&d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^4*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - \\
&(28*a^4*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*\text{Sqrt}[\\
&b + a*\text{Cos}[c + d*x]])*\text{Sec}[c + d*x]^(5/2)*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d* \\
&x]]*(2*(a + b)*(-8*a^4*b*B + 15*a^2*b^3*B - 3*b^5*B + 16*a^5*C - 28*a^3*b^2 \\
&*C + 8*a*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]])*\text{Sqrt}[(b + a*\text{Cos}[c + d \\
&x]])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - \\
&b)/(a + b)] + 2*b*(a + b)*(-16*a^4*C - 9*a*b^3*(B + C) + b^4*(3*B + C) + 4 \\
&a^3*b*(2*B + 3*C) + 2*a^2*b^2*(-3*B + 8*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + \\
&d*x]])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[A \\
&rcSin[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-8*a^4*b*B + 15*a^2*b^3*B - 3* \\
&b^5*B + 16*a^5*C - 28*a^3*b^2*C + 8*a*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d* \\
&x])*Sec[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*b^4*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Sec}[(\\
&c + d*x)/2]^2]*(a + b*\text{Sec}[c + d*x])^(5/2))*((a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c \\
&+ d*x]])*\text{Sin}[c + d*x]*(2*(a + b)*(-8*a^4*b*B + 15*a^2*b^3*B - 3*b^5*B + 16* \\
&a^5*C - 28*a^3*b^2*C + 8*a*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]))*\text{Sqr \\
&t}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(\\
&c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^4*C - 9*a*b^3*(B + C) + \\
&b^4*(3*B + C) + 4*a^3*b*(2*B + 3*C) + 2*a^2*b^2*(-3*B + 8*C))*\text{Sqrt}[\text{Cos}[c + \\
&d*x]/(1 + \text{Cos}[c + d*x]])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d \\
&x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-8*a^4*b*B + \\
&15*a^2*b^3*B - 3*b^5*B + 16*a^5*C - 28*a^3*b^2*C + 8*a*b^4*C)*\text{Cos}[c + d*x] \\
&*(b + a*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*b^4*(a^2 - b \\
&^2)^2*(b + a*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + \\
&d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*(a + b)*(-8*a^4*b*B + 15*a^2*b \\
&^3*B - 3*b^5*B + 16*a^5*C - 28*a^3*b^2*C + 8*a*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 \\
&+ \text{Cos}[c + d*x]))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{El \\
&lipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^4*C \\
&- 9*a*b^3*(B + C) + b^4*(3*B + C) + 4*a^3*b*(2*B + 3*C) + 2*a^2*b^2*(-3*B \\
&+ 8*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a \\
&+ b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + \\
&b)] + (-8*a^4*b*B + 15*a^2*b^3*B - 3*b^5*B + 16*a^5*C - 28*a^3*b^2*C + 8*a
\end{aligned}$$

$$\begin{aligned}
& *b^4 * C) * \cos[c + d * x] * (b + a * \cos[c + d * x]) * \sec[(c + d * x) / 2]^2 * \tan[(c + d * x) / 2] \\
&) / (3 * b^4 * (a^2 - b^2)^2 * \sqrt{b + a * \cos[c + d * x]} * \sqrt{\sec[(c + d * x) / 2]^2} \\
&) + (2 * \sqrt{\cos[(c + d * x) / 2]^2 * \sec[c + d * x]} * ((-8 * a^4 * b * B + 15 * a^2 * b^3 * B - \\
& 3 * b^5 * B + 16 * a^5 * C - 28 * a^3 * b^2 * C + 8 * a * b^4 * C) * \cos[c + d * x] * (b + a * \cos[c + \\
& d * x]) * \sec[(c + d * x) / 2]^4) / 2 + ((a + b) * (-8 * a^4 * b * B + 15 * a^2 * b^3 * B - 3 * b^5 * \\
& B + 16 * a^5 * C - 28 * a^3 * b^2 * C + 8 * a * b^4 * C) * \sqrt{(b + a * \cos[c + d * x]) / ((a + b) \\
& * (1 + \cos[c + d * x]))} * \text{EllipticE}[\text{ArcSin}[\tan[(c + d * x) / 2]], (a - b) / (a + b)] * \\
& ((\cos[c + d * x] * \sin[c + d * x]) / (1 + \cos[c + d * x])^2 - \sin[c + d * x] / (1 + \cos[c + \\
& d * x]))) / \sqrt{\cos[c + d * x] / (1 + \cos[c + d * x])} + (b * (a + b) * (-16 * a^4 * C - \\
& 9 * a * b^3 * (B + C) + b^4 * (3 * B + C) + 4 * a^3 * b * (2 * B + 3 * C) + 2 * a^2 * b^2 * (-3 * B + 8 \\
& * C)) * \sqrt{(b + a * \cos[c + d * x]) / ((a + b) * (1 + \cos[c + d * x]))} * \text{EllipticF}[\text{ArcS} \\
& \text{in}[\tan[(c + d * x) / 2]], (a - b) / (a + b)] * ((\cos[c + d * x] * \sin[c + d * x]) / (1 + \cos[c + \\
& d * x])^2 - \sin[c + d * x] / (1 + \cos[c + d * x])) / \sqrt{\cos[c + d * x] / (1 + \cos[c + d * x])} \\
& + ((a + b) * (-8 * a^4 * b * B + 15 * a^2 * b^3 * B - 3 * b^5 * B + 16 * a^5 * C - 2 \\
& 8 * a^3 * b^2 * C + 8 * a * b^4 * C) * \sqrt{\cos[c + d * x] / (1 + \cos[c + d * x])} * \text{EllipticE}[\text{Ar} \\
& \text{cSin}[\tan[(c + d * x) / 2]], (a - b) / (a + b)] * (-((a * \sin[c + d * x]) / ((a + b) * (1 + \\
& \cos[c + d * x]))) + ((b + a * \cos[c + d * x]) * \sin[c + d * x]) / ((a + b) * (1 + \cos[c + \\
& d * x])^2)) / \sqrt{(b + a * \cos[c + d * x]) / ((a + b) * (1 + \cos[c + d * x]))} + (b * (a \\
& + b) * (-16 * a^4 * C - 9 * a * b^3 * (B + C) + b^4 * (3 * B + C) + 4 * a^3 * b * (2 * B + 3 * C) + \\
& 2 * a^2 * b^2 * (-3 * B + 8 * C)) * \sqrt{\cos[c + d * x] / (1 + \cos[c + d * x])} * \text{EllipticF}[\text{Arc} \\
& \text{Sin}[\tan[(c + d * x) / 2]], (a - b) / (a + b)] * (-((a * \sin[c + d * x]) / ((a + b) * (1 + \cos[c + \\
& d * x]))) + ((b + a * \cos[c + d * x]) * \sin[c + d * x]) / ((a + b) * (1 + \cos[c + \\
& d * x])^2)) / \sqrt{(b + a * \cos[c + d * x]) / ((a + b) * (1 + \cos[c + d * x]))} - a * (-8 * \\
& a^4 * b * B + 15 * a^2 * b^3 * B - 3 * b^5 * B + 16 * a^5 * C - 28 * a^3 * b^2 * C + 8 * a * b^4 * C) * \cos \\
& [c + d * x] * \sec[(c + d * x) / 2]^2 * \sin[c + d * x] * \tan[(c + d * x) / 2] - (-8 * a^4 * b * B + \\
& 15 * a^2 * b^3 * B - 3 * b^5 * B + 16 * a^5 * C - 28 * a^3 * b^2 * C + 8 * a * b^4 * C) * (b + a * \cos[c \\
& + d * x]) * \sec[(c + d * x) / 2]^2 * \sin[c + d * x] * \tan[(c + d * x) / 2] + (-8 * a^4 * b * B + 15 \\
& * a^2 * b^3 * B - 3 * b^5 * B + 16 * a^5 * C - 28 * a^3 * b^2 * C + 8 * a * b^4 * C) * \cos[c + d * x] * (b \\
& + a * \cos[c + d * x]) * \sec[(c + d * x) / 2]^2 * \tan[(c + d * x) / 2]^2 + (b * (a + b) * (-16 * \\
& a^4 * C - 9 * a * b^3 * (B + C) + b^4 * (3 * B + C) + 4 * a^3 * b * (2 * B + 3 * C) + 2 * a^2 * b^2 * (- \\
& 3 * B + 8 * C)) * \sqrt{\cos[c + d * x] / (1 + \cos[c + d * x])} * \sqrt{(b + a * \cos[c + d * x]) / ((a + b) * (1 + \cos[c + d * x]))} * \sec[(c + d * x) / 2]^2) / (\sqrt{1 - \tan[(c + d * x) / 2]^2} * \sqrt{1 - ((a - b) * \tan[(c + d * x) / 2]^2) / (a + b)}) + ((a + b) * (-8 * a^4 * b * B + 15 * a^2 * b^3 * B - 3 * b^5 * B + 16 * a^5 * C - 28 * a^3 * b^2 * C + 8 * a * b^4 * C) * \sqrt{\cos[c + d * x] / (1 + \cos[c + d * x])} * \sqrt{(b + a * \cos[c + d * x]) / ((a + b) * (1 + \cos[c + d * x]))} * \sec[(c + d * x) / 2]^2 * \sqrt{1 - ((a - b) * \tan[(c + d * x) / 2]^2) / (a + b)}) / \sqrt{1 - \tan[(c + d * x) / 2]^2}) / (3 * b^4 * (a^2 - b^2)^2 * \sqrt{b + a * \cos[c + d * x]} * \sqrt{\sec[(c + d * x) / 2]^2}) + ((2 * (a + b) * (-8 * a^4 * b * B + 15 * a^2 * b^3 * B - 3 * b^5 * B + 16 * a^5 * C - 28 * a^3 * b^2 * C + 8 * a * b^4 * C) * \sqrt{\cos[c + d * x] / (1 + \cos[c + d * x])} * \sqrt{(b + a * \cos[c + d * x]) / ((a + b) * (1 + \cos[c + d * x]))} * \text{EllipticE}[\text{ArcSin}[\tan[(c + d * x) / 2]], (a - b) / (a + b)] + 2 * b * (a + b) * (-16 * a^4 * C - 9 * a * b^3 * (B + C) + b^4 * (3 * B + C) + 4 * a^3 * b * (2 * B + 3 * C) + 2 * a^2 * b^2 * (-3 * B + 8 * C)) * \sqrt{\cos[c + d * x] / (1 + \cos[c + d * x])} * \sqrt{(b + a * \cos[c + d * x]) / ((a + b) * (1 + \cos[c + d * x]))} * \text{EllipticF}[\text{ArcSin}[\tan[(c + d * x) / 2]], (a - b) / (a + b)] + (-8 * a^4 * b * B + 15 * a^2 * b^3 * B - 3 * b^5 * B + 16 * a^5 * C - 28 * a^3 * b^2 * C + 8 * a * b^4 * C) *
\end{aligned}$$

$$\frac{\cos\left[\frac{c+dx}{2}\right] \left((b+a\cos\left[\frac{c+dx}{2}\right]) \sec\left[\frac{c+dx}{2}\right]^2 \tan\left[\frac{c+dx}{2}\right] \left(-\cos\left[\frac{c+dx}{2}\right] \sec\left[\frac{c+dx}{2}\right] \sin\left[\frac{c+dx}{2}\right] \right) + \cos\left[\frac{c+dx}{2}\right]^2 \sec\left[\frac{c+dx}{2}\right] \tan\left[\frac{c+dx}{2}\right] \right)}{(3b^4(a^2-b^2)^2 \sqrt{b+a\cos\left[\frac{c+dx}{2}\right]} \sqrt{\sec\left[\frac{c+dx}{2}\right]^2 \sqrt{\cos\left[\frac{c+dx}{2}\right]^2 \sec\left[\frac{c+dx}{2}\right]}})} \right)$$

Maple [B] time = 1.589, size = 8046, normalized size = 15.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^3*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(5/2),x,algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^5 + B \sec(dx+c)^4) \sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3*(B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(5/2),x,algorithm="fricas")`

[Out] integral((C*sec(d*x + c)^5 + B*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)^3/(b*sec(d*x + c) + a)^(5/2), x)

$$3.850 \quad \int \frac{\sec^2(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=417

$$\frac{2(2a^2b(B-3C) - 8a^3C + 3ab^2(B+3C) - 3b^3(B-C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a-b}}\right)\right)}{3b^3d\sqrt{a+b}(a^2-b^2)}$$

```
[Out] (2*(2*a^3*b*B - 6*a*b^3*B - 8*a^4*C + 15*a^2*b^2*C - 3*b^4*C)*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[
(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]
/(3*(a - b)*b^4*(a + b)^(3/2)*d + (2*(2*a^2*b*(B - 3*C) - 3*b^3*(B - C) -
8*a^3*C + 3*a*b^2*(B + 3*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c
+ d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)
]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^3*Sqrt[a + b]*(a^2 - b^2)*d
) - (2*a^2*(b*B - a*C)*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*
x])^(3/2)) + (2*a*(2*a^2*b*B - 6*b^3*B - 5*a^3*C + 9*a*b^2*C)*Tan[c + d*x])
/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.00497, antiderivative size = 417, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4028, 4080, 4005, 3832, 4004}

$$-\frac{2a^2(bB - aC) \tan(c + dx)}{3b^2d(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2bB - 5a^3C + 9ab^2C - 6b^3B) \tan(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} + \frac{2(2a^2b(B - 3C) - 8a^3C + 3ab^2(B + 3C) - 3b^3(B - C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a-b}}\right)\right)}{3b^3d\sqrt{a+b}(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] (2*(2*a^3*b*B - 6*a*b^3*B - 8*a^4*C + 15*a^2*b^2*C - 3*b^4*C)*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[
(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]
/(3*(a - b)*b^4*(a + b)^(3/2)*d + (2*(2*a^2*b*(B - 3*C) - 3*b^3*(B - C) -
8*a^3*C + 3*a*b^2*(B + 3*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c
+ d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)
]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^3*Sqrt[a + b]*(a^2 - b^2)*d
) - (2*a^2*(b*B - a*C)*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*
x])^(3/2)) + (2*a*(2*a^2*b*B - 6*b^3*B - 5*a^3*C + 9*a*b^2*C)*Tan[c + d*x])
/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

$x])^{(3/2)} + (2*a*(2*a^2*b*B - 6*b^3*B - 5*a^3*C + 9*a*b^2*C)*Tan[c + d*x]) / (3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])$

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4028

Int[csc[(e_.) + (f_.)*(x_.)]^3*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] := -Simp[(a^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*b*(A*b - a*B)*(m + 1) - (A*b - a*B)*(a^2 + b^2*(m + 1))*Csc[e + f*x] + b*B*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4080

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-(b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]

/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(c + dx) (B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx &= \int \frac{\sec^3(c + dx) (B + C \sec(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx \\
 &= -\frac{2a^2(bB - aC) \tan(c + dx)}{3b^2(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{\sec(c + dx) \left(-\frac{3}{2} ab(bB - aC) - \dots\right)}{d(a + b \sec(c + dx))^{3/2}} dx}{3b^2(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} \\
 &= -\frac{2a^2(bB - aC) \tan(c + dx)}{3b^2(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2bB - 6b^3B - 5a^3C)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\
 &= -\frac{2a^2(bB - aC) \tan(c + dx)}{3b^2(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2bB - 6b^3B - 5a^3C)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2(2a^3bB - 6ab^3B - 8a^4C + 15a^2b^2C - 3b^4C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sec(c + dx)}{\sqrt{a + b \sec(c + dx)}}\right)\right)}{3(a - b)b^4(a + b \sec(c + dx))^{3/2}}
 \end{aligned}$$

Mathematica [B] time = 26.0989, size = 3920, normalized size = 9.4

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]

```

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((2*(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*
C - 15*a^2*b^2*C + 3*b^4*C)*Sin[c + d*x]))/(3*b^3*(-a^2 + b^2)^2) - (2*(a*b*
B*SIN[c + d*x] - a^2*C*SIN[c + d*x]))/(3*b*(-a^2 + b^2)*(b + a*Cos[c + d*x]
)^2) - (2*(-(a^3*b*B*SIN[c + d*x]) + 5*a*b^3*B*SIN[c + d*x] + 4*a^4*C*SIN[c
+ d*x] - 8*a^2*b^2*C*SIN[c + d*x]))/(3*b^2*(-a^2 + b^2)^2*(b + a*Cos[c + d
*x]))))/(d*(a + b*Sec[c + d*x])^(5/2)) - (2*(b + a*Cos[c + d*x])^2*((2*a^3*
B)/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a*
b*B)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (5*a^2*
C)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^4*C)
/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (b^2*
C)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (5*a^2*B*
Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (2*a^4*B*
Sqrt[Sec[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (b^2*
B*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^5*C*
Sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (17*a
^3*C*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (3
*a*b*C*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (2*a
^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c
+ d*x]]) + (2*a^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^2*(-a^2 + b^2
)^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^5*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]
])/((3*b^3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (5*a^3*C*Cos[2*(c + d*
x)]*Sqrt[Sec[c + d*x]])/(b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (a*b*
C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d
*x]])))*Sec[c + d*x]^(5/2)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*
(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*Sqrt[Cos[c + d*
x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]
))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(3*a
*b^2*(B - 3*C) + 8*a^3*C + 3*b^3*(B + C) - 2*a^2*b*(B + 3*C))*Sqrt[Cos[c +
d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*
x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-2*a^3*b*B +
6*a*b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*Cos[c + d*x]*(b + a*Cos[c + d
*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3*b^3*(a^2 - b^2)^2*d*Sqrt[Sec[
(c + d*x)/2]^2*(a + b*Sec[c + d*x])^(5/2)*(-(a*Sqrt[Cos[(c + d*x)/2]^2*Sec
[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a
^2*b^2*C + 3*b^4*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c
+ d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]],
(a - b)/(a + b)] - 2*b*(a + b)*(3*a*b^2*(B - 3*C) + 8*a^3*C + 3*b^3*(B + C)
- 2*a^2*b*(B + 3*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos
[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]]
, (a - b)/(a + b)] + (-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b
^4*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]
))/(3*b^3*(a^2 - b^2)^2*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2]
) + (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(-2*
a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*Sqrt[Cos[c + d*x]/(
1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*

```

$$\begin{aligned}
& \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(3*a*b^2 \\
& *(B - 3*C) + 8*a^3*C + 3*b^3*(B + C) - 2*a^2*b*(B + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x] \\
& /(1 + \text{Cos}[c + d*x])]\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] \\
&]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-2*a^3*b*B + 6*a* \\
& b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x]) \\
& *\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*b^3*(a^2 - b^2)^2*\text{Sqrt}[b + a*\text{Cos}[\\
& c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d* \\
& x]]*((-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*\text{Cos}[c + d \\
& *x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4)/2 + ((a + b)*(-2*a^3*b*B + 6*a \\
& *b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + \\
& b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b) \\
&]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos} \\
& [c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (b*(a + b)*(3*a*b^2*(B \\
& - 3*C) + 8*a^3*C + 3*b^3*(B + C) - 2*a^2*b*(B + 3*C))*\text{Sqrt}[(b + a*\text{Cos}[c + \\
& d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a \\
& - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d \\
& *x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(\\
& -2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x] \\
&]/(1 + \text{Cos}[c + d*x]))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]* \\
& (-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])* \\
& \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a \\
& + b)*(1 + \text{Cos}[c + d*x]))] - (b*(a + b)*(3*a*b^2*(B - 3*C) + 8*a^3*C + 3*b^ \\
& 3*(B + C) - 2*a^2*b*(B + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Elliptic} \\
& \text{F}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b) \\
& *(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{C} \\
& os[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - \\
& a*(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*\text{Cos}[c + d*x] \\
& *\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-2*a^3*b*B + 6*a*b^3*B \\
& + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^ \\
& 2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a^ \\
& 2*b^2*C + 3*b^4*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan} \\
& [(c + d*x)/2]^2 - (b*(a + b)*(3*a*b^2*(B - 3*C) + 8*a^3*C + 3*b^3*(B + C) - \\
& 2*a^2*b*(B + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]\text{Sqrt}[(b + a*\text{Cos}[c \\
& + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c \\
& + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(- \\
& 2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x] \\
&]/(1 + \text{Cos}[c + d*x]))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] \\
&]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 \\
& - \text{Tan}[(c + d*x)/2]^2])/((3*b^3*(a^2 - b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt} \\
& [\text{Sec}[(c + d*x)/2]^2]) - ((2*(a + b)*(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15* \\
& a^2*b^2*C + 3*b^4*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]\text{Sqrt}[(b + a*\text{Cos}[\\
& c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], \\
& (a - b)/(a + b)] - 2*b*(a + b)*(3*a*b^2*(B - 3*C) + 8*a^3*C + 3*b^3*(B + C) \\
&) - 2*a^2*b*(B + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]\text{Sqrt}[(b + a*Co \\
& s[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]
\end{aligned}$$

], (a - b)/(a + b)] + (-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C - 15*a^2*b^2*C + 3*b^4*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(3*b^3*(a^2 - b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]))

Maple [B] time = 0.802, size = 6455, normalized size = 15.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^4 + B \sec(dx + c)^3) \sqrt{b \sec(dx + c) + a}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x, algorithm="fricas")

[Out] `integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2), x)`

[Out] `Integral((B + C*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x))**(5/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)^2/(b*sec(d*x + c) + a)^(5/2), x)`

$$3.851 \quad \int \frac{\sec(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=387

$$\frac{2(2a^2C + ab(B + 3C) - 3b^2(B + C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + 2}{3b^2d\sqrt{a+b}(a^2 - b^2)}$$

```
[Out] (2*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^3*(
a + b)^(3/2)*d) + (2*(2*a^2*C - 3*b^2*(B + C) + a*b*(B + 3*C))*Cot[c + d*x]
*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*S
qrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(3*b^2*Sqrt[a + b]*(a^2 - b^2)*d) + (2*a*(b*B - a*C)*Tan[c + d*x])/(3*b*(
a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(a^2*b*B + 3*b^3*B + 2*a^3*C
- 6*a*b^2*C)*Tan[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.734576, antiderivative size = 387, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {4072, 4009, 4003, 4005, 3832, 4004}

$$\frac{2(a^2bB + 2a^3C - 6ab^2C + 3b^3B) \tan(c + dx)}{3bd(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} + \frac{2a(bB - aC) \tan(c + dx)}{3bd(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} + \frac{2(2a^2C + ab(B + 3C) - 3b^2(B + C)) \cot(c + dx)}{3b^2d\sqrt{a+b}(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])
^(5/2), x]
```

```
[Out] (2*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^3*(
a + b)^(3/2)*d) + (2*(2*a^2*C - 3*b^2*(B + C) + a*b*(B + 3*C))*Cot[c + d*x]
*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*S
qrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(3*b^2*Sqrt[a + b]*(a^2 - b^2)*d) + (2*a*(b*B - a*C)*Tan[c + d*x])/(3*b*(
a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(a^2*b*B + 3*b^3*B + 2*a^3*C
- 6*a*b^2*C)*Tan[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```


Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4009

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(a*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(A*b - a*B)*(m + 1) - (a*A*b*(m + 2) - B*(a^2 + b^2*(m + 1)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4003

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B))]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(B\sec(c+dx) + C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \int \frac{\sec^2(c+dx)(B+C\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx \\ &= \frac{2a(bB-aC)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2 \int \frac{\sec(c+dx)\left(-\frac{3}{2}b(bB-aC) + \frac{1}{2}(abB+a^2C)\right)}{(a+b\sec(c+dx))^{3/2}} dx}{3b(a^2-b^2)} \\ &= \frac{2a(bB-aC)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(a^2bB+3b^3B+2a^3C-6ab^2C)}{3b(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\ &= \frac{2a(bB-aC)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(a^2bB+3b^3B+2a^3C-6ab^2C)}{3b(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\ &= \frac{2(a^2bB+3b^3B+2a^3C-6ab^2C)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3(a-b)b^3(a+b)^{3/2}d} \end{aligned}$$

Mathematica [B] time = 24.4565, size = 3514, normalized size = 9.08

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c +
d*x])^(5/2), x]
```

```
[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((-2*(a^2*b*B + 3*b^3*B + 2*a^3*C -
6*a*b^2*C)*Sin[c + d*x])/(3*b^2*(-a^2 + b^2)^2) + (2*(b*B*Ssin[c + d*x] - a*
C*Ssin[c + d*x]))/(3*(-a^2 + b^2)*(b + a*Cos[c + d*x])^2) + (2*(2*a^2*b*B*Si
n[c + d*x] + 2*b^3*B*Ssin[c + d*x] + a^3*C*Ssin[c + d*x] - 5*a*b^2*C*Ssin[c +
d*x]))/(3*b*(-a^2 + b^2)^2*(b + a*Cos[c + d*x]))) / (d*(a + b*Sec[c + d*x])^
(5/2)) + (2*(b + a*Cos[c + d*x])^2*((a^2*B)/(3*(-a^2 + b^2)^2*Sqrt[b + a*Co
```

$$\begin{aligned}
& s[c + d*x]]*Sqrt[Sec[c + d*x]]) + (b^2*B)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*a^3*C)/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a*b*C)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^3*B*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (a*b*B*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (5*a^2*C*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (2*a^4*C*Sqrt[Sec[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (b^2*C*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (a^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (a*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (2*a^2*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (2*a^4*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]])*Sec[c + d*x]^(5/2)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(a*b*(B - 3*C) + 3*b^2*(B - C) + 2*a^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((3*(-(a^2*b) + b^3)^2*d*Sqrt[Sec[(c + d*x)/2]^2]*(a + b*Sec[c + d*x])^(5/2))*((a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(a*b*(B - 3*C) + 3*b^2*(B - C) + 2*a^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((3*(-(a^2*b) + b^3)^2*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2]) - (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(a*b*(B - 3*C) + 3*b^2*(B - C) + 2*a^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((3*(-(a^2*b) + b^3)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*((a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4)/2 + ((a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] -
\end{aligned}$$

$$\begin{aligned}
& (b*(a + b)*(a*b*(B - 3*C) + 3*b^2*(B - C) + 2*a^2*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - (b*(a + b)*(a*b*(B - 3*C) + 3*b^2*(B - C) + 2*a^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 - (b*(a + b)*(a*b*(B - 3*C) + 3*b^2*(B - C) + 2*a^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)))/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2)]/(3*(-(a^2*b) + b^3)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((2*(a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(a*b*(B - 3*C) + 3*b^2*(B - C) + 2*a^2*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(3*(-(a^2*b) + b^3)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]))
\end{aligned}$$

Maple [B] time = 0.444, size = 5170, normalized size = 13.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + B \sec(dx+c)^2)\sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2), x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sec(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.852 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=353

$$\frac{2(3aB + aC - bB - 3bC) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3bd(a-b)(a+b)^{3/2}} - \frac{2(a^2(-C) + \dots)}{3d(a^2 - \dots)}$$

[Out] (-2*(4*a*b*B - a^2*C - 3*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^2*(a + b)^(3/2)*d) + (2*(3*a*B - b*B + a*C - 3*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b*(a + b)^(3/2)*d) - (2*(b*B - a*C)*Tan[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(4*a*b*B - a^2*C - 3*b^2*C)*Tan[c + d*x])/(3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.521092, antiderivative size = 353, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4060, 4058, 12, 3832, 4004}

$$\frac{2(a^2(-C) + 4abB - 3b^2C) \tan(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} - \frac{2(bB - aC) \tan(c + dx)}{3d(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} - \frac{2(a^2(-C) + 4abB - 3b^2C) \cot(c + dx)}{3d(a^2 - \dots)}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (-2*(4*a*b*B - a^2*C - 3*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^2*(a + b)^(3/2)*d) + (2*(3*a*B - b*B + a*C - 3*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b*(a + b)^(3/2)*d) - (2*(b*B - a*C)*Tan[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(4*a*b*B - a^2*C - 3*b^2*C)*Tan[c + d*x])/(3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4060

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))] * EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))] * EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx &= -\frac{2(bB - aC) \tan(c + dx)}{3(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}a(bB - aC) \sec(c + dx) + \frac{1}{2}a(bB - aC) \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{3a(a^2 - b^2)} \\
&= -\frac{2(bB - aC) \tan(c + dx)}{3(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} - \frac{2(4abB - a^2C - 3b^2C) \tan(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} + \frac{4 \int \frac{2(4abB - a^2C - 3b^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3(a-b)b^2(a+b)^{3/2}d}}{3(a-b)b^2(a+b)^{3/2}d} \\
&= -\frac{2(bB - aC) \tan(c + dx)}{3(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} - \frac{2(4abB - a^2C - 3b^2C) \tan(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} + \frac{4 \int \frac{2(4abB - a^2C - 3b^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3(a-b)b^2(a+b)^{3/2}d}}{3(a-b)b^2(a+b)^{3/2}d} \\
&= -\frac{2(4abB - a^2C - 3b^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3(a-b)b^2(a+b)^{3/2}d} \\
&= -\frac{2(4abB - a^2C - 3b^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3(a-b)b^2(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 19.088, size = 559, normalized size = 1.58

$$\frac{2 \sec^{\frac{5}{2}}(c + dx) \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) (a \cos(c + dx) + b)^2} \left(2b(a + b)(3aB - aC + bB - 3bC) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \sqrt{\frac{a \cos(c + dx)}{(a + b) \cos(c + dx) + 1}}\right)}{3(a - b)b^2(a + b)^{3/2}d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((-2*(-4*a*b*B + a^2*C + 3*b^2*C)*Sin[c + d*x])/(3*b*(-a^2 + b^2)^2) + (2*(b^2*B*Sin[c + d*x] - a*b*C*Sin[c + d*x]))/(3*a*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (2*(-5*a^2*b*B*Sin[c + d*x] + b^3*B*Sin[c + d*x] + 2*a^3*C*Sin[c + d*x] + 2*a*b^2*C*Sin[c + d*x]))/(3*a*(a^2 - b^2)^2*(b + a*Cos[c + d*x]))) / (d*(a + b*Sec[c + d*x])^(5/2)) + (2*(b + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*(-4*a*b*B + a^2*C + 3*b^2*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(3*a*B + b*B - a*C - 3*b*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(

$$a + b)] + (-4*a*b*B + a^2*C + 3*b^2*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*Se$$

$$c[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/(3*b*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Sec}[(c + d*x)$$

$$/2]^2]*(a + b*\text{Sec}[c + d*x])^{(5/2)}$$

Maple [B] time = 0.383, size = 4213, normalized size = 11.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/(a+b*\text{sec}(d*x+c))^{(5/2)}, x)$

[Out]
$$-1/3/d/(a-b)^2/(a+b)^2/b^4^{(1/2)}*(-C*\text{cos}(d*x+c)^3*a^4-3*C*\text{sin}(d*x+c)*(cos(d$$

$$*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}$$

$$*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4+3*C*\text{sin}(d*x+$$

$$c)*(cos(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+$$

$$1))^{(1/2)}*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^4+B*c$$

$$os(d*x+c)^3*b^4-B*\text{cos}(d*x+c)*b^4+3*B*\text{cos}(d*x+c)^2*\text{sin}(d*x+c)*(cos(d*x+c)/(c$$

$$os(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{Ellipti$$

$$cF((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3*b^4*B*\text{EllipticF}((-1+$$

$$\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*(cos(d*$$

$$x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)*}$$

$$a^2*b^2+B*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*\text{sin}(d*x$$

$$+c)*\text{cos}(d*x+c)^2*(cos(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c)$$

$$)/(\text{cos}(d*x+c)+1))^{(1/2)}*a*b^3-4*B*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-$$

$$b)/(a+b))^{(1/2)})*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*(cos(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)*}$$

$$(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*a^3*b-4*B*\text{EllipticE}((-1+\text{cos}$$

$$(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*(cos(d*x+c)$$

$$)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*a^2$$

$$*b^2-C*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*\text{sin}(d*x+c)$$

$$*\text{cos}(d*x+c)^2*(cos(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/$$

$$(\text{cos}(d*x+c)+1))^{(1/2)}*a^3*b-4*C*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/$$

$$(a+b))^{(1/2)})*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*(cos(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/$$

$$(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*a^2*b^2-3*C*\text{EllipticF}((-1+\text{cos}($$

$$d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*(cos(d*x+c)$$

$$)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*a*b^$$

$$3+C*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*\text{sin}(d*x+c)*c$$

$$os(d*x+c)^2*(cos(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}$$

$$(d*x+c)+1))^{(1/2)}*a^3*b+3*C*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+$$

$$b))^{(1/2)})*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*(cos(d*x+c)/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(a+$$

$$b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*a^2*b^2+3*C*\text{EllipticE}((-1+\text{cos}(d*x$$

$$+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^{(1/2)})*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*(cos(d*x+c)/(c$$

$$\begin{aligned}
& \cos(d*x+c+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a*b^3-4 \\
& *B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+ \\
& 1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2 \\
& *sin(d*x+c)-4*B*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x \\
& +c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{(1/2)})*a+3*B*a^2*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+ \\
& b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticF((-1+\cos(d*x+ \\
& c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})-5*B*\cos(d*x+c)^3*a^2*b^2-4*B*\cos(d*x+c) \\
& ^2*a^3*b-4*B*\cos(d*x+c)^2*a*b^3-3*B*\cos(d*x+c)*a^2*b^2+8*B*\cos(d*x+c)^2*a^2 \\
& *b^2+4*B*\cos(d*x+c)*a*b^3+C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a \\
& *cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a \\
& -b)/(a+b))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*a^4+4*B*(\cos(d*x+c)/(\cos(d*x+c)+1)) \\
& ^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d* \\
& x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^3*\sin(d*x+c)+3*C*(\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE \\
& ((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^3*\sin(d*x+c)-C*(\cos(d* \\
& x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*\sin(d* \\
& x+c)*a^3*b+2*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1 \\
& /2)})*\cos(d*x+c)*\sin(d*x+c)*a^3*b+4*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(\\
& a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d \\
& *x+c),((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*a^2*b^2-6*C*\cos(d*x+c)^2*a \\
& *b^3+4*B*\cos(d*x+c)^3*a^3*b-3*C*\cos(d*x+c)^3*a^2*b^2-C*(\cos(d*x+c)/(\cos(d*x \\
& +c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1 \\
& +\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2*\sin(d*x+c)+2*C*\cos(d*x \\
& +c)^3*a^3*b+2*C*\cos(d*x+c)^3*a*b^3+4*C*\cos(d*x+c)^2*a^2*b^2+4*C*\cos(d*x+c)* \\
& a*b^3-2*C*\cos(d*x+c)^2*a^3*b-C*\cos(d*x+c)*a^2*b^2+3*C*\cos(d*x+c)*\sin(d*x+c) \\
& *(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
&)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^4-4*B*c \\
& \cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d* \\
& x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+ \\
& b))^{(1/2)})*a^3*b-8*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2) \\
& }*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c)) \\
& / \sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2-4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x \\
& +c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*E \\
& llipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^3+3*B*\cos(d*x+ \\
& c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/ \\
& 2)})*a^3*b+7*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d* \\
& x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2-4*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/ \\
& (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(\\
& d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^3*\sin(d*x+c)-3*C*\cos(d*x+c)*b^4+B*\sin(d*x+c) \\
&)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1
\end{aligned}$$

```

))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^4+C*cos
s(d*x+c)^2*a^4+5*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b)
)^(1/2))*cos(d*x+c)*sin(d*x+c)*a*b^3+6*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/s
in(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a*b^3-5*C*cos(d*x+c)*s
in(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*
a^2*b^2-7*C*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(
d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(
a+b))^(1/2))*cos(d*x+c)*a*b^3+C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*
(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c)
,((a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)+C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/s
in(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)+3*C*cos(d*x+c)^2*b^4+C*El
lipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+
c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c
)+1))^(1/2)*a^4+B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))
*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(
d*x+c))/(cos(d*x+c)+1))^(1/2)*b^4-3*C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2
)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*b^4)*((b+a*cos(d*x+c))/co
s(d*x+c))^(1/2)/sin(d*x+c)/(b+a*cos(d*x+c))^2

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c))\sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm
="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^3*
sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(b*sec(d*x + c) + a)^(5/2), x
)
```

$$3.853 \quad \int \frac{\cos(c+dx)(B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=495

$$\frac{2(6a^2bB + a^2bC - 3a^3C - ab^2B - 3b^3B) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3a^2bd(a-b)(a+b)^{3/2}}$$

```
[Out] (2*(7*a^2*b*B - 3*b^3*B - 4*a^3*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*b*(a + b)^(
3/2)*d) - (2*(6*a^2*b*B - a*b^2*B - 3*b^3*B - 3*a^3*C + a^2*b*C)*Cot[c + d*
x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]
*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b
))]/(3*a^2*(a - b)*b*(a + b)^(3/2)*d) - (2*Sqrt[a + b]*B*Cot[c + d*x]*Ellip
ticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a -
b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a
- b))]/(a^3*d) + (2*b*(b*B - a*C)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*
Sec[c + d*x])^(3/2)) + (2*b*(7*a^2*b*B - 3*b^3*B - 4*a^3*C)*Tan[c + d*x])/(
3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.856809, antiderivative size = 495, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4072, 3923, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{2b(7a^2bB - 4a^3C - 3b^3B) \tan(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \sec(c+dx)}} + \frac{2b(bB - aC) \tan(c+dx)}{3ad(a^2 - b^2)(a+b \sec(c+dx))^{3/2}} - \frac{2(6a^2bB + a^2bC - 3a^3C - ab^2B - 3b^3B)}{3a^2bd(a-b)(a+b)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])
^(5/2), x]
```

```
[Out] (2*(7*a^2*b*B - 3*b^3*B - 4*a^3*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*b*(a + b)^(
3/2)*d) - (2*(6*a^2*b*B - a*b^2*B - 3*b^3*B - 3*a^3*C + a^2*b*C)*Cot[c + d*
x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]
*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b
```

$$\left. \right) \Big/ (3a^2(a-b)b(a+b)^{3/2}d) - (2\sqrt{a+b}B\cot[c+dx]*\text{EllipticPi}[(a+b)/a, \text{ArcSin}[\sqrt{a+b\sec[c+dx]}/\sqrt{a+b}], (a+b)/(a-b)]*\sqrt{(b(1-\sec[c+dx]))/(a+b)}*\sqrt{-((b(1+\sec[c+dx]))/(a-b))}) \Big/ (a^3d) + (2b(bB-aC)*\tan[c+dx]) \Big/ (3a(a^2-b^2)d(a+b\sec[c+dx])^{3/2}) + (2b(7a^2bB-3b^3B-4a^3C)*\tan[c+dx]) \Big/ (3a^2(a^2-b^2)^2d\sqrt{a+b\sec[c+dx]})$$

Rule 4072

$$\text{Int}[(a_. + \csc[e_.] + (f_.)(x_.))(b_.)^{(m_.)}((A_. + \csc[e_.] + (f_.)(x_.))(B_. + \csc[e_.] + (f_.)(x_.))^2(C_.)((c_. + \csc[e_.] + (f_.)(x_.))(d_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b\csc[e + fx])^{(m+1)}(c + d\csc[e + fx])^n(bB - aC + bC\csc[e + fx]), x], x] /; \text{FreeQ}[a, b, c, d, e, f, A, B, C, m, n], x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$$

Rule 3923

$$\text{Int}[(\csc[e_.] + (f_.)(x_.))(b_.) + (a_.)]^{(m_.)}(\csc[e_.] + (f_.)(x_.))(d_.) + (c_.), x_Symbol] \rightarrow \text{Simp}[(b(b*c - a*d)*\cot[e + fx]*(a + b\csc[e + fx])^{(m+1)}) \Big/ (a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b\csc[e + fx])^{(m+1)}*\text{Simp}[c*(a^2 - b^2)*(m+1) - (a*(b*c - a*d)*(m+1))*\csc[e + fx] + b*(b*c - a*d)*(m+2)*\csc[e + fx]^2, x], x], x] /; \text{FreeQ}[a, b, c, d, e, f], x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m]$$

Rule 4060

$$\text{Int}[(A_. + \csc[e_.] + (f_.)(x_.))(B_.) + \csc[e_.] + (f_.)(x_.)]^2(C_.) \Big/ (\csc[e_.] + (f_.)(x_.))(b_.) + (a_.)]^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\cot[e + fx]*(a + b\csc[e + fx])^{(m+1)}) \Big/ (a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b\csc[e + fx])^{(m+1)}*\text{Simp}[A*(a^2 - b^2)*(m+1) - a*(A*b - a*B + b*C)*(m+1)*\csc[e + fx] + (A*b^2 - a*b*B + a^2*C)*(m+2)*\csc[e + fx]^2, x], x], x] /; \text{FreeQ}[a, b, e, f, A, B, C], x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$$

Rule 4058

$$\text{Int}[(A_. + \csc[e_.] + (f_.)(x_.))(B_.) + \csc[e_.] + (f_.)(x_.)]^2(C_.) \Big/ \sqrt{\csc[e_.] + (f_.)(x_.))(b_.) + (a_.)}, x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\csc[e + fx]) \Big/ \sqrt{a + b\csc[e + fx]}, x] + \text{Dist}[C, \text{Int}[(\csc[e + fx]*(1 + \csc[e + fx])) \Big/ \sqrt{a + b\csc[e + fx]}, x], x] /; \text{FreeQ}[a, b, e, f, A, B, C], x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx &= \int \frac{B + C \sec(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx \\
&= \frac{2b(bB - aC) \tan(c+dx)}{3a(a^2 - b^2)d(a+b \sec(c+dx))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}(a^2-b^2)B + \frac{3}{2}a(bB-aC) \sec(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx}{3a(a^2 - b^2)d(a+b \sec(c+dx))^{3/2}} \\
&= \frac{2b(bB - aC) \tan(c+dx)}{3a(a^2 - b^2)d(a+b \sec(c+dx))^{3/2}} + \frac{2b(7a^2bB - 3b^3B - 4a^3C) \tan(c+dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a+b \sec(c+dx)}} \\
&= \frac{2b(bB - aC) \tan(c+dx)}{3a(a^2 - b^2)d(a+b \sec(c+dx))^{3/2}} + \frac{2b(7a^2bB - 3b^3B - 4a^3C) \tan(c+dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a+b \sec(c+dx)}} \\
&= \frac{2(7a^2bB - 3b^3B - 4a^3C) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{3a^2(a-b)b(a+b)^{3/2}d} \\
&= \frac{2(7a^2bB - 3b^3B - 4a^3C) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{3a^2(a-b)b(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [C] time = 16.2126, size = 2039, normalized size = 4.12

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((2*(-7*a^2*b*B + 3*b^3*B + 4*a^3*C)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2) - (2*(b^3*B*Sin[c + d*x] - a*b^2*C*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) - (2*(-8*a^2*b^2*B*Sin[c + d*x] + 4*b^4*B*Sin[c + d*x] + 5*a^3*b*C*Sin[c + d*x] - a*b^3*C*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)^2*(b + a*Cos[c + d*x])))/(d*(a + b*Sec[c + d*x])^(5/2)) + (2*(b + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(7*a^3*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 7*a^2*b^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] - 3*a*b^3*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] - 3*b^4*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] - 4*a^4*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] - 4*a^3*b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2])/(3*a^2*(a-b)b(a+b)^3/2*d)
```

$$\begin{aligned}
& x)/2] - 14*a^3*b*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2]^3 + 6*a*b^3*\text{Sqrt} \\
& [(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2]^3 + 8*a^4*\text{Sqrt}[(-a + b)/(a + b)]*C*\text{Tan} \\
& [(c + d*x)/2]^3 + 7*a^3*b*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2]^5 - 7* \\
& a^2*b^2*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2]^5 - 3*a*b^3*\text{Sqrt}[(-a + b) \\
& / (a + b)]*B*\text{Tan}[(c + d*x)/2]^5 + 3*b^4*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d* \\
& x)/2]^5 - 4*a^4*\text{Sqrt}[(-a + b)/(a + b)]*C*\text{Tan}[(c + d*x)/2]^5 + 4*a^3*b*\text{Sqrt} \\
& [(-a + b)/(a + b)]*C*\text{Tan}[(c + d*x)/2]^5 - (6*I)*a^4*B*\text{EllipticPi}[-(a + b)/(\\
& a - b)], I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b \\
&)*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan} \\
& (c + d*x)/2]^2)/(a + b)] + (12*I)*a^2*b^2*B*\text{EllipticPi}[-(a + b)/(a - b)], \\
& I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Sqrt}[1 \\
& - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x) \\
& /2]^2)/(a + b)] - (6*I)*b^4*B*\text{EllipticPi}[-(a + b)/(a - b)], I*\text{ArcSinh}[\text{Sqrt} \\
& [(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Sqrt}[1 - \text{Tan}[(c + d* \\
& x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b) \\
&] - (6*I)*a^4*B*\text{EllipticPi}[-(a + b)/(a - b)], I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + \\
& b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[1 - \text{Tan}[(c \\
& + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a \\
& + b)] + (12*I)*a^2*b^2*B*\text{EllipticPi}[-(a + b)/(a - b)], I*\text{ArcSinh}[\text{Sqrt}[(-a \\
& + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt} \\
& [1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x) \\
& /2]^2)/(a + b)] - (6*I)*b^4*B*\text{EllipticPi}[-(a + b)/(a - b)], I*\text{ArcSinh}[\text{Sqr} \\
& t[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Tan}[(c + d*x)/2]^2* \\
& \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c \\
& + d*x)/2]^2)/(a + b)] + I*(a - b)*(-7*a^2*b*B + 3*b^3*B + 4*a^3*C)*\text{Elliptic} \\
& E[I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Sqrt} \\
& [1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + \\
& d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*(-4*a*b^2*B - 6*b^3* \\
& B + 3*a^3*(B - C) + a^2*b*(9*B + C))*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + \\
& b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \\
& \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2] \\
& ^2)/(a + b)))/(3*a^2*\text{Sqrt}[(-a + b)/(a + b)]*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + \\
& d*x])^(5/2)*(-1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(1 + \text{Tan}[(c + d*x)/2]^2)/(1 - T \\
& an[(c + d*x)/2]^2)]*(a*(-1 + \text{Tan}[(c + d*x)/2]^2) - b*(1 + \text{Tan}[(c + d*x)/2]^ \\
& ^2)))
\end{aligned}$$

Maple [B] time = 0.426, size = 5710, normalized size = 11.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c)) \sqrt{b \sec(dx + c) + a}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.854 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a+b \sec(c+dx))^{7/2}} dx$$

Optimal. Leaf size=446

$$\frac{2(3a^2(5B+C) - 8ab(B+3C) + b^2(9B+5C)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{15bd\sqrt{a+b}(a^2-b^2)^2}$$

[Out] $(-2*(23*a^2*b*B + 9*b^3*B - 3*a^3*C - 29*a*b^2*C)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(15*(a - b)^2*b^2*(a + b)^{(5/2)*d} + (2*(3*a^2*(5*B + C) - 8*a*b*(B + 3*C) + b^2*(9*B + 5*C))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(15*b*\text{Sqrt}[a + b]*(a^2 - b^2)^2*d) - (2*(b*B - a*C)*\text{Tan}[c + d*x])/(5*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^{(5/2)}) - (2*(8*a*b*B - 3*a^2*C - 5*b^2*C)*\text{Tan}[c + d*x])/(15*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + d*x])^{(3/2)}) - (2*(23*a^2*b*B + 9*b^3*B - 3*a^3*C - 29*a*b^2*C)*\text{Tan}[c + d*x])/(15*(a^2 - b^2)^3*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]))$

Rubi [A] time = 0.828185, antiderivative size = 446, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4060, 4058, 12, 3832, 4004}

$$\frac{2(23a^2bB - 3a^3C - 29ab^2C + 9b^3B) \tan(c+dx)}{15d(a^2-b^2)^3 \sqrt{a+b \sec(c+dx)}} - \frac{2(-3a^2C + 8abB - 5b^2C) \tan(c+dx)}{15d(a^2-b^2)^2 (a+b \sec(c+dx))^{3/2}} - \frac{2(bB - aC) \tan(c+dx)}{5d(a^2-b^2) (a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/(a + b*\text{Sec}[c + d*x])^{(7/2)}, x]$

[Out] $(-2*(23*a^2*b*B + 9*b^3*B - 3*a^3*C - 29*a*b^2*C)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(15*(a - b)^2*b^2*(a + b)^{(5/2)*d} + (2*(3*a^2*(5*B + C) - 8*a*b*(B + 3*C) + b^2*(9*B + 5*C))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(15*b*\text{Sqrt}[a + b]*(a^2 - b^2)^2*d) - (2*(b*B - a*C)*\text{Tan}[c + d*x])/(5*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^{(5/2)}) - (2*(8*a*b*B - 3*a^2*C - 5*b^2*C)*\text{Tan}[c + d*x])/(15*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + d*x])^{(3/2)}) - (2*(23*a^2*b*B + 9*b^3*B - 3*a^3*C - 29*a*b^2*C)*\text{Tan}[c + d*x])/(15*(a^2 - b^2)^3*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]))$

/2)) - (2*(23*a^2*b*B + 9*b^3*B - 3*a^3*C - 29*a*b^2*C)*Tan[c + d*x])/(15*(a^2 - b^2)^3*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4060

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))] * EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))] * EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{7/2}} dx &= -\frac{2(bB - aC) \tan(c + dx)}{5(a^2 - b^2) d(a + b \sec(c + dx))^{5/2}} - \frac{2 \int \frac{-\frac{5}{2}a(bB - aC) \sec(c + dx) + \frac{3}{2}a(bB - aC) \sec^2(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx}{5a(a^2 - b^2)} \\
&= -\frac{2(bB - aC) \tan(c + dx)}{5(a^2 - b^2) d(a + b \sec(c + dx))^{5/2}} - \frac{2(8abB - 3a^2C - 5b^2C) \tan(c + dx)}{15(a^2 - b^2)^2 d(a + b \sec(c + dx))^{3/2}} + \frac{4}{15} \\
&= -\frac{2(bB - aC) \tan(c + dx)}{5(a^2 - b^2) d(a + b \sec(c + dx))^{5/2}} - \frac{2(8abB - 3a^2C - 5b^2C) \tan(c + dx)}{15(a^2 - b^2)^2 d(a + b \sec(c + dx))^{3/2}} - \frac{2}{15} \\
&= -\frac{2(bB - aC) \tan(c + dx)}{5(a^2 - b^2) d(a + b \sec(c + dx))^{5/2}} - \frac{2(8abB - 3a^2C - 5b^2C) \tan(c + dx)}{15(a^2 - b^2)^2 d(a + b \sec(c + dx))^{3/2}} - \frac{2}{15} \\
&= -\frac{2(23a^2bB + 9b^3B - 3a^3C - 29ab^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)\Big|_{\frac{a+b}{a-b}}}{15(a-b)^2 b^2 (a+b)^{5/2} d} \\
&= -\frac{2(23a^2bB + 9b^3B - 3a^3C - 29ab^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)\Big|_{\frac{a+b}{a-b}}}{15(a-b)^2 b^2 (a+b)^{5/2} d}
\end{aligned}$$

Mathematica [B] time = 24.7313, size = 3729, normalized size = 8.36

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(7/2), x]

[Out] ((b + a*Cos[c + d*x])^4*Sec[c + d*x]^4*((-2*(23*a^2*b*B + 9*b^3*B - 3*a^3*C - 29*a*b^2*C)*Sin[c + d*x])/(15*b*(-a^2 + b^2)^3) - (2*(b^3*B*Sin[c + d*x] - a*b^2*C*Sin[c + d*x]))/(5*a^2*(a^2 - b^2)*(b + a*Cos[c + d*x])^3) - (2*(-14*a^2*b^2*B*Sin[c + d*x] + 6*b^4*B*Sin[c + d*x] + 9*a^3*b*C*Sin[c + d*x] - a*b^3*C*Sin[c + d*x]))/(15*a^2*(a^2 - b^2)^2*(b + a*Cos[c + d*x])^2) + (2*(-34*a^4*b*B*Sin[c + d*x] + 5*a^2*b^3*B*Sin[c + d*x] - 3*b^5*B*Sin[c + d*x] + 9*a^5*C*Sin[c + d*x] + 25*a^3*b^2*C*Sin[c + d*x] - 2*a*b^4*C*Sin[c + d*x]))/(15*a^2*(a^2 - b^2)^3*(b + a*Cos[c + d*x]))) / (d*(a + b*Sec[c + d*x])^(7/2)) - (2*(b + a*Cos[c + d*x])^3*((23*a^2*b*B)/(15*(-a^2 + b^2)^3*sqrt[b + a*Cos[c + d*x]]*sqrt[Sec[c + d*x]]) + (3*b^3*B)/(5*(-a^2 + b^2)^3*sqrt[b + a*Cos[c + d*x]]*sqrt[Sec[c + d*x]]) - (a^3*C)/(5*(-a^2 + b^2)^3*sqrt[b +

$$\begin{aligned}
& a \cos[c + dx] \sqrt{\sec[c + dx]} - (29ab^2C)/(15(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) \\
& + (8a^3B \sqrt{\sec[c + dx]})/(15(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) - (8a^3B \sqrt{\sec[c + dx]})/(15(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) \\
& - (a^4C \sqrt{\sec[c + dx]})/(5b(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) - (2a^2bC \sqrt{\sec[c + dx]})/(15(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) \\
& + (b^3C \sqrt{\sec[c + dx]})/(3(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) + (23a^3B \cos[2(c + dx)] \sqrt{\sec[c + dx]})/(15(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) \\
& + (3ab^2B \cos[2(c + dx)] \sqrt{\sec[c + dx]})/(5(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) - (a^4C \cos[2(c + dx)] \sqrt{\sec[c + dx]})/(5b(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) \\
& - (29a^2bC \cos[2(c + dx)] \sqrt{\sec[c + dx]})/(15(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) * \sec[c + dx]^{7/2} \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \\
& * (2(a + b)(-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])}) \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b)(b^2(9B - 5C) + 8ab(B - 3C) + 3a^2(5B - C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \\
& * \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) \cos[c + dx] \\
& * (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (15b(-a^2 + b^2)^3 d \sqrt{\sec[(c + dx)/2]^2} * (a + b \sec[c + dx])^{7/2} * (-a \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \\
& * \sin[c + dx] * (2(a + b)(-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])}) \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b)(b^2(9B - 5C) + 8ab(B - 3C) + 3a^2(5B - C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \\
& * \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) \cos[c + dx] \\
& * (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (15b(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]})^{3/2} \sqrt{\sec[(c + dx)/2]^2} + (\sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \\
& * \tan[(c + dx)/2] * (2(a + b)(-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])}) \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b)(b^2(9B - 5C) + 8ab(B - 3C) + 3a^2(5B - C)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \\
& * \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) \cos[c + dx] \\
& * (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (15b(-a^2 + b^2)^3 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[(c + dx)/2]^2} - (2 \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \\
& * (((-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) \cos[c + dx] * (b + a \cos[c + dx]) \sec[(c + dx)/2]^4) / 2 + ((a + b)(-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx]))) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \\
& + (b(a + b)(b^2(9B - 5C) + 8ab(B - 3C) + 3a^2(5B - C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} + (b(a + b)(b^2(9B - 5C) + 8ab(B - 3C) + 3a^2(5B - C)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}
\end{aligned}$$

$$\begin{aligned}
& 3a^2(5B - C)\sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} + ((a + b)(-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * (-((a * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + ((b + a\cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{((b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + (b(a + b)(b^2(9B - 5C) + 8ab(B - 3C) + 3a^2(5B - C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * (-((a * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + ((b + a\cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} - a(-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) * \cos[c + dx] * \text{Sec}[(c + dx)/2]^2 * \sin[c + dx] * \text{Tan}[(c + dx)/2] - (-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) * (b + a\cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \sin[c + dx] * \text{Tan}[(c + dx)/2] + (-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) * \cos[c + dx] * (b + a\cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \text{Tan}[(c + dx)/2]^2 + (b(a + b)(b^2(9B - 5C) + 8ab(B - 3C) + 3a^2(5B - C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{Sec}[(c + dx)/2]^2) / (\sqrt{1 - \text{Tan}[(c + dx)/2]^2} * \sqrt{1 - ((a - b) * \text{Tan}[(c + dx)/2]^2) / (a + b)}) + ((a + b)(-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{Sec}[(c + dx)/2]^2 * \sqrt{1 - ((a - b) * \text{Tan}[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \text{Tan}[(c + dx)/2]^2}) / (15b(-a^2 + b^2)^3 * \sqrt{b + a\cos[c + dx]} * \sqrt{\text{Sec}[(c + dx)/2]^2}) - ((2(a + b)(-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b)(b^2(9B - 5C) + 8ab(B - 3C) + 3a^2(5B - C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a\cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-23a^2bB - 9b^3B + 3a^3C + 29ab^2C) * \cos[c + dx] * (b + a\cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \text{Tan}[(c + dx)/2]) * (-\cos[(c + dx)/2] * \text{Sec}[c + dx] * \sin[(c + dx)/2]) + \cos[(c + dx)/2]^2 * \text{Sec}[c + dx] * \text{Tan}[c + dx]) / (15b(-a^2 + b^2)^3 * \sqrt{b + a\cos[c + dx]} * \sqrt{\text{Sec}[(c + dx)/2]^2} * \sqrt{\cos[(c + dx)/2]^2 * \text{Sec}[c + dx]}))
\end{aligned}$$

Maple [B] time = 0.577, size = 7695, normalized size = 17.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(7/2),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c))\sqrt{b \sec(dx+c) + a}}{b^4 \sec(dx+c)^4 + 4ab^3 \sec(dx+c)^3 + 6a^2b^2 \sec(dx+c)^2 + 4a^3b \sec(dx+c) + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^4*sec(d*x + c)^4 + 4*a*b^3*sec(d*x + c)^3 + 6*a^2*b^2*sec(d*x + c)^2 + 4*a^3*b*sec(d*x + c) + a^4), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(b*sec(d*x + c) + a)^(7/2), x)

$$3.855 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=101

$$\frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{2(bB-aC)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{ad(a+b)}$$

[Out] (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*(b*B - a*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a + b)*d)

Rubi [A] time = 0.28374, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4072, 4038, 3771, 2641, 3849, 2805}

$$\frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\right)}{ad} - \frac{2(bB-aC)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{ad(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])), x]

[Out] (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*(b*B - a*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a + b)*d)

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4038

Int[((csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[A/a, Int[(d*Csc[e + f*x])^n, x], x] - Dist[(A*b - a*B)/(a*d), Int[(d*Csc[e + f*x])^n

+ 1)/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] &&
NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/
(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned} \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))} dx &= \int \frac{\sqrt{\sec(c + dx)}(B + C \sec(c + dx))}{a + b \sec(c + dx)} dx \\ &= \frac{B \int \sqrt{\sec(c + dx)} dx}{a} - \frac{(bB - aC) \int \frac{\sec^3(c + dx)}{a + b \sec(c + dx)} dx}{a} \\ &= \frac{(B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{a} - \frac{((bB - aC)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\sec^2(c + dx)}{\cos(c + dx)} dx}{a} \\ &= \frac{2B\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{ad} - \frac{2(bB - aC)\sqrt{\cos(c + dx)}\Pi\left(\frac{2}{a}\right)}{a(a + b)} \end{aligned}$$

Mathematica [A] time = 0.669167, size = 78, normalized size = 0.77

$$\frac{2\sqrt{-\tan^2(c+dx)}\cot(c+dx)\left(a\text{CEllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right),-1\right)+(aC-bB)\Pi\left(-\frac{b}{a};-\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\middle| -1\right)\right)}{abd}$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])),x]

[Out] (2*Cot[c + d*x]*(a*C*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + (-b*B) + a*C)*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*Sqrt[-Tan[c + d*x]^2])/(a*b*d)

Maple [A] time = 2.124, size = 217, normalized size = 2.2

$$-2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{a(a-b)\sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2} \sin(1/2 dx + c/2) \sqrt{2(\cos(1/2 dx + c/2))^2 - 1}} \left(B \text{EllipticF} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/sec(d*x+c)^(1/2),x)

[Out] -2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a-B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b+B*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))*b-C*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))*a)/a/(a-b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c)}{(b \sec(dx+c) + a) \sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/sec(d*x+c)^(1/2),x
, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/((b*sec(d*x + c) + a)*sqrt(se
c(d*x + c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/sec(d*x+c)^(1/2),x
, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sqrt{\sec(c + dx)}}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))/sec(d*x+c)**(1/2)
,x)
```

```
[Out] Integral((B + C*sec(c + d*x))*sqrt(sec(c + d*x))/(a + b*sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/sec(d*x+c)^(1/2),x  
, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/((b*sec(d*x + c) + a)*sqrt(se  
c(d*x + c))), x)
```


$$3.856 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{\sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=138

$$\frac{2B\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{a+b\sec(c+dx)}} + \frac{2C\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{a+b\sec(c+dx)}}$$

[Out] (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]))

Rubi [A] time = 0.514283, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 44, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4072, 4036, 3858, 2663, 2661, 3859, 2807, 2805}

$$\frac{2B\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{a+b\sec(c+dx)}} + \frac{2C\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{a+b\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]))

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4036

```
Int[(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A, Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B/d, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
```

$/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[a^2 - b^2, 0] \&\& NeQ[c^2 - d^2, 0] \&\& GtQ[c + d, 0]$

Rubi steps

$$\begin{aligned}
 \int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx &= \int \frac{\sqrt{\sec(c + dx)}(B + C \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= B \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx + C \int \frac{\sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{(B\sqrt{b + a \cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{b+a \cos(c+dx)}} dx}{\sqrt{a + b \sec(c + dx)}} + \frac{(C\sqrt{b + a \cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{b+a \cos(c+dx)}} dx}{\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(B\sqrt{\frac{b+a \cos(c+dx)}{a+b}}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\frac{b}{a+b} + \frac{a \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \sec(c + dx)}} + \frac{(C\sqrt{\frac{b+a \cos(c+dx)}{a+b}}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\frac{b}{a+b} + \frac{a \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2B\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d\sqrt{a + b \sec(c + dx)}} + \frac{2C\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d\sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.26701, size = 91, normalized size = 0.66

$$\frac{2\sqrt{\sec(c + dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \left(B \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + C \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \right)}{d\sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]),x]

[Out] (2*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*(B*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + C*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]])

Maple [C] time = 0.394, size = 277, normalized size = 2.

$$-2 \frac{((\cos(dx + c) + 1)^{-1})^{3/2} (\sin(dx + c))^4}{d(-1 + \cos(dx + c))^2 (b + a \cos(dx + c)) \sqrt{(\cos(dx + c))^{-1}}} \sqrt{\frac{b + a \cos(dx + c)}{(a + b)(\cos(dx + c) + 1)}} \left(B \text{EllipticF}\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) + C \text{EllipticPi}\left(2, \frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x)
```

```
[Out] -2/d/((a-b)/(a+b))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))-C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))+2*C*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2)))*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(1/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)^4/(-1+cos(d*x+c))^2/(b+a*cos(d*x+c))/(1/cos(d*x+c))^(1/2)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{\sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))
**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{\sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(
1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(sqrt(b*sec(d*x + c) + a)*sqr
t(sec(d*x + c))), x)

3.857 $\int (a+b \sec(c+dx))^{2/3} (B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=229

$$\frac{\sqrt{2}(bB - aC) \tan(c+dx)(a+b \sec(c+dx))^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c+dx)), \frac{b(1 - \sec(c+dx))}{a+b}\right)}{bd\sqrt{\sec(c+dx)+1} \left(\frac{a+b \sec(c+dx)}{a+b}\right)^{2/3}} + \frac{\sqrt{2}C(a+b) \tan(c+dx)}{bd\sqrt{\sec(c+dx)+1} \left(\frac{a+b \sec(c+dx)}{a+b}\right)^{2/3}}$$

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -5/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3))

Rubi [A] time = 0.267442, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4062, 12, 3834, 139, 138}

$$\frac{\sqrt{2}(bB - aC) \tan(c+dx)(a+b \sec(c+dx))^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c+dx)), \frac{b(1 - \sec(c+dx))}{a+b}\right)}{bd\sqrt{\sec(c+dx)+1} \left(\frac{a+b \sec(c+dx)}{a+b}\right)^{2/3}} + \frac{\sqrt{2}C(a+b) \tan(c+dx)}{bd\sqrt{\sec(c+dx)+1} \left(\frac{a+b \sec(c+dx)}{a+b}\right)^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sec[c + d*x])^(2/3)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -5/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3))

Rule 4062

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[1/b, Int[(a + b*Csc[e + f*x])^m*(A*b + (b*B - a*C)*Csc[e + f*x]), x], x] + Dist[C/b, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f

, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2*m]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3834

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] :> Dist[Cot[e + f*x]/(f*Sqrt[1 + Csc[e + f*x]]*Sqrt[1 - Csc[e + f*x]]), Subst[Int[(a + b*x)^m/(Sqrt[1 + x]*Sqrt[1 - x]), x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2*m]

Rule 139

Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Dist[(e + f*x)^FracPart[p]/((b/(b*e - a*f))^IntPart[p]*((b*(e + f*x))/(b*e - a*f))^FracPart[p]), Int[(a + b*x)^m*(c + d*x)^n*((b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !GtQ[b/(b*e - a*f), 0]

Rule 138

Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -(f*(a + b*x)/(b*e - a*f))]/(b*(m + 1)*(b/(b*c - a*d))^n*(b/(b*e - a*f))^p), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !(GtQ[d/(d*a - c*b), 0] && GtQ[d/(d*e - c*f), 0] && SimplerQ[c + d*x, a + b*x]) && !(GtQ[f/(f*a - e*b), 0] && GtQ[f/(f*c - e*d), 0] && SimplerQ[e + f*x, a + b*x])

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^{2/3} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (bB - aC) \sec(c + dx)(a + b \sec(c + dx))^{2/3} dx}{b} + \frac{C \int \sec^3(c + dx) dx}{b} \\
&= \frac{(bB - aC) \int \sec(c + dx)(a + b \sec(c + dx))^{2/3} dx}{b} - \frac{(C \tan(c + dx)) \int \sec^2(c + dx) dx}{b} \\
&= -\frac{((bB - aC) \tan(c + dx)) \operatorname{Subst}\left(\int \frac{(a+bx)^{2/3}}{\sqrt{1-x}\sqrt{1+x}} dx, x, \sec(c + dx)\right)}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2}(a + b)CF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{5}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b}\right)}{bd\sqrt{1 + \sec(c + dx)}\left(\frac{a + b \sec(c + dx)}{a + b}\right)} \\
&= \frac{\sqrt{2}(a + b)CF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{5}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b}\right)}{bd\sqrt{1 + \sec(c + dx)}\left(\frac{a + b \sec(c + dx)}{a + b}\right)}
\end{aligned}$$

Mathematica [B] time = 26.87, size = 21744, normalized size = 94.95

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Sec[c + d*x])^(2/3)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] Result too large to show

Maple [F] time = 0.148, size = 0, normalized size = 0.

$$\int (a + b \sec(dx + c))^{2/3} (B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(2/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] `int((a+b*sec(d*x+c))^(2/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c))(b \sec(dx+c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(2/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx+c)^2 + B \sec(dx+c)\right)(b \sec(dx+c) + a)^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(2/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(2/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))**(2/3)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(2/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(2/3), x)
```

$$3.858 \quad \int \sqrt[3]{a + b \sec(c + dx)} \left(B \sec(c + dx) + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=229

$$\frac{\sqrt{2}(bB - aC) \tan(c + dx) \sqrt[3]{a + b \sec(c + dx)} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b}\right)}{bd\sqrt{\sec(c + dx)} + 1\sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}} + \frac{\sqrt{2}C(a + b) \tan(c + dx)}{1}$$

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -4/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3))

Rubi [A] time = 0.246931, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4062, 12, 3834, 139, 138}

$$\frac{\sqrt{2}(bB - aC) \tan(c + dx) \sqrt[3]{a + b \sec(c + dx)} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b}\right)}{bd\sqrt{\sec(c + dx)} + 1\sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}} + \frac{\sqrt{2}C(a + b) \tan(c + dx)}{1}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sec[c + d*x])^(1/3)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -4/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3))

Rule 4062

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Dist[1/b, Int[(a + b*Csc[e + f*x])^m*(A*b + (b*B - a*C)*Csc[e + f*x]), x], x] + Dist[C/b, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f

, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2*m]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3834

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] := Dist[Cot[e + f*x]/(f*Sqrt[1 + Csc[e + f*x]]*Sqrt[1 - Csc[e + f*x]]), Subst[Int[(a + b*x)^m/(Sqrt[1 + x]*Sqrt[1 - x]), x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2*m]

Rule 139

Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Dist[(e + f*x)^FracPart[p]/((b/(b*e - a*f))^IntPart[p]*((b*(e + f*x))/(b*e - a*f))^FracPart[p]), Int[(a + b*x)^m*(c + d*x)^n*((b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !GtQ[b/(b*e - a*f), 0]

Rule 138

Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b*(m + 1)*(b/(b*c - a*d))^n*(b/(b*e - a*f))^p), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !(GtQ[d/(d*a - c*b), 0] && GtQ[d/(d*e - c*f), 0] && SimplerQ[c + d*x, a + b*x]) && !(GtQ[f/(f*a - e*b), 0] && GtQ[f/(f*c - e*d), 0] && SimplerQ[e + f*x, a + b*x])

Rubi steps

$$\begin{aligned}
\int \sqrt[3]{a + b \sec(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (bB - aC) \sec(c + dx) \sqrt[3]{a + b \sec(c + dx)} dx}{b} + \frac{C \int \sec(c + dx) \sqrt[3]{a + b \sec(c + dx)} dx}{b} \\
&= \frac{(bB - aC) \int \sec(c + dx) \sqrt[3]{a + b \sec(c + dx)} dx}{b} - \frac{(C \tan(c + dx)) \int \frac{\sqrt[3]{a + bx}}{\sqrt{1-x}\sqrt{1+x}} dx, x, \sec(c + dx)}{b} \\
&= -\frac{((bB - aC) \tan(c + dx)) \text{Subst} \left(\int \frac{\sqrt[3]{a + bx}}{\sqrt{1-x}\sqrt{1+x}} dx, x, \sec(c + dx) \right)}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2}(a + b)CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{4}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)) \right), \frac{b(1 - \sec(c + dx))}{a + b}}{bd\sqrt{1 + \sec(c + dx)}\sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}} \\
&= \frac{\sqrt{2}(a + b)CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{4}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)) \right), \frac{b(1 - \sec(c + dx))}{a + b}}{bd\sqrt{1 + \sec(c + dx)}\sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}}
\end{aligned}$$

Mathematica [B] time = 26.6249, size = 21684, normalized size = 94.69

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Sec[c + d*x])^(1/3)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] Result too large to show

Maple [F] time = 0.151, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + b \sec(dx + c)} (B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(1/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] int((a+b*sec(d*x+c))^(1/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(1/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(1/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + B \sec(dx + c)\right)(b \sec(dx + c) + a)^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(1/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(1/3), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx)) \sqrt[3]{a + b \sec(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(1/3)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((B + C*sec(c + d*x))*(a + b*sec(c + d*x))**(1/3)*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c))(b \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(1/3)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*(b*sec(d*x + c) + a)^(1/3), x
)
```

$$3.859 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=226

$$\frac{\sqrt{2}(bB - aC) \tan(c + dx) \sqrt[3]{\frac{a+b \sec(c+dx)}{a+b}} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c+dx))}{a+b}\right)}{bd \sqrt{\sec(c + dx) + 1} \sqrt[3]{a + b \sec(c + dx)}} + \frac{\sqrt{2}C \tan(c + dx)(a + b \sec(c + dx))}{bd \sqrt{\sec(c + dx) + 1} \sqrt[3]{a + b \sec(c + dx)}}$$

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, 1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(1/3))

Rubi [A] time = 0.240461, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4062, 12, 3834, 139, 138}

$$\frac{\sqrt{2}(bB - aC) \tan(c + dx) \sqrt[3]{\frac{a+b \sec(c+dx)}{a+b}} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c+dx))}{a+b}\right)}{bd \sqrt{\sec(c + dx) + 1} \sqrt[3]{a + b \sec(c + dx)}} + \frac{\sqrt{2}C \tan(c + dx)(a + b \sec(c + dx))}{bd \sqrt{\sec(c + dx) + 1} \sqrt[3]{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(1/3), x]

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, 1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(1/3))

Rule 4062

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Dist[1/b, Int[(a + b*Csc[e + f*x])^m*(A*b + (b*B - a*C)*Csc[e + f*x]), x], x] + Dist[C/b,

Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2*m]

Rule 12

Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3834

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :=> Dist[Cot[e + f*x]/(f*Sqrt[1 + Csc[e + f*x]]*Sqrt[1 - Csc[e + f*x]]), Subst[Int[(a + b*x)^m/(Sqrt[1 + x]*Sqrt[1 - x]), x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2*m]

Rule 139

Int[((a_) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_), x_Symbol] :=> Dist[(e + f*x)^FracPart[p]/((b/(b*e - a*f))^IntPart[p]*((b*(e + f*x))/(b*e - a*f))^FracPart[p]), Int[(a + b*x)^m*(c + d*x)^n*((b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !GtQ[b/(b*e - a*f), 0]

Rule 138

Int[((a_) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_), x_Symbol] :=> Simp[((a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -(d*(a + b*x))/(b*c - a*d), -(f*(a + b*x))/(b*e - a*f)]/(b*(m + 1)*(b/(b*c - a*d))^n*(b/(b*e - a*f))^p), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !(GtQ[d/(d*a - c*b), 0] && GtQ[d/(d*e - c*f), 0] && SimplerQ[c + d*x, a + b*x]) && !(GtQ[f/(f*a - e*b), 0] && GtQ[f/(f*c - e*d), 0] && SimplerQ[e + f*x, a + b*x])

Rubi steps

$$\begin{aligned}
\int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx &= \frac{\int \frac{(bB - aC) \sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx}{b} + \frac{C \int \sec(c + dx)(a + b \sec(c + dx))^{2/3} dx}{b} \\
&= \frac{(bB - aC) \int \frac{\sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx}{b} - \frac{(C \tan(c + dx)) \text{Subst} \left(\int \frac{(a + bx)^{2/3}}{\sqrt{1-x}\sqrt{1+x}} dx, x, \sec(c + dx) \right)}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= -\frac{((bB - aC) \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1-x}\sqrt{1+x}\sqrt[3]{a + bx}} dx, x, \sec(c + dx) \right)}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} - \frac{(C(a + b \sec(c + dx))^{2/3} \tan(c + dx))}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2}CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) (a + b \sec(c + dx))^{2/3} \tan(c + dx)}{bd\sqrt{1 + \sec(c + dx)} \left(\frac{a + b \sec(c + dx)}{a + b} \right)^{2/3}} \\
&= \frac{\sqrt{2}CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) (a + b \sec(c + dx))^{2/3} \tan(c + dx)}{bd\sqrt{1 + \sec(c + dx)} \left(\frac{a + b \sec(c + dx)}{a + b} \right)^{2/3}}
\end{aligned}$$

Mathematica [B] time = 27.0034, size = 12792, normalized size = 56.6

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(1/3), x]

[Out] Result too large to show

Maple [F] time = 0.158, size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + C (\sec(dx + c))^2) \frac{1}{\sqrt[3]{a + b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3), x)

[Out] `int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(b*sec(d*x + c) + a)^(1/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{1}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c))/(b*sec(d*x + c) + a)^(1/3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/3),x)`

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/(a + b*sec(c + d*x))^(1/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(b*sec(d*x + c) + a)^(1/3), x)

$$3.860 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{(a+b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=226

$$\frac{\sqrt{2}(bB - aC) \tan(c + dx) \left(\frac{a+b \sec(c+dx)}{a+b}\right)^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c+dx))}{a+b}\right)}{bd \sqrt{\sec(c + dx) + 1} (a + b \sec(c + dx))^{2/3}} + \frac{\sqrt{2}C \tan(c + dx) \sqrt[3]{a + b \sec(c + dx)}}{bd}$$

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, 2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(2/3))

Rubi [A] time = 0.243971, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4062, 12, 3834, 139, 138}

$$\frac{\sqrt{2}(bB - aC) \tan(c + dx) \left(\frac{a+b \sec(c+dx)}{a+b}\right)^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c+dx))}{a+b}\right)}{bd \sqrt{\sec(c + dx) + 1} (a + b \sec(c + dx))^{2/3}} + \frac{\sqrt{2}C \tan(c + dx) \sqrt[3]{a + b \sec(c + dx)}}{bd}$$

Antiderivative was successfully verified.

[In] Int[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(2/3), x]

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, 2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(2/3))

Rule 4062

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Dist[1/b, Int[(a + b*Csc[e + f*x])^m*(A*b + (b*B - a*C)*Csc[e + f*x]), x], x] + Dist[C/b, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f

, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2*m]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3834

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] := Dist[Cot[e + f*x]/(f*Sqrt[1 + Csc[e + f*x]]*Sqrt[1 - Csc[e + f*x]]), Subst[Int[(a + b*x)^m/(Sqrt[1 + x]*Sqrt[1 - x]), x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2*m]

Rule 139

Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Dist[(e + f*x)^FracPart[p]/((b/(b*e - a*f))^IntPart[p]*((b*(e + f*x))/(b*e - a*f))^FracPart[p]), Int[(a + b*x)^m*(c + d*x)^n*((b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !GtQ[b/(b*e - a*f), 0]

Rule 138

Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b*(m + 1)*(b/(b*c - a*d))^n*(b/(b*e - a*f))^p), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !(GtQ[d/(d*a - c*b), 0] && GtQ[d/(d*e - c*f), 0] && SimplerQ[c + d*x, a + b*x]) && !(GtQ[f/(f*a - e*b), 0] && GtQ[f/(f*c - e*d), 0] && SimplerQ[e + f*x, a + b*x])

Rubi steps

$$\begin{aligned}
\int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx &= \frac{\int \frac{(bB - aC) \sec(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx}{b} + \frac{C \int \sec(c + dx) \sqrt[3]{a + b \sec(c + dx)} dx}{b} \\
&= \frac{(bB - aC) \int \frac{\sec(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx}{b} - \frac{(C \tan(c + dx)) \operatorname{Subst} \left(\int \frac{\sqrt[3]{a + bx}}{\sqrt{1 - x} \sqrt{1 + x}} dx, x, \sec(c + dx) \right)}{bd \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}} \\
&= -\frac{((bB - aC) \tan(c + dx)) \operatorname{Subst} \left(\int \frac{1}{\sqrt{1 - x} \sqrt{1 + x} (a + bx)^{2/3}} dx, x, \sec(c + dx) \right)}{bd \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}} - \frac{(C \sqrt[3]{a + b \sec(c + dx)}) \tan(c + dx)}{bd \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2} C F_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) \sqrt[3]{a + b \sec(c + dx)} \tan(c + dx)}{bd \sqrt{1 + \sec(c + dx)} \sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}} \\
&= \frac{\sqrt{2} C F_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) \sqrt[3]{a + b \sec(c + dx)} \tan(c + dx)}{bd \sqrt{1 + \sec(c + dx)} \sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}}
\end{aligned}$$

Mathematica [B] time = 27.0486, size = 12774, normalized size = 56.52

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(2/3), x]

[Out] Result too large to show

Maple [F] time = 0.151, size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + C (\sec(dx + c))^2) (a + b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3), x)

[Out] `int((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(b*sec(d*x + c) + a)^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{2}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c))/(b*sec(d*x + c) + a)^(2/3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(2/3),x)`

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/(a + b*sec(c + d*x))^(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/(b*sec(d*x + c) + a)^(2/3), x)

3.861 $\int \sec^3(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=165

$$\frac{\tan^3(c+dx)(5aB+5Ab+4bC)}{15d} + \frac{\tan(c+dx)(5aB+5Ab+4bC)}{5d} + \frac{(4aA+3aC+3bB)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{\tan(c+dx)}{d}$$

```
[Out] ((4*a*A + 3*b*B + 3*a*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((5*A*b + 5*a*B + 4*b*C)*Tan[c + d*x])/(5*d) + ((4*a*A + 3*b*B + 3*a*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + ((b*B + a*C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (b*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + ((5*A*b + 5*a*B + 4*b*C)*Tan[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.232319, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4076, 4047, 3767, 4046, 3768, 3770}

$$\frac{\tan^3(c+dx)(5aB+5Ab+4bC)}{15d} + \frac{\tan(c+dx)(5aB+5Ab+4bC)}{5d} + \frac{(4aA+3aC+3bB)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{\tan(c+dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((4*a*A + 3*b*B + 3*a*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((5*A*b + 5*a*B + 4*b*C)*Tan[c + d*x])/(5*d) + ((4*a*A + 3*b*B + 3*a*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + ((b*B + a*C)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (b*C*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + ((5*A*b + 5*a*B + 4*b*C)*Tan[c + d*x]^3)/(15*d)
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \sec^3(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{bC \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^3(c + dx) dx \\
 &= \frac{bC \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^3(c + dx) dx \\
 &= \frac{(bB + aC) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{bC}{5d} \int \sec^3(c + dx) dx \\
 &= \frac{(5Ab + 5aB + 4bC) \tan(c + dx)}{5d} + \frac{(4aA - b^2)}{5d} \int \sec^3(c + dx) dx \\
 &= \frac{(4aA + 3bB + 3aC) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4aA - b^2) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{bC \sec^4(c + dx) \tan(c + dx)}{5d}
 \end{aligned}$$

Mathematica [A] time = 1.21854, size = 124, normalized size = 0.75

$$\frac{15(4aA + 3aC + 3bB) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(8 \left(5 \tan^2(c + dx)(aB + Ab + 2bC) + 15(aB + Ab + bC) + 3bC \right) \right)}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (15*(4*a*A + 3*b*B + 3*a*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*(4*a*A + 3*b*B + 3*a*C)*Sec[c + d*x] + 30*(b*B + a*C)*Sec[c + d*x]^3 + 8*(15*(A*b + a*B + b*C) + 5*(A*b + a*B + 2*b*C)*Tan[c + d*x]^2 + 3*b*C*Tan[c + d*x]^4)))/(120*d)

Maple [A] time = 0.043, size = 287, normalized size = 1.7

$$\frac{Aa \sec(dx + c) \tan(dx + c)}{2d} + \frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2Ba \tan(dx + c)}{3d} + \frac{Ba \tan(dx + c) (\sec(dx + c))^2}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/2/d*A*a*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*B*a*tan(d*x+c)+1/3/d*B*a*tan(d*x+c)*sec(d*x+c)^2+1/4*a*C*sec(d*x+c)^3*tan(d*x+c)/d+3/8*a*C*sec(d*x+c)*tan(d*x+c)/d+3/8/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*A*b*tan(d*x+c)+1/3/d*A*b*tan(d*x+c)*sec(d*x+c)^2+1/4/d*B*b*tan(d*x+c)*sec(d*x+c)^3+3/8/d*B*b*tan(d*x+c)*sec(d*x+c)+3/8/d*B*b*ln(sec(d*x+c)+tan(d*x+c))+8/15*b*C*tan(d*x+c)/d+1/5*b*C*sec(d*x+c)^4*tan(d*x+c)/d+4/15*b*C*sec(d*x+c)^2*tan(d*x+c)/d

Maxima [A] time = 1.05941, size = 359, normalized size = 2.18

$$80 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ba + 80 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ab + 16 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 \right) -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")
```

```
[Out] 1/240*(80*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a + 80*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*b + 16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*b - 15*C*a*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 15*B*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 60*A*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)))/d
```

Fricas [A] time = 0.555424, size = 467, normalized size = 2.83

$$15((4A + 3C)a + 3Bb) \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15((4A + 3C)a + 3Bb) \cos(dx + c)^5 \log(-\sin(dx + c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/240*(15*((4*A + 3*C)*a + 3*B*b)*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*((4*A + 3*C)*a + 3*B*b)*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(16*(5*B*a + (5*A + 4*C)*b)*cos(d*x + c)^4 + 15*((4*A + 3*C)*a + 3*B*b)*cos(d*x + c)^3 + 8*(5*B*a + (5*A + 4*C)*b)*cos(d*x + c)^2 + 24*C*b + 30*(C*a + B*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Integral((a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3, x)

Giac [B] time = 1.43949, size = 639, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out]
$$\frac{1}{120} * (15 * (4 * A * a + 3 * C * a + 3 * B * b) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 15 * (4 * A * a + 3 * C * a + 3 * B * b) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) + 2 * (60 * A * a * \tan(1/2 * d * x + 1/2 * c)^9 - 120 * B * a * \tan(1/2 * d * x + 1/2 * c)^9 + 75 * C * a * \tan(1/2 * d * x + 1/2 * c)^9 - 120 * A * b * \tan(1/2 * d * x + 1/2 * c)^9 + 75 * B * b * \tan(1/2 * d * x + 1/2 * c)^9 - 120 * C * b * \tan(1/2 * d * x + 1/2 * c)^9 - 120 * A * a * \tan(1/2 * d * x + 1/2 * c)^7 + 320 * B * a * \tan(1/2 * d * x + 1/2 * c)^7 - 30 * C * a * \tan(1/2 * d * x + 1/2 * c)^7 + 320 * A * b * \tan(1/2 * d * x + 1/2 * c)^7 - 30 * B * b * \tan(1/2 * d * x + 1/2 * c)^7 + 160 * C * b * \tan(1/2 * d * x + 1/2 * c)^7 - 400 * B * a * \tan(1/2 * d * x + 1/2 * c)^5 - 400 * A * b * \tan(1/2 * d * x + 1/2 * c)^5 - 464 * C * b * \tan(1/2 * d * x + 1/2 * c)^5 + 120 * A * a * \tan(1/2 * d * x + 1/2 * c)^3 + 320 * B * a * \tan(1/2 * d * x + 1/2 * c)^3 + 30 * C * a * \tan(1/2 * d * x + 1/2 * c)^3 + 320 * A * b * \tan(1/2 * d * x + 1/2 * c)^3 + 30 * B * b * \tan(1/2 * d * x + 1/2 * c)^3 + 160 * C * b * \tan(1/2 * d * x + 1/2 * c)^3 - 60 * A * a * \tan(1/2 * d * x + 1/2 * c) - 120 * B * a * \tan(1/2 * d * x + 1/2 * c) - 75 * C * a * \tan(1/2 * d * x + 1/2 * c) - 120 * A * b * \tan(1/2 * d * x + 1/2 * c) - 75 * B * b * \tan(1/2 * d * x + 1/2 * c) - 120 * C * b * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1)^5 / d$$

3.862 $\int \sec^2(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=137

$$\frac{\tan(c+dx)(3aA+2aC+2bB)}{3d} + \frac{(4aB+4Ab+3bC)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{\tan(c+dx)\sec(c+dx)(4aB+4Ab+3bC)}{8d}$$

```
[Out] ((4*A*b + 4*a*B + 3*b*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((3*a*A + 2*b*B + 2
*a*C)*Tan[c + d*x])/(3*d) + ((4*A*b + 4*a*B + 3*b*C)*Sec[c + d*x]*Tan[c + d
*x])/(8*d) + ((b*B + a*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d) + (b*C*Sec[c +
d*x]^3*Tan[c + d*x])/(4*d)
```

Rubi [A] time = 0.204339, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$, Rules used = {4076, 4047, 3768, 3770, 4046, 3767, 8}

$$\frac{\tan(c+dx)(3aA+2aC+2bB)}{3d} + \frac{(4aB+4Ab+3bC)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{\tan(c+dx)\sec(c+dx)(4aB+4Ab+3bC)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]
^2), x]
```

```
[Out] ((4*A*b + 4*a*B + 3*b*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((3*a*A + 2*b*B + 2
*a*C)*Tan[c + d*x])/(3*d) + ((4*A*b + 4*a*B + 3*b*C)*Sec[c + d*x]*Tan[c + d
*x])/(8*d) + ((b*B + a*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d) + (b*C*Sec[c +
d*x]^3*Tan[c + d*x])/(4*d)
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{bC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^2(c + dx) dx \\
&= \frac{bC \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^2(c + dx) dx \\
&= \frac{(4Ab + 4aB + 3bC) \sec(c + dx) \tan(c + dx)}{8d} \\
&= \frac{(4Ab + 4aB + 3bC) \tanh^{-1}(\sin(c + dx))}{8d} \\
&= \frac{(4Ab + 4aB + 3bC) \tanh^{-1}(\sin(c + dx))}{8d}
\end{aligned}$$

Mathematica [A] time = 0.664224, size = 100, normalized size = 0.73

$$\frac{3(4aB + 4Ab + 3bC) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(8(3a(A + C) + (aC + bB) \tan^2(c + dx) + 3bB) + 3 \sec(c + dx) \right)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*(4*A*b + 4*a*B + 3*b*C)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(3*(4*A*b + 4*a*B + 3*b*C)*Sec[c + d*x] + 6*b*C*Sec[c + d*x]^3 + 8*(3*b*B + 3*a*(A + C) + (b*B + a*C)*Tan[c + d*x]^2)))/(24*d)

Maple [A] time = 0.041, size = 223, normalized size = 1.6

$$\frac{Aa \tan(dx + c)}{d} + \frac{B \sec(dx + c) a \tan(dx + c)}{2d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2aC \tan(dx + c)}{3d} + \frac{C(\sec(dx + c) + \tan(dx + c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*A*a*tan(d*x+c)+1/2/d*B*a*sec(d*x+c)*tan(d*x+c)+1/2/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+2/3*a*C*tan(d*x+c)/d+1/3*a*C*sec(d*x+c)^2*tan(d*x+c)/d+1/2/d*A*b*sec(d*x+c)*tan(d*x+c)+1/2/d*A*b*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*B*b*tan(d*x+c)+1/3/d*B*b*tan(d*x+c)*sec(d*x+c)^2+1/4*b*C*sec(d*x+c)^3*tan(d*x+c)/d+3

$$/8*b*C*\sec(d*x+c)*\tan(d*x+c)/d+3/8/d*C*b*\ln(\sec(d*x+c)+\tan(d*x+c))$$

Maxima [A] time = 1.0246, size = 294, normalized size = 2.15

$$16(\tan(dx+c)^3+3\tan(dx+c))Ca+16(\tan(dx+c)^3+3\tan(dx+c))Bb-3Cb\left(\frac{2(3\sin(dx+c)^3-5\sin(dx+c))}{\sin(dx+c)^4-2\sin(dx+c)^2+1}-3\log(\sin(dx+c)+1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*b - 3*C*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*B*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 12*A*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 48*A*a*tan(d*x + c))/d

Fricas [A] time = 0.534688, size = 400, normalized size = 2.92

$$3(4Ba+(4A+3C)b)\cos(dx+c)^4\log(\sin(dx+c)+1)-3(4Ba+(4A+3C)b)\cos(dx+c)^4\log(-\sin(dx+c)+1)$$

48 d c

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")

[Out] 1/48*(3*(4*B*a + (4*A + 3*C)*b)*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(4*B*a + (4*A + 3*C)*b)*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(8*((3*A + 2*C)*a + 2*B*b)*cos(d*x + c)^3 + 3*(4*B*a + (4*A + 3*C)*b)*cos(d*x + c)^2 + 6*C*b + 8*(C*a + B*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Integral((a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2, x)
```

Giac [B] time = 1.31941, size = 578, normalized size = 4.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] 1/24*(3*(4*B*a + 4*A*b + 3*C*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(4*B
*a + 4*A*b + 3*C*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(24*A*a*tan(1/2*
d*x + 1/2*c)^7 - 12*B*a*tan(1/2*d*x + 1/2*c)^7 + 24*C*a*tan(1/2*d*x + 1/2*c
)^7 - 12*A*b*tan(1/2*d*x + 1/2*c)^7 + 24*B*b*tan(1/2*d*x + 1/2*c)^7 - 15*C*
b*tan(1/2*d*x + 1/2*c)^7 - 72*A*a*tan(1/2*d*x + 1/2*c)^5 + 12*B*a*tan(1/2*d
*x + 1/2*c)^5 - 40*C*a*tan(1/2*d*x + 1/2*c)^5 + 12*A*b*tan(1/2*d*x + 1/2*c)
^5 - 40*B*b*tan(1/2*d*x + 1/2*c)^5 - 9*C*b*tan(1/2*d*x + 1/2*c)^5 + 72*A*a*
tan(1/2*d*x + 1/2*c)^3 + 12*B*a*tan(1/2*d*x + 1/2*c)^3 + 40*C*a*tan(1/2*d*x
 + 1/2*c)^3 + 12*A*b*tan(1/2*d*x + 1/2*c)^3 + 40*B*b*tan(1/2*d*x + 1/2*c)^3
 - 9*C*b*tan(1/2*d*x + 1/2*c)^3 - 24*A*a*tan(1/2*d*x + 1/2*c) - 12*B*a*tan(
1/2*d*x + 1/2*c) - 24*C*a*tan(1/2*d*x + 1/2*c) - 12*A*b*tan(1/2*d*x + 1/2*c
) - 24*B*b*tan(1/2*d*x + 1/2*c) - 15*C*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x
 + 1/2*c)^2 - 1)^4)/d
```

3.863 $\int \sec(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c$

Optimal. Leaf size=101

$$\frac{\tan(c + dx)(3aB + 3Ab + 2bC)}{3d} + \frac{(a(2A + C) + bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aC + bB) \tan(c + dx) \sec(c + dx)}{2d} + \frac{bC \tan(c + dx)}{3d}$$

[Out] ((b*B + a*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*d) + ((3*A*b + 3*a*B + 2*b*C)*Tan[c + d*x])/(3*d) + ((b*B + a*C)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (b*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.13822, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4076, 4047, 3767, 8, 4046, 3770}

$$\frac{\tan(c + dx)(3aB + 3Ab + 2bC)}{3d} + \frac{(a(2A + C) + bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aC + bB) \tan(c + dx) \sec(c + dx)}{2d} + \frac{bC \tan(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((b*B + a*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*d) + ((3*A*b + 3*a*B + 2*b*C)*Tan[c + d*x])/(3*d) + ((b*B + a*C)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (b*C*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) dx \\ &= \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) dx \\ &= \frac{(bB + aC) \sec(c + dx) \tan(c + dx)}{2d} + \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) dx \\ &= \frac{(bB + a(2A + C)) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx) dx \end{aligned}$$

Mathematica [A] time = 0.370176, size = 75, normalized size = 0.74

$$\frac{3(a(2A + C) + bB) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(aC + bB) \sec(c + dx) + 6aB + 6Ab + 2bC \tan^2(c + dx) + 6bC \sec^2(c + dx))}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (3*(b*B + a*(2*A + C))*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(6*A*b + 6*a*B + 6*b*C + 3*(b*B + a*C)*Sec[c + d*x] + 2*b*C*Tan[c + d*x]^2))/(6*d)

Maple [A] time = 0.038, size = 160, normalized size = 1.6

$$\frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Ba \tan(dx + c)}{d} + \frac{aC \sec(dx + c) \tan(dx + c)}{2d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a*tan(d*x+c)+1/2*a*C*sec(d*x+c)*tan(d*x+c)/d+1/2/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*b*tan(d*x+c)+1/2/d*B*b*tan(d*x+c)*sec(d*x+c)+1/2/d*B*b*ln(sec(d*x+c)+tan(d*x+c))+2/3*b*C*tan(d*x+c)/d+1/3*b*C*sec(d*x+c)^2*tan(d*x+c)/d

Maxima [A] time = 1.05017, size = 209, normalized size = 2.07

$$4 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Cb - 3 Ca \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) - 3 Bb \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/12*(4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*b - 3*C*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 3*B*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 12*A*a*log(sec(d*x + c) + tan(d*x + c)) + 12*B*a*tan(d*x + c) + 12*A*b*tan(d*x + c))/d

Fricas [A] time = 0.597705, size = 331, normalized size = 3.28

$$\frac{3((2A + C)a + Bb) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3((2A + C)a + Bb) \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2 \left(\frac{2A^2 + 2AC + C^2}{12d} \right) \cos(dx + c)^3}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/12*(3*((2*A + C)*a + B*b)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*((2*A + C)*a + B*b)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*(3*B*a + (3*A + 2*C)*b)*cos(d*x + c)^2 + 2*C*b + 3*(C*a + B*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x), x)

Giac [B] time = 1.25643, size = 352, normalized size = 3.49

$$3(2Aa + Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa + Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(6Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^5 - 3}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

```
[Out] 1/6*(3*(2*A*a + C*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*A*a +
C*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*B*a*tan(1/2*d*x + 1/2*
c)^5 - 3*C*a*tan(1/2*d*x + 1/2*c)^5 + 6*A*b*tan(1/2*d*x + 1/2*c)^5 - 3*B*b*
tan(1/2*d*x + 1/2*c)^5 + 6*C*b*tan(1/2*d*x + 1/2*c)^5 - 12*B*a*tan(1/2*d*x
+ 1/2*c)^3 - 12*A*b*tan(1/2*d*x + 1/2*c)^3 - 4*C*b*tan(1/2*d*x + 1/2*c)^3 +
6*B*a*tan(1/2*d*x + 1/2*c) + 3*C*a*tan(1/2*d*x + 1/2*c) + 6*A*b*tan(1/2*d*
x + 1/2*c) + 3*B*b*tan(1/2*d*x + 1/2*c) + 6*C*b*tan(1/2*d*x + 1/2*c))/(tan(
1/2*d*x + 1/2*c)^2 - 1)^3)/d
```


3.864 $\int (a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=69

$$\frac{(2aB + 2Ab + bC) \tanh^{-1}(\sin(c + dx))}{2d} + aAx + \frac{(aC + bB) \tan(c + dx)}{d} + \frac{bC \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] a*A*x + ((2*A*b + 2*a*B + b*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((b*B + a*C)*Tan[c + d*x])/d + (b*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.0706864, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4048, 3770, 3767, 8}

$$\frac{(2aB + 2Ab + bC) \tanh^{-1}(\sin(c + dx))}{2d} + aAx + \frac{(aC + bB) \tan(c + dx)}{d} + \frac{bC \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] a*A*x + ((2*A*b + 2*a*B + b*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((b*B + a*C)*Tan[c + d*x])/d + (b*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 4048

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,

d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int (a + b \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{bC \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (2aA + (2Ab + 2aB + bC) \sec^2(c + dx)) dx \\ &= aAx + \frac{bC \sec(c + dx) \tan(c + dx)}{2d} + (bB + aC) \int \sec^2(c + dx) dx \\ &= aAx + \frac{(2Ab + 2aB + bC) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bC \sec(c + dx) \tan(c + dx)}{2d} \\ &= aAx + \frac{(2Ab + 2aB + bC) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(bB + aC) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.021202, size = 92, normalized size = 1.33

$$aAx + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + \frac{aC \tan(c + dx)}{d} + \frac{Ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \tan(c + dx)}{d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a*A*x + (A*b*ArcTanh[Sin[c + d*x]])/d + (a*B*ArcTanh[Sin[c + d*x]])/d + (b*C*ArcTanh[Sin[c + d*x]])/(2*d) + (b*B*Tan[c + d*x])/d + (a*C*Tan[c + d*x])/d + (b*C*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Maple [A] time = 0.038, size = 117, normalized size = 1.7

$$aAx + \frac{Aac}{d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aC \tan(dx + c)}{d} + \frac{Ab \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bb \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $aAx+1/dAa+c+1/dB*a*\ln(\sec(dx+c)+\tan(dx+c))+aC*\tan(dx+c)/d+1/dA*b*\ln(\sec(dx+c)+\tan(dx+c))+1/dB*b*\tan(dx+c)+1/2*b*C*\sec(dx+c)*\tan(dx+c)/d+1/2/dC*b*\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 1.15323, size = 157, normalized size = 2.28

$$\frac{4(dx+c)Aa - Cb\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + 4Ba \log(\sec(dx+c) + \tan(dx+c)) - 4A*b*\log(\sec(dx+c) + \tan(dx+c)) + 4C*a*\tan(dx+c) + 4B*b*\tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/4*(4*(dx+c)*Aa - C*b*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 4*B*a*\log(\sec(dx+c) + \tan(dx+c)) + 4*A*b*\log(\sec(dx+c) + \tan(dx+c)) + 4*C*a*\tan(dx+c) + 4*B*b*\tan(dx+c))/d$

Fricas [A] time = 0.592188, size = 305, normalized size = 4.42

$$\frac{4Aadx \cos(dx+c)^2 + (2Ba + (2A+C)b) \cos(dx+c)^2 \log(\sin(dx+c)+1) - (2Ba + (2A+C)b) \cos(dx+c)^2 \log(-\sin(dx+c)+1) + 2*(C*b + 2*(C*a + B*b)*\cos(dx+c))*\sin(dx+c)}{4d \cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/4*(4Aa*d*x*\cos(dx+c)^2 + (2B*a + (2A+C)*b)*\cos(dx+c)^2*\log(\sin(dx+c)+1) - (2B*a + (2A+C)*b)*\cos(dx+c)^2*\log(-\sin(dx+c)+1) + 2*(C*b + 2*(C*a + B*b)*\cos(dx+c))*\sin(dx+c))/(d*\cos(dx+c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)

Giac [B] time = 1.23104, size = 230, normalized size = 3.33

$$2(dx+c)Aa + (2Ba + 2Ab + Cb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Ba + 2Ab + Cb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(2Ca}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] 1/2*(2*(d*x + c)*A*a + (2*B*a + 2*A*b + C*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*B*a + 2*A*b + C*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*C*a*tan(1/2*d*x + 1/2*c)^3 + 2*B*b*tan(1/2*d*x + 1/2*c)^3 - C*b*tan(1/2*d*x + 1/2*c)^3 - 2*C*a*tan(1/2*d*x + 1/2*c) - 2*B*b*tan(1/2*d*x + 1/2*c) - C*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2/d

3.865 $\int \cos(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=52

$$x(aB + Ab) + \frac{aA \sin(c + dx)}{d} + \frac{(aC + bB) \tanh^{-1}(\sin(c + dx))}{d} + \frac{bC \tan(c + dx)}{d}$$

[Out] (A*b + a*B)*x + ((b*B + a*C)*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (b*C*Tan[c + d*x])/d

Rubi [A] time = 0.121883, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4076, 4047, 8, 4045, 3770}

$$x(aB + Ab) + \frac{aA \sin(c + dx)}{d} + \frac{(aC + bB) \tanh^{-1}(\sin(c + dx))}{d} + \frac{bC \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (A*b + a*B)*x + ((b*B + a*C)*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d + (b*C*Tan[c + d*x])/d

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.))^m*(A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{bC \tan(c + dx)}{d} + \int \cos(c + dx)(aA + (Ab \\ &= \frac{bC \tan(c + dx)}{d} + (Ab + aB) \int 1 dx + \int \cos(c + dx) dx \\ &= (Ab + aB)x + \frac{aA \sin(c + dx)}{d} + \frac{bC \tan(c + dx)}{d} \\ &= (Ab + aB)x + \frac{(bB + aC) \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.0219333, size = 71, normalized size = 1.37

$$\frac{aA \sin(c) \cos(dx)}{d} + \frac{aA \cos(c) \sin(dx)}{d} + aBx + \frac{aC \tanh^{-1}(\sin(c + dx))}{d} + Abx + \frac{bB \tanh^{-1}(\sin(c + dx))}{d} + \frac{bC \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] A*b*x + a*B*x + (b*B*ArcTanh[Sin[c + d*x]])/d + (a*C*ArcTanh[Sin[c + d*x]])
/d + (a*A*Cos[d*x]*Sin[c])/d + (a*A*Cos[c]*Sin[d*x])/d + (b*C*Tan[c + d*x])
/d
```

Maple [A] time = 0.057, size = 88, normalized size = 1.7

$$Abx + aBx + \frac{A \sin(dx + c)a}{d} + \frac{Abc}{d} + \frac{Bb \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bac}{d} + \frac{aC \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `A*b*x+a*B*x+a*A*sin(d*x+c)/d+1/d*A*b*c+1/d*B*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a*c+1/d*a*C*ln(sec(d*x+c)+tan(d*x+c))+b*C*tan(d*x+c)/d`

Maxima [A] time = 0.985311, size = 124, normalized size = 2.38

$$\frac{2(dx+c)Ba + 2(dx+c)Ab + Ca(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + Bb(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/2*(2*(d*x+c)*B*a + 2*(d*x+c)*A*b + C*a*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) + B*b*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) + 2*A*a*sin(d*x+c) + 2*C*b*tan(d*x+c))/d`

Fricas [A] time = 0.551275, size = 265, normalized size = 5.1

$$\frac{2(Ba + Ab)dx \cos(dx + c) + (Ca + Bb) \cos(dx + c) \log(\sin(dx + c) + 1) - (Ca + Bb) \cos(dx + c) \log(-\sin(dx + c) + 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `1/2*(2*(B*a + A*b)*d*x*cos(d*x+c) + (C*a + B*b)*cos(d*x+c)*log(sin(d*x+c)+1) - (C*a + B*b)*cos(d*x+c)*log(-sin(d*x+c)+1) + 2*(A*a*cos(d*x+c) + C*b)*sin(d*x+c))/(d*cos(d*x+c))`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Integral((a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*cos(c + d*x), x)

Giac [B] time = 1.17684, size = 181, normalized size = 3.48

$$(Ba + Ab)(dx + c) + (Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (Ca + Bb) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + \frac{2\left(Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^3 - C}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] ((B*a + A*b)*(d*x + c) + (C*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (C*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - C*b*tan(1/2*d*x + 1/2*c)^3 - A*a*tan(1/2*d*x + 1/2*c) - C*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1))/d

3.866 $\int \cos^2(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=69

$$\frac{(aB + Ab) \sin(c + dx)}{d} + \frac{1}{2}x(a(A + 2C) + 2bB) + \frac{aA \sin(c + dx) \cos(c + dx)}{2d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] $((2*b*B + a*(A + 2*C))*x)/2 + (b*C*ArcTanh[\text{Sin}[c + d*x]])/d + ((A*b + a*B)*\text{Sin}[c + d*x])/d + (a*A*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d)$

Rubi [A] time = 0.15622, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {4074, 4047, 8, 4045, 3770}

$$\frac{(aB + Ab) \sin(c + dx)}{d} + \frac{1}{2}x(a(A + 2C) + 2bB) + \frac{aA \sin(c + dx) \cos(c + dx)}{2d} + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^2*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((2*b*B + a*(A + 2*C))*x)/2 + (b*C*ArcTanh[\text{Sin}[c + d*x]])/d + ((A*b + a*B)*\text{Sin}[c + d*x])/d + (a*A*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d)$

Rule 4074

$\text{Int}[(A_. + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*Csc[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n+1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{LtQ}[n, -1]$

Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{m_.} * (A_. + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> \text{Dist}[B/b, \text{Int}[(b*Csc[e + f*x])^{m+1}, x], x] + \text{Int}[(b*Csc[e + f*x])^m * (A + C*Csc[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x]$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) dx \\ &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) dx \\ &= \frac{1}{2}(2bB + a(A + 2C))x + \frac{(Ab + aB) \sin(c + dx)}{d} \\ &= \frac{1}{2}(2bB + a(A + 2C))x + \frac{bC \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.122287, size = 68, normalized size = 0.99

$$\frac{4(aB + Ab) \sin(c + dx) + aA \sin(2(c + dx)) + 2aAc + 2aAdx + 4aCdx + 4bBdx + 4bC \tanh^{-1}(\sin(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*A*c + 2*a*A*d*x + 4*b*B*d*x + 4*a*C*d*x + 4*b*C*ArcTanh[Sin[c + d*x]] + 4*(A*b + a*B)*Sin[c + d*x] + a*A*Sin[2*(c + d*x)])/(4*d)

Maple [A] time = 0.064, size = 100, normalized size = 1.5

$$\frac{Aa \cos(dx+c) \sin(dx+c)}{2d} + \frac{aAx}{2} + \frac{Aac}{2d} + \frac{Ba \sin(dx+c)}{d} + aCx + \frac{Cac}{d} + \frac{Ab \sin(dx+c)}{d} + Bbx + \frac{Bbc}{d} + \frac{Cb \ln(\sec(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `1/2*a*A*cos(d*x+c)*sin(d*x+c)/d+1/2*a*A*x+1/2/d*A*a*c+a*B*sin(d*x+c)/d+a*C*x+1/d*C*a*c+A*b*sin(d*x+c)/d+B*b*x+1/d*B*b*c+1/d*C*b*ln(sec(d*x+c)+tan(d*x+c))`

Maxima [A] time = 1.03043, size = 120, normalized size = 1.74

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa + 4(dx + c)Ca + 4(dx + c)Bb + 2Cb(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4Aa \cos(dx + c) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")`

[Out] `1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a + 4*(d*x + c)*C*a + 4*(d*x + c)*B*b + 2*C*b*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a*sin(d*x + c) + 4*A*b*sin(d*x + c))/d`

Fricas [A] time = 0.541492, size = 192, normalized size = 2.78

$$\frac{((A + 2C)a + 2Bb)dx + Cb \log(\sin(dx + c) + 1) - Cb \log(-\sin(dx + c) + 1) + (Aa \cos(dx + c) + 2Ba + 2Ab) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="fricas")`

[Out] `1/2*(((A + 2*C)*a + 2*B*b)*d*x + C*b*log(sin(d*x + c) + 1) - C*b*log(-sin(d*x + c) + 1) + (A*a*cos(d*x + c) + 2*B*a + 2*A*b)*sin(d*x + c))/d`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.19254, size = 215, normalized size = 3.12

$$2Cb \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2Cb \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (Aa + 2Ca + 2Bb)(dx + c) - \frac{2\left(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3 - 2Ba}{2d}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] 1/2*(2*C*b*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 2*C*b*log(abs(tan(1/2*d*x + 1/2*c) - 1))) + (A*a + 2*C*a + 2*B*b)*(d*x + c) - 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c)^3 - 2*A*b*tan(1/2*d*x + 1/2*c)^3 - A*a*tan(1/2*d*x + 1/2*c) - 2*B*a*tan(1/2*d*x + 1/2*c) - 2*A*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d

3.867 $\int \cos^3(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=92

$$\frac{\sin(c+dx)(2aA+3aC+3bB)}{3d} + \frac{(aB+Ab)\sin(c+dx)\cos(c+dx)}{2d} + \frac{1}{2}x(aB+Ab+2bC) + \frac{aA\sin(c+dx)\cos^2(c+dx)}{3d}$$

[Out] $((A*b + a*B + 2*b*C)*x)/2 + ((2*a*A + 3*b*B + 3*a*C)*\text{Sin}[c + d*x])/(3*d) + ((A*b + a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a*A*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rubi [A] time = 0.179562, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {4074, 4047, 2637, 4045, 8}

$$\frac{\sin(c+dx)(2aA+3aC+3bB)}{3d} + \frac{(aB+Ab)\sin(c+dx)\cos(c+dx)}{2d} + \frac{1}{2}x(aB+Ab+2bC) + \frac{aA\sin(c+dx)\cos^2(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((A*b + a*B + 2*b*C)*x)/2 + ((2*a*A + 3*b*B + 3*a*C)*\text{Sin}[c + d*x])/(3*d) + ((A*b + a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a*A*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rule 4074

$\text{Int}[(A_. + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*Csc[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n+1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{m_.} * ((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*Csc[e + f*x])^{m+1}, x], x] + \text{Int}[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),$

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) dx \\ &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) dx \\ &= \frac{(2aA + 3bB + 3aC) \sin(c + dx)}{3d} + \frac{(Ab + aB + 2bC)x}{3d} \\ &= \frac{1}{2}(Ab + aB + 2bC)x + \frac{(2aA + 3bB + 3aC)}{3d} \end{aligned}$$

Mathematica [A] time = 0.183066, size = 85, normalized size = 0.92

$$\frac{3 \sin(c + dx)(3aA + 4aC + 4bB) + 3(aB + Ab) \sin(2(c + dx)) + aA \sin(3(c + dx)) + 6aBc + 6aBdx + 6Abc + 6Abdx + 12a^2c}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (6*A*b*c + 6*a*B*c + 6*A*b*d*x + 6*a*B*d*x + 12*b*C*d*x + 3*(3*a*A + 4*b*B + 4*a*C)*Sin[c + d*x] + 3*(A*b + a*B)*Sin[2*(c + d*x)] + a*A*Sin[3*(c + d*x)]

)])/(12*d)

Maple [A] time = 0.061, size = 102, normalized size = 1.1

$$\frac{1}{d} \left(\frac{Aa (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + Ab \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Ba \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 1/d*(1/3*A*a*(2+cos(d*x+c)^2)*sin(d*x+c)+A*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*b*sin(d*x+c)+a*C*sin(d*x+c)+C*b*(d*x+c))

Maxima [A] time = 1.0218, size = 132, normalized size = 1.43

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Aa - 3(2dx + 2c + \sin(2dx + 2c))Ba - 3(2dx + 2c + \sin(2dx + 2c))Ab - 12(dx + c)C^2}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] -1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*b - 12*(d*x + c)*C*b - 12*C*a*sin(d*x + c) - 12*B*b*sin(d*x + c))/d

Fricas [A] time = 0.509012, size = 173, normalized size = 1.88

$$\frac{3(Ba + (A + 2C)b)dx + (2Aa \cos(dx + c)^2 + 2(2A + 3C)a + 6Bb + 3(Ba + Ab) \cos(dx + c)) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="fricas")

[Out] $\frac{1}{6}*(3*(B*a + (A + 2*C)*b)*d*x + (2*A*a*\cos(d*x + c)^2 + 2*(2*A + 3*C)*a + 6*B*b + 3*(B*a + A*b)*\cos(d*x + c))*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x
)

[Out] Timed out

Giac [B] time = 1.17735, size = 306, normalized size = 3.33

$3(Ba + Ab + 2Cb)(dx + c) + \frac{2\left(6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4Aa\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out] $\frac{1}{6}*(3*(B*a + A*b + 2*C*b)*(d*x + c) + 2*(6*A*a*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a*\tan(1/2*d*x + 1/2*c)^5 - 3*A*b*\tan(1/2*d*x + 1/2*c)^5 + 6*B*b*\tan(1/2*d*x + 1/2*c)^5 + 4*A*a*\tan(1/2*d*x + 1/2*c)^3 + 12*C*a*\tan(1/2*d*x + 1/2*c)^3 + 12*B*b*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a*\tan(1/2*d*x + 1/2*c) + 3*B*a*\tan(1/2*d*x + 1/2*c) + 6*C*a*\tan(1/2*d*x + 1/2*c) + 3*A*b*\tan(1/2*d*x + 1/2*c) + 6*B*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d$

3.868 $\int \cos^4(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=116

$$\frac{\sin(c+dx)(aB+Ab+bC)}{d} + \frac{\sin(c+dx)\cos(c+dx)(3aA+4aC+4bB)}{8d} - \frac{(aB+Ab)\sin^3(c+dx)}{3d} + \frac{1}{8}x(3aA+4aC+$$

[Out] $((3*a*A + 4*b*B + 4*a*C)*x)/8 + ((A*b + a*B + b*C)*\text{Sin}[c + d*x])/d + ((3*a*A + 4*b*B + 4*a*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*A*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - ((A*b + a*B)*\text{Sin}[c + d*x]^3)/(3*d)$

Rubi [A] time = 0.214684, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4074, 4047, 2635, 8, 4044, 3013}

$$\frac{\sin(c+dx)(aB+Ab+bC)}{d} + \frac{\sin(c+dx)\cos(c+dx)(3aA+4aC+4bB)}{8d} - \frac{(aB+Ab)\sin^3(c+dx)}{3d} + \frac{1}{8}x(3aA+4aC+$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^4*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((3*a*A + 4*b*B + 4*a*C)*x)/8 + ((A*b + a*B + b*C)*\text{Sin}[c + d*x])/d + ((3*a*A + 4*b*B + 4*a*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*A*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - ((A*b + a*B)*\text{Sin}[c + d*x]^3)/(3*d)$

Rule 4074

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x]^2*(C + \text{csc}[e + f*x]*(d + \text{csc}[e + f*x]^n*(b + a*\text{Cot}[e + f*x])^n)))]$, x_Symbol] \rightarrow $\text{Simp}[(A*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n+1))*\text{Csc}[e + f*x] + b*C*n*\text{Csc}[e + f*x]^2, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

$\text{Int}[(\text{csc}[e + f*x]*(b + \text{csc}[e + f*x]^m*(A + \text{csc}[e + f*x]*(B + \text{csc}[e + f*x]^2*(C + \text{csc}[e + f*x]*(d + \text{csc}[e + f*x]^n*(b + a*\text{Cot}[e + f*x])^n)))))]$, x_Symbol] \rightarrow $\text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{m+1}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2),$

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4044

Int[csc[(e_.) + (f_.)*(x_)]^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] := Int[(C + A*Sin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]

Rule 3013

Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2), x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^4(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) dx \\
 &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) dx \\
 &= \frac{(3aA + 4bB + 4aC) \cos(c + dx) \sin(c + dx)}{8d} \\
 &= \frac{1}{8}(3aA + 4bB + 4aC)x + \frac{(3aA + 4bB + 4aC) \cos(c + dx) \sin(c + dx)}{8d} \\
 &= \frac{1}{8}(3aA + 4bB + 4aC)x + \frac{(Ab + aB + bC) \cos(c + dx) \sin(c + dx)}{d}
 \end{aligned}$$

Mathematica [A] time = 0.315989, size = 117, normalized size = 1.01

$$\frac{24 \sin(c + dx)(3aB + 3Ab + 4bC) + 24 \sin(2(c + dx))(a(A + C) + bB) + 3aA \sin(4(c + dx)) + 36aAc + 36aAdx + 8aB \sin^2(c + dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (36*a*A*c + 48*b*B*c + 48*a*c*C + 36*a*A*d*x + 48*b*B*d*x + 48*a*C*d*x + 24*(3*A*b + 3*a*B + 4*b*C)*Sin[c + d*x] + 24*(b*B + a*(A + C))*Sin[2*(c + d*x)] + 8*A*b*Ssin[3*(c + d*x)] + 8*a*B*Ssin[3*(c + d*x)] + 3*a*A*Ssin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.073, size = 141, normalized size = 1.2

$$\frac{1}{d} \left(Aa \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ab(2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + \frac{Ba(2 + \dots)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(A*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*b*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*B*a*(2+cos(d*x+c)^2)*sin(d*x+c)+B*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+C*sin(d*x+c)*b)

Maxima [A] time = 1.03443, size = 178, normalized size = 1.53

$$\frac{3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Aa - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ba + 24(2dx + 2c + \sin(2dx + 2c))C}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*b + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*b + 96*C*b*sin(d*x + c))/d

Fricas [A] time = 0.518022, size = 239, normalized size = 2.06

$$\frac{3((3A + 4C)a + 4Bb)dx + (6Aa \cos(dx + c)^3 + 8(Ba + Ab) \cos(dx + c)^2 + 16Ba + 8(2A + 3C)b + 3((3A + 4C)a + 4Bb) \cos(dx + c)) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/24*(3*((3*A + 4*C)*a + 4*B*b)*d*x + (6*A*a*cos(d*x + c)^3 + 8*(B*a + A*b)*cos(d*x + c)^2 + 16*B*a + 8*(2*A + 3*C)*b + 3*((3*A + 4*C)*a + 4*B*b)*cos(d*x + c))*sin(d*x + c)/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.16558, size = 529, normalized size = 4.56

$$3(3Aa + 4Ca + 4Bb)(dx + c) - \frac{2 \left(15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ca \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 \right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

```
[Out] 1/24*(3*(3*A*a + 4*C*a + 4*B*b)*(d*x + c) - 2*(15*A*a*tan(1/2*d*x + 1/2*c)^7 - 24*B*a*tan(1/2*d*x + 1/2*c)^7 + 12*C*a*tan(1/2*d*x + 1/2*c)^7 - 24*A*b*tan(1/2*d*x + 1/2*c)^7 + 12*B*b*tan(1/2*d*x + 1/2*c)^7 - 24*C*b*tan(1/2*d*x + 1/2*c)^7 - 9*A*a*tan(1/2*d*x + 1/2*c)^5 - 40*B*a*tan(1/2*d*x + 1/2*c)^5 + 12*C*a*tan(1/2*d*x + 1/2*c)^5 - 40*A*b*tan(1/2*d*x + 1/2*c)^5 + 12*B*b*tan(1/2*d*x + 1/2*c)^5 - 72*C*b*tan(1/2*d*x + 1/2*c)^5 + 9*A*a*tan(1/2*d*x + 1/2*c)^3 - 40*B*a*tan(1/2*d*x + 1/2*c)^3 - 12*C*a*tan(1/2*d*x + 1/2*c)^3 - 40*A*b*tan(1/2*d*x + 1/2*c)^3 - 12*B*b*tan(1/2*d*x + 1/2*c)^3 - 72*C*b*tan(1/2*d*x + 1/2*c)^3 - 15*A*a*tan(1/2*d*x + 1/2*c) - 24*B*a*tan(1/2*d*x + 1/2*c) - 12*C*a*tan(1/2*d*x + 1/2*c) - 24*A*b*tan(1/2*d*x + 1/2*c) - 12*B*b*tan(1/2*d*x + 1/2*c) - 24*C*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4)/d
```

3.869 $\int \cos^5(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=156

$$-\frac{\sin^3(c+dx)(4aA+5aC+5bB)}{15d} + \frac{\sin(c+dx)(4aA+5aC+5bB)}{5d} + \frac{\sin(c+dx)\cos(c+dx)(3aB+3Ab+4bC)}{8d} + \frac{aB}{d}$$

[Out] $((3A*b + 3a*B + 4*b*C)*x)/8 + ((4*a*A + 5*b*B + 5*a*C)*\text{Sin}[c + d*x])/(5*d) + ((3A*b + 3a*B + 4*b*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + ((A*b + a*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) + (a*A*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(5*d) - ((4*a*A + 5*b*B + 5*a*C)*\text{Sin}[c + d*x]^3)/(15*d)$

Rubi [A] time = 0.234685, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4074, 4047, 2633, 4045, 2635, 8}

$$-\frac{\sin^3(c+dx)(4aA+5aC+5bB)}{15d} + \frac{\sin(c+dx)(4aA+5aC+5bB)}{5d} + \frac{\sin(c+dx)\cos(c+dx)(3aB+3Ab+4bC)}{8d} + \frac{aB}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^5*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((3A*b + 3a*B + 4*b*C)*x)/8 + ((4*a*A + 5*b*B + 5*a*C)*\text{Sin}[c + d*x])/(5*d) + ((3A*b + 3a*B + 4*b*C)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + ((A*b + a*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) + (a*A*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(5*d) - ((4*a*A + 5*b*B + 5*a*C)*\text{Sin}[c + d*x]^3)/(15*d)$

Rule 4074

$\text{Int}[(A + \csc[e + f*x] + (f*x)*B + \csc[e + f*x]^2*(C + (C + \csc[e + f*x]*(d*n))^(n+1)))]*(\csc[e + f*x] + (f*x)*B + (A + \csc[e + f*x]^2*(C + (C + \csc[e + f*x]*(d*n))^(n+1))))$, x_Symbol] \rightarrow $\text{Simp}[A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n]/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n+1))*\text{Csc}[e + f*x] + b*C*n*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{LtQ}[n, -1]$

Rule 4047

$\text{Int}[(\csc[e + f*x] + (f*x)*B)^m*(A + \csc[e + f*x] + (f*x)*B + \csc[e + f*x]^2*(C))$, x_Symbol] $\rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}$

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] := -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{((n - 1)/2)}, x], x], x, \text{Cos}[c + d*x]], x] /; \text{FreeQ}[\{c, d\}, x] \&\& \text{IGtQ}[(n - 1)/2, 0]$

Rule 4045

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 2)}, x], x] /; \text{FreeQ}[\{b, e, f, A, C\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{LeQ}[m, -1]$

Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n - 1)})/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 8

$\text{Int}[a_, x_Symbol] := \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \cos^5(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (Ab + aB + C \sec^2(c + dx)) dx \\ &= \frac{(Ab + aB) \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} \\ &= \frac{(4aA + 5bB + 5aC) \sin(c + dx)}{5d} + \frac{(3Ab + 3aB + 5aC) \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{1}{8}(3Ab + 3aB + 4bC)x + \frac{(4aA + 5bB + 5aC) \sin(c + dx)}{5d} + \frac{(3Ab + 3aB + 5aC) \cos^3(c + dx) \sin(c + dx)}{4d} \end{aligned}$$

Mathematica [A] time = 0.456157, size = 117, normalized size = 0.75

$$\frac{-160 \sin^3(c + dx)(a(2A + C) + bB) + 480 \sin(c + dx)(a(A + C) + bB) + 15(4(c + dx)(3aB + 3Ab + 4bC) + 8 \sin(2(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (480*(b*B + a*(A + C))*Sin[c + d*x] - 160*(b*B + a*(2*A + C))*Sin[c + d*x]^3 + 96*a*A*SIN[c + d*x]^5 + 15*(4*(3*A*b + 3*a*B + 4*b*C)*(c + d*x) + 8*(A*b + a*B + b*C)*Sin[2*(c + d*x)] + (A*b + a*B)*Sin[4*(c + d*x)])/(480*d)

Maple [A] time = 0.073, size = 173, normalized size = 1.1

$$\frac{1}{d} \left(\frac{A \sin(dx + c) a}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4 (\cos(dx + c))^2}{3} \right) + Ab \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 d}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*(1/5*A*a*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+A*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+B*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*B*b*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a*C*(2+cos(d*x+c)^2)*sin(d*x+c)+C*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

Maxima [A] time = 1.03971, size = 224, normalized size = 1.44

$$\frac{32 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Aa + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) Ba - 1}{480d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $\frac{1}{480} \cdot (32 \cdot (3 \cdot \sin(dx + c))^5 - 10 \cdot \sin(dx + c)^3 + 15 \cdot \sin(dx + c)) \cdot A \cdot a + 15 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot B \cdot a - 160 \cdot (\sin(dx + c))^3 - 3 \cdot \sin(dx + c) \cdot C \cdot a + 15 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot A \cdot b - 160 \cdot (\sin(dx + c))^3 - 3 \cdot \sin(dx + c) \cdot B \cdot b + 120 \cdot (2 \cdot dx + 2 \cdot c + \sin(2 \cdot dx + 2 \cdot c)) \cdot C \cdot b) / d$

Fricas [A] time = 0.526962, size = 305, normalized size = 1.96

$$\frac{15(3Ba + (3A + 4C)b)dx + (24Aa \cos(dx + c)^4 + 30(Ba + Ab) \cos(dx + c)^3 + 8((4A + 5C)a + 5Bb) \cos(dx + c)^2 - 160 \sin(dx + c)^3 - 3 \sin(dx + c)(Ca + Cb))}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^5*(a+b*sec(dx+c))*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{120} \cdot (15 \cdot (3 \cdot B \cdot a + (3 \cdot A + 4 \cdot C) \cdot b) \cdot dx + (24 \cdot A \cdot a \cdot \cos(dx + c)^4 + 30 \cdot (B \cdot a + A \cdot b) \cdot \cos(dx + c)^3 + 8 \cdot ((4 \cdot A + 5 \cdot C) \cdot a + 5 \cdot B \cdot b) \cdot \cos(dx + c)^2 + 16 \cdot (4 \cdot A + 5 \cdot C) \cdot a + 80 \cdot B \cdot b + 15 \cdot (3 \cdot B \cdot a + (3 \cdot A + 4 \cdot C) \cdot b) \cdot \cos(dx + c)) \cdot \sin(dx + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**5*(a+b*sec(dx+c))*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)`

[Out] Timed out

Giac [B] time = 1.14913, size = 590, normalized size = 3.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] 1/120*(15*(3*B*a + 3*A*b + 4*C*b)*(d*x + c) + 2*(120*A*a*tan(1/2*d*x + 1/2*
c)^9 - 75*B*a*tan(1/2*d*x + 1/2*c)^9 + 120*C*a*tan(1/2*d*x + 1/2*c)^9 - 75*
A*b*tan(1/2*d*x + 1/2*c)^9 + 120*B*b*tan(1/2*d*x + 1/2*c)^9 - 60*C*b*tan(1/
2*d*x + 1/2*c)^9 + 160*A*a*tan(1/2*d*x + 1/2*c)^7 - 30*B*a*tan(1/2*d*x + 1/
2*c)^7 + 320*C*a*tan(1/2*d*x + 1/2*c)^7 - 30*A*b*tan(1/2*d*x + 1/2*c)^7 + 3
20*B*b*tan(1/2*d*x + 1/2*c)^7 - 120*C*b*tan(1/2*d*x + 1/2*c)^7 + 464*A*a*ta
n(1/2*d*x + 1/2*c)^5 + 400*C*a*tan(1/2*d*x + 1/2*c)^5 + 400*B*b*tan(1/2*d*x
+ 1/2*c)^5 + 160*A*a*tan(1/2*d*x + 1/2*c)^3 + 30*B*a*tan(1/2*d*x + 1/2*c)^
3 + 320*C*a*tan(1/2*d*x + 1/2*c)^3 + 30*A*b*tan(1/2*d*x + 1/2*c)^3 + 320*B*
b*tan(1/2*d*x + 1/2*c)^3 + 120*C*b*tan(1/2*d*x + 1/2*c)^3 + 120*A*a*tan(1/2
*d*x + 1/2*c) + 75*B*a*tan(1/2*d*x + 1/2*c) + 120*C*a*tan(1/2*d*x + 1/2*c)
+ 75*A*b*tan(1/2*d*x + 1/2*c) + 120*B*b*tan(1/2*d*x + 1/2*c) + 60*C*b*tan(1
/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5)/d
```

3.870 $\int \sec^2(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=233

$$\frac{\tan(c+dx) \left(5a^2(3A+2C) + 20abB + 2b^2(5A+4C)\right)}{15d} + \frac{\left(4a^2B + 8aAb + 6abC + 3b^2B\right) \tanh^{-1}(\sin(c+dx))}{8d} + \frac{\tan(c+dx)}{d}$$

[Out] $((8*a*A*b + 4*a^2*B + 3*b^2*B + 6*a*b*C)*ArcTanh[Sin[c + d*x]])/(8*d) + ((20*a*b*B + 5*a^2*(3*A + 2*C) + 2*b^2*(5*A + 4*C))*Tan[c + d*x])/(15*d) + ((8*a*A*b + 4*a^2*B + 3*b^2*B + 6*a*b*C)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + ((5*A*b^2 + 10*a*b*B + 2*a^2*C + 4*b^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d) + (b*(5*b*B + 2*a*C)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (C*Sec[c + d*x]^2*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(5*d)$

Rubi [A] time = 0.59159, antiderivative size = 281, normalized size of antiderivative = 1.21, number of steps used = 8, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4092, 4082, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{\tan(c+dx) \left(-4a^2b^2(5A+3C) + 5a^3bB - 2a^4C - 40ab^3B - 4b^4(5A+4C)\right)}{30b^2d} + \frac{\left(4a^2B + 8aAb + 6abC + 3b^2B\right) \tanh^{-1}(\sin(c+dx))}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $((8*a*A*b + 4*a^2*B + 3*b^2*B + 6*a*b*C)*ArcTanh[Sin[c + d*x]])/(8*d) - ((5*a^3*b*B - 40*a*b^3*B - 2*a^4*C - 4*a^2*b^2*(5*A + 3*C) - 4*b^4*(5*A + 4*C))*Tan[c + d*x])/(30*b^2*d) - ((10*a^2*b*B - 45*b^3*B - 4*a^3*C - 2*a*b^2*(20*A + 13*C))*Sec[c + d*x]*Tan[c + d*x])/(120*b*d) + ((20*A*b^2 - 5*a*b*B + 2*a^2*C + 16*b^2*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*b^2*d) + ((5*b*B - 2*a*C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*b^2*d) + (C*Sec[c + d*x]^2*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(5*b*d)$

Rule 4092

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m], x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N

$eQ[a^2 - b^2, 0] \&\& !LtQ[m, -1]$

Rule 4082

$\text{Int}[\text{csc}[(e_.) + (f_.)(x_)]*((A_.) + \text{csc}[(e_.) + (f_.)(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)(x_)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !LtQ[m, -1]$

Rule 4002

$\text{Int}[\text{csc}[(e_.) + (f_.)(x_)]*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, A, B, e, f\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& !LeQ[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)(x_)]*(b_.) + (a_.)), x_Symbol] \text{ :> } \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_)]^{(n_.)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c,$

d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C \sec(c + dx)(a + b \sec(c + dx))^3 \tan(c + dx)}{5bd} \\
 &= \frac{(5bB - 2aC)(a + b \sec(c + dx))^3 \tan(c + dx)}{20b^2d} \\
 &= \frac{(20Ab^2 - 5abB + 2a^2C + 16b^2C)(a + b \sec(c + dx))^2 \tan(c + dx)}{60b^2d} \\
 &= -\frac{(10a^2bB - 45b^3B - 4a^3C - 2ab^2(20A + B)) \tan(c + dx)}{120bd} \\
 &= -\frac{(10a^2bB - 45b^3B - 4a^3C - 2ab^2(20A + B)) \tanh^{-1}(\sec(c + dx))}{120bd} \\
 &= \frac{(8aAb + 4a^2B + 3b^2B + 6abC) \tanh^{-1}(\sec(c + dx))}{8d} \\
 &= \frac{(8aAb + 4a^2B + 3b^2B + 6abC) \tanh^{-1}(\sec(c + dx))}{8d}
 \end{aligned}$$

Mathematica [A] time = 2.1341, size = 371, normalized size = 1.59

$$\sec^5(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(2 \sin(c + dx) (15 \cos(c + dx) (12a^2B + 24aAb + 34abC + 17b^2B) + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] ((C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[c + d*x]^5*(-120*(8*a*A*b + 4*a^2*B + 3*b^2*B + 6*a*b*C)*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 2*(180*a^2*A + 200*A*b^2 + 400*a*b*B + 200*a^2*C + 256*b^2*C + 15*(24*a*A*b + 12*a^2*B + 17*b^2*B + 34*a*b*C)*Cos[c + d*x] + 48*(10*a*b*B + 5*a^2*(A + C) + b^2*(5*A + 4*C))*Cos[2*(c + d*x)] + 120*a*A*b*Cos[3*(c + d*x)] + 60*a^2*B*Cos[3*(c + d*x))

] + 45*b^2*B*Cos[3*(c + d*x)] + 90*a*b*C*Cos[3*(c + d*x)] + 60*a^2*A*Cos[4*(c + d*x)] + 40*A*b^2*Cos[4*(c + d*x)] + 80*a*b*B*Cos[4*(c + d*x)] + 40*a^2*C*Cos[4*(c + d*x)] + 32*b^2*C*Cos[4*(c + d*x)]*Sin[c + d*x]))/(480*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.05, size = 404, normalized size = 1.7

$$\frac{a^2 A \tan(dx + c)}{d} + \frac{Ba^2 \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2a^2 C \tan(dx + c)}{3d} + \frac{a^2 C \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*a^2*A*tan(d*x+c)+1/2/d*B*a^2*sec(d*x+c)*tan(d*x+c)+1/2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*a^2*C*tan(d*x+c)+1/3/d*a^2*C*tan(d*x+c)*sec(d*x+c)^2+1/d*A*a*b*sec(d*x+c)*tan(d*x+c)+1/d*A*a*b*ln(sec(d*x+c)+tan(d*x+c))+4/3/d*B*a*b*tan(d*x+c)+2/3/d*B*a*b*tan(d*x+c)*sec(d*x+c)^2+1/2/d*a*b*C*tan(d*x+c)*sec(d*x+c)^3+3/4*a*b*C*sec(d*x+c)*tan(d*x+c)/d+3/4/d*a*b*C*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*A*b^2*tan(d*x+c)+1/3/d*A*b^2*tan(d*x+c)*sec(d*x+c)^2+1/4/d*B*b^2*tan(d*x+c)*sec(d*x+c)^3+3/8/d*B*b^2*sec(d*x+c)*tan(d*x+c)+3/8/d*B*b^2*ln(sec(d*x+c)+tan(d*x+c))+8/15*b^2*C*tan(d*x+c)/d+1/5/d*b^2*C*tan(d*x+c)*sec(d*x+c)^4+4/15/d*b^2*C*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 1.06861, size = 482, normalized size = 2.07

$$80(\tan(dx + c)^3 + 3 \tan(dx + c))Ca^2 + 160(\tan(dx + c)^3 + 3 \tan(dx + c))Bab + 80(\tan(dx + c)^3 + 3 \tan(dx + c))A$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/240*(80*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^2 + 160*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a*b + 80*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*b^2 + 16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*b^2 - 30*C*a*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c)))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 15*B*b^2*(2*(3*sin(d*x + c)^3 + 3*tan(d*x + c))

$$\frac{x + c)^3 - 5\sin(dx + c)}{(\sin(dx + c))^4 - 2\sin(dx + c)^2 + 1} - 3\log(\sin(dx + c) + 1) + 3\log(\sin(dx + c) - 1) - 60Ba^2(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 120Aa^2(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 240Aa^2\tan(dx + c))/d$$

Fricas [A] time = 0.560782, size = 598, normalized size = 2.57

$$15(4Ba^2 + 2(4A + 3C)ab + 3Bb^2)\cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(4Ba^2 + 2(4A + 3C)ab + 3Bb^2)\cos(dx + c)^5 \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))^2*(A+B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="fricas")
```

```
[Out] 1/240*(15*(4*B*a^2 + 2*(4*A + 3*C)*a*b + 3*B*b^2)*cos(dx + c)^5*log(sin(dx + c) + 1) - 15*(4*B*a^2 + 2*(4*A + 3*C)*a*b + 3*B*b^2)*cos(dx + c)^5*log(-sin(dx + c) + 1) + 2*(8*(5*(3*A + 2*C)*a^2 + 20*B*a*b + 2*(5*A + 4*C)*b^2)*cos(dx + c)^4 + 15*(4*B*a^2 + 2*(4*A + 3*C)*a*b + 3*B*b^2)*cos(dx + c)^3 + 24*C*b^2 + 8*(5*C*a^2 + 10*B*a*b + (5*A + 4*C)*b^2)*cos(dx + c)^2 + 30*(2*C*a*b + B*b^2)*cos(dx + c))*sin(dx + c))/(d*cos(dx + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(dx+c)**2*(a+b*sec(dx+c))**2*(A+B*sec(dx+c)+C*sec(dx+c)**2), x)
```

```
[Out] Integral((a + b*sec(c + dx))**2*(A + B*sec(c + dx) + C*sec(c + dx)**2)*sec(c + dx)**2, x)
```

Giac [B] time = 1.25892, size = 1034, normalized size = 4.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/120*(15*(4*B*a^2 + 8*A*a*b + 6*C*a*b + 3*B*b^2)*log(abs(tan(1/2*d*x + 1/2
*c) + 1)) - 15*(4*B*a^2 + 8*A*a*b + 6*C*a*b + 3*B*b^2)*log(abs(tan(1/2*d*x
+ 1/2*c) - 1)) - 2*(120*A*a^2*tan(1/2*d*x + 1/2*c)^9 - 60*B*a^2*tan(1/2*d*x
+ 1/2*c)^9 + 120*C*a^2*tan(1/2*d*x + 1/2*c)^9 - 120*A*a*b*tan(1/2*d*x + 1/
2*c)^9 + 240*B*a*b*tan(1/2*d*x + 1/2*c)^9 - 150*C*a*b*tan(1/2*d*x + 1/2*c)^
9 + 120*A*b^2*tan(1/2*d*x + 1/2*c)^9 - 75*B*b^2*tan(1/2*d*x + 1/2*c)^9 + 12
0*C*b^2*tan(1/2*d*x + 1/2*c)^9 - 480*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 120*B*a
^2*tan(1/2*d*x + 1/2*c)^7 - 320*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 240*A*a*b*tan
(1/2*d*x + 1/2*c)^7 - 640*B*a*b*tan(1/2*d*x + 1/2*c)^7 + 60*C*a*b*tan(1/2*
d*x + 1/2*c)^7 - 320*A*b^2*tan(1/2*d*x + 1/2*c)^7 + 30*B*b^2*tan(1/2*d*x +
1/2*c)^7 - 160*C*b^2*tan(1/2*d*x + 1/2*c)^7 + 720*A*a^2*tan(1/2*d*x + 1/2*c
)^5 + 400*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 800*B*a*b*tan(1/2*d*x + 1/2*c)^5 +
400*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 464*C*b^2*tan(1/2*d*x + 1/2*c)^5 - 480*
A*a^2*tan(1/2*d*x + 1/2*c)^3 - 120*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 320*C*a^2
*tan(1/2*d*x + 1/2*c)^3 - 240*A*a*b*tan(1/2*d*x + 1/2*c)^3 - 640*B*a*b*tan(
1/2*d*x + 1/2*c)^3 - 60*C*a*b*tan(1/2*d*x + 1/2*c)^3 - 320*A*b^2*tan(1/2*d*
x + 1/2*c)^3 - 30*B*b^2*tan(1/2*d*x + 1/2*c)^3 - 160*C*b^2*tan(1/2*d*x + 1/
2*c)^3 + 120*A*a^2*tan(1/2*d*x + 1/2*c) + 60*B*a^2*tan(1/2*d*x + 1/2*c) + 1
20*C*a^2*tan(1/2*d*x + 1/2*c) + 120*A*a*b*tan(1/2*d*x + 1/2*c) + 240*B*a*b*
tan(1/2*d*x + 1/2*c) + 150*C*a*b*tan(1/2*d*x + 1/2*c) + 120*A*b^2*tan(1/2*d
*x + 1/2*c) + 75*B*b^2*tan(1/2*d*x + 1/2*c) + 120*C*b^2*tan(1/2*d*x + 1/2*c
))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5/d
```


3.871 $\int \sec(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=200

$$\frac{\tan(c+dx)(4a^2bB + a^3(-C) + 4ab^2(3A+2C) + 4b^3B)}{6bd} + \frac{(4a^2(2A+C) + 8abB + b^2(4A+3C)) \tanh^{-1}(\sin(c+dx))}{8d}$$

```
[Out] ((8*a*b*B + 4*a^2*(2*A + C) + b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((4*a^2*b*B + 4*b^3*B - a^3*C + 4*a*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*b*
d) + ((12*A*b^2 + 8*a*b*B - 2*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(
24*d) + ((4*b*B - a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*b*d) + (C*(
a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*b*d)
```

Rubi [A] time = 0.348008, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$, Rules used = {4082, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{\tan(c+dx)(4a^2bB + a^3(-C) + 4ab^2(3A+2C) + 4b^3B)}{6bd} + \frac{(4a^2(2A+C) + 8abB + b^2(4A+3C)) \tanh^{-1}(\sin(c+dx))}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]
]^2), x]
```

```
[Out] ((8*a*b*B + 4*a^2*(2*A + C) + b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((4*a^2*b*B + 4*b^3*B - a^3*C + 4*a*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*b*
d) + ((12*A*b^2 + 8*a*b*B - 2*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(
24*d) + ((4*b*B - a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*b*d) + (C*(
a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*b*d)
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C(a+b\sec(c+dx))^3 \tan(c+dx)}{4bd} + \int \sec(c+dx) \\
&= \frac{(4bB-aC)(a+b\sec(c+dx))^2 \tan(c+dx)}{12bd} \\
&= \frac{(12Ab^2+8abB-2a^2C+9b^2C)\sec(c+dx)}{24d} \\
&= \frac{(12Ab^2+8abB-2a^2C+9b^2C)\sec(c+dx)}{24d} \\
&= \frac{(8abB+4a^2(2A+C)+b^2(4A+3C))\tan(c+dx)}{8d} \\
&= \frac{(8abB+4a^2(2A+C)+b^2(4A+3C))\tan(c+dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 1.55599, size = 300, normalized size = 1.5

$$\frac{\sec^4(c+dx)(A\cos^2(c+dx)+B\cos(c+dx)+C)\left(12\cos^4(c+dx)(4a^2(2A+C)+8abB+b^2(4A+3C))\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] -((C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[c + d*x]^4*(12*(8*a*b*B + 4*a^2*(2*A + C) + b^2*(4*A + 3*C))*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 2*(12*A*b^2 + 24*a*b*B + 12*a^2*C + 21*b^2*C + 4*(9*a^2*B + 10*b^2*B + 2*a*b*(9*A + 10*C))*Cos[c + d*x] + 3*(4*A*b^2 + 8*a*b*B + 4*a^2*C + 3*b^2*C)*Cos[2*(c + d*x)] + 24*a*A*b*Cos[3*(c + d*x)] + 12*a^2*B*Cos[3*(c + d*x)] + 8*b^2*B*Cos[3*(c + d*x)] + 16*a*b*C*Cos[3*(c + d*x)]*Sin[c + d*x]))/(48*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.05, size = 321, normalized size = 1.6

$$\frac{a^2 A \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{Ba^2 \tan(dx+c)}{d} + \frac{a^2 C \sec(dx+c) \tan(dx+c)}{2d} + \frac{a^2 C \ln(\sec(dx+c) + \tan(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $\frac{1}{d}a^2A\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{d}B^2a^2\tan(dx+c)+\frac{1}{2}d^2C^2\sec(dx+c)\tan(dx+c)+\frac{1}{2}d^2C^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{2}{d}A^2ab\tan(dx+c)+\frac{1}{d}B^2a^2b\sec(dx+c)\tan(dx+c)+\frac{1}{d}B^2a^2b\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{3}d^2a^2b^2C^2\tan(dx+c)+\frac{2}{3}d^2a^2b^2C^2\tan(dx+c)\sec(dx+c)^2+\frac{1}{2}d^2A^2b^2\sec(dx+c)\tan(dx+c)+\frac{1}{2}d^2A^2b^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{2}{3}d^2B^2b^2\tan(dx+c)+\frac{1}{3}d^2B^2b^2\tan(dx+c)\sec(dx+c)^2+\frac{1}{4}d^2b^2C^2\tan(dx+c)\sec(dx+c)^3+\frac{3}{8}d^2b^2C^2\sec(dx+c)\tan(dx+c)+\frac{3}{8}d^2b^2C^2\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 1.02902, size = 413, normalized size = 2.06

$$32(\tan(dx+c)^3+3\tan(dx+c))Cab+16(\tan(dx+c)^3+3\tan(dx+c))Bb^2-3Cb^2\left(\frac{2(3\sin(dx+c)^3-5\sin(dx+c))}{\sin(dx+c)^4-2\sin(dx+c)^2+1}-3\log\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $\frac{1}{48}(32(\tan(dx+c)^3+3\tan(dx+c))*C^2ab+16(\tan(dx+c)^3+3\tan(dx+c))*B^2b^2-3C^2b^2(2(3\sin(dx+c)^3-5\sin(dx+c))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1))-12C^2a^2(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))-24B^2a^2b(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))-12A^2b^2(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+48A^2a^2\log(\sec(dx+c)+\tan(dx+c))+48B^2a^2\tan(dx+c)+96A^2ab\tan(dx+c))/d$

Fricas [A] time = 0.559991, size = 510, normalized size = 2.55

$$3(4(2A+C)a^2+8Bab+(4A+3C)b^2)\cos(dx+c)^4\log(\sin(dx+c)+1)-3(4(2A+C)a^2+8Bab+(4A+3C)b^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

```
[Out] 1/48*(3*(4*(2*A + C)*a^2 + 8*B*a*b + (4*A + 3*C)*b^2)*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(4*(2*A + C)*a^2 + 8*B*a*b + (4*A + 3*C)*b^2)*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(8*(3*B*a^2 + 2*(3*A + 2*C)*a*b + 2*B*b^2)*cos(d*x + c)^3 + 6*C*b^2 + 3*(4*C*a^2 + 8*B*a*b + (4*A + 3*C)*b^2)*cos(d*x + c)^2 + 8*(2*C*a*b + B*b^2)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^4)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)
```

```
[Out] Integral((a + b*sec(c + d*x))**2*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x), x)
```

Giac [B] time = 1.21748, size = 851, normalized size = 4.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")
```

```
[Out] 1/24*(3*(8*A*a^2 + 4*C*a^2 + 8*B*a*b + 4*A*b^2 + 3*C*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(8*A*a^2 + 4*C*a^2 + 8*B*a*b + 4*A*b^2 + 3*C*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(24*B*a^2*tan(1/2*d*x + 1/2*c)^7 - 12*C*a^2*tan(1/2*d*x + 1/2*c)^7 + 48*A*a*b*tan(1/2*d*x + 1/2*c)^7 - 24*B*a*b*tan(1/2*d*x + 1/2*c)^7 + 48*C*a*b*tan(1/2*d*x + 1/2*c)^7 - 12*A*b^2*tan(1/2*d*x + 1/2*c)^7 + 24*B*b^2*tan(1/2*d*x + 1/2*c)^7 - 15*C*b^2*tan(1/2*d*x + 1/2*c)^7 - 72*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 12*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 144*A*a*b*tan(1/2*d*x + 1/2*c)^5 + 24*B*a*b*tan(1/2*d*x + 1/2*c)^5 - 80*C*a*b*tan(1/2*d*x + 1/2*c)^5 + 12*A*b^2*tan(1/2*d*x + 1/2*c)^5 - 40*B*b^2*tan(1/2*d*x + 1/2*c)^5 - 9*C*b^2*tan(1/2*d*x + 1/2*c)^5 + 72*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 12*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 144*A*a*b*tan(1/2*d*x + 1/2*c)^3 + 12*C*a*b*tan(1/2*d*x + 1/2*c)^3)
```

$$\begin{aligned} & 2*c)^3 + 24*B*a*b*\tan(1/2*d*x + 1/2*c)^3 + 80*C*a*b*\tan(1/2*d*x + 1/2*c)^3 \\ & + 12*A*b^2*\tan(1/2*d*x + 1/2*c)^3 + 40*B*b^2*\tan(1/2*d*x + 1/2*c)^3 - 9*C*b \\ & ^2*\tan(1/2*d*x + 1/2*c)^3 - 24*B*a^2*\tan(1/2*d*x + 1/2*c) - 12*C*a^2*\tan(1/ \\ & 2*d*x + 1/2*c) - 48*A*a*b*\tan(1/2*d*x + 1/2*c) - 24*B*a*b*\tan(1/2*d*x + 1/2 \\ & *c) - 48*C*a*b*\tan(1/2*d*x + 1/2*c) - 12*A*b^2*\tan(1/2*d*x + 1/2*c) - 24*B* \\ & b^2*\tan(1/2*d*x + 1/2*c) - 15*C*b^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/ \\ & 2*c)^2 - 1)^4)/d \end{aligned}$$

3.872 $\int (a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=134

$$\frac{\tan(c + dx) (2a^2C + 6abB + 3Ab^2 + 2b^2C)}{3d} + \frac{(2a^2B + 2ab(2A + C) + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + a^2Ax + \frac{b(2aC + 3b^2)}{2d}$$

```
[Out] a^2*A*x + ((2*a^2*B + b^2*B + 2*a*b*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*d)
+ ((3*A*b^2 + 6*a*b*B + 2*a^2*C + 2*b^2*C)*Tan[c + d*x])/(3*d) + (b*(3*b*B
+ 2*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (C*(a + b*Sec[c + d*x])^2*Tan[
c + d*x])/(3*d)
```

Rubi [A] time = 0.172216, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4056, 4048, 3770, 3767, 8}

$$\frac{\tan(c + dx) (2a^2C + 6abB + 3Ab^2 + 2b^2C)}{3d} + \frac{(2a^2B + 2ab(2A + C) + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + a^2Ax + \frac{b(2aC + 3b^2)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] a^2*A*x + ((2*a^2*B + b^2*B + 2*a*b*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*d)
+ ((3*A*b^2 + 6*a*b*B + 2*a^2*C + 2*b^2*C)*Tan[c + d*x])/(3*d) + (b*(3*b*B
+ 2*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (C*(a + b*Sec[c + d*x])^2*Tan[
c + d*x])/(3*d)
```

Rule 4056

```
Int[((A_) + csc[(e_) + (f_)*(x_)])*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_)
)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] :> -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_) + csc[(e_) + (f_)*(x_)])*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_)
)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_)), x_Symbol] :> -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
```

C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3} \int (a + b \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
 &= \frac{b(3bB + 2aC) \sec(c + dx) \tan(c + dx)}{6d} + \frac{C(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} \\
 &= a^2 Ax + \frac{b(3bB + 2aC) \sec(c + dx) \tan(c + dx)}{6d} + \frac{C(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} \\
 &= a^2 Ax + \frac{(2a^2B + b^2B + 2ab(2A + C)) \tanh^{-1}(\sin(c + dx))}{2d} \\
 &= a^2 Ax + \frac{(2a^2B + b^2B + 2ab(2A + C)) \tanh^{-1}(\sin(c + dx))}{2d}
 \end{aligned}$$

Mathematica [B] time = 1.74006, size = 322, normalized size = 2.4

$$\frac{\sec^3(c + dx) \left(4 \sin(c + dx) (\cos(2(c + dx))) (3a^2C + 6abB + 3Ab^2 + 2b^2C) + 3a^2C + 3b(2aC + bB) \cos(c + dx) + 6abB + \dots \right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]


```
[Out] (Sec[c + d*x]^3*(9*Cos[c + d*x]*(2*a^2*A*(c + d*x) - (2*a^2*B + b^2*B + 2*a*b*(2*A + C))*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + (2*a^2*B + b^2*B + 2*a*b*(2*A + C))*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 3*Cos[3*(c + d*x)]*(2*a^2*A*(c + d*x) - (2*a^2*B + b^2*B + 2*a*b*(2*A + C))*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + (2*a^2*B + b^2*B + 2*a*b*(2*A + C))*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 4*(3*A*b^2 + 6*a*b*B + 3*a^2*C + 4*b^2*C + 3*b*(b*B + 2*a*C))*Cos[c + d*x] + (3*A*b^2 + 6*a*b*B + 3*a^2*C + 2*b^2*C)*Cos[2*(c + d*x)]*Sin[c + d*x]))/(24*d)
```

Maple [A] time = 0.047, size = 225, normalized size = 1.7

$$a^2Ax + \frac{Aa^2c}{d} + \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^2C \tan(dx + c)}{d} + 2 \frac{Aab \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] a^2*A*x+1/d*A*a^2*c+1/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^2*C*tan(d*x+c)+2/d*A*a*b*ln(sec(d*x+c)+tan(d*x+c))+2/d*B*a*b*tan(d*x+c)+a*b*C*sec(d*x+c)*tan(d*x+c)/d+1/d*a*b*C*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*b^2*tan(d*x+c)+1/2/d*B*b^2*sec(d*x+c)*tan(d*x+c)+1/2/d*B*b^2*ln(sec(d*x+c)+tan(d*x+c))+2/3*b^2*C*tan(d*x+c)/d+1/3/d*b^2*C*tan(d*x+c)*sec(d*x+c)^2
```

Maxima [A] time = 1.0433, size = 279, normalized size = 2.08

$$12(dx + c)Aa^2 + 4(\tan(dx + c)^3 + 3 \tan(dx + c))Cb^2 - 6Cab \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] 1/12*(12*(d*x + c)*A*a^2 + 4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*b^2 - 6*C*a*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 3*B*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 12*B*a^2*log(sec(d*x + c) + tan(d*x + c)) + 24*A*a*b*log(sec(d*x + c) + tan(d*x + c)) + 12*C*a^2*tan(d*x + c) +
```

$$24*B*a*b*\tan(dx + c) + 12*A*b^2*\tan(dx + c))/d$$

Fricas [A] time = 0.552142, size = 444, normalized size = 3.31

$$12 Aa^2 dx \cos(dx + c)^3 + 3(2Ba^2 + 2(2A + C)ab + Bb^2) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(2Ba^2 + 2(2A + C)ab +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^2*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] 1/12*(12*A*a^2*d*x*cos(dx + c)^3 + 3*(2*B*a^2 + 2*(2*A + C)*a*b + B*b^2)*cos(dx + c)^3*log(sin(dx + c) + 1) - 3*(2*B*a^2 + 2*(2*A + C)*a*b + B*b^2)*cos(dx + c)^3*log(-sin(dx + c) + 1) + 2*(2*C*b^2 + 2*(3*C*a^2 + 6*B*a*b + (3*A + 2*C)*b^2)*cos(dx + c)^2 + 3*(2*C*a*b + B*b^2)*cos(dx + c))*sin(dx + c))/(d*cos(dx + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))**2*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] Integral((a + b*sec(c + dx))**2*(A + B*sec(c + dx) + C*sec(c + dx)**2), x)

Giac [B] time = 1.23147, size = 491, normalized size = 3.66

$$6(dx + c)Aa^2 + 3(2Ba^2 + 4Aab + 2Cab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Ba^2 + 4Aab + 2Cab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="
giac")
```

```
[Out] 1/6*(6*(d*x + c)*A*a^2 + 3*(2*B*a^2 + 4*A*a*b + 2*C*a*b + B*b^2)*log(abs(ta
n(1/2*d*x + 1/2*c) + 1)) - 3*(2*B*a^2 + 4*A*a*b + 2*C*a*b + B*b^2)*log(abs(
tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 12*B*a*b*t
an(1/2*d*x + 1/2*c)^5 - 6*C*a*b*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*tan(1/2*d*
x + 1/2*c)^5 - 3*B*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*C*b^2*tan(1/2*d*x + 1/2*c
)^5 - 12*C*a^2*tan(1/2*d*x + 1/2*c)^3 - 24*B*a*b*tan(1/2*d*x + 1/2*c)^3 - 1
2*A*b^2*tan(1/2*d*x + 1/2*c)^3 - 4*C*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*t
an(1/2*d*x + 1/2*c) + 12*B*a*b*tan(1/2*d*x + 1/2*c) + 6*C*a*b*tan(1/2*d*x +
1/2*c) + 6*A*b^2*tan(1/2*d*x + 1/2*c) + 3*B*b^2*tan(1/2*d*x + 1/2*c) + 6*C
*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

3.873 $\int \cos(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=126

$$\frac{(2a^2C + 4abB + 2Ab^2 + b^2C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b \tan(c + dx)(2aA - 2aC - bB)}{d} + ax(ab + 2Ab) + \frac{A \sin(c + dx)(a + b \sec(c + dx))}{d}$$

[Out] a*(2*A*b + a*B)*x + ((2*A*b^2 + 4*a*b*B + 2*a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/d - (b*(2*a*A - b*B - 2*a*C)*Tan[c + d*x])/d - (b^2*(2*A - C)*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.202626, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {4094, 4048, 3770, 3767, 8}

$$\frac{(2a^2C + 4abB + 2Ab^2 + b^2C) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b \tan(c + dx)(2aA - 2aC - bB)}{d} + ax(ab + 2Ab) + \frac{A \sin(c + dx)(a + b \sec(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] a*(2*A*b + a*B)*x + ((2*A*b^2 + 4*a*b*B + 2*a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/d - (b*(2*a*A - b*B - 2*a*C)*Tan[c + d*x])/d - (b^2*(2*A - C)*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4048

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +

C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^2 \sin(c + dx)}{d} + \int (a + b \sec(c + dx)) \cos(c + dx) dx \\ &= \frac{A(a + b \sec(c + dx))^2 \sin(c + dx)}{d} - \frac{b^2(2a^2C + 4abB + 2Ab^2)}{2d} \\ &= a(2Ab + aB)x + \frac{A(a + b \sec(c + dx))^2 \sin(c + dx)}{d} \\ &= a(2Ab + aB)x + \frac{(2Ab^2 + 4abB + 2a^2C + 4abB + 2Ab^2)}{2d} \sin(c + dx) \\ &= a(2Ab + aB)x + \frac{(2Ab^2 + 4abB + 2a^2C + 4abB + 2Ab^2)}{2d} \sin(c + dx) \end{aligned}$$

Mathematica [B] time = 1.40957, size = 453, normalized size = 3.6

$$\sec^2(c + dx) \left(\cos(2(c + dx)) \left(- (2a^2C + 4abB + 2Ab^2 + b^2C) \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \right) + (2a^2C + 4abB + 2Ab^2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

```
[Out] (Sec[c + d*x]^2*(4*a*A*b*c + 2*a^2*B*c + 4*a*A*b*d*x + 2*a^2*B*d*x - 2*A*b^2*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 4*a*b*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 2*a^2*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - b^2*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*A*b^2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*a*b*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 2*a^2*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + b^2*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + Cos[2*(c + d*x)]*(2*a*(2*A*b + a*B)*(c + d*x) - (2*A*b^2 + 4*a*b*B + 2*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + (2*A*b^2 + 4*a*b*B + 2*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2])) + (a^2*A + 2*b^2*C)*Sin[c + d*x] + 2*b^2*B*Sin[2*(c + d*x)] + 4*a*b*C*Sin[2*(c + d*x)] + a^2*A*Sin[3*(c + d*x)]))/(4*d)
```

Maple [A] time = 0.069, size = 184, normalized size = 1.5

$$\frac{a^2 A \sin(dx + c)}{d} + a^2 B x + \frac{B a^2 c}{d} + \frac{a^2 C \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 a A b x + 2 \frac{A a b c}{d} + 2 \frac{B a b \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] 1/d*a^2*A*sin(d*x+c)+a^2*B*x+1/d*B*a^2*c+1/d*a^2*C*ln(sec(d*x+c)+tan(d*x+c))+2*a*A*b*x+2/d*A*a*b*c+2/d*B*a*b*ln(sec(d*x+c)+tan(d*x+c))+2/d*a*b*C*tan(d*x+c)+1/d*A*b^2*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*b^2*tan(d*x+c)+1/2/d*b^2*C*sec(d*x+c)*tan(d*x+c)+1/2/d*b^2*C*ln(sec(d*x+c)+tan(d*x+c))
```

Maxima [A] time = 1.07345, size = 255, normalized size = 2.02

$$4(dx + c)Ba^2 + 8(dx + c)Aab - Cb^2 \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 2Ca^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4B*a*b*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4B*a*b*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4B*a*b*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4B*a*b*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,algorithm="maxima")
```

```
[Out] 1/4*(4*(d*x + c)*B*a^2 + 8*(d*x + c)*A*a*b - C*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 2*C*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a*b*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a*b*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a*b*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a*b*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1))
```

1) $-\log(\sin(dx + c) - 1) + 2Ab^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4Aa^2\sin(dx + c) + 8Ca^2b\tan(dx + c) + 4Bb^2\tan(dx + c))/d$

Fricas [A] time = 0.555586, size = 406, normalized size = 3.22

$$\frac{4(Ba^2 + 2Aab)dx \cos(dx + c)^2 + (2Ca^2 + 4Bab + (2A + C)b^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (2Ca^2 + 4Bab + (2A + C)b^2) \cos(dx + c)^2 \log(\sin(dx + c) - 1)}{4d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(a+b*sec(dx+c))^2*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")`

[Out] $\frac{1}{4} \frac{(4(Ba^2 + 2Aab)dx \cos(dx + c)^2 + (2Ca^2 + 4Bab + (2A + C)b^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (2Ca^2 + 4Bab + (2A + C)b^2) \cos(dx + c)^2 \log(\sin(dx + c) - 1) + 2(2Aa^2 \cos(dx + c)^2 + Cb^2 + 2(2Ca^2b + Bb^2) \cos(dx + c)) \sin(dx + c))}{(d \cos(dx + c))^2}$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(a+b*sec(dx+c))**2*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)`

[Out] Timed out

Giac [A] time = 1.22505, size = 325, normalized size = 2.58

$$\frac{4Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 2(Ba^2 + 2Aab)(dx + c) + (2Ca^2 + 4Bab + 2Ab^2 + Cb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Ca^2 + 4Bab + (2A + C)b^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] 1/2*(4*A*a^2*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 2*(B*a^2 +
2*A*a*b)*(d*x + c) + (2*C*a^2 + 4*B*a*b + 2*A*b^2 + C*b^2)*log(abs(tan(1/2
*d*x + 1/2*c) + 1)) - (2*C*a^2 + 4*B*a*b + 2*A*b^2 + C*b^2)*log(abs(tan(1/2
*d*x + 1/2*c) - 1)) - 2*(4*C*a*b*tan(1/2*d*x + 1/2*c)^3 + 2*B*b^2*tan(1/2*d
*x + 1/2*c)^3 - C*b^2*tan(1/2*d*x + 1/2*c)^3 - 4*C*a*b*tan(1/2*d*x + 1/2*c)
- 2*B*b^2*tan(1/2*d*x + 1/2*c) - C*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x
+ 1/2*c)^2 - 1)^2)/d
```


3.874 $\int \cos^2(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=118

$$\frac{1}{2}x \left(a^2(A + 2C) + 4abB + 2Ab^2 \right) + \frac{a(aB + Ab) \sin(c + dx)}{d} + \frac{A \sin(c + dx) \cos(c + dx)(a + b \sec(c + dx))^2}{2d} + \frac{b(2aC +$$

[Out] $((2*A*b^2 + 4*a*b*B + a^2*(A + 2*C))*x)/2 + (b*(b*B + 2*a*C)*ArcTanh[Sin[c + d*x]])/d + (a*(A*b + a*B)*Sin[c + d*x])/d + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - (b^2*(A - 2*C)*Tan[c + d*x])/(2*d)$

Rubi [A] time = 0.317219, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4076, 4047, 8, 4045, 3770}

$$\frac{1}{2}x \left(a^2(A + 2C) + 4abB + 2Ab^2 \right) + \frac{a(aB + Ab) \sin(c + dx)}{d} + \frac{A \sin(c + dx) \cos(c + dx)(a + b \sec(c + dx))^2}{2d} + \frac{b(2aC +$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^2*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((2*A*b^2 + 4*a*b*B + a^2*(A + 2*C))*x)/2 + (b*(b*B + 2*a*C)*ArcTanh[Sin[c + d*x]])/d + (a*(A*b + a*B)*Sin[c + d*x])/d + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - (b^2*(A - 2*C)*Tan[c + d*x])/(2*d)$

Rule 4094

$\text{Int}[(A + \csc[e + f*x] + (f*x)]*(B + \csc[e + f*x])^2*(C + \csc[e + f*x] + (f*x)]*(d)^n*(\csc[e + f*x] + (f*x)]*(b + a)^m, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1))]*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$

Rule 4076

$\text{Int}[(A + \csc[e + f*x] + (f*x)]*(B + \csc[e + f*x])^2*(C + \csc[e + f*x] + (f*x)]*(d)^n*(\csc[e + f*x] + (f*x)]*(b + a), x_Symbol] \rightarrow -\text{Simp}[(b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)$

```
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
 &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
 &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
 &= \frac{1}{2} (2Ab^2 + 4abB + a^2(A + 2C)) x + \frac{a(Ab - a^2)}{2d} \\
 &= \frac{1}{2} (2Ab^2 + 4abB + a^2(A + 2C)) x + \frac{b(bB - a^2)}{2d}
 \end{aligned}$$

Mathematica [A] time = 1.16415, size = 153, normalized size = 1.3

$$\frac{2(c + dx) \left(a^2(A + 2C) + 4abB + 2Ab^2 \right) + \tan(c + dx) \left(a^2 A \cos(2(c + dx)) + a^2 A + 4a(ab + 2Ab) \cos(c + dx) + 4b^2 C \right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(2*A*b^2 + 4*a*b*B + a^2*(A + 2*C))*(c + d*x) - 4*b*(b*B + 2*a*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*b*(b*B + 2*a*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a^2*A + 4*b^2*C + 4*a*(2*A*b + a*B)*Cos[c + d*x] + a^2*A*Cos[2*(c + d*x)])*Tan[c + d*x])/(4*d)

Maple [A] time = 0.065, size = 171, normalized size = 1.5

$$\frac{a^2 A \cos(dx + c) \sin(dx + c)}{2d} + \frac{a^2 Ax}{2} + \frac{a^2 Ac}{2d} + \frac{Ba^2 \sin(dx + c)}{d} + a^2 Cx + \frac{Ca^2 c}{d} + 2 \frac{Aab \sin(dx + c)}{d} + 2 Babx + 2 \frac{Ba}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/2/d*a^2*A*cos(d*x+c)*sin(d*x+c)+1/2*a^2*A*x+1/2/d*A*a^2*c+a^2*B*sin(d*x+c)/d+a^2*C*x+1/d*C*a^2*c+2*a*A*b*sin(d*x+c)/d+2*B*a*b*x+2/d*B*a*b*c+2/d*a*b*C*ln(sec(d*x+c)+tan(d*x+c))+A*b^2*x+1/d*A*b^2*c+1/d*B*b^2*ln(sec(d*x+c)+tan(d*x+c))+b^2*C*tan(d*x+c)/d

Maxima [A] time = 1.06307, size = 200, normalized size = 1.69

$$(2dx + 2c + \sin(2dx + 2c))Aa^2 + 4(dx + c)Ca^2 + 8(dx + c)Bab + 4(dx + c)Ab^2 + 4Cab(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4C \tan(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] $\frac{1}{4} * ((2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * A * a^2 + 4 * (d * x + c) * C * a^2 + 8 * (d * x + c) * B * a * b + 4 * (d * x + c) * A * b^2 + 4 * C * a * b * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1))) + 2 * B * b^2 * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1)) + 4 * B * a^2 * \sin(d * x + c) + 8 * A * a * b * \sin(d * x + c) + 4 * C * b^2 * \tan(d * x + c)) / d$

Fricas [A] time = 0.548423, size = 366, normalized size = 3.1

$$\frac{((A + 2C)a^2 + 4Bab + 2Ab^2)dx \cos(dx + c) + (2Cab + Bb^2) \cos(dx + c) \log(\sin(dx + c) + 1) - (2Cab + Bb^2) \cos(dx + c) \log(\sin(dx + c) - 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")`

[Out] $\frac{1}{2} * (((A + 2 * C) * a^2 + 4 * B * a * b + 2 * A * b^2) * d * x * \cos(d * x + c) + (2 * C * a * b + B * b^2) * \cos(d * x + c) * \log(\sin(d * x + c) + 1) - (2 * C * a * b + B * b^2) * \cos(d * x + c) * \log(-\sin(d * x + c) + 1) + (A * a^2 * \cos(d * x + c)^2 + 2 * C * b^2 + 2 * (B * a^2 + 2 * A * a * b) * \cos(d * x + c)) * \sin(d * x + c)) / (d * \cos(d * x + c))$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)`

[Out] Timed out

Giac [B] time = 1.25563, size = 309, normalized size = 2.62

$$\frac{4Cb^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1} - (Aa^2 + 2Ca^2 + 4Bab + 2Ab^2)(dx + c) - 2(2Cab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) + 2(2Cab + Bb^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] -1/2*(4*C*b^2*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1) - (A*a^2 +
2*C*a^2 + 4*B*a*b + 2*A*b^2)*(d*x + c) - 2*(2*C*a*b + B*b^2)*log(abs(tan(1/
2*d*x + 1/2*c) + 1)) + 2*(2*C*a*b + B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1
)) + 2*(A*a^2*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 4*A
*a*b*tan(1/2*d*x + 1/2*c)^3 - A*a^2*tan(1/2*d*x + 1/2*c) - 2*B*a^2*tan(1/2*
d*x + 1/2*c) - 4*A*a*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2
)/d
```

3.875 $\int \cos^3(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=141

$$\frac{\sin(c + dx) (a^2(2A + 3C) + 6abB + 2Ab^2)}{3d} + \frac{1}{2}x(a^2B + 2ab(A + 2C) + 2b^2B) + \frac{a(3aB + 2Ab) \sin(c + dx) \cos(c + dx)}{6d} +$$

[Out] $((a^2*B + 2*b^2*B + 2*a*b*(A + 2*C))*x)/2 + (b^2*C*ArcTanh[Sin[c + d*x]])/d + ((2*A*b^2 + 6*a*b*B + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*d) + (a*(2*A*b + 3*a*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)$

Rubi [A] time = 0.365023, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4074, 4047, 8, 4045, 3770}

$$\frac{\sin(c + dx) (a^2(2A + 3C) + 6abB + 2Ab^2)}{3d} + \frac{1}{2}x(a^2B + 2ab(A + 2C) + 2b^2B) + \frac{a(3aB + 2Ab) \sin(c + dx) \cos(c + dx)}{6d} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $((a^2*B + 2*b^2*B + 2*a*b*(A + 2*C))*x)/2 + (b^2*C*ArcTanh[Sin[c + d*x]])/d + ((2*A*b^2 + 6*a*b*B + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*d) + (a*(2*A*b + 3*a*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)$

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} \\
 &= \frac{a(2Ab + 3aB) \cos(c + dx) \sin(c + dx)}{6d} + \frac{a(2Ab + 3aB) \cos(c + dx) \sin(c + dx)}{6d} + \frac{(2Ab + 3aB) \cos^2(c + dx) \sin(c + dx)}{6d} \\
 &= \frac{1}{2} (a^2B + 2b^2B + 2ab(A + 2C)) x + \frac{(2Ab + 3aB) \cos^2(c + dx) \sin(c + dx)}{6d} \\
 &= \frac{1}{2} (a^2B + 2b^2B + 2ab(A + 2C)) x + \frac{b^2C \cos^2(c + dx) \sin(c + dx)}{6d}
 \end{aligned}$$

Mathematica [A] time = 0.521084, size = 157, normalized size = 1.11

$$6(c + dx)(a^2B + 2ab(A + 2C) + 2b^2B) + 3 \sin(c + dx)(a^2(3A + 4C) + 8abB + 4Ab^2) + a^2A \sin(3(c + dx)) + 3a(aB + 2A$$

12d

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (6*(a^2*B + 2*b^2*B + 2*a*b*(A + 2*C))*(c + d*x) - 12*b^2*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*b^2*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 3*(4*A*b^2 + 8*a*b*B + a^2*(3*A + 4*C))*Sin[c + d*x] + 3*a*(2*A*b + a*B)*Sin[2*(c + d*x)] + a^2*A*Sin[3*(c + d*x)])/(12*d)

Maple [A] time = 0.077, size = 204, normalized size = 1.5

$$\frac{A \sin(dx + c) (\cos(dx + c))^2 a^2}{3d} + \frac{2a^2 A \sin(dx + c)}{3d} + \frac{Ba^2 \cos(dx + c) \sin(dx + c)}{2d} + \frac{a^2 Bx}{2} + \frac{Ba^2 c}{2d} + \frac{a^2 C \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/3/d*A*sin(d*x+c)*cos(d*x+c)^2*a^2+2/3/d*a^2*A*sin(d*x+c)+1/2*a^2*B*cos(d*x+c)*sin(d*x+c)/d+1/2*a^2*B*x+1/2/d*B*a^2*c+1/d*a^2*C*sin(d*x+c)+a*A*b*cos(d*x+c)*sin(d*x+c)/d+a*A*b*x+1/d*A*a*b*c+2/d*B*a*b*sin(d*x+c)+2*a*b*C*x+2/d*C*a*b*c+1/d*A*b^2*sin(d*x+c)+B*b^2*x+1/d*B*b^2*c+1/d*b^2*C*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 1.02046, size = 212, normalized size = 1.5

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^2 - 3(2dx + 2c + \sin(2dx + 2c))Ba^2 - 6(2dx + 2c + \sin(2dx + 2c))Aab - 24(dx + c)A^2}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out]
$$\frac{-1/12*(4*(\sin(dx + c))^3 - 3*\sin(dx + c))*A*a^2 - 3*(2*dx + 2*c + \sin(2*dx + 2*c))*B*a^2 - 6*(2*dx + 2*c + \sin(2*dx + 2*c))*A*a*b - 24*(dx + c)*C*a*b - 12*(dx + c)*B*b^2 - 6*C*b^2*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) - 12*C*a^2*\sin(dx + c) - 24*B*a*b*\sin(dx + c) - 12*A*b^2*\sin(dx + c))/d$$

Fricas [A] time = 0.548668, size = 313, normalized size = 2.22

$$\frac{3Cb^2 \log(\sin(dx + c) + 1) - 3Cb^2 \log(-\sin(dx + c) + 1) + 3(Ba^2 + 2(A + 2C)ab + 2Bb^2)dx + (2Aa^2 \cos(dx + c))^2}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^3*(a+b*sec(dx+c))^2*(A+B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="fricas")`

[Out]
$$\frac{1/6*(3*C*b^2*\log(\sin(dx + c) + 1) - 3*C*b^2*\log(-\sin(dx + c) + 1) + 3*(B*a^2 + 2*(A + 2*C)*a*b + 2*B*b^2)*dx + (2*A*a^2*\cos(dx + c)^2 + 2*(2*A + 3*C)*a^2 + 12*B*a*b + 6*A*b^2 + 3*(B*a^2 + 2*A*a*b)*\cos(dx + c))*\sin(dx + c))/d$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**3*(a+b*sec(dx+c))**2*(A+B*sec(dx+c)+C*sec(dx+c)**2), x)`

[Out] Timed out

Giac [B] time = 1.20832, size = 467, normalized size = 3.31

$$6Cb^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 6Cb^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(Ba^2 + 2Aab + 4Cab + 2Bb^2)(dx + c) + \frac{2(6}{$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/6*(6*C*b^2*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 6*C*b^2*log(abs(tan(1/2*d
*x + 1/2*c) - 1)) + 3*(B*a^2 + 2*A*a*b + 4*C*a*b + 2*B*b^2)*(d*x + c) + 2*(
6*A*a^2*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*t
an(1/2*d*x + 1/2*c)^5 - 6*A*a*b*tan(1/2*d*x + 1/2*c)^5 + 12*B*a*b*tan(1/2*d
*x + 1/2*c)^5 + 6*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 4*A*a^2*tan(1/2*d*x + 1/2*
c)^3 + 12*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 24*B*a*b*tan(1/2*d*x + 1/2*c)^3 +
12*A*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*A*a^2*tan(1/2*d*x + 1/2*c) + 3*B*a^2*ta
n(1/2*d*x + 1/2*c) + 6*C*a^2*tan(1/2*d*x + 1/2*c) + 6*A*a*b*tan(1/2*d*x + 1
/2*c) + 12*B*a*b*tan(1/2*d*x + 1/2*c) + 6*A*b^2*tan(1/2*d*x + 1/2*c))/(tan(
1/2*d*x + 1/2*c)^2 + 1)^3/d
```

3.876 $\int \cos^4(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=175

$$\frac{\sin(c+dx)(2a^2B+4aAb+6abC+3b^2B)}{3d} + \frac{\sin(c+dx)\cos(c+dx)(a^2(3A+4C)+8abB+2Ab^2)}{8d} + \frac{1}{8}x(a^2(3A+4C)$$

```
[Out] ((8*a*b*B + 4*b^2*(A + 2*C) + a^2*(3*A + 4*C))*x)/8 + ((4*a*A*b + 2*a^2*B + 3*b^2*B + 6*a*b*C)*Sin[c + d*x])/(3*d) + ((2*A*b^2 + 8*a*b*B + a^2*(3*A + 4*C))*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(A*b + 2*a*B)*Cos[c + d*x]^2*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(4*d)
```

Rubi [A] time = 0.44836, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4074, 4047, 2637, 4045, 8}

$$\frac{\sin(c+dx)(2a^2B+4aAb+6abC+3b^2B)}{3d} + \frac{\sin(c+dx)\cos(c+dx)(a^2(3A+4C)+8abB+2Ab^2)}{8d} + \frac{1}{8}x(a^2(3A+4C)$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((8*a*b*B + 4*b^2*(A + 2*C) + a^2*(3*A + 4*C))*x)/8 + ((4*a*A*b + 2*a^2*B + 3*b^2*B + 6*a*b*C)*Sin[c + d*x])/(3*d) + ((2*A*b^2 + 8*a*b*B + a^2*(3*A + 4*C))*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(A*b + 2*a*B)*Cos[c + d*x]^2*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(4*d)
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^(n+1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*Csc[e + f*x] - b*(C*n + A*(m+n+1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{4d} \\
&= \frac{a(Ab + 2aB) \cos^2(c + dx) \sin(c + dx)}{6d} + \frac{a(Ab + 2aB) \cos^2(c + dx) \sin(c + dx)}{6d} + \frac{(4aAb + 2a^2B + 3b^2B + 6abC) \sin(c + dx)}{3d} \\
&= \frac{1}{8} (8abB + 4b^2(A + 2C) + a^2(3A + 4C))
\end{aligned}$$

Mathematica [A] time = 0.730957, size = 134, normalized size = 0.77

$$\frac{12(c + dx) (a^2(3A + 4C) + 8abB + 4b^2(A + 2C)) + 24 \sin(c + dx) (3a^2B + 6aAb + 8abC + 4b^2B) + 24 \sin(2(c + dx)) (a^2(3A + 4C) + 8abB + 4b^2(A + 2C))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (12*(8*a*b*B + 4*b^2*(A + 2*C) + a^2*(3*A + 4*C))*(c + d*x) + 24*(6*a*A*b + 3*a^2*B + 4*b^2*B + 8*a*b*C)*Sin[c + d*x] + 24*(A*b^2 + 2*a*b*B + a^2*(A + C))*Sin[2*(c + d*x)] + 8*a*(2*A*b + a*B)*Sin[3*(c + d*x)] + 3*a^2*A*Ssin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.072, size = 200, normalized size = 1.1

$$\frac{1}{d} \left(a^2 A \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 dx}{8} + \frac{3c}{8} \right) + \frac{2 A a b (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + \frac{B a^2}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] 1/d*(a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*A*a*b*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+A*

$$b^2 \cdot \left(\frac{1}{2} \cos(dx+c) \sin(dx+c) + \frac{1}{2} dx + \frac{1}{2} c \right) + 2Bab \cdot \left(\frac{1}{2} \cos(dx+c) \sin(dx+c) + \frac{1}{2} dx + \frac{1}{2} c \right) + a^2 C \cdot \left(\frac{1}{2} \cos(dx+c) \sin(dx+c) + \frac{1}{2} dx + \frac{1}{2} c \right) + Bb^2 \sin(dx+c) + 2abC \sin(dx+c) + b^2 C(dx+c)$$

Maxima [A] time = 1.01152, size = 252, normalized size = 1.44

$$\frac{3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Aa^2 - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ba^2 + 24(2dx + 2c + \sin(2dx + 2c))Ca^2 - 64(\sin(dx + c)^3 - 3 \sin(dx + c))Aab + 48(2dx + 2c + \sin(2dx + 2c))Bab + 24(2dx + 2c + \sin(2dx + 2c))Ab^2 + 96(dx + c)Cb^2 + 192Cab \sin(dx + c) + 96Bb^2 \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="maxima")
```

```
[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2 - 64*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a*b + 48*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a*b + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*b^2 + 96*(d*x + c)*C*b^2 + 192*C*a*b*sin(d*x + c) + 96*B*b^2*sin(d*x + c))/d
```

Fricas [A] time = 0.519028, size = 320, normalized size = 1.83

$$\frac{3((3A + 4C)a^2 + 8Bab + 4(A + 2C)b^2)dx + (6Aa^2 \cos(dx + c)^3 + 16Ba^2 + 16(2A + 3C)ab + 24Bb^2 + 8(Ba^2 + 2Aab + 2Cb^2)) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="fricas")
```

```
[Out] 1/24*(3*((3*A + 4*C)*a^2 + 8*B*a*b + 4*(A + 2*C)*b^2)*d*x + (6*A*a^2*cos(d*x + c)^3 + 16*B*a^2 + 16*(2*A + 3*C)*a*b + 24*B*b^2 + 8*(B*a^2 + 2*A*a*b)*cos(d*x + c)^2 + 3*((3*A + 4*C)*a^2 + 8*B*a*b + 4*A*b^2)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.21662, size = 779, normalized size = 4.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/24*(3*(3*A*a^2 + 4*C*a^2 + 8*B*a*b + 4*A*b^2 + 8*C*b^2)*(d*x + c) - 2*(15*A*a^2*tan(1/2*d*x + 1/2*c)^7 - 24*B*a^2*tan(1/2*d*x + 1/2*c)^7 + 12*C*a^2*tan(1/2*d*x + 1/2*c)^7 - 48*A*a*b*tan(1/2*d*x + 1/2*c)^7 + 24*B*a*b*tan(1/2*d*x + 1/2*c)^7 - 48*C*a*b*tan(1/2*d*x + 1/2*c)^7 + 12*A*b^2*tan(1/2*d*x + 1/2*c)^7 - 24*B*b^2*tan(1/2*d*x + 1/2*c)^7 - 9*A*a^2*tan(1/2*d*x + 1/2*c)^5 - 40*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 12*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 80*A*a*b*tan(1/2*d*x + 1/2*c)^5 + 24*B*a*b*tan(1/2*d*x + 1/2*c)^5 - 144*C*a*b*tan(1/2*d*x + 1/2*c)^5 + 12*A*b^2*tan(1/2*d*x + 1/2*c)^5 - 72*B*b^2*tan(1/2*d*x + 1/2*c)^5 + 9*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 12*C*a^2*tan(1/2*d*x + 1/2*c)^3 - 80*A*a*b*tan(1/2*d*x + 1/2*c)^3 - 24*B*a*b*tan(1/2*d*x + 1/2*c)^3 - 144*C*a*b*tan(1/2*d*x + 1/2*c)^3 - 12*A*b^2*tan(1/2*d*x + 1/2*c)^3 - 72*B*b^2*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^2*tan(1/2*d*x + 1/2*c) - 24*B*a^2*tan(1/2*d*x + 1/2*c) - 12*C*a^2*tan(1/2*d*x + 1/2*c) - 48*A*a*b*tan(1/2*d*x + 1/2*c) - 24*B*a*b*tan(1/2*d*x + 1/2*c) - 48*C*a*b*tan(1/2*d*x + 1/2*c) - 12*A*b^2*tan(1/2*d*x + 1/2*c) - 24*B*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4/d
```

3.877 $\int \cos^5(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=215

$$\frac{\sin^3(c+dx)(a^2(4A+5C)+10abB+2Ab^2)}{15d} + \frac{\sin(c+dx)(a^2(4A+5C)+10abB+b^2(4A+5C))}{5d} + \frac{\sin(c+dx)\cos(c+dx)}{5d}$$

```
[Out] ((6*a*A*b + 3*a^2*B + 4*b^2*B + 8*a*b*C)*x)/8 + ((10*a*b*B + a^2*(4*A + 5*C) + b^2*(4*A + 5*C))*Sin[c + d*x])/(5*d) + ((6*a*A*b + 3*a^2*B + 4*b^2*B + 8*a*b*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(2*A*b + 5*a*B)*Cos[c + d*x]^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(5*d) - ((2*A*b^2 + 10*a*b*B + a^2*(4*A + 5*C))*Sin[c + d*x]^3)/(15*d)
```

Rubi [A] time = 0.513512, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4094, 4074, 4047, 2635, 8, 4044, 3013}

$$\frac{\sin^3(c+dx)(a^2(4A+5C)+10abB+2Ab^2)}{15d} + \frac{\sin(c+dx)(a^2(4A+5C)+10abB+b^2(4A+5C))}{5d} + \frac{\sin(c+dx)\cos(c+dx)}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((6*a*A*b + 3*a^2*B + 4*b^2*B + 8*a*b*C)*x)/8 + ((10*a*b*B + a^2*(4*A + 5*C) + b^2*(4*A + 5*C))*Sin[c + d*x])/(5*d) + ((6*a*A*b + 3*a^2*B + 4*b^2*B + 8*a*b*C)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(2*A*b + 5*a*B)*Cos[c + d*x]^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(5*d) - ((2*A*b^2 + 10*a*b*B + a^2*(4*A + 5*C))*Sin[c + d*x]^3)/(15*d)
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
```


b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4044

Int[csc[(e_.) + (f_.)*(x_)]^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Int[(C + A*Ssin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]

Rule 3013

Int[sin[(e_.) + (f_.)*(x_)]^m*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2)], x], x, Cos[e + f*x], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^5(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^4(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{5d} \\
&= \frac{a(2Ab+5aB)\cos^3(c+dx)\sin(c+dx)}{20d} + \frac{b(2Ab+5aB)\cos^3(c+dx)\sec(c+dx)\sin(c+dx)}{20d} \\
&= \frac{a(2Ab+5aB)\cos^3(c+dx)\sin(c+dx)}{20d} + \frac{b(2Ab+5aB)\cos^3(c+dx)\sec(c+dx)\sin(c+dx)}{20d} \\
&= \frac{(6aAb+3a^2B+4b^2B+8abC)\cos(c+dx)\sin(c+dx)}{8d} \\
&= \frac{1}{8}(6aAb+3a^2B+4b^2B+8abC)x + \frac{(6aAb+3a^2B+4b^2B+8abC)\cos(c+dx)\sin(c+dx)}{8d} \\
&= \frac{1}{8}(6aAb+3a^2B+4b^2B+8abC)x + \frac{(10aAb+3a^2B+4b^2B+8abC)\cos(c+dx)\sin(c+dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 0.802154, size = 169, normalized size = 0.79

$$\frac{60(c+dx)(3a^2B+6aAb+8abC+4b^2B)+60\sin(c+dx)(a^2(5A+6C)+12abB+2b^2(3A+4C))+120\sin(2(c+dx))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d*x]^5*(a+b*Sec[c+d*x])^2*(A+B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (60*(6*a*A*b+3*a^2*B+4*b^2*B+8*a*b*C)*(c+d*x)+60*(12*a*b*B+2*b^2*(3*A+4*C)+a^2*(5*A+6*C))*Sin[c+d*x]+120*(a^2*B+b^2*B+2*a*b*(A+C))*Sin[2*(c+d*x)]+10*(4*A*b^2+8*a*b*B+a^2*(5*A+4*C))*Sin[3*(c+d*x)]+15*a*(2*A*b+a*B)*Sin[4*(c+d*x)]+6*a^2*A*Ssin[5*(c+d*x)])/(480*d)

Maple [A] time = 0.081, size = 244, normalized size = 1.1

$$\frac{1}{d} \left(\frac{a^2 A \sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^4 + \frac{4(\cos(dx+c))^2}{3} \right) + Ba^2 \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3\cos(dx+c)}{2} \right) + \frac{3\cos(dx+c)}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

```
[Out] 1/d*(1/5*a^2*A*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a^2*C*(2+cos(d*x+c)^2)*sin(d*x+c)+2*A*a*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*B*a*b*(2+cos(d*x+c)^2)*sin(d*x+c)+2*a*b*C*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+1/3*A*b^2*(2+cos(d*x+c)^2)*sin(d*x+c)+B*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+b^2*C*sin(d*x+c))
```

Maxima [A] time = 1.0328, size = 315, normalized size = 1.47

$$32 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Aa^2 + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) Ba^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] 1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2 + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2 - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^2 + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a*b - 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a*b + 240*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a*b - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*b^2 + 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*b^2 + 480*C*b^2*sin(d*x + c))/d
```

Fricas [A] time = 0.535981, size = 414, normalized size = 1.93

$$15 \left(3 Ba^2 + 2 (3 A + 4 C) ab + 4 Bb^2 \right) dx + \left(24 Aa^2 \cos(dx + c)^4 + 30 (Ba^2 + 2 Aab) \cos(dx + c)^3 + 16 (4 A + 5 C) a^2 + 15 (3 Bb^2 + 2 (3 A + 4 C) ab + 4 Bb^2) \right) \sin(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")
```

```
[Out] 1/120*(15*(3*B*a^2 + 2*(3*A + 4*C))*a*b + 4*B*b^2)*d*x + (24*A*a^2*cos(d*x + c)^4 + 30*(B*a^2 + 2*A*a*b)*cos(d*x + c)^3 + 16*(4*A + 5*C)*a^2 + 160*B*a*b + 40*(2*A + 3*C)*b^2 + 8*((4*A + 5*C)*a^2 + 10*B*a*b + 5*A*b^2)*cos(d*x + c)^2 + 15*(3*B*a^2 + 2*(3*A + 4*C))*a*b + 4*B*b^2)*cos(d*x + c))*sin(d*x + c)
```

c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.20855, size = 972, normalized size = 4.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/120*(15*(3*B*a^2 + 6*A*a*b + 8*C*a*b + 4*B*b^2)*(d*x + c) + 2*(120*A*a^2* \\ & \tan(1/2*d*x + 1/2*c)^9 - 75*B*a^2*\tan(1/2*d*x + 1/2*c)^9 + 120*C*a^2*\tan(1/ \\ & 2*d*x + 1/2*c)^9 - 150*A*a*b*\tan(1/2*d*x + 1/2*c)^9 + 240*B*a*b*\tan(1/2*d*x \\ & + 1/2*c)^9 - 120*C*a*b*\tan(1/2*d*x + 1/2*c)^9 + 120*A*b^2*\tan(1/2*d*x + 1/ \\ & 2*c)^9 - 60*B*b^2*\tan(1/2*d*x + 1/2*c)^9 + 120*C*b^2*\tan(1/2*d*x + 1/2*c)^9 \\ & + 160*A*a^2*\tan(1/2*d*x + 1/2*c)^7 - 30*B*a^2*\tan(1/2*d*x + 1/2*c)^7 + 320 \\ & *C*a^2*\tan(1/2*d*x + 1/2*c)^7 - 60*A*a*b*\tan(1/2*d*x + 1/2*c)^7 + 640*B*a*b \\ & *\tan(1/2*d*x + 1/2*c)^7 - 240*C*a*b*\tan(1/2*d*x + 1/2*c)^7 + 320*A*b^2*\tan(\\ & 1/2*d*x + 1/2*c)^7 - 120*B*b^2*\tan(1/2*d*x + 1/2*c)^7 + 480*C*b^2*\tan(1/2*d \\ & *x + 1/2*c)^7 + 464*A*a^2*\tan(1/2*d*x + 1/2*c)^5 + 400*C*a^2*\tan(1/2*d*x + \\ & 1/2*c)^5 + 800*B*a*b*\tan(1/2*d*x + 1/2*c)^5 + 400*A*b^2*\tan(1/2*d*x + 1/2*c \\ &)^5 + 720*C*b^2*\tan(1/2*d*x + 1/2*c)^5 + 160*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + \\ & 30*B*a^2*\tan(1/2*d*x + 1/2*c)^3 + 320*C*a^2*\tan(1/2*d*x + 1/2*c)^3 + 60*A* \\ & a*b*\tan(1/2*d*x + 1/2*c)^3 + 640*B*a*b*\tan(1/2*d*x + 1/2*c)^3 + 240*C*a*b*t \\ & an(1/2*d*x + 1/2*c)^3 + 320*A*b^2*\tan(1/2*d*x + 1/2*c)^3 + 120*B*b^2*\tan(1/ \\ & 2*d*x + 1/2*c)^3 + 480*C*b^2*\tan(1/2*d*x + 1/2*c)^3 + 120*A*a^2*\tan(1/2*d*x \\ & + 1/2*c) + 75*B*a^2*\tan(1/2*d*x + 1/2*c) + 120*C*a^2*\tan(1/2*d*x + 1/2*c) \end{aligned}$$

$$\begin{aligned} &+ 150Aab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 240Bab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 120C* \\ &ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 120A*b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60B*b^2 \tan\left(\frac{1}{2} \right. \\ &dx + \frac{1}{2}c) + 120C*b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)) / (\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1 \\ &)^5 / d \end{aligned}$$

3.878 $\int \sec^2(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=381

$$\frac{\tan(c + dx) \left(-a^3 b^2 (30A + 17C) - 104 a^2 b^3 B + 6 a^4 b B - 2 a^5 C - 24 a b^4 (5A + 4C) - 32 b^5 B \right)}{60 b^2 d} + \frac{(6 a^2 b (4A + 3C) + 8 a^3 B +$$

[Out] $((8*a^3*B + 18*a*b^2*B + 6*a^2*b*(4*A + 3*C) + b^3*(6*A + 5*C))*ArcTanh[Sin[c + d*x]])/(16*d) - ((6*a^4*b*B - 104*a^2*b^3*B - 32*b^5*B - 2*a^5*C - 24*a*b^4*(5*A + 4*C) - a^3*b^2*(30*A + 17*C))*Tan[c + d*x])/(60*b^2*d) - ((12*a^3*b*B - 142*a*b^3*B - 4*a^4*C - 12*a^2*b^2*(5*A + 3*C) - 15*b^4*(6*A + 5*C))*Sec[c + d*x]*Tan[c + d*x])/(240*b*d) - ((6*a^2*b*B - 32*b^3*B - 2*a^3*C - 3*a*b^2*(10*A + 7*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(120*b^2*d) + ((30*A*b^2 - 6*a*b*B + 2*a^2*C + 25*b^2*C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b^2*d) + ((3*b*B - a*C)*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(15*b^2*d) + (C*Sec[c + d*x]*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(6*b*d)$

Rubi [A] time = 0.869532, antiderivative size = 381, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4092, 4082, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{\tan(c + dx) \left(-a^3 b^2 (30A + 17C) - 104 a^2 b^3 B + 6 a^4 b B - 2 a^5 C - 24 a b^4 (5A + 4C) - 32 b^5 B \right)}{60 b^2 d} + \frac{(6 a^2 b (4A + 3C) + 8 a^3 B +$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $((8*a^3*B + 18*a*b^2*B + 6*a^2*b*(4*A + 3*C) + b^3*(6*A + 5*C))*ArcTanh[Sin[c + d*x]])/(16*d) - ((6*a^4*b*B - 104*a^2*b^3*B - 32*b^5*B - 2*a^5*C - 24*a*b^4*(5*A + 4*C) - a^3*b^2*(30*A + 17*C))*Tan[c + d*x])/(60*b^2*d) - ((12*a^3*b*B - 142*a*b^3*B - 4*a^4*C - 12*a^2*b^2*(5*A + 3*C) - 15*b^4*(6*A + 5*C))*Sec[c + d*x]*Tan[c + d*x])/(240*b*d) - ((6*a^2*b*B - 32*b^3*B - 2*a^3*C - 3*a*b^2*(10*A + 7*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(120*b^2*d) + ((30*A*b^2 - 6*a*b*B + 2*a^2*C + 25*b^2*C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b^2*d) + ((3*b*B - a*C)*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(15*b^2*d) + (C*Sec[c + d*x]*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(6*b*d)$

Rule 4092

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[
(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x
_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a
+ b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*
Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B,
0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C \sec(c + dx)(a + b \sec(c + dx))^4 \tan(c + dx)}{6bd} \\
 &= \frac{(3bB - aC)(a + b \sec(c + dx))^4 \tan(c + dx)}{15b^2d} \\
 &= \frac{(30Ab^2 - 6abB + 2a^2C + 25b^2C)(a + b \sec(c + dx))^4 \tan(c + dx)}{120b^2d} \\
 &= -\frac{(6a^2bB - 32b^3B - 2a^3C - 3ab^2(10A + 7C)) \tan(c + dx)}{120b^2d} \\
 &= -\frac{(12a^3bB - 142ab^3B - 4a^4C - 12a^2b^2(5A + 3C)) \tan(c + dx)}{120b^2d} \\
 &= -\frac{(12a^3bB - 142ab^3B - 4a^4C - 12a^2b^2(5A + 3C)) \tan(c + dx)}{120b^2d} \\
 &= \frac{(8a^3B + 18ab^2B + 6a^2b(4A + 3C) + b^3(6A + 3C)) \tan(c + dx)}{16d} \\
 &= \frac{(8a^3B + 18ab^2B + 6a^2b(4A + 3C) + b^3(6A + 3C)) \tan(c + dx)}{16d}
 \end{aligned}$$

Mathematica [A] time = 3.17543, size = 384, normalized size = 1.01

$$\frac{\sec^5(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(-b (5 \sin(2(c + dx))) (18a^2C + 18abB + 6Ab^2 + 5b^2C) + 48b(3aC + \dots) \right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]


```
[Out] -((C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[c + d*x]^5*(15*(8*a^3*B + 18*
a*b^2*B + 6*a^2*b*(4*A + 3*C) + b^3*(6*A + 5*C))*Cos[c + d*x]^5*(Log[Cos[(c
+ d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])
- 16*(15*a^2*b*B + 4*b^3*B + 5*a^3*C + 3*a*b^2*(5*A + 4*C))*Cos[c + d*x]^2*
Sin[c + d*x] - 15*(8*a^3*B + 18*a*b^2*B + 6*a^2*b*(4*A + 3*C) + b^3*(6*A +
5*C))*Cos[c + d*x]^3*Sin[c + d*x] - 16*(30*a^2*b*B + 8*b^3*B + 5*a^3*(3*A +
2*C) + 6*a*b^2*(5*A + 4*C))*Cos[c + d*x]^4*Sin[c + d*x] - b*(48*b*(b*B + 3
*a*C)*Sin[c + d*x] + 5*(6*A*b^2 + 18*a*b*B + 18*a^2*C + 5*b^2*C)*Sin[2*(c +
d*x)] + 40*b^2*C*Tan[c + d*x]))/(120*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Co
s[2*(c + d*x)]))
```

Maple [A] time = 0.062, size = 644, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] 3/8/d*A*b^3*ln(sec(d*x+c)+tan(d*x+c))+5/16/d*C*b^3*ln(sec(d*x+c)+tan(d*x+c)
)+9/8/d*a^2*b*C*ln(sec(d*x+c)+tan(d*x+c))+8/5/d*C*a*b^2*tan(d*x+c)+5/16/d*C
*b^3*sec(d*x+c)*tan(d*x+c)+1/d*A*a^3*tan(d*x+c)+1/2/d*B*a^3*ln(sec(d*x+c)+t
an(d*x+c))+8/15/d*B*b^3*tan(d*x+c)+1/3/d*a^3*C*tan(d*x+c)*sec(d*x+c)^2+1/5/
d*B*b^3*tan(d*x+c)*sec(d*x+c)^4+4/15/d*B*b^3*tan(d*x+c)*sec(d*x+c)^2+1/2/d*
B*a^3*sec(d*x+c)*tan(d*x+c)+3/2/d*A*a^2*b*ln(sec(d*x+c)+tan(d*x+c))+9/8/d*B
*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+1/4/d*A*b^3*tan(d*x+c)*sec(d*x+c)^3+3/2/d*
A*a^2*b*sec(d*x+c)*tan(d*x+c)+3/5/d*C*a*b^2*tan(d*x+c)*sec(d*x+c)^4+4/5/d*C
*a*b^2*tan(d*x+c)*sec(d*x+c)^2+3/4/d*a^2*b*C*tan(d*x+c)*sec(d*x+c)^3+2/3*a^
3*C*tan(d*x+c)/d+3/8/d*A*b^3*sec(d*x+c)*tan(d*x+c)+9/8/d*a^2*b*C*sec(d*x+c)
*tan(d*x+c)+3/4/d*B*a*b^2*tan(d*x+c)*sec(d*x+c)^3+9/8/d*B*a*b^2*sec(d*x+c)*
tan(d*x+c)+1/d*B*a^2*b*tan(d*x+c)*sec(d*x+c)^2+1/d*A*a*b^2*tan(d*x+c)*sec(d
*x+c)^2+1/6/d*C*b^3*tan(d*x+c)*sec(d*x+c)^5+2/d*B*a^2*b*tan(d*x+c)+2/d*A*a*
b^2*tan(d*x+c)+5/24/d*C*b^3*tan(d*x+c)*sec(d*x+c)^3
```

Maxima [A] time = 1.10175, size = 763, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="maxima")
```

```
[Out] 1/480*(160*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^3 + 480*(tan(d*x + c)^3 +
3*tan(d*x + c))*B*a^2*b + 480*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a*b^2 + 9
6*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*a*b^2 + 32*(3*
tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*B*b^3 - 5*C*b^3*(2*(1
5*sin(d*x + c)^5 - 40*sin(d*x + c)^3 + 33*sin(d*x + c))/(sin(d*x + c)^6 - 3
*sin(d*x + c)^4 + 3*sin(d*x + c)^2 - 1) - 15*log(sin(d*x + c) + 1) + 15*log
(sin(d*x + c) - 1)) - 90*C*a^2*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(si
n(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(
d*x + c) - 1)) - 90*B*a*b^2*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x
+ c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x +
c) - 1)) - 30*A*b^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4
- 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1
)) - 120*B*a^3*(2*sin(d*x + c))/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1)
+ log(sin(d*x + c) - 1)) - 360*A*a^2*b*(2*sin(d*x + c))/(sin(d*x + c)^2 - 1
) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 480*A*a^3*tan(d*x + c)
)/d
```

Fricas [A] time = 0.612898, size = 824, normalized size = 2.16

$$15 \left(8Ba^3 + 6(4A + 3C)a^2b + 18Bab^2 + (6A + 5C)b^3 \right) \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15 \left(8Ba^3 + 6(4A + 3C)a^2b + 18Bab^2 + (6A + 5C)b^3 \right) \cos(dx + c)^6 \log(-\sin(dx + c) + 1) + 2 \left(16(5(3A + 2C)a^3 + 30Ba^2b + 6(5A + 4C)ab^2 + 8Bb^3) \cos(dx + c)^5 + 15(8Ba^3 + 6(4A + 3C)a^2b + 18Bab^2 + (6A + 5C)b^3) \cos(dx + c)^4 + 40Cb^3 + 16(5Ca^3 + 15Ba^2b + 3(5A + 4C)ab^2 + 4Bb^3) \cos(dx + c)^3 + 10(18Ca^2b + 18Bab^2 + (6A + 5C)b^3) \cos(dx + c)^2 + 48(3Ca^2b + Bb^3) \cos(dx + c) \right) \sin(dx + c) / (d \cos(dx + c)^6)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/480*(15*(8*B*a^3 + 6*(4*A + 3*C))*a^2*b + 18*B*a*b^2 + (6*A + 5*C)*b^3)*co
s(d*x + c)^6*log(sin(d*x + c) + 1) - 15*(8*B*a^3 + 6*(4*A + 3*C))*a^2*b + 18
*B*a*b^2 + (6*A + 5*C)*b^3)*cos(d*x + c)^6*log(-sin(d*x + c) + 1) + 2*(16*(
5*(3*A + 2*C))*a^3 + 30*B*a^2*b + 6*(5*A + 4*C))*a*b^2 + 8*B*b^3)*cos(d*x + c
)^5 + 15*(8*B*a^3 + 6*(4*A + 3*C))*a^2*b + 18*B*a*b^2 + (6*A + 5*C)*b^3)*cos
(d*x + c)^4 + 40*C*b^3 + 16*(5*C*a^3 + 15*B*a^2*b + 3*(5*A + 4*C))*a*b^2 + 4
*B*b^3)*cos(d*x + c)^3 + 10*(18*C*a^2*b + 18*B*a*b^2 + (6*A + 5*C)*b^3)*cos
(d*x + c)^2 + 48*(3*C*a^2*b + B*b^3)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x
+ c)^6)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((a + b*sec(c + d*x))**3*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2, x)

Giac [B] time = 1.26334, size = 1850, normalized size = 4.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{240} \cdot (15 \cdot (8 \cdot B \cdot a^3 + 24 \cdot A \cdot a^2 \cdot b + 18 \cdot C \cdot a^2 \cdot b + 18 \cdot B \cdot a \cdot b^2 + 6 \cdot A \cdot b^3 + 5 \cdot C \cdot b^3) \cdot \log(\abs{\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1}) - 15 \cdot (8 \cdot B \cdot a^3 + 24 \cdot A \cdot a^2 \cdot b + 18 \cdot C \cdot a^2 \cdot b + 18 \cdot B \cdot a \cdot b^2 + 6 \cdot A \cdot b^3 + 5 \cdot C \cdot b^3) \cdot \log(\abs{\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1}) - 2 \cdot (240 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} - 120 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} + 240 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} - 360 \cdot A \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} + 720 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} - 450 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} + 720 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} - 450 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} + 720 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} - 150 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} + 240 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} - 165 \cdot C \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^{11} - 1200 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 360 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 880 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 1080 \cdot A \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 2640 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 630 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 2640 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 630 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 1680 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 210 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 560 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 25 \cdot C \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 2400 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 240 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 1440 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 720 \cdot A \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 4320 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 180 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 4320 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 180 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 3744 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 60 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 1248 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 60 \cdot C \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7)$

$$\begin{aligned}
& /2*c)^7 - 450*C*b^3*\tan(1/2*d*x + 1/2*c)^7 - 2400*A*a^3*\tan(1/2*d*x + 1/2*c) \\
&)^5 - 240*B*a^3*\tan(1/2*d*x + 1/2*c)^5 - 1440*C*a^3*\tan(1/2*d*x + 1/2*c)^5 \\
& - 720*A*a^2*b*\tan(1/2*d*x + 1/2*c)^5 - 4320*B*a^2*b*\tan(1/2*d*x + 1/2*c)^5 \\
& - 180*C*a^2*b*\tan(1/2*d*x + 1/2*c)^5 - 4320*A*a*b^2*\tan(1/2*d*x + 1/2*c)^5 \\
& - 180*B*a*b^2*\tan(1/2*d*x + 1/2*c)^5 - 3744*C*a*b^2*\tan(1/2*d*x + 1/2*c)^5 \\
& - 60*A*b^3*\tan(1/2*d*x + 1/2*c)^5 - 1248*B*b^3*\tan(1/2*d*x + 1/2*c)^5 - 450 \\
& *C*b^3*\tan(1/2*d*x + 1/2*c)^5 + 1200*A*a^3*\tan(1/2*d*x + 1/2*c)^3 + 360*B*a \\
& ^3*\tan(1/2*d*x + 1/2*c)^3 + 880*C*a^3*\tan(1/2*d*x + 1/2*c)^3 + 1080*A*a^2*b \\
& *\tan(1/2*d*x + 1/2*c)^3 + 2640*B*a^2*b*\tan(1/2*d*x + 1/2*c)^3 + 630*C*a^2*b \\
& *\tan(1/2*d*x + 1/2*c)^3 + 2640*A*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + 630*B*a*b^2 \\
& *\tan(1/2*d*x + 1/2*c)^3 + 1680*C*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + 210*A*b^3*t \\
& an(1/2*d*x + 1/2*c)^3 + 560*B*b^3*\tan(1/2*d*x + 1/2*c)^3 - 25*C*b^3*\tan(1/2 \\
& *d*x + 1/2*c)^3 - 240*A*a^3*\tan(1/2*d*x + 1/2*c) - 120*B*a^3*\tan(1/2*d*x + \\
& 1/2*c) - 240*C*a^3*\tan(1/2*d*x + 1/2*c) - 360*A*a^2*b*\tan(1/2*d*x + 1/2*c) \\
& - 720*B*a^2*b*\tan(1/2*d*x + 1/2*c) - 450*C*a^2*b*\tan(1/2*d*x + 1/2*c) - 720 \\
& *A*a*b^2*\tan(1/2*d*x + 1/2*c) - 450*B*a*b^2*\tan(1/2*d*x + 1/2*c) - 720*C*a* \\
& b^2*\tan(1/2*d*x + 1/2*c) - 150*A*b^3*\tan(1/2*d*x + 1/2*c) - 240*B*b^3*\tan(1 \\
& /2*d*x + 1/2*c) - 165*C*b^3*\tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - \\
& 1)^6)/d
\end{aligned}$$

3.879 $\int \sec(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=286

$$\frac{\tan(c + dx) (4a^2b^2(20A + 13C) + 15a^3bB - 3a^4C + 60ab^3B + 4b^4(5A + 4C))}{30bd} + \frac{(4a^3(2A + C) + 12a^2bB + 3ab^2(4A + 3B - 6a^3C + a*b^2*(100A + 71C)) * \text{Sec}[c + d*x] * \text{Tan}[c + d*x])}{8d} + \frac{(4a^3(2A + C) + 12a^2bB + 3ab^2(4A + 3B - 6a^3C + a*b^2*(100A + 71C)) * \text{Sec}[c + d*x] * \text{Tan}[c + d*x])}{8d}$$

[Out] ((12*a^2*b*B + 3*b^3*B + 4*a^3*(2*A + C) + 3*a*b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + ((15*a^3*b*B + 60*a*b^3*B - 3*a^4*C + 4*b^4*(5*A + 4*C) + 4*a^2*b^2*(20*A + 13*C))*Tan[c + d*x])/(30*b*d) + ((30*a^2*b*B + 45*b^3*B - 6*a^3*C + a*b^2*(100*A + 71*C))*Sec[c + d*x]*Tan[c + d*x])/(120*d) + ((4*b^2*(5*A + 4*C) + 3*a*(5*b*B - a*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*b*d) + ((5*b*B - a*C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*b*d) + (C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*b*d)

Rubi [A] time = 0.587281, antiderivative size = 286, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$, Rules used = {4082, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{\tan(c + dx) (4a^2b^2(20A + 13C) + 15a^3bB - 3a^4C + 60ab^3B + 4b^4(5A + 4C))}{30bd} + \frac{(4a^3(2A + C) + 12a^2bB + 3ab^2(4A + 3B - 6a^3C + a*b^2*(100A + 71C)) * \text{Sec}[c + d*x] * \text{Tan}[c + d*x])}{8d} + \frac{(4a^3(2A + C) + 12a^2bB + 3ab^2(4A + 3B - 6a^3C + a*b^2*(100A + 71C)) * \text{Sec}[c + d*x] * \text{Tan}[c + d*x])}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((12*a^2*b*B + 3*b^3*B + 4*a^3*(2*A + C) + 3*a*b^2*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + ((15*a^3*b*B + 60*a*b^3*B - 3*a^4*C + 4*b^4*(5*A + 4*C) + 4*a^2*b^2*(20*A + 13*C))*Tan[c + d*x])/(30*b*d) + ((30*a^2*b*B + 45*b^3*B - 6*a^3*C + a*b^2*(100*A + 71*C))*Sec[c + d*x]*Tan[c + d*x])/(120*d) + ((4*b^2*(5*A + 4*C) + 3*a*(5*b*B - a*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*b*d) + ((5*b*B - a*C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*b*d) + (C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*b*d)

Rule 4082

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; Fr

eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} + \int \sec(c + dx) \tan(c + dx) (a + b \sec(c + dx))^3 dx \\
&= \frac{(5bB - aC)(a + b \sec(c + dx))^3 \tan(c + dx)}{20bd} \\
&= \frac{(4b^2(5A + 4C) + 3a(5bB - aC))(a + b \sec(c + dx))^3 \tan(c + dx)}{60bd} \\
&= \frac{(30a^2bB + 45b^3B - 6a^3C + ab^2(100A + 70C))(a + b \sec(c + dx))^3 \tan(c + dx)}{120d} \\
&= \frac{(30a^2bB + 45b^3B - 6a^3C + ab^2(100A + 70C))(a + b \sec(c + dx))^3 \tan(c + dx)}{120d} \\
&= \frac{(12a^2bB + 3b^3B + 4a^3(2A + C) + 3ab^2(4A + 3C) + 3b^3B)(a + b \sec(c + dx))^3 \tan(c + dx)}{8d} \\
&= \frac{(12a^2bB + 3b^3B + 4a^3(2A + C) + 3ab^2(4A + 3C) + 3b^3B)(a + b \sec(c + dx))^3 \tan(c + dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 2.93432, size = 451, normalized size = 1.58

$$\sec^5(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(120 \cos^5(c + dx) (4a^3(2A + C) + 12a^2bB + 3ab^2(4A + 3C) + 3b^3B) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] -((C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[c + d*x]^5*(120*(12*a^2*b*B + 3*b^3*B + 4*a^3*(2*A + C) + 3*a*b^2*(4*A + 3*C))*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) - 2*(540*a^2*A*b + 200*A*b^3 + 180*a^3*B + 600*a*b^2*B + 600*a^2*b*C + 256*b^3*C + 15*(36*a^2*b*B + 17*b^3*B + 12*a^3*C + 3*a*b^2*(12*A + 17*C))*Cos[c + d*x] + 48*(5*a^3*B + 15*a*b^2*B + 15*a^2*b*(A + C) + b^3*(5*A + 4*C))*Cos[2*(c + d*x)] + 180*a*A*b^2*Cos[3*(c + d*x)] + 180*a^2*b*B*Cos[3*(c + d*x)] + 45*b^3*B*Cos[3*(c + d*x)] + 60*a^3*C*Cos[3*(c + d*x)] + 135*a*b^2*C*Cos[3*(c + d*x)] + 180*a^2*A*b*Cos[4*(c + d*x)] + 40*A*b^3*Cos[4*(c + d*x)] + 60*a^3*B*Cos[4*(c + d*x)] + 120*a*b^2*B*Cos[4*(c + d*x)] + 120*a^2*b*C*Cos[4*(c + d*x)] + 32*b^3*C*Cos[4*(c + d*x)]))*Sin[c + d*x]))/(480*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]))

Maple [A] time = 0.061, size = 504, normalized size = 1.8

$$\frac{Aa^3 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{Ba^3 \tan(dx+c)}{d} + \frac{a^3 C \sec(dx+c) \tan(dx+c)}{2d} + \frac{a^3 C \ln(\sec(dx+c) + \tan(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^3*tan(d*x+c)+1/2/d*a^3*C*sec(d*x+c)*tan(d*x+c)+1/2/d*a^3*C*ln(sec(d*x+c)+tan(d*x+c))+3/d*A*a^2*b*tan(d*x+c)+3/2/d*B*a^2*b*sec(d*x+c)*tan(d*x+c)+3/2/d*B*a^2*b*ln(sec(d*x+c)+tan(d*x+c))+2/d*a^2*b*C*tan(d*x+c)+1/d*a^2*b*C*tan(d*x+c)*sec(d*x+c)^2+3/2/d*A*a*b^2*sec(d*x+c)*tan(d*x+c)+3/2/d*A*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+2/d*B*a*b^2*tan(d*x+c)+1/d*B*a*b^2*tan(d*x+c)*sec(d*x+c)^2+3/4/d*C*a*b^2*tan(d*x+c)*sec(d*x+c)^3+9/8/d*C*a*b^2*sec(d*x+c)*tan(d*x+c)+9/8/d*C*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*A*b^3*tan(d*x+c)+1/3/d*A*b^3*tan(d*x+c)*sec(d*x+c)^2+1/4/d*B*b^3*tan(d*x+c)*sec(d*x+c)^3+3/8/d*B*b^3*sec(d*x+c)*tan(d*x+c)+3/8/d*B*b^3*ln(sec(d*x+c)+tan(d*x+c))+8/15/d*C*b^3*tan(d*x+c)+1/5/d*C*b^3*tan(d*x+c)*sec(d*x+c)^4+4/15/d*C*b^3*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 1.05533, size = 601, normalized size = 2.1

$$240(\tan(dx+c)^3 + 3 \tan(dx+c))Ca^2b + 240(\tan(dx+c)^3 + 3 \tan(dx+c))Bab^2 + 80(\tan(dx+c)^3 + 3 \tan(dx+c))C$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] 1/240*(240*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a^2*b + 240*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a*b^2 + 80*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*b^3 + 16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*C*b^3 - 45*C*a*b^2*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 15*B*b^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 60*C*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 180*B*a^2*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 180*A*a*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1)

$-\log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) + 240Aa^3 \log(\sec(dx + c) + \tan(dx + c)) + 240B a^3 \tan(dx + c) + 720A a^2 b \tan(dx + c))/d$

Fricas [A] time = 0.589616, size = 711, normalized size = 2.49

$15(4(2A + C)a^3 + 12Ba^2b + 3(4A + 3C)ab^2 + 3Bb^3) \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(4(2A + C)a^3 + 12Ba^2b + 3(4A + 3C)ab^2 + 3Bb^3) \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(8(15Ba^3 + 15(3A + 2C)a^2b + 30B a^2 b^2 + 2(5A + 4C)b^3) \cos(dx + c)^4 + 24Cb^3 + 15(4Ca^3 + 12Ba^2b + 3(4A + 3C)ab^2 + 3Bb^3) \cos(dx + c)^3 + 8(15Ca^2b + 15B a^2 b^2 + (5A + 4C)b^3) \cos(dx + c)^2 + 30(3C a^2 b^2 + B b^3) \cos(dx + c)) \sin(dx + c) / (d \cos(dx + c)^5)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+b*sec(dx+c))^3*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] $1/240*(15*(4*(2A + C)a^3 + 12Ba^2b + 3(4A + 3C)ab^2 + 3Bb^3) \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15*(4*(2A + C)a^3 + 12Ba^2b + 3(4A + 3C)ab^2 + 3Bb^3) \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2*(8*(15Ba^3 + 15(3A + 2C)a^2b + 30B a^2 b^2 + 2(5A + 4C)b^3) \cos(dx + c)^4 + 24Cb^3 + 15(4Ca^3 + 12Ba^2b + 3(4A + 3C)ab^2 + 3Bb^3) \cos(dx + c)^3 + 8(15Ca^2b + 15B a^2 b^2 + (5A + 4C)b^3) \cos(dx + c)^2 + 30(3C a^2 b^2 + B b^3) \cos(dx + c)) \sin(dx + c) / (d \cos(dx + c)^5)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+b*sec(dx+c))**3*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] Integral((a + b*sec(c + dx))**3*(A + B*sec(c + dx) + C*sec(c + dx)**2)*sec(c + dx), x)

Giac [B] time = 1.26946, size = 1335, normalized size = 4.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")
```

```
[Out] 1/120*(15*(8*A*a^3 + 4*C*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 9*C*a*b^2 + 3*B*b^
3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(8*A*a^3 + 4*C*a^3 + 12*B*a^2*b
+ 12*A*a*b^2 + 9*C*a*b^2 + 3*B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*
(120*B*a^3*tan(1/2*d*x + 1/2*c)^9 - 60*C*a^3*tan(1/2*d*x + 1/2*c)^9 + 360*A
*a^2*b*tan(1/2*d*x + 1/2*c)^9 - 180*B*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 360*C*
a^2*b*tan(1/2*d*x + 1/2*c)^9 - 180*A*a*b^2*tan(1/2*d*x + 1/2*c)^9 + 360*B*a
*b^2*tan(1/2*d*x + 1/2*c)^9 - 225*C*a*b^2*tan(1/2*d*x + 1/2*c)^9 + 120*A*b^
3*tan(1/2*d*x + 1/2*c)^9 - 75*B*b^3*tan(1/2*d*x + 1/2*c)^9 + 120*C*b^3*tan(
1/2*d*x + 1/2*c)^9 - 480*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 120*C*a^3*tan(1/2*d
*x + 1/2*c)^7 - 1440*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 360*B*a^2*b*tan(1/2*d
*x + 1/2*c)^7 - 960*C*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 360*A*a*b^2*tan(1/2*d*
x + 1/2*c)^7 - 960*B*a*b^2*tan(1/2*d*x + 1/2*c)^7 + 90*C*a*b^2*tan(1/2*d*x
+ 1/2*c)^7 - 320*A*b^3*tan(1/2*d*x + 1/2*c)^7 + 30*B*b^3*tan(1/2*d*x + 1/2*
c)^7 - 160*C*b^3*tan(1/2*d*x + 1/2*c)^7 + 720*B*a^3*tan(1/2*d*x + 1/2*c)^5
+ 2160*A*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 1200*C*a^2*b*tan(1/2*d*x + 1/2*c)^5
+ 1200*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 400*A*b^3*tan(1/2*d*x + 1/2*c)^5 +
464*C*b^3*tan(1/2*d*x + 1/2*c)^5 - 480*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 120*
C*a^3*tan(1/2*d*x + 1/2*c)^3 - 1440*A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 360*B*
a^2*b*tan(1/2*d*x + 1/2*c)^3 - 960*C*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 360*A*a
*b^2*tan(1/2*d*x + 1/2*c)^3 - 960*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 90*C*a*b
^2*tan(1/2*d*x + 1/2*c)^3 - 320*A*b^3*tan(1/2*d*x + 1/2*c)^3 - 30*B*b^3*tan
(1/2*d*x + 1/2*c)^3 - 160*C*b^3*tan(1/2*d*x + 1/2*c)^3 + 120*B*a^3*tan(1/2*
d*x + 1/2*c) + 60*C*a^3*tan(1/2*d*x + 1/2*c) + 360*A*a^2*b*tan(1/2*d*x + 1/
2*c) + 180*B*a^2*b*tan(1/2*d*x + 1/2*c) + 360*C*a^2*b*tan(1/2*d*x + 1/2*c)
+ 180*A*a*b^2*tan(1/2*d*x + 1/2*c) + 360*B*a*b^2*tan(1/2*d*x + 1/2*c) + 225
*C*a*b^2*tan(1/2*d*x + 1/2*c) + 120*A*b^3*tan(1/2*d*x + 1/2*c) + 75*B*b^3*t
an(1/2*d*x + 1/2*c) + 120*C*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)
^2 - 1)^5)/d
```

3.880 $\int (a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=207

$$\frac{\tan(c + dx) (16a^2bB + 3a^3C + 6ab^2(3A + 2C) + 4b^3B)}{6d} + \frac{(12a^2b(2A + C) + 8a^3B + 12ab^2B + b^3(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d}$$

```
[Out] a^3*A*x + ((8*a^3*B + 12*a*b^2*B + 12*a^2*b*(2*A + C) + b^3*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + ((16*a^2*b*B + 4*b^3*B + 3*a^3*C + 6*a*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*d) + (b*(12*A*b^2 + 20*a*b*B + 6*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*b*B + 3*a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rubi [A] time = 0.339917, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4056, 4048, 3770, 3767, 8}

$$\frac{\tan(c + dx) (16a^2bB + 3a^3C + 6ab^2(3A + 2C) + 4b^3B)}{6d} + \frac{(12a^2b(2A + C) + 8a^3B + 12ab^2B + b^3(4A + 3C)) \tanh^{-1}(\sin(c + dx))}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] a^3*A*x + ((8*a^3*B + 12*a*b^2*B + 12*a^2*b*(2*A + C) + b^3*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + ((16*a^2*b*B + 4*b^3*B + 3*a^3*C + 6*a*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*d) + (b*(12*A*b^2 + 20*a*b*B + 6*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*b*B + 3*a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4} \int (a + b \sec(c + dx))^2 \tan(c + dx) dx \\
 &= \frac{(4bB + 3aC)(a + b \sec(c + dx))^2 \tan(c + dx)}{12d} + \frac{C(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} \\
 &= \frac{b(12Ab^2 + 20abB + 6a^2C + 9b^2C) \sec(c + dx) \tan(c + dx)}{24d} \\
 &= a^3 Ax + \frac{b(12Ab^2 + 20abB + 6a^2C + 9b^2C) \sec(c + dx)}{24d} \\
 &= a^3 Ax + \frac{(8a^3B + 12ab^2B + 12a^2b(2A + C) + b^3(4A + 3C)) \sec(c + dx)}{8d} \\
 &= a^3 Ax + \frac{(8a^3B + 12ab^2B + 12a^2b(2A + C) + b^3(4A + 3C)) \sec(c + dx)}{8d}
 \end{aligned}$$

Mathematica [B] time = 5.51976, size = 525, normalized size = 2.54

$$\cos(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(-12 \cos^4(c + dx) (12a^2b(2A + C) + 8a^3B + 12ab^2B) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2) * (36*a^3*A*(c + d*x) + 48*a^3*A*(c + d*x)*Cos[2*(c + d*x)] + 12*a^3*A*(c + d*x)*Cos[4*(c + d*x)] - 12*(8*a^3*B + 12*a*b^2*B + 12*a^2*b*(2*A + C) + b^3*(4*A + 3*C))*Cos[c + d*x]^4*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*(8*a^3*B + 12*a*b^2*B + 12*a^2*b*(2*A + C) + b^3*(4*A + 3*C))*Cos[c + d*x]^4*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 12*A*b^3*Sin[c + d*x] + 36*a*b^2*B*Sin[c + d*x] + 36*a^2*b*C*Sin[c + d*x] + 33*b^3*C*Sin[c + d*x] + 72*a*A*b^2*Sin[2*(c + d*x)] + 72*a^2*b*B*Sin[2*(c + d*x)] + 32*b^3*B*Sin[2*(c + d*x)] + 24*a^3*C*Sin[2*(c + d*x)] + 96*a*b^2*C*Sin[2*(c + d*x)] + 12*A*b^3*Sin[3*(c + d*x)] + 36*a*b^2*B*Sin[3*(c + d*x)] + 36*a^2*b*C*Sin[3*(c + d*x)] + 9*b^3*C*Sin[3*(c + d*x)] + 36*a*A*b^2*Sin[4*(c + d*x)] + 36*a^2*b*B*Sin[4*(c + d*x)] + 8*b^3*B*Sin[4*(c + d*x)] + 12*a^3*C*Sin[4*(c + d*x)] + 24*a*b^2*C*Sin[4*(c + d*x)])) / (48*d*(b + a*cos[c + d*x])^3*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*(c + d*x)]))

Maple [A] time = 0.057, size = 389, normalized size = 1.9

$$a^3Ax + \frac{Aa^3c}{d} + \frac{Ba^3 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{a^3C \tan(dx+c)}{d} + 3 \frac{Aa^2b \ln(\sec(dx+c) + \tan(dx+c))}{d} + 3 \frac{Bb^3 \ln(\sec(dx+c) + \tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] a^3*A*x+1/d*A*a^3*c+1/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+a^3*C*tan(d*x+c)/d+3/d*A*a^2*b*ln(sec(d*x+c)+tan(d*x+c))+3/d*B*a^2*b*tan(d*x+c)+3/2/d*a^2*b*C*sec(d*x+c)*tan(d*x+c)+3/2/d*a^2*b*C*ln(sec(d*x+c)+tan(d*x+c))+3/d*A*a*b^2*tan(d*x+c)+3/2/d*B*a*b^2*sec(d*x+c)*tan(d*x+c)+3/2/d*B*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+2/d*C*a*b^2*tan(d*x+c)+1/d*C*a*b^2*tan(d*x+c)*sec(d*x+c)^2+1/2/d*A*b^3*sec(d*x+c)*tan(d*x+c)+1/2/d*A*b^3*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*B*b^3*tan(d*x+c)+1/3/d*B*b^3*tan(d*x+c)*sec(d*x+c)^2+1/4/d*C*b^3*tan(d*x+c)*sec(d*x+c)^3+3/8/d*C*b^3*sec(d*x+c)*tan(d*x+c)+3/8/d*C*b^3*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 1.14788, size = 483, normalized size = 2.33

$$48(dx+c)Aa^3 + 48(\tan(dx+c)^3 + 3\tan(dx+c))Cab^2 + 16(\tan(dx+c)^3 + 3\tan(dx+c))Bb^3 - 3Cb^3 \left(\frac{2(3\sin(dx+c)^3}{\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/48*(48*(d*x + c)*A*a^3 + 48*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*a*b^2 + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*b^3 - 3*C*b^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 36*C*a^2*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 36*B*a*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 12*A*b^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 48*B*a^3*log(sec(d*x + c) + tan(d*x + c)) + 144*A*a^2*b*log(sec(d*x + c) + tan(d*x + c)) + 48*C*a^3*tan(d*x + c) + 144*B*a^2*b*tan(d*x + c) + 144*A*a*b^2*tan(d*x + c))/d

Fricas [A] time = 0.594853, size = 624, normalized size = 3.01

$$48Aa^3dx \cos(dx+c)^4 + 3(8Ba^3 + 12(2A+C)a^2b + 12Bab^2 + (4A+3C)b^3) \cos(dx+c)^4 \log(\sin(dx+c)+1) - 3(8Ba^3 + 12(2A+C)a^2b + 12Bab^2 + (4A+3C)b^3) \cos(dx+c)^4 \log(\sin(dx+c)-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 1/48*(48*A*a^3*d*x*cos(d*x + c)^4 + 3*(8*B*a^3 + 12*(2*A + C)*a^2*b + 12*B*a*b^2 + (4*A + 3*C)*b^3)*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(8*B*a^3 + 12*(2*A + C)*a^2*b + 12*B*a*b^2 + (4*A + 3*C)*b^3)*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(6*C*b^3 + 8*(3*C*a^3 + 9*B*a^2*b + 3*(3*A + 2*C)*a*b^2 + 2*B*b^3)*cos(d*x + c)^3 + 3*(12*C*a^2*b + 12*B*a*b^2 + (4*A + 3*C)*b^3)*cos(d*x + c)^2 + 8*(3*C*a*b^2 + B*b^3)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((a + b*sec(c + d*x))**3*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)

Giac [B] time = 1.34382, size = 1025, normalized size = 4.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\frac{1}{24} \cdot (24 \cdot (d \cdot x + c) \cdot A \cdot a^3 + 3 \cdot (8 \cdot B \cdot a^3 + 24 \cdot A \cdot a^2 \cdot b + 12 \cdot C \cdot a^2 \cdot b + 12 \cdot B \cdot a \cdot b^2 + 4 \cdot A \cdot b^3 + 3 \cdot C \cdot b^3) \cdot \log(\abs{\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1}) - 3 \cdot (8 \cdot B \cdot a^3 + 24 \cdot A \cdot a^2 \cdot b + 12 \cdot C \cdot a^2 \cdot b + 12 \cdot B \cdot a \cdot b^2 + 4 \cdot A \cdot b^3 + 3 \cdot C \cdot b^3) \cdot \log(\abs{\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1}) - 2 \cdot (24 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 72 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 36 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 72 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 36 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 72 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 12 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 24 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 15 \cdot C \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 72 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 216 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 36 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 216 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 36 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 120 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 12 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 40 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 9 \cdot C \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 72 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 216 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 36 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 216 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 36 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 120 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 12 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 40 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 9 \cdot C \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 24 \cdot C \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 72 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 36 \cdot C \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 72 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 36 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 72 \cdot C \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 12 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 24 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 15 \cdot C \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^4 / d$$

3.881 $\int \cos(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=192

$$\frac{b \tan(c + dx) (a^2(-6A - 8C)) + 9abB + b^2(3A + 2C)}{3d} + \frac{(6a^2bB + 2a^3C + 3ab^2(2A + C) + b^3B) \tanh^{-1}(\sin(c + dx))}{2d} +$$

```
[Out] a^2*(3*A*b + a*B)*x + ((6*a^2*b*B + b^3*B + 2*a^3*C + 3*a*b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/d + (b*(9*a*b*B - a^2*(6*A - 8*C) + b^2*(3*A + 2*C))*Tan[c + d*x])/(3*d) - (b^2*(6*a*A - 3*b*B - 5*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) - (b*(3*A - C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)
```

Rubi [A] time = 0.371263, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4094, 4056, 4048, 3770, 3767, 8}

$$\frac{b \tan(c + dx) (a^2(-6A - 8C)) + 9abB + b^2(3A + 2C)}{3d} + \frac{(6a^2bB + 2a^3C + 3ab^2(2A + C) + b^3B) \tanh^{-1}(\sin(c + dx))}{2d} +$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] a^2*(3*A*b + a*B)*x + ((6*a^2*b*B + b^3*B + 2*a^3*C + 3*a*b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*d) + (A*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/d + (b*(9*a*b*B - a^2*(6*A - 8*C) + b^2*(3*A + 2*C))*Tan[c + d*x])/(3*d) - (b^2*(6*a*A - 3*b*B - 5*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) - (b*(3*A - C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1))]*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```


Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^3 \sin(c + dx)}{d} + \int (a + \\
&= \frac{A(a + b \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{b(3A - \\
&= \frac{A(a + b \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{b^2(6aA \\
&= a^2(3Ab + aB)x + \frac{A(a + b \sec(c + dx))^3 \sin(c + dx)}{d} \\
&= a^2(3Ab + aB)x + \frac{(6a^2bB + b^3B + 2a^3C + 3 \\
&= a^2(3Ab + aB)x + \frac{(6a^2bB + b^3B + 2a^3C + 3
\end{aligned}$$

Mathematica [B] time = 6.58619, size = 1335, normalized size = 6.95

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a^2*(3*A*b + a*B)*(c + d*x)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((-6*a*A*b^2 - 6*a^2*b*B - b^3*B - 2*a^3*C - 3*a*b^2*C)*Cos[c + d*x]^5*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((6*a*A*b^2 + 6*a^2*b*B + b^3*B + 2*a^3*C + 3*a*b^2*C)*Cos[c + d*x]^5*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((3*b^3*B + 9*a*b^2*C + b^3*C)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(6*d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (b^3*C*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[(c + d*x)/2])/(3*d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 + (b^3*C*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[(c + d*x)/2])/(3*d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3 + ((-3*b^3*B - 9*a*b^2*C - b^3*C)*Cos[c + d*x]^5*(

$$\begin{aligned} & a + b \operatorname{Sec}[c + d*x]^3 * (A + B \operatorname{Sec}[c + d*x] + C \operatorname{Sec}[c + d*x]^2) / (6*d*(b + a * \\ & \operatorname{Cos}[c + d*x]^3 * (A + 2*C + 2*B \operatorname{Cos}[c + d*x] + A \operatorname{Cos}[2*c + 2*d*x]) * (\operatorname{Cos}[(c + \\ & d*x)/2] + \operatorname{Sin}[(c + d*x)/2])^2) + (2*\operatorname{Cos}[c + d*x]^5 * (a + b \operatorname{Sec}[c + d*x])^3 * \\ & (A + B \operatorname{Sec}[c + d*x] + C \operatorname{Sec}[c + d*x]^2) * (3*A*b^3 \operatorname{Sin}[(c + d*x)/2] + 9*a*b^2 \\ & * B \operatorname{Sin}[(c + d*x)/2] + 9*a^2*b*C \operatorname{Sin}[(c + d*x)/2] + 2*b^3*C \operatorname{Sin}[(c + d*x)/2] \\ &)) / (3*d*(b + a \operatorname{Cos}[c + d*x])^3 * (A + 2*C + 2*B \operatorname{Cos}[c + d*x] + A \operatorname{Cos}[2*c + 2* \\ & d*x]) * (\operatorname{Cos}[(c + d*x)/2] - \operatorname{Sin}[(c + d*x)/2])) + (2*\operatorname{Cos}[c + d*x]^5 * (a + b \operatorname{Sec} \\ & [c + d*x])^3 * (A + B \operatorname{Sec}[c + d*x] + C \operatorname{Sec}[c + d*x]^2) * (3*A*b^3 \operatorname{Sin}[(c + d*x) \\ & /2] + 9*a*b^2*B \operatorname{Sin}[(c + d*x)/2] + 9*a^2*b*C \operatorname{Sin}[(c + d*x)/2] + 2*b^3*C \operatorname{Sin} \\ & [(c + d*x)/2])) / (3*d*(b + a \operatorname{Cos}[c + d*x])^3 * (A + 2*C + 2*B \operatorname{Cos}[c + d*x] + A \\ & * \operatorname{Cos}[2*c + 2*d*x]) * (\operatorname{Cos}[(c + d*x)/2] + \operatorname{Sin}[(c + d*x)/2])) + (2*a^3*A \operatorname{Cos}[c \\ & + d*x]^5 * (a + b \operatorname{Sec}[c + d*x])^3 * (A + B \operatorname{Sec}[c + d*x] + C \operatorname{Sec}[c + d*x]^2) * \operatorname{Sin} \\ & [c + d*x]) / (d*(b + a \operatorname{Cos}[c + d*x])^3 * (A + 2*C + 2*B \operatorname{Cos}[c + d*x] + A \operatorname{Cos}[2* \\ & c + 2*d*x])) \end{aligned}$$

Maple [A] time = 0.078, size = 294, normalized size = 1.5

$$\frac{Aa^3 \sin(dx + c)}{d} + a^3 Bx + \frac{Ba^3 c}{d} + \frac{a^3 C \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3a^2 Abx + 3 \frac{Aa^2 bc}{d} + 3 \frac{Ba^2 b \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] $a^3 A \sin(dx+c)/d + a^3 B x + 1/d B a^3 c + 1/d a^3 C \ln(\sec(dx+c) + \tan(dx+c)) + 3 a^2 A b x + 3/d A a^2 b c + 3/d B a^2 b \ln(\sec(dx+c) + \tan(dx+c)) + 3/d a^2 b C \tan(dx+c) + 3/d A a b^2 \ln(\sec(dx+c) + \tan(dx+c)) + 3/d B a b^2 \tan(dx+c) + 3/2/d C a b^2 \sec(dx+c) \tan(dx+c) + 3/2/d C a b^2 \ln(\sec(dx+c) + \tan(dx+c)) + 1/d A b^3 \tan(dx+c) + 1/2/d B b^3 \sec(dx+c) \tan(dx+c) + 1/2/d B b^3 \ln(\sec(dx+c) + \tan(dx+c)) + 2/3/d C b^3 \tan(dx+c) + 1/3/d C b^3 \tan(dx+c) \sec(dx+c)^2$

Maxima [A] time = 1.03056, size = 378, normalized size = 1.97

$$12(dx + c)Ba^3 + 36(dx + c)Aa^2b + 4(\tan(dx + c)^3 + 3 \tan(dx + c))Cb^3 - 9Cab^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c) + 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

```
[Out] 1/12*(12*(d*x + c)*B*a^3 + 36*(d*x + c)*A*a^2*b + 4*(tan(d*x + c)^3 + 3*tan
(d*x + c))*C*b^3 - 9*C*a*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin
(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 3*B*b^3*(2*sin(d*x + c)/(sin(d*x
+ c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 6*C*a^3*(log
(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 18*B*a^2*b*(log(sin(d*x + c)
+ 1) - log(sin(d*x + c) - 1)) + 18*A*a*b^2*(log(sin(d*x + c) + 1) - log(sin
(d*x + c) - 1)) + 12*A*a^3*sin(d*x + c) + 36*C*a^2*b*tan(d*x + c) + 36*B*a*
b^2*tan(d*x + c) + 12*A*b^3*tan(d*x + c))/d
```

Fricas [A] time = 0.578599, size = 543, normalized size = 2.83

$$\frac{12(Ba^3 + 3Aa^2b)dx \cos(dx + c)^3 + 3(2Ca^3 + 6Ba^2b + 3(2A + C)ab^2 + Bb^3) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x,
algorithm="fricas")
```

```
[Out] 1/12*(12*(B*a^3 + 3*A*a^2*b)*d*x*cos(d*x + c)^3 + 3*(2*C*a^3 + 6*B*a^2*b +
3*(2*A + C)*a*b^2 + B*b^3)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(2*C*a^
3 + 6*B*a^2*b + 3*(2*A + C)*a*b^2 + B*b^3)*cos(d*x + c)^3*log(-sin(d*x + c)
+ 1) + 2*(6*A*a^3*cos(d*x + c)^3 + 2*C*b^3 + 2*(9*C*a^2*b + 9*B*a*b^2 + (3
*A + 2*C)*b^3)*cos(d*x + c)^2 + 3*(3*C*a*b^2 + B*b^3)*cos(d*x + c))*sin(d*x
+ c))/(d*cos(d*x + c)^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x
)
```

```
[Out] Timed out
```

Giac [B] time = 1.37315, size = 591, normalized size = 3.08

$$\frac{12 Aa^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 6 (Ba^3 + 3 Aa^2b)(dx + c) + 3 (2 Ca^3 + 6 Ba^2b + 6 Aab^2 + 3 Cab^2 + Bb^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out] 1/6*(12*A*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 6*(B*a^3 + 3*A*a^2*b)*(d*x + c) + 3*(2*C*a^3 + 6*B*a^2*b + 6*A*a*b^2 + 3*C*a*b^2 + B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*C*a^3 + 6*B*a^2*b + 6*A*a*b^2 + 3*C*a*b^2 + B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(18*C*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 18*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 9*C*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^3*tan(1/2*d*x + 1/2*c)^5 - 3*B*b^3*tan(1/2*d*x + 1/2*c)^5 + 6*C*b^3*tan(1/2*d*x + 1/2*c)^5 - 36*C*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 36*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 12*A*b^3*tan(1/2*d*x + 1/2*c)^3 - 4*C*b^3*tan(1/2*d*x + 1/2*c)^3 + 18*C*a^2*b*tan(1/2*d*x + 1/2*c) + 18*B*a*b^2*tan(1/2*d*x + 1/2*c) + 9*C*a*b^2*tan(1/2*d*x + 1/2*c) + 6*A*b^3*tan(1/2*d*x + 1/2*c) + 3*B*b^3*tan(1/2*d*x + 1/2*c) + 6*C*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3/d

3.882 $\int \cos^2(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=204

$$\frac{b \tan(c + dx) (4a^2B + 9aAb - 6abC - 2b^2B)}{2d} + \frac{b (6a^2C + 6abB + 2Ab^2 + b^2C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{1}{2}ax (a^2(A + 2C$$

```
[Out] (a*(6*A*b^2 + 6*a*b*B + a^2*(A + 2*C))*x)/2 + (b*(2*A*b^2 + 6*a*b*B + 6*a^2
*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((3*A*b + 2*a*B)*(a + b*Sec[c +
d*x])^2*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c
+ d*x])/(2*d) - (b*(9*a*A*b + 4*a^2*B - 2*b^2*B - 6*a*b*C)*Tan[c + d*x])/(2
*d) - (b^2*(4*A*b + 2*a*B - b*C)*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

Rubi [A] time = 0.455644, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4094, 4048, 3770, 3767, 8}

$$\frac{b \tan(c + dx) (4a^2B + 9aAb - 6abC - 2b^2B)}{2d} + \frac{b (6a^2C + 6abB + 2Ab^2 + b^2C) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{1}{2}ax (a^2(A + 2C$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d
*x]^2), x]
```

```
[Out] (a*(6*A*b^2 + 6*a*b*B + a^2*(A + 2*C))*x)/2 + (b*(2*A*b^2 + 6*a*b*B + 6*a^2
*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((3*A*b + 2*a*B)*(a + b*Sec[c +
d*x])^2*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c
+ d*x])/(2*d) - (b*(9*a*A*b + 4*a^2*B - 2*b^2*B - 6*a*b*C)*Tan[c + d*x])/(2
*d) - (b^2*(4*A*b + 2*a*B - b*C)*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{(3Ab + 2aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{(3Ab + 2aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{1}{2}a(6Ab^2 + 6abB + a^2(A + 2C))x + \frac{(3Ab + 2aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{1}{2}a(6Ab^2 + 6abB + a^2(A + 2C))x + \frac{b(2A + C)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{1}{2}a(6Ab^2 + 6abB + a^2(A + 2C))x + \frac{b(2A + C)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [A] time = 3.03943, size = 320, normalized size = 1.57

$$2a(c + dx) \left(a^2(A + 2C) + 6abB + 6Ab^2 \right) - 2b \left(6a^2C + 6abB + 2Ab^2 + b^2C \right) \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + 2b$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(6*A*b^2 + 6*a*b*B + a^2*(A + 2*C))*(c + d*x) - 2*b*(2*A*b^2 + 6*a*b*B + 6*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*b*(2*A*b^2 + 6*a*b*B + 6*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^3*C)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (4*b^2*(b*B + 3*a*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (b^3*C)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*b^2*(b*B + 3*a*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 4*a^2*(3*A*b + a*B)*Sin[c + d*x] + a^3*A*Sin[2*(c + d*x)]/(4*d)

Maple [A] time = 0.081, size = 267, normalized size = 1.3

$$\frac{Aa^3 \sin(dx + c) \cos(dx + c)}{2d} + \frac{a^3 Ax}{2} + \frac{Aa^3 c}{2d} + \frac{Ba^3 \sin(dx + c)}{d} + a^3 Cx + \frac{Ca^3 c}{d} + 3 \frac{Aa^2 b \sin(dx + c)}{d} + 3Ba^2 bx + 3 \frac{Ba^3 c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 1/2/d*A*a^3*sin(d*x+c)*cos(d*x+c)+1/2*a^3*A*x+1/2/d*A*a^3*c+a^3*B*sin(d*x+c)/d+a^3*C*x+1/d*C*a^3*c+3/d*A*a^2*b*sin(d*x+c)+3*B*a^2*b*x+3/d*B*a^2*b*c+3/d*a^2*b*C*ln(sec(d*x+c)+tan(d*x+c))+3*A*a*b^2*x+3/d*A*a*b^2*c+3/d*B*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+3/d*C*a*b^2*tan(d*x+c)+1/d*A*b^3*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*b^3*tan(d*x+c)+1/2/d*C*b^3*sec(d*x+c)*tan(d*x+c)+1/2/d*C*b^3*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 1.0552, size = 328, normalized size = 1.61

$$(2dx + 2c + \sin(2dx + 2c))Aa^3 + 4(dx + c)Ca^3 + 12(dx + c)Ba^2b + 12(dx + c)Aab^2 - Cb^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="maxima")
```

```
[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 + 4*(d*x + c)*C*a^3 + 12*(d*x +
c)*B*a^2*b + 12*(d*x + c)*A*a*b^2 - C*b^3*(2*sin(d*x + c)/(sin(d*x + c)^2
- 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 6*C*a^2*b*(log(sin(
d*x + c) + 1) - log(sin(d*x + c) - 1)) + 6*B*a*b^2*(log(sin(d*x + c) + 1) -
log(sin(d*x + c) - 1)) + 2*A*b^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c)
- 1)) + 4*B*a^3*sin(d*x + c) + 12*A*a^2*b*sin(d*x + c) + 12*C*a*b^2*tan(d*
x + c) + 4*B*b^3*tan(d*x + c))/d
```

Fricas [A] time = 0.57597, size = 500, normalized size = 2.45

$$2\left((A + 2C)a^3 + 6Ba^2b + 6Aab^2\right)dx \cos(dx + c)^2 + \left(6Ca^2b + 6Bab^2 + (2A + C)b^3\right) \cos(dx + c)^2 \log(\sin(dx + c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/4*(2*((A + 2*C)*a^3 + 6*B*a^2*b + 6*A*a*b^2)*d*x*cos(d*x + c)^2 + (6*C*a^
2*b + 6*B*a*b^2 + (2*A + C)*b^3)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (6*
C*a^2*b + 6*B*a*b^2 + (2*A + C)*b^3)*cos(d*x + c)^2*log(-sin(d*x + c) + 1)
+ 2*(A*a^3*cos(d*x + c)^3 + C*b^3 + 2*(B*a^3 + 3*A*a^2*b)*cos(d*x + c)^2 +
2*(3*C*a*b^2 + B*b^3)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

[Out] Timed out

Giac [B] time = 1.33571, size = 729, normalized size = 3.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")

[Out]
$$\frac{1}{2} * ((A*a^3 + 2*C*a^3 + 6*B*a^2*b + 6*A*a*b^2) * (d*x + c) + (6*C*a^2*b + 6*B*a*b^2 + 2*A*b^3 + C*b^3) * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (6*C*a^2*b + 6*B*a*b^2 + 2*A*b^3 + C*b^3) * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(A*a^3 * \tan(1/2*d*x + 1/2*c)^7 - 2*B*a^3 * \tan(1/2*d*x + 1/2*c)^7 - 6*A*a^2*b * \tan(1/2*d*x + 1/2*c)^7 + 6*C*a*b^2 * \tan(1/2*d*x + 1/2*c)^7 + 2*B*b^3 * \tan(1/2*d*x + 1/2*c)^7 - C*b^3 * \tan(1/2*d*x + 1/2*c)^7 - 3*A*a^3 * \tan(1/2*d*x + 1/2*c)^5 + 2*B*a^3 * \tan(1/2*d*x + 1/2*c)^5 + 6*A*a^2*b * \tan(1/2*d*x + 1/2*c)^5 + 6*C*a*b^2 * \tan(1/2*d*x + 1/2*c)^5 + 2*B*b^3 * \tan(1/2*d*x + 1/2*c)^5 - 3*C*b^3 * \tan(1/2*d*x + 1/2*c)^5 + 3*A*a^3 * \tan(1/2*d*x + 1/2*c)^3 + 2*B*a^3 * \tan(1/2*d*x + 1/2*c)^3 + 6*A*a^2*b * \tan(1/2*d*x + 1/2*c)^3 - 6*C*a*b^2 * \tan(1/2*d*x + 1/2*c)^3 - 2*B*b^3 * \tan(1/2*d*x + 1/2*c)^3 - 3*C*b^3 * \tan(1/2*d*x + 1/2*c)^3 - A*a^3 * \tan(1/2*d*x + 1/2*c) - 2*B*a^3 * \tan(1/2*d*x + 1/2*c) - 6*A*a^2*b * \tan(1/2*d*x + 1/2*c) - 6*C*a*b^2 * \tan(1/2*d*x + 1/2*c) - 2*B*b^3 * \tan(1/2*d*x + 1/2*c) - C*b^3 * \tan(1/2*d*x + 1/2*c)) / (\tan(1/2*d*x + 1/2*c)^4 - 1)^2 / d$$

3.883 $\int \cos^3(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=196

$$\frac{a \sin(c + dx) (a^2(2A + 3C) + 6abB + 3Ab^2)}{3d} + \frac{1}{2}x (3a^2b(A + 2C) + a^3B + 6ab^2B + 2Ab^3) - \frac{b^2 \tan(c + dx)(3aB + 5Ab)}{6d}$$

[Out] $((2A*b^3 + a^3*B + 6*a*b^2*B + 3*a^2*b*(A + 2*C))*x)/2 + (b^2*(b*B + 3*a*C) * \text{ArcTanh}[\text{Sin}[c + d*x]])/d + (a*(3*A*b^2 + 6*a*b*B + a^2*(2*A + 3*C))*\text{Sin}[c + d*x])/(3*d) + ((A*b + a*B)*\text{Cos}[c + d*x]*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(2*d) + (A*\text{Cos}[c + d*x]^2*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(3*d) - (b^2*(5*A*b + 3*a*B - 6*b*C)*\text{Tan}[c + d*x])/(6*d)$

Rubi [A] time = 0.60091, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4076, 4047, 8, 4045, 3770}

$$\frac{a \sin(c + dx) (a^2(2A + 3C) + 6abB + 3Ab^2)}{3d} + \frac{1}{2}x (3a^2b(A + 2C) + a^3B + 6ab^2B + 2Ab^3) - \frac{b^2 \tan(c + dx)(3aB + 5Ab)}{6d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((2A*b^3 + a^3*B + 6*a*b^2*B + 3*a^2*b*(A + 2*C))*x)/2 + (b^2*(b*B + 3*a*C) * \text{ArcTanh}[\text{Sin}[c + d*x]])/d + (a*(3*A*b^2 + 6*a*b*B + a^2*(2*A + 3*C))*\text{Sin}[c + d*x])/(3*d) + ((A*b + a*B)*\text{Cos}[c + d*x]*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(2*d) + (A*\text{Cos}[c + d*x]^2*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(3*d) - (b^2*(5*A*b + 3*a*B - 6*b*C)*\text{Tan}[c + d*x])/(6*d)$

Rule 4094

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])^n*(d + \text{csc}[e + f*x])^m, x] \text{Symbol} \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{(Ab + aB) \cos(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{(Ab + aB) \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{(Ab + aB) \cos(c + dx)(a + b \sec(c + dx)) \sin(c + dx)}{2d} \\
&= \frac{1}{2} (2Ab^3 + a^3B + 6ab^2B + 3a^2b(A + 2C)) \sin(c + dx) \\
&= \frac{1}{2} (2Ab^3 + a^3B + 6ab^2B + 3a^2b(A + 2C)) \sin(c + dx)
\end{aligned}$$

Mathematica [A] time = 1.35415, size = 263, normalized size = 1.34

$$6(c + dx) (3a^2b(A + 2C) + a^3B + 6ab^2B + 2Ab^3) + 3a \sin(c + dx) (a^2(3A + 4C) + 12abB + 12Ab^2) + 3a^2(aB + 3Ab) \sin(c + dx)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (6*(2*A*b^3 + a^3*B + 6*a*b^2*B + 3*a^2*b*(A + 2*C))*(c + d*x) - 12*b^2*(b*B + 3*a*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*b^2*(b*B + 3*a*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (12*b^3*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (12*b^3*C*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 3*a*(12*A*b^2 + 12*a*b*B + a^2*(3*A + 4*C))*Sin[c + d*x] + 3*a^2*(3*A*b + a*B)*Sin[2*(c + d*x)] + a^3*A*Sin[3*(c + d*x)])/(12*d)

Maple [A] time = 0.076, size = 278, normalized size = 1.4

$$\frac{A(\cos(dx + c))^2 \sin(dx + c) a^3}{3d} + \frac{2Aa^3 \sin(dx + c)}{3d} + \frac{Ba^3 \sin(dx + c) \cos(dx + c)}{2d} + \frac{a^3 Bx}{2} + \frac{Ba^3 c}{2d} + \frac{a^3 C \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] $\frac{1}{3}dA\cos(d*x+c)^2\sin(d*x+c)a^3 + \frac{2}{3}a^3A\sin(d*x+c)/d + \frac{1}{2}dBa^3\sin(d*x+c)\cos(d*x+c) + \frac{1}{2}a^3Bx + \frac{1}{2}dBa^3c + a^3C\sin(d*x+c)/d + \frac{3}{2}dAa^2b\sin(d*x+c)\cos(d*x+c) + \frac{3}{2}a^2Abx + \frac{3}{2}dAa^2bc + \frac{3}{2}dBa^2b\sin(d*x+c) + 3a^2bCx + \frac{3}{2}dCa^2bc + \frac{3}{2}dAab^2\sin(d*x+c) + 3Bab^2x + \frac{3}{2}dBab^2c + \frac{3}{2}dCab^2\ln(\sec(d*x+c) + \tan(d*x+c)) + Ab^3x + \frac{1}{2}Ab^3c + \frac{1}{2}Db^3\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{1}{2}Cb^3\tan(d*x+c)$

Maxima [A] time = 1.0333, size = 292, normalized size = 1.49

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^3 - 3(2dx+2c+\sin(2dx+2c))Ba^3 - 9(2dx+2c+\sin(2dx+2c))Aa^2b - 36(a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] $-\frac{1}{12}(4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^3 - 3(2dx+2c+\sin(2dx+2c))Ba^3 - 9(2dx+2c+\sin(2dx+2c))Aa^2b - 36(dx+c)Ca^2b - 36(dx+c)Bab^2 - 12(dx+c)Ab^3 - 18Ca^2b(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 6Bb^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 12Ca^3\sin(dx+c) - 36Ba^2b\sin(dx+c) - 36Aab^2\sin(dx+c) - 12Cb^3\tan(dx+c))/d$

Fricas [A] time = 0.572554, size = 486, normalized size = 2.48

$$3(Ba^3 + 3(A+2C)a^2b + 6Bab^2 + 2Ab^3)dx \cos(dx+c) + 3(3Cab^2 + Bb^3) \cos(dx+c) \log(\sin(dx+c)+1) - 3(3Ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")`

[Out] $\frac{1}{6}(3(Ba^3 + 3(A+2C)a^2b + 6Bab^2 + 2Ab^3)d*x*\cos(d*x+c) + 3(3Ca^2b + Bb^3)*\cos(d*x+c)*\log(\sin(d*x+c)+1) - 3(3Ca^2b + Bb^3)*\cos(d*x+c)*\log(-\sin(d*x+c)+1) + (2Aa^3*\cos(d*x+c)^3 + 6C*$

$$b^3 + 3*(B*a^3 + 3*A*a^2*b)*\cos(d*x + c)^2 + 2*((2*A + 3*C)*a^3 + 9*B*a^2*b + 9*A*a*b^2)*\cos(d*x + c)*\sin(d*x + c)/(d*\cos(d*x + c))$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.3365, size = 564, normalized size = 2.88

$$\frac{12Cb^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - 3(Ba^3 + 3Aa^2b + 6Ca^2b + 6Bab^2 + 2Ab^3)(dx + c) - 6(3Cab^2 + Bb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(12*C*b^3*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) - 3*(B*a^3 \\ & + 3*A*a^2*b + 6*C*a^2*b + 6*B*a*b^2 + 2*A*b^3)*(d*x + c) - 6*(3*C*a*b^2 + \\ & B*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + 6*(3*C*a*b^2 + B*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a^3*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^3*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a^3*\tan(1/2*d*x + 1/2*c)^5 - 9*A*a^2*b*\tan(1/2*d*x + 1/2*c)^5 + 18*B*a^2*b*\tan(1/2*d*x + 1/2*c)^5 + 18*A*a*b^2*\tan(1/2*d*x + 1/2*c)^5 + 4*A*a^3*\tan(1/2*d*x + 1/2*c)^3 + 12*C*a^3*\tan(1/2*d*x + 1/2*c)^3 + 36*B*a^2*b*\tan(1/2*d*x + 1/2*c)^3 + 36*A*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a^3*\tan(1/2*d*x + 1/2*c) + 3*B*a^3*\tan(1/2*d*x + 1/2*c) + 6*C*a^3*\tan(1/2*d*x + 1/2*c) + 9*A*a^2*b*\tan(1/2*d*x + 1/2*c) + 18*B*a^2*b*\tan(1/2*d*x + 1/2*c) + 18*A*a*b^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3 \\ & /d \end{aligned}$$

3.884 $\int \cos^4(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=223

$$\frac{\sin(c + dx) (6a^2b(2A + 3C) + 4a^3B + 16ab^2B + 3Ab^3)}{6d} + \frac{a \sin(c + dx) \cos(c + dx) (3a^2(3A + 4C) + 20abB + 6Ab^2)}{24d} + \frac{1}{8}$$

[Out] ((12*a^2*b*B + 8*b^3*B + 12*a*b^2*(A + 2*C) + a^3*(3*A + 4*C))*x)/8 + (b^3*C*ArcTanh[Sin[c + d*x]])/d + ((3*A*b^3 + 4*a^3*B + 16*a*b^2*B + 6*a^2*b*(2*A + 3*C))*Sin[c + d*x])/(6*d) + (a*(6*A*b^2 + 20*a*b*B + 3*a^2*(3*A + 4*C))*Cos[c + d*x]*Sin[c + d*x])/(24*d) + ((3*A*b + 4*a*B)*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.656655, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4074, 4047, 8, 4045, 3770}

$$\frac{\sin(c + dx) (6a^2b(2A + 3C) + 4a^3B + 16ab^2B + 3Ab^3)}{6d} + \frac{a \sin(c + dx) \cos(c + dx) (3a^2(3A + 4C) + 20abB + 6Ab^2)}{24d} + \frac{1}{8}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((12*a^2*b*B + 8*b^3*B + 12*a*b^2*(A + 2*C) + a^3*(3*A + 4*C))*x)/8 + (b^3*C*ArcTanh[Sin[c + d*x]])/d + ((3*A*b^3 + 4*a^3*B + 16*a*b^2*B + 6*a^2*b*(2*A + 3*C))*Sin[c + d*x])/(6*d) + (a*(6*A*b^2 + 20*a*b*B + 3*a^2*(3*A + 4*C))*Cos[c + d*x]*Sin[c + d*x])/(24*d) + ((3*A*b + 4*a*B)*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(4*d)

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,

b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

Int[a_., x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^3(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{4d} \\
&= \frac{(3Ab+4aB)\cos^2(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{12d} \\
&= \frac{a(6Ab^2+20abB+3a^2(3A+4C))\cos(c+dx)\sin(c+dx)}{24d} \\
&= \frac{a(6Ab^2+20abB+3a^2(3A+4C))\cos(c+dx)\sin(c+dx)}{24d} \\
&= \frac{1}{8}(12a^2bB+8b^3B+12ab^2(A+2C)+a^3(3A+4C))\cos(c+dx)\sin(c+dx) \\
&= \frac{1}{8}(12a^2bB+8b^3B+12ab^2(A+2C)+a^3(3A+4C))\cos(c+dx)\sin(c+dx)
\end{aligned}$$

Mathematica [A] time = 0.937164, size = 215, normalized size = 0.96

$$12(c+dx)(a^3(3A+4C)+12a^2bB+12ab^2(A+2C)+8b^3B)+24a\sin(2(c+dx))(a^2(A+C)+3abB+3Ab^2)+24\sin(2(c+dx))\cos^2(c+dx)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d*x]^4*(a+b*Sec[c+d*x])^3*(A+B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (12*(12*a^2*b*B+8*b^3*B+12*a*b^2*(A+2*C)+a^3*(3*A+4*C))*(c+d*x)-96*b^3*C*Log[Cos[(c+d*x)/2]-Sin[(c+d*x)/2]]+96*b^3*C*Log[Cos[(c+d*x)/2]+Sin[(c+d*x)/2]]+24*(4*A*b^3+3*a^3*B+12*a*b^2*B+3*a^2*b*(3*A+4*C))*Sin[c+d*x]+24*a*(3*A*b^2+3*a*b*B+a^2*(A+C))*Sin[2*(c+d*x)]+8*a^2*(3*A*b+a*B)*Sin[3*(c+d*x)]+3*a^3*A*Sin[4*(c+d*x)])/(96*d)

Maple [A] time = 0.08, size = 362, normalized size = 1.6

$$3\frac{Bab^2\sin(dx+c)}{d}+\frac{B\sin(dx+c)(\cos(dx+c))^2a^3}{3d}+\frac{3Ba^2bx}{2}+\frac{a^3Cc}{2d}+\frac{3a^3Ax}{8}+\frac{Bb^3c}{d}+\frac{Ab^3\sin(dx+c)}{d}+3Cab^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

```
[Out] 3/d*B*a*b^2*sin(d*x+c)+1/3/d*B*sin(d*x+c)*cos(d*x+c)^2*a^3+3/2*B*a^2*b*x+1/2/d*C*a^3*c+3/8*a^3*A*x+1/d*B*b^3*c+1/d*A*b^3*sin(d*x+c)+3*C*a*b^2*x+1/d*C*b^3*ln(sec(d*x+c)+tan(d*x+c))+B*b^3*x+3/8/d*A*a^3*c+3/2*A*a*b^2*x+2/3*a^3*B*sin(d*x+c)/d+3/8/d*A*a^3*sin(d*x+c)*cos(d*x+c)+2/d*A*a^2*b*sin(d*x+c)+3/2/d*B*a^2*b*c+1/2*a^3*C*x+3/2/d*A*a*b^2*c+1/4/d*A*a^3*sin(d*x+c)*cos(d*x+c)^3+1/2/d*a^3*C*sin(d*x+c)*cos(d*x+c)+3/d*a^2*b*C*sin(d*x+c)+3/d*C*a*b^2*c+3/2/d*B*a^2*b*sin(d*x+c)*cos(d*x+c)+3/2/d*A*a*b^2*sin(d*x+c)*cos(d*x+c)+1/d*A*sin(d*x+c)*cos(d*x+c)^2*a^2*b
```

Maxima [A] time = 0.991735, size = 332, normalized size = 1.49

$$3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^3 - 32(\sin(dx + c)^3 - 3\sin(dx + c))Ba^3 + 24(2dx + 2c + \sin(2dx + 2c))Ca^3 - 96(\sin(dx + c)^3 - 3\sin(dx + c))Aa^2b + 72(2dx + 2c + \sin(2dx + 2c))Ba^2b + 72(2dx + 2c + \sin(2dx + 2c))Aa*b^2 + 288(dx + c)C*a*b^2 + 96(dx + c)B*b^3 + 48C*b^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 288C*a^2*b*\sin(dx + c) + 288B*a*b^2*\sin(dx + c) + 96A*b^3*\sin(dx + c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c)) + 8*sin(2*d*x + 2*c))*A*a^3 - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^3 - 96*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2*b + 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2*b + 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a*b^2 + 288*(d*x + c)*C*a*b^2 + 96*(d*x + c)*B*b^3 + 48*C*b^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 288*C*a^2*b*sin(d*x + c) + 288*B*a*b^2*sin(d*x + c) + 96*A*b^3*sin(d*x + c))/d
```

Fricas [A] time = 0.587165, size = 463, normalized size = 2.08

$$12Cb^3 \log(\sin(dx + c) + 1) - 12Cb^3 \log(-\sin(dx + c) + 1) + 3((3A + 4C)a^3 + 12Ba^2b + 12(A + 2C)ab^2 + 8Bb^3)d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")
```

```
[Out] 1/24*(12*C*b^3*log(sin(d*x + c) + 1) - 12*C*b^3*log(-sin(d*x + c) + 1) + 3*((3*A + 4*C)*a^3 + 12*B*a^2*b + 12*(A + 2*C)*a*b^2 + 8*B*b^3)*d*x + (6*A*a^3*cos(d*x + c)^3 + 16*B*a^3 + 24*(2*A + 3*C)*a^2*b + 72*B*a*b^2 + 24*A*b^3
```

$$+ 8*(B*a^3 + 3*A*a^2*b)*\cos(d*x + c)^2 + 3*((3*A + 4*C)*a^3 + 12*B*a^2*b + 12*A*a*b^2)*\cos(d*x + c))*\sin(d*x + c))/d$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c))**2),x)
```

[Out] Timed out

Giac [B] time = 1.35594, size = 976, normalized size = 4.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/24*(24*C*b^3*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 24*C*b^3*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 3*(3*A*a^3 + 4*C*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 24*C*a*b^2 + 8*B*b^3)*(d*x + c) - 2*(15*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 24*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 12*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 72*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 72*C*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 72*B*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 24*A*b^3*tan(1/2*d*x + 1/2*c)^7 - 9*A*a^3*tan(1/2*d*x + 1/2*c)^5 - 40*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 12*C*a^3*tan(1/2*d*x + 1/2*c)^5 - 120*A*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 - 216*C*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 216*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 72*A*b^3*tan(1/2*d*x + 1/2*c)^5 + 9*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 12*C*a^3*tan(1/2*d*x + 1/2*c)^3 - 120*A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 216*C*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 216*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 72*A*b^3*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^3*tan(1/2*d*x + 1/2*c) - 24*B*a^3*tan(1/2*d*x + 1/2*c) -
```

$$\frac{12Ca^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 72Aa^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 36Ba^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 72Ca^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 36Aab^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 72Bab^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 24Ab^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1)^4} / d$$

3.885 $\int \cos^5(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=269

$$\frac{\sin(c + dx) (2a^3(4A + 5C) + 30a^2bB + 15ab^2(2A + 3C) + 15b^3B)}{15d} + \frac{a \sin(c + dx) \cos^2(c + dx) (2a^2(4A + 5C) + 15abB + 15b^2C)}{30d}$$

[Out] $((3a^3B + 12ab^2B + 4b^3(A + 2C) + 3a^2b(3A + 4C))x)/8 + ((30a^2bB + 15b^3B + 15ab^2(2A + 3C) + 2a^3(4A + 5C))\sin[c + dx])/ (15d) + ((6Ab^3 + 15a^3B + 50ab^2B + 15a^2b(3A + 4C))\cos[c + dx]\sin[c + dx])/ (40d) + (a(3Ab^2 + 15abB + 2a^2(4A + 5C))\cos[c + dx]^2\sin[c + dx])/ (30d) + ((3Ab + 5aB)\cos[c + dx]^3(a + b\sec[c + dx])^2\sin[c + dx])/ (20d) + (A\cos[c + dx]^4(a + b\sec[c + dx])^3\sin[c + dx])/ (5d)$

Rubi [A] time = 0.751157, antiderivative size = 269, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4074, 4047, 2637, 4045, 8}

$$\frac{\sin(c + dx) (2a^3(4A + 5C) + 30a^2bB + 15ab^2(2A + 3C) + 15b^3B)}{15d} + \frac{a \sin(c + dx) \cos^2(c + dx) (2a^2(4A + 5C) + 15abB + 15b^2C)}{30d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $((3a^3B + 12ab^2B + 4b^3(A + 2C) + 3a^2b(3A + 4C))x)/8 + ((30a^2bB + 15b^3B + 15ab^2(2A + 3C) + 2a^3(4A + 5C))\sin[c + dx])/ (15d) + ((6Ab^3 + 15a^3B + 50ab^2B + 15a^2b(3A + 4C))\cos[c + dx]\sin[c + dx])/ (40d) + (a(3Ab^2 + 15abB + 2a^2(4A + 5C))\cos[c + dx]^2\sin[c + dx])/ (30d) + ((3Ab + 5aB)\cos[c + dx]^3(a + b\sec[c + dx])^2\sin[c + dx])/ (20d) + (A\cos[c + dx]^4(a + b\sec[c + dx])^3\sin[c + dx])/ (5d)$

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc

$[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m * ((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m * (csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{5d} \\
&= \frac{(3Ab + 5aB) \cos^3(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{20d} \\
&= \frac{a(3Ab^2 + 15abB + 2a^2(4A + 5C)) \cos^2(c + dx) \sin(c + dx)}{30d} \\
&= \frac{a(3Ab^2 + 15abB + 2a^2(4A + 5C)) \cos^2(c + dx) \sin(c + dx)}{30d} \\
&= \frac{(30a^2bB + 15b^3B + 15ab^2(2A + 3C) + 2a^3B) \cos^2(c + dx) \sin(c + dx)}{15d} \\
&= \frac{1}{8} (3a^3B + 12ab^2B + 4b^3(A + 2C) + 3a^2b(2A + 3C)) \cos^2(c + dx) \sin(c + dx)
\end{aligned}$$

Mathematica [A] time = 1.0612, size = 288, normalized size = 1.07

$$60 \sin(c + dx) (a^3(5A + 6C) + 18a^2bB + 6ab^2(3A + 4C) + 8b^3B) + 120 \sin(2(c + dx)) (3a^2b(A + C) + a^3B + 3ab^2B + Ab^3)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (540*a^2*A*b*c + 240*A*b^3*c + 180*a^3*B*c + 720*a*b^2*B*c + 720*a^2*b*c*C + 480*b^3*c*C + 540*a^2*A*b*d*x + 240*A*b^3*d*x + 180*a^3*B*d*x + 720*a*b^2*B*d*x + 720*a^2*b*C*d*x + 480*b^3*C*d*x + 60*(18*a^2*b*B + 8*b^3*B + 6*a*b^2*(3*A + 4*C) + a^3*(5*A + 6*C))*Sin[c + d*x] + 120*(A*b^3 + a^3*B + 3*a*b^2*B + 3*a^2*b*(A + C))*Sin[2*(c + d*x)] + 50*a^3*A*Ssin[3*(c + d*x)] + 120*a*A*b^2*Ssin[3*(c + d*x)] + 120*a^2*b*B*Ssin[3*(c + d*x)] + 40*a^3*C*Ssin[3*(c + d*x)] + 45*a^2*A*b*Ssin[4*(c + d*x)] + 15*a^3*B*Ssin[4*(c + d*x)] + 6*a^3*A*Ssin[5*(c + d*x)]/(480*d)

Maple [A] time = 0.08, size = 301, normalized size = 1.1

$$\frac{1}{d} \left(\frac{Aa^3 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + 3Aa^2b \left(\frac{1}{4} ((\cos(dx + c))^3 + \frac{3}{2} \cos(dx + c)) \sin(dx + c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{d} \left(\frac{1}{5} A a^3 (8/3 + \cos(d*x+c)^4 + 4/3 \cos(d*x+c)^2) \sin(d*x+c) + 3 A a^2 b (1/4 (\cos(d*x+c)^3 + 3/2 \cos(d*x+c)) \sin(d*x+c) + 3/8 d*x + 3/8 c) + B a^3 (1/4 (\cos(d*x+c)^3 + 3/2 \cos(d*x+c)) \sin(d*x+c) + 3/8 d*x + 3/8 c) + A a b^2 (2 + \cos(d*x+c)^2) \sin(d*x+c) + B a^2 b (2 + \cos(d*x+c)^2) \sin(d*x+c) + 1/3 a^3 C (2 + \cos(d*x+c)^2) \sin(d*x+c) + A b^3 (1/2 \cos(d*x+c) \sin(d*x+c) + 1/2 d*x + 1/2 c) + 3 B a b^2 (1/2 \cos(d*x+c) \sin(d*x+c) + 1/2 d*x + 1/2 c) + 3 a^2 b C (1/2 \cos(d*x+c) \sin(d*x+c) + 1/2 d*x + 1/2 c) + B b^3 \sin(d*x+c) + 3 C a b^2 \sin(d*x+c) + C b^3 (d*x+c) \right)$

Maxima [A] time = 1.06811, size = 389, normalized size = 1.45

$32 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) A a^3 + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^3$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{480} \left(32 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) A a^3 + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^3 - 160 (\sin(dx+c)^3 - 3 \sin(dx+c)) C a^3 + 45 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^2 b - 480 (\sin(dx+c)^3 - 3 \sin(dx+c)) B a^2 b + 360 (2 dx + 2 c + \sin(2 dx + 2 c)) C a^2 b - 480 (\sin(dx+c)^3 - 3 \sin(dx+c)) A a b^2 + 360 (2 dx + 2 c + \sin(2 dx + 2 c)) B a b^2 + 120 (2 dx + 2 c + \sin(2 dx + 2 c)) A b^3 + 480 (dx+c) C b^3 + 1440 C a b^2 \sin(dx+c) + 480 B b^3 \sin(dx+c) \right) / d$

Fricas [A] time = 0.554683, size = 498, normalized size = 1.85

$15 \left(3 B a^3 + 3 (3 A + 4 C) a^2 b + 12 B a b^2 + 4 (A + 2 C) b^3 \right) dx + \left(24 A a^3 \cos(dx+c)^4 + 16 (4 A + 5 C) a^3 + 240 B a^2 b + 120 \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

```
[Out] 1/120*(15*(3*B*a^3 + 3*(3*A + 4*C)*a^2*b + 12*B*a*b^2 + 4*(A + 2*C)*b^3)*d*x + (24*A*a^3*cos(d*x + c)^4 + 16*(4*A + 5*C)*a^3 + 240*B*a^2*b + 120*(2*A + 3*C)*a*b^2 + 120*B*b^3 + 30*(B*a^3 + 3*A*a^2*b)*cos(d*x + c)^3 + 8*((4*A + 5*C)*a^3 + 15*B*a^2*b + 15*A*a*b^2)*cos(d*x + c)^2 + 15*(3*B*a^3 + 3*(3*A + 4*C)*a^2*b + 12*B*a*b^2 + 4*A*b^3)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.39036, size = 1250, normalized size = 4.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/120*(15*(3*B*a^3 + 9*A*a^2*b + 12*C*a^2*b + 12*B*a*b^2 + 4*A*b^3 + 8*C*b^3)*(d*x + c) + 2*(120*A*a^3*tan(1/2*d*x + 1/2*c)^9 - 75*B*a^3*tan(1/2*d*x + 1/2*c)^9 + 120*C*a^3*tan(1/2*d*x + 1/2*c)^9 - 225*A*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 360*B*a^2*b*tan(1/2*d*x + 1/2*c)^9 - 180*C*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 360*A*a*b^2*tan(1/2*d*x + 1/2*c)^9 - 180*B*a*b^2*tan(1/2*d*x + 1/2*c)^9 + 360*C*a*b^2*tan(1/2*d*x + 1/2*c)^9 - 60*A*b^3*tan(1/2*d*x + 1/2*c)^9 + 120*B*b^3*tan(1/2*d*x + 1/2*c)^9 + 160*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 30*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 320*C*a^3*tan(1/2*d*x + 1/2*c)^7 - 90*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 960*B*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 360*C*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 960*A*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 360*B*a*b^2*tan(1/2*d*x + 1/2*c)^7 + 1440*C*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 120*A*b^3*tan(1/2*d*x + 1/2*c)^7 + 480*B*b^3*tan(1/2*d*x + 1/2*c)^7 + 464*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 400*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 1200*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 1200*C*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 1200*A*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 1200*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 1200*C*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 1200*A*b^3*tan(1/2*d*x + 1/2*c)^5 + 1200*B*b^3*tan(1/2*d*x + 1/2*c)^5 + 1200*C*b^3*tan(1/2*d*x + 1/2*c)^5)/d
```

$$\begin{aligned}
& d*x + 1/2*c)^5 + 1200*A*a*b^2*\tan(1/2*d*x + 1/2*c)^5 + 2160*C*a*b^2*\tan(1/2 \\
& *d*x + 1/2*c)^5 + 720*B*b^3*\tan(1/2*d*x + 1/2*c)^5 + 160*A*a^3*\tan(1/2*d*x \\
& + 1/2*c)^3 + 30*B*a^3*\tan(1/2*d*x + 1/2*c)^3 + 320*C*a^3*\tan(1/2*d*x + 1/2* \\
& c)^3 + 90*A*a^2*b*\tan(1/2*d*x + 1/2*c)^3 + 960*B*a^2*b*\tan(1/2*d*x + 1/2*c) \\
& ^3 + 360*C*a^2*b*\tan(1/2*d*x + 1/2*c)^3 + 960*A*a*b^2*\tan(1/2*d*x + 1/2*c)^ \\
& 3 + 360*B*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + 1440*C*a*b^2*\tan(1/2*d*x + 1/2*c)^ \\
& 3 + 120*A*b^3*\tan(1/2*d*x + 1/2*c)^3 + 480*B*b^3*\tan(1/2*d*x + 1/2*c)^3 + 1 \\
& 20*A*a^3*\tan(1/2*d*x + 1/2*c) + 75*B*a^3*\tan(1/2*d*x + 1/2*c) + 120*C*a^3*t \\
& an(1/2*d*x + 1/2*c) + 225*A*a^2*b*\tan(1/2*d*x + 1/2*c) + 360*B*a^2*b*\tan(1/ \\
& 2*d*x + 1/2*c) + 180*C*a^2*b*\tan(1/2*d*x + 1/2*c) + 360*A*a*b^2*\tan(1/2*d*x \\
& + 1/2*c) + 180*B*a*b^2*\tan(1/2*d*x + 1/2*c) + 360*C*a*b^2*\tan(1/2*d*x + 1/ \\
& 2*c) + 60*A*b^3*\tan(1/2*d*x + 1/2*c) + 120*B*b^3*\tan(1/2*d*x + 1/2*c))/(\tan \\
& (1/2*d*x + 1/2*c)^2 + 1)^5)/d
\end{aligned}$$

3.886 $\int \cos^6(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=320

$$\frac{\sin^3(c+dx)(3a^2b(4A+5C)+4a^3B+12ab^2B+Ab^3)}{15d} + \frac{\sin(c+dx)(9a^2b(4A+5C)+12a^3B+42ab^2B+b^3(11A+15C))}{15d}$$

[Out] ((18*a^2*b*B + 8*b^3*B + 6*a*b^2*(3*A + 4*C) + a^3*(5*A + 6*C))*x)/16 + ((12*a^3*B + 42*a*b^2*B + 9*a^2*b*(4*A + 5*C) + b^3*(11*A + 15*C))*Sin[c + d*x])/((15*d) + ((18*a^2*b*B + 8*b^3*B + 6*a*b^2*(3*A + 4*C) + a^3*(5*A + 6*C))*Cos[c + d*x]*Sin[c + d*x])/((16*d) + (a*(6*A*b^2 + 42*a*b*B + 5*a^2*(5*A + 6*C))*Cos[c + d*x]^3*SIN[c + d*x])/((120*d) + ((A*b + 2*a*B)*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/((10*d) + (A*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*SIN[c + d*x])/((6*d) - ((A*b^3 + 4*a^3*B + 12*a*b^2*B + 3*a^2*b*(4*A + 5*C))*Sin[c + d*x]^3)/((15*d)

Rubi [A] time = 0.895196, antiderivative size = 320, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4094, 4074, 4047, 2635, 8, 4044, 3013}

$$\frac{\sin^3(c+dx)(3a^2b(4A+5C)+4a^3B+12ab^2B+Ab^3)}{15d} + \frac{\sin(c+dx)(9a^2b(4A+5C)+12a^3B+42ab^2B+b^3(11A+15C))}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((18*a^2*b*B + 8*b^3*B + 6*a*b^2*(3*A + 4*C) + a^3*(5*A + 6*C))*x)/16 + ((12*a^3*B + 42*a*b^2*B + 9*a^2*b*(4*A + 5*C) + b^3*(11*A + 15*C))*Sin[c + d*x])/((15*d) + ((18*a^2*b*B + 8*b^3*B + 6*a*b^2*(3*A + 4*C) + a^3*(5*A + 6*C))*Cos[c + d*x]*Sin[c + d*x])/((16*d) + (a*(6*A*b^2 + 42*a*b*B + 5*a^2*(5*A + 6*C))*Cos[c + d*x]^3*SIN[c + d*x])/((120*d) + ((A*b + 2*a*B)*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/((10*d) + (A*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*SIN[c + d*x])/((6*d) - ((A*b^3 + 4*a^3*B + 12*a*b^2*B + 3*a^2*b*(4*A + 5*C))*Sin[c + d*x]^3)/((15*d)

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e

+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4044

Int[csc[(e_.) + (f_.)*(x_)]^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Int[(C + A*SIN[e + f*x]^2)/SIN[e + f*x]^(m + 2), x] /; FreeQ[{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]

Rule 3013

Int[sin[(e_.) + (f_.)*(x_)]^m*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2)], x], x, Cos[e + f*x], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^6(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^5(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{6d} \\
&= \frac{(Ab + 2aB) \cos^4(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{10d} \\
&= \frac{a(6Ab^2 + 42abB + 5a^2(5A + 6C)) \cos^3(c + dx) \sin(c + dx)}{120d} \\
&= \frac{a(6Ab^2 + 42abB + 5a^2(5A + 6C)) \cos^3(c + dx) \sin(c + dx)}{120d} \\
&= \frac{(18a^2bB + 8b^3B + 6ab^2(3A + 4C) + a^3(5A + 6C)) \cos^3(c + dx) \sin(c + dx)}{16d} \\
&= \frac{1}{16} (18a^2bB + 8b^3B + 6ab^2(3A + 4C) + a^3(5A + 6C)) \cos^3(c + dx) \sin(c + dx) \\
&= \frac{1}{16} (18a^2bB + 8b^3B + 6ab^2(3A + 4C) + a^3(5A + 6C)) \cos^3(c + dx) \sin(c + dx)
\end{aligned}$$

Mathematica [A] time = 1.18818, size = 369, normalized size = 1.15

$$120 \sin(c + dx) (3a^2b(5A + 6C) + 5a^3B + 18ab^2B + 2b^3(3A + 4C)) + 15 \sin(2(c + dx)) (a^3(15A + 16C) + 48a^2bB + 48ab^2B + 8b^3B)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (300*a^3*A*c + 1080*a*A*b^2*c + 1080*a^2*b*B*c + 480*b^3*B*c + 360*a^3*c*C + 1440*a*b^2*c*C + 300*a^3*A*d*x + 1080*a*A*b^2*d*x + 1080*a^2*b*B*d*x + 480*b^3*B*d*x + 360*a^3*C*d*x + 1440*a*b^2*C*d*x + 120*(5*a^3*B + 18*a*b^2*B + 2*b^3*(3*A + 4*C) + 3*a^2*b*(5*A + 6*C))*Sin[c + d*x] + 15*(48*a^2*b*B + 16*b^3*B + 48*a*b^2*(A + C) + a^3*(15*A + 16*C))*Sin[2*(c + d*x)] + 300*a^2*A*b*Ssin[3*(c + d*x)] + 80*A*b^3*Ssin[3*(c + d*x)] + 100*a^3*B*Ssin[3*(c + d*x)] + 240*a*b^2*B*Ssin[3*(c + d*x)] + 240*a^2*b*C*Ssin[3*(c + d*x)] + 45*a^3*A*Ssin[4*(c + d*x)] + 90*a*A*b^2*Ssin[4*(c + d*x)] + 90*a^2*b*B*Ssin[4*(c + d*x)] + 30*a^3*C*Ssin[4*(c + d*x)] + 36*a^2*A*b*Ssin[5*(c + d*x)] + 12*a^3*B*Ssin[5*(c + d*x)] + 5*a^3*A*Ssin[6*(c + d*x)])/(960*d)

Maple [A] time = 0.093, size = 370, normalized size = 1.2

$$\frac{1}{d} \left(Aa^3 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{Ba^3 \sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^5 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `1/d*(A*a^3*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+1/5*B*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+a^3*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+3/5*A*a^2*b*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+3*B*a^2*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a^2*b*C*(2+cos(d*x+c)^2)*sin(d*x+c)+3*A*a*b^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+B*a*b^2*(2+cos(d*x+c)^2)*sin(d*x+c)+3*C*a*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+1/3*A*b^3*(2+cos(d*x+c)^2)*sin(d*x+c)+B*b^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+C*b^3*sin(d*x+c))`

Maxima [A] time = 1.05398, size = 486, normalized size = 1.52

$$\frac{5(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c))Aa^3 - 64(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Ba^3 - 30(12dx + 12c + \sin(4dx+4c) + 8 \sin(2dx+2c))Ca^3 - 192(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Aa^2b - 90(12dx + 12c + \sin(4dx+4c) + 8 \sin(2dx+2c))Ba^2b + 960(\sin(dx+c)^3 - 3 \sin(dx+c))Ca^2b - 90(12dx + 12c + \sin(4dx+4c) + 8 \sin(2dx+2c))Aa^2b^2 + 960(\sin(dx+c)^3 - 3 \sin(dx+c))Ba^2b^2 - 720(2dx + 2c + \sin(2dx+2c))Ca^2b^2 + 320(\sin(dx+c)^3 - 3 \sin(dx+c))Aab^3 - 240(2dx + 2c + \sin(2dx+2c))Bb^3 - 960Cb^3 \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `-1/960*(5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*a^3 - 64*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^3 - 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^3 - 192*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2*b - 90*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2*b + 960*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^2*b - 90*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2*b^2 + 960*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2*b^2 - 720*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2*b^2 + 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*b^3 - 240*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*b^3 - 960*C*b^3*sin(d*x + c))/d`

Fricas [A] time = 0.577018, size = 610, normalized size = 1.91

$$15((5A + 6C)a^3 + 18Ba^2b + 6(3A + 4C)ab^2 + 8Bb^3)dx + (40Aa^3 \cos(dx + c)^5 + 48(Ba^3 + 3Aa^2b) \cos(dx + c)^4 + 1$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/240*(15*((5*A + 6*C)*a^3 + 18*B*a^2*b + 6*(3*A + 4*C)*a*b^2 + 8*B*b^3)*d*
x + (40*A*a^3*cos(d*x + c)^5 + 48*(B*a^3 + 3*A*a^2*b)*cos(d*x + c)^4 + 128*
B*a^3 + 96*(4*A + 5*C)*a^2*b + 480*B*a*b^2 + 80*(2*A + 3*C)*b^3 + 10*((5*A
+ 6*C)*a^3 + 18*B*a^2*b + 18*A*a*b^2)*cos(d*x + c)^3 + 16*(4*B*a^3 + 3*(4*A
+ 5*C)*a^2*b + 15*B*a*b^2 + 5*A*b^3)*cos(d*x + c)^2 + 15*((5*A + 6*C)*a^3
+ 18*B*a^2*b + 6*(3*A + 4*C)*a*b^2 + 8*B*b^3)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**6*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.3343, size = 1764, normalized size = 5.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/240*(15*(5*A*a^3 + 6*C*a^3 + 18*B*a^2*b + 18*A*a*b^2 + 24*C*a*b^2 + 8*B*b
^3)*(d*x + c) - 2*(165*A*a^3*tan(1/2*d*x + 1/2*c)^11 - 240*B*a^3*tan(1/2*d*
```


$$\begin{aligned}
& x + 1/2*c)^{11} + 150*C*a^3*\tan(1/2*d*x + 1/2*c)^{11} - 720*A*a^2*b*\tan(1/2*d*x \\
& + 1/2*c)^{11} + 450*B*a^2*b*\tan(1/2*d*x + 1/2*c)^{11} - 720*C*a^2*b*\tan(1/2*d* \\
& x + 1/2*c)^{11} + 450*A*a*b^2*\tan(1/2*d*x + 1/2*c)^{11} - 720*B*a*b^2*\tan(1/2*d \\
& *x + 1/2*c)^{11} + 360*C*a*b^2*\tan(1/2*d*x + 1/2*c)^{11} - 240*A*b^3*\tan(1/2*d* \\
& x + 1/2*c)^{11} + 120*B*b^3*\tan(1/2*d*x + 1/2*c)^{11} - 240*C*b^3*\tan(1/2*d*x + \\
& 1/2*c)^{11} - 25*A*a^3*\tan(1/2*d*x + 1/2*c)^9 - 560*B*a^3*\tan(1/2*d*x + 1/2* \\
& c)^9 + 210*C*a^3*\tan(1/2*d*x + 1/2*c)^9 - 1680*A*a^2*b*\tan(1/2*d*x + 1/2*c) \\
& ^9 + 630*B*a^2*b*\tan(1/2*d*x + 1/2*c)^9 - 2640*C*a^2*b*\tan(1/2*d*x + 1/2*c) \\
& ^9 + 630*A*a*b^2*\tan(1/2*d*x + 1/2*c)^9 - 2640*B*a*b^2*\tan(1/2*d*x + 1/2*c) \\
& ^9 + 1080*C*a*b^2*\tan(1/2*d*x + 1/2*c)^9 - 880*A*b^3*\tan(1/2*d*x + 1/2*c)^9 \\
& + 360*B*b^3*\tan(1/2*d*x + 1/2*c)^9 - 1200*C*b^3*\tan(1/2*d*x + 1/2*c)^9 + 4 \\
& 50*A*a^3*\tan(1/2*d*x + 1/2*c)^7 - 1248*B*a^3*\tan(1/2*d*x + 1/2*c)^7 + 60*C* \\
& a^3*\tan(1/2*d*x + 1/2*c)^7 - 3744*A*a^2*b*\tan(1/2*d*x + 1/2*c)^7 + 180*B*a^ \\
& 2*b*\tan(1/2*d*x + 1/2*c)^7 - 4320*C*a^2*b*\tan(1/2*d*x + 1/2*c)^7 + 180*A*a* \\
& b^2*\tan(1/2*d*x + 1/2*c)^7 - 4320*B*a*b^2*\tan(1/2*d*x + 1/2*c)^7 + 720*C*a* \\
& b^2*\tan(1/2*d*x + 1/2*c)^7 - 1440*A*b^3*\tan(1/2*d*x + 1/2*c)^7 + 240*B*b^3* \\
& \tan(1/2*d*x + 1/2*c)^7 - 2400*C*b^3*\tan(1/2*d*x + 1/2*c)^7 - 450*A*a^3*\tan(\\
& 1/2*d*x + 1/2*c)^5 - 1248*B*a^3*\tan(1/2*d*x + 1/2*c)^5 - 60*C*a^3*\tan(1/2*d \\
& *x + 1/2*c)^5 - 3744*A*a^2*b*\tan(1/2*d*x + 1/2*c)^5 - 180*B*a^2*b*\tan(1/2*d \\
& *x + 1/2*c)^5 - 4320*C*a^2*b*\tan(1/2*d*x + 1/2*c)^5 - 180*A*a*b^2*\tan(1/2*d \\
& *x + 1/2*c)^5 - 4320*B*a*b^2*\tan(1/2*d*x + 1/2*c)^5 - 720*C*a*b^2*\tan(1/2*d \\
& *x + 1/2*c)^5 - 1440*A*b^3*\tan(1/2*d*x + 1/2*c)^5 - 240*B*b^3*\tan(1/2*d*x + \\
& 1/2*c)^5 - 2400*C*b^3*\tan(1/2*d*x + 1/2*c)^5 + 25*A*a^3*\tan(1/2*d*x + 1/2* \\
& c)^3 - 560*B*a^3*\tan(1/2*d*x + 1/2*c)^3 - 210*C*a^3*\tan(1/2*d*x + 1/2*c)^3 \\
& - 1680*A*a^2*b*\tan(1/2*d*x + 1/2*c)^3 - 630*B*a^2*b*\tan(1/2*d*x + 1/2*c)^3 \\
& - 2640*C*a^2*b*\tan(1/2*d*x + 1/2*c)^3 - 630*A*a*b^2*\tan(1/2*d*x + 1/2*c)^3 \\
& - 2640*B*a*b^2*\tan(1/2*d*x + 1/2*c)^3 - 1080*C*a*b^2*\tan(1/2*d*x + 1/2*c)^3 \\
& - 880*A*b^3*\tan(1/2*d*x + 1/2*c)^3 - 360*B*b^3*\tan(1/2*d*x + 1/2*c)^3 - 12 \\
& 00*C*b^3*\tan(1/2*d*x + 1/2*c)^3 - 165*A*a^3*\tan(1/2*d*x + 1/2*c) - 240*B*a^ \\
& 3*\tan(1/2*d*x + 1/2*c) - 150*C*a^3*\tan(1/2*d*x + 1/2*c) - 720*A*a^2*b*\tan(1 \\
& /2*d*x + 1/2*c) - 450*B*a^2*b*\tan(1/2*d*x + 1/2*c) - 720*C*a^2*b*\tan(1/2*d* \\
& x + 1/2*c) - 450*A*a*b^2*\tan(1/2*d*x + 1/2*c) - 720*B*a*b^2*\tan(1/2*d*x + 1 \\
& /2*c) - 360*C*a*b^2*\tan(1/2*d*x + 1/2*c) - 240*A*b^3*\tan(1/2*d*x + 1/2*c) - \\
& 120*B*b^3*\tan(1/2*d*x + 1/2*c) - 240*C*b^3*\tan(1/2*d*x + 1/2*c))/(tan(1/2* \\
& d*x + 1/2*c)^2 + 1)^6)/d
\end{aligned}$$

3.887 $\int \sec^2(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=491

$$\frac{\tan(c + dx) \left(-4a^4b^2(42A + 23C) - 32a^2b^4(49A + 39C) - 847a^3b^3B + 28a^5bB - 8a^6C - 896ab^5B - 32b^6(7A + 6C) \right)}{420b^2d} +$$

[Out] $((8a^4B + 36a^2b^2B + 5b^4B + 8a^3b(4A + 3C) + 4ab^3(6A + 5C)) \operatorname{ArcTanh}[\operatorname{Sin}[c + dx]]) / (16d) - ((28a^5bB - 847a^3b^3B - 896a^5b^5B - 8a^6C - 32b^6(7A + 6C) - 4a^4b^2(42A + 23C) - 32a^2b^4(49A + 39C)) \operatorname{Tan}[c + dx]) / (420b^2d) - ((56a^4bB - 1246a^2b^3B - 525b^5B - 16a^5C - 48a^3b^2(7A + 4C) - 4ab^4(406A + 333C)) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]) / (1680bd) - ((28a^3bB - 371ab^3B - 8a^4C - 32b^4(7A + 6C) - 12a^2b^2(14A + 9C)) (a + b \operatorname{Sec}[c + dx])^2 \operatorname{Tan}[c + dx]) / (840b^2d) - ((28a^2bB - 175b^3B - 8a^3C - 4ab^2(42A + 31C)) (a + b \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx]) / (840b^2d) + ((42Ab^2 - 7abB + 2a^2C + 36b^2C) (a + b \operatorname{Sec}[c + dx])^4 \operatorname{Tan}[c + dx]) / (210b^2d) + ((7bB - 2aC) (a + b \operatorname{Sec}[c + dx])^5 \operatorname{Tan}[c + dx]) / (42b^2d) + (C \operatorname{Sec}[c + dx] (a + b \operatorname{Sec}[c + dx])^5 \operatorname{Tan}[c + dx]) / (7bd)$

Rubi [A] time = 1.23404, antiderivative size = 491, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4092, 4082, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{\tan(c + dx) \left(-4a^4b^2(42A + 23C) - 32a^2b^4(49A + 39C) - 847a^3b^3B + 28a^5bB - 8a^6C - 896ab^5B - 32b^6(7A + 6C) \right)}{420b^2d} +$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sec}[c + dx]^2 (a + b \operatorname{Sec}[c + dx])^4 (A + B \operatorname{Sec}[c + dx] + C \operatorname{Sec}[c + dx]^2), x]$

[Out] $((8a^4B + 36a^2b^2B + 5b^4B + 8a^3b(4A + 3C) + 4ab^3(6A + 5C)) \operatorname{ArcTanh}[\operatorname{Sin}[c + dx]]) / (16d) - ((28a^5bB - 847a^3b^3B - 896a^5b^5B - 8a^6C - 32b^6(7A + 6C) - 4a^4b^2(42A + 23C) - 32a^2b^4(49A + 39C)) \operatorname{Tan}[c + dx]) / (420b^2d) - ((56a^4bB - 1246a^2b^3B - 525b^5B - 16a^5C - 48a^3b^2(7A + 4C) - 4ab^4(406A + 333C)) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]) / (1680bd) - ((28a^3bB - 371ab^3B - 8a^4C - 32b^4(7A + 6C) - 12a^2b^2(14A + 9C)) (a + b \operatorname{Sec}[c + dx])^2 \operatorname{Tan}[c + dx]) / (840b^2d) - ((28a^2bB - 175b^3B - 8a^3C - 4ab^2(42A + 31C)) (a + b \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx]) / (840b^2d) + ((42Ab^2 - 7abB + 2a^2C + 36b^2C) (a + b \operatorname{Sec}[c + dx])^4 \operatorname{Tan}[c + dx]) / (210b^2d)$

) + ((7*b*B - 2*a*C)*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(42*b^2*d) + (C*Sec[c + d*x]*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(7*b*d)

Rule 4092

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d \cdot \text{Csc}[e + f \cdot x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d \cdot x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_.)]^{(n_.)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d \cdot x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> } \text{Simp}[a \cdot x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C \sec(c + dx)(a + b \sec(c + dx))^5 \tan(c + dx)}{7bd} \\
 &= \frac{(7bB - 2aC)(a + b \sec(c + dx))^5 \tan(c + dx)}{42b^2d} \\
 &= \frac{(42Ab^2 - 7abB + 2a^2C + 36b^2C)(a + b \sec(c + dx))^5 \tan(c + dx)}{210b^2d} \\
 &= -\frac{(28a^2bB - 175b^3B - 8a^3C - 4ab^2(42A + 36bC)) \tan(c + dx)}{840b^2d} \\
 &= -\frac{(28a^3bB - 371ab^3B - 8a^4C - 32b^4(7A + 6bC)) \tan(c + dx)}{840b^2d} \\
 &= -\frac{(56a^4bB - 1246a^2b^3B - 525b^5B - 16a^5C) \tan(c + dx)}{840b^2d} \\
 &= -\frac{(56a^4bB - 1246a^2b^3B - 525b^5B - 16a^5C) \tan(c + dx)}{840b^2d} \\
 &= \frac{(8a^4B + 36a^2b^2B + 5b^4B + 8a^3b(4A + 3C)) \tan(c + dx)}{16b^2d} \\
 &= \frac{(8a^4B + 36a^2b^2B + 5b^4B + 8a^3b(4A + 3C)) \tan(c + dx)}{16b^2d}
 \end{aligned}$$

Mathematica [A] time = 4.61019, size = 486, normalized size = 0.99

$$\sec^6(c + dx) \left(A \cos^2(c + dx) + B \cos(c + dx) + C \right) \left(-8b^2 \left(3 \sin(2(c + dx)) \left(42a^2C + 28abB + 7Ab^2 + 6b^2C \right) + 35b(4a \right. \right.$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] $-\left((C + B \cos[c + dx] + A \cos[c + dx]^2) \sec[c + dx]^6 (105(8a^4B + 36a^2b^2B + 5b^4B + 8a^3b(4A + 3C) + 4ab^3(6A + 5C)) \cos[c + dx]^6 (\log[\cos[(c + dx)/2] - \sin[(c + dx)/2]] - \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]]) - 70b(36a^2bB + 5b^3B + 24a^3C + 4ab^2(6A + 5C)) \cos[c + dx]^2 \sin[c + dx] - 16(140a^3bB + 112ab^3B + 35a^4C + 42a^2b^2(5A + 4C) + 4b^4(7A + 6C)) \cos[c + dx]^3 \sin[c + dx] - 105(8a^4B + 36a^2b^2B + 5b^4B + 8a^3b(4A + 3C) + 4ab^3(6A + 5C)) \cos[c + dx]^4 \sin[c + dx] - 16(280a^3bB + 224ab^3B + 35a^4(3A + 2C) + 84a^2b^2(5A + 4C) + 8b^4(7A + 6C)) \cos[c + dx]^5 \sin[c + dx] - 8b^2(35b(bB + 4aC)) \sin[c + dx] + 3(7Ab^2 + 28a^2bB + 42a^2C + 6b^2C) \sin[2(c + dx)] + 30b^2C \tan[c + dx] \right) / (840d(A + 2C + 2B \cos[c + dx] + A \cos[2(c + dx)])$

Maple [A] time = 0.077, size = 905, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] $\frac{1}{3}d^4C \tan(d*x+c) \sec(d*x+c)^2 + \frac{2}{d}Aa^3b \ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{3}{2}d^3b^2C \ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{16}{5}d^2C^2a^2b^2 \tan(d*x+c) + \frac{1}{5}d^4Ab^4 \tan(d*x+c) \sec(d*x+c)^4 + \frac{4}{15}d^4Ab^4 \tan(d*x+c) \sec(d*x+c)^2 + \frac{1}{7}d^4Cb^4 \tan(d*x+c) \sec(d*x+c)^6 + \frac{6}{35}d^4Cb^4 \tan(d*x+c) \sec(d*x+c)^4 + \frac{8}{35}d^4Cb^4 \tan(d*x+c) \sec(d*x+c)^2 + \frac{32}{15}d^4ab^3B \tan(d*x+c) + \frac{8}{3}d^4B^3a^3b \tan(d*x+c) + \frac{4}{d}Aa^2b^2 \tan(d*x+c) + \frac{5}{4}d^4C^2ab^3 \ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{1}{6}d^4B^4 \tan(d*x+c) \sec(d*x+c)^5 + \frac{5}{24}d^4B^4 \tan(d*x+c) \sec(d*x+c)^3 + \frac{5}{16}d^4B^4 \tan(d*x+c) \sec(d*x+c) + \frac{3}{2}d^4A^2ab^3 \ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{2}{3}d^4C^2 \tan(d*x+c) + \frac{1}{d}A^2a^4 \tan(d*x+c) + \frac{1}{2}d^4B^4 \ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{16}{35}d^4Cb^4 \tan(d*x+c) + \frac{8}{15}d^4Ab^4 \tan(d*x+c) + \frac{5}{16}d^4B^4 \ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{1}{3}d^4C^2 \tan(d*x+c)$

$$\begin{aligned} & n(dx+c)) + 1/2/d*B*a^4*sec(dx+c)*tan(dx+c) + 4/5/d*a*b^3*B*tan(dx+c)*sec(dx+c)^4 \\ & + 16/15/d*a*b^3*B*tan(dx+c)*sec(dx+c)^2 + 4/3/d*B*a^3*b*tan(dx+c)*sec(dx+c)^2 \\ & + 2/d*A*a^2*b^2*tan(dx+c)*sec(dx+c)^2 + 2/3/d*C*a*b^3*tan(dx+c)*sec(dx+c)^5 \\ & + 5/6/d*C*a*b^3*tan(dx+c)*sec(dx+c)^3 + 5/4/d*C*a*b^3*sec(dx+c)*tan(dx+c) \\ & + 9/4/d*a^2*b^2*B*ln(sec(dx+c)+tan(dx+c)) + 2/d*A*a^3*b*sec(dx+c)*tan(dx+c) \\ & + 1/d*a^3*b*C*tan(dx+c)*sec(dx+c)^3 + 3/2/d*a^3*b*C*sec(dx+c)*tan(dx+c) \\ & + 3/2/d*a^2*b^2*B*tan(dx+c)*sec(dx+c)^3 + 9/4/d*a^2*b^2*B*sec(dx+c)*tan(dx+c) \\ & + 1/d*A*a*b^3*tan(dx+c)*sec(dx+c)^3 + 3/2/d*A*a*b^3*sec(dx+c)*tan(dx+c) \\ & + 6/5/d*C*a^2*b^2*tan(dx+c)*sec(dx+c)^4 + 8/5/d*C*a^2*b^2*tan(dx+c)*sec(dx+c)^2 \end{aligned}$$

Maxima [A] time = 1.07927, size = 1007, normalized size = 2.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2), x
, algorithm="maxima")
```

```
[Out] 1/3360*(1120*(tan(dx + c)^3 + 3*tan(dx + c))*C*a^4 + 4480*(tan(dx + c)^3
+ 3*tan(dx + c))*B*a^3*b + 6720*(tan(dx + c)^3 + 3*tan(dx + c))*A*a^2*b^2
+ 1344*(3*tan(dx + c)^5 + 10*tan(dx + c)^3 + 15*tan(dx + c))*C*a^2*b^2
+ 896*(3*tan(dx + c)^5 + 10*tan(dx + c)^3 + 15*tan(dx + c))*B*a*b^3 +
224*(3*tan(dx + c)^5 + 10*tan(dx + c)^3 + 15*tan(dx + c))*A*b^4 + 96*(5*
tan(dx + c)^7 + 21*tan(dx + c)^5 + 35*tan(dx + c)^3 + 35*tan(dx + c))*C
*b^4 - 140*C*a*b^3*(2*(15*sin(dx + c)^5 - 40*sin(dx + c)^3 + 33*sin(dx +
c))/(sin(dx + c)^6 - 3*sin(dx + c)^4 + 3*sin(dx + c)^2 - 1) - 15*log(si
n(dx + c) + 1) + 15*log(sin(dx + c) - 1)) - 35*B*b^4*(2*(15*sin(dx + c)^5
- 40*sin(dx + c)^3 + 33*sin(dx + c))/(sin(dx + c)^6 - 3*sin(dx + c)^4
+ 3*sin(dx + c)^2 - 1) - 15*log(sin(dx + c) + 1) + 15*log(sin(dx + c) -
1)) - 840*C*a^3*b*(2*(3*sin(dx + c)^3 - 5*sin(dx + c))/(sin(dx + c)^4 -
2*sin(dx + c)^2 + 1) - 3*log(sin(dx + c) + 1) + 3*log(sin(dx + c) - 1))
- 1260*B*a^2*b^2*(2*(3*sin(dx + c)^3 - 5*sin(dx + c))/(sin(dx + c)^4 -
2*sin(dx + c)^2 + 1) - 3*log(sin(dx + c) + 1) + 3*log(sin(dx + c) - 1))
- 840*A*a*b^3*(2*(3*sin(dx + c)^3 - 5*sin(dx + c))/(sin(dx + c)^4 - 2*si
n(dx + c)^2 + 1) - 3*log(sin(dx + c) + 1) + 3*log(sin(dx + c) - 1)) - 84
0*B*a^4*(2*sin(dx + c)/(sin(dx + c)^2 - 1) - log(sin(dx + c) + 1) + log(
sin(dx + c) - 1)) - 3360*A*a^3*b*(2*sin(dx + c)/(sin(dx + c)^2 - 1) - lo
g(sin(dx + c) + 1) + log(sin(dx + c) - 1)) + 3360*A*a^4*tan(dx + c))/d
```

Fricas [A] time = 0.676581, size = 1085, normalized size = 2.21

$$\frac{105 \left(8 B a^4 + 8 (4 A + 3 C) a^3 b + 36 B a^2 b^2 + 4 (6 A + 5 C) a b^3 + 5 B b^4 \right) \cos(dx + c)^7 \log(\sin(dx + c) + 1) - 105 \left(8 B a^4 + \right.}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/3360*(105*(8*B*a^4 + 8*(4*A + 3*C)*a^3*b + 36*B*a^2*b^2 + 4*(6*A + 5*C)*a
*b^3 + 5*B*b^4)*cos(d*x + c)^7*log(sin(d*x + c) + 1) - 105*(8*B*a^4 + 8*(4*
A + 3*C)*a^3*b + 36*B*a^2*b^2 + 4*(6*A + 5*C)*a*b^3 + 5*B*b^4)*cos(d*x + c)
^7*log(-sin(d*x + c) + 1) + 2*(16*(35*(3*A + 2*C)*a^4 + 280*B*a^3*b + 84*(5
*A + 4*C)*a^2*b^2 + 224*B*a*b^3 + 8*(7*A + 6*C)*b^4)*cos(d*x + c)^6 + 105*(
8*B*a^4 + 8*(4*A + 3*C)*a^3*b + 36*B*a^2*b^2 + 4*(6*A + 5*C)*a*b^3 + 5*B*b^
4)*cos(d*x + c)^5 + 240*C*b^4 + 16*(35*C*a^4 + 140*B*a^3*b + 42*(5*A + 4*C)
*a^2*b^2 + 112*B*a*b^3 + 4*(7*A + 6*C)*b^4)*cos(d*x + c)^4 + 70*(24*C*a^3*b
+ 36*B*a^2*b^2 + 4*(6*A + 5*C)*a*b^3 + 5*B*b^4)*cos(d*x + c)^3 + 48*(42*C*
a^2*b^2 + 28*B*a*b^3 + (7*A + 6*C)*b^4)*cos(d*x + c)^2 + 280*(4*C*a*b^3 + B
*b^4)*cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^7)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

```
[Out] Integral((a + b*sec(c + d*x))**4*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*s
ec(c + d*x)**2, x)
```

Giac [B] time = 1.46661, size = 2549, normalized size = 5.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned}
&)^3 - 10080*C*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 47040*A*a^2*b^2*\tan(1/2*d*x + \\
&1/2*c)^3 - 15120*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 - 33600*C*a^2*b^2*\tan(1/2 \\
&*d*x + 1/2*c)^3 - 10080*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 22400*B*a*b^3*\tan(\\
&1/2*d*x + 1/2*c)^3 - 3920*C*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 5600*A*b^4*\tan(1 \\
&/2*d*x + 1/2*c)^3 - 980*B*b^4*\tan(1/2*d*x + 1/2*c)^3 - 3360*C*b^4*\tan(1/2*d \\
&*x + 1/2*c)^3 + 1680*A*a^4*\tan(1/2*d*x + 1/2*c) + 840*B*a^4*\tan(1/2*d*x + 1 \\
&/2*c) + 1680*C*a^4*\tan(1/2*d*x + 1/2*c) + 3360*A*a^3*b*\tan(1/2*d*x + 1/2*c) \\
&+ 6720*B*a^3*b*\tan(1/2*d*x + 1/2*c) + 4200*C*a^3*b*\tan(1/2*d*x + 1/2*c) + \\
&10080*A*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 6300*B*a^2*b^2*\tan(1/2*d*x + 1/2*c) \\
&+ 10080*C*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 4200*A*a*b^3*\tan(1/2*d*x + 1/2*c) \\
&+ 6720*B*a*b^3*\tan(1/2*d*x + 1/2*c) + 4620*C*a*b^3*\tan(1/2*d*x + 1/2*c) + 1 \\
&680*A*b^4*\tan(1/2*d*x + 1/2*c) + 1155*B*b^4*\tan(1/2*d*x + 1/2*c) + 1680*C*b \\
&^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^7)/d
\end{aligned}$$

3.888 $\int \sec(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=384

$$\frac{\tan(c + dx) (a^3 b^2 (190A + 121C) + 224a^2 b^3 B + 24a^4 b B - 4a^5 C + 32ab^4 (5A + 4C) + 32b^5 B)}{60bd} + \frac{(12a^2 b^2 (4A + 3C) + 8a^4 (6A + 5C)) \operatorname{ArcTanh}[\operatorname{Sin}[c + dx]]}{16d} + \frac{(24a^4 b B + 224a^2 b^3 B + 32b^5 B - 4a^5 C + 32a^3 b^2 (190A + 121C)) \operatorname{Tan}[c + dx]}{60b^2 d} + \frac{(48a^3 b B + 232a^2 b^3 B - 8a^4 C + 15b^4 (6A + 5C) + 2a^2 b^2 (130A + 89C)) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]}{240d} + \frac{(24a^2 b B + 32b^3 B - 4a^3 C + a b^2 (70A + 53C)) (a + b \operatorname{Sec}[c + dx])^2 \operatorname{Tan}[c + dx]}{120b^2 d} + \frac{(5b^2 (6A + 5C) + 4a (6b B - a C)) (a + b \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx]}{120b^2 d} + \frac{(6b B - a C) (a + b \operatorname{Sec}[c + dx])^4 \operatorname{Tan}[c + dx]}{30b^2 d} + \frac{C (a + b \operatorname{Sec}[c + dx])^5 \operatorname{Tan}[c + dx]}{6b^2 d}$$

[Out] ((32*a^3*b*B + 24*a*b^3*B + 8*a^4*(2*A + C) + 12*a^2*b^2*(4*A + 3*C) + b^4*(6*A + 5*C))*ArcTanh[Sin[c + d*x]])/(16*d) + ((24*a^4*b*B + 224*a^2*b^3*B + 32*b^5*B - 4*a^5*C + 32*a*b^2*(190*A + 121*C))*Tan[c + d*x])/(60*b*d) + ((48*a^3*b*B + 232*a*b^3*B - 8*a^4*C + 15*b^4*(6*A + 5*C) + 2*a^2*b^2*(130*A + 89*C))*Sec[c + d*x]*Tan[c + d*x])/(240*d) + ((24*a^2*b*B + 32*b^3*B - 4*a^3*C + a*b^2*(70*A + 53*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(120*b*d) + ((5*b^2*(6*A + 5*C) + 4*a*(6*b*B - a*C))*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b*d) + ((6*b*B - a*C)*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(30*b*d) + (C*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(6*b*d)

Rubi [A] time = 0.875709, antiderivative size = 384, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.18$, Rules used = {4082, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{\tan(c + dx) (a^3 b^2 (190A + 121C) + 224a^2 b^3 B + 24a^4 b B - 4a^5 C + 32ab^4 (5A + 4C) + 32b^5 B)}{60bd} + \frac{(12a^2 b^2 (4A + 3C) + 8a^4 (6A + 5C)) \operatorname{ArcTanh}[\operatorname{Sin}[c + dx]]}{16d} + \frac{(24a^4 b B + 224a^2 b^3 B + 32b^5 B - 4a^5 C + 32a^3 b^2 (190A + 121C)) \operatorname{Tan}[c + dx]}{60b^2 d} + \frac{(48a^3 b B + 232a^2 b^3 B - 8a^4 C + 15b^4 (6A + 5C) + 2a^2 b^2 (130A + 89C)) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]}{240d} + \frac{(24a^2 b B + 32b^3 B - 4a^3 C + a b^2 (70A + 53C)) (a + b \operatorname{Sec}[c + dx])^2 \operatorname{Tan}[c + dx]}{120b^2 d} + \frac{(5b^2 (6A + 5C) + 4a (6b B - a C)) (a + b \operatorname{Sec}[c + dx])^3 \operatorname{Tan}[c + dx]}{120b^2 d} + \frac{(6b B - a C) (a + b \operatorname{Sec}[c + dx])^4 \operatorname{Tan}[c + dx]}{30b^2 d} + \frac{C (a + b \operatorname{Sec}[c + dx])^5 \operatorname{Tan}[c + dx]}{6b^2 d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] ((32*a^3*b*B + 24*a*b^3*B + 8*a^4*(2*A + C) + 12*a^2*b^2*(4*A + 3*C) + b^4*(6*A + 5*C))*ArcTanh[Sin[c + d*x]])/(16*d) + ((24*a^4*b*B + 224*a^2*b^3*B + 32*b^5*B - 4*a^5*C + 32*a*b^2*(190*A + 121*C))*Tan[c + d*x])/(60*b*d) + ((48*a^3*b*B + 232*a*b^3*B - 8*a^4*C + 15*b^4*(6*A + 5*C) + 2*a^2*b^2*(130*A + 89*C))*Sec[c + d*x]*Tan[c + d*x])/(240*d) + ((24*a^2*b*B + 32*b^3*B - 4*a^3*C + a*b^2*(70*A + 53*C))*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(120*b*d) + ((5*b^2*(6*A + 5*C) + 4*a*(6*b*B - a*C))*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b*d) + ((6*b*B - a*C)*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(30*b*d) + (C*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(6*b*d)

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^5 \tan(c + dx)}{6bd} + \int \sec(c + dx) \\
 &= \frac{(6bB - aC)(a + b \sec(c + dx))^4 \tan(c + dx)}{30bd} \\
 &= \frac{(5b^2(6A + 5C) + 4a(6bB - aC))(a + b \sec(c + dx))^3 \tan(c + dx)}{120bd} \\
 &= \frac{(24a^2bB + 32b^3B - 4a^3C + ab^2(70A + 53C))(a + b \sec(c + dx))^2 \tan(c + dx)}{120bd} \\
 &= \frac{(48a^3bB + 232ab^3B - 8a^4C + 15b^4(6A + 5C))(a + b \sec(c + dx)) \tan(c + dx)}{120bd} \\
 &= \frac{(48a^3bB + 232ab^3B - 8a^4C + 15b^4(6A + 5C)) \tan(c + dx)}{120bd} \\
 &= \frac{(32a^3bB + 24ab^3B + 8a^4(2A + C) + 12a^2b^2C) \tan(c + dx)}{120bd} \\
 &= \frac{(32a^3bB + 24ab^3B + 8a^4(2A + C) + 12a^2b^2C) \tan(c + dx)}{120bd}
 \end{aligned}$$

Mathematica [A] time = 3.68672, size = 424, normalized size = 1.1

$$\sec^6(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(-16 \sin(c + dx) \cos^5(c + dx) (20a^3b(3A + 2C) + 60a^2b^2B + 15a^4B + \dots) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] -((C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[c + d*x]^6*(15*(32*a^3*b*B + 24*a*b^3*B + 8*a^4*(2*A + C) + 12*a^2*b^2*(4*A + 3*C) + b^4*(6*A + 5*C))*Cos[c + d*x]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - 10*b^2*(6*A*b^2 + 24*a*b*B + 36*a^2*C + 5*b^2*C)*Cos[c + d*x]^2*Sin[c + d*x] - 32*b*(15*a^2*b*B + 2*b^3*B + 10*a^3*C + 2*a*b^2*(5*A + 4*C))*Cos[c + d*x]^3*Sin[c + d*x] - 15*(32*a^3*b*B + 24*a*b^3*B + 8*a^4*C + 12*a^2*b^2*(4*A + 3*C) + b^4*(6*A + 5*C))*Cos[c + d*x]^4*Sin[c + d*x] - 16*(15*a^4*B + 60*a^2*b^2*B + 8*b^4*B + 20*a^3*b*(3*A + 2*C) + 8*a*

$$b^3(5A + 4C)\cos[c + dx]^5\sin[c + dx] - 8b^3(5bC + 6(bB + 4aC)\cos[c + dx])\sin[c + dx]) / (120d(A + 2C + 2B\cos[c + dx] + A\cos[2(c + dx)]))$$

Maple [B] time = 0.069, size = 745, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)*(a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2),x)`

[Out]
$$\begin{aligned} & 3/8/dA*b^4*\ln(\sec(dx+c)+\tan(dx+c))+5/16/dC*b^4*\ln(\sec(dx+c)+\tan(dx+c)) \\ & +8/15/dB*b^4*\tan(dx+c)+1/dB*a^4*\tan(dx+c)+1/2/d*a^4*C*\ln(\sec(dx+c)+\tan(dx+c)) \\ & +1/dA*a^4*\ln(\sec(dx+c)+\tan(dx+c))+4/dA*a^3*b*\tan(dx+c)+8/3/d*a^3*b*C*\tan(dx+c) \\ & +3/dA*a^2*b^2*\ln(\sec(dx+c)+\tan(dx+c))+9/4/dC*a^2*b^2*\ln(\sec(dx+c)+\tan(dx+c)) \\ & +8/3/dA*a*b^3*\tan(dx+c)+32/15/dC*a*b^3*\tan(dx+c)+1/4/dA*b^4*\tan(dx+c)*\sec(dx+c)^3 \\ & +3/8/dA*b^4*\sec(dx+c)*\tan(dx+c)+1/6/dC*b^4*\tan(dx+c)*\sec(dx+c)^5 \\ & +5/24/dC*b^4*\tan(dx+c)*\sec(dx+c)^3+5/16/dC*b^4*\sec(dx+c)*\tan(dx+c) \\ & +1/5/dB*b^4*\tan(dx+c)*\sec(dx+c)^4+4/15/dB*b^4*\tan(dx+c)*\sec(dx+c)^2 \\ & +3/dA*a^2*b^2*\sec(dx+c)*\tan(dx+c)+3/2/dC*a^2*b^2*\tan(dx+c)*\sec(dx+c)^3 \\ & +9/4/dC*a^2*b^2*\sec(dx+c)*\tan(dx+c)+4/3/dA*a*b^3*\tan(dx+c)*\sec(dx+c)^2 \\ & +3/2/d*a*b^3*B*\sec(dx+c)*\tan(dx+c)+2/d*a^2*b^2*B*\tan(dx+c)*\sec(dx+c)^2 \\ & +2/dB*a^3*b*\sec(dx+c)*\tan(dx+c)+1/d*a*b^3*B*\tan(dx+c)*\sec(dx+c)^3 \\ & +4/5/dC*a*b^3*\tan(dx+c)*\sec(dx+c)^4+16/15/dC*a*b^3*\tan(dx+c)*\sec(dx+c)^2 \\ & +4/3/d*a^3*b*C*\tan(dx+c)*\sec(dx+c)^2+2/dB*a^3*b*\ln(\sec(dx+c)+\tan(dx+c)) \\ & +4/d*a^2*b^2*B*\tan(dx+c)+3/2/d*a*b^3*B*\ln(\sec(dx+c)+\tan(dx+c))+1/2/d*a^4*C*\sec(dx+c)*\tan(dx+c) \end{aligned}$$

Maxima [A] time = 1.05854, size = 882, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)*(a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")`

[Out]
$$1/480*(640*(\tan(dx+c)^3+3*\tan(dx+c))*C*a^3*b+960*(\tan(dx+c)^3+3*\tan(dx+c))*B*a^2*b^2+640*(\tan(dx+c)^3+3*\tan(dx+c))*A*a*b^3$$

$$\begin{aligned}
& + 128*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*C*a*b^3 + 3 \\
& 2*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*B*b^4 - 5*C*b^4* \\
& (2*(15*\sin(d*x + c)^5 - 40*\sin(d*x + c)^3 + 33*\sin(d*x + c))/(\sin(d*x + c)^6 \\
& - 3*\sin(d*x + c)^4 + 3*\sin(d*x + c)^2 - 1) - 15*\log(\sin(d*x + c) + 1) + 1 \\
& 5*\log(\sin(d*x + c) - 1)) - 180*C*a^2*b^2*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + \\
& c)))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3* \\
& \log(\sin(d*x + c) - 1)) - 120*B*a*b^3*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c)) \\
& /(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x \\
& + c) - 1)) - 30*A*b^4*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c)))/(\sin(d \\
& *x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x \\
& + c) - 1)) - 120*C*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x \\
& + c) + 1) + \log(\sin(d*x + c) - 1)) - 480*B*a^3*b*(2*\sin(d*x + c)/(\sin(d*x + \\
& c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 720*A*a^2*b^2 \\
& *(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x \\
& + c) - 1)) + 480*A*a^4*\log(\sec(d*x + c) + \tan(d*x + c)) + 480*B*a^4*\tan(d* \\
& x + c) + 1920*A*a^3*b*\tan(d*x + c))/d
\end{aligned}$$

Fricas [A] time = 0.659256, size = 941, normalized size = 2.45

$$15(8(2A + C)a^4 + 32Ba^3b + 12(4A + 3C)a^2b^2 + 24Bab^3 + (6A + 5C)b^4) \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15(8($$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/480*(15*(8*(2*A + C)*a^4 + 32*B*a^3*b + 12*(4*A + 3*C)*a^2*b^2 + 24*B*a*b^3 + (6*A + 5*C)*b^4)*cos(d*x + c)^6*log(sin(d*x + c) + 1) - 15*(8*(2*A + C)*a^4 + 32*B*a^3*b + 12*(4*A + 3*C)*a^2*b^2 + 24*B*a*b^3 + (6*A + 5*C)*b^4)*cos(d*x + c)^6*log(-sin(d*x + c) + 1) + 2*(16*(15*B*a^4 + 20*(3*A + 2*C)*a^3*b + 60*B*a^2*b^2 + 8*(5*A + 4*C)*a*b^3 + 8*B*b^4)*cos(d*x + c)^5 + 40*C*b^4 + 15*(8*C*a^4 + 32*B*a^3*b + 12*(4*A + 3*C)*a^2*b^2 + 24*B*a*b^3 + (6*A + 5*C)*b^4)*cos(d*x + c)^4 + 32*(10*C*a^3*b + 15*B*a^2*b^2 + 2*(5*A + 4*C)*a*b^3 + 2*B*b^4)*cos(d*x + c)^3 + 10*(36*C*a^2*b^2 + 24*B*a*b^3 + (6*A + 5*C)*b^4)*cos(d*x + c)^2 + 48*(4*C*a*b^3 + B*b^4)*cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^6)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Integral((a + b*sec(c + d*x))**4*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x), x)

Giac [B] time = 1.40354, size = 2238, normalized size = 5.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] $\frac{1}{240} \cdot (15 \cdot (16 \cdot A \cdot a^4 + 8 \cdot C \cdot a^4 + 32 \cdot B \cdot a^3 \cdot b + 48 \cdot A \cdot a^2 \cdot b^2 + 36 \cdot C \cdot a^2 \cdot b^2 + 24 \cdot B \cdot a \cdot b^3 + 6 \cdot A \cdot b^4 + 5 \cdot C \cdot b^4) \cdot \log(\operatorname{abs}(\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 1)) - 15 \cdot (16 \cdot A \cdot a^4 + 8 \cdot C \cdot a^4 + 32 \cdot B \cdot a^3 \cdot b + 48 \cdot A \cdot a^2 \cdot b^2 + 36 \cdot C \cdot a^2 \cdot b^2 + 24 \cdot B \cdot a \cdot b^3 + 6 \cdot A \cdot b^4 + 5 \cdot C \cdot b^4) \cdot \log(\operatorname{abs}(\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 1)) - 2 \cdot (240 \cdot B \cdot a^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 120 \cdot C \cdot a^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} + 960 \cdot A \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 480 \cdot B \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} + 960 \cdot C \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 720 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} + 1440 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 900 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} + 960 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 600 \cdot B \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} + 960 \cdot C \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 150 \cdot A \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} + 240 \cdot B \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 165 \cdot C \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^{11} - 1200 \cdot B \cdot a^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 360 \cdot C \cdot a^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 - 4800 \cdot A \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 1440 \cdot B \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 - 3520 \cdot C \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 2160 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 - 5280 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 1260 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 - 3520 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 840 \cdot B \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 - 2240 \cdot C \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 210 \cdot A \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 - 560 \cdot B \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 - 25 \cdot C \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^9 + 2400 \cdot B \cdot a^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 240 \cdot C \cdot a^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 9600 \cdot A \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 960 \cdot B \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 5760 \cdot C \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7$

$$\begin{aligned}
& 2*d*x + 1/2*c)^7 - 1440*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 + 8640*B*a^2*b^2* \\
& \tan(1/2*d*x + 1/2*c)^7 - 360*C*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 + 5760*A*a*b^3 \\
& *\tan(1/2*d*x + 1/2*c)^7 - 240*B*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 4992*C*a*b^3 \\
& *\tan(1/2*d*x + 1/2*c)^7 - 60*A*b^4*\tan(1/2*d*x + 1/2*c)^7 + 1248*B*b^4*\tan(\\
& 1/2*d*x + 1/2*c)^7 - 450*C*b^4*\tan(1/2*d*x + 1/2*c)^7 - 2400*B*a^4*\tan(1/2* \\
& d*x + 1/2*c)^5 - 240*C*a^4*\tan(1/2*d*x + 1/2*c)^5 - 9600*A*a^3*b*\tan(1/2*d* \\
& x + 1/2*c)^5 - 960*B*a^3*b*\tan(1/2*d*x + 1/2*c)^5 - 5760*C*a^3*b*\tan(1/2*d* \\
& x + 1/2*c)^5 - 1440*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 - 8640*B*a^2*b^2*\tan(1 \\
& /2*d*x + 1/2*c)^5 - 360*C*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 - 5760*A*a*b^3*\tan \\
& (1/2*d*x + 1/2*c)^5 - 240*B*a*b^3*\tan(1/2*d*x + 1/2*c)^5 - 4992*C*a*b^3*\tan \\
& (1/2*d*x + 1/2*c)^5 - 60*A*b^4*\tan(1/2*d*x + 1/2*c)^5 - 1248*B*b^4*\tan(1/2* \\
& d*x + 1/2*c)^5 - 450*C*b^4*\tan(1/2*d*x + 1/2*c)^5 + 1200*B*a^4*\tan(1/2*d*x \\
& + 1/2*c)^3 + 360*C*a^4*\tan(1/2*d*x + 1/2*c)^3 + 4800*A*a^3*b*\tan(1/2*d*x + \\
& 1/2*c)^3 + 1440*B*a^3*b*\tan(1/2*d*x + 1/2*c)^3 + 3520*C*a^3*b*\tan(1/2*d*x + \\
& 1/2*c)^3 + 2160*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 5280*B*a^2*b^2*\tan(1/2* \\
& d*x + 1/2*c)^3 + 1260*C*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 3520*A*a*b^3*\tan(1 \\
& /2*d*x + 1/2*c)^3 + 840*B*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 2240*C*a*b^3*\tan(1 \\
& /2*d*x + 1/2*c)^3 + 210*A*b^4*\tan(1/2*d*x + 1/2*c)^3 + 560*B*b^4*\tan(1/2*d* \\
& x + 1/2*c)^3 - 25*C*b^4*\tan(1/2*d*x + 1/2*c)^3 - 240*B*a^4*\tan(1/2*d*x + 1/ \\
& 2*c) - 120*C*a^4*\tan(1/2*d*x + 1/2*c) - 960*A*a^3*b*\tan(1/2*d*x + 1/2*c) - \\
& 480*B*a^3*b*\tan(1/2*d*x + 1/2*c) - 960*C*a^3*b*\tan(1/2*d*x + 1/2*c) - 720*A \\
& *a^2*b^2*\tan(1/2*d*x + 1/2*c) - 1440*B*a^2*b^2*\tan(1/2*d*x + 1/2*c) - 900*C \\
& *a^2*b^2*\tan(1/2*d*x + 1/2*c) - 960*A*a*b^3*\tan(1/2*d*x + 1/2*c) - 600*B*a* \\
& b^3*\tan(1/2*d*x + 1/2*c) - 960*C*a*b^3*\tan(1/2*d*x + 1/2*c) - 150*A*b^4*\tan \\
& (1/2*d*x + 1/2*c) - 240*B*b^4*\tan(1/2*d*x + 1/2*c) - 165*C*b^4*\tan(1/2*d*x \\
& + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^6)/d
\end{aligned}$$

$$3.889 \quad \int (a+b \sec(c+dx))^4 (A+B \sec(c+dx) + C \sec^2(c+dx)) dx$$

Optimal. Leaf size=290

$$\frac{\tan(c+dx) (2a^2b^2(85A+56C) + 95a^3bB + 12a^4C + 80ab^3B + 4b^4(5A+4C))}{30d} + \frac{(16a^3b(2A+C) + 24a^2b^2B + 8a^4B + \dots)}{30d}$$

```
[Out] a^4*A*x + ((8*a^4*B + 24*a^2*b^2*B + 3*b^4*B + 16*a^3*b*(2*A + C) + 4*a*b^3*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + ((95*a^3*b*B + 80*a*b^3*B + 12*a^4*C + 4*b^4*(5*A + 4*C) + 2*a^2*b^2*(85*A + 56*C))*Tan[c + d*x])/(30*d) + (b*(130*a^2*b*B + 45*b^3*B + 24*a^3*C + 4*a*b^2*(40*A + 29*C))*Sec[c + d*x]*Tan[c + d*x])/(120*d) + ((20*A*b^2 + 35*a*b*B + 12*a^2*C + 16*b^2*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*d) + ((5*b*B + 4*a*C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*d)
```

Rubi [A] time = 0.542844, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4056, 4048, 3770, 3767, 8}

$$\frac{\tan(c+dx) (2a^2b^2(85A+56C) + 95a^3bB + 12a^4C + 80ab^3B + 4b^4(5A+4C))}{30d} + \frac{(16a^3b(2A+C) + 24a^2b^2B + 8a^4B + \dots)}{30d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] a^4*A*x + ((8*a^4*B + 24*a^2*b^2*B + 3*b^4*B + 16*a^3*b*(2*A + C) + 4*a*b^3*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + ((95*a^3*b*B + 80*a*b^3*B + 12*a^4*C + 4*b^4*(5*A + 4*C) + 2*a^2*b^2*(85*A + 56*C))*Tan[c + d*x])/(30*d) + (b*(130*a^2*b*B + 45*b^3*B + 24*a^3*C + 4*a*b^2*(40*A + 29*C))*Sec[c + d*x]*Tan[c + d*x])/(120*d) + ((20*A*b^2 + 35*a*b*B + 12*a^2*C + 16*b^2*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*d) + ((5*b*B + 4*a*C)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (C*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*d)
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
```

```
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C(a + b \sec(c + dx))^4 \tan(c + dx)}{5d} + \frac{1}{5} \int (a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
&= \frac{(5bB + 4aC)(a + b \sec(c + dx))^3 \tan(c + dx)}{20d} + \frac{C(a + b \sec(c + dx))^4 \tan(c + dx)}{5d} \\
&= \frac{(20Ab^2 + 35abB + 12a^2C + 16b^2C)(a + b \sec(c + dx))^3 \tan(c + dx)}{60d} \\
&= \frac{b(130a^2bB + 45b^3B + 24a^3C + 4ab^2(40A + 29C)) \sec^3(c + dx) \tan(c + dx)}{120d} \\
&= a^4 Ax + \frac{b(130a^2bB + 45b^3B + 24a^3C + 4ab^2(40A + 29C)) \sec^3(c + dx) \tan(c + dx)}{120d} \\
&= a^4 Ax + \frac{(8a^4B + 24a^2b^2B + 3b^4B + 16a^3b(2A + C)) \sec^3(c + dx) \tan(c + dx)}{8d} \\
&= a^4 Ax + \frac{(8a^4B + 24a^2b^2B + 3b^4B + 16a^3b(2A + C)) \sec^3(c + dx) \tan(c + dx)}{8d}
\end{aligned}$$

Mathematica [B] time = 4.10403, size = 690, normalized size = 2.38

$$\sec^5(c + dx) (A \cos^2(c + dx) + B \cos(c + dx) + C) \left(-120 \cos^5(c + dx) (16a^3b(2A + C) + 24a^2b^2B + 8a^4B + 4ab^3(4A + 3b^2B + 16a^3b(2A + C))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*Sec[c + d*x]^5*(600*a^4*A*(c + d*x)*Cos[c + d*x] + 300*a^4*A*(c + d*x)*Cos[3*(c + d*x)] + 60*a^4*A*c*Cos[5*(c + d*x)] + 60*a^4*A*d*x*Cos[5*(c + d*x)] - 120*(8*a^4*B + 24*a^2*b^2*B + 3*b^4*B + 16*a^3*b*(2*A + C) + 4*a*b^3*(4*A + 3*C))*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 720*a^2*A*b^2*Sin[c + d*x] + 160*A*b^4*Sin[c + d*x] + 480*a^3*b*B*Sin[c + d*x] + 640*a*b^3*B*Sin[c + d*x] + 120*a^4*C*Sin[c + d*x] + 960*a^2*b^2*C*Sin[c + d*x] + 320*b^4*C*Sin[c + d*x] + 480*a*A*b^3*Sin[2*(c + d*x)] + 720*a^2*b^2*B*Sin[2*(c + d*x)] + 210*b^4*B*Sin[2*(c + d*x)] + 480*a^3*b*C*Sin[2*(c + d*x)] + 840*a*b^3*C*Sin[2*(c + d*x)] + 1080*a^2*A*b^2*Sin[3*(c + d*x)] + 200*A*b^4*Sin[3*(c + d*x)] + 720*a^3*b*B*Sin[3*(c + d*x)] + 800*a*b^3*B*Sin[3*(c + d*x)] + 180*a^4*C*Sin[3*(c + d*x)] + 1200*a^2*b^2*C*Sin[3*(c + d*x)] + 160*b^4*C*Sin[3*(c + d*x)] + 240*a*A*b^3*Sin[4*(c + d*x)] + 360*a^2*b^2*B*Sin[4*(c + d*x)] + 45*b^4*B*Sin[4*(c + d*x)] + 240*a^3*b*C*Sin[4*(c + d*x)] + 180*a*b^3*C*Sin[4*(c + d*x)] + 360*a^2*A*b^2*Sin[5*(c + d*x)] + 4

$$\frac{0 \cdot A \cdot b^4 \cdot \sin[5(c + dx)] + 240 \cdot a^3 \cdot b \cdot B \cdot \sin[5(c + dx)] + 160 \cdot a \cdot b^3 \cdot B \cdot \sin[5(c + dx)] + 60 \cdot a^4 \cdot C \cdot \sin[5(c + dx)] + 240 \cdot a^2 \cdot b^2 \cdot C \cdot \sin[5(c + dx)] + 32 \cdot b^4 \cdot C \cdot \sin[5(c + dx)]}{(480 \cdot d \cdot (A + 2 \cdot C + 2 \cdot B \cdot \cos[c + dx] + A \cdot \cos[2(c + dx)]))}$$

Maple [B] time = 0.066, size = 572, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2),x)`

[Out] $a^4 A x + \frac{1}{d} A a^4 c + \frac{4}{d} A a^3 b \ln(\sec(dx+c) + \tan(dx+c)) + \frac{2}{d} a^3 b C \ln(\sec(dx+c) + \tan(dx+c)) + \frac{4}{d} C a^2 b^2 \tan(dx+c) + \frac{1}{3} \frac{1}{d} A b^4 \tan(dx+c) \sec(dx+c)^2 + \frac{1}{5} \frac{1}{d} C b^4 \tan(dx+c) \sec(dx+c)^4 + \frac{4}{15} \frac{1}{d} C b^4 \tan(dx+c) \sec(dx+c)^2 + \frac{8}{3} \frac{1}{d} a b^3 B \tan(dx+c) + \frac{4}{d} B a^3 b \tan(dx+c) + \frac{6}{d} A a^2 b^2 \tan(dx+c) + \frac{3}{2} \frac{1}{d} C a b^3 \ln(\sec(dx+c) + \tan(dx+c)) + \frac{1}{4} \frac{1}{d} B b^4 \tan(dx+c) \sec(dx+c)^3 + \frac{3}{8} \frac{1}{d} B b^4 \sec(dx+c) \tan(dx+c) + \frac{2}{d} A a b^3 \ln(\sec(dx+c) + \tan(dx+c)) + \frac{1}{d} a^4 C \tan(dx+c) + \frac{1}{d} B a^4 \ln(\sec(dx+c) + \tan(dx+c)) + \frac{8}{15} \frac{1}{d} C b^4 \tan(dx+c) + \frac{2}{3} \frac{1}{d} A b^4 \tan(dx+c) + \frac{3}{8} \frac{1}{d} B b^4 \ln(\sec(dx+c) + \tan(dx+c)) + \frac{4}{3} \frac{1}{d} a b^3 B \tan(dx+c) \sec(dx+c)^2 + \frac{1}{d} C a b^3 \tan(dx+c) \sec(dx+c)^3 + \frac{3}{2} \frac{1}{d} C a b^3 \sec(dx+c) \tan(dx+c) + \frac{3}{d} a^2 b^2 B \ln(\sec(dx+c) + \tan(dx+c)) + \frac{2}{d} a^3 b C \sec(dx+c) \tan(dx+c) + \frac{3}{d} a^2 b^2 B \sec(dx+c) \tan(dx+c) + \frac{2}{d} A a b^3 \sec(dx+c) \tan(dx+c) + \frac{2}{d} C a^2 b^2 \tan(dx+c) \sec(dx+c)^2$

Maxima [A] time = 1.05134, size = 671, normalized size = 2.31

$$240(dx+c)Aa^4 + 480(\tan(dx+c)^3 + 3\tan(dx+c))Ca^2b^2 + 320(\tan(dx+c)^3 + 3\tan(dx+c))Bab^3 + 80(\tan(dx+c)^3 + 3\tan(dx+c))A^2b^2 + 160A^2b^2C + 160A^2b^2C^2 + 160A^2b^2C^3 + 160A^2b^2C^4 + 160A^2b^2C^5 + 160A^2b^2C^6 + 160A^2b^2C^7 + 160A^2b^2C^8 + 160A^2b^2C^9 + 160A^2b^2C^{10} + 160A^2b^2C^{11} + 160A^2b^2C^{12} + 160A^2b^2C^{13} + 160A^2b^2C^{14} + 160A^2b^2C^{15} + 160A^2b^2C^{16} + 160A^2b^2C^{17} + 160A^2b^2C^{18} + 160A^2b^2C^{19} + 160A^2b^2C^{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")`

[Out] $\frac{1}{240} (240(dx+c)Aa^4 + 480(\tan(dx+c)^3 + 3\tan(dx+c))Ca^2b^2 + 320(\tan(dx+c)^3 + 3\tan(dx+c))Bab^3 + 80(\tan(dx+c)^3 + 3\tan(dx+c))A^2b^2 + 160A^2b^2C + 160A^2b^2C^2 + 160A^2b^2C^3 + 160A^2b^2C^4 + 160A^2b^2C^5 + 160A^2b^2C^6 + 160A^2b^2C^7 + 160A^2b^2C^8 + 160A^2b^2C^9 + 160A^2b^2C^{10} + 160A^2b^2C^{11} + 160A^2b^2C^{12} + 160A^2b^2C^{13} + 160A^2b^2C^{14} + 160A^2b^2C^{15} + 160A^2b^2C^{16} + 160A^2b^2C^{17} + 160A^2b^2C^{18} + 160A^2b^2C^{19} + 160A^2b^2C^{20})$

$$\begin{aligned}
& + c)) * C * b^4 - 60 * C * a * b^3 * (2 * (3 * \sin(dx + c))^3 - 5 * \sin(dx + c)) / (\sin(dx + c)^4 - 2 * \sin(dx + c)^2 + 1) - 3 * \log(\sin(dx + c) + 1) + 3 * \log(\sin(dx + c) - 1)) \\
& - 15 * B * b^4 * (2 * (3 * \sin(dx + c))^3 - 5 * \sin(dx + c)) / (\sin(dx + c)^4 - 2 * \sin(dx + c)^2 + 1) - 3 * \log(\sin(dx + c) + 1) + 3 * \log(\sin(dx + c) - 1)) \\
& - 240 * C * a^3 * b * (2 * \sin(dx + c)) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) \\
& - 360 * B * a^2 * b^2 * (2 * \sin(dx + c)) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) \\
& - 240 * A * a * b^3 * (2 * \sin(dx + c)) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) \\
& + 240 * B * a^4 * \log(\sec(dx + c) + \tan(dx + c)) + 960 * A * a^3 * b * \log(\sec(dx + c) + \tan(dx + c)) \\
& + 240 * C * a^4 * \tan(dx + c) + 960 * B * a^3 * b * \tan(dx + c) + 1440 * A * a^2 * b^2 * \tan(dx + c)) / d
\end{aligned}$$

Fricas [A] time = 0.625407, size = 824, normalized size = 2.84

$$240 A a^4 dx \cos(dx + c)^5 + 15 (8 B a^4 + 16 (2 A + C) a^3 b + 24 B a^2 b^2 + 4 (4 A + 3 C) a b^3 + 3 B b^4) \cos(dx + c)^5 \log(\sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] 1/240*(240*A*a^4*d*x*cos(dx + c)^5 + 15*(8*B*a^4 + 16*(2*A + C)*a^3*b + 24*B*a^2*b^2 + 4*(4*A + 3*C)*a*b^3 + 3*B*b^4)*cos(dx + c)^5*log(sin(dx + c) + 1) - 15*(8*B*a^4 + 16*(2*A + C)*a^3*b + 24*B*a^2*b^2 + 4*(4*A + 3*C)*a*b^3 + 3*B*b^4)*cos(dx + c)^5*log(-sin(dx + c) + 1) + 2*(24*C*b^4 + 8*(15*C*a^4 + 60*B*a^3*b + 30*(3*A + 2*C)*a^2*b^2 + 40*B*a*b^3 + 2*(5*A + 4*C)*b^4)*cos(dx + c)^4 + 15*(16*C*a^3*b + 24*B*a^2*b^2 + 4*(4*A + 3*C)*a*b^3 + 3*B*b^4)*cos(dx + c)^3 + 8*(30*C*a^2*b^2 + 20*B*a*b^3 + (5*A + 4*C)*b^4)*cos(dx + c)^2 + 30*(4*C*a*b^3 + B*b^4)*cos(dx + c))*sin(dx + c)/(d*cos(dx + c)^5)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))**4*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] Integral((a + b*sec(c + d*x))**4*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)

Giac [B] time = 1.41148, size = 1539, normalized size = 5.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & \frac{1}{120} \cdot (120 \cdot (d \cdot x + c) \cdot A \cdot a^4 + 15 \cdot (8 \cdot B \cdot a^4 + 32 \cdot A \cdot a^3 \cdot b + 16 \cdot C \cdot a^3 \cdot b + 24 \cdot B \cdot a^2 \cdot b^2 + 16 \cdot A \cdot a \cdot b^3 + 12 \cdot C \cdot a \cdot b^3 + 3 \cdot B \cdot b^4) \cdot \log(\operatorname{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) \\ & - 15 \cdot (8 \cdot B \cdot a^4 + 32 \cdot A \cdot a^3 \cdot b + 16 \cdot C \cdot a^3 \cdot b + 24 \cdot B \cdot a^2 \cdot b^2 + 16 \cdot A \cdot a \cdot b^3 + 12 \cdot C \cdot a \cdot b^3 + 3 \cdot B \cdot b^4) \cdot \log(\operatorname{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) \\ & - 2 \cdot (120 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 480 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 240 \cdot C \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 \\ & + 720 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 360 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 720 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 \\ & - 240 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 480 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 300 \cdot C \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 \\ & + 120 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 75 \cdot B \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 120 \cdot C \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 \\ & - 480 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 1920 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 480 \cdot C \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 \\ & - 2880 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 720 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 1920 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 \\ & + 480 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 1280 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 120 \cdot C \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 \\ & - 320 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 30 \cdot B \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 160 \cdot C \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 \\ & + 720 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 2880 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 4320 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 \\ & + 2400 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 1600 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 400 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 \\ & + 464 \cdot C \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 480 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 1920 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \\ & - 480 \cdot C \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 2880 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 720 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \\ & - 1920 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 480 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 1280 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \\ & - 120 \cdot C \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 320 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 30 \cdot B \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \\ & - 160 \cdot C \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 120 \cdot C \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 480 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 240 \cdot C \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \\ & + 720 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 360 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 720 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 240 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \\ & + 480 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 300 \cdot C \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 120 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 75 \cdot B \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \end{aligned}$$

$$\frac{+ 1/2*c) + 120*C*b^4*\tan(1/2*d*x + 1/2*c))}{(\tan(1/2*d*x + 1/2*c)^2 - 1)^5} /d$$

3.890 $\int \cos(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=273

$$\frac{b \tan(c + dx) (a^3(-12A - 19C)) + 34a^2bB + 8ab^2(3A + 2C) + 4b^3B}{6d} + \frac{(24a^2b^2(2A + C) + 32a^3bB + 8a^4C + 16ab^3B + 8a^4C + 16ab^3B + 8a^4C)}{8d}$$

```
[Out] a^3*(4*A*b + a*B)*x + ((32*a^3*b*B + 16*a*b^3*B + 8*a^4*C + 24*a^2*b^2*(2*A
+ C) + b^4*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + (A*(a + b*Sec[c + d
*x])^4*Sin[c + d*x])/d + (b*(34*a^2*b*B + 4*b^3*B - a^3*(12*A - 19*C) + 8*a
*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*d) + (b^2*(32*a*b*B - a^2*(24*A - 26*C)
+ 3*b^2*(4*A + 3*C))*Sec[c + d*x]*Tan[c + d*x])/(24*d) - (b*(12*a*A - 4*b*B
- 7*a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) - (b*(4*A - C)*(a + b
*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rubi [A] time = 0.582644, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4094, 4056, 4048, 3770, 3767, 8}

$$\frac{b \tan(c + dx) (a^3(-12A - 19C)) + 34a^2bB + 8ab^2(3A + 2C) + 4b^3B}{6d} + \frac{(24a^2b^2(2A + C) + 32a^3bB + 8a^4C + 16ab^3B + 8a^4C + 16ab^3B + 8a^4C)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]
)^2, x]
```

```
[Out] a^3*(4*A*b + a*B)*x + ((32*a^3*b*B + 16*a*b^3*B + 8*a^4*C + 24*a^2*b^2*(2*A
+ C) + b^4*(4*A + 3*C))*ArcTanh[Sin[c + d*x]])/(8*d) + (A*(a + b*Sec[c + d
*x])^4*Sin[c + d*x])/d + (b*(34*a^2*b*B + 4*b^3*B - a^3*(12*A - 19*C) + 8*a
*b^2*(3*A + 2*C))*Tan[c + d*x])/(6*d) + (b^2*(32*a*b*B - a^2*(24*A - 26*C)
+ 3*b^2*(4*A + 3*C))*Sec[c + d*x]*Tan[c + d*x])/(24*d) - (b*(12*a*A - 4*b*B
- 7*a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) - (b*(4*A - C)*(a + b
*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.
)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a
_)^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
```


$[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4056

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4048

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x], Cot[c + d*x], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} + \int (a + \\
&= \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{b(4A - \\
&= \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} - \frac{b(12aA - \\
&= \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} + \frac{b^2(32a^3bB + 16ab^3B + 8a^4C)}{d} \\
&= a^3(4Ab + aB)x + \frac{A(a + b \sec(c + dx))^4 \sin(c + dx)}{d} \\
&= a^3(4Ab + aB)x + \frac{(32a^3bB + 16ab^3B + 8a^4C)}{d} \\
&= a^3(4Ab + aB)x + \frac{(32a^3bB + 16ab^3B + 8a^4C)}{d}
\end{aligned}$$

Mathematica [B] time = 6.89277, size = 813, normalized size = 2.98

$$\frac{(-8Ca^4 - 32bBa^3 - 48Ab^2a^2 - 24b^2Ca^2 - 16b^3Ba - 4Ab^4 - 3b^4C) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) (a + b \sec(c + dx))}{4d(b + a \cos(c + dx))^4(\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((-48*a^2*A*b^2 - 4*A*b^4 - 32*a^3*b*B - 16*a*b^3*B - 8*a^4*C - 24*a^2*b^2*C - 3*b^4*C)*Cos[c + d*x]^6*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(4*d*(b + a*cos[c + d*x])^4*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])) + ((48*a^2*A*b^2 + 4*A*b^4 + 32*a^3*b*B + 16*a*b^3*B + 8*a^4*C + 24*a^2*b^2*C + 3*b^4*C)*Cos[c + d*x]^6*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(4*d*(b + a*cos[c + d*x])^4*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])) + (Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(144*a^3*A*b*(c + d*x) + 36*a^4*B*(c + d*x) + 192*a^3*A*b*(c + d*x)*Cos[2*(c + d*x)] + 48*a^4*B*(c + d*x)*Cos[2*(c + d*x)] + 48*a^3*A*b*(c + d*x)*Cos[4*(c + d*x)] + 12*a^4*B*(c + d*x)*Cos[4*(c + d*x)] + 12*a^4*A*Sin[c + d*x] + 12*A*b^4*Sin[c + d*x] + 48*a*b^3*B*Sin[c + d*x] + 72*a^2*b^2*C*Sin[c + d*x] + 33*b^4*C*Sin[c + d*x] + 96*a*A*b^3*Sin[2*(c + d*x)] + 144*a^2*b^2*B*Sin[2*(c + d*x)] + 32*b^4*B*Sin[2*(c + d*x)] + 96*a^3*b*C*Sin[2*(c + d*x)] + 128*a*b^3*C*Sin[2*(c + d*x)]

$$\begin{aligned} & c + dx)] + 18a^4A\sin[3(c + dx)] + 12A^3b^4\sin[3(c + dx)] + 48a^3b^4 \\ & 3B\sin[3(c + dx)] + 72a^2b^2C\sin[3(c + dx)] + 9b^4C\sin[3(c + d \\ & *x)] + 48a^3A^3\sin[4(c + dx)] + 72a^2b^2B\sin[4(c + dx)] + 8b^4 \\ & B\sin[4(c + dx)] + 48a^3b^2C\sin[4(c + dx)] + 32a^3b^3C\sin[4(c + d \\ & x)] + 6a^4A\sin[5(c + dx)])) / (48d(b + a\cos[c + dx])^4(A + 2C + 2 \\ & B\cos[c + dx] + A\cos[2c + 2dx])) \end{aligned}$$

Maple [A] time = 0.09, size = 457, normalized size = 1.7

$$\frac{Aa^4 \sin(dx + c)}{d} + Ba^4x + \frac{Ba^4c}{d} + \frac{a^4C \ln(\sec(dx + c) + \tan(dx + c))}{d} + 4a^3Abx + 4\frac{Aa^3bc}{d} + 4\frac{Ba^3b \ln(\sec(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)*(a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2), x)`

[Out] $1/dAa^4\sin(dx+c) + Ba^4x + 1/dBa^4c + 1/dA^4C\ln(\sec(dx+c) + \tan(dx+c)) + 4a^3A^3bx + 4/dA^3b^2c + 4/dBa^3b\ln(\sec(dx+c) + \tan(dx+c)) + 4/dA^3b^2C\tan(dx+c) + 6/dA^2b^2\ln(\sec(dx+c) + \tan(dx+c)) + 6/dA^2b^2B\tan(dx+c) + 3/dC^2a^2b^2\sec(dx+c)\tan(dx+c) + 3/dC^2a^2b^2\ln(\sec(dx+c) + \tan(dx+c)) + 4/dA^3b^3\tan(dx+c) + 2/dA^2b^3B\sec(dx+c)\tan(dx+c) + 2/dA^2b^3B\ln(\sec(dx+c) + \tan(dx+c)) + 8/3/dC^2a^2b^3\tan(dx+c) + 4/3/dC^2a^2b^3\tan(dx+c)\sec(dx+c)^2 + 1/2/dA^2b^4\sec(dx+c)\tan(dx+c) + 1/2/dA^2b^4\ln(\sec(dx+c) + \tan(dx+c)) + 2/3/dB^2b^4\tan(dx+c) + 1/3/dB^2b^4\tan(dx+c)\sec(dx+c)^2 + 1/4/dC^2b^4\tan(dx+c)\sec(dx+c)^3 + 3/8/dC^2b^4\sec(dx+c)\tan(dx+c) + 3/8/dC^2b^4\ln(\sec(dx+c) + \tan(dx+c))$

Maxima [A] time = 1.08799, size = 582, normalized size = 2.13

$$48(dx + c)Ba^4 + 192(dx + c)Aa^3b + 64(\tan(dx + c)^3 + 3 \tan(dx + c))Cab^3 + 16(\tan(dx + c)^3 + 3 \tan(dx + c))Bb^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2), x, algorithm="maxima")`

[Out] $1/48(48(dx + c)Ba^4 + 192(dx + c)Aa^3b + 64(\tan(dx + c)^3 + 3\tan(dx + c))C^2ab^3 + 16(\tan(dx + c)^3 + 3\tan(dx + c))B^2b^4 - 3C^2b^4$

$$\begin{aligned} &*(2*(3*\sin(dx + c)^3 - 5*\sin(dx + c))/(\sin(dx + c)^4 - 2*\sin(dx + c)^2 \\ &+ 1) - 3*\log(\sin(dx + c) + 1) + 3*\log(\sin(dx + c) - 1)) - 72*C*a^2*b^2*(2 \\ &*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + \\ &c) - 1)) - 48*B*a*b^3*(2*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + \\ &c) + 1) + \log(\sin(dx + c) - 1)) - 12*A*b^4*(2*\sin(dx + c)/(\sin(dx + c)^2 \\ &- 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 24*C*a^4*(\log(\sin(\\ &dx + c) + 1) - \log(\sin(dx + c) - 1)) + 96*B*a^3*b*(\log(\sin(dx + c) + 1) \\ &- \log(\sin(dx + c) - 1)) + 144*A*a^2*b^2*(\log(\sin(dx + c) + 1) - \log(\sin(dx \\ &+ c) - 1)) + 48*A*a^4*\sin(dx + c) + 192*C*a^3*b*\tan(dx + c) + 288*B*a^ \\ &2*b^2*\tan(dx + c) + 192*A*a*b^3*\tan(dx + c))/d \end{aligned}$$

Fricas [A] time = 0.629816, size = 725, normalized size = 2.66

$$48(Ba^4 + 4Aa^3b)dx \cos(dx + c)^4 + 3(8Ca^4 + 32Ba^3b + 24(2A + C)a^2b^2 + 16Bab^3 + (4A + 3C)b^4) \cos(dx + c)^4 \log$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)*(a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2),x,
algorithm="fricas")
```

```
[Out] 1/48*(48*(B*a^4 + 4*A*a^3*b)*d*x*cos(dx + c)^4 + 3*(8*C*a^4 + 32*B*a^3*b +
24*(2*A + C)*a^2*b^2 + 16*B*a*b^3 + (4*A + 3*C)*b^4)*cos(dx + c)^4*log(si
n(dx + c) + 1) - 3*(8*C*a^4 + 32*B*a^3*b + 24*(2*A + C)*a^2*b^2 + 16*B*a*b
^3 + (4*A + 3*C)*b^4)*cos(dx + c)^4*log(-sin(dx + c) + 1) + 2*(24*A*a^4*c
os(dx + c)^4 + 6*C*b^4 + 16*(6*C*a^3*b + 9*B*a^2*b^2 + 2*(3*A + 2*C)*a*b^3
+ B*b^4)*cos(dx + c)^3 + 3*(24*C*a^2*b^2 + 16*B*a*b^3 + (4*A + 3*C)*b^4)*
cos(dx + c)^2 + 8*(4*C*a*b^3 + B*b^4)*cos(dx + c))*sin(dx + c))/(d*cos(d
*x + c)^4)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)*(a+b*sec(dx+c))**4*(A+B*sec(dx+c)+C*sec(dx+c)**2),x
)
```

[Out] Timed out

Giac [B] time = 1.45465, size = 1134, normalized size = 4.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x,
algorithm="giac")

[Out]
$$\frac{1}{24} \cdot (48 \cdot A \cdot a^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) / (\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^2 + 1) + 24 \cdot (B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot (d \cdot x + c) + 3 \cdot (8 \cdot C \cdot a^4 + 32 \cdot B \cdot a^3 \cdot b + 48 \cdot A \cdot a^2 \cdot b^2 + 24 \cdot C \cdot a^2 \cdot b^2 + 16 \cdot B \cdot a \cdot b^3 + 4 \cdot A \cdot b^4 + 3 \cdot C \cdot b^4) \cdot \log(\text{abs}(\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) + 1)) - 3 \cdot (8 \cdot C \cdot a^4 + 32 \cdot B \cdot a^3 \cdot b + 48 \cdot A \cdot a^2 \cdot b^2 + 24 \cdot C \cdot a^2 \cdot b^2 + 16 \cdot B \cdot a \cdot b^3 + 4 \cdot A \cdot b^4 + 3 \cdot C \cdot b^4) \cdot \log(\text{abs}(\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 1)) - 2 \cdot (96 \cdot C \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 144 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 72 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 96 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 48 \cdot B \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 96 \cdot C \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 12 \cdot A \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 + 24 \cdot B \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 15 \cdot C \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^7 - 288 \cdot C \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 432 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 72 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 288 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 48 \cdot B \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 160 \cdot C \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 12 \cdot A \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 40 \cdot B \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 - 9 \cdot C \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^5 + 288 \cdot C \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 432 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 72 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 288 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 48 \cdot B \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 160 \cdot C \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 12 \cdot A \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 + 40 \cdot B \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 9 \cdot C \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^3 - 96 \cdot C \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 144 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 72 \cdot C \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 96 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 48 \cdot B \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 96 \cdot C \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 12 \cdot A \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 24 \cdot B \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c) - 15 \cdot C \cdot b^4 \cdot \tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)) / (\tan(\frac{1}{2}d \cdot x + \frac{1}{2}c)^2 - 1)^4) / d$$

3.891 $\int \cos^2(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=274

$$\frac{b \tan(c + dx) (a^2 b (39A - 34C) + 12a^3 B - 24ab^2 B - 2b^3 (3A + 2C))}{6d} + \frac{b (12a^2 b B + 8a^3 C + 4ab^2 (2A + C) + b^3 B) \tanh^{-1}}{2d}$$

[Out] (a^2*(12*A*b^2 + 8*a*b*B + a^2*(A + 2*C))*x)/2 + (b*(12*a^2*b*B + b^3*B + 8*a^3*C + 4*a*b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*d) + ((2*A*b + a*B)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/d + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(2*d) - (b*(12*a^3*B - 24*a*b^2*B + a^2*b*(39*A - 34*C) - 2*b^3*(3*A + 2*C))*Tan[c + d*x])/(6*d) - (b^2*(6*a^2*B - 3*b^2*B + 2*a*b*(9*A - 4*C))*Sec[c + d*x]*Tan[c + d*x])/(6*d) - (b*(15*A*b + 6*a*B - 2*b*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(6*d)

Rubi [A] time = 0.677395, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4056, 4048, 3770, 3767, 8}

$$\frac{b \tan(c + dx) (a^2 b (39A - 34C) + 12a^3 B - 24ab^2 B - 2b^3 (3A + 2C))}{6d} + \frac{b (12a^2 b B + 8a^3 C + 4ab^2 (2A + C) + b^3 B) \tanh^{-1}}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*(12*A*b^2 + 8*a*b*B + a^2*(A + 2*C))*x)/2 + (b*(12*a^2*b*B + b^3*B + 8*a^3*C + 4*a*b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*d) + ((2*A*b + a*B)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/d + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(2*d) - (b*(12*a^3*B - 24*a*b^2*B + a^2*b*(39*A - 34*C) - 2*b^3*(3*A + 2*C))*Tan[c + d*x])/(6*d) - (b^2*(6*a^2*B - 3*b^2*B + 2*a*b*(9*A - 4*C))*Sec[c + d*x]*Tan[c + d*x])/(6*d) - (b*(15*A*b + 6*a*B - 2*b*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(6*d)

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc

$[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4056

$Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^{(m - 1)}*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4048

$Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

$Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3767

$Int[csc[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] :> -Dist[d^{(-1)}, Subst[Int[ExpandIntegrand[(1 + x^2)^{(n/2 - 1)}, x], x], x], Cot[c + d*x]], x] /;$ FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

$Int[a_, x_Symbol] :> Simp[a*x, x] /;$ FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{2d} \\
&= \frac{(2Ab + aB)(a + b \sec(c + dx))^3 \sin(c + dx)}{d} \\
&= \frac{(2Ab + aB)(a + b \sec(c + dx))^3 \sin(c + dx)}{d} \\
&= \frac{(2Ab + aB)(a + b \sec(c + dx))^3 \sin(c + dx)}{d} \\
&= \frac{1}{2} a^2 (12Ab^2 + 8abB + a^2(A + 2C)) x + \frac{2b}{d} (2Ab + aB)(a + b \sec(c + dx))^3 \sin(c + dx) \\
&= \frac{1}{2} a^2 (12Ab^2 + 8abB + a^2(A + 2C)) x + \frac{b}{d} (2Ab + aB)(a + b \sec(c + dx))^3 \sin(c + dx) \\
&= \frac{1}{2} a^2 (12Ab^2 + 8abB + a^2(A + 2C)) x + \frac{b}{d} (2Ab + aB)(a + b \sec(c + dx))^3 \sin(c + dx)
\end{aligned}$$

Mathematica [A] time = 2.45191, size = 348, normalized size = 1.27

$$\sec^3(c + dx) \left(36a^2(c + dx) \cos(c + dx) (a^2(A + 2C) + 8abB + 12Ab^2) + 12a^2(c + dx) \cos(3(c + dx)) (a^2(A + 2C) + 8abB) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sec[c + d*x]^3*(36*a^2*(12*A*b^2 + 8*a*b*B + a^2*(A + 2*C))*(c + d*x)*Cos[c + d*x] + 12*a^2*(12*A*b^2 + 8*a*b*B + a^2*(A + 2*C))*(c + d*x)*Cos[3*(c + d*x)] - 48*b*(12*a^2*b*B + b^3*B + 8*a^3*C + 4*a*b^2*(2*A + C))*Cos[c + d*x]^3*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 2*(9*a^4*A + 24*A*b^4 + 96*a*b^3*B + 144*a^2*b^2*C + 32*b^4*C + 12*(12*a^3*A*b + 3*a^4*B + 2*b^4*B + 8*a*b^3*C)*Cos[c + d*x] + 4*(3*a^4*A + 6*A*b^4 + 24*a*b^3*B + 36*a^2*b^2*C + 4*b^4*C)*Cos[2*(c + d*x)] + 4*8*a^3*A*b*Cos[3*(c + d*x)] + 12*a^4*B*Cos[3*(c + d*x)] + 3*a^4*A*Cos[4*(c + d*x)])*Sin[c + d*x])/(96*d)

Maple [A] time = 0.091, size = 377, normalized size = 1.4

$$\frac{Aa^4 \cos(dx + c) \sin(dx + c)}{2d} + \frac{a^4 Ax}{2} + \frac{Aa^4 c}{2d} + \frac{Ba^4 \sin(dx + c)}{d} + a^4 Cx + \frac{Ca^4 c}{d} + 4 \frac{Aa^3 b \sin(dx + c)}{d} + 4Ba^3 bx + 4 \frac{Ba^4 \cos(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(a+b*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out] $\frac{1}{2}dAa^4\cos(dx+c)\sin(dx+c)+\frac{1}{2}a^4Ax+\frac{1}{2}dAa^4c+\frac{1}{d}Ba^4\sin(dx+c)+a^4Cx+\frac{1}{d}Ca^4c+\frac{4}{d}Aa^3b\sin(dx+c)+4Ba^3bx+\frac{4}{d}Ba^3bc+\frac{4}{d}a^3bC\ln(\sec(dx+c)+\tan(dx+c))+6Aa^2b^2x+\frac{6}{d}Aa^2b^2c+\frac{6}{d}a^2b^2B\ln(\sec(dx+c)+\tan(dx+c))+\frac{6}{d}Ca^2b^2\tan(dx+c)+\frac{4}{d}Aa^3b\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{d}a^3b^3B\tan(dx+c)+\frac{2}{d}Ca^3b^3\sec(dx+c)\tan(dx+c)+\frac{2}{d}Ca^3b^3\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{d}Ab^4\tan(dx+c)+\frac{1}{2}dBb^4\sec(dx+c)\tan(dx+c)+\frac{1}{2}dBb^4\ln(\sec(dx+c)+\tan(dx+c))+\frac{2}{3}dCb^4\tan(dx+c)+\frac{1}{3}dCb^4\tan(dx+c)\sec(dx+c)^2$

Maxima [A] time = 1.0535, size = 452, normalized size = 1.65

$3(2dx+2c+\sin(2dx+2c))Aa^4+12(dx+c)Ca^4+48(dx+c)Ba^3b+72(dx+c)Aa^2b^2+4(\tan(dx+c)^3+3\tan(dx+c)\sec(dx+c)^2)$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2*(a+b*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] $\frac{1}{12}(3(2dx+2c+\sin(2dx+2c))Aa^4+12(dx+c)Ca^4+48(dx+c)Ba^3b+72(dx+c)Aa^2b^2+4(\tan(dx+c)^3+3\tan(dx+c)\sec(dx+c)^2))C^2b^4-12Ca^3b^3(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))-3Bb^4(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+24Ca^3b(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+36Ba^2b^2(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+24Aa^3b^3(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+12Ba^4\sin(dx+c)+48Aa^3b\sin(dx+c)+72Ca^2b^2\tan(dx+c)+48Ba^3b^3\tan(dx+c)+12Ab^4\tan(dx+c))/d$

Fricas [A] time = 0.615278, size = 644, normalized size = 2.35

$6((A+2C)a^4+8Ba^3b+12Aa^2b^2)dx\cos(dx+c)^3+3(8Ca^3b+12Ba^2b^2+4(2A+C)ab^3+Bb^4)\cos(dx+c)^3\log(\sec(dx+c))$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/12*(6*((A + 2*C)*a^4 + 8*B*a^3*b + 12*A*a^2*b^2)*d*x*cos(d*x + c)^3 + 3*(
8*C*a^3*b + 12*B*a^2*b^2 + 4*(2*A + C)*a*b^3 + B*b^4)*cos(d*x + c)^3*log(si
n(d*x + c) + 1) - 3*(8*C*a^3*b + 12*B*a^2*b^2 + 4*(2*A + C)*a*b^3 + B*b^4)*
cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(3*A*a^4*cos(d*x + c)^4 + 2*C*b^4
+ 6*(B*a^4 + 4*A*a^3*b)*cos(d*x + c)^3 + 2*(18*C*a^2*b^2 + 12*B*a*b^3 + (3
*A + 2*C)*b^4)*cos(d*x + c)^2 + 3*(4*C*a*b^3 + B*b^4)*cos(d*x + c))*sin(d*x
+ c))/(d*cos(d*x + c)^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.40329, size = 743, normalized size = 2.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] 1/6*(3*(A*a^4 + 2*C*a^4 + 8*B*a^3*b + 12*A*a^2*b^2)*(d*x + c) + 3*(8*C*a^3*
b + 12*B*a^2*b^2 + 8*A*a*b^3 + 4*C*a*b^3 + B*b^4)*log(abs(tan(1/2*d*x + 1/2
*c) + 1)) - 3*(8*C*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3 + 4*C*a*b^3 + B*b^4)*lo
g(abs(tan(1/2*d*x + 1/2*c) - 1)) - 6*(A*a^4*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^
4*tan(1/2*d*x + 1/2*c)^3 - 8*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 - A*a^4*tan(1/2
*d*x + 1/2*c) - 2*B*a^4*tan(1/2*d*x + 1/2*c) - 8*A*a^3*b*tan(1/2*d*x + 1/2*
c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2 - 2*(36*C*a^2*b^2*tan(1/2*d*x + 1/2*c)^5
+ 24*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 - 12*C*a*b^3*tan(1/2*d*x + 1/2*c)^5 +
```

$$\frac{6Ab^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Bb^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Cb^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 72C^2 a^2 b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 48B^2 a^2 b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 12A^2 b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 4Cb^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 36C^2 a^2 b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 24B^2 a^2 b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 12C^2 a^2 b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6Ab^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Bb^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6Cb^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^3} / d$$

3.892 $\int \cos^3(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=303

$$\frac{b \tan(c + dx) (4a^3(2A + 3C) + 39a^2bB + 4ab^2(11A - 6C) - 6b^3B)}{6d} + \frac{b^2 (12a^2C + 8abB + 2Ab^2 + b^2C) \tanh^{-1}(\sin(c + dx))}{2d}$$

```
[Out] (a*(8*A*b^3 + a^3*B + 12*a*b^2*B + 4*a^2*b*(A + 2*C))*x)/2 + (b^2*(2*A*b^2 + 8*a*b*B + 12*a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((12*A*b^2 + 15*a*b*B + a^2*(4*A + 6*C))*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(6*d) + ((4*A*b + 3*a*B)*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(3*d) - (b*(39*a^2*b*B - 6*b^3*B + 4*a*b^2*(11*A - 6*C) + 4*a^3*(2*A + 3*C))*Tan[c + d*x])/(6*d) - (b^2*(18*a*b*B + 3*b^2*(6*A - C) + a^2*(4*A + 6*C))*Sec[c + d*x]*Tan[c + d*x])/(6*d)
```

Rubi [A] time = 0.850054, antiderivative size = 303, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4094, 4048, 3770, 3767, 8}

$$\frac{b \tan(c + dx) (4a^3(2A + 3C) + 39a^2bB + 4ab^2(11A - 6C) - 6b^3B)}{6d} + \frac{b^2 (12a^2C + 8abB + 2Ab^2 + b^2C) \tanh^{-1}(\sin(c + dx))}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*(8*A*b^3 + a^3*B + 12*a*b^2*B + 4*a^2*b*(A + 2*C))*x)/2 + (b^2*(2*A*b^2 + 8*a*b*B + 12*a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + ((12*A*b^2 + 15*a*b*B + a^2*(4*A + 6*C))*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(6*d) + ((4*A*b + 3*a*B)*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(3*d) - (b*(39*a^2*b*B - 6*b^3*B + 4*a*b^2*(11*A - 6*C) + 4*a^3*(2*A + 3*C))*Tan[c + d*x])/(6*d) - (b^2*(18*a*b*B + 3*b^2*(6*A - C) + a^2*(4*A + 6*C))*Sec[c + d*x]*Tan[c + d*x])/(6*d)
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
```

```

+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4048

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rule 3767

```

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^2(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{3d} \\
&= \frac{(4Ab+3aB)\cos(c+dx)(a+b\sec(c+dx))^4}{6d} \\
&= \frac{(12Ab^2+15abB+a^2(4A+6C))(a+b\sec(c+dx))^4}{6d} \\
&= \frac{(12Ab^2+15abB+a^2(4A+6C))(a+b\sec(c+dx))^4}{6d} \\
&= \frac{1}{2}a(8Ab^3+a^3B+12ab^2B+4a^2b(A+2C))\sin(c+dx) \\
&= \frac{1}{2}a(8Ab^3+a^3B+12ab^2B+4a^2b(A+2C))\sin(c+dx) \\
&= \frac{1}{2}a(8Ab^3+a^3B+12ab^2B+4a^2b(A+2C))\sin(c+dx)
\end{aligned}$$

Mathematica [A] time = 5.2081, size = 370, normalized size = 1.22

$$6a(c+dx)(4a^2b(A+2C)+a^3B+12ab^2B+8Ab^3)+3a^2\sin(c+dx)(a^2(3A+4C)+16abB+24Ab^2)-6b^2(12a^2C+8Ab^2)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (6*a*(8*A*b^3 + a^3*B + 12*a*b^2*B + 4*a^2*b*(A + 2*C))*(c + d*x) - 6*b^2*(2*A*b^2 + 8*a*b*B + 12*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 6*b^2*(2*A*b^2 + 8*a*b*B + 12*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (3*b^4*C)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (12*b^3*(b*B + 4*a*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (3*b^4*C)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (12*b^3*(b*B + 4*a*C)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 3*a^2*(24*A*b^2 + 16*a*b*B + a^2*(3*A + 4*C))*Sin[c + d*x] + 3*a^3*(4*A*b + a*B)*Sin[2*(c + d*x)] + a^4*A*Ssin[3*(c + d*x)]/(12*d)

Maple [A] time = 0.09, size = 374, normalized size = 1.2

$$\frac{A \sin(dx+c) (\cos(dx+c))^2 a^4}{3d} + \frac{2 A a^4 \sin(dx+c)}{3d} + \frac{B a^4 \sin(dx+c) \cos(dx+c)}{2d} + \frac{B a^4 x}{2} + \frac{B a^4 c}{2d} + \frac{a^4 C \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `1/3/d*A*sin(d*x+c)*cos(d*x+c)^2*a^4+2/3/d*A*a^4*sin(d*x+c)+1/2/d*B*a^4*sin(d*x+c)*cos(d*x+c)+1/2*B*a^4*x+1/2/d*B*a^4*c+1/d*a^4*C*sin(d*x+c)+2/d*A*a^3*b*sin(d*x+c)*cos(d*x+c)+2*a^3*A*b*x+2/d*A*a^3*b*c+4/d*B*a^3*b*sin(d*x+c)+4*a^3*b*C*x+4/d*C*a^3*b*c+6/d*A*a^2*b^2*sin(d*x+c)+6*a^2*b^2*B*x+6/d*B*a^2*b^2*c+6/d*C*a^2*b^2*ln(sec(d*x+c)+tan(d*x+c))+4*A*a*b^3*x+4/d*A*a*b^3*c+4/d*a*b^3*B*ln(sec(d*x+c)+tan(d*x+c))+4/d*C*a*b^3*tan(d*x+c)+1/d*A*b^4*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*b^4*tan(d*x+c)+1/2/d*C*b^4*sec(d*x+c)*tan(d*x+c)+1/2/d*C*b^4*ln(sec(d*x+c)+tan(d*x+c))`

Maxima [A] time = 1.03411, size = 420, normalized size = 1.39

$$4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 3(2dx+2c+\sin(2dx+2c))Ba^4 - 12(2dx+2c+\sin(2dx+2c))Aa^3b - 48(dx+c)Ca^3b - 72(dx+c)Ba^2b^2 - 48(dx+c)Aa^2b^3 + 3Cb^4(2\sin(dx+c)/(\sin(dx+c)^2-1) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)) - 36Ca^2b^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 24Ba^2b^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 6Aa^2b^4(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 12Ca^4\sin(dx+c) - 48Ba^3b\sin(dx+c) - 72Aa^2b^2\sin(dx+c) - 48Ca^2b^3\tan(dx+c) - 12Bb^4\tan(dx+c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `-1/12*(4*(sin(d*x+c)^3 - 3*sin(d*x+c))*A*a^4 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^4 - 12*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3*b - 48*(d*x + c)*C*a^3*b - 72*(d*x + c)*B*a^2*b^2 - 48*(d*x + c)*A*a*b^3 + 3*C*b^4*(2*sin(d*x+c)/(sin(d*x+c)^2-1) - log(sin(d*x+c)+1) + log(sin(d*x+c)-1)) - 36*C*a^2*b^2*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) - 24*B*a^2*b^3*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) - 6*A*b^4*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) - 12*C*a^4*sin(d*x+c) - 48*B*a^3*b*sin(d*x+c) - 72*A*a^2*b^2*sin(d*x+c) - 48*C*a^2*b^3*tan(d*x+c) - 12*B*b^4*tan(d*x+c))/d`

Fricas [A] time = 0.617009, size = 628, normalized size = 2.07

$$6(Ba^4 + 4(A + 2C)a^3b + 12Ba^2b^2 + 8Aab^3)dx \cos(dx + c)^2 + 3(12Ca^2b^2 + 8Bab^3 + (2A + C)b^4) \cos(dx + c)^2 \log(\sin(dx + c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="fricas")
```

```
[Out] 1/12*(6*(B*a^4 + 4*(A + 2*C)*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*d*x*cos(d*x
+ c)^2 + 3*(12*C*a^2*b^2 + 8*B*a*b^3 + (2*A + C)*b^4)*cos(d*x + c)^2*log(si
n(d*x + c) + 1) - 3*(12*C*a^2*b^2 + 8*B*a*b^3 + (2*A + C)*b^4)*cos(d*x + c)
^2*log(-sin(d*x + c) + 1) + 2*(2*A*a^4*cos(d*x + c)^4 + 3*C*b^4 + 3*(B*a^4
+ 4*A*a^3*b)*cos(d*x + c)^3 + 2*((2*A + 3*C)*a^4 + 12*B*a^3*b + 18*A*a^2*b^
2)*cos(d*x + c)^2 + 6*(4*C*a*b^3 + B*b^4)*cos(d*x + c))*sin(d*x + c))/(d*co
s(d*x + c)^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
), x)
```

```
[Out] Timed out
```

Giac [A] time = 1.39076, size = 733, normalized size = 2.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x
, algorithm="giac")
```



```
[Out] 1/6*(3*(B*a^4 + 4*A*a^3*b + 8*C*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*(d*x + c)
+ 3*(12*C*a^2*b^2 + 8*B*a*b^3 + 2*A*b^4 + C*b^4)*log(abs(tan(1/2*d*x + 1/2
*c) + 1)) - 3*(12*C*a^2*b^2 + 8*B*a*b^3 + 2*A*b^4 + C*b^4)*log(abs(tan(1/2*
d*x + 1/2*c) - 1)) - 6*(8*C*a*b^3*tan(1/2*d*x + 1/2*c)^3 + 2*B*b^4*tan(1/2*
d*x + 1/2*c)^3 - C*b^4*tan(1/2*d*x + 1/2*c)^3 - 8*C*a*b^3*tan(1/2*d*x + 1/2
*c) - 2*B*b^4*tan(1/2*d*x + 1/2*c) - C*b^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d
*x + 1/2*c)^2 - 1)^2 + 2*(6*A*a^4*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^4*tan(1/2*
d*x + 1/2*c)^5 + 6*C*a^4*tan(1/2*d*x + 1/2*c)^5 - 12*A*a^3*b*tan(1/2*d*x +
1/2*c)^5 + 24*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 + 36*A*a^2*b^2*tan(1/2*d*x + 1
/2*c)^5 + 4*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 12*C*a^4*tan(1/2*d*x + 1/2*c)^3
+ 48*B*a^3*b*tan(1/2*d*x + 1/2*c)^3 + 72*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 +
6*A*a^4*tan(1/2*d*x + 1/2*c) + 3*B*a^4*tan(1/2*d*x + 1/2*c) + 6*C*a^4*tan(
1/2*d*x + 1/2*c) + 12*A*a^3*b*tan(1/2*d*x + 1/2*c) + 24*B*a^3*b*tan(1/2*d*x
+ 1/2*c) + 36*A*a^2*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)
^3)/d
```

3.893 $\int \cos^4(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=293

$$\frac{a \sin(c + dx) (a^2 b (23A + 36C) + 8a^3 B + 36ab^2 B + 12Ab^3)}{12d} - \frac{b^2 \tan(c + dx) (3a^2 (3A + 4C) + 32abB + 2b^2 (13A - 12C))}{24d}$$

[Out] ((8*A*b^4 + 16*a^3*b*B + 32*a*b^3*B + 24*a^2*b^2*(A + 2*C) + a^4*(3*A + 4*C)) * x) / 8 + (b^3*(b*B + 4*a*C) * ArcTanh[Sin[c + d*x]]) / d + (a*(12*A*b^3 + 8*a^3*B + 36*a*b^2*B + a^2*b*(23*A + 36*C)) * Sin[c + d*x]) / (12*d) + ((4*A*b^2 + 8*a*b*B + a^2*(3*A + 4*C)) * Cos[c + d*x] * (a + b*Sec[c + d*x])^2 * Sin[c + d*x]) / (8*d) + ((A*b + a*B) * Cos[c + d*x]^2 * (a + b*Sec[c + d*x])^3 * Sin[c + d*x]) / (3*d) + (A * Cos[c + d*x]^3 * (a + b*Sec[c + d*x])^4 * Sin[c + d*x]) / (4*d) - (b^2 * (32*a*b*B + 2*b^2*(13*A - 12*C) + 3*a^2*(3*A + 4*C)) * Tan[c + d*x]) / (24*d)

Rubi [A] time = 0.97243, antiderivative size = 293, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4076, 4047, 8, 4045, 3770}

$$\frac{a \sin(c + dx) (a^2 b (23A + 36C) + 8a^3 B + 36ab^2 B + 12Ab^3)}{12d} - \frac{b^2 \tan(c + dx) (3a^2 (3A + 4C) + 32abB + 2b^2 (13A - 12C))}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((8*A*b^4 + 16*a^3*b*B + 32*a*b^3*B + 24*a^2*b^2*(A + 2*C) + a^4*(3*A + 4*C)) * x) / 8 + (b^3*(b*B + 4*a*C) * ArcTanh[Sin[c + d*x]]) / d + (a*(12*A*b^3 + 8*a^3*B + 36*a*b^2*B + a^2*b*(23*A + 36*C)) * Sin[c + d*x]) / (12*d) + ((4*A*b^2 + 8*a*b*B + a^2*(3*A + 4*C)) * Cos[c + d*x] * (a + b*Sec[c + d*x])^2 * Sin[c + d*x]) / (8*d) + ((A*b + a*B) * Cos[c + d*x]^2 * (a + b*Sec[c + d*x])^3 * Sin[c + d*x]) / (3*d) + (A * Cos[c + d*x]^3 * (a + b*Sec[c + d*x])^4 * Sin[c + d*x]) / (4*d) - (b^2 * (32*a*b*B + 2*b^2*(13*A - 12*C) + 3*a^2*(3*A + 4*C)) * Tan[c + d*x]) / (24*d)

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc

$[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{4d} \\
&= \frac{(Ab + aB) \cos^2(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{3d} \\
&= \frac{(4Ab^2 + 8abB + a^2(3A + 4C)) \cos(c + dx) \sin(c + dx)}{8d} \\
&= \frac{(4Ab^2 + 8abB + a^2(3A + 4C)) \cos(c + dx) \sin(c + dx)}{8d} \\
&= \frac{(4Ab^2 + 8abB + a^2(3A + 4C)) \cos(c + dx) \sin(c + dx)}{8d} \\
&= \frac{1}{8} (8Ab^4 + 16a^3bB + 32ab^3B + 24a^2b^2(A + C)) \sin(2(c + dx)) \\
&= \frac{1}{8} (8Ab^4 + 16a^3bB + 32ab^3B + 24a^2b^2(A + C)) \sin(2(c + dx))
\end{aligned}$$

Mathematica [A] time = 3.97338, size = 382, normalized size = 1.3

$$32a \sin(c + dx) (4a^2b(5A + 6C) + 5a^3B + 36ab^2B + 24Ab^3) + a^2 \sec(c + dx) (3 \sin(3(c + dx)) (a^2(9A + 8C) + 32abB + 4a^3C))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (32*a*(24*A*b^3 + 5*a^3*B + 36*a*b^2*B + 4*a^2*b*(5*A + 6*C))*Sin[c + d*x] + a^2*Sec[c + d*x]*(3*(48*A*b^2 + 32*a*b*B + a^2*(9*A + 8*C))*Sin[3*(c + d*x)] + a*(8*(4*A*b + a*B)*Sin[4*(c + d*x)] + 3*a*A*Sin[5*(c + d*x)])) + 24*(3*a^4*A*c + 24*a^2*A*b^2*c + 8*A*b^4*c + 16*a^3*b*B*c + 32*a*b^3*B*c + 4*a^4*c*C + 48*a^2*b^2*c*C + 3*a^4*A*d*x + 24*a^2*A*b^2*d*x + 8*A*b^4*d*x + 16*a^3*b*B*d*x + 32*a*b^3*B*d*x + 4*a^4*C*d*x + 48*a^2*b^2*C*d*x - 8*b^3*(b*B + 4*a*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 8*b^4*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 32*a*b^3*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (6*a^2*A*b^2 + 4*a^3*b*B + 8*b^4*C + a^4*(A + C))*Tan[c + d*x))/(192*d)

Maple [A] time = 0.082, size = 434, normalized size = 1.5

$$\frac{3a^4Ax}{8} + 6\frac{Ca^2b^2c}{d} + 4\frac{Bab^3c}{d} + \frac{3Aa^4c}{8d} + \frac{8Aa^3b\sin(dx+c)}{3d} + \frac{a^4Cc}{2d} + \frac{2Ba^4\sin(dx+c)}{3d} + 2Ba^3bx + 3Aa^2b^2x + 4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $3/8*a^4*A*x+6/d*C*a^2*b^2*c+4/d*B*a*b^3*c+3/8/d*A*a^4*c+8/3/d*A*a^3*b*\sin(d*x+c)+1/2/d*C*a^4*c+2/3/d*B*a^4*\sin(d*x+c)+2*B*a^3*b*x+3*A*a^2*b^2*x+4/d*A*a*b^3*\sin(d*x+c)+A*b^4*x+6/d*a^2*b^2*B*\sin(d*x+c)+4/d*C*a*b^3*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*C*b^4*\tan(d*x+c)+1/d*B*b^4*\ln(\sec(d*x+c)+\tan(d*x+c))+3/8/d*A*a^4*\cos(d*x+c)*\sin(d*x+c)+2/d*B*a^3*b*c+3/d*A*a^2*b^2*c+1/3/d*B*\sin(d*x+c)*\cos(d*x+c)^2*a^4+1/4/d*A*a^4*\sin(d*x+c)*\cos(d*x+c)^3+1/2/d*a^4*C*\sin(d*x+c)*\cos(d*x+c)+4/d*a^3*b*C*\sin(d*x+c)+4/3/d*A*\sin(d*x+c)*\cos(d*x+c)^2*a^3*b+2/d*B*a^3*b*\sin(d*x+c)*\cos(d*x+c)+3/d*A*a^2*b^2*\sin(d*x+c)*\cos(d*x+c)+1/d*A*b^4*c+4*a*b^3*B*x+6*C*a^2*b^2*x+1/2*a^4*C*x$

Maxima [A] time = 1.044, size = 412, normalized size = 1.41

$$3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^4 - 32(\sin(dx + c)^3 - 3\sin(dx + c))Ba^4 + 24(2dx + 2c + \sin(2dx + 2c))Ca^4 - 128(\sin(dx + c)^3 - 3\sin(dx + c))Aa^3b + 96(2dx + 2c + \sin(2dx + 2c))Ba^3b + 144(2dx + 2c + \sin(2dx + 2c))Aa^2b^2 + 576(dx + c)Ca^2b^2 + 384(dx + c)Ba^2b^3 + 96(dx + c)Ab^4 + 192C*a*b^3*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 48B*b^4*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 384C*a^3*b*\sin(dx + c) + 576B*a^2*b^2*\sin(dx + c) + 384A*a*b^3*\sin(dx + c) + 96C*b^4*\tan(dx + c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/96*(3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a^4 - 32*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a^4 + 24*(2*d*x + 2*c + \sin(2*d*x + 2*c))*C*a^4 - 128*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*A*a^3*b + 96*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^3*b + 144*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^2*b^2 + 576*(d*x + c)*C*a^2*b^2 + 384*(d*x + c)*B*a*b^3 + 96*(d*x + c)*A*b^4 + 192*C*a*b^3*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 48*B*b^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 384*C*a^3*b*\sin(d*x + c) + 576*B*a^2*b^2*\sin(d*x + c) + 384*A*a*b^3*\sin(d*x + c) + 96*C*b^4*\tan(d*x + c)/d$

Fricas [A] time = 0.615794, size = 636, normalized size = 2.17

$$3 \left((3A + 4C)a^4 + 16Ba^3b + 24(A + 2C)a^2b^2 + 32Bab^3 + 8Ab^4 \right) dx \cos(dx + c) + 12 \left(4Cab^3 + Bb^4 \right) \cos(dx + c) \log(\sin(dx + c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/24*(3*((3*A + 4*C)*a^4 + 16*B*a^3*b + 24*(A + 2*C)*a^2*b^2 + 32*B*a*b^3 +
8*A*b^4)*d*x*cos(d*x + c) + 12*(4*C*a*b^3 + B*b^4)*cos(d*x + c)*log(sin(d*
x + c) + 1) - 12*(4*C*a*b^3 + B*b^4)*cos(d*x + c)*log(-sin(d*x + c) + 1) +
(6*A*a^4*cos(d*x + c)^4 + 24*C*b^4 + 8*(B*a^4 + 4*A*a^3*b)*cos(d*x + c)^3 +
3*((3*A + 4*C)*a^4 + 16*B*a^3*b + 24*A*a^2*b^2)*cos(d*x + c)^2 + 16*(B*a^4
+ 2*(2*A + 3*C)*a^3*b + 9*B*a^2*b^2 + 6*A*a*b^3)*cos(d*x + c))*sin(d*x + c
))/(d*cos(d*x + c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2
),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.35701, size = 1083, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="giac")
```

```
[Out] -1/24*(48*C*b^4*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1) - 3*(3*A*
a^4 + 4*C*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 48*C*a^2*b^2 + 32*B*a*b^3 + 8*A
*b^4)*(d*x + c) - 24*(4*C*a*b^3 + B*b^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1))
+ 24*(4*C*a*b^3 + B*b^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(15*A*a^4*
tan(1/2*d*x + 1/2*c)^7 - 24*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 12*C*a^4*tan(1/2
*d*x + 1/2*c)^7 - 96*A*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 48*B*a^3*b*tan(1/2*d*
x + 1/2*c)^7 - 96*C*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 72*A*a^2*b^2*tan(1/2*d*x
+ 1/2*c)^7 - 144*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 96*A*a*b^3*tan(1/2*d*x
+ 1/2*c)^7 - 9*A*a^4*tan(1/2*d*x + 1/2*c)^5 - 40*B*a^4*tan(1/2*d*x + 1/2*c
)^5 + 12*C*a^4*tan(1/2*d*x + 1/2*c)^5 - 160*A*a^3*b*tan(1/2*d*x + 1/2*c)^5
+ 48*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 - 288*C*a^3*b*tan(1/2*d*x + 1/2*c)^5 +
72*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 - 432*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^5
- 288*A*a*b^3*tan(1/2*d*x + 1/2*c)^5 + 9*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 40*
B*a^4*tan(1/2*d*x + 1/2*c)^3 - 12*C*a^4*tan(1/2*d*x + 1/2*c)^3 - 160*A*a^3*
b*tan(1/2*d*x + 1/2*c)^3 - 48*B*a^3*b*tan(1/2*d*x + 1/2*c)^3 - 288*C*a^3*b*
tan(1/2*d*x + 1/2*c)^3 - 72*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 - 432*B*a^2*b^
2*tan(1/2*d*x + 1/2*c)^3 - 288*A*a*b^3*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^4*ta
n(1/2*d*x + 1/2*c) - 24*B*a^4*tan(1/2*d*x + 1/2*c) - 12*C*a^4*tan(1/2*d*x +
1/2*c) - 96*A*a^3*b*tan(1/2*d*x + 1/2*c) - 48*B*a^3*b*tan(1/2*d*x + 1/2*c)
- 96*C*a^3*b*tan(1/2*d*x + 1/2*c) - 72*A*a^2*b^2*tan(1/2*d*x + 1/2*c) - 14
4*B*a^2*b^2*tan(1/2*d*x + 1/2*c) - 96*A*a*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/
2*d*x + 1/2*c)^2 + 1)^4)/d
```

3.894 $\int \cos^5(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=314

$$\frac{\sin(c + dx) (2a^2b^2(56A + 85C) + 4a^4(4A + 5C) + 80a^3bB + 95ab^3B + 12Ab^4)}{30d} + \frac{a \sin(c + dx) \cos(c + dx) (4a^2b(29A + 120C) + 4a^2b^2(56A + 85C) + 4a^4(4A + 5C) + 80a^3bB + 95ab^3B + 12Ab^4)}{120cd}$$

```
[Out] ((3*a^4*B + 24*a^2*b^2*B + 8*b^4*B + 16*a*b^3*(A + 2*C) + 4*a^3*b*(3*A + 4*C))*x)/8 + (b^4*C*ArcTanh[Sin[c + d*x]])/d + ((12*A*b^4 + 80*a^3*b*B + 95*a*b^3*B + 4*a^4*(4*A + 5*C) + 2*a^2*b^2*(56*A + 85*C))*Sin[c + d*x])/(30*d) + (a*(24*A*b^3 + 45*a^3*B + 130*a*b^2*B + 4*a^2*b*(29*A + 40*C))*Cos[c + d*x]*Sin[c + d*x])/(120*d) + ((12*A*b^2 + 35*a*b*B + 4*a^2*(4*A + 5*C))*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(60*d) + ((4*A*b + 5*a*B)*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 1.04871, antiderivative size = 314, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4074, 4047, 8, 4045, 3770}

$$\frac{\sin(c + dx) (2a^2b^2(56A + 85C) + 4a^4(4A + 5C) + 80a^3bB + 95ab^3B + 12Ab^4)}{30d} + \frac{a \sin(c + dx) \cos(c + dx) (4a^2b(29A + 120C) + 4a^2b^2(56A + 85C) + 4a^4(4A + 5C) + 80a^3bB + 95ab^3B + 12Ab^4)}{120cd}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((3*a^4*B + 24*a^2*b^2*B + 8*b^4*B + 16*a*b^3*(A + 2*C) + 4*a^3*b*(3*A + 4*C))*x)/8 + (b^4*C*ArcTanh[Sin[c + d*x]])/d + ((12*A*b^4 + 80*a^3*b*B + 95*a*b^3*B + 4*a^4*(4*A + 5*C) + 2*a^2*b^2*(56*A + 85*C))*Sin[c + d*x])/(30*d) + (a*(24*A*b^3 + 45*a^3*B + 130*a*b^2*B + 4*a^2*b*(29*A + 40*C))*Cos[c + d*x]*Sin[c + d*x])/(120*d) + ((12*A*b^2 + 35*a*b*B + 4*a^2*(4*A + 5*C))*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(60*d) + ((4*A*b + 5*a*B)*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(5*d)
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
```



```

+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4074

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 8

```

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

```

Rule 4045

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{5d} \\
&= \frac{(4Ab + 5aB) \cos^3(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{20d} \\
&= \frac{(12Ab^2 + 35abB + 4a^2(4A + 5C)) \cos^2(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{60d} \\
&= \frac{a(24Ab^3 + 45a^3B + 130ab^2B + 4a^2b(29A + 6C)) \cos(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{120d} \\
&= \frac{a(24Ab^3 + 45a^3B + 130ab^2B + 4a^2b(29A + 6C)) \sin^2(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{120d} \\
&= \frac{1}{8} (3a^4B + 24a^2b^2B + 8b^4B + 16ab^3(A + 6C)) \sin^2(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx) \\
&= \frac{1}{8} (3a^4B + 24a^2b^2B + 8b^4B + 16ab^3(A + 6C)) \sin^2(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)
\end{aligned}$$

Mathematica [A] time = 1.24771, size = 382, normalized size = 1.22

$$120a \sin(2(c + dx)) (4a^2b(A + C) + a^3B + 6ab^2B + 4Ab^3) + 60 \sin(c + dx) (12a^2b^2(3A + 4C) + a^4(5A + 6C) + 24a^3bB + 8b^4B)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (720*a^3*A*b*c + 960*a*A*b^3*c + 180*a^4*B*c + 1440*a^2*b^2*B*c + 480*b^4*B*c + 960*a^3*b*c*C + 1920*a*b^3*c*C + 720*a^3*A*b*d*x + 960*a*A*b^3*d*x + 180*a^4*B*d*x + 1440*a^2*b^2*B*d*x + 480*b^4*B*d*x + 960*a^3*b*C*d*x + 1920*a*b^3*C*d*x - 480*b^4*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 480*b^4*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 60*(8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B + 12*a^2*b^2*(3*A + 4*C) + a^4*(5*A + 6*C))*Sin[c + d*x] + 120*a*(4*A*b^3 + a^3*B + 6*a*b^2*B + 4*a^2*b*(A + C))*Sin[2*(c + d*x)] + 50*a^4*A*Sin[3*(c + d*x)] + 240*a^2*A*b^2*Sin[3*(c + d*x)] + 160*a^3*b*B*Sin[3*(c + d*x)] + 40*a^4*C*Sin[3*(c + d*x)] + 60*a^3*A*b*Sin[4*(c + d*x)] + 15*a^4*B*Sin[4*(c + d*x)] + 6*a^4*A*Sin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.092, size = 543, normalized size = 1.7

$$\frac{2a^4C \sin(dx+c)}{3d} + 2a^3bCx + 3a^2b^2Bx + 2Aab^3x + \frac{Cb^4 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{3Aa^3b \sin(dx+c) \cos(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `2/3/d*a^4*C*sin(d*x+c)+2*a^3*b*C*x+3*a^2*b^2*B*x+2*A*a*b^3*x+1/d*C*b^4*ln(sec(d*x+c)+tan(d*x+c))+3/2/d*A*a^3*b*sin(d*x+c)*cos(d*x+c)+2/d*a^3*b*C*cos(d*x+c)*sin(d*x+c)+4/3/d*B*sin(d*x+c)*cos(d*x+c)^2*a^3*b+2/d*A*sin(d*x+c)*cos(d*x+c)^2*a^2*b^2+3/d*a^2*b^2*B*cos(d*x+c)*sin(d*x+c)+2/d*A*a*b^3*c+2/d*C*a^3*b*c+3/d*B*a^2*b^2*c+1/d*A*b^4*sin(d*x+c)+4/d*C*a*b^3*c+B*b^4*x+2/d*A*a*b^3*cos(d*x+c)*sin(d*x+c)+1/d*A*a^3*b*sin(d*x+c)*cos(d*x+c)^3+3/2/d*A*a^3*b*c+4/15/d*A*sin(d*x+c)*cos(d*x+c)^2*a^4+3/8/d*B*a^4*sin(d*x+c)*cos(d*x+c)+8/3/d*B*a^3*b*sin(d*x+c)+4/d*A*a^2*b^2*sin(d*x+c)+3/8/d*B*a^4*c+8/15/d*A*a^4*sin(d*x+c)+1/d*B*b^4*c+4*C*a*b^3*x+1/3/d*C*sin(d*x+c)*cos(d*x+c)^2*a^4+1/4/d*B*a^4*sin(d*x+c)*cos(d*x+c)^3+1/5/d*A*a^4*sin(d*x+c)*cos(d*x+c)^4+6/d*C*a^2*b^2*sin(d*x+c)+4/d*a*b^3*B*sin(d*x+c)+3/8*B*a^4*x+3/2*a^3*A*b*x`

Maxima [A] time = 1.06217, size = 468, normalized size = 1.49

$$32 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) Aa^4 + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/480*(32*(3*sin(d*x+c)^5 - 10*sin(d*x+c)^3 + 15*sin(d*x+c))*A*a^4 + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^4 - 160*(sin(d*x+c)^3 - 3*sin(d*x+c))*C*a^4 + 60*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^3*b - 640*(sin(d*x+c)^3 - 3*sin(d*x+c))*B*a^3*b + 480*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^3*b - 960*(sin(d*x+c)^3 - 3*sin(d*x+c))*A*a^2*b^2 + 720*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2*b^2 + 480*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a*b^3 + 1920*(d*x+c)*C*a*b^3 + 4800*(d*x+c)*B*b^4 + 240*C*b^4*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) + 2880*C*a^2*b^2*sin(d*x+c) + 1920*B*a*b^3*sin(d*x+c) + 480*A*b^4*sin(d*x+c))/d`

Fricas [A] time = 0.612538, size = 640, normalized size = 2.04

$$60Cb^4 \log(\sin(dx+c)+1) - 60Cb^4 \log(-\sin(dx+c)+1) + 15(3Ba^4 + 4(3A+4C)a^3b + 24Ba^2b^2 + 16(A+2C)ab^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] $\frac{1}{120} \cdot (60 \cdot C \cdot b^4 \cdot \log(\sin(dx+c)+1) - 60 \cdot C \cdot b^4 \cdot \log(-\sin(dx+c)+1) + 15 \cdot (3 \cdot B \cdot a^4 + 4 \cdot (3 \cdot A + 4 \cdot C) \cdot a^3 \cdot b + 24 \cdot B \cdot a^2 \cdot b^2 + 16 \cdot (A + 2 \cdot C) \cdot a \cdot b^3) \cdot dx + (24 \cdot A \cdot a^4 \cdot \cos(dx+c)^4 + 16 \cdot (4 \cdot A + 5 \cdot C) \cdot a^4 + 320 \cdot B \cdot a^3 \cdot b + 240 \cdot (2 \cdot A + 3 \cdot C) \cdot a^2 \cdot b^2 + 480 \cdot B \cdot a \cdot b^3 + 120 \cdot A \cdot b^4 + 30 \cdot (B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot \cos(dx+c)^3 + 8 \cdot ((4 \cdot A + 5 \cdot C) \cdot a^4 + 20 \cdot B \cdot a^3 \cdot b + 30 \cdot A \cdot a^2 \cdot b^2) \cdot \cos(dx+c)^2 + 15 \cdot (3 \cdot B \cdot a^4 + 4 \cdot (3 \cdot A + 4 \cdot C) \cdot a^3 \cdot b + 24 \cdot B \cdot a^2 \cdot b^2 + 16 \cdot A \cdot a \cdot b^3) \cdot \cos(dx+c)) \cdot \sin(dx+c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.41457, size = 1477, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

```
[Out] 1/120*(120*C*b^4*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 120*C*b^4*log(abs(tan
(1/2*d*x + 1/2*c) - 1)) + 15*(3*B*a^4 + 12*A*a^3*b + 16*C*a^3*b + 24*B*a^2*
b^2 + 16*A*a*b^3 + 32*C*a*b^3 + 8*B*b^4)*(d*x + c) + 2*(120*A*a^4*tan(1/2*d
*x + 1/2*c)^9 - 75*B*a^4*tan(1/2*d*x + 1/2*c)^9 + 120*C*a^4*tan(1/2*d*x + 1
/2*c)^9 - 300*A*a^3*b*tan(1/2*d*x + 1/2*c)^9 + 480*B*a^3*b*tan(1/2*d*x + 1/
2*c)^9 - 240*C*a^3*b*tan(1/2*d*x + 1/2*c)^9 + 720*A*a^2*b^2*tan(1/2*d*x + 1
/2*c)^9 - 360*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 + 720*C*a^2*b^2*tan(1/2*d*x
+ 1/2*c)^9 - 240*A*a*b^3*tan(1/2*d*x + 1/2*c)^9 + 480*B*a*b^3*tan(1/2*d*x +
1/2*c)^9 + 120*A*b^4*tan(1/2*d*x + 1/2*c)^9 + 160*A*a^4*tan(1/2*d*x + 1/2*
c)^7 - 30*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 320*C*a^4*tan(1/2*d*x + 1/2*c)^7 -
120*A*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 1280*B*a^3*b*tan(1/2*d*x + 1/2*c)^7 -
480*C*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 1920*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^7
- 720*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 + 2880*C*a^2*b^2*tan(1/2*d*x + 1/2*
c)^7 - 480*A*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 1920*B*a*b^3*tan(1/2*d*x + 1/2*
c)^7 + 480*A*b^4*tan(1/2*d*x + 1/2*c)^7 + 464*A*a^4*tan(1/2*d*x + 1/2*c)^5
+ 400*C*a^4*tan(1/2*d*x + 1/2*c)^5 + 1600*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 +
2400*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 4320*C*a^2*b^2*tan(1/2*d*x + 1/2*c)
^5 + 2880*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 + 720*A*b^4*tan(1/2*d*x + 1/2*c)^5
+ 160*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 30*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 320
*C*a^4*tan(1/2*d*x + 1/2*c)^3 + 120*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 + 1280*B
*a^3*b*tan(1/2*d*x + 1/2*c)^3 + 480*C*a^3*b*tan(1/2*d*x + 1/2*c)^3 + 1920*A
*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 + 720*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 + 28
80*C*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 + 480*A*a*b^3*tan(1/2*d*x + 1/2*c)^3 +
1920*B*a*b^3*tan(1/2*d*x + 1/2*c)^3 + 480*A*b^4*tan(1/2*d*x + 1/2*c)^3 + 12
0*A*a^4*tan(1/2*d*x + 1/2*c) + 75*B*a^4*tan(1/2*d*x + 1/2*c) + 120*C*a^4*ta
n(1/2*d*x + 1/2*c) + 300*A*a^3*b*tan(1/2*d*x + 1/2*c) + 480*B*a^3*b*tan(1/2
*d*x + 1/2*c) + 240*C*a^3*b*tan(1/2*d*x + 1/2*c) + 720*A*a^2*b^2*tan(1/2*d*
x + 1/2*c) + 360*B*a^2*b^2*tan(1/2*d*x + 1/2*c) + 720*C*a^2*b^2*tan(1/2*d*x
+ 1/2*c) + 240*A*a*b^3*tan(1/2*d*x + 1/2*c) + 480*B*a*b^3*tan(1/2*d*x + 1/
2*c) + 120*A*b^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5)/d
```

3.895 $\int \cos^6(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=372

$$\frac{\sin(c + dx) (8a^3b(4A + 5C) + 60a^2b^2B + 8a^4B + 20ab^3(2A + 3C) + 15b^4B)}{15d} + \frac{a \sin(c + dx) \cos^2(c + dx) (a^2b(39A + 50C))}{60d}$$

[Out] ((24*a^3*b*B + 32*a*b^3*B + 8*b^4*(A + 2*C) + 12*a^2*b^2*(3*A + 4*C) + a^4*(5*A + 6*C))*x)/16 + ((8*a^4*B + 60*a^2*b^2*B + 15*b^4*B + 20*a*b^3*(2*A + 3*C) + 8*a^3*b*(4*A + 5*C))*Sin[c + d*x])/(15*d) + ((24*A*b^4 + 360*a^3*b*B + 336*a*b^3*B + 15*a^4*(5*A + 6*C) + 10*a^2*b^2*(49*A + 66*C))*Cos[c + d*x]*Sin[c + d*x])/(240*d) + (a*(4*A*b^3 + 16*a^3*B + 36*a*b^2*B + a^2*b*(39*A + 50*C))*Cos[c + d*x]^2*Sin[c + d*x])/(60*d) + ((12*A*b^2 + 48*a*b*B + 5*a^2*(5*A + 6*C))*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(120*d) + ((2*A*b + 3*a*B)*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(15*d) + (A*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(6*d)

Rubi [A] time = 1.2084, antiderivative size = 372, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4074, 4047, 2637, 4045, 8}

$$\frac{\sin(c + dx) (8a^3b(4A + 5C) + 60a^2b^2B + 8a^4B + 20ab^3(2A + 3C) + 15b^4B)}{15d} + \frac{a \sin(c + dx) \cos^2(c + dx) (a^2b(39A + 50C))}{60d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((24*a^3*b*B + 32*a*b^3*B + 8*b^4*(A + 2*C) + 12*a^2*b^2*(3*A + 4*C) + a^4*(5*A + 6*C))*x)/16 + ((8*a^4*B + 60*a^2*b^2*B + 15*b^4*B + 20*a*b^3*(2*A + 3*C) + 8*a^3*b*(4*A + 5*C))*Sin[c + d*x])/(15*d) + ((24*A*b^4 + 360*a^3*b*B + 336*a*b^3*B + 15*a^4*(5*A + 6*C) + 10*a^2*b^2*(49*A + 66*C))*Cos[c + d*x]*Sin[c + d*x])/(240*d) + (a*(4*A*b^3 + 16*a^3*B + 36*a*b^2*B + a^2*b*(39*A + 50*C))*Cos[c + d*x]^2*Sin[c + d*x])/(60*d) + ((12*A*b^2 + 48*a*b*B + 5*a^2*(5*A + 6*C))*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(120*d) + ((2*A*b + 3*a*B)*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(15*d) + (A*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(6*d)

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(A_.) + csc[(e_.) + (f_.)*(x_.)]*(
B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^5(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{6d} \\
&= \frac{(2Ab + 3aB) \cos^4(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{15d} \\
&= \frac{(12Ab^2 + 48abB + 5a^2(5A + 6C)) \cos^3(c + dx) \sin(c + dx)}{120d} \\
&= \frac{a(4Ab^3 + 16a^3B + 36ab^2B + a^2b(39A + 5C)) \cos^2(c + dx) \sin(c + dx)}{60d} \\
&= \frac{a(4Ab^3 + 16a^3B + 36ab^2B + a^2b(39A + 5C)) \cos(c + dx) \sin(c + dx)}{60d} \\
&= \frac{(8a^4B + 60a^2b^2B + 15b^4B + 20ab^3(2A + 3C)) \sin(c + dx)}{15d} \\
&= \frac{1}{16} (24a^3bB + 32ab^3B + 8b^4(A + 2C) + 12a^4B) \sin(c + dx)
\end{aligned}$$

Mathematica [A] time = 1.65, size = 432, normalized size = 1.16

$$\frac{120 \sin(c + dx) (4a^3b(5A + 6C) + 36a^2b^2B + 5a^4B + 8ab^3(3A + 4C) + 8b^4B) + 15 \sin(2(c + dx)) (96a^2b^2(A + C) + a^4(15A + 16C))}{(960d)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (300*a^4*A*c + 2160*a^2*A*b^2*c + 480*A*b^4*c + 1440*a^3*b*B*c + 1920*a*b^3*B*c + 360*a^4*c*C + 2880*a^2*b^2*c*C + 960*b^4*c*C + 300*a^4*A*d*x + 2160*a^2*A*b^2*d*x + 480*A*b^4*d*x + 1440*a^3*b*B*d*x + 1920*a*b^3*B*d*x + 360*a^4*C*d*x + 2880*a^2*b^2*C*d*x + 960*b^4*C*d*x + 120*(5*a^4*B + 36*a^2*b^2*B + 8*b^4*B + 8*a*b^3*(3*A + 4*C) + 4*a^3*b*(5*A + 6*C))*Sin[c + d*x] + 15*(16*A*b^4 + 64*a^3*b*B + 64*a*b^3*B + 96*a^2*b^2*(A + C) + a^4*(15*A + 16*C))*Sin[2*(c + d*x)] + 400*a^3*A*b*Ssin[3*(c + d*x)] + 320*a*A*b^3*Ssin[3*(c + d*x)] + 100*a^4*B*Ssin[3*(c + d*x)] + 480*a^2*b^2*B*Ssin[3*(c + d*x)] + 320*a^3*b*C*Ssin[3*(c + d*x)] + 45*a^4*A*Ssin[4*(c + d*x)] + 180*a^2*A*b^2*Ssin[4*(c + d*x)] + 120*a^3*b*B*Ssin[4*(c + d*x)] + 30*a^4*C*Ssin[4*(c + d*x)] + 48*a^3*A*b*Ssin[5*(c + d*x)] + 12*a^4*B*Ssin[5*(c + d*x)] + 5*a^4*A*Ssin[6*(c + d*x)])/(960*d)

Maple [A] time = 0.09, size = 431, normalized size = 1.2

$$\frac{1}{d} \left(Aa^4 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{4Aa^3b\sin(dx+c)}{5} \left(\frac{8}{3} + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `1/d*(A*a^4*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+4/5*A*a^3*b*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+1/5*B*a^4*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+6*A*a^2*b^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4*B*a^3*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a^4*C*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4/3*A*a*b^3*(2+cos(d*x+c)^2)*sin(d*x+c)+2*a^2*b^2*B*(2+cos(d*x+c)^2)*sin(d*x+c)+4/3*a^3*b*C*(2+cos(d*x+c)^2)*sin(d*x+c)+A*b^4*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+4*a*b^3*B*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+6*C*a^2*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*b^4*sin(d*x+c)+4*C*a*b^3*sin(d*x+c)+C*b^4*(d*x+c))`

Maxima [A] time = 1.10912, size = 560, normalized size = 1.51

$$\frac{5(4\sin(2dx+2c)^3 - 60dx - 60c - 9\sin(4dx+4c) - 48\sin(2dx+2c))Aa^4 - 64(3\sin(dx+c)^5 - 10\sin(dx+c)^3 + 15\sin(dx+c))B^2a^4 - 30(12d^2x + 12c + \sin(4dx+4c) + 8\sin(2dx+2c))Ca^4 - 256(3\sin(dx+c)^5 - 10\sin(dx+c)^3 + 15\sin(dx+c))A^2a^3b - 120(12d^2x + 12c + \sin(4dx+4c) + 8\sin(2dx+2c))B^2a^3b + 1280(\sin(dx+c)^3 - 3\sin(dx+c))Ca^3b - 180(12d^2x + 12c + \sin(4dx+4c) + 8\sin(2dx+2c))A^2a^2b^2 + 1920(\sin(dx+c)^3 - 3\sin(dx+c))B^2a^2b^2 - 1440(2d^2x + 2c + \sin(2dx+2c))Ca^2b^2 + 1280(\sin(dx+c)^3 - 3\sin(dx+c))A^2a^2b^3 - 960(2d^2x + 2c + \sin(2dx+2c))B^2a^2b^3 - 240(2d^2x + 2c + \sin(2dx+2c))A^2ab^4 - 960(d^2x + c)Ca^2b^4 - 3840Ca^2b^3\sin(dx+c) - 960B^2b^4\sin(dx+c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `-1/960*(5*(4*sin(2*d*x + 2*c))^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*a^4 - 64*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B^2*a^4 - 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^4 - 256*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A^2*a^3*b - 120*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B^2*a^3*b + 1280*(sin(d*x + c)^3 - 3*sin(d*x + c))*C*a^3*b - 180*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A^2*a^2*b^2 + 1920*(sin(d*x + c)^3 - 3*sin(d*x + c))*B^2*a^2*b^2 - 1440*(2*d*x + 2*c + sin(2*d*x + 2*c))*C*a^2*b^2 + 1280*(sin(d*x + c)^3 - 3*sin(d*x + c))*A^2*a^2*b^3 - 960*(2*d*x + 2*c + sin(2*d*x + 2*c))*B^2*a^2*b^3 - 240*(2*d*x + 2*c + sin(2*d*x + 2*c))*A^2*a*b^4 - 960*(d*x + c)*C*a^2*b^4 - 3840*C*a^2*b^3*sin(d*x + c) - 960*B^2*b^4*sin(d*x + c))/d`

Fricas [A] time = 0.59473, size = 698, normalized size = 1.88

$$15 \left((5A + 6C)a^4 + 24Ba^3b + 12(3A + 4C)a^2b^2 + 32Bab^3 + 8(A + 2C)b^4 \right) dx + \left(40Aa^4 \cos(dx + c)^5 + 128Ba^4 + 128 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 1/240*(15*((5*A + 6*C)*a^4 + 24*B*a^3*b + 12*(3*A + 4*C)*a^2*b^2 + 32*B*a*b^3 + 8*(A + 2*C)*b^4)*d*x + (40*A*a^4*cos(d*x + c)^5 + 128*B*a^4 + 128*(4*A + 5*C)*a^3*b + 960*B*a^2*b^2 + 320*(2*A + 3*C)*a*b^3 + 240*B*b^4 + 48*(B*a^4 + 4*A*a^3*b)*cos(d*x + c)^4 + 10*((5*A + 6*C)*a^4 + 24*B*a^3*b + 36*A*a^2*b^2)*cos(d*x + c)^3 + 32*(2*B*a^4 + 2*(4*A + 5*C)*a^3*b + 15*B*a^2*b^2 + 10*A*a*b^3)*cos(d*x + c)^2 + 15*((5*A + 6*C)*a^4 + 24*B*a^3*b + 12*(3*A + 4*C)*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*cos(d*x + c))*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [B] time = 1.46198, size = 2130, normalized size = 5.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

3.896 $\int \cos^7(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2$

Optimal. Leaf size=438

$$\frac{\sin^3(c + dx) (3a^2b^2(50A + 63C) + 4a^4(6A + 7C) + 112a^3bB + 91ab^3B + 4Ab^4)}{105d} + \frac{\sin(c + dx) (3a^2b^2(162A + 203C) + 112a^3bB + 91ab^3B + 4Ab^4)}{105d}$$

[Out] ((5*a^4*B + 36*a^2*b^2*B + 8*b^4*B + 8*a*b^3*(3*A + 4*C) + 4*a^3*b*(5*A + 6*C))*x)/16 + ((336*a^3*b*B + 371*a*b^3*B + 12*a^4*(6*A + 7*C) + b^4*(74*A + 105*C) + 3*a^2*b^2*(162*A + 203*C))*Sin[c + d*x])/(105*d) + ((5*a^4*B + 36*a^2*b^2*B + 8*b^4*B + 8*a*b^3*(3*A + 4*C) + 4*a^3*b*(5*A + 6*C))*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a*(24*A*b^3 + 175*a^3*B + 336*a*b^2*B + a^2*(41*2*A*b + 504*b*C))*Cos[c + d*x]^3*SIN[c + d*x])/(840*d) + ((4*A*b^2 + 21*a*b*B + 2*a^2*(6*A + 7*C))*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(70*d) + ((4*A*b + 7*a*B)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*SIN[c + d*x])/(42*d) + (A*Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*SIN[c + d*x])/(7*d) - ((4*A*b^4 + 112*a^3*b*B + 91*a*b^3*B + 4*a^4*(6*A + 7*C) + 3*a^2*b^2*(50*A + 63*C))*Sin[c + d*x]^3)/(105*d)

Rubi [A] time = 1.38427, antiderivative size = 438, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4094, 4074, 4047, 2635, 8, 4044, 3013}

$$\frac{\sin^3(c + dx) (3a^2b^2(50A + 63C) + 4a^4(6A + 7C) + 112a^3bB + 91ab^3B + 4Ab^4)}{105d} + \frac{\sin(c + dx) (3a^2b^2(162A + 203C) + 112a^3bB + 91ab^3B + 4Ab^4)}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^7*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((5*a^4*B + 36*a^2*b^2*B + 8*b^4*B + 8*a*b^3*(3*A + 4*C) + 4*a^3*b*(5*A + 6*C))*x)/16 + ((336*a^3*b*B + 371*a*b^3*B + 12*a^4*(6*A + 7*C) + b^4*(74*A + 105*C) + 3*a^2*b^2*(162*A + 203*C))*Sin[c + d*x])/(105*d) + ((5*a^4*B + 36*a^2*b^2*B + 8*b^4*B + 8*a*b^3*(3*A + 4*C) + 4*a^3*b*(5*A + 6*C))*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a*(24*A*b^3 + 175*a^3*B + 336*a*b^2*B + a^2*(41*2*A*b + 504*b*C))*Cos[c + d*x]^3*SIN[c + d*x])/(840*d) + ((4*A*b^2 + 21*a*b*B + 2*a^2*(6*A + 7*C))*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(70*d) + ((4*A*b + 7*a*B)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*SIN[c + d*x])/(42*d) + (A*Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*SIN[c + d*x])/(7*d) - ((4*A*b^4 + 112*a^3*b*B + 91*a*b^3*B + 4*a^4*(6*A + 7*C) + 3*a^2*b^2*(50*A + 63*C))*Sin[c + d*x]^3)/(105*d)

+ 63*C))*Sin[c + d*x]^3)/(105*d)

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4044

Int[csc[(e_.) + (f_.)*(x_)]^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Int[(C + A*SIN[e + f*x]^2)/SIN[e + f*x]^(m + 2), x] /; FreeQ[{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]

Rule 3013

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2),
  x_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2)
, x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^7(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^6(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{7d} \\
&= \frac{(4Ab + 7aB) \cos^5(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{42d} \\
&= \frac{(4Ab^2 + 21abB + 2a^2(6A + 7C)) \cos^4(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{70d} \\
&= \frac{a(24Ab^3 + 175a^3B + 336ab^2B + a^2(412A + 42C)) \cos^3(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{840d} \\
&= \frac{a(24Ab^3 + 175a^3B + 336ab^2B + a^2(412A + 42C)) \cos^2(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{840d} \\
&= \frac{(5a^4B + 36a^2b^2B + 8b^4B + 8ab^3(3A + 4C)) \cos(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx)}{840d} \\
&= \frac{1}{16} (5a^4B + 36a^2b^2B + 8b^4B + 8ab^3(3A + 4C)) \cos(c + dx)(a + b \sec(c + dx))^4 \sin(c + dx) \\
&= \frac{1}{16} (5a^4B + 36a^2b^2B + 8b^4B + 8ab^3(3A + 4C)) \sin^2(c + dx)(a + b \sec(c + dx))^4
\end{aligned}$$

Mathematica [A] time = 1.59563, size = 528, normalized size = 1.21

$$\frac{105 \sin(c + dx) (48a^2b^2(5A + 6C) + 5a^4(7A + 8C) + 160a^3bB + 192ab^3B + 16b^4(3A + 4C)) + 105 \sin(2(c + dx)) (a^3(60A + 42C) + 16a^2b^2(5A + 6C) + 16ab^3(3A + 4C))}{16}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^7*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (8400*a^3*A*b*c + 10080*a*A*b^3*c + 2100*a^4*B*c + 15120*a^2*b^2*B*c + 3360*b^4*B*c + 10080*a^3*b*c*C + 13440*a*b^3*c*C + 8400*a^3*A*b*d*x + 10080*a*A*b^3*d*x + 2100*a^4*B*d*x + 15120*a^2*b^2*B*d*x + 3360*b^4*B*d*x + 10080*a^3*b*c*C*d*x + 13440*a*b^3*C*d*x + 105*(160*a^3*b*B + 192*a*b^3*B + 16*b^4*(3*A + 4*C)) + 48*a^2*b^2*(5*A + 6*C) + 5*a^4*(7*A + 8*C))*Sin[c + d*x] + 105*(
```

$$15a^4B + 96a^2b^2B + 16b^4B + 64ab^3(A + C) + a^3(60Ab + 64bC) \sin[2(c + dx)] + 735a^4A \sin[3(c + dx)] + 4200a^2Ab^2 \sin[3(c + dx)] + 560Ab^4 \sin[3(c + dx)] + 2800a^3bB \sin[3(c + dx)] + 2240ab^3B \sin[3(c + dx)] + 700a^4C \sin[3(c + dx)] + 3360a^2b^2C \sin[3(c + dx)] + 1260a^3Ab \sin[4(c + dx)] + 840aAb^3 \sin[4(c + dx)] + 315a^4B \sin[4(c + dx)] + 1260a^2b^2B \sin[4(c + dx)] + 840a^3bC \sin[4(c + dx)] + 147a^4A \sin[5(c + dx)] + 504a^2Ab^2 \sin[5(c + dx)] + 336a^3bB \sin[5(c + dx)] + 84a^4C \sin[5(c + dx)] + 140a^3Ab \sin[6(c + dx)] + 35a^4B \sin[6(c + dx)] + 15a^4A \sin[7(c + dx)] / (6720d)$$

Maple [A] time = 0.097, size = 505, normalized size = 1.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^7(a+b\sec(dx+c))^4(A+B\sec(dx+c)+C\sec(dx+c)^2), x)$

[Out] $\frac{1}{d} \left(\frac{1}{7} A a^4 (16/5 + \cos(dx+c)^6 + 6/5 \cos(dx+c)^4 + 8/5 \cos(dx+c)^2) \sin(dx+c) + B a^4 (1/6 (\cos(dx+c)^5 + 5/4 \cos(dx+c)^3 + 15/8 \cos(dx+c)) \sin(dx+c) + 5/16 dx + 5/16 c) + 1/5 a^4 C (8/3 + \cos(dx+c)^4 + 4/3 \cos(dx+c)^2) \sin(dx+c) + 4 A a^3 b (1/6 (\cos(dx+c)^5 + 5/4 \cos(dx+c)^3 + 15/8 \cos(dx+c)) \sin(dx+c) + 5/16 dx + 5/16 c) + 4/5 B a^3 b (8/3 + \cos(dx+c)^4 + 4/3 \cos(dx+c)^2) \sin(dx+c) + 4 a^3 b C (1/4 (\cos(dx+c)^3 + 3/2 \cos(dx+c)) \sin(dx+c) + 3/8 dx + 3/8 c) + 6/5 A a^2 b^2 (8/3 + \cos(dx+c)^4 + 4/3 \cos(dx+c)^2) \sin(dx+c) + 6 a^2 b^2 B (1/4 (\cos(dx+c)^3 + 3/2 \cos(dx+c)) \sin(dx+c) + 3/8 dx + 3/8 c) + 2 C a^2 b^2 (2 + \cos(dx+c)^2) \sin(dx+c) + 4 A a b^3 (1/4 (\cos(dx+c)^3 + 3/2 \cos(dx+c)) \sin(dx+c) + 3/8 dx + 3/8 c) + 4/3 a b^3 B (2 + \cos(dx+c)^2) \sin(dx+c) + 4 C a b^3 (1/2 \cos(dx+c) \sin(dx+c) + 1/2 dx + 1/2 c) + 1/3 A b^4 (2 + \cos(dx+c)^2) \sin(dx+c) + B b^4 (1/2 \cos(dx+c) \sin(dx+c) + 1/2 dx + 1/2 c) + C b^4 \sin(dx+c) \right)$

Maxima [A] time = 1.07809, size = 672, normalized size = 1.53

$$\frac{192 \left(5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c) \right) A a^4 + 35 \left(4 \sin(2dx+2c)^3 - 60 dx - 60 \right)}{6720d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^7*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="maxima")
```

```
[Out] -1/6720*(192*(5*sin(d*x + c)^7 - 21*sin(d*x + c)^5 + 35*sin(d*x + c)^3 - 35
*sin(d*x + c))*A*a^4 + 35*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d
*x + 4*c) - 48*sin(2*d*x + 2*c))*B*a^4 - 448*(3*sin(d*x + c)^5 - 10*sin(d*x
+ c)^3 + 15*sin(d*x + c))*C*a^4 + 140*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*
c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*a^3*b - 1792*(3*sin(d*x + c
)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^3*b - 840*(12*d*x + 12*c + s
in(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*C*a^3*b - 2688*(3*sin(d*x + c)^5 - 10
*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2*b^2 - 1260*(12*d*x + 12*c + sin(4*
d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2*b^2 + 13440*(sin(d*x + c)^3 - 3*sin(
d*x + c))*C*a^2*b^2 - 840*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x +
2*c))*A*a*b^3 + 8960*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a*b^3 - 6720*(2*d
*x + 2*c + sin(2*d*x + 2*c))*C*a*b^3 + 2240*(sin(d*x + c)^3 - 3*sin(d*x + c
))*A*b^4 - 1680*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*b^4 - 6720*C*b^4*sin(d*x
+ c))/d
```

Fricas [A] time = 0.644114, size = 852, normalized size = 1.95

$$105(5Ba^4 + 4(5A + 6C)a^3b + 36Ba^2b^2 + 8(3A + 4C)ab^3 + 8Bb^4)dx + (240Aa^4 \cos(dx + c)^6 + 280(Ba^4 + 4Aa^3b) \cos(dx + c)^5 + 128(6A + 7C)a^4 + 3584B*a^3*b + 1344(4A + 5C)a^2*b^2 + 4480B*a*b^3 + 560(2A + 3C)b^4 + 48((6A + 7C)a^4 + 28B*a^3*b + 42A*a^2*b^2) \cos(dx + c)^4 + 70(5B*a^4 + 4(5A + 6C)a^3*b + 36B*a^2*b^2 + 24A*a*b^3) \cos(dx + c)^3 + 16(4(6A + 7C)a^4 + 112B*a^3*b + 42(4A + 5C)a^2*b^2 + 140B*a*b^3 + 35A*b^4) \cos(dx + c)^2 + 105(5B*a^4 + 4(5A + 6C)a^3*b + 36B*a^2*b^2 + 8(3A + 4C)a*b^3 + 8B*b^4) \cos(dx + c)) \sin(dx + c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^7*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x
, algorithm="fricas")
```

```
[Out] 1/1680*(105*(5*B*a^4 + 4*(5*A + 6*C))*a^3*b + 36*B*a^2*b^2 + 8*(3*A + 4*C)*a
*b^3 + 8*B*b^4)*d*x + (240*A*a^4*cos(d*x + c)^6 + 280*(B*a^4 + 4*A*a^3*b)*c
os(d*x + c)^5 + 128*(6*A + 7*C)*a^4 + 3584*B*a^3*b + 1344*(4*A + 5*C)*a^2*b
^2 + 4480*B*a*b^3 + 560*(2*A + 3*C)*b^4 + 48*((6*A + 7*C)*a^4 + 28*B*a^3*b
+ 42*A*a^2*b^2)*cos(d*x + c)^4 + 70*(5*B*a^4 + 4*(5*A + 6*C))*a^3*b + 36*B*a
^2*b^2 + 24*A*a*b^3)*cos(d*x + c)^3 + 16*(4*(6*A + 7*C)*a^4 + 112*B*a^3*b +
42*(4*A + 5*C)*a^2*b^2 + 140*B*a*b^3 + 35*A*b^4)*cos(d*x + c)^2 + 105*(5*B
*a^4 + 4*(5*A + 6*C))*a^3*b + 36*B*a^2*b^2 + 8*(3*A + 4*C)*a*b^3 + 8*B*b^4)*
cos(d*x + c))*sin(d*x + c))/d
```


Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**7*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [B] time = 1.50933, size = 2450, normalized size = 5.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^7*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/1680*(105*(5*B*a^4 + 20*A*a^3*b + 24*C*a^3*b + 36*B*a^2*b^2 + 24*A*a*b^3 \\ & + 32*C*a*b^3 + 8*B*b^4)*(d*x + c) + 2*(1680*A*a^4*\tan(1/2*d*x + 1/2*c)^{13} - \\ & 1155*B*a^4*\tan(1/2*d*x + 1/2*c)^{13} + 1680*C*a^4*\tan(1/2*d*x + 1/2*c)^{13} - \\ & 4620*A*a^3*b*\tan(1/2*d*x + 1/2*c)^{13} + 6720*B*a^3*b*\tan(1/2*d*x + 1/2*c)^{13} \\ & - 4200*C*a^3*b*\tan(1/2*d*x + 1/2*c)^{13} + 10080*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^{13} \\ & - 6300*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^{13} + 10080*C*a^2*b^2*\tan(1/2*d*x + 1/2*c)^{13} \\ & - 4200*A*a*b^3*\tan(1/2*d*x + 1/2*c)^{13} + 6720*B*a*b^3*\tan(1/2*d*x + 1/2*c)^{13} \\ & - 3360*C*a*b^3*\tan(1/2*d*x + 1/2*c)^{13} + 1680*A*b^4*\tan(1/2*d*x + 1/2*c)^{13} \\ & - 840*B*b^4*\tan(1/2*d*x + 1/2*c)^{13} + 1680*C*b^4*\tan(1/2*d*x + 1/2*c)^{13} \\ & + 3360*A*a^4*\tan(1/2*d*x + 1/2*c)^{11} - 980*B*a^4*\tan(1/2*d*x + 1/2*c)^{11} \\ & + 5600*C*a^4*\tan(1/2*d*x + 1/2*c)^{11} - 3920*A*a^3*b*\tan(1/2*d*x + 1/2*c)^{11} \\ & + 22400*B*a^3*b*\tan(1/2*d*x + 1/2*c)^{11} - 10080*C*a^3*b*\tan(1/2*d*x + 1/2*c)^{11} \\ & + 33600*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^{11} - 15120*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^{11} \\ & + 47040*C*a^2*b^2*\tan(1/2*d*x + 1/2*c)^{11} - 10080*A*a*b^3*\tan(1/2*d*x + 1/2*c)^{11} \\ & + 31360*B*a*b^3*\tan(1/2*d*x + 1/2*c)^{11} - 13440*C*a*b^3*\tan(1/2*d*x + 1/2*c)^{11} \\ & + 7840*A*b^4*\tan(1/2*d*x + 1/2*c)^{11} - 3360*B*b^4*\tan(1/2*d*x + 1/2*c)^{11} \\ & + 10080*C*b^4*\tan(1/2*d*x + 1/2*c)^{11} + 14448*A*a^4*\tan(1/2*d*x + 1/2*c)^9 \\ & - 2975*B*a^4*\tan(1/2*d*x + 1/2*c)^9 + 12656*C*a^4*\tan(1/2*d*x + 1/2*c)^9 \\ & - 11900*A*a^3*b*\tan(1/2*d*x + 1/2*c)^9 + 50624*B*a^3*b*\tan(1/2*d*x + 1/2*c)^9 \\ & - 7560*C*a^3*b*\tan(1/2*d*x + 1/2*c)^9 + 75936*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^9 \\ & - 11340*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^9 + 97440*C*a^2*b^2*\tan(1/2*d*x + 1/2*c)^9 \\ & - 7560*A*a*b^3*\tan(1/2 \end{aligned}$$

$$\begin{aligned}
& *d*x + 1/2*c)^9 + 64960*B*a*b^3*\tan(1/2*d*x + 1/2*c)^9 - 16800*C*a*b^3*\tan(\\
& 1/2*d*x + 1/2*c)^9 + 16240*A*b^4*\tan(1/2*d*x + 1/2*c)^9 - 4200*B*b^4*\tan(1/ \\
& 2*d*x + 1/2*c)^9 + 25200*C*b^4*\tan(1/2*d*x + 1/2*c)^9 + 10176*A*a^4*\tan(1/2 \\
& *d*x + 1/2*c)^7 + 17472*C*a^4*\tan(1/2*d*x + 1/2*c)^7 + 69888*B*a^3*b*\tan(1/ \\
& 2*d*x + 1/2*c)^7 + 104832*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 + 120960*C*a^2*b \\
& ^2*\tan(1/2*d*x + 1/2*c)^7 + 80640*B*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 20160*A* \\
& b^4*\tan(1/2*d*x + 1/2*c)^7 + 33600*C*b^4*\tan(1/2*d*x + 1/2*c)^7 + 14448*A*a \\
& ^4*\tan(1/2*d*x + 1/2*c)^5 + 2975*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 12656*C*a^4 \\
& *\tan(1/2*d*x + 1/2*c)^5 + 11900*A*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 50624*B*a^ \\
& 3*b*\tan(1/2*d*x + 1/2*c)^5 + 7560*C*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 75936*A* \\
& a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 + 11340*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 + 9 \\
& 7440*C*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 + 7560*A*a*b^3*\tan(1/2*d*x + 1/2*c)^5 \\
& + 64960*B*a*b^3*\tan(1/2*d*x + 1/2*c)^5 + 16800*C*a*b^3*\tan(1/2*d*x + 1/2*c \\
&)^5 + 16240*A*b^4*\tan(1/2*d*x + 1/2*c)^5 + 4200*B*b^4*\tan(1/2*d*x + 1/2*c)^ \\
& 5 + 25200*C*b^4*\tan(1/2*d*x + 1/2*c)^5 + 3360*A*a^4*\tan(1/2*d*x + 1/2*c)^3 \\
& + 980*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 5600*C*a^4*\tan(1/2*d*x + 1/2*c)^3 + 39 \\
& 20*A*a^3*b*\tan(1/2*d*x + 1/2*c)^3 + 22400*B*a^3*b*\tan(1/2*d*x + 1/2*c)^3 + \\
& 10080*C*a^3*b*\tan(1/2*d*x + 1/2*c)^3 + 33600*A*a^2*b^2*\tan(1/2*d*x + 1/2*c) \\
& ^3 + 15120*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 47040*C*a^2*b^2*\tan(1/2*d*x + \\
& 1/2*c)^3 + 10080*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 31360*B*a*b^3*\tan(1/2*d* \\
& x + 1/2*c)^3 + 13440*C*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 7840*A*b^4*\tan(1/2*d* \\
& x + 1/2*c)^3 + 3360*B*b^4*\tan(1/2*d*x + 1/2*c)^3 + 10080*C*b^4*\tan(1/2*d*x \\
& + 1/2*c)^3 + 1680*A*a^4*\tan(1/2*d*x + 1/2*c) + 1155*B*a^4*\tan(1/2*d*x + 1/2 \\
& *c) + 1680*C*a^4*\tan(1/2*d*x + 1/2*c) + 4620*A*a^3*b*\tan(1/2*d*x + 1/2*c) + \\
& 6720*B*a^3*b*\tan(1/2*d*x + 1/2*c) + 4200*C*a^3*b*\tan(1/2*d*x + 1/2*c) + 10 \\
& 080*A*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 6300*B*a^2*b^2*\tan(1/2*d*x + 1/2*c) + \\
& 10080*C*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 4200*A*a*b^3*\tan(1/2*d*x + 1/2*c) + \\
& 6720*B*a*b^3*\tan(1/2*d*x + 1/2*c) + 3360*C*a*b^3*\tan(1/2*d*x + 1/2*c) + 168 \\
& 0*A*b^4*\tan(1/2*d*x + 1/2*c) + 840*B*b^4*\tan(1/2*d*x + 1/2*c) + 1680*C*b^4* \\
& \tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^7)/d
\end{aligned}$$

3.897 $\int (a+b \sec(c+dx))^3 (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec(c + dx)) dx$

Optimal. Leaf size=214

$$\frac{b^2(34a^2bB - 15a^3C + 12ab^2C + 4b^3B) \tan(c + dx)}{6d} + \frac{b(8a^2b^2C + 32a^3bB - 24a^4C + 16ab^3B + 3b^4C) \tanh^{-1}(\sin(c + dx))}{8d}$$

```
[Out] a^4*(b*B - a*C)*x + (b*(32*a^3*b*B + 16*a*b^3*B - 24*a^4*C + 8*a^2*b^2*C + 3*b^4*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (b^2*(34*a^2*b*B + 4*b^3*B - 15*a^3*C + 12*a*b^2*C)*Tan[c + d*x])/(6*d) + (b^3*(32*a*b*B - 6*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + (b^2*(4*b*B + 3*a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (b^2*C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rubi [A] time = 0.476074, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4041, 3918, 4056, 4048, 3770, 3767, 8}

$$\frac{b^2(34a^2bB - 15a^3C + 12ab^2C + 4b^3B) \tan(c + dx)}{6d} + \frac{b(8a^2b^2C + 32a^3bB - 24a^4C + 16ab^3B + 3b^4C) \tanh^{-1}(\sin(c + dx))}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^3*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2), x]
```

```
[Out] a^4*(b*B - a*C)*x + (b*(32*a^3*b*B + 16*a*b^3*B - 24*a^4*C + 8*a^2*b^2*C + 3*b^4*C)*ArcTanh[Sin[c + d*x]])/(8*d) + (b^2*(34*a^2*b*B + 4*b^3*B - 15*a^3*C + 12*a*b^2*C)*Tan[c + d*x])/(6*d) + (b^3*(32*a*b*B - 6*a^2*C + 9*b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + (b^2*(4*b*B + 3*a*C)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (b^2*C*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rule 4041

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.), x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[b*B - a*C + b*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 3918

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^3 (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx &= \frac{\int (a + b \sec(c + dx))^4 (b^2(bB - aC) + b^3C) dx}{b^2} \\
&= \frac{b^2C(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{\int (a + b \sec(c + dx))^4 dx}{4d} \\
&= \frac{b^2(4bB + 3aC)(a + b \sec(c + dx))^2 \tan(c + dx)}{12d} \\
&= \frac{b^3(32abB - 6a^2C + 9b^2C) \sec(c + dx) \tan(c + dx)}{24d} \\
&= a^4(bB - aC)x + \frac{b^3(32abB - 6a^2C + 9b^2C) \sec(c + dx) \tan(c + dx)}{24d} \\
&= a^4(bB - aC)x + \frac{b(32a^3bB + 16ab^3B - 24a^4C + 8a^2b^2C + 3b^4C) \operatorname{ArcTanh}[\sin(c + dx)]}{24d} \\
&= a^4(bB - aC)x + \frac{b(32a^3bB + 16ab^3B - 24a^4C + 8a^2b^2C + 3b^4C) \operatorname{ArcTanh}[\sin(c + dx)]}{24d}
\end{aligned}$$

Mathematica [A] time = 1.27378, size = 170, normalized size = 0.79

$$\frac{3b(8a^2b^2C + 32a^3bB - 24a^4C + 16ab^3B + 3b^4C) \operatorname{tanh}^{-1}(\sin(c + dx)) + 3b^2 \tan(c + dx) (b(8a^2C + 16abB + 3b^2C) \sec(c + dx) \tan(c + dx) + \frac{b^3(32abB - 6a^2C + 9b^2C) \sec(c + dx) \tan(c + dx)}{24d})}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^3*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2), x]

[Out] (24*a^4*(b*B - a*C)*d*x + 3*b*(32*a^3*b*B + 16*a*b^3*B - 24*a^4*C + 8*a^2*b^2*C + 3*b^4*C)*ArcTanh[Sin[c + d*x]] + 3*b^2*(8*(6*a^2*b*B + b^3*B - 2*a^3*C + 3*a*b^2*C) + b*(16*a*b*B + 8*a^2*C + 3*b^2*C)*Sec[c + d*x] + 2*b^3*C*Sec[c + d*x]^3)*Tan[c + d*x] + 8*b^4*(b*B + 3*a*C)*Tan[c + d*x]^3)/(24*d)

Maple [A] time = 0.059, size = 360, normalized size = 1.7

$$Ba^4bx + \frac{Ba^4bc}{d} - a^5Cx - \frac{Ca^5c}{d} + 4 \frac{Ba^3b^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} - 2 \frac{a^3b^2C \tan(dx + c)}{d} - 3 \frac{a^4bC \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))^3*(B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x)`

[Out] $B*a^4*b*x+1/d*B*a^4*b*c-a^5*C*x-1/d*C*a^5*c+4/d*B*a^3*b^2*\ln(\sec(d*x+c)+\tan(d*x+c))-2/d*a^3*b^2*C*\tan(d*x+c)-3/d*a^4*b*C*\ln(\sec(d*x+c)+\tan(d*x+c))+6/d*B*a^2*b^3*\tan(d*x+c)+1/d*C*a^2*b^3*\sec(d*x+c)*\tan(d*x+c)+1/d*C*a^2*b^3*\ln(\sec(d*x+c)+\tan(d*x+c))+2/d*B*a*b^4*\sec(d*x+c)*\tan(d*x+c)+2/d*B*a*b^4*\ln(\sec(d*x+c)+\tan(d*x+c))+2/d*b^4*C*a*\tan(d*x+c)+1/d*b^4*C*a*\tan(d*x+c)*\sec(d*x+c)^2+2/3/d*B*b^5*\tan(d*x+c)+1/3/d*B*b^5*\tan(d*x+c)*\sec(d*x+c)^2+1/4/d*C*b^5*\tan(d*x+c)*\sec(d*x+c)^3+3/8/d*C*b^5*\sec(d*x+c)*\tan(d*x+c)+3/8/d*C*b^5*\ln(\sec(d*x+c)+\tan(d*x+c))$

Maxima [A] time = 1.10925, size = 432, normalized size = 2.02

$$48(dx+c)Ca^5 - 48(dx+c)Ba^4b - 48(\tan(dx+c)^3 + 3\tan(dx+c))Cab^4 - 16(\tan(dx+c)^3 + 3\tan(dx+c))Bb^5 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^3*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $-1/48*(48*(d*x+c)*C*a^5 - 48*(d*x+c)*B*a^4*b - 48*(\tan(d*x+c)^3 + 3*\tan(d*x+c))*C*a*b^4 - 16*(\tan(d*x+c)^3 + 3*\tan(d*x+c))*B*b^5 + 3*C*b^5*(2*(3*\sin(d*x+c)^3 - 5*\sin(d*x+c))/(\sin(d*x+c)^4 - 2*\sin(d*x+c)^2 + 1) - 3*\log(\sin(d*x+c)+1) + 3*\log(\sin(d*x+c)-1)) + 24*C*a^2*b^3*(2*\sin(d*x+c)/(\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c)+1) + \log(\sin(d*x+c)-1)) + 48*B*a*b^4*(2*\sin(d*x+c)/(\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c)+1) + \log(\sin(d*x+c)-1)) + 144*C*a^4*b*\log(\sec(d*x+c) + \tan(d*x+c)) - 192*B*a^3*b^2*\log(\sec(d*x+c) + \tan(d*x+c)) + 96*C*a^3*b^2*\tan(d*x+c) - 288*B*a^2*b^3*\tan(d*x+c))/d$

Fricas [A] time = 0.59161, size = 633, normalized size = 2.96

$$48(Ca^5 - Ba^4b)dx \cos(dx+c)^4 + 3(24Ca^4b - 32Ba^3b^2 - 8Ca^2b^3 - 16Bab^4 - 3Cb^5) \cos(dx+c)^4 \log(\sin(dx+c) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="fricas")

[Out]
$$-1/48*(48*(C*a^5 - B*a^4*b)*d*x*\cos(d*x + c)^4 + 3*(24*C*a^4*b - 32*B*a^3*b^2 - 8*C*a^2*b^3 - 16*B*a*b^4 - 3*C*b^5)*\cos(d*x + c)^4*\log(\sin(d*x + c) + 1) - 3*(24*C*a^4*b - 32*B*a^3*b^2 - 8*C*a^2*b^3 - 16*B*a*b^4 - 3*C*b^5)*\cos(d*x + c)^4*\log(-\sin(d*x + c) + 1) - 2*(6*C*b^5 - 16*(3*C*a^3*b^2 - 9*B*a^2*b^3 - 3*C*a*b^4 - B*b^5)*\cos(d*x + c)^3 + 3*(8*C*a^2*b^3 + 16*B*a*b^4 + 3*C*b^5)*\cos(d*x + c)^2 + 8*(3*C*a*b^4 + B*b^5)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^4)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int Ca^5 dx - \int -Ba^4b dx - \int -Bb^5 \sec^4(c + dx) dx - \int -Cb^5 \sec^5(c + dx) dx - \int -4Bab^4 \sec^3(c + dx) dx - \int -6B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2),x)

[Out]
$$-\text{Integral}(C*a^{**5}, x) - \text{Integral}(-B*a^{**4}*b, x) - \text{Integral}(-B*b^{**5}*\sec(c + d*x)^{**4}, x) - \text{Integral}(-C*b^{**5}*\sec(c + d*x)^{**5}, x) - \text{Integral}(-4*B*a*b^{**4}*\sec(c + d*x)^{**3}, x) - \text{Integral}(-6*B*a^{**2}*b^{**3}*\sec(c + d*x)^{**2}, x) - \text{Integral}(-4*B*a^{**3}*b^{**2}*\sec(c + d*x), x) - \text{Integral}(-3*C*a*b^{**4}*\sec(c + d*x)^{**4}, x) - \text{Integral}(-2*C*a^{**2}*b^{**3}*\sec(c + d*x)^{**3}, x) - \text{Integral}(2*C*a^{**3}*b^{**2}*\sec(c + d*x)^{**2}, x) - \text{Integral}(3*C*a^{**4}*b*\sec(c + d*x), x)$$

Giac [B] time = 1.37162, size = 888, normalized size = 4.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$-1/24*(24*(C*a^5 - B*a^4*b)*(d*x + c) + 3*(24*C*a^4*b - 32*B*a^3*b^2 - 8*C*a^2*b^3 - 16*B*a*b^4 - 3*C*b^5)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(24*C*a^4*b - 32*B*a^3*b^2 - 8*C*a^2*b^3 - 16*B*a*b^4 - 3*C*b^5)*\log(\text{abs}(\tan(1/$$

$$\begin{aligned}
& 2*d*x + 1/2*c) - 1)) - 2*(48*C*a^3*b^2*\tan(1/2*d*x + 1/2*c)^7 - 144*B*a^2*b^3*\tan(1/2*d*x + 1/2*c)^7 + 24*C*a^2*b^3*\tan(1/2*d*x + 1/2*c)^7 + 48*B*a*b^4*\tan(1/2*d*x + 1/2*c)^7 - 72*C*a*b^4*\tan(1/2*d*x + 1/2*c)^7 - 24*B*b^5*\tan(1/2*d*x + 1/2*c)^7 + 15*C*b^5*\tan(1/2*d*x + 1/2*c)^7 - 144*C*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 + 432*B*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 - 24*C*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 - 48*B*a*b^4*\tan(1/2*d*x + 1/2*c)^5 + 120*C*a*b^4*\tan(1/2*d*x + 1/2*c)^5 + 40*B*b^5*\tan(1/2*d*x + 1/2*c)^5 + 9*C*b^5*\tan(1/2*d*x + 1/2*c)^5 + 144*C*a^3*b^2*\tan(1/2*d*x + 1/2*c)^3 - 432*B*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 - 24*C*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 - 48*B*a*b^4*\tan(1/2*d*x + 1/2*c)^3 - 120*C*a*b^4*\tan(1/2*d*x + 1/2*c)^3 - 40*B*b^5*\tan(1/2*d*x + 1/2*c)^3 + 9*C*b^5*\tan(1/2*d*x + 1/2*c)^3 - 48*C*a^3*b^2*\tan(1/2*d*x + 1/2*c) + 144*B*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 24*C*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 48*B*a*b^4*\tan(1/2*d*x + 1/2*c) + 72*C*a*b^4*\tan(1/2*d*x + 1/2*c) + 24*B*b^5*\tan(1/2*d*x + 1/2*c) + 15*C*b^5*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4)/d
\end{aligned}$$

3.898 $\int (a+b \sec(c+dx))^2 (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec(c + dx)) dx$

Optimal. Leaf size=149

$$\frac{b^2(a^2(-C) + 9abB + 2b^2C) \tan(c + dx)}{3d} + \frac{b(6a^2bB - 4a^3C + 2ab^2C + b^3B) \tanh^{-1}(\sin(c + dx))}{2d} + a^3x(bB - aC) + \frac{b^3}{3d}$$

```
[Out] a^3*(b*B - a*C)*x + (b*(6*a^2*b*B + b^3*B - 4*a^3*C + 2*a*b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (b^2*(9*a*b*B - a^2*C + 2*b^2*C)*Tan[c + d*x])/(3*d) + (b^3*(3*b*B + 2*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (b^2*C*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)
```

Rubi [A] time = 0.308815, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {4041, 3918, 4048, 3770, 3767, 8}

$$\frac{b^2(a^2(-C) + 9abB + 2b^2C) \tan(c + dx)}{3d} + \frac{b(6a^2bB - 4a^3C + 2ab^2C + b^3B) \tanh^{-1}(\sin(c + dx))}{2d} + a^3x(bB - aC) + \frac{b^3}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^2*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2), x]
```

```
[Out] a^3*(b*B - a*C)*x + (b*(6*a^2*b*B + b^3*B - 4*a^3*C + 2*a*b^2*C)*ArcTanh[Sin[c + d*x]])/(2*d) + (b^2*(9*a*b*B - a^2*C + 2*b^2*C)*Tan[c + d*x])/(3*d) + (b^3*(3*b*B + 2*a*C)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (b^2*C*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)
```

Rule 4041

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[b*B - a*C + b*C*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 3918

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m -
```

1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4048

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^2 (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx &= \frac{\int (a + b \sec(c + dx))^3 (b^2(bB - aC) + b^3C)}{b^2} \\
 &= \frac{b^2C(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{\int (a + b \sec(c + dx))^3 \tan(c + dx)}{3d} \\
 &= \frac{b^3(3bB + 2aC) \sec(c + dx) \tan(c + dx)}{6d} + \frac{\int (a + b \sec(c + dx))^3 \sec(c + dx)}{3d} \\
 &= a^3(bB - aC)x + \frac{b^3(3bB + 2aC) \sec(c + dx)}{6d} \\
 &= a^3(bB - aC)x + \frac{b(6a^2bB + b^3B - 4a^3C + 3a^2bC)}{6d} \\
 &= a^3(bB - aC)x + \frac{b(6a^2bB + b^3B - 4a^3C + 3a^2bC)}{6d}
 \end{aligned}$$

Mathematica [A] time = 0.919261, size = 114, normalized size = 0.77

$$\frac{3b(6a^2bB - 4a^3C + 2ab^2C + b^3B)\tanh^{-1}(\sin(c + dx)) + 6a^3dx(bB - aC) + 3b^3\tan(c + dx)\sec(c + dx)(2(3aB + bC)\cos(c + dx))}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^2*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2), x]

[Out] (6*a^3*(b*B - a*C)*d*x + 3*b*(6*a^2*b*B + b^3*B - 4*a^3*C + 2*a*b^2*C)*ArcTanh[Sin[c + d*x]] + 3*b^3*(b*B + 2*a*C + 2*(3*a*B + b*C)*Cos[c + d*x])*Sec[c + d*x]*Tan[c + d*x] + 2*b^4*C*Tan[c + d*x]^3)/(6*d)

Maple [A] time = 0.052, size = 228, normalized size = 1.5

$$Ba^3bx + \frac{Ba^3bc}{d} - a^4Cx - \frac{Ca^4c}{d} + 3\frac{a^2b^2B \ln(\sec(dx + c) + \tan(dx + c))}{d} - 2\frac{a^3bC \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^2*(B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2), x)

[Out] B*a^3*b*x+1/d*B*a^3*b*c-a^4*C*x-1/d*C*a^4*c+3/d*a^2*b^2*B*ln(sec(d*x+c)+tan(d*x+c))-2/d*a^3*b*C*ln(sec(d*x+c)+tan(d*x+c))+3/d*a*b^3*B*tan(d*x+c)+1/d*C*a*b^3*sec(d*x+c)*tan(d*x+c)+1/d*C*a*b^3*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*B*b^4*sec(d*x+c)*tan(d*x+c)+1/2/d*B*b^4*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*C*b^4*tan(d*x+c)+1/3/d*C*b^4*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 1.0294, size = 275, normalized size = 1.85

$$\frac{12(dx + c)Ca^4 - 12(dx + c)Ba^3b - 4(\tan(dx + c)^3 + 3\tan(dx + c))Cb^4 + 6Cab^3\left(\frac{2\sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1)\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2), x, algorithm="maxima")

```
[Out] -1/12*(12*(d*x + c)*C*a^4 - 12*(d*x + c)*B*a^3*b - 4*(tan(d*x + c)^3 + 3*tan(d*x + c))*C*b^4 + 6*C*a*b^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 3*B*b^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 24*C*a^3*b*log(sec(d*x + c) + tan(d*x + c)) - 36*B*a^2*b^2*log(sec(d*x + c) + tan(d*x + c)) - 36*B*a*b^3*tan(d*x + c))/d
```

Fricas [A] time = 0.556101, size = 470, normalized size = 3.15

$$\frac{12(Ca^4 - Ba^3b)dx \cos(dx + c)^3 + 3(4Ca^3b - 6Ba^2b^2 - 2Cab^3 - Bb^4) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(4Ca^3b -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] -1/12*(12*(C*a^4 - B*a^3*b)*d*x*cos(d*x + c)^3 + 3*(4*C*a^3*b - 6*B*a^2*b^2 - 2*C*a*b^3 - B*b^4)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(4*C*a^3*b - 6*B*a^2*b^2 - 2*C*a*b^3 - B*b^4)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) - 2*(2*C*b^4 + 2*(9*B*a*b^3 + 2*C*b^4)*cos(d*x + c)^2 + 3*(2*C*a*b^3 + B*b^4)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$- \int Ca^4 dx - \int -Ba^3b dx - \int -Bb^4 \sec^3(c + dx) dx - \int -Cb^4 \sec^4(c + dx) dx - \int -3Bab^3 \sec^2(c + dx) dx - \int -3Ba^3b$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**2*(a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2),x)
```

```
[Out] -Integral(C*a**4, x) - Integral(-B*a**3*b, x) - Integral(-B*b**4*sec(c + d*x)**3, x) - Integral(-C*b**4*sec(c + d*x)**4, x) - Integral(-3*B*a*b**3*sec(c + d*x)**2, x) - Integral(-3*B*a**2*b**2*sec(c + d*x), x) - Integral(-2*C*a*b**3*sec(c + d*x)**3, x) - Integral(2*C*a**3*b*sec(c + d*x), x)
```

Giac [B] time = 1.26227, size = 406, normalized size = 2.72

$$6(Ca^4 - Ba^3b)(dx + c) + 3(4Ca^3b - 6Ba^2b^2 - 2Cab^3 - Bb^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(4Ca^3b - 6Ba^2b^2 - 2C$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(6*(C*a^4 - B*a^3*b)*(d*x + c) + 3*(4*C*a^3*b - 6*B*a^2*b^2 - 2*C*a*b^3 - B*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(4*C*a^3*b - 6*B*a^2*b^2 - 2*C*a*b^3 - B*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 2*(18*B*a*b^3*\tan(1/2*d*x + 1/2*c)^5 - 6*C*a*b^3*\tan(1/2*d*x + 1/2*c)^5 - 3*B*b^4*\tan(1/2*d*x + 1/2*c)^5 + 6*C*b^4*\tan(1/2*d*x + 1/2*c)^5 - 36*B*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 4*C*b^4*\tan(1/2*d*x + 1/2*c)^3 + 18*B*a*b^3*\tan(1/2*d*x + 1/2*c) + 6*C*a*b^3*\tan(1/2*d*x + 1/2*c) + 3*B*b^4*\tan(1/2*d*x + 1/2*c) + 6*C*b^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^3/d \end{aligned}$$

3.899 $\int (a+b \sec(c+dx)) (abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)) dx$

Optimal. Leaf size=97

$$\frac{b(-2a^2C + 4abB + b^2C) \tanh^{-1}(\sin(c+dx))}{2d} + a^2x(bB - aC) + \frac{b^2(aC + 2bB) \tan(c+dx)}{2d} + \frac{b^2C \tan(c+dx)(a + b \sec(c+dx))}{2d}$$

[Out] $a^2*(b*B - a*C)*x + (b*(4*a*b*B - 2*a^2*C + b^2*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + (b^2*(2*b*B + a*C)*\text{Tan}[c + d*x])/(2*d) + (b^2*C*(a + b*\text{Sec}[c + d*x])*\text{Tan}[c + d*x])/(2*d)$

Rubi [A] time = 0.16879, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.109$, Rules used = {4041, 3918, 3770, 3767, 8}

$$\frac{b(-2a^2C + 4abB + b^2C) \tanh^{-1}(\sin(c+dx))}{2d} + a^2x(bB - aC) + \frac{b^2(aC + 2bB) \tan(c+dx)}{2d} + \frac{b^2C \tan(c+dx)(a + b \sec(c+dx))}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Sec}[c + d*x])*(a*b*B - a^2*C + b^2*B*\text{Sec}[c + d*x] + b^2*C*\text{Sec}[c + d*x]^2), x]$

[Out] $a^2*(b*B - a*C)*x + (b*(4*a*b*B - 2*a^2*C + b^2*C)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + (b^2*(2*b*B + a*C)*\text{Tan}[c + d*x])/(2*d) + (b^2*C*(a + b*\text{Sec}[c + d*x])*\text{Tan}[c + d*x])/(2*d)$

Rule 4041

$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x]^2*(C + \csc[e + f*x])*(D + E*\csc[e + f*x])*(F + G*\csc[e + f*x])*(H + I*\csc[e + f*x]^2*(J + K*\csc[e + f*x]))], x] := \text{Dist}[1/b^2, \text{Int}[(a + b*\csc[e + f*x])^{m+1}*\text{Simp}[b*B - a*C + b*C*\csc[e + f*x], x], x], x] /;$ $\text{FreeQ}\{a, b, e, f, A, B, C, m\}, x$ && $\text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$

Rule 3918

$\text{Int}[(\csc[e + f*x])*(b + a*\csc[e + f*x])^{m+1}], x] := -\text{Simp}[(b*d*\text{Cot}[e + f*x]*(a + b*\csc[e + f*x])^{m+1})/(f*m), x] + \text{Dist}[1/m, \text{Int}[(a + b*\csc[e + f*x])^{m-2}*\text{Simp}[a^2*c*m + (b^2*d*(m-1) + 2*a*b*c*m + a^2*d*m)*\csc[e + f*x] + b*(b*c*m + a*d*(2*m-1))*\csc[e + f*x]^2, x], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x$ && $\text{NeQ}[b*c -$

$a*d, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] \text{ /; FreeQ}\{c, d\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] \text{ /; FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> } \text{Simp}[a*x, x] \text{ /; FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int (a + b \sec(c + dx)) (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx &= \frac{\int (a + b \sec(c + dx))^2 (b^2(bB - aC) + b^3C)}{b^2} \\ &= \frac{b^2C(a + b \sec(c + dx)) \tan(c + dx)}{2d} + \int \left(\frac{b^2C(a + b \sec(c + dx)) \tan(c + dx)}{2d} \right) dx \\ &= a^2(bB - aC)x + \frac{b^2C(a + b \sec(c + dx)) \tan(c + dx)}{2d} \\ &= a^2(bB - aC)x + \frac{b(4abB - 2a^2C + b^2C) \tan(c + dx)}{2d} \\ &= a^2(bB - aC)x + \frac{b(4abB - 2a^2C + b^2C) \tan(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.562134, size = 77, normalized size = 0.79

$$\frac{b(-2a^2C + 4abB + b^2C) \tanh^{-1}(\sin(c + dx)) + 2a^2dx(bB - aC) + b^2 \tan(c + dx)(2aC + 2bB + bC \sec(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2),x]

[Out] $(2*a^2*(b*B - a*C)*d*x + b*(4*a*b*B - 2*a^2*C + b^2*C)*ArcTanh[\sin[c + d*x]] + b^2*(2*b*B + 2*a*C + b*C*Sec[c + d*x])*Tan[c + d*x])/(2*d)$

Maple [A] time = 0.042, size = 157, normalized size = 1.6

$$Ba^2bx + \frac{Ba^2bc}{d} - a^3Cx - \frac{Ca^3c}{d} + 2 \frac{Bab^2 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{Cab^2 \tan(dx+c)}{d} - \frac{a^2bC \ln(\sec(dx+c) + \tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))*(B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x)`

[Out] $B*a^2*b*x + 1/d*B*a^2*b*c - a^3*C*x - 1/d*C*a^3*c + 2/d*B*a*b^2*\ln(\sec(d*x+c) + \tan(d*x+c)) + 1/d*C*a*b^2*\tan(d*x+c) - 1/d*a^2*b*C*\ln(\sec(d*x+c) + \tan(d*x+c)) + 1/d*B*b^3*\tan(d*x+c) + 1/2/d*C*b^3*\sec(d*x+c)*\tan(d*x+c) + 1/2/d*C*b^3*\ln(\sec(d*x+c) + \tan(d*x+c))$

Maxima [A] time = 1.02709, size = 192, normalized size = 1.98

$$\frac{4(dx+c)Ca^3 - 4(dx+c)Ba^2b + Cb^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) + 4Ca^2b \log(\sec(dx+c) + \tan(dx+c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $-1/4*(4*(d*x + c)*C*a^3 - 4*(d*x + c)*B*a^2*b + C*b^3*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 4*C*a^2*b*\log(\sec(d*x + c) + \tan(d*x + c)) - 8*B*a*b^2*\log(\sec(d*x + c) + \tan(d*x + c)) - 4*C*a*b^2*\tan(d*x + c) - 4*B*b^3*\tan(d*x + c))/d$

Fricas [A] time = 0.551722, size = 363, normalized size = 3.74

$$\frac{4(Ca^3 - Ba^2b)dx \cos(dx+c)^2 + (2Ca^2b - 4Bab^2 - Cb^3) \cos(dx+c)^2 \log(\sin(dx+c) + 1) - (2Ca^2b - 4Bab^2 - Cb^3) \cos(dx+c)^2 \log(\sin(dx+c) - 1)}{4d \cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*sec(d*x+c))*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] -1/4*(4*(C*a^3 - B*a^2*b)*d*x*cos(d*x + c)^2 + (2*C*a^2*b - 4*B*a*b^2 - C*b^3)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (2*C*a^2*b - 4*B*a*b^2 - C*b^3)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(C*b^3 + 2*(C*a*b^2 + B*b^3)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int Ca^3 dx - \int -Ba^2b dx - \int -Bb^3 \sec^2(c + dx) dx - \int -Cb^3 \sec^3(c + dx) dx - \int -2Bab^2 \sec(c + dx) dx - \int -Cab$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2),x)
```

```
[Out] -Integral(C*a**3, x) - Integral(-B*a**2*b, x) - Integral(-B*b**3*sec(c + d*x)**2, x) - Integral(-C*b**3*sec(c + d*x)**3, x) - Integral(-2*B*a*b**2*sec(c + d*x), x) - Integral(-C*a*b**2*sec(c + d*x)**2, x) - Integral(C*a**2*b*sec(c + d*x), x)
```

Giac [B] time = 1.21328, size = 288, normalized size = 2.97

$$2(Ca^3 - Ba^2b)(dx + c) + (2Ca^2b - 4Bab^2 - Cb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Ca^2b - 4Bab^2 - Cb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/2*(2*(C*a^3 - B*a^2*b)*(d*x + c) + (2*C*a^2*b - 4*B*a*b^2 - C*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*C*a^2*b - 4*B*a*b^2 - C*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(2*C*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 2*B*b^3*tan(1/2*d*x + 1/2*c)^3 - C*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*C*a*b^2*tan(1/2*d*x
```

$$\frac{+ 1/2*c) - 2*B*b^3*\tan(1/2*d*x + 1/2*c) - C*b^3*\tan(1/2*d*x + 1/2*c))}{(\tan(1/2*d*x + 1/2*c)^2 - 1)^2}/d$$

$$3.900 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=215

$$\frac{\tan(c+dx)(3a^2C-3abB+3Ab^2+2b^2C)}{3b^3d} + \frac{(2a^2bB-2a^3C-ab^2(2A+C)+b^3B) \tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{2a^2(Ab^2 -$$

[Out] $((2*a^2*b*B + b^3*B - 2*a^3*C - a*b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*b^4*d) + (2*a^2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^4*Sqrt[a + b]*d) + ((3*A*b^2 - 3*a*b*B + 3*a^2*C + 2*b^2*C)*Tan[c + d*x])/(3*b^3*d) + ((b*B - a*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*d) + (C*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*d)$

Rubi [A] time = 0.740864, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4102, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{\tan(c+dx)(3a^2C-3abB+3Ab^2+2b^2C)}{3b^3d} + \frac{(2a^2bB-2a^3C-ab^2(2A+C)+b^3B) \tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{2a^2(Ab^2 -$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(a + b*\text{Sec}[c + d*x]), x]$

[Out] $((2*a^2*b*B + b^3*B - 2*a^3*C - a*b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*b^4*d) + (2*a^2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^4*Sqrt[a + b]*d) + ((3*A*b^2 - 3*a*b*B + 3*a^2*C + 2*b^2*C)*Tan[c + d*x])/(3*b^3*d) + ((b*B - a*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*d) + (C*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*d)$

Rule 4102

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -\text{Simp}[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1) * (d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \text{Int}[(a + b*Csc[e + f*x])^m * (d*Csc[e + f*x])^(n - 1) * \text{Simp}[a*C*(n - 1) + (A*b$

```

*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4092

```

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[
(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x
_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 4082

```

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

```

Rule 3998

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(
e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (

```

$a - b)e^{2*x^2}$, x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{C\sec^2(c+dx)\tan(c+dx)}{3bd} + \int \frac{\sec^2(c+dx)(2aC+b(3A+2C)\sec(c+dx))}{a+b\sec(c+dx)} dx \\ &= \frac{(bB-aC)\sec(c+dx)\tan(c+dx)}{2b^2d} + \frac{C\sec^2(c+dx)\tan(c+dx)}{3bd} \\ &= \frac{(3Ab^2-3abB+3a^2C+2b^2C)\tan(c+dx)}{3b^3d} + \frac{(bB-aC)\sec(c+dx)\tan(c+dx)}{3bd} \\ &= \frac{(3Ab^2-3abB+3a^2C+2b^2C)\tan(c+dx)}{3b^3d} + \frac{(bB-aC)\sec(c+dx)\tan(c+dx)}{3bd} \\ &= \frac{(2a^2bB+b^3B-2a^3C-ab^2(2A+C))\tanh^{-1}(\sin(c+dx))}{2b^4d} \\ &= \frac{(2a^2bB+b^3B-2a^3C-ab^2(2A+C))\tanh^{-1}(\sin(c+dx))}{2b^4d} \\ &= \frac{(2a^2bB+b^3B-2a^3C-ab^2(2A+C))\tanh^{-1}(\sin(c+dx))}{2b^4d} \end{aligned}$$

Mathematica [C] time = 3.58884, size = 512, normalized size = 2.38

$$\sec^2(c+dx)(a\cos(c+dx)+b)(A+B\sec(c+dx)+C\sec^2(c+dx)) \left(b\sec(c) \left(-6\sin(2c+dx)(a^2C-abB+Ab^2) + 12 \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] ((b + a*cos[c + d*x])*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(12*(-2*a^2*b*B - b^3*B + 2*a^3*C + a*b^2*(2*A + C))*Cos[c + d*x]^3*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 12*(-2*a^2*b*B - b^3*B + 2*a^3*C + a*b^2*(2*A + C))*Cos[c + d*x]^3*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - ((48*I)*a^2*(A*b^2 + a*(-(b*B) + a*C))*ArcTan[((I*cos[c] + Sin[c])*(a*Sin[c] + (-b + a*cos[c])*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*Cos[c + d*x]^3*(Cos[c] - I*Sin[c]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]) + b*Sec[c]*(12*(A*b^2 - a*b*B + a^2*C + b^2*C)*Sin[d*x] - 6*(A*b^2 - a*b*B + a^2*C)*Sin[2*c + d*x] + 3*b^2*B*Sin[c + 2*d*x] - 3*a*b*C*Sin[c + 2*d*x] + 3*b^2*B*Sin[3*c + 2*d*x] - 3*a*b*C*Sin[3*c + 2*d*x] + 6*A*b^2*Sin[2*c + 3*d*x] - 6*a*b*B*Sin[2*c + 3*d*x] + 6*a^2*C*Sin[2*c + 3*d*x] + 4*b^2*C*Sin[2*c + 3*d*x]))/(12*b^4*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*(c + d*x)]))*(a + b*Sec[c + d*x]))

Maple [B] time = 0.091, size = 825, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)

[Out] -1/2/d/b*ln(tan(1/2*d*x+1/2*c)-1)*B-1/d/b/(tan(1/2*d*x+1/2*c)-1)*C+1/2/d/b*ln(tan(1/2*d*x+1/2*c)+1)*B-1/d/b/(tan(1/2*d*x+1/2*c)+1)*C-1/d/b/(tan(1/2*d*x+1/2*c)+1)*A+1/2/d/b/(tan(1/2*d*x+1/2*c)+1)*B-1/3/d*C/b/(tan(1/2*d*x+1/2*c)-1)^3-1/3/d*C/b/(tan(1/2*d*x+1/2*c)+1)^3-1/2/d/b/(tan(1/2*d*x+1/2*c)+1)^2*B+1/2/d/b/(tan(1/2*d*x+1/2*c)+1)^2*C+1/2/d/b/(tan(1/2*d*x+1/2*c)-1)^2*B-1/2/d/b/(tan(1/2*d*x+1/2*c)-1)^2*C-1/d/b/(tan(1/2*d*x+1/2*c)-1)*A+1/2/d/b/(tan(1/2*d*x+1/2*c)-1)*B+1/d/b^2*ln(tan(1/2*d*x+1/2*c)-1)*A*a-1/d/b^2*ln(tan(1/2*d*x+1/2*c)+1)*A*a-1/d/b^3/(tan(1/2*d*x+1/2*c)-1)*a^2*C-1/2/d/b^2/(tan(1/2*d*x+1/2*c)-1)*a*C+1/2/d/b^2*ln(tan(1/2*d*x+1/2*c)-1)*C*a+1/2/d/b^2/(tan(1/2*d*x+1/2*c)+1)^2*a*C-1/d/b^3/(tan(1/2*d*x+1/2*c)+1)*a^2*C+1/d/b^4*ln(tan(1/2*d*x+1/2*c)-1)*a^3*C-1/d/b^3*ln(tan(1/2*d*x+1/2*c)-1)*B*a^2+1/d/b^2/(tan(1/2*d*x+1/2*c)-1)*B*a+1/d/b^3*ln(tan(1/2*d*x+1/2*c)+1)*B*a^2-1/d/b^4*ln(tan(1/2*d*x+1/2*c)+1)*a^3*C-1/2/d/b^2/(tan(1/2*d*x+1/2*c)-1)^2*a*C+1/d/b^2/(tan(1/2*d*x+1/2*c)+1)*B*a-2/d*a^3/b^3/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+2/d*a^4/b^4/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-1/2/d/b^2*ln(tan(1/2*d*x+1/2*c)+1)*C*a-1/2/d/b^2/(tan(1/2*d*x+1/2*c)+1)*a*C+2/d*a^2/b^2/((a+b)*(a-b))

$$\int \frac{\arctanh((a-b)\tan(1/2 dx + 1/2 c))}{(a+b)(a-b)^{1/2}} dx$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x,
algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 54.4325, size = 1810, normalized size = 8.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x,
algorithm="fricas")
```

```
[Out] [1/12*(6*(C*a^4 - B*a^3*b + A*a^2*b^2)*sqrt(a^2 - b^2)*cos(d*x + c)^3*log((
2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos
(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos
(d*x + c) + b^2)) - 3*(2*C*a^5 - 2*B*a^4*b + (2*A - C)*a^3*b^2 + B*a^2*b^3
- (2*A + C)*a*b^4 + B*b^5)*cos(d*x + c)^3*log(sin(d*x + c) + 1) + 3*(2*C*a^
5 - 2*B*a^4*b + (2*A - C)*a^3*b^2 + B*a^2*b^3 - (2*A + C)*a*b^4 + B*b^5)*co
s(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*C*a^2*b^3 - 2*C*b^5 + 2*(3*C*a^4
*b - 3*B*a^3*b^2 + (3*A - C)*a^2*b^3 + 3*B*a*b^4 - (3*A + 2*C)*b^5)*cos(d*x
+ c)^2 - 3*(C*a^3*b^2 - B*a^2*b^3 - C*a*b^4 + B*b^5)*cos(d*x + c))*sin(d*x
+ c))/((a^2*b^4 - b^6)*d*cos(d*x + c)^3), 1/12*(12*(C*a^4 - B*a^3*b + A*a^
2*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2
- b^2)*sin(d*x + c)))*cos(d*x + c)^3 - 3*(2*C*a^5 - 2*B*a^4*b + (2*A - C)*
a^3*b^2 + B*a^2*b^3 - (2*A + C)*a*b^4 + B*b^5)*cos(d*x + c)^3*log(sin(d*x +
c) + 1) + 3*(2*C*a^5 - 2*B*a^4*b + (2*A - C)*a^3*b^2 + B*a^2*b^3 - (2*A +
C)*a*b^4 + B*b^5)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*C*a^2*b^3 -
2*C*b^5 + 2*(3*C*a^4*b - 3*B*a^3*b^2 + (3*A - C)*a^2*b^3 + 3*B*a*b^4 - (3*A
+ 2*C)*b^5)*cos(d*x + c)^2 - 3*(C*a^3*b^2 - B*a^2*b^3 - C*a*b^4 + B*b^5)*c
```

$\cos(dx + c) \sin(dx + c) / ((a^2 b^4 - b^6) d \cos(dx + c)^3]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*sec(c + d*x)), x)

Giac [B] time = 1.31899, size = 652, normalized size = 3.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(3*(2*C*a^3 - 2*B*a^2*b + 2*A*a*b^2 + C*a*b^2 - B*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/b^4 - 3*(2*C*a^3 - 2*B*a^2*b + 2*A*a*b^2 + C*a*b^2 - B*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/b^4 - 12*(C*a^4 - B*a^3*b + A*a^2*b^2)*(\pi*\text{floor}(1/2*(d*x + c)/\pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/(\sqrt{-a^2 + b^2}) \\ & *b^4 + 2*(6*C*a^2*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a*b*\tan(1/2*d*x + 1/2*c)^5 + 3*C*a*b*\tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*\tan(1/2*d*x + 1/2*c)^5 - 3*B*b^2*\tan(1/2*d*x + 1/2*c)^5 + 6*C*b^2*\tan(1/2*d*x + 1/2*c)^5 - 12*C*a^2*\tan(1/2*d*x + 1/2*c)^3 + 12*B*a*b*\tan(1/2*d*x + 1/2*c)^3 - 12*A*b^2*\tan(1/2*d*x + 1/2*c)^3 - 4*C*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*\tan(1/2*d*x + 1/2*c) - 6*B*a*b*\tan(1/2*d*x + 1/2*c) - 3*C*a*b*\tan(1/2*d*x + 1/2*c) + 6*A*b^2*\tan(1/2*d*x + 1/2*c) + 3*B*b^2*\tan(1/2*d*x + 1/2*c) + 6*C*b^2*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*b^3))/d \end{aligned}$$

$$3.901 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=153

$$\frac{(b^2(2A+C) - 2a(bB - aC)) \tanh^{-1}(\sin(c+dx))}{2b^3d} - \frac{2a(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{(bB - aC) \tan(c+dx)}{b^2d}$$

[Out] ((b^2*(2*A + C) - 2*a*(b*B - a*C))*ArcTanh[Sin[c + d*x]])/(2*b^3*d) - (2*a*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^3*Sqrt[a + b]*d) + ((b*B - a*C)*Tan[c + d*x])/(b^2*d) + (C*Sec[c + d*x]*Tan[c + d*x])/(2*b*d)

Rubi [A] time = 0.453871, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(b^2(2A+C) - 2a(bB - aC)) \tanh^{-1}(\sin(c+dx))}{2b^3d} - \frac{2a(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{(bB - aC) \tan(c+dx)}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] ((b^2*(2*A + C) - 2*a*(b*B - a*C))*ArcTanh[Sin[c + d*x]])/(2*b^3*d) - (2*a*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^3*Sqrt[a + b]*d) + ((b*B - a*C)*Tan[c + d*x])/(b^2*d) + (C*Sec[c + d*x]*Tan[c + d*x])/(2*b*d)

Rule 4092

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N

$eQ[a^2 - b^2, 0] \&\& !LtQ[m, -1]$

Rule 4082

$\text{Int}[\text{csc}[(e_.) + (f_.)(x_.)]*((A_.) + \text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !LtQ[m, -1]$

Rule 3998

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(\text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + (A_.)))/(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[\text{Csc}[e + f*x], x], x] + \text{Dist}[(A*b - a*B)/b, \text{Int}[\text{Csc}[e + f*x]/(a + b*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3831

$\text{Int}[\text{csc}[(e_.) + (f_.)(x_.)]/(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[1/b, \text{Int}[1/(1 + (a*\text{Sin}[e + f*x])/b), x], x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2659

$\text{Int}[(a_.) + (b_.)*\text{sin}[\text{Pi}/2 + (c_.) + (d_.)(x_.)]^{(-1)}, x_Symbol] \rightarrow \text{With}[e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x], \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a_.) + (b_.)(x_.)^2)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{C\sec(c+dx)\tan(c+dx)}{2bd} + \frac{\int \frac{\sec(c+dx)(aC+b(2A+C)\sec(c+dx)+2}{a+b\sec(c+dx)}}{2b} \\
&= \frac{(bB-aC)\tan(c+dx)}{b^2d} + \frac{C\sec(c+dx)\tan(c+dx)}{2bd} + \frac{\int \frac{\sec(c+dx)(aC+b(2A+C)\sec(c+dx)+2)}{a+b\sec(c+dx)}}{2b} \\
&= \frac{(bB-aC)\tan(c+dx)}{b^2d} + \frac{C\sec(c+dx)\tan(c+dx)}{2bd} + \frac{(b^2(2A+C)-2a(bB-aC))\tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{(bB-aC)\tan(c+dx)}{b^2d} \\
&= \frac{(b^2(2A+C)-2a(bB-aC))\tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{(bB-aC)\tan(c+dx)}{b^2d} \\
&= \frac{(b^2(2A+C)-2a(bB-aC))\tanh^{-1}(\sin(c+dx))}{2b^3d} - \frac{2a(Ab^2-Cb^2)}{2b^3d}
\end{aligned}$$

Mathematica [C] time = 2.5958, size = 472, normalized size = 3.08

$$\cos(c+dx)(a\cos(c+dx)+b)(A+B\sec(c+dx)+C\sec^2(c+dx)) \left(-2(2a^2C-2abB+2Ab^2+b^2C)\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-2*(2*A*b^2 - 2*a*b*B + 2*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*(2*A*b^2 - 2*a*b*B + 2*a^2*C + b^2*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (8*a*(A*b^2 + a*(-(b*B) + a*C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c]))*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(I*Cos[c] + Sin[c]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]) + (b^2*C)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (4*b*(b*B - a*C)*Sin[(d*x)/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - (b^2*C)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*b*(b*B - a*C)*S

```
in[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))
)/(2*b^3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(a + b*Sec[c +
d*x]))
```

Maple [B] time = 0.083, size = 499, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)
```

```
[Out] -2/d*a/b/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))
^(1/2))*A+2/d*a^2/b^2/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/
((a+b)*(a-b))^(1/2))*B-2/d*a^3/b^3/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/
2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-1/2/d/b/(tan(1/2*d*x+1/2*c)+1)^2*C-1/d/
b/(tan(1/2*d*x+1/2*c)+1)*B+1/d/b^2/(tan(1/2*d*x+1/2*c)+1)*a*C+1/2/d/b/(tan(
1/2*d*x+1/2*c)+1)*C+1/d/b*ln(tan(1/2*d*x+1/2*c)+1)*A-1/d/b^2*ln(tan(1/2*d*x
+1/2*c)+1)*B*a+1/d/b^3*ln(tan(1/2*d*x+1/2*c)+1)*a^2*C+1/2/d/b*ln(tan(1/2*d*
x+1/2*c)+1)*C+1/2/d/b/(tan(1/2*d*x+1/2*c)-1)^2*C-1/d/b/(tan(1/2*d*x+1/2*c)-
1)*B+1/d/b^2/(tan(1/2*d*x+1/2*c)-1)*a*C+1/2/d/b/(tan(1/2*d*x+1/2*c)-1)*C-1/
d/b*ln(tan(1/2*d*x+1/2*c)-1)*A+1/d/b^2*ln(tan(1/2*d*x+1/2*c)-1)*B*a-1/d/b^3
*ln(tan(1/2*d*x+1/2*c)-1)*a^2*C-1/2/d/b*ln(tan(1/2*d*x+1/2*c)-1)*C
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x,
algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 37.0882, size = 1465, normalized size = 9.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x,
algorithm="fricas")

[Out] [1/4*(2*(C*a^3 - B*a^2*b + A*a*b^2)*sqrt(a^2 - b^2)*cos(d*x + c)^2*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (2*C*a^4 - 2*B*a^3*b + (2*A - C)*a^2*b^2 + 2*B*a*b^3 - (2*A + C)*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (2*C*a^4 - 2*B*a^3*b + (2*A - C)*a^2*b^2 + 2*B*a*b^3 - (2*A + C)*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(C*a^2*b^2 - C*b^4 - 2*(C*a^3*b - B*a^2*b^2 - C*a*b^3 + B*b^4)*cos(d*x + c))*sin(d*x + c))/((a^2*b^3 - b^5)*d*cos(d*x + c)^2), -1/4*(4*(C*a^3 - B*a^2*b + A*a*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^2 - (2*C*a^4 - 2*B*a^3*b + (2*A - C)*a^2*b^2 + 2*B*a*b^3 - (2*A + C)*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (2*C*a^4 - 2*B*a^3*b + (2*A - C)*a^2*b^2 + 2*B*a*b^3 - (2*A + C)*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(C*a^2*b^2 - C*b^4 - 2*(C*a^3*b - B*a^2*b^2 - C*a*b^3 + B*b^4)*cos(d*x + c))*sin(d*x + c))/((a^2*b^3 - b^5)*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x
)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x)), x)

Giac [B] time = 1.28547, size = 387, normalized size = 2.53

$$\frac{(2Ca^2 - 2Bab + 2Ab^2 + Cb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{b^3} - \frac{(2Ca^2 - 2Bab + 2Ab^2 + Cb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{b^3} - \frac{4(Ca^3 - Ba^2b + Aab^2) \left[\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2\sqrt{-a^2}) \right]}{\sqrt{-a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x,
algorithm="giac")
```

```
[Out] 1/2*((2*C*a^2 - 2*B*a*b + 2*A*b^2 + C*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1
)))/b^3 - (2*C*a^2 - 2*B*a*b + 2*A*b^2 + C*b^2)*log(abs(tan(1/2*d*x + 1/2*c)
- 1))/b^3 - 4*(C*a^3 - B*a^2*b + A*a*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2
)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c
))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*b^3) + 2*(2*C*a*tan(1/2*d*x + 1/2*c
)^3 - 2*B*b*tan(1/2*d*x + 1/2*c)^3 + C*b*tan(1/2*d*x + 1/2*c)^3 - 2*C*a*tan
(1/2*d*x + 1/2*c) + 2*B*b*tan(1/2*d*x + 1/2*c) + C*b*tan(1/2*d*x + 1/2*c))/
((tan(1/2*d*x + 1/2*c)^2 - 1)^2*b^2))/d
```

$$3.902 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx$$

Optimal. Leaf size=106

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d\sqrt{a-b}\sqrt{a+b}} + \frac{(bB - aC) \tanh^{-1}(\sin(c + dx))}{b^2d} + \frac{C \tan(c + dx)}{bd}$$

[Out] ((b*B - a*C)*ArcTanh[Sin[c + d*x]])/(b^2*d) + (2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + (C*Tan[c + d*x])/(b*d)

Rubi [A] time = 0.223764, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4082, 3998, 3770, 3831, 2659, 208}

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d\sqrt{a-b}\sqrt{a+b}} + \frac{(bB - aC) \tanh^{-1}(\sin(c + dx))}{b^2d} + \frac{C \tan(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] ((b*B - a*C)*ArcTanh[Sin[c + d*x]])/(b^2*d) + (2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + (C*Tan[c + d*x])/(b*d)

Rule 4082

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] >: -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{C \tan(c+dx)}{bd} + \frac{\int \frac{\sec(c+dx)(Ab+(bB-aC)\sec(c+dx))}{a+b\sec(c+dx)} dx}{b} \\
&= \frac{C \tan(c+dx)}{bd} + \frac{(bB-aC) \int \sec(c+dx) dx}{b^2} + \left(A - \frac{a(bB-aC)}{b^2} \right) \\
&= \frac{(bB-aC) \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{C \tan(c+dx)}{bd} + \frac{\left(A - \frac{a(bB-aC)}{b^2} \right)}{\sqrt{a-bb^2}\sqrt{a}} \\
&= \frac{(bB-aC) \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{C \tan(c+dx)}{bd} + \frac{2(Ab^2-a(bB-aC)) \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{a-bb^2}}\right)}{\sqrt{a-bb^2}\sqrt{a}} \\
&= \frac{(bB-aC) \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{2(Ab^2-a(bB-aC)) \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{a-bb^2}}\right)}{\sqrt{a-bb^2}\sqrt{a}}
\end{aligned}$$

Mathematica [C] time = 2.43875, size = 365, normalized size = 3.44

$$2 \cos(c+dx)(a \cos(c+dx) + b) \left(A + B \sec(c+dx) + C \sec^2(c+dx) \right) \left(- \frac{2i(\cos(c)-i\sin(c))(a(aC-bB)+Ab^2) \tan^{-1}\left(\frac{(\sin(c)+i\cos(c))(\tan(c+dx))}{\sqrt{a^2-b^2}\sqrt{\cos(c)-i\sin(c)}}\right)}{\sqrt{a^2-b^2}\sqrt{(\cos(c)-i\sin(c))^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (2*Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(b*B - a*C)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]) + (b*B - a*C)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - ((2*I)*(A*b^2 + a*(-b*B) + a*C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2])*(Cos[c] - I*Sin[c]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]) + (b*C*Sin[(d*x)/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (b*C*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(b^2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x]))

Maple [B] time = 0.075, size = 272, normalized size = 2.6

$$2 \frac{A}{d\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) - 2 \frac{Ba}{db\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) + 2 \frac{C}{db\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x)`

[Out] $2/d/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*A-2/d*a/b/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B+2/d*a^2/b^2/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*C-1/d/b/(\tan(1/2*d*x+1/2*c)+1)*C+1/d/b*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*C*a-1/d/b/(\tan(1/2*d*x+1/2*c)-1)*C-1/d/b*\ln(\tan(1/2*d*x+1/2*c)-1)*B+1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*C*a$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 11.3571, size = 1085, normalized size = 10.24

$$\left[\frac{(Ca^2 - Bab + Ab^2)\sqrt{a^2 - b^2} \cos(dx + c) \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right) - (Ca^3 - 3Caa^2b + 3Caa^2b - Cb^3)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)), x, algorithm="fricas")`

```
[Out] [1/2*((C*a^2 - B*a*b + A*b^2)*sqrt(a^2 - b^2)*cos(d*x + c)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - (C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*cos(d*x + c)*log(sin(d*x + c) + 1) + (C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*(C*a^2*b - C*b^3)*sin(d*x + c))/((a^2*b^2 - b^4)*d*cos(d*x + c)), 1/2*(2*(C*a^2 - B*a*b + A*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))*cos(d*x + c) - (C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*cos(d*x + c)*log(sin(d*x + c) + 1) + (C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*(C*a^2*b - C*b^3)*sin(d*x + c))/((a^2*b^2 - b^4)*d*cos(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x)), x)
```

Giac [A] time = 1.32987, size = 243, normalized size = 2.29

$$\frac{(Ca-Bb) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b^2} - \frac{(Ca-Bb) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b^2} + \frac{2C \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1} b + \frac{2(Ca^2 - Bab + Ab^2) \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2a-2b) + \arctan\left(\frac{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}}\right)\right)}{\sqrt{-a^2+b^2} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -((C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^2 - (C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^2 + 2*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*b) + 2*(C*a^2 - B*a*b + A*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/
```

$$2) * \operatorname{sgn}(2*a - 2*b) + \arctan\left(\frac{a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c)}{\sqrt{-a^2 + b^2}}\right) / (\sqrt{-a^2 + b^2} * b^2) / d$$

$$3.903 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=94

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{abd\sqrt{a-b}\sqrt{a+b}} + \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c+dx))}{bd}$$

[Out] (A*x)/a + (C*ArcTanh[Sin[c + d*x]])/(b*d) - (2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*b*Sqrt[a + b]*d)

Rubi [A] time = 0.172202, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4050, 3770, 3919, 3831, 2659, 208}

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{abd\sqrt{a-b}\sqrt{a+b}} + \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c+dx))}{bd}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]),x]

[Out] (A*x)/a + (C*ArcTanh[Sin[c + d*x]])/(b*d) - (2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*b*Sqrt[a + b]*d)

Rule 4050

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[C/b, Int[Csc[e + f*x], x], x] + Dist[1/b, Int[(A*b + (b*B - a*C)*Csc[e + f*x])/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{a + b \sec(c + dx)} dx &= \frac{\int \frac{Ab + (bB - aC) \sec(c + dx)}{a + b \sec(c + dx)} dx}{b} + \frac{C \int \sec(c + dx) dx}{b} \\
 &= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{bd} - \left(\frac{Ab}{a} - B + \frac{aC}{b} \right) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx \\
 &= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{bd} - \frac{\left(\frac{Ab}{a} - B + \frac{aC}{b} \right) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{b} \\
 &= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{bd} - \frac{\left(2 \left(\frac{Ab}{a} - B + \frac{aC}{b} \right) \right) \text{Subst} \left(\int \frac{1}{1 + \frac{a}{b} + \left(\frac{1-a}{b} \right) x^2} dx, \right)}{bd} \\
 &= \frac{Ax}{a} + \frac{C \tanh^{-1}(\sin(c + dx))}{bd} - \frac{2 \left(\frac{Ab}{a} - B + \frac{aC}{b} \right) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+bd}}
 \end{aligned}$$

Mathematica [C] time = 0.52008, size = 261, normalized size = 2.78

$$2 \left(A \cos^2(c + dx) + B \cos(c + dx) + C \right) \left(2(\sin(c) + i \cos(c)) (a(aC - bB) + Ab^2) \tan^{-1} \left(\frac{(\sin(c) + i \cos(c)) \left(\tan\left(\frac{dx}{2}\right) (a \cos(c) - b) + a \right)}{\sqrt{a^2 - b^2} \sqrt{(\cos(c) - i \sin(c))^2}} \right) \right)$$

$$abd \sqrt{a^2 - b^2} \sqrt{(\cos(c) - i \sin(c))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]),x]

[Out] (2*(C + B*Cos[c + d*x] + A*Cos[c + d*x]^2)*(Sqrt[a^2 - b^2]*(A*b*d*x - a*C*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + a*C*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])*Sqrt[(Cos[c] - I*Sin[c])^2] + 2*(A*b^2 + a*(-(b*B) + a*C))*ArcTan[(((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c]))*Tan[(d*x)/2]))]/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(I*Cos[c] + Sin[c]))/(a*b*Sqrt[a^2 - b^2]*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sqrt[(Cos[c] - I*Sin[c])^2])

Maple [B] time = 0.081, size = 202, normalized size = 2.2

$$2 \frac{A \arctan(\tan(1/2 dx + c/2))}{ad} - 2 \frac{Ab}{ad \sqrt{(a+b)(a-b)}} \operatorname{Arctanh}\left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) + 2 \frac{B}{d \sqrt{(a+b)(a-b)}} \operatorname{Arctanh}\left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)

[Out] 2/a/d*A*arctan(tan(1/2*d*x+1/2*c))-2/d*b/a/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+2/d*B/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))-2/d/b*a/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+1/d/b*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/b*ln(tan(1/2*d*x+1/2*c)-1)*C

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 6.41009, size = 824, normalized size = 8.77

$$\frac{2(Aa^2b - Ab^3)dx + (Ca^2 - Bab + Ab^2)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2)\cos(dx+c)^2 - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a)\sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{2(a^3b - ab^3)d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] [1/2*(2*(A*a^2*b - A*b^3)*d*x + (C*a^2 - B*a*b + A*b^2)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (C*a^3 - C*a*b^2)*log(sin(d*x + c) + 1) - (C*a^3 - C*a*b^2)*log(-sin(d*x + c) + 1))/((a^3*b - a*b^3)*d), 1/2*(2*(A*a^2*b - A*b^3)*d*x - 2*(C*a^2 - B*a*b + A*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))) + (C*a^3 - C*a*b^2)*log(sin(d*x + c) + 1) - (C*a^3 - C*a*b^2)*log(-sin(d*x + c) + 1))/((a^3*b - a*b^3)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a + b*sec(c + d*x)), x)
```


Giac [A] time = 1.33198, size = 201, normalized size = 2.14

$$\frac{(dx+c)A}{a} + \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b} - \frac{C \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b} - \frac{2(Ca^2 - Bab + Ab^2) \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}}\right) \right)}{\sqrt{-a^2+b^2} ab} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)*A/a + C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b - C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b - 2*(C*a^2 - B*a*b + A*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*a*b))/d

$$3.904 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=98

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(Ab - aB)}{a^2} + \frac{A \sin(c+dx)}{ad}$$

[Out] -(((A*b - a*B)*x)/a^2) + (2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]*d) + (A*Sin[c + d*x])/(a*d)

Rubi [A] time = 0.216397, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {4104, 3919, 3831, 2659, 208}

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(Ab - aB)}{a^2} + \frac{A \sin(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])), x]

[Out] -(((A*b - a*B)*x)/a^2) + (2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]*d) + (A*Sin[c + d*x])/(a*d)

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol]
:> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{a+b \sec(c+dx)} dx &= \frac{A \sin(c+dx)}{ad} - \frac{\int \frac{Ab-aB-aC \sec(c+dx)}{a+b \sec(c+dx)} dx}{a} \\
&= -\frac{(Ab-aB)x}{a^2} + \frac{A \sin(c+dx)}{ad} + \left(\frac{b(Ab-aB)}{a^2} + C \right) \int \frac{\sec(c+dx)}{a+b \sec(c+dx)} dx \\
&= -\frac{(Ab-aB)x}{a^2} + \frac{A \sin(c+dx)}{ad} + \frac{\left(\frac{b(Ab-aB)}{a^2} + C \right) \int \frac{1}{1+\frac{a \cos(c+dx)}{b}} dx}{b} \\
&= -\frac{(Ab-aB)x}{a^2} + \frac{A \sin(c+dx)}{ad} + \frac{\left(2 \left(\frac{b(Ab-aB)}{a^2} + C \right) \right) \text{Subst} \left(\int \frac{1}{1+u} du \right)}{b} \\
&= -\frac{(Ab-aB)x}{a^2} + \frac{2 \left(\frac{b(Ab-aB)}{a^2} + C \right) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c+dx) \right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+bd}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.232455, size = 92, normalized size = 0.94

$$\frac{2(a(aC-bB)+Ab^2) \tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{(c+dx)(aB-Ab) + aA \sin(c+dx)}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] ((-(A*b) + a*B)*(c + d*x) - (2*(A*b^2 + a*(-(b*B) + a*C))*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + a*A*Sin[c + d*x])/(a^2*d)

Maple [B] time = 0.11, size = 216, normalized size = 2.2

$$2 \frac{A \tan(1/2 dx + c/2)}{ad(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{Ab \arctan(\tan(1/2 dx + c/2))}{da^2} + 2 \frac{\arctan(\tan(1/2 dx + c/2)) B}{ad} + 2 \frac{Ab^2}{da^2 \sqrt{(a+b)(a-b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)

[Out] 2/d*A/a*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-2/d*A/a^2*b*arctan(tan(1/2*d*x+1/2*c))+2/a/d*arctan(tan(1/2*d*x+1/2*c))*B+2/d/a^2/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^2-2/d/a/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B*b+2/d/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.56765, size = 724, normalized size = 7.39

$$\frac{2(Ba^3 - Aa^2b - Bab^2 + Ab^3)dx + (Ca^2 - Bab + Ab^2)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c)}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{2(a^4 - a^2b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/2*(2*(B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*d*x + (C*a^2 - B*a*b + A*b^2)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(A*a^3 - A*a*b^2)*sin(d*x + c))/((a^4 - a^2*b^2)*d), ((B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*d*x + (C*a^2 - B*a*b + A*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (A*a^3 - A*a*b^2)*sin(d*x + c))/((a^4 - a^2*b^2)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \cos(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*cos(c + d*x)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.24374, size = 197, normalized size = 2.01

$$\frac{\frac{(Ba-Ab)(dx+c)}{a^2} + \frac{2A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)a} + \frac{2(Ca^2 - Bab + Ab^2) \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}}\right) \right)}{\sqrt{-a^2+b^2}a^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] ((B*a - A*b)*(d*x + c)/a^2 + 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a) + 2*(C*a^2 - B*a*b + A*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*a^2))/d

$$3.905 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=145

$$\frac{2b(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(a^2(A+2C) - 2abB + 2Ab^2)}{2a^3} - \frac{(Ab - aB) \sin(c+dx)}{a^2 d} + \frac{A \sin(c+dx)}{a^2 d}$$

[Out] $((2A^2b^2 - 2AabB + a^2(A + 2C))x)/(2a^3) - (2b(Ab^2 - a(bB - aC)) \operatorname{ArcTanh}[\operatorname{Sqrt}[a - b] \operatorname{Tan}[(c + dx)/2]]/\operatorname{Sqrt}[a + b])/(a^3 \operatorname{Sqrt}[a - b] \operatorname{Sqrt}[a + b] d) - ((Ab - aB) \operatorname{Sin}[c + dx])/(a^2 d) + (A \operatorname{Cos}[c + dx] \operatorname{Sin}[c + dx])/(2a^2 d)$

Rubi [A] time = 0.452222, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4104, 3919, 3831, 2659, 208}

$$\frac{2b(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(a^2(A+2C) - 2abB + 2Ab^2)}{2a^3} - \frac{(Ab - aB) \sin(c+dx)}{a^2 d} + \frac{A \sin(c+dx)}{a^2 d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cos}[c + dx]^2(A + B \operatorname{Sec}[c + dx] + C \operatorname{Sec}[c + dx]^2))/(a + b \operatorname{Sec}[c + dx]), x]$

[Out] $((2A^2b^2 - 2AabB + a^2(A + 2C))x)/(2a^3) - (2b(Ab^2 - a(bB - aC)) \operatorname{ArcTanh}[\operatorname{Sqrt}[a - b] \operatorname{Tan}[(c + dx)/2]]/\operatorname{Sqrt}[a + b])/(a^3 \operatorname{Sqrt}[a - b] \operatorname{Sqrt}[a + b] d) - ((Ab - aB) \operatorname{Sin}[c + dx])/(a^2 d) + (A \operatorname{Cos}[c + dx] \operatorname{Sin}[c + dx])/(2a^2 d)$

Rule 4104

$\operatorname{Int}[(A + \operatorname{csc}[e + f x] + (B + \operatorname{csc}[e + f x])^2(C + \operatorname{csc}[e + f x])) \operatorname{csc}[e + f x] (d + \operatorname{csc}[e + f x])^n (A + B \operatorname{csc}[e + f x] + C \operatorname{csc}[e + f x]^2)] / (a + b \operatorname{csc}[e + f x])^m, x] \rightarrow \operatorname{Simp}[(A \operatorname{Cot}[e + f x] (a + b \operatorname{Csc}[e + f x])^{m+1} (d + \operatorname{Csc}[e + f x])^n) / (a f n), x] + \operatorname{Dist}[1 / (a d n), \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^m (d + \operatorname{Csc}[e + f x])^{n+1} \operatorname{Simp}[a B n - A b (m + n + 1) + a(A + A n + C n) C \operatorname{sc}[e + f x] + A b (m + n + 2) \operatorname{Csc}[e + f x]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d,$

$e, f, A, B, C, m, x]$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{LeQ}[n, -1]$

Rule 3919

$\text{Int}[(\text{csc}[e] + (f \cdot x) \cdot d) + c] / (\text{csc}[e] + (f \cdot x) \cdot b) + a, x_{\text{Symbol}}] \rightarrow \text{Simp}[c \cdot x / a, x] - \text{Dist}[(b \cdot c - a \cdot d) / a, \text{Int}[\text{Csc}[e + f \cdot x] / (a + b \cdot \text{Csc}[e + f \cdot x]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, x\}$ && $\text{NeQ}[b \cdot c - a \cdot d, 0]$

Rule 3831

$\text{Int}[\text{csc}[e] + (f \cdot x) \cdot b] / (\text{csc}[e] + (f \cdot x) \cdot b) + a, x_{\text{Symbol}}] \rightarrow \text{Dist}[1/b, \text{Int}[1/(1 + (a \cdot \text{Sin}[e + f \cdot x])/b), x], x] /;$ $\text{FreeQ}\{a, b, e, f, x\}$ && $\text{NeQ}[a^2 - b^2, 0]$

Rule 2659

$\text{Int}[(a) + (b \cdot \sin[\pi/2 + (c) + (d \cdot x)])^{-1}, x_{\text{Symbol}}] \rightarrow \text{With}\{e = \text{FreeFactors}[\text{Tan}[(c + d \cdot x)/2], x]\}, \text{Dist}[(2 \cdot e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b) \cdot e^2 \cdot x^2), x], x, \text{Tan}[(c + d \cdot x)/2]/e], x] /;$ $\text{FreeQ}\{a, b, c, d, x\}$ && $\text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a) + (b \cdot x^2)^{-1}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /;$ $\text{FreeQ}\{a, b, x\}$ && $\text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2ad} - \frac{\int \frac{\cos(c+dx)(2(Ab-aB)-a(A+2C)\sec(c+dx))}{a+b\sec(c+dx)}}{2a} \\
&= -\frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} + \frac{\int \frac{2A}{a+b\sec(c+dx)}}{2a} \\
&= \frac{(2Ab^2-2abB+a^2(A+2C))x}{2a^3} - \frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A}{a} \\
&= \frac{(2Ab^2-2abB+a^2(A+2C))x}{2a^3} - \frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A}{a} \\
&= \frac{(2Ab^2-2abB+a^2(A+2C))x}{2a^3} - \frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A}{a} \\
&= \frac{(2Ab^2-2abB+a^2(A+2C))x}{2a^3} - \frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A}{a} \\
&= \frac{(2Ab^2-2abB+a^2(A+2C))x}{2a^3} - \frac{2b(Ab^2-a(bB-aC))\tan^{-1}\left(\frac{b-a\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^3\sqrt{a-b^2}}
\end{aligned}$$

Mathematica [A] time = 0.436987, size = 131, normalized size = 0.9

$$\frac{2(c+dx)(a^2(A+2C)-2abB+2Ab^2) + \frac{8b(a(aC-bB)+Ab^2)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + a^2A\sin(2(c+dx)) + 4a(ab-Ab)\sin(c+dx)}{4a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (2*(2*A*b^2 - 2*a*b*B + a^2*(A + 2*C))*(c + d*x) + (8*b*(A*b^2 + a*(-(b*B) + a*C))*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]/Sqrt[a^2 - b^2] + 4*a*(-(A*b) + a*B)*Sin[c + d*x] + a^2*A*Ssin[2*(c + d*x)])/(4*a^3*d)

Maple [B] time = 0.123, size = 434, normalized size = 3.

$$-\frac{A}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2} - 2 \frac{(\tan(1/2 dx + c/2))^3 Ab}{da^2 (1 + (\tan(1/2 dx + c/2))^2)^2} + 2 \frac{(\tan(1/2 dx + c/2))^3 B}{ad (1 + (\tan(1/2 dx + c/2))^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & -1/a/d/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A-2/d/a^2/(1+\tan(1/2 \\ & *d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A*b+2/a/d/(1+\tan(1/2*d*x+1/2*c))^2* \\ & \tan(1/2*d*x+1/2*c)^3*B+1/a/d/(1+\tan(1/2*d*x+1/2*c))^2*A*\tan(1/2*d*x+1/2*c \\ &)-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A*b+2/a/d/(1+\tan(1/ \\ & 2*d*x+1/2*c))^2*B*\tan(1/2*d*x+1/2*c)+1/a/d*A*\arctan(\tan(1/2*d*x+1/2*c))+2 \\ & /d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*A*b^2-2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))* \\ & B*b+2/a/d*\arctan(\tan(1/2*d*x+1/2*c))*C-2/d*b^3/a^3/((a+b)*(a-b))^(1/2)*\arct \\ & \operatorname{anh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+2/d*B/a^2/((a+b)*(a-b)) \\ & ^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*b^2-2/d*b/a/((\\ & a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.591216, size = 1004, normalized size = 6.92

$$\left[\frac{\left((A+2C)a^4 - 2Ba^3b + (A-2C)a^2b^2 + 2Bab^3 - 2Ab^4 \right) dx + \left(Ca^2b - Bab^2 + Ab^3 \right) \sqrt{a^2 - b^2} \log \left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)}{a^2 c} \right)}{2(a^5 - b^5)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/2*((A+2*C)*a^4 - 2*B*a^3*b + (A-2*C)*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4) \\ & *d*x + (C*a^2*b - B*a*b^2 + A*b^3)*\operatorname{sqrt}(a^2 - b^2)*\log((2*a*b*\cos(d*x + c) \end{aligned}$$

$$\begin{aligned}
& - (a^2 - 2b^2)\cos(dx + c)^2 - 2\sqrt{a^2 - b^2}(b\cos(dx + c) + a)\sin(dx + c) + 2(a^2 - b^2)/(a^2\cos(dx + c)^2 + 2ab\cos(dx + c) + b^2) + \\
& (2Ba^4 - 2Aa^3b - 2Ba^2b^2 + 2Aab^3 + (Aa^4 - Aa^2b^2)\cos(dx + c))\sin(dx + c)/((a^5 - a^3b^2)d), 1/2*((A + 2C)a^4 - 2Ba^3b + (A - 2C)a^2b^2 + 2Bab^3 - 2Ab^4)d*x - 2*(Ca^2b - B*ab^2 + Ab^3)\sqrt{-a^2 + b^2}\arctan(-\sqrt{-a^2 + b^2}(b\cos(dx + c) + a)/((a^2 - b^2)\sin(dx + c))) + (2Ba^4 - 2Aa^3b - 2Ba^2b^2 + 2Aab^3 + (Aa^4 - Aa^2b^2)\cos(dx + c))\sin(dx + c)/((a^5 - a^3b^2)d)]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \cos^2(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+b*sec(dx+c)), x)

[Out] Integral((A + B*sec(c + dx) + C*sec(c + dx)**2)*cos(c + dx)**2/(a + b*sec(c + dx)), x)

Giac [A] time = 1.22908, size = 323, normalized size = 2.23

$$\frac{(Aa^2+2Ca^2-2Bab+2Ab^2)(dx+c)}{a^3} - \frac{4(Ca^2b-Bab^2+Ab^3)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{-a^2+b^2}}\right)\right)}{\sqrt{-a^2+b^2}a^3} - \frac{2\left(Aa\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^3}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c)), x, algorithm="giac")

[Out] 1/2*((Aa^2 + 2Ca^2 - 2B*ab + 2Ab^2)*(dx + c)/a^3 - 4*(Ca^2b - B*ab^2 + Ab^3)*(pi*floor(1/2*(dx + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/sqrt(-a^2 + b^2)*a^3) - 2*(Aa*tan(1/2*d*x + 1/2*c)^3 - 2*B*ab*tan(1/2*d*x + 1/2*c)^3 + 2*Ab*tan(1/2*d*x + 1/2*c)^3 - Aa*tan(1/2*d*x + 1/2*c) - 2*B*ab*tan(1/2*d*x + 1/2*c) - 2*Ab*tan(1/2*d*x + 1/2*c))

$$\frac{1}{2}dx + \frac{1}{2}c + 2Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \left(\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)^2 + 1 \right)^{2a} / d$$

$$3.906 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=205

$$\frac{\sin(c+dx)(a^2(2A+3C)-3abB+3Ab^2)}{3a^3d} + \frac{2b^2(Ab^2-a(bB-aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d\sqrt{a-b}\sqrt{a+b}} - \frac{x(a^2b(A+2C)+a^3)}{2}$$

[Out] -((2*A*b^3 - a^3*B - 2*a*b^2*B + a^2*b*(A + 2*C))*x)/(2*a^4) + (2*b^2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*Sqrt[a - b]*Sqrt[a + b]*d) + ((3*A*b^2 - 3*a*b*B + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*a^3*d) - ((A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) + (A*cos[c + d*x]^2*sin[c + d*x])/(3*a*d)

Rubi [A] time = 0.740061, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4104, 3919, 3831, 2659, 208}

$$\frac{\sin(c+dx)(a^2(2A+3C)-3abB+3Ab^2)}{3a^3d} + \frac{2b^2(Ab^2-a(bB-aC)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d\sqrt{a-b}\sqrt{a+b}} - \frac{x(a^2b(A+2C)+a^3)}{2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] -((2*A*b^3 - a^3*B - 2*a*b^2*B + a^2*b*(A + 2*C))*x)/(2*a^4) + (2*b^2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*Sqrt[a - b]*Sqrt[a + b]*d) + ((3*A*b^2 - 3*a*b*B + a^2*(2*A + 3*C))*Sin[c + d*x])/(3*a^3*d) - ((A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) + (A*cos[c + d*x]^2*sin[c + d*x])/(3*a*d)

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C

```
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad} - \frac{\int \frac{\cos^2(c+dx)(3(Ab-aB)-a(2A+3C)\sec(c+dx))}{a+b\sec(c+dx)} dx}{3a} \\
&= -\frac{(Ab-aB)\cos(c+dx)\sin(c+dx)}{2a^2d} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad} \\
&= \frac{(3Ab^2-3abB+a^2(2A+3C))\sin(c+dx)}{3a^3d} - \frac{(Ab-aB)\cos(c+dx)}{3a} \\
&= -\frac{(2Ab^3-a^3B-2ab^2B+a^2b(A+2C))x}{2a^4} + \frac{(3Ab^2-3abB+a^2(2A+3C))\sin(c+dx)}{3a^3d} \\
&= -\frac{(2Ab^3-a^3B-2ab^2B+a^2b(A+2C))x}{2a^4} + \frac{(3Ab^2-3abB+a^2(2A+3C))\sin(c+dx)}{3a^3d} \\
&= -\frac{(2Ab^3-a^3B-2ab^2B+a^2b(A+2C))x}{2a^4} + \frac{(3Ab^2-3abB+a^2(2A+3C))\sin(c+dx)}{3a^3d} \\
&= -\frac{(2Ab^3-a^3B-2ab^2B+a^2b(A+2C))x}{2a^4} + \frac{2b^2(Ab^2-a(bB+a^2C))\tan(c+dx)}{12a^4d}
\end{aligned}$$

Mathematica [A] time = 0.602023, size = 178, normalized size = 0.87

$$\frac{6(c+dx)(-a^2b(A+2C)+a^3B+2ab^2B-2Ab^3)+3a\sin(c+dx)(a^2(3A+4C)-4abB+4Ab^2)-\frac{24b^2(a(aC-bB)+Ab^2)\tan(c+dx)}{\sqrt{a^2-b^2}}}{12a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (6*(-2*A*b^3 + a^3*B + 2*a*b^2*B - a^2*b*(A + 2*C))*(c + d*x) - (24*b^2*(A*b^2 + a*(-(b*B) + a*C))*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])]/Sqrt[a^2 - b^2] + 3*a*(4*A*b^2 - 4*a*b*B + a^2*(3*A + 4*C))*Sin[c + d*x] + 3*a^2*(-(A*b) + a*B)*Sin[2*(c + d*x)] + a^3*A*Ssin[3*(c + d*x)]/(12*a^4*d)

Maple [B] time = 0.137, size = 814, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c)), x)$

[Out]
$$\begin{aligned} & 2/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*A+1/d/a^2/(1+\tan(1/2* \\ & d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*A*b+2/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^3 \\ & *\tan(1/2*d*x+1/2*c)^5*A*b^2-1/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/ \\ & 2*c))^5*B-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c))^5*B*b+2/d/a/ \\ & (1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c))^5*C+4/3/d/a/(1+\tan(1/2*d*x+1/ \\ & 2*c))^2)^3*\tan(1/2*d*x+1/2*c))^3*A+4/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2 \\ & *d*x+1/2*c))^3*A*b^2-4/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c))^3 \\ & *B*b+4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c))^3*C+2/d/a/(1+\tan(1 \\ & /2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c))^3*A+2/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^3* \\ & \tan(1/2*d*x+1/2*c))^3*A*b^2-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2 \\ & *c))^3*B*b+2/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c))^3*C-1/d/a^2/(1+\tan \\ & (1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c))^3*A*b+1/d/a/(1+\tan(1/2*d*x+1/2*c))^2) \\ & ^3*\tan(1/2*d*x+1/2*c))^3*B-1/d*A/a^2*b*\arctan(\tan(1/2*d*x+1/2*c))-2/d/a^4*\arct \\ & \tan(\tan(1/2*d*x+1/2*c))^3*A*b^3+1/a*d*\arctan(\tan(1/2*d*x+1/2*c))^3*B+2/d/a^3*\ar \\ & \tan(\tan(1/2*d*x+1/2*c))^3*B*b^2-2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))^3*b*C+2/d*b^ \\ & 4/a^4/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1 \\ & /2))*A-2/d*b^3/a^3/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a \\ & +b)*(a-b))^(1/2))*B+2/d*b^2/a^2/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d \\ & *x+1/2*c))/((a+b)*(a-b))^(1/2))*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c)), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [A] time = 0.624831, size = 1301, normalized size = 6.35

$$\int \frac{3(Ba^5 - (A + 2C)a^4b + Ba^3b^2 - (A - 2C)a^2b^3 - 2Bab^4 + 2Ab^5)dx + 3(Ca^2b^2 - Bab^3 + Ab^4)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx)}{\dots}\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x,
algorithm="fricas")
```

```
[Out] [1/6*(3*(B*a^5 - (A + 2*C)*a^4*b + B*a^3*b^2 - (A - 2*C)*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*d*x + 3*(C*a^2*b^2 - B*a*b^3 + A*b^4)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (2*(2*A + 3*C)*a^5 - 6*B*a^4*b + 2*(A - 3*C)*a^3*b^2 + 6*B*a^2*b^3 - 6*A*a*b^4 + 2*(A*a^5 - A*a^3*b^2)*cos(d*x + c)^2 + 3*(B*a^5 - A*a^4*b - B*a^3*b^2 + A*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d), 1/6*(3*(B*a^5 - (A + 2*C)*a^4*b + B*a^3*b^2 - (A - 2*C)*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*d*x + 6*(C*a^2*b^2 - B*a*b^3 + A*b^4)*sqrt(-a^2 + b^2)*arc tan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*(2*A + 3*C)*a^5 - 6*B*a^4*b + 2*(A - 3*C)*a^3*b^2 + 6*B*a^2*b^3 - 6*A*a*b^4 + 2*(A*a^5 - A*a^3*b^2)*cos(d*x + c)^2 + 3*(B*a^5 - A*a^4*b - B*a^3*b^2 + A*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x
)
```

```
[Out] Timed out
```

Giac [B] time = 1.29894, size = 572, normalized size = 2.79

$$\frac{3(Ba^3 - Aa^2b - 2Ca^2b + 2Bab^2 - 2Ab^3)(dx+c)}{a^4} + \frac{12(Ca^2b^2 - Bab^3 + Ab^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{\sqrt{-a^2+b^2}a^4} + \frac{2(6Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 3Aa^2)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x,
algorithm="giac")

[Out] 1/6*(3*(B*a^3 - A*a^2*b - 2*C*a^2*b + 2*B*a*b^2 - 2*A*b^3)*(d*x + c)/a^4 + 12*(C*a^2*b^2 - B*a*b^3 + A*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*a^4) + 2*(6*A*a^2*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*tan(1/2*d*x + 1/2*c)^5 + 3*A*a*b*tan(1/2*d*x + 1/2*c)^5 - 6*B*a*b*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 4*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 12*C*a^2*tan(1/2*d*x + 1/2*c)^3 - 12*B*a*b*tan(1/2*d*x + 1/2*c)^3 + 12*A*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*A*a^2*tan(1/2*d*x + 1/2*c) + 3*B*a^2*tan(1/2*d*x + 1/2*c) + 6*C*a^2*tan(1/2*d*x + 1/2*c) - 3*A*a*b*tan(1/2*d*x + 1/2*c) - 6*B*a*b*tan(1/2*d*x + 1/2*c) + 6*A*b^2*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^3))/d

$$3.907 \quad \int \frac{\cos^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=276

$$\frac{\sin(c+dx)(a^2b(2A+3C)-2a^3B-3ab^2B+3Ab^3)}{3a^4d} + \frac{\sin(c+dx)\cos(c+dx)(a^2(3A+4C)-4abB+4Ab^2)}{8a^3d} - \frac{2b^3}{\dots}$$

[Out] $((8A^2b^4 - 4a^3b^3B - 8a^2b^2B^2 + 4a^2b^2(A + 2C) + a^4(3A + 4C)) * x) / (8a^5) - (2b^3(Ab^2 - a(bB - aC)) * \text{ArcTanh}[\text{Sqrt}[a - b] * \text{Tan}[(c + dx) / 2]] / \text{Sqrt}[a + b]) / (a^5 * \text{Sqrt}[a - b] * \text{Sqrt}[a + b] * d) - ((3A^2b^3 - 2a^3B - 3a^2b^2B + a^2b(2A + 3C)) * \text{Sin}[c + dx]) / (3a^4d) + ((4A^2b^2 - 4a^2bB + a^2(3A + 4C)) * \text{Cos}[c + dx] * \text{Sin}[c + dx]) / (8a^3d) - ((Ab - aB) * \text{Cos}[c + dx]^2 * \text{Sin}[c + dx]) / (3a^2d) + (A * \text{Cos}[c + dx]^3 * \text{Sin}[c + dx]) / (4a^2d)$

Rubi [A] time = 1.10384, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4104, 3919, 3831, 2659, 208}

$$\frac{\sin(c+dx)(a^2b(2A+3C)-2a^3B-3ab^2B+3Ab^3)}{3a^4d} + \frac{\sin(c+dx)\cos(c+dx)(a^2(3A+4C)-4abB+4Ab^2)}{8a^3d} - \frac{2b^3}{\dots}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + dx]^4(A + B \text{Sec}[c + dx] + C \text{Sec}[c + dx]^2)) / (a + b \text{Sec}[c + dx]), x]$

[Out] $((8A^2b^4 - 4a^3b^3B - 8a^2b^2B^2 + 4a^2b^2(A + 2C) + a^4(3A + 4C)) * x) / (8a^5) - (2b^3(Ab^2 - a(bB - aC)) * \text{ArcTanh}[\text{Sqrt}[a - b] * \text{Tan}[(c + dx) / 2]] / \text{Sqrt}[a + b]) / (a^5 * \text{Sqrt}[a - b] * \text{Sqrt}[a + b] * d) - ((3A^2b^3 - 2a^3B - 3a^2b^2B + a^2b(2A + 3C)) * \text{Sin}[c + dx]) / (3a^4d) + ((4A^2b^2 - 4a^2bB + a^2(3A + 4C)) * \text{Cos}[c + dx] * \text{Sin}[c + dx]) / (8a^3d) - ((Ab - aB) * \text{Cos}[c + dx]^2 * \text{Sin}[c + dx]) / (3a^2d) + (A * \text{Cos}[c + dx]^3 * \text{Sin}[c + dx]) / (4a^2d)$

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A\cos^3(c+dx)\sin(c+dx)}{4ad} - \int \frac{\cos^3(c+dx)(4(Ab-aB)-a(3A+4C)\sec(c+dx))}{a+b\sec(c+dx)} dx \\
&= -\frac{(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3a^2d} + \frac{A\cos^3(c+dx)\sin(c+dx)}{4ad} \\
&= \frac{(4Ab^2-4abB+a^2(3A+4C))\cos(c+dx)\sin(c+dx)}{8a^3d} - \frac{A\cos^3(c+dx)\sin(c+dx)}{4ad} \\
&= -\frac{(3Ab^3-2a^3B-3ab^2B+a^2b(2A+3C))\sin(c+dx)}{3a^4d} + \frac{A\cos^3(c+dx)\sin(c+dx)}{4ad} \\
&= \frac{(8Ab^4-4a^3bB-8ab^3B+4a^2b^2(A+2C)+a^4(3A+4C))\sin(c+dx)}{8a^5} \\
&= \frac{(8Ab^4-4a^3bB-8ab^3B+4a^2b^2(A+2C)+a^4(3A+4C))\sin(c+dx)}{8a^5} \\
&= \frac{(8Ab^4-4a^3bB-8ab^3B+4a^2b^2(A+2C)+a^4(3A+4C))\sin(c+dx)}{8a^5} \\
&= \frac{(8Ab^4-4a^3bB-8ab^3B+4a^2b^2(A+2C)+a^4(3A+4C))\sin(c+dx)}{8a^5}
\end{aligned}$$

Mathematica [A] time = 0.831756, size = 235, normalized size = 0.85

$$\frac{12(c+dx)(4a^2b^2(A+2C)+a^4(3A+4C)-4a^3bB-8ab^3B+8Ab^4)+24a^2\sin(2(c+dx))(a^2(A+C)-abB+Ab^2)}{8a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (12*(8*A*b^4 - 4*a^3*b*B - 8*a*b^3*B + 4*a^2*b^2*(A + 2*C) + a^4*(3*A + 4*C))*(c + d*x) + (192*b^3*(A*b^2 + a*(-(b*B) + a*C))*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + 24*a*(-4*A*b^3 + 3*a^3*B + 4*a*b^2*B - a^2*b*(3*A + 4*C))*Sin[c + d*x] + 24*a^2*(A*b^2 - a*b*B + a^2*(A + C))*Sin[2*(c + d*x)] + 8*a^3*(-(A*b) + a*B)*Sin[3*(c + d*x)] + 3*a^4*A

$\text{Sin}[4*(c + d*x)]/(96*a^5*d)$

Maple [B] time = 0.134, size = 1580, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^4*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c)), x)$

[Out] $\frac{1}{a/d} \arctan(\tan(1/2*d*x+1/2*c)) * C + \frac{3}{4} \frac{1}{a/d} * A \arctan(\tan(1/2*d*x+1/2*c)) - \frac{1}{d}$
 $\frac{1}{a^2} \arctan(\tan(1/2*d*x+1/2*c)) * B * b - \frac{10}{3} \frac{1}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^3 * A * b - \frac{10}{3} \frac{1}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^5 * A * b$
 $-\frac{1}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c) * B * b + \frac{6}{d/a^3} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^5 * b^2 * B - \frac{2}{d/a^4} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c) * A * b^3 - \frac{6}{d/a^4} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^5 * A * b^3$
 $+ \frac{1}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^5 * B * b - \frac{2}{d/a^4} \arctan(\tan(1/2*d*x+1/2*c)) * b^3 * B + \frac{2}{d/a^3} \arctan(\tan(1/2*d*x+1/2*c)) * C * b^2$
 $-\frac{5}{4} \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^7 * A + \frac{2}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^7 * B - \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^7 * C$
 $+\frac{10}{3} \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^5 * B + \frac{3}{4} \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^5 * A - \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^5 * C$
 $-\frac{3}{4} \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^3 * A + \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^3 * C$
 $+\frac{10}{3} \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^3 * B + \frac{5}{4} \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c) * A + \frac{1}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c) * C$
 $+\frac{2}{d/a} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c) * B + \frac{2}{d/a^5} \arctan(\tan(1/2*d*x+1/2*c)) * A * b^4 - \frac{6}{d/a^4} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^3 * A * b^3 - \frac{6}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^5 * b * C$
 $+\frac{1}{d/a^3} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^3 * A * b^2 - \frac{6}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^3 * b * C$
 $+\frac{2}{d/a^4} \frac{1}{((a+b)*(a-b))^{1/2}} \arctanh((a-b)*\tan(1/2*d*x+1/2*c)) / ((a+b)*(a-b))^{1/2} * B - \frac{2}{d/a^3} \frac{1}{((a+b)*(a-b))^{1/2}} \arctanh((a-b)*\tan(1/2*d*x+1/2*c)) / ((a+b)*(a-b))^{1/2} * C$
 $-\frac{1}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^3 * B * b + \frac{2}{d/a^3} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c) * b^2 * B - \frac{2}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c) * b * C$
 $+\frac{1}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^7 * B * b + \frac{1}{d/a^3} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c) * A * b^2 - \frac{2}{d/a^2} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c) * A * b^2 - \frac{2}{d/a^3} \arctan(\tan(1/2*d*x+1/2*c)) * A * b^2$
 $-\frac{2}{d/a^5} \frac{1}{((a+b)*(a-b))^{1/2}} \arctanh((a-b)*\tan(1/2*d*x+1/2*c)) / ((a+b)*(a-b))^{1/2} * A - \frac{1}{d/a^3} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^7 * A * b^2 - \frac{2}{d/a^4} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)^7 * A * b^3$
 $+\frac{6}{d/a^3} \frac{1}{(1+\tan(1/2*d*x+1/2*c)^2)^4} \tan(1/2*d*x+1/2*c)$

$$\begin{aligned} &^2)^4 \tan(1/2 dx + 1/2 c)^3 b^2 B + 2/d/a^3 / (1 + \tan(1/2 dx + 1/2 c))^2)^4 \tan(1/2 \\ &dx + 1/2 c)^7 b^2 B - 2/d/a^2 / (1 + \tan(1/2 dx + 1/2 c))^2)^4 \tan(1/2 dx + 1/2 c)^7 \\ &b^2 C - 1/d/a^3 / (1 + \tan(1/2 dx + 1/2 c))^2)^4 \tan(1/2 dx + 1/2 c)^5 A b^2 - 2/d/a^2 / \\ &(1 + \tan(1/2 dx + 1/2 c))^2)^4 \tan(1/2 dx + 1/2 c)^7 A b \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c)),x,
algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.703641, size = 1690, normalized size = 6.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c)),x,
algorithm="fricas")

[Out]
$$\begin{aligned} &[1/24*(3*((3*A + 4*C)*a^6 - 4*B*a^5*b + (A + 4*C)*a^4*b^2 - 4*B*a^3*b^3 + 4 \\ &*(A - 2*C)*a^2*b^4 + 8*B*a*b^5 - 8*A*b^6)*dx + 12*(C*a^2*b^3 - B*a*b^4 + A \\ &b^5)*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(dx + c) - (a^2 - 2*b^2)*\cos(dx + c))^2 \\ &- 2*\sqrt{a^2 - b^2}*(b*\cos(dx + c) + a)*\sin(dx + c) + 2*a^2 - b^2)/(a^2 \\ &*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + b^2)) + (16*B*a^6 - 8*(2*A + 3*C)*a^ \\ &5*b + 8*B*a^4*b^2 - 8*(A - 3*C)*a^3*b^3 - 24*B*a^2*b^4 + 24*A*a*b^5 + 6*(A* \\ &a^6 - A*a^4*b^2)*\cos(dx + c)^3 + 8*(B*a^6 - A*a^5*b - B*a^4*b^2 + A*a^3*b^ \\ &3)*\cos(dx + c)^2 + 3*((3*A + 4*C)*a^6 - 4*B*a^5*b + (A - 4*C)*a^4*b^2 + 4* \\ &B*a^3*b^3 - 4*A*a^2*b^4)*\cos(dx + c))*\sin(dx + c))/((a^7 - a^5*b^2)*d), 1 \\ &/24*(3*((3*A + 4*C)*a^6 - 4*B*a^5*b + (A + 4*C)*a^4*b^2 - 4*B*a^3*b^3 + 4*(\\ &A - 2*C)*a^2*b^4 + 8*B*a*b^5 - 8*A*b^6)*dx - 24*(C*a^2*b^3 - B*a*b^4 + A*b \\ &^5)*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(dx + c) + a)/((a^2 - \\ &b^2)*\sin(dx + c))) + (16*B*a^6 - 8*(2*A + 3*C)*a^5*b + 8*B*a^4*b^2 - 8*(A \\ &- 3*C)*a^3*b^3 - 24*B*a^2*b^4 + 24*A*a*b^5 + 6*(A*a^6 - A*a^4*b^2)*\cos(dx \\ &+ c)^3 + 8*(B*a^6 - A*a^5*b - B*a^4*b^2 + A*a^3*b^3)*\cos(dx + c)^2 + 3*((3 \end{aligned}$$

```
*A + 4*C)*a^6 - 4*B*a^5*b + (A - 4*C)*a^4*b^2 + 4*B*a^3*b^3 - 4*A*a^2*b^4)*
cos(d*x + c))*sin(d*x + c))/((a^7 - a^5*b^2)*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x
)
```

[Out] Timed out

Giac [B] time = 1.31537, size = 1081, normalized size = 3.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x,
algorithm="giac")
```

```
[Out] 1/24*(3*(3*A*a^4 + 4*C*a^4 - 4*B*a^3*b + 4*A*a^2*b^2 + 8*C*a^2*b^2 - 8*B*a*
b^3 + 8*A*b^4)*(d*x + c)/a^5 - 48*(C*a^2*b^3 - B*a*b^4 + A*b^5)*(pi*floor(1
/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) -
b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/sqrt(-a^2 + b^2)*a^5) - 2*(15*A
*a^3*tan(1/2*d*x + 1/2*c)^7 - 24*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 12*C*a^3*ta
n(1/2*d*x + 1/2*c)^7 + 24*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 12*B*a^2*b*tan(1
/2*d*x + 1/2*c)^7 + 24*C*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 12*A*a*b^2*tan(1/2*
d*x + 1/2*c)^7 - 24*B*a*b^2*tan(1/2*d*x + 1/2*c)^7 + 24*A*b^3*tan(1/2*d*x +
1/2*c)^7 - 9*A*a^3*tan(1/2*d*x + 1/2*c)^5 - 40*B*a^3*tan(1/2*d*x + 1/2*c)^
5 + 12*C*a^3*tan(1/2*d*x + 1/2*c)^5 + 40*A*a^2*b*tan(1/2*d*x + 1/2*c)^5 - 1
2*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 72*C*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 12*A
*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 72*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 72*A*b^
3*tan(1/2*d*x + 1/2*c)^5 + 9*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^3*tan(1/
2*d*x + 1/2*c)^3 - 12*C*a^3*tan(1/2*d*x + 1/2*c)^3 + 40*A*a^2*b*tan(1/2*d*x
+ 1/2*c)^3 + 12*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 + 72*C*a^2*b*tan(1/2*d*x +
1/2*c)^3 - 12*A*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 72*B*a*b^2*tan(1/2*d*x + 1/2
```


$$\begin{aligned} & *c)^3 + 72*A*b^3*\tan(1/2*d*x + 1/2*c)^3 - 15*A*a^3*\tan(1/2*d*x + 1/2*c) - 2 \\ & 4*B*a^3*\tan(1/2*d*x + 1/2*c) - 12*C*a^3*\tan(1/2*d*x + 1/2*c) + 24*A*a^2*b*t \\ & \tan(1/2*d*x + 1/2*c) + 12*B*a^2*b*\tan(1/2*d*x + 1/2*c) + 24*C*a^2*b*\tan(1/2* \\ & d*x + 1/2*c) - 12*A*a*b^2*\tan(1/2*d*x + 1/2*c) - 24*B*a*b^2*\tan(1/2*d*x + 1 \\ & /2*c) + 24*A*b^3*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^4*a^4) \\ &)/d \end{aligned}$$

$$3.908 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=407

$$\frac{\tan(c+dx)(-a^2b^2(6A-7C)+9a^3bB-12a^4C-6ab^3B+b^4(3A+2C))}{3b^4d(a^2-b^2)} + \frac{(6a^2bB-8a^3C-2ab^2(2A+C)+b^3B)\tan(c+dx)}{2b^5d}$$

[Out] ((6*a^2*b*B + b^3*B - 8*a^3*C - 2*a*b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*b^5*d) + (2*a^2*(2*a^2*A*b^2 - 3*A*b^4 - 3*a^3*b*B + 4*a*b^3*B + 4*a^4*C - 5*a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^5*(a + b)^(3/2)*d) - ((9*a^3*b*B - 6*a*b^3*B - a^2*b^2*(6*A - 7*C) - 12*a^4*C + b^4*(3*A + 2*C))*Tan[c + d*x])/(3*b^4*(a^2 - b^2)*d) + ((3*a^2*b*B - b^3*B - 2*a*b^2*(A - C) - 4*a^3*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) + ((3*A*b^2 - 3*a*b*B + 4*a^2*C - b^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^3*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.73952, antiderivative size = 407, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.22$, Rules used = {4098, 4102, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{\tan(c+dx)(-a^2b^2(6A-7C)+9a^3bB-12a^4C-6ab^3B+b^4(3A+2C))}{3b^4d(a^2-b^2)} + \frac{(6a^2bB-8a^3C-2ab^2(2A+C)+b^3B)\tan(c+dx)}{2b^5d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((6*a^2*b*B + b^3*B - 8*a^3*C - 2*a*b^2*(2*A + C))*ArcTanh[Sin[c + d*x]])/(2*b^5*d) + (2*a^2*(2*a^2*A*b^2 - 3*A*b^4 - 3*a^3*b*B + 4*a*b^3*B + 4*a^4*C - 5*a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^5*(a + b)^(3/2)*d) - ((9*a^3*b*B - 6*a*b^3*B - a^2*b^2*(6*A - 7*C) - 12*a^4*C + b^4*(3*A + 2*C))*Tan[c + d*x])/(3*b^4*(a^2 - b^2)*d) + ((3*a^2*b*B - b^3*B - 2*a*b^2*(A - C) - 4*a^3*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) + ((3*A*b^2 - 3*a*b*B + 4*a^2*C - b^2*C)*Sec[c + d*x]^2*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^3*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

$3*\tan[c + d*x]/(b*(a^2 - b^2)*d*(a + b*\sec[c + d*x]))$

Rule 4098

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= -\frac{(Ab^2-a(bB-aC))\sec^3(c+dx)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\sec^3(c+dx)}{(a+b\sec(c+dx))^2} dx \\
&= \frac{(3Ab^2-3abB+4a^2C-b^2C)\sec^2(c+dx)\tan(c+dx)}{3b^2(a^2-b^2)d} - \frac{(Ab^2-a(bB-aC))\sec^3(c+dx)\tan(c+dx)}{b(a^2-b^2)d} \\
&= \frac{(3a^2bB-b^3B-2ab^2(A-C)-4a^3C)\sec(c+dx)\tan(c+dx)}{2b^3(a^2-b^2)d} \\
&= -\frac{(9a^3bB-6ab^3B-a^2b^2(6A-7C)-12a^4C+b^4(3A+2C))}{3b^4(a^2-b^2)d} \\
&= -\frac{(9a^3bB-6ab^3B-a^2b^2(6A-7C)-12a^4C+b^4(3A+2C))}{3b^4(a^2-b^2)d} \\
&= \frac{(6a^2bB+b^3B-8a^3C-2ab^2(2A+C))\tanh^{-1}(\sin(c+dx))}{2b^5d} \\
&= \frac{(6a^2bB+b^3B-8a^3C-2ab^2(2A+C))\tanh^{-1}(\sin(c+dx))}{2b^5d} \\
&= \frac{(6a^2bB+b^3B-8a^3C-2ab^2(2A+C))\tanh^{-1}(\sin(c+dx))}{2b^5d}
\end{aligned}$$

Mathematica [A] time = 3.81893, size = 605, normalized size = 1.49

$$(a \cos(c+dx) + b) (A + B \sec(c+dx) + C \sec^2(c+dx)) \left(6 (-6a^2bB + 8a^3C + 2ab^2(2A+C) - b^3B) (a \cos(c+dx) + b) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

```
[Out] ((b + a*cos[c + d*x])*(A + B*sec[c + d*x] + C*sec[c + d*x]^2)*((-24*a^2*(-3
*A*b^4 - 3*a^3*b*B + 4*a*b^3*B + a^2*b^2*(2*A - 5*C) + 4*a^4*C)*ArcTanh[((-
a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*cos[c + d*x]))/(a^2 - b^2)
^(3/2) + 6*(-6*a^2*b*B - b^3*B + 8*a^3*C + 2*a*b^2*(2*A + C))*(b + a*cos[c
+ d*x])*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 6*(6*a^2*b*B + b^3*B - 8
*a^3*C - 2*a*b^2*(2*A + C))*(b + a*cos[c + d*x])*Log[Cos[(c + d*x)/2] + Sin
[(c + d*x)/2]] + (b*(-6*a^2*A*b^3 + 6*A*b^5 + 9*a^3*b^2*B - 9*a*b^4*B - 12*
a^4*b*C + 4*a^2*b^3*C + 8*b^5*C + (27*a^4*b*B - 24*a^2*b^3*B + 6*b^5*B + a*
b^4*(9*A - 2*C) - 36*a^5*C + a^3*b^2*(-18*A + 29*C))*Cos[c + d*x] + b*(-a^2
+ b^2)*(6*A*b^2 - 9*a*b*B + 12*a^2*C + 4*b^2*C))*Cos[2*(c + d*x)] - 6*a^3*A
*b^2*cos[3*(c + d*x)] + 3*a*A*b^4*cos[3*(c + d*x)] + 9*a^4*b*B*cos[3*(c + d
*x)] - 6*a^2*b^3*B*cos[3*(c + d*x)] - 12*a^5*C*cos[3*(c + d*x)] + 7*a^3*b^2
*C*cos[3*(c + d*x)] + 2*a*b^4*C*cos[3*(c + d*x)])*Sec[c + d*x]^2*Tan[c + d*
x])/(-a^2 + b^2)))/(6*b^5*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*(c + d*x)
])*(a + b*Sec[c + d*x])^2)
```

Maple [B] time = 0.117, size = 1254, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)
```

```
[Out] -6/d*a^2/b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)
/((a+b)*(a-b))^(1/2))*A+8/d*a^6/b^5/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh
((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-10/d*a^4/b^3/(a+b)/(a-b)/
((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+
1/2/d/b^2*ln(tan(1/2*d*x+1/2*c)+1)*B-1/2/d/b^2*ln(tan(1/2*d*x+1/2*c)-1)*B+8
/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)
/((a+b)*(a-b))^(1/2))*B+4/d*a^4/b^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh
((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-1/3/d*C/b^2/(tan(1/2*d*x+1
/2*c)-1)^3+1/2/d/b^2/(tan(1/2*d*x+1/2*c)-1)^2*B-1/2/d/b^2/(tan(1/2*d*x+1/2*
c)-1)^2*C-1/d/b^2/(tan(1/2*d*x+1/2*c)-1)*A+1/2/d/b^2/(tan(1/2*d*x+1/2*c)-1)
*B-1/3/d*C/b^2/(tan(1/2*d*x+1/2*c)+1)^3-1/2/d/b^2/(tan(1/2*d*x+1/2*c)+1)^2*
B+1/2/d/b^2/(tan(1/2*d*x+1/2*c)+1)^2*C-6/d*a^5/b^4/(a+b)/(a-b)/((a+b)*(a-b)
)^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-1/d/b^3*ln(
tan(1/2*d*x+1/2*c)+1)*a*C+1/d/b^3*ln(tan(1/2*d*x+1/2*c)-1)*a*C-1/d/b^2/(tan
(1/2*d*x+1/2*c)+1)*A+1/2/d/b^2/(tan(1/2*d*x+1/2*c)+1)*B-1/d/b^2/(tan(1/2*d*
x+1/2*c)-1)*C-1/d/b^2/(tan(1/2*d*x+1/2*c)+1)*C+2/d*a^4/b^3/(a^2-b^2)*tan(1/
2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*B-1/d/b^3/
(tan(1/2*d*x+1/2*c)+1)*a*C-2/d*a^5/b^4/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/
```

$$2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*C-3/d/b^4/(\tan(1/2*d*x+1/2*c)+1)*a^2*C-4/d/b^5*\ln(\tan(1/2*d*x+1/2*c)+1)*a^3*C-3/d/b^4/(\tan(1/2*d*x+1/2*c)-1)*a^2*C-3/d/b^4*\ln(\tan(1/2*d*x+1/2*c)-1)*B*a^2+4/d/b^5*\ln(\tan(1/2*d*x+1/2*c)-1)*a^3*C+2/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*A*a-1/d/b^3/(\tan(1/2*d*x+1/2*c)-1)*a*C+1/d/b^3/(\tan(1/2*d*x+1/2*c)+1)^2*a*C+2/d/b^3/(\tan(1/2*d*x+1/2*c)-1)*B*a-2/d/b^3*\ln(\tan(1/2*d*x+1/2*c)+1)*A*a+3/d/b^4*\ln(\tan(1/2*d*x+1/2*c)+1)*B*a^2-1/d/b^3/(\tan(1/2*d*x+1/2*c)-1)^2*a*C+2/d/b^3/(\tan(1/2*d*x+1/2*c)+1)*B*a-2/d*a^3/b^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*A$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**4/(a + b*sec(c + d*x))**2, x)
```

Giac [A] time = 1.4407, size = 846, normalized size = 2.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] 1/6*(12*(4*C*a^6 - 3*B*a^5*b + 2*A*a^4*b^2 - 5*C*a^4*b^2 + 4*B*a^3*b^3 - 3*A*a^2*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^2*b^5 - b^7)*sqrt(-a^2 + b^2)) - 12*(C*a^5*tan(1/2*d*x + 1/2*c) - B*a^4*b*tan(1/2*d*x + 1/2*c) + A*a^3*b^2*tan(1/2*d*x + 1/2*c))/((a^2*b^4 - b^6)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)) - 3*(8*C*a^3 - 6*B*a^2*b + 4*A*a*b^2 + 2*C*a*b^2 - B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^5 + 3*(8*C*a^3 - 6*B*a^2*b + 4*A*a*b^2 + 2*C*a*b^2 - B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^5 - 2*(18*C*a^2*tan(1/2*d*x + 1/2*c)^5 - 12*B*a*b*tan(1/2*d*x + 1/2*c)^5 + 6*C*a*b*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*tan(1/2*d*x + 1/2*c)^5 - 3*B*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*C*b^2*tan(1/2*d*x + 1/2*c)^5 - 36*C*a^2*tan(1/2*d*x + 1/2*c)^3 + 24*B*a*b*tan(1/2*d*x + 1/2*c)^3 - 12*A*b^2*tan(1/2*d*x + 1/2*c)^3 - 4*C*b^2*tan(1/2*d*x + 1/2*c)^3 + 18*C*a^2*tan(1/2*d*x + 1/2*c) - 12*B*a*b*tan(1/2*d*x + 1/2*c) - 6*C*a*b*tan(1/2*d*x + 1/2*c) + 6*A*b^2*tan(1/2*d*x + 1/2*c) + 3*B*b^2*tan(1/2*d*x + 1/2*c) + 6*C*b^2*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^3*b^4)/d
```


$$3.909 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=312

$$\frac{\tan(c+dx)(2a^2bB - 3a^3C - ab^2(A-2C) - b^3B)}{b^3d(a^2 - b^2)} + \frac{(6a^2C - 4abB + 2Ab^2 + b^2C) \tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{2a(a^2Ab^2 - \dots)}{\dots}$$

[Out] $((2A*b^2 - 4a*b*B + 6a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) - (2*a*(a^2*A*b^2 - 2*A*b^4 - 2*a^3*b*B + 3*a*b^3*B + 3*a^4*C - 4*a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^4*(a + b)^(3/2)*d) + ((2*a^2*b*B - b^3*B - a*b^2*(A - 2*C) - 3*a^3*C)*Tan[c + d*x])/(b^3*(a^2 - b^2)*d) + ((2*A*b^2 - 2*a*b*B + 3*a^2*C - b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 1.2334, antiderivative size = 312, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4098, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{\tan(c+dx)(2a^2bB - 3a^3C - ab^2(A-2C) - b^3B)}{b^3d(a^2 - b^2)} + \frac{(6a^2C - 4abB + 2Ab^2 + b^2C) \tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{2a(a^2Ab^2 - \dots)}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2, x]

[Out] $((2A*b^2 - 4a*b*B + 6a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) - (2*a*(a^2*A*b^2 - 2*A*b^4 - 2*a^3*b*B + 3*a*b^3*B + 3*a^4*C - 4*a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^4*(a + b)^(3/2)*d) + ((2*a^2*b*B - b^3*B - a*b^2*(A - 2*C) - 3*a^3*C)*Tan[c + d*x])/(b^3*(a^2 - b^2)*d) + ((2*A*b^2 - 2*a*b*B + 3*a^2*C - b^2*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rule 4098

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

Rule 4092

```

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[
(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x
_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 4082

```

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

```

Rule 3998

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/(csc[
(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f

```

}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= -\frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\sec^2(c+dx)}{a+b\sec(c+dx)} dx \\
 &= \frac{(2Ab^2-2abB+3a^2C-b^2C)\sec(c+dx)\tan(c+dx)}{2b^2(a^2-b^2)d} - \frac{(Ab^2-a(bB-aC))\sec(c+dx)\tan(c+dx)}{b(a^2-b^2)d} \\
 &= \frac{(2a^2bB-b^3B-ab^2(A-2C)-3a^3C)\tan(c+dx)}{b^3(a^2-b^2)d} + \frac{(2Ab^2-a(bB-aC))\sec(c+dx)\tan(c+dx)}{b(a^2-b^2)d} \\
 &= \frac{(2a^2bB-b^3B-ab^2(A-2C)-3a^3C)\tan(c+dx)}{b^3(a^2-b^2)d} + \frac{(2Ab^2-a(bB-aC))\sec(c+dx)\tan(c+dx)}{b(a^2-b^2)d} \\
 &= \frac{(2Ab^2-4abB+6a^2C+b^2C)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{(2a^2bB-b^3B-ab^2(A-2C)-3a^3C)\tan(c+dx)}{b^3(a^2-b^2)d} \\
 &= \frac{(2Ab^2-4abB+6a^2C+b^2C)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{(2a^2bB-b^3B-ab^2(A-2C)-3a^3C)\tan(c+dx)}{b^3(a^2-b^2)d} \\
 &= \frac{(2Ab^2-4abB+6a^2C+b^2C)\tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{2a(a^2-b^2)}{b^3(a^2-b^2)d}
 \end{aligned}$$

Mathematica [A] time = 2.85377, size = 519, normalized size = 1.66

$$(a \cos(c + dx) + b) \left(A + B \sec(c + dx) + C \sec^2(c + dx) \right) \left(\frac{4a^2 b \sin(c + dx) (a(aC - bB) + Ab^2)}{(b-a)(a+b)} - 2(6a^2C - 4abB + 2Ab^2 + b^2C) \right) (a \cos(c + dx) + b)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((8*a*(-2*A*b^4 - 2*a^3*b*B + 3*a*b^3*B + a^2*b^2*(A - 4*C) + 3*a^4*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*Cos[c + d*x]))/(a^2 - b^2)^(3/2) - 2*(2*A*b^2 - 4*a*b*B + 6*a^2*C + b^2*C)*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*(2*A*b^2 - 4*a*b*B + 6*a^2*C + b^2*C)*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^2*C*(b + a*Cos[c + d*x]))/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (4*b*(b*B - 2*a*C)*(b + a*Cos[c + d*x])*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (b^2*C*(b + a*Cos[c + d*x]))/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*b*(b*B - 2*a*C)*(b + a*Cos[c + d*x])*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + (4*a^2*b*(A*b^2 + a*(-(b*B) + a*C))*Sin[c + d*x])/((-a + b)*(a + b)))/(2*b^4*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x])^2)

Maple [B] time = 0.105, size = 926, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)

[Out] -6/d*a^5/b^4/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*C+4/d*a^4/b^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*B-6/d*a^2/b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*B-2/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*A+8/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh

$$\begin{aligned} & ((a-b)\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C+1/2/d/b^2/(\tan(1/2*d*x+1/2 \\ & *c)-1)^2*C-1/d/b^2/(\tan(1/2*d*x+1/2*c)-1)*B-1/2/d/b^2/(\tan(1/2*d*x+1/2*c)+1 \\ &)^2*C+1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*A+1/2/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1) \\ & *C-1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*A-1/2/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*C- \\ & 1/d/b^2/(\tan(1/2*d*x+1/2*c)+1)*B+1/2/d/b^2/(\tan(1/2*d*x+1/2*c)-1)*C+1/2/d/b \\ & ^2/(\tan(1/2*d*x+1/2*c)+1)*C+2/d/b^3/(\tan(1/2*d*x+1/2*c)+1)*a*C-2/d/b^3*\ln(t \\ & an(1/2*d*x+1/2*c)+1)*B*a+2/d/b^3/(\tan(1/2*d*x+1/2*c)-1)*a*C+3/d/b^4*\ln(\tan(\\ & 1/2*d*x+1/2*c)+1)*a^2*C+2/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*B*a-3/d/b^4*\ln(\tan \\ & (1/2*d*x+1/2*c)-1)*a^2*C+2/d*a^2/b/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d* \\ & x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*A-2/d*a^3/b^2/(a^2-b^2)*\tan(1/2*d* \\ & x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*B+4/d*a/(a+b)/ \\ & (a-b)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1 \\ & /2)})*A+2/d*a^4/b^3/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan \\ & (1/2*d*x+1/2*c)^2*b-a-b)*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x
, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 160.142, size = 3341, normalized size = 10.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x
, algorithm="fricas")

[Out] [1/4*(2*((3*C*a^6 - 2*B*a^5*b + (A - 4*C)*a^4*b^2 + 3*B*a^3*b^3 - 2*A*a^2*b^4)*cos(d*x + c)^3 + (3*C*a^5*b - 2*B*a^4*b^2 + (A - 4*C)*a^3*b^3 + 3*B*a^2*b^4 - 2*A*a*b^5)*cos(d*x + c)^2)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) +

```

((6*C*a^7 - 4*B*a^6*b + (2*A - 11*C)*a^5*b^2 + 8*B*a^4*b^3 - 4*(A - C)*a^3*
b^4 - 4*B*a^2*b^5 + (2*A + C)*a*b^6)*cos(d*x + c)^3 + (6*C*a^6*b - 4*B*a^5*
b^2 + (2*A - 11*C)*a^4*b^3 + 8*B*a^3*b^4 - 4*(A - C)*a^2*b^5 - 4*B*a*b^6 +
(2*A + C)*b^7)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - ((6*C*a^7 - 4*B*a^6*
b + (2*A - 11*C)*a^5*b^2 + 8*B*a^4*b^3 - 4*(A - C)*a^3*b^4 - 4*B*a^2*b^5 +
(2*A + C)*a*b^6)*cos(d*x + c)^3 + (6*C*a^6*b - 4*B*a^5*b^2 + (2*A - 11*C)*a
^4*b^3 + 8*B*a^3*b^4 - 4*(A - C)*a^2*b^5 - 4*B*a*b^6 + (2*A + C)*b^7)*cos(d
*x + c)^2)*log(-sin(d*x + c) + 1) + 2*(C*a^4*b^3 - 2*C*a^2*b^5 + C*b^7 - 2*
(3*C*a^6*b - 2*B*a^5*b^2 + (A - 5*C)*a^4*b^3 + 3*B*a^3*b^4 - (A - 2*C)*a^2*
b^5 - B*a*b^6)*cos(d*x + c)^2 - (3*C*a^5*b^2 - 2*B*a^4*b^3 - 6*C*a^3*b^4 +
4*B*a^2*b^5 + 3*C*a*b^6 - 2*B*b^7)*cos(d*x + c))*sin(d*x + c))/((a^5*b^4 -
2*a^3*b^6 + a*b^8)*d*cos(d*x + c)^3 + (a^4*b^5 - 2*a^2*b^7 + b^9)*d*cos(d*x
+ c)^2), -1/4*(4*((3*C*a^6 - 2*B*a^5*b + (A - 4*C)*a^4*b^2 + 3*B*a^3*b^3 -
2*A*a^2*b^4)*cos(d*x + c)^3 + (3*C*a^5*b - 2*B*a^4*b^2 + (A - 4*C)*a^3*b^3
+ 3*B*a^2*b^4 - 2*A*a*b^5)*cos(d*x + c)^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-
a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - ((6*C*a^7 - 4
*B*a^6*b + (2*A - 11*C)*a^5*b^2 + 8*B*a^4*b^3 - 4*(A - C)*a^3*b^4 - 4*B*a^2
*b^5 + (2*A + C)*a*b^6)*cos(d*x + c)^3 + (6*C*a^6*b - 4*B*a^5*b^2 + (2*A -
11*C)*a^4*b^3 + 8*B*a^3*b^4 - 4*(A - C)*a^2*b^5 - 4*B*a*b^6 + (2*A + C)*b^7
)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) + ((6*C*a^7 - 4*B*a^6*b + (2*A - 11
*C)*a^5*b^2 + 8*B*a^4*b^3 - 4*(A - C)*a^3*b^4 - 4*B*a^2*b^5 + (2*A + C)*a*b
^6)*cos(d*x + c)^3 + (6*C*a^6*b - 4*B*a^5*b^2 + (2*A - 11*C)*a^4*b^3 + 8*B*
a^3*b^4 - 4*(A - C)*a^2*b^5 - 4*B*a*b^6 + (2*A + C)*b^7)*cos(d*x + c)^2)*lo
g(-sin(d*x + c) + 1) - 2*(C*a^4*b^3 - 2*C*a^2*b^5 + C*b^7 - 2*(3*C*a^6*b -
2*B*a^5*b^2 + (A - 5*C)*a^4*b^3 + 3*B*a^3*b^4 - (A - 2*C)*a^2*b^5 - B*a*b^6
)*cos(d*x + c)^2 - (3*C*a^5*b^2 - 2*B*a^4*b^3 - 6*C*a^3*b^4 + 4*B*a^2*b^5 +
3*C*a*b^6 - 2*B*b^7)*cos(d*x + c))*sin(d*x + c))/((a^5*b^4 - 2*a^3*b^6 + a
*b^8)*d*cos(d*x + c)^3 + (a^4*b^5 - 2*a^2*b^7 + b^9)*d*cos(d*x + c)^2)]

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.38434, size = 578, normalized size = 1.85

$$\frac{4(3Ca^5 - 2Ba^4b + Aa^3b^2 - 4Ca^3b^2 + 3Ba^2b^3 - 2Aab^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^4 - b^6) \sqrt{-a^2+b^2}} - \frac{4 \left(Ca^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Ba^3b \right)}{(a^2b^3 - b^5) \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x
, algorithm="giac")

[Out]
$$\frac{-1/2*(4*(3*C*a^5 - 2*B*a^4*b + A*a^3*b^2 - 4*C*a^3*b^2 + 3*B*a^2*b^3 - 2*A*a*b^4)*(pi*\operatorname{floor}(1/2*(d*x + c)/pi + 1/2)*\operatorname{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))) / ((a^2*b^4 - b^6)*\sqrt{-a^2 + b^2}) - 4*(C*a^4*\tan(1/2*d*x + 1/2*c) - B*a^3*b*\tan(1/2*d*x + 1/2*c) + A*a^2*b^2*\tan(1/2*d*x + 1/2*c)) / ((a^2*b^3 - b^5)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)) - (6*C*a^2 - 4*B*a*b + 2*A*b^2 + C*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1)) / b^4 + (6*C*a^2 - 4*B*a*b + 2*A*b^2 + C*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1)) / b^4 - 2*(4*C*a*\tan(1/2*d*x + 1/2*c)^3 - 2*B*b*\tan(1/2*d*x + 1/2*c)^3 + C*b*\tan(1/2*d*x + 1/2*c)^3 - 4*C*a*\tan(1/2*d*x + 1/2*c) + 2*B*b*\tan(1/2*d*x + 1/2*c) + C*b*\tan(1/2*d*x + 1/2*c)) / ((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*b^3)}{d}$$

$$3.910 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=177

$$\frac{2(3a^2b^2C + a^3bB - 2a^4C - 2ab^3B + Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a \tan(c+dx)(Ab^2 - a(bB - aC))}{b^2d(a^2 - b^2)(a+b \sec(c+dx))} + \frac{(bB - 2aC)}{b^2d(a^2 - b^2)(a+b \sec(c+dx))}$$

[Out] ((b*B - 2*a*C)*ArcTanh[Sin[c + d*x]])/(b^3*d) - (2*(A*b^4 + a^3*b*B - 2*a*b^3*B - 2*a^4*C + 3*a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^3*(a + b)^(3/2)*d) + (C*Tan[c + d*x])/(b^2*d) + (a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.64743, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4090, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{2(3a^2b^2C + a^3bB - 2a^4C - 2ab^3B + Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a \tan(c+dx)(Ab^2 - a(bB - aC))}{b^2d(a^2 - b^2)(a+b \sec(c+dx))} + \frac{(bB - 2aC)}{b^2d(a^2 - b^2)(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((b*B - 2*a*C)*ArcTanh[Sin[c + d*x]])/(b^3*d) - (2*(A*b^4 + a^3*b*B - 2*a*b^3*B - 2*a^4*C + 3*a^2*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^3*(a + b)^(3/2)*d) + (C*Tan[c + d*x])/(b^2*d) + (a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4090

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), x]

2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B - a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} + \int \frac{\sec(c+dx)(-b(Ab^2-a(bB-aC)))}{(a+b\sec(c+dx))^2} dx \\
&= \frac{C\tan(c+dx)}{b^2d} + \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} + \int \frac{\sec(c+dx)}{(a+b\sec(c+dx))^2} dx \\
&= \frac{C\tan(c+dx)}{b^2d} + \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} + \frac{(bB-2aC)\tanh^{-1}(\sin(c+dx))}{b^3d} \\
&= \frac{(bB-2aC)\tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{C\tan(c+dx)}{b^2d} + \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{(bB-2aC)\tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{C\tan(c+dx)}{b^2d} + \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{(bB-2aC)\tanh^{-1}(\sin(c+dx))}{b^3d} - \frac{2(Ab^4+a^3bB-2ab^3B-2a^2b^2C)}{(a^2-b^2)^{3/2}}
\end{aligned}$$

Mathematica [B] time = 3.00144, size = 382, normalized size = 2.16

$$2(a\cos(c+dx)+b)(A+B\sec(c+dx)+C\sec^2(c+dx)) \left(\frac{2(a^2bB-2a^3C+3ab^2C-2b^3B)+Ab^4}{(a^2-b^2)^{3/2}} \right) \tanh^{-1} \left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (2*(b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(A*b^4 + a*(a^2*b*B - 2*b^3*B - 2*a^3*C + 3*a*b^2*C))*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*Cos[c + d*x]))/(a^2 - b^2)^(3/2) - (b*B - 2*a*C)*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + (b*B - 2*a*C)*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b

$$\frac{C(b + a\cos[c + dx])\sin[(c + dx)/2]}{(\cos[(c + dx)/2] - \sin[(c + dx)/2])} + \frac{(bC(b + a\cos[c + dx])\sin[(c + dx)/2])}{(\cos[(c + dx)/2] + \sin[(c + dx)/2])} + \frac{(ab(Ab^2 + a(-bB) + aC))\sin[c + dx]}{((a - b)(a + b))} \frac{1}{(b^3d(A + 2C + 2B\cos[c + dx] + A\cos[2(c + dx)])^2(a + b\sec[c + dx])^2)}$$

Maple [B] time = 0.092, size = 630, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^2,x)`

[Out]
$$\begin{aligned} & -2/da/(a^2-b^2)*\tan(1/2*dx+1/2*c)/(\tan(1/2*dx+1/2*c)^2*a-\tan(1/2*dx+1/2*c)^2*b-a-b)*A+2/da^2/b/(a^2-b^2)*\tan(1/2*dx+1/2*c)/(\tan(1/2*dx+1/2*c)^2 \\ & *a-\tan(1/2*dx+1/2*c)^2*b-a-b)*B-2/da^3/b^2/(a^2-b^2)*\tan(1/2*dx+1/2*c)/(\tan(1/2*dx+1/2*c)^2*a-\tan(1/2*dx+1/2*c)^2*b-a-b)*C-2/d*b/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*dx+1/2*c)/((a+b)*(a-b))^{1/2})*A-2/d \\ & *a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*dx+1/2*c)/((a+b)*(a-b))^{1/2})*B+4/da/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*dx+1/2*c)/((a+b)*(a-b))^{1/2})*C-6/da^2/b \\ & /(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*dx+1/2*c)/((a+b)*(a-b))^{1/2})*C-1/d/b^2/(\tan(1/2*dx+1/2*c)+1)*C+1/d/b^2*\ln(\tan(1/2*dx+1/2*c)+1)*B-2/d/b^3*\ln(\tan(1/2*dx+1/2*c)+1)*a*C-1/d/b^2/(\tan(1/2*dx+1/2*c)-1)*C-1/d/b^2*\ln(\tan(1/2*dx+1/2*c)-1)*B+2/d/b^3*\ln(\tan(1/2*dx+1/2*c)-1)*a*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 63.7846, size = 2514, normalized size = 14.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x
, algorithm="fricas")
```

```
[Out] [1/2*(((2*C*a^5 - B*a^4*b - 3*C*a^3*b^2 + 2*B*a^2*b^3 - A*a*b^4)*cos(d*x +
c)^2 + (2*C*a^4*b - B*a^3*b^2 - 3*C*a^2*b^3 + 2*B*a*b^4 - A*b^5)*cos(d*x +
c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2
+ 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*c
os(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - ((2*C*a^6 - B*a^5*b - 4*C*a^4*
b^2 + 2*B*a^3*b^3 + 2*C*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + (2*C*a^5*b - B*
a^4*b^2 - 4*C*a^3*b^3 + 2*B*a^2*b^4 + 2*C*a*b^5 - B*b^6)*cos(d*x + c))*log(
sin(d*x + c) + 1) + ((2*C*a^6 - B*a^5*b - 4*C*a^4*b^2 + 2*B*a^3*b^3 + 2*C*a
^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + (2*C*a^5*b - B*a^4*b^2 - 4*C*a^3*b^3 + 2
*B*a^2*b^4 + 2*C*a*b^5 - B*b^6)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(C
*a^4*b^2 - 2*C*a^2*b^4 + C*b^6 + (2*C*a^5*b - B*a^4*b^2 + (A - 3*C)*a^3*b^3
+ B*a^2*b^4 - (A - C)*a*b^5)*cos(d*x + c))*sin(d*x + c))/((a^5*b^3 - 2*a^3
*b^5 + a*b^7)*d*cos(d*x + c)^2 + (a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c)
), 1/2*(2*((2*C*a^5 - B*a^4*b - 3*C*a^3*b^2 + 2*B*a^2*b^3 - A*a*b^4)*cos(d*
x + c)^2 + (2*C*a^4*b - B*a^3*b^2 - 3*C*a^2*b^3 + 2*B*a*b^4 - A*b^5)*cos(d*
x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^
2 - b^2)*sin(d*x + c))) - ((2*C*a^6 - B*a^5*b - 4*C*a^4*b^2 + 2*B*a^3*b^3 +
2*C*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + (2*C*a^5*b - B*a^4*b^2 - 4*C*a^3*b
^3 + 2*B*a^2*b^4 + 2*C*a*b^5 - B*b^6)*cos(d*x + c))*log(sin(d*x + c) + 1) +
((2*C*a^6 - B*a^5*b - 4*C*a^4*b^2 + 2*B*a^3*b^3 + 2*C*a^2*b^4 - B*a*b^5)*c
os(d*x + c)^2 + (2*C*a^5*b - B*a^4*b^2 - 4*C*a^3*b^3 + 2*B*a^2*b^4 + 2*C*a*
b^5 - B*b^6)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(C*a^4*b^2 - 2*C*a^2*
b^4 + C*b^6 + (2*C*a^5*b - B*a^4*b^2 + (A - 3*C)*a^3*b^3 + B*a^2*b^4 - (A -
C)*a*b^5)*cos(d*x + c))*sin(d*x + c))/((a^5*b^3 - 2*a^3*b^5 + a*b^7)*d*cos
(d*x + c)^2 + (a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**2, x)

Giac [B] time = 1.38399, size = 598, normalized size = 3.38

$$\frac{2(2Ca^4 - Ba^3b - 3Ca^2b^2 + 2Bab^3 - Ab^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^3 - b^5)\sqrt{-a^2+b^2}} - \frac{2 \left(2Ca^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ba^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] (2*(2*C*a^4 - B*a^3*b - 3*C*a^2*b^2 + 2*B*a*b^3 - A*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^2*b^3 - b^5)*sqrt(-a^2 + b^2)) - 2*(2*C*a^3*tan(1/2*d*x + 1/2*c)^3 - B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - C*a^2*b*tan(1/2*d*x + 1/2*c)^3 + A*a*b^2*tan(1/2*d*x + 1/2*c)^3 - C*a*b^2*tan(1/2*d*x + 1/2*c)^3 + C*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*C*a^3*tan(1/2*d*x + 1/2*c) + B*a^2*b*tan(1/2*d*x + 1/2*c) - C*a^2*b*tan(1/2*d*x + 1/2*c) - A*a*b^2*tan(1/2*d*x + 1/2*c) + C*a*b^2*tan(1/2*d*x + 1/2*c) + C*b^3*tan(1/2*d*x + 1/2*c)))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 - 2*a*tan(1/2*d*x + 1/2*c)^2 + a + b)*(a^2*b^2 - b^4)) - (2*C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 + (2*C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^3)/d

$$3.911 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx$$

Optimal. Leaf size=148

$$\frac{2(a^3(-C) + aAb^2 + 2ab^2C - b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} - \frac{\tan(c+dx)(Ab^2 - a(bB - aC))}{bd(a^2 - b^2)(a+b\sec(c+dx))} + \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^2*d) + (2*(a*A*b^2 - b^3*B - a^3*C + 2*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^2*(a + b)^(3/2)*d) - ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.303745, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4080, 3998, 3770, 3831, 2659, 208}

$$\frac{2(a^3(-C) + aAb^2 + 2ab^2C - b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} - \frac{\tan(c+dx)(Ab^2 - a(bB - aC))}{bd(a^2 - b^2)(a+b\sec(c+dx))} + \frac{C \tanh^{-1}(\sin(c+dx))}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^2*d) + (2*(a*A*b^2 - b^3*B - a^3*C + 2*a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^2*(a + b)^(3/2)*d) - ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4080

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x],

$x]$, $x]$ /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{(Ab^2-a(bB-aC))\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{\int \frac{\sec(c+dx)(b(bB-a(A+C))-(a^2-b^2))}{a+b\sec(c+dx)} dx}{b(a^2-b^2)} \\
&= \frac{(Ab^2-a(bB-aC))\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \frac{C \int \sec(c+dx) dx}{b^2} - \frac{(b^3E)}{b^2} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^2 d} - \frac{(Ab^2-a(bB-aC))\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{(b^3E)}{b^2} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^2 d} - \frac{(Ab^2-a(bB-aC))\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{(2)}{b^2} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{2(aAb^2-b^3B-a^3C+2ab^2C)\tanh^{-1}(\sin(c+dx))}{(a-b)^{3/2}b^2(a+b)^3}
\end{aligned}$$

Mathematica [C] time = 3.0895, size = 356, normalized size = 2.41

$$\frac{2(a \cos(c+dx) + b)(A + B \sec(c+dx) + C \sec^2(c+dx))}{(a^2 - b^2)^{3/2} \sqrt{(\cos(c) - i \sin(c))^2}} \tan^{-1} \left(\frac{(\sin(c) + i \cos(c))(a^3 C - ab^2(A + 2C) + b^3 B)(a \cos(c+dx) + b)}{\sqrt{a^2 - b^2}} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]
```

```
[Out] (2*(b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(C*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]) + C*(b + a*Cos[c + d*x])*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*(b^3*B + a^3*C - a*b^2*(A + 2*C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c]))*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b + a*Cos[c + d*x])*(I*Cos[c] + Sin[c]))/((a^2 - b^2)^(3/2)*Sqrt[(Cos[c] - I*Sin[c])^2]) + (b*(A*b^2 + a*(-(b*B) + a*C))*(b*Sin[c] - a*Sin[d*x]))/(a*(a - b)*(a + b)*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])))/(b^2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x])^2)
```

Maple [B] time = 0.095, size = 470, normalized size = 3.2

$$2 \frac{b \tan(1/2 dx + c/2) A}{d(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)} - 2 \frac{\tan(1/2 dx + c/2) Ba}{d(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)`

[Out] `2/d*b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*A-2/d/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*B*a+2/d/b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*a^2*C+2/d*a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-2/d*b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-2/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+4/d*a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+1/d/b^2*ln(tan(1/2*d*x+1/2*c)+1)*C-1/d/b^2*ln(tan(1/2*d*x+1/2*c)-1)*C`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 18.0891, size = 1621, normalized size = 10.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="fricas")

[Out] [1/2*((C*a^3*b - (A + 2*C)*a*b^3 + B*b^4 + (C*a^4 - (A + 2*C)*a^2*b^2 + B*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(sin(d*x + c) + 1) - (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(C*a^4*b - B*a^3*b^2 + (A - C)*a^2*b^3 + B*a*b^4 - A*b^5)*sin(d*x + c))/((a^5*b^2 - 2*a^3*b^4 + a*b^6)*d*cos(d*x + c) + (a^4*b^3 - 2*a^2*b^5 + b^7)*d), -1/2*(2*(C*a^3*b - (A + 2*C)*a*b^3 + B*b^4 + (C*a^4 - (A + 2*C)*a^2*b^2 + B*a*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(sin(d*x + c) + 1) + (C*a^4*b - 2*C*a^2*b^3 + C*b^5 + (C*a^5 - 2*C*a^3*b^2 + C*a*b^4)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(C*a^4*b - B*a^3*b^2 + (A - C)*a^2*b^3 + B*a*b^4 - A*b^5)*sin(d*x + c))/((a^5*b^2 - 2*a^3*b^4 + a*b^6)*d*cos(d*x + c) + (a^4*b^3 - 2*a^2*b^5 + b^7)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x
)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.29616, size = 338, normalized size = 2.28

$$\frac{2(Ca^3 - Aab^2 - 2Cab^2 + Bb^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^2 - b^4) \sqrt{-a^2+b^2}} + \frac{C \log \left(\left| \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1 \right| \right)}{b^2} - \frac{C \log \left(\left| \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1 \right| \right)}{b^2}$$

d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="giac")
```

```
[Out] (2*(C*a^3 - A*a*b^2 - 2*C*a*b^2 + B*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*
sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/s
qrt(-a^2 + b^2)))/((a^2*b^2 - b^4)*sqrt(-a^2 + b^2)) + C*log(abs(tan(1/2*d*
x + 1/2*c) + 1))/b^2 - C*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^2 + 2*(C*a^2*
tan(1/2*d*x + 1/2*c) - B*a*b*tan(1/2*d*x + 1/2*c) + A*b^2*tan(1/2*d*x + 1/2
*c))/((a^2*b - b^3)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 -
a - b))/d
```

$$3.912 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=138

$$\frac{2(2a^2Ab + a^2bC + a^3(-B) - Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{\tan(c+dx)(Ab^2 - a(bB - aC))}{ad(a^2 - b^2)(a + b \sec(c+dx))} + \frac{Ax}{a^2}$$

[Out] (A*x)/a^2 - (2*(2*a^2*A*b - A*b^3 - a^3*B + a^2*b*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.252392, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4060, 3919, 3831, 2659, 208}

$$\frac{2(2a^2Ab + a^2bC + a^3(-B) - Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{\tan(c+dx)(Ab^2 - a(bB - aC))}{ad(a^2 - b^2)(a + b \sec(c+dx))} + \frac{Ax}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2, x]

[Out] (A*x)/a^2 - (2*(2*a^2*A*b - A*b^3 - a^3*B + a^2*b*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx &= \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} - \frac{\int \frac{-A(a^2 - b^2) + a(Ab - aB + bC) \sec(c + dx)}{a + b \sec(c + dx)} dx}{a(a^2 - b^2)} \\ &= \frac{Ax}{a^2} + \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} + \frac{(Ab^3 + a^3B - a^2b(2A + C)) \int \frac{S}{a + b \sec(c + dx)}}{a^2(a^2 - b^2)} \\ &= \frac{Ax}{a^2} + \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} + \frac{(Ab^3 + a^3B - a^2b(2A + C)) \int \frac{S}{1 + \sec(c + dx)}}{a^2b(a^2 - b^2)} \\ &= \frac{Ax}{a^2} + \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} + \frac{(2(Ab^3 + a^3B - a^2b(2A + C))) \int \frac{S}{1 + \sec(c + dx)}}{a^2} \\ &= \frac{Ax}{a^2} - \frac{2(2a^2Ab - Ab^3 - a^3B + a^2bC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}d} + \frac{(Ab^2 - a^2b(2A + C)) \int \frac{S}{1 + \sec(c + dx)}}{a(a^2 - b^2)} \end{aligned}$$

Mathematica [C] time = 2.20879, size = 299, normalized size = 2.17

$$2(a \cos(c + dx) + b) \left(A + B \sec(c + dx) + C \sec^2(c + dx) \right) \left(\frac{2i(\cos(c) - i \sin(c))(-a^2 b(2A + C) + a^3 B + Ab^3)(a \cos(c + dx) + b) \tan^{-1} \left(\frac{(\sin(c) + i \cos(c))}{\sqrt{a^2 - b^2}} \right)}{d(a^2 - b^2)^{3/2} \sqrt{(\cos(c) - i \sin(c))^2}} \right)$$

$$a^2(a + b \sec(c + dx))^2(A \cos(2(c + dx)) + A + 2B \sec(c + dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2, x]

[Out] (2*(b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(A*x*(b + a*Cos[c + d*x]) - ((2*I)*(A*b^3 + a^3*B - a^2*b*(2*A + C))*ArcTan[(I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c])*Tan[(d*x)/2])])/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b + a*Cos[c + d*x])*(Cos[c] - I*Sin[c]))/((a^2 - b^2)^(3/2)*d*Sqrt[(Cos[c] - I*Sin[c])^2]) + ((A*b^2 + a*(-(b*B) + a*C))*(-(b*Sin[c]) + a*Sin[d*x]))/((a - b)*(a + b)*d*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])))/(a^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(a + b*Sec[c + d*x])^2)

Maple [B] time = 0.097, size = 448, normalized size = 3.3

$$2 \frac{A \arctan(\tan(1/2 dx + c/2))}{da^2} - 2 \frac{A \tan(1/2 dx + c/2) b^2}{ad(a^2 - b^2)((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)} + 2 \frac{A \arctan(\tan(1/2 dx + c/2))}{d(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2, x)

[Out] 2/d*A/a^2*arctan(tan(1/2*d*x+1/2*c))-2/d/a/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*A*b^2+2/d/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*B*b-2/d*a/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*C-4/d*b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+2/d/a^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^3+2/d*a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-2/d/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*b*C

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 0.626144, size = 1296, normalized size = 9.39

$$\left[\frac{2 \left(Aa^5 - 2Aa^3b^2 + Aab^4 \right) dx \cos(dx + c) + 2 \left(Aa^4b - 2Aa^2b^3 + Ab^5 \right) dx + \left(Ba^3b - (2A + C)a^2b^2 + Ab^4 + \left(Ba^4 - (2A + C)a^3b + Aab^3 \right) \cos(dx + c) \right) \sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx + c) - (a^2 - 2b^2) \cos(dx + c)^2 + 2\sqrt{a^2 - b^2} (b \cos(dx + c) + a) \sin(dx + c) + 2a^2 - b^2}{(a^2 \cos(dx + c))^2 + 2ab \cos(dx + c) + b^2} \right) + 2 \left(Ca^5 - Ba^4b + (A - C)a^3b^2 + Ba^2b^3 - Aab^4 \right) \sin(dx + c)}{\left((a^7 - 2a^5b^2 + a^3b^4) d \cos(dx + c) + (a^6b - 2a^4b^3 + a^2b^5) d \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] [1/2*(2*(A*a^5 - 2*A*a^3*b^2 + A*a*b^4)*d*x*cos(d*x + c) + 2*(A*a^4*b - 2*A*a^2*b^3 + A*b^5)*d*x + (B*a^3*b - (2*A + C)*a^2*b^2 + A*b^4 + (B*a^4 - (2*A + C)*a^3*b + A*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(C*a^5 - B*a^4*b + (A - C)*a^3*b^2 + B*a^2*b^3 - A*a*b^4)*sin(d*x + c)]/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d), ((A*a^5 - 2*A*a^3*b^2 + A*a*b^4)*d*x*cos(d*x + c) + (A*a^4*b - 2*A*a^2*b^3 + A*b^5)*d*x + (B*a^3*b - (2*A + C)*a^2*b^2 + A*b^4 + (B*a^4 - (2*A + C)*a^3*b + A*a*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (C*a^5 - B*a^4*b + (A - C)*a^3*b^2 + B*a^2*b^3 - A*a*b^4)*sin(d*x + c)]/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.24265, size = 300, normalized size = 2.17

$$\frac{2(Ba^3 - 2Aa^2b - Ca^2b + Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 - a^2b^2)\sqrt{-a^2+b^2}} + \frac{(dx+c)A}{a^2} - \frac{2(Ca^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Bab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^3 - ab^2) \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] (2*(B*a^3 - 2*A*a^2*b - C*a^2*b + A*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^4 - a^2*b^2)*sqrt(-a^2 + b^2)) + (d*x + c)*A/a^2 - 2*(C*a^2*tan(1/2*d*x + 1/2*c) - B*a*b*tan(1/2*d*x + 1/2*c) + A*b^2*tan(1/2*d*x + 1/2*c))/((a^3 - a*b^2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b))/d

$$3.913 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=202

$$\frac{\sin(c+dx)(a^2(-(A-C))-abB+2Ab^2)}{a^2d(a^2-b^2)} + \frac{2(3a^2Ab^2-2a^3bB+a^4C+ab^3B-2Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{\sin(c+dx)}{a}$$

[Out] -(((2*A*b - a*B)*x)/a^3) + (2*(3*a^2*A*b^2 - 2*A*b^4 - 2*a^3*b*B + a*b^3*B + a^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(3/2)*(a + b)^(3/2)*d) - ((2*A*b^2 - a*b*B - a^2*(A - C))*Sin[c + d*x])/(a^2*(a^2 - b^2)*d) + ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.644187, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4100, 4104, 3919, 3831, 2659, 208}

$$\frac{\sin(c+dx)(a^2(-(A-C))-abB+2Ab^2)}{a^2d(a^2-b^2)} + \frac{2(3a^2Ab^2-2a^3bB+a^4C+ab^3B-2Ab^4) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{\sin(c+dx)}{a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] -(((2*A*b - a*B)*x)/a^3) + (2*(3*a^2*A*b^2 - 2*A*b^4 - 2*a^3*b*B + a*b^3*B + a^4*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(3/2)*(a + b)^(3/2)*d) - ((2*A*b^2 - a*b*B - a^2*(A - C))*Sin[c + d*x])/(a^2*(a^2 - b^2)*d) + ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis

```

t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1)
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{(Ab^2-a(bB-aC))\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\cos(c+dx)(2Ab^2-abB-a^2(A-C))}{a(a^2-b^2)d(a+b\sec(c+dx))} dx \\
&= -\frac{(2Ab^2-abB-a^2(A-C))\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{(Ab^2-a(bB-aC))\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2Ab-aB)x}{a^3} - \frac{(2Ab^2-abB-a^2(A-C))\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{(Ab^2-a(bB-aC))\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2Ab-aB)x}{a^3} - \frac{(2Ab^2-abB-a^2(A-C))\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{(Ab^2-a(bB-aC))\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2Ab-aB)x}{a^3} - \frac{(2Ab^2-abB-a^2(A-C))\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{(Ab^2-a(bB-aC))\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2Ab-aB)x}{a^3} + \frac{2(3a^2Ab^2-2Ab^4-2a^3bB+ab^3B+a^4C)\tan^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^3(a-b)^{3/2}(a+b)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.955774, size = 160, normalized size = 0.79

$$\frac{2(3a^2Ab^2-2a^3bB+a^4C+ab^3B-2Ab^4)\tan^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} - \frac{ab\sin(c+dx)(a(aC-bB)+Ab^2)}{(a-b)(a+b)(a\cos(c+dx)+b)} + (c+dx)(aB-2Ab)+aA\sin(c+dx)}{a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2, x]

[Out] ((-2*A*b + a*B)*(c + d*x) - (2*(3*a^2*A*b^2 - 2*A*b^4 - 2*a^3*b*B + a*b^3*B + a^4*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(3/2) + a*A*Sin[c + d*x] - (a*b*(A*b^2 + a*(-(b*B) + a*C))*Sin[c + d*x])/(a - b)*(a + b)*(b + a*Cos[c + d*x]))/(a^3*d)

Maple [B] time = 0.131, size = 573, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c) * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^2, x)$

[Out]
$$\begin{aligned} & 2/d*A/a^2*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-4/d*A/a^3*b*\arctan(\tan(1/2*d*x+1/2*c))+2/d*B/a^2*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^2*b^3/(a^2-b^2) \\ & * \tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*A-2/d/a*b^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b) \\ & *B+2/d*b/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*C+6/d/a/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*A*b^2-4/d/a^3/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*A*b^4-4/d*b/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B+2/d/a^2/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B*b^3+2/d*a/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\cos(dx+c) * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^2, x, \operatorname{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [B] time = 0.726212, size = 1796, normalized size = 8.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\cos(dx+c) * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^2, x, \operatorname{algorithm}="fricas")$

```
[Out] [1/2*(2*(B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*d*x*cos(d*x + c) + 2*(B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*d*x - (C*a^4*b - 2*B*a^3*b^2 + 3*A*a^2*b^3 + B*a*b^4 - 2*A*b^5 + (C*a^5 - 2*B*a^4*b + 3*A*a^3*b^2 + B*a^2*b^3 - 2*A*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c))^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*((A - C)*a^5*b + B*a^4*b^2 - (3*A - C)*a^3*b^3 - B*a^2*b^4 + 2*A*a*b^5 + (A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c) + (a^7*b - 2*a^5*b^3 + a^3*b^5)*d), ((B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*d*x*cos(d*x + c) + (B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*d*x + (C*a^4*b - 2*B*a^3*b^2 + 3*A*a^2*b^3 + B*a*b^4 - 2*A*b^5 + (C*a^5 - 2*B*a^4*b + 3*A*a^3*b^2 + B*a^2*b^3 - 2*A*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + ((A - C)*a^5*b + B*a^4*b^2 - (3*A - C)*a^3*b^3 - B*a^2*b^4 + 2*A*a*b^5 + (A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c) + (a^7*b - 2*a^5*b^3 + a^3*b^5)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \cos(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*cos(c + d*x)/(a + b*sec(c + d*x))**2, x)
```

Giac [B] time = 1.29528, size = 551, normalized size = 2.73

$$\frac{2(Ca^4 - 2Ba^3b + 3Aa^2b^2 + Bab^3 - 2Ab^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^5 - a^3b^2)\sqrt{-a^2+b^2}} + \frac{2 \left(Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Aa^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}{\sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x,
algorithm="giac")

[Out]
$$\frac{(2*(C*a^4 - 2*B*a^3*b + 3*A*a^2*b^2 + B*a*b^3 - 2*A*b^4)*(pi*\text{floor}(1/2*(d*x + c)/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(\text{atan}(1/2*d*x + 1/2*c) - b*\text{tan}(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))) / ((a^5 - a^3*b^2)*\sqrt{-a^2 + b^2}) + 2*(A*a^3*\text{tan}(1/2*d*x + 1/2*c)^3 - A*a^2*b*\text{tan}(1/2*d*x + 1/2*c)^3 + C*a^2*b*\text{tan}(1/2*d*x + 1/2*c)^3 - A*a*b^2*\text{tan}(1/2*d*x + 1/2*c)^3 - B*a*b^2*\text{tan}(1/2*d*x + 1/2*c)^3 + 2*A*b^3*\text{tan}(1/2*d*x + 1/2*c)^3 - A*a^3*\text{tan}(1/2*d*x + 1/2*c) - A*a^2*b*\text{tan}(1/2*d*x + 1/2*c) + C*a^2*b*\text{tan}(1/2*d*x + 1/2*c) + A*a*b^2*\text{tan}(1/2*d*x + 1/2*c) - B*a*b^2*\text{tan}(1/2*d*x + 1/2*c) + 2*A*b^3*\text{tan}(1/2*d*x + 1/2*c)) / ((\text{atan}(1/2*d*x + 1/2*c)^4 - b*\text{tan}(1/2*d*x + 1/2*c)^4 - 2*b*\text{tan}(1/2*d*x + 1/2*c)^2 - a - b)*(a^4 - a^2*b^2)) + (B*a - 2*A*b)*(d*x + c)/a^3}{d}$$

$$3.914 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=298

$$\frac{\sin(c+dx)(-a^2b(2A-C)+a^3B-2ab^2B+3Ab^3)}{a^3d(a^2-b^2)} - \frac{\sin(c+dx)\cos(c+dx)(a^2(-(A-2C))-2abB+3Ab^2)}{2a^2d(a^2-b^2)} - \frac{2b(4a^2b^2-3a^3bB+2a^4C-a^2b^2C)}{a^3d(a^2-b^2)}$$

[Out] $((6A^2b^2 - 4a^2bB + a^2(A + 2C))x)/(2a^4) - (2b(4a^2Ab^2 - 3A^2b^4 - 3a^3bB + 2a^4C - a^2b^2C) \operatorname{ArcTanh}[\operatorname{Sqrt}[a-b] \operatorname{Tan}[(c+dx)/2]]/\operatorname{Sqrt}[a+b])/(a^4(a-b)^{3/2}(a+b)^{3/2}d) + ((3A^2b^3 + a^3B - 2a^2b^2B - a^2b(2A-C)) \operatorname{Sin}[c+dx])/(a^3(a^2-b^2)d) - ((3A^2b^2 - 2a^2bB - a^2(A-2C)) \operatorname{Cos}[c+dx] \operatorname{Sin}[c+dx])/(2a^2(a^2-b^2)d) + ((Ab^2 - a(bB - aC)) \operatorname{Cos}[c+dx] \operatorname{Sin}[c+dx])/(a(a^2-b^2)d(a+b \operatorname{Sec}[c+dx]))$

Rubi [A] time = 1.23513, antiderivative size = 298, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4100, 4104, 3919, 3831, 2659, 208}

$$\frac{\sin(c+dx)(-a^2b(2A-C)+a^3B-2ab^2B+3Ab^3)}{a^3d(a^2-b^2)} - \frac{\sin(c+dx)\cos(c+dx)(a^2(-(A-2C))-2abB+3Ab^2)}{2a^2d(a^2-b^2)} - \frac{2b(4a^2b^2-3a^3bB+2a^4C-a^2b^2C)}{a^3d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cos}[c+dx]^2(A+B \operatorname{Sec}[c+dx]+C \operatorname{Sec}[c+dx]^2))/(a+b \operatorname{Sec}[c+dx])^2, x]$

[Out] $((6A^2b^2 - 4a^2bB + a^2(A + 2C))x)/(2a^4) - (2b(4a^2Ab^2 - 3A^2b^4 - 3a^3bB + 2a^4C - a^2b^2C) \operatorname{ArcTanh}[\operatorname{Sqrt}[a-b] \operatorname{Tan}[(c+dx)/2]]/\operatorname{Sqrt}[a+b])/(a^4(a-b)^{3/2}(a+b)^{3/2}d) + ((3A^2b^3 + a^3B - 2a^2b^2B - a^2b(2A-C)) \operatorname{Sin}[c+dx])/(a^3(a^2-b^2)d) - ((3A^2b^2 - 2a^2bB - a^2(A-2C)) \operatorname{Cos}[c+dx] \operatorname{Sin}[c+dx])/(2a^2(a^2-b^2)d) + ((Ab^2 - a(bB - aC)) \operatorname{Cos}[c+dx] \operatorname{Sin}[c+dx])/(a(a^2-b^2)d(a+b \operatorname{Sec}[c+dx]))$

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)]^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```


Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{(Ab^2 - a(bB - aC)) \cos(c+dx) \sin(c+dx)}{a(a^2 - b^2)d(a+b\sec(c+dx))} - \int \frac{\cos^2(c+dx)(3A}{ \\
&= -\frac{(3Ab^2 - 2abB - a^2(A - 2C)) \cos(c+dx) \sin(c+dx)}{2a^2(a^2 - b^2)d} + \frac{(A}{ \\
&= \frac{(3Ab^3 + a^3B - 2ab^2B - a^2b(2A - C)) \sin(c+dx)}{a^3(a^2 - b^2)d} - \frac{(3Ab^2 -}{ \\
&= \frac{(6Ab^2 - 4abB + a^2(A + 2C))x}{2a^4} + \frac{(3Ab^3 + a^3B - 2ab^2B - a}{a^3(a^2 -} \\
&= \frac{(6Ab^2 - 4abB + a^2(A + 2C))x}{2a^4} + \frac{(3Ab^3 + a^3B - 2ab^2B - a}{a^3(a^2 -} \\
&= \frac{(6Ab^2 - 4abB + a^2(A + 2C))x}{2a^4} + \frac{(3Ab^3 + a^3B - 2ab^2B - a}{a^3(a^2 -} \\
&= \frac{(6Ab^2 - 4abB + a^2(A + 2C))x}{2a^4} + \frac{(3Ab^3 + a^3B - 2ab^2B - a}{a^3(a^2 -} \\
&= \frac{(6Ab^2 - 4abB + a^2(A + 2C))x}{2a^4} - \frac{2b(4a^2Ab^2 - 3Ab^4 - 3a^3b}{
\end{aligned}$$

Mathematica [A] time = 1.40944, size = 206, normalized size = 0.69

$$\frac{2(c+dx)(a^2(A+2C) - 4abB + 6Ab^2) - \frac{8b(a^2b^2(C-4A) + 3a^3bB - 2a^4C - 2ab^3B + 3Ab^4) \tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + a^2A \sin(2(c+dx))}{4a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (2*(6*A*b^2 - 4*a*b*B + a^2*(A + 2*C))*(c + d*x) - (8*b*(3*A*b^4 + 3*a^3*b*B - 2*a*b^3*B - 2*a^4*C + a^2*b^2*(-4*A + C))*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])/(a^2 - b^2)^(3/2) + 4*a*(-2*A*b + a*B)*Sin[c + d*x]

$$\int \frac{(4ab^2(Ab^2 + a(-bB) + aC))\sin[c + dx] + a^2A\sin[2(c + dx)]}{(a-b)(a+b)(b+a\cos[c + dx]) + a^2A\sin[2(c + dx)]} dx$$

Maple [B] time = 0.138, size = 857, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)`

[Out]
$$\begin{aligned} & -1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A-4/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A*b+2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*B+1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A-4/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A*b+2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*B+1/d*A/a^2*\arctan(\tan(1/2*d*x+1/2*c))+6/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*A*b^2-4/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*B*b+2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*C-2/d*b^4/a^3/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*A+2/d*b^3/a^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*B-2/d*b^2/a/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*C-8/d/a^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*A*b^3+6/d*b^5/a^4/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*A+6/d*b^2/a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*B-4/d*b^4/a^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*B-4/d/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*b*C+2/d*b^3/a^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.819258, size = 2398, normalized size = 8.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x
, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/2*(((A + 2*C)*a^7 - 4*B*a^6*b + 4*(A - C)*a^5*b^2 + 8*B*a^4*b^3 - (11*A \\ & - 2*C)*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*d*x*\cos(d*x + c) + ((A + 2*C)*a^6 \\ & *b - 4*B*a^5*b^2 + 4*(A - C)*a^4*b^3 + 8*B*a^3*b^4 - (11*A - 2*C)*a^2*b^5 - \\ & 4*B*a*b^6 + 6*A*b^7)*d*x + (2*C*a^4*b^2 - 3*B*a^3*b^3 + (4*A - C)*a^2*b^4 \\ & + 2*B*a*b^5 - 3*A*b^6 + (2*C*a^5*b - 3*B*a^4*b^2 + (4*A - C)*a^3*b^3 + 2*B* \\ & a^2*b^4 - 3*A*a*b^5)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(d*x + c) \\ & - (a^2 - 2*b^2)*\cos(d*x + c))^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin \\ & (d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) + \\ & (2*B*a^6*b - 2*(2*A - C)*a^5*b^2 - 6*B*a^4*b^3 + 2*(5*A - C)*a^3*b^4 + 4*B \\ & *a^2*b^5 - 6*A*a*b^6 + (A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4)*\cos(d*x + c)^2 + (\\ & 2*B*a^7 - 3*A*a^6*b - 4*B*a^5*b^2 + 6*A*a^4*b^3 + 2*B*a^3*b^4 - 3*A*a^2*b^5 \\ &)*\cos(d*x + c))*\sin(d*x + c))/((a^9 - 2*a^7*b^2 + a^5*b^4)*d*\cos(d*x + c) + \\ & (a^8*b - 2*a^6*b^3 + a^4*b^5)*d), 1/2*(((A + 2*C)*a^7 - 4*B*a^6*b + 4*(A - \\ & C)*a^5*b^2 + 8*B*a^4*b^3 - (11*A - 2*C)*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6) \\ & *d*x*\cos(d*x + c) + ((A + 2*C)*a^6*b - 4*B*a^5*b^2 + 4*(A - C)*a^4*b^3 + 8* \\ & B*a^3*b^4 - (11*A - 2*C)*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*d*x - 2*(2*C*a^4*b^ \\ & 2 - 3*B*a^3*b^3 + (4*A - C)*a^2*b^4 + 2*B*a*b^5 - 3*A*b^6 + (2*C*a^5*b - 3* \\ & B*a^4*b^2 + (4*A - C)*a^3*b^3 + 2*B*a^2*b^4 - 3*A*a*b^5)*\cos(d*x + c))*\sqrt \\ & (-a^2 + b^2)*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin \\ & (d*x + c))) + (2*B*a^6*b - 2*(2*A - C)*a^5*b^2 - 6*B*a^4*b^3 + 2*(5*A - C)* \\ & a^3*b^4 + 4*B*a^2*b^5 - 6*A*a*b^6 + (A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4)*\cos(d \\ & *x + c)^2 + (2*B*a^7 - 3*A*a^6*b - 4*B*a^5*b^2 + 6*A*a^4*b^3 + 2*B*a^3*b^4 \\ & - 3*A*a^2*b^5)*\cos(d*x + c))*\sin(d*x + c))/((a^9 - 2*a^7*b^2 + a^5*b^4)*d*c \\ & \os(d*x + c) + (a^8*b - 2*a^6*b^3 + a^4*b^5)*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.27657, size = 513, normalized size = 1.72

$$\frac{4 \left(2 C a^4 b - 3 B a^3 b^2 + 4 A a^2 b^3 - C a^2 b^3 + 2 B a b^4 - 3 A b^5 \right) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^6 - a^4 b^2) \sqrt{-a^2+b^2}} + \frac{4 \left(C a^2 b^2 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - B a b^3 \right)}{(a^5 - a^3 b^2) \left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out]
$$-1/2*(4*(2*C*a^4*b - 3*B*a^3*b^2 + 4*A*a^2*b^3 - C*a^2*b^3 + 2*B*a*b^4 - 3*A*b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^6 - a^4*b^2)*\sqrt{-a^2 + b^2}) + 4*(C*a^2*b^2*\tan(1/2*d*x + 1/2*c) - B*a*b^3*\tan(1/2*d*x + 1/2*c) + A*b^4*\tan(1/2*d*x + 1/2*c))/((a^5 - a^3*b^2)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)) - (A*a^2 + 2*C*a^2 - 4*B*a*b + 6*A*b^2)*(d*x + c)/a^4 + 2*(A*a*\tan(1/2*d*x + 1/2*c)^3 - 2*B*a*\tan(1/2*d*x + 1/2*c)^3 + 4*A*b*\tan(1/2*d*x + 1/2*c)^3 - A*a*\tan(1/2*d*x + 1/2*c) - 2*B*a*\tan(1/2*d*x + 1/2*c) + 4*A*b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^3))/d$$

$$3.915 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=396

$$\frac{\sin(c+dx)(-a^2b^2(7A-6C)+a^4(-(2A+3C))+6a^3bB-9ab^3B+12Ab^4)}{3a^4d(a^2-b^2)} - \frac{\sin(c+dx)\cos^2(c+dx)(a^2-(A-3C))}{3a^2d(a^2-b^2)}$$

[Out] -((8*A*b^3 - a^3*B - 6*a*b^2*B + 2*a^2*b*(A + 2*C))*x)/(2*a^5) + (2*b^2*(5*a^2*A*b^2 - 4*A*b^4 - 4*a^3*b*B + 3*a*b^3*B + 3*a^4*C - 2*a^2*b^2*C)*ArcTan h[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(3/2)*(a + b)^(3/2)*d) - ((12*A*b^4 + 6*a^3*b*B - 9*a*b^3*B - a^2*b^2*(7*A - 6*C) - a^4*(2*A + 3*C))*Sin[c + d*x])/(3*a^4*(a^2 - b^2)*d) + ((4*A*b^3 + a^3*B - 3*a*b^2*B - 2*a^2*b*(A - C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)*d) - ((4*A*b^2 - 3*a*b*B - a^2*(A - 3*C))*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d) + ((A*b^2 - a*(b*B - a*C))*Cos[c + d*x]^2*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.75885, antiderivative size = 396, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4100, 4104, 3919, 3831, 2659, 208}

$$\frac{\sin(c+dx)(-a^2b^2(7A-6C)+a^4(-(2A+3C))+6a^3bB-9ab^3B+12Ab^4)}{3a^4d(a^2-b^2)} - \frac{\sin(c+dx)\cos^2(c+dx)(a^2-(A-3C))}{3a^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2, x]

[Out] -((8*A*b^3 - a^3*B - 6*a*b^2*B + 2*a^2*b*(A + 2*C))*x)/(2*a^5) + (2*b^2*(5*a^2*A*b^2 - 4*A*b^4 - 4*a^3*b*B + 3*a*b^3*B + 3*a^4*C - 2*a^2*b^2*C)*ArcTan h[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(3/2)*(a + b)^(3/2)*d) - ((12*A*b^4 + 6*a^3*b*B - 9*a*b^3*B - a^2*b^2*(7*A - 6*C) - a^4*(2*A + 3*C))*Sin[c + d*x])/(3*a^4*(a^2 - b^2)*d) + ((4*A*b^3 + a^3*B - 3*a*b^2*B - 2*a^2*b*(A - C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)*d) - ((4*A*b^2 - 3*a*b*B - a^2*(A - 3*C))*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d) + ((A*b^2 - a*(b*B - a*C))*Cos[c + d*x]^2*Sin[c + d*x])/(a*(a^2 - b^2)*d)

$- b^2 * d * (a + b * \text{Sec}[c + d * x])$

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{(Ab^2 - a(bB - aC)) \cos^2(c+dx) \sin(c+dx)}{a(a^2 - b^2)d(a+b\sec(c+dx))} - \int \frac{\cos^3(c+dx)(4A - 3C)}{(a+b\sec(c+dx))^2} dx \\
 &= -\frac{(4Ab^2 - 3abB - a^2(A - 3C)) \cos^2(c+dx) \sin(c+dx)}{3a^2(a^2 - b^2)d} + \frac{(4Ab^2 - 3abB - a^2(A - 3C)) \cos^2(c+dx) \sin(c+dx)}{3a^2(a^2 - b^2)d} \\
 &= \frac{(4Ab^3 + a^3B - 3ab^2B - 2a^2b(A - C)) \cos(c+dx) \sin(c+dx)}{2a^3(a^2 - b^2)d} \\
 &= -\frac{(12Ab^4 + 6a^3bB - 9ab^3B - a^2b^2(7A - 6C) - a^4(2A + 3C))}{3a^4(a^2 - b^2)d} \\
 &= -\frac{(8Ab^3 - a^3B - 6ab^2B + 2a^2b(A + 2C))x}{2a^5} - \frac{(12Ab^4 + 6a^3bB - 9ab^3B - a^2b^2(7A - 6C) - a^4(2A + 3C))}{3a^4(a^2 - b^2)d} \\
 &= -\frac{(8Ab^3 - a^3B - 6ab^2B + 2a^2b(A + 2C))x}{2a^5} - \frac{(12Ab^4 + 6a^3bB - 9ab^3B - a^2b^2(7A - 6C) - a^4(2A + 3C))}{3a^4(a^2 - b^2)d} \\
 &= -\frac{(8Ab^3 - a^3B - 6ab^2B + 2a^2b(A + 2C))x}{2a^5} - \frac{(12Ab^4 + 6a^3bB - 9ab^3B - a^2b^2(7A - 6C) - a^4(2A + 3C))}{3a^4(a^2 - b^2)d} \\
 &= -\frac{(8Ab^3 - a^3B - 6ab^2B + 2a^2b(A + 2C))x}{2a^5} + \frac{2b^2(5a^2Ab^2 - 4a^3B - 3ab^3B - a^2b^2(7A - 6C) - a^4(2A + 3C))}{2a^5}
 \end{aligned}$$

Mathematica [A] time = 1.74879, size = 255, normalized size = 0.64

$$6(c+dx)(-2a^2b(A+2C)+a^3B+6ab^2B-8Ab^3)+3a\sin(c+dx)(a^2(3A+4C)-8abB+12Ab^2)+\frac{24b^2(a^2b^2(2C-5A)+4a^3B+3ab^3B-a^2b^2(7A-6C)-a^4(2A+3C))}{2a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (6*(-8*A*b^3 + a^3*B + 6*a*b^2*B - 2*a^2*b*(A + 2*C))*(c + d*x) + (24*b^2*(4*A*b^4 + 4*a^3*b*B - 3*a*b^3*B - 3*a^4*C + a^2*b^2*(-5*A + 2*C))*ArcTanh[(-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]/(a^2 - b^2)^(3/2) + 3*a*(12*A*b^2 - 8*a*b*B + a^2*(3*A + 4*C))*Sin[c + d*x] - (12*a*b^3*(A*b^2 + a*(-(b*B) + a*C))*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x])) + 3*a^2*(-2*A*b + a*B)*Sin[2*(c + d*x)] + a^3*A*Ssin[3*(c + d*x)]/(12*a^5*d)

Maple [B] time = 0.16, size = 1241, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)

[Out] -4/d/a^3*C*arctan(tan(1/2*d*x+1/2*c))*b-8/d*b^6/a^5/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*A+6/d*b^2/a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*C-4/d*b^4/a^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*C+2/d*b^3/a^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*C-8/d/a^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*B*b^3+10/d/a^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*A*b^4+6/d*b^5/a^4/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*B+1/d*B/a^2*arctan(tan(1/2*d*x+1/2*c))-2/d*A/a^3*b*arctan(tan(1/2*d*x+1/2*c))+6/d/a^4*arctan(tan(1/2*d*x+1/2*c))*B*b^2-2/d*b^4/a^3/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*B+2/d/a^3/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A*b+6/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A*b^2-4/d/a^3/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*B*b+12/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*A*b^2+2/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A+2/d*b^5/a^4/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*A-1/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*B+2/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*C+4/3/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*A+4/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*C+2/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)*A+2/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)*C+1/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)*B-8/d/a^5*arctan(tan(1/2*d*x+1/2*c))*A*b^3-8/d/a^3/(1+ta

$$\frac{n(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*B*b+6/d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)*A*b^2-4/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)*B*b-2/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)*A*b}{1}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.930769, size = 3000, normalized size = 7.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\frac{1}{6}*(3*(B*a^8 - 2*(A + 2*C)*a^7*b + 4*B*a^6*b^2 - 4*(A - 2*C)*a^5*b^3 - 11*B*a^4*b^4 + 2*(7*A - 2*C)*a^3*b^5 + 6*B*a^2*b^6 - 8*A*a*b^7)*d*x*\cos(d*x + c) + 3*(B*a^7*b - 2*(A + 2*C)*a^6*b^2 + 4*B*a^5*b^3 - 4*(A - 2*C)*a^4*b^4 - 11*B*a^3*b^5 + 2*(7*A - 2*C)*a^2*b^6 + 6*B*a*b^7 - 8*A*b^8)*d*x + 3*(3*C*a^4*b^3 - 4*B*a^3*b^4 + (5*A - 2*C)*a^2*b^5 + 3*B*a*b^6 - 4*A*b^7 + (3*C*a^5*b^2 - 4*B*a^4*b^3 + (5*A - 2*C)*a^3*b^4 + 3*B*a^2*b^5 - 4*A*a*b^6)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\log(((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c))^2 + 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) + (2*(2*A + 3*C)*a^7*b - 12*B*a^6*b^2 + 2*(5*A - 9*C)*a^5*b^3 + 30*B*a^4*b^4 - 2*(19*A - 6*C)*a^3*b^5 - 18*B*a^2*b^6 + 24*A*a*b^7 + 2*(A*a^8 - 2*A*a^6*b^2 + A*a^4*b^4)*\cos(d*x + c)^3 + (3*B*a^8 - 4*A*a^7*b - 6*B*a^6*b^2 + 8*A*a^5*b^3 + 3*B*a^4*b^4 - 4*A*a^3*b^5)*\cos(d*x + c)^2 + (2*(2*A + 3*C)*a^8 - 9*B*a^7*b + 4*(A - 3*C)*a^6*b^2 + 18*B*a^5*b^3 - 2*(10*A - 3*C)*a^4*b^4 - 9*B*a^3*b^5 + 12*A*a^2*b^6)*\cos(d*x + c))*\sin(d*x + c))/((a^10 - 2*a^8*b^2 + a^6*b^4)*d*\cos(d*x + c) + (a^9*b - 2*a^7*b^3 + a^5*b^5)*d), \frac{1}{6}*(3*(B*a^8 - 2*(A + 2*C)*a^7*b + 4*B*a$$

$$\begin{aligned} &^6*b^2 - 4*(A - 2*C)*a^5*b^3 - 11*B*a^4*b^4 + 2*(7*A - 2*C)*a^3*b^5 + 6*B*a \\ &^2*b^6 - 8*A*a*b^7)*d*x*cos(d*x + c) + 3*(B*a^7*b - 2*(A + 2*C)*a^6*b^2 + 4 \\ &*B*a^5*b^3 - 4*(A - 2*C)*a^4*b^4 - 11*B*a^3*b^5 + 2*(7*A - 2*C)*a^2*b^6 + 6 \\ &*B*a*b^7 - 8*A*b^8)*d*x + 6*(3*C*a^4*b^3 - 4*B*a^3*b^4 + (5*A - 2*C)*a^2*b^ \\ &5 + 3*B*a*b^6 - 4*A*b^7 + (3*C*a^5*b^2 - 4*B*a^4*b^3 + (5*A - 2*C)*a^3*b^4 \\ &+ 3*B*a^2*b^5 - 4*A*a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 \\ &+ b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*(2*A + 3*C)*a \\ &^7*b - 12*B*a^6*b^2 + 2*(5*A - 9*C)*a^5*b^3 + 30*B*a^4*b^4 - 2*(19*A - 6*C) \\ &*a^3*b^5 - 18*B*a^2*b^6 + 24*A*a*b^7 + 2*(A*a^8 - 2*A*a^6*b^2 + A*a^4*b^4)* \\ &cos(d*x + c)^3 + (3*B*a^8 - 4*A*a^7*b - 6*B*a^6*b^2 + 8*A*a^5*b^3 + 3*B*a^4 \\ &*b^4 - 4*A*a^3*b^5)*cos(d*x + c)^2 + (2*(2*A + 3*C)*a^8 - 9*B*a^7*b + 4*(A \\ &- 3*C)*a^6*b^2 + 18*B*a^5*b^3 - 2*(10*A - 3*C)*a^4*b^4 - 9*B*a^3*b^5 + 12*A \\ &*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^10 - 2*a^8*b^2 + a^6*b^4)*d*cos(d \\ &*x + c) + (a^9*b - 2*a^7*b^3 + a^5*b^5)*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.29786, size = 761, normalized size = 1.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] $\frac{1}{6}*(12*(3*C*a^4*b^2 - 4*B*a^3*b^3 + 5*A*a^2*b^4 - 2*C*a^2*b^4 + 3*B*a*b^5 - 4*A*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^7 - a^5*b^2)*sqrt(-a^2 + b^2)) + 12*(C*a^2*b^3*tan(1/2*d*x + 1/2*c) - B*a*b^4*tan$

$$\begin{aligned}
& \left(\frac{1}{2}dx + \frac{1}{2}c \right) + A b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \Big/ \left((a^6 - a^4 b^2) * (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a - b) \right) + 3 * (B a^3 - 2 A a^2 b \\
& - 4 C a^2 b + 6 B a b^2 - 8 A b^3) * (dx + c) / a^5 + 2 * (6 A a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3 B a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6 C a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 \\
& + 6 A a b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 12 B a b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 18 A b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4 A a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12 C a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\
& - 24 B a b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 36 A b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 6 A a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3 B a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \\
& + 6 C a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 6 A a b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 12 B a b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 18 A b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \Big/ \left((\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1)^3 a^4 \right) \Big/ d
\end{aligned}$$

$$3.916 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=465

$$\frac{\tan(c+dx)(-a^3b^2(2A-21C)-11a^2b^3B+6a^4bB-12a^5C+ab^4(5A-6C)+2b^5B)}{2b^4d(a^2-b^2)^2} + \frac{(12a^2C-6abB+2Ab^2+b^2C)\tan(c+dx)}{2b^5d}$$

[Out] $((2A*b^2 - 6a*b*B + 12a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*b^5*d) - (a*(6A*b^6 - 6a^5*b*B + 15a^3*b^3*B - 12a*b^5*B + a^4*b^2*(2A - 29*C) - 5a^2*b^4*(A - 4*C) + 12a^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^5*(a + b)^(5/2)*d) + ((6a^4*b*B - 11a^2*b^3*B + 2b^5*B - a^3*b^2*(2A - 21*C) + a*b^4*(5A - 6*C) - 12a^5*C)*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^2*d) - ((3a^3*b*B - 6a*b^3*B - a^2*b^2*(A - 10*C) + b^4*(4A - C) - 6a^4*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^3*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((3A*b^4 + a*(2a^2*b*B - 5b^3*B - 4a^3*C + 7a*b^2*C))*Sec[c + d*x]^2*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 4.74502, antiderivative size = 465, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4098, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{\tan(c+dx)(-a^3b^2(2A-21C)-11a^2b^3B+6a^4bB-12a^5C+ab^4(5A-6C)+2b^5B)}{2b^4d(a^2-b^2)^2} + \frac{(12a^2C-6abB+2Ab^2+b^2C)\tan(c+dx)}{2b^5d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] $((2A*b^2 - 6a*b*B + 12a^2*C + b^2*C)*ArcTanh[Sin[c + d*x]])/(2*b^5*d) - (a*(6A*b^6 - 6a^5*b*B + 15a^3*b^3*B - 12a*b^5*B + a^4*b^2*(2A - 29*C) - 5a^2*b^4*(A - 4*C) + 12a^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^5*(a + b)^(5/2)*d) + ((6a^4*b*B - 11a^2*b^3*B + 2b^5*B - a^3*b^2*(2A - 21*C) + a*b^4*(5A - 6*C) - 12a^5*C)*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^2*d) - ((3a^3*b*B - 6a*b^3*B - a^2*b^2*(A - 10*C) + b^4*(4A - C) - 6a^4*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^3*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((3A*b^4 + a*(2a^2*b*B - 5b^3*B - 4a^3*C + 7a*b^2*C))*Sec[c + d*x]^2*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))$

) + b^4*(4*A - C) - 6*a^4*C)*Sec[c + d*x]*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^3*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]^2) + ((3*A*b^4 + a*(2*a^2*b*B - 5*b^3*B - 4*a^3*C + 7*a*b^2*C))*Sec[c + d*x]^2*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4098

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab^2-a(bB-aC))\sec^3(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\sec^3(c+dx)}{(a+b\sec(c+dx))^3} dx \\
&= -\frac{(Ab^2-a(bB-aC))\sec^3(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(3Ab^4+a^3b^2)}{2b^3(a^2-b^2)^2d} \\
&= -\frac{(3a^3bB-6ab^3B-a^2b^2(A-10C)+b^4(4A-C)-6a^4C)\sec^3(c+dx)\tan(c+dx)}{2b^3(a^2-b^2)^2d} \\
&= \frac{(6a^4bB-11a^2b^3B+2b^5B-a^3b^2(2A-21C)+ab^4(5A-6C))\sec^3(c+dx)\tan(c+dx)}{2b^4(a^2-b^2)^2d} \\
&= \frac{(6a^4bB-11a^2b^3B+2b^5B-a^3b^2(2A-21C)+ab^4(5A-6C))\sec^3(c+dx)\tan(c+dx)}{2b^4(a^2-b^2)^2d} \\
&= \frac{(2Ab^2-6abB+12a^2C+b^2C)\tanh^{-1}(\sin(c+dx))}{2b^5d} + \frac{(6a^4bB-11a^2b^3B+2b^5B-a^3b^2(2A-21C)+ab^4(5A-6C))\sec^3(c+dx)\tan(c+dx)}{2b^5d} \\
&= \frac{(2Ab^2-6abB+12a^2C+b^2C)\tanh^{-1}(\sin(c+dx))}{2b^5d} + \frac{(6a^4bB-11a^2b^3B+2b^5B-a^3b^2(2A-21C)+ab^4(5A-6C))\sec^3(c+dx)\tan(c+dx)}{2b^5d} \\
&= \frac{(2Ab^2-6abB+12a^2C+b^2C)\tanh^{-1}(\sin(c+dx))}{2b^5d} - \frac{a(2a^3b^2-11a^2b^3+2b^5-a^3b^2(2A-21C)+ab^4(5A-6C))\sec^3(c+dx)\tan(c+dx)}{2b^5d}
\end{aligned}$$

Mathematica [B] time = 6.47949, size = 1124, normalized size = 2.42

$$\frac{(-12Ca^2+6bBa-2Ab^2-b^2C)\log\left(\cos\left(\frac{1}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)\sec(c+dx)(C\sec^2(c+dx)+B\sec(c+dx)+A)}{b^5d(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))(a+b\sec(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

```
[Out] (2*a*(2*a^4*A*b^2 - 5*a^2*A*b^4 + 6*A*b^6 - 6*a^5*b*B + 15*a^3*b^3*B - 12*a
*b^5*B + 12*a^6*C - 29*a^4*b^2*C + 20*a^2*b^4*C)*ArcTanh[(-a + b)*Tan[(c +
d*x)/2])/Sqrt[a^2 - b^2])*(b + a*cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c
+ d*x] + C*Sec[c + d*x]^2))/(b^5*Sqrt[a^2 - b^2]*(-a^2 + b^2)^2*d*(A + 2*C
+ 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^3) + ((-2*A*
b^2 + 6*a*b*B - 12*a^2*C - b^2*C)*(b + a*cos[c + d*x])^3*Log[Cos[(c + d*x)/
2] - Sin[(c + d*x)/2]]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)
)/(b^5*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d
*x])^3) + ((2*A*b^2 - 6*a*b*B + 12*a^2*C + b^2*C)*(b + a*cos[c + d*x])^3*Lo
g[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2))/(b^5*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(
a + b*Sec[c + d*x])^3) + ((b + a*cos[c + d*x])*Sec[c + d*x]^3*(A + B*Sec[c
+ d*x] + C*Sec[c + d*x]^2)*(-6*a^4*A*b^3*Sin[c + d*x] + 12*a^2*A*b^5*Sin[c
+ d*x] + 18*a^5*b^2*B*Sin[c + d*x] - 32*a^3*b^4*B*Sin[c + d*x] + 8*a*b^6*B
*Sin[c + d*x] - 36*a^6*b*C*Sin[c + d*x] + 72*a^4*b^3*C*Sin[c + d*x] - 38*a^
2*b^5*C*Sin[c + d*x] + 8*b^7*C*Sin[c + d*x] - 4*a^5*A*b^2*Sin[2*(c + d*x)]
+ 10*a^3*A*b^4*Sin[2*(c + d*x)] + 12*a^6*b*B*Sin[2*(c + d*x)] - 14*a^4*b^3*
B*Sin[2*(c + d*x)] - 12*a^2*b^5*B*Sin[2*(c + d*x)] + 8*b^7*B*Sin[2*(c + d*x
)] - 24*a^7*C*Sin[2*(c + d*x)] + 26*a^5*b^2*C*Sin[2*(c + d*x)] + 20*a^3*b^4
*C*Sin[2*(c + d*x)] - 16*a*b^6*C*Sin[2*(c + d*x)] - 6*a^4*A*b^3*Sin[3*(c +
d*x)] + 12*a^2*A*b^5*Sin[3*(c + d*x)] + 18*a^5*b^2*B*Sin[3*(c + d*x)] - 32*
a^3*b^4*B*Sin[3*(c + d*x)] + 8*a*b^6*B*Sin[3*(c + d*x)] - 36*a^6*b*C*Sin[3*
(c + d*x)] + 64*a^4*b^3*C*Sin[3*(c + d*x)] - 22*a^2*b^5*C*Sin[3*(c + d*x)]
- 2*a^5*A*b^2*Sin[4*(c + d*x)] + 5*a^3*A*b^4*Sin[4*(c + d*x)] + 6*a^6*b*B*S
in[4*(c + d*x)] - 11*a^4*b^3*B*Sin[4*(c + d*x)] + 2*a^2*b^5*B*Sin[4*(c + d
*x)] - 12*a^7*C*Sin[4*(c + d*x)] + 21*a^5*b^2*C*Sin[4*(c + d*x)] - 6*a^3*b^4
*C*Sin[4*(c + d*x)]))/(8*b^4*(-a^2 + b^2)^2*d*(A + 2*C + 2*B*cos[c + d*x] +
A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^3)
```

Maple [B] time = 0.123, size = 2275, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] 12/d/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*
c))/((a+b)*(a-b))^(1/2)*B*a^2+1/d/b^3*ln(tan(1/2*d*x+1/2*c)+1)*A+1/2/d*C/b^
3/(tan(1/2*d*x+1/2*c)-1)^2-1/d/b^3/(tan(1/2*d*x+1/2*c)-1)*B+1/2/d/b^3/(tan(
1/2*d*x+1/2*c)-1)*C-1/d/b^3*ln(tan(1/2*d*x+1/2*c)-1)*A-1/2/d*C/b^3/(tan(1/2
*d*x+1/2*c)+1)^2-1/d/b^3/(tan(1/2*d*x+1/2*c)+1)*B+1/2/d/b^3/(tan(1/2*d*x+1/
```


$$\begin{aligned}
& 2*c)+1)*C-1/2/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*C+1/2/d/b^3*\ln(\tan(1/2*d*x+1/2 \\
& *c)+1)*C+29/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b) \\
& *\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C-20/d*a^3/b/(a^4-2*a^2*b^2+b^4)/ \\
& (a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C+ \\
& 1/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^ \\
& 2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-8/d*a^3/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1 \\
& /2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-6/d*a^6/b^4/(\tan \\
& (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d* \\
& x+1/2*c)*C+4/d*a^5/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^ \\
& 2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+1/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-ta \\
& n(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+8/d*a^3/b/(\tan \\
& (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan \\
& (1/2*d*x+1/2*c)^3*B+2/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c) \\
&)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-2/d*a^4/b^2/(\tan(\\
& 1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+ \\
& 1/2*c)*A-1/d*a^3/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a \\
& +b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A+10/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1 \\
& /2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C-10/d*a^4/b^2/(\tan \\
& (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan \\
& (1/2*d*x+1/2*c)^3*C+3/d/b^4/(\tan(1/2*d*x+1/2*c)-1)*a*C+3/d/b^4*\ln(\tan(1/2 \\
& *d*x+1/2*c)-1)*B*a-6/d/b^5*\ln(\tan(1/2*d*x+1/2*c)-1)*a^2*C-1/d*a^3/b/(\tan(1/ \\
& 2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/ \\
& 2*d*x+1/2*c)^3*A-4/d*a^5/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b \\
& -a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+6/d*a^6/b^4/(\tan(1/2*d \\
& *x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d \\
& *x+1/2*c)^3*C-1/d*a^5/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a- \\
& b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C-1/d*a^5/b^3/(\tan(1/2*d*x+ \\
& 1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C \\
& +3/d/b^4/(\tan(1/2*d*x+1/2*c)+1)*a*C-12/d*a^7/b^5/(a^4-2*a^2*b^2+b^4)/((a+b) \\
& *(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C+5/d*a \\
& ^3/b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2* \\
& c)/((a+b)*(a-b))^{(1/2)})*A-6/d*a*b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)*\operatorname{a} \\
& rctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A+6/d*a^2/(\tan(1/2*d*x \\
& +1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)* \\
& A-6/d*a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+ \\
& 2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-2/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a \\
& -b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A-3/d/b^4* \\
& \ln(\tan(1/2*d*x+1/2*c)+1)*B*a+6/d/b^5*\ln(\tan(1/2*d*x+1/2*c)+1)*a^2*C+6/d*a^6 \\
& /b^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2* \\
& c)/((a+b)*(a-b))^{(1/2)})*B-15/d*a^4/b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1 \\
& /2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*B
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**
3,x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**4/(a + b*se
c(c + d*x))**3, x)
```

Giac [B] time = 1.47309, size = 2349, normalized size = 5.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="giac")
```

```
[Out] -1/2*(2*(12*C*a^7 - 6*B*a^6*b + 2*A*a^5*b^2 - 29*C*a^5*b^2 + 15*B*a^4*b^3 -
5*A*a^3*b^4 + 20*C*a^3*b^4 - 12*B*a^2*b^5 + 6*A*a*b^6)*(pi*floor(1/2*(d*x
+ c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/
2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(a^4*b^5 - 2*a^2*b^7 + b^9)*sqrt(-a^2 +
b^2)) - 2*(12*C*a^7*tan(1/2*d*x + 1/2*c)^7 - 6*B*a^6*b*tan(1/2*d*x + 1/2*c
)^7 - 18*C*a^6*b*tan(1/2*d*x + 1/2*c)^7 + 2*A*a^5*b^2*tan(1/2*d*x + 1/2*c)
^7 + 9*B*a^5*b^2*tan(1/2*d*x + 1/2*c)^7 - 17*C*a^5*b^2*tan(1/2*d*x + 1/2*c)
^7 - 3*A*a^4*b^3*tan(1/2*d*x + 1/2*c)^7 + 9*B*a^4*b^3*tan(1/2*d*x + 1/2*c)
^7 + 33*C*a^4*b^3*tan(1/2*d*x + 1/2*c)^7 - 5*A*a^3*b^4*tan(1/2*d*x + 1/2*c)
^7 - 16*B*a^3*b^4*tan(1/2*d*x + 1/2*c)^7 - 2*C*a^3*b^4*tan(1/2*d*x + 1/2*c)
^7 + 6*A*a^2*b^5*tan(1/2*d*x + 1/2*c)^7 + 2*B*a^2*b^5*tan(1/2*d*x + 1/2*c)
^7 - 13*C*a^2*b^5*tan(1/2*d*x + 1/2*c)^7 + 4*B*a*b^6*tan(1/2*d*x + 1/2*c)
^7 + 4*C*a*b^6*tan(1/2*d*x + 1/2*c)^7 - 2*B*b^7*tan(1/2*d*x + 1/2*c)^7 + C*b^7*t
an(1/2*d*x + 1/2*c)^7 - 36*C*a^7*tan(1/2*d*x + 1/2*c)^5 + 18*B*a^6*b*tan(1/
2*d*x + 1/2*c)^5 + 18*C*a^6*b*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^5*b^2*tan(1/2*
d*x + 1/2*c)^5 - 9*B*a^5*b^2*tan(1/2*d*x + 1/2*c)^5 + 67*C*a^5*b^2*tan(1/2*
d*x + 1/2*c)^5 + 3*A*a^4*b^3*tan(1/2*d*x + 1/2*c)^5 - 35*B*a^4*b^3*tan(1/2*
d*x + 1/2*c)^5 - 29*C*a^4*b^3*tan(1/2*d*x + 1/2*c)^5 + 15*A*a^3*b^4*tan(1/2
*d*x + 1/2*c)^5 + 16*B*a^3*b^4*tan(1/2*d*x + 1/2*c)^5 - 26*C*a^3*b^4*tan(1/
2*d*x + 1/2*c)^5 - 6*A*a^2*b^5*tan(1/2*d*x + 1/2*c)^5 + 10*B*a^2*b^5*tan(1/
2*d*x + 1/2*c)^5 + 5*C*a^2*b^5*tan(1/2*d*x + 1/2*c)^5 - 4*B*a*b^6*tan(1/2*d
*x + 1/2*c)^5 + 4*C*a*b^6*tan(1/2*d*x + 1/2*c)^5 - 2*B*b^7*tan(1/2*d*x + 1/
2*c)^5 + 3*C*b^7*tan(1/2*d*x + 1/2*c)^5 + 36*C*a^7*tan(1/2*d*x + 1/2*c)^3 -
18*B*a^6*b*tan(1/2*d*x + 1/2*c)^3 + 18*C*a^6*b*tan(1/2*d*x + 1/2*c)^3 + 6*
A*a^5*b^2*tan(1/2*d*x + 1/2*c)^3 - 9*B*a^5*b^2*tan(1/2*d*x + 1/2*c)^3 - 67*
C*a^5*b^2*tan(1/2*d*x + 1/2*c)^3 + 3*A*a^4*b^3*tan(1/2*d*x + 1/2*c)^3 + 35*
B*a^4*b^3*tan(1/2*d*x + 1/2*c)^3 - 29*C*a^4*b^3*tan(1/2*d*x + 1/2*c)^3 - 15
*A*a^3*b^4*tan(1/2*d*x + 1/2*c)^3 + 16*B*a^3*b^4*tan(1/2*d*x + 1/2*c)^3 + 2
6*C*a^3*b^4*tan(1/2*d*x + 1/2*c)^3 - 6*A*a^2*b^5*tan(1/2*d*x + 1/2*c)^3 - 1
0*B*a^2*b^5*tan(1/2*d*x + 1/2*c)^3 + 5*C*a^2*b^5*tan(1/2*d*x + 1/2*c)^3 - 4
*B*a*b^6*tan(1/2*d*x + 1/2*c)^3 - 4*C*a*b^6*tan(1/2*d*x + 1/2*c)^3 + 2*B*b^
7*tan(1/2*d*x + 1/2*c)^3 + 3*C*b^7*tan(1/2*d*x + 1/2*c)^3 - 12*C*a^7*tan(1/
2*d*x + 1/2*c) + 6*B*a^6*b*tan(1/2*d*x + 1/2*c) - 18*C*a^6*b*tan(1/2*d*x +
1/2*c) - 2*A*a^5*b^2*tan(1/2*d*x + 1/2*c) + 9*B*a^5*b^2*tan(1/2*d*x + 1/2*c
) + 17*C*a^5*b^2*tan(1/2*d*x + 1/2*c) - 3*A*a^4*b^3*tan(1/2*d*x + 1/2*c) -
9*B*a^4*b^3*tan(1/2*d*x + 1/2*c) + 33*C*a^4*b^3*tan(1/2*d*x + 1/2*c) + 5*A*
a^3*b^4*tan(1/2*d*x + 1/2*c) - 16*B*a^3*b^4*tan(1/2*d*x + 1/2*c) + 2*C*a^3*
b^4*tan(1/2*d*x + 1/2*c) + 6*A*a^2*b^5*tan(1/2*d*x + 1/2*c) - 2*B*a^2*b^5*t
an(1/2*d*x + 1/2*c) - 13*C*a^2*b^5*tan(1/2*d*x + 1/2*c) + 4*B*a*b^6*tan(1/2
```

$$\begin{aligned}
 & *d*x + 1/2*c) - 4*C*a*b^6*\tan(1/2*d*x + 1/2*c) + 2*B*b^7*\tan(1/2*d*x + 1/2* \\
 & c) + C*b^7*\tan(1/2*d*x + 1/2*c))/((a^4*b^4 - 2*a^2*b^6 + b^8)*(a*\tan(1/2*d* \\
 & x + 1/2*c)^4 - b*\tan(1/2*d*x + 1/2*c)^4 - 2*a*\tan(1/2*d*x + 1/2*c)^2 + a + \\
 & b)^2) - (12*C*a^2 - 6*B*a*b + 2*A*b^2 + C*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) \\
 & + 1))/b^5 + (12*C*a^2 - 6*B*a*b + 2*A*b^2 + C*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1 \\
 & /2*c) - 1))/b^5)/d
 \end{aligned}$$

$$3.917 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=323

$$\frac{\tan(c+dx)(3a^2C-abB+Ab^2-2b^2C)}{2b^3d(a^2-b^2)} + \frac{(a^2b^4(A+12C)+5a^3b^3B-15a^4b^2C-2a^5bB+6a^6C-6ab^5B+2Ab^6)\tan(c+dx)}{b^4d(a-b)^{5/2}(a+b)^{5/2}}$$

```
[Out] ((b*B - 3*a*C)*ArcTanh[Sin[c + d*x]])/(b^4*d) + ((2*A*b^6 - 2*a^5*b*B + 5*a^3*b^3*B - 6*a*b^5*B + 6*a^6*C - 15*a^4*b^2*C + a^2*b^4*(A + 12*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^4*(a + b)^(5/2)*d) + ((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^2*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a*(2*A*b^4 + a^3*b*B - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(A + 6*C))*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 2.98692, antiderivative size = 323, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4098, 4090, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{\tan(c+dx)(3a^2C-abB+Ab^2-2b^2C)}{2b^3d(a^2-b^2)} + \frac{(a^2b^4(A+12C)+5a^3b^3B-15a^4b^2C-2a^5bB+6a^6C-6ab^5B+2Ab^6)\tan(c+dx)}{b^4d(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]
```

```
[Out] ((b*B - 3*a*C)*ArcTanh[Sin[c + d*x]])/(b^4*d) + ((2*A*b^6 - 2*a^5*b*B + 5*a^3*b^3*B - 6*a*b^5*B + 6*a^6*C - 15*a^4*b^2*C + a^2*b^4*(A + 12*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^4*(a + b)^(5/2)*d) + ((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^2*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a*(2*A*b^4 + a^3*b*B - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(A + 6*C))*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[
(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x
_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x
])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^
2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B
- a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 +
b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/(csc[
(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:=> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :=> With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\sec^2(c+dx)(2a^2b^2-2a^2b^2)}{(a+b\sec(c+dx))^3} dx \\
&= -\frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a(2Ab^4+a^2b^2)}{(a+b\sec(c+dx))^3} \\
&= \frac{(Ab^2-abB+3a^2C-2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} - \frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)} \\
&= \frac{(Ab^2-abB+3a^2C-2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)d} - \frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{2b(a^2-b^2)} \\
&= \frac{(bB-3aC)\tanh^{-1}(\sin(c+dx))}{b^4d} + \frac{(Ab^2-abB+3a^2C-2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)} \\
&= \frac{(bB-3aC)\tanh^{-1}(\sin(c+dx))}{b^4d} + \frac{(Ab^2-abB+3a^2C-2b^2C)\tan(c+dx)}{2b^3(a^2-b^2)} \\
&= \frac{(bB-3aC)\tanh^{-1}(\sin(c+dx))}{b^4d} + \frac{(a^2Ab^4+2Ab^6-2a^5bB+3a^4b^2C-2a^3b^3B-3a^2b^4C)}{2b^3(a^2-b^2)}
\end{aligned}$$

Mathematica [A] time = 2.9103, size = 492, normalized size = 1.52

$$\sec^2(c+dx)(a\cos(c+dx)+b)(A+B\sec(c+dx)+C\sec^2(c+dx)) \left(\frac{2b\sin(c+dx)(a^2\cos(2(c+dx))(-11a^2b^2C-2a^3bB+6a^4C+5ab^3B-3Aa^2b^2))}{(a+b\sec(c+dx))^3} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*((-8*(2*A*b^6 - 2*a^5*b*B + 5*a^3*b^3*B - 6*a*b^5*B + 6*a^6*C - 15*a^4*b^2

$$\begin{aligned}
& 2*C + a^2*b^4*(A + 12*C)*\text{ArcTanh}[((-a + b)*\text{Tan}[(c + d*x)/2])/\text{Sqrt}[a^2 - b^2]]*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])^2/(a^2 - b^2)^{(5/2)} - 8*(b*B - 3*a*C) \\
& *\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])^2*\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]] + 8*(b*B - 3*a*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])^2*\text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]] \\
& + (2*b*(-3*a^2*A*b^4 - 2*a^5*b*B + 5*a^3*b^3*B + 6*a^6*C - 7*a^4*b^2*C - 6*a^2*b^4*C + 4*b^6*C + 2*a*b*(-3*a^3*b*B + 6*a*b^3*B + a^2*b^2*(A - 16*C) + 9*a^4*C + 4*b^4*(-A + C))*\text{Cos}[c + d*x] + a^2*(-3*A*b^4 - 2*a^3*b*B + 5*a*b^3*B + 6*a^4*C - 11*a^2*b^2*C + 2*b^4*C)*\text{Cos}[2*(c + d*x)])*\text{Sin}[c + d*x])/(a^2 - b^2)^2)/(4*b^4*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*(c + d*x)]*(a + b*\text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 0.106, size = 1813, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^3, x)$

[Out]
$$\begin{aligned}
& -1/d/b^3/(\tan(1/2*d*x+1/2*c)-1)*C-1/d/b^3/(\tan(1/2*d*x+1/2*c)+1)*C+4/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a-b)/(a^2+2*a*b+b^2) \\
& * \tan(1/2*d*x+1/2*c)^3*A-4/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-8/d*a^3/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C+2/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-1/d*a^3/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-2/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-1/d*a^3/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+1/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C+1/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C-4/d*a^5/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C+4/d*a^5/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C+8/d*a^3/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C+3/d/b^4*\ln(\tan(1/2*d*x+1/2*c)-1)*a*C-3/d/b^4*\ln(\tan(1/2*d*x+1/2*c)+1)*a*C+1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*B+6/d/b^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*a^6*C-15/d/b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*a^4*C-2/d/b^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))
\end{aligned}$$

$$\begin{aligned} & \frac{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) B a^{5+5 / d} / b / \left(a^{4}-2 a^{2} b^{2}+b^{4}\right)}{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) B a^{3-6 / d} b / \left(a^{4}-2 a^{2} b^{2}+b^{4}\right)} \\ & \frac{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) a B-6 / d a^{2} / \left(\tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)\right)^{2} a-\tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)^{2} b-a-b}{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) a B+6 / d a^{2} / \left(\tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)\right)^{2} a-\tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)^{2} b-a-b} \\ & \frac{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) A+1 / d a^{2} / \left(\tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)\right)^{2} a-\tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)^{2} b-a-b}{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) A+1 / d a^{2} / \left(\tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)\right)^{2} a-\tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)^{2} b-a-b} \\ & \frac{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) A+1 / d / \left(a^{4}-2 a^{2} b^{2}+b^{4}\right)}{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) A a^{2}+12 / d / \left(a^{4}-2 a^{2} b^{2}+b^{4}\right)} \\ & \frac{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) C a^{2}}{\sqrt{\frac{1}{2}} \operatorname{arctanh}\left(\frac{(a-b) \tan\left(\frac{1}{2} d x+\frac{1}{2} c\right)}{(a+b)(a-b)}\right) C a^{2}} \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.53882, size = 952, normalized size = 2.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] ((6*C*a^6 - 2*B*a^5*b - 15*C*a^4*b^2 + 5*B*a^3*b^3 + A*a^2*b^4 + 12*C*a^2*b^4 - 6*B*a*b^5 + 2*A*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^4*b^4 - 2*a^2*b^6 + b^8)*sqrt(-a^2 + b^2)) - (4*C*a^6*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^5*b*tan(1/2*d*x + 1/2*c)^3 - 5*C*a^5*b*tan(1/2*d*x + 1/2*c)^3 + 3*B*a^4*b^2*tan(1/2*d*x + 1/2*c)^3 - 7*C*a^4*b^2*tan(1/2*d*x + 1/2*c)^3 - A*a^3*b^3*tan(1/2*d*x + 1/2*c)^3 + 5*B*a^3*b^3*tan(1/2*d*x + 1/2*c)^3 + 8*C*a^3*b^3*tan(1/2*d*x + 1/2*c)^3 - 3*A*a^2*b^4*tan(1/2*d*x + 1/2*c)^3 - 6*B*a^2*b^4*tan(1/2*d*x + 1/2*c)^3 + 4*A*a*b^5*tan(1/2*d*x + 1/2*c)^3 - 4*C*a^6*tan(1/2*d*x + 1/2*c) + 2*B*a^5*b*tan(1/2*d*x + 1/2*c) - 5*C*a^5*b*tan(1/2*d*x + 1/2*c) + 3*B*a^4*b^2*tan(1/2*d*x + 1/2*c) + 7*C*a^4*b^2*tan(1/2*d*x + 1/2*c) - A*a^3*b^3*tan(1/2*d*x + 1/2*c) - 5*B*a^3*b^3*tan(1/2*d*x + 1/2*c) + 8*C*a^3*b^3*tan(1/2*d*x + 1/2*c) + 3*A*a^2*b^4*tan(1/2*d*x + 1/2*c) - 6*B*a^2*b^4*tan(1/2*d*x + 1/2*c) + 4*A*a*b^5*tan(1/2*d*x + 1/2*c))/((a^4*b^3 - 2*a^2*b^5 + b^7)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c))^2 - a - b)^2 - (3*C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^4 + (3*C*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^4 - 2*C*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*b^3))/d

$$3.918 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=242

$$\frac{(a^2b^3B + 5a^3b^2C - 2a^5C - 3ab^4(A + 2C) + 2b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{\tan(c+dx)(a^2b^2(A+6C) + a^3bB - 3a^4C)}{2b^2d(a^2-b^2)^2(a+b \sec(c+dx))}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^3*d) + ((a^2*b^3*B + 2*b^5*B - 2*a^5*C + 5*a^3*b^2*C - 3*a*b^4*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^3*(a + b)^(5/2)*d) + (a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((2*A*b^4 + a^3*b*B - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(A + 6*C))*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.918053, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4090, 4080, 3998, 3770, 3831, 2659, 208}

$$\frac{(a^2b^3B + 5a^3b^2C - 2a^5C - 3ab^4(A + 2C) + 2b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{\tan(c+dx)(a^2b^2(A+6C) + a^3bB - 3a^4C)}{2b^2d(a^2-b^2)^2(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^3*d) + ((a^2*b^3*B + 2*b^5*B - 2*a^5*C + 5*a^3*b^2*C - 3*a*b^4*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^3*(a + b)^(5/2)*d) + (a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((2*A*b^4 + a^3*b*B - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(A + 6*C))*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4090

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_)), x

```

_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-a*(b*B - a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 4080

```

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 3998

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

```

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \int \frac{\sec(c+dx)(-2b(Ab^2-a(bB-aC))\tan(c+dx))}{(a+b\sec(c+dx))^3} dx \\
 &= \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(2Ab^4+a^3bB-4ab^3B-5a^2b^2C-5a^2b^2C)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} \\
 &= \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(2Ab^4+a^3bB-4ab^3B-5a^2b^2C-5a^2b^2C)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} \\
 &= \frac{C \tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(3aAb^4-a^2b^3B-2b^5B+2a^5C-5a^2b^2C)}{(a-b)^5} \\
 &= \frac{C \tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{a(Ab^2-a(bB-aC))\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(3aAb^4-a^2b^3B-2b^5B+2a^5C-5a^2b^2C)}{(a-b)^5} \\
 &= \frac{C \tanh^{-1}(\sin(c+dx))}{b^3d} - \frac{(3aAb^4-a^2b^3B-2b^5B+2a^5C-5a^2b^2C)}{(a-b)^5}
 \end{aligned}$$

Mathematica [C] time = 6.00229, size = 514, normalized size = 2.12

$$\sec(c+dx)(a \cos(c+dx)+b)(A+B\sec(c+dx)+C\sec^2(c+dx)) \left(\frac{4(\sin(c)+i \cos(c))(-a^2b^3B-5a^3b^2C+2a^5C+3ab^4(A+2C)-2b^5B)(a \cos(c+dx)+b)}{(a^2-b^2)^{5/2} \sqrt{\cos(c+dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

```
[Out] ((b + a*cos[c + d*x])*sec[c + d*x]*(A + B*sec[c + d*x] + C*sec[c + d*x]^2)*
(-4*C*(b + a*cos[c + d*x])^2*log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*C
*(b + a*cos[c + d*x])^2*log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (4*(-(a^
2*b^3*B) - 2*b^5*B + 2*a^5*C - 5*a^3*b^2*C + 3*a*b^4*(A + 2*C))*ArcTan[((I*
Cos[c] + Sin[c])*(a*sin[c] + (-b + a*cos[c]))*Tan[(d*x)/2]))/(sqrt[a^2 - b^2
]*sqrt[(Cos[c] - I*sin[c])^2]))*(b + a*cos[c + d*x])^2*(I*cos[c] + Sin[c]))
/((a^2 - b^2)^(5/2)*sqrt[(Cos[c] - I*sin[c])^2]) + (b*(a*sec[c]*(b*(4*A*b^4
+ a^3*b*B - 10*a*b^3*B - 7*a^4*C + a^2*b^2*(5*A + 16*C))*sin[d*x] + a*(b*(
a^2*b*B + 2*b^3*B + a^3*C - a*b^2*(3*A + 4*C))*sin[2*c + d*x] + (A*b^4 - 3*
a*b^3*B - 2*a^4*C + a^2*b^2*(2*A + 5*C))*sin[c + 2*d*x])) + (a^2 + 2*b^2)*(
-(A*b^4) + 3*a*b^3*B + 2*a^4*C - a^2*b^2*(2*A + 5*C))*Tan[c]))/(a*(a^2 - b^
2)^2))/(2*b^3*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*(c + d*x)])*(a + b*S
ec[c + d*x])^3)
```

Maple [B] time = 0.11, size = 1572, normalized size = 6.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] -2/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2
*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-1/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+
1/2*c)^2*b-a-b)^2*a/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-2/d*b^2/(t
an(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*t
an(1/2*d*x+1/2*c)^3*A+1/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*
b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B+4/d*b/(tan(1/2*d*x+1/
2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+
1/2*c)^3*B+2/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^
2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C-1/d*a^3/b/(tan(1/2*d*x+1/2*c
)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c
)^3*C-6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a^2/(a-b)/(
a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*C+2/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1
/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-1/d*b/(tan(1/2*
d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a+b)/(a-b)^2*tan(1/2*d*x+1/
2*c)*A+2/d*b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/
(a-b)^2*tan(1/2*d*x+1/2*c)*A+1/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/
2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B-4/d*b/(tan(1/2*d*x+1/2*c
)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B-2/
d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b
)^2*tan(1/2*d*x+1/2*c)*C-1/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c
```

$$\begin{aligned} &)^2 * b - a - b)^2 / (a + b) / (a - b)^2 * \tan(1/2 * d * x + 1/2 * c) * C + 6/d / (\tan(1/2 * d * x + 1/2 * c)^2 * a \\ & - \tan(1/2 * d * x + 1/2 * c)^2 * b - a - b)^2 * a^2 / (a + b) / (a - b)^2 * \tan(1/2 * d * x + 1/2 * c) * C - 3/d * a \\ & * b / (a^4 - 2 * a^2 * b^2 + b^4) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan(1/2 * d * x + 1/2 * c) \\ & / ((a + b) * (a - b))^{(1/2)}) * A + 1/d / (a^4 - 2 * a^2 * b^2 + b^4) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh} \\ & ((a - b) * \tan(1/2 * d * x + 1/2 * c) / ((a + b) * (a - b))^{(1/2)}) * B * a^2 + 2/d * b^2 / (a^4 - 2 * a^2 * b^2 \\ & + b^4) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan(1/2 * d * x + 1/2 * c) / ((a + b) * (a - b))^{(1 \\ & / 2)}) * B - 2/d * a^5 / b^3 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan \\ & (1/2 * d * x + 1/2 * c) / ((a + b) * (a - b))^{(1/2)}) * C + 5/d * a^3 / b / (a^4 - 2 * a^2 * b^2 + b^4) / ((a + b) \\ &) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan(1/2 * d * x + 1/2 * c) / ((a + b) * (a - b))^{(1/2)}) * C - 6/d * \\ & b / (a^4 - 2 * a^2 * b^2 + b^4) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan(1/2 * d * x + 1/2 * c) / \\ & ((a + b) * (a - b))^{(1/2)}) * C * a + 1/d / b^3 * \ln(\tan(1/2 * d * x + 1/2 * c) + 1) * C - 1/d / b^3 * \ln(\tan(\\ & 1/2 * d * x + 1/2 * c) - 1) * C \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 78.2604, size = 3240, normalized size = 13.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="fricas")

[Out]
$$\begin{aligned} &[-1/4 * ((2 * C * a^5 * b^2 - 5 * C * a^3 * b^4 - B * a^2 * b^5 + 3 * (A + 2 * C) * a * b^6 - 2 * B * b^7 \\ & + (2 * C * a^7 - 5 * C * a^5 * b^2 - B * a^4 * b^3 + 3 * (A + 2 * C) * a^3 * b^4 - 2 * B * a^2 * b^5) * \\ & \cos(d * x + c)^2 + 2 * (2 * C * a^6 * b - 5 * C * a^4 * b^3 - B * a^3 * b^4 + 3 * (A + 2 * C) * a^2 * b \\ & ^5 - 2 * B * a * b^6) * \cos(d * x + c)) * \sqrt{a^2 - b^2} * \log((2 * a * b * \cos(d * x + c) - (a^2 \\ & - 2 * b^2) * \cos(d * x + c)^2 + 2 * \sqrt{a^2 - b^2}) * (b * \cos(d * x + c) + a) * \sin(d * x \\ & + c) + 2 * a^2 - b^2) / (a^2 * \cos(d * x + c)^2 + 2 * a * b * \cos(d * x + c) + b^2)) - 2 * (C \\ & * a^6 * b^2 - 3 * C * a^4 * b^4 + 3 * C * a^2 * b^6 - C * b^8 + (C * a^8 - 3 * C * a^6 * b^2 + 3 * C * a \end{aligned}$$

$$\begin{aligned}
&^4*b^4 - C*a^2*b^6)*\cos(d*x + c)^2 + 2*(C*a^7*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 \\
&- C*a*b^7)*\cos(d*x + c))*\log(\sin(d*x + c) + 1) + 2*(C*a^6*b^2 - 3*C*a^4*b^4 \\
&+ 3*C*a^2*b^6 - C*b^8 + (C*a^8 - 3*C*a^6*b^2 + 3*C*a^4*b^4 - C*a^2*b^6)*\cos(d*x + c)^2 + 2*(C*a^7*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 - C*a*b^7)*\cos(d*x + c))*\log(-\sin(d*x + c) + 1) + 2*(3*C*a^6*b^2 - B*a^5*b^3 - (A + 9*C)*a^4*b^4 + 5*B*a^3*b^5 - (A - 6*C)*a^2*b^6 - 4*B*a*b^7 + 2*A*b^8 + (2*C*a^7*b - (2*A + 7*C)*a^5*b^3 + 3*B*a^4*b^4 + (A + 5*C)*a^3*b^5 - 3*B*a^2*b^6 + A*a*b^7)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^3 - 3*a^6*b^5 + 3*a^4*b^7 - a^2*b^9)*d*\cos(d*x + c)^2 + 2*(a^7*b^4 - 3*a^5*b^6 + 3*a^3*b^8 - a*b^10)*d*\cos(d*x + c) + (a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*d), -1/2*((2*C*a^5*b^2 - 5*C*a^3*b^4 - B*a^2*b^5 + 3*(A + 2*C)*a*b^6 - 2*B*b^7 + (2*C*a^7 - 5*C*a^5*b^2 - B*a^4*b^3 + 3*(A + 2*C)*a^3*b^4 - 2*B*a^2*b^5)*\cos(d*x + c)^2 + 2*(2*C*a^6*b - 5*C*a^4*b^3 - B*a^3*b^4 + 3*(A + 2*C)*a^2*b^5 - 2*B*a*b^6)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c))) - (C*a^6*b^2 - 3*C*a^4*b^4 + 3*C*a^2*b^6 - C*b^8 + (C*a^8 - 3*C*a^6*b^2 + 3*C*a^4*b^4 - C*a^2*b^6)*\cos(d*x + c)^2 + 2*(C*a^7*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 - C*a*b^7)*\cos(d*x + c))*\log(\sin(d*x + c) + 1) + (C*a^6*b^2 - 3*C*a^4*b^4 + 3*C*a^2*b^6 - C*b^8 + (C*a^8 - 3*C*a^6*b^2 + 3*C*a^4*b^4 - C*a^2*b^6)*\cos(d*x + c)^2 + 2*(C*a^7*b - 3*C*a^5*b^3 + 3*C*a^3*b^5 - C*a*b^7)*\cos(d*x + c))*\log(-\sin(d*x + c) + 1) + (3*C*a^6*b^2 - B*a^5*b^3 - (A + 9*C)*a^4*b^4 + 5*B*a^3*b^5 - (A - 6*C)*a^2*b^6 - 4*B*a*b^7 + 2*A*b^8 + (2*C*a^7*b - (2*A + 7*C)*a^5*b^3 + 3*B*a^4*b^4 + (A + 5*C)*a^3*b^5 - 3*B*a^2*b^6 + A*a*b^7)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^3 - 3*a^6*b^5 + 3*a^4*b^7 - a^2*b^9)*d*\cos(d*x + c)^2 + 2*(a^7*b^4 - 3*a^5*b^6 + 3*a^3*b^8 - a*b^10)*d*\cos(d*x + c) + (a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*d)]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.42163, size = 853, normalized size = 3.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="giac")
```

```
[Out] -((2*C*a^5 - 5*C*a^3*b^2 - B*a^2*b^3 + 3*A*a*b^4 + 6*C*a*b^4 - 2*B*b^5)*(pi
*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1
/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^4*b^3 - 2*a^2*b^5 +
b^7)*sqrt(-a^2 + b^2)) - C*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 + C*log(a
bs(tan(1/2*d*x + 1/2*c) - 1))/b^3 - (2*C*a^5*tan(1/2*d*x + 1/2*c)^3 - 3*C*a
^4*b*tan(1/2*d*x + 1/2*c)^3 - 2*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 + B*a^3*b^
2*tan(1/2*d*x + 1/2*c)^3 - 5*C*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 + A*a^2*b^3*t
an(1/2*d*x + 1/2*c)^3 + 3*B*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*b^3*ta
n(1/2*d*x + 1/2*c)^3 - A*a*b^4*tan(1/2*d*x + 1/2*c)^3 - 4*B*a*b^4*tan(1/2*d
*x + 1/2*c)^3 + 2*A*b^5*tan(1/2*d*x + 1/2*c)^3 - 2*C*a^5*tan(1/2*d*x + 1/2*
c) - 3*C*a^4*b*tan(1/2*d*x + 1/2*c) + 2*A*a^3*b^2*tan(1/2*d*x + 1/2*c) + B*
a^3*b^2*tan(1/2*d*x + 1/2*c) + 5*C*a^3*b^2*tan(1/2*d*x + 1/2*c) + A*a^2*b^3
*tan(1/2*d*x + 1/2*c) - 3*B*a^2*b^3*tan(1/2*d*x + 1/2*c) + 6*C*a^2*b^3*tan(
1/2*d*x + 1/2*c) + A*a*b^4*tan(1/2*d*x + 1/2*c) - 4*B*a*b^4*tan(1/2*d*x + 1
/2*c) + 2*A*b^5*tan(1/2*d*x + 1/2*c))/((a^4*b^2 - 2*a^2*b^4 + b^6)*(a*tan(1
/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)^2))/d
```

$$3.919 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx$$

Optimal. Leaf size=202

$$\frac{(a^2(-2A+C) + 3abB - b^2(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{\tan(c+dx)(a^2bB + a^3C - ab^2(3A+4C) + 2b^3B)}{2bd(a^2-b^2)^2(a+b\sec(c+dx))}$$

[Out] -((((3*a*b*B - a^2*(2*A + C) - b^2*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d)) - ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((a^2*b*B + 2*b^3*B + a^3*C - a*b^2*(3*A + 4*C))*Tan[c + d*x])/(2*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.421351, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4080, 4003, 12, 3831, 2659, 208}

$$\frac{(a^2(-2A+C) + 3abB - b^2(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{\tan(c+dx)(a^2bB + a^3C - ab^2(3A+4C) + 2b^3B)}{2bd(a^2-b^2)^2(a+b\sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]

[Out] -((((3*a*b*B - a^2*(2*A + C) - b^2*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d)) - ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((a^2*b*B + 2*b^3*B + a^3*C - a*b^2*(3*A + 4*C))*Tan[c + d*x])/(2*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4080

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), In

```
t[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\sec(c+dx)(2b(bB-a(A+C))-(a+b\sec(c+dx))^2)}{2b(a+b\sec(c+dx))^3} dx \\
&= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2bB+2b^3B+a^3C-2a^2bC)}{2b(a^2-b^2)^2d} \\
&= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2bB+2b^3B+a^3C-2a^2bC)}{2b(a^2-b^2)^2d} \\
&= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2bB+2b^3B+a^3C-2a^2bC)}{2b(a^2-b^2)^2d} \\
&= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2bB+2b^3B+a^3C-2a^2bC)}{2b(a^2-b^2)^2d} \\
&= \frac{(2a^2A+Ab^2-3abB+a^2C+2b^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d}
\end{aligned}$$

Mathematica [C] time = 4.25346, size = 410, normalized size = 2.03

$$\sec(c+dx)(a\cos(c+dx)+b)(A+B\sec(c+dx)+C\sec^2(c+dx)) \left(\frac{a\sec(c)(\sin(2c+dx)(a^2b^2(5A+2C)-3a^3bB+a^4C-2Ab^4)+a\sin(c+2c+dx))}{(a+b\sec(c+dx))^3} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((-4*I)*(-3*a*b*B + a^2*(2*A + C) + b^2*(A + 2*C))*ArcTan[((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c]))*Tan[(d*x)/2]))/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b + a*Cos[c + d*x])^2*(Cos[c] - I*Sin[c]))/((a^2 - b^2)^(5/2)*Sqrt[(Cos[c] - I*Sin[c])^2]) + (a*Sec[c]*((2*A*b^4 + 5*a^3*b*B + 4*

$$a^3b^3B + a^4C - a^2b^2(11A + 10C)\sin[dx] + (-2Ab^4 - 3a^3bB + a^4C + a^2b^2(5A + 2C))\sin[2c + dx] + a(Ab^3 + 2a^3B + a^2b^2B - a^2b(4A + 3C))\sin[c + 2dx] - (a^2 + 2b^2)(Ab^3 + 2a^3B + ab^2B - a^2b(4A + 3C))\tan[c] / (a^3 - a^2b^2)^2 / (2d(A + 2C + 2B\cos[c + dx] + A\cos[2(c + dx)])^3)$$

Maple [A] time = 0.092, size = 268, normalized size = 1.3

$$\frac{1}{d} \left(-2 \frac{1}{((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)^2} \left(-1/2 \frac{(4Aab + Ab^2 - 2Ba^2 - Bab - 2Bb^2 + a^2C + 4abc)}{(a-b)(a^2 + 2ab + b^2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^3,x)

[Out] 1/d*(-2*(-1/2*(4*A*a*b+A*b^2-2*B*a^2-B*a*b-2*B*b^2+C*a^2+4*C*a*b)/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3+1/2*(4*A*a*b-A*b^2-2*B*a^2+B*a*b-2*B*b^2-C*a^2+4*C*a*b)/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c))/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2+(2*A*a^2+A*b^2-3*B*a*b+C*a^2+2*C*b^2)/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.686306, size = 1852, normalized size = 9.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="fricas")
```

```
[Out] [1/4*(((2*A + C)*a^2*b^2 - 3*B*a*b^3 + (A + 2*C)*b^4 + ((2*A + C)*a^4 - 3*B
*a^3*b + (A + 2*C)*a^2*b^2)*cos(d*x + c)^2 + 2*((2*A + C)*a^3*b - 3*B*a^2*b
^2 + (A + 2*C)*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c)
- (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*si
n(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2))
+ 2*(C*a^5 + B*a^4*b - (3*A + 5*C)*a^3*b^2 + B*a^2*b^3 + (3*A + 4*C)*a*b^4
- 2*B*b^5 + (2*B*a^5 - (4*A + 3*C)*a^4*b - B*a^3*b^2 + (5*A + 3*C)*a^2*b^3
- B*a*b^4 - A*b^5)*cos(d*x + c))*sin(d*x + c))/((a^8 - 3*a^6*b^2 + 3*a^4*b^
4 - a^2*b^6)*d*cos(d*x + c)^2 + 2*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d
*cos(d*x + c) + (a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8)*d), 1/2*(((2*A + C)
*a^2*b^2 - 3*B*a*b^3 + (A + 2*C)*b^4 + ((2*A + C)*a^4 - 3*B*a^3*b + (A + 2*
C)*a^2*b^2)*cos(d*x + c)^2 + 2*((2*A + C)*a^3*b - 3*B*a^2*b^2 + (A + 2*C)*a
*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x +
c) + a)/((a^2 - b^2)*sin(d*x + c))) + (C*a^5 + B*a^4*b - (3*A + 5*C)*a^3*b^
2 + B*a^2*b^3 + (3*A + 4*C)*a*b^4 - 2*B*b^5 + (2*B*a^5 - (4*A + 3*C)*a^4*b
- B*a^3*b^2 + (5*A + 3*C)*a^2*b^3 - B*a*b^4 - A*b^5)*cos(d*x + c))*sin(d*x
+ c))/((a^8 - 3*a^6*b^2 + 3*a^4*b^4 - a^2*b^6)*d*cos(d*x + c)^2 + 2*(a^7*b
- 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d*cos(d*x + c) + (a^6*b^2 - 3*a^4*b^4 + 3*
a^2*b^6 - b^8)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x
)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c
+ d*x))**3, x)
```

Giac [B] time = 1.38032, size = 689, normalized size = 3.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="giac")

[Out]
$$\frac{\begin{aligned} & ((2Aa^2 + Ca^2 - 3Bab + Ab^2 + 2Cb^2) * (\pi * \text{floor}(1/2 * (dx + c)) / \pi + \\ & 1/2) * \text{sgn}(-2a + 2b) + \arctan(-(a * \tan(1/2 * dx + 1/2 * c) - b * \tan(1/2 * dx + 1/2 * c)) / \sqrt{-a^2 + b^2})) / ((a^4 - 2a^2b^2 + b^4) * \sqrt{-a^2 + b^2}) - (2B \\ & a^3 * \tan(1/2 * dx + 1/2 * c)^3 - Ca^3 * \tan(1/2 * dx + 1/2 * c)^3 - 4Aa^2 * b * \tan(1/2 * dx + 1/2 * c)^3 - Ba^2 * b * \tan(1/2 * dx + 1/2 * c)^3 - 3Ca^2 * b * \tan(1/2 * dx \\ & + 1/2 * c)^3 + 3Aa * b^2 * \tan(1/2 * dx + 1/2 * c)^3 + Ba * b^2 * \tan(1/2 * dx + 1/2 * c)^3 + 4Ca * b^2 * \tan(1/2 * dx + 1/2 * c)^3 + Ab^3 * \tan(1/2 * dx + 1/2 * c)^3 - 2B \\ & b^3 * \tan(1/2 * dx + 1/2 * c)^3 - 2Ba^3 * \tan(1/2 * dx + 1/2 * c) - Ca^3 * \tan(1/2 * dx + 1/2 * c) + 4Aa^2 * b * \tan(1/2 * dx + 1/2 * c) - Ba^2 * b * \tan(1/2 * dx + 1/2 * c) \\ & + 3Ca^2 * b * \tan(1/2 * dx + 1/2 * c) + 3Aa * b^2 * \tan(1/2 * dx + 1/2 * c) - Ba * b^2 * \tan(1/2 * dx + 1/2 * c) + 4Ca * b^2 * \tan(1/2 * dx + 1/2 * c) - Ab^3 * \tan(1/2 * dx \\ & + 1/2 * c) - 2Bb^3 * \tan(1/2 * dx + 1/2 * c)) / ((a^4 - 2a^2b^2 + b^4) * (a * \tan(1/2 * dx + 1/2 * c)^2 - b * \tan(1/2 * dx + 1/2 * c)^2 - a - b)^2) / d \end{aligned}}$$

$$3.920 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=229

$$\frac{(5a^2Ab^3 - 3a^4b(2A + C) + a^3b^2B + 2a^5B - 2Ab^5) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{\tan(c+dx)(-a^2b^2(5A+2C) + 3a^3bB)}{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))}$$

[Out] (A*x)/a^3 + ((5*a^2*A*b^3 - 2*A*b^5 + 2*a^5*B + a^3*b^2*B - 3*a^4*b*(2*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(5/2) * (a + b)^(5/2)*d) + ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(2*a*(a^2 - b^2) * d*(a + b*Sec[c + d*x])^2) - ((2*A*b^4 + 3*a^3*b*B - a^4*C - a^2*b^2*(5*A + 2*C))*Tan[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.759451, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4060, 3919, 3831, 2659, 208}

$$\frac{(5a^2Ab^3 - 3a^4b(2A + C) + a^3b^2B + 2a^5B - 2Ab^5) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{\tan(c+dx)(-a^2b^2(5A+2C) + 3a^3bB)}{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3, x]

[Out] (A*x)/a^3 + ((5*a^2*A*b^3 - 2*A*b^5 + 2*a^5*B + a^3*b^2*B - 3*a^4*b*(2*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(5/2) * (a + b)^(5/2)*d) + ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(2*a*(a^2 - b^2) * d*(a + b*Sec[c + d*x])^2) - ((2*A*b^4 + 3*a^3*b*B - a^4*C - a^2*b^2*(5*A + 2*C))*Tan[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]]

+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx &= \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} - \frac{\int \frac{-2A(a^2 - b^2) + 2a(Ab - aB + bC) \sec(c + dx) - (Ab^2 - a(bB - aC)) \tan^2(c + dx)}{(a + b \sec(c + dx))^2} dx}{2a(a^2 - b^2)} \\
&= \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} - \frac{(2Ab^4 + 3a^3bB - a^4C - a^2b^2(5A + 2C))}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^3} + \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} - \frac{(2Ab^4 + 3a^3bB - a^4C - a^2b^2(5A + 2C))}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^3} + \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} - \frac{(2Ab^4 + 3a^3bB - a^4C - a^2b^2(5A + 2C))}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^3} + \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} - \frac{(2Ab^4 + 3a^3bB - a^4C - a^2b^2(5A + 2C))}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^3} - \frac{(6a^4Ab - 5a^2Ab^3 + 2Ab^5 - 2a^5B - a^3b^2B + 3a^4bC) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan(c + dx)}{\sqrt{a+b}} \right)}{a^3(a-b)^{5/2}(a+b)^{5/2}d}
\end{aligned}$$

Mathematica [C] time = 6.19554, size = 793, normalized size = 3.46

$$\sec(c + dx)(a \cos(c + dx) + b) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{\sec(c) (6a^4Ab^2 \sin(c+2dx) - 7a^3Ab^3 \sin(2c+dx) - 3a^2Ab^4 \sin(c+2dx) - \dots)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3,x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)* (((-4*I)*(5*a^2*A*b^3 - 2*A*b^5 + 2*a^5*B + a^3*b^2*B - 3*a^4*b*(2*A + C))* ArcTan[(((I*Cos[c] + Sin[c])*(a*Sin[c] + (-b + a*Cos[c]))*Tan[(d*x)/2])]/(Sqrt[a^2 - b^2]*Sqrt[(Cos[c] - I*Sin[c])^2]))*(b + a*Cos[c + d*x])^2*(Cos[c] - I*Sin[c]))/((a^2 - b^2)^(5/2)*Sqrt[(Cos[c] - I*Sin[c])^2]) + (Sec[c]*(2*A*(a^2 - b^2)^2*(a^2 + 2*b^2)*d*x*Cos[c] + 4*a*A*b*(a^2 - b^2)^2*d*x*Cos[d*x])

$$\begin{aligned}
& + 4*a^5*A*b*d*x*\text{Cos}[2*c + d*x] - 8*a^3*A*b^3*d*x*\text{Cos}[2*c + d*x] + 4*a*A*b^5*d*x*\text{Cos}[2*c + d*x] + a^6*A*d*x*\text{Cos}[c + 2*d*x] - 2*a^4*A*b^2*d*x*\text{Cos}[c + 2*d*x] \\
& + a^2*A*b^4*d*x*\text{Cos}[c + 2*d*x] + a^6*A*d*x*\text{Cos}[3*c + 2*d*x] - 2*a^4*A*b^2*d*x*\text{Cos}[3*c + 2*d*x] + a^2*A*b^4*d*x*\text{Cos}[3*c + 2*d*x] - 6*a^4*A*b^2*\text{Sin}[c] \\
& - 9*a^2*A*b^4*\text{Sin}[c] + 6*A*b^6*\text{Sin}[c] + 4*a^5*b*B*\text{Sin}[c] + 7*a^3*b^3*B*\text{Sin}[c] - 2*a*b^5*B*\text{Sin}[c] - 2*a^6*C*\text{Sin}[c] - 5*a^4*b^2*C*\text{Sin}[c] - 2*a^2*b^4*C*\text{Sin}[c] \\
& + 17*a^3*A*b^3*\text{Sin}[d*x] - 8*a*A*b^5*\text{Sin}[d*x] - 11*a^4*b^2*B*\text{Sin}[d*x] + 2*a^2*b^4*B*\text{Sin}[d*x] + 5*a^5*b*C*\text{Sin}[d*x] + 4*a^3*b^3*C*\text{Sin}[d*x] - 7*a^3*A*b^3*\text{Sin}[2*c + d*x] \\
& + 4*a*A*b^5*\text{Sin}[2*c + d*x] + 5*a^4*b^2*B*\text{Sin}[2*c + d*x] - 2*a^2*b^4*B*\text{Sin}[2*c + d*x] - 3*a^5*b*C*\text{Sin}[2*c + d*x] + 6*a^4*A*b^2*\text{Sin}[c + 2*d*x] - 3*a^2*A*b^4*\text{Sin}[c + 2*d*x] \\
& - 4*a^5*b*B*\text{Sin}[c + 2*d*x] + a^3*b^3*B*\text{Sin}[c + 2*d*x] + 2*a^6*C*\text{Sin}[c + 2*d*x] + a^4*b^2*C*\text{Sin}[c + 2*d*x] \\
&))/(a^2 - b^2)^2)/(2*a^3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*(c + d*x)])*(a + b*\text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 0.107, size = 1550, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/(a+b*\text{sec}(d*x+c))^3,x)$

[Out] $2/d*A/a^3*\arctan(\tan(1/2*d*x+1/2*c))-6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-1/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^3+2/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^4+4/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+1/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*b^2*B-2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C-1/d*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*b*C-2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C*b^2+6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-1/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A*b^3-2/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A*b^4-4/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*a/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+1/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*b^2*B+2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2$

```
*d*x+1/2*c)^2*b-a-b)^2*a^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C-1/d*a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*b*C+2/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*C*b^2-6/d*a*b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+5/d/a/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^3-2/d/a^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^5+2/d/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B*a^2+1/d*b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-3/d*b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C*a
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 0.7853, size = 2668, normalized size = 11.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] [1/4*(4*(A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6)*d*x*cos(d*x + c)^2 + 8*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*d*x*cos(d*x + c) + 4*(A*a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*d*x - (2*B*a^5*b^2 - 3*(2*A + C)*a^4*b^3 + B*a^3*b^4 + 5*A*a^2*b^5 - 2*A*b^7 + (2*B*a^7 - 3*(2*A + C)*a^6*b + B*a^5*b^2 + 5*A*a^4*b^3 - 2*A*a^2*b^5)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 3*(2*A + C)*a^5*b^2 + B*a^4*b^3 + 5*A*a^3*b^4 - 2*A*a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*
```

$$\begin{aligned} & \sqrt{a^2 - b^2} * (b * \cos(dx + c) + a) * \sin(dx + c) + 2 * a^2 - b^2 / (a^2 * \cos(dx + c)^2 + 2 * a * b * \cos(dx + c) + b^2) + 2 * (C * a^7 * b - 3 * B * a^6 * b^2 + (5 * A + C) * a^5 * b^3 + 3 * B * a^4 * b^4 - (7 * A + 2 * C) * a^3 * b^5 + 2 * A * a * b^7 + (2 * C * a^8 - 4 * B * a^7 * b + (6 * A - C) * a^6 * b^2 + 5 * B * a^5 * b^3 - (9 * A + C) * a^4 * b^4 - B * a^3 * b^5 + 3 * A * a^2 * b^6) * \cos(dx + c)) * \sin(dx + c) / ((a^{11} - 3 * a^9 * b^2 + 3 * a^7 * b^4 - a^5 * b^6) * d * \cos(dx + c)^2 + 2 * (a^{10} * b - 3 * a^8 * b^3 + 3 * a^6 * b^5 - a^4 * b^7) * d * \cos(dx + c) + (a^9 * b^2 - 3 * a^7 * b^4 + 3 * a^5 * b^6 - a^3 * b^8) * d), 1/2 * (2 * (A * a^8 - 3 * A * a^6 * b^2 + 3 * A * a^4 * b^4 - A * a^2 * b^6) * d * x * \cos(dx + c)^2 + 4 * (A * a^7 * b - 3 * A * a^5 * b^3 + 3 * A * a^3 * b^5 - A * a * b^7) * d * x * \cos(dx + c) + 2 * (A * a^6 * b^2 - 3 * A * a^4 * b^4 + 3 * A * a^2 * b^6 - A * b^8) * d * x + (2 * B * a^5 * b^2 - 3 * (2 * A + C) * a^4 * b^3 + B * a^3 * b^4 + 5 * A * a^2 * b^5 - 2 * A * b^7 + (2 * B * a^7 - 3 * (2 * A + C) * a^6 * b + B * a^5 * b^2 + 5 * A * a^4 * b^3 - 2 * A * a^2 * b^5) * \cos(dx + c)^2 + 2 * (2 * B * a^6 * b - 3 * (2 * A + C) * a^5 * b^2 + B * a^4 * b^3 + 5 * A * a^3 * b^4 - 2 * A * a * b^6) * \cos(dx + c)) * \sqrt{-a^2 + b^2} * \arctan(-\sqrt{-a^2 + b^2} * (b * \cos(dx + c) + a) / ((a^2 - b^2) * \sin(dx + c))) + (C * a^7 * b - 3 * B * a^6 * b^2 + (5 * A + C) * a^5 * b^3 + 3 * B * a^4 * b^4 - (7 * A + 2 * C) * a^3 * b^5 + 2 * A * a * b^7 + (2 * C * a^8 - 4 * B * a^7 * b + (6 * A - C) * a^6 * b^2 + 5 * B * a^5 * b^3 - (9 * A + C) * a^4 * b^4 - B * a^3 * b^5 + 3 * A * a^2 * b^6) * \cos(dx + c)) * \sin(dx + c) / ((a^{11} - 3 * a^9 * b^2 + 3 * a^7 * b^4 - a^5 * b^6) * d * \cos(dx + c)^2 + 2 * (a^{10} * b - 3 * a^8 * b^3 + 3 * a^6 * b^5 - a^4 * b^7) * d * \cos(dx + c) + (a^9 * b^2 - 3 * a^7 * b^4 + 3 * a^5 * b^6 - a^3 * b^8) * d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+b*sec(dx+c))**3,x)

[Out] Integral((A + B*sec(c + dx) + C*sec(c + dx)**2)/(a + b*sec(c + dx))**3, x)

Giac [B] time = 1.39053, size = 818, normalized size = 3.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & ((2*B*a^5 - 6*A*a^4*b - 3*C*a^4*b + B*a^3*b^2 + 5*A*a^2*b^3 - 2*A*b^5) * (\pi * \\ & \text{floor}(1/2*(d*x + c)/\pi + 1/2) * \text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/ \\ & 2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))) / ((a^7 - 2*a^5*b^2 + a^3*b \\ & ^4) * \sqrt{-a^2 + b^2}) + (d*x + c) * A/a^3 - (2*C*a^5*\tan(1/2*d*x + 1/2*c)^3 - \\ & 4*B*a^4*b*\tan(1/2*d*x + 1/2*c)^3 - C*a^4*b*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a^ \\ & 3*b^2*\tan(1/2*d*x + 1/2*c)^3 + 3*B*a^3*b^2*\tan(1/2*d*x + 1/2*c)^3 + C*a^3*b \\ & ^2*\tan(1/2*d*x + 1/2*c)^3 - 5*A*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 + B*a^2*b^3* \\ & \tan(1/2*d*x + 1/2*c)^3 - 2*C*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 - 3*A*a*b^4*\tan \\ & (1/2*d*x + 1/2*c)^3 + 2*A*b^5*\tan(1/2*d*x + 1/2*c)^3 - 2*C*a^5*\tan(1/2*d*x \\ & + 1/2*c) + 4*B*a^4*b*\tan(1/2*d*x + 1/2*c) - C*a^4*b*\tan(1/2*d*x + 1/2*c) - \\ & 6*A*a^3*b^2*\tan(1/2*d*x + 1/2*c) + 3*B*a^3*b^2*\tan(1/2*d*x + 1/2*c) - C*a^3 \\ & *b^2*\tan(1/2*d*x + 1/2*c) - 5*A*a^2*b^3*\tan(1/2*d*x + 1/2*c) - B*a^2*b^3*ta \\ & n(1/2*d*x + 1/2*c) - 2*C*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 3*A*a*b^4*\tan(1/2*d \\ & *x + 1/2*c) + 2*A*b^5*\tan(1/2*d*x + 1/2*c)) / ((a^6 - 2*a^4*b^2 + a^2*b^4) * (a \\ & *\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^2) / d \end{aligned}$$

$$3.921 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=330

$$\frac{\sin(c+dx)(11a^2Ab^2 + a^4(-2A-3C)) - 5a^3bB + 2ab^3B - 6Ab^4}{2a^3d(a^2-b^2)^2} - \frac{(-a^4b^2(12A+C) + 15a^2Ab^4 - 5a^3b^3B + 6a^5bB - a^4d(a-b)^5)}{a^4d(a-b)^5}$$

[Out] -(((3*A*b - a*B)*x)/a^4) - ((15*a^2*A*b^4 - 6*A*b^6 + 6*a^5*b*B - 5*a^3*b^3*B + 2*a*b^5*B - 2*a^6*C - a^4*b^2*(12*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(5/2)*(a + b)^(5/2)*d) - ((11*a^2*A*b^2 - 6*A*b^4 - 5*a^3*b*B + 2*a*b^3*B - a^4*(2*A - 3*C))*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((3*A*b^4 + 4*a^3*b*B - a*b^3*B - 2*a^4*C - a^2*b^2*(6*A + C))*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 3.14895, antiderivative size = 330, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4100, 4104, 3919, 3831, 2659, 208}

$$\frac{\sin(c+dx)(11a^2Ab^2 + a^4(-2A-3C)) - 5a^3bB + 2ab^3B - 6Ab^4}{2a^3d(a^2-b^2)^2} - \frac{(-a^4b^2(12A+C) + 15a^2Ab^4 - 5a^3b^3B + 6a^5bB - a^4d(a-b)^5)}{a^4d(a-b)^5}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] -(((3*A*b - a*B)*x)/a^4) - ((15*a^2*A*b^4 - 6*A*b^6 + 6*a^5*b*B - 5*a^3*b^3*B + 2*a*b^5*B - 2*a^6*C - a^4*b^2*(12*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(5/2)*(a + b)^(5/2)*d) - ((11*a^2*A*b^2 - 6*A*b^4 - 5*a^3*b*B + 2*a*b^3*B - a^4*(2*A - 3*C))*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((3*A*b^4 + 4*a^3*b*B - a*b^3*B - 2*a^4*C - a^2*b^2*(6*A + C))*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(A*b - a*B + b*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/

Rt[-(a/b), 2]]/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{(Ab^2-a(bB-aC))\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\cos(c+dx)(3Ab^2-abB-a^2(2A-C))}{2a^2(a^2-b^2)^2} dx \\
 &= \frac{(Ab^2-a(bB-aC))\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{(3Ab^4+4a^3bB-ab^3B-2a^2(2A-C))\sin(c+dx)}{2a^2(a^2-b^2)^2} \\
 &= -\frac{(11a^2Ab^2-6Ab^4-5a^3bB+2ab^3B-a^4(2A-3C))\sin(c+dx)}{2a^3(a^2-b^2)^2d} \\
 &= -\frac{(3Ab-aB)x}{a^4} - \frac{(11a^2Ab^2-6Ab^4-5a^3bB+2ab^3B-a^4(2A-3C))\sin(c+dx)}{2a^3(a^2-b^2)^2d} \\
 &= -\frac{(3Ab-aB)x}{a^4} - \frac{(11a^2Ab^2-6Ab^4-5a^3bB+2ab^3B-a^4(2A-3C))\sin(c+dx)}{2a^3(a^2-b^2)^2d} \\
 &= -\frac{(3Ab-aB)x}{a^4} - \frac{(11a^2Ab^2-6Ab^4-5a^3bB+2ab^3B-a^4(2A-3C))\sin(c+dx)}{2a^3(a^2-b^2)^2d} \\
 &= -\frac{(3Ab-aB)x}{a^4} + \frac{(12a^4Ab^2-15a^2Ab^4+6Ab^6-6a^5bB+5a^3b^3B-a^4(2A-3C))\sin(c+dx)}{a^4(a^2-b^2)^2d}
 \end{aligned}$$

Mathematica [C] time = 7.12364, size = 1015, normalized size = 3.08

$$\frac{2(3Ab-aB)x\sec(c+dx)(C\sec^2(c+dx)+B\sec(c+dx)+A)(b+a\cos(c+dx))^3}{a^4(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))(a+b\sec(c+dx))^3} + \frac{(2Ca^6-6bBa^5+12Ab^2a^4+b^2C)}{a^4(a^2-b^2)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]

```
[Out] (-2*(3*A*b - a*B)*x*(b + a*cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2))/(a^4*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x]
)*(a + b*Sec[c + d*x])^3) + ((12*a^4*A*b^2 - 15*a^2*A*b^4 + 6*A*b^6 - 6*a^5
*b*B + 5*a^3*b^3*B - 2*a*b^5*B + 2*a^6*C + a^4*b^2*C)*(b + a*cos[c + d*x])^
3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*I)*ArcTan[Sec[
(d*x)/2]*(Cos[c]/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]]) - (I*Sin[c])
/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]])))*((-I)*b*Sin[(d*x)/2] + I*a*
Sin[c + (d*x)/2]))*Cos[c]/(a^4*Sqrt[a^2 - b^2]*d*Sqrt[Cos[2*c] - I*Sin[2*c
]]) - (2*ArcTan[Sec[(d*x)/2]*(Cos[c]/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin
[2*c]]) - (I*Sin[c])/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]])))*((-I)*b
*Sin[(d*x)/2] + I*a*Sin[c + (d*x)/2]))*Sin[c]/(a^4*Sqrt[a^2 - b^2]*d*Sqrt[
Cos[2*c] - I*Sin[2*c]])))/((-a^2 + b^2)^2*(A + 2*C + 2*B*cos[c + d*x] + A*C
os[2*c + 2*d*x])*(a + b*Sec[c + d*x])^3) + ((b + a*cos[c + d*x])*Sec[c]*Sec
[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(A*b^5*Sin[c]) + a*b^4*
B*Sin[c] - a^2*b^3*C*Sin[c] + a*A*b^4*Sin[d*x] - a^2*b^3*B*Sin[d*x] + a^3*b
^2*C*Sin[d*x]))/(a^4*(a^2 - b^2)*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c
+ 2*d*x])*(a + b*Sec[c + d*x])^3) + ((b + a*cos[c + d*x])^2*Sec[c]*Sec[c +
d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(9*a^2*A*b^4*Sin[c] - 6*A*b^6*
Sin[c] - 7*a^3*b^3*B*Sin[c] + 4*a*b^5*B*Sin[c] + 5*a^4*b^2*C*Sin[c] - 2*a^2
*b^4*C*Sin[c] - 8*a^3*A*b^3*Sin[d*x] + 5*a*A*b^5*Sin[d*x] + 6*a^4*b^2*B*Sin
[d*x] - 3*a^2*b^4*B*Sin[d*x] - 4*a^5*b*C*Sin[d*x] + a^3*b^3*C*Sin[d*x]))/(a
^4*(a^2 - b^2)^2*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b
*Sec[c + d*x])^3) + (2*A*(b + a*cos[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec
[c + d*x]^2)*Tan[c + d*x])/((a^3*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c +
2*d*x])*(a + b*Sec[c + d*x])^3)
```

Maple [B] time = 0.139, size = 1756, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] -4/d*a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*
tan(1/2*d*x+1/2*c)*b*C-6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a
-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*b^2*B+4/d*a/(tan(1/2*d*x+1
/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1
/2*c)^3*b*C-8/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+
b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A*b^3+1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2
*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A*b^4+8/d/a/(tan(1/
2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/
```

$$\begin{aligned}
& 2*d*x+1/2*c)^3*A*b^3+1/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b \\
& -a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^4-2/d/a^2/(\tan(1/2*d \\
& *x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^4/(a+b)/(a-b)^2*\tan(1/2*d*x+1 \\
& /2*c)*B-1/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a+ \\
& b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-4/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x \\
& +1/2*c)^2*b-a-b)^2*b^5/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-1/d/a/(\\
& \tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a-b)/(a^2+2*a*b+b \\
& ^2)*\tan(1/2*d*x+1/2*c)^3*B+2/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2* \\
& c)^2*b-a-b)^2*b^4/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+4/d/a^3/(\tan \\
& (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^5/(a+b)/(a-b)^2*\tan(1/2 \\
& *d*x+1/2*c)*A+1/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+ \\
& b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C*b^2-6/d*b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b)) \\
& ^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*a*B+1/d/(a^4-2 \\
& *a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(\\
& a-b))^{(1/2)})*b^2*C+2/d/a^3*B*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))+5/d/a/(a^4-2*a^2*b^ \\
& 2+b^4)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(\\
& 1/2)})*B*b^3-2/d/a^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*t \\
& \operatorname{an}(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*b^5*B-15/d/a^2/(a^4-2*a^2*b^2+b^4)/(\\
& (a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A* \\
& b^4+6/d/a^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d \\
& *x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A*b^6+2/d/a^3*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/ \\
& 2*d*x+1/2*c)^2)-6/d/a^4*A*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))*b+6/d/(\tan(1/2*d*x+1/2 \\
& *c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*b^2* \\
& B+12/d*b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d* \\
& x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A+2/d/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)} \\
& *\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*C*a^2+1/d/(\tan(1/2*d \\
& *x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d \\
& *x+1/2*c)^3*C*b^2
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.961969, size = 3634, normalized size = 11.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x,
algorithm="fricas")

[Out]
$$\frac{1}{4} \left(4(Ba^9 - 3Aa^8b - 3Ba^7b^2 + 9Aa^6b^3 + 3Ba^5b^4 - 9Aa^4b^5 - Ba^3b^6 + 3Aa^2b^7) dx \cos(dx+c)^2 + 8(Ba^8b - 3Aa^7b^2 - 3Ba^6b^3 + 9Aa^5b^4 + 3Ba^4b^5 - 9Aa^3b^6 - Ba^2b^7 + 3Aa*b^8) dx \cos(dx+c) + 4(Ba^7b^2 - 3Aa^6b^3 - 3Ba^5b^4 + 9Aa^4b^5 + 3Ba^3b^6 - 9Aa^2b^7 - Ba*b^8 + 3A*b^9) dx + (2Ca^6b^2 - 6Ba^5b^3 + (12A+C)a^4b^4 + 5Ba^3b^5 - 15Aa^2b^6 - 2Ba*b^7 + 6A*b^8 + (2Ca^8 - 6Ba^7b + (12A+C)a^6b^2 + 5Ba^5b^3 - 15Aa^4b^4 - 2Ba^3b^5 + 6Aa^2b^6) \cos(dx+c)^2 + 2(2Ca^7b - 6Ba^6b^2 + (12A+C)a^5b^3 + 5Ba^4b^4 - 15Aa^3b^5 - 2Ba^2b^6 + 6Aa*b^7) \cos(dx+c) \right) \sqrt{a^2 - b^2} \log\left(\frac{(2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2)}{(a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2)} + 2\frac{(2A - 3C)a^7b^2 + 5Ba^6b^3 - (13A - 3C)a^5b^4 - 7Ba^4b^5 + 17Aa^3b^6 + 2Ba^2b^7 - 6Aa*b^8 + 2(Aa^9 - 3Aa^7b^2 + 3Aa^5b^4 - Aa^3b^6) \cos(dx+c)^2 + (4(A-C)a^8b + 6Ba^7b^2 - 5(4A-C)a^6b^3 - 9Ba^5b^4 + (25A-C)a^4b^5 + 3Ba^3b^6 - 9Aa^2b^7) \cos(dx+c)) \sin(dx+c)}{(a^{12} - 3a^{10}b^2 + 3a^8b^4 - a^6b^6) dx \cos(dx+c)^2 + 2(a^{11}b - 3a^9b^3 + 3a^7b^5 - a^5b^7) dx \cos(dx+c) + (a^{10}b^2 - 3a^8b^4 + 3a^6b^6 - a^4b^8) dx\right), \frac{1}{2} \left(2(Ba^9 - 3Aa^8b - 3Ba^7b^2 + 9Aa^6b^3 + 3Ba^5b^4 - 9Aa^4b^5 - Ba^3b^6 + 3Aa^2b^7) dx \cos(dx+c)^2 + 4(Ba^8b - 3Aa^7b^2 - 3Ba^6b^3 + 9Aa^5b^4 + 3Ba^4b^5 - 9Aa^3b^6 - Ba^2b^7 + 3Aa*b^8) dx \cos(dx+c) + 2(Ba^7b^2 - 3Aa^6b^3 - 3Ba^5b^4 + 9Aa^4b^5 + 3Ba^3b^6 - 9Aa^2b^7 - Ba*b^8 + 3A*b^9) dx + (2Ca^6b^2 - 6Ba^5b^3 + (12A+C)a^4b^4 + 5Ba^3b^5 - 15Aa^2b^6 - 2Ba*b^7 + 6A*b^8 + (2Ca^8 - 6Ba^7b + (12A+C)a^6b^2 + 5Ba^5b^3 - 15Aa^4b^4 - 2Ba^3b^5 + 6Aa^2b^6) \cos(dx+c)^2 + 2(2Ca^7b - 6Ba^6b^2 + (12A+C)a^5b^3 + 5Ba^4b^4 - 15Aa^3b^5 - 2Ba^2b^6 + 6Aa*b^7) \cos(dx+c) \right) \sqrt{-a^2 + b^2} \arctan\left(\frac{-\sqrt{-a^2 + b^2}(b \cos(dx+c) + a)}{(a^2 - b^2) \sin(dx+c)}\right) + \left((2A - 3C)a^7b^2 + 5Ba^6b^3 - (13A - 3C)a^5b^4 - 7Ba^4b^5 + 17Aa^3b^6 + 2Ba^2b^7 - 6Aa*b^8 + 2(Aa^9 - 3Aa^7b^2 + 3Aa^5b^4 - Aa^3b^6) \cos(dx+c)^2 + (4(A-C)a^8b + 6Ba^7b^2 - 5(4A-C)a^6b^3 - 9Ba^5b^4 + (25A-C)a^4b^5 + 3Ba^3b^6 - 9Aa^2b^7) \cos(dx+c) \right) \sin(dx+c) \right) / \left((a^{12} - 3a^{10}b^2 + 3a^8b^4 - a^6b^6) dx \cos(dx+c)^2 + 2(a^{11}b - 3a^9b^3 + 3a^7b^5 - a^5b^7) dx \right)$$

$\cos(dx + c) + (a^{10}b^2 - 3a^8b^4 + 3a^6b^6 - a^4b^8)d]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)**2)/(a+b*sec(dx+c))**3,x)

[Out] Timed out

Giac [B] time = 1.52182, size = 900, normalized size = 2.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & ((2Ca^6 - 6Ba^5b + 12Aa^4b^2 + Ca^4b^2 + 5Ba^3b^3 - 15Aa^2b^4 - 2Ba^2b^5 + 6Ab^6) \cdot (\pi \cdot \text{floor}(1/2(dx+c)/\pi + 1/2) \cdot \text{sgn}(-2a + 2b) \\ & + \arctan(-(a \tan(1/2dx + 1/2c) - b \tan(1/2dx + 1/2c)) / \sqrt{-a^2 + b^2}))) / ((a^8 - 2a^6b^2 + a^4b^4) \sqrt{-a^2 + b^2}) + (4Ca^5b \tan(1/2dx + 1/2c)^3 - 6Ba^4b^2 \tan(1/2dx + 1/2c)^3 - 3Ca^4b^2 \tan(1/2dx + 1/2c)^3 + 8Aa^3b^3 \tan(1/2dx + 1/2c)^3 + 5Ba^3b^3 \tan(1/2dx + 1/2c)^3 - Ca^3b^3 \tan(1/2dx + 1/2c)^3 - 7Aa^2b^4 \tan(1/2dx + 1/2c)^3 + 3Ba^2b^4 \tan(1/2dx + 1/2c)^3 - 5Aa^2b^5 \tan(1/2dx + 1/2c)^3 - 2Ba^2b^5 \tan(1/2dx + 1/2c)^3 + 4Ab^6 \tan(1/2dx + 1/2c)^3 - 4Ca^5b \tan(1/2dx + 1/2c) + 6Ba^4b^2 \tan(1/2dx + 1/2c) - 3Ca^4b^2 \tan(1/2dx + 1/2c) - 8Aa^3b^3 \tan(1/2dx + 1/2c) + 5Ba^3b^3 \tan(1/2dx + 1/2c) + Ca^3b^3 \tan(1/2dx + 1/2c) - 7Aa^2b^4 \tan(1/2dx + 1/2c) - 3Ba^2b^4 \tan(1/2dx + 1/2c) + 5Aa^2b^5 \tan(1/2dx + 1/2c) - 2Ba^2b^5 \tan(1/2dx + 1/2c) + 4Ab^6 \tan(1/2dx + 1/2c)) / ((a^7 - 2a^5b^2 + a^3b^4) \cdot (a \tan(1/2dx + 1/2c)^2 - b \tan(1/2dx + 1/2c))^2 - a - b)^2 + (Ba - 3Ab) \cdot (dx + c) / a^4 + 2A \tan(1/2dx + 1/2c) / ((\tan(1/2dx + 1/2c)^2 + 1) \cdot a^3) / d \end{aligned}$$

$$3.922 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=453

$$\frac{\sin(c+dx)(-a^2b^3(21A-2C)+a^4b(6A-5C)+11a^3b^2B-2a^5B-6ab^4B+12Ab^5)}{2a^4d(a^2-b^2)^2} + \frac{\sin(c+dx)\cos(c+dx)(-a^2b^2)}{2a^4d(a^2-b^2)^2}$$

```
[Out] ((12*A*b^2 - 6*a*b*B + a^2*(A + 2*C))*x)/(2*a^5) - (b*(12*A*b^6 - 12*a^5*b*B + 15*a^3*b^3*B - 6*a*b^5*B - a^2*b^4*(29*A - 2*C) + 5*a^4*b^2*(4*A - C) + 6*a^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(5/2)*(a + b)^(5/2)*d) - ((12*A*b^5 - 2*a^5*B + 11*a^3*b^2*B - 6*a*b^4*B + a^4*b*(6*A - 5*C) - a^2*b^3*(21*A - 2*C))*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^2*d) + (((6*A*b^4 + 6*a^3*b*B - 3*a*b^3*B + a^4*(A - 4*C) - a^2*b^2*(10*A - C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + ((A*b^2 - a*(b*B - a*C))*Cos[c + d*x]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((7*a^2*A*b^2 - 4*A*b^4 - 5*a^3*b*B + 2*a*b^3*B + 3*a^4*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 4.82448, antiderivative size = 453, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4100, 4104, 3919, 3831, 2659, 208}

$$\frac{\sin(c+dx)(-a^2b^3(21A-2C)+a^4b(6A-5C)+11a^3b^2B-2a^5B-6ab^4B+12Ab^5)}{2a^4d(a^2-b^2)^2} + \frac{\sin(c+dx)\cos(c+dx)(-a^2b^2)}{2a^4d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]
```

```
[Out] ((12*A*b^2 - 6*a*b*B + a^2*(A + 2*C))*x)/(2*a^5) - (b*(12*A*b^6 - 12*a^5*b*B + 15*a^3*b^3*B - 6*a*b^5*B - a^2*b^4*(29*A - 2*C) + 5*a^4*b^2*(4*A - C) + 6*a^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(5/2)*(a + b)^(5/2)*d) - ((12*A*b^5 - 2*a^5*B + 11*a^3*b^2*B - 6*a*b^4*B + a^4*b*(6*A - 5*C) - a^2*b^3*(21*A - 2*C))*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^2*d) + (((6*A*b^4 + 6*a^3*b*B - 3*a*b^3*B + a^4*(A - 4*C) - a^2*b^2*(10*A - C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + ((A*b^2 - a*(b*B - a*C))*Cos[c + d*x]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((7*a^2*A*b^2 - 4*A*b^4 - 5*a^3*b*B + 2*a*b^3*B + 3*a^4*C)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

$$- a^2 C) \cos[c + dx] \sin[c + dx] / (2a(a^2 - b^2)d(a + b \sec[c + dx])^2) + ((7a^2 A b^2 - 4A b^4 - 5a^3 b B + 2a b^3 B + 3a^4 C) \cos[c + dx] \sin[c + dx]) / (2a^2(a^2 - b^2)^2 d(a + b \sec[c + dx]))$$

Rule 4100

$$\text{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d + \csc[e + f(x)](b + a)))^m, x_Symbol] \rightarrow \text{Simp}[(A b^2 - a b B + a^2 C) \cot[e + f(x)](a + b \csc[e + f(x)])^{m+1} (d \csc[e + f(x)])^n / (a f^{m+1} (a^2 - b^2)), x] + \text{Dist}[1/(a(m+1)(a^2 - b^2)), \text{Int}[(a + b \csc[e + f(x)])^{m+1} (d \csc[e + f(x)])^n \text{Simp}[a(A - bB + aC)(m+1) - (A b^2 - a b B + a^2 C)(m+n+1) - a(A b - aB + bC)(m+1) \csc[e + f(x)] + (A b^2 - a b B + a^2 C)(m+n+2) \csc[e + f(x)]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4104

$$\text{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d + \csc[e + f(x)](b + a)))^m, x_Symbol] \rightarrow \text{Simp}[A \cot[e + f(x)](a + b \csc[e + f(x)])^{m+1} (d \csc[e + f(x)])^n / (a f^n), x] + \text{Dist}[1/(a d^n), \text{Int}[(a + b \csc[e + f(x)])^m (d \csc[e + f(x)])^{n+1} \text{Simp}[a B n - A b(m+n+1) + a(A + A n + C n) \csc[e + f(x)] + A b(m+n+2) \csc[e + f(x)]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 3919

$$\text{Int}[(\csc[e + f(x)](d + c)) / (\csc[e + f(x)](b + a)), x_Symbol] \rightarrow \text{Simp}[c x / a, x] - \text{Dist}[(b c - a d) / a, \text{Int}[\csc[e + f(x)] / (a + b \csc[e + f(x)]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b c - a d, 0]$$

Rule 3831

$$\text{Int}[\csc[e + f(x)] / (\csc[e + f(x)](b + a)), x_Symbol] \rightarrow \text{Dist}[1/b, \text{Int}[1/(1 + (a \sin[e + f(x)]/b)), x], x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2659

$$\text{Int}[(a + b) \sin[\pi/2 + (c + d(x))]^{-1}, x_Symbol] \rightarrow \text{With}[e = \text{FreeFactors}[\text{Tan}[(c + dx)/2], x], \text{Dist}[(2e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)e^2 x^2), x], x, \text{Tan}[(c + dx)/2]/e], x]] /; \text{FreeQ}\{a, b, c, d\}, x]$$

&& NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{(Ab^2-a(bB-aC))\cos(c+dx)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\cos^2(c+dx)(2(} \\
 &= \frac{(Ab^2-a(bB-aC))\cos(c+dx)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(7a^2Ab^2-4A} \\
 &= \frac{(6Ab^4+6a^3bB-3ab^3B+a^4(A-4C)-a^2b^2(10A-C))\cos(c+dx)}{2a^3(a^2-b^2)^2d} \\
 &= -\frac{(12Ab^5-2a^5B+11a^3b^2B-6ab^4B+a^4b(6A-5C)-a^2b^3} \\
 &= \frac{(12Ab^2-6abB+a^2(A+2C))x}{2a^5} - \frac{(12Ab^5-2a^5B+11a^3b^2} \\
 &= \frac{(12Ab^2-6abB+a^2(A+2C))x}{2a^5} - \frac{(12Ab^5-2a^5B+11a^3b^2} \\
 &= \frac{(12Ab^2-6abB+a^2(A+2C))x}{2a^5} - \frac{(12Ab^5-2a^5B+11a^3b^2} \\
 &= \frac{(12Ab^2-6abB+a^2(A+2C))x}{2a^5} - \frac{b(20a^4Ab^2-29a^2Ab^4+
 \end{aligned}$$

Mathematica [A] time = 5.22424, size = 881, normalized size = 1.94

$$\frac{16b(6Ca^6 - 12bBa^5 + 5b^2(4A - C)a^4 + 15b^3Ba^3 + b^4(2C - 29A)a^2 - 6b^5Ba + 12Ab^6) \tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2}} + \frac{4Aca^8 + 8Ca^8 + 4Adxa^8 + 8Cdx a^8 + 4B \sin(c+dx)a^8 + \dots}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((16*b*(12*A*b^6 - 12*a^5*b*B + 15*a^3*b^3*B - 6*a*b^5*B + 5*a^4*b^2*(4*A - C) + 6*a^6*C + a^2*b^4*(-29*A + 2*C))*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(5/2) + (4*a^8*A*c + 48*a^6*A*b^2*c - 12*a^4*A*b^4*c - 136*a^2*A*b^6*c + 96*A*b^8*c - 24*a^7*b*B*c + 72*a^3*b^5*B*c - 48*a*b^7*B*c + 8*a^8*c*C - 24*a^4*b^4*c*C + 16*a^2*b^6*c*C + 4*a^8*A*d*x + 48*a^6*A*b^2*d*x - 12*a^4*A*b^4*d*x - 136*a^2*A*b^6*d*x + 96*A*b^8*d*x - 24*a^7*b*B*d*x + 72*a^3*b^5*B*d*x - 48*a*b^7*B*d*x + 8*a^8*C*d*x - 24*a^4*b^4*C*d*x + 16*a^2*b^6*C*d*x + 16*a*b*(a^2 - b^2)^2*(12*A*b^2 - 6*a*b*B + a^2*(A + 2*C))*(c + d*x)*Cos[c + d*x] + 4*(a^3 - a*b^2)^2*(12*A*b^2 - 6*a*b*B + a^2*(A + 2*C))*(c + d*x)*Cos[2*(c + d*x)] - 8*a^7*A*b*Sin[c + d*x] - 32*a^5*A*b^3*Sin[c + d*x] + 160*a^3*A*b^5*Sin[c + d*x] - 96*a*A*b^7*Sin[c + d*x] + 4*a^8*B*Sin[c + d*x] + 8*a^6*b^2*B*Sin[c + d*x] - 84*a^4*b^4*B*Sin[c + d*x] + 48*a^2*b^6*B*Sin[c + d*x] + 40*a^5*b^3*C*Sin[c + d*x] - 16*a^3*b^5*C*Sin[c + d*x] + 2*a^8*A*Sin[2*(c + d*x)] - 48*a^6*A*b^2*Sin[2*(c + d*x)] + 130*a^4*A*b^4*Sin[2*(c + d*x)] - 72*a^2*A*b^6*Sin[2*(c + d*x)] + 16*a^7*b*B*Sin[2*(c + d*x)] - 64*a^5*b^3*B*Sin[2*(c + d*x)] + 36*a^3*b^5*B*Sin[2*(c + d*x)] + 24*a^6*b^2*C*Sin[2*(c + d*x)] - 12*a^4*b^4*C*Sin[2*(c + d*x)] - 8*a^7*A*b*Sin[3*(c + d*x)] + 16*a^5*A*b^3*Sin[3*(c + d*x)] - 8*a^3*A*b^5*Sin[3*(c + d*x)] + 4*a^8*B*Sin[3*(c + d*x)] - 8*a^6*b^2*B*Sin[3*(c + d*x)] + 4*a^4*b^4*B*Sin[3*(c + d*x)] + a^8*A*Sin[4*(c + d*x)] - 2*a^6*A*b^2*Sin[4*(c + d*x)] + a^4*A*b^4*Sin[4*(c + d*x)]/((a^2 - b^2)^2*(b + a*cos[c + d*x])^2))/ (16*a^5*d)

Maple [B] time = 0.164, size = 2206, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)

[Out]
$$\begin{aligned}
& -4/d*b^5/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-1/d*b^3/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C+1/d*A/a^3*\arctan(\tan(1/2*d*x+1/2*c))+12/d*b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B-15/d*b^4/a^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B+6/d*b^6/a^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B+5/d*b^3/a/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*C-2/d*b^5/a^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*C+10/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A*b^4-10/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^4+1/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^4/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-8/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-1/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^5/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+8/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+1/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^4/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-1/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^5/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-6/d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A*b-6/d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*A*b-2/d*b^4/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C+2/d*b^4/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C-6/d*b^6/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-1/d*b^3/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C+4/d*b^5/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+6/d*b^6/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+6/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*C*b^2-20/d/a/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*A*b^3+29/d/a^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*A*b^5+2/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*C+2/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B+1/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*A+2/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*B+12/d/a^5*\arctan(\tan(1/2*d*x+1/2*c))*A*b^2-6/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*B*b-12/d*b^7/a^5/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*A-6/d*b/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*C*a-1/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A-6/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C*b^2
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.17964, size = 4668, normalized size = 10.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="fricas")
```

```
[Out] [1/4*(2*((A + 2*C)*a^10 - 6*B*a^9*b + 3*(3*A - 2*C)*a^8*b^2 + 18*B*a^7*b^3
- 3*(11*A - 2*C)*a^6*b^4 - 18*B*a^5*b^5 + (35*A - 2*C)*a^4*b^6 + 6*B*a^3*b^7
- 12*A*a^2*b^8)*d*x*cos(d*x + c)^2 + 4*((A + 2*C)*a^9*b - 6*B*a^8*b^2 + 3
*(3*A - 2*C)*a^7*b^3 + 18*B*a^6*b^4 - 3*(11*A - 2*C)*a^5*b^5 - 18*B*a^4*b^6
+ (35*A - 2*C)*a^3*b^7 + 6*B*a^2*b^8 - 12*A*a*b^9)*d*x*cos(d*x + c) + 2*((
A + 2*C)*a^8*b^2 - 6*B*a^7*b^3 + 3*(3*A - 2*C)*a^6*b^4 + 18*B*a^5*b^5 - 3*(
11*A - 2*C)*a^4*b^6 - 18*B*a^3*b^7 + (35*A - 2*C)*a^2*b^8 + 6*B*a*b^9 - 12*
A*b^10)*d*x + (6*C*a^6*b^3 - 12*B*a^5*b^4 + 5*(4*A - C)*a^4*b^5 + 15*B*a^3*
b^6 - (29*A - 2*C)*a^2*b^7 - 6*B*a*b^8 + 12*A*b^9 + (6*C*a^8*b - 12*B*a^7*b
^2 + 5*(4*A - C)*a^6*b^3 + 15*B*a^5*b^4 - (29*A - 2*C)*a^4*b^5 - 6*B*a^3*b^
6 + 12*A*a^2*b^7)*cos(d*x + c)^2 + 2*(6*C*a^7*b^2 - 12*B*a^6*b^3 + 5*(4*A -
C)*a^5*b^4 + 15*B*a^4*b^5 - (29*A - 2*C)*a^3*b^6 - 6*B*a^2*b^7 + 12*A*a*b^
8)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*co
s(d*x + c))^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2
- b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(2*B*a^8*b^2 -
(6*A - 5*C)*a^7*b^3 - 13*B*a^6*b^4 + (27*A - 7*C)*a^5*b^5 + 17*B*a^4*b^6 -
(33*A - 2*C)*a^3*b^7 - 6*B*a^2*b^8 + 12*A*a*b^9 + (A*a^10 - 3*A*a^8*b^2 + 3
*A*a^6*b^4 - A*a^4*b^6)*cos(d*x + c)^3 + 2*(B*a^10 - 2*A*a^9*b - 3*B*a^8*b^
2 + 6*A*a^7*b^3 + 3*B*a^6*b^4 - 6*A*a^5*b^5 - B*a^4*b^6 + 2*A*a^3*b^7)*cos(
```

$$\begin{aligned}
& d*x + c)^2 + (4*B*a^9*b - (11*A - 6*C)*a^8*b^2 - 20*B*a^7*b^3 + (43*A - 9*C) \\
&)*a^6*b^4 + 25*B*a^5*b^5 - (50*A - 3*C)*a^4*b^6 - 9*B*a^3*b^7 + 18*A*a^2*b^8) \\
& *\cos(d*x + c))*\sin(d*x + c))/((a^13 - 3*a^11*b^2 + 3*a^9*b^4 - a^7*b^6)*d \\
& *\cos(d*x + c)^2 + 2*(a^12*b - 3*a^10*b^3 + 3*a^8*b^5 - a^6*b^7)*d*\cos(d*x + \\
& c) + (a^11*b^2 - 3*a^9*b^4 + 3*a^7*b^6 - a^5*b^8)*d), 1/2*((A + 2*C)*a^10 \\
& - 6*B*a^9*b + 3*(3*A - 2*C)*a^8*b^2 + 18*B*a^7*b^3 - 3*(11*A - 2*C)*a^6*b^4 \\
& - 18*B*a^5*b^5 + (35*A - 2*C)*a^4*b^6 + 6*B*a^3*b^7 - 12*A*a^2*b^8)*d*x*c \\
& \cos(d*x + c)^2 + 2*((A + 2*C)*a^9*b - 6*B*a^8*b^2 + 3*(3*A - 2*C)*a^7*b^3 + \\
& 18*B*a^6*b^4 - 3*(11*A - 2*C)*a^5*b^5 - 18*B*a^4*b^6 + (35*A - 2*C)*a^3*b^7 \\
& + 6*B*a^2*b^8 - 12*A*a*b^9)*d*x*\cos(d*x + c) + ((A + 2*C)*a^8*b^2 - 6*B*a^7 \\
& *b^3 + 3*(3*A - 2*C)*a^6*b^4 + 18*B*a^5*b^5 - 3*(11*A - 2*C)*a^4*b^6 - 18* \\
& B*a^3*b^7 + (35*A - 2*C)*a^2*b^8 + 6*B*a*b^9 - 12*A*b^10)*d*x - (6*C*a^6*b^3 \\
& - 12*B*a^5*b^4 + 5*(4*A - C)*a^4*b^5 + 15*B*a^3*b^6 - (29*A - 2*C)*a^2*b^7 \\
& - 6*B*a*b^8 + 12*A*b^9 + (6*C*a^8*b - 12*B*a^7*b^2 + 5*(4*A - C)*a^6*b^3 \\
& + 15*B*a^5*b^4 - (29*A - 2*C)*a^4*b^5 - 6*B*a^3*b^6 + 12*A*a^2*b^7)*\cos(d*x \\
& + c)^2 + 2*(6*C*a^7*b^2 - 12*B*a^6*b^3 + 5*(4*A - C)*a^5*b^4 + 15*B*a^4*b^5 \\
& - (29*A - 2*C)*a^3*b^6 - 6*B*a^2*b^7 + 12*A*a*b^8)*\cos(d*x + c))*\sqrt{-a^2 \\
& + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x \\
& + c))) + (2*B*a^8*b^2 - (6*A - 5*C)*a^7*b^3 - 13*B*a^6*b^4 + (27*A - 7*C)* \\
& a^5*b^5 + 17*B*a^4*b^6 - (33*A - 2*C)*a^3*b^7 - 6*B*a^2*b^8 + 12*A*a*b^9 + \\
& (A*a^10 - 3*A*a^8*b^2 + 3*A*a^6*b^4 - A*a^4*b^6)*\cos(d*x + c)^3 + 2*(B*a^10 \\
& - 2*A*a^9*b - 3*B*a^8*b^2 + 6*A*a^7*b^3 + 3*B*a^6*b^4 - 6*A*a^5*b^5 - B*a^4 \\
& *b^6 + 2*A*a^3*b^7)*\cos(d*x + c)^2 + (4*B*a^9*b - (11*A - 6*C)*a^8*b^2 - 2 \\
& 0*B*a^7*b^3 + (43*A - 9*C)*a^6*b^4 + 25*B*a^5*b^5 - (50*A - 3*C)*a^4*b^6 - \\
& 9*B*a^3*b^7 + 18*A*a^2*b^8)*\cos(d*x + c))*\sin(d*x + c))/((a^13 - 3*a^11*b^2 \\
& + 3*a^9*b^4 - a^7*b^6)*d*\cos(d*x + c)^2 + 2*(a^12*b - 3*a^10*b^3 + 3*a^8*b^5 \\
& - a^6*b^7)*d*\cos(d*x + c) + (a^11*b^2 - 3*a^9*b^4 + 3*a^7*b^6 - a^5*b^8) \\
& *d)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [B] time = 1.52141, size = 2291, normalized size = 5.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x
, algorithm="giac")

[Out]
$$-1/2*(2*(6*C*a^6*b - 12*B*a^5*b^2 + 20*A*a^4*b^3 - 5*C*a^4*b^3 + 15*B*a^3*b^4 - 29*A*a^2*b^5 + 2*C*a^2*b^5 - 6*B*a*b^6 + 12*A*b^7)*(pi*\text{floor}(1/2*(d*x + c)/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^9 - 2*a^7*b^2 + a^5*b^4)*\sqrt{-a^2 + b^2}) + 2*(A*a^7*\tan(1/2*d*x + 1/2*c)^7 - 2*B*a^7*\tan(1/2*d*x + 1/2*c)^7 + 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^7 + 4*B*a^6*b*\tan(1/2*d*x + 1/2*c)^7 - 13*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 + 2*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 + 6*C*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 - 2*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 - 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 - 5*C*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 + 33*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 + 9*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 - 3*C*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 - 17*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 + 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 + 2*C*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 - 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^7 - 6*B*a*b^6*\tan(1/2*d*x + 1/2*c)^7 + 12*A*b^7*\tan(1/2*d*x + 1/2*c)^7 - 3*A*a^7*\tan(1/2*d*x + 1/2*c)^5 + 2*B*a^7*\tan(1/2*d*x + 1/2*c)^5 - 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^5 + 4*B*a^6*b*\tan(1/2*d*x + 1/2*c)^5 - 5*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 - 10*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 + 26*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 - 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 - 15*C*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 + 29*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 + 35*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 - 3*C*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 - 67*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 + 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 - 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^5 - 18*B*a*b^6*\tan(1/2*d*x + 1/2*c)^5 + 36*A*b^7*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a^7*\tan(1/2*d*x + 1/2*c)^3 + 2*B*a^7*\tan(1/2*d*x + 1/2*c)^3 - 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^3 - 4*B*a^6*b*\tan(1/2*d*x + 1/2*c)^3 + 5*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 - 10*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 - 6*C*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 + 26*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 + 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 - 15*C*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 - 29*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 + 35*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 + 3*C*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 - 67*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 - 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 + 6*C*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 + 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^3 - 18*B*a*b^6*\tan(1/2*d*x + 1/2*c)^3 + 36*A*b^7*\tan(1/2*d*x + 1/2*c)^3 - A*a^7*\tan(1/2*d*x + 1/2*c) - 2*B*a^7*\tan(1/2*d*x + 1/2*c) + 4*A*a^6*b*\tan(1/2*d*x + 1/2*c) - 4*B*a^6*b*\tan(1/2*d*x + 1/2*c) + 13*A*a^5*b^2*\tan(1/2*d*x + 1/2*c) + 2*B*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 6*C*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 2*A*a^4*$$

$$\begin{aligned}
& b^3 \tan(1/2 dx + 1/2 c) + 16 B a^4 b^3 \tan(1/2 dx + 1/2 c) - 5 C a^4 b^3 \tan(1/2 dx + 1/2 c) \\
& - 33 A a^3 b^4 \tan(1/2 dx + 1/2 c) + 9 B a^3 b^4 \tan(1/2 dx + 1/2 c) + 3 C a^3 b^4 \tan(1/2 dx + 1/2 c) \\
& - 17 A a^2 b^5 \tan(1/2 dx + 1/2 c) - 9 B a^2 b^5 \tan(1/2 dx + 1/2 c) + 2 C a^2 b^5 \tan(1/2 dx + 1/2 c) \\
& + 18 A a b^6 \tan(1/2 dx + 1/2 c) - 6 B a b^6 \tan(1/2 dx + 1/2 c) + 12 A b^7 \tan(1/2 dx + 1/2 c) \\
&) / ((a^8 - 2 a^6 b^2 + a^4 b^4) (a \tan(1/2 dx + 1/2 c)^4 - b \tan(1/2 dx + 1/2 c)^4 - 2 b \tan(1/2 dx + 1/2 c)^2 - a - b)^2) - (A a^2 + 2 C a^2 - 6 B a b + 12 A b^2) (dx + c) / a^5 / d
\end{aligned}$$

$$3.923 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=470

$$\frac{\tan(c+dx)(23a^2b^2C + 3a^3bB - 12a^4C - 8ab^3B + 5Ab^4 - 6b^4C)}{6b^4d(a^2 - b^2)^2} - \frac{(a^2b^6(3A + 20C) - 7a^5b^3B + 8a^3b^5B + 28a^6b^2C - \dots)}{b^5}$$

[Out] ((b*B - 4*a*C)*ArcTanh[Sin[c + d*x]])/(b^5*d) - ((2*A*b^8 + 2*a^7*b*B - 7*a^5*b^3*B + 8*a^3*b^5*B - 8*a*b^7*B - 8*a^8*C + 28*a^6*b^2*C - 35*a^4*b^4*C + a^2*b^6*(3*A + 20*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^5*(a + b)^(7/2)*d) - ((5*A*b^4 + 3*a^3*b*B - 8*a*b^3*B - 12*a^4*C + 23*a^2*b^2*C - 6*b^4*C)*Tan[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^3*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + ((3*A*b^4 + a^3*b*B - 6*a*b^3*B - 4*a^4*C + a^2*b^2*(2*A + 9*C))*Sec[c + d*x]^2*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (a*(2*A*b^6 - a^5*b*B + 2*a^3*b^3*B - 6*a*b^5*B + 4*a^6*C - 11*a^4*b^2*C + 3*a^2*b^4*(A + 4*C))*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 9.91341, antiderivative size = 470, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4098, 4090, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{\tan(c+dx)(23a^2b^2C + 3a^3bB - 12a^4C - 8ab^3B + 5Ab^4 - 6b^4C)}{6b^4d(a^2 - b^2)^2} - \frac{(a^2b^6(3A + 20C) - 7a^5b^3B + 8a^3b^5B + 28a^6b^2C - \dots)}{b^5}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4, x]

[Out] ((b*B - 4*a*C)*ArcTanh[Sin[c + d*x]])/(b^5*d) - ((2*A*b^8 + 2*a^7*b*B - 7*a^5*b^3*B + 8*a^3*b^5*B - 8*a*b^7*B - 8*a^8*C + 28*a^6*b^2*C - 35*a^4*b^4*C + a^2*b^6*(3*A + 20*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^5*(a + b)^(7/2)*d) - ((5*A*b^4 + 3*a^3*b*B - 8*a*b^3*B - 12*a^4*C + 23*a^2*b^2*C - 6*b^4*C)*Tan[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^3*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3)

$$a + b \operatorname{Sec}[c + d*x]^3 + ((3*A*b^4 + a^3*b*B - 6*a*b^3*B - 4*a^4*C + a^2*b^2*(2*A + 9*C))*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x]) / (6*b^2*(a^2 - b^2)^2*d*(a + b*\operatorname{Sec}[c + d*x]^2) + (a*(2*A*b^6 - a^5*b*B + 2*a^3*b^3*B - 6*a*b^5*B + 4*a^6*C - 11*a^4*b^2*C + 3*a^2*b^4*(A + 4*C))*\operatorname{Tan}[c + d*x]) / (2*b^4*(a^2 - b^2)^3*d*(a + b*\operatorname{Sec}[c + d*x]))$$

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol]
:> -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)) / (b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol]
:> Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)) / (b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-a*(b*B - a*C) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol]
:> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)) / (b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)) / (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x] / (a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^4} dx &= -\frac{(Ab^2 - a(bB - aC)) \sec^3(c + dx) \tan(c + dx)}{3b(a^2 - b^2)d(a + b \sec(c + dx))^3} - \int \frac{\sec^3(c + dx)}{(a + b \sec(c + dx))^4} dx \\
&= -\frac{(Ab^2 - a(bB - aC)) \sec^3(c + dx) \tan(c + dx)}{3b(a^2 - b^2)d(a + b \sec(c + dx))^3} + \frac{(3Ab^4 + a^3b)}{3b^2(a^2 - b^2)d(a + b \sec(c + dx))^3} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sec^3(c + dx) \tan(c + dx)}{3b(a^2 - b^2)d(a + b \sec(c + dx))^3} + \frac{(3Ab^4 + a^3b)}{3b^2(a^2 - b^2)d(a + b \sec(c + dx))^3} \\
&= -\frac{(5Ab^4 + 3a^3bB - 8ab^3B - 12a^4C + 23a^2b^2C - 6b^4C) \tan(c + dx)}{6b^4(a^2 - b^2)^2d} \\
&= -\frac{(5Ab^4 + 3a^3bB - 8ab^3B - 12a^4C + 23a^2b^2C - 6b^4C) \tan(c + dx)}{6b^4(a^2 - b^2)^2d} \\
&= \frac{(bB - 4aC) \tanh^{-1}(\sin(c + dx))}{b^5d} - \frac{(5Ab^4 + 3a^3bB - 8ab^3B - 12a^4C + 23a^2b^2C - 6b^4C) \tan(c + dx)}{6b^4(a^2 - b^2)^2d} \\
&= \frac{(bB - 4aC) \tanh^{-1}(\sin(c + dx))}{b^5d} - \frac{(5Ab^4 + 3a^3bB - 8ab^3B - 12a^4C + 23a^2b^2C - 6b^4C) \tan(c + dx)}{6b^4(a^2 - b^2)^2d} \\
&= \frac{(bB - 4aC) \tanh^{-1}(\sin(c + dx))}{b^5d} - \frac{(3a^2Ab^6 + 2Ab^8 + 2a^7bB - 12a^4C + 23a^2b^2C - 6b^4C) \tan(c + dx)}{6b^4(a^2 - b^2)^2d}
\end{aligned}$$

Mathematica [B] time = 6.48735, size = 1197, normalized size = 2.55

$$-\frac{2(bB - 4aC) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) \sec^2(c + dx) (C \sec^2(c + dx) + B \sec(c + dx) + A) (b + a \cos(c + dx))}{b^5d(\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx))(a + b \sec(c + dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]^4,x]

```
[Out] (-2*(3*a^2*A*b^6 + 2*A*b^8 + 2*a^7*b*B - 7*a^5*b^3*B + 8*a^3*b^5*B - 8*a*b^7*B - 8*a^8*C + 28*a^6*b^2*C - 35*a^4*b^4*C + 20*a^2*b^6*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*cos[c + d*x])^4*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b^5*Sqrt[a^2 - b^2]*(-a^2 + b^2)^3*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) - (2*(b*B - 4*a*C)*(b + a*cos[c + d*x])^4*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b^5*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) + (2*(b*B - 4*a*C)*(b + a*cos[c + d*x])^4*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(b^5*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) + ((b + a*cos[c + d*x])*Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-6*a^4*A*b^5*Sin[c + d*x] - 54*a^2*A*b^7*Sin[c + d*x] + 30*a^7*b^2*B*Sin[c + d*x] - 90*a^5*b^4*B*Sin[c + d*x] + 120*a^3*b^6*B*Sin[c + d*x] - 120*a^8*b*C*Sin[c + d*x] + 294*a^6*b^3*C*Sin[c + d*x] - 174*a^4*b^5*C*Sin[c + d*x] - 108*a^2*b^7*C*Sin[c + d*x] + 48*b^9*C*Sin[c + d*x] - 16*a^5*A*b^4*Sin[2*(c + d*x)] - 2*a^3*A*b^6*Sin[2*(c + d*x)] - 72*a*A*b^8*Sin[2*(c + d*x)] + 12*a^8*b*B*Sin[2*(c + d*x)] + 10*a^6*b^3*B*Sin[2*(c + d*x)] - 76*a^4*b^5*B*Sin[2*(c + d*x)] + 144*a^2*b^7*B*Sin[2*(c + d*x)] - 48*a^9*C*Sin[2*(c + d*x)] - 40*a^7*b^2*C*Sin[2*(c + d*x)] + 370*a^5*b^4*C*Sin[2*(c + d*x)] - 444*a^3*b^6*C*Sin[2*(c + d*x)] + 72*a*b^8*C*Sin[2*(c + d*x)] - 6*a^4*A*b^5*Sin[3*(c + d*x)] - 54*a^2*A*b^7*Sin[3*(c + d*x)] + 30*a^7*b^2*B*Sin[3*(c + d*x)] - 90*a^5*b^4*B*Sin[3*(c + d*x)] + 120*a^3*b^6*B*Sin[3*(c + d*x)] - 120*a^8*b*C*Sin[3*(c + d*x)] + 342*a^6*b^3*C*Sin[3*(c + d*x)] - 318*a^4*b^5*C*Sin[3*(c + d*x)] + 36*a^2*b^7*C*Sin[3*(c + d*x)] - 4*a^5*A*b^4*Sin[4*(c + d*x)] - 11*a^3*A*b^6*Sin[4*(c + d*x)] + 6*a^8*b*B*Sin[4*(c + d*x)] - 17*a^6*b^3*B*Sin[4*(c + d*x)] + 26*a^4*b^5*B*Sin[4*(c + d*x)] - 24*a^9*C*Sin[4*(c + d*x)] + 68*a^7*b^2*C*Sin[4*(c + d*x)] - 65*a^5*b^4*C*Sin[4*(c + d*x)] + 6*a^3*b^6*C*Sin[4*(c + d*x)]))/(24*b^4*(-a^2 + b^2)^3*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4)
```

Maple [B] time = 0.117, size = 3764, normalized size = 8.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x)
```

```
[Out] 8/d*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B*a-28/d/b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))
```

$$\begin{aligned}
& 2)) * a^6 * C + 35/d/b / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh} \\
& ((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * a^4 * C + 12/d*b / (\tan(1/2*d*x+1/2 \\
& *c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^2 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * t \\
& \operatorname{an}(1/2*d*x+1/2*c)^5 * B - 3/d*b / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - \\
& a - b)^3 * a^2 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * A - 6/d*b^2 / (\\
& \tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a / (a-b) / (a^3 + 3*a^2*b + 3 \\
& *a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * A + 2/d/b^3 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2* \\
& d*x+1/2*c)^2 * b - a - b)^3 * a^6 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c \\
&)^5 * B + 44/3/d/b / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^4 / (a \\
& ^2 - 2*a*b + b^2) / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x+1/2*c)^3 * B - 24/d*b / (\tan(1/2*d*x+1/ \\
& 2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^2 / (a^2 - 2*a*b + b^2) / (a^2 + 2*a*b + b^2) * \\
& \tan(1/2*d*x+1/2*c)^3 * B + 12/d/b^4 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^ \\
& 2 * b - a - b)^3 * a^7 / (a^2 - 2*a*b + b^2) / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x+1/2*c)^3 * C + 1/d/b \\
& ^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^5 / (a+b) / (a^3 - 3*a \\
& ^2 * b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * B + 18/d/b^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan \\
& (1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^5 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+ \\
& 1/2*c)^5 * C - 5/d/b / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^4 / \\
& (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * C - 1/d/b^2 / (\tan(1/2*d*x \\
& + 1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^5 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^ \\
& 3) * \tan(1/2*d*x+1/2*c)^5 * B - 6/d/b / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^ \\
& 2 * b - a - b)^3 * a^4 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * B - 6/d/b \\
& / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^4 / (a+b) / (a^3 - 3*a^2 \\
& *b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * B - 2/d/b^3 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/ \\
& 2*d*x+1/2*c)^2 * b - a - b)^3 * a^6 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2 \\
& *c) * C + 18/d/b^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^5 / (a \\
& +b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * C + 5/d/b / (\tan(1/2*d*x+1/2*c \\
&)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^4 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan \\
& (1/2*d*x+1/2*c) * C + 12/d*b / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b \\
&)^3 * a^2 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * B - 6/d*b^2 / (\tan(1 \\
& /2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a / (a+b) / (a^3 - 3*a^2*b + 3*a*b^ \\
& 2 - b^3) * \tan(1/2*d*x+1/2*c) * A + 3/d*b / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c \\
&)^2 * b - a - b)^3 * a^2 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * A - 6/d/b \\
& ^4 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^7 / (a+b) / (a^3 - 3*a \\
& ^2 * b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * C - 116/3/d/b^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \\
& \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^5 / (a^2 - 2*a*b + b^2) / (a^2 + 2*a*b + b^2) * \tan(1/2*d \\
& *x+1/2*c)^3 * C - 6/d/b^4 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 \\
& * a^7 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * C + 2/d/b^3 / (\tan(1/ \\
& 2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^6 / (a-b) / (a^3 + 3*a^2*b + 3*a*b \\
& ^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * C + 2/d/b^3 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+ \\
& 1/2*c)^2 * b - a - b)^3 * a^6 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * B + \\
& 12/d*b^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a / (a^2 - 2*a*b \\
& + b^2) / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x+1/2*c)^3 * A - 4/d/b^3 / (\tan(1/2*d*x+1/2*c)^2 * \\
& a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * a^6 / (a^2 - 2*a*b + b^2) / (a^2 + 2*a*b + b^2) * \tan(1/2 \\
& *d*x+1/2*c)^3 * B + 8/d/b^5 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * a \\
& \operatorname{rctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * a^8 * C - 3/d*b / (a^6 - 3*a^4
\end{aligned}$$

$$\begin{aligned}
& *b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}*A*a^2-2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-20/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C-20/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C+4/3/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-1/d/b^4*\ln(\tan(1/2*d*x+1/2*c)-1)*B-1/d*C/b^4/(\tan(1/2*d*x+1/2*c)+1)+1/d/b^4*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/d*C/b^4/(\tan(1/2*d*x+1/2*c)-1)-20/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}*C*a^2+40/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C-2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-2/d/b^4/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}*B*a^7+7/d/b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}*B*a^5-4/d/b^5*\ln(\tan(1/2*d*x+1/2*c)+1)*a*C-2/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}*A-8/d/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}*B*a^3+4/d/b^5*\ln(\tan(1/2*d*x+1/2*c)-1)*a*C
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x
, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**
4,x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**4/(a + b*se
c(c + d*x))**4, x)
```

Giac [B] time = 1.53547, size = 1706, normalized size = 3.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x
, algorithm="giac")
```

```
[Out] 1/3*(3*(8*C*a^8 - 2*B*a^7*b - 28*C*a^6*b^2 + 7*B*a^5*b^3 + 35*C*a^4*b^4 - 8
*B*a^3*b^5 - 3*A*a^2*b^6 - 20*C*a^2*b^6 + 8*B*a*b^7 - 2*A*b^8)*(pi*floor(1/
2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b
*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9
- b^11)*sqrt(-a^2 + b^2)) - (18*C*a^9*tan(1/2*d*x + 1/2*c)^5 - 6*B*a^8*b*t
an(1/2*d*x + 1/2*c)^5 - 42*C*a^8*b*tan(1/2*d*x + 1/2*c)^5 + 15*B*a^7*b^2*ta
n(1/2*d*x + 1/2*c)^5 - 24*C*a^7*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*B*a^6*b^3*ta
n(1/2*d*x + 1/2*c)^5 + 117*C*a^6*b^3*tan(1/2*d*x + 1/2*c)^5 + 6*A*a^5*b^4*t
an(1/2*d*x + 1/2*c)^5 - 45*B*a^5*b^4*tan(1/2*d*x + 1/2*c)^5 - 24*C*a^5*b^4*
tan(1/2*d*x + 1/2*c)^5 - 3*A*a^4*b^5*tan(1/2*d*x + 1/2*c)^5 + 6*B*a^4*b^5*t
```

$$\begin{aligned}
& \tan(1/2*d*x + 1/2*c)^5 - 105*C*a^4*b^5*\tan(1/2*d*x + 1/2*c)^5 + 6*A*a^3*b^6* \\
& \tan(1/2*d*x + 1/2*c)^5 + 60*B*a^3*b^6*\tan(1/2*d*x + 1/2*c)^5 + 60*C*a^3*b^6 \\
& *\tan(1/2*d*x + 1/2*c)^5 - 27*A*a^2*b^7*\tan(1/2*d*x + 1/2*c)^5 - 36*B*a^2*b^7 \\
& *\tan(1/2*d*x + 1/2*c)^5 + 18*A*a*b^8*\tan(1/2*d*x + 1/2*c)^5 - 36*C*a^9*\tan \\
& (1/2*d*x + 1/2*c)^3 + 12*B*a^8*b*\tan(1/2*d*x + 1/2*c)^3 + 152*C*a^7*b^2*\tan \\
& (1/2*d*x + 1/2*c)^3 - 56*B*a^6*b^3*\tan(1/2*d*x + 1/2*c)^3 - 4*A*a^5*b^4*\tan \\
& (1/2*d*x + 1/2*c)^3 - 236*C*a^5*b^4*\tan(1/2*d*x + 1/2*c)^3 + 116*B*a^4*b^5* \\
& \tan(1/2*d*x + 1/2*c)^3 - 32*A*a^3*b^6*\tan(1/2*d*x + 1/2*c)^3 + 120*C*a^3*b^6 \\
& *\tan(1/2*d*x + 1/2*c)^3 - 72*B*a^2*b^7*\tan(1/2*d*x + 1/2*c)^3 + 36*A*a*b^8 \\
& *\tan(1/2*d*x + 1/2*c)^3 + 18*C*a^9*\tan(1/2*d*x + 1/2*c) - 6*B*a^8*b*\tan(1/2 \\
& *d*x + 1/2*c) + 42*C*a^8*b*\tan(1/2*d*x + 1/2*c) - 15*B*a^7*b^2*\tan(1/2*d*x \\
& + 1/2*c) - 24*C*a^7*b^2*\tan(1/2*d*x + 1/2*c) + 6*B*a^6*b^3*\tan(1/2*d*x + 1/ \\
& 2*c) - 117*C*a^6*b^3*\tan(1/2*d*x + 1/2*c) + 6*A*a^5*b^4*\tan(1/2*d*x + 1/2*c \\
&) + 45*B*a^5*b^4*\tan(1/2*d*x + 1/2*c) - 24*C*a^5*b^4*\tan(1/2*d*x + 1/2*c) + \\
& 3*A*a^4*b^5*\tan(1/2*d*x + 1/2*c) + 6*B*a^4*b^5*\tan(1/2*d*x + 1/2*c) + 105* \\
& C*a^4*b^5*\tan(1/2*d*x + 1/2*c) + 6*A*a^3*b^6*\tan(1/2*d*x + 1/2*c) - 60*B*a^3 \\
& *b^6*\tan(1/2*d*x + 1/2*c) + 60*C*a^3*b^6*\tan(1/2*d*x + 1/2*c) + 27*A*a^2*b^7 \\
& *\tan(1/2*d*x + 1/2*c) - 36*B*a^2*b^7*\tan(1/2*d*x + 1/2*c) + 18*A*a*b^8* \\
& \tan(1/2*d*x + 1/2*c))/((a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^10)*(a*\tan(1/2*d* \\
& x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^3) - 3*(4*C*a - B*b)*\log(a \\
& bs(\tan(1/2*d*x + 1/2*c) + 1))/b^5 + 3*(4*C*a - B*b)*\log(abs(\tan(1/2*d*x + 1 \\
& /2*c) - 1))/b^5 - 6*C*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*b^ \\
& 4))/d
\end{aligned}$$

$$3.924 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=358

$$\frac{(-a^3b^4(A-8C) + 3a^2b^5B - 7a^5b^2C + 2a^7C - 4ab^6(A+2C) + 2b^7B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} - \frac{\tan(c+dx) \sec^2(c)}{3bd(a^2-b^2)}$$

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^4*d) - ((3*a^2*b^5*B + 2*b^7*B - a^3*b^4*(A - 8*C) + 2*a^7*C - 7*a^5*b^2*C - 4*a*b^6*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^4*(a + b)^(7/2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - (a*(2*A*b^4 - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 8*C))*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((4*A*b^6 + a^3*b^3*B - 16*a*b^5*B + 9*a^6*C + 2*a^2*b^4*(7*A + 17*C) - a^4*b^2*(3*A + 28*C))*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 2.50854, antiderivative size = 358, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {4098, 4090, 4080, 3998, 3770, 3831, 2659, 208}

$$\frac{(-a^3b^4(A-8C) + 3a^2b^5B - 7a^5b^2C + 2a^7C - 4ab^6(A+2C) + 2b^7B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} - \frac{\tan(c+dx) \sec^2(c)}{3bd(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4, x]

[Out] (C*ArcTanh[Sin[c + d*x]])/(b^4*d) - ((3*a^2*b^5*B + 2*b^7*B - a^3*b^4*(A - 8*C) + 2*a^7*C - 7*a^5*b^2*C - 4*a*b^6*(A + 2*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^4*(a + b)^(7/2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - (a*(2*A*b^4 - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 8*C))*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((4*A*b^6 + a^3*b^3*B - 16*a*b^5*B + 9*a^6*C + 2*a^2*b^4*(7*A + 17*C) - a^4*b^2*(3*A + 28*C))*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol]
:> -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x]
+ Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol]
:> Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x]
- Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-a*(b*B - a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4080

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol]
:> -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x]
+ Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol]
:> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol]
:> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
  :=> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x]
  && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :=> With[{
  e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
  a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
  && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
  Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^4} dx &= -\frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \int \frac{\sec^2(c+dx)(2a^2-2ab\sec(c+dx)+b^2)}{(a+b\sec(c+dx))^4} dx \\
&= -\frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{a(2Ab^4-5a^2b^2)}{6b^5d} \\
&= -\frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{a(2Ab^4-5a^2b^2)}{6b^5d} \\
&= -\frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{a(2Ab^4-5a^2b^2)}{6b^5d} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^4d} - \frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^4d} - \frac{(Ab^2-a(bB-aC))\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= \frac{C \tanh^{-1}(\sin(c+dx))}{b^4d} + \frac{(a^3Ab^4+4aAb^6-3a^2b^5B-2b^7B-a^4C)}{b^4d}
\end{aligned}$$

Mathematica [C] time = 7.3465, size = 1302, normalized size = 3.64

$$-\frac{2C \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \sec^2(c+dx) (C \sec^2(c+dx) + B \sec(c+dx) + A) (b + a \cos(c+dx))^4}{b^4d(\cos(2c+2dx)A + A + 2C + 2B \cos(c+dx))(a+b\sec(c+dx))^4} + \frac{2C \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{b^4d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out] (-2*C*(b + a*Cos[c + d*x])^4*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(b^4*d*(A + 2*C + 2*B*Cos[c + d*x]))

$$\begin{aligned}
& B \cos[c + dx] + A \cos[2c + 2dx] (a + b \sec[c + dx])^4 + (2C(b + a \cos[c + dx])^4 \log[\cos[c/2 + (dx)/2] + \sin[c/2 + (dx)/2]] \sec[c + dx]^2 \\
& * (A + B \sec[c + dx] + C \sec[c + dx]^2)) / (b^4 d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + b \sec[c + dx])^4) + ((- (a^3 A b^4) - 4 a A b^6 + 3 a^2 b^5 B + 2 b^7 B + 2 a^7 C - 7 a^5 b^2 C + 8 a^3 b^4 C - 8 a b^6 C) \\
& * (b + a \cos[c + dx])^4 \sec[c + dx]^2 (A + B \sec[c + dx] + C \sec[c + dx]^2) * (((-2I) \operatorname{ArcTan}[\sec[(dx)/2] * (\cos[c] / (\sqrt{a^2 - b^2}) * \sqrt{\cos[2c] - I \sin[2c]})] - (I \sin[c]) / (\sqrt{a^2 - b^2}) * \sqrt{\cos[2c] - I \sin[2c]})]) * ((-I) * b \sin[(dx)/2] + I * a \sin[c + (dx)/2]) * \cos[c]) / (b^4 \sqrt{a^2 - b^2} * d * \sqrt{\cos[2c] - I \sin[2c]}) - (2 \operatorname{ArcTan}[\sec[(dx)/2] * (\cos[c] / (\sqrt{a^2 - b^2}) * \sqrt{\cos[2c] - I \sin[2c]})] - (I \sin[c]) / (\sqrt{a^2 - b^2}) * \sqrt{\cos[2c] - I \sin[2c]})]) * ((-I) * b \sin[(dx)/2] + I * a \sin[c + (dx)/2]) * \sin[c]) / (b^4 \sqrt{a^2 - b^2} * d * \sqrt{\cos[2c] - I \sin[2c]}) / ((-a^2 + b^2)^3 * (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + b \sec[c + dx])^4) - (2 * (b + a \cos[c + dx]) * \sec[c] * \sec[c + dx]^2 * (A + B \sec[c + dx] + C \sec[c + dx]^2) * (A b^3 \sin[c] - a b^2 B \sin[c] + a^2 b C \sin[c] - a A b^2 \sin[dx] + a^2 b B \sin[dx] - a^3 C \sin[dx])) / (3 a b (-a^2 + b^2) d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + b \sec[c + dx])^4) + ((b + a \cos[c + dx])^2 \sec[c] * \sec[c + dx]^2 * (A + B \sec[c + dx] + C \sec[c + dx]^2) * (-5 a A b^3 \sin[c] + 2 a^2 b^2 B \sin[c] + 3 b^4 B \sin[c] + a^3 b C \sin[c] - 6 a b^3 C \sin[c] + 3 a^2 A b^2 \sin[dx] + 2 A b^4 \sin[dx] - 5 a b^3 B \sin[dx] - 3 a^4 C \sin[dx] + 8 a^2 b^2 C \sin[dx])) / (3 b^2 (-a^2 + b^2)^2 d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + b \sec[c + dx])^4) + ((b + a \cos[c + dx])^3 \sec[c] * \sec[c + dx]^2 * (A + B \sec[c + dx] + C \sec[c + dx]^2) * (-3 a^3 A b^3 \sin[c] - 12 a A b^5 \sin[c] + 9 a^2 b^4 B \sin[c] + 6 b^6 B \sin[c] - 3 a^5 b C \sin[c] + 6 a^3 b^3 C \sin[c] - 18 a b^5 C \sin[c] + 13 a^2 A b^4 \sin[dx] + 2 A b^6 \sin[dx] - 4 a^3 b^3 B \sin[dx] - 11 a b^5 B \sin[dx] + 6 a^6 C \sin[dx] - 17 a^4 b^2 C \sin[dx] + 26 a^2 b^4 C \sin[dx])) / (3 b^3 (-a^2 + b^2)^3 d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + b \sec[c + dx])^4)
\end{aligned}$$

Maple [B] time = 0.125, size = 3244, normalized size = 9.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c))^3 (A+B\sec(dx+c)+C\sec(dx+c)^2) / (a+b\sec(dx+c))^4, x$

[Out] $\frac{1}{d} \frac{C}{b^4} \ln(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1) - \frac{1}{d} \frac{C}{b^4} \ln(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) - \frac{3}{d} \frac{b}{(\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 a - \tan(\frac{1}{2}dx + \frac{1}{2}c)^2 b - a - b)^3} \frac{a^2}{(a-b)} / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 B + 6/d * b / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 a - \tan(1/$

$$\begin{aligned}
& 2*d*x+1/2*c)^2*b-a-b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+2/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-1/d/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^5/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C-6/d/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^4/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C+2/d/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^6/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C+1/d/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^5/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C-6/d/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^4/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C+3/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-2/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+6/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+2/d/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^6/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C+1/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C+4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C-2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-4/d/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*a^6*C-28/3/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*a^2+12/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*a*B-6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*a*B+44/3/d/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*a^4*C-24/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C*a^2+12/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C*a^2+12/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C*a^2-6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*a*B+2/d*b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-1/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-4/d*b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-2/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*
\end{aligned}$$

$$\begin{aligned} & (a-b)^{(1/2)} * B + 1/d / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * \arctan \\ & h((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * A * a^3 - 8/d / (a^6 - 3*a^4*b^2 + 3* \\ & a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a \\ & -b))^{(1/2)}) * C * a^3 + 8/d * b^2 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} \\ & * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * C * a - 3/d * b / (a^6 - 3*a^4 \\ & * b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((\\ & a+b)*(a-b))^{(1/2)}) * B * a^2 + 7/d / b^2 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b) \\ &)^{(1/2)} * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * a^5 * C + 4/3/d / (\\ & \tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a^2 - 2*a*b + b^2) / (a^2 + 2 \\ & * a*b + b^2) * \tan(1/2*d*x+1/2*c)^3 * B * a^3 - 2/d / b^4 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / \\ & ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * a \\ & ^7 * C + 4/d * b^2 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a-b) \\ &) * \tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)} * A * a + 2/d * b^3 / (\tan(1/2*d*x+1/2*c)^2 \\ & * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d* \\ & x + 1/2*c)^5 * A \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x
, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x
, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.57917, size = 1532, normalized size = 4.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$-1/3*(3*(2*C*a^7 - 7*C*a^5*b^2 - A*a^3*b^4 + 8*C*a^3*b^4 + 3*B*a^2*b^5 - 4*A*a*b^6 - 8*C*a*b^6 + 2*B*b^7)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^{10})*\sqrt{-a^2 + b^2}) - 3*C*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/b^4 + 3*C*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/b^4 - (6*C*a^8*\tan(1/2*d*x + 1/2*c)^5 - 15*C*a^7*b*\tan(1/2*d*x + 1/2*c)^5 - 6*C*a^6*b^2*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a^5*b^3*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^5*b^3*\tan(1/2*d*x + 1/2*c)^5 + 45*C*a^5*b^3*\tan(1/2*d*x + 1/2*c)^5 + 12*A*a^4*b^4*\tan(1/2*d*x + 1/2*c)^5 + 3*B*a^4*b^4*\tan(1/2*d*x + 1/2*c)^5 - 6*C*a^4*b^4*\tan(1/2*d*x + 1/2*c)^5 - 27*A*a^3*b^5*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^3*b^5*\tan(1/2*d*x + 1/2*c)^5 - 60*C*a^3*b^5*\tan(1/2*d*x + 1/2*c)^5 + 12*A*a^2*b^6*\tan(1/2*d*x + 1/2*c)^5 + 27*B*a^2*b^6*\tan(1/2*d*x + 1/2*c)^5 + 36*C*a^2*b^6*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a*b^7*\tan(1/2*d*x + 1/2*c)^5 - 18*B*a*b^7*\tan(1/2*d*x + 1/2*c)^5 + 6*A*b^8*\tan(1/2*d*x + 1/2*c)^5 - 12*C*a^8*\tan(1/2*d*x + 1/2*c)^3 + 56*C*a^6*b^2*\tan(1/2*d*x + 1/2*c)^3 + 4*B*a^5*b^3*\tan(1/2*d*x + 1/2*c)^3 - 28*A*a^4*b^4*\tan(1/2*d*x + 1/2*c)^3 - 116*C*a^4*b^4*\tan(1/2*d*x + 1/2*c)^3 + 32*B*a^3*b^5*\tan(1/2*d*x + 1/2*c)^3 + 16*A*a^2*b^6*\tan(1/2*d*x + 1/2*c)^3 + 72*C*a^2*b^6*\tan(1/2*d*x + 1/2*c)^3 - 36*B*a*b^7*\tan(1/2*d*x + 1/2*c)^3 + 12*A*b^8*\tan(1/2*d*x + 1/2*c)^3 + 6*C*a^$$

$$\begin{aligned}
& 8*\tan(1/2*d*x + 1/2*c) + 15*C*a^7*b*\tan(1/2*d*x + 1/2*c) - 6*C*a^6*b^2*\tan(\\
& 1/2*d*x + 1/2*c) - 3*A*a^5*b^3*\tan(1/2*d*x + 1/2*c) - 6*B*a^5*b^3*\tan(1/2*d \\
& *x + 1/2*c) - 45*C*a^5*b^3*\tan(1/2*d*x + 1/2*c) + 12*A*a^4*b^4*\tan(1/2*d*x \\
& + 1/2*c) - 3*B*a^4*b^4*\tan(1/2*d*x + 1/2*c) - 6*C*a^4*b^4*\tan(1/2*d*x + 1/2 \\
& *c) + 27*A*a^3*b^5*\tan(1/2*d*x + 1/2*c) - 6*B*a^3*b^5*\tan(1/2*d*x + 1/2*c) \\
& + 60*C*a^3*b^5*\tan(1/2*d*x + 1/2*c) + 12*A*a^2*b^6*\tan(1/2*d*x + 1/2*c) - 2 \\
& 7*B*a^2*b^6*\tan(1/2*d*x + 1/2*c) + 36*C*a^2*b^6*\tan(1/2*d*x + 1/2*c) + 6*A* \\
& a*b^7*\tan(1/2*d*x + 1/2*c) - 18*B*a*b^7*\tan(1/2*d*x + 1/2*c) + 6*A*b^8*\tan(\\
& 1/2*d*x + 1/2*c))/((a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*(a*\tan(1/2*d*x + \\
& 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^3))/d
\end{aligned}$$

$$3.925 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=314

$$\frac{(-a^2b(4A+3C) + a^3B + 4ab^2B - b^3(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{\tan(c+dx)(a^3b^2(2A-5C) - 10a^2b^3B + a^4b^4)}{6b^2d(a^2-b^2)^3(a+b)}$$

[Out] ((a^3*B + 4*a*b^2*B - b^3*(A + 2*C) - a^2*b*(4*A + 3*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d) + (a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + ((3*A*b^4 + a^3*b*B - 6*a*b^3*B - 4*a^4*C + a^2*b^2*(2*A + 9*C))*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((a^4*b*B - 10*a^2*b^3*B - 6*b^5*B + a^3*b^2*(2*A - 5*C) + 2*a^5*C + a*b^4*(13*A + 18*C))*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.03922, antiderivative size = 314, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4090, 4080, 4003, 12, 3831, 2659, 208}

$$\frac{(-a^2b(4A+3C) + a^3B + 4ab^2B - b^3(A+2C)) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{\tan(c+dx)(a^3b^2(2A-5C) - 10a^2b^3B + a^4b^4)}{6b^2d(a^2-b^2)^3(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out] ((a^3*B + 4*a*b^2*B - b^3*(A + 2*C) - a^2*b*(4*A + 3*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d) + (a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + ((3*A*b^4 + a^3*b*B - 6*a*b^3*B - 4*a^4*C + a^2*b^2*(2*A + 9*C))*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((a^4*b*B - 10*a^2*b^3*B - 6*b^5*B + a^3*b^2*(2*A - 5*C) + 2*a^5*C + a*b^4*(13*A + 18*C))*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[
(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x
_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x
])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^
2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B
- a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 +
b^2*(m + 1)))]*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4080

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e
_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^
(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), In
t[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1
) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2,
0]
```

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e
+ f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(
(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a
*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{
a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -
1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
```

$a - b) * e^{2*x^2}, x], x, \text{Tan}[(c + d*x)/2]/e], x]] /; \text{FreeQ}[\{a, b, c, d\}, x]$
 $\&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a_ + (b_.) * (x_)^2)^{-1}, x_Symbol] :> \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x/$
 $\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\int \frac{\sec^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^4} dx = \frac{a (Ab^2 - a(bB - aC)) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{\int \frac{\sec(c+dx)(-3b(Ab^2 - a(bB - aC))}{(a + b \sec(c + dx))^4} dx}{(a + b \sec(c + dx))^3}$$

$$= \frac{a (Ab^2 - a(bB - aC)) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{(3Ab^4 + a^3bB - 6ab^3B - 3a^2b^2C)}{6b^2 (a^2 - b^2) d}$$

$$= \frac{a (Ab^2 - a(bB - aC)) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{(3Ab^4 + a^3bB - 6ab^3B - 3a^2b^2C)}{6b^2 (a^2 - b^2) d}$$

$$= \frac{a (Ab^2 - a(bB - aC)) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{(3Ab^4 + a^3bB - 6ab^3B - 3a^2b^2C)}{6b^2 (a^2 - b^2) d}$$

$$= \frac{a (Ab^2 - a(bB - aC)) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{(3Ab^4 + a^3bB - 6ab^3B - 3a^2b^2C)}{6b^2 (a^2 - b^2) d}$$

$$= \frac{a (Ab^2 - a(bB - aC)) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{(3Ab^4 + a^3bB - 6ab^3B - 3a^2b^2C)}{6b^2 (a^2 - b^2) d}$$

$$= - \frac{(4a^2Ab + Ab^3 - a^3B - 4ab^2B + 3a^2bC + 2b^3C) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}} \right)}{(a-b)^{7/2}(a+b)^{7/2}d}$$

Mathematica [A] time = 1.47225, size = 299, normalized size = 0.95

$$\frac{24(-a^2b(4A+3C)+a^3B+4ab^2B-b^3(A+2C)) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{2 \sin(c+dx)(a \cos(2(c+dx))(a^2b^2(10A+11C)+a^4(6A+4C)-13a^3bB-2ab^3B-Ab^4)+6cb^2)}{24d(b^2-a^2)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out] ((24*(a^3*B + 4*a*b^2*B - b^3*(A + 2*C) - a^2*b*(4*A + 3*C))*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - (2*(6*a^5*A + 14*a^3*A*b^2 + 25*a*A*b^4 - 11*a^4*b*B - 22*a^2*b^3*B - 12*b^5*B + 8*a^5*C + a^3*b^2*C + 36*a*b^4*C + 6*(-(A*b^5) + a^5*B - 9*a^3*b^2*B - 2*a*b^4*B + 9*a^2*b^3*(A + C) + a^4*b*(2*A + C))*Cos[c + d*x] + a*(-(A*b^4) - 13*a^3*b*B - 2*a*b^3*B + a^4*(6*A + 4*C) + a^2*b^2*(10*A + 11*C))*Cos[2*(c + d*x)])*Sin[c + d*x])/(b + a*Cos[c + d*x])^3/(24*(-a^2 + b^2)^3*d)

Maple [A] time = 0.101, size = 453, normalized size = 1.4

$$\frac{1}{d} \left(2 \frac{1}{((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)^3} \left(-1/2 \frac{(2 A a^3 + 2 A a^2 b + 6 A a b^2 + A b^3 - B a^3 - 6 B a^2 b - 2 B a b^2 - 2 B b^3 + 2 C a^3 + 3 C a^2 b + 6 C a b^2)}{(a - b) (a^3 + 3 a^2 b + 3 a b^2 + b^3)} \tan(1/2 * d * x + 1/2 * c) \right)^5 + 2/3 * (3 * A * a^3 + 7 * A * a * b^2 - 7 * B * a^2 * b - 3 * B * b^3 + C * a^3 + 9 * C * a * b^2) / (a^2 + 2 * a * b + b^2) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c) \right)^3 - 1/2 * (2 * A * a^3 - 2 * A * a^2 * b + 6 * A * a * b^2 - A * b^3 + B * a^3 - 6 * B * a^2 * b + 2 * B * a * b^2 - 2 * B * b^3 + 2 * C * a^3 - 3 * C * a^2 * b + 6 * C * a * b^2) / (a + b) / (a^3 - 3 * a^2 * b + 3 * a * b^2 - b^3) * \tan(1/2 * d * x + 1/2 * c) / ((\tan(1/2 * d * x + 1/2 * c))^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b - a - b)^3 - (4 * A * a^2 * b + A * b^3 - B * a^3 - 4 * B * a * b^2 + 3 * C * a^2 * b + 2 * C * b^3) / (a^6 - 3 * a^4 * b^2 + 3 * a^2 * b^4 - b^6) / ((a + b) * (a - b))^{1/2} * \operatorname{arctanh}((a - b) * \tan(1/2 * d * x + 1/2 * c) / ((a + b) * (a - b))^{1/2}))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x)

[Out] 1/d*(2*(-1/2*(2*A*a^3+2*A*a^2*b+6*A*a*b^2+A*b^3-B*a^3-6*B*a^2*b-2*B*a*b^2-2*B*b^3+2*C*a^3+3*C*a^2*b+6*C*a*b^2)/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5+2/3*(3*A*a^3+7*A*a*b^2-7*B*a^2*b-3*B*b^3+C*a^3+9*C*a*b^2)/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3-1/2*(2*A*a^3-2*A*a^2*b+6*A*a*b^2-A*b^3+B*a^3-6*B*a^2*b+2*B*a*b^2-2*B*b^3+2*C*a^3-3*C*a^2*b+6*C*a*b^2)/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c))/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3-(4*A*a^2*b+A*b^3-B*a^3-4*B*a*b^2+3*C*a^2*b+2*C*b^3)/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x
, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.40935, size = 3109, normalized size = 9.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x
, algorithm="fricas")
```

```
[Out] [1/12*(3*(B*a^3*b^3 - (4*A + 3*C)*a^2*b^4 + 4*B*a*b^5 - (A + 2*C)*b^6 + (B*
a^6 - (4*A + 3*C)*a^5*b + 4*B*a^4*b^2 - (A + 2*C)*a^3*b^3)*cos(d*x + c)^3 +
3*(B*a^5*b - (4*A + 3*C)*a^4*b^2 + 4*B*a^3*b^3 - (A + 2*C)*a^2*b^4)*cos(d*
x + c)^2 + 3*(B*a^4*b^2 - (4*A + 3*C)*a^3*b^3 + 4*B*a^2*b^4 - (A + 2*C)*a*b
^5)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*c
os(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2
- b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(2*C*a^7 + B*a
^6*b + (2*A - 7*C)*a^5*b^2 - 11*B*a^4*b^3 + (11*A + 23*C)*a^3*b^4 + 4*B*a^2
*b^5 - (13*A + 18*C)*a*b^6 + 6*B*b^7 + (2*(3*A + 2*C)*a^7 - 13*B*a^6*b + (4
*A + 7*C)*a^5*b^2 + 11*B*a^4*b^3 - 11*(A + C)*a^3*b^4 + 2*B*a^2*b^5 + A*a*b
^6)*cos(d*x + c)^2 + 3*(B*a^7 + (2*A + C)*a^6*b - 10*B*a^5*b^2 + (7*A + 8*C
)*a^4*b^3 + 7*B*a^3*b^4 - (10*A + 9*C)*a^2*b^5 + 2*B*a*b^6 + A*b^7)*cos(d*x
+ c))*sin(d*x + c))/((a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*
d*cos(d*x + c)^3 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)
*d*cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)
*d*cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d),
1/6*(3*(B*a^3*b^3 - (4*A + 3*C)*a^2*b^4 + 4*B*a*b^5 - (A + 2*C)*b^6 + (B*a
^6 - (4*A + 3*C)*a^5*b + 4*B*a^4*b^2 - (A + 2*C)*a^3*b^3)*cos(d*x + c)^3 +
3*(B*a^5*b - (4*A + 3*C)*a^4*b^2 + 4*B*a^3*b^3 - (A + 2*C)*a^2*b^4)*cos(d*x
+ c)^2 + 3*(B*a^4*b^2 - (4*A + 3*C)*a^3*b^3 + 4*B*a^2*b^4 - (A + 2*C)*a*b^
5)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c)
+ a)/((a^2 - b^2)*sin(d*x + c))) + (2*C*a^7 + B*a^6*b + (2*A - 7*C)*a^5*b^2
- 11*B*a^4*b^3 + (11*A + 23*C)*a^3*b^4 + 4*B*a^2*b^5 - (13*A + 18*C)*a*b^6
+ 6*B*b^7 + (2*(3*A + 2*C)*a^7 - 13*B*a^6*b + (4*A + 7*C)*a^5*b^2 + 11*B*a
^4*b^3 - 11*(A + C)*a^3*b^4 + 2*B*a^2*b^5 + A*a*b^6)*cos(d*x + c)^2 + 3*(B*
a^7 + (2*A + C)*a^6*b - 10*B*a^5*b^2 + (7*A + 8*C)*a^4*b^3 + 7*B*a^3*b^4 -
(10*A + 9*C)*a^2*b^5 + 2*B*a*b^6 + A*b^7)*cos(d*x + c))*sin(d*x + c))/((a^1
1 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*cos(d*x + c)^3 + 3*(a^10
```

$*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*\cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.48136, size = 1310, normalized size = 4.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out] $\frac{1}{3} * (3 * (B * a^3 - 4 * A * a^2 * b - 3 * C * a^2 * b + 4 * B * a * b^2 - A * b^3 - 2 * C * b^3) * (\pi * \operatorname{floor}(\frac{1}{2} * (d * x + c) / \pi + \frac{1}{2}) * \operatorname{sgn}(-2 * a + 2 * b) + \arctan(-\frac{a * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c) - b * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)}{\sqrt{-a^2 + b^2}})) / ((a^6 - 3 * a^4 * b^2 + 3 * a^2 * b^4 - b^6) * \sqrt{-a^2 + b^2}) - (6 * A * a^5 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 - 3 * B * a^5 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 + 6 * C * a^5 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 - 6 * A * a^4 * b * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 - 12 * B * a^4 * b * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 - 3 * C * a^4 * b * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 + 12 * A * a^3 * b^2 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 + 27 * B * a^3 * b^2 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 + 6 * C * a^3 * b^2 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 - 27 * A * a^2 * b^3 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 - 12 * B * a^2 * b^3 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 - 27 * C * a^2 * b^3 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 + 12 * A * a * b^4 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 + 6 * B * a * b^4 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 + 18 * C * a * b^4 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 + 3 * A * b^5 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 - 6 * B * b^5 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^5 - 12 * A * a^5 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^3 - 4 * C * a^5 * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^3 + 28 * B * a^4 * b * \tan(\frac{1}{2} * d * x + \frac{1}{2} * c)^3 - 16 * A * a^3 * b^5$

$$\begin{aligned}
& 2*\tan(1/2*d*x + 1/2*c)^3 - 32*C*a^3*b^2*\tan(1/2*d*x + 1/2*c)^3 - 16*B*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 + 28*A*a*b^4*\tan(1/2*d*x + 1/2*c)^3 + 36*C*a*b^4*\tan(1/2*d*x + 1/2*c)^3 - 12*B*b^5*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a^5*\tan(1/2*d*x + 1/2*c) + 3*B*a^5*\tan(1/2*d*x + 1/2*c) + 6*C*a^5*\tan(1/2*d*x + 1/2*c) + 6*A*a^4*b*\tan(1/2*d*x + 1/2*c) - 12*B*a^4*b*\tan(1/2*d*x + 1/2*c) + 3*C*a^4*b*\tan(1/2*d*x + 1/2*c) + 12*A*a^3*b^2*\tan(1/2*d*x + 1/2*c) - 27*B*a^3*b^2*\tan(1/2*d*x + 1/2*c) + 6*C*a^3*b^2*\tan(1/2*d*x + 1/2*c) + 27*A*a^2*b^3*\tan(1/2*d*x + 1/2*c) - 12*B*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 27*C*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 12*A*a*b^4*\tan(1/2*d*x + 1/2*c) - 6*B*a*b^4*\tan(1/2*d*x + 1/2*c) + 18*C*a*b^4*\tan(1/2*d*x + 1/2*c) - 3*A*b^5*\tan(1/2*d*x + 1/2*c) - 6*B*b^5*\tan(1/2*d*x + 1/2*c))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^3))/d
\end{aligned}$$

$$3.926 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^4} dx$$

Optimal. Leaf size=299

$$\frac{(a^3(-2A+C) + 4a^2bB - ab^2(3A+4C) + b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{\tan(c+dx)(-a^2b^2(11A+10C) + 2a^3b)}{6bd(a^2-b^2)^3(a+b)}$$

[Out] -(((4*a^2*b*B + b^3*B - a^3*(2*A + C) - a*b^2*(3*A + 4*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d)) - ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + ((2*a^2*b*B + 3*b^3*B + a^3*C - a*b^2*(5*A + 6*C))*Tan[c + d*x])/(6*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((2*a^3*b*B + 13*a*b^3*B + a^4*C - 2*b^4*(2*A + 3*C) - a^2*b^2*(11*A + 10*C))*Tan[c + d*x])/(6*b*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.855812, antiderivative size = 299, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4080, 4003, 12, 3831, 2659, 208}

$$\frac{(a^3(-2A+C) + 4a^2bB - ab^2(3A+4C) + b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{\tan(c+dx)(-a^2b^2(11A+10C) + 2a^3b)}{6bd(a^2-b^2)^3(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4, x]

[Out] -(((4*a^2*b*B + b^3*B - a^3*(2*A + C) - a*b^2*(3*A + 4*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d)) - ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + ((2*a^2*b*B + 3*b^3*B + a^3*C - a*b^2*(5*A + 6*C))*Tan[c + d*x])/(6*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((2*a^3*b*B + 13*a*b^3*B + a^4*C - 2*b^4*(2*A + 3*C) - a^2*b^2*(11*A + 10*C))*Tan[c + d*x])/(6*b*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4080

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^4} dx &= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{\int \frac{\sec(c+dx)(3b(bB-a(A+C))-(a+b\sec(c+dx))^3)}{(a+b\sec(c+dx))^4} dx}{3b(a^2-b^2)d} \\
&= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2bB+3b^3B+a^3C-3a^2bC)}{6b(a^2-b^2)^2d} \\
&= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2bB+3b^3B+a^3C-3a^2bC)}{6b(a^2-b^2)^2d} \\
&= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2bB+3b^3B+a^3C-3a^2bC)}{6b(a^2-b^2)^2d} \\
&= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2bB+3b^3B+a^3C-3a^2bC)}{6b(a^2-b^2)^2d} \\
&= -\frac{(Ab^2-a(bB-aC))\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2bB+3b^3B+a^3C-3a^2bC)}{6b(a^2-b^2)^2d} \\
&= \frac{(2a^3A+3aAb^2-4a^2bB-b^3B+a^3C+4ab^2C)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d}
\end{aligned}$$

Mathematica [C] time = 7.55916, size = 1069, normalized size = 3.58

$$\frac{(-2Aa^3 - Ca^3 + 4bBa^2 - 3Ab^2a - 4b^2Ca + b^3B)\sec^2(c+dx)(C\sec^2(c+dx) + B\sec(c+dx) + A)}{(b^2 - a^2)^3 (\cos(2(c+dx)))^2} \left(-\frac{2i \tan^{-1}\left(\sec\left(\frac{dx}{2}\right)\left(\frac{\sqrt{a-b}}{\sqrt{a+b}}\right)\right)}{\sqrt{a^2-b^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out] ((-2*a^3*A - 3*a*A*b^2 + 4*a^2*b*B + b^3*B - a^3*C - 4*a*b^2*C)*(b + a*Cos[c + d*x])^4*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((-2*I)*ArcTan[Sec[(d*x)/2]*(Cos[c]/(Sqrt[a^2 - b^2])*Sqrt[Cos[2*c] - I*Sin[2*c]]))

$$\begin{aligned}
& - (I*\sin[c]) / (\sqrt{a^2 - b^2} * \sqrt{\cos[2*c] - I*\sin[2*c]}) * ((-I)*b*\sin[(d*x)/2] + I*a*\sin[c + (d*x)/2]) * \cos[c] / (\sqrt{a^2 - b^2} * d * \sqrt{\cos[2*c] - I*\sin[2*c]}) \\
& - (2*\text{ArcTan}[\text{Sec}[(d*x)/2] * (\cos[c] / (\sqrt{a^2 - b^2} * \sqrt{\cos[2*c] - I*\sin[2*c]}) - I*\sin[2*c])]) - (I*\sin[c]) / (\sqrt{a^2 - b^2} * \sqrt{\cos[2*c] - I*\sin[2*c]}) \\
& * ((-I)*b*\sin[(d*x)/2] + I*a*\sin[c + (d*x)/2]) * \sin[c] / (\sqrt{a^2 - b^2} * d * \sqrt{\cos[2*c] - I*\sin[2*c]}) \\
& / ((-a^2 + b^2)^3 * (A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (a + b*\sec[c + d*x])^4) + (2*(b + a*\cos[c + d*x]) * \sec[c] * \sec[c + d*x]^2 * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * (A*b^4*\sin[c] - a*b^3*B*\sin[c] + a^2*b^2*C*\sin[c] - a*A*b^3*\sin[d*x] + a^2*b^2*B*\sin[d*x] - a^3*b*C*\sin[d*x])) / (3*a^3*(a^2 - b^2)*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (a + b*\sec[c + d*x])^4) + ((b + a*\cos[c + d*x])^2 * \sec[c] * \sec[c + d*x]^2 * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * (-11*a^2*A*b^3*\sin[c] + 6*A*b^5*\sin[c] + 8*a^3*b^2*B*\sin[c] - 3*a*b^4*B*\sin[c] - 5*a^4*b*C*\sin[c] + 9*a^3*A*b^2*\sin[d*x] - 4*a*A*b^4*\sin[d*x] - 6*a^4*b*B*\sin[d*x] + a^2*b^3*B*\sin[d*x] + 3*a^5*C*\sin[d*x] + 2*a^3*b^2*C*\sin[d*x])) / (3*a^3*(a^2 - b^2)^2 * d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (a + b*\sec[c + d*x])^4) + ((b + a*\cos[c + d*x])^3 * \sec[c] * \sec[c + d*x]^2 * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * (27*a^4*A*b^2*\sin[c] - 18*a^2*A*b^4*\sin[c] + 6*A*b^6*\sin[c] - 12*a^5*b*B*\sin[c] - 3*a^3*b^3*B*\sin[c] + 3*a^6*C*\sin[c] + 12*a^4*b^2*C*\sin[c] - 18*a^5*A*b*\sin[d*x] + 5*a^3*A*b^3*\sin[d*x] - 2*a*A*b^5*\sin[d*x] + 6*a^6*B*\sin[d*x] + 10*a^4*b^2*B*\sin[d*x] - a^2*b^4*B*\sin[d*x] - 13*a^5*b*C*\sin[d*x] - 2*a^3*b^3*C*\sin[d*x])) / (3*a^3*(a^2 - b^2)^3 * d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (a + b*\sec[c + d*x])^4)
\end{aligned}$$

Maple [A] time = 0.103, size = 452, normalized size = 1.5

$$\frac{1}{d} \left(-2 \frac{1}{((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)^3} \left(-1/2 \frac{(6 A a^2 b + 3 A a b^2 + 2 A b^3 - 2 B a^3 - 2 B a^2 b - 6 B a b^2 - B b^3 + C a^3 + 6 C a^2 b + 2 C a b^2 + 2 C b^3)}{(a - b) (a^3 + 3 a^2 b + 3 a b^2 + b^3)} \tan(1/2 d x + 1/2 c) \right)^5 + 2/3 * (9 A a^2 b + A b^3 - 3 B a^3 - 7 B a b^2 + 7 C a^2 b + 3 C b^3) / (a^2 + 2 a b + b^2) / (a^2 - 2 a b + b^2) * \tan(1/2 d x + 1/2 c) \right)^3 - 1/2 * (6 A a^2 b - 3 A a b^2 + 2 A b^3 - 2 B a^3 + 2 B a^2 b - 6 B a b^2 + B b^3 - C a^3 + 6 C a^2 b - 2 C a b^2 + 2 C b^3) / (a + b) / (a^3 - 3 a^2 b + 3 a b^2 - b^3) * \tan(1/2 d x + 1/2 c) / (\tan(1/2 d x + 1/2 c)^2 a - \tan(1/2 d x + 1/2 c)^2 b - a - b)^3 + (2 A a^3 + 3 A a b^2 - 4 B a^2 b - B b^3 + C a^3 + 4 C a b^2) / (a^6 - 3 a^4 b^2 + 3 a^2 b^4 - b^6) / ((a + b) * (a - b))^{1/2} * \text{arctanh}((a - b) / (a + b))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x)

[Out] 1/d*(-2*(-1/2*(6*A*a^2*b+3*A*a*b^2+2*A*b^3-2*B*a^3-2*B*a^2*b-6*B*a*b^2-B*b^3+C*a^3+6*C*a^2*b+2*C*a*b^2+2*C*b^3)/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5+2/3*(9*A*a^2*b+A*b^3-3*B*a^3-7*B*a*b^2+7*C*a^2*b+3*C*b^3)/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3-1/2*(6*A*a^2*b-3*A*a*b^2+2*A*b^3-2*B*a^3+2*B*a^2*b-6*B*a*b^2+B*b^3-C*a^3+6*C*a^2*b-2*C*a*b^2+2*C*b^3)/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c))/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3+(2*A*a^3+3*A*a*b^2-4*B*a^2*b-B*b^3+C*a^3+4*C*a*b^2)/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)/(a+b))

$$\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2))}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x,
algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.30993, size = 3109, normalized size = 10.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x,
algorithm="fricas")

[Out]
$$\frac{1}{12} \cdot (3 \cdot ((2A + C) \cdot a^3 \cdot b^3 - 4B \cdot a^2 \cdot b^4 + (3A + 4C) \cdot a \cdot b^5 - B \cdot b^6 + ((2A + C) \cdot a^6 - 4B \cdot a^5 \cdot b + (3A + 4C) \cdot a^4 \cdot b^2 - B \cdot a^3 \cdot b^3) \cdot \cos(d \cdot x + c)^3 + 3 \cdot ((2A + C) \cdot a^5 \cdot b - 4B \cdot a^4 \cdot b^2 + (3A + 4C) \cdot a^3 \cdot b^3 - B \cdot a^2 \cdot b^4) \cdot \cos(d \cdot x + c)^2 + 3 \cdot ((2A + C) \cdot a^4 \cdot b^2 - 4B \cdot a^3 \cdot b^3 + (3A + 4C) \cdot a^2 \cdot b^4 - B \cdot a \cdot b^5) \cdot \cos(d \cdot x + c)) \cdot \sqrt{a^2 - b^2} \cdot \log((2a \cdot b \cdot \cos(d \cdot x + c) - (a^2 - 2b^2) \cdot \cos(d \cdot x + c))^2 + 2 \cdot \sqrt{a^2 - b^2} \cdot (b \cdot \cos(d \cdot x + c) + a) \cdot \sin(d \cdot x + c) + 2 \cdot a^2 - b^2) / (a^2 \cdot \cos(d \cdot x + c)^2 + 2 \cdot a \cdot b \cdot \cos(d \cdot x + c) + b^2)) + 2 \cdot (C \cdot a^6 \cdot b + 2B \cdot a^5 \cdot b^2 - 11 \cdot (A + C) \cdot a^4 \cdot b^3 + 11 \cdot B \cdot a^3 \cdot b^4 + (7A + 4C) \cdot a^2 \cdot b^5 - 13 \cdot B \cdot a \cdot b^6 + 2 \cdot (2A + 3C) \cdot b^7 + (6B \cdot a^7 - (18A + 13C) \cdot a^6 \cdot b + 4B \cdot a^5 \cdot b^2 + (23A + 11C) \cdot a^4 \cdot b^3 - 11 \cdot B \cdot a^3 \cdot b^4 - (7A - 2C) \cdot a^2 \cdot b^5 + B \cdot a \cdot b^6 + 2A \cdot b^7) \cdot \cos(d \cdot x + c)^2 + 3 \cdot (C \cdot a^7 + 2B \cdot a^6 \cdot b - (9A + 10C) \cdot a^5 \cdot b^2 + 7B \cdot a^4 \cdot b^3 + (8A + 7C) \cdot a^3 \cdot b^4 - 10 \cdot B \cdot a^2 \cdot b^5 + (A + 2C) \cdot a \cdot b^6 + B \cdot b^7) \cdot \cos(d \cdot x + c)) \cdot \sin(d \cdot x + c)) / ((a^{11} - 4a^9 \cdot b^2 + 6a^7 \cdot b^4 - 4a^5 \cdot b^6 + a^3 \cdot b^8) \cdot d \cdot \cos(d \cdot x + c)^3 + 3 \cdot (a^{10} \cdot b - 4a^8 \cdot b^3 + 6a^6 \cdot b^5 - 4a^4 \cdot b^7 + a^2 \cdot b^9) \cdot d \cdot \cos(d \cdot x + c)^2 + 3 \cdot (a^9 \cdot b^2 - 4a^7 \cdot b^4 + 6a^5 \cdot b^6 - 4a^3 \cdot b^8 + a \cdot b^{10}) \cdot d \cdot \cos(d \cdot x + c) + (a^8 \cdot b^3 - 4a^6 \cdot b^5 + 6a^4 \cdot b^7 - 4a^2 \cdot b^9 + b^{11}) \cdot d),$$

$$\frac{1}{6} \cdot (3 \cdot ((2A + C) \cdot a^3 \cdot b^3 - 4B \cdot a^2 \cdot b^4 + (3A + 4C) \cdot a \cdot b^5 - B \cdot b^6 + ((2A + C) \cdot a^6 - 4B \cdot a^5 \cdot b + (3A + 4C) \cdot a^4 \cdot b^2 - B \cdot a^3 \cdot b^3) \cdot \cos(d \cdot x + c)^3 +$$

```

3*((2*A + C)*a^5*b - 4*B*a^4*b^2 + (3*A + 4*C)*a^3*b^3 - B*a^2*b^4)*cos(d*x
+ c)^2 + 3*((2*A + C)*a^4*b^2 - 4*B*a^3*b^3 + (3*A + 4*C)*a^2*b^4 - B*a*b^
5)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c)
+ a)/((a^2 - b^2)*sin(d*x + c))) + (C*a^6*b + 2*B*a^5*b^2 - 11*(A + C)*a^4*
b^3 + 11*B*a^3*b^4 + (7*A + 4*C)*a^2*b^5 - 13*B*a*b^6 + 2*(2*A + 3*C)*b^7 +
(6*B*a^7 - (18*A + 13*C)*a^6*b + 4*B*a^5*b^2 + (23*A + 11*C)*a^4*b^3 - 11*
B*a^3*b^4 - (7*A - 2*C)*a^2*b^5 + B*a*b^6 + 2*A*b^7)*cos(d*x + c)^2 + 3*(C*
a^7 + 2*B*a^6*b - (9*A + 10*C)*a^5*b^2 + 7*B*a^4*b^3 + (8*A + 7*C)*a^3*b^4
- 10*B*a^2*b^5 + (A + 2*C)*a*b^6 + B*b^7)*cos(d*x + c))*sin(d*x + c))/((a^1
1 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*cos(d*x + c)^3 + 3*(a^10
*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c)^2 + 3*(a^9
*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c) + (a^8*b^
3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d)]

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x
)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c
+ d*x))**4, x)
```

Giac [B] time = 1.51201, size = 1307, normalized size = 4.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x,
algorithm="giac")
```

```
[Out] -1/3*(3*(2*A*a^3 + C*a^3 - 4*B*a^2*b + 3*A*a*b^2 + 4*C*a*b^2 - B*b^3)*(pi*f
loor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c
) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^6 - 3*a^4*b^2 + 3*a^2*b^

```

$$\begin{aligned}
& (4 - b^6) \sqrt{-a^2 + b^2} + (6B^5 a^5 \tan(1/2 dx + 1/2 c)^5 - 3C^5 a^5 \tan(1/2 dx + 1/2 c)^5 - 18A^4 a^4 b \tan(1/2 dx + 1/2 c)^5 - 6B^4 a^4 b \tan(1/2 dx + 1/2 c)^5 - 12C^4 a^4 b \tan(1/2 dx + 1/2 c)^5 + 27A^3 a^3 b^2 \tan(1/2 dx + 1/2 c)^5 + 12B^3 a^3 b^2 \tan(1/2 dx + 1/2 c)^5 + 27C^3 a^3 b^2 \tan(1/2 dx + 1/2 c)^5 - 6A^2 a^2 b^3 \tan(1/2 dx + 1/2 c)^5 - 27B^2 a^2 b^3 \tan(1/2 dx + 1/2 c)^5 - 12C^2 a^2 b^3 \tan(1/2 dx + 1/2 c)^5 + 3A^2 a^2 b^4 \tan(1/2 dx + 1/2 c)^5 + 12B^2 a^2 b^4 \tan(1/2 dx + 1/2 c)^5 + 6C^2 a^2 b^4 \tan(1/2 dx + 1/2 c)^5 - 6A^2 b^5 \tan(1/2 dx + 1/2 c)^5 + 3B^2 b^5 \tan(1/2 dx + 1/2 c)^5 - 6C^2 b^5 \tan(1/2 dx + 1/2 c)^5 - 12B^5 a^5 \tan(1/2 dx + 1/2 c)^3 + 36A^4 a^4 b \tan(1/2 dx + 1/2 c)^3 + 28C^4 a^4 b \tan(1/2 dx + 1/2 c)^3 - 16B^3 a^3 b^2 \tan(1/2 dx + 1/2 c)^3 - 32A^2 a^2 b^3 \tan(1/2 dx + 1/2 c)^3 - 16C^2 a^2 b^3 \tan(1/2 dx + 1/2 c)^3 + 28B^2 a^2 b^4 \tan(1/2 dx + 1/2 c)^3 - 4A^2 b^5 \tan(1/2 dx + 1/2 c)^3 - 12C^2 b^5 \tan(1/2 dx + 1/2 c)^3 + 6B^5 a^5 \tan(1/2 dx + 1/2 c) + 3C^5 a^5 \tan(1/2 dx + 1/2 c) - 18A^4 a^4 b \tan(1/2 dx + 1/2 c) + 6B^4 a^4 b \tan(1/2 dx + 1/2 c) - 12C^4 a^4 b \tan(1/2 dx + 1/2 c) - 27A^3 a^3 b^2 \tan(1/2 dx + 1/2 c) + 12B^3 a^3 b^2 \tan(1/2 dx + 1/2 c) - 27C^3 a^3 b^2 \tan(1/2 dx + 1/2 c) - 6A^2 a^2 b^3 \tan(1/2 dx + 1/2 c) + 27B^2 a^2 b^3 \tan(1/2 dx + 1/2 c) - 12C^2 a^2 b^3 \tan(1/2 dx + 1/2 c) - 3A^2 a^2 b^4 \tan(1/2 dx + 1/2 c) + 12B^2 a^2 b^4 \tan(1/2 dx + 1/2 c) - 6C^2 a^2 b^4 \tan(1/2 dx + 1/2 c) - 6A^2 b^5 \tan(1/2 dx + 1/2 c) - 3B^2 b^5 \tan(1/2 dx + 1/2 c) - 6C^2 b^5 \tan(1/2 dx + 1/2 c)) / ((a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6) * (a \tan(1/2 dx + 1/2 c)^2 - b \tan(1/2 dx + 1/2 c)^2 - a - b)^3) / d
\end{aligned}$$

$$3.927 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=336

$$\frac{(-a^4 b^3 (8A - C) + 7a^2 A b^5 + 4a^6 b (2A + C) - 3a^5 b^2 B - 2a^7 B - 2A b^7) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right) \tan(c+dx) (-13a^4 b^3)}{a^4 d (a-b)^{7/2} (a+b)^{7/2}}$$

[Out] (A*x)/a^4 - ((7*a^2*A*b^5 - 2*A*b^7 - 2*a^7*B - 3*a^5*b^2*B - a^4*b^3*(8*A - C) + 4*a^6*b*(2*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(7/2)*(a + b)^(7/2)*d) + ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((3*A*b^4 + 5*a^3*b*B - 2*a^4*C - a^2*b^2*(8*A + 3*C))*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((17*a^2*A*b^4 - 6*A*b^6 + 11*a^5*b*B + 4*a^3*b^3*B - 2*a^6*C - 13*a^4*b^2*(2*A + C))*Tan[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 2.13695, antiderivative size = 336, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4060, 3919, 3831, 2659, 208}

$$\frac{(-a^4 b^3 (8A - C) + 7a^2 A b^5 + 4a^6 b (2A + C) - 3a^5 b^2 B - 2a^7 B - 2A b^7) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right) \tan(c+dx) (-13a^4 b^3)}{a^4 d (a-b)^{7/2} (a+b)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]^4, x]

[Out] (A*x)/a^4 - ((7*a^2*A*b^5 - 2*A*b^7 - 2*a^7*B - 3*a^5*b^2*B - a^4*b^3*(8*A - C) + 4*a^6*b*(2*A + C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(7/2)*(a + b)^(7/2)*d) + ((A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((3*A*b^4 + 5*a^3*b*B - 2*a^4*C - a^2*b^2*(8*A + 3*C))*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((17*a^2*A*b^4 - 6*A*b^6 + 11*a^5*b*B + 4*a^3*b^3*B - 2*a^6*C - 13*a^4*b^2*(2*A + C))*Tan[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4060


```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sine[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^4} dx &= \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^3} - \frac{\int \frac{-3A(a^2 - b^2) + 3a(Ab - aB + bC) \sec(c + dx) - 2(Ab^2 - a^2b)}{(a + b \sec(c + dx))^3} dx}{3a(a^2 - b^2)} \\
&= \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 + 5a^3bB - 2a^4C - a^2b^2(8A + 3C))}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 + 5a^3bB - 2a^4C - a^2b^2(8A + 3C))}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^4} + \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 + 5a^3bB - 2a^4C - a^2b^2(8A + 3C))}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^4} + \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 + 5a^3bB - 2a^4C - a^2b^2(8A + 3C))}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^4} + \frac{(Ab^2 - a(bB - aC)) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^3} - \frac{(3Ab^4 + 5a^3bB - 2a^4C - a^2b^2(8A + 3C))}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{Ax}{a^4} - \frac{(8a^6Ab - 8a^4Ab^3 + 7a^2Ab^5 - 2Ab^7 - 2a^7B - 3a^5b^2B + 4a^6bC + a^4b^3C)}{a^4(a - b)^{7/2}(a + b)^{7/2}d}
\end{aligned}$$

Mathematica [C] time = 7.90422, size = 1230, normalized size = 3.66

$$\frac{2Ax \sec^2(c + dx) (C \sec^2(c + dx) + B \sec(c + dx) + A) (b + a \cos(c + dx))^4}{a^4 (\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx)) (a + b \sec(c + dx))^4} + \frac{(2Ba^7 - 8Aba^6 - 4bCa^6 + 3b^2Ba^5 + 8Ab^3a^4)}{a^4(a - b)^{7/2}(a + b)^{7/2}d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^4, x]

[Out] (2*A*x*(b + a*Cos[c + d*x])^4*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^4) + ((-8*a^6*A*b + 8*a^4*A*b^3 - 7*a^2*A*b^5 + 2*A*b^7 + 2*a^7

```

*B + 3*a^5*b^2*B - 4*a^6*b*C - a^4*b^3*C)*(b + a*cos[c + d*x])^4*sec[c + d*x]^2*(A + B*sec[c + d*x] + C*sec[c + d*x]^2)*(((2*I)*ArcTan[Sec[(d*x)/2]*(Cos[c]/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]]) - (I*Sin[c])/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]])))*((-I)*b*Sin[(d*x)/2] + I*a*Sin[c + (d*x)/2]))*Cos[c]/(a^4*Sqrt[a^2 - b^2]*d*Sqrt[Cos[2*c] - I*Sin[2*c]]) + (2*ArcTan[Sec[(d*x)/2]*(Cos[c]/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]]) - (I*Sin[c])/(Sqrt[a^2 - b^2]*Sqrt[Cos[2*c] - I*Sin[2*c]])))*((-I)*b*Sin[(d*x)/2] + I*a*Sin[c + (d*x)/2]))*Sin[c]/(a^4*Sqrt[a^2 - b^2]*d*Sqrt[Cos[2*c] - I*Sin[2*c]])/((-a^2 + b^2)^3*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*sec[c + d*x])^4) - (2*(b + a*cos[c + d*x])*sec[c]*sec[c + d*x]^2*(A + B*sec[c + d*x] + C*sec[c + d*x]^2)*(A*b^5*Sin[c] - a*b^4*B*Sin[c] + a^2*b^3*C*Sin[c] - a*A*b^4*Sin[d*x] + a^2*b^3*B*Sin[d*x] - a^3*b^2*C*Sin[d*x]))/(3*a^4*(a^2 - b^2)*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*sec[c + d*x])^4) + ((b + a*cos[c + d*x])^2*sec[c]*sec[c + d*x]^2*(A + B*sec[c + d*x] + C*sec[c + d*x]^2)*(14*a^2*A*b^4*Sin[c] - 9*A*b^6*Sin[c] - 11*a^3*b^3*B*Sin[c] + 6*a*b^5*B*Sin[c] + 8*a^4*b^2*C*Sin[c] - 3*a^2*b^4*C*Sin[c] - 12*a^3*A*b^3*Sin[d*x] + 7*a*A*b^5*Sin[d*x] + 9*a^4*b^2*B*Sin[d*x] - 4*a^2*b^4*B*Sin[d*x] - 6*a^5*b*C*Sin[d*x] + a^3*b^3*C*Sin[d*x]))/(3*a^4*(a^2 - b^2)^2*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*sec[c + d*x])^4) + ((b + a*cos[c + d*x])^3*sec[c]*sec[c + d*x]^2*(A + B*sec[c + d*x] + C*sec[c + d*x]^2)*(-48*a^4*A*b^3*Sin[c] + 51*a^2*A*b^5*Sin[c] - 18*A*b^7*Sin[c] + 27*a^5*b^2*B*Sin[c] - 18*a^3*b^4*B*Sin[c] + 6*a*b^6*B*Sin[c] - 12*a^6*b*C*Sin[c] - 3*a^4*b^3*C*Sin[c] + 36*a^5*A*b^2*Sin[d*x] - 32*a^3*A*b^4*Sin[d*x] + 11*a*A*b^6*Sin[d*x] - 18*a^6*b*B*Sin[d*x] + 5*a^4*b^3*B*Sin[d*x] - 2*a^2*b^5*B*Sin[d*x] + 6*a^7*C*Sin[d*x] + 10*a^5*b^2*C*Sin[d*x] - a^3*b^4*C*Sin[d*x]))/(3*a^4*(a^2 - b^2)^3*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*sec[c + d*x])^4)

```

Maple [B] time = 0.125, size = 3223, normalized size = 9.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^4, x)$

[Out] $3/d*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{1/2}*arctanh((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B*a+6/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*B-12/d*b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A-12/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^2/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)$

$$\begin{aligned}
&) * \tan(1/2*d*x+1/2*c)^3*B+6/d*b / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2 \\
& *b-a-b)^3*a^2 / (a+b) / (a^3-3*a^2*b+3*a*b^2-b^3) * \tan(1/2*d*x+1/2*c) * B-12/d*b^2 \\
& / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a / (a+b) / (a^3-3*a^2*b \\
& +3*a*b^2-b^3) * \tan(1/2*d*x+1/2*c) * A+24/d*b^2 / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2 \\
& *d*x+1/2*c)^2*b-a-b)^3*a / (a^2-2*a*b+b^2) / (a^2+2*a*b+b^2) * \tan(1/2*d*x+1/2*c) \\
& ^3*A-8/d*b / (a^6-3*a^4*b^2+3*a^2*b^4-b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a-b)* \\
& \tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * A*a^2-2/d / (\tan(1/2*d*x+1/2*c)^2*a-t \\
& \tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3 / (a+b) / (a^3-3*a^2*b+3*a*b^2-b^3) * \tan(1/2*d* \\
& x+1/2*c) * C-2/d / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3 / (a \\
& -b) / (a^3+3*a^2*b+3*a*b^2+b^3) * \tan(1/2*d*x+1/2*c)^5*C+6/d/a / (\tan(1/2*d*x+1/2 \\
& *c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a-b) / (a^3+3*a^2*b+3*a*b^2+b^3) * \tan(1 \\
& /2*d*x+1/2*c)^5*A*b^4+1/d/a^2 / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2* \\
& b-a-b)^3 / (a-b) / (a^3+3*a^2*b+3*a*b^2+b^3) * \tan(1/2*d*x+1/2*c)^5*A*b^5-2/d/a^3 \\
& / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a-b) / (a^3+3*a^2*b+3 \\
& *a*b^2+b^3) * \tan(1/2*d*x+1/2*c)^5*A*b^6+4/d/a^3 / (\tan(1/2*d*x+1/2*c)^2*a - \tan(\\
& 1/2*d*x+1/2*c)^2*b-a-b)^3 / (a^2-2*a*b+b^2) / (a^2+2*a*b+b^2) * \tan(1/2*d*x+1/2*c \\
&)^3*A*b^6+28/3/d*a / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a \\
& ^2-2*a*b+b^2) / (a^2+2*a*b+b^2) * \tan(1/2*d*x+1/2*c)^3*b^2*C-6/d*a / (\tan(1/2*d*x \\
& +1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a+b) / (a^3-3*a^2*b+3*a*b^2-b^3) * t \\
& \tan(1/2*d*x+1/2*c) * b^2*C-44/3/d/a / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c) \\
& ^2*b-a-b)^3 / (a^2-2*a*b+b^2) / (a^2+2*a*b+b^2) * \tan(1/2*d*x+1/2*c)^3*A*b^4-6/d* \\
& a / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a-b) / (a^3+3*a^2*b+ \\
& 3*a*b^2+b^3) * \tan(1/2*d*x+1/2*c)^5*b^2*C-3/d*b^2 / (\tan(1/2*d*x+1/2*c)^2*a - \tan \\
& (1/2*d*x+1/2*c)^2*b-a-b)^3 / (a+b) / (a^3-3*a^2*b+3*a*b^2-b^3) * \tan(1/2*d*x+1/2* \\
& c) * a*B-1/d/a^2 / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a+b) / \\
& (a^3-3*a^2*b+3*a*b^2-b^3) * \tan(1/2*d*x+1/2*c) * A*b^5+6/d/a / (\tan(1/2*d*x+1/2*c) \\
&)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a+b) / (a^3-3*a^2*b+3*a*b^2-b^3) * \tan(1/2 \\
& *d*x+1/2*c) * A*b^4-2/d/a^3 / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a- \\
& b)^3 / (a+b) / (a^3-3*a^2*b+3*a*b^2-b^3) * \tan(1/2*d*x+1/2*c) * A*b^6-2/d*b / (\tan(1/ \\
& 2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a-b) / (a^3+3*a^2*b+3*a*b^2+b \\
& ^3) * \tan(1/2*d*x+1/2*c)^5*C*a^2+2/d*b / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/ \\
& 2*c)^2*b-a-b)^3 / (a+b) / (a^3-3*a^2*b+3*a*b^2-b^3) * \tan(1/2*d*x+1/2*c) * C*a^2+3/ \\
& d*b^2 / (\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a-b) / (a^3+3*a^ \\
& 2*b+3*a*b^2+b^3) * \tan(1/2*d*x+1/2*c)^5*a*B+4/d*b^3 / (\tan(1/2*d*x+1/2*c)^2*a-t \\
& \tan(1/2*d*x+1/2*c)^2*b-a-b)^3 / (a+b) / (a^3-3*a^2*b+3*a*b^2-b^3) * \tan(1/2*d*x+1/ \\
& 2*c) * A+2/d*A/a^4 * \operatorname{arctan}(\tan(1/2*d*x+1/2*c)) - 1/d*b^3 / (a^6-3*a^4*b^2+3*a^2*b^ \\
& 4-b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(\\
& 1/2)}) * C-4/d*b / (a^6-3*a^4*b^2+3*a^2*b^4-b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a- \\
& b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * C*a^2+4/d / (\tan(1/2*d*x+1/2*c)^2* \\
& a - \tan(1/2*d*x+1/2*c)^2*b-a-b)^3*a^3 / (a^2-2*a*b+b^2) / (a^2+2*a*b+b^2) * \tan(1/2 \\
& *d*x+1/2*c)^3*C+8/d*b^3 / (a^6-3*a^4*b^2+3*a^2*b^4-b^6) / ((a+b)*(a-b))^{(1/2)} * a \\
& \operatorname{rctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * A+2/d / (a^6-3*a^4*b^2+3 \\
& *a^2*b^4-b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(\\
& a-b))^{(1/2)}) * B*a^3-7/d/a^2*b^5 / (a^6-3*a^4*b^2+3*a^2*b^4-b^6) / ((a+b)*(a-b))^{(\\
& 1/2)} * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{(1/2)}) * A+2/d/a^4*b^7 / (
\end{aligned}$$

$$a^6 - 3a^4b^2 + 3a^2b^4 - b^6 / ((a+b)(a-b))^{1/2} \operatorname{arctanh}((a-b)\tan(1/2dx + 1/2c)) / ((a+b)(a-b))^{1/2} * A - 1/d / (\tan(1/2dx + 1/2c)^{2a} - \tan(1/2dx + 1/2c)^{2b-a-b})^3 / (a-b) / (a^3 + 3a^2b + 3ab^2 + b^3) * \tan(1/2dx + 1/2c)^5 * C * b^3 + 1/d / (\tan(1/2dx + 1/2c)^{2a} - \tan(1/2dx + 1/2c)^{2b-a-b})^3 / (a+b) / (a^3 - 3a^2b + 3ab^2 - b^3) * \tan(1/2dx + 1/2c) * C * b^3 + 2/d / (\tan(1/2dx + 1/2c)^{2a} - \tan(1/2dx + 1/2c)^{2b-a-b})^3 / (a-b) / (a^3 + 3a^2b + 3ab^2 + b^3) * \tan(1/2dx + 1/2c)^5 * B * b^3 + 2/d / (\tan(1/2dx + 1/2c)^{2a} - \tan(1/2dx + 1/2c)^{2b-a-b})^3 / (a+b) / (a^3 - 3a^2b + 3ab^2 - b^3) * \tan(1/2dx + 1/2c) * B * b^3 - 4/3/d / (\tan(1/2dx + 1/2c)^{2a} - \tan(1/2dx + 1/2c)^{2b-a-b})^3 / (a^2 - 2ab + b^2) / (a^2 + 2ab + b^2) * \tan(1/2dx + 1/2c)^3 * B * b^3 - 4/d * b^3 / (\tan(1/2dx + 1/2c)^{2a} - \tan(1/2dx + 1/2c)^{2b-a-b})^3 / (a-b) / (a^3 + 3a^2b + 3ab^2 + b^3) * \tan(1/2dx + 1/2c)^5 * A$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.78504, size = 4535, normalized size = 13.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^4,x, algorithm="fricas")

[Out] $[1/12*(12*(A*a^{11} - 4*A*a^9*b^2 + 6*A*a^7*b^4 - 4*A*a^5*b^6 + A*a^3*b^8)*d*x*\cos(dx + c)^3 + 36*(A*a^{10}*b - 4*A*a^8*b^3 + 6*A*a^6*b^5 - 4*A*a^4*b^7 + A*a^2*b^9)*d*x*\cos(dx + c)^2 + 36*(A*a^9*b^2 - 4*A*a^7*b^4 + 6*A*a^5*b^6 - 4*A*a^3*b^8 + A*a*b^{10})*d*x*\cos(dx + c) + 12*(A*a^8*b^3 - 4*A*a^6*b^5 + 6*A*a^4*b^7 - 4*A*a^2*b^9 + A*b^{11})*d*x - 3*(2*B*a^7*b^3 - 4*(2*A + C)*a^6*b^4 + 3*B*a^5*b^5 + (8*A - C)*a^4*b^6 - 7*A*a^2*b^8 + 2*A*b^{10} + (2*B*a^{10} - 4*(2*A + C)*a^9*b + 3*B*a^8*b^2 + (8*A - C)*a^7*b^3 - 7*A*a^5*b^5 + 2*A*a^3*b^7)*\cos(dx + c)^3 + 3*(2*B*a^9*b - 4*(2*A + C)*a^8*b^2 + 3*B*a^7*b^3 +$

```

(8*A - C)*a^6*b^4 - 7*A*a^4*b^6 + 2*A*a^2*b^8)*cos(d*x + c)^2 + 3*(2*B*a^8
*b^2 - 4*(2*A + C)*a^7*b^3 + 3*B*a^6*b^4 + (8*A - C)*a^5*b^5 - 7*A*a^3*b^7
+ 2*A*a*b^9)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 -
2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c
) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(2*C*
a^9*b^2 - 11*B*a^8*b^3 + (26*A + 11*C)*a^7*b^4 + 7*B*a^6*b^5 - (43*A + 13*C
)*a^5*b^6 + 4*B*a^4*b^7 + 23*A*a^3*b^8 - 6*A*a*b^10 + (6*C*a^11 - 18*B*a^10
*b + 4*(9*A + C)*a^9*b^2 + 23*B*a^8*b^3 - (68*A + 11*C)*a^7*b^4 - 7*B*a^6*b
^5 + (43*A + C)*a^5*b^6 + 2*B*a^4*b^7 - 11*A*a^3*b^8)*cos(d*x + c)^2 + 3*(2
*C*a^10*b - 9*B*a^9*b^2 + (20*A + 7*C)*a^8*b^3 + 8*B*a^7*b^4 - 5*(7*A + 2*C
)*a^6*b^5 + B*a^5*b^6 + (20*A + C)*a^4*b^7 - 5*A*a^2*b^9)*cos(d*x + c))*sin
(d*x + c))/((a^15 - 4*a^13*b^2 + 6*a^11*b^4 - 4*a^9*b^6 + a^7*b^8)*d*cos(d*
x + c)^3 + 3*(a^14*b - 4*a^12*b^3 + 6*a^10*b^5 - 4*a^8*b^7 + a^6*b^9)*d*cos
(d*x + c)^2 + 3*(a^13*b^2 - 4*a^11*b^4 + 6*a^9*b^6 - 4*a^7*b^8 + a^5*b^10)*
d*cos(d*x + c) + (a^12*b^3 - 4*a^10*b^5 + 6*a^8*b^7 - 4*a^6*b^9 + a^4*b^11)
*d), 1/6*(6*(A*a^11 - 4*A*a^9*b^2 + 6*A*a^7*b^4 - 4*A*a^5*b^6 + A*a^3*b^8)*
d*x*cos(d*x + c)^3 + 18*(A*a^10*b - 4*A*a^8*b^3 + 6*A*a^6*b^5 - 4*A*a^4*b^7
+ A*a^2*b^9)*d*x*cos(d*x + c)^2 + 18*(A*a^9*b^2 - 4*A*a^7*b^4 + 6*A*a^5*b^
6 - 4*A*a^3*b^8 + A*a*b^10)*d*x*cos(d*x + c) + 6*(A*a^8*b^3 - 4*A*a^6*b^5 +
6*A*a^4*b^7 - 4*A*a^2*b^9 + A*b^11)*d*x + 3*(2*B*a^7*b^3 - 4*(2*A + C)*a^6
*b^4 + 3*B*a^5*b^5 + (8*A - C)*a^4*b^6 - 7*A*a^2*b^8 + 2*A*b^10 + (2*B*a^10
- 4*(2*A + C)*a^9*b + 3*B*a^8*b^2 + (8*A - C)*a^7*b^3 - 7*A*a^5*b^5 + 2*A*
a^3*b^7)*cos(d*x + c)^3 + 3*(2*B*a^9*b - 4*(2*A + C)*a^8*b^2 + 3*B*a^7*b^3
+ (8*A - C)*a^6*b^4 - 7*A*a^4*b^6 + 2*A*a^2*b^8)*cos(d*x + c)^2 + 3*(2*B*a^
8*b^2 - 4*(2*A + C)*a^7*b^3 + 3*B*a^6*b^4 + (8*A - C)*a^5*b^5 - 7*A*a^3*b^7
+ 2*A*a*b^9)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*co
s(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*C*a^9*b^2 - 11*B*a^8*b^3 +
(26*A + 11*C)*a^7*b^4 + 7*B*a^6*b^5 - (43*A + 13*C)*a^5*b^6 + 4*B*a^4*b^7
+ 23*A*a^3*b^8 - 6*A*a*b^10 + (6*C*a^11 - 18*B*a^10*b + 4*(9*A + C)*a^9*b^2
+ 23*B*a^8*b^3 - (68*A + 11*C)*a^7*b^4 - 7*B*a^6*b^5 + (43*A + C)*a^5*b^6
+ 2*B*a^4*b^7 - 11*A*a^3*b^8)*cos(d*x + c)^2 + 3*(2*C*a^10*b - 9*B*a^9*b^2
+ (20*A + 7*C)*a^8*b^3 + 8*B*a^7*b^4 - 5*(7*A + 2*C)*a^6*b^5 + B*a^5*b^6 +
(20*A + C)*a^4*b^7 - 5*A*a^2*b^9)*cos(d*x + c))*sin(d*x + c))/((a^15 - 4*a^
13*b^2 + 6*a^11*b^4 - 4*a^9*b^6 + a^7*b^8)*d*cos(d*x + c)^3 + 3*(a^14*b - 4
*a^12*b^3 + 6*a^10*b^5 - 4*a^8*b^7 + a^6*b^9)*d*cos(d*x + c)^2 + 3*(a^13*b^
2 - 4*a^11*b^4 + 6*a^9*b^6 - 4*a^7*b^8 + a^5*b^10)*d*cos(d*x + c) + (a^12*b
^3 - 4*a^10*b^5 + 6*a^8*b^7 - 4*a^6*b^9 + a^4*b^11)*d)]

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.44537, size = 1493, normalized size = 4.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{1}{3} \cdot (3 \cdot (2 \cdot B \cdot a^7 - 8 \cdot A \cdot a^6 \cdot b - 4 \cdot C \cdot a^6 \cdot b + 3 \cdot B \cdot a^5 \cdot b^2 + 8 \cdot A \cdot a^4 \cdot b^3 - C \cdot a^4 \cdot b^3 - 7 \cdot A \cdot a^2 \cdot b^5 + 2 \cdot A \cdot b^7) \cdot (\pi \cdot \text{floor}(1/2 \cdot (d \cdot x + c)) / \pi + 1/2) \cdot \text{sgn}(-2 \cdot a + 2 \cdot b) + \arctan(-\frac{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)}{\sqrt{-a^2 + b^2}})) / ((a^{10} - 3 \cdot a^8 \cdot b^2 + 3 \cdot a^6 \cdot b^4 - a^4 \cdot b^6) \cdot \sqrt{-a^2 + b^2}) + 3 \cdot (d \cdot x + c) \cdot A / a^4 - (6 \cdot C \cdot a^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 18 \cdot B \cdot a^7 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot C \cdot a^7 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 36 \cdot A \cdot a^6 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 27 \cdot B \cdot a^6 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 12 \cdot C \cdot a^6 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 60 \cdot A \cdot a^5 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot B \cdot a^5 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 27 \cdot C \cdot a^5 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot A \cdot a^4 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 3 \cdot B \cdot a^4 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 12 \cdot C \cdot a^4 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 45 \cdot A \cdot a^3 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot B \cdot a^3 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 3 \cdot C \cdot a^3 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot A \cdot a^2 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 15 \cdot A \cdot a \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 6 \cdot A \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 12 \cdot C \cdot a^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 36 \cdot B \cdot a^7 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 72 \cdot A \cdot a^6 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 16 \cdot C \cdot a^6 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 3 \cdot 2 \cdot B \cdot a^5 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 116 \cdot A \cdot a^4 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 28 \cdot C \cdot a^4 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 4 \cdot B \cdot a^3 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 56 \cdot A \cdot a^2 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 12 \cdot A \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 6 \cdot C \cdot a^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 18 \cdot B \cdot a^7 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 6 \cdot C \cdot a^7 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 36 \cdot A \cdot a^6 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 27 \cdot B \cdot a^6 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 12 \cdot C \cdot a^6 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 60 \cdot A \cdot a^5 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 6 \cdot B \cdot a^5 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 27 \cdot C \cdot a^5 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 6 \cdot A \cdot a^4 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 3 \cdot B \cdot a^4 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 12 \cdot C \cdot a^4 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 45 \cdot A \cdot a^3 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 6 \cdot B \cdot a^3 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 3 \cdot C \cdot a^3 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 6 \cdot A \cdot a^2 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 15 \cdot A \cdot a \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 6 \cdot A \cdot b^8$$

$$\frac{\tan(1/2*d*x + 1/2*c)}{((a^9 - 3*a^7*b^2 + 3*a^5*b^4 - a^3*b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^3)}/d$$

$$3.928 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=471

$$\frac{\sin(c+dx)(-a^4b^2(65A+4C)+68a^2Ab^4+a^6(6A-11C)-17a^3b^3B+26a^5bB+6ab^5B-24Ab^6)}{6a^4d(a^2-b^2)^3} - \frac{(-a^6b^2(20A+3C))}{6a^4d(a^2-b^2)^3}$$

[Out] -(((4*A*b - a*B)*x)/a^5) - ((35*a^4*A*b^4 - 28*a^2*A*b^6 + 8*A*b^8 + 8*a^7*b*B - 8*a^5*b^3*B + 7*a^3*b^5*B - 2*a*b^7*B - 2*a^8*C - a^6*b^2*(20*A + 3*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(7/2)*(a + b)^(7/2)*d) + ((68*a^2*A*b^4 - 24*A*b^6 + 26*a^5*b*B - 17*a^3*b^3*B + 6*a*b^5*B + a^6*(6*A - 11*C) - a^4*b^2*(65*A + 4*C))*Sin[c + d*x])/(6*a^4*(a^2 - b^2)^3*d) + ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((4*A*b^4 + 6*a^3*b*B - a*b^3*B - 3*a^4*C - a^2*b^2*(9*A + 2*C))*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((11*a^2*A*b^4 - 4*A*b^6 + 6*a^5*b*B - 2*a^3*b^3*B + a*b^5*B - 2*a^6*C - 3*a^4*b^2*(4*A + C))*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 10.1006, antiderivative size = 471, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {4100, 4104, 3919, 3831, 2659, 208}

$$\frac{\sin(c+dx)(-a^4b^2(65A+4C)+68a^2Ab^4+a^6(6A-11C)-17a^3b^3B+26a^5bB+6ab^5B-24Ab^6)}{6a^4d(a^2-b^2)^3} - \frac{(-a^6b^2(20A+3C))}{6a^4d(a^2-b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4, x]

[Out] -(((4*A*b - a*B)*x)/a^5) - ((35*a^4*A*b^4 - 28*a^2*A*b^6 + 8*A*b^8 + 8*a^7*b*B - 8*a^5*b^3*B + 7*a^3*b^5*B - 2*a*b^7*B - 2*a^8*C - a^6*b^2*(20*A + 3*C))*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(7/2)*(a + b)^(7/2)*d) + ((68*a^2*A*b^4 - 24*A*b^6 + 26*a^5*b*B - 17*a^3*b^3*B + 6*a*b^5*B + a^6*(6*A - 11*C) - a^4*b^2*(65*A + 4*C))*Sin[c + d*x])/(6*a^4*(a^2 - b^2)^3*d) + ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*a*(a^2 - b^2)*d

```

*(a + b*Sec[c + d*x])^3) - ((4*A*b^4 + 6*a^3*b*B - a*b^3*B - 3*a^4*C - a^2*
b^2*(9*A + 2*C))*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^
2) - ((11*a^2*A*b^4 - 4*A*b^6 + 6*a^5*b*B - 2*a^3*b^3*B + a*b^5*B - 2*a^6*C
- 3*a^4*b^2*(4*A + C))*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c +
d*x]))

```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sine[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (

```

$a - b)e^{2*x^2}, x], x, \text{Tan}[(c + d*x)/2]/e], x]] /; \text{FreeQ}\{a, b, c, d\}, x]$
 $\&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a_ + (b_ .)*(x_)^2)^{-1}, x_Symbol] :> \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/$
 $\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\int \frac{\cos(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^4} dx = \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^3} - \int \frac{\cos(c + dx)(4Ab^2 - abB - a^2(3A - B))}{6a^2(a^2 - b^2)d(a + b \sec(c + dx))^3} dx$$

$$= \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^3} - \frac{(4Ab^4 + 6a^3bB - ab^3B - a^2(4A - B)) \sin(c + dx)}{6a^2(a^2 - b^2)d(a + b \sec(c + dx))^3}$$

$$= \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^3} - \frac{(4Ab^4 + 6a^3bB - ab^3B - a^2(4A - B)) \sin(c + dx)}{6a^2(a^2 - b^2)d(a + b \sec(c + dx))^3}$$

$$= \frac{(68a^2Ab^4 - 24Ab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B + a^6(6A - B)) \sin(c + dx)}{6a^4(a^2 - b^2)^3 d}$$

$$= -\frac{(4Ab - aB)x}{a^5} + \frac{(68a^2Ab^4 - 24Ab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B + a^6(6A - B)) \sin(c + dx)}{6a^4(a^2 - b^2)^3 d}$$

$$= -\frac{(4Ab - aB)x}{a^5} + \frac{(68a^2Ab^4 - 24Ab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B + a^6(6A - B)) \sin(c + dx)}{6a^4(a^2 - b^2)^3 d}$$

$$= -\frac{(4Ab - aB)x}{a^5} + \frac{(20a^6Ab^2 - 35a^4Ab^4 + 28a^2Ab^6 - 8Ab^8 - a^6(6A - B)) \sin(c + dx)}{6a^4(a^2 - b^2)^3 d}$$

Mathematica [C] time = 8.21854, size = 1367, normalized size = 2.9

$$\frac{2(4Ab - aB)x \sec^2(c + dx) (C \sec^2(c + dx) + B \sec(c + dx) + A) (b + a \cos(c + dx))^4}{a^5(\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx))(a + b \sec(c + dx))^4} + \frac{(-2Ca^8 + 8bBa^7 - 20Ab^2a^6 - 3$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out]
$$\begin{aligned} & (-2*(4*A*b - a*B)*x*(b + a*\cos[c + d*x])^4*\sec[c + d*x]^2*(A + B*\sec[c + d*x] \\ & + C*\sec[c + d*x]^2))/(a^5*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) \\ & *(a + b*\sec[c + d*x])^4) + ((-20*a^6*A*b^2 + 35*a^4*A*b^4 - 28*a^2*A*b^6 + 8*A*b^8 + 8*a^7*b*B \\ & - 8*a^5*b^3*B + 7*a^3*b^5*B - 2*a*b^7*B - 2*a^8*C - 3*a^6*b^2*C)*(b + a*\cos[c + d*x])^4*\sec[c + d*x]^2*(A + B*\sec[c + d*x] + C* \\ & \sec[c + d*x]^2)*(((-2*I)*\text{ArcTan}[\sec[(d*x)/2]*(\cos[c]/(\sqrt{a^2 - b^2})*\sqrt{\cos[2*c] - I*\sin[2*c]})] \\ & - (I*\sin[c])/(\sqrt{a^2 - b^2})*\sqrt{\cos[2*c] - I*\sin[2*c]})))*((-I)*b*\sin[(d*x)/2] + I*a*\sin[c + (d*x)/2]) \\ & * \cos[c])/(a^5*\sqrt{a^2 - b^2}*d*\sqrt{\cos[2*c] - I*\sin[2*c]}) - (2*\text{ArcTan}[\sec[(d*x)/2]*(\cos[c]/(\sqrt{a^2 - b^2})*\sqrt{\cos[2*c] - I*\sin[2*c]})] \\ & - (I*\sin[c])/(\sqrt{a^2 - b^2})*\sqrt{\cos[2*c] - I*\sin[2*c]})))*((-I)*b*\sin[(d*x)/2] + I*a*\sin[c + (d*x)/2]) \\ & * \sin[c])/(a^5*\sqrt{a^2 - b^2}*d*\sqrt{\cos[2*c] - I*\sin[2*c]})))/((-a^2 + b^2)^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) \\ & + (2*(b + a*\cos[c + d*x])* \sec[c]* \sec[c + d*x]^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(A*b^6*\sin[c] - a*b^5*B*\sin[c] + a^2*b^4*C*\sin[c] - a*A*b^5*\sin[d*x] + a^2*b^4*B*\sin[d*x] - a^3*b^3*C*\sin[d*x]))/(3*a^5*(a^2 - b^2)*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) + ((b + a*\cos[c + d*x])^2*\sec[c]* \sec[c + d*x]^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(-17*a^2*A*b^5*\sin[c] + 12*A*b^7*\sin[c] + 14*a^3*b^4*B*\sin[c] - 9*a*b^6*B*\sin[c] - 11*a^4*b^3*C*\sin[c] + 6*a^2*b^5*C*\sin[c] + 15*a^3*A*b^4*\sin[d*x] - 10*a*A*b^6*\sin[d*x] - 12*a^4*b^3*B*\sin[d*x] + 7*a^2*b^5*B*\sin[d*x] + 9*a^5*b^2*C*\sin[d*x] - 4*a^3*b^4*C*\sin[d*x]))/(3*a^5*(a^2 - b^2)^2*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) + ((b + a*\cos[c + d*x])^3*\sec[c]* \sec[c + d*x]^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(75*a^4*A*b^4*\sin[c] - 96*a^2*A*b^6*\sin[c] + 36*A*b^8*\sin[c] - 48*a^5*b^3*B*\sin[c] + 51*a^3*b^5*B*\sin[c] - 18*a*b^7*B*\sin[c] + 27*a^6*b^2*C*\sin[c] - 18*a^4*b^4*C*\sin[c] + 6*a^2*b^6*C*\sin[c] - 60*a^5*A*b^3*\sin[d*x] + 71*a^3*A*b^5*\sin[d*x] - 26*a*A*b^7*\sin[d*x] + 36*a^6*b^2*B*\sin[d*x] - 32*a^4*b^4*B*\sin[d*x] + 11*a^2*b^6*B*\sin[d*x] - 18*a^7*b*C*\sin[d*x] + 5*a^5*b^3*C*\sin[d*x] - 2*a^3*b^5*C*\sin[d*x]))/(3*a^5*(a^2 - b^2)^3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4) + (2*A*(b + a*\cos[c + d*x])^4*\sec[c + d*x]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\tan[c + \end{aligned}$$

$$d*x])/(a^4*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^4)$$

Maple [B] time = 0.159, size = 3707, normalized size = 7.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^4, x)$

[Out]
$$\begin{aligned} & -8/d/a^5*A*\arctan(\tan(1/2*d*x+1/2*c))*b+5/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^4-18/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^5-2/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^6-3/d*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*b^2*C+3/d*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*b^2*C+24/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*a*B-12/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*a*B-18/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^5-5/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^4+2/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^6-12/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C*a^2+6/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C*a^2+6/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C*a^2-12/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*a*B+6/d/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^7/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+6/d/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^7/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+20/d*b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+2/d/a^4*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-40/d*b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+8/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) \end{aligned}$$

$$\begin{aligned}
&) / ((a+b) * (a-b))^{(1/2)} * B + 2/d / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b) * (a-b))^{(1/2)} \\
& * \operatorname{arctanh}((a-b) * \tan(1/2*d*x + 1/2*c)) / ((a+b) * (a-b))^{(1/2)} * C * a^3 + 2/d / (\tan(1/2*d*x + 1/2*c))^{2*a} \\
& - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x + 1/2*c)^5 * C * b^3 + 2/d \\
& / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x + 1/2*c) * C * b^3 - 4/d \\
& / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x + 1/2*c)^5 * B * b^3 + 4/d \\
& / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x + 1/2*c) * B * b^3 + 2/d \\
& / a^4 * B * \operatorname{arctan}(\tan(1/2*d*x + 1/2*c)) + 6/d / a / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^4 / (a-b) \\
& / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x + 1/2*c)^5 * B + 1/d / a^2 / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^5 / (a-b) \\
& / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x + 1/2*c)^5 * B - 44/3/d / a / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^4 / (a^2 - 2*a*b + b^2) \\
& / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x + 1/2*c)^3 * B + 4/d / a^3 / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^6 / (a^2 - 2*a*b + b^2) \\
& / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x + 1/2*c)^3 * B + 11/6/3/d / a^2 / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^5 / (a^2 - 2*a*b + b^2) \\
& / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x + 1/2*c)^3 * A - 1/d / a^2 / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^5 / (a+b) \\
& / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x + 1/2*c) * B - 2/d / a^3 / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^6 / (a+b) \\
& / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x + 1/2*c) * B - 12/d / a^4 / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^7 / (a^2 - 2*a*b + b^2) \\
& / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x + 1/2*c)^3 * A + 6/d / a / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^4 / (a+b) \\
& / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x + 1/2*c) * B - 2/d / a^3 / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^6 / (a-b) \\
& / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x + 1/2*c)^5 * B - 4/3/d / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 * b^3 / (a^2 - 2*a*b + b^2) \\
& / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x + 1/2*c)^3 * C - 8/d / a^5 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2*d*x + 1/2*c)) / ((a+b) * (a-b))^{(1/2)} * A * b^8 - 35/d / a / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2*d*x + 1/2*c)) / ((a+b) * (a-b))^{(1/2)} * A * b^4 + 28/d / a^3 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2*d*x + 1/2*c)) / ((a+b) * (a-b))^{(1/2)} * A * b^6 - 7/d / a^2 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2*d*x + 1/2*c)) / ((a+b) * (a-b))^{(1/2)} * B * b^5 + 2/d / a^4 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2*d*x + 1/2*c)) / ((a+b) * (a-b))^{(1/2)} * B * b^7 + 3/d * b^2 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2*d*x + 1/2*c)) / ((a+b) * (a-b))^{(1/2)} * C * a - 8/d * b / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2*d*x + 1/2*c)) / ((a+b) * (a-b))^{(1/2)} * B * a^2 + 20/d * b^2 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b) * (a-b))^{(1/2)} * \operatorname{arctanh}((a-b) * \tan(1/2*d*x + 1/2*c)) / ((a+b) * (a-b))^{(1/2)} * A * a + 20/d * b^3 / (\tan(1/2*d*x + 1/2*c))^{2*a} - \tan(1/2*d*x + 1/2*c)^{2*b} - a - b)^3 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x + 1/2*c)^5 * A
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x,
algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.40032, size = 6179, normalized size = 13.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x,
algorithm="fricas")
```

```
[Out] [1/12*(12*(B*a^12 - 4*A*a^11*b - 4*B*a^10*b^2 + 16*A*a^9*b^3 + 6*B*a^8*b^4
- 24*A*a^7*b^5 - 4*B*a^6*b^6 + 16*A*a^5*b^7 + B*a^4*b^8 - 4*A*a^3*b^9)*d*x*
cos(d*x + c)^3 + 36*(B*a^11*b - 4*A*a^10*b^2 - 4*B*a^9*b^3 + 16*A*a^8*b^4 +
6*B*a^7*b^5 - 24*A*a^6*b^6 - 4*B*a^5*b^7 + 16*A*a^4*b^8 + B*a^3*b^9 - 4*A*
a^2*b^10)*d*x*cos(d*x + c)^2 + 36*(B*a^10*b^2 - 4*A*a^9*b^3 - 4*B*a^8*b^4 +
16*A*a^7*b^5 + 6*B*a^6*b^6 - 24*A*a^5*b^7 - 4*B*a^4*b^8 + 16*A*a^3*b^9 + B
*a^2*b^10 - 4*A*a*b^11)*d*x*cos(d*x + c) + 12*(B*a^9*b^3 - 4*A*a^8*b^4 - 4*
B*a^7*b^5 + 16*A*a^6*b^6 + 6*B*a^5*b^7 - 24*A*a^4*b^8 - 4*B*a^3*b^9 + 16*A*
a^2*b^10 + B*a*b^11 - 4*A*b^12)*d*x + 3*(2*C*a^8*b^3 - 8*B*a^7*b^4 + (20*A
+ 3*C)*a^6*b^5 + 8*B*a^5*b^6 - 35*A*a^4*b^7 - 7*B*a^3*b^8 + 28*A*a^2*b^9 +
2*B*a*b^10 - 8*A*b^11 + (2*C*a^11 - 8*B*a^10*b + (20*A + 3*C)*a^9*b^2 + 8*B
*a^8*b^3 - 35*A*a^7*b^4 - 7*B*a^6*b^5 + 28*A*a^5*b^6 + 2*B*a^4*b^7 - 8*A*a^
3*b^8)*cos(d*x + c)^3 + 3*(2*C*a^10*b - 8*B*a^9*b^2 + (20*A + 3*C)*a^8*b^3
+ 8*B*a^7*b^4 - 35*A*a^6*b^5 - 7*B*a^5*b^6 + 28*A*a^4*b^7 + 2*B*a^3*b^8 - 8
*A*a^2*b^9)*cos(d*x + c)^2 + 3*(2*C*a^9*b^2 - 8*B*a^8*b^3 + (20*A + 3*C)*a^
7*b^4 + 8*B*a^6*b^5 - 35*A*a^5*b^6 - 7*B*a^4*b^7 + 28*A*a^3*b^8 + 2*B*a^2*b
^9 - 8*A*a*b^10)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a
^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x
+ c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(
(6*A - 11*C)*a^9*b^3 + 26*B*a^8*b^4 - (71*A - 7*C)*a^7*b^5 - 43*B*a^6*b^6 +
(133*A + 4*C)*a^5*b^7 + 23*B*a^4*b^8 - 92*A*a^3*b^9 - 6*B*a^2*b^10 + 24*A*
a*b^11 + 6*(A*a^12 - 4*A*a^10*b^2 + 6*A*a^8*b^4 - 4*A*a^6*b^6 + A*a^4*b^8)*
```

$$\begin{aligned} & \cos(dx + c)^3 + (18*(A - C)*a^{11}*b + 36*B*a^{10}*b^2 - (132*A - 23*C)*a^9*b^3 \\ & - 68*B*a^8*b^4 + (239*A - 7*C)*a^7*b^5 + 43*B*a^6*b^6 - (169*A - 2*C)*a^5*b^7 \\ & - 11*B*a^4*b^8 + 44*A*a^3*b^9)*\cos(dx + c)^2 + 3*(3*(2*A - 3*C)*a^{10}*b^2 \\ & + 20*B*a^9*b^3 - (59*A - 8*C)*a^8*b^4 - 35*B*a^7*b^5 + (110*A + C)*a^6*b^6 \\ & + 20*B*a^5*b^7 - 77*A*a^4*b^8 - 5*B*a^3*b^9 + 20*A*a^2*b^{10})*\cos(dx + c) \\ & *\sin(dx + c))/((a^{16} - 4*a^{14}*b^2 + 6*a^{12}*b^4 - 4*a^{10}*b^6 + a^8*b^8)* \\ & d*\cos(dx + c)^3 + 3*(a^{15}*b - 4*a^{13}*b^3 + 6*a^{11}*b^5 - 4*a^9*b^7 + a^7*b^9) \\ & *d*\cos(dx + c)^2 + 3*(a^{14}*b^2 - 4*a^{12}*b^4 + 6*a^{10}*b^6 - 4*a^8*b^8 + a^6*b^{10}) \\ & *d*\cos(dx + c) + (a^{13}*b^3 - 4*a^{11}*b^5 + 6*a^9*b^7 - 4*a^7*b^9 + a^5*b^{11})*d), \\ & 1/6*(6*(B*a^{12} - 4*A*a^{11}*b - 4*B*a^{10}*b^2 + 16*A*a^9*b^3 + 6*B*a^8*b^4 \\ & - 24*A*a^7*b^5 - 4*B*a^6*b^6 + 16*A*a^5*b^7 + B*a^4*b^8 - 4*A*a^3*b^9)*d*x*\cos(dx + c)^3 \\ & + 18*(B*a^{11}*b - 4*A*a^{10}*b^2 - 4*B*a^9*b^3 + 16*A*a^8*b^4 + 6*B*a^7*b^5 \\ & - 24*A*a^6*b^6 - 4*B*a^5*b^7 + 16*A*a^4*b^8 + B*a^3*b^9 - 4*A*a^2*b^{10}) \\ & *d*x*\cos(dx + c)^2 + 18*(B*a^{10}*b^2 - 4*A*a^9*b^3 - 4*B*a^8*b^4 + 16*A*a^7*b^5 \\ & + 6*B*a^6*b^6 - 24*A*a^5*b^7 - 4*B*a^4*b^8 + 16*A*a^3*b^9 + B*a^2*b^{10} - 4*A*a*b^{11}) \\ & *d*x*\cos(dx + c) + 6*(B*a^9*b^3 - 4*A*a^8*b^4 - 4*B*a^7*b^5 + 16*A*a^6*b^6 \\ & + 6*B*a^5*b^7 - 24*A*a^4*b^8 - 4*B*a^3*b^9 + 16*A*a^2*b^{10} + B*a*b^{11} - 4*A*b^{12}) \\ & *d*x + 3*(2*C*a^8*b^3 - 8*B*a^7*b^4 + (20*A + 3*C)*a^6*b^5 + 8*B*a^5*b^6 \\ & - 35*A*a^4*b^7 - 7*B*a^3*b^8 + 28*A*a^2*b^9 + 2*B*a*b^{10} - 8*A*b^{11} + (2*C*a^{11} \\ & - 8*B*a^{10}*b + (20*A + 3*C)*a^9*b^2 + 8*B*a^8*b^3 - 35*A*a^7*b^4 - 7*B*a^6*b^5 \\ & + 28*A*a^5*b^6 + 2*B*a^4*b^7 - 8*A*a^3*b^8)*\cos(dx + c)^3 + 3*(2*C*a^{10}*b \\ & - 8*B*a^9*b^2 + (20*A + 3*C)*a^8*b^3 + 8*B*a^7*b^4 - 35*A*a^6*b^5 - 7*B*a^5*b^6 \\ & + 28*A*a^4*b^7 + 2*B*a^3*b^8 - 8*A*a^2*b^9)*\cos(dx + c)^2 + 3*(2*C*a^9*b^2 \\ & - 8*B*a^8*b^3 + (20*A + 3*C)*a^7*b^4 + 8*B*a^6*b^5 - 35*A*a^5*b^6 - 7*B*a^4*b^7 \\ & + 28*A*a^3*b^8 + 2*B*a^2*b^9 - 8*A*a*b^{10})*\cos(dx + c))*\sqrt{-a^2 + b^2} \\ & *\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(dx + c) + a)/((a^2 - b^2)*\sin(dx + c))) \\ & + ((6*A - 11*C)*a^9*b^3 + 26*B*a^8*b^4 - (71*A - 7*C)*a^7*b^5 - 43*B*a^6*b^6 \\ & + (133*A + 4*C)*a^5*b^7 + 23*B*a^4*b^8 - 92*A*a^3*b^9 - 6*B*a^2*b^{10} + 24*A*a*b^{11} \\ & + 6*(A*a^{12} - 4*A*a^{10}*b^2 + 6*A*a^8*b^4 - 4*A*a^6*b^6 + A*a^4*b^8)*\cos(dx + c)^3 \\ & + (18*(A - C)*a^{11}*b + 36*B*a^{10}*b^2 - (132*A - 23*C)*a^9*b^3 - 68*B*a^8*b^4 \\ & + (239*A - 7*C)*a^7*b^5 + 43*B*a^6*b^6 - (169*A - 2*C)*a^5*b^7 - 11*B*a^4*b^8 \\ & + 44*A*a^3*b^9)*\cos(dx + c)^2 + 3*(3*(2*A - 3*C)*a^{10}*b^2 + 20*B*a^9*b^3 \\ & - (59*A - 8*C)*a^8*b^4 - 35*B*a^7*b^5 + (110*A + C)*a^6*b^6 + 20*B*a^5*b^7 \\ & - 77*A*a^4*b^8 - 5*B*a^3*b^9 + 20*A*a^2*b^{10})*\cos(dx + c))*\sin(dx + c) \\ &))/((a^{16} - 4*a^{14}*b^2 + 6*a^{12}*b^4 - 4*a^{10}*b^6 + a^8*b^8)*d*\cos(dx + c)^3 \\ & + 3*(a^{15}*b - 4*a^{13}*b^3 + 6*a^{11}*b^5 - 4*a^9*b^7 + a^7*b^9)*d*\cos(dx + c)^2 \\ & + 3*(a^{14}*b^2 - 4*a^{12}*b^4 + 6*a^{10}*b^6 - 4*a^8*b^8 + a^6*b^{10})*d*\cos(dx + c) \\ & + (a^{13}*b^3 - 4*a^{11}*b^5 + 6*a^9*b^7 - 4*a^7*b^9 + a^5*b^{11})*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x
)
```

[Out] Timed out

Giac [B] time = 1.49459, size = 1654, normalized size = 3.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x,
algorithm="giac")
```

```
[Out] 1/3*(3*(2*C*a^8 - 8*B*a^7*b + 20*A*a^6*b^2 + 3*C*a^6*b^2 + 8*B*a^5*b^3 - 35
*A*a^4*b^4 - 7*B*a^3*b^5 + 28*A*a^2*b^6 + 2*B*a*b^7 - 8*A*b^8)*(pi*floor(1/
2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b
*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^11 - 3*a^9*b^2 + 3*a^7*b^4 -
a^5*b^6)*sqrt(-a^2 + b^2)) + (18*C*a^8*b*tan(1/2*d*x + 1/2*c)^5 - 36*B*a^7*
b^2*tan(1/2*d*x + 1/2*c)^5 - 27*C*a^7*b^2*tan(1/2*d*x + 1/2*c)^5 + 60*A*a^6
*b^3*tan(1/2*d*x + 1/2*c)^5 + 60*B*a^6*b^3*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^6
*b^3*tan(1/2*d*x + 1/2*c)^5 - 105*A*a^5*b^4*tan(1/2*d*x + 1/2*c)^5 + 6*B*a^
5*b^4*tan(1/2*d*x + 1/2*c)^5 - 3*C*a^5*b^4*tan(1/2*d*x + 1/2*c)^5 - 24*A*a^
4*b^5*tan(1/2*d*x + 1/2*c)^5 - 45*B*a^4*b^5*tan(1/2*d*x + 1/2*c)^5 + 6*C*a^
4*b^5*tan(1/2*d*x + 1/2*c)^5 + 117*A*a^3*b^6*tan(1/2*d*x + 1/2*c)^5 + 6*B*a
^3*b^6*tan(1/2*d*x + 1/2*c)^5 - 24*A*a^2*b^7*tan(1/2*d*x + 1/2*c)^5 + 15*B*
a^2*b^7*tan(1/2*d*x + 1/2*c)^5 - 42*A*a*b^8*tan(1/2*d*x + 1/2*c)^5 - 6*B*a*
b^8*tan(1/2*d*x + 1/2*c)^5 + 18*A*b^9*tan(1/2*d*x + 1/2*c)^5 - 36*C*a^8*b*t
an(1/2*d*x + 1/2*c)^3 + 72*B*a^7*b^2*tan(1/2*d*x + 1/2*c)^3 - 120*A*a^6*b^3
*tan(1/2*d*x + 1/2*c)^3 + 32*C*a^6*b^3*tan(1/2*d*x + 1/2*c)^3 - 116*B*a^5*b
^4*tan(1/2*d*x + 1/2*c)^3 + 236*A*a^4*b^5*tan(1/2*d*x + 1/2*c)^3 + 4*C*a^4*
b^5*tan(1/2*d*x + 1/2*c)^3 + 56*B*a^3*b^6*tan(1/2*d*x + 1/2*c)^3 - 152*A*a^
2*b^7*tan(1/2*d*x + 1/2*c)^3 - 12*B*a*b^8*tan(1/2*d*x + 1/2*c)^3 + 36*A*b^9
*tan(1/2*d*x + 1/2*c)^3 + 18*C*a^8*b*tan(1/2*d*x + 1/2*c) - 36*B*a^7*b^2*ta
n(1/2*d*x + 1/2*c) + 27*C*a^7*b^2*tan(1/2*d*x + 1/2*c) + 60*A*a^6*b^3*tan(1
/2*d*x + 1/2*c) - 60*B*a^6*b^3*tan(1/2*d*x + 1/2*c) + 6*C*a^6*b^3*tan(1/2*d
*x + 1/2*c) + 105*A*a^5*b^4*tan(1/2*d*x + 1/2*c) + 6*B*a^5*b^4*tan(1/2*d*x
+ 1/2*c) + 3*C*a^5*b^4*tan(1/2*d*x + 1/2*c) - 24*A*a^4*b^5*tan(1/2*d*x + 1/
2*c) + 45*B*a^4*b^5*tan(1/2*d*x + 1/2*c) + 6*C*a^4*b^5*tan(1/2*d*x + 1/2*c)
- 117*A*a^3*b^6*tan(1/2*d*x + 1/2*c) + 6*B*a^3*b^6*tan(1/2*d*x + 1/2*c) -
```

$$\begin{aligned} & 24Aa^2b^7\tan(1/2dx + 1/2c) - 15Ba^2b^7\tan(1/2dx + 1/2c) + 42Aab^8\tan(1/2dx + 1/2c) - 6Bab^8\tan(1/2dx + 1/2c) + 18Aab^9\tan(1/2dx + 1/2c) \\ & \left/ \left((a^{10} - 3a^8b^2 + 3a^6b^4 - a^4b^6) (a\tan(1/2dx + 1/2c))^2 - b\tan(1/2dx + 1/2c)^2 - a - b \right)^3 \right. \\ & \left. + 3(Ba - 4Ab)(dx + c)/a^5 + 6A\tan(1/2dx + 1/2c) / ((\tan(1/2dx + 1/2c))^2 + 1)a^4 \right) / d \end{aligned}$$

$$3.929 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=648

$$\frac{\sin(c+dx)(a^4b^3(146A-17C)-a^2b^5(167A-6C)-a^6(24Ab-26bC)-65a^5b^2B+68a^3b^4B+6a^7B-24ab^6B+60Ab^7)}{6a^5d(a^2-b^2)^3}$$

```
[Out] ((20*A*b^2 - 8*a*b*B + a^2*(A + 2*C))*x)/(2*a^6) + (b*(20*A*b^8 + 20*a^7*b*B - 35*a^5*b^3*B + 28*a^3*b^5*B - 8*a*b^7*B - a^2*b^6*(69*A - 2*C) - 8*a^6*b^2*(5*A - C) + 7*a^4*b^4*(12*A - C) - 8*a^8*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^6*Sqrt[a - b]*Sqrt[a + b]*(a^2 - b^2)^3*d) + ((60*A*b^7 + 6*a^7*B - 65*a^5*b^2*B + 68*a^3*b^4*B - 24*a*b^6*B + a^4*b^3*(146*A - 17*C) - a^2*b^5*(167*A - 6*C) - a^6*(24*A*b - 26*b*C))*Sin[c + d*x])/(6*a^5*(a^2 - b^2)^3*d) - ((10*A*b^6 - 12*a^5*b*B + 11*a^3*b^3*B - 4*a*b^5*B - a^6*(A - 6*C) + a^4*b^2*(23*A - 2*C) - a^2*b^4*(27*A - C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^3*d) + ((A*b^2 - a*(b*B - a*C))*Cos[c + d*x]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((5*A*b^4 + 7*a^3*b*B - 2*a*b^3*B - 4*a^4*C - a^2*b^2*(10*A + C))*Cos[c + d*x]*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((20*A*b^6 - 27*a^5*b*B + 20*a^3*b^3*B - 8*a*b^5*B - a^2*b^4*(53*A - 2*C) + 12*a^6*C + a^4*b^2*(48*A + C))*Cos[c + d*x]*Sin[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 12.5141, antiderivative size = 648, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4100, 4104, 3919, 3831, 2659, 208}

$$\frac{\sin(c+dx)(a^4b^3(146A-17C)-a^2b^5(167A-6C)-a^6(24Ab-26bC)-65a^5b^2B+68a^3b^4B+6a^7B-24ab^6B+60Ab^7)}{6a^5d(a^2-b^2)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4, x]
```

```
[Out] ((20*A*b^2 - 8*a*b*B + a^2*(A + 2*C))*x)/(2*a^6) + (b*(20*A*b^8 + 20*a^7*b*B - 35*a^5*b^3*B + 28*a^3*b^5*B - 8*a*b^7*B - a^2*b^6*(69*A - 2*C) - 8*a^6*
```

$$b^2*(5*A - C) + 7*a^4*b^4*(12*A - C) - 8*a^8*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]]/(a^6*Sqrt[a - b]*Sqrt[a + b]*(a^2 - b^2)^3*d) + ((60*A*b^7 + 6*a^7*B - 65*a^5*b^2*B + 68*a^3*b^4*B - 24*a*b^6*B + a^4*b^3*(146*A - 17*C) - a^2*b^5*(167*A - 6*C) - a^6*(24*A*b - 26*b*C))*Sin[c + d*x])/(6*a^5*(a^2 - b^2)^3*d - ((10*A*b^6 - 12*a^5*b*B + 11*a^3*b^3*B - 4*a*b^5*B - a^6*(A - 6*C) + a^4*b^2*(23*A - 2*C) - a^2*b^4*(27*A - C))*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^3*d) + ((A*b^2 - a*(b*B - a*C))*Cos[c + d*x]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((5*A*b^4 + 7*a^3*b*B - 2*a*b^3*B - 4*a^4*C - a^2*b^2*(10*A + C))*Cos[c + d*x]*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((20*A*b^6 - 27*a^5*b*B + 20*a^3*b^3*B - 8*a*b^5*B - a^2*b^4*(53*A - 2*C) + 12*a^6*C + a^4*b^2*(48*A + C))*Cos[c + d*x]*Sin[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))$$

Rule 4100

$$\text{Int}(((A_.) + \text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> \text{Simp}(((A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C)*(m+n+1) - a*(A*b - a*B + b*C)*(m+1)*\text{Csc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4104

$$\text{Int}(((A_.) + \text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 3919

$$\text{Int}((\text{csc}[(e_.) + (f_.)(x_.)]*(d_.) + (c_.))/(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)), x_Symbol] :> \text{Simp}[(c*x)/a, x] - \text{Dist}[(b*c - a*d)/a, \text{Int}[\text{Csc}[e + f*x]/(a + b*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$$

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:=> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :=> With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^4} dx &= \frac{(Ab^2-a(bB-aC))\cos(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} - \int \frac{\cos^2(c+dx)(5Ab^2)}{(a+b\sec(c+dx))^4} dx \\
&= \frac{(Ab^2-a(bB-aC))\cos(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{(5Ab^4+7a^3bB)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= \frac{(Ab^2-a(bB-aC))\cos(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{(5Ab^4+7a^3bB)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= -\frac{(10Ab^6-12a^5bB+11a^3b^3B-4ab^5B-a^6(A-6C)+a^4b^2(2A-3C))}{2a^4(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= \frac{(60Ab^7+6a^7B-65a^5b^2B+68a^3b^4B-24ab^6B+a^4b^3(146A-15C))}{6a^5(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= \frac{(20Ab^2-8abB+a^2(A+2C))x}{2a^6} + \frac{(60Ab^7+6a^7B-65a^5b^2B+68a^3b^4B-24ab^6B+a^4b^3(146A-15C))}{6a^5(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= \frac{(20Ab^2-8abB+a^2(A+2C))x}{2a^6} + \frac{(60Ab^7+6a^7B-65a^5b^2B+68a^3b^4B-24ab^6B+a^4b^3(146A-15C))}{6a^5(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= \frac{(20Ab^2-8abB+a^2(A+2C))x}{2a^6} + \frac{(60Ab^7+6a^7B-65a^5b^2B+68a^3b^4B-24ab^6B+a^4b^3(146A-15C))}{6a^5(a^2-b^2)d(a+b\sec(c+dx))^3} \\
&= \frac{(20Ab^2-8abB+a^2(A+2C))x}{2a^6} + \frac{b(20Ab^8+20a^7bB-35a^6b^2B+68a^5b^3B-24a^4b^4B+a^3b^5(146A-15C))}{3a^5d(a^2-b^2)(a\cos(c+dx)+b)^3}
\end{aligned}$$

Mathematica [C] time = 6.99992, size = 658, normalized size = 1.02

$$\frac{(c+dx)(a^2A+2a^2C-8abB+20Ab^2)}{2a^6d} + \frac{a^2b^4C\sin(c+dx)-ab^5B\sin(c+dx)+Ab^6\sin(c+dx)}{3a^5d(a^2-b^2)(a\cos(c+dx)+b)^3} + \frac{-18a^2Ab^5\sin(c+dx)}{3a^5d(a^2-b^2)(a\cos(c+dx)+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^4,x]

[Out]
$$\begin{aligned} & ((a^2A + 20Ab^2 - 8a^2bB + 2a^2C)(c + dx))/(2a^6d) + (b(-40a^6A \\ & b^2 + 84a^4Ab^4 - 69a^2A^2b^6 + 20A^2b^8 + 20a^7bB - 35a^5b^3B \\ & + 28a^3b^5B - 8a^2b^7B - 8a^8C + 8a^6b^2C - 7a^4b^4C + 2a^2b^6C) \\ & \text{ArcTanh}[\frac{(-a + b)\tan[(c + dx)/2]}{\sqrt{a^2 - b^2}}]) / \sqrt{a^2 - b^2} \\ & + (-a^2 + b^2)^3d + ((4Ab - aB)((-1/2)\cos[c + dx])/a^5 - \sin[c + dx] \\ & / (2a^5)) / d + ((4Ab - aB)((1/2)\cos[c + dx])/a^5 - \sin[c + dx] \\ & / (2a^5)) / d + (A^2b^6\sin[c + dx] - a^2b^5B\sin[c + dx] + a^2b^4C\sin[c + dx]) \\ & / (3a^5(a^2 - b^2)d(b + a\cos[c + dx])^3) + (-18a^2Ab^5\sin[c + dx] + 13A^2b^7\sin[c + dx] \\ & + 15a^3b^4B\sin[c + dx] - 10a^2b^6B\sin[c + dx] - 12a^4b^3C\sin[c + dx] + 7a^2b^5C\sin[c + dx]) \\ & / (6a^5(a^2 - b^2)^2d(b + a\cos[c + dx])^2) + (90a^4Ab^4\sin[c + dx] - 122a^2A^2b^6\sin[c + dx] \\ & + 47A^2b^8\sin[c + dx] - 60a^5b^3B\sin[c + dx] + 71a^3b^5B\sin[c + dx] - 26a^2b^7B\sin[c + dx] \\ & + 36a^6b^2C\sin[c + dx] - 32a^4b^4C\sin[c + dx] + 11a^2b^6C\sin[c + dx]) / (6a^5(a^2 - b^2)^3d(b + a\cos[c + dx])) \\ & + (A\sin[2(c + dx)]) / (4a^4d) \end{aligned}$$

Maple [B] time = 0.162, size = 4523, normalized size = 7.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x)

[Out]
$$\begin{aligned} & 2/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*B+20/d*b^2/(a^6-3*a \\ & ^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)*\arctanh((a-b)*\tan(1/2*d*x+1/2*c)/ \\ & ((a+b)*(a-b))^{(1/2)})*B*a-30/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^ \\ & ^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^4-6/d/a \\ & ^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b \\ & +3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^5+34/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-t \\ & \tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/ \\ & 2*c)^5*A*b^6-212/3/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b \\ &)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^6+24/d*a/(\tan(\\ & 1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b \\ & +b^2)*\tan(1/2*d*x+1/2*c)^3*b^2*C-12/d*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x \\ & +1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*b^2*C \\ & +60/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^ \\ & 2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^4-12/d*a/(\tan(1/2*d*x+1/2*c)^2* \\ & a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x \end{aligned}$$

$$\begin{aligned}
& +1/2*c)^5*b^2*C+6/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b) \\
& ^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^5-30/d/a/(\tan(1/2 \\
& *d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^ \\
& 3)*\tan(1/2*d*x+1/2*c)*A*b^4+34/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/ \\
& 2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^6+2/ \\
& d*b^7/a^4/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan \\
& (1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+20/d*b^9/a^6/(a^6-3*a^4*b^2+3*a^2* \\
& b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b)) \\
& ^{(1/2)})*A-7/d*b^5/a^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arc} \\
& \operatorname{tanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-3/d/a^4/(\tan(1/2*d*x+1 \\
& /2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^7/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3) \\
& *\tan(1/2*d*x+1/2*c)*A+3/d/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2* \\
& b-a-b)^3*b^7/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-8/d/a^5 \\
& /(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A*b-8/d/a^5/(1+\tan(1/2*d*x \\
& +1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*A*b-44/3/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-ta \\
& n(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2 \\
& *c)^3*C+4/d*b^6/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(\\
& a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C+6/d*b^4/a/(\tan(1/2*d* \\
& x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)* \\
& \tan(1/2*d*x+1/2*c)^5*C+1/d*b^5/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2* \\
& c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C-12/d*b \\
& ^8/a^5/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a \\
& ^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+6/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-ta \\
& n(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2 \\
& *c)*C+24/d*b^8/a^5/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a \\
& ^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-2/d*b^6/a^3/(\tan(1/2*d \\
& *x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3) \\
& *\tan(1/2*d*x+1/2*c)^5*C-1/d*b^5/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2 \\
& *c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C-2/d*b^6 \\
& /a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2 \\
& *b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C-12/d*b^8/a^5/(\tan(1/2*d*x+1/2*c)^2*a-t \\
& an(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/ \\
& 2*c)^5*A+1/d*A/a^4*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))+8/d*b^3/(a^6-3*a^4*b^2+3*a^2* \\
& b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b)) \\
& ^{(1/2)})*C-8/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((\\
& a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C*a^2-40/d*b^3/(a^6-3*a^4*b^2+ \\
& 3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)* \\
& (a-b))^(1/2))*A-12/d*b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b \\
& -a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+6/d*b^7/a^4/ \\
& (\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3* \\
& a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+6/d*b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1 \\
& /2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c) \\
& *B+116/3/d*b^5/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a \\
& ^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+28/d*b^6/a^3/(a^6-3*a^ \\
& 4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/
\end{aligned}$$

$$\begin{aligned}
& (a+b)*(a-b))^{(1/2)}*B-8/d*b^8/a^5/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*B-35/d*b^4/a \\
& / (a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*B+2/d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c) \\
& *B-8/d/a^5*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))*B*b+20/d/a^6*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))*A*b^2-1/d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3* \\
& A+1/d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*A+84/d/a^2*b^5/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) \\
& /((a+b)*(a-b))^{(1/2)})*A-69/d/a^4*b^7/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A-4/d/ \\
& (\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C*b^3+4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c) \\
& ^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C*b^3+20/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3) \\
& *\tan(1/2*d*x+1/2*c)^5*B*b^3+20/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c) \\
& *B*b^3-40/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B*b^3+5/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^4/(a-b) \\
& / (a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-18/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^5/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-18/d/a^2/ \\
& (\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^5/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+2/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^6/(a+b) \\
& / (a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-5/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^4/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-2/d/a^3/ \\
& (\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^6/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+2/d/a^4*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))*C
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.80355, size = 7804, normalized size = 12.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x
, algorithm="fricas")

[Out] [1/12*(6*((A + 2*C)*a^13 - 8*B*a^12*b + 8*(2*A - C)*a^11*b^2 + 32*B*a^10*b^3 - 2*(37*A - 6*C)*a^9*b^4 - 48*B*a^8*b^5 + 4*(29*A - 2*C)*a^7*b^6 + 32*B*a^6*b^7 - (79*A - 2*C)*a^5*b^8 - 8*B*a^4*b^9 + 20*A*a^3*b^10)*d*x*cos(d*x + c)^3 + 18*((A + 2*C)*a^12*b - 8*B*a^11*b^2 + 8*(2*A - C)*a^10*b^3 + 32*B*a^9*b^4 - 2*(37*A - 6*C)*a^8*b^5 - 48*B*a^7*b^6 + 4*(29*A - 2*C)*a^6*b^7 + 32*B*a^5*b^8 - (79*A - 2*C)*a^4*b^9 - 8*B*a^3*b^10 + 20*A*a^2*b^11)*d*x*cos(d*x + c)^2 + 18*((A + 2*C)*a^11*b^2 - 8*B*a^10*b^3 + 8*(2*A - C)*a^9*b^4 + 32*B*a^8*b^5 - 2*(37*A - 6*C)*a^7*b^6 - 48*B*a^6*b^7 + 4*(29*A - 2*C)*a^5*b^8 + 32*B*a^4*b^9 - (79*A - 2*C)*a^3*b^10 - 8*B*a^2*b^11 + 20*A*a*b^12)*d*x*cos(d*x + c) + 6*((A + 2*C)*a^10*b^3 - 8*B*a^9*b^4 + 8*(2*A - C)*a^8*b^5 + 32*B*a^7*b^6 - 2*(37*A - 6*C)*a^6*b^7 - 48*B*a^5*b^8 + 4*(29*A - 2*C)*a^4*b^9 + 32*B*a^3*b^10 - (79*A - 2*C)*a^2*b^11 - 8*B*a*b^12 + 20*A*b^13)*d*x + 3*(8*C*a^8*b^4 - 20*B*a^7*b^5 + 8*(5*A - C)*a^6*b^6 + 35*B*a^5*b^7 - 7*(12*A - C)*a^4*b^8 - 28*B*a^3*b^9 + (69*A - 2*C)*a^2*b^10 + 8*B*a*b^11 - 20*A*b^12 + (8*C*a^11*b - 20*B*a^10*b^2 + 8*(5*A - C)*a^9*b^3 + 35*B*a^8*b^4 - 7*(12*A - C)*a^7*b^5 - 28*B*a^6*b^6 + (69*A - 2*C)*a^5*b^7 + 8*B*a^4*b^8 - 20*A*a^3*b^9)*cos(d*x + c)^3 + 3*(8*C*a^10*b^2 - 20*B*a^9*b^3 + 8*(5*A - C)*a^8*b^4 + 35*B*a^7*b^5 - 7*(12*A - C)*a^6*b^6 - 28*B*a^5*b^7 + (69*A - 2*C)*a^4*b^8 + 8*B*a^3*b^9 - 20*A*a^2*b^10)*cos(d*x + c)^2 + 3*(8*C*a^9*b^3 - 20*B*a^8*b^4 + 8*(5*A - C)*a^7*b^5 + 35*B*a^6*b^6 - 7*(12*A - C)*a^5*b^7 - 28*B*a^4*b^8 + (69*A - 2*C)*a^3*b^9 + 8*B*a^2*b^10 - 20*A*a*b^11)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(6*B*a^10*b^3 - 2*(12*A - 13*C)*a^9*b^4 - 71*B*a^8*b^5 + (170*A - 43*C)*a^7*b^6 + 133*B*a^6*b^7 - (313*A - 23*C)*a^5*b^8 - 92*B*a^4*b^9 + (227*A - 6*C)*a^3*b^10 + 24*B*a^2*b^11 - 60*A*a*b^12 + 3*(A*a^13 - 4*A*a^11*b^2 + 6*A*a^9*b^4 - 4*A*a^7*b^6 + A*a^5*b^8)*cos(d*x + c)^4 + 3*(2*B*a^13 - 5*A*a^12*b - 8*B*a^11*b^2 + 20*A*a^10*b^3 + 12*B*a^9*b^4 - 30*A*a^8*b^5 - 8*B*a^7*b^6 + 20*A*a^6*b^7 + 2*B*a^5*b^8 - 5*A*a^4*b^9)*cos(d*x + c)^3 + (18*B*a^12*b - 9*(7*A - 4*C)*a^11*b^2 - 132*B*a^10*b^3 + 2*(171*A - 34*C)*a^9*b^4 + 239*B*a^8*b^5 - (590*A - 43*C)*a^7*b^6 - 169*B*a^6*b^7 + (421*A - 11*C)*a^5*b^8 + 44*B*a^4*b^9 - 110*A*a^3*b^10)*cos(d*x + c)^2 + 3*(6*B*a^11*b^2 - (23*A - 20*C)*a^10*b^3 - 59*B*a^9*b^4 + (146*A - 35*C)*a^8*b^5 + 110*B*a^7*b^6 - (263*A - 20*C)*a^6*b^7 - 77*B*a^5*b^8 + 5*(38*A - C)*a^4*b^9 + 20*B*a^3*b^10 - 50*A*a^2*b^11)*cos(d*x +

$$\begin{aligned}
& c)) * \sin(dx + c) / ((a^{17} - 4a^{15}b^2 + 6a^{13}b^4 - 4a^{11}b^6 + a^9b^8) * \\
& d * \cos(dx + c)^3 + 3(a^{16}b - 4a^{14}b^3 + 6a^{12}b^5 - 4a^{10}b^7 + a^8b^9) * d * \cos(dx + c)^2 + 3(a^{15}b^2 - 4a^{13}b^4 + 6a^{11}b^6 - 4a^9b^8 + \\
& a^7b^{10}) * d * \cos(dx + c) + (a^{14}b^3 - 4a^{12}b^5 + 6a^{10}b^7 - 4a^8b^9 + a^6b^{11}) * d), 1/6 * (3 * ((A + 2C) * a^{13} - 8 * B * a^{12} * b + 8 * (2A - C) * a^{11} * b^2 \\
& + 32 * B * a^{10} * b^3 - 2 * (37A - 6C) * a^9 * b^4 - 48 * B * a^8 * b^5 + 4 * (29A - 2C) * a^7 * b^6 + 32 * B * a^6 * b^7 - (79A - 2C) * a^5 * b^8 - 8 * B * a^4 * b^9 + 20 * A * a^3 * b^{10}) * \\
& dx * \cos(dx + c)^3 + 9 * ((A + 2C) * a^{12} * b - 8 * B * a^{11} * b^2 + 8 * (2A - C) * a^{10} * \\
& b^3 + 32 * B * a^9 * b^4 - 2 * (37A - 6C) * a^8 * b^5 - 48 * B * a^7 * b^6 + 4 * (29A - 2C) * \\
& a^6 * b^7 + 32 * B * a^5 * b^8 - (79A - 2C) * a^4 * b^9 - 8 * B * a^3 * b^{10} + 20 * A * a^2 * b^{11}) * dx * \cos(dx + c)^2 + 9 * ((A + 2C) * a^{11} * b^2 - 8 * B * a^{10} * b^3 + 8 * (2A - C) * \\
& a^9 * b^4 + 32 * B * a^8 * b^5 - 2 * (37A - 6C) * a^7 * b^6 - 48 * B * a^6 * b^7 + 4 * (29A - \\
& 2C) * a^5 * b^8 + 32 * B * a^4 * b^9 - (79A - 2C) * a^3 * b^{10} - 8 * B * a^2 * b^{11} + 20 * A * \\
& a * b^{12}) * dx * \cos(dx + c) + 3 * ((A + 2C) * a^{10} * b^3 - 8 * B * a^9 * b^4 + 8 * (2A - C) * \\
& a^8 * b^5 + 32 * B * a^7 * b^6 - 2 * (37A - 6C) * a^6 * b^7 - 48 * B * a^5 * b^8 + 4 * (29A \\
& - 2C) * a^4 * b^9 + 32 * B * a^3 * b^{10} - (79A - 2C) * a^2 * b^{11} - 8 * B * a * b^{12} + 20 * A * \\
& b^{13}) * dx - 3 * (8 * C * a^8 * b^4 - 20 * B * a^7 * b^5 + 8 * (5A - C) * a^6 * b^6 + 35 * B * a^5 * \\
& b^7 - 7 * (12A - C) * a^4 * b^8 - 28 * B * a^3 * b^9 + (69A - 2C) * a^2 * b^{10} + 8 * B * a * b^{11} \\
& - 20 * A * b^{12} + (8 * C * a^{11} * b - 20 * B * a^{10} * b^2 + 8 * (5A - C) * a^9 * b^3 + 35 * B * \\
& a^8 * b^4 - 7 * (12A - C) * a^7 * b^5 - 28 * B * a^6 * b^6 + (69A - 2C) * a^5 * b^7 + 8 * B * \\
& a^4 * b^8 - 20 * A * a^3 * b^9) * \cos(dx + c)^3 + 3 * (8 * C * a^{10} * b^2 - 20 * B * a^9 * b^3 + 8 * \\
& (5A - C) * a^8 * b^4 + 35 * B * a^7 * b^5 - 7 * (12A - C) * a^6 * b^6 - 28 * B * a^5 * b^7 + (\\
& 69A - 2C) * a^4 * b^8 + 8 * B * a^3 * b^9 - 20 * A * a^2 * b^{10}) * \cos(dx + c)^2 + 3 * (8 * C * \\
& a^9 * b^3 - 20 * B * a^8 * b^4 + 8 * (5A - C) * a^7 * b^5 + 35 * B * a^6 * b^6 - 7 * (12A - C) * \\
& a^5 * b^7 - 28 * B * a^4 * b^8 + (69A - 2C) * a^3 * b^9 + 8 * B * a^2 * b^{10} - 20 * A * a * b^{11}) \\
& * \cos(dx + c) * \sqrt{-a^2 + b^2} * \arctan(-\sqrt{-a^2 + b^2}) * (b * \cos(dx + c) + \\
& a) / ((a^2 - b^2) * \sin(dx + c)) + (6 * B * a^{10} * b^3 - 2 * (12A - 13C) * a^9 * b^4 - \\
& 71 * B * a^8 * b^5 + (170A - 43C) * a^7 * b^6 + 133 * B * a^6 * b^7 - (313A - 23C) * a^5 * \\
& b^8 - 92 * B * a^4 * b^9 + (227A - 6C) * a^3 * b^{10} + 24 * B * a^2 * b^{11} - 60 * A * a * b^{12} + \\
& 3 * (A * a^{13} - 4 * A * a^{11} * b^2 + 6 * A * a^9 * b^4 - 4 * A * a^7 * b^6 + A * a^5 * b^8) * \cos(dx \\
& + c)^4 + 3 * (2 * B * a^{13} - 5 * A * a^{12} * b - 8 * B * a^{11} * b^2 + 20 * A * a^{10} * b^3 + 12 * B * a^9 * \\
& b^4 - 30 * A * a^8 * b^5 - 8 * B * a^7 * b^6 + 20 * A * a^6 * b^7 + 2 * B * a^5 * b^8 - 5 * A * a^4 * b^9) * \cos(dx + c)^3 + (18 * B * a^{12} * b - 9 * (7A - 4C) * a^{11} * b^2 - 132 * B * a^{10} * b^3 \\
& + 2 * (171A - 34C) * a^9 * b^4 + 239 * B * a^8 * b^5 - (590A - 43C) * a^7 * b^6 - 169 * B * \\
& a^6 * b^7 + (421A - 11C) * a^5 * b^8 + 44 * B * a^4 * b^9 - 110 * A * a^3 * b^{10}) * \cos(dx \\
& + c)^2 + 3 * (6 * B * a^{11} * b^2 - (23A - 20C) * a^{10} * b^3 - 59 * B * a^9 * b^4 + (146A - \\
& 35C) * a^8 * b^5 + 110 * B * a^7 * b^6 - (263A - 20C) * a^6 * b^7 - 77 * B * a^5 * b^8 + 5 * \\
& (38A - C) * a^4 * b^9 + 20 * B * a^3 * b^{10} - 50 * A * a^2 * b^{11}) * \cos(dx + c) * \sin(dx + \\
& c) / ((a^{17} - 4a^{15}b^2 + 6a^{13}b^4 - 4a^{11}b^6 + a^9b^8) * d * \cos(dx + c) \\
&)^3 + 3 * (a^{16}b - 4a^{14}b^3 + 6a^{12}b^5 - 4a^{10}b^7 + a^8b^9) * d * \cos(dx \\
& + c)^2 + 3 * (a^{15}b^2 - 4a^{13}b^4 + 6a^{11}b^6 - 4a^9b^8 + a^7b^{10}) * d * \cos(dx + c) \\
& + (a^{14}b^3 - 4a^{12}b^5 + 6a^{10}b^7 - 4a^8b^9 + a^6b^{11}) * d \\
&)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)

[Out] Timed out

Giac [B] time = 1.52875, size = 1941, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(6*(8*C*a^8*b - 20*B*a^7*b^2 + 40*A*a^6*b^3 - 8*C*a^6*b^3 + 35*B*a^5*b^4 - 84*A*a^4*b^5 + 7*C*a^4*b^5 - 28*B*a^3*b^6 + 69*A*a^2*b^7 - 2*C*a^2*b^7 \\ & + 8*B*a*b^8 - 20*A*b^9)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) \\ & + arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2} \\ &)))/((a^12 - 3*a^10*b^2 + 3*a^8*b^4 - a^6*b^6)*\sqrt{-a^2 + b^2}) + 2*(36*C*a^8*b^2*\tan(1/2*d*x + 1/2*c)^5 - 60*B*a^7*b^3*\tan(1/2*d*x + 1/2*c)^5 - 60*C \\ & *a^7*b^3*\tan(1/2*d*x + 1/2*c)^5 + 90*A*a^6*b^4*\tan(1/2*d*x + 1/2*c)^5 + 105 \\ & *B*a^6*b^4*\tan(1/2*d*x + 1/2*c)^5 - 6*C*a^6*b^4*\tan(1/2*d*x + 1/2*c)^5 - 16 \\ & 2*A*a^5*b^5*\tan(1/2*d*x + 1/2*c)^5 + 24*B*a^5*b^5*\tan(1/2*d*x + 1/2*c)^5 + \\ & 45*C*a^5*b^5*\tan(1/2*d*x + 1/2*c)^5 - 48*A*a^4*b^6*\tan(1/2*d*x + 1/2*c)^5 - \\ & 117*B*a^4*b^6*\tan(1/2*d*x + 1/2*c)^5 - 6*C*a^4*b^6*\tan(1/2*d*x + 1/2*c)^5 \\ & + 213*A*a^3*b^7*\tan(1/2*d*x + 1/2*c)^5 + 24*B*a^3*b^7*\tan(1/2*d*x + 1/2*c)^5 \\ & - 15*C*a^3*b^7*\tan(1/2*d*x + 1/2*c)^5 - 48*A*a^2*b^8*\tan(1/2*d*x + 1/2*c)^5 \\ & + 42*B*a^2*b^8*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a^2*b^8*\tan(1/2*d*x + 1/2*c)^5 \\ & - 81*A*a*b^9*\tan(1/2*d*x + 1/2*c)^5 - 18*B*a*b^9*\tan(1/2*d*x + 1/2*c)^5 \\ & + 36*A*b^10*\tan(1/2*d*x + 1/2*c)^5 - 72*C*a^8*b^2*\tan(1/2*d*x + 1/2*c)^3 + \\ & 120*B*a^7*b^3*\tan(1/2*d*x + 1/2*c)^3 - 180*A*a^6*b^4*\tan(1/2*d*x + 1/2*c)^3 \\ & + 116*C*a^6*b^4*\tan(1/2*d*x + 1/2*c)^3 - 236*B*a^5*b^5*\tan(1/2*d*x + 1/2*c)^3 \\ & + 392*A*a^4*b^6*\tan(1/2*d*x + 1/2*c)^3 - 56*C*a^4*b^6*\tan(1/2*d*x + 1/2*c)^3 \\ & + 152*B*a^3*b^7*\tan(1/2*d*x + 1/2*c)^3 - 284*A*a^2*b^8*\tan(1/2*d*x + \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2}c)^3 + 12Ca^2b^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 36Bab^9 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 72Aab^{10} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 36Ca^8b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \\
& - 60Bba^7b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60Ca^7b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 90Aa^6b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 105Bba^6b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \\
& 6Ca^6b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 162Aa^5b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 24Bba^5b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 45Ca^5b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 48Aa^4b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \\
& + 117Bba^4b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 6Ca^4b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 213Aa^3b^7 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 24Bba^3b^7 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \\
& + 15Ca^3b^7 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 48Aa^2b^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 42Bba^2b^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6Ca^2b^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \\
& + 81Aab^9 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 18Bba^9 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 36Aab^{10} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \Big/ \left((a^{11} - 3a^9b^2 + 3a^7b^4 - a^5b^6) \right. \\
& \left. (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a - b)^3 \right) - 3(Aa^2 + 2Ca^2 - 8Bab + 20Ab^2)(dx + c)/a^6 + 6(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\
& - 2Bba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 8Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2Bba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 8Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \\
& \left. \Big/ \left((\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1)^2 a^5 \right) \right) / d
\end{aligned}$$

$$3.930 \quad \int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{a + b \sec(c+dx)} dx$$

Optimal. Leaf size=24

$$x(bB - aC) + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] (b*B - a*C)*x + (b*C*ArcTanh[Sin[c + d*x]])/d

Rubi [A] time = 0.0232022, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$, Rules used = {24, 3770}

$$x(bB - aC) + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]), x]

[Out] (b*B - a*C)*x + (b*C*ArcTanh[Sin[c + d*x]])/d

Rule 24

```
Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((A_.) + (B_.)*(v_.) + (C_.)*(v_.)^2), x_Symbol]
:> Dist[1/b^2, Int[u*(a + b*v)^(m + 1)*Simp[b*B - a*C + b*C*v, x], x], x]
/; FreeQ[{a, b, A, B, C}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol]
:> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)}{a + b \sec(c + dx)} dx &= \frac{\int (b^2(bB - aC) + b^3C \sec(c + dx)) dx}{b^2} \\ &= (bB - aC)x + (bC) \int \sec(c + dx) dx \\ &= (bB - aC)x + \frac{bC \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.0110044, size = 23, normalized size = 0.96

$$-aCx + bBx + \frac{bC \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x]),x]

[Out] b*B*x - a*C*x + (b*C*ArcTanh[Sin[c + d*x]])/d

Maple [A] time = 0.046, size = 46, normalized size = 1.9

$$Bbx - aCx + \frac{Bbc}{d} + \frac{Cb \ln(\sec(dx + c) + \tan(dx + c))}{d} - \frac{Cac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)

[Out] B*b*x-a*C*x+1/d*B*b*c+1/d*C*b*ln(sec(d*x+c)+tan(d*x+c))-1/d*C*a*c

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 0.49816, size = 115, normalized size = 4.79

$$\frac{2(Ca - Bb)dx - Cb \log(\sin(dx + c) + 1) + Cb \log(-\sin(dx + c) + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/2*(2*(C*a - B*b)*d*x - C*b*log(sin(d*x + c) + 1) + C*b*log(-sin(d*x + c) + 1))/d
```

Sympy [A] time = 3.51186, size = 75, normalized size = 3.12

$$\begin{cases} \frac{-Bb(c+dx)+Ca(c+dx)-Cb \log(\tan(c+dx)+\sec(c+dx))}{x(Bab+Bb^2 \sec(c)-Ca^2+Cb^2 \sec^2(c))} & \text{for } d \neq 0 \\ \frac{x(Bab+Bb^2 \sec(c)-Ca^2+Cb^2 \sec^2(c))}{a+b \sec(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)
```

```
[Out] Piecewise((-(-B*b*(c + d*x) + C*a*(c + d*x) - C*b*log(tan(c + d*x) + sec(c + d*x)))/d, Ne(d, 0)), (x*(B*a*b + B*b**2*sec(c) - C*a**2 + C*b**2*sec(c)**2)/(a + b*sec(c)), True))
```

Giac [B] time = 1.25493, size = 72, normalized size = 3.

$$\frac{Cb \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - Cb \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - (Ca - Bb)(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] (C*b*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - C*b*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - (C*a - B*b)*(d*x + c))/d
```

$$3.931 \quad \int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=75

$$\frac{x(bB - aC)}{a} - \frac{2b(bB - 2aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

[Out] ((b*B - a*C)*x)/a - (2*b*(b*B - 2*a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d)

Rubi [A] time = 0.150927, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$, Rules used = {24, 3919, 3831, 2659, 208}

$$\frac{x(bB - aC)}{a} - \frac{2b(bB - 2aC) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2,x]

[Out] ((b*B - a*C)*x)/a - (2*b*(b*B - 2*a*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d)

Rule 24

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((A_.) + (B_.)*(v_.) + (C_.)*(v_.)^2), x_Symbol] :=> Dist[1/b^2, Int[u*(a + b*v)^(m + 1)*Simp[b*B - a*C + b*C*v, x], x], x] /; FreeQ[{a, b, A, B, C}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0] && LeQ[m, -1]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -

a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx &= \frac{\int \frac{b^2(bB - aC) + b^3C \sec(c + dx)}{a + b \sec(c + dx)} dx}{b^2} \\
 &= \frac{(bB - aC)x}{a} - \frac{(b(bB - 2aC)) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx}{a} \\
 &= \frac{(bB - aC)x}{a} - \frac{(bB - 2aC) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{a} \\
 &= \frac{(bB - aC)x}{a} - \frac{(2(bB - 2aC)) \text{Subst} \left(\int \frac{1}{1 + \frac{a}{b} + (1 - \frac{a}{b})x^2} dx, x, \tan \left(\frac{1}{2}(c + dx) \right) \right)}{ad} \\
 &= \frac{(bB - aC)x}{a} - \frac{2b(bB - 2aC) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a+b}} \right)}{a\sqrt{a-b}\sqrt{a+b}bd}
 \end{aligned}$$

Mathematica [A] time = 0.206372, size = 76, normalized size = 1.01

$$\frac{2b(bB-2aC) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + (c+dx)(bB-aC)$$

$$ad$$

Antiderivative was successfully verified.

[In] Integrate[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^2,x]

[Out] ((b*B - a*C)*(c + d*x) + (2*b*(b*B - 2*a*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2])/(a*d)

Maple [A] time = 0.089, size = 133, normalized size = 1.8

$$2 \frac{\arctan(\tan(1/2 dx + c/2)) Bb}{ad} - 2 \frac{\arctan(\tan(1/2 dx + c/2)) C}{d} - 2 \frac{Bb^2}{ad\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x)

[Out] 2/d/a*arctan(tan(1/2*d*x+1/2*c))*B*b-2/d*arctan(tan(1/2*d*x+1/2*c))*C-2/d*b^2/a/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+4/d*b/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.533034, size = 613, normalized size = 8.17

$$\frac{2(Ca^3 - Ba^2b - Cab^2 + Bb^3)dx + (2Cab - Bb^2)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c)}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{2(a^3 - ab^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] [-1/2*(2*(C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*d*x + (2*C*a*b - B*b^2)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)))/((a^3 - a*b^2)*d), -((C*a^3 - B*a^2*b - C*a*b^2 + B*b^3)*d*x - (2*C*a*b - B*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))))/((a^3 - a*b^2)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int -\frac{Bb}{a + b \sec(c + dx)} dx - \int \frac{Ca}{a + b \sec(c + dx)} dx - \int -\frac{Cb \sec(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)

[Out] -Integral(-B*b/(a + b*sec(c + d*x)), x) - Integral(C*a/(a + b*sec(c + d*x)), x) - Integral(-C*b*sec(c + d*x)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.29049, size = 153, normalized size = 2.04

$$\frac{(Ca-Bb)(dx+c)}{a} - \frac{2(2Cab-Bb^2)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2+b^2}}\right)\right)}{\sqrt{-a^2+b^2}a}$$

d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] -((C*a - B*b)*(d*x + c)/a - 2*(2*C*a*b - B*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*a))/d
```

$$3.932 \quad \int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=140

$$\frac{2b(2a^2bB - 3a^3C + ab^2C - b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b^2(bB - 2aC) \tan(c+dx)}{ad(a^2 - b^2)(a+b \sec(c+dx))} + \frac{x(bB - aC)}{a^2}$$

[Out] ((b*B - a*C)*x)/a^2 - (2*b*(2*a^2*b*B - b^3*B - 3*a^3*C + a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + (b^2*(b*B - 2*a*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.389699, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {24, 3923, 3919, 3831, 2659, 208}

$$\frac{2b(2a^2bB - 3a^3C + ab^2C - b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b^2(bB - 2aC) \tan(c+dx)}{ad(a^2 - b^2)(a+b \sec(c+dx))} + \frac{x(bB - aC)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3, x]

[Out] ((b*B - a*C)*x)/a^2 - (2*b*(2*a^2*b*B - b^3*B - 3*a^3*C + a*b^2*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + (b^2*(b*B - 2*a*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 24

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((A_) + (B_)*(v_) + (C_)*(v_)^2), x_Symbol] :> Dist[1/b^2, Int[u*(a + b*v)^(m + 1)*Simp[b*B - a*C + b*C*v, x], x] /; FreeQ[{a, b, A, B, C}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0] && LeQ[m, -1]

Rule 3923

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx &= \int \frac{b^2(bB - aC) + b^3C \sec(c + dx)}{(a + b \sec(c + dx))^2} dx \\
&= \frac{b^2(bB - 2aC) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} - \int \frac{-b^2(a^2 - b^2)(bB - aC) + ab^3(bB - 2aC)}{a + b \sec(c + dx)} \\
&= \frac{(bB - aC)x}{a^2} + \frac{b^2(bB - 2aC) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} - \frac{(b(2a^2bB - b^3B))}{ab^2(a^2 - b^2)} \\
&= \frac{(bB - aC)x}{a^2} + \frac{b^2(bB - 2aC) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} - \frac{(2a^2bB - b^3B)}{(2a^2bB - b^3B)} \\
&= \frac{(bB - aC)x}{a^2} + \frac{b^2(bB - 2aC) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} - \frac{(2(2a^2bB - b^3B))}{(2(2a^2bB - b^3B))} \\
&= \frac{(bB - aC)x}{a^2} + \frac{b^2(bB - 2aC) \tan(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} - \frac{(2(2a^2bB - b^3B))}{(2(2a^2bB - b^3B))} \\
&= \frac{(bB - aC)x}{a^2} - \frac{2b(2a^2bB - b^3B - 3a^3C + ab^2C) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 0.827663, size = 211, normalized size = 1.51

$$\frac{\sec(c + dx)(a \cos(c + dx) + b)(-aC + bB + bC \sec(c + dx)) \left(-\frac{2b(-2a^2bB + 3a^3C - ab^2C + b^3B)(a \cos(c + dx) + b) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} \right)}{a^2d(a + b \sec(c + dx))^2((bB - aC) \cos(c + dx) + bC)}$$

Antiderivative was successfully verified.

[In] Integrate[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^3, x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*(b*B - a*C + b*C*Sec[c + d*x]))*((b*B - a*C)*(c + d*x)*(b + a*Cos[c + d*x]) - (2*b*(-2*a^2*b*B + b^3*B + 3*a^3*C - a*b^2*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*Cos[c + d*x]))/(a^2 - b^2)^(3/2) + (a*b^2*(b*B - 2*a*C)*Sin[c + d*x])/((a - b)*(a + b)))/(a^2*d*(b*C + (b*B - a*C)*Cos[c + d*x])*(a + b*Sec[c + d*x])^2)

Maple [B] time = 0.105, size = 415, normalized size = 3.

$$2 \frac{\arctan(\tan(1/2 dx + c/2)) Bb}{da^2} - 2 \frac{\arctan(\tan(1/2 dx + c/2)) C}{ad} - 2 \frac{b^3 \tan(1/2 dx + c/2) B}{ad(a^2 - b^2)((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)

[Out] 2/d/a^2*arctan(tan(1/2*d*x+1/2*c))*B*b-2/a/d*arctan(tan(1/2*d*x+1/2*c))*C-2/d*b^3/a/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*B+4/d*b^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*C-4/d*b^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+2/d*b^4/a^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+6/d*b*a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-2/d*b^3/a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.64219, size = 1526, normalized size = 10.9

$$\left[\frac{2(Ca^6 - Ba^5b - 2Ca^4b^2 + 2Ba^3b^3 + Ca^2b^4 - Bab^5)dx \cos(dx + c) + 2(Ca^5b - Ba^4b^2 - 2Ca^3b^3 + 2Ba^2b^4 + Cab^5 - E}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] [-1/2*(2*(C*a^6 - B*a^5*b - 2*C*a^4*b^2 + 2*B*a^3*b^3 + C*a^2*b^4 - B*a*b^5)*d*x*cos(d*x + c) + 2*(C*a^5*b - B*a^4*b^2 - 2*C*a^3*b^3 + 2*B*a^2*b^4 + C*a*b^5 - B*b^6)*d*x - (3*C*a^3*b^2 - 2*B*a^2*b^3 - C*a*b^4 + B*b^5 + (3*C*a^4*b - 2*B*a^3*b^2 - C*a^2*b^3 + B*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(2*C*a^4*b^2 - B*a^3*b^3 - 2*C*a^2*b^4 + B*a*b^5)*sin(d*x + c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d), -((C*a^6 - B*a^5*b - 2*C*a^4*b^2 + 2*B*a^3*b^3 + C*a^2*b^4 - B*a*b^5)*d*x*cos(d*x + c) + (C*a^5*b - B*a^4*b^2 - 2*C*a^3*b^3 + 2*B*a^2*b^4 + C*a*b^5 - B*b^6)*d*x - (3*C*a^3*b^2 - 2*B*a^2*b^3 - C*a*b^4 + B*b^5 + (3*C*a^4*b - 2*B*a^3*b^2 - C*a^2*b^3 + B*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*C*a^4*b^2 - B*a^3*b^3 - 2*C*a^2*b^4 + B*a*b^5)*sin(d*x + c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int -\frac{Bb}{a^2 + 2ab \sec(c + dx) + b^2 \sec^2(c + dx)} dx - \int \frac{Ca}{a^2 + 2ab \sec(c + dx) + b^2 \sec^2(c + dx)} dx - \int -\frac{Cb}{a^2 + 2ab \sec(c + dx) + b^2 \sec^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3,x)

[Out] -Integral(-B*b/(a**2 + 2*a*b*sec(c + d*x) + b**2*sec(c + d*x)**2), x) - Integral(C*a/(a**2 + 2*a*b*sec(c + d*x) + b**2*sec(c + d*x)**2), x) - Integral(-C*b*sec(c + d*x)/(a**2 + 2*a*b*sec(c + d*x) + b**2*sec(c + d*x)**2), x)

Giac [A] time = 1.35741, size = 301, normalized size = 2.15

$$\frac{2(3Ca^3b-2Ba^2b^2-Cab^3+Bb^4)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{-a^2+b^2}}\right)\right)}{(a^4-a^2b^2)\sqrt{-a^2+b^2}} - \frac{(Ca-Bb)(dx+c)}{a^2} + \frac{2(2Cab^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-Bb^2)}{(a^3-ab^2)\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2}$$

d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] (2*(3*C*a^3*b - 2*B*a^2*b^2 - C*a*b^3 + B*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^4 - a^2*b^2)*sqrt(-a^2 + b^2)) - (C*a - B*b)*(d*x + c)/a^2 + 2*(2*C*a*b^2*tan(1/2*d*x + 1/2*c) - B*b^3*tan(1/2*d*x + 1/2*c))/((a^3 - a*b^2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b))/d
```

$$3.933 \quad \int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=231

$$\frac{b(-5a^2b^3B + 4a^3b^2C + 6a^4bB - 8a^5C - 2ab^4C + 2b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b^2(5a^2bB - 8a^3C + 2ab^2C - 2b^3)}{2a^2d(a^2 - b^2)^2(a+b \sec(c+dx))}$$

[Out] $((b*B - a*C)*x)/a^3 - (b*(6*a^4*b*B - 5*a^2*b^3*B + 2*b^5*B - 8*a^5*C + 4*a^3*b^2*C - 2*a*b^4*C)*\text{ArcTanh}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/\text{Sqrt}[a + b]])/(a^3*(a - b)^{(5/2)}*(a + b)^{(5/2)*d} + (b^2*(b*B - 2*a*C)*\text{Tan}[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^2) + (b^2*(5*a^2*b*B - 2*b^3*B - 8*a^3*C + 2*a*b^2*C)*\text{Tan}[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + d*x]))$

Rubi [A] time = 1.10007, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {24, 3923, 4060, 3919, 3831, 2659, 208}

$$\frac{b(-5a^2b^3B + 4a^3b^2C + 6a^4bB - 8a^5C - 2ab^4C + 2b^5B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b^2(5a^2bB - 8a^3C + 2ab^2C - 2b^3)}{2a^2d(a^2 - b^2)^2(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a*b*B - a^2*C + b^2*B*\text{Sec}[c + d*x] + b^2*C*\text{Sec}[c + d*x]^2)/(a + b*\text{Sec}[c + d*x])^4, x]$

[Out] $((b*B - a*C)*x)/a^3 - (b*(6*a^4*b*B - 5*a^2*b^3*B + 2*b^5*B - 8*a^5*C + 4*a^3*b^2*C - 2*a*b^4*C)*\text{ArcTanh}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/\text{Sqrt}[a + b]])/(a^3*(a - b)^{(5/2)}*(a + b)^{(5/2)*d} + (b^2*(b*B - 2*a*C)*\text{Tan}[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^2) + (b^2*(5*a^2*b*B - 2*b^3*B - 8*a^3*C + 2*a*b^2*C)*\text{Tan}[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + d*x]))$

Rule 24

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_)}*((A_.) + (B_.)*(v_)) + (C_.)*(v_)^2], x_Symbol] := \text{Dist}[1/b^2, \text{Int}[u*(a + b*v)^{(m + 1)}*\text{Simp}[b*B - a*C + b*C*v, x], x], x] /; \text{FreeQ}\{a, b, A, B, C\}, x\} \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0] \&\& \text{LeQ}[m, -1]$

Rule 3923

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4060

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)}{(a + b \sec(c + dx))^4} dx &= \frac{\int \frac{b^2(bB - aC) + b^3C \sec(c + dx)}{(a + b \sec(c + dx))^3} dx}{b^2} \\
&= \frac{b^2(bB - 2aC) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{\int \frac{-2b^2(a^2 - b^2)(bB - aC) + 2ab^3(bB - aC)}{(a + b \sec(c + dx))^3} dx}{2a} \\
&= \frac{b^2(bB - 2aC) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{b^2(5a^2bB - 2b^3B - 8a^3C)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{(bB - aC)x}{a^3} + \frac{b^2(bB - 2aC) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{b^2(5a^2bB - 2b^3B - 8a^3C)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{(bB - aC)x}{a^3} + \frac{b^2(bB - 2aC) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{b^2(5a^2bB - 2b^3B - 8a^3C)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{(bB - aC)x}{a^3} + \frac{b^2(bB - 2aC) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{b^2(5a^2bB - 2b^3B - 8a^3C)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
&= \frac{(bB - aC)x}{a^3} - \frac{b(6a^4bB - 5a^2b^3B + 2b^5B - 8a^5C + 4a^3b^2C - 2a^2b^4B)}{a^3(a - b)^{5/2}(a + b)}
\end{aligned}$$

Mathematica [A] time = 1.85421, size = 302, normalized size = 1.31

$$\frac{\sec^2(c + dx)(a \cos(c + dx) + b)(-aC + bB + bC \sec(c + dx)) \left(-\frac{ab^2(-6a^2bB + 10a^3C - 4ab^2C + 3b^3B) \sin(c + dx)(a \cos(c + dx) + b)}{(a - b)^2(a + b)^2} + \frac{2b(-5a^2C + b^2B)}{a^3(a - b)^{5/2}(a + b)} \right)}{2a^3d(a + b \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^4, x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^2*(b*B - a*C + b*C*Sec[c + d*x]))*(2*(b*B - a*C)*(c + d*x)*(b + a*Cos[c + d*x])^2 + (2*b*(6*a^4*b*B - 5*a^2*b^3*B + 2*b^5*B - 8*a^5*C + 4*a^3*b^2*C - 2*a^2*b^4*B)))/(a^3*(a - b)^{5/2}*(a + b))

$$2*b^5*B - 8*a^5*C + 4*a^3*b^2*C - 2*a*b^4*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/sqrt[a^2 - b^2]]*(b + a*cos[c + d*x])^2/(a^2 - b^2)^(5/2) + (a*b^3*(-(b*B) + 2*a*C)*Sin[c + d*x])/((a - b)*(a + b)) - (a*b^2*(-6*a^2*b*B + 3*b^3*B + 10*a^3*C - 4*a*b^2*C)*(b + a*cos[c + d*x])*Sin[c + d*x])/((a - b)^2*(a + b)^2))/((2*a^3*d*(b*C + (b*B - a*C)*cos[c + d*x])*(a + b*Sec[c + d*x])^3)$$

Maple [B] time = 0.114, size = 1308, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (B*a*b - a^2*C + b^2*B*\sec(dx+c) + b^2*C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^4, x$

[Out] $\frac{2}{d} \frac{1}{a^3} \arctan\left(\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{1}\right) * B * b - \frac{2}{d} \frac{1}{a^2} \arctan\left(\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{1}\right) * C - \frac{6}{d} \frac{1}{b^3} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a^2 + 2*a*b + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 * B - 1}{d} \frac{1}{a*b^4} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a^2 + 2*a*b + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 * B + 2}{d} \frac{1}{a^2} \frac{b^5}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a^2 + 2*a*b + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 * B + 10}{d} \frac{1}{a*b^2} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a^2 + 2*a*b + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 * C + 2}{d} \frac{1}{b^3} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a^2 + 2*a*b + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 * C - 2}{d} \frac{1}{a*b^4} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a^2 + 2*a*b + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 * C + 6}{d} \frac{1}{b^3} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * B - 1}{d} \frac{1}{a*b^4} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * B - 2}{d} \frac{1}{a^2} \frac{b^5}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * B - 10}{d} \frac{1}{a*b^2} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * C + 2}{d} \frac{1}{b^3} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * C + 2}{d} \frac{1}{a*b^4} \frac{1}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 * b - a - b}{(a-b)} \frac{1}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * C - 6}{d} \frac{1}{a*b^2} \frac{1}{(a^4 - 2*a^2*b^2 + b^4)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)*(a-b)}\right) * B + \frac{5}{d} \frac{1}{a*b^4} \frac{1}{(a^4 - 2*a^2*b^2 + b^4)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)*(a-b)}\right) * B - \frac{2}{d} \frac{1}{a^3} \frac{b^6}{(a^4 - 2*a^2*b^2 + b^4)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)*(a-b)}\right) * B + \frac{8}{d} \frac{1}{a^2} \frac{b}{(a^4 - 2*a^2*b^2 + b^4)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)*(a-b)}\right) * C - \frac{4}{d} \frac{1}{b^3} \frac{1}{(a^4 - 2*a^2*b^2 + b^4)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)*(a-b)}\right) * C + \frac{2}{d} \frac{1}{a^2} \frac{b^5}{(a^4 - 2*a^2*b^2 + b^4)} \frac{1}{((a+b)*(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)*(a-b)}\right) * C$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.80603, size = 3089, normalized size = 13.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4*(4*(C*a^9 - B*a^8*b - 3*C*a^7*b^2 + 3*B*a^6*b^3 + 3*C*a^5*b^4 - 3*B*a^4*b^5 - C*a^3*b^6 + B*a^2*b^7)*d*x*\cos(d*x + c)^2 + 8*(C*a^8*b - B*a^7*b^2 - 3*C*a^6*b^3 + 3*B*a^5*b^4 + 3*C*a^4*b^5 - 3*B*a^3*b^6 - C*a^2*b^7 + B*a*b^8)*d*x*\cos(d*x + c) + 4*(C*a^7*b^2 - B*a^6*b^3 - 3*C*a^5*b^4 + 3*B*a^4*b^5 + 3*C*a^3*b^6 - 3*B*a^2*b^7 - C*a*b^8 + B*b^9)*d*x + (8*C*a^5*b^3 - 6*B*a^4*b^4 - 4*C*a^3*b^5 + 5*B*a^2*b^6 + 2*C*a*b^7 - 2*B*b^8 + (8*C*a^7*b - 6*B*a^6*b^2 - 4*C*a^5*b^3 + 5*B*a^4*b^4 + 2*C*a^3*b^5 - 2*B*a^2*b^6)*\cos(d*x + c)^2 + 2*(8*C*a^6*b^2 - 6*B*a^5*b^3 - 4*C*a^4*b^4 + 5*B*a^3*b^5 + 2*C*a^2*b^6 - 2*B*a*b^7)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) + 2*(8*C*a^6*b^3 - 5*B*a^5*b^4 - 10*C*a^4*b^5 + 7*B*a^3*b^6 + 2*C*a^2*b^7 - 2*B*a*b^8 + (10*C*a^7*b^2 - 6*B*a^6*b^3 - 14*C*a^5*b^4 + 9*B*a^4*b^5 + 4*C*a^3*b^6 - 3*B*a^2*b^7)*\cos(d*x + c))*\sin(d*x + c)]/((a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*d*\cos(d*x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7)*d*\cos(d*x + c) + (a^9*b^2 - 3*a^7*b^4 + 3*a^5*b^6 - a^3*b^8)*d), -1/2*(2*(C*a^9 - B*a^8*b - 3*C*a^7*b^2 + 3*B*a^6*b^3 + 3*C*a^5*b^4 - 3*B*a^4*b^5 - C*a^3*b^6 + B*a^2*b^7)*d*x*\cos(d*x + c)^2 + 4*(C*a^8*b - B*a^7*b^2 - 3*C*a^6*b^3 + 3*B*a^5*b^4 + 3*C*a^4*b^5 - 3*B*a^3*b^6 - C*a^2*b^7 + B*a*b^8)*d*x*\cos(d*x + c) + 2*(C*a^7*b^2 - B*a^6*b^3 - 3*C*a^5*b^4 + 3*B*a^4*b^5 + 3*C* \end{aligned}$$

$$a^3b^6 - 3Ba^2b^7 - C*ab^8 + B*b^9)*dx - (8C*a^5*b^3 - 6B*a^4*b^4 - 4C*a^3*b^5 + 5B*a^2*b^6 + 2C*a*b^7 - 2B*b^8 + (8C*a^7*b - 6B*a^6*b^2 - 4C*a^5*b^3 + 5B*a^4*b^4 + 2C*a^3*b^5 - 2B*a^2*b^6)*\cos(dx + c)^2 + 2*(8C*a^6*b^2 - 6B*a^5*b^3 - 4C*a^4*b^4 + 5B*a^3*b^5 + 2C*a^2*b^6 - 2B*a*b^7)*\cos(dx + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(dx + c) + a)/((a^2 - b^2)*\sin(dx + c))) + (8C*a^6*b^3 - 5B*a^5*b^4 - 10C*a^4*b^5 + 7B*a^3*b^6 + 2C*a^2*b^7 - 2B*a*b^8 + (10C*a^7*b^2 - 6B*a^6*b^3 - 14C*a^5*b^4 + 9B*a^4*b^5 + 4C*a^3*b^6 - 3B*a^2*b^7)*\cos(dx + c))*\sin(dx + c))/((a^{11} - 3a^9b^2 + 3a^7b^4 - a^5b^6)*d*\cos(dx + c)^2 + 2*(a^{10}b - 3a^8b^3 + 3a^6b^5 - a^4b^7)*d*\cos(dx + c) + (a^9b^2 - 3a^7b^4 + 3a^5b^6 - a^3b^8)*d)]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{Bb}{a^3 + 3a^2b \sec(c + dx) + 3ab^2 \sec^2(c + dx) + b^3 \sec^3(c + dx)} dx - \int \frac{Ca}{a^3 + 3a^2b \sec(c + dx) + 3ab^2 \sec^2(c + dx) + b^3 \sec^3(c + dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**4,x)

[Out] -Integral(-B*b/(a**3 + 3*a**2*b*sec(c + d*x) + 3*a*b**2*sec(c + d*x)**2 + b**3*sec(c + d*x)**3), x) - Integral(C*a/(a**3 + 3*a**2*b*sec(c + d*x) + 3*a*b**2*sec(c + d*x)**2 + b**3*sec(c + d*x)**3), x) - Integral(-C*b*sec(c + d*x)/(a**3 + 3*a**2*b*sec(c + d*x) + 3*a*b**2*sec(c + d*x)**2 + b**3*sec(c + d*x)**3), x)

Giac [B] time = 1.42383, size = 695, normalized size = 3.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out] ((8C*a^5*b - 6B*a^4*b^2 - 4C*a^3*b^3 + 5B*a^2*b^4 + 2C*a*b^5 - 2B*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^7 - 2*a^5*b^2 +

$$\begin{aligned}
& a^3 b^4 \sqrt{-a^2 + b^2} - (C a - B b) (d x + c) / a^3 + (10 C a^4 b^2 \tan \\
& (1/2 d x + 1/2 c)^3 - 6 B a^3 b^3 \tan(1/2 d x + 1/2 c)^3 - 8 C a^3 b^3 \tan(\\
& 1/2 d x + 1/2 c)^3 + 5 B a^2 b^4 \tan(1/2 d x + 1/2 c)^3 - 4 C a^2 b^4 \tan(1 \\
& /2 d x + 1/2 c)^3 + 3 B a b^5 \tan(1/2 d x + 1/2 c)^3 + 2 C a b^5 \tan(1/2 d * \\
& x + 1/2 c)^3 - 2 B b^6 \tan(1/2 d x + 1/2 c)^3 - 10 C a^4 b^2 \tan(1/2 d x + \\
& 1/2 c) + 6 B a^3 b^3 \tan(1/2 d x + 1/2 c) - 8 C a^3 b^3 \tan(1/2 d x + 1/2 c \\
&) + 5 B a^2 b^4 \tan(1/2 d x + 1/2 c) + 4 C a^2 b^4 \tan(1/2 d x + 1/2 c) - 3 \\
& * B a b^5 \tan(1/2 d x + 1/2 c) + 2 C a b^5 \tan(1/2 d x + 1/2 c) - 2 B b^6 \tan \\
& (1/2 d x + 1/2 c)) / ((a^6 - 2 a^4 b^2 + a^2 b^4) * (a \tan(1/2 d x + 1/2 c)^2 \\
& - b \tan(1/2 d x + 1/2 c)^2 - a - b)^2) / d
\end{aligned}$$

$$3.934 \quad \int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^5} dx$$

Optimal. Leaf size=336

$$\frac{b \left(-8a^4b^3B + 7a^2b^5B + 5a^5b^2C - 7a^3b^4C + 8a^6bB - 10a^7C + 2ab^6C - 2b^7B \right) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{a^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{b^2(-17a^2b^3B}{$$

[Out] ((b*B - a*C)*x)/a^4 - (b*(8*a^6*b*B - 8*a^4*b^3*B + 7*a^2*b^5*B - 2*b^7*B - 10*a^7*C + 5*a^5*b^2*C - 7*a^3*b^4*C + 2*a*b^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(7/2)*(a + b)^(7/2)*d) + (b^2*(b*B - 2*a*C)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (b^2*(8*a^2*b*B - 3*b^3*B - 13*a^3*C + 3*a*b^2*C)*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (b^2*(26*a^4*b*B - 17*a^2*b^3*B + 6*b^5*B - 37*a^5*C + 13*a^3*b^2*C - 6*a*b^4*C)*Tan[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 4.67127, antiderivative size = 336, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {24, 3923, 4060, 3919, 3831, 2659, 208}

$$\frac{b \left(-8a^4b^3B + 7a^2b^5B + 5a^5b^2C - 7a^3b^4C + 8a^6bB - 10a^7C + 2ab^6C - 2b^7B \right) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{a^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{b^2(-17a^2b^3B}{$$

Antiderivative was successfully verified.

[In] Int[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^5, x]

[Out] ((b*B - a*C)*x)/a^4 - (b*(8*a^6*b*B - 8*a^4*b^3*B + 7*a^2*b^5*B - 2*b^7*B - 10*a^7*C + 5*a^5*b^2*C - 7*a^3*b^4*C + 2*a*b^6*C)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(7/2)*(a + b)^(7/2)*d) + (b^2*(b*B - 2*a*C)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (b^2*(8*a^2*b*B - 3*b^3*B - 13*a^3*C + 3*a*b^2*C)*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (b^2*(26*a^4*b*B - 17*a^2*b^3*B + 6*b^5*B - 37*a^5*C + 13*a^3*b^2*C - 6*a*b^4*C)*Tan[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 24

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_)*((A_.) + (B_.)*(v_) + (C_.)*(v_)^2), x_Symbol]
:> Dist[1/b^2, Int[u*(a + b*v)^(m + 1)*Simp[b*B - a*C + b*C*v, x], x], x]
/; FreeQ[{a, b, A, B, C}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0] && LeQ[m, -1]
```

Rule 3923

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol]
:> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x]
+ Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4060

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol]
:> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x]
+ Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x]
/; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol]
:> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol]
:> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x]
/; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol]
:> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]
/; FreeQ[{a, b, c, d}, x]
```

&& NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)}{(a + b \sec(c + dx))^5} dx &= \frac{\int \frac{b^2(bB - aC) + b^3C \sec(c + dx)}{(a + b \sec(c + dx))^4} dx}{b^2} \\
 &= \frac{b^2(bB - 2aC) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{\int \frac{-3b^2(a^2 - b^2)(bB - aC) + 3ab^3(bB - aC)}{(a + b \sec(c + dx))^4} dx}{3ab} \\
 &= \frac{b^2(bB - 2aC) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b^2(8a^2bB - 3b^3B - 13a^3C)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
 &= \frac{b^2(bB - 2aC) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b^2(8a^2bB - 3b^3B - 13a^3C)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
 &= \frac{(bB - aC)x}{a^4} + \frac{b^2(bB - 2aC) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b^2(8a^2bB - 3b^3B - 13a^3C)}{6a^2(a^2 - b^2)^2} \\
 &= \frac{(bB - aC)x}{a^4} + \frac{b^2(bB - 2aC) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b^2(8a^2bB - 3b^3B - 13a^3C)}{6a^2(a^2 - b^2)^2} \\
 &= \frac{(bB - aC)x}{a^4} + \frac{b^2(bB - 2aC) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b^2(8a^2bB - 3b^3B - 13a^3C)}{6a^2(a^2 - b^2)^2} \\
 &= \frac{(bB - aC)x}{a^4} - \frac{b(8a^6bB - 8a^4b^3B + 7a^2b^5B - 2b^7B - 10a^7C + 5b^8C)}{a^4(a - b)^2}
 \end{aligned}$$

Mathematica [B] time = 5.59439, size = 1097, normalized size = 3.26

$$(b + a \cos(c + dx)) \sec^3(c + dx) (bB - aC + bC \sec(c + dx)) \left(\frac{24b(-10Ca^7 + 8bBa^6 + 5b^2Ca^5 - 8b^3Ba^4 - 7b^4Ca^3 + 7b^5Ba^2 + 2b^6Ca - 2b^7B) \tanh^{-1}}{(a^2 - b^2)^{7/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^5,x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^3*(b*B - a*C + b*C*Sec[c + d*x]))*((24*b*(8*a^6*b*B - 8*a^4*b^3*B + 7*a^2*b^5*B - 2*b^7*B - 10*a^7*C + 5*a^5*b^2*C - 7*a^3*b^4*C + 2*a*b^6*C)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*Cos[c + d*x])^3)/(a^2 - b^2)^(7/2) + (36*a^8*b^2*B*c - 84*a^6*b^4*B*c + 36*a^4*b^6*B*c + 36*a^2*b^8*B*c - 24*b^10*B*c - 36*a^9*b*c*C + 84*a^7*b^3*c*C - 36*a^5*b^5*c*C - 36*a^3*b^7*c*C + 24*a*b^9*c*C + 36*a^8*b^2*B*d*x - 84*a^6*b^4*B*d*x + 36*a^4*b^6*B*d*x + 36*a^2*b^8*B*d*x - 24*b^10*B*d*x - 36*a^9*b*C*d*x + 84*a^7*b^3*C*d*x - 36*a^5*b^5*C*d*x - 36*a^3*b^7*C*d*x + 24*a*b^9*C*d*x - 18*a*(a^2 - b^2)^3*(a^2 + 4*b^2)*(-(b*B) + a*C)*(c + d*x)*Cos[c + d*x] - 36*a^2*b*(a^2 - b^2)^3*(-(b*B) + a*C)*(c + d*x)*Cos[2*(c + d*x)] + 6*a^9*b*B*c*Cos[3*(c + d*x)] - 18*a^7*b^3*B*c*Cos[3*(c + d*x)] + 18*a^5*b^5*B*c*Cos[3*(c + d*x)] - 6*a^3*b^7*B*c*Cos[3*(c + d*x)] - 6*a^10*c*Cos[3*(c + d*x)] + 18*a^8*b^2*c*Cos[3*(c + d*x)] - 18*a^6*b^4*c*Cos[3*(c + d*x)] + 6*a^4*b^6*c*Cos[3*(c + d*x)] + 6*a^9*b*B*d*x*Cos[3*(c + d*x)] - 18*a^7*b^3*B*d*x*Cos[3*(c + d*x)] + 18*a^5*b^5*B*d*x*Cos[3*(c + d*x)] - 6*a^3*b^7*B*d*x*Cos[3*(c + d*x)] - 6*a^10*C*d*x*Cos[3*(c + d*x)] + 18*a^8*b^2*C*d*x*Cos[3*(c + d*x)] - 18*a^6*b^4*C*d*x*Cos[3*(c + d*x)] + 6*a^4*b^6*C*d*x*Cos[3*(c + d*x)] + 36*a^7*b^3*B*Sin[c + d*x] + 72*a^5*b^5*B*Sin[c + d*x] - 57*a^3*b^7*B*Sin[c + d*x] + 24*a*b^9*B*Sin[c + d*x] - 54*a^8*b^2*C*Sin[c + d*x] - 111*a^6*b^4*C*Sin[c + d*x] + 39*a^4*b^6*C*Sin[c + d*x] - 24*a^2*b^8*C*Sin[c + d*x] + 120*a^6*b^4*B*Sin[2*(c + d*x)] - 90*a^4*b^6*B*Sin[2*(c + d*x)] + 30*a^2*b^8*B*Sin[2*(c + d*x)] - 174*a^7*b^3*C*Sin[2*(c + d*x)] + 84*a^5*b^5*C*Sin[2*(c + d*x)] - 30*a^3*b^7*C*Sin[2*(c + d*x)] + 36*a^7*b^3*B*Sin[3*(c + d*x)] - 32*a^5*b^5*B*Sin[3*(c + d*x)] + 11*a^3*b^7*B*Sin[3*(c + d*x)] - 54*a^8*b^2*C*Sin[3*(c + d*x)] + 37*a^6*b^4*C*Sin[3*(c + d*x)] - 13*a^4*b^6*C*Sin[3*(c + d*x)])/(a^2 - b^2)^3)/(24*a^4*d*(b*C + (b*B - a*C)*Cos[c + d*x])*(a + b*Sec[c + d*x])^4)

Maple [B] time = 0.127, size = 2853, normalized size = 8.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((B*a*b-a^2*C+b^2*B*\sec(d*x+c)+b^2*C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^5, x)$

[Out]
$$\begin{aligned} & 24/d*b^3*a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b \\ & +b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+18/d*b^2*a^2/(\tan(1/2*d*x+1/2* \\ & c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/ \\ & 2*d*x+1/2*c)^5*C-8/d*b^2*a^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1 \\ & /2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+2/d*b^8/a^4/(a^ \\ & 6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/ \\ & 2*c)/((a+b)*(a-b))^(1/2))*B+10/d*b*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b) \\ & *(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+7/d*b \\ & ^5/a/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/ \\ & 2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C-2/d*b^7/a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^ \\ & 6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2) \\ &)*C-7/d*b^6/a^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((\\ & a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-4/d*b^4/(\tan(1/2*d*x+1/2*c)^ \\ & 2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d \\ & *x+1/2*c)^5*C-4/d*b^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3 \\ & /(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C+40/3/d*b^4/(\tan(1/2*d \\ & *x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2) \\ & *\tan(1/2*d*x+1/2*c)^3*C+4/d*b^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^ \\ & 2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-4/d*b^4/(\tan \\ & (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b \\ & ^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-5/d*b^3*a/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+ \\ & b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*C+6/d \\ & *b^5/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a \\ & ^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+1/d*b^5/a/(\tan(1/2*d*x+1/2*c)^2*a-ta \\ & n(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2 \\ & *c)*C+2/d*b^6/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+ \\ & b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C-2/d/a^3*\operatorname{arctan}(\tan(1/2*d* \\ & x+1/2*c))*C+6/d*b^5/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3 \\ & /(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-36/d*b^2*a^2/(\tan(1 \\ & /2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+ \\ & b^2)*\tan(1/2*d*x+1/2*c)^3*C+8/d*b^4/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a \\ & -b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-4/d*b^6/ \\ & a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(\\ & a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*C-2/d*b^7/a^3/(\tan(1/2*d*x+1/2*c)^2*a-t \\ & \tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/ \\ & 2*c)^5*B+2/d*b^6/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/ \end{aligned}$$

$$\begin{aligned} & (a-b)/(a^3+3a^2b+3ab^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C-12/d*b^3*a/(\tan(1/2* \\ & d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3a^2b+3ab^2+b^3 \\ &)*\tan(1/2*d*x+1/2*c)^5*B-1/d*b^5/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2* \\ & c)^2*b-a-b)^3/(a-b)/(a^3+3a^2b+3ab^2+b^3)*\tan(1/2*d*x+1/2*c)^5*C-1/d*b^ \\ & 6/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3a^ \\ & 2*b+3a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+4/d*b^7/a^3/(\tan(1/2*d*x+1/2*c)^2*a-t \\ & an(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/ \\ & 2*c)^3*B-2/d*b^7/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/ \\ & (a+b)/(a^3-3a^2b+3a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-7/d*b^3*a/(\tan(1/2*d*x \\ & +1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3a^2b+3a*b^2-b^3)*t \\ & an(1/2*d*x+1/2*c)*C+18/d*b^2*a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c) \\ & ^2*b-a-b)^3/(a+b)/(a^3-3a^2b+3a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*C-44/3/d*b^5 \\ & /a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a \\ & ^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-12/d*b^3*a/(\tan(1/2*d*x+1/2*c)^2*a-tan \\ & (1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3a^2b+3a*b^2-b^3)*\tan(1/2*d*x+1/2* \\ & c)*B+1/d*b^6/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b \\ &)/(a^3+3a^2b+3a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+7/d*b^3*a/(\tan(1/2*d*x+1 \\ & /2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3a^2b+3a*b^2+b^3)*tan \\ & (1/2*d*x+1/2*c)^5*C+2/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*B*b \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^5,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.12316, size = 5277, normalized size = 15.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^5,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/12*(12*(C*a^{12} - B*a^{11}*b - 4*C*a^{10}*b^2 + 4*B*a^9*b^3 + 6*C*a^8*b^4 - \\ & 6*B*a^7*b^5 - 4*C*a^6*b^6 + 4*B*a^5*b^7 + C*a^4*b^8 - B*a^3*b^9)*d*x*\cos(d*x + c)^3 + 36*(C*a^{11}*b - B*a^{10}*b^2 - 4*C*a^9*b^3 + 4*B*a^8*b^4 + 6*C*a^7* \\ & b^5 - 6*B*a^6*b^6 - 4*C*a^5*b^7 + 4*B*a^4*b^8 + C*a^3*b^9 - B*a^2*b^{10})*d*x \\ & *\cos(d*x + c)^2 + 36*(C*a^{10}*b^2 - B*a^9*b^3 - 4*C*a^8*b^4 + 4*B*a^7*b^5 + \\ & 6*C*a^6*b^6 - 6*B*a^5*b^7 - 4*C*a^4*b^8 + 4*B*a^3*b^9 + C*a^2*b^{10} - B*a*b^{11} \\ & *d*x*\cos(d*x + c) + 12*(C*a^9*b^3 - B*a^8*b^4 - 4*C*a^7*b^5 + 4*B*a^6*b^6 \\ & + 6*C*a^5*b^7 - 6*B*a^4*b^8 - 4*C*a^3*b^9 + 4*B*a^2*b^{10} + C*a*b^{11} - B*b^{12})*d*x \\ & + 3*(10*C*a^7*b^4 - 8*B*a^6*b^5 - 5*C*a^5*b^6 + 8*B*a^4*b^7 + 7*C* \\ & a^3*b^8 - 7*B*a^2*b^9 - 2*C*a*b^{10} + 2*B*b^{11} + (10*C*a^{10}*b - 8*B*a^9*b^2 \\ & - 5*C*a^8*b^3 + 8*B*a^7*b^4 + 7*C*a^6*b^5 - 7*B*a^5*b^6 - 2*C*a^4*b^7 + 2*B* \\ & a^3*b^8)*\cos(d*x + c)^3 + 3*(10*C*a^9*b^2 - 8*B*a^8*b^3 - 5*C*a^7*b^4 + 8* \\ & B*a^6*b^5 + 7*C*a^5*b^6 - 7*B*a^4*b^7 - 2*C*a^3*b^8 + 2*B*a^2*b^9)*\cos(d*x \\ & + c)^2 + 3*(10*C*a^8*b^3 - 8*B*a^7*b^4 - 5*C*a^6*b^5 + 8*B*a^5*b^6 + 7*C*a^4* \\ & b^7 - 7*B*a^3*b^8 - 2*C*a^2*b^9 + 2*B*a*b^{10})*\cos(d*x + c))*\sqrt{a^2 - b^2} \\ & *\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2} \\ & *(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2 \\ & *a*b*\cos(d*x + c) + b^2)) + 2*(37*C*a^8*b^4 - 26*B*a^7*b^5 - 50*C*a^6*b^6 + \\ & 43*B*a^5*b^7 + 19*C*a^4*b^8 - 23*B*a^3*b^9 - 6*C*a^2*b^{10} + 6*B*a*b^{11} + (\\ & 54*C*a^{10}*b^2 - 36*B*a^9*b^3 - 91*C*a^8*b^4 + 68*B*a^7*b^5 + 50*C*a^6*b^6 - \\ & 43*B*a^5*b^7 - 13*C*a^4*b^8 + 11*B*a^3*b^9)*\cos(d*x + c)^2 + 3*(29*C*a^9*b \\ & ^3 - 20*B*a^8*b^4 - 43*C*a^7*b^5 + 35*B*a^6*b^6 + 19*C*a^5*b^7 - 20*B*a^4*b \\ & ^8 - 5*C*a^3*b^9 + 5*B*a^2*b^{10})*\cos(d*x + c))*\sin(d*x + c))/((a^{15} - 4*a^{11} \\ & 3*b^2 + 6*a^{11}*b^4 - 4*a^9*b^6 + a^7*b^8)*d*\cos(d*x + c)^3 + 3*(a^{14}*b - 4* \\ & a^{12}*b^3 + 6*a^{10}*b^5 - 4*a^8*b^7 + a^6*b^9)*d*\cos(d*x + c)^2 + 3*(a^{13}*b^2 \\ & - 4*a^{11}*b^4 + 6*a^9*b^6 - 4*a^7*b^8 + a^5*b^{10})*d*\cos(d*x + c) + (a^{12}*b^3 \\ & - 4*a^{10}*b^5 + 6*a^8*b^7 - 4*a^6*b^9 + a^4*b^{11})*d), -1/6*(6*(C*a^{12} - B* \\ & a^{11}*b - 4*C*a^{10}*b^2 + 4*B*a^9*b^3 + 6*C*a^8*b^4 - 6*B*a^7*b^5 - 4*C*a^6*b \\ & ^6 + 4*B*a^5*b^7 + C*a^4*b^8 - B*a^3*b^9)*d*x*\cos(d*x + c)^3 + 18*(C*a^{11}*b \\ & - B*a^{10}*b^2 - 4*C*a^9*b^3 + 4*B*a^8*b^4 + 6*C*a^7*b^5 - 6*B*a^6*b^6 - 4*C* \\ & a^5*b^7 + 4*B*a^4*b^8 + C*a^3*b^9 - B*a^2*b^{10})*d*x*\cos(d*x + c)^2 + 18*(C \\ & a^{10}*b^2 - B*a^9*b^3 - 4*C*a^8*b^4 + 4*B*a^7*b^5 + 6*C*a^6*b^6 - 6*B*a^5*b \\ & ^7 - 4*C*a^4*b^8 + 4*B*a^3*b^9 + C*a^2*b^{10} - B*a*b^{11})*d*x*\cos(d*x + c) + \\ & 6*(C*a^9*b^3 - B*a^8*b^4 - 4*C*a^7*b^5 + 4*B*a^6*b^6 + 6*C*a^5*b^7 - 6*B*a^4* \\ & b^8 - 4*C*a^3*b^9 + 4*B*a^2*b^{10} + C*a*b^{11} - B*b^{12})*d*x - 3*(10*C*a^7*b \\ & ^4 - 8*B*a^6*b^5 - 5*C*a^5*b^6 + 8*B*a^4*b^7 + 7*C*a^3*b^8 - 7*B*a^2*b^9 - \\ & 2*C*a*b^{10} + 2*B*b^{11} + (10*C*a^{10}*b - 8*B*a^9*b^2 - 5*C*a^8*b^3 + 8*B*a^7* \\ & b^4 + 7*C*a^6*b^5 - 7*B*a^5*b^6 - 2*C*a^4*b^7 + 2*B*a^3*b^8)*\cos(d*x + c)^3 \\ & + 3*(10*C*a^9*b^2 - 8*B*a^8*b^3 - 5*C*a^7*b^4 + 8*B*a^6*b^5 + 7*C*a^5*b^6 \\ & - 7*B*a^4*b^7 - 2*C*a^3*b^8 + 2*B*a^2*b^9)*\cos(d*x + c)^2 + 3*(10*C*a^8*b^3 \\ & - 8*B*a^7*b^4 - 5*C*a^6*b^5 + 8*B*a^5*b^6 + 7*C*a^4*b^7 - 7*B*a^3*b^8 - 2* \\ & C*a^2*b^9 + 2*B*a*b^{10})*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + \\ & b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c))) + (37*C*a^8*b^4 - 26* \\ & B*a^7*b^5 - 50*C*a^6*b^6 + 43*B*a^5*b^7 + 19*C*a^4*b^8 - 23*B*a^3*b^9 - 6*C \\ & a^2*b^{10} + 6*B*a*b^{11} + (54*C*a^{10}*b^2 - 36*B*a^9*b^3 - 91*C*a^8*b^4 + 68* \end{aligned}$$

$$B*a^7*b^5 + 50*C*a^6*b^6 - 43*B*a^5*b^7 - 13*C*a^4*b^8 + 11*B*a^3*b^9)*\cos(d*x + c)^2 + 3*(29*C*a^9*b^3 - 20*B*a^8*b^4 - 43*C*a^7*b^5 + 35*B*a^6*b^6 + 19*C*a^5*b^7 - 20*B*a^4*b^8 - 5*C*a^3*b^9 + 5*B*a^2*b^10)*\cos(d*x + c))*\sin(d*x + c))/((a^15 - 4*a^13*b^2 + 6*a^11*b^4 - 4*a^9*b^6 + a^7*b^8)*d*\cos(d*x + c)^3 + 3*(a^14*b - 4*a^12*b^3 + 6*a^10*b^5 - 4*a^8*b^7 + a^6*b^9)*d*\cos(d*x + c)^2 + 3*(a^13*b^2 - 4*a^11*b^4 + 6*a^9*b^6 - 4*a^7*b^8 + a^5*b^10)*d*\cos(d*x + c) + (a^12*b^3 - 4*a^10*b^5 + 6*a^8*b^7 - 4*a^6*b^9 + a^4*b^11)*d)]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{Bb}{a^4 + 4a^3b \sec(c + dx) + 6a^2b^2 \sec^2(c + dx) + 4ab^3 \sec^3(c + dx) + b^4 \sec^4(c + dx)} dx - \int \frac{1}{a^4 + 4a^3b \sec(c + dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**5,x)

[Out] -Integral(-B*b/(a**4 + 4*a**3*b*sec(c + d*x) + 6*a**2*b**2*sec(c + d*x)**2 + 4*a*b**3*sec(c + d*x)**3 + b**4*sec(c + d*x)**4), x) - Integral(C*a/(a**4 + 4*a**3*b*sec(c + d*x) + 6*a**2*b**2*sec(c + d*x)**2 + 4*a*b**3*sec(c + d*x)**3 + b**4*sec(c + d*x)**4), x) - Integral(-C*b*sec(c + d*x)/(a**4 + 4*a**3*b*sec(c + d*x) + 6*a**2*b**2*sec(c + d*x)**2 + 4*a*b**3*sec(c + d*x)**3 + b**4*sec(c + d*x)**4), x)

Giac [B] time = 1.61446, size = 1161, normalized size = 3.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^5,x, algorithm="giac")

[Out] 1/3*(3*(10*C*a^7*b - 8*B*a^6*b^2 - 5*C*a^5*b^3 + 8*B*a^4*b^4 + 7*C*a^3*b^5 - 7*B*a^2*b^6 - 2*C*a*b^7 + 2*B*b^8)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^10 - 3*a^8*b^2 + 3*a^6*b^4 - a^4*b^6)*sqrt(-a^2 + b^2)) - 3*(C*a - B*b)*(d*x + c)/a^4 + (54*C*a^7*b^2*tan(1/2*d*x + 1/2*c)^5 - 36*

$$\begin{aligned}
& B*a^6*b^3*\tan(1/2*d*x + 1/2*c)^5 - 87*C*a^6*b^3*\tan(1/2*d*x + 1/2*c)^5 + 60 \\
& *B*a^5*b^4*\tan(1/2*d*x + 1/2*c)^5 + 6*B*a^4*b^5*\tan(1/2*d*x + 1/2*c)^5 + 42 \\
& *C*a^4*b^5*\tan(1/2*d*x + 1/2*c)^5 - 45*B*a^3*b^6*\tan(1/2*d*x + 1/2*c)^5 + 6 \\
& *B*a^2*b^7*\tan(1/2*d*x + 1/2*c)^5 - 15*C*a^2*b^7*\tan(1/2*d*x + 1/2*c)^5 + 1 \\
& 5*B*a*b^8*\tan(1/2*d*x + 1/2*c)^5 + 6*C*a*b^8*\tan(1/2*d*x + 1/2*c)^5 - 6*B*b \\
& ^9*\tan(1/2*d*x + 1/2*c)^5 - 108*C*a^7*b^2*\tan(1/2*d*x + 1/2*c)^3 + 72*B*a^6 \\
& *b^3*\tan(1/2*d*x + 1/2*c)^3 + 148*C*a^5*b^4*\tan(1/2*d*x + 1/2*c)^3 - 116*B* \\
& a^4*b^5*\tan(1/2*d*x + 1/2*c)^3 - 52*C*a^3*b^6*\tan(1/2*d*x + 1/2*c)^3 + 56*B \\
& *a^2*b^7*\tan(1/2*d*x + 1/2*c)^3 + 12*C*a*b^8*\tan(1/2*d*x + 1/2*c)^3 - 12*B* \\
& b^9*\tan(1/2*d*x + 1/2*c)^3 + 54*C*a^7*b^2*\tan(1/2*d*x + 1/2*c) - 36*B*a^6*b \\
& ^3*\tan(1/2*d*x + 1/2*c) + 87*C*a^6*b^3*\tan(1/2*d*x + 1/2*c) - 60*B*a^5*b^4* \\
& \tan(1/2*d*x + 1/2*c) + 6*B*a^4*b^5*\tan(1/2*d*x + 1/2*c) - 42*C*a^4*b^5*\tan(\\
& 1/2*d*x + 1/2*c) + 45*B*a^3*b^6*\tan(1/2*d*x + 1/2*c) + 6*B*a^2*b^7*\tan(1/2* \\
& d*x + 1/2*c) + 15*C*a^2*b^7*\tan(1/2*d*x + 1/2*c) - 15*B*a*b^8*\tan(1/2*d*x + \\
& 1/2*c) + 6*C*a*b^8*\tan(1/2*d*x + 1/2*c) - 6*B*b^9*\tan(1/2*d*x + 1/2*c))/((\\
& a^9 - 3*a^7*b^2 + 3*a^5*b^4 - a^3*b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/ \\
& 2*d*x + 1/2*c)^2 - a - b)^3))/d
\end{aligned}$$

3.935 $\int \sec^3(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx)+C\sec(c+dx))dx$

Optimal. Leaf size=517

$$\frac{2(a-b)\sqrt{a+b}\cot(c+dx)(12a^2b(2B-C)-16a^3C-6ab^2(7A-3B+6C)-3b^3(63A-25B+49C))\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{315b^4d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(24*a^3*b*B + 57*a*b^3*B - 16*a^4*C - 6*a^2*b^2*(7*A + 4*C) + 21*b^4*(9*A + 7*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^5*d) - (2*(a - b)*Sqrt[a + b]*(12*a^2*b*(2*B - C) - 16*a^3*C - 6*a*b^2*(7*A - 3*B + 6*C) - 3*b^3*(63*A - 25*B + 49*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) - (2*(12*a^2*b*B - 75*b^3*B - 8*a^3*C - a*b^2*(21*A + 13*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (315*b^3*d) + (2*(63*A*b^2 + 9*a*b*B - 6*a^2*C + 49*b^2*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (315*b^2*d) + (2*(9*b*B + a*C)*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (63*b*d) + (2*C*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (9*d)
```

Rubi [A] time = 1.5568, antiderivative size = 517, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4096, 4102, 4092, 4082, 4005, 3832, 4004}

$$\frac{2 \tan(c+dx) \sec(c+dx) (-6a^2C + 9abB + 63Ab^2 + 49b^2C) \sqrt{a+b\sec(c+dx)}}{315b^2d} - \frac{2 \tan(c+dx) (12a^2bB - 8a^3C - ab^2C)}{315b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(24*a^3*b*B + 57*a*b^3*B - 16*a^4*C - 6*a^2*b^2*(7*A + 4*C) + 21*b^4*(9*A + 7*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^5*d) - (2*(a - b)*Sqrt[a + b]*(12*a^2*b*(2*B - C) - 16*a^3*C - 6*a*b^2*(7*A - 3*B + 6*C) - 3*b^3*(63*A - 25*B + 49*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) - (2*(12*a^2*b*B - 75*b^3*B
```

- 8*a^3*C - a*b^2*(21*A + 13*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(315*b^3*d) + (2*(63*A*b^2 + 9*a*b*B - 6*a^2*C + 49*b^2*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(315*b^2*d) + (2*(9*b*B + a*C)*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(63*b*d) + (2*C*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(9*d)

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr

eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \sec^3(c + dx)\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^3(c + dx)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{9d} \\
&= \frac{2(9bB + aC) \sec^2(c + dx)\sqrt{a + b \sec(c + dx)}}{63bd} \\
&= \frac{2(63Ab^2 + 9abB - 6a^2C + 49b^2C) \sec(c + dx)}{315b^2d} \\
&= -\frac{2(12a^2bB - 75b^3B - 8a^3C - ab^2(21A + 1))}{315b^3} \\
&= -\frac{2(12a^2bB - 75b^3B - 8a^3C - ab^2(21A + 1))}{315b^3} \\
&= -\frac{2(a - b)\sqrt{a + b}(24a^3bB + 57ab^3B - 16a^4C)}{315b^3}
\end{aligned}$$

Mathematica [B] time = 27.7395, size = 4780, normalized size = 9.25

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*((4*(-42*a^2*A*b^2 + 189*A*b^4 + 24*a^3*b*B + 57*a*b^3*B - 16*a^4*C - 24*a^2*b^2*C + 147*b^4*C)*Sin[c + d*x])/(315*b^4) + (4*Sec[c + d*x]^3*(9*b*B*Ssin[c + d*x] + a*C*Ssin[c + d*x]))/(63*b) + (4*Sec[c + d*x]^2*(63*A*b^2*Ssin[c + d*x] + 9*a*b*B*Ssin[c + d*x] - 6*a^2*C*Ssin[c + d*x] + 49*b^2*C*Ssin[c + d*x]))/(315*b^2) + (4*Sec[c + d*x]*(21*a*A*b^2*Ssin[c + d*x] - 12*a^2*b*B*Ssin[c + d*x] + 75*b^3*B*Ssin[c + d*x] + 8*a^3*C*Ssin[c + d*x] + 13*a*b^2*C*Ssin[c + d*x]))/(315*b^3) + (4*C*Sec[c + d*x]^3*Tan[c + d*x])/9)/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*((4*a^2*A)/(15*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]] - (6*A*b)/(5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (38*a*B)/(105*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (16*a^3*B)/(105*b^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (32*a^4*C)/(315*b^3*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (16*a^2*C)/
```


$$\begin{aligned}
& (105*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (14*b*C)/(15*\text{Sqrt}[b + \\
& a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (4*a*A*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*\text{Sqrt}[\\
& b + a*\text{Cos}[c + d*x]]) + (4*a^3*A*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*b^2*\text{Sqrt}[b + a*\text{Cos}[\\
& c + d*x]]) - (16*a^4*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(105*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x] \\
&]) - (34*a^2*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(105*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (10*b \\
& *B*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a*C*\text{Sqrt}[\text{Sec}[c + \\
& d*x]])/(35*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (32*a^5*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(315*b \\
& ^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (8*a^3*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(63*b^2*\text{Sqrt}[b \\
& + a*\text{Cos}[c + d*x]]) - (6*a*A*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*\text{Sqrt}[b \\
& + a*\text{Cos}[c + d*x]]) + (4*a^3*A*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*b^2* \\
& \text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (16*a^4*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/ \\
& (105*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (38*a^2*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c \\
& + d*x]])/(105*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (14*a*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{S} \\
& \text{ec}[c + d*x]])/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (32*a^5*C*\text{Cos}[2*(c + d*x)]*\text{S} \\
& \text{qrt}[\text{Sec}[c + d*x]])/(315*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (16*a^3*C*\text{Cos}[2*(c + \\
& d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(105*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[(c \\
& + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*(A + B*\text{Sec}[c + d*x] + C* \\
& \text{Sec}[c + d*x]^2)*(2*(a + b)*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2 \\
& *(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{S} \\
& \text{qrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan} \\
& (c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + b*(a + b)*(-16*a^3*C + \\
& 12*a^2*b*(2*B + C) - 6*a*b^2*(7*A + 3*B + 6*C) + 3*b^3*(63*A + 25*B + 49*C \\
&))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(\text{Cos}[c + d*x]*\text{Sec}[(c \\
& + d*x)/2]^2)^(3/2)*\text{Sqrt}[((b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b) \\
&]*\text{Sec}[c + d*x] + (-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4* \\
& C) - 21*b^4*(9*A + 7*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2] \\
& ^4*\text{Tan}[(c + d*x)/2))/((315*b^4*d*(b + a*\text{Cos}[c + d*x])*(A + 2*C + 2*B*\text{Cos}[c \\
& + d*x] + A*\text{Cos}[2*c + 2*d*x])*(\text{Sec}[(c + d*x)/2]^2)^(3/2)*\text{Sec}[c + d*x]^(5/2)* \\
& ((2*a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*(2*(a + b)*(-24*a^ \\
& 3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C)) \\
&)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(\\
& 1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{S} \\
& \text{ec}[(c + d*x)/2]^2 + b*(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) - 6*a*b^2*(7*A \\
& + 3*B + 6*C) + 3*b^3*(63*A + 25*B + 49*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/ \\
& 2]], (a - b)/(a + b)]*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^(3/2)*\text{Sqrt}[((b + a* \\
& \text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b)]*\text{Sec}[c + d*x] + (-24*a^3*b*B - 57 \\
& *a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Cos}[c + d \\
& *x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4*\text{Tan}[(c + d*x)/2))/((315*b^4*(b \\
& + a*\text{Cos}[c + d*x])^(3/2)*(\text{Sec}[(c + d*x)/2]^2)^(3/2)) - (2*\text{Sqrt}[\text{Cos}[(c + d*x) \\
& /2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*(a + b)*(-24*a^3*b*B - 57*a*b^3*B + \\
& 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(\\
& 1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]* \\
& \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + b \\
& *(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) - 6*a*b^2*(7*A + 3*B + 6*C) + 3*b^ \\
& 3*(63*A + 25*B + 49*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)
\end{aligned}$$

$$\begin{aligned}
&]*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)]*\text{Sec}[c + d*x] + (-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4*\text{Tan}[(c + d*x)/2])/((105*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*(\text{Sec}[(c + d*x)/2]^2)^{(3/2)}) + (2*(2*(a + b)*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))])*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 + b*(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) - 6*a*b^2*(7*A + 3*B + 6*C) + 3*b^3*(63*A + 25*B + 49*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)]*\text{Sec}[c + d*x] + (-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4*\text{Tan}[(c + d*x)/2))*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(315*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*(\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]) + (4*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(((-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^6)/2 + ((a + b)*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))])*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/ (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])])*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + 2*(a + b)*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))])*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2] - a*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^4*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + 2*(-24*a^3*b*B - 57*a*b^3*B + 16*a^4*C + 6*a^2*b^2*(7*A + 4*C) - 21*b^4*(9*A + 7*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4*\text{Tan}[(c + d*x)/2]^2 + (3*b*(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) - 6*a*b^2*(7*A + 3*B + 6*C) + 3*b^3*(63*A + 25*B + 49*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sqrt}[\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)]*\text{Sec}[c + d*x]*(-(\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]) + \text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/2 + (b*(a + b)*(-16*a^3*C + 12*a^2*b*(2*B + C) - 6*a*b^2*(7*A + 3*B + 6*C) + 3*b^3*(63*A + 25*B + 49*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a +
\end{aligned}$$

$$\begin{aligned}
& b)] * (\cos[c + dx] * \sec[(c + dx)/2]^2)^{(3/2)} * \sec[c + dx] * (-((a * \sec[(c + dx)/2]^2 * \sin[c + dx]) / (a + b)) + ((b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) / (a + b)) / (2 * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2) / (a + b)}) + (b * (a + b) * (-16 * a^3 * C + 12 * a^2 * b * (2 * B + C) - 6 * a * b^2 * (7 * A + 3 * B + 6 * C) + 3 * b^3 * (63 * A + 25 * B + 49 * C)) * \sec[(c + dx)/2]^2 * (\cos[c + dx] * \sec[(c + dx)/2]^2)^{(3/2)} * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2) / (a + b)}) * \sec[c + dx]) / (2 * \sqrt{1 - \tan[(c + dx)/2]^2} * \sqrt{1 - ((a - b) * \tan[(c + dx)/2]^2) / (a + b)}) + ((a + b) * (-24 * a^3 * b * B - 57 * a * b^3 * B + 16 * a^4 * C + 6 * a^2 * b^2 * (7 * A + 4 * C) - 21 * b^4 * (9 * A + 7 * C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a * \cos[c + dx]) / ((a + b) * (1 + \cos[c + dx]))}) * \sec[(c + dx)/2]^4 * \sqrt{1 - ((a - b) * \tan[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \tan[(c + dx)/2]^2} + b * (a + b) * (-16 * a^3 * C + 12 * a^2 * b * (2 * B + C) - 6 * a * b^2 * (7 * A + 3 * B + 6 * C) + 3 * b^3 * (63 * A + 25 * B + 49 * C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b) / (a + b)] * (\cos[c + dx] * \sec[(c + dx)/2]^2)^{(3/2)} * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2) / (a + b)}) * \sec[c + dx] * \tan[c + dx]) / (315 * b^4 * \sqrt{b + a * \cos[c + dx]}) * (\sec[(c + dx)/2]^2)^{(3/2)}))
\end{aligned}$$

Maple [B] time = 2.016, size = 5961, normalized size = 11.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^3*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx+c)^5 + B \sec(dx+c)^4 + A \sec(dx+c)^3\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^5 + B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral(sqrt(a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^3, x)

3.936 $\int \sec^2(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx)+C\sec(c+dx))dx$

Optimal. Leaf size=413

$$\frac{2(a-b)\sqrt{a+b}\cot(c+dx)(8a^2C - a(14bB - 6bC) + 35Ab^2 - b^2(63B - 25C))\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left[\frac{b(1-\sec(c+dx))}{a+b}\right]}{105b^3d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(14*a^2*b*B - 63*b^3*B - 8*a^3*C - a*b^2*(35*A + 19*
C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a
+ b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c +
d*x]))/(a - b))]/(105*b^4*d) - (2*(a - b)*Sqrt[a + b]*(35*A*b^2 - b^2*(63*
B - 25*C) + 8*a^2*C - a*(14*b*B - 6*b*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqr
t[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d
*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(3
5*A*b^2 - 14*a*b*B + 8*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d
*x])/((105*b^2*d) + (2*(7*b*B - 4*a*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*
x]))/(35*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])
/(7*b*d)
```

Rubi [A] time = 0.920382, antiderivative size = 413, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4092, 4082, 4002, 4005, 3832, 4004}

$$\frac{2\tan(c+dx)(8a^2C - 14abB + 35Ab^2 + 25b^2C)\sqrt{a+b\sec(c+dx)}}{105b^2d} - \frac{2(a-b)\sqrt{a+b}\cot(c+dx)(8a^2C - a(14bB - 6bC) + 35Ab^2 - b^2(63B - 25C))\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left[\frac{b(1-\sec(c+dx))}{a+b}\right]}{105b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(14*a^2*b*B - 63*b^3*B - 8*a^3*C - a*b^2*(35*A + 19*
C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a
+ b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c +
d*x]))/(a - b))]/(105*b^4*d) - (2*(a - b)*Sqrt[a + b]*(35*A*b^2 - b^2*(63*
B - 25*C) + 8*a^2*C - a*(14*b*B - 6*b*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqr
t[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d
*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(3
5*A*b^2 - 14*a*b*B + 8*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d
*x])/((105*b^2*d) + (2*(7*b*B - 4*a*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*
x]))/(35*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])
/(7*b*d)
```

/(7*b*d)

Rule 4092

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b))]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,

f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec(c + dx)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{7bd} \\ &= \frac{2(7bB - 4aC)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{35b^2d} \\ &= \frac{2(35Ab^2 - 14abB + 8a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^2d} \\ &= \frac{2(35Ab^2 - 14abB + 8a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)} \sec(c + dx)}{105b^2d} \\ &= \frac{2(a - b) \sqrt{a + b} (14a^2bB - 63b^3B - 8a^3C - 25b^2C)}{105b^2d} \end{aligned}$$

Mathematica [B] time = 26.1731, size = 3706, normalized size = 8.97

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(35*a*A*b^2 - 14*a^2*b*B + 63*b^3*B + 8*a^3*C + 19*a*b^2*C)*Sin[c + d*x]))/(105*b^3) + (4*Sec[c + d*x]^2*(7*b*B*SIN[c + d*x] + a*C*SIN[c + d*x]))/(35*b) + (4*Sec[c + d*x]*(35*A*b^2*SIN[c + d*x] + 7*a*b*B*SIN[c + d*x])
```

$$\begin{aligned}
& - 4*a^2*C*\sin[c + d*x] + 25*b^2*C*\sin[c + d*x]))/(105*b^2) + (4*C*\sec[c + \\
& d*x]^2*\tan[c + d*x])/7)))/(d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x \\
&])) - (4*((-2*a*A)/(3*\sqrt{b + a*\cos[c + d*x]})*\sqrt{\sec[c + d*x]}) + (4*a^2 \\
& *B)/(15*b*\sqrt{b + a*\cos[c + d*x]})*\sqrt{\sec[c + d*x]}) - (6*b*B)/(5*\sqrt{b \\
& + a*\cos[c + d*x]})*\sqrt{\sec[c + d*x]}) - (38*a*C)/(105*\sqrt{b + a*\cos[c + d \\
& x]})*\sqrt{\sec[c + d*x]}) - (16*a^3*C)/(105*b^2*\sqrt{b + a*\cos[c + d*x]})*\sqrt{ \\
& \sec[c + d*x]}) - (2*a^2*A*\sqrt{\sec[c + d*x]})/(3*b*\sqrt{b + a*\cos[c + d*x] \\
&]) + (2*A*b*\sqrt{\sec[c + d*x]})/(3*\sqrt{b + a*\cos[c + d*x]}) - (4*a*B*\sqrt{ \\
& \sec[c + d*x]})/(15*\sqrt{b + a*\cos[c + d*x]}) + (4*a^3*B*\sqrt{\sec[c + d*x]}) \\
& /((15*b^2*\sqrt{b + a*\cos[c + d*x]}) - (16*a^4*C*\sqrt{\sec[c + d*x]})/(105*b^3 \\
& *\sqrt{b + a*\cos[c + d*x]}) - (34*a^2*C*\sqrt{\sec[c + d*x]})/(105*b*\sqrt{b + \\
& a*\cos[c + d*x]}) + (10*b*C*\sqrt{\sec[c + d*x]})/(21*\sqrt{b + a*\cos[c + d*x] \\
& }) - (2*a^2*A*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(3*b*\sqrt{b + a*\cos[c + d \\
& *x]}) - (6*a*B*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(5*\sqrt{b + a*\cos[c + d \\
& *x]}) + (4*a^3*B*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(15*b^2*\sqrt{b + a*Co \\
& s[c + d*x]}) - (16*a^4*C*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(105*b^3*\sqrt{ \\
& b + a*\cos[c + d*x]}) - (38*a^2*C*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(105 \\
& *b*\sqrt{b + a*\cos[c + d*x]})*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*\sqrt{a \\
& + b*\sec[c + d*x]}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(2*(a + b)*(-14*a \\
& ^2*b*B + 63*b^3*B + 8*a^3*C + a*b^2*(35*A + 19*C))*\sqrt{\cos[c + d*x]/(1 + C \\
& os[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{Ellip} \\
& \text{ticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(35*A*b^2 + 8 \\
& *a^2*C - 2*a*b*(7*B + 3*C) + b^2*(63*B + 25*C))*\sqrt{\cos[c + d*x]/(1 + \cos[\\
& c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{Elliptic} \\
& \text{F}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-14*a^2*b*B + 63*b^3*B + 8* \\
& a^3*C + a*b^2*(35*A + 19*C))*\cos[c + d*x]*(b + a*\cos[c + d*x])*Sec[(c + d*x \\
&)/2]^2*\tan[(c + d*x)/2))/((105*b^3*d*(b + a*\cos[c + d*x])*(A + 2*C + 2*B*Co \\
& s[c + d*x] + A*\cos[2*c + 2*d*x])*\sqrt{\sec[(c + d*x)/2]^2*\sec[c + d*x]^(5/2 \\
&)*((-2*a*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*\sin[c + d*x]*(2*(a + b)*(-14 \\
& *a^2*b*B + 63*b^3*B + 8*a^3*C + a*b^2*(35*A + 19*C))*\sqrt{\cos[c + d*x]/(1 + \\
& \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{Ell} \\
& \text{ipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(35*A*b^2 + \\
& 8*a^2*C - 2*a*b*(7*B + 3*C) + b^2*(63*B + 25*C))*\sqrt{\cos[c + d*x]/(1 + Co \\
& s[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{Elliptic} \\
& \text{F}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-14*a^2*b*B + 63*b^3*B + \\
& 8*a^3*C + a*b^2*(35*A + 19*C))*\cos[c + d*x]*(b + a*\cos[c + d*x])*Sec[(c + d \\
& *x)/2]^2*\tan[(c + d*x)/2))/((105*b^3*(b + a*\cos[c + d*x])^(3/2)*\sqrt{\sec[(c \\
& + d*x)/2]^2}) + (2*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*\tan[(c + d*x)/2]* \\
& (2*(a + b)*(-14*a^2*b*B + 63*b^3*B + 8*a^3*C + a*b^2*(35*A + 19*C))*\sqrt{Co \\
& s[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[\\
& c + d*x]))}*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + \\
& b)*(35*A*b^2 + 8*a^2*C - 2*a*b*(7*B + 3*C) + b^2*(63*B + 25*C))*\sqrt{\cos[c \\
& + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + \\
& d*x]))}*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-14*a^2*b* \\
& B + 63*b^3*B + 8*a^3*C + a*b^2*(35*A + 19*C))*\cos[c + d*x]*(b + a*\cos[c + d
\end{aligned}$$

$$\begin{aligned}
& *x) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (105*b^3 * \text{Sqrt}[b + a * \text{Cos}[c + d*x]] \\
&] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] - (4 * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]) * (((- \\
& 14*a^2*b*B + 63*b^3*B + 8*a^3*C + a*b^2*(35*A + 19*C)) * \text{Cos}[c + d*x] * (b + a * \\
& \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4) / 2 + ((a + b) * (-14*a^2*b*B + 63*b^3*B + 8 * \\
& a^3*C + a*b^2*(35*A + 19*C)) * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c \\
& + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * ((\text{Cos}[c + d * \\
& x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x]))) / \text{S} \\
& \text{qrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] - (b * (a + b) * (35*A*b^2 + 8*a^2*C - 2*a \\
& *b*(7*B + 3*C) + b^2*(63*B + 25*C)) * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \\
& \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * ((\text{Cos} \\
& [c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d * \\
& x]))) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] + ((a + b) * (-14*a^2*b*B + 63*b^ \\
& 3*B + 8*a^3*C + a*b^2*(35*A + 19*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \\
& \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * (-((a * \text{Sin}[c + d*x]) / ((\\
& a + b) * (1 + \text{Cos}[c + d*x]))) + ((b + a * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * \\
& (1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x] \\
&]))] - (b * (a + b) * (35*A*b^2 + 8*a^2*C - 2*a*b*(7*B + 3*C) + b^2*(63*B + 25 * \\
& C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2] \\
&], (a - b) / (a + b)] * (-((a * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))) + ((b \\
& + a * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + \\
& a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] - a * (-14*a^2*b*B + 63*b^3*B \\
& + 8*a^3*C + a*b^2*(35*A + 19*C)) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d * \\
& x] * \text{Tan}[(c + d*x)/2] - (-14*a^2*b*B + 63*b^3*B + 8*a^3*C + a*b^2*(35*A + 19 * \\
& C)) * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] + \\
& (-14*a^2*b*B + 63*b^3*B + 8*a^3*C + a*b^2*(35*A + 19*C)) * \text{Cos}[c + d*x] * (b + \\
& a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]^2 - (b * (a + b) * (35*A*b \\
& ^2 + 8*a^2*C - 2*a*b*(7*B + 3*C) + b^2*(63*B + 25*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 \\
& + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{Se} \\
& \text{c}[(c + d*x)/2]^2) / (\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + \\
& d*x)/2]^2) / (a + b)]) + ((a + b) * (-14*a^2*b*B + 63*b^3*B + 8*a^3*C + a*b^2 * (\\
& 35*A + 19*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a * \text{Cos}[c + d*x] \\
&]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(\\
& c + d*x)/2]^2) / (a + b)]) / \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]) / (105*b^3 * \text{Sqrt}[b + a \\
& * \text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] - (2 * (2 * (a + b) * (-14*a^2*b*B + 63 * \\
& b^3*B + 8*a^3*C + a*b^2*(35*A + 19*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x]) \\
&]) * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin} \\
& \text{Tan}[(c + d*x)/2]], (a - b) / (a + b)] - 2 * b * (a + b) * (35*A*b^2 + 8*a^2*C - 2*a \\
& *b*(7*B + 3*C) + b^2*(63*B + 25*C)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{S} \\
& \text{qrt}[(b + a * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan} \\
& [(c + d*x)/2]], (a - b) / (a + b)] + (-14*a^2*b*B + 63*b^3*B + 8*a^3*C + a*b^ \\
& 2*(35*A + 19*C)) * \text{Cos}[c + d*x] * (b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(\\
& c + d*x)/2] * (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + \\
& d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x]) / (105*b^3 * \text{Sqrt}[b + a * \text{Cos}[c + d*x]] * \text{Sqr} \\
& \text{t}[\text{Sec}[(c + d*x)/2]^2] * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]))))
\end{aligned}$$

Maple [B] time = 1.204, size = 4339, normalized size = 10.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^2 (A+B\sec(dx+c)+C\sec(dx+c)^2) (a+b\sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -2/105/d/b^3 (\cos(dx+c)+1)^2 ((b+a\cos(dx+c))/\cos(dx+c))^{1/2} (-1+\cos(dx+c))^{1/2} \\ & (35A\sin(dx+c)\cos(dx+c)^4 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 b^3 - 35A\cos(dx+c)^2 b^4 - 21B\cos(dx+c) b^4 \\ & + 8C\cos(dx+c)^5 a^4 - 70A\cos(dx+c)^3 a^2 b^3 + 7B\cos(dx+c)^3 a^2 b^2 - 28B\cos(dx+c)^2 a^2 b^3 \\ & + 63B\cos(dx+c)^4 b^4 - 42B\cos(dx+c)^3 b^4 + 35A\cos(dx+c)^4 b^4 + 25C\cos(dx+c)^4 b^4 - 35A\cos(dx+c)^4 a^2 b^2 \\ & + 35A\cos(dx+c)^5 a^2 b^2 + 35A\cos(dx+c)^5 a^2 b^3 + 35A\cos(dx+c)^4 a^2 b^3 + 14B\cos(dx+c)^4 a^2 b^3 \\ & - 35B\cos(dx+c)^4 a^2 b^3 + 7B\cos(dx+c)^5 a^2 b^2 + 63B\cos(dx+c)^5 a^2 b^3 - 4C\cos(dx+c)^5 a^3 b \\ & + 19C\cos(dx+c)^5 a^2 b^2 + 25C\cos(dx+c)^5 a^2 b^3 - 20C\cos(dx+c)^4 a^2 b^2 + 19C\cos(dx+c)^4 a^2 b^3 \\ & - 35A\sin(dx+c)\cos(dx+c)^4 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 b^2 - 35A\sin(dx+c)\cos(dx+c)^4 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 b^2 + 14B\cos(dx+c)^4 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 b^3 - 35A\sin(dx+c)\cos(dx+c)^3 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 b^2 + 14B\cos(dx+c)^4 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \sin(dx+c) a^3 b + 14B\cos(dx+c)^4 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \sin(dx+c) a^2 b^2 - 63B\cos(dx+c)^4 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \sin(dx+c) a^2 b^3 - 14B\cos(dx+c)^4 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \sin(dx+c) a^2 b^2 + 49B\cos(dx+c)^4 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \sin(dx+c) a^2 b^3 + 14B\cos(dx+c)^3 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \sin(dx+c) a^3 b + 14B\cos(dx+c)^3 \\ & (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} (b \end{aligned}$$

$$\begin{aligned}
&+a\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), \\
&((a-b)/(a+b))^{1/2})*\sin(dx+c)*a^2*b^2-63*B*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\sin(dx+c)*a*b^3-14*B*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\sin(dx+c)*a^2*b^2+49*B*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\sin(dx+c)*a*b^3+8*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3*b^2+C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b^2+19*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^3-8*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3*b-19*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b^2-19*C*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^3+8*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3*b-35*A*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^3+2*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b^2+19*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^3-8*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3*b-19*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b^2-19*C*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^3-14*B*\cos(dx+c)^4*a^2*b^2-14*B*\cos(dx+c)^5*a^3*b+8*C*\cos(dx+c)^4*a^3*b-4*C*\cos(dx+c)^3*a^3*b-26*C*\cos(dx+c)^3*a*b^3+C*\cos(dx+c)^2*a^2*b^2-18*C*\cos(dx+c)*a*b^3-63*B*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\sin(dx+c)*b^4+63*B*\cos(dx+c)^4*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d
\end{aligned}$$

```

*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4-63*B*cos(d*x+c)^3*(cos
s(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*sin(d*x+c)*b^
4+63*B*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x
+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b
))^(1/2))*sin(d*x+c)*b^4+35*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+
c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+
cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^4+35*A*sin(d*x+c)*cos(d*x+c)^
3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^4+25*C
*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*co
s(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)
/(a+b))^(1/2))*b^4-8*C*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x
+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^4+25*C*cos(d*x+c)^3*sin(d*x+c)*(cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2
)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^4-8*C*cos(d*x
+c)^3*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(
1/2))*a^4-8*C*cos(d*x+c)^4*a^4-10*C*cos(d*x+c)^2*b^4-15*C*b^4)/(b+a*cos(d*
x+c))/cos(d*x+c)^3/sin(d*x+c)^5

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/
2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx+c)^4 + B \sec(dx+c)^3 + A \sec(dx+c)^2\right)\sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/
2),x, algorithm="fricas")
```

[Out] `integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^2, x)`

3.937 $\int \sec(c+dx)\sqrt{a+b\sec(c+dx)}\left(A+B\sec(c+dx)+C\sec^2(c+dx)\right)dx$

Optimal. Leaf size=324

$$\frac{2(a-b)\sqrt{a+b}\cot(c+dx)(2aC+15Ab-5bB+9bC)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{15b^2d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(3*b^2*(5*A + 3*C) + a*(5*b*B - 2*a*C))*Cot[c + d*x]
*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(15*b^3*d) + (2*(a - b)*Sqrt[a + b]*(15*A*b - 5*b*B + 2*a*C + 9*b*C)*Cot
[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(
a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/
(a - b))]/(15*b^2*d) + (2*(5*b*B - 2*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c +
d*x])/((15*b*d) + (2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*b*d)
```

Rubi [A] time = 0.592077, antiderivative size = 324, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4082, 4002, 4005, 3832, 4004}

$$\frac{2(a-b)\sqrt{a+b}\cot(c+dx)(2aC+15Ab-5bB+9bC)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{15b^2d} - 2(a-b)\sqrt{a+b}\cot(c+dx)(2aC+15Ab-5bB+9bC)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(3*b^2*(5*A + 3*C) + a*(5*b*B - 2*a*C))*Cot[c + d*x]
*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(15*b^3*d) + (2*(a - b)*Sqrt[a + b]*(15*A*b - 5*b*B + 2*a*C + 9*b*C)*Cot
[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(
a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/
(a - b))]/(15*b^2*d) + (2*(5*b*B - 2*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c +
d*x])/((15*b*d) + (2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*b*d)
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_.), x_S
```

```

ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

```

Rule 4002

```

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a
+ b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*
Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B,
0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

```

Rule 4005

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5bd} + \frac{2 \int \sec(c + dx)\sqrt{a + b \sec(c + dx)} dx}{5bd} \\
&= \frac{2(5bB - 2aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15bd} \\
&= \frac{2(5bB - 2aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15bd} \\
&= \frac{2(a - b)\sqrt{a + b}(3b^2(5A + 3C) + a(5bB - 2aC))}{15bd}
\end{aligned}$$

Mathematica [A] time = 20.5021, size = 579, normalized size = 1.79

$$4\sqrt{2}\sqrt{\frac{\cos(c+dx)}{(\cos(c+dx)+1)^2}}\sqrt{\cos(c+dx)\sec^2\left(\frac{1}{2}(c+dx)\right)}\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)^{3/2}\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*Sqrt[2]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])^2]*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((a + b)*(-(15*A*b^2 + 5*a*b*B - 2*a^2*C + 9*b^2*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]) + b*(15*A*b + 5*b*B - 2*a*C + 9*b*C)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)])*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Sec[c + d*x] - (15*A*b^2 + 5*a*b*B - 2*a^2*C + 9*b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2])/((15*b^2*d*Sqrt[(1 + Cos[c + d*x])^(-1)]*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]^(5/2)) + (Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(15*A*b^2 + 5*a*b*B - 2*a^2*C + 9*b^2*C)*Sin[c + d*x])/((15*b^2) + (4*Sec[c + d*x]*(5*b*B*Ssin[c + d*x] + a*C*Ssin[c + d*x]))/(15*b) + (4*C*Sec[c + d*x]*Tan[c + d*x])/5)))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

Maple [B] time = 0.821, size = 3344, normalized size = 10.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)*(a+b*\sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -2/15/d/b^2*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))^{1/2} \\ & *(2*C*\cos(dx+c)^3*a^3+15*A*\cos(dx+c)^4*a*b^2-15*A*\cos(dx+c)^3*a*b^2-5*B*\cos(dx+c)^3*\sin(dx+c) \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b+9*C*\sin(dx+c)*\cos(dx+c)^3 \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+2*C*\sin(dx+c)*\cos(dx+c)^2 \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3-9*C*\sin(dx+c)*\cos(dx+c)^2 \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+9*C*\sin(dx+c)*\cos(dx+c)^2 \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+5*B*\cos(dx+c)^3*\sin(dx+c) \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+5*B*\cos(dx+c)^2*\sin(dx+c) \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-5*B*\cos(dx+c)^2*\sin(dx+c) \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b+5*B*\cos(dx+c)^2*\sin(dx+c) \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-2+2*C*\sin(dx+c)*\cos(dx+c)^2 \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-9*C*\sin(dx+c)*\cos(dx+c)^2 \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-2-2*C*\sin(dx+c)*\cos(dx+c)^2 \\ & *(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \end{aligned}$$

$$\begin{aligned}
& +c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1 \\
& +\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 7 * C * \sin(d*x+c) * \cos(d*x+c) \\
&)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c) \\
& +1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + \\
& 2 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a \\
& * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a \\
& -b)/(a+b))^{1/2}) * a^2 * b - 9 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c) \\
& +1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+co \\
& s(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^2 - 2 * C * \sin(d*x+c) * \cos(d*x+c)^3 \\
& * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1) \\
&)^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 7 * C \\
& * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*co \\
& s(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) \\
& / (a+b))^{1/2}) * a * b^2 + 15 * A * \cos(d*x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1 \\
& / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin \\
& (d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a * b^2 - 15 * A * \cos(d*x+c)^2 * (\cos(d*x+c) \\
& / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{Elli \\
& pticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a * b^2 - 15 * A \\
& * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\\
& \cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\
&) * \sin(d*x+c) * a * b^2 + C * \cos(d*x+c)^4 * a^2 * b + 9 * C * \cos(d*x+c)^4 * a * b^2 - 2 * C * \cos(d* \\
& x+c)^3 * a^2 * b - 5 * C * \cos(d*x+c)^3 * a * b^2 - 4 * C * \cos(d*x+c) * a * b^2 + 5 * B * \cos(d*x+c)^3 * a \\
& * b^2 - 10 * B * \cos(d*x+c)^2 * a * b^2 + 5 * B * \cos(d*x+c)^4 * a^2 * b + 5 * B * \cos(d*x+c)^4 * a * b^2 - \\
& 5 * B * \cos(d*x+c)^3 * a^2 * b + C * \cos(d*x+c)^2 * a^2 * b - 2 * C * \cos(d*x+c)^4 * a^3 + 9 * C * \cos(d* \\
& x+c)^3 * b^3 - 6 * C * \cos(d*x+c)^2 * b^3 + 5 * B * \cos(d*x+c)^3 * b^3 - 5 * B * \cos(d*x+c) * b^3 + 2 * C \\
& * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*co \\
& s(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) \\
& / (a+b))^{1/2}) * a^3 - 9 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \\
&) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x \\
& +c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 + 15 * A * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos \\
& (d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF} \\
& ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a * b^2 - 15 * A * \cos \\
& (d*x+c)^2 * b^3 + 15 * A * \cos(d*x+c)^3 * b^3 + 15 * A * \cos(d*x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c) \\
& +1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+c \\
& os(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^3 - 15 * A * \cos(d*x+c)^2 \\
& * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1) \\
&)^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c \\
&) * b^3 + 15 * A * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*cos \\
& (d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / \\
& (a+b))^{1/2}) * \sin(d*x+c) * b^3 - 15 * A * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \\
&) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x \\
& +c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^3 - 3 * C * b^3 / (b+a*\cos(d*x+c) \\
&) / \cos(d*x+c)^2 / \sin(d*x+c)^5
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^3 + B \sec(dx + c)^2 + A \sec(dx + c)) \sqrt{b \sec(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral(sqrt(a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c), x)
```

3.938 $\int \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=366

$$\frac{2\sqrt{a+b} \cot(c+dx)((a-b)(3B-C) + 3Ab) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3bd} - 2A\sqrt{a+b} \cot(c+dx)$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B + a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*Sqrt[a + b]*(3*A*b + (a - b)*(3*B - C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)
```

Rubi [A] time = 0.406283, antiderivative size = 366, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b} \cot(c+dx)((a-b)(3B-C) + 3Ab) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{3bd} - 2A\sqrt{a+b} \cot(c+dx)$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B + a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*Sqrt[a + b]*(3*A*b + (a - b)*(3*B - C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
```

$f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \frac{1}{2}(3A}{2}] \\ &= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \left(\frac{1}{2}(-}{2}] \\ &= -\frac{2(a - b)\sqrt{a + b}(3bB + aC) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b \sec(c + dx)}}\right)\right)}{3b^2d} \\ &= -\frac{2(a - b)\sqrt{a + b}(3bB + aC) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b \sec(c + dx)}}\right)\right)}{3b^2d} \end{aligned}$$

Mathematica [B] time = 24.4541, size = 5313, normalized size = 14.52

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] Result too large to show

Maple [B] time = 0.51, size = 2334, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2), x)

[Out] $\frac{2}{3} \frac{d}{b} (-1 + \cos(d*x+c))^2 (-3*B*\cos(d*x+c)^3*a*b + 3*B*\cos(d*x+c)^2*a*b - C*\cos(d*x+c)^3*a*b - C*\cos(d*x+c)^2*a*b + 2*C*\cos(d*x+c)*a*b + 3*B*\sin(d*x+c)*\cos(d*x+c))$

$$\begin{aligned}
& c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c) \\
& +1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a*b-C \\
& * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos \\
& s(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) \\
& / (a+b))^{1/2}) * a*b+C * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c) \\
&)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a*b-C * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / \\
& (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{Ellip \\
& ticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a*b+C * \sin(d*x+c) * \cos(d \\
& *x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+ \\
& c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a*b- \\
& 3*B*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*c \\
& os(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) \\
&) / (a+b))^{1/2}) * a*b+3*B*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+ \\
& c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a*b-3*B*\cos(d*x+c)^2 * b^2-6*A*\sin(d*x+c) \\
& * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (co \\
& s(d*x+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) \\
& * a*b-3*B*\cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/ \\
& (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(\\
& d*x+c), ((a-b)/(a+b))^{1/2}) * a*b+3*A*\sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c) / (co \\
& s(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{Elliptic} \\
& F((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a*b-6*A*\sin(d*x+c) * \cos(d* \\
& x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x \\
& +c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) \\
& * a*b+3*A*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (\\
& b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2}) * a*b-3*B*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+ \\
& 1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos \\
& (d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2-C*\sin(d*x+c) * \cos(d*x+c)^2 * (\cos \\
& (d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \\
& * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2+C*\sin(d*x+ \\
& c) * \cos(d*x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c) \\
&) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\
& * a^2-C*\sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) \\
&) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+ \\
& c), ((a-b)/(a+b))^{1/2}) * b^2+C*\sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) \\
& +1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+co \\
& s(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2+3*B*\sin(d*x+c) * \cos(d*x+c) * (co \\
& s(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} \\
& * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2-3*B*\sin(d \\
& *x+c) * \cos(d*x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+ \\
& c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b) \\
&)^{1/2}) * b^2+3*B*\sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * \\
& (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / s
\end{aligned}$$

$$\int \frac{\sin(dx+c) \left(\frac{a-b}{a+b} \right)^{1/2} b^2 - 3A \cos(dx+c) \sin(dx+c) \frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) b^2 - 3A \sin(dx+c) \cos(dx+c)^2 \frac{\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) b^2 + b^2 C + 3B \cos(dx+c) b^2 - C \cos(dx+c)^3 a^2 + C \cos(dx+c)^2 a^2 - C \cos(dx+c)^2 b^2 \right) \frac{(b+a \cos(dx+c))}{\cos(dx+c)} \frac{1}{\cos(dx+c)+1} \frac{1}{(b+a \cos(dx+c))^5} dx$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(C \sec(dx+c)^2 + B \sec(dx+c) + A\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(dx+c)^2 + B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral(sqrt(a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2),
x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a),
x)

3.939 $\int \cos(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx)+C\sec(c+dx))dx$

Optimal. Leaf size=362

$$\frac{\sqrt{a+b}\cot(c+dx)(2aC+Ab+2bB-2bC)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{bd} - \frac{\sqrt{a+b}(2aB+2aC+Ab+2bB-2bC)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{bd}$$

[Out] ((a - b)*Sqrt[a + b]*(A - 2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(A*b + 2*b*B + 2*a*C - 2*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) - (Sqrt[a + b]*(A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.411707, antiderivative size = 362, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4094, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}\cot(c+dx)(2aC+Ab+2bB-2bC)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{bd} - \frac{\sqrt{a+b}(2aB+2aC+Ab+2bB-2bC)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((a - b)*Sqrt[a + b]*(A - 2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(A*b + 2*b*B + 2*a*C - 2*b*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) - (Sqrt[a + b]*(A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4094

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3921

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_
.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3784

```

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,

```

2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \cos(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \int \frac{1}{2} (A \\ &= \frac{A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} - \frac{1}{2} (b(A \\ &= \frac{(a - b) \sqrt{a + b} (A - 2C) \cot(c + dx) E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}))}{2} \\ &= \frac{(a - b) \sqrt{a + b} (A - 2C) \cot(c + dx) E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}))}{2} \end{aligned}$$

Mathematica [B] time = 18.7006, size = 930, normalized size = 2.57

$$\frac{2C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \frac{\sqrt{a + b \sec(c + dx)} \sqrt{\frac{1}{1 - \tan^2(\frac{1}{2}(c + dx))}} \left(aA \tan^5\left(\frac{1}{2}(c + dx)\right) - Ab \tan^5\left(\frac{1}{2}(c + dx)\right) - \dots \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (2*C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d + (Sqrt[a + b*Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(a*A*Tan[(c + d*x)/2] + A*b*Tan[(c + d*x)/2] - 2*a*C*Tan[(c + d*x)/2] - 2*b*C*Tan[(c + d*x)/2] - 2*a*A*Tan[(c + d*x)/2]^3 + 4*a*C*Tan[(c + d*x)/2]^3 + a*A*Tan[(c + d*x)/2]^5 - A*b*Tan[(c + d*x)/2]^5 - 2*a*C*Tan[(c + d*x)/2]^5 + 2*b*C*Tan[(c + d*x)/2]^5 - 2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 4*a*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]

$$\begin{aligned}
& a + b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a * \text{Tan} \\
& [(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a + b)] - 4 * a * B * \text{EllipticPi}[-1, -\text{Ar} \\
& \text{cSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c \\
& + d*x)/2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a \\
& + b)] + (a + b) * (A - 2 * C) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + \\
& b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqrt}[(a + b - a * \\
& \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a + b)] - 2 * (A * b + a * (B - C) - \\
& b * (B + C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * \text{Sqrt}[1 - \text{Tan} \\
& [(c + d*x)/2]^2] * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 \\
& + b * \text{Tan}[(c + d*x)/2]^2)/(a + b))] / (d * \text{Sqrt}[b + a * \text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec} \\
& [c + d*x]] * (1 + \text{Tan}[(c + d*x)/2]^2)^{(3/2)} * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 \\
& + b * \text{Tan}[(c + d*x)/2]^2)/(1 + \text{Tan}[(c + d*x)/2]^2)])
\end{aligned}$$

Maple [B] time = 0.49, size = 2153, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c) * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2) * (a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out] $\begin{aligned}
& 1/d * (-1 + \cos(d*x+c))^{(1/2)} * (-A * \cos(d*x+c)^3 * a - A * \cos(d*x+c)^2 * b + 2 * A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b * \sin(d*x+c) + 2 * C * b - 2 * C * \cos(d*x+c)^2 * a - 2 * B * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * b - A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b * \sin(d*x+c) - 2 * A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * b * \sin(d*x+c) + 2 * B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * \sin(d*x+c) - 4 * B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a * \sin(d*x+c) - 2 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * \sin(d*x+c) - A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * \sin(d*x+c) + 2 * C * \cos(d*x+c) * a - 2 * C * \cos(d*x+c) * b + 2 * A * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b - A * \sin(d*x+c) * \cos(d*x+c) * (\cos(d
\end{aligned}$

```

*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a-A*sin(d*x+c)*c
os(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*
b-2*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1
,((a-b)/(a+b))^(1/2))*b+2*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1
))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(
d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a-4*B*sin(d*x+c)*cos(d*x+c)*(cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*
EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a-2*C*cos(d*x
+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*
x+c)*a+A*cos(d*x+c)^2*a+A*cos(d*x+c)*b-2*C*EllipticF((-1+cos(d*x+c))/sin(d*
x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+2*C*EllipticE((-1+cos(d*x+c))
/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a+2*C*EllipticE((-1+cos(
d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(
1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b-2*B*cos(d*x+c)*
EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(
d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)
*b-2*C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)
*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*sin(d*x+c)*b+2*C*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))
^(1/2))*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a+2*C*EllipticE((-1+cos(d*x+c))/sin(d*
x+c),((a-b)/(a+b))^(1/2))*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(
a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b*(cos(d*x+c)+1)^2*
((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a \cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)
,x, algorithm="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*
cos(d*x + c), x)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C cos(dx + c) sec(dx + c)² + B cos(dx + c) sec(dx + c) + A cos(dx + c))√b sec(dx + c) + a, x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c), x)

3.940 $\int \cos^2(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx)+C\sec(c+dx))dx$

Optimal. Leaf size=435

$$\frac{\sqrt{a+b}\cot(c+dx)(2a(A+2B+4C)+Ab)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)+\sqrt{a+b}}{4ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(A*b + 4*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*b*d) + (Sqrt[a + b]*(
A*b + 2*a*(A + 2*B + 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c +
d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*
Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + (Sqrt[a + b]*(A*b^2 - 4*
a*b*B - 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a +
b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + ((A*b + 4*a*
B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*a*d) + (A*Cos[c + d*x]*Sqrt[a
+ b*Sec[c + d*x]]*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.773208, antiderivative size = 435, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}\cot(c+dx)(-4a^2(A+2C)-4abB+Ab^2)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{a};\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)\frac{a+b}{a-b}+\sqrt{a+b}}{4a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(A*b + 4*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*b*d) + (Sqrt[a + b]*(
A*b + 2*a*(A + 2*B + 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c +
d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*
Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + (Sqrt[a + b]*(A*b^2 - 4*
a*b*B - 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a +
b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + ((A*b + 4*a*
B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*a*d) + (A*Cos[c + d*x]*Sqrt[a
```

+ b*Sec[c + d*x]]*Sin[c + d*x]]/(2*d)

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx = \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d}$$

$$= \frac{(Ab + 4aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4ad}$$

$$= \frac{(Ab + 4aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4ad}$$

$$= \frac{(a - b) \sqrt{a + b} (Ab + 4aB) \cot(c + dx) E\left(\frac{c + dx}{2}\right)}{(a - b) \sqrt{a + b} (Ab + 4aB) \cot(c + dx) E\left(\frac{c + dx}{2}\right)}$$

Mathematica [C] time = 20.025, size = 1842, normalized size = 4.23

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```

[Out] (A*Sqrt[a + b*Sec[c + d*x]]*Sin[2*(c + d*x)]/(4*d) + (Sqrt[a + b*Sec[c + d
*x]]*(-(a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]) - A*b^2*Sqrt[(-a + b
)/(a + b)]*Tan[(c + d*x)/2] - 4*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/
2] - 4*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 2*a*A*b*Sqrt[(-a + b
)/(a + b)]*Tan[(c + d*x)/2]^3 + 8*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x
)/2]^3 - a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 + A*b^2*Sqrt[(-a +
b)/(a + b)]*Tan[(c + d*x)/2]^5 - 4*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d
*x)/2]^5 + 4*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 + (8*I)*a^2*A*
EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*
x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(
c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*A*b^2*EllipticPi[-((
a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b
)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2
+ b*Tan[(c + d*x)/2]^2)/(a + b)] + (8*I)*a*b*B*EllipticPi[-((a + b)/(a - b)
), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqr
t[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d
*x)/2]^2)/(a + b)] + (16*I)*a^2*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[
Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c
+ d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a
+ b)] + (8*I)*a^2*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/
(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Ta
n[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2
)/(a + b)] - (2*I)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a
+ b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1
- Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)
/2]^2)/(a + b)] + (8*I)*a*b*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt
[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*S
qrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c +
d*x)/2]^2)/(a + b)] + (16*I)*a^2*C*EllipticPi[-((a + b)/(a - b)), I*ArcSin
h[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/
2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Ta
n[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*(A*b + 4*a*B)*EllipticE[I*ArcSinh[Sq
rt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c +
d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*
Tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*(a - b)*(A*b + 2*a*(A + 2*C))*Elliptic
F[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt
[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c +
d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(4*a*Sqrt[(-a + b)/(a + b)]*d*
Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(
-1)]*(-1 + Tan[(c + d*x)/2]^2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b -
a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)])

```

Maple [B] time = 0.417, size = 2626, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)*(a+b*\sec(dx+c))^{1/2}, x)$

[Out] $\frac{1}{4}d/a*(-1+\cos(dx+c))^{2*(-16*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^2*\sin(dx+c)-4*B*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-8*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^2*\sin(dx+c)+2*A*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*b^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^2*\sin(dx+c)-4*B*\cos(dx+c)^2*a*b+4*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*\sin(dx+c)-8*C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b+8*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b-4*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b+8*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*\sin(dx+c)-4*B*\cos(dx+c)^3*a^2+8*C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2-2*A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b-8*B*\cos(dx+c)*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*a*b-A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b+4*B*\cos(dx+c)*a*b-3*A*\cos(dx+c)^3*a*b+A*\cos(dx+c)^2*a*b+2*A*\cos(dx+c)*a*b+4*B*\cos(dx+c)^2*a^2-2*A*\cos(dx+c)^4*a^2-A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^2+4*A*\cos(dx+c)*EllipticF(($

```

-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+
1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-8*A*co
s(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^2*
(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
^(1/2)*sin(d*x+c)+2*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c)
)/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*b^2-A*EllipticE((-1+cos(d*x+c))/sin(d
*x+c), ((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*
cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b-2*A*EllipticF((-1+cos(d*x+
c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a
+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b+2*A*cos(d*x+c)^2*
a^2-A*cos(d*x+c)^2*b^2+A*cos(d*x+c)*b^2+8*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a*b*sin(d*x+c)-4*B*EllipticE((-1+cos(d*x+
c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a
+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b-8*C*(cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellipt
icF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a*b*sin(d*x+c)-4*B*cos(
d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c
)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b)
)^(1/2))*a^2-8*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b
))^(1/2))*a*b*sin(d*x+c)-16*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/
sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2*(cos(d*x+c)+1)^2*((b+a*c
os(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a \cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/
2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*
cos(d*x + c)^2, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C cos(dx + c)² sec(dx + c)² + B cos(dx + c)² sec(dx + c) + A cos(dx + c)²) $\sqrt{b \sec(dx + c) + a}$, x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)²*(A+B*sec(d*x+c)+C*sec(d*x+c)²)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)²*sec(d*x + c)² + B*cos(d*x + c)²*sec(d*x + c) + A*cos(d*x + c)²)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)²*(A+B*sec(d*x+c)+C*sec(d*x+c)²)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)² + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)², x)

3.941 $\int \cos^3(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx)+C\sec(c+dx))dx$

Optimal. Leaf size=538

$$\frac{\sqrt{a+b}\cot(c+dx)\left(-4a^2(4A+3B+6C)-2ab(A+3B)+3Ab^2\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{24a^2d}$$

```
[Out] -((a - b)*Sqrt[a + b]*(3*A*b^2 - 6*a*b*B - 8*a^2*(2*A + 3*C))*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^2*b*d) - (Sqrt[a + b]*(3*A*b^2 - 2*a*b*(A + 3*B) - 4*a^2*(4*A + 3*B + 6*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^2*d) - (Sqrt[a + b]*(A*b^3 + 8*a^3*B - 2*a*b^2*B + 4*a^2*b*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^3*d) - ((3*A*b^2 - 6*a*b*B - 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a^2*d) + ((A*b + 6*a*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*a*d) + (A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.23094, antiderivative size = 538, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sin(c+dx)\left(-8a^2(2A+3C)-6abB+3Ab^2\right)\sqrt{a+b\sec(c+dx)}}{24a^2d} - \frac{\sqrt{a+b}\cot(c+dx)\left(-4a^2(4A+3B+6C)-2ab(A+3B)+3Ab^2\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{24a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(3*A*b^2 - 6*a*b*B - 8*a^2*(2*A + 3*C))*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^2*b*d) - (Sqrt[a + b]*(3*A*b^2 - 2*a*b*(A + 3*B) - 4*a^2*(4*A + 3*B + 6*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^2*d) - (Sqrt[a + b]*(A*b^3 + 8*a^3*B - 2*a*b^2*B + 4*a^2*b*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^3*d) - ((3*A*b^2 - 6*a*b*B - 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a^2*d) + ((A*b + 6*a*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*a*d) + (A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)
```


$$\frac{\sec[c + dx]}{\sqrt{a + b}}, \frac{(a + b)}{(a - b)} \sqrt{\frac{b(1 - \sec[c + dx])}{(a + b)}} \sqrt{\frac{b(1 + \sec[c + dx])}{(a - b)}} / (8a^3d - ((3Ab^2 - 6abB - 8a^2(2A + 3C)) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (24a^2d) + ((Ab + 6aB) \cos[c + dx] \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (12ad) + (A \cos[c + dx]^2 \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (3d)$$

Rule 4094

$$\text{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d)))^n (C + \csc[e + f(x)](b) + a)^m, x_Symbol] \rightarrow \text{Simp}[(A \cot[e + fx] (a + b \csc[e + fx])^m (d \csc[e + fx])^n) / (f^n), x] - \text{Dist}[1/(d^n), \text{Int}[(a + b \csc[e + fx])^{m-1} (d \csc[e + fx])^{n+1} \text{Simp}[A b^m - a B^n - (b B^n + a(C^n + A(n+1))) \csc[e + fx] - b(C^n + A(m+n+1)) \csc[e + fx]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d)))^n (C + \csc[e + f(x)](b) + a)^m, x_Symbol] \rightarrow \text{Simp}[(A \cot[e + fx] (a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^n) / (a f^n), x] + \text{Dist}[1/(a d^n), \text{Int}[(a + b \csc[e + fx])^m (d \csc[e + fx])^{n+1} \text{Simp}[a B^n - A b(m+n+1) + a(A + A^n + C^n) \csc[e + fx] + A b(m+n+2) \csc[e + fx]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4058

$$\text{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d))) / \sqrt{\csc[e + f(x)](b) + a}, x_Symbol] \rightarrow \text{Int}[(A + (B - C) \csc[e + fx]) / \sqrt{a + b \csc[e + fx]}, x] + \text{Dist}[C, \text{Int}[(\csc[e + fx] (1 + \csc[e + fx])) / \sqrt{a + b \csc[e + fx]}, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(\csc[e + f(x)](d) + c) / \sqrt{\csc[e + f(x)](b) + a}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\sqrt{a + b \csc[e + fx]}, x], x] + \text{Dist}[d, \text{Int}[\csc[e + fx] / \sqrt{a + b \csc[e + fx]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3784

$$\text{Int}[1/\sqrt{\csc[c + dx] + (d)(x)}(b) + a], x_Symbol] \rightarrow \text{Simp}[(2 \text{Rt}[a + b, 2] \sqrt{b(1 - \csc[c + dx])} / (a + b)) \sqrt{-(b(1 + \csc[c + dx]))}$$

```
/(a - b)]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))] * EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))] * EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} \\
 &= \frac{(Ab + 6aB) \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{12ad} \\
 &= -\frac{(3Ab^2 - 6abB - 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)}}{24a^2d} \\
 &= -\frac{(3Ab^2 - 6abB - 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)}}{24a^2d} \\
 &= -\frac{(a - b) \sqrt{a + b} (3Ab^2 - 6abB - 8a^2(2A + 3C))}{24a^2d} \\
 &= -\frac{(a - b) \sqrt{a + b} (3Ab^2 - 6abB - 8a^2(2A + 3C))}{24a^2d}
 \end{aligned}$$

Mathematica [A] time = 14.475, size = 544, normalized size = 1.01

$$\frac{\sqrt{a + b \sec(c + dx)} \left(\frac{(6aB + Ab) \sin(2(c + dx))}{24a} + \frac{1}{12} A \sin(c + dx) + \frac{1}{12} A \sin(3(c + dx)) \right)}{d} - \frac{\cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \left(b(a \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((A*Sin[c + d*x])/12 + ((A*b + 6*a*B)*Sin[2*(c + d*x)]/(24*a) + (A*Sin[3*(c + d*x)]/12))/d - (Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(-(a*(a + b)*(-3*A*b^2 + 6*a*b*B + 8*a^2*(2*A + 3*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + b*(a + b)*(3*A*b^2 - 6*a*b*(A + B) + 4*a^2*(4*A + 3*B + 6*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + 3*(A*b^3 + 8*a^3*B - 2*a*b^2*B + 4*a^2*b*(A + 2*C))*((a - b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - a*(-3*A*b^2 + 6*a*b*B + 8*a^2*(2*A + 3*C))*(b + a*Cos[c + d*x])*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]*Tan[(c + d*x)/2]))/(24*a^3*d*(b + a*Cos[c + d*x])*(Cos[c + d*x])*Sec[(c + d*x)/2]^2)^(3/2))

Maple [B] time = 0.478, size = 3761, normalized size = 7.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2), x)

[Out] 1/24/d/a^2*(-1+cos(d*x+c))^2*(-24*C*cos(d*x+c)^3*a^3+24*B*a^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))-6*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)

$$\begin{aligned}
& +A\cos(d*x+c)^3*a*b^2-16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*\sin(d*x+c)+24*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3+12*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a*b^2*\sin(d*x+c)-48*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^2*b*\sin(d*x+c)-24*C*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})-48*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^3-24*C*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})+12*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a*b^2-48*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^3*\sin(d*x+c)-48*C*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^2*b-3*A*\cos(d*x+c)*b^3-8*A*\cos(d*x+c)^5*a^3-8*A*\cos(d*x+c)^3*a^3+16*A*\cos(d*x+c)^2*a^3-12*B*\cos(d*x+c)*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b-24*C*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b+48*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*a^2*b-6*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b-6*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^2-6*B*\cos(d*x+c)^2*a*b^2-18*B*\cos(d*x+c)^3*a^2*b-24*C*\cos(d*x+c)^2*a^2*b+28*A*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*b-24*A*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*b-16*A*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*b+3*A*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+
\end{aligned}$$

$$\begin{aligned} & \cos(d*x+c)/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a-2*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a*b^2+12*B*\cos(d*x+c)^2*a^3+24*C*\cos(d*x+c)^2*a^3-12*B*\cos(d*x+c)^4*a^3-3*A*\cos(d*x+c)^2*a*b^2+2*A*\cos(d*x+c)*a*b^2-6*A*\cos(d*x+c)^2*a^2*b+16*A*\cos(d*x+c)*a^2*b-10*A*\cos(d*x+c)^4*a^2*b+3*A*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})+3*A*\cos(d*x+c)^2*b^3+6*B*\cos(d*x+c)^2*a^2*b+12*B*\cos(d*x+c)*a^2*b+6*B*\cos(d*x+c)*a*b^2+24*C*\cos(d*x+c)*a^2*b-6*A*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)-16*A*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)+28*A*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*b-24*A*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*b-16*A*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*b+3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*b^3+3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2*\sin(d*x+c)-2*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2*\sin(d*x+c)-24*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b*\sin(d*x+c)+48*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b*\sin(d*x+c)-12*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b*\sin(d*x+c)-6*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b*\sin(d*x+c)-6*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2*\sin(d*x+c)*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(b+a*\cos(d*x+c))/\sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a \cos(dx + c)}^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^3, x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a \cos(dx + c)}^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^3, x)
```

3.942 $\int \sec^3(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=628

$$\frac{2(a-b)\sqrt{a+b} \cot(c+dx) (-6a^2b^2(33A-11B+24C) + 4a^3b(22B-9C) - 48a^4C - 3ab^3(627A-143B+471C) + 3b^4)}{3465b^4d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(88*a^4*b*B + 363*a^2*b^3*B + 1617*b^5*B - 48*a^5*C
- 18*a^3*b^2*(11*A + 6*C) + 6*a*b^4*(451*A + 348*C))*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b
^5*d) - (2*(a - b)*Sqrt[a + b]*(4*a^3*b*(22*B - 9*C) - 48*a^4*C - 6*a^2*b^2
*(33*A - 11*B + 24*C) + 3*b^4*(275*A - 539*B + 225*C) - 3*a*b^3*(627*A - 14
3*B + 471*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a
+ b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1
+ Sec[c + d*x]))/(a - b))]/(3465*b^4*d) - (2*(44*a^3*b*B - 968*a*b^3*B - 2
4*a^4*C - 75*b^4*(11*A + 9*C) - 3*a^2*b^2*(33*A + 19*C))*Sqrt[a + b*Sec[c +
d*x]]*Tan[c + d*x])/(3465*b^3*d) + (2*(33*a^2*b*B + 539*b^3*B - 18*a^3*C +
6*a*b^2*(132*A + 101*C))*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x
])/(3465*b^2*d) + (2*(99*A*b^2 + 110*a*b*B + 3*a^2*C + 81*b^2*C)*Sec[c + d*
x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(693*b*d) + (2*(11*b*B + 3*a*C)
*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(99*d) + (2*C*Sec[c
+ d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)
```

Rubi [A] time = 2.62743, antiderivative size = 628, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4096, 4102, 4092, 4082, 4005, 3832, 4004}

$$\frac{2 \tan(c+dx) \sec^2(c+dx) (3a^2C + 110abB + 99Ab^2 + 81b^2C) \sqrt{a+b \sec(c+dx)}}{693bd} + \frac{2 \tan(c+dx) \sec(c+dx) (33a^2bB - \dots)}{693bd}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(88*a^4*b*B + 363*a^2*b^3*B + 1617*b^5*B - 48*a^5*C
- 18*a^3*b^2*(11*A + 6*C) + 6*a*b^4*(451*A + 348*C))*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b
^5*d) - (2*(a - b)*Sqrt[a + b]*(4*a^3*b*(22*B - 9*C) - 48*a^4*C - 6*a^2*b^2
```


$$\begin{aligned} &*(33*A - 11*B + 24*C) + 3*b^4*(275*A - 539*B + 225*C) - 3*a*b^3*(627*A - 14 \\ &3*B + 471*C))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a \\ &+ b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 \\ &+ \text{Sec}[c + d*x]))/(a - b))]/(3465*b^4*d) - (2*(44*a^3*b*B - 968*a*b^3*B - 2 \\ &4*a^4*C - 75*b^4*(11*A + 9*C) - 3*a^2*b^2*(33*A + 19*C))*\text{Sqrt}[a + b*\text{Sec}[c + \\ &d*x]]*\text{Tan}[c + d*x])/ (3465*b^3*d) + (2*(33*a^2*b*B + 539*b^3*B - 18*a^3*C + \\ &6*a*b^2*(132*A + 101*C))*\text{Sec}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x \\ &])/ (3465*b^2*d) + (2*(99*A*b^2 + 110*a*b*B + 3*a^2*C + 81*b^2*C))*\text{Sec}[c + d* \\ &x]^2*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/ (693*b*d) + (2*(11*b*B + 3*a*C) \\ &*\text{Sec}[c + d*x]^3*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/ (99*d) + (2*C*\text{Sec}[c \\ &+ d*x]^3*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Tan}[c + d*x])/ (11*d) \end{aligned}$$

Rule 4096

$$\begin{aligned} &\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_ \\ &.)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n)*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a \\ &_.))^m, x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[\\ &e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b*\text{Csc}[e + f \\ &*x])^m - 1)*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*(m + n + 1) + a*C*n + ((A*b + a*B) \\ &*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) + a*C*m)*\text{Csc}[e \\ &+ f*x]^2, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - \\ &b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LeQ}[n, -1] \end{aligned}$$

Rule 4102

$$\begin{aligned} &\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_ \\ &.)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n)*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a \\ &_.))^m, x_Symbol] \text{ :> } -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1} \\ &*(d*\text{Csc}[e + f*x])^{n-1})/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \\ &\text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[a*C*(n - 1) + (A*b \\ &*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\text{Csc}[e \\ &+ f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - \\ &b^2, 0] \&\& \text{GtQ}[n, 0] \end{aligned}$$

Rule 4092

$$\begin{aligned} &\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]^2*((A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[\\ &(e_.) + (f_.)*(x_)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x \\ &_Symbol] \text{ :> } -\text{Simp}[(C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1} \\ &)/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f \\ &*x])^m*\text{Simp}[a*C + b*(C*(m + 2) + A*(m + 3))*\text{Csc}[e + f*x] - (2*a*C - b*B*(m \\ &+ 3))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{N} \\ &\text{eQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -1] \end{aligned}$$

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol]
:> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^3(c + dx)(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^3(c + dx)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{11d} \\
&= \frac{2(11bB + 3aC) \sec^3(c + dx) \sqrt{a + b \sec(c + dx)}}{99d} \\
&= \frac{2(99Ab^2 + 110abB + 3a^2C + 81b^2C) \sec^3(c + dx) \sqrt{a + b \sec(c + dx)}}{6} \\
&= \frac{2(33a^2bB + 539b^3B - 18a^3C + 6ab^2(11bB + 3aC)) \sec^3(c + dx) \sqrt{a + b \sec(c + dx)}}{6} \\
&= -\frac{2(44a^3bB - 968ab^3B - 24a^4C - 75b^4C) \sec^3(c + dx) \sqrt{a + b \sec(c + dx)}}{6} \\
&= -\frac{2(44a^3bB - 968ab^3B - 24a^4C - 75b^4C) \sec^3(c + dx) \sqrt{a + b \sec(c + dx)}}{6} \\
&= -\frac{2(a - b) \sqrt{a + b} (88a^4bB + 363a^2b^3B - 1617a^5b^5B + 48a^5b^5C + 18a^3b^2(11a^2B + 6a^2C) - 6ab^4(451a^2B + 348a^2C)) \sec^3(c + dx) \sqrt{a + b \sec(c + dx)}}{11}
\end{aligned}$$

Mathematica [A] time = 21.6226, size = 1087, normalized size = 1.73

$$(a + b \sec(c + dx))^{3/2} (C \sec^2(c + dx) + B \sec(c + dx) + A) \left(\frac{4}{99} (11bB \sin(c + dx) + 12aC \sin(c + dx)) \sec^4(c + dx) + \frac{4}{11} b \sec^3(c + dx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (4*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*((a + b)*(-88*a^4*b*B - 363*a^2*b^3*B - 1617*b^5*B + 48*a^5*C + 18*a^3*b^2*(11*A + 6*C) - 6*a*b^4*(451*A + 348*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + b*(a + b)*(-48*a^4*C + 4*a^3*b*(22*B + 9*C) - 6*a^2*

$$\begin{aligned}
& b^2(33A + 11B + 24C) + 3b^4(275A + 539B + 225C) + 3ab^3(627A + \\
& 143B + 471C) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * \text{Sqrt}[\\
& 1 - \text{Tan}[(c + dx)/2]^2 * (1 + \text{Tan}[(c + dx)/2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d \\
& * x)/2]^2 + b * \text{Tan}[(c + dx)/2]^2)/(a + b)] + (-88a^4 * b * B - 363a^2 * b^3 * B - \\
& 1617 * b^5 * B + 48a^5 * C + 18a^3 * b^2 * (11A + 6C) - 6a * b^4 * (451A + 348C)) * \\
& \text{Tan}[(c + dx)/2] * (b - b * \text{Tan}[(c + dx)/2]^4 + a * (-1 + \text{Tan}[(c + dx)/2]^2)^2) \\
&) / (3465 * b^4 * d * (b + a * \text{Cos}[c + dx])^{(3/2)} * (A + 2C + 2B * \text{Cos}[c + dx] + A * C \\
& \text{os}[2c + 2dx]) * \text{Sec}[c + dx]^{(7/2)} * (1 + \text{Tan}[(c + dx)/2]^2)^{(3/2)} * \text{Sqrt}[(a \\
& + b - a * \text{Tan}[(c + dx)/2]^2 + b * \text{Tan}[(c + dx)/2]^2) / (1 + \text{Tan}[(c + dx)/2]^2) \\
&]) + (\text{Cos}[c + dx]^{(3/2)} * (a + b * \text{Sec}[c + dx])^{(3/2)} * (A + B * \text{Sec}[c + dx] + C * \text{Sec} \\
& [c + dx]^2) * ((-4 * (198 * a^3 * A * b^2 - 2706 * a * A * b^4 - 88 * a^4 * b * B - 363 * a^2 * b^3 * \\
& B - 1617 * b^5 * B + 48 * a^5 * C + 108 * a^3 * b^2 * C - 2088 * a * b^4 * C) * \text{Sin}[c + dx]) / (34 \\
& 65 * b^4) + (4 * \text{Sec}[c + dx]^4 * (11 * b * B * \text{Sin}[c + dx] + 12 * a * C * \text{Sin}[c + dx])) / 99 \\
& + (4 * \text{Sec}[c + dx]^3 * (99 * A * b^2 * \text{Sin}[c + dx] + 110 * a * b * B * \text{Sin}[c + dx] + 3 * a^ \\
& 2 * C * \text{Sin}[c + dx] + 81 * b^2 * C * \text{Sin}[c + dx])) / (693 * b) + (4 * \text{Sec}[c + dx]^2 * (792 \\
& * a * A * b^2 * \text{Sin}[c + dx] + 33 * a^2 * b * B * \text{Sin}[c + dx] + 539 * b^3 * B * \text{Sin}[c + dx] - \\
& 18 * a^3 * C * \text{Sin}[c + dx] + 606 * a * b^2 * C * \text{Sin}[c + dx])) / (3465 * b^2) + (4 * \text{Sec}[c + \\
& dx] * (99 * a^2 * A * b^2 * \text{Sin}[c + dx] + 825 * A * b^4 * \text{Sin}[c + dx] - 44 * a^3 * b * B * \text{Sin}[c \\
& + dx] + 968 * a * b^3 * B * \text{Sin}[c + dx] + 24 * a^4 * C * \text{Sin}[c + dx] + 57 * a^2 * b^2 * C * S \\
& in[c + dx] + 675 * b^4 * C * \text{Sin}[c + dx])) / (3465 * b^3) + (4 * b * C * \text{Sec}[c + dx]^4 * T \\
& an[c + dx] / 11) / (d * (b + a * \text{Cos}[c + dx]) * (A + 2C + 2B * \text{Cos}[c + dx] + A * C \\
& os[2c + 2dx]))
\end{aligned}$$

Maple [B] time = 3.062, size = 7208, normalized size = 11.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^3*(a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx+c)^6 + (Ca+Bb) \sec(dx+c)^5 + Aa \sec(dx+c)^3 + (Ba+Ab) \sec(dx+c)^4\right) \sqrt{b \sec(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^6 + (C*a + B*b)*sec(d*x + c)^5 + A*a*sec(d*x + c)^3 + (B*a + A*b)*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c) + A \right) (b \sec(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)
)*sec(d*x + c)^3, x)
```

3.943 $\int \sec^2(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=505

$$\frac{2(a-b)\sqrt{a+b} \cot(c+dx) (6a^2b(3B-C) - 8a^3C - 3ab^2(21A - 57B + 13C) + 3b^3(63A - 25B + 49C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{315b^3d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(18*a^3*b*B - 246*a*b^3*B - 8*a^4*C - 21*b^4*(9*A +
7*C) - 3*a^2*b^2*(21*A + 11*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Se
c[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a +
b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) + (2*(a - b)*Sqrt
[a + b]*(6*a^2*b*(3*B - C) - 8*a^3*C - 3*a*b^2*(21*A - 57*B + 13*C) + 3*b^3
*(63*A - 25*B + 49*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x
]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt
[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^3*d) - (2*(18*a^2*b*B - 75*b^3*
B - 8*a^3*C - 3*a*b^2*(21*A + 13*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])
/(315*b^2*d) + (2*(63*A*b^2 - 18*a*b*B + 8*a^2*C + 49*b^2*C)*(a + b*Sec[c +
d*x])^(3/2)*Tan[c + d*x])/(315*b^2*d) + (2*(9*b*B - 4*a*C)*(a + b*Sec[c +
d*x])^(5/2)*Tan[c + d*x])/(63*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x
])^(5/2)*Tan[c + d*x])/(9*b*d)
```

Rubi [A] time = 1.32093, antiderivative size = 505, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4092, 4082, 4002, 4005, 3832, 4004}

$$\frac{2 \tan(c + dx) (8a^2C - 18abB + 63Ab^2 + 49b^2C) (a + b \sec(c + dx))^{3/2}}{315b^2d} - \frac{2 \tan(c + dx) (18a^2bB - 8a^3C - 3ab^2(21A + 13C) + 3b^3(63A - 25B + 49C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{315b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(18*a^3*b*B - 246*a*b^3*B - 8*a^4*C - 21*b^4*(9*A +
7*C) - 3*a^2*b^2*(21*A + 11*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Se
c[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a +
b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) + (2*(a - b)*Sqrt
[a + b]*(6*a^2*b*(3*B - C) - 8*a^3*C - 3*a*b^2*(21*A - 57*B + 13*C) + 3*b^3
*(63*A - 25*B + 49*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x
]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt
[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^3*d) - (2*(18*a^2*b*B - 75*b^3*
B - 8*a^3*C - 3*a*b^2*(21*A + 13*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])
/(315*b^2*d) + (2*(63*A*b^2 - 18*a*b*B + 8*a^2*C + 49*b^2*C)*(a + b*Sec[c +
d*x])^(3/2)*Tan[c + d*x])/(315*b^2*d) + (2*(9*b*B - 4*a*C)*(a + b*Sec[c +
d*x])^(5/2)*Tan[c + d*x])/(63*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x
])^(5/2)*Tan[c + d*x])/(9*b*d)
```

$$B - 8a^3C - 3ab^2(21A + 13C) \sqrt{a + b \sec[c + dx]} \tan[c + dx] / (315b^2d) + (2(63Ab^2 - 18abB + 8a^2C + 49b^2C)(a + b \sec[c + dx])^{3/2} \tan[c + dx]) / (315b^2d) + (2(9bB - 4aC)(a + b \sec[c + dx])^{5/2} \tan[c + dx]) / (63b^2d) + (2C \sec[c + dx](a + b \sec[c + dx])^{5/2} \tan[c + dx]) / (9bd)$$
Rule 4092

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol]
:> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol]
:> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol]
:> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
```



```

ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec(c + dx)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{9bd} \\
&= \frac{2(9bB - 4aC)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{63b^2d} \\
&= \frac{2(63Ab^2 - 18abB + 8a^2C + 49b^2C)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{315b^2d} \\
&= -\frac{2(18a^2bB - 75b^3B - 8a^3C - 3ab^2(21a + b)) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{315b^2d} \\
&= -\frac{2(18a^2bB - 75b^3B - 8a^3C - 3ab^2(21a + b)) \sqrt{a + b} \tan(c + dx)}{315b^2d} \\
&= \frac{2(a - b)\sqrt{a + b} (18a^3bB - 246ab^3B - 8a^3C - 3ab^2(21a + b)) \tan(c + dx)}{315b^2d}
\end{aligned}$$

Mathematica [B] time = 26.4849, size = 4186, normalized size = 8.29

Result too large to show

Warning: Unable to verify antiderivative.

```

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2),x]

```

```

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2)*((4*(63*a^2*A*b^2 + 189*A*b^4 - 18*a^3*b*B + 246*a*b^3*B + 8*a^4*C
+ 33*a^2*b^2*C + 147*b^4*C)*Sin[c + d*x])/(315*b^3) + (4*Sec[c + d*x]^3*(9*
b*B*Sin[c + d*x] + 10*a*C*Sin[c + d*x]))/63 + (4*Sec[c + d*x]^2*(63*A*b^2*S
in[c + d*x] + 72*a*b*B*Sin[c + d*x] + 3*a^2*C*Sin[c + d*x] + 49*b^2*C*Sin[c
+ d*x]))/(315*b) + (4*Sec[c + d*x]*(126*a*A*b^2*Sin[c + d*x] + 9*a^2*b*B*S
in[c + d*x] + 75*b^3*B*Sin[c + d*x] - 4*a^3*C*Sin[c + d*x] + 88*a*b^2*C*Sin
[c + d*x]))/(315*b^2) + (4*b*C*Sec[c + d*x]^3*Tan[c + d*x])/9))/(d*(b + a*C
os[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (4*((-2*a
^2*A)/(5*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (6*A*b^2)/(5*Sqrt[b
+ a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (4*a^3*B)/(35*b*Sqrt[b + a*Cos[c +
d*x]]*Sqrt[Sec[c + d*x]]) - (164*a*b*B)/(105*Sqrt[b + a*Cos[c + d*x]]*Sqrt
[Sec[c + d*x]]) - (22*a^2*C)/(105*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x
]]) - (16*a^4*C)/(315*b^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (1
4*b^2*C)/(15*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a^3*A*Sqrt[S
ec[c + d*x]])/(5*b*Sqrt[b + a*Cos[c + d*x]]) + (2*a*A*b*Sqrt[Sec[c + d*x]])
/(5*Sqrt[b + a*Cos[c + d*x]]) - (62*a^2*B*Sqrt[Sec[c + d*x]])/(105*Sqrt[b +
a*Cos[c + d*x]]) + (4*a^4*B*Sqrt[Sec[c + d*x]])/(35*b^2*Sqrt[b + a*Cos[c +
d*x]]) + (10*b^2*B*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (16
*a^5*C*Sqrt[Sec[c + d*x]])/(315*b^3*Sqrt[b + a*Cos[c + d*x]]) - (62*a^3*C*S
qrt[Sec[c + d*x]])/(315*b*Sqrt[b + a*Cos[c + d*x]]) + (26*a*b*C*Sqrt[Sec[c
+ d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) - (2*a^3*A*Cos[2*(c + d*x)]*Sqrt[Se
c[c + d*x]])/(5*b*Sqrt[b + a*Cos[c + d*x]]) - (6*a*A*b*Cos[2*(c + d*x)]*Sqr
t[Sec[c + d*x]])/(5*Sqrt[b + a*Cos[c + d*x]]) - (164*a^2*B*Cos[2*(c + d*x)]
*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) + (4*a^4*B*Cos[2*(c + d
*x)]*Sqrt[Sec[c + d*x]])/(35*b^2*Sqrt[b + a*Cos[c + d*x]]) - (16*a^5*C*Cos[
2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(315*b^3*Sqrt[b + a*Cos[c + d*x]]) - (22*a
^3*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*b*Sqrt[b + a*Cos[c + d*x]])
- (14*a*b*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x
]]))*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x])*(a + b*Sec[c + d*x])^(3/2)*(A +
B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((a + b)*((-18*a^3*b*B + 246*a*b^3*B + 8
*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(21*A + 11*C))*EllipticE[ArcSin[Tan
[(c + d*x)/2]], (a - b)/(a + b)] - b*(8*a^3*C - 6*a^2*b*(3*B + C) + 3*a*b^2
*(21*A + 57*B + 13*C) + 3*b^3*(63*A + 25*B + 49*C))*EllipticF[ArcSin[Tan[(c
+ d*x)/2]], (a - b)/(a + b)])*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sqrt
[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Sec[c + d*x] + (-18*a^3
*b*B + 246*a*b^3*B + 8*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(21*A + 11*C)
)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(
315*b^3*d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c +
2*d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]^(7/2)*((-2*a*Sqrt[Cos[(c +
d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*((a + b)*((-18*a^3*b*B + 246*a*b^3*B +
8*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(21*A + 11*C))*EllipticE[ArcSin[T
an[(c + d*x)/2]], (a - b)/(a + b)] - b*(8*a^3*C - 6*a^2*b*(3*B + C) + 3*a*b
^2*(21*A + 57*B + 13*C) + 3*b^3*(63*A + 25*B + 49*C))*EllipticF[ArcSin[Tan[
(c + d*x)/2]], (a - b)/(a + b)])*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sq

```

$$\begin{aligned}
& \text{rt}[(b + a \cos[c + dx]) \sec[(c + dx)/2]^2 / (a + b)] \sec[c + dx] + (-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) \cos[c + dx] (b + a \cos[c + dx]) \sec[(c + dx)/2]^4 \tan[(c + dx)/2]) \\
& / (315b^3(b + a \cos[c + dx])^{3/2} (\sec[(c + dx)/2]^2)^{3/2} + (2\sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \tan[(c + dx)/2] * ((a + b) * ((-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(8a^3C - 6a^2b(3B + C) + 3ab^2(21A + 57B + 13C) + 3b^3(63A + 25B + 49C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] * (\cos[c + dx] \sec[(c + dx)/2]^2)^{3/2} * \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} \sec[c + dx] + (-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) \cos[c + dx] (b + a \cos[c + dx]) \sec[(c + dx)/2]^4 \tan[(c + dx)/2]) / (105b^3 \sqrt{b + a \cos[c + dx]} * (\sec[(c + dx)/2]^2)^{3/2} - (2 * ((a + b) * ((-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(8a^3C - 6a^2b(3B + C) + 3ab^2(21A + 57B + 13C) + 3b^3(63A + 25B + 49C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] * (\cos[c + dx] \sec[(c + dx)/2]^2)^{3/2} * \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} \sec[c + dx] + (-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) \cos[c + dx] (b + a \cos[c + dx]) \sec[(c + dx)/2]^4 \tan[(c + dx)/2]) * (-\cos[(c + dx)/2] \sec[c + dx] * \sin[(c + dx)/2] + \cos[(c + dx)/2]^2 \sec[c + dx] * \tan[c + dx])) / (315b^3 \sqrt{b + a \cos[c + dx]} * (\sec[(c + dx)/2]^2)^{3/2} * \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]}) - (4\sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} * (((-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) * \cos[c + dx] * (b + a \cos[c + dx]) \sec[(c + dx)/2]^6) / 2 - a(-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) * \cos[c + dx] * \sec[(c + dx)/2]^4 \sin[c + dx] * \tan[(c + dx)/2] - (-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) * (b + a \cos[c + dx]) \sec[(c + dx)/2]^4 \sin[c + dx] * \tan[(c + dx)/2] + 2 * (-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) * \cos[c + dx] * (b + a \cos[c + dx]) \sec[(c + dx)/2]^4 \tan[(c + dx)/2]^2 + (3 * (a + b) * ((-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(8a^3C - 6a^2b(3B + C) + 3ab^2(21A + 57B + 13C) + 3b^3(63A + 25B + 49C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]]) * \sqrt{\cos[c + dx] \sec[(c + dx)/2]^2} * \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} \sec[c + dx] * (-\sec[(c + dx)/2]^2 \sin[c + dx] + \cos[c + dx] \sec[(c + dx)/2]^2 \tan[(c + dx)/2])) / 2 + ((a + b) * ((-18a^3b^3B + 246a^2b^3B + 8a^4C + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(8a^3C - 6a^2b(3B + C) + 3ab^2(21A + 57B + 13C) + 3b^3(63A + 25B + 49C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]]) * (\cos[c + dx] \sec[(c + dx)/2]^2)^{3/2} * \sec[c + dx] * (-((a \sec[(c + dx)/2]^2 \sin[c + dx]) / (a + b)) + ((b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (a + b))) / (2\sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]})
\end{aligned}$$

$$\begin{aligned} & ((b + a\cos[c + dx])\sec[(c + dx)/2]^2/(a + b)) + (a + b)(\cos[c + dx] \\ & * \sec[(c + dx)/2]^2)^{3/2} \sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} \\ & * \sec[c + dx] * (-(b(8a^3C - 6a^2b(3B + C) + 3ab^2(21A + 57B + 13C) \\ & + 3b^3(63A + 25B + 49C))\sec[(c + dx)/2]^2)/(2\sqrt{1 - \tan[(c + dx)/2]^2} \\ & * \sqrt{1 - ((a - b)\tan[(c + dx)/2]^2)/(a + b)}) + ((-18a^3bB + 246ab^3B + 8a^4C \\ & + 21b^4(9A + 7C) + 3a^2b^2(21A + 11C))\sec[(c + dx)/2]^2\sqrt{1 - ((a - b)\tan[(c + dx)/2]^2)/(a + b)}) \\ & / (2\sqrt{1 - \tan[(c + dx)/2]^2})) + (a + b)((-18a^3bB + 246ab^3B + 8a^4C + 21b^4(9A + 7C) \\ & + 3a^2b^2(21A + 11C))\operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] - b(8a^3C \\ & - 6a^2b(3B + C) + 3ab^2(21A + 57B + 13C) + 3b^3(63A + 25B + 49C))\operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], \\ & (a - b)/(a + b)] * (\cos[c + dx]\sec[(c + dx)/2]^2)^{3/2} \sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} \\ & * \sec[c + dx] * \tan[c + dx]) / (315b^3\sqrt{b + a\cos[c + dx]} * (\sec[(c + dx)/2]^2)^{3/2})) \end{aligned}$$

Maple [B] time = 2.063, size = 5945, normalized size = 11.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^2*(a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^2*(a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left((Cb \sec(dx + c))^5 + (Ca + Bb) \sec(dx + c)^4 + Aa \sec(dx + c)^2 + (Ba + Ab) \sec(dx + c)^3 \right) \sqrt{b \sec(dx + c) + a}, x$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^5 + (C*a + B*b)*sec(d*x + c)^4 + A*a*sec(d*x + c)^2 + (B*a + A*b)*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^2, x)
```

3.944 $\int \sec(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=406

$$\frac{2(a-b)\sqrt{a+b} \cot(c+dx) (6a^2C + 3ab(35A - 7B + 19C) - b^2(35A - 63B + 25C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticE}\left[\frac{\text{ArcSin}\left[\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right]}{\sqrt{a+b}}\right], \frac{(a+b)/(a-b) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{(a+b)} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\right]}{105b^2d}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(21*a^2*b*B + 63*b^3*B - 6*a^3*C + 2*a*b^2*(70*A + 41*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(a - b)*Sqrt[a + b]*(6*a^2*C + 3*a*b*(35*A - 7*B + 19*C) - b^2*(35*A - 63*B + 25*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^2*d) + (2*(35*A*b^2 + 21*a*b*B - 6*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(105*b*d) + (2*(7*b*B - 2*a*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x]/(35*b*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x]/(7*b*d)

Rubi [A] time = 0.830225, antiderivative size = 406, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4082, 4002, 4005, 3832, 4004}

$$\frac{2 \tan(c + dx) (-6a^2C + 21abB + 35Ab^2 + 25b^2C) \sqrt{a + b \sec(c + dx)}}{105bd} + \frac{2(a-b)\sqrt{a+b} \cot(c+dx) (6a^2C + 3ab(35A - 7B + 19C) - b^2(35A - 63B + 25C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticE}\left[\frac{\text{ArcSin}\left[\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right]}{\sqrt{a+b}}\right], \frac{(a+b)/(a-b) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{(a+b)} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\right]}{105b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-2*(a - b)*Sqrt[a + b]*(21*a^2*b*B + 63*b^3*B - 6*a^3*C + 2*a*b^2*(70*A + 41*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(a - b)*Sqrt[a + b]*(6*a^2*C + 3*a*b*(35*A - 7*B + 19*C) - b^2*(35*A - 63*B + 25*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^2*d) + (2*(35*A*b^2 + 21*a*b*B - 6*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x]/(105*b*d) + (2*(7*b*B - 2*a*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x]/(35*b*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x]/(7*b*d)

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol]
:> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol]
:> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol]
:> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{7bd} + \frac{2}{7bd} \\
&= \frac{2(7bB - 2aC)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{35bd} \\
&= \frac{2(35Ab^2 + 21abB - 6a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)}}{105bd} \\
&= \frac{2(35Ab^2 + 21abB - 6a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)}}{105bd} \\
&= -\frac{2(a - b)\sqrt{a + b}(21a^2bB + 63b^3B - 6a^3C)}{105bd}
\end{aligned}$$

Mathematica [B] time = 26.0178, size = 3724, normalized size = 9.17

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(-140*a*A*b^2 - 21*a^2*b*B - 63*b^3*B + 6*a^3*C - 82*a*b^2*C)*Sin[c + d*x]))/(105*b^2) + (4*Sec[c + d*x]^2*(7*b*B*Sin[c + d*x] + 8*a*C*Sin[c + d*x]))/35 + (4*Sec[c + d*x]*(35*A*b^2*Sin[c + d*x] + 42*a*b*B*Sin[c + d*x] + 3*a^2*C*Sin[c + d*x] + 25*b^2*C*Sin[c + d*x]))/(105*b) + (4*b*C*Sec[c + d*x]^2*Tan[c + d*x])/7)/(d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*((-8*a*A*b)/(3*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a^2*B)/(5*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (6*b^2*B)/(5*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (4*a^3*C)/(35*b*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (164*a*b*C)/(105*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a^2*A*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) + (2*A*b^2*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) - (2*a^3*B*Sqrt[Sec[c + d*x]])/(5*b*Sqrt[b + a*Cos[c + d*x]]) + (2*a*b*B*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*Cos[c + d*x]]) - (62*a^2*C*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) + (4*a^4*C*Sqrt[Sec[c + d*x]])/(35*b^2*Sqrt[b + a*Cos[c + d*x]]) + (10*b^2*C*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (8*a^2*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*S

$$\begin{aligned}
& \sqrt{b + a \cos[c + dx]} - (2a^3 B \cos[2(c + dx)] \sqrt{\sec[c + dx]}) / (5 \\
& * b \sqrt{b + a \cos[c + dx]}) - (6a^2 b B \cos[2(c + dx)] \sqrt{\sec[c + dx]}) \\
&) / (5 \sqrt{b + a \cos[c + dx]}) - (164a^2 C \cos[2(c + dx)] \sqrt{\sec[c + d \\
& * x]}) / (105 \sqrt{b + a \cos[c + dx]}) + (4a^4 C \cos[2(c + dx)] \sqrt{\sec[c \\
& + dx]}) / (35b^2 \sqrt{b + a \cos[c + dx]}) * \sqrt{\cos[(c + dx)/2]^2 \sec[c \\
& + dx]} * (a + b \sec[c + dx])^{3/2} * (A + B \sec[c + dx] + C \sec[c + dx]^2) * \\
& (2(a + b) * (-21a^2 b B - 63b^3 B + 6a^3 C - 2a^2 b^2 (70A + 41C)) * \sqrt{ \\
& \cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a \cos[c + dx]) / ((a + b) * (1 + \cos \\
& [c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b * (a \\
& + b) * (-6a^2 C + 3a^2 b * (35A + 7B + 19C) + b^2 * (35A + 63B + 25C)) * \sqrt{ \\
& \cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((a + b) * (1 + \cos \\
& [c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-21 \\
& * a^2 b B - 63b^3 B + 6a^3 C - 2a^2 b^2 (70A + 41C)) * \cos[c + dx] * (b + a * \\
& \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) / (105b^2 * d * (b + a \cos[c \\
& + dx])^2 * (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) * \sqrt{\sec[(c + \\
& dx)/2]^2} * \sec[c + dx]^{7/2} * ((2a * \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} * \text{S} \\
& \text{in}[c + dx] * (2(a + b) * (-21a^2 b B - 63b^3 B + 6a^3 C - 2a^2 b^2 (70A + \\
& 41C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{(b + a \cos[c + dx]) / ((a \\
& + b) * (1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + \\
& b)] + 2b * (a + b) * (-6a^2 C + 3a^2 b * (35A + 7B + 19C) + b^2 * (35A + 63B \\
& + 25C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((\\
& a + b) * (1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a \\
& + b)] + (-21a^2 b B - 63b^3 B + 6a^3 C - 2a^2 b^2 (70A + 41C)) * \cos[c + \\
& dx] * (b + a \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) / (105b^2 * (b \\
& + a \cos[c + dx])^{3/2} * \sqrt{\sec[(c + dx)/2]^2}) - (2 * \sqrt{\cos[(c + dx) / \\
& 2]^2 \sec[c + dx]} * \tan[(c + dx)/2] * (2(a + b) * (-21a^2 b B - 63b^3 B + 6 \\
& a^3 C - 2a^2 b^2 (70A + 41C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \sqrt{ \\
& (b + a \cos[c + dx]) / ((a + b) * (1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + \\
& dx)/2]], (a - b)/(a + b)] + 2b * (a + b) * (-6a^2 C + 3a^2 b * (35A + 7B + 1 \\
& 9C) + b^2 * (35A + 63B + 25C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{ \\
& (b + a \cos[c + dx]) / ((a + b) * (1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c \\
& + dx)/2]], (a - b)/(a + b)] + (-21a^2 b B - 63b^3 B + 6a^3 C - 2a^2 b^2 \\
& * (70A + 41C)) * \cos[c + dx] * (b + a \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c \\
& + dx)/2]) / (105b^2 * \sqrt{b + a \cos[c + dx]} * \sqrt{\sec[(c + dx)/2]^2}) + \\
& (4 * \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} * (((-21a^2 b B - 63b^3 B + 6a^3 C \\
& - 2a^2 b^2 (70A + 41C)) * \cos[c + dx] * (b + a \cos[c + dx]) * \sec[(c + dx) / \\
& 2]^4) / 2 + ((a + b) * (-21a^2 b B - 63b^3 B + 6a^3 C - 2a^2 b^2 (70A + 41C \\
&)) * \sqrt{(b + a \cos[c + dx]) / ((a + b) * (1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin} \\
& [\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[\\
& c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx]))) / \sqrt{\cos[c + dx] / (1 + \cos[\\
& c + dx])}] + (b * (a + b) * (-6a^2 C + 3a^2 b * (35A + 7B + 19C) + b^2 * (35A + \\
& 63B + 25C)) * \sqrt{(b + a \cos[c + dx]) / ((a + b) * (1 + \cos[c + dx]))} * \text{Elli \\
& pticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx] \\
&]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx]))) / \sqrt{\cos[c + d \\
& x] / (1 + \cos[c + dx])}] + ((a + b) * (-21a^2 b B - 63b^3 B + 6a^3 C - 2a^2 b
\end{aligned}$$

$$\begin{aligned}
& ^2*(70*A + 41*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-(a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(a + b)*(-6*a^2*C + 3*a*b*(35*A + 7*B + 19*C) + b^2*(35*A + 63*B + 25*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-(a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(-21*a^2*b*B - 63*b^3*B + 6*a^3*C - 2*a*b^2*(70*A + 41*C))*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-21*a^2*b*B - 63*b^3*B + 6*a^3*C - 2*a*b^2*(70*A + 41*C))*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-21*a^2*b*B - 63*b^3*B + 6*a^3*C - 2*a*b^2*(70*A + 41*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (b*(a + b)*(-6*a^2*C + 3*a*b*(35*A + 7*B + 19*C) + b^2*(35*A + 63*B + 25*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-21*a^2*b*B - 63*b^3*B + 6*a^3*C - 2*a*b^2*(70*A + 41*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)])/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2)]/(105*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*(2*(a + b)*(-21*a^2*b*B - 63*b^3*B + 6*a^3*C - 2*a*b^2*(70*A + 41*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-6*a^2*C + 3*a*b*(35*A + 7*B + 19*C) + b^2*(35*A + 63*B + 25*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-21*a^2*b*B - 63*b^3*B + 6*a^3*C - 2*a*b^2*(70*A + 41*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(105*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]))
\end{aligned}$$

Maple [B] time = 1.217, size = 4527, normalized size = 11.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] `2/105/d/b^2*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(-140*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*`

$$\begin{aligned}
&)^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) \\
& * a * b^3 + 6 * C * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (\\
& a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx \\
& *c), ((a-b)/(a+b))^{1/2}) * a^3 * b - 51 * C * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c) / (\\
& \cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{Elliptic} \\
& \text{icF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 - 82 * C * \cos(dx+c) \\
& ^4 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\\
& \cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
&) * a * b^3 - 6 * C * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (\\
& a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(\\
& dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * b + 82 * C * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c) / (\\
& \cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{Ellip} \\
& \text{ticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 + 82 * C * \cos(dx+c) \\
& ^4 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\\
& \cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
&) * a * b^3 + 6 * C * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (\\
& a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin \\
& (dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * b + 140 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) \\
&) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{Ellip} \\
& \text{ticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^3 - 51 * C * \cos(dx+c) \\
& ^3 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\\
& \cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
&) * a^2 * b^2 - 82 * C * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \\
& * (1 / (a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin \\
& (dx+c), ((a-b)/(a+b))^{1/2}) * a * b^3 - 6 * C * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c) \\
&) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{El} \\
& \text{lipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * b + 82 * C * \cos(dx+c) \\
& ^3 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\\
& \cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
&) * a^2 * b^2 + 82 * C * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \\
& * (1 / (a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) \\
& / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^3 - 21 * B * \cos(dx+c)^4 * a^2 * b^2 - 21 * B * \cos(dx \\
& *c)^5 * a^3 * b + 6 * C * \cos(dx+c)^4 * a^3 * b - 3 * C * \cos(dx+c)^3 * a^3 * b + 68 * C * \cos(dx+c) \\
& ^3 * a * b^3 + 27 * C * \cos(dx+c)^2 * a^2 * b^2 + 39 * C * \cos(dx+c) * a * b^3 + 63 * B * \cos(dx+c)^4 * \\
& (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)) \\
& ^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) \\
& * b^4 - 63 * B * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(\\
& dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(\\
& a+b))^{1/2}) * \sin(dx+c) * b^4 + 63 * B * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} \\
& * (1 / (a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c) \\
&) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * b^4 - 63 * B * \cos(dx+c)^3 * (\cos(dx \\
& *c) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\
& * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * b^4 - 3 \\
& 5 * A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1 / (a+b) * (b+a \\
& * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a
\end{aligned}$$

$$\begin{aligned}
& -b)/(a+b))^{(1/2)} * b^4 - 35 * A * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 25 * C * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 6 * C * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^4 - 25 * C * \cos(d*x+c)^3 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 6 * C * \cos(d*x+c)^3 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^4 - 6 * C * \cos(d*x+c)^4 * a^4 + 10 * C * \cos(d*x+c)^2 * b^4 + 15 * C * b^4 / (b+a*\cos(d*x+c)) / \cos(d*x+c)^3 / \sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Cb \sec(dx+c))^4 + (Ca + Bb) \sec(dx+c)^3 + Aa \sec(dx+c) + (Ba + Ab) \sec(dx+c)^2 \right) \sqrt{b \sec(dx+c) + a}, x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^4 + (C*a + B*b)*sec(d*x + c)^3 + A*a*sec(d*x + c) + (B*a + A*b)*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c), x)
```

3.945 $\int (a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=443

$$\frac{2\sqrt{a+b} \cot(c+dx) (3a^2(5B-C) + 2ab(15A-10B+6C) - b^2(15A-5B+9C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticE}[\text{ArcSin}[\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}], \frac{(a+b)}{(a-b)}] \sqrt{\frac{b(1-\sec(c+dx))}{(a+b)}} \sqrt{\frac{-(b(1+\sec(c+dx))}{(a-b)})}}{(15b^2d) + (2\sqrt{a+b} (3a^2(5B-C) + 2ab(15A-10B+6C) - b^2(15A-5B+9C)) \cot(c+dx) \text{EllipticF}[\text{ArcSin}[\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}], \frac{(a+b)}{(a-b)}] \sqrt{\frac{b(1-\sec(c+dx))}{(a+b)}}] \sqrt{\frac{-(b(1+\sec(c+dx))}{(a-b)})}}{(15bd) - (2aA\sqrt{a+b} \cot(c+dx) \text{EllipticPi}[\frac{(a+b)}{a}, \text{ArcSin}[\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}], \frac{(a+b)}{(a-b)}] \sqrt{\frac{b(1-\sec(c+dx))}{(a+b)}}] \sqrt{\frac{-(b(1+\sec(c+dx))}{(a-b)})}}/d + (2(5bB + 3aC) \sqrt{a+b \sec(c+dx)}) \tan(c+dx))}{(15d) + (2C(a+b \sec(c+dx))^{3/2} \tan(c+dx))}{15bd}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(15*A*b^2 + 20*a*b*B + 3*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^2*d) + (2*Sqrt[a + b]*(3*a^2*(5*B - C) + 2*a*b*(15*A - 10*B + 6*C) - b^2*(15*A - 5*B + 9*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b*d) - (2*a*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d + (2*(5*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

Rubi [A] time = 0.660718, antiderivative size = 443, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b} \cot(c+dx) (3a^2(5B-C) + 2ab(15A-10B+6C) - b^2(15A-5B+9C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F(\sin^{-1}[\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}], \frac{(a+b)}{(a-b)}) \sqrt{\frac{b(1-\sec(c+dx))}{(a+b)}} \sqrt{\frac{-(b(1+\sec(c+dx))}{(a-b)})}}{(15bd) - (2aA\sqrt{a+b} \cot(c+dx) \text{EllipticPi}[\frac{(a+b)}{a}, \text{ArcSin}[\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}], \frac{(a+b)}{(a-b)}] \sqrt{\frac{b(1-\sec(c+dx))}{(a+b)}}] \sqrt{\frac{-(b(1+\sec(c+dx))}{(a-b)})}}/d + (2(5bB + 3aC) \sqrt{a+b \sec(c+dx)}) \tan(c+dx))}{(15d) + (2C(a+b \sec(c+dx))^{3/2} \tan(c+dx))}{15bd}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-2*(a - b)*Sqrt[a + b]*(15*A*b^2 + 20*a*b*B + 3*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^2*d) + (2*Sqrt[a + b]*(3*a^2*(5*B - C) + 2*a*b*(15*A - 10*B + 6*C) - b^2*(15*A - 5*B + 9*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b*d) - (2*a*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d + (2*(5*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

$$\frac{[c + d*x]}{(15*d)} + \frac{(2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])}{(5*d)}$$

Rule 4056

$$\text{Int}[\frac{(A + \csc[e + f*x] + (f*x)) * (B + \csc[e + f*x]^2 * C)}{(a + b*\csc[e + f*x] + (a))^{m+1}}, x_Symbol] \rightarrow -\text{Simp}[\frac{C*\cot[e + f*x] * (a + b*\csc[e + f*x])^m}{(f*(m+1))}, x] + \text{Dist}[\frac{1}{(m+1)}, \text{Int}[(a + b*\csc[e + f*x])^{m-1} * \text{Simp}[a*A*(m+1) + ((A*b + a*B)*(m+1) + b*C*m)*\csc[e + f*x] + (b*B*(m+1) + a*C*m)*\csc[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[2*m, 0]$$

Rule 4058

$$\text{Int}[\frac{(A + \csc[e + f*x] + (f*x)) * (B + \csc[e + f*x]^2 * C)}{\sqrt{a + b*\csc[e + f*x]}}, x_Symbol] \rightarrow \text{Int}[\frac{A + (B - C)*\csc[e + f*x]}{\sqrt{a + b*\csc[e + f*x]}}, x] + \text{Dist}[C, \text{Int}[\frac{\csc[e + f*x] * (1 + \csc[e + f*x])}{\sqrt{a + b*\csc[e + f*x]}}, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[\frac{\csc[e + f*x] * (d + c)}{\sqrt{a + b*\csc[e + f*x]}}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[\frac{1}{\sqrt{a + b*\csc[e + f*x]}}, x], x] + \text{Dist}[d, \text{Int}[\frac{\csc[e + f*x]}{\sqrt{a + b*\csc[e + f*x]}}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

Rule 3784

$$\text{Int}[\frac{1}{\sqrt{a + b*\csc[c + d*x]}}, x_Symbol] \rightarrow \text{Simp}[\frac{2*\text{Rt}[a + b, 2]*\sqrt{b*(1 - \csc[c + d*x])}}{(a + b)} * \sqrt{-\frac{b*(1 + \csc[c + d*x])}{(a - b)}} * \text{EllipticPi}[\frac{(a + b)}{a}, \text{ArcSin}[\frac{\sqrt{a + b*\csc[c + d*x]}}{\text{Rt}[a + b, 2]}], \frac{(a + b)}{(a - b)}] / (a*d*\cot[c + d*x]), x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

Rule 3832

$$\text{Int}[\frac{\csc[e + f*x]}{\sqrt{a + b*\csc[e + f*x]}}, x_Symbol] \rightarrow \text{Simp}[\frac{-2*\text{Rt}[a + b, 2]*\sqrt{b*(1 - \csc[e + f*x])}}{(a + b)} * \sqrt{-\frac{b*(1 + \csc[e + f*x])}{(a - b)}} * \text{EllipticF}[\text{ArcSin}[\frac{\sqrt{a + b*\csc[e + f*x]}}{\text{Rt}[a + b, 2]}], \frac{(a + b)}{(a - b)}] / (b*f*\cot[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

Rule 4004


```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int (a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2}{5} \int \sqrt{a + b \sec(c + dx)} \tan(c + dx) dx \\ &= \frac{2(5bB + 3aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2C}{5} \int \sqrt{a + b \sec(c + dx)} dx \\ &= \frac{2(5bB + 3aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2C}{5} \int \sqrt{a + b \sec(c + dx)} dx \\ &= -\frac{2(a - b)\sqrt{a + b} (15Ab^2 + 20abB + 3a^2C + 9b^2C) \operatorname{arctan}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)}{15d} \\ &= -\frac{2(a - b)\sqrt{a + b} (15Ab^2 + 20abB + 3a^2C + 9b^2C) \operatorname{arctan}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)}{15d} \end{aligned}$$

Mathematica [B] time = 26.1719, size = 6972, normalized size = 15.74

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.812, size = 3927, normalized size = 8.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned}
& *x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((\\
& -1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b+9*C*\sin(d*x+c)*\cos(d*x \\
& +c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+ \\
& c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^ \\
& 2-3*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b \\
& +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (\\
& (a-b)/(a+b))^{(1/2)})*a^2*b-12*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x \\
& +c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1 \\
& +\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^2-30*A*\cos(d*x+c)^2*(\cos(d \\
& *x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\
& *\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b^2 \\
& +15*A*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+ \\
& c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b) \\
&)^{(1/2)})*\sin(d*x+c)*a*b^2+15*A*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/ \\
& 2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c) \\
&)/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b^2-15*B*\sin(d*x+c)*\cos(d*x+ \\
& c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c \\
&)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b \\
& +15*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b \\
& +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (\\
& (a-b)/(a+b))^{(1/2)})*a^2*b-30*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x \\
& +c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((- \\
& 1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^2*b+15*A*\sin(d*x+c)*\cos(\\
& d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d \\
& *x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a \\
& ^2*b-30*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x \\
& +c),-1,((a-b)/(a+b))^{(1/2)})*a^2*b-6*C*\cos(d*x+c)^4*a^2*b-9*C*\cos(d*x+c)^4*a \\
& *b^2-3*C*\cos(d*x+c)^3*a^2*b+9*C*\cos(d*x+c)*a*b^2-20*B*\cos(d*x+c)^3*a*b^2+25 \\
& *B*\cos(d*x+c)^2*a*b^2-20*B*\cos(d*x+c)^4*a^2*b-5*B*\cos(d*x+c)^4*a*b^2+20*B*c \\
& os(d*x+c)^3*a^2*b+9*C*\cos(d*x+c)^2*a^2*b-3*C*\cos(d*x+c)^4*a^3-9*C*\cos(d*x+c \\
&)^3*b^3+6*C*\cos(d*x+c)^2*b^3-5*B*\cos(d*x+c)^3*b^3+5*B*\cos(d*x+c)*b^3+3*C*si \\
& n(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d \\
& *x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a \\
& +b))^{(1/2)})*a^3+9*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/ \\
& 2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c) \\
&)/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^3-30*A*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d* \\
& x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((- \\
& 1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b^2+15*A*\cos(d*x \\
& +c)^2*b^3-15*A*\cos(d*x+c)^3*b^3-15*A*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1 \\
&))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(\\
& d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^3+15*A*\cos(d*x+c)^2*(c \\
& os(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(\\
& 1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b \\
& ^3-15*A*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*
\end{aligned}$$

$$\frac{x+c)}{\cos(dx+c)+1)}^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \sin(dx+c) b^3 + 15A \cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \sin(dx+c) b^3 + 3C b^3 / (b+a \cos(dx+c)) / \cos(dx+c)^2 / \sin(dx+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx+c)^3 + (Ca + Bb) \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] integral((C*b*sec(dx+c)^3 + (C*a + B*b)*sec(dx+c)^2 + A*a + (B*a + A*b)*sec(dx+c))*sqrt(b*sec(dx+c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^{\frac{3}{2}} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))**(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] Integral((a + b*sec(c + d*x))**(3/2)*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2), x)

3.946 $\int \cos(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=426

$$\frac{\sqrt{a+b} \cot(c+dx) (6a^2C + ab(3A + 12B - 8C) + 2b^2(3A - 3B + C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3bd}$$

```
[Out] ((a - b)*Sqrt[a + b]*(3*a*A - 6*b*B - 8*a*C)*Cot[c + d*x]*EllipticE[ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[
c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (Sqrt[
a + b]*(a*b*(3*A + 12*B - 8*C) + 6*a^2*C + 2*b^2*(3*A - 3*B + C))*Cot[c + d
*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)
]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b
)))]/(3*b*d) - (Sqrt[a + b]*(3*A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)
/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*
(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (
A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (b*(3*A - 2*C)*Sqrt[a + b*Se
c[c + d*x]]*Tan[c + d*x]))/(3*d)
```

Rubi [A] time = 0.664433, antiderivative size = 426, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4094, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b} \cot(c+dx) (6a^2C + ab(3A + 12B - 8C) + 2b^2(3A - 3B + C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3bd}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(3*a*A - 6*b*B - 8*a*C)*Cot[c + d*x]*EllipticE[ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[
c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (Sqrt[
a + b]*(a*b*(3*A + 12*B - 8*C) + 6*a^2*C + 2*b^2*(3*A - 3*B + C))*Cot[c + d
*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)
]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b
)))]/(3*b*d) - (Sqrt[a + b]*(3*A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)
/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*
(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (
A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (b*(3*A - 2*C)*Sqrt[a + b*Se
```

$c[c + d*x]]*Tan[c + d*x]]/(3*d)$

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4056

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} + \int \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\ &= \frac{A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{b(3A + C)}{d} \int \sqrt{a + b \sec(c + dx)} dx \\ &= \frac{A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{b(3A + C)}{d} \frac{(a - b)\sqrt{a + b} (3aA - 6bB - 8aC) \cot(c + dx) + (a - b)\sqrt{a + b} (3aA - 6bB - 8aC) \cot(c + dx)}{(a - b)\sqrt{a + b} (3aA - 6bB - 8aC) \cot(c + dx) + (a - b)\sqrt{a + b} (3aA - 6bB - 8aC) \cot(c + dx)} \end{aligned}$$

Mathematica [B] time = 26.1361, size = 7722, normalized size = 18.13

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```


[Out] Result too large to show

Maple [B] time = 0.644, size = 3361, normalized size = 7.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c) \cdot (a+b \cdot \sec(dx+c))^{3/2} \cdot (A+B \cdot \sec(dx+c)+C \cdot \sec(dx+c)^2), x)$

[Out]
$$-1/3/d \cdot (\cos(dx+c)+1)^2 \cdot ((b+a \cdot \cos(dx+c))/\cos(dx+c))^{1/2} \cdot (-1+\cos(dx+c))^{3/2} \cdot (6 \cdot B \cdot \cos(dx+c)^3 \cdot a \cdot b - 6 \cdot B \cdot \cos(dx+c)^2 \cdot a \cdot b + 2 \cdot C \cdot \cos(dx+c)^3 \cdot a \cdot b + 8 \cdot C \cdot \cos(dx+c)^2 \cdot a \cdot b - 10 \cdot C \cdot \cos(dx+c) \cdot a \cdot b - 3 \cdot A \cdot \cos(dx+c)^3 \cdot a^2 - 6 \cdot B \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a \cdot b + 8 \cdot C \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a \cdot b - 8 \cdot C \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a \cdot b + 8 \cdot C \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a \cdot b - 8 \cdot C \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a \cdot b + 12 \cdot B \cdot \cos(dx+c) \cdot \sin(dx+c) \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a \cdot b - 6 \cdot B \cdot \cos(dx+c) \cdot \sin(dx+c) \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a \cdot b + 6 \cdot B \cdot \cos(dx+c)^2 \cdot b^2 + 6 \cdot C \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a^2 + 18 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) \cdot a \cdot b + 12 \cdot B \cdot \cos(dx+c)^2 \cdot \sin(dx+c) \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a \cdot b - 12 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \cdot a \cdot b + 18 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) \cdot a \cdot b - 12 \cdot A \cdot \cos(dx+c) \cdot \sin(dx+c) \cdot (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \cdot (1/(a+b) \cdot (b+a \cdot \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \cdot \text{E}$$

```

lIpticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+3*A*cos(d*x+c)
*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(co
s(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2)
)*a*b+3*A*cos(d*x+c)^3*a*b-3*A*cos(d*x+c)^2*a*b+3*A*cos(d*x+c)^2*(cos(d*x+c
)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*Ell
ipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b+3*A*c
os(d*x+c)^4*a^2+6*C*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c
),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2+3*A*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c
)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+c
os(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2-6*B*cos(d*x+c)*(c
os(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a
^2+3*A*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x
+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b
))^(1/2))*sin(d*x+c)*a^2-6*B*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)
*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2+12*B*cos(d*x+c)^2*(cos(d*x+c
)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*Ell
ipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2+1
2*B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/
(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b)
)^(1/2))*sin(d*x+c)*a^2+6*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1
))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(
d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+2*C*sin(d*x+c)*cos(d*x+c)^2*(co
s(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1
/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-8*C*sin(d
*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+
c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b)
)^(1/2))*a^2+2*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1
/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin
(d*x+c),((a-b)/(a+b))^(1/2))*b^2-8*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos
(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE
((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2-6*B*sin(d*x+c)*cos(d*x
+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c
+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+6*
B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*c
os(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)
)/(a+b))^(1/2))*b^2-6*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))
^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*
x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+6*A*cos(d*x+c)*sin(d*x+c)*(cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)
*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+6*A*sin(d*x+c
)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/
(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1

```

$$\frac{1}{2}) * b^2 - 2 * b^2 * C - 6 * B * \cos(d * x + c) * b^2 + 8 * C * \cos(d * x + c)^3 * a^2 - 8 * C * \cos(d * x + c)^2 * a^2 + 2 * C * \cos(d * x + c)^2 * b^2) / \sin(d * x + c)^5 / (b + a * \cos(d * x + c)) / \cos(d * x + c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)
)*cos(d*x + c), x)
```

3.947 $\int \cos^2(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=442

$$\frac{\sqrt{a+b} \cot(c+dx)(2a(A+2B+8C)+b(5A+8B-8C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right)\right)}{4d}$$

[Out] ((a - b)*Sqrt[a + b]*(5*A*b + 4*a*B - 8*b*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(b*(5*A + 8*B - 8*C) + 2*a*(A + 2*B + 8*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(3*A*b^2 + 12*a*b*B + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + ((3*A*b + 4*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.810519, antiderivative size = 442, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4094, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b} \cot(c+dx) (4a^2(A+2C) + 12abB + 3Ab^2) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{4ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((a - b)*Sqrt[a + b]*(5*A*b + 4*a*B - 8*b*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(b*(5*A + 8*B - 8*C) + 2*a*(A + 2*B + 8*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(3*A*b^2 + 12*a*b*B + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + ((3*A*b + 4*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) +

$(A \cos[c + d*x] * (a + b \sec[c + d*x])^{3/2} * \sin[c + d*x]) / (2*d)$

Rule 4094

$\text{Int}[(A + \csc[e + f*x] * (B + \csc[e + f*x] * (C + \csc[e + f*x] * (d + \csc[e + f*x] * (b + a))))^{m_1} * (C + \csc[e + f*x] * (d + \csc[e + f*x] * (b + a)))^{n_1} * (C + \csc[e + f*x] * (b + a))^{m_2} + (a + \csc[e + f*x] * (d + \csc[e + f*x] * (b + a)))^{m_3}], x_Symbol] \rightarrow \text{Simp}[(A * \cot[e + f*x] * (a + b * \csc[e + f*x])^m * (d * \csc[e + f*x])^n) / (f * n), x] - \text{Dist}[1 / (d * n), \text{Int}[(a + b * \csc[e + f*x])^{m-1} * (d * \csc[e + f*x])^{n+1} * \text{Simp}[A * b * m - a * B * n - (b * B * n + a * (C * n + A * (n + 1))) * \csc[e + f*x] - b * (C * n + A * (m + n + 1)) * \csc[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$

Rule 4058

$\text{Int}[(A + \csc[e + f*x] * (B + \csc[e + f*x] * (C + \csc[e + f*x] * (b + a))) / \sqrt{\csc[e + f*x] * (b + a)}], x_Symbol] \rightarrow \text{Int}[(A + (B - C) * \csc[e + f*x]) / \sqrt{a + b * \csc[e + f*x]}, x] + \text{Dist}[C, \text{Int}[(C * \csc[e + f*x] * (1 + \csc[e + f*x])) / \sqrt{a + b * \csc[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\csc[e + f*x] * (d + \csc[e + f*x] * (b + a))) / \sqrt{\csc[e + f*x] * (b + a)}], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1 / \sqrt{a + b * \csc[e + f*x]}, x], x] + \text{Dist}[d, \text{Int}[\csc[e + f*x] / \sqrt{a + b * \csc[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b * c - a * d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

$\text{Int}[1 / \sqrt{\csc[c + d*x] * (b + a)}], x_Symbol] \rightarrow \text{Simp}[(2 * \text{Rt}[a + b, 2] * \sqrt{(b * (1 - \csc[c + d*x])) / (a + b)}) * \sqrt{-((b * (1 + \csc[c + d*x])) / (a - b))}] * \text{EllipticPi}[(a + b) / a, \text{ArcSin}[\sqrt{a + b * \csc[c + d*x]}] / \text{Rt}[a + b, 2]], (a + b) / (a - b)] / (a * d * \cot[c + d*x]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3832

$\text{Int}[\csc[e + f*x] / \sqrt{\csc[e + f*x] * (b + a)}], x_Symbol] \rightarrow \text{Simp}[(-2 * \text{Rt}[a + b, 2] * \sqrt{(b * (1 - \csc[e + f*x])) / (a + b)}) * \sqrt{-((b * (1 + \csc[e + f*x])) / (a - b))}] * \text{EllipticF}[\text{ArcSin}[\sqrt{a + b * \csc[e + f*x]}] / \text{Rt}[a + b, 2]], (a + b) / (a - b)] / (b * f * \cot[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{2d} \\ &= \frac{(3Ab + 4aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{(3Ab + 4aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{(a - b)\sqrt{a + b}(5Ab + 4aB - 8bC) \cot(c + dx)}{4d} \\ &= \frac{(a - b)\sqrt{a + b}(5Ab + 4aB - 8bC) \cot(c + dx)}{4d} \end{aligned}$$

Mathematica [B] time = 23.9665, size = 4520, normalized size = 10.23

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2),x]
```

```
[Out] (((Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(4*b*C*Sin[c + d*x] + (a*A*Sin[2*
(c + d*x)]/2)))/(d*(b + a*Cos[c + d*x])) - (Sqrt[Cos[c + d*x]*Sec[(c + d*x)
/2]^2]*((a^2*A)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*A*b^2)/(
Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (4*a*b*B)/(Sqrt[b + a*Cos[c
+ d*x]]*Sqrt[Sec[c + d*x]]) + (2*a^2*C)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[
c + d*x]]) - (2*b^2*C)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (7*a
*A*b*Sqrt[Sec[c + d*x]])/(4*Sqrt[b + a*Cos[c + d*x]]) + (a^2*B*Sqrt[Sec[c +
d*x]])/Sqrt[b + a*Cos[c + d*x]] + (2*b^2*B*Sqrt[Sec[c + d*x]])/Sqrt[b + a*
Cos[c + d*x]] + (2*a*b*C*Sqrt[Sec[c + d*x]])/Sqrt[b + a*Cos[c + d*x]] + (5*
```

$$\begin{aligned}
& a^*A^*b^*\text{Cos}[2^*(c + d^*x)]^*\text{Sqrt}[\text{Sec}[c + d^*x]]/(4^*\text{Sqrt}[b + a^*\text{Cos}[c + d^*x]]) + (\\
& a^{\wedge}2^*B^*\text{Cos}[2^*(c + d^*x)]^*\text{Sqrt}[\text{Sec}[c + d^*x]]/\text{Sqrt}[b + a^*\text{Cos}[c + d^*x]] - (2^*a^* \\
& b^*C^*\text{Cos}[2^*(c + d^*x)]^*\text{Sqrt}[\text{Sec}[c + d^*x]]/\text{Sqrt}[b + a^*\text{Cos}[c + d^*x]]^*\text{Sqrt}[\text{Cos} \\
& [(c + d^*x)/2]^2^*\text{Sec}[c + d^*x]]^*(a + b^*\text{Sec}[c + d^*x])^{\wedge}(3/2)^*(-(a^*(a + b)^*(5^*A^* \\
& b + 4^*a^*B - 8^*b^*C)^*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], (a - b)/(a + b)]^*\text{Sec} \\
& [(c + d^*x)/2]^2^*\text{Sqrt}[(b + a^*\text{Cos}[c + d^*x])^*\text{Sec}[(c + d^*x)/2]^2)/(a + b)]) + \\
& b^*(a + b)^*(3^*A^*b + 2^*a^*(A + 2^*B - 4^*C))^*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], \\
& (a - b)/(a + b)]^*\text{Sec}[(c + d^*x)/2]^2^*\text{Sqrt}[(b + a^*\text{Cos}[c + d^*x])^*\text{Sec}[(c + d^* \\
& x)/2]^2)/(a + b)] + (3^*A^*b^2 + 12^*a^*b^*B + 4^*a^{\wedge}2^*(A + 2^*C))^*((a - b)^*\text{Ellipti} \\
& cF[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], (a - b)/(a + b)] + 2^*a^*\text{EllipticPi}[-1, -\text{ArcSin}[\text{ \\
& Tan}[(c + d^*x)/2]], (a - b)/(a + b)]^*\text{Sec}[(c + d^*x)/2]^2^*\text{Sqrt}[(b + a^*\text{Cos}[c \\
& + d^*x])^*\text{Sec}[(c + d^*x)/2]^2)/(a + b)] - a^*(5^*A^*b + 4^*a^*B - 8^*b^*C)^*(b + a^*\text{Cos} \\
& [c + d^*x])^*(\text{Cos}[c + d^*x]^*\text{Sec}[(c + d^*x)/2]^2)^{\wedge}(3/2)^*\text{Sec}[c + d^*x]^*\text{Tan}[(c + d^* \\
& x)/2]))/(2^*a^*d^*(b + a^*\text{Cos}[c + d^*x])^2^*(\text{Sec}[(c + d^*x)/2]^2)^{\wedge}(3/2)^*\text{Sec}[c + d^* \\
& x]^{\wedge}(3/2)^*(-(\text{Sqrt}[\text{Cos}[c + d^*x]^*\text{Sec}[(c + d^*x)/2]^2]^*\text{Sqrt}[\text{Cos}[(c + d^*x)/2]^2^*\text{S} \\
& ec}[c + d^*x]]^*\text{Sin}[c + d^*x]^*(-(a^*(a + b)^*(5^*A^*b + 4^*a^*B - 8^*b^*C)^*\text{EllipticE}[\text{Ar} \\
& c\text{Sin}[\text{Tan}[(c + d^*x)/2]], (a - b)/(a + b)]^*\text{Sec}[(c + d^*x)/2]^2^*\text{Sqrt}[(b + a^*Co \\
& s[c + d^*x])^*\text{Sec}[(c + d^*x)/2]^2)/(a + b))) + b^*(a + b)^*(3^*A^*b + 2^*a^*(A + 2^*B \\
& - 4^*C))^*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], (a - b)/(a + b)]^*\text{Sec}[(c + d^*x) \\
& /2]^2^*\text{Sqrt}[(b + a^*\text{Cos}[c + d^*x])^*\text{Sec}[(c + d^*x)/2]^2)/(a + b)] + (3^*A^*b^2 + \\
& 12^*a^*b^*B + 4^*a^{\wedge}2^*(A + 2^*C))^*((a - b)^*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], (a \\
& - b)/(a + b)] + 2^*a^*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], (a - b)/(a + \\
& b)])^*\text{Sec}[(c + d^*x)/2]^2^*\text{Sqrt}[(b + a^*\text{Cos}[c + d^*x])^*\text{Sec}[(c + d^*x)/2]^2)/(a \\
& + b)] - a^*(5^*A^*b + 4^*a^*B - 8^*b^*C)^*(b + a^*\text{Cos}[c + d^*x])^*(\text{Cos}[c + d^*x]^*\text{Sec}[(c \\
& + d^*x)/2]^2)^{\wedge}(3/2)^*\text{Sec}[c + d^*x]^*\text{Tan}[(c + d^*x)/2]))/(4^*(b + a^*\text{Cos}[c + d^*x]) \\
& ^{\wedge}(3/2)^*(\text{Sec}[(c + d^*x)/2]^2)^{\wedge}(3/2)) + (3^*\text{Sqrt}[\text{Cos}[c + d^*x]^*\text{Sec}[(c + d^*x)/2]^2 \\
&]^*\text{Sqrt}[\text{Cos}[(c + d^*x)/2]^2^*\text{Sec}[c + d^*x]]^*\text{Tan}[(c + d^*x)/2]^*(-(a^*(a + b)^*(5^*A^* \\
& b + 4^*a^*B - 8^*b^*C)^*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], (a - b)/(a + b)]^*\text{Se} \\
& c[(c + d^*x)/2]^2^*\text{Sqrt}[(b + a^*\text{Cos}[c + d^*x])^*\text{Sec}[(c + d^*x)/2]^2)/(a + b))) + \\
& b^*(a + b)^*(3^*A^*b + 2^*a^*(A + 2^*B - 4^*C))^*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]] \\
& , (a - b)/(a + b)]^*\text{Sec}[(c + d^*x)/2]^2^*\text{Sqrt}[(b + a^*\text{Cos}[c + d^*x])^*\text{Sec}[(c + d \\
& *x)/2]^2)/(a + b)] + (3^*A^*b^2 + 12^*a^*b^*B + 4^*a^{\wedge}2^*(A + 2^*C))^*((a - b)^*\text{Ellipt} \\
& icF[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], (a - b)/(a + b)] + 2^*a^*\text{EllipticPi}[-1, -\text{ArcSin} \\
& [\text{Tan}[(c + d^*x)/2]], (a - b)/(a + b)]^*\text{Sec}[(c + d^*x)/2]^2^*\text{Sqrt}[(b + a^*\text{Cos}[c \\
& + d^*x])^*\text{Sec}[(c + d^*x)/2]^2)/(a + b)] - a^*(5^*A^*b + 4^*a^*B - 8^*b^*C)^*(b + a^*Co \\
& s[c + d^*x])^*(\text{Cos}[c + d^*x]^*\text{Sec}[(c + d^*x)/2]^2)^{\wedge}(3/2)^*\text{Sec}[c + d^*x]^*\text{Tan}[(c + d \\
& *x)/2]))/(4^*a^*\text{Sqrt}[b + a^*\text{Cos}[c + d^*x]]^*(\text{Sec}[(c + d^*x)/2]^2)^{\wedge}(3/2)) - (\text{Sqrt}[\text{ \\
& Cos}[c + d^*x]^*\text{Sec}[(c + d^*x)/2]^2]^*(\text{Cos}[(c + d^*x)/2]^2^*\text{Sec}[c + d^*x])^{\wedge}(3/2)^*(- \\
& (\text{Sec}[(c + d^*x)/2]^2^*\text{Sin}[c + d^*x]) + \text{Cos}[c + d^*x]^*\text{Sec}[(c + d^*x)/2]^2^*\text{Tan}[(c \\
& + d^*x)/2])^*(-(a^*(a + b)^*(5^*A^*b + 4^*a^*B - 8^*b^*C)^*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d \\
& *x)/2]], (a - b)/(a + b)]^*\text{Sec}[(c + d^*x)/2]^2^*\text{Sqrt}[(b + a^*\text{Cos}[c + d^*x])^*\text{Sec} \\
& [(c + d^*x)/2]^2)/(a + b))) + b^*(a + b)^*(3^*A^*b + 2^*a^*(A + 2^*B - 4^*C))^*\text{Ellipt} \\
& icF[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], (a - b)/(a + b)]^*\text{Sec}[(c + d^*x)/2]^2^*\text{Sqrt}[(b \\
& + a^*\text{Cos}[c + d^*x])^*\text{Sec}[(c + d^*x)/2]^2)/(a + b)] + (3^*A^*b^2 + 12^*a^*b^*B + 4^*a^{\wedge} \\
& 2^*(A + 2^*C))^*((a - b)^*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d^*x)/2]], (a - b)/(a + b)]
\end{aligned}$$

$$\begin{aligned}
& + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)) - a*(5*A*b + 4*a*B - 8*b*C)*(b + a*cos[c + d*x])*(cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]*Tan[(c + d*x)/2])/((4*a*sqrt[b + a*cos[c + d*x]]*(Sec[(c + d*x)/2]^2)^(3/2)) - (sqrt[cos[c + d*x]]*Sec[(c + d*x)/2]^2)*(-(a*(a + b)*(5*A*b + 4*a*B - 8*b*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)) + b*(a + b)*(3*A*b + 2*a*(A + 2*B - 4*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)) + (3*A*b^2 + 12*a*b*B + 4*a^2*(A + 2*C))*((a - b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)) - a*(5*A*b + 4*a*B - 8*b*C)*(b + a*cos[c + d*x])*(cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]*Tan[(c + d*x)/2])*(-(cos[(c + d*x)/2]*Sec[c + d*x]*sin[(c + d*x)/2]) + cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(4*a*sqrt[b + a*cos[c + d*x]]*(Sec[(c + d*x)/2]^2)^(3/2)*sqrt[cos[(c + d*x)/2]^2*Sec[c + d*x]]) - (sqrt[cos[c + d*x]]*Sec[(c + d*x)/2]^2*sqrt[cos[(c + d*x)/2]^2*Sec[c + d*x]])*(-(a*(5*A*b + 4*a*B - 8*b*C)*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*(cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x])/2 - a*(a + b)*(5*A*b + 4*a*B - 8*b*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Tan[(c + d*x)/2] + b*(a + b)*(3*A*b + 2*a*(A + 2*B - 4*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Tan[(c + d*x)/2] + (3*A*b^2 + 12*a*b*B + 4*a^2*(A + 2*C))*((a - b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Tan[(c + d*x)/2] - (3*a*(5*A*b + 4*a*B - 8*b*C)*(b + a*cos[c + d*x])*sqrt[cos[c + d*x]]*Sec[(c + d*x)/2]^2*Sec[c + d*x]*Tan[(c + d*x)/2]*(-(Sec[(c + d*x)/2]^2*sin[c + d*x]) + cos[c + d*x]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/2 - (a*(a + b)*(5*A*b + 4*a*B - 8*b*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*(-((a*Sec[(c + d*x)/2]^2*sin[c + d*x])/(a + b)) + ((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(a + b)))/(2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b))) + (b*(a + b)*(3*A*b + 2*a*(A + 2*B - 4*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*(-((a*Sec[(c + d*x)/2]^2*sin[c + d*x])/(a + b)) + ((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(a + b)))/(2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b))) + ((3*A*b^2 + 12*a*b*B + 4*a^2*(A + 2*C))*((a - b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*(-((a*Sec[(c + d*x)/2]^2*sin[c + d*x])/(a + b)) + ((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(a + b)))/(2*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b))) + (b*(a + b)*(3*A*b + 2*a*(A + 2*B - 4*C))*Sec[(c + d*x)/2]^4*sqrt(((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)))/(2*Sq
\end{aligned}$$

$$\begin{aligned} & \text{rt}[1 - \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)] \\ & - (a * (a + b) * (5*A*b + 4*a*B - 8*b*C) * \text{Sec}[(c + d*x)/2]^4 * \text{Sqrt}[(b + a * \text{Cos}[c \\ & + d*x]) * \text{Sec}[(c + d*x)/2]^2] / (a + b) * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / \\ & (a + b)]) / (2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]) + (3*A*b^2 + 12*a*b*B + 4*a^2*(A \\ & + 2*C)) * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2] / \\ & (a + b) * (((a - b) * \text{Sec}[(c + d*x)/2]^2) / (2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt} \\ & [1 - ((a - b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) - (a * \text{Sec}[(c + d*x)/2]^2) / (\text{Sqrt}[\\ & 1 - \text{Tan}[(c + d*x)/2]^2 * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqrt}[1 - ((a - b) * \text{Tan}[(c + \\ & d*x)/2]^2) / (a + b)]) + a^2 * (5*A*b + 4*a*B - 8*b*C) * (\text{Cos}[c + d*x] * \text{Sec}[(c + \\ & d*x)/2]^2)^{(3/2)} * \text{Tan}[(c + d*x)/2] * \text{Tan}[c + d*x] - a * (5*A*b + 4*a*B - 8*b*C) \\ & * (b + a * \text{Cos}[c + d*x]) * (\text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Sec}[c + d*x] * \\ & \text{Tan}[(c + d*x)/2] * \text{Tan}[c + d*x]) / (2 * a * \text{Sqrt}[b + a * \text{Cos}[c + d*x]] * (\text{Sec}[(c + d*x) \\ & /2]^2)^{(3/2)})) / 2 \end{aligned}$$

Maple [B] time = 0.651, size = 3595, normalized size = 8.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] $\frac{1}{4}d*(-1+\cos(d*x+c))^2*(-8*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)}*b^2*\sin(d*x+c)-16*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^2*\sin(d*x+c)-8*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^2*\sin(d*x+c)-4*B*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-8*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^2*\sin(d*x+c)-6*A*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-5*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^2*\sin(d*x+c)-4*B*\cos(d*x+c)^2*a*b-8*C*\cos(d*x+c)^2*a*b+8*C*\cos(d*x+c)*a*b+8*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^2*\sin(d*x+c)+4*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)$

$$\begin{aligned}
&)/(a+b)^{(1/2)} * a^2 * \sin(dx+c) + 8 * A * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * b^2 * \sin(dx+c) - 16 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * a * b + 8 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * a * b + 16 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * a * b - 4 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * a * b + 8 * C * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * a^2 * \sin(dx+c) - 4 * B * \cos(dx+c)^3 * a^2 + 8 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * a^2 - 2 * A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * a * b - 24 * B * \cos(dx+c) * \text{EllipticPi}((-1+\cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{(1/2)} * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) * a * b - 5 * A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * a * b + 4 * B * \cos(dx+c) * a * b - 7 * A * \cos(dx+c)^3 * a * b + 5 * A * \cos(dx+c)^2 * a * b + 2 * A * \cos(dx+c) * a * b + 4 * B * \cos(dx+c)^2 * a^2 - 2 * A * \cos(dx+c)^4 * a^2 - 8 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * b^2 - 8 * C * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * b^2 - 5 * A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * b^2 + 4 * A * \cos(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 6 * A * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{(1/2)} * b^2 - 5 * A * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) * a * b - 2 * A * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)/(a+b))^{(1/2)} * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) * a * b - 8 * C * \cos(dx+c) * b^2 + 8 * A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c)), ((a-b)
\end{aligned}$$

```

/(a+b)^(1/2))*b^2+8*b^2*C+2*A*cos(d*x+c)^2*a^2-5*A*cos(d*x+c)^2*b^2+5*A*cos
s(d*x+c)*b^2+16*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))
^(1/2))*a*b*sin(d*x+c)-4*B*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b)
)^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*sin(d*x+c)*a*b+8*C*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b-16*C*(cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+
c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b*sin(d*x+c)-4*B*cos(d*x+c)*sin(d*x+c
)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2-24*B
*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a*b*s
in(d*x+c)+8*C*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*cos
(d*x+c)*b^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^(1/2)*sin(d*x+c)-16*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+
b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*EllipticPi((-1+cos(d*x
+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2*(cos(d*x+c)+1)^2*((
b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2
)*cos(d*x + c)^2, x)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral((Cb cos(dx+c)^2 sec(dx+c)^3 + (Ca + Bb) cos(dx+c)^2 sec(dx+c)^2 + Aa cos(dx+c)^2 + (Ba + Ab) cos(dx+c)

```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^2*sec(d*x + c)^3 + (C*a + B*b)*cos(d*x + c)^2*sec(d*x + c)^2 + A*a*cos(d*x + c)^2 + (B*a + A*b)*cos(d*x + c)^2*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x)
```

3.948 $\int \cos^3(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=540

$$\frac{\sqrt{a+b} \cot(c+dx) (4a^2(4A+3B+6C) + 2ab(7A+15B+24C) + 3Ab^2) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\right)}{24ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(3*A*b^2 + 30*a*b*B + 8*a^2*(2*A + 3*C))*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a*b*d) + (Sqrt[a + b]*(3*A*b^2 + 4*a^2*(4*A + 3*B + 6*C) + 2*a*b*(7*A + 15*B + 24*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a*d) + (Sqrt[a + b]*(A*b^3 - 8*a^3*B - 6*a*b^2*B - 12*a^2*b*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(8*a^2*d) + ((3*A*b^2 + 30*a*b*B + 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a*d) + ((A*b + 2*a*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.31337, antiderivative size = 540, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sin(c+dx) (8a^2(2A+3C) + 30abB + 3Ab^2) \sqrt{a+b \sec(c+dx)}}{24ad} + \frac{\sqrt{a+b} \cot(c+dx) (4a^2(4A+3B+6C) + 2ab(7A+15B+24C) + 3Ab^2) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\right)}{24ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(3*A*b^2 + 30*a*b*B + 8*a^2*(2*A + 3*C))*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a*b*d) + (Sqrt[a + b]*(3*A*b^2 + 4*a^2*(4*A + 3*B + 6*C) + 2*a*b*(7*A + 15*B + 24*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a*d) + (Sqrt[a + b]*(A*b^3 - 8*a^3*B - 6*a*b^2*B - 12*a^2*b*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(8*a^2*d) + ((3*A*b^2 + 30*a*b*B + 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a*d) + ((A*b + 2*a*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

$$t[a + b \operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b], (a + b)/(a - b) \operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)] \operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(8*a^2*d) + ((3*A*b^2 + 30*a*b*B + 8*a^2*(2*A + 3*C)) \operatorname{Sqrt}[a + b \operatorname{Sec}[c + d*x]] \operatorname{Sin}[c + d*x])/(24*a*d) + ((A*b + 2*a*B) \operatorname{Cos}[c + d*x] \operatorname{Sqrt}[a + b \operatorname{Sec}[c + d*x]] \operatorname{Sin}[c + d*x])/(4*d) + (A \operatorname{Cos}[c + d*x]^2*(a + b \operatorname{Sec}[c + d*x])^{3/2} \operatorname{Sin}[c + d*x])/(3*d)$$
Rule 4094

$$\operatorname{Int}[(A_.) + \operatorname{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \operatorname{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)] * (\operatorname{csc}[(e_.) + (f_.)*(x_)]*(d_.)^n) * (\operatorname{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^m), x_Symbol] \rightarrow \operatorname{Simp}[(A \operatorname{Cot}[e + f*x]*(a + b \operatorname{Csc}[e + f*x])^m * (d \operatorname{Csc}[e + f*x])^n) / (f*n), x] - \operatorname{Dist}[1/(d*n), \operatorname{Int}[(a + b \operatorname{Csc}[e + f*x])^{m-1} * (d \operatorname{Csc}[e + f*x])^{n+1} * \operatorname{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1))]*\operatorname{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\operatorname{Csc}[e + f*x]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{LeQ}[n, -1]$$
Rule 4104

$$\operatorname{Int}[(A_.) + \operatorname{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \operatorname{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)] * (\operatorname{csc}[(e_.) + (f_.)*(x_)]*(d_.)^n) * (\operatorname{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^m), x_Symbol] \rightarrow \operatorname{Simp}[(A \operatorname{Cot}[e + f*x]*(a + b \operatorname{Csc}[e + f*x])^{m+1} * (d \operatorname{Csc}[e + f*x])^n) / (a*f*n), x] + \operatorname{Dist}[1/(a*d*n), \operatorname{Int}[(a + b \operatorname{Csc}[e + f*x])^m * (d \operatorname{Csc}[e + f*x])^{n+1} * \operatorname{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\operatorname{Csc}[e + f*x] + A*b*(m+n+2)*\operatorname{Csc}[e + f*x]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LeQ}[n, -1]$$
Rule 4058

$$\operatorname{Int}[(A_.) + \operatorname{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \operatorname{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)] / \operatorname{Sqrt}[\operatorname{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Int}[(A + (B - C) \operatorname{Csc}[e + f*x]) / \operatorname{Sqrt}[a + b \operatorname{Csc}[e + f*x]], x] + \operatorname{Dist}[C, \operatorname{Int}[(\operatorname{Csc}[e + f*x] * (1 + \operatorname{Csc}[e + f*x])) / \operatorname{Sqrt}[a + b \operatorname{Csc}[e + f*x]], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$
Rule 3921

$$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_.) / \operatorname{Sqrt}[\operatorname{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[1/\operatorname{Sqrt}[a + b \operatorname{Csc}[e + f*x]], x], x] + \operatorname{Dist}[d, \operatorname{Int}[\operatorname{Csc}[e + f*x] / \operatorname{Sqrt}[a + b \operatorname{Csc}[e + f*x]], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$
Rule 3784

$$\operatorname{Int}[1/\operatorname{Sqrt}[\operatorname{csc}[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Simp}[(2 \operatorname{Rt}[a + b, 2] \operatorname{Sqrt}[(b*(1 - \operatorname{Csc}[c + d*x]))/(a + b)]) \operatorname{Sqrt}[-((b*(1 + \operatorname{Csc}[c + d*x]))$$

$$\int \frac{1}{(a-b)} \operatorname{EllipticPi}\left[\frac{a+b}{a}, \operatorname{ArcSin}\left[\frac{\sqrt{a+b\csc[c+dx]}}{\operatorname{Rt}[a+b, 2]}\right], \frac{a+b}{a-b}\right] \frac{1}{a+d\cot[c+dx]}, x \int; \operatorname{FreeQ}\{a, b, c, d, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$

Rule 3832

$$\operatorname{Int}[\csc[e + (f \cdot x)] / \sqrt{\csc[e + (f \cdot x)] \cdot (b \cdot x) + a}], x_Symbol \rightarrow \operatorname{Simp}\left[-2 \operatorname{Rt}[a + b, 2] \sqrt{\frac{b(1 - \csc[e + f \cdot x])}{a + b}} \sqrt{-\frac{b(1 + \csc[e + f \cdot x])}{a - b}} \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\frac{\sqrt{a + b\csc[e + f \cdot x]}}{\operatorname{Rt}[a + b, 2]}\right], \frac{a + b}{a - b}\right] \frac{1}{b \cdot f \cot[e + f \cdot x]}, x \int; \operatorname{FreeQ}\{a, b, e, f, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0]\right]$$

Rule 4004

$$\operatorname{Int}[(\csc[e + (f \cdot x)] \cdot (\csc[e + (f \cdot x)] \cdot (B \cdot x) + A)) / \sqrt{\csc[e + (f \cdot x)] \cdot (b \cdot x) + a}], x_Symbol \rightarrow \operatorname{Simp}\left[-2(A \cdot b - a \cdot B) \operatorname{Rt}[a + (b \cdot B) / A, 2] \sqrt{\frac{b(1 - \csc[e + f \cdot x])}{a + b}} \sqrt{-\frac{b(1 + \csc[e + f \cdot x])}{a - b}} \operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\frac{\sqrt{a + b\csc[e + f \cdot x]}}{\operatorname{Rt}[a + (b \cdot B) / A, 2]}\right], \frac{a \cdot A + b \cdot B}{a \cdot A - b \cdot B}\right] \frac{1}{b^2 \cdot f \cot[e + f \cdot x]}, x \int; \operatorname{FreeQ}\{a, b, e, f, A, B, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{EqQ}[A^2 - B^2, 0]\right]$$

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} \\ &= \frac{(Ab + 2aB) \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{4d} \\ &= \frac{(3Ab^2 + 30abB + 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)}}{24ad} \\ &= \frac{(3Ab^2 + 30abB + 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)}}{24ad} \\ &= \frac{(a - b) \sqrt{a + b} (3Ab^2 + 30abB + 8a^2(2A + 3C))}{24ad} \\ &= \frac{(a - b) \sqrt{a + b} (3Ab^2 + 30abB + 8a^2(2A + 3C))}{24ad} \end{aligned}$$

Mathematica [B] time = 24.6843, size = 5054, normalized size = 9.36

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] Result too large to show

Maple [B] time = 0.501, size = 4138, normalized size = 7.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out]
$$-1/24/d/a*(-1+\cos(d*x+c))^2*(24*C*\cos(d*x+c)^3*a^3-24*B*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})-6*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)+17*A*\cos(d*x+c)^3*a*b^2+16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)-24*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3+36*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)+144*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+24*C*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})+48*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^3+24*C*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})+36*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/$$

$$\begin{aligned}
& (a+b)^{(1/2)} * a * b^2 + 48 * B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^3 * \sin(d*x+c) + 144 * C * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^2 * b - 3 * A * \cos(d*x+c) * b^3 + 8 * A * \cos(d*x+c)^5 * a^3 + 8 * A * \cos(d*x+c)^3 * a^3 - 16 * A * \cos(d*x+c)^2 * a^3 + 12 * B * \cos(d*x+c) * a^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b - 48 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^2 + 24 * C * a^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b - 96 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c) * a^2 * b + 30 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b + 30 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^2 + 48 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a * b^2 + 30 * B * \cos(d*x+c)^2 * a * b^2 + 42 * B * \cos(d*x+c)^3 * a^2 * b + 24 * C * \cos(d*x+c)^2 * a^2 * b - 52 * A * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * b + 72 * A * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * b + 16 * A * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * b + 3 * A * b^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a + 14 * A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c) * a * b^2 - 12 * B * \cos(d*x+c)^2 * a^3 - 24 * C * \cos(d*x+c)^2 * a^3 + 12 * B * \cos(d*x+c)^4 * a^3 - 3 * A * \cos(d*x+c)^2 * a * b^2 - 14 * A * \cos(d*x+c) * a * b^2 - 6 * A * \cos(d*x+c)^2 * a^2 * b - 16 * A * \cos(d*x+c) * a^2 * b + 22 * A * \cos(d*x+c)^4 * a^2 * b + 3 * A * b^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) + 3 * A * \cos(d*x+c)^2 * b^3 - 30 * B * \cos(d*x+c)^2 * a^2 * b - 12 * B * \cos(d*x+c) * a^2 * b - 30 * B * \cos(d*x+c) * a * b^2 - 24 * C * \cos(d*x+c) * a^2 * b - 6 * A * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * b^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) + 16 * A * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d
\end{aligned}$$

```

x+c)*cos(d*x+c)-52*A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/
2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*
x+c)+1))^(1/2)*sin(d*x+c)*b+72*A*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(
(a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+16*A*EllipticE((-1+cos(d*x+c))/
sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a
+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+3*A*(cos(d*x+c)/(co
s(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*b^3
+3*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c
)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2
*sin(d*x+c)+14*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*a*b^2*sin(d*x+c)+48*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+
a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+24*C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/s
in(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)-96*C*(cos(d*x+c)/(cos(d*x+c
)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+c
os(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+12*B*(cos(d*x+c
)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ell
ipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)-48*
B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2*si
n(d*x+c)+30*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/
2))*a^2*b*sin(d*x+c)+30*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b
)/(a+b))^(1/2))*a*b^2*sin(d*x+c))*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*
x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^3, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb cos(dx + c)³ sec(dx + c)³ + (Ca + Bb) cos(dx + c)³ sec(dx + c)² + Aa cos(dx + c)³ + (Ba + Ab) cos(dx + c)³ sec(dx + c), x, algorithm="fricas")

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)³*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)²),x, algorithm="fricas")

[Out] integral((C*b*cos(d*x + c)³*sec(d*x + c)³ + (C*a + B*b)*cos(d*x + c)³*sec(d*x + c)² + A*a*cos(d*x + c)³ + (B*a + A*b)*cos(d*x + c)³*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)³*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)²),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)² + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)³, x)

3.949 $\int \cos^4(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=650

$$\frac{\sqrt{a+b} \cot(c+dx) (-4a^2b(39A+28B+60C) - 8a^3(9A+16B+12C) - 6ab^2(A+4B) + 9Ab^3) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a+b}}}{192a^2d}$$

```
[Out] -((a - b)*Sqrt[a + b]*(9*A*b^3 - 128*a^3*B - 24*a*b^2*B - 12*a^2*b*(13*A +
20*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]],
(a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c
+ d*x]))/(a - b))]/(192*a^2*b*d) - (Sqrt[a + b]*(9*A*b^3 - 6*a*b^2*(A + 4
*B) - 8*a^3*(9*A + 16*B + 12*C) - 4*a^2*b*(39*A + 28*B + 60*C))*Cot[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(192*a^2*d) - (Sqrt[a + b]*(3*A*b^4 + 96*a^3*b*B - 8*a*b^3*B + 24*a^2*b^
2*(A + 2*C) + 16*a^4*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin
[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^3*d) - ((
9*A*b^3 - 128*a^3*B - 24*a*b^2*B - 12*a^2*b*(13*A + 20*C))*Sqrt[a + b*Sec[c
+ d*x]]*Sin[c + d*x])/((192*a^2*d) + ((3*A*b^2 + 56*a*b*B + 12*a^2*(3*A + 4
*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*a*d) + ((3*A*b
+ 8*a*B)*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (A
*cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)
```

Rubi [A] time = 1.90629, antiderivative size = 650, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sin(c+dx) (-12a^2b(13A+20C) - 128a^3B - 24ab^2B + 9Ab^3) \sqrt{a+b \sec(c+dx)}}{192a^2d} + \frac{\sin(c+dx) \cos(c+dx) (12a^2(3A+20C) + 12ab^2 + 9Ab^3)}{192a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(9*A*b^3 - 128*a^3*B - 24*a*b^2*B - 12*a^2*b*(13*A +
20*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]],
(a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c
+ d*x]))/(a - b))]/(192*a^2*b*d) - (Sqrt[a + b]*(9*A*b^3 - 6*a*b^2*(A + 4
*B) - 8*a^3*(9*A + 16*B + 12*C) - 4*a^2*b*(39*A + 28*B + 60*C))*Cot[c + d*x
```

```
] *EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)] *
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)] * Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(192*a^2*d) - (Sqrt[a + b]*(3*A*b^4 + 96*a^3*b*B - 8*a*b^3*B + 24*a^2*b^
2*(A + 2*C) + 16*a^4*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin
[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)] * Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)] * Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^3*d) - ((
9*A*b^3 - 128*a^3*B - 24*a*b^2*B - 12*a^2*b*(13*A + 20*C))*Sqrt[a + b*Sec[c
+ d*x]]*Sin[c + d*x]/(192*a^2*d) + ((3*A*b^2 + 56*a*b*B + 12*a^2*(3*A + 4
*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(96*a*d) + ((3*A*b
+ 8*a*B)*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(24*d) + (A
*cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x]/(4*d)
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
```

d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+b\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{A\cos^3(c+dx)(a+b\sec(c+dx))^{3/2}\sin(c+dx)}{4d} \\
&= \frac{(3Ab+8aB)\cos^2(c+dx)\sqrt{a+b\sec(c+dx)}}{24d} \\
&= \frac{(3Ab^2+56abB+12a^2(3A+4C))\cos(c+dx)}{96ad} \\
&= -\frac{(9Ab^3-128a^3B-24ab^2B-12a^2b(13A+20C))\sin(c+dx)}{192ad} \\
&= -\frac{(9Ab^3-128a^3B-24ab^2B-12a^2b(13A+20C))\cos(c+dx)}{192ad} \\
&= -\frac{(a-b)\sqrt{a+b}(9Ab^3-128a^3B-24ab^2B-12a^2b(13A+20C))}{192ad} \\
&= -\frac{(a-b)\sqrt{a+b}(9Ab^3-128a^3B-24ab^2B-12a^2b(13A+20C))}{192ad}
\end{aligned}$$

Mathematica [A] time = 16.9781, size = 761, normalized size = 1.17

$$\frac{\cos^3(c+dx)(a+b\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))\left(\frac{\sin(2(c+dx))(48a^2A+48a^2C+56abB+3Ab^2)}{96a} + \frac{1}{48}(8aB+9a^2C)\right)}{d(a\cos(c+dx)+b)(A\cos(2c+2dx)+A+2B\cos(c+dx)+C\sec^2(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((9*A*b + 8*a*B)*Sin[c + d*x])/48 + ((48*a^2*A + 3*A*b^2 + 56*a*b*B + 48*a^2*C)*Sin[2*(c + d*x)]/(96*a) + ((9*A*b + 8*a*B)*Sin[3*(c + d*x)]/48 + (a*A*Ssin[4*(c + d*x)]/16)))/(d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (Cos[c + d*x]^5*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(a*(a + b)*(-9*A*b^3 + 128*a^3*B + 24*a*b^2*B + 12*a^2*b*(13*A + 20*C))*EllipticE[ArcSin[Tan[(c + d*x)/2


```

]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c +
d*x)/2]^2)/(a + b]]) + b*(a + b)*(9*A*b^3 - 6*a*b^2*(3*A + 4*B) + 8*a^3*(9
*A + 16*B + 12*C) + 12*a^2*b*(7*A + 4*(B + 3*C)))*EllipticF[ArcSin[Tan[(c +
d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*S
ec[(c + d*x)/2]^2)/(a + b)] + 3*(3*A*b^4 + 96*a^3*b*B - 8*a*b^3*B + 24*a^2*
b^2*(A + 2*C) + 16*a^4*(3*A + 4*C))*((a - b)*EllipticF[ArcSin[Tan[(c + d*x)
/2]], (a - b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a -
b)/(a + b)])*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2
]^2)/(a + b)] - a*(-9*A*b^3 + 128*a^3*B + 24*a*b^2*B + 12*a^2*b*(13*A + 20*
C))*(b + a*Cos[c + d*x])*(Cos[c + d*x])*Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*
x]*Tan[(c + d*x)/2]))/(96*a^3*d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c
+ d*x] + A*Cos[2*c + 2*d*x])*(Cos[c + d*x])*Sec[(c + d*x)/2]^2)^(3/2))

```

Maple [B] time = 0.738, size = 5474, normalized size = 8.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2
)*cos(d*x + c)^4, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral((Cb cos(dx + c)^4 sec(dx + c)^3 + (Ca + Bb) cos(dx + c)^4 sec(dx + c)^2 + Aa cos(dx + c)^4 + (Ba + Ab) cos(dx + c)^4, x)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^4*sec(d*x + c)^3 + (C*a + B*b)*cos(d*x + c)^4*sec(d*x + c)^2 + A*a*cos(d*x + c)^4 + (B*a + A*b)*cos(d*x + c)^4*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^4, x)
```

3.950 $\int \sec^2(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=610

$$\frac{2(a-b)\sqrt{a+b} \cot(c+dx) (-15a^2b^2(33A-121B+19C) + 10a^3b(11B-3C) - 40a^4C + 6ab^3(660A-209B+505C) - 15a^5C - 15a^3b^2(33A+17C) - 15a^2b^4(319A+247C)) \operatorname{Cot}[c+dx] \operatorname{EllipticE}[\operatorname{ArcSin}[\sqrt{a+b \sec(c+dx)}]/\sqrt{a+b}], (a+b)/(a-b) \sqrt{(b(1-\sec(c+dx)))/(a+b)} \sqrt{-((b(1+\sec(c+dx)))/(a-b))} / (3465b^4d) + (2(a-b)\sqrt{a+b}(10a^3b(11B-3C) - 40a^4C - 15a^2b^2(33A-121B+19C) - 3b^4(275A-539B+225C) + 6a^2b^3(660A-209B+505C)) \operatorname{Cot}[c+dx] \operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a+b \sec(c+dx)}]/\sqrt{a+b}], (a+b)/(a-b) \sqrt{(b(1-\sec(c+dx)))/(a+b)} \sqrt{-((b(1+\sec(c+dx)))/(a-b))} / (3465b^3d) - (2(110a^3b^2B - 1254a^2b^3B - 40a^4C - 75b^4(11A+9C) - 15a^2b^2(33A+19C)) \sqrt{a+b \sec(c+dx)} \operatorname{Tan}[c+dx]) / (3465b^2d) - (2(110a^2b^2B - 539b^3B - 40a^3C - 5a^2b^2(99A+67C)) (a+b \sec(c+dx))^{3/2} \operatorname{Tan}[c+dx]) / (3465b^2d) + (2(99A^2b^2 - 22a^2b^2B + 8a^2C + 81b^2C) (a+b \sec(c+dx))^{5/2} \operatorname{Tan}[c+dx]) / (693b^2d) + (2(11b^2B - 4a^2C) (a+b \sec(c+dx))^{7/2} \operatorname{Tan}[c+dx]) / (99b^2d) + (2C \sec(c+dx) (a+b \sec(c+dx))^{7/2} \operatorname{Tan}[c+dx]) / (11b^2d)}{3465b^3d}$$

[Out] (2*(a - b)*Sqrt[a + b]*(110*a^4*b*B - 3069*a^2*b^3*B - 1617*b^5*B - 40*a^5*C - 15*a^3*b^2*(33*A + 17*C) - 15*a*b^4*(319*A + 247*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^4*d) + (2*(a - b)*Sqrt[a + b]*(10*a^3*b*(11*B - 3*C) - 40*a^4*C - 15*a^2*b^2*(33*A - 121*B + 19*C) - 3*b^4*(275*A - 539*B + 225*C) + 6*a^2*b^3*(660*A - 209*B + 505*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^3*d) - (2*(110*a^3*b^2*B - 1254*a^2*b^3*B - 40*a^4*C - 75*b^4*(11*A + 9*C) - 15*a^2*b^2*(33*A + 19*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3465*b^2*d) - (2*(110*a^2*b^2*B - 539*b^3*B - 40*a^3*C - 5*a^2*b^2*(99*A + 67*C))*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(3465*b^2*d) + (2*(99*A^2*b^2 - 22*a^2*b^2*B + 8*a^2*C + 81*b^2*C)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(693*b^2*d) + (2*(11*b^2*B - 4*a^2*C)*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(99*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(11*b^2*d)

Rubi [A] time = 2.10959, antiderivative size = 610, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4092, 4082, 4002, 4005, 3832, 4004}

$$\frac{2 \tan(c+dx) (8a^2C - 22abB + 99Ab^2 + 81b^2C) (a+b \sec(c+dx))^{5/2}}{693b^2d} - \frac{2 \tan(c+dx) (110a^2bB - 40a^3C - 5ab^2(99A + 67C) + 81b^2C) (a+b \sec(c+dx))^{5/2}}{3465b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(a - b)*Sqrt[a + b]*(110*a^4*b*B - 3069*a^2*b^3*B - 1617*b^5*B - 40*a^5*C - 15*a^3*b^2*(33*A + 17*C) - 15*a*b^4*(319*A + 247*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^4*d) + (2*(a - b)*Sqrt[a + b]*(10*a^3*b*(11*B - 3*C) - 40*a^4*C - 15*a^2*b^2*(33*A - 121*B + 19*C) - 3*b^4*(275*A - 539*B + 225*C) + 6*a^2*b^3*(660*A - 209*B + 505*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^3*d) - (2*(110*a^3*b^2*B - 1254*a^2*b^3*B - 40*a^4*C - 75*b^4*(11*A + 9*C) - 15*a^2*b^2*(33*A + 19*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3465*b^2*d) - (2*(110*a^2*b^2*B - 539*b^3*B - 40*a^3*C - 5*a^2*b^2*(99*A + 67*C))*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(3465*b^2*d) + (2*(99*A^2*b^2 - 22*a^2*b^2*B + 8*a^2*C + 81*b^2*C)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(693*b^2*d) + (2*(11*b^2*B - 4*a^2*C)*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(99*b^2*d) + (2*C*Sec[c + d*x]*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(11*b^2*d)

$$2*b^2*(33*A - 121*B + 19*C) - 3*b^4*(275*A - 539*B + 225*C) + 6*a*b^3*(660*A - 209*B + 505*C)*\cot[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-(b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3465*b^3*d) - (2*(110*a^3*b*B - 1254*a*b^3*B - 40*a^4*C - 75*b^4*(11*A + 9*C) - 15*a^2*b^2*(33*A + 19*C))*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/ (3465*b^2*d) - (2*(110*a^2*b*B - 539*b^3*B - 40*a^3*C - 5*a*b^2*(99*A + 67*C))*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Tan}[c + d*x])/ (3465*b^2*d) + (2*(99*A*b^2 - 22*a*b*B + 8*a^2*C + 81*b^2*C)*(a + b*\text{Sec}[c + d*x])^(5/2)*\text{Tan}[c + d*x])/ (693*b^2*d) + (2*(11*b*B - 4*a*C)*(a + b*\text{Sec}[c + d*x])^(7/2)*\text{Tan}[c + d*x])/ (99*b^2*d) + (2*C*\text{Sec}[c + d*x]*(a + b*\text{Sec}[c + d*x])^(7/2)*\text{Tan}[c + d*x])/ (11*b*d)$$

Rule 4092

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol]
:> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol]
:> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol]
:> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol]
:> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x], x]
```

$e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4004

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec(c + dx)(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{11bd} \\ &= \frac{2(11bB - 4aC)(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{99b^2d} \\ &= \frac{2(99Ab^2 - 22abB + 8a^2C + 81b^2C)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{693b^2d} \\ &= -\frac{2(110a^2bB - 539b^3B - 40a^3C - 5ab^2C)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{693b^2d} \\ &= -\frac{2(110a^3bB - 1254ab^3B - 40a^4C - 75ab^2C)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{693b^2d} \\ &= -\frac{2(110a^3bB - 1254ab^3B - 40a^4C - 75ab^2C)(a + b \sec(c + dx))^{1/2} \tan(c + dx)}{693b^2d} \\ &= \frac{2(a - b)\sqrt{a + b}(110a^4bB - 3069a^2b^3B - 40a^4C - 75ab^2C)}{693b^2d} \end{aligned}$$

Mathematica [A] time = 21.8605, size = 1090, normalized size = 1.79

$$\cos^4(c + dx)(a + b \sec(c + dx))^{5/2} (C \sec^2(c + dx) + B \sec(c + dx) + A) \left(\frac{4}{99} (11B \sin(c + dx)b^2 + 23aC \sin(c + dx)b) \sec^4 \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (-4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*((a + b)*(-110*a^4*b*B + 3069*a^2*b^3*B + 1617*b^5*B + 40*a^5*C + 15*a^3*b^2*(33*A + 17*C) + 15*a*b^4*(319*A + 247*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - b*(a + b)*(40*a^4*C - 10*a^3*b*(11*B + 3*C) + 15*a^2*b^2*(33*A + 121*B + 19*C) + 3*b^4*(275*A + 539*B + 225*C) + 6*a*b^3*(660*A + 209*B + 505*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (-110*a^4*b*B + 3069*a^2*b^3*B + 1617*b^5*B + 40*a^5*C + 15*a^3*b^2*(33*A + 17*C) + 15*a*b^4*(319*A + 247*C))*Tan[(c + d*x)/2]*(b - b*Tan[(c + d*x)/2]^4 + a*(-1 + Tan[(c + d*x)/2]^2)^2))/((3465*b^3*d*(b + a*Cos[c + d*x])^(5/2)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)])) + (Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(495*a^3*A*b^2 + 4785*a*A*b^4 - 110*a^4*b*B + 3069*a^2*b^3*B + 1617*b^5*B + 40*a^5*C + 255*a^3*b^2*C + 3705*a*b^4*C)*Sin[c + d*x])/(3465*b^3) + (4*Sec[c + d*x]^4*(11*b^2*B*Sin[c + d*x] + 23*a*b*C*Sin[c + d*x]))/99 + (4*Sec[c + d*x]^3*(99*A*b^2*Sin[c + d*x] + 209*a*b*B*Sin[c + d*x] + 113*a^2*C*Sin[c + d*x] + 81*b^2*C*Sin[c + d*x]))/693 + (4*Sec[c + d*x]^2*(1485*a*A*b^2*Sin[c + d*x] + 825*a^2*b*B*Sin[c + d*x] + 539*b^3*B*Sin[c + d*x] + 15*a^3*C*Sin[c + d*x] + 1145*a*b^2*C*Sin[c + d*x]))/(3465*b) + (4*Sec[c + d*x]*(1485*a^2*A*b^2*Sin[c + d*x] + 825*A*b^4*Sin[c + d*x] + 55*a^3*b*B*Sin[c + d*x] + 1793*a*b^3*B*Sin[c + d*x] - 20*a^4*C*Sin[c + d*x] + 1025*a^2*b^2*C*Sin[c + d*x] + 675*b^4*C*Sin[c + d*x]))/(3465*b^2) + (4*b^2*C*Sec[c + d*x]^4*Tan[c + d*x])/11))/((d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

Maple [B] time = 3.07, size = 7208, normalized size = 11.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(a+b*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x)$

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(a+b*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$\text{integral}((Cb^2 \sec(dx+c)^6 + (2Cab + Bb^2) \sec(dx+c)^5 + Aa^2 \sec(dx+c)^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^4 + ($

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(a+b*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x, \text{algorithm}="fricas")$

[Out] $\text{integral}((C*b^2*\sec(dx+c)^6 + (2*C*a*b + B*b^2)*\sec(dx+c)^5 + A*a^2*\sec(dx+c)^2 + (C*a^2 + 2*B*a*b + A*b^2)*\sec(dx+c)^4 + (B*a^2 + 2*A*a*b)*\sec(dx+c)^3)*\text{sqrt}(b*\sec(dx+c) + a), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)
)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)
)*sec(d*x + c)^2, x)
```


3.951 $\int \sec(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=502

$$\frac{2(a-b)\sqrt{a+b} \cot(c+dx) (15a^2b(21A-3B+11C) + 10a^3C - 6ab^2(28A-60B+19C) + 3b^3(63A-25B+49C)) \sqrt{\frac{b(c+dx)}{a+b \sec(c+dx)}}}{315b^2d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(45*a^3*b*B + 435*a*b^3*B - 10*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(161*A + 93*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^3*d) + (2*(a - b)*Sqrt[a + b]*(10*a^3*C + 15*a^2*b*(21*A - 3*B + 11*C) - 6*a*b^2*(28*A - 60*B + 19*C) + 3*b^3*(63*A - 25*B + 49*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^2*d) + (2*(45*a^2*b*B + 75*b^3*B - 10*a^3*C + 6*a*b^2*(28*A + 19*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (315*b*d) + (2*(63*A*b^2 + 45*a*b*B - 10*a^2*C + 49*b^2*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/ (315*b*d) + (2*(9*b*B - 2*a*C)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/ (63*b*d) + (2*C*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/ (9*b*d)
```

Rubi [A] time = 1.25594, antiderivative size = 502, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4082, 4002, 4005, 3832, 4004}

$$\frac{2 \tan(c + dx) (-10a^2C + 45abB + 63Ab^2 + 49b^2C) (a + b \sec(c + dx))^{3/2}}{315bd} + \frac{2 \tan(c + dx) (45a^2bB - 10a^3C + 6ab^2(28A - 60B + 19C) + 3b^3(63A - 25B + 49C)) \sqrt{\frac{b(c+dx)}{a+b \sec(c+dx)}}}{315bd}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(45*a^3*b*B + 435*a*b^3*B - 10*a^4*C + 21*b^4*(9*A + 7*C) + 3*a^2*b^2*(161*A + 93*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^3*d) + (2*(a - b)*Sqrt[a + b]*(10*a^3*C + 15*a^2*b*(21*A - 3*B + 11*C) - 6*a*b^2*(28*A - 60*B + 19*C) + 3*b^3*(63*A - 25*B + 49*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^2*d) + (2*(45*a^2*b*B + 75*b^3*B - 10*a^3*C + 6*a*b^2*(28*A + 19*C))*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (315*b*d) + (2*(63*A*b^2 + 45*a*b*B - 10*a^2*C + 49*b^2*C)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/ (315*b*d) + (2*(9*b*B - 2*a*C)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/ (63*b*d) + (2*C*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/ (9*b*d)
```

$$2*b*B + 75*b^3*B - 10*a^3*C + 6*a*b^2*(28*A + 19*C))*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]/(315*b*d) + (2*(63*A*b^2 + 45*a*b*B - 10*a^2*C + 49*b^2*C)*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Tan}[c + d*x]/(315*b*d) + (2*(9*b*B - 2*a*C)*(a + b*\text{Sec}[c + d*x])^(5/2)*\text{Tan}[c + d*x]/(63*b*d) + (2*C*(a + b*\text{Sec}[c + d*x])^(7/2)*\text{Tan}[c + d*x]/(9*b*d)$$

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
```

f*x]))/(a - b)))*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{9bd} + \dots \\
 &= \frac{2(9bB - 2aC)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{63bd} \\
 &= \frac{2(63Ab^2 + 45abB - 10a^2C + 49b^2C)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{315bd} \\
 &= \frac{2(45a^2bB + 75b^3B - 10a^3C + 6ab^2(28A + 3C)) \tan(c + dx)}{315bd} \\
 &= \frac{2(45a^2bB + 75b^3B - 10a^3C + 6ab^2(28A + 3C)) \tan(c + dx)}{315bd} \\
 &= -\frac{2(a - b)\sqrt{a + b}(45a^3bB + 435ab^3B - 10a^4C + 6ab^2(28A + 3C))}{315bd}
 \end{aligned}$$

Mathematica [B] time = 26.6775, size = 4220, normalized size = 8.41

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(483*a^2*A*b^2 + 189*A*b^4 + 45*a^3*b*B + 435*a*b^3*B - 10*a^4*C + 279*a^2*b^2*C + 147*b^4*C)*Sin[c + d*x]))/(315*b^2) + (4*Sec[c + d*x]^3*(9*b^2*B*Sin[c + d*x] + 19*a*b*C*Sin[c + d*x]))/63 + (4*Sec[c + d*x]^2*(63*A*b^2*Sin[c + d*x] + 135*a*b*B*Sin[c + d*x] + 75*a^2*C*Sin[c + d*x] + 49*b^2*C*Sin[c + d*x]))/315 + (4*Sec[c + d*x]*(231*a*A*b^2*Sin[c + d*x] + 135*a^2*b*B*Sin[c + d*x] + 75*b^3*B*Sin[c + d*x] + 5*a^3*C*Sin[c + d*x] + 163*a*b^2*C*Sin[c + d*x]))/(315*b) + (4*b^2*C*Sec[c + d*x]^3*Tan[c + d*x])/9)/(d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) +

$$\begin{aligned}
& (4*((-46*a^2*A*b)/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (6*A*b^3)/(5*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*a^3*B)/(7*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (58*a*b^2*B)/(21*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) + (4*a^4*C)/(63*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (62*a^2*b*C)/(35*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (14*b^3*C)/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (16*a^3*A*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (16*a*A*b^2*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (2*a^4*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(7*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (4*a^2*b*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (10*b^3*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (248*a^3*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(315*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (4*a^5*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(63*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (76*a*b^2*C*\text{Sqrt}[\text{Sec}[c + d*x]])/(105*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (46*a^3*A*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (6*a*A*b^2*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (2*a^4*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(7*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (58*a^2*b*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (62*a^3*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(35*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (4*a^5*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(63*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (14*a*b^2*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]])
\end{aligned}$$

$$

$$\begin{aligned}
&)*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^{(5/2)}*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((a + b)*((-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 21*b^4*(9*A + 7*C) - 3*a^2*b^2*(161*A + 93*C))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(-10*a^3*C + 15*a^2*b*(21*A + 3*B + 11*C) + 6*a*b^2*(28*A + 60*B + 19*C) + 3*b^3*(63*A + 25*B + 49*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)])*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2/(a + b)]*\text{Sec}[c + d*x] + (-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 21*b^4*(9*A + 7*C) - 3*a^2*b^2*(161*A + 93*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4*\text{Tan}[(c + d*x)/2])/((315*b^2*d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sec}[c + d*x]^{(9/2)}*((2*a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*((a + b)*((-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 21*b^4*(9*A + 7*C) - 3*a^2*b^2*(161*A + 93*C))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(-10*a^3*C + 15*a^2*b*(21*A + 3*B + 11*C) + 6*a*b^2*(28*A + 60*B + 19*C) + 3*b^3*(63*A + 25*B + 49*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]))*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2/(a + b)]*\text{Sec}[c + d*x] + (-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 21*b^4*(9*A + 7*C) - 3*a^2*b^2*(161*A + 93*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4*\text{Tan}[(c + d*x)/2])/((315*b^2*(b + a*\text{Cos}[c + d*x])^{(3/2)}*(\text{Sec}[(c + d*x)/2]^2)^{(3/2)} - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*((a + b)*((-45*a^3*b*B - 435*a*b^3*B + 10*a^4*C - 21*b^4*(9*A + 7*C) - 3*a^2*b^2*(161*A + 93*C))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + b*(-10*a^3*C + 15*a^2*b*(21*A + 3*B + 11*C) + 6*a*b^2*(28*A + 60*B + 19*C) + 3*b^3*(63*A + 25*B + 49*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]))
\end{aligned}$$

$$\begin{aligned}
& 2]], (a - b)/(a + b)] * (\cos[c + dx] * \sec[(c + dx)/2]^2)^{(3/2)} * \sqrt{((b + a) * \cos[c + dx]) * \sec[(c + dx)/2]^2 / (a + b)} * \sec[c + dx] + (-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * \cos[c + dx] * (b + a * \cos[c + dx]) * \sec[(c + dx)/2]^4 * \tan[(c + dx)/2]) / (105 * b^2 * \sqrt{b + a * \cos[c + dx]}) * (\sec[(c + dx)/2]^2)^{(3/2)} + (2 * ((a + b) * ((-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + b * (-10 * a^3 * C + 15 * a^2 * b * (21 * A + 3 * B + 11 * C) + 6 * a * b^2 * (28 * A + 60 * B + 19 * C) + 3 * b^3 * (63 * A + 25 * B + 49 * C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)])) * (\cos[c + dx] * \sec[(c + dx)/2]^2)^{(3/2)} * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2) / (a + b)} * \sec[c + dx] + (-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * \cos[c + dx] * (b + a * \cos[c + dx]) * \sec[(c + dx)/2]^4 * \tan[(c + dx)/2]) * (-\cos[(c + dx)/2] * \sec[c + dx] * \sin[(c + dx)/2] + \cos[(c + dx)/2]^2 * \sec[c + dx] * \tan[c + dx]) / (315 * b^2 * \sqrt{b + a * \cos[c + dx]}) * (\sec[(c + dx)/2]^2)^{(3/2)} * \sqrt{\cos[(c + dx)/2]^2 * \sec[c + dx]} + (4 * \sqrt{\cos[(c + dx)/2]^2 * \sec[c + dx]}) * (((-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * \cos[c + dx] * (b + a * \cos[c + dx]) * \sec[(c + dx)/2]^6 / 2 - a * (-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * \cos[c + dx] * \sec[(c + dx)/2]^4 * \sin[c + dx] * \tan[(c + dx)/2] - (-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * (b + a * \cos[c + dx]) * \sec[(c + dx)/2]^4 * \sin[c + dx] * \tan[(c + dx)/2] + 2 * (-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * \cos[c + dx] * (b + a * \cos[c + dx]) * \sec[(c + dx)/2]^4 * \tan[(c + dx)/2]^2 + (3 * (a + b) * ((-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + b * (-10 * a^3 * C + 15 * a^2 * b * (21 * A + 3 * B + 11 * C) + 6 * a * b^2 * (28 * A + 60 * B + 19 * C) + 3 * b^3 * (63 * A + 25 * B + 49 * C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)])) * \sqrt{\cos[c + dx] * \sec[(c + dx)/2]^2} * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2) / (a + b)} * \sec[c + dx] * (-\sec[(c + dx)/2]^2 * \sin[c + dx] + \cos[c + dx] * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) / 2 + ((a + b) * ((-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + b * (-10 * a^3 * C + 15 * a^2 * b * (21 * A + 3 * B + 11 * C) + 6 * a * b^2 * (28 * A + 60 * B + 19 * C) + 3 * b^3 * (63 * A + 25 * B + 49 * C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)])) * (\cos[c + dx] * \sec[(c + dx)/2]^2)^{(3/2)} * \sec[c + dx] * (-\sec[(c + dx)/2]^2 * \sin[c + dx]) / (a + b) + ((b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) / (a + b)) / (2 * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2) / (a + b)}) + (a + b) * (\cos[c + dx] * \sec[(c + dx)/2]^2)^{(3/2)} * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx)/2]^2) / (a + b)} * \sec[c + dx] * ((b * (-10 * a^3 * C + 15 * a^2 * b * (21 * A + 3 * B + 11 * C) + 6 * a * b^2 * (28 * A + 60 * B + 19 * C) + 3 * b^3 * (63 * A + 25 * B + 49 * C)) * \sec[(c + dx)/2]^2) / (2 * \sqrt{1 - \tan[(c + dx)/2]^2}) * \sqrt{1 - ((a - b) * \tan[(c + dx)/2]^2) / (a + b)}) + ((-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - 3 * a^2 * b^2 * (161 * A + 93 * C)) * \sec[(c + dx)/2]^2 * \sqrt{1 - ((a - b) * \tan[(c + dx)/2]^2) / (a + b)}) / (2 * \sqrt{1 - \tan[(c + dx)/2]^2})
\end{aligned}$$

$$\begin{aligned} &)) + (a + b) * ((-45 * a^3 * b * B - 435 * a * b^3 * B + 10 * a^4 * C - 21 * b^4 * (9 * A + 7 * C) - \\ &3 * a^2 * b^2 * (161 * A + 93 * C)) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + \\ &b)] + b * (-10 * a^3 * C + 15 * a^2 * b * (21 * A + 3 * B + 11 * C) + 6 * a * b^2 * (28 * A + 60 * B + \\ &19 * C) + 3 * b^3 * (63 * A + 25 * B + 49 * C)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a \\ &- b) / (a + b)]) * (\text{Cos}[c + d * x] * \text{Sec}[(c + d * x) / 2]^2)^{(3/2)} * \text{Sqrt}[\text{((b + a * Cos}[c + \\ &d * x]) * \text{Sec}[(c + d * x) / 2]^2) / (a + b)] * \text{Sec}[c + d * x] * \text{Tan}[c + d * x]) / (315 * b^2 * \text{Sqrt}[\\ &b + a * \text{Cos}[c + d * x]] * (\text{Sec}[(c + d * x) / 2]^2)^{(3/2)})) \end{aligned}$$

Maple [B] time = 2.056, size = 6163, normalized size = 12.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left((Cb^2 \sec(dx + c)^5 + (2Cab + Bb^2) \sec(dx + c)^4 + Aa^2 \sec(dx + c) + (Ca^2 + 2Bab + Ab^2) \sec(dx + c)^3 + (Ba^2 + 2Cab + Bb^2) \sec(dx + c)^2 + Aa^2 \sec(dx + c) + Ca^2 + 2Bab + Ab^2) \sec(dx + c)^2 + (Ba^2 + 2Cab + Bb^2) \sec(dx + c) + Aa^2 + Ca^2 + 2Bab + Ab^2 \right) \sec(dx + c)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

```
[Out] integral((C*b^2*sec(d*x + c)^5 + (2*C*a*b + B*b^2)*sec(d*x + c)^4 + A*a^2*sec(d*x + c) + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^3 + (B*a^2 + 2*A*a*b)*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c), x)
```

3.952 $\int (a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=521

$$\frac{2\sqrt{a+b} \cot(c+dx) (a^2b(315A - 161B + 135C) + 15a^3(7B - C) - ab^2(245A - 119B + 145C) + b^3(35A - 63B + 25C))}{105bd}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(161*a^2*b*B + 63*b^3*B + 15*a^3*C + 5*a*b^2*(49*A
+ 29*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]
], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec
[c + d*x]))/(a - b))]/(105*b^2*d) + (2*Sqrt[a + b]*(15*a^3*(7*B - C) + b^3
*(35*A - 63*B + 25*C) + a^2*b*(315*A - 161*B + 135*C) - a*b^2*(245*A - 119*
B + 145*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 +
Sec[c + d*x]))/(a - b))]/(105*b*d) - (2*a^2*A*Sqrt[a + b]*Cot[c + d*x]*Ell
ipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
- b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(
a - b))])/d + (2*(35*A*b^2 + 56*a*b*B + 15*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec
[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*b*B + 5*a*C)*(a + b*Sec[c + d*x])^
(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/
(7*d)
```

Rubi [A] time = 0.971456, antiderivative size = 521, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{2 \tan(c + dx) (15a^2C + 56abB + 35Ab^2 + 25b^2C) \sqrt{a + b \sec(c + dx)}}{105d} + \frac{2\sqrt{a+b} \cot(c+dx) (a^2b(315A - 161B + 135C))}{105bd}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(161*a^2*b*B + 63*b^3*B + 15*a^3*C + 5*a*b^2*(49*A
+ 29*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]
], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec
[c + d*x]))/(a - b))]/(105*b^2*d) + (2*Sqrt[a + b]*(15*a^3*(7*B - C) + b^3
*(35*A - 63*B + 25*C) + a^2*b*(315*A - 161*B + 135*C) - a*b^2*(245*A - 119*
B + 145*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 +
Sec[c + d*x]))/(a - b))]/(105*b*d) - (2*a^2*A*Sqrt[a + b]*Cot[c + d*x]*Ell
```



```

ipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
- b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(
a - b))]/d + (2*(35*A*b^2 + 56*a*b*B + 15*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec
[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*b*B + 5*a*C)*(a + b*Sec[c + d*x])^
(3/2)*Tan[c + d*x])/(35*d) + (2*C*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/
(7*d)

```

Rule 4056

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3921

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3784

```

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,

```

f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[
csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{7d} + \frac{2}{7} \int (a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
 &= \frac{2(7bB + 5aC)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{35d} + \frac{2}{7} \int (a + b \sec(c + dx))^{1/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx \\
 &= \frac{2(35Ab^2 + 56abB + 15a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)}}{105d} \\
 &= \frac{2(35Ab^2 + 56abB + 15a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)}}{105d} \\
 &= -\frac{2(a - b) \sqrt{a + b} (161a^2bB + 63b^3B + 15a^3C + 5ab^2(4C + 3A))}{105d} \\
 &= -\frac{2(a - b) \sqrt{a + b} (161a^2bB + 63b^3B + 15a^3C + 5ab^2(4C + 3A))}{105d}
 \end{aligned}$$

Mathematica [B] time = 21.2756, size = 1405, normalized size = 2.7

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (-4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt
[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(245*a^2*A*b^2*Tan[(c + d*x)/2] + 245*a*A*b
```

$$\begin{aligned}
&^3 \tan\left[\frac{c+dx}{2}\right] + 161a^3b^3B \tan\left[\frac{c+dx}{2}\right] + 161a^2b^2B \tan\left[\frac{c+dx}{2}\right] + 63a^3b^3B \tan\left[\frac{c+dx}{2}\right] + 63b^4B \tan\left[\frac{c+dx}{2}\right] + 15a^4 \\
&C \tan\left[\frac{c+dx}{2}\right] + 15a^3b^3C \tan\left[\frac{c+dx}{2}\right] + 145a^2b^2C \tan\left[\frac{c+dx}{2}\right] + 145a^3b^3C \tan\left[\frac{c+dx}{2}\right] - 490a^2A^2b^2 \tan\left[\frac{c+dx}{2}\right]^3 - \\
&322a^3b^3B \tan\left[\frac{c+dx}{2}\right]^3 - 126a^3b^3B \tan\left[\frac{c+dx}{2}\right]^3 - 30a^4C \\
&\tan\left[\frac{c+dx}{2}\right]^3 - 290a^2b^2C \tan\left[\frac{c+dx}{2}\right]^3 + 245a^2A^2b^2 \tan\left[\frac{c+dx}{2}\right]^5 - 245a^3A^2b^3 \tan\left[\frac{c+dx}{2}\right]^5 + 161a^3b^3B \tan\left[\frac{c+dx}{2}\right]^5 - \\
&161a^2b^2B \tan\left[\frac{c+dx}{2}\right]^5 + 63a^3b^3B \tan\left[\frac{c+dx}{2}\right]^5 - 63b^4B \tan\left[\frac{c+dx}{2}\right]^5 + 15a^4C \tan\left[\frac{c+dx}{2}\right]^5 - 15a^3b^3C \tan\left[\frac{c+dx}{2}\right]^5 + 145a^2b^2C \tan\left[\frac{c+dx}{2}\right]^5 - \\
&145a^3b^3C \tan\left[\frac{c+dx}{2}\right]^5 + 210a^3A^2b^3 \operatorname{EllipticPi}\left[-1, -\operatorname{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{a-b}{a+b}\right] \sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2} \sqrt{\frac{a+b - a \tan\left[\frac{c+dx}{2}\right]^2 + b \tan\left[\frac{c+dx}{2}\right]^2}{a+b}} \\
&+ 210a^3A^2b^3 \operatorname{EllipticPi}\left[-1, -\operatorname{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{a-b}{a+b}\right] \tan\left[\frac{c+dx}{2}\right]^2 \sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2} \sqrt{\frac{a+b - a \tan\left[\frac{c+dx}{2}\right]^2 + b \tan\left[\frac{c+dx}{2}\right]^2}{a+b}} + (a+b) \\
&\cdot (161a^2b^3B + 63b^4B + 15a^3C + 5a^2b^2(49A + 29C)) \operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{a-b}{a+b}\right] \sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2} (1 + \tan\left[\frac{c+dx}{2}\right]^2) \sqrt{\frac{a+b - a \tan\left[\frac{c+dx}{2}\right]^2 + b \tan\left[\frac{c+dx}{2}\right]^2}{a+b}} \\
&- b(-15a^3(7A - 7B - C) + b^3(35A + 63B + 25C) + a^2b^3(315A + 161B + 135C) + a^2b^2(245A + 119B + 145C)) \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{a-b}{a+b}\right] \sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2} (1 + \tan\left[\frac{c+dx}{2}\right]^2) \sqrt{\frac{a+b - a \tan\left[\frac{c+dx}{2}\right]^2 + b \tan\left[\frac{c+dx}{2}\right]^2}{a+b}} \\
&\left. \right) / (105b^2d(b + a \cos[c + dx])^{5/2} (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sec[c + dx]^{9/2} (1 + \tan\left[\frac{c+dx}{2}\right]^2)^{3/2} \sqrt{\frac{a+b - a \tan\left[\frac{c+dx}{2}\right]^2 + b \tan\left[\frac{c+dx}{2}\right]^2}{1 + \tan\left[\frac{c+dx}{2}\right]^2}}) + (\cos[c + dx]^4 (a + b \sec[c + dx])^{5/2} (A + B \sec[c + dx] + C \sec[c + dx]^2) \cdot ((4(245a^2A^2b^2 + 161a^2b^2B + 63b^3B + 15a^3C + 145a^2b^2C) \sin[c + dx]) / (105b) + (4 \sec[c + dx]^2 (7b^2B \sin[c + dx] + 15a^2b^2C \sin[c + dx])) / 35 + (4 \sec[c + dx] (35A^2b^2 \sin[c + dx] + 77a^2b^2B \sin[c + dx] + 45a^2C \sin[c + dx] + 25b^2C \sin[c + dx])) / 105 + (4b^2C \sec[c + dx]^2 \tan[c + dx]) / 7) / (d(b + a \cos[c + dx])^2 (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]))
\end{aligned}$$

Maple [B] time = 1.259, size = 5138, normalized size = 9.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b \sec(dx+c))^{5/2} (A+B \sec(dx+c)+C \sec(dx+c)^2), x)$

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb² sec(dx + c)⁴ + (2Cab + Bb²) sec(dx + c)³ + Aa² + (Ca² + 2Bab + Ab²) sec(dx + c)² + (Ba² + 2Aab) sec(dx + c)) * sqrt(b*sec(dx + c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b²*sec(d*x + c)⁴ + (2*C*a*b + B*b²)*sec(d*x + c)³ + A*a² + (C*a² + 2*B*a*b + A*b²)*sec(d*x + c)² + (B*a² + 2*A*a*b)*sec(d*x + c)) * sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2), x)
```

3.953 $\int \cos(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=505

$$\frac{\sqrt{a+b} \cot(c+dx) \left(a^2 b (15A + 90B - 46C) + 30a^3 C + 2ab^2 (45A - 35B + 17C) - 2b^3 (15A - 5B + 9C) \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{15bd}$$

```
[Out] -((a - b)*Sqrt[a + b]*(70*a*b*B - a^2*(15*A - 46*C) + 6*b^2*(5*A + 3*C))*Co
t[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/
(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))
/(a - b)))]/(15*b*d) + (Sqrt[a + b]*(a^2*b*(15*A + 90*B - 46*C) + 30*a^3*C
- 2*b^3*(15*A - 5*B + 9*C) + 2*a*b^2*(45*A - 35*B + 17*C))*Cot[c + d*x]*Ell
ipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[
(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(1
5*b*d) - (a*Sqrt[a + b]*(5*A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a,
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d + (A*(a
+ b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/d - (b*(15*a*A - 10*b*B - 16*a*C)*Sq
rt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*d) - (b*(5*A - 2*C)*(a + b*Sec[c +
d*x])^(3/2)*Tan[c + d*x])/(5*d)
```

Rubi [A] time = 0.965178, antiderivative size = 505, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4094, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b} \cot(c+dx) \left(a^2 b (15A + 90B - 46C) + 30a^3 C + 2ab^2 (45A - 35B + 17C) - 2b^3 (15A - 5B + 9C) \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{15bd}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2), x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(70*a*b*B - a^2*(15*A - 46*C) + 6*b^2*(5*A + 3*C))*Co
t[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/
(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))
/(a - b)))]/(15*b*d) + (Sqrt[a + b]*(a^2*b*(15*A + 90*B - 46*C) + 30*a^3*C
- 2*b^3*(15*A - 5*B + 9*C) + 2*a*b^2*(45*A - 35*B + 17*C))*Cot[c + d*x]*Ell
ipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[
(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(1
5*b*d) - (a*Sqrt[a + b]*(5*A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a,
```

$\text{ArcSin}[\text{Sqrt}[a + b\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/d + (A*(a + b*\text{Sec}[c + d*x])^{5/2}*\text{Sin}[c + d*x])/d - (b*(15*a*A - 10*b*B - 16*a*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(15*d) - (b*(5*A - 2*C)*(a + b*\text{Sec}[c + d*x])^{3/2}*\text{Tan}[c + d*x])/(5*d)$

Rule 4094

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(d + \text{csc}[e + f*x])^n, x] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$

Rule 4056

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(b + a)^m, x] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[1/(m+1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*\text{Simp}[a*A*(m+1) + ((A*b + a*B)*(m+1) + b*C*m)*\text{Csc}[e + f*x] + (b*B*(m+1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[2*m, 0]$

Rule 4058

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])/\text{Sqrt}[\text{csc}[e + f*x]*(b + a)], x] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\text{csc}[e + f*x]*(d + c))/\text{Sqrt}[\text{csc}[e + f*x]*(b + a)], x] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

$\text{Int}[1/\text{Sqrt}[\text{csc}[c + d*x]*(b + a)], x] \rightarrow \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[c + d*x]))/(a - b))]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]]/\text{Rt}[a + b,$

2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{d} + \int (a + b \sec(c + dx))^{5/2} \sin(c + dx) dx \\
 &= \frac{A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{b(5a + 4b) \int (a + b \sec(c + dx))^{3/2} \sin(c + dx) dx}{d} \\
 &= \frac{A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{b(15a + 10b) \int (a + b \sec(c + dx))^{1/2} \sin(c + dx) dx}{d} \\
 &= \frac{A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{d} - \frac{b(15a + 10b) \sqrt{a + b} (70abB - a^2(15A - 46C))}{d} \\
 &= - \frac{(a - b) \sqrt{a + b} (70abB - a^2(15A - 46C))}{d}
 \end{aligned}$$

Mathematica [B] time = 20.9614, size = 1498, normalized size = 2.97

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (2*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[
(1 - Tan[(c + d*x)/2]^2)^(-1)]*(15*a^3*A*Tan[(c + d*x)/2] + 15*a^2*A*b*Tan[
(c + d*x)/2] - 30*a*A*b^2*Tan[(c + d*x)/2] - 30*A*b^3*Tan[(c + d*x)/2] - 70
*a^2*b*B*Tan[(c + d*x)/2] - 70*a*b^2*B*Tan[(c + d*x)/2] - 46*a^3*C*Tan[(c +
d*x)/2] - 46*a^2*b*C*Tan[(c + d*x)/2] - 18*a*b^2*C*Tan[(c + d*x)/2] - 18*b
^3*C*Tan[(c + d*x)/2] - 30*a^3*A*Tan[(c + d*x)/2]^3 + 60*a*A*b^2*Tan[(c + d
*x)/2]^3 + 140*a^2*b*B*Tan[(c + d*x)/2]^3 + 92*a^3*C*Tan[(c + d*x)/2]^3 + 3
6*a*b^2*C*Tan[(c + d*x)/2]^3 + 15*a^3*A*Tan[(c + d*x)/2]^5 - 15*a^2*A*b*Tan
[(c + d*x)/2]^5 - 30*a*A*b^2*Tan[(c + d*x)/2]^5 + 30*A*b^3*Tan[(c + d*x)/2]
^5 - 70*a^2*b*B*Tan[(c + d*x)/2]^5 + 70*a*b^2*B*Tan[(c + d*x)/2]^5 - 46*a^3
*C*Tan[(c + d*x)/2]^5 + 46*a^2*b*C*Tan[(c + d*x)/2]^5 - 18*a*b^2*C*Tan[(c +
d*x)/2]^5 + 18*b^3*C*Tan[(c + d*x)/2]^5 - 150*a^2*A*b*EllipticPi[-1, -ArcS
in[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a
+ b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 60*a^3*B*Ell
ipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d
*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b
)] - 150*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]
*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d
*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 60*a^3*B*EllipticPi[-1, -ArcSin
[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d
*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b
)] + (a + b)*(-70*a*b*B + a^2*(15*A - 46*C) - 6*b^2*(5*A + 3*C))*EllipticE[
ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1
+ Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/
2]^2)/(a + b)] - 2*(a^2*b*(45*A - 45*B - 23*C) + 15*a^3*(B - C) - b^3*(15*A
+ 5*B + 9*C) - a*b^2*(45*A + 35*B + 17*C))*EllipticF[ArcSin[Tan[(c + d*x)/
2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)
*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(15*
d*(b + a*Cos[c + d*x])^(5/2)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*
x])*Sec[c + d*x]^(9/2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(
c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))] + (Cos[c +
d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*
((4*(15*A*b^2 + 35*a*b*B + 23*a^2*C + 9*b^2*C)*Sin[c + d*x])/15 + (4*Sec[c
+ d*x]*(5*b^2*B*Sin[c + d*x] + 11*a*b*C*Sin[c + d*x]))/15 + (4*b^2*C*Sec[c
+ d*x]*Tan[c + d*x])/5))/(d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d
*x] + A*Cos[2*c + 2*d*x]))
```

Maple [B] time = 1.099, size = 4981, normalized size = 9.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)*(a+b*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$-1/15/d*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))^{2*}(-46*C*\cos(dx+c)^3*a^3+30*A*\cos(dx+c)^4*a*b^2-30*A*\cos(dx+c)^3*a*b^2+90*B*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-70*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b+18*C*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-46*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3-18*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+18*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+10*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3+10*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-70*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+70*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-70*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-70*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+70*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-46*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-18*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1))^{1/2}*$$

$$\begin{aligned}
& , ((a-b)/(a+b))^{(1/2)} * a^2 * b + 150 * A * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)} * a^2 * b - 90 * A * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a^2 * b + 150 * A * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)} * a^2 * b + 22 * C * \cos(d*x+c)^4 * a^2 * b + 18 * C * \cos(d*x+c)^4 * a * b^2 + 46 * C * \cos(d*x+c)^3 * a^2 * b + 10 * C * \cos(d*x+c)^3 * a * b^2 - 28 * C * \cos(d*x+c) * a * b^2 + 70 * B * \cos(d*x+c)^3 * a * b^2 - 80 * B * \cos(d*x+c)^2 * a * b^2 + 70 * B * \cos(d*x+c)^4 * a^2 * b + 10 * B * \cos(d*x+c)^4 * a * b^2 - 70 * B * \cos(d*x+c)^3 * a^2 * b - 68 * C * \cos(d*x+c)^2 * a^2 * b + 46 * C * \cos(d*x+c)^4 * a^3 + 18 * C * \cos(d*x+c)^3 * b^3 - 12 * C * \cos(d*x+c)^2 * b^3 + 10 * B * \cos(d*x+c)^3 * b^3 - 10 * B * \cos(d*x+c) * b^3 - 15 * A * \cos(d*x+c)^3 * a^2 * b - 46 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * a^3 - 18 * C * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * b^3 + 15 * A * \cos(d*x+c)^4 * a^2 * b + 15 * A * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^2 * b + 15 * A * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^2 * b - 15 * A * \cos(d*x+c)^4 * a^3 + 90 * A * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a * b^2 - 30 * A * \cos(d*x+c)^2 * b^3 + 30 * A * \cos(d*x+c)^3 * b^3 + 30 * A * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * b^3 - 30 * A * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * b^3 + 30 * A * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * b^3 - 30 * A * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE} \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * b^3 - 6 * C * b^3)/(b+a*\cos(d*x+c))/\cos(d*x+c)^2/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb^2 \cos(dx+c) \sec(dx+c)^4 + (2Cab + Bb^2) \cos(dx+c) \sec(dx+c)^3 + Aa^2 \cos(dx+c) + (Ca^2 + 2Bab - \dots\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^2*cos(d*x + c)*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)*sec(d*x + c)^3 + A*a^2*cos(d*x + c) + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c) + A \right) (b \sec(dx+c) + a)^{\frac{5}{2}} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c), x)
```

3.954 $\int \cos^2(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=507

$$\frac{\sqrt{a+b} \cot(c+dx) (6a^2(A+2(B+6C)) + ab(27A+72B-56C) + 8b^2(3A-3B+C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} E\left[\operatorname{ArcSin}\left[\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right], \frac{a+b}{a-b}\right] \operatorname{Sqrt}\left[\frac{b(1-\sec(c+dx))}{a+b}\right] \operatorname{Sqrt}\left[-\frac{b(1+\sec(c+dx))}{a-b}\right]}{12d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C))*Cot[c + d*x]
*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*S
qrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]
)/(12*b*d) + (Sqrt[a + b]*(a*b*(27*A + 72*B - 56*C) + 8*b^2*(3*A - 3*B + C)
+ 6*a^2*(A + 2*(B + 6*C)))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c
+ d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]
*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(12*d) - (Sqrt[a + b]*(15*A*b^2 +
20*a*b*B + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt
[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*
x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*d) + ((5*A*b + 4*
a*B)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d) + (A*Cos[c + d*x]*(a +
b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(2*d) - (b*(21*A*b + 12*a*B - 8*b*C)*Sq
rt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(12*d)
```

Rubi [A] time = 1.06138, antiderivative size = 507, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b} \cot(c+dx) (6a^2(A+2(B+6C)) + ab(27A+72B-56C) + 8b^2(3A-3B+C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} E\left[\operatorname{ArcSin}\left[\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right], \frac{a+b}{a-b}\right] \operatorname{Sqrt}\left[\frac{b(1-\sec(c+dx))}{a+b}\right] \operatorname{Sqrt}\left[-\frac{b(1+\sec(c+dx))}{a-b}\right]}{12d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C))*Cot[c + d*x]
*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*S
qrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]
)/(12*b*d) + (Sqrt[a + b]*(a*b*(27*A + 72*B - 56*C) + 8*b^2*(3*A - 3*B + C)
+ 6*a^2*(A + 2*(B + 6*C)))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c
+ d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]
*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(12*d) - (Sqrt[a + b]*(15*A*b^2 +
20*a*b*B + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt
```

$$\frac{[a + b \operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b], (a + b)/(a - b)] \operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)] \operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(4*d) + ((5*A*b + 4*a*B)*(a + b \operatorname{Sec}[c + d*x])^{3/2} \operatorname{Sin}[c + d*x])/(4*d) + (A \operatorname{Cos}[c + d*x]*(a + b \operatorname{Sec}[c + d*x])^{5/2} \operatorname{Sin}[c + d*x])/(2*d) - (b*(21*A*b + 12*a*B - 8*b*C) \operatorname{Sqrt}[a + b \operatorname{Sec}[c + d*x]] \operatorname{Tan}[c + d*x])/(12*d)$$
Rule 4094

$$\operatorname{Int}(((A_.) + \operatorname{csc}[(e_.) + (f_.)(x_.)]*(B_.) + \operatorname{csc}[(e_.) + (f_.)(x_.)]^2*(C_.)) * (\operatorname{csc}[(e_.) + (f_.)(x_.)]*(d_.))^{(n_.)} * (\operatorname{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(A * \operatorname{Cot}[e + f*x] * (a + b * \operatorname{Csc}[e + f*x])^m * (d * \operatorname{Csc}[e + f*x])^n) / (f * n), x] - \operatorname{Dist}[1 / (d * n), \operatorname{Int}[(a + b * \operatorname{Csc}[e + f*x])^{(m - 1)} * (d * \operatorname{Csc}[e + f*x])^{(n + 1)} * \operatorname{Simp}[A * b * m - a * B * n - (b * B * n + a * (C * n + A * (n + 1))) * \operatorname{Csc}[e + f*x] - b * (C * n + A * (m + n + 1)) * \operatorname{Csc}[e + f*x]^2, x], x], x] /; \operatorname{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{LeQ}[n, -1]$$
Rule 4056

$$\operatorname{Int}(((A_.) + \operatorname{csc}[(e_.) + (f_.)(x_.)]*(B_.) + \operatorname{csc}[(e_.) + (f_.)(x_.)]^2*(C_.)) * (\operatorname{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(C * \operatorname{Cot}[e + f*x] * (a + b * \operatorname{Csc}[e + f*x])^m) / (f * (m + 1)), x] + \operatorname{Dist}[1 / (m + 1), \operatorname{Int}[(a + b * \operatorname{Csc}[e + f*x])^{(m - 1)} * \operatorname{Simp}[a * A * (m + 1) + ((A * b + a * B) * (m + 1) + b * C * m) * \operatorname{Csc}[e + f*x] + (b * B * (m + 1) + a * C * m) * \operatorname{Csc}[e + f*x]^2, x], x], x] /; \operatorname{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{IGtQ}[2 * m, 0]$$
Rule 4058

$$\operatorname{Int}(((A_.) + \operatorname{csc}[(e_.) + (f_.)(x_.)]*(B_.) + \operatorname{csc}[(e_.) + (f_.)(x_.)]^2*(C_.)) / \operatorname{Sqrt}[\operatorname{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Int}[(A + (B - C) * \operatorname{Csc}[e + f*x]) / \operatorname{Sqrt}[a + b * \operatorname{Csc}[e + f*x]], x] + \operatorname{Dist}[C, \operatorname{Int}[(\operatorname{Csc}[e + f*x] * (1 + \operatorname{Csc}[e + f*x])) / \operatorname{Sqrt}[a + b * \operatorname{Csc}[e + f*x]], x], x] /; \operatorname{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$
Rule 3921

$$\operatorname{Int}((\operatorname{csc}[(e_.) + (f_.)(x_.)]*(d_.) + (c_.)) / \operatorname{Sqrt}[\operatorname{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[1 / \operatorname{Sqrt}[a + b * \operatorname{Csc}[e + f*x]], x], x] + \operatorname{Dist}[d, \operatorname{Int}[\operatorname{Csc}[e + f*x] / \operatorname{Sqrt}[a + b * \operatorname{Csc}[e + f*x]], x], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \operatorname{NeQ}[b * c - a * d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$
Rule 3784

$$\operatorname{Int}[1 / \operatorname{Sqrt}[\operatorname{csc}[(c_.) + (d_.)(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Simp}[(2 * \operatorname{Rt}[a + b, 2] * \operatorname{Sqrt}[(b * (1 - \operatorname{Csc}[c + d*x])) / (a + b)] * \operatorname{Sqrt}[-((b * (1 + \operatorname{Csc}[c + d*x])) / (a - b))] * \operatorname{EllipticPi}[(a + b) / a, \operatorname{ArcSin}[\operatorname{Sqrt}[a + b * \operatorname{Csc}[c + d*x]]] / \operatorname{Rt}[a + b,$$

2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{2d} \\
 &= \frac{(5Ab + 4aB)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d} \\
 &= \frac{(5Ab + 4aB)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d} \\
 &= \frac{(5Ab + 4aB)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d} \\
 &= \frac{(a - b)\sqrt{a + b} (12a^2B - 24b^2B + ab(27C + 2A))}{4d} \\
 &= \frac{(a - b)\sqrt{a + b} (12a^2B - 24b^2B + ab(27C + 2A))}{4d}
 \end{aligned}$$

Mathematica [B] time = 25.4083, size = 4902, normalized size = 9.67

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] ((Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*((4*b*(3*b*B + 7*a*C)*Sin[c + d*x])/3 + (a^2*A*Ssin[2*(c + d*x)]/2 + (4*b^2*C*Tan[c + d*x])/3))/(d*(b + a*Cos[c + d*x])^2) + (Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*((a^3*A)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (6*a*A*b^2)/(Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (6*a^2*b*B)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*b^3*B)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*a^3*C)/(Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (14*a*b^2*C)/(3*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (11*a^2*A*b*Sqrt[Sec[c + d*x]])/(4*Sqrt[b + a*Cos[c + d*x]]) + (2*A*b^3*Sqrt[Sec[c + d*x]])/Sqrt[b + a*Cos[c + d*x]] + (a^3*B*Sqrt[Sec[c + d*x]])/Sqrt[b + a*Cos[c + d*x]] + (4*a*b^2*B*Sqrt[Sec[c + d*x]])/Sqrt[b + a*Cos[c + d*x]] + (4*a^2*b*C*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) + (2*b^3*C*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) + (9*a^2*A*b*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(4*Sqrt[b + a*Cos[c + d*x]]) + (a^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/Sqrt[b + a*Cos[c + d*x]] - (2*a*b^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/Sqrt[b + a*Cos[c + d*x]] - (14*a^2*b*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*((a + b)*(12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - b*(a + b)*(21*A*b + 6*a*(A + 2*B - 8*C) - 8*b*(3*B + C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - 3*(15*A*b^2 + 20*a*b*B + 4*a^2*(A + 2*C))*((a - b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C))*(b + a*Cos[c + d*x])*((Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]*Tan[(c + d*x)/2]))/(6*d*(b + a*Cos[c + d*x])^3*(Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]^(5/2)*((a*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*((a + b)*(12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - b*(a + b)*(21*A*b + 6*a*(A + 2*B - 8*C) - 8*b*(3*B + C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - 3*(15*A*b^2 + 20*a*b*B + 4*a^2*(A + 2*C))*((a - b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C))*(b + a*Cos[c + d*x])*((Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sec[

$$\begin{aligned}
& c + d*x] * \tan[(c + d*x)/2]) / (12*(b + a*\cos[c + d*x])^{3/2} * (\sec[(c + d*x)/2]^{2})^{3/2}) - (\sqrt{\cos[c + d*x] * \sec[(c + d*x)/2]^2} * \sqrt{\cos[(c + d*x)/2]^{2} * \sec[c + d*x]} * \tan[(c + d*x)/2] * ((a + b) * (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} - b*(a + b) * (21*A*b + 6*a*(A + 2*B - 8*C) - 8*b*(3*B + C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} - 3*(15*A*b^2 + 20*a*b*B + 4*a^2*(A + 2*C)) * ((a - b) * \text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a * \text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]) * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} + (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * (b + a*\cos[c + d*x]) * (\cos[c + d*x] * \sec[(c + d*x)/2]^{2})^{3/2} * \sec[c + d*x] * \tan[(c + d*x)/2]) / (4*\sqrt{b + a*\cos[c + d*x]} * (\sec[(c + d*x)/2]^{2})^{3/2}) + (\sqrt{\cos[c + d*x] * \sec[(c + d*x)/2]^2} * (\cos[(c + d*x)/2]^{2} * \sec[c + d*x])^{3/2} * (-\sec[(c + d*x)/2]^{2} * \sin[c + d*x]) + \cos[c + d*x] * \sec[(c + d*x)/2]^{2} * \tan[(c + d*x)/2]) * ((a + b) * (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} - b*(a + b) * (21*A*b + 6*a*(A + 2*B - 8*C) - 8*b*(3*B + C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} - 3*(15*A*b^2 + 20*a*b*B + 4*a^2*(A + 2*C)) * ((a - b) * \text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a * \text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]) * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} + (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * (b + a*\cos[c + d*x]) * (\cos[c + d*x] * \sec[(c + d*x)/2]^{2})^{3/2} * \sec[c + d*x] * \tan[(c + d*x)/2]) / (12*\sqrt{b + a*\cos[c + d*x]} * (\sec[(c + d*x)/2]^{2})^{3/2}) + (\sqrt{\cos[c + d*x] * \sec[(c + d*x)/2]^2} * ((a + b) * (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} - b*(a + b) * (21*A*b + 6*a*(A + 2*B - 8*C) - 8*b*(3*B + C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} - 3*(15*A*b^2 + 20*a*b*B + 4*a^2*(A + 2*C)) * ((a - b) * \text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a * \text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]) * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} + (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * (b + a*\cos[c + d*x]) * (\cos[c + d*x] * \sec[(c + d*x)/2]^{2})^{3/2} * \sec[c + d*x] * \tan[(c + d*x)/2]) / (12*\sqrt{b + a*\cos[c + d*x]} * (\sec[(c + d*x)/2]^{2})^{3/2}) + (\sqrt{\cos[c + d*x] * \sec[(c + d*x)/2]^2} * ((a + b) * (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} - b*(a + b) * (21*A*b + 6*a*(A + 2*B - 8*C) - 8*b*(3*B + C)) * \text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} - 3*(15*A*b^2 + 20*a*b*B + 4*a^2*(A + 2*C)) * ((a - b) * \text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a * \text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]) * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} + (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * (b + a*\cos[c + d*x]) * (\cos[c + d*x] * \sec[(c + d*x)/2]^{2})^{3/2} * \sec[c + d*x] * \tan[(c + d*x)/2]) * (-\cos[(c + d*x)/2] * \sec[c + d*x] * \sin[(c + d*x)/2]) + \cos[(c + d*x)/2]^{2} * \sec[c + d*x] * \tan[c + d*x])) / (12*\sqrt{b + a*\cos[c + d*x]} * (\sec[(c + d*x)/2]^{2})^{3/2} * \sqrt{\cos[(c + d*x)/2]^{2} * \sec[c + d*x]}) + (\sqrt{\cos[c + d*x] * \sec[(c + d*x)/2]^2} * \sqrt{\cos[(c + d*x)/2]^{2} * \sec[c + d*x]} * (((12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * (b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^{2} * (\cos[c + d*x] * \sec[(c + d*x)/2]^{2})^{3/2} * \sec[c + d*x]) / 2 + (a + b) * (12*a^2*B - 24*b^2*B + a*b*(27*A - 56*C)) * \text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] * \sec[(c + d*x)/2]^{2} * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2) / (a + b)} * \tan[(c + d*x)/2] - b*(a +
\end{aligned}$$

$$\begin{aligned}
& b) \cdot (21 \cdot A \cdot b + 6 \cdot a \cdot (A + 2 \cdot B - 8 \cdot C) - 8 \cdot b \cdot (3 \cdot B + C)) \cdot \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d \cdot x)/2]], (a - b)/(a + b)] \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Sqrt}[(b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (a + b)] \cdot \text{Tan}[(c + d \cdot x)/2] - 3 \cdot (15 \cdot A \cdot b^2 + 20 \cdot a \cdot b \cdot B + 4 \cdot a^2 \cdot (A + 2 \cdot C)) \cdot ((a - b) \cdot \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d \cdot x)/2]], (a - b)/(a + b)] + 2 \cdot a \cdot \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d \cdot x)/2]], (a - b)/(a + b)]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Sqrt}[(b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (a + b)] \cdot \text{Tan}[(c + d \cdot x)/2] + (3 \cdot (12 \cdot a^2 \cdot B - 24 \cdot b^2 \cdot B + a \cdot b \cdot (27 \cdot A - 56 \cdot C)) \cdot (b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x] \cdot \text{Sec}[(c + d \cdot x)/2]^2] \cdot \text{Sec}[c + d \cdot x] \cdot \text{Tan}[(c + d \cdot x)/2] \cdot (-\text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Sin}[c + d \cdot x]) + \text{Cos}[c + d \cdot x] \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Tan}[(c + d \cdot x)/2])) / 2 + ((a + b) \cdot (12 \cdot a^2 \cdot B - 24 \cdot b^2 \cdot B + a \cdot b \cdot (27 \cdot A - 56 \cdot C)) \cdot \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d \cdot x)/2]], (a - b)/(a + b)] \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot (-((a \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Sin}[c + d \cdot x]) / (a + b)) + ((b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Tan}[(c + d \cdot x)/2]) / (a + b))) / (2 \cdot \text{Sqrt}[(b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (a + b)]) - (b \cdot (a + b) \cdot (21 \cdot A \cdot b + 6 \cdot a \cdot (A + 2 \cdot B - 8 \cdot C) - 8 \cdot b \cdot (3 \cdot B + C)) \cdot \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d \cdot x)/2]], (a - b)/(a + b)] \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot (-((a \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Sin}[c + d \cdot x]) / (a + b)) + ((b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Tan}[(c + d \cdot x)/2]) / (a + b))) / (2 \cdot \text{Sqrt}[(b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (a + b)]) - (3 \cdot (15 \cdot A \cdot b^2 + 20 \cdot a \cdot b \cdot B + 4 \cdot a^2 \cdot (A + 2 \cdot C)) \cdot ((a - b) \cdot \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d \cdot x)/2]], (a - b)/(a + b)] + 2 \cdot a \cdot \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d \cdot x)/2]], (a - b)/(a + b)]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot (-((a \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Sin}[c + d \cdot x]) / (a + b)) + ((b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Tan}[(c + d \cdot x)/2]) / (a + b))) / (2 \cdot \text{Sqrt}[(b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (a + b)]) - (b \cdot (a + b) \cdot (21 \cdot A \cdot b + 6 \cdot a \cdot (A + 2 \cdot B - 8 \cdot C) - 8 \cdot b \cdot (3 \cdot B + C)) \cdot \text{Sec}[(c + d \cdot x)/2]^4 \cdot \text{Sqrt}[(b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (a + b)]) / (2 \cdot \text{Sqrt}[1 - \text{Tan}[(c + d \cdot x)/2]^2] \cdot \text{Sqrt}[1 - ((a - b) \cdot \text{Tan}[(c + d \cdot x)/2]^2 / (a + b))]) + ((a + b) \cdot (12 \cdot a^2 \cdot B - 24 \cdot b^2 \cdot B + a \cdot b \cdot (27 \cdot A - 56 \cdot C)) \cdot \text{Sec}[(c + d \cdot x)/2]^4 \cdot \text{Sqrt}[(b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (a + b)] \cdot \text{Sqrt}[1 - ((a - b) \cdot \text{Tan}[(c + d \cdot x)/2]^2 / (a + b))]) / (2 \cdot \text{Sqrt}[1 - \text{Tan}[(c + d \cdot x)/2]^2]) - 3 \cdot (15 \cdot A \cdot b^2 + 20 \cdot a \cdot b \cdot B + 4 \cdot a^2 \cdot (A + 2 \cdot C)) \cdot \text{Sec}[(c + d \cdot x)/2]^2 \cdot \text{Sqrt}[(b + a \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (a + b)] \cdot (((a - b) \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (2 \cdot \text{Sqrt}[1 - \text{Tan}[(c + d \cdot x)/2]^2] \cdot \text{Sqrt}[1 - ((a - b) \cdot \text{Tan}[(c + d \cdot x)/2]^2 / (a + b))]) - (a \cdot \text{Sec}[(c + d \cdot x)/2]^2 / (\text{Sqrt}[1 - \text{Tan}[(c + d \cdot x)/2]^2] \cdot (1 + \text{Tan}[(c + d \cdot x)/2]^2) \cdot \text{Sqrt}[1 - ((a - b) \cdot \text{Tan}[(c + d \cdot x)/2]^2 / (a + b))])) - a \cdot (12 \cdot a^2 \cdot B - 24 \cdot b^2 \cdot B + a \cdot b \cdot (27 \cdot A - 56 \cdot C)) \cdot (\text{Cos}[c + d \cdot x] \cdot \text{Sec}[(c + d \cdot x)/2]^2)^{(3/2)} \cdot \text{Tan}[(c + d \cdot x)/2] \cdot \text{Tan}[c + d \cdot x] + (12 \cdot a^2 \cdot B - 24 \cdot b^2 \cdot B + a \cdot b \cdot (27 \cdot A - 56 \cdot C)) \cdot (b + a \cdot \text{Cos}[c + d \cdot x]) \cdot (\text{Cos}[c + d \cdot x] \cdot \text{Sec}[(c + d \cdot x)/2]^2)^{(3/2)} \cdot \text{Sec}[c + d \cdot x] \cdot \text{Tan}[(c + d \cdot x)/2] \cdot \text{Tan}[c + d \cdot x])) / (6 \cdot \text{Sqrt}[b + a \cdot \text{Cos}[c + d \cdot x]] \cdot (\text{Sec}[(c + d \cdot x)/2]^2)^{(3/2)})) / 2
\end{aligned}$$

Maple [B] time = 0.94, size = 4884, normalized size = 9.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2 * (a+b*\sec(dx+c))^{5/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/12/d*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c)) \\ &)^2*(27*A*\cos(dx+c)^3*a*b^2+8*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*b^3+24*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*b^3+12*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*a^2*b-24*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*a*b^2+72*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*a*b^2-56*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*a^2*b-56*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*a*b^2+72*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*a^2*b+56*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*a*b^2+90*A*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b) \\ & *(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, \\ & ((a-b)/(a+b))^{1/2})*\sin(dx+c)*a*b^2+120*B*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, \\ & ((a-b)/(a+b))^{1/2})*\sin(dx+c)*a^2*b+90*A*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, \\ & ((a-b)/(a+b))^{1/2})*\sin(dx+c)*a*b^2+120*B*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, \\ & ((a-b)/(a+b))^{1/2})*\sin(dx+c)*a^2*b-72*A*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*\sin(dx+c)*a*b^2+27*A*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*\sin(dx+c)*a*b^2-24*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), \\ & ((a-b)/(a+b))^{1/2})*a^3+6*A*\cos(dx+c)^5*a^3-6*A*\cos(dx+c)^3*a^3-72*B*\cos(dx+c)*a^2*(\cos(dx+c)/(\cos(dx+c)+1)) \end{aligned}$$

$$\begin{aligned} & \sin(d*x+c+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\ &) * a^2 * b + 56 * C * \cos(d*x+c)^3 * a^2 * b + 8 * C * \cos(d*x+c)^3 * a * b^2 - 64 * C * \cos(d*x+c) * a * b^2 \\ & + 24 * B * \cos(d*x+c)^3 * a * b^2 - 24 * B * \cos(d*x+c)^2 * a * b^2 + 12 * B * \cos(d*x+c)^3 * a^2 * b - 5 \\ & 6 * C * \cos(d*x+c)^2 * a^2 * b + 6 * A * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\ &) * a^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \sin(d*x+c) * \cos(d*x+c) * b + 27 * A * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\ &) * a^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \sin(d*x+c) * \cos(d*x+c) * b + 27 * A * b^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \sin(d*x+c) * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\ &) * a - 72 * A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * \cos(d*x+c) * a * b^2 + 8 * C * \cos(d*x+c)^2 * b^3 - 24 * B * \cos(d*x+c) \\ & * b^3 - 27 * A * \cos(d*x+c)^3 * a^2 * b + 12 * B * \cos(d*x+c)^4 * a^3 + 24 * B * \cos(d*x+c) * \sin(d*x+c) \\ & * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 + 8 * C * \sin(d*x+c) * \cos(d*x+c) \\ & * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 - 27 * A * \cos(d*x+c)^2 * a * b^2 - 6 * A * \cos(d*x+c)^2 * a^2 * b \\ & + 33 * A * \cos(d*x+c)^4 * a^2 * b + 27 * A * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^2 * b - 12 * A * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^3 \\ & + 24 * A * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^3 + 24 * A * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) \\ & * a^3 + 24 * A * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^3 - 12 * B * \cos(d*x+c)^2 * a^2 * b + 56 * C * \cos(d*x+c)^2 \\ & * a * b^2 - 8 * C * b^3 / \sin(d*x+c)^5 / (b+a*\cos(d*x+c)) / \cos(d*x+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{5/2} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x+c)^2 + B*sec(d*x+c) + A)*(b*sec(d*x+c) + a)^(5/2)*cos(d*x+c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb² cos(dx + c)² sec(dx + c)⁴ + (2Cab + Bb²) cos(dx + c)² sec(dx + c)³ + Aa² cos(dx + c)² + (Ca² + 2Bab

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*cos(d*x + c)^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)^2*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^2 + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^2*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^2*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x)

3.955 $\int \cos^3(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=549

$$\frac{\sqrt{a+b} \cot(c+dx) (4a^2(4A+3B+6C) + 2ab(13A+27B+72C) + 3b^2(11A+16(B-C))) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx))}{a-b}}}{24d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(54*a*b*B + 3*b^2*(11*A - 16*C) + 8*a^2*(2*A + 3*C))*C
ot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)
/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x])
)/(a - b))]/(24*b*d) + (Sqrt[a + b]*(3*b^2*(11*A + 16*(B - C)) + 4*a^2*(4*
A + 3*B + 6*C) + 2*a*b*(13*A + 27*B + 72*C))*Cot[c + d*x]*EllipticF[ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*d) - (Sqrt[a
+ b]*(5*A*b^3 + 8*a^3*B + 30*a*b^2*B + 20*a^2*b*(A + 2*C))*Cot[c + d*x]*El
lipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(
a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x])
)/(a - b))]/(8*a*d) + ((15*A*b^2 + 42*a*b*B + 8*a^2*(2*A + 3*C))*Sqrt[a + b*
Sec[c + d*x]]*Sin[c + d*x])/(24*d) + ((5*A*b + 6*a*B)*Cos[c + d*x]*(a + b*S
ec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c +
d*x])^(5/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.27867, antiderivative size = 549, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4094, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sin(c+dx) (8a^2(2A+3C) + 42abB + 15Ab^2) \sqrt{a+b \sec(c+dx)}}{24d} + \frac{\sqrt{a+b} \cot(c+dx) (4a^2(4A+3B+6C) + 2ab(13A+27B+72C) + 3b^2(11A+16(B-C))) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx))}{a-b}}}{24d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(54*a*b*B + 3*b^2*(11*A - 16*C) + 8*a^2*(2*A + 3*C))*C
ot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)
/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x])
)/(a - b))]/(24*b*d) + (Sqrt[a + b]*(3*b^2*(11*A + 16*(B - C)) + 4*a^2*(4*
A + 3*B + 6*C) + 2*a*b*(13*A + 27*B + 72*C))*Cot[c + d*x]*EllipticF[ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*d) - (Sqrt[a
```

+ b]*(5*A*b^3 + 8*a^3*B + 30*a*b^2*B + 20*a^2*b*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a*d) + ((15*A*b^2 + 42*a*b*B + 8*a^2*(2*A + 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + ((5*A*b + 6*a*B)*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-

```
((b*(1 + Csc[e + f*x]))/(a - b))*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{3d} \\
 &= \frac{(5Ab + 6aB) \cos(c + dx)(a + b \sec(c + dx))^{5/2}}{12d} \\
 &= \frac{(15Ab^2 + 42abB + 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)}}{24d} \\
 &= \frac{(15Ab^2 + 42abB + 8a^2(2A + 3C)) \sqrt{a + b \sec(c + dx)}}{24d} \\
 &= \frac{(a - b)\sqrt{a + b} (54abB + 3b^2(11A - 16C))}{24d} \\
 &= \frac{(a - b)\sqrt{a + b} (54abB + 3b^2(11A - 16C))}{24d}
 \end{aligned}$$

Mathematica [B] time = 25.8241, size = 5361, normalized size = 9.77

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2),x]
```

[Out] Result too large to show

Maple [B] time = 0.967, size = 5113, normalized size = 9.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}} \cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^3, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

`integral((Cb^2 cos(dx+c)^3 sec(dx+c)^4 + (2Cab + Bb^2) cos(dx+c)^3 sec(dx+c)^3 + Aa^2 cos(dx+c)^3 + (Ca^2 + 2Bab`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*b^2*cos(d*x + c)^3*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)^3*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^3 + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^3*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^3*sec(d*x + c))`

```
*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)
)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)
)*cos(d*x + c)^3, x)
```

3.956 $\int \cos^4(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=652

$$\frac{\sqrt{a+b} \cot(c+dx) (4a^2b(71A+52B+108C) + 8a^3(9A+16B+12C) + 2ab^2(59A+132B+192C) + 15Ab^3) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{192ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(15*A*b^3 + 128*a^3*B + 264*a*b^2*B + 4*a^2*b*(71*A + 108*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*b*d) + (Sqrt[a + b]*(15*A*b^3 + 8*a^3*(9*A + 16*B + 12*C) + 4*a^2*b*(71*A + 52*B + 108*C) + 2*a*b^2*(59*A + 132*B + 192*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) + (Sqrt[a + b]*(5*A*b^4 - 160*a^3*b*B - 40*a*b^3*B - 120*a^2*b^2*(A + 2*C) - 16*a^4*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^2*d) + ((15*A*b^3 + 128*a^3*B + 264*a*b^2*B + 4*a^2*b*(71*A + 108*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((192*a*d) + ((5*A*b^2 + 24*a*b*B + 4*a^2*(3*A + 4*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + ((5*A*b + 8*a*B)*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d))
```

Rubi [A] time = 2.01955, antiderivative size = 652, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sin(c+dx) (4a^2b(71A+108C) + 128a^3B + 264ab^2B + 15Ab^3) \sqrt{a+b} \sec(c+dx)}{192ad} + \frac{\sin(c+dx) \cos(c+dx) (4a^2(3A+4B))}{192ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(15*A*b^3 + 128*a^3*B + 264*a*b^2*B + 4*a^2*b*(71*A + 108*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*b*d) + (Sqrt[a + b]*(15*A*b^3 + 8*a^3*(9*A + 16*B + 12*C) + 4*a^2*b*(71*A + 52*B + 108*C) + 2*a*b^2*(59*A + 132*B + 192*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) + (Sqrt[a + b]*(5*A*b^4 - 160*a^3*b*B - 40*a*b^3*B - 120*a^2*b^2*(A + 2*C) - 16*a^4*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^2*d) + ((15*A*b^3 + 128*a^3*B + 264*a*b^2*B + 4*a^2*b*(71*A + 108*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((192*a*d) + ((5*A*b^2 + 24*a*b*B + 4*a^2*(3*A + 4*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(32*d) + ((5*A*b + 8*a*B)*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d))
```

```

6*B + 12*C) + 4*a^2*b*(71*A + 52*B + 108*C) + 2*a*b^2*(59*A + 132*B + 192*C
))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a
+ b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d
*x]))/(a - b))]/(192*a*d) + (Sqrt[a + b]*(5*A*b^4 - 160*a^3*b*B - 40*a*b^3
*B - 120*a^2*b^2*(A + 2*C) - 16*a^4*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a
+ b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqr
t[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/
(64*a^2*d) + ((15*A*b^3 + 128*a^3*B + 264*a*b^2*B + 4*a^2*b*(71*A + 108*C))
*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((192*a*d) + ((5*A*b^2 + 24*a*b*B +
4*a^2*(3*A + 4*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(32*
d) + ((5*A*b + 8*a*B)*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x
])/((24*d) + (A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d
)

```

Rule 4094

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3921

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_

```

$\cdot) + (a_)]$, x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{4d} \\
&= \frac{(5Ab + 8aB) \cos^2(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{24d} \\
&= \frac{(5Ab^2 + 24abB + 4a^2(3A + 4C)) \cos(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{32d} \\
&= \frac{(15Ab^3 + 128a^3B + 264ab^2B + 4a^2b(7A + 4C)) \cos(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{128d} \\
&= \frac{(15Ab^3 + 128a^3B + 264ab^2B + 4a^2b(7A + 4C)) \cos(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{128d} \\
&= \frac{(a - b)\sqrt{a + b} (15Ab^3 + 128a^3B + 264ab^2B + 4a^2b(7A + 4C)) \cos(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{128d} \\
&= \frac{(a - b)\sqrt{a + b} (15Ab^3 + 128a^3B + 264ab^2B + 4a^2b(7A + 4C)) \cos(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{128d}
\end{aligned}$$

Mathematica [B] time = 26.1058, size = 5681, normalized size = 8.71

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] Result too large to show

Maple [B] time = 0.706, size = 5850, normalized size = 9.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}} \cos(dx+c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^4, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^2 cos(dx+c)^4 sec(dx+c)^4 + (2Cab + Bb^2) cos(dx+c)^4 sec(dx+c)^3 + Aa^2 cos(dx+c)^4 + (Ca^2 + 2Bab

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*cos(d*x + c)^4*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)^4*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^4 + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^4*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^4*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^4, x)

3.957 $\int \cos^5(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=774

$$\frac{\sqrt{a+b} \cot(c+dx) \left(-4a^2b^2(423A + 295B + 660C) - 8a^3b(193A + 355B + 260C) - 16a^4(64A + 45B + 80C) - 30ab^3(A + 5B + C) \right)}{1920a^2d}$$

```
[Out] -((a - b)*Sqrt[a + b]*(45*A*b^4 - 2840*a^3*b*B - 150*a*b^3*B - 256*a^4*(4*A + 5*C) - 12*a^2*b^2*(141*A + 220*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(1920*a^2*b*d) - (Sqrt[a + b]*(45*A*b^4 - 30*a*b^3*(A + 5*B) - 16*a^4*(64*A + 45*B + 80*C) - 8*a^3*b*(193*A + 355*B + 260*C) - 4*a^2*b^2*(423*A + 295*B + 660*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(1920*a^2*d) - (Sqrt[a + b]*(3*A*b^5 + 96*a^5*B + 240*a^3*b^2*B - 10*a*b^4*B + 40*a^2*b^3*(A + 2*C) + 80*a^4*b*(3*A + 4*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(128*a^3*d) - ((45*A*b^4 - 2840*a^3*b*B - 150*a*b^3*B - 256*a^4*(4*A + 5*C) - 12*a^2*b^2*(141*A + 220*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((1920*a^2*d) + ((15*A*b^3 + 360*a^3*B + 590*a*b^2*B + 4*a^2*b*(193*A + 260*C))*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(960*a*d) + ((15*A*b^2 + 110*a*b*B + 16*a^2*(4*A + 5*C))*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(240*d) + ((A*b + 2*a*B)*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d))
```

Rubi [A] time = 3.20325, antiderivative size = 774, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sin(c+dx) \left(-12a^2b^2(141A + 220C) - 256a^4(4A + 5C) - 2840a^3bB - 150ab^3B + 45Ab^4 \right) \sqrt{a+b \sec(c+dx)}}{1920a^2d} + \frac{\sin(c+dx)}{\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(45*A*b^4 - 2840*a^3*b*B - 150*a*b^3*B - 256*a^4*(4*A
+ 5*C) - 12*a^2*b^2*(141*A + 220*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a
+ b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x])
)/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(1920*a^2*b*d) - (Sqrt[
a + b]*(45*A*b^4 - 30*a*b^3*(A + 5*B) - 16*a^4*(64*A + 45*B + 80*C) - 8*a^3
*b*(193*A + 355*B + 260*C) - 4*a^2*b^2*(423*A + 295*B + 660*C))*Cot[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(1920*a^2*d) - (Sqrt[a + b]*(3*A*b^5 + 96*a^5*B + 240*a^3*b^2*B - 10*a*b
^4*B + 40*a^2*b^3*(A + 2*C) + 80*a^4*b*(3*A + 4*C))*Cot[c + d*x]*EllipticPi
[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))
]/(128*a^3*d) - ((45*A*b^4 - 2840*a^3*b*B - 150*a*b^3*B - 256*a^4*(4*A + 5
*C) - 12*a^2*b^2*(141*A + 220*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((1
920*a^2*d) + ((15*A*b^3 + 360*a^3*B + 590*a*b^2*B + 4*a^2*b*(193*A + 260*C)
)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(960*a*d) + ((15*A*b^
2 + 110*a*b*B + 16*a^2*(4*A + 5*C))*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]
*Sin[c + d*x])/(240*d) + ((A*b + 2*a*B)*Cos[c + d*x]^3*(a + b*Sec[c + d*x])
^(3/2)*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*S
in[c + d*x])/(5*d)
```

Rule 4094

```
Int[((A_) + csc[(e_) + (f_)*(x_)]*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_
))*csc[(e_) + (f_)*(x_)]*(d_)^(n_)*csc[(e_) + (f_)*(x_)]*(b_) + (a
_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_) + csc[(e_) + (f_)*(x_)]*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_
))*csc[(e_) + (f_)*(x_)]*(d_)^(n_)*csc[(e_) + (f_)*(x_)]*(b_) + (a
_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4058

```
Int[((A_) + csc[(e_) + (f_)*(x_)]*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_
))/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Int[(A + (B - C
```

) * Csc[e + f*x]] / Sqrt[a + b * Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x] * (1 + Csc[e + f*x])) / Sqrt[a + b * Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)) / Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Dist[c, Int[1/Sqrt[a + b * Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x] / Sqrt[a + b * Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Simp[(2 * Rt[a + b, 2] * Sqrt[(b * (1 - Csc[c + d*x])) / (a + b)] * Sqrt[-((b * (1 + Csc[c + d*x])) / (a - b))] * EllipticPi[(a + b) / a, ArcSin[Sqrt[a + b * Csc[c + d*x]] / Rt[a + b, 2]], (a + b) / (a - b)]) / (a * d * Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)] / Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Simp[(-2 * Rt[a + b, 2] * Sqrt[(b * (1 - Csc[e + f*x])) / (a + b)] * Sqrt[-((b * (1 + Csc[e + f*x])) / (a - b))] * EllipticF[ArcSin[Sqrt[a + b * Csc[e + f*x]] / Rt[a + b, 2]], (a + b) / (a - b)]) / (b * f * Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))) / Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Simp[(-2 * (A * b - a * B) * Rt[a + (b * B) / A, 2] * Sqrt[(b * (1 - Csc[e + f*x])) / (a + b)] * Sqrt[-((b * (1 + Csc[e + f*x])) / (a - b))] * EllipticE[ArcSin[Sqrt[a + b * Csc[e + f*x]] / Rt[a + (b * B) / A, 2]], (a * A + b * B) / (a * A - b * B)]) / (b^2 * f * Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{5d} \\
&= \frac{(Ab + 2aB) \cos^3(c + dx)(a + b \sec(c + dx))^{5/2}}{8d} \\
&= \frac{(15Ab^2 + 110abB + 16a^2(4A + 5C)) \cos^2(c + dx)(a + b \sec(c + dx))^{5/2}}{2d} \\
&= \frac{(15Ab^3 + 360a^3B + 590ab^2B + 4a^2b(15A + 5C)) \cos(c + dx)(a + b \sec(c + dx))^{5/2}}{2d} \\
&= -\frac{(45Ab^4 - 2840a^3bB - 150ab^3B - 256a^2b^2(4A + 5C)) \sin(c + dx)(a + b \sec(c + dx))^{5/2}}{2d} \\
&= -\frac{(45Ab^4 - 2840a^3bB - 150ab^3B - 256a^2b^2(4A + 5C)) \sin(c + dx)(a + b \sec(c + dx))^{5/2}}{2d} \\
&= -\frac{(a - b)\sqrt{a + b}(45Ab^4 - 2840a^3bB - 150ab^3B - 256a^2b^2(4A + 5C)) \sin(c + dx)}{2d} \\
&= -\frac{(a - b)\sqrt{a + b}(45Ab^4 - 2840a^3bB - 150ab^3B - 256a^2b^2(4A + 5C)) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [C] time = 20.6554, size = 800, normalized size = 1.03

$$\frac{\cos^4(c + dx)(a + b \sec(c + dx))^{5/2} (C \sec^2(c + dx) + B \sec(c + dx) + A) \left(\frac{1}{40} A \sin(5(c + dx))a^2 + \frac{1}{160} (21Ab + 10aB) \sin(4(c + dx))a + \frac{1}{160} (15Ab^2 + 110abB + 16a^2(4A + 5C)) \sin(3(c + dx)) + \frac{1}{160} (15Ab^3 + 360a^3B + 590ab^2B + 4a^2b(15A + 5C)) \sin(2(c + dx)) + \frac{1}{160} (45Ab^4 - 2840a^3bB - 150ab^3B - 256a^2b^2(4A + 5C)) \sin(c + dx) \right)}{d(b \sec(c + dx) + a)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((88*a^2*A + 93*A*b^2 + 170*a*b*B + 80*a^2*C)*Sin[c + d*x])/480 + ((1024*a^2*A*b + 15*A*b^3 + 480*a^3*B + 590*a*b^2*B + 1040*a^2*b*C)*Sin[2*(c + d*x)]/(960*a) + ((100*a^2*A + 93*A*b^2 + 170*a*b*B + 80*a^2*C)*Sin[3*(c + d*x)]/480 + (a*(21*A*b + 10*a*B)*Sin[4*(c + d*x)]/160 + (a^2*A*Ssin[5*(c + d*x)]/160))

$$\begin{aligned} & ((c + d*x))/40)) / (d*(b + a*\cos[c + d*x])^2*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) - (\cos[c + d*x]^5*(a + b*\sec[c + d*x])^{5/2}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((I*((a - b)*(-45*A*b^4 + 2840*a^3*b*B + 150*a*b^3*B + 256*a^4*(4*A + 5*C) + 12*a^2*b^2*(141*A + 220*C))*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] - 2*(a - b)*(-45*A*b^4 - 30*a*b^3*(A - 5*B) + 720*a^4*B + 4*a^2*b^2*(129*A + 185*B + 180*C) + 8*a^3*b*(161*A + 45*B + 220*C))*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] + 30*(3*A*b^5 + 96*a^5*B + 240*a^3*b^2*B - 10*a*b^4*B + 40*a^2*b^3*(A + 2*C) + 80*a^4*b*(3*A + 4*C))*\text{EllipticPi}[-((a + b)/(a - b)), I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Sqrt}[(b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)])/(\text{Sqrt}[(-a + b)/(a + b)]*(b + a*\cos[c + d*x])* \text{Sqrt}[\cos[c + d*x]*\sec[(c + d*x)/2]^2]) - (-45*A*b^4 + 2840*a^3*b*B + 150*a*b^3*B + 256*a^4*(4*A + 5*C) + 12*a^2*b^2*(141*A + 220*C))*\text{Tan}[(c + d*x)/2])) / (960*a^2*d*(b + a*\cos[c + d*x])^2*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) \end{aligned}$$

Maple [B] time = 0.938, size = 7029, normalized size = 9.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{5/2} \cos(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^5, x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^5, x)

$$3.958 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=429

$$\frac{2\sqrt{a+b} \cot(c+dx) \left(-4a^2b(14B+3C) + 48a^3C + 2ab^2(35A+7B+22C) + b^3(35A-63B+25C) \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(s)}{a+b}}}{105b^4d}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(56*a^2*b*B + 63*b^3*B - 48*a^3*C - 2*a*b^2*(35*A + 22*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^5*d) + (2*Sqrt[a + b]*(48*a^3*C - 4*a^2*b*(14*B + 3*C) + 2*a*b^2*(35*A + 7*B + 22*C) + b^3*(35*A - 63*B + 25*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) + (2*(35*A*b^2 - 28*a*b*B + 24*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(105*b^3*d) + (2*(7*b*B - 6*a*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(35*b^2*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(7*b*d)

Rubi [A] time = 1.0573, antiderivative size = 429, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4102, 4092, 4082, 4005, 3832, 4004}

$$\frac{2 \tan(c+dx) \left(24a^2C - 28abB + 35Ab^2 + 25b^2C \right) \sqrt{a+b \sec(c+dx)}}{105b^3d} + \frac{2\sqrt{a+b} \cot(c+dx) \left(-4a^2b(14B+3C) + 48a^3C \right)}{105b^4d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (-2*(a - b)*Sqrt[a + b]*(56*a^2*b*B + 63*b^3*B - 48*a^3*C - 2*a*b^2*(35*A + 22*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^5*d) + (2*Sqrt[a + b]*(48*a^3*C - 4*a^2*b*(14*B + 3*C) + 2*a*b^2*(35*A + 7*B + 22*C) + b^3*(35*A - 63*B + 25*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) + (2*(35*A*b^2 - 28*a*b*B + 24*a^2*C + 25*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(105*b^3*d) + (2*(7*b*B - 6*a*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(35*b^2*d) + (2*C*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(7*b*d)

$$\int \sqrt{a + b \sec[c + dx]} \tan[c + dx] / (35b^2d) + (2C \sec[c + dx]^2 \sqrt{a + b \sec[c + dx]} \tan[c + dx]) / (7b^2d)$$

Rule 4102

$$\int ((A_.) + \csc[(e_.) + (f_.)x] (B_.) + \csc[(e_.) + (f_.)x]^2 (C_.) (d_.)^n) (\csc[(e_.) + (f_.)x] (b_.) + (a_.)^m) dx$$

$$\rightarrow -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^{n-1}) / (b*f*(m+n+1)), x] + \text{Dist}[d/(b*(m+n+1)), \int [(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1} * \text{Simp}[a*C*(n-1) + (A*b*(m+n+1) + b*C*(m+n))*\text{Csc}[e + f*x] + (b*B*(m+n+1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$$

Rule 4092

$$\int \csc[(e_.) + (f_.)x]^2 ((A_.) + \csc[(e_.) + (f_.)x] (B_.) + \csc[(e_.) + (f_.)x]^2 (C_.) (d_.)^n) (\csc[(e_.) + (f_.)x] (b_.) + (a_.)^m) dx$$

$$\rightarrow -\text{Simp}[(C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}) / (b*f*(m+3)), x] + \text{Dist}[1/(b*(m+3)), \int [\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m * \text{Simp}[a*C + b*(C*(m+2) + A*(m+3))*\text{Csc}[e + f*x] - (2*a*C - b*B*(m+3))*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -1]$$

Rule 4082

$$\int \csc[(e_.) + (f_.)x] ((A_.) + \csc[(e_.) + (f_.)x] (B_.) + \csc[(e_.) + (f_.)x]^2 (C_.) (d_.)^n) (\csc[(e_.) + (f_.)x] (b_.) + (a_.)^m) dx$$

$$\rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}) / (b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \int [\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m * \text{Simp}[b*A*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{!LtQ}[m, -1]$$

Rule 4005

$$\int (\csc[(e_.) + (f_.)x] (\csc[(e_.) + (f_.)x] (B_.) + (A_))) / \sqrt{\csc[(e_.) + (f_.)x] (b_.) + (a_.)} dx$$

$$\rightarrow \text{Dist}[A - B, \int [\text{Csc}[e + f*x] / \sqrt{a + b*\text{Csc}[e + f*x]}, x], x] + \text{Dist}[B, \int [(\text{Csc}[e + f*x] * (1 + \text{Csc}[e + f*x])) / \sqrt{a + b*\text{Csc}[e + f*x]}, x], x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$$

Rule 3832

$$\int \csc[(e_.) + (f_.)x] / \sqrt{\csc[(e_.) + (f_.)x] (b_.) + (a_.)} dx$$

$$\rightarrow \text{Simp}[(-2*\text{Rt}[a + b, 2]*\sqrt{(b*(1 - \text{Csc}[e + f*x]))} / (a + b)) * \sqrt{-}$$

```
((b*(1 + Csc[e + f*x]))/(a - b))*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \frac{\sec^3(c + dx)(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx = \frac{2C \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{7bd} + \frac{2 \int \frac{\sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{105b^3d}$$

$$= \frac{2(7bB - 6aC) \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{35b^2d} + \frac{2 \int \frac{\sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{105b^3d}$$

$$= \frac{2(35Ab^2 - 28abB + 24a^2C + 25b^2C) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^3d} + \frac{2 \int \frac{\sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{105b^3d}$$

$$= -\frac{2(a - b) \sqrt{a + b} (56a^2bB + 63b^3B - 48a^3C - 2ab^2(35A + 22C)) \tan(c + dx)}{105b^3d} + \frac{2 \int \frac{\sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{105b^3d}$$

Mathematica [B] time = 25.9581, size = 3811, normalized size = 8.88

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (Cos[c + d*x]*(b + a*Cos[c + d*x]))*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(-70*a*A*b^2 + 56*a^2*b*B + 63*b^3*B - 48*a^3*C - 44*a*b^2*C))*Sin[c + d
```

$$\begin{aligned}
& *x] / (105*b^4) + (4*Sec[c + d*x]^2*(7*b*B*Sin[c + d*x] - 6*a*C*Sin[c + d*x] \\
&)) / (35*b^2) + (4*Sec[c + d*x]*(35*A*b^2*Sin[c + d*x] - 28*a*b*B*Sin[c + d*x] \\
&] + 24*a^2*C*Sin[c + d*x] + 25*b^2*C*Sin[c + d*x]) / (105*b^3) + (4*C*Sec[c \\
& + d*x]^2*Tan[c + d*x]) / (7*b)) / (d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + \\
& 2*d*x])*Sqrt[a + b*Sec[c + d*x]]) + (4*((4*a*A)/(3*b*Sqrt[b + a*Cos[c + d* \\
& x]])*Sqrt[Sec[c + d*x]]) - (6*B)/(5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d* \\
& x]]) - (16*a^2*B)/(15*b^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (3 \\
& 2*a^3*C)/(35*b^3*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (88*a*C)/(1 \\
& 05*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[Sec[c + d*x]]) \\
&) / (3*Sqrt[b + a*Cos[c + d*x]]) + (4*a^2*A*Sqrt[Sec[c + d*x]]) / (3*b^2*Sqrt[b \\
& + a*Cos[c + d*x]]) - (16*a^3*B*Sqrt[Sec[c + d*x]]) / (15*b^3*Sqrt[b + a*Cos[c \\
& + d*x]]) - (14*a*B*Sqrt[Sec[c + d*x]]) / (15*b*Sqrt[b + a*Cos[c + d*x]]) + \\
& (10*C*Sqrt[Sec[c + d*x]]) / (21*Sqrt[b + a*Cos[c + d*x]]) + (32*a^4*C*Sqrt[Se \\
& c[c + d*x]]) / (35*b^4*Sqrt[b + a*Cos[c + d*x]]) + (64*a^2*C*Sqrt[Sec[c + d*x] \\
&]) / (105*b^2*Sqrt[b + a*Cos[c + d*x]]) + (4*a^2*A*Cos[2*(c + d*x)]*Sqrt[Sec \\
& [c + d*x]]) / (3*b^2*Sqrt[b + a*Cos[c + d*x]]) - (16*a^3*B*Cos[2*(c + d*x)]*S \\
& qrt[Sec[c + d*x]]) / (15*b^3*Sqrt[b + a*Cos[c + d*x]]) - (6*a*B*Cos[2*(c + d* \\
& x)]*Sqrt[Sec[c + d*x]]) / (5*b*Sqrt[b + a*Cos[c + d*x]]) + (32*a^4*C*Cos[2*(c \\
& + d*x)]*Sqrt[Sec[c + d*x]]) / (35*b^4*Sqrt[b + a*Cos[c + d*x]]) + (88*a^2*C* \\
& Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]]) / (105*b^2*Sqrt[b + a*Cos[c + d*x]])*Sq \\
& rt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2) \\
& *(2*(a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(35*A + 22*C))*Sqr \\
& t[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + \\
& Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b* \\
& (4*a^2*b*(14*B - 3*C) - 48*a^3*C - 2*a*b^2*(35*A - 7*B + 22*C) + b^3*(35*A \\
& + 63*B + 25*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d \\
& *x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - \\
& b)/(a + b)] + (-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(35*A + 22*C))* \\
& Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]) / (10 \\
& 5*b^4*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[(c + d*x] \\
&)/2]^2*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*((2*a*Sqrt[Cos[(c + d*x] \\
&)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a \\
& ^3*C + 2*a*b^2*(35*A + 22*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b \\
& + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + \\
& d*x)/2]], (a - b)/(a + b)] + 2*b*(4*a^2*b*(14*B - 3*C) - 48*a^3*C - 2*a*b^2 \\
& *(35*A - 7*B + 22*C) + b^3*(35*A + 63*B + 25*C))*Sqrt[Cos[c + d*x]/(1 + Cos \\
& [c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Ellipti \\
& cF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-56*a^2*b*B - 63*b^3*B + 4 \\
& 8*a^3*C + 2*a*b^2*(35*A + 22*C))*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + \\
& d*x)/2]^2*Tan[(c + d*x)/2]) / (105*b^4*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[\\
& (c + d*x)/2]^2) - (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2] \\
&]*(2*(a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(35*A + 22*C))*Sq \\
& rt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + \\
& Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b \\
& *(4*a^2*b*(14*B - 3*C) - 48*a^3*C - 2*a*b^2*(35*A - 7*B + 22*C) + b^3*(35*A
\end{aligned}$$

$$\begin{aligned}
& + 63*B + 25*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + \\
& d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a \\
& - b)/(a + b)] + (-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(35*A + 22*C)) \\
& * \text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (1 \\
& 05*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (4*\text{Sqrt}[\text{Cos}[(c \\
& + d*x)/2]^2 * \text{Sec}[c + d*x]] * (((-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(3 \\
& 5*A + 22*C)) * \text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4) / 2 + ((a \\
& + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(35*A + 22*C)) * \text{Sqrt}[(b + \\
& a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x) \\
&)/2]], (a - b)/(a + b)) * ((\text{Cos}[c + d*x]*\text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \\
& \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + \\
& (b*(4*a^2*b*(14*B - 3*C) - 48*a^3*C - 2*a*b^2*(35*A - 7*B + 22*C) + b^3*(35 \\
& *A + 63*B + 25*C)) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \\
& \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)) * ((\text{Cos}[c + d*x]*\text{Sin}[c + \\
& d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c \\
& + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + \\
& 2*a*b^2*(35*A + 22*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticE}[\text{ArcS \\
& in}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)) * (-((a*\text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Co \\
& s}[c + d*x]))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d \\
& *x])^2))) / \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(4*a \\
& ^2*b*(14*B - 3*C) - 48*a^3*C - 2*a*b^2*(35*A - 7*B + 22*C) + b^3*(35*A + 63 \\
& *B + 25*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + \\
& d*x)/2]], (a - b)/(a + b)) * (-((a*\text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]) \\
&)) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])^2))) / \text{S \\
& qrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(-56*a^2*b*B - 6 \\
& 3*b^3*B + 48*a^3*C + 2*a*b^2*(35*A + 22*C)) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 \\
& * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] - (-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b \\
& ^2*(35*A + 22*C)) * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan} \\
& (c + d*x)/2 + (-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(35*A + 22*C)) * \\
& \text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]^2 + (\\
& b*(4*a^2*b*(14*B - 3*C) - 48*a^3*C - 2*a*b^2*(35*A - 7*B + 22*C) + b^3*(35* \\
& A + 63*B + 25*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + \\
& d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^2 / (\text{Sqrt}[1 - \text{Tan}[(c + \\
& d*x)/2]^2] * \text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-56 \\
& *a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(35*A + 22*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(\\
& 1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \\
& \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)] / \text{Sqrt}[1 - \\
& \text{Tan}[(c + d*x)/2]^2]) / (105*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x) \\
& /2]^2]) + (2*(2*(a + b)*(-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(35*A \\
& + 22*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((\\
& a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a \\
& + b)] + 2*b*(4*a^2*b*(14*B - 3*C) - 48*a^3*C - 2*a*b^2*(35*A - 7*B + 22*C) \\
& + b^3*(35*A + 63*B + 25*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + \\
& a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d* \\
& x)/2]], (a - b)/(a + b)] + (-56*a^2*b*B - 63*b^3*B + 48*a^3*C + 2*a*b^2*(35
\end{aligned}$$

*A + 22*C))*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(105*b^4*sqrt[b + a*Cos[c + d*x]]*sqrt[Sec[(c + d*x)/2]^2]*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]))

Maple [B] time = 1.293, size = 4340, normalized size = 10.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x)

[Out] 2/105/d/b^4*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(70*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3+35*A*cos(d*x+c)^2*b^4+21*B*cos(d*x+c)*b^4+48*C*cos(d*x+c)^5*a^4-35*A*cos(d*x+c)^3*a*b^3+28*B*cos(d*x+c)^3*a^2*b^2-7*B*cos(d*x+c)^2*a*b^3-63*B*cos(d*x+c)^4*b^4+42*B*cos(d*x+c)^3*b^4-35*A*cos(d*x+c)^4*b^4-25*C*cos(d*x+c)^4*b^4-70*A*cos(d*x+c)^4*a^2*b^2+70*A*cos(d*x+c)^5*a^2*b^2-35*A*cos(d*x+c)^5*a*b^3+70*A*cos(d*x+c)^4*a*b^3+56*B*cos(d*x+c)^4*a^3*b+70*B*cos(d*x+c)^4*a*b^3+28*B*cos(d*x+c)^5*a^2*b^2-63*B*cos(d*x+c)^5*a*b^3-24*C*cos(d*x+c)^5*a^3*b+44*C*cos(d*x+c)^5*a^2*b^2-25*C*cos(d*x+c)^5*a*b^3-50*C*cos(d*x+c)^4*a^2*b^2+44*C*cos(d*x+c)^4*a*b^3-70*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2-70*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3+70*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3-70*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2+56*B*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^3*b+56*B*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2*b^2+63*B*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b^3-56*B*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((

$$\begin{aligned}
& -56*B*\cos(d*x+c)^4*a^2*b^2-56*B*\cos(d*x+c)^5*a^3*b+48*C*\cos(d*x+c)^4*a^3*b- \\
& 24*C*\cos(d*x+c)^3*a^3*b-16*C*\cos(d*x+c)^3*a*b^3+6*C*\cos(d*x+c)^2*a^2*b^2-3* \\
& C*\cos(d*x+c)*a*b^3+63*B*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(\\
& a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d \\
& *x+c),((a-b)/(a+b))^{1/2})*\sin(d*x+c)*b^4-63*B*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*Elliptic \\
& F((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*\sin(d*x+c)*b^4+63*B*\cos(d \\
& *x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
& x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*\sin \\
& (d*x+c)*b^4-63*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(\\
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*\sin(d*x+c)*b^4-35*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c) \\
&)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*Ell \\
& ipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*b^4-35*A*\sin(d*x+c)* \\
& \cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2} \\
&))*b^4-25*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d* \\
& x+c),((a-b)/(a+b))^{1/2})*b^4-48*C*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE \\
& ((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^4-25*C*\cos(d*x+c)^3*\sin(\\
& d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\
& +c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*b^4 \\
& -48*C*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b \\
& +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^4-48*C*\cos(d*x+c)^4*a^4+10*C*\cos(d*x+c)^2*b^4+15*C*b^ \\
& 4)/(b+a*\cos(d*x+c))/\cos(d*x+c)^3/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx+c)^5 + B \sec(dx+c)^4 + A \sec(dx+c)^3}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^5 + B*sec(d*x + c)^4 + A*sec(d*x + c)^3)/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)^3}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^3/sqrt(b*sec(d*x + c) + a), x)

$$3.959 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=342

$$\frac{2\sqrt{a+b} \cot(c+dx) (8a^2C - 2ab(5B+C) + 15Ab^2 - b^2(5B-9C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{15b^3d}$$

[Out] $(-2*(a - b)*\text{Sqrt}[a + b]*(15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b)))]/(15*b^4*d) - (2*\text{Sqrt}[a + b]*(15*A*b^2 - b^2*(5*B - 9*C) + 8*a^2*C - 2*a*b*(5*B + C))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b)))]/(15*b^3*d) + (2*(5*b*B - 4*a*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(15*b^2*d) + (2*C*\text{Sec}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(5*b*d)$

Rubi [A] time = 0.664079, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4092, 4082, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b} \cot(c+dx) (8a^2C - 2ab(5B+C) + 15Ab^2 - b^2(5B-9C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{15b^3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/\text{Sqrt}[a + b*\text{Sec}[c + d*x]], x]$

[Out] $(-2*(a - b)*\text{Sqrt}[a + b]*(15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b)))]/(15*b^4*d) - (2*\text{Sqrt}[a + b]*(15*A*b^2 - b^2*(5*B - 9*C) + 8*a^2*C - 2*a*b*(5*B + C))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b)))]/(15*b^3*d) + (2*(5*b*B - 4*a*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(15*b^2*d) + (2*C*\text{Sec}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(5*b*d)$

Rule 4092

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[
(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x
_Symbol] :> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b))]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B))]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \frac{2C\sec(c+dx)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{5bd} + \frac{2\int \frac{\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{1} \\
&= \frac{2(5bB-4aC)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15b^2d} + \frac{2C\sec(c+dx)}{1} \\
&= \frac{2(5bB-4aC)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15b^2d} + \frac{2C\sec(c+dx)}{1} \\
&= -\frac{2(a-b)\sqrt{a+b}(15Ab^2-10abB+8a^2C+9b^2C)\cot(c+dx)}{1}
\end{aligned}$$

Mathematica [B] time = 24.8959, size = 3332, normalized size = 9.74

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C)*Sin[c + d*x])/(15*b^3) + (4*Sec[c + d*x]*(5*b*B*SIN[c + d*x] - 4*a*C*SIN[c + d*x]))/(15*b^2) + (4*C*Sec[c + d*x]*Tan[c + d*x])/(5*b)))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[a + b*Sec[c + d*x]]) + (4*((-2*A)/(Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (4*a*B)/(3*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (6*C)/(5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (16*a^2*C)/(15*b^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (2*a*A*Sqrt[Sec[c + d*x]])/(b*Sqrt[b + a*Cos[c + d*x]]) + (2*B*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) + (4*a^2*B*Sqrt[Sec[c + d*x]])/(3*b^2*Sqrt[b + a*Cos[c + d*x]]) - (16*a^3*C*Sqrt[Sec[c + d*x]])/(15*b^3*Sqrt[b + a*Cos[c + d*x]]) - (14*a*C*Sqrt[Sec[c + d*x]])/(15*b*Sqrt[b + a*Cos[c + d*x]]) - (2*a*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(b*Sqrt[b + a*Cos[c + d*x]]) + (4*a^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^2*Sqrt[b + a*Cos[c + d*x]]) - (16*a^3*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*b^3*Sqrt[b + a*Cos[c + d*x]]) - (6*a*C*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*b*Sqrt[b + a*Cos[c + d*x]]))*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-2*(a + b)*(15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C)*Sqrt[Cos[c + d*x]]/(

$$\begin{aligned}
& 1 + \cos[c + dx]) \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \\
& \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2*b*(15*A*b^2 + 8*a^2 * \\
& C + 2*a*b*(-5*B + C) + b^2*(5*B + 9*C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \\
& \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], \\
& (a - b)/(a + b)] - (15*A*b^2 - 10*a*b*B + 8*a^2*C + 9 * \\
& b^2*C) * \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \text{Tan}[(c + dx)/ \\
& 2]) / (15*b^3*d*(A + 2*C + 2*B*\cos[c + dx] + A*\cos[2*c + 2*d*x]) * \sqrt{\text{Sec}[(c + dx)/2]^2 * \\
& \text{Sec}[c + dx]^{(3/2)} * \sqrt{a + b*\text{Sec}[c + dx]} * ((2*a*\sqrt{\cos[(c + dx)/2]^2 * \text{Sec}[c + dx]} * \\
& \sin[c + dx] * (-2*(a + b)*(15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \\
& \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], \\
& (a - b)/(a + b)] + 2*b*(15*A*b^2 + 8*a^2*C + 2*a*b*(-5*B + C) + b^2*(5*B + 9*C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \\
& \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] \\
& - (15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C) * \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \text{Tan}[(c + dx)/2]) / (15*b^3 * (b + a \cos[c + dx])^{(3/2)} * \\
& \sqrt{\text{Sec}[(c + dx)/2]^2}) - (2*\sqrt{\cos[(c + dx)/2]^2 * \text{Sec}[c + dx]} * \text{Tan}[(c + dx)/2] * (-2*(a + b)*(15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \\
& \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2*b*(15 * \\
& A*b^2 + 8*a^2*C + 2*a*b*(-5*B + C) + b^2*(5*B + 9*C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \\
& \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] - (15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C) * \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \text{Tan}[(c + dx)/2]) / (15*b^3 * \sqrt{b + a \cos[c + dx]} * \sqrt{\text{Sec}[(c + dx)/2]^2}) \\
& + (4*\sqrt{\cos[(c + dx)/2]^2 * \text{Sec}[c + dx]} * (-((15*A*b^2 - 10*a*b*B + 8*a^2 * \\
& C + 9*b^2*C) * \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^4) / 2 - ((a + b) * (15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C) * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} + (b * (15*A*b^2 + 8 * \\
& a^2*C + 2*a*b*(-5*B + C) + b^2*(5*B + 9*C)) * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} - ((a + b) * (15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * (-((a * \sin[c + dx]) / ((a + b) * (1 + \cos[c + dx]))) + ((b + a \cos[c + dx]) * \sin[c + dx]) / ((a + b) * (1 + \cos[c + dx])^2))) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + (b * (15*A*b^2 + 8 * \\
& a^2*C + 2*a*b*(-5*B + C) + b^2*(5*B + 9*C)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * (-((a * \sin[c + dx]) / ((a + b) * (1 + \cos[c + dx]))) + ((b + a \cos[c + dx]) * \sin[c + dx]) / ((a + b) * (1 + \cos[c + dx])^2))) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + a * (15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C) * \cos[c + dx] * \text{Sec}[(c + dx)/2]^2 * \sin[c + dx] * \text{Tan}[(c + dx)/2] + (15*A*b^2
\end{aligned}$$

$$\begin{aligned}
& - 10*a*b*B + 8*a^2*C + 9*b^2*C)*(b + a*\cos[c + d*x])*Sec[(c + d*x)/2]^2*\sin \\
& [c + d*x]*\tan[(c + d*x)/2] - (15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C)*\cos[\\
& c + d*x]*(b + a*\cos[c + d*x])*Sec[(c + d*x)/2]^2*\tan[(c + d*x)/2]^2 + (b*(1 \\
& 5*A*b^2 + 8*a^2*C + 2*a*b*(-5*B + C) + b^2*(5*B + 9*C))*\sqrt{\cos[c + d*x]/(\\
& 1 + \cos[c + d*x])})*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}* \\
& Sec[(c + d*x)/2]^2)/(\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{1 - ((a - b)*\tan[(c \\
& + d*x)/2]^2)/(a + b)}) - ((a + b)*(15*A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C) \\
& *\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])})*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(\\
& 1 + \cos[c + d*x]))}*Sec[(c + d*x)/2]^2*\sqrt{1 - ((a - b)*\tan[(c + d*x)/2]^2 \\
&)/(a + b)})/\sqrt{1 - \tan[(c + d*x)/2]^2})/(15*b^3*\sqrt{b + a*\cos[c + d*x]} \\
& *\sqrt{Sec[(c + d*x)/2]^2}) + (2*(-2*(a + b)*(15*A*b^2 - 10*a*b*B + 8*a^2*C \\
& + 9*b^2*C))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])})*\sqrt{(b + a*\cos[c + d*x])/ \\
& ((a + b)*(1 + \cos[c + d*x]))}*EllipticE[ArcSin[\tan[(c + d*x)/2]], (a - b)/(\\
& a + b)] + 2*b*(15*A*b^2 + 8*a^2*C + 2*a*b*(-5*B + C) + b^2*(5*B + 9*C))*\sqrt{ \\
& \cos[c + d*x]/(1 + \cos[c + d*x])})*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \\
& \cos[c + d*x]))}*EllipticF[ArcSin[\tan[(c + d*x)/2]], (a - b)/(a + b)] - (15* \\
& A*b^2 - 10*a*b*B + 8*a^2*C + 9*b^2*C)*\cos[c + d*x]*(b + a*\cos[c + d*x])*Sec \\
& [(c + d*x)/2]^2*\tan[(c + d*x)/2]*(-(\cos[(c + d*x)/2]*Sec[c + d*x]*\sin[(c + \\
& d*x)/2]) + \cos[(c + d*x)/2]^2*Sec[c + d*x]*\tan[c + d*x]))/(15*b^3*\sqrt{b + \\
& a*\cos[c + d*x]}*\sqrt{Sec[(c + d*x)/2]^2}*\sqrt{\cos[(c + d*x)/2]^2*Sec[c + d \\
& *x]}))
\end{aligned}$$

Maple [B] time = 0.871, size = 3147, normalized size = 9.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned}
& -2/15/d/b^3*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx \\
& x+c))^2*(-8*C*\cos(dx+c)^3*a^3+15*A*\cos(dx+c)^4*a*b^2-15*A*\cos(dx+c)^3*a* \\
& b^2+10*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b) \\
& *(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c \\
&), ((a-b)/(a+b))^{1/2})*a^2*b+9*C*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(d \\
& *x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((\\
& -1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-8*C*\sin(dx+c)*\cos(dx+c \\
&)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c) \\
& +1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3-9* \\
& C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*c \\
& os(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b) \\
&)/(a+b))^{1/2})*b^3+9*C*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))
\end{aligned}$$

$C \cos(dx+c)^2 b^3 + 5B \cos(dx+c)^3 b^3 - 5B \cos(dx+c) b^3 - 8C \sin(dx+c) \cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^3 - 9C \sin(dx+c) \cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) b^3 - 15A \cos(dx+c)^2 b^3 + 15A \cos(dx+c)^3 b^3 + 15A \cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \sin(dx+c) b^3 - 15A \cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \sin(dx+c) b^3 + 15A \cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \sin(dx+c) b^3 - 15A \cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \sin(dx+c) b^3 - 3C b^3 \frac{1}{(b+a \cos(dx+c))} \frac{1}{\cos(dx+c)^2} \frac{1}{\sin(dx+c)^5}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx+c)^4 + B \sec(dx+c)^3 + A \sec(dx+c)^2}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(dx + c)^4 + B*sec(dx + c)^3 + A*sec(dx + c)^2)/sqrt(b*sec(dx + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

$$3.960 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx$$

Optimal. Leaf size=267

$$\frac{2\sqrt{a+b}\cot(c+dx)(2aC+3Ab-b(3B-C))\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^2d} - 2(a-b)\sqrt{a+b}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B - 2*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*d) + (2*Sqrt[a + b]*(3*A*b - b*(3*B - C) + 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b*d)
```

Rubi [A] time = 0.364579, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4082, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b}\cot(c+dx)(2aC+3Ab-b(3B-C))\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{3b^2d} - 2(a-b)\sqrt{a+b}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(3*b*B - 2*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*d) + (2*Sqrt[a + b]*(3*A*b - b*(3*B - C) + 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b*d)
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :-> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
```

, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3bd} + \frac{2 \int \frac{\sec(c + dx) \left(\frac{1}{2}b(3A + C) + \frac{1}{2}(3b \sec(c + dx) + a) \right)}{\sqrt{a + b \sec(c + dx)}} dx}{3b} \\ &= \frac{2C\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3bd} + \frac{(3bB - 2aC) \int \frac{\sec(c + dx) (1 + \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx}{3b} \\ &= \frac{2(a - b)\sqrt{a + b(3bB - 2aC)} \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \right)}{3b^3d} \end{aligned}$$

Mathematica [B] time = 21.8344, size = 2741, normalized size = 10.27

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (Cos[c + d*x]*(b + a*cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(3*b*B - 2*a*C)*Sin[c + d*x])/(3*b^2) + (4*C*Tan[c + d*x])/(3*b)))/(d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*Sqrt[a + b*Sec[c + d*x]]) + (4*((-2*B)/(Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (4*a*C)/(3*b*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[Sec[c + d*x]])/Sqrt[b + a*cos[c + d*x]] - (2*a*B*Sqrt[Sec[c + d*x]])/(b*Sqrt[b + a*cos[c + d*x]]) + (2*C*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*cos[c + d*x]]) + (4*a^2*C*Sqrt[Sec[c + d*x]])/(3*b^2*Sqrt[b + a*cos[c + d*x]]) - (2*a*B*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(b*Sqrt[b + a*cos[c + d*x]]) + (4*a^2*C*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(2*(a + b)*(-3*b*B + 2*a*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x]))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(3*A*b - 2*a*C + b*(3*B + C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x]))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - (3*b*B - 2*a*C)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((3*b^2*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*Sqrt[Sec[(c + d*x)/2]^2*Sec[c + d*x]]^(3/2)*Sqrt[a + b*Sec[c + d*x]])*((2*a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-3*b*B + 2*a*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x]))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(3*A*b - 2*a*C + b*(3*B + C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x]))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - (3*b*B - 2*a*C)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((3*b^2*(b + a*cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2]) - (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(-3*b*B + 2*a*C)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x]))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(3*A*b - 2*a*C + b*(3*B + C))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x]))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - (3*b*B - 2*a*C)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((3*b^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[(c + d*x)/2]^2]) + (4*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-(3*b*B - 2*a*C)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)

$$\begin{aligned}
& /2]^4)/2 + ((a + b)*(-3*b*B + 2*a*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 \\
& + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Co} \\
& \text{s}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d \\
& *x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (b*(3*A*b - 2*a*C + b*(3*B + \\
& C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcS} \\
& \text{in}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Co} \\
& \text{s}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Co} \\
& \text{s}[c + d*x])] + ((a + b)*(-3*b*B + 2*a*C)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x \\
&])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x] \\
&)/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + \\
& b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + \\
& d*x]))] + (b*(3*A*b - 2*a*C + b*(3*B + C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + \\
& d*x)])*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d \\
& *x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((\\
& a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[\\
& c + d*x]))] + a*(3*b*B - 2*a*C)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x \\
&]*\text{Tan}[(c + d*x)/2] + (3*b*B - 2*a*C)*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^ \\
& 2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (3*b*B - 2*a*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c \\
& + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (b*(3*A*b - 2*a*C + b*(3*B \\
& + C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a \\
& + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] \\
& *\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-3*b*B + 2*a*C \\
&)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)* \\
& (1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^ \\
& 2)/(a + b)])/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2)]/(3*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]] \\
& *\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*(2*(a + b)*(-3*b*B + 2*a*C)*\text{Sqrt}[\text{Cos}[c + d* \\
& x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x] \\
&))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(3*A*b - 2*a \\
& *C + b*(3*B + C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + \\
& d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a \\
& - b)/(a + b)] - (3*b*B - 2*a*C)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + \\
& d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x) \\
& /2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(3*b^2*\text{Sqrt}[b + a*\text{Cos} \\
& [c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])) \\
&)
\end{aligned}$$

Maple [B] time = 0.508, size = 1757, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{1/2}, x)$

```
[Out] -2/3/d/b^2*(-1+cos(d*x+c))^2*(3*B*cos(d*x+c)^3*a*b-3*B*cos(d*x+c)^2*a*b+C*cos(d*x+c)^3*a*b-2*C*cos(d*x+c)^2*a*b+C*cos(d*x+c)*a*b-3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b-2*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+2*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b-2*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+2*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b-3*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+3*B*cos(d*x+c)^2*b^2+3*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+2*C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2+C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+2*C*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2-3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+3*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+3*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-b^2*C-3*B*cos(d*x+c)*b^2-2*C*cos(d*x+c)^3*a^2+2*C*cos(d*x+c)^2*a^2+C*cos(d*x+c)^2*b^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)+1)^2/(b+a*cos(d*x+c))/cos(d*x+c)/sin(d*x+c)^5
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx+c)^3 + B \sec(dx+c)^2 + A \sec(dx+c)}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/sqrt(b*sec(d
*x + c) + a), x)
```

$$3.961 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=317

$$\frac{2\sqrt{a+b}(B-C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - 2A\sqrt{a+b} \cot(c+dx)}{bd}$$

[Out] (-2*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d) + (2*Sqrt[a + b]*(B - C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d)

Rubi [A] time = 0.248938, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4058, 3921, 3784, 3832, 4004}

$$\frac{2A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) - 2C(a-b)\sqrt{a+b} \cot(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (-2*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d) + (2*Sqrt[a + b]*(B - C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d)

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C

) * Csc[e + f*x] / Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])) / Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)) / Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x] / Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)] / (a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)] / Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)] / (b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))) / Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)] / (b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx = C \int \frac{\sec(c + dx)(1 + \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx + \int \frac{A + (B - C) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

$$= -\frac{2(a - b)\sqrt{a + b}C \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{b^2d}$$

$$= -\frac{2(a - b)\sqrt{a + b}C \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{b^2d}$$

Mathematica [B] time = 18.3383, size = 762, normalized size = 2.4

$$\frac{4C \sin(c + dx) \cos(c + dx)(a \cos(c + dx) + b)(A + B \sec(c + dx) + C \sec^2(c + dx))}{bd\sqrt{a + b \sec(c + dx)}(A \cos(2c + 2dx) + A + 2B \cos(c + dx) + 2C)} - \frac{4\sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c+dx)\right)}}\sqrt{a \cos(c + dx)}}{1}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (4*C*Cos[c + d*x]*(b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sin[c + d*x])/(b*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[a + b*Sec[c + d*x]]) - (4*Sqrt[b + a*Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(a*C*Tan[(c + d*x)/2] + b*C*Tan[(c + d*x)/2] - 2*a*C*Tan[(c + d*x)/2]^3 + a*C*Tan[(c + d*x)/2]^5 - b*C*Tan[(c + d*x)/2]^5 + 2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*C*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + b*(A - B - C)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(b*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)))]

Maple [B] time = 0.446, size = 1193, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^{1/2}, x)$

[Out] $2/d/b*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(\cos(dx+c)+1)^2*(-1+\cos(dx+c))^{1/2}*(A*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b-2*A*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*b-B*\cos(dx+c)*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*b-C*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*b+C*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2})*\sin(dx+c)*a+C*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*b+A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b*\sin(dx+c)-2*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*b*\sin(dx+c)-B*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*b-C*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*b+C*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*a+C*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*b-C*\cos(dx+c)^2*a+C*\cos(dx+c)*a-C*\cos(dx+c)*b+C*b)/\sin(dx+c)^5/(b+a*\cos(dx+c))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/sqrt(b*sec(d*x + c) + a), x)
```

$$3.962 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=358

$$\frac{\sqrt{a+b}(2aC+Ab) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + \sqrt{a+b}(Ab-2aB)}{abd}$$

[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (Sqrt[a + b]*(A*b + 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (Sqrt[a + b]*(A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(a*d)

Rubi [A] time = 0.424398, antiderivative size = 358, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(Ab-2aB) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + \sqrt{a+b}(2aC+Ab) \cot(c+dx)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (Sqrt[a + b]*(A*b + 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (Sqrt[a + b]*(A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(a*d)

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[

$a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \frac{A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{ad} - \int \frac{\frac{1}{2}(Ab - 2aB) - aC \sec(c + dx) + \frac{1}{2}Ab}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{ad} - \int \frac{\frac{1}{2}(Ab - 2aB) + \left(-\frac{Ab}{2} - aC\right) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{A(a - b)\sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{b(1 - \frac{a + b}{a - b})}}{abd} \\ &= \frac{A(a - b)\sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{b(1 - \frac{a + b}{a - b})}}{abd} \end{aligned}$$

Mathematica [B] time = 18.0118, size = 861, normalized size = 2.41

$$2\sqrt{b + a \cos(c + dx)}(B + A \cos(c + dx) + C \sec(c + dx)) \sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}} \left(aA \tan^5\left(\frac{1}{2}(c + dx)\right) - Ab \tan^5\left(\frac{1}{2}(c + dx)\right) \right) - 2$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*Sqrt[b + a*Cos[c + d*x]]*(B + A*Cos[c + d*x] + C*Sec[c + d*x])*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(a*A*Tan[(c + d*x)/2] + A*b*Tan[(c + d*x)/2] - 2*a*A*Tan[(c + d*x)/2]^3 + a*A*Tan[(c + d*x)/2]^5 - A*b*Tan[(c + d*x)/2]^5 + 2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 4*a*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Ta

```
n[(c + d*x)/2]^2)/(a + b)] + 2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]]
, (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a
+ b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 4*a*B*Ellipti
cPi[-1, -ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt
[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*
x)/2]^2)/(a + b)] + A*(a + b)*EllipticE[ArcSin[Tan[(c + d*x)/2]]], (a - b)/(
a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b -
a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*a*(B - C)*Ellipt
icF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]
*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d
*x)/2]^2)/(a + b)))/(a*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])
*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(1 + Tan[(c + d*x)/2]^2)^(3/2)
*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d
*x)/2]^2))]
```

Maple [B] time = 0.423, size = 1210, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2), x)
```

```
[Out] 1/d/a*(-1+cos(d*x+c))^2*(2*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+
1))^1/2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^1/2*EllipticPi((-1+co
s(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^1/2)*b-A*sin(d*x+c)*cos(d*x+c)*(cos
(d*x+c)/(cos(d*x+c)+1))^1/2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^1/2
*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^1/2)*a-A*sin(d*x+c)
*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^1/2*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^1/2*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^1/2)
)*b+2*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^1/2*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^1/2*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (
(a-b)/(a+b))^1/2)*a-4*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))
^1/2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^1/2*EllipticPi((-1+cos(d
*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^1/2)*a-2*C*cos(d*x+c)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^1/2
*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^1/2*sin(d*x+c)*a+2*A*(cos(d*x+
c)/(cos(d*x+c)+1))^1/2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^1/2*El
lipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^1/2)*b*sin(d*x+c)-A
*(cos(d*x+c)/(cos(d*x+c)+1))^1/2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)
)^1/2*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^1/2)*a*sin(d*x+
c)-A*(cos(d*x+c)/(cos(d*x+c)+1))^1/2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)
```

$$\begin{aligned}
&+1)^{(1/2)} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * b * \sin \\
&(dx+c) + 2 * B * (\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(dx+c))/(\cos \\
&(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{(1/2)} \\
&)* a * \sin(dx+c) - 4 * B * (\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(dx+c) \\
&)/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1 + \cos(dx+c))/\sin(dx+c), -1, ((a-b)/(\\
&a+b))^{(1/2)}) * a * \sin(dx+c) - 2 * C * (\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} * (1/(a+b)) * (b \\
&+ a * \cos(dx+c))/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (\\
&(a-b)/(a+b))^{(1/2)}) * a * \sin(dx+c) - A * \cos(dx+c)^3 * a + A * \cos(dx+c)^2 * a - A * \cos(dx \\
&+c)^2 * b + A * \cos(dx+c) * b * (\cos(dx+c)+1)^2 * ((b+a * \cos(dx+c))/\cos(dx+c))^{(1/2)} \\
&)/ (b+a * \cos(dx+c))/\sin(dx+c)^5
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*cos(dx+c)/sqrt(b*sec(dx+c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \cos(dx+c) \sec(dx+c)^2 + B \cos(dx+c) \sec(dx+c) + A \cos(dx+c)}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(dx+c)*sec(dx+c)^2 + B*cos(dx+c)*sec(dx+c) + A*cos(dx+c))/sqrt(b*sec(dx+c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \cos(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*cos(c + d*x)/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)/sqrt(b*sec(d*x + c) + a), x)

$$3.963 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=439

$$\frac{\sqrt{a+b}(3Ab-2a(A+2B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) \sqrt{a+b} \cot(c+dx)}{4a^2d}$$

[Out] $-(a-b)\sqrt{a+b}(3A*b-4*A*B)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\sqrt{a+b*\text{Sec}[c+d*x]}/\sqrt{a+b}]], (a+b)/(a-b)*\sqrt{((b*(1-\text{Sec}[c+d*x]))/(a+b))}/(4*a^2*b*d) - (\sqrt{a+b}*(3*A*b-2*a*(A+2*B))*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\sqrt{a+b*\text{Sec}[c+d*x]}/\sqrt{a+b}]], (a+b)/(a-b)*\sqrt{((b*(1-\text{Sec}[c+d*x]))/(a+b))}*\sqrt{-((b*(1+\text{Sec}[c+d*x]))/(a-b))}/(4*a^2*d) - (\sqrt{a+b}*(3*A*b^2-4*a*b*B+4*a^2*(A+2*C))*\text{Cot}[c+d*x]*\text{EllipticPi}[(a+b)/a, \text{ArcSin}[\sqrt{a+b*\text{Sec}[c+d*x]}/\sqrt{a+b}]], (a+b)/(a-b)*\sqrt{((b*(1-\text{Sec}[c+d*x]))/(a+b))}*\sqrt{-((b*(1+\text{Sec}[c+d*x]))/(a-b))}/(4*a^3*d) - ((3*A*b-4*A*B)*\sqrt{a+b*\text{Sec}[c+d*x]}*\text{Sin}[c+d*x])/(4*a^2*d) + (A*\text{Cos}[c+d*x]*\sqrt{a+b*\text{Sec}[c+d*x]}*\text{Sin}[c+d*x])/(2*a*d)$

Rubi [A] time = 0.749037, antiderivative size = 439, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b} \cot(c+dx) (4a^2(A+2C) - 4abB + 3Ab^2) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{a+b} \cot(c+dx)}{4a^3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c+d*x]^2*(A+B*\text{Sec}[c+d*x]+C*\text{Sec}[c+d*x]^2))/\sqrt{a+b*\text{Sec}[c+d*x]}], x]$

[Out] $-(a-b)\sqrt{a+b}(3A*b-4*A*B)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\sqrt{a+b*\text{Sec}[c+d*x]}/\sqrt{a+b}]], (a+b)/(a-b)*\sqrt{((b*(1-\text{Sec}[c+d*x]))/(a+b))}/(4*a^2*b*d) - (\sqrt{a+b}*(3*A*b-2*a*(A+2*B))*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\sqrt{a+b*\text{Sec}[c+d*x]}/\sqrt{a+b}]], (a+b)/(a-b)*\sqrt{((b*(1-\text{Sec}[c+d*x]))/(a+b))}*\sqrt{-((b*(1+\text{Sec}[c+d*x]))/(a-b))}/(4*a^2*d) - (\sqrt{a+b}*(3*A*b^2-4*a*b*B+4*a^2*(A+2*C))*\text{Cot}[c+d*x]*\text{EllipticPi}[(a+b)/a, \text{ArcSin}[\sqrt{a+b*\text{Sec}[c+d*x]}/\sqrt{a+b}]], (a+b)/(a-b)*\sqrt{((b*(1-\text{Sec}[c+d*x]))/(a+b))}*\sqrt{-((b*(1+\text{Sec}[c+d*x]))/(a-b))}/(4*a^3*d) - ((3*A*b-4*A*B)*\sqrt{a+b*\text{Sec}[c+d*x]}*\text{Sin}[c+d*x])/(4*a^2*d) + (A*\text{Cos}[c+d*x]*\sqrt{a+b*\text{Sec}[c+d*x]}*\text{Sin}[c+d*x])/(2*a*d)$

$$- 4*a*B)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]/(4*a^2*d) + (A*\text{Cos}[c + d*x] * \text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(2*a*d)$$
Rule 4104

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d * \text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4058

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Int}[(A + (B - C) * \text{Csc}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x])) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3921

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)) / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x] / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3784

$$\text{Int}[1/\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[c + d*x]))/(a - b))]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(a*d*\text{Cot}[c + d*x]), x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3832

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[
csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \frac{\cos^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx = \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2ad} - \int \frac{\cos(c + dx)^{\frac{1}{2}} (3A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx$$

$$= -\frac{(3Ab - 4aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4a^2 d} + \frac{A \cos(c + dx)}{4a^2 d}$$

$$= -\frac{(3Ab - 4aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4a^2 d} + \frac{A \cos(c + dx)}{4a^2 d}$$

$$= -\frac{(a - b) \sqrt{a + b} (3Ab - 4aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{4a^2 b d}$$

$$= -\frac{(a - b) \sqrt{a + b} (3Ab - 4aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{4a^2 b d}$$

Mathematica [C] time = 16.1449, size = 1905, normalized size = 4.34

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a +
b*Sec[c + d*x]], x]
```

```
[Out] (A*(b + a*Cos[c + d*x])*Sec[c + d*x]*Sin[2*(c + d*x)]/(4*a*d*Sqrt[a + b*Se
c[c + d*x]]) + (Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(a + b - a
*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))*(-3*a
*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] - 3*A*b^2*Sqrt[(-a + b)/(a + b
)]*Tan[(c + d*x)/2] + 4*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 4*a
*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 6*a*A*b*Sqrt[(-a + b)/(a + b
```


$$\begin{aligned}
&]*\text{Tan}[(c + d*x)/2]^3 - 8*a^2*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2]^3 - \\
& 3*a*A*b*\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]^5 + 3*A*b^2*\text{Sqrt}[(-a + b)/ \\
& (a + b)]*\text{Tan}[(c + d*x)/2]^5 + 4*a^2*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/ \\
& 2]^5 - 4*a*b*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2]^5 - (8*I)*a^2*A*\text{Elli} \\
& \text{pticPi}[-((a + b)/(a - b)), I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2 \\
&]], (a + b)/(a - b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + \\
& d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - (6*I)*A*b^2*\text{EllipticPi}[-((a + \\
& b)/(a - b)), I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a \\
& - b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b* \\
& \text{Tan}[(c + d*x)/2]^2)/(a + b)] + (8*I)*a*b*B*\text{EllipticPi}[-((a + b)/(a - b)), I \\
& *\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Sqrt}[1 \\
& - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/ \\
& 2]^2)/(a + b)] - (16*I)*a^2*C*\text{EllipticPi}[-((a + b)/(a - b)), I*\text{ArcSinh}[\text{Sqrt} \\
& [(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Sqrt}[1 - \text{Tan}[(c + d* \\
& x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b \\
&] - (8*I)*a^2*A*\text{EllipticPi}[-((a + b)/(a - b)), I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + \\
& b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[1 - \text{Tan}[(c \\
& + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a \\
& + b)] - (6*I)*A*b^2*\text{EllipticPi}[-((a + b)/(a - b)), I*\text{ArcSinh}[\text{Sqrt}[(-a + b) \\
& / (a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[1 - T \\
& \text{an}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^ \\
& 2)/(a + b)] + (8*I)*a*b*B*\text{EllipticPi}[-((a + b)/(a - b)), I*\text{ArcSinh}[\text{Sqrt}[(-a \\
& + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[\\
& 1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x \\
&)/2]^2)/(a + b)] - (16*I)*a^2*C*\text{EllipticPi}[-((a + b)/(a - b)), I*\text{ArcSinh}[\text{Sqr} \\
& \text{t}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Tan}[(c + d*x)/2]^2 \\
& *\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c \\
& + d*x)/2]^2)/(a + b)] - I*(a - b)*(-3*A*b + 4*a*B)*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqr} \\
& \text{t}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/(a - b)]*\text{Sqrt}[1 - \text{Tan}[(c + d \\
& *x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*T \\
& \text{an}[(c + d*x)/2]^2)/(a + b)] + (2*I)*(3*A*b^2 - a*b*(A + 4*B) + 2*a^2*(A + 2 \\
& *C))*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]], (a + b)/ \\
& (a - b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b \\
& - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)))/(4*a^2*\text{Sqrt}[(-a + \\
& b)/(a + b)]*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*(-1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(1 + \\
& \text{Tan}[(c + d*x)/2]^2)/(1 - \text{Tan}[(c + d*x)/2]^2)]*(a*(-1 + \text{Tan}[(c + d*x)/2]^2) \\
& - b*(1 + \text{Tan}[(c + d*x)/2]^2))
\end{aligned}$$

Maple [B] time = 0.408, size = 2259, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2), x)

[Out] $\frac{1}{4} d a^{-2} (-1 + \cos(dx+c))^2 (-16 C (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) a^2 \sin(dx+c) - 4 B \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 8 A (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) a^2 \sin(dx+c) - 6 A \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) b^2 (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + 3 A (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) b^2 \sin(dx+c) - 4 B \cos(dx+c)^2 a b + 4 A (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 \sin(dx+c) - 4 B \cos(dx+c) \sin(dx+c) (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) a b + 8 C (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 \sin(dx+c) - 4 B \cos(dx+c)^3 a^2 + 8 C \sin(dx+c) \cos(dx+c) (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 - 2 A \cos(dx+c) \sin(dx+c) (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) a b + 8 B \cos(dx+c) \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) a b + 3 A \cos(dx+c) \sin(dx+c) (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) a b + 4 B \cos(dx+c) a b + A \cos(dx+c)^3 a b - 3 A \cos(dx+c)^2 a b + 2 A \cos(dx+c) a b + 4 B \cos(dx+c)^2 a^2 - 2 A \cos(dx+c)^4 a^2 + 3 A \cos(dx+c) \sin(dx+c) (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) b^2 + 4 A \cos(dx+c) \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) a^2 (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 8 A \cos(dx+c) \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) a^2 (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 6 A \sin(dx+c) \cos(dx+c) (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) b^2 + 3 A \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) a b - 2 A \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2}$

$$\begin{aligned} & c)+1))^{\frac{1}{2}}*\sin(d*x+c)*a*b+2*A*\cos(d*x+c)^2*a^2+3*A*\cos(d*x+c)^2*b^2-3*A*\cos(d*x+c)*b^2-4*B*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}}) \\ & *(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)*a*b-4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*a^2+8*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{\frac{1}{2}})*a*b*\sin(d*x+c)-16*C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\cos(d*x+c)*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{\frac{1}{2}})*\sin(d*x+c)*a^2*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{\frac{1}{2}}/(b+a*\cos(d*x+c))/\sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)^2}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \cos(dx+c)^2 \sec(dx+c)^2 + B \cos(dx+c)^2 \sec(dx+c) + A \cos(dx+c)^2}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)/sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

$$3.964 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=510

$$\frac{2 \cot(c+dx) \left(a^2 b (40B - 36C) - 48a^3 C - 6ab^2 (5A - 5B + 2C) - b^3 (15A - 5B + 9C) \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticE} \left[\operatorname{ArcSin} \left[\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}} \right] \right]}{15b^4 d \sqrt{a+b}}$$

[Out] (2*(40*a^3*b*B - 25*a*b^3*B - 6*a^2*b^2*(5*A - 4*C) - 48*a^4*C + 3*b^4*(5*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^5*Sqrt[a + b]*d) + (2*(a^2*b*(40*B - 36*C) - 48*a^3*C - 6*a*b^2*(5*A - 5*B + 2*C) - b^3*(15*A - 5*B + 9*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^4*Sqrt[a + b]*d) - (2*(A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(20*a^2*b*B - 5*b^3*B - 3*a*b^2*(5*A - 3*C) - 24*a^3*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b^3*(a^2 - b^2)*d) + (2*(5*A*b^2 - 5*a*b*B + 6*a^2*C - b^2*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b^2*(a^2 - b^2)*d)

Rubi [A] time = 1.34519, antiderivative size = 510, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4098, 4092, 4082, 4005, 3832, 4004}

$$\frac{2 \tan(c+dx) \sec^2(c+dx) (Ab^2 - a(bB - aC))}{bd(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} + \frac{2 \tan(c+dx) \sec(c+dx) (6a^2C - 5abB + 5Ab^2 - b^2C) \sqrt{a+b \sec(c+dx)}}{5b^2d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(40*a^3*b*B - 25*a*b^3*B - 6*a^2*b^2*(5*A - 4*C) - 48*a^4*C + 3*b^4*(5*A + 3*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^5*Sqrt[a + b]*d) + (2*(a^2*b*(40*B - 36*C) - 48*a^3*C - 6*a*b^2*(5*A - 5*B + 2*C) - b^3*(15*A - 5*B + 9*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b^4*Sqrt[a + b]*d) - (2*(A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(20*a^2*b*B - 5*b^3*B - 3*a*b^2*(5*A - 3*C) - 24*a^3*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b^3*(a^2 - b^2)*d) + (2*(5*A*b^2 - 5*a*b*B + 6*a^2*C - b^2*C)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b^2*(a^2 - b^2)*d)

$$\frac{(15b^4\sqrt{a+b}d - (2(Ab^2 - a(bB - aC))\sec[c + dx])^2\tan[c + dx]) / (b(a^2 - b^2)d\sqrt{a + b\sec[c + dx]}) + (2(20a^2bB - 5b^3B - 3a^2b^2(5A - 3C) - 24a^3C)\sqrt{a + b\sec[c + dx]})\tan[c + dx] / (15b^3(a^2 - b^2)d + (2(5Ab^2 - 5abB + 6a^2C - b^2C)\sec[c + dx])\sqrt{a + b\sec[c + dx]})\tan[c + dx]}{(5b^2(a^2 - b^2)d)}$$
Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)(x_)])*(B_.) + csc[(e_.) + (f_.)(x_)]^2*(C_.
.)*(csc[(e_.) + (f_.)(x_)]*(d_.))^n*(csc[(e_.) + (f_.)(x_)]*(b_.) + (a
_)^m), x_Symbol] :> -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4092

```
Int[csc[(e_.) + (f_.)(x_)]^2*((A_.) + csc[(e_.) + (f_.)(x_)]*(B_.) + csc[
(e_.) + (f_.)(x_)]^2*(C_.))*(csc[(e_.) + (f_.)(x_)]*(b_.) + (a_)^m), x
_Symbol] :> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
)/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f
*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m
+ 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && N
eQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)(x_)]*((A_.) + csc[(e_.) + (f_.)(x_)]*(B_.) + csc[(e
_.) + (f_.)(x_)]^2*(C_.))*(csc[(e_.) + (f_.)(x_)]*(b_.) + (a_)^m), x_S
ymbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)(x_)]*(csc[(e_.) + (f_.)(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^3(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^2(c + dx) \tan(c + dx)}{b (a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{b (a^2 - b^2) d} \\
 &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^2(c + dx) \tan(c + dx)}{b (a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{2 (5Ab^2 - 5a^2b)}{b^2 (a^2 - b^2) d} \\
 &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^2(c + dx) \tan(c + dx)}{b (a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{2 (20a^2b - 20a^2b)}{b^2 (a^2 - b^2) d} \\
 &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^2(c + dx) \tan(c + dx)}{b (a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{2 (20a^2b - 20a^2b)}{b^2 (a^2 - b^2) d} \\
 &= \frac{2 (40a^3bB - 25ab^3B - 6a^2b^2(5A - 4C) - 48a^4C + 3b^4(5A + 5B))}{b^3 (a^2 - b^2) d}
 \end{aligned}$$

Mathematica [A] time = 20.8391, size = 874, normalized size = 1.71

$$\frac{(C \sec^2(c + dx) + B \sec(c + dx) + A) \left(\frac{4(-48Ca^4 + 40bBa^3 - 30Ab^2a^2 + 24b^2Ca^2 - 25b^3Ba + 15Ab^4 + 9b^4C) \sin(c + dx)}{15b^4(b^2 - a^2)} + \frac{4 \sec(c + dx)(5bB \sin(c + dx) - 9a^2 \cos(c + dx))}{15b^3} \right)}{d(\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (4*(b + a*Cos[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*((a + b)*(-40*a^3*b*B + 25*a*b^3*B + 6*a^2*b^2*(5*A - 4*C) + 48*a^4*C - 3*b^4*(5*A + 3*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a + b))*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + b*(a + b)*(-48*a^3*C - 6*a*b^2*(5*A + 5*B + 2*C) + b^3*(15*A + 5*B + 9*C) + 4*a^2*b*(10*B + 9*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (-40*a^3*b*B + 25*a*b^3*B + 6*a^2*b^2*(5*A - 4*C) + 48*a^4*C - 3*b^4*(5*A + 3*C))*Tan[(c + d*x)/2]*(b - b*Tan[(c + d*x)/2]^4 + a*(-1 + Tan[(c + d*x)/2]^2)^2))/(15*b^4*(-a^2 + b^2)*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))] + ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(-30*a^2*A*b^2 + 15*A*b^4 + 40*a^3*b*B - 25*a*b^3*B - 48*a^4*C + 24*a^2*b^2*C + 9*b^4*C)*Sin[c + d*x])/(15*b^4*(-a^2 + b^2)) + (4*Sec[c + d*x]*(5*b*B*Sin[c + d*x] - 9*a*C*Sin[c + d*x]))/(15*b^3) + (4*(a^2*A*b^2*Sin[c + d*x] - a^3*b*B*Sin[c + d*x] + a^4*C*Sin[c + d*x]))/(b^3*(-a^2 + b^2)*(b + a*Cos[c + d*x])) + (4*C*Sec[c + d*x]*Tan[c + d*x])/(5*b^2)))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(3/2))

Maple [B] time = 1.534, size = 5857, normalized size = 11.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\left(C \sec(dx+c)^5 + B \sec(dx+c)^4 + A \sec(dx+c)^3\right) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^5 + B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^3/(b*sec(d*x + c) + a)^(3/2), x)

$$3.965 \quad \int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=352

$$\frac{2 \cot(c+dx) (3Ab^2 - (2a+b)(b(3B-C) - 4aC)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^3 d \sqrt{a+b}}$$

[Out] (-2*(6*a^2*b*B - 3*b^3*B - a*b^2*(3*A - 5*C) - 8*a^3*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^4*Sqrt[a + b]*d) + (2*(3*A*b^2 - (2*a + b)*(b*(3*B - C) - 4*a*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*Sqrt[a + b]*d) + (2*a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b^2*d)

Rubi [A] time = 0.801251, antiderivative size = 352, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4090, 4082, 4005, 3832, 4004}

$$\frac{2a \tan(c+dx) (Ab^2 - a(bB - aC))}{b^2 d (a^2 - b^2) \sqrt{a + b \sec(c+dx)}} - \frac{2 \cot(c+dx) (6a^2 b B - 8a^3 C - ab^2 (3A - 5C) - 3b^3 B) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx))}{a-b}}}{3b^4 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (-2*(6*a^2*b*B - 3*b^3*B - a*b^2*(3*A - 5*C) - 8*a^3*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^4*Sqrt[a + b]*d) + (2*(3*A*b^2 - (2*a + b)*(b*(3*B - C) - 4*a*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*Sqrt[a + b]*d) + (2*a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b^2*d)

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[
(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x
_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x
])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^
2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B
- a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 +
b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \frac{2a(Ab^2-a(bB-aC))\tan(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2\int \frac{\sec(c+dx)\left(-\frac{1}{2}b(Ab^2-a\right)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} dx}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(Ab^2-a(bB-aC))\tan(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2C\sqrt{a+b\sec(c+dx)}}{3b^2d} \\
&= \frac{2a(Ab^2-a(bB-aC))\tan(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2C\sqrt{a+b\sec(c+dx)}}{3b^2d} \\
&= \frac{2(6a^2bB-3b^3B-ab^2(3A-5C)-8a^3C)\cot(c+dx)E\left(\operatorname{si}\left(\sqrt{a+b\sec(c+dx)}\right)\right)}{3b^4\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [B] time = 26.0625, size = 3856, normalized size = 10.95

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(3*a*A*b^2 - 6*a^2*b*B + 3*b^3*B + 8*a^3*C - 5*a*b^2*C)*Sin[c + d*x])/(3*b^3*(-a^2 + b^2)) - (4*(a*A*b^2*Sin[c + d*x] - a^2*b*B*Sin[c + d*x] + a^3*C*Sin[c + d*x]))/(b^2*(-a^2 + b^2)*(b + a*Cos[c + d*x])) + (4*C*Tan[c + d*x])/(3*b^2)))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(3/2)) - (4*(b + a*Cos[c + d*x])*((-2*a*A)/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (4*a^2*B)/(b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (2*b*B)/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (10*a*C)/(3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (16*a^3*C)/(3*b^2*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (2*a^2*A*Sqrt[Sec[c + d*x]])/(b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (2*A*b*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) - (4*a*B*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (4*a^3*B*Sqrt[Sec[c + d*x]])/(b^2*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) - (16*a^4*C*Sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (14*a^2*C*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])

$$\begin{aligned}
& c + d*x] + (2*b*C*sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)*sqrt[b + a*cos[c + \\
& d*x]]) - (2*a^2*A*cos[2*(c + d*x)]*sqrt[Sec[c + d*x]])/(b*(-a^2 + b^2)*sqrt \\
& [b + a*cos[c + d*x]]) - (2*a*B*cos[2*(c + d*x)]*sqrt[Sec[c + d*x]])/((-a^2 \\
& + b^2)*sqrt[b + a*cos[c + d*x]]) + (4*a^3*B*cos[2*(c + d*x)]*sqrt[Sec[c + d \\
& *x]])/(b^2*(-a^2 + b^2)*sqrt[b + a*cos[c + d*x]]) - (16*a^4*C*cos[2*(c + d* \\
& x)]*sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)*sqrt[b + a*cos[c + d*x]]) + (10 \\
& *a^2*C*cos[2*(c + d*x)]*sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)*sqrt[b + a*Co \\
& s[c + d*x]])*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C \\
& *Sec[c + d*x]^2)*(2*(a + b)*(-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a \\
& ^3*C)*sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*sqrt[(b + a*cos[c + d*x])/((a + \\
& b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b \\
&)] - 2*b*(a + b)*(3*A*b^2 + (2*a - b)*(4*a*C - b*(3*B + C)))*sqrt[Cos[c + d \\
& *x]/(1 + Cos[c + d*x])]*sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x \\
&]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-6*a^2*b*B + 3 \\
& *b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec \\
& [(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3*b^3*(-a^2 + b^2)*d*(A + 2*C + 2*B*cos \\
& [c + d*x] + A*cos[2*c + 2*d*x])*sqrt[Sec[(c + d*x)/2]^2]*sqrt[Sec[c + d*x]] \\
& *(a + b*Sec[c + d*x])^(3/2)*((-2*a*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Si \\
& n[c + d*x]*(2*(a + b)*(-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)* \\
& sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*sqrt[(b + a*cos[c + d*x])/((a + b)*(1 \\
& + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2 \\
& *b*(a + b)*(3*A*b^2 + (2*a - b)*(4*a*C - b*(3*B + C)))*sqrt[Cos[c + d*x]/(1 \\
& + Cos[c + d*x])]*sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*E \\
& llipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-6*a^2*b*B + 3*b^3*B \\
& + a*b^2*(3*A - 5*C) + 8*a^3*C)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + \\
& d*x)/2]^2*Tan[(c + d*x)/2))/(3*b^3*(-a^2 + b^2)*(b + a*cos[c + d*x])^(3/2) \\
& *sqrt[Sec[(c + d*x)/2]^2]) + (2*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(\\
& c + d*x)/2]*(2*(a + b)*(-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C) \\
& *sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*sqrt[(b + a*cos[c + d*x])/((a + b)*(\\
& 1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - \\
& 2*b*(a + b)*(3*A*b^2 + (2*a - b)*(4*a*C - b*(3*B + C)))*sqrt[Cos[c + d*x]/(\\
& 1 + Cos[c + d*x])]*sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]* \\
& EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-6*a^2*b*B + 3*b^3*B \\
& + a*b^2*(3*A - 5*C) + 8*a^3*C)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + \\
& d*x)/2]^2*Tan[(c + d*x)/2))/(3*b^3*(-a^2 + b^2)*sqrt[b + a*cos[c + d*x]]* \\
& sqrt[Sec[(c + d*x)/2]^2]) - (4*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(((-6* \\
& a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)*Cos[c + d*x]*(b + a*cos[c \\
& + d*x])*Sec[(c + d*x)/2]^4)/2 + ((a + b)*(-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A \\
& - 5*C) + 8*a^3*C)*sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]* \\
& EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*((Cos[c + d*x]*Sin[c + \\
& d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/sqrt[Cos[c \\
& + d*x]/(1 + Cos[c + d*x])] - (b*(a + b)*(3*A*b^2 + (2*a - b)*(4*a*C - b*(3* \\
& B + C)))*sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[\\
& ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 \\
& + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/sqrt[Cos[c + d*x]/(1
\end{aligned}$$

$$\begin{aligned}
& + \cos[c + d*x]) + ((a + b)*(-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\sin[c + d*x])/((a + b)*(1 + \cos[c + d*x]))) + (b + a*\cos[c + d*x])* \sin[c + d*x])/((a + b)*(1 + \cos[c + d*x])^2)))/\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} - (b*(a + b)*(3*A*b^2 + (2*a - b)*(4*a*C - b*(3*B + C)))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\sin[c + d*x])/((a + b)*(1 + \cos[c + d*x]))) + ((b + a*\cos[c + d*x])* \sin[c + d*x])/((a + b)*(1 + \cos[c + d*x])^2)))/\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} - a*(-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)*\cos[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\sin[c + d*x]*\text{Tan}[(c + d*x)/2] - (-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)*(b + a*\cos[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\sin[c + d*x]*\text{Tan}[(c + d*x)/2] + (-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)*\cos[c + d*x]*(b + a*\cos[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 - (b*(a + b)*(3*A*b^2 + (2*a - b)*(4*a*C - b*(3*B + C)))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{Sec}[(c + d*x)/2]^2)/(\sqrt{1 - \text{Tan}[(c + d*x)/2]^2}*\sqrt{1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)}) + ((a + b)*(-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{Sec}[(c + d*x)/2]^2*\sqrt{1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)})/\sqrt{1 - \text{Tan}[(c + d*x)/2]^2}))/((3*b^3*(-a^2 + b^2)*\sqrt{b + a*\cos[c + d*x]}*\sqrt{\text{Sec}[(c + d*x)/2]^2}) - (2*(2*(a + b)*(-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(3*A*b^2 + (2*a - b)*(4*a*C - b*(3*B + C)))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-6*a^2*b*B + 3*b^3*B + a*b^2*(3*A - 5*C) + 8*a^3*C)*\cos[c + d*x]*(b + a*\cos[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\cos[(c + d*x)/2]*\text{Sec}[c + d*x]*\sin[(c + d*x)/2]) + \cos[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(3*b^3*(-a^2 + b^2)*\sqrt{b + a*\cos[c + d*x]}*\sqrt{\text{Sec}[(c + d*x)/2]^2}*\sqrt{\cos[(c + d*x)/2]^2*\text{Sec}[c + d*x]}))
\end{aligned}$$

Maple [B] time = 0.745, size = 4183, normalized size = 11.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^2*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{3/2}, x)$

[Out] $-1/3/d/(a-b)/(a+b)/b^3*4^{1/2}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(-3*B*\cos(d*x+c)^2*b^4-8*C*\cos(d*x+c)^3*a^4+3*A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c$

$$\begin{aligned}
&+1)^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a^3 * b - 5 * C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a^2 * b^2 + 5 * C * \cos(d*x+c)^2 * a * b^3 + 6 * B * \cos(d*x+c)^3 * a^3 * b - 3 * B * \cos(d*x+c)^3 * a * b^3 + 5 * C * \cos(d*x+c)^3 * a^2 * b^2 + 3 * A * \cos(d*x+c) * a^2 * b^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) + 3 * A * \cos(d*x+c) * b^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a - 3 * A * \cos(d*x+c) * b^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a + 4 * C * \cos(d*x+c)^3 * a^3 * b - C * \cos(d*x+c)^3 * a * b^3 - 4 * C * \cos(d*x+c)^2 * a^2 * b^2 - 4 * C * \cos(d*x+c) * a * b^3 - 8 * C * \cos(d*x+c)^2 * a^3 * b + 4 * C * \cos(d*x+c) * a^3 * b - 6 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3 * b - 6 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b^2 + 3 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^3 + 6 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b^2 - C * a^2 * b^2 + 8 * C * \cos(d*x+c)^2 * a^4 + 3 * B * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a * b^3 - 5 * C * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * a * b^3 - 2 * C * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b^2 + 5 * C * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \cos(d*x+c) * a * b^3 - 3 * A * \cos(d*x+c)^3 * a^2 * b^2 - C * \cos(d*x+c)^2 * b^4 + C * b^4 - 3 * B * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * b^4 + 3 * B * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * b^4 - C * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a^4 - 3 * B * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * b^4 - C * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),
\end{aligned}$$

$$\left(\frac{a-b}{a+b}\right)^{1/2} \sin(dx+c) \cos(dx+c) \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \left(\frac{1}{a+b} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} b^4 + 3B \cos(dx+c) b^4 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \left(\frac{1}{a+b} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) / \left(\frac{b+a \cos(dx+c)}{\sin(dx+c)} / \cos(dx+c)\right)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\left(C \sec(dx+c)^4 + B \sec(dx+c)^3 + A \sec(dx+c)^2\right) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(dx + c)^4 + B*sec(dx + c)^3 + A*sec(dx + c)^2)*sqrt(b*sec(dx + c) + a)/(b^2*sec(dx + c)^2 + 2*a*b*sec(dx + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c) + a)^(3/2), x)

$$3.966 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=293

$$\frac{2 \cot(c+dx)(-2aC + Ab + b(B-C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - \frac{2 \tan(c+dx)}{bd(a^2 - b^2)}}{b^2 d \sqrt{a+b}}$$

[Out] (-2*(A*b^2 - a*b*B + 2*a^2*C - b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^3*Sqrt[a + b]*d) + (2*(A*b + b*(B - C) - 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) - (2*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.464037, antiderivative size = 293, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {4080, 4005, 3832, 4004}

$$\frac{2 \tan(c+dx)(Ab^2 - a(bB - aC))}{bd(a^2 - b^2)\sqrt{a+b}\sec(c+dx)} - \frac{2 \cot(c+dx)(2a^2C - abB + Ab^2 - b^2C) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{b^3 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (-2*(A*b^2 - a*b*B + 2*a^2*C - b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^3*Sqrt[a + b]*d) + (2*(A*b + b*(B - C) - 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) - (2*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4080

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^m_), x_S

```

ymbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^
(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), In
t[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1)
) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1))*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2,
0]

```

Rule 4005

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \frac{2(Ab^2-a(bB-aC))\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2\int \frac{\sec(c+dx)\left(\frac{1}{2}b(bB-a(A+C))\right)}{\sqrt{a+b\sec(c+dx)}} dx}{b} \\
&= \frac{2(Ab^2-a(bB-aC))\tan(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{((a-b)(Ab+b(B-C))-b^2C)}{b(a^2-b^2)} \\
&= -\frac{2(Ab^2-abB+2a^2C-b^2C)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{b^3\sqrt{a+bd}}
\end{aligned}$$

Mathematica [B] time = 20.9415, size = 603, normalized size = 2.06

$$4\sqrt{2}\sqrt{\frac{\cos(c+dx)}{(\cos(c+dx)+1)^2}}\sqrt{\cos(c+dx)\sec^2\left(\frac{1}{2}(c+dx)\right)\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)^{3/2}}(a\cos(c+dx)+b)(A+B\sec(c+dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(A*b^2 - a*b*B + 2*a^2*C - b^2*C)*Sin[c + d*x])/(b^2*(-a^2 + b^2)) + (4*(A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x] + a^2*C*Sin[c + d*x]))/(b*(-a^2 + b^2)*(b + a*Cos[c + d*x])))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(3/2)) + (4*Sqrt[2]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])^2]*(b + a*Cos[c + d*x])*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((a + b)*((A*b^2 - a*b*B + 2*a^2*C - b^2*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + b*(-(A*b) - 2*a*C + b*(B + C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)])*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b))*Sec[c + d*x] + (A*b^2 - a*b*B + 2*a^2*C - b^2*C)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Tan[(c + d*x)/2]))/(b^2*(-a^2 + b^2)*d*Sqrt[(1 + Cos[c + d*x])^(-1)]*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2))

Maple [B] time = 0.507, size = 3071, normalized size = 10.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c) * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^{3/2}, x)$

[Out]
$$-1/d/b^2/(a+b)/(a-b)*4^{1/2}*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-2*C*a^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + b^3-2*C*a^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + A*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + b^3-B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + b^3*\sin(dx+c)+C*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + b^3-C*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + b^3+A*\cos(dx+c)*b^3-B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + a*b^2-a^2*b*C+A*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + b^3+C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + a*b^2-2*C*a^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + b+2*C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + \sin(dx+c)*\cos(dx+c)*a^2*b+B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + a^2*b+B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + a*b^2+C*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})) + \cos(dx+c)*\sin(dx+c)*a*b^2+C*\cos(dx+c)*a*b^2+B*\cos(dx+c)^2*a*b^2-C*\cos(dx+c)^2*a^2*b-A*b^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c)$$

$$\begin{aligned}
& x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c) * a * b^2 + 2 * C * \cos(d*x+c)^2 * a^3 - B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^3 - C * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^3 + A * \cos(d*x+c)^2 * a * b^2 - A * \cos(d*x+c) * a * b^2 - 2 * C * \cos(d*x+c) * a^3 - A * b^3 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) - A * \cos(d*x+c)^2 * b^3 - B * \cos(d*x+c)^2 * a^2 * b + B * \cos(d*x+c) * a^2 * b - B * \cos(d*x+c) * a * b^2 + 2 * C * \cos(d*x+c) * a^2 * b - C * \cos(d*x+c)^2 * a * b^2 - A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c) * b^3 - A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^2 * \sin(d*x+c) + A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^2 * \sin(d*x+c) + C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^2 * \sin(d*x+c) + C * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^2 - 2 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b * \sin(d*x+c) + 2 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b * \sin(d*x+c) - B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^2 * \sin(d*x+c) + B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b * \sin(d*x+c) + B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a * b^2 * \sin(d*x+c) + C * b^3 - C * \cos(d*x+c) * b^3 / (b+a*\cos(d*x+c)) / \sin(d*x+c)
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + B \sec(dx+c)^2 + A \sec(dx+c))\sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x))**(3/2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)}{(b \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)
```

$$3.967 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=395

$$\frac{2 \cot(c+dx)(Ab - a(B+C))\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{abd\sqrt{a+b}} + \frac{2 \tan(c+dx)(A - aC)}{ad(a^2 - b^2)\sqrt{a}}$$

[Out] (2*(A*b^2 - a*(b*B - a*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b^2*Sqrt[a + b]*d) - (2*(A*b - a*(B + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.488739, antiderivative size = 395, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{2 \tan(c+dx)(Ab^2 - a(bB - aC))}{ad(a^2 - b^2)\sqrt{a+b}\sec(c+dx)} - \frac{2A\sqrt{a+b}\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(A*b^2 - a*(b*B - a*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b^2*Sqrt[a + b]*d) - (2*(A*b - a*(B + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4060

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)
)*Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
```

$a + (b*B)/A, 2] * \text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)] * \text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx &= \frac{2(Ab^2 - a(bB - aC)) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}A(a^2 - b^2) + \frac{1}{2}a(Ab - aB + bC) \sec(c + dx) + \frac{1}{2}C(a^2 - b^2)}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{2(Ab^2 - a(bB - aC)) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}A(a^2 - b^2) + (\frac{1}{2}a(Ab - aB + bC) + \frac{1}{2}(-Ab^2 + aC)) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{2(Ab^2 - a(bB - aC)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{ab^2 \sqrt{a + bd}} \\ &= \frac{2(Ab^2 - a(bB - aC)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{ab^2 \sqrt{a + bd}} \end{aligned}$$

Mathematica [B] time = 18.8224, size = 1275, normalized size = 3.23

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(A*b^2 - a*b*B + a^2*C)*Sin[c + d*x])/(a*b*(-a^2 + b^2)) + (4*(A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x] + a^2*C*Sin[c + d*x]))/(a*(a^2 - b^2)*(b + a*Cos[c + d*x])))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(3/2)) - (4*(b + a*Cos[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(a*A*b^2*Tan[(c + d*x)/2] + A*b^3*Tan[(c + d*x)/2] - a^2*b*B*Tan[(c + d*x)/2] - a*b^2*B*Tan[(c + d*x)/2] + a^3*C*Tan[(c + d*x)/2] + a^2*b*C*Tan[(c + d*x)/2] - 2*a*A*b^2*Tan[(c + d*x)/2]^3 + 2*a^2*b*B*Tan[(c + d*x)/2]^3 - 2*a^3*C*Tan[(c + d*x)/2]^3 + a*A*b^2*Tan[(c + d*x)/2]^5 - A*b^3*Tan[(c + d*x)/2]^5 - a^2*b*B*Tan[(c + d*x)/2]^5 + a*b^2*B*Tan[(c + d*x)/2]^5 + a^3*C*Tan[(c + d*x)/2]^5 - a^2*b*C*Tan[

$$\begin{aligned} & (c + dx)/2]^5 - 2a^2Ab*EllipticPi[-1, -ArcSin[Tan[(c + dx)/2]], (a - b) \\ & / (a + b)]*Sqrt[1 - Tan[(c + dx)/2]^2]*Sqrt[(a + b - a*Tan[(c + dx)/2]^2 \\ & + b*Tan[(c + dx)/2]^2)/(a + b)] + 2A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + \\ & dx)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + dx)/2]^2]*Sqrt[(a + b - a*Tan \\ & [(c + dx)/2]^2 + b*Tan[(c + dx)/2]^2)/(a + b)] - 2a^2Ab*EllipticPi[-1, \\ & -ArcSin[Tan[(c + dx)/2]], (a - b)/(a + b)]*Tan[(c + dx)/2]^2*Sqrt[1 - Tan \\ & [(c + dx)/2]^2]*Sqrt[(a + b - a*Tan[(c + dx)/2]^2 + b*Tan[(c + dx)/2]^2 \\ &)/(a + b)] + 2A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + dx)/2]], (a - b)/(a + \\ & b)]*Tan[(c + dx)/2]^2*Sqrt[1 - Tan[(c + dx)/2]^2]*Sqrt[(a + b - a*Tan[(c \\ & + dx)/2]^2 + b*Tan[(c + dx)/2]^2)/(a + b)] + (a + b)*(A*b^2 + a*(-(b*B \\ & + a*C))*EllipticE[ArcSin[Tan[(c + dx)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c \\ & + dx)/2]^2]*(1 + Tan[(c + dx)/2]^2)*Sqrt[(a + b - a*Tan[(c + dx)/2]^2 \\ & + b*Tan[(c + dx)/2]^2)/(a + b)] - a*b*(a + b)*(A - B + C)*EllipticF[ArcSin \\ & [Tan[(c + dx)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + dx)/2]^2]*(1 + Tan[\\ & (c + dx)/2]^2)*Sqrt[(a + b - a*Tan[(c + dx)/2]^2 + b*Tan[(c + dx)/2]^2)/ \\ & (a + b)])))/(a*(-(a^2*b) + b^3)*d*(A + 2*C + 2*B*Cos[c + dx] + A*Cos[2*c + \\ & 2*d*x])*Sqrt[Sec[c + dx]]*(a + b*Sec[c + dx])^(3/2)*(1 + Tan[(c + dx)/2] \\ & ^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + dx)/2]^2 + b*Tan[(c + dx)/2]^2)/(1 + Tan \\ & an[(c + dx)/2]^2)) \end{aligned}$$

Maple [B] time = 0.358, size = 2844, normalized size = 7.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^{3/2}, x)$

[Out] $\frac{1}{d} \frac{b}{a} \frac{1}{(a+b)} \frac{1}{(a-b)} 4^{1/2} \left(\frac{(b+a*\cos(dx+c))}{\cos(dx+c)} \right)^{1/2} * (2A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b^3 * \sin(dx+c) - C*a^3 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) - C*a^3 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) + A*\cos(dx+c) * b^3 - B*\cos(dx+c) * a^2 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b - B*\sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 - C*a^2 * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c)) \right)$

$d*x+c), ((a-b)/(a+b))^{(1/2)}*b+C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*$
 $(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c)$
 $, ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^2*b+B*\sin(d*x+c)*\cos(d*x+c)*$
 $(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}$
 $*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*b+B*\sin$
 $(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)$
 $c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b)$
 $)^{(1/2)}*a*b^2+C*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)$
 $)/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}$
 $)^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a*b^2+B*\cos(d*x+c)^2*a*b^2-C*\cos(d*x+c)^2*a^2*$
 $b+A*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*(\cos(d*x+c)$
 $c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)*\sin$
 $(d*x+c)*\cos(d*x+c)*b-2*A*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/($
 $a+b))^{(1/2)}*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)$
 $)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*b-A*b^2*(\cos(d*x+c)/(\cos(d*x+c)$
 $+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos$
 $(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a+A*(\cos($
 $d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}$
 $*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos($
 $d*x+c)*a*b^2+C*\cos(d*x+c)^2*a^3+A*\cos(d*x+c)^2*a*b^2-A*\cos(d*x+c)*a*b^2-C*$
 $\cos(d*x+c)*a^3-A*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)$
 $c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),$
 $((a-b)/(a+b))^{(1/2)}-A*\cos(d*x+c)^2*b^3-B*\cos(d*x+c)^2*a^2*b+B*\cos(d*x+c)*a$
 $^2*b-B*\cos(d*x+c)*a*b^2+C*\cos(d*x+c)*a^2*b+2*A*EllipticPi((-1+\cos(d*x+c))/s$
 $\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/$
 $(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)+A*Ellipt$
 $icF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*(\cos(d*x+c)/(\cos(d*$
 $x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*b$
 $-2*A*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}*a^2*(\cos$
 $(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}$
 $*\sin(d*x+c)*b-A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)$
 $))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))$
 $^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*b^3-A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a$
 $+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*$
 $x+c), ((a-b)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c)+A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1$
 $/2)*1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c)$
 $))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c)+C*(\cos(d*x+c)/(\cos(d*x+c)$
 $+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+$
 $\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c)-C*(\cos(d*x+c)/$
 $(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Ellip$
 $ticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*b*\sin(d*x+c)+C*(co$
 $s(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1$
 $/2)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*b*\sin(d*x$
 $+c)-B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)$
 $+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*$

$$b \sin(dx+c) - B \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \left(\frac{1}{a+b} \right) \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \operatorname{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) + a^2 b^2 \sin(dx+c) + B \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \left(\frac{1}{a+b} \right) \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \operatorname{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) + a^2 b \sin(dx+c) + B \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \left(\frac{1}{a+b} \right) \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \operatorname{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) + a^2 b^2 \sin(dx+c) \left/ \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \right/ \sin(dx+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(dx + c)^2 + B*sec(dx + c) + A)*sqrt(b*sec(dx + c) + a)/(b^2*sec(dx + c)^2 + 2*a*b*sec(dx + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.968 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=451

$$\frac{\cot(c+dx)(2a^2C+ab(A-2B)+3Ab^2)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)+b \tan(c+dx)}{a^2bd\sqrt{a+b}}$$

```
[Out] -(((3*A*b^2 - 2*a*b*B - a^2*(A - 2*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*b*Sqrt[a + b]*d) + ((3*A*b^2 + a*b*(A - 2*B) + 2*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*b*Sqrt[a + b]*d) + (Sqrt[a + b]*(3*A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^3*d) + (A*Sin[c + d*x])/(a*d*Sqrt[a + b*Sec[c + d*x]]) - (b*(3*A*b^2 - 2*a*b*B - a^2*(A - 2*C))*Tan[c + d*x])/(a^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.750707, antiderivative size = 451, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4104, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{b \tan(c+dx)(a^2(-(A-2C))-2abB+3Ab^2)}{a^2d(a^2-b^2)\sqrt{a+b}\sec(c+dx)} + \frac{\cot(c+dx)(2a^2C+ab(A-2B)+3Ab^2)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{a^2bd\sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] -(((3*A*b^2 - 2*a*b*B - a^2*(A - 2*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*b*Sqrt[a + b]*d) + ((3*A*b^2 + a*b*(A - 2*B) + 2*a^2*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^2*b*Sqrt[a + b]*d) + (Sqrt[a + b]*(3*A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^3*d) + (A*Sin[c + d*x])/(a*d*Sqrt[a + b*Sec[c + d*x]]) - (b*(3*A*b^2 - 2*a*b*B - a^2*(A - 2*C))*Tan[c + d*x])/(a^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

$$\frac{d*x))}{(a + b)} * \text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(a^3*d) + (A*\text{Sin}[c + d*x])/(a*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (b*(3*A*b^2 - 2*a*b*B - a^2*(A - 2*C))*\text{Tan}[c + d*x])/(a^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$$

Rule 4104

$$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(d + \text{csc}[e + f*x])^n * (a + b*\text{Csc}[e + f*x])^m, x] \text{Symbol} \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d + \text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d + \text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4060

$$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(b + a)^m, x] \text{Symbol} \rightarrow \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}]/(a*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*\text{Simp}[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*\text{Csc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$$

Rule 4058

$$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])/\text{Sqrt}[\text{csc}[e + f*x]*(b + a)], x] \text{Symbol} \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(\text{csc}[e + f*x]*(d + c))/\text{Sqrt}[\text{csc}[e + f*x]*(b + a)], x] \text{Symbol} \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3784

$$\text{Int}[1/\text{Sqrt}[\text{csc}[c + d*x]*(b + a)], x] \text{Symbol} \rightarrow \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[c + d*x]))/(a - b))]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(a*d*\text{Cot}[c + d*x]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\&$$

NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx &= \frac{A \sin(c + dx)}{ad\sqrt{a + b \sec(c + dx)}} - \frac{\int \frac{\frac{1}{2}(3Ab - 2aB) - aC \sec(c + dx) - \frac{1}{2}Ab \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{a} \\
 &= \frac{A \sin(c + dx)}{ad\sqrt{a + b \sec(c + dx)}} - \frac{b(3Ab^2 - 2abB - a^2(A - 2C)) \tan(c + dx)}{a^2(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{A \sin(c + dx)}{ad\sqrt{a + b \sec(c + dx)}} - \frac{b(3Ab^2 - 2abB - a^2(A - 2C)) \tan(c + dx)}{a^2(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} \\
 &= -\frac{(3Ab^2 - 2abB - a^2(A - 2C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{a^2 b \sqrt{a + b d}} \\
 &= -\frac{(3Ab^2 - 2abB - a^2(A - 2C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{a^2 b \sqrt{a + b d}}
 \end{aligned}$$

Mathematica [B] time = 20.8853, size = 1814, normalized size = 4.02

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2),x]

[Out]
$$\begin{aligned} & ((b + a*\cos[c + d*x])^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((4*(A*b^2 - a*b*B + a^2*C)*\sin[c + d*x]))/(a^2*(a^2 - b^2)) - (4*(A*b^3*\sin[c + d*x] - a*b^2*B*\sin[c + d*x] + a^2*b*C*\sin[c + d*x]))/(a^2*(a^2 - b^2)*(b + a*\cos[c + d*x])))/(d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^{3/2}) - (2*(b + a*\cos[c + d*x])^{3/2}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sqrt{(1 - \tan[(c + d*x)/2]^2)^{-1}}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(1 + \tan[(c + d*x)/2]^2)}*(a^3*A*\tan[(c + d*x)/2] + a^2*A*b*\tan[(c + d*x)/2] - 3*a*A*b^2*\tan[(c + d*x)/2] - 3*A*b^3*\tan[(c + d*x)/2] + 2*a^2*b*B*\tan[(c + d*x)/2] + 2*a*b^2*B*\tan[(c + d*x)/2] - 2*a^3*C*\tan[(c + d*x)/2] - 2*a^2*b*C*\tan[(c + d*x)/2] - 2*a^3*A*\tan[(c + d*x)/2]^3 + 6*a*A*b^2*\tan[(c + d*x)/2]^3 - 4*a^2*b*B*\tan[(c + d*x)/2]^3 + 4*a^3*C*\tan[(c + d*x)/2]^3 + a^3*A*\tan[(c + d*x)/2]^5 - a^2*A*b*\tan[(c + d*x)/2]^5 - 3*a*A*b^2*\tan[(c + d*x)/2]^5 + 3*A*b^3*\tan[(c + d*x)/2]^5 + 2*a^2*b*B*\tan[(c + d*x)/2]^5 - 2*a*b^2*B*\tan[(c + d*x)/2]^5 - 2*a^3*C*\tan[(c + d*x)/2]^5 + 2*a^2*b*C*\tan[(c + d*x)/2]^5 + 6*a^2*A*b*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 6*A*b^3*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 4*a^3*B*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + 4*a*b^2*B*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + 6*a^2*A*b*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 6*A*b^3*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 4*a^3*B*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + 4*a*b^2*B*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + (a + b)*(-3*A*b^2 + 2*a*b*B + a^2*(A - 2*C))*\text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*(1 + \tan[(c + d*x)/2]^2)*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 2*a*(a + b)*(-(A*b) + a*(B - C))*\text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*(1 + \tan[(c + d*x)/2]^2)*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)} \end{aligned}$$

$$\frac{1}{(a+b)}}{\left(a^2(a^2-b^2)d(A+2C+2B\cos[c+dx]+A\cos[2c+2dx])\sqrt{\sec[c+dx]}(a+b\sec[c+dx])^{3/2}\sqrt{1+\tan[(c+dx)/2]}^2(a(-1+\tan[(c+dx)/2]^2)-b(1+\tan[(c+dx)/2]^2))\right)}$$

Maple [B] time = 0.408, size = 3673, normalized size = 8.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x)`

[Out]
$$\begin{aligned} & -1/2/d/a^2/(a+b)/(a-b)*4^{(1/2)}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-2*B*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})+6*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*b^3*\sin(d*x+c)+2*C*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^3-A*\cos(d*x+c)^3*a*b^2+A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*\sin(d*x+c)-2*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3-4*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a*b^2*\sin(d*x+c)-2*C*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})+4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^3-2*C*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})-4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a*b^2+4*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^3*\sin(d*x+c)+3*A*\cos(d*x+c)*b^3+A*\cos(d*x+c)^3*a^3-A*\cos(d*x+c)^2*a^3-2*B*\cos(d*x+c)*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b+2*C*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d$$

$$\begin{aligned} & (\cos(dx+c)+1)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b * \sin(dx+c) + 2 * C * \\ & (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b * \sin(dx+c) - 2 * B * \\ & (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \\ & a^2 * b * \sin(dx+c) + 2 * B * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \\ & a^2 * b * \sin(dx+c) + 2 * B * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \\ & a * b^2 * \sin(dx+c) / (b+a*\cos(dx+c)) / \sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx+c) \sec(dx+c)^2 + B \cos(dx+c) \sec(dx+c) + A \cos(dx+c)) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2), x, algorithm="fricas")

[Out] integral((C*cos(dx+c)*sec(dx+c)^2 + B*cos(dx+c)*sec(dx+c) + A*cos(dx+c))*sqrt(b*sec(dx+c) + a)/(b^2*sec(dx+c)^2 + 2*a*b*sec(dx+c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \cos(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*cos(c + d*x)/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.969 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=552

$$\frac{\cot(c+dx) \left(-2a^2(A+2B-4C) + ab(5A-12B) + 15Ab^2 \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF} \left(\sin^{-1} \left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}} \right) \right)}{4a^3 d \sqrt{a+b}}$$

```
[Out] ((15*A*b^3 + 4*a^3*B - 12*a*b^2*B - a^2*(7*A*b - 8*b*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*a^3*b*Sqrt[a + b]*d) - ((15*A*b^2 + a*b*(5*A - 12*B) - 2*a^2*(A + 2*B - 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*a^3*Sqrt[a + b]*d) - (Sqrt[a + b]*(15*A*b^2 - 12*a*b*B + 4*a^2*(A + 2*C))*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*a^4*d) - ((5*A*b - 4*a*B)*Sin[c + d*x])/(4*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(15*A*b^3 + 4*a^3*B - 12*a*b^2*B - a^2*(7*A*b - 8*b*C))*Tan[c + d*x])/(4*a^3*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.24644, antiderivative size = 552, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4104, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{b \tan(c+dx) \left(-a^2(7Ab - 8bC) + 4a^3B - 12ab^2B + 15Ab^3 \right)}{4a^3 d (a^2 - b^2) \sqrt{a + b \sec(c+dx)}} - \frac{\cot(c+dx) \left(-2a^2(A + 2B - 4C) + ab(5A - 12B) + 15Ab^2 \right)}{4a^3 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] ((15*A*b^3 + 4*a^3*B - 12*a*b^2*B - a^2*(7*A*b - 8*b*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*a^3*b*Sqrt[a + b]*d) - ((15*A*b^2 + a*b*(5*A - 12*B) - 2*a^2*(A + 2*B - 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a +
```

$$\begin{aligned} & b)/(a - b)] * \text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)] * \text{Sqrt}[-((b*(1 + \text{Sec}[c + d* \\ & x]))/(a - b))]/(4*a^3*\text{Sqrt}[a + b]*d) - (\text{Sqrt}[a + b]*(15*A*b^2 - 12*a*b*B + \\ & 4*a^2*(A + 2*C))*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[\\ & c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)] * \text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b \\ &)] * \text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(4*a^4*d) - ((5*A*b - 4*a*B)*\text{Si} \\ & n[c + d*x])/(4*a^2*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (A*\text{Cos}[c + d*x]*\text{Sin}[c + d* \\ & x])/(2*a*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (b*(15*A*b^3 + 4*a^3*B - 12*a*b^2*B \\ & - a^2*(7*A*b - 8*b*C))*\text{Tan}[c + d*x])/(4*a^3*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c \\ & + d*x]]) \end{aligned}$$

Rule 4104

$$\begin{aligned} & \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a \\ & _))^m, x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d \\ & *\text{Csc}[e + f*x]^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m* \\ & (d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{C} \\ & \text{sc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, \\ & e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1] \end{aligned}$$

Rule 4060

$$\begin{aligned} & \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> \text{Simp}[(A*b^2 - \\ & a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}/(a*f*(m + 1)*(a^ \\ & 2 - b^2)), x] + \text{Dist}[1/(a*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m \\ & + 1}*\text{Simp}[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*\text{Csc}[e + f*x] \\ & + (A*b^2 - a*b*B + a^2*C)*(m + 2)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, \\ & b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \end{aligned}$$

Rule 4058

$$\begin{aligned} & \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Int}[(A + (B - C \\ &)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 \\ & + \text{Csc}[e + f*x])]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, \\ & B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \end{aligned}$$

Rule 3921

$$\begin{aligned} & \text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_. \\ &) + (a_.)], x_Symbol] :> \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{D} \\ & \text{ist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, \\ & d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \end{aligned}$$

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} - \int \frac{\cos(c+dx)\left(\frac{1}{2}(5Ab-4aB)-a(A+2C)\sec(c+dx)\right)}{(a+b\sec(c+dx))^{3/2}} dx \\
&= -\frac{(5Ab-4aB)\sin(c+dx)}{4a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} + \int \frac{b\cos(c+dx)}{(a+b\sec(c+dx))^{3/2}} dx \\
&= -\frac{(5Ab-4aB)\sin(c+dx)}{4a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} + \frac{b}{2a} \int \frac{\cos(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx \\
&= -\frac{(5Ab-4aB)\sin(c+dx)}{4a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} + \frac{b}{2a} \left(\frac{(15Ab^3+4a^3B-12ab^2B-a^2(7Ab-8bC))\cot(c+dx)E\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{4a^3b\sqrt{a+b\sec(c+dx)}} \right) \\
&= \frac{(15Ab^3+4a^3B-12ab^2B-a^2(7Ab-8bC))\cot(c+dx)E\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{4a^3b\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 17.0449, size = 490, normalized size = 0.89

$$\sqrt{a+b\sec(c+dx)} \left(\frac{a\sin(2(c+dx))(b(a^2(A-4C)+4abB-5Ab^2)+aA(a^2-b^2)\cos(c+dx))}{a\cos(c+dx)+b} + \cos(c+dx) \tan\left(\frac{1}{2}(c+dx)\right) (a^2(8bC-7Ab) - \dots) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((a*(b*(-5*A*b^2 + 4*a*b*B + a^2*(A - 4*C)) + a*A*(a^2 - b^2)*Cos[c + d*x])*Sin[2*(c + d*x)]/(b + a*Cos[c + d*x]) + Cos[c + d*x]*((I*(a - b)*((-15*A*b^3 - 4*a^3*B + 12*a*b^2*B + a^2*b*(7*A - 8*C)))*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b))] + 2*(15*A*b^3 + 2*a*b^2*(5*A - 6*B) + 2*a^3*(A + 2*C) + a^2*b*(A - 8*B + 8*C))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)) - 2*(a + b)*(15*A*b^2 - 12*a*b*B + 4*a^2*(A + 2*C))*EllipticPi[-

$$\frac{\left(\frac{a+b}{a-b}\right), I \operatorname{ArcSinh}\left[\sqrt{\frac{-a+b}{a+b}} \tan\left[\frac{c+dx}{2}\right]\right], \left(\frac{a+b}{a-b}\right) \sqrt{\frac{(b+a \cos[c+dx]) \sec^2\left[\frac{c+dx}{2}\right]}{a+b}} \right) / \left(\sqrt{\frac{(-a+b)(b+a \cos[c+dx]) \sec^2\left[\frac{c+dx}{2}\right]}{a+b}}\right) + (15Ab^3 + 4a^3B - 12ab^2B + a^2(-7Ab + 8bC)) \tan\left[\frac{c+dx}{2}\right]}{4a^3(a^2 - b^2)d}$$

Maple [B] time = 0.56, size = 5176, normalized size = 9.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)^2}{(b \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^2*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*cos(dx+c)^2/(b*sec(dx+c) + a)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(C \cos(dx+c)^2 \sec(dx+c)^2 + B \cos(dx+c)^2 \sec(dx+c) + A \cos(dx+c)^2) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^2/(b*sec(d*x + c) + a)^(3/2), x)
```

$$3.970 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=549

$$\frac{2 \cot(c+dx) \left(-2a^2b^2(A-3B-8C) + a^3b(8B-12C) - 16a^4C - 3ab^3(A+3B-3C) + b^4(3A-3B+C) \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3b^4d\sqrt{a+b}(a^2-b^2)}$$

```
[Out] (-2*(8*a^4*b*B - 15*a^2*b^3*B + 3*b^5*B - 2*a^3*b^2*(A - 14*C) + 2*a*b^4*(3
*A - 4*C) - 16*a^5*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]
]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^5*Sqrt[a + b]*(a^2 - b^2)*d) - (2*
(a^3*b*(8*B - 12*C) - 2*a^2*b^2*(A - 3*B - 8*C) - 3*a*b^3*(A + 3*B - 3*C) -
16*a^4*C + b^4*(3*A - 3*B + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*S
ec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^4*Sqrt[a + b]*(a^2 - b^
2)*d) - (2*(A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 -
b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*a*(4*A*b^4 + a*(3*a^2*b*B - 7*b^3*
B - 6*a^3*C + 10*a*b^2*C))*Tan[c + d*x])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[a + b*
Sec[c + d*x]]) + (2*(A*b^2 - a*b*B + 2*a^2*C - b^2*C)*Sqrt[a + b*Sec[c + d*
x]])*Tan[c + d*x])/(3*b^3*(a^2 - b^2)*d)
```

Rubi [A] time = 1.85034, antiderivative size = 549, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4098, 4090, 4082, 4005, 3832, 4004}

$$-\frac{2 \tan(c+dx) \sec^2(c+dx) (Ab^2 - a(bB - aC))}{3bd(a^2 - b^2)(a + b \sec(c+dx))^{3/2}} + \frac{2 \tan(c+dx) (2a^2C - abB + Ab^2 - b^2C) \sqrt{a + b \sec(c+dx)}}{3b^3d(a^2 - b^2)} - \frac{2a \tan(c+dx)}{3bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c +
d*x])^(5/2), x]
```

```
[Out] (-2*(8*a^4*b*B - 15*a^2*b^3*B + 3*b^5*B - 2*a^3*b^2*(A - 14*C) + 2*a*b^4*(3
*A - 4*C) - 16*a^5*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]
]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^5*Sqrt[a + b]*(a^2 - b^2)*d) - (2*
(a^3*b*(8*B - 12*C) - 2*a^2*b^2*(A - 3*B - 8*C) - 3*a*b^3*(A + 3*B - 3*C) -
```


$$16a^4C + b^4(3A - 3B + C))\cot[c + dx]\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a + b\sec[c + dx]}]/\sqrt{a + b}], (a + b)/(a - b)\sqrt{(b(1 - \sec[c + dx]))/(a + b)}\sqrt{-((b(1 + \sec[c + dx]))/(a - b))}/(3b^4\sqrt{a + b}(a^2 - b^2)d) - (2(Ab^2 - a(bB - aC))\sec[c + dx]^2\tan[c + dx])/(3b(a^2 - b^2)d(a + b\sec[c + dx])^{3/2}) - (2a(4Ab^4 + a(3a^2bB - 7b^3B - 6a^3C + 10ab^2C))\tan[c + dx])/(3b^3(a^2 - b^2)^2d\sqrt{a + b\sec[c + dx]}) + (2(Ab^2 - abB + 2a^2C - b^2C)\sqrt{a + b\sec[c + dx]})\tan[c + dx]/(3b^3(a^2 - b^2)d)$$

Rule 4098

$$\operatorname{Int}[(A_.) + \csc[(e_.) + (f_.)x](B_.) + \csc[(e_.) + (f_.)x]^2(C_.)] \cdot (\csc[(e_.) + (f_.)x](d_.)^n) \cdot (\csc[(e_.) + (f_.)x](b_.) + (a_.)^m), x_Symbol] \rightarrow -\operatorname{Simp}[(d(Ab^2 - abB + a^2C)\cot[e + fx](a + b\csc[e + fx])^{m+1})(d\csc[e + fx])^{n-1})/(bfa^2 - b^2)^{m+1}), x] + \operatorname{Dist}[d/(b(a^2 - b^2)^{m+1}), \operatorname{Int}[(a + b\csc[e + fx])^{m+1})(d\csc[e + fx])^{n-1}\operatorname{Simp}[Ab^2(n-1) - a(bB - aC)(n-1) + b(aA - bB + aC)(m+1)\csc[e + fx] - (b(Ab - aB)(m+n+1) + C(a^2n + b^2(m+1)))\csc[e + fx]^2, x], x], x] /; \operatorname{FreeQ}[a, b, d, e, f, A, B, C], x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{GtQ}[n, 0]$$

Rule 4090

$$\operatorname{Int}[\csc[(e_.) + (f_.)x]^2((A_.) + \csc[(e_.) + (f_.)x](B_.) + \csc[(e_.) + (f_.)x]^2(C_.)] \cdot (\csc[(e_.) + (f_.)x](b_.) + (a_.)^m), x_Symbol] \rightarrow \operatorname{Simp}[(a(Ab^2 - abB + a^2C)\cot[e + fx](a + b\csc[e + fx])^{m+1})/(b^2f(m+1)(a^2 - b^2)), x] - \operatorname{Dist}[1/(b^2(m+1)(a^2 - b^2)), \operatorname{Int}[\csc[e + fx](a + b\csc[e + fx])^{m+1}\operatorname{Simp}[b(m+1)(-(a(bB - aC)) + Ab^2) + (bB(a^2 + b^2(m+1)) - a(Ab^2(m+2) + C(a^2 + b^2(m+1))))\csc[e + fx] - bC(m+1)(a^2 - b^2)\csc[e + fx]^2, x], x], x] /; \operatorname{FreeQ}[a, b, e, f, A, B, C], x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1]$$

Rule 4082

$$\operatorname{Int}[\csc[(e_.) + (f_.)x]((A_.) + \csc[(e_.) + (f_.)x](B_.) + \csc[(e_.) + (f_.)x]^2(C_.)] \cdot (\csc[(e_.) + (f_.)x](b_.) + (a_.)^m), x_Symbol] \rightarrow -\operatorname{Simp}[(C\cot[e + fx](a + b\csc[e + fx])^{m+1})/(bfa(m+2)), x] + \operatorname{Dist}[1/(b(m+2)), \operatorname{Int}[\csc[e + fx](a + b\csc[e + fx])^m\operatorname{Simp}[bA(m+2) + bC(m+1) + (bB(m+2) - aC)\csc[e + fx], x], x], x] /; \operatorname{FreeQ}[a, b, e, f, A, B, C, m], x] \&\& \operatorname{!LtQ}[m, -1]$$

Rule 4005

$$\operatorname{Int}[(\csc[(e_.) + (f_.)x](\csc[(e_.) + (f_.)x](B_.) + (A_))) / \sqrt{\csc[(e_.) + (f_.)x](b_.) + (a_.)}], x_Symbol] \rightarrow \operatorname{Dist}[A - B, \operatorname{Int}[\csc[e +$$

$f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b))]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}[\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4004

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^2(c + dx) \tan(c + dx)}{3b (a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - 2 \int \frac{\sec^2(c + dx)}{a + b \sec(c + dx)} dx \\ &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^2(c + dx) \tan(c + dx)}{3b (a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2a (4Ab^4 - 3a^2b^2)}{3b^2 (a^2 - b^2) d} \\ &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^2(c + dx) \tan(c + dx)}{3b (a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2a (4Ab^4 - 3a^2b^2)}{3b^2 (a^2 - b^2) d} \\ &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^2(c + dx) \tan(c + dx)}{3b (a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2a (4Ab^4 - 3a^2b^2)}{3b^2 (a^2 - b^2) d} \\ &= -\frac{2 (8a^4bB - 15a^2b^3B + 3b^5B - 2a^3b^2(A - 14C) + 2ab^4(3A - 14C)) \sec^2(c + dx) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2a (4Ab^4 - 3a^2b^2)}{3b^2 (a^2 - b^2) d} \end{aligned}$$

Mathematica [A] time = 21.58, size = 989, normalized size = 1.8

$$\sec(c + dx) \left(C \sec^2(c + dx) + B \sec(c + dx) + A \right) \left(-\frac{4(16Ca^5 - 8bBa^4 + 2Ab^2a^3 - 28b^2Ca^3 + 15b^3Ba^2 - 6Ab^4a + 8b^4Ca - 3b^5B) \sin(c + dx)}{3b^4(a^2 - b^2)^2} - \frac{4(C \sin(c + dx) + A \cos(c + dx))}{d(\cos(2c + 2dx))} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (4*(b + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*((a + b)*(-8*a^4*b*B + 15*a^2*b^3*B - 3*b^5*B + 2*a^3*b^2*(A - 14*C) + 16*a^5*C + 2*a*b^4*(-3*A + 4*C))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + b*(a + b)*(-2*a^2*b^2*(A + 3*B - 8*C) - 16*a^4*C + b^4*(3*A + 3*B + C) + 4*a^3*b*(2*B + 3*C) + 3*a*b^3*(A - 3*(B + C)))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (-8*a^4*b*B + 15*a^2*b^3*B - 3*b^5*B + 2*a^3*b^2*(A - 14*C) + 16*a^5*C + 2*a*b^4*(-3*A + 4*C))*Tan[(c + d*x)/2]*(b - b*Tan[(c + d*x)/2]^4 + a*(-1 + Tan[(c + d*x)/2]^2)^2))/(3*b^4*(a^2 - b^2)^2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + b*Sec[c + d*x])^(5/2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))] + ((b + a*Cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(2*a^3*A*b^2 - 6*a*A*b^4 - 8*a^4*b*B + 15*a^2*b^3*B - 3*b^5*B + 16*a^5*C - 28*a^3*b^2*C + 8*a*b^4*C)*Sin[c + d*x])/(3*b^4*(a^2 - b^2)^2) - (4*(a*A*b^2*Sin[c + d*x] - a^2*b*B*Sin[c + d*x] + a^3*C*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)*(b + a*Cos[c + d*x]))^2 - (4*(-(a^3*A*b^2*Sin[c + d*x]) + 5*a*A*b^4*Sin[c + d*x] + 4*a^4*b*B*Sin[c + d*x] - 8*a^2*b^3*B*Sin[c + d*x] - 7*a^5*C*Sin[c + d*x] + 11*a^3*b^2*C*Sin[c + d*x]))/(3*b^3*(-a^2 + b^2)^2*(b + a*Cos[c + d*x])) + (4*C*Tan[c + d*x])/(3*b^3)))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + b*Sec[c + d*x])^(5/2))

Maple [B] time = 1.746, size = 10856, normalized size = 19.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\left(C \sec(dx+c)^5 + B \sec(dx+c)^4 + A \sec(dx+c)^3\right) \sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^5 + B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**
(5/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**3/(a + b*se
c(c + d*x))**(5/2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^3/(b*sec(d*x
+ c) + a)^(5/2), x)
```

$$3.971 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=449

$$\frac{2 \cot(c+dx)(2a^2b(B-3C) - 8a^3C + ab^2(A+3B+9C) - 3b^3(A+B-C)) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{b(1-\sec(c+dx))}{a+b}\right)\right)}{3b^3d\sqrt{a+b}(a^2-b^2)}$$

```
[Out] (2*(2*a^3*b*B - 6*a*b^3*B + 3*b^4*(A - C) - 8*a^4*C + a^2*b^2*(A + 15*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^4*Sqrt[a + b]*(a^2 - b^2)*d) + (2*(2*a^2*b*(B - 3*C) - 3*b^3*(A + B - C) - 8*a^3*C + a*b^2*(A + 3*B + 9*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^3*Sqrt[a + b]*(a^2 - b^2)*d) + (2*a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(3*A*b^4 + 2*a^3*b*B - 6*a*b^3*B - 5*a^4*C + a^2*b^2*(A + 9*C))*Tan[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.04373, antiderivative size = 449, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4090, 4080, 4005, 3832, 4004}

$$\frac{2 \tan(c+dx)(a^2b^2(A+9C) + 2a^3bB - 5a^4C - 6ab^3B + 3Ab^4)}{3b^2d(a^2-b^2)^2\sqrt{a+b \sec(c+dx)}} + \frac{2a \tan(c+dx)(Ab^2 - a(bB - aC))}{3b^2d(a^2-b^2)(a+b \sec(c+dx))^{3/2}} + \frac{2 \cot(c+dx)}{3b^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] (2*(2*a^3*b*B - 6*a*b^3*B + 3*b^4*(A - C) - 8*a^4*C + a^2*b^2*(A + 15*C))*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^4*Sqrt[a + b]*(a^2 - b^2)*d) + (2*(2*a^2*b*(B - 3*C) - 3*b^3*(A + B - C) - 8*a^3*C + a*b^2*(A + 3*B + 9*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^3*Sqrt[a + b]*(a^2 - b^2)*d) + (2*a*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(3*A*b^4 + 2*a^3*b*B - 6*a*b^3*B - 5*a^4*C + a^2*b^2*(A + 9*C))*Tan[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

$t[a + b](a^2 - b^2)d + (2a(Ab^2 - a(bB - aC))\tan[c + dx]) / (3b^2(a^2 - b^2)d(a + b\sec[c + dx])^{3/2}) + (2(3Ab^4 + 2a^3bB - 6a^2b^3B - 5a^4C + a^2b^2(A + 9C))\tan[c + dx]) / (3b^2(a^2 - b^2)^2d\sqrt{a + b\sec[c + dx]})$

Rule 4090

$\text{Int}[\text{csc}[(e_.) + (f_.)x]^{2m}((A_.) + \text{csc}[(e_.) + (f_.)x]B_.) + \text{csc}[(e_.) + (f_.)x]^{2m}C_.) * (\text{csc}[(e_.) + (f_.)x]b_.) + (a_.)^m, x_Symbol] \rightarrow \text{Simp}[(a(Ab^2 - abB + a^2C))\cot[e + fx](a + b\text{Csc}[e + fx])^{m+1} / (b^2f(m+1)(a^2 - b^2)), x] - \text{Dist}[1 / (b^2(m+1)(a^2 - b^2)), \text{Int}[\text{Csc}[e + fx](a + b\text{Csc}[e + fx])^{m+1} \text{Simp}[b(m+1)(-a(bB - aC) + Ab^2) + (bB(a^2 + b^2(m+1)) - a(Ab^2(m+2) + C(a^2 + b^2(m+1))))]\text{Csc}[e + fx] - bC(m+1)(a^2 - b^2)\text{Csc}[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 4080

$\text{Int}[\text{csc}[(e_.) + (f_.)x] * ((A_.) + \text{csc}[(e_.) + (f_.)x]B_.) + \text{csc}[(e_.) + (f_.)x]^{2m}C_.) * (\text{csc}[(e_.) + (f_.)x]b_.) + (a_.)^m, x_Symbol] \rightarrow -\text{Simp}[(A(b^2 - abB + a^2C))\cot[e + fx](a + b\text{Csc}[e + fx])^{m+1} / (b^2f(m+1)(a^2 - b^2)), x] + \text{Dist}[1 / (b(m+1)(a^2 - b^2)), \text{Int}[\text{Csc}[e + fx](a + b\text{Csc}[e + fx])^{m+1} \text{Simp}[b(aA - bB + aC)(m+1) - (A(b^2 - abB + a^2C) + b(Ab - aB + bC))(m+1)]\text{Csc}[e + fx], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4005

$\text{Int}[(\text{csc}[(e_.) + (f_.)x] * (\text{csc}[(e_.) + (f_.)x]B_.) + (A_)) / \sqrt{\text{csc}[(e_.) + (f_.)x]b_.) + (a_.)}, x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\text{Csc}[e + fx] / \sqrt{a + b\text{Csc}[e + fx]}, x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + fx](1 + \text{Csc}[e + fx])) / \sqrt{a + b\text{Csc}[e + fx]}, x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)x] / \sqrt{\text{csc}[(e_.) + (f_.)x]b_.) + (a_.)}, x_Symbol] \rightarrow \text{Simp}[(-2\text{Rt}[a + b, 2]\sqrt{(b(1 - \text{Csc}[e + fx]))} / (a + b))\sqrt{-(b(1 + \text{Csc}[e + fx]))} / (a - b)}] * \text{EllipticF}[\text{ArcSin}[\sqrt{a + b\text{Csc}[e + fx]}] / \text{Rt}[a + b, 2], (a + b) / (a - b)] / (b^2f\cot[e + fx]), x] /; \text{FreeQ}\{a, b, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \frac{\sec^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx = \frac{2a (Ab^2 - a(bB - aC)) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} + \frac{2 \int \frac{\sec(c+dx) \left(-\frac{3}{2}b(Ab^2 - a(bB - aC))\right)}{d(a + b \sec(c + dx))^{3/2}} dx}{3b^2 (a^2 - b^2)}$$

$$= \frac{2a (Ab^2 - a(bB - aC)) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} + \frac{2 (3Ab^4 + 2a^3bB - 6ab^2C)}{3b^2 (a^2 - b^2)}$$

$$= \frac{2a (Ab^2 - a(bB - aC)) \tan(c + dx)}{3b^2 (a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} + \frac{2 (3Ab^4 + 2a^3bB - 6ab^2C)}{3b^2 (a^2 - b^2)}$$

$$= \frac{2 (2a^3bB - 6ab^3B + 3b^4(A - C) - 8a^4C + a^2b^2(A + 15C)) \cot(c + dx)}{3(a - b)}$$

Mathematica [B] time = 27.6009, size = 4504, normalized size = 10.03

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*S
ec[c + d*x])^(5/2), x]
```

```
[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)
)*((-4*(a^2*A*b^2 + 3*A*b^4 + 2*a^3*b*B - 6*a*b^3*B - 8*a^4*C + 15*a^2*b^2*C
- 3*b^4*C)*Sin[c + d*x])/(3*b^3*(-a^2 + b^2)^2) + (4*(A*b^2*Sin[c + d*x]
- a*b*B*Sin[c + d*x] + a^2*C*Sin[c + d*x]))/(3*b*(-a^2 + b^2)*(b + a*Cos[c
+ d*x])^2) + (4*(2*a^2*A*b^2*Sin[c + d*x] + 2*A*b^4*Sin[c + d*x] + a^3*b*B*
Sin[c + d*x] - 5*a*b^3*B*Sin[c + d*x] - 4*a^4*C*Sin[c + d*x] + 8*a^2*b^2*C*
Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)^2*(b + a*Cos[c + d*x]))) / (d*(A + 2*C +
2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(5/2)) - (4*(b
```


$$\begin{aligned}
& + a \cos[c + dx]^2 \cdot ((2a^2A)/(3(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]} \cdot \text{Sqrt}[\text{Sec}[c + dx]]) + (2Ab^2)/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]} \cdot \text{Sqrt}[\text{Sec}[c + dx]]) + (4a^3B)/(3b(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]} \cdot \text{Sqrt}[\text{Sec}[c + dx]]) - (4abB)/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]} \cdot \text{Sqrt}[\text{Sec}[c + dx]]) + (10a^2C)/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]} \cdot \text{Sqrt}[\text{Sec}[c + dx]]) - (16a^4C)/(3b^2(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]} \cdot \text{Sqrt}[\text{Sec}[c + dx]]) - (2b^2C)/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]} \cdot \text{Sqrt}[\text{Sec}[c + dx]]) + (2a^3A \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(3b(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) - (2aAb \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(3(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) - (10a^2B \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(3(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) + (4a^4B \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(3b^2(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) + (2b^2B \cdot \text{Sqrt}[\text{Sec}[c + dx]])/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) - (16a^5C \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(3b^3(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) + (34a^3C \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(3b(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) - (6abC \cdot \text{Sqrt}[\text{Sec}[c + dx]])/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) + (2a^3A \cos[2(c + dx)] \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(3b(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) + (2aAb \cos[2(c + dx)] \cdot \text{Sqrt}[\text{Sec}[c + dx]])/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) - (4a^2B \cos[2(c + dx)] \cdot \text{Sqrt}[\text{Sec}[c + dx]])/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) + (4a^4B \cos[2(c + dx)] \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(3b^2(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) - (16a^5C \cos[2(c + dx)] \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(3b^3(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) + (10a^3C \cos[2(c + dx)] \cdot \text{Sqrt}[\text{Sec}[c + dx]])/(b(-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) - (2abC \cos[2(c + dx)] \cdot \text{Sqrt}[\text{Sec}[c + dx]])/((-a^2 + b^2)^2 \sqrt{b + a \cos[c + dx]}) \cdot \text{Sqrt}[\text{Sec}[c + dx]] \cdot \text{Sqrt}[\cos[(c + dx)/2]^2 \text{Sec}[c + dx]] \cdot (A + B \text{Sec}[c + dx] + C \text{Sec}[c + dx]^2) \cdot (2(a + b) \cdot (-2a^3bB + 6a^3b^3B + 8a^4C + 3b^4(-A + C) - a^2b^2(A + 15C))) \cdot \text{Sqrt}[\cos[c + dx]/(1 + \cos[c + dx])] \cdot \text{Sqrt}[(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))] \cdot \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b) \cdot (3b^3(A - B - C) - 8a^3C + 2a^2b(B + 3C) + ab^2(A - 3B + 9C)) \cdot \text{Sqrt}[\cos[c + dx]/(1 + \cos[c + dx])] \cdot \text{Sqrt}[(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))] \cdot \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-2a^3bB + 6a^3b^3B + 8a^4C + 3b^4(-A + C) - a^2b^2(A + 15C)) \cdot \cos[c + dx] \cdot (b + a \cos[c + dx]) \cdot \text{Sec}[(c + dx)/2]^2 \cdot \text{Tan}[(c + dx)/2]) / (3b^3(a^2 - b^2)^2 d \cdot (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \cdot \text{Sqrt}[\text{Sec}[(c + dx)/2]^2 \cdot (a + b \text{Sec}[c + dx])^{5/2} \cdot (-2a \cdot \text{Sqrt}[\cos[(c + dx)/2]^2 \text{Sec}[c + dx]] \cdot \sin[c + dx] \cdot (2(a + b) \cdot (-2a^3bB + 6a^3b^3B + 8a^4C + 3b^4(-A + C) - a^2b^2(A + 15C))) \cdot \text{Sqrt}[\cos[c + dx]/(1 + \cos[c + dx])] \cdot \text{Sqrt}[(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))] \cdot \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + 2b(a + b) \cdot (3b^3(A - B - C) - 8a^3C + 2a^2b(B + 3C) + ab^2(A - 3B + 9C)) \cdot \text{Sqrt}[\cos[c + dx]/(1 + \cos[c + dx])] \cdot \text{Sqrt}[(b + a \cos[c + dx])/((a + b)(1 + \cos[c + dx]))] \cdot \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-2a^3bB + 6a^3b^3B + 8a^4C + 3b^4(-A + C) - a^2b^2(A + 15C)) \cdot \cos[c + dx] \cdot (b + a \cos[c + dx]) \cdot \text{Sec}[(c + dx)/2]^2 \cdot \text{Tan}[(c + dx)/2]) / (3b^3(a^2 - b^2)^2 \cdot (b + a \cos[c + dx])^{3/2} \cdot \text{Sqrt}[\text{Sec}[(c + dx)/2]]
\end{aligned}$$

$$\begin{aligned}
& *x)/2]^2)) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*(a + b)*(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(3*b^3*(A - B - C) - 8*a^3*C + 2*a^2*b*(B + 3*C) + a*b^2*(A - 3*B + 9*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/(3*b^3*(a^2 - b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (4*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(((-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4)/2 + ((a + b)*(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (b*(a + b)*(3*b^3*(A - B - C) - 8*a^3*C + 2*a^2*b*(B + 3*C) + a*b^2*(A - 3*B + 9*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(a + b)*(3*b^3*(A - B - C) - 8*a^3*C + 2*a^2*b*(B + 3*C) + a*b^2*(A - 3*B + 9*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (b*(a + b)*(3*b^3*(A - B - C) - 8*a^3*C + 2*a^2*b*(B + 3*C) + a*b^2*(A - 3*B + 9*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-2*a^3*b*B + 6*a*b^3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]))/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]))/(3*b^3*(a^2 - b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (2*(2*(a + b)*(-2*a^3*b*B + 6*a*b^3*B + 8
\end{aligned}$$

```
*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*Sqrt[Cos[c + d*x]/(1 + Cos[c
+ d*x]]*Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[
ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(3*b^3*(A - B - C)
- 8*a^3*C + 2*a^2*b*(B + 3*C) + a*b^2*(A - 3*B + 9*C))*Sqrt[Cos[c + d*x]/(
1 + Cos[c + d*x]]*Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*
EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-2*a^3*b*B + 6*a*b^
3*B + 8*a^4*C + 3*b^4*(-A + C) - a^2*b^2*(A + 15*C))*Cos[c + d*x]*(b + a*Co
s[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))*(-(Cos[(c + d*x)/2])*Sec[c
+ d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(
3*b^3*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[
Cos[(c + d*x)/2]^2*Sec[c + d*x]]))
```

Maple [B] time = 0.845, size = 8858, normalized size = 19.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/
2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left(C \sec(dx+c)^4 + B \sec(dx+c)^3 + A \sec(dx+c)^2 \right) \sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^4 + B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)**2/(a + b*sec(c + d*x))**(5/2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.972 \quad \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=416

$$\frac{2 \cot(c+dx) \left(2a^2C + ab(3A+B+3C) - b^2(A+3(B+C)) \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF} \left(\sin^{-1} \left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}} \right) \right)}{3b^2d\sqrt{a+b}(a^2-b^2)}$$

```
[Out] (-2*(4*a*A*b^2 - a^2*b*B - 3*b^3*B - 2*a^3*C + 6*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*(a - b)*b^3*(a + b)^(3/2)*d) + (2*(2*a^2*C + a*b*(3*A + B + 3*C) - b^2*(A + 3*(B + C)))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^2*Sqrt[a + b]*(a^2 - b^2)*d) - (2*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))*Tan[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.793927, antiderivative size = 416, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {4080, 4003, 4005, 3832, 4004}

$$\frac{2 \tan(c+dx) \left(a^2bB + 2a^3C - 2ab^2(2A+3C) + 3b^3B \right)}{3bd(a^2-b^2)^2 \sqrt{a+b\sec(c+dx)}} - \frac{2 \tan(c+dx) \left(Ab^2 - a(bB - aC) \right)}{3bd(a^2-b^2)(a+b\sec(c+dx))^{3/2}} + \frac{2 \cot(c+dx) \left(2a^2C + ab(3A+B+3C) - b^2(A+3(B+C)) \right)}{3b^2d\sqrt{a+b}(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] (-2*(4*a*A*b^2 - a^2*b*B - 3*b^3*B - 2*a^3*C + 6*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*(a - b)*b^3*(a + b)^(3/2)*d) + (2*(2*a^2*C + a*b*(3*A + B + 3*C) - b^2*(A + 3*(B + C)))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*b^2*Sqrt[a + b]*(a^2 - b^2)*d) - (2*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))*Tan[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

$$+ (2*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))*\text{Tan}[c + d*x])/(3*b*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$$

Rule 4080

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[\frac{(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}}{(b*f*(m+1)*(a^2 - b^2))}, x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 4003

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[\frac{(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}}{(f*(m+1)*(a^2 - b^2))}, x] + \text{Dist}[1/((m+1)*(a^2 - b^2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*\text{Simp}[(a*A - b*B)*(m+1) - (A*b - a*B)*(m+2))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, A, B, e, f\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$$

Rule 4005

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$$

Rule 3832

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 4004

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e +$$

$f*x]))/(a - b)))*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= -\frac{2(Ab^2-a(bB-aC))\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2\int \frac{\sec(c+dx)\left(\frac{3}{2}b(bB-a(A+2))\right)}{(a+b\sec(c+dx))^{5/2}} dx}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\ &= -\frac{2(Ab^2-a(bB-aC))\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(a^2bB+3b^3B+2a^3C)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\ &= -\frac{2(Ab^2-a(bB-aC))\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(a^2bB+3b^3B+2a^3C)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\ &= \frac{2(a^2bB+3b^3B+2a^3C-2ab^2(2A+3C))\cot(c+dx)E\left(\sin^{-1}\left(\frac{b\sec(c+dx)+a}{\sqrt{a^2-b^2}}\right)\right)}{3(a-b)b^3(a+b\sec(c+dx))^{3/2}} \end{aligned}$$

Mathematica [B] time = 26.0426, size = 3980, normalized size = 9.57

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*((-4*(-4*a*A*b^2 + a^2*b*B + 3*b^3*B + 2*a^3*C - 6*a*b^2*C)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2) + (4*(A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x] + a^2*C*Sin[c + d*x]))/(3*a*(a^2 - b^2)*(b + a*cos[c + d*x])^2) + (4*(-5*a^2*A*b^2*Sin[c + d*x] + A*b^4*Sin[c + d*x] + 2*a^3*b*B*Sin[c + d*x] + 2*a*b^3*B*Sin[c + d*x] + a^4*C*Sin[c + d*x] - 5*a^2*b^2*C*Sin[c + d*x]))/(3*a*b*(-a^2 + b^2)^2*(b + a*cos[c + d*x]))) / (d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(5/2)) + (4*(b + a*cos[c + d*x])^2*((-8*a*A*b)/(3*(-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*a^2*B)/(3*(-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*b^2*B)/((-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (4*a^3*C)

$$\begin{aligned}
& / (3*b*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (4*a*b*C) / ((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*a^2*A*\text{Sqrt}[\text{Sec}[c + d*x]]) / (3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*A*b^2*\text{Sqrt}[\text{Sec}[c + d*x]]) / (3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*a^3*B*\text{Sqrt}[\text{Sec}[c + d*x]]) / (3*b*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (2*a*b*B*\text{Sqrt}[\text{Sec}[c + d*x]]) / (3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (10*a^2*C*\text{Sqrt}[\text{Sec}[c + d*x]]) / (3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (4*a^4*C*\text{Sqrt}[\text{Sec}[c + d*x]]) / (3*b^2*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*b^2*C*\text{Sqrt}[\text{Sec}[c + d*x]]) / ((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a^2*A*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]]) / (3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*a^3*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]]) / (3*b*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*a*b*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]]) / ((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (4*a^2*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]]) / ((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (4*a^4*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]]) / (3*b^2*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]] * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * (2*(a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-2*a^2*C + b^2*(A - 3*B + 3*C) + a*b*(3*A - B + 3*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*(-(a^2*b) + b^3)^2*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] * (a + b*\text{Sec}[c + d*x])^(5/2) * ((2*a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]] * \text{Sin}[c + d*x] * (2*(a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-2*a^2*C + b^2*(A - 3*B + 3*C) + a*b*(3*A - B + 3*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*(-(a^2*b) + b^3)^2*(b + a*\text{Cos}[c + d*x])^(3/2) * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]] * \text{Tan}[(c + d*x)/2] * (2*(a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-2*a^2*C + b^2*(A - 3*B + 3*C) + a*b*(3*A - B + 3*C)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C)) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*(-(a^2*b) + b^3)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (4*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]] * (((a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C)) * Co
\end{aligned}$$

$$\begin{aligned}
& s[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4/2 + ((a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))* \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]* \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (b*(a + b)*(-2*a^2*C + b^2*(A - 3*B + 3*C) + a*b*(3*A - B + 3*C))* \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]* \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))* \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*(a + b)*(-2*a^2*C + b^2*(A - 3*B + 3*C) + a*b*(3*A - B + 3*C))* \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))* \text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x]* \text{Tan}[(c + d*x)/2] - (a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))* (b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x]* \text{Tan}[(c + d*x)/2] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))* \text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]^2 + (b*(a + b)*(-2*a^2*C + b^2*(A - 3*B + 3*C) + a*b*(3*A - B + 3*C))* \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^2) / (\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))* \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) / \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]) / (3*(-(a^2*b) + b^3)^2 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*(2*(a + b)*(a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))* \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-2*a^2*C + b^2*(A - 3*B + 3*C) + a*b*(3*A - B + 3*C))* \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*b*B + 3*b^3*B + 2*a^3*C - 2*a*b^2*(2*A + 3*C))* \text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) * (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x]* \text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]* \text{Tan}[c + d*x])) / (3*(-(a^2*b) + b^3)^2 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]]))
\end{aligned}$$

Maple [B] time = 0.483, size = 6953, normalized size = 16.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^3 + B \sec(dx+c)^2 + A \sec(dx+c))\sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^3 + B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sec(c + d*x)/(a + b*sec(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.973 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=541

$$\frac{2 \cot(c+dx) \left(-a^2 b(6A+B+3C) + a^3(3B+C) + aAb^2 + 3Ab^3 \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF} \left(\sin^{-1} \left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a-b}} \right) \right)}{3a^2 b d \sqrt{a+b} (a^2 - b^2)}$$

```
[Out] (2*(7*a^2*A*b^2 - 3*A*b^4 - 4*a^3*b*B + a^4*C + 3*a^2*b^2*C)*Cot[c + d*x]*E
llipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqr
t[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/
(3*a^2*(a - b)*b^2*(a + b)^(3/2)*d) + (2*(a*A*b^2 + 3*A*b^3 + a^3*(3*B + C)
- a^2*b*(6*A + B + 3*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c +
d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*S
qrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*a^2*b*Sqrt[a + b]*(a^2 - b^2)*d)
- (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Se
c[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a +
b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(a^3*d) + (2*(A*b^2 - a*(b*B
- a*C))*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(
3*A*b^4 + 4*a^3*b*B - a^4*C - a^2*b^2*(7*A + 3*C))*Tan[c + d*x])/(3*a^2*(a^
2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.910364, antiderivative size = 541, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4060, 4058, 3921, 3784, 3832, 4004}

$$-\frac{2 \tan(c+dx) \left(-a^2 b^2(7A+3C) + 4a^3 b B + a^4(-C) + 3Ab^4 \right)}{3a^2 d (a^2 - b^2)^2 \sqrt{a+b} \sec(c+dx)} + \frac{2 \tan(c+dx) (Ab^2 - a(bB - aC))}{3ad (a^2 - b^2) (a+b \sec(c+dx))^{3/2}} + \frac{2 \cot(c+dx) (-a^2 b^2 (6A+B+3C) + a^3(3B+C) + aAb^2 + 3Ab^3)}{3a^2 b d \sqrt{a+b} (a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2), x]

```
[Out] (2*(7*a^2*A*b^2 - 3*A*b^4 - 4*a^3*b*B + a^4*C + 3*a^2*b^2*C)*Cot[c + d*x]*E
llipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqr
t[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/
(3*a^2*(a - b)*b^2*(a + b)^(3/2)*d) + (2*(a*A*b^2 + 3*A*b^3 + a^3*(3*B + C)
- a^2*b*(6*A + B + 3*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c +
d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*S
qrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(3*a^2*b*Sqrt[a + b]*(a^2 - b^2)*d)
```

- (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (2*(A*b^2 - a*(b*B - a*C))*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(3*A*b^4 + 4*a^3*b*B - a^4*C - a^2*b^2*(7*A + 3*C))*Tan[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]

/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B))]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx &= \frac{2(Ab^2 - a(bB - aC)) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}A(a^2 - b^2) + \frac{3}{2}a(Ab - aB + bC) \sec(c + dx) - \frac{1}{2}(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx}{3a(a^2 - b^2)} \\ &= \frac{2(Ab^2 - a(bB - aC)) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2(3Ab^4 + 4a^3bB - a^4C - a^2b^2(7A + 3C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3a^2(a-b)b^2(a+b)^{3/2}d} \\ &= \frac{2(Ab^2 - a(bB - aC)) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2(3Ab^4 + 4a^3bB - a^4C - a^2b^2(7A + 3C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3a^2(a-b)b^2(a+b)^{3/2}d} \\ &= \frac{2(3Ab^4 + 4a^3bB - a^4C - a^2b^2(7A + 3C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3a^2(a-b)b^2(a+b)^{3/2}d} \\ &= \frac{2(3Ab^4 + 4a^3bB - a^4C - a^2b^2(7A + 3C)) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3a^2(a-b)b^2(a+b)^{3/2}d} \end{aligned}$$

Mathematica [B] time = 28.012, size = 11444, normalized size = 21.15

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 0.465, size = 8177, normalized size = 15.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.974 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=618

$$\frac{\cot(c+dx) \left(-a^2 b^2 (21A+2B) - a^3 b (3A-2(6B+C)) - 6a^4 C + ab^3 (5A-6B) + 15Ab^4 \right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{3a^3 b d \sqrt{a+b} (a^2 - b^2)}$$

```
[Out] -((26*a^2*A*b^2 - 15*A*b^4 - 14*a^3*b*B + 6*a*b^3*B - a^4*(3*A - 8*C))*Cot[
c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
- b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(
a - b))]/(3*a^3*(a - b)*b*(a + b)^(3/2)*d) - ((15*A*b^4 + a*b^3*(5*A - 6*B
) - a^2*b^2*(21*A + 2*B) - 6*a^4*C - a^3*b*(3*A - 2*(6*B + C)))*Cot[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)
)]/(3*a^3*b*Sqrt[a + b]*(a^2 - b^2)*d) + (Sqrt[a + b]*(5*A*b - 2*a*B)*Cot[c
+ d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]],
(a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c
+ d*x]))/(a - b))]/(a^4*d) + (A*Sin[c + d*x])/(a*d*(a + b*Sec[c + d*x])^(
3/2)) - (b*(5*A*b^2 - 2*a*b*B - a^2*(3*A - 2*C))*Tan[c + d*x])/(3*a^2*(a^2
- b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (b*(26*a^2*A*b^2 - 15*A*b^4 - 14*a^3
*b*B + 6*a*b^3*B - a^4*(3*A - 8*C))*Tan[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Sq
rt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.48122, antiderivative size = 618, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4104, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{b \tan(c+dx) \left(26a^2 Ab^2 + a^4(-3A-8C) - 14a^3 bB + 6ab^3 B - 15Ab^4 \right)}{3a^3 d (a^2 - b^2)^2 \sqrt{a+b \sec(c+dx)}} - \frac{b \tan(c+dx) \left(a^2(-3A-2C) - 2abB + 5A \right)}{3a^2 d (a^2 - b^2) (a+b \sec(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d
*x])^(5/2), x]
```

```
[Out] -((26*a^2*A*b^2 - 15*A*b^4 - 14*a^3*b*B + 6*a*b^3*B - a^4*(3*A - 8*C))*Cot[
c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a
- b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(
```

$$\frac{a - b)}{3a^3(a - b)b(a + b)^{3/2}d} - ((15Ab^4 + a^3b(5A - 6B) - a^2b^2(21A + 2B) - 6a^4C - a^3b(3A - 2(6B + C)))\cot[c + dx] \operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a + b\sec[c + dx]}/\sqrt{a + b}], (a + b)/(a - b)] \sqrt{(b(1 - \sec[c + dx]))/(a + b)} \sqrt{-((b(1 + \sec[c + dx]))/(a - b))}) / (3a^3b\sqrt{a + b}(a^2 - b^2)d) + (\sqrt{a + b}(5Ab - 2a^2B)\cot[c + dx] \operatorname{EllipticPi}[(a + b)/a, \operatorname{ArcSin}[\sqrt{a + b\sec[c + dx]}/\sqrt{a + b}], (a + b)/(a - b)] \sqrt{(b(1 - \sec[c + dx]))/(a + b)} \sqrt{-((b(1 + \sec[c + dx]))/(a - b))}) / (a^4d) + (A\sin[c + dx]) / (a^2d(a + b\sec[c + dx])^{3/2}) - (b(5Ab^2 - 2a^2bB - a^2(3A - 2C))\tan[c + dx]) / (3a^2(a^2 - b^2)d(a + b\sec[c + dx])^{3/2}) - (b(26a^2Ab^2 - 15Ab^4 - 14a^3bB + 6a^2b^3B - a^4(3A - 8C))\tan[c + dx]) / (3a^3(a^2 - b^2)^2d\sqrt{a + b\sec[c + dx]})$$

Rule 4104

$$\operatorname{Int}[(A_.) + \csc[(e_.) + (f_.)x](B_.) + \csc[(e_.) + (f_.)x]^2(C_.)] \cdot (\csc[(e_.) + (f_.)x](d_.)^n) \cdot (\csc[(e_.) + (f_.)x](b_.) + (a_.)^m), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(A\cot[e + fx](a + b\csc[e + fx])^{m+1}(d\csc[e + fx])^n) / (a^m n), x] + \operatorname{Dist}[1/(a^m d), \operatorname{Int}[(a + b\csc[e + fx])^m (d\csc[e + fx])^{n+1} \operatorname{Simp}[aBn - A(b + n + 1) + a(A + An + Cn)] \csc[e + fx] + A(b + n + 2)\csc[e + fx]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LeQ}[n, -1]$$

Rule 4060

$$\operatorname{Int}[(A_.) + \csc[(e_.) + (f_.)x](B_.) + \csc[(e_.) + (f_.)x]^2(C_.)] \cdot (\csc[(e_.) + (f_.)x](b_.) + (a_.)^m), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(A^2b^2 - a^2bB + a^2C)\cot[e + fx](a + b\csc[e + fx])^{m+1} / (a^m f(m + 1)(a^2 - b^2)), x] + \operatorname{Dist}[1/(a^m(m + 1)(a^2 - b^2)), \operatorname{Int}[(a + b\csc[e + fx])^{m+1} \operatorname{Simp}[A(a^2 - b^2)(m + 1) - a(Ab - aB + bC)](m + 1)\csc[e + fx] + (A^2b^2 - a^2bB + a^2C)(m + 2)\csc[e + fx]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1]$$

Rule 4058

$$\operatorname{Int}[(A_.) + \csc[(e_.) + (f_.)x](B_.) + \csc[(e_.) + (f_.)x]^2(C_.)] / \sqrt{\csc[(e_.) + (f_.)x](b_.) + (a_.)}, x_{\text{Symbol}}] \rightarrow \operatorname{Int}[(A + (B - C)\csc[e + fx]) / \sqrt{a + b\csc[e + fx]}, x] + \operatorname{Dist}[C, \operatorname{Int}[(\csc[e + fx](1 + \csc[e + fx])) / \sqrt{a + b\csc[e + fx]}, x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\operatorname{Int}[(\csc[(e_.) + (f_.)x](d_.) + (c_.) / \sqrt{\csc[(e_.) + (f_.)x](b_.) + (a_.)}), x_{\text{Symbol}}] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[1/\sqrt{a + b\csc[e + fx]}, x], x] + D$$

```
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} - \frac{\int \frac{\frac{1}{2}(5Ab-2aB)-aC\sec(c+dx)-\frac{3}{2}Ab\sec^2(c+dx)}{(a+b\sec(c+dx))^{5/2}} dx}{a} \\
&= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} - \frac{b(5Ab^2-2abB-a^2(3A-2C))\tan(c+dx)}{3a^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} - \frac{b(5Ab^2-2abB-a^2(3A-2C))\tan(c+dx)}{3a^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} - \frac{b(5Ab^2-2abB-a^2(3A-2C))\tan(c+dx)}{3a^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{(26a^2Ab^2-15Ab^4-14a^3bB+6ab^3B-a^4(3A-8C))\cot(c+dx)}{3a^3(a-b)} \\
&= -\frac{(26a^2Ab^2-15Ab^4-14a^3bB+6ab^3B-a^4(3A-8C))\cot(c+dx)}{3a^3(a-b)}
\end{aligned}$$

Mathematica [B] time = 28.8693, size = 20207, normalized size = 32.7

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2),x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.654, size = 10319, normalized size = 16.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx+c) \sec(dx+c)^2 + B \cos(dx+c) \sec(dx+c) + A \cos(dx+c)) \sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x)

3.975 $\int (a+b \sec(c+dx))^{3/2} (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx$

Optimal. Leaf size=448

$$\frac{2\sqrt{a+b}(-3a^2b(15B+4C)+30a^3C+ab^2(35B-12C)-b^3(5B-9C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left[\text{ArcSin}\left[\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right], \frac{(a+b)}{(a-b)}\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\right]}{15d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(35*a*b*B - 12*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*d) - (2*Sqrt[a + b]*(a*b^2*(35*B - 12*C) - b^3*(5*B - 9*C) + 30*a^3*C - 3*a^2*b*(15*B + 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*d) - (2*a^2*Sqrt[a + b]*(b*B - a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d + (2*b^2*(5*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*b^2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)
```

Rubi [A] time = 0.892883, antiderivative size = 448, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 50, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {4041, 3918, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(-3a^2b(15B+4C)+30a^3C+ab^2(35B-12C)-b^3(5B-9C))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\text{si}\right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^(3/2)*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(35*a*b*B - 12*a^2*C + 9*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*d) - (2*Sqrt[a + b]*(a*b^2*(35*B - 12*C) - b^3*(5*B - 9*C) + 30*a^3*C - 3*a^2*b*(15*B + 4*C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*d) - (2*a^2*Sqrt[a + b]*(b*B - a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d + (2*b^2*(5*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*b^2*C*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)
```

$$\frac{[c + d*x])/(a - b)]/d + (2*b^2*(5*b*B + 3*a*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(15*d) + (2*b^2*C*(a + b*\text{Sec}[c + d*x])^{3/2}*\text{Tan}[c + d*x])/(5*d)}$$

Rule 4041

$$\text{Int}[\frac{(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)}{(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m_.)}}, x_Symbol] \rightarrow \text{Dist}[1/b^2, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*\text{Simp}[b*B - a*C + b*C*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{EqQ}[A*b^2 - a*b*B + a^2*C, 0]$$

Rule 3918

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol] \rightarrow -\text{Simp}[(b*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)})/(f*m), x] + \text{Dist}[1/m, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 2)}*\text{Simp}[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*\text{Csc}[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m]$$

Rule 4056

$$\text{Int}[\frac{(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)}{(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m_.)}}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*\text{Csc}[e + f*x] + (b*B*(m + 1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[2*m, 0]$$

Rule 4058

$$\text{Int}[\frac{(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)}{\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]}, x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^{3/2} (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx &= \frac{\int (a + b \sec(c + dx))^{5/2} (b^2(bB - aC) + b^2C \sec^2(c + dx)) dx}{b^2} \\
&= \frac{2b^2C(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \dots \\
&= \frac{2b^2(5bB + 3aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} \\
&= \frac{2b^2(5bB + 3aC)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} \\
&= -\frac{2(a - b)\sqrt{a + b} (35abB - 12a^2C + 9b^2C)}{\dots} \\
&= -\frac{2(a - b)\sqrt{a + b} (35abB - 12a^2C + 9b^2C)}{\dots}
\end{aligned}$$

Mathematica [B] time = 23.6362, size = 4778, normalized size = 10.67

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Sec[c + d*x])^(3/2)*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(b*B - a*C + b*C*Sec[c + d*x]))*(2*b*(35*a*b*B - 12*a^2*C + 9*b^2*C)*Sin[c + d*x])/15 + (2*Sec[c + d*x]*(5*b^3*B*SIN[c + d*x] + 6*a*b^2*C*SIN[c + d*x]))/15 + (2*b^3*C*Sec[c + d*x]*Tan[c + d*x])/5)/(d*(b + a*cos[c + d*x])^2*(b*C + b*B*cos[c + d*x] - a*C*cos[c + d*x])) + (2*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*((a^3*b*B)/(Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (7*a*b^3*B)/(3*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (a^4*C)/(Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (4*a^2*b^2*C)/(5*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (3*b^4*C)/(5*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*a^2*b^2*B*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*cos[c + d*x]]) + (b^4*B*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*cos[c + d*x]]) - (6*a^3*b*C*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*cos[c + d*x]]) + (a*b^3*C*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*cos[c + d*x]]) - (7*a^2*b^2*B*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*cos[c + d*x]]) + (4*a^3*b*C*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*cos[c + d*x]])

$$\begin{aligned}
& d*x]]) - (3*a*b^3*C*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*\text{Sqrt}[b + a*\text{Cos} \\
& [c + d*x]])*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(5/ \\
& 2)*(b*B - a*C + b*C*\text{Sec}[c + d*x])*(-(b*(a + b)*(35*a*b*B - 12*a^2*C + 9*b^2 \\
& *C)*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2 \\
& *\text{Sqrt}[((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)) + b*(a + b)*(-15* \\
& a^2*C + 3*a*b*(10*B + C) + b^2*(5*B + 9*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/ \\
& 2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c \\
& + d*x)/2]^2)/(a + b) - 15*a^2*(b*B - a*C)*((a - b)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c \\
& + d*x)/2]], (a - b)/(a + b)] + 2*a*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2] \\
&], (a - b)/(a + b)))*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + \\
& d*x)/2]^2)/(a + b) - b*(35*a*b*B - 12*a^2*C + 9*b^2*C)*(b + a*\text{Cos}[c + d*x] \\
&)*(\text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/2]^2)^(3/2)*\text{Sec}[c + d*x]*\text{Tan}[(c + d*x)/2]))/ \\
& (15*d*(b + a*\text{Cos}[c + d*x])^3*(b*C + b*B*\text{Cos}[c + d*x] - a*C*\text{Cos}[c + d*x])*(\text{S} \\
& \text{ec}[(c + d*x)/2]^2)^(3/2)*\text{Sec}[c + d*x]^(7/2)*((a*\text{Sqrt}[\text{Cos}[c + d*x]* \text{Sec}[(c + \\
& d*x)/2]^2)*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*(-(b*(a + b)* \\
& (35*a*b*B - 12*a^2*C + 9*b^2*C)*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b) \\
& / (a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2) \\
& / (a + b)) + b*(a + b)*(-15*a^2*C + 3*a*b*(10*B + C) + b^2*(5*B + 9*C))*\text{Ell} \\
& \text{ipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[(\\
& (b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b) - 15*a^2*(b*B - a*C)*((a \\
& - b)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*\text{EllipticPi} \\
& [-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)))*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[(\\
& (b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b) - b*(35*a*b*B - 12*a^2*C + \\
& 9*b^2*C)*(b + a*\text{Cos}[c + d*x])*(\text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/2]^2)^(3/2)*\text{Sec} \\
& [c + d*x]*\text{Tan}[(c + d*x)/2))/(15*(b + a*\text{Cos}[c + d*x])^(3/2)*(\text{Sec}[(c + d*x)/2] \\
&)^2)^(3/2)) - (\text{Sqrt}[\text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^ \\
& 2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(-(b*(a + b)*(35*a*b*B - 12*a^2*C + 9*b^2* \\
& C)*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2* \\
& \text{Sqrt}[((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)) + b*(a + b)*(-15*a \\
& ^2*C + 3*a*b*(10*B + C) + b^2*(5*B + 9*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2] \\
&], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + \\
& d*x)/2]^2)/(a + b) - 15*a^2*(b*B - a*C)*((a - b)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c \\
& + d*x)/2]], (a - b)/(a + b)] + 2*a*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2] \\
&], (a - b)/(a + b)))*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + \\
& d*x)/2]^2)/(a + b) - b*(35*a*b*B - 12*a^2*C + 9*b^2*C)*(b + a*\text{Cos}[c + d*x] \\
&)*(\text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/2]^2)^(3/2)*\text{Sec}[c + d*x]*\text{Tan}[(c + d*x)/2]))/(\\
& 5*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*(\text{Sec}[(c + d*x)/2]^2)^(3/2)) + (\text{Sqrt}[\text{Cos}[c + d*x] \\
&]*\text{Sec}[(c + d*x)/2]^2*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^(3/2)*(-(\text{Sec}[(c + d* \\
& x)/2]^2*\text{Sin}[c + d*x]) + \text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))*(\\
& -(b*(a + b)*(35*a*b*B - 12*a^2*C + 9*b^2*C)*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/ \\
& 2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c \\
& + d*x)/2]^2)/(a + b)) + b*(a + b)*(-15*a^2*C + 3*a*b*(10*B + C) + b^2*(5*B \\
& + 9*C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x) \\
& /2]^2*\text{Sqrt}[((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b) - 15*a^2*(b*B \\
& - a*C)*((a - b)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*a
\end{aligned}$$

```

*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/
2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - b*(35*a*b*B
- 12*a^2*C + 9*b^2*C)*(b + a*Cos[c + d*x])*(Cos[c + d*x]*Sec[(c + d*x)/2]^2
)^(3/2)*Sec[c + d*x]*Tan[(c + d*x)/2))/((15*Sqrt[b + a*Cos[c + d*x]]*(Sec[(c
+ d*x)/2]^2)^(3/2)) + (Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*(-b*(a + b)
*(35*a*b*B - 12*a^2*C + 9*b^2*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)
]/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2
)/(a + b)]) + b*(a + b)*(-15*a^2*C + 3*a*b*(10*B + C) + b^2*(5*B + 9*C))*El
lipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[
((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - 15*a^2*(b*B - a*C)*((a
- b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*EllipticPi
[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[(
(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - b*(35*a*b*B - 12*a^2*C
+ 9*b^2*C)*(b + a*Cos[c + d*x])*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sec
[c + d*x]*Tan[(c + d*x)/2))*(-Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/
2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(15*Sqrt[b + a*Cos[c +
d*x]]*(Sec[(c + d*x)/2]^2)^(3/2)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]) +
(2*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*
x]])*(-b*(35*a*b*B - 12*a^2*C + 9*b^2*C)*(b + a*Cos[c + d*x])*Sec[(c + d*x)
/2]^2*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x])/2 - b*(a + b)*(
35*a*b*B - 12*a^2*C + 9*b^2*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/
(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/
(a + b)]*Tan[(c + d*x)/2] + b*(a + b)*(-15*a^2*C + 3*a*b*(10*B + C) + b^2*(
5*B + 9*C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d
*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Tan[(c + d
*x)/2] - 15*a^2*(b*B - a*C)*((a - b)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a
- b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a +
b)])*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a
+ b)]*Tan[(c + d*x)/2] - (3*b*(35*a*b*B - 12*a^2*C + 9*b^2*C)*(b + a*Cos[c
+ d*x])*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*Sec[c + d*x]*Tan[(c + d*x)/2]
*(-(Sec[(c + d*x)/2]^2*Sin[c + d*x]) + Cos[c + d*x]*Sec[(c + d*x)/2]^2*Tan[
(c + d*x)/2]))/2 - (b*(a + b)*(35*a*b*B - 12*a^2*C + 9*b^2*C)*EllipticE[Arc
Sin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*(-((a*Sec[(c + d
*x)/2]^2*Sin[c + d*x])/(a + b)) + ((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*
Tan[(c + d*x)/2]))/(a + b)))/(2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^
2)/(a + b)]) + (b*(a + b)*(-15*a^2*C + 3*a*b*(10*B + C) + b^2*(5*B + 9*C))*
EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*(-(
(a*Sec[(c + d*x)/2]^2*Sin[c + d*x])/(a + b)) + ((b + a*Cos[c + d*x])*Sec[(c
+ d*x)/2]^2*Tan[(c + d*x)/2]))/(a + b)))/(2*Sqrt[((b + a*Cos[c + d*x])*Sec[
(c + d*x)/2]^2)/(a + b)]) - (15*a^2*(b*B - a*C)*((a - b)*EllipticF[ArcSin[T
an[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*EllipticPi[-1, -ArcSin[Tan[(c + d*
x)/2]], (a - b)/(a + b)]*Sec[(c + d*x)/2]^2*(-((a*Sec[(c + d*x)/2]^2*Sin[c
+ d*x])/(a + b)) + ((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/
2]))/(a + b)))/(2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]) +
(b*(a + b)*(-15*a^2*C + 3*a*b*(10*B + C) + b^2*(5*B + 9*C))*Sec[(c + d*x)/

```

```

2]^4*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]/(2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[1 - ((a - b)*Tan[(c + d*x)/2]^2)/(a + b)]) - (b*(a + b)*(35*a*b*B - 12*a^2*C + 9*b^2*C)*Sec[(c + d*x)/2]^4*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Sqrt[1 - ((a - b)*Tan[(c + d*x)/2]^2)/(a + b)])/(2*Sqrt[1 - Tan[(c + d*x)/2]^2]) - 15*a^2*(b*B - a*C)*Sec[(c + d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*(((a - b)*Sec[(c + d*x)/2]^2)/(2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[1 - ((a - b)*Tan[(c + d*x)/2]^2)/(a + b)]) - (a*Sec[(c + d*x)/2]^2)/(Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[1 - ((a - b)*Tan[(c + d*x)/2]^2)/(a + b)])) + a*b*(35*a*b*B - 12*a^2*C + 9*b^2*C)*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]*Tan[c + d*x] - b*(35*a*b*B - 12*a^2*C + 9*b^2*C)*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)^(3/2)*Sec[c + d*x]*Tan[(c + d*x)/2]*Tan[c + d*x))/(15*Sqrt[b + a*cos[c + d*x]]*(Sec[(c + d*x)/2]^2)^(3/2)))

```

Maple [B] time = 0.799, size = 3700, normalized size = 8.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(3/2)*(B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x)
```

```
[Out] 2/15/d*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(5*B*cos(d*x+c)*b^4-45*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b^2-35*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a*b^3+35*B*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b^2+35*B*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a*b^3+30*C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^3*b+12*C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b^2-12*C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a*b^3-12*C*EllipticE((-1+co
```

$$\begin{aligned}
& s(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^3*b-12*C*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b^2+9*C*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a*b^3+35*B*\cos(d*x+c)^3*a^2*b^2+40*B*\cos(d*x+c)^2*a*b^3-5*B*\cos(d*x+c)^3*b^4-35*B*\cos(d*x+c)^3*a*b^3+12*C*\cos(d*x+c)^3*a^2*b^2-5*B*\cos(d*x+c)^4*a*b^3-6*C*\cos(d*x+c)^4*a^2*b^2-9*C*\cos(d*x+c)^4*a*b^3+35*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^2+35*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a*b^3-45*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^2-35*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a*b^3+30*C*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^3*b+12*C*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*b^2-12*C*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^3-12*C*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^3*b-12*C*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^2*b^2+9*C*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a*b^3-35*B*\cos(d*x+c)^4*a^2*b^2+12*C*\cos(d*x+c)^4*a^3*b-12*C*\cos(d*x+c)^3*a^3*b-6*C*\cos(d*x+c)^2*a^2*b^2+9*C*\cos(d*x+c)*a*b^3-9*C*\cos(d*x+c)^3*b^4-5*B*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*b^4-9*C*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b^4-15*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*a^4+9*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}*b^4+30*C*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*
\end{aligned}$$

$$\begin{aligned} & \cos(d*x+c)+1)^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^4 - 15 * C * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^4 + 9 * C * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^4 + 30 * C * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^4 - 30 * B * \sin(d*x+c) * \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^3 * b + 15 * B * \cos(d*x+c)^3 * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3 * b + 15 * B * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3 * b - 30 * B * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \\ & (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) * a^3 * b + 6 * C * \cos(d*x+c)^2 * b^4 + 3 * C * b^4 - 5 * B * \\ & \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * b^4 - 9 * C * \\ & \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * b^4 / (b+a*\cos(d*x+c)) / \cos(d*x+c)^2 / \sin(d*x+c)^5 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int Ca^3\sqrt{a+b\sec(c+dx)}dx - \int -Ba^2b\sqrt{a+b\sec(c+dx)}dx - \int -Bb^3\sqrt{a+b\sec(c+dx)}\sec^2(c+dx)dx - \int -Cb$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2),x)

[Out] -Integral(C*a**3*sqrt(a + b*sec(c + d*x)), x) - Integral(-B*a**2*b*sqrt(a + b*sec(c + d*x)), x) - Integral(-B*b**3*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**2, x) - Integral(-C*b**3*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**3, x) - Integral(-2*B*a*b**2*sqrt(a + b*sec(c + d*x))*sec(c + d*x), x) - Integral(-C*a*b**2*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**2, x) - Integral(C*a**2*b*sqrt(a + b*sec(c + d*x))*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (Cb^2 \sec(dx+c)^2 + Bb^2 \sec(dx+c) - Ca^2 + Bab)(b \sec(dx+c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)*(b*sec(d*x + c) + a)^(3/2), x)

3.976 $\int \sqrt{a + b \sec(c + dx)} (abB - a^2C + b^2B \sec(c + dx) + b^2C$

Optimal. Leaf size=382

$$\frac{2\sqrt{a+b}(3a^2C - ab(6B - C) + b^2(3B - C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3d}$$

[Out] $(-2*(a - b)*\text{Sqrt}[a + b]*(3*b*B + a*C)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*d) - (2*\text{Sqrt}[a + b]*(b^2*(3*B - C) - a*b*(6*B - C) + 3*a^2*C)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*d) - (2*a*\text{Sqrt}[a + b]*(b*B - a*C)*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/d + (2*b^2*C*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/ (3*d)$

Rubi [A] time = 0.623483, antiderivative size = 382, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 50, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4041, 3918, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(3a^2C - ab(6B - C) + b^2(3B - C)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right) \frac{a+b}{a-b}}{3d} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*(a*b*B - a^2*C + b^2*B*\text{Sec}[c + d*x] + b^2*C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*(a - b)*\text{Sqrt}[a + b]*(3*b*B + a*C)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*d) - (2*\text{Sqrt}[a + b]*(b^2*(3*B - C) - a*b*(6*B - C) + 3*a^2*C)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*d) - (2*a*\text{Sqrt}[a + b]*(b*B - a*C)*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/d + (2*b^2*C*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/ (3*d)$

Rule 4041

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Dist[1/b^2, I
nt[(a + b*Csc[e + f*x])^(m + 1)*Simp[b*B - a*C + b*C*Csc[e + f*x], x], x],
x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 3918

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d
_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m -
1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m +
(b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m -
1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_
.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
```

f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \sqrt{a + b \sec(c + dx)} (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx = \frac{\int (a + b \sec(c + dx))^{3/2} (b^2(bB - aC) + b^2C \sec^2(c + dx)) dx}{b^2}$$

$$= \frac{2b^2C \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2b^2C \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2(a - b)\sqrt{a + b}(3bB + aC) \cot(c + dx)E}{3d}$$

$$= -\frac{2(a - b)\sqrt{a + b}(3bB + aC) \cot(c + dx)E}{3d}$$

Mathematica [B] time = 18.5345, size = 1139, normalized size = 2.98

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[a + b*Sec[c + d*x]]*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^
2*C*Sec[c + d*x]^2),x]
```

```
[Out] (2*(a + b*Sec[c + d*x])^(3/2)*(b*B - a*C + b*C*Sec[c + d*x]))*(3*a*b^2*B*Tan
[(c + d*x)/2] + 3*b^3*B*Tan[(c + d*x)/2] + a^2*b*C*Tan[(c + d*x)/2] + a*b^2
*C*Tan[(c + d*x)/2] - 6*a*b^2*B*Tan[(c + d*x)/2]^3 - 2*a^2*b*C*Tan[(c + d*x
)/2]^3 + 3*a*b^2*B*Tan[(c + d*x)/2]^5 - 3*b^3*B*Tan[(c + d*x)/2]^5 + a^2*b*
```

```

C*Tan[(c + d*x)/2]^5 - a*b^2*C*Tan[(c + d*x)/2]^5 + 6*a^2*b*B*EllipticPi[-1
, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*
Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*a^3
*C*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[
(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/
(a + b)] + 6*a^2*b*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a +
b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c
+ d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*a^3*C*EllipticPi[-1, -Arc
Sin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c
+ d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a
+ b)] + b*(a + b)*(3*b*B + a*C)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)
/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b
- a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (3*a^3*C - 3*a^2
*b*(B + C) + b^3*(3*B + C) + a*b^2*(6*B + C))*EllipticF[ArcSin[Tan[(c + d*x
)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^
2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(3
*d*(b + a*Cos[c + d*x])^(3/2)*(b*C + b*B*Cos[c + d*x] - a*C*Cos[c + d*x])*S
ec[c + d*x]^(5/2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-1 + Tan[(c + d*x)/2
]^2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*
Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))] + (Cos[c + d*x]^2*(a + b*Sec
[c + d*x])^(3/2)*(b*B - a*C + b*C*Sec[c + d*x]))*((2*b*(3*b*B + a*C)*Sin[c +
d*x])/3 + (2*b^2*C*Tan[c + d*x])/3))/(d*(b + a*Cos[c + d*x])*(b*C + b*B*Co
s[c + d*x] - a*C*Cos[c + d*x]))

```

Maple [B] time = 0.529, size = 2761, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] int((B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2
),x)

```

```

[Out] 2/3/d*(-1+cos(d*x+c))^2*(-C*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3-3*B*cos(d*x+c)^2*sin(d*x+c)*(
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3+3*B*cos
(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*
x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+
b))^(1/2))*a*b^2-6*B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1
/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c)

```


$c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-C*\cos(dx+c)^3*a^2*b-C*\cos(dx+c)^3*a*b^2+2*C*\cos(dx+c)*a*b^2-3*B*\cos(dx+c)^3*a*b^2+3*B*\cos(dx+c)^2*a*b^2+C*\cos(dx+c)^2*a^2*b-C*\cos(dx+c)^2*b^3+3*B*\cos(dx+c)*b^3-3*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-C*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3-C*\cos(dx+c)^2*a*b^2+C*b^3)*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(\cos(dx+c)+1)^2/(b+a*\cos(dx+c))/\cos(dx+c)/\sin(dx+c)^5$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (Cb^2 \sec(dx+c)^2 + Bb^2 \sec(dx+c) - Ca^2 + Bab) \sqrt{b \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(dx+c)+b^2*C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*b^2*sec(dx + c)^2 + B*b^2*sec(dx + c) - C*a^2 + B*a*b)*sqrt(b*sec(dx + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((Cb^2 \sec(dx+c)^2 + Bb^2 \sec(dx+c) - Ca^2 + Bab) \sqrt{b \sec(dx+c) + a}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(dx+c)+b^2*C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(dx + c)^2 + B*b^2*sec(dx + c) - C*a^2 + B*a*b)*sqrt(b*sec(dx + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$- \int Ca^2 \sqrt{a + b \sec(c + dx)} dx - \int -Bab \sqrt{a + b \sec(c + dx)} dx - \int -Bb^2 \sqrt{a + b \sec(c + dx)} \sec(c + dx) dx - \int -Cb^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] -Integral(C*a**2*sqrt(a + b*sec(c + d*x)), x) - Integral(-B*a*b*sqrt(a + b*sec(c + d*x)), x) - Integral(-B*b**2*sqrt(a + b*sec(c + d*x))*sec(c + d*x), x) - Integral(-C*b**2*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (Cb^2 \sec(dx + c)^2 + Bb^2 \sec(dx + c) - Ca^2 + Bab) \sqrt{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)*sqrt(b*sec(d*x + c) + a), x)

$$3.977 \quad \int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=316

$$\frac{2b\sqrt{a+b}(B-C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + 2\sqrt{a+b}(bB-aC) \cot(c+dx)}{d}$$

[Out] (-2*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d + (2*b*Sqrt[a + b]*(B - C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d - (2*Sqrt[a + b]*(b*B - a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d

Rubi [A] time = 0.410386, antiderivative size = 316, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 50, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {4041, 3916, 3784, 4005, 3832, 4004}

$$\frac{2b\sqrt{a+b}(B-C) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + 2\sqrt{a+b}(bB-aC) \cot(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (-2*(a - b)*Sqrt[a + b]*C*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d + (2*b*Sqrt[a + b]*(B - C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d - (2*Sqrt[a + b]*(b*B - a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d

Rule 4041

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) *(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_.), x_Symbol] := Dist[1/b^2, I

nt[(a + b*Csc[e + f*x])^(m + 1)*Simp[b*B - a*C + b*C*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 3916

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Dist[a*c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(Csc[e + f*x]*(b*c + a*d + b*d*Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx &= \frac{\int \sqrt{a + b \sec(c + dx)} (b^2(bB - aC) + b^3C \sec(c + dx)) dx}{b^2} \\
 &= \frac{\int \frac{\sec(c+dx)(ab^3C + b^3(bB - aC) + b^4C \sec(c+dx))}{\sqrt{a + b \sec(c+dx)}} dx}{b^2} + (a(bB - aC)) \int \frac{1}{\sqrt{a - b \sec(c + dx)}} dx \\
 &= -\frac{2\sqrt{a + b}(bB - aC) \cot(c + dx) \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right) \Big|_{\frac{a+b}{a}}}{d} \\
 &= -\frac{2(a - b)\sqrt{a + b}C \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \Big|_{\frac{a+b}{a-b}}\right) \sqrt{b}}{d}
 \end{aligned}$$

Mathematica [C] time = 18.093, size = 1232, normalized size = 3.9

$$\frac{2bC \cos(c + dx) \sqrt{a + b \sec(c + dx)} (bB - aC + bC \sec(c + dx)) \sin(c + dx)}{d(bC - a \cos(c + dx)C + bB \cos(c + dx))} + \frac{2\sqrt{a + b \sec(c + dx)} (bB - aC + bC \sec(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (2*b*C*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(b*B - a*C + b*C*Sec[c + d*x])*Sin[c + d*x])/(d*(b*C + b*B*Cos[c + d*x] - a*C*Cos[c + d*x])) + (2*Sqrt[a + b*Sec[c + d*x]]*(b*B - a*C + b*C*Sec[c + d*x]))*(a*b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] + b^2*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2] - 2*a*b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^3 + a*b*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^5 - b^2*Sqrt[(-a + b)/(a + b)]*C*Tan[(c + d*x)/2]^5 + (2*I)*a*b*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*a^2*C*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*a*b*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)]

$$\begin{aligned}
& - b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a + b)] - (2*I) * a^2 * C * \text{EllipticPi}[-(a + b)/(a - b), I * \text{ArcSinh}[\text{Sqrt}[-(a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a + b)] - I * (a - b) * b * C * \text{EllipticE}[I * \text{ArcSinh}[\text{Sqrt}[-(a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a + b)] + I * (a - b) * (a * C + b * (-B + C)) * \text{EllipticF}[I * \text{ArcSinh}[\text{Sqrt}[-(a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(a + b))] / (\text{Sqrt}[-(a + b)/(a + b)] * d * \text{Sqrt}[b + a * \text{Cos}[c + d*x]] * (b * C + b * B * \text{Cos}[c + d*x] - a * C * \text{Cos}[c + d*x])) * \text{Sec}[c + d*x]^(3/2) * \text{Sqrt}[(1 - \text{Tan}[(c + d*x)/2]^2)^(-1)] * (-1 + \text{Tan}[(c + d*x)/2]^2) * (1 + \text{Tan}[(c + d*x)/2]^2)^(3/2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d*x)/2]^2 + b * \text{Tan}[(c + d*x)/2]^2)/(1 + \text{Tan}[(c + d*x)/2]^2)]
\end{aligned}$$

Maple [B] time = 0.447, size = 1588, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((B*a*b - a^2*C + b^2*B*\text{sec}(d*x+c) + b^2*C*\text{sec}(d*x+c)^2)/(a+b*\text{sec}(d*x+c))^(1/2), x)$

[Out] $2/d * ((b+a*\text{cos}(d*x+c))/\text{cos}(d*x+c))^(1/2) * (\text{cos}(d*x+c)+1)^2 * (-1+\text{cos}(d*x+c))^{-2} * (B*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^(1/2) * (1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2) * \text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^(1/2)) * a*b - B*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^(1/2) * (1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2) * \text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^(1/2)) * b^2 - 2*B*\text{cos}(d*x+c)*\text{EllipticPi}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), -1, ((a-b)/(a+b))^(1/2)) * (\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^(1/2) * (1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2) * \text{sin}(d*x+c) * a*b - C*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^(1/2) * (1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2) * \text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^(1/2)) * a^2 - C*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^(1/2) * (1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2) * \text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^(1/2)) * b^2 + 2*C*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^(1/2) * (1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2) * \text{cos}(d*x+c)*\text{EllipticPi}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), -1, ((a-b)/(a+b))^(1/2)) * \text{sin}(d*x+c) * a^2 + C*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(\text{cos}(d*x+c)/(\text{cos}(d*x+c)+1))^(1/2) * (1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2) * \text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), ((a-b)/(a+b))^(1/2)) * a*b + C*\text{EllipticE}$

```
((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*cos(d*x+c)*b^2*(cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(
d*x+c)+B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d
*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a
*b*sin(d*x+c)-B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))
/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(
1/2))*b^2*sin(d*x+c)-2*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*co
s(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((
a-b)/(a+b))^(1/2))*a*b*sin(d*x+c)-C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a
+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*
x+c), ((a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)-C*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2
)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))
/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)+2*C*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+c
os(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)+C*EllipticE((-
1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b+C*(cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2
)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)-
C*cos(d*x+c)^2*a*b+C*cos(d*x+c)*a*b-C*cos(d*x+c)*b^2+b^2*C)/sin(d*x+c)^5/(b
+a*cos(d*x+c))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Cb^2 \sec(dx+c)^2 + Bb^2 \sec(dx+c) - Ca^2 + Bab}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c)
)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)/sqrt(
b*sec(d*x + c) + a), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((Cb \sec(dx+c) - Ca + Bb)\sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c) - C*a + B*b)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int -Bb\sqrt{a + b \sec(c + dx)} dx - \int Ca\sqrt{a + b \sec(c + dx)} dx - \int -Cb\sqrt{a + b \sec(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] -Integral(-B*b*sqrt(a + b*sec(c + d*x)), x) - Integral(C*a*sqrt(a + b*sec(c + d*x)), x) - Integral(-C*b*sqrt(a + b*sec(c + d*x))*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Cb^2 \sec(dx + c)^2 + Bb^2 \sec(dx + c) - Ca^2 + Bab}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)/sqrt(b*sec(d*x + c) + a), x)

$$3.978 \quad \int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=212

$$\frac{2C\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - 2\sqrt{a+b}(bB - aC) \cot(c+dx)}{d}$$

[Out] (2*Sqrt[a + b]*C*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (2*Sqrt[a + b]*(b*B - a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d)

Rubi [A] time = 0.164173, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 50, $\frac{\text{number of rules}}{\text{integrand size}} = 0.08$, Rules used = {24, 3921, 3784, 3832}

$$\frac{2C\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - 2\sqrt{a+b}(bB - aC) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*Sqrt[a + b]*C*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (2*Sqrt[a + b]*(b*B - a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d)

Rule 24

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((A_.) + (B_.)*(v_.) + (C_.)*(v_.)^2), x_Symbol] :> Dist[1/b^2, Int[u*(a + b*v)^(m + 1)*Simp[b*B - a*C + b*C*v, x], x], x] /; FreeQ[{a, b, A, B, C}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0] && LeQ[m, -1]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx = \frac{\int \frac{b^2(bB - aC) + b^3C \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{b^2}$$

$$= (bC) \int \frac{\sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx + (bB - aC) \int \frac{1}{\sqrt{a + b \sec(c + dx)}} dx$$

$$= \frac{2\sqrt{a + b}C \cot(c + dx)F\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\middle|\frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{d}$$

Mathematica [A] time = 2.85622, size = 160, normalized size = 0.75

$$\frac{4 \cos^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \sec(c + dx) \sqrt{\frac{a \cos(c + dx) + b}{(a + b)(\cos(c + dx) + 1)}} \left((aC + b(C - B)) \text{EllipticF}\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right), \frac{a - b}{a + b}\right)\right)}{d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(3/2),x]
```

```
[Out] (4*Cos[(c + d*x)/2]^2*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*((a*C + b*(-B + C))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*(-(b*B) + a*C)*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)])*Sec[c + d*x])/(d*Sqrt[a + b*Sec[c + d*x]])
```

Maple [A] time = 0.359, size = 289, normalized size = 1.4

$$-2 \frac{(\cos(dx+c)+1)^2(-1+\cos(dx+c))}{d(b+a\cos(dx+c))(\sin(dx+c))^2} \sqrt{\frac{b+a\cos(dx+c)}{\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{\cos(dx+c)+1}} \sqrt{\frac{b+a\cos(dx+c)}{(a+b)(\cos(dx+c)+1)}} \left(B\text{EllipticF} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x)
```

```
[Out] -2/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))*(B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b-2*B*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*b-C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a-C*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b+2*C*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a)/(b+a*cos(d*x+c))/sin(d*x+c)^2
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3/2,x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int -\frac{Bb}{\sqrt{a+b\sec(c+dx)}} dx - \int \frac{Ca}{\sqrt{a+b\sec(c+dx)}} dx - \int -\frac{Cb\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3/2,x)

[Out] -Integral(-B*b/sqrt(a + b*sec(c + d*x)), x) - Integral(C*a/sqrt(a + b*sec(c + d*x)), x) - Integral(-C*b*sec(c + d*x)/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Cb^2 \sec(dx+c)^2 + Bb^2 \sec(dx+c) - Ca^2 + Bab}{(b \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3/2,x, algorithm="giac")

[Out] integrate((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)/(b*sec(d*x + c) + a)^3/2, x)

$$3.979 \quad \int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=379

$$\frac{2(bB - 2aC) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{ad\sqrt{a+b}} + \frac{2b^2(bB - 2aC) \tan(c + dx)}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(b*B - 2*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*Sqrt[a + b]*d) - (2*(b*B - 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*Sqrt[a + b]*d) - (2*Sqrt[a + b]*(b*B - a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*b^2*(b*B - 2*a*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.537011, antiderivative size = 379, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 50, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {24, 3923, 4058, 3921, 3784, 3832, 4004}

$$\frac{2b^2(bB - 2aC) \tan(c + dx)}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} - \frac{2\sqrt{a+b}(bB - aC) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (2*(b*B - 2*a*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*Sqrt[a + b]*d) - (2*(b*B - 2*a*C)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*Sqrt[a + b]*d) - (2*Sqrt[a + b]*(b*B - a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*b^2*(b*B - 2*a*C)*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

b*Sec[c + d*x]])

Rule 24

Int[(u_.)*((a_) + (b_.)*(v_))^(m_)*((A_.) + (B_.)*(v_) + (C_.)*(v_)^2), x_Symbol] := Dist[1/b^2, Int[u*(a + b*v)^(m + 1)*Simp[b*B - a*C + b*C*v, x], x], x] /; FreeQ[{a, b, A, B, C}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0] && LeQ[m, -1]

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol] := Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx &= \frac{\int \frac{b^2(bB - aC) + b^3C \sec(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{b^2} \\ &= \frac{2b^2(bB - 2aC) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}b^2(a^2 - b^2)(bB - aC) + \frac{1}{2}ab^3(bB - aC)}{\sqrt{a + b \sec(c + dx)}} dx}{ab^2} \\ &= \frac{2b^2(bB - 2aC) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}b^2(a^2 - b^2)(bB - aC) + \left(\frac{1}{2}ab^3(bB - aC)\right)}{\sqrt{a + b \sec(c + dx)}} dx}{ab^2(a^2 - b^2)} \\ &= \frac{2(bB - 2aC) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{a \sqrt{a + b} d} \\ &= \frac{2(bB - 2aC) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{a \sqrt{a + b} d} \end{aligned}$$

Mathematica [C] time = 15.2224, size = 2090, normalized size = 5.51

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] ((b + a*cos[c + d*x])^2*sec[c + d*x]*(b*B - a*C + b*C*sec[c + d*x])*((2*b*(
b*B - 2*a*C)*sin[c + d*x])/(a*(-a^2 + b^2)) - (2*(-(b^3*B*sin[c + d*x]) + 2
*a*b^2*C*sin[c + d*x]))/(a*(a^2 - b^2)*(b + a*cos[c + d*x])))/(d*(b*C + b*
B*cos[c + d*x] - a*C*cos[c + d*x])*(a + b*sec[c + d*x])^(3/2)) - (2*(b + a*
cos[c + d*x])^(3/2)*sqrt[sec[c + d*x]]*(b*B - a*C + b*C*sec[c + d*x])*sqrt[
(a + b - a*tan[(c + d*x)/2]^2 + b*tan[(c + d*x)/2]^2)/(1 + tan[(c + d*x)/2]
^2)]*(-(a*b^2*sqrt[(-a + b)/(a + b)]*b*tan[(c + d*x)/2]) - b^3*sqrt[(-a + b
)/(a + b)]*b*tan[(c + d*x)/2] + 2*a^2*b*sqrt[(-a + b)/(a + b)]*c*tan[(c + d
*x)/2] + 2*a*b^2*sqrt[(-a + b)/(a + b)]*c*tan[(c + d*x)/2] + 2*a*b^2*sqrt[(-
a + b)/(a + b)]*b*tan[(c + d*x)/2]^3 - 4*a^2*b*sqrt[(-a + b)/(a + b)]*c*tan
[(c + d*x)/2]^3 - a*b^2*sqrt[(-a + b)/(a + b)]*b*tan[(c + d*x)/2]^5 + b^3*
sqrt[(-a + b)/(a + b)]*b*tan[(c + d*x)/2]^5 + 2*a^2*b*sqrt[(-a + b)/(a + b)
]*c*tan[(c + d*x)/2]^5 - 2*a*b^2*sqrt[(-a + b)/(a + b)]*c*tan[(c + d*x)/2]^
5 + (2*I)*a^2*b*B*ellipticpi[-((a + b)/(a - b)), I*arcsinh[sqrt[(-a + b)/(a
+ b)]*tan[(c + d*x)/2]], (a + b)/(a - b)]*sqrt[1 - tan[(c + d*x)/2]^2]*sqrt
[(a + b - a*tan[(c + d*x)/2]^2 + b*tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*b^
3*B*ellipticpi[-((a + b)/(a - b)), I*arcsinh[sqrt[(-a + b)/(a + b)]*tan[(c
+ d*x)/2]], (a + b)/(a - b)]*sqrt[1 - tan[(c + d*x)/2]^2]*sqrt[(a + b - a*t
an[(c + d*x)/2]^2 + b*tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*a^3*C*ellipticpi
[-((a + b)/(a - b)), I*arcsinh[sqrt[(-a + b)/(a + b)]*tan[(c + d*x)/2]], (a
+ b)/(a - b)]*sqrt[1 - tan[(c + d*x)/2]^2]*sqrt[(a + b - a*tan[(c + d*x)/2]
^2 + b*tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*a*b^2*C*ellipticpi[-((a + b)/(
a - b)), I*arcsinh[sqrt[(-a + b)/(a + b)]*tan[(c + d*x)/2]], (a + b)/(a - b
)]*sqrt[1 - tan[(c + d*x)/2]^2]*sqrt[(a + b - a*tan[(c + d*x)/2]^2 + b*tan[
(c + d*x)/2]^2)/(a + b)] + (2*I)*a^2*b*B*ellipticpi[-((a + b)/(a - b)), I*A
rcsinh[sqrt[(-a + b)/(a + b)]*tan[(c + d*x)/2]], (a + b)/(a - b)]*tan[(c +
d*x)/2]^2*sqrt[1 - tan[(c + d*x)/2]^2]*sqrt[(a + b - a*tan[(c + d*x)/2]^2 +
b*tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*b^3*B*ellipticpi[-((a + b)/(a - b))
, I*arcsinh[sqrt[(-a + b)/(a + b)]*tan[(c + d*x)/2]], (a + b)/(a - b)]*tan[
(c + d*x)/2]^2*sqrt[1 - tan[(c + d*x)/2]^2]*sqrt[(a + b - a*tan[(c + d*x)/2]
^2 + b*tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*a^3*C*ellipticpi[-((a + b)/(a
- b)), I*arcsinh[sqrt[(-a + b)/(a + b)]*tan[(c + d*x)/2]], (a + b)/(a - b)]
*tan[(c + d*x)/2]^2*sqrt[1 - tan[(c + d*x)/2]^2]*sqrt[(a + b - a*tan[(c + d
*x)/2]^2 + b*tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*a*b^2*C*ellipticpi[-((a +
b)/(a - b)), I*arcsinh[sqrt[(-a + b)/(a + b)]*tan[(c + d*x)/2]], (a + b)/(
a - b)]*tan[(c + d*x)/2]^2*sqrt[1 - tan[(c + d*x)/2]^2]*sqrt[(a + b - a*tan
[(c + d*x)/2]^2 + b*tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*b*(-(b*B) + 2*
a*C)*ellipticE[I*arcsinh[sqrt[(-a + b)/(a + b)]*tan[(c + d*x)/2]], (a + b)/
(a - b)]*sqrt[1 - tan[(c + d*x)/2]^2]*(1 + tan[(c + d*x)/2]^2)*sqrt[(a + b
- a*tan[(c + d*x)/2]^2 + b*tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*(-2*b^2
*B - a*b*(B - 3*C) + a^2*C)*ellipticF[I*arcsinh[sqrt[(-a + b)/(a + b)]*tan[
(c + d*x)/2]], (a + b)/(a - b)]*sqrt[1 - tan[(c + d*x)/2]^2]*(1 + tan[(c +
d*x)/2]^2)*sqrt[(a + b - a*tan[(c + d*x)/2]^2 + b*tan[(c + d*x)/2]^2)/(a +
b)))/(a*sqrt[(-a + b)/(a + b)]*(a^2 - b^2)*d*(b*C + b*B*cos[c + d*x] - a*C
*cos[c + d*x])*(a + b*sec[c + d*x])^(3/2)*(-1 + tan[(c + d*x)/2]^2)*sqrt[(1
```

$$+ \operatorname{Tan}[(c + d*x)/2]^2 / (1 - \operatorname{Tan}[(c + d*x)/2]^2) * (a * (-1 + \operatorname{Tan}[(c + d*x)/2]^2) - b * (1 + \operatorname{Tan}[(c + d*x)/2]^2))$$

Maple [B] time = 0.413, size = 2613, normalized size = 6.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((B*a*b-a^2*C+b^2*B*\sec(d*x+c)+b^2*C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{5/2}, x)$

[Out] $\frac{1}{d} \frac{a}{(a+b)} \frac{1}{(a-b)^4} \sqrt{\frac{(b+a*\cos(d*x+c))}{\cos(d*x+c)}} \sqrt{\frac{(-C*\sin(d*x+c)) * \operatorname{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * a^{3+2*C} * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticPi}(-1+\cos(d*x+c)/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^{3-B} * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^{3+2*B} * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticPi}(-1+\cos(d*x+c)/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^{3-2*C} * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * \operatorname{EllipticPi}(-1+\cos(d*x+c)/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * a * b^{2-2*B} * \cos(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticPi}(-1+\cos(d*x+c)/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^{2*b+B} * \cos(d*x+c) * a^{2*} * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * \operatorname{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b + B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^{2-B} * \cos(d*x+c)^2 * b^{3-B} * \cos(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * b^{3-C} * \cos(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^{3+2*C} * \cos(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticPi}(-1+\cos(d*x+c)/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * \sin(d*x+c) * a^{3+2*C} * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b^{2+2*C} * a^{2*} * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * \operatorname{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), ((a-$

$$\begin{aligned}
& b)/(a+b))^{(1/2)} * b - 2 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(\\
& d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (\\
& a+b))^{(1/2)}) * \sin(d*x+c) * \cos(d*x+c) * a^2 * b - B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) \\
&) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{Ellip \\
& ticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a * b^2 - C * (\cos(d*x+c) / \\
& (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{Ellip \\
& ticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * \cos(d*x+c) * \sin(d*x+c) * \\
& a * b^2 - 2 * C * \cos(d*x+c) * a * b^2 + B * \cos(d*x+c)^2 * a * b^2 - 2 * C * \cos(d*x+c)^2 * a^2 * b + B * \cos \\
& s(d*x+c) * b^3 - 2 * B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c) \\
&) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b) / (a+ \\
& b))^{(1/2)}) * \sin(d*x+c) * a^2 * b - 2 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * \\
& (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c) \\
&), -1, ((a-b) / (a+b))^{(1/2)}) * \sin(d*x+c) * a * b^2 + 2 * B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * \\
& (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) \\
& * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b) / (a+b))^{(1/2)}) * b^3 - B * \cos(d* \\
& x+c) * a * b^2 + 2 * C * \cos(d*x+c) * a^2 * b + 2 * C * \cos(d*x+c)^2 * a * b^2 - C * (\cos(d*x+c) / (\cos(d \\
& *x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((\\
& -1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a * b^2 * \sin(d*x+c) + 2 * C * \sin(d*x \\
& +c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c) \\
& +1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a * b^2 + \\
& 2 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c) \\
& +1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^2 * b * \\
& \sin(d*x+c) - 2 * C * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / \\
& (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * \\
& a^2 * b * \sin(d*x+c) + B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos \\
& (d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / \\
& (a+b))^{(1/2)}) * a^2 * b * \sin(d*x+c) + B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) \\
& * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c) \\
&), ((a-b) / (a+b))^{(1/2)}) * a * b^2 * \sin(d*x+c) - B * (\cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} \\
& * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \\
& \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a * b^2 * \sin(d*x+c) / (b+a*\cos(d*x+c)) / \sin(d*x+ \\
& c)
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^5/2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Cb \sec(dx + c) - Ca + Bb)\sqrt{b \sec(dx + c) + a}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c) - C*a + B*b)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int -\frac{Bb}{a\sqrt{a + b \sec(c + dx)} + b\sqrt{a + b \sec(c + dx)} \sec(c + dx)} dx - \int \frac{Ca}{a\sqrt{a + b \sec(c + dx)} + b\sqrt{a + b \sec(c + dx)} \sec(c + dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] -Integral(-B*b/(a*sqrt(a + b*sec(c + d*x)) + b*sqrt(a + b*sec(c + d*x))*sec(c + d*x)), x) - Integral(C*a/(a*sqrt(a + b*sec(c + d*x)) + b*sqrt(a + b*sec(c + d*x))*sec(c + d*x)), x) - Integral(-C*b*sec(c + d*x)/(a*sqrt(a + b*sec(c + d*x)) + b*sqrt(a + b*sec(c + d*x))*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Cb^2 \sec(dx + c)^2 + Bb^2 \sec(dx + c) - Ca^2 + Bab}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.980 \quad \int \frac{abB - a^2C + b^2B \sec(c+dx) + b^2C \sec^2(c+dx)}{(a+b \sec(c+dx))^{7/2}} dx$$

Optimal. Leaf size=519

$$\frac{2(-2a^2b(3B+C) + 9a^3C + ab^2(B-3C) + 3b^3B) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3a^2d\sqrt{a+b}(a^2-b^2)}$$

[Out] (2*(7*a^2*b*B - 3*b^3*B - 11*a^3*C + 3*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*(a + b)^(3/2)*d) + (2*(3*b^3*B + a*b^2*(B - 3*C) + 9*a^3*C - 2*a^2*b*(3*B + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*Sqrt[a + b]*(a^2 - b^2)*d) - (2*Sqrt[a + b]*(b*B - a^2*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (2*b^2*(b*B - 2*a^2*C)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b^2*(7*a^2*b*B - 3*b^3*B - 11*a^3*C + 3*a*b^2*C)*Tan[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.999887, antiderivative size = 519, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 50, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {24, 3923, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{2b^2(7a^2bB - 11a^3C + 3ab^2C - 3b^3B) \tan(c+dx)}{3a^2d(a^2-b^2)^2 \sqrt{a+b \sec(c+dx)}} + \frac{2b^2(bB - 2aC) \tan(c+dx)}{3ad(a^2-b^2)(a+b \sec(c+dx))^{3/2}} + \frac{2(-2a^2b(3B+C) + 9a^3C + ab^2(B-3C) + 3b^3B) \cot(c+dx)}{3a^2d\sqrt{a+b}(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(7/2), x]

[Out] (2*(7*a^2*b*B - 3*b^3*B - 11*a^3*C + 3*a*b^2*C)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*(a + b)^(3/2)*d) + (2*(3*b^3*B + a*b^2*(B - 3*C) + 9*a^3*C - 2*a^2*b*(3*B + C))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*Sqrt[a + b]*(a^2 - b^2)*d) - (2*Sqrt[a + b]*(b*B - a^2*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (2*b^2*(b*B - 2*a^2*C)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b^2*(7*a^2*b*B - 3*b^3*B - 11*a^3*C + 3*a*b^2*C)*Tan[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

```

+ d*x]))/(a - b))]/(3*a^2*Sqrt[a + b]*(a^2 - b^2)*d) - (2*Sqrt[a + b]*(b*
B - a*C)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]
/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-
((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (2*b^2*(b*B - 2*a*C)*Tan[c + d
*x]]/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b^2*(7*a^2*b*B - 3
*b^3*B - 11*a^3*C + 3*a*b^2*C)*Tan[c + d*x]]/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a
+ b*Sec[c + d*x]])

```

Rule 24

```

Int[(u_.)*((a_) + (b_.)*(v_))^(m_)*((A_.) + (B_.)*(v_) + (C_.)*(v_)^2), x_S
ymbol] := Dist[1/b^2, Int[u*(a + b*v)^(m + 1)*Simp[b*B - a*C + b*C*v, x], x
], x] /; FreeQ[{a, b, A, B, C}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0] && LeQ[
m, -1]

```

Rule 3923

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d
_.) + (c_)), x_Symbol] := Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f
*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)
), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c -
a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && Ne
Q[a^2 - b^2, 0] && IntegerQ[2*m]

```

Rule 4060

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] := Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C)
)*Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)}{(a + b \sec(c + dx))^{7/2}} dx &= \frac{\int \frac{b^2(bB - aC) + b^3C \sec(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx}{b^2} \\
&= \frac{2b^2(bB - 2aC) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}b^2(a^2 - b^2)(bB - aC) + \frac{3}{2}ab^3C \sec(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx}{3a^2(a^2 - b^2)^2 d} \\
&= \frac{2b^2(bB - 2aC) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} + \frac{2b^2(7a^2bB - 3b^3B - 11a^3C + 3ab^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c + dx)}{\sqrt{a^2 - b^2}}\right)\right)}{3a^2(a - b)(a + b)^{3/2}} \\
&= \frac{2b^2(bB - 2aC) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} + \frac{2b^2(7a^2bB - 3b^3B - 11a^3C + 3ab^2C) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c + dx)}{\sqrt{a^2 - b^2}}\right)\right)}{3a^2(a - b)(a + b)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 14.9712, size = 814, normalized size = 1.57

$$\frac{\sec^2(c + dx)(bB - aC + bC \sec(c + dx)) \left(\frac{2b(11Ca^3 - 7bBa^2 - 3b^2Ca + 3b^3B) \sin(c + dx)}{3a^2(b^2 - a^2)^2} - \frac{2(b^4B \sin(c + dx) - 2ab^3C \sin(c + dx))}{3a^2(a^2 - b^2)(b + a \cos(c + dx))^2} - \frac{2(4B \sin(c + dx)b^5 - 2ab^4C \sin(c + dx))}{3a^2(a^2 - b^2)(b + a \cos(c + dx))^2} \right)}{d(bC - a \cos(c + dx)C + bB \cos(c + dx))(a + b \sec(c + dx))^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(7/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^2*(b*B - a*C + b*C*Sec[c + d*x]))*((2*b*(-7*a^2*b*B + 3*b^3*B + 11*a^3*C - 3*a*b^2*C)*Sin[c + d*x])/(3*a^2*(-a^2 + b^2)^2) - (2*(b^4*B*Sin[c + d*x] - 2*a*b^3*C*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) - (2*(-8*a^2*b^3*B*Sin[c + d*x] + 4*b^5*B*Sin[c + d*x] + 13*a^3*b^2*C*Sin[c + d*x] - 5*a*b^4*C*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)^2*(b + a*Cos[c + d*x]))) / (d*(b*C + b*B*Cos[c + d*x] - a*C*Cos[c + d*x]))

$$d*x])*(a + b*\text{Sec}[c + d*x])^{(5/2)} + (2*(b + a*\text{Cos}[c + d*x])^2*(b*B - a*C + b*C*\text{Sec}[c + d*x])*(-(a*b*(a + b)*(-7*a^2*b*B + 3*b^3*B + 11*a^3*C - 3*a*b^2*C)*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[\frac{(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2}{(a + b)}] - b*(a + b)*(3*b^4*B - 2*a^2*b^2*(B - 3*C) - 12*a^4*C - 3*a*b^3*(2*B + C) + a^3*b*(9*B + C))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[\frac{(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2}{(a + b)}] - 3*(a - b)^2*(a + b)^2*(b*B - a*C)*((a - b)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)])*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[\frac{(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2}{(a + b)}] - a*b*(-7*a^2*b*B + 3*b^3*B + 11*a^3*C - 3*a*b^2*C)*(b + a*\text{Cos}[c + d*x])*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sec}[c + d*x]*\text{Tan}[(c + d*x)/2]))/(3*a^3*(a^2 - b^2)^2*d*(b*C + b*B*\text{Cos}[c + d*x] - a*C*\text{Cos}[c + d*x])*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*(a + b*\text{Sec}[c + d*x])^{(5/2)})$$

Maple [B] time = 0.466, size = 7862, normalized size = 15.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Cb \sec(dx+c) - Ca + Bb)\sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c) - C*a + B*b)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Cb^2 \sec(dx+c)^2 + Bb^2 \sec(dx+c) - Ca^2 + Bab}{(b \sec(dx+c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)/(b*sec(d*x + c) + a)^(7/2), x)

3.981 $\int \sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx)) \left(A + B \sec(c + dx) + C \sec^2(c + dx) \right) dx$

Optimal. Leaf size=266

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(7aA+5aC+5bB)}{21d} + \frac{2\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)(9aB+9Ab+7bC)}{45d}$$

[Out] $(-2*(9*A*b + 9*a*B + 7*b*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*d) + (2*(7*a*A + 5*b*B + 5*a*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*(9*A*b + 9*a*B + 7*b*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*(7*a*A + 5*b*B + 5*a*C)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (2*(9*A*b + 9*a*B + 7*b*C)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(45*d) + (2*(b*B + a*C)*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(7*d) + (2*b*C*\text{Sec}[c + d*x]^{(9/2)}*\text{Sin}[c + d*x])/(9*d)$

Rubi [A] time = 0.300583, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4076, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)(9aB+9Ab+7bC)}{45d} + \frac{2\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)(7aA+5aC+5bB)}{21d} + \frac{2\sin(c+dx)\sqrt{\sec(c+dx)}}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]^{(5/2)}*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*(9*A*b + 9*a*B + 7*b*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*d) + (2*(7*a*A + 5*b*B + 5*a*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*(9*A*b + 9*a*B + 7*b*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*(7*a*A + 5*b*B + 5*a*C)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (2*(9*A*b + 9*a*B + 7*b*C)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(45*d) + (2*(b*B + a*C)*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(7*d) + (2*b*C*\text{Sec}[c + d*x]^{(9/2)}*\text{Sin}[c + d*x])/(9*d)$

Rule 4076

$\text{Int}[(A + \text{csc}[e + f*x] + (f*x)^n)*(B + \text{csc}[e + f*x] + (f*x)^n)^2*(C + \text{csc}[e + f*x] + (f*x)^n), x_Symbol] \rightarrow -\text{Simp}[(b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)$


```
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :=> Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] :=> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= \frac{2bC \sec^{\frac{9}{2}}(c+dx) \sin(c+dx)}{9d} + \frac{2}{9} \int \sec^{\frac{5}{2}}(c+dx) dx \\
&= \frac{2bC \sec^{\frac{9}{2}}(c+dx) \sin(c+dx)}{9d} + \frac{2}{9} \int \sec^{\frac{5}{2}}(c+dx) dx \\
&= \frac{2(9Ab+9aB+7bC) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{45d} \\
&= \frac{2(9Ab+9aB+7bC) \sqrt{\sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2(9Ab+9aB+7bC) \sqrt{\sec(c+dx)} \sin(c+dx)}{15d} \\
&= -\frac{2(9Ab+9aB+7bC) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{15d}
\end{aligned}$$

Mathematica [C] time = 7.30943, size = 1262, normalized size = 4.74

$$\frac{4aA \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \sqrt{\sec(c+dx)}(a+b \sec(c+dx))(C \sec^2(c+dx)+B \sec(c+dx)+A) \cos^{\frac{7}{2}}(c+dx) + 20bB \operatorname{EllipticE}\left(\frac{1}{2}(c+dx)\right)}{3d(b+a \cos(c+dx))(\cos(2c+2dx)A+A+2C+2B \cos(c+dx))} + \frac{20bB \operatorname{EllipticE}\left(\frac{1}{2}(c+dx)\right)}{3d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*Sqrt[2]*A*b*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(5*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (2*Sqrt[2]*a*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(5*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (14*Sqrt[2]*b*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(5*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

```
metric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*(a + b*Sec[c + d*x])*(A + B
*Sec[c + d*x] + C*Sec[c + d*x]^2))/(45*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A
+ 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*a*A*Cos[c + d*x]^(7/2)
*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*S
ec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*C
os[c + d*x] + A*Cos[2*c + 2*d*x])) + (20*b*B*Cos[c + d*x]^(7/2)*EllipticF[(
c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2))/(21*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x]
+ A*Cos[2*c + 2*d*x])) + (20*a*C*Cos[c + d*x]^(7/2)*EllipticF[(c + d*x)/2,
2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2))/(21*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*
c + 2*d*x])) + ((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2
))*((4*(9*A*b + 9*a*B + 7*b*C)*Cos[d*x]*Csc[c])/(15*d) + (4*b*C*Sec[c]*Sec[c
+ d*x]^4*Sin[d*x])/(9*d) + (4*Sec[c]*Sec[c + d*x]^3*(7*b*C*Sin[c] + 9*b*B*
Sin[d*x] + 9*a*C*Sin[d*x]))/(63*d) + (4*Sec[c]*Sec[c + d*x]*(63*A*b*Sin[c]
+ 63*a*B*Sin[c] + 49*b*C*Sin[c] + 105*a*A*Sin[d*x] + 75*b*B*Sin[d*x] + 75*a
*C*Sin[d*x]))/(315*d) + (4*Sec[c]*Sec[c + d*x]^2*(45*b*B*Sin[c] + 45*a*C*Si
n[c] + 63*A*b*Sin[d*x] + 63*a*B*Sin[d*x] + 49*b*C*Sin[d*x]))/(315*d) + (4*(
7*a*A + 5*b*B + 5*a*C)*Tan[c])/(21*d)))/((b + a*Cos[c + d*x])*(A + 2*C + 2*
B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(5/2))
```

Maple [B] time = 8.952, size = 1020, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{5/2} * (a+b*\sec(dx+c)) * (A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*A*a*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2}))-2/5*(A*b+B*a)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}+2$$

```

*(B*b+C*a)*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*C*b*(-1/144*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^5-7/180*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)/(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)+7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx+c)^5 + (Ca + Bb) \sec(dx+c)^4 + Aa \sec(dx+c)^2 + (Ba + Ab) \sec(dx+c)^3\right) \sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

```

```

[Out] integral((C*b*sec(d*x + c)^5 + (C*a + B*b)*sec(d*x + c)^4 + A*a*sec(d*x + c)^2 + (B*a + A*b)*sec(d*x + c)^3)*sqrt(sec(d*x + c)), x)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sec(d*x + c)^(5/2), x)

3.982 $\int \sec^3(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=230

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(7aB+7Ab+5bC)}{21d} + \frac{2\sin(c+dx)\sec^3(c+dx)(7aB+7Ab+5bC)}{21d}$$

[Out] $(-2*(5*a*A + 3*b*B + 3*a*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(7*A*b + 7*a*B + 5*b*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*(5*a*A + 3*b*B + 3*a*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*(7*A*b + 7*a*B + 5*b*C)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (2*(b*B + a*C)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d) + (2*b*C*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(7*d)$

Rubi [A] time = 0.276081, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4076, 4047, 3768, 3771, 2641, 4046, 2639}

$$\frac{2\sin(c+dx)\sec^3(c+dx)(7aB+7Ab+5bC)}{21d} + \frac{2\sin(c+dx)\sqrt{\sec(c+dx)}(5aA+3aC+3bB)}{5d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]^{(3/2)}*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*(5*a*A + 3*b*B + 3*a*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(7*A*b + 7*a*B + 5*b*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*(5*a*A + 3*b*B + 3*a*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*(7*A*b + 7*a*B + 5*b*C)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (2*(b*B + a*C)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d) + (2*b*C*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(7*d)$

Rule 4076

$\text{Int}[(A + \csc(e + f*x) + (f*x))*(B + \csc(e + f*x) + (f*x))^2*(C + \csc(e + f*x) + (f*x)*(d*x))^{(n)}*(\csc(e + f*x) + (f*x)*(d*x))^{(n)}*(\csc(e + f*x) + (f*x)*(d*x))^{(n)} + (a + \csc(e + f*x) + (f*x)*(d*x))^{(n)}*(\csc(e + f*x) + (f*x)*(d*x))^{(n)}*(\csc(e + f*x) + (f*x)*(d*x))^{(n)} + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*\csc[e + f*x] + (a*C + B*b)*(n + 2)]$

2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{2bC\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{3}{2}}(c+dx)dx \\
&= \frac{2bC\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{3}{2}}(c+dx)dx \\
&= \frac{2(7Ab+7aB+5bC)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{21d} \\
&= \frac{2(5aA+3bB+3aC)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} \\
&= \frac{2(7Ab+7aB+5bC)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\right)}{21d} \\
&= -\frac{2(5aA+3bB+3aC)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{5d}
\end{aligned}$$

Mathematica [C] time = 7.12165, size = 1202, normalized size = 5.23

$$\frac{4Ab\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\sqrt{\sec(c+dx)}(a+b\sec(c+dx))(C\sec^2(c+dx)+B\sec(c+dx)+A)\cos^{\frac{7}{2}}(c+dx)}{3d(b+a\cos(c+dx))(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))} + \frac{4aBE\left(\frac{1}{2}(c+dx)\right)}{5d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*Sqrt[2]*a*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (2*Sqrt[2]*b*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (2*Sqrt[2]*a*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeom


```

etric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x)))]*(a + b*Sec[c + d*x])*(A + B*
Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A +
2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*A*b*Cos[c + d*x]^(7/2)*E
llipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec
[c + d*x] + C*Sec[c + d*x]^2))/(3*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos
[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*a*B*Cos[c + d*x]^(7/2)*EllipticF[(c +
d*x)/2, 2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2))/(3*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A
*Cos[2*c + 2*d*x])) + (20*b*C*Cos[c + d*x]^(7/2)*EllipticF[(c + d*x)/2, 2]*
Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x
]^2))/(21*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c +
2*d*x])) + ((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((
4*(5*a*A + 3*b*B + 3*a*C)*Cos[d*x]*Csc[c]))/(5*d) + (4*b*C*Sec[c]*Sec[c + d*
x]^3*Sin[d*x]))/(7*d) + (4*Sec[c]*Sec[c + d*x]^2*(5*b*C*Sin[c] + 7*b*B*Sin[d
*x] + 7*a*C*Sin[d*x]))/(35*d) + (4*Sec[c]*Sec[c + d*x]*(21*b*B*Sin[c] + 21*
a*C*Sin[c] + 35*A*b*Sin[d*x] + 35*a*B*Sin[d*x] + 25*b*C*Sin[d*x]))/(105*d)
+ (4*(7*A*b + 7*a*B + 5*b*C)*Tan[c])/(21*d)))/((b + a*Cos[c + d*x])*(A + 2*
C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(5/2))

```

Maple [B] time = 8.213, size = 851, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(a+b*\sec(dx+c))*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned}
& -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(A*b+B*a))*(-1 \\
& /6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \\
& (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\
& *x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E \\
& llipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 2/5*(B*b+C*a)/(8*\sin(1/2*d*x+1/2*c)^6 \\
& -12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12 \\
& *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(\\
& 1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/ \\
& 2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2* \\
& d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Elliptic \\
& E(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/ \\
& 2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(\\
& 1/2)}+2*C*b*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1 \\
& /2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin
\end{aligned}$$

$$\begin{aligned} & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+ \\ & 5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin \\ & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), \\ & 2^{(1/2)}))+2*A*a*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2 \\ & *d*x+1/2*c),2^{(1/2)}))+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d \\ & *x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx+c)^4 + (Ca + Bb) \sec(dx+c)^3 + Aa \sec(dx+c) + (Ba + Ab) \sec(dx+c)^2\right) \sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^4 + (C*a + B*b)*sec(d*x + c)^3 + A*a*sec(d*x + c)
) + (B*a + A*b)*sec(d*x + c)^2)*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**
2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sec(
d*x + c)^(3/2), x)
```

3.983 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx)) (A+B \sec(c+dx)+C \sec(c+dx)) dx$

Optimal. Leaf size=192

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a(3A+C)+bB)}{3d} + \frac{2\sin(c+dx)\sqrt{\sec(c+dx)}(5aB+5Ab+3bC)}{5d}$$

[Out] $(-2*(5*A*b + 5*a*B + 3*b*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(b*B + a*(3*A + C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*(5*A*b + 5*a*B + 3*b*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*(b*B + a*C)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*b*C*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

Rubi [A] time = 0.234659, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4076, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2\sin(c+dx)\sqrt{\sec(c+dx)}(5aB+5Ab+3bC)}{5d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(a(3A+C)+bB)}{3d} - \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*(5*A*b + 5*a*B + 3*b*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(b*B + a*(3*A + C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*(5*A*b + 5*a*B + 3*b*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*(b*B + a*C)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*b*C*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

Rule 4076

$\text{Int}[(A + \csc[e + f*x] + (f*x))*(B + \csc[e + f*x] + (f*x))^2*(C + \csc[e + f*x] + (f*x))*(d + \csc[e + f*x] + (f*x))^n*(\csc[e + f*x] + (f*x)), x_Symbol] \rightarrow -\text{Simp}[(b*C*\csc[e + f*x]*\text{Cot}[e + f*x]*(d*\csc[e + f*x])^n)/(f*(n + 2)), x] + \text{Dist}[1/(n + 2), \text{Int}[(d*\csc[e + f*x])^n*\text{Simp}[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2))]*\csc[e + f*x] + (a*C + B*b)*(n + 2)*\csc[e + f*x]^2, x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x \&\& \text{!LtQ}[n, -1]$

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{2bC\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5}\int\sqrt{\sec(c+dx)}(a+b\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx \\
&= \frac{2bC\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5}\int\sqrt{\sec(c+dx)}(a+b\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx \\
&= \frac{2(5Ab+5aB+3bC)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} \\
&= \frac{2(5Ab+5aB+3bC)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} \\
&= -\frac{2(5Ab+5aB+3bC)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{5d}
\end{aligned}$$

Mathematica [C] time = 7.0227, size = 1140, normalized size = 5.94

$$\frac{4aAEllipticF\left(\frac{1}{2}(c+dx), 2\right)\sqrt{\sec(c+dx)}(a+b\sec(c+dx))(C\sec^2(c+dx)+B\sec(c+dx)+A)\cos^{\frac{7}{2}}(c+dx)}{d(b+a\cos(c+dx))(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))} + \frac{4bBEllipticF\left(\frac{1}{2}(c+dx), 2\right)\sqrt{\sec(c+dx)}(a+b\sec(c+dx))(C\sec^2(c+dx)+B\sec(c+dx)+A)\cos^{\frac{7}{2}}(c+dx)}{d(b+a\cos(c+dx))(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*Sqrt[2]*A*b*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (2*Sqrt[2]*a*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(3*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (2*Sqrt[2]*b*C*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*a*A*Cos[c + d*x]^(7/2)*E

$$\begin{aligned} & \text{EllipticF}\left[\frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]} (a + b \sec[c + dx]) (A + B \sec[c + dx] + C \sec[c + dx]^2) / (d(b + a \cos[c + dx]) (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx])) \\ & + (4bB \cos[c + dx]^{7/2} \text{EllipticF}\left[\frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]} (a + b \sec[c + dx]) (A + B \sec[c + dx] + C \sec[c + dx]^2) / (3d(b + a \cos[c + dx]) (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx])) \\ & + (4aC \cos[c + dx]^{7/2} \text{EllipticF}\left[\frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]} (a + b \sec[c + dx]) (A + B \sec[c + dx] + C \sec[c + dx]^2) / (3d(b + a \cos[c + dx]) (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx])) \\ & + ((a + b \sec[c + dx]) (A + B \sec[c + dx] + C \sec[c + dx]^2) * ((4(5A*b + 5a*B + 3b*C) \cos[dx] * \text{Csc}[c]) / (5*d) + (4b*C \sec[c] * \sec[c + dx]^2 * \sin[dx]) / (5*d) + (4 \sec[c] * \sec[c + dx] * (3b*C \sin[c] + 5b*B \sin[dx] + 5a*C \sin[dx])) / (15*d) + (4(b*B + a*C) \tan[c]) / (3*d))) / ((b + a \cos[c + dx]) (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) * \sec[c + dx]^{5/2}) \end{aligned}$$

Maple [B] time = 6.992, size = 742, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(1/2)}*(a+b*\sec(dx+c))*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -(-(-2\cos(1/2*dx+1/2*c)^2+1)*\sin(1/2*dx+1/2*c)^2)^{(1/2)}*(2A*a*(\sin(1/2* \\ & dx+1/2*c)^2)^{(1/2)}*(-2\cos(1/2*dx+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*dx+1/2*c) \\ &)^4+\sin(1/2*dx+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*dx+1/2*c), 2^{(1/2)})+2*(B \\ & b+C*a)*(-1/6*\cos(1/2*dx+1/2*c)*(-2*\sin(1/2*dx+1/2*c)^4+\sin(1/2*dx+1/2*c) \\ &)^2)^{(1/2)}/(\cos(1/2*dx+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*dx+1/2*c)^2)^{(1/2)}*(-2 \\ & *\cos(1/2*dx+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*dx+1/2*c)^4+\sin(1/2*dx+1/2*c) \\ &)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*dx+1/2*c), 2^{(1/2)})-2/5*C*b/(8*\sin(1/2*dx+1/2* \\ & c)^6-12*\sin(1/2*dx+1/2*c)^4+6*\sin(1/2*dx+1/2*c)^2-1)/\sin(1/2*dx+1/2*c)^2 \\ & *(12*(2*\sin(1/2*dx+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*dx+1/2*c), 2^{(1/2)}) \\ & *(\sin(1/2*dx+1/2*c)^2)^{(1/2)}*\sin(1/2*dx+1/2*c)^4-24*\sin(1/2*dx+1/2*c)^6* \\ & \cos(1/2*dx+1/2*c)-12*(2*\sin(1/2*dx+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d* \\ & x+1/2*c), 2^{(1/2)})*(\sin(1/2*dx+1/2*c)^2)^{(1/2)}*\sin(1/2*dx+1/2*c)^2+24*\sin(\\ & 1/2*dx+1/2*c)^4*\cos(1/2*dx+1/2*c)+3*(2*\sin(1/2*dx+1/2*c)^2-1)^{(1/2)}*\text{Elli \\ & pticE}(\cos(1/2*dx+1/2*c), 2^{(1/2)})*(\sin(1/2*dx+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d* \\ & x+1/2*c)^2*\cos(1/2*dx+1/2*c))*(-2*\sin(1/2*dx+1/2*c)^4+\sin(1/2*dx+1/2*c) \\ &)^2)^{(1/2)}+2*(A*b+B*a)*(-(\sin(1/2*dx+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*dx+1/2*c)^2 \\ & -1)^{(1/2)}*(-2*\sin(1/2*dx+1/2*c)^4+\sin(1/2*dx+1/2*c)^2)^{(1/2)}*\text{EllipticE}(co \\ & s(1/2*dx+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*dx+1/2*c)^4+\sin(1/2*dx+1/2*c)^2)^{(1/2)} \\ & *\cos(1/2*dx+1/2*c)*\sin(1/2*dx+1/2*c)^2)/\sin(1/2*dx+1/2*c)^2/(2*\sin(\\ & 1/2*dx+1/2*c)^2-1))/\sin(1/2*dx+1/2*c)/(2*\cos(1/2*dx+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb \sec(dx+c)^3 + (Ca + Bb) \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)\right) \sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*
b)*sec(d*x + c))*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**
2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sqrt
(sec(d*x + c)), x)
```

$$3.984 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=152

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(3aB+3Ab+bC)}{3d} - \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)(bB-a(A+C))}{d}$$

[Out] (-2*(b*B - a*(A - C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(3*A*b + 3*a*B + b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(b*B + a*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*b*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.223363, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(3aB+3Ab+bC)}{3d} - \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)(bB-a(A+C))}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

[Out] (-2*(b*B - a*(A - C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(3*A*b + 3*a*B + b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(b*B + a*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*b*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2bC \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \frac{1}{2}(3Ab + 3aC)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2bC \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3aA}{2} + \frac{3}{2}(bB + aC)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2(bB + aC) \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2bC \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
&= \frac{2(3Ab + 3aB + bC) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \\
&= -\frac{2(bB - a(A - C)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 2.51004, size = 223, normalized size = 1.47

$$\frac{e^{-idx} \sec^{\frac{3}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(i \left(1 + e^{2i(c+dx)} \right)^{3/2} \text{Hypergeometric2F1} \left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)} \right) (a(C - A) + bB) + 2c \right)}{\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] (Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*((3*I)*a*A - (3*I)*b*B - (3*I)*a*C + (3*I)*a*A*Cos[2*(c + d*x)] - (3*I)*b*B*Cos[2*(c + d*x)] - (3*I)*a*C*Cos[2*(c + d*x)] + 2*(3*A*b + 3*a*B + b*C)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + I*(b*B + a*(-A + C))*(1 + E^((2*I)*(c + d*x)))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*b*C*Sin[c + d*x] + 3*b*B*Sin[2*(c + d*x)] + 3*a*C*Sin[2*(c + d*x)]))/(3*d*E^(I*d*x))
```

Maple [B] time = 5.243, size = 666, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*A*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*A*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*C*b*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*(B*b+C*a)*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb \sec(dx + c)^3 + (Ca + Bb) \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)
,x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*
b)*sec(d*x + c))/sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/
2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sqrt
(sec(d*x + c)), x)
```

$$3.985 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=146

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a(A+3C)+3bB)}{3d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out] (2*(A*b + a*B - b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(3*b*B + a*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*b*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.226589, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4074, 4047, 3771, 2641, 4046, 2639}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(a(A+3C)+3bB)}{3d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)(aB+A^2)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (2*(A*b + a*B - b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(3*b*B + a*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*b*C*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}(Ab + aB) - \frac{1}{2}(3bB + a(A + 3C))\sqrt{\sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}(Ab + aB) - \frac{3}{2}bC \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2bC\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - \left(-\frac{2(3bB + a(A + 3C))\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \right) \\
&= \frac{2(Ab + aB - bC)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 2.76956, size = 197, normalized size = 1.35

$$\frac{e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-2ie^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1} \left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)} \right) (aB + Ab - bC) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2),x]

[Out] (Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((6*I)*A*b*Cos[c + d*x] + (6*I)*a*B*Cos[c + d*x] - (6*I)*b*C*Cos[c + d*x] + 2*(3*b*B + a*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (2*I)*(A*b + a*B - b*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 6*b*C*Sin[c + d*x] + a*A*Sin[2*(c + d*x)]))/(3*d*E^(I*d*x))

Maple [B] time = 2.235, size = 388, normalized size = 2.7

$$-\frac{2}{3d} \left(4Aa \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4 + Aa \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \operatorname{EllipticF} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \middle| \frac{2}{1 + \sqrt{2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)

[Out]
$$-2/3*(4*A*a*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+A*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b-2*A*a*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+3*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+3*a*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b-6*C*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb \sec(dx+c)^3 + (Ca + Bb) \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)}{\sec(dx+c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] `integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/sec(d*x + c)^(3/2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)`

[Out] `Integral((a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sec(c + d*x)**(3/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)`

$$3.986 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=156

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(aB+Ab+3bC)}{3d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)(3aC)}{5d}$$

[Out] (2*(3*a*A + 5*b*B + 5*a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(A*b + a*B + 3*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]))

Rubi [A] time = 0.226559, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4074, 4047, 3771, 2639, 4045, 2641}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(aB+Ab+3bC)}{3d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)(3aA+5aC)}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (2*(3*a*A + 5*b*B + 5*a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(A*b + a*B + 3*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]))

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}(Ab + aB) - \frac{1}{2}(3aA + 5bB + 5aC)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}(Ab + aB) - \frac{5}{2}bC \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{1}{3}(-Ab - aB - 5aC) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2(3aA + 5bB + 5aC) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{2(3aA + 5bB + 5aC) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 2.66076, size = 194, normalized size = 1.24

$$e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-4ie^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) (3aA + 5aC + 5bB) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(20*(A*b + a*B + 3*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (4*I)*(3*a*A + 5*b*B + 5*a*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*Cos[c + d*x]*((6*I)*(3*a*A + 5*b*B + 5*a*C) + 10*(A*b + a*B)*Sin[c + d*x] + 3*a*A*Sin[2*(c + d*x)])))/(30*d*E^(I*d*x))

Maple [B] time = 2.278, size = 465, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2), x)

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*A*a*cos(
1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(24*A*a+20*A*b+20*B*a)*sin(1/2*d*x+1/2*
c)^4*cos(1/2*d*x+1/2*c)+(-6*A*a-10*A*b-10*B*a)*sin(1/2*d*x+1/2*c)^2*cos(1/2
*d*x+1/2*c)+5*A*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)
*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a+5
*B*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Elliptic
F(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*
d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b+15*C*b*(sin(1
/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d
*x+1/2*c),2^(1/2))-15*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^
2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a)/(-2*sin(1/2*d*x+1/2*c)^
4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)
^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)
,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb \sec(dx + c)^3 + (Ca + Bb) \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)}{\sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)
,x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*
b)*sec(d*x + c))/sec(d*x + c)^(5/2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] Integral((a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sec(c + d*x)**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

$$3.987 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=194

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(5aA+7aC+7bB)}{21d} + \frac{2\sin(c+dx)(5aA+7aC+7bB)}{21d\sqrt{\sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)}}{21d}$$

[Out] (2*(3*A*b + 3*a*B + 5*b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(5*a*A + 7*b*B + 7*a*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(5*a*A + 7*b*B + 7*a*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]))

Rubi [A] time = 0.252596, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4074, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2\sin(c+dx)(5aA+7aC+7bB)}{21d\sqrt{\sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(5aA+7aC+7bB)}{21d} + \frac{2\sqrt{\cos(c+dx)}}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*(3*A*b + 3*a*B + 5*b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(5*a*A + 7*b*B + 7*a*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(5*a*A + 7*b*B + 7*a*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]))

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{

a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}(Ab + aB) - \frac{1}{2}(5aA + 7bB)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}(Ab + aB) - \frac{7}{2}bC \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(5aA + 7bB)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(5aA + 7bB)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(3Ab + 3aB + 5bC) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 3.50242, size = 219, normalized size = 1.13

$$e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-56ie^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) (3aB + 3Ab) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(40*(5*a*A + 7*b*B + 7*a*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (56*I)*(3*A*b + 3*a*B + 5*b*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*Cos[c + d*x]*((84*I)*(3*A*b + 3*a*B + 5*b*C) + 5*(23*a*A + 28*b*B + 28*a*C)*Sin[c + d*x] + 42*(A*b + a*B)*Sin[2*(c + d*x)]) + 15*a*A*Sin[3*(c + d*x)]))/(420*d*E^(I*d*x))

Maple [B] time = 2.316, size = 515, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x)`

[Out]
$$-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*A*a*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-360*A*a-168*A*b-168*B*a)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(280*A*a+168*A*b+168*B*a+140*B*b+140*C*a)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-80*A*a-42*A*b-42*B*a-70*B*b-70*C*a)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+25*A*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b+35*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+35*a*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-105*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb \sec(dx+c)^3 + (Ca + Bb) \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)}{\sec(dx+c)^{7/2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")`

[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/sec(d*x + c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)

$$3.988 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=230

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(5aB+5Ab+7bC)}{21d} + \frac{2\sin(c+dx)(7aA+9aC+9bB)}{45d \sec^3(c+dx)} + \frac{2\sin(c+dx)(7aA+9aC+9bB)}{45d \sec^3(c+dx)} + \frac{2\sin(c+dx)(7aA+9aC+9bB)}{45d \sec^3(c+dx)}$$

[Out] (2*(7*a*A + 9*b*B + 9*a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(5*A*b + 5*a*B + 7*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(7*a*A + 9*b*B + 9*a*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(5*A*b + 5*a*B + 7*b*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.280518, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4074, 4047, 3769, 3771, 2639, 4045, 2641}

$$\frac{2\sin(c+dx)(7aA+9aC+9bB)}{45d \sec^3(c+dx)} + \frac{2\sin(c+dx)(5aB+5Ab+7bC)}{21d\sqrt{\sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(5aB+5Ab+7bC)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (2*(7*a*A + 9*b*B + 9*a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(5*A*b + 5*a*B + 7*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*A*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(7*a*A + 9*b*B + 9*a*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(5*A*b + 5*a*B + 7*b*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di

```
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{-\frac{9}{2}(Ab + aB) - \frac{1}{2}(7aA + 9bB + 9aC)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{-\frac{9}{2}(Ab + aB) - \frac{9}{2}bC \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(7aA + 9bB + 9aC)}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2aA \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(7aA + 9bB + 9aC)}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(7aA + 9bB + 9aC)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{15d} \\
&= \frac{2(7aA + 9bB + 9aC)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{15d}
\end{aligned}$$

Mathematica [C] time = 4.68094, size = 249, normalized size = 1.08

$$\frac{e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-56ie^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) (7aA + 9aC + \dots) \right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]

[Out] (Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x]))*(120*(5*A*b + 5*a*B + 7*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (56*I)*(7*a*A + 9*b*B + 9*a*C)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((1176*I)*a*A + (1512*I)*b*B + (1512*I)*a*C + 30*(23*A*b + 23*a*B + 28*b*C)*Sin[c + d*x] + 14*(19*a*A + 18*b*B + 18*a*C)*Sin[2*(c + d*x)] + 90*A*b*Ssin[3*(c + d*x)] + 90*a*B*Ssin[3*(c + d*x)] + 35*a*A*Ssin[4*(c + d*x)])))/(1260*d*E^(I*d*x))

Maple [B] time = 2.036, size = 565, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(9/2)},x)$

[Out]
$$-2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*A*a*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(2240*A*a+720*A*b+720*B*a)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-2072*A*a-1080*A*b-1080*B*a-504*B*b-504*C*a)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(952*A*a+840*A*b+840*B*a+504*B*b+504*C*a+420*C*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-168*A*a-240*A*b-240*B*a-126*B*b-126*C*a-210*C*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-147*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+75*A*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-189*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b+75*B*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-189*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+105*C*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/((2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(9/2)},x,\text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb \sec(dx+c)^3 + (Ca + Bb) \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)}{\sec(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2)
,x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*
b)*sec(d*x + c))/sec(d*x + c)^(9/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/
2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(
d*x + c)^(9/2), x)
```

$$3.989 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=266

$$\frac{10\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(9aA+11aC+11bB)}{231d} + \frac{2\sin(c+dx)(7aB+7Ab+9bC)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{2\sin(c+dx)(9aA+11aC+11bB)}{231d \sqrt{\sec(c+dx)}}$$

[Out] (2*(7*A*b + 7*a*B + 9*b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (10*(9*a*A + 11*b*B + 11*a*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a*A*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(9*a*A + 11*b*B + 11*a*C)*Sin[c + d*x])/(77*d*Sec[c + d*x]^(5/2)) + (2*(7*A*b + 7*a*B + 9*b*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (10*(9*a*A + 11*b*B + 11*a*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.308012, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4074, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2\sin(c+dx)(7aB+7Ab+9bC)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{2\sin(c+dx)(9aA+11aC+11bB)}{77d \sec^{\frac{5}{2}}(c+dx)} + \frac{10\sin(c+dx)(9aA+11aC+11bB)}{231d \sqrt{\sec(c+dx)}} + \frac{10\sqrt{\cos(c+dx)}}{231d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (2*(7*A*b + 7*a*B + 9*b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (10*(9*a*A + 11*b*B + 11*a*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a*A*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(9*a*A + 11*b*B + 11*a*C)*Sin[c + d*x])/(77*d*Sec[c + d*x]^(5/2)) + (2*(7*A*b + 7*a*B + 9*b*C)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (10*(9*a*A + 11*b*B + 11*a*C)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]])

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

$_)$, x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n_], x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n_], x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} - \frac{2}{11} \int \frac{-\frac{11}{2}(Ab + aB) - \frac{1}{2}(9aA + 11bC) \sec^2(c + dx)}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} - \frac{2}{11} \int \frac{-\frac{11}{2}(Ab + aB) - \frac{11}{2}bC \sec^2(c + dx)}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(9aA + 11bC) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aA \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(9aA + 11bC) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aA \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(9aA + 11bC) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(7Ab + 7aB + 9bC) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
\end{aligned}$$

Mathematica [C] time = 6.91667, size = 1371, normalized size = 5.15

$$\frac{60aA \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) \sqrt{\sec(c + dx)} (a + b \sec(c + dx)) (C \sec^2(c + dx) + B \sec(c + dx) + A) \cos^{\frac{7}{2}}(c + dx)}{77d(b + a \cos(c + dx))(\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx))} + \frac{20bC \sqrt{\sec(c + dx)} \cos^{\frac{7}{2}}(c + dx)}{77d(b + a \cos(c + dx))(\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (-14*sqrt[2]*A*b*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(45*d*E^(I*d*x)*(b + a*cos[c + d*x])*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])) - (14*sqrt[2]*a*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(45*d*E^(I*d*x)*(b + a*cos[c + d*x])*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])) - (2*sqrt[2]*b*C*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*Csc[c

```

]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hype
rgeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*(a + b*Sec[c + d*x])*(A
+ B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(5*d*E^(I*d*x)*(b + a*Cos[c + d*x])*
(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (60*a*A*Cos[c + d*x]^(
7/2)*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A +
B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(77*d*(b + a*Cos[c + d*x])*(A + 2*C +
2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (20*b*B*Cos[c + d*x]^(7/2)*Ellipt
icF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c +
d*x] + C*Sec[c + d*x]^2))/(21*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c +
d*x] + A*Cos[2*c + 2*d*x])) + (20*a*C*Cos[c + d*x]^(7/2)*EllipticF[(c + d*
x)/2, 2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Se
c[c + d*x]^2))/(21*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*C
os[2*c + 2*d*x])) + ((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d
*x]^2)*(-(149*A*b + 149*a*B + 198*b*C + 187*A*b*Cos[2*c] + 187*a*B*Cos[2*c
] + 234*b*C*Cos[2*c]))*Cos[d*x]*Csc[c])/(180*d) + ((1041*a*A + 1144*b*B + 11
44*a*C)*Cos[2*d*x]*Sin[2*c])/(1848*d) + ((43*A*b + 43*a*B + 36*b*C)*Cos[3*d
*x]*Sin[3*c])/(180*d) + ((16*a*A + 11*b*B + 11*a*C)*Cos[4*d*x]*Sin[4*c])/(1
54*d) + ((A*b + a*B)*Cos[5*d*x]*Sin[5*c])/(36*d) + (a*A*Cos[6*d*x]*Sin[6*c]
)/(88*d) + ((187*A*b + 187*a*B + 234*b*C)*Cos[c]*Sin[d*x])/(90*d) + ((1041*
a*A + 1144*b*B + 1144*a*C)*Cos[2*c]*Sin[2*d*x])/(1848*d) + ((43*A*b + 43*a*
B + 36*b*C)*Cos[3*c]*Sin[3*d*x])/(180*d) + ((16*a*A + 11*b*B + 11*a*C)*Cos[
4*c]*Sin[4*d*x])/(154*d) + ((A*b + a*B)*Cos[5*c]*Sin[5*d*x])/(36*d) + (a*A*
Cos[6*c]*Sin[6*d*x])/(88*d)))/((b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c +
d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(5/2))

```

Maple [B] time = 2.638, size = 611, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2), x)
```

```
[Out] -2/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(20160*A*a*
cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-50400*A*a-12320*A*b-12320*B*a)*s
in(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(56880*A*a+24640*A*b+24640*B*a+7920
*B*b+7920*C*a)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-34920*A*a-22792*A*
b-22792*B*a-11880*B*b-11880*C*a-5544*C*b)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+
1/2*c)+(13860*A*a+10472*A*b+10472*B*a+9240*B*b+9240*C*a+5544*C*b)*sin(1/2*d
*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-2790*A*a-1848*A*b-1848*B*a-2640*B*b-2640*C
*a-1386*C*b)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-1617*A*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c)
```

$$\begin{aligned} & ,2^{(1/2)}) * b + 675 * A * a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 1617 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ &) * a + 825 * B * b * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 2079 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b + 825 * a * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ &) / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb \sec(dx + c)^3 + (Ca + Bb) \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)}{\sec(dx + c)^{\frac{11}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/sec(d*x + c)^(11/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(11/2), x)

$$3.990 \quad \int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)) dx$$

Optimal. Leaf size=343

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(7a^2B + 14aAb + 10abC + 5b^2B)}{21d} + \frac{2\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)(4a^2C + 18abB + 9Ab^2 + 7b^2C)}{45d}$$

[Out] (-2*(18*a*b*B + 3*a^2*(5*A + 3*C) + b^2*(9*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B + 10*a*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*(18*a*b*B + 3*a^2*(5*A + 3*C) + b^2*(9*A + 7*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B + 10*a*b*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*(9*A*b^2 + 18*a*b*B + 4*a^2*C + 7*b^2*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(45*d) + (2*b*(9*b*B + 4*a*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(63*d) + (2*C*Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d)

Rubi [A] time = 0.587621, antiderivative size = 343, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4096, 4076, 4047, 3768, 3771, 2641, 4046, 2639}

$$\frac{2\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)(4a^2C + 18abB + 9Ab^2 + 7b^2C)}{45d} + \frac{2\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)(7a^2B + 14aAb + 10abC + 5b^2B)}{21d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-2*(18*a*b*B + 3*a^2*(5*A + 3*C) + b^2*(9*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B + 10*a*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*(18*a*b*B + 3*a^2*(5*A + 3*C) + b^2*(9*A + 7*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B + 10*a*b*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*(9*A*b^2 + 18*a*b*B + 4*a^2*C + 7*b^2*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(45*d) + (2*b*(9*b*B + 4*a*C)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(63*d) + (2*C*Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d)

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]
*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{9d} \\
 &= \frac{2b(9bB + 4aC) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d} \\
 &= \frac{2b(9bB + 4aC) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d} \\
 &= \frac{2(14aAb + 7a^2B + 5b^2B + 10abC) \sec^{\frac{3}{2}}(c + dx)}{21d} \\
 &= \frac{2(18abB + 3a^2(5A + 3C) + b^2(9A + 7C)) \sec^{\frac{3}{2}}(c + dx)}{15d} \\
 &= \frac{2(14aAb + 7a^2B + 5b^2B + 10abC) \sqrt{\cos(c + dx)}}{21d} \\
 &= \frac{2(18abB + 3a^2(5A + 3C) + b^2(9A + 7C)) \sqrt{\cos(c + dx)}}{15d}
 \end{aligned}$$

Mathematica [A] time = 6.74075, size = 507, normalized size = 1.48

$$\frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{4}{15} \sin(c + dx) (15a^2A + 9a^2C + 18abB + 9Ab^2 + 7b^2C) + \frac{4}{45} \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2),x]
```

```
[Out] (-2*Cos[c + d*x]^4*((2*(105*a^2*A + 63*A*b^2 + 126*a*b*B + 63*a^2*C + 49*b^
2*C)*EllipticE[(c + d*x)/2, 2])/(Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + 2
*(-70*a*A*b - 35*a^2*B - 25*b^2*B - 50*a*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[
(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d
*x] + C*Sec[c + d*x]^2))/(105*d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c
+ d*x] + A*Cos[2*c + 2*d*x])) + ((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x
] + C*Sec[c + d*x]^2)*((4*(15*a^2*A + 9*A*b^2 + 18*a*b*B + 9*a^2*C + 7*b^2*
C)*Sin[c + d*x])/15 + (4*Sec[c + d*x]^3*(b^2*B*SIN[c + d*x] + 2*a*b*C*SIN[c
+ d*x]))/7 + (4*Sec[c + d*x]*(14*a*A*b*SIN[c + d*x] + 7*a^2*B*SIN[c + d*x]
+ 5*b^2*B*SIN[c + d*x] + 10*a*b*C*SIN[c + d*x]))/21 + (4*Sec[c + d*x]^2*(9
*A*b^2*SIN[c + d*x] + 18*a*b*B*SIN[c + d*x] + 9*a^2*C*SIN[c + d*x] + 7*b^2*
C*SIN[c + d*x]))/45 + (4*b^2*C*Sec[c + d*x]^3*Tan[c + d*x])/9))/(d*(b + a*C
os[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d
x]^(7/2))
```

Maple [B] time = 11.647, size = 1196, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -((-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*a*(2*A*b+B*a)
*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1
/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1
/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/
2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*b*(B*b+2*C*a)*(-1/56*cos(1/2*d*
x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+
1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*
x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*
x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*b^2*C*(-1/144*co
s(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(
1/2*d*x+1/2*c)^2-1/2)^5-7/180*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+s
in(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*sin(1/2*d*x+1
/2*c)^2*cos(1/2*d*x+1/2*c)/(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)
^2)^(1/2)+7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/
2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d
```

```

*x+1/2*c), 2^(1/2))-7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)
^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF
(cos(1/2*d*x+1/2*c), 2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))))-2/5*(A
*b^2+2*B*a*b+C*a^2)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1
/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/
2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*(2*sin(1/2*d*x
+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)
)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+
3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(s
in(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*s
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a^2*A*(-(sin(1/2*d*x+1/2*
c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1
/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*
d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2
*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/
(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2), x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral((Cb^2 sec(dx + c)^5 + (2Cab + Bb^2) sec(dx + c)^4 + Aa^2 sec(dx + c) + (Ca^2 + 2Bab + Ab^2) sec(dx + c)^3 + (B

```

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2), x, algorithm="fricas")

```

```

[Out] integral((C*b^2*sec(d*x + c)^5 + (2*C*a*b + B*b^2)*sec(d*x + c)^4 + A*a^2*s
ec(d*x + c) + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^3 + (B*a^2 + 2*A*a*b)*

```

```
sec(d*x + c)^2)*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)
)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*se
c(d*x + c)^(3/2), x)
```

3.991 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec(c+dx)) dx$

Optimal. Leaf size=289

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(7a^2(3A+C)+14abB+b^2(7A+5C))}{21d} + \frac{2\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{5d}$$

```
[Out] (-2*(10*a*A*b + 5*a^2*B + 3*b^2*B + 6*a*b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(14*a*b*B + 7*a^2*(3*A + C) + b^2*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*(10*a*A*b + 5*a^2*B + 3*b^2*B + 6*a*b*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*(7*A*b^2 + 14*a*b*B + 4*a^2*C + 5*b^2*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*b*(7*b*B + 4*a*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*C*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(7*d)
```

Rubi [A] time = 0.529411, antiderivative size = 289, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4096, 4076, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)(4a^2C+14abB+7Ab^2+5b^2C)}{21d} + \frac{2\sin(c+dx)\sqrt{\sec(c+dx)}(5a^2B+10aAb+6abC+3b^2B)}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(10*a*A*b + 5*a^2*B + 3*b^2*B + 6*a*b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(14*a*b*B + 7*a^2*(3*A + C) + b^2*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*(10*a*A*b + 5*a^2*B + 3*b^2*B + 6*a*b*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*(7*A*b^2 + 14*a*b*B + 4*a^2*C + 5*b^2*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*b*(7*b*B + 4*a*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*C*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(7*d)
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
```

```

_)^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

```

Rule 4076

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n
)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(
B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 4046


```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\sec(c+dx)(a+b\sec(c+dx))^2} (A+B\sec(c+dx)+C\sec^2(c+dx)) dx &= \frac{2C\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^2 \sin(c+dx)}{7d} \\ &= \frac{2b(7bB+4aC)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{35d} \\ &= \frac{2b(7bB+4aC)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{35d} \\ &= \frac{2(10aAb+5a^2B+3b^2B+6abC)\sqrt{\sec(c+dx)}}{5d} \\ &= \frac{2(10aAb+5a^2B+3b^2B+6abC)\sqrt{\sec(c+dx)}}{5d} \\ &= \frac{2(10aAb+5a^2B+3b^2B+6abC)\sqrt{\cos(c+dx)}}{5d} \end{aligned}$$

Mathematica [A] time = 2.41429, size = 333, normalized size = 1.15

$$\frac{4(a+b\sec(c+dx))^2(A+B\sec(c+dx)+C\sec^2(c+dx))\left(5\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(7a^2(3A+C)+14aB)\right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2), x]
```

```
[Out] (4*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-21*(5*a
^2*B + 3*b^2*B + 2*a*b*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/
```

$$2, 2] + 5*(14*a*b*B + 7*a^2*(3*A + C) + b^2*(7*A + 5*C))*\text{Sqrt}[\text{Cos}[c + d*x]] \\ * \text{EllipticF}[(c + d*x)/2, 2] + 210*a*A*b*\text{Sin}[c + d*x] + 105*a^2*B*\text{Sin}[c + d*x] \\ + 63*b^2*B*\text{Sin}[c + d*x] + 126*a*b*C*\text{Sin}[c + d*x] + 35*A*b^2*\text{Tan}[c + d*x] \\ + 70*a*b*B*\text{Tan}[c + d*x] + 35*a^2*C*\text{Tan}[c + d*x] + 25*b^2*C*\text{Tan}[c + d*x] + 2 \\ 1*b^2*B*\text{Sec}[c + d*x]*\text{Tan}[c + d*x] + 42*a*b*C*\text{Sec}[c + d*x]*\text{Tan}[c + d*x] + 15 \\ *b^2*C*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(105*d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C \\ + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*(c + d*x)])*\text{Sec}[c + d*x]^(7/2))$$

Maple [B] time = 9.167, size = 947, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{sec}(d*x+c)^{(1/2)}*(a+b*\text{sec}(d*x+c))^2*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2), x)$

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(A*b^2+2*B*a*b+C*a^2)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))+2*b^2*C*(-1/5*6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2/5*b*(B*b+2*C*a)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a*(2*A*b+B*a)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb² sec(dx + c)⁴ + (2Cab + Bb²) sec(dx + c)³ + Aa² + (Ca² + 2Bab + Ab²) sec(dx + c)² + (Ba² + 2Aab)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b²*sec(d*x + c)⁴ + (2*C*a*b + B*b²)*sec(d*x + c)³ + A*a² + (C*a² + 2*B*a*b + A*b²)*sec(d*x + c)² + (B*a² + 2*A*a*b)*sec(d*x + c)) *sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(1/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)
```

$$3.992 \quad \int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=241

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(3a^2B+2ab(3A+C)+b^2B)}{3d} + \frac{2\sin(c+dx)\sqrt{\sec(c+dx)}(4a^2C+10abB+5Ab^2+3b^2C)}{5d}$$

[Out] (-2*(10*a*b*B - 5*a^2*(A - C) + b^2*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(3*a^2*B + b^2*B + 2*a*b*(3*A + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(5*A*b^2 + 10*a*b*B + 4*a^2*C + 3*b^2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b*(5*b*B + 4*a*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*C*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.51274, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4096, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2\sin(c+dx)\sqrt{\sec(c+dx)}(4a^2C+10abB+5Ab^2+3b^2C)}{5d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(3a^2B+2ab(3A+C)+b^2B)}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

[Out] (-2*(10*a*b*B - 5*a^2*(A - C) + b^2*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(3*a^2*B + b^2*B + 2*a*b*(3*A + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(5*A*b^2 + 10*a*b*B + 4*a^2*C + 3*b^2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b*(5*b*B + 4*a*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*C*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(5*d)

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)

$*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2C\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2}{5} \\
&= \frac{2b(5bB + 4aC) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2C\sqrt{\sec(c + dx)}}{5d} \\
&= \frac{2b(5bB + 4aC) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2C\sqrt{\sec(c + dx)}}{5d} \\
&= \frac{2(5Ab^2 + 10abB + 4a^2C + 3b^2C) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= \frac{2(3a^2B + b^2B + 2ab(3A + C)) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx), 2\right)}{3d} \\
&= -\frac{2(10abB - 5a^2(A - C) + b^2(5A + 3C)) \sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 2.08799, size = 271, normalized size = 1.12

$$4(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(5\sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (3a^2B + 2ab(3A + C))\right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] (4*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(3*(-10*a*b*B + 5*a^2*(A - C) - b^2*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 5*(3*a^2*B + b^2*B + 2*a*b*(3*A + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 15*A*b^2*Sin[c + d*x] + 30*a*b*B*Sin[c + d*x] + 15*a^2*C*Sin[c + d*x] + 9*b^2*C*Sin[c + d*x] + 5*b^2*B*Tan[c + d*x] + 10*a*b*C*Tan[c + d*x] + 3*b^2*C*Sec[c + d*x]*Tan[c + d*x]))/(15*d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/2))

Maple [B] time = 7.509, size = 1000, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(1/2)},x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+4*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5*b^2*C/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*b*(B*b+2*C*a)*(-1/6*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(A*b^2+2*B*a*b+C*a^2)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(1/2)},x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sqrt{\sec(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^2}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sq  
rt(sec(d*x + c)), x)
```

$$3.993 \quad \int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=224

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a^2(A+3C)+6abB+b^2(3A+C))}{3d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d}$$

```
[Out] (2*(a^2*B - b^2*B + 2*a*b*(A - C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(6*a*b*B + b^2*(3*A + C) + a^2*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b*(3*b*B - 2*a*(A - 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) - (2*b^2*(A - C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 0.499758, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2(A+3C)+6abB+b^2(3A+C))}{3d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (2*(a^2*B - b^2*B + 2*a*b*(A - C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(6*a*b*B + b^2*(3*A + C) + a^2*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b*(3*b*B - 2*a*(A - 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) - (2*b^2*(A - C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
```

```
sc[e + f*x]^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n
)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + b \sec(c + dx))^2 \sin(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2b^2(A - C) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2A(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= -\frac{2b^2(A - C) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2A(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= -\frac{2b(2aA - 3bB - 6aC)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} - \frac{2A(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{2(6abB + b^2(3A + C) + a^2(A + 3C))\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx), 2\right)}{3d} \\
&= \frac{2(a^2B - b^2B + 2ab(A - C))\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx), 2\right)}{d}
\end{aligned}$$

Mathematica [A] time = 2.98645, size = 227, normalized size = 1.01

$$\frac{2(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2\sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (a^2(A + 3C) + 6abB - b^2B + 2a^2(A + 3C))\sqrt{\cos(c + dx)} \text{EllipticE}\left(\frac{1}{2}(c + dx), 2\right) + 6b^2B \sin(c + dx) + 12abC \sin(c + dx) + a^2A \sin[2(c + dx)] + 2b^2C \tan(c + dx)\right)}{3d \sec^{\frac{7}{2}}(c + dx) (a \cos(c + dx) + C \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2),x]

[Out] (2*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(6*(a^2*B - b^2*B + 2*a*b*(A - C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 2*(6*a*b*B + b^2*(3*A + C) + a^2*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 6*b^2*B*Sin[c + d*x] + 12*a*b*C*Sin[c + d*x] + a^2*A*Sin[2*(c + d*x)] + 2*b^2*C*Tan[c + d*x]))/(3*d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/2))

Maple [B] time = 6.732, size = 1301, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(d*x+c))^2*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(3/2)},x)$

[Out]
$$\begin{aligned} & -2/3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(4*\sin(1/2*d \\ & *x+1/2*c)^4-4*\sin(1/2*d*x+1/2*c)^2+1)/\sin(1/2*d*x+1/2*c)^3*(-6*B*b^2*\cos(1/ \\ & 2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*C*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/ \\ & 2*c)^2-2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E \\ & llipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*\sin(1/2*d*x+1/2*c)^2-6*A*(\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1 \\ & /2*c),2^{(1/2)})*a*b+6*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2* \\ & c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*A*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(\\ & 1/2)})*b^2*\sin(1/2*d*x+1/2*c)^2+8*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c \\ &)^4-2*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+a^2*A*(\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2 \\ & ^{(1/2)})+3*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/ \\ & 2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\ & 2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2+3 \\ & *B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\\ & \cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2+3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2 \\ & *d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2+C*(\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x \\ & +1/2*c),2^{(1/2)})*b^2+24*C*a*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-12*C* \\ & a*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+12*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/ \\ & 2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a \\ & *b*\sin(1/2*d*x+1/2*c)^2-12*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/ \\ & 2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b*\sin(1/2*d*x+1/2*c \\ &)^2-12*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Elli \\ & pticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b*\sin(1/2*d*x+1/2*c)^2-8*A*a^2*\cos(1/2* \\ & d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+12*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2 \\ & *c)^4+6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E \\ & llipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*\sin(1/2*d*x+1/2*c)^2-6*B*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/ \\ & 2*c),2^{(1/2)})*b^2*\sin(1/2*d*x+1/2*c)^2-6*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2* \\ & \sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*\sin \\ & (1/2*d*x+1/2*c)^2-2*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2- \\ & 1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2*\sin(1/2*d*x+1/2*c)^2+6*C \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\co \\ & s(1/2*d*x+1/2*c),2^{(1/2)})*a*b*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sec(dx+c)^{\frac{3}{2}}}\right), x$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sec(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sec(d*x + c)^(3/2), x)
```


$$3.994 \quad \int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{5 \sec^2(c+dx)} dx$$

Optimal. Leaf size=225

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a^2B+2ab(A+3C)+3b^2B)}{3d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{5d}$$

[Out] (2*(10*a*b*B + 5*b^2*(A - C) + a^2*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(a^2*B + 3*b^2*B + 2*a*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*a*(4*A*b + 5*a*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) - (2*b^2*(A - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.517784, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4074, 4047, 3771, 2641, 4046, 2639}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\right) \left(2\right) (a^2B+2ab(A+3C)+3b^2B)}{3d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right) 2}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (2*(10*a*b*B + 5*b^2*(A - C) + a^2*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(a^2*B + 3*b^2*B + 2*a*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*a*(4*A*b + 5*a*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) - (2*b^2*(A - 5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e

$$\frac{+ f*x]}^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4074

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n+1))*\text{Csc}[e + f*x] + b*C*n*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{LtQ}[n, -1]$$

Rule 4047

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{m+1}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x]$$

Rule 3771

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2641

$$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$$

Rule 4046

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[(C*m + A*(m+1))/(m+1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m+1), 0] \&\& !\text{LeQ}[m, -1]$$

Rule 2639

$$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + b \sec(c + dx))^2}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a(4Ab + 5aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A(a + b \sec(c + dx))^2}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(4Ab + 5aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A(a + b \sec(c + dx))^2}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(4Ab + 5aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} - \frac{2b^2(A - 5C) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{2(a^2B + 3b^2B + 2ab(A + 3C)) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx), 2\right)}{3d} \\
&= \frac{2(10abB + 5b^2(A - C) + a^2(3A + 5C)) \sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 4.71443, size = 234, normalized size = 1.04

$$\frac{2(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(10 \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (a^2B + 2ab(A + 3C))\right)}{15d \sec^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2),x]

[Out] (2*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(6*(10*a*b*B + 5*b^2*(A - C) + a^2*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 10*(a^2*B + 3*b^2*B + 2*a*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (10*a*(2*A*b + a*B)*Cos[c + d*x] + 3*(a^2*A + 10*b^2*C + a^2*A*Cos[2*(c + d*x)]))*Sin[c + d*x]))/(15*d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/2))

Maple [B] time = 2.896, size = 932, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}, x)$

[Out]
$$\begin{aligned} & -2/15*(-24*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(6*A*a+10*A*b+5*B*a)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A*a^2+10*A*a*b+5*B*a^2+15*C*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+10*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-9*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2-15*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * b^2+5*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+15*B*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a*b+30*a*b*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-15*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2+15*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(5/2)}$

2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sec(dx+c)^{\frac{5}{2}}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sec(d*x + c)^(5/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2), x)

[Out] Integral((a + b*sec(c + d*x))**2*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sec(c + d*x)**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sec(d*x + c)^(5/2), x)
```

$$3.995 \quad \int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=242

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a^2(5A+7C)+14abB+7b^2(A+3C))}{21d} + \frac{2\sin(c+dx)(a^2(5A+7C)+14abB+7b^2(A+3C))}{21d\sqrt{\sec(c+dx)}}$$

[Out] (2*(6*a*A*b + 3*a^2*B + 5*b^2*B + 10*a*b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(14*a*b*B + 7*b^2*(A + 3*C) + a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*(4*A*b + 7*a*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*(4*A*b^2 + 14*a*b*B + a^2*(5*A + 7*C))*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.521754, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4074, 4047, 3771, 2639, 4045, 2641}

$$\frac{2\sin(c+dx)(a^2(5A+7C)+14abB+4Ab^2)}{21d\sqrt{\sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2(5A+7C)+14abB+7b^2(A+3C))}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*(6*a*A*b + 3*a^2*B + 5*b^2*B + 10*a*b*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(14*a*b*B + 7*b^2*(A + 3*C) + a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*(4*A*b + 7*a*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*(4*A*b^2 + 14*a*b*B + a^2*(5*A + 7*C))*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4074

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 4045

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```


Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + b \sec(c + dx))^2}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a(4Ab + 7aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^2}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a(4Ab + 7aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^2}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a(4Ab + 7aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(4Ab^2 + 14abB + a^2)}{21d \sqrt{\sec(c + dx)}} \\
&= \frac{2(6aAb + 3a^2B + 5b^2B + 10abC) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx), 2\right)}{5d} \\
&= \frac{2(6aAb + 3a^2B + 5b^2B + 10abC) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx), 2\right)}{5d}
\end{aligned}$$

Mathematica [A] time = 6.57583, size = 251, normalized size = 1.04

$$\frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(20 \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (a^2(5A + 7C) + 14abB) + \dots\right)}{105d(b + a \cos(c + dx))^2 (A + 2C + 2B \cos(c + dx) + A \cos(2(c + dx))) \sec(c + dx)^{\frac{7}{2}}}$$

105

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2),x]

[Out] ((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(84*(3*a^2*B + 5*b^2*B + 2*a*b*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 20*(14*a*b*B + 7*b^2*(A + 3*C) + a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (42*a*(2*A*b + a*B)*Cos[c + d*x] + 5*(14*A*b^2 + 28*a*b*B + a^2*(13*A + 14*C) + 3*a^2*A*Cos[2*(c + d*x)]))*Sin[2*(c + d*x)])/(105*d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(7/2))

Maple [B] time = 2.546, size = 706, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(7/2)}, x)$

[Out]
$$-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*a^2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-360*A*a^2-336*A*a*b-168*B*a^2)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(280*A*a^2+336*A*a*b+140*A*b^2+168*B*a^2+280*B*a*b+140*C*a^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-80*A*a^2-84*A*a*b-70*A*b^2-42*B*a^2-140*B*a*b-70*C*a^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-126*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b+25*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+35*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-63*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-105*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2+70*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-210*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b+35*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2+105*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(7/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab)}{\sec(dx+c)^{\frac{7}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sec(d*x + c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sec(d*x + c)^(7/2), x)

$$3.996 \quad \int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=290

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(5a^2B+10aAb+14abC+7b^2B)}{21d} + \frac{2\sin(c+dx)(a^2(7A+9C)+18abB+4Ab^2)}{45d \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (2*(18*a*b*B + 3*b^2*(3*A + 5*C) + a^2*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(10*a*A*b + 5*a^2*B + 7*b^2*B + 14*a*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*(4*A*b + 9*a*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (2*(4*A*b^2 + 18*a*b*B + a^2*(7*A + 9*C))*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(10*a*A*b + 5*a^2*B + 7*b^2*B + 14*a*b*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.552037, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4094, 4074, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2\sin(c+dx)(a^2(7A+9C)+18abB+4Ab^2)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{2\sin(c+dx)(5a^2B+10aAb+14abC+7b^2B)}{21d\sqrt{\sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticE}\left(\frac{1}{2}(c+dx), 2\right)\sqrt{\sec(c+dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (2*(18*a*b*B + 3*b^2*(3*A + 5*C) + a^2*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(10*a*A*b + 5*a^2*B + 7*b^2*B + 14*a*b*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*(4*A*b + 9*a*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (2*(4*A*b^2 + 18*a*b*B + a^2*(7*A + 9*C))*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(10*a*A*b + 5*a^2*B + 7*b^2*B + 14*a*b*C)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^n)*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_)^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^n)*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2a(a + b \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^2}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2a(4Ab + 9aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\ &= \frac{2a(4Ab + 9aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\ &= \frac{2a(4Ab + 9aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(4Ab^2 + 18abB + a^2(7A + 9C)) \sqrt{\cos(c + dx)}}{45d \sec^{\frac{3}{2}}(c + dx)} \\ &= \frac{2a(4Ab + 9aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(4Ab^2 + 18abB + a^2(7A + 9C)) \sqrt{\cos(c + dx)}}{45d \sec^{\frac{3}{2}}(c + dx)} \\ &= \frac{2(18abB + 3b^2(3A + 5C) + a^2(7A + 9C)) \sqrt{\cos(c + dx)}}{15d} \end{aligned}$$

Mathematica [A] time = 3.65549, size = 286, normalized size = 0.99

$$\frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(120 \sqrt{\cos(c + dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (5a^2B + 2ab(5A + 7C))\right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/
Sec[c + d*x]^(9/2), x]
```

```
[Out] ((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(168*(18*a*
b*B + 3*b^2*(3*A + 5*C) + a^2*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c
+ d*x)/2, 2] + 120*(5*a^2*B + 7*b^2*B + 2*a*b*(5*A + 7*C))*Sqrt[Cos[c + d*x
]]*EllipticF[(c + d*x)/2, 2] + (7*(36*A*b^2 + 72*a*b*B + a^2*(43*A + 36*C))
*Cos[c + d*x] + 5*(156*a*A*b + 78*a^2*B + 84*b^2*B + 168*a*b*C + 18*a*(2*A*
b + a*B)*Cos[2*(c + d*x)] + 7*a^2*A*Cos[3*(c + d*x)]))*Sin[2*(c + d*x)])/((
630*d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x
)])*Sec[c + d*x]^(7/2))
```

Maple [B] time = 2.181, size = 784, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)
```

```
[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-1120*a^2*A
*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(2240*A*a^2+1440*A*a*b+720*B*a^2)
*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-2072*A*a^2-2160*A*a*b-504*A*b^2-
1080*B*a^2-1008*B*a*b-504*C*a^2)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(9
52*A*a^2+1680*A*a*b+504*A*b^2+840*B*a^2+1008*B*a*b+420*B*b^2+504*C*a^2+840*
C*a*b)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-168*A*a^2-480*A*a*b-126*A*
b^2-240*B*a^2-252*B*a*b-210*B*b^2-126*C*a^2-420*C*a*b)*sin(1/2*d*x+1/2*c)^2
*cos(1/2*d*x+1/2*c)+150*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1
/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*(sin(1/2*d*x+1
/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c
),2^(1/2))*a^2-189*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1
)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2+75*B*a^2*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),
2^(1/2))+105*B*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-378*B*(sin(1/2*d*x+1/2*c)^2)^(1
/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*
a*b+210*a*b*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-189*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(
2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-3
15*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Elliptic
E(cos(1/2*d*x+1/2*c),2^(1/2))*b^2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2
*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sec(dx+c)^{\frac{9}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sec(d*x + c)^(9/2), x)
```

3.997 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec(c+dx)) dx$

Optimal. Leaf size=397

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(7a^3(3A+C)+21a^2bB+3ab^2(7A+5C)+5b^3B\right)}{21d} + \frac{2b \sin(c+dx)}{d}$$

[Out] (-2*(15*a^3*B + 27*a*b^2*B + 9*a^2*b*(5*A + 3*C) + b^3*(9*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(21*a^2*b*B + 5*b^3*B + 7*a^3*(3*A + C) + 3*a*b^2*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*(15*a^3*B + 27*a*b^2*B + 9*a^2*b*(5*A + 3*C) + b^3*(9*A + 7*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(54*a^2*b*B + 15*b^3*B + 8*a^3*C + 9*a*b^2*(7*A + 5*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(63*d) + (2*b*(63*A*b^2 + 99*a*b*B + 24*a^2*C + 49*b^2*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(315*d) + (2*(3*b*B + 2*a*C)*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(21*d) + (2*C*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.866576, antiderivative size = 397, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4096, 4076, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2b \sin(c+dx) \sec^{\frac{5}{2}}(c+dx) (24a^2C + 99abB + 63Ab^2 + 49b^2C)}{315d} + \frac{2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) (54a^2bB + 8a^3C + 9ab^2(7A + 5C))}{63d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (-2*(15*a^3*B + 27*a*b^2*B + 9*a^2*b*(5*A + 3*C) + b^3*(9*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(21*a^2*b*B + 5*b^3*B + 7*a^3*(3*A + C) + 3*a*b^2*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*(15*a^3*B + 27*a*b^2*B + 9*a^2*b*(5*A + 3*C) + b^3*(9*A + 7*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(54*a^2*b*B + 15*b^3*B + 8*a^3*C + 9*a*b^2*(7*A + 5*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(63*d) + (2*b*(63*A*b^2 + 99*a*b*B + 24*a^2*C + 49*b^2*C)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(315*d) + (2*(3*b*B + 2*a*C)*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(21*d) + (2*C*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(9*d)

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\sec(c + dx)(a + b \sec(c + dx))^3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{2C \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3 \sin(c)}{9d} \\
 &= \frac{2(3bB + 2aC) \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3}{21d} \\
 &= \frac{2b(63Ab^2 + 99abB + 24a^2C + 49b^2C) \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3}{315d} \\
 &= \frac{2b(63Ab^2 + 99abB + 24a^2C + 49b^2C) \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3}{315d} \\
 &= \frac{2(15a^3B + 27ab^2B + 9a^2b(5A + 3C) + b^3(5A + 3C)) \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3}{15d} \\
 &= \frac{2(15a^3B + 27ab^2B + 9a^2b(5A + 3C) + b^3(5A + 3C)) \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3}{15d} \\
 &= \frac{2(15a^3B + 27ab^2B + 9a^2b(5A + 3C) + b^3(5A + 3C)) \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3}{15d}
 \end{aligned}$$

Mathematica [A] time = 7.07986, size = 566, normalized size = 1.43

$$\frac{2 \cos^5(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \text{EllipticF} \left(\frac{1}{2}(c + dx) \right) \right)}{105d(a \cos(c + dx) + b)^3(A \cos(2c + 2dx) + b^2 \cos(c + dx) + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] $(2*\cos[c + d*x]^5*((2*(-315*a^2*A*b - 63*A*b^3 - 105*a^3*B - 189*a*b^2*B - 189*a^2*b*C - 49*b^3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(\text{Sqrt}[\cos[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) + 2*(105*a^3*A + 105*a*A*b^2 + 105*a^2*b*B + 25*b^3*B + 35*a^3*C + 75*a*b^2*C)*\text{Sqrt}[\cos[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/((105*d*(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + ((a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))*((4*(45*a^2*A*b + 9*A*b^3 + 15*a^3*B + 27*a*b^2*B + 27*a^2*b*C + 7*b^3*C)*\sin[c + d*x])/15 + (4*\text{Sec}[c + d*x]^3*(b^3*B*\sin[c + d*x] + 3*a*b^2*C*\sin[c + d*x]))/7 + (4*\text{Sec}[c + d*x]*(21*a*A*b^2*\sin[c + d*x] + 21*a^2*b*B*\sin[c + d*x] + 5*b^3*B*\sin[c + d*x] + 7*a^3*C*\sin[c + d*x] + 15*a*b^2*C*\sin[c + d*x]))/2 + (4*\text{Sec}[c + d*x]^2*(9*A*b^3*\sin[c + d*x] + 27*a*b^2*B*\sin[c + d*x] + 27*a^2*b*C*\sin[c + d*x] + 7*b^3*C*\sin[c + d*x]))/45 + (4*b^3*C*\text{Sec}[c + d*x]^3*\tan[c + d*x])/9))/d*(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2))$

Maple [B] time = 12.11, size = 1292, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{1/2}*(a+b*\sec(dx+c))^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x)$

[Out] $-((-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})+2*C*b^3*(-1/144*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(\cos(1/2*d*x+1/2*c)^2-1/2)^5-7/180*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(\cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{1/2}+7/15*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})-7/15*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}))))-2/5*b*(A*b^2+3*B*a*b+3*C*a^2)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d$

```

*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d
*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c
)-12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*
cos(1/2*d*x+1/2*c)+3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x
+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/
2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*b^2*(B
*b+3*C*a)*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/
2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5
/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2
^(1/2)))+2*a*(3*A*b^2+3*B*a*b+C*a^2)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d
*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(s
in(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*
x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)
))+2*a^2*(3*A*b+B*a)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2
-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(co
s(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(
1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(
1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb³ sec(dx + c)⁵ + (3Cab² + Bb³) sec(dx + c)⁴ + Aa³ + (3Ca²b + 3Bab² + Ab³) sec(dx + c)³ + (Ca³ + 3B

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^3*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*sec(d*x + c)^4 + A*a^3 + (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*sqrt(sec(d*x + c)), x)
```

$$3.998 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=334

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(21a^2b(3A+C) + 21a^3B + 21ab^2B + b^3(7A+5C)\right)}{21d} + \frac{2b \sin(c+dx)}{105d}$$

[Out] (-2*(15*a^2*b*B + 3*b^3*B - 5*a^3*(A - C) + 3*a*b^2*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(21*a^3*B + 21*a*b^2*B + 21*a^2*b*(3*A + C) + b^3*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*(98*a^2*b*B + 21*b^3*B + 24*a^3*C + 21*a*b^2*(5*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*b*(35*A*b^2 + 63*a*b*B + 24*a^2*C + 25*b^2*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*(7*b*B + 6*a*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(35*d) + (2*C*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.785919, antiderivative size = 334, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4096, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2b \sin(c+dx) \sec^3(c+dx) (24a^2C + 63abB + 35Ab^2 + 25b^2C)}{105d} + \frac{2 \sin(c+dx) \sqrt{\sec(c+dx)} (98a^2bB + 24a^3C + 21ab^2C)}{35d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]

[Out] (-2*(15*a^2*b*B + 3*b^3*B - 5*a^3*(A - C) + 3*a*b^2*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(21*a^3*B + 21*a*b^2*B + 21*a^2*b*(3*A + C) + b^3*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*(98*a^2*b*B + 21*b^3*B + 24*a^3*C + 21*a*b^2*(5*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*b*(35*A*b^2 + 63*a*b*B + 24*a^2*C + 25*b^2*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*(7*b*B + 6*a*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(35*d) + (2*C*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(7*d)

Rule 4096


```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

```

Rule 4076

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 4046

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.
+ A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

```

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2C \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^3 \sin(c + dx)}{7d} + \frac{2}{7} \int \\
 &= \frac{2(7bB + 6aC) \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^2 \sin(c + dx)}{35d} \\
 &= \frac{2b (35Ab^2 + 63abB + 24a^2C + 25b^2C) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} \\
 &= \frac{2b (35Ab^2 + 63abB + 24a^2C + 25b^2C) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} \\
 &= \frac{2 (98a^2bB + 21b^3B + 24a^3C + 21ab^2(5A + 3C)) \sqrt{\sec(c + dx)} \sin(c + dx)}{35d} \\
 &= \frac{2 (21a^3B + 21ab^2B + 21a^2b(3A + C) + b^3(7A + 5C)) \sqrt{\sec(c + dx)} \sin(c + dx)}{21d} \\
 &= -\frac{2 (15a^2bB + 3b^3B - 5a^3(A - C) + 3ab^2(5A + 3C)) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d}
 \end{aligned}$$

Mathematica [A] time = 3.77841, size = 377, normalized size = 1.13

$$\frac{4(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(5 \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (21a^2b(3A + C) + 21a^2b^3B - 3b^3B + 5a^3(A - C) - 3a^2b(5A + 3C)) \sqrt{\cos(c + dx)}\right)}{5d}$$

Antiderivative was successfully verified.

`[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/
Sqrt[Sec[c + d*x]],x]`

`[Out] (4*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(21*(-15*
a^2*b*B - 3*b^3*B + 5*a^3*(A - C) - 3*a*b^2*(5*A + 3*C))*Sqrt[Cos[c + d*x]]
*EllipticE[(c + d*x)/2, 2] + 5*(21*a^3*B + 21*a*b^2*B + 21*a^2*b*(3*A + C)`

$$+ b^3(7A + 5C) \sqrt{\cos[c + dx]} \operatorname{EllipticF}\left[\frac{c + dx}{2}, 2\right] + 315a^2A^2b^2 \sin[c + dx] + 315a^2b^2B \sin[c + dx] + 63b^3B \sin[c + dx] + 105a^3C \sin[c + dx] + 189a^2b^2C \sin[c + dx] + 35A^2b^3 \tan[c + dx] + 105a^2b^2B \tan[c + dx] + 105a^2b^2C \tan[c + dx] + 25b^3C \tan[c + dx] + 21b^3B \sec[c + dx] \tan[c + dx] + 63a^2b^2C \sec[c + dx] \tan[c + dx] + 15b^3C \sec[c + dx]^2 \tan[c + dx] \Big) / (105d(b + a \cos[c + dx])^3(A + 2C + 2B \cos[c + dx] + A \cos[2(c + dx)]) \sec[c + dx]^{9/2})$$

Maple [B] time = 9.369, size = 1205, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (a+b \sec(dx+c))^3 (A+B \sec(dx+c)+C \sec(dx+c)^2) / \sec(dx+c)^{1/2}, x$

[Out]
$$\begin{aligned} & -(-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2)^{1/2} (2A^2 a^3 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} (\operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2})) - 2A^2 a^3 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 6A^2 a^2 b (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 2B a^3 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 2/5 b^2 (B b + 3C a) / (8 \sin(1/2 dx + 1/2 c)^6 - 12 \sin(1/2 dx + 1/2 c)^4 + 6 \sin(1/2 dx + 1/2 c)^2 - 1) / \sin(1/2 dx + 1/2 c)^2 (12 (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) (\sin(1/2 dx + 1/2 c)^2)^{1/2} \sin(1/2 dx + 1/2 c)^4 - 24 \sin(1/2 dx + 1/2 c)^6 \cos(1/2 dx + 1/2 c) - 12 (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) (\sin(1/2 dx + 1/2 c)^2)^{1/2} \sin(1/2 dx + 1/2 c)^2 + 24 \sin(1/2 dx + 1/2 c)^4 \cos(1/2 dx + 1/2 c) + 3 (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) (\sin(1/2 dx + 1/2 c)^2)^{1/2} - 8 \sin(1/2 dx + 1/2 c)^2 \cos(1/2 dx + 1/2 c)) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} + 2C b^3 (-1/56 \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (\cos(1/2 dx + 1/2 c)^2 - 1/2)^4 - 5/42 \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (\cos(1/2 dx + 1/2 c)^2 - 1/2)^2 + 5/21 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2})) + 2b (A b^2 + 3B a b + 3C a^2) (-1/6 \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (\cos(1/2 dx + 1/2 c)^2 - 1/2)^2 + 1/3 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (- \end{aligned}$$

$$2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*a*(3*A*b^2+3*B*a*b+C*a^2)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)})/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)/d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb^3 \sec(dx+c)^5 + (3Cab^2 + Bb^3)\sec(dx+c)^4 + Aa^3 + (3Ca^2b + 3Bab^2 + Ab^3)\sec(dx+c)^3 + (Ca^3 + 3Ba^2b + 3Aab^2 + Bb^3)\sec(dx+c)^2 + (Aa^2b + 3Aab^2 + Bb^3)\sec(dx+c) + Aa^2 + 3Aab + Bb^2}{\sqrt{\sec(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*b^3*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*sec(d*x + c)^4 + A*a^3 + (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)

$$3.999 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=319

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(a^3(A+3C) + 9a^2bB + 3ab^2(3A+C) + b^3B\right)}{3d} + \frac{2b \sin(c+dx)\sqrt{\sec(c+dx)}}{3d}$$

[Out] (2*(5*a^3*B - 15*a*b^2*B + 15*a^2*b*(A - C) - b^3*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(9*a^2*b*B + b^3*B + 3*a*b^2*(3*A + C) + a^3*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*b*(45*a*b*B - a^2*(10*A - 42*C) + 3*b^2*(5*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) - (2*b^2*(5*a*A - 5*b*B - 9*a*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(15*d) - (2*b*(5*A - 3*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Ssin[c + d*x]/(15*d) + (2*A*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]))

Rubi [A] time = 0.829917, antiderivative size = 319, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4094, 4096, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2b \sin(c+dx)\sqrt{\sec(c+dx)} \left(a^2(-10A - 42C) + 45abB + 3b^2(5A + 3C)\right)}{15d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (2*(5*a^3*B - 15*a*b^2*B + 15*a^2*b*(A - C) - b^3*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(9*a^2*b*B + b^3*B + 3*a*b^2*(3*A + C) + a^3*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*b*(45*a*b*B - a^2*(10*A - 42*C) + 3*b^2*(5*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) - (2*b^2*(5*a*A - 5*b*B - 9*a*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(15*d) - (2*b*(5*A - 3*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Ssin[c + d*x]/(15*d) + (2*A*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]))

Rule 4094

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4096

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

```

Rule 4076

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(
B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -

```

$\text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 4046

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^m*(\text{csc}[e_.] + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] := -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& !\text{LeQ}[m, -1]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + b \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= -\frac{2b(5A - 3C)\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2 \sin(c + dx)}{15d} \\ &= -\frac{2b^2(5aA - 5bB - 9aC)\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} - \frac{2b}{3} \int \frac{(a + b \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= -\frac{2b^2(5aA - 5bB - 9aC)\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} - \frac{2b}{3} \int \frac{(a + b \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2b(45abB - a^2(10A - 42C) + 3b^2(5A + 3C))\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} \\ &= \frac{2(9a^2bB + b^3B + 3ab^2(3A + C) + a^3(A + 3C))\sqrt{\cos(c + dx)}}{3d} \\ &= \frac{2(5a^3B - 15ab^2B + 15a^2b(A - C) - b^3(5A + 3C))\sqrt{\cos(c + dx)}}{5d} \end{aligned}$$

Mathematica [A] time = 3.5338, size = 311, normalized size = 0.97

$$\frac{2(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(10\sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (a^3(A + 3C) + 9a^2bB + 3ab^2(3A + C) + b^3B)\right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/
Sec[c + d*x]^(3/2), x]
```

```
[Out] (2*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(6*(5*a^3
*B - 15*a*b^2*B + 15*a^2*b*(A - C) - b^3*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*El
lipticE[(c + d*x)/2, 2] + 10*(9*a^2*b*B + b^3*B + 3*a*b^2*(3*A + C) + a^3*(
A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 30*A*b^3*Sin[c + d
*x] + 90*a*b^2*B*Sin[c + d*x] + 90*a^2*b*C*Sin[c + d*x] + 18*b^3*C*Sin[c +
d*x] + 5*a^3*A*Sin[2*(c + d*x)] + 10*b^3*B*Tan[c + d*x] + 30*a*b^2*C*Tan[c
+ d*x] + 6*b^3*C*Sec[c + d*x]*Tan[c + d*x]))/(15*d*(b + a*Cos[c + d*x])^3*(
A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(9/2))
```

Maple [B] time = 8.263, size = 1419, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2), x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4/3*A*a^3*(2*si
n(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin
(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-3*(2*sin(1
/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x
+1/2*c)^2)^(1/2)-sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+(-4*A*a^3+6*A*a^2*b+2*B*a^3)*(sin(1/2*d
*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-Ellip
ticE(cos(1/2*d*x+1/2*c), 2^(1/2)))+2*A*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*
cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2
)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-6*A*a^2*b*(sin(1/2*d*x+1/2*c)
^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/
2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+6*A*a*b^2*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-2
*B*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*s
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c
), 2^(1/2))+6*B*a^2*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+
1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos
(1/2*d*x+1/2*c), 2^(1/2))+2*a^3*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d
```

```

*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*E
llipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2/5*C*b^3/(8*sin(1/2*d*x+1/2*c)^6-12*s
in(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*s
in(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2
*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d
*x+1/2*c)-12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),
2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1
/2*c)^4*cos(1/2*d*x+1/2*c)+3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos
(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^
2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+
2*b^2*(B*b+3*C*a)*(-1/6*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2
*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2
)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*
d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*b*(A*b^2+3*B*a
*b+3*C*a^2)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x
+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos
(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1
/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb^3 \sec(dx+c)^5 + (3Cab^2 + Bb^3) \sec(dx+c)^4 + Aa^3 + (3Ca^2b + 3Bab^2 + Ab^3) \sec(dx+c)^3 + (Ca^3 + 3Ba^2b) \sec(dx+c)^2 + (3Aab^2 + 3Bab^2) \sec(dx+c) + A^2b}{\sec(dx+c)^{\frac{3}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((C*b^3*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*sec(d*x + c)^4 + A*a^3
+ (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*
A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sec(d*x + c)^(3
/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**
(3/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/se
c(d*x + c)^(3/2), x)
```

$$3.1000 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=313

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(3a^2b(A+3C)+a^3B+9ab^2B+b^3(3A+C))}{3d} - \frac{2b \sin(c+dx)\sqrt{\sec(c+dx)}}{3d}$$

[Out] (2*(15*a^2*b*B - 5*b^3*B + 15*a*b^2*(A - C) + a^3*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(a^3*B + 9*a*b^2*B + b^3*(3*A + C) + 3*a^2*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) - (2*b*(10*a^2*B - 15*b^2*B + 3*a*b*(7*A - 15*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) - (2*b^2*(9*A*b + 5*a*B - 5*b*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(15*d) + (2*(6*A*b + 5*a*B)*(a + b*Sec[c + d*x])^2*Sin[c + d*x]/(15*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)))

Rubi [A] time = 0.833526, antiderivative size = 313, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2b \sin(c+dx)\sqrt{\sec(c+dx)}(10a^2B+3ab(7A-15C)-15b^2B)}{15d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(3a^2b(A+3C)+a^3B+9ab^2B+b^3(3A+C))}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (2*(15*a^2*b*B - 5*b^3*B + 15*a*b^2*(A - C) + a^3*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(a^3*B + 9*a*b^2*B + b^3*(3*A + C) + 3*a^2*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) - (2*b*(10*a^2*B - 15*b^2*B + 3*a*b*(7*A - 15*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) - (2*b^2*(9*A*b + 5*a*B - 5*b*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(15*d) + (2*(6*A*b + 5*a*B)*(a + b*Sec[c + d*x])^2*Sin[c + d*x]/(15*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)))

Rule 4094

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4076

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 4046

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + b \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2(6Ab + 5aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2b^2(9Ab + 5aB - 5bC) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2b^2(9Ab + 5aB - 5bC) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2b(10a^2B - 15b^2B + 3ab(7A - 15C)) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(a^3B + 9ab^2B + b^3(3A + C) + 3a^2b(A + 3C)) \sqrt{\cos(c + dx)}}{3d} - \frac{2b^2(9Ab + 5aB - 5bC) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} \\
&= \frac{2(15a^2bB - 5b^3B + 15ab^2(A - C) + a^3(3A + 5C)) \sqrt{\cos(c + dx)}}{5d} - \frac{2b^2(9Ab + 5aB - 5bC) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d}
\end{aligned}$$

Mathematica [A] time = 2.69708, size = 295, normalized size = 0.94

$$\frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(20 \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (3a^2b(A + 3C) + a^3B) \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/
Sec[c + d*x]^(5/2), x]
```

```
[Out] ((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(12*(15*a^2
*b*B - 5*b^3*B + 15*a*b^2*(A - C) + a^3*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*E11
```

```

ipticE[(c + d*x)/2, 2] + 20*(a^3*B + 9*a*b^2*B + b^3*(3*A + C) + 3*a^2*b*(A
+ 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 3*a^3*A*Sin[c + d*x
] + 60*b^3*B*Sin[c + d*x] + 180*a*b^2*C*Sin[c + d*x] + 30*a^2*A*b*Sin[2*(c
+ d*x)] + 10*a^3*B*Sin[2*(c + d*x)] + 3*a^3*A*Sin[3*(c + d*x)] + 20*b^3*C*T
an[c + d*x]))/(15*d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*
Cos[2*(c + d*x)])*Sec[c + d*x]^(9/2))

```

Maple [B] time = 7.42, size = 1837, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)
```

```
[Out] 2/15*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(4*sin(1/2*d
*x+1/2*c)^4-4*sin(1/2*d*x+1/2*c)^2+1)/sin(1/2*d*x+1/2*c)^3*(-45*C*(sin(1/2*
d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/
2*c)^2-1)^(1/2)*a^2*b+30*A*a^2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+90
*C*a*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+120*A*a^2*b*cos(1/2*d*x+1/
2*c)*sin(1/2*d*x+1/2*c)^6-120*A*a^2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)
^4-180*C*a*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+9*A*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-
1)^(1/2)*a^3-5*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),
2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^3-15*B*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*b^3-15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)
)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^3-5*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*Ell
ipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^3+15*
C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin
(1/2*d*x+1/2*c)^2-1)^(1/2)*a^3-36*A*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*
c)^4-40*B*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-60*B*b^3*cos(1/2*d*x+
1/2*c)*sin(1/2*d*x+1/2*c)^4+6*A*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2
+10*B*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+30*B*b^3*cos(1/2*d*x+1/2*
c)*sin(1/2*d*x+1/2*c)^2+10*C*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-48
*A*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+72*A*a^3*cos(1/2*d*x+1/2*c)*
sin(1/2*d*x+1/2*c)^6+40*B*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+30*A*
(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1
/2*d*x+1/2*c)^2-1)^(1/2)*a^2*b*sin(1/2*d*x+1/2*c)^2-90*A*(sin(1/2*d*x+1/2*c)
^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)
^(1/2)*a*b^2*sin(1/2*d*x+1/2*c)^2+90*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipti
cF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a*b^2*sin(1

```

$$\begin{aligned} & /2*d*x+1/2*c)^2-90*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b*\sin(1/2*d*x+1/2*c)^2+90 \\ & *C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b*\sin(1/2*d*x+1/2*c)^2+90*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^2*\sin(1/2*d*x+1/2*c)^2-45*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^2+30 \\ & *A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*b^3*\sin(1/2*d*x+1/2*c)^2-18*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^3*\sin(1/2*d*x+1/2*c)^2+10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^3*\sin(1/2*d*x+1/2*c)^2+30*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*b^3*\sin(1/2*d*x+1/2*c)^2+10*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*b^3*\sin(1/2*d*x+1/2*c)^2-30*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^3*\sin(1/2*d*x+1/2*c)^2-15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b+45*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^2-45*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^2+45*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Cb^3 \sec(dx+c)^5 + (3Cab^2 + Bb^3) \sec(dx+c)^4 + Aa^3 + (3Ca^2b + 3Bab^2 + Ab^3) \sec(dx+c)^3 + (Ca^3 + 3Ba^2) \sec(dx+c)^2 + (2Ab^2 + 2Ba^2) \sec(dx+c) + A^2 + B^2}{\sec(dx+c)^{\frac{5}{2}}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((C*b^3*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*sec(d*x + c)^4 + A*a^3 + (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sec(d*x + c)^(5/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sec(d*x + c)^(5/2), x)
```

$$3.1001 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=317

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(a^3(5A+7C)+21a^2bB+21ab^2(A+3C)+21b^3B\right)}{21d} + \frac{2a \sin(c+dx)}{21d}$$

[Out] (2*(3*a^3*B + 15*a*b^2*B + 5*b^3*(A - C) + 3*a^2*b*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(21*a^2*b*B + 21*b^3*B + 21*a*b^2*(A + 3*C) + a^3*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*(24*A*b^2 + 63*a*b*B + 5*a^2*(5*A + 7*C))*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) - (2*b^2*(11*A*b + 7*a*B - 35*b*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*(6*A*b + 7*a*B)*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.831875, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4074, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a \sin(c+dx)\left(5a^2(5A+7C)+63abB+24Ab^2\right)}{105d\sqrt{\sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(a^3(5A+7C)+21a^2bB\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*(3*a^3*B + 15*a*b^2*B + 5*b^3*(A - C) + 3*a^2*b*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(21*a^2*b*B + 21*b^3*B + 21*a*b^2*(A + 3*C) + a^3*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*(24*A*b^2 + 63*a*b*B + 5*a^2*(5*A + 7*C))*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) - (2*b^2*(11*A*b + 7*a*B - 35*b*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*(6*A*b + 7*a*B)*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + b \sec(c + dx))^3}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2(6Ab + 7aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2}{7} \int \frac{(a + b \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a(24Ab^2 + 63abB + 5a^2(5A + 7C)) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2}{7} \int \frac{(a + b \sec(c + dx))^3}{\sec^{\frac{1}{2}}(c + dx)} dx \\
&= \frac{2a(24Ab^2 + 63abB + 5a^2(5A + 7C)) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2}{7} \int \frac{(a + b \sec(c + dx))^3}{\sec^{\frac{1}{2}}(c + dx)} dx \\
&= \frac{2a(24Ab^2 + 63abB + 5a^2(5A + 7C)) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} - \frac{2b^3 \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2(21a^2bB + 21b^3B + 21ab^2(A + 3C) + a^3(5A + 7C)) \sqrt{\sec(c + dx)}}{21d} \\
&= \frac{2(3a^3B + 15ab^2B + 5b^3(A - C) + 3a^2b(3A + 5C)) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 5.06322, size = 234, normalized size = 0.74

$$\frac{\sqrt{\sec(c + dx)} \left(40 \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (a^3(5A + 7C) + 21a^2bB + 21ab^2(A + 3C) + 21b^3B) + 2 \sin(c + dx) \right)}{\sec^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/
Sec[c + d*x]^(7/2), x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(168*(3*a^3*B + 15*a*b^2*B + 5*b^3*(A - C) + 3*a^2*b*(3
*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 40*(21*a^2*b*B +
21*b^3*B + 21*a*b^2*(A + 3*C) + a^3*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Ellipti
```

$$cF[(c + d*x)/2, 2] + 2*(42*(3*a^2*A*b + a^3*B + 10*b^3*C) + 5*a*(84*A*b^2 + 84*a*b*B + a^2*(29*A + 28*C))*Cos[c + d*x] + 42*a^2*(3*A*b + a*B)*Cos[2*(c + d*x)] + 15*a^3*A*Cos[3*(c + d*x)])*Sin[c + d*x])/(420*d)$$

Maple [B] time = 2.813, size = 1278, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b*\sec(dx+c))^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(7/2)}, x)$

[Out]
$$\begin{aligned} & -2/105*(240*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*\cos(\\ & 1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8-24*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*a^2*(15*A*a+21*A*b+7*B*a)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x \\ & +1/2*c)+28*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(10*A*a^2 \\ & +18*A*a*b+15*A*b^2+6*B*a^2+15*B*a*b+5*C*a^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d \\ & *x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(40*A*a^3+ \\ & 63*A*a^2*b+105*A*a*b^2+21*B*a^3+105*B*a^2*b+35*C*a^3+105*C*b^3)*\sin(1/2*d*x \\ & +1/2*c)^2*\cos(1/2*d*x+1/2*c)+25*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1 \\ & /2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+105*A*a*b^2*(\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2) \\ &))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-189*A*(-2*\sin(1/2*d \\ & *x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin \\ & (1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2*b-105* \\ & A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1 \\ & /2)})*b^3+105*B*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1 \\ &)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)}+105*B*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d \\ & *x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+ \\ & 1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-63*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1 \\ &)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^3-315*B*(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d* \\ & x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b^2+35*a^3*C*(s \\ & in(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1 \\ & /2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & +315*C*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \\ & EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}-315*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \end{aligned}$$

$$\frac{(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b+105*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb^3 \sec(dx+c)^5 + (3Cab^2 + Bb^3) \sec(dx+c)^4 + Aa^3 + (3Ca^2b + 3Bab^2 + Ab^3) \sec(dx+c)^3 + (Ca^3 + 3Ba^2b + 3Aab^2) \sec(dx+c)^2 + (B^2a^2 + 3A^2b) \sec(dx+c) + A^2}{\sec(dx+c)^{7/2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((C*b^3*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*sec(d*x + c)^4 + A*a^3 + (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sec(d*x + c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sec(d*x + c)^(7/2), x)

$$3.1002 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$$

Optimal. Leaf size=336

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(3a^2b(5A+7C)+5a^3B+21ab^2B+7b^3(A+3C))}{21d} + \frac{2a \sin(c+dx)}{\sec^{\frac{9}{2}}(c+dx)}$$

[Out] (2*(27*a^2*b*B + 15*b^3*B + 9*a*b^2*(3*A + 5*C) + a^3*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(5*a^3*B + 21*a*b^2*B + 7*b^3*(A + 3*C) + 3*a^2*b*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*(24*A*b^2 + 99*a*b*B + 7*a^2*(7*A + 9*C))*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)) + (2*(8*A*b^3 + 15*a^3*B + 54*a*b^2*B + 9*a^2*b*(5*A + 7*C))*Sin[c + d*x])/(63*d*Sqrt[Sec[c + d*x]]) + (2*(2*A*b + 3*a*B)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*A*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.856031, antiderivative size = 336, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4074, 4047, 3771, 2639, 4045, 2641}

$$\frac{2a \sin(c+dx)(7a^2(7A+9C)+99abB+24Ab^2)}{315d \sec^{\frac{3}{2}}(c+dx)} + \frac{2 \sin(c+dx)(9a^2b(5A+7C)+15a^3B+54ab^2B+8Ab^3)}{63d \sqrt{\sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)}}{\sec^{\frac{9}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (2*(27*a^2*b*B + 15*b^3*B + 9*a*b^2*(3*A + 5*C) + a^3*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(5*a^3*B + 21*a*b^2*B + 7*b^3*(A + 3*C) + 3*a^2*b*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a*(24*A*b^2 + 99*a*b*B + 7*a^2*(7*A + 9*C))*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)) + (2*(8*A*b^3 + 15*a^3*B + 54*a*b^2*B + 9*a^2*b*(5*A + 7*C))*Sin[c + d*x])/(63*d*Sqrt[Sec[c + d*x]]) + (2*(2*A*b + 3*a*B)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*A*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2(2Ab + 3aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2a(24Ab^2 + 99abB + 7a^2(7A + 9C)) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{1}{2}}(c + dx)} dx \\
 &= \frac{2a(24Ab^2 + 99abB + 7a^2(7A + 9C)) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{1}{2}}(c + dx)} dx \\
 &= \frac{2a(24Ab^2 + 99abB + 7a^2(7A + 9C)) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{1}{2}}(c + dx)} dx \\
 &= \frac{2(27a^2bB + 15b^3B + 9ab^2(3A + 5C) + a^3(7A + 9C)) \sin(c + dx)}{15d} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{1}{2}}(c + dx)} dx \\
 &= \frac{2(27a^2bB + 15b^3B + 9ab^2(3A + 5C) + a^3(7A + 9C)) \sin(c + dx)}{15d} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{1}{2}}(c + dx)} dx
 \end{aligned}$$

Mathematica [A] time = 6.13451, size = 323, normalized size = 0.96

$$\frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(240 \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (3a^2b(5A + 7C) + 5a^3(7A + 9C)) \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/
Sec[c + d*x]^(9/2), x]
```

```
[Out] ((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(336*(27*a^
2*b*B + 15*b^3*B + 9*a*b^2*(3*A + 5*C) + a^3*(7*A + 9*C))*Sqrt[Cos[c + d*x]
```

```
] *EllipticE[(c + d*x)/2, 2] + 240*(5*a^3*B + 21*a*b^2*B + 7*b^3*(A + 3*C) +
  3*a^2*b*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 2*(7*a
*(108*A*b^2 + 108*a*b*B + a^2*(43*A + 36*C))*Cos[c + d*x] + 5*(84*A*b^3 + 7
8*a^3*B + 252*a*b^2*B + 6*a^2*(39*A*b + 42*b*C) + 18*a^2*(3*A*b + a*B)*Cos[
2*(c + d*x)] + 7*a^3*A*Cos[3*(c + d*x)])*Sin[2*(c + d*x)])/(1260*d*(b + a
*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c +
d*x]^(9/2))
```

Maple [B] time = 2.434, size = 975, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2), x)
```

```
[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-1120*A*a^3
*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(2240*A*a^3+2160*A*a^2*b+720*B*a^
3)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-2072*A*a^3-3240*A*a^2*b-1512*A
*a*b^2-1080*B*a^3-1512*B*a^2*b-504*C*a^3)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+
1/2*c)+(952*A*a^3+2520*A*a^2*b+1512*A*a*b^2+420*A*b^3+840*B*a^3+1512*B*a^2*
b+1260*B*a*b^2+504*C*a^3+1260*C*a^2*b)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2
*c)+(-168*A*a^3-720*A*a^2*b-378*A*a*b^2-210*A*b^3-240*B*a^3-378*B*a^2*b-630
*B*a*b^2-126*C*a^3-630*C*a^2*b)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+225
*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*si
n(1/2*d*x+1/2*c)^2-1)^(1/2)*a^2*b+105*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipt
icF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^3-147*A*
(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1
/2*d*x+1/2*c)^2-1)^(1/2)*a^3-567*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(c
os(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a*b^2+75*B*(sin
(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d
*x+1/2*c)^2-1)^(1/2)*a^3+315*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1
/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a*b^2-567*B*(sin(1
/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+
1/2*c)^2-1)^(1/2)*a^2*b-315*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/
2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^3+315*C*(sin(1/2*d
*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2
*c)^2-1)^(1/2)*a^2*b+315*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d
*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^3-189*C*(sin(1/2*d*x+
1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)
^2-1)^(1/2)*a^3-945*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/
2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a*b^2)/(-2*sin(1/2*d*x+1/2*c
```

)⁴+sin(1/2*d*x+1/2*c)²)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)²-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))³*(A+B*sec(d*x+c)+C*sec(d*x+c)²)/sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Cb^3 \sec(dx+c)^5 + (3Cab^2 + Bb^3) \sec(dx+c)^4 + Aa^3 + (3Ca^2b + 3Bab^2 + Ab^3) \sec(dx+c)^3 + (Ca^3 + 3Ba^2b + 3Bab^2 + Bb^3) \sec(dx+c)^2 + (Aa^2b + 3Aab^2 + 3Bab^2 + Bb^3) \sec(dx+c) + Aa^2 + 3Aab + 3Bab + Bb^2}{\sec(dx+c)^{\frac{9}{2}}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))³*(A+B*sec(d*x+c)+C*sec(d*x+c)²)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((C*b³*sec(d*x + c)⁵ + (3*C*a*b² + B*b³)*sec(d*x + c)⁴ + A*a³ + (3*C*a²*b + 3*B*a*b² + A*b³)*sec(d*x + c)³ + (C*a³ + 3*B*a²*b + 3*A*a*b² + 3*B*a*b² + B*b³)*sec(d*x + c)² + (B*a³ + 3*A*a²*b)*sec(d*x + c))/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^{**3}*(A+B*sec(d*x+c)+C*sec(d*x+c)^{**2})/sec(d*x+c)^{**9/2},x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sec(d*x + c)^(9/2), x)

$$3.1003 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=401

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(5a^3(9A+11C)+165a^2bB+33ab^2(5A+7C)+77b^3B\right)}{231d} + \frac{2\sin(c+dx)}{d}$$

[Out] (2*(7*a^3*B + 27*a*b^2*B + 3*b^3*(3*A + 5*C) + 3*a^2*b*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(165*a^2*b*B + 77*b^3*B + 33*a*b^2*(5*A + 7*C) + 5*a^3*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a*(24*A*b^2 + 143*a*b*B + 9*a^2*(9*A + 11*C))*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)) + (2*(24*A*b^3 + 77*a^3*B + 242*a*b^2*B + 33*a^2*b*(7*A + 9*C))*Sin[c + d*x])/(495*d*Sec[c + d*x]^(3/2)) + (2*(165*a^2*b*B + 77*b^3*B + 33*a*b^2*(5*A + 7*C) + 5*a^3*(9*A + 11*C))*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*(6*A*b + 11*a*B)*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*A*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))

Rubi [A] time = 0.914722, antiderivative size = 401, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4094, 4074, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2\sin(c+dx)\left(33a^2b(7A+9C)+77a^3B+242ab^2B+24Ab^3\right)}{495d\sec^{\frac{3}{2}}(c+dx)} + \frac{2a\sin(c+dx)\left(9a^2(9A+11C)+143abB+24Ab^2\right)}{693d\sec^{\frac{5}{2}}(c+dx)} + \frac{2\sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (2*(7*a^3*B + 27*a*b^2*B + 3*b^3*(3*A + 5*C) + 3*a^2*b*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(165*a^2*b*B + 77*b^3*B + 33*a*b^2*(5*A + 7*C) + 5*a^3*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a*(24*A*b^2 + 143*a*b*B + 9*a^2*(9*A + 11*C))*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)) + (2*(24*A*b^3 + 77*a^3*B + 242*a*b^2*B + 33*a^2*b*(7*A + 9*C))*Sin[c + d*x])/(495*d*Sec[c + d*x]^(3/2)) + (2*(165*a^2*b*B + 77*b^3*B + 33*a*b^2*(5*A + 7*C) + 5*a^3*(9*A + 11*C))*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*(6*A*b + 11*a*B)*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*A*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))

$$5*A + 7*C) + 5*a^3*(9*A + 11*C))*\text{Sin}[c + d*x]]/(231*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(6*A*b + 11*a*B)*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(99*d*\text{Sec}[c + d*x])^{(7/2)} + (2*A*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(11*d*\text{Sec}[c + d*x])^{(9/2)})$$

Rule 4094

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4074

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n+1))*\text{Csc}[e + f*x] + b*C*n*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{LtQ}[n, -1]$$

Rule 4047

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^m*(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m+1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x\}$$

Rule 3769

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n+1)})/(b*d*n), x] + \text{Dist}[(n+1)/(b^2*n), \text{Int}[(b*\text{Csc}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$$

Rule 3771

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^3 \sin(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
 &= \frac{2(6Ab + 11aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2a(24Ab^2 + 143abB + 9a^2(9A + 11C)) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2a(24Ab^2 + 143abB + 9a^2(9A + 11C)) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^3 \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2(7a^3B + 27ab^2B + 3b^3(3A + 5C) + 3a^2b(7A + 9C)) \sin(c + dx)}{15d}
 \end{aligned}$$

Mathematica [A] time = 6.83624, size = 538, normalized size = 1.34

$$\frac{2 \cos^5(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \operatorname{EllipticF} \left(\frac{1}{2}(c + dx) \right) \right)}{1155d(a \cos(c + dx) + b)^3(A + B \sec(c + dx) + C \sec^2(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2),x]

[Out] (2*Cos[c + d*x]^5*((2*(1617*a^2*A*b + 693*A*b^3 + 539*a^3*B + 2079*a*b^2*B + 2079*a^2*b*C + 1155*b^3*C)*EllipticE[(c + d*x)/2, 2])/(Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + 2*(225*a^3*A + 825*a*A*b^2 + 825*a^2*b*B + 385*b^3*B + 275*a^3*C + 1155*a*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/((1155*d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((57*a^2*A*b + 18*A*b^3 + 19*a^3*B + 54*a*b^2*B + 54*a^2*b*C)*Sin[c + d*x])/90 + ((1041*a^3*A + 3432*a*A*b^2 + 3432*a^2*b*B + 1232*b^3*B + 1144*a^3*C + 3696*a*b^2*C)*Sin[2*(c + d*x)])/1848 + ((129*a^2*A*b + 36*A*b^3 + 43*a^3*B + 108*a*b^2*B + 108*a^2*b*C)*Sin[3*(c + d*x)])/180 + (a*(16*a^2*A + 33*A*b^2 + 33*a*b*B + 11*a^2*C)*Sin[4*(c + d*x)])/154 + (a^2*(3*A*b + a*B)*Sin[5*(c + d*x)]/36 + (a^3*A*Ssin[6*(c + d*x)]/88))/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2))

Maple [B] time = 2.287, size = 1082, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x)

[Out] -2/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(20160*A*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-50400*A*a^3-36960*A*a^2*b-12320*B*a^3)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(56880*A*a^3+73920*A*a^2*b+23760*A*a*b^2+24640*B*a^3+23760*B*a^2*b+7920*C*a^3)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-34920*A*a^3-68376*A*a^2*b-35640*A*a*b^2-5544*A*b^3-22792*B*a^3-35640*B*a^2*b-16632*B*a*b^2-11880*C*a^3-16632*C*a^2*b)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(13860*A*a^3+31416*A*a^2*b+27720*A*a*b^2+5544*

$$\begin{aligned}
& A*b^3+10472*B*a^3+27720*B*a^2*b+16632*B*a*b^2+4620*B*b^3+9240*C*a^3+16632*C \\
& *a^2*b+13860*C*a*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-2790*A*a^3- \\
& 5544*A*a^2*b-7920*A*a*b^2-1386*A*b^3-1848*B*a^3-7920*B*a^2*b-4158*B*a*b^2-2 \\
& 310*B*b^3-2640*C*a^3-4158*C*a^2*b-6930*C*a*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/ \\
& 2*d*x+1/2*c)-4851*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1) \\
& ^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-2079*A*(\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2 \\
& ^{(1/2)})*b^3+675*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2- \\
& 1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2475*A*a*b^2*(\sin(1/2*d*x+1/ \\
& 2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c) \\
& ,2^{(1/2)})-1617*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1 \\
& /2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3-6237*B*(\sin(1/2*d*x+1/2*c)^2) \\
& ^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2) \\
&))*a*b^2+2475*B*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2- \\
& 1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1155*B*b^3*(\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2 \\
& ^{(1/2)})-6237*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2) \\
&)*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-3465*C*(\sin(1/2*d*x+1/2*c)^2) \\
& ^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2) \\
&))*b^3+825*a^3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1 \\
& /2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3465*C*a*b^2*(\sin(1/2*d*x+1/2*c)^ \\
& 2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1 \\
& /2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2* \\
& c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Cb^3 \sec(dx+c)^5 + (3Cab^2 + Bb^3) \sec(dx+c)^4 + Aa^3 + (3Ca^2b + 3Bab^2 + Ab^3) \sec(dx+c)^3 + (Ca^3 + 3Ba^2) \sec(dx+c)^2 + (3Aab^2 + 3Bab^2 + Ab^3) \sec(dx+c) + Aa^3 + 3Ba^2}{\sec(dx+c)^{\frac{11}{2}}} \right) dx$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="fricas")
```

```
[Out] integral((C*b^3*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*sec(d*x + c)^4 + A*a^3 + (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sec(d*x + c)^(11/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sec(d*x + c)^(11/2), x)
```

3.1004 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec(c+dx)^2) dx$

Optimal. Leaf size=515

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(66a^2b^2(7A+5C)+77a^4(3A+C)+308a^3bB+220ab^3B+5b^4(11A+7C)\right)}{231d}$$

```
[Out] (-2*(15*a^4*B + 54*a^2*b^2*B + 7*b^4*B + 12*a^3*b*(5*A + 3*C) + 4*a*b^3*(9*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(308*a^3*b*B + 220*a*b^3*B + 77*a^4*(3*A + C) + 66*a^2*b^2*(7*A + 5*C) + 5*b^4*(11*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(231*d) + (2*(15*a^4*B + 54*a^2*b^2*B + 7*b^4*B + 12*a^3*b*(5*A + 3*C) + 4*a*b^3*(9*A + 7*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(682*a^3*b*B + 660*a*b^3*B + 64*a^4*C + 15*b^4*(11*A + 9*C) + 9*a^2*b^2*(143*A + 101*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(693*d) + (2*b*(135*3*a^2*b*B + 539*b^3*B + 192*a^3*C + 2*a*b^2*(891*A + 673*C))*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3465*d) + (2*(33*A*b^2 + 55*a*b*B + 16*a^2*C + 27*b^2*C)*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(231*d) + (2*(11*b*B + 8*a*C)*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(99*d) + (2*C*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(11*d)
```

Rubi [A] time = 1.3055, antiderivative size = 515, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4096, 4076, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2 \sin(c+dx) \sec^2(c+dx) (16a^2C + 55abB + 33Ab^2 + 27b^2C) (a+b \sec(c+dx))^2}{231d} + \frac{2b \sin(c+dx) \sec^2(c+dx) (1353a^2 + 1353abB + 1353a^2C)}{231d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(15*a^4*B + 54*a^2*b^2*B + 7*b^4*B + 12*a^3*b*(5*A + 3*C) + 4*a*b^3*(9*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(308*a^3*b*B + 220*a*b^3*B + 77*a^4*(3*A + C) + 66*a^2*b^2*(7*A + 5*C) + 5*b^4*(11*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(231*d) + (2*(15*a^4*B + 54*a^2*b^2*B + 7*b^4*B + 12*a^3*b*(5*A + 3*C) + 4*a*b^3*(9*A + 7*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(682*a^3*b*B + 660*a*b^3*B + 64*a^4*C + 15*b^4*(11*A + 9*C) + 9*a^2*b^2*(143*A + 101*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(693*d) + (2*b*(135
```

$$3a^2bB + 539b^3B + 192a^3C + 2ab^2(891A + 673C))\text{Sec}[c + dx]^{(5/2)}\text{Sin}[c + dx]/(3465d) + (2(33Ab^2 + 55abB + 16a^2C + 27b^2C))\text{Sec}[c + dx]^{(3/2)}(a + b\text{Sec}[c + dx])^2\text{Sin}[c + dx]/(231d) + (2(11bB + 8aC))\text{Sec}[c + dx]^{(3/2)}(a + b\text{Sec}[c + dx])^3\text{Sin}[c + dx]/(99d) + (2C\text{Sec}[c + dx]^{(3/2)}(a + b\text{Sec}[c + dx])^4\text{Sin}[c + dx])/(11d)$$
Rule 4096

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)x](B_.) + \text{csc}[(e_.) + (f_.)x]^2(C_.)] * (\text{csc}[(e_.) + (f_.)x](d_.)^n * (\text{csc}[(e_.) + (f_.)x](b_.) + (a_.)^m), x_Symbol] \rightarrow -\text{Simp}[(C * \text{Cot}[e + fx] * (a + b\text{Csc}[e + fx])^m * (d\text{Csc}[e + fx])^n) / (f * (m + n + 1)), x] + \text{Dist}[1 / (m + n + 1), \text{Int}[(a + b\text{Csc}[e + fx])^{m-1} * (d\text{Csc}[e + fx])^n * \text{Simp}[aA * (m + n + 1) + aC * n + ((Ab + aB) * (m + n + 1) + bC * (m + n)) * \text{Csc}[e + fx] + (bB * (m + n + 1) + aC * m) * \text{Csc}[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{!LeQ}[n, -1]$$
Rule 4076

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)x](B_.) + \text{csc}[(e_.) + (f_.)x]^2(C_.)] * (\text{csc}[(e_.) + (f_.)x](d_.)^n * (\text{csc}[(e_.) + (f_.)x](b_.) + (a_.)^m), x_Symbol] \rightarrow -\text{Simp}[(bC * \text{Csc}[e + fx] * \text{Cot}[e + fx] * (d\text{Csc}[e + fx])^n) / (f * (n + 2)), x] + \text{Dist}[1 / (n + 2), \text{Int}[(d\text{Csc}[e + fx])^n * \text{Simp}[A * a * (n + 2) + (B * a * (n + 2) + b * (C * (n + 1) + A * (n + 2))) * \text{Csc}[e + fx] + (aC + B * b) * (n + 2) * \text{Csc}[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{!LtQ}[n, -1]$$
Rule 4047

$$\text{Int}[(\text{csc}[(e_.) + (f_.)x](b_.)^m * ((A_.) + \text{csc}[(e_.) + (f_.)x](B_.) + \text{csc}[(e_.) + (f_.)x]^2(C_.)], x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(bC * \text{Csc}[e + fx])^{m+1}, x], x] + \text{Int}[(bC * \text{Csc}[e + fx])^m * (A + C * \text{Csc}[e + fx]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x]$$
Rule 3768

$$\text{Int}[(\text{csc}[(c_.) + (d_.)x](b_.)^n), x_Symbol] \rightarrow -\text{Simp}[(b * \text{Cos}[c + dx] * (b\text{Csc}[c + dx])^{n-1}) / (d * (n - 1)), x] + \text{Dist}[(b^2 * (n - 2)) / (n - 1), \text{Int}[(b\text{Csc}[c + dx])^{n-2}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2 * n]$$
Rule 3771

$$\text{Int}[(\text{csc}[(c_.) + (d_.)x](b_.)^n), x_Symbol] \rightarrow \text{Dist}[(b\text{Csc}[c + dx])^n * \text{Sin}[c + dx]^n, \text{Int}[1 / \text{Sin}[c + dx]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\&$$

EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{2C\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{11d} \\
&= \frac{2(11bB+8aC)\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2(33Ab^2+55abB+16a^2C+27b^2C)\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2b(1353a^2bB+539b^3B+192a^3C+2a^4C)\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2b(1353a^2bB+539b^3B+192a^3C+2a^4C)\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2(15a^4B+54a^2b^2B+7b^4B+12a^3b(5A+2C))\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2(15a^4B+54a^2b^2B+7b^4B+12a^3b(5A+2C))\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2(15a^4B+54a^2b^2B+7b^4B+12a^3b(5A+2C))\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^4\sin(c+dx)}{99d}
\end{aligned}$$

Mathematica [A] time = 7.50476, size = 713, normalized size = 1.38

$$\frac{2\cos^6(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))\left(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{1}{2}\right)\right)}{1155d(a+b\cos(c+dx))^4(A+2C+2B\cos(c+dx)+A\cos[2c+2dx])}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*Cos[c + d*x]^6*((2*(-4620*a^3*A*b - 2772*a*A*b^3 - 1155*a^4*B - 4158*a^2*b^2*B - 539*b^4*B - 2772*a^3*b*C - 2156*a*b^3*C)*EllipticE[(c + d*x)/2, 2])/(Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + 2*(1155*a^4*A + 2310*a^2*A*b^2 + 275*A*b^4 + 1540*a^3*b*B + 1100*a*b^3*B + 385*a^4*C + 1650*a^2*b^2*C + 225*b^4*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(1155*d*(b + a*cos[c + d*x])^4*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])) + ((a

$$\begin{aligned}
& + b \operatorname{Sec}[c + d*x]^{4*(A + B \operatorname{Sec}[c + d*x] + C \operatorname{Sec}[c + d*x]^2)*((4*(60*a^3*A*b + 36*a^4*B + 54*a^2*b^2*B + 7*b^4*B + 36*a^3*b*C + 28*a*b^3*C) \operatorname{Sin}[c + d*x])/15 + (4*\operatorname{Sec}[c + d*x]^4*(b^4*B \operatorname{Sin}[c + d*x] + 4*a*b^3*C \operatorname{Sin}[c + d*x]))/9 + (4*\operatorname{Sec}[c + d*x]^2*(36*a^4*B \operatorname{Sin}[c + d*x] + 54*a^2*b^2*B \operatorname{Sin}[c + d*x] + 7*b^4*B \operatorname{Sin}[c + d*x] + 36*a^3*b*C \operatorname{Sin}[c + d*x] + 28*a*b^3*C \operatorname{Sin}[c + d*x]))/45 + (4*\operatorname{Sec}[c + d*x]^3*(11*A*b^4 \operatorname{Sin}[c + d*x] + 44*a*b^3*B \operatorname{Sin}[c + d*x] + 66*a^2*b^2*C \operatorname{Sin}[c + d*x] + 9*b^4*C \operatorname{Sin}[c + d*x]))/77 + (4*\operatorname{Sec}[c + d*x]*(462*a^2*A*b^2 \operatorname{Sin}[c + d*x] + 55*A*b^4 \operatorname{Sin}[c + d*x] + 308*a^3*b*B \operatorname{Sin}[c + d*x] + 220*a*b^3*B \operatorname{Sin}[c + d*x] + 77*a^4*C \operatorname{Sin}[c + d*x] + 330*a^2*b^2*C \operatorname{Sin}[c + d*x] + 45*b^4*C \operatorname{Sin}[c + d*x]))/231 + (4*b^4*C \operatorname{Sec}[c + d*x]^4 \operatorname{Tan}[c + d*x])/11)))/(d*(b + a \operatorname{Cos}[c + d*x])^{4*(A + 2*C + 2*B \operatorname{Cos}[c + d*x] + A \operatorname{Cos}[2*c + 2*d*x])} \operatorname{Sec}[c + d*x]^{(11/2)})}
\end{aligned}$$

Maple [B] time = 14.859, size = 1550, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{1/2} * (a+b*\sec(dx+c))^{4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)}, x)$

[Out]
$$\begin{aligned}
& -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*A*a^4*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{1/2})-4/5*a*b*(2*A*b^2+3*B*a*b+2*C*a^2)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}+2*b^2*(A*b^2+4*B*a*b+6*C*a^2)*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{1/2}))+2*C*b^4*(-1/352*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(\cos(1/2*d*x+1/2*c)^2-1/2)^6-9/616*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-15/154*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+
\end{aligned}$$

$$\frac{1}{2}c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+15/77*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*b^3*(B*b+4*C*a)*(-1/144*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^5-7/180*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+2*a^2*(6*A*b^2+4*B*a*b+C*a^2)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*a^3*(4*A*b+B*a)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^4 sec(dx+c)^6 + (4Cab^3 + Bb^4) sec(dx+c)^5 + Aa^4 + (6Ca^2b^2 + 4Bab^3 + Ab^4) sec(dx+c)^4 + 2(2Ca^3b^2 + 4Ab^3) sec(dx+c)^3 + (4Aab^2 + 4Bab^2) sec(dx+c)^2 + 4Aab sec(dx+c) + 4Aa^2) dx

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

```
[Out] integral((C*b^4*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*sec(d*x + c)^5 + A*a^4
+ (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^
2*b^2 + 2*A*a*b^3)*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*sec(d
*x + c)^2 + (B*a^4 + 4*A*a^3*b)*sec(d*x + c))*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)
)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^4 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4*sq
rt(sec(d*x + c)), x)
```

$$3.1005 \quad \int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=441

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) (28a^3b(3A+C) + 42a^2b^2B + 21a^4B + 4ab^3(7A+5C) + 5b^4B)}{21d} + \dots$$

```
[Out] (-2*(60*a^3*b*B + 36*a*b^3*B - 15*a^4*(A - C) + 18*a^2*b^2*(5*A + 3*C) + b^4*(9*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(21*a^4*B + 42*a^2*b^2*B + 5*b^4*B + 28*a^3*b*(3*A + C) + 4*a*b^3*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*(1098*a^3*b*B + 756*a*b^3*B + 192*a^4*C + 21*b^4*(9*A + 7*C) + 7*a^2*b^2*(261*A + 155*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2*b*(261*a^2*b*B + 75*b^3*B + 64*a^3*C + 2*a*b^2*(147*A + 101*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(315*d) + (2*(63*A*b^2 + 117*a*b*B + 48*a^2*C + 49*b^2*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(315*d) + (2*(9*b*B + 8*a*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(63*d) + (2*C*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^4*Ssin[c + d*x])/(9*d)
```

Rubi [A] time = 1.23921, antiderivative size = 441, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4096, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2b \sin(c+dx) \sec^3(c+dx) (261a^2bB + 64a^3C + 2ab^2(147A + 101C) + 75b^3B)}{315d} + \frac{2 \sin(c+dx) \sqrt{\sec(c+dx)} (48a^2C + \dots)}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (-2*(60*a^3*b*B + 36*a*b^3*B - 15*a^4*(A - C) + 18*a^2*b^2*(5*A + 3*C) + b^4*(9*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(21*a^4*B + 42*a^2*b^2*B + 5*b^4*B + 28*a^3*b*(3*A + C) + 4*a*b^3*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*(1098*a^3*b*B + 756*a*b^3*B + 192*a^4*C + 21*b^4*(9*A + 7*C) + 7*a^2*b^2*(261*A + 155*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2*b*(261*a^2*b*B + 75*b^3*B + 64*a^3*C + 2*a*b^2*(147*A + 101*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(315*d) + (2*(63*A*b^2 + 117*a*b*B + 48*a^2*C
```

$$C + 49*b^2*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]/(315*d) + (2*(9*b*B + 8*a*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(63*d) + (2*C*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(9*d)$$

Rule 4096

$$\text{Int}[\left((A_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})\right)*(\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(d_{\cdot})^{(n_{\cdot})}*(\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot}))^{(m_{\cdot})}), x_{\text{Symbol}}] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{!LeQ}[n, -1]$$

Rule 4076

$$\text{Int}[\left((A_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})\right)*(\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(d_{\cdot})^{(n_{\cdot})}*(\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot}))), x_{\text{Symbol}}] \text{ :> } -\text{Simp}[(b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n + 2)), x] + \text{Dist}[1/(n + 2), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*\text{Csc}[e + f*x] + (a*C + B*b)*(n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{!LtQ}[n, -1]$$

Rule 4047

$$\text{Int}[(\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}))^{(m_{\cdot})}*((A_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})), x_{\text{Symbol}}] \text{ :> } \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$$

Rule 3771

$$\text{Int}[(\text{csc}[(c_{\cdot}) + (d_{\cdot})(x_{\cdot})]*(b_{\cdot}))^{(n_{\cdot})}, x_{\text{Symbol}}] \text{ :> } \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2641

$$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_{\cdot}) + (d_{\cdot})(x_{\cdot})]], x_{\text{Symbol}}] \text{ :> } \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$$

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2C\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^4 \sin(c + dx)}{9d} + \frac{2}{9} \\
 &= \frac{2(9bB + 8aC)\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^3 \sin(c + dx)}{63d} \\
 &= \frac{2(63Ab^2 + 117abB + 48a^2C + 49b^2C)\sqrt{\sec(c + dx)}}{315d} \\
 &= \frac{2b(261a^2bB + 75b^3B + 64a^3C + 2ab^2(147A + 101C))}{315d} \\
 &= \frac{2b(261a^2bB + 75b^3B + 64a^3C + 2ab^2(147A + 101C))}{315d} \\
 &= \frac{2(1098a^3bB + 756ab^3B + 192a^4C + 21b^4(9A + 7C))}{315d} \\
 &= \frac{2(21a^4B + 42a^2b^2B + 5b^4B + 28a^3b(3A + C) + 4ab^3(3A + C))}{315d} \\
 &= \frac{2(60a^3bB + 36ab^3B - 15a^4(A - C) + 18a^2b^2(5A + C))}{315d}
 \end{aligned}$$

Mathematica [A] time = 7.38383, size = 609, normalized size = 1.38

$$2 \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{1}{2}\right) \right)$$

105d(a cos(c + dx) + a)

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] (2*Cos[c + d*x]^6*((2*(105*a^4*A - 630*a^2*A*b^2 - 63*A*b^4 - 420*a^3*b*B - 252*a*b^3*B - 105*a^4*C - 378*a^2*b^2*C - 49*b^4*C)*EllipticE[(c + d*x)/2, 2])/(Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + 2*(420*a^3*A*b + 140*a*A*b^3 + 105*a^4*B + 210*a^2*b^2*B + 25*b^4*B + 140*a^3*b*C + 100*a*b^3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(105*d*(b + a*Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(90*a^2*A*b^2 + 9*A*b^4 + 60*a^3*b*B + 36*a*b^3*B + 15*a^4*C + 54*a^2*b^2*C + 7*b^4*C)*Sin[c + d*x])/15 + (4*Sec[c + d*x]^3*(b^4*B*Sin[c + d*x] + 4*a*b^3*C*Sin[c + d*x]))/7 + (4*Sec[c + d*x]*(28*a*A*b^3*Sin[c + d*x] + 42*a^2*b^2*B*Sin[c + d*x] + 5*b^4*B*Sin[c + d*x] + 28*a^3*b*C*Sin[c + d*x] + 20*a*b^3*C*Sin[c + d*x]))/21 + (4*Sec[c + d*x]^2*(9*A*b^4*Sin[c + d*x] + 36*a*b^3*B*Sin[c + d*x] + 54*a^2*b^2*C*Sin[c + d*x] + 7*b^4*C*Sin[c + d*x]))/45 + (4*b^4*C*Sec[c + d*x]^3*Tan[c + d*x])/9))/(d*(b + a*Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(11/2))
```

Maple [B] time = 12.626, size = 1550, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*a^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*A*a^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+8*A*a^3*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B*a^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2/5*b^2*(A*b^2+4*B*a*b+6*C*a^2)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)
```

$$\begin{aligned}
& c)^{-2-1} \wedge (1/2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) * (\sin(1/2*d*x+1/2*c) \wedge 2) \wedge \\
& (1/2) * \sin(1/2*d*x+1/2*c) \wedge 4 - 24 * \sin(1/2*d*x+1/2*c) \wedge 6 * \cos(1/2*d*x+1/2*c) - 12 * (2 \\
& * \sin(1/2*d*x+1/2*c) \wedge 2 - 1) \wedge (1/2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) * (\sin(1 \\
& /2*d*x+1/2*c) \wedge 2) \wedge (1/2) * \sin(1/2*d*x+1/2*c) \wedge 2 + 24 * \sin(1/2*d*x+1/2*c) \wedge 4 * \cos(1/2 \\
& *d*x+1/2*c) + 3 * (2 * \sin(1/2*d*x+1/2*c) \wedge 2 - 1) \wedge (1/2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c) \\
& , 2 \wedge (1/2)) * (\sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) - 8 * \sin(1/2*d*x+1/2*c) \wedge 2 * \cos(1/2*d*x+1 \\
& /2*c)) * (-2 * \sin(1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) + 2 * b \wedge 3 * (B * b + 4 * C * \\
& a) * (-1/56 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \\
& \wedge (1/2) / (\cos(1/2*d*x+1/2*c) \wedge 2 - 1/2) \wedge 4 - 5/42 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x \\
& +1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) / (\cos(1/2*d*x+1/2*c) \wedge 2 - 1/2) \wedge 2 + 5/21 * (\sin \\
& (1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * (-2 * \cos(1/2*d*x+1/2*c) \wedge 2 + 1) \wedge (1/2) / (-2 * \sin(1/2*d*x \\
& +1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) \\
&) + 2 * C * b \wedge 4 * (-1/144 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1 \\
& /2*c) \wedge 2) \wedge (1/2) / (\cos(1/2*d*x+1/2*c) \wedge 2 - 1/2) \wedge 5 - 7/180 * \cos(1/2*d*x+1/2*c) * (-2 * \sin \\
& (1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) / (\cos(1/2*d*x+1/2*c) \wedge 2 - 1/2) \wedge 3 \\
& - 14/15 * \sin(1/2*d*x+1/2*c) \wedge 2 * \cos(1/2*d*x+1/2*c) / (-(-2 * \cos(1/2*d*x+1/2*c) \wedge 2 + 1 \\
&) * \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) + 7/15 * (\sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * (-2 * \cos(1/2 \\
& *d*x+1/2*c) \wedge 2 + 1) \wedge (1/2) / (-2 * \sin(1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) \\
& * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) - 7/15 * (\sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * (- \\
& 2 * \cos(1/2*d*x+1/2*c) \wedge 2 + 1) \wedge (1/2) / (-2 * \sin(1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \\
& \wedge 2) \wedge (1/2) * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) - \text{EllipticE}(\cos(1/2*d*x+1/2*c) \\
& , 2 \wedge (1/2))) + 4 * a * b * (2 * A * b \wedge 2 + 3 * B * a * b + 2 * C * a \wedge 2) * (-1/6 * \cos(1/2*d*x+1/2*c) * (-2 * \\
& \sin(1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) / (\cos(1/2*d*x+1/2*c) \wedge 2 - 1/2) \\
& \wedge 2 + 1/3 * (\sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * (-2 * \cos(1/2*d*x+1/2*c) \wedge 2 + 1) \wedge (1/2) / (-2 * \sin \\
& (1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * \text{EllipticF}(\cos(1/2*d*x+1/2*c) \\
&), 2 \wedge (1/2)) + 2 * a \wedge 2 * (6 * A * b \wedge 2 + 4 * B * a * b + C * a \wedge 2) * (-\sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * (2 \\
& * \sin(1/2*d*x+1/2*c) \wedge 2 - 1) \wedge (1/2) * (-2 * \sin(1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge \\
& 2) \wedge (1/2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) + 2 * (-2 * \sin(1/2*d*x+1/2*c) \wedge 4 + \sin \\
& (1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c) \wedge 2 / \sin(1/2 \\
& *d*x+1/2*c) \wedge 2 / (2 * \sin(1/2*d*x+1/2*c) \wedge 2 - 1) / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x \\
& +1/2*c) \wedge 2 - 1) \wedge (1/2) / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb^4 \sec(dx+c)^6 + (4Cab^3 + Bb^4) \sec(dx+c)^5 + Aa^4 + (6Ca^2b^2 + 4Bab^3 + Ab^4) \sec(dx+c)^4 + 2(2Ca^3b + 2) \sqrt{\sec(dx+c)}}{\sqrt{\sec(dx+c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*b^4*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*sec(d*x + c)^5 + A*a^4 + (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^2*b^2 + 2*A*a*b^3)*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*sec(d*x + c))/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^4}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4/sqrt(sec(d*x + c)), x)

$$3.1006 \quad \int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=419

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(42a^2b^2(3A+C) + 7a^4(A+3C) + 84a^3bB + 28ab^3B + b^4(7A+5C)\right)}{21d}$$

```
[Out] (2*(5*a^4*B - 30*a^2*b^2*B - 3*b^4*B + 20*a^3*b*(A - C) - 4*a*b^3*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d)
+ (2*(84*a^3*b*B + 28*a*b^3*B + 42*a^2*b^2*(3*A + C) + 7*a^4*(A + 3*C) + b^4*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d)
+ (2*b*(609*a^2*b*B + 63*b^3*B - a^3*(70*A - 366*C) + 84*a*b^2*(5*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d)
+ (2*b^2*(98*a*b*B - a^2*(35*A - 87*C) + 5*b^2*(7*A + 5*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d)
- (2*b*(35*a*A - 21*b*B - 39*a*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(105*d)
- (2*b*(7*A - 3*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(21*d)
+ (2*A*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 1.22565, antiderivative size = 419, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4094, 4096, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2b^2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \left(a^2(-35A - 87C) + 98abB + 5b^2(7A + 5C)\right)}{105d} + \frac{2b \sin(c+dx) \sqrt{\sec(c+dx)} \left(a^3(-70A - 366C) + 84ab^2(5A + 3C) + b^4(7A + 5C)\right)}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (2*(5*a^4*B - 30*a^2*b^2*B - 3*b^4*B + 20*a^3*b*(A - C) - 4*a*b^3*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d)
+ (2*(84*a^3*b*B + 28*a*b^3*B + 42*a^2*b^2*(3*A + C) + 7*a^4*(A + 3*C) + b^4*(7*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d)
+ (2*b*(609*a^2*b*B + 63*b^3*B - a^3*(70*A - 366*C) + 84*a*b^2*(5*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d)
+ (2*b^2*(98*a*b*B - a^2*(35*A - 87*C) + 5*b^2*(7*A + 5*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d)
- (2*b*(35*a*A - 21*b*B - 39*a*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(105*d)
- (2*b*(7*A - 3*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(21*d)
+ (2*A*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

$$x]^2 \sin[c + dx]) / (105*d) - (2*b*(7*A - 3*C)*\sqrt{\sec[c + dx]}*(a + b*\sec[c + dx])^3 \sin[c + dx]) / (21*d) + (2*A*(a + b*\sec[c + dx])^4 \sin[c + dx]) / (3*d*\sqrt{\sec[c + dx]})$$
Rule 4094

$$\text{Int}[\left((A_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})\right) * (\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(d_{\cdot}))^{(n_{\cdot})} * (\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot}))^{(m_{\cdot})}, x_Symbol] \rightarrow \text{Simp}[(A*\cot[e + f*x]*(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\csc[e + f*x])^{(m-1)}*(d*\csc[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\csc[e + f*x] - b*(C*n + A*(m+n+1))*\csc[e + f*x]^2, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4096

$$\text{Int}[\left((A_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})\right) * (\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(d_{\cdot}))^{(n_{\cdot})} * (\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot}))^{(m_{\cdot})}, x_Symbol] \rightarrow -\text{Simp}[(C*\cot[e + f*x]*(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^n)/(f*(m+n+1)), x] + \text{Dist}[1/(m+n+1), \text{Int}[(a + b*\csc[e + f*x])^{(m-1)}*(d*\csc[e + f*x])^n*\text{Simp}[a*A*(m+n+1) + a*C*n + ((A*b + a*B)*(m+n+1) + b*C*(m+n))*\csc[e + f*x] + (b*B*(m+n+1) + a*C*m)*\csc[e + f*x]^2, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{!LeQ}[n, -1]$$
Rule 4076

$$\text{Int}[\left((A_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})\right) * (\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(d_{\cdot}))^{(n_{\cdot})} * (\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot}))^{(m_{\cdot})}, x_Symbol] \rightarrow -\text{Simp}[(b*C*\csc[e + f*x]*\cot[e + f*x]*(d*\csc[e + f*x])^n)/(f*(n+2)), x] + \text{Dist}[1/(n+2), \text{Int}[(d*\csc[e + f*x])^n*\text{Simp}[A*a*(n+2) + (B*a*(n+2) + b*(C*(n+1) + A*(n+2)))*\csc[e + f*x] + (a*C + B*b)*(n+2)*\csc[e + f*x]^2, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{!LtQ}[n, -1]$$
Rule 4047

$$\text{Int}[(\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}))^{(m_{\cdot})} * ((A_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\csc[e + f*x])^{(m+1)}, x], x] + \text{Int}[(b*\csc[e + f*x])^m*(A + C*\csc[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$$
Rule 3771

$$\text{Int}[(\csc[(c_{\cdot}) + (d_{\cdot})(x_{\cdot})]*(b_{\cdot}))^{(n_{\cdot})}, x_Symbol] \rightarrow \text{Dist}[(b*\csc[c + dx]$$

)ⁿ*Sin[c + d*x]ⁿ, Int[1/Sin[c + d*x]ⁿ, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n², 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^{2*(C_.)}
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + b \sec(c + dx))^4 \sin(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2b(7A - 3C)\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^3 \sin(c + dx)}{21d} \\
&= -\frac{2b(35aA - 21bB - 39aC)\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^3 \sin(c + dx)}{105d} \\
&= \frac{2b^2 (98abB - a^2(35A - 87C) + 5b^2(7A + 5C)) \sec^{\frac{3}{2}}(c + dx)}{105d} \\
&= \frac{2b^2 (98abB - a^2(35A - 87C) + 5b^2(7A + 5C)) \sec^{\frac{3}{2}}(c + dx)}{105d} \\
&= \frac{2b (609a^2bB + 63b^3B - a^3(70A - 366C) + 84ab^2(5A + 3C)) \sec^{\frac{3}{2}}(c + dx)}{105d} \\
&= \frac{2 (84a^3bB + 28ab^3B + 42a^2b^2(3A + C) + 7a^4(A + 3C)) \sec^{\frac{3}{2}}(c + dx)}{105d} \\
&= \frac{2 (5a^4B - 30a^2b^2B - 3b^4B + 20a^3b(A - C) - 4ab^3(5A + 3C)) \sec^{\frac{3}{2}}(c + dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 7.36756, size = 530, normalized size = 1.26

$$\frac{2 \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx)\right) \right)}{105d(a \cos(c + dx) + d)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] (2*Cos[c + d*x]^6*((2*(420*a^3*A*b - 420*a*A*b^3 + 105*a^4*B - 630*a^2*b^2*B - 63*b^4*B - 420*a^3*b*C - 252*a*b^3*C)*EllipticE[(c + d*x)/2, 2])/(Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + 2*(35*a^4*A + 630*a^2*A*b^2 + 35*A*b^4 + 420*a^3*b*B + 140*a*b^3*B + 105*a^4*C + 210*a^2*b^2*C + 25*b^4*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])*(a + b*Sec[c + d*x])

$$\begin{aligned} & x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(105*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + ((a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((4*b*(20*a*A*b^2 + 30*a^2*b*B + 3*b^3*B + 20*a^3*C + 12*a*b^2*C)*\text{Sin}[c + d*x])/5 + (4*\text{Sec}[c + d*x]^2*(b^4*B*\text{Sin}[c + d*x] + 4*a*b^3*C*\text{Sin}[c + d*x]))/5 + (4*\text{Sec}[c + d*x]*(7*A*b^4*\text{Sin}[c + d*x] + 28*a*b^3*B*\text{Sin}[c + d*x] + 42*a^2*b^2*C*\text{Sin}[c + d*x] + 5*b^4*C*\text{Sin}[c + d*x]))/21 + (2*a^4*A*\text{Sin}[2*(c + d*x)]/3 + (4*b^4*C*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/7))/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sec}[c + d*x]^(11/2)) \end{aligned}$$

Maple [B] time = 10.528, size = 1624, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{sec}(d*x+c))^4*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/\text{sec}(d*x+c)^(3/2), x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*(4/3*A*a^4*(2*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+2*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))-3*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^(1/2))*(\sin(1/2*d*x+1/2*c)^2)^(1/2)-\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)+(-4*A*a^4+8*A*a^3*b+2*B*a^4)*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^(1/2)))+2*A*a^4*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))-8*A*a^3*b*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))+12*A*a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))-2*B*a^4*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))+8*B*a^3*b*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))+2*a^4*C*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))+2*C*b^4*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \end{aligned}$$

$$\begin{aligned} &)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^{2-1/2})^{2+5/21}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2* \\ &\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\ &)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5*b^3*(B*b+4*C*a)/(8*\sin(1 \\ &/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d \\ &*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2* \\ &c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d* \\ &x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE \\ &(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c \\ &)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1) \\ &)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8 \\ &* \sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ &d*x+1/2*c)^2)^{(1/2)}+2*b^2*(A*b^2+4*B*a*b+6*C*a^2)*(-1/6*\cos(1/2*d*x+1/2*c)* \\ &(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2- \\ &1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(\\ &-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1 \\ &/2*c),2^{(1/2)})+4*a*b*(2*A*b^2+3*B*a*b+2*C*a^2)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1 \\ &/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1 \\ &/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2* \\ &c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/s \\ &\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1 \\ &/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Cb^4 \sec(dx+c)^6 + (4Cab^3 + Bb^4) \sec(dx+c)^5 + Aa^4 + (6Ca^2b^2 + 4Bab^3 + Ab^4) \sec(dx+c)^4 + 2(2Ca^3b + \dots}{\sec(dx+c)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((C*b^4*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*sec(d*x + c)^5 + A*a^4 + (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^2*b^2 + 2*A*a*b^3)*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*sec(d*x + c))/sec(d*x + c)^(3/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^4}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4/sec(d*x + c)^(3/2), x)
```

$$3.1007 \quad \int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=409

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(4a^3b(A+3C) + 18a^2b^2B + a^4B + 4ab^3(3A+C) + b^4B\right)}{3d} - \frac{2b^2 \sin(c+dx)}{3d}$$

[Out] (2*(20*a^3*b*B - 20*a*b^3*B + 30*a^2*b^2*(A - C) - b^4*(5*A + 3*C) + a^4*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(a^4*B + 18*a^2*b^2*B + b^4*B + 4*a*b^3*(3*A + C) + 4*a^3*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*b*(10*a^3*B - 60*a*b^2*B + a^2*b*(31*A - 87*C) - 3*b^3*(5*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) - (2*b^2*(5*a^2*B - 5*b^2*B + 14*a*b*(A - C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) - (2*b*(11*A*b + 5*a*B - 3*b*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(15*d) + (2*(8*A*b + 5*a*B)*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^4*Ssin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 1.24684, antiderivative size = 409, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4094, 4096, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2b^2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) (5a^2B + 14ab(A - C) - 5b^2B)}{15d} - \frac{2b \sin(c+dx) \sqrt{\sec(c+dx)} (a^2b(31A - 87C) + 10a^3B - 6b^2B)}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (2*(20*a^3*b*B - 20*a*b^3*B + 30*a^2*b^2*(A - C) - b^4*(5*A + 3*C) + a^4*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(a^4*B + 18*a^2*b^2*B + b^4*B + 4*a*b^3*(3*A + C) + 4*a^3*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*b*(10*a^3*B - 60*a*b^2*B + a^2*b*(31*A - 87*C) - 3*b^3*(5*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) - (2*b^2*(5*a^2*B - 5*b^2*B + 14*a*b*(A - C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) - (2*b*(11*A*b + 5*a*B - 3*b*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(15*d) +

$$(2*(8*A*b + 5*a*B)*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*A*(a + b*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^{(3/2)})$$
Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
```

EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + b \sec(c + dx))^4 \sin(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2(8Ab + 5aB)(a + b \sec(c + dx))^3 \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2b(11Ab + 5aB - 3bC) \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^3 \sin(c + dx)}{15d} \\
&= -\frac{2b^2 (5a^2B - 5b^2B + 14ab(A - C)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} \\
&= -\frac{2b^2 (5a^2B - 5b^2B + 14ab(A - C)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} \\
&= -\frac{2b (10a^3B - 60ab^2B + a^2b(31A - 87C) - 3b^3(5A + 3C)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} \\
&= \frac{2 (a^4B + 18a^2b^2B + b^4B + 4ab^3(3A + C) + 4a^3b(A + 3C)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
&= \frac{2 (20a^3bB - 20ab^3B + 30a^2b^2(A - C) - b^4(5A + 3C)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d}
\end{aligned}$$

Mathematica [A] time = 7.36504, size = 485, normalized size = 1.19

$$\frac{2 \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \text{EllipticF} \left(\frac{1}{2}(c + dx) \right) \right)}{15d(a \cos(c + dx) + b)^4}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2),x]

[Out] (2*Cos[c + d*x]^6*((2*(9*a^4*A + 90*a^2*A*b^2 - 15*A*b^4 + 60*a^3*b*B - 60*a*b^3*B + 15*a^4*C - 90*a^2*b^2*C - 9*b^4*C)*EllipticE[(c + d*x)/2, 2]))/(Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + 2*(20*a^3*A*b + 60*a*A*b^3 + 5*a^4*B

$$\begin{aligned}
& + 90*a^2*b^2*B + 5*b^4*B + 60*a^3*b*C + 20*a*b^3*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(15*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + ((a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((a^4*A + 20*A*b^4 + 80*a*b^3*B + 120*a^2*b^2*C + 12*b^4*C)*\text{Sin}[c + d*x])/5 + (4*\text{Sec}[c + d*x]*(b^4*B*\text{Sin}[c + d*x] + 4*a*b^3*C*\text{Sin}[c + d*x]))/3 + (2*a^3*(4*A*b + a*B)*\text{Sin}[2*(c + d*x)]/3 + (a^4*A*\text{Sin}[3*(c + d*x)]/5 + (4*b^4*C*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/5))/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*Sec[c + d*x]^(11/2))
\end{aligned}$$

Maple [B] time = 10.602, size = 1884, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{sec}(d*x+c))^4*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/\text{sec}(d*x+c)^{(5/2)}, x)$

[Out] $\begin{aligned}
& -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4/5*A*a^4*(-4*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+14*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-9*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-6*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/3*(-12*A*a^4+16*A*a^3*b+4*B*a^4)*(2*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(6*A*a^4-16*A*a^3*b+12*A*a^2*b^2-4*B*a^4+8*B*a^3*b+2*C*a^4)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2*A*a^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+8*A*a^3*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-12*A*a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+8*A*a*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d
\end{aligned}$

$$\begin{aligned}
& *x+1/2*c), 2^{(1/2)})+2*B*a^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2 \\
& *c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellipti \\
& cF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-8*B*a^3*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*c \\
& \cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\
& ^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+12*a^2*b^2*B*(\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(\\
& 1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2*a^4*C*(\sin(\\
& 1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1 \\
& /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+8 \\
& *a^3*b*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2 \\
& *sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2 \\
& *c), 2^{(1/2)})-2/5*C*b^4/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*si \\
& n(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(\\
& 1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin \\
& (1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2* \\
& d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/ \\
& 2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2* \\
& c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
& *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(- \\
& 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*b^3*(B*b+4*C*a)*(-1/6* \\
& \cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (co \\
& s(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+ \\
& 1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Elli \\
& pticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))+2*b^2*(A*b^2+4*B*a*b+6*C*a^2)*(-(\sin(1/2 \\
& *d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c \\
&)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*(-2 \\
& *sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/ \\
& 2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d* \\
& x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb^4 \sec(dx+c)^6 + (4Cab^3 + Bb^4) \sec(dx+c)^5 + Aa^4 + (6Ca^2b^2 + 4Bab^3 + Ab^4) \sec(dx+c)^4 + 2(2Ca^3b + 2Ab^3) \sec(dx+c)^3 + (4A^2b^2 + 4Aab^3) \sec(dx+c)^2 + (4A^2b^2 + 4Aab^3) \sec(dx+c)^2 + (B^2a^4 + 4A^2b^2) \sec(dx+c)}{\sec(dx+c)^{5/2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*b^4*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*sec(d*x + c)^5 + A*a^4 + (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^2*b^2 + 2*A*a*b^3)*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*sec(d*x + c))/sec(d*x + c)^(5/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^4}{\sec(dx+c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4/sec(d*x + c)^(5/2), x)

$$3.1008 \quad \int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=429

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) (42a^2b^2(A+3C) + a^4(5A+7C) + 28a^3bB + 84ab^3B + 7b^4(3A+C))}{21d}$$

[Out] (2*(3*a^4*B + 30*a^2*b^2*B - 5*b^4*B + 20*a*b^3*(A - C) + 4*a^3*b*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(28*a^3*b*B + 84*a*b^3*B + 7*b^4*(3*A + C) + 42*a^2*b^2*(A + 3*C) + a^4*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) - (2*b*(217*a^2*b*B - 105*b^3*B + 12*a*b^2*(19*A - 35*C) + 10*a^3*(5*A + 7*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d) - (2*b^2*(98*a*b*B + b^2*(87*A - 35*C) + 5*a^2*(5*A + 7*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*(48*A*b^2 + 77*a*b*B + 5*a^2*(5*A + 7*C))*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*(8*A*b + 7*a*B)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 1.30936, antiderivative size = 429, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2b^2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) (5a^2(5A+7C) + 98abB + b^2(87A-35C))}{105d} + \frac{2 \sin(c+dx) (5a^2(5A+7C) + 77abB + 48b^2)}{105d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]

[Out] (2*(3*a^4*B + 30*a^2*b^2*B - 5*b^4*B + 20*a*b^3*(A - C) + 4*a^3*b*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(28*a^3*b*B + 84*a*b^3*B + 7*b^4*(3*A + C) + 42*a^2*b^2*(A + 3*C) + a^4*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) - (2*b*(217*a^2*b*B - 105*b^3*B + 12*a*b^2*(19*A - 35*C) + 10*a^3*(5*A + 7*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d) - (2*b^2*(98*a*b*B + b^2*(87*A - 35*C) + 5*a^2*(5*A + 7*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*(48*A*b^2 + 77*a*b*B + 5*a^2*(5*A + 7*C))*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*(8*A*b + 7*a*B)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

$$(105*d) + (2*(48*A*b^2 + 77*a*b*B + 5*a^2*(5*A + 7*C))*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(8*A*b + 7*a*B)*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(35*d*\text{Sec}[c + d*x]^{(3/2)}) + (2*A*(a + b*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(7*d*\text{Sec}[c + d*x]^{(5/2)})$$
Rule 4094

$$\text{Int}[(A_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})] * (\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(d_{\cdot})^{(n_{\cdot})} * (\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot}))^{(m_{\cdot})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4076

$$\text{Int}[(A_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})] * (\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(d_{\cdot})^{(n_{\cdot})} * (\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot})), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n+2)), x] + \text{Dist}[1/(n+2), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n+2) + (B*a*(n+2) + b*(C*(n+1) + A*(n+2)))*\text{Csc}[e + f*x] + (a*C + B*b)*(n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& !\text{LtQ}[n, -1]$$
Rule 4047

$$\text{Int}[(\text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(b_{\cdot}))^{(m_{\cdot})} * ((A_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]*(B_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^2*(C_{\cdot})), x_{\text{Symbol}}] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m+1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$$
Rule 3771

$$\text{Int}[(\text{csc}[(c_{\cdot}) + (d_{\cdot})(x_{\cdot})]*(b_{\cdot}))^{(n_{\cdot})}, x_{\text{Symbol}}] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$$
Rule 2641

$$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_{\cdot}) + (d_{\cdot})(x_{\cdot})]], x_{\text{Symbol}}] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$$
Rule 4046


```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + b \sec(c + dx))^4}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2(8Ab + 7aB)(a + b \sec(c + dx))^3 \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^4}{105d \sqrt{\sec(c + dx)}} \\
 &= \frac{2(48Ab^2 + 77abB + 5a^2(5A + 7C))(a + b \sec(c + dx))^3 \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} \\
 &= -\frac{2b^2(98abB + b^2(87A - 35C) + 5a^2(5A + 7C)) \sec^{\frac{3}{2}}(c + dx)}{105d} \\
 &= -\frac{2b^2(98abB + b^2(87A - 35C) + 5a^2(5A + 7C)) \sec^{\frac{3}{2}}(c + dx)}{105d} \\
 &= -\frac{2b(217a^2bB - 105b^3B + 12ab^2(19A - 35C) + 10a^3b^2C)}{105d} \\
 &= \frac{2(28a^3bB + 84ab^3B + 7b^4(3A + C) + 42a^2b^2(A + 3C)) \sec^{\frac{3}{2}}(c + dx)}{105d} \\
 &= \frac{2(3a^4B + 30a^2b^2B - 5b^4B + 20ab^3(A - C) + 4a^3b(3A + C)) \sec^{\frac{3}{2}}(c + dx)}{105d}
 \end{aligned}$$

Mathematica [A] time = 6.66818, size = 394, normalized size = 0.92

$$(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(40 \sqrt{\cos(c + dx)} \operatorname{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) (42a^2b^2(A + 3C) + a^4 \right.$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2),x]

[Out] ((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(168*(3*a^4*B + 30*a^2*b^2*B - 5*b^4*B + 20*a*b^3*(A - C) + 4*a^3*b*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 40*(28*a^3*b*B + 84*a*b^3*B + 7*b^4*(3*A + C) + 42*a^2*b^2*(A + 3*C) + a^4*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 168*a^3*A*b*Sin[c + d*x] + 42*a^4*B*Sin[c + d*x] + 840*b^4*B*Sin[c + d*x] + 3360*a*b^3*C*Sin[c + d*x] + 130*a^4*A*Sin[2*(c + d*x)] + 840*a^2*A*b^2*Sin[2*(c + d*x)] + 560*a^3*b*B*Sin[2*(c + d*x)] + 140*a^4*C*Sin[2*(c + d*x)] + 168*a^3*A*b*Sin[3*(c + d*x)] + 42*a^4*B*Sin[3*(c + d*x)] + 15*a^4*A*Sin[4*(c + d*x)] + 280*b^4*C*Tan[c + d*x]))/(210*d*(b + a*Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(11/2))

Maple [B] time = 9.3, size = 2507, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x)

[Out] -2/105*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(4*sin(1/2*d*x+1/2*c)^4-4*sin(1/2*d*x+1/2*c)^2+1)/sin(1/2*d*x+1/2*c)^3*(-630*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b^2-50*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^4*sin(1/2*d*x+1/2*c)^2-210*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^4*sin(1/2*d*x+1/2*c)^2+126*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^4*sin(1/2*d*x+1/2*c)^2-210*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^4*sin(1/2*d*x+1/2*c)^2-70*C*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x

$$\begin{aligned}
& +1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^4*\sin(1/2*d*x+1/2*c)^2-70*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^4*\sin(1/2*d*x+1/2*c)^2-252*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3*b-420*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^3+210*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b^2-504*B*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-280*C*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+440*A*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+252*B*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+420*B*b^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+280*C*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-80*A*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-42*B*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-210*B*b^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-70*C*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-70*C*b^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-480*A*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^10+960*A*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+336*B*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8-920*A*a^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+504*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3*b*\sin(1/2*d*x+1/2*c)^2+840*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^3*\sin(1/2*d*x+1/2*c)^2-420*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b^2*\sin(1/2*d*x+1/2*c)^2+1260*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b^2*\sin(1/2*d*x+1/2*c)^2-280*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3*b*\sin(1/2*d*x+1/2*c)^2-840*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^3*\sin(1/2*d*x+1/2*c)^2+840*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3*b*\sin(1/2*d*x+1/2*c)^2-840*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^3*\sin(1/2*d*x+1/2*c)^2-1260*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b^2*\sin(1/2*d*x+1/2*c)^2-2016*A*a^3*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-1680*A*a^2*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-1120*B*a^3*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+1008*A*a^3*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+1680*A*a^2*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+1120*B*a^3*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+1680*C*a*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-168*A*a^3*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-420*A*a^2*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-280*B*a^3*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-840*C*a*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+25*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^4+105*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^4-63*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Elliptic
\end{aligned}$$

```

pticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^4+105*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^4+35
*C*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(
cos(1/2*d*x+1/2*c),2^(1/2))*a^4+35*C*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^4+1344*A*a^
3*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+140*B*(2*sin(1/2*d*x+1/2*c)^2-1)
)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*
a^3*b+420*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*E
llipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3-420*C*(2*sin(1/2*d*x+1/2*c)^2-1)
)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a
^3*b+420*C*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*El
lipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3+630*C*(2*sin(1/2*d*x+1/2*c)^2-1)
)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^
2*b^2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+
1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/
2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb^4 \sec(dx+c)^6 + (4Cab^3 + Bb^4) \sec(dx+c)^5 + Aa^4 + (6Ca^2b^2 + 4Bab^3 + Ab^4) \sec(dx+c)^4 + 2(2Ca^3b + \dots)}{\sec(dx+c)^{7/2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/
2),x, algorithm="fricas")
```

```
[Out] integral((C*b^4*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*sec(d*x + c)^5 + A*a^4
+ (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^
```

$$2*b^2 + 2*A*a*b^3)*\sec(dx + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*\sec(dx + c)^2 + (B*a^4 + 4*A*a^3*b)*\sec(dx + c))/\sec(dx + c)^{(7/2)}, x)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))**4*(A+B*sec(dx+c)+C*sec(dx+c)**2)/sec(dx+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^4}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2)/sec(dx+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(dx + c)^2 + B*sec(dx + c) + A)*(b*sec(dx + c) + a)^4/sec(dx + c)^(7/2), x)

$$3.1009 \quad \int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$$

Optimal. Leaf size=426

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(4a^3b(5A+7C) + 42a^2b^2B + 5a^4B + 28ab^3(A+3C) + 21b^4B\right)}{21d} + \dots$$

[Out] (2*(36*a^3*b*B + 60*a*b^3*B + 15*b^4*(A - C) + 18*a^2*b^2*(3*A + 5*C) + a^4*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(5*a^4*B + 42*a^2*b^2*B + 21*b^4*B + 28*a*b^3*(A + 3*C) + 4*a^3*b*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*(64*A*b^3 + 75*a^3*B + 261*a*b^2*B + a^2*(202*A*b + 294*b*C))*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]) - (2*b^2*(162*a*b*B + 3*b^2*(41*A - 105*C) + 7*a^2*(7*A + 9*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2*(48*A*b^2 + 117*a*b*B + 7*a^2*(7*A + 9*C))*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)) + (2*(8*A*b + 9*a*B)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (2*A*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 1.31303, antiderivative size = 426, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4074, 4047, 3771, 2641, 4046, 2639}

$$\frac{2 \sin(c+dx) \left(7a^2(7A+9C) + 117abB + 48Ab^2\right) (a+b \sec(c+dx))^2}{315d \sec^{\frac{3}{2}}(c+dx)} - \frac{2b^2 \sin(c+dx) \sqrt{\sec(c+dx)} \left(7a^2(7A+9C) + 16\right)}{315d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]

[Out] (2*(36*a^3*b*B + 60*a*b^3*B + 15*b^4*(A - C) + 18*a^2*b^2*(3*A + 5*C) + a^4*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(5*a^4*B + 42*a^2*b^2*B + 21*b^4*B + 28*a*b^3*(A + 3*C) + 4*a^3*b*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*(64*A*b^3 + 75*a^3*B + 261*a*b^2*B + a^2*(202*A*b + 294*b*C))*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]) - (2*b^2*(162*a*b*B + 3*b^2*(41*A - 105*C) + 7*a^2*(7*A + 9*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(

$$315*d) + (2*(48*A*b^2 + 117*a*b*B + 7*a^2*(7*A + 9*C))*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(315*d*\text{Sec}[c + d*x]^{(3/2)}) + (2*(8*A*b + 9*a*B)*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(63*d*\text{Sec}[c + d*x]^{(5/2)}) + (2*A*(a + b*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(9*d*\text{Sec}[c + d*x]^{(7/2)})$$

Rule 4094

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4074

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n+1))*\text{Csc}[e + f*x] + b*C*n*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{LtQ}[n, -1]$$

Rule 4047

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^m*(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{m+1}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x\}$$

Rule 3771

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2641

$$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x\}$$

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^2(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^4}{\sec^2(c + dx)} dx \\
&= \frac{2(8Ab + 9aB)(a + b \sec(c + dx))^3 \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^4}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2(48Ab^2 + 117abB + 7a^2(7A + 9C))(a + b \sec(c + dx))^3}{315d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(64Ab^3 + 75a^3B + 261ab^2B + a^2(202Ab + 294bC))}{315d \sqrt{\sec(c + dx)}} \\
&= \frac{2a(64Ab^3 + 75a^3B + 261ab^2B + a^2(202Ab + 294bC))}{315d \sqrt{\sec(c + dx)}} \\
&= \frac{2a(64Ab^3 + 75a^3B + 261ab^2B + a^2(202Ab + 294bC))}{315d \sqrt{\sec(c + dx)}} \\
&= \frac{2(5a^4B + 42a^2b^2B + 21b^4B + 28ab^3(A + 3C) + 4a^3b(3A + 5C))}{21d \sqrt{\sec(c + dx)}} \\
&= \frac{2(36a^3bB + 60ab^3B + 15b^4(A - C) + 18a^2b^2(3A + 5C))}{21d \sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 7.33785, size = 517, normalized size = 1.21

$$2 \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \operatorname{EllipticF} \left(\frac{1}{2}(c + dx) \right) \right)$$

$$105d(a \cos(c + dx) + a^2 \sec(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]

[Out] (2*Cos[c + d*x]^6*((2*(49*a^4*A + 378*a^2*A*b^2 + 105*A*b^4 + 252*a^3*b*B + 420*a*b^3*B + 63*a^4*C + 630*a^2*b^2*C - 105*b^4*C)*EllipticE[(c + d*x)/2, 2])/(Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + 2*(100*a^3*A*b + 140*a*A*b^3 + 25*a^4*B + 210*a^2*b^2*B + 105*b^4*B + 140*a^3*b*C + 420*a*b^3*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(105*d*(b + a*Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((19*a^4*A + 108*a^2*A*b^2 + 72*a^3*b*B + 18*a^4*C + 360*b^4*C)*Sin[c + d*x])/90 + (a*(52*a^2*A*b + 56*A*b^3 + 13*a^3*B + 84*a*b^2*B + 56*a^2*b*C)*Sin[2*(c + d*x)])/21 + (a^2*(43*a^2*A + 216*A*b^2 + 144*a*b*B + 36*a^2*C)*Sin[3*(c + d*x)])/180 + (a^3*(4*A*b + a*B)*Sin[4*(c + d*x)])/14 + (a^4*A*Sin[5*(c + d*x)]/36))/(d*(b + a*Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(11/2))

Maple [B] time = 3.615, size = 1652, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)

[Out] -2/315*(-1120*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+80*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(28*A*a+36*A*b+9*B*a)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)-8*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(259*A*a^2+540*A*a*b+378*A*b^2+135*B*a^2+252*B*a*b+63*C*a^2)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+56*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(17*A*a^3+60*A*a^2*b+54*A*a*b^2+30*A*b^3+15*B*a^3+36*B*a^2*b+45*B*a*b^2

$$\begin{aligned}
& +9C*a^3+30C*a^2*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-6*(-2*\sin(1/2* \\
& d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(28*A*a^4+160*A*a^3*b+126*A*a^2*b^ \\
& 2+140*A*a*b^3+40*B*a^4+84*B*a^3*b+210*B*a^2*b^2+21*C*a^4+140*C*a^3*b+105*C* \\
& b^4)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+300*A*a^3*b*(\sin(1/2*d*x+1/2*c) \\
&)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^ \\
& (1/2))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+420*A*a*b^3*(\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/ \\
& 2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}- \\
& 147*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2 \\
& *c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), \\
& 2^{(1/2)})*a^4-1134*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1 \\
& /2*d*x+1/2*c), 2^{(1/2)})*a^2*b^2-315*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1 \\
& /2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\
&)*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^4+75*B*a^4*(\sin(1/2*d*x+1/2*c)^2) \\
&)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)} \\
&))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+630*a^2*b^2*B*(\sin(\\
& 1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2* \\
& d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+31 \\
& 5*B*b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Ellip \\
& ticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \\
&)^2)^{(1/2)}-756*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(\\
& 1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2* \\
& d*x+1/2*c), 2^{(1/2)})*a^3*b-1260*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \\
&)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*El \\
& lipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b^3+420*a^3*b*C*(\sin(1/2*d*x+1/2*c)^2) \\
&)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/ \\
& 2)))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1260*C*a*b^3*(\sin(\\
& 1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2* \\
& d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-18 \\
& 9*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c \\
&)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^ \\
& (1/2))*a^4-1890*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2 \\
& *d*x+1/2*c), 2^{(1/2)})*a^2*b^2+315*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\
& *c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \\
& EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^4)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\
& *d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Cb^4 \sec(dx+c)^6 + (4Cab^3 + Bb^4) \sec(dx+c)^5 + Aa^4 + (6Ca^2b^2 + 4Bab^3 + Ab^4) \sec(dx+c)^4 + 2(2Ca^3b}{\sec(dx$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((C*b^4*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*sec(d*x + c)^5 + A*a^4 + (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^2*b^2 + 2*A*a*b^3)*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*sec(d*x + c))/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^4}{\sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4/sec(d*x + c)^(9/2), x)
```

$$3.1010 \quad \int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=444

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) (66a^2b^2(5A+7C) + 5a^4(9A+11C) + 220a^3bB + 308ab^3B + 77b^4(A+3C))}{231d}$$

[Out] (2*(7*a^4*B + 54*a^2*b^2*B + 15*b^4*B + 12*a*b^3*(3*A + 5*C) + 4*a^3*b*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(220*a^3*b*B + 308*a*b^3*B + 77*b^4*(A + 3*C) + 66*a^2*b^2*(5*A + 7*C) + 5*a^4*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(231*d) + (2*a*(192*A*b^3 + 539*a^3*B + 1353*a*b^2*B + 2*a^2*b*(673*A + 891*C))*Sin[c + d*x])/(3465*d*Sec[c + d*x]^(3/2)) + (2*(64*A*b^4 + 660*a^3*b*B + 682*a*b^3*B + 15*a^4*(9*A + 11*C) + 9*a^2*b^2*(101*A + 143*C))*Sin[c + d*x])/(693*d*Sqrt[Sec[c + d*x]]) + (2*(16*A*b^2 + 55*a*b*B + 3*a^2*(9*A + 11*C))*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(231*d*Sec[c + d*x]^(5/2)) + (2*(8*A*b + 11*a*B)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*A*(a + b*Sec[c + d*x])^4*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))

Rubi [A] time = 1.31581, antiderivative size = 444, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4094, 4074, 4047, 3771, 2639, 4045, 2641}

$$\frac{2 \sin(c+dx) (3a^2(9A+11C) + 55abB + 16Ab^2) (a+b \sec(c+dx))^2}{231d \sec^{\frac{5}{2}}(c+dx)} + \frac{2a \sin(c+dx) (2a^2b(673A+891C) + 539a^3B + 3465d \sec^{\frac{3}{2}}(c+dx))}{3465d \sec^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (2*(7*a^4*B + 54*a^2*b^2*B + 15*b^4*B + 12*a*b^3*(3*A + 5*C) + 4*a^3*b*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(220*a^3*b*B + 308*a*b^3*B + 77*b^4*(A + 3*C) + 66*a^2*b^2*(5*A + 7*C) + 5*a^4*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(231*d) + (2*a*(192*A*b^3 + 539*a^3*B + 1353*a*b^2*B + 2*a^2*b*(673*A + 891*C))*Sin[c + d*x])/(3465*d*Sec[c + d*x]^(3/2)) + (2*(64*

$$A*b^4 + 660*a^3*b*B + 682*a*b^3*B + 15*a^4*(9*A + 11*C) + 9*a^2*b^2*(101*A + 143*C))*\text{Sin}[c + d*x]/(693*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(16*A*b^2 + 55*a*b*B + 3*a^2*(9*A + 11*C))*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(231*d*\text{Sec}[c + d*x]^{(5/2)}) + (2*(8*A*b + 11*a*B)*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x])/(99*d*\text{Sec}[c + d*x]^{(7/2)}) + (2*A*(a + b*\text{Sec}[c + d*x])^4*\text{Sin}[c + d*x])/(11*d*\text{Sec}[c + d*x]^{(9/2)})$$

Rule 4094

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4074

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n+1))*\text{Csc}[e + f*x] + b*C*n*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{LtQ}[n, -1]$$

Rule 4047

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m+1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$$

Rule 3771

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2639

$$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$$

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^4}{\sec^{\frac{7}{2}}(c + dx)} dx \\
 &= \frac{2(8Ab + 11aB)(a + b \sec(c + dx))^3 \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2A}{11} \int \frac{(a + b \sec(c + dx))^4}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2(16Ab^2 + 55abB + 3a^2(9A + 11C))(a + b \sec(c + dx))^2 \sin(c + dx)}{231d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A}{11} \int \frac{(a + b \sec(c + dx))^4}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2a(192Ab^3 + 539a^3B + 1353ab^2B + 2a^2b(673A + 89C)) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A}{11} \int \frac{(a + b \sec(c + dx))^4}{\sec^{\frac{1}{2}}(c + dx)} dx \\
 &= \frac{2a(192Ab^3 + 539a^3B + 1353ab^2B + 2a^2b(673A + 89C)) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A}{11} \int \frac{(a + b \sec(c + dx))^4}{\sec^{\frac{1}{2}}(c + dx)} dx \\
 &= \frac{2(7a^4B + 54a^2b^2B + 15b^4B + 12ab^3(3A + 5C) + 4a^3b^2C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A}{11} \int \frac{(a + b \sec(c + dx))^4}{\sec^{\frac{1}{2}}(c + dx)} dx \\
 &= \frac{2(7a^4B + 54a^2b^2B + 15b^4B + 12ab^3(3A + 5C) + 4a^3b^2C) \sin(c + dx)}{3465d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A}{11} \int \frac{(a + b \sec(c + dx))^4}{\sec^{\frac{1}{2}}(c + dx)} dx
 \end{aligned}$$

Mathematica [A] time = 7.06534, size = 580, normalized size = 1.31

$$2 \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx)\right) \right)$$

1155d(a c

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]

[Out] (2*Cos[c + d*x]^6*((2*(2156*a^3*A*b + 2772*a*A*b^3 + 539*a^4*B + 4158*a^2*b^2*B + 1155*b^4*B + 2772*a^3*b*C + 4620*a*b^3*C)*EllipticE[(c + d*x)/2, 2])/(Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + 2*(225*a^4*A + 1650*a^2*A*b^2 + 385*A*b^4 + 1100*a^3*b*B + 1540*a*b^3*B + 275*a^4*C + 2310*a^2*b^2*C + 1155*b^4*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(1155*d*(b + a*Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((a*(76*a^2*A*b + 72*A*b^3 + 19*a^3*B + 108*a*b^2*B + 72*a^2*b*C)*Sin[c + d*x])/90 + ((104*1*a^4*A + 6864*a^2*A*b^2 + 1232*A*b^4 + 4576*a^3*b*B + 4928*a*b^3*B + 1144*a^4*C + 7392*a^2*b^2*C)*Sin[2*(c + d*x)]/1848 + (a*(172*a^2*A*b + 144*A*b^3 + 43*a^3*B + 216*a*b^2*B + 144*a^2*b*C)*Sin[3*(c + d*x)]/180 + (a^2*(16*a^2*A + 66*A*b^2 + 44*a*b*B + 11*a^2*C)*Sin[4*(c + d*x)]/154 + (a^3*(4*A*b + a*B)*Sin[5*(c + d*x)]/36 + (a^4*A*Sin[6*(c + d*x)]/88))/(d*(b + a*Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(11/2))

Maple [B] time = 2.626, size = 1273, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2), x)

[Out] -2/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(20160*A*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-50400*A*a^4-49280*A*a^3*b-12320*B*a^4)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(56880*A*a^4+98560*A*a^3*b+47520*A*a^2*b^2+24640*B*a^4+31680*B*a^3*b+7920*C*a^4)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-34920*A*a^4-91168*A*a^3*b-71280*A*a^2*b^2-22176*A*a*

$$\begin{aligned}
& b^3 - 22792Ba^4 - 47520B^2a^3b - 33264B^3a^2b^2 - 11880C^4a^4 - 22176C^3a^3b) \sin(1/2dx + 1/2c)^6 \cos(1/2dx + 1/2c) + (13860A^4a^4 + 41888A^3a^3b + 55440A^2a^2b^2 + 22176A^2a^2b^3 + 4620A^2a^2b^4 + 10472B^2a^4 + 36960B^2a^3b + 33264B^2a^2b^2 + 18480B^2a^2b^3 + 9240C^4a^4 + 22176C^3a^3b + 27720C^2a^2b^2) \sin(1/2dx + 1/2c)^4 \cos(1/2dx + 1/2c) + (-2790A^4a^4 - 7392A^3a^3b - 15840A^2a^2b^2 - 5544A^2a^2b^3 - 2310A^2a^2b^4 - 1848B^2a^4 - 10560B^2a^3b - 8316B^2a^2b^2 - 9240B^2a^2b^3 - 2640C^4a^4 - 5544C^3a^3b - 13860C^2a^2b^2) \sin(1/2dx + 1/2c)^2 \cos(1/2dx + 1/2c) + 675A^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticF}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^4 + 4950A^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticF}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^2b^2 + 1155A^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticF}(\cos(1/2dx + 1/2c), 2^{(1/2)}) b^4 - 6468A^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticE}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^3b - 8316A^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticE}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^2b^3 + 3300B^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticF}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^3b + 4620B^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticF}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^2b^3 - 1617B^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticE}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^4 - 12474B^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticE}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^2b^2 - 3465B^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticE}(\cos(1/2dx + 1/2c), 2^{(1/2)}) b^4 + 825C^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticF}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^4 + 6930C^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticF}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^2b^2 + 3465C^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticF}(\cos(1/2dx + 1/2c), 2^{(1/2)}) b^4 - 8316C^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticE}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^3b - 13860C^2 \sin(1/2dx + 1/2c)^2 - 1)^{(1/2)} (\sin(1/2dx + 1/2c)^2)^{(1/2)} \text{EllipticE}(\cos(1/2dx + 1/2c), 2^{(1/2)}) a^2b^3) / (-2 \sin(1/2dx + 1/2c)^4 + \sin(1/2dx + 1/2c)^2)^{(1/2)} / \sin(1/2dx + 1/2c) / (2 \cos(1/2dx + 1/2c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2)/sec(dx+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb^4 \sec(dx+c)^6 + (4Cab^3 + Bb^4) \sec(dx+c)^5 + Aa^4 + (6Ca^2b^2 + 4Bab^3 + Ab^4) \sec(dx+c)^4 + 2(2Ca^3b + \dots)}{\sec(dx+c)^{11/2}} \right), x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((C*b^4*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*sec(d*x + c)^5 + A*a^4 + (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^2*b^2 + 2*A*a*b^3)*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*sec(d*x + c))/sec(d*x + c)^(11/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^4}{\sec(dx+c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4/sec(d*x + c)^(11/2), x)

$$3.1011 \quad \int \frac{(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{13}{2}}(c+dx)} dx$$

Optimal. Leaf size=516

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(20a^3b(9A+11C)+330a^2b^2B+45a^4B+44ab^3(5A+7C)+77b^4B)}{231d}$$

```
[Out] (2*(364*a^3*b*B + 468*a*b^3*B + 39*b^4*(3*A + 5*C) + 78*a^2*b^2*(7*A + 9*C)
+ a^4*(77*A + 91*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec
[c + d*x]]/(195*d) + (2*(45*a^4*B + 330*a^2*b^2*B + 77*b^4*B + 44*a*b^3*(5
*A + 7*C) + 20*a^3*b*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2
, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a*(192*A*b^3 + 1053*a^3*B + 2171*a*b^
2*B + a^2*(2518*A*b + 3146*b*C))*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2))
+ (2*(192*A*b^4 + 4004*a^3*b*B + 3458*a*b^3*B + 77*a^4*(11*A + 13*C) + 11*a
^2*b^2*(491*A + 637*C))*Sin[c + d*x])/(6435*d*Sec[c + d*x]^(3/2)) + (2*(45*
a^4*B + 330*a^2*b^2*B + 77*b^4*B + 44*a*b^3*(5*A + 7*C) + 20*a^3*b*(9*A + 1
1*C))*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*(48*A*b^2 + 221*a*b*B +
11*a^2*(11*A + 13*C))*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(1287*d*Sec[c +
d*x]^(7/2)) + (2*(8*A*b + 13*a*B)*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(14
3*d*Sec[c + d*x]^(9/2)) + (2*A*(a + b*Sec[c + d*x])^4*Ssin[c + d*x])/(13*d*S
ec[c + d*x]^(11/2))
```

Rubi [A] time = 1.40058, antiderivative size = 516, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4094, 4074, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2 \sin(c+dx) (11a^2(11A+13C) + 221abB + 48Ab^2) (a+b \sec(c+dx))^2}{1287d \sec^{\frac{7}{2}}(c+dx)} + \frac{2 \sin(c+dx) (11a^2b^2(491A+637C) + 77a^4B)}{6435d \sec^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c
+ d*x]^(13/2), x]
```

```
[Out] (2*(364*a^3*b*B + 468*a*b^3*B + 39*b^4*(3*A + 5*C) + 78*a^2*b^2*(7*A + 9*C)
+ a^4*(77*A + 91*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec
[c + d*x]]/(195*d) + (2*(45*a^4*B + 330*a^2*b^2*B + 77*b^4*B + 44*a*b^3*(5
*A + 7*C) + 20*a^3*b*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2
```

, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (2*a*(192*A*b^3 + 1053*a^3*B + 2171*a*b^2*B + a^2*(2518*A*b + 3146*b*C))*Sin[c + d*x])/(9009*d*Sec[c + d*x]^(5/2)) + (2*(192*A*b^4 + 4004*a^3*b*B + 3458*a*b^3*B + 77*a^4*(11*A + 13*C) + 11*a^2*b^2*(491*A + 637*C))*Sin[c + d*x])/(6435*d*Sec[c + d*x]^(3/2)) + (2*(45*a^4*B + 330*a^2*b^2*B + 77*b^4*B + 44*a*b^3*(5*A + 7*C) + 20*a^3*b*(9*A + 11*C))*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*(48*A*b^2 + 221*a*b*B + 11*a^2*(11*A + 13*C))*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(1287*d*Sec[c + d*x]^(7/2)) + (2*(8*A*b + 13*a*B)*(a + b*Sec[c + d*x])^3*Ssin[c + d*x])/(143*d*Sec[c + d*x]^(9/2)) + (2*A*(a + b*Sec[c + d*x])^4*Ssin[c + d*x])/(13*d*Sec[c + d*x]^(11/2))

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{13}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} + \frac{2}{13} \int \frac{(a + b \sec(c + dx))^4 \sin(c + dx)}{\sec^{\frac{13}{2}}(c + dx)} dx \\
&= \frac{2(8Ab + 13aB)(a + b \sec(c + dx))^3 \sin(c + dx)}{143d \sec^{\frac{9}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{2(48Ab^2 + 221abB + 11a^2(11A + 13C))(a + b \sec(c + dx))^2 \sin(c + dx)}{1287d \sec^{\frac{7}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{2a(192Ab^3 + 1053a^3B + 2171ab^2B + a^2(2518Ab + 315a^2B)) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{2a(192Ab^3 + 1053a^3B + 2171ab^2B + a^2(2518Ab + 315a^2B)) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{2a(192Ab^3 + 1053a^3B + 2171ab^2B + a^2(2518Ab + 315a^2B)) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)} \\
&= \frac{2(364a^3bB + 468ab^3B + 39b^4(3A + 5C) + 78a^2b^2(7A + 5B)) \sin(c + dx)}{9009d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^4 \sin(c + dx)}{13d \sec^{\frac{11}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 7.14017, size = 658, normalized size = 1.28

$$2 \cos^6(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx)\right) \right)$$

1507

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(13/2), x]

[Out] (2*Cos[c + d*x]^6*((2*(5929*a^4*A + 42042*a^2*A*b^2 + 9009*A*b^4 + 28028*a^3*b*B + 36036*a*b^3*B + 7007*a^4*C + 54054*a^2*b^2*C + 15015*b^4*C)*Ellipti

$$\begin{aligned} & cE[(c + d*x)/2, 2]/(\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) + 2*(11700*a^3* \\ & A*b + 14300*a*A*b^3 + 2925*a^4*B + 21450*a^2*b^2*B + 5005*b^4*B + 14300*a^3 \\ & *b*C + 20020*a*b^3*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec} \\ & [c + d*x]]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) \\ & /((15015*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + \\ & 2*d*x])) + ((a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)* \\ & (((1897*a^4*A + 11856*a^2*A*b^2 + 1872*A*b^4 + 7904*a^3*b*B + 7488*a*b^3*B \\ & + 1976*a^4*C + 11232*a^2*b^2*C)*\text{Sin}[c + d*x])/9360 + ((4164*a^3*A*b + 4576* \\ & a*A*b^3 + 1041*a^4*B + 6864*a^2*b^2*B + 1232*b^4*B + 4576*a^3*b*C + 4928*a* \\ & b^3*C)*\text{Sin}[2*(c + d*x)]/1848 + ((2297*a^4*A + 13416*a^2*A*b^2 + 1872*A*b^4 \\ & + 8944*a^3*b*B + 7488*a*b^3*B + 2236*a^4*C + 11232*a^2*b^2*C)*\text{Sin}[3*(c + d \\ & *x)]/9360 + (a*(32*a^2*A*b + 22*A*b^3 + 8*a^3*B + 33*a*b^2*B + 22*a^2*b*C) \\ & *\text{Sin}[4*(c + d*x)]/77 + (a^2*(89*a^2*A + 312*A*b^2 + 208*a*b*B + 52*a^2*C)* \\ & \text{Sin}[5*(c + d*x)]/1872 + (a^3*(4*A*b + a*B)*\text{Sin}[6*(c + d*x)]/88 + (a^4*A*S \\ & \text{in}[7*(c + d*x)]/208)))/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] \\ &] + A*\text{Cos}[2*c + 2*d*x])* \text{Sec}[c + d*x]^(11/2)) \end{aligned}$$

Maple [B] time = 2.689, size = 1407, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{sec}(d*x+c))^4*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/\text{sec}(d*x+c)^(13/2), x)$

[Out] $-2/45045*((2*\text{cos}(1/2*d*x+1/2*c)^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^(1/2)*(-443520*A$
 $*a^4*\text{cos}(1/2*d*x+1/2*c)*\text{sin}(1/2*d*x+1/2*c)^14+(1330560*A*a^4+1048320*A*a^3*$
 $b+262080*B*a^4)*\text{sin}(1/2*d*x+1/2*c)^12*\text{cos}(1/2*d*x+1/2*c)+(-1798720*A*a^4-26$
 $20800*A*a^3*b-960960*A*a^2*b^2-655200*B*a^4-640640*B*a^3*b-160160*C*a^4)*\text{si}$
 $\text{n}(1/2*d*x+1/2*c)^10*\text{cos}(1/2*d*x+1/2*c)+(1379840*A*a^4+2957760*A*a^3*b+19219$
 $20*A*a^2*b^2+411840*A*a*b^3+739440*B*a^4+1281280*B*a^3*b+617760*B*a^2*b^2+3$
 $20320*C*a^4+411840*C*a^3*b)*\text{sin}(1/2*d*x+1/2*c)^8*\text{cos}(1/2*d*x+1/2*c)+(-66651$
 $2*A*a^4-1815840*A*a^3*b-1777776*A*a^2*b^2-617760*A*a*b^3-72072*A*b^4-453960$
 $*B*a^4-1185184*B*a^3*b-926640*B*a^2*b^2-288288*B*a*b^3-296296*C*a^4-617760*$
 $C*a^3*b-432432*C*a^2*b^2)*\text{sin}(1/2*d*x+1/2*c)^6*\text{cos}(1/2*d*x+1/2*c)+(198352*A$
 $*a^4+720720*A*a^3*b+816816*A*a^2*b^2+480480*A*a*b^3+72072*A*b^4+180180*B*a^$
 $4+544544*B*a^3*b+720720*B*a^2*b^2+288288*B*a*b^3+60060*B*b^4+136136*C*a^4+4$
 $80480*C*a^3*b+432432*C*a^2*b^2+240240*C*a*b^3)*\text{sin}(1/2*d*x+1/2*c)^4*\text{cos}(1/2$
 $*d*x+1/2*c)+(-27258*A*a^4-145080*A*a^3*b-144144*A*a^2*b^2-137280*A*a*b^3-18$
 $018*A*b^4-36270*B*a^4-96096*B*a^3*b-205920*B*a^2*b^2-72072*B*a*b^3-30030*B*$
 $b^4-24024*C*a^4-137280*C*a^3*b-108108*C*a^2*b^2-120120*C*a*b^3)*\text{sin}(1/2*d*x$
 $+1/2*c)^2*\text{cos}(1/2*d*x+1/2*c)+35100*A*a^3*b*(\text{sin}(1/2*d*x+1/2*c)^2)^(1/2)*(2*$

```

sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+42900*A
*a*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-17787*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^4-126126
*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b^2-27027*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^4+87
75*B*a^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+64350*a^2*b^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+
15015*B*b^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-84084*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3*b
-108108*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3+42900*a^3*b*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+60060*C*a*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-21021*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^4-162162*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b^2-45045*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^4)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral( (Cb^4 sec(dx+c)^6 + (4Cab^3 + Bb^4) sec(dx+c)^5 + Aa^4 + (6Ca^2b^2 + 4Bab^3 + Ab^4) sec(dx+c)^4 + 2(2Ca^3b +

```

sec(dx+c)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="fricas")
```

```
[Out] integral((C*b^4*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*sec(d*x + c)^5 + A*a^4 + (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^2*b^2 + 2*A*a*b^3)*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*sec(d*x + c))/sec(d*x + c)^(13/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(13/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^4}{\sec(dx + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(13/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4/sec(d*x + c)^(13/2), x)
```

$$3.1012 \quad \int \frac{\sec^2(c+dx) \left(A+B \sec(c+dx)+C \sec^2(c+dx) \right)}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=296

$$\frac{2(bB - aC)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3b^2d} + \frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(5a^2C - 5abB + 5Ab^2 + 3b^2C)}{5b^3d}$$

[Out] (-2*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*b^3*d) + (2*(b*B - a*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*b^2*d) - (2*a*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^3*(a + b)*d) + (2*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*b^3*d) + (2*(b*B - a*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b^2*d) + (2*C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*b*d)

Rubi [A] time = 1.11021, antiderivative size = 296, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(5a^2C - 5abB + 5Ab^2 + 3b^2C)}{5b^3d} - \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)(5a^2C - 5abB + 3b^2C)}{5b^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] (-2*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*b^3*d) + (2*(b*B - a*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*b^2*d) - (2*a*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^3*(a + b)*d) + (2*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*b^3*d) + (2*(b*B - a*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b^2*d) + (2*C*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*b*d)

Rule 4102

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3849

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{a + b \sec(c+dx)} dx &= \frac{2C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5bd} + \frac{2 \int \frac{\sec^{\frac{3}{2}}(c+dx) \left(\frac{3aC}{2} + \frac{1}{2}b(5A+3C) \sec(c+dx) \right)}{a+b \sec(c+dx)} dx}{5b} \\
 &= \frac{2(bB - aC) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3b^2d} + \frac{2C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5bd} \\
 &= \frac{2(5Ab^2 - 5abB + 5a^2C + 3b^2C) \sqrt{\sec(c+dx)} \sin(c+dx)}{5b^3d} + \frac{2C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5bd} \\
 &= \frac{2(5Ab^2 - 5abB + 5a^2C + 3b^2C) \sqrt{\sec(c+dx)} \sin(c+dx)}{5b^3d} + \frac{2C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5bd} \\
 &= \frac{2(5Ab^2 - 5abB + 5a^2C + 3b^2C) \sqrt{\sec(c+dx)} \sin(c+dx)}{5b^3d} + \frac{2C \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{5bd} \\
 &= -\frac{2a(Ab^2 - a(bB - aC)) \sqrt{\cos(c+dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{b^3(a+b)d} + \frac{2(5Ab^2 - 5abB + 5a^2C + 3b^2C) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{5b^3d}
 \end{aligned}$$

Mathematica [F] time = 80.3292, size = 0, normalized size = 0.

$$\int \frac{\sec^{\frac{5}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{a + b \sec(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

Maple [B] time = 9.906, size = 800, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/5*C/b/(8*\sin \\ & (1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2 \\ & *d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/ \\ & 2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2* \\ & d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Ellipti \\ & cE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2 \\ & *c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2- \\ & 1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & -8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}+2*(A*b^2-B*a*b+C*a^2)*a^2/b^3/(a^2-a*b)*(\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+ \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)} \\ &)+2*(B*b-C*a)/b^2*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2 \\ &)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(A*b^2-B*a*b+C \\ & *a^2)/b^3*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\\ & -2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1 \\ & /2*c),2^{(1/2)}))+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1 \\ & /2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2 \\ & *c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))  
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec  
(d*x + c) + a), x)
```

$$3.1013 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=218

$$\frac{2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3bd} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{b^2d(a+b)}$$

[Out] (-2*(b*B - a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*d) + (2*C*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*b*d) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a + b)*d) + (2*(b*B - a*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^2*d) + (2*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b*d)

Rubi [A] time = 0.773251, antiderivative size = 218, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{b^2d(a+b)} + \frac{2(bB - aC)\sin(c+dx)\sqrt{\sec(c+dx)}}{b^2d} - \frac{2(bB - aC)}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] (-2*(b*B - a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*d) + (2*C*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*b*d) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a + b)*d) + (2*(b*B - a*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^2*d) + (2*C*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b*d)

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),


```
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/ (Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{3}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{a+b \sec(c+dx)} dx &= \frac{2C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3bd} + \frac{2 \int \frac{\sqrt{\sec(c+dx)} \left(\frac{aC}{2} + \frac{1}{2} b(3A+C) \sec(c+dx) \right)}{a+b \sec(c+dx)} dx}{3b} \\
 &= \frac{2(bB - aC) \sqrt{\sec(c+dx)} \sin(c+dx)}{b^2 d} + \frac{2C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3bd} \\
 &= \frac{2(bB - aC) \sqrt{\sec(c+dx)} \sin(c+dx)}{b^2 d} + \frac{2C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3bd} \\
 &= \frac{2(bB - aC) \sqrt{\sec(c+dx)} \sin(c+dx)}{b^2 d} + \frac{2C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3bd} \\
 &= \frac{2 \left(A - \frac{a(bB-aC)}{b^2} \right) \sqrt{\cos(c+dx)} \Pi \left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{\sec(c+dx)}}{(a+b)d} \\
 &= -\frac{2(bB - aC) \sqrt{\cos(c+dx)} E \left(\frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{\sec(c+dx)}}{b^2 d} + \frac{2C \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3bd}
 \end{aligned}$$

Mathematica [F] time = 58.2649, size = 0, normalized size = 0.

$$\int \frac{\sec^{\frac{3}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

Maple [A] time = 7.304, size = 472, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c)),x)$

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*(A*b^2-B*a*b+C*a^2)/b^2/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+2*C/b*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(B*b-C*a)/b^2*(-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(3/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c)),x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c
)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec
(d*x + c) + a), x)
```

$$3.1014 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=178

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{abd(a+b)}$$

[Out] $(-2*C*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*d) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) - (2*(A*b^2 - a*(b*B - a*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*b*(a + b)*d) + (2*C*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b*d)$

Rubi [A] time = 0.477231, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{abd(a+b)} + \frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\right)}{ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Sec}[c + d*x]]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(a + b*\text{Sec}[c + d*x]), x]$

[Out] $(-2*C*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*d) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) - (2*(A*b^2 - a*(b*B - a*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*b*(a + b)*d) + (2*C*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b*d)$

Rule 4102

$\text{Int}[(A + \text{csc}[e + f*x] + (f + x)*B) + \text{csc}[e + f*x]^2(C + \text{csc}[e + f*x] + (f + x)*D)]*(\text{csc}[e + f*x] + (f + x)*B)^m, x_Symbol] \rightarrow -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})*(d*\text{Csc}[e + f*x]^{n-1})/(b*f*(m+n+1)), x] + \text{Dist}[d/(b*(m+n+1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x]^{n-1})*\text{Simp}[a*C*(n-1) + (A*b*(m+n+1) + b*C*(m+n))*\text{Csc}[e + f*x] + (b*B*(m+n+1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 -$

$b^2, 0]$ && GtQ[n, 0]

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\sec(c+dx)} (A + B \sec(c+dx) + C \sec^2(c+dx))}{a + b \sec(c+dx)} dx &= \frac{2C \sqrt{\sec(c+dx)} \sin(c+dx)}{bd} + \frac{2 \int \frac{-\frac{aC}{2} + \frac{1}{2}b(A-C) \sec(c+dx) + \frac{1}{2}(b(A-C)^2 - a^2)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))} dx}{b} \\
 &= \frac{2C \sqrt{\sec(c+dx)} \sin(c+dx)}{bd} + \frac{2 \int \frac{-\frac{a^2C}{2} - \left(-\frac{1}{2}ab(A-C) - \frac{abC}{2}\right) \sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{a^2b} \\
 &= \frac{2C \sqrt{\sec(c+dx)} \sin(c+dx)}{bd} + \frac{A \int \sqrt{\sec(c+dx)} dx}{a} - \frac{C \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{a} \\
 &= -\frac{2 \left(\frac{Ab}{a} - B + \frac{aC}{b}\right) \sqrt{\cos(c+dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{(a+b)d} \\
 &= -\frac{2C \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{bd} + \frac{2A \sqrt{\cos(c+dx)}}{a}
 \end{aligned}$$

Mathematica [F] time = 44.5846, size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sec(c+dx)} (A + B \sec(c+dx) + C \sec^2(c+dx))}{a + b \sec(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

Maple [A] time = 4.575, size = 409, normalized size = 2.3

$$-\frac{1}{d} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(2 \frac{A \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{a \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2*(-A*b^2+B*a*b-C*a^2)/b/(a^2-a*b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))+2*C/b*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```


Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a), x)

$$3.1015 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=157

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{a^2d} + \frac{2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}(Ab^2 - a(bB - aC))\Pi\left(\frac{2a}{a+b}\right)}{a^2d(a + b)}$$

[Out] (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a + b)*d)

Rubi [A] time = 0.288498, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}(Ab^2 - a(bB - aC))\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx)\right)}{a^2d(a + b)} - \frac{2(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx)\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])),x]

[Out] (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a + b)*d)

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))} dx &= \frac{\int \frac{aA - (Ab - aB) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{a^2} + \frac{(Ab^2 - abB + a^2C) \int \frac{\sec^3(c + dx)}{a + b \sec(c + dx)} dx}{a^2} \\
&= \frac{A \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a} - \frac{(Ab - aB) \int \sqrt{\sec(c + dx)} dx}{a^2} + \frac{((Ab^2 - abB + a^2C) \sqrt{\sec(c + dx)})}{a^2} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2(a + b)d} + \frac{(A - aC) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} \\
&= \frac{2A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{2(Ab - aB) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad}
\end{aligned}$$

Mathematica [F] time = 13.2909, size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])), x]

[Out] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])), x]

Maple [A] time = 2.664, size = 323, normalized size = 2.1

$$2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{(a - b) a^2 \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d} \left(A \text{EllipticF} \left(\cos(1/2 dx + c/2), 2^{1/2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c)), x)

[Out] 2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*a*b-A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*b^2+A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))

$(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2 - A * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a * b + A * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) * b^2 - B * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2 + B * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a * b - B * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) * a * b + C * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) * a^2) / a^2 / (a-b) / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx)) \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c)),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/((a + b*sec(c + d*x))*sqrt(sec(c + d*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

$$3.1016 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=207

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a^2(A+3C)-3abB+3Ab^2)}{3a^3d} - \frac{2b\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}(Ab^2)}{a^3d}$$

[Out] $(-2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*d) + (2*(3*A*b^2 - 3*a*b*B + a^2*(A + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^3*d) - (2*b*(A*b^2 - a*(b*B - a*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^3*(a + b)*d) + (2*A*\text{Sin}[c + d*x])/(3*a*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rubi [A] time = 0.530612, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2(A+3C)-3abB+3Ab^2)}{3a^3d} - \frac{2b\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}(Ab^2 - a(bB - a^2))}{a^3d(a+b)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/(\text{Sec}[c + d*x]^{(3/2)}*(a + b*\text{Sec}[c + d*x]))], x]$

[Out] $(-2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*d) + (2*(3*A*b^2 - 3*a*b*B + a^2*(A + 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^3*d) - (2*b*(A*b^2 - a*(b*B - a*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^3*(a + b)*d) + (2*A*\text{Sin}[c + d*x])/(3*a*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 4104

$\text{Int}[(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/(\text{Sec}[c + d*x]^{(3/2)}*(a + b*\text{Sec}[c + d*x]))], x]$

$(d \operatorname{Csc}[e + f x])^{n+1} \operatorname{Simp}[a B n - A b (m + n + 1) + a (A + A n + C n) \operatorname{Csc}[e + f x] + A b (m + n + 2) \operatorname{Csc}[e + f x]^2, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4106

$\operatorname{Int}[(A _.) + \operatorname{csc}[(e _.) + (f _.) (x _.)] (B _.) + \operatorname{csc}[(e _.) + (f _.) (x _.)]^2 (C _.)] / (\operatorname{Sqrt}[\operatorname{csc}[(e _.) + (f _.) (x _.)] (d _.)] (\operatorname{csc}[(e _.) + (f _.) (x _.)] (b _.) + (a _.)]), x_Symbol] := \operatorname{Dist}[(A b^2 - a b B + a^2 C) / (a^2 d^2), \operatorname{Int}[(d \operatorname{Csc}[e + f x])^{3/2} / (a + b \operatorname{Csc}[e + f x]), x], x] + \operatorname{Dist}[1/a^2, \operatorname{Int}[(a A - (A b - a B) \operatorname{Csc}[e + f x]) / \operatorname{Sqrt}[d \operatorname{Csc}[e + f x]], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

$\operatorname{Int}[(\operatorname{csc}[(e _.) + (f _.) (x _.)] (d _.))^{3/2} / (\operatorname{csc}[(e _.) + (f _.) (x _.)] (b _.) + (a _.)), x_Symbol] := \operatorname{Dist}[d \operatorname{Sqrt}[d \operatorname{Sin}[e + f x]] \operatorname{Sqrt}[d \operatorname{Csc}[e + f x]], \operatorname{Int}[1 / (\operatorname{Sqrt}[d \operatorname{Sin}[e + f x]] (b + a \operatorname{Sin}[e + f x])), x], x] /;$ FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

$\operatorname{Int}[1 / (((a _.) + (b _.) \operatorname{sin}[(e _.) + (f _.) (x _.)]) \operatorname{Sqrt}[(c _.) + (d _.) \operatorname{sin}[(e _.) + (f _.) (x _.)])]), x_Symbol] := \operatorname{Simp}[(2 * \operatorname{EllipticPi}[(2 * b) / (a + b), (1 * (e - \operatorname{Pi} / 2 + f x)) / 2, (2 * d) / (c + d)]) / (f * (a + b) \operatorname{Sqrt}[c + d]), x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b * c - a * d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e _.) + (f _.) (x _.)] (d _.))^{n _.)} (\operatorname{csc}[(e _.) + (f _.) (x _.)] (b _.) + (a _.)), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[(d \operatorname{Csc}[e + f x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d \operatorname{Csc}[e + f x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$\operatorname{Int}[(\operatorname{csc}[(c _.) + (d _.) (x _.)] (b _.))^{n _.)}, x_Symbol] := \operatorname{Dist}[(b \operatorname{Csc}[c + d x])^n \operatorname{Sin}[c + d x]^n, \operatorname{Int}[1 / \operatorname{Sin}[c + d x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$\operatorname{Int}[\operatorname{Sqrt}[\operatorname{sin}[(c _.) + (d _.) (x _.)]], x_Symbol] := \operatorname{Simp}[(2 * \operatorname{EllipticE}[(1 * (c - \operatorname{Pi} / 2 + d x)) / 2, 2]) / d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))} dx &= \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{2 \int \frac{\frac{3}{2}(Ab - aB) - \frac{1}{2}a(A + 3C) \sec(c + dx) - \frac{1}{2}Ab \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))} dx}{3a} \\
 &= \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{2 \int \frac{\frac{3}{2}a(Ab - aB) - \left(\frac{3}{2}b(Ab - aB) + \frac{1}{2}a^2(A + 3C)\right) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{3a^3} - \frac{(b(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{a^3(a + b)d} + \\
 &= \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{(Ab - aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a^2} + \frac{(3Ab^2 - 3abB + a^2(A + 3C)) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{3a^3} \\
 &= -\frac{2b(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{a^3(a + b)d} + \\
 &= -\frac{2(Ab - aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{a^2d} + \frac{2(3Ab^2 - 3abB + a^2(A + 3C)) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{3a^3}
 \end{aligned}$$

Mathematica [F] time = 59.8327, size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])), x]

[Out] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])), x]

Maple [B] time = 2.712, size = 945, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x)`

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((4*A*a^3-4*A*a^2*b)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+(-2*A*a^3+2*A*a^2*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b+3*A*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*b^3+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^2+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})*b^3-3*B*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^2-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})*a*b^2+3*a^3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b+3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})*a^2*b)/a^3/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(b \sec(dx+c) + a) \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sec
(d*x + c)^(3/2)), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))
,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c)
)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sec
(d*x + c)^(3/2)), x)
```

$$3.1017 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \sec^2(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=269

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(a^2b(A+3C)+a^3(-B)-3ab^2B+3Ab^3\right)}{3a^4d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx), 2\right)}{3a^4d}$$

[Out] (2*(5*A*b^2 - 5*a*b*B + a^2*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*a^3*d) - (2*(3*A*b^3 - a^3*B - 3*a*b^2*B + a^2*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*a^4*d) + (2*b^2*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a^4*(a + b)*d) + (2*A*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - (2*(A*b - a*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.855461, antiderivative size = 269, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\right)\left(a^2b(A+3C)+a^3(-B)-3ab^2B+3Ab^3\right)}{3a^4d} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx), 2\right)}{3a^4d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])), x]

[Out] (2*(5*A*b^2 - 5*a*b*B + a^2*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*a^3*d) - (2*(3*A*b^3 - a^3*B - 3*a*b^2*B + a^2*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*a^4*d) + (2*b^2*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a^4*(a + b)*d) + (2*A*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - (2*(A*b - a*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]])

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

$_))^{(m_)} , x_Symbol] := \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 4106

$\text{Int}[(A_ + \text{csc}[(e_ + (f_)*(x_)]*(B_ + \text{csc}[(e_ + (f_)*(x_)]^2*(C_)))/(\text{Sqrt}[\text{csc}[(e_ + (f_)*(x_)]*(d_)]*(\text{csc}[(e_ + (f_)*(x_)]*(b_ + (a_)))]), x_Symbol] := \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)}/(a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3849

$\text{Int}[(\text{csc}[(e_ + (f_)*(x_)]*(d_))^{(3/2)}/(\text{csc}[(e_ + (f_)*(x_)]*(b_ + (a_)))]), x_Symbol] := \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2805

$\text{Int}[1/(((a_ + (b_)*\text{sin}[(e_ + (f_)*(x_)])*\text{Sqrt}[(c_ + (d_)*\text{sin}[(e_ + (f_)*(x_)])])), x_Symbol] := \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 3787

$\text{Int}[(\text{csc}[(e_ + (f_)*(x_)]*(d_))^{(n_)}*(\text{csc}[(e_ + (f_)*(x_)]*(b_ + (a_)))]), x_Symbol] := \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_ + (d_)*(x_)]*(b_))^{(n_)}), x_Symbol] := \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))} dx &= \frac{2A \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2 \int \frac{\frac{5}{2}(Ab - aB) - \frac{1}{2}a(3A + 5C) \sec(c + dx) - \frac{3}{2}Ab \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))} dx}{5a} \\
 &= \frac{2A \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} + \frac{4 \int \frac{\frac{3}{4}(5Ab^2 - 5abB + a^2(3A + 5C)) + \frac{1}{4}a(4)}{\sqrt{\sec(c + dx)}} dx}{5a} \\
 &= \frac{2A \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} + \frac{4 \int \frac{\frac{3}{4}a(5Ab^2 - 5abB + a^2(3A + 5C)) - (-\frac{1}{4})}{\sqrt{\sec(c + dx)}} dx}{5a} \\
 &= \frac{2A \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(3Ab^3 - a^3B - 3ab^2B + a^2b(A + C)) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3a^4} \\
 &= \frac{2b^2 (Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^4(a + b)d} + \frac{2(5Ab^2 - 5abB + a^2(3A + 5C)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5a^3d}
 \end{aligned}$$

Mathematica [F] time = 55.2983, size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])),x]

[Out] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])), x]

Maple [B] time = 5.605, size = 801, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x)

[Out]
$$-\left(-\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(\frac{4}{5}A/a\left(-4\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^6\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)+14\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)+5\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{1/2}\right)-9\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{1/2}\right)\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}-6\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}-4/3/a^2\left(3Aa+Aa^2-Ba\right)\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)+2\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{1/2}\right)-3\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{1/2}\right)\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}-\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}+2/a^3\left(3Aa^2+2Aa^2b+Aa^2b^2-2Ba^2-Ba^2b+Ca^2\right)\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{1/2}/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{1/2}\right)-\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{1/2}\right)\right)-2\left(Aa^3+Aa^2b+Aa^2b^2+Aa^2b^3-Ba^3-Ba^2b-Ba^2b^2+Ca^3+Ca^2b\right)/a^4\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{1/2}/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{1/2}\right)-2b^2\left(Ab^2-Ba^2b+Ca^2\right)/a^3\left(a^2-ab\right)\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{1/2}/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2a/(a-b),2^{1/2}\right)/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/\left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{1/2}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))
,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))
,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+b*sec(d*x+c)
)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))
,x, algorithm="giac")
```



```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sec  
(d*x + c)^(5/2)), x)
```

$$3.1018 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{7 \sec^2(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=342

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(7a^2b^2(A+3C)+a^4(5A+7C)-7a^3bB-21ab^3B+21Ab^4\right)}{21a^5d} + \frac{2 \sin(c+dx)}{21a^5d}$$

```
[Out] (-2*(5*A*b^3 - 3*a^3*B - 5*a*b^2*B + a^2*b*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*
EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^4*d) + (2*(21*A*b^4 - 7*
a^3*b*B - 21*a*b^3*B + 7*a^2*b^2*(A + 3*C) + a^4*(5*A + 7*C))*Sqrt[Cos[c +
d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*a^5*d) - (2*b^3*(A*
b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)
/2, 2]*Sqrt[Sec[c + d*x]])/(a^5*(a + b)*d) + (2*A*Sin[c + d*x])/(7*a*d*Sec[
c + d*x]^(5/2)) - (2*(A*b - a*B)*Sin[c + d*x])/(5*a^2*d*Sec[c + d*x]^(3/2))
+ (2*(7*A*b^2 - 7*a*b*B + a^2*(5*A + 7*C))*Sin[c + d*x])/(21*a^3*d*Sqrt[Se
c[c + d*x]])
```

Rubi [A] time = 1.22208, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2 \sin(c+dx)\left(a^2(5A+7C)-7abB+7Ab^2\right)}{21a^3d\sqrt{\sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(7a^2b^2(A+3C)+a^4(5A+7C)-7a^3bB-21ab^3B+21Ab^4\right)}{21a^5d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*(a + b*Sec[
c + d*x])), x]
```

```
[Out] (-2*(5*A*b^3 - 3*a^3*B - 5*a*b^2*B + a^2*b*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*
EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^4*d) + (2*(21*A*b^4 - 7*
a^3*b*B - 21*a*b^3*B + 7*a^2*b^2*(A + 3*C) + a^4*(5*A + 7*C))*Sqrt[Cos[c +
d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*a^5*d) - (2*b^3*(A*
b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)
/2, 2]*Sqrt[Sec[c + d*x]])/(a^5*(a + b)*d) + (2*A*Sin[c + d*x])/(7*a*d*Sec[
c + d*x]^(5/2)) - (2*(A*b - a*B)*Sin[c + d*x])/(5*a^2*d*Sec[c + d*x]^(3/2))
+ (2*(7*A*b^2 - 7*a*b*B + a^2*(5*A + 7*C))*Sin[c + d*x])/(21*a^3*d*Sqrt[Se
c[c + d*x]])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
```

EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))} dx &= \frac{2A \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2 \int \frac{\frac{7}{2}(Ab - aB) - \frac{1}{2}a(5A + 7C) \sec(c + dx) - \frac{5}{2}Ab \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))} dx}{7a} \\
 &= \frac{2A \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{5a^2d \sec^{\frac{3}{2}}(c + dx)} + \frac{4 \int \frac{\frac{5}{4}(7Ab^2 - 7abB + a^2(5A + 7C)) + \frac{1}{4}a(4C - 7Ab)}{\sec^{\frac{3}{2}}(c + dx)} dx}{5a^2d} \\
 &= \frac{2A \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{5a^2d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7Ab^2 - 7abB + a^2(5A + 7C))}{21a^3d \sqrt{\sec(c + dx)}} \\
 &= \frac{2A \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{5a^2d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7Ab^2 - 7abB + a^2(5A + 7C))}{21a^3d \sqrt{\sec(c + dx)}} \\
 &= \frac{2A \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{5a^2d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7Ab^2 - 7abB + a^2(5A + 7C))}{21a^3d \sqrt{\sec(c + dx)}} \\
 &= -\frac{2b^3 (Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^5(a + b)d} + \\
 &= -\frac{2(5Ab^3 - 3a^3B - 5ab^2B + a^2b(3A + 5C)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5a^4d}
 \end{aligned}$$

Mathematica [F] time = 68.7677, size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*(a + b*Sec[c + d*x])),x]

[Out] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*(a + b*Sec[c + d*x])), x]

Maple [B] time = 7.123, size = 1095, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+b*sec(d*x+c)),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(8/105*A/a*(60*c \\ & \cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8-258*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x \\ & +1/2*c)+448*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+85*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & -168*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ &)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-167*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) \\ &)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-4/5/a^2*(4*A*a+A*b \\ & -B*a)*(-4*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+14*\sin(1/2*d*x+1/2*c)^4*c \\ & \cos(1/2*d*x+1/2*c)+5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1) \\ & ^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ &)*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-6*s \\ & \sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}+4/3/a^3*(6*A*a^2+3*A*a*b+A*b^2-3*B*a^2-B*a*b+C*a^2)*(2*si \\ & n(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin \\ & (1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*(2*\sin(1 \\ & /2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}-\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-2/a^4*(4*A*a^3+3*A*a^2*b+2*A*a*b^2+A*b^3-3*B*a^3-2*B*a^2*b \\ & -B*a*b^2+2*C*a^3+C*a^2*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\ & -2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \end{aligned}$$

$$\begin{aligned} &)^2)^{(1/2)} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - \text{EllipticE}(\cos(1/2*d*x+1/2 \\ & *c), 2^{(1/2)})) + 2 * (A*a^4 + A*a^3*b + A*a^2*b^2 + A*a*b^3 + A*b^4 - B*a^4 - B*a^3*b - B*a^2* \\ & b^2 - B*a*b^3 + C*a^4 + C*a^3*b + C*a^2*b^2) / a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*c \\ & \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2*b^3 * (A*b^2 - B*a*b + C*a^2) / a^4 / \\ & (a^2 - a*b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (- \\ & 2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1 \\ & /2*c), 2*a/(a-b), 2^{(1/2)}) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/ \\ & 2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+b*sec(d*x+c))
,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+b*sec(d*x+c))
,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2)/(a+b*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sec(d*x + c)^(7/2)), x)
```

$$3.1019 \quad \int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=447

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(5a^2C - 3abB + 3Ab^2 - 2b^2C)}{3b^2d(a^2 - b^2)} - \frac{\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)(Ab^2 - a(bB - aC))}{bd(a^2 - b^2)(a + b \sec(c+dx))}$$

[Out] -(((3*a^2*b*B - 2*b^3*B - a*b^2*(A - 4*C) - 5*a^3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^3*(a^2 - b^2)*d) + ((3*A*b^2 - 3*a*b*B + 5*a^2*C - 2*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*b^2*(a^2 - b^2)*d) - ((3*A*b^4 + 3*a^3*b*B - 5*a*b^3*B - a^2*b^2*(A - 7*C) - 5*a^4*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/((a - b)*b^3*(a + b)^2*d) + ((3*a^2*b*B - 2*b^3*B - a*b^2*(A - 4*C) - 5*a^3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^3*(a^2 - b^2)*d) + ((3*A*b^2 - 3*a*b*B + 5*a^2*C - 2*b^2*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.37041, antiderivative size = 447, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$-\frac{\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)(Ab^2 - a(bB - aC))}{bd(a^2 - b^2)(a + b \sec(c+dx))} + \frac{\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)(5a^2C - 3abB + 3Ab^2 - 2b^2C)}{3b^2d(a^2 - b^2)} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticE}[(c+dx)/2, 2]*\text{Sqrt}[\text{Sec}[c+dx]]}{b^3(a^2 - b^2)d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] -(((3*a^2*b*B - 2*b^3*B - a*b^2*(A - 4*C) - 5*a^3*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^3*(a^2 - b^2)*d) + ((3*A*b^2 - 3*a*b*B + 5*a^2*C - 2*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*b^2*(a^2 - b^2)*d) - ((3*A*b^4 + 3*a^3*b*B - 5*a*b^3*B - a^2*b^2*(A - 7*C) - 5*a^4*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/((a - b)*b^3*(a + b)^2*d) + ((3*a^2*b*B - 2*b^3*B - a*b^2*(A - 4*C) - 5*a^3*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^3*(a^2 - b^2)*d) + ((3*A*b^2 - 3*a*b*B + 5*a^2*C - 2*b^2*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

$$d*x]^{(3/2)}*\text{Sin}[c + d*x]]/(3*b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x]]/(b*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x]))$$

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
```

```

+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= -\frac{(Ab^2-a(bB-aC))\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\sec(c+dx)} dx \\
&= \frac{(3Ab^2-3abB+5a^2C-2b^2C)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b^2(a^2-b^2)d} - \int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\sec(c+dx)} dx \\
&= \frac{(3a^2bB-2b^3B-ab^2(A-4C)-5a^3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^3(a^2-b^2)d} - \int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\sec(c+dx)} dx \\
&= \frac{(3a^2bB-2b^3B-ab^2(A-4C)-5a^3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^3(a^2-b^2)d} - \int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\sec(c+dx)} dx \\
&= \frac{(3a^2bB-2b^3B-ab^2(A-4C)-5a^3C)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^3(a^2-b^2)d} - \int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\sec(c+dx)} dx \\
&= -\frac{(3Ab^4+3a^3bB-5ab^3B-a^2b^2(A-7C)-5a^4C)\sqrt{\cos(c+dx)}}{(a-b)b^3(a+b)^2d} - \int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\sec(c+dx)} dx \\
&= -\frac{(3a^2bB-2b^3B-ab^2(A-4C)-5a^3C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}\right)}{b^3(a^2-b^2)d} - \int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\sec(c+dx)} dx
\end{aligned}$$

Mathematica [B] time = 7.42214, size = 931, normalized size = 2.08

$$(C\sec^2(c+dx)+B\sec(c+dx)+A)\left(-\frac{2(12Bb^4+12aAb^3-28aCb^3-24a^2Bb^2+40a^3Cb)\Pi\left(-\frac{b}{a};-\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\right)-1}{a(b+a\cos(c+dx))(1-\cos^2(c+dx))}\right)\sqrt{1-\sec^2(c+dx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(12*a*A*b^3 - 24*a^2*b^2*B + 12*b^4*B + 40*a^3*b*C - 28*a*b^3*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(9*a^2*A*b^2 - 12*A*b^4 - 27*a^3*b*B + 30*a*b^3*B + 45*a^4*C -

$$\begin{aligned}
& 44a^2b^2C - 4b^4C) \cos[c + dx]^2 (\text{EllipticF}[\text{ArcSin}[\sqrt{\sec[c + dx]}], -1] + \text{EllipticPi}[-(b/a), -\text{ArcSin}[\sqrt{\sec[c + dx]}], -1]) (a + b \sec[c + dx]) \sqrt{1 - \sec[c + dx]^2} \sin[c + dx] / (b(b + a \cos[c + dx]) (1 - \cos[c + dx]^2)) \\
& - (2(3a^2Ab^2 - 9a^3bB + 6ab^3B + 15a^4C - 12a^2b^2C) \cos[2(c + dx)] (a + b \sec[c + dx]) (2ab - 2ab \sec[c + dx]^2 + 2ab \text{EllipticE}[\text{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} \\
& + a(a - 2b) \text{EllipticF}[\text{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} + a^2 \text{EllipticPi}[-(b/a), -\text{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} \\
& - 2b^2 \text{EllipticPi}[-(b/a), -\text{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2}) \sin[c + dx] / (a^2b(b + a \cos[c + dx]) (1 - \cos[c + dx]^2) \sqrt{\sec[c + dx]} (2 - \sec[c + dx]^2))) / (6(a - b)b^3(a + b) \\
& * d(A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + b \sec[c + dx])^2 + ((b + a \cos[c + dx])^2 \sqrt{\sec[c + dx]} (A + B \sec[c + dx] + C \sec[c + dx]^2) \\
& * ((2(aAb^2 - 3a^2bB + 2b^3B + 5a^3C - 4ab^2C) \sin[c + dx]) / (b^3(-a^2 + b^2)) - (2(aAb^2 \sin[c + dx] - a^2bB \sin[c + dx] + a^3C \sin[c + dx])) / (b^2(-a^2 + b^2)(b + a \cos[c + dx])) + (4C \tan[c + dx]) / (3b^2))) / (d(A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + b \sec[c + dx])^2)
\end{aligned}$$

Maple [B] time = 11.463, size = 1031, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(5/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^{2,x})$

[Out] $\begin{aligned}
& -(-(-2\cos(1/2dx+1/2c)^2+1)\sin(1/2dx+1/2c)^2)^{(1/2)}*(2*(A*b^2-B*a*b+C*a^2)/b^2*(a^2/b/(a^2-b^2)\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}/(2\cos(1/2dx+1/2c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2dx+1/2c)^2)^{(1/2)}*(-2\cos(1/2dx+1/2c)^2+1)^{(1/2)}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2dx+1/2c),2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2dx+1/2c)^2)^{(1/2)}*(-2\cos(1/2dx+1/2c)^2+1)^{(1/2)}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2dx+1/2c),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2dx+1/2c)^2)^{(1/2)}*(-2\cos(1/2dx+1/2c)^2+1)^{(1/2)}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2dx+1/2c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2dx+1/2c)^2)^{(1/2)}*(-2\cos(1/2dx+1/2c)^2+1)^{(1/2)}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2dx+1/2c),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2dx+1/2c)^2)^{(1/2)}*(-2\cos(1/2dx+1/2c)^2+1)^{(1/2)}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}
\end{aligned}$

$$\begin{aligned} & \frac{1}{2} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 2*a^2*(B*b-2*C*a)/b^3 \\ & / (a^2-a*b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / \\ & (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x \\ & +1/2*c), 2*a/(a-b), 2^{(1/2)}) + 2*C/b^2 * (-1/6*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x \\ & +1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 1/3 * (\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+ \\ & 1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & + 2*(B*b-2*C*a)/b^3 * (-\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1 \\ &)^{(1/2)} * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(\\ & 1/2*d*x+1/2*c), 2^{(1/2)}) + 2*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/ \\ & 2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec(d*x + c) + a)^2, x)
```

$$3.1020 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=363

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(Ab^2 - a(bB - aC))}{abd(a^2 - b^2)} - \frac{\sin(c+dx)\sec^3(c+dx)(Ab^2 - a(bB - aC))}{bd(a^2 - b^2)(a + b \sec(c+dx))}$$

[Out] -(((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*b*(a^2 - b^2)*d) + ((A*b^4 + a^3*b*B - 3*a*b^3*B - 3*a^4*C + a^2*b^2*(A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a - b)*b^2*(a + b)^2*d) + ((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.959012, antiderivative size = 363, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$-\frac{\sin(c+dx)\sec^3(c+dx)(Ab^2 - a(bB - aC))}{bd(a^2 - b^2)(a + b \sec(c+dx))} + \frac{\sin(c+dx)\sqrt{\sec(c+dx)}(3a^2C - abB + Ab^2 - 2b^2C)}{b^2d(a^2 - b^2)} - \frac{\sqrt{\cos(c+dx)}}{bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] -(((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*b*(a^2 - b^2)*d) + ((A*b^4 + a^3*b*B - 3*a*b^3*B - 3*a^4*C + a^2*b^2*(A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a - b)*b^2*(a + b)^2*d) + ((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4098

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

Rule 4102

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)
)*Csc[e + f*x]/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3849

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d))]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```


Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= -\frac{(Ab^2-a(bB-aC))\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\sqrt{\sec(c+dx)}}{a+b\sec(c+dx)} dx \\
&= \frac{(Ab^2-abB+3a^2C-2b^2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d} - \frac{(Ab^2-abB+3a^2C-2b^2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d} \\
&= \frac{(Ab^2-abB+3a^2C-2b^2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d} - \frac{(Ab^2-abB+3a^2C-2b^2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d} \\
&= \frac{(Ab^2-abB+3a^2C-2b^2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d} - \frac{(Ab^2-abB+3a^2C-2b^2C)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d} \\
&= \frac{(Ab^4+a^3bB-3ab^3B-3a^4C+a^2b^2(A+5C))\sqrt{\cos(c+dx)}}{a(a-b)b^2(a+b)^2d} \\
&= -\frac{(Ab^2-abB+3a^2C-2b^2C)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{b^2(a^2-b^2)d}
\end{aligned}$$

Mathematica [B] time = 7.18645, size = 865, normalized size = 2.38

$$(C\sec^2(c+dx)+B\sec(c+dx)+A)\left(-\frac{2(4Ab^3-4Cb^3-4aBb^2+8a^2Cb)\Pi\left(-\frac{b}{a};-\sin^{-1}(\sqrt{\sec(c+dx)})\right)-1}{a(b+a\cos(c+dx))(1-\cos^2(c+dx))}\sqrt{1-\sec^2(c+dx)}\sin(c+dx)\cos(c+dx)}{a(b+a\cos(c+dx))(1-\cos^2(c+dx))}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(4*A*b^3 - 4*a*b^2*B + 8*a^2*b*C - 4*b^3*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-(a*A*b^2) - 3*a^2*b*B + 4*b^3*B + 9*a^3*C - 10*a*b^2*C)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(a*A*b^2 - a^2*b*B + 3*a^3*C - 2*a*b^2*C)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]))/(b^2*(a^2 - b^2)*d)

$$d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x]/(a^2*b*(b + a*Cos[c + d*x]))*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/(2*b^2*(-a + b)*(a + b)*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^2) + ((b + a*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*Sin[c + d*x])/(b^2*(-a^2 + b^2)) + (2*(A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x] + a^2*C*Sin[c + d*x]))/(b*(-a^2 + b^2)*(b + a*Cos[c + d*x]))))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^2)$$

Maple [B] time = 7.709, size = 897, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^2,x)$

[Out] $-\left(-\left(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1\right)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{(1/2)}*(2*(-A*b^2+B*a*b-C*a^2)/a/b*(a^2/b/(a^2-b^2)*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)*(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)\right)^{(1/2)}/(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2*a-a+b)-1/2/(a+b)/b*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*EllipticF(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*EllipticF(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*EllipticE(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*EllipticPi(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*EllipticPi(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2*a/(a-b),2^{(1/2)})-2*(A*b^2-C*a^2)/b^2/(a^2-a*b)*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*EllipticPi(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2*a/(a-b),2^{(1/2)})+2*C/b^2*(-\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*(2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2-1)\right)^{(1/2)}*(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}*EllipticE(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2^{(1/2)})+2*(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{(1/2)}$

$$\frac{(x+\frac{1}{2}c)^2)^{1/2} \cos(\frac{1}{2}d(x+\frac{1}{2}c)) \sin(\frac{1}{2}d(x+\frac{1}{2}c))^2}{\sin(\frac{1}{2}d(x+\frac{1}{2}c))^2 / (2 \sin(\frac{1}{2}d(x+\frac{1}{2}c))^2 - 1)} / \sin(\frac{1}{2}d(x+\frac{1}{2}c)) / (2 \cos(\frac{1}{2}d(x+\frac{1}{2}c))^2 - 1)^{1/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))  
^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec  
(d*x + c) + a)^2, x)
```

$$3.1021 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=299

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a^2(-2A+C)+abB+Ab^2)}{a^2d(a^2-b^2)} - \frac{\sin(c+dx)\sqrt{\sec(c+dx)}(Ab^2-a(bB-aC))}{bd(a^2-b^2)(a+b \sec(c+dx))}$$

[Out] ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*b*(a^2 - b^2)*d) - ((A*b^2 + a*b*B - a^2*(2*A + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d) + ((A*b^4 + a^3*b*B + a*b^3*B + a^4*C - 3*a^2*b^2*(A + C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a - b)*b*(a + b)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.672626, antiderivative size = 299, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4098, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}(Ab^2-a(bB-aC))}{bd(a^2-b^2)(a+b \sec(c+dx))} - \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)(a^2(-2A+C)+abB+Ab^2)}{a^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*b*(a^2 - b^2)*d) - ((A*b^2 + a*b*B - a^2*(2*A + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d) + ((A*b^4 + a^3*b*B + a*b^3*B + a^4*C - 3*a^2*b^2*(A + C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a - b)*b*(a + b)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4098

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/ (Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3849

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\sec(c+dx)} (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + b \sec(c+dx))^2} dx &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c+dx)} \sin(c+dx)}{b(a^2 - b^2) d(a + b \sec(c+dx))} - \int \frac{\frac{1}{2}(-Ab^2 + a)}{\dots} \\
 &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c+dx)} \sin(c+dx)}{b(a^2 - b^2) d(a + b \sec(c+dx))} - \int \frac{\frac{1}{2}a(-Ab^2 + a)}{\dots} \\
 &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c+dx)} \sin(c+dx)}{b(a^2 - b^2) d(a + b \sec(c+dx))} - \frac{(Ab^2 + ab)}{\dots} \\
 &= \frac{(Ab^4 + a^3bB + ab^3B + a^4C - 3a^2b^2(A + C)) \sqrt{\cos(c+dx)} \Pi}{a^2(a-b)b(a+b)^2d} \\
 &= \frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{ab(a^2 - b^2)d}
 \end{aligned}$$

Mathematica [B] time = 7.04354, size = 829, normalized size = 2.77

$$\frac{(C \sec^2(c+dx) + B \sec(c+dx) + A) \left(-\frac{2(-4Bb^2 + 4aAb + 4aCb) \Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\sec(c+dx)}) \middle| -1\right) (a+b \sec(c+dx)) \sqrt{1-\sec^2(c+dx)} \sin(c+dx) \cos^2(c+dx)}{a(b+a \cos(c+dx))(1-\cos^2(c+dx))} \right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(4*a*A*b - 4*b^2*B + 4*a*b*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[

$$\begin{aligned} & c + d*x]]], -1)*(a + b*\text{Sec}[c + d*x])* \text{Sqrt}[1 - \text{Sec}[c + d*x]^2]*\text{Sin}[c + d*x]) \\ & / (a*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)) + (2*(-(A*b^2) + a*b*B + 3*a \\ & ^2*C - 4*b^2*C)*\text{Cos}[c + d*x]^2*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] + \\ & \text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1])*(a + b*\text{Sec}[c + d*x])* \\ & \text{Sqrt}[1 - \text{Sec}[c + d*x]^2]*\text{Sin}[c + d*x]) / (b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + \\ & d*x]^2)) - (2*(A*b^2 - a*b*B + a^2*C)*\text{Cos}[2*(c + d*x)]*(a + b*\text{Sec}[c + d*x] \\ &)*(2*a*b - 2*a*b*\text{Sec}[c + d*x]^2 + 2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]] \\ &], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a*(a - 2*b)*\text{EllipticF} \\ & \text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] \\ & + a^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x] \\ &]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + \\ & d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2])* \text{Sin}[c + d*x]) / (a^ \\ & 2*b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c \\ & + d*x]^2)))) / (2*(a - b)*b*(a + b)*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2* \\ & c + 2*d*x])*(a + b*\text{Sec}[c + d*x])^2) + ((b + a*\text{Cos}[c + d*x])^2*\text{Sqrt}[\text{Sec}[c + \\ & d*x]]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*(A*b^2 - a*b*B + a^2*C)*\text{S} \\ & \text{in}[c + d*x]) / (a*b*(-a^2 + b^2)) + (2*(A*b^2*\text{Sin}[c + d*x] - a*b*B*\text{Sin}[c + d* \\ & x] + a^2*C*\text{Sin}[c + d*x])) / (a*(a^2 - b^2)*(b + a*\text{Cos}[c + d*x])))) / (d*(A + 2* \\ & C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + b*\text{Sec}[c + d*x])^2) \end{aligned}$$

Maple [B] time = 5.817, size = 809, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{sec}(d*x+c)^{(1/2)}*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/(a+b*\text{sec}(d*x+c))^2,x)$

[Out]
$$\begin{aligned} & -(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A/a^2*(\text{sin}(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2 \\ & *c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})+2/a \\ & ^2*(A*b^2-B*a*b+C*a^2)*(a^2/b/(a^2-b^2)*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+ \\ & 1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\text{cos}(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+ \\ & b)/b*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin} \\ & (1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), \\ & 2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2 \\ & *c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Ellipti} \\ & \text{cF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/ \\ & 2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a \\ & *b)*a^3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2* \\ & \text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\text{cos}(1/2*d*x+1/2 \end{aligned}$$

$$\begin{aligned} & *c), 2*a/(a-b), 2^{(1/2)}) + 3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 2*(-2*A* \\ & b+B*a)/a/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1) \\ & ^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(\\ & 1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c) \\ & ^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^2,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^2,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**2,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a)^2, x)

$$3.1022 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=317

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b(4A+C)+2a^3B-ab^2B+3Ab^3\right)}{a^3d(a^2-b^2)} + \frac{\sin(c+dx)\sqrt{\sec(c+dx)}(A-ab^2B)}{ad(a^2-b^2)(a+b \sec(c+dx))}$$

```
[Out] -(((3*A*b^2 - a*b*B - a^2*(2*A - C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d) + ((3*A*b^3 + 2*a^3*B - a*b^2*B - a^2*b*(4*A + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) - ((3*A*b^4 + 3*a^3*b*B - a*b^3*B - a^4*C - a^2*b^2*(5*A + C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a - b)*(a + b)^2*d) + ((A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 0.678562, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))}{ad(a^2 - b^2)(a + b \sec(c+dx))} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)\left(-a^2b(4A+C)+2a^3B-ab^2B\right)}{a^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2), x]
```

```
[Out] -(((3*A*b^2 - a*b*B - a^2*(2*A - C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d) + ((3*A*b^3 + 2*a^3*B - a*b^2*B - a^2*b*(4*A + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) - ((3*A*b^4 + 3*a^3*b*B - a*b^3*B - a^4*C - a^2*b^2*(5*A + C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a - b)*(a + b)^2*d) + ((A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))
```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/ (Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3849

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

```

EqQ[n^2, 1/4]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2} dx &= \frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{\int \frac{\frac{1}{2}(3Ab^2 - abB - a^2(2A - C)) + a(Ab - a^2)}{\sqrt{\sec(c + dx)}} dx}{a(a^2 - b^2) d(a + b \sec(c + dx))} \\ &= \frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{\int \frac{\frac{1}{2}a(3Ab^2 - abB - a^2(2A - C)) - (\frac{1}{2}b(3Ab^2 - abB - a^2(2A - C)))}{\sqrt{\sec(c + dx)}} dx}{a(a^2 - b^2) d(a + b \sec(c + dx))} \\ &= \frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{(3Ab^2 - abB - a^2(2A - C))}{2a^2(a^2 - b^2)} \\ &= -\frac{(3Ab^4 + 3a^3bB - ab^3B - a^4C - a^2b^2(5A + C)) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx)\right)}{a^3(a - b)(a + b)^2 d} \\ &= -\frac{(3Ab^2 - abB - a^2(2A - C)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2(a^2 - b^2) d} + \dots \end{aligned}$$

Mathematica [B] time = 7.13084, size = 835, normalized size = 2.63

$$\frac{(C \sec^2(c + dx) + B \sec(c + dx) + A) \left(-\frac{2(-4Ba^2 + 4Aba + 4bCa) \Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\sec(c + dx)})\right) - 1}{a(b + a \cos(c + dx))(1 - \cos^2(c + dx))} (a + b \sec(c + dx)) \sqrt{1 - \sec^2(c + dx)} \sin(c + dx) \cos^2(c + dx) \right)}{a^2(a^2 - b^2) d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2), x]
```

```
[Out] ((b + a*cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(4*a*A
*b - 4*a^2*B + 4*a*b*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[
c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])
/(a*(b + a*cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-2*a^2*A + A*b^2 + a*b
*B - a^2*C)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + Ell
ipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt
[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*cos[c + d*x])*(1 - Cos[c + d*x
]^2)) - (2*(-2*a^2*A + 3*A*b^2 - a*b*B + a^2*C)*Cos[2*(c + d*x)]*(a + b*Sec
[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[
c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*E
llipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c
+ d*x]^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Se
c[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sqr
t[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c +
d*x])/(a^2*b*(b + a*cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(
2 - Sec[c + d*x]^2)))/(2*a*(-a + b)*(a + b)*d*(A + 2*C + 2*B*cos[c + d*x]
+ A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^2) + ((b + a*cos[c + d*x])^2*Sqr
t[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(A*b^2 - a*b*B
+ a^2*C)*Sin[c + d*x])/(a^2*(a^2 - b^2)) - (2*(A*b^3*sin[c + d*x] - a*b^2*B
*sin[c + d*x] + a^2*b*C*sin[c + d*x]))/(a^2*(a^2 - b^2)*(b + a*cos[c + d*x]
))))/(d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*
x])^2)
```

Maple [B] time = 7.458, size = 856, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x)
```

```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2/a^3/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/
2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*
b+A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a-B*EllipticF(cos(1/2*d*x+1/2*c),
2^(1/2))*a)-2*b*(A*b^2-B*a*b+C*a^2)/a^3*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)
*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)
^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2
+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(co
s(1/2*d*x+1/2*c),2^(1/2))+1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*
```

$$\begin{aligned} & d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c) \\ &)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b \\ & / (a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ &)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticP \\ & i(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2 \\ & *c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2 \\ & ^{(1/2)}))-2/a^2*(3*A*b^2-2*B*a*b+C*a^2)/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/ \\ & 2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))/\sin(1/2*d* \\ & x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)
```

$$3.1023 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=406

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b^2(16A-3C)-2a^4(A+3C)+12a^3bB-9ab^3B+15Ab^4\right)}{3a^4d(a^2-b^2)} \sin$$

```
[Out] ((5*A*b^3 + 2*a^3*B - 3*a*b^2*B - a^2*b*(4*A - C))*Sqrt[Cos[c + d*x]]*Ellip
ticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) - ((15*A*b^4 +
12*a^3*b*B - 9*a*b^3*B - a^2*b^2*(16*A - 3*C) - 2*a^4*(A + 3*C))*Sqrt[Cos[
c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^4*(a^2 - b^2)*
d) + (b*(5*A*b^4 + 5*a^3*b*B - 3*a*b^3*B - a^2*b^2*(7*A - C) - 3*a^4*C)*Sqr
t[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]
])/(a^4*(a - b)*(a + b)^2*d) - ((5*A*b^2 - 3*a*b*B - a^2*(2*A - 3*C))*Sin[c
+ d*x])/(3*a^2*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + ((A*b^2 - a*(b*B - a*C)
)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 1.03009, antiderivative size = 406, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4100, 4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\left(a^2(-2A-3C)-3abB+5Ab^2\right)}{3a^2d\left(a^2-b^2\right)\sqrt{\sec(c+dx)}} + \frac{\sin(c+dx)\left(Ab^2-a(bB-aC)\right)}{ad\left(a^2-b^2\right)\sqrt{\sec(c+dx)}(a+b\sec(c+dx))} - \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3a^4d(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + b*Sec[
c + d*x])^2), x]
```

```
[Out] ((5*A*b^3 + 2*a^3*B - 3*a*b^2*B - a^2*b*(4*A - C))*Sqrt[Cos[c + d*x]]*Ellip
ticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) - ((15*A*b^4 +
12*a^3*b*B - 9*a*b^3*B - a^2*b^2*(16*A - 3*C) - 2*a^4*(A + 3*C))*Sqrt[Cos[
c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^4*(a^2 - b^2)*
d) + (b*(5*A*b^4 + 5*a^3*b*B - 3*a*b^3*B - a^2*b^2*(7*A - C) - 3*a^4*C)*Sqr
t[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]
])/(a^4*(a - b)*(a + b)^2*d) - ((5*A*b^2 - 3*a*b*B - a^2*(2*A - 3*C))*Sin[c
+ d*x])/(3*a^2*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + ((A*b^2 - a*(b*B - a*C)
)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x]))
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(A*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2} dx &= \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))} - \int \frac{\frac{1}{2}(5Ab^2 - 3abB - a^2(2A - 3C)) + a(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2} dx \\
&= -\frac{(5Ab^2 - 3abB - a^2(2A - 3C)) \sin(c + dx)}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))} \\
&= -\frac{(5Ab^2 - 3abB - a^2(2A - 3C)) \sin(c + dx)}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))} \\
&= -\frac{(5Ab^2 - 3abB - a^2(2A - 3C)) \sin(c + dx)}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))} \\
&= \frac{b(5Ab^4 + 5a^3bB - 3ab^3B - a^2b^2(7A - C) - 3a^4C) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \mid 2\right)}{a^4(a - b)(a + b)^2 d} \\
&= \frac{(5Ab^3 + 2a^3B - 3ab^2B - a^2b(4A - C)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{a^3(a^2 - b^2) d}
\end{aligned}$$

Mathematica [B] time = 7.273, size = 887, normalized size = 2.18

$$(C \sec^2(c + dx) + B \sec(c + dx) + A) \left(-\frac{2(4Aa^3 + 12Ca^3 - 12bBa^2 + 8Ab^2a) \Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\sec(c + dx)}) \mid -1\right) (a + b \sec(c + dx)) \sqrt{1 - \sec^2(c + dx)} \sin(c + dx)}{a(b + a \cos(c + dx))(1 - \cos^2(c + dx))} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2), x]

[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(4*a^3*A + 8*a*A*b^2 - 12*a^2*b*B + 12*a^3*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-8*a^2*A*b + 5*A*b^3 + 6*a^3*B - 3*a*b^2*B - 3*a^2*b*C)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(-12*a^2*A*b + 15*A*b^3 +

$$6a^3B - 9ab^2B + 3a^2bC) \cos[2(c + dx)] (a + b \sec[c + dx]) (2ab - 2ab \sec[c + dx]^2 + 2ab \operatorname{EllipticE}[\operatorname{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} + a(a - 2b) \operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} + a^2 \operatorname{EllipticPi}[-(b/a), -\operatorname{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} - 2b^2 \operatorname{EllipticPi}[-(b/a), -\operatorname{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2}) \sin[c + dx] / (a^2 b (b + a \cos[c + dx]) (1 - \cos[c + dx]^2) \sqrt{\sec[c + dx]} (2 - \sec[c + dx]^2))) / (6a^2 (a - b) (a + b) d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + b \sec[c + dx])^2 + ((b + a \cos[c + dx])^2 \sqrt{\sec[c + dx]} (A + B \sec[c + dx] + C \sec[c + dx]^2) ((2b(Ab^2 - abB + a^2C) \sin[c + dx]) / (a^3(-a^2 + b^2)) + (2(Ab^4 \sin[c + dx] - ab^3B \sin[c + dx] + a^2b^2C \sin[c + dx])) / (a^3(a^2 - b^2)(b + a \cos[c + dx])) + (2A \sin[2(c + dx)]) / (3a^2))) / (d(A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + b \sec[c + dx])^2)$$

Maple [B] time = 9.103, size = 1123, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (A+B \sec(dx+c)+C \sec(dx+c)^2) / \sec(dx+c)^{(3/2)} / (a+b \sec(dx+c))^{2,x}$

[Out] $-(-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2)^{(1/2)} (2/3 a^4 (4 A a^2 \cos(1/2 dx + 1/2 c) \sin(1/2 dx + 1/2 c)^4 + a^2 A (\sin(1/2 dx + 1/2 c)^2)^{(1/2)}) (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 9 A b^2 (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 6 A (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) a b - 2 A a^2 \cos(1/2 dx + 1/2 c) \sin(1/2 dx + 1/2 c)^2 - 6 B a b (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - 3 B (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) a^2 + 3 C (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) a^2) / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} / (2 \cos(1/2 dx + 1/2 c)^2 a - a + b) - 1/2 / (a + b) / b (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 1/2 a / b / (a^2 - b^2) (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)})$

$$\begin{aligned} &)) - 1/2 * a / b / (a^2 - b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + \\ &1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos \\ &(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 1/2 / b / (a^2 - b^2) / (a^2 - a * b) * a^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \\ &(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * \\ &d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) + 3/2 * b \\ &/ (a^2 - b^2) / (a^2 - a * b) * a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + \\ &1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), \\ &2 * a / (a - b), 2^{(1/2)}) + 2 / a^3 * b * (4 * A * b^2 - 3 * B * a * b + 2 * C * a^2) / (a^2 - a * b) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \\ &(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \\ &\text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} \\ &/ d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*sec(d*x + c)^(3/2)), x)
```


$$3.1024 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sec^2(c+dx)(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=507

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b^3(20A-9C)-4a^4b(A+3C)+16a^3b^2B+2a^5B-15ab^4B+20a^4b^3C\right)}{3a^5d(a^2-b^2)}$$

[Out] -((35*A*b^4 + 20*a^3*b*B - 25*a*b^3*B - 3*a^2*b^2*(8*A - 5*C) - 2*a^4*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^4*(a^2 - b^2)*d) + ((21*A*b^5 + 2*a^5*B + 16*a^3*b^2*B - 15*a*b^4*B - a^2*b^3*(20*A - 9*C) - 4*a^4*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^5*(a^2 - b^2)*d) - (b^2*(7*A*b^4 + 7*a^3*b*B - 5*a*b^3*B - 3*a^2*b^2*(3*A - C) - 5*a^4*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^5*(a - b)*(a + b)^2*d) - ((7*A*b^2 - 5*a*b*B - a^2*(2*A - 5*C))*Sin[c + d*x])/(5*a^2*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)) + ((7*A*b^3 + 2*a^3*B - 5*a*b^2*B - a^2*(4*A*b - 3*b*C))*Sin[c + d*x])/(3*a^3*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)*(a + b*Sqrt[Sec[c + d*x]]))

Rubi [A] time = 1.51598, antiderivative size = 507, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4100, 4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)(Ab^2 - a(bB - aC))}{ad(a^2 - b^2)\sec^3(c+dx)(a + b \sec(c+dx))} - \frac{\sin(c+dx)(a^2(-2A - 5C) - 5abB + 7Ab^2)}{5a^2d(a^2 - b^2)\sec^3(c+dx)} + \frac{\sin(c+dx)(-a^2(4Ab - 4a^2C) - 4a^3b^2C)}{3a^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2), x]

[Out] -((35*A*b^4 + 20*a^3*b*B - 25*a*b^3*B - 3*a^2*b^2*(8*A - 5*C) - 2*a^4*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^4*(a^2 - b^2)*d) + ((21*A*b^5 + 2*a^5*B + 16*a^3*b^2*B - 15*a*b^4*B - a^2*b^3*(20*A - 9*C) - 4*a^4*b*(A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^5*(a^2 - b^2)*d) - (b^2*(7*A*b^4 + 7*a^3*b*B - 5*a*b^3*B - 3*a^2*b^2*(3*A - C) - 5*a^4*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^5*(a - b)*(a + b)^2*d) - ((7*A*b^2 - 5*a*b*B - a^2*(2*A - 5*C))*Sin[c + d*x])/(5*a^2*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)) + ((7*A*b^3 + 2*a^3*B - 5*a*b^2*B - a^2*(4*A*b - 3*b*C))*Sin[c + d*x])/(3*a^3*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)*(a + b*Sqrt[Sec[c + d*x]]))

```
icPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a^5*(a - b)*(a + b)^2*d) - ((7*A*b^2 - 5*a*b*B - a^2*(2*A - 5*C))*Sin[c + d*x])/(5*a^2*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)) + ((7*A*b^3 + 2*a^3*B - 5*a*b^2*B - a^2*(4*A*b - 3*b*C))*Sin[c + d*x])/(3*a^3*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)*(a + b*S ec[c + d*x]))
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sine[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sine[e + f*x]]*(b + a*Sine[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^2} dx &= \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))} - \int \frac{\frac{1}{2}(7Ab^2 - 5abB - a^2(2A - 5C)) + a(Ab - \frac{5}{2} \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= -\frac{(7Ab^2 - 5abB - a^2(2A - 5C)) \sin(c + dx)}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} + \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))} \\
&= -\frac{(7Ab^2 - 5abB - a^2(2A - 5C)) \sin(c + dx)}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} + \frac{(7Ab^3 + 2a^3B - 5ab^2B - a^2(4A - 5C)) \sqrt{\cos(c + dx)} \operatorname{EllipticPi}\left(\frac{2a}{a+b}; \frac{c + dx}{2}\right)}{3a^3(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(7Ab^2 - 5abB - a^2(2A - 5C)) \sin(c + dx)}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} + \frac{(7Ab^3 + 2a^3B - 5ab^2B - a^2(4A - 5C)) \sqrt{\cos(c + dx)} \operatorname{EllipticPi}\left(\frac{2a}{a+b}; \frac{c + dx}{2}\right)}{3a^3(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(7Ab^2 - 5abB - a^2(2A - 5C)) \sin(c + dx)}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} + \frac{(7Ab^3 + 2a^3B - 5ab^2B - a^2(4A - 5C)) \sqrt{\cos(c + dx)} \operatorname{EllipticPi}\left(\frac{2a}{a+b}; \frac{c + dx}{2}\right)}{3a^3(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{b^2(7Ab^4 + 7a^3bB - 5ab^3B - 3a^2b^2(3A - C) - 5a^4C) \sqrt{\cos(c + dx)} \operatorname{EllipticPi}\left(\frac{2a}{a+b}; \frac{c + dx}{2}\right)}{a^5(a - b)(a + b)^2 d} \\
&= -\frac{(35Ab^4 + 20a^3bB - 25ab^3B - 3a^2b^2(8A - 5C) - 2a^4(3A + 5C)) \sqrt{\cos(c + dx)} \operatorname{EllipticPi}\left(\frac{2a}{a+b}; \frac{c + dx}{2}\right)}{5a^4(a^2 - b^2) d}
\end{aligned}$$

Mathematica [A] time = 7.59615, size = 976, normalized size = 1.93

$$(C \sec^2(c + dx) + B \sec(c + dx) + A) \left(-\frac{2(-20Ba^4 + 4Aba^3 + 60bCa^3 - 40b^2Ba^2 + 56Ab^3a) \operatorname{EllipticPi}\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right)\right) - 1}{a(b + a \cos(c + dx))(1 - \cos^2(c + dx))} (a + b \sec(c + dx)) \sqrt{1 - \sec^2(c + dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2), x]

[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(4*a^3*B*a*b + 56*a*A*b^3 - 20*a^4*B - 40*a^2*b^2*B + 60*a^3*b*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt

$$\begin{aligned}
& [1 - \text{Sec}[c + d*x]^2]*\text{Sin}[c + d*x])/(a*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)) + (2*(-18*a^4*A - 32*a^2*A*b^2 + 35*A*b^4 + 40*a^3*b*B - 25*a*b^3*B - \\
& 30*a^4*C + 15*a^2*b^2*C)*\text{Cos}[c + d*x]^2*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] + \text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1])*(a + b*\text{Sec}[\\
& c + d*x))*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2]*\text{Sin}[c + d*x])/(b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)) - (2*(-18*a^4*A - 72*a^2*A*b^2 + 105*A*b^4 + 60*a^3*b*B - \\
& 75*a*b^3*B - 30*a^4*C + 45*a^2*b^2*C)*\text{Cos}[2*(c + d*x)]*(a + b*\text{Sec}[c + d*x]))*(2*a*b - 2*a*b*\text{Sec}[c + d*x]^2 + 2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1])*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a*(a - 2*b)*\text{Elliptic} \\
& \text{F}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d \\
& *x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2))*\text{Sin}[c + d*x])/(\\
& a^2*b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c + d*x]^2)))/(30*a^3*(-a + b)*(a + b)*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A* \\
& \text{Cos}[2*c + 2*d*x])*(a + b*\text{Sec}[c + d*x])^2) + ((b + a*\text{Cos}[c + d*x])^2*\text{Sqrt}[\text{Sec}[c + d*x]]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*(((a^4*A - a^2*A*b^2 + \\
& 10*A*b^4 - 10*a*b^3*B + 10*a^2*b^2*C)*\text{Sin}[c + d*x])/(5*a^4*(a^2 - b^2)) - (2*(A*b^5*\text{Sin}[c + d*x] - a*b^4*B*\text{Sin}[c + d*x] + a^2*b^3*C*\text{Sin}[c + d*x]))/(a^4*(a^2 - b^2)*(b + a*\text{Cos}[c + d*x])) + (2*(-2*A*b + a*B)*\text{Sin}[2*(c + d*x)])/(3*a^3) + (A*\text{Sin}[3*(c + d*x)])/(5*a^2)))/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + b*\text{Sec}[c + d*x])^2)
\end{aligned}$$

Maple [B] time = 8.982, size = 1377, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/\text{sec}(d*x+c)^{(5/2)}/(a+b*\text{sec}(d*x+c))^2, x)$

[Out] $\begin{aligned}
& -(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(4/5*A/a^2*(-4*\text{sin}(1/2*d*x+1/2*c)^6*\text{cos}(1/2*d*x+1/2*c)+14*\text{sin}(1/2*d*x+1/2*c)^4*\text{cos}(1/2*d*x+ \\
& 1/2*c)+5*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-9*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}-6*\text{sin}(1/2*d*x+1/2*c)^2*\text{cos}(1/2*d*x+1/2*c)))/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}-4/3/a^3*(3*A*a+2*A*b-B*a)*(2*\text{sin}(1/2*d*x+1/2*c)^4*\text{cos}(1/2*d*x+1/2*c)+2*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-3*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}-\text{sin}(1/2*d*x+1/2*c)^2*\text{cos}(1/2*d*x+1/2*c)))/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}+2
\end{aligned}$

$$\begin{aligned} & /a^4*(3*A*a^2+4*A*a*b+3*A*b^2-2*B*a^2-2*B*a*b+C*a^2)*(sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(cos(1/2 \\ & *d*x+1/2*c),2^{(1/2)})-2*(A*a^3+2*A*a^2*b+3*A*a*b^2+4*A*b^3-B*a^3-2*B*a^2*b- \\ & 3*B*a*b^2+C*a^3+2*C*a^2*b)/a^5*(sin(1/2*d*x+1/2*c)^2)^{(1/2)*(-2*cos(1/2*d*x \\ & +1/2*c)^2+1)^{(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)*Ell \\ & ipticF(cos(1/2*d*x+1/2*c),2^{(1/2)})-2*b^3*(A*b^2-B*a*b+C*a^2)/a^5*(a^2/b/(a^ \\ & 2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+1/2*c)^2)^{(1/2) \\ & *(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*a/b/(a^2-b^2)*(sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*sin(1/2*d*x+1/ \\ & 2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^{(1/2)})-1/ \\ & 2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1 \\ & /2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)*EllipticE(cos(1/2* \\ & d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2 \\ & -b^2)/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^{(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^ \\ & (1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)*EllipticPi(cos(1 \\ & /2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})-2/a^4*b^2*(5*A*b^2-4*B*a*b+3*C*a^2)/(a^2- \\ & a*b)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*sin \\ & (1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)*EllipticPi(cos(1/2*d*x+1/2*c) \\ & ,2*a/(a-b),2^{(1/2)})/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^{(1/2)/d} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))
^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))
^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+b*sec(d*x+c)
)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(b \sec(dx+c) + a)^2 \sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))
^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*s
ec(d*x + c)^(5/2)), x)
```

$$3.1025 \quad \int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=667

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b^2(3A-61C)+15a^3bB-35a^4C-33ab^3B+b^4(21A-8C)\right)}{12b^3d(a^2-b^2)^2}$$

[Out] -((15*a^4*b*B - 29*a^2*b^3*B + 8*b^5*B - a^3*b^2*(3*A - 65*C) + 3*a*b^4*(3*A - 8*C) - 35*a^5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*b*B - 33*a*b^3*B - a^2*b^2*(3*A - 61*C) + b^4*(21*A - 8*C) - 35*a^4*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(12*b^3*(a^2 - b^2)^2*d) + ((15*A*b^6 - 15*a^5*b*B + 38*a^3*b^3*B - 35*a*b^5*B + a^4*b^2*(3*A - 86*C) - 3*a^2*b^4*(2*A - 21*C) + 35*a^6*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*(a - b)^2*b^4*(a + b)^3*d) + ((15*a^4*b*B - 29*a^2*b^3*B + 8*b^5*B - a^3*b^2*(3*A - 65*C) + 3*a*b^4*(3*A - 8*C) - 35*a^5*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*b*B - 33*a*b^3*B - a^2*b^2*(3*A - 61*C) + b^4*(21*A - 8*C) - 35*a^4*C)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(12*b^3*(a^2 - b^2)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((5*A*b^4 + 3*a^3*b*B - 9*a*b^3*B - 7*a^4*C + a^2*b^2*(A + 13*C))*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 2.24793, antiderivative size = 667, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sec^{\frac{7}{2}}(c+dx)(Ab^2-a(bB-aC))}{2bd(a^2-b^2)(a+b\sec(c+dx))^2} + \frac{\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)(a^2b^2(A+13C)+3a^3bB-7a^4C-9ab^3B+5A)}{4b^2d(a^2-b^2)^2(a+b\sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] -((15*a^4*b*B - 29*a^2*b^3*B + 8*b^5*B - a^3*b^2*(3*A - 65*C) + 3*a*b^4*(3*A - 8*C) - 35*a^5*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*b*B - 33*a*b^3*B - a^2*b^2*(3


```

*A - 61*C) + b^4*(21*A - 8*C) - 35*a^4*C)*Sqrt[Cos[c + d*x]]*EllipticF[(c +
d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(12*b^3*(a^2 - b^2)^2*d) + ((15*A*b^6 - 15*
a^5*b*B + 38*a^3*b^3*B - 35*a*b^5*B + a^4*b^2*(3*A - 86*C) - 3*a^2*b^4*(2*A
- 21*C) + 35*a^6*C)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)
/2, 2]*Sqrt[Sec[c + d*x]]/(4*(a - b)^2*b^4*(a + b)^3*d) + ((15*a^4*b*B - 2
9*a^2*b^3*B + 8*b^5*B - a^3*b^2*(3*A - 65*C) + 3*a*b^4*(3*A - 8*C) - 35*a^5
*C)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*b*B
- 33*a*b^3*B - a^2*b^2*(3*A - 61*C) + b^4*(21*A - 8*C) - 35*a^4*C)*Sec[c +
d*x]^(3/2)*Sin[c + d*x])/(12*b^3*(a^2 - b^2)^2*d) - ((A*b^2 - a*(b*B - a*C
))*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])
^2) + ((5*A*b^4 + 3*a^3*b*B - 9*a*b^3*B - 7*a^4*C + a^2*b^2*(A + 13*C))*Sec
[c + d*x]^(5/2)*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

```

Rule 4098

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m, x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

Rule 4102

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m, x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab^2-a(bB-aC))\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\sec^{\frac{5}{2}}(c+dx)}{a+b\sec(c+dx)} dx \\
&= -\frac{(Ab^2-a(bB-aC))\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(5Ab^4+3A^2b^2)}{4b^4(a^2-b^2)^2d} \\
&= -\frac{(15a^3bB-33ab^3B-a^2b^2(3A-61C)+b^4(21A-8C)-35A^2b^2)}{12b^3(a^2-b^2)^2d} \\
&= \frac{(15a^4bB-29a^2b^3B+8b^5B-a^3b^2(3A-65C)+3ab^4(3A-61C)-35A^2b^2)}{4b^4(a^2-b^2)^2d} \\
&= \frac{(15a^4bB-29a^2b^3B+8b^5B-a^3b^2(3A-65C)+3ab^4(3A-61C)-35A^2b^2)}{4b^4(a^2-b^2)^2d} \\
&= \frac{(15a^4bB-29a^2b^3B+8b^5B-a^3b^2(3A-65C)+3ab^4(3A-61C)-35A^2b^2)}{4b^4(a^2-b^2)^2d} \\
&= \frac{(15Ab^6-15a^5bB+38a^3b^3B-35ab^5B+a^4b^2(3A-86C)-35A^2b^2)}{4b^4(a^2-b^2)^2d} \\
&= -\frac{(15a^4bB-29a^2b^3B+8b^5B-a^3b^2(3A-65C)+3ab^4(3A-61C)-35A^2b^2)}{4b^4(a^2-b^2)^2d}
\end{aligned}$$

Mathematica [A] time = 7.78109, size = 1161, normalized size = 1.74

$$\frac{\sec(c+dx)(C\sec^2(c+dx)+B\sec(c+dx)+A)\left(-\frac{2(-48Bb^6-96aAb^5+160aCb^5+240a^2Bb^4+24a^3Ab^3-512a^3Cb^3-120a^4Bb^2+280a^5Cb)\Pi(-a(b+a\cos(c+dx)))(1-}{a(b+a\cos(c+dx))(1-}\right)}{a(b+a\cos(c+dx))(1-}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

```
[Out] ((b + a*cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)
)*((-2*(24*a^3*A*b^3 - 96*a*A*b^5 - 120*a^4*b^2*B + 240*a^2*b^4*B - 48*b^6*
B + 280*a^5*b*C - 512*a^3*b^3*C + 160*a*b^5*C)*Cos[c + d*x]^2*EllipticPi[-(
b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c
+ d*x]^2]*Sin[c + d*x])/(a*(b + a*cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*
(27*a^4*A*b^2 - 57*a^2*A*b^4 + 48*A*b^6 - 135*a^5*b*B + 285*a^3*b^3*B - 168
*a*b^5*B + 315*a^6*C - 641*a^4*b^2*C + 328*a^2*b^4*C + 16*b^6*C)*Cos[c + d*
x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSi
n[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*S
in[c + d*x])/(b*(b + a*cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(9*a^4*A*b^
2 - 27*a^2*A*b^4 - 45*a^5*b*B + 87*a^3*b^3*B - 24*a*b^5*B + 105*a^6*C - 195
*a^4*b^2*C + 72*a^2*b^4*C)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x])*(2*a*b - 2
*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[
Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*EllipticF[ArcSin[Sqrt[
Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a^2*Ellip
ticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 -
Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]
*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a^2*b*(b + a*cos
[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))
)/(24*(a - b)^2*b^4*(a + b)^2*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2
*d*x])*(a + b*Sec[c + d*x])^3) + ((b + a*cos[c + d*x])^3*Sec[c + d*x]^(3/2)
*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-((3*a^3*A*b^2 - 9*a*A*b^4 - 15*a
^4*b*B + 29*a^2*b^3*B - 8*b^5*B + 35*a^5*C - 65*a^3*b^2*C + 24*a*b^4*C)*Sin
[c + d*x])/(2*b^4*(a^2 - b^2)^2) + (-(a*A*b^2*sin[c + d*x]) + a^2*b*B*sin[c
+ d*x] - a^3*C*sin[c + d*x])/(b^2*(-a^2 + b^2)*(b + a*cos[c + d*x])^2) + (
a^3*A*b^2*sin[c + d*x] - 7*a*A*b^4*sin[c + d*x] - 5*a^4*b*B*sin[c + d*x] +
11*a^2*b^3*B*sin[c + d*x] + 9*a^5*C*sin[c + d*x] - 15*a^3*b^2*C*sin[c + d*x
]))/(2*b^3*(-a^2 + b^2)^2*(b + a*cos[c + d*x])) + (4*C*Tan[c + d*x])/(3*b^3)
))/(d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x]
)^3)
```

Maple [B] time = 20.032, size = 2185, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*a*(B*b-2*C*a
)/b^3*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*
d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x
```

$$\begin{aligned}
& +1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 \\
& +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*a/b/ \\
& (a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (- \\
& 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/ \\
& 2*c), 2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d* \\
& x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*El \\
& lipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2* \\
& d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c \\
&)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(\\
& 1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2* \\
& d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\
& EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}))+2*a^2*(B*b-3*C*a)/b^4/(a^ \\
& 2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*s \\
& in(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2* \\
& c), 2*a/(a-b), 2^{(1/2)})+2*(A*b^2-B*a*b+C*a^2)/b^2*(1/2*a^2/b/(a^2-b^2)*\cos(1/ \\
& 2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/ \\
& 2*d*x+1/2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2 \\
& *c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2 \\
& *c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1 \\
& /2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/ \\
& 2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1/2 \\
& *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2* \\
& c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a+7/ \\
& 8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^ \\
& (1/2) / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/ \\
& 2*d*x+1/2*c), 2^{(1/2)})+3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-9/8*a/(a^2-b^2)^2*(\sin(1/ \\
& 2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2 \\
& *c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8 \\
& *a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+ \\
& 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos \\
& (1/2*d*x+1/2*c), 2^{(1/2)})+9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2 \\
& *cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^ \\
& 2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8/(a-b)/(a+b)/(a^2-b^2)/b^ \\
& 2/(a^2-a*b)*a^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1 \\
& /2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2 \\
& *d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^3*(\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+ \\
& 1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b \\
&), 2^{(1/2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2 \\
&)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\
& d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}))+2*C/b \\
& ^3*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^ \\
& (1/2) / (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos
\end{aligned}$$

$$\frac{(1/2*d*x+1/2*c)^2+1)^{(1/2)}}{(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(B*b-3*C*a)/b^4*(-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**3,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(7/2)/(b*sec
(d*x + c) + a)^3, x)

$$3.1026 \quad \int \frac{\sec^2(c+dx) \left(A+B \sec(c+dx)+C \sec^2(c+dx) \right)}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=556

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(a^2b^2(3A+11C)+a^3bB-5a^4C-7ab^3B+3Ab^4\right)}{4ab^2d(a^2-b^2)^2} - \frac{\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{2bd(a^2-b^2)}$$

[Out] $((3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) * \text{Sqrt}[\text{Cos}[c + dx]] * \text{EllipticE}[(c + dx)/2, 2] * \text{Sqrt}[\text{Sec}[c + dx]]) / (4b^3(a^2 - b^2)^2d) + ((3Ab^4 + a^3bB - 7ab^3B - 5a^4C + a^2b^2(3A + 11C)) * \text{Sqrt}[\text{Cos}[c + dx]] * \text{EllipticF}[(c + dx)/2, 2] * \text{Sqrt}[\text{Sec}[c + dx]]) / (4ab^2(a^2 - b^2)^2d) - ((3Ab^6 - 3a^5bB + 6a^3b^3B - 15ab^5B + 15a^6C + 5a^2b^4(2A + 7C) - a^4b^2(A + 38C)) * \text{Sqrt}[\text{Cos}[c + dx]] * \text{EllipticPi}[(2a)/(a + b), (c + dx)/2, 2] * \text{Sqrt}[\text{Sec}[c + dx]]) / (4a(a - b)^2b^3(a + b)^3d) - ((3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) * \text{Sqrt}[\text{Sec}[c + dx]] * \text{Sin}[c + dx]) / (4b^3(a^2 - b^2)^2d) - ((A*b^2 - a*(b*B - a*C)) * \text{Sec}[c + dx]^(5/2) * \text{Sin}[c + dx]) / (2b*(a^2 - b^2)*d*(a + b*\text{Sec}[c + dx])^2) + ((3Ab^4 + a^3bB - 7ab^3B - 5a^4C + a^2b^2(3A + 11C)) * \text{Sec}[c + dx]^(3/2) * \text{Sin}[c + dx]) / (4b^2(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + dx]))$

Rubi [A] time = 1.69225, antiderivative size = 556, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$-\frac{\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)\left(Ab^2-a(bB-aC)\right)}{2bd\left(a^2-b^2\right)\left(a+b\sec(c+dx)\right)^2} + \frac{\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)\left(a^2b^2(3A+11C)+a^3bB-5a^4C-7ab^3B+3Ab^4\right)}{4b^2d\left(a^2-b^2\right)^2\left(a+b\sec(c+dx)\right)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + dx]^{(5/2)} * (A + B * \text{Sec}[c + dx] + C * \text{Sec}[c + dx]^2)) / (a + b * \text{Sec}[c + dx])^3, x]$

[Out] $((3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) * \text{Sqrt}[\text{Cos}[c + dx]] * \text{EllipticE}[(c + dx)/2, 2] * \text{Sqrt}[\text{Sec}[c + dx]]) / (4b^3(a^2 - b^2)^2d) + ((3Ab^4 + a^3bB - 7ab^3B - 5a^4C + a^2b^2(3A + 11C)) * \text{Sqrt}[\text{Cos}[c + dx]] * \text{EllipticF}[(c + dx)/2, 2] * \text{Sqrt}[\text{Sec}[c + dx]]) / (4ab^2(a^2 - b^2)^2d) - ((3Ab^6 - 3a^5bB + 6a^3b^3B - 15ab^5B +$

$$15a^6C + 5a^2b^4(2A + 7C) - a^4b^2(A + 38C) \sqrt{\cos[c + dx]} \operatorname{EllipticPi}\left[\frac{2a}{a+b}, \frac{c+dx}{2}, 2\right] \sqrt{\sec[c + dx]} / (4a(a-b)^2b^3(a+b)^3d - ((3a^3bB - 9a^2b^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) \sqrt{\sec[c + dx]} \sin[c + dx]) / (4b^3(a^2 - b^2)^2d - ((Ab^2 - a(bB - aC)) \sec[c + dx]^{5/2} \sin[c + dx]) / (2b(a^2 - b^2)d(a + b \sec[c + dx])^2) + ((3A^2b^4 + a^3bB - 7a^2b^3B - 5a^4C + a^2b^2(3A + 11C)) \sec[c + dx]^{3/2} \sin[c + dx]) / (4b^2(a^2 - b^2)^2d(a + b \sec[c + dx]))$$

Rule 4098

$$\operatorname{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d + (b + a)\csc[e + f(x)]))^{(n)}), x] \rightarrow -\operatorname{Simp}[(d(Ab^2 - a^2C) \cot[e + fx] + (a + b) \csc[e + fx])^{(m+1)} (d \csc[e + fx])^{(n-1)}] / (b^2 f (a^2 - b^2)^{(m+1)}), x] + \operatorname{Dist}[d / (b(a^2 - b^2)^{(m+1)}), \operatorname{Int}[(a + b \csc[e + fx])^{(m+1)} (d \csc[e + fx])^{(n-1)} \operatorname{Simp}[Ab^2(n-1) - a(bB - aC)(n-1) + b(aA - bB + aC)(m+1) \csc[e + fx] - (b(Ab - aB)(m+n+1) + C(a^2n + b^2(m+1))) \csc[e + fx]^2, x], x] /; \operatorname{FreeQ}[a, b, d, e, f, A, B, C], x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{GtQ}[n, 0]$$

Rule 4102

$$\operatorname{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d + (b + a)\csc[e + f(x)]))^{(n)}), x] \rightarrow -\operatorname{Simp}[(C d \cot[e + fx] + (a + b) \csc[e + fx])^{(m+1)} (d \csc[e + fx])^{(n-1)}] / (b^2 f (m+n+1)), x] + \operatorname{Dist}[d / (b(m+n+1)), \operatorname{Int}[(a + b \csc[e + fx])^m (d \csc[e + fx])^{(n-1)} \operatorname{Simp}[aC(n-1) + (Ab)(m+n+1) + bC(m+n) \csc[e + fx] + (bB(m+n+1) - aCn) \csc[e + fx]^2, x], x] /; \operatorname{FreeQ}[a, b, d, e, f, A, B, C, m], x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[n, 0]$$

Rule 4106

$$\operatorname{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \sqrt{\csc[e + f(x)](d + (b + a)\csc[e + f(x)]))}), x] \rightarrow \operatorname{Dist}[(Ab^2 - a^2C) / (a^2 d^2), \operatorname{Int}[(d \csc[e + fx])^{3/2} / (a + b \csc[e + fx]), x], x] + \operatorname{Dist}[1/a^2, \operatorname{Int}[(aA - (Ab - aB) \csc[e + fx]) / \sqrt{d \csc[e + fx]}, x], x] /; \operatorname{FreeQ}[a, b, d, e, f, A, B, C], x] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$

Rule 3849

$$\operatorname{Int}[(\csc[e + f(x)](d + (b + a)\csc[e + f(x)]))^{3/2} / (\csc[e + f(x)](b + a)), x] \rightarrow \operatorname{Dist}[d \sqrt{d \sin[e + fx]} \sqrt{d \csc[e + fx]}, \operatorname{Int}[1$$

$$\int \frac{1}{\sqrt{d \sin[e + f x] (b + a \sin[e + f x])}} dx$$
; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

$$\int \frac{1}{((a + b \sin[e + f x]) \sqrt{c + d \sin[e + f x]})} dx$$
 :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

$$\int (\csc[e + f x] (d + b \sin[e + f x]))^n dx$$
 :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$$\int (\csc[c + d x] (b + d \sin[c + d x]))^n dx$$
 :> Dist[(b*Csc[c + d*x])^n * Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$$\int \sqrt{\sin[c + d x]} dx$$
 :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

$$\int \frac{1}{\sqrt{\sin[c + d x]}} dx$$
 :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab^2-a(bB-aC))\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\sec(c+dx)} dx}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} \\
&= -\frac{(Ab^2-a(bB-aC))\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(3Ab^4+a^3C)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} \\
&= -\frac{(3a^3bB-9ab^3B+b^4(5A-8C)-15a^4C+a^2b^2(A+29C))}{4b^3(a^2-b^2)^2d} \\
&= -\frac{(3a^3bB-9ab^3B+b^4(5A-8C)-15a^4C+a^2b^2(A+29C))}{4b^3(a^2-b^2)^2d} \\
&= -\frac{(3a^3bB-9ab^3B+b^4(5A-8C)-15a^4C+a^2b^2(A+29C))}{4b^3(a^2-b^2)^2d} \\
&= -\frac{(3Ab^6-3a^5bB+6a^3b^3B-15ab^5B+15a^6C+5a^2b^4(2A+3C))}{4a(b^2-a^2)^2d} \\
&= \frac{(3a^3bB-9ab^3B+b^4(5A-8C)-15a^4C+a^2b^2(A+29C))}{4b^3(a^2-b^2)^2d}
\end{aligned}$$

Mathematica [A] time = 7.48164, size = 1092, normalized size = 1.96

$$\frac{(b+a\cos(c+dx))^3\sec^{\frac{3}{2}}(c+dx)(C\sec^2(c+dx)+B\sec(c+dx)+A)\left(\frac{(15Ca^4-3bBa^3-Ab^2a^2-29b^2Ca^2+9b^3Ba-5Ab^4+8b^4C)\sin(c+dx)}{2b^3(b^2-a^2)^2}\right)}{d(\cos(2c+2dx)A+A+2C)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] -((b + a*Cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(-8*a^2*A*b^3 - 16*A*b^5 - 8*a^3*b^2*B + 32*a*b^4*B + 40*a^4*b*C - 80*a^2*b^3*C + 16*b^5*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])

$$\begin{aligned} &)/(a*(b + a*\cos[c + d*x])*(1 - \cos[c + d*x]^2)) + (2*(-3*a^3*A*b^2 + 9*a*A*b^4 - 9*a^4*b*B + 19*a^2*b^3*B - 16*b^5*B + 45*a^5*C - 95*a^3*b^2*C + 56*a*b^4*C)*\cos[c + d*x]^2*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] + \text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1])*(a + b*\text{Sec}[c + d*x])* \text{Sqrt}[1 - \text{Sec}[c + d*x]^2]*\sin[c + d*x])/(b*(b + a*\cos[c + d*x])*(1 - \cos[c + d*x]^2)) \\ &- (2*(-(a^3*A*b^2) - 5*a*A*b^4 - 3*a^4*b*B + 9*a^2*b^3*B + 15*a^5*C - 29*a^3*b^2*C + 8*a*b^4*C)*\cos[2*(c + d*x)]*(a + b*\text{Sec}[c + d*x])*(2*a*b - 2*a*b*\text{Sec}[c + d*x]^2 + 2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a*(a - 2*b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2])* \sin[c + d*x])/(a^2*b*(b + a*\cos[c + d*x])*(1 - \cos[c + d*x]^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c + d*x]^2)))/(8*(a - b)^2*b^3*(a + b)^2*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\text{Sec}[c + d*x])^3 + ((b + a*\cos[c + d*x])^3*\text{Sec}[c + d*x]^(3/2)*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((-a^2*A*b^2) - 5*A*b^4 - 3*a^3*b*B + 9*a*b^3*B + 15*a^4*C - 29*a^2*b^2*C + 8*b^4*C)*\sin[c + d*x])/(2*b^3*(-a^2 + b^2)^2) + (A*b^2*\sin[c + d*x] - a*b*B*\sin[c + d*x] + a^2*C*\sin[c + d*x])/(b*(-a^2 + b^2)*(b + a*\cos[c + d*x])^2) + (3*a^2*A*b^2*\sin[c + d*x] + 3*A*b^4*\sin[c + d*x] + a^3*b*B*\sin[c + d*x] - 7*a*b^3*B*\sin[c + d*x] - 5*a^4*C*\sin[c + d*x] + 11*a^2*b^2*C*\sin[c + d*x])/(2*b^2*(-a^2 + b^2)^2*(b + a*\cos[c + d*x])))/(d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\text{Sec}[c + d*x])^3) \end{aligned}$$

Maple [B] time = 12.217, size = 2049, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^{(5/2)}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^3, x)$

[Out] $-\left(-\left(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1\right)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{(1/2)}*(2*(A*b^2-C*a^2)/b^2/a*(a^2/b/(a^2-b^2)*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)*(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)\right)^{(1/2)}/(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2*a-a+b)-1/2/(a+b)/b*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)\right)^{(1/2)}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)\right)^{(1/2)}*\text{EllipticF}\left(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right), 2^{(1/2)}\right)+1/2*a/b/(a^2-b^2)*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)\right)^{(1/2)}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)\right)^{(1/2)}*\text{EllipticF}\left(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right), 2^{(1/2)}\right)-1/2*a/b/(a^2-b^2)*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)\right)^{(1/2)}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)\right)^{(1/2)}*E$

$$\begin{aligned}
& \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2 \\
& *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\
& c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) \\
& +3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2 \\
& *d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
& *\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) + 2*a^2*C/b^3/(a^2-a*b)*(s \\
& \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d* \\
& x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a \\
& -b), 2^{(1/2)}) + 2*(-A*b^2+B*a*b-C*a^2)/a/b*(1/2*a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/ \\
& 2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/ \\
& 2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2* \\
& \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a- \\
& a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1 \\
& /2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Ellip \\
& ticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1/2*d*x+1/2 \\
& *c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a+7/8/(a+b)/ \\
& (a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(- \\
& 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/ \\
& 2*c), 2^{(1/2)})+3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(\\
& 1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\
& /2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/ \\
& 2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+si \\
& n(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*a^3/b^2 \\
& /(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2) \\
& }/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x \\
& +1/2*c), 2^{(1/2)})+9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2 \\
& *d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
& *\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2-a \\
& *b)*a^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2* \\
& \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2 \\
& *c), 2*a/(a-b), 2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x \\
& +1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\
& +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2) \\
&))-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) + 2*C/b^3*(-(si \\
& n(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+ \\
& 1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+ \\
& 2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*s \\
& \sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1 \\
& /2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**3,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))  
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec  
(d*x + c) + a)^3, x)
```

$$3.1027 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=469

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(-7a^2b^2(A+C)+3a^3bB+a^4C+3ab^3B+Ab^4)}{4a^2bd(a^2-b^2)^2} - \frac{\sin(c+dx)\sec^3(c+dx)}{2bd(a^2-b^2)}$$

[Out] -((A*b^4 - a^3*b*B - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(5*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*b^2*(a^2 - b^2)^2*d) + ((A*b^4 + 3*a^3*b*B + 3*a*b^3*B + a^4*C - 7*a^2*b^2*(A + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^2*b*(a^2 - b^2)^2*d) - ((A*b^6 - a^5*b*B + 10*a^3*b^3*B + 3*a*b^5*B - 3*a^4*b^2*(A - 2*C) - 3*a^6*C - 5*a^2*b^4*(2*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^2*(a - b)^2*b^2*(a + b)^3*d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((A*b^4 - a^3*b*B - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(5*A + 9*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.17975, antiderivative size = 469, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4098, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sec^3(c+dx)(Ab^2 - a(bB - aC))}{2bd(a^2 - b^2)(a + b \sec(c+dx))^2} + \frac{\sin(c+dx)\sqrt{\sec(c+dx)}(a^2b^2(5A + 9C) - a^3bB - 3a^4C - 5ab^3B + Ab^4)}{4b^2d(a^2 - b^2)^2(a + b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] -((A*b^4 - a^3*b*B - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(5*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*b^2*(a^2 - b^2)^2*d) + ((A*b^4 + 3*a^3*b*B + 3*a*b^3*B + a^4*C - 7*a^2*b^2*(A + C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^2*b*(a^2 - b^2)^2*d) - ((A*b^6 - a^5*b*B + 10*a^3*b^3*B + 3*a*b^5*B - 3*a^4*b^2*(A - 2*C) - 3*a^6*C - 5*a^2*b^4*(2*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^2*(a - b)^2*b^2*(a + b)^3*

d) - ((A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((A*b^4 - a^3*b*B - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(5*A + 9*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(4*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])))

Rule 4098

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^3/2/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^{n*} \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^3} dx &= -\frac{(Ab^2 - a(bB - aC)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{\int \frac{\sqrt{\sec(c+dx)}}{\sec(c+dx)} dx}{\dots} \\ &= -\frac{(Ab^2 - a(bB - aC)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{(Ab^4 - a^3bB)}{\dots} \\ &= -\frac{(Ab^2 - a(bB - aC)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{(Ab^4 - a^3bB)}{\dots} \\ &= -\frac{(Ab^2 - a(bB - aC)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{(Ab^4 - a^3bB)}{\dots} \\ &= \frac{(Ab^6 - a^5bB + 10a^3b^3B + 3ab^5B - 3a^4b^2(A - 2C) - 3a^6C - \dots)}{4a^2(a - \dots)} \\ &= -\frac{(Ab^4 - a^3bB - 5ab^3B - 3a^4C + a^2b^2(5A + 9C)) \sqrt{\cos(c + d)}}{4ab^2(a^2 - b^2)^2 d} \end{aligned}$$

Mathematica [B] time = 7.23851, size = 1051, normalized size = 2.24

$$\sec(c + dx) \left(C \sec^2(c + dx) + B \sec(c + dx) + A \right) \left(-\frac{2(16Bb^4 - 24aAb^3 - 32aCb^3 + 8a^2Bb^2 + 8a^3Cb) \Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\right) - 1}{a(b+a \cos(c+dx))(1-\cos^2(c+dx))} \right) (a+b \sec(c+dx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(-24*a*A*b^3 + 8*a^2*b^2*B + 16*b^4*B + 8*a^3*b*C - 32*a*b^3*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(a^2*A*b^2 + 5*A*b^4 + 3*a^3*b*B - 9*a*b^3*B + 9*a^4*C - 19*a^2*b^2*C + 16*b^4*C)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(-5*a^2*A*b^2 - A*b^4 + a^3*b*B + 5*a*b^3*B + 3*a^4*C - 9*a^2*b^2*C)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2]))*Sin[c + d*x])/(a^2*b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/((8*(a - b)^2*b^2*(a + b)^2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^3 + ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((5*a^2*A*b^2 + A*b^4 - a^3*b*B - 5*a*b^3*B - 3*a^4*C + 9*a^2*b^2*C)*Sin[c + d*x])/(2*a*b^2*(-a^2 + b^2)^2) + (A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x] + a^2*C*Sin[c + d*x])/(a*(a^2 - b^2))*(b + a*Cos[c + d*x])^2) + (-7*a^2*A*b^2*Sin[c + d*x] + A*b^4*Sin[c + d*x] + 3*a^3*b*B*Sin[c + d*x] + 3*a*b^3*B*Sin[c + d*x] + a^4*C*Sin[c + d*x] - 7*a^2*b^2*C*Sin[c + d*x])/(2*a*b*(-a^2 + b^2)^2*(b + a*Cos[c + d*x])))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^3)

Maple [B] time = 10.419, size = 1879, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^3,x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(-2*A*b+B*a)/ \\ & a^2*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*a/b/(a \\ & ^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2* \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2* \\ & c),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+ \\ & 1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Elli \\ & pticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^ \\ & 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/ \\ & 2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d* \\ & x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*El \\ & lipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))-2*A/a/(a^2-a*b)*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^ \\ & 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/ \\ & 2)})+2*(A*b^2-B*a*b+C*a^2)/a^2*(1/2*a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*s \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a \\ & +b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(\\ & a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1) \\ & ^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1 \\ & /2*d*x+1/2*c),2^{(1/2)})*a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/ \\ & 2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+7/8/(a+b)/(a^2-b^2)* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/ \\ & 2)})+3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/ \\ & 2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellipt \\ & icF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*a^3/b^2/(a^2-b^2) \\ & ^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1 \\ & /2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{ \\ & (1/2)})+9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c \\ &)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE \\ & (\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5*(s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a \end{aligned}$$

$$-b), 2^{(1/2)}) + 3/4 / (a-b) / (a+b) / (a^2-b^2) / (a^2-a*b) * a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 15/8 / (a-b) / (a+b) / (a^2-b^2) * b^2 / (a^2-a*b) * a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**3,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec
(d*x + c) + a)^3, x)

$$3.1028 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=478

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b^2(5A-3C)+a^4(8A+3C)-7a^3bB+ab^3B+3Ab^4\right)}{4a^3d(a^2-b^2)^2} + \frac{\sin(c+dx)}{a+b \sec(c+dx)}$$

```
[Out] -((3*A*b^4 + 5*a^3*b*B + a*b^3*B - a^4*C - a^2*b^2*(9*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^2*b*(a^2 - b^2)^2*d) + ((3*A*b^4 - 7*a^3*b*B + a*b^3*B - a^2*b^2*(5*A - 3*C) + a^4*(8*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a^2 - b^2)^2*d) - ((3*A*b^6 - 3*a^5*b*B - 10*a^3*b^3*B + a*b^5*B - 3*a^2*b^4*(2*A - C) - a^6*C + 5*a^4*b^2*(3*A + 2*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a - b)^2*b*(a + b)^3*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((A*b^4 + 3*a^3*b*B + 3*a*b^3*B + a^4*C - 7*a^2*b^2*(A + C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 1.20769, antiderivative size = 478, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4098, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}\left(-7a^2b^2(A+C)+3a^3bB+a^4C+3ab^3B+Ab^4\right)}{4abd(a^2-b^2)^2(a+b \sec(c+dx))} - \frac{\sin(c+dx)\sqrt{\sec(c+dx)}\left(Ab^2-a(bB-aC)\right)}{2bd(a^2-b^2)(a+b \sec(c+dx))^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3, x]
```

```
[Out] -((3*A*b^4 + 5*a^3*b*B + a*b^3*B - a^4*C - a^2*b^2*(9*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^2*b*(a^2 - b^2)^2*d) + ((3*A*b^4 - 7*a^3*b*B + a*b^3*B - a^2*b^2*(5*A - 3*C) + a^4*(8*A + 3*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a^2 - b^2)^2*d) - ((3*A*b^6 - 3*a^5*b*B - 10*a^3*b^3*B + a*b^5*B - 3*a^2*b^4*(2*A - C) - a^6*C + 5*a^4*b^2*(3*A + 2*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a - b)^2*b*(a + b)^3*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((A*b^4 + 3*a^3*b*B + 3*a*b^3*B + a^4*C - 7*a^2*b^2*(A + C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

$$*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^2) + ((A*b^4 + 3*a^3*b*B + 3*a*b^3*B + a^4*C - 7*a^2*b^2*(A + C))*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(4*a*b*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + d*x]))$$
Rule 4098

$$\text{Int}[\{(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)\}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow -\text{Simp}[(d*(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*C\text{sc}[e + f*x])^{m+1}*(d*C\text{sc}[e + f*x])^{n-1})/(b*f*(a^2 - b^2)*(m+1)), x] + \text{Dist}[d/(b*(a^2 - b^2)*(m+1)), \text{Int}[(a + b*C\text{sc}[e + f*x])^{m+1}*(d*C\text{sc}[e + f*x])^{n-1}*\text{Simp}[A*b^2*(n-1) - a*(b*B - a*C)*(n-1) + b*(a*A - b*B + a*C)*(m+1)*C\text{sc}[e + f*x] - (b*(A*b - a*B)*(m+n+1) + C*(a^2*n + b^2*(m+1)))*C\text{sc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0]$$
Rule 4100

$$\text{Int}[\{(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)\}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*C\text{sc}[e + f*x])^{m+1}*(d*C\text{sc}[e + f*x])^n]/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*C\text{sc}[e + f*x])^{m+1}*(d*C\text{sc}[e + f*x])^n*\text{Simp}[a*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C)*(m+n+1) - a*(A*b - a*B + b*C)*(m+1)*C\text{sc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+n+2)*C\text{sc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$
Rule 4106

$$\text{Int}[\{(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)\}/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] \rightarrow \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*C\text{sc}[e + f*x])^{3/2}/(a + b*C\text{sc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*C\text{sc}[e + f*x])/Sqrt[d*C\text{sc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3849

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{3/2}/(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*C\text{sc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\frac{1}{2}(-Ab^2+3a^3)}{(a+b\sec(c+dx))^3} dx \\
&= -\frac{(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(Ab^4+3a^3)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} \\
&= -\frac{(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(Ab^4+3a^3)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} \\
&= -\frac{(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(Ab^4+3a^3)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} \\
&= -\frac{(3Ab^6-3a^5bB-10a^3b^3B+ab^5B-3a^2b^4(2A-C)-a^6C)}{4a^3(a^2-b^2)d} \\
&= -\frac{(3Ab^4+5a^3bB+ab^3B-a^4C-a^2b^2(9A+5C))\sqrt{\cos(c+dx)}}{4a^2b(a^2-b^2)^2d}
\end{aligned}$$

Mathematica [B] time = 7.19892, size = 1051, normalized size = 2.2

$$\sec(c+dx)(C\sec^2(c+dx)+B\sec(c+dx)+A)\left(-\frac{2(16Ab^3+8bCa^3-24b^2Ba^2+8Ab^3a+16b^3Ca)\Pi\left(-\frac{b}{a};-\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\right)-1}{a(b+a\cos(c+dx))(1-\cos^2(c+dx))}\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]
```

```
[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*((-2*(16*a^3*A*b + 8*a*A*b^3 - 24*a^2*b^2*B + 8*a^3*b*C + 16*a*b^3*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-5*a^2*A*b^2 - A*b^4 + a^3*b*B + 5*a*b^3*B + 3*a^4*C - 9*a^2*b^2*C)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x]))*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2))
```

$$\begin{aligned}
& c + d*x]^2)) - (2*(9*a^2*A*b^2 - 3*A*b^4 - 5*a^3*b*B - a*b^3*B + a^4*C + 5* \\
& a^2*b^2*C)*\text{Cos}[2*(c + d*x)]*(a + b*\text{Sec}[c + d*x])*(2*a*b - 2*a*b*\text{Sec}[c + d*x] \\
&]^2 + 2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt} \\
& \text{rt}[1 - \text{Sec}[c + d*x]^2] + a*(a - 2*b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], \\
& -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a^2*\text{EllipticPi}[-(b/a), -\text{A} \\
& \text{rcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] \\
& - 2*b^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d* \\
& x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2])*\text{Sin}[c + d*x])/(a^2*b*(b + a*\text{Cos}[c + d*x])*(1 \\
& - \text{Cos}[c + d*x]^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c + d*x]^2)))/(8*a*(a - b)^2 \\
& *b*(a + b)^2*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + b*\text{Sec} \\
& [c + d*x])^3 + ((b + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^(3/2)*(A + B*\text{Sec}[c + d \\
& *x] + C*\text{Sec}[c + d*x]^2)*((-9*a^2*A*b^2 + 3*A*b^4 + 5*a^3*b*B + a*b^3*B - a \\
& ^4*C - 5*a^2*b^2*C)*\text{Sin}[c + d*x])/(2*a^2*b*(-a^2 + b^2)^2) - (A*b^3*\text{Sin}[c + \\
& d*x] - a*b^2*B*\text{Sin}[c + d*x] + a^2*b*C*\text{Sin}[c + d*x])/(a^2*(a^2 - b^2)*(b + \\
& a*\text{Cos}[c + d*x])^2) + (11*a^2*A*b^2*\text{Sin}[c + d*x] - 5*A*b^4*\text{Sin}[c + d*x] - 7* \\
& a^3*b*B*\text{Sin}[c + d*x] + a*b^3*B*\text{Sin}[c + d*x] + 3*a^4*C*\text{Sin}[c + d*x] + 3*a^2* \\
& b^2*C*\text{Sin}[c + d*x])/(2*a^2*(a^2 - b^2)^2*(b + a*\text{Cos}[c + d*x])))/(d*(A + 2* \\
& C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + b*\text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 10.687, size = 1972, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{sec}(d*x+c)^{(1/2)}*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/(a+b*\text{sec}(d*x+c))^3,x)$

[Out] $\begin{aligned}
& -(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A/a^3*(\text{sin}(1/ \\
& 2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2 \\
& *c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+2/a \\
& ^3*(3*A*b^2-2*B*a*b+C*a^2)*(a^2/b/(a^2-b^2)*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2* \\
& d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\text{cos}(1/2*d*x+1/2*c)^2*a-a+b)-1/2 \\
& /(a+b)/b*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2 \\
& *\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2 \\
& *c), 2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x \\
& +1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Ell} \\
& \text{ipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\text{sin}(1/2*d*x+1/2*c)^2) \\
& ^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d \\
& *x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a \\
& ^2-a*b)*a^3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\
& (-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\text{cos}(1/2*d*x \\
& +1/2*c), 2*a/(a-b), 2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\text{sin}(1/2*d*x+1/2*c)^
\end{aligned}$

$$\begin{aligned}
& 2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * \\
& d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) - 2 * (- \\
& 3 * A * b + B * a) / a^2 / (a^2 - a * b) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c) \\
&)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticP} \\
& i(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) - 2 * b * (A * b^2 - B * a * b + C * a^2) / a^3 * (1/2 * a^ \\
& 2 / b / (a^2 - b^2) * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c) \\
&)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 * a - a * b)^2 + 3/4 * a^2 * (a^2 - 3 * b^2) / b^2 / (a^2 - b^ \\
& 2)^2 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} \\
&) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 * a - a * b) - 3/8 / (a + b) / (a^2 - b^2) / b^2 * (\sin(1/2 * d * x + 1/2 * c) \\
&)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1 \\
& /2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^{-1/4} / (a + b) / \\
& (a^2 - b^2) / b * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / \\
& (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + \\
& 1/2 * c), 2^{(1/2)}) * a + 7/8 / (a + b) / (a^2 - b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(\\
& 1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1 \\
& /2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 3/8 * a^3 / b^2 / (a^2 - b^2)^2 * (\sin(1/2 * \\
& d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c) \\
&)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 9/8 * a \\
& / (a^2 - b^2)^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} \\
& / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x \\
& + 1/2 * c), 2^{(1/2)}) - 3/8 * a^3 / b^2 / (a^2 - b^2)^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * c \\
& os(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2) \\
&)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 9/8 * a / (a^2 - b^2)^2 * (\sin(1/2 * d * x \\
& + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 \\
& + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3/8 / (a - b) \\
&) / (a + b) / (a^2 - b^2) / b^2 / (a^2 - a * b) * a^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/ \\
& 2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} \\
&) * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) + 3/4 / (a - b) / (a + b) / (a^2 - b^2 \\
&) / (a^2 - a * b) * a^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1 \\
& /2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 \\
& * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) - 15/8 / (a - b) / (a + b) / (a^2 - b^2) * b^2 / (a^2 - a * b) * a * (\\
& \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d \\
& * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (\\
& a - b), 2^{(1/2)})) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\sec(dx+c)}}{(b \sec(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec
(d*x + c) + a)^3, x)

$$3.1029 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=486

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b^3(33A+C)+a^4b(24A+7C)+5a^3b^2B-8a^5B-3ab^4B+15A\right)}{4a^4d(a^2-b^2)^2}$$

[Out] ((15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B + a^4*(8*A - 5*C) - a^2*b^2*(29*A + C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a^2 - b^2)^2*d) - ((15*A*b^5 - 8*a^5*B + 5*a^3*b^2*B - 3*a*b^4*B - a^2*b^3*(3*3*A + C) + a^4*b*(24*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^4*(a^2 - b^2)^2*d) + ((15*A*b^6 - 15*a^5*b*B + 6*a^3*b^3*B - 3*a*b^5*B + 3*a^6*C - a^2*b^4*(38*A + C) + 5*a^4*b^2*(7*A + 2*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^4*(a - b)^2*(a + b)^3*d) + ((A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((5*A*b^4 + 7*a^3*b*B - a*b^3*B - 3*a^4*C - a^2*b^2*(11*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.22286, antiderivative size = 486, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}\left(-a^2b^2(11A+3C)+7a^3bB-3a^4C-ab^3B+5Ab^4\right)}{4a^2d(a^2-b^2)^2(a+b\sec(c+dx))} + \frac{\sin(c+dx)\sqrt{\sec(c+dx)}\left(Ab^2-a(bB-a^2)\right)}{2ad(a^2-b^2)(a+b\sec(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3), x]

[Out] ((15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B + a^4*(8*A - 5*C) - a^2*b^2*(29*A + C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a^2 - b^2)^2*d) - ((15*A*b^5 - 8*a^5*B + 5*a^3*b^2*B - 3*a*b^4*B - a^2*b^3*(3*3*A + C) + a^4*b*(24*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^4*(a^2 - b^2)^2*d) + ((15*A*b^6 - 15*a^5*b*B + 6*a^3*b^3*B - 3*a*b^5*B + 3*a^6*C - a^2*b^4*(38*A + C) + 5*a^4*b^2*(7*A + 2*C))*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^4*(a - b)^2*(a + b)^3*d) + ((A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((5*A*b^4 + 7*a^3*b*B - a*b^3*B - 3*a^4*C - a^2*b^2*(11*A + 3*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

$$c + d*x]]*\sin[c + d*x]]/(2*a*(a^2 - b^2)*d*(a + b*\sec[c + d*x])^2) - ((5*A*b^4 + 7*a^3*b*B - a*b^3*B - 3*a^4*C - a^2*b^2*(11*A + 3*C))*\sqrt{\sec[c + d*x]]*\sin[c + d*x]]/(4*a^2*(a^2 - b^2)^2*d*(a + b*\sec[c + d*x]))$$

Rule 4100

$$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \csc[e + f*x])^n*(d + \csc[e + f*x])^m, x_Symbol] \rightarrow \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\cot[e + f*x]*(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^n/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^n*\text{Simp}[a*(A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C)*(m+n+1) - a*(A*b - a*B + b*C)*(m+1)*\csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+n+2)*\csc[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4106

$$\text{Int}[(A + \csc[e + f*x])*(B + \csc[e + f*x])^2*(C + \sqrt{\csc[e + f*x]*(d + \csc[e + f*x])*(b + a)})], x_Symbol] \rightarrow \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\csc[e + f*x])^{3/2}/(a + b*\csc[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\csc[e + f*x])/\sqrt{d*\csc[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3849

$$\text{Int}[(\csc[e + f*x]*(d + \csc[e + f*x])^{3/2}/(\csc[e + f*x]*(b + a))), x_Symbol] \rightarrow \text{Dist}[d*\sqrt{d*\sin[e + f*x]}*\sqrt{d*\csc[e + f*x]}, \text{Int}[1/(\sqrt{d*\sin[e + f*x]}*(b + a*\sin[e + f*x])), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2805

$$\text{Int}[1/((a + b*\sin[e + f*x])*\sqrt{(c + d*\sin[e + f*x])}), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\sqrt{c + d}), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$$

Rule 3787

$$\text{Int}[(\csc[e + f*x]*(d + \csc[e + f*x])^n*(b + a)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\csc[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(\csc[e + f*x])^n, x], x]$$

$(d * \text{Csc}[e + f * x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b * \text{Csc}[c + d * x])^{n * \text{Sin}[c + d * x]^n}, \text{Int}[1/\text{Sin}[c + d * x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2 * \text{EllipticE}[(1 * (c - \text{Pi}/2 + d * x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2 * \text{EllipticF}[(1 * (c - \text{Pi}/2 + d * x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^3} dx &= \frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{\int \frac{\frac{1}{2}(5Ab^2 - abB - a^2(4A - C)) + 2a(Ab - a^2)}{\sqrt{\sec(c + dx)}} dx}{4a^2(a^2 - b^2)} \\ &= \frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{(5Ab^4 + 7a^3bB - ab^3B - 3a^4C)}{4a^2(a^2 - b^2)} \\ &= \frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{(5Ab^4 + 7a^3bB - ab^3B - 3a^4C)}{4a^2(a^2 - b^2)} \\ &= \frac{(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{(5Ab^4 + 7a^3bB - ab^3B - 3a^4C)}{4a^2(a^2 - b^2)} \\ &= \frac{(15Ab^6 - 15a^5bB + 6a^3b^3B - 3ab^5B + 3a^6C - a^2b^4(38A + C) + 5a^4b^2(7A + C))}{4a^4(a - b)^2(a + b)^3d} \\ &= \frac{(15Ab^4 + 9a^3bB - 3ab^3B + a^4(8A - 5C) - a^2b^2(29A + C)) \sqrt{\cos(c + dx)} E\left(\frac{c + dx}{2}\right)}{4a^3(a^2 - b^2)^2 d} \end{aligned}$$

Mathematica [B] time = 7.37044, size = 1064, normalized size = 2.19

$$\sec(c + dx) \left(C \sec^2(c + dx) + B \sec(c + dx) + A \right) \left(-\frac{2(16Ba^4 - 32Aba^3 - 24bCa^3 + 8b^2Ba^2 + 8Ab^3a) \Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\right) - 1}{a(b+a \cos(c+dx))(1-\cos^2(c+dx))} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(-32*a^3*A*b + 8*a*A*b^3 + 16*a^4*B + 8*a^2*b^2*B - 24*a^3*b*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(8*a^4*A - 7*a^2*A*b^2 + 5*A*b^4 - 5*a^3*b*B - a*b^3*B + a^4*C + 5*a^2*b^2*C)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B - 5*a^4*C - a^2*b^2*C)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a^2*b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2))))/(8*a^2*(a - b)^2*(a + b)^2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^3) + ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-((-13*a^2*A*b^2 + 7*A*b^4 + 9*a^3*b*B - 3*a*b^3*B - 5*a^4*C - a^2*b^2*C)*Sin[c + d*x])/(2*a^3*(-a^2 + b^2)^2) - (-A*b^4*Sin[c + d*x]) + a*b^3*B*Sin[c + d*x] - a^2*b^2*C*Sin[c + d*x])/(a^3*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (-15*a^2*A*b^3*Sin[c + d*x] + 9*A*b^5*Sin[c + d*x] + 11*a^3*b^2*B*Sin[c + d*x] - 5*a*b^4*B*Sin[c + d*x] - 7*a^4*b*C*Sin[c + d*x] + a^2*b^3*C*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*(b + a*Cos[c + d*x])))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^3)

Maple [B] time = 12.197, size = 2022, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\sec(dx+c)^{(1/2)}/(a+b*\sec(dx+c))^3,x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/a^4/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(3*A*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & +b*A*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a-B*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & *a)-2/a^4*b*(4*A*b^2-3*B*a*b+2*C*a^2)*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c) \\ & *(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b) \\ & -1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & +1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & -1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & -1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}) \\ & +3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}) \\ &)-2/a^3*(6*A*b^2-3*B*a*b+C*a^2)/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}) \\ & +2*b^2*(A*b^2-B*a*b+C*a^2)/a^4*(1/2*a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)^2 \\ & +3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b) \\ & -3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & *a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & *a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & +3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & -9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & -3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & +9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1) \end{aligned}$$

$$\begin{aligned} &)^{(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticE}(\cos(\\ &1/2*d*x+1/2*c),2^{(1/2)})-3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5*(\sin(1/ \\ &2*d*x+1/2*c)^2)^{(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*\sin(1/2*d*x+1/2 \\ &*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2 \\ &^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2} \\ &)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ &2*c)^2)^{(1/2)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})-15/8/(a-b)/(\\ &a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*(-2*\cos(1/2*d*x \\ &+1/2*c)^2+1)^{(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{Ell} \\ &ipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1 \\ &/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))
^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))
^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*sqrt(sec(d*x + c))), x)
```

$$3.1030 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=598

$$\frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(a^4b^2(128A-15C)-a^2b^4(223A-9C)+8a^6(A+3C)+99a^3b^3B-\right)}{12a^5d(a^2-b^2)^2}$$

[Out] $-\left((35A^2b^5-8a^5B+29a^3b^2B-15ab^4B+3a^4b(8A-3C)-a^2b^3(65A-3C))\sqrt{\cos[c+dx]}\sqrt{\sec[c+dx]}\text{EllipticE}\left[\frac{c+dx}{2}, 2\right]\sqrt{\sec[c+dx]}\right)/\left(4a^4(a^2-b^2)^2d\right)+\left((105A^2b^6-72a^5bB+99a^3b^3B-45a^2b^5B+a^4b^2(128A-15C)-a^2b^4(223A-9C)+8a^6(A+3C))\sqrt{\cos[c+dx]}\sqrt{\sec[c+dx]}\right)/\left(12a^5(a^2-b^2)^2d\right)-\left(b(35A^2b^6-35a^5bB+38a^3b^3B-15a^2b^5B-a^2b^4(86A-3C)+3a^4b^2(21A-2C)+15a^6C)\sqrt{\cos[c+dx]}\sqrt{\sec[c+dx]}\right)/\left(4a^5(a-b)^2(a+b)^3d\right)+\left((35A^2b^4+33a^3bB-15a^2b^3B+a^4(8A-21C)-a^2b^2(61A-3C))\sin[c+dx]\right)/\left(12a^3(a^2-b^2)^2d\sqrt{\sec[c+dx]}\right)+\left((A^2b^2-a(bB-aC))\sin[c+dx]\right)/\left(2a(a^2-b^2)d\sqrt{\sec[c+dx]}\right)\left(a+b\sec[c+dx]\right)^2-\left((7A^2b^4+9a^3bB-3a^2b^3B-5a^4C-a^2b^2(13A+C))\sin[c+dx]\right)/\left(4a^2(a^2-b^2)^2d\sqrt{\sec[c+dx]}\right)\left(a+b\sec[c+dx]\right)$

Rubi [A] time = 1.8052, antiderivative size = 598, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4100, 4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\left(-a^2b^2(61A-3C)+a^4(8A-21C)+33a^3bB-15ab^3B+35Ab^4\right)}{12a^3d(a^2-b^2)^2\sqrt{\sec(c+dx)}}-\frac{\sin(c+dx)\left(-a^2b^2(13A+C)+9a^3bB-\right)}{4a^2d(a^2-b^2)^2\sqrt{\sec(c+dx)}}(a$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + dx] + C*Sec[c + dx]^2)/(Sec[c + dx]^(3/2)*(a + b*Sec[c + dx])^3), x]

[Out] $-\left((35A^2b^5-8a^5B+29a^3b^2B-15ab^4B+3a^4b(8A-3C)-a^2b^3(65A-3C))\sqrt{\cos[c+dx]}\sqrt{\sec[c+dx]}\text{EllipticE}\left[\frac{c+dx}{2}, 2\right]\sqrt{\sec[c+dx]}\right)/\left(4a^4(a^2-b^2)^2d\right)+\left((105A^2b^6-72a^5bB+99a^3b^3B-45a^2b^5B+a^4b^2(128A-15C)-a^2b^4(223A-9C)+8a^6(A$

```

+ 3*C)) * Sqrt[Cos[c + d*x]] * EllipticF[(c + d*x)/2, 2] * Sqrt[Sec[c + d*x]] / (1
2*a^5*(a^2 - b^2)^2*d - (b*(35*A*b^6 - 35*a^5*b*B + 38*a^3*b^3*B - 15*a*b^
5*B - a^2*b^4*(86*A - 3*C) + 3*a^4*b^2*(21*A - 2*C) + 15*a^6*C) * Sqrt[Cos[c
+ d*x]] * EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2] * Sqrt[Sec[c + d*x]] / (4*a^
5*(a - b)^2*(a + b)^3*d + ((35*A*b^4 + 33*a^3*b*B - 15*a*b^3*B + a^4*(8*A
- 21*C) - a^2*b^2*(61*A - 3*C)) * Sin[c + d*x]) / (12*a^3*(a^2 - b^2)^2*d * Sqrt[
Sec[c + d*x]]) + ((A*b^2 - a*(b*B - a*C)) * Sin[c + d*x]) / (2*a*(a^2 - b^2)*d *
Sqrt[Sec[c + d*x]] * (a + b*Sec[c + d*x])^2) - ((7*A*b^4 + 9*a^3*b*B - 3*a*b^
3*B - 5*a^4*C - a^2*b^2*(13*A + C)) * Sin[c + d*x]) / (4*a^2*(a^2 - b^2)^2*d * Sqr
t[Sec[c + d*x]] * (a + b*Sec[c + d*x]))

```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C) * Cot[e + f*x] * (a + b*Csc
[e + f*x])^(m + 1) * (d*Csc[e + f*x])^n) / (a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1) * (d*Csc[e + f*
x])^n * Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x] * (a + b*Csc[e + f*x])^(m + 1) * (d
*Csc[e + f*x])^n) / (a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m *
(d*Csc[e + f*x])^(n + 1) * Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
)) / (Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)] * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C) / (a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2) / (a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x]) / Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3849

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2) / (csc[(e_.) + (f_.)*(x_.)]*(b_.) +

```

```
(a_), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3} dx &= \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2} - \int \frac{\frac{1}{2}(7Ab^2 - 3abB - a^2(4A - 3C)) + 2a}{\sec} \\
&= \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2} - \frac{(7Ab^4 + 9a^3bB - 3ab^3B - \dots)}{4a^2(a^2 - b^2)^2 d \sqrt{\sec}} \\
&= \frac{(35Ab^4 + 33a^3bB - 15ab^3B + a^4(8A - 21C) - a^2b^2(61A - 3C)) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{(35Ab^4 + 33a^3bB - 15ab^3B + a^4(8A - 21C) - a^2b^2(61A - 3C)) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{(35Ab^4 + 33a^3bB - 15ab^3B + a^4(8A - 21C) - a^2b^2(61A - 3C)) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{b(35Ab^6 - 35a^5bB + 38a^3b^3B - 15ab^5B - a^2b^4(86A - 3C) + 3a^4b^2(21A - \dots)}{4a^5(a - b)^2(a + \dots)} \\
&= \frac{(35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B + 3a^4b(8A - 3C) - a^2b^3(65A - 3C))}{4a^4(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 7.59956, size = 1121, normalized size = 1.87

$$\sec(c + dx) \left(C \sec^2(c + dx) + B \sec(c + dx) + A \right) \left(-\frac{2(16Aa^5 + 48Ca^5 - 96bBa^4 + 112Ab^2a^3 + 24b^2Ca^3 + 24b^3Ba^2 - 56Ab^4a) \Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right)\right)}{a(b + a \cos(c + dx))(1 - \cos^2(c + dx))} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(16*a^5*A + 112*a^3*A*b^2 - 56*a*A*b^4 - 96*a^4*b*B + 24*a^2*b^3*B + 48*a^5*C + 24*a^3*b^2*C)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Se


```

c[c + d*x]]], -1)*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x
])/((a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-56*a^4*A*b + 73*a^2
*A*b^3 - 35*A*b^5 + 24*a^5*B - 21*a^3*b^2*B + 15*a*b^4*B - 15*a^4*b*C - 3*a
^2*b^3*C)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + Ellip
ticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1
- Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^
2)) - (2*(-72*a^4*A*b + 195*a^2*A*b^3 - 105*A*b^5 + 24*a^5*B - 87*a^3*b^2*B
+ 45*a*b^4*B + 27*a^4*b*C - 9*a^2*b^3*C)*Cos[2*(c + d*x)]*(a + b*Sec[c + d
*x]))*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*
x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*Ellipti
cF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]
^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c +
d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[
c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/
(a^2*b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Se
c[c + d*x]^2))))/(24*a^3*(a - b)^2*(a + b)^2*d*(A + 2*C + 2*B*Cos[c + d*x]
+ A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^3) + ((b + a*Cos[c + d*x])^3*Sec
[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((b*(-17*a^2*A*b^2
+ 11*A*b^4 + 13*a^3*b*B - 7*a*b^3*B - 9*a^4*C + 3*a^2*b^2*C)*Sin[c + d*x])/
(2*a^4*(-a^2 + b^2)^2) - (A*b^5*Sin[c + d*x] - a*b^4*B*Sin[c + d*x] + a^2*b
^3*C*Sin[c + d*x]))/(a^4*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (19*a^2*A*b^4
*Sin[c + d*x] - 13*A*b^6*Sin[c + d*x] - 15*a^3*b^3*B*Sin[c + d*x] + 9*a*b^5
*B*Sin[c + d*x] + 11*a^4*b^2*C*Sin[c + d*x] - 5*a^2*b^4*C*Sin[c + d*x]))/(2*
a^4*(a^2 - b^2)^2*(b + a*Cos[c + d*x])) + (2*A*Sin[2*(c + d*x)]/(3*a^3)))/
(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^3
)

```

Maple [B] time = 13.84, size = 2289, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/3/a^5*(4*A*a^
2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2
)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+18
*A*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellipt
icF(cos(1/2*d*x+1/2*c),2^(1/2))+9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2
*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b-2*A*a^2*co
s(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-9*B*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*

```

$$\begin{aligned}
& (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B* \\
& (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos \\
& (1/2*d*x+1/2*c),2^{(1/2)})*a^2+3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d* \\
& x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2)/(-2*\sin(1/2* \\
& d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2/a^5*b^2*(5*A*b^2-4*B*a*b+3*C*a^2 \\
&)*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+ \\
& 1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2 \\
& *c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*a/b/(a^2 \\
& -b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*si \\
& n(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c) \\
& ,2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/ \\
& 2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellipt \\
& icE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+ \\
& 1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+ \\
& \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)} \\
&)+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+ \\
& 1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellipt \\
& icPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})))+2/a^4*b*(10*A*b^2-6*B*a*b+3*C \\
& *a^2)/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1 \\
& /2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2 \\
& *d*x+1/2*c),2*a/(a-b),2^{(1/2)})-2*b^3*(A*b^2-B*a*b+C*a^2)/a^5*(1/2*a^2/b/(a^ \\
& 2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\
& /2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*co \\
& s(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*co \\
& s(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1 \\
& /2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+ \\
& 1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-1/4/(a+b)/(a^2-b^ \\
& 2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin \\
& (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c) \\
& ,2^{(1/2)})*a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x \\
& +1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ell \\
& ipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2 \\
& *c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9/8*a/(a^2-b \\
& ^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*si \\
& n(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c) \\
& ,2^{(1/2)})-3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2* \\
& d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\
& EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c) \\
& ^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/ \\
& 2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8/(a-b)/(a+b) \\
& /(a^2-b^2)/b^2/(a^2-a*b)*a^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1 \\
& /2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellip \\
& ticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-
\end{aligned}$$

$$a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*sec(d*x + c)^(3/2)), x)

3.1031 $\int \sec^{\frac{3}{2}}(c+dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C$

Optimal. Leaf size=447

$$\frac{\sqrt{\sec(c + dx)} (a^2(-C) + 18abB + 24Ab^2 + 16b^2C) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + \frac{\sin(c + dx) \sqrt{\sec(c + dx)}}{24bd \sqrt{a + b \sec(c + dx)}}}{24bd \sqrt{a + b \sec(c + dx)}}$$

```
[Out] ((24*A*b^2 + 18*a*b*B - a^2*C + 16*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(24*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((2*a^2*b*B - 8*b^3*B - a^3*C - 4*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(8*b^2*d*Sqrt[a + b*Sec[c + d*x]]) - ((24*A*b^2 + 6*a*b*B - 3*a^2*C + 16*b^2*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((24*A*b^2 + 6*a*b*B - 3*a^2*C + 16*b^2*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b^2*d) + ((6*b*B + a*C)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*b*d) + (C*Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.62475, antiderivative size = 447, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c + dx) \sqrt{\sec(c + dx)} (-3a^2C + 6abB + 24Ab^2 + 16b^2C) \sqrt{a + b \sec(c + dx)}}{24b^2d} + \frac{\sqrt{\sec(c + dx)} (a^2(-C) + 18abB + 24Ab^2 + 16b^2C)}{24bd \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((24*A*b^2 + 18*a*b*B - a^2*C + 16*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(24*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((2*a^2*b*B - 8*b^3*B - a^3*C - 4*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(8*b^2*d*Sqrt[a + b*Sec[c + d*x]]) - ((24*A*b^2 + 6*a*b*B - 3*a^2*C + 16*b^2*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((24*A*b^2 + 6*a*b*B - 3*a^2*C + 16*b^2*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b^2*d) + ((6*b*B + a*C)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*b*d) + (C*Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)
```

$$\frac{c[c + d*x]}{(24*b^2*d*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]/(a + b))*\text{Sqrt}[\text{Sec}[c + d*x]]} + \frac{((24*A*b^2 + 6*a*b*B - 3*a^2*C + 16*b^2*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])}{(24*b^2*d) + ((6*b*B + a*C)*\text{Sec}[c + d*x]^{3/2}*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])}{(12*b*d) + (C*\text{Sec}[c + d*x]^{5/2}*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])}{(3*d)}$$
Rule 4096

$$\text{Int}[\frac{((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}}{x_Symbol}] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LeQ}[n, -1]$$
Rule 4102

$$\text{Int}[\frac{((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}}{x_Symbol}] :> -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)})/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$$
Rule 4108

$$\text{Int}[\frac{((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))}{(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)])}, x_Symbol] :> \text{Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^{3/2}/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3859

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{3/2}/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{5}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3d} \\
&= \frac{(6bB+aC)\sec^{\frac{3}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}}{12bd} \\
&= \frac{(24Ab^2+6abB-3a^2C+16b^2C)\sqrt{\sec(c+dx)}}{24b^2d} \\
&= \frac{(24Ab^2+6abB-3a^2C+16b^2C)\sqrt{\sec(c+dx)}}{24b^2d} \\
&= \frac{(24Ab^2+6abB-3a^2C+16b^2C)\sqrt{\sec(c+dx)}}{24b^2d} \\
&= \frac{(24Ab^2+6abB-3a^2C+16b^2C)\sqrt{\sec(c+dx)}}{24b^2d} \\
&= -\frac{(2a^2bB-8b^3B-a^3C-4ab^2(2A+C))}{8b^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(24Ab^2+18abB-a^2C+16b^2C)\sqrt{\frac{b+a\cos(c+dx)}{a}}}{24bd\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.88709, size = 782, normalized size = 1.75

$$\frac{\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))\left(\frac{\sec(c+dx)(-3a^2C\sin(c+dx)+6abB\sin(c+dx)+24Ab^2\sin(c+dx)+16b^2C\sin(c+dx))}{12b^2}\right)}{d\sec^{\frac{5}{2}}(c+dx)(A\cos(2c+2dx)+A+2B\cos(c+dx)+C\sec^2(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(24*a*b^2*B + 4*a^2*b*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/

$$2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(24*a*A*b^2 - 18*a^2*b*B + 48*b^3*B + 9*a^3*C + 8*a*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(-24*a*A*b^2 - 6*a^2*b*B + 3*a^3*C - 16*a*b^2*C)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)))*Sin[c + d*x])/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2)))/(48*b^2*d*Sqrt[b + a*Cos[c + d*x]]*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(5/2)) + (Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(Sec[c + d*x]^2*(6*b*B*Sin[c + d*x] + a*C*Sin[c + d*x]))/(6*b) + (Sec[c + d*x]*(24*A*b^2*Sin[c + d*x] + 6*a*b*B*Sin[c + d*x] - 3*a^2*C*Sin[c + d*x] + 16*b^2*C*Sin[c + d*x]))/(12*b^2) + (2*C*Sec[c + d*x]^2*Tan[c + d*x])/3))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(5/2))$$

Maple [C] time = 0.628, size = 4821, normalized size = 10.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/24/d/((a-b)/(a+b))^(1/2)/b^2*(24*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a*b^2+3*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*a^3-24*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*b^3-3*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a^3-16*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*b^3+24*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*b^3+8*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*b^3-12*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*b^3+12*B*((a-b)/(a+b))^(1/2)*b^3*cos(d*x+c)+12*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^2*b+3*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a^2*b+6*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a*b^2+18*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a*b^2-C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^2*b+10*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b^2+12*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*Elliptic
```


$$\begin{aligned}
& (d*x+c+1)^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\
& (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^4*a^3-24*A*((a-b)/(a+b))^{(1/2)}* \\
& \cos(d*x+c)^4*a*b^2-6*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^4*a^2*b-12*B*((a-b)/(\\
& a+b))^{(1/2)}*\cos(d*x+c)^4*a*b^2-2*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^4*a^2*b-1 \\
& 6*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^4*a*b^2+24*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x \\
& +c)^3*a*b^2+6*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*a^2*b-6*B*((a-b)/(a+b))^{(1 \\
& /2)}*\cos(d*x+c)^3*a*b^2+3*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}* \\
& (1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(\\
& d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^4*a^2*b+16*C*(1/(a+b)*(b \\
& +a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1 \\
& +\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c \\
&)*\cos(d*x+c)^4*a*b^2-2*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1 \\
& /(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d* \\
& x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^4*a^2*b-4*C*(1/(a+b)*(b+a* \\
& \cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+co \\
& s(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*c \\
& os(d*x+c)^4*a*b^2-24*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\\
& \cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x \\
& +c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^4*a*b^2+24*A*(\\
& 1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*Ell \\
& ipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} \\
&)*\sin(d*x+c)*\cos(d*x+c)^3*a*b^2-48*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1 \\
&))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1 \\
& /2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^3 \\
& *a*b^2+6*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1 \\
&))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(\\
& a-b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^3*a^2*b-6*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\c \\
& os(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b \\
&)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^3*a* \\
& b^2-12*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1)) \\
& ^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a- \\
& b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^3*a^2*b-12*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\co \\
& s(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b \\
&)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^3*a*b \\
& ^2+8*C*((a-b)/(a+b))^{(1/2)}*b^3-24*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1 \\
&))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1 \\
& /2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^3 \\
& *a*b^2-48*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+ \\
& 1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(\\
& a-b), I/((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^4*a*b^2+6*B*(1/(a+b)*(b+a \\
& *\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+c \\
& os(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)* \\
& \cos(d*x+c)^4*a^2*b-6*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\\
& \cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+ \\
& c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^4*a*b^2-12*B*(1/(a+b)*(b+a*c
\end{aligned}$$

$\cos(dx+c)/(\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * \cos(dx+c)^4 * a^2 * b - 12 * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c)), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * \cos(dx+c)^4 * a * b^2 * (1/\cos(dx+c))^{3/2} * ((b+a * \cos(dx+c)) / \cos(dx+c))^{1/2} / (b+a * \cos(dx+c)) / \cos(dx+c) / \sin(dx+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sec(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx + c)^2 + B*sec(dx + c) + A)*sqrt(b*sec(dx + c) + a)*sec(dx + c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a \sec(dx + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^(3/2), x)
```

3.1032 $\int \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=346

$$\frac{\sqrt{\sec(c + dx)}(8aA + 3aC + 4bB) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) + \sqrt{\sec(c + dx)}(a^2(-C) + 4abB + 8Ab^2 + 4b^2C)}{4d\sqrt{a + b \sec(c + dx)}} + \frac{\sqrt{\sec(c + dx)}(a^2(-C) + 4abB + 8Ab^2 + 4b^2C)}{4bd\sqrt{a + b \sec(c + dx)}}$$

[Out] $((8*a*A + 4*b*B + 3*a*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + ((8*A*b^2 + 4*a*b*B - a^2*C + 4*b^2*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*b*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - ((4*b*B + a*C)*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])/(4*b*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]]) + ((4*b*B + a*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(4*b*d) + (C*\text{Sec}[c + d*x]^(3/2)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(2*d)$

Rubi [A] time = 1.18589, antiderivative size = 346, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sqrt{\sec(c + dx)}(a^2(-C) + 4abB + 8Ab^2 + 4b^2C) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) + \sqrt{\sec(c + dx)}(8aA + 3aC + 4bB) \sqrt{a + b \sec(c + dx)}}{4bd\sqrt{a + b \sec(c + dx)}} + \frac{\sqrt{\sec(c + dx)}(8aA + 3aC + 4bB) \sqrt{a + b \sec(c + dx)}}{4d\sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((8*a*A + 4*b*B + 3*a*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + ((8*A*b^2 + 4*a*b*B - a^2*C + 4*b^2*C)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*b*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - ((4*b*B + a*C)*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])/(4*b*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]]) + ((4*b*B + a*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(4*b*d) + (C*\text{Sec}[c + d*x]^(3/2)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(2*d)$

+ d*x]]/(2*d)

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc
c[e + f*x]], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]),
x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
```


+ f*x]]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{C \sec^3(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} \\
 &= \frac{(4bB + aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{4bd} \\
 &= \frac{(4bB + aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{4bd} \\
 &= \frac{(4bB + aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{4bd} \\
 &= \frac{(4bB + aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{4bd} \\
 &= \frac{(8Ab^2 + 4abB - a^2C + 4b^2C) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{4bd \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(8aA + 4bB + 3aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{4d \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.2557, size = 478, normalized size = 1.38

$$\sqrt{a + b \sec(c + dx)} \left(A + B \sec(c + dx) + C \sec^2(c + dx) \right) \left(\frac{8a(4A+C) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{(a+b) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} - \frac{2i(aC+4bB) \csc(c+dx) \sqrt{-\frac{a(\cos(c+dx)-1)}{a+b}}}{\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((8*a*(4*A + C)*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/((a + b)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(16*A*b^2 + 4*a*b*B - 3*a^2*C + 8*b^2*C)*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b*(a + b)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - ((2*I)*(4*b*B + a*C)*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)])))/(a*Sqrt[(a - b)^(-1)]*b^2*Sqrt[b + a*Cos[c + d*x]]) + (4*(4*b*B + a*C)*Tan[c + d*x])/b + 8*C*Sec[c + d*x]*Tan[c + d*x]))/(8*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]^(5/2))

Maple [C] time = 0.461, size = 3182, normalized size = 9.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^(1/2), x)

[Out] -1/4/d/b/((a-b)/(a+b))^(1/2)*(8*A*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b-4*B*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b+8*B*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)

$$\begin{aligned} & s(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^2+4*B*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*b^2-C*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*a^2+2*C*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*a^2-4*C*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*b^2-2*C*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2+8*C*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^2+4*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*a*b+2*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*a*b-4*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a*b+C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a*b-3*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a*b*(1/\cos(d*x+c))^{(1/2)}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(b+a*\cos(d*x+c))/\cos(d*x+c)/\sin(d*x+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)*(a+b*sec(d*x+c)
)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*
sqrt(sec(d*x + c)), x)
```

$$3.1033 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=258

$$\frac{(2aB + bC)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}} + \frac{(2A - C)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{(aC + 2bB)\sqrt{\sec(c+dx)}}{d\sqrt{a+b \sec(c+dx)}}$$

[Out] $((2*a*B + b*C)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((2*b*B + a*C)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((2*A - C)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (C*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/d$

Rubi [A] time = 0.832207, antiderivative size = 258, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2A - C)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{(2aB + bC)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}} + \frac{(aC + 2bB)\sqrt{\sec(c+dx)}}{d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2))/\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]], x]$

[Out] $((2*a*B + b*C)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((2*b*B + a*C)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((2*A - C)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (C*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/d$

Rule 4096

$\operatorname{Int}[(A + \operatorname{csc}[e + f*x])*(B + \operatorname{csc}[e + f*x])^2*(C + \operatorname{csc}[e + f*x]*d)^n*(\operatorname{csc}[e + f*x]*b + a)] dx$

```

_)^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

```

Rule 4108

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]

```

Rule 3859

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{

```


a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{C \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \int \frac{1}{2} a(\dots) \\
&= \frac{C \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \frac{1}{2} (2bB) \\
&= \frac{C \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \frac{1}{2} (2A) \\
&= \frac{C \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} - \frac{((-2aB)}{d} \\
&= \frac{(2bB + aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(2aB + bC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 3.72265, size = 438, normalized size = 1.7

$$\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{8(aB + Ab) \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{(a+b) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2i(2A - C) \csc(c + dx) \sqrt{-\frac{a(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{a(\cos(c+dx)+1)}{a+b}}}{d \sqrt{a + b \sec(c + dx)}} \right)$$

2d se

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] (Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*((8*(A*b + a*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/((a + b)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(4*b*B + a*(2*A + C))*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/((a + b)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((2*I)*(2*A - C)*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)])*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 -
```

$$\frac{a/b, I \operatorname{ArcSinh}[\operatorname{Sqrt}[(a-b)^{-1}] \operatorname{Sqrt}[b+a \cos[c+d*x]]], (-a+b)/(a+b)]}{(a \operatorname{Sqrt}[(a-b)^{-1}] b \operatorname{Sqrt}[b+a \cos[c+d*x]] + 4 C \tan[c+d*x]) / (2 d (A + 2 C + 2 B \cos[c+d*x] + A \cos[2(c+d*x)]) \operatorname{Sec}[c+d*x]^{5/2})}$$

Maple [C] time = 0.456, size = 2345, normalized size = 9.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x)`

[Out]
$$-1/d / ((a-b)/(a+b))^{1/2} * (-C \cos(d*x+c)^2 \sin(d*x+c) \operatorname{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * a + C \cos(d*x+c)^2 \sin(d*x+c) \operatorname{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * b + 2 C \cos(d*x+c)^2 \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * a - 2 A \cos(d*x+c) \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a + 2 A \cos(d*x+c) \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * b + 2 A \cos(d*x+c) \sin(d*x+c) \operatorname{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * a - 2 A \cos(d*x+c) \sin(d*x+c) \operatorname{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * b + 2 B \cos(d*x+c) \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a - 2 B \cos(d*x+c) \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * b + 4 B \cos(d*x+c) \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * b - C \cos(d*x+c) \sin(d*x+c) \operatorname{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * a + C \cos(d*x+c) \sin(d*x+c) \operatorname{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2}$$

```

1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)
+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*b-2*A*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*
(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((
-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*a+2*C*c
os(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/co
s(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c
), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a+2*A*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)
*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF(
(-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*b+2*A*
cos(d*x+c)^2*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d
*x+c), (- (a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
*(1/(cos(d*x+c)+1))^(1/2)*a-2*A*cos(d*x+c)^2*sin(d*x+c)*EllipticE((-1+cos(d
*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*b-2*A*cos(d*x+c)^
2*((a-b)/(a+b))^(1/2)*a+2*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*b+C*cos(d*x+c)
^2*((a-b)/(a+b))^(1/2)*a-2*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*b-C*cos(d*x+c)*
((a-b)/(a+b))^(1/2)*a+C*cos(d*x+c)*((a-b)/(a+b))^(1/2)*b+2*A*cos(d*x+c)^3*(
(a-b)/(a+b))^(1/2)*a+2*B*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/
(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((
a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*a-2*B*cos(d*x+c)^2*sin(d
*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1
/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b)
)^(1/2))*b+4*B*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)
+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b)
)^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*b-C*((a-b)/(a+b))^(1
/2)*b*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(
b+a*cos(d*x+c))

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)
^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/
sqrt(sec(d*x + c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)

$$3.1034 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=277

$$\frac{2(Ab^2 - a^2(A + 3C)) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3ad\sqrt{a+b \sec(c+dx)}} + \frac{2(3aB + Ab)\sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3ad\sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

```
[Out] (-2*(A*b^2 - a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*b*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b + 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 0.90365, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4094, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(Ab^2 - a^2(A + 3C)) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3ad\sqrt{a+b \sec(c+dx)}} + \frac{2(3aB + Ab)\sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3ad\sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (-2*(A*b^2 - a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*b*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b + 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
```

(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{\frac{1}{2}(Ab + 3aB)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{\frac{1}{2}(Ab + 3aB)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{(Ab + 3aB) \int \frac{\sqrt{a}}{\sqrt{\sec(c + dx)}} dx}{3a} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{\left(-\frac{Ab^2}{a} + a(A + B) \right) \sqrt{\sec(c + dx)}}{3a} \\
&= \frac{2bC \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d\sqrt{a + b \sec(c + dx)}} + \frac{2 \left(\frac{Ab^2}{a} - a(A + 3C) \right) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3d\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 31.6863, size = 0, normalized size = 0.

$$\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

Maple [C] time = 0.431, size = 2548, normalized size = 9.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x)

[Out]
$$-2/3/d/((a-b)/(a+b))^{1/2}/a*(-A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b+A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2-A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*b^2-3*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2+3*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2+3*C*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2-A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b*\sin(d*x+c)+A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+3*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-3*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b*\sin(d*x+c)-3*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b*\sin(d*x+c)+6*C*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+2*A*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^2*a*b-A*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*a*b+3*B*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*a*b+A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b+3*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b-3*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b-3*C*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}$$

$$\begin{aligned} &^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a*b + 6*C*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * a*b - 3*B*\text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * (1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + 3*B*\text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * (1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + 3*C*(1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * \sin(dx+c) + A*\text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * (1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - A*b^2 * ((a-b)/(a+b))^{(1/2)} + A*((a-b)/(a+b))^{(1/2)} * \cos(dx+c)^3 * a^2 - A*((a-b)/(a+b))^{(1/2)} * \cos(dx+c) * a^2 - 3*B*((a-b)/(a+b))^{(1/2)} * \cos(dx+c) * a^2 + 3*B*((a-b)/(a+b))^{(1/2)} * \cos(dx+c)^2 * a^2 + A*((a-b)/(a+b))^{(1/2)} * \cos(dx+c) * b^2 - A*a*b*((a-b)/(a+b))^{(1/2)} - 3*B*((a-b)/(a+b))^{(1/2)} * a*b * ((b+a*\cos(dx+c)) / \cos(dx+c))^{(1/2)} * \cos(dx+c)^2 * (1/\cos(dx+c))^{(3/2)} / \sin(dx+c) / (b+a*\cos(dx+c)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2)/sec(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)/sec(dx+c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2)/sec(dx+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2)/sec(d*x+c)**(3/2),x)

[Out] Integral(sqrt(a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sec(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

$$3.1035 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=273

$$\frac{2(a^2 - b^2)(2Ab - 5aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 2(-3a^2(3A+5C) - 5abB + 2Ab^2)\sqrt{a+b \sec(c+dx)}}{15a^2d\sqrt{a+b \sec(c+dx)}} - \frac{2(-3a^2(3A+5C) - 5abB + 2Ab^2)\sqrt{a+b \sec(c+dx)}}{15a^2d\sqrt{\sec(c+dx)}}$$

[Out] $(-2*(a^2 - b^2)*(2*A*b - 5*a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(15*a^2*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - (2*(2*A*b^2 - 5*a*b*B - 3*a^2*(3*A + 5*C))*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*A*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*d*\operatorname{Sec}[c + d*x]^{(3/2)}) + (2*(A*b + 5*a*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

Rubi [A] time = 0.806691, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(-3a^2(3A+5C) - 5abB + 2Ab^2)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right) - 2(a^2 - b^2)(2Ab - 5aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{15a^2d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} - \frac{2(a^2 - b^2)(2Ab - 5aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{15a^2d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2))/\operatorname{Sec}[c + d*x]^{(5/2)}, x]$

[Out] $(-2*(a^2 - b^2)*(2*A*b - 5*a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(15*a^2*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - (2*(2*A*b^2 - 5*a*b*B - 3*a^2*(3*A + 5*C))*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*A*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*d*\operatorname{Sec}[c + d*x]^{(3/2)}) + (2*(A*b + 5*a*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
```

b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2}(Ab + 5aB)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \sec(c + dx)}}{15ad \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \sec(c + dx)}}{15ad \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \sec(c + dx)}}{15ad \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \sec(c + dx)}}{15ad \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2(a^2 - b^2)(2Ab - 5aB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{15a^2d\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.60833, size = 3426, normalized size = 12.55

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(9*a^2*A - 2*A*b^2 + 5*a*b*B + 15*a^2*C)*Cot[c])/(15*a^2*d) + (4*(A*b + 5*a*B)*Cos[d*x]*Sin[c])/(15*a*d) + (2*A*Cos[2*d*x]*Sin[2*c])/(5*d) + (4*(A*b + 5*a*B)*Cos[c]*Sin[d*x])/(15*a*d) + (2*A*Cos[2*c]*Sin[2*d*x])/(5*d)))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(5/2)) - (28*A*b*AppellF1[1/2, 1/2, 1/2, 3/2, (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2])*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])/(a*Sqrt[1 + Cot[c]^2]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2]))), (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2])*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])/(a*Sqrt[1 + Cot[c]^2]*(-1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2]))))*Csc[c]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[(a*Sqrt[1 + Cot[c]^2] - a*Sqrt[1 + Cot[c]^2]*Sin[d*x -

$$\begin{aligned}
& c]^2 * (-1 - (b * \text{Sec}[c]) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2])) * \text{Sin}[d * x + \text{ArcTan}[\text{Tan}[c]]] \\
& * \text{Tan}[c]) / (\text{Sqrt}[1 + \text{Tan}[c]^2] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] - a * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] \\
& * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (b * \text{Sec}[c] + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] \\
& + a * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (- (b * \text{Sec}[c]) + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] \\
& * \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] \\
& + (2 * a * \text{Cos}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (a^2 * \text{Cos}[c]^2 + a^2 * \text{Sin}[c]^2)) / \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] \\
& * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (15 * a * d * \text{Sqrt}[b + a * \text{Cos}[c + d * x]] * (A + 2 * C + 2 * B * \text{Cos}[c + d * x] + A * \text{Cos}[2 * c + 2 * d * x]) * \text{Sec}[c + d * x]^{(5/2)}) - (2 * b * B * \text{Csc}[c] * \text{Sqrt}[a \\
& + b * \text{Sec}[c + d * x]] * (A + B * \text{Sec}[c + d * x] + C * \text{Sec}[c + d * x]^2) * (\text{AppellF1}[-1/2, \\
& -1/2, -1/2, 1/2, -((\text{Sec}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 \\
& + \text{Tan}[c]^2)) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2] * (1 - (b * \text{Sec}[c]) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2))))), \\
& -((\text{Sec}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / \\
& (a * \text{Sqrt}[1 + \text{Tan}[c]^2] * (-1 - (b * \text{Sec}[c]) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2)))) * \text{Sin}[d * x + \\
& \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 + \text{Tan}[c]^2] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] - a \\
& * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (b * \text{Sec}[c] + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] + a * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (- (b * \text{Sec}[c]) + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] * \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * a * \text{Cos}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (a^2 * \text{Cos}[c]^2 + a^2 * \text{Sin}[c]^2)) / \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (3 * d * \text{Sqrt}[b + a * \text{Cos}[c + d * x]] * (A + 2 * C + 2 * B * \text{Cos}[c + d * x] + A * \text{Cos}[2 * c + 2 * d * x]) * \text{Sec}[c + d * x]^{(5/2)}) - (2 * a * C * \text{Csc}[c] * \text{Sqrt}[a + b * \text{Sec}[c + d * x]] * (A + B * \text{Sec}[c + d * x] + C * \text{Sec}[c + d * x]^2) * (\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2)) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2] * (1 - (b * \text{Sec}[c]) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2))))), -((\text{Sec}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2] * (-1 - (b * \text{Sec}[c]) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2)))) * \text{Sin}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 + \text{Tan}[c]^2] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] - a * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (b * \text{Sec}[c] + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] + a * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (- (b * \text{Sec}[c]) + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] * \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * a * \text{Cos}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (a^2 * \text{Cos}[c]^2 + a^2 * \text{Sin}[c]^2)) / \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d * x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (d * \text{Sqrt}[b + a * \text{Cos}[c + d * x]] * (A + 2 * C + 2 * B * \text{Cos}[c + d * x] + A * \text{Cos}[2 * c + 2 * d * x]) * \text{Sec}[c + d * x]^{(5/2)}) \\
&)
\end{aligned}$$

Maple [B] time = 0.505, size = 3639, normalized size = 13.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)*(a+b*\sec(d*x+c))^{1/2}/\sec(d*x+c)^{5/2},x)$

[Out] $\frac{2}{15}d/((a-b)/(a+b))^{1/2}/a^2*(-2*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a*b^2-9*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+15*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a^2*b*\sin(d*x+c)+9*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a^3-9*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3-2*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^3-5*B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a^3+15*C*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a^3-15*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3-7*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-2*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+9*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-5*B*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*a^3+5*B*a^3*((a-b)/(a+b))^{1/2}*\cos(d*x+c)-3*A*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*a^3-6*A*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^2*a^3-15*C*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^2*a^3+9*A*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*a^3+2*A*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*b^3+15*C*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*a^3-2*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*b^3*\sin(d*x+c)+9*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^2*b+2*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}$

$$\begin{aligned}
& /2) * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 b^2 + 5 * B * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 b^2 - 5 * B * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 b^2 + 5 * B * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 b^2 - 15 * C * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 b^2 + 15 * C * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 b^2 - 7 * A * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 b^2 + 9 * A * a^2 b^2 * ((a-b)/(a+b))^{1/2} + A * a^2 b^2 * ((a-b)/(a+b))^{1/2} + 5 * B * a^2 b^2 * ((a-b)/(a+b))^{1/2} + 5 * B * a^2 b^2 * ((a-b)/(a+b))^{1/2} + 15 * C * ((a-b)/(a+b))^{1/2} * a^2 b^2 - 5 * B * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^3 * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 15 * C * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^3 * \sin(dx+c) - 15 * C * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^3 * \sin(dx+c) + 9 * A * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^3 * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 2 * A * b^3 * ((a-b)/(a+b))^{1/2} - 4 * A * ((a-b)/(a+b))^{1/2} * \cos(dx+c)^3 * a^2 b^2 + A * ((a-b)/(a+b))^{1/2} * \cos(dx+c)^2 * a^2 b^2 - 10 * B * ((a-b)/(a+b))^{1/2} * \cos(dx+c)^2 * a^2 b^2 - 5 * A * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^2 b^2 - 2 * A * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^2 b^2 + 5 * B * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^2 b^2 - 15 * C * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^2 b^2 + 2 * A * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^2 b^2 * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 5 * B * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^2 b^2 * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 5 * B * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^2 b^2 * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 5 * B * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^2 b^2 * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 15 * C * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^2 b^2 * \sin(dx+c) * ((b+a * \cos(dx+c)) / \cos(dx+c))^{1/2} * \cos(dx+c)^3 * (1/\cos(dx+c))^{5/2} / \sin(dx+c) / (b+a * \cos(dx+c)
\end{aligned}$$

c))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

$$3.1036 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=360

$$\frac{2(a^2 - b^2) \sqrt{\sec(c+dx)} (25a^2A + 35a^2C - 14abB + 8Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 2 \sin(c+dx) (-5 \dots)}{105a^3d\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 8*A*b^2 - 14*a*b*B + 35*a^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(105*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19*A + 35*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*a*d*Sec[c + d*x]^(3/2)) - (2*(4*A*b^2 - 7*a*b*B - 5*a^2*(5*A + 7*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a^2*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 1.17314, antiderivative size = 360, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (-5a^2(5A+7C) - 7abB + 4Ab^2) \sqrt{a+b \sec(c+dx)}}{105a^2d\sqrt{\sec(c+dx)}} + \frac{2(a^2 - b^2) \sqrt{\sec(c+dx)} (25a^2A + 35a^2C - 14abB + 8Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 2 \sin(c+dx) (-5 \dots)}{105a^3d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 8*A*b^2 - 14*a*b*B + 35*a^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(105*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19*A + 35*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*a*d*Sec[c + d*x]^(3/2)) - (2*(4*A*b^2 - 7*a*b*B - 5*a^2*(5*A + 7*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a^2*d*Sqrt[Sec[c + d*x]])
```

$d*x]]*\sin[c + d*x]]/(105*a^2*d*\sqrt{\sec[c + d*x]})$

Rule 4094

$\text{Int}[(A_.) + \csc[(e_.) + (f_.)*(x_.)]*(B_.) + \csc[(e_.) + (f_.)*(x_.)]^2*(C_.) * (\csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\cot[e + f*x]*(a + b*\csc[e + f*x])^m * (d*\csc[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\csc[e + f*x])^{m-1} * (d*\csc[e + f*x])^{n+1} * \text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\csc[e + f*x] - b*(C*n + A*(m+n+1))*\csc[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$

Rule 4104

$\text{Int}[(A_.) + \csc[(e_.) + (f_.)*(x_.)]*(B_.) + \csc[(e_.) + (f_.)*(x_.)]^2*(C_.) * (\csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\cot[e + f*x]*(a + b*\csc[e + f*x])^{m+1} * (d*\csc[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\csc[e + f*x])^m * (d*\csc[e + f*x])^{n+1} * \text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\csc[e + f*x] + A*b*(m+n+2)*\csc[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 4035

$\text{Int}[(\csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(\sqrt{\csc[(e_.) + (f_.)*(x_.)]*(d_.)} * \sqrt{\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)}), x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\sqrt{a + b*\csc[e + f*x]}/\sqrt{d*\csc[e + f*x]}, x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[\sqrt{d*\csc[e + f*x]}/\sqrt{a + b*\csc[e + f*x]}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\sqrt{\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)}/\sqrt{\csc[(e_.) + (f_.)*(x_.)]*(d_.)}, x_Symbol] \rightarrow \text{Dist}[\sqrt{a + b*\csc[e + f*x]}/(\sqrt{d*\csc[e + f*x]} * \sqrt{b + a*\sin[e + f*x]}), \text{Int}[\sqrt{b + a*\sin[e + f*x]}, x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2655

$\text{Int}[\sqrt{(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]}, x_Symbol] \rightarrow \text{Dist}[\sqrt{a + b*\sin[c + d*x]}/\sqrt{(a + b*\sin[c + d*x])/(a + b)}, \text{Int}[\sqrt{a/(a + b) + (b*\sin[c + d*x])/(a + b)}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}(Ab + 7aB)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35ad \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2(a^2 - b^2)(25a^2A + 8Ab^2 - 14abB + 35a^2C) \sqrt{\frac{b+a \cos(c+dx)}{a+b \sec(c+dx)}}}{105a^3d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.76679, size = 4441, normalized size = 12.34

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)
)/Sec[c + d*x]^(7/2),x]
```

```
[Out] (Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(19*
a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B + 35*a^2*b*C)*Cot[c])/(105*a^3*d)
+ ((115*a^2*A - 16*A*b^2 + 28*a*b*B + 140*a^2*C)*Cos[d*x]*Sin[c])/(105*a^2
*d) + (2*(A*b + 7*a*B)*Cos[2*d*x]*Sin[2*c])/(35*a*d) + (A*Cos[3*d*x]*Sin[3*
c])/(7*d) + ((115*a^2*A - 16*A*b^2 + 28*a*b*B + 140*a^2*C)*Cos[c]*Sin[d*x])
/(105*a^2*d) + (2*(A*b + 7*a*B)*Cos[2*c]*Sin[2*d*x])/(35*a*d) + (A*Cos[3*c]
*Sin[3*d*x])/(7*d)))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec
```

$$\begin{aligned}
& [c + d*x]^{(5/2)} - (20*A*AppellF1[1/2, 1/2, 1/2, 3/2, (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2)*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]/(a*Sqrt[1 + Cot[c]^2]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2]))), (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2)*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2]*(-1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2])))]*Csc[c]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[(a*Sqrt[1 + Cot[c]^2] - a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2] - b*Csc[c])]*Sqrt[(a*Sqrt[1 + Cot[c]^2] + a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]])]/(a*Sqrt[1 + Cot[c]^2] + b*Csc[c])]*Sqrt[b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]/(21*d*Sqrt[b + a*Cos[c + d*x]]*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*Sec[c + d*x]^{(5/2)}) - (8*A*b^2*AppellF1[1/2, 1/2, 1/2, 3/2, (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2]))), (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2)*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2]*(-1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2])))]*Csc[c]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[(a*Sqrt[1 + Cot[c]^2] - a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2] - b*Csc[c])]*Sqrt[(a*Sqrt[1 + Cot[c]^2] + a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]])]/(a*Sqrt[1 + Cot[c]^2] + b*Csc[c])]*Sqrt[b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]/(105*a^2*d*Sqrt[b + a*Cos[c + d*x]]*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*Sec[c + d*x]^{(5/2)}) - (28*b*B*AppellF1[1/2, 1/2, 1/2, 3/2, (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2]))), (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2)*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2]*(-1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2])))]*Csc[c]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[(a*Sqrt[1 + Cot[c]^2] - a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2] - b*Csc[c])]*Sqrt[(a*Sqrt[1 + Cot[c]^2] + a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]])]/(a*Sqrt[1 + Cot[c]^2] + b*Csc[c])]*Sqrt[b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]/(15*a*d*Sqrt[b + a*Cos[c + d*x]]*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*Sec[c + d*x]^{(5/2)}) - (4*C*AppellF1[1/2, 1/2, 1/2, 3/2, (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2]))), (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2)*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2]*(-1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2])))]*Csc[c]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[(a*Sqrt[1 + Cot[c]^2] - a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2] - b*Csc[c])]*Sqrt[(a*Sqrt[1 + Cot[c]^2] + a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]])]/(a*Sqrt[1 + Cot[c]^2] + b*Csc[c])]*Sqrt[b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[b + a*Cos[c + d*x]]*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*Sec[c + d*x]^{(5/2)}) - (38*A*b*Csc[c]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((AppellF1[-1/2, -1/2,
\end{aligned}$$

$$\begin{aligned}
& -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2))))), - \\
& ((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))))*\text{Sin}[d*x + \text{ArcTan} \\
& [\text{Tan}[c]]*\text{Tan}[c]/(\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a*\text{Cos}[d \\
& *x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2])/(b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c]^2])] \\
& *\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2 \\
&])/(- (b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \text{Tan}[c]^2])]*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan} \\
& [\text{Tan}[c]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Tan}[c])/ \text{Sqrt}[1 \\
& + \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \\
& \text{Tan}[c]^2]))/(a^2*\text{Cos}[c]^2 + a^2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{Arc} \\
& \text{Tan}[\text{Tan}[c]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])/(105*d*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*(A + 2*C \\
& + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sec}[c + d*x]^(5/2)) - (16*A*b^3*C \\
& \text{sc}[c]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{Ap} \\
& \text{pellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]) \\
&]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \\
& \text{Tan}[c]^2))))), -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \\
& \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))) \\
&))*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Tan}[c]/(\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{T} \\
& \text{an}[c]^2] - a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2])/(b*\text{Sec}[c] + a*\text{Sq} \\
& \text{rt}[1 + \text{Tan}[c]^2])]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]) \\
&]*\text{Sqrt}[1 + \text{Tan}[c]^2])]/(- (b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \text{Tan}[c]^2])]*\text{Sqrt}[b + a*\text{Cos}[c \\
&]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c] \\
&]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan} \\
& [\text{Tan}[c]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a^2*\text{Cos}[c]^2 + a^2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*Co \\
& s[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])/(105*a^2*d*\text{Sqrt}[b + a* \\
& \text{Cos}[c + d*x]]*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sec}[c + d*x \\
&]^(5/2)) - (6*a*B*Csc[c]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*(A + B*\text{Sec}[c + d*x] + C*S \\
& \text{ec}[c + d*x]^2)*((\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[c]*Co \\
& s[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(1 - (b* \\
& \text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2))))), -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan} \\
& [\text{Tan}[c]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/(a*\text{Sq} \\
& \text{rt}[1 + \text{Tan}[c]^2)))))*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Tan}[c]/(\text{Sqrt}[1 + \text{Tan}[c]^2] \\
& *\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2 \\
&])/ (b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c]^2])]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a*\text{Cos}[d* \\
& x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2])]/(- (b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \text{Tan}[c]^2 \\
&])*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin} \\
& [d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(b + a*\text{Cos}[\\
& c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a^2*\text{Cos}[c]^2 + a^2*\text{Sin}[c \\
&]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])/(5* \\
& d*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x] \\
&)*\text{Sec}[c + d*x]^(5/2)) + (4*b^2*B*Csc[c]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*(A + B*\text{Sec} \\
& [c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c]*(\\
& b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan} \\
& [c]^2]*(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2))))), -((\text{Sec}[c]*(b + a*\text{Cos}[c]*C
\end{aligned}$$

$$\begin{aligned} & \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2] * (-1 - (b * \text{Sec}[c]) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2]))) * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c] / (\text{Sqrt}[1 + \text{Tan}[c]^2] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] - a * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (b * \text{Sec}[c] + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] + a * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (- (b * \text{Sec}[c]) + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] * \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * a * \text{Cos}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (a^2 * \text{Cos}[c]^2 + a^2 * \text{Sin}[c]^2)) / \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (15 * a * d * \text{Sqrt}[b + a * \text{Cos}[c + d*x]] * (A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2 * c + 2 * d*x]) * \text{Sec}[c + d*x]^(5/2)) - (2 * b * C * \text{Csc}[c] * \text{Sqrt}[a + b * \text{Sec}[c + d*x]] * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * (\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2] * (1 - (b * \text{Sec}[c]) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2]))) , -((\text{Sec}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2] * (-1 - (b * \text{Sec}[c]) / (a * \text{Sqrt}[1 + \text{Tan}[c]^2]))) * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 + \text{Tan}[c]^2] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] - a * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (b * \text{Sec}[c] + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] * \text{Sqrt}[(a * \text{Sqrt}[1 + \text{Tan}[c]^2] + a * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (- (b * \text{Sec}[c]) + a * \text{Sqrt}[1 + \text{Tan}[c]^2])] * \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * a * \text{Cos}[c] * (b + a * \text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (a^2 * \text{Cos}[c]^2 + a^2 * \text{Sin}[c]^2)) / \text{Sqrt}[b + a * \text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (3 * d * \text{Sqrt}[b + a * \text{Cos}[c + d*x]] * (A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2 * c + 2 * d*x]) * \text{Sec}[c + d*x]^(5/2)) \end{aligned}$$

Maple [B] time = 0.686, size = 4764, normalized size = 13.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)*(a+b*\text{sec}(d*x+c))^{1/2}/\text{sec}(d*x+c)^{7/2},x)$

[Out] $-2/105/d/((a-b)/(a+b))^{1/2}/a^3*(-8*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*b^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-19*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a^3*b-25*A*a^3*b*((a-b)/(a+b))^{1/2}-19*A*a^2*b^2*((a-b)/(a+b))^{1/2}+4*A*a*b^3*((a-b)/(a+b))^{1/2}-63*B*a^3*b*((a-b)/(a+b))^{1/2}-7*B*a^2*b$

$$\begin{aligned}
& ^2*((a-b)/(a+b))^{(1/2)}+14*B*a*b^3*((a-b)/(a+b))^{(1/2)}-35*C*a^3*b*((a-b)/(a+b))^{(1/2)}-35*C*a^2*b^2*((a-b)/(a+b))^{(1/2)}+63*B*EllipticE((-1+\cos(d*x+c))* \\
& (a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+35*C*Ellip \\
& ticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*a \\
& ^4*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)} \\
& *sin(d*x+c)+25*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- \\
& (a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1 \\
& /(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+18*A*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}*a^3 \\
& *b-A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^2*b^2+28*B*\cos(d*x+c)^3*((a-b)/(a+b \\
&))^{(1/2)}*a^3*b+26*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*b+4*A*\cos(d*x+c)^2 \\
& *((a-b)/(a+b))^{(1/2)}*a*b^3-7*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b^2+70* \\
& C*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*b-19*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)} \\
&)*a^3*b+20*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b^2-8*A*\cos(d*x+c)*((a-b)/(\\
& a+b))^{(1/2)}*a*b^3+35*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*b+14*B*\cos(d*x+c) \\
& *((a-b)/(a+b))^{(1/2)}*a^2*b^2-14*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^3-35*C \\
& *\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*b+35*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a \\
& ^2*b^2-8*A*b^4*((a-b)/(a+b))^{(1/2)}-25*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^4- \\
& 35*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^4+15*A*\cos(d*x+c)^5*((a-b)/(a+b))^{(1/ \\
& 2)}*a^4+10*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^4+35*C*\cos(d*x+c)^3*((a-b)/(\\
& a+b))^{(1/2)}*a^4+21*B*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}*a^4+42*B*\cos(d*x+c)^2 \\
& *((a-b)/(a+b))^{(1/2)}*a^4+8*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*b^4-63*B*\cos(d* \\
& x+c)*((a-b)/(a+b))^{(1/2)}*a^4-63*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(\\
& 1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d* \\
& x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+25*A*EllipticF((-1+\cos(d \\
& *x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*c \\
& os(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d* \\
& x+c)*a^4-8*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c) \\
& +1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b) \\
& / (a-b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*b^4-63*B*EllipticF((-1+\cos(d*x+c))*((a \\
& -b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)) \\
&)/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^4+6 \\
& 3*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)} \\
&)*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(\\
& 1/2)})*\sin(d*x+c)*\cos(d*x+c)*a^4+35*C*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x \\
& +c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^4-19*A*Ellip \\
& ticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*a \\
& ^3*b*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/ \\
& 2)}*\sin(d*x+c)+2*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\
& (- (a+b)/(a-b))^{(1/2)})*a^2*b^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/ \\
& 2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-8*A*EllipticF((-1+\cos(d*x+c))*((a-b) \\
& / (a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*a*b^3*(1/(a+b)*(b+a*\cos(d*x+ \\
& c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+19*A*Elliptic \\
& E((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*a^3*
\end{aligned}$$

$$\begin{aligned}
& b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}* \\
& \sin(d*x+c)-19*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2})*a^2*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+8*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(\\
& a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a*b^3*(1/(a+b)*(b+a*\cos(d*x+c) \\
&)/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+49*B*EllipticF(\\
& (-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^3*b* \\
& (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*si \\
& n(d*x+c)+14*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a \\
& +b)/(a-b))^{1/2})*a^2*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(\\
& 1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-63*B*EllipticE((-1+\cos(d*x+c))*((a-b)/(a \\
& +b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^3*b*(1/(a+b)*(b+a*\cos(d*x+c)) \\
&)/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-14*B*EllipticE((\\
& -1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^2*b^2 \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*s \\
& in(d*x+c)+14*B*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (\\
& a+b)/(a-b))^{1/2})*a*b^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1 \\
& /(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-35*C*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+ \\
& b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^3*b*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+35*C*EllipticE((- \\
& 1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^3*b*(1 \\
& /(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-35*C*EllipticE((- \\
& 1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b) \\
&)/(a-b))^{1/2})*a^2*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/ \\
& (\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+2*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&)^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\
& +c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a^2*b^2-8*A*El \\
& lipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2} \\
&)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}* \\
& \sin(d*x+c)*\cos(d*x+c)*a*b^3+19*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a^3*b-19*A*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d \\
& *x+c)*\cos(d*x+c)*a^2*b^2+8*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a*b^3+49*B*EllipticF((\\
& -1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c) \\
&)*\cos(d*x+c)*a^3*b+14*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d \\
& *x+c), (- (a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a^2*b^2-63*B*(1/(a+b)*(b+a* \\
& \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)* \\
& \cos(d*x+c)*a^3*b-14*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(co
\end{aligned}$$

$$\begin{aligned} & \sin(dx+c+1)^{1/2} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \cdot \frac{(a-b)}{(a+b)}\right)^{1/2} / \sin(dx+c) \\ & , \left(\frac{-(a+b)}{(a-b)}\right)^{1/2} \sin(dx+c) \cos(dx+c) a^2 b^2 + 14 B \left(\frac{1}{(a+b)} (b+a \cos(dx+c))\right) / (\cos(dx+c)+1)^{1/2} \\ & \cdot \left(\frac{1}{(\cos(dx+c)+1)}\right)^{1/2} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \cdot \frac{(a-b)}{(a+b)}\right)^{1/2} / \sin(dx+c) \\ & , \left(\frac{-(a+b)}{(a-b)}\right)^{1/2} \sin(dx+c) \cos(dx+c) a^3 b^3 - 35 C \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \cdot \frac{(a-b)}{(a+b)}\right)^{1/2} / \sin(dx+c) \\ & , \left(\frac{-(a+b)}{(a-b)}\right)^{1/2} \left(\frac{1}{(a+b)} (b+a \cos(dx+c))\right) / (\cos(dx+c)+1)^{1/2} \cdot \left(\frac{1}{(\cos(dx+c)+1)}\right)^{1/2} \\ & \cdot \sin(dx+c) \cos(dx+c) a^3 b^3 + 35 C \left(\frac{1}{(a+b)} (b+a \cos(dx+c))\right) / (\cos(dx+c)+1)^{1/2} \\ & \cdot \left(\frac{1}{(\cos(dx+c)+1)}\right)^{1/2} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \cdot \frac{(a-b)}{(a+b)}\right)^{1/2} / \sin(dx+c) \\ & , \left(\frac{-(a+b)}{(a-b)}\right)^{1/2} \sin(dx+c) \cos(dx+c) a^3 b^3 - 35 C \left(\frac{1}{(a+b)} (b+a \cos(dx+c))\right) / (\cos(dx+c)+1)^{1/2} \\ & \cdot \left(\frac{1}{(\cos(dx+c)+1)}\right)^{1/2} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \cdot \frac{(a-b)}{(a+b)}\right)^{1/2} / \sin(dx+c) \\ & , \left(\frac{-(a+b)}{(a-b)}\right)^{1/2} \sin(dx+c) \cos(dx+c) a^2 b^2 \cdot \left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)}\right) / (\cos(dx+c)+1)^{1/2} \\ & \cdot \cos(dx+c)^4 \cdot \left(\frac{1}{\cos(dx+c)}\right)^{7/2} / \sin(dx+c) / (b+a \cos(dx+c)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2)/sec(dx+c)^(7/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)/sec(dx+c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{7/2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2)/sec(dx+c)^(7/2),x, algorithm="fricas")

[Out] integral((C*sec(dx+c)^2 + B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)/sec(dx+c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)

$$3.1037 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$$

Optimal. Leaf size=457

$$\frac{2(a^2 - b^2) \sqrt{\sec(c+dx)} (6a^2b(6A+7C) - 75a^3B - 24ab^2B + 16Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 2 \sin(c+dx)}{315a^4d \sqrt{a+b \sec(c+dx)}}$$

```
[Out] (-2*(a^2 - b^2)*(16*A*b^3 - 75*a^3*B - 24*a*b^2*B + 6*a^2*b*(6*A + 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(315*a^4*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(16*A*b^4 - 57*a^3*b*B - 24*a*b^3*B + 6*a^2*b^2*(4*A + 7*C) - 21*a^4*(7*A + 9*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(315*a^4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(A*b + 9*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(63*a*d*Sec[c + d*x]^(5/2)) - (2*(6*A*b^2 - 9*a*b*B - 7*a^2*(7*A + 9*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^2*d*Sec[c + d*x]^(3/2)) + (2*(8*A*b^3 + 75*a^3*B - 12*a*b^2*B + a^2*b*(13*A + 21*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 1.64362, antiderivative size = 457, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (-7a^2(7A+9C) - 9abB + 6Ab^2) \sqrt{a+b \sec(c+dx)}}{315a^2d \sec^{\frac{3}{2}}(c+dx)} + \frac{2 \sin(c+dx) (a^2b(13A+21C) + 75a^3B - 12ab^2B)}{315a^3d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]
```

```
[Out] (-2*(a^2 - b^2)*(16*A*b^3 - 75*a^3*B - 24*a*b^2*B + 6*a^2*b*(6*A + 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(315*a^4*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(16*A*b^4 - 57*a^3*b*B - 24*a*b^3*B + 6*a^2*b^2*(4*A + 7*C) - 21*a^4*(7*A + 9*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(315*a^4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(A*b + 9*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(63*a*d*Sec[c + d*x]^(5/2)) - (2*(6*A*b^2 - 9*a*b*B - 7*a^2*(7*A + 9*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^2*d*Sec[c + d*x]^(3/2)) + (2*(8*A*b^3 + 75*a^3*B - 12*a*b^2*B + a^2*b*(13*A + 21*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^3*d*Sqrt[Sec[c + d*x]])
```

$$\frac{\sin[c + dx]}{(9d \sec[c + dx]^{7/2})} + \frac{(2(Ab + 9aB) \sqrt{a + b \sec[c + dx]} \sin[c + dx])}{(63a d \sec[c + dx]^{5/2})} - \frac{(2(6Ab^2 - 9a^2bB - 7a^2(7A + 9C)) \sqrt{a + b \sec[c + dx]} \sin[c + dx])}{(315a^2 d \sec[c + dx]^{3/2})} + \frac{(2(8Ab^3 + 75a^3B - 12a^2b^2B + a^2b(13A + 21C)) \sqrt{a + b \sec[c + dx]} \sin[c + dx])}{(315a^3 d \sqrt{\sec[c + dx]})}$$

Rule 4094

$$\text{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d)))^n (C + \csc[e + f(x)](b) + a)^m, x_Symbol] \rightarrow \text{Simp}[(A \cot[e + f(x)](a + b \csc[e + f(x)]^m (d \csc[e + f(x)]^n) / (f^n), x] - \text{Dist}[1/(d^n), \text{Int}[(a + b \csc[e + f(x)])^{m-1} (d \csc[e + f(x)]^{n+1}) \text{Simp}[A b^m - a B^n - (b B^n + a(C^n + A(n+1))) \csc[e + f(x)] - b(C^n + A(m+n+1)) \csc[e + f(x)]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[(A + \csc[e + f(x)])(B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d)))^n (C + \csc[e + f(x)](b) + a)^m, x_Symbol] \rightarrow \text{Simp}[(A \cot[e + f(x)](a + b \csc[e + f(x)]^{m+1} (d \csc[e + f(x)]^n) / (a f^n), x] + \text{Dist}[1/(a d^n), \text{Int}[(a + b \csc[e + f(x)])^m (d \csc[e + f(x)]^{n+1}) \text{Simp}[a B^n - A b^m (m+n+1) + a(A + A^n + C^n) \csc[e + f(x)] + A b^m (m+n+2) \csc[e + f(x)]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4035

$$\text{Int}[(\csc[e + f(x)](B) + A) / (\sqrt{\csc[e + f(x)](d) \sqrt{\csc[e + f(x)](b) + a}}), x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\sqrt{a + b \csc[e + f(x)]} / \sqrt{d \csc[e + f(x)]}, x], x] - \text{Dist}[(A b - a B) / (a d), \text{Int}[\sqrt{d \csc[e + f(x)]} / \sqrt{a + b \csc[e + f(x)]}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A b - a B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3856

$$\text{Int}[\sqrt{\csc[e + f(x)](b) + a} / \sqrt{\csc[e + f(x)](d)}, x_Symbol] \rightarrow \text{Dist}[\sqrt{a + b \csc[e + f(x)]} / (\sqrt{d \csc[e + f(x)]} \sqrt{b + a \sin[e + f(x)]}), \text{Int}[\sqrt{b + a \sin[e + f(x)]}, x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2655

$$\text{Int}[\sqrt{(a + (b) \sin[(c) + (d)(x)])}, x_Symbol] \rightarrow \text{Dist}[\sqrt{a + b \sin[c + dx]} / \sqrt{(a + b \sin[c + dx]) / (a + b)}, \text{Int}[\sqrt{a / (a + b) + (b$$

```
*Sin[c + d*x]]/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{\frac{1}{2}(Ab + 9aB)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 9aB)\sqrt{a}}{63ad} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 9aB)\sqrt{a}}{63ad} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 9aB)\sqrt{a}}{63ad} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 9aB)\sqrt{a}}{63ad} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 9aB)\sqrt{a}}{63ad} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 9aB)\sqrt{a}}{63ad} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 9aB)\sqrt{a}}{63ad} \\
&= \frac{2(a^2 - b^2)(16Ab^3 - 75a^3B - 24ab^2B + 6a^2b(6A + 7B))}{315a^4d\sqrt{a + b}}
\end{aligned}$$

Mathematica [C] time = 6.97829, size = 5993, normalized size = 13.11

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)
)/Sec[c + d*x]^(9/2),x]
```

[Out] Result too large to show

Maple [B] time = 0.9, size = 6551, normalized size = 14.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{9}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)

3.1038 $\int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=551

$$\frac{\sqrt{\sec(c+dx)}(136a^2bB - 3a^3C + 12ab^2(28A + 19C) + 128b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{\sin(c+dx) \sec(c+dx)}{192bd\sqrt{a+b \sec(c+dx)}}}{192bd\sqrt{a+b \sec(c+dx)}} + \frac{\sin(c+dx) \sec(c+dx)}{192bd\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((136*a^2*b*B + 128*b^3*B - 3*a^3*C + 12*a*b^2*(28*A + 19*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(192*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((8*a^3*b*B - 96*a*b^3*B - 3*a^4*C - 24*a^2*b^2*(2*A + C) - 16*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(64*b^2*d*Sqrt[a + b*Sec[c + d*x]]) - ((24*a^2*b*B + 128*b^3*B - 9*a^3*C + 12*a*b^2*(20*A + 13*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(192*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((24*a^2*b*B + 128*b^3*B - 9*a^3*C + 12*a*b^2*(20*A + 13*C))*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b^2*d) + ((48*A*b^2 + 56*a*b*B + 3*a^2*C + 36*b^2*C)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*b*d) + ((8*b*B + 3*a*C)*Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (C*Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)
```

Rubi [A] time = 2.16215, antiderivative size = 551, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx) \sec^{\frac{3}{2}}(c+dx) (3a^2C + 56abB + 48Ab^2 + 36b^2C) \sqrt{a+b \sec(c+dx)}}{96bd} + \frac{\sin(c+dx) \sqrt{\sec(c+dx)} (24a^2bB - 9a^3C)}{192bd\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((136*a^2*b*B + 128*b^3*B - 3*a^3*C + 12*a*b^2*(28*A + 19*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(192*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((8*a^3*b*B - 96*a*b^3*B - 3*a^4*C - 24*a^2*b^2*(2*A + C) - 16*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(64*b^2*d*Sqrt[a + b*Sec[c + d*x]]) - ((24*a^2*b*B + 128*b^3*B - 9*a^3*C + 12*a*b^2*(20*A + 13*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(192*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((24*a^2*b*B + 128*b^3*B - 9*a^3*C + 12*a*b^2*(20*A + 13*C))*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b^2*d) + ((48*A*b^2 + 56*a*b*B + 3*a^2*C + 36*b^2*C)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*b*d) + ((8*b*B + 3*a*C)*Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (C*Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)
```


$$C - 24a^2b^2(2A + C) - 16b^4(4A + 3C))\sqrt{(b + a\cos[c + dx])/(a + b)}\operatorname{EllipticPi}[2, (c + dx)/2, (2a)/(a + b)]\sqrt{\sec[c + dx]}/(64b^2d\sqrt{a + b\sec[c + dx]}) - ((24a^2b^2B + 128b^3B - 9a^3C + 12a^2b^2(20A + 13C))\operatorname{EllipticE}[(c + dx)/2, (2a)/(a + b)]\sqrt{a + b\sec[c + dx]})/(192b^2d\sqrt{(b + a\cos[c + dx])/(a + b)}\sqrt{\sec[c + dx]}) + ((24a^2b^2B + 128b^3B - 9a^3C + 12a^2b^2(20A + 13C))\sqrt{\sec[c + dx]})\sqrt{a + b\sec[c + dx]}\sin[c + dx]/(192b^2d) + ((48A^2b^2 + 56a^2b^2B + 3a^2C + 36b^2C)\sec[c + dx]^{3/2}\sqrt{a + b\sec[c + dx]}\sin[c + dx])/(96bd) + ((8b^2B + 3a^2C)\sec[c + dx]^{5/2}\sqrt{a + b\sec[c + dx]}\sin[c + dx])/(24d) + (C\sec[c + dx]^{5/2}(a + b\sec[c + dx])^{3/2}\sin[c + dx])/(4d)$$

Rule 4096

$$\operatorname{Int}[(A_.) + \csc[(e_.) + (f_.)x](B_.) + \csc[(e_.) + (f_.)x]^2(C_.)] \cdot (\csc[(e_.) + (f_.)x](d_.)^n) \cdot (\csc[(e_.) + (f_.)x](b_.) + (a_.)^m), x_Symbol] \rightarrow -\operatorname{Simp}[(C \cdot \cot[e + fx] \cdot (a + b \csc[e + fx])^m \cdot (d \csc[e + fx])^n) / (f(m + n + 1)), x] + \operatorname{Dist}[1/(m + n + 1), \operatorname{Int}[(a + b \csc[e + fx])^{m-1} \cdot (d \csc[e + fx])^n \cdot \operatorname{Simp}[aA(m + n + 1) + aCn + (Ab + aB)(m + n + 1) + bC(m + n)] \cdot \csc[e + fx] + (bB(m + n + 1) + aCm) \cdot \csc[e + fx]^2, x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{!LeQ}[n, -1]$$

Rule 4102

$$\operatorname{Int}[(A_.) + \csc[(e_.) + (f_.)x](B_.) + \csc[(e_.) + (f_.)x]^2(C_.)] \cdot (\csc[(e_.) + (f_.)x](d_.)^n) \cdot (\csc[(e_.) + (f_.)x](b_.) + (a_.)^m), x_Symbol] \rightarrow -\operatorname{Simp}[(C \cdot d \cdot \cot[e + fx] \cdot (a + b \csc[e + fx])^{m+1} \cdot (d \csc[e + fx])^{n-1}) / (b \cdot f \cdot (m + n + 1)), x] + \operatorname{Dist}[d/(b(m + n + 1)), \operatorname{Int}[(a + b \csc[e + fx])^m \cdot (d \csc[e + fx])^{n-1} \cdot \operatorname{Simp}[aC(n - 1) + (Ab)(m + n + 1) + bC(m + n)] \cdot \csc[e + fx] + (bB(m + n + 1) - aCn) \cdot \csc[e + fx]^2, x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[n, 0]$$

Rule 4108

$$\operatorname{Int}[(A_.) + \csc[(e_.) + (f_.)x](B_.) + \csc[(e_.) + (f_.)x]^2(C_.)] / (\sqrt{\csc[(e_.) + (f_.)x](d_.)} \cdot \sqrt{\csc[(e_.) + (f_.)x](b_.) + (a_.)}), x_Symbol] \rightarrow \operatorname{Dist}[C/d^2, \operatorname{Int}[(d \csc[e + fx])^{3/2} / \sqrt{a + b \csc[e + fx]}], x] + \operatorname{Int}[(A + B \csc[e + fx]) / (\sqrt{d \csc[e + fx]} \cdot \sqrt{a + b \csc[e + fx]}), x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \frac{C\sec^{\frac{5}{2}}(c+dx)(a+b\sec(c+dx))^{3/2}\sin(c+dx)}{4d} \\
&= \frac{(8bB+3aC)\sec^{\frac{5}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}}{24d} \\
&= \frac{(48Ab^2+56abB+3a^2C+36b^2C)\sec^{\frac{3}{2}}(c+dx)}{96b} \\
&= \frac{(24a^2bB+128b^3B-9a^3C+12ab^2(20A+3C))\sec^{\frac{3}{2}}(c+dx)}{96b} \\
&= \frac{(24a^2bB+128b^3B-9a^3C+12ab^2(20A+3C))\sec^{\frac{3}{2}}(c+dx)}{96b} \\
&= \frac{(24a^2bB+128b^3B-9a^3C+12ab^2(20A+3C))\sec^{\frac{3}{2}}(c+dx)}{96b} \\
&= \frac{(24a^2bB+128b^3B-9a^3C+12ab^2(20A+3C))\sec^{\frac{3}{2}}(c+dx)}{96b} \\
&= \frac{(8a^3bB-96ab^3B-3a^4C-24a^2b^2(20A+3C))\sec^{\frac{3}{2}}(c+dx)}{96b} \\
&= \frac{(136a^2bB+128b^3B-3a^3C+12ab^2(28A+3C))\sec^{\frac{3}{2}}(c+dx)}{192b}
\end{aligned}$$

Mathematica [C] time = 7.05807, size = 916, normalized size = 1.66

$$(C\sec^2(c+dx)+B\sec(c+dx)+A)\left(\frac{2(12bCa^3+224b^2Ba^2+192Ab^3a+144b^3Ca)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx),\frac{2a}{a+b}\right)}{\sqrt{b+a\cos(c+dx)}}+\frac{2(27Ca^4-72bBa^3+48Aa^2b^2+12ab^3)}{96b}\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] ((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(19
2*a*A*b^3 + 224*a^2*b^2*B + 12*a^3*b*C + 144*a*b^3*C)*Sqrt[(b + a*Cos[c + d
*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x
]] + (2*(48*a^2*A*b^2 + 384*A*b^4 - 72*a^3*b*B + 448*a*b^3*B + 27*a^4*C - 1
2*a^2*b^2*C + 288*b^4*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (
c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(-240*a^2*A*b
^2 - 24*a^3*b*B - 128*a*b^3*B + 9*a^4*C - 156*a^2*b^2*C)*Sqrt[(a - a*Cos[c
+ d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*
(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (
-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a
*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(
a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)))*Sin[c + d*x])/
(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^
2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2
))))/(384*b^2*d*(b + a*Cos[c + d*x])^(3/2)*(A + 2*C + 2*B*Cos[c + d*x] + A*
Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + ((a + b*Sec[c + d*x])^(3/2)*(A + B*
Sec[c + d*x] + C*Sec[c + d*x]^2)*((Sec[c + d*x]^3*(8*b*B*Sin[c + d*x] + 9*a
*C*Sin[c + d*x]))/12 + (Sec[c + d*x]^2*(48*A*b^2*Sin[c + d*x] + 56*a*b*B*Si
n[c + d*x] + 3*a^2*C*Sin[c + d*x] + 36*b^2*C*Sin[c + d*x]))/(48*b) + (Sec[c
+ d*x]*(240*a*A*b^2*Sin[c + d*x] + 24*a^2*b*B*Sin[c + d*x] + 128*b^3*B*Sin
[c + d*x] - 9*a^3*C*Sin[c + d*x] + 156*a*b^2*C*Sin[c + d*x]))/(96*b^2) + (b
*C*Sec[c + d*x]^3*Tan[c + d*x])/2))/d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*
Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2))
```

Maple [C] time = 0.855, size = 7134, normalized size = 13.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)  
)*sec(d*x + c)^(3/2), x)
```

3.1039 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C) dx$

Optimal. Leaf size=446

$$\frac{\sqrt{\sec(c+dx)}(a^2(48A+17C)+42abB+8b^2(3A+2C))\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \sin(c+dx)\sqrt{\sec(c+dx)}}{24d\sqrt{a+b\sec(c+dx)}}$$

```
[Out] ((42*a*b*B + 8*b^2*(3*A + 2*C) + a^2*(48*A + 17*C))*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(24*d*Sqrt[a + b*Sec[c + d*x]]) + ((6*a^2*b*B + 8*b^3*B - a^3*C + 12*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(8*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((24*A*b^2 + 30*a*b*B + 3*a^2*C + 16*b^2*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(24*b*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*Sqrt[Sec[c + d*x]]) + ((24*A*b^2 + 30*a*b*B + 3*a^2*C + 16*b^2*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d) + ((2*b*B + a*C)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sec[c + d*x]^(3/2))*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.65448, antiderivative size = 446, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}(3a^2C+30abB+24Ab^2+16b^2C)\sqrt{a+b\sec(c+dx)}}{24bd} + \frac{\sqrt{\sec(c+dx)}(a^2(48A+17C)+42abB)}{24d\sqrt{a+b\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((42*a*b*B + 8*b^2*(3*A + 2*C) + a^2*(48*A + 17*C))*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(24*d*Sqrt[a + b*Sec[c + d*x]]) + ((6*a^2*b*B + 8*b^3*B - a^3*C + 12*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(8*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((24*A*b^2 + 30*a*b*B + 3*a^2*C + 16*b^2*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(24*b*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*Sqrt[Sec[c + d*x]]) + ((24*A*b^2 + 30*a*b*B + 3*a^2*C + 16*b^2*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d) + ((2*b*B + a*C)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sec[c + d*x]^(3/2))*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```


+ d*x]]) + ((24*A*b^2 + 30*a*b*B + 3*a^2*C + 16*b^2*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d) + ((2*b*B + a*C)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (C*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))^{3/2} (A+B\sec(c+dx)+C\sec^2(c+dx)) dx &= \frac{C\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{3/2} \sin(c+dx)}{3d} \\
&= \frac{(2bB+aC)\sec^{\frac{3}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}}{4d} \\
&= \frac{(24Ab^2+30abB+3a^2C+16b^2C)\sqrt{\sec(c+dx)}}{24d} \\
&= \frac{(24Ab^2+30abB+3a^2C+16b^2C)\sqrt{\sec(c+dx)}}{24d} \\
&= \frac{(24Ab^2+30abB+3a^2C+16b^2C)\sqrt{\sec(c+dx)}}{24d} \\
&= \frac{(24Ab^2+30abB+3a^2C+16b^2C)\sqrt{\sec(c+dx)}}{24d} \\
&= \frac{(6a^2bB+8b^3B-a^3C+12ab^2(2A+C))\sqrt{\sec(c+dx)}}{8bd\sqrt{a}} \\
&= \frac{(42abB+8b^2(3A+2C)+a^2(48A+17C))\sqrt{\sec(c+dx)}}{24d\sqrt{a}}
\end{aligned}$$

Mathematica [C] time = 6.95525, size = 800, normalized size = 1.79

$$\frac{(a+b\sec(c+dx))^{3/2} (C\sec^2(c+dx)+B\sec(c+dx)+A) \left(\frac{1}{6}(6bB\sin(c+dx)+7aC\sin(c+dx))\sec^2(c+dx) + \frac{2}{3}bC\tan(c+dx) \right)}{d(b+a\cos(c+dx))(\cos(2c+2dx)A+A+2C+2B\cos(c+dx))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] -((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(-96*a^2*A*b - 24*a*b^2*B - 28*a^2*b*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*E1
```

```

lipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(-120*a*
A*b^2 - 6*a^2*b*B - 48*b^3*B + 9*a^3*C - 56*a*b^2*C)*Sqrt[(b + a*Cos[c + d*
x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c +
d*x]] + ((2*I)*(24*a*A*b^2 + 30*a^2*b*B + 3*a^3*C + 16*a*b^2*C)*Sqrt[(a - a
*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]
*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*
x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqr
t[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh
[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)))*Sin[c +
d*x])/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c
+ d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c +
d*x])^2)))/(48*b*d*(b + a*Cos[c + d*x])^(3/2)*(A + 2*C + 2*B*Cos[c + d*x]
+ A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + ((a + b*Sec[c + d*x])^(3/2)*(A
+ B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((Sec[c + d*x]^2*(6*b*B*Sin[c + d*x] +
7*a*C*Sin[c + d*x]))/6 + (Sec[c + d*x]*(24*A*b^2*Sin[c + d*x] + 30*a*b*B*S
in[c + d*x] + 3*a^2*C*Sin[c + d*x] + 16*b^2*C*Sin[c + d*x]))/(12*b) + (2*b*
C*Sec[c + d*x]^2*Tan[c + d*x])/3))/(d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*C
os[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2))

```

Maple [C] time = 0.583, size = 5245, normalized size = 11.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)
,x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)
^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)
)*sqrt(sec(d*x + c)), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)
^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+
c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)
)*sqrt(sec(d*x + c)), x)
```

$$3.1040 \quad \int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=353

$$\frac{\sqrt{\sec(c+dx)} (8a^2B + ab(8A + 7C) + 4b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \sqrt{\sec(c+dx)} (3a^2C + 12abB + 8Ab^2 + 4b^3C)}{4d\sqrt{a+b \sec(c+dx)}} + \frac{\sqrt{\sec(c+dx)} (3a^2C + 12abB + 8Ab^2 + 4b^3C)}{4d\sqrt{a+b \sec(c+dx)}}$$

[Out] $((8a^2B + 4b^2B + ab(8A + 7C)) \sqrt{(b + a \cos(c + dx))/(a + b)}) * \text{EllipticF}[(c + dx)/2, (2a)/(a + b)] * \sqrt{\sec(c + dx)} / (4d \sqrt{a + b \sec(c + dx)}) + ((8A * b^2 + 12 * a * b * B + 3 * a^2 * C + 4 * b^2 * C) \sqrt{(b + a \cos(c + dx))/(a + b)}) * \text{EllipticPi}[2, (c + dx)/2, (2a)/(a + b)] * \sqrt{\sec(c + dx)} / (4d \sqrt{a + b \sec(c + dx)}) + ((8 * a * A - 4 * b * B - 5 * a * C) * \text{EllipticE}[(c + dx)/2, (2a)/(a + b)] * \sqrt{a + b \sec(c + dx)}) / (4d \sqrt{(b + a \cos(c + dx))/(a + b)}) * \sqrt{\sec(c + dx)} + ((4 * b * B + 3 * a * C) * \sqrt{\sec(c + dx)}) * \sqrt{a + b \sec(c + dx)} * \sin(c + dx) / (4 * d) + (C * \sqrt{\sec(c + dx)}) * (a + b \sec(c + dx))^{3/2} * \sin(c + dx) / (2 * d)$

Rubi [A] time = 1.1819, antiderivative size = 353, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sqrt{\sec(c+dx)} (8a^2B + ab(8A + 7C) + 4b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) + \sqrt{\sec(c+dx)} (3a^2C + 12abB + 8Ab^2 + 4b^3C)}{4d\sqrt{a+b \sec(c+dx)}} + \frac{\sqrt{\sec(c+dx)} (3a^2C + 12abB + 8Ab^2 + 4b^3C)}{4d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}(((a + b \sec(c + dx))^{3/2} * (A + B \sec(c + dx) + C \sec^2(c + dx))) / \sqrt{\sec(c + dx)}, x)$

[Out] $((8a^2B + 4b^2B + ab(8A + 7C)) \sqrt{(b + a \cos(c + dx))/(a + b)}) * \text{EllipticF}[(c + dx)/2, (2a)/(a + b)] * \sqrt{\sec(c + dx)} / (4d \sqrt{a + b \sec(c + dx)}) + ((8A * b^2 + 12 * a * b * B + 3 * a^2 * C + 4 * b^2 * C) \sqrt{(b + a \cos(c + dx))/(a + b)}) * \text{EllipticPi}[2, (c + dx)/2, (2a)/(a + b)] * \sqrt{\sec(c + dx)} / (4d \sqrt{a + b \sec(c + dx)}) + ((8 * a * A - 4 * b * B - 5 * a * C) * \text{EllipticE}[(c + dx)/2, (2a)/(a + b)] * \sqrt{a + b \sec(c + dx)}) / (4d \sqrt{(b + a \cos(c + dx))/(a + b)}) * \sqrt{\sec(c + dx)} + ((4 * b * B + 3 * a * C) * \sqrt{\sec(c + dx)}) * \sqrt{a + b \sec(c + dx)} * \sin(c + dx) / (4 * d) + (C * \sqrt{\sec(c + dx)}) * (a + b \sec(c + dx))^{3/2} * \sin(c + dx) / (2 * d)$

$\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x]/(2*d)$

Rule 4096

$\text{Int}[\left((A_{.}) + \text{csc}[(e_{.}) + (f_{.})*(x_{.})]*(B_{.}) + \text{csc}[(e_{.}) + (f_{.})*(x_{.})]^{2}*(C_{.})\right)*(\text{csc}[(e_{.}) + (f_{.})*(x_{.})]*(d_{.})^{(n)}*(\text{csc}[(e_{.}) + (f_{.})*(x_{.})]*(b_{.}) + (a_{.}))^{(m)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m}*(d*\text{Csc}[e + f*x])^{n})/(f*(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^{n}*\text{Simp}[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) + a*C*m)*\text{Csc}[e + f*x]^{2}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[a^{2} - b^{2}, 0] \&\& \text{GtQ}[m, 0] \&\& \text{!LeQ}[n, -1]$

Rule 4108

$\text{Int}[\left((A_{.}) + \text{csc}[(e_{.}) + (f_{.})*(x_{.})]*(B_{.}) + \text{csc}[(e_{.}) + (f_{.})*(x_{.})]^{2}*(C_{.})\right)/(\text{Sqrt}[\text{csc}[(e_{.}) + (f_{.})*(x_{.})]*(d_{.})]*\text{Sqrt}[\text{csc}[(e_{.}) + (f_{.})*(x_{.})]*(b_{.}) + (a_{.})]), x_Symbol] \rightarrow \text{Dist}[C/d^{2}, \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)}/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^{2} - b^{2}, 0]$

Rule 3859

$\text{Int}[(\text{csc}[(e_{.}) + (f_{.})*(x_{.})]*(d_{.}))^{(3/2)}/\text{Sqrt}[\text{csc}[(e_{.}) + (f_{.})*(x_{.})]*(b_{.}) + (a_{.})], x_Symbol] \rightarrow \text{Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^{2} - b^{2}, 0]$

Rule 2807

$\text{Int}[1/(((a_{.}) + (b_{.})*\text{sin}[(e_{.}) + (f_{.})*(x_{.})])* \text{Sqrt}[(c_{.}) + (d_{.})*\text{sin}[(e_{.}) + (f_{.})*(x_{.})]]), x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])* \text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^{2} - b^{2}, 0] \&\& \text{NeQ}[c^{2} - d^{2}, 0] \&\& \text{!GtQ}[c + d, 0]$

Rule 2805

$\text{Int}[1/(((a_{.}) + (b_{.})*\text{sin}[(e_{.}) + (f_{.})*(x_{.})])* \text{Sqrt}[(c_{.}) + (d_{.})*\text{sin}[(e_{.}) + (f_{.})*(x_{.})]]), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^{2} - b^{2}, 0] \&\& \text{NeQ}[c^{2} - d^{2}, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli

pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{C \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2} \sin(c + dx)}{2d} + \frac{1}{2} \\
 &= \frac{(4bB + 3aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
 &= \frac{(4bB + 3aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
 &= \frac{(4bB + 3aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
 &= \frac{(4bB + 3aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
 &= \frac{(8Ab^2 + 12abB + 3a^2C + 4b^2C) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}, \frac{1}{2}, \frac{b+a \cos(c+dx)}{a+b}\right)}{4d \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(8a^2B + 4b^2B + ab(8A + 7C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}, \frac{1}{2}, \frac{b+a \cos(c+dx)}{a+b}, \frac{b+a \cos(c+dx)}{a+b}\right)}{4d \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.93808, size = 709, normalized size = 2.01

$$\frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{1}{2} \sec(c + dx) (5aC \sin(c + dx) + 4bB \sin(c + dx)) + bC \tan(c + dx) \right)}{d \sec^2(c + dx) (a \cos(c + dx) + b) (A \cos(2c + 2dx) + A + 2B \cos(c + dx) + 2C)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

```
[Out] ((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(32
*a*A*b + 16*a^2*B + 4*a*b*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(
c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(8*a^2*A + 16*A*b
^2 + 20*a*b*B + a^2*C + 8*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Ellipti
cPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(8*a^
2*A - 4*a*b*B - 5*a^2*C)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos
[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt
[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*Ellipt
icF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b
)) + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c +
d*x]]], (-a + b)/(a + b)))*Sin[c + d*x])/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Co
s[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b +
a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2)))/(8*d*(b + a*Cos[c + d*x])^(
3/2)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2))
+ ((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((Sec
[c + d*x]*(4*b*B*Sin[c + d*x] + 5*a*C*Sin[c + d*x]))/2 + b*C*Sec[c + d*x]*T
an[c + d*x]))/(d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2
*c + 2*d*x])*Sec[c + d*x]^(7/2))
```

Maple [C] time = 0.53, size = 4335, normalized size = 12.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)
,x)
```

```
[Out] -1/4/d/((a-b)/(a+b))^(1/2)*(16*A*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c)))/(co
s(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)
)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b-8*A*((a-b)/(
a+b))^(1/2)*cos(d*x+c)^2*a*b-4*B*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c)))/(co
s(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)
)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b+24*B*cos(d*x
+c)^3*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1
/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I
/((a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b+5*C*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x
+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c)
))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b+2*C*
cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)
+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)
/(a-b))^(1/2))*sin(d*x+c)*a*b+16*A*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c)))/(
```

$$\begin{aligned} & \cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*\sin(d*x+c)*a*b-4*B*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*\sin(d*x+c)*a*b+24*B*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a*b+5*C*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*\sin(d*x+c)*a*b+2*C*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*\sin(d*x+c)*a*b+8*A*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}*a^2+5*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*a^2+4*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*b^2-5*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a^2-4*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*b^2+2*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*b^2-8*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a*b-8*A*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a*b-8*B*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a*b-8*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a*b+8*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a*b-8*A*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2+8*B*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2+8*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2-8*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2+8*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2+8*A*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2-8*A*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*\sin(d*x+c)*b^2+16*A*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b)) \end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} * \sin(d*x+c) * b^2 + 4*B*\cos(d*x+c)^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * \sin(d*x+c) * b^2 - 5*C*\cos(d*x+c)^2 * \\
&(1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} \\
&)* \sin(d*x+c) * a^2 + 2*C*\cos(d*x+c)^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * \sin(d*x+c) * a^2 - 4*C*\cos(d*x+c)^2 * (1/(a+b) \\
&)* (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * \sin(d \\
&*x+c) * b^2 + 6*C*\cos(d*x+c)^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin \\
&(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * a^2 + 8*C*\cos(d*x+c)^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{El \\
&lipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (a+b)/(a-b), I/((a-b) \\
&)/(a+b))^{(1/2)}) * \sin(d*x+c) * b^2 - 8*A * ((a-b)/(a+b))^{(1/2)} * \cos(d*x+c)^3 * a^2 - 2*C \\
&* ((a-b)/(a+b))^{(1/2)} * b^2 - 8*A * \cos(d*x+c)^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d* \\
&x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a \\
&+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * \sin(d*x+c) * b^2 + 16*A * \cos(d*x+c)^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \\
&\text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (a+b)/(a-b), I/((a \\
&-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * b^2 + 4*B * \cos(d*x+c)^3 * (1/(a+b) * (b+a*\cos(d*x+c)) \\
&/ (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * (\\
&(a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * \sin(d*x+c) * b^2 - 5*C * \cos(\\
&d*x+c)^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1)) \\
&)^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a- \\
&b))^{(1/2)} * \sin(d*x+c) * a^2 + 2*C * \cos(d*x+c)^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d \\
&*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(\\
&a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * \sin(d*x+c) * a^2 - 4*C * \cos(d*x+c)^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \\
&\text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} \\
&)* \sin(d*x+c) * b^2 + 6*C * \cos(d*x+c)^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1) \\
&))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * a^2 + 8*C * \cos(\\
&d*x+c)^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1)) \\
&)^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (a+b)/(a-b) \\
&), I/((a-b)/(a+b))^{(1/2)}) * \sin(d*x+c) * b^2 + 4*B * ((a-b)/(a+b))^{(1/2)} * \cos(d*x+c)^3 * a * b + 2*C * ((a-b)/(a+b))^{(1/2)} * \cos(d*x+c)^3 * a * b - 4*B * ((a-b)/(a+b))^{(1/2)} * \cos(\\
&d*x+c)^2 * a * b + 5*C * ((a-b)/(a+b))^{(1/2)} * \cos(d*x+c)^2 * a * b - 7*C * ((a-b)/(a+b))^{(1/2)} * \cos(d*x+c) * a * b * ((b+a*\cos(d*x+c)) / \cos(d*x+c))^{(1/2)} * (1/\cos(d*x+c))^{(1/2)} \\
&/ \sin(d*x+c) / (b+a*\cos(d*x+c)) / \cos(d*x+c)
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sqrt(sec(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sqrt(sec(d*x + c)), x)

$$3.1041 \quad \int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=340

$$\frac{\sqrt{\sec(c+dx)} (2a^2(A+3C) + 6abB - b^2(2A-3C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3d\sqrt{a+b \sec(c+dx)}} + \frac{(6aB + 8Ab - 3bC)\sqrt{a+b \sec(c+dx)}}{3d\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((6*a*b*B - b^2*(2*A - 3*C) + 2*a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(2*b*B + 3*a*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b + 6*a*B - 3*b*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (b*(2*A - 3*C))*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(3*d) + (2*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 1.23136, antiderivative size = 340, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4094, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sqrt{\sec(c+dx)} (2a^2(A+3C) + 6abB - b^2(2A-3C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3d\sqrt{a+b \sec(c+dx)}} + \frac{(6aB + 8Ab - 3bC)\sqrt{a+b \sec(c+dx)}}{3d\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]
```

```
[Out] ((6*a*b*B - b^2*(2*A - 3*C) + 2*a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(2*b*B + 3*a*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b + 6*a*B - 3*b*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (b*(2*A - 3*C))*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(3*d) + (2*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```


$*x]]*\sin[c + d*x]]/(3*d) + (2*A*(a + b*\sec[c + d*x])^{3/2}*\sin[c + d*x]]/(3*d*\sqrt{\sec[c + d*x]})$

Rule 4094

$\text{Int}[(A + \csc(e) + (f)(x))(B + \csc(e) + (f)(x))^2(C + \csc(e) + (f)(x))(d)^n * \csc(e) + (f)(x)(b) + a)^m, x_Symbol] \rightarrow \text{Simp}[(A*\cot[e + f*x]*(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\csc[e + f*x])^{m-1}*(d*\csc[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\csc[e + f*x] - b*(C*n + A*(m+n+1))*\csc[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$

Rule 4096

$\text{Int}[(A + \csc(e) + (f)(x))(B + \csc(e) + (f)(x))^2(C + \csc(e) + (f)(x))(d)^n * \csc(e) + (f)(x)(b) + a)^m, x_Symbol] \rightarrow -\text{Simp}[(C*\cot[e + f*x]*(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^n)/(f*(m+n+1)), x] + \text{Dist}[1/(m+n+1), \text{Int}[(a + b*\csc[e + f*x])^{m-1}*(d*\csc[e + f*x])^n*\text{Simp}[a*A*(m+n+1) + a*C*n + ((A*b + a*B)*(m+n+1) + b*C*(m+n))*\csc[e + f*x] + (b*B*(m+n+1) + a*C*m)*\csc[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{!LeQ}[n, -1]$

Rule 4108

$\text{Int}[(A + \csc(e) + (f)(x))(B + \csc(e) + (f)(x))^2(C + \csc(e) + (f)(x)))/(\sqrt{\csc(e) + (f)(x)}(d)*\sqrt{\csc(e) + (f)(x)}(b) + a), x_Symbol] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d*\csc[e + f*x])^{3/2}/\sqrt{a + b*\csc[e + f*x]}, x], x] + \text{Int}[(A + B*\csc[e + f*x])]/(\sqrt{d*\csc[e + f*x]}*\sqrt{a + b*\csc[e + f*x]}), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\csc(e) + (f)(x))(d)^{3/2}/\sqrt{\csc(e) + (f)(x)}(b) + a), x_Symbol] \rightarrow \text{Dist}[(d*\sqrt{d*\csc[e + f*x]}*\sqrt{b + a*\sin[e + f*x]})/\sqrt{a + b*\csc[e + f*x]}, \text{Int}[1/(\sin[e + f*x]*\sqrt{b + a*\sin[e + f*x]}), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2807

$\text{Int}[1/((a) + (b)*\sin(e) + (f)(x))*\sqrt{(c) + (d)*\sin(e) + (f)(x)}], x_Symbol] \rightarrow \text{Dist}[\sqrt{(c + d*\sin[e + f*x])}/(c + d)]/\sqrt{c + d*\sin[e + f*x]}, \text{Int}[1/((a + b*\sin[e + f*x])*\sqrt{c/(c + d) + (d*\sin[e + f*x])}), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

+ f*x]]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{\sqrt{a + b}}{\sec(c + dx)} dx \\
 &= -\frac{b(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c)}{3d} \\
 &= -\frac{b(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c)}{3d} \\
 &= -\frac{b(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c)}{3d} \\
 &= -\frac{b(2A - 3C)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c)}{3d} \\
 &= \frac{b(2bB + 3aC)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(6abB - b^2(2A - 3C) + 2a^2(A + 3C))\sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{3d\sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.89698, size = 685, normalized size = 2.01

$$\frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{4}{3} a A \sin(c + dx) + 2bC \tan(c + dx) \right)}{d \sec^2(c + dx) (a \cos(c + dx) + b) (A \cos(2c + 2dx) + A + 2B \cos(c + dx) + 2C)} + \frac{(a + b \sec(c + dx))^{3/2}}{d \sec^2(c + dx) (a \cos(c + dx) + b) (A \cos(2c + 2dx) + A + 2B \cos(c + dx) + 2C)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2),x]

[Out] ((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(4*a^2*A + 12*A*b^2 + 24*a*b*B + 12*a^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(8*a*A*b + 6*a^2*B + 12*b^2*B + 15*a*b*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(8*a*A*b + 6*a^2*B - 3*a*b*C)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)))*Sin[c + d*x])/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2))))/(6*d*(b + a*Cos[c + d*x])^(3/2)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2)) + ((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*a*A*Sin[c + d*x])/3 + 2*b*C*Tan[c + d*x]))/(d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(7/2))

Maple [C] time = 0.465, size = 3823, normalized size = 11.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)

[Out] -1/3/d/((a-b)/(a+b))^(1/2)*(-8*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b))*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c)

$c) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2} * a*b+2*A*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^2-8*A*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * b^2-6*B*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^2+6*B*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^2+6*C*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^2-8*A * ((a-b)/(a+b))^{1/2} * \cos(dx+c)^2 * a*b-2*A * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a*b-6*B * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a*b-8*A*\cos(dx+c)^2 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * a*b-6 * B*\cos(dx+c)^2 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * a*b-3*C*\cos(dx+c)^2 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * a*b-6*C*\cos(dx+c)^2 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * a*b+2*A*\cos(dx+c)^4 * ((a-b)/(a+b))^{1/2} * a^2+8*A*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a*b+12*B*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a*b-6*B*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a*b-6*C*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a*b+18*C*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * a*b-3*C*\cos(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * a*b+18*C*\cos(dx+c)^2 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * \sin(dx+c) * a*b+6*B*\cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^2+8*A*\cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * b^2+3*C*\cos(dx+c) * ((a-b)/(a+b))^{1/2} * b^2-2*A*\cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^2+12*B*\sin(dx+c) * \cos(dx+c)^2 * (1/(a+b) * ($

$$\begin{aligned}
& b+a\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*a*b+8*A* \\
& \sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/ \\
& (\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*a*b+10*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a*b+2*A \\
& *\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/ \\
& (\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*a^2-6*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos \\
& (d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*a^2+6*A*\cos(d* \\
& x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)} \\
&)*\sin(d*x+c)*b^2+6*C*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}* \\
& \sin(d*x+c)*a^2-6*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*b^2-3*C*((a-b)/(a+b))^{(1/2)}*b^2+6*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a*b+3*C*((a-b)/(a+b))^{(1/2)}* \\
& \cos(d*x+c)^2*a*b-3*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a*b-8*A*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)} \\
&)*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\sin(d*x+c)*b^2-6*B*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}* \\
& \sin(d*x+c)*b^2+6*B*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}* \\
& \sin(d*x+c)*a^2+12*B*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\
& (a+b)/(a-b),I/((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^2+3*C*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}* \\
& \sin(d*x+c)*b^2+6*A*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}* \\
& \sin(d*x+c)*b^2+6*B*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}* \\
& \sin(d*x+c)*b^2+12*B*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\
& (a+b)/(a-b),I/((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^2+3*C*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}* \\
& \sin(d*x+c)*b^2)*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*\cos(d*x+c)*(1/\cos(d*x+c))^{(3/2)}/\sin(d*x+c)/(b+a*\cos(d*x+c))
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Cb \sec(dx+c)^3 + (Ca + Bb) \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c))\sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(3/2), x)
```


$$3.1042 \quad \int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=356

$$\frac{2\sqrt{\sec(c+dx)} \left(-3a^2b(A+5C) - 5a^3B + 5ab^2B + 3Ab^3 \right) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF} \left(\frac{1}{2}(c+dx), \frac{2a}{a+b} \right) + \frac{2(3a^2(3A+5C))}{15ad\sqrt{a+b \sec(c+dx)}}}{15ad\sqrt{a+b \sec(c+dx)}} + \frac{2(3a^2(3A+5C))}{15ad\sqrt{a+b \sec(c+dx)}}$$

[Out] $(-2*(3*A*b^3 - 5*a^3*B + 5*a*b^2*B - 3*a^2*b*(A + 5*C))*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(15*a*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*b^2*C*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(3*A*b^2 + 20*a*b*B + 3*a^2*(3*A + 5*C))*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*(3*A*b + 5*a*B))*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x]/(15*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*A*(a + b*\operatorname{Sec}[c + d*x])^(3/2)*\operatorname{Sin}[c + d*x])/(5*d*\operatorname{Sec}[c + d*x]^(3/2))$

Rubi [A] time = 1.25456, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4094, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2\sqrt{\sec(c+dx)} \left(-3a^2b(A+5C) - 5a^3B + 5ab^2B + 3Ab^3 \right) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F \left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b} \right) + \frac{2(3a^2(3A+5C) + 20abB)}{15ad\sqrt{a+b \sec(c+dx)}}}{15ad\sqrt{a+b \sec(c+dx)}} + \frac{2(3a^2(3A+5C) + 20abB)}{15ad\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Sec}[c + d*x])^(3/2)*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2)]/\operatorname{Sec}[c + d*x]^(5/2), x]$

[Out] $(-2*(3*A*b^3 - 5*a^3*B + 5*a*b^2*B - 3*a^2*b*(A + 5*C))*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(15*a*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*b^2*C*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(3*A*b^2 + 20*a*b*B + 3*a^2*(3*A + 5*C))*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*(3*A*b + 5*a*B))*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x]/(15*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*A*(a + b*\operatorname{Sec}[c + d*x])^(3/2)*\operatorname{Sin}[c + d*x])/(5*d*\operatorname{Sec}[c + d*x]^(3/2))$

$d*x])^{(3/2)*\text{Sin}[c + d*x]}/(5*d*\text{Sec}[c + d*x]^{(3/2)})$

Rule 4094

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$

Rule 4108

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) / (\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)}/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x]) / (\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(3/2)}/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2807

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
```

pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + b \sec(c + dx)}}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2(3Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2(3Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2(3Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2(3Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2b^2 C \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}} \\
 &= -\frac{2(3Ab^3 - 5a^3 B + 5ab^2 B - 3a^2 b(A + 5C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{15ad \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [F] time = 39.345, size = 0, normalized size = 0.

$$\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2),x]

[Out] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]

Maple [C] time = 0.501, size = 4247, normalized size = 11.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)

[Out]
$$-2/15/d/a/((a-b)/(a+b))^{1/2}*(-3*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a*b^2+9*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-15*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b*\sin(d*x+c)-9*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a^3+9*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3-3*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^3+5*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3-15*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3+12*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)-3*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)-9*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)+5*B*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*a^3-5*B*a^3*((a-b)/(a+b))^{1/2}*\cos(d*$$

$$\begin{aligned}
& x+c)+3*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^4*a^3+6*A*((a-b)/(a+b))^{(1/2)}*\cos(d \\
& *x+c)^2*a^3+15*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a^3-9*A*((a-b)/(a+b))^{(1/ \\
& 2)}*\cos(d*x+c)*a^3+3*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*b^3-15*C*((a-b)/(a+b)) \\
& ^{(1/2)}*\cos(d*x+c)*a^3-3*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(\\
& 1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d \\
& *x+c),(-(a+b)/(a-b))^{(1/2)})*b^3*\sin(d*x+c)-9*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b) \\
&)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*a^2* \\
& b+3*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1 \\
& /2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b)) \\
& ^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*a*b^2-20*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(\\
& a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^2*b+20*B \\
& *(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*E \\
& llipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2 \\
&))*\sin(d*x+c)*\cos(d*x+c)*a^2*b-20*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1 \\
&))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(\\
& 1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*a*b^2+30*C*Elli \\
& pticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})* \\
& (1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*si \\
& n(d*x+c)*\cos(d*x+c)*a^2*b-15*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1 \\
& /2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/ \\
& \sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*a^2*b+12*A*EllipticF \\
& ((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*(1/(a \\
& +b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x \\
& +c)*\cos(d*x+c)*a^2*b-9*A*a^2*b*((a-b)/(a+b))^{(1/2)}-6*A*a*b^2*((a-b)/(a+b))^{(\\
& 1/2)}-5*B*a^2*b*((a-b)/(a+b))^{(1/2)}-20*B*a*b^2*((a-b)/(a+b))^{(1/2)}-15*C*((a \\
& -b)/(a+b))^{(1/2)}*a^2*b+15*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)} \\
& *(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin \\
& (d*x+c),(-(a+b)/(a-b))^{(1/2)})*a*b^2*\sin(d*x+c)-15*C*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c)) \\
& *((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*a*b^2*\sin(d*x+c)+30*C \\
& *(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*E \\
& llipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(a+b)/(a-b),I/((a-b) \\
&)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c)+5*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*a^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-15*C*(1/(a+b)*(b+a*\cos \\
& (d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos \\
& (d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*a^3*\sin(d*x+c \\
&)+15*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(\\
& 1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b) \\
&))^{(1/2)})*a^3*\sin(d*x+c)-9*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/s \\
& in(d*x+c),(-(a+b)/(a-b))^{(1/2)})*a^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1 \\
&))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-3*A*b^3*((a-b)/(a+b))^{(1/2)}+9* \\
& A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*a^2*b+9*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)
\end{aligned}$$

$$\begin{aligned}
&^2*a*b^2+25*B*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^2*a^2*b-3*A*((a-b)/(a+b))^{1/2} \\
&)*\cos(d*x+c)*a*b^2-20*B*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*a^2*b+20*B*((a-b)/(a \\
&+b))^{1/2}*\cos(d*x+c)*a*b^2+15*C*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*a^2*b+15*B* \\
&\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1 \\
&))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(\\
&a-b))^{1/2})*\sin(d*x+c)*a*b^2-15*C*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos \\
&(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b) \\
&)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*\sin(d*x+c)*a*b^2+30*C*\cos(d \\
&*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2} \\
&)*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(a+b)/(a-b),I \\
&/((a-b)/(a+b))^{1/2})*\sin(d*x+c)*a*b^2+3*A*EllipticE((-1+\cos(d*x+c))*((a-b) \\
&)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a*b^2*(1/(a+b)*(b+a*\cos(d*x+ \\
&c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-20*B*Elliptic \\
&F((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a^2*b \\
&*b*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2} \\
&*\sin(d*x+c)+20*B*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- \\
&(a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(\\
&1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-20*B*EllipticE((-1+\cos(d*x+c))*((a-b)/(a \\
&+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a*b^2*(1/(a+b)*(b+a*\cos(d*x+c)) \\
&/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+30*C*(1/(a+b)*(b \\
&+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*EllipticF((-1 \\
&+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a^2*b*\sin \\
&(d*x+c))*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*\cos(d*x+c)^3*(1/\cos(d*x+c))^{5/2} \\
&/\sin(d*x+c)/(b+a*\cos(d*x+c))
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Cb \sec(dx+c)^3 + (Ca + Bb) \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(5/2), x)

$$3.1043 \quad \int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=359

$$\frac{2(a^2 - b^2) \sqrt{\sec(c+dx)} (25a^2A + 35a^2C + 21abB - 6Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + 2 \sin(c+dx) (5a^2(5A+7C) + 42abB + 3Ab^2) \sqrt{a+b \sec(c+dx)}}{105a^2d \sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*(a^2 - b^2)*(25*a^2*A - 6*A*b^2 + 21*a*b*B + 35*a^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(105*a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(6*A*b^3 - 63*a^3*B - 21*a*b^2*B - 2*a^2*b*(41*A + 70*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(3*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*(3*A*b^2 + 42*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))
```

Rubi [A] time = 1.23594, antiderivative size = 359, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (5a^2(5A+7C) + 42abB + 3Ab^2) \sqrt{a+b \sec(c+dx)}}{105ad \sqrt{\sec(c+dx)}} + \frac{2(a^2 - b^2) \sqrt{\sec(c+dx)} (25a^2A + 35a^2C + 21abB - 6Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + 2 \sin(c+dx) (5a^2(5A+7C) + 42abB + 3Ab^2) \sqrt{a+b \sec(c+dx)}}{105a^2d \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*(a^2 - b^2)*(25*a^2*A - 6*A*b^2 + 21*a*b*B + 35*a^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(105*a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(6*A*b^3 - 63*a^3*B - 21*a*b^2*B - 2*a^2*b*(41*A + 70*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(3*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*(3*A*b^2 + 42*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))
```

+ d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{\sqrt{a + b \sec(c + dx)}}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2(3Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2(3Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(3Aa + 7Ab)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(3Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(3Aa + 7Ab)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(3Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(3Aa + 7Ab)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(3Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(3Aa + 7Ab)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(a^2 - b^2)(25a^2A - 6Ab^2 + 21abB + 35a^2C)\sqrt{a + b \sec(c + dx)}}{105a^2d\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.82411, size = 4862, normalized size = 13.54

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2),x]

[Out] ((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(8*2*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B + 140*a^2*b*C)*Cot[c])/(105*a^2*d) + ((115*a^2*A + 12*A*b^2 + 168*a*b*B + 140*a^2*C)*Cos[d*x]*Sin[c])/(105*a*d) + (2*(8*A*b + 7*a*B)*Cos[2*d*x]*Sin[2*c])/(35*d) + (a*A*Cos[3*d*x]*Sin[3*c])/(7*d) + ((115*a^2*A + 12*A*b^2 + 168*a*b*B + 140*a^2*C)*Cos[c]*Sin[d*x])/(105*a*d) + (2*(8*A*b + 7*a*B)*Cos[2*c]*Sin[2*d*x])/(35*d) + (a*A*Cos[3*c]*Sin[3*d*x])/(7*d)))/((b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x]))

$$\begin{aligned}
& \cot^2[c] \sin[c] \sin[d*x - \arctan[\cot[c]]]) / (a \sqrt{1 + \cot^2[c]} * (1 + (b \\
& * \csc[c]) / (a \sqrt{1 + \cot^2[c]}))), (\csc[c] * (b - a \sqrt{1 + \cot^2[c]} * \sin[c] \\
& * \sin[d*x - \arctan[\cot[c]]]) / (a \sqrt{1 + \cot^2[c]} * (-1 + (b * \csc[c]) / (a \sqrt{1 + \cot^2[c]}))) \\
& * \csc[c] * (a + b \sec[c + d*x])^{(3/2)} * (A + B \sec[c + d*x] + \\
& C \sec[c + d*x]^2) * \sec[d*x - \arctan[\cot[c]]] * \sqrt{(a \sqrt{1 + \cot^2[c]} - a \\
& \sqrt{1 + \cot^2[c]} * \sin[d*x - \arctan[\cot[c]]]) / (a \sqrt{1 + \cot^2[c]} - b * \csc \\
& [c])} * \sqrt{(a \sqrt{1 + \cot^2[c]} + a \sqrt{1 + \cot^2[c]} * \sin[d*x - \arctan[\cot \\
& [c]])} / (a \sqrt{1 + \cot^2[c]} + b * \csc[c])} * \sqrt{b - a \sqrt{1 + \cot^2[c]} * \sin \\
& [c] * \sin[d*x - \arctan[\cot[c]]])} / (a * d * (b + a \cos[c + d*x])^{(3/2)} * (A + 2 * C + \\
& 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x]) * \sqrt{1 + \cot^2[c]} * \sec[c + d*x]^{(7/2)} \\
& - (164 * a * A * b * \csc[c] * (a + b \sec[c + d*x])^{(3/2)} * (A + B \sec[c + d*x] + C * \\
& \sec[c + d*x]^2) * (\operatorname{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\sec[c] * (b + a \cos[c] * \cos \\
& [d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]}) / (a \sqrt{1 + \tan^2[c]} * (1 - (b \\
& * \sec[c]) / (a \sqrt{1 + \tan^2[c]}))))), -((\sec[c] * (b + a \cos[c] * \cos[d*x + \arctan \\
& [\tan[c]]) * \sqrt{1 + \tan^2[c]}) / (a \sqrt{1 + \tan^2[c]} * (-1 - (b * \sec[c]) / (a \sqrt{1 + \tan^2[c]} \\
&)))) * \sin[d*x + \arctan[\tan[c]]] * \tan[c]) / (\sqrt{1 + \tan^2[c]} * \sqrt{(a \sqrt{1 + \tan^2[c]} - a \cos \\
& [d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]})} / (b * \sec[c] + a \sqrt{1 + \tan^2[c]})} * \sqrt{(a \sqrt{1 + \tan^2[c]} + a \cos \\
& [d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]})} / (- (b * \sec[c]) + a \sqrt{1 + \tan^2[c]})} \\
& * \sqrt{b + a \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan^2[c]})} - ((\sin \\
& [d*x + \arctan[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan^2[c]} + (2 * a * \cos[c] * (b + a \cos \\
& [c] * \cos[d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]}) / (a^2 * \cos^2[c] + a^2 * \sin \\
& [c]^2)) / \sqrt{b + a \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan^2[c]}}) / (1 \\
& 05 * d * (b + a \cos[c + d*x])^{(3/2)} * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 \\
& * d*x]) * \sec[c + d*x]^{(7/2)} + (4 * A * b^3 * \csc[c] * (a + b \sec[c + d*x])^{(3/2)} * (A \\
& + B \sec[c + d*x] + C * \sec[c + d*x]^2) * (\operatorname{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\sec \\
& [c] * (b + a \cos[c] * \cos[d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]}) / (a \sqrt{1 + \tan^2[c]} * (1 - (b * \sec \\
& [c]) / (a \sqrt{1 + \tan^2[c]}))))), -((\sec[c] * (b + a \cos[c] * \cos[d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]})} / (a \sqrt{1 + \tan^2[c]} * (-1 - (b * \sec[c]) / (a \sqrt{1 + \tan^2[c]} \\
&)))) * \sin[d*x + \arctan[\tan[c]]] * \tan[c]) / (\sqrt{1 + \tan^2[c]} * \sqrt{(a \sqrt{1 + \tan^2[c]} - a \cos \\
& [d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]})} / (b * \sec[c] + a \sqrt{1 + \tan^2[c]})} * \sqrt{(a \sqrt{1 + \tan^2[c]} + a \cos \\
& [d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]})} / (- (b * \sec[c]) + a \sqrt{1 + \tan^2[c]})} * \sqrt{b + a \cos[c] * \cos \\
& [d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan^2[c]})} - ((\sin[d*x + \arctan[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan^2[c]} + (\\
& 2 * a * \cos[c] * (b + a \cos[c] * \cos[d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]}) / (a^2 * \cos^2[c] + a^2 * \sin \\
& [c]^2)) / \sqrt{b + a \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan^2[c]}}) / (35 * a * d * (b + a \cos[c + d*x])^{(3/2)} * (A + 2 * C + 2 * B * \cos[c \\
& + d*x] + A * \cos[2 * c + 2 * d*x]) * \sec[c + d*x]^{(7/2)} - (6 * a^2 * B * \csc[c] * (a + b \sec \\
& [c + d*x])^{(3/2)} * (A + B \sec[c + d*x] + C * \sec[c + d*x]^2) * (\operatorname{AppellF1}[-1/2, \\
& -1/2, -1/2, 1/2, -((\sec[c] * (b + a \cos[c] * \cos[d*x + \arctan[\tan[c]]) * \sqrt{1 \\
& + \tan^2[c]}) / (a \sqrt{1 + \tan^2[c]} * (1 - (b * \sec[c]) / (a \sqrt{1 + \tan^2[c]}))))), -((\sec[c] * (b + a \cos[c] * \cos[d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan^2[c]})} / (a \sqrt{1 + \tan^2[c]} * (-1 - (b * \sec[c]) / (a \sqrt{1 + \tan^2[c]} \\
&)))) * \sin[d*x + \arctan[\tan[c]]] * \tan[c]) / (\sqrt{1 + \tan^2[c]} * \sqrt{(a \sqrt{1 + \tan^2[c]} - a
\end{aligned}$$

$$\begin{aligned}
& * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (b * \sec[c] + a * \sqrt{1 + \tan[c]^2})) * \sqrt{(a * \sqrt{1 + \tan[c]^2} + a * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (- (b * \sec[c]) + a * \sqrt{1 + \tan[c]^2})) * \sqrt{b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2})} - ((\sin[d*x + \arctan[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 * a * \cos[c] * (b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}))) / (a^2 * \cos[c]^2 + a^2 * \sin[c]^2)) / \sqrt{b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}}) / (5 * d * (b + a * \cos[c + d*x])^{3/2} * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x]) * \sec[c + d*x]^{7/2}) - (2 * b^2 * B * \csc[c] * (a + b * \sec[c + d*x])^{3/2} * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * (\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\sec[c] * (b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (a * \sqrt{1 + \tan[c]^2} * (1 - (b * \sec[c]) / (a * \sqrt{1 + \tan[c]^2))))), -((\sec[c] * (b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (a * \sqrt{1 + \tan[c]^2} * (-1 - (b * \sec[c]) / (a * \sqrt{1 + \tan[c]^2)))))) * \sin[d*x + \arctan[\tan[c]]] * \tan[c]) / (\sqrt{1 + \tan[c]^2} * \sqrt{(a * \sqrt{1 + \tan[c]^2} - a * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (b * \sec[c] + a * \sqrt{1 + \tan[c]^2})) * \sqrt{(a * \sqrt{1 + \tan[c]^2} + a * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (- (b * \sec[c]) + a * \sqrt{1 + \tan[c]^2})) * \sqrt{b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2})} - ((\sin[d*x + \arctan[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 * a * \cos[c] * (b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}))) / (a^2 * \cos[c]^2 + a^2 * \sin[c]^2)) / \sqrt{b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}}) / (5 * d * (b + a * \cos[c + d*x])^{3/2} * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x]) * \sec[c + d*x]^{7/2}) - (8 * a * b * C * \csc[c] * (a + b * \sec[c + d*x])^{3/2} * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * (\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\sec[c] * (b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (a * \sqrt{1 + \tan[c]^2} * (1 - (b * \sec[c]) / (a * \sqrt{1 + \tan[c]^2))))), -((\sec[c] * (b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (a * \sqrt{1 + \tan[c]^2} * (-1 - (b * \sec[c]) / (a * \sqrt{1 + \tan[c]^2)))))) * \sin[d*x + \arctan[\tan[c]]] * \tan[c]) / (\sqrt{1 + \tan[c]^2} * \sqrt{(a * \sqrt{1 + \tan[c]^2} - a * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (b * \sec[c] + a * \sqrt{1 + \tan[c]^2})) * \sqrt{(a * \sqrt{1 + \tan[c]^2} + a * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (- (b * \sec[c]) + a * \sqrt{1 + \tan[c]^2})) * \sqrt{b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}}) - ((\sin[d*x + \arctan[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 * a * \cos[c] * (b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}))) / (a^2 * \cos[c]^2 + a^2 * \sin[c]^2)) / \sqrt{b + a * \cos[c] * \cos[d*x + \arctan[\tan[c]]] * \sqrt{1 + \tan[c]^2}}) / (3 * d * (b + a * \cos[c + d*x])^{3/2} * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x]) * \sec[c + d*x]^{7/2})
\end{aligned}$$

Maple [B] time = 0.622, size = 4944, normalized size = 13.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(d*x+c))^{(3/2)}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(7/2)},x)$

[Out]
$$\begin{aligned} & -2/105/d/a^2/((a-b)/(a+b))^{(1/2)}*(6*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*b^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-82*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^3*b-25*A*a^3*b*((a-b)/(a+b))^{(1/2)}-82*A*a^2*b^2*((a-b)/(a+b))^{(1/2)}-3*A*a*b^3*((a-b)/(a+b))^{(1/2)}-63*B*a^3*b*((a-b)/(a+b))^{(1/2)}-42*B*a^2*b^2*((a-b)/(a+b))^{(1/2)}-21*B*a*b^3*((a-b)/(a+b))^{(1/2)}-35*C*a^3*b*((a-b)/(a+b))^{(1/2)}-140*C*a^2*b^2*((a-b)/(a+b))^{(1/2)}+63*B*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+35*C*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+25*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+39*A*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}*a^3*b+27*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^2*b^2+63*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^3*b+68*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*b-3*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a*b^3+63*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b^2+175*C*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*b-82*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*b+55*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b^2+6*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^3-21*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b^2+21*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^3-140*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*b+140*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b^2+105*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2*b^2*\sin(d*x+c)+6*A*b^4*((a-b)/(a+b))^{(1/2)}-25*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^4-35*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^4+15*A*\cos(d*x+c)^5*((a-b)/(a+b))^{(1/2)}*a^4+10*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^4+35*C*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^4+21*B*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}*a^4+42*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^4-6*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*b^4-63*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^4-63*B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+25*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^4+6*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)*b^4-63*B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^4+63*B*(1/$$

$$\begin{aligned}
& b) * (b + a * \cos(dx + c)) / (\cos(dx + c) + 1))^{1/2} * (1 / (\cos(dx + c) + 1))^{1/2} * \text{EllipticE} \\
& \text{E}((-1 + \cos(dx + c)) * ((a - b) / (a + b))^{1/2} / \sin(dx + c), (- (a + b) / (a - b))^{1/2}) * \sin \\
& (dx + c) * \cos(dx + c) * a^3 * b - 82 * A * (1 / (a + b) * (b + a * \cos(dx + c)) / (\cos(dx + c) + 1))^{1/2} \\
&) * (1 / (\cos(dx + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(dx + c)) * ((a - b) / (a + b))^{1/2} / \sin \\
& (dx + c), (- (a + b) / (a - b))^{1/2}) * \sin(dx + c) * \cos(dx + c) * a^2 * b^2 - 6 * A * (1 / (a + b) * (\\
& b + a * \cos(dx + c)) / (\cos(dx + c) + 1))^{1/2} * (1 / (\cos(dx + c) + 1))^{1/2} * \text{EllipticE}((- \\
& 1 + \cos(dx + c)) * ((a - b) / (a + b))^{1/2} / \sin(dx + c), (- (a + b) / (a - b))^{1/2}) * \sin(dx + \\
& c) * \cos(dx + c) * a * b^3 + 84 * B * \text{EllipticF}((-1 + \cos(dx + c)) * ((a - b) / (a + b))^{1/2} / \sin \\
& (dx + c), (- (a + b) / (a - b))^{1/2}) * (1 / (a + b) * (b + a * \cos(dx + c)) / (\cos(dx + c) + 1))^{1/2} \\
&) * (1 / (\cos(dx + c) + 1))^{1/2} * \sin(dx + c) * \cos(dx + c) * a^3 * b - 21 * B * \text{EllipticF}((-1 + \cos \\
& (dx + c)) * ((a - b) / (a + b))^{1/2} / \sin(dx + c), (- (a + b) / (a - b))^{1/2}) * (1 / (a + b) * (b \\
& + a * \cos(dx + c)) / (\cos(dx + c) + 1))^{1/2} * (1 / (\cos(dx + c) + 1))^{1/2} * \sin(dx + c) * \cos \\
& (dx + c) * a^2 * b^2 - 63 * B * (1 / (a + b) * (b + a * \cos(dx + c)) / (\cos(dx + c) + 1))^{1/2} * (1 / (\cos \\
& (dx + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(dx + c)) * ((a - b) / (a + b))^{1/2} / \sin(dx + c) \\
&), (- (a + b) / (a - b))^{1/2}) * \sin(dx + c) * \cos(dx + c) * a^3 * b + 21 * B * (1 / (a + b) * (b + a * \cos \\
& (dx + c)) / (\cos(dx + c) + 1))^{1/2} * (1 / (\cos(dx + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(dx \\
& + c)) * ((a - b) / (a + b))^{1/2} / \sin(dx + c), (- (a + b) / (a - b))^{1/2}) * \sin(dx + c) * \cos(dx \\
& + c) * a^2 * b^2 - 21 * B * (1 / (a + b) * (b + a * \cos(dx + c)) / (\cos(dx + c) + 1))^{1/2} * (1 / (\cos \\
& (dx + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(dx + c)) * ((a - b) / (a + b))^{1/2} / \sin(dx + c), (- \\
& (a + b) / (a - b))^{1/2}) * \sin(dx + c) * \cos(dx + c) * a * b^3 - 140 * C * \text{EllipticF}((-1 + \cos(dx \\
& + c)) * ((a - b) / (a + b))^{1/2} / \sin(dx + c), (- (a + b) / (a - b))^{1/2}) * (1 / (a + b) * (b + a * \cos \\
& (dx + c)) / (\cos(dx + c) + 1))^{1/2} * (1 / (\cos(dx + c) + 1))^{1/2} * \sin(dx + c) * \cos(dx \\
& + c) * a^3 * b + 140 * C * (1 / (a + b) * (b + a * \cos(dx + c)) / (\cos(dx + c) + 1))^{1/2} * (1 / (\cos(dx \\
& + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(dx + c)) * ((a - b) / (a + b))^{1/2} / \sin(dx + c), (- (a \\
& + b) / (a - b))^{1/2}) * \sin(dx + c) * \cos(dx + c) * a^3 * b - 140 * C * (1 / (a + b) * (b + a * \cos(dx + c) \\
&)) / (\cos(dx + c) + 1))^{1/2} * (1 / (\cos(dx + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(dx + c)) \\
&) * ((a - b) / (a + b))^{1/2} / \sin(dx + c), (- (a + b) / (a - b))^{1/2}) * \sin(dx + c) * \cos(dx + c) \\
& * a^2 * b^2 * ((b + a * \cos(dx + c)) / \cos(dx + c))^{1/2} * \cos(dx + c)^4 * (1 / \cos(dx + c))^{7/2} / \sin(dx + c) / (b + a * \cos(dx + c))
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/sec(dx+c)^(7/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx + c)^2 + B*sec(dx + c) + A)*(b*sec(dx + c) + a)^(3/2)/sec(dx + c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Cb \sec(dx+c)^3 + (Ca+Bb) \sec(dx+c)^2 + Aa + (Ba+Ab) \sec(dx+c)) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(7/2), x)

$$3.1044 \quad \int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=455

$$\frac{2(a^2 - b^2) \sqrt{\sec(c+dx)} (a^2(39Ab + 63bC) + 75a^3B - 18ab^2B + 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{2 \sin(c+dx)}{315a^3d\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*(a^2 - b^2)*(8*A*b^3 + 75*a^3*B - 18*a*b^2*B + a^2*(39*A*b + 63*b*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(315*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(315*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b + 3*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*(3*A*b^2 + 72*a*b*B + 7*a^2*(7*A + 9*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d*Sec[c + d*x]^(3/2)) - (2*(4*A*b^3 - 75*a^3*B - 9*a*b^2*B - 2*a^2*b*(44*A + 63*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^2*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))
```

Rubi [A] time = 1.70909, antiderivative size = 455, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (7a^2(7A + 9C) + 72abB + 3Ab^2) \sqrt{a+b \sec(c+dx)}}{315ad \sec^2(c+dx)} - \frac{2 \sin(c+dx) (-2a^2b(44A + 63C) - 75a^3B - 9ab^2B)}{315a^2d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2), x]
```

```
[Out] (2*(a^2 - b^2)*(8*A*b^3 + 75*a^3*B - 18*a*b^2*B + a^2*(39*A*b + 63*b*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(315*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(315*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b + 3*a*B)*Sqrt[a +
```

$$b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]]/(21*d*\text{Sec}[c + d*x]^{(5/2)}) + (2*(3*A*b^2 + 72*a*b*B + 7*a^2*(7*A + 9*C))*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]]/(315*a*d*\text{Sec}[c + d*x]^{(3/2)}) - (2*(4*A*b^3 - 75*a^3*B - 9*a*b^2*B - 2*a^2*b*(44*A + 63*C))*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]]/(315*a^2*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*A*(a + b*\text{Sec}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x]]/(9*d*\text{Sec}[c + d*x]^{(7/2)})$$
Rule 4094

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)] * (\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)^n * (\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^m), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n) / (f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)} * (d*\text{Csc}[e + f*x])^{(n+1)} * \text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4104

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)] * (\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)^n * (\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^m), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)} * (d*\text{Csc}[e + f*x])^n) / (a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{(n+1)} * \text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4035

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_.) / (\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)])], x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]] / \text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B) / (a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]] / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3856

$$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]] / (\text{Sqrt}[d*\text{Csc}[e + f*x]] * \text{Sqrt}[b + a*\text{Sin}[e + f*x]]), \text{Int}[\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 2655

$$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]] / \text{Sqrt}[(a + b*\text{Sin}[c + d*x]) / (a + b)], \text{Int}[\text{Sqrt}[a / (a + b) + (b$$

```
*Sin[c + d*x]]/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*SIN[c + d*x])/(a + b)]/Sqrt[a + b*SIN[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \sec(c + dx)}}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2(Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(3Aa + 3Ab)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(3Aa + 3Ab)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(3Aa + 3Ab)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(3Aa + 3Ab)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(3Aa + 3Ab)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(3Aa + 3Ab)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(3Aa + 3Ab)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(a^2 - b^2)(8Ab^3 + 75a^3B - 18ab^2B + a^2(39Ab + 6))}{315a^3d\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 7.03093, size = 5997, normalized size = 13.18

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]
```

[Out] Result too large to show

Maple [B] time = 0.868, size = 6526, normalized size = 14.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(9/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Cb \sec(dx + c)^3 + (Ca + Bb) \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{9}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")`

[Out] `integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(9/2), x)

3.1045 $\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C)$

Optimal. Leaf size=550

$$\frac{\sqrt{\sec(c+dx)}(a^3(384A+133C)+472a^2bB+4ab^2(132A+89C)+128b^3B)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \dots}{192d\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((472*a^2*b*B + 128*b^3*B + 4*a*b^2*(132*A + 89*C) + a^3*(384*A + 133*C))*S
qrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqr
t[Sec[c + d*x]]/(192*d*Sqrt[a + b*Sec[c + d*x]]) + ((40*a^3*b*B + 160*a*b^
3*B - 5*a^4*C + 120*a^2*b^2*(2*A + C) + 16*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos
[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c +
d*x]]/(64*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((264*a^2*b*B + 128*b^3*B + 15*a
^3*C + 4*a*b^2*(108*A + 71*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a
+ b*Sec[c + d*x]]/(192*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c
+ d*x]]) + ((264*a^2*b*B + 128*b^3*B + 15*a^3*C + 4*a*b^2*(108*A + 71*C))*S
qrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b*d) + ((16*A
*b^2 + 24*a*b*B + 5*a^2*C + 12*b^2*C)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c +
d*x]]*Sin[c + d*x])/(32*d) + ((8*b*B + 5*a*C)*Sec[c + d*x]^(3/2)*(a + b*Se
c[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (C*Sec[c + d*x]^(3/2)*(a + b*Sec[c
+ d*x])^(5/2)*Sin[c + d*x])/(4*d)
```

Rubi [A] time = 2.1895, antiderivative size = 550, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx) \sec^2(c+dx) (5a^2C + 24abB + 16Ab^2 + 12b^2C) \sqrt{a+b \sec(c+dx)}}{32d} + \frac{\sin(c+dx) \sqrt{\sec(c+dx)} (264a^2bB + 15\dots)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*S
ec[c + d*x]^2), x]
```

```
[Out] ((472*a^2*b*B + 128*b^3*B + 4*a*b^2*(132*A + 89*C) + a^3*(384*A + 133*C))*S
qrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqr
t[Sec[c + d*x]]/(192*d*Sqrt[a + b*Sec[c + d*x]]) + ((40*a^3*b*B + 160*a*b^
3*B - 5*a^4*C + 120*a^2*b^2*(2*A + C) + 16*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos
```

$$\begin{aligned} & [c + d*x]/(a + b)*\text{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[\text{Sec}[c + \\ & d*x]]/(64*b*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - ((264*a^2*b*B + 128*b^3*B + 15*a \\ & ^3*C + 4*a*b^2*(108*A + 71*C))*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a \\ & + b*\text{Sec}[c + d*x]]/(192*b*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{Sqrt}[\text{Sec}[c \\ & + d*x]]) + ((264*a^2*b*B + 128*b^3*B + 15*a^3*C + 4*a*b^2*(108*A + 71*C))*\text{S} \\ & \text{qrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(192*b*d) + ((16*A \\ & *b^2 + 24*a*b*B + 5*a^2*C + 12*b^2*C)*\text{Sec}[c + d*x]^(3/2)*\text{Sqrt}[a + b*\text{Sec}[c + \\ & d*x]]*\text{Sin}[c + d*x])/(32*d) + ((8*b*B + 5*a*C)*\text{Sec}[c + d*x]^(3/2)*(a + b*\text{Se} \\ & c[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(24*d) + (C*\text{Sec}[c + d*x]^(3/2)*(a + b*\text{Sec}[c \\ & + d*x])^(5/2)*\text{Sin}[c + d*x])/(4*d) \end{aligned}$$

Rule 4096

$$\begin{aligned} & \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a \\ & _))^(m_), x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[\\ & e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b*\text{Csc}[e + f \\ & *x])^(m - 1)*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*(m + n + 1) + a*C*n + ((A*b + a*B) \\ & *(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) + a*C*m)*\text{Csc}[e \\ & + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - \\ & b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LeQ}[n, -1] \end{aligned}$$

Rule 4102

$$\begin{aligned} & \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a \\ & _))^(m_), x_Symbol] \text{ :> } -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m + 1) \\ & *(d*\text{Csc}[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \\ & \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^(n - 1)*\text{Simp}[a*C*(n - 1) + (A*b \\ & *(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\text{Csc}[e \\ & + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - \\ & b^2, 0] \&\& \text{GtQ}[n, 0] \end{aligned}$$

Rule 4108

$$\begin{aligned} & \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)]/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) \\ & + (a_.)]), x_Symbol] \text{ :> } \text{Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^(3/2)/\text{Sqrt}[a + b*\text{Cs} \\ & c[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])]/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a \\ & + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - \\ & b^2, 0] \end{aligned}$$

Rule 3859

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.)$$

) + (a_)] , x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]) , x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))^{5/2} (A+B\sec(c+dx)+C\sec^2(c+dx)) dx &= \frac{C\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2} \sin(c+dx)}{4d} \\
&= \frac{(8bB+5aC)\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2} \sin(c+dx)}{24d} \\
&= \frac{(16Ab^2+24abB+5a^2C+12b^2C)\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2} \sin(c+dx)}{32d} \\
&= \frac{(264a^2bB+128b^3B+15a^3C+4ab^2(108A+89C))\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2} \sin(c+dx)}{384d} \\
&= \frac{(264a^2bB+128b^3B+15a^3C+4ab^2(108A+89C))\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2} \sin(c+dx)}{384d} \\
&= \frac{(264a^2bB+128b^3B+15a^3C+4ab^2(108A+89C))\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2} \sin(c+dx)}{384d} \\
&= \frac{(264a^2bB+128b^3B+15a^3C+4ab^2(108A+89C))\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2} \sin(c+dx)}{384d} \\
&= \frac{(40a^3bB+160ab^3B-5a^4C+120a^2b^2(27A+29C))\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2} \sin(c+dx)}{384d} \\
&= \frac{(472a^2bB+128b^3B+4ab^2(132A+89C))\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2} \sin(c+dx)}{384d}
\end{aligned}$$

Mathematica [C] time = 7.21986, size = 925, normalized size = 1.68

$$\frac{(a+b\sec(c+dx))^{5/2} (C\sec^2(c+dx)+B\sec(c+dx)+A) \left(\frac{1}{12} (8B\sin(c+dx)b^2+17aC\sin(c+dx)b) \sec^3(c+dx) + \frac{1}{2} b^2 \right)}{384d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2),x]
```

```
[Out] -((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(-
768*a^3*A*b - 192*a*A*b^3 - 416*a^2*b^2*B - 236*a^3*b*C - 144*a*b^3*C)*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[
b + a*Cos[c + d*x]] + (2*(-1008*a^2*A*b^2 - 384*A*b^4 + 24*a^3*b*B - 832*a*
b^3*B + 45*a^4*C - 436*a^2*b^2*C - 288*b^4*C)*Sqrt[(b + a*Cos[c + d*x])/(a
+ b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] +
((2*I)*(432*a^2*A*b^2 + 264*a^3*b*B + 128*a*b^3*B + 15*a^4*C + 284*a^2*b^2
*C)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*C
os[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b
+ a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a
- b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 -
a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a +
b))))*Sin[c + d*x])/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a
^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*
(b + a*Cos[c + d*x])^2)))/(384*b*d*(b + a*Cos[c + d*x])^(5/2)*(A + 2*C + 2
*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + ((a + b*Sec[c +
d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((Sec[c + d*x]^3*(8*b^
2*B*Sin[c + d*x] + 17*a*b*C*Sin[c + d*x]))/12 + (Sec[c + d*x]^2*(48*A*b^2*S
in[c + d*x] + 104*a*b*B*Sin[c + d*x] + 59*a^2*C*Sin[c + d*x] + 36*b^2*C*Sin
[c + d*x]))/48 + (Sec[c + d*x]*(432*a*A*b^2*Sin[c + d*x] + 264*a^2*b*B*Sin[
c + d*x] + 128*b^3*B*Sin[c + d*x] + 15*a^3*C*Sin[c + d*x] + 284*a*b^2*C*Sin
[c + d*x]))/(96*b) + (b^2*C*Sec[c + d*x]^3*Tan[c + d*x])/2))/(d*(b + a*Cos[
c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(
9/2))
```

Maple [C] time = 0.816, size = 7346, normalized size = 13.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)
,x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2),x, algorithm="giac")
```



```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c)), x)
```

$$3.1046 \quad \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=453

$$\frac{\sqrt{\sec(c+dx)} (a^2 b(96A+59C) + 48a^3 B + 66ab^2 B + 8b^3(3A+2C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{\sin(c+dx)}{24d\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((48*a^3*B + 66*a*b^2*B + 8*b^3*(3*A + 2*C) + a^2*b*(96*A + 59*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(24*d*Sqrt[a + b*Sec[c + d*x]]) + ((30*a^2*b*B + 8*b^3*B + 5*a^3*C + 20*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(8*d*Sqrt[a + b*Sec[c + d*x]]) - ((54*a*b*B - a^2*(48*A - 33*C) + 8*b^2*(3*A + 2*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((24*A*b^2 + 42*a*b*B + 15*a^2*C + 16*b^2*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + ((6*b*B + 5*a*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (C*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.68136, antiderivative size = 453, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}(15a^2C + 42abB + 24Ab^2 + 16b^2C)\sqrt{a+b \sec(c+dx)}}{24d} + \frac{\sqrt{\sec(c+dx)}(a^2b(96A+59C) + 48a^3B + 66ab^2B + 8b^3(3A+2C))}{24d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] ((48*a^3*B + 66*a*b^2*B + 8*b^3*(3*A + 2*C) + a^2*b*(96*A + 59*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(24*d*Sqrt[a + b*Sec[c + d*x]]) + ((30*a^2*b*B + 8*b^3*B + 5*a^3*C + 20*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(8*d*Sqrt[a + b*Sec[c + d*x]]) - ((54*a*b*B - a^2*(48*A - 33*C) + 8*b^2*(3*A + 2*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((24*A*b^2 + 42*a*b*B + 15*a^2*C + 16*b^2*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + ((6*b*B + 5*a*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (C*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)
```

)/(a + b)]*Sqrt[Sec[c + d*x]]) + ((24*A*b^2 + 42*a*b*B + 15*a^2*C + 16*b^2*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + ((6*b*B + 5*a*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d) + (C*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^3/2/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{C \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{5/2} \sin(c + dx)}{3d} + \frac{(6bB + 5aC) \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2} \sin(c + dx)}{12d} \\
&= \frac{(24Ab^2 + 42abB + 15a^2C + 16b^2C) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{24d} \\
&= \frac{(24Ab^2 + 42abB + 15a^2C + 16b^2C) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{24d} \\
&= \frac{(24Ab^2 + 42abB + 15a^2C + 16b^2C) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{24d} \\
&= \frac{(24Ab^2 + 42abB + 15a^2C + 16b^2C) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{24d} \\
&= \frac{(24Ab^2 + 42abB + 15a^2C + 16b^2C) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{24d} \\
&= \frac{(30a^2bB + 8b^3B + 5a^3C + 20ab^2(2A + C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{8d \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(48a^3B + 66ab^2B + 8b^3(3A + 2C) + a^2b(96A + 59C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{24d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 7.30106, size = 817, normalized size = 1.8

$$(C \sec^2(c + dx) + B \sec(c + dx) + A) \left(\frac{2(96Ba^3 + 288Aba^2 + 52bCa^2 + 24b^2Ba) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{\sqrt{b+a \cos(c+dx)}} + \frac{2(48Aa^3 - 3Ca^3 + 126bBa^2 + 8b^3(3A + 2C) + a^2b(96A + 59C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{24d \sqrt{a + b \sec(c + dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Sec[c + d*x]],x]

[Out] ((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(28*8*a^2*A*b + 96*a^3*B + 24*a*b^2*B + 52*a^2*b*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(48*a^3*A + 216*a*A*b^2 + 126*a^2*b*B + 48*b^3*B - 3*a^3*C + 104*a*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(48*a^3*A - 24*a*A*b^2 - 54*a^2*b*B - 33*a^3*C - 16*a*b^2*C)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)))*Sin[c + d*x])/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2))))/(48*d*(b + a*Cos[c + d*x])^(5/2)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2)) + ((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((Sec[c + d*x]^2*(6*b^2*B*Sin[c + d*x] + 13*a*b*C*Sin[c + d*x]))/6 + (Sec[c + d*x]*(24*A*b^2*Sin[c + d*x] + 54*a*b*B*Sin[c + d*x] + 33*a^2*C*Sin[c + d*x] + 16*b^2*C*Sin[c + d*x]))/12 + (2*b^2*C*Sec[c + d*x]^2*Tan[c + d*x])/3))/(d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2))

Maple [C] time = 0.672, size = 6194, normalized size = 13.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)
```


$$3.1047 \quad \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=427

$$\frac{\sqrt{\sec(c+dx)} (8a^3(A+3C) + 48a^2bB + ab^2(16A+33C) + 12b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + (24a^2B + ab(56A - 27C)) \sqrt{\sec(c+dx)}}{12d\sqrt{a+b \sec(c+dx)}}$$

[Out] ((48*a^2*b*B + 12*b^3*B + 8*a^3*(A + 3*C) + a*b^2*(16*A + 33*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(12*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(8*A*b^2 + 20*a*b*B + 15*a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a + b*Sec[c + d*x]]) + ((24*a^2*B - 12*b^2*B + a*b*(56*A - 27*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(12*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (b*(8*a*A - 12*b*B - 21*a*C))*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(12*d) - (b*(4*A - 3*C))*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x]/(6*d) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 1.66229, antiderivative size = 427, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4094, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sqrt{\sec(c+dx)} (8a^3(A+3C) + 48a^2bB + ab^2(16A+33C) + 12b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) + (24a^2B + ab(56A - 27C)) \sqrt{\sec(c+dx)}}{12d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2),x]

[Out] ((48*a^2*b*B + 12*b^3*B + 8*a^3*(A + 3*C) + a*b^2*(16*A + 33*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(12*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(8*A*b^2 + 20*a*b*B + 15*a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a + b*Sec[c + d*x]]) + ((24*a^2*B - 12*b^2*B + a*b*(56*A - 27*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(12*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (b*(8*a*A - 12*b*B - 21*a*C))*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(12*d) - (b*(4*A - 3*C))*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x]/(6*d) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

```
*B - 12*b^2*B + a*b*(56*A - 27*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(12*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (b*(8*a*A - 12*b*B - 21*a*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d) - (b*(4*A - 3*C)*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{b(4A - 3C)\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{6d} \\
&= -\frac{b(8aA - 12bB - 21aC)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)}}{12d} \\
&= -\frac{b(8aA - 12bB - 21aC)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)}}{12d} \\
&= -\frac{b(8aA - 12bB - 21aC)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)}}{12d} \\
&= -\frac{b(8aA - 12bB - 21aC)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)}}{12d} \\
&= \frac{b(8Ab^2 + 20abB + 15a^2C + 4b^2C)\sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{4d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{(48a^2bB + 12b^3B + 8a^3(A + 3C) + ab^2(16A + 33C))\sqrt{a + b \sec(c + dx)}}{12d\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 7.05312, size = 766, normalized size = 1.79

$$\frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{4}{3} a^2 A \sin(c + dx) + \frac{1}{2} \sec(c + dx) (9abC \sin(c + dx) + 4b^2B) \right)}{d \sec^{\frac{9}{2}}(c + dx) (a \cos(c + dx) + b)^2 (A \cos(2c + 2dx) + A + 2B \cos(c + dx) + 2C \sec(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(3/2), x]

[Out] ((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*((2*(16*a^3*A + 144*a*A*b^2 + 144*a^2*b*B + 48*a^3*C + 12*a*b^2*C)*Sqrt[(b + a*Cos

$$\begin{aligned}
& [c + d*x]/(a + b)] * \text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)] / \text{Sqrt}[b + a*\text{Cos}[c \\
& + d*x]] + (2*(56*a^2*A*b + 48*A*b^3 + 24*a^3*B + 108*a*b^2*B + 63*a^2*b*C \\
& + 24*b^3*C) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)] * \text{EllipticPi}[2, (c + d*x)/2, (\\
& 2*a)/(a + b)] / \text{Sqrt}[b + a*\text{Cos}[c + d*x]] + ((2*I)*(56*a^2*A*b + 24*a^3*B - 1 \\
& 2*a*b^2*B - 27*a^2*b*C) * \text{Sqrt}[(a - a*\text{Cos}[c + d*x])/(a + b)] * \text{Sqrt}[(a + a*\text{Cos}[\\
& c + d*x])/(a - b)] * \text{Cos}[2*(c + d*x)] * (-2*b*(a + b) * \text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[\\
& (a - b)^{-1}] * \text{Sqrt}[b + a*\text{Cos}[c + d*x]]], (-a + b)/(a + b)] + a*(2*b * \text{Ellipti \\
& cF}[I*\text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}] * \text{Sqrt}[b + a*\text{Cos}[c + d*x]]], (-a + b)/(a + b) \\
&] + a * \text{EllipticPi}[1 - a/b, I*\text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}] * \text{Sqrt}[b + a*\text{Cos}[c + d \\
& *x]]], (-a + b)/(a + b))) * \text{Sin}[c + d*x]) / (\text{Sqrt}[(a - b)^{-1}] * b * \text{Sqrt}[1 - \text{Cos} \\
& [c + d*x]^2] * \text{Sqrt}[(a^2 - a^2*\text{Cos}[c + d*x]^2)/a^2] * (-a^2 + 2*b^2 - 4*b*(b + \\
& a*\text{Cos}[c + d*x]) + 2*(b + a*\text{Cos}[c + d*x])^2))) / (24*d*(b + a*\text{Cos}[c + d*x])^(\\
& 5/2)*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sec}[c + d*x]^(9/2)) \\
& + ((a + b*\text{Sec}[c + d*x])^(5/2)*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((4*a \\
& ^2*A*\text{Sin}[c + d*x])/3 + (\text{Sec}[c + d*x]*(4*b^2*B*\text{Sin}[c + d*x] + 9*a*b*C*\text{Sin}[c \\
& + d*x]))/2 + b^2*C*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])) / (d*(b + a*\text{Cos}[c + d*x])^2*(A \\
& + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sec}[c + d*x]^(9/2))
\end{aligned}$$

Maple [C] time = 0.642, size = 5629, normalized size = 13.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab))}{\sec(dx+c)^{\frac{3}{2}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}}}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(3/2), x)

$$3.1048 \quad \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=419

$$\frac{\sqrt{\sec(c+dx)} (4a^2b(4A+15C) + 10a^3B + 20ab^2B - b^3(16A-15C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) (6a^2(3A + 5C) + \dots)}{15d\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((10*a^3*B + 20*a*b^2*B - b^3*(16*A - 15*C) + 4*a^2*b*(4*A + 15*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(15*d*Sqrt[a + b*Sec[c + d*x]]) + (b^2*(2*b*B + 5*a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + ((70*a*b*B + b^2*(46*A - 15*C) + 6*a^2*(3*A + 5*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (b*(16*A*b + 10*a*B - 15*b*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(A*b + a*B)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))
```

Rubi [A] time = 1.64518, antiderivative size = 419, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4094, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sqrt{\sec(c+dx)} (4a^2b(4A+15C) + 10a^3B + 20ab^2B - b^3(16A-15C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) (6a^2(3A + 5C) + \dots)}{15d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2), x]
```

```
[Out] ((10*a^3*B + 20*a*b^2*B - b^3*(16*A - 15*C) + 4*a^2*b*(4*A + 15*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(15*d*Sqrt[a + b*Sec[c + d*x]]) + (b^2*(2*b*B + 5*a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + ((70*a*b*B + b^2*(46*A - 15*C) + 6*a^2*(3*A + 5*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (b*(16*A*b + 10*a*B - 15*b*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(A*b + a*B)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))
```


$$+ 6a^2(3A + 5C) \operatorname{EllipticE}\left[\frac{c + dx}{2}, \frac{(2a)/(a + b) \sqrt{a + b \sec[c + dx]}}{(15d \sqrt{(b + a \cos[c + dx])/(a + b)} \sqrt{\sec[c + dx]})} - (b + (16Ab + 10aB - 15bC) \sqrt{\sec[c + dx]} \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (15d) + (2(Ab + aB)(a + b \sec[c + dx])^{3/2} \sin[c + dx]) / (3d \sqrt{\sec[c + dx]}) + (2A(a + b \sec[c + dx])^{5/2} \sin[c + dx]) / (5d \sec[c + dx]^{3/2})\right]$$
Rule 4094

$$\operatorname{Int}\left[\left((A_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] \right) (B_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^{2(C_{\cdot})} \right) \left(\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] (d_{\cdot}) \right)^{n} \left(\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] (b_{\cdot}) + (a_{\cdot}) \right)^{m}, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}\left[\frac{A \cot[e + fx] (a + b \csc[e + fx])^m (d \csc[e + fx])^n}{(f \cdot n)}, x\right] - \operatorname{Dist}\left[\frac{1}{(d \cdot n)}, \operatorname{Int}\left[(a + b \csc[e + fx])^{m-1} (d \csc[e + fx])^{n+1} \operatorname{Simp}\left[A b^m - a B^n - (b B^n + a(C \cdot n + A(n+1))) \csc[e + fx] - b(C \cdot n + A(m+n+1)) \csc[e + fx]^2, x\right], x\right], x\right] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{LeQ}[n, -1]$$
Rule 4096

$$\operatorname{Int}\left[\left((A_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] \right) (B_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^{2(C_{\cdot})} \right) \left(\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] (d_{\cdot}) \right)^{n} \left(\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] (b_{\cdot}) + (a_{\cdot}) \right)^{m}, x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}\left[\frac{C \cot[e + fx] (a + b \csc[e + fx])^m (d \csc[e + fx])^n}{(f \cdot (m + n + 1))}, x\right] + \operatorname{Dist}\left[\frac{1}{(m + n + 1)}, \operatorname{Int}\left[(a + b \csc[e + fx])^{m-1} (d \csc[e + fx])^n \operatorname{Simp}\left[a A(m + n + 1) + a C \cdot n + ((A b + a B) \cdot (m + n + 1) + b C \cdot (m + n)) \csc[e + fx] + (b B \cdot (m + n + 1) + a C \cdot m) \csc[e + fx]^2, x\right], x\right], x\right] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{!LeQ}[n, -1]$$
Rule 4108

$$\operatorname{Int}\left[\left((A_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] \right) (B_{\cdot}) + \csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]^{2(C_{\cdot})} \right) / \left(\sqrt{\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] (d_{\cdot})} \sqrt{\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] (b_{\cdot}) + (a_{\cdot})} \right), x_{\text{Symbol}}] \rightarrow \operatorname{Dist}\left[\frac{C}{d^2}, \operatorname{Int}\left[\frac{(d \csc[e + fx])^{3/2}}{\sqrt{a + b \csc[e + fx]}}, x\right], x\right] + \operatorname{Int}\left[\frac{A + B \csc[e + fx]}{\sqrt{d \csc[e + fx]} \sqrt{a + b \csc[e + fx]}}, x\right] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$
Rule 3859

$$\operatorname{Int}\left[\frac{\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] (d_{\cdot})^{3/2}}{\sqrt{\csc[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})] (b_{\cdot}) + (a_{\cdot})}}, x_{\text{Symbol}}] \rightarrow \operatorname{Dist}\left[\frac{d \sqrt{d \csc[e + fx]} \sqrt{b + a \sin[e + fx]}}{\sqrt{a + b \csc[e + fx]}}, \operatorname{Int}\left[\frac{1}{(\sin[e + fx] \sqrt{b + a \sin[e + fx]})}, x\right], x\right] /; \operatorname{FreeQ}\{a, b, d, e, f\}, x\} \&\& \operatorname{NeQ}[a^2 - b^2, 0]$$

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)
]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2(Ab + aB)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{b(16Ab + 10aB - 15bC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{15d} \\
&= -\frac{b(16Ab + 10aB - 15bC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{15d} \\
&= -\frac{b(16Ab + 10aB - 15bC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{15d} \\
&= -\frac{b(16Ab + 10aB - 15bC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{15d} \\
&= \frac{b^2(2bB + 5aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(10a^3B + 20ab^2B - b^3(16A - 15C) + 4a^2b(4A + 15C)) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{15d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 7.05177, size = 755, normalized size = 1.8

$$\frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{2}{5} a^2 A \sin(2(c + dx)) + \frac{4}{15} a(5aB + 11Ab) \sin(c + dx) + 2b^2 C \cos(c + dx) \right)}{d \sec^{\frac{9}{2}}(c + dx) (a \cos(c + dx) + b)^2 (A \cos(2c + 2dx) + A + 2B \cos(c + dx) + 2C)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(5/2),x]
```

```
[Out] ((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(68
*a^2*A*b + 60*A*b^3 + 20*a^3*B + 180*a*b^2*B + 180*a^2*b*C)*Sqrt[(b + a*Cos
[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c
+ d*x]] + (2*(18*a^3*A + 46*a*A*b^2 + 70*a^2*b*B + 60*b^3*B + 30*a^3*C + 1
35*a*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (
2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(18*a^3*A + 46*a*A*b^2 + 7
0*a^2*b*B + 30*a^3*C - 15*a*b^2*C)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[
(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*Ar
cSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(
2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a +
b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b +
a*Cos[c + d*x]]], (-a + b)/(a + b))))*Sin[c + d*x])/(Sqrt[(a - b)^(-1)]*b*S
qrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2
- 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2))))/(30*d*(b + a*Cos[
c + d*x])^(5/2)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d
*x]^(9/2)) + ((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d
*x]^2)*((4*a*(11*A*b + 5*a*B)*Sin[c + d*x])/15 + (2*a^2*A*Sin[2*(c + d*x)])/
5 + 2*b^2*C*Tan[c + d*x]))/(d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c +
d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(9/2))
```

Maple [C] time = 0.646, size = 5634, normalized size = 13.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x)
```

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c))}{\sec(dx+c)^{\frac{5}{2}}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}}}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)
)/sec(d*x + c)^(5/2), x)
```

$$3.1049 \quad \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=441

$$\frac{2\sqrt{\sec(c+dx)}(10a^2b^2(A-7C) - 5a^4(5A+7C) - 56a^3bB + 56ab^3B + 15Ab^4) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{105ad\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (-2*(15*A*b^4 - 56*a^3*b*B + 56*a*b^3*B + 10*a^2*b^2*(A - 7*C) - 5*a^4*(5*A + 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(105*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*b^3*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*(15*A*b^3 + 63*a^3*B + 161*a*b^2*B + 5*a^2*b*(29*A + 49*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(105*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(15*A*b^2 + 56*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*(5*A*b + 7*a*B)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))
```

Rubi [A] time = 1.67083, antiderivative size = 441, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4094, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (5a^2(5A+7C) + 56abB + 15Ab^2) \sqrt{a+b \sec(c+dx)}}{105d\sqrt{\sec(c+dx)}} - \frac{2\sqrt{\sec(c+dx)}(10a^2b^2(A-7C) - 5a^4(5A+7C) - 56a^3bB + 56ab^3B + 15Ab^4)}{105ad\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (-2*(15*A*b^4 - 56*a^3*b*B + 56*a*b^3*B + 10*a^2*b^2*(A - 7*C) - 5*a^4*(5*A + 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(105*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*b^3*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*(15*A*b^3 + 63*a^3*B + 161*a*b^2*B + 5*a^2*b*(29*A + 49*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(105*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(15*A*b^2 + 56*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*(5*A*b + 7*a*B)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))
```


]*Sqrt[a + b*Sec[c + d*x]]/(105*a*d*Sqrt[(b + a*cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(15*A*b^2 + 56*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*(5*A*b + 7*a*B)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^3/2/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2(5Ab + 7aB)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + b \sec(c + dx))^{1/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2(15Ab^2 + 56abB + 5a^2(5A + 7C)) \sqrt{a + b \sec(c + dx)}}{105d \sqrt{\sec(c + dx)}} \\
 &= \frac{2(15Ab^2 + 56abB + 5a^2(5A + 7C)) \sqrt{a + b \sec(c + dx)}}{105d \sqrt{\sec(c + dx)}} \\
 &= \frac{2(15Ab^2 + 56abB + 5a^2(5A + 7C)) \sqrt{a + b \sec(c + dx)}}{105d \sqrt{\sec(c + dx)}} \\
 &= \frac{2(15Ab^2 + 56abB + 5a^2(5A + 7C)) \sqrt{a + b \sec(c + dx)}}{105d \sqrt{\sec(c + dx)}} \\
 &= \frac{2(15Ab^2 + 56abB + 5a^2(5A + 7C)) \sqrt{a + b \sec(c + dx)}}{105d \sqrt{\sec(c + dx)}} \\
 &= \frac{2b^3 C \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2(15Ab^4 - 56a^3bB + 56ab^3B + 10a^2b^2(A - 7C) - \dots)}{105ad \sqrt{\sec(c + dx)}}
 \end{aligned}$$

Mathematica [F] time = 51.1526, size = 0, normalized size = 0.

$$\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]
```

```
[Out] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(7/2), x]
```

Maple [C] time = 0.731, size = 5602, normalized size = 12.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2), x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2), x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2), x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(7/2), x)

$$3.1050 \quad \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=452

$$\frac{2(a^2 - b^2) \sqrt{\sec(c+dx)} (-6a^2b(19A + 28C) - 75a^3B - 45ab^2B + 10Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + 2 \dots}{315a^2d\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (-2*(a^2 - b^2)*(10*A*b^3 - 75*a^3*B - 45*a*b^2*B - 6*a^2*b*(19*A + 28*C))*
Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[
Sec[c + d*x]]/(315*a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(10*A*b^4 - 435
*a^3*b*B - 45*a*b^3*B - 21*a^4*(7*A + 9*C) - 3*a^2*b^2*(93*A + 161*C))*Elli
pticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(315*a^2*d*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(15*A*b^2 + 90*a*b*B
+ 7*a^2*(7*A + 9*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sec[c
+ d*x]^(3/2)) + (2*(5*A*b^3 + 75*a^3*B + 135*a*b^2*B + a^2*b*(163*A + 231*C
))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d*Sqrt[Sec[c + d*x]]) + (2
*(5*A*b + 9*a*B)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(63*d*Sec[c + d*x
]^(5/2)) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(
7/2))
```

Rubi [A] time = 1.74587, antiderivative size = 452, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (7a^2(7A+9C) + 90abB + 15Ab^2) \sqrt{a+b \sec(c+dx)}}{315d \sec^{\frac{3}{2}}(c+dx)} + \frac{2 \sin(c+dx) (a^2b(163A+231C) + 75a^3B + 135ab^2)}{315ad \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Se
c[c + d*x]^(9/2), x]
```

```
[Out] (-2*(a^2 - b^2)*(10*A*b^3 - 75*a^3*B - 45*a*b^2*B - 6*a^2*b*(19*A + 28*C))*
Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[
Sec[c + d*x]]/(315*a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(10*A*b^4 - 435
*a^3*b*B - 45*a*b^3*B - 21*a^4*(7*A + 9*C) - 3*a^2*b^2*(93*A + 161*C))*Elli
pticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(315*a^2*d*Sqrt
```

$$\begin{aligned} & [(b + a\cos[c + dx])/(a + b)]\sqrt{\sec[c + dx]} + (2(15Ab^2 + 90abB \\ & + 7a^2(7A + 9C))\sqrt{a + b\sec[c + dx]}\sin[c + dx])/(315d\sec[c \\ & + dx]^{3/2}) + (2(5A^3b^3 + 75a^3B + 135ab^2B + a^2b(163A + 231C \\ &))\sqrt{a + b\sec[c + dx]}\sin[c + dx])/(315ad\sqrt{\sec[c + dx]}) + (2 \\ & *(5Ab + 9aB)(a + b\sec[c + dx])^{3/2}\sin[c + dx])/(63d\sec[c + dx] \\ &]^{5/2}) + (2A(a + b\sec[c + dx])^{5/2}\sin[c + dx])/(9d\sec[c + dx]^{7/2}) \end{aligned}$$
Rule 4094

$$\begin{aligned} & \text{Int}[(A_.) + \csc[e_.) + (f_.)*(x_)]*(B_.) + \csc[e_.) + (f_.)*(x_)]^2*(C_ \\ &)*(\csc[e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*(\csc[e_.) + (f_.)*(x_)]*(b_.) + (a \\ & _.)^{(m_)}, x_Symbol] \text{ :> } \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e \\ & + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{C} \\ & \text{sc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc} \\ & [e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, \\ & b, d, e, f, A, B, C\}, x \ \&\& \text{NeQ}[a^2 - b^2, 0] \ \&\& \text{GtQ}[m, 0] \ \&\& \text{LeQ}[n, -1] \end{aligned}$$
Rule 4104

$$\begin{aligned} & \text{Int}[(A_.) + \csc[e_.) + (f_.)*(x_)]*(B_.) + \csc[e_.) + (f_.)*(x_)]^2*(C_ \\ &)*(\csc[e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*(\csc[e_.) + (f_.)*(x_)]*(b_.) + (a \\ & _.)^{(m_)}, x_Symbol] \text{ :> } \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d \\ & *\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m \\ & *(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{C} \\ & \text{sc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, \\ & e, f, A, B, C, m\}, x \ \&\& \text{NeQ}[a^2 - b^2, 0] \ \&\& \text{LeQ}[n, -1] \end{aligned}$$
Rule 4035

$$\begin{aligned} & \text{Int}[(\csc[e_.) + (f_.)*(x_)]*(B_.) + (A_.)]/(\sqrt{\csc[e_.) + (f_.)*(x_)]*(d \\ & _.)}\sqrt{\csc[e_.) + (f_.)*(x_)]*(b_.) + (a_.)}), x_Symbol] \text{ :> } \text{Dist}[A/a, \text{In} \\ & \text{t}[\sqrt{a + b*\text{Csc}[e + f*x]}/\sqrt{d*\text{Csc}[e + f*x]}, x], x] - \text{Dist}[(A*b - a*B)/ \\ & (a*d), \text{Int}[\sqrt{d*\text{Csc}[e + f*x]}/\sqrt{a + b*\text{Csc}[e + f*x]}, x], x] /; \text{FreeQ}\{ \\ & a, b, d, e, f, A, B\}, x \ \&\& \text{NeQ}[A*b - a*B, 0] \ \&\& \text{NeQ}[a^2 - b^2, 0] \end{aligned}$$
Rule 3856

$$\begin{aligned} & \text{Int}[\sqrt{\csc[e_.) + (f_.)*(x_)]*(b_.) + (a_.)}/\sqrt{\csc[e_.) + (f_.)*(x_)] \\ & *(d_.)}), x_Symbol] \text{ :> } \text{Dist}[\sqrt{a + b*\text{Csc}[e + f*x]}/(\sqrt{d*\text{Csc}[e + f*x]}\sqrt{ \\ & \text{qrt}[b + a*\text{Sin}[e + f*x]}]), \text{Int}[\sqrt{b + a*\text{Sin}[e + f*x]}, x], x] /; \text{FreeQ}\{a, \\ & b, d, e, f\}, x \ \&\& \text{NeQ}[a^2 - b^2, 0] \end{aligned}$$
Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^{5/2}}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2(5Ab + 9aB)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + b \sec(c + dx))^{5/2}}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2(15Ab^2 + 90abB + 7a^2(7A + 9C)) \sqrt{a + b \sec(c + dx)}}{315d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(15Ab^2 + 90abB + 7a^2(7A + 9C)) \sqrt{a + b \sec(c + dx)}}{315d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(15Ab^2 + 90abB + 7a^2(7A + 9C)) \sqrt{a + b \sec(c + dx)}}{315d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(15Ab^2 + 90abB + 7a^2(7A + 9C)) \sqrt{a + b \sec(c + dx)}}{315d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(15Ab^2 + 90abB + 7a^2(7A + 9C)) \sqrt{a + b \sec(c + dx)}}{315d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(15Ab^2 + 90abB + 7a^2(7A + 9C)) \sqrt{a + b \sec(c + dx)}}{315d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2(a^2 - b^2)(10Ab^3 - 75a^3B - 45ab^2B - 6a^2b(19A + 2))}{315a^2d\sqrt{a}}
\end{aligned}$$

Mathematica [C] time = 7.03576, size = 6410, normalized size = 14.18

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(9/2),x]
```

[Out] Result too large to show

Maple [B] time = 0.892, size = 6758, normalized size = 15.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c))}{\sec(dx+c)^{\frac{9}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}}}{\sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(9/2), x)

$$3.1051 \quad \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=565

$$\frac{2(a^2 - b^2) \sqrt{\sec(c+dx)} (15a^2b^2(19A + 33C) + 75a^4(9A + 11C) + 1254a^3bB - 110ab^3B + 40Ab^4) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}[\dots]}{3465a^3d\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*(a^2 - b^2)*(40*A*b^4 + 1254*a^3*b*B - 110*a*b^3*B + 75*a^4*(9*A + 11*C)
+ 15*a^2*b^2*(19*A + 33*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(
c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3465*a^3*d*Sqrt[a + b*Sec[c
+ d*x]]) + (2*(40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B + 15*a
^2*b^3*(17*A + 33*C) + 15*a^4*b*(247*A + 319*C))*EllipticE[(c + d*x)/2, (2*
a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3465*a^3*d*Sqrt[(b + a*Cos[c + d*x])
/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(5*A*b^2 + 44*a*b*B + 3*a^2*(9*A + 11*C)
)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(231*d*Sec[c + d*x]^(5/2)) + (2*(1
5*A*b^3 + 539*a^3*B + 825*a*b^2*B + 5*a^2*b*(229*A + 297*C))*Sqrt[a + b*Sec
[c + d*x]]*Sin[c + d*x])/(3465*a*d*Sec[c + d*x]^(3/2)) - (2*(20*A*b^4 - 179
3*a^3*b*B - 55*a*b^3*B - 75*a^4*(9*A + 11*C) - 5*a^2*b^2*(205*A + 297*C))*S
qrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a^2*d*Sqrt[Sec[c + d*x]]) + (2*
(5*A*b + 11*a*B)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(99*d*Sec[c + d*x]
^(7/2)) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]
^(9/2))
```

Rubi [A] time = 2.29866, antiderivative size = 565, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (5a^2b(229A + 297C) + 539a^3B + 825ab^2B + 15Ab^3) \sqrt{a+b \sec(c+dx)}}{3465ad \sec^{\frac{3}{2}}(c+dx)} + \frac{2 \sin(c+dx) (3a^2(9A + 11C) + \dots)}{231d \sec^{\frac{11}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Se
c[c + d*x]^(11/2), x]
```

```
[Out] (2*(a^2 - b^2)*(40*A*b^4 + 1254*a^3*b*B - 110*a*b^3*B + 75*a^4*(9*A + 11*C)
+ 15*a^2*b^2*(19*A + 33*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(
```

$$\begin{aligned} & c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3465*a^3*d*Sqrt[a + b*Sec[c \\ & + d*x]]) + (2*(40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B + 15*a \\ & ^2*b^3*(17*A + 33*C) + 15*a^4*b*(247*A + 319*C))*EllipticE[(c + d*x)/2, (2* \\ & a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3465*a^3*d*Sqrt[(b + a*Cos[c + d*x]) \\ & / (a + b)]*Sqrt[Sec[c + d*x]]) + (2*(5*A*b^2 + 44*a*b*B + 3*a^2*(9*A + 11*C) \\ &)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(231*d*Sec[c + d*x]^(5/2)) + (2*(1 \\ & 5*A*b^3 + 539*a^3*B + 825*a*b^2*B + 5*a^2*b*(229*A + 297*C))*Sqrt[a + b*Sec \\ & [c + d*x]]*Sin[c + d*x])/(3465*a*d*Sec[c + d*x]^(3/2)) - (2*(20*A*b^4 - 179 \\ & 3*a^3*b*B - 55*a*b^3*B - 75*a^4*(9*A + 11*C) - 5*a^2*b^2*(205*A + 297*C))*S \\ & qrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a^2*d*Sqrt[Sec[c + d*x]]) + (2* \\ & (5*A*b + 11*a*B)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(99*d*Sec[c + d*x] \\ &]^(7/2)) + (2*A*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(11*d*Sec[c + d*x] \\ & ^{(9/2)}) \end{aligned}$$

Rule 4094

$$\begin{aligned} & \text{Int}[\{(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)\}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a \\ & _))^{(m_.)}, x_Symbol] \text{ :> } \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e \\ & + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{C} \\ & \text{sc}[e + f*x])^{(n + 1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*\text{Csc} \\ & [e + f*x] - b*(C*n + A*(m + n + 1))*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, \\ & b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1] \end{aligned}$$

Rule 4104

$$\begin{aligned} & \text{Int}[\{(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)\}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a \\ & _))^{(m_.)}, x_Symbol] \text{ :> } \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d \\ & *\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m* \\ & (d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{C} \\ & \text{sc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, \\ & e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1] \end{aligned}$$

Rule 4035

$$\begin{aligned} & \text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[\text{csc}[(e_.) + (f_.)*(x_.)]*(d \\ & _.)]*Sqrt[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] \text{ :> } \text{Dist}[A/a, \text{In} \\ & \text{t}[Sqrt[a + b*\text{Csc}[e + f*x]]/Sqrt[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/ \\ & (a*d), \text{Int}[Sqrt[d*\text{Csc}[e + f*x]]/Sqrt[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{ \\ & a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \end{aligned}$$

Rule 3856

$$\text{Int}[Sqrt[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[\text{csc}[(e_.) + (f_.)*(x_.)]]$$

```
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx &= \frac{2A(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{11d \sec^{9/2}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx \\
&= \frac{2(5Ab + 11aB)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{99d \sec^{7/2}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx \\
&= \frac{2(5Ab^2 + 44abB + 3a^2(9A + 11C)) \sqrt{a + b \sec(c + dx)}}{231d \sec^{5/2}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx \\
&= \frac{2(5Ab^2 + 44abB + 3a^2(9A + 11C)) \sqrt{a + b \sec(c + dx)}}{231d \sec^{5/2}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx \\
&= \frac{2(5Ab^2 + 44abB + 3a^2(9A + 11C)) \sqrt{a + b \sec(c + dx)}}{231d \sec^{5/2}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx \\
&= \frac{2(5Ab^2 + 44abB + 3a^2(9A + 11C)) \sqrt{a + b \sec(c + dx)}}{231d \sec^{5/2}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx \\
&= \frac{2(5Ab^2 + 44abB + 3a^2(9A + 11C)) \sqrt{a + b \sec(c + dx)}}{231d \sec^{5/2}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx \\
&= \frac{2(a^2 - b^2)(40Ab^4 + 1254a^3bB - 110ab^3B + 75a^4(9A + 11C))}{231d \sec^{5/2}(c + dx)} + \frac{2}{11} \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sec^{11/2}(c + dx)} dx
\end{aligned}$$

Mathematica [C] time = 7.3617, size = 7479, normalized size = 13.24

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sec[c + d*x]^(11/2), x]
```

[Out] Result too large to show

Maple [B] time = 1.17, size = 7971, normalized size = 14.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c))}{\sec(dx+c)^{\frac{11}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="fricas")`

[Out] `integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))`


```
*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(11/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)^(11/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(11/2), x)
```

$$3.1052 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=350

$$\frac{(4bB - aC)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4bd\sqrt{a+b \sec(c+dx)}} + \frac{\sqrt{\sec(c+dx)}(3a^2C - 4abB + 8Ab^2 + 4b^2C)\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{4b^2d\sqrt{a+b \sec(c+dx)}}$$

[Out] ((4*b*B - a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(4*b*d*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^2 - 4*a*b*B + 3*a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(4*b^2*d*Sqrt[a + b*Sec[c + d*x]]) - ((4*b*B - 3*a*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((4*b*B - 3*a*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*d) + (C*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*b*d)

Rubi [A] time = 1.14485, antiderivative size = 350, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sqrt{\sec(c+dx)}(3a^2C - 4abB + 8Ab^2 + 4b^2C)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4b^2d\sqrt{a+b \sec(c+dx)}} + \frac{(4bB - 3aC) \sin(c+dx)\sqrt{\sec(c+dx)}}{4b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] ((4*b*B - a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(4*b*d*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^2 - 4*a*b*B + 3*a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(4*b^2*d*Sqrt[a + b*Sec[c + d*x]]) - ((4*b*B - 3*a*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((4*b*B - 3*a*C)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*d) + (C*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*b*d)

$\ln[c + dx]/(2bd)$

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
```

pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \frac{C \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd} + \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{(4bB - 3aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2d} + \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{(4bB - 3aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2d} + \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{(4bB - 3aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2d} + \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{(4bB - 3aC) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2d} + \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{(8Ab^2 - 4abB + 3a^2C + 4b^2C) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx)\right)}{4b^2d \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(4bB - aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{4bd \sqrt{a + b \sec(c + dx)}} + \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx
 \end{aligned}$$

Mathematica [C] time = 4.966, size = 503, normalized size = 1.44

$$(A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{2i(3aC - 4bB) \csc(c + dx) \sqrt{-\frac{a(\cos(c + dx) - 1)}{a + b}} \sqrt{\frac{a(\cos(c + dx) + 1)}{a - b}} \sqrt{a \cos(c + dx) + b}}{a} \left(2b \operatorname{EllipticF}\left(i \sinh^{-1}\left(\sqrt{\frac{1}{a - b}}\right)\right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

```
[Out] ((A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((8*a*C*Sqrt[(b + a*Cos[c + d*x])/
(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/b + (2*(16*A*b^2 - 12*a*b*B
+ 9*a^2*C + 8*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/a + b])*EllipticPi[2, (c +
d*x)/2, (2*a)/(a + b)]/b^2 + ((2*I)*(-4*b*B + 3*a*C)*Sqrt[-((a*(-1 + Cos[
c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Sqrt[b + a*Cos[c
+ d*x]]*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*S
qrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sq
rt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticP
i[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)
/(a + b)))))/(a*Sqrt[(a - b)^(-1)]*b^3 - (4*a*(-4*b*B + 3*a*C)*Sin[c + d*x
])/b^2 + (8*a*C*Tan[c + d*x])/b + (4*(4*b*B - 3*a*C)*Tan[c + d*x])/b + 8*C*
Sec[c + d*x]*Tan[c + d*x]))/(8*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c +
d*x)])*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]])
```

Maple [C] time = 0.462, size = 3178, normalized size = 9.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2)
,x)
```

```
[Out] 1/4/d/b^2/((a-b)/(a+b))^(1/2)*(4*B*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a
-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b+8*B*cos(d*
x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(
1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b)
, I/((a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b+3*C*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*
x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+
c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b-2*C
*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c
)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)
)/(a-b))^(1/2))*sin(d*x+c)*a*b+4*B*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a
-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b+8*B*cos(d*
x+c)^2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(
1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b)
, I/((a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b+3*C*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*
x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+
c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b-2*C
*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c
```

$$\begin{aligned}
&)+1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (-a+b) \\
&)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) * a * b + 3 * C * ((a-b)/(a+b))^{\frac{1}{2}} * \cos(dx+c)^3 * a^2 - 4 * B \\
& * ((a-b)/(a+b))^{\frac{1}{2}} * \cos(dx+c)^2 * b^2 - 3 * C * ((a-b)/(a+b))^{\frac{1}{2}} * \cos(dx+c)^2 * \\
& a^2 + 4 * B * ((a-b)/(a+b))^{\frac{1}{2}} * \cos(dx+c) * b^2 - 2 * C * ((a-b)/(a+b))^{\frac{1}{2}} * \cos(dx+ \\
& c)^2 * b^2 - 8 * B * \sin(dx+c) * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + \\
& 1))^{\frac{1}{2}} * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (-a+b)/(a-b))^{\frac{1}{2}}) * a * b - 8 * B * \sin(dx+c) * \cos(dx+c)^3 * (1/(\\
& a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{Elliptic} \\
& \text{F}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (-a+b)/(a-b))^{\frac{1}{2}}) * a * \\
& b + 8 * A * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(\\
& dx+c) + 1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (\\
& -a+b)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) * b^2 - 16 * A * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx \\
& +c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticPi}((-1+\cos(dx+x \\
& c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{\frac{1}{2}}) * \sin(d \\
& *x+c) * b^2 - 4 * B * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * \\
& (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(\\
& dx+c), (-a+b)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) * b^2 - 3 * C * \cos(dx+c)^2 * (1/(a+b) * (b+a * \\
& \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticE}((-1+co \\
& s(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (-a+b)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) * a \\
& ^2 + 6 * C * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos \\
& (dx+c) + 1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), \\
& (-a+b)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) * a^2 + 4 * C * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx \\
& +c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c) \\
&)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (-a+b)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) * b^2 - 6 * C * \\
& \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(dx+c) \\
& + 1))^{\frac{1}{2}} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (a+b)/ \\
& (a-b), I / ((a-b)/(a+b))^{\frac{1}{2}}) * \sin(dx+c) * a^2 - 8 * C * \cos(dx+c)^2 * (1/(a+b) * (b+a * \\
& \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticPi}((-1+c \\
& os(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{\frac{1}{2}}) \\
&) * \sin(dx+c) * b^2 + 2 * C * ((a-b)/(a+b))^{\frac{1}{2}} * b^2 + 8 * A * \cos(dx+c)^3 * (1/(a+b) * (b+a \\
& * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticF}((-1+c \\
& os(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (-a+b)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) * \\
& b^2 - 16 * A * \cos(dx+c)^3 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(c \\
& os(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+x \\
& c), (a+b)/(a-b), I / ((a-b)/(a+b))^{\frac{1}{2}}) * \sin(dx+c) * b^2 - 4 * B * \cos(dx+c)^3 * (1/(a \\
& +b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{Elliptic} \\
& \text{E}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (-a+b)/(a-b))^{\frac{1}{2}}) * \sin \\
& (dx+c) * b^2 - 3 * C * \cos(dx+c)^3 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} \\
&) * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / si \\
& n(dx+c), (-a+b)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) * a^2 + 6 * C * \cos(dx+c)^3 * (1/(a+b) * (b+ \\
& a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(\cos(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticF}((-1+ \\
& cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c), (-a+b)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) \\
& * a^2 + 4 * C * \cos(dx+c)^3 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c) + 1))^{\frac{1}{2}} * (1/(c \\
& os(dx+c) + 1))^{\frac{1}{2}} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{\frac{1}{2}} / \sin(dx+c) \\
&), (-a+b)/(a-b))^{\frac{1}{2}}) * \sin(dx+c) * b^2 - 6 * C * \cos(dx+c)^3 * (1/(a+b) * (b+a * \cos(d
\end{aligned}$$

$$\begin{aligned} & *x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d* \\ & x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\sin \\ & (d*x+c)*a^2-8*C*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\ &)*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/s \\ & \text{in}(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*b^2-4*B*((a-b)/(a+b) \\ &))^{(1/2)}*\cos(d*x+c)^3*a*b-2*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*a*b+4*B*((a-b) \\ &)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a*b+3*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a*b-C \\ & *((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a*b*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(1 \\ & /(\cos(d*x+c))^{(3/2)}/\sin(d*x+c)/(b+a*\cos(d*x+c)) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**1/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)^{\frac{3}{2}}}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(b*sec(d*x + c) + a), x)
```

$$3.1053 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=260

$$\frac{(2A+C)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}} + \frac{(2bB-aC)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{bd\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((2*A + C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(b*d*Sqrt[a + b*Sec[c + d*x]]) - (C*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (C*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b*d)
```

Rubi [A] time = 0.839786, antiderivative size = 260, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2A+C)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}} + \frac{(2bB-aC)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{bd\sqrt{a+b \sec(c+dx)}} + \frac{C \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{bd}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]
```

```
[Out] ((2*A + C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(b*d*Sqrt[a + b*Sec[c + d*x]]) - (C*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (C*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b*d)
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
```

```

_)^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4108

```

Int[((A_) + csc[(e_) + (f_)*(x_)])*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_
))/(Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]*Sqrt[csc[(e_) + (f_)*(x_)]*(b_
+ (a_))], x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]

```

Rule 3859

```

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(3/2)/Sqrt[csc[(e_) + (f_)*(x_)]*(b_
+ (a_))], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2807

```

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

```

Rule 2805

```

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 4035

```

Int[(csc[(e_) + (f_)*(x_)]*(B_) + (A_))/(Sqrt[csc[(e_) + (f_)*(x_)]*(d
_)]*Sqrt[csc[(e_) + (f_)*(x_)]*(b_ + (a_))], x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{

```

a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :=> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \frac{C\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{bd} + \frac{\int \frac{-\frac{aC}{2}+Ab\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{\sqrt{a+b\sec(c+dx)}} \\
&= \frac{C\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{bd} + \frac{\int \frac{-\frac{aC}{2}+Ab\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{\sqrt{a+b\sec(c+dx)}} \\
&= \frac{C\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{bd} - \frac{C\int \frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx}{2} \\
&= \frac{C\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{bd} + \frac{((2A+C)\int \frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx)}{2} \\
&= \frac{(2bB-aC)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{bd\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(2A+C)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{d\sqrt{a+b\sec(c+dx)}} + \dots
\end{aligned}$$

Mathematica [C] time = 6.48538, size = 427, normalized size = 1.64

$$\frac{(A+B\sec(c+dx)+C\sec^2(c+dx))\left(8Ab\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx),\frac{2a}{a+b}\right)-\frac{2iC\csc(c+dx)\sqrt{-\frac{a(\cos(c+dx)-1)}{a+b}}\sqrt{\frac{a(\cos(c+dx)+b)}{a-b}}}{\sqrt{a+b\sec(c+dx)}}\right)}{\sqrt{a+b\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] ((A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(8*A*b*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + 2*(4*b*B - 3*a*C)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)] - ((2*I)*C*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Sqrt[b + a*Cos[c + d*x]]*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b

$$\frac{1}{(a+b)} + a \operatorname{EllipticPi}\left[1 - \frac{a}{b}, I \operatorname{ArcSinh}\left[\sqrt{(a-b)^{-1}} \sqrt{b + a \cos[c + dx]}\right], \left(-\frac{a+b}{a+b}\right)\right] \Big/ \left(a \sqrt{(a-b)^{-1}} b + 4C(b + a \cos[c + dx]) \operatorname{Tan}[c + dx] \right) \Big/ \left(2b d (A + 2C + 2B \cos[c + dx] + A \cos[2(c + dx)]) \operatorname{Sec}[c + dx]^{3/2} \sqrt{a + b \operatorname{Sec}[c + dx]} \right)$$

Maple [C] time = 0.389, size = 1638, normalized size = 6.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x)`

[Out]
$$\begin{aligned} & -1/d/b/\left(\frac{a-b}{a+b}\right)^{1/2} * (2A \cos(d*x+c)^2 \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * b - 2B \cos(d*x+c)^2 \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * b + 4B \cos(d*x+c)^2 \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * b + 2C * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * \cos(d*x+c)^2 * a - 2C \cos(d*x+c)^2 \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * a - C \cos(d*x+c)^2 \sin(d*x+c) * \operatorname{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * a + C \cos(d*x+c)^2 \sin(d*x+c) * \operatorname{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * b + 2A \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * b - 2B \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * b + 4B \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \operatorname{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * b + 2C * \operatorname{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * a - 2C \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a \end{aligned}$$

$$\begin{aligned} & \cos(dx+c)/(\cos(dx+c)+1)^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) \\ &)*a-C*\cos(dx+c)*\sin(dx+c)*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *(1/(\cos(dx+c)+1))^{1/2}*a+C*\cos(dx+c)*\sin(dx+c)*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *(1/(\cos(dx+c)+1))^{1/2}*b+C*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a-C*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a+C*\cos(dx+c)*((a-b)/(a+b))^{1/2}*b-C*((a-b)/(a+b))^{1/2}*b)*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2} \\ & *(1/\cos(dx+c))^{1/2}/\sin(dx+c)/(b+a*\cos(dx+c)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\sec(dx+c)}}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*sec(dx+c)^(1/2)/(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*sqrt(sec(dx+c))/sqrt(b*sec(dx+c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*sec(dx+c)^(1/2)/(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**1/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)
```


$$3.1054 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=219

$$\frac{2(Ab - aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{ad\sqrt{a+b \sec(c+dx)}} + \frac{2A\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2C\sqrt{\sec(c+dx)}}{d}$$

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*A*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]))

Rubi [A] time = 0.618127, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.244$, Rules used = {4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(Ab - aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{a+b \sec(c+dx)}} + \frac{2A\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2C\sqrt{\sec(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*A*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]))

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/ (Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs

$c[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{3/2}/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2807

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 4035

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), \text{Int}[\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx &= C \int \frac{\sec^3(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx + \int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{A \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx}{a} - \frac{(Ab - aB) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx}{a} + \frac{(C\sqrt{b + a \cos(c + dx)})}{\sqrt{a}} \\
&= -\frac{((Ab - aB)\sqrt{b + a \cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{b + a \cos(c + dx)}} dx}{a\sqrt{a + b \sec(c + dx)}} + \frac{(C\sqrt{\frac{b + a \cos(c + dx)}{a + b}})}{a\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2C\sqrt{\frac{b + a \cos(c + dx)}{a + b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{d\sqrt{a + b \sec(c + dx)}} - \frac{((Ab - aB)\sqrt{\frac{b + a \cos(c + dx)}{a + b}})}{a\sqrt{a + b \sec(c + dx)}} \\
&= -\frac{2(Ab - aB)\sqrt{\frac{b + a \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{ad\sqrt{a + b \sec(c + dx)}} + \frac{2C\sqrt{\frac{b + a \cos(c + dx)}{a + b}}}{a\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 16.5248, size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]), x]

Maple [C] time = 0.431, size = 1358, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2), x)

```
[Out] -2/d/((a-b)/(a+b))^(1/2)/a*(-A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*a+A*cos(d*x+c)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a-A*cos(d*x+c)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*b+B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*a-C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*a+2*C*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*a-A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*b*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*C*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2))*a-A*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a+A*cos(d*x+c)*((a-b)/(a+b))^(1/2))*b-A*b*((a-b)/(a+b))^(1/2))*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(b+a*cos(d*x+c))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{\sqrt{b \sec(dx+c) + a} \sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b \sec(dx + c)^2 + a \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b*sec(d*x + c)^2 + a*sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)
*sqrt(sec(d*x + c))), x)
```

$$3.1055 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx) \sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=216

$$\frac{2\sqrt{\sec(c+dx)}(a^2(A+3C)-3abB+2Ab^2)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^2d\sqrt{a+b \sec(c+dx)}} - \frac{2(2Ab-3aB)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{3a^2d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (2*(2*A*b^2 - 3*a*b*B + a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b - 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.52101, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2\sqrt{\sec(c+dx)}(a^2(A+3C)-3abB+2Ab^2)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3a^2d\sqrt{a+b \sec(c+dx)}} - \frac{2(2Ab-3aB)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{3a^2d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] (2*(2*A*b^2 - 3*a*b*B + a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b - 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]])

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

$_))^{(m_)} , x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 4035

$\text{Int}[(\text{csc}[(e_)] + (f_)*(x_)]*(B_)) + (A_)]/(\text{Sqrt}[\text{csc}[(e_)] + (f_)*(x_)]*(d_)]*\text{Sqrt}[\text{csc}[(e_)] + (f_)*(x_)]*(b_)) + (a_)] , x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\text{Sqrt}[\text{csc}[(e_)] + (f_)*(x_)]*(b_)) + (a_)]/\text{Sqrt}[\text{csc}[(e_)] + (f_)*(x_)]*(d_)] , x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), \text{Int}[\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_)) + (b_)*\text{sin}[(c_)] + (d_)*(x_)] , x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_)) + (b_)*\text{sin}[(c_)] + (d_)*(x_)] , x_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 3858

$\text{Int}[\text{Sqrt}[\text{csc}[(e_)] + (f_)*(x_)]*(d_)]/\text{Sqrt}[\text{csc}[(e_)] + (f_)*(x_)]*(b_)) + (a_)] , x_Symbol] \rightarrow \text{Dist}[(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_)) + (b_)*\text{sin}[(c_)] + (d_)*(x_)] , x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)]/\text{Sqrt}[a + b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[a/(a + b)$

+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(2Ab - 3aB) - \frac{1}{2}a(A + 3C) \sec(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx}{3a} \\
 &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(2Ab - 3aB) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx}{3a^2} + \frac{1}{3} \left(A \right. \\
 &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} + \frac{\left(\left(A + \frac{b(2Ab - 3aB)}{a^2} + 3C \right) \sqrt{b + a \cos(c + dx)} \right)}{3 \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} + \frac{\left(\left(A + \frac{b(2Ab - 3aB)}{a^2} + 3C \right) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \right)}{3 \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2 \left(A + \frac{b(2Ab - 3aB)}{a^2} + 3C \right) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} F \left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b} \right) \sqrt{\sec(c + dx)}}{3d \sqrt{a + b \sec(c + dx)}} - \frac{2(2Ab - 3aB)}{3a^2} \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx
 \end{aligned}$$

Mathematica [C] time = 6.5376, size = 1959, normalized size = 9.07

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/((Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] ((b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(-2*A*b + 3*a*B)*Cot[c])/(3*a^2*d) + (4*A*Cos[d*x]*Sin[c])/(3*a*d) + (4*A*Cos[c]*Sin[d*x])/(3*a*d)))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c

$$\begin{aligned}
& + d*x]^{(3/2)}*Sqrt[a + b*Sec[c + d*x]]) - (4*A*AppellF1[1/2, 1/2, 1/2, 3/2, \\
& (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]))/(a*Sqr \\
& t[1 + Cot[c]^2]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2))), (Csc[c]*(b - a*Sq \\
& rt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]))/(a*Sqrt[1 + Cot[c]^2]*(\\
& -1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2)))))*Sqrt[b + a*Cos[c + d*x]]*Csc[c]*(\\
& A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[(a*Sq \\
& rt[1 + Cot[c]^2] - a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[\\
& 1 + Cot[c]^2] - b*Csc[c])]*Sqrt[(a*Sqrt[1 + Cot[c]^2] + a*Sqrt[1 + Cot[c]^2 \\
&]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2] + b*Csc[c])]*Sqrt[b - a* \\
& Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]])/(3*a*d*(A + 2*C + 2*B \\
& *Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*Sec[c + d*x]^{(3/2)}*S \\
& qrt[a + b*Sec[c + d*x]]) - (4*C*AppellF1[1/2, 1/2, 1/2, 3/2, (Csc[c]*(b - a \\
& *Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]))/(a*Sqrt[1 + Cot[c]^2 \\
&]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2))), (Csc[c]*(b - a*Sqrt[1 + Cot[c]^ \\
& 2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]))/(a*Sqrt[1 + Cot[c]^2]*(-1 + (b*Csc[c] \\
&)/(a*Sqrt[1 + Cot[c]^2)))))*Sqrt[b + a*Cos[c + d*x]]*Csc[c]*(A + B*Sec[c + \\
& d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[(a*Sqrt[1 + Cot[c]^ \\
& 2] - a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2] \\
& - b*Csc[c])]*Sqrt[(a*Sqrt[1 + Cot[c]^2] + a*Sqrt[1 + Cot[c]^2]*Sin[d*x - Ar \\
& cTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2] + b*Csc[c])]*Sqrt[b - a*Sqrt[1 + Cot[c] \\
&]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]])/(a*d*(A + 2*C + 2*B*Cos[c + d*x] + \\
& A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*Sec[c + d*x]^{(3/2)}*Sqrt[a + b*Sec[c \\
& + d*x]]) + (4*A*b*Sqrt[b + a*Cos[c + d*x]]*Csc[c]*(A + B*Sec[c + d*x] + C*S \\
& ec[c + d*x]^2)*((AppellF1[-1/2, -1/2, -1/2, 1/2, -((Sec[c]*(b + a*Cos[c]*Co \\
& s[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2)))/(a*Sqrt[1 + Tan[c]^2]*(1 - (b* \\
& Sec[c])/(a*Sqrt[1 + Tan[c]^2))))), -((Sec[c]*(b + a*Cos[c]*Cos[d*x + ArcTan \\
& [Tan[c]]]*Sqrt[1 + Tan[c]^2)))/(a*Sqrt[1 + Tan[c]^2]*(-1 - (b*Sec[c])/(a*Sq \\
& rt[1 + Tan[c]^2)))))*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 + Tan[c]^2] \\
& *Sqrt[(a*Sqrt[1 + Tan[c]^2] - a*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2 \\
&])/(b*Sec[c] + a*Sqrt[1 + Tan[c]^2]))*Sqrt[(a*Sqrt[1 + Tan[c]^2] + a*Cos[d* \\
& x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(-(b*Sec[c]) + a*Sqrt[1 + Tan[c]^2 \\
&])*Sqrt[b + a*Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])) - ((Sin \\
& [d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*a*Cos[c]*(b + a*Cos[\\
& c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(a^2*Cos[c]^2 + a^2*Sin[c \\
&]^2))/Sqrt[b + a*Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(3* \\
& a*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^{(3/2)}*Sq \\
& rt[a + b*Sec[c + d*x]]) - (2*B*Sqrt[b + a*Cos[c + d*x]]*Csc[c]*(A + B*Sec[c \\
& + d*x] + C*Sec[c + d*x]^2)*((AppellF1[-1/2, -1/2, -1/2, 1/2, -((Sec[c]*(b \\
& + a*Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2)))/(a*Sqrt[1 + Tan[c] \\
&]^2]*(1 - (b*Sec[c])/(a*Sqrt[1 + Tan[c]^2))))), -((Sec[c]*(b + a*Cos[c]*Cos \\
& [d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2)))/(a*Sqrt[1 + Tan[c]^2]*(-1 - (b* \\
& Sec[c])/(a*Sqrt[1 + Tan[c]^2)))))*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[\\
& 1 + Tan[c]^2]*Sqrt[(a*Sqrt[1 + Tan[c]^2] - a*Cos[d*x + ArcTan[Tan[c]]]*Sqrt \\
& [1 + Tan[c]^2])/ (b*Sec[c] + a*Sqrt[1 + Tan[c]^2]))*Sqrt[(a*Sqrt[1 + Tan[c]^ \\
& 2] + a*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(-(b*Sec[c]) + a*Sqrt[
\end{aligned}$$

$$\begin{aligned} & (1 + \tan[c]^2)) * \text{Sqrt}[b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \text{Sqrt}[1 + \tan[c]^2]] - ((\sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / \text{Sqrt}[1 + \tan[c]^2] + (2 * a * \cos[c] * (b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \text{Sqrt}[1 + \tan[c]^2])) / (a^2 * \cos[c]^2 + a^2 * \sin[c]^2)) / \text{Sqrt}[b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \text{Sqrt}[1 + \tan[c]^2]]) / (d * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x]) * \text{Sec}[c + d*x]^{3/2} * \text{Sqrt}[a + b * \text{Sec}[c + d*x]]) \end{aligned}$$

Maple [B] time = 0.406, size = 1931, normalized size = 8.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{3/2}/(a+b*\sec(d*x+c))^{1/2},x)$

[Out]
$$\begin{aligned} & -2/3/d/a^2/((a-b)/(a+b))^{1/2} * (2 * A * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * b^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) + 2 * A * \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2}) * \text{EllipticF}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a * b + A * \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^2 + 2 * A * \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * b^2 - 3 * B * \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^2 + 3 * B * \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^2 + 2 * A * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a * b * \sin(d*x+c) - 2 * A * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a * b * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) - 3 * B * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a * b * \sin(d*x+c) - A * ((a-b)/(a+b))^{1/2} * \cos(d*x+c)^2 * a * b + 2 * A * ((a-b)/(a+b))^{1/2} * \cos(d*x+c) * a * b + 3 * B * ((a-b)/(a+b))^{1/2} * \cos(d*x+c) * a * b - 2 * A * \cos(d*x+c) * \sin(d*x+c) * (\end{aligned}$$

```

1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*Ell
ipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))
*a*b-3*B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/
sin(d*x+c), (- (a+b)/(a-b))^(1/2))*a*b-3*B*EllipticF((-1+cos(d*x+c))*((a-b)/(
a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*a^2*(1/(a+b)*(b+a*cos(d*x+c))/
(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+3*B*EllipticE((-1
+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*a^2*(1/(a
+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x
+c)+3*C*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(
1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b
))^(1/2))*a^2*sin(d*x+c)+A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/si
n(d*x+c), (- (a+b)/(a-b))^(1/2))*a^2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*A*b^2*((a-b)/(a+b))^(1/2)+A*(
(a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a^2-A*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2-3*
B*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2+3*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a
^2-2*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)*b^2-A*a*b*((a-b)/(a+b))^(1/2)-3*B*((a
-b)/(a+b))^(1/2)*a*b*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^2*(1/c
os(d*x+c))^(3/2)/sin(d*x+c)/(b+a*cos(d*x+c))

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{\sqrt{b \sec(dx+c) + a} \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^(1/2),x, algorithm="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)
*sec(d*x + c)^(3/2)), x)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sqrt{\sec(dx+c)}}{b \sec(dx+c)^3 + a \sec(dx+c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*s
qrt(sec(d*x + c))/(b*sec(d*x + c)^3 + a*sec(d*x + c)^2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)} \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c)
)**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(sqrt(a + b*sec(c + d*x))
*sec(c + d*x)**(3/2)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)
*sec(d*x + c)^(3/2)), x)
```

$$3.1056 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \sec^2(c+dx) \sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=291

$$\frac{2\sqrt{\sec(c+dx)}(a^2b(7A+15C)-5a^3B-10ab^2B+8Ab^3)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15a^3d\sqrt{a+b \sec(c+dx)}} + \frac{2(3a^2(3A+5C))}{15a^3d}$$

[Out] $(-2*(8*A*b^3 - 5*a^3*B - 10*a*b^2*B + a^2*b*(7*A + 15*C))*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(8*A*b^2 - 10*a*b*B + 3*a^2*(3*A + 5*C))*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*A*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*a*d*\operatorname{Sec}[c + d*x]^(3/2)) - (2*(4*A*b - 5*a*B))*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a^2*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

Rubi [A] time = 0.817101, antiderivative size = 291, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2\sqrt{\sec(c+dx)}(a^2b(7A+15C)-5a^3B-10ab^2B+8Ab^3)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{15a^3d\sqrt{a+b \sec(c+dx)}} + \frac{2(3a^2(3A+5C)-10abB)}{15a^3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2)/(\operatorname{Sec}[c + d*x]^(5/2)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]), x]$

[Out] $(-2*(8*A*b^3 - 5*a^3*B - 10*a*b^2*B + a^2*b*(7*A + 15*C))*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(8*A*b^2 - 10*a*b*B + 3*a^2*(3*A + 5*C))*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*A*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*a*d*\operatorname{Sec}[c + d*x]^(3/2)) - (2*(4*A*b - 5*a*B))*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a^2*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663


```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^2(c + dx) \sqrt{a + b \sec(c + dx)}} dx &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2 \int \frac{\frac{1}{2}(4Ab - 5aB) - \frac{1}{2}a(3A + 5C) \sec(c + dx) - Ab \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx}{5a} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(4Ab - 5aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15a^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(4Ab - 5aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15a^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(4Ab - 5aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15a^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(4Ab - 5aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15a^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{2(8Ab^3 - 5a^3B - 10ab^2B + a^2b(7A + 15C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15a^3 d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.65816, size = 3039, normalized size = 10.44

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]),x]

[Out] ((b + a*cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(9*a^2*A + 8*A*b^2 - 10*a*b*B + 15*a^2*C)*Cot[c])/(15*a^3*d) + (4*(-4*A*b + 5*a*B)*Cos[d*x]*Sin[c])/(15*a^2*d) + (2*A*Cos[2*d*x]*Sin[2*c])/(5*a*d) + (4*(-4*A*b + 5*a*B)*Cos[c]*Sin[d*x])/(15*a^2*d) + (2*A*Cos[2*c]*Sin[2*d*x])/(5*a*d)))/((A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) - (8*A*b*AppellF1[1/2, 1/2, 1/2, 3/2, (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]))/(a*Sqrt[1 + Cot[c]^2]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2))]), (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]))/(a*Sqrt[1 + Cot[c]^2]*(-1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2))]))*Sqrt[b + a*cos[c + d*x]]*Csc[c]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[(a*Sqrt[1 + Cot[c]^2] - a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]]])/(a*Sqrt[1 + Cot[c]^2] - b*Csc[c])]*Sqrt[(a*Sqrt[1 + Cot[c]^2] + a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]])]/(a*Sqrt[1 + Cot[c]^2] + b*Csc[c])]*Sqrt[b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])/(15*a^2*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) - (4*B*AppellF1[1/2, 1/2, 1/2, 3/2, (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]))/(a*Sqrt[1 + Cot[c]^2]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2))]), (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]))/(a*Sqrt[1 + Cot[c]^2]*(-1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2))]))*Sqrt[b + a*cos[c + d*x]]*Csc[c]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[(a*Sqrt[1 + Cot[c]^2] - a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]])]/(a*Sqrt[1 + Cot[c]^2] - b*Csc[c])]*Sqrt[(a*Sqrt[1 + Cot[c]^2] + a*Sqrt[1 + Cot[c]^2]*Sin[d*x - ArcTan[Cot[c]])]/(a*Sqrt[1 + Cot[c]^2] + b*Csc[c])]*Sqrt[b - a*Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])/(3*a*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) - (6*A*Sqrt[b + a*cos[c + d*x]]*Csc[c]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((AppellF1[-1/2, -1/2, -1/2, 1/2, -(Sec[c]*(b + a*cos[c]*Cos[d*x + ArcTan[Tan[c]])]*Sqrt[1 + Tan[c]^2]))/(a*Sqrt[1 + Tan[c]^2]*(1 - (b*Sec[c])/(a*Sqrt[1 + Tan[c]^2))]), -(Sec[c]*(b + a*cos[c]*Cos[d*x + ArcTan[Tan[c]])]*Sqrt[1 + Tan[c]^2]))/(a*Sqrt[1 + Tan[c]^2]*(-1 - (b*Sec[c])/(a*Sqrt[1 + Tan[c]^2))]))*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 + Tan[c]^2]*Sqrt[(a*Sqrt[1 + Tan[c]^2] - a*cos[d*x + ArcTan[Tan[c]])]*Sqrt[1 + Tan[c]^2])/(b*Sec[c] + a*Sqrt[1 + Tan[c]^2])]*Sqrt[(a*Sqrt[1 + Tan[c]^2] + a*cos[d*x + ArcTan[Tan[c]])]*Sqrt[1 + Tan[c]^2])/(-(b*Sec[c]) + a*Sqrt[1 + Tan[c]^2])]*Sqrt[b + a*cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*a*cos[c]*(b + a*cos[c]*Cos[d*x + ArcTan[Tan[c]])]*Sqrt[1 + Tan[c]^2]))/(a^2*cos[c]^2 + a^2*sin[c]^2))/Sqrt[b + a*cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(5*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]])

$$\begin{aligned}
& c + d*x]] - (16*A*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] \\
& + C*\text{Sec}[c + d*x]^2)*(\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[\\
& c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(1 \\
& - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))]), -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + A \\
& \text{rcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/ \\
& (a*\text{Sqrt}[1 + \text{Tan}[c]^2)])))]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]/(\text{Sqrt}[1 + \text{Tan}[\\
& c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan} \\
& [c]^2)]/(b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c]^2]))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a*C \\
& \text{os}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)]/(-(b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \text{Tan}[\\
& c]^2))]*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]) - \\
& ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(b + a \\
& * \text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a^2*\text{Cos}[c]^2 + a^2* \\
& \text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]) \\
&)/(15*a^2*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sec}[c + d*x]^ \\
& (3/2)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (4*b*B*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Csc}[c]*(A \\
& + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*(\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\\
& \text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt} \\
& [1 + \text{Tan}[c]^2]*(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))]), -((\text{Sec}[c]*(b + a* \\
& \text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2] \\
& *(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)])))]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan} \\
& [c]/(\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan} \\
& [c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)]/(b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c]^2]))*\text{Sqrt}[(a*\text{Sqrt}[1 \\
& + \text{Tan}[c]^2] + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)]/(-(b*\text{Sec}[c]) \\
& + a*\text{Sqrt}[1 + \text{Tan}[c]^2))]*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[\\
& 1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan}[c]^2] + \\
& (2*a*\text{Cos}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a \\
& ^2*\text{Cos}[c]^2 + a^2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sq} \\
& \text{rt}[1 + \text{Tan}[c]^2]])/(3*a*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x] \\
&)*\text{Sec}[c + d*x]^(3/2)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*C*\text{Sqrt}[b + a*\text{Cos}[c + d* \\
& x]]*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*(\text{AppellF1}[-1/2, -1/2, - \\
& 1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c] \\
& ^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))]), -((\text{S} \\
& \text{ec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[\\
& 1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)])))]*\text{Sin}[d*x + \text{ArcTan} \\
& [\text{Tan}[c]]]*\text{Tan}[c]/(\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a*\text{Cos}[d*x \\
& + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)]/(b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c]^2]))*\text{S} \\
& \text{qrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)] \\
& /(-(b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \text{Tan}[c]^2))]*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{T} \\
& \text{an}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \\
& \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + T \\
& \text{an}[c]^2]))/(a^2*\text{Cos}[c]^2 + a^2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTa} \\
& \text{n}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c \\
& + 2*d*x])* \text{Sec}[c + d*x]^(3/2)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])
\end{aligned}$$

Maple [B] time = 0.532, size = 3439, normalized size = 11.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(5/2)}/(a+b*\sec(d*x+c))^{(1/2)},x)$

[Out]
$$\begin{aligned} & -2/15/d/a^3/((a-b)/(a+b))^{(1/2)}*(-8*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a*b^2+9*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-15*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^2*b*\sin(d*x+c)-9*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^3+9*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^3-8*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^3+5*B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^3-15*C*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^3+2*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-8*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-9*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+5*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*a^3-5*B*a^3*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)+3*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^4*a^3+6*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a^3+15*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a^3-9*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^3+8*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*b^3-15*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^3-8*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \end{aligned}$$

$$\begin{aligned}
& (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * b^3 * \sin(dx+c) - 9 * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 * b + 8 * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a * b^2 + 10 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 * b - 10 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 * b + 10 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a * b^2 - 15 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 * b + 2 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 * b - 9 * A * a^2 * b * ((a-b)/(a+b))^{1/2} + 4 * A * a * b^2 * ((a-b)/(a+b))^{1/2} - 5 * B * a^2 * b * ((a-b)/(a+b))^{1/2} + 10 * B * a * b^2 * ((a-b)/(a+b))^{1/2} - 15 * C * ((a-b)/(a+b))^{1/2} * a^2 * b + 5 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^3 * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 15 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^3 * \sin(dx+c) + 15 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^3 * \sin(dx+c) - 9 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^3 * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 8 * A * b^3 * ((a-b)/(a+b))^{1/2} - A * ((a-b)/(a+b))^{1/2} * \cos(dx+c)^3 * a^2 * b + 4 * A * ((a-b)/(a+b))^{1/2} * \cos(dx+c)^2 * a * b^2 - 5 * B * ((a-b)/(a+b))^{1/2} * \cos(dx+c)^2 * a^2 * b + 10 * A * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^2 * b - 8 * A * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a * b^2 + 10 * B * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^2 * b - 10 * B * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a * b^2 + 15 * C * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^2 * b + 8 * A * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a * b^2 * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 10 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^2 * b * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 10 * B * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^2 * b * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 10 * B * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a * b^2 * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * ((b+a * \cos(dx+c)) / \cos(dx+c))^{1/2} * \cos(dx+c)^3 * (1/\cos(dx+c))^{5/2}
\end{aligned}$$

$/2)/\sin(d*x+c)/(b+a*\cos(d*x+c))$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\sec(dx+c)}}{b \sec(dx+c)^4 + a \sec(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b*sec(d*x + c)^4 + a*sec(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a \sec(dx + c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))  
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)  
*sec(d*x + c)^(5/2)), x)
```

$$3.1057 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{7 \sec^2(c+dx)\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=380

$$\frac{2\sqrt{\sec(c+dx)}(2a^2b^2(16A+35C)+5a^4(5A+7C)-49a^3bB-56ab^3B+48Ab^4)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{105a^4d\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(48*A*b^4 - 49*a^3*b*B - 56*a*b^3*B + 5*a^4*(5*A + 7*C) + 2*a^2*b^2*(16*A + 35*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(105*a^4*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(48*A*b^3 - 63*a^3*B - 56*a*b^2*B + a^2*(44*A*b + 70*b*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(105*a^4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*a*d*Sec[c + d*x]^(5/2)) - (2*(6*A*b - 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*a^2*d*Sec[c + d*x]^(3/2)) + (2*(24*A*b^2 - 28*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a^3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 1.17775, antiderivative size = 380, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (5a^2(5A+7C) - 28abB + 24Ab^2) \sqrt{a+b \sec(c+dx)}}{105a^3d\sqrt{\sec(c+dx)}} + \frac{2\sqrt{\sec(c+dx)}(2a^2b^2(16A+35C)+5a^4(5A+7C))}{105a^4d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] (2*(48*A*b^4 - 49*a^3*b*B - 56*a*b^3*B + 5*a^4*(5*A + 7*C) + 2*a^2*b^2*(16*A + 35*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(105*a^4*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(48*A*b^3 - 63*a^3*B - 56*a*b^2*B + a^2*(44*A*b + 70*b*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(105*a^4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*a*d*Sec[c + d*x]^(5/2)) - (2*(6*A*b - 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*a^2*d*Sec[c + d*x]^(3/2)) + (2*(24*A*b^2 - 28*a*b*B +

$5a^2(5A + 7C)\sqrt{a + b\sec[c + dx]}\sin[c + dx]/(105a^3d\sqrt{\sec[c + dx]})$

Rule 4104

$\text{Int}[(A + \csc(e) + (f)(x))(B + \csc(e) + (f)(x))^2(C + \csc(e) + (f)(x))(d)^n \csc(e) + (a)^m, x_Symbol] \rightarrow \text{Simp}[(A \cot[e + fx](a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^n) / (a f n), x] + \text{Dist}[1 / (a d n), \text{Int}[(a + b \csc[e + fx])^m (d \csc[e + fx])^{n+1} \text{Simp}[a B n - A b (m + n + 1) + a(A + A n + C n) \csc[e + fx] + A b (m + n + 2) \csc[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 4035

$\text{Int}[(\csc(e) + (f)(x))(B + (A)) / (\sqrt{\csc(e) + (f)(x)}(d) \sqrt{\csc(e) + (f)(x)}(b) + (a))], x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\sqrt{a + b \csc[e + fx]} / \sqrt{d \csc[e + fx]}, x], x] - \text{Dist}[(A b - a B) / (a d), \text{Int}[\sqrt{d \csc[e + fx]} / \sqrt{a + b \csc[e + fx]}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A b - a B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\sqrt{\csc(e) + (f)(x)}(b) + (a)] / \sqrt{\csc(e) + (f)(x)}(d)], x_Symbol] \rightarrow \text{Dist}[\sqrt{a + b \csc[e + fx]} / (\sqrt{d \csc[e + fx]} \sqrt{b + a \sin[e + fx]}), \text{Int}[\sqrt{b + a \sin[e + fx]}, x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2655

$\text{Int}[\sqrt{(a) + (b) \sin[(c) + (d)(x)]}], x_Symbol] \rightarrow \text{Dist}[\sqrt{a + b \sin[c + dx]} / \sqrt{(a + b \sin[c + dx]) / (a + b)}, \text{Int}[\sqrt{a / (a + b) + (b \sin[c + dx]) / (a + b)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2653

$\text{Int}[\sqrt{(a) + (b) \sin[(c) + (d)(x)]}], x_Symbol] \rightarrow \text{Simp}[(2 \sqrt{a + b}) \text{EllipticE}[(1(c - \pi/2 + dx))/2, (2b)/(a + b)] / d, x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 3858

$\text{Int}[\sqrt{\csc(e) + (f)(x)}(d)] / \sqrt{\csc(e) + (f)(x)}(b) + (a)], x_Symbol] \rightarrow \text{Dist}[(\sqrt{d \csc[e + fx]} \sqrt{b + a \sin[e + fx]}) /$

$\text{Sqrt}[a + b\text{Csc}[e + f*x]]$, $\text{Int}[1/\text{Sqrt}[b + a*\text{Sin}[e + f*x]]$, $x]$, $x]$ /; $\text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\text{sin}[(c_) + (d_)*(x_)]]$, $x_Symbol]$ \rightarrow $\text{Dist}[\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)]/\text{Sqrt}[a + b*\text{Sin}[c + d*x]]$, $\text{Int}[1/\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)]$, $x]$, $x]$ /; $\text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\text{sin}[(c_) + (d_)*(x_)]]$, $x_Symbol]$ \rightarrow $\text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b])$, $x]$ /; $\text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2 \int \frac{\frac{1}{2}(6Ab - 7aB) - \frac{1}{2}a(5A + 7C) \sec(c + dx) - 2Ab \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx}{7a} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(6Ab - 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35a^2 d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(6Ab - 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35a^2 d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(6Ab - 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35a^2 d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(6Ab - 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35a^2 d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(6Ab - 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35a^2 d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(6Ab - 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35a^2 d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{2(6Ab - 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35a^2 d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(48Ab^4 - 49a^3bB - 56ab^3B + 5a^4(5A + 7C) + 2a^2b^2(16A + 35C)) \sqrt{a + b \sec(c + dx)}}{105a^4 d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.92929, size = 4470, normalized size = 11.76

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]),x]

[Out] ((b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(-44*a^2*A*b - 48*A*b^3 + 63*a^3*B + 56*a*b^2*B - 70*a^2*b*C)*Cot[c])/(105*a^4*d) + ((115*a^2*A + 96*A*b^2 - 112*a*b*B + 140*a^2*C)*Cos[d*x]*Sin[c])/(105*a^3*d) + (2*(-6*A*b + 7*a*B)*Cos[2*d*x]*Sin[2*c])/(35*a^2*d) + (A*Cos[3*d*x]*Sin[3*c])/(7*a*d) + ((115*a^2*A + 96*A*b^2 - 112*a*b*B + 140*a^2*C)*Cos[c]*Sin[d*x])/(105*a^3*d) + (2*(-6*A*b + 7*a*B)*Cos[2*c]*Sin[2*d*x])/(35*a^2*d) +

$$\begin{aligned}
& \text{Sec}[c + d*x]) + (88*A*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] \\
&] + C*\text{Sec}[c + d*x]^2)*(\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Co} \\
& \text{s}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(\\
& 1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))]), -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c] \\
&)/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))])*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]/(\text{Sqrt}[1 + \text{Tan} \\
& [c]^2)*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{T} \\
& \text{an}[c]^2)]/(b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c]^2))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a \\
& * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)]/(-(b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \text{Tan} \\
& [c]^2))*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]) \\
& - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(b + \\
& a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2)))/(a^2*\text{Cos}[c]^2 + a^ \\
& 2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2 \\
&]))/ (105*a*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sec}[c + d*x] \\
& ^{(3/2)}*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (32*A*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Csc}[c] \\
& *(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*(\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, \\
& -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)))/(a* \\
& \text{Sqrt}[1 + \text{Tan}[c]^2]*(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))]), -((\text{Sec}[c]*(b \\
& + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)))/(a*\text{Sqrt}[1 + \text{Tan}[c] \\
&]^2)*(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))])*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]* \\
& \text{Tan}[c]/(\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a*\text{Cos}[d*x + \text{ArcTan} \\
& [\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)]/(b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c]^2))*\text{Sqrt}[(a*\text{Sq} \\
& \text{rt}[1 + \text{Tan}[c]^2] + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)]/(-(b*\text{Sec} \\
& [c]) + a*\text{Sqrt}[1 + \text{Tan}[c]^2))*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{S} \\
& \text{qrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2 \\
&] + (2*a*\text{Cos}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2)) \\
&)/(a^2*\text{Cos}[c]^2 + a^2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]] \\
&]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/ (35*a^3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + \\
& 2*d*x])* \text{Sec}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (6*B*\text{Sqrt}[b + a*\text{Cos} \\
& [c + d*x]]*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*(\text{AppellF1}[-1/2, \\
& -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \\
& \text{Tan}[c]^2)))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))] \\
&), -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2)))/(\\
& a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))])*\text{Sin}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]/(\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a* \\
& \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2)]/(b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c] \\
& ^2))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan} \\
& [c]^2)]/(-(b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \text{Tan}[c]^2))*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + A \\
& \text{rcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{S} \\
& \text{qrt}[1 + \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqr} \\
& \text{t}[1 + \text{Tan}[c]^2)))/(a^2*\text{Cos}[c]^2 + a^2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x \\
& + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/ (5*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + \\
& A*\text{Cos}[2*c + 2*d*x])* \text{Sec}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (16*b^2* \\
& B*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)* \\
& (\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{T}
\end{aligned}$$

```

an[c]]*Sqrt[1 + Tan[c]^2]))/(a*Sqrt[1 + Tan[c]^2]*(1 - (b*Sec[c])/(a*Sqrt[
1 + Tan[c]^2))))), -((Sec[c]*(b + a*Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1
+ Tan[c]^2]))/(a*Sqrt[1 + Tan[c]^2]*(-1 - (b*Sec[c])/(a*Sqrt[1 + Tan[c]^2]
)))))*Sin[d*x + ArcTan[Tan[c]]*Tan[c]]/(Sqrt[1 + Tan[c]^2]*Sqrt[(a*Sqrt[1
+ Tan[c]^2] - a*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(b*Sec[c] + a
*Sqrt[1 + Tan[c]^2])]*Sqrt[(a*Sqrt[1 + Tan[c]^2] + a*Cos[d*x + ArcTan[Tan[c]
]])*Sqrt[1 + Tan[c]^2])]/(-(b*Sec[c]) + a*Sqrt[1 + Tan[c]^2])]*Sqrt[b + a*Co
s[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])) - ((Sin[d*x + ArcTan[Ta
n[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*a*Cos[c]*(b + a*Cos[c]*Cos[d*x + Arc
Tan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(a^2*Cos[c]^2 + a^2*Sin[c]^2))/Sqrt[b + a
*Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(15*a^2*d*(A + 2*C
+ 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[
c + d*x]]) + (4*b*C*Sqrt[b + a*Cos[c + d*x]]*Csc[c]*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2)*((AppellF1[-1/2, -1/2, -1/2, 1/2, -((Sec[c]*(b + a*Cos[c]*
Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(a*Sqrt[1 + Tan[c]^2]*(1 - (
b*Sec[c])/(a*Sqrt[1 + Tan[c]^2))))), -((Sec[c]*(b + a*Cos[c]*Cos[d*x + ArcT
an[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(a*Sqrt[1 + Tan[c]^2]*(-1 - (b*Sec[c])/(a*
Sqrt[1 + Tan[c]^2]))))*Sin[d*x + ArcTan[Tan[c]]*Tan[c]]/(Sqrt[1 + Tan[c]^
2]*Sqrt[(a*Sqrt[1 + Tan[c]^2] - a*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]
^2])/(b*Sec[c] + a*Sqrt[1 + Tan[c]^2])]*Sqrt[(a*Sqrt[1 + Tan[c]^2] + a*Cos[
d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])]/(-(b*Sec[c]) + a*Sqrt[1 + Tan[c]^
2])]*Sqrt[b + a*Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])) - ((S
in[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*a*Cos[c]*(b + a*Co
s[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(a^2*Cos[c]^2 + a^2*Sin
[c]^2))/Sqrt[b + a*Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(
3*a*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sec[c + d*x]^(3/2)*
Sqrt[a + b*Sec[c + d*x]])

```

Maple [B] time = 0.685, size = 4764, normalized size = 12.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+b*sec(d*x+c))^(1/2),x)
```

```
[Out] 2/105/d/a^4/((a-b)/(a+b))^(1/2)*(-48*A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*b^4*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-44*A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*c
```

$$\begin{aligned}
& \cos(dx+c) a^3 b + 25 A a^3 b \left(\frac{a-b}{a+b}\right)^{1/2} - 44 A a^2 b^2 \left(\frac{a-b}{a+b}\right)^{1/2} + 24 A a b^3 \left(\frac{a-b}{a+b}\right)^{1/2} + 63 B a^3 b \left(\frac{a-b}{a+b}\right)^{1/2} - 28 B a^2 \\
& b^2 \left(\frac{a-b}{a+b}\right)^{1/2} + 56 B a b^3 \left(\frac{a-b}{a+b}\right)^{1/2} + 35 C a^3 b \left(\frac{a-b}{a+b}\right)^{1/2} - 70 C a^2 b^2 \left(\frac{a-b}{a+b}\right)^{1/2} - 63 B \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{2}\right) \\
& \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2} a^4 \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) - 35 C \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{2}\right) \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2}\right) \\
& a^4 \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) - 25 A \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{2}\right) \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2}\right) \\
& a^4 \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) + 3 A \cos(dx+c)^4 \left(\frac{a-b}{a+b}\right)^{1/2} a^3 b - 6 A \cos(dx+c)^3 \left(\frac{a-b}{a+b}\right)^{1/2} a^2 b^2 + 7 B \cos(dx+c)^3 \left(\frac{a-b}{a+b}\right)^{1/2} a^3 b + 16 A \cos(dx+c)^2 \left(\frac{a-b}{a+b}\right)^{1/2} a^3 b + 24 A \cos(dx+c)^2 \left(\frac{a-b}{a+b}\right)^{1/2} a b^3 - 28 B \cos(dx+c)^2 \left(\frac{a-b}{a+b}\right)^{1/2} a^2 b^2 + 35 C \cos(dx+c)^2 \left(\frac{a-b}{a+b}\right)^{1/2} a^3 b - 44 A \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a^3 b + 50 A \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a^2 b^2 - 48 A \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a b^3 - 70 B \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a^3 b + 56 B \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a^2 b^2 - 56 B \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a b^3 - 70 C \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a^3 b + 70 C \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a^2 b^2 - 48 A b^4 \left(\frac{a-b}{a+b}\right)^{1/2} + 25 A \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a^4 + 35 C \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a^4 - 15 A \cos(dx+c)^5 \left(\frac{a-b}{a+b}\right)^{1/2} a^4 - 10 A \cos(dx+c)^3 \left(\frac{a-b}{a+b}\right)^{1/2} a^4 - 35 C \cos(dx+c)^3 \left(\frac{a-b}{a+b}\right)^{1/2} a^4 - 21 B \cos(dx+c)^4 \left(\frac{a-b}{a+b}\right)^{1/2} a^4 - 42 B \cos(dx+c)^2 \left(\frac{a-b}{a+b}\right)^{1/2} a^4 + 48 A \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} b^4 + 63 B \cos(dx+c) \left(\frac{a-b}{a+b}\right)^{1/2} a^4 + 63 B \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{2}\right) \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2} a^4 \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) - 25 A \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{2}\right) \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2}\right) \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \cos(dx+c) a^4 - 48 A \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \cos(dx+c) a^4 - 63 B \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \cos(dx+c) a^4 - 63 B \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{2}\right) \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2}\right) \sin(dx+c) \cos(dx+c) a^4 - 35 C \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{2}\right) \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2}\right) \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) \cos(dx+c) a^4 - 44 A \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{2}\right) \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2}\right) a^3 b \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) + 12 A \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{2}\right) \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2}\right) a^2 b^2 \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \left(\frac{1}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) - 48 A \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{2}\right) \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b}\right)^{1/2}\right) a b^3 \left(\frac{1}{a+b}\right) (b+
\end{aligned}$$


```

lipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2)
)*sin(d*x+c)*cos(d*x+c)*a^3*b-56*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)
)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1
/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^2*b^2+56*B*(1/
(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*Ellip
ticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*s
in(d*x+c)*cos(d*x+c)*a*b^3-70*C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/
2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^3*b+70*C*(1/(a+b)
*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE(
(-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*
x+c)*cos(d*x+c)*a^3*b-70*C*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*
(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(
d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^2*b^2*((b+a*cos(d*x+c)
)/cos(d*x+c))^(1/2)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)/(b+a*cos(
d*x+c))

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+b*sec(d*x+c))
^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\sec(dx+c)}}{b \sec(dx+c)^5 + a \sec(dx+c)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+b*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*s
qrt(sec(d*x + c))/(b*sec(d*x + c)^5 + a*sec(d*x + c)^4), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(7/2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a \sec(dx + c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(7/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^(7/2)), x)

$$3.1058 \quad \int \frac{\sqrt{\sec(c+dx)}(aA+(Ab+aB)\sec(c+dx)+bB\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx$$

Optimal. Leaf size=253

$$\frac{(2aA + bB)\sqrt{\sec(c + dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{d\sqrt{a + b\sec(c + dx)}} + \frac{(aB + 2Ab)\sqrt{\sec(c + dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\Pi\left(2; \frac{1}{2}(c + dx)\right)}{d\sqrt{a + b\sec(c + dx)}}$$

[Out] ((2*a*A + b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b + a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) - (B*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (B*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 1.07895, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 54, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {4072, 4031, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2aA + bB)\sqrt{\sec(c + dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}F\left(\frac{1}{2}(c + dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{a + b\sec(c + dx)}} + \frac{(aB + 2Ab)\sqrt{\sec(c + dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\Pi\left(2; \frac{1}{2}(c + dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{a + b\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(a*A + (A*b + a*B)*Sec[c + d*x] + b*B*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] ((2*a*A + b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b + a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) - (B*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (B*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4072

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)
)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)
*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m +
1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]
```

Rule 4031

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(m + n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n -
1)*Simp[a*B*(n - 1) + (b*B*(m + n - 1) + a*A*(m + n))*Csc[e + f*x] + (a*B*m
+ A*b*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B},
x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
```

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \frac{\sqrt{\sec(c+dx)} (aA + (Ab + aB) \sec(c+dx) + bB \sec^2(c+dx))}{\sqrt{a + b \sec(c+dx)}} dx = \frac{\int \sqrt{\sec(c+dx)} \sqrt{a + b \sec(c+dx)} (-abB + b(Ab + aB) \sec(c+dx))}{b^2}$$

$$= \frac{B \sqrt{\sec(c+dx)} \sqrt{a + b \sec(c+dx)} \sin(c+dx)}{d} + \frac{\int \sqrt{\sec(c+dx)} \sqrt{a + b \sec(c+dx)} \sec(c+dx)}{d}$$

$$= \frac{B \sqrt{\sec(c+dx)} \sqrt{a + b \sec(c+dx)} \sin(c+dx)}{d} + \frac{\int \sqrt{\sec(c+dx)} \sqrt{a + b \sec(c+dx)} \sec(c+dx)}{d}$$

$$= \frac{B \sqrt{\sec(c+dx)} \sqrt{a + b \sec(c+dx)} \sin(c+dx)}{d} - \frac{1}{2}$$

$$= \frac{B \sqrt{\sec(c+dx)} \sqrt{a + b \sec(c+dx)} \sin(c+dx)}{d} + \frac{\int \sqrt{\sec(c+dx)} \sqrt{a + b \sec(c+dx)} \sec(c+dx)}{d}$$

$$= \frac{(2Ab + aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c+dx)}}{d \sqrt{a + b \sec(c+dx)}}$$

$$= \frac{(2aA + bB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c+dx)}}{d \sqrt{a + b \sec(c+dx)}}$$

Mathematica [C] time = 4.35286, size = 377, normalized size = 1.49

$$\sqrt{\sec(c+dx)} \left(8aA \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - \frac{2iB \csc(c+dx) \sqrt{-\frac{a(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{a(\cos(c+dx)+1)}{a-b}} \sqrt{a \cos(c+dx)+b}}{d} \left(2b \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Sec[c + d*x]]*(a*A + (A*b + a*B)*Sec[c + d*x] + b*B*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(8*a*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + 2*(4*A*b + a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)] - ((2*I)*B*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Sqrt[b + a*Cos[c + d*x]]*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)])))/(a*Sqrt[(a - b)^(-1)]*b) + 4*B*(b + a*Cos[c + d*x])*Tan[c + d*x]))/(4*d*Sqrt[a + b*Sec[c + d*x]])
```

Maple [C] time = 0.468, size = 1431, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A*a+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/d/((a-b)/(a+b))^(1/2)*(2*A*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a-2*A*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*b+4*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*b+2*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a-B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a+B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*b+2*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a-2*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*b+4*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I
```

$$\begin{aligned} & /((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * b + 2*B*(1/(a+b)*(b+a*\cos(d*x+c)) \\ & /(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) * \\ & ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) \\ &) * \cos(d*x+c) * a - B*(1/(a+b)*(b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d* \\ & x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(\\ & a+b)/(a-b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * a + B*(1/(a+b)*(b+a*\cos(d*x+c)) / (\cos \\ & (d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b) \\ & / (a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * b + B*((\\ & a-b)/(a+b))^{(1/2)} * \cos(d*x+c)^2 * a - B*((a-b)/(a+b))^{(1/2)} * \cos(d*x+c) * a + B*((a-b) \\ &) / (a+b))^{(1/2)} * \cos(d*x+c) * b - B*((a-b)/(a+b))^{(1/2)} * b * ((b+a*\cos(d*x+c)) / \cos(\\ & d*x+c))^{(1/2)} * (1/\cos(d*x+c))^{(1/2)} / (b+a*\cos(d*x+c)) / \sin(d*x+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)) \sqrt{\sec(dx+c)}}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)) \sqrt{\sec(dx + c)}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)
```

$$3.1059 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=393

$$\frac{C\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{bd\sqrt{a+b\sec(c+dx)}} - \frac{2\sin(c+dx)\sec^2(c+dx)(Ab^2-a(bB-aC))}{bd(a^2-b^2)\sqrt{a+b\sec(c+dx)}} + \frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{bd(a^2-b^2)}$$

```
[Out] (C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]
*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - 3*a*C)*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt
[Sec[c + d*x]])/(b^2*d*Sqrt[a + b*Sec[c + d*x]]) - ((2*A*b^2 - 2*a*b*B +
3*a^2*C - b^2*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d
*x]])/(b^2*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*
x]]) - (2*(A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(b*(a^2
- b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b^2 - 2*a*b*B + 3*a^2*C - b^2*C)
*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)
*d)
```

Rubi [A] time = 1.3543, antiderivative size = 393, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4098, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{2\sin(c+dx)\sec^2(c+dx)(Ab^2-a(bB-aC))}{bd(a^2-b^2)\sqrt{a+b\sec(c+dx)}} + \frac{\sin(c+dx)\sqrt{\sec(c+dx)}(3a^2C-2abB+2Ab^2-b^2C)\sqrt{a+b\sec(c+dx)}}{b^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec
[c + d*x])^(3/2), x]
```

```
[Out] (C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]
*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - 3*a*C)*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt
[Sec[c + d*x]])/(b^2*d*Sqrt[a + b*Sec[c + d*x]]) - ((2*A*b^2 - 2*a*b*B +
3*a^2*C - b^2*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d
*x]])/(b^2*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*
```

$x]] - (2*(A*b^2 - a*(b*B - a*C))*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + ((2*A*b^2 - 2*a*b*B + 3*a^2*C - b^2*C)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b^2*(a^2 - b^2)*d)$

Rule 4098

$\text{Int}[\left((A_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(B_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]^2*(C_{\cdot})\right)*(\text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(d_{\cdot}))^{(n)}*(\text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot}))^{(m)}, x_Symbol] :> -\text{Simp}[(d*(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^{(n-1)})/(b*f*(a^2 - b^2)*(m+1)), x] + \text{Dist}[d/(b*(a^2 - b^2)*(m+1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^{(n-1)}*\text{Simp}[A*b^2*(n-1) - a*(b*B - a*C)*(n-1) + b*(a*A - b*B + a*C)*(m+1)*\text{Csc}[e + f*x] - (b*(A*b - a*B)*(m+n+1) + C*(a^2*n + b^2*(m+1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0]$

Rule 4102

$\text{Int}[\left((A_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(B_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]^2*(C_{\cdot})\right)*(\text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(d_{\cdot}))^{(n)}*(\text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot}))^{(m)}, x_Symbol] :> -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^{(n-1)})/(b*f*(m+n+1)), x] + \text{Dist}[d/(b*(m+n+1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n-1)}*\text{Simp}[a*C*(n-1) + (A*b*(m+n+1) + b*C*(m+n))*\text{Csc}[e + f*x] + (b*B*(m+n+1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$

Rule 4108

$\text{Int}[\left((A_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(B_{\cdot}) + \text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]^2*(C_{\cdot})\right)/(\text{Sqrt}[\text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(d_{\cdot})]*\text{Sqrt}[\text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot})]), x_Symbol] :> \text{Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)}/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(d_{\cdot}))^{(3/2)}/\text{Sqrt}[\text{csc}[(e_{\cdot}) + (f_{\cdot})*(x_{\cdot})]*(b_{\cdot}) + (a_{\cdot})], x_Symbol] :> \text{Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])], x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)
]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{\frac{3}{2}}} dx &= -\frac{2(Ab^2-a(bB-aC))\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - 2\int \frac{\sqrt{\sec(c+dx)}}{\dots} \\
&= -\frac{2(Ab^2-a(bB-aC))\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{(2Ab^2-2)}{\dots} \\
&= -\frac{2(Ab^2-a(bB-aC))\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{(2Ab^2-2)}{\dots} \\
&= -\frac{2(Ab^2-a(bB-aC))\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{(2Ab^2-2)}{\dots} \\
&= -\frac{2(Ab^2-a(bB-aC))\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{(2Ab^2-2)}{\dots} \\
&= \frac{(2bB-3aC)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{b^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{C\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{bd\sqrt{a+b\sec(c+dx)}} + \frac{(2bB-3aC)}{\dots}
\end{aligned}$$

Mathematica [C] time = 7.03888, size = 774, normalized size = 1.97

$$\frac{(a\cos(c+dx)+b)^2(A+B\sec(c+dx)+C\sec^2(c+dx))\left(\frac{2C\tan(c+dx)}{b^2}-\frac{4(-a^2bB\sin(c+dx)+a^3C\sin(c+dx)+aAb^2\sin(c+dx))}{b^2(b^2-a^2)(a\cos(c+dx)+b)}\right)}{d\sqrt{\sec(c+dx)}(a+b\sec(c+dx))^{\frac{3}{2}}(A\cos(2c+2dx)+A+2B\cos(c+dx)+2C)} + \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2),x]

[Out] ((b + a*Cos[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(4*A*b^3 - 4*a*b^2*B + 4*a^2*b*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(2*a*A*b^2 - 6*

$$\begin{aligned}
& a^2*b*B + 4*b^3*B + 9*a^3*C - 7*a*b^2*C) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)] \\
& * \text{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)] / \text{Sqrt}[b + a*\text{Cos}[c + d*x]] + ((2* \\
& I)*(2*a*A*b^2 - 2*a^2*b*B + 3*a^3*C - a*b^2*C) * \text{Sqrt}[(a - a*\text{Cos}[c + d*x])/(a \\
& + b)] * \text{Sqrt}[(a + a*\text{Cos}[c + d*x])/(a - b)] * \text{Cos}[2*(c + d*x)] * (-2*b*(a + b) * \text{El} \\
& \text{lipticE}[I * \text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}] * \text{Sqrt}[b + a*\text{Cos}[c + d*x]]], (-a + b)/(a \\
& + b)] + a*(2*b * \text{EllipticF}[I * \text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}] * \text{Sqrt}[b + a*\text{Cos}[c + d \\
& *x]]], (-a + b)/(a + b)] + a * \text{EllipticPi}[1 - a/b, I * \text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}] \\
&] * \text{Sqrt}[b + a*\text{Cos}[c + d*x]]], (-a + b)/(a + b))) * \text{Sin}[c + d*x]) / (\text{Sqrt}[(a - \\
& b)^{-1}] * b * \text{Sqrt}[1 - \text{Cos}[c + d*x]^2] * \text{Sqrt}[(a^2 - a^2*\text{Cos}[c + d*x]^2)/a^2] * (- \\
& a^2 + 2*b^2 - 4*b*(b + a*\text{Cos}[c + d*x]) + 2*(b + a*\text{Cos}[c + d*x])^2)) / (2*b^ \\
& 2*(-a + b)*(a + b)*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt} \\
& [\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^{(3/2)}) + ((b + a*\text{Cos}[c + d*x])^2*(A + B \\
& * \text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((-4*(a*A*b^2*\text{Sin}[c + d*x] - a^2*b*B*\text{Sin}[\\
& c + d*x] + a^3*C*\text{Sin}[c + d*x]))/(b^2*(-a^2 + b^2)*(b + a*\text{Cos}[c + d*x])) + (\\
& 2*C*\text{Tan}[c + d*x])/b^2)) / (d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x] \\
&) * \text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^{(3/2)})
\end{aligned}$$

Maple [C] time = 0.41, size = 3121, normalized size = 7.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{sec}(d*x+c)^{(3/2)}*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/(a+b*\text{sec}(d*x+c))^{(3/2)}, x)$

[Out]
$$\begin{aligned}
& -1/d/((a-b)/(a+b))^{(1/2)}/(a+b)/b^2*(-2*A*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(1/(a+b)*(b+ \\
& a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+ \\
& \text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b))^{(1/2)})*b^2+6*C*\text{co} \\
& \text{s}(d*x+c)*\text{sin}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(\text{cos} \\
& (d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), \\
& (-a+b)/(a-b))^{(1/2)})*a^2+2*B*((a-b)/(a+b))^{(1/2)}*\text{cos}(d*x+c)*a*b+2*B*\text{cos}(d* \\
& x+c)^2*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(\text{cos}(d*x+c)+1))^{(\\
& 1/2)}*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b) \\
&)^{(1/2)})*\text{sin}(d*x+c)*a*b+4*B*\text{cos}(d*x+c)^2*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x \\
& +c)+1))^{(1/2)}*(1/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\text{cos}(d*x+c))*((a-b)/(a \\
& +b))^{(1/2)}/\text{sin}(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\text{sin}(d*x+c)*a*b+4*C \\
& *\text{cos}(d*x+c)^2*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(\text{cos}(d*x+c) \\
& +1))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b) \\
&)/(a-b))^{(1/2)})*\text{sin}(d*x+c)*a*b-4*B*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(\\
& d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*(1/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d* \\
& x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b))^{(1/2)})*a*b+2*B*\text{cos}(d*x+
\end{aligned}$$

$$\begin{aligned} & \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a+b)}{(a-b)}\right) \frac{1}{\sin(dx+c)} \frac{1}{(a+b)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \\ & \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a+b)}{(a-b)}\right) \frac{1}{\sin(dx+c)} \frac{1}{(a+b)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \\ & \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{(a+b)}{(a-b)}, \frac{1}{(\cos(dx+c)+1)^{1/2}}\right) \frac{1}{\sin(dx+c)} \frac{1}{(a+b)^{1/2}} \\ & \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a+b)}{(a-b)}\right) \frac{1}{\sin(dx+c)} \frac{1}{(a+b)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \\ & \frac{1}{\cos(dx+c)^{3/2}} \frac{(b+a\cos(dx+c))}{\cos(dx+c)^{1/2}} \frac{1}{(b+a\cos(dx+c))} \frac{1}{\sin(dx+c)} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(dx+c)^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(dx+c)^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^(3/2), x)
```

$$3.1060 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=311

$$\frac{2A\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{ad\sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))}{bd(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} + \frac{2(Ab^2 - a(bB - aC))}{ad\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*b*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.977017, antiderivative size = 311, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4098, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))}{bd(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} + \frac{2(Ab^2 - a(bB - aC))\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{abd(a^2 - b^2)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2A\sqrt{\sec(c+dx)}}{ad\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*b*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
+ (a_))]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*C
sc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
```

$_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (b_.) + (a_)]], x_Symbol] \text{:>} \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b * \text{Csc}[e + f * x]] / \text{Sqrt}[d * \text{Csc}[e + f * x]], x], x] - \text{Dist}[(A * b - a * B) / (a * d), \text{Int}[\text{Sqrt}[d * \text{Csc}[e + f * x]] / \text{Sqrt}[a + b * \text{Csc}[e + f * x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A * b - a * B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (b_.) + (a_)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (d_.)], x_Symbol] \text{:>} \text{Dist}[\text{Sqrt}[a + b * \text{Csc}[e + f * x]] / (\text{Sqrt}[d * \text{Csc}[e + f * x]] * \text{Sqrt}[b + a * \text{Sin}[e + f * x]]), \text{Int}[\text{Sqrt}[b + a * \text{Sin}[e + f * x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_.) + (b_.) * \text{sin}[(c_.) + (d_.) * (x_)]], x_Symbol] \text{:>} \text{Dist}[\text{Sqrt}[a + b * \text{Sin}[c + d * x]] / \text{Sqrt}[(a + b * \text{Sin}[c + d * x]) / (a + b)], \text{Int}[\text{Sqrt}[a / (a + b) + (b * \text{Sin}[c + d * x]) / (a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_.) + (b_.) * \text{sin}[(c_.) + (d_.) * (x_)]], x_Symbol] \text{:>} \text{Simp}[(2 * \text{Sqrt}[a + b] * \text{EllipticE}[(1 * (c - \text{Pi}/2 + d * x)) / 2, (2 * b) / (a + b)]) / d, x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 3858

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (d_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (b_.) + (a_)], x_Symbol] \text{:>} \text{Dist}[(\text{Sqrt}[d * \text{Csc}[e + f * x]] * \text{Sqrt}[b + a * \text{Sin}[e + f * x]]) / \text{Sqrt}[a + b * \text{Csc}[e + f * x]], \text{Int}[1 / \text{Sqrt}[b + a * \text{Sin}[e + f * x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2663

$\text{Int}[1 / \text{Sqrt}[(a_.) + (b_.) * \text{sin}[(c_.) + (d_.) * (x_)]], x_Symbol] \text{:>} \text{Dist}[\text{Sqrt}[(a + b * \text{Sin}[c + d * x]) / (a + b)] / \text{Sqrt}[a + b * \text{Sin}[c + d * x]], \text{Int}[1 / \text{Sqrt}[a / (a + b) + (b * \text{Sin}[c + d * x]) / (a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2661

$\text{Int}[1 / \text{Sqrt}[(a_.) + (b_.) * \text{sin}[(c_.) + (d_.) * (x_)]], x_Symbol] \text{:>} \text{Simp}[(2 * \text{EllipticF}[(1 * (c - \text{Pi}/2 + d * x)) / 2, (2 * b) / (a + b)]) / (d * \text{Sqrt}[a + b]), x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= -\frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2\int \frac{\frac{1}{2}(-Ab)}{\sqrt{a+b\sec(c+dx)}} dx}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2\int \frac{\frac{1}{2}(-Ab)}{\sqrt{a+b\sec(c+dx)}} dx}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{A\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{(A\sqrt{b+a})\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2C\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{bd\sqrt{a+b\sec(c+dx)}} - \frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2A\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{ad\sqrt{a+b\sec(c+dx)}} + \frac{2C\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{bd\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [F] time = 33.5075, size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]

Maple [C] time = 0.467, size = 2053, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)*\sec(dx+c)^{(1/2)}/(a+b*\sec(dx+c))^{(3/2)},x)$

[Out] $\frac{2}{d} \frac{a}{b} \frac{b}{(a+b)} \frac{1}{((a-b)/(a+b))^{1/2}} * (-A \cos(dx+c) \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b - A \cos(dx+c) \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * b^2 - B \cos(dx+c) \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b + B \cos(dx+c) \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b + 2 * C \cos(dx+c) \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 + C \cos(dx+c) \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * \cos(dx+c) \sin(dx+c) * a^2 - 2 * C * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * \cos(dx+c) \sin(dx+c) * a^2 - 2 * C \cos(dx+c) \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * a * b - A * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b * \sin(dx+c) - A * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * b^2 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) - B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + B * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b * \sin(dx+c) + 2 * C * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 * \sin(dx+c) + C * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 * \sin(dx+c) - 2 * C * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2}$

$$\begin{aligned} & \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \sin(dx+c) \operatorname{EllipticPi} \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right) \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \\ & \left(\frac{a+b}{a-b} \right), I \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^2 - 2C \operatorname{EllipticPi} \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right) \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \\ & \left(\frac{a+b}{a-b} \right), I \left(\frac{a-b}{a+b} \right)^{1/2} \right) a * b * \left(\frac{1}{a+b} \right) * \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} * \sin(dx+c) \\ & + A \left(\frac{a-b}{a+b} \right)^{1/2} \cos(dx+c) * b^2 - B \left(\frac{a-b}{a+b} \right)^{1/2} \cos(dx+c) * a * b + C \left(\frac{a-b}{a+b} \right)^{1/2} \cos(dx+c) * a^2 \\ & - A * b^2 * \left(\frac{a-b}{a+b} \right)^{1/2} + B * \left(\frac{a-b}{a+b} \right)^{1/2} * a * b - C * \left(\frac{a-b}{a+b} \right)^{1/2} * a^2 * \cos(dx+c) * \left(\frac{1}{\cos(dx+c)} \right)^{1/2} \\ & * \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)} \right)^{1/2} / \left(\frac{b+a \cos(dx+c)}{\sin(dx+c)} \right) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*sec(dx+c)^(1/2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*sec(dx+c)^(1/2)/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**
(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec
(d*x + c) + a)^(3/2), x)
```

$$3.1061 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=249

$$\frac{2(2Ab - aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{a^2 d \sqrt{a+b \sec(c+dx)}} + \frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} - \frac{2}{a^2 d}$$

[Out] (-2*(2*A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b^2 - a*b*B - a^2*(A - C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a^2*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.605477, antiderivative size = 249, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} - \frac{2(a^2(-A - C) - abB + 2Ab^2)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{a^2 d (a^2 - b^2)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)), x]

[Out] (-2*(2*A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b^2 - a*b*B - a^2*(A - C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a^2*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*C

```

c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} dx &= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(2Ab^2 - abB - a^2(A - C)) + \frac{1}{2}a}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{(2Ab - aB) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx}{a^2} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{((2Ab - aB) \sqrt{b + a \cos(c + dx)})}{a^2 \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{((2Ab - aB) \sqrt{\frac{b + a \cos(c + dx)}{a + b}})}{a^2 \sqrt{a + b \sec(c + dx)}} \\
 &= -\frac{2(2Ab - aB) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{a^2 d \sqrt{a + b \sec(c + dx)}} - \frac{2(2Ab^2 - abB)}{a^2}
 \end{aligned}$$

Mathematica [C] time = 7.04799, size = 3541, normalized size = 14.22

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a +
b*Sec[c + d*x])^(3/2)),x]
```

```
[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(a^2*A
- 3*A*b^2 + 2*a*b*B - 2*a^2*C + a^2*A*Cos[2*c] - A*b^2*Cos[2*c])*Csc[c]*Se
```

$$\begin{aligned}
& c[c])/(a^2*(a^2 - b^2)*d) - (4*\text{Sec}[c]*(A*b^3*\text{Sin}[c] - a*b^2*B*\text{Sin}[c] + a^2* \\
& b*C*\text{Sin}[c] - a*A*b^2*\text{Sin}[d*x] + a^2*b*B*\text{Sin}[d*x] - a^3*C*\text{Sin}[d*x]))/(a^2*(a \\
& ^2 - b^2)*d*(b + a*\text{Cos}[c + d*x])))/((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2* \\
& c + 2*d*x])* \text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^{(3/2)}) + (4*A*b*\text{AppellF} \\
& 1[1/2, 1/2, 1/2, 3/2, (\text{Csc}[c]*(b - a*\text{Sqrt}[1 + \text{Cot}[c]^2)*\text{Sin}[c]*\text{Sin}[d*x - \text{Arc} \\
& \text{Tan}[\text{Cot}[c]])))/(a*\text{Sqrt}[1 + \text{Cot}[c]^2]*(1 + (b*\text{Csc}[c])/(a*\text{Sqrt}[1 + \text{Cot}[c]^2) \\
&))), (\text{Csc}[c]*(b - a*\text{Sqrt}[1 + \text{Cot}[c]^2)*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]))/(\\
& a*\text{Sqrt}[1 + \text{Cot}[c]^2]*(-1 + (b*\text{Csc}[c])/(a*\text{Sqrt}[1 + \text{Cot}[c]^2))))]*(b + a*\text{Cos}[\\
& c + d*x])^{(3/2)}*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{Arc} \\
& \text{Tan}[\text{Cot}[c]]]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Cot}[c]^2] - a*\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[d*x - \text{A} \\
& \text{rcTan}[\text{Cot}[c]])]/(a*\text{Sqrt}[1 + \text{Cot}[c]^2] - b*\text{Csc}[c]))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Cot}[c]^ \\
& 2] + a*\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]/(a*\text{Sqrt}[1 + \text{Cot}[c]^2 \\
& + b*\text{Csc}[c]))*\text{Sqrt}[b - a*\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]] \\
&])/(a*(a^2 - b^2)*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[\\
& 1 + \text{Cot}[c]^2]*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^{(3/2)}) - (4*B*\text{AppellF} \\
& 1[1/2, 1/2, 1/2, 3/2, (\text{Csc}[c]*(b - a*\text{Sqrt}[1 + \text{Cot}[c]^2)*\text{Sin}[c]*\text{Sin}[d*x - \text{Arc} \\
& \text{Tan}[\text{Cot}[c]])))/(a*\text{Sqrt}[1 + \text{Cot}[c]^2]*(1 + (b*\text{Csc}[c])/(a*\text{Sqrt}[1 + \text{Cot}[c]^2) \\
&))), (\text{Csc}[c]*(b - a*\text{Sqrt}[1 + \text{Cot}[c]^2)*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]))/(\\
& a*\text{Sqrt}[1 + \text{Cot}[c]^2]*(-1 + (b*\text{Csc}[c])/(a*\text{Sqrt}[1 + \text{Cot}[c]^2))))]*(b + a*\text{Cos}[\\
& c + d*x])^{(3/2)}*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{Arc} \\
& \text{Tan}[\text{Cot}[c]]]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Cot}[c]^2] - a*\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[d*x - \text{A} \\
& \text{rcTan}[\text{Cot}[c]])]/(a*\text{Sqrt}[1 + \text{Cot}[c]^2] - b*\text{Csc}[c]))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Cot}[c]^ \\
& 2] + a*\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]/(a*\text{Sqrt}[1 + \text{Cot}[c]^2 \\
& + b*\text{Csc}[c]))*\text{Sqrt}[b - a*\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]] \\
&])/((a^2 - b^2)*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 \\
& + \text{Cot}[c]^2]*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^{(3/2)}) + (4*b*C*\text{AppellF} \\
& 1[1/2, 1/2, 1/2, 3/2, (\text{Csc}[c]*(b - a*\text{Sqrt}[1 + \text{Cot}[c]^2)*\text{Sin}[c]*\text{Sin}[d*x - \text{Arc} \\
& \text{Tan}[\text{Cot}[c]])))/(a*\text{Sqrt}[1 + \text{Cot}[c]^2]*(1 + (b*\text{Csc}[c])/(a*\text{Sqrt}[1 + \text{Cot}[c]^2) \\
&))), (\text{Csc}[c]*(b - a*\text{Sqrt}[1 + \text{Cot}[c]^2)*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]))/(\\
& a*\text{Sqrt}[1 + \text{Cot}[c]^2]*(-1 + (b*\text{Csc}[c])/(a*\text{Sqrt}[1 + \text{Cot}[c]^2))))]*(b + a*\text{Cos}[\\
& c + d*x])^{(3/2)}*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{Arc} \\
& \text{Tan}[\text{Cot}[c]]]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Cot}[c]^2] - a*\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[d*x - \text{A} \\
& \text{rcTan}[\text{Cot}[c]]])]/(a*\text{Sqrt}[1 + \text{Cot}[c]^2] - b*\text{Csc}[c]))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Cot}[c]^ \\
& 2] + a*\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]/(a*\text{Sqrt}[1 + \text{Cot}[c]^2 \\
& + b*\text{Csc}[c]))*\text{Sqrt}[b - a*\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]] \\
&])/(a*(a^2 - b^2)*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[\\
& 1 + \text{Cot}[c]^2]*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^{(3/2)}) - (2*a*A*(b + \\
& a*\text{Cos}[c + d*x])^{(3/2)}*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{App} \\
& \text{ellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c] \\
&])*\text{Sqrt}[1 + \text{Tan}[c]^2)))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{T} \\
& \text{an}[c]^2))))), -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{T} \\
& \text{an}[c]^2)))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))))] \\
& *\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan} \\
& [c]^2] - a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])]/(b*\text{Sec}[c] + a*\text{Sqrt} \\
& [1 + \text{Tan}[c]^2]))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{S}
\end{aligned}$$

$$\frac{\arctan(\tan(c)) \cdot \tan(c) / \sqrt{1 + \tan(c)^2} + (2a \cos(c) (b + a \cos(c) \cos(dx + \arctan(\tan(c))) \sqrt{1 + \tan(c)^2})) / (a^2 \cos(c)^2 + a^2 \sin(c)^2) / \sqrt{b + a \cos(c) \cos(dx + \arctan(\tan(c))) \sqrt{1 + \tan(c)^2}}}{(a^2 - b^2) d (A + 2C + 2B \cos(c + dx) + A \cos(2c + 2dx)) \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}}$$

Maple [B] time = 0.457, size = 1889, normalized size = 7.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^{3/2}/\sec(dx+c)^{(1/2)},x)$

[Out]
$$\begin{aligned} & -2/d/((a-b)/(a+b))^{1/2}/(a+b)/a^2*(-C*((a-b)/(a+b))^{1/2}*a^2-2*A*\text{Elliptic} \\ & \text{E}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*b^2* \\ & (1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}* \sin \\ & (dx+c)-2*A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1) \\ &)^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2} \\ & / \sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b-A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(\\ & b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((- \\ & 1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2-2*A* \\ & \cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(c \\ & \cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c) \\ &),(-(a+b)/(a-b))^{1/2})*b^2+B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c) \\ &))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c)) \\ & *((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2+C*\cos(dx+c)*\sin \\ & (dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b) \\ &)^{1/2})*a^2-2*A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx \\ & x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(\\ & a+b)/(a-b))^{1/2})*a*b*\sin(dx+c)+B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1) \\ &))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2} \\ & / \sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b*\sin(dx+c)+A*((a-b)/(a+b))^{1/2}* \\ & \cos(dx+c)^2*a*b-B*((a-b)/(a+b))^{1/2}*\cos(dx+c)*a*b+B*\cos(dx+c)*\sin(dx+x \\ & c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2} \\ &)^{1/2})*a*b+B*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b) \\ & / (a-b))^{1/2})*a^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(\\ & dx+c)+1))^{1/2}*\sin(dx+c)-C*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *(1/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/s \end{aligned}$$

```

in(d*x+c), (- (a+b)/(a-b))^(1/2)) * a^2 * sin(d*x+c) + A * cos(d*x+c)^2 * ((a-b)/(a+b))
^(1/2) * a^2 + C * (1/(a+b) * (b+a*cos(d*x+c)) / (cos(d*x+c)+1))^(1/2) * (1/(cos(d*x+c)
+1))^(1/2) * EllipticF((-1+cos(d*x+c)) * ((a-b)/(a+b))^(1/2) / sin(d*x+c), (- (a+b)
/(a-b))^(1/2)) * a^2 * sin(d*x+c) - A * EllipticF((-1+cos(d*x+c)) * ((a-b)/(a+b))^(1/2)
/ sin(d*x+c), (- (a+b)/(a-b))^(1/2)) * a^2 * (1/(a+b) * (b+a*cos(d*x+c)) / (cos(d*x+
c)+1))^(1/2) * (1/(cos(d*x+c)+1))^(1/2) * sin(d*x+c) - 2 * A * b^2 * ((a-b)/(a+b))^(1/2)
) + A * cos(d*x+c) * (1/(a+b) * (b+a*cos(d*x+c)) / (cos(d*x+c)+1))^(1/2) * (1/(cos(d*x+
c)+1))^(1/2) * EllipticE((-1+cos(d*x+c)) * ((a-b)/(a+b))^(1/2) / sin(d*x+c), (- (a+
b)/(a-b))^(1/2)) * sin(d*x+c) * a^2 - A * ((a-b)/(a+b))^(1/2) * cos(d*x+c) * a^2 + 2 * A * ((
a-b)/(a+b))^(1/2) * cos(d*x+c) * b^2 + C * ((a-b)/(a+b))^(1/2) * cos(d*x+c) * a^2 + A * Ell
ipticE((-1+cos(d*x+c)) * ((a-b)/(a+b))^(1/2) / sin(d*x+c), (- (a+b)/(a-b))^(1/2))
* a^2 * (1/(a+b) * (b+a*cos(d*x+c)) / (cos(d*x+c)+1))^(1/2) * (1/(cos(d*x+c)+1))^(1/2)
* sin(d*x+c) - C * (1/(a+b) * (b+a*cos(d*x+c)) / (cos(d*x+c)+1))^(1/2) * (1/(cos(d*x
+c)+1))^(1/2) * EllipticE((-1+cos(d*x+c)) * ((a-b)/(a+b))^(1/2) / sin(d*x+c), (- (a
+b)/(a-b))^(1/2)) * cos(d*x+c) * sin(d*x+c) * a^2 - A * a * b * ((a-b)/(a+b))^(1/2) + B * ((a
-b)/(a+b))^(1/2) * a * b * ((b+a*cos(d*x+c)) / cos(d*x+c))^(1/2) / (1/cos(d*x+c))^(1
/2) / (b+a*cos(d*x+c)) / sin(d*x+c)

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2)/sec(d*x+c)
^(1/2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sqrt{\sec(dx+c)}}{b^2 \sec(dx+c)^3 + 2ab \sec(dx+c)^2 + a^2 \sec(dx+c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2)/sec(d*x+c)
^(1/2),x, algorithm="fricas")

```



```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^2*sec(d*x + c)^3 + 2*a*b*sec(d*x + c)^2 + a^2*sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)
```

$$3.1062 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=350

$$\frac{2\sqrt{\sec(c+dx)}(a^2(A+3C)-6abB+8Ab^2)\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^3d\sqrt{a+b\sec(c+dx)}} - \frac{2\sin(c+dx)(a^2(-(A-3C))-3abB+4Ab^2)}{3a^2d(a^2-b^2)}$$

[Out] (2*(8*A*b^2 - 6*a*b*B + a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B - a^2*(5*A*b - 3*b*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(4*A*b^2 - 3*a*b*B - a^2*(A - 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.943284, antiderivative size = 350, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{2\sin(c+dx)(a^2(-(A-3C))-3abB+4Ab^2)\sqrt{a+b\sec(c+dx)}}{3a^2d(a^2-b^2)\sqrt{\sec(c+dx)}} + \frac{2\sin(c+dx)(Ab^2-a(bB-aC))}{ad(a^2-b^2)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{2\sqrt{\sec(c+dx)}(a^2(A+3C)-6abB+8Ab^2)\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^3d\sqrt{a+b\sec(c+dx)}} - \frac{2\sin(c+dx)(a^2(-(A-3C))-3abB+4Ab^2)}{3a^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)), x]

[Out] (2*(8*A*b^2 - 6*a*b*B + a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B - a^2*(5*A*b - 3*b*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(4*A*b^2 - 3*a*b*B - a^2*(A - 3*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]])

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(A*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)]/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} dx &= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(4Ab^2 - 3abB - a^2(A - 3C)) + \frac{1}{2}}{\sec} dx}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(4Ab^2 - 3abB - a^2(A - 3C))}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(4Ab^2 - 3abB - a^2(A - 3C))}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(4Ab^2 - 3abB - a^2(A - 3C))}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(4Ab^2 - 3abB - a^2(A - 3C))}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(8Ab^2 - 6abB + a^2(A + 3C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{3a^3 d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 7.56605, size = 4557, normalized size = 13.02

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)),x]

[Out] ((b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(-5*a^2*A*b + 11*A*b^3 + 3*a^3*B - 9*a*b^2*B + 6*a^2*b*C - 5*a^2*A*b*Cos[2*c] + 5*A*b^3*Cos[2*c] + 3*a^3*B*Cos[2*c] - 3*a*b^2*B*Cos[2*c])*Csc[c]*Sec[c])/(3*a^3*(a^2 - b^2)*d) + (4*A*Cos[d*x]*Sin[c])/(3*a^2*d) + (4*A*Cos[c]*Sin[d*x])/(3*a^2*d) + (4*Sec[c]*(A*b^4*Sin[c] - a*b^3*B*Sin[c] + a^2*b^2*C*Sin[c] - a*A*b^3*Sin[d*x] + a^2*b^2*B*Sin[d*x] - a^3*b*C*Sin[d*x]))/(a^3*(a^2 - b^2)*d*(b + a*Cos[c + d*x])))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) - (4*A*AppellF1[1/2, 1/2, 1/2, 3/2, (Csc[c]*(b - a*Sqrt[1 + Cot[c]^2])*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]/(a*Sqrt[1 + Cot[c]^2]*(1 + (b*Csc[c])/(a*Sqrt[1 + Cot[c]^2]))), (Csc[

$$\begin{aligned}
& c) * (b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} * (-1 + (b * \csc[c]) / (a * \sqrt{1 + \cot[c]^2}))) * (b + a * \cos[c + d*x])^{3/2} * \csc[c] * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * \sec[d*x - \arctan[\cot[c]]] * \sqrt{(a * \sqrt{1 + \cot[c]^2} - a * \sqrt{1 + \cot[c]^2} * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} - b * \csc[c])} * \sqrt{(a * \sqrt{1 + \cot[c]^2} + a * \sqrt{1 + \cot[c]^2} * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} + b * \csc[c])} * \sqrt{b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]])} / (3 * (a^2 - b^2) * d * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \cot[c]^2} * \sqrt{\sec[c + d*x]} * (a + b * \sec[c + d*x])^{3/2}) - (8 * A * b^2 * \text{AppellF1}[1/2, 1/2, 1/2, 3/2, (\csc[c] * (b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} * (1 + (b * \csc[c]) / (a * \sqrt{1 + \cot[c]^2}))), (\csc[c] * (b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} * (-1 + (b * \csc[c]) / (a * \sqrt{1 + \cot[c]^2}))) * (b + a * \cos[c + d*x])^{3/2} * \csc[c] * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * \sec[d*x - \arctan[\cot[c]]] * \sqrt{(a * \sqrt{1 + \cot[c]^2} - a * \sqrt{1 + \cot[c]^2} * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} - b * \csc[c])} * \sqrt{(a * \sqrt{1 + \cot[c]^2} + a * \sqrt{1 + \cot[c]^2} * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} + b * \csc[c])} * \sqrt{b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]])} / (3 * a^2 * (a^2 - b^2) * d * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \cot[c]^2} * \sqrt{\sec[c + d*x]} * (a + b * \sec[c + d*x])^{3/2}) + (4 * b * B * \text{AppellF1}[1/2, 1/2, 1/2, 3/2, (\csc[c] * (b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} * (1 + (b * \csc[c]) / (a * \sqrt{1 + \cot[c]^2}))), (\csc[c] * (b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} * (-1 + (b * \csc[c]) / (a * \sqrt{1 + \cot[c]^2}))) * (b + a * \cos[c + d*x])^{3/2} * \csc[c] * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * \sec[d*x - \arctan[\cot[c]]] * \sqrt{(a * \sqrt{1 + \cot[c]^2} - a * \sqrt{1 + \cot[c]^2} * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} - b * \csc[c])} * \sqrt{(a * \sqrt{1 + \cot[c]^2} + a * \sqrt{1 + \cot[c]^2} * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} + b * \csc[c])} * \sqrt{b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]])} / (a * (a^2 - b^2) * d * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \cot[c]^2} * \sqrt{\sec[c + d*x]} * (a + b * \sec[c + d*x])^{3/2}) - (4 * C * \text{AppellF1}[1/2, 1/2, 1/2, 3/2, (\csc[c] * (b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} * (1 + (b * \csc[c]) / (a * \sqrt{1 + \cot[c]^2}))), (\csc[c] * (b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} * (-1 + (b * \csc[c]) / (a * \sqrt{1 + \cot[c]^2}))) * (b + a * \cos[c + d*x])^{3/2} * \csc[c] * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * \sec[d*x - \arctan[\cot[c]]] * \sqrt{(a * \sqrt{1 + \cot[c]^2} - a * \sqrt{1 + \cot[c]^2} * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} - b * \csc[c])} * \sqrt{(a * \sqrt{1 + \cot[c]^2} + a * \sqrt{1 + \cot[c]^2} * \sin[d*x - \arctan[\cot[c]]]) / (a * \sqrt{1 + \cot[c]^2} + b * \csc[c])} * \sqrt{b - a * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \arctan[\cot[c]]])} / ((a^2 - b^2) * d * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \cot[c]^2} * \sqrt{\sec[c + d*x]} * (a + b * \sec[c + d*x])^{3/2}) + (10 * A * b * (b + a * \cos[c + d*x])^{3/2} * \csc[c] * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * (\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\sec[c] * (b + a * \cos[c]) * \cos[d*x + \arctan[\tan[c]]) * \sqrt{1 + \tan[c]^2}) / (a * \sqrt{1 + \tan[c]^2} * (1 - (b * \sec[c]) / (a * \sqrt{1 + \tan[c]^2}))) / (a * \sqrt{1 + \tan[c]^2} * (1 - (b * \sec[c]) / (a * \sqrt{1 + \tan[c]^2})))
\end{aligned}$$

$$\begin{aligned}
& n[c]^2))))) , -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))))))* \\
& \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Tan}[c)]/(\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[1 + \text{Tan}[c]^2] - a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(b*\text{Sec}[c] + a*\text{Sqrt}[\\
& 1 + \text{Tan}[c]^2]))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(- (b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \text{Tan}[c]^2]))*\text{Sqrt}[b + a*\text{Cos}[c]*\text{C} \\
& \text{os}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]) \\
& *\text{Tan}[c)]/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]) \\
& *\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a^2*\text{Cos}[c]^2 + a^2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c] \\
& *\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(3*(a^2 - b^2)*d*(A + 2*C \\
& + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + \\
& d*x])^(3/2)) - (16*A*b^3*(b + a*\text{Cos}[c + d*x])^(3/2)*\text{Csc}[c]*(A + B*\text{Sec}[c + \\
& d*x] + C*\text{Sec}[c + d*x]^2)*(\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a \\
& *\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2] \\
& *(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))))) , -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d* \\
& x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec} \\
& [c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))))))*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Tan}[c)]/(\text{Sqrt}[1 + \\
& \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]*\text{Sqrt}[1 \\
& + \text{Tan}[c]^2])/(b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c]^2]))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] \\
& + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2])/(- (b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \\
& \text{Tan}[c]^2]))*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2] \\
&]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Tan}[c)]/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(\\
& b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a^2*\text{Cos}[c]^2 + \\
& a^2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c] \\
& ^2]))/(3*a^2*(a^2 - b^2)*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x \\
&])*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(3/2)) - (2*a*B*(b + a*\text{Cos}[c + d \\
& *x])^(3/2)*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*(\text{AppellF1}[-1/2, \\
& -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]*\text{Sqrt}[1 + \\
& \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))) \\
&) , -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(\\
& a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))))))*\text{Sin}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]])*\text{Tan}[c)]/(\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] - a* \\
& \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2])/(b*\text{Sec}[c] + a*\text{Sqrt}[1 + \text{Tan}[c] \\
& ^2]))*\text{Sqrt}[(a*\text{Sqrt}[1 + \text{Tan}[c]^2] + a*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan} \\
& [c]^2])/(- (b*\text{Sec}[c]) + a*\text{Sqrt}[1 + \text{Tan}[c]^2]))*\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x + A \\
& rcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Tan}[c)]/S \\
& qrt[1 + \text{Tan}[c]^2] + (2*a*\text{Cos}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqr \\
& t}[1 + \text{Tan}[c]^2]))/(a^2*\text{Cos}[c]^2 + a^2*\text{Sin}[c]^2))/\text{Sqrt}[b + a*\text{Cos}[c]*\text{Cos}[d*x \\
& + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/((a^2 - b^2)*d*(A + 2*C + 2*B*\text{Cos}[c \\
& + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[\text{Sec}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(3/2) \\
&) + (4*b^2*B*(b + a*\text{Cos}[c + d*x])^(3/2)*\text{Csc}[c]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec} \\
& [c + d*x]^2)*(\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d \\
& *x + \text{ArcTan}[\text{Tan}[c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(1 - (b*\text{Sec} \\
& [c])/(a*\text{Sqrt}[1 + \text{Tan}[c]^2)))))) , -((\text{Sec}[c]*(b + a*\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan} \\
& [c]])*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(a*\text{Sqrt}[1 + \text{Tan}[c]^2]*(-1 - (b*\text{Sec}[c])/(a*\text{Sqrt}[
\end{aligned}$$

$$\begin{aligned}
& 1 + \tan[c]^2))))) * \sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / (\sqrt{1 + \tan[c]^2} * \sqrt{(a * \sqrt{1 + \tan[c]^2} - a * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (b * \sec[c] + a * \sqrt{1 + \tan[c]^2})) * \sqrt{(a * \sqrt{1 + \tan[c]^2} + a * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (-b * \sec[c] + a * \sqrt{1 + \tan[c]^2})) * \sqrt{b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2})} - ((\sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 * a * \cos[c] * (b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (a^2 * \cos[c]^2 + a^2 * \sin[c]^2)) / \sqrt{b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}})) / (a * (a^2 - b^2) * d * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x]) * \sqrt{\sec[c + d*x]} * (a + b * \sec[c + d*x])^{(3/2)} - (2 * b * C * (b + a * \cos[c + d*x])^{(3/2)} * \csc[c] * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * (\text{AppellF1}[-1/2, -1/2, -1/2, 1/2, -((\sec[c] * (b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (a * \sqrt{1 + \tan[c]^2} * (1 - (b * \sec[c]) / (a * \sqrt{1 + \tan[c]^2))))), -((\sec[c] * (b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (a * \sqrt{1 + \tan[c]^2} * (-1 - (b * \sec[c]) / (a * \sqrt{1 + \tan[c]^2)))))) * \sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / (\sqrt{1 + \tan[c]^2} * \sqrt{(a * \sqrt{1 + \tan[c]^2} - a * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (b * \sec[c] + a * \sqrt{1 + \tan[c]^2})) * \sqrt{(a * \sqrt{1 + \tan[c]^2} + a * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (-b * \sec[c] + a * \sqrt{1 + \tan[c]^2})) * \sqrt{b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2})} - ((\sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 * a * \cos[c] * (b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (a^2 * \cos[c]^2 + a^2 * \sin[c]^2)) / \sqrt{b + a * \cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}})) / ((a^2 - b^2) * d * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x]) * \sqrt{\sec[c + d*x]} * (a + b * \sec[c + d*x])^{(3/2)})
\end{aligned}$$

Maple [B] time = 0.404, size = 2733, normalized size = 7.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(3/2)}/(a+b*\sec(d*x+c))^{(3/2)},x)$

[Out] $-2/3/d/a^3/(a+b)/((a-b)/(a+b))^{(1/2)}*(8*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a*b^2+3*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)})*a^3*\sin(d*x+c)+3*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)})*a^2*b*\sin(d*x+c)+A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)$

$$\begin{aligned}
& / (a+b)^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^3 + 8A * \\
& (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) \\
&) * \sin(dx+c) * \cos(dx+c) * b^3 - 3B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^3 + 3C * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^3 + 6A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^2 * b * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 8A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a * b^2 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 5A * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^2 * b * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 3B * a^3 * ((a-b)/(a+b))^{1/2} * \cos(dx+c) - A * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^3 - 8A * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * b^3 + 8A * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * b^3 * \sin(dx+c) - 5A * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 * b - 6B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 * b - 6B * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * \cos(dx+c) * a * b^2 + 3C * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 * b + 6A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 * b + A * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^3 + 3B * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^3 + 3B * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^3 - A * a^2 * b * ((a-b)/(a+b))^{1/2} + 4A * a * b^2 * ((a-b)/(a+b))^{1/2} - 3B * a^2 * b * ((a-b)/(a+b))^{1/2} - 6B * a * b^2 * ((a-b)/(a+b))^{1/2} + 3C * ((a-b)/(a+b))^{1/2} * a^2 * b - 4A * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^2 * b - 3B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^3 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 3C * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^3 * \sin(dx+c) + A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^3 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c)
\end{aligned}$$

```
*x+c)+8*A*b^3*((a-b)/(a+b))^(1/2)+A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a^2*b-
4*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a*b^2+3*B*((a-b)/(a+b))^(1/2)*cos(d*x+
c)^2*a^2*b+4*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2*b+6*B*((a-b)/(a+b))^(1/2)
*cos(d*x+c)*a*b^2-3*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2*b-6*B*EllipticF((-
1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^2*b*(1
/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(
d*x+c)-6*B*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)
/(a-b))^(1/2))*a*b^2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/co
s(d*x+c)+1))^(1/2)*sin(d*x+c))*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+
c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)/(b+a*cos(d*x+c))
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\sec(dx+c)}}{b^2 \sec(dx+c)^4 + 2ab \sec(dx+c)^3 + a^2 \sec(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*s
qrt(sec(d*x + c))/(b^2*sec(d*x + c)^4 + 2*a*b*sec(d*x + c)^3 + a^2*sec(d*x
+ c)^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c))**3/2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(b \sec(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)

$$3.1063 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \sec^2(c+dx)(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=461

$$\frac{2\sqrt{\sec(c+dx)}(6a^2b(2A+5C)-5a^3B-40ab^2B+48Ab^3)\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 2\sin(c+dx)(a^2($$

$$15a^4d\sqrt{a+b\sec(c+dx)}$$

[Out] (-2*(48*A*b^3 - 5*a^3*B - 40*a*b^2*B + 6*a^2*b*(2*A + 5*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(15*a^4*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(48*A*b^4 + 25*a^3*b*B - 40*a*b^3*B - 6*a^2*b^2*(4*A - 5*C) - 3*a^4*(3*A + 5*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^4*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) - (2*(6*A*b^2 - 5*a*b*B - a^2*(A - 5*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*a^2*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)) + (2*(24*A*b^3 + 5*a^3*B - 20*a*b^2*B - a^2*(9*A*b - 15*b*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 1.37268, antiderivative size = 461, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2\sin(c+dx)(a^2(-(A-5C))-5abB+6Ab^2)\sqrt{a+b\sec(c+dx)}}{5a^2d(a^2-b^2)\sec^3(c+dx)} + \frac{2\sin(c+dx)(Ab^2-a(bB-aC))}{ad(a^2-b^2)\sec^3(c+dx)\sqrt{a+b\sec(c+dx)}} + \frac{2\sin(c+dx)(a^2(-(A-5C))-5abB+6Ab^2)\sqrt{a+b\sec(c+dx)}}{5a^2d(a^2-b^2)\sec^3(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)), x]

[Out] (-2*(48*A*b^3 - 5*a^3*B - 40*a*b^2*B + 6*a^2*b*(2*A + 5*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(15*a^4*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(48*A*b^4 + 25*a^3*b*B - 40*a*b^3*B - 6*a^2*b^2*(4*A - 5*C) - 3*a^4*(3*A + 5*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^4*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) - (2*(6*A*b^2 - 5*a*b*B - a^2*(A - 5*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*a^2*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)) + (2*(24*A*b^3 + 5*a^3*B - 20*a*b^2*B - a^2*(9*A*b - 15*b*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]])

$$\frac{(6Ab^2 - 5a^2B - a^2(A - 5C))\sqrt{a + b\sec[c + dx]}\sin[c + dx]}{(5a^2(a^2 - b^2)d\sec[c + dx]^{3/2}) + (2(24Ab^3 + 5a^3B - 20a^2b^2B - a^2(9Ab - 15b^2C))\sqrt{a + b\sec[c + dx]}\sin[c + dx]) / (15a^3(a^2 - b^2)d\sqrt{\sec[c + dx]})}$$

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m), x_Symbol]
:> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n) / (a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m), x_Symbol]
:> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n) / (a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)) / (Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol]
:> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]] / Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B) / (a*d), Int[Sqrt[d*Csc[e + f*x]] / Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)] / Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol]
:> Dist[Sqrt[a + b*Csc[e + f*x]] / (Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sine[e + f*x]]), Int[Sqrt[b + a*Sine[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol]
:> Dist[Sqrt[a +
```

```
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} dx &= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(6Ab^2 - 5abB - a^2(A - 5C)) + \frac{1}{2}C}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} dx}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{2(6Ab^2 - 5abB - a^2(A - 5C))}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{2(6Ab^2 - 5abB - a^2(A - 5C))}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{2(6Ab^2 - 5abB - a^2(A - 5C))}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{2(6Ab^2 - 5abB - a^2(A - 5C))}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{2(6Ab^2 - 5abB - a^2(A - 5C))}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= -\frac{2(48Ab^3 - 5a^3B - 40ab^2B + 6a^2b(2A + 5C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{b+a \cos(c+dx)}{a+b}\right)}{15a^4 d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 8.06046, size = 6134, normalized size = 13.31

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)),x]

[Out] Result too large to show

Maple [B] time = 0.52, size = 4114, normalized size = 8.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\sec(d*x+c)^{(5/2)}/(a+b*\sec(d*x+c))^{(3/2)},x)$

[Out]
$$\begin{aligned} & -2/15/d/a^4/(a+b)/((a-b)/(a+b))^{(1/2)}*(-48*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*b^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-12*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^3*b-9*A*a^3*b*((a-b)/(a+b))^{(1/2)}-24*A*a*b^3*((a-b)/(a+b))^{(1/2)}-5*B*a^3*b*((a-b)/(a+b))^{(1/2)}+20*B*a^2*b^2*((a-b)/(a+b))^{(1/2)}+40*B*a*b^3*((a-b)/(a+b))^{(1/2)}-15*C*a^3*b*((a-b)/(a+b))^{(1/2)}-30*C*a^2*b^2*((a-b)/(a+b))^{(1/2)}-15*C*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-9*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+9*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*\cos(d*x+c)*a^4+15*C*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*\cos(d*x+c)*a^4+9*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+15*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^4*\sin(d*x+c)+3*A*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}*a^3*b-6*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^2*b^2+5*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^3*b+6*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*b+24*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a*b^3-20*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b^2+15*C*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*b+6*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*b-18*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b^2+20*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*b-40*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^3+30*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b^2+24*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a^2*b^2-20*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a^3*b-6*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*a^3*b+3*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^4*a^4+6*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a^4+15*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a^4+5*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*a^4-48*A*b^4*((a-b)/(a+b))^{(1/2)}-9*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^4-15*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^4+48*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)} \end{aligned}$$


```

c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^3*b+40*B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^2*b^2-25*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^3*b+40*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a*b^3-30*C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^3*b-30*C*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^2*b^2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)/(b+a*cos(d*x+c))

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\sec(dx+c)}}{b^2 \sec(dx+c)^5 + 2ab \sec(dx+c)^4 + a^2 \sec(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^2*sec(d*x + c)^5 + 2*a*b*sec(d*x + c)^4 + a^2*sec(d*x
```

+ c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(b \sec(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(5/2)), x)

$$3.1064 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=563

$$\frac{\sqrt{\sec(c+dx)}(5a^2C - 2abB + 2Ab^2 - 3b^2C) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - \frac{2 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)(Ab^2 - a^2C)}{3bd(a^2 - b^2)(a + b \sec(c+dx))}}{3b^2d(a^2 - b^2) \sqrt{a + b \sec(c+dx)}}$$

```
[Out] ((2*A*b^2 - 2*a*b*B + 5*a^2*C - 3*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]
*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*b^2*(a^2 - b^
2)*d*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - 5*a*C)*Sqrt[(b + a*Cos[c + d*x])
/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(b^
3*d*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^4 + 6*a^3*b*B - 14*a*b^3*B - 15*a^4
*C + 26*a^2*b^2*C - 3*b^4*C)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a +
b*Sec[c + d*x]])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]
*Sqrt[Sec[c + d*x]]) - (2*(A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(5/2)*Sin[c
+ d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(3*A*b^4 + 2*a^
3*b*B - 6*a*b^3*B - 5*a^4*C + a^2*b^2*(A + 9*C))*Sec[c + d*x]^(3/2)*Sin[c +
d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]) - ((8*A*b^4 + 6*a^3
*b*B - 14*a*b^3*B - 15*a^4*C + 26*a^2*b^2*C - 3*b^4*C)*Sqrt[Sec[c + d*x]]*S
qrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*b^3*(a^2 - b^2)^2*d)
```

Rubi [A] time = 1.94704, antiderivative size = 563, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4098, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{2 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)(Ab^2 - a(bB - aC))}{3bd(a^2 - b^2)(a + b \sec(c+dx))^{3/2}} + \frac{2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)(a^2b^2(A + 9C) + 2a^3bB - 5a^4C - 6ab^3B + 3a^2b^2C)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec
[c + d*x])^(5/2), x]
```

```
[Out] ((2*A*b^2 - 2*a*b*B + 5*a^2*C - 3*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]
*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*b^2*(a^2 - b^
2)*d*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - 5*a*C)*Sqrt[(b + a*Cos[c + d*x])
```

$$\begin{aligned} & / (a + b) * \text{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)] * \text{Sqrt}[\text{Sec}[c + d*x]] / (b^3 * d * \text{Sqrt}[a + b * \text{Sec}[c + d*x]]) + ((8*A*b^4 + 6*a^3*b*B - 14*a*b^3*B - 15*a^4 * C + 26*a^2*b^2*C - 3*b^4*C) * \text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)] * \text{Sqrt}[a + b * \text{Sec}[c + d*x]]) / (3*b^3*(a^2 - b^2)^2 * d * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) / (a + b)] * \text{Sqrt}[\text{Sec}[c + d*x]]) - (2*(A*b^2 - a*(b*B - a*C)) * \text{Sec}[c + d*x]^{(5/2)} * \text{Sin}[c + d*x]) / (3*b*(a^2 - b^2) * d * (a + b * \text{Sec}[c + d*x])^{(3/2)}) + (2*(3*A*b^4 + 2*a^3 * b*B - 6*a*b^3*B - 5*a^4*C + a^2*b^2*(A + 9*C)) * \text{Sec}[c + d*x]^{(3/2)} * \text{Sin}[c + d*x]) / (3*b^2*(a^2 - b^2)^2 * d * \text{Sqrt}[a + b * \text{Sec}[c + d*x]]) - ((8*A*b^4 + 6*a^3 * b*B - 14*a*b^3*B - 15*a^4*C + 26*a^2*b^2*C - 3*b^4*C) * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sqrt}[a + b * \text{Sec}[c + d*x]] * \text{Sin}[c + d*x]) / (3*b^3*(a^2 - b^2)^2 * d) \end{aligned}$$

Rule 4098

$$\begin{aligned} & \text{Int}[(A + \text{csc}[e] + (f)(x)) * (B + \text{csc}[e] + (f)(x))^2 * (C + \text{csc}[e] + (f)(x)) * (d)^n * (C + \text{csc}[e] + (f)(x)) * (b) + (a)]^{(m)}, x_Symbol] \text{ :> } -\text{Simp}[(d*(A*b^2 - a*b*B + a^2*C) * \text{Cot}[e + f*x] * (a + b * \text{Csc}[e + f*x])^{(m+1)} * (d * \text{Csc}[e + f*x])^{(n-1)}) / (b*f*(a^2 - b^2)*(m+1)), x] + \text{Dist}[d/(b*(a^2 - b^2)*(m+1)), \text{Int}[(a + b * \text{Csc}[e + f*x])^{(m+1)} * (d * \text{Csc}[e + f*x])^{(n-1)} * \text{Simp}[A*b^2*(n-1) - a*(b*B - a*C)*(n-1) + b*(a*A - b*B + a*C)*(m+1) * \text{Csc}[e + f*x] - (b*(A*b - a*B)*(m+n+1) + C*(a^2*n + b^2*(m+1))) * \text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0] \end{aligned}$$

Rule 4102

$$\begin{aligned} & \text{Int}[(A + \text{csc}[e] + (f)(x)) * (B + \text{csc}[e] + (f)(x))^2 * (C + \text{csc}[e] + (f)(x)) * (d)^n * (C + \text{csc}[e] + (f)(x)) * (b) + (a)]^{(m)}, x_Symbol] \text{ :> } -\text{Simp}[(C*d * \text{Cot}[e + f*x] * (a + b * \text{Csc}[e + f*x])^{(m+1)} * (d * \text{Csc}[e + f*x])^{(n-1)}) / (b*f*(m+n+1)), x] + \text{Dist}[d/(b*(m+n+1)), \text{Int}[(a + b * \text{Csc}[e + f*x])^m * (d * \text{Csc}[e + f*x])^{(n-1)} * \text{Simp}[a*C*(n-1) + (A*b*(m+n+1) + b*C*(m+n)) * \text{Csc}[e + f*x] + (b*B*(m+n+1) - a*C*n) * \text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0] \end{aligned}$$

Rule 4108

$$\begin{aligned} & \text{Int}[(A + \text{csc}[e] + (f)(x)) * (B + \text{csc}[e] + (f)(x))^2 * (C + \text{csc}[e] + (f)(x)) / (\text{Sqrt}[\text{csc}[e] + (f)(x)] * (d) * \text{Sqrt}[\text{csc}[e] + (f)(x)] * (b) + (a)]), x_Symbol] \text{ :> } \text{Dist}[C/d^2, \text{Int}[(d * \text{Csc}[e + f*x])^{(3/2)} / \text{Sqrt}[a + b * \text{Csc}[e + f*x]], x], x] + \text{Int}[(A + B * \text{Csc}[e + f*x]) / (\text{Sqrt}[d * \text{Csc}[e + f*x]] * \text{Sqrt}[a + b * \text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \end{aligned}$$

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)])], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + b \sec(c+dx))^{\frac{5}{2}}} dx &= -\frac{2(Ab^2 - a(bB - aC)) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3b(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} - 2 \int \frac{\sec^{\frac{3}{2}}(c+dx)}{(a + b \sec(c+dx))^{\frac{5}{2}}} dx \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3b(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} + \frac{2(3Ab^4 + 2a^2b^2 - 2a^2C)}{3b^2(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3b(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} + \frac{2(3Ab^4 + 2a^2b^2 - 2a^2C)}{3b^2(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3b(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} + \frac{2(3Ab^4 + 2a^2b^2 - 2a^2C)}{3b^2(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3b(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} + \frac{2(3Ab^4 + 2a^2b^2 - 2a^2C)}{3b^2(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3b(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} + \frac{2(3Ab^4 + 2a^2b^2 - 2a^2C)}{3b^2(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3b(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} + \frac{2(3Ab^4 + 2a^2b^2 - 2a^2C)}{3b^2(a^2 - b^2) d(a + b \sec(c+dx))^{\frac{3}{2}}} \\
&= \frac{(2bB - 5aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c+dx)}}{b^3 d \sqrt{a + b \sec(c+dx)}} \\
&= \frac{(2Ab^2 - 2abB + 5a^2C - 3b^2C) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3b^2(a^2 - b^2) d \sqrt{a + b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 7.34284, size = 938, normalized size = 1.67

$$\frac{(b + a \cos(c + dx))^3 \sqrt{\sec(c + dx)} (C \sec^2(c + dx) + B \sec(c + dx) + A) \left(-\frac{4(C \sin(c+dx)a^3 - bB \sin(c+dx)a^2 + Ab^2 \sin(c+dx)a)}{3b^2(b^2 - a^2)(b+a \cos(c+dx))^2} - \frac{4(-6C + 2bB - 5aC)}{3b^2(a^2 - b^2)} \right)}{d(\cos(2c + 2dx)A + A + 2C + 2B \cos(c + dx))(a + b \sec(c + dx))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```



```
[Out] -((b + a*cos[c + d*x])^(5/2)*sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec
[c + d*x]^2)*((2*(-4*a^2*A*b^3 - 12*A*b^5 - 8*a^3*b^2*B + 24*a*b^4*B + 20*a
^4*b*C - 36*a^2*b^3*C)*sqrt[(b + a*cos[c + d*x])/(a + b)]*EllipticF[(c + d*
x)/2, (2*a)/(a + b)]/sqrt[b + a*cos[c + d*x]] + (2*(-8*a*A*b^4 - 18*a^4*b*
B + 38*a^2*b^3*B - 12*b^5*B + 45*a^5*C - 86*a^3*b^2*C + 33*a*b^4*C)*sqrt[(b
+ a*cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/sqrt
[b + a*cos[c + d*x]] + ((2*I)*(-8*a*A*b^4 - 6*a^4*b*B + 14*a^2*b^3*B + 15*a
^5*C - 26*a^3*b^2*C + 3*a*b^4*C)*sqrt[(a - a*cos[c + d*x])/(a + b)]*sqrt[(a
+ a*cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcS
inh[Sqrt[(a - b)^(-1)]*sqrt[b + a*cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*
b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*sqrt[b + a*cos[c + d*x]]], (-a + b
)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*sqrt[b + a*
Cos[c + d*x]]], (-a + b)/(a + b)))*Sin[c + d*x])/(sqrt[(a - b)^(-1)]*b*sqrt
[1 - Cos[c + d*x]^2]*sqrt[(a^2 - a^2*cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 -
4*b*(b + a*cos[c + d*x]) + 2*(b + a*cos[c + d*x])^2)))/(6*(a - b)^2*b^3*(a
+ b)^2*d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x])*(a + b*Sec[c +
d*x])^(5/2)) + ((b + a*cos[c + d*x])^3*sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*
x] + C*Sec[c + d*x]^2)*((-4*(a*A*b^2*sin[c + d*x] - a^2*b*B*sin[c + d*x] +
a^3*C*sin[c + d*x]))/(3*b^2*(-a^2 + b^2)*(b + a*cos[c + d*x])^2) - (4*(4*a*
A*b^4*sin[c + d*x] + 3*a^4*b*B*sin[c + d*x] - 7*a^2*b^3*B*sin[c + d*x] - 6*
a^5*C*sin[c + d*x] + 10*a^3*b^2*C*sin[c + d*x]))/(3*b^3*(-a^2 + b^2)^2*(b +
a*cos[c + d*x])) + (2*C*tan[c + d*x])/b^3))/(d*(A + 2*C + 2*B*cos[c + d*x]
+ A*cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(5/2))
```

Maple [C] time = 0.615, size = 9944, normalized size = 17.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)
,x)
```

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(5/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**(5/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec  
(d*x + c) + a)^(5/2), x)
```

$$3.1065 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=447

$$\frac{2\sqrt{\sec(c+dx)}(Ab^2 - a(bB - aC))\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3abd(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)(Ab^2 - a(bB - aC))}{3bd(a^2 - b^2)(a+b \sec(c+dx))^{3/2}}$$

```
[Out] (-2*(A*b^2 - a*(b*B - a*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a*b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(b^2*d*Sqrt[a + b*Sec[c + d*x]])) - (2*(A*b^4 - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 7*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a*b^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (2*(A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(A*b^4 - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 7*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))
```

Rubi [A] time = 1.44901, antiderivative size = 447, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4098, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)(Ab^2 - a(bB - aC))}{3bd(a^2 - b^2)(a+b \sec(c+dx))^{3/2}} + \frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(a^2b^2(3A+7C) - 3a^4C - 4ab^3B + Ab^4)}{3b^2d(a^2 - b^2)^2\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] (-2*(A*b^2 - a*(b*B - a*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a*b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(b^2*d*Sqrt[a + b*Sec[c + d*x]])) - (2*(A*b^4 - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 7*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a*b^2*(a^2 - b^2)^2*d
```

```
*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]] - (2*(A*b^2 - a*(b*B - a*C))*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(A*b^4 - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 7*C))*Sqrt[Sec[c + d*x]*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
```

```

+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663

```

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

```

$b^2, 0] \&\& !GtQ[a + b, 0]$

Rule 2661

`Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b (a^2 - b^2) d (a + b \sec(c + dx))^{3/2}} - 2 \int \frac{\sqrt{\sec(c + dx)}}{(a + b \sec(c + dx))^{5/2}} dx \\
 &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b (a^2 - b^2) d (a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 - a^2 b^2)}{3b^2 d (a^2 - b^2)} \\
 &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b (a^2 - b^2) d (a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 - a^2 b^2)}{3b^2 d (a^2 - b^2)} \\
 &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b (a^2 - b^2) d (a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 - a^2 b^2)}{3b^2 d (a^2 - b^2)} \\
 &= -\frac{2 (Ab^2 - a(bB - aC)) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b (a^2 - b^2) d (a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 - a^2 b^2)}{3b^2 d (a^2 - b^2)} \\
 &= \frac{2C \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{b^2 d \sqrt{a + b \sec(c + dx)}} - \frac{2 (Ab^4 - a^2 b^2)}{3b^2 d (a^2 - b^2)} \\
 &= -\frac{2 (Ab^2 - a(bB - aC)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{3ab (a^2 - b^2) d \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [F] time = 52.9623, size = 0, normalized size = 0.

$$\int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a +
b*Sec[c + d*x])^(5/2),x]
```

```
[Out] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a +
b*Sec[c + d*x])^(5/2), x]
```

Maple [C] time = 0.478, size = 7030, normalized size = 15.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)
,x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sec(dx+c)^{\frac{3}{2}}}{(b \sec(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec
(d*x + c) + a)^(5/2), x)
```

$$3.1066 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=378

$$\frac{2\sqrt{\sec(c+dx)}(a^2-(3A+C)) + abB + 2Ab^2}{3a^2d(a^2-b^2)\sqrt{a+b \sec(c+dx)}} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}}{3abd(a^2-b^2)}$$

```
[Out] (-2*(2*A*b^2 + a*b*B - a^2*(3*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b^3 + 3*a^3*B + a*b^2*B - 2*a^2*b*(3*A + 2*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(A*b^4 + 2*a^3*b*B + 2*a*b^3*B + a^4*C - 5*a^2*b^2*(A + C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.03745, antiderivative size = 378, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4098, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(-5a^2b^2(A+C) + 2a^3bB + a^4C + 2ab^3B + Ab^4)}{3abd(a^2-b^2)^2\sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(Ab^2 - a(bB - a^2C))}{3bd(a^2-b^2)(a+b \sec(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] (-2*(2*A*b^2 + a*b*B - a^2*(3*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b^3 + 3*a^3*B + a*b^2*B - 2*a^2*b*(3*A + 2*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(A*b^4 + 2*a^3*b*B + 2*a*b^3*B + a^4*C - 5*a^2*b^2*(A + C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol]
:> -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol]
:> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)]/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol]
:> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol]
:> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol]
:> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= -\frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - 2\int \frac{1}{2}(-) \\
&= -\frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(Ab^4)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(Ab^4)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(Ab^4)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{2(Ab^2-a(bB-aC))\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(Ab^4)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{2(2Ab^2+abB-a^2(3A+C))\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\right)}{3a^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 7.61037, size = 5040, normalized size = 13.33

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a +
b*Sec[c + d*x])^(5/2),x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.463, size = 5169, normalized size = 13.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a)^(5/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**5/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.1067 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=401

$$\frac{2\sqrt{\sec(c+dx)}(-a^2b(9A+C)+3a^3B-2ab^2B+8Ab^3)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 2 \sin(c+dx)\sqrt{\sec(c+dx)}}{3a^3d(a^2-b^2)\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*(8*A*b^3 + 3*a^3*B - 2*a*b^2*B - a^2*b*(9*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(3*a^3*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(4*A*b^4 + 5*a^3*b*B - a*b^3*B - 2*a^4*C - 2*a^2*b^2*(4*A + C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.03434, antiderivative size = 401, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(-2a^2b^2(4A+C)+5a^3bB-2a^4C-ab^3B+4Ab^4)}{3a^2d(a^2-b^2)^2\sqrt{a+b \sec(c+dx)}} + \frac{2 \sin(c+dx)\sqrt{\sec(c+dx)}(Ab^2-a(bB))}{3ad(a^2-b^2)(a+b \sec(c+dx))^3}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)), x]
```

```
[Out] (2*(8*A*b^3 + 3*a^3*B - 2*a*b^2*B - a^2*b*(9*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(3*a^3*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(4*A*b^4 + 5*a^3*b*B - a*b^3*B - 2*a^4*C - 2*a^2*b^2*(4*A + C))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```


Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)]/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
```

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{5/2}} dx &= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{\frac{1}{2}(4Ab^2 - abB - a^2(3A - C)) + \frac{3}{2}a^2}{\sqrt{\sec(c + dx)}} dx}{3a^2(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2(4Ab^4 + 5a^3bB - ab^3B - a^2(4A^2 - 3aB^2)) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2(4Ab^4 + 5a^3bB - ab^3B - a^2(4A^2 - 3aB^2)) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2(4Ab^4 + 5a^3bB - ab^3B - a^2(4A^2 - 3aB^2)) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2(4Ab^4 + 5a^3bB - ab^3B - a^2(4A^2 - 3aB^2)) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} \\
 &= \frac{2(8Ab^3 + 3a^3B - 2ab^2B - a^2b(9A + C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{3a^3(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 8.30899, size = 6142, normalized size = 15.32

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)),x]

[Out] Result too large to show

Maple [B] time = 0.51, size = 6945, normalized size = 17.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sqrt{\sec(dx+c)}}{b^3 \sec(dx+c)^4 + 3ab^2 \sec(dx+c)^3 + 3a^2b \sec(dx+c)^2 + a^3 \sec(dx+c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^3*sec(d*x + c)^4 + 3*a*b^2*sec(d*x + c)^3 + 3*a^2*b*sec(d*x + c)^2 + a^3*sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)
```

$$3.1068 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \sec^2(c+dx)(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=521

$$\frac{2\sqrt{\sec(c+dx)} \left(-2a^2b^2(8A-C) + a^4(-(A+3C)) + 9a^3bB - 8ab^3B + 16Ab^4 \right) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^4d(a^2-b^2)\sqrt{a+b \sec(c+dx)}}$$

[Out] $(-2*(16*A*b^4 + 9*a^3*b*B - 8*a*b^3*B - 2*a^2*b^2*(8*A - C) - a^4*(A + 3*C)) * \operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)] * \operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)] * \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) / (3*a^4*(a^2 - b^2)*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - (2*(16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B - 2*a^2*b^3*(14*A - C) + a^4*(8*A*b - 6*b*C)) * \operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)] * \operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) / (3*a^4*(a^2 - b^2)^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)] * \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C)) * \operatorname{Sin}[c + d*x]) / (3*a*(a^2 - b^2)*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] * (a + b*\operatorname{Sec}[c + d*x])^{3/2}) + (2*(10*a^2*A*b^2 - 6*A*b^4 - 7*a^3*b*B + 3*a*b^3*B + 4*a^4*C) * \operatorname{Sin}[c + d*x]) / (3*a^2*(a^2 - b^2)^2*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] * \operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B + a^4*(A - 5*C) - a^2*b^2*(13*A - C)) * \operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]] * \operatorname{Sin}[c + d*x]) / (3*a^3*(a^2 - b^2)^2*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

Rubi [A] time = 1.60248, antiderivative size = 521, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) \left(-a^2b^2(13A-C) + a^4(A-5C) + 8a^3bB - 4ab^3B + 8Ab^4 \right) \sqrt{a+b \sec(c+dx)}}{3a^3d(a^2-b^2)^2 \sqrt{\sec(c+dx)}} + \frac{2 \sin(c+dx) (10a^2Ab^2 - \dots)}{3a^2d(a^2-b^2)^2 \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2)/(\operatorname{Sec}[c + d*x]^{3/2}*(a + b*\operatorname{Sec}[c + d*x])^{5/2}), x]$

[Out] $(-2*(16*A*b^4 + 9*a^3*b*B - 8*a*b^3*B - 2*a^2*b^2*(8*A - C) - a^4*(A + 3*C)) * \operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)] * \operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)] * \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) / (3*a^4*(a^2 - b^2)*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - (2*(16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B - 2*a^2*b^3*(14*A - C) + a^4*(8*A*b - 6*b*C)) * \operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)] * \operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) / (3*a^4*(a^2 - b^2)^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)] * \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C)) * \operatorname{Sin}[c + d*x]) / (3*a*(a^2 - b^2)*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] * (a + b*\operatorname{Sec}[c + d*x])^{3/2}) + (2*(10*a^2*A*b^2 - 6*A*b^4 - 7*a^3*b*B + 3*a*b^3*B + 4*a^4*C) * \operatorname{Sin}[c + d*x]) / (3*a^2*(a^2 - b^2)^2*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] * \operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B + a^4*(A - 5*C) - a^2*b^2*(13*A - C)) * \operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]] * \operatorname{Sin}[c + d*x]) / (3*a^3*(a^2 - b^2)^2*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

$$d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*\sin[c + d*x])/(3*a*(a^2 - b^2)*d*\sqrt{\sec[c + d*x]}*(a + b*\sec[c + d*x])^{3/2}) + (2*(10*a^2*A*b^2 - 6*A*b^4 - 7*a^3*b*B + 3*a*b^3*B + 4*a^4*C)*\sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*\sqrt{\sec[c + d*x]}*\sqrt{a + b*\sec[c + d*x]}) + (2*(8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B + a^4*(A - 5*C) - a^2*b^2*(13*A - C))*\sqrt{a + b*\sec[c + d*x]}*\sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*\sqrt{\sec[c + d*x]})$$

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))
^(m_.), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])
^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))
*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))
^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])
^m)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sine[e + f*x]]), Int[Sqrt[b + a*Sine[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx &= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{\frac{3}{2}(2Ab^2 - abB - a^2(A - C)) + \frac{3}{2}}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(10a^2 Ab^2 - 6Ab^4 - 7a^3)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(10a^2 Ab^2 - 6Ab^4 - 7a^3)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(10a^2 Ab^2 - 6Ab^4 - 7a^3)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(10a^2 Ab^2 - 6Ab^4 - 7a^3)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(10a^2 Ab^2 - 6Ab^4 - 7a^3)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(16Ab^4 + 9a^3bB - 8ab^3B - 2a^2b^2(8A - C) - a^4(A + 3C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{3a^4(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 9.23639, size = 7608, normalized size = 14.6

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)),x]

[Out] Result too large to show

Maple [B] time = 0.599, size = 8777, normalized size = 16.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\sec(dx+c)}}{b^3 \sec(dx+c)^5 + 3ab^2 \sec(dx+c)^4 + 3a^2b \sec(dx+c)^3 + a^3 \sec(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^3*sec(d*x + c)^5 + 3*a*b^2*sec(d*x + c)^4 + 3*a^2*b*sec(d*x + c)^3 + a^3*sec(d*x + c)^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c))**5/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^5/2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2)), x)
```

$$3.1069 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\frac{5}{\sec^2(c+dx)(a+b \sec(c+dx))^{5/2}}} dx$$

Optimal. Leaf size=663

$$\frac{2\sqrt{\sec(c+dx)} \left(-4a^2b^3(29A-10C) - a^4b(17A+45C) + 80a^3b^2B + 5a^5B - 80ab^4B + 128Ab^5 \right) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}}{15a^5d(a^2-b^2)\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(128*A*b^5 + 5*a^5*B + 80*a^3*b^2*B - 80*a*b^4*B - 4*a^2*b^3*(29*A - 10*C) - a^4*b*(17*A + 45*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(15*a^5*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2*(11*A - 15*C) - 4*a^2*b^4*(53*A - 10*C) + 3*a^6*(3*A + 5*C))*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^5*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)) - (2*(8*A*b^4 + 9*a^3*b*B - 5*a*b^3*B - 2*a^2*b^2*(6*A - C) - 6*a^4*C)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) + (2*(48*A*b^4 + 50*a^3*b*B - 30*a*b^3*B + a^4*(3*A - 35*C) - a^2*b^2*(71*A - 15*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)^2*d*Sec[c + d*x]^(3/2)) - (2*(64*A*b^5 - 5*a^5*B + 65*a^3*b^2*B - 40*a*b^4*B + 2*a^4*b*(7*A - 20*C) - 2*a^2*b^3*(49*A - 10*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^4*(a^2 - b^2)^2*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 2.22685, antiderivative size = 663, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) \left(-a^2b^2(71A-15C) + a^4(3A-35C) + 50a^3bB - 30ab^3B + 48Ab^4 \right) \sqrt{a+b \sec(c+dx)}}{15a^3d(a^2-b^2)^2 \sec^{\frac{3}{2}}(c+dx)} - \frac{2 \sin(c+dx) (-2)}{3a^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)), x]

[Out] (2*(128*A*b^5 + 5*a^5*B + 80*a^3*b^2*B - 80*a*b^4*B - 4*a^2*b^3*(29*A - 10*C) - a^4*b*(17*A + 45*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c +

$$\begin{aligned} & d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(15*a^5*(a^2 - b^2)*d*Sqrt[a + \\ & b*Sec[c + d*x]]) + (2*(128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B \\ & + 5*a^4*b^2*(11*A - 15*C) - 4*a^2*b^4*(53*A - 10*C) + 3*a^6*(3*A + 5*C))*E \\ & llipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(15*a^5*(a^2 \\ & - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*(A*b \\ & ^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)*(a \\ & + b*Sec[c + d*x])^(3/2)) - (2*(8*A*b^4 + 9*a^3*b*B - 5*a*b^3*B - 2*a^2*b^2* \\ & (6*A - C) - 6*a^4*C)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sec[c + d*x]^(3/2 \\ &)*Sqrt[a + b*Sec[c + d*x]]) + (2*(48*A*b^4 + 50*a^3*b*B - 30*a*b^3*B + a^4* \\ & (3*A - 35*C) - a^2*b^2*(71*A - 15*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x] \\ &)/(15*a^3*(a^2 - b^2)^2*d*Sec[c + d*x]^(3/2)) - (2*(64*A*b^5 - 5*a^5*B + 65 \\ & *a^3*b^2*B - 40*a*b^4*B + 2*a^4*b*(7*A - 20*C) - 2*a^2*b^3*(49*A - 10*C))*S \\ & qrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^4*(a^2 - b^2)^2*d*Sqrt[Sec[c + \\ & d*x]]) \end{aligned}$$

Rule 4100

$$\begin{aligned} & \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a \\ & _))^m], x_Symbol] \text{:>} \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{C} \\ & \text{sc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dis} \\ & \text{t}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f* \\ & x])^n*\text{Simp}[a*(A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C)*(m+n+1) \\ &) - a*(A*b - a*B + b*C)*(m+1)*\text{Csc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+ \\ & n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \\ & \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0]) \end{aligned}$$

Rule 4104

$$\begin{aligned} & \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_. \\ &)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a \\ & _))^m], x_Symbol] \text{:>} \text{Simp}[A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d \\ & *\text{Csc}[e + f*x])^n/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m* \\ & (d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{C} \\ & \text{sc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, \\ & e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1] \end{aligned}$$

Rule 4035

$$\begin{aligned} & \text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d \\ & _.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] \text{:>} \text{Dist}[A/a, \text{In} \\ & \text{t}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/ \\ & (a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{ \\ & a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \end{aligned}$$

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx &= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{\frac{1}{2}(8Ab^2 - 5abB - a^2(3A - 5C))}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2(8Ab^4 + 9a^3bB - 5ab^3B)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2(8Ab^4 + 9a^3bB - 5ab^3B)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2(8Ab^4 + 9a^3bB - 5ab^3B)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2(8Ab^4 + 9a^3bB - 5ab^3B)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2(8Ab^4 + 9a^3bB - 5ab^3B)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2(8Ab^4 + 9a^3bB - 5ab^3B)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(128Ab^5 + 5a^5B + 80a^3b^2B - 80ab^4B - 4a^2b^3(29A - 10C) - a^4b(17A + 45B))}{15a^5(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 10.3919, size = 9192, normalized size = 13.86

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)),x]
```

[Out] Result too large to show

Maple [B] time = 0.879, size = 11337, normalized size = 17.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\sec(dx+c)}}{b^3 \sec(dx+c)^6 + 3ab^2 \sec(dx+c)^5 + 3a^2b \sec(dx+c)^4 + a^3 \sec(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^3*sec(d*x + c)^6 + 3*a*b^2*sec(d*x + c)^5 + 3*a^2*b*se`

$c(d*x + c)^4 + a^3*\sec(d*x + c)^3, x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/sec(d*x+c)**(5/2)/(a+b*sec(d*x+c))**5/2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2)), x)

3.1070 $\int (a+b \sec(c+dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=247

$$A \text{Unintegrable}((a + b \sec(c + dx))^{2/3}, x) + \frac{\sqrt{2}(bB - aC) \tan(c + dx)(a + b \sec(c + dx))^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx))\right)}{bd \sqrt{\sec(c + dx) + 1} \left(\frac{a + b \sec(c + dx)}{a + b}\right)^{2/3}}$$

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -5/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(2/3), x]

Rubi [A] time = 0.322853, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (a + b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -5/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(2/3), x]

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int (a + b \sec(c + dx))^{2/3} (Ab + (bB - aC) \sec(c + dx)) dx}{b} \\
&= A \int (a + b \sec(c + dx))^{2/3} dx + \frac{(bB - aC) \int \sec(c + dx) dx}{b} \\
&= A \int (a + b \sec(c + dx))^{2/3} dx - \frac{((bB - aC) \tan(c + dx))}{bd\sqrt{1 - \sec^2(c + dx)}} \\
&= \frac{\sqrt{2}(a + b)CF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{5}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b}\right)}{bd\sqrt{1 + \sec(c + dx)}\left(\frac{a + b}{a + b}\right)} \\
&= \frac{\sqrt{2}(a + b)CF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{5}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b}\right)}{bd\sqrt{1 + \sec(c + dx)}\left(\frac{a + b}{a + b}\right)}
\end{aligned}$$

Mathematica [A] time = 52.5458, size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^{2/3} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] Integrate[(a + b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

Maple [A] time = 0.168, size = 0, normalized size = 0.

$$\int (a + b \sec(dx + c))^{2/3} (A + B \sec(dx + c) + C(\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out] `int((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(2/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^{\frac{2}{3}} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)`

[Out] Integral((a + b*sec(c + d*x))**(2/3)*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(2/3), x)

3.1071 $\int \sqrt[3]{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx) dx$

Optimal. Leaf size=247

$$A \text{Unintegrable}(\sqrt[3]{a + b \sec(c + dx)}, x) + \frac{\sqrt{2}(bB - aC) \tan(c + dx) \sqrt[3]{a + b \sec(c + dx)} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx))\right)}{bd \sqrt{\sec(c + dx) + 1} \sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}}$$

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -4/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(1/3), x]

Rubi [A] time = 0.304566, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \sqrt[3]{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[2]*(a + b)*C*AppellF1[1/2, 1/2, -4/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(1/3), x]

Rubi steps

$$\begin{aligned}
\int \sqrt[3]{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \frac{\int \sqrt[3]{a + b \sec(c + dx)} (Ab + (bB - aC) \sec(c + dx)) dx}{b} + \\
&= A \int \sqrt[3]{a + b \sec(c + dx)} dx + \frac{(bB - aC) \int \sec(c + dx) \sqrt[3]{a + b \sec(c + dx)} dx}{b} \\
&= A \int \sqrt[3]{a + b \sec(c + dx)} dx - \frac{((bB - aC) \tan(c + dx)) \sqrt[3]{a + b \sec(c + dx)}}{bd \sqrt{1 - \sec(c + dx)}} \\
&= \frac{\sqrt{2}(a + b) CF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{4}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx))\right), \frac{b(1 - \sec(c + dx))}{a + b}}{bd \sqrt{1 + \sec(c + dx)} \sqrt[3]{a + b \sec(c + dx)}} \\
&= \frac{\sqrt{2}(a + b) CF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{4}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx))\right), \frac{b(1 - \sec(c + dx))}{a + b}}{bd \sqrt{1 + \sec(c + dx)} \sqrt[3]{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 27.2856, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] Integrate[(a + b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

Maple [A] time = 0.17, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + b \sec(dx + c)} (A + B \sec(dx + c) + C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] `int((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(1/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt[3]{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))**(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)`

[Out] `Integral((a + b*sec(c + d*x))**(1/3)*(A + B*sec(c + d*x) + C*sec(c + d*x)**2), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(1/3  
, x)
```


$$3.1072 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=244

$$A \text{Unintegrable} \left(\frac{1}{\sqrt[3]{a+b \sec(c+dx)}}, x \right) + \frac{\sqrt{2}(bB - aC) \tan(c+dx) \sqrt[3]{\frac{a+b \sec(c+dx)}{a+b}} F_1 \left(\frac{1}{2}; \frac{1}{2}, \frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c+dx)) \right), \frac{b(1 - \sec(c+dx))}{bd \sqrt{\sec(c+dx) + 1} \sqrt[3]{a+b \sec(c+dx)}}$$

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, 1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(1/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(-1/3), x]

Rubi [A] time = 0.303332, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(1/3), x]

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, 1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(1/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(-1/3), x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx &= \frac{\int \frac{Ab + (bB - aC) \sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx}{b} + \frac{C \int \sec(c + dx) (a + b \sec(c + dx))^{2/3} dx}{b} \\
&= A \int \frac{1}{\sqrt[3]{a + b \sec(c + dx)}} dx + \frac{(bB - aC) \int \frac{\sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx}{b} - \frac{(C \tan(c + dx))}{bd \sqrt[3]{a + b \sec(c + dx)}} \\
&= A \int \frac{1}{\sqrt[3]{a + b \sec(c + dx)}} dx - \frac{((bB - aC) \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1-x} \sqrt{1+x} \sqrt[3]{a-bx}} dx \right)}{bd \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2} CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) (a + b \sec(c + dx))^{2/3} \tan(c + dx)}{bd \sqrt{1 + \sec(c + dx)} \left(\frac{a + b \sec(c + dx)}{a + b} \right)^{2/3}} \\
&= \frac{\sqrt{2} CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) (a + b \sec(c + dx))^{2/3} \tan(c + dx)}{bd \sqrt{1 + \sec(c + dx)} \left(\frac{a + b \sec(c + dx)}{a + b} \right)^{2/3}}
\end{aligned}$$

Mathematica [A] time = 49.6443, size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(1/3), x]

[Out] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(1/3), x]

Maple [A] time = 0.164, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c) + C (\sec(dx + c))^2) \frac{1}{\sqrt[3]{a + b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x)`

[Out] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(b \sec(dx+c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(1/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x, algorithm="fricas")`

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/3),x)`

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**(1/3), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(1/3), x)

$$3.1073 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{(a+b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=244

$$A \text{Unintegrable} \left(\frac{1}{(a+b \sec(c+dx))^{2/3}}, x \right) + \frac{\sqrt{2}(bB-aC) \tan(c+dx) \left(\frac{a+b \sec(c+dx)}{a+b} \right)^{2/3} F_1 \left(\frac{1}{2}; \frac{1}{2}, \frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1-\sec(c+dx)) \right)}{bd \sqrt{\sec(c+dx)+1} (a+b \sec(c+dx))^{2/3}}$$

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, 2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(2/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(-2/3), x]

Rubi [A] time = 0.311674, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx$$

Verification is Not applicable to the result.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(2/3), x]

[Out] (Sqrt[2]*C*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + (Sqrt[2]*(b*B - a*C)*AppellF1[1/2, 1/2, 2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(2/3)*Tan[c + d*x]/(b*d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(2/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(-2/3), x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx &= \frac{\int \frac{Ab + (bB - aC) \sec(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx}{b} + \frac{C \int \sec(c + dx) \sqrt[3]{a + b \sec(c + dx)} dx}{b} \\
&= A \int \frac{1}{(a + b \sec(c + dx))^{2/3}} dx + \frac{(bB - aC) \int \frac{\sec(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx}{b} - \frac{(C \tan(c + dx))}{ba} \\
&= A \int \frac{1}{(a + b \sec(c + dx))^{2/3}} dx - \frac{((bB - aC) \tan(c + dx)) \text{Subst} \left(\int \frac{1}{\sqrt{1-x}\sqrt{1+x}} dx \right)}{bd\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2} CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) \sqrt[3]{a + b \sec(c + dx)} \tan(c + dx)}{bd\sqrt{1 + \sec(c + dx)} \sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}} \\
&= \frac{\sqrt{2} CF_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) \sqrt[3]{a + b \sec(c + dx)} \tan(c + dx)}{bd\sqrt{1 + \sec(c + dx)} \sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}}
\end{aligned}$$

Mathematica [A] time = 26.5233, size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(2/3), x]

[Out] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(a + b*Sec[c + d*x])^(2/3), x]

Maple [A] time = 0.176, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c) + C (\sec(dx + c))^2) (a + b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x)`

[Out] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(b \sec(dx+c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(2/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(2/3),x)`

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(a + b*sec(c + d*x))**(2/3), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(2/3), x)

3.1074 $\int (a+b \sec(c+dx))^m (abB - a^2C + b^2B \sec(c + dx) + b^2C$

Optimal. Leaf size=136

$$(bB - aC) \text{Unintegrable} \left((a + b \sec(c + dx))^{m+1}, x \right) + \frac{\sqrt{2}bC(a + b) \tan(c + dx)(a + b \sec(c + dx))^m \left(\frac{a+b \sec(c+dx)}{a+b} \right)^{-m} F_1}{d\sqrt{\sec(c + dx) +}}$$

[Out] (Sqrt[2]*b*(a + b)*C*AppellF1[1/2, 1/2, -1 - m, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^m*Tan[c + d*x]/(d*Sqr t[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^m) + (b*B - a*C)*Uninteg rable[(a + b*Sec[c + d*x])^(1 + m), x]

Rubi [A] time = 0.24001, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (a + b \sec(c + dx))^m (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sec[c + d*x])^m*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2), x]

[Out] (Sqrt[2]*b*(a + b)*C*AppellF1[1/2, 1/2, -1 - m, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^m*Tan[c + d*x]/(d*Sqr t[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^m) + (b*B - a*C)*Defer[Int][(a + b*Sec[c + d*x])^(1 + m), x]

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^m (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx &= \frac{\int (a + b \sec(c + dx))^{1+m} (b^2(bB - aC) + b^2C \sec^2(c + dx)) dx}{b^2} \\
&= (bC) \int \sec(c + dx) (a + b \sec(c + dx))^{1+m} dx \\
&= (bB - aC) \int (a + b \sec(c + dx))^{1+m} dx - \frac{b^2C}{b^2} \int \sec^2(c + dx) (a + b \sec(c + dx))^{1+m} dx \\
&= (bB - aC) \int (a + b \sec(c + dx))^{1+m} dx + \frac{\sqrt{2}b(a + b)CF_1\left(\frac{1}{2}; \frac{1}{2}, -1 - m; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx))\right)}{b}
\end{aligned}$$

Mathematica [A] time = 8.98946, size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^m (abB - a^2C + b^2B \sec(c + dx) + b^2C \sec^2(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sec[c + d*x])^m*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2), x]

[Out] Integrate[(a + b*Sec[c + d*x])^m*(a*b*B - a^2*C + b^2*B*Sec[c + d*x] + b^2*C*Sec[c + d*x]^2), x]

Maple [A] time = 0.422, size = 0, normalized size = 0.

$$\int (a + b \sec(dx + c))^m (Bab - a^2C + b^2B \sec(dx + c) + b^2C (\sec(dx + c))^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^m*(B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2), x)

[Out] int((a+b*sec(d*x+c))^m*(B*a*b-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (Cb^2 \sec(dx+c)^2 + Bb^2 \sec(dx+c) - Ca^2 + Bab)(b \sec(dx+c) + a)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^m*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)*(b*sec(d*x + c) + a)^m, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Cb^2 \sec(dx+c)^2 + Bb^2 \sec(dx+c) - Ca^2 + Bab)(b \sec(dx+c) + a)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^m*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)*(b*sec(d*x + c) + a)^m, x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$-\int Ca^2(a+b \sec(c+dx))^m dx - \int -Bab(a+b \sec(c+dx))^m dx - \int -Bb^2(a+b \sec(c+dx))^m \sec(c+dx) dx - \int$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**m*(a*b*B-a**2*C+b**2*B*sec(d*x+c)+b**2*C*sec(d*x+c)**2),x)

[Out] -Integral(C*a**2*(a + b*sec(c + d*x))**m, x) - Integral(-B*a*b*(a + b*sec(c + d*x))**m, x) - Integral(-B*b**2*(a + b*sec(c + d*x))**m*sec(c + d*x), x) - Integral(-C*b**2*(a + b*sec(c + d*x))**m*sec(c + d*x)**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (Cb^2 \sec(dx+c)^2 + Bb^2 \sec(dx+c) - Ca^2 + Bab)(b \sec(dx+c) + a)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^m*(a*b*B-a^2*C+b^2*B*sec(d*x+c)+b^2*C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*b^2*sec(d*x + c)^2 + B*b^2*sec(d*x + c) - C*a^2 + B*a*b)*(b*sec(d*x + c) + a)^m, x)

3.1075 $\int \cos^{\frac{9}{2}}(c + dx) \left(A + C \sec^2(c + dx) \right) dx$

Optimal. Leaf size=80

$$\frac{2(7A + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(7A + 9C)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \frac{2A\sin(c + dx)\cos^{\frac{7}{2}}(c + dx)}{9d}$$

[Out] (2*(7*A + 9*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(7*A + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*A*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.0790408, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {4066, 3014, 2635, 2639}

$$\frac{2(7A + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(7A + 9C)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \frac{2A\sin(c + dx)\cos^{\frac{7}{2}}(c + dx)}{9d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (2*(7*A + 9*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(7*A + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*A*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(9*d)

Rule 4066

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !IntegerQ[m]

Rule 3014

Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[(A*(m + 2) + C*(m + 1))/(m + 2), Int[(b*Ssin[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
)*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c + dx) (A + C \sec^2(c + dx)) dx &= \int \cos^{\frac{5}{2}}(c + dx) (C + A \cos^2(c + dx)) dx \\
&= \frac{2A \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + \frac{1}{9}(7A + 9C) \int \cos^{\frac{5}{2}}(c + dx) dx \\
&= \frac{2(7A + 9C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} + \frac{2A \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + \frac{1}{15}(7A + 9C) \int \cos^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2(7A + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(7A + 9C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} + \frac{2A \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d}
\end{aligned}$$

Mathematica [A] time = 0.329501, size = 65, normalized size = 0.81

$$\frac{12(7A + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(2(c + dx))\sqrt{\cos(c + dx)}(5A \cos(2(c + dx)) + 19A + 18C)}{90d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(9/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (12*(7*A + 9*C)*EllipticE[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(19*A + 18*C
+ 5*A*cos[2*(c + d*x)])*Sin[2*(c + d*x)])/(90*d)
```

Maple [B] time = 1.864, size = 313, normalized size = 3.9

$$-\frac{2}{45d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-160A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{10} + 320A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{10}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(9/2)*(A+C*sec(d*x+c)^2),x)`

[Out]
$$\begin{aligned} & -2/45*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-160*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+320*A*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c) \\ & +(-296*A-72*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(136*A+72*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c) \\ & +(-24*A-18*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-21*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-27*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(9/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(9/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^4 \sec(dx + c)^2 + A \cos(dx + c)^4\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(9/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)^4*sec(d*x + c)^2 + A*cos(d*x + c)^4)*sqrt(cos(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(9/2)*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(9/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(9/2), x)`

3.1076 $\int \cos^{\frac{7}{2}}(c + dx) \left(A + C \sec^2(c + dx) \right) dx$

Optimal. Leaf size=80

$$\frac{2(5A + 7C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2(5A + 7C)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{2A\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{7d}$$

[Out] (2*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.0743782, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {4066, 3014, 2635, 2641}

$$\frac{2(5A + 7C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(5A + 7C)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{2A\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (2*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rule 4066

Int[(cos[(e_.) + (f_.)*(x_)]*(b_.))^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !IntegerQ[m]

Rule 3014

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[(A*(m + 2) + C*(m + 1))/(m + 2), Int[(b*Sin[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c + dx) (A + C \sec^2(c + dx)) dx &= \int \cos^{\frac{3}{2}}(c + dx) (C + A \cos^2(c + dx)) dx \\
&= \frac{2A \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{1}{7}(5A + 7C) \int \cos^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2(5A + 7C) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2A \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{1}{21}(5A + 7C) \int \cos^{\frac{1}{2}}(c + dx) dx \\
&= \frac{2(5A + 7C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(5A + 7C) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2A \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d}
\end{aligned}$$

Mathematica [A] time = 0.303661, size = 63, normalized size = 0.79

$$\frac{2(5A + 7C) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(c + dx) \sqrt{\cos(c + dx)} (3A \cos(2(c + dx)) + 13A + 14C)}{21d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(7/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(13*A + 14*C
+ 3*A*Cos[2*(c + d*x)])*Sin[c + d*x])/(21*d)
```

Maple [B] time = 2.288, size = 285, normalized size = 3.6

$$-\frac{2}{21d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(48 A \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^8 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) - 72 A \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^6 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) + 36 A \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^4 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) - 12 A \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) + A \cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2),x)`

[Out]
$$-2/21*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(48*A*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)-72*A*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+56*A+28*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-16*A-14*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+7*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(7/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \cos(dx + c)^3 \sec(dx + c)^2 + A \cos(dx + c)^3) \sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + A*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(7/2)*(A+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(7/2), x)`

$$3.1077 \quad \int \cos^{\frac{5}{2}}(c + dx) \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=50

$$\frac{2(3A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d}$$

[Out] (2*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.0592337, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {4066, 3014, 2639}

$$\frac{2(3A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (2*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rule 4066

Int[(cos[(e_.) + (f_.)*(x_)]*(b_.))^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !IntegerQ[m]

Rule 3014

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)^2]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[(A*(m + 2) + C*(m + 1))/(m + 2), Int[(b*Sin[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx) (A + C \sec^2(c + dx)) dx &= \int \sqrt{\cos(c + dx)} (C + A \cos^2(c + dx)) dx \\ &= \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{1}{5}(3A + 5C) \int \sqrt{\cos(c + dx)} dx \\ &= \frac{2(3A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} \end{aligned}$$

Mathematica [A] time = 0.108248, size = 48, normalized size = 0.96

$$\frac{2(3A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + A \sin(2(c + dx))\sqrt{\cos(c + dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2] + A*Sqrt[Cos[c + d*x]]*Sin[2*(c +
d*x)])/(5*d)
```

Maple [B] time = 2.193, size = 252, normalized size = 5.

$$-\frac{2}{5d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-8A \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)^6 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) + 8A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2), x)
```

```
[Out] -2/5*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-8*A*sin(1/2*
d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+8*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4
-3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Elliptic
```

$E(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*A - 5*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^2 \sec(dx + c)^2 + A \cos(dx + c)^2\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2), x)

$$3.1078 \quad \int \cos^{\frac{3}{2}}(c + dx) \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=48

$$\frac{2(A + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2A \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

[Out] (2*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.0600691, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {4066, 3014, 2641}

$$\frac{2(A + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2A \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (2*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4066

Int[(cos[(e_.) + (f_.)*(x_)]*(b_.))^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !IntegerQ[m]

Rule 3014

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[(A*(m + 2) + C*(m + 1))/(m + 2), Int[(b*Sin[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx) (A + C \sec^2(c + dx)) dx &= \int \frac{C + A \cos^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2A\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3}(A + 3C) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2(A + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2A\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

Mathematica [C] time = 0.940077, size = 124, normalized size = 2.58

$$\frac{4 \sin(c) \sqrt{\cos(c + dx)} (A \cos^2(c + dx) + C) \left((A + 3C) \sqrt{\csc^2(c)} \sqrt{\cos^2(dx - \tan^{-1}(\cot(c)))} \sec(dx - \tan^{-1}(\cot(c))) \operatorname{Hy} \right)}{3d(A \cos(2(c + dx)) + A + 2C)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-4*Sqrt[Cos[c + d*x]]*(C + A*Cos[c + d*x]^2)*Sin[c]*((A + 3*C)*Sqrt[Cos[d*
x - ArcTan[Cot[c]]]^2]*Sqrt[Csc[c]^2]*HypergeometricPFQ[{1/4, 1/2}, {5/4},
Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[d*x - ArcTan[Cot[c]]] - A*Csc[c]*Sin[c + d
*x]))/(3*d*(A + 2*C + A*Cos[2*(c + d*x)]))
```

Maple [B] time = 1.782, size = 228, normalized size = 4.8

$$-\frac{2}{3d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(4 A \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^4 + A \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2), x)
```

```
[Out] -2/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*A+3*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2), x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2), x)

$$3.1079 \quad \int \sqrt{\cos(c + dx)} \left(A + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=44

$$\frac{2(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2C \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out] (2*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (2*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.0618465, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {4066, 3012, 2639}

$$\frac{2(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2C \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (2*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (2*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 4066

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*cos[e + f*x])^(m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !IntegerQ[m]

Rule 3012

Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Simp[(A*cos[e + f*x]*(b*sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(A*(m + 2) + C*(m + 1))/(b^2*(m + 1)), Int[(b*sin[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c+dx)} (A + C \sec^2(c+dx)) dx &= \int \frac{C + A \cos^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx \\ &= \frac{2C \sin(c+dx)}{d\sqrt{\cos(c+dx)}} - (-A + C) \int \sqrt{\cos(c+dx)} dx \\ &= \frac{2(A-C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2C \sin(c+dx)}{d\sqrt{\cos(c+dx)}} \end{aligned}$$

Mathematica [C] time = 1.61253, size = 289, normalized size = 6.57

$$\frac{\cos^2(c+dx) (A + C \sec^2(c+dx)) \left(-\frac{4 \csc(c)(A \cos(2c+dx) + (A-2C) \cos(dx))}{d\sqrt{\cos(c+dx)}} + \frac{2(A-C) \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sqrt{e^{-idx} (2i \sin(c) (-1 + e^{2idx}) + 2 \cos(c) (1 + e^{2idx}))}}{2(A \cos(2(c+dx) + c))} \right)}{2(A \cos(2(c+dx) + c))}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (Cos[c + d*x]^2*(A + C*Sec[c + d*x]^2)*((-4*((A - 2*C)*Cos[d*x] + A*Cos[2*c
+ d*x])*Csc[c])/(d*Sqrt[Cos[c + d*x]]) + (2*(A - C)*Csc[c/2]*(3*Hypergeome
tric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)) + E^((2*I)*
d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2
)])*Sec[c/2]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x)
)*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[
2*c]])/(3*d*((1 + E^((2*I)*d*x))*Cos[c] + I*(-1 + E^((2*I)*d*x))*Sin[c])))
/(2*(A + 2*C + A*Cos[2*(c + d*x)]))
```

Maple [B] time = 2.312, size = 149, normalized size = 3.4

$$\frac{A\sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2} (\sin(1/2 dx + c/2))^2 - 1 \text{EllipticE}(\cos(1/2 dx + c/2), \sqrt{2}) - C\sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2} (\sin(1/2 dx + c/2))}{2 \sin(1/2 dx + c/2) \sqrt{2} (\cos(1/2 dx + c/2))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(A+C*sec(d*x+c)^2),x)`

[Out] `2*(A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*C/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c)), x)
```


$$3.1080 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=48

$$\frac{2(3A + C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] (2*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.0603084, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {4066, 3012, 2641}

$$\frac{2(3A + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/Sqrt[Cos[c + d*x]], x]

[Out] (2*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rule 4066

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*cos[e + f*x])^(m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !IntegerQ[m]

Rule 3012

Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Simp[(A*cos[e + f*x]*(b*sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(A*(m + 2) + C*(m + 1))/(b^2*(m + 1)), Int[(b*sin[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{1}{3}(-3A - C) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2(3A + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

Mathematica [A] time = 0.183953, size = 43, normalized size = 0.9

$$\frac{2 \left((3A + C) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \frac{C \sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/Sqrt[Cos[c + d*x]], x]
```

```
[Out] (2*((3*A + C)*EllipticF[(c + d*x)/2, 2] + (C*Sin[c + d*x])/Cos[c + d*x]^(3/2)))/(3*d)
```

Maple [B] time = 2.162, size = 266, normalized size = 5.5

$$-\frac{2}{3d} \left(-2 (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) C - 2 \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \sqrt{(\sin(1/2 dx + c/2))^2} \text{EllipticF}\left(\cos(1/2 dx + c/2), 2\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2), x)
```

```
[Out] -2/3*(-2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*C-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))*(3*A+C)*sin(1/2*d*x+1/2*c)^2+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(3/2)/sin(1/2*d*x+1/2*c)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/sqrt(cos(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + A}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)/sqrt(cos(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)/sqrt(cos(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/sqrt(cos(d*x + c)), x)
```

$$3.1081 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=80

$$-\frac{2(5A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(5A+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2C\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)}$$

[Out] $(-2*(5*A + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(5*A + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.0747611, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {4066, 3012, 2636, 2639}

$$-\frac{2(5A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(5A+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2C\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + C*\text{Sec}[c + d*x]^2)/\text{Cos}[c + d*x]^{(3/2)}, x]$

[Out] $(-2*(5*A + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(5*A + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4066

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + (C_.)*\text{sec}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[b^2, \text{Int}[(b*\text{Cos}[e + f*x])^{(m-2)}*(C + A*\text{Cos}[e + f*x]^2), x], x] /; \text{FreeQ}\{b, e, f, A, C, m\}, x] \&\& \text{IntegerQ}[m]$

Rule 3012

$\text{Int}[(b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Dist}[(A*(m+2) + C*(m+1))/(b^2*(m+1)), \text{Int}[(b*\text{Sin}[e + f*x])^{(m+2)}, x], x] /; \text{FreeQ}\{b, e, f, A, C\}, x] \&\& \text{LtQ}[m, -1]$

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{1}{5}(-5A - 3C) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(5A + 3C) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} - \frac{1}{5}(5A + 3C) \int \sqrt{\cos(c + dx)} dx \\
&= -\frac{2(5A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(5A + 3C) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.363833, size = 73, normalized size = 0.91

$$\frac{(5A + 3C) \sin(2(c + dx)) - 2(5A + 3C) \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 2C \tan(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/Cos[c + d*x]^(3/2), x]
```

```
[Out] (-2*(5*A + 3*C)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + (5*A + 3*C)*
Sin[2*(c + d*x)] + 2*C*Tan[c + d*x])/(5*d*Cos[c + d*x]^(3/2))
```

Maple [B] time = 5.565, size = 593, normalized size = 7.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x)`

[Out]
$$\frac{2}{5} * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (8 * \sin(1/2 * d * x + 1/2 * c)^6 - 12 * \sin(1/2 * d * x + 1/2 * c)^4 + 6 * \sin(1/2 * d * x + 1/2 * c)^2 - 1) / \sin(1/2 * d * x + 1/2 * c)^3 * (20 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^4 - 40 * A * \sin(1/2 * d * x + 1/2 * c)^6 * \cos(1/2 * d * x + 1/2 * c) + 12 * C * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^4 - 24 * C * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^6 - 20 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 + 40 * A * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^4 - 12 * C * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 + 24 * C * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^4 + 5 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 10 * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) * A + 3 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 8 * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) * C) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/cos(d*x + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{C \sec(dx + c)^2 + A}{\cos(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)/cos(d*x + c)^(3/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/cos(d*x + c)^(3/2), x)
```


$$3.1082 \quad \int \frac{A+C \sec^2(c+dx)}{5 \cos^2(c+dx)} dx$$

Optimal. Leaf size=80

$$\frac{2(7A+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2(7A+5C)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2C \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx)}$$

[Out] (2*(7*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*C*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2)) + (2*(7*A + 5*C)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.0755043, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {4066, 3012, 2636, 2641}

$$\frac{2(7A+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2(7A+5C)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2C \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/Cos[c + d*x]^(5/2), x]

[Out] (2*(7*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*C*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2)) + (2*(7*A + 5*C)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2))

Rule 4066

Int[(cos[(e_.) + (f_.)*(x_)]*(b_.))^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !IntegerQ[m]

Rule 3012

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Simp[(A*Cos[e + f*x]*(b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(A*(m + 2) + C*(m + 1))/(b^2*(m + 1)), Int[(b*Sin[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} - \frac{1}{7}(-7A - 5C) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(7A + 5C) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} - \frac{1}{21}(-7A - 5C) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2(7A + 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2C \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(7A + 5C) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.573954, size = 73, normalized size = 0.91

$$\frac{2(7A + 5C) \cos^{\frac{5}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + (7A + 5C) \sin(2(c + dx)) + 6C \tan(c + dx)}{21d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/Cos[c + d*x]^(5/2), x]
```

```
[Out] (2*(7*A + 5*C)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + (7*A + 5*C)*S
in[2*(c + d*x)] + 6*C*Tan[c + d*x])/(21*d*Cos[c + d*x]^(5/2))
```

Maple [B] time = 4.45, size = 376, normalized size = 4.7

$$-\frac{1}{d} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left(2C \left(-\frac{\cos(1/2 dx + c/2) \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}}{56((\cos(1/2 dx + c/2))^2 - 1/2)^4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x)

[Out] $-\left(-(-2\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2\right)^{(1/2)}*(2*C*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)/cos(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + A}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)/cos(d*x + c)^(5/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/cos(d*x + c)^(5/2), x)
```

3.1083 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=165

$$\frac{2a(5A + 7C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a(7A + 9C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{2a(7A + 9C)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \frac{2a(5A + 7C)\cos^{\frac{3}{2}}(c + dx)}{9d}$$

```
[Out] (2*a*(7*A + 9*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*a*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(7*A + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d) + (2*a*A*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(9*d)
```

Rubi [A] time = 0.241436, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4114, 3034, 3023, 2748, 2635, 2641, 2639}

$$\frac{2a(5A + 7C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{2a(7A + 9C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{2a(7A + 9C)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \frac{2a(5A + 7C)\cos^{\frac{3}{2}}(c + dx)}{9d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (2*a*(7*A + 9*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*a*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(7*A + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d) + (2*a*A*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(9*d)
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3034

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp
[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 3))
, x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m
+ 3) + b*d*(C*(m + 2) + A*(m + 3))*Sin[e + f*x] - (2*a*C*d - b*c*C*(m + 3)
)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, C, m}, x] && Ne
Q[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))(A+C \sec^2(c+dx)) dx &= \int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))(C+A \cos^2(c+dx)) dx \\
&= \frac{2aA \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{9d} + \frac{2}{9} \int \cos^{\frac{3}{2}}(c+dx) \left(\frac{9aC}{2} \right) dx \\
&= \frac{2aA \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{2aA \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{9d} \\
&= \frac{2aA \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{2aA \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{9d} \\
&= \frac{2a(5A+7C)\sqrt{\cos(c+dx)} \sin(c+dx)}{21d} + \frac{2a(7A+9C) \cos^{\frac{3}{2}}(c+dx)}{21d} \\
&= \frac{2a(7A+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a(5A+7C)F\left(\frac{1}{2}(c+dx)\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 6.29184, size = 918, normalized size = 5.56

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((7*A + 9*C)*Cot[c])/(15*d) + ((23*A + 28*C)*Cos[d*x]*Sin[c])/(84*d) + ((19*A + 18*C)*Cos[2*d*x]*Sin[2*c])/(180*d) + (A*Cos[3*d*x]*Sin[3*c])/(28*d) + (A*Cos[4*d*x]*Sin[4*c])/(72*d) + ((23*A + 28*C)*Cos[c]*Sin[d*x])/(84*d) + ((19*A + 18*C)*Cos[2*c]*Sin[2*d*x])/(180*d) + (A*Cos[3*c]*Sin[3*d*x])/(28*d) + (A*Cos[4*c]*Sin[4*d*x])/(72*d)) - (5*A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])])/(21*d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])])/(3*d*Sqrt[1 + Cot[c]^2]) - (7*A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]])

]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]))/(30*d) - (3*C*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]))/(10*d))

Maple [B] time = 3.306, size = 406, normalized size = 2.5

$$-\frac{2a}{315d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-1120 A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{10} + 2960 A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)

[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(-1120*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+2960*A*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c))+(-3152*A-504*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(1792*A+924*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-408*A-336*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+75*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+105*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-189*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral(((Ca cos(dx + c)^4 sec(dx + c)^3 + Ca cos(dx + c)^4 sec(dx + c)^2 + Aa cos(dx + c)^4 sec(dx + c) + Aa cos(dx + c)^4), x)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm
="fricas")
```

```
[Out] integral((C*a*cos(d*x + c)^4*sec(d*x + c)^3 + C*a*cos(d*x + c)^4*sec(d*x + c)^2 + A*a*cos(d*x + c)^4*sec(d*x + c) + A*a*cos(d*x + c)^4)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(9/2), x  
)
```

3.1084 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=134

$$\frac{2a(5A + 7C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a(3A + 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a(5A + 7C)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{2aA \sin(c + dx)}{7d}$$

[Out] (2*a*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.218576, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4114, 3034, 3023, 2748, 2639, 2635, 2641}

$$\frac{2a(5A + 7C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{2a(3A + 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a(5A + 7C)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{2aA \sin(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (2*a*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3034

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp

```
[(C*d*cos[e + f*x]*sin[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*d*(C*(m + 2) + A*(m + 3))*sin[e + f*x] - (2*a*C*d - b*c*C*(m + 3))*sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*cos[c + d*x]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))(A+C\sec^2(c+dx))dx &= \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))(C+A\cos^2(c+dx)) \\
&= \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c+dx)} \left(\frac{7aC}{2} \right. \\
&= \frac{2aA\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} \\
&= \frac{2aA\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} \\
&= \frac{2a(3A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(5A+7C)\sqrt{\cos(c+dx)}}{21d} \\
&= \frac{2a(3A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(5A+7C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 6.23881, size = 872, normalized size = 6.51

$$a \sqrt{\cos(c+dx)}(\cos(c+dx)+1) \left(-\frac{(3A+5C)\cot(c)}{5d} + \frac{(23A+28C)\cos(dx)\sin(c)}{84d} + \frac{A\cos(2dx)\sin(2c)}{10d} + \frac{A\cos(3dx)\sin(3c)}{28d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((3*A + 5*C)*Cot[c])/(5*d) + ((23*A + 28*C)*Cos[d*x]*Sin[c])/(84*d) + (A*Cos[2*d*x]*Sin[2*c])/(10*d) + (A*Cos[3*d*x]*Sin[3*c])/(28*d) + ((23*A + 28*C)*Cos[c]*Sin[d*x])/(84*d) + (A*Cos[2*c]*Sin[2*d*x])/(10*d) + (A*Cos[3*c]*Sin[3*d*x])/(28*d)) - (5*A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5

/4}, Sin[d*x - ArcTan[Cot[c]]]^2*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*Sqrt[1 + Cot[c]^2]) - (3*A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d) - (C*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d))

Maple [B] time = 2.119, size = 378, normalized size = 2.8

$$-\frac{2a}{105d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240 A (\sin(1/2 dx + c/2))^8 \cos(1/2 dx + c/2) - 528 A (\sin(1/2 dx + c/2))^6 \cos(1/2 dx + c/2) + (448 A + 140 C) \sin(1/2 dx + c/2)^4 \cos(1/2 dx + c/2) + (-122 A - 70 C) \sin(1/2 dx + c/2)^2 \cos(1/2 dx + c/2) + 25 A (\sin(1/2 dx + c/2))^2\right)^{1/2} - 63 A (\sin(1/2 dx + c/2))^2\right)^{1/2} + 35 C (\sin(1/2 dx + c/2))^2\right)^{1/2} + 105 C (\sin(1/2 dx + c/2))^2\right)^{1/2} - (-2 \sin(1/2 dx + c/2)^4 + \sin(1/2 dx + c/2))^2\right)^{1/2} / \sin(1/2 dx + c/2) / (2 \cos(1/2 dx + c/2))^2 - 1)^{1/2} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2), x)

[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(240*A*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)-528*A*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(448*A+140*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-122*A-70*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+25*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+35*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-105*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Ca cos(dx + c)³ sec(dx + c)³ + Ca cos(dx + c)³ sec(dx + c)² + Aa cos(dx + c)³ sec(dx + c) + Aa cos(dx + c)³ sec(dx + c)² + Aa cos(dx + c)³ sec(dx + c) + Aa cos(dx + c)³ sec(dx + c)²), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a*cos(d*x + c)^3*sec(d*x + c)^3 + C*a*cos(d*x + c)^3*sec(d*x + c)^2 + A*a*cos(d*x + c)^3*sec(d*x + c) + A*a*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)
```


3.1085 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=101

$$\frac{2a(A + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(3A + 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2aA \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2aA \sin(c + dx)}{3d}$$

[Out] (2*a*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.203163, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4114, 3034, 3023, 2748, 2641, 2639}

$$\frac{2a(A + 3C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{2a(3A + 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2aA \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (2*a*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3034

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m

```
+ 3) + b*d*(C*(m + 2) + A*(m + 3))*Sin[e + f*x] - (2*a*C*d - b*c*C*(m + 3)
)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, C, m}, x] && Ne
Q[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))(A+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))(C+A\cos^2(c+dx))}{\sqrt{\cos(c+dx)}}dx \\
&= \frac{2aA\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5} \int \frac{\frac{5aC}{2} + \frac{1}{2}a(3A+5C)}{\sqrt{\cos(c+dx)}}dx \\
&= \frac{2aA\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{2aA\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} \\
&= \frac{2aA\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{2aA\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} \\
&= \frac{2a(3A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d}
\end{aligned}$$

Mathematica [C] time = 6.29581, size = 824, normalized size = 8.16

$$a \sqrt{\cos(c+dx)}(\cos(c+dx)+1) \left(-\frac{(3A+5C)\cot(c)}{5d} + \frac{A\cos(dx)\sin(c)}{3d} + \frac{A\cos(2dx)\sin(2c)}{10d} + \frac{A\cos(c)\sin(dx)}{3d} + \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((3*A + 5*C)*Cot[c])/(5*d) + (A*Cos[d*x]*Sin[c])/(3*d) + (A*Cos[2*d*x]*Sin[2*c])/(10*d) + (A*Cos[c]*Sin[d*x])/(3*d) + (A*Cos[2*c]*Sin[2*d*x])/(10*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*Sqrt[1 + Cot[c]^2]) - (3*A*

$$\begin{aligned} & (1 + \cos[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (10*d) - (C * (1 + \cos[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]])) / (2*d)) \end{aligned}$$

Maple [B] time = 2.169, size = 345, normalized size = 3.4

$$-\frac{2a}{15d} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24A(\sin(1/2 dx + c/2))^6 \cos(1/2 dx + c/2) + 44A \cos(1/2 dx + c/2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)`

[Out] `-2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(-24*A*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+44*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-16*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*A+15*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-15*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca \cos(dx+c)^2 \sec(dx+c)^3 + Ca \cos(dx+c)^2 \sec(dx+c)^2 + Aa \cos(dx+c)^2 \sec(dx+c) + Aa \cos(dx+c)\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm
="fricas")
```

```
[Out] integral((C*a*cos(d*x + c)^2*sec(d*x + c)^3 + C*a*cos(d*x + c)^2*sec(d*x +
c)^2 + A*a*cos(d*x + c)^2*sec(d*x + c) + A*a*cos(d*x + c)^2)*sqrt(cos(d*x +
c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A)(a \sec(dx+c) + a) \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)
```

3.1086 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx)) (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=95

$$\frac{2a(A + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(A - C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2aC \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out] (2*a*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.203875, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4114, 3032, 3023, 2748, 2641, 2639}

$$\frac{2a(A + 3C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{2a(A - C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2aC \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] (2*a*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3032

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a +

```
b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*(a*C*(b*c - a*d) + A*b*(a*c - b*d))
- ((b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*Sin[e + f*x] + b*C*
d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f
, A, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))(A+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))(C+A\cos^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2aC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + 2\int \frac{\frac{aC}{2} + \frac{1}{2}a(A-C)\cos(c+dx) + \frac{1}{2}a^2}{\sqrt{\cos(c+dx)}}dx \\
&= \frac{2aC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{4}{3}\int \frac{a^2}{\sqrt{\cos(c+dx)}}dx \\
&= \frac{2aC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + (a(A-C))E\left(\frac{1}{2}(c+dx)\middle|2\right) \\
&= \frac{2a(A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d}
\end{aligned}$$

Mathematica [C] time = 6.35124, size = 813, normalized size = 8.56

$$a \sqrt{\cos(c+dx)}(\cos(c+dx)+1) \left(-\frac{(\cos(2c)A + A - 2C)\csc(c)\sec(c)}{2d} + \frac{C\sec(c+dx)\sin(dx)\sec(c)}{d} + \frac{A\cos(dx)\sin(dx)}{3d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((A - 2*C + A*Cos[2*c])*Csc[c]*Sec[c])/(2*d) + (A*Cos[d*x]*Sin[c])/(3*d) + (A*Cos[c]*Sin[d*x])/(3*d) + (C*Sec[c]*Sec[c + d*x]*Sin[d*x])/d - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*Sqrt[1 + Cot[c]^2]) - (A*(1 + Cos[c +

```
d*x))*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4},
Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Co
s[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Co
s[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x
+ ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTa
n[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x +
ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d) + (C*(1 + Cos[c + d*x])*Csc[c]
*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + Ar
cTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcT
an[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcT
an[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Ta
n[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*S
qrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[
c]]]*Sqrt[1 + Tan[c]^2]))/(2*d))
```

Maple [B] time = 2.524, size = 458, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x)
```

```
[Out] -2/3*a*(4*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*
x+1/2*c)*sin(1/2*d*x+1/2*c)^4-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)*(A+3*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+A*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin
(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*A*(sin(1/2
*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)
)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+3*C*(
sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(
1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
)+3*C*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c)
,2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+
1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ca cos(dx + c) sec(dx + c)^3 + Ca cos(dx + c) sec(dx + c)^2 + Aa cos(dx + c) sec(dx + c) + Aa cos(dx + c))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a*cos(d*x + c)*sec(d*x + c)^3 + C*a*cos(d*x + c)*sec(d*x + c)^2 + A*a*cos(d*x + c)*sec(d*x + c) + A*a*cos(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)
```

3.1087 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx)) (A+C \sec^2(c+dx)) dx$

Optimal. Leaf size=95

$$\frac{2a(3A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a(A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aC \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2aC \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out] (2*a*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*a*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.207393, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4114, 3032, 3021, 2748, 2641, 2639}

$$\frac{2a(3A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aC \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2aC \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*a*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3032

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a +

```

b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*(a*C*(b*c - a*d) + A*b*(a*c - b*d))
- ((b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*Sin[e + f*x] + b*C*
d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f
, A, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))(A+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))(C+A\cos^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)}dx \\
&= \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2}{3} \int \frac{\frac{3aC}{2} + \frac{1}{2}a(3A+C)\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2aC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{4}{3} \int \frac{\frac{1}{4}a(3A+C)}{\sqrt{\cos(c+dx)}}dx \\
&= \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2aC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + (a(A-C)) \int \sqrt{\cos(c+dx)}dx \\
&= \frac{2a(A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(3A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d}
\end{aligned}$$

Mathematica [C] time = 6.37, size = 817, normalized size = 8.6

$$a \sqrt{\cos(c+dx)}(\cos(c+dx)+1) \left(\frac{C\sec(c)\sin(dx)\sec^2(c+dx)}{3d} + \frac{\sec(c)(C\sin(c)+3C\sin(dx))\sec(c+dx)}{3d} - \frac{(\cos(2c))}{3d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((A - 2*C + A*Cos[2*c])*Csc[c]*Sec[c])/(2*d) + (C*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(3*d) + (Sec[c]*Sec[c + d*x]*(C*Sin[c] + 3*C*Sin[d*x]))/(3*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])/(d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])

```

*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]]/(3*d*Sqrt[1 + Cot[c]^2]) - (A*(1 + Co
s[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {
3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[
1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos
[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((S
in[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x +
ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos
[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d) + (C*(1 + Cos[c + d*x])*
Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*
x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x
+ ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x
+ ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + Arc
Tan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[
c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTa
n[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d)

```

Maple [B] time = 4.892, size = 437, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x)

[Out]
$$-4*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(1/2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+1/2*C*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+1/2*C*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm
="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x
)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca \sec(dx + c)^3 + Ca \sec(dx + c)^2 + Aa \sec(dx + c) + Aa\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral((C*a*sec(d*x + c)^3 + C*a*sec(d*x + c)^2 + A*a*sec(d*x + c) + A*a)
*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + A\right) (a \sec(dx + c) + a) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm  
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x  
)
```

$$3.1088 \quad \int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=132

$$\frac{2a(3A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2a(5A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(5A+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2aC\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)}$$

[Out] $(-2*a*(5*A + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(3*A + C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*C*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(5*A + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.222512, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4114, 3032, 3021, 2748, 2636, 2639, 2641}

$$\frac{2a(3A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(5A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(5A+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2aC\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + a*\text{Sec}[c + d*x])*(A + C*\text{Sec}[c + d*x]^2)}{\text{Sqrt}[\text{Cos}[c + d*x]]}, x]$

[Out] $(-2*a*(5*A + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(3*A + C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*C*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(5*A + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4114

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_)]^{(m_.)}*((A_.) + (C_.)*\sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3032

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp
[((b*c - a*d)*(A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b
^2*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*(a*C*(b*c - a*d) + A*b*(a*c - b*d))
- ((b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*Sin[e + f*x] + b*C*
d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f
, A, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(a + a \cos(c + dx))(C + A \cos^2(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{5aC}{2} + \frac{1}{2}a(5A + 3C) \cos(c + dx) + \frac{5}{2}aA \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2aC \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{4}{15} \int \frac{\frac{3}{4}a(5A + 3C) + \frac{5}{4}a(3A + C) \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2aC \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3}(a(3A + C)) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2a(3A + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2aC \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} \\
&= -\frac{2a(5A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(3A + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.4438, size = 851, normalized size = 6.45

$$a \sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left(\frac{C \sec(c) \sin(dx) \sec^3(c + dx)}{5d} + \frac{\sec(c)(3C \sin(c) + 5C \sin(dx)) \sec^2(c + dx)}{15d} + \frac{\sec(c)}{5d \cos^{\frac{5}{2}}(c + dx)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*((5*A + 3*C)*Csc[c]*Sec[c])/(5*d) + (C*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(5*d) + (Sec[c]*Sec[c + d*x]^2*(3*C*Sin[c] + 5*C*Sin[d*x]))/(15*d) + (Sec[c]*Sec[c + d*x]*(5*C*Sin[c] + 15*A*Sin[d*x] + 9*C*Sin[d*x]))/(15*d) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])

$$\begin{aligned}
& [c]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 \\
& + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) / (d * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (C * (1 + \text{Cos}[c + d*x] \\
&) * \text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \\
& \text{Sec}[c/2 + (d*x)/2]^2 * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot} \\
& t[c]]]) * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 \\
& + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) / (3*d * \text{Sqrt}[1 + \text{Cot}[c]^2]) + (A * (1 + \text{Cos}[c + d \\
& *x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{C} \\
& os[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos} \\
& [d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]) * \text{Sqrt}[\text{Cos}[c] * \text{Cos} \\
& [d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x \\
& + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan} \\
& [\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])]) / (2*d) + (3*C * (1 + \text{Cos}[c + d*x]) * \text{Csc}[c \\
&] * \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{A} \\
& rcTan[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{Arc} \\
& Tan[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]) * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{Arc} \\
& Tan[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{T} \\
& an[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \\
& \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan} \\
& [c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])]) / (10*d)
\end{aligned}$$

Maple [B] time = 6.617, size = 729, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\text{sec}(d*x+c))*(A+C*\text{sec}(d*x+c)^2)/\text{cos}(d*x+c)^{(1/2)},x)$

[Out] $-4 * (-(-2 * \text{cos}(1/2 * d * x + 1/2 * c)^2 + 1) * \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * (1/2 * A * (\text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \text{cos}(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 1/10 * C / (8 * \text{sin}(1/2 * d * x + 1/2 * c)^6 - 12 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + 6 * \text{sin}(1/2 * d * x + 1/2 * c)^2 - 1) / \text{sin}(1/2 * d * x + 1/2 * c)^2 * (12 * (2 * \text{sin}(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{sin}(1/2 * d * x + 1/2 * c)^4 - 24 * \text{sin}(1/2 * d * x + 1/2 * c)^6 * \text{cos}(1/2 * d * x + 1/2 * c) - 12 * (2 * \text{sin}(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{sin}(1/2 * d * x + 1/2 * c)^2 + 24 * \text{sin}(1/2 * d * x + 1/2 * c)^4 * \text{cos}(1/2 * d * x + 1/2 * c) + 3 * (2 * \text{sin}(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} - 8 * \text{sin}(1/2 * d * x + 1/2 * c)^2 * \text{cos}(1/2 * d * x + 1/2 * c)) * (-2 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 1/2 * C * (-1/6 * \text{cos}(1/2 * d * x + 1/2 * c) * (-2 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\text{cos}(1/2 * d * x + 1/2 * c)^2 - 1/2)^2 + 1/3$

```

*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2
*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1
/2)))+1/2*A*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x
+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos
(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1
/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm
="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x
)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx + c)^3 + Ca \sec(dx + c)^2 + Aa \sec(dx + c) + Aa}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm
="fricas")

```

```

[Out] integral((C*a*sec(d*x + c)^3 + C*a*sec(d*x + c)^2 + A*a*sec(d*x + c) + A*a)
/sqrt(cos(d*x + c)), x)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)

$$3.1089 \quad \int \frac{(a+a \sec(c+dx))(A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=165

$$\frac{2a(7A+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} - \frac{2a(5A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(7A+5C)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a(5A+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

[Out] $(-2*a*(5*A + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(7*A + 5*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a*C*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*a*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*(7*A + 5*C)*\text{Sin}[c + d*x])/(21*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(5*A + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.244699, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4114, 3032, 3021, 2748, 2636, 2641, 2639}

$$\frac{2a(7A+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{2a(5A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(7A+5C)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a(5A+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + a*\text{Sec}[c + d*x])*(A + C*\text{Sec}[c + d*x]^2)}{\text{Cos}[c + d*x]^{(3/2)}}, x]$

[Out] $(-2*a*(5*A + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(7*A + 5*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a*C*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*a*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*(7*A + 5*C)*\text{Sin}[c + d*x])/(21*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(5*A + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4114

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (C_.)*\sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3032

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp
[((b*c - a*d)*(A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b
^2*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*(a*C*(b*c - a*d) + A*b*(a*c - b*d))
- ((b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*Sin[e + f*x] + b*C*
d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f
, A, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C))*(m + 1)]*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(a + a \cos(c + dx))(C + A \cos^2(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2aC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\frac{7aC}{2} + \frac{1}{2}a(7A + 5C) \cos(c + dx) + \frac{7}{2}aA \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4}{35} \int \frac{\frac{5}{4}a(7A + 5C) + \frac{7}{4}a(5A + 3C) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{1}{5}(a(5A + 3C)) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(7A + 5C) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 3C)}{7d} \int \frac{1}{\cos^{\frac{1}{2}}(c + dx)} dx \\
&= -\frac{2a(5A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(7A + 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2aC}{7d} \int \frac{1}{\cos^{\frac{1}{2}}(c + dx)} dx
\end{aligned}$$

Mathematica [C] time = 6.51491, size = 895, normalized size = 5.42

$$a \sqrt{\cos(c + dx)(\cos(c + dx) + 1)} \left(\frac{C \sec(c) \sin(dx) \sec^4(c + dx)}{7d} + \frac{\sec(c)(5C \sin(c) + 7C \sin(dx)) \sec^3(c + dx)}{35d} + \frac{\sec(c)}{7d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(((5*A + 3*C)*Csc[c]*Sec[c])/(5*d) + (C*Sec[c]*Sec[c + d*x]^4*Sin[d*x])/(7*d) + (Sec[c]*Sec[c + d*x]^3*(5*C*Sin[c] + 7*C*Sin[d*x]))/(35*d) + (Sec[c]*Sec[c + d*x]^2*(21*C*Sin[c] + 35*A*Sin[d*x] + 25*C*Sin[d*x]))/(105*d) + (Sec[c]*Sec[c + d*x]*(35*A*Sin[c] + 25*C*Sin[c] + 105*A*Sin[d*x] + 63*C*Sin[d*x]))/(105*d))

$$\begin{aligned}
& - (A*(1 + \cos[c + d*x])*Csc[c]*HypergeometricPFQ[\{1/4, 1/2\}, \{5/4\}, \sin[d*x \\
& - \text{ArcTan}[\text{Cot}[c]]]^2*\text{Sec}[c/2 + (d*x)/2]^2*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 \\
& - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{Ar} \\
& \text{cTan}[\text{Cot}[c]])]*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*\text{Sqrt}[1 + \text{Cot}[c]^2 \\
&]) - (5*C*(1 + \cos[c + d*x])*Csc[c]*HypergeometricPFQ[\{1/4, 1/2\}, \{5/4\}, \sin \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]^2*\text{Sec}[c/2 + (d*x)/2]^2*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{S} \\
& \text{qrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x \\
& - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(21*d*\text{Sqrt}[1 + \text{Co} \\
& t[c]^2)) + (A*(1 + \cos[c + d*x])*Csc[c]*\text{Sec}[c/2 + (d*x)/2]^2*((Hypergeometr \\
& icPFQ[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2*\sin[d*x + \text{ArcTan}[\text{T} \\
& an[c]]*\text{Tan}[c])/(\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \cos[d*x + \text{ArcT} \\
& an[\text{Tan}[c]]]*\text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt} \\
& [1 + \text{Tan}[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + \\
& (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\cos[c]^2 + \sin[c] \\
& ^2))/ \text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(2*d) + (\\
& 3*C*(1 + \cos[c + d*x])*Csc[c]*\text{Sec}[c/2 + (d*x)/2]^2*((HypergeometricPFQ[\{-1/ \\
& 2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2*\sin[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{T} \\
& an[c])/(\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]] \\
&]]*\text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[1 + \text{Tan}[c] \\
& ^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\cos[c]^ \\
& 2*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\cos[c]^2 + \sin[c]^2))/ \text{Sqrt} \\
& [\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(10*d)
\end{aligned}$$

Maple [B] time = 7.763, size = 838, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))*(A+C*\sec(dx+c)^2)/\cos(dx+c)^{(3/2)}, x)$

[Out] $-4*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(1/2*C*(-1/5$
 $6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/($
 $\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^$
 $4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*$
 $x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^$
 $4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-1/10*C$
 $/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/$
 $\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2$
 $*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*s$
 $\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*$
 $\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*$

```

d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(2*sin(1/2*d*x+1/
2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2
)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4
+sin(1/2*d*x+1/2*c)^2)^(1/2)+1/2*A*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x
+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin
(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+
1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))
+1/2*A*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*
sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*
c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*
d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)
^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm
="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx+c)^3 + Ca \sec(dx+c)^2 + Aa \sec(dx+c) + Aa}{\cos(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm
="fricas")

```

```

[Out] integral((C*a*sec(d*x + c)^3 + C*a*sec(d*x + c)^2 + A*a*sec(d*x + c) + A*a)
/cos(d*x + c)^(3/2), x)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)/cos(d*x + c)^(3/2), x)

$$3.1090 \quad \int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=230

$$\frac{8a^2(25A + 33C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^2(7A + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(89A + 99C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d}$$

```
[Out] (4*a^2*(7*A + 9*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (8*a^2*(25*A + 33*C)
*EllipticF[(c + d*x)/2, 2])/(231*d) + (8*a^2*(25*A + 33*C)*Sqrt[Cos[c + d*x
]]*Sin[c + d*x])/(231*d) + (4*a^2*(7*A + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*
x])/(45*d) + (2*a^2*(89*A + 99*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d)
+ (2*A*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(11*d) + (8*
A*Cos[c + d*x]^(5/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(99*d)
```

Rubi [A] time = 0.518157, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4114, 3046, 2976, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{8a^2(25A + 33C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{4a^2(7A + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(89A + 99C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d} + \frac{4a^2(7A + 9C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{45d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^2*(7*A + 9*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (8*a^2*(25*A + 33*C)
*EllipticF[(c + d*x)/2, 2])/(231*d) + (8*a^2*(25*A + 33*C)*Sqrt[Cos[c + d*x
]]*Sin[c + d*x])/(231*d) + (4*a^2*(7*A + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*
x])/(45*d) + (2*a^2*(89*A + 99*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d)
+ (2*A*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(11*d) + (8*
A*Cos[c + d*x]^(5/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(99*d)
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Dist[d^(
m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[
e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]
&& IntegerQ[m]
```

Rule 3046

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :=
-Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m*(c + d*Sin[e + f*x])^(n + 1))
/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n + 2)), Int[(a + b*Sin[e + f*x])
^m*(c + d*Sin[e + f*x])^n*Simp[A*b*d*(m + n + 2) + C*(a*c*m + b*d*(n + 1))
+ C*(a*d*m - b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 -
d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]
```

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])
^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```


Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 (C + A \cos^2(c + dx)) dx \\
&= \frac{2A \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} + \frac{2 \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 (C + A \cos^2(c + dx)) dx}{11d} \\
&= \frac{2A \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} + \frac{8A \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} \\
&= \frac{2A \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} + \frac{8A \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} \\
&= \frac{2a^2(89A + 99C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{693d} + \frac{2A \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} \\
&= \frac{2a^2(89A + 99C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{693d} + \frac{2A \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} \\
&= \frac{8a^2(25A + 33C) \sqrt{\cos(c + dx)} \sin(c + dx)}{231d} + \frac{4a^2(7A + 9C) \sqrt{\cos(c + dx)} \sin(c + dx)}{231d} \\
&= \frac{4a^2(7A + 9C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{8a^2(25A + 33C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d}
\end{aligned}$$

Mathematica [C] time = 6.31492, size = 976, normalized size = 4.24

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] $a^2 \cdot (\sqrt{\cos[c + d*x]} \cdot (1 + \cos[c + d*x])^2 \cdot \sec[c/2 + (d*x)/2]^4 \cdot (-((7*A + 9*C) \cdot \cot[c]) / (15*d) + ((941*A + 1122*C) \cdot \cos[d*x] \cdot \sin[c]) / (3696*d) + ((19*A + 18*C) \cdot \cos[2*d*x] \cdot \sin[2*c]) / (180*d) + ((101*A + 44*C) \cdot \cos[3*d*x] \cdot \sin[3*c]) / (2464*d) + (A \cdot \cos[4*d*x] \cdot \sin[4*c]) / (72*d) + (A \cdot \cos[5*d*x] \cdot \sin[5*c]) / (352*d) + ((941*A + 1122*C) \cdot \cos[c] \cdot \sin[d*x]) / (3696*d) + ((19*A + 18*C) \cdot \cos[2*c] \cdot \sin[2*d*x]) / (180*d) + ((101*A + 44*C) \cdot \cos[3*c] \cdot \sin[3*d*x]) / (2464*d) + (A \cdot \cos[4*c] \cdot \sin[4*d*x]) / (72*d) + (A \cdot \cos[5*c] \cdot \sin[5*d*x]) / (352*d)) - (50*A \cdot (1 + \cos[c + d*x])^2 \cdot \csc[c] \cdot \text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2 \cdot \sec[c/2 + (d*x)/2]^4 \cdot \sec[d*x - \text{ArcTan}[\cot[c]]] \cdot \sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]} \cdot \sqrt{-(\sqrt{1 + \cot[c]^2} \cdot \sin[c] \cdot \sin[d*x - \text{ArcTan}[\cot[c]]]) \cdot \sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}} / (231*d \cdot \sqrt{1 + \cot[c]^2}) - (2*C \cdot (1 + \cos[c + d*x])^2 \cdot \csc[c] \cdot \text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2 \cdot \sec[c/2 + (d*x)/2]^4 \cdot \sec[d*x - \text{ArcTan}[\cot[c]]] \cdot \sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]} \cdot \sqrt{-(\sqrt{1 + \cot[c]^2} \cdot \sin[c] \cdot \sin[d*x - \text{ArcTan}[\cot[c]]]) \cdot \sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}} / (7*d \cdot \sqrt{1 + \cot[c]^2}) - (7*A \cdot (1 + \cos[c + d*x])^2 \cdot \csc[c] \cdot \sec[c/2 + (d*x)/2]^4 \cdot (\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2 \cdot \sin[d*x + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{\cos[c] \cdot \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \tan[c]^2}) \cdot \sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cdot \cos[c]^2 \cdot \cos[d*x + \text{ArcTan}[\tan[c]]] \cdot \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cdot \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \tan[c]^2}) / (30*d) - (3*C \cdot (1 + \cos[c + d*x])^2 \cdot \csc[c] \cdot \sec[c/2 + (d*x)/2]^4 \cdot (\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2 \cdot \sin[d*x + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{\cos[c] \cdot \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \tan[c]^2}) \cdot \sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cdot \cos[c]^2 \cdot \cos[d*x + \text{ArcTan}[\tan[c]]] \cdot \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cdot \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \tan[c]^2}) / (10*d)$

Maple [A] time = 2.239, size = 436, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x)`

[Out]
$$-4/3465*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(10080*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{12}-37520*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(57040*A+3960*C)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-46192*A-11484*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(22022*A+12474*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-4563*A-3861*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+750*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1617*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+990*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2079*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

`integral((Ca^2 cos(dx + c)^5 sec(dx + c)^4 + 2Ca^2 cos(dx + c)^5 sec(dx + c)^3 + (A + C)a^2 cos(dx + c)^5 sec(dx + c)^2 + 2`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*a^2*cos(d*x + c)^5*sec(d*x + c)^4 + 2*C*a^2*cos(d*x + c)^5*sec(d*x + c)^3 + (A + C)*a^2*cos(d*x + c)^5*sec(d*x + c)^2 + 2*A*a^2*cos(d*x +`

$c)^5 \sec(dx + c) + A a^2 \cos(dx + c)^5 \sqrt{\cos(dx + c)}, x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**(11/2)*(a+a*sec(dx+c))**2*(A+C*sec(dx+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(11/2)*(a+a*sec(dx+c))**2*(A+C*sec(dx+c)**2),x, algorithm="giac")`

[Out] `integrate((C*sec(dx + c)**2 + A)*(a*sec(dx + c) + a)**2*cos(dx + c)^(11/2), x)`

3.1091 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=197

$$\frac{4a^2(5A + 7C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{16a^2(2A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(19A + 21C)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{105d} +$$

```
[Out] (16*a^2*(2*A + 3*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(5*A + 7*C)*
EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^2*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*S
in[c + d*x])/(21*d) + (2*a^2*(19*A + 21*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])
/(105*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(9*
d) + (8*A*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(63*d)
```

Rubi [A] time = 0.485966, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4114, 3046, 2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{4a^2(5A + 7C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{16a^2(2A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(19A + 21C)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{105d} + \frac{4a^2(5A + 7C)\text{EllipticE}\left(\frac{1}{2}(c + dx), 2\right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (16*a^2*(2*A + 3*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(5*A + 7*C)*
EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^2*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*S
in[c + d*x])/(21*d) + (2*a^2*(19*A + 21*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])
/(105*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(9*
d) + (8*A*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(63*d)
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_)])^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(
m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[
e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]
&& IntegerQ[m]
```

Rule 3046

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :=
-Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m*(c + d*Sin[e + f*x])^(n + 1))
/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n + 2)), Int[(a + b*Sin[e + f*x])
^(m*(c + d*Sin[e + f*x])^(n+1)*Simp[A*b*d*(m + n + 2) + C*(a*c*m + b*d*(n + 1))
+ C*(a*d*m - b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 -
d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]

```

Rule 2976

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2968

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

```

Rule 3023

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 (C + A \cos^2(c + dx)) dx \\
&= \frac{2A \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} + \frac{2 \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 C dx}{9d} \\
&= \frac{2A \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} + \frac{8A C \cos^{\frac{3}{2}}(c + dx)}{9d} \\
&= \frac{2A \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} + \frac{8A C \cos^{\frac{3}{2}}(c + dx)}{9d} \\
&= \frac{2a^2(19A + 21C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2A \cos^{\frac{3}{2}}(c + dx)}{105d} \\
&= \frac{2a^2(19A + 21C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2A \cos^{\frac{3}{2}}(c + dx)}{105d} \\
&= \frac{16a^2(2A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^2(5A + 7C)\sqrt{\cos(c + dx)}}{21d} \\
&= \frac{16a^2(2A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^2(5A + 7C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 6.30396, size = 1118, normalized size = 5.68

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((-8*(2*A + 3*C)*Cot[c])/(15*d) + ((23*A + 28*C)*Cos[d*x]*Sin[c])/ (42*d) + ((37*A + 18*C)*Cos[2*d*x]*Sin[2*c])/(180*d) + (A*Cos[3*d*x]*Sin[3*c])/(14*d) + (A*Cos[4*d*x]*Sin[4*c])/(72*d) + ((23*A + 28*C)*Cos[c]*Sin[d*x])/(42*d) + ((37*A + 18*C)*Cos[2*c]*Sin[2*d*x])/(180*d) + (A*Cos[3*c]*Sin[3*d*x])/(14*d) + (A*Cos[4*c]*Sin[4*d*x])/(72*d)))/(A + 2*C + A*Cos[2*c + 2*d*x]) - (10*A*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (2*C*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (8*A*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(15*d*(A + 2*C + A*Cos[2*c + 2*d*x])) - (4*C*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(5*d*(A + 2*C + A*Cos[2*c + 2*d*x]))

Maple [A] time = 2.286, size = 408, normalized size = 2.1

$$-\frac{4a^2}{315d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-560A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{10} + 1840A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x)`

[Out] `-4/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(-560*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+1840*A*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-2368*A-252*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(1568*A+672*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-387*A-273*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+75*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-168*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+105*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-252*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

`integral(((Ca^2*cos(dx+c)^4*sec(dx+c)^4+2Ca^2*cos(dx+c)^4*sec(dx+c)^3+(A+C)a^2*cos(dx+c)^4*sec(dx+c)^2+2`

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^2*cos(d*x + c)^4*sec(d*x + c)^4 + 2*C*a^2*cos(d*x + c)^4*sec(d*x + c)^3 + (A + C)*a^2*cos(d*x + c)^4*sec(d*x + c)^2 + 2*A*a^2*cos(d*x + c)^4*sec(d*x + c) + A*a^2*cos(d*x + c)^4)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(9/2), x)
```

3.1092 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=164

$$\frac{8a^2(3A + 7C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^2(3A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(33A + 35C) \sin(c + dx)\sqrt{\cos(c + dx)}}{105d} +$$

```
[Out] (4*a^2*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (8*a^2*(3*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(33*A + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(7*d) + (8*A*Sqrt[Cos[c + d*x]]*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(35*d)
```

Rubi [A] time = 0.466033, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4114, 3046, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{8a^2(3A + 7C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(3A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(33A + 35C) \sin(c + dx)\sqrt{\cos(c + dx)}}{105d} + \frac{8A \sin(c + dx)}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^2*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (8*a^2*(3*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(33*A + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(7*d) + (8*A*Sqrt[Cos[c + d*x]]*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(35*d)
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3046

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :=
-Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))
/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n + 2)), Int[(a + b*Sin[e + f*x])
^m*(c + d*Sin[e + f*x])^n*Simp[A*b*d*(m + n + 2) + C*(a*c*m + b*d*(n + 1))
+ C*(a*d*m - b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 -
d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]

```

Rule 2976

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2968

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

```

Rule 3023

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^2 (C + A \cos^2(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{2 \int \dots}{7d} \\ &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{8A\sqrt{\cos(c + dx)}}{7d} \\ &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{8A\sqrt{\cos(c + dx)}}{7d} \\ &= \frac{2a^2(33A + 35C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2A\sqrt{\cos(c + dx)}}{105d} \\ &= \frac{2a^2(33A + 35C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2A\sqrt{\cos(c + dx)}}{105d} \\ &= \frac{4a^2(3A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{8a^2(3A + 7C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

Mathematica [C] time = 6.37914, size = 1070, normalized size = 6.52

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((-2*(3*A + 5*C)*Cot[c])/(5*d) + ((51*A + 28*C)*Cos[d*x]*Sin[c
```

$$\begin{aligned} &)/(84*d) + (A*\cos[2*d*x]*\sin[2*c])/(5*d) + (A*\cos[3*d*x]*\sin[3*c])/(28*d) + \\ &((51*A + 28*C)*\cos[c]*\sin[d*x])/(84*d) + (A*\cos[2*c]*\sin[2*d*x])/(5*d) + (\\ &A*\cos[3*c]*\sin[3*d*x])/(28*d)))/(A + 2*C + A*\cos[2*c + 2*d*x]) - (4*A*\cos[c \\ &+ d*x]^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[\\ &c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + C*\text{Sec}[c + d*x]^2)* \\ &\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 \\ &+ \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{C} \\ &\text{ot}[c]]]])/(7*d*(A + 2*C + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*C*Co \\ &s[c + d*x]^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{C} \\ &\text{ot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + C*\text{Sec}[c + d*x]^ \\ &2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqr \\ &t}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \sin[d*x - \text{ArcTa} \\ &n[\text{Cot}[c]]]])/(3*d*(A + 2*C + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (3*A \\ &* \cos[c + d*x]^4*\csc[c]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + C*S \\ &\text{ec}[c + d*x]^2)*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan} \\ &[c]]]^2]*\sin[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan} \\ &[c]]]] * \text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan} \\ &[c]]] * \text{Sqrt}[1 + \tan[c]^2]] * \text{Sqrt}[1 + \tan[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \\ &\text{Tan}[c]) / \text{Sqrt}[1 + \tan[c]^2] + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \\ &\text{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sq} \\ &\text{rt}[1 + \tan[c]^2]]) / (5*d*(A + 2*C + A*\cos[2*c + 2*d*x])) - (C*\cos[c + d*x]^ \\ &4*\csc[c]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + C*\text{Sec}[c + d*x]^2) \\ &*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\sin[\\ &d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \\ &\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \\ &\text{Tan}[c]^2]] * \text{Sqrt}[1 + \tan[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 \\ &+ \tan[c]^2] + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \tan[c]^2]) / (\cos \\ &[c]^2 + \sin[c]^2)) / \text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \tan[c]^ \\ &2]]) / (d*(A + 2*C + A*\cos[2*c + 2*d*x])) \end{aligned}$$

Maple [A] time = 2.148, size = 380, normalized size = 2.3

$$-\frac{4a^2}{105d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(120A(\sin(1/2 dx + c/2))^8 \cos(1/2 dx + c/2) - 348A(\sin(1/2 dx + c/2))^6 \cos(1/2 dx + c/2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x)`

[Out] `-4/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(120*A*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)-348*A*sin(1/2*d*x+1/2*c)^6*cos(1/2*d`

```
*x+1/2*c)+(378*A+70*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-117*A-35*C)
)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+30*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)
*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*
A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(c
os(1/2*d*x+1/2*c),2^(1/2))+70*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x
+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-105*C*(sin(1/2*d*x
+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2
*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*
d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorit
hm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral(((Ca^2 cos(dx + c)^3 sec(dx + c)^4 + 2Ca^2 cos(dx + c)^3 sec(dx + c)^3 + (A + C)a^2 cos(dx + c)^3 sec(dx + c)^2 + 2
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorit
hm="fricas")
```

```
[Out] integral((C*a^2*cos(d*x + c)^3*sec(d*x + c)^4 + 2*C*a^2*cos(d*x + c)^3*sec(
d*x + c)^3 + (A + C)*a^2*cos(d*x + c)^3*sec(d*x + c)^2 + 2*A*a^2*cos(d*x +
c)^3*sec(d*x + c) + A*a^2*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(7/2), x)

3.1093 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=158

$$\frac{4a^2(A + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a^2(7A - 15C) \sin(c + dx)\sqrt{\cos(c + dx)}}{15d} + \frac{2(A - 5C) \sin(c + dx)\sqrt{\cos(c + dx)}}{5d}$$

```
[Out] (16*a^2*A*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A - 15*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*cos[c + d*x])^2*sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*(A - 5*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 0.464138, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4114, 3044, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(A + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2(7A - 15C) \sin(c + dx)\sqrt{\cos(c + dx)}}{15d} + \frac{2(A - 5C) \sin(c + dx)\sqrt{\cos(c + dx)}}{5d} (a^2 \cos(c + dx))$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (16*a^2*A*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A - 15*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*cos[c + d*x])^2*sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*(A - 5*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])*Sin[c + d*x])/(5*d)
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.))*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3044

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2), x_Symbol] :>
-Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e +
f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^
2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*
m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^
2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2
, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])

```

Rule 2976

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2968

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

```

Rule 3023

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^2 (C + A \cos^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2 \int \frac{(a + a \cos(c + dx))^2}{\sqrt{\cos(c + dx)}} dx}{d} \\
 &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2(A - 5C)\sqrt{\cos(c + dx)}}{d} \\
 &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2(A - 5C)\sqrt{\cos(c + dx)}}{d} \\
 &= \frac{2a^2(7A - 15C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2C(a + a \cos(c + dx))^2}{d\sqrt{\cos(c + dx)}} \\
 &= \frac{2a^2(7A - 15C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2C(a + a \cos(c + dx))^2}{d\sqrt{\cos(c + dx)}} \\
 &= \frac{16a^2 AE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{5d} + \frac{4a^2(A + 3C)F \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{3d}
 \end{aligned}$$

Mathematica [C] time = 6.4492, size = 799, normalized size = 5.06

$$\frac{\sec^4 \left(\frac{c}{2} + \frac{dx}{2} \right) (\sec(c + dx)a + a)^2 (C \sec^2(c + dx) + A) \left(-\frac{(8 \cos(2c)A + 8A - 5C + 5C \cos(2c)) \csc(c) \sec(c)}{10d} + \frac{C \sec(c + dx) \sin(dx) \sec(c)}{d} \right)}{\cos(2c + 2dx)A + A + 2C}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2),
x]
```

```
[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[
c + d*x]^2)*(-((8*A - 5*C + 8*A*Cos[2*c] + 5*C*Cos[2*c])*Csc[c]*Sec[c])/(10
*d) + (2*A*Cos[d*x]*Sin[c])/(3*d) + (A*Cos[2*d*x]*Sin[2*c])/(10*d) + (2*A*C
os[c]*Sin[d*x])/(3*d) + (C*Sec[c]*Sec[c + d*x]*Sin[d*x])/d + (A*Cos[2*c]*Si
n[2*d*x])/(10*d)))/(A + 2*C + A*Cos[2*c + 2*d*x]) - (2*A*Cos[c + d*x]^4*Csc
[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c
/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sec[d*x - Arc
Tan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*
Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*
d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (2*C*Cos[c + d*x]^4*
Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Se
c[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sec[d*x -
ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^
2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/
(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*A*Cos[c + d*x]^4
*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*
(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d
*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 +
Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + T
an[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1
+ Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Co
s[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2
]))/(5*d*(A + 2*C + A*Cos[2*c + 2*d*x]))
```

Maple [B] time = 2.156, size = 440, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x)
```

```
[Out] -4/15*a^2*(-12*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1
/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+32*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*
x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(13*A+15*C)*sin(1/2*d*x+1/2*c)^2*cos(1/
2*d*x+1/2*c)+5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1
```

$$\begin{aligned} & /2)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2* \\ & d*x+1/2*c),2^{(1/2)})-12*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c) \\ & ^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\\ & \cos(1/2*d*x+1/2*c),2^{(1/2)})+15*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d* \\ & x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ca^2 cos(dx + c)^2 sec(dx + c)^4 + 2Ca^2 cos(dx + c)^2 sec(dx + c)^3 + (A + C)a^2 cos(dx + c)^2 sec(dx + c)^2 + 2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^2*cos(d*x + c)^2*sec(d*x + c)^4 + 2*C*a^2*cos(d*x + c)^2*sec(d*x + c)^3 + (A + C)*a^2*cos(d*x + c)^2*sec(d*x + c)^2 + 2*A*a^2*cos(d*x + c)^2*sec(d*x + c) + A*a^2*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(5/2), x)
```

3.1094 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=154

$$\frac{8a^2(A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{4a^2(A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2(A-5C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{8C\sin(c+dx)}{3d\sqrt{\cos(c+dx)}}$$

[Out] (4*a^2*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (8*a^2*(A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(A - 5*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*C*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (8*C*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.467617, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4114, 3044, 2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{8a^2(A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2(A-5C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{8C\sin(c+dx)}{3d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (4*a^2*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (8*a^2*(A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(A - 5*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*C*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (8*C*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3044

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :>

```
-Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
```


$\text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]]], x_Symbol] \text{ :> } \text{Simp}[(2*\text{EllipticE}[(1*(c - P$
 $i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^2 (C + A \cos^2(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \cos(c + dx))^2}{\cos^{\frac{3}{2}}(c + dx)} dx}{3d \sqrt{\cos(c + dx)}} \\ &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{8C(a^2 + a^2 \cos(c + dx))}{3d \sqrt{\cos(c + dx)}} \\ &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{8C(a^2 + a^2 \cos(c + dx))}{3d \sqrt{\cos(c + dx)}} \\ &= \frac{2a^2(A - 5C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2C(a + a \cos(c + dx))^2}{3d \cos^{\frac{3}{2}}(c + dx)} \\ &= \frac{2a^2(A - 5C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2C(a + a \cos(c + dx))^2}{3d \cos^{\frac{3}{2}}(c + dx)} \\ &= \frac{4a^2(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{8a^2(A + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

Mathematica [C] time = 6.46694, size = 1040, normalized size = 6.75

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

```
[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(-(((A - 2*C + A*Cos[2*c])*Csc[c]*Sec[c])/d) + (A*Cos[d*x]*Sin[c])/(3*d) + (A*Cos[c]*Sin[d*x])/(3*d) + (C*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(3*d) + (Sec[c]*Sec[c + d*x]*(C*Sin[c] + 6*C*Sin[d*x]))/(3*d)))/(A + 2*C + A*Cos[2*c + 2*d*x]) - (4*A*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*C*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (A*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (C*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(d*(A + 2*C + A*Cos[2*c + 2*d*x]))
```

Maple [B] time = 5.49, size = 651, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x)
```

```
[Out] 4/3*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2/(4*sin(1/2*d*x+1/2*c)^4-4*sin(1/2*d*x+1/2*c)^2+1)/sin(1/2*d*x+1/2*c)^3*(4*A*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+4*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2
```

```

*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/
2*c)^2-6*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^
(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2-4*A*cos(1/2*d*x+1/
2*c)*sin(1/2*d*x+1/2*c)^4+4*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1
/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2
+6*C*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2-12*C*cos(1/2*d*x+1/2*c)*
sin(1/2*d*x+1/2*c)^4-2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)
^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*A*(sin(1/2*d*x+1/2*c)^2
)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/
2))+sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*A-2*C*(sin(1/2*d*x+1/2*c)^2)^(1
/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-
3*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE
(cos(1/2*d*x+1/2*c),2^(1/2))+7*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*C*(
-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2
-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorit
hm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral((Ca^2 cos(dx + c) sec(dx + c)^4 + 2 Ca^2 cos(dx + c) sec(dx + c)^3 + (A + C)a^2 cos(dx + c) sec(dx + c)^2 + 2 A

```

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2),x, algorit
hm="fricas")

```

```

[Out] integral((C*a^2*cos(d*x + c)*sec(d*x + c)^4 + 2*C*a^2*cos(d*x + c)*sec(d*x
+ c)^3 + (A + C)*a^2*cos(d*x + c)*sec(d*x + c)^2 + 2*A*a^2*cos(d*x + c)*sec

```

$(d*x + c) + A*a^2*\cos(d*x + c)*\sqrt{\cos(d*x + c)}, x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)

3.1095 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx$

Optimal. Leaf size=156

$$\frac{4a^2(3A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a^2(15A+17C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}} - \frac{16a^2CE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{8C\sin(c+dx)(a^2\cos(c+dx))}{15d\cos^{\frac{3}{2}}(c+dx)}$$

```
[Out] (-16*a^2*C*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(15*A + 17*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^2*Ssin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (8*C*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2))
```

Rubi [A] time = 0.482327, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4114, 3044, 2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{4a^2(3A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a^2(15A+17C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}} - \frac{16a^2CE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{8C\sin(c+dx)(a^2\cos(c+dx))}{15d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-16*a^2*C*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(15*A + 17*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^2*Ssin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (8*C*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2))
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3044

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :>
```

-Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx)) dx &= \int \frac{(a+a \cos(c+dx))^2 (C+A \cos^2(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx \\
 &= \frac{2C(a+a \cos(c+dx))^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{2 \int \frac{(a+a \cos(c+dx))^2}{\cos^{\frac{3}{2}}(c+dx)} dx}{15d \cos^{\frac{3}{2}}(c+dx)} \\
 &= \frac{2C(a+a \cos(c+dx))^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{8C(a^2+a^2 \cos(c+dx))}{15d \cos^{\frac{3}{2}}(c+dx)} \\
 &= \frac{2C(a+a \cos(c+dx))^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{8C(a^2+a^2 \cos(c+dx))}{15d \cos^{\frac{3}{2}}(c+dx)} \\
 &= \frac{2a^2(15A+17C) \sin(c+dx)}{15d \sqrt{\cos(c+dx)}} + \frac{2C(a+a \cos(c+dx))^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} \\
 &= \frac{2a^2(15A+17C) \sin(c+dx)}{15d \sqrt{\cos(c+dx)}} + \frac{2C(a+a \cos(c+dx))^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} \\
 &= -\frac{16a^2 CE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{4a^2(3A+C)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d}
 \end{aligned}$$

Mathematica [C] time = 6.54155, size = 800, normalized size = 5.13

$$\frac{\sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (\sec(c+dx)a + a)^2 (C \sec^2(c+dx) + A) \left(\frac{C \sec(c) \sin(dx) \sec^3(c+dx)}{5d} + \frac{\sec(c)(3C \sin(c) + 10C \sin(dx)) \sec^2(c+dx)}{15d} + \frac{\sec(c)(10C \sin(c) + 10C \sin(dx)) \sec^2(c+dx)}{15d} \right)}{\cos(2c + 2dx)A + A + 2C}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*(-((-5*A - 16*C + 5*A*Cos[2*c])*Csc[c]*Sec[c])/((10*d) + (C*Sec[c]*Sec[c + d*x]^3*Sin[d*x]))/(5*d) + (Sec[c]*Sec[c + d*x]^2*(3*C*Sin[c] + 10*C*Sin[d*x]))/(15*d) + (Sec[c]*Sec[c + d*x]*(10*C*Sin[c] + 15*A*Sin[d*x] + 24*C*Sin[d*x]))/(15*d)))/(A + 2*C + A*Cos[2*c + 2*d*x]) - (2*A*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (2*C*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) + (4*C*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/(5*d*(A + 2*C + A*Cos[2*c + 2*d*x]))

Maple [B] time = 6.708, size = 756, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^2*(A+C*\sec(dx+c)^2)*\cos(dx+c)^{(1/2)},x)$

[Out] $\frac{4}{15}*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^3*(60*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4-60*A*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+20*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4+48*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-96*C*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-60*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2+60*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-20*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2-48*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+116*C*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*A+5*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+12*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-37*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^2*(A+C*\sec(dx+c)^2)*\cos(dx+c)^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$\text{integral}(((Ca^2 \sec(dx+c))^4 + 2Ca^2 \sec(dx+c)^3 + (A+C)a^2 \sec(dx+c)^2 + 2Aa^2 \sec(dx+c) + Aa^2)\sqrt{\cos(dx+c)},$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^2*sec(d*x + c)^4 + 2*C*a^2*sec(d*x + c)^3 + (A + C)*a^2*sec(d*x + c)^2 + 2*A*a^2*sec(d*x + c) + A*a^2)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)
```

$$3.1096 \quad \int \frac{(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=197

$$\frac{8a^2(7A+3C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} - \frac{4a^2(5A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(35A+33C)\sin(c+dx)}{105d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2(5A+3C)}{5d\sqrt{\cos(c+dx)}}$$

[Out] $(-4*a^2*(5*A + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (8*a^2*(7*A + 3*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a^2*(35*A + 33*C)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^2*(5*A + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (8*C*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)})$

Rubi [A] time = 0.512475, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4114, 3044, 2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{8a^2(7A+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^2(5A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(35A+33C)\sin(c+dx)}{105d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2(5A+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Sec}[c + d*x])^2*(A + C*\text{Sec}[c + d*x]^2)/\text{Sqrt}[\text{Cos}[c + d*x]], x]$

[Out] $(-4*a^2*(5*A + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (8*a^2*(7*A + 3*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a^2*(35*A + 33*C)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^2*(5*A + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (8*C*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)})$

Rule 4114

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_)]^{(m_.)}*((A_.) + (C_.)*\sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> \text{Dist}[d^{(m + 2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n - m - 2)}*(C + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3044

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :>
-Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e +
f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^
2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*
m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^
2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2
, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[(b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
```

$b \sin[e + f x]^{m+1}, x, x$ /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*SIN[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(a + a \cos(c + dx))^2 (C + A \cos^2(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \cos(c + dx))^2 (2aC + \frac{1}{2}a(7A + C) \cos^2(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx}{7a} \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{8C(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{8C(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a^2(35A + 33C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{8C(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a^2(35A + 33C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{8C(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{8a^2(7A + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a^2(35A + 33C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^2(5A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} \\
&= -\frac{4a^2(5A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{8a^2(7A + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a^2(35A + 33C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.61354, size = 1092, normalized size = 5.54

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]
],x]
```

```
[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[
c + d*x]^2)*((2*(5*A + 3*C)*Csc[c]*Sec[c])/(5*d) + (C*Sec[c]*Sec[c + d*x]^4
*Sin[d*x]))/(7*d) + (Sec[c]*Sec[c + d*x]^3*(5*C*Sin[c] + 14*C*Sin[d*x]))/(35
```

```

*d) + (Sec[c]*Sec[c + d*x]^2*(42*C*Sin[c] + 35*A*Sin[d*x] + 60*C*Sin[d*x]))
/(105*d) + (Sec[c]*Sec[c + d*x]*(35*A*Sin[c] + 60*C*Sin[c] + 210*A*Sin[d*x]
+ 126*C*Sin[d*x]))/(105*d)))/(A + 2*C + A*Cos[2*c + 2*d*x]) - (4*A*Cos[c +
d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]
]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*Se
c[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 +
Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot
[c]]])]/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*C*Cos[
c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot
[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)
*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[
1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[
Cot[c]]])]/(7*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) + (A*Cos
[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c
+ d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]
]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]
]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]
]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[
c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan
[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1
+ Tan[c]^2]))/(d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (3*C*Cos[c + d*x]^4*Csc
[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((H
ypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x
+ ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos
[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[
c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + T
an[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c
]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]
))/(5*d*(A + 2*C + A*Cos[2*c + 2*d*x]))

```

Maple [B] time = 8.003, size = 918, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (a + a \sec(dx + c))^2 (A + C \sec(dx + c))^2 / \cos(dx + c)^{1/2}, x$

[Out] $-8 * (-(-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1) * \sin(1/2 * dx + 1/2 * c)^2)^{1/2} * a^2 * (1/4 * A * (\sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{1/2} / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{1/2} * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{1/2}) - 1/10 * C / (8 * \sin(1/2 * dx + 1/2 * c)^6 - 12 * \sin(1/2 * dx + 1/2 * c)^4 + 6 * \sin(1/2 * dx + 1/2 * c)$

$$\begin{aligned} &)^{-2-1}/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/4*C*(-1/56*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^{-2-1/2})^4-5/42*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^{-2-1/2})^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2))*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+(1/4*A+1/4*C))*(-1/6*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^{-2-1/2})^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2))*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2))*(\sin(1/2*d*x+1/2*c)^{-2-1})^{(1/2))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^{-2-1})/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^{-2-1})^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + 2Ca^2 \sec(dx+c)^3 + (A+C)a^2 \sec(dx+c)^2 + 2Aa^2 \sec(dx+c) + Aa^2}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^2*sec(d*x + c)^4 + 2*C*a^2*sec(d*x + c)^3 + (A + C)*a^2*sec(d*x + c)^2 + 2*A*a^2*sec(d*x + c) + A*a^2)/sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)
```

$$3.1097 \quad \int \frac{(a+a \sec(c+dx))^2 (A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=230

$$\frac{4a^2(7A+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} - \frac{16a^2(3A+2C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{4a^2(7A+5C)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2(21A+19C)}{105d \cos^{\frac{5}{2}}(c+dx)}$$

[Out] (-16*a^2*(3*A + 2*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(7*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(21*A + 19*C)*Sin[c + d*x])/(10*5*d*Cos[c + d*x]^(5/2)) + (4*a^2*(7*A + 5*C)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2)) + (16*a^2*(3*A + 2*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^2*Ssin[c + d*x])/(9*d*Cos[c + d*x]^(9/2)) + (8*C*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(63*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 0.541732, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4114, 3044, 2975, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{4a^2(7A+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{16a^2(3A+2C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{4a^2(7A+5C)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2(21A+19C)\sin(c+dx)}{105d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (-16*a^2*(3*A + 2*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(7*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(21*A + 19*C)*Sin[c + d*x])/(10*5*d*Cos[c + d*x]^(5/2)) + (4*a^2*(7*A + 5*C)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2)) + (16*a^2*(3*A + 2*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^2*Ssin[c + d*x])/(9*d*Cos[c + d*x]^(9/2)) + (8*C*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(63*d*Cos[c + d*x]^(7/2))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^n]*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]

&& IntegerQ[m]

Rule 3044

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :>
-Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f
*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^
2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*
m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^
2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2
, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] :> -Si
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(a + a \cos(c + dx))^2 (C + A \cos^2(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \cos(c + dx))^2 (2aC + \frac{3}{2}a(3A + C))}{\cos^{\frac{9}{2}}(c + dx)} dx}{9a} \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{8C(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{8C(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^2(21A + 19C) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \\
&= \frac{2a^2(21A + 19C) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \\
&= \frac{2a^2(21A + 19C) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^2(7A + 5C) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \frac{16a^2(3A + 2C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} \\
&= -\frac{16a^2(3A + 2C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^2(7A + 5C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} +
\end{aligned}$$

Mathematica [C] time = 6.67063, size = 1137, normalized size = 4.94

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + C*Sec[c + d*x]^2)*((8*(3*A + 2*C)*Csc[c]*Sec[c])/(15*d) + (C*Sec[c]*Sec[c + d*x]^5*Sin[d*x])/(9*d) + (Sec[c]*Sec[c + d*x]^4*(7*C*Sin[c] + 18*C*Sin[d*x]))/(6

$$\begin{aligned}
& 3*d) + (2*\text{Sec}[c]*\text{Sec}[c + d*x]*(35*A*\text{Sin}[c] + 25*C*\text{Sin}[c] + 84*A*\text{Sin}[d*x] + \\
& 56*C*\text{Sin}[d*x]))/(105*d) + (\text{Sec}[c]*\text{Sec}[c + d*x]^3*(90*C*\text{Sin}[c] + 63*A*\text{Sin}[d*x] \\
& + 112*C*\text{Sin}[d*x]))/(315*d) + (\text{Sec}[c]*\text{Sec}[c + d*x]^2*(63*A*\text{Sin}[c] + 112*C \\
& *\text{Sin}[c] + 210*A*\text{Sin}[d*x] + 150*C*\text{Sin}[d*x]))/(315*d)))/(A + 2*C + A*\text{Cos}[2*c \\
& + 2*d*x]) - (2*A*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \\
& \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(\\
& A + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{C} \\
& \text{ot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[\\
& 1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 \\
& + \text{Cot}[c]^2]) - (10*C*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5 \\
& /4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x]) \\
& ^2*(A + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcT} \\
& \text{an}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{S} \\
& \text{qrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(21*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])* \text{Sqr} \\
& \text{t}[1 + \text{Cot}[c]^2]) + (4*A*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a* \\
& \text{Sec}[c + d*x])^2*(A + C*\text{Sec}[c + d*x]^2)*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3 \\
& /4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 \\
& - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[\\
& c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])* \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Si} \\
& \text{n}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[\\
& d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(5*d*(A + 2*C + A*\text{Cos}[2*c + 2*d \\
& *x])) + (8*C*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x] \\
&)^2*(A + C*\text{Sec}[c + d*x]^2)*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x \\
& + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])* \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcT} \\
& \text{an}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c] \\
&]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan} \\
& [\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(15*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x]))
\end{aligned}$$

Maple [B] time = 9.685, size = 1168, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\text{sec}(d*x+c))^2*(A+C*\text{sec}(d*x+c)^2)/\text{cos}(d*x+c)^{(3/2)}, x)$

[Out] $-8*(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(-1/5*(1/4$
 $*A+1/4*C)/(8*\text{sin}(1/2*d*x+1/2*c)^6-12*\text{sin}(1/2*d*x+1/2*c)^4+6*\text{sin}(1/2*d*x+1/2$
 $*c)^2-1)/\text{sin}(1/2*d*x+1/2*c)^2*(12*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{Elliptic}$

$$\begin{aligned}
& E(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^4 - 24 * \sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) - 12 * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
& * \sin(1/2*d*x+1/2*c)^2 + 24 * \sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + 3 * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
& - 8 * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 1/4 * C * (-1/144 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^5 \\
& - 7/180 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^3 - 14/15 * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) / (-(-2 * \cos(1/2*d*x+1/2*c)^2 + 1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 7/15 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 7/15 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) + 1/2 * C * (-1/56 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^4 - 5/42 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 5/21 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/2 * A * (-1/6 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 1/3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/4 * A * (-\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2 * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2 * \sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + 2Ca^2 \sec(dx+c)^3 + (A+C)a^2 \sec(dx+c)^2 + 2Aa^2 \sec(dx+c) + Aa^2}{\cos(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + 2*C*a^2*sec(d*x + c)^3 + (A + C)*a^2*sec(d*x + c)^2 + 2*A*a^2*sec(d*x + c) + A*a^2)/cos(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^2}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)

3.1098 $\int \cos^{\frac{13}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=279

$$\frac{4a^3(95A + 121C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^3(175A + 221C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{195d} + \frac{40a^3(118A + 143C)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{9009d}$$

```
[Out] (4*a^3*(175*A + 221*C)*EllipticE[(c + d*x)/2, 2])/(195*d) + (4*a^3*(95*A + 121*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^3*(95*A + 121*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (4*a^3*(175*A + 221*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(585*d) + (40*a^3*(118*A + 143*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(9009*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(13*d) + (12*A*Cos[c + d*x]^(5/2)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(143*a*d) + (2*(145*A + 143*C)*Cos[c + d*x]^(5/2)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(1287*d)
```

Rubi [A] time = 0.685408, antiderivative size = 279, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4114, 3046, 2976, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{4a^3(95A + 121C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{4a^3(175A + 221C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{195d} + \frac{40a^3(118A + 143C)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{9009d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(13/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^3*(175*A + 221*C)*EllipticE[(c + d*x)/2, 2])/(195*d) + (4*a^3*(95*A + 121*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^3*(95*A + 121*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (4*a^3*(175*A + 221*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(585*d) + (40*a^3*(118*A + 143*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(9009*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(13*d) + (12*A*Cos[c + d*x]^(5/2)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(143*a*d) + (2*(145*A + 143*C)*Cos[c + d*x]^(5/2)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(1287*d)
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)^2], x_Symbol] := Dist[d^(
```

$m + 2$), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3046

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :> -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n + 2)), Int[(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^n*Simp[A*b*d*(m + n + 2) + C*(a*c*m + b*d*(n + 1)) + C*(a*d*m - b*c*(m + 1))*sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*cos[e + f*x]*(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :> -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{13}{2}}(c+dx)(a+a \sec(c+dx))^3(A+C \sec^2(c+dx)) dx &= \int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^3(C+A \cos^2(c+dx)) \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} + \frac{2 \int \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} + \frac{12A \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} + \frac{12A \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} + \frac{12A \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} \\
&= \frac{40a^3(118A+143C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{9009d} + \frac{2A \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} \\
&= \frac{40a^3(118A+143C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{9009d} + \frac{2A \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3 \sin(c+dx)}{13d} \\
&= \frac{4a^3(95A+121C) \sqrt{\cos(c+dx)} \sin(c+dx)}{231d} + \frac{4a^3(175A+221C) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{195d} + \frac{4a^3(95A+121C) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{231d}
\end{aligned}$$

Mathematica [C] time = 6.37319, size = 1022, normalized size = 3.66

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(13/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] a^3*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-((175*A + 221*C)*Cot[c])/(390*d) + ((1811*A + 2134*C)*Cos[d*x]*Sin[c])/(7392*d) + ((7825*A + 7592*C)*Cos[2*d*x]*Sin[2*c])/(74880*d) + ((215*A + 132*C)*Cos[3*d*x]*Sin[3*c])/(4928*d) + ((59*A + 13*C)*Cos[4*d*x]*Sin[4*c])/(3744*d) + (3*A*Cos[5*d*x]*Sin[5*c])/(704*d) + (A*Cos[6*d*x]*Sin[6*c])/(1664*d) + ((1811*A + 2134*C)*Cos[c]*Sin[d*x])/(7392*d) + ((7825*A + 7592*C)*Cos[2*c]*Sin[2*d*x])/(74880*d) + ((215*A + 132*C)*Cos[3*c]*Sin[3*d*x])/(4928*d) + ((59*A +
```

$$\begin{aligned}
& 13C) \cdot \cos[4c] \cdot \sin[4dx] / (3744d) + (3A \cdot \cos[5c] \cdot \sin[5dx]) / (704d) + \\
& (A \cdot \cos[6c] \cdot \sin[6dx]) / (1664d) - (95A \cdot (1 + \cos[c + dx])^3 \cdot \csc[c] \cdot \text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \sin[dx - \text{ArcTan}[\cot[c]]]^2 \cdot \sec[c/2 + (dx)/2]^6 \cdot \sec[dx - \text{ArcTan}[\cot[c]]] \cdot \sqrt{1 - \sin[dx - \text{ArcTan}[\cot[c]]]} \cdot \sqrt{-(\sqrt{1 + \cot[c]^2} \cdot \sin[c] \cdot \sin[dx - \text{ArcTan}[\cot[c]])}] \cdot \sqrt{1 + \sin[dx - \text{ArcTan}[\cot[c]]}]) / (462d \cdot \sqrt{1 + \cot[c]^2}) - (11C \cdot (1 + \cos[c + dx])^3 \cdot \csc[c] \cdot \text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \sin[dx - \text{ArcTan}[\cot[c]]]^2 \cdot \sec[c/2 + (dx)/2]^6 \cdot \sec[dx - \text{ArcTan}[\cot[c]]] \cdot \sqrt{1 - \sin[dx - \text{ArcTan}[\cot[c]]]} \cdot \sqrt{-(\sqrt{1 + \cot[c]^2} \cdot \sin[c] \cdot \sin[dx - \text{ArcTan}[\cot[c]])}] \cdot \sqrt{1 + \sin[dx - \text{ArcTan}[\cot[c]]}]) / (42d \cdot \sqrt{1 + \cot[c]^2}) - (35A \cdot (1 + \cos[c + dx])^3 \cdot \csc[c] \cdot \sec[c/2 + (dx)/2]^6 \cdot (\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[dx + \text{ArcTan}[\tan[c]]]^2 \cdot \sin[dx + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / (\sqrt{1 - \cos[dx + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \cos[dx + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{\cos[c] \cdot \cos[dx + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \tan[c]^2}] \cdot \sqrt{1 + \tan[c]^2}) - ((\sin[dx + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cdot \cos[c]^2 \cdot \cos[dx + \text{ArcTan}[\tan[c]]] \cdot \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cdot \cos[dx + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \tan[c]^2})) / (156d) - (17C \cdot (1 + \cos[c + dx])^3 \cdot \csc[c] \cdot \sec[c/2 + (dx)/2]^6 \cdot (\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[dx + \text{ArcTan}[\tan[c]]]^2 \cdot \sin[dx + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / (\sqrt{1 - \cos[dx + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \cos[dx + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{\cos[c] \cdot \cos[dx + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \tan[c]^2}] \cdot \sqrt{1 + \tan[c]^2}) - ((\sin[dx + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cdot \cos[c]^2 \cdot \cos[dx + \text{ArcTan}[\tan[c]]] \cdot \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cdot \cos[dx + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \tan[c]^2})) / (60d)
\end{aligned}$$

Maple [A] time = 2.321, size = 464, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{(13/2)} \cdot (a+a \cdot \sec(dx+c))^3 \cdot (A+C \cdot \sec(dx+c)^2), x)$

[Out] $-4/45045 \cdot ((2 \cdot \cos(1/2 \cdot dx + 1/2 \cdot c)^2 - 1) \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^2)^{(1/2)} \cdot a^3 \cdot (-221760A \cdot \cos(1/2 \cdot dx + 1/2 \cdot c) \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^{14} + 1058400A \cdot \cos(1/2 \cdot dx + 1/2 \cdot c) \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^{12} + (-2122400A - 80080C) \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^{10} \cdot \cos(1/2 \cdot dx + 1/2 \cdot c) + (2331040A + 314600C) \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^8 \cdot \cos(1/2 \cdot dx + 1/2 \cdot c) + (-1535860A - 487916C) \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^6 \cdot \cos(1/2 \cdot dx + 1/2 \cdot c) + (633710A + 386386C) \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^4 \cdot \cos(1/2 \cdot dx + 1/2 \cdot c) + (-121230A - 105534C) \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^2 \cdot \cos(1/2 \cdot dx + 1/2 \cdot c) + 18525A \cdot (\sin(1/2 \cdot dx + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^2 - 1)^{(1/2)} \cdot \text{EllipticF}(\cos(1/2 \cdot dx + 1/2 \cdot c), 2^{(1/2)}) - 40425A \cdot (\sin(1/2 \cdot dx + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)^2 - 1)^{(1/2)} \cdot \text{EllipticE}(\cos(1/2 \cdot dx + 1/2 \cdot c), 2^{(1/2)})$

```
*x+1/2*c),2^(1/2))+23595*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-51051*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral((C*a^3*cos(dx+c)^6*sec(dx+c)^5+3Ca^3*cos(dx+c)^6*sec(dx+c)^4+(A+3C)a^3*cos(dx+c)^6*sec(dx+c)^3+(
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*cos(d*x+c)^6*sec(d*x+c)^5+3C*a^3*cos(d*x+c)^6*sec(d*x+c)^4+(A+3C)*a^3*cos(d*x+c)^6*sec(d*x+c)^3+(3*A+C)*a^3*cos(d*x+c)^6*sec(d*x+c)^2+3*A*a^3*cos(d*x+c)^6*sec(d*x+c)+A*a^3*cos(d*x+c)^6)*sqrt(cos(d*x+c)),x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(13/2)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{13}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^(3*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3*cos(d*x + c)^(13/2), x)
```

$$3.1099 \quad \int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=246

$$\frac{4a^3(105A + 143C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^3(5A + 7C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{8a^3(35A + 44C)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{385d}$$

[Out] (4*a^3*(5*A + 7*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(105*A + 143*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^3*(105*A + 143*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (8*a^3*(35*A + 44*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(385*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(11*d) + (4*A*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(33*a*d) + (2*(35*A + 33*C)*Cos[c + d*x]^(3/2)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(231*d)

Rubi [A] time = 0.645205, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4114, 3046, 2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{4a^3(105A + 143C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{231d} + \frac{4a^3(5A + 7C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{8a^3(35A + 44C)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{385d} + \frac{2(35A + 33C)\cos^{\frac{3}{2}}(c + dx)\sin(c + dx)}{385d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (4*a^3*(5*A + 7*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(105*A + 143*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^3*(105*A + 143*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (8*a^3*(35*A + 44*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(385*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(11*d) + (4*A*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(33*a*d) + (2*(35*A + 33*C)*Cos[c + d*x]^(3/2)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(231*d)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]

&& IntegerQ[m]

Rule 3046

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :=
-Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))
/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n + 2)), Int[(a + b*Sin[e + f*x])
^m*(c + d*Sin[e + f*x])^n*Simp[A*b*d*(m + n + 2) + C*(a*c*m + b*d*(n + 1))
+ C*(a*d*m - b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 -
d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]
```

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
```

$b \sin[e + f x]^{m+1}, x, x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)x]], x_Symbol] \rightarrow \text{Simp}[(2 * \text{EllipticE}[(1 * (c - \text{Pi}/2 + dx))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2635

$\text{Int}[(b_.) \sin[(c_.) + (d_.)x]^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b * \text{Cos}[c + dx] * (b * \sin[c + dx])^{(n-1)}) / (d * n), x] + \text{Dist}[(b^2 * (n-1)) / n, \text{Int}[(b * \sin[c + dx])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2 * n]$

Rule 2641

$\text{Int}[1 / \text{Sqrt}[\sin[(c_.) + (d_.)x]], x_Symbol] \rightarrow \text{Simp}[(2 * \text{EllipticF}[(1 * (c - \text{Pi}/2 + dx))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx &= \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))^3(C+A\cos^2(c+dx))dx \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sin(c+dx)}{11d} + \frac{2\int \cos^{\frac{11}{2}}(c+dx)(a+a\cos(c+dx))^3\sec^2(c+dx)dx}{11d} \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sin(c+dx)}{11d} + \frac{4A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sec^2(c+dx)}{11d} \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sin(c+dx)}{11d} + \frac{4A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sec^2(c+dx)}{11d} \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sin(c+dx)}{11d} + \frac{4A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sec^2(c+dx)}{11d} \\
&= \frac{8a^3(35A+44C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{385d} + \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sec^2(c+dx)}{11d} \\
&= \frac{8a^3(35A+44C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{385d} + \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sec^2(c+dx)}{11d} \\
&= \frac{4a^3(5A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3(105A+143C)\sqrt{C}}{231d} \\
&= \frac{4a^3(5A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3(105A+143C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{231d}
\end{aligned}$$

Mathematica [C] time = 6.32568, size = 976, normalized size = 3.97

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] a^3*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-((5*A + 7*C)*Cot[c])/(10*d) + ((1953*A + 2354*C)*Cos[d*x]*Sin[c])/(7392*d) + ((25*A + 18*C)*Cos[2*d*x]*Sin[2*c])/(240*d) + ((189*A + 44*C)*Cos[3*d*x]*Sin[3*c])/ (4928*d) + (A*Cos[4*d*x]*Sin[4*c])/(96*d) + (A*Cos[5*d*x]*Sin[5*c])/(704*d) + ((1953*A + 2354*C)*Cos[c]*Sin[d*x])/(7392*d) + ((25*A + 18*C)*Cos[2*c]*Sin[2*d*x])/(240*d) + ((189*A + 44*C)*Cos[3*c]*Sin[3*d*x])/(4928*d) + (A*Cos[4*c]*Sin[4*d*x])/(96*d) + (A*Cos[5*c]*Sin[5*d*x])/(704*d)) - (5*A*(1 + Cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cos[c + d*x]]])
```

$$\begin{aligned} & n[\text{Cot}[c]]^2 * \text{Sec}[c/2 + (d*x)/2]^6 * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (22*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (13*C*(1 + \text{Cos}[c + d*x])^3 * \text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2 + (d*x)/2]^6 * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (42*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (A*(1 + \text{Cos}[c + d*x])^3 * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^6 * ((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2] * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (4*d) - (7 * C*(1 + \text{Cos}[c + d*x])^3 * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^6 * ((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2] * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (20*d) \end{aligned}$$

Maple [A] time = 2.155, size = 436, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(11/2)} * (a+a*\sec(d*x+c))^3 * (A+C*\sec(d*x+c)^2), x)$

[Out] $-4/1155 * ((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a^3 * (3360*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{12}-14560*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(25760*A+1320*C)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-24080*A-4752*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(13090*A+6622*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-2940*A-2288*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+525*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1155*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+715*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1617*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos$

$$(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca^3 \cos(dx+c)^5 \sec(dx+c)^5 + 3Ca^3 \cos(dx+c)^5 \sec(dx+c)^4 + (A+3C)a^3 \cos(dx+c)^5 \sec(dx+c)^3 + \dots\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*cos(d*x + c)^5*sec(d*x + c)^5 + 3*C*a^3*cos(d*x + c)^5*sec(d*x + c)^4 + (A + 3*C)*a^3*cos(d*x + c)^5*sec(d*x + c)^3 + (3*A + C)*a^3*cos(d*x + c)^5*sec(d*x + c)^2 + 3*A*a^3*cos(d*x + c)^5*sec(d*x + c) + A*a^3*cos(d*x + c)^5)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(11/2)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3*cos(d*x + c)^(11/2), x)
```

$$3.1100 \quad \int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=213

$$\frac{4a^3(11A + 21C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^3(17A + 27C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{8a^3(16A + 21C) \sin(c + dx)\sqrt{\cos(c + dx)}}{105d}$$

```
[Out] (4*a^3*(17*A + 27*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(11*A + 21*
C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (8*a^3*(16*A + 21*C)*Sqrt[Cos[c + d*
x]]*Sin[c + d*x])/(105*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*
Sin[c + d*x])/(9*d) + (4*A*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*Si
n[c + d*x])/(21*a*d) + (2*(73*A + 63*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*cos[c
+ d*x])*Sin[c + d*x])/(315*d)
```

Rubi [A] time = 0.622529, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4114, 3046, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(11A + 21C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^3(17A + 27C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{8a^3(16A + 21C) \sin(c + dx)\sqrt{\cos(c + dx)}}{105d} + \frac{2(73A + 63C) \sin(c + dx)\sqrt{\cos(c + dx)}}{315d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^3*(17*A + 27*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(11*A + 21*
C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (8*a^3*(16*A + 21*C)*Sqrt[Cos[c + d*
x]]*Sin[c + d*x])/(105*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*
Sin[c + d*x])/(9*d) + (4*A*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*Si
n[c + d*x])/(21*a*d) + (2*(73*A + 63*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*cos[c
+ d*x])*Sin[c + d*x])/(315*d)
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Dist[d^(
m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[
e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]
&& IntegerQ[m]
```

Rule 3046

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :=
-Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m*(c + d*Sin[e + f*x])^(n + 1))
/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n + 2)), Int[(a + b*Sin[e + f*x])
^m*(c + d*Sin[e + f*x])^n*Simp[A*b*d*(m + n + 2) + C*(a*c*m + b*d*(n + 1))
+ C*(a*d*m - b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 -
d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]
```

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])
]^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```


Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^3 (C + A \cos^2(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3 \sin(c + dx)}{9d} + \frac{2 \int -}{9d} \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3 \sin(c + dx)}{9d} + \frac{4A\sqrt{\cos(c + dx)}}{9d} \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3 \sin(c + dx)}{9d} + \frac{4A\sqrt{\cos(c + dx)}}{9d} \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3 \sin(c + dx)}{9d} + \frac{4A\sqrt{\cos(c + dx)}}{9d} \\
 &= \frac{8a^3(16A + 21C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2A\sqrt{\cos(c + dx)}}{105d} \\
 &= \frac{8a^3(16A + 21C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2A\sqrt{\cos(c + dx)}}{105d} \\
 &= \frac{4a^3(17A + 27C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(11A + 21C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
 \end{aligned}$$

Mathematica [C] time = 6.43928, size = 1116, normalized size = 5.24

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*(-((17*A + 27*C)*Cot[c])/(15*d) + ((97*A + 84*C)*Cos[d*x]*Sin[c])/(168*d) + ((73*A + 18*C)*Cos[2*d*x]*Sin[2*c])/(360*d) + (3*A*Cos[3*d*x]*Sin[3*c])/(56*d) + (A*Cos[4*d*x]*Sin[4*c])/(144*d) + ((97*A + 84*C)*Cos[c]*Sin[d*x])/(168*d) + ((73*A + 18*C)*Cos[2*c]*Sin[2*d*x])/(360*d) + (3*A*Cos[3*c]*Sin[3*d*x])/(56*d) + (A*Cos[4*c]*Sin[4*d*x])/(144*d))/ (A + 2*C + A*Cos[2*c + 2*d*x]) - (11*A*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (C*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (17*A*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(30*d*(A + 2*C + A*Cos[2*c + 2*d*x])) - (9*C*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + A*Cos[2*c + 2*d*x]))

Maple [A] time = 2.142, size = 408, normalized size = 1.9

$$-\frac{4a^3}{315d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-560 A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^{10} + 2200 A (\sin(1/2 dx + c/2))^{10}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(9/2)}*(a+a*\sec(dx+c))^3*(A+C*\sec(dx+c)^2),x)$

[Out]
$$-4/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(-560*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+2200*A*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-3412*A-252*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(2702*A+882*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-738*A-378*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+165*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-357*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+315*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-567*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(9/2)}*(a+a*\sec(dx+c))^3*(A+C*\sec(dx+c)^2),x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$\text{integral}(((Ca^3 \cos(dx+c)^4 \sec(dx+c)^5 + 3Ca^3 \cos(dx+c)^4 \sec(dx+c)^4 + (A+3C)a^3 \cos(dx+c)^4 \sec(dx+c)^3 +$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(9/2)}*(a+a*\sec(dx+c))^3*(A+C*\sec(dx+c)^2),x, \text{algorithm}="fricas")$

[Out] $\text{integral}((C*a^3*\cos(dx+c)^4*\sec(dx+c)^5 + 3*C*a^3*\cos(dx+c)^4*\sec(dx+c)^4 + (A+3*C)*a^3*\cos(dx+c)^4*\sec(dx+c)^3 + (3*A+C)*a^3*\cos(dx+c)^4*\sec(dx+c)^2),x)$

$s(d*x + c)^4*\sec(d*x + c)^2 + 3*A*a^3*\cos(d*x + c)^4*\sec(d*x + c) + A*a^3*\cos(d*x + c)^4*\sqrt{\cos(d*x + c)}$, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2), x, algorithm="giac")

[Out] integrate(((C*sec(d*x + c)**2 + A)*(a*sec(d*x + c) + a)**3*cos(d*x + c)^(9/2)), x)

3.1101 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=215

$$\frac{4a^3(13A + 35C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^3(7A + 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{4a^3(41A - 35C)\sin(c + dx)\sqrt{\cos(c + dx)}}{105d}$$

```
[Out] (4*a^3*(7*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(13*A + 35*C)*
EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^3*(41*A - 35*C)*Sqrt[Cos[c + d*x]]
*Sin[c + d*x])/(105*d) + (2*C*(a + a*cos[c + d*x])^3*Sin[c + d*x])/(d*Sqrt[
Cos[c + d*x]]) + (2*(A - 7*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2
*Sin[c + d*x])/(7*a*d) + (2*(11*A - 35*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*cos
[c + d*x])*Sin[c + d*x])/(35*d)
```

Rubi [A] time = 0.62801, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4114, 3044, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(13A + 35C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{4a^3(7A + 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{4a^3(41A - 35C)\sin(c + dx)\sqrt{\cos(c + dx)}}{105d} + \frac{2(11A - 35C)\sin(c + dx)\sqrt{\cos(c + dx)}}{35d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),x]
```

```
[Out] (4*a^3*(7*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(13*A + 35*C)*
EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^3*(41*A - 35*C)*Sqrt[Cos[c + d*x]]
*Sin[c + d*x])/(105*d) + (2*C*(a + a*cos[c + d*x])^3*Sin[c + d*x])/(d*Sqrt[
Cos[c + d*x]]) + (2*(A - 7*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2
*Sin[c + d*x])/(7*a*d) + (2*(11*A - 35*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*cos
[c + d*x])*Sin[c + d*x])/(35*d)
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_)])^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(
m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[
e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]
&& IntegerQ[m]
```

Rule 3044

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :>
-Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e +
f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^
2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*
m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^
2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2
, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])

```

Rule 2976

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2968

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

```

Rule 3023

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^3 (C + A \cos^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2 \int \frac{(a + a \cos(c + dx))^3}{\sqrt{\cos(c + dx)}} dx}{d} \\
 &= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2(A - 7C)\sqrt{\cos(c + dx)}}{d} \\
 &= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2(A - 7C)\sqrt{\cos(c + dx)}}{d} \\
 &= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2(A - 7C)\sqrt{\cos(c + dx)}}{d} \\
 &= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2(A - 7C)\sqrt{\cos(c + dx)}}{d} \\
 &= \frac{4a^3(41A - 35C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d} \\
 &= \frac{4a^3(41A - 35C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d} \\
 &= \frac{4a^3(7A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(13A + 35C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
 \end{aligned}$$

Mathematica [C] time = 6.56152, size = 1108, normalized size = 5.15

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*(-((14*A + 5*C + 14*A*Cos[2*c] + 15*C*Cos[2*c])*Csc[c]*Sec[c])/(20*d) + ((107*A + 28*C)*Cos[d*x]*Sin[c])/(168*d) + (3*A*Cos[2*d*x]*Sin[2*c])/(20*d) + (A*Cos[3*d*x]*Sin[3*c])/(56*d) + ((107*A + 28*C)*Cos[c]*Sin[d*x])/(168*d) + (C*Sec[c]*Sec[c + d*x]*Sin[d*x])/(2*d) + (3*A*Cos[2*c]*Sin[2*d*x])/(20*d) + (A*Cos[3*c]*Sin[3*d*x])/(56*d)))/(A + 2*C + A*Cos[2*c + 2*d*x]) - (13*A*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (5*C*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (7*A*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + A*Cos[2*c + 2*d*x])) - (C*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d*(A + 2*C + A*Cos[2*c + 2*d*x]))

Maple [B] time = 2.736, size = 569, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(7/2)}*(a+a*\sec(dx+c))^3*(A+C*\sec(dx+c)^2), x)$

[Out]
$$-4/105*a^3*(120*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8-432*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+14*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(43*A+5*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(52*A+35*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+65*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-147*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+175*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-105*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(7/2)}*(a+a*\sec(dx+c))^3*(A+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$\text{integral}((Ca^3 \cos(dx+c)^3 \sec(dx+c)^5 + 3Ca^3 \cos(dx+c)^3 \sec(dx+c)^4 + (A+3C)a^3 \cos(dx+c)^3 \sec(dx+c)^3 +$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(7/2)}*(a+a*\sec(dx+c))^3*(A+C*\sec(dx+c)^2), x, \text{algorithm}="fricas")$

```
[Out] integral((C*a^3*cos(d*x + c)^3*sec(d*x + c)^5 + 3*C*a^3*cos(d*x + c)^3*sec(d*x + c)^4 + (A + 3*C)*a^3*cos(d*x + c)^3*sec(d*x + c)^3 + (3*A + C)*a^3*cos(d*x + c)^3*sec(d*x + c)^2 + 3*A*a^3*cos(d*x + c)^3*sec(d*x + c) + A*a^3*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3*cos(d*x + c)^(7/2), x)
```

3.1102 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=211

$$\frac{4a^3(3A + 5C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{4a^3(9A - 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{8a^3(3A - 10C)\sin(c + dx)\sqrt{\cos(c + dx)}}{15d} + \frac{2(3A - 3C)\sin(c + dx)}{15d}$$

```
[Out] (4*a^3*(9*A - 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(3*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (8*a^3*(3*A - 10*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (4*C*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) + (2*(3*A - 35*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(15*d)
```

Rubi [A] time = 0.62879, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4114, 3044, 2975, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(3A + 5C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{4a^3(9A - 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{8a^3(3A - 10C)\sin(c + dx)\sqrt{\cos(c + dx)}}{15d} + \frac{2(3A - 3C)\sin(c + dx)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^3*(9*A - 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(3*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (8*a^3*(3*A - 10*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (4*C*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) + (2*(3*A - 35*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(15*d)
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3044

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :>
-Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f
*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^
2)), Int[(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1)*Simp[A*d*(a*d*
m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^
2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2
, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])

```

Rule 2975

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2976

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(b*B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Ssin[e + f*x
])^(m - 1)*(c + d*Ssin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2968

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a
+ b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^3(C+A\cos^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)}dx \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2\int \frac{(a+a\cos(c+dx))^3(3a\cos(c+dx)-a^2)}{\cos^{\frac{5}{2}}(c+dx)}dx}{3d\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{4C(a^2+a^2\cos(c+dx))}{ad\sqrt{\cos(c+dx)}} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{4C(a^2+a^2\cos(c+dx))}{ad\sqrt{\cos(c+dx)}} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{4C(a^2+a^2\cos(c+dx))}{ad\sqrt{\cos(c+dx)}} \\
&= \frac{8a^3(3A-10C)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d} + \frac{2C(a+a\cos(c+dx))^3}{3d\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{8a^3(3A-10C)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d} + \frac{2C(a+a\cos(c+dx))^3}{3d\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{4a^3(9A-5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3(3A+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d}
\end{aligned}$$

Mathematica [C] time = 6.58577, size = 1089, normalized size = 5.16

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2),
x]
```

```
[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec
[c + d*x]^2)*(-((18*A - 25*C + 18*A*Cos[2*c] + 5*C*Cos[2*c])*Csc[c]*Sec[c])
/(20*d) + (A*Cos[d*x]*Sin[c])/(2*d) + (A*Cos[2*d*x]*Sin[2*c])/(20*d) + (A*C
```

```

os[c]*Sin[d*x]]/(2*d) + (C*Sec[c]*Sec[c + d*x]^2*Sin[d*x]]/(6*d) + (Sec[c]*
Sec[c + d*x]*(C*Sin[c] + 9*C*Sin[d*x]))/(6*d) + (A*Cos[2*c]*Sin[2*d*x]]/(20
*d)))/(A + 2*C + A*Cos[2*c + 2*d*x]) - (A*Cos[c + d*x]^5*Csc[c]*Hypergeomet
ricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6
*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sq
rt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x
- ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + A*Co
s[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (5*C*Cos[c + d*x]^5*Csc[c]*Hypergeome
tricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^
6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*S
qrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x
- ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + A
*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (9*A*Cos[c + d*x]^5*Csc[c]*Sec[c/2
+ (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((Hypergeometri
cPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan
[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTa
n[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[
1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (
2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^
2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A +
2*C + A*Cos[2*c + 2*d*x])) + (C*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6
*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -
1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])
/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*S
qrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]
) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Co
s[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos
[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d*(A + 2*C + A*Cos[2
*c + 2*d*x]))

```

Maple [B] time = 2.693, size = 704, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2), x)
```

```
[Out] -4/15*(24*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*
x+1/2*c)*sin(1/2*d*x+1/2*c)^8-96*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2
*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+6*(-2*sin(1/2*d*x+1/2*
c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(13*A+15*C)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x
```

$$\begin{aligned}
& +1/2*c)^4-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(9*A+25*C) \\
& * \sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2 \\
& * \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1} \\
&)^{(1/2)}*(15*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-27*A*\text{EllipticE}(\cos(1/2* \\
& d*x+1/2*c),2^{(1/2)})+25*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+15*C*\text{Ellipti} \\
& cE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2+15*A*(\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1 \\
& /2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-27*A*(\sin(1/2* \\
& d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c) \\
& ^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*C*(\\
& \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*\text{EllipticF}(\cos(\\
& 1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2} \\
&)+15*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/ \\
& 2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c) \\
& ,2^{(1/2)}))*a^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(\\
& 1/2*d*x+1/2*c)^{2-1})^{(3/2)}/\sin(1/2*d*x+1/2*c)/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorit
hm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Ca³ cos(dx + c)² sec(dx + c)⁵ + 3Ca³ cos(dx + c)² sec(dx + c)⁴ + (A + 3C)a³ cos(dx + c)² sec(dx + c)³ +

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorit
hm="fricas")

[Out] integral((C*a³*cos(d*x + c)²*sec(d*x + c)⁵ + 3*C*a³*cos(d*x + c)²*sec(d*x + c)⁴ + (A + 3*C)*a³*cos(d*x + c)²*sec(d*x + c)³ + (3*A + C)*a³*cos(d*x + c)²*sec(d*x + c)² + 3*A*a³*cos(d*x + c)²*sec(d*x + c) + A*a³*c


```
os(d*x + c)^2)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3*cos(d*x + c)^(5/2), x)
```

3.1103 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=213

$$\frac{4a^3(5A + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{4a^3(5A - 9C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} - \frac{4a^3(5A + 21C)\sin(c + dx)\sqrt{\cos(c + dx)}}{15d} + \frac{2(5A + 11C)\sqrt{\cos(c + dx)}}{15d}$$

```
[Out] (4*a^3*(5*A - 9*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(5*A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) - (4*a^3*(5*A + 21*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*cos[c + d*x])^3*sin[c + d*x])/(5*d*cos[c + d*x]^(5/2)) + (4*C*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(5*a*d*cos[c + d*x]^(3/2)) + (2*(5*A + 11*C)*(a^3 + a^3*cos[c + d*x])*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 0.63446, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4114, 3044, 2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(5A + 3C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{4a^3(5A - 9C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} - \frac{4a^3(5A + 21C)\sin(c + dx)\sqrt{\cos(c + dx)}}{15d} + \frac{2(5A + 11C)\sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^3*(5*A - 9*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(5*A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) - (4*a^3*(5*A + 21*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*cos[c + d*x])^3*sin[c + d*x])/(5*d*cos[c + d*x]^(5/2)) + (4*C*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(5*a*d*cos[c + d*x]^(3/2)) + (2*(5*A + 11*C)*(a^3 + a^3*cos[c + d*x])*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3044

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :>
-Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f
*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^
2)), Int[(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1)*Simp[A*d*(a*d*
m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^
2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2
, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Int[(a
+ b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] :> Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx)) dx &= \int \frac{(a+a \cos(c+dx))^3 (C+A \cos^2(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx \\
 &= \frac{2C(a+a \cos(c+dx))^3 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{2 \int \frac{(a+a \cos(c+dx))^3 (3a^2 \cos^2(c+dx) + C)}{\cos^{\frac{3}{2}}(c+dx)} dx}{\cos^{\frac{3}{2}}(c+dx)} \\
 &= \frac{2C(a+a \cos(c+dx))^3 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{4C(a^2+a^2 \cos(c+dx) + C)}{5ad \cos^{\frac{3}{2}}(c+dx)} \\
 &= \frac{2C(a+a \cos(c+dx))^3 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{4C(a^2+a^2 \cos(c+dx) + C)}{5ad \cos^{\frac{3}{2}}(c+dx)} \\
 &= \frac{2C(a+a \cos(c+dx))^3 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{4C(a^2+a^2 \cos(c+dx) + C)}{5ad \cos^{\frac{3}{2}}(c+dx)} \\
 &= -\frac{4a^3(5A+21C)\sqrt{\cos(c+dx)} \sin(c+dx)}{15d} + \frac{2C(a+a \cos(c+dx))^3}{5d \cos^{\frac{3}{2}}(c+dx)} \\
 &= -\frac{4a^3(5A+21C)\sqrt{\cos(c+dx)} \sin(c+dx)}{15d} + \frac{2C(a+a \cos(c+dx))^3}{5d \cos^{\frac{3}{2}}(c+dx)} \\
 &= \frac{4a^3(5A-9C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{4a^3(5A+3C)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d}
 \end{aligned}$$

Mathematica [C] time = 6.646, size = 1085, normalized size = 5.09

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*(-(5*A - 36*C + 15*A*Cos[2*c])*Csc[c]*Sec[c])/(20*d) + (A*Cos[d*x]*Sin[c])/(6*d) + (A*Cos[c]*Sin[d*x])/(6*d) + (C*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(10*d) + (Sec[c]*Sec[c + d*x]^2*(C*Sin[c] + 5*C*Sin[d*x]))/(10*d) + (Sec[c]*Sec[c + d*x]*(5*C*Sin[c] + 5*A*Sin[d*x] + 18*C*Sin[d*x]))/(10*d)))/(A + 2*C + A*Cos[2*c + 2*d*x]) - (5*A*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])]/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (C*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])]/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (A*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (9*C*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + A*Cos[2*c + 2*d*x])))

Maple [B] time = 7.404, size = 939, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{3/2} * (a+a*\sec(dx+c))^3 * (A+C*\sec(dx+c)^2), x)$

[Out] $4/15 * (-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a^3 / (8*\sin(1/2*d*x+1/2*c)^6 - 12*\sin(1/2*d*x+1/2*c)^4 + 6*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c)^3 * (40*A*\sin(1/2*d*x+1/2*c)^8 * \cos(1/2*d*x+1/2*c) + 100*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \sin(1/2*d*x+1/2*c)^4 - 60*A*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^4 - 120*A*\sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) + 60*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \sin(1/2*d*x+1/2*c)^4 + 108*C*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^4 - 216*C*\cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^6 - 100*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \sin(1/2*d*x+1/2*c)^2 + 60*A*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 + 90*A*\cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^4 - 60*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \sin(1/2*d*x+1/2*c)^2 - 108*C*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 + 246*C*\cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^4 + 25*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 20*\sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) * A + 15*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 27*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 72*\sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) * C * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca^3 \cos(dx+c) \sec(dx+c)^5 + 3Ca^3 \cos(dx+c) \sec(dx+c)^4 + (A+3C)a^3 \cos(dx+c) \sec(dx+c)^3 + (3A+C)a^3 \cos(dx+c) \sec(dx+c)^2 + 3Aa^3 \cos(dx+c) \sec(dx+c) + Aa^3 \cos(dx+c)\right) \sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*cos(d*x + c)*sec(d*x + c)^5 + 3*C*a^3*cos(d*x + c)*sec(d*x + c)^4 + (A + 3*C)*a^3*cos(d*x + c)*sec(d*x + c)^3 + (3*A + C)*a^3*cos(d*x + c)*sec(d*x + c)^2 + 3*A*a^3*cos(d*x + c)*sec(d*x + c) + A*a^3*cos(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^3 \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3*cos(d*x + c)^(3/2),  
x)
```


3.1104 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx)) dx$

Optimal. Leaf size=213

$$\frac{4a^3(35A+13C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} - \frac{4a^3(5A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(5A+7C)\sin(c+dx)(a^3 \cos(c+dx) + a^3)}{15d \cos^{\frac{3}{2}}(c+dx)}$$

```
[Out] (-4*a^3*(5*A + 7*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(35*A + 13*C)
*EllipticF[(c + d*x)/2, 2])/(21*d) + (8*a^3*(70*A + 53*C)*Sin[c + d*x])/(10
5*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*cos[c + d*x])^3*sin[c + d*x])/(7*d*Co
s[c + d*x]^(7/2)) + (12*C*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(35*a*d*
Cos[c + d*x]^(5/2)) + (2*(5*A + 7*C)*(a^3 + a^3*cos[c + d*x])*Sin[c + d*x])
/(15*d*cos[c + d*x]^(3/2))
```

Rubi [A] time = 0.651524, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4114, 3044, 2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{4a^3(35A+13C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^3(5A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(5A+7C)\sin(c+dx)(a^3 \cos(c+dx) + a^3)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{8a^3}{15d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (-4*a^3*(5*A + 7*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(35*A + 13*C)
*EllipticF[(c + d*x)/2, 2])/(21*d) + (8*a^3*(70*A + 53*C)*Sin[c + d*x])/(10
5*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*cos[c + d*x])^3*sin[c + d*x])/(7*d*Co
s[c + d*x]^(7/2)) + (12*C*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(35*a*d*
Cos[c + d*x]^(5/2)) + (2*(5*A + 7*C)*(a^3 + a^3*cos[c + d*x])*Sin[c + d*x])
/(15*d*cos[c + d*x]^(3/2))
```

Rule 4114

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_)])^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(
m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[
e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]
&& IntegerQ[m]
```

Rule 3044

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :>
-Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e +
f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^
2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*
m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^
2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2
, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[(b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
```

$b \sin[e + f x]^{m+1}, x, x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))^3(A+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^3(C+A\cos^2(c+dx))}{\cos^{\frac{9}{2}}(c+dx)}dx \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2\int \frac{(a+a\cos(c+dx))^3(3a\cos(c+dx)-3a)}{\cos^{\frac{7}{2}}(c+dx)}dx}{35ad\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{12C(a^2+a^2\cos(c+dx)-3a^2)}{35ad\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{12C(a^2+a^2\cos(c+dx)-3a^2)}{35ad\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{12C(a^2+a^2\cos(c+dx)-3a^2)}{35ad\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{12C(a^2+a^2\cos(c+dx)-3a^2)}{35ad\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{8a^3(70A+53C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}} + \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{8a^3(70A+53C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}} + \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} \\
&= -\frac{4a^3(5A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3(35A+13C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 6.71717, size = 1102, normalized size = 5.17

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*(-((-25*A - 28*C + 5*A*Cos[2*c])*Csc[c]*Sec[c])/(20*d) + (C*Se

$$\begin{aligned}
& c[c] \cdot \sec[c + d*x]^4 \cdot \sin[d*x]) / (14*d) + (\sec[c] \cdot \sec[c + d*x]^3 \cdot (5*C*\sin[c] + \\
& 21*C*\sin[d*x])) / (70*d) + (\sec[c] \cdot \sec[c + d*x]^2 \cdot (63*C*\sin[c] + 35*A*\sin[d* \\
& x] + 130*C*\sin[d*x])) / (210*d) + (\sec[c] \cdot \sec[c + d*x] \cdot (35*A*\sin[c] + 130*C*S \\
& in[c] + 315*A*\sin[d*x] + 294*C*\sin[d*x])) / (210*d)) / (A + 2*C + A*\cos[2*c + \\
& 2*d*x]) - (5*A*\cos[c + d*x]^5 * \text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, S \\
& in[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2 + (d*x)/2]^6 * (a + a*\sec[c + d*x])^3 * (A \\
& + C*\sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot} \\
& [c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 \\
& + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (3*d*(A + 2*C + A*\cos[2*c + 2*d*x]) * \text{Sqrt}[1 + \\
& \text{Cot}[c]^2]) - (13*C*\cos[c + d*x]^5 * \text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4 \\
& \}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2 + (d*x)/2]^6 * (a + a*\sec[c + d*x])^3 \\
& * (A + C*\sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \sin[d*x - \text{ArcTan} \\
& [\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqr} \\
& t[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (21*d*(A + 2*C + A*\cos[2*c + 2*d*x]) * \text{Sqrt} \\
& [1 + \text{Cot}[c]^2]) + (A*\cos[c + d*x]^5 * \text{Csc}[c] * \sec[c/2 + (d*x)/2]^6 * (a + a*\sec[\\
& c + d*x])^3 * (A + C*\sec[c + d*x]^2) * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \\
& \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2] * \sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - C \\
& os[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\cos[c] * C \\
& os[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\sin[d* \\
& x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\cos[c]^2 * \cos[d*x + \text{ArcT} \\
& an[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \text{Sqrt}[\cos[c] * \cos[d*x \\
& + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (2*d*(A + 2*C + A*\cos[2*c + 2*d*x]) \\
&) + (7*C*\cos[c + d*x]^5 * \text{Csc}[c] * \sec[c/2 + (d*x)/2]^6 * (a + a*\sec[c + d*x])^3 * \\
& (A + C*\sec[c + d*x]^2) * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + A \\
& rcTan[\text{Tan}[c]]]^2] * \sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \cos[d*x + \text{Arc} \\
& Tan[\text{Tan}[c]]]] * \text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\cos[c] * \cos[d*x + \text{Arc} \\
& Tan[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\sin[d*x + \text{ArcTan}[T \\
& an[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\cos[c]^2 * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \\
& \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan} \\
& [c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (10*d*(A + 2*C + A*\cos[2*c + 2*d*x]))
\end{aligned}$$

Maple [B] time = 8.409, size = 1012, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (a + a \sec(dx+c))^3 (A + C \sec(dx+c)^2) \cos(dx+c)^{1/2} dx$

[Out] $-16 * (-(-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1) * \sin(1/2 * dx + 1/2 * c)^2)^{1/2} * a^3 * (1/8 * A * (\sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{1/2} / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (\text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2)^{1/2}$

$$\begin{aligned} &)) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/4*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/40*C/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2 \\ &*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ &*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4 \\ &*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &+1/8*C*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)* \\ &(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + (1/8*A+3/8*C)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + (3/8*A+1/8*C)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ &*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(dx+c))^3*(A+C*sec(dx+c)^2)*cos(dx+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Ca³ sec(dx + c)⁵ + 3Ca³ sec(dx + c)⁴ + (A + 3C)a³ sec(dx + c)³ + (3A + C)a³ sec(dx + c)² + 3Aa³ sec(dx + c)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3*sqrt(cos(d*x + c)), x)
```

$$3.1105 \quad \int \frac{(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=246

$$\frac{4a^3(21A + 11C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} - \frac{4a^3(27A + 17C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{8a^3(21A + 16C)\sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(63A + 73C)\sin(c + dx)}{315d \cos^{\frac{5}{2}}(c + dx)}$$

[Out] (-4*a^3*(27*A + 17*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(21*A + 11*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (8*a^3*(21*A + 16*C)*Sin[c + d*x])/(105*d*Cos[c + d*x]^(3/2)) + (4*a^3*(27*A + 17*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^3*Ssin[c + d*x])/(9*d*Cos[c + d*x]^(9/2)) + (4*C*(a^2 + a^2*Cos[c + d*x])^2*Ssin[c + d*x])/(21*a*d*Cos[c + d*x]^(7/2)) + (2*(63*A + 73*C)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(315*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 0.678175, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4114, 3044, 2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{4a^3(21A + 11C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} - \frac{4a^3(27A + 17C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{8a^3(21A + 16C)\sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(63A + 73C)\sin(c + dx)}{315d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (-4*a^3*(27*A + 17*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(21*A + 11*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (8*a^3*(21*A + 16*C)*Sin[c + d*x])/(105*d*Cos[c + d*x]^(3/2)) + (4*a^3*(27*A + 17*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^3*Ssin[c + d*x])/(9*d*Cos[c + d*x]^(9/2)) + (4*C*(a^2 + a^2*Cos[c + d*x])^2*Ssin[c + d*x])/(21*a*d*Cos[c + d*x]^(7/2)) + (2*(63*A + 73*C)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(315*d*Cos[c + d*x]^(5/2))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)]^m_)]^m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x])^2], x_Symbol]

$e + f*x]^2), x], x] /; \text{FreeQ}\{a, b, d, e, f, A, C, n\}, x] \&\& \text{!IntegerQ}[n]$
 $\&\& \text{IntegerQ}[m]$

Rule 3044

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]]^{(m_.)}((c_.) + (d_.)\sin[(e_.) + (f_.)x])^{(n_.)}((A_.) + (C_.)\sin[(e_.) + (f_.)x])^2, x_Symbol] \text{ :>}$
 $-\text{Simp}[(c^2C + A*d^2)\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m+1}(c + d*\text{Sin}[e + f*x])^{n+1} / (d*f*(n+1)(c^2 - d^2)), x] + \text{Dist}[1/(b*d*(n+1)(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[A*d*(a*d*m + b*c*(n+1)) + c*C*(a*c*m + b*d*(n+1)) - b*(A*d^2*(m+n+2) + C*(c^2*(m+1) + d^2*(n+1)))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, C, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -1] \|\| \text{EqQ}[m + n + 2, 0])$

Rule 2975

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]]^{(m_.)}((A_.) + (B_.)\sin[(e_.) + (f_.)x])^{(n_.)}, x_Symbol] \text{ :> -Si}$
 $\text{mp}[(b^2*(B*c - A*d)\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}(c + d*\text{Sin}[e + f*x])^{n+1} / (d*f*(n+1)(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \|\| \text{EqQ}[c, 0])$

Rule 2968

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]]^{(m_.)}((A_.) + (B_.)\sin[(e_.) + (f_.)x])^{(n_.)}, x_Symbol] \text{ :> Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3021

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]]^{(m_.)}((A_.) + (B_.)\sin[(e_.) + (f_.)x]) + (C_.)\sin[(e_.) + (f_.)x])^2, x_Symbol] \text{ :> -Simp}[(A*b^2 - a*b*B + a^2*C)\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m+1} / (b*f*(m+1)(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(a + a \cos(c + dx))^3 (C + A \cos^2(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \cos(c + dx))^3 (3aC + \frac{1}{2}a(9A + C) \cos^2(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx}{9a} \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{4C(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{21ad \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{4C(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{21ad \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{4C(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{21ad \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{8a^3(21A + 16C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \\
&= \frac{8a^3(21A + 16C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \\
&= \frac{4a^3(21A + 11C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{8a^3(21A + 16C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^3(27A + 17C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(21A + 11C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 6.76038, size = 1135, normalized size = 4.61

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]
], x]
```

```
[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec
[c + d*x]^2)*(((27*A + 17*C)*Csc[c]*Sec[c])/(15*d) + (C*Sec[c]*Sec[c + d*x]
^5*Sin[d*x]))/(18*d) + (Sec[c]*Sec[c + d*x]^4*(7*C*Sin[c] + 27*C*Sin[d*x]))/
(126*d) + (Sec[c]*Sec[c + d*x]^3*(135*C*Sin[c] + 63*A*Sin[d*x] + 238*C*Sin[
d*x]))/(630*d) + (Sec[c]*Sec[c + d*x]*(105*A*Sin[c] + 110*C*Sin[c] + 378*A*
Sin[d*x] + 238*C*Sin[d*x]))/(210*d) + (Sec[c]*Sec[c + d*x]^2*(63*A*Sin[c] +
238*C*Sin[c] + 315*A*Sin[d*x] + 330*C*Sin[d*x]))/(630*d)))/(A + 2*C + A*Co
s[2*c + 2*d*x]) - (A*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5
/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x]
)^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcT
an[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*S
qrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[
1 + Cot[c]^2]) - (11*C*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2},
{5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x]
)^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - Ar
cTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*
Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C + A*Cos[2*c + 2*d*x])*
Sqrt[1 + Cot[c]^2]) + (9*A*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a +
a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4},
{3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt
[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Co
s[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((
Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x
+ ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Co
s[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + A*Cos[2*c +
2*d*x])) + (17*C*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c +
d*x])^3*(A + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos
[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d
*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d
*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x +
ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[T
an[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + Ar
cTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(30*d*(A + 2*C + A*Cos[2*c + 2*d*x]))
```

Maple [B] time = 9.904, size = 1246, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x)
```

```
[Out] -16*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(1/8*A*(s
in(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*
x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)
)-1/5*(1/8*A+3/8*C)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1
/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/
2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*(2*sin(1/2*d*x
+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c
)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+
3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(s
in(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*s
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+1/8*C*(-1/144*cos(1/2*d*x+1
/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2
*c)^2-1/2)^5-7/180*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*sin(1/2*d*x+1/2*c)^2*cos
(1/2*d*x+1/2*c)/(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)+7
/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2
^(1/2))-7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)
/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*
x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))))+3/8*C*(-1/56*cos(
1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/
2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(
1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*
c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(
1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+(3/8*A+1/8*C
)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(
1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(
1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1
/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+3/8*A*(-(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/
sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(
1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorit

hm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^3 \sec(dx+c)^5 + 3Ca^3 \sec(dx+c)^4 + (A+3C)a^3 \sec(dx+c)^3 + (3A+C)a^3 \sec(dx+c)^2 + 3Aa^3 \sec(dx+c)}{\sqrt{\cos(dx+c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)/sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A)(a \sec(dx+c) + a)^3}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3/sqrt(cos(d*x + c)),  
x)
```

$$3.1106 \quad \int \frac{(a+a \sec(c+dx))^3 (A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=279

$$\frac{4a^3(143A + 105C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} - \frac{4a^3(7A + 5C)E\left(\frac{1}{2}(c + dx)\right)}{5d} + \frac{4a^3(143A + 105C) \sin(c + dx)}{231d \cos^{\frac{3}{2}}(c + dx)} + \frac{8a^3(44A + 35C)}{385d \cos^{\frac{5}{2}}(c + dx)}$$

[Out] (-4*a^3*(7*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(143*A + 105*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (8*a^3*(44*A + 35*C)*Sin[c + d*x])/(385*d*Cos[c + d*x]^(5/2)) + (4*a^3*(143*A + 105*C)*Sin[c + d*x])/(231*d*Cos[c + d*x]^(3/2)) + (4*a^3*(7*A + 5*C)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^3*Ssin[c + d*x])/(11*d*Cos[c + d*x]^(11/2)) + (4*C*(a^2 + a^2*Cos[c + d*x])^2*Ssin[c + d*x])/(33*a*d*Cos[c + d*x]^(9/2)) + (2*(33*A + 35*C)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(231*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 0.713054, antiderivative size = 279, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4114, 3044, 2975, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{4a^3(143A + 105C)F\left(\frac{1}{2}(c + dx)\right)}{231d} - \frac{4a^3(7A + 5C)E\left(\frac{1}{2}(c + dx)\right)}{5d} + \frac{4a^3(143A + 105C) \sin(c + dx)}{231d \cos^{\frac{3}{2}}(c + dx)} + \frac{8a^3(44A + 35C)}{385d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (-4*a^3*(7*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(143*A + 105*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (8*a^3*(44*A + 35*C)*Sin[c + d*x])/(385*d*Cos[c + d*x]^(5/2)) + (4*a^3*(143*A + 105*C)*Sin[c + d*x])/(231*d*Cos[c + d*x]^(3/2)) + (4*a^3*(7*A + 5*C)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^3*Ssin[c + d*x])/(11*d*Cos[c + d*x]^(11/2)) + (4*C*(a^2 + a^2*Cos[c + d*x])^2*Ssin[c + d*x])/(33*a*d*Cos[c + d*x]^(9/2)) + (2*(33*A + 35*C)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(231*d*Cos[c + d*x]^(7/2))

Rule 4114


```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3044

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C + A*d^2)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + c*C*(a*c*m + b*d*(n + 1)) - b*(A*d^2*(m + n + 2) + C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
```

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(a + a \cos(c + dx))^3 (C + A \cos^2(c + dx))}{\cos^{\frac{13}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \cos(c + dx))^3 (3aC + \frac{1}{2}a(11A + 3C))}{\cos^{\frac{11}{2}}(c + dx)} dx}{11a} \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} + \frac{4C(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{33ad \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} + \frac{4C(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{33ad \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} + \frac{4C(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{33ad \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{8a^3(44A + 35C) \sin(c + dx)}{385d \cos^{\frac{5}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} + \\
&= \frac{8a^3(44A + 35C) \sin(c + dx)}{385d \cos^{\frac{5}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} + \\
&= \frac{8a^3(44A + 35C) \sin(c + dx)}{385d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^3(143A + 105C) \sin(c + dx)}{231d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^3}{231d} \\
&= -\frac{4a^3(7A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(143A + 105C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d}
\end{aligned}$$

Mathematica [C] time = 6.87191, size = 1179, normalized size = 4.23

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]
```

```
[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec
[c + d*x]^2)*(((7*A + 5*C)*Csc[c]*Sec[c])/(5*d) + (C*Sec[c]*Sec[c + d*x]^6*
Sin[d*x])/(22*d) + (Sec[c]*Sec[c + d*x]^5*(3*C*Sin[c] + 11*C*Sin[d*x]))/(66
*d) + (Sec[c]*Sec[c + d*x]^4*(77*C*Sin[c] + 33*A*Sin[d*x] + 126*C*Sin[d*x])
)/(462*d) + (Sec[c]*Sec[c + d*x]^3*(165*A*Sin[c] + 630*C*Sin[c] + 693*A*Sin
[d*x] + 770*C*Sin[d*x]))/(2310*d) + (Sec[c]*Sec[c + d*x]^2*(693*A*Sin[c] +
770*C*Sin[c] + 1430*A*Sin[d*x] + 1050*C*Sin[d*x]))/(2310*d) + (Sec[c]*Sec[c
+ d*x]*(715*A*Sin[c] + 525*C*Sin[c] + 1617*A*Sin[d*x] + 1155*C*Sin[d*x]))/
(1155*d)))/(A + 2*C + A*Cos[2*c + 2*d*x]) - (13*A*Cos[c + d*x]^5*Csc[c]*Hyp
ergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d
*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot
[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*
Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A +
2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (5*C*Cos[c + d*x]^5*Csc[c]
*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2
+ (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan
[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin
[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(11*d*
(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) + (7*A*Cos[c + d*x]^5*Cs
c[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((H
ypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x
+ ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos
[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[
c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + T
an[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c
]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])
)/(10*d*(A + 2*C + A*Cos[2*c + 2*d*x])) + (C*Cos[c + d*x]^5*Csc[c]*Sec[c/2
+ (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + C*Sec[c + d*x]^2)*((Hypergeometric
PFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[
c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan
[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1
+ Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2
*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^
2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d*(A + 2
*C + A*Cos[2*c + 2*d*x]))
```

Maple [B] time = 10.798, size = 1408, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x)
```

```
[Out] -16*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(-1/5*(3/
8*A+1/8*C)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/
2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellipti
cE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2
*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*(2*sin(1/2*d*x+1/2*c)^2
-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2
)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(2*sin(
1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*
x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*
x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+3/8*C*(-1/144*cos(1/2*d*x+1/2*c)*(-2
*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2
)^5-7/180*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)
^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+
1/2*c)/(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)+7/15*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-7
/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),
2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))))+(1/8*A+3/8*C)*(-1/56*cos(1
/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2
*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1
/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c
)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1
/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+1/8*C*(-1/352
*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(c
os(1/2*d*x+1/2*c)^2-1/2)^6-9/616*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^
4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-15/154*cos(1/2*d
*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x
+1/2*c)^2-1/2)^2+15/77*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^
2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(c
os(1/2*d*x+1/2*c),2^(1/2)))+3/8*A*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+
1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+
1/8*A*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*s
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c
),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d
*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^
2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^3 \sec(dx+c)^5 + 3Ca^3 \sec(dx+c)^4 + (A+3C)a^3 \sec(dx+c)^3 + (3A+C)a^3 \sec(dx+c)^2 + 3Aa^3 \sec(dx+c)}{\cos(dx+c)^{\frac{3}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x + c)^5 + 3*C*a^3*sec(d*x + c)^4 + (A + 3*C)*a^3*sec(d*x + c)^3 + (3*A + C)*a^3*sec(d*x + c)^2 + 3*A*a^3*sec(d*x + c) + A*a^3)/cos(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorit
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^3/cos(d*x + c)^(3/2),
x)
```

$$3.1107 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=192

$$\frac{5(9A+7C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21ad} - \frac{3(7A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A+C)\sin(c+dx)\cos^{\frac{7}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(9A+7C)\sin(c+dx)}{7ad}$$

[Out] (-3*(7*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) + (5*(9*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*a*d) + (5*(9*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*a*d) - ((7*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d) + ((9*A + 7*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*a*d) - ((A + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rubi [A] time = 0.287431, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2748, 2635, 2639, 2641}

$$\frac{5(9A+7C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21ad} - \frac{3(7A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A+C)\sin(c+dx)\cos^{\frac{7}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(9A+7C)\sin(c+dx)}{7ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(7/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (-3*(7*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) + (5*(9*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*a*d) + (5*(9*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*a*d) - ((7*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d) + ((9*A + 7*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*a*d) - ((A + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042


```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2), x_Symbol] :=>
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] :=> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2635

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx) (A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx) (C+A \cos^2(c+dx))}{a+a \cos(c+dx)} dx \\
&= -\frac{(A+C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{\int \cos^{\frac{5}{2}}(c+dx) \left(-\frac{1}{2}a(7A+5C) + \frac{1}{2}a(9A+7C)\right) dx}{a^2} \\
&= -\frac{(A+C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{d(a+a \cos(c+dx))} - \frac{(7A+5C) \int \cos^{\frac{5}{2}}(c+dx) dx}{2a} + \frac{(9A+7C) \int \cos^{\frac{5}{2}}(c+dx) dx}{2a} \\
&= -\frac{(7A+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5ad} + \frac{(9A+7C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7ad} \\
&= -\frac{3(7A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} + \frac{5(9A+7C)\sqrt{\cos(c+dx)} \sin(c+dx)}{21ad} - \frac{(7A+5C) \int \cos^{\frac{5}{2}}(c+dx) dx}{2a} \\
&= -\frac{3(7A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} + \frac{5(9A+7C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21ad} + \frac{5(9A+7C)\sqrt{\cos(c+dx)} \sin(c+dx)}{21ad}
\end{aligned}$$

Mathematica [C] time = 6.72502, size = 1393, normalized size = 7.26

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(7/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),
x]
```

```
[Out] (((-21*I)/10)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*
Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*
I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*
(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I
*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E
^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x
)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 +
E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2
*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d
*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (((3
*I)/2)*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c +
d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)
*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E
^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*
I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)
```

```

*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[
c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)
)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x
)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Si
n[c])))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Cos[c/2 +
(d*x)/2]^2*Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2)*((4*(5*A + 5*C + 16*A*
Cos[c] + 10*C*Cos[c])*Csc[c])/(5*d) + (2*(51*A + 28*C)*Cos[d*x]*Sin[c])/(21
*d) - (4*A*Cos[2*d*x]*Sin[2*c])/(5*d) + (2*A*Cos[3*d*x]*Sin[3*c])/(7*d) + (
4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/d + (2*(51
*A + 28*C)*Cos[c]*Sin[d*x])/(21*d) - (4*A*Cos[2*c]*Sin[2*d*x])/(5*d) + (2*A
*Cos[3*c]*Sin[3*d*x])/(7*d)))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c
+ d*x])) - (30*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricP
FQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c +
d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[
-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x -
ArcTan[Cot[c]]])]/(7*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a
+ a*Sec[c + d*x])) - (10*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Hype
rgeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A +
C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[
c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 +
Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + C
ot[c]^2]*(a + a*Sec[c + d*x]))

```

Maple [A] time = 2.47, size = 295, normalized size = 1.5

$$-\frac{1}{105ad} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

[Out] $-1/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(225*A*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+441*A*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+175*C*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+315*C*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-480*A*\sin(1/2*d*x+1/2*c)^{10}+864*A*\sin(1/2*d*x+1/2*c)^8+(-888*A-280*C)*\sin(1/2*d*x+1/2*c)^6+(930*A+630*C)*\sin(1/2*d*x+1/2*c)^4+(-321*A-245*C)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)$

$$\sqrt{2-1}^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + A) \cos(dx+c)^{\frac{7}{2}}}{a \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(7/2)/(a*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx+c)^3 \sec(dx+c)^2 + A \cos(dx+c)^3) \sqrt{\cos(dx+c)}}{a \sec(dx+c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + A*cos(d*x + c)^3)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{7}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(7/2)/(a*sec(d*x + c) + a), x)

$$3.1108 \quad \int \frac{\cos^5(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=159

$$-\frac{(5A+3C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} + \frac{3(7A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A+C)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(7A+5C)\sin(c+dx)}{5ad}$$

[Out] (3*(7*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) - ((5*A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) - ((5*A + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) + ((7*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d) - ((A + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rubi [A] time = 0.26467, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2748, 2635, 2641, 2639}

$$-\frac{(5A+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(7A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A+C)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(7A+5C)\sin(c+dx)}{5ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (3*(7*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) - ((5*A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) - ((5*A + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) + ((7*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d) - ((A + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :=

```
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] :=> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx) (A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx) (C+A \cos^2(c+dx))}{a+a \cos(c+dx)} dx \\
&= -\frac{(A+C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{\int \cos^{\frac{3}{2}}(c+dx) \left(-\frac{1}{2}a(5A+3C) + \frac{1}{2}a(7A+5C)\right) dx}{a^2} \\
&= -\frac{(A+C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{d(a+a \cos(c+dx))} - \frac{(5A+3C) \int \cos^{\frac{3}{2}}(c+dx) dx}{2a} + \frac{(7A+5C) \int \cos^{\frac{3}{2}}(c+dx) dx}{2a} \\
&= -\frac{(5A+3C)\sqrt{\cos(c+dx)} \sin(c+dx)}{3ad} + \frac{(7A+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5ad} \\
&= \frac{3(7A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(5A+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{(5A+3C)\sqrt{\cos(c+dx)} \sin(c+dx)}{3ad}
\end{aligned}$$

Mathematica [C] time = 6.64194, size = 1345, normalized size = 8.46

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),
x]
```

```
[Out] (((21*I)/10)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*Cos[c] + I*Sin[c])^2]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*Cos[c] + I*Sin[c])^2]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (((3*I)/2)*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*Cos[c] + I*Sin[c])^2]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*Cos[c] + I*Sin[c])^2]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]))
```



```

*Sin[2*c]]/((-1)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin
[c]))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Cos[c/2 + (
d*x)/2]^2*Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2)*((-4*(5*A + 5*C + 16*A*
Cos[c] + 10*C*Cos[c])*Csc[c])/(5*d) - (8*A*Cos[d*x]*Sin[c])/(3*d) + (4*A*Co
s[2*d*x]*Sin[2*c]))/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] +
C*Sin[(d*x)/2]))/d - (8*A*Cos[c]*Sin[d*x])/(3*d) + (4*A*Cos[2*c]*Sin[2*d*x
])/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (10*A*Co
s[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4
}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sec[d*x - A
rcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2
]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(
3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]))
+ (2*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4,
1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*S
ec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1
+ Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Co
t[c]]]])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c
+ d*x]))

```

Maple [A] time = 2.252, size = 277, normalized size = 1.7

$$-\frac{1}{15ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

```

[Out] -1/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-cos(1/2*d*x
+1/2*c)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(25*A
*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+63*A*EllipticE(cos(1/2*d*x+1/2*c),2^(
1/2))+15*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+45*C*EllipticE(cos(1/2*d*
x+1/2*c),2^(1/2)))+48*A*sin(1/2*d*x+1/2*c)^8-56*A*sin(1/2*d*x+1/2*c)^6+(-30
*A-30*C)*sin(1/2*d*x+1/2*c)^4+(23*A+15*C)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d
*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+
1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c)^2 \sec(dx + c)^2 + A \cos(dx + c)^2) \sqrt{\cos(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a), x
)
```

$$3.1109 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=122

$$\frac{(5A+3C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{(3A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A+C)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(5A+3C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3ad}$$

[Out] -(((3*A + C)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((5*A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((5*A + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rubi [A] time = 0.240637, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2748, 2639, 2635, 2641}

$$\frac{(5A+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{(3A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A+C)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(5A+3C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] -(((3*A + C)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((5*A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((5*A + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Simp[(a*(A + C)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n

```

+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= \int \frac{\sqrt{\cos(c+dx)}(C+A\cos^2(c+dx))}{a+a\cos(c+dx)} dx \\
&= -\frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \sqrt{\cos(c+dx)}\left(-\frac{1}{2}a(3A+C) + \frac{1}{2}a(5A+3C)\right) dx}{a^2} \\
&= -\frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(3A+C)\int \sqrt{\cos(c+dx)} dx}{2a} + \frac{(5A+3C)\int \sqrt{\cos(c+dx)} dx}{2a} \\
&= -\frac{(3A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(5A+3C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} - \frac{(A+C)\int \sqrt{\cos(c+dx)} dx}{d} \\
&= -\frac{(3A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(5A+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{(5A+3C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad}
\end{aligned}$$

Mathematica [C] time = 6.56992, size = 1300, normalized size = 10.66

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),
x]
```

```
[Out] (((-3*I)/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - ((I/2)*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]))
```

```

)*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[
2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))
)/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Cos[c/2 + (d*x)/
2]^2*Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2)*((4*(A + C + 2*A*Cos[c])*Csc
[c])/d + (8*A*Cos[d*x]*Sin[c])/(3*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Si
n[(d*x)/2] + C*Sin[(d*x)/2]))/d + (8*A*Cos[c]*Sin[d*x])/(3*d)))/((A + 2*C +
A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (10*A*Cos[c/2 + (d*x)/2]^2*Cos
[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Co
t[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1
- Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - Arc
Tan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + A*Cos[2
*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])) - (2*C*Cos[c/2 + (d*x
)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x -
ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]
]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin
[d*x - ArcTan[Cot[c]]]])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C +
A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]))

```

Maple [A] time = 2.121, size = 262, normalized size = 2.2

$$-\frac{1}{3ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1}\right) \left(5 \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)

```

[Out] -1/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1
/2*c)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(5*A*El
lipticF(cos(1/2*d*x+1/2*c),2^(1/2))+9*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2
))+3*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*C*EllipticE(cos(1/2*d*x+1/2*
c),2^(1/2)))-8*A*sin(1/2*d*x+1/2*c)^6+(18*A+6*C)*sin(1/2*d*x+1/2*c)^4+(-7*A
-3*C)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+s
in(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1
/2)/d

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm
="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a), x
)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)) \sqrt{\cos(dx + c)}}{a \sec(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c)
)/(a*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)
```

```
[Out] Timed out
```


Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a), x)
```

$$3.1110 \quad \int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=84

$$-\frac{(A-C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} + \frac{(3A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A+C)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

[Out] ((3*A + C)*EllipticE[(c + d*x)/2, 2])/(a*d) - ((A - C)*EllipticF[(c + d*x)/2, 2])/(a*d) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rubi [A] time = 0.230836, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4114, 3042, 2748, 2641, 2639}

$$-\frac{(A-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(3A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A+C)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] ((3*A + C)*EllipticE[(c + d*x)/2, 2])/(a*d) - ((A - C)*EllipticF[(c + d*x)/2, 2])/(a*d) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In

```
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
  b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
  *(2*m + 1) - a*d*(m - n - 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
  d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
  - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx &= \int \frac{C+A \cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))} dx \\
 &= -\frac{(A+C)\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{\int \frac{-\frac{1}{2}a(A-C)+\frac{1}{2}a(3A+C) \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{a^2} \\
 &= -\frac{(A+C)\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a \cos(c+dx))} - \frac{(A-C) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{(3A+C) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} \\
 &= \frac{(3A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A+C)\sqrt{\cos(c+dx)}}{d(a+a \cos(c+dx))}
 \end{aligned}$$

Mathematica [C] time = 6.52412, size = 1270, normalized size = 15.12

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] (((3*I)/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + ((I/2)*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2)*((-4*(A + C + 2*A*Cos[c])*Csc[c])/d - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/d)/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (2*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])) - (2*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]))

Maple [A] time = 2.263, size = 245, normalized size = 2.9

$$\frac{1}{ad} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \left(A \text{Ellip} \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x)`

[Out] $((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*(\cos(1/2*d*x+1/2*c)*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))+3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))-C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))+C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2)))+(2*A+2*C)*\sin(1/2*d*x+1/2*c)^4+(-A-C)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A\sqrt{\cos(c+dx)}}{\sec(c+dx)+1} dx + \int \frac{C\sqrt{\cos(c+dx)}\sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sqrt(cos(c + d*x))/(sec(c + d*x) + 1), x) + Integral(C*sqrt(cos(c + d*x))*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)\sqrt{\cos(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)

$$3.1111 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=112

$$\frac{(A-C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{(A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A+3C)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{(A+C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a\cos(c+dx)+a)}$$

[Out] -(((A + 3*C)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((A - C)*EllipticF[(c + d*x)/2, 2])/(a*d) + ((A + 3*C)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x]))

Rubi [A] time = 0.243782, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2748, 2636, 2639, 2641}

$$\frac{(A-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A+3C)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{(A+C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])),x]

[Out] -(((A + 3*C)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((A - C)*EllipticF[(c + d*x)/2, 2])/(a*d) + ((A + 3*C)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n

```

+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} dx \\
&= -\frac{(A + C) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(A+3C) + \frac{1}{2}a(A-C) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} + \frac{(A - C) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{(A + 3C) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} \\
&= \frac{(A - C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A + 3C) \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} - \frac{(A + C) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
&= -\frac{(A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A - C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A + 3C) \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.62202, size = 1304, normalized size = 11.64

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])), x]

[Out] ((-I/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (((3*I)/2)*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I

```

*Sin[c]]^2))*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x)
)*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[
2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))
)/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (Cos[c/2 + (d*x)/
2]^2*Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2)*((2*(2*C + A*Cos[c] + C*Cos[
c])*Csc[c/2]*Sec[c/2]*Sec[c])/d + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*
x)/2] + C*Sin[(d*x)/2]))/d + (8*C*Sec[c]*Sec[c + d*x]*Sin[d*x])/d))/((A + 2
*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (2*A*Cos[c/2 + (d*x)/2]^2*
Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan
[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt
[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x -
ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + A*Cos[
2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])) + (2*C*Cos[c/2 + (d*
x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x
- ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[
c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Si
n[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C
+ A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]))

```

Maple [A] time = 4.679, size = 316, normalized size = 2.8

$$-\frac{1}{ad} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{-2(\sin(1/2 dx + c/2))^4} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/cos(d*x+c)^(1/2),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/a*(-cos(1/2*d*x+1/2*c)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*C*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(A+3*C)*sin(1/2*d*x+1/2*c)^4+(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(A+5*C)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^3/(2*sin(1/2*d*x+1/2*c)^2-1)/cos(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c) \sec(dx + c) + a \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)*sec(d*x + c) + a*cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sqrt{\cos(c+dx)} \sec(c+dx) + \sqrt{\cos(c+dx)}} dx + \int \frac{C \sec^2(c+dx)}{\sqrt{\cos(c+dx)} \sec(c+dx) + \sqrt{\cos(c+dx)}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] (Integral(A/(sqrt(cos(c + d*x))*sec(c + d*x) + sqrt(cos(c + d*x))), x) + Integral(C*sec(c + d*x)**2/(sqrt(cos(c + d*x))*sec(c + d*x) + sqrt(cos(c + d*

x))), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)

$$3.1112 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=150

$$\frac{(3A+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} + \frac{(A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A+C)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{(3A+5C)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

[Out] ((A + 3*C)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((3*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((3*A + 5*C)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)) - ((A + 3*C)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x]))

Rubi [A] time = 0.262772, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2748, 2636, 2641, 2639}

$$\frac{(3A+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{(A+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A+C)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{(3A+5C)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])),x]

[Out] ((A + 3*C)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((3*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((3*A + 5*C)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)) - ((A + 3*C)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} dx \\
&= -\frac{(A + C) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(3A+5C) - \frac{1}{2}a(A+3C) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} - \frac{(A + 3C) \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)} dx}{2a} + \frac{(3A + 5C) \int}{2} \\
&= \frac{(3A + 5C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{(A + 3C) \sin(c + dx)}{ad \sqrt{\cos(c + dx)}} - \frac{(A + C) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} \\
&= \frac{(A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(3A + 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{(3A + 5C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.95902, size = 1337, normalized size = 8.91

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])), x]

[Out] ((I/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (((3*I)/2)*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*

$$\begin{aligned} & \sin[c]) - (2 \operatorname{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2I)d*x}) * (\cos[c] + I \sin[c])^2]) * \sqrt{(2 * (1 + E^{(2I)d*x}) * \cos[c] + (2I) * (-1 + E^{(2I)d*x}) * \sin[c]) / E^{I d*x}} * \sqrt{1 + E^{(2I)d*x} * \cos[2*c] + I * E^{(2I)d*x} * \sin[2*c]}) / ((-I) * d * (1 + E^{(2I)d*x}) * \cos[c] + d * (-1 + E^{(2I)d*x}) * \sin[c])) \\ & / ((A + 2*C + A * \cos[2*c + 2*d*x]) * (a + a * \sec[c + d*x])) + (\cos[c/2 + (d*x)/2]^{2 * \cos[c + d*x]^{3/2}} * (A + C * \sec[c + d*x]^2) * ((-2 * (2*C + A * \cos[c] + C * \cos[c]) * \csc[c/2] * \sec[c/2] * \sec[c]) / d - (4 * \sec[c/2] * \sec[c/2 + (d*x)/2] * (A * \sin[(d*x)/2] + C * \sin[(d*x)/2])) / d + (8 * C * \sec[c] * \sec[c + d*x]^2 * \sin[d*x]) / (3*d) + (8 * \sec[c] * \sec[c + d*x] * (C * \sin[c] - 3 * C * \sin[d*x])) / (3*d)) / ((A + 2*C + A * \cos[2*c + 2*d*x]) * (a + a * \sec[c + d*x])) - (2 * A * \cos[c/2 + (d*x)/2]^{2 * \cos[c + d*x]} * \csc[c/2] * \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \operatorname{ArcTan}[\cot[c]]]^2] * \sec[c/2] * (A + C * \sec[c + d*x]^2) * \sec[d*x - \operatorname{ArcTan}[\cot[c]]] * \sqrt{1 - \sin[d*x - \operatorname{ArcTan}[\cot[c]]}] * \sqrt{-(\sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \operatorname{ArcTan}[\cot[c]]])} * \sqrt{1 + \sin[d*x - \operatorname{ArcTan}[\cot[c]]]}) / (d * (A + 2*C + A * \cos[2*c + 2*d*x]) * \sqrt{1 + \cot[c]^2} * (a + a * \sec[c + d*x])) - (10 * C * \cos[c/2 + (d*x)/2]^{2 * \cos[c + d*x]} * \csc[c/2] * \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \operatorname{ArcTan}[\cot[c]]]^2] * \sec[c/2] * (A + C * \sec[c + d*x]^2) * \sec[d*x - \operatorname{ArcTan}[\cot[c]]] * \sqrt{1 - \sin[d*x - \operatorname{ArcTan}[\cot[c]]}] * \sqrt{-(\sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \operatorname{ArcTan}[\cot[c]]])} * \sqrt{1 + \sin[d*x - \operatorname{ArcTan}[\cot[c]]]}) / (3*d * (A + 2*C + A * \cos[2*c + 2*d*x]) * \sqrt{1 + \cot[c]^2} * (a + a * \sec[c + d*x])) \end{aligned}$$

Maple [B] time = 6.177, size = 486, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (A + C \sec(d*x+c)^2) / \cos(d*x+c)^{3/2} / (a + a \sec(d*x+c)), x$

[Out]
$$\begin{aligned} & -1/a * (-(2 * \cos(1/2*d*x+1/2*c)^{2+1} * \sin(1/2*d*x+1/2*c)^2)^{1/2} * (2 * C * (-1/6 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^{2+1/3} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2 * \cos(1/2*d*x+1/2*c)^{2+1})^{1/2} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})) + (A + C) * (\cos(1/2*d*x+1/2*c) * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - \operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2})) - 2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2) / \cos(1/2*d*x+1/2*c) / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} - 2 * C * (-(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{1/2} * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) + 2 * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2) / \sin(1/2*d*x+1/2*c)^2 / (2 * \sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{1/2} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c)^2 \sec(dx + c) + a \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^2*sec(d*x + c) + a*cos(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*cos(d*x + c)^(3/2)),
x)
```

$$3.1113 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=192

$$\frac{(3A+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{3(5A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A+C)\sin(c+dx)}{d \cos^{\frac{5}{2}}(c+dx)(a \cos(c+dx)+a)} - \frac{(3A+5C)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

[Out] (-3*(5*A + 7*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) - ((3*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((5*A + 7*C)*Sin[c + d*x])/(5*a*d*Cos[c + d*x]^(5/2)) - ((3*A + 5*C)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)) + (3*(5*A + 7*C)*Sin[c + d*x])/(5*a*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x]))

Rubi [A] time = 0.273037, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2748, 2636, 2639, 2641}

$$\frac{(3A+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3(5A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A+C)\sin(c+dx)}{d \cos^{\frac{5}{2}}(c+dx)(a \cos(c+dx)+a)} - \frac{(3A+5C)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])),x]

[Out] (-3*(5*A + 7*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) - ((3*A + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((5*A + 7*C)*Sin[c + d*x])/(5*a*d*Cos[c + d*x]^(5/2)) - ((3*A + 5*C)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)) + (3*(5*A + 7*C)*Sin[c + d*x])/(5*a*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(d*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :=
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \cos(c + dx))} dx \\
&= -\frac{(A + C) \sin(c + dx)}{d \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(5A+7C) - \frac{1}{2}a(3A+5C) \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{d \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} - \frac{(3A + 5C) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)} dx}{2a} + \frac{(5A + 7C)}{2a} \\
&= \frac{(5A + 7C) \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} - \frac{(3A + 5C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{(A + C) \sin(c + dx)}{d \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} \\
&= -\frac{(3A + 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{(5A + 7C) \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} - \frac{(3A + 5C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{3(5A + 7C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5ad} - \frac{(3A + 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{(5A + 7C) \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 7.24337, size = 1382, normalized size = 7.2

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])), x]

[Out] (((-3*I)/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (((21*I)/10)*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + C*Sec[c +

$$\begin{aligned}
& d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x) \\
& *(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E \\
& ^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2* \\
& I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I) \\
& *d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos [\\
& c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I) \\
&)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x \\
&)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Si \\
& n[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]) + (Cos[c/2 + \\
& (d*x)/2]^2*Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2)*((2*(10*A + 16*C + 5*A \\
& *Cos[c] + 5*C*Cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/(5*d) + (4*Sec[c/2]*Sec[c/2 \\
& + (d*x)/2]*(A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/d + (8*C*Sec[c]*Sec[c + d*x] \\
& ^3*Sin[d*x])/(5*d) - (8*Sec[c]*Sec[c + d*x]*(5*C*Sin[c] - 15*A*Sin[d*x] - 2 \\
& 4*C*Sin[d*x]))/(15*d) + (8*Sec[c]*Sec[c + d*x]^2*(3*C*Sin[c] - 5*C*Sin[d*x] \\
&))/(15*d)))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]) + (2*A*Co \\
& s[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4 \\
& }, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sec[d*x - A \\
& rcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2 \\
&]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(\\
& d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]) + \\
& (10*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1 \\
& /2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Se \\
& c[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + \\
& Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot \\
& [c]]]])/(3*d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c \\
& + d*x]))
\end{aligned}$$

Maple [B] time = 8.174, size = 803, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x)

[Out] $\begin{aligned}
& -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*(-2/5*C/(8*\sin \\
& (1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2 \\
& *d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/ \\
& 2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2* \\
& d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Ellipti \\
& cE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2 \\
& *c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-
\end{aligned}$

$$\begin{aligned}
& 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
& - 8 * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/ \\
& 2*d*x+1/2*c)^2)^{(1/2)} + (-A-C) * (\cos(1/2*d*x+1/2*c) * (2 * \sin(1/2*d*x+1/2*c)^2 - 1) \\
& ^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - \\
& \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) - 2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1 \\
& /2*c)^2) / \cos(1/2*d*x+1/2*c) / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
& - 2 * C * (-1/6 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2 * \\
& c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} + 1/3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2 * \\
& c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) + (2*A+2*C) * (-\sin(1/2*d*x \\
& +1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (-2 * \sin(1/2*d*x+1/2*c)^4 + \\
& \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2 * (-2 * \sin \\
& (1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d * \\
& x+1/2*c)^2) / \sin(1/2*d*x+1/2*c)^2 / (2 * \sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/ \\
& 2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{a \cos(dx + c)^3 \sec(dx + c) + a \cos(dx + c)^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^3*sec(d*x + c) + a*cos(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

$$3.1114 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=196

$$\frac{5(3A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{4(14A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{(3A+C)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{4(14A+5C)\sin(c+dx)}{15a^2d}$$

[Out] (4*(14*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) - (5*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (5*(3*A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + (4*(14*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a^2*d) - ((3*A + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*cos[c + d*x])^2)

Rubi [A] time = 0.404656, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4114, 3042, 2977, 2748, 2635, 2641, 2639}

$$\frac{5(3A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{4(14A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{(3A+C)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{4(14A+5C)\sin(c+dx)}{15a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (4*(14*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) - (5*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (5*(3*A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + (4*(14*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a^2*d) - ((3*A + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*cos[c + d*x])^2)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)^2]), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2), x_Symbol] :=
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2635

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx)(C+A\cos^2(c+dx))}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{\cos^{\frac{5}{2}}(c+dx)\left(-\frac{1}{2}a(7A+C)+\frac{1}{2}a(11A+5C)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx}{3a^2} \\
&= -\frac{(3A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{(A+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \dots \\
&= -\frac{(3A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{(A+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \dots \\
&= -\frac{5(3A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d} + \frac{4(14A+5C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15a^2d} \\
&= \frac{4(14A+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{5(3A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{5(3A+C)\sqrt{\cos(c+dx)}}{3a^2d}
\end{aligned}$$

Mathematica [C] time = 6.80351, size = 1398, normalized size = 7.13

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (((56*I)/5)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2 + ((4*I)*C*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[

$$\begin{aligned} & (2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)} \\ &]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]]/((3*I)*d*(1 \\ & + E^{((2*I)*d*x)})*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]) - (2*\text{Hypergeome} \\ & \text{tric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 \\ & + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqr} \\ & \text{t}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]]/((-I)*d*(1 + E^{((\\ & 2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/(A + 2*C + A*\text{Cos}[2*c \\ & + 2*d*x])*(a + a*\text{Sec}[c + d*x])^2) + (20*A*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{Hyp} \\ & \text{ergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A \\ & + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot} \\ & [c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 \\ & + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Co} \\ & \text{t}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) + (20*C*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{Hyper} \\ & \text{geometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A \\ & + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c] \\ &]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \\ & \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Co} \\ & \text{t}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) + (\text{Cos}[c/2 + (d*x)/2]^4*\text{Sqrt}[\text{Cos}[c + d*x]]* \\ & (A + C*\text{Sec}[c + d*x]^2)*((-16*(10*A + 5*C + 18*A*\text{Cos}[c] + 5*C*\text{Cos}[c])* \text{Csc}[c] \\ &)/(5*d) - (32*A*\text{Cos}[d*x]*\text{Sin}[c])/(3*d) + (8*A*\text{Cos}[2*d*x]*\text{Sin}[2*c])/(5*d) + \\ & (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(A*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/(3*d) - \\ & (16*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(2*A*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/d - (\\ & 32*A*\text{Cos}[c]*\text{Sin}[d*x])/(3*d) + (8*A*\text{Cos}[2*c]*\text{Sin}[2*d*x])/(5*d) + (4*(A + C)* \\ & \text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(3*d)))/((A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(a + \\ & a*\text{Sec}[c + d*x])^2) \end{aligned}$$

Maple [A] time = 2.513, size = 451, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(5/2)}*(A+C*\text{sec}(d*x+c)^2)/(a+a*\text{sec}(d*x+c))^2,x)$

[Out] $-1/30*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(96*A*\cos(1/2*d*x+1/2*c)^{10}-352*A*\cos(1/2*d*x+1/2*c)^8+120*A*\cos(1/2*d*x+1/2*c)^6-150*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-336*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-120*C*\cos(1/2*d*x+1/2*c)^6-50*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-120*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)$

$^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 266 * A * \cos(1/2 * d * x + 1/2 * c)^4 + 190 * C * \cos(1/2 * d * x + 1/2 * c)^4 - 135 * A * \cos(1/2 * d * x + 1/2 * c)^2 - 75 * C * \cos(1/2 * d * x + 1/2 * c)^2 + 5 * A + 5 * C) / a^2 / \cos(1/2 * d * x + 1/2 * c)^3 / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c)^2 \sec(dx + c)^2 + A \cos(dx + c)^2) \sqrt{\cos(dx + c)}}{a^2 \sec(dx + c)^2 + 2 a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^2, x)
```

$$3.1115 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=161

$$\frac{2(5A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(7A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(7A+C)\sin(c+dx)\cos^3(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{2(5A+C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d}$$

[Out] -(((7*A + C)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + (2*(5*A + C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + (2*(5*A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) - ((7*A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.381212, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4114, 3042, 2977, 2748, 2639, 2635, 2641}

$$\frac{2(5A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(7A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(7A+C)\sin(c+dx)\cos^3(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{2(5A+C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] -(((7*A + C)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + (2*(5*A + C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + (2*(5*A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) - ((7*A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :>
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2635

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```


Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx)(C+A\cos^2(c+dx))}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{\cos^{\frac{3}{2}}(c+dx)\left(-\frac{1}{2}a(5A-C)+\frac{3}{2}a(3A+C)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx}{3a^2} \\
&= -\frac{(7A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \dots \\
&= -\frac{(7A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \dots \\
&= -\frac{(7A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{2(5A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d} - \frac{(7A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \dots \\
&= -\frac{(7A+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{2(5A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{2(5A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \dots
\end{aligned}$$

Mathematica [C] time = 6.73211, size = 1355, normalized size = 8.42

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] ((-7*I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2 *E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I *Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x)) *Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]) /((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) - (I*C*Cos[c/2 + (d*x)/ 2]^4*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeomet ric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 +

$$\begin{aligned}
& E^{\left((2I)d*x\right)}\cos[c] + (2I)\left(-1 + E^{\left((2I)d*x\right)}\right)\sin[c]/E^{\left(I*d*x\right)}\sqrt{1 + E^{\left((2I)d*x\right)}\cos[2*c] + I E^{\left((2I)d*x\right)}\sin[2*c]}/\left((3I)d\left(1 + E^{\left((2I)d*x\right)}\right)\cos[c] - 3d\left(-1 + E^{\left((2I)d*x\right)}\right)\sin[c]\right) - (2\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -\left(E^{\left((2I)d*x\right)}\right)\left(\cos[c] + I\sin[c]\right)^2])\sqrt{\left(2\left(1 + E^{\left((2I)d*x\right)}\right)\cos[c] + (2I)\left(-1 + E^{\left((2I)d*x\right)}\right)\sin[c]\right)/E^{\left(I*d*x\right)}\sqrt{1 + E^{\left((2I)d*x\right)}\cos[2*c] + I E^{\left((2I)d*x\right)}\sin[2*c]}/\left((-I)d\left(1 + E^{\left((2I)d*x\right)}\right)\cos[c] + d\left(-1 + E^{\left((2I)d*x\right)}\right)\sin[c]\right)}/\left((A + 2C + A\cos[2*c + 2d*x])\left(a + a\sec[c + d*x]\right)^2 - (40A\cos[c/2 + (d*x)/2]^4\text{Csc}[c/2]\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]\sec[c/2]\left(A + C\sec[c + d*x]\right)^2\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}\sqrt{-\left(\sqrt{1 + \text{Cot}[c]^2}\sin[c]\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]\right)}\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}\right)/\left(3d\left(A + 2C + A\cos[2*c + 2d*x]\right)\sqrt{1 + \text{Cot}[c]^2}\right)\left(a + a\sec[c + d*x]\right)^2 - (8C\cos[c/2 + (d*x)/2]^4\text{Csc}[c/2]\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]\sec[c/2]\left(A + C\sec[c + d*x]\right)^2\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}\sqrt{-\left(\sqrt{1 + \text{Cot}[c]^2}\sin[c]\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]\right)}\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}\right)/\left(3d\left(A + 2C + A\cos[2*c + 2d*x]\right)\sqrt{1 + \text{Cot}[c]^2}\right)\left(a + a\sec[c + d*x]\right)^2 + (\cos[c/2 + (d*x)/2]^4\sqrt{\cos[c + d*x]}\left(A + C\sec[c + d*x]\right)^2\left((8(3A + C + 4A\cos[c])\text{Csc}[c])/d + (16A\cos[d*x]\sin[c])/3d - (4\sec[c/2]\sec[c/2 + (d*x)/2]^3(A\sin[(d*x)/2] + C\sin[(d*x)/2])\right)/3d + (8\sec[c/2]\sec[c/2 + (d*x)/2]\left(3A\sin[(d*x)/2] + C\sin[(d*x)/2]\right))/d + (16A\cos[c]\sin[d*x])/3d - (4(A + C)\sec[c/2 + (d*x)/2]^2\tan[c/2])/3d)/\left((A + 2C + A\cos[2*c + 2d*x])\left(a + a\sec[c + d*x]\right)^2\right)
\end{aligned}$$

Maple [B] time = 2.59, size = 437, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(3/2)}*(A+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^2,x)$

[Out] $-1/6*\left(\left(2\cos(1/2*d*x+1/2*c)\right)^2-1\right)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(16A\cos(1/2*d*x+1/2*c)^8+12A\cos(1/2*d*x+1/2*c)^6+20A*\left(\sin(1/2*d*x+1/2*c)\right)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+42A\cos(1/2*d*x+1/2*c)^3*\left(\sin(1/2*d*x+1/2*c)\right)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+12C*\cos(1/2*d*x+1/2*c)^6+4C*\left(\sin(1/2*d*x+1/2*c)\right)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+6C*\cos(1/2*d*x+1/2*c)^3*\left(\sin(1/2*d*x+1/2*c)\right)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-48A\cos(1/2*d*x+1/2*c)^4-20C*\cos(1/2*d*x+1/2*c)^4+21A\cos(1/2*d*x+1/2*c)^2+9C*\cos(1/2*d*x+1/2*c)^2-A$

$-C)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)$
 $^(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)) \sqrt{\cos(dx + c)}}{a^2 \sec(dx + c)^2 + 2 a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^2, x)

$$3.1116 \quad \int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=130

$$\frac{(5A-C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(5A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} + \frac{4AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A+C)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{3d(a\cos(c+dx)+a)^2}$$

[Out] (4*A*EllipticE[(c + d*x)/2, 2])/(a^2*d) - ((5*A - C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - ((5*A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.348991, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2977, 2748, 2641, 2639}

$$\frac{(5A-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(5A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} + \frac{4AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A+C)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{3d(a\cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (4*A*EllipticE[(c + d*x)/2, 2])/(a^2*d) - ((5*A - C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - ((5*A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :>

```
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= \int \frac{\sqrt{\cos(c+dx)}(C+A\cos^2(c+dx))}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{\sqrt{\cos(c+dx)}\left(-\frac{3}{2}a(A-C)+\frac{1}{2}a(7A+C)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx}{3a^2} \\
&= -\frac{(5A-C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \\
&= -\frac{(5A-C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \\
&= \frac{4AE\left(\frac{c}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(5A-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(5A-C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))}
\end{aligned}$$

Mathematica [C] time = 6.58043, size = 934, normalized size = 7.18

$$4iA \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) (C \sec^2(c+dx) + A) \left(\frac{2e^{2idx} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2idx}(\cos(c)+i\sin(c))^2\right) \sqrt{e^{-idx}(2(1+e^{2idx})\cos(c)+2i(-1+e^{2idx})\sin(c))}}{3id(1+e^{2idx})\cos(c)-3d(-1+e^{2idx})\sin(c)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] ((4*I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (20*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + A*Cos[2*c +

$2*d*x))*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) - (4*C*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])]/(3*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x]))*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) + (\text{Cos}[c/2 + (d*x)/2]^4*\text{Sqrt}[\text{Cos}[c + d*x]]*(A + C*\text{Sec}[c + d*x]^2)*((-16*A*\text{Cot}[c/2])/d - (16*A*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*\text{Sin}[(d*x)/2])/d + (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(A*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/(3*d) + (4*(A + C)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(3*d)))/((A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^2)$

Maple [B] time = 2.494, size = 352, normalized size = 2.7

$$\frac{1}{6da^2} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(24A \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + 10A \sqrt{\left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2} \sqrt{-2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x)

[Out] 1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(24*A*cos(1/2*d*x+1/2*c)^6+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+24*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-2*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3-38*A*cos(1/2*d*x+1/2*c)^4-2*C*cos(1/2*d*x+1/2*c)^4+15*A*cos(1/2*d*x+1/2*c)^2+3*C*cos(1/2*d*x+1/2*c)^2-A-C)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A)\sqrt{\cos(dx + c)}}{a^2 \sec(dx + c)^2 + 2a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)\sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorit  
hm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^2,  
x)
```

$$3.1117 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=125

$$\frac{2(A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(A-C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d} + \frac{(A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A+C)\sin(c+dx)}{3d(a\cos(c+dx)+a^2)}$$

[Out] -(((A - C)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + (2*(A + C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + ((A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.358232, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2978, 2748, 2641, 2639}

$$\frac{2(A+C)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d} - \frac{(A-C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d} + \frac{(A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A+C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a\cos(c+dx)+a^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^2), x]

[Out] -(((A - C)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + (2*(A + C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + ((A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)]^m_)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^n_)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :>

```
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)(a + a \sec(c + dx))^2}} dx &= \int \frac{C + A \cos^2(c + dx)}{\sqrt{\cos(c + dx)(a + a \cos(c + dx))^2}} dx \\
&= -\frac{(A + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{-\frac{1}{2}a(A-5C) + \frac{1}{2}a(5A-C) \cos(c+dx)}{\sqrt{\cos(c+dx)(a+a \cos(c+dx))}} dx}{3a^2} \\
&= \frac{(A - C)\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{a^2}{\sqrt{\cos(c + dx)(a + a \cos(c + dx))^2}} dx}{3a^2} \\
&= \frac{(A - C)\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{(A - C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} \\
&= -\frac{(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{2(A + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} + \frac{(A - C)\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))}
\end{aligned}$$

Mathematica [C] time = 6.6479, size = 1322, normalized size = 10.58

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^2), x]
```

```
[Out] ((-I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2 + (I*C*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((
```

$$2*I)*d*x)*\text{Cos}[2*c] + I*E^{((2*I)*d*x)*\text{Sin}[2*c]})/((-I)*d*(1 + E^{((2*I)*d*x)*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)*\text{Sin}[c]})})/((A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^2) - (8*A*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + C*\text{Sec}[c + d*x])^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) - (8*C*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + C*\text{Sec}[c + d*x])^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) + (\text{Cos}[c/2 + (d*x)/2]^4*\text{Sqrt}[\text{Cos}[c + d*x]]*(A + C*\text{Sec}[c + d*x])^2)*((8*(A - C)*\text{Csc}[c])/d + (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(A*\text{Sin}[(d*x)/2] - C*\text{Sin}[(d*x)/2]))/d - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(A*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/(3*d) - (4*(A + C)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(3*d)))/((A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^2)$$

Maple [B] time = 2.459, size = 423, normalized size = 3.4

$$-\frac{1}{6da^2}\sqrt{\left(2(\cos(1/2dx + c/2))^2 - 1\right)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\left(12A(\cos(1/2dx + c/2))^6 + 4A\sqrt{(\sin(1/2dx + c/2))^2}\sqrt{-2(\cos(1/2dx + c/2))^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\text{sec}(d*x+c)^2)/(a+a*\text{sec}(d*x+c))^2/\text{cos}(d*x+c)^{(1/2)}, x)$

[Out] $-1/6*((2*\text{cos}(1/2*d*x+1/2*c)^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\text{cos}(1/2*d*x+1/2*c)^6+4*A*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*\text{cos}(1/2*d*x+1/2*c)^3+6*A*\text{cos}(1/2*d*x+1/2*c)^3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)})*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-12*C*\text{cos}(1/2*d*x+1/2*c)^6+4*C*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*\text{cos}(1/2*d*x+1/2*c)^3-6*C*\text{cos}(1/2*d*x+1/2*c)^3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-20*A*\text{cos}(1/2*d*x+1/2*c)^4+16*C*\text{cos}(1/2*d*x+1/2*c)^4+9*A*\text{cos}(1/2*d*x+1/2*c)^2-3*C*\text{cos}(1/2*d*x+1/2*c)^2-A-C)/a^2/\text{cos}(1/2*d*x+1/2*c)^3/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/\text{sin}(1/2*d*x+1/2*c)/(2*\text{cos}(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{a^2 \cos(dx + c) \sec(dx + c)^2 + 2a^2 \cos(dx + c) \sec(dx + c) + a^2 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)*sec(d*x + c) + a^2*cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)
```


$$3.1118 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=151

$$\frac{(A-5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(A-5C)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)} - \frac{4CE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{4C\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{(A+C)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}}$$

[Out] (-4*C*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((A - 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + (4*C*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]) + ((A - 5*C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])) - ((A + C)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.376276, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4114, 3042, 2978, 2748, 2636, 2639, 2641}

$$\frac{(A-5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(A-5C)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)} - \frac{4CE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{4C\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{(A+C)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (-4*C*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((A - 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + (4*C*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]) + ((A - 5*C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])) - ((A + C)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :>

```
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} dx \\
&= -\frac{(A + C) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(A+7C) + \frac{3}{2}a(A-C) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))} dx}{3a^2} \\
&= \frac{(A - 5C) \sin(c + dx)}{3a^2d\sqrt{\cos(c + dx)}(1 + \cos(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} + \\
&= \frac{(A - 5C) \sin(c + dx)}{3a^2d\sqrt{\cos(c + dx)}(1 + \cos(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} + \\
&= \frac{(A - 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} + \frac{4C \sin(c + dx)}{a^2d\sqrt{\cos(c + dx)}} + \frac{(A - 5C) \sin(c + dx)}{3a^2d\sqrt{\cos(c + dx)}(1 + \cos(c + dx))} \\
&= -\frac{4CE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{(A - 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} + \frac{4C \sin(c + dx)}{a^2d\sqrt{\cos(c + dx)}} + \frac{(A - 5C) \sin(c + dx)}{3a^2d}
\end{aligned}$$

Mathematica [C] time = 6.68475, size = 954, normalized size = 6.32

$$4iC \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) (C \sec^2(c + dx) + A) \left(\frac{2e^{2idx} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2idx}(\cos(c) + i \sin(c))^2\right) \sqrt{e^{-idx}(2(1+e^{2idx}) \cos(c) + 2i(-1+e^{2idx}))}}}{3id(1+e^{2idx}) \cos(c) - 3d(-1+e^{2idx}) \sin(c)} \right)$$

(cos(2c

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] ((-4*I)*C*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2 *E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I *Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x)) *Sin[c]])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c]])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A

$$\begin{aligned}
& + 2*C + A*\cos[2*c + 2*d*x]*(a + a*\sec[c + d*x])^2 - (4*A*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2)*\sec[c/2]*(A + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]]])}*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]})/(3*d*(A + 2*C + A*\cos[2*c + 2*d*x])*\sqrt{1 + \cot[c]^2}*(a + a*\sec[c + d*x])^2) + (20*C*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2)*\sec[c/2]*(A + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]]])}*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]})/(3*d*(A + 2*C + A*\cos[2*c + 2*d*x])*\sqrt{1 + \cot[c]^2}*(a + a*\sec[c + d*x])^2) + (\cos[c/2 + (d*x)/2]^4*\sqrt{\cos[c + d*x]}*(A + C*\sec[c + d*x]^2)*((16*C*\cot[c/2]*\sec[c])/d + (16*C*\sec[c/2]*\sec[c/2 + (d*x)/2]*\sin[(d*x)/2])/d + (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(A*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(3*d) + (16*C*\sec[c]*\sec[c + d*x]*\sin[d*x])/d + (4*(A + C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(3*d))/((A + 2*C + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2)
\end{aligned}$$

Maple [B] time = 2.887, size = 450, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^2,x)$

[Out]
$$\begin{aligned}
& -1/6*(-2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-5*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+12*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-5*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+12*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)-48*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A+43*C)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A+37*C)*\sin(1/2*d*x+1/2*c)^2/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^2 \sec(dx + c)^2 + 2a^2 \cos(dx + c)^2 \sec(dx + c) + a^2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^2*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)^2*sec(d*x + c) + a^2*cos(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2)), x)
```

$$3.1119 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=189

$$\frac{2(A+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A+7C)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{2(A+5C)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] ((A + 7*C)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + (2*(A + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + (2*(A + 5*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)) - ((A + 7*C)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]) - ((A + 7*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)*(1 + Cos[c + d*x])) - ((A + C)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.414405, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4114, 3042, 2978, 2748, 2636, 2641, 2639}

$$\frac{2(A+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A+7C)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{2(A+5C)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2), x]

[Out] ((A + 7*C)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + (2*(A + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + (2*(A + 5*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)) - ((A + 7*C)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]) - ((A + 7*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)*(1 + Cos[c + d*x])) - ((A + C)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2)

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P

```


$i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
 \int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2} dx \\
 &= -\frac{(A + C) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{3}{2}a(A+3C) + \frac{1}{2}a(A-5C) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))} dx}{3a^2} \\
 &= -\frac{(A + 7C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} + \\
 &= -\frac{(A + 7C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} - \frac{(A + C) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} + \\
 &= \frac{2(A + 5C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)} - \frac{(A + 7C) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} - \frac{(A + 7C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} \\
 &= \frac{(A + 7C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2(A + 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} + \frac{2(A + 5C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)}
 \end{aligned}$$

Mathematica [C] time = 7.25498, size = 1391, normalized size = 7.36

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2),x]

[Out] (I*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E

$$\begin{aligned} & \sqrt{1 + E^{(2I)d*x} \cos[2*c] + I E^{(2I)d*x} \sin[2*c]} / ((-I) \\ & * d * (1 + E^{(2I)d*x} \cos[c] + d * (-1 + E^{(2I)d*x} \sin[c]))) / ((A + 2*C \\ & + A \cos[2*c + 2*d*x]) * (a + a \sec[c + d*x])^2) + ((7*I) * C * \cos[c/2 + (d*x)/2] \\ & ^4 * \csc[c/2] * \sec[c/2] * (A + C \sec[c + d*x])^2 * ((2 * E^{(2I)d*x} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, \\ & -(E^{(2I)d*x} * (\cos[c] + I \sin[c])^2)] * \sqrt{(2 * (1 + E^{(2I)d*x} * \cos[c] + (2I) * (-1 + E^{(2I)d*x} * \sin[c])) / E^{(I)d*x}} * \sqrt{1 + E^{(2I)d*x} * \cos[2*c] + I E^{(2I)d*x} * \sin[2*c]})) / ((3I) * d * (1 + E^{(2I)d*x} * \cos[c] - 3 * d * (-1 + E^{(2I)d*x} * \sin[c])) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2I)d*x} * (\cos[c] + I \sin[c])^2)] * \sqrt{(2 * (1 + E^{(2I)d*x} * \cos[c] + (2I) * (-1 + E^{(2I)d*x} * \sin[c])) / E^{(I)d*x}} * \sqrt{1 + E^{(2I)d*x} * \cos[2*c] + I E^{(2I)d*x} * \sin[2*c]})) / ((-I) * d * (1 + E^{(2I)d*x} * \cos[c] + d * (-1 + E^{(2I)d*x} * \sin[c]))) / ((A + 2*C + A \cos[2*c + 2*d*x]) * (a + a \sec[c + d*x])^2) - (8 * A * \cos[c/2 + (d*x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + C \sec[c + d*x])^2 * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-((\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])}) / (3 * d * (A + 2*C + A \cos[2*c + 2*d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a \sec[c + d*x])^2) - (40 * C * \cos[c/2 + (d*x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + C \sec[c + d*x])^2 * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-((\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])})}) / (3 * d * (A + 2*C + A \cos[2*c + 2*d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a \sec[c + d*x])^2) + (\cos[c/2 + (d*x)/2]^4 * \sqrt{\cos[c + d*x]} * (A + C \sec[c + d*x])^2 * ((-4 * (4 * C + A \cos[c] + 3 * C * \cos[c]) * \csc[c/2] * \sec[c/2] * \sec[c]) / d - (4 * \sec[c/2] * \sec[c/2 + (d*x)/2]^3 * (A * \sin[(d*x)/2] + C * \sin[(d*x)/2])) / (3 * d) - (8 * \sec[c/2] * \sec[c/2 + (d*x)/2] * (A * \sin[(d*x)/2] + 3 * C * \sin[(d*x)/2])) / d + (16 * C * \sec[c] * \sec[c + d*x]^2 * \sin[d*x]) / (3 * d) + (16 * \sec[c] * \sec[c + d*x] * (C * \sin[c] - 6 * C * \sin[d*x])) / (3 * d) - (4 * (A + C) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (3 * d))) / ((A + 2*C + A \cos[2*c + 2*d*x]) * (a + a \sec[c + d*x])^2) \end{aligned}$$

Maple [B] time = 7.296, size = 738, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(5/2)}/(a+a*\sec(d*x+c))^2,x)$

[Out] $-1/2 * (-(-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1) * \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / a^2 * (1/3 * (A + C) * (2 * (2 * \sin(1/2 * d*x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (2 * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) - 3 * \text{EllipticE}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}))) * \cos(1/2 * d*x + 1/2 * c) * \sin(1/2 * d*x + 1/2 * c)^2 - 2 * (2 * \sin(1/2 * d*x + 1/2 * c)^2 - 1)^{(1/2)} *$

$$\begin{aligned} & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)-12*\sin(1/2*d*x+1/2*c)^6+20*\sin(1/2*d*x+1/2*c)^4-7*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)/(\sin(1/2*d*x+1/2*c)^2-1)+4*C*(\cos(1/2*d*x+1/2*c)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+4*C*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-8*C*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + A) \sqrt{\cos(dx+c)}}{a^2 \cos(dx+c)^3 \sec(dx+c)^2 + 2a^2 \cos(dx+c)^3 \sec(dx+c) + a^2 \cos(dx+c)^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] `integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^3*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)^3*sec(d*x + c) + a^2*cos(d*x + c)^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^2*cos(d*x + c)^(5/2)), x)`

$$3.1120 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=250

$$-\frac{(63A+13C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{7(33A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(63A+13C)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{10d(a^3\cos(c+dx)+a^3)} + \frac{7(33A+7C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{30a^3d} - \frac{(A+C)\cos^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2(6A+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{15a^2d(a+a\cos(c+dx))^2} - \frac{(63A+13C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{10d(a^3+a^3\cos(c+dx))}$$

[Out] (7*(33*A + 7*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((63*A + 13*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((63*A + 13*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a^3*d) + (7*(33*A + 7*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*a^3*d) - ((A + C)*Cos[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - (2*(6*A + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) - ((63*A + 13*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rubi [A] time = 0.588112, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4114, 3042, 2977, 2748, 2635, 2641, 2639}

$$-\frac{(63A+13C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{7(33A+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(63A+13C)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{10d(a^3\cos(c+dx)+a^3)} + \frac{7(33A+7C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{30a^3d} - \frac{(A+C)\cos^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2(6A+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{15a^2d(a+a\cos(c+dx))^2} - \frac{(63A+13C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{10d(a^3+a^3\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (7*(33*A + 7*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((63*A + 13*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((63*A + 13*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a^3*d) + (7*(33*A + 7*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*a^3*d) - ((A + C)*Cos[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - (2*(6*A + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) - ((63*A + 13*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[d^(

```
m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[
e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]
&& IntegerQ[m]
```

Rule 3042

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{5}{2}}(c+dx) (A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{7}{2}}(c+dx) (C+A \cos^2(c+dx))}{(a+a \cos(c+dx))^3} dx \\
 &= -\frac{(A+C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{\int \frac{\cos^{\frac{7}{2}}(c+dx) \left(-\frac{1}{2}a(9A-C) + \frac{5}{2}a(3A+C) \cos(c+dx)\right)}{(a+a \cos(c+dx))^2} dx}{5a^2} \\
 &= -\frac{(A+C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{2(6A+C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \cos(c+dx))^2} + \\
 &= -\frac{(A+C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{2(6A+C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \cos(c+dx))^2} - \\
 &= -\frac{(A+C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{2(6A+C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{15ad(a+a \cos(c+dx))^2} - \\
 &= -\frac{(63A+13C)\sqrt{\cos(c+dx)} \sin(c+dx)}{6a^3d} + \frac{7(33A+7C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{30a^3d} \\
 &= \frac{7(33A+7C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{10a^3d} - \frac{(63A+13C)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d} - \frac{(63A+13C)}{6a^3d}
 \end{aligned}$$

Mathematica [C] time = 7.11061, size = 1507, normalized size = 6.03

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] (((231*I)/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)

$$\begin{aligned}
&) * d * x * (\cos[c] + I * \sin[c])^2) * \sqrt{(2 * (1 + E^{(2 * I) * d * x}) * \cos[c] + (2 * I) * (-1 + E^{(2 * I) * d * x}) * \sin[c]) / E^{I * d * x}} * \sqrt{1 + E^{(2 * I) * d * x} * \cos[2 * c] + I * E^{(2 * I) * d * x} * \sin[2 * c]}} / ((3 * I) * d * (1 + E^{(2 * I) * d * x}) * \cos[c] - 3 * d * (-1 + E^{(2 * I) * d * x}) * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2 * I) * d * x}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{(2 * I) * d * x}) * \cos[c] + (2 * I) * (-1 + E^{(2 * I) * d * x}) * \sin[c]) / E^{I * d * x}} * \sqrt{1 + E^{(2 * I) * d * x} * \cos[2 * c] + I * E^{(2 * I) * d * x} * \sin[2 * c]}} / ((-I) * d * (1 + E^{(2 * I) * d * x}) * \cos[c] + d * (-1 + E^{(2 * I) * d * x}) * \sin[c])) / ((A + 2 * C + A * \cos[2 * c + 2 * d * x]) * (a + a * \sec[c + d * x])^3) + (((49 * I) / 5) * C * \cos[c / 2 + (d * x) / 2]^6 * \csc[c / 2] * \sec[c / 2] * \sec[c + d * x] * (A + C * \sec[c + d * x]^2) * ((2 * E^{(2 * I) * d * x}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2 * I) * d * x}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{(2 * I) * d * x}) * \cos[c] + (2 * I) * (-1 + E^{(2 * I) * d * x}) * \sin[c]) / E^{I * d * x}} * \sqrt{1 + E^{(2 * I) * d * x} * \cos[2 * c] + I * E^{(2 * I) * d * x} * \sin[2 * c]}} / ((3 * I) * d * (1 + E^{(2 * I) * d * x}) * \cos[c] - 3 * d * (-1 + E^{(2 * I) * d * x}) * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2 * I) * d * x}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{(2 * I) * d * x}) * \cos[c] + (2 * I) * (-1 + E^{(2 * I) * d * x}) * \sin[c]) / E^{I * d * x}} * \sqrt{1 + E^{(2 * I) * d * x} * \cos[2 * c] + I * E^{(2 * I) * d * x} * \sin[2 * c]}} / ((-I) * d * (1 + E^{(2 * I) * d * x}) * \cos[c] + d * (-1 + E^{(2 * I) * d * x}) * \sin[c])) / ((A + 2 * C + A * \cos[2 * c + 2 * d * x]) * (a + a * \sec[c + d * x])^3) + (84 * A * C * \cos[c / 2 + (d * x) / 2]^6 * \csc[c / 2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\cot[c]]]^2] * \sec[c / 2] * \sec[c + d * x] * (A + C * \sec[c + d * x]^2) * \sec[d * x - \text{ArcTan}[\cot[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\cot[c]]]} * \sqrt{-(\sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\cot[c]]]) * \sqrt{1 + \sin[d * x - \text{ArcTan}[\cot[c]]]}}) / (d * (A + 2 * C + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \cot[c]^2} * (a + a * \sec[c + d * x])^3) + (52 * C * \cos[c / 2 + (d * x) / 2]^6 * \csc[c / 2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\cot[c]]]^2] * \sec[c / 2] * \sec[c + d * x] * (A + C * \sec[c + d * x]^2) * \sec[d * x - \text{ArcTan}[\cot[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\cot[c]]]} * \sqrt{-(\sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\cot[c]]]) * \sqrt{1 + \sin[d * x - \text{ArcTan}[\cot[c]]]}}) / (3 * d * (A + 2 * C + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \cot[c]^2} * (a + a * \sec[c + d * x])^3) + (\cos[c / 2 + (d * x) / 2]^6 * (A + C * \sec[c + d * x]^2) * ((-8 * (99 * A + 29 * C + 132 * A * \cos[c] + 20 * C * \cos[c]) * \csc[c]) / (5 * d) - (32 * A * \cos[d * x] * \sin[c]) / d + (16 * A * \cos[2 * d * x] * \sin[2 * c]) / (5 * d) - (4 * \sec[c / 2] * \sec[c / 2 + (d * x) / 2]^5 * (A * \sin[(d * x) / 2] + C * \sin[(d * x) / 2])) / (5 * d) + (16 * \sec[c / 2] * \sec[c / 2 + (d * x) / 2]^3 * (12 * A * \sin[(d * x) / 2] + 7 * C * \sin[(d * x) / 2])) / (15 * d) - (8 * \sec[c / 2] * \sec[c / 2 + (d * x) / 2] * (99 * A * \sin[(d * x) / 2] + 29 * C * \sin[(d * x) / 2])) / (5 * d) - (32 * A * \cos[c] * \sin[d * x]) / d + (16 * A * \cos[2 * c] * \sin[2 * d * x]) / (5 * d) + (16 * (12 * A + 7 * C) * \sec[c / 2 + (d * x) / 2]^2 * \tan[c / 2]) / (15 * d) - (4 * (A + C) * \sec[c / 2 + (d * x) / 2]^4 * \tan[c / 2]) / (5 * d)) / (\sqrt{\cos[c + d * x]} * (A + 2 * C + A * \cos[2 * c + 2 * d * x]) * (a + a * \sec[c + d * x])^3)
\end{aligned}$$

Maple [A] time = 2.33, size = 479, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(5/2)}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^3,x)$

[Out]
$$-1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(192*A*\cos(1/2*d*x+1/2*c)^{12}-864*A*\cos(1/2*d*x+1/2*c)^{10}-228*A*\cos(1/2*d*x+1/2*c)^8-630*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5-1386*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-348*C*\cos(1/2*d*x+1/2*c)^8-130*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5-294*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1590*A*\cos(1/2*d*x+1/2*c)^6+578*C*\cos(1/2*d*x+1/2*c)^6-744*A*\cos(1/2*d*x+1/2*c)^4-264*C*\cos(1/2*d*x+1/2*c)^4+57*A*\cos(1/2*d*x+1/2*c)^2+37*C*\cos(1/2*d*x+1/2*c)^2-3*A-3*C)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(5/2)}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^3,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx+c)^2 \sec(dx+c)^2 + A \cos(dx+c)^2) \sqrt{\cos(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(5/2)}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^3,x, \text{algorithm}="fricas")$

[Out] $\text{integral}((C*\cos(dx+c)^2*\sec(dx+c)^2 + A*\cos(dx+c)^2)*\text{sqrt}(\cos(dx+c)))/(a^3*\sec(dx+c)^3 + 3*a^3*\sec(dx+c)^2 + 3*a^3*\sec(dx+c) + a^3$

), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate(((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^3, x)

$$3.1121 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=209

$$\frac{(11A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{2a^3d} - \frac{(119A+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(119A+9C)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{30d(a^3\cos(c+dx)+a^3)} + \frac{(11A+C)\sin(c+dx)}{2a^3d}$$

[Out] -((119*A + 9*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((11*A + C)*EllipticF[(c + d*x)/2, 2])/(2*a^3*d) + ((11*A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*a^3*d) - ((A + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - (2*A*cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*a*d*(a + a*cos[c + d*x])^2) - ((119*A + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*cos[c + d*x]))

Rubi [A] time = 0.542244, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4114, 3042, 2977, 2748, 2639, 2635, 2641}

$$\frac{(11A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} - \frac{(119A+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(119A+9C)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{30d(a^3\cos(c+dx)+a^3)} + \frac{(11A+C)\sin(c+dx)}{2a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] -((119*A + 9*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((11*A + C)*EllipticF[(c + d*x)/2, 2])/(2*a^3*d) + ((11*A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*a^3*d) - ((A + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - (2*A*cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*a*d*(a + a*cos[c + d*x])^2) - ((119*A + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]

&& IntegerQ[m]

Rule 3042

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx)(C+A\cos^2(c+dx))}{(a+a\cos(c+dx))^3} dx \\
 &= -\frac{(A+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^{\frac{5}{2}}(c+dx)\left(-\frac{1}{2}a(7A-3C)+\frac{1}{2}a(13A+3C)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
 &= -\frac{(A+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} + \frac{\int \frac{\cos^{\frac{3}{2}}(c+dx)\left(-\frac{1}{2}a(7A-3C)+\frac{1}{2}a(13A+3C)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
 &= -\frac{(A+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} - \frac{(119A+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(11A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} - \frac{(A+C)\cos^{\frac{3}{2}}(c+dx)}{5a^2} \\
 &= -\frac{(A+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} - \frac{(119A+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(11A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} - \frac{(A+C)\cos^{\frac{3}{2}}(c+dx)}{5a^2} \\
 &= -\frac{(119A+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(11A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} - \frac{(A+C)\cos^{\frac{3}{2}}(c+dx)}{5a^2} \\
 &= -\frac{(119A+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(11A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{(11A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} - \frac{(A+C)\cos^{\frac{3}{2}}(c+dx)}{5a^2}
 \end{aligned}$$

Mathematica [C] time = 6.94749, size = 1470, normalized size = 7.03

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] (((-119*I)/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*

$$\begin{aligned}
& (-1 + E^{(2I)d*x}) * \sin[c] / E^{I*d*x} * \sqrt{1 + E^{(2I)d*x} * \cos[2*c] + I} \\
& * E^{(2I)d*x} * \sin[2*c]} / ((3I)d*(1 + E^{(2I)d*x}) * \cos[c] - 3*d*(-1 + E^{(2I)d*x}) * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2I)d*x}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2*(1 + E^{(2I)d*x}) * \cos[c] + (2I)*(-1 + E^{(2I)d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2I)d*x} * \cos[2*c] + I * E^{(2I)d*x} * \sin[2*c]}) / ((-I)d*(1 + E^{(2I)d*x}) * \cos[c] + d*(-1 + E^{(2I)d*x}) * \sin[c])) / ((A + 2*C + A * \cos[2*c + 2*d*x]) * (a + a * \sec[c + d*x])^3) - ((9I)/5) * C * \cos[c/2 + (d*x)/2]^6 * \csc[c/2] * \sec[c/2] * \sec[c + d*x] * (A + C * \sec[c + d*x]^2) * ((2 * E^{(2I)d*x}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2I)d*x}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2*(1 + E^{(2I)d*x}) * \cos[c] + (2I)*(-1 + E^{(2I)d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2I)d*x} * \cos[2*c] + I * E^{(2I)d*x} * \sin[2*c]}) / ((3I)d*(1 + E^{(2I)d*x}) * \cos[c] - 3*d*(-1 + E^{(2I)d*x}) * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2I)d*x}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2*(1 + E^{(2I)d*x}) * \cos[c] + (2I)*(-1 + E^{(2I)d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2I)d*x} * \cos[2*c] + I * E^{(2I)d*x} * \sin[2*c]}) / ((-I)d*(1 + E^{(2I)d*x}) * \cos[c] + d*(-1 + E^{(2I)d*x}) * \sin[c])) / ((A + 2*C + A * \cos[2*c + 2*d*x]) * (a + a * \sec[c + d*x])^3) - (44 * A * \cos[c/2 + (d*x)/2]^6 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[c + d*x] * (A + C * \sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]})} / (d * (A + 2*C + A * \cos[2*c + 2*d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])^3) - (4 * C * \cos[c/2 + (d*x)/2]^6 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[c + d*x] * (A + C * \sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]})} / (d * (A + 2*C + A * \cos[2*c + 2*d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])^3) + (\cos[c/2 + (d*x)/2]^6 * (A + C * \sec[c + d*x]^2) * ((8 * (59 * A + 9 * C + 60 * A * \cos[c]) * \csc[c]) / (5 * d) + (32 * A * \cos[d*x] * \sin[c]) / (3 * d) + (4 * \sec[c/2] * \sec[c/2 + (d*x)/2]^5 * (A * \sin[(d*x)/2] + C * \sin[(d*x)/2])) / (5 * d) - (8 * \sec[c/2] * \sec[c/2 + (d*x)/2]^3 * (19 * A * \sin[(d*x)/2] + 9 * C * \sin[(d*x)/2])) / (15 * d) + (8 * \sec[c/2] * \sec[c/2 + (d*x)/2] * (59 * A * \sin[(d*x)/2] + 9 * C * \sin[(d*x)/2])) / (5 * d) + (32 * A * \cos[c] * \sin[d*x]) / (3 * d) - (8 * (19 * A + 9 * C) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (15 * d) + (4 * (A + C) * \sec[c/2 + (d*x)/2]^4 * \tan[c/2]) / (5 * d)) / (\sqrt{\cos[c + d*x]} * (A + 2*C + A * \cos[2*c + 2*d*x]) * (a + a * \sec[c + d*x])^3)
\end{aligned}$$

Maple [A] time = 2.751, size = 465, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x)

```
[Out] -1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(160*A*cos(1/2*d*x+1/2*c)^10+468*A*cos(1/2*d*x+1/2*c)^8+330*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+714*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+108*C*cos(1/2*d*x+1/2*c)^8+30*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+54*C*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1058*A*cos(1/2*d*x+1/2*c)^6-198*C*cos(1/2*d*x+1/2*c)^6+474*A*cos(1/2*d*x+1/2*c)^4+114*C*cos(1/2*d*x+1/2*c)^4-47*A*cos(1/2*d*x+1/2*c)^2-27*C*cos(1/2*d*x+1/2*c)^2+3*A+3*C)/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + A \cos(dx + c)) \sqrt{\cos(dx + c)}}{a^3 \sec(dx + c)^3 + 3a^3 \sec(dx + c)^2 + 3a^3 \sec(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x
```

)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate(((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^3, x)

$$3.1122 \quad \int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=186

$$-\frac{(13A-C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(49A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(13A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{6d(a^3\cos(c+dx)+a^3)} - \frac{(A+C)\sin(c+dx)}{5d(a\cos(c+dx)+a)}$$

[Out] ((49*A - C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((13*A - C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - (2*(4*A - C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((13*A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Cos[c + d*x]))

Rubi [A] time = 0.540663, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2977, 2748, 2641, 2639}

$$-\frac{(13A-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(49A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(13A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{6d(a^3\cos(c+dx)+a^3)} - \frac{(A+C)\sin(c+dx)}{5d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] ((49*A - C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((13*A - C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - (2*(4*A - C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((13*A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2), x_Symbol] :=>
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :=> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int(((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] :=> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx)(C+A\cos^2(c+dx))}{(a+a\cos(c+dx))^3} dx \\
&= -\frac{(A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^{\frac{3}{2}}(c+dx)\left(-\frac{5}{2}a(A-C)+\frac{1}{2}a(11A+C)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2(4A-C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \dots \\
&= -\frac{(A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2(4A-C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\
&= -\frac{(A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2(4A-C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\
&= \frac{(49A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(13A-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3}
\end{aligned}$$

Mathematica [C] time = 6.83538, size = 1446, normalized size = 7.77

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] (((49*I)/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - ((I/5)*C*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Co

$$\begin{aligned} & s[c] + I*\sin[c])^2)*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x))*\text{Sin}[c]})/E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x))*\text{Cos}[2*c] + I*E^{((2*I)*d*x))*\text{Sin}[2*c]})]/((3*I)*d*(1 + E^{((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x))*\text{Sin}[c]}) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]) * \text{Sqrt}[(2*(1 + E^{((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x))*\text{Sin}[c]})/E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x))*\text{Cos}[2*c] + I*E^{((2*I)*d*x))*\text{Sin}[2*c]})]/((-I)*d*(1 + E^{((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x))*\text{Sin}[c]})]/((A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^3) + (52*A*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])]/(3*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3) - (4*C*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])]/(3*d*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3) + (\text{Cos}[c/2 + (d*x)/2]^6*(A + C*\text{Sec}[c + d*x]^2)*((-8*(29*A - C + 20*A*\text{Cos}[c])*\text{Csc}[c])/(5*d) - (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(29*A*\text{Sin}[(d*x)/2] - C*\text{Sin}[(d*x)/2]))/(5*d) - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^5*(A*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/(5*d) + (16*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(7*A*\text{Sin}[(d*x)/2] + 2*C*\text{Sin}[(d*x)/2]))/(15*d) + (16*(7*A + 2*C)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(15*d) - (4*(A + C)*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/(5*d)))/(\text{Sqrt}[\text{Cos}[c + d*x]]*(A + 2*C + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^3) \end{aligned}$$

Maple [B] time = 2.496, size = 451, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\text{sec}(d*x+c))^2*\text{cos}(d*x+c)^{(1/2)}/(a+a*\text{sec}(d*x+c))^3,x)$

[Out] $\frac{1}{60}*((2*\text{cos}(1/2*d*x+1/2*c))^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(348*A*\text{cos}(1/2*d*x+1/2*c)^8+130*A*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c))^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*\text{cos}(1/2*d*x+1/2*c)^5+294*A*\text{cos}(1/2*d*x+1/2*c)^5*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c))^2+1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-12*C*\text{cos}(1/2*d*x+1/2*c)^8-10*C*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c))^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*\text{cos}(1/2*d*x+1/2*c)^5-6*C*\text{cos}(1/2*d*x+1/2*c)^5*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c))^2+1)^{(1/2)}*\text{EllipticE}(\text{cos}($

$$\frac{1}{2}dx + \frac{1}{2}c, 2^{(1/2)} - 578A \cos(\frac{1}{2}dx + \frac{1}{2}c)^6 + 2C \cos(\frac{1}{2}dx + \frac{1}{2}c)^6 + 264A \cos(\frac{1}{2}dx + \frac{1}{2}c)^4 + 24C \cos(\frac{1}{2}dx + \frac{1}{2}c)^4 - 37A \cos(\frac{1}{2}dx + \frac{1}{2}c)^2 - 17C \cos(\frac{1}{2}dx + \frac{1}{2}c)^2 + 3A + 3C}{a^3 \cos(\frac{1}{2}dx + \frac{1}{2}c)^5} \frac{(-2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + \sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)}}{\sin(\frac{1}{2}dx + \frac{1}{2}c)} \frac{1}{(2 \cos(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)}} \frac{1}{d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{a^3 \sec(dx + c)^3 + 3a^3 \sec(dx + c)^2 + 3a^3 \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^3, x)

$$3.1123 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=184

$$\frac{(3A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(9A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(9A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(A+C)\sin(c+dx)}{5d(a\cos(c+dx)+a^2)}$$

[Out] -((9*A - C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A + C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - (2*(3*A - 2*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) + ((9*A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rubi [A] time = 0.531016, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4114, 3042, 2977, 2978, 2748, 2641, 2639}

$$\frac{(3A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(9A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(9A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(A+C)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{5d(a\cos(c+dx)+a^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^3), x]

[Out] -((9*A - C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A + C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - (2*(3*A - 2*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) + ((9*A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)^2), x_Symbol] :>
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```


Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^3} dx &= \int \frac{\sqrt{\cos(c + dx)}(C + A \cos^2(c + dx))}{(a + a \cos(c + dx))^3} dx \\
 &= -\frac{(A + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\sqrt{\cos(c + dx)}\left(-\frac{1}{2}a(3A - 7C) + \frac{1}{2}a(9A - C) \cos(c + dx)\right)}{(a + a \cos(c + dx))^2} dx}{5a^2} \\
 &= -\frac{(A + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{2(3A - 2C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \\
 &= -\frac{(A + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{2(3A - 2C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \\
 &= -\frac{(A + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{2(3A - 2C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \\
 &= -\frac{(9A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(3A + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A + C) \cos^{\frac{3}{2}}(c + dx)}{5d(a + a \cos(c + dx))^3}
 \end{aligned}$$

Mathematica [C] time = 6.77459, size = 1439, normalized size = 7.82

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^3), x]

[Out] (((-9*I)/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*

$$\begin{aligned}
& (\cos[c] + i\sin[c])^2 \sqrt{(2(1 + e^{(2i)d*x})\cos[c] + (2i)(-1 + e^{(2i)d*x})\sin[c])/e^{i*d*x}} \sqrt{1 + e^{(2i)d*x}\cos[2*c] + i e^{(2i)d*x}\sin[2*c]} \\
& / ((-i)d*(1 + e^{(2i)d*x})\cos[c] + d*(-1 + e^{(2i)d*x})\sin[c])) / ((A + 2C + A\cos[2*c + 2*d*x])*(a + a\sec[c + d*x])^3 + ((i/5)*C*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\sec[c/2]*\sec[c + d*x]*(A + C*\sec[c + d*x])^2 \\
& * ((2e^{(2i)d*x})\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(e^{(2i)d*x})*(\cos[c] + i\sin[c])^2]) \sqrt{(2(1 + e^{(2i)d*x})\cos[c] + (2i)(-1 + e^{(2i)d*x})\sin[c])/e^{i*d*x}} \sqrt{1 + e^{(2i)d*x}\cos[2*c] + i e^{(2i)d*x}\sin[2*c]} \\
& / ((3i)d*(1 + e^{(2i)d*x})\cos[c] - 3d*(-1 + e^{(2i)d*x})\sin[c]) - (2\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(e^{(2i)d*x})*(\cos[c] + i\sin[c])^2]) \sqrt{(2(1 + e^{(2i)d*x})\cos[c] + (2i)(-1 + e^{(2i)d*x})\sin[c])/e^{i*d*x}} \sqrt{1 + e^{(2i)d*x}\cos[2*c] + i e^{(2i)d*x}\sin[2*c]} \\
& / ((-i)d*(1 + e^{(2i)d*x})\cos[c] + d*(-1 + e^{(2i)d*x})\sin[c])) / ((A + 2C + A\cos[2*c + 2*d*x])*(a + a\sec[c + d*x])^3 - (4A*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2] \\
& *\sec[c/2]*\sec[c + d*x]*(A + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\cot[c]]] \sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]])} \sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}) / (d*(A + 2C + A\cos[2*c + 2*d*x]) \sqrt{1 + \cot[c]^2}*(a + a\sec[c + d*x])^3 - (4C*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2] \\
& *\sec[c/2]*\sec[c + d*x]*(A + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\cot[c]]] \sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]])} \sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}) / (3d*(A + 2C + A\cos[2*c + 2*d*x]) \sqrt{1 + \cot[c]^2}*(a + a\sec[c + d*x])^3 + (\cos[c/2 + (d*x)/2]^6*(A + C*\sec[c + d*x]^2)*((8*(9A - C)*\csc[c]) / (5*d) + (8*\sec[c/2]*\sec[c/2 + (d*x)/2]*(9A*\sin[(d*x)/2] - C*\sin[(d*x)/2]) / (5*d) - (8*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(9A*\sin[(d*x)/2] - C*\sin[(d*x)/2])) / (15*d) + (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^5*(A*\sin[(d*x)/2] + C*\sin[(d*x)/2])) / (5*d) - (8*(9A - C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2]) / (15*d) + (4*(A + C)*\sec[c/2 + (d*x)/2]^4*\tan[c/2]) / (5*d)) / (\sqrt{\cos[c + d*x]}*(A + 2C + A*\cos[2*c + 2*d*x])*(a + a\sec[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 2.484, size = 451, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^3/\cos(d*x+c)^{(1/2)}, x)$

[Out] $-1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(108*A*\cos(1/2*d*x+1/2*c)^8+30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1$

$$\begin{aligned} &)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 + 54*A * \cos \\ &(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ &)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 12*C * \cos(1/2*d*x+1/2*c)^8 + 10*C * \\ &(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos \\ &(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 - 6*C * \cos(1/2*d*x+1/2*c)^5 * (\sin \\ &(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1 \\ &/2*d*x+1/2*c), 2^{(1/2)}) - 198*A * \cos(1/2*d*x+1/2*c)^6 + 22*C * \cos(1/2*d*x+1/2*c)^6 \\ &+ 114*A * \cos(1/2*d*x+1/2*c)^4 - 6*C * \cos(1/2*d*x+1/2*c)^4 - 27*A * \cos(1/2*d*x+1/2*c \\ &)^2 - 7*C * \cos(1/2*d*x+1/2*c)^2 + 3*A + 3*C / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2* \\ &d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+ \\ &1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + A)\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c) \sec(dx+c)^3 + 3a^3 \cos(dx+c) \sec(dx+c)^2 + 3a^3 \cos(dx+c) \sec(dx+c) + a^3 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)*sec(d*x + c)^2 + 3*a^3*cos(d*x + c)*sec(d*x + c) + a^3*cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^3 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^3*sqrt(cos(d*x + c))), x)

$$3.1124 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=180

$$\frac{(A+3C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(A-9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A-9C)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{2(2A-3C)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+1)}$$

[Out] -((A - 9*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + 3*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) + (2*(2*A - 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) + ((A - 9*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rubi [A] time = 0.523194, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4114, 3042, 2978, 2748, 2641, 2639}

$$\frac{(A+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A-9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A-9C)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{2(2A-3C)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]

[Out] -((A - 9*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + 3*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) + (2*(2*A - 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) + ((A - 9*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3042

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned} & *I*d*x))*\sin[c])/E^{(I*d*x)}*\sqrt{1 + E^{((2*I)*d*x)*\cos[2*c] + I*E^{((2*I)*d*x)*\sin[2*c]}}]/((3*I)*d*(1 + E^{((2*I)*d*x)*\cos[c] - 3*d*(-1 + E^{((2*I)*d*x)*\sin[c]}) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)*(\cos[c] + I*\sin[c])^2)}]*\sqrt{(2*(1 + E^{((2*I)*d*x)*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)*\sin[c]})*\sin[c])/E^{(I*d*x)}]*\sqrt{1 + E^{((2*I)*d*x)*\cos[2*c] + I*E^{((2*I)*d*x)*\sin[2*c]}}]/((-I)*d*(1 + E^{((2*I)*d*x)*\cos[c] + d*(-1 + E^{((2*I)*d*x)*\sin[c]})}))/((A + 2*C + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3) - (4*A*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2]*\sec[c/2]*\sec[c + d*x]*(A + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}]*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]})/(3*d*(A + 2*C + A*\cos[2*c + 2*d*x])* \sqrt{1 + \cot[c]^2}*(a + a*\sec[c + d*x])^3) - (4*C*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2]*\sec[c/2]*\sec[c + d*x]*(A + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}]*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]})/(d*(A + 2*C + A*\cos[2*c + 2*d*x])* \sqrt{1 + \cot[c]^2}*(a + a*\sec[c + d*x])^3) + (\cos[c/2 + (d*x)/2]^6*(A + C*\sec[c + d*x]^2)*((8*(A - 9*C)*\csc[c])/(5*d) + (8*\sec[c/2]*\sec[c/2 + (d*x)/2]*(A*\sin[(d*x)/2] - 9*C*\sin[(d*x)/2]))/(5*d) + (16*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(2*A*\sin[(d*x)/2] - 3*C*\sin[(d*x)/2]))/(15*d) - (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^5*(A*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(5*d) + (16*(2*A - 3*C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(15*d) - (4*(A + C)*\sec[c/2 + (d*x)/2]^4*\tan[c/2])/(5*d)))/(\sqrt{\cos[c + d*x]}*(A + 2*C + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3) \end{aligned}$$

Maple [B] time = 2.521, size = 451, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^3,x)$

[Out] $-1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^8+10*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+6*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-108*C*\cos(1/2*d*x+1/2*c)^8+30*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5-54*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)^6+138*C*\cos(1/2*d*x+1/2*c)^6-$

$$24A\cos(1/2dx+1/2c)^4-24C\cos(1/2dx+1/2c)^4+17A\cos(1/2dx+1/2c)^2-3C\cos(1/2dx+1/2c)^2-3A-3C/a^3/\cos(1/2dx+1/2c)^5/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}/\sin(1/2dx+1/2c)/(2\cos(1/2dx+1/2c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + A)\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^2 \sec(dx+c)^3 + 3a^3 \cos(dx+c)^2 \sec(dx+c)^2 + 3a^3 \cos(dx+c)^2 \sec(dx+c) + a^3 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^2*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)^2*sec(d*x + c)^2 + 3*a^3*cos(d*x + c)^2*sec(d*x + c) + a^3*cos(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^3*cos(d*x + c)^(3/2)), x)

$$3.1125 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=209

$$\frac{(A-13C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(A-49C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A-49C)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} + \frac{(A-13C)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3\cos(c+dx) + a)}$$

[Out] ((A - 49*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A - 13*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - 49*C)*Sin[c + d*x])/(10*a^3*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3) + (2*(A - 4*C)*Sin[c + d*x])/(15*a*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2) + ((A - 13*C)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]*(a^3 + a^3*Cos[c + d*x]))

Rubi [A] time = 0.565463, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4114, 3042, 2978, 2748, 2636, 2639, 2641}

$$\frac{(A-13C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-49C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A-49C)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} + \frac{(A-13C)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3\cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

[Out] ((A - 49*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A - 13*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - 49*C)*Sin[c + d*x])/(10*a^3*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3) + (2*(A - 4*C)*Sin[c + d*x])/(15*a*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2) + ((A - 13*C)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]*(a^3 + a^3*Cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.))*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]

&& IntegerQ[m]

Rule 3042

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} dx \\
 &= -\frac{(A + C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(A+11C) + \frac{5}{2}a(A-C) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^2} dx}{5a^2} \\
 &= -\frac{(A + C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{2(A - 4C) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= -\frac{(A + C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{2(A - 4C) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= -\frac{(A + C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{2(A - 4C) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= \frac{(A - 13C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A - 49C) \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}} - \frac{(A + C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= \frac{(A - 49C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(A - 13C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A - 49C) \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.97649, size = 1473, normalized size = 7.05

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

[Out] ((I/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))

$$\begin{aligned}
& *(\cos[c] + i\sin[c])^2) \sqrt{(2(1 + e^{(2i)d*x})\cos[c] + (2i)(-1 + e^{(2i)d*x})\sin[c])/e^{i*d*x}} \sqrt{1 + e^{(2i)d*x}\cos[2c] + ie^{(2i)d*x}\sin[2c]}} / ((3i)d(1 + e^{(2i)d*x})\cos[c] - 3d(-1 + e^{(2i)d*x})\sin[c]) - (2\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(e^{(2i)d*x})(\cos[c] + i\sin[c])^2]) \sqrt{(2(1 + e^{(2i)d*x})\cos[c] + (2i)(-1 + e^{(2i)d*x})\sin[c])/e^{i*d*x}} \sqrt{1 + e^{(2i)d*x}\cos[2c] + ie^{(2i)d*x}\sin[2c]}} / ((-i)d(1 + e^{(2i)d*x})\cos[c] + d(-1 + e^{(2i)d*x})\sin[c])) / ((A + 2C + A\cos[2c + 2d*x])(a + a\sec[c + d*x])^3 - ((49i)/5)C\cos[c/2 + (d*x)/2]^6\csc[c/2]\sec[c/2]\sec[c + d*x](A + C\sec[c + d*x])^2((2e^{(2i)d*x})\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(e^{(2i)d*x})(\cos[c] + i\sin[c])^2]) \sqrt{(2(1 + e^{(2i)d*x})\cos[c] + (2i)(-1 + e^{(2i)d*x})\sin[c])/e^{i*d*x}} \sqrt{1 + e^{(2i)d*x}\cos[2c] + ie^{(2i)d*x}\sin[2c]}} / ((3i)d(1 + e^{(2i)d*x})\cos[c] - 3d(-1 + e^{(2i)d*x})\sin[c]) - (2\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(e^{(2i)d*x})(\cos[c] + i\sin[c])^2]) \sqrt{(2(1 + e^{(2i)d*x})\cos[c] + (2i)(-1 + e^{(2i)d*x})\sin[c])/e^{i*d*x}} \sqrt{1 + e^{(2i)d*x}\cos[2c] + ie^{(2i)d*x}\sin[2c]}} / ((-i)d(1 + e^{(2i)d*x})\cos[c] + d(-1 + e^{(2i)d*x})\sin[c])) / ((A + 2C + A\cos[2c + 2d*x])(a + a\sec[c + d*x])^3 - (4A\cos[c/2 + (d*x)/2]^6\csc[c/2]\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2)\sec[c/2]\sec[c + d*x](A + C\sec[c + d*x])^2)\sec[d*x - \text{ArcTan}[\cot[c]]] \sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2}\sin[c]\sin[d*x - \text{ArcTan}[\cot[c]]])} \sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}) / (3d(A + 2C + A\cos[2c + 2d*x]) \sqrt{1 + \cot[c]^2}(a + a\sec[c + d*x])^3) + (52C\cos[c/2 + (d*x)/2]^6\csc[c/2]\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2)\sec[c/2]\sec[c + d*x](A + C\sec[c + d*x])^2)\sec[d*x - \text{ArcTan}[\cot[c]]] \sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2}\sin[c]\sin[d*x - \text{ArcTan}[\cot[c]]])} \sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}) / (3d(A + 2C + A\cos[2c + 2d*x]) \sqrt{1 + \cot[c]^2}(a + a\sec[c + d*x])^3) + (\cos[c/2 + (d*x)/2]^6(A + C\sec[c + d*x])^2)((-4(-20C + A\cos[c] - 29C\cos[c])\csc[c/2]\sec[c/2]\sec[c]) / (5d) - (8\sec[c/2]\sec[c/2 + (d*x)/2](A\sin[(d*x)/2] - 29C\sin[(d*x)/2])) / (5d) + (4\sec[c/2]\sec[c/2 + (d*x)/2]^5(A\sin[(d*x)/2] + C\sin[(d*x)/2])) / (5d) + (8\sec[c/2]\sec[c/2 + (d*x)/2]^3(A\sin[(d*x)/2] + 11C\sin[(d*x)/2])) / (15d) + (32C\sec[c]\sec[c + d*x]\sin[d*x]) / d + (8(A + 11C)\sec[c/2 + (d*x)/2]^2\tan[c/2]) / (15d) + (4(A + C)\sec[c/2 + (d*x)/2]^4\tan[c/2]) / (5d)) / (\sqrt{\cos[c + d*x]}(A + 2C + A\cos[2c + 2d*x])(a + a\sec[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 3.061, size = 679, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(5/2)}/(a+a*\sec(d*x+c))^3,x)$

[Out] $\frac{1}{60}(-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-65*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+147*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-65*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+147*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-65*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+147*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))*\cos(1/2*d*x+1/2*c)+12*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-49*C)*\sin(1/2*d*x+1/2*c)^8-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(13*A-817*C)*\sin(1/2*d*x+1/2*c)^6+12*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-124*C)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-439*C)*\sin(1/2*d*x+1/2*c)^2)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(5/2)}/(a+a*\sec(d*x+c))^3,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + A)\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^3 \sec(dx+c)^3 + 3a^3 \cos(dx+c)^3 \sec(dx+c)^2 + 3a^3 \cos(dx+c)^3 \sec(dx+c) + a^3 \cos(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorit
hm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^3*sec(
d*x + c)^3 + 3*a^3*cos(d*x + c)^3*sec(d*x + c)^2 + 3*a^3*cos(d*x + c)^3*sec
(d*x + c) + a^3*cos(d*x + c)^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorit
hm="giac")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^3*cos(d*x + c)^(5/2)
), x)
```


$$3.1126 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=242

$$\frac{(A+11C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{2a^3d} + \frac{(9A+119C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(9A+119C)\sin(c+dx)}{30d \cos^{\frac{3}{2}}(c+dx)(a^3 \cos(c+dx) + a^3)} + \frac{(A+11C)\sin(c+dx)}{2a^3d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] ((9*A + 119*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + 11*C)*EllipticF[(c + d*x)/2, 2])/(2*a^3*d) + ((A + 11*C)*Sin[c + d*x])/(2*a^3*d*Cos[c + d*x]^(3/2)) - ((9*A + 119*C)*Sin[c + d*x])/(10*a^3*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3) - (2*C*SIN[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2) - ((9*A + 119*C)*Sin[c + d*x])/(30*d*Cos[c + d*x]^(3/2)*(a^3 + a^3*Cos[c + d*x]))

Rubi [A] time = 0.566726, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4114, 3042, 2978, 2748, 2636, 2641, 2639}

$$\frac{(A+11C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{(9A+119C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(9A+119C)\sin(c+dx)}{30d \cos^{\frac{3}{2}}(c+dx)(a^3 \cos(c+dx) + a^3)} + \frac{(A+11C)\sin(c+dx)}{2a^3d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3), x]

[Out] ((9*A + 119*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + 11*C)*EllipticF[(c + d*x)/2, 2])/(2*a^3*d) + ((A + 11*C)*Sin[c + d*x])/(2*a^3*d*Cos[c + d*x]^(3/2)) - ((9*A + 119*C)*Sin[c + d*x])/(10*a^3*d*Sqrt[Cos[c + d*x]]) - ((A + C)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3) - (2*C*SIN[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2) - ((9*A + 119*C)*Sin[c + d*x])/(30*d*Cos[c + d*x]^(3/2)*(a^3 + a^3*Cos[c + d*x]))

Rule 4114

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && !IntegerQ[n]

&& IntegerQ[m]

Rule 3042

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
Simp[(a*(A + C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) -
b*d*(2*m + n + 2)) - C*(a*c*m + b*d*(n + 1)) + (a*A*d*(m + n + 2) + C*(b*c
*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2
- d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= \int \frac{C + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^3} dx \\
 &= -\frac{(A + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(3A+13C) + \frac{1}{2}a(3A-7C) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^2} dx}{5a^2} \\
 &= -\frac{(A + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{2C \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} \\
 &= -\frac{(A + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{2C \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} \\
 &= -\frac{(A + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{2C \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} \\
 &= \frac{(A + 11C) \sin(c + dx)}{2a^3d \cos^{\frac{3}{2}}(c + dx)} - \frac{(9A + 119C) \sin(c + dx)}{10a^3d \sqrt{\cos(c + dx)}} - \frac{(A + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} \\
 &= \frac{(9A + 119C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(A + 11C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a^3d} + \frac{(A + 11C) \sin(c + dx)}{2a^3d \cos^{\frac{3}{2}}(c + dx)}
 \end{aligned}$$

Mathematica [C] time = 7.5439, size = 1505, normalized size = 6.22

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3), x]

```

[Out] (((9*I)/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec
[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*
d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1
+ E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^
((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((
2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(
Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^
(2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)
*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x)
)*Sin[c])))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) + (((11
9*I)/5)*C*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c
+ d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)
)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 +
E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2
*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)
)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos
[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*
I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*
x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*S
in[c])))/((A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (4*A*Cos
[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - Ar
cTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*Sec[d*x - Ar
cTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]
*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d
*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^3)
- (44*C*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4},
Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + C*Sec[c + d*x]^2)*S
ec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1
+ Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Co
t[c]]]])/(d*(A + 2*C + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c
+ d*x])^3) + (Cos[c/2 + (d*x)/2]^6*(A + C*Sec[c + d*x]^2)*((-4*(60*C + 9*A*
Cos[c] + 59*C*Cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/((5*d) - (4*Sec[c/2]*Sec[c/2
+ (d*x)/2]^5*(A*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/((5*d) - (16*Sec[c/2]*Sec[c
/2 + (d*x)/2]^3*(3*A*Sin[(d*x)/2] + 8*C*Sin[(d*x)/2]))/((15*d) - (8*Sec[c/2]
*Sec[c/2 + (d*x)/2]*(9*A*Sin[(d*x)/2] + 59*C*Sin[(d*x)/2]))/((5*d) + (32*C*S
ec[c]*Sec[c + d*x]^2*Sin[d*x])/((3*d) + (32*Sec[c]*Sec[c + d*x]*(C*Sin[c] -
9*C*Sin[d*x]))/((3*d) - (16*(3*A + 8*C)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/((15*d)
) - (4*(A + C)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/((5*d))))/(Sqrt[Cos[c + d*x]]*(
A + 2*C + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3)

```

Maple [B] time = 3.187, size = 876, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(dx+c)^2)/\cos(dx+c)^{(7/2)}/(a+a*\sec(dx+c))^3,x)$

[Out] $\frac{1}{60}*(12*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+55*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-119*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-30*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+55*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-119*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+24*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+55*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-119*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-6*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+55*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-119*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)-24*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(9*A+119*C)*\sin(1/2*d*x+1/2*c)^{10}+24*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(29*A+389*C)*\sin(1/2*d*x+1/2*c)^8-10*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(81*A+1111*C)*\sin(1/2*d*x+1/2*c)^6+4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(99*A+1414*C)*\sin(1/2*d*x+1/2*c)^4-3*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(23*A+343*C)*\sin(1/2*d*x+1/2*c)^2)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(3/2)}/\sin(1/2*d*x+1/2*c)/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(dx+c)^2)/\cos(dx+c)^{(7/2)}/(a+a*\sec(dx+c))^3,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^4 \sec(dx + c)^3 + 3 a^3 \cos(dx + c)^4 \sec(dx + c)^2 + 3 a^3 \cos(dx + c)^4 \sec(dx + c) + a^3 \cos(dx + c)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^4*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)^4*sec(d*x + c)^2 + 3*a^3*cos(d*x + c)^4*sec(d*x + c) + a^3*cos(d*x + c)^4), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(7/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^3*cos(d*x + c)^(7/2)), x)

$$3.1127 \quad \int \cos^{\frac{9}{2}}(c+dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=213

$$\frac{2a(16A + 21C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{8a(16A + 21C) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}} + \frac{16a(16A + 21C) \sin(c + dx)}{315d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx)}}$$

[Out] (16*a*(16*A + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(16*A + 21*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(16*A + 21*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.570434, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4087, 4015, 3805, 3804}

$$\frac{2a(16A + 21C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{8a(16A + 21C) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}} + \frac{16a(16A + 21C) \sin(c + dx)}{315d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (16*a*(16*A + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(16*A + 21*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(16*A + 21*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] :> Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
+ (a_))]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
+ (a_))], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \\
&= \frac{2A \cos^{\frac{7}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{9d} + \frac{(2\sqrt{\cos(c+dx)})^2 (A+C \sec^2(c+dx))}{9d} \\
&= \frac{2aA \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{63d \sqrt{a+a \sec(c+dx)}} + \frac{2A \cos^{\frac{7}{2}}(c+dx) \sqrt{a+a \sec(c+dx)}}{9d} \\
&= \frac{2a(16A+21C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{105d \sqrt{a+a \sec(c+dx)}} + \frac{2aA \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{63d \sqrt{a+a \sec(c+dx)}} \\
&= \frac{8a(16A+21C) \sqrt{\cos(c+dx)} \sin(c+dx)}{315d \sqrt{a+a \sec(c+dx)}} + \frac{2a(16A+21C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{105d \sqrt{a+a \sec(c+dx)}} \\
&= \frac{16a(16A+21C) \sin(c+dx)}{315d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{8a(16A+21C) \sqrt{\cos(c+dx)} \sin(c+dx)}{315d \sqrt{a+a \sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.306625, size = 109, normalized size = 0.51

$$\frac{2 \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a(\sec(c+dx)+1)} ((48A+63C) \cos^2(c+dx) + (64A+84C) \cos(c+dx) + 35A \cos^4(c+dx))}{315d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(9/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (2*Sqrt[Cos[c + d*x]]*(8*(16*A + 21*C) + (64*A + 84*C)*Cos[c + d*x] + (48*A + 63*C)*Cos[c + d*x]^2 + 40*A*Cos[c + d*x]^3 + 35*A*Cos[c + d*x]^4)*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(315*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.358, size = 119, normalized size = 0.6

$$\frac{(-2 + 2 \cos(dx + c)) (35 A (\cos(dx + c))^4 + 40 A (\cos(dx + c))^3 + 48 A (\cos(dx + c))^2 + 63 C (\cos(dx + c))^2 + 64 A)}{315 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(9/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out]
$$-2/315/d*(-1+\cos(dx+c))*(35A\cos(dx+c)^4+40A\cos(dx+c)^3+48A\cos(dx+c)^2+63C\cos(dx+c)^2+64A\cos(dx+c)+84C\cos(dx+c)+128A+168C)*(a(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*\cos(dx+c)^{1/2}/\sin(dx+c)$$

Maxima [B] time = 2.17758, size = 684, normalized size = 3.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(9/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/5040*(\sqrt{2}*(1890*\cos(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 420*\cos(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 252*\cos(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 45*\cos(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) - 1890*\cos(9/2*d*x + 9/2*c) * \sin(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 420*\cos(9/2*d*x + 9/2*c) * \sin(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 252*\cos(9/2*d*x + 9/2*c) * \sin(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 45*\cos(9/2*d*x + 9/2*c) * \sin(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 70*\sin(9/2*d*x + 9/2*c) + 45*\sin(7/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 252*\sin(5/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 420*\sin(1/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 1890*\sin(1/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * A * \sqrt{a} - 84*\sqrt{2}*(5*(6*\sin(2*d*x + 2*c) + \sin(dx + c)) * \cos(5/2*\arctan2(\sin(dx + c), \cos(dx + c))) - (30*\cos(2*d*x + 2*c) + 5*\cos(dx + c) + 6)*\sin(5/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 5*\sin(3/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 30*\sin(1/2*\arctan2(\sin(dx + c), \cos(dx + c)))) * C * \sqrt{a})/d \end{aligned}$$

Fricas [A] time = 0.51126, size = 302, normalized size = 1.42

$$2(35A\cos(dx+c)^4 + 40A\cos(dx+c)^3 + 3(16A+21C)\cos(dx+c)^2 + 4(16A+21C)\cos(dx+c) + 128A + 168C)$$

$$315(d\cos(dx+c) + d)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] 2/315*(35*A*cos(d*x + c)^4 + 40*A*cos(d*x + c)^3 + 3*(16*A + 21*C)*cos(d*x + c)^2 + 4*(16*A + 21*C)*cos(d*x + c) + 128*A + 168*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.1128 \quad \int \cos^{\frac{7}{2}}(c+dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=168

$$\frac{2a(24A + 35C) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{4a(24A + 35C) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx)}}{7d}$$

[Out] (4*a*(24*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(24*A + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.492803, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4087, 4015, 3805, 3804}

$$\frac{2a(24A + 35C) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{4a(24A + 35C) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx)}}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (4*a*(24*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(24*A + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*C

```
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx))}{\sec^2(c+dx)} dx \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{7d} + \frac{(2\sqrt{\cos(c+dx)})^2 (A+C \sec^2(c+dx))}{7d} \\
&= \frac{2aA \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{35d \sqrt{a+a \sec(c+dx)}} + \frac{2A \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \sec(c+dx)}}{7d} \\
&= \frac{2a(24A+35C) \sqrt{\cos(c+dx)} \sin(c+dx)}{105d \sqrt{a+a \sec(c+dx)}} + \frac{2aA \cos^{\frac{3}{2}}(c+dx)}{35d \sqrt{a+a \sec(c+dx)}} \\
&= \frac{4a(24A+35C) \sin(c+dx)}{105d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{2a(24A+35C) \sqrt{\cos(c+dx)}}{105d \sqrt{a+a \sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.288903, size = 90, normalized size = 0.54

$$\frac{\sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a(\sec(c+dx)+1)} ((141A+140C) \cos(c+dx) + 36A \cos(2(c+dx)) + 15A \cos(3(c+dx)) + 22A)}{210d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[Cos[c + d*x]]*(228*A + 280*C + (141*A + 140*C)*Cos[c + d*x] + 36*A*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(210*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.338, size = 97, normalized size = 0.6

$$\frac{(-2 + 2 \cos(dx+c)) (15 A (\cos(dx+c))^3 + 18 A (\cos(dx+c))^2 + 24 A \cos(dx+c) + 35 C \cos(dx+c) + 48 A + 70 C)}{105 d \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2), x)

[Out] $-2/105/d*(-1+\cos(dx+c))*(15A*\cos(dx+c)^3+18A*\cos(dx+c)^2+24A*\cos(dx+c)+35C*\cos(dx+c)+48A+70C)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*\cos(dx+c)^{1/2}/\sin(dx+c)$

Maxima [B] time = 2.11271, size = 522, normalized size = 3.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(7/2)*(A+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="maxima")`

[Out] $1/840*(3*\sqrt{2}*(105*\cos(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))\sin(7/2*d*x + 7/2*c) + 35*\cos(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))\sin(7/2*d*x + 7/2*c) + 7*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))\sin(7/2*d*x + 7/2*c) - 105*\cos(7/2*d*x + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 35*\cos(7/2*d*x + 7/2*c)*\sin(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 7*\cos(7/2*d*x + 7/2*c)*\sin(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 10*\sin(7/2*d*x + 7/2*c) + 7*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 35*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 105*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))))*A*\sqrt{a} - 140*(3*\sqrt{2}*\cos(3/2*\arctan2(\sin(dx + c), \cos(dx + c)))\sin(dx + c) - (3*\sqrt{2}*\cos(dx + c) + 2*\sqrt{2})*\sin(3/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 3*\sqrt{2}*\sin(1/2*\arctan2(\sin(dx + c), \cos(dx + c))))*C*\sqrt{a})/d$

Fricas [A] time = 0.487439, size = 252, normalized size = 1.5

$$\frac{2\left(15A\cos(dx+c)^3+18A\cos(dx+c)^2+(24A+35C)\cos(dx+c)+48A+70C\right)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{105(d\cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(7/2)*(A+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")`

[Out] $2/105*(15*A*\cos(d*x + c)^3 + 18*A*\cos(d*x + c)^2 + (24*A + 35*C)*\cos(d*x + c) + 48*A + 70*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c) + d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(7/2)*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a \cos(dx + c)}^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)`

3.1129 $\int \cos^{\frac{5}{2}}(c+dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=122

$$\frac{2a(7A + 15C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{5d} + \frac{2A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{15d}$$

[Out] (2*a*(7*A + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.422875, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$, Rules used = {4265, 4087, 4013, 3804}

$$\frac{2a(7A + 15C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{5d} + \frac{2A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a*(7*A + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||

EqQ[m + n + 1, 0])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2A \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d} + \frac{(2\sqrt{\cos(c + dx)})^3}{5d} \\ &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{15d} + \frac{2A \cos^{\frac{3}{2}}(c + dx)}{15d} \\ &= \frac{2a(7A + 15C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{2A \sqrt{\cos(c + dx)} \sqrt{a}}{15d} \end{aligned}$$

Mathematica [A] time = 0.243768, size = 68, normalized size = 0.56

$$\frac{\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} (8A \cos(c + dx) + 3A \cos(2(c + dx)) + 19A + 30C)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[Cos[c + d*x]]*(19*A + 30*C + 8*A*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(15*d)

Maple [A] time = 0.327, size = 77, normalized size = 0.6

$$\frac{(-2 + 2 \cos(dx + c)) \left(3 A (\cos(dx + c))^2 + 4 A \cos(dx + c) + 8 A + 15 C \right)}{15 d \sin(dx + c)} \sqrt{\cos(dx + c)} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

[Out] -2/15/d*(-1+cos(d*x+c))*(3*A*cos(d*x+c)^2+4*A*cos(d*x+c)+8*A+15*C)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [B] time = 2.02017, size = 312, normalized size = 2.56

$$\sqrt{2} \left(30 \cos\left(\frac{4}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \cos\left(\frac{2}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) - 30 \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right) \sin\left(\frac{4}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right)\right) - 5 \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right) \sin\left(\frac{2}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right)\right) + 6 \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \sin\left(\frac{3}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right)\right) + 30 \sin\left(\frac{1}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right)\right) \right) A \sqrt{a} + 120 \sqrt{2} C \sqrt{a} \sin\left(\frac{1}{2} \arctan\left(\sin(dx + c), \cos(dx + c)\right)\right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/60*(sqrt(2)*(30*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) + 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) - 30*cos(5/2*d*x + 5/2*c) * sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*cos(5/2*d*x + 5/2*c) * sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 6*sin(5/2*d*x + 5/2*c) + 5*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 30*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))) * A * sqrt(a) + 120 * sqrt(2) * C * sqrt(a) * sin(1/2*arctan2(sin(dx + c), cos(dx + c)))) / d

Fricas [A] time = 0.500842, size = 205, normalized size = 1.68

$$\frac{2(3A \cos(dx+c)^2 + 4A \cos(dx+c) + 8A + 15C) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{15(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 2/15*(3*A*cos(d*x + c)^2 + 4*A*cos(d*x + c) + 8*A + 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A) \sqrt{a \sec(dx+c) + a \cos(dx+c)}^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)

$$3.1130 \quad \int \cos^3(c+dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=136

$$\frac{2A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{3d} + \frac{2aA \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2\sqrt{a}C \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

[Out] (2*Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.399067, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4087, 4015, 3801, 215}

$$\frac{2A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{3d} + \frac{2aA \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2\sqrt{a}C \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (2*Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*Cos[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*

```
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+a \sec(c+dx)} (A+C \sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{2A \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{3d} + \frac{(2\sqrt{\cos(c+dx)})^2 \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{3d} \\
&= \frac{2aA \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{2A \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{3d} \\
&= \frac{2aA \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{2A \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{3d} \\
&= \frac{2\sqrt{a}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.567713, size = 92, normalized size = 0.68

$$\frac{\sqrt{\cos(c+dx)} \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(A \left(3 \sin\left(\frac{1}{2}(c+dx)\right) + \sin\left(\frac{3}{2}(c+dx)\right)\right) + 3\sqrt{2}C \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + A*(3*Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2])))/(3*d)

Maple [A] time = 0.352, size = 199, normalized size = 1.5

$$-\frac{-1 + \cos(dx+c)}{3d(\sin(dx+c))^2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(2A \cos(dx+c) \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} + 4A \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out]
$$-1/3/d*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(2*A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+4*A*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}-3*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c))))+3*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)^{1/2}/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{1/2}$$

Maxima [B] time = 2.08302, size = 479, normalized size = 3.52

$$\sqrt{2}\left(3 \cos\left(\frac{2}{3} \arctan\left(\sin\left(\frac{3}{2} dx + \frac{3}{2} c\right), \cos\left(\frac{3}{2} dx + \frac{3}{2} c\right)\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) - 3 \cos\left(\frac{3}{2} dx + \frac{3}{2} c\right) \sin\left(\frac{2}{3} \arctan\left(\sin\left(\frac{3}{2} dx + \frac{3}{2} c\right), \cos\left(\frac{3}{2} dx + \frac{3}{2} c\right)\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out]
$$\frac{1}{6} * (\sqrt{2} * (3 * \cos(2/3 * \arctan2(\sin(3/2 * d * x + 3/2 * c), \cos(3/2 * d * x + 3/2 * c))) * \sin(3/2 * d * x + 3/2 * c) - 3 * \cos(3/2 * d * x + 3/2 * c) * \sin(2/3 * \arctan2(\sin(3/2 * d * x + 3/2 * c), \cos(3/2 * d * x + 3/2 * c)))) + 2 * \sin(3/2 * d * x + 3/2 * c) + 3 * \sin(1/3 * \arctan2(\sin(3/2 * d * x + 3/2 * c), \cos(3/2 * d * x + 3/2 * c)))) * A * \sqrt{a} + 3 * C * \sqrt{a} * (\log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) - \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) + \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) - \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2))) / d$$

Fricas [A] time = 0.567729, size = 867, normalized size = 6.38

$$\frac{4(A \cos(dx+c) + 2A) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + 3(C \cos(dx+c) + C) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 4 \sqrt{a} \sqrt{\frac{a \cos(dx+c)}{\cos(dx+c)}}}{6(d \cos(dx+c) + d)}\right)}{6(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/6*(4*(A*cos(d*x + c) + 2*A)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*(C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c) + d), 1/3*(2*(A*cos(d*x + c) + 2*A)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*(C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)
```

3.1131 $\int \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=135

$$\frac{a(2A - C) \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{C \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{d \sqrt{\cos(c + dx)}} + \frac{\sqrt{a} C \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{d}$$

[Out] (Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a*(2*A - C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.409491, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4089, 4015, 3801, 215}

$$\frac{a(2A - C) \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{C \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{d \sqrt{\cos(c + dx)}} + \frac{\sqrt{a} C \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2),x]

[Out] (Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a*(2*A - C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si

```
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))}{\sqrt{\sec(c+dx)}}dx \\
&= \frac{C\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{d\sqrt{\cos(c+dx)}} \int \frac{\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))}{\sqrt{\sec(c+dx)}}dx \\
&= \frac{a(2A-C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{C\sqrt{a+a\sec(c+dx)}}{d\sqrt{\cos(c+dx)}} \int \frac{\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))}{\sqrt{\sec(c+dx)}}dx \\
&= \frac{a(2A-C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{C\sqrt{a+a\sec(c+dx)}}{d\sqrt{\cos(c+dx)}} \int \frac{\sqrt{a+a\sec(c+dx)}(A+C\sec^2(c+dx))}{\sqrt{\sec(c+dx)}}dx \\
&= \frac{\sqrt{a}C \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d} + \dots
\end{aligned}$$

Mathematica [A] time = 0.631644, size = 90, normalized size = 0.67

$$\frac{\sqrt{\cos(c+dx)}\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(2\sin\left(\frac{1}{2}(c+dx)\right)(2A+C\sec(c+dx))+\sqrt{2}C\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*(2*A + C*Sec[c + d*x])*Sin[(c + d*x)/2]))/(2*d)

Maple [A] time = 0.358, size = 210, normalized size = 1.6

$$-\frac{-1 + \cos(dx+c)}{2d(\sin(dx+c))^2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(4A \cos(dx+c) \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} + C\sqrt{2} \arctan\left(\frac{\sqrt{2}(\cos(dx+c)+1)}{\sin(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)*\cos(d*x+c)^{(1/2)}*(a+a*\sec(d*x+c))^{(1/2)},x)$

[Out] $-1/2/d*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))*(4*A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)-C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))*\cos(d*x+c)+2*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{(1/2)}/\cos(d*x+c)^{(1/2)}$

Maxima [B] time = 2.22962, size = 987, normalized size = 7.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)*\cos(d*x+c)^{(1/2)}*(a+a*\sec(d*x+c))^{(1/2)},x, \text{algorithm}="maxima")$

[Out] $1/4*(8*\sqrt{2}*A*\sqrt{a}*\sin(1/2*d*x + 1/2*c) - (4*\sqrt{2}*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\cos(3/2*d*x + 3/2*c)*\sin(2*d*x + 2*c) - 4*\sqrt{2}*\cos(2*d*x + 2*c)*\sin(3/2*d*x + 3/2*c) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*d*x + 5/2*c) + 4*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2})*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*\sqrt{2}*\sin(3/2*d*x + 3/2*c))*C*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1))/d$

Fricas [A] time = 0.57613, size = 942, normalized size = 6.98

$$\frac{4(2A \cos(dx+c) + C) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + (C \cos(dx+c)^2 + C \cos(dx+c)) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 4 \sqrt{a} \sqrt{\cos(dx+c)} \sin(dx+c) - 7a \cos(dx+c)^2 + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{4(d \cos(dx+c)^2 + d \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/4*(4*(2*A*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (C*cos(d*x + c)^2 + C*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/2*(2*(2*A*cos(d*x + c) + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (C*cos(d*x + c)^2 + C*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + A) \sqrt{a \sec(dx+c) + a} \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

$$3.1132 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=144

$$\frac{\sqrt{a}(8A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{C\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{2d\cos^{\frac{3}{2}}(c+dx)} + \frac{aC\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)\sqrt{a}}$$

[Out] (Sqrt[a]*(8*A + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a*C*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.406422, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4089, 4016, 3801, 215}

$$\frac{\sqrt{a}(8A+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{C\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{2d\cos^{\frac{3}{2}}(c+dx)} + \frac{aC\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (Sqrt[a]*(8*A + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a*C*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]


```

+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx \\
&= \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} dx}{2d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{aC \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{aC \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{\sqrt{a}(8A + 3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d} + \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.571066, size = 105, normalized size = 0.73

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(8A + 3C) \cos^2(c + dx) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + C \left(\sin\left(\frac{1}{2}(c + dx)\right) + 3 \sin\left(\frac{3}{2}(c + dx)\right)\right)}{8d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(8*A + 3*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + C*(Sin[(c + d*x)/2] + 3*Sin[(3*(c + d*x))/2])))/(8*d*Cos[c + d*x]^(3/2))

Maple [B] time = 0.349, size = 313, normalized size = 2.2

$$-\frac{-1 + \cos(dx + c)}{8d(\sin(dx + c))^2} \left(8A\sqrt{2} \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 + \sin(dx + c))}\right) (\cos(dx + c))^2 - 8C \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+C*\sec(d*x+c)^2)*(a+a*\sec(d*x+c))^{1/2}/\cos(d*x+c)^{1/2}, x)$

[Out]
$$\begin{aligned} & -1/8/d*(-1+\cos(d*x+c))*(8*A*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2} \\ & (\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)^2-8*A*2^{1/2}*\arctan(1/4*2^{1/2} \\ &)*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*\cos(d*x+c)^2+3*C*2^{1/2} \\ &)*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)) \\ &)*\cos(d*x+c)^2-3*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos \\ & (d*x+c)+1-\sin(d*x+c)))*\cos(d*x+c)^2+6*C*(-2/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c) \\ &)*\sin(d*x+c)+4*C*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c))*(a*(\cos(d*x+c)+1)/\cos \\ & (d*x+c))^{1/2}/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{1/2}/\cos(d*x+c)^{3/2} \end{aligned}$$

Maxima [B] time = 2.31847, size = 2034, normalized size = 14.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)*(a+a*\sec(d*x+c))^{1/2}/\cos(d*x+c)^{1/2}, x, \text{algorithm}=\text{"maxima"})$

[Out]
$$\begin{aligned} & 1/16*(8*A*\sqrt{a}*(\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\ & + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d \\ & *x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2 \\ & *c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\ & (2)*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x \\ & + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2* \\ & c) + 2)) - (12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(\\ & 7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2* \\ & \sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4* \\ & (\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin \\ & (d*x + c), \cos(d*x + c))) - 12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2* \\ & d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 3*(2*(2*\cos(2*d* \\ & x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 \\ & + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + \\ & 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d* \\ & x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos \\ & (1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin \\ & (d*x + c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + \\ & 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin \\ & (4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) \\ &) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arct \end{aligned}$$

```

tan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c),
cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))
+ 2) - 3*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2
+ 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x
+ 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2
n2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x
+ c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt
(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + 3*(2*(2*cos(2*d*x +
2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + s
in(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c
)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x +
c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(
1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x
+ c), cos(d*x + c))) + 2) - 12*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(
2*d*x + 2*c) + sqrt(2))*sin(7/2*arctan2(sin(d*x + c), cos(d*x + c))) - 4*(s
qrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(5/2*arc
tan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)
*cos(2*d*x + 2*c) + sqrt(2))*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) +
12*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(1
/2*arctan2(sin(d*x + c), cos(d*x + c))))*C*sqrt(a)/(2*(2*cos(2*d*x + 2*c) +
1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*
x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4
*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 0.688608, size = 1014, normalized size = 7.04

$$\frac{4(3C \cos(dx + c) + 2C) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + ((8A + 3C) \cos(dx+c)^3 + (8A + 3C) \cos(dx+c))}{16(d \cos(dx+c)^3 + d \cos(dx+c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x, alg
orithm="fricas")

```

```

[Out] [1/16*(4*(3*C*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*s
qrt(cos(d*x + c))*sin(d*x + c) + ((8*A + 3*C)*cos(d*x + c)^3 + (8*A + 3*C)*
cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) -

```

```
7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2))/(d*cos(d*x +
c)^3 + d*cos(d*x + c)^2), 1/8*(2*(3*C*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A + 3*C)*cos(
d*x + c)^3 + (8*A + 3*C)*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a
*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x
+ c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sec(c+dx)+1)}(A+C\sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + C*sec(c + d*x)**2)/sqrt(cos(c + d*
x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C\sec(dx+c)^2 + A)\sqrt{a\sec(dx+c) + a}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)/sqrt(cos(d*x + c)
), x)
```

$$3.1133 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=189

$$\frac{a(8A+5C)\sin(c+dx)}{8d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(8A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{C \sin(c+dx)\sqrt{a}}{3d \cos^{\frac{5}{2}}(c+dx)}$$

[Out] (Sqrt[a]*(8*A + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a*C*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*A + 5*C)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 0.484695, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4089, 4016, 3803, 3801, 215}

$$\frac{a(8A+5C)\sin(c+dx)}{8d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(8A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{C \sin(c+dx)\sqrt{a}}{3d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (Sqrt[a]*(8*A + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a*C*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*A + 5*C)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3803

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b]]/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx \\
&= \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} dx}{3d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{aC \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{aC \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(8A + 5C) \sin(c + dx)}{8d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{aC \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(8A + 5C) \sin(c + dx)}{8d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{\sqrt{a}(8A + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d} + \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.98151, size = 125, normalized size = 0.66

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (3(8A + 5C) \cos(2(c + dx)) + 24A + 20C \cos(c + dx) + 31C) + 3\sqrt{2}\right)}{48d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(8*A + 5*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (24*A + 31*C + 20*C*Cos[c + d*x]) + 3*(8*A + 5*C)*Cos[2*(c + d*x)]*Sin[(c + d*x)/2]))/(48*d*Cos[c + d*x]^(5/2))

$$\begin{aligned}
& ((d*x + c))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2* \\
& \sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + (\cos(2*d*x + 2* \\
& c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(s \\
& \sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c \\
&)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}* \\
& \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 4*(\sqrt{2}*\cos(2*d*x + \\
& 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\cos \\
& (2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*A* \\
& \sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\
& + (60*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2})*\sin(4*d*x + 4*c) + 3*\sqrt{2})*\sin \\
& (2*d*x + 2*c))*\cos(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 20*(\sqrt{2} \\
& *\sin(6*d*x + 6*c) + 3*\sqrt{2})*\sin(4*d*x + 4*c) + 3*\sqrt{2})*\sin(2*d*x + 2*c) \\
&)*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 168*(\sqrt{2})*\sin(6*d*x + 6 \\
& *c) + 3*\sqrt{2})*\sin(4*d*x + 4*c) + 3*\sqrt{2})*\sin(2*d*x + 2*c))*\cos(7/2*\arct \\
& an2(\sin(d*x + c), \cos(d*x + c))) - 168*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2} \\
&)*\sin(4*d*x + 4*c) + 3*\sqrt{2})*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + \\
& c), \cos(d*x + c))) - 20*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2})*\sin(4*d*x + 4 \\
& *c) + 3*\sqrt{2})*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c \\
&))) - 60*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2})*\sin(4*d*x + 4*c) + 3*\sqrt{2} \\
& *\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 15*(2*(3* \\
& \cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6 \\
& *c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 \\
& + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x \\
& + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin \\
& (2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1 \\
& /2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \\
& \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) \\
& + 2*\sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 15*(2*(3*\cos \\
& (4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c) \\
&)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + \\
& 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + \\
& 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(\\
& 2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2* \\
& *arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), c \\
& os(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - \\
& 2*\sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 15*(2*(3*\cos(\\
& 4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^ \\
& 2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9* \\
& \cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6* \\
& c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2* \\
& d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*a \\
& rctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos \\
& (d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2* \\
& \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 15*(2*(3*\cos(4* \\
& d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2
\end{aligned}$$

+ 6*(3*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + 9*cos(4*d*x + 4*c)^2 + 9*cos(2*d*x + 2*c)^2 + 6*(sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c) + sin(6*d*x + 6*c)^2 + 9*sin(4*d*x + 4*c)^2 + 18*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 9*sin(2*d*x + 2*c)^2 + 6*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 60*(sqrt(2)*cos(6*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(11/2*arctan2(sin(d*x + c), cos(d*x + c))) - 20*(sqrt(2)*cos(6*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(9/2*arctan2(sin(d*x + c), cos(d*x + c))) - 168*(sqrt(2)*cos(6*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(7/2*arctan2(sin(d*x + c), cos(d*x + c))) + 168*(sqrt(2)*cos(6*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(5/2*arctan2(sin(d*x + c), cos(d*x + c))) + 20*(sqrt(2)*cos(6*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) + 60*(sqrt(2)*cos(6*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))*C*sqrt(a)/(2*(3*cos(4*d*x + 4*c) + 3*cos(2*d*x + 2*c) + 1)*cos(6*d*x + 6*c) + cos(6*d*x + 6*c)^2 + 6*(3*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + 9*cos(4*d*x + 4*c)^2 + 9*cos(2*d*x + 2*c)^2 + 6*(sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c) + sin(6*d*x + 6*c)^2 + 9*sin(4*d*x + 4*c)^2 + 18*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 9*sin(2*d*x + 2*c)^2 + 6*cos(2*d*x + 2*c) + 1))/d

Fricas [A] time = 0.699942, size = 1107, normalized size = 5.86

$$\frac{4 \left(3(8A + 5C) \cos(dx + c)^2 + 10C \cos(dx + c) + 8C \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + 3 \left((8A + 5C) \cos(dx + c)^4 + 96(d \cos(dx + c))^4 + \dots \right)}{96(d \cos(dx + c))^4 + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] [1/96*(4*(3*(8*A + 5*C)*cos(d*x + c)^2 + 10*C*cos(d*x + c) + 8*C))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((8*A + 5*C)*cos(d*x + c)^4 + (8*A + 5*C)*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c) + a)/cos(d*x + c)))]

```

c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)
*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^
3 + cos(d*x + c)^2))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/48*(2*(3*(8*
A + 5*C)*cos(d*x + c)^2 + 10*C*cos(d*x + c) + 8*C)*sqrt((a*cos(d*x + c) + a
)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((8*A + 5*C)*cos(d*x +
c)^4 + (8*A + 5*C)*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d
*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^
2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/cos(d*x+c)**(3/2), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2), x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)/cos(d*x + c)^(3/2
), x)
```

$$3.1134 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=234

$$\frac{a(48A+35C)\sin(c+dx)}{64d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a(48A+35C)\sin(c+dx)}{96d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(48A+35C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{64d}$$

[Out] (Sqrt[a]*(48*A + 35*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a*C*Sin[c + d*x])/(24*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 35*C)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 35*C)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 0.572557, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4089, 4016, 3803, 3801, 215}

$$\frac{a(48A+35C)\sin(c+dx)}{64d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a(48A+35C)\sin(c+dx)}{96d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(48A+35C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{64d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (Sqrt[a]*(48*A + 35*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a*C*Sin[c + d*x])/(24*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 35*C)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 35*C)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b))/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + C \sec^2(c + dx)) dx \\
&= \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} dx}{4d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{aC \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{aC \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(48A + 35C) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{aC \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(48A + 35C) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{aC \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(48A + 35C) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{aC \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(48A + 35C) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{\sqrt{a}(48A + 35C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d} + \dots
\end{aligned}$$

Mathematica [A] time = 1.63234, size = 152, normalized size = 0.65

$$\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) ((432A + 539C) \cos(c + dx) + 4(48A + 35C) \cos(2(c + dx))) + 144\right)$$

768d cos

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(48*A + 35*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (192*A + 332*C + (432*A + 539*C)*Cos[c + d*x] + 4*(48*A + 35*C)*Cos[2*(c + d*x)] + 144*A*Cos[3*(c + d*x)] + 105*C*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(768*d*Cos[c + d*x]^(7/2))

Maple [B] time = 0.352, size = 437, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)*(a+a*\sec(d*x+c))^{1/2}/\cos(d*x+c)^{5/2},x)$

[Out]
$$\begin{aligned} & -1/384/d*(-1+\cos(d*x+c))*(144*A*\cos(d*x+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c))))-144*A*\cos(d*x+c)^4*2^{1/2} \\ & *\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c))))+1 \\ & 05*C*\cos(d*x+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+ \\ & 1+\sin(d*x+c))))*2^{1/2}-105*C*\cos(d*x+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c) \\ & +1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c))))*2^{1/2}+288*A*\sin(d*x+c)*\cos(d*x+c)^ \\ & 3*(-2/(\cos(d*x+c)+1))^{1/2}+210*C*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{1/2}* \sin \\ & (d*x+c)+192*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+140*C*\cos \\ & (d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+112*C*(-2/(\cos(d*x+c)+1))^{1/2} \\ & *\cos(d*x+c)*\sin(d*x+c)+96*C*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c))*(a*(\cos \\ & (d*x+c)+1)/\cos(d*x+c))^{1/2}/(-2/(\cos(d*x+c)+1))^{1/2}/\sin(d*x+c)^2/\cos(d*x \\ & +c)^{7/2} \end{aligned}$$

Maxima [B] time = 3.50367, size = 5963, normalized size = 25.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)*(a+a*\sec(d*x+c))^{1/2}/\cos(d*x+c)^{5/2},x, \text{algorithm}=\text{"maxima"})$

[Out]
$$\begin{aligned} & -1/768*(48*(12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(\\ & 7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2* \\ & \sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 4* \\ & (\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin \\ & (d*x + c), \cos(d*x + c))) - 12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2* \\ & d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 3*(2*(2*\cos(2*d* \\ & x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 \\ & + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + \\ & 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d* \\ & x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos \\ & (1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin \\ & (d*x + c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + \end{aligned}$$

$$\begin{aligned}
& 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) \\
& + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) \\
& - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) \\
& + 2) - 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x \\
& + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x \\
& + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2} \\
& (2)*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c) \\
&)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 12*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 12*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) * A*\sqrt{a} / (2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1) + (420*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(15/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 140*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(13/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1596*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 500*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 500*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 1596*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 140*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 420*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x
\end{aligned}$$

$$\begin{aligned}
& + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + \\
& 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c)) \\
& *\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) \\
& + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + \\
& 2) + 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 420*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(15/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 140*(\sqrt{2}*\cos(8*d*x + 8*c) +
\end{aligned}$$

```

4*sqrt(2)*cos(6*d*x + 6*c) + 6*sqrt(2)*cos(4*d*x + 4*c) + 4*sqrt(2)*cos(2*d
*x + 2*c) + sqrt(2))*sin(13/2*arctan2(sin(d*x + c), cos(d*x + c))) - 1596*(
sqrt(2)*cos(8*d*x + 8*c) + 4*sqrt(2)*cos(6*d*x + 6*c) + 6*sqrt(2)*cos(4*d*x
+ 4*c) + 4*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(11/2*arctan2(sin(d*x +
c), cos(d*x + c))) - 500*(sqrt(2)*cos(8*d*x + 8*c) + 4*sqrt(2)*cos(6*d*x +
6*c) + 6*sqrt(2)*cos(4*d*x + 4*c) + 4*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*s
in(9/2*arctan2(sin(d*x + c), cos(d*x + c))) + 500*(sqrt(2)*cos(8*d*x + 8*c)
+ 4*sqrt(2)*cos(6*d*x + 6*c) + 6*sqrt(2)*cos(4*d*x + 4*c) + 4*sqrt(2)*cos(
2*d*x + 2*c) + sqrt(2))*sin(7/2*arctan2(sin(d*x + c), cos(d*x + c))) + 1596
*(sqrt(2)*cos(8*d*x + 8*c) + 4*sqrt(2)*cos(6*d*x + 6*c) + 6*sqrt(2)*cos(4*d
*x + 4*c) + 4*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(5/2*arctan2(sin(d*x +
c), cos(d*x + c))) + 140*(sqrt(2)*cos(8*d*x + 8*c) + 4*sqrt(2)*cos(6*d*x +
6*c) + 6*sqrt(2)*cos(4*d*x + 4*c) + 4*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*
sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) + 420*(sqrt(2)*cos(8*d*x + 8*c
) + 4*sqrt(2)*cos(6*d*x + 6*c) + 6*sqrt(2)*cos(4*d*x + 4*c) + 4*sqrt(2)*cos
(2*d*x + 2*c) + sqrt(2))*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*C*sq
rt(a)/(2*(4*cos(6*d*x + 6*c) + 6*cos(4*d*x + 4*c) + 4*cos(2*d*x + 2*c) + 1)
*cos(8*d*x + 8*c) + cos(8*d*x + 8*c)^2 + 8*(6*cos(4*d*x + 4*c) + 4*cos(2*d*
x + 2*c) + 1)*cos(6*d*x + 6*c) + 16*cos(6*d*x + 6*c)^2 + 12*(4*cos(2*d*x +
2*c) + 1)*cos(4*d*x + 4*c) + 36*cos(4*d*x + 4*c)^2 + 16*cos(2*d*x + 2*c)^2
+ 4*(2*sin(6*d*x + 6*c) + 3*sin(4*d*x + 4*c) + 2*sin(2*d*x + 2*c))*sin(8*d*
x + 8*c) + sin(8*d*x + 8*c)^2 + 16*(3*sin(4*d*x + 4*c) + 2*sin(2*d*x + 2*c)
)*sin(6*d*x + 6*c) + 16*sin(6*d*x + 6*c)^2 + 36*sin(4*d*x + 4*c)^2 + 48*sin
(4*d*x + 4*c)*sin(2*d*x + 2*c) + 16*sin(2*d*x + 2*c)^2 + 8*cos(2*d*x + 2*c)
+ 1))/d

```

Fricas [A] time = 0.837242, size = 1218, normalized size = 5.21

$$\left[\frac{4 \left(3(48A + 35C) \cos(dx + c)^3 + 2(48A + 35C) \cos(dx + c)^2 + 56C \cos(dx + c) + 48C \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)}}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(5/2),x, alg
orithm="fricas")

```

```

[Out] [1/768*(4*(3*(48*A + 35*C)*cos(d*x + c)^3 + 2*(48*A + 35*C)*cos(d*x + c)^2
+ 56*C*cos(d*x + c) + 48*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(co

```

```
s(d*x + c))*sin(d*x + c) + 3*((48*A + 35*C)*cos(d*x + c)^5 + (48*A + 35*C)*
cos(d*x + c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) -
7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x +
c)^5 + d*cos(d*x + c)^4), 1/384*(2*(3*(48*A + 35*C)*cos(d*x + c)^3 + 2*(48
*A + 35*C)*cos(d*x + c)^2 + 56*C*cos(d*x + c) + 48*C)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((48*A + 35*C)*cos(d
*x + c)^5 + (48*A + 35*C)*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((
a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*
x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{a \sec(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(5/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(a*sec(d*x + c) + a)/cos(d*x + c)^(5/2
), x)
```

3.1135 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=266

$$\frac{2a^2(28A + 33C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{231d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(112A + 143C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{385d\sqrt{a \sec(c + dx) + a}} + \frac{8a^2(112A + 143C) \sin(c + dx)}{1155d\sqrt{a \sec(c + dx) + a}}$$

```
[Out] (16*a^2*(112*A + 143*C)*Sin[c + d*x])/(1155*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a
*Sec[c + d*x]]) + (8*a^2*(112*A + 143*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(
1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(112*A + 143*C)*Cos[c + d*x]^(3/2)
)*Sin[c + d*x]/(385*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(28*A + 33*C)*Cos
[c + d*x]^(5/2)*Sin[c + d*x])/(231*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos
[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(33*d) + (2*A*Cos[c
+ d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)
```

Rubi [A] time = 0.806646, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4017, 4015, 3805, 3804}

$$\frac{2a^2(28A + 33C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{231d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(112A + 143C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{385d\sqrt{a \sec(c + dx) + a}} + \frac{8a^2(112A + 143C) \sin(c + dx)}{1155d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x
]
```

```
[Out] (16*a^2*(112*A + 143*C)*Sin[c + d*x])/(1155*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a
*Sec[c + d*x]]) + (8*a^2*(112*A + 143*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(
1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(112*A + 143*C)*Cos[c + d*x]^(3/2)
)*Sin[c + d*x]/(385*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(28*A + 33*C)*Cos
[c + d*x]^(5/2)*Sin[c + d*x])/(231*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos
[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(33*d) + (2*A*Cos[c
+ d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a
+ b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}}{\sec^{\frac{11}{2}}(c+dx)} dx \\
&= \frac{2A\cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{11d} + \frac{2aA\cos^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{33d} + \frac{2a^2(28A+33C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{231d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(112A+143C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{385d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(112A+143C)\sqrt{\cos(c+dx)}\sin(c+dx)}{1155d\sqrt{a+a\sec(c+dx)}} + \frac{16a^2(112A+143C)\sin(c+dx)}{1155d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{8a^2(112A+143C)}{1155d}
\end{aligned}$$

Mathematica [A] time = 1.99648, size = 125, normalized size = 0.47

$$\frac{a\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}(2(5789A+5566C)\cos(c+dx)+8(581A+429C)\cos(2(c+dx))+9240a)}{9240d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*Sqrt[Cos[c + d*x]]*(18494*A + 21736*C + 2*(5789*A + 5566*C)*Cos[c + d*x] + 8*(581*A + 429*C)*Cos[2*(c + d*x)] + 1645*A*Cos[3*(c + d*x)] + 660*C*Cos[3*(c + d*x)] + 490*A*Cos[4*(c + d*x)] + 105*A*Cos[5*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(9240*d)

Maple [A] time = 0.351, size = 142, normalized size = 0.5

$$\frac{2a(-1 + \cos(dx + c))(105A(\cos(dx + c))^5 + 245A(\cos(dx + c))^4 + 280A(\cos(dx + c))^3 + 165C(\cos(dx + c))^3 + 3)}{1155d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x)`

[Out] `-2/1155/d*a*(-1+cos(d*x+c))*(105*A*cos(d*x+c)^5+245*A*cos(d*x+c)^4+280*A*cos(d*x+c)^3+165*C*cos(d*x+c)^3+336*A*cos(d*x+c)^2+429*C*cos(d*x+c)^2+448*A*cos(d*x+c)+572*C*cos(d*x+c)+896*A+1144*C)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)`

Maxima [B] time = 2.24813, size = 880, normalized size = 3.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/36960*(7*sqrt(2)*(3630*a*cos(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 990*a*cos(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 429*a*cos(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 165*a*cos(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 55*a*cos(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) - 3630*a*cos(11/2*d*x + 11/2*c)*sin(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 990*a*cos(11/2*d*x + 11/2*c)*sin(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 429*a*cos(11/2*d*x + 11/2*c)*sin(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 165*a*cos(11/2*d*x + 11/2*c)*sin(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 55*a*cos(11/2*d*x + 11/2*c)*sin(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 30*a*sin(11/2*d*x + 11/2*c) + 55*a*sin(9/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 165*a*sin(7/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 429*a*sin(5/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 990*a*sin(3/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 3630*a*sin(1/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))`

$d*x + 11/2*c$, $\cos(11/2*d*x + 11/2*c)$)))*A*sqrt(a) - 44*sqrt(2)*(175*a*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x + 2*c) - 5*(35*a*cos(2*d*x + 2*c) + 6*a)*sin(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 126*a*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 175*a*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 1470*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*C*sqrt(a))/d

Fricas [A] time = 0.499507, size = 378, normalized size = 1.42

$$\frac{2(105 A a \cos(dx + c)^5 + 245 A a \cos(dx + c)^4 + 5(56 A + 33 C)a \cos(dx + c)^3 + 3(112 A + 143 C)a \cos(dx + c)^2 + 4(112 A + 143 C)a \cos(dx + c) + 8(112 A + 143 C)a \sqrt{(a \cos(dx + c) + a)/\cos(dx + c)}) \sqrt{\cos(dx + c)} \sin(dx + c)/(d \cos(dx + c) + d)}{1155(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 2/1155*(105*A*a*cos(d*x + c)^5 + 245*A*a*cos(d*x + c)^4 + 5*(56*A + 33*C)*a*cos(d*x + c)^3 + 3*(112*A + 143*C)*a*cos(d*x + c)^2 + 4*(112*A + 143*C)*a*cos(d*x + c) + 8*(112*A + 143*C)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(11/2)*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(11/2), x)
```

$$3.1136 \quad \int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=219

$$\frac{2a^2(52A + 63C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{315d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 189C) \sin(c + dx)\sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(136A + 189C) \sin(c + dx)\sqrt{\cos(c + dx)}}{315d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}$$

[Out] (4*a^2*(136*A + 189*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 189*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(52*A + 63*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.722911, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4017, 4015, 3805, 3804}

$$\frac{2a^2(52A + 63C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{315d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 189C) \sin(c + dx)\sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(136A + 189C) \sin(c + dx)\sqrt{\cos(c + dx)}}{315d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (4*a^2*(136*A + 189*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 189*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(52*A + 63*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}}{\sec^{\frac{9}{2}}(c+dx)} dx \\
&= \frac{2A\cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{9d} + \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{21d} + \frac{2a^2(52A+63C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(52A+63C)\sqrt{\cos(c+dx)}\sin(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(136A+189C)\sqrt{\cos(c+dx)}\sin(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(52A+63C)\sqrt{\cos(c+dx)}\sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(136A+189C)\sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(136A+189C)\sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(136A+189C)\sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.30907, size = 103, normalized size = 0.47

$$\frac{a\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}(2(799A+756C)\cos(c+dx)+4(137A+63C)\cos(2(c+dx))+170A\cos(3(c+dx))+35A\cos(4(c+dx)))}{1260d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*Sqrt[Cos[c + d*x]]*(2689*A + 3276*C + 2*(799*A + 756*C)*Cos[c + d*x] + 4*(137*A + 63*C)*Cos[2*(c + d*x)] + 170*A*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d)

Maple [A] time = 0.332, size = 120, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx+c))(35A(\cos(dx+c))^4 + 85A(\cos(dx+c))^3 + 102A(\cos(dx+c))^2 + 63C(\cos(dx+c))^2 + 137A\cos(dx+c) + 35A)}{315d\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x)
```

```
[Out] -2/315/d*a*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+85*A*cos(d*x+c)^3+102*A*cos(d
*x+c)^2+63*C*cos(d*x+c)^2+136*A*cos(d*x+c)+189*C*cos(d*x+c)+272*A+378*C)*co
s(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)
```

Maxima [B] time = 2.19762, size = 734, normalized size = 3.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, alg
orithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(3780*a*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x +
9/2*c)))*sin(9/2*d*x + 9/2*c) + 1050*a*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c
), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c) + 378*a*cos(4/9*arctan2(sin(
9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c) + 135*a*cos(2
/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c
) - 3780*a*cos(9/2*d*x + 9/2*c)*sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9
/2*d*x + 9/2*c))) - 1050*a*cos(9/2*d*x + 9/2*c)*sin(2/3*arctan2(sin(9/2*d*x
+ 9/2*c), cos(9/2*d*x + 9/2*c))) - 378*a*cos(9/2*d*x + 9/2*c)*sin(4/9*arct
an2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 135*a*cos(9/2*d*x + 9/2*
c)*sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*a*sin(
9/2*d*x + 9/2*c) + 135*a*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x
+ 9/2*c))) + 378*a*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*
c))) + 1050*a*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))
+ 3780*a*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))))*A*sq
rt(a) - 504*(10*sqrt(2)*a*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
)))*sin(2*d*x + 2*c) - 5*sqrt(2)*a*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c))) - 10*sqrt(2)*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2
*c))) - (10*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(5/4*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c))))*C*sqrt(a))/d
```

Fricas [A] time = 0.499324, size = 321, normalized size = 1.47

$$\frac{2(35 A a \cos(dx + c)^4 + 85 A a \cos(dx + c)^3 + 3(34 A + 21 C)a \cos(dx + c)^2 + (136 A + 189 C)a \cos(dx + c) + 2(136 A + 189 C)a)}{315(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 2/315*(35*A*a*cos(d*x + c)^4 + 85*A*a*cos(d*x + c)^3 + 3*(34*A + 21*C)*a*cos(d*x + c)^2 + (136*A + 189*C)*a*cos(d*x + c) + 2*(136*A + 189*C)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] Timed out

$$3.1137 \quad \int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=169

$$\frac{8a^2(19A + 35C) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a(19A + 35C) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2A \sin(c + dx) \cos(c + dx)}{105d}$$

```
[Out] (8*a^2*(19*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(19*A + 35*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (6*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d)
```

Rubi [A] time = 0.544518, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4087, 4013, 3809, 3804}

$$\frac{8a^2(19A + 35C) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a(19A + 35C) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2A \sin(c + dx) \cos(c + dx)}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (8*a^2*(19*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(19*A + 35*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (6*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d)
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*C
```



```
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3809

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m, x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*
(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e
+ f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m
, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2
*m]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{7d} + \frac{(2A+C) \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{35d} \\
&= \frac{6A\cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{35d} + \frac{2A\cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{7d} \\
&= \frac{2a(19A+35C)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{105d} \\
&= \frac{8a^2(19A+35C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a(19A+35C)}{105d}
\end{aligned}$$

Mathematica [A] time = 0.887585, size = 85, normalized size = 0.5

$$\frac{a\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}((253A+140C)\cos(c+dx)+78A\cos(2(c+dx))+15A\cos(3(c+dx)))}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*Sqrt[Cos[c + d*x]]*(494*A + 700*C + (253*A + 140*C)*Cos[c + d*x] + 78*A*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(210*d)

Maple [A] time = 0.293, size = 98, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx+c))(15A(\cos(dx+c))^3 + 39A(\cos(dx+c))^2 + 52A\cos(dx+c) + 35C\cos(dx+c) + 104A + 17C)}{105d\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x)

[Out]
$$-2/105/d*a*(-1+\cos(d*x+c))*(15*A*\cos(d*x+c)^3+39*A*\cos(d*x+c)^2+52*A*\cos(d*x+c)+35*C*\cos(d*x+c)+104*A+175*C)*\cos(d*x+c)^{(1/2)}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)$$

Maxima [B] time = 2.12708, size = 497, normalized size = 2.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/840*(\sqrt{2}*(735*a*\cos(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))), \\ & \sin(7/2*d*x + 7/2*c) + 175*a*\cos(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \\ & \cos(7/2*d*x + 7/2*c))), \sin(7/2*d*x + 7/2*c) + 63*a*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \\ & \cos(7/2*d*x + 7/2*c))), \sin(7/2*d*x + 7/2*c) - 735*a*\cos(7/2*d*x + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \\ & \cos(7/2*d*x + 7/2*c))) - 175*a*\cos(7/2*d*x + 7/2*c)*\sin(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \\ & \cos(7/2*d*x + 7/2*c))) - 63*a*\cos(7/2*d*x + 7/2*c)*\sin(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \\ & \cos(7/2*d*x + 7/2*c))) + 30*a*\sin(7/2*d*x + 7/2*c) + 63*a*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \\ & \cos(7/2*d*x + 7/2*c))) + 175*a*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \\ & \cos(7/2*d*x + 7/2*c))) + 735*a*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \\ & \cos(7/2*d*x + 7/2*c))))*A*\sqrt{a} + 280*(\sqrt{2})*a*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \\ & \cos(2*d*x + 2*c))) + 9*\sqrt{2})*a*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \\ & \cos(2*d*x + 2*c))))*C*\sqrt{a})/d \end{aligned}$$

Fricas [A] time = 0.491414, size = 269, normalized size = 1.59

$$\frac{2 \left(15 A a \cos(dx + c)^3 + 39 A a \cos(dx + c)^2 + (52 A + 35 C) a \cos(dx + c) + (104 A + 175 C) a \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)}}{105 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out]
$$2/105*(15*A*a*\cos(d*x + c)^3 + 39*A*a*\cos(d*x + c)^2 + (52*A + 35*C)*a*\cos(d*x + c) + (104*A + 175*C)*a)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(dx + c)}$$

$\cos(dx + c) \sin(dx + c) / (d \cos(dx + c) + d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**(7/2)*(a+a*sec(dx+c))**(3/2)*(A+C*sec(dx+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(7/2)*(a+a*sec(dx+c))^(3/2)*(A+C*sec(dx+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(dx + c)^2 + A)*(a*sec(dx + c) + a)^(3/2)*cos(dx + c)^(7/2), x)

3.1138 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=183

$$\frac{2a^2(4A + 5C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d}$$

[Out] (2*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a^2*(4*A + 5*C)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.596167, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4017, 4015, 3801, 215}

$$\frac{2a^2(4A + 5C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a^2*(4*A + 5*C)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*C

```
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(
b*d^n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dis
t[b/(a*d^n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d^n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x)
```

```
[Out] -1/10/d*a*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(5*C*2^(1/2)
*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(co
s(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)-5*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(
d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d
*x+c)+4*A*cos(d*x+c)^3+8*A*cos(d*x+c)^2+12*A*cos(d*x+c)+20*C*cos(d*x+c)-24*
A-20*C)/sin(d*x+c)
```

Maxima [B] time = 2.20555, size = 937, normalized size = 5.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, alg
orithm="maxima")
```

```
[Out] 1/20*(sqrt(2)*(20*a*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2
*c)))*sin(5/2*d*x + 5/2*c) + 5*a*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(
5/2*d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) - 20*a*cos(5/2*d*x + 5/2*c)*sin(4/5
*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*a*cos(5/2*d*x + 5
/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 2*a*si
n(5/2*d*x + 5/2*c) + 5*a*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x
+ 5/2*c))) + 20*a*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c
))))*A*sqrt(a) + 10*(4*sqrt(2)*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c))) + a*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2
+ 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos
(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2*sqrt(2)*sin(1/4*arcta
n2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - a*log(2*cos(1/4*arctan2(sin(
2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) - 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) +
2) + a*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*si
n(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sqrt(2)*cos(1/4*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2*sqrt(2)*sin(1/4*arctan2(sin(
2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - a*log(2*cos(1/4*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c)))^2 - 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))
) - 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2))*C*
```


$\sqrt{a})/d$

Fricas [A] time = 0.577488, size = 973, normalized size = 5.32

$$\frac{4 \left(Aa \cos(dx+c)^2 + 3Aa \cos(dx+c) + (6A+5C)a \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + 5(Ca \cos(dx+c) + a)}{10(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/10*(4*(A*a*cos(d*x + c)^2 + 3*A*a*cos(d*x + c) + (6*A + 5*C)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 5*(C*a*cos(d*x + c) + C*a)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c) + d), 1/5*(2*(A*a*cos(d*x + c)^2 + 3*A*a*cos(d*x + c) + (6*A + 5*C)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 5*(C*a*cos(d*x + c) + C*a)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2), x)

3.1139 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=189

$$\frac{a^2(8A - 3C) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{3a^{3/2}C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(2A - 3C) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}}$$

[Out] (3*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^2*(8*A - 3*C)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a*(2*A - 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.600252, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4018, 4015, 3801, 215}

$$\frac{a^2(8A - 3C) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{3a^{3/2}C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(2A - 3C) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (3*a^(3/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^2*(8*A - 3*C)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a*(2*A - 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*C

```
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(
b*d^n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d^n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}}{\sec^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{2A\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{3d} + \frac{2a\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}}{3d} \\
&= -\frac{a(2A-3C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}}{3d} \\
&= \frac{a^2(8A-3C)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{a(2A-3C)\sqrt{a+a\sec(c+dx)}}{3d} \\
&= \frac{a^2(8A-3C)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{a(2A-3C)\sqrt{a+a\sec(c+dx)}}{3d} \\
&= \frac{3a^{3/2}C\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.923981, size = 110, normalized size = 0.58

$$\frac{a\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(2\sin\left(\frac{1}{2}(c+dx)\right)(10A\cos(c+dx)+A\cos(2(c+dx))+A+3C)+9\sqrt{2}C\cos(c+dx)\right)}{6d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(9*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*(A + 3*C + 10*A*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(6*d*Sqrt[Cos[c + d*x]])

Maple [A] time = 0.346, size = 243, normalized size = 1.3

$$-\frac{a(-1+\cos(dx+c))}{6d(\sin(dx+c))^2}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(4A(\cos(dx+c))^2\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}}+20A\cos(dx+c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{(3/2)}*(A+C*\sec(dx+c)^2),x)$

[Out] $-1/6/d*a*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(-1+\cos(dx+c))*(4*A*\cos(dx+c))^{(2)}*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+20*A*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+9*C^{(2)}*(1/2)*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))*\cos(dx+c)-9*C^{(2)}*(1/2)*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))*\cos(dx+c)+6*C*(-2/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c))/\sin(dx+c)^2/(-2/(\cos(dx+c)+1))^{(1/2)}/\cos(dx+c)^{(1/2)}$

Maxima [B] time = 2.12623, size = 1828, normalized size = 9.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{(3/2)}*(A+C*\sec(dx+c)^2),x, \text{algorithm}="maxima")$

[Out] $1/12*(4*(\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 9*\sqrt{2})*a*\sin(1/2*d*x + 1/2*c)) *A*\sqrt{a} - 3*(2*\sqrt{2})*a*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) + 6*\sqrt{2})*a*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) + (2*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 6*\sqrt{2})*a*\sin(1/2*d*x + 1/2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 + (2*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 6*\sqrt{2})*a*\sin(1/2*d*x + 1/2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 - 4*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 4*\sqrt{2})*a*\sin(1/2*d*x + 1/2*c) - 2*(\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) - 5*\sqrt{2})*a*\sin(1/2*d*x + 1/2*c)$

$$\begin{aligned}
& 2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 2*(\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(7/2*d*x + 7/2*c) - 6*(\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(5/2*d*x + 5/2*c) + 2*(3*\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) + \sqrt{2}*a*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*C*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.585269, size = 1041, normalized size = 5.51

$$\left[\frac{4 \left(2 A a \cos(dx + c)^2 + 10 A a \cos(dx + c) + 3 C a \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + 9 \left(C a \cos(dx + c)^2 + C a \cos(dx + c) \right) \sqrt{a} \log\left(\frac{(a \cos(dx + c) + a) \sqrt{\cos(dx + c)} \sin(dx + c) + 9(C a \cos(dx + c)^2 + C a \cos(dx + c)) \sqrt{a}}{(a \cos(dx + c) + a) \sqrt{\cos(dx + c)}}\right)}{12 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/12*(4*(2*A*a*cos(d*x + c)^2 + 10*A*a*cos(d*x + c) + 3*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 9*(C*a*cos(d*x + c)^2 + C*a*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/6*(2*(2*A*a*cos(d*x + c)^2 + 10*A*a*cos(d*x + c) + 3*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 9*(C*a*cos(d*x + c)^2 + C*a*cos(d*x + c))*sqrt(-a)*arc

```
tan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*s
in(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a))/(d*cos(d*x + c)^2 +
d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2), x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3
/2), x)
```


3.1140 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx))$

Optimal. Leaf size=191

$$\frac{a^2(8A-5C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(8A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{3aC\sin(c+dx)}{4d\sqrt{c}}$$

```
[Out] (a^(3/2)*(8*A + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a^2*(8*A - 5*C)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (3*a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 0.613235, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4089, 4018, 4015, 3801, 215}

$$\frac{a^2(8A-5C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(8A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{3aC\sin(c+dx)}{4d\sqrt{c}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(3/2)*(8*A + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a^2*(8*A - 5*C)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (3*a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*
```

```
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2}(A+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a \sec(c+dx))^{3/2}}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{C(a+a \sec(c+dx))^{3/2} \sin(c+dx)}{2d\sqrt{\cos(c+dx)}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})^{3/2}}{2d\sqrt{\cos(c+dx)}} \\
&= \frac{3aC\sqrt{a+a \sec(c+dx)} \sin(c+dx)}{4d\sqrt{\cos(c+dx)}} + \frac{C(a+a \sec(c+dx))^{3/2}}{2d\sqrt{\cos(c+dx)}} \\
&= \frac{a^2(8A-5C) \sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} + \frac{3aC\sqrt{a+a \sec(c+dx)}}{4d\sqrt{\cos(c+dx)}} \\
&= \frac{a^2(8A-5C) \sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} + \frac{3aC\sqrt{a+a \sec(c+dx)}}{4d\sqrt{\cos(c+dx)}} \\
&= \frac{a^{3/2}(8A+7C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{4d}
\end{aligned}$$

Mathematica [A] time = 1.42929, size = 120, normalized size = 0.63

$$\frac{a \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(2 \sin\left(\frac{1}{2}(c+dx)\right) (4A \cos(2(c+dx)) + 4A + 7C \cos(c+dx) + 2C) + \sqrt{2}(8A + 7C)\right)}{8d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(8*A + 7*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + 2*(4*A + 2*C + 7*C*Cos[c + d*x]) + 4*A*Cos[2*(c + d*x)]*Sin[(c + d*x)/2])/(8*d*Cos[c + d*x]^(3/2))

Maple [B] time = 0.365, size = 345, normalized size = 1.8

$$\frac{a(-1 + \cos(dx+c))}{8d(\sin(dx+c))^2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(8A\sqrt{2} \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1)-\sin(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^{3/2}*(A+C*\sec(d*x+c)^2)*\cos(d*x+c)^{1/2},x)$

[Out] $\frac{1}{8}d*a*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(8*A*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*\cos(d*x+c)^2-8*A*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\cos(d*x+c)^2-16*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+7*C*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*\cos(d*x+c)^2-7*C*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\cos(d*x+c)^2-14*C*(-2/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)*\sin(d*x+c)-4*C*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c))/\cos(d*x+c)^{3/2}/(-2/(\cos(d*x+c)+1))^{1/2}/\sin(d*x+c)^2$

Maxima [B] time = 2.45456, size = 3402, normalized size = 17.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{3/2}*(A+C*\sec(d*x+c)^2)*\cos(d*x+c)^{1/2},x, \text{algorithm}="maxima")$

[Out] $\frac{1}{16}*(4*\sqrt{2}*(\sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 8*a*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a} - (56*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 24*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 28*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2}*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2}*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 8*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))$


```

*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*
sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*
cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin
(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + 4*(3*sqrt(
2)*a*cos(3/2*d*x + 3/2*c) + 7*sqrt(2)*a*cos(7/3*arctan2(sin(3/2*d*x + 3/2*c
), cos(3/2*d*x + 3/2*c))) - 3*sqrt(2)*a*cos(5/3*arctan2(sin(3/2*d*x + 3/2*c
), cos(3/2*d*x + 3/2*c))) - 7*sqrt(2)*a*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c
), cos(3/2*d*x + 3/2*c))))*sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*
x + 3/2*c))) - 28*(2*sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/
2*d*x + 3/2*c))) + sqrt(2)*a)*sin(7/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2
*d*x + 3/2*c))) + 12*(2*sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos
(3/2*d*x + 3/2*c))) + sqrt(2)*a)*sin(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(
3/2*d*x + 3/2*c))) + 8*(3*sqrt(2)*a*cos(3/2*d*x + 3/2*c) - 7*sqrt(2)*a*cos(
1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(4/3*arctan2(s
in(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) *C*sqrt(a)/(2*(2*cos(4/3*arctan
2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1)*cos(8/3*arctan2(sin(3/2
*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + cos(8/3*arctan2(sin(3/2*d*x + 3/2*c
), cos(3/2*d*x + 3/2*c)))^2 + 4*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3
/2*d*x + 3/2*c)))^2 + sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3
/2*c)))^2 + 4*sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) *
sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 4*sin(4/3*ar
ctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*cos(4/3*arctan2(si
n(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1))/d

```

Fricas [A] time = 0.704489, size = 1098, normalized size = 5.75

$$\frac{4 \left(8 A a \cos(dx + c)^2 + 7 C a \cos(dx + c) + 2 C a \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + \left((8 A + 7 C) a \cos(dx + c)^3 + \dots \right)}{16 \left(d \cos(dx + c)^3 + d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, alg
orithm="fricas")

```

```

[Out] [1/16*(4*(8*A*a*cos(d*x + c)^2 + 7*C*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*
x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A + 7*C)*a*
cos(d*x + c)^3 + (8*A + 7*C)*a*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^
3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sq

```

```
rt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 +
cos(d*x + c)^2))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/8*(2*(8*A*a*cos
(d*x + c)^2 + 7*C*a*cos(d*x + c) + 2*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x
+ c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A + 7*C)*a*cos(d*x + c)^3 + (8
*A + 7*C)*a*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*c
os(d*x + c) - 2*a)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, alg
orithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x +
c)), x)

$$3.1141 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=191

$$\frac{a^2(24A+19C)\sin(c+dx)}{24d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(24A+11C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{aC \sin(c+dx)}{4d}$$

[Out] (a^(3/2)*(24*A + 11*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^2*(24*A + 19*C)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.61979, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4089, 4018, 4016, 3801, 215}

$$\frac{a^2(24A+19C)\sin(c+dx)}{24d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(24A+11C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{aC \sin(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (a^(3/2)*(24*A + 11*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^2*(24*A + 19*C)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089


```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] := -Simp[(C*
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx \\
&= \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx}{3d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{aC \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} + \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^2(24A + 19C) \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{aC \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^2(24A + 19C) \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{aC \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^{3/2}(24A + 11C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d} + \dots
\end{aligned}$$

Mathematica [A] time = 1.87281, size = 126, normalized size = 0.66

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (3(8A + 11C) \cos(2(c + dx)) + 24A + 44C \cos(c + dx) + 49C) + 3\right)}{48d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(24*A + 11*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (24*A + 49*C + 44*C*Cos[c + d*x] + 3*(8*A + 11*C)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d*Cos[c + d*x]^(5/2))

Maple [B] time = 0.319, size = 376, normalized size = 2.

$$\frac{a(-1 + \cos(dx + c))}{48d(\sin(dx + c))^2} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(72 A (\cos(dx + c))^3 \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c))}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x)

[Out] 1/48/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(72*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-72*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)+33*C*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-33*C*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-48*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-66*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-44*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)-16*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2/cos(d*x+c)^(5/2)

Maxima [B] time = 2.67405, size = 4733, normalized size = 24.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/96*(24*(3*(a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c)^2 + 3*(a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2)

$$\begin{aligned}
& d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
& \sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*a*\sin(3/2*d \\
& *x + 3/2*c) - 4*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 2*(2*\sqrt{2}*a*\sin(3/2*d*x \\
& + 3/2*c) - 2*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2* \\
& c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\
&)*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2* \\
& d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1 \\
& /2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - \\
& 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a* \\
& \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2 \\
& *d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 3*a \\
& *\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/ \\
& 2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d* \\
& x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - \\
& 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2* \\
& \sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2 \\
& *d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2 \\
& *c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2 \\
&) - 4*(\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - \sqrt{2}*a*\cos(1/2*d*x + 1/2*c))*\sin \\
& (2*d*x + 2*c))*A*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2 \\
& *d*x + 2*c) + 1) - (132*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x \\
& + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) + 44*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x \\
& + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) + 216*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x \\
& + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) - 216*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x \\
& + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) - 44*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x \\
& + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) - 132*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x \\
& + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) - 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a* \\
& \cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin \\
& (4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d* \\
& x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + \\
& 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + \\
& a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
& x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + \\
& 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 \\
& + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin \\
& (2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(
\end{aligned}$$

$$\begin{aligned}
& 2*d*x + 2*c) + a*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x \\
& + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c) \\
&)*\sin(6*d*x + 6*c) + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2} \\
& \sqrt{2})*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(\\
& 1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 33*(a*\cos(6*d*x + 6 \\
& *c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c \\
&)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a \\
& *\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*c \\
& \cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2 \\
& *d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) \\
& + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1 \\
& /4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2})*\cos(1/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\sin(1/4*\arctan2(\sin(2*d \\
& *x + 2*c), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d \\
& *x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x \\
& + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 \\
& + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6 \\
& *(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a* \\
& \sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a*\log(2*\cos(1/4* \\
& arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2})*\cos(1/4*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c))) - 2*\sqrt{2})*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
& x + 2*c))) + 2) - 132*(\sqrt{2})*a*\cos(6*d*x + 6*c) + 3*\sqrt{2})*a*\cos(4*d*x + \\
& 4*c) + 3*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(11/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2})*a*\cos(6*d*x + 6*c) + 3*\sqrt{2})*a \\
& *\cos(4*d*x + 4*c) + 3*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(9/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2})*a*\cos(6*d*x + 6*c) + \\
& 3*\sqrt{2})*a*\cos(4*d*x + 4*c) + 3*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*s \\
& in(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2})*a*\cos(6* \\
& d*x + 6*c) + 3*\sqrt{2})*a*\cos(4*d*x + 4*c) + 3*\sqrt{2})*a*\cos(2*d*x + 2*c) + \\
& \sqrt{2})*a*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2} \\
&)*a*\cos(6*d*x + 6*c) + 3*\sqrt{2})*a*\cos(4*d*x + 4*c) + 3*\sqrt{2})*a*\cos(2*d* \\
& x + 2*c) + \sqrt{2})*a*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& + 132*(\sqrt{2})*a*\cos(6*d*x + 6*c) + 3*\sqrt{2})*a*\cos(4*d*x + 4*c) + 3*\sqrt{2} \\
&)*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c))))*C*\sqrt{a}/(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos \\
& (6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + \\
& 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \\
& \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4* \\
& c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(\\
& 2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.700879, size = 1148, normalized size = 6.01

$$\frac{4 \left(3 (8 A + 11 C) a \cos(dx + c)^2 + 22 C a \cos(dx + c) + 8 C a \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + 3 \left((24 A + 11 C) a \cos(dx+c)^4 + (24 A + 11 C) a \cos(dx+c)^3 \right) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 4 \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} (\cos(dx+c) - 2) \sqrt{\cos(dx+c)} \sin(dx+c) - 7 a \cos(dx+c)^2 + 8 a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{96 (d \cos(dx+c)^4 + d \cos(dx+c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/96*(4*(3*(8*A + 11*C)*a*cos(d*x + c)^2 + 22*C*a*cos(d*x + c) + 8*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((24*A + 11*C)*a*cos(d*x + c)^4 + (24*A + 11*C)*a*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/48*(2*(3*(8*A + 11*C)*a*cos(d*x + c)^2 + 22*C*a*cos(d*x + c) + 8*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((24*A + 11*C)*a*cos(d*x + c)^4 + (24*A + 11*C)*a*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)), x)

$$3.1142 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=238

$$\frac{a^2(112A + 75C) \sin(c + dx)}{64d \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(16A + 13C) \sin(c + dx)}{32d \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(112A + 75C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}$$

[Out] (a^(3/2)*(112*A + 75*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^2*(16*A + 13*C)*Sin[c + d*x])/(32*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(112*A + 75*C)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(8*d*Cos[c + d*x]^(5/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 0.731376, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4089, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(112A + 75C) \sin(c + dx)}{64d \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(16A + 13C) \sin(c + dx)}{32d \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(112A + 75C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (a^(3/2)*(112*A + 75*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^2*(16*A + 13*C)*Sin[c + d*x])/(32*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(112*A + 75*C)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(8*d*Cos[c + d*x]^(5/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simpp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simpp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,

b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx \\
 &= \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx}{4d \cos^{\frac{5}{2}}(c + dx)} \\
 &= \frac{aC \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{8d \cos^{\frac{5}{2}}(c + dx)} + \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)} \\
 &= \frac{a^2(16A + 13C) \sin(c + dx)}{32d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{aC \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{8d \cos^{\frac{5}{2}}(c + dx)} \\
 &= \frac{a^2(16A + 13C) \sin(c + dx)}{32d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(112A + 75C) \sin(c + dx)}{64d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^2(16A + 13C) \sin(c + dx)}{32d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(112A + 75C) \sin(c + dx)}{64d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^{3/2}(112A + 75C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}
 \end{aligned}$$

Mathematica [A] time = 3.07343, size = 154, normalized size = 0.65

$$\frac{a \sec \left(\frac{1}{2}(c + dx) \right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin \left(\frac{1}{2}(c + dx) \right) (7(48A + 55C) \cos(c + dx) + 4(16A + 25C) \cos(2(c + dx)) + 112A) \right)}{256d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2),x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(2*Sqrt[2]*(112*A + 75*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (64*A + 164*C + 7*(48*A + 55*C)*Cos[c + d*x] + 4*(16*A + 25*C)*Cos[2*(c + d*x)] + 112*A*Cos[3*(c + d*x)] + 75*C*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(256*d*Cos[c + d*x]^(7/2))

Maple [B] time = 0.322, size = 438, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x)

[Out] 1/128/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(112*A*cos(d*x+c)^4*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))-112*A*cos(d*x+c)^4*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+75*C*cos(d*x+c)^4*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-75*C*cos(d*x+c)^4*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-224*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)-150*C*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-64*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-100*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-80*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)-32*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/cos(d*x+c)^(7/2)/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)

Maxima [B] time = 3.72067, size = 7777, normalized size = 32.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] -1/256*(16*(56*sqrt(2)*a*cos(7/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2

$$\begin{aligned}
& 4*c) + 4*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(\\
& 2*d*x + 2*c))) - 100*(\sqrt{2}*a*\sin(8*d*x + 8*c) + 4*\sqrt{2}*a*\sin(6*d*x + \\
& 6*c) + 6*\sqrt{2}*a*\sin(4*d*x + 4*c) + 4*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(3/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 300*(\sqrt{2}*a*\sin(8*d*x + \\
& 8*c) + 4*\sqrt{2}*a*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a*\sin(4*d*x + 4*c) + 4*\sqrt{ \\
& 2)*a*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&) - 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(4*d*x + 4 \\
& *c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6*d*x + 6 \\
& *c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + \\
& 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4*c) + \\
& 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) + 4*a* \\
& \cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a)*\cos(\\
& 4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(4*d \\
& *x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x + 4* \\
& c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(\\
& 2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), co \\
& s(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \\
& 2) + 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(4*d*x + \\
& 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6*d*x + \\
& 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) \\
& + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4*c) \\
& + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) + 4* \\
& a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a)*co \\
& s(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(4 \\
& *d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x + \\
& 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(si \\
& n(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
& x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& + 2) - 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(4*d*x \\
& + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6*d*x \\
& + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c \\
&) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4*c \\
&) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) + \\
& 4*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a)* \\
& \cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(\\
& 4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x \\
& + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)) + 2) + 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(4*d \\
& *x + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6*d \\
& *x + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2
\end{aligned}$$

$$\begin{aligned}
& *c) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4*c) \\
& + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) \\
& + 4*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a) \\
& *\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(4*d*x + 4*c) \\
& + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c)) \\
& *\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2) - 300*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(15/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 100*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1140*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 228*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 228*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1140*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 100*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 300*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*C*\sqrt{a}/(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.838952, size = 1247, normalized size = 5.24

$$4 \left((112A + 75C)a \cos(dx + c)^3 + 2(16A + 25C)a \cos(dx + c)^2 + 40Ca \cos(dx + c) + 16Ca \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] [1/256*(4*((112*A + 75*C)*a*cos(d*x + c)^3 + 2*(16*A + 25*C)*a*cos(d*x + c)^2 + 40*C*a*cos(d*x + c) + 16*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((112*A + 75*C)*a*cos(d*x + c)^5 + (112*A + 75*C)*a*cos(d*x + c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4), 1/128*(2*((112*A + 75*C)*a*cos(d*x + c)^3 + 2*(16*A + 25*C)*a*cos(d*x + c)^2 + 40*C*a*cos(d*x + c) + 16*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((112*A + 75*C)*a*cos(d*x + c)^5 + (112*A + 75*C)*a*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)/cos(d*x + c)^(3/2), x)

$$3.1143 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=285

$$\frac{a^2(176A + 133C) \sin(c + dx)}{128d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 133C) \sin(c + dx)}{192d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 67C) \sin(c + dx)}{240d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} +$$

[Out] (a^(3/2)*(176*A + 133*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^2*(80*A + 67*C)*Sin[c + d*x])/(240*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 133*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 133*C)*Sin[c + d*x])/(128*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (3*a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d*Cos[c + d*x]^(7/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 0.807993, antiderivative size = 285, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4089, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(176A + 133C) \sin(c + dx)}{128d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(176A + 133C) \sin(c + dx)}{192d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 67C) \sin(c + dx)}{240d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} +$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (a^(3/2)*(176*A + 133*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^2*(80*A + 67*C)*Sin[c + d*x])/(240*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 133*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 133*C)*Sin[c + d*x])/(128*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (3*a*C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d*Cos[c + d*x]^(7/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(7/2))

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
```

+ (a_), x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx))}{\cos^{5/2}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{5/2}(c + dx) (a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx \\
 &= \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \cos^{7/2}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{3/2}(c + dx) (a + a \sec(c + dx))^{3/2} (A + C \sec^2(c + dx)) dx}{5d \cos^{7/2}(c + dx)} \\
 &= \frac{3aC \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{40d \cos^{7/2}(c + dx)} + \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \cos^{7/2}(c + dx)} \\
 &= \frac{a^2(80A + 67C) \sin(c + dx)}{240d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{3aC \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{40d \cos^{7/2}(c + dx)} \\
 &= \frac{a^2(80A + 67C) \sin(c + dx)}{240d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(176A + 133C) \sin(c + dx)}{192d \cos^{5/2}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^2(80A + 67C) \sin(c + dx)}{240d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(176A + 133C) \sin(c + dx)}{192d \cos^{5/2}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^2(80A + 67C) \sin(c + dx)}{240d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(176A + 133C) \sin(c + dx)}{192d \cos^{5/2}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^2(80A + 67C) \sin(c + dx)}{240d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(176A + 133C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{128d}
 \end{aligned}$$

Mathematica [A] time = 4.62212, size = 176, normalized size = 0.62

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (12(880A + 1273C) \cos(c + dx) + 4(3280A + 3059C) \cos(2(c + dx)))\right)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(60*Sqrt[2]*(176*A + 133*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^5 + (10480*A + 13313*C + 12*(880*A + 1273*C)*Cos[c + d*x] + 4*(3280*A + 3059*C)*Cos[2*(c + d*x)] + 3520*A*Cos[3*(c + d*x)] + 2660*C*Cos[3*(c + d*x)] + 2640*A*Cos[4*(c + d*x)] + 1995*C*Cos[4*(c + d*x)])*Sin[(c + d*x)/2]))/(15360*d*Cos[c + d*x]^(9/2))

Maple [B] time = 0.317, size = 500, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2), x)

[Out] -1/3840/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(2640*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^5*2^(1/2)-2640*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^5*2^(1/2)+1995*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^5*2^(1/2)-1995*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^5*2^(1/2)+5280*A*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^4+3990*C*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^4+3520*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+2660*C*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+1280*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+2128*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+1824*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)+768*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/sin(d*x+c)^2/cos(d*x+c)^(9/2)/(-2/(cos(d*x+c)+1))^(1/2)

Maxima [B] time = 5.97014, size = 9767, normalized size = 34.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, alg
orithm="maxima")

[Out]
$$\begin{aligned} & -1/7680*(80*(132*(\sqrt{2})a\sin(6dx + 6c) + 3\sqrt{2})a\sin(4dx + 4c) \\ & + 3\sqrt{2})a\sin(2dx + 2c))*\cos(11/4*\arctan2(\sin(2dx + 2c), \cos(2d \\ & *x + 2*c))) + 44*(\sqrt{2})a\sin(6dx + 6c) + 3\sqrt{2})a\sin(4dx + 4c) \\ & + 3\sqrt{2})a\sin(2dx + 2c))*\cos(9/4*\arctan2(\sin(2dx + 2c), \cos(2*d* \\ & x + 2*c))) + 216*(\sqrt{2})a\sin(6dx + 6c) + 3\sqrt{2})a\sin(4dx + 4c) \\ & + 3\sqrt{2})a\sin(2dx + 2c))*\cos(7/4*\arctan2(\sin(2dx + 2c), \cos(2*d* \\ & x + 2*c))) - 216*(\sqrt{2})a\sin(6dx + 6c) + 3\sqrt{2})a\sin(4dx + 4c) \\ & + 3\sqrt{2})a\sin(2dx + 2c))*\cos(5/4*\arctan2(\sin(2dx + 2c), \cos(2*d* \\ & x + 2*c))) - 44*(\sqrt{2})a\sin(6dx + 6c) + 3\sqrt{2})a\sin(4dx + 4c) \\ & + 3\sqrt{2})a\sin(2dx + 2c))*\cos(3/4*\arctan2(\sin(2dx + 2c), \cos(2*d*x \\ & + 2*c))) - 132*(\sqrt{2})a\sin(6dx + 6c) + 3\sqrt{2})a\sin(4dx + 4c) \\ & + 3\sqrt{2})a\sin(2dx + 2c))*\cos(1/4*\arctan2(\sin(2dx + 2c), \cos(2*d*x \\ & + 2*c))) - 33*(a*\cos(6dx + 6c)^2 + 9a*\cos(4dx + 4c)^2 + 9a*\cos(2*d* \\ & *x + 2*c)^2 + a*\sin(6dx + 6c)^2 + 9a*\sin(4dx + 4c)^2 + 18a*\sin(4*d* \\ & x + 4*c)*\sin(2*d*x + 2*c) + 9a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) \\ &) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + \\ & a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(\\ & 2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \\ & \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\ &)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2* \\ & \sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 33*(a*c \\ & os(6*d*x + 6*c)^2 + 9a*\cos(4*d*x + 4*c)^2 + 9a*\cos(2*d*x + 2*c)^2 + a*\sin \\ & (6*d*x + 6*c)^2 + 9a*\sin(4*d*x + 4*c)^2 + 18a*\sin(4*d*x + 4*c)*\sin(2*d*x \\ & + 2*c) + 9a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + \\ & 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) \\ & + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6 \\ & *d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\ &)^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\c \\ & os(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\ar \\ & ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 33*(a*\cos(6*d*x + 6*c)^2 + \\ & 9a*\cos(4*d*x + 4*c)^2 + 9a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9 \\ & a*\sin(4*d*x + 4*c)^2 + 18a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9a*\sin(2* \\ & d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d* \\ & x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + \\ & 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\lo \\ & g(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\ar \\ & ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(\\ & 2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2* \\ & c), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos(6*d*x + 6*c)^2 + 9a*\cos(4*d*x + 4* \\ & c)^2 + 9a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9a*\sin(4*d*x + 4*c) \\ & ^2 + 18a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9a*\sin(2*d*x + 2*c)^2 + 2*(3 \end{aligned}$$

$$\begin{aligned}
& *a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2) - 132*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 132*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*A*\sqrt{a}/(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1) + (7980*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(19/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2660*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(17/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 38304*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(15/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 12160*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 45400*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 45400*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 12160*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 38304*(\sqrt{2}*a*\sin(10*d*x + 10
\end{aligned}$$

$$\begin{aligned}
& *c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c)) * \cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2660*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c)) * \cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 7980*(\sqrt{2}*a*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a*\sin(2*d*x + 2*c)) * \cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1995*(a*\cos(10*d*x + 10*c)^2 + 25*a*\cos(8*d*x + 8*c)^2 + 100*a*\cos(6*d*x + 6*c)^2 + 100*a*\cos(4*d*x + 4*c)^2 + 25*a*\cos(2*d*x + 2*c)^2 + a*\sin(10*d*x + 10*c)^2 + 25*a*\sin(8*d*x + 8*c)^2 + 100*a*\sin(6*d*x + 6*c)^2 + 100*a*\sin(4*d*x + 4*c)^2 + 100*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25*a*\sin(2*d*x + 2*c)^2 + 2*(5*a*\cos(8*d*x + 8*c) + 10*a*\cos(6*d*x + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) + a)*\cos(10*d*x + 10*c) + 10*(10*a*\cos(6*d*x + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 20*(10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 20*(5*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 10*a*\cos(2*d*x + 2*c) + 10*(a*\sin(8*d*x + 8*c) + 2*a*\sin(6*d*x + 6*c) + 2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 50*(2*a*\sin(6*d*x + 6*c) + 2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 100*(2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2) + 1995*(a*\cos(10*d*x + 10*c)^2 + 25*a*\cos(8*d*x + 8*c)^2 + 100*a*\cos(6*d*x + 6*c)^2 + 100*a*\cos(4*d*x + 4*c)^2 + 25*a*\cos(2*d*x + 2*c)^2 + a*\sin(10*d*x + 10*c)^2 + 25*a*\sin(8*d*x + 8*c)^2 + 100*a*\sin(6*d*x + 6*c)^2 + 100*a*\sin(4*d*x + 4*c)^2 + 100*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25*a*\sin(2*d*x + 2*c)^2 + 2*(5*a*\cos(8*d*x + 8*c) + 10*a*\cos(6*d*x + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) + a)*\cos(10*d*x + 10*c) + 10*(10*a*\cos(6*d*x + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 20*(10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 20*(5*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 10*a*\cos(2*d*x + 2*c) + 10*(a*\sin(8*d*x + 8*c) + 2*a*\sin(6*d*x + 6*c) + 2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 50*(2*a*\sin(6*d*x + 6*c) + 2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 100*(2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2) - 1995*(a*\cos(10*d*x + 10*c)^2 + 25*a*\cos(8*d*x + 8*c)^2 + 100*a*\cos(6*d*x + 6*c)^2 + 100*a*\cos(4*d*x + 4*c)^2 + 25*a*\cos(2*d*x + 2*c)^2 + a*\sin(10*d*x + 10*c)^2 + 25*a*\sin(8*d*x + 8*c)^2 + 100*a*\sin(6*d*x + 6*c)^2 + 100*a*\sin(4*d*x + 4*c)^2 + 100*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25*a*\sin(2*d*x + 2*c)^2 + 2*(5*a*\cos(8*d*x + 8*c) + 10*a*\cos(6*d*x
\end{aligned}$$

$$\begin{aligned}
& + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) + a*\cos(10*d*x + 10*c) \\
& + 10*(10*a*\cos(6*d*x + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) \\
& + a)*\cos(8*d*x + 8*c) + 20*(10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) \\
& + a)*\cos(6*d*x + 6*c) + 20*(5*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 1 \\
& 0*a*\cos(2*d*x + 2*c) + 10*(a*\sin(8*d*x + 8*c) + 2*a*\sin(6*d*x + 6*c) + 2*a* \\
& \sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 50*(2*a*\sin(6*d* \\
& *x + 6*c) + 2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 1 \\
& 00*(2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a*\log(2* \\
& \cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c)))) + 2) + 1995*(a*\cos(10*d*x + 10*c)^2 + 25*a*\cos(8*d*x + 8 \\
& *c)^2 + 100*a*\cos(6*d*x + 6*c)^2 + 100*a*\cos(4*d*x + 4*c)^2 + 25*a*\cos(2*d* \\
& x + 2*c)^2 + a*\sin(10*d*x + 10*c)^2 + 25*a*\sin(8*d*x + 8*c)^2 + 100*a*\sin(6 \\
& *d*x + 6*c)^2 + 100*a*\sin(4*d*x + 4*c)^2 + 100*a*\sin(4*d*x + 4*c)*\sin(2*d*x \\
& + 2*c) + 25*a*\sin(2*d*x + 2*c)^2 + 2*(5*a*\cos(8*d*x + 8*c) + 10*a*\cos(6*d* \\
& x + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2*c) + a)*\cos(10*d*x + 1 \\
& 0*c) + 10*(10*a*\cos(6*d*x + 6*c) + 10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + \\
& 2*c) + a)*\cos(8*d*x + 8*c) + 20*(10*a*\cos(4*d*x + 4*c) + 5*a*\cos(2*d*x + 2* \\
& c) + a)*\cos(6*d*x + 6*c) + 20*(5*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + \\
& 10*a*\cos(2*d*x + 2*c) + 10*(a*\sin(8*d*x + 8*c) + 2*a*\sin(6*d*x + 6*c) + 2* \\
& a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 50*(2*a*\sin(6 \\
& *d*x + 6*c) + 2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \\
& 100*(2*a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a*\log(\\
& 2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c)))) + 2) - 7980*(\sqrt{2})*a*\cos(10*d*x + 10*c) + 5*\sqrt{2}* \\
& a*\cos(8*d*x + 8*c) + 10*\sqrt{2})*a*\cos(6*d*x + 6*c) + 10*\sqrt{2})*a*\cos(4*d*x \\
& + 4*c) + 5*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a)*\sin(19/4*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c))) - 2660*(\sqrt{2})*a*\cos(10*d*x + 10*c) + 5*\sqrt{2})* \\
& a*\cos(8*d*x + 8*c) + 10*\sqrt{2})*a*\cos(6*d*x + 6*c) + 10*\sqrt{2})*a*\cos(\\
& 4*d*x + 4*c) + 5*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a)*\sin(17/4*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 38304*(\sqrt{2})*a*\cos(10*d*x + 10*c) + \\
& 5*\sqrt{2})*a*\cos(8*d*x + 8*c) + 10*\sqrt{2})*a*\cos(6*d*x + 6*c) + 10*\sqrt{2})* \\
& a*\cos(4*d*x + 4*c) + 5*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a)*\sin(15/4*\arc \\
& tan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 12160*(\sqrt{2})*a*\cos(10*d*x + 1 \\
& 0*c) + 5*\sqrt{2})*a*\cos(8*d*x + 8*c) + 10*\sqrt{2})*a*\cos(6*d*x + 6*c) + 10*\sqrt{2})* \\
& a*\cos(4*d*x + 4*c) + 5*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a)*\sin(13 \\
& /4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 45400*(\sqrt{2})*a*\cos(10*d \\
& *x + 10*c) + 5*\sqrt{2})*a*\cos(8*d*x + 8*c) + 10*\sqrt{2})*a*\cos(6*d*x + 6*c) + \\
& 10*\sqrt{2})*a*\cos(4*d*x + 4*c) + 5*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a)* \\
& \sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 45400*(\sqrt{2})*a*\co \\
& s(10*d*x + 10*c) + 5*\sqrt{2})*a*\cos(8*d*x + 8*c) + 10*\sqrt{2})*a*\cos(6*d*x + \\
& 6*c) + 10*\sqrt{2})*a*\cos(4*d*x + 4*c) + 5*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*
\end{aligned}$$

```

2)*a)*sin(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 12160*(sqrt(2)
*a*cos(10*d*x + 10*c) + 5*sqrt(2)*a*cos(8*d*x + 8*c) + 10*sqrt(2)*a*cos(6*d
*x + 6*c) + 10*sqrt(2)*a*cos(4*d*x + 4*c) + 5*sqrt(2)*a*cos(2*d*x + 2*c) +
sqrt(2)*a)*sin(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 38304*(sq
rt(2)*a*cos(10*d*x + 10*c) + 5*sqrt(2)*a*cos(8*d*x + 8*c) + 10*sqrt(2)*a*co
s(6*d*x + 6*c) + 10*sqrt(2)*a*cos(4*d*x + 4*c) + 5*sqrt(2)*a*cos(2*d*x + 2*
c) + sqrt(2)*a)*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2660
*(sqrt(2)*a*cos(10*d*x + 10*c) + 5*sqrt(2)*a*cos(8*d*x + 8*c) + 10*sqrt(2)*
a*cos(6*d*x + 6*c) + 10*sqrt(2)*a*cos(4*d*x + 4*c) + 5*sqrt(2)*a*cos(2*d*x
+ 2*c) + sqrt(2)*a)*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) +
7980*(sqrt(2)*a*cos(10*d*x + 10*c) + 5*sqrt(2)*a*cos(8*d*x + 8*c) + 10*sqrt
(2)*a*cos(6*d*x + 6*c) + 10*sqrt(2)*a*cos(4*d*x + 4*c) + 5*sqrt(2)*a*cos(2*
d*x + 2*c) + sqrt(2)*a)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))
))*C*sqrt(a)/(2*(5*cos(8*d*x + 8*c) + 10*cos(6*d*x + 6*c) + 10*cos(4*d*x +
4*c) + 5*cos(2*d*x + 2*c) + 1)*cos(10*d*x + 10*c) + cos(10*d*x + 10*c)^2 +
10*(10*cos(6*d*x + 6*c) + 10*cos(4*d*x + 4*c) + 5*cos(2*d*x + 2*c) + 1)*cos
(8*d*x + 8*c) + 25*cos(8*d*x + 8*c)^2 + 20*(10*cos(4*d*x + 4*c) + 5*cos(2*d
*x + 2*c) + 1)*cos(6*d*x + 6*c) + 100*cos(6*d*x + 6*c)^2 + 20*(5*cos(2*d*x
+ 2*c) + 1)*cos(4*d*x + 4*c) + 100*cos(4*d*x + 4*c)^2 + 25*cos(2*d*x + 2*c)
^2 + 10*(sin(8*d*x + 8*c) + 2*sin(6*d*x + 6*c) + 2*sin(4*d*x + 4*c) + sin(2
*d*x + 2*c))*sin(10*d*x + 10*c) + sin(10*d*x + 10*c)^2 + 50*(2*sin(6*d*x +
6*c) + 2*sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + 25*sin(8*d
*x + 8*c)^2 + 100*(2*sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c)
+ 100*sin(6*d*x + 6*c)^2 + 100*sin(4*d*x + 4*c)^2 + 100*sin(4*d*x + 4*c)*si
n(2*d*x + 2*c) + 25*sin(2*d*x + 2*c)^2 + 10*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 0.863369, size = 1385, normalized size = 4.86

$$4 \left(15(176A + 133C)a \cos(dx + c)^4 + 10(176A + 133C)a \cos(dx + c)^3 + 8(80A + 133C)a \cos(dx + c)^2 + 912Ca \cos(dx + c) + 384 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, alg
orithm="fricas")

```

```

[Out] [1/7680*(4*(15*(176*A + 133*C))*a*cos(d*x + c)^4 + 10*(176*A + 133*C))*a*cos(
d*x + c)^3 + 8*(80*A + 133*C))*a*cos(d*x + c)^2 + 912*C*a*cos(d*x + c) + 384

```

```
*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x +
c) + 15*((176*A + 133*C)*a*cos(d*x + c)^6 + (176*A + 133*C)*a*cos(d*x + c)^
5)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(
d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x
+ c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^6 + d*cos
(d*x + c)^5), 1/3840*(2*(15*(176*A + 133*C)*a*cos(d*x + c)^4 + 10*(176*A +
133*C)*a*cos(d*x + c)^3 + 8*(80*A + 133*C)*a*cos(d*x + c)^2 + 912*C*a*cos(d
*x + c) + 384*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c
))*sin(d*x + c) + 15*((176*A + 133*C)*a*cos(d*x + c)^6 + (176*A + 133*C)*a*
cos(d*x + c)^5)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*
x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c)
- 2*a)))/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2), x, alg
orithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(3/2)/cos(d*x + c)^(5
/2), x)

3.1144 $\int \cos^{\frac{13}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=313

$$\frac{2a^2(136A + 143C) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{1287d} + \frac{2a^3(2224A + 2717C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{9009d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(8368A + 10439C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{45045d \sqrt{a \sec(c + dx) + a}}$$

[Out] (16*a^3*(8368*A + 10439*C)*Sin[c + d*x])/(45045*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(8368*A + 10439*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(45045*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(8368*A + 10439*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15015*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2224*A + 2717*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 143*C)*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(1287*d) + (10*a*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(143*d) + (2*A*Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(13*d)

Rubi [A] time = 1.01576, antiderivative size = 313, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4017, 4015, 3805, 3804}

$$\frac{2a^2(136A + 143C) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{1287d} + \frac{2a^3(2224A + 2717C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{9009d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(8368A + 10439C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{45045d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(13/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2),x]

[Out] (16*a^3*(8368*A + 10439*C)*Sin[c + d*x])/(45045*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(8368*A + 10439*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(45045*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(8368*A + 10439*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15015*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2224*A + 2717*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 143*C)*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(1287*d) + (10*a*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(143*d) + (2*A*Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(13*d)

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4087

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]])*
```

Sqrt[d*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{13}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\sec^{\frac{13}{2}}(c + dx)} dx \\
 &= \frac{2A \cos^{\frac{11}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{13d} + \frac{2C \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{13d} \\
 &= \frac{10aA \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{143d} + \frac{20a^2C \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{143d} \\
 &= \frac{2a^2(136A + 143C) \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{1287d} \\
 &= \frac{2a^3(2224A + 2717C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{9009d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(136A + 143C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{9009d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^3(8368A + 10439C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15015d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(136A + 143C) \cos^{\frac{1}{2}}(c + dx) \sin(c + dx)}{15015d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{8a^3(8368A + 10439C) \sqrt{\cos(c + dx)} \sin(c + dx)}{45045d \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(136A + 143C) \sin(c + dx)}{45045d \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{16a^3(8368A + 10439C) \sin(c + dx)}{45045d \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{8a^2(136A + 143C) \sin(c + dx)}{45045d \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 3.51184, size = 148, normalized size = 0.47

$$\frac{a^2 \sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} (8(226573A + 222794C) \cos(c + dx) + (746519A + 581152C) \cos(2(c + dx)))}{45045d \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(13/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

```
[Out] (a^2*sqrt[Cos[c + d*x]]*(2798182*A + 3233516*C + 8*(226573*A + 222794*C)*Co
s[c + d*x] + (746519*A + 581152*C)*Cos[2*(c + d*x)] + 287060*A*Cos[3*(c + d
*x)] + 148720*C*Cos[3*(c + d*x)] + 94010*A*Cos[4*(c + d*x)] + 20020*C*Cos[4
*(c + d*x)] + 23940*A*Cos[5*(c + d*x)] + 3465*A*Cos[6*(c + d*x)])*sqrt[a*(1
+ Sec[c + d*x]))*Tan[(c + d*x)/2)]/(720720*d)
```

Maple [A] time = 0.368, size = 166, normalized size = 0.5

$$\frac{2a^2(-1 + \cos(dx + c)) \left(3465 A (\cos(dx + c))^6 + 11970 A (\cos(dx + c))^5 + 18305 A (\cos(dx + c))^4 + 5005 C (\cos(dx + c))^3 + 20920 A (\cos(dx + c))^2 + 18590 C (\cos(dx + c)) + 25104 A (\cos(dx + c)) + 31317 C (\cos(dx + c)) + 33472 A (\cos(dx + c)) + 41756 C (\cos(dx + c)) + 66944 A + 83512 C \right) \cos(dx + c)^{1/2} (a (\cos(dx + c) + 1) / \cos(dx + c))^{1/2} / \sin(dx + c)}{720720 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x)
```

```
[Out] -2/45045/d*a^2*(-1+cos(d*x+c))*(3465*A*cos(d*x+c)^6+11970*A*cos(d*x+c)^5+18
305*A*cos(d*x+c)^4+5005*C*cos(d*x+c)^3+20920*A*cos(d*x+c)^2+18590*C*cos(d*x
+c)^1+25104*A*cos(d*x+c)^1+31317*C*cos(d*x+c)^1+33472*A*cos(d*x+c)+41756*C*
cos(d*x+c)+66944*A+83512*C)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(
1/2)/sin(d*x+c)
```

Maxima [B] time = 2.2674, size = 1150, normalized size = 3.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x, al
gorithm="maxima")
```

```
[Out] 1/2882880*(sqrt(2)*(3783780*a^2*cos(12/13*arctan2(sin(13/2*d*x + 13/2*c), c
os(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13/2*c) + 1066065*a^2*cos(10/13*arct
an2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13/2*c)
+ 459459*a^2*cos(8/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*
c)))*sin(13/2*d*x + 13/2*c) + 193050*a^2*cos(6/13*arctan2(sin(13/2*d*x + 13
/2*c), cos(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13/2*c) + 70070*a^2*cos(4/13
*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13
/2*c) + 20475*a^2*cos(2/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 1
3/2*c)))*sin(13/2*d*x + 13/2*c) - 3783780*a^2*cos(13/2*d*x + 13/2*c)*sin(12
```

```

/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) - 1066065*a^2*
cos(13/2*d*x + 13/2*c)*sin(10/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d
*x + 13/2*c))) - 459459*a^2*cos(13/2*d*x + 13/2*c)*sin(8/13*arctan2(sin(13/
2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) - 193050*a^2*cos(13/2*d*x + 13/2*
c)*sin(6/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) - 7007
0*a^2*cos(13/2*d*x + 13/2*c)*sin(4/13*arctan2(sin(13/2*d*x + 13/2*c), cos(1
3/2*d*x + 13/2*c))) - 20475*a^2*cos(13/2*d*x + 13/2*c)*sin(2/13*arctan2(sin
(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) + 6930*a^2*sin(13/2*d*x + 13/
2*c) + 20475*a^2*sin(11/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 1
3/2*c))) + 70070*a^2*sin(9/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x
+ 13/2*c))) + 193050*a^2*sin(7/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*
d*x + 13/2*c))) + 459459*a^2*sin(5/13*arctan2(sin(13/2*d*x + 13/2*c), cos(1
3/2*d*x + 13/2*c))) + 1066065*a^2*sin(3/13*arctan2(sin(13/2*d*x + 13/2*c),
cos(13/2*d*x + 13/2*c))) + 3783780*a^2*sin(1/13*arctan2(sin(13/2*d*x + 13/2
*c), cos(13/2*d*x + 13/2*c))))*A*sqrt(a) + 1144*sqrt(2)*(225*a^2*sin(7/4*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 378*a^2*sin(5/4*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c))) + 2100*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c))) + 4095*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) - 63*(65*a^2*sin(4*d*x + 4*c) + 6*a^2*sin(2*d*x + 2*c))*cos(9/4*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 7*(585*a^2*cos(4*d*x + 4*c) +
54*a^2*cos(2*d*x + 2*c) + 5*a^2)*sin(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c))))*C*sqrt(a))/d

```

Fricas [A] time = 0.510444, size = 473, normalized size = 1.51

$$2(3465 Aa^2 \cos(dx + c)^6 + 11970 Aa^2 \cos(dx + c)^5 + 35(523 A + 143 C)a^2 \cos(dx + c)^4 + 10(2092 A + 1859 C)a^2 \cos(dx + c)^3 + 3(8368 A + 10439 C)a^2 \cos(dx + c)^2 + 4(8368 A + 10439 C)a^2 \cos(dx + c) + 8(8368 A + 10439 C)a^2) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sqrt{\cos(dx + c)} \sin(dx + c) / (d \cos(dx + c) + d)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, al
gorithm="fricas")

```

```

[Out] 2/45045*(3465*A*a^2*cos(d*x + c)^6 + 11970*A*a^2*cos(d*x + c)^5 + 35*(523*A
+ 143*C)*a^2*cos(d*x + c)^4 + 10*(2092*A + 1859*C)*a^2*cos(d*x + c)^3 + 3*
(8368*A + 10439*C)*a^2*cos(d*x + c)^2 + 4*(8368*A + 10439*C)*a^2*cos(d*x +
c) + 8*(8368*A + 10439*C)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt
(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(13/2)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{13}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(13/2), x)

3.1145 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=266

$$\frac{2a^2(32A + 33C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{231d} + \frac{2a^3(232A + 297C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{693d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(568A + 759C) \sin(c + dx)}{693d \sqrt{a \sec(c + dx) + a}}$$

[Out] (4*a^3*(568*A + 759*C)*Sin[c + d*x])/(693*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(568*A + 759*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(232*A + 297*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(32*A + 33*C)*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(231*d) + (10*a*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(99*d) + (2*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(11*d)

Rubi [A] time = 0.937103, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4017, 4015, 3805, 3804}

$$\frac{2a^2(32A + 33C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{231d} + \frac{2a^3(232A + 297C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{693d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(568A + 759C) \sin(c + dx)}{693d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (4*a^3*(568*A + 759*C)*Sin[c + d*x])/(693*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(568*A + 759*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(232*A + 297*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(32*A + 33*C)*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(231*d) + (10*a*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(99*d) + (2*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(11*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)])*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \\
&= \frac{2A\cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{11d} + \frac{2C\cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{9d} \\
&= \frac{10aA\cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{99d} + \frac{2a^2(32A+33C)\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{231d} \\
&= \frac{2a^3(232A+297C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(32A+33C)\cos^{\frac{1}{2}}(c+dx)\sin(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^3(568A+759C)\sqrt{\cos(c+dx)}\sin(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2a^3(232A+297C)\sin(c+dx)}{693d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{4a^3(568A+759C)\sin(c+dx)}{693d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^3(568A+759C)\sin(c+dx)}{693d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.42434, size = 127, normalized size = 0.48

$$\frac{a^2\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}(2(6989A+6666C)\cos(c+dx)+16(325A+198C)\cos(2(c+dx))+5544d)}{5544d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sqrt[Cos[c + d*x]]*(22928*A + 27456*C + 2*(6989*A + 6666*C)*Cos[c + d*x] + 16*(325*A + 198*C)*Cos[2*(c + d*x)] + 1735*A*Cos[3*(c + d*x)] + 396*C*Cos[3*(c + d*x)] + 448*A*Cos[4*(c + d*x)] + 63*A*Cos[5*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(5544*d)

Maple [A] time = 0.345, size = 144, normalized size = 0.5

$$\frac{2a^2(-1 + \cos(dx + c)) \left(63A(\cos(dx + c))^5 + 224A(\cos(dx + c))^4 + 355A(\cos(dx + c))^3 + 99C(\cos(dx + c))^2 + 426A(\cos(dx + c))^2 + 396C(\cos(dx + c))^2 + 568A(\cos(dx + c)) + 759C(\cos(dx + c)) + 1136A + 1518C \right) \cos(dx + c)^{1/2} (a(\cos(dx + c) + 1) / \cos(dx + c))^{1/2} / \sin(dx + c)}{693d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out] `-2/693/d*a^2*(-1+cos(d*x+c))*(63*A*cos(d*x+c)^5+224*A*cos(d*x+c)^4+355*A*cos(d*x+c)^3+99*C*cos(d*x+c)^2+426*A*cos(d*x+c)^2+396*C*cos(d*x+c)^2+568*A*cos(d*x+c)+759*C*cos(d*x+c)+1136*A+1518*C)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)`

Maxima [B] time = 2.19197, size = 938, normalized size = 3.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/22176*(sqrt(2)*(31878*a^2*cos(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 8778*a^2*cos(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 3465*a^2*cos(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 1287*a^2*cos(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 385*a^2*cos(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) - 31878*a^2*cos(11/2*d*x + 11/2*c)*sin(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 8778*a^2*cos(11/2*d*x + 11/2*c)*sin(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 3465*a^2*cos(11/2*d*x + 11/2*c)*sin(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 1287*a^2*cos(11/2*d*x + 11/2*c)*sin(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 385*a^2*cos(11/2*d*x + 11/2*c)*sin(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 126*a^2*sin(11/2*d*x + 11/2*c) + 385*a^2*sin(9/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 1287*a^2*sin(7/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 3465*a^2*sin(5/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 8778*a^2*sin(3/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))`

$$\begin{aligned} & /2*c))) + 31878*a^2*\sin(1/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + \\ & 11/2*c))))*A*\sqrt{a} - 132*\sqrt{2}*(77*a^2*\cos(7/4*\arctan2(\sin(2*d*x + 2*c) \\ &), \cos(2*d*x + 2*c)))*\sin(2*d*x + 2*c) - 42*a^2*\sin(5/4*\arctan2(\sin(2*d*x + \\ & 2*c), \cos(2*d*x + 2*c))) - 77*a^2*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\ & d*x + 2*c))) - 630*a^2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\ & - (77*a^2*\cos(2*d*x + 2*c) + 6*a^2)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(\\ & 2*d*x + 2*c))))*C*\sqrt{a})/d \end{aligned}$$

Fricas [A] time = 0.517164, size = 385, normalized size = 1.45

$$\frac{2(63 Aa^2 \cos(dx + c)^5 + 224 Aa^2 \cos(dx + c)^4 + (355 A + 99 C)a^2 \cos(dx + c)^3 + 6(71 A + 66 C)a^2 \cos(dx + c)^2 + (568 A + 759 C)a^2 \cos(dx + c) + 2(568 A + 759 C)a^2)\sqrt{(a \cos(dx + c) + a)/\cos(dx + c)}\sqrt{\cos(dx + c)}\sin(dx + c)/(d \cos(dx + c) + d)}{693(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] 2/693*(63*A*a^2*cos(d*x + c)^5 + 224*A*a^2*cos(d*x + c)^4 + (355*A + 99*C)*a^2*cos(d*x + c)^3 + 6*(71*A + 66*C)*a^2*cos(d*x + c)^2 + (568*A + 759*C)*a^2*cos(d*x + c) + 2*(568*A + 759*C)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(11/2)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(11/2), x)
```

$$3.1146 \quad \int \cos^2(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=216

$$\frac{16a^2(13A + 21C) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(13A + 21C) \sin(c + dx)}{315d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2a(13A + 21C)}{315d}$$

[Out] (64*a^3*(13*A + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(13*A + 21*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2*a*(13*A + 21*C)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(105*d) + (10*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(63*d) + (2*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.631934, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4087, 4013, 3809, 3804}

$$\frac{16a^2(13A + 21C) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(13A + 21C) \sin(c + dx)}{315d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2a(13A + 21C)}{315d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (64*a^3*(13*A + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(13*A + 21*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2*a*(13*A + 21*C)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(105*d) + (10*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(63*d) + (2*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(9*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087


```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3809

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^ (m_.), x_Symbol] := -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*
(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e
+ f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m
, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2
*m]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \\
&= \frac{2A\cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{9d} + \frac{2C\cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{63d} + \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{105d} \\
&= \frac{2a(13A+21C)\cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{105d} \\
&= \frac{16a^2(13A+21C)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{315d} \\
&= \frac{64a^3(13A+21C)\sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{16a^2(13A+21C)}{315d}
\end{aligned}$$

Mathematica [A] time = 1.58165, size = 105, normalized size = 0.49

$$\frac{a^2\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}(4(779A+588C)\cos(c+dx)+4(254A+63C)\cos(2(c+dx))+260A)}{1260d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sqrt[Cos[c + d*x]]*(5653*A + 7476*C + 4*(779*A + 588*C)*Cos[c + d*x] + 4*(254*A + 63*C)*Cos[2*(c + d*x)] + 260*A*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d)

Maple [A] time = 0.305, size = 122, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx+c))(35A(\cos(dx+c))^4 + 130A(\cos(dx+c))^3 + 219A(\cos(dx+c))^2 + 63C(\cos(dx+c))^2 + 29A)}{315d\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(9/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+C*\sec(dx+c)^2), x)$

[Out] $-2/315/d*a^2*(-1+\cos(dx+c))*(35*A*\cos(dx+c)^4+130*A*\cos(dx+c)^3+219*A*\cos(dx+c)^2+63*C*\cos(dx+c)^2+292*A*\cos(dx+c)+294*C*\cos(dx+c)+584*A+903*C)*\cos(dx+c)^{(1/2)}*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}/\sin(dx+c)$

Maxima [B] time = 2.17587, size = 783, normalized size = 3.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(9/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] $1/5040*(\sqrt{2}*(8190*a^2*\cos(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 2100*a^2*\cos(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 756*a^2*\cos(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) + 225*a^2*\cos(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) * \sin(9/2*d*x + 9/2*c) - 8190*a^2*\cos(9/2*d*x + 9/2*c)*\sin(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 2100*a^2*\cos(9/2*d*x + 9/2*c)*\sin(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 756*a^2*\cos(9/2*d*x + 9/2*c)*\sin(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 225*a^2*\cos(9/2*d*x + 9/2*c)*\sin(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 70*a^2*\sin(9/2*d*x + 9/2*c) + 225*a^2*\sin(7/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 756*a^2*\sin(5/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 2100*a^2*\sin(1/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 8190*a^2*\sin(1/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))))*A*\sqrt{a} - 168*(75*\sqrt{2})*a^2*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2*c) - 25*\sqrt{2})*a^2*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 75*\sqrt{2})*a^2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 3*(25*\sqrt{2})*a^2*\cos(2*d*x + 2*c) + \sqrt{2})*a^2)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*C*\sqrt{a))/d$

Fricas [A] time = 0.495154, size = 336, normalized size = 1.56

$2(35 Aa^2 \cos(dx+c)^4 + 130 Aa^2 \cos(dx+c)^3 + 3(73 A + 21 C)a^2 \cos(dx+c)^2 + 2(146 A + 147 C)a^2 \cos(dx+c) + 315(d \cos(dx+c) + d)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 2/315*(35*A*a^2*cos(d*x + c)^4 + 130*A*a^2*cos(d*x + c)^3 + 3*(73*A + 21*C)*a^2*cos(d*x + c)^2 + 2*(146*A + 147*C)*a^2*cos(d*x + c) + (584*A + 903*C)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.1147 \quad \int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=230

$$\frac{2a^3(32A + 49C) \sin(c + dx)}{21d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(8A + 7C) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{21d} + \frac{2a^{5/2}C\sqrt{\cos(c + dx)}}{21d}$$

[Out] (2*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a^3*(32*A + 49*C)*Sin[c + d*x])/(21*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 7*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.781066, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4017, 4015, 3801, 215}

$$\frac{2a^3(32A + 49C) \sin(c + dx)}{21d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(8A + 7C) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{21d} + \frac{2a^{5/2}C\sqrt{\cos(c + dx)}}{21d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (2*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a^3*(32*A + 49*C)*Sin[c + d*x])/(21*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 7*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)^2*(C_.)]*(csc[(e_.) + (f_.)*(x_)]*(d_.
))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}}{\sec^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{7d} + \frac{2aA\cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{7d} + \frac{2a^2(8A+7C)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{21d} \\
&= \frac{2a^3(32A+49C)\sin(c+dx)}{21d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(8A+7C)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{21d} \\
&= \frac{2a^3(32A+49C)\sin(c+dx)}{21d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(8A+7C)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{21d} \\
&= \frac{2a^5/2 C \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 1.50132, size = 125, normalized size = 0.54

$$\frac{a^2\sqrt{\cos(c+dx)}\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(2\sin\left(\frac{1}{2}(c+dx)\right)\left((101A+28C)\cos(c+dx)+24A\cos(2(c+dx))\right)\right)}{84d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(84*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*(208*A + 224*C + (101*A + 28*C)*Cos[c + d*x] + 24*A*Cos[2*(c + d*x)] + 3*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(84*d)

Maple [A] time = 0.272, size = 236, normalized size = 1.

$$-\frac{a^2}{42 d \sin(dx+c)} \sqrt{\cos(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(12 A (\cos(dx+c))^4 - 21 C \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out] `-1/42/d*a^2*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(12*A*cos(d*x+c)^4-21*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+21*C*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)+36*A*cos(d*x+c)^3+44*A*cos(d*x+c)^2+28*C*cos(d*x+c)^2+92*A*cos(d*x+c)+196*C*cos(d*x+c)-184*A-224*C)/sin(d*x+c)`

Maxima [B] time = 2.22792, size = 1146, normalized size = 4.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/168*(sqrt(2)*(315*a^2*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 77*a^2*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 21*a^2*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 315*a^2*cos(7/2*d*x + 7/2*c)*sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 77*a^2*cos(7/2*d*x + 7/2*c)*sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 21*a^2*cos(7/2*d*x + 7/2*c)*sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 6*a^2*sin(7/2*d*x + 7/2*c) + 21*a^2*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 77*a^2*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 315*a^2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))*A*sqrt(a) + 28*(2*sqrt(2)*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 30*sqrt(2)*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 3*a^2*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2`


```
*d*x + 2*c))) + 2) - 3*a^2*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) + 3*a^2*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - 3*a^2*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2))*C*sqrt(a))/d
```

Fricas [A] time = 0.587811, size = 1115, normalized size = 4.85

$$\frac{4 \left(3 A a^2 \cos(dx + c)^3 + 12 A a^2 \cos(dx + c)^2 + (23 A + 7 C) a^2 \cos(dx + c) + 2 (23 A + 28 C) a^2 \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)}}{42 (d c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/42*(4*(3*A*a^2*cos(d*x + c)^3 + 12*A*a^2*cos(d*x + c)^2 + (23*A + 7*C)*a^2*cos(d*x + c) + 2*(23*A + 28*C)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 21*(C*a^2*cos(d*x + c) + C*a^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c) + d), 1/21*(2*(3*A*a^2*cos(d*x + c)^3 + 12*A*a^2*cos(d*x + c)^2 + (23*A + 7*C)*a^2*cos(d*x + c) + 2*(23*A + 28*C)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 21*(C*a^2*cos(d*x + c) + C*a^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(7/2), x)

3.1148 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$

Optimal. Leaf size=230

$$\frac{a^3(64A + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(16A - 15C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{15d\sqrt{\cos(c + dx)}} + \frac{5a^{5/2}C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{d}$$

[Out] (5*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^3*(64*A + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(16*A - 15*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*A*Cos[c + d*x])^(3/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.798274, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4087, 4017, 4018, 4015, 3801, 215}

$$\frac{a^3(64A + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(16A - 15C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{15d\sqrt{\cos(c + dx)}} + \frac{5a^{5/2}C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (5*a^(5/2)*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^3*(64*A + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(16*A - 15*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*A*Cos[c + d*x])^(3/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx)) dx = (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a \sec(c+dx))^{5/2}}{\sec^{\frac{5}{2}}(c+dx)} dx$$

$$= \frac{2A \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} \sin(c+dx)}{5d} + \frac{2aA \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2} \sin(c+dx)}{3d} + \frac{a^2(16A-15C)\sqrt{a+a \sec(c+dx)} \sin(c+dx)}{15d\sqrt{\cos(c+dx)}} + \frac{2aA \sin(c+dx)}{15d\sqrt{\cos(c+dx)\sqrt{a+a \sec(c+dx)}}}$$

$$= \frac{a^3(64A+15C) \sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} - \frac{a^2(16A-15C) \sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} + \frac{5a^{5/2}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d}$$

Mathematica [A] time = 1.57593, size = 131, normalized size = 0.57

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(2 \sin\left(\frac{1}{2}(c+dx)\right) ((181A+60C) \cos(c+dx) + 28A \cos(2(c+dx))) + 3A \cos(3(c+dx))\right)}{60d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] $(a^2 \operatorname{Sec}[(c + dx)/2] \operatorname{Sqrt}[a(1 + \operatorname{Sec}[c + dx])]) \cdot (150 \operatorname{Sqrt}[2] \cdot C \cdot \operatorname{ArcTanh}[\operatorname{Sqrt}[2] \cdot \operatorname{Sin}[(c + dx)/2]] \cdot \operatorname{Cos}[c + dx] + 2 \cdot (28A + 30C + (181A + 60C) \cdot \operatorname{Cos}[c + dx] + 28A \cdot \operatorname{Cos}[2(c + dx)] + 3A \cdot \operatorname{Cos}[3(c + dx)]) \cdot \operatorname{Sin}[(c + dx)/2]) / (60d \operatorname{Sqrt}[\operatorname{Cos}[c + dx]])$

Maple [A] time = 0.271, size = 245, normalized size = 1.1

$$-\frac{a^2}{60d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(75C \sin(dx+c) \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out] $-1/60/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(75*C*\sin(d*x+c)*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))*\cos(d*x+c)-75*C*\sin(d*x+c)*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))*\cos(d*x+c)+24*A*\cos(d*x+c)^4+88*A*\cos(d*x+c)^3+232*A*\cos(d*x+c)^2+120*C*\cos(d*x+c)^2-344*A*\cos(d*x+c)-60*C*\cos(d*x+c)-60*C)/\sin(d*x+c)/\cos(d*x+c)^{(1/2)}$

Maxima [B] time = 3.30519, size = 11036, normalized size = 47.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/1260*(42*(3*\operatorname{sqrt}(2)*a^2*\sin(5/2*d*x + 5/2*c) + 25*\operatorname{sqrt}(2)*a^2*\sin(3/2*d*x + 3/2*c) + 150*\operatorname{sqrt}(2)*a^2*\sin(1/2*d*x + 1/2*c))*A*\operatorname{sqrt}(a) - 5*(1449*\operatorname{sqrt}(2)*a^2*\cos(5/2*d*x + 5/2*c)^3*\sin(2*d*x + 2*c) - 1260*\operatorname{sqrt}(2)*a^2*\sin(1/2*d*x + 1/2*c)^3 - 1449*(\operatorname{sqrt}(2)*a^2*\cos(2*d*x + 2*c) + \operatorname{sqrt}(2)*a^2)*\sin(5/2*d*x + 5/2*c)^3 + 21*(25*\operatorname{sqrt}(2)*a^2*\cos(2*d*x + 2*c)^2*\sin(3/2*d*x + 3/2*c) + 25*\operatorname{sqrt}(2)*a^2*\sin(2*d*x + 2*c)^2*\sin(3/2*d*x + 3/2*c) - 60*\operatorname{sqrt}(2)*a^2*\sin(1/2*d*x + 1/2*c) + 5*(5*\operatorname{sqrt}(2)*a^2*\sin(3/2*d*x + 3/2*c) - 12*\operatorname{sqrt}(2)*a^2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + (25*\operatorname{sqrt}(2)*a^2*\cos(3/2*d*x + 3/2*c) - 12*\operatorname{sqrt}(2)*a^2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + (25*\operatorname{sqrt}(2)*a^2*\cos(3/2*d*x + 3/2*c) - 12*\operatorname{sqrt}(2)*a^2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + (25*\operatorname{sqrt}(2)*a^2*\cos(3/2*d*x + 3/2*c) - 12*\operatorname{sqrt}(2)*a^2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c)$

$$\begin{aligned}
& 2*c) + 198*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*\cos(5/2*d*x \\
& + 5/2*c)^2 - 21*(12*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) - 25*(\sqrt{2}*a^2*\cos(\\
& 1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(3/2*d*x + 3/2* \\
& c))*\cos(2*d*x + 2*c)^2 + 21*(25*\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2*\sin(3/2*d*x \\
& + 3/2*c) + 25*\sqrt{2}*a^2*\sin(2*d*x + 2*c)^2*\sin(3/2*d*x + 3/2*c) + 69*\sqrt{2} \\
& (2)*a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 198*\sqrt{2}*a^2*\sin(1/2*d*x \\
& + 1/2*c) + (25*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 198*\sqrt{2}*a^2*\sin(1/2* \\
& d*x + 1/2*c))*\cos(2*d*x + 2*c) + 5*(5*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) + 12 \\
& *\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*\sin(5/2*d*x + 5/2*c)^2 \\
& - 21*(12*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) - 25*(\sqrt{2}*a^2*\cos(1/2*d*x + \\
& 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(3/2*d*x + 3/2*c))*\sin(2* \\
& d*x + 2*c)^2 - 35*(\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) + 2* \\
& \sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c) + \sqrt{2} \\
& *a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\sin(5/2*d \\
& *x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + (\sqrt{2}*a^2*\cos(1/2*d* \\
& x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c))*\cos(13 \\
& /2*d*x + 13/2*c) - 135*(\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) \\
& + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c) \\
& + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\sin(\\
& 5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + (\sqrt{2}*a^2*\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c))*\cos \\
& (11/2*d*x + 11/2*c) - 98*(\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)^2*\sin(2*d*x + \\
& 2*c) + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + \\
& 2*c) + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2* \\
& \sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + (\sqrt{2}*a^2*\cos \\
& (1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c) \\
&))*\cos(9/2*d*x + 9/2*c) + 390*(\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)^2*\sin(2*d*x \\
& + 2*c) + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x \\
& + 2*c) + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2* \\
& \sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + (\sqrt{2}*a^2*\cos \\
& (1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + \\
& 2*c))*\cos(7/2*d*x + 7/2*c) + 21*(50*\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2*\cos(1/2* \\
& d*x + 1/2*c)*\sin(3/2*d*x + 3/2*c) + 50*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin \\
& (2*d*x + 2*c)^2*\sin(3/2*d*x + 3/2*c) - 120*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c) \\
& *\sin(1/2*d*x + 1/2*c) + 10*(5*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(3/2*d*x \\
& + 3/2*c) - 12*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c))*\cos(2* \\
& d*x + 2*c) + (50*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)*\cos(1/2*d*x + 1/2*c) + 18 \\
& 9*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + 69*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 \\
& *\sin(2*d*x + 2*c))*\cos(5/2*d*x + 5/2*c) - 21*(60*\sqrt{2}*a^2*\sin(1/2*d*x \\
& + 1/2*c)^3 - 25*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d \\
& *x + 1/2*c)^2)*\sin(3/2*d*x + 3/2*c) + 12*(5*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c) \\
&)^2 + 2*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) - 315*(a^2*\cos(\\
& 1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + \\
& a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(5/2*d*x + 5/2*c) \\
&)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x +
\end{aligned}$$

$$\begin{aligned}
& *d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(\\
& 5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c) \\
& ^2)*\cos(2*d*x + 2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + \\
& 2*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + \\
& 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(a^2*\cos(2*d* \\
& x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c) \\
& ^2 + 2*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c) \\
&)*\cos(5/2*d*x + 5/2*c) + 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + \\
& 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) \\
& + a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*\cos(2*d*x + 2*c)*\sin \\
& (1/2*d*x + 1/2*c) + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\log(2*c \\
& os(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*a \\
& rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3*a \\
& rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*arc \\
& tan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 35*(\sqrt{2}*a^2*co \\
& s(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 + (\sqrt{2}*a^2*co \\
& s(2*d*x + 2*c) + \sqrt{2}*a^2)*\cos(5/2*d*x + 5/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d \\
& *x + 2*c) + \sqrt{2}*a^2)*\sin(5/2*d*x + 5/2*c)^2 + 2*(\sqrt{2}*a^2*\cos(2*d*x \\
& + 2*c)*\cos(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x \\
& + 5/2*c) + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + \\
& 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + \\
& 1/2*c) + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\sin(13/2* \\
& d*x + 13/2*c) + 135*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1 \\
& /2*d*x + 1/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\cos(5/2*d* \\
& x + 5/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(5/2*d*x + 5 \\
& /2*c)^2 + 2*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + \sqrt{2}*a^ \\
& 2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + (\sqrt{2}*a^2*\cos(1/2*d*x + 1 \\
& /2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(\sqrt{2} \\
& *a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2 \\
& c))*\sin(5/2*d*x + 5/2*c))*\sin(11/2*d*x + 11/2*c) + 7*(9*\sqrt{2}*a^2*\cos(1/2 \\
& *d*x + 1/2*c)^2 + 9*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 - (5*\sqrt{2}*a^2*\cos \\
& (2*d*x + 2*c)^2 + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c)^2 - 4*\sqrt{2}*a^2*\cos(2*d* \\
& x + 2*c) - 9*\sqrt{2}*a^2)*\cos(5/2*d*x + 5/2*c)^2 - 5*(\sqrt{2}*a^2*\cos(1/2*d \\
& *x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c)^2 - (5 \\
& *\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2 + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c)^2 - 4*\sqrt{2} \\
& (2)*a^2*\cos(2*d*x + 2*c) - 9*\sqrt{2}*a^2)*\sin(5/2*d*x + 5/2*c)^2 - 5*(\sqrt{2} \\
& (2)*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d \\
& *x + 2*c)^2 - 2*(5*\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + 5* \\
& \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 - 4*\sqrt{2}*a^2*\cos(2*d \\
& *x + 2*c)*\cos(1/2*d*x + 1/2*c) - 9*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/ \\
& 2*d*x + 5/2*c) + 4*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/ \\
& 2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) - 2*(5*\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2*si \\
& n(1/2*d*x + 1/2*c) + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) \\
& - 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) - 9*\sqrt{2}*a^2*\sin(1 \\
& /2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\sin(9/2*d*x + 9/2*c) - 390*(\sqrt{2}*
\end{aligned}$$

$$\begin{aligned}
& a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \sin(1/2*d*x + 1/2*c)^2 + (\sqrt{2} * \\
& a^2 \cos(2*d*x + 2*c) + \sqrt{2} * a^2) \cos(5/2*d*x + 5/2*c)^2 + (\sqrt{2} * a^2 \cos \\
& \cos(2*d*x + 2*c) + \sqrt{2} * a^2) \sin(5/2*d*x + 5/2*c)^2 + 2 * (\sqrt{2} * a^2 \cos(\\
& 2*d*x + 2*c) \cos(1/2*d*x + 1/2*c) + \sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)) \cos(5 \\
& /2*d*x + 5/2*c) + (\sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \sin(1/2 \\
& *d*x + 1/2*c)^2) \cos(2*d*x + 2*c) + 2 * (\sqrt{2} * a^2 \cos(2*d*x + 2*c) \sin(1/2 \\
& *d*x + 1/2*c) + \sqrt{2} * a^2 \sin(1/2*d*x + 1/2*c)) \sin(5/2*d*x + 5/2*c)) \sin \\
& (7/2*d*x + 7/2*c) - 21 * (69 \sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^2 + 189 \sqrt{2} \\
& * a^2 \sin(1/2*d*x + 1/2*c)^2 + 69 * (\sqrt{2} * a^2 \cos(2*d*x + 2*c) + \sqrt{2} * a^2 \\
&) \cos(5/2*d*x + 5/2*c)^2 - 2 * (25 \sqrt{2} * a^2 \sin(3/2*d*x + 3/2*c) \sin(1/2 * \\
& d*x + 1/2*c) - 6 \sqrt{2} * a^2) \cos(2*d*x + 2*c)^2 - 2 * (25 \sqrt{2} * a^2 \sin(3/ \\
& 2*d*x + 3/2*c) \sin(1/2*d*x + 1/2*c) - 6 \sqrt{2} * a^2) \sin(2*d*x + 2*c)^2 + 1 \\
& 2 \sqrt{2} * a^2 + 138 * (\sqrt{2} * a^2 \cos(2*d*x + 2*c) \cos(1/2*d*x + 1/2*c) - \sqrt{ \\
& rt(2) * a^2 \sin(2*d*x + 2*c) \sin(1/2*d*x + 1/2*c) + \sqrt{2} * a^2 \cos(1/2*d*x + \\
& 1/2*c)) \cos(5/2*d*x + 5/2*c) + (69 \sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^2 - 50 \\
& * \sqrt{2} * a^2 \sin(3/2*d*x + 3/2*c) \sin(1/2*d*x + 1/2*c) + 189 \sqrt{2} * a^2 \sin \\
& (1/2*d*x + 1/2*c)^2 + 24 \sqrt{2} * a^2) \cos(2*d*x + 2*c) - 10 * (5 \sqrt{2} * a^2 \\
& * \cos(3/2*d*x + 3/2*c) \sin(1/2*d*x + 1/2*c) + 12 \sqrt{2} * a^2 \cos(1/2*d*x + 1 \\
& /2*c) \sin(1/2*d*x + 1/2*c)) \sin(2*d*x + 2*c)) \sin(5/2*d*x + 5/2*c) + 105 * (1 \\
& 2 \sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^3 + 12 \sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c) * \\
& \sin(1/2*d*x + 1/2*c)^2 + 5 * (\sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \\
& 2 \sin(1/2*d*x + 1/2*c)^2) \cos(3/2*d*x + 3/2*c)) \sin(2*d*x + 2*c) - 252 * (5 \sqrt{ \\
& rt(2) * a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2) \sin(1/2*d*x + 1/2*c) - 135 \\
& * (\sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \sin(1/2*d*x + 1/2*c)^2 + \\
& (\sqrt{2} * a^2 \cos(2*d*x + 2*c)^2 + \sqrt{2} * a^2 \sin(2*d*x + 2*c)^2 + 2 \sqrt{2} * \\
& 2) * a^2 \cos(2*d*x + 2*c) + \sqrt{2} * a^2) \cos(5/2*d*x + 5/2*c)^2 + (\sqrt{2} * a^2 \\
& 2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \sin(1/2*d*x + 1/2*c)^2) \cos(2*d*x + \\
& 2*c)^2 + (\sqrt{2} * a^2 \cos(2*d*x + 2*c)^2 + \sqrt{2} * a^2 \sin(2*d*x + 2*c)^2 + \\
& 2 \sqrt{2} * a^2 \cos(2*d*x + 2*c) + \sqrt{2} * a^2) \sin(5/2*d*x + 5/2*c)^2 + (\sqrt{ \\
& rt(2) * a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \sin(1/2*d*x + 1/2*c)^2) \sin(\\
& 2*d*x + 2*c)^2 + 2 * (\sqrt{2} * a^2 \cos(2*d*x + 2*c)^2 \cos(1/2*d*x + 1/2*c) + \sqrt{ \\
& rt(2) * a^2 \cos(1/2*d*x + 1/2*c) \sin(2*d*x + 2*c)^2 + 2 \sqrt{2} * a^2 \cos(2*d * \\
& x + 2*c) \cos(1/2*d*x + 1/2*c) + \sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)) \cos(5/2*d \\
& *x + 5/2*c) + 2 * (\sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \sin(1/2*d \\
& *x + 1/2*c)^2) \cos(2*d*x + 2*c) + 2 * (\sqrt{2} * a^2 \cos(2*d*x + 2*c)^2 \sin(1/2 \\
& *d*x + 1/2*c) + \sqrt{2} * a^2 \sin(2*d*x + 2*c)^2 \sin(1/2*d*x + 1/2*c) + 2 \sqrt{ \\
& rt(2) * a^2 \cos(2*d*x + 2*c) \sin(1/2*d*x + 1/2*c) + \sqrt{2} * a^2 \sin(1/2*d*x + \\
& 1/2*c)) \sin(5/2*d*x + 5/2*c)) \sin(7/3 * \arctan(2 * (\sin(3/2*d*x + 3/2*c) / \cos(3/2 \\
& *d*x + 3/2*c))) - 63 * (\sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \sin(\\
& 1/2*d*x + 1/2*c)^2 + (\sqrt{2} * a^2 \cos(2*d*x + 2*c)^2 + \sqrt{2} * a^2 \sin(2*d * \\
& x + 2*c)^2 + 2 \sqrt{2} * a^2 \cos(2*d*x + 2*c) + \sqrt{2} * a^2) \cos(5/2*d*x + 5/ \\
& 2*c)^2 + (\sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \sin(1/2*d*x + 1/ \\
& 2*c)^2) \cos(2*d*x + 2*c)^2 + (\sqrt{2} * a^2 \cos(2*d*x + 2*c)^2 + \sqrt{2} * a^2 * \\
& \sin(2*d*x + 2*c)^2 + 2 \sqrt{2} * a^2 \cos(2*d*x + 2*c) + \sqrt{2} * a^2) \sin(5/2 * \\
& d*x + 5/2*c)^2 + (\sqrt{2} * a^2 \cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} * a^2 \sin(1/2 *
\end{aligned}$$

$$\begin{aligned}
& d*x + 1/2*c)^2*\sin(2*d*x + 2*c)^2 + 2*(\sqrt{2})*a^2*\cos(2*d*x + 2*c)^2*\cos(\\
& 1/2*d*x + 1/2*c) + \sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 + 2* \\
& \sqrt{2})*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + \sqrt{2})*a^2*\cos(1/2*d*x \\
& + 1/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)^2 + s \\
& \sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(\sqrt{2})*a^2*\cos(2* \\
& d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + \sqrt{2})*a^2*\sin(2*d*x + 2*c)^2*\sin(1/2* \\
& d*x + 1/2*c) + 2*\sqrt{2})*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2} \\
&)*a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\sin(5/3*\arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1260*(\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c \\
&)^2 + \sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c)^2 + (\sqrt{2})*a^2*\cos(2*d*x + 2*c)^2 \\
& + \sqrt{2})*a^2*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2})*a^2*\cos(2*d*x + 2*c) + \sqrt{2} \\
& *a^2)*\cos(5/2*d*x + 5/2*c)^2 + (\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} \\
&)*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c)^2 + (\sqrt{2})*a^2*\cos(2*d*x + \\
& 2*c)^2 + \sqrt{2})*a^2*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2})*a^2*\cos(2*d*x + 2*c) + \\
& \sqrt{2})*a^2)*\sin(5/2*d*x + 5/2*c)^2 + (\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)^2 \\
& + \sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(\sqrt{2})*a^2*c \\
& \cos(2*d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + \sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)*s \\
& \sin(2*d*x + 2*c)^2 + 2*\sqrt{2})*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + s \\
& \sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(\sqrt{2})*a^2*\cos(\\
& 1/2*d*x + 1/2*c)^2 + \sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + \\
& 2*(\sqrt{2})*a^2*\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + \sqrt{2})*a^2*\sin(2 \\
& *d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*\sqrt{2})*a^2*\cos(2*d*x + 2*c)*\sin(1/2 \\
& *d*x + 1/2*c) + \sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\sin \\
& (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*C*\sqrt{a}/((\cos(\\
& 2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\cos(5/2*d*x + \\
& 5/2*c)^2 + (\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2 \\
& *c)^2 + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)* \\
& \sin(5/2*d*x + 5/2*c)^2 + (\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2)* \\
& \sin(2*d*x + 2*c)^2 + 2*(\cos(2*d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + \cos(1/2*d \\
& *x + 1/2*c)*\sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + \\
& \cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(\cos(1/2*d*x + 1/2*c)^2 + \sin \\
& (1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + \cos(1/2*d*x + 1/2*c)^2 + 2*(\cos(2* \\
& d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + \sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) \\
& + 2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \sin(1/2*d*x + 1/2*c))*\sin(5/2* \\
& d*x + 5/2*c) + \sin(1/2*d*x + 1/2*c)^2))/d
\end{aligned}$$

Fricas [A] time = 0.594323, size = 1175, normalized size = 5.11

$$\frac{4 \left(6 A a^2 \cos(dx + c)^3 + 28 A a^2 \cos(dx + c)^2 + 2 (43 A + 15 C) a^2 \cos(dx + c) + 15 C a^2 \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c)}{60 (d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/60*(4*(6*A*a^2*cos(d*x + c)^3 + 28*A*a^2*cos(d*x + c)^2 + 2*(43*A + 15*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 75*(C*a^2*cos(d*x + c)^2 + C*a^2*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/30*(2*(6*A*a^2*cos(d*x + c)^3 + 28*A*a^2*cos(d*x + c)^2 + 2*(43*A + 15*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 75*(C*a^2*cos(d*x + c)^2 + C*a^2*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2), x)
```

$$3.1149 \quad \int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + C \sec^2(c + dx)) dx$$

Optimal. Leaf size=244

$$\frac{a^3(56A - 27C) \sin(c + dx)}{12d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(8A - 21C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{12d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(8A + 19C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{4d}$$

[Out] (a^(5/2)*(8*A + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a^3*(56*A - 27*C)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(8*A - 21*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) - (a*(4*A - 3*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.812885, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4018, 4015, 3801, 215}

$$\frac{a^3(56A - 27C) \sin(c + dx)}{12d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(8A - 21C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{12d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(8A + 19C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(8*A + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a^3*(56*A - 27*C)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(8*A - 21*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) - (a*(4*A - 3*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] := Simp[(A*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_) * (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_) * Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)] * (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{2A\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{3d} + \frac{(2A+C)\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}}{3d} \\
&= -\frac{a(4A-3C)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{6d\sqrt{\cos(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}}{3d} \\
&= -\frac{a^2(8A-21C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{12d\sqrt{\cos(c+dx)}} - \frac{a(4A-3C)\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}}{3d} \\
&= \frac{a^3(56A-27C)\sin(c+dx)}{12d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{a^2(8A-21C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{12d\sqrt{\cos(c+dx)}} \\
&= \frac{a^3(56A-27C)\sin(c+dx)}{12d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{a^2(8A-21C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{12d\sqrt{\cos(c+dx)}} \\
&= \frac{a^5/2(8A+19C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{4d}
\end{aligned}$$

Mathematica [A] time = 1.71225, size = 139, normalized size = 0.57

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(4 \sin\left(\frac{1}{2}(c+dx)\right) ((6A+33C) \cos(c+dx) + 32A \cos(2(c+dx)) + 2A \cos(3(c+dx)))\right)}{48d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(8*A + 19*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + 4*(32*A + 6*C + (6*A + 33*C)*Cos[c + d*x] + 32*A*Cos[2*(c + d*x)] + 2*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d*Cos[c + d*x]^(3/2))

Maple [A] time = 0.316, size = 378, normalized size = 1.6

$$-\frac{a^2(-1 + \cos(dx + c))}{24d(\sin(dx + c))^2} \left(16A \sin(dx + c) (\cos(dx + c))^3 \sqrt{-2(\cos(dx + c) + 1)^{-1}} + 128A(\cos(dx + c))^2 \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x)`

[Out] `-1/24/d*a^2*(-1+cos(d*x+c))*(16*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+128*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-24*A*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2+24*A*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2-57*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2+57*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2+66*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)+12*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^(3/2)/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2`

Maxima [B] time = 21.4554, size = 4618, normalized size = 18.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/48*(4*sqrt(2)*(30*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(3/2*d*x + 3/2*c) - 30*a^2*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) - 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) + 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sin(1/3*`

$$\begin{aligned}
& + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 - 2*(22*\sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) - 14*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 14*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 22*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2) - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 38*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c))*\cos(4*d*x + 4*c) - 4*(14*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 22*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 4*(11*\sqrt{2}*a^2*\cos(7/2*d*x + 7/2*c) - 7*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c) + 7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c) - 19*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c))*\sin(4*d*x + 4*c) - 44*(2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) + 28*(2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 8*(7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*C*\sqrt{a}/(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.710428, size = 1210, normalized size = 4.96

$$\frac{4 \left(8 A a^2 \cos(dx + c)^3 + 64 A a^2 \cos(dx + c)^2 + 33 C a^2 \cos(dx + c) + 6 C a^2 \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + 3}{48 \left(d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/48*(4*(8*A*a^2*cos(d*x + c)^3 + 64*A*a^2*cos(d*x + c)^2 + 33*C*a^2*cos(d*x + c) + 6*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((8*A + 19*C)*a^2*cos(d*x + c)^3 + (8*A + 19*C)*a^2*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/24*(2*(8*A*a^2*cos(d*x + c)^3 + 64*A*a^2*cos(d*x + c)^2 + 33*C*a^2*cos(d*x + c) + 6*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((8*A + 19*C)*a^2*cos(d*x + c)^3 + (8*A + 19*C)*a^2*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2), x)

3.1150 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx)) dx$

Optimal. Leaf size=238

$$\frac{a^3(24A-49C)\sin(c+dx)}{24d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{a^2(24A+31C)\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{24d\sqrt{\cos(c+dx)}} + \frac{5a^{5/2}(8A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{8d}$$

[Out] (5*a^(5/2)*(8*A + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^3*(24*A - 49*C)*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 31*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + (5*a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.792775, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4089, 4018, 4015, 3801, 215}

$$\frac{a^3(24A-49C)\sin(c+dx)}{24d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{a^2(24A+31C)\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{24d\sqrt{\cos(c+dx)}} + \frac{5a^{5/2}(8A+5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2), x]

[Out] (5*a^(5/2)*(8*A + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^3*(24*A - 49*C)*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 31*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + (5*a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x]] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] :> -Simp[(C*
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Si
mp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}(A+C\sec^2(c+dx))}{\sqrt{\sec(c+dx)}}dx \\
&= \frac{C(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})^{5/2}(a+a\sec(c+dx))^{5/2}}{3d\sqrt{\cos(c+dx)}} \\
&= \frac{5aC(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{12d\sqrt{\cos(c+dx)}} + \frac{C(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} \\
&= \frac{a^2(24A+31C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{24d\sqrt{\cos(c+dx)}} + \frac{5aC(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{24d\sqrt{\cos(c+dx)}} \\
&= \frac{a^3(24A-49C)\sin(c+dx)}{24d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{a^2(24A+31C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{24d\sqrt{\cos(c+dx)}} \\
&= \frac{a^3(24A-49C)\sin(c+dx)}{24d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{a^2(24A+31C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{24d\sqrt{\cos(c+dx)}} \\
&= \frac{5a^{5/2}(8A+5C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{8d}
\end{aligned}$$

Mathematica [A] time = 2.38492, size = 144, normalized size = 0.61

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(\sin\left(\frac{1}{2}(c+dx)\right)\right) ((72A+68C)\cos(c+dx) + 3(8A+25C)\cos(2(c+dx)) + 24A\cos(3(c+dx)))}{48d\cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(15*Sqrt[2]*(8*A + 5*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (24*A + 91*C + (72*A + 68*C)*Cos[c + d*x] + 3*(8*A + 25*C)*Cos[2*(c + d*x)] + 24*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d*Cos[c + d*x]^(5/2))

Maple [B] time = 0.309, size = 409, normalized size = 1.7

$$\frac{a^2 (-1 + \cos(dx + c))}{48 d (\sin(dx + c))^2} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} \left(120 A (\cos(dx + c))^3 \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2 (\cos(dx + c) + 1)^{-1} (\cos(dx + c) + 1)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x)

[Out]
$$-1/48/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))*(120*A*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))) * 2^{(1/2)} - 120*A*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))) * 2^{(1/2)} + 96*A*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{(1/2)} + 75*C*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))) * 2^{(1/2)} - 75*C*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))) * 2^{(1/2)} + 48*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)} + 150*C*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c) + 68*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c) + 16*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))/(-2/(\cos(d*x+c)+1))^{(1/2)}/\cos(d*x+c)^{(5/2)}/\sin(d*x+c)^2$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.716152, size = 1237, normalized size = 5.2

$$4 \left(48 A a^2 \cos(dx + c)^3 + 3 (8 A + 25 C) a^2 \cos(dx + c)^2 + 34 C a^2 \cos(dx + c) + 8 C a^2 \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/96*(4*(48*A*a^2*cos(d*x + c)^3 + 3*(8*A + 25*C)*a^2*cos(d*x + c)^2 + 34*C*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((8*A + 5*C)*a^2*cos(d*x + c)^4 + (8*A + 5*C)*a^2*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/48*(2*(48*A*a^2*cos(d*x + c)^3 + 3*(8*A + 25*C)*a^2*cos(d*x + c)^2 + 34*C*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((8*A + 5*C)*a^2*cos(d*x + c)^4 + (8*A + 5*C)*a^2*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c)), x)
```

$$3.1151 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=238

$$\frac{a^3(432A + 299C) \sin(c + dx)}{192d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(16A + 17C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{32d \cos^{\frac{3}{2}}(c + dx)} + \frac{a^{5/2}(304A + 163C) \sqrt{\cos(c + dx)}}{192d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(5/2)*(304*A + 163*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a^3*(432*A + 299*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 17*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d*Cos[c + d*x]^(3/2)) + (5*a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.834265, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4089, 4018, 4016, 3801, 215}

$$\frac{a^3(432A + 299C) \sin(c + dx)}{192d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(16A + 17C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{32d \cos^{\frac{3}{2}}(c + dx)} + \frac{a^{5/2}(304A + 163C) \sqrt{\cos(c + dx)}}{192d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (a^(5/2)*(304*A + 163*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a^3*(432*A + 299*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 17*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d*Cos[c + d*x]^(3/2)) + (5*a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)])*(d_.)^(n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.)^(n_)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.)^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx \\
&= \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx}{4d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{5aC(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx)} + \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^2(16A + 17C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{32d \cos^{\frac{3}{2}}(c + dx)} + \frac{5aC(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^3(432A + 299C) \sin(c + dx)}{192d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{a^2(16A + 17C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{32d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^3(432A + 299C) \sin(c + dx)}{192d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{a^2(16A + 17C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{32d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^{5/2}(304A + 163C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}
\end{aligned}$$

Mathematica [A] time = 3.62775, size = 155, normalized size = 0.65

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) ((1584A + 2203C) \cos(c + dx) + 4(48A + 163C) \cos(2(c + dx))) + \dots\right)$$

768d

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(304*A + 163*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (192*A + 844*C + (1584*A + 2203*C)*Cos[c + d*x] + 4*(48*A + 163*C)*Cos[2*(c + d*x)] + 528*A*Cos[3*(c + d*x)] + 489*C*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(768*d*Cos[c + d*x]^(7/2))

Maple [B] time = 0.328, size = 440, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^{5/2}*(A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{1/2},x)$

[Out]
$$-1/384/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(912*A*\cos(d*x+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))-912*A*\cos(d*x+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c))))+489*C*\cos(d*x+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*2^{1/2}-489*C*\cos(d*x+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c))))*2^{1/2}+1056*A*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{1/2}+978*C*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+192*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+652*C*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+368*C*(-2/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)*\sin(d*x+c)+96*C*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c))/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{1/2}/\cos(d*x+c)^{7/2}$$

Maxima [B] time = 22.4141, size = 9027, normalized size = 37.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{5/2}*(A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{1/2},x, \text{algorithm}="maxima")$

[Out]
$$-1/768*(48*(88*\sqrt{2})*a^2*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) - 56*\sqrt{2}*(2)*a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 28*\sqrt{2}*(2)*a^2*\sin(3/2*d*x + 3/2*c) + 44*\sqrt{2}*(2)*a^2*\sin(1/2*d*x + 1/2*c) - 19*(a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(4*d*x + 4*c)^{1/2}$$

$$\begin{aligned}
& ^2 - 2\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2)) * \\
& \cos(2*d*x + 2*c)) * \cos(4*d*x + 4*c) - 4*(14*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) \\
& - 22*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^ \\
& 2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin \\
& (1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2* \\
& d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1 \\
& /2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - 1 \\
& 9*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos \\
& (1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2)) * \cos(2*d*x + 2*c) \\
& + 4*(11*\sqrt{2}*a^2*\cos(7/2*d*x + 7/2*c) - 7*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2 \\
& *c) + 7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2 \\
& *c) - 19*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*s \\
& qrt(2)\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log \\
& (2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d* \\
& x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\
& rt(2)\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(\\
& 1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x \\
& + 1/2*c) + 2)) * \sin(2*d*x + 2*c)) * \sin(4*d*x + 4*c) - 44*(2*\sqrt{2}*a^2*\cos(\\
& 2*d*x + 2*c) + \sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) + 28*(2*\sqrt{2}*a^2*\cos(2* \\
& d*x + 2*c) + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 8*(7*\sqrt{2}*a^2*\cos(3/2*d \\
& *x + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)) * \sin(2*d*x + 2*c)) * A*\sqrt{ \\
& (a)/(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos \\
& (2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) \\
&) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1) + (1956*(\sqrt{2}*a^2*\sin \\
& (8*d*x + 8*c) + 4*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\sin(4*d*x + \\
& 4*c) + 4*\sqrt{2}*a^2*\sin(2*d*x + 2*c)) * \cos(15/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) + 652*(\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\sin(6 \\
& *d*x + 6*c) + 6*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\sin(2*d*x + 2* \\
& c)) * \cos(13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 6204*(\sqrt{2}*a \\
& ^2*\sin(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\sin(4* \\
& d*x + 4*c) + 4*\sqrt{2}*a^2*\sin(2*d*x + 2*c)) * \cos(11/4*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c))) - 2060*(\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2}*a^ \\
& 2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\sin(2*d \\
& *x + 2*c)) * \cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2060*(\sqrt{ \\
& t(2)*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^2* \\
& \sin(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\sin(2*d*x + 2*c)) * \cos(7/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) - 6204*(\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2} \\
& (2)*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\sin \\
& (2*d*x + 2*c)) * \cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 652* \\
& (\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^ \\
& 2*\sin(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\sin(2*d*x + 2*c)) * \cos(3/4*\arctan2(\sin(\\
& 2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1956*(\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 4*s \\
& qrt(2)*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2}*a^
\end{aligned}$$

$$\begin{aligned}
& 2*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - \\
& 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x \\
& + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(\\
& 6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2* \\
& d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(\\
& 4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + \\
& a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) \\
& + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) \\
&) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + \\
& 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c) \\
&))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{ \\
& 2)*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2)*\sin(1/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 489*(a^2*\cos(8*d*x + 8 \\
& *c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(\\
& 2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^ \\
& 2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\si \\
& n(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) \\
& + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) \\
& + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) \\
&) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x \\
& + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) \\
& + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\l \\
& og(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arc \\
& tan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2)*\cos(1/4*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2)*\sin(1/4*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c))) + 2) - 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d \\
& *x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\s \\
& in(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + \\
& 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a \\
& ^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4 \\
& *c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + \\
& 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d* \\
& x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4* \\
& d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x \\
& + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2)*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c))) + 2*\sqrt{2)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&) + 2) + 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*c \\
& os(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16 \\
& *a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4* \\
& c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + \\
& a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x \\
& + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*
\end{aligned}$$

$$\begin{aligned}
& x + 2c) + a^2) \cos(6dx + 6c) + 12(4a^2 \cos(2dx + 2c) + a^2) \cos(4d \\
& dx + 4c) + 4(2a^2 \sin(6dx + 6c) + 3a^2 \sin(4dx + 4c) + 2a^2 \sin \\
& (2dx + 2c)) \sin(8dx + 8c) + 16(3a^2 \sin(4dx + 4c) + 2a^2 \sin(2 \\
& dx + 2c)) \sin(6dx + 6c)) \log(2 \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2 \\
& dx + 2c)))^2 + 2 \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 \\
& - 2\sqrt{2} \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2\sqrt{2} \\
&) \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 1956(\sqrt{2} \\
& a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(\\
& 4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin(15/4 \arctan \\
& 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 652(\sqrt{2} a^2 \cos(8dx + 8c) \\
& + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} \\
& (2) a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin(13/4 \arctan 2(\sin(2dx + 2c), \\
& \cos(2dx + 2c))) - 6204(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos \\
& (6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + \\
& 2c) + \sqrt{2} a^2) \sin(11/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + \\
& 2060(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} \\
& \sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin \\
& (9/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2060(\sqrt{2} a^2 \cos \\
& (8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + \\
& 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin(7/4 \arctan 2(\sin(2 \\
& dx + 2c), \cos(2dx + 2c))) + 6204(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} \\
& \sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \\
& \cos(2dx + 2c) + \sqrt{2} a^2) \sin(5/4 \arctan 2(\sin(2dx + 2c), \cos(2dx \\
& x + 2c))) + 652(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + \\
& 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} \\
& \sqrt{2} a^2) \sin(3/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1956(\sqrt{2} \\
& \sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos \\
& (4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin(1/4 \ar \\
& ctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) C \sqrt{a} / (2(4 \cos(6dx + 6c) \\
&) + 6 \cos(4dx + 4c) + 4 \cos(2dx + 2c) + 1) \cos(8dx + 8c) + \cos(8d \\
& x + 8c)^2 + 8(6 \cos(4dx + 4c) + 4 \cos(2dx + 2c) + 1) \cos(6dx + 6 \\
& c) + 16 \cos(6dx + 6c)^2 + 12(4 \cos(2dx + 2c) + 1) \cos(4dx + 4c) \\
& + 36 \cos(4dx + 4c)^2 + 16 \cos(2dx + 2c)^2 + 4(2 \sin(6dx + 6c) + 3 \\
& \sin(4dx + 4c) + 2 \sin(2dx + 2c)) \sin(8dx + 8c) + \sin(8dx + 8c) \\
& ^2 + 16(3 \sin(4dx + 4c) + 2 \sin(2dx + 2c)) \sin(6dx + 6c) + 16 \sin \\
& (6dx + 6c)^2 + 36 \sin(4dx + 4c)^2 + 48 \sin(4dx + 4c) \sin(2dx + 2 \\
& c) + 16 \sin(2dx + 2c)^2 + 8 \cos(2dx + 2c) + 1) / d
\end{aligned}$$

Fricas [A] time = 0.841422, size = 1304, normalized size = 5.48

$$4 \left(3 (176 A + 163 C) a^2 \cos(dx + c)^3 + 2 (48 A + 163 C) a^2 \cos(dx + c)^2 + 184 C a^2 \cos(dx + c) + 48 C a^2 \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/768*(4*(3*(176*A + 163*C)*a^2*cos(d*x + c)^3 + 2*(48*A + 163*C)*a^2*cos(d*x + c)^2 + 184*C*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((304*A + 163*C)*a^2*cos(d*x + c)^5 + (304*A + 163*C)*a^2*cos(d*x + c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4), 1/384*(2*(3*(176*A + 163*C)*a^2*cos(d*x + c)^3 + 2*(48*A + 163*C)*a^2*cos(d*x + c)^2 + 184*C*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((304*A + 163*C)*a^2*cos(d*x + c)^5 + (304*A + 163*C)*a^2*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/sqrt(cos(d*x + c)), x)

$$3.1152 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=285

$$\frac{a^3(400A + 283C) \sin(c + dx)}{128d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1040A + 787C) \sin(c + dx)}{960d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 79C) \sin(c + dx) \sqrt{a \sec(c + dx)}}{240d \cos^{\frac{5}{2}}(c + dx)}$$

[Out] (a^(5/2)*(400*A + 283*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^3*(1040*A + 787*C)*Sin[c + d*x])/(960*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(400*A + 283*C)*Sin[c + d*x])/(128*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 79*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d*Cos[c + d*x]^(5/2)) + (a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(5/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 0.932856, antiderivative size = 285, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4089, 4018, 4016, 3803, 3801, 215}

$$\frac{a^3(400A + 283C) \sin(c + dx)}{128d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1040A + 787C) \sin(c + dx)}{960d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 79C) \sin(c + dx) \sqrt{a \sec(c + dx)}}{240d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (a^(5/2)*(400*A + 283*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^3*(1040*A + 787*C)*Sin[c + d*x])/(960*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(400*A + 283*C)*Sin[c + d*x])/(128*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 79*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d*Cos[c + d*x]^(5/2)) + (a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(5/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4089

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)]
```

+ (a_)] , x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\cos^3(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^3(c + dx) (a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx \\
 &= \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^2(c + dx) (a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx}{5d \cos^2(c + dx)} \\
 &= \frac{aC(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{8d \cos^2(c + dx)} + \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d \cos^2(c + dx)} \\
 &= \frac{a^2(80A + 79C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{240d \cos^2(c + dx)} + \frac{aC(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{8d \cos^2(c + dx)} \\
 &= \frac{a^3(1040A + 787C) \sin(c + dx)}{960d \cos^2(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(80A + 79C)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{240d \cos^2(c + dx)} \\
 &= \frac{a^3(1040A + 787C) \sin(c + dx)}{960d \cos^2(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(400A + 283C) \sin(c + dx)}{128d \cos^2(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^3(1040A + 787C) \sin(c + dx)}{960d \cos^2(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(400A + 283C) \sin(c + dx)}{128d \cos^2(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^{5/2}(400A + 283C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{128d}
 \end{aligned}$$

Mathematica [A] time = 3.57572, size = 178, normalized size = 0.62

$$\frac{a^2 \sec \left(\frac{1}{2}(c + dx) \right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin \left(\frac{1}{2}(c + dx) \right) (12(1360A + 2343C) \cos(c + dx) + 4(6640A + 6509C) \cos(2(c + dx))) \right)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(60*Sqrt[2]*(400*A + 283*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^5 + (20560*A + 24863*C + 12*(1360*A + 2343*C)*Cos[c + d*x] + 4*(6640*A + 6509*C)*Cos[2*(c + d*x)] + 5440*A*Cos[3*(c + d*x)] + 5660*C*Cos[3*(c + d*x)] + 6000*A*Cos[4*(c + d*x)] + 4245*C*Cos[4*(c + d*x)])*Sin[(c + d*x)/2])/((15360*d*Cos[c + d*x]^(9/2))

Maple [B] time = 0.346, size = 502, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2), x)

[Out] -1/3840/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(-6000*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^5*2^(1/2)+6000*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^5*2^(1/2)-4245*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^5*2^(1/2)+4245*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^5*2^(1/2)+12000*A*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^4+8490*C*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^4+5440*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+5660*C*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+1280*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+4528*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2784*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)+768*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c)^(9/2)

Maxima [B] time = 6.46128, size = 11950, normalized size = 41.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, alg
orithm="maxima")

[Out] $1/7680*(80*(300*\sqrt{2})a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))\sin(6*d*x + 6*c) - 28*\sqrt{2})a^2*\sin(9/2*d*x + 9/2*c) + 28*\sqrt{2})a^2*\sin(3/2*d*x + 3/2*c) - 28*(\sqrt{2})a^2*\sin(9/2*d*x + 9/2*c) - \sqrt{2})a^2*\sin(3/2*d*x + 3/2*c))*\cos(6*d*x + 6*c) - 300*(\sqrt{2})a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2})a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 3*\sqrt{2})a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(11/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(7*\sqrt{2})a^2*\sin(9/2*d*x + 9/2*c) - 7*\sqrt{2})a^2*\sin(3/2*d*x + 3/2*c) - 114*\sqrt{2})a^2*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 114*\sqrt{2})a^2*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 75*\sqrt{2})a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 456*(\sqrt{2})a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2})a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 456*(\sqrt{2})a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2})a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(7*\sqrt{2})a^2*\sin(9/2*d*x + 9/2*c) - 7*\sqrt{2})a^2*\sin(3/2*d*x + 3/2*c) + 75*\sqrt{2})a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 75*(a^2*\cos(6*d*x + 6*c))^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) + a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2})*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2})*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 75*(a^2*\cos(6*d*x + 6*c))^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c)$

$$\begin{aligned}
& /2*c))) + 12*(7*\sqrt{2}*a^2*\cos(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2*\cos(3/2*d*x \\
& x + 3/2*c) - 114*\sqrt{2}*a^2*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& d*x + 3/2*c))) + 114*\sqrt{2}*a^2*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c))) + 75*\sqrt{2}*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), c \\
& os(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) + 456*(\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan \\
& 2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a^2)*\sin(7/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 456*(\sqrt{2}*a^2*\cos(6*d*x \\
& x + 6*c) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + \sqrt{2}*a^2)*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 12*(7*\sqrt{2}*a^2*\cos(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2*\cos(3/ \\
& 2*d*x + 3/2*c) + 75*\sqrt{2}*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2* \\
& c))) - 300*(\sqrt{2}*a^2*\cos(6*d*x + 6*c) + \sqrt{2}*a^2)*\sin(1/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*A*\sqrt{a}/(\cos(6*d*x + 6*c)^2 + \\
& 6*(\cos(6*d*x + 6*c) + 3*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 9*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*(co \\
& s(6*d*x + 6*c) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + 9*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
& \sin(6*d*x + 6*c)^2 + 6*(\sin(6*d*x + 6*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c))) + 9*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c)))^2 + 6*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))) + 9*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/ \\
& 2*c)))^2 + 2*\cos(6*d*x + 6*c) + 1) - (16980*(\sqrt{2}*a^2*\sin(10*d*x + 10*c) \\
& + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 10*sq \\
& rt(2)*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(19/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 5660*(\sqrt{2}*a^2*\sin(10*d*x + 10 \\
& *c) + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 10 \\
& *\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(17/4*\ar \\
& ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 81504*(\sqrt{2}*a^2*\sin(10*d*x \\
& + 10*c) + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\sin(6*d*x + 6*c) \\
& + 10*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(15/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8320*(\sqrt{2}*a^2*\sin(10*d \\
& *x + 10*c) + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\sin(6*d*x + 6* \\
& c) + 10*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(\\
& 13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 86440*(\sqrt{2}*a^2*\sin(\\
& 10*d*x + 10*c) + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\sin(6*d*x \\
& + 6*c) + 10*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c))* \\
& \cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 86440*(\sqrt{2}*a^2* \\
& \sin(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\sin(6* \\
& d*x + 6*c) + 10*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(2*d*x + 2* \\
& c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 8320*(\sqrt{2}*a^ \\
& 2*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\sin(
\end{aligned}$$

$$\begin{aligned}
&6*d*x + 6*c) + 10*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(2*d*x + \\
&2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 81504*(\sqrt{2}) \\
&*a^2*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a^2*s \\
&\sin(6*d*x + 6*c) + 10*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(2*d*x \\
&+ 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 5660*(\sqrt{2} \\
&)*a^2*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}*a^2 \\
&*sin(6*d*x + 6*c) + 10*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(2*d \\
&*x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 16980*(\sqrt{2} \\
&)*a^2*\sin(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 10*\sqrt{2}* \\
&a^2*\sin(6*d*x + 6*c) + 10*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\sin(\\
&2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 4245*(\\
&a^2*\cos(10*d*x + 10*c)^2 + 25*a^2*\cos(8*d*x + 8*c)^2 + 100*a^2*\cos(6*d*x + \\
&6*c)^2 + 100*a^2*\cos(4*d*x + 4*c)^2 + 25*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(1 \\
&0*d*x + 10*c)^2 + 25*a^2*\sin(8*d*x + 8*c)^2 + 100*a^2*\sin(6*d*x + 6*c)^2 + \\
&100*a^2*\sin(4*d*x + 4*c)^2 + 100*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25 \\
&*a^2*\sin(2*d*x + 2*c)^2 + 10*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(5*a^2*\cos(8*d* \\
&x + 8*c) + 10*a^2*\cos(6*d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^2*\cos(2* \\
&d*x + 2*c) + a^2)*\cos(10*d*x + 10*c) + 10*(10*a^2*\cos(6*d*x + 6*c) + 10*a^2 \\
&*\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 20*(10 \\
&*a^2*\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 20 \\
&*(5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 10*(a^2*\sin(8*d*x + 8*c) \\
&+ 2*a^2*\sin(6*d*x + 6*c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))* \\
&\sin(10*d*x + 10*c) + 50*(2*a^2*\sin(6*d*x + 6*c) + 2*a^2*\sin(4*d*x + 4*c) + \\
&a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 100*(2*a^2*\sin(4*d*x + 4*c) + a^2* \\
&\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \\
&\cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2* \\
&\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 4245*(a \\
&^2*\cos(10*d*x + 10*c)^2 + 25*a^2*\cos(8*d*x + 8*c)^2 + 100*a^2*\cos(6*d*x + 6 \\
&*c)^2 + 100*a^2*\cos(4*d*x + 4*c)^2 + 25*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(10 \\
&*d*x + 10*c)^2 + 25*a^2*\sin(8*d*x + 8*c)^2 + 100*a^2*\sin(6*d*x + 6*c)^2 + 1 \\
&00*a^2*\sin(4*d*x + 4*c)^2 + 100*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25* \\
&a^2*\sin(2*d*x + 2*c)^2 + 10*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(5*a^2*\cos(8*d* \\
&x + 8*c) + 10*a^2*\cos(6*d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d \\
&*x + 2*c) + a^2)*\cos(10*d*x + 10*c) + 10*(10*a^2*\cos(6*d*x + 6*c) + 10*a^2* \\
&\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 20*(10* \\
&a^2*\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 20* \\
&(5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 10*(a^2*\sin(8*d*x + 8*c) \\
&+ 2*a^2*\sin(6*d*x + 6*c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*s \\
&\sin(10*d*x + 10*c) + 50*(2*a^2*\sin(6*d*x + 6*c) + 2*a^2*\sin(4*d*x + 4*c) + a \\
&^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 100*(2*a^2*\sin(4*d*x + 4*c) + a^2*s \\
&\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \\
&\cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*s \\
&\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 4245*(a^
\end{aligned}$$

$$\begin{aligned}
& 0*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 86440*(\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 10*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 86440*(\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 10*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8320*(\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 10*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 81504*(\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 10*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 5660*(\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 10*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16980*(\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 5*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 10*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 10*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 5*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*C*\sqrt{a}/(2*(5*\cos(8*d*x + 8*c) + 10*\cos(6*d*x + 6*c) + 10*\cos(4*d*x + 4*c) + 5*\cos(2*d*x + 2*c) + 1)*\cos(10*d*x + 10*c) + \cos(10*d*x + 10*c)^2 + 10*(10*\cos(6*d*x + 6*c) + 10*\cos(4*d*x + 4*c) + 5*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + 25*\cos(8*d*x + 8*c)^2 + 20*(10*\cos(4*d*x + 4*c) + 5*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 100*\cos(6*d*x + 6*c)^2 + 20*(5*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 100*\cos(4*d*x + 4*c)^2 + 25*\cos(2*d*x + 2*c)^2 + 10*(\sin(8*d*x + 8*c) + 2*\sin(6*d*x + 6*c) + 2*\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + \sin(10*d*x + 10*c)^2 + 50*(2*\sin(6*d*x + 6*c) + 2*\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 25*\sin(8*d*x + 8*c)^2 + 100*(2*\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 100*\sin(6*d*x + 6*c)^2 + 100*\sin(4*d*x + 4*c)^2 + 100*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25*\sin(2*d*x + 2*c)^2 + 10*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.856404, size = 1426, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

```
[Out] [1/7680*(4*(15*(400*A + 283*C)*a^2*cos(d*x + c)^4 + 10*(272*A + 283*C)*a^2*
cos(d*x + c)^3 + 8*(80*A + 283*C)*a^2*cos(d*x + c)^2 + 1392*C*a^2*cos(d*x +
c) + 384*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))
*sin(d*x + c) + 15*((400*A + 283*C)*a^2*cos(d*x + c)^6 + (400*A + 283*C)*a^
2*cos(d*x + c)^5)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c)
- 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x
+ c)^6 + d*cos(d*x + c)^5), 1/3840*(2*(15*(400*A + 283*C)*a^2*cos(d*x + c)
^4 + 10*(272*A + 283*C)*a^2*cos(d*x + c)^3 + 8*(80*A + 283*C)*a^2*cos(d*x +
c)^2 + 1392*C*a^2*cos(d*x + c) + 384*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(
d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((400*A + 283*C)*a^2*cos(d*x
+ c)^6 + (400*A + 283*C)*a^2*cos(d*x + c)^5)*sqrt(-a)*arctan(2*sqrt(-a)*sq
rt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*co
s(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5
)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/cos(d*x + c)^(3
/2), x)
```


$$3.1153 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=332

$$\frac{a^3(1304A + 1015C) \sin(c + dx)}{512d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1304A + 1015C) \sin(c + dx)}{768d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(136A + 109C) \sin(c + dx)}{192d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(5/2)*(1304*A + 1015*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(512*d) + (a^3*(136*A + 109*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1015*C)*Sin[c + d*x])/(768*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1015*C)*Sin[c + d*x])/(512*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 23*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(96*d*Cos[c + d*x]^(7/2)) + (a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d*Cos[c + d*x]^(7/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 1.03235, antiderivative size = 332, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4089, 4018, 4016, 3803, 3801, 215}

$$\frac{a^3(1304A + 1015C) \sin(c + dx)}{512d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1304A + 1015C) \sin(c + dx)}{768d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(136A + 109C) \sin(c + dx)}{192d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (a^(5/2)*(1304*A + 1015*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(512*d) + (a^3*(136*A + 109*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1015*C)*Sin[c + d*x])/(768*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1015*C)*Sin[c + d*x])/(512*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 23*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(96*d*Cos[c + d*x]^(7/2)) + (a*C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d*Cos[c + d*x]^(7/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c

+ d*x])/(6*d*Cos[c + d*x]^(7/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] , x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free

$Q[\{a, b, d, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.)], x_Symbol] \ :> \ \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \ \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] \ /; \ \text{FreeQ}[\{a, b, d, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)(x_.)^2], x_Symbol] \ :> \ \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{5}{2}}(c + dx) (a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx \\
&= \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{6d \cos^{\frac{7}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{5}{2}}(c + dx) (a + a \sec(c + dx))^{5/2} (A + C \sec^2(c + dx)) dx}{6d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{aC(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{12d \cos^{\frac{7}{2}}(c + dx)} + \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{6d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{a^2(24A + 23C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{96d \cos^{\frac{7}{2}}(c + dx)} + \frac{aC(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{12d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{a^3(136A + 109C) \sin(c + dx)}{192d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(24A + 23C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{96d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{a^3(136A + 109C) \sin(c + dx)}{192d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(1304A + 1015C) \sin(c + dx)}{768d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(136A + 109C) \sin(c + dx)}{192d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(1304A + 1015C) \sin(c + dx)}{768d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(136A + 109C) \sin(c + dx)}{192d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(1304A + 1015C) \sin(c + dx)}{768d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^5/2(1304A + 1015C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{512d}
\end{aligned}$$

Mathematica [A] time = 4.76885, size = 200, normalized size = 0.6

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right)\right) (14(4056A + 4591C) \cos(c + dx) + 16(1496A + 1711C) \cos(2(c + dx)))}{512d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2),x]

```
[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(24*Sqrt[2]*(1304*A + 1015
*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^6 + (18720*A + 27412*C +
14*(4056*A + 4591*C)*Cos[c + d*x] + 16*(1496*A + 1711*C)*Cos[2*(c + d*x)]
+ 25448*A*Cos[3*(c + d*x)] + 21721*C*Cos[3*(c + d*x)] + 5216*A*Cos[4*(c + d
*x)] + 4060*C*Cos[4*(c + d*x)] + 3912*A*Cos[5*(c + d*x)] + 3045*C*Cos[5*(c
+ d*x)])*Sin[(c + d*x)/2])/(24576*d*Cos[c + d*x]^(11/2))
```

Maple [A] time = 0.373, size = 564, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x)
```

```
[Out] 1/3072/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(3912*A*2^(
1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)
))*cos(d*x+c)^6-3912*A*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)
*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^6+3045*C*2^(1/2)*arctan(1/4*2^(1/2)*
(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^6-3045*C*2^(
1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)
))*cos(d*x+c)^6-7824*A*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)^5-60
90*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*cos(d*x+c)^5-5216*A*sin(d*x+c)*(-
2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^4-4060*C*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(
1/2)*cos(d*x+c)^4-2944*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)
-3248*C*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-768*A*cos(d*x+c)^
2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-2784*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+
1))^(1/2)*sin(d*x+c)-1792*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)
-512*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/(-2/(cos(d*x+c)+1))^(1/2)/sin(
d*x+c)^2/cos(d*x+c)^(11/2)
```

Maxima [B] time = 11.3096, size = 14959, normalized size = 45.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, alg
orithm="maxima")
```

```

[Out] -1/6144*(8*(1956*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x +
6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos
(15/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 652*(sqrt(2)*a^2*sin(8
*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*
c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(13/4*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c))) + 6204*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*
d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c
))*cos(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2060*(sqrt(2)*a^
2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d
*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(9/4*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c))) + 2060*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*
sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x
+ 2*c))*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 6204*(sqrt(
2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*si
n(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(5/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))) - 652*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*
a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2
*d*x + 2*c))*cos(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 1956*(s
qrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^
2*sin(4*d*x + 4*c) + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(1/4*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c))) - 489*(a^2*cos(8*d*x + 8*c)^2 + 16*a^2*cos(6
*d*x + 6*c)^2 + 36*a^2*cos(4*d*x + 4*c)^2 + 16*a^2*cos(2*d*x + 2*c)^2 + a^2
*sin(8*d*x + 8*c)^2 + 16*a^2*sin(6*d*x + 6*c)^2 + 36*a^2*sin(4*d*x + 4*c)^2
+ 48*a^2*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 16*a^2*sin(2*d*x + 2*c)^2 + 8
*a^2*cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*cos(6*d*x + 6*c) + 6*a^2*cos(4*d*x +
4*c) + 4*a^2*cos(2*d*x + 2*c) + a^2)*cos(8*d*x + 8*c) + 8*(6*a^2*cos(4*d*x
+ 4*c) + 4*a^2*cos(2*d*x + 2*c) + a^2)*cos(6*d*x + 6*c) + 12*(4*a^2*cos(2*
d*x + 2*c) + a^2)*cos(4*d*x + 4*c) + 4*(2*a^2*sin(6*d*x + 6*c) + 3*a^2*sin(
4*d*x + 4*c) + 2*a^2*sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + 16*(3*a^2*sin(4*d
*x + 4*c) + 2*a^2*sin(2*d*x + 2*c))*sin(6*d*x + 6*c))*log(2*cos(1/4*arctan2
(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
)))) + 2) + 489*(a^2*cos(8*d*x + 8*c)^2 + 16*a^2*cos(6*d*x + 6*c)^2 + 36*a^2
*cos(4*d*x + 4*c)^2 + 16*a^2*cos(2*d*x + 2*c)^2 + a^2*sin(8*d*x + 8*c)^2 +
16*a^2*sin(6*d*x + 6*c)^2 + 36*a^2*sin(4*d*x + 4*c)^2 + 48*a^2*sin(4*d*x +
4*c)*sin(2*d*x + 2*c) + 16*a^2*sin(2*d*x + 2*c)^2 + 8*a^2*cos(2*d*x + 2*c)
+ a^2 + 2*(4*a^2*cos(6*d*x + 6*c) + 6*a^2*cos(4*d*x + 4*c) + 4*a^2*cos(2*d*
x + 2*c) + a^2)*cos(8*d*x + 8*c) + 8*(6*a^2*cos(4*d*x + 4*c) + 4*a^2*cos(2*
d*x + 2*c) + a^2)*cos(6*d*x + 6*c) + 12*(4*a^2*cos(2*d*x + 2*c) + a^2)*cos(
4*d*x + 4*c) + 4*(2*a^2*sin(6*d*x + 6*c) + 3*a^2*sin(4*d*x + 4*c) + 2*a^2*
sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + 16*(3*a^2*sin(4*d*x + 4*c) + 2*a^2*
sin(2*d*x + 2*c))*sin(6*d*x + 6*c))*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))
^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2*sqrt

```

$$\begin{aligned}
& (2) \sin\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 2) - 489(a^2 \cos(8dx + 8c))^2 + 16a^2 \cos(6dx + 6c)^2 + 36a^2 \cos(4dx + 4c)^2 + \\
& 16a^2 \cos(2dx + 2c)^2 + a^2 \sin(8dx + 8c)^2 + 16a^2 \sin(6dx + 6c)^2 + 36a^2 \sin(4dx + 4c)^2 + 48a^2 \sin(4dx + 4c) \sin(2dx + 2c) \\
& + 16a^2 \sin(2dx + 2c)^2 + 8a^2 \cos(2dx + 2c) + a^2 + 2(4a^2 \cos(6dx + 6c) + 6a^2 \cos(4dx + 4c) + 4a^2 \cos(2dx + 2c) + a^2) \cos(8dx + 8c) \\
& + 8(6a^2 \cos(4dx + 4c) + 4a^2 \cos(2dx + 2c) + a^2) \cos(6dx + 6c) + 12(4a^2 \cos(2dx + 2c) + a^2) \cos(4dx + 4c) + 4(2a^2 \sin(6dx + 6c) + 3a^2 \sin(4dx + 4c) + 2a^2 \sin(2dx + 2c)) \sin(8dx + 8c) \\
& + 16(3a^2 \sin(4dx + 4c) + 2a^2 \sin(2dx + 2c)) \sin(6dx + 6c) \log\left(2 \cos\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right)\right)^2 + 2 \sin\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right)^2 - 2\sqrt{2} \cos\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 2\sqrt{2} \sin\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 2) + 489(a^2 \cos(8dx + 8c))^2 + 16a^2 \cos(6dx + 6c)^2 + 36a^2 \cos(4dx + 4c)^2 + 16a^2 \cos(2dx + 2c)^2 + a^2 \sin(8dx + 8c)^2 + 16a^2 \sin(6dx + 6c)^2 + 36a^2 \sin(4dx + 4c)^2 + 48a^2 \sin(4dx + 4c) \sin(2dx + 2c) + 16a^2 \sin(2dx + 2c)^2 + 8a^2 \cos(2dx + 2c) + a^2 + 2(4a^2 \cos(6dx + 6c) + 6a^2 \cos(4dx + 4c) + 4a^2 \cos(2dx + 2c) + a^2) \cos(8dx + 8c) + 8(6a^2 \cos(4dx + 4c) + 4a^2 \cos(2dx + 2c) + a^2) \cos(6dx + 6c) + 12(4a^2 \cos(2dx + 2c) + a^2) \cos(4dx + 4c) + 4(2a^2 \sin(6dx + 6c) + 3a^2 \sin(4dx + 4c) + 2a^2 \sin(2dx + 2c)) \sin(8dx + 8c) + 16(3a^2 \sin(4dx + 4c) + 2a^2 \sin(2dx + 2c)) \sin(6dx + 6c) \log\left(2 \cos\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right)\right)^2 + 2 \sin\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right)^2 - 2\sqrt{2} \cos\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) - 2\sqrt{2} \sin\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 2) - 1956(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin\left(\frac{15}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) - 652(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin\left(\frac{13}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) - 6204(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin\left(\frac{11}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 2060(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin\left(\frac{9}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) - 2060(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin\left(\frac{7}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 6204(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin\left(\frac{5}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 652(\sqrt{2} a^2 \cos(8dx + 8c) + 4\sqrt{2} a^2 \cos(6dx + 6c) + 6\sqrt{2} a^2 \cos(4dx + 4c) + 4\sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2) \sin\left(\frac{3}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right)
\end{aligned}$$

$$\begin{aligned}
&), \cos(2*d*x + 2*c)) + 1956*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2* \\
&\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x \\
&+ 2*c) + \sqrt{2}*a^2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
&)*A*\sqrt{a}/(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) \\
&+ 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos \\
&(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x \\
&+ 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2 \\
&*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin \\
&(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x \\
&+ 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + \\
&48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x \\
&+ 2*c) + 1) + (12180*(\sqrt{2}*a^2*\sin(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\sin(10 \\
&*d*x + 10*c) + 15*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\sin(6*d*x + \\
&6*c) + 15*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos \\
&(23/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4060*(\sqrt{2}*a^2*\sin \\
&(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\sin(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\sin(8*d \\
&*x + 8*c) + 20*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\sin(4*d*x + 4 \\
&*c) + 6*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(21/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
&(2*d*x + 2*c))) + 70644*(\sqrt{2}*a^2*\sin(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\sin \\
&(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\sin(6*d \\
&*x + 6*c) + 15*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\sin(2*d*x + 2*c) \\
&))*\cos(19/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 22620*(\sqrt{2}*a \\
&^2*\sin(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\sin(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\sin \\
&(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\sin(4*d*x \\
&+ 4*c) + 6*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(17/4*\arctan2(\sin(2*d*x + 2*c) \\
&), \cos(2*d*x + 2*c))) + 147592*(\sqrt{2}*a^2*\sin(12*d*x + 12*c) + 6*\sqrt{2}* \\
&a^2*\sin(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\sin \\
&(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\sin(2*d*x \\
&+ 2*c))*\cos(15/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 37800*(\sqrt{2} \\
&*a^2*\sin(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\sin(10*d*x + 10*c) + 15*\sqrt{2}* \\
&a^2*\sin(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\sin \\
&(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(13/4*\arctan2(\sin(2*d*x \\
&+ 2*c), \cos(2*d*x + 2*c))) + 37800*(\sqrt{2}*a^2*\sin(12*d*x + 12*c) + 6*\sqrt{2} \\
&*a^2*\sin(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 20*\sqrt{2}* \\
&a^2*\sin(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\sin(\\
&2*d*x + 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 14759 \\
&2*(\sqrt{2}*a^2*\sin(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\sin(10*d*x + 10*c) + 15*\sqrt{2} \\
&*a^2*\sin(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 15*\sqrt{2}* \\
&a^2*\sin(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(9/4*\arctan2(\sin(\\
&2*d*x + 2*c), \cos(2*d*x + 2*c))) - 22620*(\sqrt{2}*a^2*\sin(12*d*x + 12*c) + \\
&6*\sqrt{2}*a^2*\sin(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 20*\sqrt{2} \\
&*a^2*\sin(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 6*\sqrt{2}*a^2* \\
&\sin(2*d*x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 7 \\
&0644*(\sqrt{2}*a^2*\sin(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\sin(10*d*x + 10*c) + 1 \\
&5*\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 15*\sqrt{2}
\end{aligned}$$

$$\begin{aligned}
& 2)a^2\sin(4dx + 4c) + 6\sqrt{2}a^2\sin(2dx + 2c))\cos(5/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 4060(\sqrt{2}a^2\sin(12dx + 12c) \\
& + 6\sqrt{2}a^2\sin(10dx + 10c) + 15\sqrt{2}a^2\sin(8dx + 8c) + 20\sqrt{2}a^2\sin(6dx + 6c) + 15\sqrt{2}a^2\sin(4dx + 4c) + 6\sqrt{2}a^2\sin(2dx + 2c))\cos(3/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - \\
& 12180(\sqrt{2}a^2\sin(12dx + 12c) + 6\sqrt{2}a^2\sin(10dx + 10c) + 15\sqrt{2}a^2\sin(8dx + 8c) + 20\sqrt{2}a^2\sin(6dx + 6c) + 15\sqrt{2}a^2\sin(4dx + 4c) + 6\sqrt{2}a^2\sin(2dx + 2c))\cos(1/4\arctan2 \\
& (\sin(2dx + 2c), \cos(2dx + 2c))) - 3045(a^2\cos(12dx + 12c)^2 + 36 \\
& a^2\cos(10dx + 10c)^2 + 225a^2\cos(8dx + 8c)^2 + 400a^2\cos(6dx \\
& + 6c)^2 + 225a^2\cos(4dx + 4c)^2 + 36a^2\cos(2dx + 2c)^2 + a^2\sin \\
& (12dx + 12c)^2 + 36a^2\sin(10dx + 10c)^2 + 225a^2\sin(8dx + 8c)^2 \\
& + 400a^2\sin(6dx + 6c)^2 + 225a^2\sin(4dx + 4c)^2 + 180a^2\sin(4 \\
& dx + 4c)\sin(2dx + 2c) + 36a^2\sin(2dx + 2c)^2 + 12a^2\cos(2dx \\
& + 2c) + a^2 + 2(6a^2\cos(10dx + 10c) + 15a^2\cos(8dx + 8c) + 20 \\
& a^2\cos(6dx + 6c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2dx + 2c) + a \\
& ^2)\cos(12dx + 12c) + 12(15a^2\cos(8dx + 8c) + 20a^2\cos(6dx + 6 \\
& c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2dx + 2c) + a^2)\cos(10dx + \\
& 10c) + 30(20a^2\cos(6dx + 6c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2 \\
& dx + 2c) + a^2)\cos(8dx + 8c) + 40(15a^2\cos(4dx + 4c) + 6a^2\cos \\
& (2dx + 2c) + a^2)\cos(6dx + 6c) + 30(6a^2\cos(2dx + 2c) + a^2) \\
& \cos(4dx + 4c) + 2(6a^2\sin(10dx + 10c) + 15a^2\sin(8dx + 8c) + \\
& 20a^2\sin(6dx + 6c) + 15a^2\sin(4dx + 4c) + 6a^2\sin(2dx + 2c) \\
&)\sin(12dx + 12c) + 12(15a^2\sin(8dx + 8c) + 20a^2\sin(6dx + 6c) \\
&) + 15a^2\sin(4dx + 4c) + 6a^2\sin(2dx + 2c))\sin(10dx + 10c) + \\
& 30(20a^2\sin(6dx + 6c) + 15a^2\sin(4dx + 4c) + 6a^2\sin(2dx + 2 \\
& c))\sin(8dx + 8c) + 120(5a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c \\
&))\sin(6dx + 6c))\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2 \\
& c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2\sqrt{2} \\
& \cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2\sqrt{2}\sin(1/4 \\
& \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 3045(a^2\cos(12dx + \\
& 12c)^2 + 36a^2\cos(10dx + 10c)^2 + 225a^2\cos(8dx + 8c)^2 + 400a \\
& ^2\cos(6dx + 6c)^2 + 225a^2\cos(4dx + 4c)^2 + 36a^2\cos(2dx + 2c \\
&)^2 + a^2\sin(12dx + 12c)^2 + 36a^2\sin(10dx + 10c)^2 + 225a^2\sin(\\
& 8dx + 8c)^2 + 400a^2\sin(6dx + 6c)^2 + 225a^2\sin(4dx + 4c)^2 + \\
& 180a^2\sin(4dx + 4c)\sin(2dx + 2c) + 36a^2\sin(2dx + 2c)^2 + 12 \\
& a^2\cos(2dx + 2c) + a^2 + 2(6a^2\cos(10dx + 10c) + 15a^2\cos(8dx \\
& + 8c) + 20a^2\cos(6dx + 6c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2d \\
& x + 2c) + a^2)\cos(12dx + 12c) + 12(15a^2\cos(8dx + 8c) + 20a^2 \\
& \cos(6dx + 6c) + 15a^2\cos(4dx + 4c) + 6a^2\cos(2dx + 2c) + a^2) \\
& \cos(10dx + 10c) + 30(20a^2\cos(6dx + 6c) + 15a^2\cos(4dx + 4c) \\
& + 6a^2\cos(2dx + 2c) + a^2)\cos(8dx + 8c) + 40(15a^2\cos(4dx + 4 \\
& c) + 6a^2\cos(2dx + 2c) + a^2)\cos(6dx + 6c) + 30(6a^2\cos(2dx \\
& + 2c) + a^2)\cos(4dx + 4c) + 2(6a^2\sin(10dx + 10c) + 15a^2\sin(8 \\
& dx + 8c) + 20a^2\sin(6dx + 6c) + 15a^2\sin(4dx + 4c) + 6a^2\sin
\end{aligned}$$

$$\begin{aligned}
& n(8*d*x + 8*c) + 20*a^2*\sin(6*d*x + 6*c) + 15*a^2*\sin(4*d*x + 4*c) + 6*a^2* \\
& \sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 30*(20*a^2*\sin(6*d*x + 6*c) + 15*a^2 \\
& *\sin(4*d*x + 4*c) + 6*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 120*(5*a^2*s \\
& \sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*a \\
& \text{rctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\text{arctan2}(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\text{arctan2}(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c))) + 2) - 12180*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(\\
& 10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x \\
& + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) \\
& + \sqrt{2}*a^2)*\sin(23/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 4060 \\
& *(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2} \\
& *\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a \\
& ^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(21/ \\
& 4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 70644*(\sqrt{2}*a^2*\cos(12* \\
& d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + \\
& 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + \\
& 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(19/4*\text{arctan2}(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) - 22620*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2} \\
& (2)*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^ \\
& 2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2* \\
& d*x + 2*c) + \sqrt{2}*a^2)*\sin(17/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c))) - 147592*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + \\
& 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + \\
& 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2} \\
& *a^2)*\sin(15/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 37800*(\sqrt{2} \\
&)*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^ \\
& 2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4 \\
& *d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(13/4*\text{arctan} \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 37800*(\sqrt{2}*a^2*\cos(12*d*x + 12 \\
& *c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + \\
& 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2} \\
& (2)*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(11/4*\text{arctan2}(\sin(2*d*x + 2*c), c \\
& \cos(2*d*x + 2*c))) + 147592*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2* \\
& \cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6 \\
& *d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2 \\
& *c) + \sqrt{2}*a^2)*\sin(9/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2 \\
& 2620*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 1 \\
& 5*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2} \\
& (2)*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin \\
& (7/4*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 70644*(\sqrt{2}*a^2*\cos(\\
& 12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d* \\
& x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c \\
&) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(5/4*\text{arctan2}(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))) + 4060*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}
\end{aligned}$$

$$\begin{aligned}
& (2)*a^2*\cos(10*d*x + 10*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a \\
& ^2*\cos(6*d*x + 6*c) + 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2 \\
& *d*x + 2*c) + \sqrt{2}*a^2*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c))) + 12180*(\sqrt{2}*a^2*\cos(12*d*x + 12*c) + 6*\sqrt{2}*a^2*\cos(10*d*x + 1 \\
& 0*c) + 15*\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 20*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + \\
& 15*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}* \\
& a^2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*C*\sqrt{a}/(2*(6* \\
& \cos(10*d*x + 10*c) + 15*\cos(8*d*x + 8*c) + 20*\cos(6*d*x + 6*c) + 15*\cos(4*d \\
& *x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(12*d*x + 12*c) + \cos(12*d*x + 12*c) \\
& ^2 + 12*(15*\cos(8*d*x + 8*c) + 20*\cos(6*d*x + 6*c) + 15*\cos(4*d*x + 4*c) + \\
& 6*\cos(2*d*x + 2*c) + 1)*\cos(10*d*x + 10*c) + 36*\cos(10*d*x + 10*c)^2 + 30*(\\
& 20*\cos(6*d*x + 6*c) + 15*\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(8*d \\
& *x + 8*c) + 225*\cos(8*d*x + 8*c)^2 + 40*(15*\cos(4*d*x + 4*c) + 6*\cos(2*d*x \\
& + 2*c) + 1)*\cos(6*d*x + 6*c) + 400*\cos(6*d*x + 6*c)^2 + 30*(6*\cos(2*d*x + 2 \\
& *c) + 1)*\cos(4*d*x + 4*c) + 225*\cos(4*d*x + 4*c)^2 + 36*\cos(2*d*x + 2*c)^2 \\
& + 2*(6*\sin(10*d*x + 10*c) + 15*\sin(8*d*x + 8*c) + 20*\sin(6*d*x + 6*c) + 15* \\
& \sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(12*d*x + 12*c) + \sin(12*d*x + 12 \\
& *c)^2 + 12*(15*\sin(8*d*x + 8*c) + 20*\sin(6*d*x + 6*c) + 15*\sin(4*d*x + 4*c) \\
& + 6*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 36*\sin(10*d*x + 10*c)^2 + 30*(2 \\
& 0*\sin(6*d*x + 6*c) + 15*\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(8*d*x + \\
& 8*c) + 225*\sin(8*d*x + 8*c)^2 + 120*(5*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c \\
&))*\sin(6*d*x + 6*c) + 400*\sin(6*d*x + 6*c)^2 + 225*\sin(4*d*x + 4*c)^2 + 180 \\
& *\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 36*\sin(2*d*x + 2*c)^2 + 12*\cos(2*d*x + \\
& 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.864351, size = 1539, normalized size = 4.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, alg
 orithm="fricas")

[Out] [1/6144*(4*(3*(1304*A + 1015*C))*a^2*cos(d*x + c)^5 + 2*(1304*A + 1015*C)*a^2*cos(d*x + c)^4 + 8*(184*A + 203*C))*a^2*cos(d*x + c)^3 + 48*(8*A + 29*C))*a^2*cos(d*x + c)^2 + 896*C*a^2*cos(d*x + c) + 256*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((1304*A + 1015*C)*a^2*cos(d*x + c)^7 + (1304*A + 1015*C))*a^2*cos(d*x + c)^6)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^7 + d*cos(d*x + c)^6), 1/30

```
72*(2*(3*(1304*A + 1015*C)*a^2*cos(d*x + c)^5 + 2*(1304*A + 1015*C)*a^2*cos
(d*x + c)^4 + 8*(184*A + 203*C)*a^2*cos(d*x + c)^3 + 48*(8*A + 29*C)*a^2*cos
s(d*x + c)^2 + 896*C*a^2*cos(d*x + c) + 256*C*a^2)*sqrt((a*cos(d*x + c) + a
)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((1304*A + 1015*C)*a^2*
cos(d*x + c)^7 + (1304*A + 1015*C)*a^2*cos(d*x + c)^6)*sqrt(-a)*arctan(2*sq
rt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x +
c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^7 + d*cos(d
*x + c)^6)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*(a*sec(d*x + c) + a)^(5/2)/cos(d*x + c)^(5
/2), x)
```

$$3.1154 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=244

$$\frac{2(31A + 35C) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} - \frac{2(43A + 35C) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A + C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{ad}}$$

[Out] (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(43*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.819936, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4022, 4013, 3808, 206}

$$\frac{2(31A + 35C) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} - \frac{2(43A + 35C) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A + C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(7/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(43*A + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+C\sec^2(c+dx)}{\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{\left(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{-\frac{aA}{2} + \frac{1}{2}a(6A+7C)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx}{7a} \\
&= -\frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{\left(4\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{-\frac{aA}{2} + \frac{1}{2}a(6A+7C)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx}{7a} \\
&= \frac{2(31A+35C)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(43A+35C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2(31A+35C)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(43A+35C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2(31A+35C)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{2}(A+C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}} - \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.7355, size = 166, normalized size = 0.68

$$\frac{\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)\left(105\sqrt{2}(A+C)\sec^{\frac{7}{2}}(c+dx)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right)+2\sin^2\left(\frac{1}{2}(c+dx)\right)\sqrt{1-\sec(c+dx)}\sec^3(c+dx)\right)}{105d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(7/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -(Cos[c + d*x]^(5/2)*(105*Sqrt[2]*(A + C)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Sec[c + d*x]^(7/2) + 2*(101*A + 70*C + 24*A*Cos[c + d*x] + 15*A*Cos[2*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^3*Sin[(c + d*x)/2]^2*Sin[c + d*x])/(105*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.296, size = 206, normalized size = 0.8

$$-\frac{1}{105ad \sin(dx+c)} \sqrt{\cos(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(30A(\cos(dx+c))^4 + 105 \arctan\left(\frac{1}{2} \sin(dx+c)\right) \sqrt{-2(\cos(dx+c)+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)`

[Out] `-1/105/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(30*A*cos(d*x+c)^4+105*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-36*A*cos(d*x+c)^3+105*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+68*A*cos(d*x+c)^2+70*C*cos(d*x+c)^2-148*A*cos(d*x+c)-140*C*cos(d*x+c)+86*A+70*C)/a/sin(d*x+c)`

Maxima [B] time = 2.25003, size = 906, normalized size = 3.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `-1/840*(sqrt(2)*(525*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 175*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 21*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 525*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) + 175*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) - 21*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) - 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 1) + 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))^2 - 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 1) - 30*sin(7/2*d*x + 7/2*c) + 21*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 175*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 525*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) * A/sqrt(a) - 140*`

$$(3\sqrt{2})\log(\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + \sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) - 3\sqrt{2})\log(\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + \sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) + 2\sqrt{2})\sin(3/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 6\sqrt{2})\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) * C/\sqrt{a})/d$$

Fricas [A] time = 0.544241, size = 1062, normalized size = 4.35

$$\frac{4(15A \cos(dx+c)^3 - 3A \cos(dx+c)^2 + (31A + 35C) \cos(dx+c) - 43A - 35C) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{210(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(7/2)*(A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/210*(4*(15*A*cos(dx + c)^3 - 3*A*cos(dx + c)^2 + (31*A + 35*C)*cos(dx + c) - 43*A - 35*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) + 105*sqrt(2)*((A + C)*a*cos(dx + c) + (A + C)*a)*log(-(cos(dx + c)^2 - 2*sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/sqrt(a) - 2*cos(dx + c) - 3)/(cos(dx + c)^2 + 2*cos(dx + c) + 1))/sqrt(a))/(a*d*cos(dx + c) + a*d), -1/105*(105*sqrt(2)*((A + C)*a*cos(dx + c) + (A + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(-1/a)*sqrt(cos(dx + c))/sin(dx + c)) - 2*(15*A*cos(dx + c)^3 - 3*A*cos(dx + c)^2 + (31*A + 35*C)*cos(dx + c) - 43*A - 35*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c))/(a*d*cos(dx + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{7}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(7/2)/sqrt(a*sec(d*x + c) + a), x)

$$3.1155 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=201

$$\frac{2(13A + 15C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A + C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{5d \sqrt{a \sec(c + dx) + a}}$$

[Out] -((Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d)) + (2*(13*A + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.625252, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4087, 4022, 4013, 3808, 206}

$$\frac{2(13A + 15C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A + C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{5d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] -((Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d)) + (2*(13*A + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+C\sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{-\frac{aA}{2} + \frac{1}{2}a(4A+5C)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx}{5a} \\
&= -\frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{(4\sqrt{\cos(c+dx)}) \int \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx}{5d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(13A+15C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(13A+15C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{\sqrt{2}(A+C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}} + \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.429578, size = 153, normalized size = 0.76

$$\frac{\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)\left(\sqrt{1-\sec(c+dx)}\sec^2(c+dx)(-2A\cos(c+dx)+3A\cos(2(c+dx))+29A+30C)+15\sqrt{2}(A+C)\right)}{15d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Cos[c + d*x]^(3/2)*((29*A + 30*C - 2*A*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^2 + 15*Sqrt[2]*(A + C)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Sec[c + d*x]^(5/2))*Sin[c + d*x])/(15*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.393, size = 184, normalized size = 0.9

$$\frac{1}{15ad\sin(dx+c)}\sqrt{\cos(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(15\arctan\left(\frac{1}{2}\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}}\right)\sqrt{-2(\cos(dx+c)+1)^{-1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(5/2)}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{(1/2)},x)$

[Out] $\frac{1}{15}d*\cos(dx+c)^{(1/2)}*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(15*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)})*(-2/(\cos(dx+c)+1))^{(1/2)}*A*\sin(dx+c)-6*A*\cos(dx+c)^3+15*C*(-2/(\cos(dx+c)+1))^{(1/2)}*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)})*\sin(dx+c)+8*A*\cos(dx+c)^2-28*A*\cos(dx+c)-30*C*\cos(dx+c)+26*A+30*C)/a/\sin(dx+c)$

Maxima [B] time = 2.22375, size = 747, normalized size = 3.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(5/2)}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{(1/2)},x, \text{algorithm}="maxima")$

[Out] $\frac{1}{60}*(\sqrt{2}*(60*\cos(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))*\sin(5/2*d*x + 5/2*c) - 5*\cos(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))*\sin(5/2*d*x + 5/2*c) - 60*\cos(5/2*d*x + 5/2*c)*\sin(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 5*\cos(5/2*d*x + 5/2*c)*\sin(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) - 30*\log(\cos(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))^2 + \sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))^2 + 2*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 1) + 30*\log(\cos(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))^2 + \sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))^2 - 2*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 1) + 6*\sin(5/2*d*x + 5/2*c) - 5*\sin(3/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 60*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))))*A/\sqrt{a} - 30*(\sqrt{2}*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - \sqrt{2}*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - 4*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*C/\sqrt{a))/d$

Fricas [A] time = 0.536387, size = 964, normalized size = 4.8

$$\frac{4 \left(3 A \cos(dx+c)^2 - A \cos(dx+c) + 13 A + 15 C \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + \frac{15 \sqrt{2}((A+C)a \cos(dx+c)+(A+C))}{30(ad \cos(dx+c) + ad)}}{30(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/30*(4*(3*A*cos(d*x + c)^2 - A*cos(d*x + c) + 13*A + 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), 1/15*(15*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*(3*A*cos(d*x + c)^2 - A*cos(d*x + c) + 13*A + 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```


Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2)/sqrt(a*sec(d*x + c) + a), x)

$$3.1156 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=156

$$\frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)\sqrt{\cos(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} - \frac{2A \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a}}$$

[Out] (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*A*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.452282, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4087, 4013, 3808, 206}

$$\frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)\sqrt{\cos(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} - \frac{2A \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*A*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*C

```
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(
b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+C\sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{-\frac{aA}{2} + \frac{1}{2}a(2A+3C)}{\sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)}} dx}{3a} \\
&= -\frac{2A\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \left((A+C)\right. \\
&= -\frac{2A\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} - \frac{(2(A+C))}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{2}(A+C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}} - \frac{(2(A+C))}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.599132, size = 73, normalized size = 0.47

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(3(A+C)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - 4A\sin^3\left(\frac{1}{2}(c+dx)\right)\right)}{3d\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (2*Cos[(c + d*x)/2]*(3*(A + C)*ArcTanh[Sin[(c + d*x)/2]] - 4*A*Sin[(c + d*x)/2]^3))/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.335, size = 171, normalized size = 1.1

$$-\frac{-2 + 2\cos(dx+c)}{3ad(\sin(dx+c))^2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(A\cos(dx+c)\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}} - A\sin(dx+c)\sqrt{-2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2), x)

```
[Out] -2/3/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-A*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+3*A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+3*C*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)))*cos(d*x+c)^(1/2)/a/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2
```

Maxima [B] time = 2.14796, size = 504, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/6*((3*sqrt(2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(3/2*d*x + 3/2*c) - 3*sqrt(2)*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) - 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) + 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 - 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - 2*sqrt(2)*sin(3/2*d*x + 3/2*c) + 3*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*A/sqrt(a) - 3*(sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*C/sqrt(a))/d
```

Fricas [A] time = 0.531383, size = 876, normalized size = 5.62

$$\frac{4(A \cos(dx+c) - A) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + \frac{3\sqrt{2}((A+C)a \cos(dx+c)+(A+C)a) \log\left(\frac{\cos(dx+c)^2 - \frac{2\sqrt{2}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}}}{\cos(dx+c)}}{\cos(dx+c)^2}\right)}{\sqrt{a}}}{6(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/6*(4*(A*cos(d*x + c) - A)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), -1/3*(3*sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*(A*cos(d*x + c) - A)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2)/sqrt(a*sec(d*x + c) + a), x)
```

$$3.1157 \quad \int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=175

$$\frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{2C\sqrt{\cos(c+dx)}}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.485774, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4087, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{2C\sqrt{\cos(c+dx)}}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4087

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*C

```
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(
b*d^n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*
(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A,
C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] ||
EqQ[m + n + 1, 0])
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+C\sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{\sec(c+dx)}}{a}}{a} \\
&= \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{(C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \sqrt{\sec(c+dx)}}{a} \\
&\qquad\qquad\qquad (2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \text{Subst} \\
&= \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{ad}{ad} \\
&= \frac{2C\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} - \sqrt{2}(A+C)\tanh^{-1}}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.523765, size = 93, normalized size = 0.53

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(- (A+C)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) + 2A\sin\left(\frac{1}{2}(c+dx)\right) + \sqrt{2}C\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{d\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (2*Cos[(c + d*x)/2]*(-(A + C)*ArcTanh[Sin[(c + d*x)/2]]) + Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*A*Sin[(c + d*x)/2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.366, size = 224, normalized size = 1.3

$$-\frac{-1 + \cos(dx + c)}{ad(\sin(dx + c))^2} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(2A\sin(dx + c)\sqrt{-2(\cos(dx + c) + 1)^{-1}} - C\sqrt{2}\arctan\left(\frac{\sqrt{2}(\cos(dx + c) + 1)}{4}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)*\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x)$

[Out] $-1/d*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))*(2*A*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))+C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))-2*A*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-2*C*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}))*\cos(d*x+c)^{(1/2)}/a/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{(1/2)}$

Maxima [B] time = 2.21642, size = 961, normalized size = 5.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)*\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x, \text{algorithm}="maxima")$

[Out] $-1/2*((\sqrt{2}*\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2}*\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 4*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*A/\sqrt{a} + (\sqrt{2}*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 1) - \sqrt{2}*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 - 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 1) - \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) + \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) - \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) + \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))$

$3/2*c))) + 2))*C/\sqrt{a})/d$

Fricas [A] time = 0.616374, size = 1331, normalized size = 7.61

$$4 A \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + (C \cos(dx+c) + C) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 4 \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} (\cos(dx+c)-2) \sqrt{\cos(dx+c)}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)$$

$$2(ad \cos(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, alg orithm="fricas")

[Out] [1/2*(4*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), (sqrt(2)*((A + C)*a*cos(d*x + c) + (A + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d*cos(d*x + c) + a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + C \sec^2(c + dx)) \sqrt{\cos(c + dx)}}{\sqrt{a} (\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + C*sec(c + d*x)**2)*sqrt(cos(c + d*x))/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/sqrt(a*sec(d*x + c) + a), x)

$$3.1158 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=173

$$\frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{C\sin(c+dx)}{d\cos^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}} - \frac{C\sqrt{\cos(c+dx)}}{d\cos^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}}$$

[Out] -((C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d)) + (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (C*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.484263, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4089, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{C\sin(c+dx)}{d\cos^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}} - \frac{C\sqrt{\cos(c+dx)}}{d\cos^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] -((C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d)) + (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (C*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] := -Simp[(C*
Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x]
+ Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp
[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b,
d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !Lt
Q[n, -2^(-1)] && NeQ[m + n + 1, 0]

```

Rule 4023

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + C \sec^2(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx \\
&= \frac{C \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx}{a} \\
&= \frac{C \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{(C \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)}}{2a} \\
&= \frac{C \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(C \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \text{Subst} \left(\int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx \right)}{ad} \\
&= -\frac{C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{ad}} + \frac{\sqrt{2} (A + C) \tanh^{-1} \left(\sqrt{2} \sin \left(\frac{1}{2} (c + dx) \right) \right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.44548, size = 105, normalized size = 0.61

$$\frac{\cos \left(\frac{1}{2} (c + dx) \right) \left(2(A + C) \cos(c + dx) \tanh^{-1} \left(\sin \left(\frac{1}{2} (c + dx) \right) \right) + 2C \sin \left(\frac{1}{2} (c + dx) \right) - \sqrt{2} C \cos(c + dx) \tanh^{-1} \left(\sqrt{2} \sin \left(\frac{1}{2} (c + dx) \right) \right) \right)}{d \cos^{\frac{3}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (Cos[(c + d*x)/2]*(2*(A + C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[c + d*x] - Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*C*Sin[(c + d*x)/2])/(d*Cos[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.355, size = 248, normalized size = 1.4

$$-\frac{-1 + \cos(dx + c)}{2ad(\sin(dx + c))^2} \left(C\sqrt{2} \arctan \left(\frac{\sqrt{2}(\cos(dx + c) + 1 - \sin(dx + c))}{4} \sqrt{-2(\cos(dx + c) + 1)^{-1}} \right) \cos(dx + c) - C\sqrt{2} a \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x)$

[Out] $-1/2/d*(-1+\cos(d*x+c))*(C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))*\cos(d*x+c)-C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)+4*A*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)+4*C*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)+2*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/a/(-2/(\cos(d*x+c)+1))^{(1/2)}/\sin(d*x+c)^2/\cos(d*x+c)^{(1/2)}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.624187, size = 1465, normalized size = 8.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x, \text{algorithm}="fricas")$

[Out] $[1/4*(4*C*\sqrt{(a*\cos(d*x+c)+a)/\cos(d*x+c)}*\sqrt{\cos(d*x+c)}*\sin(d*x+c)+(C*\cos(d*x+c)^2+C*\cos(d*x+c))*\sqrt{a}*\log((a*\cos(d*x+c)^3+4*\sqrt{a}*\sqrt{(a*\cos(d*x+c)+a)/\cos(d*x+c)}*(\cos(d*x+c)-2)*\sqrt{\cos(d*x+c)}*\sin(d*x+c)-7*a*\cos(d*x+c)^2+8*a)/(\cos(d*x+c)^3+\cos(d*x+c)^2))+2*\sqrt{2}*((A+C)*a*\cos(d*x+c)^2+(A+C)*a*\cos(d*x+c))*\log(-(\cos(d*x+c)^2-2*\sqrt{2}*\sqrt{(a*\cos(d*x+c)+a)/\cos(d*x+c)}))*\sqrt{\cos(d*x+c)}*\sin(d*x+c)/\sqrt{a}-2*\cos(d*x+c)-3)/(\cos(d*x+c)^3+\cos(d*x+c)^2))$


```

c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x +
)), -1/2*(2*sqrt(2)*((A + C)*a*cos(d*x + c)^2 + (A + C)*a*cos(d*x + c))*sqr
t(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*s
qrt(cos(d*x + c))/sin(d*x + c)) - 2*C*sqrt((a*cos(d*x + c) + a)/cos(d*x + c
))*sqrt(cos(d*x + c))*sin(d*x + c) + (C*cos(d*x + c)^2 + C*cos(d*x + c))*sq
rt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d
*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d*cos(
d*x + c)^2 + a*d*cos(d*x + c))]

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + C \sec^2(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + C*sec(c + d*x)**2)/(sqrt(a*(sec(c + d*x) + 1))*sqrt(cos(c + d
*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{a \sec(dx + c) + a}\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/(sqrt(a*sec(d*x + c) + a)*sqrt(cos(d*x + c
))), x)
```

$$3.1159 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^2(c+dx)\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=223

$$\frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(8A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}}{\sqrt{a}}\right)}{4\sqrt{ad}}$$

[Out] ((8*A + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (C*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - (C*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.678429, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.216$, Rules used = {4265, 4089, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(8A+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}}{\sqrt{a}}\right)}{4\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] ((8*A + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (C*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - (C*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

Int[((A_) + csc[(e_) + (f_)*(x_)])^2*(C_)]*(csc[(e_) + (f_)*(x_)]*(d_) ^ (n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] :> -Simp[(C* Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4021

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]*Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +

$x^2/a], x], x, (b*\cot[e + f*x])/sqrt[a + b*\csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] \&\& EqQ[a^2 - b^2, 0] \&\& GtQ[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \text{:> Simp}[\text{ArcSinh}[\text{Rt}[b, 2]*x]/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + C \sec^2(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx \\ &= \frac{C \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx}{2a} \\ &= \frac{C \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{C \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx}{2a} \\ &= \frac{C \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{C \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \left((A + C) \frac{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4\sqrt{ad}} \right) \\ &= \frac{C \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{C \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(2(A + C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{4\sqrt{ad}} \\ &= \frac{(8A + 7C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - \sqrt{2}(A + C) \tanh^{-1} \left(\sqrt{2} \sin \left(\frac{1}{2}(c + dx) \right) \right)}{4\sqrt{ad} \cos^{\frac{5}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}} \end{aligned}$$

Mathematica [A] time = 0.93857, size = 130, normalized size = 0.58

$$\frac{\cos \left(\frac{1}{2}(c + dx) \right) \left(8(A + C) \cos^2(c + dx) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) - \sqrt{2}(8A + 7C) \cos^2(c + dx) \tanh^{-1} \left(\sqrt{2} \sin \left(\frac{1}{2}(c + dx) \right) \right) \right)}{4\sqrt{ad} \cos^{\frac{5}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x
]]) ,x]
```

```
[Out] -(Cos[(c + d*x)/2]*(8*(A + C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[c + d*x]^2 - Sqrt[2]*(8*A + 7*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + C*(-5*Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))) / (4*d*Cos[c + d*x]^(5/2)*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.326, size = 384, normalized size = 1.7

$$\frac{-1 + \cos(dx + c)}{8ad(\sin(dx + c))^2} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(-8A\sqrt{2} \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 + \sin(dx + c))}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2), x)
```

```
[Out] 1/8/d*(-1+cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-8*A*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2+8*A*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2-7*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2+7*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2+16*A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2+16*C*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2+2*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)-4*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/a/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c)^(3/2)
```

Maxima [B] time = 2.54031, size = 3110, normalized size = 13.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2), x, algorithm="maxima")
```

```
[Out] -1/16*(8*(sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c)
```


$$\begin{aligned}
& - 8*(\sqrt{2}*\cos(4*d*x + 4*c)^2 + 4*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(4*d*x + 4*c)^2 + 4*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2}))*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) + 8*(\sqrt{2}*\cos(4*d*x + 4*c)^2 + 4*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(4*d*x + 4*c)^2 + 4*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2}))*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 - 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) - 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 20*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 20*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*C/((2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\sqrt{a}))/d
\end{aligned}$$

Fricas [A] time = 0.783716, size = 1593, normalized size = 7.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/16*(4*(C*cos(d*x + c) - 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - ((8*A + 7*C)*cos(d*x + c)^3 + (8*A + 7*C)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) - 8*sqrt(2)*((A + C)*a*cos(d*x + c)^3 + (A + C)*a*cos(d*x + c)^2)*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2), 1/8*(8*sqrt(2)*((A + C)*a*cos(d*x + c)^3 + (A + C)*a*cos(d*x + c)^2)*sqrt(-1/a)*arctan(sqrt(2)*sq

```
rt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x
+ c)) - 2*(C*cos(d*x + c) - 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*s
qrt(cos(d*x + c))*sin(d*x + c) + ((8*A + 7*C)*cos(d*x + c)^3 + (8*A + 7*C)*
cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*
x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c)
- 2*a)))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{a \sec(dx + c) + a \cos(dx + c)}^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/(sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(3/
2)), x)
```


$$3.1160 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=266

$$\frac{(8A+7C)\sin(c+dx)}{8d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(8A+9C)}{1}$$

[Out] -((8*A + 9*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) - (C*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + ((8*A + 7*C)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.848073, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.216$, Rules used = {4265, 4089, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(8A+7C)\sin(c+dx)}{8d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{2}(A+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(8A+9C)}{1}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] -((8*A + 9*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) - (C*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + ((8*A + 7*C)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4089

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + a*C*m*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + C \sec^2(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx \\
&= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx}{3a} \\
&= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{C \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{C \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{C \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{C \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{C \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= -\frac{(8A + 9C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8\sqrt{ad}} + \frac{\sqrt{2}(A + C) \tan(c + dx)}{8\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 1.49837, size = 149, normalized size = 0.56

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\left(\sin\left(\frac{1}{2}(c+dx)\right)(3(8A+7C)\cos(2(c+dx))+24A-4C\cos(c+dx)+37C)+48(A+C)\cos^3(c+dx)\tan\left(\frac{1}{2}(c+dx)\right)\right)}{24d\cos^{\frac{7}{2}}(c+dx)\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]),x]
```

```
[Out] (Cos[(c + d*x)/2]*(48*(A + C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[c + d*x]^3 - 3*Sqrt[2]*(8*A + 9*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (24*A + 37*C - 4*C*Cos[c + d*x] + 3*(8*A + 7*C)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(24*d*Cos[c + d*x]^(7/2)*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.362, size = 446, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/48/d*(-1+cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(24*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-24*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)+27*C*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-27*C*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-48*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-96*A*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-42*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-96*C*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3+4*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)-16*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/a/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c)^(5/2)
```

Maxima [B] time = 2.87779, size = 5084, normalized size = 19.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/96*(24*(4*\sqrt{2}*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*\sin(2*d*x \\ & + 2*c) - 4*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*\sin(2*d*x \\ & + 2*c) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\ & * \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - \\ & (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)* \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)* \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)* \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 2*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})) * \log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 1) + 2*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})* \log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1) - 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})* \sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})* \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*A/((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\sqrt{a}) + (84*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 100*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 312*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 312*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 100*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 84*(\sqrt{2})*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \end{aligned}$$

$$\begin{aligned}
& 2*c), \cos(2*d*x + 2*c))) + 27*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) \\
& + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos \\
& (4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x \\
& + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d* \\
& x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 \\
& + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2* \\
& \sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin \\
& (1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 27*(2*(3*\cos(4*d* \\
& x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + \\
& 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(\\
& 2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \\
& \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x \\
& + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c))) + 2) + 27*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x \\
& + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \\
& 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2* \\
& d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + \\
& 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + \\
& 2*c) + 1)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 \\
& *\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 27*(2*(3*\cos(4*d*x + 4*c) + 3*co \\
& s(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x \\
& + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 \\
& + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6* \\
& c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(\\
& 2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 48 \\
& *(sqrt{2}*\cos(6*d*x + 6*c)^2 + 9*sqrt{2}*\cos(4*d*x + 4*c)^2 + 9*sqrt{2}*\cos \\
& (2*d*x + 2*c)^2 + sqrt{2}*\sin(6*d*x + 6*c)^2 + 9*sqrt{2}*\sin(4*d*x + 4*c)^2 \\
& + 18*sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*sqrt{2}*\sin(2*d*x + 2*c \\
&)^2 + 2*(3*sqrt{2}*\cos(4*d*x + 4*c) + 3*sqrt{2}*\cos(2*d*x + 2*c) + sqrt{2}) \\
& *\cos(6*d*x + 6*c) + 6*(3*sqrt{2}*\cos(2*d*x + 2*c) + sqrt{2})*\cos(4*d*x + 4* \\
& c) + 6*(sqrt{2}*\sin(4*d*x + 4*c) + sqrt{2}*\sin(2*d*x + 2*c))*\sin(6*d*x + 6* \\
& c) + 6*sqrt{2}*\cos(2*d*x + 2*c) + sqrt{2})*\log(\cos(1/4*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) + 48 \\
& *(sqrt{2}*\cos(6*d*x + 6*c)^2 + 9*sqrt{2}*\cos(4*d*x + 4*c)^2 + 9*sqrt{2}*\cos \\
& (2*d*x + 2*c)^2 + sqrt{2}*\sin(6*d*x + 6*c)^2 + 9*sqrt{2}*\sin(4*d*x + 4*c)^2
\end{aligned}$$

$$\begin{aligned}
& + 18\sqrt{2}\sin(4dx + 4c)\sin(2dx + 2c) + 9\sqrt{2}\sin(2dx + 2c) \\
&)^2 + 2*(3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2c) + \sqrt{2}) \\
& *\cos(6dx + 6c) + 6*(3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})*\cos(4dx + 4c) \\
& + 6*(\sqrt{2}\sin(4dx + 4c) + \sqrt{2}\sin(2dx + 2c))*\sin(6dx + 6c) \\
& + 6\sqrt{2}\cos(2dx + 2c) + \sqrt{2})*\log(\cos(1/4*\arctan2(\sin(2dx + 2c), \\
& \cos(2dx + 2c)))^2 + \sin(1/4*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 \\
& - 2*\sin(1/4*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 1) - 84 \\
& *(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx \\
& *x + 2c) + \sqrt{2})*\sin(11/4*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& + 100*(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos \\
& (2dx + 2c) + \sqrt{2})*\sin(9/4*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) \\
&))) - 312*(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2} \\
&)*\cos(2dx + 2c) + \sqrt{2})*\sin(7/4*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& + 312*(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2} \\
&)*\cos(2dx + 2c) + \sqrt{2})*\sin(5/4*\arctan2(\sin(2dx + 2c), \cos(2dx \\
& *x + 2c))) - 100*(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + \\
& 3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})*\sin(3/4*\arctan2(\sin(2dx + 2c), \cos \\
& (2dx + 2c))) + 84*(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) \\
& + 3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})*\sin(1/4*\arctan2(\sin(2dx + 2c), \\
& \cos(2dx + 2c))))*C/((2*(3*\cos(4dx + 4c) + 3*\cos(2dx + 2c) + 1)*\cos \\
& (6dx + 6c) + \cos(6dx + 6c))^2 + 6*(3*\cos(2dx + 2c) + 1)*\cos(4dx + 4c) \\
& + 9*\cos(4dx + 4c)^2 + 9*\cos(2dx + 2c)^2 + 6*(\sin(4dx + 4c) + \\
& \sin(2dx + 2c))*\sin(6dx + 6c) + \sin(6dx + 6c)^2 + 9*\sin(4dx + 4c) \\
&)^2 + 18*\sin(4dx + 4c)*\sin(2dx + 2c) + 9*\sin(2dx + 2c)^2 + 6*\cos(\\
& 2dx + 2c) + 1)*\sqrt{a}))/d
\end{aligned}$$

Fricas [A] time = 0.783738, size = 1692, normalized size = 6.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(dx+c)^2)/cos(dx+c)^(5/2)/(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/96*(4*(3*(8*A + 7*C)*cos(dx + c)^2 - 2*C*cos(dx + c) + 8*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) + 3*((8*A + 9*C)*cos(dx + c)^4 + (8*A + 9*C)*cos(dx + c)^3)*sqrt(a)*log((a*cos(dx + c))^3 + 4*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*(cos(dx + c) - 2)*sqrt(cos(dx + c))*sin(dx + c) - 7*a*cos(dx + c)^2 + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 48*sqrt(2)*((A + C)*a*cos(dx + c)^4 + (A + C)*a*cos(dx + c)^3)*log(-(cos(dx + c)^2 - 2*sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))

```
d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3), -1/48*(48*sqrt(2)*((A + C)*a*cos(d*x + c)^4 + (A + C)*a*cos(d*x + c)^3)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*(3*(8*A + 7*C)*cos(d*x + c)^2 - 2*C*cos(d*x + c) + 8*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((8*A + 9*C)*cos(d*x + c)^4 + (8*A + 9*C)*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(dx+c)**2)/cos(dx+c)**(5/2)/(a+a*sec(dx+c))**(1/2), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{\sqrt{a \sec(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(dx+c)^2)/cos(dx+c)^(5/2)/(a+a*sec(dx+c))^(1/2), x, algorithm="giac")
```

```
[Out] integrate((C*sec(dx + c)^2 + A)/(sqrt(a*sec(dx + c) + a)*cos(dx + c)^(5/2)), x)
```


$$3.1161 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=268

$$\frac{(15A + 7C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A + 5C) \sin(c + dx) \cos^3(c + dx)}{10ad\sqrt{a \sec(c + dx) + a}} - \frac{(A + C)}{2d}$$

[Out] -((15*A + 7*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((49*A + 25*C)*Sin[c + d*x])/(10*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((13*A + 5*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((9*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.865277, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4085, 4022, 4013, 3808, 206}

$$\frac{(15A + 7C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A + 5C) \sin(c + dx) \cos^3(c + dx)}{10ad\sqrt{a \sec(c + dx) + a}} - \frac{(A + C)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((15*A + 7*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((49*A + 25*C)*Sin[c + d*x])/(10*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((13*A + 5*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((9*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{\frac{3}{2}}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+C\sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{\frac{3}{2}}} dx \\
&= -\frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} - \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{-\frac{1}{2}a(9A)}{\sec^{\frac{5}{2}}} dx}{2a^2} \\
&= -\frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(9A+5C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} - \frac{(13A+5C)\sqrt{\cos(c+dx)}\sin(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(49A+25C)\sin(c+dx)}{10ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(49A+25C)\sin(c+dx)}{10ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(15A+7C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{2\sqrt{2}a^{\frac{3}{2}}d} - \frac{(A)}{2\sqrt{2}a^{\frac{3}{2}}d}
\end{aligned}$$

Mathematica [A] time = 2.1879, size = 118, normalized size = 0.44

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)((39A+20C)\cos(c+dx)-2A\cos(2(c+dx))+A\cos(3(c+dx))+47A+25C)-5(15A+7C)\cos\left(\frac{1}{2}(c+dx)\right)}{10ad\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (-5*(15*A + 7*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + (47*A + 25*C + (39*A + 20*C)*Cos[c + d*x] - 2*A*Cos[2*(c + d*x)] + A*Cos[3*(c + d*x)])*Tan[(c + d*x)/2]/(10*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.375, size = 318, normalized size = 1.2

$$\frac{-1 + \cos(dx + c)}{20 da^2 (\sin(dx + c))^3} \sqrt{\cos(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(8A(\cos(dx + c))^4 - 75A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x)`

[Out] `1/20/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*
*(8*A*cos(d*x+c)^4-75*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*
(-2/(cos(d*x+c)+1))^(1/2)-35*C*cos(d*x+c)*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*
(-2/(cos(d*x+c)+1))^(1/2)-16*A*cos(d*x+c)^3-75*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*
(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-35*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*
(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+80*A*cos(d*x+c)^2+40*C*cos(d*x+c)^2+26*A*cos(d*x+c)+10*C*cos(d*x+c)-98*A-50*C)/a^2/sin(d*x+c)^3`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2), x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 0.557679, size = 1234, normalized size = 4.6

$$\left[\frac{5\sqrt{2}((15A + 7C)\cos(dx + c)^2 + 2(15A + 7C)\cos(dx + c) + 15A + 7C)\sqrt{a} \log\left(-\frac{a\cos(dx+c)^2 + 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}}{\cos(dx+c)^2 + 2\cos(dx+c)} \right)}{40(a^2d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/40*(5*sqrt(2)*((15*A + 7*C)*cos(d*x + c)^2 + 2*(15*A + 7*C)*cos(d*x + c) + 15*A + 7*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(4*A*cos(d*x + c)^3 - 4*A*cos(d*x + c)^2 + 4*(9*A + 5*C)*cos(d*x + c) + 49*A + 25*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/20*(5*sqrt(2)*((15*A + 7*C)*cos(d*x + c)^2 + 2*(15*A + 7*C)*cos(d*x + c) + 15*A + 7*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(4*A*cos(d*x + c)^3 - 4*A*cos(d*x + c)^2 + 4*(9*A + 5*C)*cos(d*x + c) + 49*A + 25*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^(3/2), x)

$$3.1162 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=221

$$\frac{(11A + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A + 3C) \sin(c + dx)\sqrt{\cos(c + dx)}}{6ad\sqrt{a \sec(c + dx) + a}} - \frac{(19A + 3C) \sin(c + dx)\sqrt{\cos(c + dx)}}{6ad\sqrt{\cos(c + dx)}}$$

[Out] ((11*A + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((19*A + 3*C)*Sin[c + d*x])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((7*A + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.66801, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4085, 4022, 4013, 3808, 206}

$$\frac{(11A + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A + 3C) \sin(c + dx)\sqrt{\cos(c + dx)}}{6ad\sqrt{a \sec(c + dx) + a}} - \frac{(19A + 3C) \sin(c + dx)\sqrt{\cos(c + dx)}}{6ad\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((11*A + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((19*A + 3*C)*Sin[c + d*x])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((7*A + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+C\sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}} dx \\
&= -\frac{(A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{-\frac{1}{2}a(7A+3)}{\sec^{\frac{3}{2}}(c+dx)} dx}{2a^2} \\
&= -\frac{(A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(7A+3C)\sqrt{\cos(c+dx)}\sin(c+dx)}{6ad\sqrt{a+a\sec(c+dx)}} - \frac{(19A+3C)\sin(c+dx)}{6ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{(11A+3C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{2\sqrt{2}a^{3/2}d} - \frac{(A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.64511, size = 104, normalized size = 0.47

$$\frac{3(11A+3C)\cos\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - \tan\left(\frac{1}{2}(c+dx)\right)(12A\cos(c+dx) - 2A\cos(2(c+dx)) + 17A + 3)}{6ad\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (3*(11*A + 3*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] - (17*A + 3*C + 12*A*Cos[c + d*x] - 2*A*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/((6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.355, size = 262, normalized size = 1.2

$$-\frac{-1 + \cos(dx+c)}{6da^2(\sin(dx+c))^3} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(-4A\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c))^3 + 16A(\cos(dx+c))^2} \sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c))^3 + 16A(\cos(dx+c))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{3/2}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2},x)$

[Out]
$$-1/6/d*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))*(-4*A*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)^3+16*A*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}+33*A*\sin(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})+7*A*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+9*C*\sin(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})+3*C*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}-19*A*(-2/(\cos(dx+c)+1))^{1/2}-3*C*(-2/(\cos(dx+c)+1))^{1/2})*\cos(dx+c)^{1/2}/a^2/\sin(dx+c)^3/(-2/(\cos(dx+c)+1))^{1/2}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{3/2}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.545096, size = 1152, normalized size = 5.21

$$\left[\frac{3\sqrt{2}((11A+3C)\cos(dx+c)^2+2(11A+3C)\cos(dx+c)+11A+3C)\sqrt{a}\log\left(\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)}{24(a^2d\cos(dx+c))^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{3/2}*(A+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2},x, \text{algorithm}="fricas")$

[Out]
$$[1/24*(3*\sqrt{2})*((11*A + 3*C)*\cos(dx + c)^2 + 2*(11*A + 3*C)*\cos(dx + c) + 11*A + 3*C)*\sqrt{a}*\log(-(a*\cos(dx + c))^2 - 2*\sqrt{2}*\sqrt{a}*\sqrt{(a*c$$

```

os(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*
x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(4*A*cos(d*x + c)^
2 - 12*A*cos(d*x + c) - 19*A - 3*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x +
c) + a^2*d), -1/12*(3*sqrt(2))*((11*A + 3*C)*cos(d*x + c)^2 + 2*(11*A + 3*C
)*cos(d*x + c) + 11*A + 3*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d
*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*(4*A*co
s(d*x + c)^2 - 12*A*cos(d*x + c) - 19*A - 3*C)*sqrt((a*cos(d*x + c) + a)/co
s(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*
d*cos(d*x + c) + a^2*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(3
/2), x)
```

$$3.1163 \quad \int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=172

$$\frac{(7A - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A + C) \sin(c + dx)}{2ad\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{1}{2d\sqrt{\cos(c + dx)}}$$

```
[Out] -((7*A - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((5*A + C)*Sin[c + d*x])/(2*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.490961, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4085, 4013, 3808, 206}

$$\frac{(7A - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A + C) \sin(c + dx)}{2ad\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{1}{2d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]
```

```
[Out] -((7*A - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((5*A + C)*Sin[c + d*x])/(2*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_), x_Symbol] := -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+C\sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{3/2}} dx \\
&= -\frac{(A+C)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}} - \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{3/2}} dx}{2a^2} \\
&= -\frac{(A+C)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}} + \frac{(5A+C)\sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A+C)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}} + \frac{(5A+C)\sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&\quad - \frac{(7A-C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{2\sqrt{2}a^{3/2}d} - \frac{1}{2d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.85802, size = 114, normalized size = 0.66

$$\frac{\cos^3\left(\frac{1}{2}(c+dx)\right)\left(2\sin\left(\frac{1}{2}(c+dx)\right)\left(4A\cos(c+dx)+5A+C\right)-(7A-C)(\cos(c+dx)+1)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{2d\left(\sin^2\left(\frac{1}{2}(c+dx)\right)-1\right)\cos^{\frac{3}{2}}(c+dx)(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -(Cos[(c + d*x)/2]^3*(-((7*A - C)*ArcTanh[Sin[(c + d*x)/2]]*(1 + Cos[c + d*x])) + 2*(5*A + C + 4*A*Cos[c + d*x])*Sin[(c + d*x)/2]))/(2*d*Cos[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2)*(-1 + Sin[(c + d*x)/2]^2))

Maple [A] time = 0.332, size = 235, normalized size = 1.4

$$\frac{-1 + \cos(dx+c)}{2da^2(\sin(dx+c))^3} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(4A(\cos(dx+c))^2 \sqrt{-2(\cos(dx+c)+1)^{-1}} + A\cos(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x)`

[Out] $\frac{1}{2}d \left(a \left(\frac{\cos(dx+c)+1}{\cos(dx+c)} \right)^{1/2} (-1+\cos(dx+c)) (4A\cos(dx+c)^2 \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} + A\cos(dx+c) \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} + 7A\sin(dx+c) \arctan\left(\frac{1}{2}\sin(dx+c) \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} \right) + C\cos(dx+c) \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} - C\sin(dx+c) \arctan\left(\frac{1}{2}\sin(dx+c) \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} \right) - 5A \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} - C \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2}) \cos(dx+c)^{1/2} / a^2 \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} / \sin(dx+c)^3 \right)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.536295, size = 1052, normalized size = 6.12

$$\left[\frac{\sqrt{2}((7A-C)\cos(dx+c)^2 + 2(7A-C)\cos(dx+c) + 7A-C)\sqrt{a} \log\left(-\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\cos(dx+c)^2 + 2\cos(dx+c)+1} \right)}{8(a^2d\cos(dx+c))^2 + 2a^2d\cos(dx+c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] $[-1/8(\sqrt{2}((7A-C)\cos(dx+c)^2 + 2(7A-C)\cos(dx+c) + 7A-C)\sqrt{a} \log(-a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\sqrt{(a\cos(dx+c)+a)/\cos(dx+c)}\sqrt{\cos(dx+c)}\sin(dx+c) - 2a\cos(dx+c) - 3a)/(\cos(dx+c)^2 + 2\cos(dx+c) + 1)) - 4(4A\cos(dx+c) + 5A + C)\sqrt{(a\cos(dx+c)+a)/\cos(dx+c)}\sqrt{\cos(dx+c)}\sin(dx+c)]/a$

```
^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/4*(sqrt(2)*((7*A - C)
)*cos(d*x + c)^2 + 2*(7*A - C)*cos(d*x + c) + 7*A - C)*sqrt(-a)*arctan(sqrt
(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*
sin(d*x + c))) + 2*(4*A*cos(d*x + c) + 5*A + C)*sqrt((a*cos(d*x + c) + a)/c
os(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2
*d*cos(d*x + c) + a^2*d]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^(3
/2), x)
```

$$3.1164 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=185

$$\frac{(3A-5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(3/2)*d) + ((3*A - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.528113, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4085, 4023, 3808, 206, 3801, 215}

$$\frac{(3A-5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(3/2)*d) + ((3*A - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085


```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.), x_Symbol] := -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\
&= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}}{2a^2} dx}{2a^2} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\left((3A - 5C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{4a} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{\left((3A - 5C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{4a} \\
&= \frac{2C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{3/2} d} + \frac{(3A - 5C) \tanh^{-1} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{4a}
\end{aligned}$$

Mathematica [A] time = 1.60871, size = 114, normalized size = 0.62

$$\frac{-(A + C) \tan\left(\frac{1}{2}(c + dx)\right) + (3A - 5C) \cos\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 4\sqrt{2}C \cos\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)}{2ad\sqrt{\cos(c + dx)}\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] ((3*A - 5*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + 4*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] - (A + C)*Tan[(c + d*x)/2])/((2*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.321, size = 304, normalized size = 1.6

$$-\frac{-1 + \cos(dx + c)}{2da^2(\sin(dx + c))^3} \left(-2C \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 - \sin(dx + c))}\right) \sqrt{2} \sin(dx + c) + \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{(3/2)}/\cos(d*x+c)^{(1/2)},x)$

[Out] $-1/2/d*(-1+\cos(d*x+c))*(-2*C*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))^{(1/2)}*\sin(d*x+c)+2*C*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))^{(1/2)}*\sin(d*x+c)+A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+3*A*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})+C*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-5*C*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-A*(-2/(\cos(d*x+c)+1))^{(1/2)}-C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/a^2/(-2/(\cos(d*x+c)+1))^{(1/2)}/\sin(d*x+c)^3$

Maxima [B] time = 2.43745, size = 4257, normalized size = 23.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{(3/2)}/\cos(d*x+c)^{(1/2)},x, \text{algorithm}="maxima")$

[Out] $1/4*((3*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\cos(2*d*x + 2*c)^2 + 12*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\cos(d*x + c)^2 + 3*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\sin(2*d*x + 2*c)^2 + 12*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\sin(d*x + c)^2 + 2*(6*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\cos(d*x + c) + 3*\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 3*\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 2*\sin(3/2*d*x + 3/2*c) + 2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 4*(3*\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 3*\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 2*\sin(1/2*d*x + 1/2*c))*\cos(d*x + c) + 4*(3*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log($

$$\begin{aligned}
& \cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + \\
& 1))*\sin(d*x + c) + \cos(3/2*d*x + 3/2*c) - \cos(1/2*d*x + 1/2*c))*\sin(2*d*x + \\
& 2*c) - 4*(2*\cos(d*x + c) + 1)*\sin(3/2*d*x + 3/2*c) + 8*\cos(3/2*d*x + 3/2*c) \\
&)*\sin(d*x + c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(d*x + c) + 3*\log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 3*\log(\cos \\
& (1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& + 4*\sin(1/2*d*x + 1/2*c))*A/((\sqrt{2})*a*\cos(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*\cos \\
& (d*x + c)^2 + \sqrt{2})*a*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*\sin(2*d*x + 2*c)* \\
& \sin(d*x + c) + 4*\sqrt{2})*a*\sin(d*x + c)^2 + 4*\sqrt{2})*a*\cos(d*x + c) + 2*(2 \\
& *\sqrt{2})*a*\cos(d*x + c) + \sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sqrt{a}) \\
& + (4*(\sin(2*d*x + 2*c) + 2*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c))))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*(\sqrt{2})*\cos \\
& (2*d*x + 2*c)^2 + 4*\sqrt{2})*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))^2 + \sqrt{2})*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*\sin(2*d*x + 2*c)*\sin(1/2* \\
& \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sqrt{2})*\sin(1/2*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\sqrt{2})*\cos(2*d*x + 2*c) + \sqrt{2} \\
&))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\cos(2*d \\
& *x + 2*c) + \sqrt{2}))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2} \\
&)*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\sin(1/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 2*(\sqrt{2})*\cos(2*d*x + \\
& 2*c)^2 + 4*\sqrt{2})*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + \sqrt{2})*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sqrt{2})*\sin(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\sqrt{2})*\cos(2*d*x + 2*c) + \sqrt{2}))*\cos(1/ \\
& 2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\cos(2*d*x + 2*c) \\
& + \sqrt{2}))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \\
& 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2})*\cos(1/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2})*\sin(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 2*(\sqrt{2})*\cos(2*d*x + 2*c)^2 + \\
& 4*\sqrt{2})*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2} \\
&)*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))) + 4*\sqrt{2})*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c)))^2 + 4*(\sqrt{2})*\cos(2*d*x + 2*c) + \sqrt{2}))*\cos(1/2*\arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\cos(2*d*x + 2*c) + \sqrt{2} \\
&))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2})*\cos(1/4*\arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\sin(1/4*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))) + 2) - 2*(\sqrt{2})*\cos(2*d*x + 2*c)^2 + 4*\sqrt{2} \\
&)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2})*\sin(2*d* \\
& x + 2*c)^2 + 4*\sqrt{2})*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) + 4*\sqrt{2})*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))^2 + 4*(\sqrt{2})*\cos(2*d*x + 2*c) + \sqrt{2}))*\cos(1/2*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\cos(2*d*x + 2*c) + \sqrt{2}))*\log(2* \\
& \cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(
\end{aligned}$$

$$\begin{aligned} & \sin(2dx + 2c), \cos(2dx + 2c)) \wedge 2 - 2\sqrt{2} \cos(1/4 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) - 2\sqrt{2} \sin(1/4 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) + 2) - 5(\cos(2dx + 2c) \wedge 2 + 4(\cos(2dx + 2c) + 1) * \\ & \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 4\cos(1/2 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) \wedge 2 + \sin(2dx + 2c) \wedge 2 + 4\sin(2dx + 2c) * \\ & \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 4\sin(1/2 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) \wedge 2 + 2\cos(2dx + 2c) + 1) * \log(\cos(1/4 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) \wedge 2 + \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) \wedge 2 + 2\sin(1/4 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c)))) + 1) + 5(\cos(2dx + 2c) \wedge 2 + 4(\cos(2dx + 2c) + 1) * \cos(1/2 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c)))) + 4\cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) \wedge 2 + \sin(2dx + 2c) \wedge 2 + 4\sin(2dx + 2c) * \\ & \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 4\sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) \wedge 2 + 2\cos(2dx + 2c) + 1) * \log(\cos(1/4 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) \wedge 2 + \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) \wedge 2 - 2\sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) \\ & + 1) - 4\cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) * \sin(2dx + 2c) - 4(\cos(2dx + 2c) + 2\cos(1/2 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c)))) + 1) * \sin(3/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 8\cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) * \sin(1/2 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) + 4(\cos(2dx + 2c) + 1) * \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 8\cos(1/2 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) * \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) * C / ((\sqrt{2} * a * \cos(2dx + 2c) \wedge 2 + 4\sqrt{2} * a * \cos(1/2 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) \wedge 2 + \sqrt{2} * a * \sin(2dx + 2c) \wedge 2 + 4\sqrt{2} * a * \sin(2dx + 2c) * \sin(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 4\sqrt{2} * a * \sin(1/2 \arctan 2(\sin(2dx + 2c), \\ & \cos(2dx + 2c))) \wedge 2 + 2\sqrt{2} * a * \cos(2dx + 2c) + 4(\sqrt{2} * a * \cos(2dx + 2c) + \sqrt{2} * a) * \cos(1/2 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sqrt{2} * a) * \sqrt{a})) / d \end{aligned}$$

Fricas [A] time = 0.666074, size = 1593, normalized size = 8.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(dx+c)^2)/(a+a*sec(dx+c))^(3/2)/cos(dx+c)^(1/2),x, algorithm="fricas")

[Out] [-1/8*(sqrt(2)*((3*A - 5*C)*cos(dx + c)^2 + 2*(3*A - 5*C)*cos(dx + c) + 3*A - 5*C)*sqrt(a)*log(-(a*cos(dx + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) - 2*a*cos(dx + c

```
) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(A + C)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 4*(C*cos(d*x + c
)^2 + 2*C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt(
(a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*si
n(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/
(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2))*((3*A
- 5*C)*cos(d*x + c)^2 + 2*(3*A - 5*C)*cos(d*x + c) + 3*A - 5*C)*sqrt(-a)*ar
ctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x
+ c)))/(a*sin(d*x + c))) + 2*(A + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*sqrt(cos(d*x + c))*sin(d*x + c) - 4*(C*cos(d*x + c)^2 + 2*C*cos(d*x + c) +
C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt
(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^
2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x +
c))), x)
```

$$3.1165 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=228

$$\frac{(A+9C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{3C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

[Out] $(-3*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^{(3/2)*d}) + ((A + 9*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^{(3/2)*d}) - ((A + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^{(5/2)}*(a + a*Sec[c + d*x])^{(3/2)}) + ((A + 3*C)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^{(3/2)}*Sqrt[a + a*Sec[c + d*x]])$

Rubi [A] time = 0.7036, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.216$, Rules used = {4265, 4085, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(A+9C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{3C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] $(-3*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^{(3/2)*d}) + ((A + 9*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^{(3/2)*d}) - ((A + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^{(5/2)}*(a + a*Sec[c + d*x])^{(3/2)}) + ((A + 3*C)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^{(3/2)}*Sqrt[a + a*Sec[c + d*x]])$

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
```


$x^2/a], x], x, (b \cdot \cot[e + f \cdot x]) / \sqrt{a + b \cdot \csc[e + f \cdot x]}], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a \cdot d)/b, 0]$

Rule 215

$\text{Int}[1/\sqrt{(a_) + (b_) \cdot (x_)^2}, x_Symbol] :> \text{Simp}[\text{ArcSinh}[\text{Rt}[b, 2] \cdot x] / \sqrt{a}] / \text{Rt}[b, 2], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned} \int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\ &= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx}{2} \\ &= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A + 3C) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A + 3C) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A + 3C) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A + 3C) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= -\frac{3C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} + (A + 9C) \tanh^{-1} \left(\frac{\sin \left(\frac{1}{2}(c + dx) \right)}{\cos \left(\frac{1}{2}(c + dx) \right)} \right)}{a^{3/2} d} + \frac{(A + 9C) \tanh^{-1} \left(\frac{\sin \left(\frac{1}{2}(c + dx) \right)}{\cos \left(\frac{1}{2}(c + dx) \right)} \right)}{a^{3/2} d} \end{aligned}$$

Mathematica [A] time = 2.23857, size = 169, normalized size = 0.74

$$\frac{\cos^3 \left(\frac{1}{2}(c + dx) \right) \sqrt{\cos(c + dx)} (A + C \sec^2(c + dx)) \left(2(A + 9C) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) + \frac{12\sqrt{2}C \cos^2 \left(\frac{1}{2}(c + dx) \right) \tanh^{-1} \left(\sqrt{2} \sin \left(\frac{1}{2}(c + dx) \right) \right)}{\cos \left(\frac{1}{2}(c + dx) \right)} \right)}{d(a(\sec(c + dx) + 1))^{3/2}(A \cos(2(c + dx)) + A + 2C)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] (Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2)*(2*(A + 9*C)*ArcTanh[Sin[(c + d*x)/2]] + (12*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^2 - 2*(A + 3*C + 2*C*Sec[c + d*x])*Sin[(c + d*x)/2])/(-1 + Sin[(c + d*x)/2]^2))/(d*(A + 2*C + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.341, size = 362, normalized size = 1.6

$$\frac{-1 + \cos(dx + c)}{2da^2(\sin(dx + c))^3} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(3C \sin(dx + c) \sqrt{2} \cos(dx + c) \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)}^{-1} (\cos(dx + c) + 1)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] 1/2/d*(-1+cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-3*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+3*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-9*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-2*C*(-2/(cos(d*x+c)+1))^(1/2))/a^2/sin(d*x+c)^3/(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c)^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.680746, size = 1764, normalized size = 7.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/8*(\sqrt{2})*((A + 9*C)*\cos(d*x + c)^3 + 2*(A + 9*C)*\cos(d*x + c)^2 + (A + 9*C)*\cos(d*x + c))*\sqrt{a}*\log(-(a*\cos(d*x + c)^2 - 2*\sqrt{2})*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) + 4*((A + 3*C)*\cos(d*x + c) + 2*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) + 6*(C*\cos(d*x + c)^3 + 2*C*\cos(d*x + c)^2 + C*\cos(d*x + c))*\sqrt{a}*\log((a*\cos(d*x + c)^3 + 4*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*(\cos(d*x + c) - 2)*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 7*a*\cos(d*x + c)^2 + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)))/(a^2*d*\cos(d*x + c)^3 + 2*a^2*d*\cos(d*x + c)^2 + a^2*d*\cos(d*x + c)), -1/4*(\sqrt{2})*((A + 9*C)*\cos(d*x + c)^3 + 2*(A + 9*C)*\cos(d*x + c)^2 + (A + 9*C)*\cos(d*x + c))*\sqrt{-a}*\arctan(\sqrt{2}*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)})/(a*\sin(d*x + c))) - 2*((A + 3*C)*\cos(d*x + c) + 2*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) + 6*(C*\cos(d*x + c)^3 + 2*C*\cos(d*x + c)^2 + C*\cos(d*x + c))*\sqrt{-a}*\arctan(2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(a*\cos(d*x + c)^2 - a*\cos(d*x + c) - 2*a)))/(a^2*d*\cos(d*x + c)^3 + 2*a^2*d*\cos(d*x + c)^2 + a^2*d*\cos(d*x + c))] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2)), x)
```

$$3.1166 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=285

$$\frac{(5A + 13C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(8A + 19C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d}$$

[Out] ((8*A + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*a^(3/2)*d) - ((5*A + 13*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)) + ((A + 2*C)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - ((2*A + 7*C)*Sin[c + d*x])/(4*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.910585, antiderivative size = 285, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.216$, Rules used = {4265, 4085, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(5A + 13C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(8A + 19C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] ((8*A + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*a^(3/2)*d) - ((5*A + 13*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(2*Sqrt[2]*a^(3/2)*d) - ((A + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)) + ((A + 2*C)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - ((2*A + 7*C)*Sin[c + d*x])/(4*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\
&= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx}{2} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A + 2C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A + 2C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A + 2C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A + 2C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{(8A + 19C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4a^{3/2}d} - \frac{(5A + 13C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 3.76652, size = 213, normalized size = 0.75

$$\sec\left(\frac{1}{2}(c+dx)\right)\left(A\cos^2(c+dx)+C\right)\left(\sin\left(\frac{1}{2}(c+dx)\right)\left((2A+7C)\cos(2(c+dx))+2A+6C\cos(c+dx)+3C\right)+(5A+\right.$$

$$\left.4ad\cos^2(c+dx)\sqrt{a(\sec(c+dx)+a)}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] -((C + A*Cos[c + d*x]^2)*Sec[(c + d*x)/2]*((5*A + 13*C)*ArcTanh[Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Cos[(3*(c + d*x))/2])^2 - ((8*A + 19*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Cos[(3*(c + d*x))/2])^2)/Sqrt[2] + (2*A + 3*C + 6*C*Cos[c + d*x] + (2*A + 7*C)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(4*a*d*Cos[c + d*x]^(5/2)*(A + 2*C + A*Cos[2*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.3, size = 508, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] -1/8/d*(-1+cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+19*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-19*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+4*A*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-20*A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)+14*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-52*C*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)-4*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-8*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-10*C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+4*C*(-2/(cos(d*x+c)+1))^(1/2))/a^2/sin(d*x+c)^3/(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c)^(3/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.869465, size = 1956, normalized size = 6.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/16*(2*sqrt(2)*((5*A + 13*C)*cos(d*x + c)^4 + 2*(5*A + 13*C)*cos(d*x + c)^3 + (5*A + 13*C)*cos(d*x + c)^2)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((2*A + 7*C)*cos(d*x + c)^2 + 3*C*cos(d*x + c) - 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A + 19*C)*cos(d*x + c)^4 + 2*(8*A + 19*C)*cos(d*x + c)^3 + (8*A + 19*C)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2), 1/8*(2*sqrt(2)*((5*A + 13*C)*cos(d*x + c)^4 + 2*(5*A + 13*C)*cos(d*x + c)^3 + (5*A + 13*C)*cos(d*x + c)^2)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*((2*A + 7*C)*cos(d*x + c)^2 + 3*C*cos(d*x + c) - 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A + 19*C)*cos(d*x + c)^4 + 2*(8*A + 19*C)*cos(d*x + c)^3 + (8*A + 19*C)*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2)), x)

$$3.1167 \quad \int \frac{\cos^2(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=315

$$\frac{(157A + 45C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{80a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A + 195C) \sin(c + dx) \sqrt{\cos(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(2671A + 735C) \sin(c + dx)}{240a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

[Out] -((283*A + 75*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((21*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((2671*A + 735*C)*Sin[c + d*x])/(240*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((787*A + 195*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((157*A + 45*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 1.07039, antiderivative size = 315, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4085, 4020, 4022, 4013, 3808, 206}

$$\frac{(157A + 45C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{80a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A + 195C) \sin(c + dx) \sqrt{\cos(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(2671A + 735C) \sin(c + dx)}{240a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -((283*A + 75*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((21*A + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((2671*A + 735*C)*Sin[c + d*x])/(240*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((787*A + 195*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((157*A + 45*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)]

+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx) (A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx &= \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{A+C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx) (a+a \sec(c+dx))^{5/2}} dx \\
&= -\frac{(A+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{\left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{-\frac{1}{2}a(13c+dx)}{\sec^{\frac{5}{2}}(c+dx)} dx}{4a^2} \\
&= -\frac{(A+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{(21A+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} \\
&= -\frac{(A+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{(21A+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} \\
&= -\frac{(A+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{(21A+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} \\
&= -\frac{(A+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{(21A+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} \\
&= -\frac{(A+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} - \frac{(21A+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} \\
&= -\frac{(283A+75C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{16\sqrt{2} a^{5/2} d}
\end{aligned}$$

Mathematica [A] time = 3.97109, size = 150, normalized size = 0.48

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\left(4\sin\left(\frac{1}{2}(c+dx)\right)(5(887A+255C)\cos(c+dx)+16(52A+15C)\cos(2(c+dx))-40A\cos(3(c+dx))\right)+960ad\cos^{\frac{3}{2}}(c+dx)(a(\sec(c+dx)))^{\frac{3}{2}}}{960ad\cos^{\frac{3}{2}}(c+dx)(a(\sec(c+dx)))^{\frac{3}{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (Sec[(c + d*x)/2]*(-120*(283*A + 75*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + 4*(3491*A + 975*C + 5*(887*A + 255*C)*Cos[c + d*x] + 16*(52*A + 15*C)*Cos[2*(c + d*x)] - 40*A*Cos[3*(c + d*x)] + 12*A*Cos[4*(c + d*x)])*Sin[(c + d*x)/2])/((960*a*d*Cos[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.39, size = 450, normalized size = 1.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x)

[Out] -1/480/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(192*A*cos(d*x+c)^5-4245*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-1125*C*cos(d*x+c)^2*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-512*A*cos(d*x+c)^4-8490*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-2250*C*cos(d*x+c)*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+3456*A*cos(d*x+c)^3-4245*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+960*C*cos(d*x+c)^3-1125*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+5974*A*cos(d*x+c)^2+1590*C*cos(d*x+c)^2-3768*A*cos(d*x+c)-1080*C*cos(d*x+c)-5342*A-1470*C)/a^3/sin(d*x+c)^5

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.580757, size = 1534, normalized size = 4.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out]
$$\left[\frac{1}{960} \cdot (15 \sqrt{2}) \cdot ((283A + 75C) \cos(dx + c)^3 + 3(283A + 75C) \cos(dx + c)^2 + 3(283A + 75C) \cos(dx + c) + 283A + 75C) \sqrt{a} \log(-a \cos(dx + c)^2 + 2\sqrt{2} \sqrt{a} \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)}) \sqrt{\cos(dx + c)} \sin(dx + c) - 2a \cos(dx + c) - 3a) / (\cos(dx + c)^2 + 2 \cos(dx + c) + 1) + 4(96A \cos(dx + c)^4 - 160A \cos(dx + c)^3 + 32(49A + 15C) \cos(dx + c)^2 + 5(911A + 255C) \cos(dx + c) + 2671A + 735C) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sqrt{\cos(dx + c)} \sin(dx + c) \right] / (a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d), \frac{1}{480} \cdot (15 \sqrt{2}) \cdot ((283A + 75C) \cos(dx + c)^3 + 3(283A + 75C) \cos(dx + c)^2 + 3(283A + 75C) \cos(dx + c) + 283A + 75C) \sqrt{-a} \arctan(\sqrt{2} \sqrt{-a} \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)}) \sqrt{\cos(dx + c)} / (a \sin(dx + c))) + 2(96A \cos(dx + c)^4 - 160A \cos(dx + c)^3 + 32(49A + 15C) \cos(dx + c)^2 + 5(911A + 255C) \cos(dx + c) + 2671A + 735C) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sqrt{\cos(dx + c)} \sin(dx + c) \right] / (a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^(5/2), x)
```


$$3.1168 \quad \int \frac{\cos^3(c+dx)(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=266

$$\frac{5(19A + 3C) \sin(c + dx) \sqrt{\cos(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(299A + 27C) \sin(c + dx)}{48a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A + 19C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a}$$

```
[Out] ((163*A + 19*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((17*A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((299*A + 27*C)*Sin[c + d*x])/(48*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (5*(19*A + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.859293, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.189$, Rules used = {4265, 4085, 4020, 4022, 4013, 3808, 206}

$$\frac{5(19A + 3C) \sin(c + dx) \sqrt{\cos(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(299A + 27C) \sin(c + dx)}{48a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A + 19C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]
```

```
[Out] ((163*A + 19*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((17*A + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((299*A + 27*C)*Sin[c + d*x])/(48*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (5*(19*A + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x
```

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]]], x] /;

FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+C\sec^2(c+dx)}{\sec^2(c+dx)(a+a\sec(c+dx))^{5/2}} dx \\
 &= -\frac{(A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{-\frac{1}{2}a(11x^2)}{\sec^2(c+dx)} dx}{4a^2} \\
 &= -\frac{(A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
 &= -\frac{(A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \\
 &= -\frac{(A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
 &= -\frac{(A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
 &= \frac{(163A+19C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{16\sqrt{2}a^{5/2}d} - \frac{(17A+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 3.18382, size = 132, normalized size = 0.5

$$\frac{6(163A+19C)\cos^3\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - \tan\left(\frac{1}{2}(c+dx)\right)((479A+39C)\cos(c+dx) + 80A\cos(2(c+dx)))}{48a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2),x]

[Out] (6*(163*A + 19*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 - (379*A + 27*C + (479*A + 39*C)*Cos[c + d*x] + 80*A*Cos[2*(c + d*x)] - 8*A*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(48*a^2*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.387, size = 390, normalized size = 1.5

$$\frac{(-1 + \cos(dx + c))^2}{48 da^3 (\sin(dx + c))^5} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(32 A (\cos(dx + c))^4 \sqrt{-2(\cos(dx + c) + 1)^{-1}} - 192 A \sqrt{-2(\cos(dx + c) + 1)^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x)

[Out] -1/48/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(32*A*cos(d*x+c)^4*(-2/(cos(d*x+c)+1))^(1/2)-192*A*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-343*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-489*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-39*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-57*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+204*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-489*A*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+12*C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-57*C*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+299*A*(-2/(cos(d*x+c)+1))^(1/2)+27*C*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^(1/2)/a^3/sin(d*x+c)^5/(-2/(cos(d*x+c)+1))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.562538, size = 1426, normalized size = 5.36

$$3\sqrt{2}\left((163A + 19C)\cos(dx + c)^3 + 3(163A + 19C)\cos(dx + c)^2 + 3(163A + 19C)\cos(dx + c) + 163A + 19C\right)\sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/192*(3*sqrt(2)*((163*A + 19*C)*cos(d*x + c)^3 + 3*(163*A + 19*C)*cos(d*x + c)^2 + 3*(163*A + 19*C)*cos(d*x + c) + 163*A + 19*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(32*A*cos(d*x + c)^3 - 160*A*cos(d*x + c)^2 - (503*A + 39*C)*cos(d*x + c) - 299*A - 27*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/96*(3*sqrt(2)*((163*A + 19*C)*cos(d*x + c)^3 + 3*(163*A + 19*C)*cos(d*x + c)^2 + 3*(163*A + 19*C)*cos(d*x + c) + 163*A + 19*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*(32*A*cos(d*x + c)^3 - 160*A*cos(d*x + c)^2 - (503*A + 39*C)*cos(d*x + c) - 299*A - 27*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(5/2), x)
```

$$3.1169 \quad \int \frac{\sqrt{\cos(c+dx)}(A+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=219

$$\frac{(49A + C) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} - \frac{5(15A - C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{1}{16ad\sqrt{\cos(c + dx)}}$$

[Out] (-5*(15*A - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 3*C)*Sin[c + d*x])/(16*a*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((49*A + C)*Sin[c + d*x])/(16*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.687886, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {4265, 4085, 4020, 4013, 3808, 206}

$$\frac{(49A + C) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} - \frac{5(15A - C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{1}{16ad\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (-5*(15*A - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 3*C)*Sin[c + d*x])/(16*a*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((49*A + C)*Sin[c + d*x])/(16*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_), x_Symbol] :> -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+C\sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{5/2}} dx \\
&= -\frac{(A+C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{5/2}} dx}{4a^2} \\
&= -\frac{(A+C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(13A-3C)\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} \\
&= -\frac{(A+C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(13A-3C)\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} \\
&= -\frac{(A+C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(13A-3C)\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} \\
&= -\frac{5(15A-C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{16\sqrt{2}a^{5/2}d} - \frac{1}{4a^2}
\end{aligned}$$

Mathematica [A] time = 2.67953, size = 118, normalized size = 0.54

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\left(4\sin\left(\frac{1}{2}(c+dx)\right)\left(5(17A+C)\cos(c+dx)+16A\cos(2(c+dx))+65A+C\right)-40(15A-C)\cos^4\left(\frac{1}{2}(c+dx)\right)\right)}{64ad\cos^2(c+dx)(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (Sec[(c + d*x)/2]*(-40*(15*A - C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + 4*(65*A + C + 5*(17*A + C)*Cos[c + d*x] + 16*A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])/((64*a*d*Cos[c + d*x])^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.354, size = 365, normalized size = 1.7

$$-\frac{(-1 + \cos(dx + c))^2}{16da^3(\sin(dx + c))^5} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(32A\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c))^3 + 75A\sin(dx + c)\cos(dx + c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)*\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(5/2)},x)$

[Out]
$$-1/16/d*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))^{(2/5)}*(32*A*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^3+75*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})+53*A*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)})-5*C*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})+5*C*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)}+75*A*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-36*A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-5*C*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-4*C*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-49*A*(-2/(\cos(d*x+c)+1))^{(1/2)}-C*(-2/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^{(1/2)}/a^3/(-2/(\cos(d*x+c)+1))^{(1/2)}/\sin(d*x+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)*\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(5/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.553944, size = 1303, normalized size = 5.95

$$\left[\frac{5\sqrt{2}((15A-C)\cos(dx+c)^3 + 3(15A-C)\cos(dx+c)^2 + 3(15A-C)\cos(dx+c) + 15A-C)\sqrt{a}\log\left(\frac{a\cos(dx+c)^2}{64(a^3d\cos(dx+c))}\right)}{64(a^3d\cos(dx+c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)*\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(5/2)},x, \text{algorithm}="fricas")$

```
[Out] [-1/64*(5*sqrt(2)*((15*A - C)*cos(d*x + c)^3 + 3*(15*A - C)*cos(d*x + c)^2 + 3*(15*A - C)*cos(d*x + c) + 15*A - C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(32*A*cos(d*x + c)^2 + 5*(17*A + C)*cos(d*x + c) + 49*A + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(5*sqrt(2)*((15*A - C)*cos(d*x + c)^3 + 3*(15*A - C)*cos(d*x + c)^2 + 3*(15*A - C)*cos(d*x + c) + 15*A - C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(32*A*cos(d*x + c)^2 + 5*(17*A + C)*cos(d*x + c) + 49*A + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^(5/2), x)
```

$$3.1170 \quad \int \frac{A+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=174

$$\frac{(19A + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - 7C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a \sec(c + dx) + a)^{3/2}} - \frac{3}{4d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] ((19*A + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)) - ((9*A - 7*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.507534, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {4265, 4085, 4012, 3808, 206}

$$\frac{(19A + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - 7C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a \sec(c + dx) + a)^{3/2}} - \frac{3}{4d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((19*A + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)) - ((9*A - 7*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.
))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]

```

Rule 4012

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] + Dist[(a*A*m + b*B*(m + 1))/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*
x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x
] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && LeQ[m,
-1]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{\sec(c + dx)}}{(a + a \sec(c + dx))^{5/2}} dx}{4a} \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(9A - 7C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(9A - 7C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= \frac{(19A + 3C) \tanh^{-1} \left(\frac{\sqrt{a} \sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a^{5/2}d} - \frac{\dots}{4d \cos}
\end{aligned}$$

Mathematica [A] time = 1.95138, size = 110, normalized size = 0.63

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \left(4 \sin\left(\frac{1}{2}(c + dx)\right) \left((3C - 13A) \cos(c + dx) - 9A + 7C\right) + 8(19A + 3C) \cos^4\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{64ad \cos^{\frac{3}{2}}(c + dx)(a(\sec(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)),x]

[Out] (Sec[(c + d*x)/2]*(8*(19*A + 3*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + 4*(-9*A + 7*C + (-13*A + 3*C)*Cos[c + d*x])*Sin[(c + d*x)/2])/((64*a*d*cos[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.323, size = 340, normalized size = 2.

$$\frac{(-1 + \cos(dx + c))^2}{16da^3(\sin(dx + c))^5} \left(13A(\cos(dx + c))^2 \sqrt{-2(\cos(dx + c) + 1)^{-1}} + 19A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{5/2}/\cos(d*x+c)^{1/2},x)$

[Out] $\frac{1}{16}d*(-1+\cos(d*x+c))^2*(13*A*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}+19*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})-3*C*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}+3*C*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}))-4*A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+19*A*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}))-4*C*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+3*C*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}))-9*A*(-2/(\cos(d*x+c)+1))^{1/2}+7*C*(-2/(\cos(d*x+c)+1))^{1/2})*\cos(d*x+c)^{1/2}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/a^3/\sin(d*x+c)^5/(-2/(\cos(d*x+c)+1))^{1/2}$

Maxima [B] time = 4.87552, size = 7466, normalized size = 42.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^{5/2}/\cos(d*x+c)^{1/2},x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{32}*((19*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\cos(4*d*x + 4*c)^2 + 304*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\cos(3*d*x + 3*c)^2 + 684*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\cos(2*d*x + 2*c)^2 + 304*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\cos(d*x + c)^2 + 19*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\sin(4*d*x + 4*c)^2 + 304*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\sin(3*d*x + 3*c)^2 + 684*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\sin(2*d*x + 2*c)^2 + 304*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)*\sin(d*x + c)^2 + 2*(76*(\log(\cos(1/2*d*x + 1/2*c))^2$

$$\begin{aligned}
& + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(3*d*x \\
& + 3*c) + 114*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c) + 76*(\log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2* \\
& d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(\\
& d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 26*\sin(7/2*d*x + 7/2*c) - 10*\sin(5/2*d*x \\
& + 5/2*c) + 10*\sin(3/2*d*x + 3/2*c) + 26*\sin(1/2*d*x + 1/2*c))*\cos(4*d*x + \\
& 4*c) + 104*(2*\sin(3*d*x + 3*c) + 3*\sin(2*d*x + 2*c) + 2*\sin(d*x + c))*\cos(7 \\
& /2*d*x + 7/2*c) + 8*(114*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c) + 76*(\log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\
&) + 1))*\cos(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2* \\
& d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 10*\sin(5/2*d*x + 5/2*c) + 10 \\
& *\sin(3/2*d*x + 3/2*c) + 26*\sin(1/2*d*x + 1/2*c))*\cos(3*d*x + 3*c) + 40*(3*s \\
& in(2*d*x + 2*c) + 2*\sin(d*x + c))*\cos(5/2*d*x + 5/2*c) + 12*(76*(\log(\cos(1/ \\
& 2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - l \\
& og(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\
& + 1))*\cos(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^ \\
& 2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d \\
& *x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 10*\sin(3/2*d*x + 3/2*c) + 26* \\
& \sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 8*(19*\log(\cos(1/2*d*x + 1/2*c)^2 + \\
& \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x \\
& + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 26*\sin(\\
& 1/2*d*x + 1/2*c))*\cos(d*x + c) + 4*(38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/ \\
& 2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(3*d*x + 3*c) + \\
& 57*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1))*\sin(2*d*x + 2*c) + 38*(\log(\cos(1/2*d*x + 1/2*c)^2 + s \\
& in(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) \\
& + 13*\cos(7/2*d*x + 7/2*c) + 5*\cos(5/2*d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c) \\
& - 13*\cos(1/2*d*x + 1/2*c))*\sin(4*d*x + 4*c) - 52*(4*\cos(3*d*x + 3*c) + 6*c \\
& os(2*d*x + 2*c) + 4*\cos(d*x + c) + 1)*\sin(7/2*d*x + 7/2*c) + 16*(57*(\log(co \\
& s(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/ \\
& 2*c) + 1))*\sin(2*d*x + 2*c) + 38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin
\end{aligned}$$

$$\begin{aligned}
& (1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) + 5*\cos(5/2 \\
& *d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c) - 13*\cos(1/2*d*x + 1/2*c))*\sin(3*d*x \\
& + 3*c) - 20*(6*\cos(2*d*x + 2*c) + 4*\cos(d*x + c) + 1)*\sin(5/2*d*x + 5/2*c) \\
& + 24*(38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2* \\
& d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2 \\
& *\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) - 5*\cos(3/2*d*x + 3/2*c) - 13*\cos(\\
& 1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c) + 20*(4*\cos(d*x + c) + 1)*\sin(3/2*d*x + \\
& 3/2*c) - 80*\cos(3/2*d*x + 3/2*c)*\sin(d*x + c) - 208*\cos(1/2*d*x + 1/2*c)*\si \\
& n(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2* \\
& c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 52*\sin(1/2*d*x + 1/2*c))*A/((\sqrt{2}*a \\
& ^2*\cos(4*d*x + 4*c)^2 + 16*\sqrt{2}*a^2*\cos(3*d*x + 3*c)^2 + 36*\sqrt{2}*a^2* \\
& \cos(2*d*x + 2*c)^2 + 16*\sqrt{2}*a^2*\cos(d*x + c)^2 + \sqrt{2}*a^2*\sin(4*d*x \\
& + 4*c)^2 + 16*\sqrt{2}*a^2*\sin(3*d*x + 3*c)^2 + 36*\sqrt{2}*a^2*\sin(2*d*x + 2 \\
& *c)^2 + 48*\sqrt{2}*a^2*\sin(2*d*x + 2*c)*\sin(d*x + c) + 16*\sqrt{2}*a^2*\sin(d \\
& *x + c)^2 + 8*\sqrt{2}*a^2*\cos(d*x + c) + \sqrt{2}*a^2 + 2*(4*\sqrt{2}*a^2*\cos \\
& (3*d*x + 3*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + 4*\sqrt{2}*a^2*\cos(d*x + c) \\
& + \sqrt{2}*a^2)*\cos(4*d*x + 4*c) + 8*(6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + 4*\sq \\
& rt(2)*a^2*\cos(d*x + c) + \sqrt{2}*a^2)*\cos(3*d*x + 3*c) + 12*(4*\sqrt{2}*a^2* \\
& \cos(d*x + c) + \sqrt{2}*a^2)*\cos(2*d*x + 2*c) + 4*(2*\sqrt{2}*a^2*\sin(3*d*x + \\
& 3*c) + 3*\sqrt{2}*a^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\sin(d*x + c))*\sin(4* \\
& d*x + 4*c) + 16*(3*\sqrt{2}*a^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\sin(d*x + c \\
&))*\sin(3*d*x + 3*c))*\sqrt{a}) - (12*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) \\
& + 4*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sin(1/2*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c))) - 16*(11*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c))) - 11*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 3*\sin(1/4* \\
& arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(3/2*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c))) + 44*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin \\
& (1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(5/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + \\
& 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(3/4*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))) - 12*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2* \\
& c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 3*(2*(6*\cos(2*d* \\
& x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 36*\cos(2*d*x + 2*c)^2 \\
& + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) + 1)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c))) + 16*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 8*(c \\
& os(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) + 16*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&))^2 + \sin(4*d*x + 4*c)^2 + 12*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 36*\sin(2 \\
& *d*x + 2*c)^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/2*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c))) + 16*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& ^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x +
\end{aligned}$$

$$\begin{aligned}
& 2*c), \cos(2*d*x + 2*c))) + 16*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))^2 + 12*\cos(2*d*x + 2*c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& ^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) + 3*(2*(6* \\
& \cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 36*\cos(2*d*x \\
& + 2*c)^2 + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) + 16*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(1/2*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))) + 16*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
& x + 2*c)))^2 + \sin(4*d*x + 4*c)^2 + 12*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + \\
& 36*\sin(2*d*x + 2*c)^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/ \\
& 2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) + 16*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c)))^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c)))^2 + 12*\cos(2*d*x + 2*c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c)))^2 - 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - \\
& 12*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(3/2*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c))) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c))) + 1)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*(11*\cos \\
& (5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 11*\cos(3/4*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))) - 3*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44* \\
& (\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c))) + 1)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c \\
&))) + 44*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d \\
& *x + 2*c), \cos(2*d*x + 2*c))) + 1)*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c))) - 48*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(\\
& 1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 12*(\cos(4*d*x + 4*c) + 6 \\
& *\cos(2*d*x + 2*c) + 1)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& + 48*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * C / ((\sqrt{2}) * a^2 * \cos(4*d*x + 4*c)^2 + \\
& 36*\sqrt{2}) * a^2 * \cos(2*d*x + 2*c)^2 + 16*\sqrt{2}) * a^2 * \cos(3/2*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c)))^2 + 16*\sqrt{2}) * a^2 * \cos(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2}) * a^2 * \sin(4*d*x + 4*c)^2 + 12*\sqrt{2}) * a \\
& ^2 * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 36*\sqrt{2}) * a^2 * \sin(2*d*x + 2*c)^2 + \\
& 16*\sqrt{2}) * a^2 * \sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 16* \\
& \sqrt{2}) * a^2 * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 12*\sqrt{ \\
& t(2) * a^2 * \cos(2*d*x + 2*c) + \sqrt{2}) * a^2 + 2*(6*\sqrt{2}) * a^2 * \cos(2*d*x + 2*c) \\
& + \sqrt{2}) * a^2 * \cos(4*d*x + 4*c) + 8*(\sqrt{2}) * a^2 * \cos(4*d*x + 4*c) + 6*\sqrt{ \\
& (2) * a^2 * \cos(2*d*x + 2*c) + 4*\sqrt{2}) * a^2 * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) + \sqrt{2}) * a^2 * \cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c))) + 8*(\sqrt{2}) * a^2 * \cos(4*d*x + 4*c) + 6*\sqrt{2}) * a^2 * \cos(2*d*x + 2
\end{aligned}$$

*c) + sqrt(2)*a^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 8*(sqrt(2)*a^2*sin(4*d*x + 4*c) + 6*sqrt(2)*a^2*sin(2*d*x + 2*c) + 4*sqrt(2)*a^2*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 8*(sqrt(2)*a^2*sin(4*d*x + 4*c) + 6*sqrt(2)*a^2*sin(2*d*x + 2*c))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sqrt(a))/d

Fricas [A] time = 0.547532, size = 1262, normalized size = 7.25

$$\frac{\sqrt{2}((19A + 3C)\cos(dx + c)^3 + 3(19A + 3C)\cos(dx + c)^2 + 3(19A + 3C)\cos(dx + c) + 19A + 3C)\sqrt{a}\log\left(-\frac{a\cos(dx + c)}{64(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}\right)}{64(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/64*(sqrt(2)*((19*A + 3*C)*cos(d*x + c)^3 + 3*(19*A + 3*C)*cos(d*x + c)^2 + 3*(19*A + 3*C)*cos(d*x + c) + 19*A + 3*C)*sqrt(a)*log(-(a*cos(d*x + c))^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((13*A - 3*C)*cos(d*x + c) + 9*A - 7*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((19*A + 3*C)*cos(d*x + c)^3 + 3*(19*A + 3*C)*cos(d*x + c)^2 + 3*(19*A + 3*C)*cos(d*x + c) + 19*A + 3*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*((13*A - 3*C)*cos(d*x + c) + 9*A - 7*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(5/2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x +
c))), x)
```

$$3.1171 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=232

$$\frac{(5A - 43C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{5/2}d}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(5/2)*d) + ((5*A - 43*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)) + ((5*A - 11*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.711181, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.216$, Rules used = {4265, 4085, 4019, 4023, 3808, 206, 3801, 215}

$$\frac{(5A - 43C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(5/2)*d) + ((5*A - 43*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)) + ((5*A - 11*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*csc[(e_.) + (f_.)*(x_.)]*(d_.
)^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_)), x_Symbol] :> -Simp[(a*
(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m +
1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[
e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n))
)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2
- b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)^(m_))*csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)^(m_))*csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
```

+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx}{4a} \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(5A - 11C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(5A - 11C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(5A - 11C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= \frac{2C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} + (5A - 43C) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right)}{a^{5/2} d}
 \end{aligned}$$

Mathematica [A] time = 3.53683, size = 144, normalized size = 0.62

$$\frac{\tan \left(\frac{1}{2}(c + dx) \right) ((5A - 11C) \cos(c + dx) + A - 15C) + 2(5A - 43C) \cos^3 \left(\frac{1}{2}(c + dx) \right) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) + 64\sqrt{2}}{16a^2 d \sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)),x]
```

```
[Out] (2*(5*A - 43*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + 64*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + (A - 15*C + (5*A - 11*C)*Cos[c + d*x])*Tan[(c + d*x)/2])/(16*a^2*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.29, size = 539, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x)
```

```
[Out] 1/16/d*(-1+cos(d*x+c))^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(16*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-16*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+5*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-5*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-43*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+16*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)*sin(d*x+c)-16*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)*sin(d*x+c)+11*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+5*A*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+4*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-43*C*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+4*C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+A*(-2/(cos(d*x+c)+1))^(1/2)-15*C*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^(1/2)/a^3/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^5
```

Maxima [B] time = 4.66789, size = 10615, normalized size = 45.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")
```



```
[Out] 1/32*((4*(3*sin(3/2*d*x + 3/2*c) + 5*sin(7/3*arctan2(sin(3/2*d*x + 3/2*c),
cos(3/2*d*x + 3/2*c)))) - 3*sin(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*
x + 3/2*c))) - 5*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)
))) * cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 40*(2*si
n(3*d*x + 3*c) + 3*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*
c))) + 2*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) * cos(
7/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 24*(2*sin(3*d*x
+ 3*c) + 3*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2
*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) * cos(5/3*arct
an2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 24*(3*sin(3/2*d*x + 3/2*
c) - 5*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) * cos(4/
3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 16*(3*sin(3/2*d*x
+ 3/2*c) - 5*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) *
cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 5*(16*cos(3*
d*x + 3*c)^2 + 2*(4*cos(3*d*x + 3*c) + 6*cos(4/3*arctan2(sin(3/2*d*x + 3/2*
c), cos(3/2*d*x + 3/2*c)))) + 4*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/
2*d*x + 3/2*c))) + 1*cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3
/2*c))) + cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 +
12*(4*cos(3*d*x + 3*c) + 4*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*
x + 3/2*c))) + 1*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)
))) + 36*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 8
*(4*cos(3*d*x + 3*c) + 1*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x
+ 3/2*c))) + 16*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)
)))^2 + 16*sin(3*d*x + 3*c)^2 + 4*(2*sin(3*d*x + 3*c) + 3*sin(4/3*arctan2(si
n(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2*sin(2/3*arctan2(sin(3/2*d*x
+ 3/2*c), cos(3/2*d*x + 3/2*c)))) * sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), co
s(3/2*d*x + 3/2*c))) + sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3
/2*c)))^2 + 48*(sin(3*d*x + 3*c) + sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), co
s(3/2*d*x + 3/2*c)))) * sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3
/2*c))) + 36*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2
+ 32*sin(3*d*x + 3*c) * sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x +
3/2*c))) + 16*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^
2 + 8*cos(3*d*x + 3*c) + 1*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3
/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3
/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))
+ 1) - 5*(16*cos(3*d*x + 3*c)^2 + 2*(4*cos(3*d*x + 3*c) + 6*cos(4/3*arctan2
(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 4*cos(2/3*arctan2(sin(3/2*d
*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1*cos(8/3*arctan2(sin(3/2*d*x + 3/2*
c), cos(3/2*d*x + 3/2*c))) + cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*
d*x + 3/2*c)))^2 + 12*(4*cos(3*d*x + 3*c) + 4*cos(2/3*arctan2(sin(3/2*d*x +
3/2*c), cos(3/2*d*x + 3/2*c))) + 1*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c),
cos(3/2*d*x + 3/2*c))) + 36*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d
*x + 3/2*c)))^2 + 8*(4*cos(3*d*x + 3*c) + 1*cos(2/3*arctan2(sin(3/2*d*x +
3/2*c), cos(3/2*d*x + 3/2*c))) + 16*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), c
os(3/2*d*x + 3/2*c)))^2 + 16*sin(3*d*x + 3*c)^2 + 4*(2*sin(3*d*x + 3*c) + 3
```


$$\begin{aligned}
& (2/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 4 \cdot (2 \sqrt{2} a^2 \sin(3 dx + 3 c) + 3 \sqrt{2} a^2 \sin(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 2 \sqrt{2} a^2 \sin(2/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))) \cdot \sin(8/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 48 \cdot (\sqrt{2} a^2 \sin(3 dx + 3 c) + \sqrt{2} a^2 \sin(2/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))) \cdot \sin(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) \cdot \sqrt{a} + (44 \cdot (\sin(4 dx + 4 c) + 6 \sin(2 dx + 2 c) + 4 \sin(3/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))) + 4 \sin(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))) \cdot \cos(7/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) - 16 \cdot (19 \sin(5/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) - 19 \sin(3/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) - 11 \sin(1/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))) \cdot \cos(3/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) + 76 \cdot (\sin(4 dx + 4 c) + 6 \sin(2 dx + 2 c) + 4 \sin(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))) \cdot \cos(5/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) - 76 \cdot (\sin(4 dx + 4 c) + 6 \sin(2 dx + 2 c) + 4 \sin(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))) \cdot \cos(3/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) - 44 \cdot (\sin(4 dx + 4 c) + 6 \sin(2 dx + 2 c)) \cdot \cos(1/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) + 16 \cdot (\sqrt{2} \cos(4 dx + 4 c)^2 + 36 \sqrt{2} \cos(2 dx + 2 c)^2 + 16 \sqrt{2} \cos(3/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + 16 \sqrt{2} \cos(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + \sqrt{2} \sin(4 dx + 4 c)^2 + 12 \sqrt{2} \sin(4 dx + 4 c) \sin(2 dx + 2 c) + 36 \sqrt{2} \sin(2 dx + 2 c)^2 + 16 \sqrt{2} \sin(3/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + 16 \sqrt{2} \sin(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + 2 \cdot (6 \sqrt{2} \cos(2 dx + 2 c) + \sqrt{2}) \cdot \cos(4 dx + 4 c) + 8 \cdot (\sqrt{2} \cos(4 dx + 4 c) + 6 \sqrt{2} \cos(2 dx + 2 c) + 4 \sqrt{2} \cos(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) + \sqrt{2}) \cdot \cos(3/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) + 8 \cdot (\sqrt{2} \cos(4 dx + 4 c) + 6 \sqrt{2} \cos(2 dx + 2 c) + \sqrt{2}) \cdot \cos(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) + 8 \cdot (\sqrt{2} \sin(4 dx + 4 c) + 6 \sqrt{2} \sin(2 dx + 2 c) + 4 \sqrt{2} \sin(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))) \cdot \sin(3/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) + 8 \cdot (\sqrt{2} \sin(4 dx + 4 c) + 6 \sqrt{2} \sin(2 dx + 2 c)) \cdot \sin(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) + 12 \sqrt{2} \cos(2 dx + 2 c) + \sqrt{2}) \cdot \log(2 \cos(1/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + 2 \sin(1/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + 2 \sqrt{2} \cos(1/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))) + 2 \sqrt{2} \sin(1/4 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))) + 2) - 16 \cdot (\sqrt{2} \cos(4 dx + 4 c)^2 + 36 \sqrt{2} \cos(2 dx + 2 c)^2 + 16 \sqrt{2} \cos(3/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + 16 \sqrt{2} \cos(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + \sqrt{2} \sin(4 dx + 4 c)^2 + 12 \sqrt{2} \sin(4 dx + 4 c) \sin(2 dx + 2 c) + 36 \sqrt{2} \sin(2 dx + 2 c)^2 + 16 \sqrt{2} \sin(3/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + 16 \sqrt{2} \sin(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c)))^2 + 2 \cdot (6 \sqrt{2} \cos(2 dx + 2 c) + \sqrt{2}) \cdot \cos(4 dx + 4 c) + 8 \cdot (\sqrt{2} \cos(4 dx + 4 c) + 6 \sqrt{2} \cos(2 dx + 2 c) + 4 \sqrt{2} \cos(1/2 \arctan 2(\sin(2 dx + 2 c), \cos(2 dx + 2 c))))
\end{aligned}$$

$$\begin{aligned}
& x + 2c))^{2} + 2\sin(1/4\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c)))^{2} - 2 \\
& * \sqrt{2} \cos(1/4\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c))) - 2\sqrt{2} * \sin(1/4\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c))) + 2) - 43*(2*(6*\cos(2d \\
& *x + 2c) + 1)*\cos(4d*x + 4c) + \cos(4d*x + 4c)^{2} + 36*\cos(2d*x + 2c)^{ \\
& 2 + 8*(\cos(4d*x + 4c) + 6*\cos(2d*x + 2c) + 4*\cos(1/2*\arctan2(\sin(2d*x \\
& + 2c), \cos(2d*x + 2c))) + 1)*\cos(3/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x \\
& + 2c))) + 16*\cos(3/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c)))^{2} + 8*(\\
& \cos(4d*x + 4c) + 6*\cos(2d*x + 2c) + 1)*\cos(1/2*\arctan2(\sin(2d*x + 2c) \\
& , \cos(2d*x + 2c))) + 16*\cos(1/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c \\
&)))^{2} + \sin(4d*x + 4c)^{2} + 12*\sin(4d*x + 4c)*\sin(2d*x + 2c) + 36*\sin(\\
& 2d*x + 2c)^{2} + 8*(\sin(4d*x + 4c) + 6*\sin(2d*x + 2c) + 4*\sin(1/2*\arcta \\
& n2(\sin(2d*x + 2c), \cos(2d*x + 2c))))*\sin(3/2*\arctan2(\sin(2d*x + 2c), \\
& \cos(2d*x + 2c))) + 16*\sin(3/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c)) \\
&)^{2} + 8*(\sin(4d*x + 4c) + 6*\sin(2d*x + 2c))*\sin(1/2*\arctan2(\sin(2d*x + \\
& 2c), \cos(2d*x + 2c))) + 16*\sin(1/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x \\
& + 2c)))^{2} + 12*\cos(2d*x + 2c) + 1)*\log(\cos(1/4*\arctan2(\sin(2d*x + 2c), \\
& \cos(2d*x + 2c)))^{2} + \sin(1/4*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c)) \\
&)^{2} + 2*\sin(1/4*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c))) + 1) + 43*(2*(\\
& 6*\cos(2d*x + 2c) + 1)*\cos(4d*x + 4c) + \cos(4d*x + 4c)^{2} + 36*\cos(2d* \\
& x + 2c)^{2} + 8*(\cos(4d*x + 4c) + 6*\cos(2d*x + 2c) + 4*\cos(1/2*\arctan2(s \\
& in(2d*x + 2c), \cos(2d*x + 2c))) + 1)*\cos(3/2*\arctan2(\sin(2d*x + 2c), \\
& \cos(2d*x + 2c))) + 16*\cos(3/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c)) \\
&)^{2} + 8*(\cos(4d*x + 4c) + 6*\cos(2d*x + 2c) + 1)*\cos(1/2*\arctan2(\sin(2d \\
& *x + 2c), \cos(2d*x + 2c))) + 16*\cos(1/2*\arctan2(\sin(2d*x + 2c), \cos(2* \\
& d*x + 2c)))^{2} + \sin(4d*x + 4c)^{2} + 12*\sin(4d*x + 4c)*\sin(2d*x + 2c) \\
& + 36*\sin(2d*x + 2c)^{2} + 8*(\sin(4d*x + 4c) + 6*\sin(2d*x + 2c) + 4*\sin(\\
& 1/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c))))*\sin(3/2*\arctan2(\sin(2d*x \\
& + 2c), \cos(2d*x + 2c))) + 16*\sin(3/2*\arctan2(\sin(2d*x + 2c), \cos(2d* \\
& x + 2c)))^{2} + 8*(\sin(4d*x + 4c) + 6*\sin(2d*x + 2c))*\sin(1/2*\arctan2(si \\
& n(2d*x + 2c), \cos(2d*x + 2c))) + 16*\sin(1/2*\arctan2(\sin(2d*x + 2c), c \\
& os(2d*x + 2c)))^{2} + 12*\cos(2d*x + 2c) + 1)*\log(\cos(1/4*\arctan2(\sin(2d* \\
& x + 2c), \cos(2d*x + 2c)))^{2} + \sin(1/4*\arctan2(\sin(2d*x + 2c), \cos(2d* \\
& x + 2c)))^{2} - 2*\sin(1/4*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c))) + 1) \\
& - 44*(\cos(4d*x + 4c) + 6*\cos(2d*x + 2c) + 4*\cos(3/2*\arctan2(\sin(2d*x + \\
& 2c), \cos(2d*x + 2c))) + 4*\cos(1/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x + \\
& 2c))) + 1)*\sin(7/4*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c))) + 16*(19* \\
& \cos(5/4*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c))) - 19*\cos(3/4*\arctan2(s \\
& in(2d*x + 2c), \cos(2d*x + 2c))) - 11*\cos(1/4*\arctan2(\sin(2d*x + 2c), \\
& \cos(2d*x + 2c))))*\sin(3/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c))) - \\
& 76*(\cos(4d*x + 4c) + 6*\cos(2d*x + 2c) + 4*\cos(1/2*\arctan2(\sin(2d*x + 2 \\
& *c), \cos(2d*x + 2c))) + 1)*\sin(5/4*\arctan2(\sin(2d*x + 2c), \cos(2d*x + \\
& 2c))) + 76*(\cos(4d*x + 4c) + 6*\cos(2d*x + 2c) + 4*\cos(1/2*\arctan2(\sin(\\
& 2d*x + 2c), \cos(2d*x + 2c))) + 1)*\sin(3/4*\arctan2(\sin(2d*x + 2c), \cos \\
& (2d*x + 2c))) - 176*\cos(1/4*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c)))* \\
& \sin(1/2*\arctan2(\sin(2d*x + 2c), \cos(2d*x + 2c))) + 44*(\cos(4d*x + 4c)
\end{aligned}$$

$$\begin{aligned}
& + 6*\cos(2*d*x + 2*c) + 1)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 176*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * C / ((\sqrt{2}) * a^2 * \cos(4*d*x + 4*c)^2 + 36*\sqrt{2}) * a^2 * \cos(2*d*x + 2*c)^2 + 16*\sqrt{2}) * a^2 * \cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 16*\sqrt{2}) * a^2 * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2}) * a^2 * \sin(4*d*x + 4*c)^2 + 12*\sqrt{2}) * a^2 * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 36*\sqrt{2}) * a^2 * \sin(2*d*x + 2*c)^2 + 16*\sqrt{2}) * a^2 * \sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 16*\sqrt{2}) * a^2 * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 12*\sqrt{2}) * a^2 * \cos(2*d*x + 2*c) + \sqrt{2}) * a^2 + 2*(6*\sqrt{2}) * a^2 * \cos(2*d*x + 2*c) + \sqrt{2}) * a^2 * \cos(4*d*x + 4*c) + 8*(\sqrt{2}) * a^2 * \cos(4*d*x + 4*c) + 6*\sqrt{2}) * a^2 * \cos(2*d*x + 2*c) + 4*\sqrt{2}) * a^2 * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sqrt{2}) * a^2 * \cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8*(\sqrt{2}) * a^2 * \cos(4*d*x + 4*c) + 6*\sqrt{2}) * a^2 * \cos(2*d*x + 2*c) + \sqrt{2}) * a^2 * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8*(\sqrt{2}) * a^2 * \sin(4*d*x + 4*c) + 6*\sqrt{2}) * a^2 * \sin(2*d*x + 2*c) + 4*\sqrt{2}) * a^2 * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8*(\sqrt{2}) * a^2 * \sin(4*d*x + 4*c) + 6*\sqrt{2}) * a^2 * \sin(2*d*x + 2*c) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \sqrt{a})) / d
\end{aligned}$$

Fricas [A] time = 0.698678, size = 1901, normalized size = 8.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/64*(sqrt(2))*((5*A - 43*C)*cos(d*x + c)^3 + 3*(5*A - 43*C)*cos(d*x + c)^2 + 3*(5*A - 43*C)*cos(d*x + c) + 5*A - 43*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((5*A - 11*C)*cos(d*x + c) + A - 15*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 32*(C*cos(d*x + c)^3 + 3*C*cos(d*x + c)^2 + 3*C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2))*((5*A - 43*C)*cos(d*x + c)^3 + 3*(5*A - 43*C)*cos(d*x + c)^2 + 3*(5*A - 43*C)*cos(d*x + c) + 5*A - 43*C)*sqrt(-a)*ar

```
ctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x
+ c))/(a*sin(d*x + c))) - 2*((5*A - 11*C)*cos(d*x + c) + A - 15*C)*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 32*(C*cos
(d*x + c)^3 + 3*C*cos(d*x + c)^2 + 3*C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*
sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x
+ c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^3*d*cos(d*x + c)^3 + 3
*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, alg
orithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(
3/2)), x)
```

$$3.1172 \quad \int \frac{A+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=277

$$\frac{(3A+35C)\sin(c+dx)}{16a^2d \cos^2(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{(3A+115C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{5C\sqrt{\cos(c+dx)}}{16\sqrt{2}a^{5/2}d}$$

[Out] (-5*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((3*A + 115*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)) + ((A - 15*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) + ((3*A + 35*C)*Sin[c + d*x])/(16*a^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.919193, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.243$, Rules used = {4265, 4085, 4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(3A+35C)\sin(c+dx)}{16a^2d \cos^2(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{(3A+115C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{5C\sqrt{\cos(c+dx)}}{16\sqrt{2}a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (-5*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((3*A + 115*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(16*Sqrt[2]*a^(5/2)*d) - ((A + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)) + ((A - 15*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) + ((3*A + 35*C)*Sin[c + d*x])/(16*a^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4085

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(a*(A + C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*C*n + A*b*(2*m + n + 1) - (a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x

, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{A + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx}{4} \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{5C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} (3A + 115C) \tanh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{a^{5/2} d} + \frac{(A - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 3.57722, size = 187, normalized size = 0.68

$$\frac{\cos^5 \left(\frac{1}{2}(c + dx) \right) (A + C \sec^2(c + dx)) \left((6A + 230C) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) + \frac{1}{2} \tan \left(\frac{1}{2}(c + dx) \right) \sec(c + dx) \sec^3 \left(\frac{1}{2}(c + dx) \right) \right)}{4d \sqrt{\cos(c + dx)} (a(\sec(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (Cos[(c + d*x)/2]^5*(A + C*Sec[c + d*x]^2)*((6*A + 230*C)*ArcTanh[Sin[(c + d*x)/2]] - 160*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + ((3*A + 67*C + 2*(7*A + 55*C)*Cos[c + d*x] + (3*A + 35*C)*Cos[2*(c + d*x)])*Sec[(c + d*x)

$$\frac{1}{2}]^3 \sec[c + dx] \tan\left(\frac{c + dx}{2}\right) / (4dx \sqrt{\cos[c + dx]} (A + 2C + A \cos[2(c + dx)]) (a(1 + \sec[c + dx]))^{5/2})$$

Maple [B] time = 0.305, size = 605, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x)`

[Out] $\frac{1}{16d} (-1 + \cos(dx+c))^2 (a(\cos(dx+c)+1)/\cos(dx+c))^{1/2} (40C \arctan(1/4 \cdot 2^{1/2} \cdot (-2/(\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 - \sin(dx+c))) \cos(dx+c)^{2 \cdot 2^{1/2}} \sin(dx+c) - 40C \arctan(1/4 \cdot 2^{1/2} \cdot (-2/(\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 + \sin(dx+c))) \cos(dx+c)^{2 \cdot 2^{1/2}} \sin(dx+c) + 3A \arctan(1/2 \sin(dx+c)) (-2/(\cos(dx+c)+1))^{1/2} \cos(dx+c)^2 \sin(dx+c) - 3A (-2/(\cos(dx+c)+1))^{1/2} \cos(dx+c)^3 + 40C \sin(dx+c) \cdot 2^{1/2} \cos(dx+c) \arctan(1/4 \cdot 2^{1/2} \cdot (-2/(\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 - \sin(dx+c))) - 40C \sin(dx+c) \cdot 2^{1/2} \cos(dx+c) \arctan(1/4 \cdot 2^{1/2} \cdot (-2/(\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 + \sin(dx+c))) + 115C \arctan(1/2 \sin(dx+c)) (-2/(\cos(dx+c)+1))^{1/2} \cos(dx+c)^2 \sin(dx+c) - 35C (-2/(\cos(dx+c)+1))^{1/2} \cos(dx+c)^3 + 3A \sin(dx+c) \cos(dx+c) \arctan(1/2 \sin(dx+c)) (-2/(\cos(dx+c)+1))^{1/2} - 4A \cos(dx+c)^2 (-2/(\cos(dx+c)+1))^{1/2} + 115C \sin(dx+c) \cos(dx+c) \arctan(1/2 \sin(dx+c)) (-2/(\cos(dx+c)+1))^{1/2} - 20C \cos(dx+c)^2 (-2/(\cos(dx+c)+1))^{1/2} + 7A \cos(dx+c) (-2/(\cos(dx+c)+1))^{1/2} + 39C \cos(dx+c) (-2/(\cos(dx+c)+1))^{1/2} + 16C (-2/(\cos(dx+c)+1))^{1/2}) / a^3 (-2/(\cos(dx+c)+1))^{1/2} / \sin(dx+c)^5 / \cos(dx+c)^{1/2}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, alg orithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 0.717105, size = 2107, normalized size = 7.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/64*(sqrt(2)*((3*A + 115*C)*cos(d*x + c)^4 + 3*(3*A + 115*C)*cos(d*x + c)^3 + 3*(3*A + 115*C)*cos(d*x + c)^2 + (3*A + 115*C)*cos(d*x + c))*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((3*A + 35*C)*cos(d*x + c)^2 + (7*A + 55*C)*cos(d*x + c) + 16*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 80*(C*cos(d*x + c)^4 + 3*C*cos(d*x + c)^3 + 3*C*cos(d*x + c)^2 + C*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 + 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c)), -1/32*(sqrt(2)*((3*A + 115*C)*cos(d*x + c)^4 + 3*(3*A + 115*C)*cos(d*x + c)^3 + 3*(3*A + 115*C)*cos(d*x + c)^2 + (3*A + 115*C)*cos(d*x + c))*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*((3*A + 35*C)*cos(d*x + c)^2 + (7*A + 55*C)*cos(d*x + c) + 16*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 80*(C*cos(d*x + c)^4 + 3*C*cos(d*x + c)^3 + 3*C*cos(d*x + c)^2 + C*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + A)/((a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2)), x)
```

3.1173 $\int \cos^{\frac{9}{2}}(c+dx) \left(B \sec(c+dx) + C \sec^2(c+dx) \right) dx$

Optimal. Leaf size=111

$$\frac{10B \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2B \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{7d} + \frac{10B \sin(c+dx) \sqrt{\cos(c+dx)}}{21d} + \frac{6CE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2C \sin(c+dx)}{5d}$$

[Out] (6*C*EllipticE[(c + d*x)/2, 2])/(5*d) + (10*B*EllipticF[(c + d*x)/2, 2])/(21*d) + (10*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*C*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*B*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.094935, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4064, 2748, 2635, 2639, 2641}

$$\frac{10BF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{2B \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{7d} + \frac{10B \sin(c+dx) \sqrt{\cos(c+dx)}}{21d} + \frac{6CE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2C \sin(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (6*C*EllipticE[(c + d*x)/2, 2])/(5*d) + (10*B*EllipticF[(c + d*x)/2, 2])/(21*d) + (10*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*C*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*B*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rule 4064

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c + dx) (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^{\frac{5}{2}}(c + dx) (C + B \cos(c + dx)) dx \\
&= B \int \cos^{\frac{7}{2}}(c + dx) dx + C \int \cos^{\frac{5}{2}}(c + dx) dx \\
&= \frac{2C \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2B \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{1}{7} (5B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx) \\
&\quad - 2C \cos^{\frac{3}{2}}(c + dx)) \\
&= \frac{6CE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{5d} + \frac{10B \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2C \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{21d} \\
&= \frac{6CE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{5d} + \frac{10BF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{21d} + \frac{10B \sqrt{\cos(c + dx)} \sin(c + dx)}{21d}
\end{aligned}$$

Mathematica [A] time = 0.495843, size = 77, normalized size = 0.69

$$\frac{50B \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(c + dx) \sqrt{\cos(c + dx)} (15B \cos(2(c + dx)) + 65B + 42C \cos(c + dx)) + 126CE \left(\frac{1}{2}(c + dx) \middle| 2\right)}{105d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(9/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (126*C*EllipticE[(c + d*x)/2, 2] + 50*B*EllipticF[(c + d*x)/2, 2] + Sqrt[Co
s[c + d*x]]*(65*B + 42*C*Cos[c + d*x] + 15*B*Cos[2*(c + d*x)])*Sin[c + d*x]
```


)/(105*d)

Maple [A] time = 2.125, size = 290, normalized size = 2.6

$$-\frac{2}{105d} \sqrt{\left(2 (\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240 B \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^8 + (-360 B - 168 C)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(9/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out]
$$-2/105 * ((2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (240 * B * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^8 + (-360 * B - 168 * C) * \sin(1/2 * d * x + 1/2 * c)^6 * \cos(1/2 * d * x + 1/2 * c) + (280 * B + 168 * C) * \sin(1/2 * d * x + 1/2 * c)^4 * \cos(1/2 * d * x + 1/2 * c) + (-80 * B - 42 * C) * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) + 25 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 63 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)})) / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^(9/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^4 \sec(dx + c)^2 + B \cos(dx + c)^4 \sec(dx + c)\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^4*sec(d*x + c)^2 + B*cos(d*x + c)^4*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^(9/2), x)

$$3.1174 \quad \int \cos^{\frac{7}{2}}(c+dx) \left(B \sec(c+dx) + C \sec^2(c+dx) \right) dx$$

Optimal. Leaf size=87

$$\frac{2C \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{6BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{2C \sin(c+dx) \sqrt{\cos(c+dx)}}{3d}$$

[Out] (6*B*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*C*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*C*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*B*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.0833361, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4064, 2748, 2635, 2641, 2639}

$$\frac{6BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{2CF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2C \sin(c+dx) \sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (6*B*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*C*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*C*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*B*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rule 4064

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{7}{2}}(c + dx) (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^{\frac{3}{2}}(c + dx) (C + B \cos(c + dx)) dx \\
 &= B \int \cos^{\frac{5}{2}}(c + dx) dx + C \int \cos^{\frac{3}{2}}(c + dx) dx \\
 &= \frac{2C \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} (3B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx) + 2C \sqrt{\cos(c + dx)}) \\
 &= \frac{6BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{5d} + \frac{2CF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2C \sqrt{\cos(c + dx)} \sin(c + dx)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.229573, size = 66, normalized size = 0.76

$$\frac{2 \left(5 \operatorname{CEllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + \sin(c + dx) \sqrt{\cos(c + dx)} (3B \cos(c + dx) + 5C) + 9BE \left(\frac{1}{2}(c + dx) \middle| 2 \right) \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(7/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (2*(9*B*EllipticE[(c + d*x)/2, 2] + 5*C*EllipticF[(c + d*x)/2, 2] + Sqrt[Co
s[c + d*x]]*(5*C + 3*B*Cos[c + d*x])*Sin[c + d*x]))/(15*d)
```

Maple [B] time = 2.036, size = 262, normalized size = 3.

$$-\frac{2}{15d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24B \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (24B + 20C) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$-\frac{2}{15} \left((2 \cos(\frac{1}{2}dx + \frac{c}{2})^2 - 1) \sin(\frac{1}{2}dx + \frac{c}{2})^2 \right)^{1/2} \left(-24B \cos(\frac{1}{2}dx + \frac{c}{2}) \sin(\frac{1}{2}dx + \frac{c}{2})^6 + (24B + 20C) \sin(\frac{1}{2}dx + \frac{c}{2})^4 \right) / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^(7/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^3 \sec(dx + c)^2 + B \cos(dx + c)^3 \sec(dx + c)\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + B*cos(d*x + c)^3*sec(d*x + c))*sqrt(cos(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(7/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^(7/2), x)`

$$3.1175 \quad \int \cos^{\frac{5}{2}}(c+dx) \left(B \sec(c+dx) + C \sec^2(c+dx) \right) dx$$

Optimal. Leaf size=61

$$\frac{2B \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2B \sin(c+dx) \sqrt{\cos(c+dx)}}{3d} + \frac{2CE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d}$$

[Out] (2*C*EllipticE[(c + d*x)/2, 2])/d + (2*B*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.0714616, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4064, 2748, 2639, 2635, 2641}

$$\frac{2BF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2B \sin(c+dx) \sqrt{\cos(c+dx)}}{3d} + \frac{2CE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*C*EllipticE[(c + d*x)/2, 2])/d + (2*B*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4064

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx) (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sqrt{\cos(c + dx)} (C + B \cos(c + dx)) dx \\ &= B \int \cos^{\frac{3}{2}}(c + dx) dx + C \int \sqrt{\cos(c + dx)} dx \\ &= \frac{2CE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} B \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2CE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2BF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.108685, size = 53, normalized size = 0.87

$$\frac{2 \left(B \left(\text{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + \sin(c + dx) \sqrt{\cos(c + dx)} \right) + 3CE \left(\frac{1}{2}(c + dx) \middle| 2 \right) \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (2*(3*C*EllipticE[(c + d*x)/2, 2] + B*(EllipticF[(c + d*x)/2, 2] + Sqrt[Cos
[c + d*x]]*Sin[c + d*x])))/(3*d)
```


Maple [B] time = 2.279, size = 228, normalized size = 3.7

$$-\frac{2}{3d} \sqrt{\left(2 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 \left(4B \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^4 + B \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out]
$$-2/3 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (4 * B * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 4 + B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 2 * B * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) - 3 * C * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2))) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^(5/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c)^2 \sec(dx + c)^2 + B \cos(dx + c)^2 \sec(dx + c)\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c))*sqrt(cos(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^(5/2), x)`

$$3.1176 \quad \int \cos^{\frac{3}{2}}(c+dx) \left(B \sec(c+dx) + C \sec^2(c+dx) \right) dx$$

Optimal. Leaf size=35

$$\frac{2C \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{d} + \frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d}$$

[Out] (2*B*EllipticE[(c + d*x)/2, 2])/d + (2*C*EllipticF[(c + d*x)/2, 2])/d

Rubi [A] time = 0.0613801, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4064, 2748, 2641, 2639}

$$\frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2CF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*B*EllipticE[(c + d*x)/2, 2])/d + (2*C*EllipticF[(c + d*x)/2, 2])/d

Rule 4064

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx) (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{C + B \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= B \int \sqrt{\cos(c + dx)} dx + C \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2CF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{d} \end{aligned}$$

Mathematica [A] time = 0.0637345, size = 35, normalized size = 1.

$$\frac{2CEllipticF\left(\frac{1}{2}(c + dx), 2\right)}{d} + \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*(B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*B*EllipticE[(c + d*x)/2, 2])/d + (2*C*EllipticF[(c + d*x)/2, 2])/d

Maple [A] time = 1.767, size = 152, normalized size = 4.3

$$2 \frac{\sqrt{(2 (\cos(1/2 dx + c/2))^2 - 1) (\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1} (BEllipticE(\cos(1/2 dx + c/2)))}{\sqrt{-2 (\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2 (\cos(1/2 dx + c/2))^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] 2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(BEllipticE(cos(1/2*d*x+1/2*c)))

$c), 2^{(1/2)}) - C \cdot \text{EllipticF}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) / (-2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) \sqrt{4 + \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2})^{(1/2)} / \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) / (2 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^{2-1})^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c)) \sqrt{\cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*cos(d*x + c)^(3/2), x)
```

$$3.1177 \quad \int \sqrt{\cos(c + dx)} \left(B \sec(c + dx) + C \sec^2(c + dx) \right) dx$$

Optimal. Leaf size=57

$$\frac{2B \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{d} - \frac{2CE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2C \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out] $(-2*C*\operatorname{EllipticE}[(c + d*x)/2, 2])/d + (2*B*\operatorname{EllipticF}[(c + d*x)/2, 2])/d + (2*C*\operatorname{Sin}[c + d*x])/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rubi [A] time = 0.0695075, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4064, 2748, 2636, 2639, 2641}

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{2CE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2C \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*(B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-2*C*\operatorname{EllipticE}[(c + d*x)/2, 2])/d + (2*B*\operatorname{EllipticF}[(c + d*x)/2, 2])/d + (2*C*\operatorname{Sin}[c + d*x])/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rule 4064

$\operatorname{Int}[(\operatorname{cos}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + (B_.)*\operatorname{sec}[(e_.) + (f_.)*(x_.)] + (C_.)*\operatorname{sec}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \operatorname{Dist}[b^2, \operatorname{Int}[(b*\operatorname{Cos}[e + f*x])^{(m - 2)}*(C + B*\operatorname{Cos}[e + f*x] + A*\operatorname{Cos}[e + f*x]^2), x], x] /;$ $\operatorname{FreeQ}[\{b, e, f, A, B, C, m\}, x] \ \&\amp; \ !\operatorname{IntegerQ}[m]$

Rule 2748

$\operatorname{Int}[(b_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.))]^{(m_.)}*((c_.) + (d_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m + 1)}, x], x] /;$ $\operatorname{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2636

$\operatorname{Int}[(b_.)*\operatorname{sin}[(c_.) + (d_.)*(x_.))]^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Cos}[c + d*x]*(b*\operatorname{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \operatorname{Dist}[(n + 2)/(b^2*(n + 1)), \operatorname{In}$

`t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c + dx)} (B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{C + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= B \int \frac{1}{\sqrt{\cos(c + dx)}} dx + C \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2BF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2C \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - C \int \sqrt{\cos(c + dx)} dx \\
 &= -\frac{2CE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2BF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2C \sin(c + dx)}{d \sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.139659, size = 51, normalized size = 0.89

$$\frac{2 \left(B \text{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) - CE \left(\frac{1}{2}(c + dx) \middle| 2 \right) + \frac{C \sin(c + dx)}{\sqrt{\cos(c + dx)}} \right)}{d}$$

Antiderivative was successfully verified.

`[In] Integrate[Sqrt[Cos[c + d*x]]*(B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]`

`[Out] (2*(-(C*EllipticE[(c + d*x)/2, 2]) + B*EllipticF[(c + d*x)/2, 2] + (C*Sin[c + d*x])/Sqrt[Cos[c + d*x]]))/d`

Maple [A] time = 2.441, size = 148, normalized size = 2.6

$$-2 \frac{B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2 - 1} \text{EllipticF}(\cos(1/2 dx + c/2), \sqrt{2}) + C \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2}}{\sin(1/2 dx + c/2) \sqrt{2} (\cos(1/2 dx + c/2))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] -2*(B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*C/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (B + C \sec(c + dx)) \sqrt{\cos(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Integral((B + C*sec(c + d*x))*sqrt(cos(c + d*x))*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c)) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))*sqrt(cos(d*x + c)), x)

$$3.1178 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=83

$$\frac{2C \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2C \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] $(-2*B*\operatorname{EllipticE}[(c+d*x)/2, 2])/d + (2*C*\operatorname{EllipticF}[(c+d*x)/2, 2])/(3*d) + (2*C*\operatorname{Sin}[c+d*x])/(3*d*\operatorname{Cos}[c+d*x]^{(3/2)}) + (2*B*\operatorname{Sin}[c+d*x])/(d*\operatorname{Sqrt}[\operatorname{Cos}[c+d*x]])$

Rubi [A] time = 0.0789359, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4064, 2748, 2636, 2641, 2639}

$$-\frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2CF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2C \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(B*\operatorname{Sec}[c+d*x] + C*\operatorname{Sec}[c+d*x]^2)/\operatorname{Sqrt}[\operatorname{Cos}[c+d*x]], x]$

[Out] $(-2*B*\operatorname{EllipticE}[(c+d*x)/2, 2])/d + (2*C*\operatorname{EllipticF}[(c+d*x)/2, 2])/(3*d) + (2*C*\operatorname{Sin}[c+d*x])/(3*d*\operatorname{Cos}[c+d*x]^{(3/2)}) + (2*B*\operatorname{Sin}[c+d*x])/(d*\operatorname{Sqrt}[\operatorname{Cos}[c+d*x]])$

Rule 4064

$\operatorname{Int}[(\operatorname{Cos}[(e_.) + (f_.)*(x_)]*(b_.)^{(m_)}*((A_.) + (B_.)*\operatorname{Sec}[(e_.) + (f_.)*(x_)] + (C_.)*\operatorname{Sec}[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> \operatorname{Dist}[b^2, \operatorname{Int}[(b*\operatorname{Cos}[e + f*x])^{(m-2)}*(C + B*\operatorname{Cos}[e + f*x] + A*\operatorname{Cos}[e + f*x]^2), x], x] /; \operatorname{FreeQ}[\{b, e, f, A, B, C, m\}, x] \&\amp; !\operatorname{IntegerQ}[m]$

Rule 2748

$\operatorname{Int}[(b_.*\operatorname{Sin}[(e_.) + (f_.)*(x_)])^{(m_)}*((c_.) + (d_.)*\operatorname{Sin}[(e_.) + (f_.)*(x_)]), x_Symbol] :> \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m+1)}, x], x] /; \operatorname{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}} dx &= \int \frac{C + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= B \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + C \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - B \int \sqrt{\cos(c + dx)} dx + \frac{1}{3} C \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= -\frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2CF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{d \sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.401656, size = 65, normalized size = 0.78

$$\frac{2C \text{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + \frac{2 \sin(c + dx) (3B \cos(c + dx) + C)}{\cos^{\frac{3}{2}}(c + dx)} - 6BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[Cos[c + d*x]], x]
```

[Out] $(-6*B*EllipticE[(c + d*x)/2, 2] + 2*C*EllipticF[(c + d*x)/2, 2] + (2*(C + 3*B*\cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^{(3/2)})/(3*d)$

Maple [B] time = 4.829, size = 397, normalized size = 4.8

$$\frac{2}{3d} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left(6B\sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \text{EllipticE}\left(\cos(1/2 dx + c/2), \sqrt{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x)`

[Out] $2/3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(4*\sin(1/2*d*x+1/2*c)^4-4*\sin(1/2*d*x+1/2*c)^2+1)/\sin(1/2*d*x+1/2*c)^3*(6*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-12*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+2*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+6*B*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*C)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/sqrt(cos(d*x + c)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx+c)^2 + B \sec(dx+c)}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))/sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c)}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/sqrt(cos(d*x + c)), x)

$$3.1179 \quad \int \frac{B \sec(c+dx) + C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=111

$$\frac{2B \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2B \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} - \frac{6CE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2C \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{6C \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

[Out] $(-6*C*EllipticE[(c+d*x)/2, 2])/(5*d) + (2*B*EllipticF[(c+d*x)/2, 2])/(3*d) + (2*C*Sin[c+d*x])/(5*d*Cos[c+d*x]^{(5/2)}) + (2*B*Sin[c+d*x])/(3*d*Cos[c+d*x]^{(3/2)}) + (6*C*Sin[c+d*x])/(5*d*Sqrt[Cos[c+d*x]])$

Rubi [A] time = 0.0936062, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4064, 2748, 2636, 2639, 2641}

$$\frac{2BF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2B \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} - \frac{6CE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2C \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{6C \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(B*\operatorname{Sec}[c+d*x] + C*\operatorname{Sec}[c+d*x]^2)/\operatorname{Cos}[c+d*x]^{(3/2)}, x]$

[Out] $(-6*C*EllipticE[(c+d*x)/2, 2])/(5*d) + (2*B*EllipticF[(c+d*x)/2, 2])/(3*d) + (2*C*Sin[c+d*x])/(5*d*Cos[c+d*x]^{(5/2)}) + (2*B*Sin[c+d*x])/(3*d*Cos[c+d*x]^{(3/2)}) + (6*C*Sin[c+d*x])/(5*d*Sqrt[Cos[c+d*x]])$

Rule 4064

$\operatorname{Int}[(\cos[(e_.) + (f_.)*(x_)]*(b_.)^{(m_)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_)] + (C_.)*\sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \operatorname{Dist}[b^2, \operatorname{Int}[(b*\operatorname{Cos}[e + f*x])^{(m-2)}*(C + B*\operatorname{Cos}[e + f*x] + A*\operatorname{Cos}[e + f*x]^2), x], x] /; \operatorname{FreeQ}[\{b, e, f, A, B, C, m\}, x] \ \&\amp; \ !\operatorname{IntegerQ}[m]$

Rule 2748

$\operatorname{Int}[(b_.*\sin[(e_.) + (f_.)*(x_)])^{(m_)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m+1)}, x], x] /; \operatorname{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{C + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= B \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + C \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3} B \int \frac{1}{\sqrt{\cos(c + dx)}} dx + \frac{1}{5} (3C) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2BF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{6C \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} - \frac{1}{5} \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{6CE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{5d} + \frac{2BF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.301493, size = 95, normalized size = 0.86

$$\frac{10B \cos^{\frac{3}{2}}(c + dx) \text{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + 10B \sin(c + dx) + 9C \sin(2(c + dx)) + 6C \tan(c + dx) - 18C \cos^{\frac{3}{2}}(c + dx) E \left(\frac{1}{2}(c + dx), 2 \right)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Cos[c + d*x]^(3/2),x]

[Out] (-18*C*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 10*B*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 10*B*Sin[c + d*x] + 9*C*Sin[2*(c + d*x)] + 6*C*Tan[c + d*x])/(15*d*Cos[c + d*x]^(3/2))

Maple [B] time = 5.675, size = 502, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))-2/5*C/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/cos(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + B \sec(dx + c)}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c))/cos(d*x + c)^(3/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B + C \sec(c + dx)) \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Integral((B + C*sec(c + d*x))*sec(c + d*x)/cos(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c))/cos(d*x + c)^(3/2), x)

3.1180 $\int \cos^{\frac{7}{2}}(c+dx) \left(A + B \sec(c + dx) + C \sec^2(c + dx) \right) dx$

Optimal. Leaf size=123

$$\frac{2(5A + 7C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2(5A + 7C) \sin(c + dx) \sqrt{\cos(c + dx)}}{21d} + \frac{2A \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{6BE\left(\frac{1}{2}(c + dx)\right)}{5d}$$

```
[Out] (6*B*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*B*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)
```

Rubi [A] time = 0.129653, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4064, 3023, 2748, 2635, 2641, 2639}

$$\frac{2(5A + 7C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(5A + 7C) \sin(c + dx) \sqrt{\cos(c + dx)}}{21d} + \frac{2A \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{6BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (6*B*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*A + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*B*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)
```

Rule 4064

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^(m + 1), x], x]
```

2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2635

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{7}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \cos^{\frac{3}{2}}(c + dx) (C + B \cos(c + dx) + A \cos^2(c + dx)) dx \\
 &= \frac{2A \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{2}{7} \int \cos^{\frac{3}{2}}(c + dx) \left(\frac{1}{2}(5A + 7C) \right. \\
 &= \frac{2A \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + B \int \cos^{\frac{5}{2}}(c + dx) dx + \frac{1}{7}(5A + 7C) \int \cos^{\frac{3}{2}}(c + dx) dx \\
 &= \frac{2(5A + 7C) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} \\
 &= \frac{6BE \left(\frac{1}{2}(c + dx) \Big|_2 \right)}{5d} + \frac{2(5A + 7C)F \left(\frac{1}{2}(c + dx) \Big|_2 \right)}{21d} + \frac{2(5A + 7C)}{7d}
 \end{aligned}$$

Mathematica [A] time = 0.593183, size = 86, normalized size = 0.7

$$\frac{10(5A + 7C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}(15A \cos(2(c + dx)) + 65A + 42B \cos(c + dx) + 70C) + \dots}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (126*B*EllipticE[(c + d*x)/2, 2] + 10*(5*A + 7*C)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(65*A + 70*C + 42*B*Cos[c + d*x] + 15*A*Cos[2*(c + d*x)])*Sin[c + d*x])/(105*d)

Maple [B] time = 2.33, size = 342, normalized size = 2.8

$$-\frac{2}{105d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240 A (\sin(1/2 dx + c/2))^8 \cos(1/2 dx + c/2) + (-360 A - 168 B) \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*A*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-360*A-168*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(280*A+168*B+140*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-80*A-42*B-70*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+25*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+35*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C cos(dx + c)³ sec(dx + c)² + B cos(dx + c)³ sec(dx + c) + A cos(dx + c)³)√cos(dx + c), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(7/2), x)
```

$$3.1181 \quad \int \cos^{\frac{5}{2}}(c+dx) \left(A + B \sec(c+dx) + C \sec^2(c+dx) \right) dx$$

Optimal. Leaf size=93

$$\frac{2B \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2(3A+5C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2A \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{2B \sin(c+dx) \sqrt{\cos(c+dx)}}{3d}$$

[Out] (2*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*B*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.116145, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4064, 3023, 2748, 2639, 2635, 2641}

$$\frac{2(3A+5C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2A \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{2BF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2B \sin(c+dx) \sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*B*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rule 4064

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x] * (b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sqrt{\cos(c + dx)} (C + B \cos(c + dx) + A \cos^2(c + dx)) dx \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\cos(c + dx)} \left(\frac{1}{2}(3A + 5C) + B \cos(c + dx) \right) dx \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + B \int \cos^{\frac{3}{2}}(c + dx) dx + \frac{1}{5}(3A + 5C) \int \sqrt{\cos(c + dx)} dx \\
 &= \frac{2(3A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\
 &= \frac{2(3A + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.287705, size = 72, normalized size = 0.77

$$\frac{2 \left(5B \operatorname{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + \sin(c + dx) \sqrt{\cos(c + dx)} (3A \cos(c + dx) + 5B) + 3(3A + 5C) E \left(\frac{1}{2}(c + dx) \middle| 2 \right) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(3*(3*A + 5*C)*EllipticE[(c + d*x)/2, 2] + 5*B*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(5*B + 3*A*Cos[c + d*x])*Sin[c + d*x]))/(15*d)

Maple [B] time = 2.305, size = 308, normalized size = 3.3

$$-\frac{2}{15d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) + (24A + 20B) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*A*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(24*A+20*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-6*A-10*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+5*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-15*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((C cos(dx + c)² sec(dx + c)² + B cos(dx + c)² sec(dx + c) + A cos(dx + c)²)√cos(dx + c), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2), x)

$$3.1182 \quad \int \cos^{\frac{3}{2}}(c+dx) \left(A + B \sec(c+dx) + C \sec^2(c+dx) \right) dx$$

Optimal. Leaf size=65

$$\frac{2(A+3C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2A \sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out] (2*B*EllipticE[(c + d*x)/2, 2])/d + (2*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.103866, antiderivative size = 65, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4064, 3023, 2748, 2641, 2639}

$$\frac{2(A+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2A \sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*B*EllipticE[(c + d*x)/2, 2])/d + (2*(A + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4064

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_))*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2A\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}(A + 3C) + \frac{3}{2}B \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2A\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + B \int \sqrt{\cos(c + dx)} dx + \frac{1}{3}(A + 3C) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2BE \left(\frac{1}{2}(c + dx) \Big| 2 \right)}{d} + \frac{2(A + 3C)F \left(\frac{1}{2}(c + dx) \Big| 2 \right)}{3d} + \frac{2A\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

Mathematica [C] time = 6.20482, size = 682, normalized size = 10.49

$$\frac{2B \csc(c) \cos^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) \operatorname{HypergeometricPFQ} \left(\left\{ -\frac{1}{2}, -\frac{1}{4} \right\}, \left\{ \frac{3}{2}, \frac{5}{4} \right\}, \frac{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) - 1}}{\sqrt{\tan^2(c) + 1}} \right)}{d(A \cos(2c + 2dx) + A + 2B \cos(c + dx) + C \sec^2(c + dx))} \right)}{d(A \cos(2c + 2dx) + A + 2B \cos(c + dx) + C \sec^2(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

```
[Out] (Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*B*Cot[c])/
d + (4*A*Cos[d*x]*Sin[c])/(3*d) + (4*A*Cos[c]*Sin[d*x])/(3*d)))/(A + 2*C +
2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (4*A*Cos[c + d*x]^2*Csc[c]*Hyperge
ometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*(A + B*Sec[c + d
*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan
[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])] *Sqr
t[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[
2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*C*Cos[c + d*x]^2*Csc[c]*Hypergeometr
icPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*(A + B*Sec[c + d*x] +
C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[
c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])] *Sqrt[1 +
Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2
*d*x])*Sqrt[1 + Cot[c]^2]) - (2*B*Cos[c + d*x]^2*Csc[c]*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2)*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + Arc
Tan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTa
n[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTa
n[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan
[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sq
rt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[
c]]]*Sqrt[1 + Tan[c]^2]))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*
x]))
```

Maple [B] time = 2.191, size = 274, normalized size = 4.2

$$-\frac{2}{3d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(4 A \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^4 + A \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)
```

```
[Out] -2/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4*A*cos(1/2*d
*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*
x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-2*sin(1/2*d*x+1/2
*c)^2*cos(1/2*d*x+1/2*c)*A-3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+
1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+3*C*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c)
, 2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x
+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2), x)
```


3.1183 $\int \sqrt{\cos(c + dx)} \left(A + B \sec(c + dx) + C \sec^2(c + dx) \right) dx$

Optimal. Leaf size=61

$$\frac{2B \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{d} + \frac{2(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2C \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out] (2*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (2*B*EllipticF[(c + d*x)/2, 2])/d + (2*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.106751, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4064, 3021, 2748, 2641, 2639}

$$\frac{2(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2C \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (2*B*EllipticF[(c + d*x)/2, 2])/d + (2*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 4064

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2C \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{B}{2} + \frac{1}{2}(A - C) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2C \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + B \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (A - C) \int \sqrt{\cos(c + dx)} dx \\ &= \frac{2(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2C \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \end{aligned}$$

Mathematica [C] time = 6.25351, size = 759, normalized size = 12.44

$$\frac{2A \csc(c) \cos^2(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) \text{HypergeometricPFQ}\left(\left\{-\frac{1}{2}, -\frac{1}{4}\right\}, \left\{\frac{3}{2}, \frac{5}{4}\right\}, \frac{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) - 1}}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) - 1}}\right)}{d(A \cos(2c + 2dx) + A + 2B \cos(c + dx))} \right)}{d(A \cos(2c + 2dx) + A + 2B \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(A - 2*C +
A*cos[2*c])*Csc[c]*Sec[c])/d + (4*C*Sec[c]*Sec[c + d*x]*Sin[d*x])/d))/(A +
2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x]) - (4*B*cos[c + d*x]^2*Csc[c]*
HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*(A + B*Se
c[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x -
ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]
])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + 2*B*cos[c + d*x] + A
*cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (2*A*cos[c + d*x]^2*Csc[c]*(A + B*
Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, C
os[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c]))/(Sqrt[1 - Cos
[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos
[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x
+ ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan
[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x +
ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(d*(A + 2*C + 2*B*cos[c + d*x] + A*Co
s[2*c + 2*d*x])) + (2*C*cos[c + d*x]^2*Csc[c]*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]
]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c]))/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]
]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]
]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[
c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan
[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1
+ Tan[c]^2]))/(d*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*c + 2*d*x]))
```

Maple [A] time = 2.326, size = 195, normalized size = 3.2

$$\frac{2}{2} \frac{A \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticE}(\cos(1/2 dx + c/2), \sqrt{2}) - B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2} (\sin(1/2 dx + c/2))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x)
```

```
[Out] 2*(A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Elliptic
E(cos(1/2*d*x+1/2*c),2^(1/2))-B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x
+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-C*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),
2^(1/2))+2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*C/sin(1/2*d*x+1/2*c)/(2
*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx) + C \sec^2(c + dx)) \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c)), x)
```

$$3.1184 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=87

$$\frac{2(3A+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2C \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] (-2*B*EllipticE[(c + d*x)/2, 2])/d + (2*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*B*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.120972, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4064, 3021, 2748, 2636, 2639, 2641}

$$\frac{2(3A+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2C \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[Cos[c + d*x]], x]

[Out] (-2*B*EllipticE[(c + d*x)/2, 2])/d + (2*(3*A + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*B*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 4064

Int[(cos[(e_.) + (f_.)*(x_.)]*(b_.))^m]*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[b^2, Int[(b*Cos[e + f*x])^(m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^m, x], x]

$(m + 1) \text{Simp}[b(aA - bB + aC)(m + 1) - (Ab^2 - abB + a^2C + b(Ab - aB + bC)(m + 1))\text{Sin}[e + fx], x], x] /;$ FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

$\text{Int}[(b \sin(e) + f x)^m (c + d \sin(e) + f x)], x_Symbol] := \text{Dist}[c, \text{Int}[b \text{Sin}[e + fx]^m, x], x] + \text{Dist}[d/b, \text{Int}[b \text{Sin}[e + fx]^{m+1}, x], x] /;$ FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

$\text{Int}[(b \sin(c) + d x)^n, x_Symbol] := \text{Simp}[(\text{Cos}[c + dx] * (b \text{Sin}[c + dx]^{n+1}) / (b d (n+1))), x] + \text{Dist}[(n+2) / (b^2 (n+1)), \text{Int}[b \text{Sin}[c + dx]^{n+2}, x], x] /;$ FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

$\text{Int}[\text{Sqrt}[\sin(c) + d x], x_Symbol] := \text{Simp}[(2 * \text{EllipticE}[(1 * (c - \text{Pi}/2 + dx))/2, 2]) / d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin(c) + d x], x_Symbol] := \text{Simp}[(2 * \text{EllipticF}[(1 * (c - \text{Pi}/2 + dx))/2, 2]) / d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{3B}{2} + \frac{1}{2}(3A + C) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + B \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \frac{1}{3}(3A + C) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2(3A + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - B \int \sqrt{\cos(c + dx)} dx \\
&= -\frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(3A + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2C \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{d\sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.585318, size = 69, normalized size = 0.79

$$\frac{2(3A + C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \frac{2 \sin(c+dx)(3B \cos(c+dx)+C)}{\cos^{\frac{3}{2}}(c+dx)} - 6BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Sqrt[Cos[c + d*x]], x]

[Out] (-6*B*EllipticE[(c + d*x)/2, 2] + 2*(3*A + C)*EllipticF[(c + d*x)/2, 2] + (2*(C + 3*B*Cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2))/(3*d)

Maple [B] time = 5.282, size = 500, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2), x)

[Out] 2/3*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(4*sin(1/2*d*x+1/2*c)^4-4*sin(1/2*d*x+1/2*c)^2+1)/sin(1/2*d*x+1/2*c)^3*(6*A*(sin(1/2*d*x

$+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2+6*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-12*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+2*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+6*B*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/sqrt(cos(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/sqrt(cos(d*x + c)), x)

$$3.1185 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=123

$$\frac{2B \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2(5A+3C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(5A+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2B\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2C\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)}$$

[Out] $(-2*(5*A + 3*C)*\operatorname{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*B*\operatorname{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*C*\operatorname{Sin}[c + d*x])/(5*d*\operatorname{Cos}[c + d*x]^{(5/2)}) + (2*B*\operatorname{Sin}[c + d*x])/(3*d*\operatorname{Cos}[c + d*x]^{(3/2)}) + (2*(5*A + 3*C)*\operatorname{Sin}[c + d*x])/(5*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rubi [A] time = 0.134258, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4064, 3021, 2748, 2636, 2641, 2639}

$$-\frac{2(5A+3C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(5A+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2BF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2B\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2C\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2)/\operatorname{Cos}[c + d*x]^{(3/2)}, x]$

[Out] $(-2*(5*A + 3*C)*\operatorname{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*B*\operatorname{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*C*\operatorname{Sin}[c + d*x])/(5*d*\operatorname{Cos}[c + d*x]^{(5/2)}) + (2*B*\operatorname{Sin}[c + d*x])/(3*d*\operatorname{Cos}[c + d*x]^{(3/2)}) + (2*(5*A + 3*C)*\operatorname{Sin}[c + d*x])/(5*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rule 4064

$\operatorname{Int}[(\cos[(e_.) + (f_.)*(x_)]*(b_.)^{(m_)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_)] + (C_.)*\sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \operatorname{Dist}[b^2, \operatorname{Int}[(b*\operatorname{Cos}[e + f*x])^{(m-2)}*(C + B*\operatorname{Cos}[e + f*x] + A*\operatorname{Cos}[e + f*x]^2), x], x] /;$ $\operatorname{FreeQ}\{b, e, f, A, B, C, m\}, x \&\amp; \text{!IntegerQ}[m]$

Rule 3021

$\operatorname{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(m_)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)] + (C_.)*\sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow -\operatorname{Simp}[(A*b^2$

```

- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :=> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :=> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{5B}{2} + \frac{1}{2}(5A + 3C) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + B \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + \frac{1}{5}(5A + 3C) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(5A + 3C) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} + \frac{1}{3} B \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= -\frac{2(5A + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2C \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{1}{3} B \int \frac{1}{\sqrt{\cos(c + dx)}} dx
\end{aligned}$$

Mathematica [A] time = 0.516547, size = 112, normalized size = 0.91

$$\frac{10B \cos^{\frac{3}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - 6(5A + 3C) \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 15A \sin(2(c + dx)) + 10B \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Cos[c + d*x]^(3/2), x]

[Out] (-6*(5*A + 3*C)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 10*B*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 10*B*Sin[c + d*x] + 15*A*Sin[2*(c + d*x)] + 9*C*Sin[2*(c + d*x)] + 6*C*Tan[c + d*x])/(15*d*Cos[c + d*x]^(3/2))

Maple [B] time = 6.925, size = 799, normalized size = 6.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2), x)

[Out] 2/15*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)

$$\begin{aligned} & /2*c)^3*(60*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c) \\ & ,2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-120*A*\sin(1/2*d \\ & *x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+20*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Elliptic \\ & F(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/ \\ & 2*c)^4+36*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2 \\ & ^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-72*C*\cos(1/2*d*x+ \\ & 1/2*c)*\sin(1/2*d*x+1/2*c)^6-60*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE \\ & (\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c \\ &)^2+120*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-20*B*(2*\sin(1/2*d*x+1/2*c \\ &)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(\\ & 1/2)}*\sin(1/2*d*x+1/2*c)^2+20*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-36*C \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+72*C*\cos(1/2*d*x+1/2*c)*\sin(\\ & 1/2*d*x+1/2*c)^4+15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2- \\ & 1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-30*\sin(1/2*d*x+1/2*c)^2*\cos(\\ & 1/2*d*x+1/2*c)*A+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2- \\ & 1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-10*B*\sin(1/2*d*x+1/2*c)^2*\cos \\ & (1/2*d*x+1/2*c)+9*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2- \\ & 1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-24*\sin(1/2*d*x+1/2*c)^2*\cos(1/ \\ & 2*d*x+1/2*c)*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos \\ & (1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/cos(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/cos(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/cos(d*x + c)^(3/2), x)

$$3.1186 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=147

$$\frac{2(7A+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2(7A+5C)\sin(c+dx)}{21d \cos^3(c+dx)} - \frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \sin(c+dx)}{5d \cos^5(c+dx)} + \frac{6B \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

[Out] $(-6*B*EllipticE[(c+d*x)/2, 2])/(5*d) + (2*(7*A+5*C)*EllipticF[(c+d*x)/2, 2])/(21*d) + (2*C*Sin[c+d*x])/(7*d*Cos[c+d*x]^{(7/2)}) + (2*B*Sin[c+d*x])/(5*d*Cos[c+d*x]^{(5/2)}) + (2*(7*A+5*C)*Sin[c+d*x])/(21*d*Cos[c+d*x]^{(3/2)}) + (6*B*Sin[c+d*x])/(5*d*Sqrt[Cos[c+d*x]])$

Rubi [A] time = 0.152271, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4064, 3021, 2748, 2636, 2639, 2641}

$$\frac{2(7A+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2(7A+5C)\sin(c+dx)}{21d \cos^3(c+dx)} - \frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \sin(c+dx)}{5d \cos^5(c+dx)} + \frac{6B \sin(c+dx)}{5d \sqrt{\cos(c+dx)}} + \frac{2C \sin(c+dx)}{7d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/\text{Cos}[c + d*x]^{(5/2)}, x]$

[Out] $(-6*B*EllipticE[(c+d*x)/2, 2])/(5*d) + (2*(7*A+5*C)*EllipticF[(c+d*x)/2, 2])/(21*d) + (2*C*Sin[c+d*x])/(7*d*Cos[c+d*x]^{(7/2)}) + (2*B*Sin[c+d*x])/(5*d*Cos[c+d*x]^{(5/2)}) + (2*(7*A+5*C)*Sin[c+d*x])/(21*d*Cos[c+d*x]^{(3/2)}) + (6*B*Sin[c+d*x])/(5*d*Sqrt[Cos[c+d*x]])$

Rule 4064

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(b_.)^{(m_)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_)] + (C_.)*\sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \text{Dist}[b^2, \text{Int}[(b*\cos[e + f*x])^{(m-2)}*(C + B*\cos[e + f*x] + A*\cos[e + f*x]^2), x], x] /;$ FreeQ[{b, e, f, A, B, C, m}, x] && !IntegerQ[m]

Rule 3021

$\text{Int}(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])^{(m_)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)] + (C_.)*\sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow -\text{Simp}[(A*b^2$


```

- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\frac{7B}{2} + \frac{1}{2}(7A + 5C) \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + B \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)} dx + \frac{1}{7}(7A + 5C) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2C \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(7A + 5C) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{5}(3B) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2(7A + 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2C \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(7A + 5C) \sin(c + dx)}{21d} \\
&= -\frac{6BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7A + 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2C \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.560619, size = 129, normalized size = 0.88

$$\frac{10(7A + 5C) \cos^{\frac{5}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 35A \sin(2(c + dx)) + 42B \sin(c + dx) + 126B \sin(c + dx) \cos^2(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/Cos[c + d*x]^(5/2), x]

[Out] (-126*B*Cos[c + d*x]^(5/2)*EllipticE[(c + d*x)/2, 2] + 10*(7*A + 5*C)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + 42*B*Sin[c + d*x] + 126*B*Cos[c + d*x]^2*Sin[c + d*x] + 35*A*Sin[2*(c + d*x)] + 25*C*Sin[2*(c + d*x)] + 30*C*Tan[c + d*x])/(105*d*Cos[c + d*x]^(5/2))

Maple [B] time = 7.17, size = 684, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x)

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*C*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5*B/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{\cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/cos(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{\cos(dx+c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/cos(d*x + c)^(5/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/cos(d*x + c)^(5/2), x)
```

3.1187 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=175

$$\frac{2a(5(A+B)+7C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a(7A+9(B+C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a(7A+9(B+C))\sin(c+dx)\cos(c+dx)}{45d}$$

```
[Out] (2*a*(7*A + 9*(B + C))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*a*(5*(A + B) + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*(A + B) + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(7*A + 9*(B + C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*a*(A + B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d) + (2*a*A*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(9*d)
```

Rubi [A] time = 0.307665, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4112, 3033, 3023, 2748, 2635, 2641, 2639}

$$\frac{2a(5(A+B)+7C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2a(7A+9(B+C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a(7A+9(B+C))\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{45d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*a*(7*A + 9*(B + C))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*a*(5*(A + B) + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*(A + B) + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(7*A + 9*(B + C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*a*(A + B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d) + (2*a*A*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(9*d)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)^2), x_Symbol] := -Simp[(C*d*cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)^2]), x_Symbol] := -Simp[(C*cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= \int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))(C+B \sec(c+dx)) dx \\
&= \frac{2aA \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{9d} + \frac{2}{9} \int \cos^{\frac{5}{2}}(c+dx) \sin(c+dx) dx \\
&= \frac{2a(A+B) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{2a}{9} \int \cos^{\frac{3}{2}}(c+dx) \sin(c+dx) dx \\
&= \frac{2a(A+B) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{2a}{9} \int \cos^{\frac{1}{2}}(c+dx) \sin(c+dx) dx \\
&= \frac{2a(5(A+B)+7C) \sqrt{\cos(c+dx)} \sin(c+dx)}{21d} + \frac{2a}{9} \int \cos^{\frac{1}{2}}(c+dx) \sin(c+dx) dx \\
&= \frac{2a(7A+9(B+C))E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{15d} + \frac{2a}{9} \int \cos^{\frac{1}{2}}(c+dx) \sin(c+dx) dx
\end{aligned}$$

Mathematica [C] time = 6.36243, size = 1292, normalized size = 7.38

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((7*A + 9*B + 9*C)*Cot[c])/(15*d) + ((23*A + 23*B + 28*C)*Cos[d*x]*Sin[c])/(84*d) + ((19*A + 18*B + 18*C)*Cos[2*d*x]*Sin[2*c])/(180*d) + ((A + B)*Cos[3*d*x]*Sin[3*c])/(28*d) + (A*Cos[4*d*x]*Sin[4*c])/(72*d) + ((23*A + 23*B + 28*C)*Cos[c]*Sin[d*x])/(84*d) + ((19*A + 18*B + 18*C)*Cos[2*c]*Sin[2*d*x])/(180*d) + ((A + B)*Cos[3*c]*Sin[3*d*x])/(28*d) + (A*Cos[4*c]*Sin[4*d*x])/(72*d)) - (5*A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*Sqrt[1 + Cot[c]^2]) - (5*B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]])

$$\begin{aligned} & * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d \\ & * x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*\text{Sqrt}[1 + \text{C} \\ & \text{ot}[c]^2)) - (7*A*(1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{Hypergeom} \\ & \text{etricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan} \\ & [\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{A} \\ & \text{rcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{S} \\ & \text{qrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] \\ & + (2*\text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Si} \\ & \text{n}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (30*d) \\ & - (3*B*(1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{HypergeometricPFQ}[\\ & \{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] \\ & * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan} \\ & [c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{T} \\ & \text{an}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos} \\ & [c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \\ & \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (10*d) - (3*C*(\\ & 1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{HypergeometricPFQ}[\{-1/2, -1 \\ & /4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \\ & (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sq} \\ & \text{rt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) \\ & - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2 * \text{Cos} \\ & [d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[\\ & c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (10*d) \end{aligned}$$

Maple [B] time = 2.536, size = 512, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(9/2)} * (a+a*\sec(d*x+c)) * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $-2/315 * ((2*\cos(1/2*d*x+1/2*c)^2-1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a * (-1120*A*\cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^{10} + (2960*A+720*B) * \sin(1/2*d*x+1/2*c)^8 * \cos(1/2*d*x+1/2*c) + (-3152*A-1584*B-504*C) * \sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) + (1792*A+1344*B+924*C) * \sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + (-408*A-366*B-336*C) * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) + 75*A * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 147*A * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 75*B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 189*B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})$

$$\cos(1/2*d*x+1/2*c), 2^{(1/2)})+105*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-189*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Ca \cos(dx+c)^4 \sec(dx+c)^3 + (B+C)a \cos(dx+c)^4 \sec(dx+c)^2 + (A+B)a \cos(dx+c)^4 \sec(dx+c) + Aa \cos(dx+c)^4 \sec(dx+c)) \text{rt}(\cos(dx+c)), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a*cos(d*x + c)^4*sec(d*x + c)^3 + (B + C)*a*cos(d*x + c)^4*sec(d*x + c)^2 + (A + B)*a*cos(d*x + c)^4*sec(d*x + c) + A*a*cos(d*x + c)^4)*sq
rt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(9/2), x)

3.1188 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=142

$$\frac{2a(5A + 7(B + C))\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a(3(A + B) + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(5A + 7(B + C)) \sin(c + dx) \sqrt{\cos(c + dx)}}{21d}$$

[Out] (2*a*(3*(A + B) + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(5*A + 7*(B + C))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*A + 7*(B + C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(A + B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.27949, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4112, 3033, 3023, 2748, 2639, 2635, 2641}

$$\frac{2a(5A + 7(B + C))F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a(3(A + B) + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(5A + 7(B + C)) \sin(c + dx) \sqrt{\cos(c + dx)}}{21d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(3*(A + B) + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(5*A + 7*(B + C))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*A + 7*(B + C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(A + B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n - m - 2)*(C + B*sin[e + f*x] + A*sin[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

```

_.)*(x_)^2), x_Symbol] := -Simp[(C*d*cos[e + f*x]*sin[e + f*x]*(a + b*sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)^2]), x_Symbol] := -Simp[(C*cos
[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*cos[c + d*x
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))(C+ \\
&= \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))dx \\
&= \frac{2a(A+B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2a}{5d} \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))dx \\
&= \frac{2a(A+B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2a}{5d} \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))dx \\
&= \frac{2a(3(A+B)+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a}{5d} \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))dx \\
&= \frac{2a(3(A+B)+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a}{5d} \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))dx
\end{aligned}$$

Mathematica [C] time = 6.31574, size = 1240, normalized size = 8.73

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((3*A + 3*B + 5*C)*Cot[c])/(5*d) + ((23*A + 28*B + 28*C)*Cos[d*x]*Sin[c])/(84*d) + ((A + B)*Cos[2*d*x]*Sin[2*c])/(10*d) + (A*Cos[3*d*x]*Sin[3*c])/(28*d) + ((23*A + 28*B + 28*C)*Cos[c]*Sin[d*x])/(84*d) + ((A + B)*Cos[2*c]*Sin[2*d*x])/(10*d) + (A*Cos[3*c]*Sin[3*d*x])/(28*d)) - (5*A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin

$$\begin{aligned} & [d*x - \text{ArcTan}[\text{Cot}[c]])]/(3*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (3*A*(1 + \text{Cos}[c + d*x]) \\ & * \text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^2*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d \\ & *x + \text{ArcTan}[\text{Tan}[c]]]^2*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x \\ & + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x \\ & + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{Ar} \\ & \text{cTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan} \\ & [c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcT} \\ & \text{an}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(10*d) - (3*B*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{S} \\ & \text{ec}[c/2 + (d*x)/2]^2*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcT} \\ & \text{an}[\text{Tan}[c]]]^2*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan} \\ & [\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan} \\ & [\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan} \\ & [c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqr} \\ & \text{t}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c] \\ &]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(10*d) - (C*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{Sec}[c/2 + (d \\ & *x)/2]^2*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] \\ & ^2*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]* \\ & \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{S} \\ & \text{qrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c] \\ &)/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c] \\ &]^2))/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \\ & \text{Tan}[c]^2]))/(2*d) \end{aligned}$$

Maple [B] time = 2.479, size = 481, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(7/2)}*(a+a*\sec(d*x+c))*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(240*A*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-528*A-168*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(448*A+308*B+140*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-122*A-112*B-70*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+25*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+35*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-63*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+35*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-105*C*(\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-105*C*(\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})$

$$2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca \cos(dx+c)^3 \sec(dx+c)^3 + (B+C)a \cos(dx+c)^3 \sec(dx+c)^2 + (A+B)a \cos(dx+c)^3 \sec(dx+c) + \dots\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a*cos(d*x + c)^3*sec(d*x + c)^3 + (B + C)*a*cos(d*x + c)^3*sec(d*x + c)^2 + (A + B)*a*cos(d*x + c)^3*sec(d*x + c) + A*a*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)

3.1189 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=106

$$\frac{2a(A + B + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(3A + 5(B + C))E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B) \sin(c + dx) \sqrt{\cos(c + dx)}}{3d} + \frac{2aA \sin^2(c + dx)}{5d}$$

[Out] (2*a*(3*A + 5*(B + C))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.244299, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4112, 3033, 3023, 2748, 2641, 2639}

$$\frac{2a(A + B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a(3A + 5(B + C))E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B) \sin(c + dx) \sqrt{\cos(c + dx)}}{3d} + \frac{2aA \sin^2(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(3*A + 5*(B + C))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1) + (A + B*Sin[e + f*x] + C*Sin[e + f*x]^2)*((a + b*Sin[e + f*x])^m)), x]

```

e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))(C+B\cos(c+dx))}{\sqrt{\cos(c+dx)}} \\
&= \frac{2aA\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5} \int \frac{5aC}{2} \\
&= \frac{2a(A+B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{2a}{5} \\
&= \frac{2a(A+B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{2a}{5} \\
&= \frac{2a(3A+5(B+C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a}{5}
\end{aligned}$$

Mathematica [C] time = 6.37835, size = 1186, normalized size = 11.19

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((3*A + 5*B + 5*C)*Cot[c])/(5*d) + ((A + B)*Cos[d*x]*Sin[c])/(3*d) + (A*Cos[2*d*x]*Sin[2*c])/(10*d) + ((A + B)*Cos[c]*Sin[d*x])/(3*d) + (A*Cos[2*c]*Sin[2*d*x])/(10*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*Sqrt[1 + Cot[c]^2]) - (3*A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x

$$\begin{aligned}
& + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2] - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (10*d) - (B * (1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (2*d) - (C * (1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (2*d))
\end{aligned}$$

Maple [B] time = 2.425, size = 447, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(5/2)} * (a+a*\sec(d*x+c)) * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out]
$$\begin{aligned}
& -2/15 * ((2 * \cos(1/2*d*x+1/2*c)^2 - 1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a * (-24 * A * \sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) + (44 * A + 20 * B) * \sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + (-16 * A - 10 * B) * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) + 5 * A * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9 * A * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 5 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 15 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 15 * C * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 15 * C * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca \cos(dx+c)^2 \sec(dx+c)^3 + (B+C)a \cos(dx+c)^2 \sec(dx+c)^2 + (A+B)a \cos(dx+c)^2 \sec(dx+c) + A^2a \cos(dx+c)\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a*cos(d*x + c)^2*sec(d*x + c)^3 + (B + C)*a*cos(d*x + c)^2*sec(d*x + c)^2 + (A + B)*a*cos(d*x + c)^2*sec(d*x + c) + A*a*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a) \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)
```

3.1190 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx)) (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=98

$$\frac{2a(A + 3(B + C))\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(A + B - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2aC \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

```
[Out] (2*a*(A + B - C)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(A + 3*(B + C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 0.239549, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4112, 3031, 3023, 2748, 2641, 2639}

$$\frac{2a(A + 3(B + C))F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a(A + B - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2aC \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*a*(A + B - C)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(A + 3*(B + C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x], x]
```

```

+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int(((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))(C+B\cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2aC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} - 2\int \frac{-\frac{1}{2}a(B+C) - \frac{1}{2}a^2}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2aC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} \\
&= \frac{2aC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} \\
&= \frac{2a(A+B-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A+C)}{3d}
\end{aligned}$$

Mathematica [C] time = 6.44697, size = 1173, normalized size = 11.97

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((A + B - 2*C + A*Cos[2*c] + B*Cos[2*c])*Csc[c]*Sec[c])/(2*d) + (A*Cos[d*x]*Sin[c])/(3*d) + (A*Cos[c]*Sin[d*x])/(3*d) + (C*Sec[c]*Sec[c + d*x]*Sin[d*x])/d) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*Sqrt[1 + Cot[c]^2]) - (A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])])

$$\begin{aligned} &]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])/(2*d) - (B*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^2*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])/(2*d) + (C*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^2*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])/(2*d) \end{aligned}$$

Maple [B] time = 2.57, size = 380, normalized size = 3.9

$$-\frac{2a}{3d} \left(4A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4 + A \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] `-2/3*a*(4*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+A*(sin(1/2*d*x+1/2*c)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*A+3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+3*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+3*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-6*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*C/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Ca cos(dx + c) sec(dx + c)³ + (B + C)a cos(dx + c) sec(dx + c)² + (A + B)a cos(dx + c) sec(dx + c) + Aa

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a*cos(d*x + c)*sec(d*x + c)^3 + (B + C)*a*cos(d*x + c)*sec(d*x + c)^2 + (A + B)*a*cos(d*x + c)*sec(d*x + c) + A*a*cos(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)
```

3.1191 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx)) (A+B \sec(c+dx)+C \sec(c+dx)^2) dx$

Optimal. Leaf size=103

$$\frac{2a(3A+3B+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a(A-B-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(B+C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)}$$

[Out] (2*a*(A - B - C)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(3*A + 3*B + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*a*(B + C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.248645, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4112, 3031, 3021, 2748, 2641, 2639}

$$\frac{2a(3A+3B+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A-B-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(B+C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(A - B - C)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(3*A + 3*B + C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*C*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*a*(B + C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3031

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e

```

+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))(C+B\cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)}dx \\
&= \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} - \frac{2}{3} \int \frac{-\frac{3}{2}a(B+C) - \frac{1}{2}a^2}{\cos^{\frac{5}{2}}(c+dx)}dx \\
&= \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2a(B+C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} \\
&= \frac{2aC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2a(B+C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} \\
&= \frac{2a(A-B-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(3A+B+C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.50473, size = 1180, normalized size = 11.46

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((A - 2*B - 2*C + A*Cos[2*c])*Csc[c]*Sec[c])/(2*d) + (C*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(3*d) + (Sec[c]*Sec[c + d*x]*(C*Sin[c] + 3*B*Sin[d*x] + 3*C*Sin[d*x]))/(3*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]])

$$\begin{aligned} & \text{an}[c]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (2*d) + (B * (1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (2*d) + (C * (1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (2*d)) \end{aligned}$$

Maple [B] time = 5.812, size = 515, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\text{sec}(d*x+c))*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)*\text{cos}(d*x+c)^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -4 * (-(-2 * \text{cos}(1/2 * d * x + 1/2 * c)^2 + 1) * \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * (1/2 * A * (\text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \text{cos}(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\text{EllipticF}(\text{cos}(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - \text{EllipticE}(\text{cos}(1/2 * d * x + 1/2 * c), 2^{(1/2)})) + 1/2 * B * (\text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \text{cos}(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 1/2 * C * (-1/6 * \text{cos}(1/2 * d * x + 1/2 * c) * (-2 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\text{cos}(1/2 * d * x + 1/2 * c)^2 - 1/2)^2 + 1/3 * (\text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \text{cos}(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2 * d * x + 1/2 * c), 2^{(1/2)})) + (1/2 * B + 1/2 * C) * (-\text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \text{sin}(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (-2 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 2 * (-2 * \text{sin}(1/2 * d * x + 1/2 * c)^4 + \text{sin}(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{cos}(1/2 * d * x + 1/2 * c) * \text{sin}(1/2 * d * x + 1/2 * c)^2 / \text{sin}(1/2 * d * x + 1/2 * c)^2 / (2 * \text{sin}(1/2 * d * x + 1/2 * c)^2 - 1) / \text{sin}(1/2 * d * x + 1/2 * c) / (2 * \text{cos}(1/2 * d * x + 1/2 * c) \end{aligned}$$

$$\sqrt{2-1}^{1/2}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca \sec(dx + c)^3 + (B + C)a \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a*sec(d*x + c)^3 + (B + C)*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

$$3.1192 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=141

$$\frac{2a(3A+B+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2a(5A+5B+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(5A+5B+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a(B+C)\sin(c+dx)}{3d\cos^2(c+dx)}$$

[Out] $(-2*a*(5*A + 5*B + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(3*A + B + C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*(B + C)*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(5*A + 5*B + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.266809, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4112, 3031, 3021, 2748, 2636, 2639, 2641}

$$\frac{2a(3A+B+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(5A+5B+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(5A+5B+3C)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a(B+C)\sin(c+dx)}{3d\cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + a*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)}{\text{Sqrt}[\text{Cos}[c + d*x]]}, x]$

[Out] $(-2*a*(5*A + 5*B + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(3*A + B + C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*(B + C)*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(5*A + 5*B + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_)]))^{(m_)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_)] + (C_.)*\sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^{(m)}*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /;$ Free eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3031

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(a + a \cos(c + dx))(C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(B + C) - \frac{1}{2}a(5A + 5B + 3C)}{\cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(B + C) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{4}{15} \int \frac{-\frac{3}{4}a(3A + B + C)}{\cos^{\frac{1}{2}}(c + dx)} \\
&= \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(B + C) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3}(a(3A + B + C)) \\
&= \frac{2a(3A + B + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \\
&= -\frac{2a(5A + 5B + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(3A + B + C)}{3}
\end{aligned}$$

Mathematica [C] time = 6.57695, size = 1228, normalized size = 8.71

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]
```

```
[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(((5*A + 5*B + 3*C)*Csc[c]*Sec[c])/(5*d) + (C*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(5*d) + (Sec[c]*Sec[c + d*x]^2*(3*C*Sin[c] + 5*B*Sin[d*x] + 5*C*Sin[d*x]))/(15*d) + (Sec[c]*Sec[c + d*x]*(5*B*Sin[c] + 5*C*Sin[c] + 15*A*Sin[d*x] + 15*B*Sin[d*x] + 9*C*Sin[d*x]))/(15*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])
```

```

]]]])/(3*d*Sqrt[1 + Cot[c]^2]) - (C*(1 + Cos[c + d*x])*Csc[c]*Hypergeometri
cPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*S
ec[d*x - ArcTan[Cot[c]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1
+ Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Co
t[c]]]])/(3*d*Sqrt[1 + Cot[c]^2]) + (A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 +
(d*x)/2]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]
]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]
]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]
*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[
c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan
[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1
+ Tan[c]^2]))/(2*d) + (B*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(
HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*
x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + C
os[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Ta
n[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 +
Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos
[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2
]))/(2*d) + (3*C*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(Hypergeom
etricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan
[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + A
rcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*S
qrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2]
+ (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Si
n[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d)
)

```

Maple [B] time = 7.517, size = 739, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x)
```

```
[Out] -4*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(1/2*A*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+
(1/2*B+1/2*C)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/
2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1
/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))-1/10*C/(8*sin(1/2*d*x
```

$$\begin{aligned}
& +1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2 \\
& *c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(\\
& 1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2* \\
& c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1 \\
& /2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24 \\
& *sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\
& *EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1 \\
& /2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\
& 2*c)^2)^{(1/2)}+(1/2*A+1/2*B)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1 \\
& /2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellip \\
& ticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\
& *c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/ \\
& (2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(\\
& 1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca \sec(dx + c)^3 + (B + C)a \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*a*sec(d*x + c)^3 + (B + C)*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sqrt{\cos(c+dx)}} dx + \int \frac{A \sec(c+dx)}{\sqrt{\cos(c+dx)}} dx + \int \frac{B \sec(c+dx)}{\sqrt{\cos(c+dx)}} dx + \int \frac{B \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx + \int \frac{C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx + \int \frac{C \sec^3(c+dx)}{\sqrt{\cos(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] a*(Integral(A/sqrt(cos(c + d*x)), x) + Integral(A*sec(c + d*x)/sqrt(cos(c + d*x)), x) + Integral(B*sec(c + d*x)/sqrt(cos(c + d*x)), x) + Integral(B*sec(c(c + d*x)**2/sqrt(cos(c + d*x)), x) + Integral(C*sec(c + d*x)**2/sqrt(cos(c + d*x)), x) + Integral(C*sec(c + d*x)**3/sqrt(cos(c + d*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)

$$3.1193 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=177

$$\frac{2a(7A + 7B + 5C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} - \frac{2a(5A + 3(B + C))E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(7A + 7B + 5C) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 3(B + C)) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $(-2*a*(5*A + 3*(B + C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(7*A + 7*B + 5*C))*\text{EllipticF}[(c + d*x)/2, 2]/(21*d) + (2*a*C*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*a*(B + C)*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*(7*A + 7*B + 5*C)*\text{Sin}[c + d*x])/(21*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(5*A + 3*(B + C))*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.30244, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4112, 3031, 3021, 2748, 2636, 2641, 2639}

$$\frac{2a(7A + 7B + 5C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} - \frac{2a(5A + 3(B + C))E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(7A + 7B + 5C) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 3(B + C)) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + a*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)}{\text{Cos}[c + d*x]^{(3/2)}}, x]$

[Out] $(-2*a*(5*A + 3*(B + C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(7*A + 7*B + 5*C))*\text{EllipticF}[(c + d*x)/2, 2]/(21*d) + (2*a*C*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*a*(B + C)*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*(7*A + 7*B + 5*C)*\text{Sin}[c + d*x])/(21*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(5*A + 3*(B + C))*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sec}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m + 2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n - m - 2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /; \text{FreeQ}[a, b, c, d, m, n, A, B, C]$

$eQ[\{a, b, d, e, f, A, B, C, n\}, x] \&\& !\text{IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3031

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]\}*(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2, x_Symbol] \rightarrow -\text{Simp}[\{(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}\}/(b^2*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[1/(b^2*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)}*\text{Simp}[b*(m + 1)*\{(b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)\} + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))\}*\sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 3021

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2, x_Symbol] \rightarrow -\text{Simp}[\{(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}\}/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*\sin[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2748

$\text{Int}[\{(b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]\}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2636

$\text{Int}[\{(b_.)*\sin[(c_.) + (d_.)*(x_.)]\}^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\cos[c + d*x]*(b*\sin[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\sin[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2641

$\text{Int}[1/\sqrt{\sin[(c_.) + (d_.)*(x_.)]}, x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^3(c + dx)} dx = \int \frac{(a + a \cos(c + dx))(C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^9(c + dx)} dx$$

$$= \frac{2aC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}a(B + C) - \frac{1}{2}a(7A + 7B + C)}{\cos^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2aC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2a(B + C) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{4}{35} \int \frac{-\frac{5}{4}a(7A + 7B + C)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2aC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2a(B + C) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{1}{7}(a(7A + 7B + C) \sin(c + dx))$$

$$= \frac{2aC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2a(B + C) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(7A + 7B + C) \sin(c + dx)}{7d}$$

$$= -\frac{2a(5A + 3(B + C))E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(7A + 7B + C) \sin(c + dx)}{7d}$$

Mathematica [C] time = 6.65058, size = 1284, normalized size = 7.25

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*((5*A + 3*B + 3*C)*Csc[c]*Sec[c])/(5*d) + (C*Sec[c]*Sec[c + d*x]^4*Sin[d*x])/(7*d) + (Sec[c]*Sec[c + d*x]^3*(5*C*Sin[c] + 7*B*Sin[d*x] + 7*C*Sin[d*x]))/(35*d) + (Sec[c]*Sec[c + d*x]^2*(21*B*Sin[c] + 21*C*Sin[c] + 35*A*Sin[d*x] + 35*B*Sin[d*x] + 25*C*Sin[d*x]))/(105*d) + (Sec[c]*Sec[c + d*x]*(35*A*Sin[c] + 35*B*Sin[c] + 25*C*Sin[c] + 105*A*Sin[d*x] + 63*B*Sin[d*x] + 63*C*Sin[d*x]))/(105*d) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x])])

$$\begin{aligned}
& x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (3*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (B*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \\
& \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^2*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin} \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (3*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (5*C*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \\
& \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^2*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c] \\
&]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (21*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) + (A*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^2*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]) * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]) * \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (2*d) + (3*B*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^2*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]) * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]) * \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (10*d) + (3*C*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^2*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]) * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]) * \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (10*d)
\end{aligned}$$

Maple [B] time = 8.987, size = 849, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\text{sec}(d*x+c))*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/\text{cos}(d*x+c)^{(3/2)}, x)$

[Out] $-4*(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*a*((1/2*A+1/2*B)*(-1/6*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/(\text{cos}(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}$

$$\begin{aligned} & (1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) + 1/2*C*(-1/56*\cos(1/2*d*x+1/2*c) \\ & *(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)/(\cos(1/2*d*x+1/2*c)^2 \\ & -1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*(- \\ & 2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) - 1/5*(1/2*B+1/2*C)/(8*\sin(1 \\ & /2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d \\ & *x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2* \\ & c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d* \\ & x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticE} \\ & (\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c \\ &)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1) \\ & ^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8 \\ & *\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}+1/2*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2 \\ & *c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{Ellipti} \\ & cE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \\ &)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2 \\ & * \sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/ \\ & 2)/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca \sec(dx+c)^3 + (B+C)a \sec(dx+c)^2 + (A+B)a \sec(dx+c) + Aa}{\cos(dx+c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)
,x, algorithm="fricas")
```

```
[Out] integral((C*a*sec(d*x + c)^3 + (B + C)*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x
+ c) + A*a)/cos(d*x + c)^(3/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/
2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/cos(
d*x + c)^(3/2), x)
```

$$3.1194 \quad \int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx))^2 dx$$

Optimal. Leaf size=251

$$\frac{4a^2(50A + 55B + 66C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^2(7A + 8B + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(89A + 121B + 99C)\sin(c + dx)\cos(c + dx)}{693d}$$

[Out] (4*a^2*(7*A + 8*B + 9*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(50*A + 55*B + 66*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^2*(50*A + 55*B + 66*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (4*a^2*(7*A + 8*B + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*a^2*(89*A + 121*B + 99*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(11*d) + (2*(4*A + 11*B)*Cos[c + d*x]^(5/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(99*d)

Rubi [A] time = 0.596742, antiderivative size = 251, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3045, 2976, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{4a^2(50A + 55B + 66C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{4a^2(7A + 8B + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(89A + 121B + 99C)\sin(c + dx)\cos(c + dx)}{693d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^2*(7*A + 8*B + 9*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(50*A + 55*B + 66*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^2*(50*A + 55*B + 66*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (4*a^2*(7*A + 8*B + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*a^2*(89*A + 121*B + 99*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(11*d) + (2*(4*A + 11*B)*Cos[c + d*x]^(5/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(99*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e

+ f*x]]^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3045

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n*Simp[A*b*d*(m + n + 2) + C*(a*c*m + b*d*(n + 1)) + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748


```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^2(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^2(C+ \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^2\sin(c+dx)}{11d} \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^2\sin(c+dx)}{11d} \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^2\sin(c+dx)}{11d} \\
&= \frac{2a^2(89A+121B+99C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{693d} \\
&= \frac{2a^2(89A+121B+99C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{693d} \\
&= \frac{4a^2(50A+55B+66C)\sqrt{\cos(c+dx)}\sin(c+dx)}{231d} \\
&= \frac{4a^2(7A+8B+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{4a^2(7A+8B+9C)\sqrt{\cos(c+dx)}}{15d}
\end{aligned}$$

Mathematica [C] time = 6.45479, size = 1364, normalized size = 5.43

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a^2*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(-((7*A + 8*B + 9*C)*Cot[c])/(15*d) + ((941*A + 1012*B + 1122*C)*Cos[d*x]*Sin[c])/(3696*d) + ((38*A + 37*B + 36*C)*Cos[2*d*x]*Sin[2*c])/(360*d) + ((101*A + 88*B + 44*C)*Cos[3*d*x]*Sin[3*c])/(2464*d) + ((2*A + B)*Cos[4*d*x]*Sin[4*c])/(144*d) + (A*Cos[5*d*x]*Sin[5*c])/(352*d) + ((941*A + 1012*B + 1122*C)*Cos[c]*Sin[d*x])/(3696*d) + ((38*A + 37*B + 36*C)*Cos[2*c]*Sin[2*d*x])/(360*d) + ((101*A + 88*B + 44*C)*Cos[3*c]*Sin[3*d*x])/(2464*d) + ((2*A + B)*Cos[4*c]*Sin[4*d*x])/(144*d) + (A*Cos[5*c]*Sin[5*d*x])/(352*d)) - (50*A*(1 + Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - A

```

rcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])
]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(231*d*Sqrt[1 + Cot[c]^2]) - (5*B*(1
+ Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - Ar
cTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Si
n[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[
Cot[c]]]])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*Sqrt[1 + Cot[c]^2]) -
(2*C*(1 + Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[
d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqr
t[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x -
ArcTan[Cot[c]]]])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(7*d*Sqrt[1 + Cot[c
]^2]) - (7*A*(1 + Cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(Hypergeomet
ricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[T
an[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + Arc
Tan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqr
t[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] +
(2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[
c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(30*d) -
(4*B*(1 + Cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[
{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]
*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan
[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + T
an[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos
[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/
Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(15*d) - (3*C*(
1 + Cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[-1/2,
-1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c]
)/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*
Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2
]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*C
os[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Co
s[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d)

```

Maple [A] time = 2.334, size = 545, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -4/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(10080*
A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-37520*A-6160*B)*sin(1/2*d*x+1/
```

$$2*c)^{10}*\cos(1/2*d*x+1/2*c)+(57040*A+20240*B+3960*C)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-46192*A-26048*B-11484*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(22022*A+17248*B+12474*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-4563*A-4257*B-3861*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+750*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1617*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+825*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1848*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+990*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2079*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^2*cos(dx+c)^5*sec(dx+c)^4+(B+2C)*a^2*cos(dx+c)^5*sec(dx+c)^3+(A+2B+C)*a^2*cos(dx+c)^5*sec(dx+c)^2),x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^2*cos(dx+c)^5*sec(dx+c)^4+(B+2C)*a^2*cos(dx+c)^5*sec(dx+c)^3+(A+2B+C)*a^2*cos(dx+c)^5*sec(dx+c)^2+(2*A+B)*a^2*cos(dx+c)^5*sec(dx+c)+A*a^2*cos(dx+c)^5)*sqrt(cos(dx+c)),x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(11/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(11/2), x)

3.1195 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=215

$$\frac{4a^2(5A + 6B + 7C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^2(8A + 9B + 12C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(19A + 27B + 21C)\sin(c + dx)}{105d}$$

[Out] (4*a^2*(8*A + 9*B + 12*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(5*A + 6*B + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^2*(5*A + 6*B + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a^2*(19*A + 27*B + 21*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(9*d) + (2*(4*A + 9*B)*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(63*d)

Rubi [A] time = 0.553975, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3045, 2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{4a^2(5A + 6B + 7C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(8A + 9B + 12C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(19A + 27B + 21C)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^2*(8*A + 9*B + 12*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(5*A + 6*B + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^2*(5*A + 6*B + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a^2*(19*A + 27*B + 21*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(9*d) + (2*(4*A + 9*B)*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(63*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3045

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n*Simp[A*b*d*(m + n
+ 2) + C*(a*c*m + b*d*(n + 1)) + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n +
2))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m
, -2^(-1)] && NeQ[m + n + 2, 0]
```

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 (C + \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\
 &= \frac{2a^2(19A + 27B + 21C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} \\
 &= \frac{2a^2(19A + 27B + 21C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} \\
 &= \frac{4a^2(8A + 9B + 12C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^2(8A + 9B + 12C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \dots
 \end{aligned}$$

Mathematica [C] time = 6.41589, size = 1699, normalized size = 7.9

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(8*A + 9*B + 12*C)*Cot[c])/(15*d) + ((46*A + 51*B + 56*C)*Cos[d*x]*Sin[c])/(84*d) + ((37*A + 36*B + 18*C)*Cos[2*d*x]*Sin[2*c])/(180*d) + ((2*A + B)*Cos[3*d*x]*Sin[3*c])/(28*d) + (A*Cos[4*d*x]*Sin[4*c])/(72*d) + ((46*A + 51*B + 56*C)*Cos[c]*Sin[d*x])/(84*d) + ((37*A + 36*B + 18*C)*Cos[2*c]*Sin[2*d*x])/(180*d) + ((2*A + B)*Cos[3*c]*Sin[3*d*x])/(28*d) + (A*Cos[4*c]*Sin[4*d*x])/(72*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (10*A*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*B*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (2*C*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (8*A*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(15*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (3*B*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Ta

$$\frac{\sin(c)}{\sqrt{1 - \cos(dx + \arctan(\tan(c)))} \sqrt{1 + \cos(dx + \arctan(\tan(c)))} \sqrt{\cos(c) \cos(dx + \arctan(\tan(c)))} \sqrt{1 + \tan(c)^2}} \sqrt{1 + \tan(c)^2}) - \left(\frac{\sin(dx + \arctan(\tan(c))) \tan(c)}{\sqrt{1 + \tan(c)^2}} + \frac{2 \cos(c)^2 \cos(dx + \arctan(\tan(c))) \sqrt{1 + \tan(c)^2}}{(\cos(c)^2 + \sin(c)^2)} \sqrt{\cos(c) \cos(dx + \arctan(\tan(c))) \sqrt{1 + \tan(c)^2}} \right) / (5d(A + 2C + 2B \cos(c + dx) + A \cos(2c + 2dx))) - (4C \cos(c + dx)^4 \csc(c) \sec(c/2 + (dx)/2)^4 (a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)^2) * (\text{HypergeometricPFQ}[-1/2, -1/4], \{3/4\}, \cos(dx + \arctan(\tan(c)))^2 \sin(dx + \arctan(\tan(c))) \tan(c)) / (\sqrt{1 - \cos(dx + \arctan(\tan(c)))} \sqrt{1 + \cos(dx + \arctan(\tan(c)))} \sqrt{\cos(c) \cos(dx + \arctan(\tan(c)))} \sqrt{1 + \tan(c)^2}} \sqrt{1 + \tan(c)^2}) - \left(\frac{\sin(dx + \arctan(\tan(c))) \tan(c)}{\sqrt{1 + \tan(c)^2}} + \frac{2 \cos(c)^2 \cos(dx + \arctan(\tan(c))) \sqrt{1 + \tan(c)^2}}{(\cos(c)^2 + \sin(c)^2)} \sqrt{\cos(c) \cos(dx + \arctan(\tan(c))) \sqrt{1 + \tan(c)^2}} \right) / (5d(A + 2C + 2B \cos(c + dx) + A \cos(2c + 2dx)))$$

Maple [B] time = 2.522, size = 514, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{(9/2)} * (a+a*\sec(dx+c))^2 * (A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\frac{-4/315 * ((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a^2 * (-560*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10} + (1840*A+360*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c) + (-2368*A-1044*B-252*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c) + (1568*A+1134*B+672*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c) + (-387*A-351*B-273*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) + 75*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 168*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 90*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 189*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 105*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 252*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^2*cos(dx+c)^4*sec(dx+c)^4+(B+2C)a^2*cos(dx+c)^4*sec(dx+c)^3+(A+2B+C)a^2*cos(dx+c)^4*sec(dx+c)^2),x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^2*cos(d*x+c)^4*sec(d*x+c)^4+(B+2*C)*a^2*cos(d*x+c)^4*sec(d*x+c)^3+(A+2*B+C)*a^2*cos(d*x+c)^4*sec(d*x+c)^2+(2*A+B)*a^2*cos(d*x+c)^4*sec(d*x+c)+A*a^2*cos(d*x+c)^4)*sqrt(cos(d*x+c)),x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(9/2), x)
```

3.1196 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=179

$$\frac{4a^2(6A + 7B + 14C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^2(3A + 4B + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(33A + 49B + 35C)\sin(c + dx)}{105d}$$

[Out] (4*a^2*(3*A + 4*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(6*A + 7*B + 14*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(33*A + 49*B + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x]^2*Sin[c + d*x]))/(7*d) + (2*(4*A + 7*B)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(35*d)

Rubi [A] time = 0.546143, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3045, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(6A + 7B + 14C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(3A + 4B + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(33A + 49B + 35C)\sin(c + dx)\sqrt{\cos(c + dx)}}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^2*(3*A + 4*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(6*A + 7*B + 14*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(33*A + 49*B + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x]^2*Sin[c + d*x]))/(7*d) + (2*(4*A + 7*B)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(35*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3045

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_
) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n*Simp[A*b*d*(m + n
+ 2) + C*(a*c*m + b*d*(n + 1)) + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n +
2))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x
] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m
, -2^(-1)] && NeQ[m + n + 2, 0]

```

Rule 2976

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2968

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

```

Rule 3023

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[(b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^2 (C + B \cos(c + dx) + A \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} \\
 &= \frac{2a^2(33A + 49B + 35C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
 &= \frac{2a^2(33A + 49B + 35C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
 &= \frac{4a^2(3A + 4B + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \dots
 \end{aligned}$$

Mathematica [C] time = 6.72706, size = 2001, normalized size = 11.18

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

```
[Out] (((3*I)/10)*A*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) + (((2*I)/5)*B*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) + ((I/2)*C*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) + (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(3*A + 4*B + 5*C)*Cot[c])/(5*d) + ((51*A + 56*B + 28*C)*Cos[d*x]*Sin[c])/(84*d) + ((2*A + B)*Cos[2*d*x]*Sin[2*c])/(10*d) + (A*Cos[3*d*x]*Sin[3*c])/(28*d) + ((51*A + 56*B + 28*C)*Cos[c]*Sin[d*x])/(84*d) + ((2*A + B)*Cos[2*c]*Sin[2*d*x])/(10*d) + (A*Cos[3*c]*Sin[3*d*x])/(28*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (4*A*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (2*B*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin
```


$$\begin{aligned} & [d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*C*\text{Cos}[c + d*x]^4 * \text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2 * \text{Sec}[c/2 + (d*x)/2]^4 * (a + a*\text{Sec}[c + d*x])^2 * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) \end{aligned}$$

Maple [B] time = 2.266, size = 483, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$\begin{aligned} & -4/105 * ((2*\text{cos}(1/2*d*x+1/2*c)^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * a^2 * (120*A*\text{sin}(1/2*d*x+1/2*c)^8 * \text{cos}(1/2*d*x+1/2*c) + (-348*A-84*B)*\text{sin}(1/2*d*x+1/2*c)^6 * \text{cos}(1/2*d*x+1/2*c) + (378*A+224*B+70*C)*\text{sin}(1/2*d*x+1/2*c)^4 * \text{cos}(1/2*d*x+1/2*c) \\ & + (-117*A-91*B-35*C)*\text{sin}(1/2*d*x+1/2*c)^2 * \text{cos}(1/2*d*x+1/2*c) - 63*A * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) + 30*A * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) - 84*B * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & + 35*B * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) - 105*C * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) + 70*C * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) \\ &) / (-2*\text{sin}(1/2*d*x+1/2*c)^4 + \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} / \text{sin}(1/2*d*x+1/2*c) / (2*\text{cos}(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ca^2 cos(dx + c)^3 sec(dx + c)^4 + (B + 2C)a^2 cos(dx + c)^3 sec(dx + c)^3 + (A + 2B + C)a^2 cos(dx + c)^3 sec(dx + c)^2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^2*cos(d*x + c)^3*sec(d*x + c)^4 + (B + 2*C)*a^2*cos(d*x + c)^3*sec(d*x + c)^3 + (A + 2*B + C)*a^2*cos(d*x + c)^3*sec(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c)^3*sec(d*x + c) + A*a^2*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(7/2), x)
```

$$3.1197 \quad \int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)) dx$$

Optimal. Leaf size=170

$$\frac{4a^2(A + 2B + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a^2(7A + 5B - 15C) \sin(c + dx) \sqrt{\cos(c + dx)}}{15d} + \frac{4a^2(4A + 5B)E\left(\frac{1}{2}(c + dx)\right)}{5d}$$

[Out] (4*a^2*(4*A + 5*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(A + 2*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A + 5*B - 15*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*cos[c + d*x])^2*sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*(A - 5*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.529353, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3043, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(A + 2B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2(7A + 5B - 15C) \sin(c + dx) \sqrt{\cos(c + dx)}}{15d} + \frac{4a^2(4A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^2*(4*A + 5*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(A + 2*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A + 5*B - 15*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*cos[c + d*x])^2*sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*(A - 5*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])*Sin[c + d*x])/(5*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3043

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c
+ d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c
*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n
+ 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m,
-2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
```

$b \sin[e + f x]^{m+1}, x, x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= \int \frac{(a+a \cos(c+dx))^2 (C+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \\ &= \frac{2C(a+a \cos(c+dx))^2 \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2 \int (a+a \cos(c+dx))^2 \sin(c+dx) dx}{d\sqrt{\cos(c+dx)}} \\ &= \frac{2C(a+a \cos(c+dx))^2 \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2(A \int (a+a \cos(c+dx))^2 \sin(c+dx) dx)}{d\sqrt{\cos(c+dx)}} \\ &= \frac{2C(a+a \cos(c+dx))^2 \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2(A \int (a+a \cos(c+dx))^2 \sin(c+dx) dx)}{d\sqrt{\cos(c+dx)}} \\ &= \frac{2a^2(7A+5B-15C)\sqrt{\cos(c+dx)} \sin(c+dx)}{15d} \\ &= \frac{2a^2(7A+5B-15C)\sqrt{\cos(c+dx)} \sin(c+dx)}{15d} \\ &= \frac{4a^2(4A+5B)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{4a^2(A+B \sec(c+dx)+C \sec^2(c+dx)) \sin(c+dx)}{5d} \end{aligned}$$

Mathematica [C] time = 6.63849, size = 1356, normalized size = 7.98

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(8*A + 10*B - 5*C + 8*A*Cos[2*c] + 10*B*Cos[2*c] + 5*C*Cos[2*c])*Csc[c]*Sec[c])/(10*d) + ((2*A + B)*Cos[d*x]*Sin[c])/(3*d) + (A*Cos[2*d*x]*Sin[2*c])/(10*d) + ((2*A + B)*Cos[c]*Sin[d*x])/(3*d) + (C*Sec[c]*Sec[c + d*x]*Sin[d*x])/d + (A*Cos[2*c]*Sin[2*d*x])/(10*d))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (2*A*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*B*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (2*C*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*A*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(5*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (B*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

Maple [B] time = 2.99, size = 595, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{5/2}*(a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -4/15*a^2*(-12*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*(16*A+5*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*(13*A+5*B+15*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2})-12*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{1/2})+10*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2})-15*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{1/2})+15*C*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{5/2}*(a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left((Ca^2 \cos(dx+c)^2 \sec(dx+c)^4 + (B+2C)a^2 \cos(dx+c)^2 \sec(dx+c)^3 + (A+2B+C)a^2 \cos(dx+c)^2 \sec(dx+c)^2 \right) dx$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^2*cos(d*x + c)^2*sec(d*x + c)^4 + (B + 2*C)*a^2*cos(d*x + c)^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*cos(d*x + c)^2*sec(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c)^2*sec(d*x + c) + A*a^2*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(5/2), x)
```

3.1198 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=170

$$\frac{4a^2(2A + 3B + 2C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a^2(A - 3B - 5C)\sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{4a^2(A - C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d}$$

```
[Out] (4*a^2*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (4*a^2*(2*A + 3*B + 2*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(A - 3*B - 5*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*C*(a + a*cos[c + d*x])^2*sin[c + d*x])/(3*d*cos[c + d*x]^(3/2)) + (2*(3*B + 4*C)*(a^2 + a^2*cos[c + d*x])*sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 0.537506, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3043, 2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(2A + 3B + 2C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{2a^2(A - 3B - 5C)\sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{4a^2(A - C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2(3B + 4C)\sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^2*(A - C)*EllipticE[(c + d*x)/2, 2])/d + (4*a^2*(2*A + 3*B + 2*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(A - 3*B - 5*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*C*(a + a*cos[c + d*x])^2*sin[c + d*x])/(3*d*cos[c + d*x]^(3/2)) + (2*(3*B + 4*C)*(a^2 + a^2*cos[c + d*x])*sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3043

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c
+ d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c
*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n
+ 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m,
-2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
```

$b \sin[e + f x]^{(m + 1), x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)(x_)]], x_Symbol] \text{ :> } \text{Simp}[(2 * \text{EllipticF}[(1 * (c - \text{Pi}/2 + d * x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)(x_)]], x_Symbol] \text{ :> } \text{Simp}[(2 * \text{EllipticE}[(1 * (c - \text{Pi}/2 + d * x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^2 (C + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \int \dots}{\dots} \\ &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(3A + 5C)}{3d} \int \frac{\sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(3A + 5C)}{3d} \int \frac{\sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a^2(A - 3B - 5C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{2a^2(A - 3B - 5C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{4a^2(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4a^2(2A + 3C)}{3d} \end{aligned}$$

Mathematica [C] time = 6.84113, size = 1583, normalized size = 9.31

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] ((I/2)*A*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - ((I/2)*C*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) + (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(2*A - B - 4*C + 2*A*Cos[2*c] + B*Cos[2*c])*Csc[c]*Sec[c])/(2*d) + (A*Cos[d*x]*Sin[c])/(3*d) + (A*Cos[c]*Sin[d*x])/(3*d) + (C*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(3*d) + (Sec[c]*Sec[c + d*x]*(C*Sin[c] + 3*B*Sin[d*x] + 6*C*Sin[d*x]))/(3*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (4*A*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (2*B*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*C*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]

$$x^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]] / (3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2])$$

Maple [B] time = 6.76, size = 800, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$\frac{4}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^2 / (4 * \sin(1/2 * d * x + 1/2 * c)^4 - 4 * \sin(1/2 * d * x + 1/2 * c)^2 + 1) / \sin(1/2 * d * x + 1/2 * c)^3 * (4 * A * \sin(1/2 * d * x + 1/2 * c)^6 * \cos(1/2 * d * x + 1/2 * c) + 4 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \sin(1/2 * d * x + 1/2 * c)^2 - 6 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 - 4 * A * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^4 + 6 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 - 6 * B * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^4 + 4 * C * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 + 6 * C * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 - 12 * C * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^4 - 2 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 3 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) * A - 3 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 3 * B * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) - 2 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 7 * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) * C * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca^2 \cos(dx+c) \sec(dx+c)^4 + (B+2C)a^2 \cos(dx+c) \sec(dx+c)^3 + (A+2B+C)a^2 \cos(dx+c) \sec(dx+c)^2\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^2*cos(d*x + c)*sec(d*x + c)^4 + (B + 2*C)*a^2*cos(d*x + c)*sec(d*x + c)^3 + (A + 2*B + C)*a^2*cos(d*x + c)*sec(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c)*sec(d*x + c) + A*a^2*cos(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c) + A \right) (a \sec(dx+c) + a)^2 \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)
```


3.1199 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C)$

Optimal. Leaf size=174

$$\frac{4a^2(3A+2B+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a^2(15A+25B+17C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}} - \frac{4a^2(5B+4C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(5B+4C)}{d}$$

[Out] $(-4*a^2*(5*B + 4*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*(3*A + 2*B + C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*(15*A + 25*B + 17*C)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(5*B + 4*C)*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(15*d*\text{Cos}[c + d*x]^{(3/2)})$

Rubi [A] time = 0.541798, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3043, 2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{4a^2(3A+2B+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a^2(15A+25B+17C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}} - \frac{4a^2(5B+4C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(5B+4C)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-4*a^2*(5*B + 4*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*(3*A + 2*B + C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*(15*A + 25*B + 17*C)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(5*B + 4*C)*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(15*d*\text{Cos}[c + d*x]^{(3/2)})$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sec}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3043

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c
+ d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c
*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n
+ 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m,
-2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
```

`_)])`, `x_Symbol]` \rightarrow `Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /;` `FreeQ[{b, c, d, e, f, m}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol]` \rightarrow `Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;` `FreeQ[{c, d}, x]`

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol]` \rightarrow `Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;` `FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c + dx)}(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^2 (C + B \cos(c + dx) + A \sec^2(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\
 &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B(a + a \cos(c + dx))^2}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \cos(c + dx))^2}{5d \cos^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B(a + a \cos(c + dx))^2}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2A(a + a \cos(c + dx))^2}{5d \cos^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2a^2(15A + 25B + 17C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)}} + \frac{2a^2(15A + 25B + 17C)}{15d \sqrt{\cos(c + dx)}} + \frac{2a^2(15A + 25B + 17C)}{15d \sqrt{\cos(c + dx)}} \\
 &= -\frac{4a^2(5B + 4C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(15A + 25B + 17C)}{15d \sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.94642, size = 1599, normalized size = 9.19

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out]
$$\begin{aligned} &((-I/2)*B*\cos[c + d*x]^4*\csc[c]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2 \\ &*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}}*\sqrt{1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]})/((3*I)*d*(1 + E^{((2*I)*d*x)}*\cos[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}}*\sqrt{1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]})/((-I)*d*(1 + E^{((2*I)*d*x)}*\cos[c] + d*(-1 + E^{((2*I)*d*x)})*\sin[c]))/(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) - (((2*I)/5)*C*\cos[c + d*x]^4*\csc[c]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}}*\sqrt{1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]})/((3*I)*d*(1 + E^{((2*I)*d*x)}*\cos[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}}*\sqrt{1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]})/((-I)*d*(1 + E^{((2*I)*d*x)}*\cos[c] + d*(-1 + E^{((2*I)*d*x)})*\sin[c]))/(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) + (\cos[c + d*x]^{(9/2)}*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(-((-5*A - 20*B - 16*C + 5*A*\cos[2*c])*C*\csc[c]*\sec[c])/(10*d) + (C*\sec[c]*\sec[c + d*x]^3*\sin[d*x])/(5*d) + (\sec[c]*\sec[c + d*x]^2*(3*C*\sin[c] + 5*B*\sin[d*x] + 10*C*\sin[d*x]))/(15*d) + (\sec[c]*\sec[c + d*x]*(5*B*\sin[c] + 10*C*\sin[c] + 15*A*\sin[d*x] + 30*B*\sin[d*x] + 24*C*\sin[d*x]))/(15*d)))/(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) - (2*A*\cos[c + d*x]^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])}]*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]})})/(d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*\sqrt{1 + \text{Cot}[c]^2}) - (4*B*\cos[c + d*x]^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]) \end{aligned}$$

$$\begin{aligned} & t[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 \\ & + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c \\ & + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (2*C*\text{Cos}[c + d*x]^4 * \text{Csc}[c] * \text{HypergeometricP} \\ & \text{FQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2 + (d*x)/2]^4 * (a \\ & + a*\text{Sec}[c + d*x])^2 * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTa} \\ & \text{n}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Si} \\ & \text{n}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d* \\ & (A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) \end{aligned}$$

Maple [B] time = 7.461, size = 906, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(1/2)}*(a+a*\sec(d*x+c))^2*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out]
$$\begin{aligned} & -8*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(1/4*A*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x \\ & +1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)} \\ &)-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+1/4*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/4*B*(\sin(1/2*d*x+1/2*c) \\ &)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+(1/4*B+1/2*C)* \\ & (-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/ \\ & 2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/20*C/(8*\sin(1/2*d*x+1/2*c)^6-12* \\ & \sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2* \\ & \sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2* \\ & d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c) \\ & , 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+ \\ & 1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos \\ & (1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c) \\ & ^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & +(1/4*A+1/2*B+1/4*C)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2 \\ & -1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos \\ & (1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(\\ & 1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^2*sec(dx+c)^4 + (B+2C)a^2*sec(dx+c)^3 + (A+2B+C)a^2*sec(dx+c)^2 + (2A+B)a^2*sec(dx+c) + Aa^2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x+c)^4 + (B+2*C)*a^2*sec(d*x+c)^3 + (A+2*B+C)*a^2*sec(d*x+c)^2 + (2*A+B)*a^2*sec(d*x+c) + A*a^2)*sqrt(cos(d*x+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)
```

$$3.1200 \quad \int \frac{(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=215

$$\frac{4a^2(14A + 7B + 6C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} - \frac{4a^2(5A + 4B + 3C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a^2(35A + 49B + 33C)\sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $(-4*a^2*(5*A + 4*B + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*(14*A + 7*B + 6*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a^2*(35*A + 49*B + 33*C)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^2*(5*A + 4*B + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*(7*B + 4*C)*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)})$

Rubi [A] time = 0.573418, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3043, 2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{4a^2(14A + 7B + 6C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} - \frac{4a^2(5A + 4B + 3C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a^2(35A + 49B + 33C)\sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^2}{105d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)}{\text{Sqrt}[\text{Cos}[c + d*x]]}, x]$

[Out] $(-4*a^2*(5*A + 4*B + 3*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*(14*A + 7*B + 6*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a^2*(35*A + 49*B + 33*C)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^2*(5*A + 4*B + 3*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*(7*B + 4*C)*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)})$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sec}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> \text{Dist}[d^{(m + 2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n - m - 2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /; \text{Fre}$

$eQ[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3043

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(n_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \text{ :> } -\text{Simp}[\{(c^2*C - B*c*d + A*d^2)*\text{Cos}[e + f*x] * (a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^{(n + 1)} / (d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^{(n + 1)}*\text{Simp}[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*\sin[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -1] \text{ || } \text{EqQ}[m + n + 2, 0])$

Rule 2975

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(n_.)}, x_Symbol] \text{ :> } -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m - 1)}*(c + d*\sin[e + f*x])^{(n + 1)}) / (d*f*(n + 1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n + 1)*(b*c + a*d)), \text{Int}[(a + b*\sin[e + f*x])^{(m - 1)}*(c + d*\sin[e + f*x])^{(n + 1)}*\text{Simp}[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*\sin[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \text{ || } \text{EqQ}[c, 0])$

Rule 2968

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \text{ :> } \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3021

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \text{ :> } -\text{Simp}[\{(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)} / (b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*\sin[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(a + a \cos(c + dx))^2 (C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \cos(c + dx))^2 \sin(c + dx)}{\cos^{\frac{9}{2}}(c + dx)} dx}{7d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(7B + 4C)(a^2 \sin(c + dx))}{7d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(7B + 4C)(a^2 \sin(c + dx))}{7d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^2(35A + 49B + 33C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^2(35A + 49B + 33C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^2(14A + 7B + 6C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a^2(35A + 49B + 33C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{4a^2(5A + 4B + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(14A + 7B + 6C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 7.04979, size = 2041, normalized size = 9.49

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/
Sqrt[Cos[c + d*x]],x]
```

```
[Out] ((-I/2)*A*Cos[c + d*x]^4*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2
*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F
1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2
```

$$\begin{aligned}
& *I*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E \\
& ^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((3*I)*d*(1 + E^((2*I)*d \\
& *x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, \\
& 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d* \\
& x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I \\
&)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*\text{Co \\
& s}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos} \\
& [2*c + 2*d*x]) - (((2*I)/5)*B*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^4*(a \\
& + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^((2*I)*d \\
& *x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2) \\
&]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E \\
& ^((I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((3* \\
& I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hyp \\
& ergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt} \\
& [(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d* \\
& x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((-I)*d*(1 \\
& + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/(A + 2*C + 2*B* \\
& \text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) - (((3*I)/10)*C*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{Se \\
& c}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d \\
& *x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))* \\
& (\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^ \\
& ((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I) \\
& *d*x)*\text{Sin}[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d \\
& *x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] \\
& + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)* \\
& d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)* \\
& \text{Sin}[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[\\
& c]))/(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) + (\text{Cos}[c + d*x]^(9/ \\
& 2)*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec} \\
& [c + d*x]^2)*((2*(5*A + 4*B + 3*C)*\text{Csc}[c]*\text{Sec}[c])/(5*d) + (C*\text{Sec}[c]*\text{Sec}[c + \\
& d*x]^4*\text{Sin}[d*x])/(7*d) + (\text{Sec}[c]*\text{Sec}[c + d*x]^3*(5*C*\text{Sin}[c] + 7*B*\text{Sin}[d*x] \\
& + 14*C*\text{Sin}[d*x]))/(35*d) + (\text{Sec}[c]*\text{Sec}[c + d*x]^2*(21*B*\text{Sin}[c] + 42*C*\text{Sin}[c \\
&] + 35*A*\text{Sin}[d*x] + 70*B*\text{Sin}[d*x] + 60*C*\text{Sin}[d*x]))/(105*d) + (\text{Sec}[c]*\text{Sec}[c \\
& + d*x]*(35*A*\text{Sin}[c] + 70*B*\text{Sin}[c] + 60*C*\text{Sin}[c] + 210*A*\text{Sin}[d*x] + 168*B*S \\
& in[d*x] + 126*C*\text{Sin}[d*x]))/(105*d)))/(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2* \\
& c + 2*d*x]) - (4*A*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4 \\
& \}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2 \\
& *(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \\
& \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcT} \\
& an[\text{Cot}[c]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B*\text{Cos}[\\
& c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (2*B*\text{Cos}[c + d*x]^4*\text{Cs \\
& c}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec} \\
& [c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x \\
&]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(S \\
& qrt[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{Arc}
\end{aligned}$$

$$\frac{\tan(\cot(c))}{(3d(A + 2C + 2B\cos(c + dx) + A\cos(2c + 2dx))\sqrt{1 + \cot(c)^2}) - (4C\cos(c + dx)^4\csc(c)\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin(dx - \arctan(\cot(c)))^2]\sec(c/2 + (dx)/2)^4(a + a\sec(c + dx))^2(A + B\sec(c + dx) + C\sec(c + dx)^2)\sec(dx - \arctan(\cot(c)))\sqrt{1 - \sin(dx - \arctan(\cot(c)))}\sqrt{-(\sqrt{1 + \cot(c)^2}\sin(c)\sin(dx - \arctan(\cot(c)))})\sqrt{1 + \sin(dx - \arctan(\cot(c)))})/(7d(A + 2C + 2B\cos(c + dx) + A\cos(2c + 2dx))\sqrt{1 + \cot(c)^2})}$$

Maple [B] time = 8.954, size = 932, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(1/2)}, x)$

[Out] $-8*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(1/4*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + (1/4*A+1/2*B+1/4*C)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/5*(1/4*B+1/2*C)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/4*C*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/4*2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + (1/2*A+1/4*B)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^2 \sec(dx+c)^4 + (B+2C)a^2 \sec(dx+c)^3 + (A+2B+C)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sqrt{\cos(dx+c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + (B + 2*C)*a^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)
```

$$3.1201 \quad \int \frac{(a+a \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=251

$$\frac{4a^2(7A+6B+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} - \frac{4a^2(12A+9B+8C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{4a^2(7A+6B+5C)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} +$$

[Out] (-4*a^2*(12*A + 9*B + 8*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(7*A + 6*B + 5*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(21*A + 27*B + 19*C)*Sin[c + d*x])/(105*d*Cos[c + d*x]^(5/2)) + (4*a^2*(7*A + 6*B + 5*C)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2)) + (4*a^2*(12*A + 9*B + 8*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(9*d*Cos[c + d*x]^(9/2)) + (2*(9*B + 4*C)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(63*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 0.599084, antiderivative size = 251, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3043, 2975, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{4a^2(7A+6B+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^2(12A+9B+8C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{4a^2(7A+6B+5C)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2(21A+27B+19C)\sin(c+dx)}{105d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (-4*a^2*(12*A + 9*B + 8*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(7*A + 6*B + 5*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(21*A + 27*B + 19*C)*Sin[c + d*x])/(105*d*Cos[c + d*x]^(5/2)) + (4*a^2*(7*A + 6*B + 5*C)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2)) + (4*a^2*(12*A + 9*B + 8*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^2*Sin[c + d*x])/(9*d*Cos[c + d*x]^(9/2)) + (2*(9*B + 4*C)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(63*d*Cos[c + d*x]^(7/2))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)

$(x_)]^2), x_Symbol] := \text{Dist}[d^{(m+2)}, \text{Int}[(b + a\cos[e + f*x])^m (d\cos[e + f*x])^{(n-m-2)} (C + B\cos[e + f*x] + A\cos[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3043

$\text{Int}[(a + (b)\sin[e + f*x] + (f)(x)]^{(m)} ((c) + (d)\sin[e + f*x] + (f)(x))^{(n)} ((A) + (B)\sin[e + f*x] + (C)\sin[e + f*x] + (f)(x))^2), x_Symbol] := -\text{Simp}[(c^2C - Bcd + Ad^2)\cos[e + f*x] (a + b\sin[e + f*x])^m (c + d\sin[e + f*x])^{(n+1)} / (df(n+1)(c^2 - d^2)), x] + \text{Dist}[1/(b*d*(n+1)(c^2 - d^2)), \text{Int}[(a + b\sin[e + f*x])^m (c + d\sin[e + f*x])^{(n+1)} \text{Simp}[Ad*(a*d*m + b*c*(n+1)) + (cC - Bd)*(a*c*m + b*d*(n+1)) + b*(d*(Bc - Ad)*(m+n+2) - C*(c^2*(m+1) + d^2*(n+1)))*\sin[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])

Rule 2975

$\text{Int}[(a + (b)\sin[e + f*x] + (f)(x)]^{(m)} ((A) + (B)\sin[e + f*x] + (f)(x))^{(n)}, x_Symbol] := -\text{Simp}[(b^2(Bc - Ad)\cos[e + f*x] (a + b\sin[e + f*x])^{(m-1)} (c + d\sin[e + f*x])^{(n+1)} / (df(n+1)(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)(b*c + a*d)), \text{Int}[(a + b\sin[e + f*x])^{(m-1)} (c + d\sin[e + f*x])^{(n+1)} \text{Simp}[a*Ad*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*\sin[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2968

$\text{Int}[(a + (b)\sin[e + f*x] + (f)(x)]^{(m)} ((A) + (B)\sin[e + f*x] + (f)(x))^{(n)}, x_Symbol] := \text{Int}[(a + b\sin[e + f*x])^m (Ac + (Bc + Ad)\sin[e + f*x] + B*d\sin[e + f*x]^2), x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

$\text{Int}[(a + (b)\sin[e + f*x] + (f)(x)]^{(m)} ((A) + (B)\sin[e + f*x] + (f)(x))^{(n)} ((C)\sin[e + f*x] + (f)(x))^2), x_Symbol] := -\text{Simp}[(A*b^2 - a*b*B + a^2*C)\cos[e + f*x] (a + b\sin[e + f*x])^{(m+1)} / (b*f*(m+1)(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)(a^2 - b^2)), \text{Int}[(a + b\sin[e + f*x])^{(m+1)} \text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1))*\sin[e + f*x], x], x], x] /;$ FreeQ[{a, b, e, f, A, B,

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(a + a \cos(c + dx))^2 (C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \cos(c + dx))^2 \sin(c + dx)}{\cos^{\frac{11}{2}}(c + dx)} dx}{9d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(9B + 4C)(a^2 \cos^{\frac{11}{2}}(c + dx) - a^2 \cos^{\frac{9}{2}}(c + dx))}{6d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(9B + 4C)(a^2 \cos^{\frac{11}{2}}(c + dx) - a^2 \cos^{\frac{9}{2}}(c + dx))}{6d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2a^2(21A + 27B + 19C) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2a^2(21A + 27B + 19C) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2a^2(21A + 27B + 19C) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^2(7A + 6B + 5C) \sin(c + dx)}{21d \cos^{\frac{9}{2}}(c + dx)} \\
&= -\frac{4a^2(12A + 9B + 8C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^2(7A + 6B + 5C) \sin(c + dx)}{21d \cos^{\frac{9}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.98737, size = 1741, normalized size = 6.94

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2),x]

[Out] (Cos[c + d*x]^(9/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*(12*A + 9*B + 8*C)*Csc[c]*Sec[c])/(15*d) + (C*Sec[c]*Sec[c + d*x]^5*Sin[d*x])/(9*d) + (Sec[c]*Sec[c + d*x]^4*(7*C*Sin

$$\begin{aligned}
& [c] + 9*B*\sin[d*x] + 18*C*\sin[d*x]))/(63*d) + (2*\sec[c]*\sec[c + d*x]*(35*A* \\
& \sin[c] + 30*B*\sin[c] + 25*C*\sin[c] + 84*A*\sin[d*x] + 63*B*\sin[d*x] + 56*C*S \\
& \sin[d*x]))/(105*d) + (\sec[c]*\sec[c + d*x]^3*(45*B*\sin[c] + 90*C*\sin[c] + 63* \\
& A*\sin[d*x] + 126*B*\sin[d*x] + 112*C*\sin[d*x]))/(315*d) + (\sec[c]*\sec[c + d* \\
& x]^2*(63*A*\sin[c] + 126*B*\sin[c] + 112*C*\sin[c] + 210*A*\sin[d*x] + 180*B*Si \\
& n[d*x] + 150*C*\sin[d*x]))/(315*d)))/(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c \\
& + 2*d*x]) - (2*A*\cos[c + d*x]^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\} \\
& , \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2* \\
& (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \\
& \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTa} \\
& n[\text{Cot}[c]]])] * \text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B*\cos[c \\
& + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*B*\cos[c + d*x]^4*\csc \\
& [c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c \\
& /2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x] \\
& ^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sq} \\
& rt[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcT} \\
& an[\text{Cot}[c]]]])/(7*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 \\
& + \text{Cot}[c]^2]) - (10*C*\cos[c + d*x]^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{ \\
& 5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x] \\
&)^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[\\
& 1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - A \\
& rcTan[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(21*d*(A + 2*C + 2*B* \\
& \cos[c + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) + (4*A*\cos[c + d*x]^ \\
& 4*\csc[c]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x] + \\
& C*\sec[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan} \\
& [\text{Tan}[c]]]^2)*\sin[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{T} \\
& an[c]]]]*\text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{T} \\
& an[c]]]*\text{Sqrt}[1 + \tan[c]^2]]*\text{Sqrt}[1 + \tan[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c] \\
&]]*\text{Tan}[c])/ \text{Sqrt}[1 + \tan[c]^2] + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[\\
& 1 + \tan[c]^2])/(\cos[c]^2 + \sin[c]^2))/ \text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]] \\
& * \text{Sqrt}[1 + \tan[c]^2]))/(5*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x] \\
&)) + (3*B*\cos[c + d*x]^4*\csc[c]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^ \\
& 2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \\
& \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\sin[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqr} \\
& t[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{C} \\
& os[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \tan[c]^2]]*\text{Sqrt}[1 + \tan[c]^2]) - (\\
& (\sin[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \tan[c]^2] + (2*\cos[c]^2*\cos[d*x \\
& + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \tan[c]^2])/(\cos[c]^2 + \sin[c]^2))/ \text{Sqrt}[\cos[c]*\text{C} \\
& os[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \tan[c]^2]))/(5*d*(A + 2*C + 2*B*\cos[c + \\
& d*x] + A*\cos[2*c + 2*d*x]) + (8*C*\cos[c + d*x]^4*\csc[c]*\sec[c/2 + (d*x)/2] \\
& ^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((\text{Hyperge} \\
& ometricPFQ[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\sin[d*x + \text{ArcT} \\
& an[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \cos[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \tan[c]^2]] \\
& * \text{Sqrt}[1 + \tan[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \tan[c]^
\end{aligned}$$

$$\frac{1}{2}c)^4 + \sin(1/2dx + 1/2c)^2)^{1/2} \cos(1/2dx + 1/2c) \sin(1/2dx + 1/2c)^2 / \sin(1/2dx + 1/2c)^2 / (2 \sin(1/2dx + 1/2c)^2 - 1) / \sin(1/2dx + 1/2c) / (2c \cos(1/2dx + 1/2c)^2 - 1)^{1/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^2 \sec(dx+c)^4 + (B+2C)a^2 \sec(dx+c)^3 + (A+2B+C)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\cos(dx+c)^{\frac{3}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*a^2*sec(d*x + c)^4 + (B + 2*C)*a^2*sec(d*x + c)^3 + (A + 2*B + C)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/cos(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)

3.1202 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=267

$$\frac{4a^3(105A + 121B + 143C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^3(15A + 17B + 21C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{4a^3(210A + 253B + 264C)\sin(c + dx)}{1155d}$$

[Out] (4*a^3*(15*A + 17*B + 21*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(105*A + 121*B + 143*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^3*(105*A + 121*B + 143*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (4*a^3*(210*A + 253*B + 264*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(1155*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(11*d) + (2*(6*A + 11*B)*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(99*a*d) + (2*(105*A + 143*B + 99*C)*Cos[c + d*x]^(3/2)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(693*d)

Rubi [A] time = 0.731935, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3045, 2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{4a^3(105A + 121B + 143C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{231d} + \frac{4a^3(15A + 17B + 21C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{4a^3(210A + 253B + 264C)\sin(c + dx)}{1155d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^3*(15*A + 17*B + 21*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(105*A + 121*B + 143*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^3*(105*A + 121*B + 143*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (4*a^3*(210*A + 253*B + 264*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(1155*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(11*d) + (2*(6*A + 11*B)*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(99*a*d) + (2*(105*A + 143*B + 99*C)*Cos[c + d*x]^(3/2)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(693*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)

$(x_)]^2), x_Symbol] := \text{Dist}[d^{(m+2)}, \text{Int}[(b + a\cos[e + f*x])^m (d\cos[e + f*x])^{(n-m-2)} (C + B\cos[e + f*x] + A\cos[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3045

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)} ((A_ + (B_)\sin[e_ + (f_)(x_)] + (C_)\sin[e_ + (f_)(x_)]^2), x_Symbol] := -\text{Simp}[(C\cos[e + f*x](a + b\sin[e + f*x])^m (c + d\sin[e + f*x])^{(n+1)}) / (d*f*(m+n+2)), x] + \text{Dist}[1/(b*d*(m+n+2)), \text{Int}[(a + b\sin[e + f*x])^m (c + d\sin[e + f*x])^n \text{Simp}[A*b*d*(m+n+2) + C*(a*c*m + b*d*(n+1)) + (C*(a*d*m - b*c*(m+1)) + b*B*d*(m+n+2))*\sin[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]

Rule 2976

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((A_ + (B_)\sin[e_ + (f_)(x_)])^{(n_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)}), x_Symbol] := -\text{Simp}[(b*B\cos[e + f*x](a + b\sin[e + f*x])^{(m-1)} (c + d\sin[e + f*x])^{(n+1)}) / (d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b\sin[e + f*x])^{(m-1)} (c + d\sin[e + f*x])^n \text{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\sin[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2968

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((A_ + (B_)\sin[e_ + (f_)(x_)])^{(n_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)}), x_Symbol] := \text{Int}[(a + b\sin[e + f*x])^m (A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((A_ + (B_)\sin[e_ + (f_)(x_)])^{(n_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)}), x_Symbol] := -\text{Simp}[(C\cos[e + f*x](a + b\sin[e + f*x])^{(m+1)}) / (b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b\sin[e + f*x])^m \text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f*x], x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))^3(C \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sin}{11d} \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sin}{11d} \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sin}{11d} \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3\sin}{11d} \\
&= \frac{4a^3(210A+253B+264C)\cos^{\frac{3}{2}}(c+dx)}{1155d} \\
&= \frac{4a^3(210A+253B+264C)\cos^{\frac{3}{2}}(c+dx)}{1155d} \\
&= \frac{4a^3(15A+17B+21C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} \\
&= \frac{4a^3(15A+17B+21C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d}
\end{aligned}$$

Mathematica [C] time = 6.46387, size = 1364, normalized size = 5.11

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] a^3*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-((15*A + 17*B + 21*C)*Cot[c])/(30*d) + ((1953*A + 2134*B + 2354*C)*Cos[d*x]*Sin[c])/ (7392*d) + ((75*A + 73*B + 54*C)*Cos[2*d*x]*Sin[2*c])/ (720*d) + ((189*A + 132*B + 44*C)*Cos[3*d*x]*Sin[3*c])/ (4928*d) + ((3*A + B)*Cos[4*d*x]*Sin[4*c])/ (288*d) + (A*Cos[5*d*x]*Sin[5*c])/ (704*d) + ((1953*A + 2134*B + 2354*C)*Cos[c]*Sin[d*x])/ (7392*d) + ((75*A + 73*B + 54*C)*Cos[2*c]*Sin[2*d*x])/ (720*d) + ((189*A + 132*B + 44*C)*Cos[3*c]*Sin[3*d*x])/ (4928*d) + ((3*A + B)*Cos[4*c]*Sin[4*d*x])/ (288*d) + (A*Cos[5*c]*Sin[5*d*x])/ (704*d)) - (5*A*(1 +

$$\begin{aligned} & \cos[c + dx]^3 \csc[c] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[dx - \operatorname{ArcTan}[\cot[c]]]^2\right] \sec\left[\frac{c}{2} + \frac{dx}{2}\right]^6 \sec[dx - \operatorname{ArcTan}[\cot[c]]] \sqrt{1 - \sin[dx - \operatorname{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[dx - \operatorname{ArcTan}[\cot[c]]])} \sqrt{1 + \sin[dx - \operatorname{ArcTan}[\cot[c]]]} \Big/ (22d \sqrt{1 + \cot[c]^2}) - \\ & (11B(1 + \cos[c + dx])^3 \csc[c] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[dx - \operatorname{ArcTan}[\cot[c]]]^2\right] \sec\left[\frac{c}{2} + \frac{dx}{2}\right]^6 \sec[dx - \operatorname{ArcTan}[\cot[c]]] \sqrt{1 - \sin[dx - \operatorname{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[dx - \operatorname{ArcTan}[\cot[c]]])} \sqrt{1 + \sin[dx - \operatorname{ArcTan}[\cot[c]]]} \Big/ (42d \sqrt{1 + \cot[c]^2}) - \\ & (13C(1 + \cos[c + dx])^3 \csc[c] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[dx - \operatorname{ArcTan}[\cot[c]]]^2\right] \sec\left[\frac{c}{2} + \frac{dx}{2}\right]^6 \sec[dx - \operatorname{ArcTan}[\cot[c]]] \sqrt{1 - \sin[dx - \operatorname{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[dx - \operatorname{ArcTan}[\cot[c]]])} \sqrt{1 + \sin[dx - \operatorname{ArcTan}[\cot[c]]]} \Big/ (42d \sqrt{1 + \cot[c]^2}) - \\ & (A(1 + \cos[c + dx])^3 \csc[c] \sec\left[\frac{c}{2} + \frac{dx}{2}\right]^6 ((\operatorname{HypergeometricPFQ}\left[\left\{-\frac{1}{2}, -\frac{1}{4}\right\}, \left\{\frac{3}{4}\right\}, \cos[dx + \operatorname{ArcTan}[\tan[c]]]^2\right] \sin[dx + \operatorname{ArcTan}[\tan[c]]] \tan[c]) / (\sqrt{1 - \cos[dx + \operatorname{ArcTan}[\tan[c]]]} \sqrt{1 + \cos[dx + \operatorname{ArcTan}[\tan[c]]]} \sqrt{\cos[c] \cos[dx + \operatorname{ArcTan}[\tan[c]]]} \sqrt{1 + \tan[c]^2}) \sqrt{1 + \tan[c]^2}) - \\ & ((\sin[dx + \operatorname{ArcTan}[\tan[c]]] \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cos[c]^2 \cos[dx + \operatorname{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cos[dx + \operatorname{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}}) \Big/ (4d) - \\ & (17B(1 + \cos[c + dx])^3 \csc[c] \sec\left[\frac{c}{2} + \frac{dx}{2}\right]^6 ((\operatorname{HypergeometricPFQ}\left[\left\{-\frac{1}{2}, -\frac{1}{4}\right\}, \left\{\frac{3}{4}\right\}, \cos[dx + \operatorname{ArcTan}[\tan[c]]]^2\right] \sin[dx + \operatorname{ArcTan}[\tan[c]]] \tan[c]) / (\sqrt{1 - \cos[dx + \operatorname{ArcTan}[\tan[c]]]} \sqrt{1 + \cos[dx + \operatorname{ArcTan}[\tan[c]]]} \sqrt{\cos[c] \cos[dx + \operatorname{ArcTan}[\tan[c]]]} \sqrt{1 + \tan[c]^2}) \sqrt{1 + \tan[c]^2}) - \\ & ((\sin[dx + \operatorname{ArcTan}[\tan[c]]] \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cos[c]^2 \cos[dx + \operatorname{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cos[dx + \operatorname{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}}) \Big/ (60d) - \\ & (7C(1 + \cos[c + dx])^3 \csc[c] \sec\left[\frac{c}{2} + \frac{dx}{2}\right]^6 ((\operatorname{HypergeometricPFQ}\left[\left\{-\frac{1}{2}, -\frac{1}{4}\right\}, \left\{\frac{3}{4}\right\}, \cos[dx + \operatorname{ArcTan}[\tan[c]]]^2\right] \sin[dx + \operatorname{ArcTan}[\tan[c]]] \tan[c]) / (\sqrt{1 - \cos[dx + \operatorname{ArcTan}[\tan[c]]]} \sqrt{1 + \cos[dx + \operatorname{ArcTan}[\tan[c]]]} \sqrt{\cos[c] \cos[dx + \operatorname{ArcTan}[\tan[c]]]} \sqrt{1 + \tan[c]^2}) \sqrt{1 + \tan[c]^2}) - \\ & ((\sin[dx + \operatorname{ArcTan}[\tan[c]]] \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cos[c]^2 \cos[dx + \operatorname{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cos[dx + \operatorname{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}}) \Big/ (20d) \end{aligned}$$

Maple [A] time = 2.18, size = 545, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^(11/2)*(a+a*sec(dx+c))^3*(A+B*sec(dx+c)+C*sec(dx+c)^2), x)`

```
[Out] -4/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(10080*
A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-43680*A-6160*B)*sin(1/2*d*x+1/
2*c)^10*cos(1/2*d*x+1/2*c)+(77280*A+24200*B+3960*C)*sin(1/2*d*x+1/2*c)^8*co
s(1/2*d*x+1/2*c)+(-72240*A-37532*B-14256*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*
x+1/2*c)+(39270*A+29722*B+19866*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+
(-8820*A-8118*B-6864*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+1575*A*(sin
(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2
*d*x+1/2*c),2^(1/2))-3465*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2
*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+1815*B*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c)
,2^(1/2))-3927*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1
/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2145*C*(sin(1/2*d*x+1/2*c)^2)^(1/
2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-4
851*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellipti
cE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)
^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral(((C*a^3*cos(dx+c)^5*sec(dx+c)^5+(B+3C)a^3*cos(dx+c)^5*sec(dx+c)^4+(A+3B+3C)a^3*cos(dx+c)^5*sec(dx+c)^3))
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)
^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*cos(dx+c)^5*sec(dx+c)^5+(B+3C)a^3*cos(dx+c)^5*sec(dx+c)^4+(A+3B+3C)a^3*cos(dx+c)^5*sec(dx+c)^3+(3*A+3B+C)a^3*cos(dx+c)^5*sec(dx+c)^2+(3*A+B)a^3*cos(dx+c)^
```

$5*\sec(dx + c) + A*a^3*\cos(dx + c)^5*\sqrt{\cos(dx + c)}, x$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**(11/2)*(a+a*sec(dx+c))**3*(A+B*sec(dx+c)+C*sec(dx+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(11/2)*(a+a*sec(dx+c))^(3*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(dx + c)^2 + B*sec(dx + c) + A)*(a*sec(dx + c) + a)^3*cos(dx + c)^(11/2), x)

3.1203 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=231

$$\frac{4a^3(11A + 13B + 21C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^3(17A + 21B + 27C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(32A + 41B + 42C)\sin(c + dx)}{105d}$$

```
[Out] (4*a^3*(17*A + 21*B + 27*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(11*A + 13*B + 21*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^3*(32*A + 41*B + 42*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*sin[c + d*x])/(9*d) + (2*(2*A + 3*B)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(21*a*d) + (2*(73*A + 99*B + 63*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*cos[c + d*x])*Sin[c + d*x])/(315*d)
```

Rubi [A] time = 0.71653, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3045, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(11A + 13B + 21C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^3(17A + 21B + 27C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(32A + 41B + 42C)\sin(c + dx)}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^3*(17*A + 21*B + 27*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(11*A + 13*B + 21*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^3*(32*A + 41*B + 42*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*sin[c + d*x])/(9*d) + (2*(2*A + 3*B)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(21*a*d) + (2*(73*A + 99*B + 63*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*cos[c + d*x])*Sin[c + d*x])/(315*d)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3045

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n*Simp[A*b*d*(m + n
+ 2) + C*(a*c*m + b*d*(n + 1)) + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n +
2))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x
] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m
, -2^(-1)] && NeQ[m + n + 2, 0]
```

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```


Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^3 (C + B \cos(c + dx) + A \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3 \sin(c + dx)}{9d} \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3 \sin(c + dx)}{9d} \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3 \sin(c + dx)}{9d} \\
 &= \frac{2A\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3 \sin(c + dx)}{9d} \\
 &= \frac{4a^3(32A + 41B + 42C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
 &= \frac{4a^3(32A + 41B + 42C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
 &= \frac{4a^3(17A + 21B + 27C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d}
 \end{aligned}$$

Mathematica [C] time = 6.58259, size = 1697, normalized size = 7.35

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(17*A + 21*B + 27*C)*Cot[c])/(15*d) + ((97*A + 107*B + 84*C)*Cos[d*x]*Sin[c])/(168*d) + ((73*A + 54*B + 18*C)*Cos[2*d*x]*Sin[2*c])/(360*d) + ((3*A + B)*Cos[3*d*x]*Sin[3*c])/(56*d) + (A*Cos[4*d*x]*Sin[4*c])/(144*d) + ((97*A + 107*B + 84*C)*Cos[c]*Sin[d*x])/(168*d) + ((73*A + 54*B + 18*C)*Cos[2*c]*Sin[2*d*x])/(360*d) + ((3*A + B)*Cos[3*c]*Sin[3*d*x])/(56*d) + (A*Cos[4*c]*Sin[4*d*x])/(144*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (11*A*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (13*B*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (C*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (17*A*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(30*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (7*B*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (9*C*Cos[c + d*x]^5*Csc[c]*S

$$\frac{e^{c/2 + (d*x)/2} \cdot (a + a \cdot \sec[c + d*x])^3 \cdot (A + B \cdot \sec[c + d*x] + C \cdot \sec[c + d*x]^2) \cdot (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2] \cdot \sin[d*x + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{\cos[c] \cdot \cos[d*x + \text{ArcTan}[\tan[c]]]} \cdot \sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]] \cdot \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cdot \cos[c]^2 \cdot \cos[d*x + \text{ArcTan}[\tan[c]]] \cdot \sqrt{1 + \tan[c]^2})) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cdot \cos[d*x + \text{ArcTan}[\tan[c]]] \cdot \sqrt{1 + \tan[c]^2}}}{(10 \cdot d \cdot (A + 2 \cdot C + 2 \cdot B \cdot \cos[c + d*x] + A \cdot \cos[2 \cdot c + 2 \cdot d*x])}$$

Maple [A] time = 2.302, size = 514, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$\begin{aligned} & -4/315 \cdot ((2 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot a^3 \cdot (-560 \cdot A \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^{10} + (2200 \cdot A + 360 \cdot B) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^8 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) + (-3412 \cdot A - 1296 \cdot B - 252 \cdot C) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^6 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) + (2702 \cdot A + 1806 \cdot B + 882 \cdot C) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^4 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) + (-738 \cdot A - 624 \cdot B - 378 \cdot C) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) + 165 \cdot A \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{(1/2)} \cdot \text{EllipticF}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) - 357 \cdot A \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{(1/2)} \cdot \text{EllipticE}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) + 195 \cdot B \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{(1/2)} \cdot \text{EllipticF}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) - 441 \cdot B \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{(1/2)} \cdot \text{EllipticE}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) + 315 \cdot C \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{(1/2)} \cdot \text{EllipticF}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) - 567 \cdot C \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{(1/2)} \cdot \text{EllipticE}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)})) / (-2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^4 + \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} / \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) / (2 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ca^3 \cos(dx+c)^4 \sec(dx+c)^5 + (B+3C)a^3 \cos(dx+c)^4 \sec(dx+c)^4 + (A+3B+3C)a^3 \cos(dx+c)^4 \sec(dx+c)^3 + (3A+3B+C)a^3 \cos(dx+c)^4 \sec(dx+c)^2 + (3A+B)a^3 \cos(dx+c)^4 \sec(dx+c) + Aa^3 \cos(dx+c)^4 \sqrt{\cos(dx+c)}\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*cos(d*x + c)^4*sec(d*x + c)^5 + (B + 3*C)*a^3*cos(d*x + c)^4*sec(d*x + c)^4 + (A + 3*B + 3*C)*a^3*cos(d*x + c)^4*sec(d*x + c)^3 + (3*A + 3*B + C)*a^3*cos(d*x + c)^4*sec(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c)^4*sec(d*x + c) + A*a^3*cos(d*x + c)^4)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx+c)^2 + B \sec(dx+c) + A \right) (a \sec(dx+c) + a)^3 \cos(dx+c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3*cos(d*x + c)^(9/2), x)
```

3.1204 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=227

$$\frac{4a^3(13A + 21B + 35C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^3(7A + 9B + 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{4a^3(41A + 42B - 35C)\sin(c + dx)}{105d}$$

[Out] (4*a^3*(7*A + 9*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(13*A + 21*B + 35*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^3*(41*A + 42*B - 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*C*(a + a*cos[c + d*x])^3*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*(A - 7*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*Sin[c + d*x])/(7*a*d) + (2*(11*A + 7*B - 35*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*cos[c + d*x])*Sin[c + d*x])/(35*d)

Rubi [A] time = 0.704556, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3043, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(13A + 21B + 35C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{4a^3(7A + 9B + 5C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{4a^3(41A + 42B - 35C)\sin(c + dx)\sqrt{\cos(c + dx)}}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^3*(7*A + 9*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(13*A + 21*B + 35*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^3*(41*A + 42*B - 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*C*(a + a*cos[c + d*x])^3*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*(A - 7*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*Sin[c + d*x])/(7*a*d) + (2*(11*A + 7*B - 35*C)*Sqrt[Cos[c + d*x]]*(a^3 + a^3*cos[c + d*x])*Sin[c + d*x])/(35*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)]) + (C_.)*sec[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ

$eQ[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3043

$\text{Int}[(a + (b \cdot \sin[e + f \cdot x])^m) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x)^n) \cdot ((A + (B \cdot \sin[e + f \cdot x]) + (C \cdot \sin[e + f \cdot x]) + (f \cdot x)^2))], x_Symbol] \rightarrow -\text{Simp}[(c^2 \cdot C - B \cdot c \cdot d + A \cdot d^2) \cdot \text{Cos}[e + f \cdot x] \cdot (a + b \cdot \sin[e + f \cdot x])^m \cdot (c + d \cdot \sin[e + f \cdot x])^{n+1} / (d \cdot f \cdot (n+1) \cdot (c^2 - d^2)), x] + \text{Dist}[1 / (b \cdot d \cdot (n+1) \cdot (c^2 - d^2)), \text{Int}[(a + b \cdot \sin[e + f \cdot x])^m \cdot (c + d \cdot \sin[e + f \cdot x])^{n+1} \cdot \text{Simp}[A \cdot d \cdot (a \cdot d \cdot m + b \cdot c \cdot (n+1)) + (c \cdot C - B \cdot d) \cdot (a \cdot c \cdot m + b \cdot d \cdot (n+1)) + b \cdot (d \cdot (B \cdot c - A \cdot d) \cdot (m + n + 2) - C \cdot (c^2 \cdot (m+1) + d^2 \cdot (n+1)))] \cdot \text{Sin}[e + f \cdot x], x], x] /;$ $\text{FreeQ}[\{a, b, c, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -1] \parallel \text{EqQ}[m + n + 2, 0])$

Rule 2976

$\text{Int}[(a + (b \cdot \sin[e + f \cdot x])^m) \cdot ((A + (B \cdot \sin[e + f \cdot x]) + (f \cdot x)^n) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x)^n))], x_Symbol] \rightarrow -\text{Simp}[(b \cdot B \cdot \text{Cos}[e + f \cdot x] \cdot (a + b \cdot \sin[e + f \cdot x])^{m-1} \cdot (c + d \cdot \sin[e + f \cdot x])^{n+1} / (d \cdot f \cdot (m+n+1)), x] + \text{Dist}[1 / (d \cdot (m+n+1)), \text{Int}[(a + b \cdot \sin[e + f \cdot x])^{m-1} \cdot (c + d \cdot \sin[e + f \cdot x])^n \cdot \text{Simp}[a \cdot A \cdot d \cdot (m+n+1) + B \cdot (a \cdot c \cdot (m-1) + b \cdot d \cdot (n+1)) + (A \cdot b \cdot d \cdot (m+n+1) - B \cdot (b \cdot c \cdot m - a \cdot d \cdot (2 \cdot m + n)))] \cdot \text{Sin}[e + f \cdot x], x], x] /;$ $\text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{!LtQ}[n, -1] \&\& \text{IntegerQ}[2 \cdot m] \&\& (\text{IntegerQ}[2 \cdot n] \parallel \text{EqQ}[c, 0])$

Rule 2968

$\text{Int}[(a + (b \cdot \sin[e + f \cdot x])^m) \cdot ((A + (B \cdot \sin[e + f \cdot x]) + (f \cdot x)^n) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x)^n))], x_Symbol] \rightarrow \text{Int}[(a + b \cdot \sin[e + f \cdot x])^m \cdot (A \cdot c + (B \cdot c + A \cdot d) \cdot \text{Sin}[e + f \cdot x] + B \cdot d \cdot \text{Sin}[e + f \cdot x]^2), x] /;$ $\text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b \cdot c - a \cdot d, 0]$

Rule 3023

$\text{Int}[(a + (b \cdot \sin[e + f \cdot x])^m) \cdot ((A + (B \cdot \sin[e + f \cdot x]) + (f \cdot x)^n) \cdot ((C + (D \cdot \sin[e + f \cdot x]) + (f \cdot x)^2))], x_Symbol] \rightarrow -\text{Simp}[(C \cdot \text{Cos}[e + f \cdot x] \cdot (a + b \cdot \sin[e + f \cdot x])^{m+1} / (b \cdot f \cdot (m+2)), x] + \text{Dist}[1 / (b \cdot (m+2)), \text{Int}[(a + b \cdot \sin[e + f \cdot x])^m \cdot \text{Simp}[A \cdot b \cdot (m+2) + b \cdot C \cdot (m+1) + (b \cdot B \cdot (m+2) - a \cdot C) \cdot \text{Sin}[e + f \cdot x], x], x] /;$ $\text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{!LtQ}[m, -1]$

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^3 (C + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2 \int (a + a \cos(c + dx))^3 \sin(c + dx) dx}{d\sqrt{\cos(c + dx)}} \\
 &= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2(A + B \sec(c + dx) + C \sec^2(c + dx)) \int (a + a \cos(c + dx))^3 \sin(c + dx) dx}{d\sqrt{\cos(c + dx)}} \\
 &= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2(A + B \sec(c + dx) + C \sec^2(c + dx)) \int (a + a \cos(c + dx))^3 \sin(c + dx) dx}{d\sqrt{\cos(c + dx)}} \\
 &= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2(A + B \sec(c + dx) + C \sec^2(c + dx)) \int (a + a \cos(c + dx))^3 \sin(c + dx) dx}{d\sqrt{\cos(c + dx)}} \\
 &= \frac{4a^3(41A + 42B - 35C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
 &= \frac{4a^3(41A + 42B - 35C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
 &= \frac{4a^3(7A + 9B + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(41A + 42B - 35C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d}
 \end{aligned}$$

Mathematica [C] time = 6.73962, size = 1688, normalized size = 7.44

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(14*A + 18*B + 5*C + 14*A*Cos[2*c] + 18*B*Cos[2*c] + 15*C*Cos[2*c])*Csc[c]*Sec[c])/(20*d) + ((107*A + 84*B + 28*C)*Cos[d*x]*Sin[c])/(168*d) + ((3*A + B)*Cos[2*d*x]*Sin[2*c])/(20*d) + (A*Cos[3*d*x]*Sin[3*c])/(56*d) + ((107*A + 84*B + 28*C)*Cos[c]*Sin[d*x])/(168*d) + (C*Sec[c]*Sec[c + d*x]*Sin[d*x])/(2*d) + ((3*A + B)*Cos[2*c]*Sin[2*d*x])/(20*d) + (A*Cos[3*c]*Sin[3*d*x])/(56*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (13*A*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (B*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (5*C*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (7*A*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (9*B*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqr

$$\begin{aligned} & t[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - (\\ & (\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(10*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (C*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(2*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) \end{aligned}$$

Maple [B] time = 2.993, size = 727, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(7/2)}*(a+a*\sec(d*x+c))^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out]
$$\begin{aligned} & -4/105*a^3*(120*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(\\ & 1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8-12*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*(36*A+7*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+14*(-2* \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(43*A+21*B+5*C)*\sin(1/2*d* \\ & x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(104*A+63*B+70*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+65*A*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x \\ & +1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & -147*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin \\ & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c) \\ & , 2^{(1/2)})+105*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d \\ & *x+1/2*c), 2^{(1/2)})-189*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE} \\ & (\cos(1/2*d*x+1/2*c), 2^{(1/2)})+175*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d \\ & *x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+ \\ & 1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-105*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1 \\ &)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \end{aligned}$$

$$\frac{(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}}{d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^3*cos(dx+c)^3*sec(dx+c)^5+(B+3C)a^3*cos(dx+c)^3*sec(dx+c)^4+(A+3B+3C)a^3*cos(dx+c)^3*sec(dx+c)^3),x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^3*cos(d*x+c)^3*sec(d*x+c)^5+(B+3C)*a^3*cos(d*x+c)^3*sec(d*x+c)^4+(A+3*B+3C)*a^3*cos(d*x+c)^3*sec(d*x+c)^3+(3*A+3*B+C)*a^3*cos(d*x+c)^3*sec(d*x+c)^2+(3*A+B)*a^3*cos(d*x+c)^3*sec(d*x+c)+A*a^3*cos(d*x+c)^3)*sqrt(cos(d*x+c)),x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3*cos(d*x + c)^(7/2), x)

3.1205 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=226

$$\frac{4a^3(3A + 5(B + C))\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{4a^3(9A + 5B - 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(6A - 5B - 20C)\sin(c + dx)\sqrt{\cos(c + dx)}}{15d}$$

[Out] (4*a^3*(9*A + 5*B - 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(3*A + 5*(B + C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (4*a^3*(6*A - 5*B - 20*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*(B + 2*C)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) + (2*(3*A - 15*B - 35*C)*Sqrt[Cos[c + d*x]])*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(15*d)

Rubi [A] time = 0.733771, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3043, 2975, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(3A + 5(B + C))F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4a^3(9A + 5B - 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(6A - 5B - 20C)\sin(c + dx)\sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^3*(9*A + 5*B - 5*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(3*A + 5*(B + C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (4*a^3*(6*A - 5*B - 20*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*(B + 2*C)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) + (2*(3*A - 15*B - 35*C)*Sqrt[Cos[c + d*x]])*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(15*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_))*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre

$\text{eQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3043

$\text{Int}[(a + (b \cdot \sin[e + f \cdot x])^m) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x))^n) \cdot ((A + (B \cdot \sin[e + f \cdot x]) + (C \cdot \sin[e + f \cdot x]) + (f \cdot x))^2), x_Symbol] \rightarrow -\text{Simp}[(c^2 \cdot C - B \cdot c \cdot d + A \cdot d^2) \cdot \text{Cos}[e + f \cdot x] \cdot (a + b \cdot \sin[e + f \cdot x])^m \cdot (c + d \cdot \sin[e + f \cdot x])^{n+1}] / (d \cdot f \cdot (n+1) \cdot (c^2 - d^2)), x] + \text{Dist}[1 / (b \cdot d \cdot (n+1) \cdot (c^2 - d^2)), \text{Int}[(a + b \cdot \sin[e + f \cdot x])^m \cdot (c + d \cdot \sin[e + f \cdot x])^{n+1} \cdot \text{Simp}[A \cdot d \cdot (a \cdot d \cdot m + b \cdot c \cdot (n+1)) + (c \cdot C - B \cdot d) \cdot (a \cdot c \cdot m + b \cdot d \cdot (n+1)) + b \cdot (d \cdot (B \cdot c - A \cdot d) \cdot (m + n + 2) - C \cdot (c^2 \cdot (m+1) + d^2 \cdot (n+1))) \cdot \text{Sin}[e + f \cdot x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -1] \parallel \text{EqQ}[m + n + 2, 0])$

Rule 2975

$\text{Int}[(a + (b \cdot \sin[e + f \cdot x])^m) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x))^n) \cdot ((A + (B \cdot \sin[e + f \cdot x]) + (f \cdot x))^m) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x))^n), x_Symbol] \rightarrow -\text{Simp}[b^2 \cdot (B \cdot c - A \cdot d) \cdot \text{Cos}[e + f \cdot x] \cdot (a + b \cdot \sin[e + f \cdot x])^{m-1} \cdot (c + d \cdot \sin[e + f \cdot x])^{n+1}] / (d \cdot f \cdot (n+1) \cdot (b \cdot c + a \cdot d)), x] - \text{Dist}[b / (d \cdot (n+1) \cdot (b \cdot c + a \cdot d)), \text{Int}[(a + b \cdot \sin[e + f \cdot x])^{m-1} \cdot (c + d \cdot \sin[e + f \cdot x])^{n+1} \cdot \text{Simp}[A \cdot d \cdot (m - n - 2) - B \cdot (a \cdot c \cdot (m - 1) + b \cdot d \cdot (n + 1)) - (A \cdot b \cdot d \cdot (m + n + 1) - B \cdot (b \cdot c \cdot m - a \cdot d \cdot (n + 1))) \cdot \text{Sin}[e + f \cdot x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2 \cdot m] \&\& (\text{IntegerQ}[2 \cdot n] \parallel \text{EqQ}[c, 0])$

Rule 2976

$\text{Int}[(a + (b \cdot \sin[e + f \cdot x])^m) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x))^n) \cdot ((A + (B \cdot \sin[e + f \cdot x]) + (f \cdot x))^m) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x))^n), x_Symbol] \rightarrow -\text{Simp}[(b \cdot B \cdot \text{Cos}[e + f \cdot x] \cdot (a + b \cdot \sin[e + f \cdot x])^{m-1} \cdot (c + d \cdot \sin[e + f \cdot x])^{n+1}] / (d \cdot f \cdot (m + n + 1)), x] + \text{Dist}[1 / (d \cdot (m + n + 1)), \text{Int}[(a + b \cdot \sin[e + f \cdot x])^{m-1} \cdot (c + d \cdot \sin[e + f \cdot x])^n \cdot \text{Simp}[a \cdot A \cdot d \cdot (m + n + 1) + B \cdot (a \cdot c \cdot (m - 1) + b \cdot d \cdot (n + 1)) + (A \cdot b \cdot d \cdot (m + n + 1) - B \cdot (b \cdot c \cdot m - a \cdot d \cdot (2 \cdot m + n))) \cdot \text{Sin}[e + f \cdot x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{!LtQ}[n, -1] \&\& \text{IntegerQ}[2 \cdot m] \&\& (\text{IntegerQ}[2 \cdot n] \parallel \text{EqQ}[c, 0])$

Rule 2968

$\text{Int}[(a + (b \cdot \sin[e + f \cdot x])^m) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x))^n) \cdot ((A + (B \cdot \sin[e + f \cdot x]) + (f \cdot x))^m) \cdot ((c + (d \cdot \sin[e + f \cdot x]) + (f \cdot x))^n), x_Symbol] \rightarrow \text{Int}[(a + b \cdot \sin[e + f \cdot x])^m \cdot (A \cdot c + (B \cdot c + A \cdot d) \cdot \text{Sin}[e + f \cdot x] + B \cdot d \cdot \text{Sin}[e + f \cdot x]^2),$

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^3(C+B\cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)}dx \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2\int}{\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2(B}{\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2(B}{\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2(B}{\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{4a^3(6A-5B-20C)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d} \\
&= \frac{4a^3(6A-5B-20C)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d} \\
&= \frac{4a^3(9A+5B-5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3}{5d}
\end{aligned}$$

Mathematica [C] time = 6.81363, size = 1672, normalized size = 7.4

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(18*A + 5*B - 25*C + 18*A*Cos[2*c] + 15*B*Cos[2*c] + 5*C*Cos[2*c])*Csc[c]*Sec[c])/(20*d) + ((3*A + B)*Cos[d*x]*Sin[c]
```


$$\begin{aligned}
&)/(6*d) + (A*\text{Cos}[2*d*x]*\text{Sin}[2*c])/(20*d) + ((3*A + B)*\text{Cos}[c]*\text{Sin}[d*x])/(6*d) \\
&+ (C*\text{Sec}[c]*\text{Sec}[c + d*x]^2*\text{Sin}[d*x])/(6*d) + (\text{Sec}[c]*\text{Sec}[c + d*x]*(C*\text{Sin}[c] \\
&+ 3*B*\text{Sin}[d*x] + 9*C*\text{Sin}[d*x]))/(6*d) + (A*\text{Cos}[2*c]*\text{Sin}[2*d*x])/(20*d)) \\
&/ (A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) - (A*\text{Cos}[c + d*x]^5*\text{Csc}[c] \\
&*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (5*B*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (5*C*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (9*A*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (10*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (B*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (2*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + (C*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (2*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2
\end{aligned}$$

*d*x]))

Maple [B] time = 7.306, size = 950, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(5/2)}*(a+a*\sec(dx+c))^{3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)}, x)$

[Out] $4/15*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3/(4*\sin(1/2*d*x+1/2*c)^4-4*\sin(1/2*d*x+1/2*c)^2+1)/\sin(1/2*d*x+1/2*c)^3*(-24*A*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+96*A*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+20*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2-54*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-78*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+50*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-30*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-50*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+50*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+30*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-90*C*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+27*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+18*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*A-25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+15*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+20*B*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-25*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+50*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^3*cos(dx+c)^2*sec(dx+c)^5 + (B+3C)a^3*cos(dx+c)^2*sec(dx+c)^4 + (A+3B+3C)a^3*cos(dx+c)^2*sec(dx+c)^3),x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^3*cos(d*x+c)^2*sec(d*x+c)^5 + (B+3C)*a^3*cos(d*x+c)^2*sec(d*x+c)^4 + (A+3B+3C)*a^3*cos(d*x+c)^2*sec(d*x+c)^3 + (3*A+3*B+C)*a^3*cos(d*x+c)^2*sec(d*x+c)^2 + (3*A+B)*a^3*cos(d*x+c)^2*sec(d*x+c) + A*a^3*cos(d*x+c)^2)*sqrt(cos(d*x+c)),x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^3 \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3*cos(d*x + c)^(5/2), x)
```

3.1206 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=231

$$\frac{4a^3(5A + 5B + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{4a^3(5A - 5B - 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} - \frac{4a^3(5A + 20B + 21C)\sin(c + dx)}{15d}$$

```
[Out] (4*a^3*(5*A - 5*B - 9*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(5*A + 5*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) - (4*a^3*(5*A + 20*B + 21*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*(5*B + 6*C)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(15*a*d*Cos[c + d*x]^(3/2)) + (2*(15*A + 35*B + 33*C)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 0.709355, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3043, 2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(5A + 5B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4a^3(5A - 5B - 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} - \frac{4a^3(5A + 20B + 21C)\sin(c + dx)\sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (4*a^3*(5*A - 5*B - 9*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^3*(5*A + 5*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*d) - (4*a^3*(5*A + 20*B + 21*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*C*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*(5*B + 6*C)*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(15*a*d*Cos[c + d*x]^(3/2)) + (2*(15*A + 35*B + 33*C)*(a^3 + a^3*Cos[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]])
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
```

$\text{eQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3043

$\text{Int}[(a + (b \sin(e + f x))^m)((c + (d \sin(e + f x)) + (f(x))^n)((A + (B \sin(e + f x)) + (C \sin(e + f x)) + (f(x))^2)), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(c^2 C - B c d + A d^2) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1}] / (d f (n+1) (c^2 - d^2)), x] + \text{Dist}[1/(b d (n+1) (c^2 - d^2)), \text{Int}[(a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1} \text{Simp}[A d (a d m + b c (n+1)) + (c C - B d) (a c m + b d (n+1)) + b (d (B c - A d) (m + n + 2) - C (c^2 (m+1) + d^2 (n+1))] \sin[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{!LtQ}[m, -2^{(-1)}] \&\& (\text{LtQ}[n, -1] \parallel \text{EqQ}[m + n + 2, 0])$

Rule 2975

$\text{Int}[(a + (b \sin(e + f x))^m)((c + (d \sin(e + f x)) + (f(x))^n), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(b^2 (B c - A d) \cos[e + f x] (a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1}] / (d f (n+1) (b c + a d)), x] - \text{Dist}[b/(d (n+1) (b c + a d)), \text{Int}[(a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1} \text{Simp}[A d (m - n - 2) - B (a c (m - 1) + b d (n + 1)) - (A b d (m + n + 1) - B (b c m - a d (n + 1))] \sin[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2 m] \&\& (\text{IntegerQ}[2 n] \parallel \text{EqQ}[c, 0])$

Rule 2968

$\text{Int}[(a + (b \sin(e + f x))^m)((c + (d \sin(e + f x)) + (f(x))^n), x_{\text{Symbol}}] \rightarrow \text{Int}[(a + b \sin[e + f x])^m (A c + (B c + A d) \sin[e + f x] + B d \sin[e + f x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b c - a d, 0]$

Rule 3023

$\text{Int}[(a + (b \sin(e + f x))^m)((A + (B \sin(e + f x)) + (C \sin(e + f x)) + (f(x))^n), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(C \cos[e + f x] (a + b \sin[e + f x])^{m+1}] / (b f (m + 2)), x] + \text{Dist}[1/(b (m + 2)), \text{Int}[(a + b \sin[e + f x])^m \text{Simp}[A b (m + 2) + b C (m + 1) + (b B (m + 2) - a C) \sin[e + f x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x\} \&\& \text{!LtQ}[m, -1]$

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^3(C+B\cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)}dx \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)} + \frac{2\int}{5d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)} + \frac{2(5)}{5d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)} + \frac{2(5)}{5d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)} + \frac{2(5)}{5d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)} + \frac{2(5)}{5d\cos^{\frac{5}{2}}(c+dx)} \\
&= -\frac{4a^3(5A+20B+21C)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d} \\
&= -\frac{4a^3(5A+20B+21C)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d} \\
&= \frac{4a^3(5A-5B-9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3}{5d}
\end{aligned}$$

Mathematica [C] time = 6.92319, size = 1673, normalized size = 7.24

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(5*A - 25*B - 36*C + 15*A*Cos[2*c] + 5*B*Cos[2*c]))*Csc[c]*Sec[c])/(20*d) + (A*Cos[d*x]*Sin[c])/(6*d) + (A*Cos[c]*Sin[

$$\begin{aligned}
& d*x))/(6*d) + (C*Sec[c]*Sec[c + d*x]^3*Sin[d*x))/(10*d) + (Sec[c]*Sec[c + d \\
& *x]^2*(3*C*Sin[c] + 5*B*Sin[d*x] + 15*C*Sin[d*x]))/(30*d) + (Sec[c]*Sec[c + \\
& d*x]*(5*B*Sin[c] + 15*C*Sin[c] + 15*A*Sin[d*x] + 45*B*Sin[d*x] + 54*C*Sin[\\
& d*x]))/(30*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (5*A*Co \\
& s[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[C \\
& ot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] \\
& + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot \\
& [c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 \\
& + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c \\
& + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (5*B*Cos[c + d*x]^5*Csc[c]*HypergeometricPF \\
& Q[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + \\
& a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan \\
& [Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin \\
& [c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(\\
& A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (C*C \\
& os[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[\\
& Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] \\
& + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Co \\
& t[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 \\
& + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + \\
& 2*d*x])*Sqrt[1 + Cot[c]^2]) - (A*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^ \\
& 6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((Hypergeo \\
& metricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTa \\
& n[Tan[c]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + \\
& ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])* \\
& Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2 \\
&] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + S \\
& in[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d* \\
& (A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (B*Cos[c + d*x]^5*Csc[\\
& c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[\\
& c + d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c] \\
&]]^2]*Sin[d*x + ArcTan[Tan[c]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]] \\
&]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]] \\
&]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan \\
& [c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Ta \\
& n[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[\\
& 1 + Tan[c]^2]))/(2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + \\
& (9*C*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + \\
& B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4}, {3/4} \\
& , Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]*Tan[c])/(Sqrt[1 - \\
& Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]* \\
& Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d \\
& *x + ArcTan[Tan[c]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + Arc \\
& Tan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x \\
& + ArcTan[Tan[c]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + 2*B*Cos[c + d*x]
\end{aligned}$$

+ A*cos(2*c + 2*d*x))

Maple [B] time = 8.903, size = 1328, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out]
$$\frac{4}{15} \left(-(-2 \cos(\frac{1}{2}dx + \frac{1}{2}c)^2 + 1) \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{1/2} a^3 / (8 \sin(\frac{1}{2}dx + \frac{1}{2}c)^6 - 12 \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 6 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) / \sin(\frac{1}{2}dx + \frac{1}{2}c)^3 (40A \sin(\frac{1}{2}dx + \frac{1}{2}c)^8 \cos(\frac{1}{2}dx + \frac{1}{2}c) + 190B \cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 - 180B \cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^6 - 120A \sin(\frac{1}{2}dx + \frac{1}{2}c)^6 \cos(\frac{1}{2}dx + \frac{1}{2}c) + 25B (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) + 15B (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) + 15C (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) + 27C (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) + 25A (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) - 15A (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) - 50B \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \cos(\frac{1}{2}dx + \frac{1}{2}c) - 100A (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 72 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \cos(\frac{1}{2}dx + \frac{1}{2}c) C - 60A (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 100B (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 108C (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 60A (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 100B (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 108C (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 60B (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 60C (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 + 60B (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{(1/2)}) \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 60C (2 \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{(1/2)} (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{(1/2)} \text{El}$$

```
lipticF(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^4+100*A*(2*sin(1/2*d
*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2
*c),2^(1/2))*sin(1/2*d*x+1/2*c)^4+90*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c
)^4-20*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)*A-216*C*cos(1/2*d*x+1/2*c)*s
in(1/2*d*x+1/2*c)^6+246*C*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4)*(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/
2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral((Ca^3 cos(dx + c) sec(dx + c)^5 + (B + 3C)a^3 cos(dx + c) sec(dx + c)^4 + (A + 3B + 3C)a^3 cos(dx + c) sec(dx + c)^3), x, algorithm="fricas")
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*cos(d*x + c)*sec(d*x + c)^5 + (B + 3*C)*a^3*cos(d*x + c)*se
c(d*x + c)^4 + (A + 3*B + 3*C)*a^3*cos(d*x + c)*sec(d*x + c)^3 + (3*A + 3*B
+ C)*a^3*cos(d*x + c)*sec(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c)*sec(d*x
+ c) + A*a^3*cos(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)
)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3*co
s(d*x + c)^(3/2), x)
```

3.1207 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C)$

Optimal. Leaf size=231

$$\frac{4a^3(35A+21B+13C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} - \frac{4a^3(5A+9B+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(5A+9B+7C)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] $(-4a^3(5A+9B+7C)\text{EllipticE}[(c+dx)/2, 2])/(5d) + (4a^3(35A+21B+13C)\text{EllipticF}[(c+dx)/2, 2])/(21d) + (4a^3(140A+147B+106C)\text{Sin}[c+dx])/(105d\text{Sqrt}[\text{Cos}[c+dx]]) + (2C(a+a\text{Cos}[c+dx])^3\text{Sin}[c+dx])/(7d\text{Cos}[c+dx]^{7/2}) + (2(7B+6C)(a^2+a^2\text{Cos}[c+dx])^2\text{Sin}[c+dx])/(35a d\text{Cos}[c+dx]^{5/2}) + (2(5A+9B+7C)(a^3+a^3\text{Cos}[c+dx])\text{Sin}[c+dx])/(15d\text{Cos}[c+dx]^{3/2})$

Rubi [A] time = 0.727096, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3043, 2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{4a^3(35A+21B+13C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^3(5A+9B+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(5A+9B+7C)\sin(c+dx)(a^3 \cos(c+dx))}{15d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cos}[c+dx]]*(a+a\text{Sec}[c+dx])^3*(A+B\text{Sec}[c+dx]+C\text{Sec}[c+dx]^2), x]$

[Out] $(-4a^3(5A+9B+7C)\text{EllipticE}[(c+dx)/2, 2])/(5d) + (4a^3(35A+21B+13C)\text{EllipticF}[(c+dx)/2, 2])/(21d) + (4a^3(140A+147B+106C)\text{Sin}[c+dx])/(105d\text{Sqrt}[\text{Cos}[c+dx]]) + (2C(a+a\text{Cos}[c+dx])^3\text{Sin}[c+dx])/(7d\text{Cos}[c+dx]^{7/2}) + (2(7B+6C)(a^2+a^2\text{Cos}[c+dx])^2\text{Sin}[c+dx])/(35a d\text{Cos}[c+dx]^{5/2}) + (2(5A+9B+7C)(a^3+a^3\text{Cos}[c+dx])\text{Sin}[c+dx])/(15d\text{Cos}[c+dx]^{3/2})$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(d_.))^n*((a_.) + (b_.)\text{sec}[(e_.) + (f_.)*(x_)])^m*((A_.) + (B_.)\text{sec}[(e_.) + (f_.)*(x_)] + (C_.)\text{sec}[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b+a\text{Cos}[e+f*x])^m(d\text{Cos}[e+f*x])^{(n-m-2)}(C+B\text{Cos}[e+f*x]+A\text{Cos}[e+f*x]^2), x], x] /;$ Free

$\text{eQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3043

$\text{Int}[(a + (b \sin(e + f x))^m)((c + (d \sin(e + f x)) + (f(x))^n)((A + (B \sin(e + f x)) + (C \sin(e + f x)) + (f(x))^2)), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(c^2 C - B c d + A d^2) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1}] / (d f (n+1) (c^2 - d^2)), x] + \text{Dist}[1 / (b d (n+1) (c^2 - d^2)), \text{Int}[(a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1} \text{Simp}[A d (a d m + b c (n+1)) + (c C - B d) (a c m + b d (n+1)) + b (d (B c - A d) (m + n + 2) - C (c^2 (m+1) + d^2 (n+1))) \sin[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{!LtQ}[m, -2^{-1}] \&\& (\text{LtQ}[n, -1] \parallel \text{EqQ}[m + n + 2, 0])$

Rule 2975

$\text{Int}[(a + (b \sin(e + f x))^m)((c + (d \sin(e + f x)) + (f(x))^n), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(b^2 (B c - A d) \cos[e + f x] (a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1}] / (d f (n+1) (b c + a d)), x] - \text{Dist}[b / (d (n+1) (b c + a d)), \text{Int}[(a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1} \text{Simp}[A d (m - n - 2) - B (a c (m - 1) + b d (n + 1)) - (A b d (m + n + 1) - B (b c m - a d (n + 1))) \sin[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2 m] \&\& (\text{IntegerQ}[2 n] \parallel \text{EqQ}[c, 0])$

Rule 2968

$\text{Int}[(a + (b \sin(e + f x))^m)((c + (d \sin(e + f x)) + (f(x))^n), x_{\text{Symbol}}] \rightarrow \text{Int}[(a + b \sin[e + f x])^m (A c + (B c + A d) \sin[e + f x] + B d \sin[e + f x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b c - a d, 0]$

Rule 3021

$\text{Int}[(a + (b \sin(e + f x))^m)((A + (B \sin(e + f x)) + (C \sin(e + f x)) + (f(x))^2), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(A b^2 - a b B + a^2 C) \cos[e + f x] (a + b \sin[e + f x])^{m+1}] / (b f (m+1) (a^2 - b^2)), x] + \text{Dist}[1 / (b (m+1) (a^2 - b^2)), \text{Int}[(a + b \sin[e + f x])^{m+1} \text{Simp}[b (a A - b B + a C) (m+1) - (A b^2 - a b B + a^2 C + b (A b - a B + b C) (m+1)) \sin[e + f x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))^3(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^3(C+B\cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)}dx \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2\int}{7d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2(7)}{7d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2(7)}{7d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2(7)}{7d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^3\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2(7)}{7d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{4a^3(140A+147B+106C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}} + \\
&= \frac{4a^3(140A+147B+106C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}} + \\
&= -\frac{4a^3(5A+9B+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} +
\end{aligned}$$

Mathematica [C] time = 6.96214, size = 1692, normalized size = 7.32

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec
[c + d*x] + C*Sec[c + d*x]^2)*(-((-25*A - 36*B - 28*C + 5*A*Cos[2*c])*Csc[c
```


$$\begin{aligned}
&]*\sec[c])/(20*d) + (C*\sec[c]*\sec[c + d*x]^4*\sin[d*x])/(14*d) + (\sec[c]*\sec[\\
& c + d*x]^3*(5*C*\sin[c] + 7*B*\sin[d*x] + 21*C*\sin[d*x]))/(70*d) + (\sec[c]*\sec[\\
& c + d*x]^2*(21*B*\sin[c] + 63*C*\sin[c] + 35*A*\sin[d*x] + 105*B*\sin[d*x] + \\
& 130*C*\sin[d*x]))/(210*d) + (\sec[c]*\sec[c + d*x]*(35*A*\sin[c] + 105*B*\sin[c] \\
& + 130*C*\sin[c] + 315*A*\sin[d*x] + 378*B*\sin[d*x] + 294*C*\sin[d*x]))/(210*d \\
&))/(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) - (5*A*\cos[c + d*x]^5 \\
& *Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*S \\
& ec[c/2 + (d*x)/2]^6*(a + a*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + \\
& d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[\\
& -(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \sin[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*S \\
& \text{qrt}[1 + \text{Cot}[c]^2]) - (B*\cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, \\
& {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2 + (d*x)/2]^6*(a + a*\sec[c + d*x \\
&])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt} \\
& [1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(A + 2*C + 2*B*Co \\
& s[c + d*x] + A*\cos[2*c + 2*d*x])*Sqrt[1 + \text{Cot}[c]^2]) - (13*C*\cos[c + d*x]^5 \\
& *Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*S \\
& ec[c/2 + (d*x)/2]^6*(a + a*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + \\
& d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[\\
& -(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \sin[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]]])/(21*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*S \\
& \text{qrt}[1 + \text{Cot}[c]^2]) + (A*\cos[c + d*x]^5*Csc[c]*\sec[c/2 + (d*x)/2]^6*(a + a*S \\
& ec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((HypergeometricPFQ[\\
& {-1/2, -1/4}, {3/4}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] \\
& *Tan[c])/(Sqrt[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*Sqrt[1 + \cos[d*x + \text{ArcTan}[\text{Tan} \\
& [c]]]]*Sqrt[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*Sqrt[1 + \tan[c]^2]]*Sqrt[1 + T \\
& an[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/Sqrt[1 + \tan[c]^2] + (2*\cos \\
& [c]^2*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*Sqrt[1 + \tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/ \\
& Sqrt[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*Sqrt[1 + \tan[c]^2]))/(2*d*(A + 2*C + \\
& 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + (9*B*\cos[c + d*x]^5*Csc[c]*\sec[c \\
& /2 + (d*x)/2]^6*(a + a*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x] \\
& ^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*S \\
& in[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(Sqrt[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*Sqrt[\\
& 1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*Sqrt[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*Sqrt[1 \\
& + \tan[c]^2]]*Sqrt[1 + \tan[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/Sqr \\
& t[1 + \tan[c]^2] + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*Sqrt[1 + \tan[c]^2]) \\
& /(\cos[c]^2 + \sin[c]^2))/Sqrt[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]*Sqrt[1 + \tan[\\
& c]^2]))/(10*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + (7*C*Co \\
& s[c + d*x]^5*Csc[c]*\sec[c/2 + (d*x)/2]^6*(a + a*\sec[c + d*x])^3*(A + B*\sec[\\
& c + d*x] + C*\sec[c + d*x]^2)*((HypergeometricPFQ[-1/2, -1/4], {3/4}, \cos[d \\
& *x + \text{ArcTan}[\text{Tan}[c]]]^2)*\sin[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(Sqrt[1 - \cos[d*x \\
& + \text{ArcTan}[\text{Tan}[c]]]]*Sqrt[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*Sqrt[\cos[c]*\cos[d*x \\
& + \text{ArcTan}[\text{Tan}[c]]]*Sqrt[1 + \tan[c]^2]]*Sqrt[1 + \tan[c]^2]) - ((\sin[d*x + Ar \\
& cTan[\text{Tan}[c]]]*\text{Tan}[c])/Sqrt[1 + \tan[c]^2] + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\text{Tan}
\end{aligned}$$

$$\frac{[\csc[c]] \sqrt{1 + \tan[c]^2}}{(\cos[c]^2 + \sin[c]^2) \sqrt{\cos[c] \cos[dx + \arctan[\tan[c]] \sqrt{1 + \tan[c]^2}]}} \frac{1}{(10d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]))}$$

Maple [B] time = 9.569, size = 1097, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{1/2} (a + a \sec(dx+c))^3 (A + B \sec(dx+c) + C \sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -16 \left(-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2 \right)^{1/2} a^3 \left(\frac{1}{8} A \left(\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \right. \\ & \left. (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2) \right)^{1/2} \\ & \left(\text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) \right) \\ & + \frac{1}{4} A \left(\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \left(-2 \cos(1/2 dx + 1/2 c)^2 + 1 \right)^{1/2} \\ & / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2) \right)^{1/2} \\ & \left(\text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + \frac{1}{8} B \left(\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \right. \\ & \left. (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2) \right)^{1/2} \\ & \left(\text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + \frac{1}{8} A + \frac{3}{8} B + \frac{3}{8} C \right) \\ & \left(-\frac{1}{6} \cos(1/2 dx + 1/2 c) \left(-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 \right) \right)^{1/2} \\ & / \left(\cos(1/2 dx + 1/2 c)^2 - 1/2 \right)^2 + \frac{1}{3} \left(\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \left(-2 \cos(1/2 dx + 1/2 c)^2 + 1 \right)^{1/2} \\ & / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2) \right)^{1/2} \\ & \left(\text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) \right) + \frac{1}{8} C \left(-\frac{1}{56} \cos(1/2 dx + 1/2 c) \right. \\ & \left. (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2) \right)^{1/2} / \left(\cos(1/2 dx + 1/2 c)^2 - 1/2 \right)^4 \\ & - \frac{5}{42} \cos(1/2 dx + 1/2 c) \left(-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \\ & / \left(\cos(1/2 dx + 1/2 c)^2 - 1/2 \right)^2 + \frac{5}{21} \left(\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \left(-2 \cos(1/2 dx + 1/2 c)^2 + 1 \right)^{1/2} \\ & / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2) \right)^{1/2} \\ & \left(\text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) \right) - \frac{1}{5} \left(\frac{1}{8} B + \frac{3}{8} C \right) / \left(8 \sin(1/2 dx + 1/2 c)^6 \right. \\ & \left. - 12 \sin(1/2 dx + 1/2 c)^4 + 6 \sin(1/2 dx + 1/2 c)^2 - 1 \right) / \sin(1/2 dx + 1/2 c)^2 \\ & \left(12 \left(2 \sin(1/2 dx + 1/2 c)^2 - 1 \right)^{1/2} \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) \right) \\ & \left(\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \sin(1/2 dx + 1/2 c)^4 - 24 \sin(1/2 dx + 1/2 c)^6 \cos(1/2 dx + 1/2 c) \\ & - 12 \left(2 \sin(1/2 dx + 1/2 c)^2 - 1 \right)^{1/2} \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) \right) \\ & \left(\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \sin(1/2 dx + 1/2 c)^2 + 24 \sin(1/2 dx + 1/2 c)^4 \cos(1/2 dx + 1/2 c) \\ & + 3 \left(2 \sin(1/2 dx + 1/2 c)^2 - 1 \right)^{1/2} \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) \right) \\ & \left(\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \left(-8 \sin(1/2 dx + 1/2 c)^2 \cos(1/2 dx + 1/2 c) \right) \\ & \left(-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 \right)^{1/2} + \frac{3}{8} A + \frac{3}{8} B + \frac{1}{8} C \right) \\ & \left(-\left(\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 dx + 1/2 c)^2 - 1 \right)^{1/2} \right. \\ & \left. (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2) \right)^{1/2} \\ & \left(\text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) \right) + 2 \left(-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \\ & \cos(1/2 dx + 1/2 c) \sin(1/2 dx + 1/2 c)^2 / \sin(1/2 dx + 1/2 c)^2 / \left(2 \sin(1/2 dx + 1/2 c)^2 - 1 \right) / \sin(1/2 dx + 1/2 c) / \left(2 \cos(1/2 dx + 1/2 c)^2 - 1 \right) \end{aligned}$$

$*x+1/2*c)^{2-1}^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^3*sec(dx+c)^5 + (B+3C)a^3*sec(dx+c)^4 + (A+3B+3C)a^3*sec(dx+c)^3 + (3A+3B+C)a^3*sec(dx+c)^2),x, algorithm="fricas")

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^3*sec(d*x+c)^5 + (B+3*C)*a^3*sec(d*x+c)^4 + (A+3*B+3*C)*a^3*sec(d*x+c)^3 + (3*A+3*B+C)*a^3*sec(d*x+c)^2 + (3*A+B)*a^3*sec(d*x+c) + A*a^3)*sqrt(cos(d*x+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3*sqrt(cos(d*x + c)), x)
```

$$3.1208 \quad \int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=267

$$\frac{4a^3(21A + 13B + 11C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} - \frac{4a^3(27A + 21B + 17C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(42A + 41B + 32C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $(-4*a^3*(27*A + 21*B + 17*C)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (4*a^3*(21*A + 13*B + 11*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (4*a^3*(42*A + 41*B + 32*C)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^3*(27*A + 21*B + 17*C)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(a + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(9*d*\text{Cos}[c + d*x]^{(9/2)}) + (2*(3*B + 2*C)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(21*a*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*(63*A + 99*B + 73*C)*(a^3 + a^3*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(315*d*\text{Cos}[c + d*x]^{(5/2)})$

Rubi [A] time = 0.750642, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3043, 2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{4a^3(21A + 13B + 11C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} - \frac{4a^3(27A + 21B + 17C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(42A + 41B + 32C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/\text{Sqrt}[\text{Cos}[c + d*x]], x]$

[Out] $(-4*a^3*(27*A + 21*B + 17*C)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (4*a^3*(21*A + 13*B + 11*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (4*a^3*(42*A + 41*B + 32*C)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^3*(27*A + 21*B + 17*C)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(a + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(9*d*\text{Cos}[c + d*x]^{(9/2)}) + (2*(3*B + 2*C)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(21*a*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*(63*A + 99*B + 73*C)*(a^3 + a^3*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(315*d*\text{Cos}[c + d*x]^{(5/2)})$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sec}[(e_.) + (f_.)*)]$

```
*(x_)^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3043

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_) + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c
+ d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c
*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n
+ 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m,
-2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := -Si
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
```

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(a + a \cos(c + dx))^3 (C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \cos(c + dx))^3}{\cos^{\frac{11}{2}}(c + dx)} dx}{9d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(3B + 2C)(a^2 + a \cos(c + dx))}{21d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(3B + 2C)(a^2 + a \cos(c + dx))}{21d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2C(a + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(3B + 2C)(a^2 + a \cos(c + dx))}{21d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{4a^3(42A + 41B + 32C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))}{9d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{4a^3(42A + 41B + 32C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))}{9d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{4a^3(21A + 13B + 11C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^3(42A + 41B + 32C) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{4a^3(27A + 21B + 17C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(21A + 13B + 11C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 7.06482, size = 1739, normalized size = 6.51

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]
```



```

[Out] (Cos[c + d*x]^(11/2)*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec
[c + d*x] + C*Sec[c + d*x]^2)*(((27*A + 21*B + 17*C)*Csc[c]*Sec[c])/(15*d)
+ (C*Sec[c]*Sec[c + d*x]^5*Sin[d*x])/(18*d) + (Sec[c]*Sec[c + d*x]^4*(7*C*S
in[c] + 9*B*Sin[d*x] + 27*C*Sin[d*x]))/(126*d) + (Sec[c]*Sec[c + d*x]^3*(45
*B*Sin[c] + 135*C*Sin[c] + 63*A*Sin[d*x] + 189*B*Sin[d*x] + 238*C*Sin[d*x])
)/(630*d) + (Sec[c]*Sec[c + d*x]*(105*A*Sin[c] + 130*B*Sin[c] + 110*C*Sin[c
] + 378*A*Sin[d*x] + 294*B*Sin[d*x] + 238*C*Sin[d*x]))/(210*d) + (Sec[c]*Se
c[c + d*x]^2*(63*A*Sin[c] + 189*B*Sin[c] + 238*C*Sin[c] + 315*A*Sin[d*x] +
390*B*Sin[d*x] + 330*C*Sin[d*x]))/(630*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A
*Cos[2*c + 2*d*x]) - (A*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2},
{5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*
x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqr
t[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x -
ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + 2*B*C
os[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (13*B*Cos[c + d*x]^
5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*
Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt
[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x -
ArcTan[Cot[c]]]])/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*
Sqrt[1 + Cot[c]^2]) - (11*C*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1
/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c
+ d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]
]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d
*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C
+ 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) + (9*A*Cos[c +
d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d
*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x +
ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + Ar
cTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + Ar
cTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[
Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]
*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Ta
n[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c
+ 2*d*x])) + (7*B*Cos[c + d*x]^5*Csc[c]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c +
d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2,
-1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c
])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]
*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^
2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*
Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[C
os[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + 2*B*
Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (17*C*Cos[c + d*x]^5*Csc[c]*Sec[c/2 +
(d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*
(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d

```

$$\frac{x + \text{ArcTan}[\text{Tan}[c]] * \text{Tan}[c]}{\sqrt{1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{1 + \text{Tan}[c]^2}} - \left(\frac{\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]}{\sqrt{1 + \text{Tan}[c]^2}} + \frac{2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \sqrt{1 + \text{Tan}[c]^2}}{\text{Cos}[c]^2 + \text{Sin}[c]^2} \right) / \sqrt{\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{1 + \text{Tan}[c]^2}} \Big) / (30 * d * (A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2 * c + 2 * d*x]))$$

Maple [B] time = 11.067, size = 1262, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + a * \sec(d*x + c))^3 * (A + B * \sec(d*x + c) + C * \sec(d*x + c)^2) / \cos(d*x + c)^{(1/2)}, x)$

[Out] $-16 * (-(-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1) * \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * a^3 * (1/8 * A * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) + (3/8 * A + 3/8 * B + 1/8 * C) * (-1/6 * \cos(1/2 * d*x + 1/2 * c) * (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d*x + 1/2 * c)^2 - 1/2)^2 + 1/3 * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)})) + (1/8 * B + 3/8 * C) * (-1/56 * \cos(1/2 * d*x + 1/2 * c) * (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d*x + 1/2 * c)^2 - 1/2)^4 - 5/42 * \cos(1/2 * d*x + 1/2 * c) * (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d*x + 1/2 * c)^2 - 1/2)^2 + 5/21 * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)})) - 1/5 * (1/8 * A + 3/8 * B + 3/8 * C) / (8 * \sin(1/2 * d*x + 1/2 * c)^6 - 12 * \sin(1/2 * d*x + 1/2 * c)^4 + 6 * \sin(1/2 * d*x + 1/2 * c)^2 - 1) / \sin(1/2 * d*x + 1/2 * c)^2 * (12 * (2 * \sin(1/2 * d*x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d*x + 1/2 * c)^4 - 24 * \sin(1/2 * d*x + 1/2 * c)^6 * \cos(1/2 * d*x + 1/2 * c) - 12 * (2 * \sin(1/2 * d*x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d*x + 1/2 * c)^2 + 24 * \sin(1/2 * d*x + 1/2 * c)^4 * \cos(1/2 * d*x + 1/2 * c) + 3 * (2 * \sin(1/2 * d*x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} - 8 * \sin(1/2 * d*x + 1/2 * c)^2 * \cos(1/2 * d*x + 1/2 * c)) * (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} + 1/8 * C * (-1/144 * \cos(1/2 * d*x + 1/2 * c) * (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d*x + 1/2 * c)^2 - 1/2)^5 - 7/180 * \cos(1/2 * d*x + 1/2 * c) * (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d*x + 1/2 * c)^2 - 1/2)^3 - 14/15 * \sin(1/2 * d*x + 1/2 * c)^2 * \cos(1/2 * d*x + 1/2 * c) / (-(-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1) * \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} + 7/15 * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)})$

```
*c),2^(1/2))-7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))))+(3/8*A+1/8*B)*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ca^3 \sec(dx+c)^5 + (B+3C)a^3 \sec(dx+c)^4 + (A+3B+3C)a^3 \sec(dx+c)^3 + (3A+3B+C)a^3 \sec(dx+c)^2 + (3A+B)a^3 \sec(dx+c) + Aa^3}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^3*sec(d*x + c)^5 + (B + 3*C)*a^3*sec(d*x + c)^4 + (A + 3*B + 3*C)*a^3*sec(d*x + c)^3 + (3*A + 3*B + C)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**
(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sq
rt(cos(d*x + c)), x)
```

3.1209 $\int \cos^{\frac{13}{2}}(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=310

$$\frac{8a^4(100A + 113B + 132C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{8a^4(185A + 208B + 247C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{195d} + \frac{4a^4(5255A + 6019B + 6721C)}{15009d}$$

[Out] (8*a^4*(185*A + 208*B + 247*C)*EllipticE[(c + d*x)/2, 2])/(195*d) + (8*a^4*(100*A + 113*B + 132*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (8*a^4*(100*A + 113*B + 132*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (4*a^4*(5255*A + 6019*B + 6721*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15015*d) + (2*a*(8*A + 13*B)*Cos[c + d*x]^(3/2)*(a + a*cos[c + d*x])^3*sin[c + d*x])/(143*d) + (2*A*cos[c + d*x]^(3/2)*(a + a*cos[c + d*x])^4*sin[c + d*x])/(13*d) + (2*(13*A + 17*B + 11*C)*Cos[c + d*x]^(3/2)*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(99*d) + (4*(1355*A + 1612*B + 1573*C)*Cos[c + d*x]^(3/2)*(a^4 + a^4*cos[c + d*x])*Sin[c + d*x])/(9009*d)

Rubi [A] time = 0.909167, antiderivative size = 310, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3045, 2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{8a^4(100A + 113B + 132C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{231d} + \frac{8a^4(185A + 208B + 247C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{195d} + \frac{4a^4(5255A + 6019B + 6721C)}{15009d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(13/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (8*a^4*(185*A + 208*B + 247*C)*EllipticE[(c + d*x)/2, 2])/(195*d) + (8*a^4*(100*A + 113*B + 132*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (8*a^4*(100*A + 113*B + 132*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (4*a^4*(5255*A + 6019*B + 6721*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15015*d) + (2*a*(8*A + 13*B)*Cos[c + d*x]^(3/2)*(a + a*cos[c + d*x])^3*sin[c + d*x])/(143*d) + (2*A*cos[c + d*x]^(3/2)*(a + a*cos[c + d*x])^4*sin[c + d*x])/(13*d) + (2*(13*A + 17*B + 11*C)*Cos[c + d*x]^(3/2)*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(99*d) + (4*(1355*A + 1612*B + 1573*C)*Cos[c + d*x]^(3/2)*(a^4 + a^4*cos[c + d*x])*Sin[c + d*x])/(9009*d)

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*((a_) + (b_.)*sec[(e_.) + (f_.)*(x_)])^ (m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)]) + (C_.)*sec[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3045

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^ (n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n + 2)), Int[(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^n*Simp[A*b*d*(m + n + 2) + C*(a*c*m + b*d*(n + 1)) + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]
```

Rule 2976

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^ (n_.), x_Symbol] := -Simp[(b*B*cos[e + f*x]*(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
```

!LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{13}{2}}(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4(C+ \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^4\sin(c+dx)}{13d} \\
&= \frac{2a(8A+13B)\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^4}{143d} \\
&= \frac{2a(8A+13B)\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^4}{143d} \\
&= \frac{2a(8A+13B)\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^4}{143d} \\
&= \frac{2a(8A+13B)\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^4}{143d} \\
&= \frac{4a^4(5255A+6019B+6721C)\cos^{\frac{3}{2}}(c+dx)}{15015d} \\
&= \frac{4a^4(5255A+6019B+6721C)\cos^{\frac{3}{2}}(c+dx)}{15015d} \\
&= \frac{8a^4(185A+208B+247C)E\left(\frac{1}{2}(c+dx)\right)}{195d} \\
&= \frac{8a^4(185A+208B+247C)E\left(\frac{1}{2}(c+dx)\right)}{195d}
\end{aligned}$$

Mathematica [C] time = 6.51246, size = 1416, normalized size = 4.57

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(13/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] a^4*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])^4*Sec[c/2 + (d*x)/2]^8*(-((185*A + 208*B + 247*C)*Cot[c])/(390*d) + ((3764*A + 4087*B + 4488*C)*Cos[d*x]*Sin[c])/(14784*d) + ((15625*A + 15392*B + 13208*C)*Cos[2*d*x]*Sin[2*c])/(149760*d) + ((404*A + 321*B + 176*C)*Cos[3*d*x]*Sin[3*c])/(9856*d) + ((98*A + 52*B + 13*C)*Cos[4*d*x]*Sin[4*c])/(7488*d) + ((4*A + B)*Cos[5*d*x]*Sin[5*c]))

$$\begin{aligned}
& / (1408*d) + (A*\cos[6*d*x]*\sin[6*c]) / (3328*d) + ((3764*A + 4087*B + 4488*C)* \\
& \cos[c]*\sin[d*x]) / (14784*d) + ((15625*A + 15392*B + 13208*C)*\cos[2*c]*\sin[2* \\
& d*x]) / (149760*d) + ((404*A + 321*B + 176*C)*\cos[3*c]*\sin[3*d*x]) / (9856*d) + \\
& ((98*A + 52*B + 13*C)*\cos[4*c]*\sin[4*d*x]) / (7488*d) + ((4*A + B)*\cos[5*c]* \\
& \sin[5*d*x]) / (1408*d) + (A*\cos[6*c]*\sin[6*d*x]) / (3328*d) - (50*A*(1 + \cos[c \\
& + d*x])^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot \\
& [c]]]^2]*\sec[c/2 + (d*x)/2]^8*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \\
& \text{ArcTan}[\cot[c]]]}*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]])} \\
&)]*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}) / (231*d*\sqrt{1 + \cot[c]^2}) - (113*B \\
& *(1 + \cos[c + d*x])^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \\
& \text{ArcTan}[\cot[c]]]^2]*\sec[c/2 + (d*x)/2]^8*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \\
& \sin[d*x - \text{ArcTan}[\cot[c]]]}*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcT} \\
& \text{an}[\cot[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}) / (462*d*\sqrt{1 + \cot[c]^2} \\
&) - (2*C*(1 + \cos[c + d*x])^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \\
& \sin[d*x - \text{ArcTan}[\cot[c]]]^2]*\sec[c/2 + (d*x)/2]^8*\sec[d*x - \text{ArcTan}[\cot[c]]] \\
& *\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d \\
& *x - \text{ArcTan}[\cot[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}) / (7*d*\sqrt{1 + \cot[c]^2} \\
&) - (37*A*(1 + \cos[c + d*x])^4*\csc[c]*\sec[c/2 + (d*x)/2]^8*((\text{Hyperg} \\
& \text{eometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2]*\sin[d*x + \text{Arc} \\
& \text{Tan}[\tan[c]]]*\tan[c]) / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \cos[d*x \\
& + \text{ArcTan}[\tan[c]]]}*\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \tan[c]^2} \\
&]*\sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c]) / \sqrt{1 + \tan[c]^2} \\
& ^2 + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\tan[c]]]*\sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \\
& \sin[c]^2)) / \sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \tan[c]^2}))/ (15 \\
& 6*d) - (4*B*(1 + \cos[c + d*x])^4*\csc[c]*\sec[c/2 + (d*x)/2]^8*((\text{Hypergeometr} \\
& \text{icPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2]*\sin[d*x + \text{ArcTan}[\tan \\
& [c]]]*\tan[c]) / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \cos[d*x + \text{ArcT} \\
& \text{an}[\tan[c]]]}*\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \tan[c]^2})*\sqrt{ \\
& 1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c]) / \sqrt{1 + \tan[c]^2} + \\
& (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\tan[c]]]*\sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c \\
&]^2)) / \sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \tan[c]^2}))/ (15*d) - \\
& (19*C*(1 + \cos[c + d*x])^4*\csc[c]*\sec[c/2 + (d*x)/2]^8*((\text{HypergeometricPFQ} \\
& \{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2]*\sin[d*x + \text{ArcTan}[\tan[c]]] \\
& *\tan[c]) / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \cos[d*x + \text{ArcTan}[\tan \\
& [c]]]}*\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \tan[c]^2})*\sqrt{1 + \tan \\
& [c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c]) / \sqrt{1 + \tan[c]^2} + (2*\cos \\
& [c]^2*\cos[d*x + \text{ArcTan}[\tan[c]]]*\sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \\
& \sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \tan[c]^2}))/ (60*d)
\end{aligned}$$

Maple [A] time = 2.398, size = 576, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(13/2)}*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x)$

[Out] $-8/45045*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^4*(-110880*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{14}+(594720*A+65520*B)*\sin(1/2*d*x+1/2*c)^{12}*\cos(1/2*d*x+1/2*c)+(-1345120*A-323960*B-40040*C)*\sin(1/2*d*x+1/2*c)^{10}*\cos(1/2*d*x+1/2*c)+(1667840*A+659620*B+183040*C)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-1237490*A-713518*B-336622*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(572110*A+448448*B+322322*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-117945*A-110097*B-97383*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+19500*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-42735*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+22035*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-48048*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25740*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-57057*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(13/2)}*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$\text{integral}((Ca^4 \cos(dx+c)^6 \sec(dx+c)^6 + (B+4C)a^4 \cos(dx+c)^6 \sec(dx+c)^5 + (A+4B+6C)a^4 \cos(dx+c)^6 \sec(dx+c)^4 + \dots)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)
^2),x, algorithm="fricas")
```

```
[Out] integral((C*a^4*cos(d*x + c)^6*sec(d*x + c)^6 + (B + 4*C)*a^4*cos(d*x + c)^
6*sec(d*x + c)^5 + (A + 4*B + 6*C)*a^4*cos(d*x + c)^6*sec(d*x + c)^4 + 2*(2
*A + 3*B + 2*C)*a^4*cos(d*x + c)^6*sec(d*x + c)^3 + (6*A + 4*B + C)*a^4*cos
(d*x + c)^6*sec(d*x + c)^2 + (4*A + B)*a^4*cos(d*x + c)^6*sec(d*x + c) + A*
a^4*cos(d*x + c)^6)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(13/2)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+
c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{13}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)
^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^4*co
s(d*x + c)^(13/2), x)
```

3.1210 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=274

$$\frac{8a^4(113A + 132B + 187C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{8a^4(16A + 19B + 24C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^4(667A + 803B + 913C)\sin(c + dx)}{1155d}$$

[Out] (8*a^4*(16*A + 19*B + 24*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (8*a^4*(113*A + 132*B + 187*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^4*(667*A + 803*B + 913*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(1155*d) + (2*a*(8*A + 11*B)*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*sin[c + d*x])/(99*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^4*sin[c + d*x])/(11*d) + (2*(43*A + 55*B + 33*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(231*d) + (4*(769*A + 946*B + 891*C)*Sqrt[Cos[c + d*x]]*(a^4 + a^4*cos[c + d*x])*Sin[c + d*x])/(3465*d)

Rubi [A] time = 0.882976, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3045, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{8a^4(113A + 132B + 187C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{8a^4(16A + 19B + 24C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^4(667A + 803B + 913C)\sin(c + dx)}{1155d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (8*a^4*(16*A + 19*B + 24*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (8*a^4*(113*A + 132*B + 187*C)*EllipticF[(c + d*x)/2, 2])/(231*d) + (4*a^4*(667*A + 803*B + 913*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(1155*d) + (2*a*(8*A + 11*B)*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*sin[c + d*x])/(99*d) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^4*sin[c + d*x])/(11*d) + (2*(43*A + 55*B + 33*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(231*d) + (4*(769*A + 946*B + 891*C)*Sqrt[Cos[c + d*x]]*(a^4 + a^4*cos[c + d*x])*Sin[c + d*x])/(3465*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)

$(x_)]^2), x_Symbol] := \text{Dist}[d^{(m+2)}, \text{Int}[(b + a\cos[e + f*x])^m (d\cos[e + f*x])^{(n-m-2)} (C + B\cos[e + f*x] + A\cos[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3045

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)} ((A_ + (B_)\sin[e_ + (f_)(x_)] + (C_)\sin[e_ + (f_)(x_)]^2), x_Symbol] := -\text{Simp}[(C\cos[e + f*x](a + b\sin[e + f*x])^m (c + d\sin[e + f*x])^{(n+1)}) / (d*f*(m+n+2)), x] + \text{Dist}[1/(b*d*(m+n+2)), \text{Int}[(a + b\sin[e + f*x])^m (c + d\sin[e + f*x])^n \text{Simp}[A*b*d*(m+n+2) + C*(a*c*m + b*d*(n+1)) + (C*(a*d*m - b*c*(m+1)) + b*B*d*(m+n+2))*\sin[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]

Rule 2976

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((A_ + (B_)\sin[e_ + (f_)(x_)])^{(n_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)}), x_Symbol] := -\text{Simp}[(b*B\cos[e + f*x](a + b\sin[e + f*x])^{(m-1)} (c + d\sin[e + f*x])^{(n+1)}) / (d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b\sin[e + f*x])^{(m-1)} (c + d\sin[e + f*x])^n \text{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\sin[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2968

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((A_ + (B_)\sin[e_ + (f_)(x_)])^{(n_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)}), x_Symbol] := \text{Int}[(a + b\sin[e + f*x])^m (A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((A_ + (B_)\sin[e_ + (f_)(x_)])^{(n_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)}), x_Symbol] := -\text{Simp}[(C\cos[e + f*x](a + b\sin[e + f*x])^{(m+1)}) / (b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b\sin[e + f*x])^m \text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f*x], x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^4(C+B\cos(c+dx))}{\sqrt{\cos(c+dx)}}dx \\
&= \frac{2A\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4\sin(c+dx)}{11d} \\
&= \frac{2a(8A+11B)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2a(8A+11B)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2a(8A+11B)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2a(8A+11B)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{2a(8A+11B)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4\sin(c+dx)}{99d} \\
&= \frac{4a^4(667A+803B+913C)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4\sin(c+dx)}{1155d} \\
&= \frac{4a^4(667A+803B+913C)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4\sin(c+dx)}{1155d} \\
&= \frac{8a^4(16A+19B+24C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d}
\end{aligned}$$

Mathematica [C] time = 6.71311, size = 1751, normalized size = 6.39

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^(13/2)*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(-(16*A + 19*B + 24*C)*Cot[c])/(15*d) + ((40*87*A + 4488*B + 4202*C)*Cos[d*x]*Sin[c])/(7392*d) + ((148*A + 127*B + 72*C)*Cos[2*d*x]*Sin[2*c])/(720*d) + ((321*A + 176*B + 44*C)*Cos[3*d*x]*Sin[3*c])

$$\begin{aligned}
&)/(4928*d) + ((4*A + B)*\text{Cos}[4*d*x]*\text{Sin}[4*c])/ (288*d) + (A*\text{Cos}[5*d*x]*\text{Sin}[5*c])/ (704*d) + ((4087*A + 4488*B + 4202*C)*\text{Cos}[c]*\text{Sin}[d*x])/ (7392*d) + ((148*A + 127*B + 72*C)*\text{Cos}[2*c]*\text{Sin}[2*d*x])/ (720*d) + ((321*A + 176*B + 44*C)*\text{Cos}[3*c]*\text{Sin}[3*d*x])/ (4928*d) + ((4*A + B)*\text{Cos}[4*c]*\text{Sin}[4*d*x])/ (288*d) + (A*\text{Cos}[5*c]*\text{Sin}[5*d*x])/ (704*d)) / (A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) - (113*A*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (231*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*B*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (7*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (17*C*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (21*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (8*A*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])* \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])) / (15*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (19*B*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])* \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])) / (30*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (4*C*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^8*(a + a*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])* \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2
\end{aligned}$$

$$\frac{+\sin[c]^2)/\sqrt{\cos[c]\cos[dx + \arctan[\tan[c]]]\sqrt{1 + \tan[c]^2}}}{5d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx])}$$

Maple [A] time = 2.405, size = 545, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^(11/2)*(a+a*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2),x)`

[Out]
$$\begin{aligned} & -8/3465 * ((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a^4 * (5040*A \\ & * \cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{12} + (-24920*A-3080*B)*\sin(1/2*d*x+1/2 \\ & *c)^{10}*\cos(1/2*d*x+1/2*c) + (50740*A+14080*B+1980*C)*\sin(1/2*d*x+1/2*c)^8*\cos \\ & (1/2*d*x+1/2*c) + (-54886*A-25894*B-8514*C)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+ \\ & 1/2*c) + (34496*A+24794*B+14784*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c) + (- \\ & 8469*A-7491*B-5511*C)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) + 1695*A*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d \\ & *x+1/2*c), 2^{(1/2)}) - 3696*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c \\ &)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1980*B*(\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2 \\ & ^{(1/2)}) - 4389*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ &)*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2805*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 554 \\ & 4*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE \\ & (\cos(1/2*d*x+1/2*c), 2^{(1/2)}) / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2 \\ &)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(11/2)*(a+a*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^4*cos(dx+c)^5*sec(dx+c)^6+(B+4C)*a^4*cos(dx+c)^5*sec(dx+c)^5+(A+4B+6C)*a^4*cos(dx+c)^5*sec(dx+c)^4),x, algorithm="fricas")

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^4*cos(d*x+c)^5*sec(d*x+c)^6+(B+4C)*a^4*cos(d*x+c)^5*sec(d*x+c)^5+(A+4B+6C)*a^4*cos(d*x+c)^5*sec(d*x+c)^4+2*(2*A+3*B+2*C)*a^4*cos(d*x+c)^5*sec(d*x+c)^3+(6*A+4*B+C)*a^4*cos(d*x+c)^5*sec(d*x+c)^2+(4*A+B)*a^4*cos(d*x+c)^5*sec(d*x+c)+A*a^4*cos(d*x+c)^5)*sqrt(cos(d*x+c)),x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(11/2)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^4 \cos(dx+c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x+c)^2+B*sec(d*x+c)+A)*(a*sec(d*x+c)+a)^4*cos(d*x+c)^(11/2),x)

3.1211 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=270

$$\frac{8a^4(12A + 17B + 28C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{8a^4(19A + 24B + 21C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{4a^4(73A + 83B + 7C)\sin(c + dx)}{105d}$$

[Out] (8*a^4*(19*A + 24*B + 21*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (8*a^4*(12*A + 17*B + 28*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^4*(73*A + 83*B + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(A - 9*C)*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*sin[c + d*x])/(9*d) + (2*C*(a + a*cos[c + d*x])^4*sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*(5*A + 3*B - 21*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(21*d) + (4*(86*A + 81*B - 126*C)*Sqrt[Cos[c + d*x]]*(a^4 + a^4*cos[c + d*x])*Sin[c + d*x])/(315*d)

Rubi [A] time = 0.887795, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3043, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{8a^4(12A + 17B + 28C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{8a^4(19A + 24B + 21C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{4a^4(73A + 83B + 7C)\sin(c + dx)}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (8*a^4*(19*A + 24*B + 21*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (8*a^4*(12*A + 17*B + 28*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^4*(73*A + 83*B + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(A - 9*C)*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*sin[c + d*x])/(9*d) + (2*C*(a + a*cos[c + d*x])^4*sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*(5*A + 3*B - 21*C)*Sqrt[Cos[c + d*x]]*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(21*d) + (4*(86*A + 81*B - 126*C)*Sqrt[Cos[c + d*x]]*(a^4 + a^4*cos[c + d*x])*Sin[c + d*x])/(315*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e

+ f*x]]^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3043

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^4(C+B\cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2C(a+a\cos(c+dx))^4\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2\int}{d} \\
&= \frac{2a(A-9C)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))}{9d} \\
&= \frac{2a(A-9C)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))}{9d} \\
&= \frac{2a(A-9C)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))}{9d} \\
&= \frac{2a(A-9C)\sqrt{\cos(c+dx)}(a+a\cos(c+dx))}{9d} \\
&= \frac{4a^4(73A+83B+7C)\sqrt{\cos(c+dx)}\sin(c)}{105d} \\
&= \frac{4a^4(73A+83B+7C)\sqrt{\cos(c+dx)}\sin(c)}{105d} \\
&= \frac{8a^4(19A+24B+21C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} +
\end{aligned}$$

Mathematica [C] time = 6.85404, size = 1742, normalized size = 6.45

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^(13/2)*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec
[c + d*x] + C*Sec[c + d*x]^2)*(-((76*A + 96*B + 69*C + 76*A*Cos[2*c] + 96*B
```

$$\begin{aligned}
& * \cos[2c] + 99C \cos[2c]) \operatorname{Csc}[c] \operatorname{Sec}[c]) / (120d) + ((204A + 191B + 112C) \\
&) * \cos[d*x] \sin[c]) / (336d) + ((127A + 72B + 18C) * \cos[2d*x] \sin[2c]) / (7 \\
& 20d) + ((4A + B) * \cos[3d*x] \sin[3c]) / (112d) + (A * \cos[4d*x] \sin[4c]) / (\\
& 288d) + ((204A + 191B + 112C) * \cos[c] \sin[d*x]) / (336d) + (C * \operatorname{Sec}[c] * \operatorname{Sec}[\\
& c + d*x] \sin[d*x]) / (4d) + ((127A + 72B + 18C) * \cos[2c] \sin[2d*x]) / (720 \\
& *d) + ((4A + B) * \cos[3c] \sin[3d*x]) / (112d) + (A * \cos[4c] \sin[4d*x]) / (28 \\
& 8*d)) / (A + 2C + 2B \cos[c + d*x] + A \cos[2c + 2d*x]) - (4A * \cos[c + d*x] \\
&]^6 * \operatorname{Csc}[c] * \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2 \\
&] * \operatorname{Sec}[c/2 + (d*x)/2]^8 * (a + a * \operatorname{Sec}[c + d*x])^4 * (A + B * \operatorname{Sec}[c + d*x] + C * \operatorname{Sec}[c \\
& + d*x]^2) * \operatorname{Sec}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]] * \operatorname{Sqrt}[1 - \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] * \operatorname{Sq} \\
& \operatorname{rt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2] * \sin[c] * \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] * \operatorname{Sqrt}[1 + \sin[d*x \\
& - \operatorname{ArcTan}[\operatorname{Cot}[c]]]]]) / (7*d*(A + 2C + 2B \cos[c + d*x] + A \cos[2c + 2d*x]) \\
& * \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (17B * \cos[c + d*x]^6 * \operatorname{Csc}[c] * \operatorname{HypergeometricPFQ}[\{1/4, \\
& 1/2\}, \{5/4\}, \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2] * \operatorname{Sec}[c/2 + (d*x)/2]^8 * (a + a * \operatorname{Sec}[c \\
& + d*x])^4 * (A + B * \operatorname{Sec}[c + d*x] + C * \operatorname{Sec}[c + d*x]^2) * \operatorname{Sec}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]] \\
&] * \operatorname{Sqrt}[1 - \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] * \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2] * \sin[c] * \sin[\\
& d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] * \operatorname{Sqrt}[1 + \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]]]) / (21*d*(A + 2C \\
& + 2B \cos[c + d*x] + A \cos[2c + 2d*x]) * \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (4C * \cos[c \\
& + d*x]^6 * \operatorname{Csc}[c] * \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c] \\
&]]^2] * \operatorname{Sec}[c/2 + (d*x)/2]^8 * (a + a * \operatorname{Sec}[c + d*x])^4 * (A + B * \operatorname{Sec}[c + d*x] + C * \\
& \operatorname{Sec}[c + d*x]^2) * \operatorname{Sec}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]] * \operatorname{Sqrt}[1 - \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]] \\
&] * \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2] * \sin[c] * \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] * \operatorname{Sqrt}[1 + \sin[\\
& d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]]]) / (3*d*(A + 2C + 2B \cos[c + d*x] + A \cos[2c + 2 \\
& d*x]) * \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (19A * \cos[c + d*x]^6 * \operatorname{Csc}[c] * \operatorname{Sec}[c/2 + (d*x)/2]^ \\
& 8 * (a + a * \operatorname{Sec}[c + d*x])^4 * (A + B * \operatorname{Sec}[c + d*x] + C * \operatorname{Sec}[c + d*x]^2) * ((\operatorname{Hypergeo} \\
& \operatorname{metricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]^2] * \sin[d*x + \operatorname{ArcTan} \\
& [\operatorname{Tan}[c]]] * \operatorname{Tan}[c]) / (\operatorname{Sqrt}[1 - \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[1 + \cos[d*x + \\
& \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[\cos[c] * \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]] * \\
& \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]) - ((\sin[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]] * \operatorname{Tan}[c]) / \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2 \\
&] + (2 * \cos[c]^2 * \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]) / (\cos[c]^2 + \sin \\
& [c]^2)) / \operatorname{Sqrt}[\cos[c] * \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2])) / (30*d \\
& * (A + 2C + 2B \cos[c + d*x] + A \cos[2c + 2d*x])) - (4B * \cos[c + d*x]^6 * \operatorname{C} \\
& \operatorname{sc}[c] * \operatorname{Sec}[c/2 + (d*x)/2]^8 * (a + a * \operatorname{Sec}[c + d*x])^4 * (A + B * \operatorname{Sec}[c + d*x] + C * \operatorname{S} \\
& \operatorname{ec}[c + d*x]^2) * ((\operatorname{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan} \\
& [c]]]^2] * \sin[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]] * \operatorname{Tan}[c]) / (\operatorname{Sqrt}[1 - \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan} \\
& [c]]]] * \operatorname{Sqrt}[1 + \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[\cos[c] * \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan} \\
& [c]]]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]) - ((\sin[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]] * \\
& \operatorname{Tan}[c]) / \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2] + (2 * \cos[c]^2 * \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]] * \operatorname{Sqrt}[1 + \\
& \operatorname{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \operatorname{Sqrt}[\cos[c] * \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sq} \\
& \operatorname{rt}[1 + \operatorname{Tan}[c]^2])) / (5*d*(A + 2C + 2B \cos[c + d*x] + A \cos[2c + 2d*x])) \\
& - (7C * \cos[c + d*x]^6 * \operatorname{Csc}[c] * \operatorname{Sec}[c/2 + (d*x)/2]^8 * (a + a * \operatorname{Sec}[c + d*x])^4 * (\\
& A + B * \operatorname{Sec}[c + d*x] + C * \operatorname{Sec}[c + d*x]^2) * ((\operatorname{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3 \\
& /4\}, \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]^2] * \sin[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]] * \operatorname{Tan}[c]) / (\operatorname{Sqrt}[1 \\
& - \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[1 + \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[\cos[\\
& c] * \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]) - ((\sin
\end{aligned}$$

$$\frac{n[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]}{\text{Sqrt}[1 + \text{Tan}[c]^2]} + \frac{(2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])}{(\text{Cos}[c]^2 + \text{Sin}[c]^2)} / \frac{\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])}{(10*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])}$$

Maple [B] time = 3.204, size = 786, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(9/2)}*(a+a*\sec(d*x+c))^4*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out]
$$\begin{aligned} & -4/315*a^4*(-560*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos \\ & (1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+40*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*(64*A+9*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)-4*(-2 \\ & *\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(1177*A+387*B+63*C)*\sin(1 \\ & /2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+28*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}*(161*A+96*B+39*C)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-6 \\ & *(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(227*A+167*B+133*C)*\sin \\ & (1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+360*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\ & 2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-798*A*(\sin(1/2*d*x+1/2*c)^2 \\ &)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+510*B*(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin \\ & (1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1008*B*(- \\ & 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(\\ & 1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & +840*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{Elliptic} \\ & \text{F}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}-882*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d \\ & *x+1/2*c), 2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin \\ & (1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ca^4 cos(dx + c)^4 sec(dx + c)^6 + (B + 4C)a^4 cos(dx + c)^4 sec(dx + c)^5 + (A + 4B + 6C)a^4 cos(dx + c)^4 sec(dx + c)^4), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^4*cos(d*x + c)^4*sec(d*x + c)^6 + (B + 4*C)*a^4*cos(d*x + c)^4*sec(d*x + c)^5 + (A + 4*B + 6*C)*a^4*cos(d*x + c)^4*sec(d*x + c)^4 + 2*(2*A + 3*B + 2*C)*a^4*cos(d*x + c)^4*sec(d*x + c)^3 + (6*A + 4*B + C)*a^4*cos(d*x + c)^4*sec(d*x + c)^2 + (4*A + B)*a^4*cos(d*x + c)^4*sec(d*x + c) + A*a^4*cos(d*x + c)^4)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^4*cos(d*x + c)^(9/2), x)
```

3.1212 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=269

$$\frac{8a^4(17A + 28B + 35C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^4(83A + 7B - 175C)\sin(c + dx)\sqrt{\cos(c + dx)}}{105d} + \frac{2(A - 7B - 21C)\sin(c + dx)}{105d}$$

```
[Out] (8*a^4*(8*A + 7*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (8*a^4*(17*A + 28*B + 35*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^4*(83*A + 7*B - 175*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(3*B + 8*C)*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^4*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*(A - 7*B - 21*C)*Sqrt[Cos[c + d*x]])*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(7*d) + (4*(27*A - 42*B - 175*C)*Sqrt[Cos[c + d*x]]*(a^4 + a^4*Cos[c + d*x])*Sin[c + d*x])/(105*d)
```

Rubi [A] time = 0.87912, antiderivative size = 269, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3043, 2975, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{8a^4(17A + 28B + 35C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^4(83A + 7B - 175C)\sin(c + dx)\sqrt{\cos(c + dx)}}{105d} + \frac{2(A - 7B - 21C)\sin(c + dx)}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (8*a^4*(8*A + 7*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (8*a^4*(17*A + 28*B + 35*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^4*(83*A + 7*B - 175*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(3*B + 8*C)*(a + a*Cos[c + d*x])^3*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*C*(a + a*Cos[c + d*x])^4*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*(A - 7*B - 21*C)*Sqrt[Cos[c + d*x]])*(a^2 + a^2*Cos[c + d*x])^2*Sin[c + d*x])/(7*d) + (4*(27*A - 42*B - 175*C)*Sqrt[Cos[c + d*x]]*(a^4 + a^4*Cos[c + d*x])*Sin[c + d*x])/(105*d)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)^(m_.)])
```

```
*(x_)^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3043

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_) + (C_)*sin[(e_)
+ (f_)*(x_)])^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c
+ d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c
*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n
+ 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m,
-2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
```

+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^4 (C + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^4 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \int (a + a \cos(c + dx))^4 \sin(c + dx) dx}{3d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(3B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(3B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(3B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(3B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(3B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} \\
&= \frac{4a^4(83A + 7B - 175C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
&= \frac{4a^4(83A + 7B - 175C)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
&= \frac{8a^4(8A + 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{8a^4(17A + 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}
\end{aligned}$$

Mathematica [C] time = 6.95355, size = 1451, normalized size = 5.39

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2),x]
```

```

[Out] (Cos[c + d*x]^(13/2)*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec
[c + d*x] + C*Sec[c + d*x]^2)*(-((32*A + 23*B - 20*C + 32*A*Cos[2*c] + 33*B
*Cos[2*c] + 20*C*Cos[2*c])*Csc[c]*Sec[c])/(40*d) + ((191*A + 112*B + 28*C)*
Cos[d*x]*Sin[c])/(336*d) + ((4*A + B)*Cos[2*d*x]*Sin[2*c])/(40*d) + (A*Cos[
3*d*x]*Sin[3*c])/(112*d) + ((191*A + 112*B + 28*C)*Cos[c]*Sin[d*x])/(336*d)
+ (C*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(12*d) + (Sec[c]*Sec[c + d*x]*(C*Sin[
c] + 3*B*Sin[d*x] + 12*C*Sin[d*x]))/(12*d) + ((4*A + B)*Cos[2*c]*Sin[2*d*x]
)/(40*d) + (A*Cos[3*c]*Sin[3*d*x])/(112*d)))/(A + 2*C + 2*B*Cos[c + d*x] +
A*Cos[2*c + 2*d*x]) - (17*A*Cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1
/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c
+ d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]
*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d
*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C
+ 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*B*Cos[c +
d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]
]]^2]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*S
ec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]
]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin
[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d
*x])*Sqrt[1 + Cot[c]^2]) - (5*C*Cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/
4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^8*(a + a*Se
c[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[
c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*S
in[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2
*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*A*Cos[
c + d*x]^6*Csc[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c
+ d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x
+ ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x +
ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x +
ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcT
an[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]
]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan
[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(5*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*
c + 2*d*x])) - (7*B*Cos[c + d*x]^6*Csc[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c
+ d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/
2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan
[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]
])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c
]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^
2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt
[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + 2*
B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

```

Maple [B] time = 3.245, size = 864, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -4/105*(-240*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+24*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(48*A+7*B)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)-4*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(577*A+203*B+35*C)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+4*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(391*A+224*B+245*C)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(167*A+133*B+245*C)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+4*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(168*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-85*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+147*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-140*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-175*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))*sin(1/2*d*x+1/2*c)^2-336*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+170*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-294*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+280*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+350*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2))*a^4/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(3/2)/sin(1/2*d*x+1/2*c)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```


[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((C*a^4*cos(dx+c)^3*sec(dx+c)^6 + (B+4*C)*a^4*cos(dx+c)^3*sec(dx+c)^5 + (A+4*B+6*C)*a^4*cos(dx+c)^3*sec(dx+c)^2), x, algorithm="fricas")

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="fricas")

[Out] integral((C*a^4*cos(d*x+c)^3*sec(d*x+c)^6 + (B+4*C)*a^4*cos(d*x+c)^3*sec(d*x+c)^5 + (A+4*B+6*C)*a^4*cos(d*x+c)^3*sec(d*x+c)^4 + 2*(2*A+3*B+2*C)*a^4*cos(d*x+c)^3*sec(d*x+c)^3 + (6*A+4*B+C)*a^4*cos(d*x+c)^3*sec(d*x+c)^2 + (4*A+B)*a^4*cos(d*x+c)^3*sec(d*x+c) + A*a^4*cos(d*x+c)^3)*sqrt(cos(d*x+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(a \sec(dx+c) + a)^4 \cos(dx+c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^4*co  
s(d*x + c)^(7/2), x)
```

3.1213 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=267

$$\frac{8a^4(4A + 5B + 4C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{4a^4(A - 25B - 41C) \sin(c + dx) \sqrt{\cos(c + dx)}}{15d} + \frac{2(5A + 15B + 19C) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}$$

```
[Out] (56*a^4*(A - C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (8*a^4*(4*A + 5*B + 4*C)
*EllipticF[(c + d*x)/2, 2])/(3*d) + (4*a^4*(A - 25*B - 41*C)*Sqrt[Cos[c + d
*x]]*Sin[c + d*x])/(15*d) + (2*a*(5*B + 8*C)*(a + a*Cos[c + d*x])^3*Sin[c +
d*x])/(15*d*Cos[c + d*x]^(3/2)) + (2*C*(a + a*Cos[c + d*x])^4*Sin[c + d*x]
)/(5*d*Cos[c + d*x]^(5/2)) + (2*(5*A + 15*B + 19*C)*(a^2 + a^2*Cos[c + d*x]
)^2*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]) - (4*(6*A + 25*B + 34*C)*Sqrt[Co
s[c + d*x]]*(a^4 + a^4*Cos[c + d*x])*Sin[c + d*x])/(15*d)
```

Rubi [A] time = 0.874518, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3043, 2975, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{8a^4(4A + 5B + 4C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4a^4(A - 25B - 41C) \sin(c + dx) \sqrt{\cos(c + dx)}}{15d} + \frac{2(5A + 15B + 19C) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] (56*a^4*(A - C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (8*a^4*(4*A + 5*B + 4*C)
*EllipticF[(c + d*x)/2, 2])/(3*d) + (4*a^4*(A - 25*B - 41*C)*Sqrt[Cos[c + d
*x]]*Sin[c + d*x])/(15*d) + (2*a*(5*B + 8*C)*(a + a*Cos[c + d*x])^3*Sin[c +
d*x])/(15*d*Cos[c + d*x]^(3/2)) + (2*C*(a + a*Cos[c + d*x])^4*Sin[c + d*x]
)/(5*d*Cos[c + d*x]^(5/2)) + (2*(5*A + 15*B + 19*C)*(a^2 + a^2*Cos[c + d*x]
)^2*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]) - (4*(6*A + 25*B + 34*C)*Sqrt[Co
s[c + d*x]]*(a^4 + a^4*Cos[c + d*x])*Sin[c + d*x])/(15*d)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)
```

```
*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e
+ f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; Free
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3043

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c
+ d*Sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c
*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n
+ 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m,
-2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := -Si
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := -Si
mp[(b*B*cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
```

+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^4 (C + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^4 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2 \int (a + a \cos(c + dx))^4 \cos(c + dx) dx}{5d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a(5B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(5B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(5B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(5B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(5B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^4(A - 25B - 41C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} \\
&= \frac{4a^4(A - 25B - 41C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} \\
&= \frac{56a^4(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{8a^4(4A + \dots)}{5d}
\end{aligned}$$

Mathematica [C] time = 7.07729, size = 1449, normalized size = 5.43

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2),x]
```

```

[Out] (Cos[c + d*x]^(13/2)*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec
[c + d*x] + C*Sec[c + d*x]^2)*(-((23*A - 20*B - 61*C + 33*A*Cos[2*c] + 20*B
*Cos[2*c] + 5*C*Cos[2*c])*Csc[c]*Sec[c])/(40*d) + ((4*A + B)*Cos[d*x]*Sin[c
])/(12*d) + (A*Cos[2*d*x]*Sin[2*c])/(40*d) + ((4*A + B)*Cos[c]*Sin[d*x])/(1
2*d) + (C*Sec[c]*Sec[c + d*x]^3*Ssin[d*x])/(20*d) + (Sec[c]*Sec[c + d*x]^2*(
3*C*Sin[c] + 5*B*Sin[d*x] + 20*C*Sin[d*x]))/(60*d) + (Sec[c]*Sec[c + d*x]*(
5*B*Sin[c] + 20*C*Sin[c] + 15*A*Sin[d*x] + 60*B*Sin[d*x] + 99*C*Sin[d*x]))/
(60*d) + (A*Cos[2*c]*Sin[2*d*x])/(40*d)))/(A + 2*C + 2*B*Cos[c + d*x] + A*C
os[2*c + 2*d*x]) - (4*A*Cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1/2},
{5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*
x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqr
t[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x -
ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B
*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (5*B*Cos[c + d*x]
^6*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)
*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqr
t[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x
- ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*
Sqrt[1 + Cot[c]^2]) - (4*C*Cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1/
2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c +
d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*
Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*
x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C +
2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (7*A*Cos[c + d
*x]^6*Csc[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x
] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + Ar
cTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcT
an[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcT
an[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Ta
n[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*S
qrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[
c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c +
2*d*x])) + (7*C*Cos[c + d*x]^6*Csc[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d
*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -
1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])
/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*S
qrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2
]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Co
s[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos
[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + 2*B*Co
s[c + d*x] + A*Cos[2*c + 2*d*x]))

```

Maple [B] time = 9.332, size = 1214, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{5/2} * (a+a*\sec(dx+c))^4 * (A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\frac{8}{15} * (-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a^4 / (8*\sin(1/2*d*x+1/2*c)^6 - 12*\sin(1/2*d*x+1/2*c)^4 + 6*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c)^3 * (-24*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10} + 128*A*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c) + 20*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8 + 140*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4 - 186*A*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c) + 25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 20*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 21*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 20*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 21*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 35*B*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) - 80*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \sin(1/2*d*x+1/2*c)^2 - 61*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) * C + 84*A*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 - 100*B*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 - 84*C*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 - 80*C*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 + 80*C*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \sin(1/2*d*x+1/2*c)^4 + 80*A*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \sin(1/2*d*x+1/2*c)^4 + 102*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4 - 19*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) * A + 218*C*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4 - 150*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6 - 198*C*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^4*cos(dx+c)^2*sec(dx+c)^6 + (B+4C)a^4*cos(dx+c)^2*sec(dx+c)^5 + (A+4B+6C)a^4*cos(dx+c)^2*sec(dx+c)^4),x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^4*cos(d*x+c)^2*sec(d*x+c)^6 + (B+4*C)*a^4*cos(d*x+c)^2*sec(d*x+c)^5 + (A+4*B+6*C)*a^4*cos(d*x+c)^2*sec(d*x+c)^4 + 2*(2*A+3*B+2*C)*a^4*cos(d*x+c)^2*sec(d*x+c)^3 + (6*A+4*B+C)*a^4*cos(d*x+c)^2*sec(d*x+c)^2 + (4*A+B)*a^4*cos(d*x+c)^2*sec(d*x+c) + A*a^4*cos(d*x+c)^2)*sqrt(cos(d*x+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^4*cos(d*x + c)^(5/2), x)

3.1214 $\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=271

$$\frac{8a^4(35A + 28B + 17C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2(35A + 77B + 73C) \sin(c + dx) (a^2 \cos(c + dx) + a^2)^2}{105d \cos^{\frac{3}{2}}(c + dx)} - \frac{4a^4(175A + 287B + 253C)}{105d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $(-8*a^4*(7*B + 8*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (8*a^4*(35*A + 28*B + 17*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) - (4*a^4*(175*A + 287*B + 253*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*d) + (2*a*(7*B + 8*C)*(a + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*C*(a + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*(35*A + 77*B + 73*C)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*(175*A + 238*B + 197*C)*(a^4 + a^4*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/(105*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.870524, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3043, 2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{8a^4(35A + 28B + 17C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(35A + 77B + 73C) \sin(c + dx) (a^2 \cos(c + dx) + a^2)^2}{105d \cos^{\frac{3}{2}}(c + dx)} - \frac{4a^4(175A + 287B + 253C)}{105d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-8*a^4*(7*B + 8*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (8*a^4*(35*A + 28*B + 17*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) - (4*a^4*(175*A + 287*B + 253*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*d) + (2*a*(7*B + 8*C)*(a + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*C*(a + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*(35*A + 77*B + 73*C)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*(175*A + 238*B + 197*C)*(a^4 + a^4*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/(105*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*((a_) + (b_.)*sec[(e_.) + (f_.)*(x_)]^ (m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3043

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^ (n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1)/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]^ (n_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1)/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]^ (n_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]^ (n_.)*((C_.) + (D_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1)/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
```

!LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^4(C+B\cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} \\
&= \frac{2C(a+a\cos(c+dx))^4\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2\int}{\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2a(7B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{35d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2a(7B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{35d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2a(7B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{35d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2a(7B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{35d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2a(7B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{35d\cos^{\frac{5}{2}}(c+dx)} \\
&= -\frac{4a^4(175A+287B+253C)\sqrt{\cos(c+dx)}}{105d} \\
&= -\frac{4a^4(175A+287B+253C)\sqrt{\cos(c+dx)}}{105d} \\
&= -\frac{8a^4(7B+8C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{8a^4(35A+28B+25C)\sqrt{\cos(c+dx)}}{105d}
\end{aligned}$$

Mathematica [C] time = 7.22779, size = 1454, normalized size = 5.37

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```

[Out] (Cos[c + d*x]^(13/2)*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec
[c + d*x] + C*Sec[c + d*x]^2)*(-((-20*A - 61*B - 64*C + 20*A*Cos[2*c] + 5*B
*Cos[2*c])*Csc[c]*Sec[c])/(40*d) + (A*Cos[d*x]*Sin[c])/(12*d) + (A*Cos[c]*S
in[d*x])/(12*d) + (C*Sec[c]*Sec[c + d*x]^4*Sin[d*x])/(28*d) + (Sec[c]*Sec[c
+ d*x]^3*(5*C*Sin[c] + 7*B*Sin[d*x] + 28*C*Sin[d*x]))/(140*d) + (Sec[c]*Se
c[c + d*x]^2*(21*B*Sin[c] + 84*C*Sin[c] + 35*A*Sin[d*x] + 140*B*Sin[d*x] +
235*C*Sin[d*x]))/(420*d) + (Sec[c]*Sec[c + d*x]*(35*A*Sin[c] + 140*B*Sin[c]
+ 235*C*Sin[c] + 420*A*Sin[d*x] + 693*B*Sin[d*x] + 672*C*Sin[d*x]))/(420*d
)))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (5*A*Cos[c + d*x]^6
*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*S
ec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[
-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x -
ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sq
rt[1 + Cot[c]^2]) - (4*B*Cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1/2}
, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d
*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sq
rt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x
- ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*
B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (17*C*Cos[c + d*
x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^
2)*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[
c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*S
qrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*
x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x
])*Sqrt[1 + Cot[c]^2]) + (7*B*Cos[c + d*x]^6*Csc[c]*Sec[c/2 + (d*x)/2]^8*(a
+ a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((Hypergeometr
icPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Ta
n[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + ArcT
an[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt
[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] +
(2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c
]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A
+ 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*C*Cos[c + d*x]^6*Csc[c
]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]
]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]
]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]
]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[
c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan
[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1
+ Tan[c]^2]))/(5*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

```

Maple [B] time = 10.01, size = 1535, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\frac{8}{105} * (-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a^4 / (16*\sin(1/2*d*x+1/2*c)^8 - 32*\sin(1/2*d*x+1/2*c)^6 + 24*\sin(1/2*d*x+1/2*c)^4 - 8*\sin(1/2*d*x+1/2*c)^2 + 1) / \sin(1/2*d*x+1/2*c)^3 * (280*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10} - 2240*A*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c) - 2772*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8 - 2380*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4 + 3010*A*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c) - 140*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 147*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 85*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 168*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 175*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 427*B*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) + 1050*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2 + 503*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*C + 1120*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\sin(1/2*d*x+1/2*c)^6 - 1764*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4 + 1400*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\sin(1/2*d*x+1/2*c)^6 + 1176*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\sin(1/2*d*x+1/2*c)^6 + 680*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\sin(1/2*d*x+1/2*c)^6 + 1344*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\sin(1/2*d*x+1/2*c)^6 + 840*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2 + 1008*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2 + 882*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2 + 510*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2 - 2688*C*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8 - 1020*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4 - 2100*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4 - 1020*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4 - 1020*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4$$

$$cF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^4-1680*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-2016*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-1470*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+245*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)*A-2570*C*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+4438*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+4502*C*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*a^4*cos(dx+c)*sec(dx+c)^6+(B+4C)a^4*cos(dx+c)*sec(dx+c)^5+(A+4B+6C)a^4*cos(dx+c)*sec(dx+c)^4),x, algorithm="fricas")

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*a^4*cos(d*x+c)*sec(d*x+c)^6+(B+4C)a^4*cos(d*x+c)*sec(d*x+c)^5+(A+4B+6C)a^4*cos(d*x+c)*sec(d*x+c)^4+2*(2A+3B+2C)a^4*cos(d*x+c)*sec(d*x+c)^3+(6A+4B+C)a^4*cos(d*x+c)*sec(d*x+c)^2+(4A+B)a^4*cos(d*x+c)*sec(d*x+c)+A*a^4*cos(d*x+c))*sqrt(cos(d*x+c)),x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)
)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^4*co
s(d*x + c)^(3/2), x)
```

3.1215 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec(c+dx))^2 dx$

Optimal. Leaf size=274

$$\frac{8a^4(28A+17B+12C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} - \frac{8a^4(21A+24B+19C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2(63A+117B+97C)\sin(c+dx)}{315d \cos^2(c+dx)}$$

```
[Out] (-8*a^4*(21*A + 24*B + 19*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (8*a^4*(28
*A + 17*B + 12*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^4*(287*A + 253*B
+ 193*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]) + (2*a*(9*B + 8*C)*(a +
a*cos[c + d*x])^3*sin[c + d*x])/(63*d*cos[c + d*x]^(7/2)) + (2*C*(a + a*cos
[c + d*x])^4*sin[c + d*x])/(9*d*cos[c + d*x]^(9/2)) + (2*(63*A + 117*B + 97
*C)*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(315*d*cos[c + d*x]^(5/2)) + (
4*(21*A + 24*B + 19*C)*(a^4 + a^4*cos[c + d*x])*sin[c + d*x])/(45*d*cos[c +
d*x]^(3/2))
```

Rubi [A] time = 0.89431, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3043, 2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{8a^4(28A+17B+12C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{8a^4(21A+24B+19C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2(63A+117B+97C)\sin(c+dx)}{315d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] (-8*a^4*(21*A + 24*B + 19*C)*EllipticE[(c + d*x)/2, 2])/(15*d) + (8*a^4*(28
*A + 17*B + 12*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^4*(287*A + 253*B
+ 193*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]) + (2*a*(9*B + 8*C)*(a +
a*cos[c + d*x])^3*sin[c + d*x])/(63*d*cos[c + d*x]^(7/2)) + (2*C*(a + a*cos
[c + d*x])^4*sin[c + d*x])/(9*d*cos[c + d*x]^(9/2)) + (2*(63*A + 117*B + 97
*C)*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(315*d*cos[c + d*x]^(5/2)) + (
4*(21*A + 24*B + 19*C)*(a^4 + a^4*cos[c + d*x])*sin[c + d*x])/(45*d*cos[c +
d*x]^(3/2))
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*((a_) + (b_.)*sec[(e_.) + (f_.)*(x_)])^ (m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3043

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^ (n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])
```

Rule 2975

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^ (n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
```

- a*B + b*C)*(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^m]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^4(C+B\cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)}dx \\
&= \frac{2C(a+a\cos(c+dx))^4\sin(c+dx)}{9d\cos^{\frac{9}{2}}(c+dx)} + \frac{2\int (a+a\cos(c+dx))^4\sin(c+dx)dx}{9d\cos^{\frac{9}{2}}(c+dx)} \\
&= \frac{2a(9B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{63d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{2a(9B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{63d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{2a(9B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{63d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{2a(9B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{63d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{2a(9B+8C)(a+a\cos(c+dx))^3\sin(c+dx)}{63d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{4a^4(287A+253B+193C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}} + \frac{2\int (a+a\cos(c+dx))^4\sin(c+dx)dx}{105d\sqrt{\cos(c+dx)}} \\
&= \frac{4a^4(287A+253B+193C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}} + \frac{8a^4(21A+24B+19C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d}
\end{aligned}$$

Mathematica [C] time = 7.35317, size = 1748, normalized size = 6.38

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```

[Out] (Cos[c + d*x]^(13/2)*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec
[c + d*x] + C*Sec[c + d*x]^2)*(-((-183*A - 192*B - 152*C + 15*A*Cos[2*c])*C
sc[c]*Sec[c])/(120*d) + (C*Sec[c]*Sec[c + d*x]^5*Sin[d*x])/(36*d) + (Sec[c]
*Sec[c + d*x]^4*(7*C*Sin[c] + 9*B*Sin[d*x] + 36*C*Sin[d*x]))/(252*d) + (Sec
[c]*Sec[c + d*x]^3*(45*B*Sin[c] + 180*C*Sin[c] + 63*A*Sin[d*x] + 252*B*Sin[
d*x] + 427*C*Sin[d*x]))/(1260*d) + (Sec[c]*Sec[c + d*x]*(140*A*Sin[c] + 235
*B*Sin[c] + 240*C*Sin[c] + 693*A*Sin[d*x] + 672*B*Sin[d*x] + 532*C*Sin[d*x]
))/(420*d) + (Sec[c]*Sec[c + d*x]^2*(63*A*Sin[c] + 252*B*Sin[c] + 427*C*Sin
[c] + 420*A*Sin[d*x] + 705*B*Sin[d*x] + 720*C*Sin[d*x]))/(1260*d)))/(A + 2*
C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]) - (4*A*Cos[c + d*x]^6*Csc[c]*Hyp
ergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d
*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec
[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 +
Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[
c]]])]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[
c]^2]) - (17*B*Cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, S
in[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A
+ B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin
[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[C
ot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*(A + 2*C + 2*B*Cos[c +
d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*C*Cos[c + d*x]^6*Csc[c
]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2
+ (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2
)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt
[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan
[Cot[c]]])]/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 +
Cot[c]^2]) + (7*A*Cos[c + d*x]^6*Csc[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c
+ d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2
, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[
c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]
]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]
^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2
*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[
Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(A + 2*C + 2*B
*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (4*B*Cos[c + d*x]^6*Csc[c]*Sec[c/2 +
(d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*
((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d
*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 +
Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + T
an[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1
+ Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Co
s[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2
]))/(5*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (19*C*Cos[c
+ d*x]^6*Csc[c]*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A + B*Sec[c +
d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x +

```

$$\frac{\text{ArcTan}[\text{Tan}[c]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]] * \text{Tan}[c]] / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]])}{(30 * d * (A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2 * c + 2 * d*x])}$$

Maple [B] time = 11.766, size = 1427, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(1/2)} * (a+a*\sec(d*x+c))^{4*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)}, x)$

[Out] $-32 * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{4 * (1/16 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)})} + 3/16 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 1/16 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + (1/4 * A + 3/8 * B + 1/4 * C) * (-1/6 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d * x + 1/2 * c)^2 - 1/2)^2 + 1/3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)})} + (1/16 * B + 1/4 * C) * (-1/56 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d * x + 1/2 * c)^2 - 1/2)^4 - 5/42 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d * x + 1/2 * c)^2 - 1/2)^2 + 5/21 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)})} - 1/5 * (1/16 * A + 1/4 * B + 3/8 * C) / (8 * \sin(1/2 * d * x + 1/2 * c)^6 - 12 * \sin(1/2 * d * x + 1/2 * c)^4 + 6 * \sin(1/2 * d * x + 1/2 * c)^2 - 1) / \sin(1/2 * d * x + 1/2 * c)^2 * (12 * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^4 - 24 * \sin(1/2 * d * x + 1/2 * c)^6 * \cos(1/2 * d * x + 1/2 * c) - 12 * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 + 24 * \sin(1/2 * d * x + 1/2 * c)^4 * \cos(1/2 * d * x + 1/2 * c) + 3 * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} - 8 * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 1/16 * C * (-1/144 * \cos(1/2 * d * x + 1/2 * c)$


```

)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^
2-1/2)^5-7/180*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*
c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*sin(1/2*d*x+1/2*c)^2*cos(1/2
*d*x+1/2*c)/(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)+7/15*
(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*
d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/
2))-7/15*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2
*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/
2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))))+(3/8*A+1/4*B+1/16*C)*
(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2
*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1
/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2
*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/
sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral((Ca^4 sec(dx + c)^6 + (B + 4C)a^4 sec(dx + c)^5 + (A + 4B + 6C)a^4 sec(dx + c)^4 + 2(2A + 3B + 2C)a^4 sec(dx + c)^3 + (6A + 4B + C)a^4 sec(dx + c)^2 + (4A + B)a^4 sec(dx + c) + A*a^4)*sqrt(cos(dx + c)), x)

```

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="fricas")

```

```

[Out] integral((C*a^4*sec(d*x + c)^6 + (B + 4*C)*a^4*sec(d*x + c)^5 + (A + 4*B + 6*C)*a^4*sec(d*x + c)^4 + 2*(2*A + 3*B + 2*C)*a^4*sec(d*x + c)^3 + (6*A + 4*B + C)*a^4*sec(d*x + c)^2 + (4*A + B)*a^4*sec(d*x + c) + A*a^4)*sqrt(cos(d*x + c)), x)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^4 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)**2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)**4*sqrt(cos(d*x + c)), x)

$$3.1216 \quad \int \frac{(a+a \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=310

$$\frac{8a^4(187A + 132B + 113C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} - \frac{8a^4(24A + 19B + 16C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^4(913A + 803B + 667C)\sin(c + dx)}{1155d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $(-8*a^4*(24*A + 19*B + 16*C)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (8*a^4*(187*A + 132*B + 113*C)*\text{EllipticF}[(c + d*x)/2, 2])/(231*d) + (4*a^4*(913*A + 803*B + 667*C)*\text{Sin}[c + d*x])/(1155*d*\text{Cos}[c + d*x]^{(3/2)}) + (8*a^4*(24*A + 19*B + 16*C)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*a*(11*B + 8*C)*(a + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(99*d*\text{Cos}[c + d*x]^{(9/2)}) + (2*C*(a + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(11*d*\text{Cos}[c + d*x]^{(11/2)}) + (2*(33*A + 55*B + 43*C)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(231*d*\text{Cos}[c + d*x]^{(7/2)}) + (4*(891*A + 946*B + 769*C)*(a^4 + a^4*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(3465*d*\text{Cos}[c + d*x]^{(5/2)})$

Rubi [A] time = 0.924663, antiderivative size = 310, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {4112, 3043, 2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{8a^4(187A + 132B + 113C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} - \frac{8a^4(24A + 19B + 16C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^4(913A + 803B + 667C)\sin(c + dx)}{1155d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)]/\text{Sqrt}[\text{Cos}[c + d*x]], x]$

[Out] $(-8*a^4*(24*A + 19*B + 16*C)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (8*a^4*(187*A + 132*B + 113*C)*\text{EllipticF}[(c + d*x)/2, 2])/(231*d) + (4*a^4*(913*A + 803*B + 667*C)*\text{Sin}[c + d*x])/(1155*d*\text{Cos}[c + d*x]^{(3/2)}) + (8*a^4*(24*A + 19*B + 16*C)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*a*(11*B + 8*C)*(a + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(99*d*\text{Cos}[c + d*x]^{(9/2)}) + (2*C*(a + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(11*d*\text{Cos}[c + d*x]^{(11/2)}) + (2*(33*A + 55*B + 43*C)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(231*d*\text{Cos}[c + d*x]^{(7/2)}) + (4*(891*A + 946*B + 769*C)*(a^4 + a^4*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(3465*d*\text{Cos}[c + d*x]^{(5/2)})$

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^ (m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3043

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^ (n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*d*(n + 1)*(c^2 - d^2)), Int[(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(a*d*m + b*c*(n + 1)) + (c*C - B*d)*(a*c*m + b*d*(n + 1)) + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -1] || EqQ[m + n + 2, 0])

Rule 2975

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])^ (n_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 1)*

```
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(a + a \cos(c + dx))^4 (C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^{\frac{13}{2}}(c + dx)} dx \\
&= \frac{2C(a + a \cos(c + dx))^4 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} + \frac{2 \int \frac{(a + a \cos(c + dx))^5}{\cos^{\frac{13}{2}}(c + dx)} dx}{11d \cos^{\frac{11}{2}}(c + dx)} \\
&= \frac{2a(11B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^4 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} \\
&= \frac{2a(11B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^4 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} \\
&= \frac{2a(11B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^4 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} \\
&= \frac{2a(11B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^4 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} \\
&= \frac{2a(11B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2C(a + a \cos(c + dx))^4 \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} \\
&= \frac{4a^4(913A + 803B + 667C) \sin(c + dx)}{1155d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(11B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{4a^4(913A + 803B + 667C) \sin(c + dx)}{1155d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(11B + 8C)(a + a \cos(c + dx))^3 \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{8a^4(187A + 132B + 113C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{4a^4(913A + 803B + 667C) \sin(c + dx)}{1155d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{8a^4(24A + 19B + 16C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{8a^4(187A + 132B + 113C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d}
\end{aligned}$$

Mathematica [C] time = 7.41277, size = 1795, normalized size = 5.79

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]

[Out] $(\cos[c + dx]^{13/2} \sec[c/2 + (dx)/2]^8 (a + a \sec[c + dx])^4 (A + B \sec[c + dx] + C \sec[c + dx]^2) * ((24A + 19B + 16C) \operatorname{Csc}[c] \sec[c]) / (15d) + (C \sec[c] \sec[c + dx]^6 \sin[dx]) / (44d) + (\sec[c] \sec[c + dx]^5 (9C \sin[c] + 11B \sin[dx] + 44C \sin[dx])) / (396d) + (\sec[c] \sec[c + dx]^4 (77B \sin[c] + 308C \sin[c] + 99A \sin[dx] + 396B \sin[dx] + 675C \sin[dx])) / (2772d) + (\sec[c] \sec[c + dx]^3 (495A \sin[c] + 1980B \sin[c] + 3375C \sin[c] + 2772A \sin[dx] + 4697B \sin[dx] + 4928C \sin[dx])) / (13860d) + (\sec[c] \sec[c + dx] (2585A \sin[c] + 2640B \sin[c] + 2260C \sin[c] + 7392A \sin[dx] + 5852B \sin[dx] + 4928C \sin[dx])) / (4620d) + (\sec[c] \sec[c + dx]^2 (2772A \sin[c] + 4697B \sin[c] + 4928C \sin[c] + 7755A \sin[dx] + 7920B \sin[dx] + 6780C \sin[dx])) / (13860d)) / (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) - (17A \cos[c + dx]^6 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2] \sec[c/2 + (dx)/2]^8 (a + a \sec[c + dx])^4 (A + B \sec[c + dx] + C \sec[c + dx]^2) \sec[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]] \sqrt{1 - \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]} \sqrt{-(\sqrt{1 + \operatorname{Cot}[c]^2} \sin[c] \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]])} \sqrt{1 + \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]}) / (21d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{1 + \operatorname{Cot}[c]^2}) - (4B \cos[c + dx]^6 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2] \sec[c/2 + (dx)/2]^8 (a + a \sec[c + dx])^4 (A + B \sec[c + dx] + C \sec[c + dx]^2) \sec[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]] \sqrt{1 - \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]} \sqrt{-(\sqrt{1 + \operatorname{Cot}[c]^2} \sin[c] \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]])} \sqrt{1 + \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]}) / (7d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{1 + \operatorname{Cot}[c]^2}) - (113C \cos[c + dx]^6 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2] \sec[c/2 + (dx)/2]^8 (a + a \sec[c + dx])^4 (A + B \sec[c + dx] + C \sec[c + dx]^2) \sec[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]] \sqrt{1 - \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]} \sqrt{-(\sqrt{1 + \operatorname{Cot}[c]^2} \sin[c] \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]])} \sqrt{1 + \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]}) / (231d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{1 + \operatorname{Cot}[c]^2}) + (4A \cos[c + dx]^6 \operatorname{Csc}[c] \sec[c/2 + (dx)/2]^8 (a + a \sec[c + dx])^4 (A + B \sec[c + dx] + C \sec[c + dx]^2) * ((\operatorname{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]]^2] \sin[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]] \operatorname{Tan}[c]) / (\sqrt{1 - \cos[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]]} \sqrt{1 + \cos[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]]} \sqrt{\cos[c] \cos[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]} \sqrt{1 + \operatorname{Tan}[c]^2}} \sqrt{1 + \operatorname{Tan}[c]^2}) - ((\sin[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]] \operatorname{Tan}[c]) / \sqrt{1 + \operatorname{Tan}[c]^2} + (2 \cos[c]^2 \cos[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]] \sqrt{1 + \operatorname{Tan}[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cos[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]} \sqrt{1 + \operatorname{Tan}[c]^2})) / (5d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx])) + (19B \cos[c + dx]^6 \operatorname{Csc}[c] \sec[c/2 + (dx)/2]^8 (a + a \sec[c + dx])^4 (A + B \sec[c + dx] + C \sec[c + dx]^2) * ((\operatorname{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]]^2] \sin[dx + \operatorname{ArcTan}[\operatorname{Tan}[c]]]$

$$\begin{aligned} & [c]]*\tan[c])/(\sqrt{1 - \cos[d*x + \arctan[\tan[c]]]}*\sqrt{1 + \cos[d*x + \arctan[\tan[c]]]}*\sqrt{\cos[c]*\cos[d*x + \arctan[\tan[c]]]}*\sqrt{1 + \tan[c]^2}}*\sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \arctan[\tan[c]]]*\tan[c])/(\sqrt{1 + \tan[c]^2} + (2*\cos[c]^2*\cos[d*x + \arctan[\tan[c]]]*\sqrt{1 + \tan[c]^2}))/(\cos[c]^2 + \sin[c]^2))/\sqrt{\cos[c]*\cos[d*x + \arctan[\tan[c]]]}*\sqrt{1 + \tan[c]^2}))/((30*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + (8*C*\cos[c + d*x]^6*\csc[c]*\sec[c/2 + (d*x)/2]^8*(a + a*\sec[c + d*x])^4*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*(\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \arctan[\tan[c]]]^2)*\sin[d*x + \arctan[\tan[c]]]*\tan[c])/(\sqrt{1 - \cos[d*x + \arctan[\tan[c]]]}*\sqrt{1 + \cos[d*x + \arctan[\tan[c]]]}*\sqrt{\cos[c]*\cos[d*x + \arctan[\tan[c]]]}*\sqrt{1 + \tan[c]^2}}*\sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \arctan[\tan[c]]]*\tan[c])/(\sqrt{1 + \tan[c]^2} + (2*\cos[c]^2*\cos[d*x + \arctan[\tan[c]]]*\sqrt{1 + \tan[c]^2}))/(\cos[c]^2 + \sin[c]^2))/\sqrt{\cos[c]*\cos[d*x + \arctan[\tan[c]]]}*\sqrt{1 + \tan[c]^2}))/((15*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) \end{aligned}$$

Maple [B] time = 12.971, size = 1505, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (a+a*\sec(d*x+c))^4*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)}, x$

[Out]
$$\begin{aligned} & -32*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^4*(1/16*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+(3/8*A+1/4*B+1/16*C)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+(1/16*A+1/4*B+3/8*C)*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-1/5*(1/4*A+3/8*B+1/4*C)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) \end{aligned}$$

$$\begin{aligned} & c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} - 8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x \\ & +1/2*c)) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + (1/16*B+1/4*C \\ &) * (-1/144*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^5 - 7/180*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d* \\ & x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^3 - 14/15*s \\ & \sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) / (-(-2*\cos(1/2*d*x+1/2*c)^2 + 1)*\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)} + 7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2 \\ & *c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{Ellipti} \\ & \text{cF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/ \\ & 2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &) * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/ \\ & 2)})) + 1/16*C * (-1/352*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^6 - 9/616*\cos(1/2*d*x+1/2*c) * (-2 \\ & * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2 \\ &)^4 - 15/154*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2 \\ &)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 15/77*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 \\ & * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2 \\ &)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + (1/4*A+1/16*B) * (-\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (-2*\sin(1/2*d*x+1/2*c)^4 \\ & + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2*(-2*s \\ & \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2* \\ & d*x+1/2*c)^2) / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+ \\ & 1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ca^4 \sec(dx+c)^6 + (B+4C)a^4 \sec(dx+c)^5 + (A+4B+6C)a^4 \sec(dx+c)^4 + 2(2A+3B+2C)a^4 \sec(dx+c)^3 + (A+2B+C)a^4 \sec(dx+c)^2 + (A+B) a^4 \sec(dx+c) + A a^4}{\sqrt{\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*a^4*sec(d*x + c)^6 + (B + 4*C)*a^4*sec(d*x + c)^5 + (A + 4*B + 6*C)*a^4*sec(d*x + c)^4 + 2*(2*A + 3*B + 2*C)*a^4*sec(d*x + c)^3 + (6*A + 4*B + C)*a^4*sec(d*x + c)^2 + (4*A + B)*a^4*sec(d*x + c) + A*a^4)/sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^4}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^4/sqrt(cos(d*x + c)), x)
```

$$3.1217 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=210

$$\frac{5(9A-7B+7C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21ad} - \frac{3(7A-7B+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A-B+C)\sin(c+dx)\cos^{\frac{7}{2}}(c+dx)}{d(a\cos(c+dx)+a)}$$

```
[Out] (-3*(7*A - 7*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) + (5*(9*A - 7*B + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*a*d) + (5*(9*A - 7*B + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*a*d) - ((7*A - 7*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d) + ((9*A - 7*B + 7*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*a*d) - ((A - B + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))
```

Rubi [A] time = 0.329961, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2748, 2635, 2639, 2641}

$$\frac{5(9A-7B+7C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21ad} - \frac{3(7A-7B+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A-B+C)\sin(c+dx)\cos^{\frac{7}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(9A-7B+7C)\cos^{\frac{7}{2}}(c+dx)}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]
```

```
[Out] (-3*(7*A - 7*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) + (5*(9*A - 7*B + 7*C)*EllipticF[(c + d*x)/2, 2])/(21*a*d) + (5*(9*A - 7*B + 7*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*a*d) - ((7*A - 7*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d) + ((9*A - 7*B + 7*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*a*d) - ((A - B + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; Fre
```

$\text{eQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3041

$\text{Int}[(a + (b \sin(e) + f x))^m ((c) + (d \sin(e) + f x))^n ((A) + (B \sin(e) + f x) + (C \sin(e) + f x)^2), x_Symbol] \rightarrow \text{Simp}[(a A - b B + a C) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1} / (f (b c - a d) (2 m + 1)), x] + \text{Dist}[1 / (b (b c - a d) (2 m + 1)), \text{Int}[(a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n \text{Simp}[A (a c (m + 1) - b d (2 m + n + 2)) + B (b c m + a d (n + 1)) - C (a c m + b d (n + 1)) + (d (a A - b B) (m + n + 2) + C (b c (2 m + 1) - a d (m - n - 1))] \sin[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 2748

$\text{Int}[(b \sin(e) + f x)^m ((c) + (d \sin(e) + f x))], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b \sin[e + f x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \sin[e + f x])^{m+1}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x\}$

Rule 2635

$\text{Int}[(b \sin(c) + d x)^n], x_Symbol] \rightarrow -\text{Simp}[(b \cos[c + d x]) (b \sin[c + d x])^{n-1} / (d n), x] + \text{Dist}[(b^2 (n - 1)) / n, \text{Int}[(b \sin[c + d x])^{n-2}, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2 n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin(c) + d x]], x_Symbol] \rightarrow \text{Simp}[(2 \text{EllipticE}[(1 (c - \text{Pi}/2 + d x)) / 2, 2]) / d, x] /; \text{FreeQ}\{c, d\}, x\}$

Rule 2641

$\text{Int}[1 / \text{Sqrt}[\sin(c) + d x]], x_Symbol] \rightarrow \text{Simp}[(2 \text{EllipticF}[(1 (c - \text{Pi}/2 + d x)) / 2, 2]) / d, x] /; \text{FreeQ}\{c, d\}, x\}$

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx)(C+B\cos(c+dx)+A\cos^2(c+dx))}{a+a\cos(c+dx)} dx \\
&= -\frac{(A-B+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \cos^{\frac{5}{2}}(c+dx) (-)}{2a} \\
&= -\frac{(A-B+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(7A-7B+5C)}{2a} \int \\
&= -\frac{(7A-7B+5C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5ad} + \frac{(9A-7B+7C)}{21ad} \\
&= -\frac{3(7A-7B+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} + \frac{5(9A-7B+7C)\sqrt{\cos(c+dx)}}{21ad} \\
&= -\frac{3(7A-7B+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} + \frac{5(9A-7B+7C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21ad}
\end{aligned}$$

Mathematica [C] time = 6.89322, size = 2117, normalized size = 10.08

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]
```

```
[Out] (((-21*I)/10)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (((21*I)/10)*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]))
```

$$\begin{aligned}
& (3*I)*d*(1 + E^{((2*I)*d*x)})*Cos[c] - 3*d*(-1 + E^{((2*I)*d*x)})*Sin[c] - (2* \\
& Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(Cos[c] + I*Sin[c])^2)]*S \\
& qrt[(2*(1 + E^{((2*I)*d*x)})*Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*Sin[c])/E^{(I \\
& *d*x)}]*Sqrt[1 + E^{((2*I)*d*x)}*Cos[2*c] + I*E^{((2*I)*d*x)}*Sin[2*c]]/((-I)*d \\
& *(1 + E^{((2*I)*d*x)})*Cos[c] + d*(-1 + E^{((2*I)*d*x)})*Sin[c]))/((A + 2*C + \\
& 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - ((3*I)/2)*C \\
& *Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + \\
& C*Sec[c + d*x]^2)*((2*E^{((2*I)*d*x)}*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^{((\\
& 2*I)*d*x)}*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^{((2*I)*d*x)})*Cos[c] + (2*I \\
&)*(-1 + E^{((2*I)*d*x)})*Sin[c])/E^{(I*d*x)}]*Sqrt[1 + E^{((2*I)*d*x)}*Cos[2*c] + \\
& I*E^{((2*I)*d*x)}*Sin[2*c]])/((3*I)*d*(1 + E^{((2*I)*d*x)})*Cos[c] - 3*d*(-1 + \\
& E^{((2*I)*d*x)})*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d \\
& *x)}*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^{((2*I)*d*x)})*Cos[c] + (2*I)*(-1 \\
& + E^{((2*I)*d*x)})*Sin[c])/E^{(I*d*x)}]*Sqrt[1 + E^{((2*I)*d*x)}*Cos[2*c] + I*E^{(\\
& (2*I)*d*x)}*Sin[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x)})*Cos[c] + d*(-1 + E^{((2*I) \\
& *d*x)})*Sin[c]))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a* \\
& Sec[c + d*x])) + (Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]^(3/2)*(A + B*Sec[c + d* \\
& x] + C*Sec[c + d*x]^2)*((4*(5*A - 5*B + 5*C + 16*A*Cos[c] - 16*B*Cos[c] + 1 \\
& 0*C*Cos[c])*Csc[c])/(5*d) + (2*(51*A - 28*B + 28*C)*Cos[d*x]*Sin[c])/(21*d) \\
& - (4*(A - B)*Cos[2*d*x]*Sin[2*c])/(5*d) + (2*A*Cos[3*d*x]*Sin[3*c])/(7*d) \\
& + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2] + C*Sin[(\\
& d*x)/2]))/d + (2*(51*A - 28*B + 28*C)*Cos[c]*Sin[d*x])/(21*d) - (4*(A - B)* \\
& Cos[2*c]*Sin[2*d*x])/(5*d) + (2*A*Cos[3*c]*Sin[3*d*x])/(7*d))/((A + 2*C + \\
& 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (30*A*Cos[c/ \\
& 2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, S \\
& in[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2 \\
&)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt \\
& [1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan \\
& [Cot[c]]])]/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + \\
& Cot[c]^2]*(a + a*Sec[c + d*x])) + (10*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]* \\
& Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]* \\
& Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]* \\
& Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d* \\
& x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(A + 2*C + \\
& 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d* \\
& x])) - (10*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{ \\
& 1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] \\
& + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Co \\
& t[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 \\
& + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c \\
& + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]))
\end{aligned}$$

Maple [A] time = 2.439, size = 341, normalized size = 1.6

$$-\frac{1}{105ad} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)`

[Out] `-1/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(225*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+441*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-175*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-441*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+175*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+315*C*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-480*A*sin(1/2*d*x+1/2*c)^10+(864*A+336*B)*sin(1/2*d*x+1/2*c)^8+(-888*A-392*B-280*C)*sin(1/2*d*x+1/2*c)^6+(930*A-210*B+630*C)*sin(1/2*d*x+1/2*c)^4+(-321*A+161*B-245*C)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx + c)^3 \sec(dx + c)^2 + B \cos(dx + c)^3 \sec(dx + c) + A \cos(dx + c)^3) \sqrt{\cos(dx + c)}}{a \sec(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
,x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + B*cos(d*x + c)^3*sec(d*x + c) +
A*cos(d*x + c)^3)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c
)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(7/2)/(a*sec
(d*x + c) + a), x)
```


$$3.1218 \quad \int \frac{\cos^5(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=174

$$-\frac{(5A-5B+3C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} + \frac{3(7A-5B+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A-B+C)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)}$$

```
[Out] (3*(7*A - 5*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) - ((5*A - 5*B + 3*C)
)*EllipticF[(c + d*x)/2, 2])/(3*a*d) - ((5*A - 5*B + 3*C)*Sqrt[Cos[c + d*x]
]*Sin[c + d*x])/(3*a*d) + ((7*A - 5*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x
])/((5*a*d) - ((A - B + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*cos[c
+ d*x])))
```

Rubi [A] time = 0.309413, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2748, 2635, 2641, 2639}

$$-\frac{(5A-5B+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(7A-5B+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A-B+C)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(7A-5B+5C)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec
[c + d*x]), x]
```

```
[Out] (3*(7*A - 5*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a*d) - ((5*A - 5*B + 3*C)
)*EllipticF[(c + d*x)/2, 2])/(3*a*d) - ((5*A - 5*B + 3*C)*Sqrt[Cos[c + d*x]
]*Sin[c + d*x])/(3*a*d) + ((7*A - 5*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x
])/((5*a*d) - ((A - B + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*cos[c
+ d*x])))
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)
*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e
+ f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3041

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a
*d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx) (A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx) (C+B\cos(c+dx)+A\cos^2(c+dx))}{a+a\cos(c+dx)} dx \\
&= -\frac{(A-B+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \cos^{\frac{3}{2}}(c+dx) (-)}{2a} \\
&= -\frac{(A-B+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(5A-5B+3C)}{2a} \int \frac{1}{\cos(c+dx)} dx \\
&= -\frac{(5A-5B+3C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} + \frac{(7A-5B+5C)}{3ad} \int \frac{1}{\cos(c+dx)} dx \\
&= \frac{3(7A-5B+5C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(5A-5B+3C)F\left(\frac{1}{2}(c+dx)\right)}{3ad}
\end{aligned}$$

Mathematica [C] time = 6.8413, size = 2063, normalized size = 11.86

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]
```

```
[Out] (((21*I)/10)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]) - (((3*I)/2)*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])
```

$$\begin{aligned}
& x)] * \text{Sqrt}[1 + E^{((2*I)*d*x)*\text{Cos}[2*c] + I * E^{((2*I)*d*x)*\text{Sin}[2*c]})} / ((-I) * d * (1 \\
& + E^{((2*I)*d*x)*\text{Cos}[c] + d * (-1 + E^{((2*I)*d*x)*\text{Sin}[c]})}) / ((A + 2*C + 2*B \\
& * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec}[c + d*x])) + (((3*I)/2) * C * \text{Co} \\
& \text{s}[c/2 + (d*x)/2]^2 * \text{Cos}[c + d*x] * \text{Csc}[c/2] * \text{Sec}[c/2] * (A + B * \text{Sec}[c + d*x] + C * \text{S} \\
& \text{ec}[c + d*x]^2) * ((2 * E^{((2*I)*d*x)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I} \\
&) * d*x) * (\text{Cos}[c] + I * \text{Sin}[c])^2]) * \text{Sqrt}[(2 * (1 + E^{((2*I)*d*x)*\text{Cos}[c] + (2*I) * (\\
& -1 + E^{((2*I)*d*x)*\text{Sin}[c]}) / E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)*\text{Cos}[2*c] + I * \\
& E^{((2*I)*d*x)*\text{Sin}[2*c]})} / ((3*I) * d * (1 + E^{((2*I)*d*x)*\text{Cos}[c] - 3*d * (-1 + E^{ \\
& ((2*I)*d*x)*\text{Sin}[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x) \\
& * (\text{Cos}[c] + I * \text{Sin}[c])^2]) * \text{Sqrt}[(2 * (1 + E^{((2*I)*d*x)*\text{Cos}[c] + (2*I) * (-1 + E \\
& ^{((2*I)*d*x)*\text{Sin}[c]}) / E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)*\text{Cos}[2*c] + I * E^{((2* \\
& I) * d*x) * \text{Sin}[2*c]})} / ((-I) * d * (1 + E^{((2*I)*d*x)*\text{Cos}[c] + d * (-1 + E^{((2*I)*d* \\
& x) * \text{Sin}[c]})}) / ((A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * (a + a * \text{Sec} \\
& [c + d*x])) + (\text{Cos}[c/2 + (d*x)/2]^2 * \text{Cos}[c + d*x]^{(3/2)} * (A + B * \text{Sec}[c + d*x] \\
& + C * \text{Sec}[c + d*x]^2) * ((-4 * (5*A - 5*B + 5*C + 16*A * \text{Cos}[c] - 10*B * \text{Cos}[c] + 10* \\
& C * \text{Cos}[c]) * \text{Csc}[c]) / (5*d) - (8 * (A - B) * \text{Cos}[d*x] * \text{Sin}[c]) / (3*d) + (4 * A * \text{Cos}[2*d*x] \\
& * \text{Sin}[2*c]) / (5*d) - (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (A * \text{Sin}[(d*x)/2] - B * \text{Sin} \\
& [(d*x)/2] + C * \text{Sin}[(d*x)/2])) / d - (8 * (A - B) * \text{Cos}[c] * \text{Sin}[d*x]) / (3*d) + (4 * A * C \\
& \text{os}[2*c] * \text{Sin}[2*d*x]) / (5*d)) / ((A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d* \\
& x]) * (a + a * \text{Sec}[c + d*x])) + (10 * A * \text{Cos}[c/2 + (d*x)/2]^2 * \text{Cos}[c + d*x] * \text{Csc}[c/2 \\
&] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2 \\
&] * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 \\
& - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{Arc} \\
& \text{Tan}[\text{Cot}[c]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) / (3 * d * (A + 2 * C + 2 * B * \text{Cos} \\
& [c + d*x] + A * \text{Cos}[2 * c + 2 * d * x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a * \text{Sec}[c + d * x])) - \\
& (10 * B * \text{Cos}[c/2 + (d*x)/2]^2 * \text{Cos}[c + d*x] * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/ \\
& 2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2] * (A + B * \text{Sec}[c + d*x] + C * \text{S} \\
& \text{ec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]] \\
& * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])] * \text{Sqrt}[1 + \text{Sin} \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]) / (3 * d * (A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2 * c + 2 * d * \\
& x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a * \text{Sec}[c + d * x])) + (2 * C * \text{Cos}[c/2 + (d*x)/2]^2 * \text{Co} \\
& \text{s}[c + d*x] * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{C} \\
& \text{ot}[c]]]^2] * \text{Sec}[c/2] * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTa} \\
& \text{n}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Si} \\
& \text{n}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) / (d * (A \\
& + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2 * c + 2 * d * x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a * \text{S} \\
& \text{ec}[c + d * x]))
\end{aligned}$$

Maple [A] time = 2.26, size = 320, normalized size = 1.8

$$-\frac{1}{15ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)`

[Out] `-1/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-cos(1/2*d*x+1/2*c)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(25*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+63*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-25*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-45*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+15*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+45*C*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+48*A*sin(1/2*d*x+1/2*c)^8+(-56*A-40*B)*sin(1/2*d*x+1/2*c)^6+(-30*A+90*B-30*C)*sin(1/2*d*x+1/2*c)^4+(23*A-35*B+15*C)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x,algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\left(C \cos(dx+c)^2 \sec(dx+c)^2 + B \cos(dx+c)^2 \sec(dx+c) + A \cos(dx+c)^2\right) \sqrt{\cos(dx+c)}}{a \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
,x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) +
A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)
)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec
(d*x + c) + a), x)
```

$$3.1219 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=134

$$\frac{(5A - 3B + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3ad} - \frac{(3A - 3B + C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{(A - B + C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{d(a \cos(c + dx) + a)} + \frac{(5A - 3B + 3C) \sqrt{\cos(c + dx)}}{d(a \cos(c + dx) + a)}$$

```
[Out] -(((3*A - 3*B + C)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((5*A - 3*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((5*A - 3*B + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))
```

Rubi [A] time = 0.28913, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2748, 2639, 2635, 2641}

$$\frac{(5A - 3B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} - \frac{(3A - 3B + C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{(A - B + C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{d(a \cos(c + dx) + a)} + \frac{(5A - 3B + 3C) \sqrt{\cos(c + dx)}}{d(a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]
```

```
[Out] -(((3*A - 3*B + C)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((5*A - 3*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((5*A - 3*B + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3041

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2635

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx &= \int \frac{\sqrt{\cos(c+dx)}(C+B\cos(c+dx)+A\cos^2(c+dx))}{a+a\cos(c+dx)} dx \\
&= -\frac{(A-B+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \sqrt{\cos(c+dx)}(C+B\cos(c+dx)+A\cos^2(c+dx)) dx}{2a} \\
&= -\frac{(A-B+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(3A-3B+C)\int \sqrt{\cos(c+dx)} dx}{2a} \\
&= -\frac{(3A-3B+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(5A-3B+3C)\sqrt{\cos(c+dx)}}{3ad} \\
&= -\frac{(3A-3B+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(5A-3B+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad}
\end{aligned}$$

Mathematica [C] time = 6.70323, size = 2008, normalized size = 14.99

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]
```

```
[Out] (((-3*I)/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (((3*I)/2)*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[
```

```

(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x
)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1
+ E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((A + 2*C + 2*B*
Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - ((I/2)*C*Cos[c/2
+ (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x
))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 +
E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2
*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I
)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos
[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*
I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d
*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*S
in[c]))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c +
d*x])) + (Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*S
ec[c + d*x]^2)*((4*(A - B + C + 2*A*Cos[c] - 2*B*Cos[c])*Csc[c])/d + (8*A*C
os[d*x]*Sin[c])/(3*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*
Sin[(d*x)/2] + C*Sin[(d*x)/2]))/d + (8*A*Cos[c]*Sin[d*x])/(3*d)))/((A + 2*C
+ 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (10*A*Cos
[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}
, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x
]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(S
qrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - Arc
Tan[Cot[c]]])]/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[
1 + Cot[c]^2]*(a + a*Sec[c + d*x])) + (2*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x
]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2
]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]
]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[
d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(A + 2*C +
2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*
x])) - (2*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1
/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot
[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1
+ Sin[d*x - ArcTan[Cot[c]]])]/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c +
2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]))

```

Maple [A] time = 2.276, size = 300, normalized size = 2.2

$$-\frac{1}{3ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(5A\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x)`

[Out]
$$-1/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-8*A*\sin(1/2*d*x+1/2*c)^6+(18*A-6*B+6*C)*\sin(1/2*d*x+1/2*c)^4+(-7*A+3*B-3*C)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)^{\frac{3}{2}}}{a \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx+c) \sec(dx+c)^2 + B \cos(dx+c) \sec(dx+c) + A \cos(dx+c)) \sqrt{\cos(dx+c)}}{a \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a), x)

$$3.1220 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=93

$$\frac{(A-B-C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} + \frac{(3A-B+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B+C)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

[Out] ((3*A - B + C)*EllipticE[(c + d*x)/2, 2])/(a*d) - ((A - B - C)*EllipticF[(c + d*x)/2, 2])/(a*d) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rubi [A] time = 0.265925, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {4112, 3041, 2748, 2641, 2639}

$$\frac{(A-B-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(3A-B+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B+C)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]), x]

[Out] ((3*A - B + C)*EllipticE[(c + d*x)/2, 2])/(a*d) - ((A - B - C)*EllipticF[(c + d*x)/2, 2])/(a*d) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b

```
*Sin[e + f*x]]^m*(c + d*SIN[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c +
d*SIN[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+a\sec(c+dx)} dx = \int \frac{C+B\cos(c+dx)+A\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx$$

$$= -\frac{(A-B+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{d(a+a\cos(c+dx))} + \int \frac{-\frac{1}{2}a(A-B-C)+\frac{1}{2}a(3A)}{\sqrt{\cos(c+dx)}a^2} dx$$

$$= -\frac{(A-B+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(A-B-C)\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a}$$

$$= \frac{(3A-B+C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad}$$

Mathematica [C] time = 6.65543, size = 1973, normalized size = 21.22

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]),x]

[Out] (((3*I)/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]) - ((I/2)*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]) + ((I/2)*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]) + (Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(A - B + C + 2*A*Cos[c])*Csc[c])/d - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/d))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]) + (2*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan

$$\frac{[\text{Cot}[c]]]}{d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx])\sqrt{1 + \text{Cot}[c]^2}(a + a\sec[c + dx])} - (2B\cos[c/2 + (dx)/2]^2\cos[c + dx]*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[dx - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + B\sec[c + dx] + C\sec[c + dx]^2)*\text{Sec}[dx - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \text{Sin}[dx - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\text{Sin}[c]*\text{Sin}[dx - \text{ArcTan}[\text{Cot}[c]]])}*\sqrt{1 + \text{Sin}[dx - \text{ArcTan}[\text{Cot}[c]]}])]/(d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx])\sqrt{1 + \text{Cot}[c]^2}(a + a\sec[c + dx])) - (2C\cos[c/2 + (dx)/2]^2\cos[c + dx]*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[dx - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + B\sec[c + dx] + C\sec[c + dx]^2)*\text{Sec}[dx - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \text{Sin}[dx - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\text{Sin}[c]*\text{Sin}[dx - \text{ArcTan}[\text{Cot}[c]]])}*\sqrt{1 + \text{Sin}[dx - \text{ArcTan}[\text{Cot}[c]]}])]/(d(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx])\sqrt{1 + \text{Cot}[c]^2}(a + a\sec[c + dx]))$$

Maple [A] time = 2.697, size = 281, normalized size = 3.

$$\frac{1}{ad} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right) (A\text{Ellip}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^(1/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+a*sec(dx+c)),x)`

[Out] $((2\cos(1/2 dx + 1/2 c)^2 - 1) \sin(1/2 dx + 1/2 c)^2)^{(1/2)} (\cos(1/2 dx + 1/2 c) * (2\sin(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (A\text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 3A\text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - B\text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - B\text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - C\text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + C\text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)})) + (2A - 2B + 2C) \sin(1/2 dx + 1/2 c)^4 + (-A + B - C) \sin(1/2 dx + 1/2 c)^2) / a / \cos(1/2 dx + 1/2 c) / (-2\sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} / \sin(1/2 dx + 1/2 c) / (2\cos(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A\sqrt{\cos(c+dx)}}{\sec(c+dx)+1} dx + \int \frac{B\sqrt{\cos(c+dx)}\sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{C\sqrt{\cos(c+dx)}\sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sqrt(cos(c + d*x))/(sec(c + d*x) + 1), x) + Integral(B*sqrt(cos(c + d*x))*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(C*sqrt(cos(c + d*x))*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))  
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec  
(d*x + c) + a), x)
```

$$3.1221 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=122

$$\frac{(A+B-C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{(A-B+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B+3C)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{(A-B+C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a \cos(c+dx))}$$

```
[Out] -(((A - B + 3*C)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((A + B - C)*EllipticF
[(c + d*x)/2, 2])/(a*d) + ((A - B + 3*C)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*
x]]) - ((A - B + C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x]
))
```

Rubi [A] time = 0.284946, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2748, 2636, 2639, 2641}

$$\frac{(A+B-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B+3C)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{(A-B+C)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a \cos(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[
c + d*x])), x]
```

```
[Out] -(((A - B + 3*C)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((A + B - C)*EllipticF
[(c + d*x)/2, 2])/(a*d) + ((A - B + 3*C)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*
x]]) - ((A - B + C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x]
))
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)
*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3041

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} dx \\
&= -\frac{(A - B + C) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(A-B+3C) + \frac{1}{2}a(A+B-C) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A - B + C) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} + \frac{(A + B - C) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{(A - B + C)}{2a} \\
&= \frac{(A + B - C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A - B + 3C) \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} - \frac{(A - B + C)}{d\sqrt{\cos(c + dx)}} \\
&= -\frac{(A - B + 3C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A + B - C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A - B + C)}{ad\sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.76441, size = 2009, normalized size = 16.47

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])),x]

[Out] ((-I/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]) + ((I/2)*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometr

```

ic2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 +
E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[
1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*
I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((A + 2*C + 2*B*Cos[c +
d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (((3*I)/2)*C*Cos[c/2 + (
d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*
x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(C
os[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((
2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*
d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*
x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c]
+ I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d
*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*S
in[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c
])))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x]
)) + (Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2)*((2*(2*C + A*Cos[c] - B*Cos[c] + C*Cos[c])*Csc[c/2]*Sec[c/2]*Sec
[c])/d + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2] +
C*Sin[(d*x)/2]))/d + (8*C*Sec[c]*Sec[c + d*x]*Sin[d*x])/d))/((A + 2*C + 2*B
*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (2*A*Cos[c/2 +
(d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d
*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Se
c[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 +
Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot
[c]]]])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c
]^2]*(a + a*Sec[c + d*x])) - (2*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2
]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2
]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1
- Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - Arc
Tan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + 2*B*Cos[c
+ d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])) + (2
*C*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2},
{5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sq
rt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x
- ArcTan[Cot[c]]]])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*S
qrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]))

```

Maple [B] time = 4.773, size = 353, normalized size = 2.9

$$-\frac{1}{ad} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2(\sin(1/2 dx + c/2))^4 + \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x)`

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*(-\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-B+3*C)*\sin(1/2*d*x+1/2*c)^4+(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-B+5*C)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^3/(2*\sin(1/2*d*x+1/2*c)^2-1)/\cos(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x,algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a \cos(dx+c) \sec(dx+c) + a \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x,algorithm="fricas")`

[Out] `integral((C*sec(d*x+c)^2+B*sec(d*x+c)+A)*sqrt(cos(d*x+c))/(a*cos(d*x+c)*sec(d*x+c)+a*cos(d*x+c)),x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sqrt{\cos(c+dx)} \sec(c+dx) + \sqrt{\cos(c+dx)}} dx + \int \frac{B \sec(c+dx)}{\sqrt{\cos(c+dx)} \sec(c+dx) + \sqrt{\cos(c+dx)}} dx + \int \frac{C \sec^2(c+dx)}{\sqrt{\cos(c+dx)} \sec(c+dx) + \sqrt{\cos(c+dx)}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A/(sqrt(cos(c + d*x))*sec(c + d*x) + sqrt(cos(c + d*x))), x) + Integral(B*sec(c + d*x)/(sqrt(cos(c + d*x))*sec(c + d*x) + sqrt(cos(c + d*x))), x) + Integral(C*sec(c + d*x)**2/(sqrt(cos(c + d*x))*sec(c + d*x) + sqrt(cos(c + d*x))), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)

$$3.1222 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=165

$$\frac{(3A-3B+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} + \frac{(A-3B+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B+C)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{(3A-3B+5C)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

[Out] ((A - 3*B + 3*C)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((3*A - 3*B + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((3*A - 3*B + 5*C)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)) - ((A - 3*B + 3*C)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x]))

Rubi [A] time = 0.305823, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2748, 2636, 2641, 2639}

$$\frac{(3A-3B+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{(A-3B+3C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B+C)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{(3A-3B+5C)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])), x]

[Out] ((A - 3*B + 3*C)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((3*A - 3*B + 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((3*A - 3*B + 5*C)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)) - ((A - 3*B + 3*C)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} dx \\
&= -\frac{(A - B + C) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(3A-3B+5C) - \frac{1}{2}a(A-3B+3C) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A - B + C) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} - \frac{(A - 3B + 3C) \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)} dx}{2a} + \frac{(3A - 3B + 5C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(3A - 3B + 5C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{(A - 3B + 3C) \sin(c + dx)}{ad \sqrt{\cos(c + dx)}} - \frac{(A - B + C) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(A - 3B + 3C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(3A - 3B + 5C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{(3A - 3B + 5C) \sin(c + dx)}{3ad}
\end{aligned}$$

Mathematica [C] time = 7.18845, size = 2052, normalized size = 12.44

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])),x]

[Out] ((I/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) - (((3*I)/2)*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(

$$\begin{aligned}
& 1 + E^{((2*I)*d*x)}*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]) - (2*\text{Hypergeom} \\
& \text{etric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 \\
& + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{S} \\
& \text{qrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((-I)*d*(1 + E^{(\\
& (2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/((A + 2*C + 2*B*\text{Cos}[c \\
& + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])) + (((3*I)/2)*C*\text{Cos}[c/2 \\
& + (d*x)/2]^2*\text{Cos}[c + d*x]*\text{Csc}[c/2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + \\
& d*x]^2)*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} \\
& *(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E \\
& ^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2* \\
& I)*d*x)}*\text{Sin}[2*c]])/((3*I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] - 3*d*(-1 + E^{((2*I) \\
& *d*x)})*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[\\
& c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I) \\
&)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x} \\
&)*\text{Sin}[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Si} \\
& n[c]))/((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d \\
& *x])) + (\text{Cos}[c/2 + (d*x)/2]^2*\text{Cos}[c + d*x]^(3/2)*(A + B*\text{Sec}[c + d*x] + C*\text{Se} \\
& c[c + d*x]^2)*((-2*(-2*B + 2*C + A*\text{Cos}[c] - B*\text{Cos}[c] + C*\text{Cos}[c])*\text{Csc}[c/2]*\text{S} \\
& ec[c/2]*\text{Sec}[c])/d - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(\\
& d*x)/2] + C*\text{Sin}[(d*x)/2]))/d + (8*C*\text{Sec}[c]*\text{Sec}[c + d*x]^2*\text{Sin}[d*x])/((3*d) \\
& + (8*\text{Sec}[c]*\text{Sec}[c + d*x]*(C*\text{Sin}[c] + 3*B*\text{Sin}[d*x] - 3*C*\text{Sin}[d*x]))/(3*d)))/ \\
& ((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])) - \\
& (2*A*\text{Cos}[c/2 + (d*x)/2]^2*\text{Cos}[c + d*x]*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2 \\
& \}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec} \\
& [c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]* \\
& \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Sin}[d \\
& *x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) \\
& *\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])) + (2*B*\text{Cos}[c/2 + (d*x)/2]^2*\text{Cos}[c \\
& + d*x]*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[\\
& c]]]^2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{C} \\
& ot[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c] \\
&)*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(A + \\
& 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[\\
& c + d*x])) - (10*C*\text{Cos}[c/2 + (d*x)/2]^2*\text{Cos}[c + d*x]*\text{Csc}[c/2]*\text{Hypergeometri} \\
& cPFQ[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c \\
& + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{Arc} \\
& \text{Tan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])* \\
& \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*C \\
& os[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x]))
\end{aligned}$$

Maple [B] time = 6.898, size = 494, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x)`

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*(2*C*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+ (A-B+C)*(\cos(1/2*d*x+1/2*c)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(2*B-2*C)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\cos(dx+c)}}{a \cos(dx+c)^2 \sec(dx+c) + a \cos(dx+c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^2*sec(d*x + c) + a*cos(d*x + c)^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*cos(d*x + c)^(3/2)), x)`

$$3.1223 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=210

$$\frac{(3A-5B+5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{3(5A-5B+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A-B+C)\sin(c+dx)}{d \cos^{\frac{5}{2}}(c+dx)(a \cos(c+dx)+a)} - \frac{(3A-5B+5C)\text{EllipticE}\left[\frac{c+dx}{2}, 2\right]}{5ad} - \frac{(3A-5B+5C)\text{EllipticF}\left[\frac{c+dx}{2}, 2\right]}{3ad} + \frac{(5A-5B+7C)\text{Sin}[c+dx]}{5ad \cos^{\frac{5}{2}}(c+dx)} - \frac{(3A-5B+5C)\text{Sin}[c+dx]}{3ad \cos^{\frac{3}{2}}(c+dx)} + \frac{3(5A-5B+7C)\text{Sin}[c+dx]}{5ad \sqrt{\cos(c+dx)}} - \frac{(A-B+C)\text{Sin}[c+dx]}{d \cos^{\frac{5}{2}}(c+dx)(a \cos(c+dx)+a)}$$

[Out] $(-3*(5*A - 5*B + 7*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*a*d) - ((3*A - 5*B + 5*C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*a*d) + ((5*A - 5*B + 7*C)*\text{Sin}[c + d*x])/(5*a*d*\text{Cos}[c + d*x]^{(5/2)}) - ((3*A - 5*B + 5*C)*\text{Sin}[c + d*x])/(3*a*d*\text{Cos}[c + d*x]^{(3/2)}) + (3*(5*A - 5*B + 7*C)*\text{Sin}[c + d*x])/(5*a*d*\text{Sqrt}[\text{Cos}[c + d*x]]) - ((A - B + C)*\text{Sin}[c + d*x])/(d*\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Cos}[c + d*x]))$

Rubi [A] time = 0.322626, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2748, 2636, 2639, 2641}

$$\frac{(3A-5B+5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3(5A-5B+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A-B+C)\sin(c+dx)}{d \cos^{\frac{5}{2}}(c+dx)(a \cos(c+dx)+a)} - \frac{(3A-5B+5C)\text{EllipticE}\left[\frac{c+dx}{2}, 2\right]}{5ad} - \frac{(3A-5B+5C)\text{EllipticF}\left[\frac{c+dx}{2}, 2\right]}{3ad} + \frac{(5A-5B+7C)\text{Sin}[c+dx]}{5ad \cos^{\frac{5}{2}}(c+dx)} - \frac{(3A-5B+5C)\text{Sin}[c+dx]}{3ad \cos^{\frac{3}{2}}(c+dx)} + \frac{3(5A-5B+7C)\text{Sin}[c+dx]}{5ad \sqrt{\cos(c+dx)}} - \frac{(A-B+C)\text{Sin}[c+dx]}{d \cos^{\frac{5}{2}}(c+dx)(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/(\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Sec}[c + d*x])), x]$

[Out] $(-3*(5*A - 5*B + 7*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*a*d) - ((3*A - 5*B + 5*C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*a*d) + ((5*A - 5*B + 7*C)*\text{Sin}[c + d*x])/(5*a*d*\text{Cos}[c + d*x]^{(5/2)}) - ((3*A - 5*B + 5*C)*\text{Sin}[c + d*x])/(3*a*d*\text{Cos}[c + d*x]^{(3/2)}) + (3*(5*A - 5*B + 7*C)*\text{Sin}[c + d*x])/(5*a*d*\text{Sqrt}[\text{Cos}[c + d*x]]) - ((A - B + C)*\text{Sin}[c + d*x])/(d*\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Cos}[c + d*x]))$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_)]^{(m_.)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_)] + (C_.)*\sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a
*d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \cos(c + dx))} dx \\
&= -\frac{(A - B + C) \sin(c + dx)}{d \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(5A-5B+7C) - \frac{1}{2}a(3A-5B+5C) \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A - B + C) \sin(c + dx)}{d \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} - \frac{(3A - 5B + 5C) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)} dx}{2a} + \dots \\
&= \frac{(5A - 5B + 7C) \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} - \frac{(3A - 5B + 5C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{(A - B + C) \sin(c + dx)}{d \cos^{\frac{5}{2}}(c + dx)} \\
&= -\frac{(3A - 5B + 5C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{(5A - 5B + 7C) \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} - \frac{(3A - 5B + 5C) \sin(c + dx)}{3ad} \\
&= -\frac{3(5A - 5B + 7C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5ad} - \frac{(3A - 5B + 5C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \dots
\end{aligned}$$

Mathematica [C] time = 7.55618, size = 2111, normalized size = 10.05

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])),x]

[Out] (((-3*I)/2)*A*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])) + (((3*I)/2)*B*Cos[c/2 + (d*x)/2]^2*Cos[c + d*x]

$$\begin{aligned}
&]*\text{Csc}[c/2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^{((2*I)*d*x)} \\
& *x)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)] \\
& *Sqrt[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}] \\
& *Sqrt[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((3*I) \\
&)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]) - (2*\text{Hype} \\
& \text{rgeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*Sqrt[\\
& (2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)} \\
&)]*Sqrt[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((-I)*d*(1 \\
& + E^{((2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/((A + 2*C + 2*B* \\
& \text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])) - (((21*I)/10)*C*C \\
& \text{os}[c/2 + (d*x)/2]^2*\text{Cos}[c + d*x]*\text{Csc}[c/2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C* \\
& \text{Sec}[c + d*x]^2)*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2* \\
& I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*Sqrt[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)* \\
& (-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*Sqrt[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I \\
& *E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((3*I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] - 3*d*(-1 + E \\
& ^{((2*I)*d*x)})*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)} \\
&)*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*Sqrt[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + \\
& E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*Sqrt[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2 \\
& *I)*d*x)}*\text{Sin}[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d \\
& *x)})*\text{Sin}[c]))/((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Se} \\
& c[c + d*x])) + (\text{Cos}[c/2 + (d*x)/2]^2*\text{Cos}[c + d*x]^{(3/2)}*(A + B*\text{Sec}[c + d*x] \\
& + C*\text{Sec}[c + d*x]^2)*((2*(10*A - 10*B + 16*C + 5*A*\text{Cos}[c] - 5*B*\text{Cos}[c] + 5* \\
& C*\text{Cos}[c])*Csc[c/2]*\text{Sec}[c/2]*\text{Sec}[c])/((5*d) + (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2] * \\
& (A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/d + (8*C*\text{Sec}[c]*\text{Sec}[c + \\
& d*x]^3*\text{Sin}[d*x])/((5*d) - (8*\text{Sec}[c]*\text{Sec}[c + d*x]*(-5*B*\text{Sin}[c] + 5*C*\text{Sin}[c] \\
& - 15*A*\text{Sin}[d*x] + 15*B*\text{Sin}[d*x] - 24*C*\text{Sin}[d*x]))/((15*d) + (8*\text{Sec}[c]*\text{Sec}[c \\
& + d*x]^2*(3*C*\text{Sin}[c] + 5*B*\text{Sin}[d*x] - 5*C*\text{Sin}[d*x]))/((15*d))))/((A + 2*C + 2 \\
& *B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])) + (2*A*\text{Cos}[c/2 \\
& + (d*x)/2]^2*\text{Cos}[c + d*x]*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin} \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)* \\
& \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*Sqrt[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*Sqrt[-(\text{Sqrt}[1 \\
& + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*Sqrt[1 + \text{Sin}[d*x - \text{ArcTan}[\text{C} \\
& ot[c]]]])/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*Sqrt[1 + \text{Cot} \\
& [c]^2]*(a + a*\text{Sec}[c + d*x])) - (10*B*\text{Cos}[c/2 + (d*x)/2]^2*\text{Cos}[c + d*x]*\text{Csc} \\
& [c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec} \\
& [c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*Sqrt \\
& [1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*Sqrt[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]])]*Sqrt[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B* \\
& \text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*Sqrt[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])) \\
& + (10*C*\text{Cos}[c/2 + (d*x)/2]^2*\text{Cos}[c + d*x]*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, \\
& 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C \\
& *\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*Sqrt[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c] \\
&]]]*Sqrt[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])]*Sqrt[1 + \text{S} \\
& in[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2 \\
& *d*x])*Sqrt[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x]))
\end{aligned}$$

Maple [B] time = 8.668, size = 812, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(5/2)}/(a+a*\sec(dx+c)),x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*((2*B-2*C)*(-1 \\ & /6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/ \\ & (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\ & *x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E \\ & \text{llipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2/5*C/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(\\ & 1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(\\ & 1/2*d*x+1/2*c)^2-1)^{(1/2)}*E\text{llipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+ \\ & 1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E\text{llipticE}(\cos(1/2*d*x+1/2*c),2^{(\\ & 1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2* \\ & c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E\text{llipticE}(\cos(1/ \\ & 2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*c \\ & \text{os}(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(-A \\ & +B-C)*(\cos(1/2*d*x+1/2*c))*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*(E\text{llipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-E\text{llipticE}(\cos(1/2*d*x+1 \\ & /2*c),2^{(1/2)}))-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/ \\ & 2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(2*A-2*B+2*C)*(- \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E\text{llipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)} \\ &)+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c) \\ & *\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin \\ & (1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(5/2)}/(a+a*\sec(dx+c)),x,\text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\cos(dx+c)}}{a \cos(dx+c)^3 \sec(dx+c) + a \cos(dx+c)^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^3*sec(d*x + c) + a*cos(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a) \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*cos  
(d*x + c)^(5/2)), x)
```

$$3.1224 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=258

$$\frac{5(30A - 21B + 14C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21a^2d} - \frac{7(11A - 8B + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^2d} - \frac{(11A - 8B + 5C) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{3a^2d(\cos(c + dx) + 1)}$$

[Out] (-7*(11*A - 8*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) + (5*(30*A - 21*B + 14*C)*EllipticF[(c + d*x)/2, 2])/(21*a^2*d) + (5*(30*A - 21*B + 14*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*a^2*d) - (7*(11*A - 8*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a^2*d) + ((30*A - 21*B + 14*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*a^2*d) - ((11*A - 8*B + 5*C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(9/2)*Sin[c + d*x])/(3*d*(a + a*cos[c + d*x])^2)

Rubi [A] time = 0.499248, antiderivative size = 258, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2977, 2748, 2635, 2639, 2641}

$$\frac{5(30A - 21B + 14C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21a^2d} - \frac{7(11A - 8B + 5C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^2d} - \frac{(11A - 8B + 5C) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{3a^2d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] (-7*(11*A - 8*B + 5*C)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) + (5*(30*A - 21*B + 14*C)*EllipticF[(c + d*x)/2, 2])/(21*a^2*d) + (5*(30*A - 21*B + 14*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*a^2*d) - (7*(11*A - 8*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a^2*d) + ((30*A - 21*B + 14*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*a^2*d) - ((11*A - 8*B + 5*C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(9/2)*Sin[c + d*x])/(3*d*(a + a*cos[c + d*x])^2)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)

$(x_)]^2), x_Symbol] := \text{Dist}[d^{(m+2)}, \text{Int}[(b + a\cos[e + fx])^m (d\cos[e + fx])^{(n-m-2)} (C + B\cos[e + fx] + A\cos[e + fx]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)} ((A_ + (B_)\sin[e_ + (f_)(x_)] + (C_)\sin[e_ + (f_)(x_)]^2), x_Symbol] := \text{Simp}[(aA - bB + aC)\cos[e + fx](a + b\sin[e + fx])^m (c + d\sin[e + fx])^{(n+1)} / (f(bc - ad)(2m+1)), x] + \text{Dist}[1/(b(bc - ad)(2m+1)), \text{Int}[(a + b\sin[e + fx])^{(m+1)} (c + d\sin[e + fx])^n \text{Simp}[A(ac(m+1) - b*d(2m+n+2)) + B(bc^m + a*d(n+1)) - C(ac^m + b*d(n+1)) + (d(aA - bB)(m+n+2) + C(bc^2(2m+1) - a*d(m-n-1)))*\sin[e + fx], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

Rule 2977

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)])^{(m_)} ((A_ + (B_)\sin[e_ + (f_)(x_)])^{(n_)} (c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)}, x_Symbol] := \text{Simp}[(A*b - a*B)\cos[e + fx](a + b\sin[e + fx])^m (c + d\sin[e + fx])^n / (a*f*(2m+1)), x] - \text{Dist}[1/(a*b*(2m+1)), \text{Int}[(a + b\sin[e + fx])^{(m+1)} (c + d\sin[e + fx])^{(n-1)} \text{Simp}[A(ad*n - b*c*(m+1)) - B(ac^m + b*d*n) - d(a*B*(m-n) + A*b*(m+n+1))*\sin[e + fx], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2748

$\text{Int}[(b_)\sin[e_ + (f_)(x_)]^{(m_)} ((c_ + (d_)\sin[e_ + (f_)(x_)])^{(n_)}), x_Symbol] := \text{Dist}[c, \text{Int}[(b*\sin[e + fx])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + fx])^{(m+1)}, x], x] /;$ FreeQ[{b, c, d, e, f, m}, x]

Rule 2635

$\text{Int}[(b_)\sin[(c_ + (d_)(x_))]^{(n_)}, x_Symbol] := -\text{Simp}[(b*\cos[c + dx])*(b*\sin[c + dx])^{(n-1)} / (d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\sin[c + dx])^{(n-2)}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_ + (d_)(x_))]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P$

$i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{7}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{7}{2}}(c+dx) (C+B \cos(c+dx) + A \cos^2(c+dx))}{(a+a \cos(c+dx))^2} dx \\ &= -\frac{(A-B+C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \int \frac{\cos^{\frac{7}{2}}(c+dx) \left(-\frac{3}{2}a(3A- \right.}{\dots} \\ &= -\frac{(11A-8B+5C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B+C) \cos^{\frac{7}{2}}(c+dx)}{3d(a+a \cos(c+dx))} \\ &= -\frac{(11A-8B+5C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B+C) \cos^{\frac{7}{2}}(c+dx)}{3d(a+a \cos(c+dx))} \\ &= -\frac{7(11A-8B+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{15a^2d} + \frac{(30A-21B+14C) \cos^{\frac{7}{2}}(c+dx)}{21a^2d} \\ &= -\frac{7(11A-8B+5C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5a^2d} + \frac{5(30A-21B+14C)\sqrt{\cos(c+dx)}}{21a^2d} \\ &= -\frac{7(11A-8B+5C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5a^2d} + \frac{5(30A-21B+14C)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21a^2d} \end{aligned}$$

Mathematica [C] time = 7.28883, size = 2174, normalized size = 8.43

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (((-77*I)/5)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))])^2)

$$\begin{aligned}
& (2*I)*d*x*(\text{Cos}[c] + I*\text{Sin}[c])^2]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^I*d*x]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] \\
& + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*\text{Cos}[c] + I*\text{Sin}[c])^2])*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^I*d*x]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^2) + (((56*I)/5)*B*\text{Cos}[c/2 + (d*x)/2]^4*Csc[c/2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*\text{Cos}[c] + I*\text{Sin}[c])^2])*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^I*d*x]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*\text{Cos}[c] + I*\text{Sin}[c])^2])*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^I*d*x]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^2) - ((7*I)*C*\text{Cos}[c/2 + (d*x)/2]^4*Csc[c/2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*\text{Cos}[c] + I*\text{Sin}[c])^2])*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^I*d*x]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*\text{Cos}[c] + I*\text{Sin}[c])^2])*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^I*d*x]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^2) - (200*A*\text{Cos}[c/2 + (d*x)/2]^4*Csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(7*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) + (20*B*\text{Cos}[c/2 + (d*x)/2]^4*Csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) - (40*C*\text{Cos}[c/2 + (d*x)/2]^4*Csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d
\end{aligned}$$

$$\begin{aligned} & *x])^2) + (\cos[c/2 + (d*x)/2]^4 * \text{Sqrt}[\cos[c + d*x]] * (A + B * \text{Sec}[c + d*x] + C * \\ & \text{Sec}[c + d*x]^2) * ((8 * (25 * A - 20 * B + 15 * C + 52 * A * \cos[c] - 36 * B * \cos[c] + 20 * C * \\ & \cos[c]) * \text{Csc}[c]) / (5 * d) + (4 * (107 * A - 56 * B + 28 * C) * \cos[d*x] * \sin[c]) / (21 * d) - \\ & (8 * (2 * A - B) * \cos[2 * d*x] * \sin[2 * c]) / (5 * d) + (4 * A * \cos[3 * d*x] * \sin[3 * c]) / (7 * d) - \\ & (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (A * \sin[(d*x)/2] - B * \sin[(d*x)/2] + C * \sin[\\ & (d*x)/2])) / (3 * d) + (8 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (5 * A * \sin[(d*x)/2] - 4 * B * \sin[\\ & (d*x)/2] + 3 * C * \sin[(d*x)/2])) / d + (4 * (107 * A - 56 * B + 28 * C) * \cos[c] * \sin[d * \\ & x]) / (21 * d) - (8 * (2 * A - B) * \cos[2 * c] * \sin[2 * d*x]) / (5 * d) + (4 * A * \cos[3 * c] * \sin[3 * \\ & d*x]) / (7 * d) - (4 * (A - B + C) * \text{Sec}[c/2 + (d*x)/2]^2 * \tan[c/2]) / (3 * d)) / ((A + 2 * \\ & C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x]) * (a + a * \text{Sec}[c + d*x])^2) \end{aligned}$$

Maple [A] time = 2.915, size = 513, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(7/2)} * (A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2) / (a+a*\text{sec}(d*x+c))^{2}, x)$

[Out]
$$\begin{aligned} & -1/210 * ((2 * \cos(1/2 * d*x + 1/2 * c)^2 - 1) * \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * (2 * \sin(1/2 * \\ & d*x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (750 * A * \text{EllipticF}(\cos(\\ & 1/2 * d*x + 1/2 * c), 2^{(1/2)}) + 1617 * A * \text{EllipticE}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) - 525 * B * \\ & \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) - 1176 * B * \text{EllipticE}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) \\ & + 350 * C * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) + 735 * C * \text{EllipticE}(\cos(1/2 * \\ & d*x + 1/2 * c), 2^{(1/2)})) * \cos(1/2 * d*x + 1/2 * c) * \sin(1/2 * d*x + 1/2 * c)^2 + 2 * (2 * \sin(1/2 * \\ & d*x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (750 * A * \text{EllipticF}(\cos(1/2 * \\ & d*x + 1/2 * c), 2^{(1/2)}) + 1617 * A * \text{EllipticE}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) - 525 * B * \text{EllipticF} \\ & (\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) - 1176 * B * \text{EllipticE}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) \\ & + 350 * C * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) + 735 * C * \text{EllipticE}(\cos(1/2 * d * \\ & x + 1/2 * c), 2^{(1/2)})) * \cos(1/2 * d*x + 1/2 * c) + 960 * A * \sin(1/2 * d*x + 1/2 * c)^{12} + (-2016 * A - \\ & 672 * B) * \sin(1/2 * d*x + 1/2 * c)^{10} + (2608 * A + 896 * B + 560 * C) * \sin(1/2 * d*x + 1/2 * c)^8 + (-59 \\ & 32 * A + 2296 * B - 2660 * C) * \sin(1/2 * d*x + 1/2 * c)^6 + (6184 * A - 3682 * B + 2940 * C) * \sin(1/2 * d * \\ & x + 1/2 * c)^4 + (-1839 * A + 1197 * B - 875 * C) * \sin(1/2 * d*x + 1/2 * c)^2) / a^2 / \cos(1/2 * d*x + 1/2 * \\ & c)^3 / (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d*x + 1/2 * c) \\ &) / (2 * \cos(1/2 * d*x + 1/2 * c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c)^3 \sec(dx + c)^2 + B \cos(dx + c)^3 \sec(dx + c) + A \cos(dx + c)^3) \sqrt{\cos(dx + c)}}{a^2 \sec(dx + c)^2 + 2 a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))  
^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(7/2)/(a*sec  
(d*x + c) + a)^2, x)
```

$$3.1225 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=214

$$\frac{5(3A - 2B + C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3a^2d} + \frac{(56A - 35B + 20C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^2d} - \frac{(3A - 2B + C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{a^2d(\cos(c + dx) + 1)}$$

```
[Out] ((56*A - 35*B + 20*C)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) - (5*(3*A - 2*B + C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (5*(3*A - 2*B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + ((56*A - 35*B + 20*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a^2*d) - ((3*A - 2*B + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)
```

Rubi [A] time = 0.470087, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2977, 2748, 2635, 2641, 2639}

$$\frac{5(3A - 2B + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} + \frac{(56A - 35B + 20C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^2d} - \frac{(3A - 2B + C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{a^2d(\cos(c + dx) + 1)} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]^2, x]
```

```
[Out] ((56*A - 35*B + 20*C)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) - (5*(3*A - 2*B + C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (5*(3*A - 2*B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + ((56*A - 35*B + 20*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a^2*d) - ((3*A - 2*B + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
```

$\text{eQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3041

$\text{Int}[(a + (b \sin(e + f x))^{m_1})^{m_2} ((c + (d \sin(e + f x)) + (f x)^{n_1})^{n_2})^{n_3}, x_Symbol] \rightarrow \text{Simp}[(a A - b B + a C) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1} / (f (b c - a d) (2 m + 1)), x] + \text{Dist}[1 / (b (b c - a d) (2 m + 1)), \text{Int}[(a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n \text{Simp}[A (a c (m + 1) - b d (2 m + n + 2)) + B (b c m + a d (n + 1)) - C (a c m + b d (n + 1)) + (d (a A - b B) (m + n + 2) + C (b c (2 m + 1) - a d (m - n - 1))] \sin[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 2977

$\text{Int}[(a + (b \sin(e + f x))^{m_1})^{m_2} ((c + (d \sin(e + f x)) + (f x)^{n_1})^{n_2}), x_Symbol] \rightarrow \text{Simp}[(A b - a B) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n / (a f (2 m + 1)), x] - \text{Dist}[1 / (a b (2 m + 1)), \text{Int}[(a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^{n-1} \text{Simp}[A (a d n - b c (m + 1)) - B (a c m + b d n) - d (a B (m - n) + A b (m + n + 1))] \sin[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2 m] \&\& (\text{IntegerQ}[2 n] \parallel \text{EqQ}[c, 0])$

Rule 2748

$\text{Int}[(b \sin(e + f x))^{m_1} ((c + (d \sin(e + f x)) + (f x)^{n_1})^{n_2}), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b \sin[e + f x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \sin[e + f x])^{m+1}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2635

$\text{Int}[(b \sin(c + d x))^{n_1} ((c + (d \sin(c + d x)) + (d x)^{n_2})^{n_3}), x_Symbol] \rightarrow -\text{Simp}[(b \cos[c + d x] (b \sin[c + d x])^{n-1}) / (d n), x] + \text{Dist}[(b^2 (n - 1)) / n, \text{Int}[(b \sin[c + d x])^{n-2}, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2 n]$

Rule 2641

$\text{Int}[1 / \sqrt{\sin(c + d x)}, x_Symbol] \rightarrow \text{Simp}[(2 \text{EllipticF}[(1 (c - \text{Pi}/2 + d x)) / 2, 2]) / d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx) (C + B \cos(c+dx) + A \cos^2(c+dx))}{(a + a \cos(c+dx))^2} dx \\ &= -\frac{(A - B + C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{3d(a + a \cos(c+dx))^2} + \int \frac{\cos^{\frac{5}{2}}(c+dx) \left(-\frac{1}{2}a(7A - 5B + 3C)\right)}{(a + a \cos(c+dx))^2} dx \\ &= -\frac{(3A - 2B + C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{a^2 d (1 + \cos(c+dx))} - \frac{(A - B + C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d(a + a \cos(c+dx))} \\ &= -\frac{(3A - 2B + C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{a^2 d (1 + \cos(c+dx))} - \frac{(A - B + C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d(a + a \cos(c+dx))} \\ &= -\frac{5(3A - 2B + C) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2 d} + \frac{(56A - 35B + 20C) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5a^2 d} - \frac{5(3A - 2B + C) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} \end{aligned}$$

Mathematica [C] time = 7.10129, size = 2120, normalized size = 9.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] (((56*I)/5)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1

$$\begin{aligned}
& + E^{((2*I)*d*x))*Sin[c]/E^{(I*d*x)]*Sqrt[1 + E^{((2*I)*d*x)*Cos[2*c] + I*E^{(2*I)*d*x)*Sin[2*c]}}/((-I)*d*(1 + E^{((2*I)*d*x)*Cos[c] + d*(-1 + E^{((2*I)*d*x)*Sin[c]})))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) - ((7*I)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^{((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^{((2*I)*d*x)*Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)*Sin[c]})/E^{(I*d*x)]*Sqrt[1 + E^{((2*I)*d*x)*Cos[2*c] + I*E^{((2*I)*d*x)*Sin[2*c]}}]/((3*I)*d*(1 + E^{((2*I)*d*x)*Cos[c] - 3*d*(-1 + E^{((2*I)*d*x)*Sin[c]}) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^{((2*I)*d*x)*Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)*Sin[c]})/E^{(I*d*x)]*Sqrt[1 + E^{((2*I)*d*x)*Cos[2*c] + I*E^{((2*I)*d*x)*Sin[2*c]}}]/((-I)*d*(1 + E^{((2*I)*d*x)*Cos[c] + d*(-1 + E^{((2*I)*d*x)*Sin[c]})))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + ((4*I)*C*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^{((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^{((2*I)*d*x)*Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)*Sin[c]})/E^{(I*d*x)]*Sqrt[1 + E^{((2*I)*d*x)*Cos[2*c] + I*E^{((2*I)*d*x)*Sin[2*c]}}]/((3*I)*d*(1 + E^{((2*I)*d*x)*Cos[c] - 3*d*(-1 + E^{((2*I)*d*x)*Sin[c]}) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^{((2*I)*d*x)*Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)*Sin[c]})/E^{(I*d*x)]*Sqrt[1 + E^{((2*I)*d*x)*Cos[2*c] + I*E^{((2*I)*d*x)*Sin[2*c]}}]/((-I)*d*(1 + E^{((2*I)*d*x)*Cos[c] + d*(-1 + E^{((2*I)*d*x)*Sin[c]})))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (20*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^2) - (40*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^2) + (20*C*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^2) + (Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-8*(20*A - 15*B + 10*C + 36*A*Cos[c] - 20*B*Cos[c] + 10*C*Cos[c])*Csc[c])/(5*d) - (16*(2*A - B)*Cos[d*x]*Sin[c])/(3*d) + (8*A*Cos[2*d*x]*Sin[2*c])/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(3*d) - (8*Sec[c/2]*Sec[c/2 + (d*x)/2]*(4*A*Sin[(
\end{aligned}$$

$$\frac{d*x}{2}] - 3*B*\sin[(d*x)/2] + 2*C*\sin[(d*x)/2]))/d - (16*(2*A - B)*\cos[c]*\sin[d*x])/(3*d) + (8*A*\cos[2*c]*\sin[2*d*x])/(5*d) + (4*(A - B + C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(3*d)))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2)$$

Maple [A] time = 2.776, size = 491, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(5/2)}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^2,x)$

[Out]
$$-1/30*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(75*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+168*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-50*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-105*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+60*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(75*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+168*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-50*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-105*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+60*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))*\cos(1/2*d*x+1/2*c)-96*A*\sin(1/2*d*x+1/2*c)^{10}+(128*A+80*B)*\sin(1/2*d*x+1/2*c)^8+(328*A-380*B+120*C)*\sin(1/2*d*x+1/2*c)^6+(-526*A+420*B-170*C)*\sin(1/2*d*x+1/2*c)^4+(171*A-125*B+55*C)*\sin(1/2*d*x+1/2*c)^2)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(d*x+c)^{(5/2)}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+a*\sec(d*x+c))^2,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\left(C \cos(dx+c)^2 \sec(dx+c)^2 + B \cos(dx+c)^2 \sec(dx+c) + A \cos(dx+c)^2\right) \sqrt{\cos(dx+c)}}{a^2 \sec(dx+c)^2 + 2a^2 \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(C \sec(dx+c)^2 + B \sec(dx+c) + A\right) \cos(dx+c)^{\frac{5}{2}}}{\left(a \sec(dx+c) + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^2, x)

$$3.1226 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=180

$$\frac{(10A - 5B + 2C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3a^2d} - \frac{(7A - 4B + C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} - \frac{(7A - 4B + C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{3a^2d(\cos(c + dx) + 1)}$$

```
[Out] -(((7*A - 4*B + C)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + ((10*A - 5*B + 2*C)
)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + ((10*A - 5*B + 2*C)*Sqrt[Cos[c + d
*x]]*Sin[c + d*x])/(3*a^2*d) - ((7*A - 4*B + C)*Cos[c + d*x]^(3/2)*Sin[c +
d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(5/2)*Sin[c
+ d*x])/(3*d*(a + a*cos[c + d*x])^2)
```

Rubi [A] time = 0.450533, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2977, 2748, 2639, 2635, 2641}

$$\frac{(10A - 5B + 2C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} - \frac{(7A - 4B + C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} - \frac{(7A - 4B + C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{3a^2d(\cos(c + dx) + 1)} + \frac{(10A - 5B + 2C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{3a^2d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec
[c + d*x])^2, x]
```

```
[Out] -(((7*A - 4*B + C)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + ((10*A - 5*B + 2*C)
)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + ((10*A - 5*B + 2*C)*Sqrt[Cos[c + d
*x]]*Sin[c + d*x])/(3*a^2*d) - ((7*A - 4*B + C)*Cos[c + d*x]^(3/2)*Sin[c +
d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(5/2)*Sin[c
+ d*x])/(3*d*(a + a*cos[c + d*x])^2)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)
*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e
+ f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3041

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a
*d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{3}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx) (C + B \cos(c+dx) + A \cos^2(c+dx))}{(a + a \cos(c+dx))^2} dx \\
 &= -\frac{(A - B + C) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d(a + a \cos(c+dx))^2} + \int \frac{\cos^{\frac{3}{2}}(c+dx) \left(-\frac{1}{2}a(5\right)}{3d(a + a \cos(c+dx))^2} dx \\
 &= -\frac{(7A - 4B + C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a^2d(1 + \cos(c+dx))} - \frac{(A - B + C) \cos^{\frac{3}{2}}(c+dx)}{3d(a + a \cos(c+dx))} \\
 &= -\frac{(7A - 4B + C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a^2d(1 + \cos(c+dx))} - \frac{(A - B + C) \cos^{\frac{3}{2}}(c+dx)}{3d(a + a \cos(c+dx))} \\
 &= -\frac{(7A - 4B + C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d} + \frac{(10A - 5B + 2C)\sqrt{\cos(c+dx)}}{3a^2d} \\
 &= -\frac{(7A - 4B + C)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d} + \frac{(10A - 5B + 2C)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d}
 \end{aligned}$$

Mathematica [C] time = 6.94298, size = 2064, normalized size = 11.47

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]

[Out] ((-7*I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*Cos[c] + I*Sin[c])^2)*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*Cos[c] + I*Sin[c])^2)*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c])

$$\begin{aligned}
&))*\sin[c])))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[\\
& c + d*x])^2) + ((4*I)*B*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\sec[c/2]*(A + B*\sec[c \\
& + d*x] + C*\sec[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7 \\
& /4, -(E^((2*I)*d*x))*(\cos[c] + I*\sin[c])^2])*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos \\
& [c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])/E^((I*d*x))}*\sqrt{1 + E^((2*I)*d*x)* \\
& \cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((3*I)*d*(1 + E^((2*I)*d*x))*\cos[c] - \\
& 3*d*(-1 + E^((2*I)*d*x))*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, - \\
& E^((2*I)*d*x)*(\cos[c] + I*\sin[c])^2])*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos[c] + \\
& (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])/E^((I*d*x))}*\sqrt{1 + E^((2*I)*d*x)*\cos[2* \\
& c] + I*E^((2*I)*d*x)*\sin[2*c]})/((-I)*d*(1 + E^((2*I)*d*x))*\cos[c] + d*(-1 \\
& + E^((2*I)*d*x))*\sin[c])))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x] \\
&]*(a + a*\sec[c + d*x])^2) - (I*C*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\sec[c/2]*(A \\
& + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1 \\
& /2, 3/4, 7/4, -(E^((2*I)*d*x))*(\cos[c] + I*\sin[c])^2])*\sqrt{(2*(1 + E^((2*I) \\
& *d*x))*\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])/E^((I*d*x))}*\sqrt{1 + E^((\\
& 2*I)*d*x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((3*I)*d*(1 + E^((2*I)*d*x) \\
&)*\cos[c] - 3*d*(-1 + E^((2*I)*d*x))*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/ \\
& 2, 3/4, -(E^((2*I)*d*x))*(\cos[c] + I*\sin[c])^2])*\sqrt{(2*(1 + E^((2*I)*d*x)) \\
& *\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])/E^((I*d*x))}*\sqrt{1 + E^((2*I)*d \\
& *x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((-I)*d*(1 + E^((2*I)*d*x))*\cos[c] \\
&] + d*(-1 + E^((2*I)*d*x))*\sin[c])))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2 \\
& *c + 2*d*x])*(a + a*\sec[c + d*x])^2) - (40*A*\cos[c/2 + (d*x)/2]^4*\csc[c/2]* \\
& \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]* \\
& (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \\
& \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan} \\
& [\text{Cot}[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]})}/(3*d*(A + 2*C + 2*B*\cos[c \\
& + d*x] + A*\cos[2*c + 2*d*x])* \sqrt{1 + \text{Cot}[c]^2}*(a + a*\sec[c + d*x])^2) + \\
& (20*B*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) \\
& *\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 \\
& + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan} \\
& [\text{Cot}[c]]})}/(3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])* \sqrt{1 + \\
& \text{Cot}[c]^2}*(a + a*\sec[c + d*x])^2) - (8*C*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{Hype \\
& rgeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*(A + \\
& B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[\\
& d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Co} \\
& t[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]})}/(3*d*(A + 2*C + 2*B*\cos[c + d \\
& *x] + A*\cos[2*c + 2*d*x])* \sqrt{1 + \text{Cot}[c]^2}*(a + a*\sec[c + d*x])^2) + (\cos \\
& [c/2 + (d*x)/2]^4*\sqrt{\cos[c + d*x]}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) \\
&)*((8*(3*A - 2*B + C + 4*A*\cos[c] - 2*B*\cos[c])* \csc[c])/d + (16*A*\cos[d*x]* \\
& \sin[c])/(3*d) + (8*\sec[c/2]*\sec[c/2 + (d*x)/2]*(3*A*\sin[(d*x)/2] - 2*B*\sin[\\
& (d*x)/2] + C*\sin[(d*x)/2]))/d - (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(A*\sin[(d* \\
& x)/2] - B*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(3*d) + (16*A*\cos[c]*\sin[d*x])/(3 \\
& *d) - (4*(A - B + C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(3*d)))/((A + 2*C + 2*B \\
& *\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^2)
\end{aligned}$$

Maple [B] time = 2.996, size = 472, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{3/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^2, x)$

[Out]
$$-1/6 * ((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (10*A*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+21*A*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-5*B*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-12*B*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*C*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3*C*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 + 2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (10*A*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+21*A*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-5*B*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-12*B*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*C*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3*C*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) * \cos(1/2*d*x+1/2*c) + 16*A*\sin(1/2*d*x+1/2*c)^8 + (-76*A+24*B-12*C)*\sin(1/2*d*x+1/2*c)^6 + (84*A-34*B+16*C)*\sin(1/2*d*x+1/2*c)^4 + (-25*A+11*B-5*C)*\sin(1/2*d*x+1/2*c)^2) / a^2 / \cos(1/2*d*x+1/2*c)^3 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)^{\frac{3}{2}}}{(a \sec(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{3/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^2, x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((C*\sec(dx+c)^2 + B*\sec(dx+c) + A)*\cos(dx+c)^{3/2} / (a*\sec(dx+c) + a)^2, x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c) + A \cos(dx + c))\sqrt{\cos(dx + c)}}{a^2 \sec(dx + c)^2 + 2a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^2,x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))
)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^2, x)
```


$$3.1227 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=144

$$\frac{(5A-2B-C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(5A-2B-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} + \frac{(4A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A-B+C)\text{Cos}[c+dx]^{\frac{3}{2}}\text{Sin}[c+dx]}{3d(a+a\text{Cos}[c+dx])^2}$$

[Out] ((4*A - B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) - ((5*A - 2*B - C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - ((5*A - 2*B - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.40982, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2977, 2748, 2641, 2639}

$$\frac{(5A-2B-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(5A-2B-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} + \frac{(4A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A-B+C)\text{Cos}[c+dx]^{\frac{3}{2}}\text{Sin}[c+dx]}{3d(a+a\text{Cos}[c+dx])^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2, x]

[Out] ((4*A - B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) - ((5*A - 2*B - C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - ((5*A - 2*B - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^2} dx &= \int \frac{\sqrt{\cos(c+dx)}(C+B\cos(c+dx)+A\cos^2(c+dx))}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A-B+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\sqrt{\cos(c+dx)}\left(-\frac{3}{2}a(A-B+C)\cos^{\frac{1}{2}}(c+dx)\right)}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(5A-2B-C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} \\
&= -\frac{(5A-2B-C)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B+C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} \\
&= \frac{(4A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(5A-2B-C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d}
\end{aligned}$$

Mathematica [C] time = 6.77093, size = 1628, normalized size = 11.31

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^2,x]
```

```
[Out] ((4*I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2 - (I*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2 - (I*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2
```

$$\begin{aligned} & *(-1 + E^{(2*I)*d*x}) * \sin[c] / E^{(I*d*x)} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c] + I * E^{(2*I)*d*x} * \sin[2*c]} / ((-I) * d * (1 + E^{(2*I)*d*x}) * \cos[c] + d * (-1 + E^{(2*I)*d*x}) * \sin[c])) / ((A + 2*C + 2*B * \cos[c + d*x] + A * \cos[2*c + 2*d*x]) * (a + a * \sec[c + d*x])^2) + (20 * A * \cos[c/2 + (d*x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) / (3 * d * (A + 2*C + 2*B * \cos[c + d*x] + A * \cos[2*c + 2*d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])^2) - (8 * B * \cos[c/2 + (d*x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) / (3 * d * (A + 2*C + 2*B * \cos[c + d*x] + A * \cos[2*c + 2*d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])^2) - (4 * C * \cos[c/2 + (d*x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) / (3 * d * (A + 2*C + 2*B * \cos[c + d*x] + A * \cos[2*c + 2*d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])^2) + (\cos[c/2 + (d*x)/2]^4 * \sqrt{\cos[c + d*x]} * (A + B * \sec[c + d*x] + C * \sec[c + d*x]^2) * ((-8 * (2*A - B + 2*A * \cos[c]) * \csc[c]) / d - (8 * \sec[c/2] * \sec[c/2 + (d*x)/2] * (2*A * \sin[(d*x)/2] - B * \sin[(d*x)/2])) / d + (4 * \sec[c/2] * \sec[c/2 + (d*x)/2]^3 * (A * \sin[(d*x)/2] - B * \sin[(d*x)/2] + C * \sin[(d*x)/2])) / (3 * d) + (4 * (A - B + C) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (3 * d)) / ((A + 2*C + 2*B * \cos[c + d*x] + A * \cos[2*c + 2*d*x]) * (a + a * \sec[c + d*x])^2) \end{aligned}$$

Maple [B] time = 2.353, size = 509, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{1/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^2, x)$

[Out] $\frac{1}{6} * ((2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (24 * A * \cos(1/2 * d * x + 1/2 * c)^6 + 10 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{1/2} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2}) * \cos(1/2 * d * x + 1/2 * c)^3 + 24 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{1/2} * \cos(1/2 * d * x + 1/2 * c)^3 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2}) - 12 * B * \cos(1/2 * d * x + 1/2 * c)^6 - 4 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{1/2} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2}) * \cos(1/2 * d * x + 1/2 * c)^3 - 6 * B * \cos(1/2 * d * x + 1/2 * c)^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{1/2} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2}) * \cos(1/2 * d * x + 1/2 * c)^3 - 6 * B * \cos(1/2 * d * x + 1/2 * c)^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{1/2} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2}) * \cos(1/2 * d * x + 1/2 * c)^3 + 10 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{1/2} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2}) * \cos(1/2 * d * x + 1/2 * c)^3 + 10 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{1/2} * \cos(1/2 * d * x + 1/2 * c)^3 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2})$

$$2*d*x+1/2*c)^2)^{(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2)^{(1/2))-2*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2)^{(1/2))-38*A*\cos(1/2*d*x+1/2*c)^4+20*B*\cos(1/2*d*x+1/2*c)^4-2*C*\cos(1/2*d*x+1/2*c)^4+15*A*\cos(1/2*d*x+1/2*c)^2-9*B*\cos(1/2*d*x+1/2*c)^2+3*C*\cos(1/2*d*x+1/2*c)^2-A+B-C)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)/d}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\cos(dx+c)}}{(a \sec(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\cos(dx+c)}}{a^2 \sec(dx+c)^2 + 2 a^2 \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^2, x)
```

$$3.1228 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=133

$$\frac{(2A+B+2C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A-B+C)\sin(c+dx)}{3d(a \cos(c+dx)+1)}$$

```
[Out] -(((A - C)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + ((2*A + B + 2*C)*EllipticF
[(c + d*x)/2, 2])/(3*a^2*d) + ((A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a^
2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*
d*(a + a*Cos[c + d*x])^2)
```

Rubi [A] time = 0.413859, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2978, 2748, 2641, 2639}

$$\frac{(2A+B+2C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(A-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(A-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A-B+C)\sin(c+dx)}{3d(a \cos(c+dx)+1)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[
c + d*x])^2), x]
```

```
[Out] -(((A - C)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + ((2*A + B + 2*C)*EllipticF
[(c + d*x)/2, 2])/(3*a^2*d) + ((A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a^
2*d*(1 + Cos[c + d*x])) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*
d*(a + a*Cos[c + d*x])^2)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)
*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3041

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]

```

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^2} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} dx \\
&= -\frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{-\frac{1}{2}a(A-B-5C) + \frac{1}{2}a(5A+B-C) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))} dx}{3a^2} \\
&= \frac{(A - C)\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} \\
&= \frac{(A - C)\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} \\
&= -\frac{(A - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{(2A + B + 2C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} + \frac{(A - C)\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))}
\end{aligned}$$

Mathematica [C] time = 6.73531, size = 1620, normalized size = 12.18

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^2), x]
```

```
[Out] ((-I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2 + (I*C*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*
```

$$\begin{aligned}
& (-1 + E^{(2I)d*x}) * \sin[c] / E^{(I*d*x)} * \sqrt{1 + E^{(2I)d*x} * \cos[2*c] + I} \\
& * E^{(2I)d*x} * \sin[2*c]} / ((-I)d*(1 + E^{(2I)d*x}) * \cos[c] + d*(-1 + E^{(2I)d*x}) * \sin[c])) / ((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (a + a*\sec[c + d*x])^2 - (8*A*\cos[c/2 + (d*x)/2]^4 * \text{Csc}[c/2] * \text{HypergeometricPFQ} \\
& \{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2) * \sec[c/2] * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) / (3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * \sqrt{1 + \cot[c]^2} * (a + a*\sec[c + d*x])^2 - (4*B*\cos[c/2 + (d*x)/2]^4 * \text{Csc}[c/2] * \text{HypergeometricPFQ} \\
& \{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2) * \sec[c/2] * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) / (3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * \sqrt{1 + \cot[c]^2} * (a + a*\sec[c + d*x])^2 - (8*C*\cos[c/2 + (d*x)/2]^4 * \text{Csc}[c/2] * \text{HypergeometricPFQ} \\
& \{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2) * \sec[c/2] * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) / (3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * \sqrt{1 + \cot[c]^2} * (a + a*\sec[c + d*x])^2 + (\cos[c/2 + (d*x)/2]^4 * \sqrt{\cos[c + d*x]} * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * ((8*(A - C)*\text{Csc}[c])/d + (8*\sec[c/2] * \sec[c/2 + (d*x)/2] * (A*\sin[(d*x)/2] - C*\sin[(d*x)/2]))/d - (4*\sec[c/2] * \sec[c/2 + (d*x)/2]^3 * (A*\sin[(d*x)/2] - B*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(3*d) - (4*(A - B + C)*\sec[c/2 + (d*x)/2]^2 * \tan[c/2])/(3*d)))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (a + a*\sec[c + d*x])^2)
\end{aligned}$$

Maple [B] time = 2.559, size = 509, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^2,x)$

[Out] $-1/6*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^6+4*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+6*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\cos(1/2*d*x+1/2*c)^3*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-12*C*\cos(1/2*d*x+1/2*c)^6+4*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+6*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*D*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-12*D*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(A+B+C)*\sec[c/2 + (d*x)/2]^2 * \tan[c/2])/(3*d)))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (a + a*\sec[c + d*x])^2)$

$$\begin{aligned} & x+1/2*c), 2^{(1/2)})-6*C*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2 \\ & * \cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-20*A*c \\ & \cos(1/2*d*x+1/2*c)^4+2*B*\cos(1/2*d*x+1/2*c)^4+16*C*\cos(1/2*d*x+1/2*c)^4+9*A* \\ & \cos(1/2*d*x+1/2*c)^2-3*B*\cos(1/2*d*x+1/2*c)^2-3*C*\cos(1/2*d*x+1/2*c)^2-A+B- \\ & C)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & / \sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a^2 \cos(dx+c) \sec(dx+c)^2 + 2a^2 \cos(dx+c) \sec(dx+c) + a^2 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*co
s(d*x + c)*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)*sec(d*x + c) + a^2*cos(d*x +
c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)
```

$$3.1229 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \cos^2(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=167

$$\frac{(A+2B-5C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(A+2B-5C)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)} + \frac{(B-4C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(B-4C)\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}}$$

[Out] ((B - 4*C)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((A + 2*B - 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - ((B - 4*C)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]) + ((A + 2*B - 5*C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.439494, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2978, 2748, 2636, 2639, 2641}

$$\frac{(A+2B-5C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(A+2B-5C)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)} + \frac{(B-4C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(B-4C)\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] ((B - 4*C)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((A + 2*B - 5*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - ((B - 4*C)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]) + ((A + 2*B - 5*C)*Sin[c + d*x])/(3*a^2*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} dx \\
 &= -\frac{(A - B + C) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(A-B+7C) + \frac{3}{2}a(A+B-C) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))} dx}{3a^2} \\
 &= \frac{(A + 2B - 5C) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)}(1 + \cos(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} \\
 &= \frac{(A + 2B - 5C) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)}(1 + \cos(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} \\
 &= \frac{(A + 2B - 5C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} - \frac{(B - 4C) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{(A + 2B - 5C)}{3a^2 d \sqrt{\cos(c + dx)}} \\
 &= \frac{(B - 4C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{(A + 2B - 5C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} - \frac{(B - 4C) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.89434, size = 1660, normalized size = 9.94

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (I*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c])

$$\begin{aligned}
&) * d * x) * \sin[c] / E^{(I * d * x)} * \sqrt{1 + E^{(2 * I) * d * x} * \cos[2 * c] + I * E^{(2 * I) * d * x} \\
&) * \sin[2 * c]} / ((-I) * d * (1 + E^{(2 * I) * d * x}) * \cos[c] + d * (-1 + E^{(2 * I) * d * x}) * \sin[c])) / ((A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x]) * (a + a * \sec[c + d * x])^2) - ((4 * I) * C * \cos[c/2 + (d * x)/2]^4 * \csc[c/2] * \sec[c/2] * (A + B * \sec[c + d * x] + C * \sec[c + d * x]^2) * ((2 * E^{(2 * I) * d * x}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, - \\
& (E^{(2 * I) * d * x}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{(2 * I) * d * x}) * \cos[c] + (2 * I) * (-1 + E^{(2 * I) * d * x}) * \sin[c]) / E^{(I * d * x)} * \sqrt{1 + E^{(2 * I) * d * x} * \cos[2 * c] + I * E^{(2 * I) * d * x} * \sin[2 * c]}} / ((3 * I) * d * (1 + E^{(2 * I) * d * x}) * \cos[c] - 3 * d * (-1 + E^{(2 * I) * d * x}) * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2 * I) * d * x}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{(2 * I) * d * x}) * \cos[c] + (2 * I) * (-1 + E^{(2 * I) * d * x}) * \sin[c]) / E^{(I * d * x)} * \sqrt{1 + E^{(2 * I) * d * x} * \cos[2 * c] + I * E^{(2 * I) * d * x} * \sin[2 * c]}} / ((-I) * d * (1 + E^{(2 * I) * d * x}) * \cos[c] + d * (-1 + E^{(2 * I) * d * x}) * \sin[c])) / ((A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x]) * (a + a * \sec[c + d * x])^2) - (4 * A * \cos[c/2 + (d * x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d * x] + C * \sec[c + d * x]^2) * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{1 + \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]}) / (3 * d * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \cot[c]^2} * (a + a * \sec[c + d * x])^2) - (8 * B * \cos[c/2 + (d * x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d * x] + C * \sec[c + d * x]^2) * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\text{Cot}[c]])}) * \sqrt{1 + \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]}) / (3 * d * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \cot[c]^2} * (a + a * \sec[c + d * x])^2) + (20 * C * \cos[c/2 + (d * x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d * x] + C * \sec[c + d * x]^2) * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \cot[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\text{Cot}[c]])}) * \sqrt{1 + \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]}) / (3 * d * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \cot[c]^2} * (a + a * \sec[c + d * x])^2) + (\cos[c/2 + (d * x)/2]^4 * \sqrt{\cos[c + d * x]} * (A + B * \sec[c + d * x] + C * \sec[c + d * x]^2) * ((4 * (2 * C - B * \cos[c] + 2 * C * \cos[c]) * \csc[c/2] * \sec[c/2] * \sec[c]) / d + (4 * \sec[c/2] * \sec[c/2 + (d * x)/2]^3 * (A * \sin[(d * x)/2] - B * \sin[(d * x)/2] + C * \sin[(d * x)/2])) / (3 * d) + (8 * \sec[c/2] * \sec[c/2 + (d * x)/2] * (-B * \sin[(d * x)/2]) + 2 * C * \sin[(d * x)/2])) / d + (16 * C * \sec[c] * \sec[c + d * x] * \sin[d * x]) / d + (4 * (A - B + C) * \sec[c/2 + (d * x)/2]^2 * \tan[c/2]) / (3 * d)) / ((A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x]) * (a + a * \sec[c + d * x])^2)
\end{aligned}$$

Maple [B] time = 6.183, size = 559, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(3/2)}/(a+a*\sec(dx+c))^2,x)$

[Out]
$$-1/6*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a^2*(-2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-5*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+12*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-5*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+12*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)+12*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(B-4*C)*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-10*B+43*C)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-7*B+37*C)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^3/(2*\sin(1/2*d*x+1/2*c)^2-1)/\cos(1/2*d*x+1/2*c)/(\sin(1/2*d*x+1/2*c)^2-1)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(3/2)}/(a+a*\sec(dx+c))^2,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a^2 \cos(dx+c)^2 \sec(dx+c)^2 + 2a^2 \cos(dx+c)^2 \sec(dx+c) + a^2 \cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(3/2)}/(a+a*\sec(dx+c))^2,x, \text{algorithm}="fricas")$

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^2*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)^2*sec(d*x + c) + a^2*cos(d*x + c)^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**2,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2)), x)
```

$$3.1230 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=211

$$\frac{(2A-5B+10C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(A-4B+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A-4B+7C)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{(2A-5B+10C)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)}$$

[Out] ((A - 4*B + 7*C)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((2*A - 5*B + 10*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + ((2*A - 5*B + 10*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)) - ((A - 4*B + 7*C)*Sin[c + d*x])/(a^2*d*sqrt[Cos[c + d*x]]) - ((A - 4*B + 7*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)*(1 + Cos[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.468153, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2978, 2748, 2636, 2641, 2639}

$$\frac{(2A-5B+10C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(A-4B+7C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A-4B+7C)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{(2A-5B+10C)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2), x]

[Out] ((A - 4*B + 7*C)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((2*A - 5*B + 10*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + ((2*A - 5*B + 10*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)) - ((A - 4*B + 7*C)*Sin[c + d*x])/(a^2*d*sqrt[Cos[c + d*x]]) - ((A - 4*B + 7*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)*(1 + Cos[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e

+ f*x]]^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2} dx \\
 &= -\frac{(A - B + C) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{3}{2}a(A-B+3C) + \frac{1}{2}a(A+5B-5C) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))} dx}{3a^2} \\
 &= -\frac{(A - 4B + 7C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} \\
 &= -\frac{(A - 4B + 7C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} \\
 &= \frac{(2A - 5B + 10C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)} - \frac{(A - 4B + 7C) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} - \frac{(A - 4B + 7C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)} \\
 &= \frac{(A - 4B + 7C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{(2A - 5B + 10C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} + \frac{(2A - 5B + 10C) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)}
 \end{aligned}$$

Mathematica [C] time = 7.49825, size = 2107, normalized size = 9.99

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (I*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E

$$\begin{aligned}
& \frac{e^{(2I)dx} \sin c}{e^{I dx}} \sqrt{1 + e^{(2I)dx} \cos 2c} + I e^{(2I)dx} \sin 2c \Big/ \left((3I) d (1 + e^{(2I)dx} \cos c) - 3d (-1 + e^{(2I)dx} \sin c) - (2 \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(e^{(2I)dx} (\cos c + I \sin c)^2)]) \sqrt{(2(1 + e^{(2I)dx} \cos c) + (2I) (-1 + e^{(2I)dx} \sin c))} / e^{I dx} \sqrt{1 + e^{(2I)dx} \cos 2c} + I e^{(2I)dx} \sin 2c \right) / \left((-I) d (1 + e^{(2I)dx} \cos c) + d (-1 + e^{(2I)dx} \sin c) \right) \Big/ \left((A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + a \sec[c + dx])^2 - ((4I) B \cos[c/2 + (dx)/2]^4 \csc[c/2] \sec[c/2] (A + B \sec[c + dx] + C \sec[c + dx]^2) * ((2e^{(2I)dx} \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(e^{(2I)dx} (\cos c + I \sin c)^2)]) \sqrt{(2(1 + e^{(2I)dx} \cos c) + (2I) (-1 + e^{(2I)dx} \sin c))} / e^{I dx} \sqrt{1 + e^{(2I)dx} \cos 2c} + I e^{(2I)dx} \sin 2c) \Big/ \left((3I) d (1 + e^{(2I)dx} \cos c) - 3d (-1 + e^{(2I)dx} \sin c) - (2 \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(e^{(2I)dx} (\cos c + I \sin c)^2)]) \sqrt{(2(1 + e^{(2I)dx} \cos c) + (2I) (-1 + e^{(2I)dx} \sin c))} / e^{I dx} \sqrt{1 + e^{(2I)dx} \cos 2c} + I e^{(2I)dx} \sin 2c \right) / \left((-I) d (1 + e^{(2I)dx} \cos c) + d (-1 + e^{(2I)dx} \sin c) \right) \Big/ \left((A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + a \sec[c + dx])^2 + ((7I) C \cos[c/2 + (dx)/2]^4 \csc[c/2] \sec[c/2] (A + B \sec[c + dx] + C \sec[c + dx]^2) * ((2e^{(2I)dx} \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(e^{(2I)dx} (\cos c + I \sin c)^2)]) \sqrt{(2(1 + e^{(2I)dx} \cos c) + (2I) (-1 + e^{(2I)dx} \sin c))} / e^{I dx} \sqrt{1 + e^{(2I)dx} \cos 2c} + I e^{(2I)dx} \sin 2c) \Big/ \left((3I) d (1 + e^{(2I)dx} \cos c) - 3d (-1 + e^{(2I)dx} \sin c) - (2 \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(e^{(2I)dx} (\cos c + I \sin c)^2)]) \sqrt{(2(1 + e^{(2I)dx} \cos c) + (2I) (-1 + e^{(2I)dx} \sin c))} / e^{I dx} \sqrt{1 + e^{(2I)dx} \cos 2c} + I e^{(2I)dx} \sin 2c \right) / \left((-I) d (1 + e^{(2I)dx} \cos c) + d (-1 + e^{(2I)dx} \sin c) \right) \Big/ \left((A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) (a + a \sec[c + dx])^2 - (8A \cos[c/2 + (dx)/2]^4 \csc[c/2] \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[dx - \text{ArcTan}[\text{Cot}[c]]]^2] \sec[c/2] (A + B \sec[c + dx] + C \sec[c + dx]^2) \sec[dx - \text{ArcTan}[\text{Cot}[c]]) \sqrt{1 - \sin[dx - \text{ArcTan}[\text{Cot}[c]]}] \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} \sin c) \sin[dx - \text{ArcTan}[\text{Cot}[c]])} \sqrt{1 + \sin[dx - \text{ArcTan}[\text{Cot}[c]]}] \Big/ \left((3d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{1 + \text{Cot}[c]^2} (a + a \sec[c + dx])^2 + (20B \cos[c/2 + (dx)/2]^4 \csc[c/2] \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[dx - \text{ArcTan}[\text{Cot}[c]]]^2] \sec[c/2] (A + B \sec[c + dx] + C \sec[c + dx]^2) \sec[dx - \text{ArcTan}[\text{Cot}[c]]) \sqrt{1 - \sin[dx - \text{ArcTan}[\text{Cot}[c]]}] \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} \sin c) \sin[dx - \text{ArcTan}[\text{Cot}[c]])} \sqrt{1 + \sin[dx - \text{ArcTan}[\text{Cot}[c]]}] \Big/ \left((3d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{1 + \text{Cot}[c]^2} (a + a \sec[c + dx])^2 - (40C \cos[c/2 + (dx)/2]^4 \csc[c/2] \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[dx - \text{ArcTan}[\text{Cot}[c]]]^2] \sec[c/2] (A + B \sec[c + dx] + C \sec[c + dx]^2) \sec[dx - \text{ArcTan}[\text{Cot}[c]]) \sqrt{1 - \sin[dx - \text{ArcTan}[\text{Cot}[c]]}] \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} \sin c) \sin[dx - \text{ArcTan}[\text{Cot}[c]])} \sqrt{1 + \sin[dx - \text{ArcTan}[\text{Cot}[c]]}] \Big/ \left((3d (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \sqrt{1 + \text{Cot}[c]^2} (a + a \sec[c + dx])^2 + (\cos[c/2 + (dx)/2]^4 \sqrt{\cos[c + dx]} (A + B \sec[c + dx] + C \sec[c + dx]^2) \right)
\end{aligned}$$

$$\begin{aligned} & *((-4*(-2*B + 4*C + A*\cos[c] - 2*B*\cos[c] + 3*C*\cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/d - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(3*d) - (8*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*\sin[(d*x)/2] - 2*B*\sin[(d*x)/2] + 3*C*\sin[(d*x)/2]))/d + (16*C*Sec[c]*Sec[c + d*x]^2*\sin[d*x])/(3*d) + (16*Sec[c]*Sec[c + d*x]*(C*\sin[c] + 3*B*\sin[d*x] - 6*C*\sin[d*x]))/(3*d) - (4*(A - B + C)*Sec[c/2 + (d*x)/2]^2*\tan[c/2])/(3*d))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) \end{aligned}$$

Maple [B] time = 9.138, size = 751, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(5/2)}/(a+a*\sec(d*x+c))^2,x)$

[Out]
$$\begin{aligned} & -1/2*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a^2*(1/3*(A-B+C)*(2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(2*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(2*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)-12*\sin(1/2*d*x+1/2*c)^6+20*\sin(1/2*d*x+1/2*c)^4-7*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)/(\sin(1/2*d*x+1/2*c)^2-1)+4*C*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+(-2*B+4*C)*(\cos(1/2*d*x+1/2*c)*2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(4*B-8*C)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^2,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a^2 \cos(dx+c)^3 \sec(dx+c)^2 + 2a^2 \cos(dx+c)^3 \sec(dx+c) + a^2 \cos(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^2,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*co
s(d*x + c)^3*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)^3*sec(d*x + c) + a^2*cos(d
*x + c)^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c)
)**2,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a)^2 \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))  
^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*c  
os(d*x + c)^(5/2)), x)
```

$$3.1231 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=250

$$\frac{5(A-2B+3C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(20A-35B+56C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{(A-2B+3C)\sin(c+dx)}{a^2d \cos^{\frac{5}{2}}(c+dx)(\cos(c+dx)+1)}$$

[Out] -((20*A - 35*B + 56*C)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) - (5*(A - 2*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + ((20*A - 35*B + 56*C)*Sin[c + d*x])/(15*a^2*d*Cos[c + d*x]^(5/2)) - (5*(A - 2*B + 3*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)) + ((20*A - 35*B + 56*C)*Sin[c + d*x])/(5*a^2*d*Sqrt[Cos[c + d*x]]) - ((A - 2*B + 3*C)*Sin[c + d*x])/(a^2*d*Cos[c + d*x]^(5/2)*(1 + Cos[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.48978, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2978, 2748, 2636, 2639, 2641}

$$\frac{5(A-2B+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(20A-35B+56C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{(A-2B+3C)\sin(c+dx)}{a^2d \cos^{\frac{5}{2}}(c+dx)(\cos(c+dx)+1)} - \frac{5(A-2B+3C)\sin(c+dx)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2), x]

[Out] -((20*A - 35*B + 56*C)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) - (5*(A - 2*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + ((20*A - 35*B + 56*C)*Sin[c + d*x])/(15*a^2*d*Cos[c + d*x]^(5/2)) - (5*(A - 2*B + 3*C)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)) + ((20*A - 35*B + 56*C)*Sin[c + d*x])/(5*a^2*d*Sqrt[Cos[c + d*x]]) - ((A - 2*B + 3*C)*Sin[c + d*x])/(a^2*d*Cos[c + d*x]^(5/2)*(1 + Cos[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^2)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)

$(x_)]^2), x_Symbol] := \text{Dist}[d^{(m+2)}, \text{Int}[(b + a\cos[e + fx])^m (d\cos[e + fx])^{(n-m-2)} (C + B\cos[e + fx] + A\cos[e + fx]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)]^m)((c_ + (d_)\sin[e_ + (f_)(x_)]^n)((A_ + (B_)\sin[e_ + (f_)(x_)] + (C_)\sin[e_ + (f_)(x_)]^2), x_Symbol] := \text{Simp}[(aA - bB + aC)\cos[e + fx](a + b\sin[e + fx])^m (c + d\sin[e + fx])^{(n+1)} / (f(bc - ad)(2m+1)), x] + \text{Dist}[1/(b(bc - ad)(2m+1)), \text{Int}[(a + b\sin[e + fx])^{(m+1)} (c + d\sin[e + fx])^n \text{Simp}[A(ac(m+1) - b*d(2m+n+2)) + B(bc^m + a*d(n+1)) - C(ac^m + b*d(n+1)) + (d(aA - bB)(m+n+2) + C(bc^2(2m+1) - a*d(m-n-1)))*\sin[e + fx], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

Rule 2978

$\text{Int}[(a_ + (b_)\sin[e_ + (f_)(x_)]^m)((A_ + (B_)\sin[e_ + (f_)(x_)]^n), x_Symbol] := \text{Simp}[(b(Ab - aB)\cos[e + fx](a + b\sin[e + fx])^m (c + d\sin[e + fx])^{(n+1)} / (af(2m+1)(bc - ad)), x] + \text{Dist}[1/(a(2m+1)(bc - ad)), \text{Int}[(a + b\sin[e + fx])^{(m+1)} (c + d\sin[e + fx])^n \text{Simp}[B(ac^m + b*d(n+1)) + A(bc^m(m+1) - a*d(2m+n+2)) + d(Ab - aB)(m+n+2)*\sin[e + fx], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2748

$\text{Int}[(b_)\sin[e_ + (f_)(x_)]^m((c_ + (d_)\sin[e_ + (f_)(x_)]^n), x_Symbol] := \text{Dist}[c, \text{Int}[(b\sin[e + fx])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b\sin[e + fx])^{(m+1)}, x], x] /;$ FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

$\text{Int}[(b_)\sin[(c_ + (d_)(x_)]^n), x_Symbol] := \text{Simp}[(\cos[c + dx] * (b\sin[c + dx])^{(n+1)} / (b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b\sin[c + dx])^{(n+2)}, x], x] /;$ FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_ + (d_)(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P$

$i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{ :> } \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{7/2}(c + dx)(a + a \sec(c + dx))^2} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{7/2}(c + dx)(a + a \cos(c + dx))^2} dx \\ &= -\frac{(A - B + C) \sin(c + dx)}{3d \cos^{5/2}(c + dx)(a + a \cos(c + dx))^2} + \int \frac{\frac{1}{2}a(5A - 5B + 11C) - \frac{1}{2}a(A - 7B + 7C) \cos(c + dx)}{\cos^{7/2}(c + dx)(a + a \cos(c + dx))} dx \\ &= -\frac{(A - 2B + 3C) \sin(c + dx)}{a^2 d \cos^{5/2}(c + dx)(1 + \cos(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d \cos^{5/2}(c + dx)(a + a \cos(c + dx))^2} + \dots \\ &= -\frac{(A - 2B + 3C) \sin(c + dx)}{a^2 d \cos^{5/2}(c + dx)(1 + \cos(c + dx))} - \frac{(A - B + C) \sin(c + dx)}{3d \cos^{5/2}(c + dx)(a + a \cos(c + dx))^2} + \dots \\ &= \frac{(20A - 35B + 56C) \sin(c + dx)}{15a^2 d \cos^{5/2}(c + dx)} - \frac{5(A - 2B + 3C) \sin(c + dx)}{3a^2 d \cos^{3/2}(c + dx)} - \frac{(A - 2B + 3C) \sin(c + dx)}{a^2 d \cos^{5/2}(c + dx)} + \dots \\ &= -\frac{5(A - 2B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} + \frac{(20A - 35B + 56C) \sin(c + dx)}{15a^2 d \cos^{5/2}(c + dx)} - \frac{5(A - 2B + 3C) \sin(c + dx)}{3a^2 d} + \dots \\ &= -\frac{(20A - 35B + 56C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^2 d} - \frac{5(A - 2B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} + \dots \end{aligned}$$

Mathematica [C] time = 8.1532, size = 2164, normalized size = 8.66

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2), x]

```

[Out] ((-4*I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*d*x)*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + ((7*I)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) - ((56*I)/5)*C*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^2) + (20*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^2) - (40*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^2) + (20*C*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x -

```

$$\begin{aligned} & \text{ArcTan}[\text{Cot}[c]] \Big) \Big) \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} \Big) / (d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) \sqrt{1 + \text{Cot}[c]^2} * (a + a*\text{Sec}[c + d*x])^2) \\ & + (\text{Cos}[c/2 + (d*x)/2]^4 \sqrt{\text{Cos}[c + d*x]} * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * ((4*(10*A - 20*B + 36*C + 10*A*\text{Cos}[c] - 15*B*\text{Cos}[c] + 20*C*\text{Cos}[c]) * \text{Csc}[c/2] * \text{Sec}[c/2] * \text{Sec}[c]) / (5*d) \\ & + (4*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2])) / (3*d) + (8*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (2*A*\text{Sin}[(d*x)/2] - 3*B*\text{Sin}[(d*x)/2] + 4*C*\text{Sin}[(d*x)/2])) / d \\ & + (16*C*\text{Sec}[c] * \text{Sec}[c + d*x]^3 * \text{Sin}[d*x]) / (5*d) - (16*\text{Sec}[c] * \text{Sec}[c + d*x] * (-5*B*\text{Sin}[c] + 10*C*\text{Sin}[c] - 15*A*\text{Sin}[d*x] + 30*B*\text{Sin}[d*x] - 54*C*\text{Sin}[d*x])) / (15*d) \\ & + (16*\text{Sec}[c] * \text{Sec}[c + d*x]^2 * (3*C*\text{Sin}[c] + 5*B*\text{Sin}[d*x] - 10*C*\text{Sin}[d*x])) / (15*d) + (4*(A - B + C) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (3*d)) / ((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x])^2) \end{aligned}$$

Maple [B] time = 10.952, size = 1072, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/\text{cos}(d*x+c)^{(7/2)}/(a+a*\text{sec}(d*x+c))^2, x)$

[Out]
$$\begin{aligned} & -1/2 * (-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} / a^2 * (1/3 * (-A \\ & + B - C) * (2*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (2*E \\ & \text{llipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) - 3*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})) * \text{cos}(1/2*d*x+1/2*c) * \text{sin}(1/2*d*x+1/2*c)^2 - 2*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (2*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) - 3* \\ & \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})) * \text{cos}(1/2*d*x+1/2*c) - 12*\text{sin}(1/2*d*x+1/2*c)^6 + 20*\text{sin}(1/2*d*x+1/2*c)^4 - 7*\text{sin}(1/2*d*x+1/2*c)^2) / (-2*\text{sin}(1/2*d*x+1/2*c)^4 + \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} / \text{cos}(1/2*d*x+1/2*c) / (\text{sin}(1/2*d*x+1/2*c)^2-1) \\ & + (4*B-8*C) * (-1/6*\text{cos}(1/2*d*x+1/2*c) * (-2*\text{sin}(1/2*d*x+1/2*c)^4 + \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} / (\text{cos}(1/2*d*x+1/2*c)^2-1/2)^2 + 1/3 * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\text{sin}(1/2*d*x+1/2*c)^4 + \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) - 4/5*C / (8*\text{sin}(1/2*d*x+1/2*c)^6 - 12*\text{sin}(1/2*d*x+1/2*c)^4 + 6*\text{sin}(1/2*d*x+1/2*c)^2-1) / \text{sin}(1/2*d*x+1/2*c)^2 * (12*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{sin}(1/2*d*x+1/2*c)^4 - 24*\text{sin}(1/2*d*x+1/2*c)^6 * \text{cos}(1/2*d*x+1/2*c) - 12*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{sin}(1/2*d*x+1/2*c)^2 + 24*\text{sin}(1/2*d*x+1/2*c)^4 * \text{cos}(1/2*d*x+1/2*c) + 3*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} - 8*\text{sin}(1/2*d*x+1/2*c)^2 * \text{cos}(1/2*d*x+1/2*c)) * (-2*\text{sin}(1/2*d*x+1/2*c)^4 + \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} + (-2*A+4*B-6*C) * (\text{cos}(1/2*d*x+1/2*c) * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} \end{aligned}$$

$$\frac{1}{2} * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ {1/2} * (\text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ {1/2}) - \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ {1/2})) - 2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) / \cos(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ {1/2} + (4 * A - 8 * B + 12 * C) * (-\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ {1/2} * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ {1/2} * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ {1/2} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ {1/2}) + 2 * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ {1/2} * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2) / \sin(1/2 * d * x + 1/2 * c) ^ 2 / (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ {1/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^4 \sec(dx + c)^2 + 2 a^2 \cos(dx + c)^4 \sec(dx + c) + a^2 \cos(dx + c)^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^4*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)^4*sec(d*x + c) + a^2*cos(d*x + c)^4), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(7/2)/(a+a*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*cos(d*x + c)^(7/2)), x)
```


$$3.1232 \quad \int \frac{\cos^5(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=273

$$\frac{(63A - 33B + 13C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} + \frac{7(33A - 17B + 7C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(63A - 33B + 13C) \sin(c + dx) \cos^5(c + dx)}{10d(a^3 \cos(c + dx) + a^3)}$$

[Out] (7*(33*A - 17*B + 7*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((63*A - 33*B + 13*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((63*A - 33*B + 13*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a^3*d) + (7*(33*A - 17*B + 7*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*a^3*d) - ((A - B + C)*Cos[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - ((12*A - 7*B + 2*C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) - ((63*A - 33*B + 13*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rubi [A] time = 0.659956, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2977, 2748, 2635, 2641, 2639}

$$\frac{(63A - 33B + 13C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{7(33A - 17B + 7C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(63A - 33B + 13C) \sin(c + dx) \cos^5(c + dx)}{10d(a^3 \cos(c + dx) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] (7*(33*A - 17*B + 7*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((63*A - 33*B + 13*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((63*A - 33*B + 13*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a^3*d) + (7*(33*A - 17*B + 7*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*a^3*d) - ((A - B + C)*Cos[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - ((12*A - 7*B + 2*C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) - ((63*A - 33*B + 13*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)

```
*(x_)^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3041

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
```

$\text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - P$
 $i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\int \frac{\cos^{\frac{5}{2}}(c+dx) (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + a \sec(c+dx))^3} dx = \int \frac{\cos^{\frac{7}{2}}(c+dx) (C + B \cos(c+dx) + A \cos^2(c+dx))}{(a + a \cos(c+dx))^3} dx$$

$$= -\frac{(A - B + C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{5d(a + a \cos(c+dx))^3} + \int \frac{\cos^{\frac{7}{2}}(c+dx) \left(-\frac{1}{2}a(9\right)}{(a + a \cos(c+dx))^3} dx$$

$$= -\frac{(A - B + C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{5d(a + a \cos(c+dx))^3} - \frac{(12A - 7B + 2C)}{15ad(a + a \cos(c+dx))^3}$$

$$= -\frac{(A - B + C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{5d(a + a \cos(c+dx))^3} - \frac{(12A - 7B + 2C)}{15ad(a + a \cos(c+dx))^3}$$

$$= -\frac{(A - B + C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{5d(a + a \cos(c+dx))^3} - \frac{(12A - 7B + 2C)}{15ad(a + a \cos(c+dx))^3}$$

$$= -\frac{(A - B + C) \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{5d(a + a \cos(c+dx))^3} - \frac{(12A - 7B + 2C)}{15ad(a + a \cos(c+dx))^3}$$

$$= -\frac{(63A - 33B + 13C) \sqrt{\cos(c+dx)} \sin(c+dx)}{6a^3d} + \frac{7(33A - 17B + 7C) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{10a^3d} - \frac{(63A - 33B + 13C) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d}$$

Mathematica [C] time = 7.4036, size = 2257, normalized size = 8.27

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out]
$$\begin{aligned} & \left(\frac{231I}{5} \right) A \cos\left[\frac{c}{2} + \frac{d*x}{2}\right]^6 \csc\left[\frac{c}{2}\right] \sec\left[\frac{c}{2}\right] \sec[c + d*x] (A + B \sec[c + d*x] + C \sec[c + d*x]^2) \left((2E^{(2I)d*x}) \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -\left(E^{(2I)d*x}\right) (\cos[c] + I \sin[c])^2\right] \right) \sqrt{(2(1 + E^{(2I)d*x})) \cos[c] + (2I)(-1 + E^{(2I)d*x}) \sin[c]} / E^{I d*x} \sqrt{1 + E^{(2I)d*x} \cos[2*c] + I E^{(2I)d*x} \sin[2*c]} \Big/ \left((3I) d (1 + E^{(2I)d*x}) \cos[c] - 3d(-1 + E^{(2I)d*x}) \sin[c] - (2 \operatorname{Hypergeometric2F1}[-1/4, 1/2, 3/4, -\left(E^{(2I)d*x}\right) (\cos[c] + I \sin[c])^2] \right) \sqrt{(2(1 + E^{(2I)d*x})) \cos[c] + (2I)(-1 + E^{(2I)d*x}) \sin[c]} / E^{I d*x} \sqrt{1 + E^{(2I)d*x} \cos[2*c] + I E^{(2I)d*x} \sin[2*c]} \Big/ \left((-I) d (1 + E^{(2I)d*x}) \cos[c] + d(-1 + E^{(2I)d*x}) \sin[c] \right) \Big/ \left((A + 2C + 2B \cos[c + d*x] + A \cos[2*c + 2d*x]) (a + a \sec[c + d*x])^3 \right) - \left(\frac{119I}{5} \right) B \cos\left[\frac{c}{2} + \frac{d*x}{2}\right]^6 \csc\left[\frac{c}{2}\right] \sec\left[\frac{c}{2}\right] \sec[c + d*x] (A + B \sec[c + d*x] + C \sec[c + d*x]^2) \left((2E^{(2I)d*x}) \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -\left(E^{(2I)d*x}\right) (\cos[c] + I \sin[c])^2\right] \right) \sqrt{(2(1 + E^{(2I)d*x})) \cos[c] + (2I)(-1 + E^{(2I)d*x}) \sin[c]} / E^{I d*x} \sqrt{1 + E^{(2I)d*x} \cos[2*c] + I E^{(2I)d*x} \sin[2*c]} \Big/ \left((3I) d (1 + E^{(2I)d*x}) \cos[c] - 3d(-1 + E^{(2I)d*x}) \sin[c] - (2 \operatorname{Hypergeometric2F1}[-1/4, 1/2, 3/4, -\left(E^{(2I)d*x}\right) (\cos[c] + I \sin[c])^2] \right) \sqrt{(2(1 + E^{(2I)d*x})) \cos[c] + (2I)(-1 + E^{(2I)d*x}) \sin[c]} / E^{I d*x} \sqrt{1 + E^{(2I)d*x} \cos[2*c] + I E^{(2I)d*x} \sin[2*c]} \Big/ \left((-I) d (1 + E^{(2I)d*x}) \cos[c] + d(-1 + E^{(2I)d*x}) \sin[c] \right) \Big/ \left((A + 2C + 2B \cos[c + d*x] + A \cos[2*c + 2d*x]) (a + a \sec[c + d*x])^3 \right) + \left(\frac{49I}{5} \right) C \cos\left[\frac{c}{2} + \frac{d*x}{2}\right]^6 \csc\left[\frac{c}{2}\right] \sec\left[\frac{c}{2}\right] \sec[c + d*x] (A + B \sec[c + d*x] + C \sec[c + d*x]^2) \left((2E^{(2I)d*x}) \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -\left(E^{(2I)d*x}\right) (\cos[c] + I \sin[c])^2\right] \right) \sqrt{(2(1 + E^{(2I)d*x})) \cos[c] + (2I)(-1 + E^{(2I)d*x}) \sin[c]} / E^{I d*x} \sqrt{1 + E^{(2I)d*x} \cos[2*c] + I E^{(2I)d*x} \sin[2*c]} \Big/ \left((3I) d (1 + E^{(2I)d*x}) \cos[c] - 3d(-1 + E^{(2I)d*x}) \sin[c] - (2 \operatorname{Hypergeometric2F1}[-1/4, 1/2, 3/4, -\left(E^{(2I)d*x}\right) (\cos[c] + I \sin[c])^2] \right) \sqrt{(2(1 + E^{(2I)d*x})) \cos[c] + (2I)(-1 + E^{(2I)d*x}) \sin[c]} / E^{I d*x} \sqrt{1 + E^{(2I)d*x} \cos[2*c] + I E^{(2I)d*x} \sin[2*c]} \Big/ \left((-I) d (1 + E^{(2I)d*x}) \cos[c] + d(-1 + E^{(2I)d*x}) \sin[c] \right) \Big/ \left((A + 2C + 2B \cos[c + d*x] + A \cos[2*c + 2d*x]) (a + a \sec[c + d*x])^3 \right) + (84A \cos\left[\frac{c}{2} + \frac{d*x}{2}\right]^6 \csc\left[\frac{c}{2}\right] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \operatorname{ArcTan}[\cot[c]]]^2\right] \sec\left[\frac{c}{2}\right] \sec[c + d*x] (A + B \sec[c + d*x] + C \sec[c + d*x]^2) \sec[d*x - \operatorname{ArcTan}[\cot[c]]] \sqrt{1 - \sin[d*x - \operatorname{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d*x - \operatorname{ArcTan}[\cot[c]]])} \sqrt{1 + \sin[d*x - \operatorname{ArcTan}[\cot[c]]]} \Big/ \left(d(A + 2C + 2B \cos[c + d*x] + A \cos[2*c + 2d*x]) \sqrt{1 + \cot[c]^2} (a + a \sec[c + d*x])^3 \right) - (44B \cos\left[\frac{c}{2} + \frac{d*x}{2}\right]^6 \csc\left[\frac{c}{2}\right] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \operatorname{ArcTan}[\cot[c]]]^2\right] \sec\left[\frac{c}{2}\right] \sec[c + d*x] (A + B \sec[c + d*x] + C \sec[c + d*x]^2) \sec[d*x - \operatorname{ArcTan}[\cot[c]]] \sqrt{1 - \sin[d*x - \operatorname{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d*x - \operatorname{ArcTan}[\cot[c]]])} \sqrt{1 + \sin[d*x - \operatorname{ArcTan}[\cot[c]]]} \Big/ \left(d(A + 2C + 2B \cos[c + d*x] + A \cos[2*c + 2d*x]) \sqrt{1 + \cot[c]^2} (a + a \sec[c + d*x])^3 \right) + (52C \cos\left[\frac{c}{2} + \frac{d*x}{2}\right]^6 \csc\left[\frac{c}{2}\right] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \operatorname{ArcTan}[\cot[c]]]^2\right] \sec\left[\frac{c}{2}\right] \sec[c + d*x] (A + B \sec[c + d*x] + C \sec[c + d*x]^2) \sec[d*x - \operatorname{ArcTan}[\cot[c]]] \sqrt{1 - \sin[d*x - \operatorname{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d*x - \operatorname{ArcTan}[\cot[c]]])} \sqrt{1 + \sin[d*x - \operatorname{ArcTan}[\cot[c]]]} \Big/ \left(d(A + 2C + 2B \cos[c + d*x] + A \cos[2*c + 2d*x]) \sqrt{1 + \cot[c]^2} (a + a \sec[c + d*x])^3 \right) + (52C \cos\left[\frac{c}{2} + \frac{d*x}{2}\right]^6 \csc\left[\frac{c}{2}\right] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \operatorname{ArcTan}[\cot[c]]]^2\right] \sec\left[\frac{c}{2}\right] \sec[c + d*x] (A + B \sec[c + d*x] + C \sec[c + d*x]^2) \sec[d*x - \operatorname{ArcTan}[\cot[c]]] \sqrt{1 - \sin[d*x - \operatorname{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d*x - \operatorname{ArcTan}[\cot[c]]])} \sqrt{1 + \sin[d*x - \operatorname{ArcTan}[\cot[c]]]} \Big/ \left(d(A + 2C + 2B \cos[c + d*x] + A \cos[2*c + 2d*x]) \sqrt{1 + \cot[c]^2} (a + a \sec[c + d*x])^3 \right) \end{aligned}$$

$$\begin{aligned} & t[c]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] \\ & * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*(A + \\ & 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a*\text{Sec} \\ & [c + d*x])^3) + (\text{Cos}[c/2 + (d*x)/2]^6 * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^ \\ & 2) * ((-8*(99*A - 59*B + 29*C + 132*A*\text{Cos}[c] - 60*B*\text{Cos}[c] + 20*C*\text{Cos}[c]) * \text{Csc} \\ & [c]) / (5*d) - (32*(3*A - B) * \text{Cos}[d*x] * \text{Sin}[c]) / (3*d) + (16*A*\text{Cos}[2*d*x] * \text{Sin}[2* \\ & c]) / (5*d) - (4*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/ \\ & 2] + C*\text{Sin}[(d*x)/2])) / (5*d) + (8*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (24*A*\text{Sin}[(d \\ & *x)/2] - 19*B*\text{Sin}[(d*x)/2] + 14*C*\text{Sin}[(d*x)/2])) / (15*d) - (8*\text{Sec}[c/2] * \text{Sec}[c \\ & /2 + (d*x)/2] * (99*A*\text{Sin}[(d*x)/2] - 59*B*\text{Sin}[(d*x)/2] + 29*C*\text{Sin}[(d*x)/2])) / \\ & (5*d) - (32*(3*A - B) * \text{Cos}[c] * \text{Sin}[d*x]) / (3*d) + (16*A*\text{Cos}[2*c] * \text{Sin}[2*d*x]) / (\\ & 5*d) + (8*(24*A - 19*B + 14*C) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (15*d) - (4*(\\ & A - B + C) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{Tan}[c/2]) / (5*d)) / (\text{Sqrt}[\text{Cos}[c + d*x]] * (A + \\ & 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x])^3) \end{aligned}$$

Maple [B] time = 3.01, size = 666, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(5/2)} * (A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2) / (a+a*\text{sec}(d*x+c))^3, x)$

[Out]
$$\begin{aligned} & -1/60 * ((2*\cos(1/2*d*x+1/2*c)^2-1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (192*A*\cos(1/ \\ & 2*d*x+1/2*c)^{12}-864*A*\cos(1/2*d*x+1/2*c)^{10}+160*B*\cos(1/2*d*x+1/2*c)^{10}-228 \\ & *A*\cos(1/2*d*x+1/2*c)^8-630*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+ \\ & 1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^ \\ & 5-1386*A*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+ \\ & 1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 468*B*\cos(1/2*d*x+1 \\ & /2*c)^8+330*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ &) * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5+714*B*\cos(1/2* \\ & d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ & * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 348*C*\cos(1/2*d*x+1/2*c)^8-130*C*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos(1 \\ & /2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5-294*C*\cos(1/2*d*x+1/2*c)^5 * (\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/ \\ & 2*d*x+1/2*c), 2^{(1/2)}) + 1590*A*\cos(1/2*d*x+1/2*c)^6-1058*B*\cos(1/2*d*x+1/2*c) \\ & ^6+578*C*\cos(1/2*d*x+1/2*c)^6-744*A*\cos(1/2*d*x+1/2*c)^4+474*B*\cos(1/2*d*x+ \\ & 1/2*c)^4-264*C*\cos(1/2*d*x+1/2*c)^4+57*A*\cos(1/2*d*x+1/2*c)^2-47*B*\cos(1/2* \\ & d*x+1/2*c)^2+37*C*\cos(1/2*d*x+1/2*c)^2-3*A+3*B-3*C) / a^3 / \cos(1/2*d*x+1/2*c)^ \\ & 5 / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (\\ & 2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx+c)^2 \sec(dx+c)^2 + B \cos(dx+c)^2 \sec(dx+c) + A \cos(dx+c)^2) \sqrt{\cos(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec
(d*x + c) + a)^3, x)
```

$$3.1233 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=234

$$\frac{(33A - 13B + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} - \frac{(119A - 49B + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(119A - 49B + 9C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{30d(a^3 \cos(c + dx) + a^3)}$$

[Out] -((119*A - 49*B + 9*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((33*A - 13*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((33*A - 13*B + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a^3*d) - ((A - B + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((2*A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*a*d*(a + a*Cos[c + d*x])^2) - ((119*A - 49*B + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Cos[c + d*x]))

Rubi [A] time = 0.631445, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2977, 2748, 2639, 2635, 2641}

$$\frac{(33A - 13B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(119A - 49B + 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(119A - 49B + 9C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{30d(a^3 \cos(c + dx) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

[Out] -((119*A - 49*B + 9*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((33*A - 13*B + 3*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((33*A - 13*B + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a^3*d) - ((A - B + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((2*A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*a*d*(a + a*Cos[c + d*x])^2) - ((119*A - 49*B + 9*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e

+ f*x]^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2635

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{3}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx) (C+B \cos(c+dx) + A \cos^2(c+dx))}{(a+a \cos(c+dx))^3} dx \\
 &= -\frac{(A-B+C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \int \frac{\cos^{\frac{5}{2}}(c+dx) \left(-\frac{1}{2}a(7A- \right.}{\dots} \\
 &= -\frac{(A-B+C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{(2A-B) \cos^{\frac{5}{2}}(c+dx)}{3ad(a+a \cos(c+dx))^3} \\
 &= -\frac{(A-B+C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{(2A-B) \cos^{\frac{5}{2}}(c+dx)}{3ad(a+a \cos(c+dx))^3} \\
 &= -\frac{(A-B+C) \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{(2A-B) \cos^{\frac{5}{2}}(c+dx)}{3ad(a+a \cos(c+dx))^3} \\
 &= -\frac{(119A-49B+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(33A-13B+3C)\sqrt{\dots}}{6} \\
 &= -\frac{(119A-49B+9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(33A-13B+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d}
 \end{aligned}$$

Mathematica [C] time = 7.2029, size = 2206, normalized size = 9.43

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3,x]

```

[Out] (((-119*I)/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*
Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3
/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x)
)*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*
d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos
[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/
4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[
c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*C
os[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d
*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c +
2*d*x])*(a + a*Sec[c + d*x])^3) + (((49*I)/5)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/
2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*
I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c]
)^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c
])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/
((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2
*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*
Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(
I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*
d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C +
2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - ((9*I)/5
)*C*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E
^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (
2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c
] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-
1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)
)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-
1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*
E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2
*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a +
a*Sec[c + d*x])^3) - (44*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ
[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A +
B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[
d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Co
t[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(A + 2*C + 2*B*Cos[c + d*x]
+ A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^3) + (52*B*
Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x
- ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[
-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]])*Sqrt[1 + Sin[d*x -
ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sq
rt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^3) - (4*C*Cos[c/2 + (d*x)/2]^6*Csc[c/
2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/
2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Co

```

$$\begin{aligned} & t[c]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] \\ & * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (d * (A + 2 \\ & * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a * \text{Sec}[c \\ & + d*x])^3) + (\text{Cos}[c/2 + (d*x)/2]^6 * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) \\ & * ((8 * (59 * A - 29 * B + 9 * C + 60 * A * \text{Cos}[c] - 20 * B * \text{Cos}[c]) * \text{Csc}[c]) / (5 * d) + (32 * A * \\ & \text{Cos}[d*x] * \text{Sin}[c]) / (3 * d) + (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (A * \text{Sin}[(d*x)/2] - \\ & B * \text{Sin}[(d*x)/2] + C * \text{Sin}[(d*x)/2])) / (5 * d) + (8 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (\\ & 59 * A * \text{Sin}[(d*x)/2] - 29 * B * \text{Sin}[(d*x)/2] + 9 * C * \text{Sin}[(d*x)/2])) / (5 * d) - (8 * \text{Sec}[c \\ & /2] * \text{Sec}[c/2 + (d*x)/2]^3 * (19 * A * \text{Sin}[(d*x)/2] - 14 * B * \text{Sin}[(d*x)/2] + 9 * C * \text{Sin}[(d \\ & * x)/2])) / (15 * d) + (32 * A * \text{Cos}[c] * \text{Sin}[d*x]) / (3 * d) - (8 * (19 * A - 14 * B + 9 * C) * \text{Se} \\ & c[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (15 * d) + (4 * (A - B + C) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{T} \\ & \text{an}[c/2]) / (5 * d)) / (\text{Sqrt}[\text{Cos}[c + d*x]] * (A + 2 * C + 2 * B * \text{Cos}[c + d*x] + A * \text{Cos}[2 * \\ & c + 2 * d*x]) * (a + a * \text{Sec}[c + d*x])^3) \end{aligned}$$

Maple [B] time = 2.836, size = 638, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(3/2)} * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2) / (a+a*\sec(d*x+c))^3, x)$

[Out]
$$\begin{aligned} & -1/60 * ((2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (160 * A * \cos(1/ \\ & 2 * d * x + 1/2 * c)^{10} + 468 * A * \cos(1/2 * d * x + 1/2 * c)^8 + 330 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \\ & (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \\ & \cos(1/2 * d * x + 1/2 * c)^5 + 714 * A * \cos(1/2 * d * x + 1/2 * c)^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} \\ & * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3 \\ & 48 * B * \cos(1/2 * d * x + 1/2 * c)^8 - 130 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * \\ & x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c \\ &)^5 - 294 * B * \cos(1/2 * d * x + 1/2 * c)^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x \\ & + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 108 * C * \cos(1/2 * d * x + \\ & 1/2 * c)^8 + 30 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} \\ & * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c)^5 + 54 * C * \cos(1/2 * d \\ & * x + 1/2 * c)^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \\ & \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 1058 * A * \cos(1/2 * d * x + 1/2 * c)^6 + 578 * B * \cos \\ & (1/2 * d * x + 1/2 * c)^6 - 198 * C * \cos(1/2 * d * x + 1/2 * c)^6 + 474 * A * \cos(1/2 * d * x + 1/2 * c)^4 - 264 \\ & * B * \cos(1/2 * d * x + 1/2 * c)^4 + 114 * C * \cos(1/2 * d * x + 1/2 * c)^4 - 47 * A * \cos(1/2 * d * x + 1/2 * c)^ \\ & 2 + 37 * B * \cos(1/2 * d * x + 1/2 * c)^2 - 27 * C * \cos(1/2 * d * x + 1/2 * c)^2 + 3 * A - 3 * B + 3 * C) / a^3 / \cos(\\ & 1/2 * d * x + 1/2 * c)^5 / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1 \\ & /2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c) + A \cos(dx + c))\sqrt{\cos(dx + c)}}{a^3 \sec(dx + c)^3 + 3a^3 \sec(dx + c)^2 + 3a^3 \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))
)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec
(d*x + c) + a)^3, x)
```

$$3.1234 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=201

$$\frac{(13A - 3B - C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} + \frac{(49A - 9B - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(13A - 3B - C) \sin(c + dx) \sqrt{\cos(c + dx)}}{6d(a^3 \cos(c + dx) + a^3)}$$

[Out] ((49*A - 9*B - C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((13*A - 3*B - C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - ((8*A - 3*B - 2*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) - ((13*A - 3*B - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*cos[c + d*x]))

Rubi [A] time = 0.61, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2977, 2748, 2641, 2639}

$$\frac{(13A - 3B - C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(49A - 9B - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(13A - 3B - C) \sin(c + dx) \sqrt{\cos(c + dx)}}{6d(a^3 \cos(c + dx) + a^3)} - \frac{(A - B + C) \cos(c + dx)^{5/2} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(8A - 3B - 2C) \cos(c + dx)^{3/2} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{(13A - 3B - C) \sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a^3 + a^3 \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x]^3,x]

[Out] ((49*A - 9*B - C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((13*A - 3*B - C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - ((8*A - 3*B - 2*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) - ((13*A - 3*B - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int(((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx)(C+B\cos(c+dx)+A\cos^2(c+dx))}{(a+a\cos(c+dx))^3} dx \\
&= -\frac{(A-B+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^{\frac{3}{2}}(c+dx)\left(-\frac{5}{2}a(A\right)}{}}{}}{}}{}} \\
&= -\frac{(A-B+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{(8A-3B-2C)c}{15ad(a+}}{}}{}} \\
&= -\frac{(A-B+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{(8A-3B-2C)c}{15ad(a+}}{}}{}} \\
&= -\frac{(A-B+C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{(8A-3B-2C)c}{15ad(a+}}{}}{}} \\
&= \frac{(49A-9B-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(13A-3B-C)F\left(\frac{1}{2}(c+}}{}}{}}{}}
\end{aligned}$$

Mathematica [C] time = 7.10289, size = 2175, normalized size = 10.82

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^3, x]

[Out] (((49*I)/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3 - (((9*I)/5)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*

$$\begin{aligned}
& d*x)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2) \\
&)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/ \\
& E^((I*d*x))]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((3 \\
& *I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c] - (2*\text{Hy} \\
& \text{pergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]* \text{Sqr} \\
& \text{t}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^((I*d \\
& *x))]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((-I)*d*(\\
& 1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/((A + 2*C + 2* \\
& B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^3) - ((I/5)*C*\text{Cos} \\
& [c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d*x] + C*\text{Se} \\
& c[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I) \\
& *d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(- \\
& 1 + E^((2*I)*d*x))*\text{Sin}[c])/E^((I*d*x))]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E \\
& ^((2*I)*d*x)*\text{Sin}[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^ \\
& (2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)* \\
& (\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^ \\
& ((2*I)*d*x))*\text{Sin}[c])/E^((I*d*x))]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I) \\
& *d*x)*\text{Sin}[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x) \\
&))*\text{Sin}[c]))/((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[\\
& c + d*x])^3) + (52*A*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, \\
& 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + B*\text{Sec}[\\
& c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - A \\
& rcTan}[\text{Cot}[c]]])]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])] \\
&)]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A \\
& *\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3) - (4*B*\text{Cos}[c/ \\
& 2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcT} \\
& an}[\text{Cot}[c]]]^2)*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2 \\
&)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt} \\
& [1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan} \\
& [\text{Cot}[c]]]])/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{C} \\
& ot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3) - (4*C*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{Hyper} \\
& \text{geometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[c \\
& + d*x]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{S} \\
& \text{qrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x \\
& - \text{ArcTan}[\text{Cot}[c]])])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(A + 2*C + 2 \\
& *B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x] \\
&)^3) + (\text{Cos}[c/2 + (d*x)/2]^6*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((-8* \\
& (29*A - 9*B - C + 20*A*\text{Cos}[c])* \text{Csc}[c])/(5*d) - (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/ \\
& 2]*(29*A*\text{Sin}[(d*x)/2] - 9*B*\text{Sin}[(d*x)/2] - C*\text{Sin}[(d*x)/2]))/(5*d) - (4*\text{Sec} \\
& [c/2]*\text{Sec}[c/2 + (d*x)/2]^5*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2] \\
&))/(5*d) + (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(14*A*\text{Sin}[(d*x)/2] - 9*B*\text{Sin}[(d \\
& *x)/2] + 4*C*\text{Sin}[(d*x)/2]))/(15*d) + (8*(14*A - 9*B + 4*C)*\text{Sec}[c/2 + (d*x)/ \\
& 2]^2*\text{Tan}[c/2])/(15*d) - (4*(A - B + C)*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/(5*d) \\
&))/(\text{Sqrt}[\text{Cos}[c + d*x]]*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a \\
& + a*\text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 2.704, size = 624, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{1/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^3, x)$

[Out] $\frac{1}{60} * ((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * (348*A*\cos(1/2*d*x+1/2*c)^8+130*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2})*\cos(1/2*d*x+1/2*c)^5+294*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{1/2}))-108*B*\cos(1/2*d*x+1/2*c)^8-30*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2})*\cos(1/2*d*x+1/2*c)^5-54*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{1/2}))-12*C*\cos(1/2*d*x+1/2*c)^8-10*C*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2}))*\cos(1/2*d*x+1/2*c)^5-6*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{1/2}))-578*A*\cos(1/2*d*x+1/2*c)^6+198*B*\cos(1/2*d*x+1/2*c)^6+2*C*\cos(1/2*d*x+1/2*c)^6+264*A*\cos(1/2*d*x+1/2*c)^4-114*B*\cos(1/2*d*x+1/2*c)^4+24*C*\cos(1/2*d*x+1/2*c)^4-37*A*\cos(1/2*d*x+1/2*c)^2+27*B*\cos(1/2*d*x+1/2*c)^2-17*C*\cos(1/2*d*x+1/2*c)^2+3*A-3*B+3*C)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{1/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+a*\sec(dx+c))^3, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{(a \sec(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^3, x)

$$3.1235 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=193

$$\frac{(3A+B+C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(9A+B-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(9A+B-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(A-B+C)\sqrt{\cos(c+dx)}}{5d(a+a\sec(c+dx))^3}$$

[Out] -((9*A + B - C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A + B + C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - ((6*A - B - 4*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) + ((9*A + B - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rubi [A] time = 0.593453, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2977, 2978, 2748, 2641, 2639}

$$\frac{(3A+B+C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(9A+B-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(9A+B-C)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(A-B+C)\sqrt{\cos(c+dx)}}{5d(a+a\sec(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^3), x]

[Out] -((9*A + B - C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A + B + C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a + a*cos[c + d*x])^3) - ((6*A - B - 4*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*cos[c + d*x])^2) + ((9*A + B - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[(b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^3} dx &= \int \frac{\sqrt{\cos(c + dx)}(C + B \cos(c + dx) + A \cos^2(c + dx))}{(a + a \cos(c + dx))^3} dx \\
 &= -\frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\sqrt{\cos(c + dx)}(-\frac{1}{2}a(3A - 3B - 7C) + \frac{1}{2}a(9A + 3B + 7C))}{(a + a \cos(c + dx))^2} dx}{5a^2} \\
 &= -\frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B - 4C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\
 &= -\frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B - 4C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\
 &= -\frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B - 4C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\
 &= -\frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B - 4C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\
 &= -\frac{(9A + B - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(3A + B + C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2}
 \end{aligned}$$

Mathematica [C] time = 6.95539, size = 2167, normalized size = 11.23

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^3), x]

[Out] (((-9*I)/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*)

$$\begin{aligned}
& \cos[c] + (2I)*(-1 + E^{((2I)*d*x)})*\sin[c]/E^{(I*d*x)}*\sqrt{1 + E^{((2I)*d*x)}* \cos[2*c] + I*E^{((2I)*d*x)}*\sin[2*c]}}/((3I)*d*(1 + E^{((2I)*d*x)}*\cos[c] \\
&] - 3*d*(-1 + E^{((2I)*d*x)}*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, \\
& -(E^{((2I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{((2I)*d*x)}*\cos[c] \\
& + (2I)*(-1 + E^{((2I)*d*x)}*\sin[c])/E^{(I*d*x)})*\sqrt{1 + E^{((2I)*d*x)}*\cos \\
& [2*c] + I*E^{((2I)*d*x)}*\sin[2*c]}}/((-I)*d*(1 + E^{((2I)*d*x)}*\cos[c] + d*(\\
& -1 + E^{((2I)*d*x)}*\sin[c])))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2* \\
& d*x])*(a + a*\sec[c + d*x])^3) - ((I/5)*B*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\sec[\\
& c/2]*\sec[c + d*x]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((2*E^{((2I)*d*x)} \\
& *\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*S \\
& \sqrt{(2*(1 + E^{((2I)*d*x)}*\cos[c] + (2I)*(-1 + E^{((2I)*d*x)}*\sin[c])/E^{(I \\
& *d*x)})*\sqrt{1 + E^{((2I)*d*x)}*\cos[2*c] + I*E^{((2I)*d*x)}*\sin[2*c]}}/((3I)* \\
& d*(1 + E^{((2I)*d*x)}*\cos[c] - 3*d*(-1 + E^{((2I)*d*x)}*\sin[c]) - (2*\text{Hyperg \\
& eometric2F1}[-1/4, 1/2, 3/4, -(E^{((2I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2 \\
& *(1 + E^{((2I)*d*x)}*\cos[c] + (2I)*(-1 + E^{((2I)*d*x)}*\sin[c])/E^{(I*d*x)}] \\
& *\sqrt{1 + E^{((2I)*d*x)}*\cos[2*c] + I*E^{((2I)*d*x)}*\sin[2*c]}}/((-I)*d*(1 + \\
& E^{((2I)*d*x)}*\cos[c] + d*(-1 + E^{((2I)*d*x)}*\sin[c])))/((A + 2*C + 2*B*Co \\
& s[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + d*x])^3) + ((I/5)*C*\cos[c/2 \\
& + (d*x)/2]^6*\csc[c/2]*\sec[c/2]*\sec[c + d*x]*(A + B*\sec[c + d*x] + C*\sec[c \\
& + d*x]^2)*((2*E^{((2I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2I)*d*x)} \\
&)*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{((2I)*d*x)}*\cos[c] + (2I)*(-1 + \\
& E^{((2I)*d*x)}*\sin[c])/E^{(I*d*x)})*\sqrt{1 + E^{((2I)*d*x)}*\cos[2*c] + I*E^{((2 \\
& *I)*d*x)}*\sin[2*c]}}/((3I)*d*(1 + E^{((2I)*d*x)}*\cos[c] - 3*d*(-1 + E^{((2I) \\
&)*d*x)}*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2I)*d*x)}*(\cos \\
& [c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{((2I)*d*x)}*\cos[c] + (2I)*(-1 + E^{((2* \\
& I)*d*x)}*\sin[c])/E^{(I*d*x)})*\sqrt{1 + E^{((2I)*d*x)}*\cos[2*c] + I*E^{((2I)*d* \\
& x)*\sin[2*c]}}/((-I)*d*(1 + E^{((2I)*d*x)}*\cos[c] + d*(-1 + E^{((2I)*d*x)}*S \\
& in[c])))/((A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + a*\sec[c + \\
& d*x])^3) - (4*A*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \\
& \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*\sec[c + d*x]*(A + B*\sec[c + d \\
& *x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan} \\
& [\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{ \\
& t[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]})/(d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2* \\
& c + 2*d*x])*\sqrt{1 + \text{Cot}[c]^2}*(a + a*\sec[c + d*x])^3) - (4*B*\cos[c/2 + (d* \\
& x)/2]^6*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[\\
& c]]]^2]*\sec[c/2]*\sec[c + d*x]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d \\
& *x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + Co \\
& t[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c] \\
&]])}/(3*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*\sqrt{1 + \text{Cot}[c] \\
& ^2}*(a + a*\sec[c + d*x])^3) - (4*C*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\text{Hypergeome \\
& tricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*\sec[c + d* \\
& x]*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 \\
& - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - Ar \\
& cTan[\text{Cot}[c]]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]})/(3*d*(A + 2*C + 2*B*Co \\
& s[c + d*x] + A*\cos[2*c + 2*d*x])*\sqrt{1 + \text{Cot}[c]^2}*(a + a*\sec[c + d*x])^3)
\end{aligned}$$

$$\begin{aligned}
& + (\cos[c/2 + (d*x)/2]^6*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((8*(9*A + \\
& B - C)*\csc[c])/(5*d) - (8*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(9*A*\sin[(d*x)/2] \\
& - 4*B*\sin[(d*x)/2] - C*\sin[(d*x)/2]))/(15*d) + (8*\sec[c/2]*\sec[c/2 + (d*x)/ \\
& 2]*(9*A*\sin[(d*x)/2] + B*\sin[(d*x)/2] - C*\sin[(d*x)/2]))/(5*d) + (4*\sec[c/2 \\
&]*\sec[c/2 + (d*x)/2]^5*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/ \\
& (5*d) - (8*(9*A - 4*B - C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(15*d) + (4*(A - \\
& B + C)*\sec[c/2 + (d*x)/2]^4*\tan[c/2])/(5*d)))/(\sqrt{\cos[c + d*x]}*(A + 2*C \\
& + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]))*(a + a*\sec[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 2.575, size = 624, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)})/(a+a*\sec(d*x+c))^3, x)$

[Out]
$$\begin{aligned}
& -1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(108*A*\cos(1/ \\
& 2*d*x+1/2*c)^8+30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1 \\
&)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+54*A*\cos \\
& (1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{ \\
& (1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+12*B*\cos(1/2*d*x+1/2*c)^8+10*B* \\
& (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/ \\
& 2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+6*B*\cos(1/2*d*x+1/2*c)^5*(\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/ \\
& 2*d*x+1/2*c), 2^{(1/2)})-12*C*\cos(1/2*d*x+1/2*c)^8+10*C*(\sin(1/2*d*x+1/2*c)^2 \\
&)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/ \\
& 2)})*\cos(1/2*d*x+1/2*c)^5-6*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(\\
& 1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
&)-198*A*\cos(1/2*d*x+1/2*c)^6-2*B*\cos(1/2*d*x+1/2*c)^6+22*C*\cos(1/2*d*x+1/2* \\
& c)^6+114*A*\cos(1/2*d*x+1/2*c)^4-24*B*\cos(1/2*d*x+1/2*c)^4-6*C*\cos(1/2*d*x+1/ \\
& 2*c)^4-27*A*\cos(1/2*d*x+1/2*c)^2+17*B*\cos(1/2*d*x+1/2*c)^2-7*C*\cos(1/2*d*x \\
& +1/2*c)^2+3*A-3*B+3*C)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/ \\
& 2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{a^3 \cos(dx + c) \sec(dx + c)^3 + 3 a^3 \cos(dx + c) \sec(dx + c)^2 + 3 a^3 \cos(dx + c) \sec(dx + c) + a^3 \cos(dx + c)} \right), x$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*co
s(d*x + c)*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)*sec(d*x + c)^2 + 3*a^3*cos(d
*x + c)*sec(d*x + c) + a^3*cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2)/(a+a*sec(d*x+c)
)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))  
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*s  
qrt(cos(d*x + c))), x)
```

$$3.1236 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=191

$$\frac{(A+B+3C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(A-B-9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A-B-9C)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(4A+B-6C)\sqrt{\cos(c+dx)}}{15ad}$$

[Out] -((A - B - 9*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + B + 3*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) + ((4*A + B - 6*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) + ((A - B - 9*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))

Rubi [A] time = 0.59097, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2978, 2748, 2641, 2639}

$$\frac{(A+B+3C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A-B-9C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A-B-9C)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(4A+B-6C)\sqrt{\cos(c+dx)}}{15ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]

[Out] -((A - B - 9*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + B + 3*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) + ((4*A + B - 6*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) + ((A - B - 9*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} dx \\
&= -\frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \int \frac{-\frac{1}{2}a(A - B - 9C) + \frac{1}{2}a(7A + 3B - 3C) \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} dx \\
&= -\frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A + B - 6C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\
&= -\frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A + B - 6C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\
&= -\frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A + B - 6C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\
&= -\frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A + B - 6C)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\
&= -\frac{(A - B - 9C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(A + B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3}
\end{aligned}$$

Mathematica [C] time = 6.93956, size = 2164, normalized size = 11.33

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]

[Out] ((-I/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3 + ((I/5)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[

$$\begin{aligned}
& (2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)} \\
&)*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]]/((3*I)*d*(1 \\
& + E^{((2*I)*d*x)}*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]) - (2*\text{Hypergeome} \\
& \text{tric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 \\
& + E^{((2*I)*d*x)}*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqr} \\
& \text{t}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]]/((-I)*d*(1 + E^{((\\
& 2*I)*d*x)}*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/((A + 2*C + 2*B*\text{Cos}[c \\
& + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^3) + (((9*I)/5)*C*\text{Cos}[c/2 \\
& + (d*x)/2]^6*\text{Csc}[c/2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c \\
& + d*x]^2)*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} \\
&)*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)}*\text{Cos}[c] + (2*I)*(-1 + \\
& E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2 \\
& *I)*d*x)}*\text{Sin}[2*c]]/((3*I)*d*(1 + E^{((2*I)*d*x)}*\text{Cos}[c] - 3*d*(-1 + E^{((2*I) \\
&)*d*x)})*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos} \\
& [c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)}*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I) \\
& I)*d*x)}*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d* \\
& x)}*\text{Sin}[2*c]]/((-I)*d*(1 + E^{((2*I)*d*x)}*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})* \\
& \text{Sin}[c]))/((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + \\
& d*x])^3) - (4*A*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \\
& \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d \\
& *x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan} \\
& [\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqr} \\
& \text{t}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[\\
& 2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3) - (4*B*\text{Cos}[c/2 + (\\
& d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Co} \\
& t[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec} \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \\
& \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot} \\
& [c]]]]/(3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot} \\
& [c]^2]*(a + a*\text{Sec}[c + d*x])^3) - (4*C*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{Hypergeo} \\
& \text{metricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[c + \\
& d*x]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt} \\
& [1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(d*(A + 2*C + 2*B*\text{Co} \\
& s[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3) \\
& + (\text{Cos}[c/2 + (d*x)/2]^6*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((8*(A - B \\
& - 9*C)*\text{Csc}[c])/(5*d) + (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(A*\text{Sin}[(d*x)/2] - B* \\
& \text{Sin}[(d*x)/2] - 9*C*\text{Sin}[(d*x)/2]))/(5*d) + (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3* \\
& (4*A*\text{Sin}[(d*x)/2] + B*\text{Sin}[(d*x)/2] - 6*C*\text{Sin}[(d*x)/2]))/(15*d) - (4*\text{Sec}[c/2 \\
&]*\text{Sec}[c/2 + (d*x)/2]^5*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/ \\
& (5*d) + (8*(4*A + B - 6*C)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(15*d) - (4*(A - \\
& B + C)*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/(5*d))/(\text{Sqrt}[\text{Cos}[c + d*x]]*(A + 2*C \\
& + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 2.629, size = 624, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(3/2)}/(a+a*\sec(dx+c))^3,x)$

[Out]
$$-1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^8+10*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+6*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-12*B*\cos(1/2*d*x+1/2*c)^8+10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5-6*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-108*C*\cos(1/2*d*x+1/2*c)^8+30*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5-54*C*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)^6+22*B*\cos(1/2*d*x+1/2*c)^6+138*C*\cos(1/2*d*x+1/2*c)^6-24*A*\cos(1/2*d*x+1/2*c)^4-6*B*\cos(1/2*d*x+1/2*c)^4-24*C*\cos(1/2*d*x+1/2*c)^4+17*A*\cos(1/2*d*x+1/2*c)^2-7*B*\cos(1/2*d*x+1/2*c)^2-3*C*\cos(1/2*d*x+1/2*c)^2-3*A+3*B-3*C)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(3/2)}/(a+a*\sec(dx+c))^3,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^2 \sec(dx+c)^3 + 3a^3 \cos(dx+c)^2 \sec(dx+c)^2 + 3a^3 \cos(dx+c)^2 \sec(dx+c) + a^3 \cos(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))
^3,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos
(d*x + c)^2*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)^2*sec(d*x + c)^2 + 3*a^3*cos
(d*x + c)^2*sec(d*x + c) + a^3*cos(d*x + c)^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c)
)**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a)^3 \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*cos
(d*x + c)^(3/2)), x)
```

$$3.1237 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=229

$$\frac{(A+3B-13C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(A+9B-49C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A+9B-49C)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} + \frac{(A+3B-13C)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}}$$

[Out] ((A + 9*B - 49*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + 3*B - 13*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A + 9*B - 49*C)*Sin[c + d*x])/(10*a^3*d*Sqrt[Cos[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])*(a + a*cos[c + d*x])^3 + ((2*A + 3*B - 8*C)*Sin[c + d*x])/(15*a*d*Sqrt[Cos[c + d*x]])*(a + a*cos[c + d*x])^2 + ((A + 3*B - 13*C)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]])*(a^3 + a^3*cos[c + d*x]))

Rubi [A] time = 0.633121, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2978, 2748, 2636, 2639, 2641}

$$\frac{(A+3B-13C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A+9B-49C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A+9B-49C)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} + \frac{(A+3B-13C)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}} (a^3)$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

[Out] ((A + 9*B - 49*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + 3*B - 13*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A + 9*B - 49*C)*Sin[c + d*x])/(10*a^3*d*Sqrt[Cos[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])*(a + a*cos[c + d*x])^3 + ((2*A + 3*B - 8*C)*Sin[c + d*x])/(15*a*d*Sqrt[Cos[c + d*x]])*(a + a*cos[c + d*x])^2 + ((A + 3*B - 13*C)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]])*(a^3 + a^3*cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e

+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} dx \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(A-B+11C) + \frac{5}{2}a(A+B-C) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^2} dx}{5a^2} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{(2A + 3B - 8C) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{(2A + 3B - 8C) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{(2A + 3B - 8C) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= \frac{(A + 3B - 13C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A + 9B - 49C) \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}} - \frac{(A - 9B + 49C)}{5d\sqrt{\cos(c + dx)}} \\
 &= \frac{(A + 9B - 49C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(A + 3B - 13C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A + 9B - 49C)}{5d\sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 7.2335, size = 2205, normalized size = 9.63

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

```

[Out] ((I/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c +
d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4
, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c
] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Co
s[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3
*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^
((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2
*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c]
+ I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 +
E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])
*(a + a*Sec[c + d*x])^3) + (((9*I)/5)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c
/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*
Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sq
rt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*
d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d
*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hyperge
ometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*
(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*
Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E
^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos
[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (((49*I)/5)*C*Cos
[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Se
c[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)
*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-
1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E
^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^
(2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*
(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^
((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)
)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x)
))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[
c + d*x])^3) - (4*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1
/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c
+ d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - Ar
cTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]
*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2*B*Cos[c + d*x] + A*
Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^3) - (4*B*Cos[c/2
+ (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTa
n[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)
*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[
1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])] *Sqrt[1 + Sin[d*x - ArcTan[
Cot[c]]]])/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Co
t[c]^2]*(a + a*Sec[c + d*x])^3) + (52*C*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Hyper
geometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c
+ d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*S

```

```

qrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x
- ArcTan[Cot[c]]])] * Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(A + 2*C + 2
*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x
])^3) + (Cos[c/2 + (d*x)/2]^6*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(
20*C - A*Cos[c] - 9*B*Cos[c] + 29*C*Cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/(5*d)
- (8*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] + 9*B*Sin[(d*x)/2] - 29*C
*Sin[(d*x)/2]))/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*Sin[(d*x)/2] -
B*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(5*d) + (8*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*
(A*Sin[(d*x)/2] - 6*B*Sin[(d*x)/2] + 11*C*Sin[(d*x)/2]))/(15*d) + (32*C*Sec
[c]*Sec[c + d*x]*Sin[d*x])/d + (8*(A - 6*B + 11*C)*Sec[c/2 + (d*x)/2]^2*Tan
[c/2])/(15*d) + (4*(A - B + C)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/(Sqrt
[Cos[c + d*x]]*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec
[c + d*x])^3)

```

Maple [B] time = 3.202, size = 789, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x)
```

```

[Out] 1/60*(-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+
1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(5*A*EllipticF(cos(1/2*d*x
+1/2*c),2^(1/2))-3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+15*B*EllipticF(c
os(1/2*d*x+1/2*c),2^(1/2))-27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-65*C*
EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+147*C*EllipticE(cos(1/2*d*x+1/2*c),2^
(1/2)))*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+4*(-2*sin(1/2*d*x+1/2*c)^4+
sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2
*c)^2-1)^(1/2)*(5*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*A*EllipticE(cos
(1/2*d*x+1/2*c),2^(1/2))+15*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-27*B*El
lipticE(cos(1/2*d*x+1/2*c),2^(1/2))-65*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/
2))+147*C*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*sin(1/2*d*x+1/2*c)^2*cos(1
/2*d*x+1/2*c)-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1
/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(5*A*EllipticF(cos(
1/2*d*x+1/2*c),2^(1/2))-3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+15*B*Ellip
ticF(cos(1/2*d*x+1/2*c),2^(1/2))-27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)
)-65*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+147*C*EllipticE(cos(1/2*d*x+1/
2*c),2^(1/2)))*cos(1/2*d*x+1/2*c)+12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1
/2*c)^2)^(1/2)*(A+9*B-49*C)*sin(1/2*d*x+1/2*c)^8-2*(-2*sin(1/2*d*x+1/2*c)^4
+sin(1/2*d*x+1/2*c)^2)^(1/2)*(13*A+147*B-817*C)*sin(1/2*d*x+1/2*c)^6+6*(-2*
sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A+43*B-248*C)*sin(1/2*d

```

$$*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A+69*B-43$$

$$9*C)*\sin(1/2*d*x+1/2*c)^2)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^$$

$$4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)$$

$$^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^3 \sec(dx+c)^3 + 3a^3 \cos(dx+c)^3 \sec(dx+c)^2 + 3a^3 \cos(dx+c)^3 \sec(dx+c) + a^3 \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*co
s(d*x + c)^3*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)^3*sec(d*x + c)^2 + 3*a^3*c
os(d*x + c)^3*sec(d*x + c) + a^3*cos(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*cos(d*x + c)^(5/2)), x)
```


$$3.1238 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=268

$$\frac{(3A - 13B + 33C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} + \frac{(9A - 49B + 119C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(9A - 49B + 119C) \sin(c + dx)}{30d \cos^{\frac{3}{2}}(c + dx) (a^3 \cos(c + dx) + a^3)}$$

[Out] ((9*A - 49*B + 119*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A - 13*B + 33*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((3*A - 13*B + 33*C)*Sin[c + d*x])/(6*a^3*d*Cos[c + d*x]^(3/2)) - ((9*A - 49*B + 119*C)*Sin[c + d*x])/(10*a^3*d*sqrt[Cos[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3) + ((B - 2*C)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2) - ((9*A - 49*B + 119*C)*Sin[c + d*x])/(30*d*Cos[c + d*x]^(3/2)*(a^3 + a^3*Cos[c + d*x]))

Rubi [A] time = 0.664676, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2978, 2748, 2636, 2641, 2639}

$$\frac{(3A - 13B + 33C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(9A - 49B + 119C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(9A - 49B + 119C) \sin(c + dx)}{30d \cos^{\frac{3}{2}}(c + dx) (a^3 \cos(c + dx) + a^3)} + \dots$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3), x]

[Out] ((9*A - 49*B + 119*C)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A - 13*B + 33*C)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((3*A - 13*B + 33*C)*Sin[c + d*x])/(6*a^3*d*Cos[c + d*x]^(3/2)) - ((9*A - 49*B + 119*C)*Sin[c + d*x])/(10*a^3*d*sqrt[Cos[c + d*x]]) - ((A - B + C)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3) + ((B - 2*C)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2) - ((9*A - 49*B + 119*C)*Sin[c + d*x])/(30*d*Cos[c + d*x]^(3/2)*(a^3 + a^3*Cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)...

```
*(x_)^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3041

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b
*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x
] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c +
d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*
d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*
(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d
, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^
2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
```

$\text{Pi}/2 + d*x)/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - P$
 $i/2 + d*x)/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^3} dx \\ &= -\frac{(A - B + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(3A-3B+13C) + \frac{1}{2}a(3A+7B-7C) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{(A - B + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} + \frac{(B - 2C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} \\ &= -\frac{(A - B + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} + \frac{(B - 2C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} \\ &= -\frac{(A - B + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} + \frac{(B - 2C) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} \\ &= \frac{(3A - 13B + 33C) \sin(c + dx)}{6a^3d \cos^{\frac{3}{2}}(c + dx)} - \frac{(9A - 49B + 119C) \sin(c + dx)}{10a^3d \sqrt{\cos(c + dx)}} - \frac{(A - B + C) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)} \\ &= \frac{(9A - 49B + 119C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(3A - 13B + 33C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \end{aligned}$$

Mathematica [C] time = 8.02092, size = 2248, normalized size = 8.39

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3),x]

[Out] (((9*I)/5)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/(3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (((49*I)/5)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/(3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) + (((119*I)/5)*C*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/(3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^3) - (4*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^3) + (52*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - Ar

$$\frac{\text{cTan}[\text{Cot}[c]]}{(3*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3) - (44*C*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]* \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]* \text{Sec}[c/2]* \text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)* \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]* \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]* \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]* \text{Sin}[c]* \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])]* \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3) + (\text{Cos}[c/2 + (d*x)/2]^6*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)* ((-4*(-20*B + 60*C + 9*A*\text{Cos}[c] - 29*B*\text{Cos}[c] + 59*C*\text{Cos}[c])* \text{Csc}[c/2]* \text{Sec}[c/2]* \text{Sec}[c])/ (5*d) - (4*\text{Sec}[c/2]* \text{Sec}[c/2 + (d*x)/2]^5*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]))/ (5*d) - (8*\text{Sec}[c/2]* \text{Sec}[c/2 + (d*x)/2]^3*(6*A*\text{Sin}[(d*x)/2] - 11*B*\text{Sin}[(d*x)/2] + 16*C*\text{Sin}[(d*x)/2]))/ (15*d) - (8*\text{Sec}[c/2]* \text{Sec}[c/2 + (d*x)/2]*(9*A*\text{Sin}[(d*x)/2] - 29*B*\text{Sin}[(d*x)/2] + 59*C*\text{Sin}[(d*x)/2]))/ (5*d) + (32*C*\text{Sec}[c]* \text{Sec}[c + d*x]^2*\text{Sin}[d*x])/ (3*d) + (32*\text{Sec}[c]* \text{Sec}[c + d*x]*(C*\text{Sin}[c] + 3*B*\text{Sin}[d*x] - 9*C*\text{Sin}[d*x]))/ (3*d) - (8*(6*A - 11*B + 16*C)* \text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/ (15*d) - (4*(A - B + C)* \text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/ (5*d)))/ (\text{Sqrt}[\text{Cos}[c + d*x]]*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^3)}$$

Maple [B] time = 10.748, size = 1040, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/\text{cos}(d*x+c)^{(7/2)}/(a+a*\text{sec}(d*x+c))^3,x)$

[Out] $-1/4*(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/a^3*(1/3*(-2*B+4*C)*(2*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(2*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-3*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})))*\text{cos}(1/2*d*x+1/2*c)*\text{sin}(1/2*d*x+1/2*c)^2-2*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(2*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-3*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})))*\text{cos}(1/2*d*x+1/2*c)-12*\text{sin}(1/2*d*x+1/2*c)^6+20*\text{sin}(1/2*d*x+1/2*c)^4-7*\text{sin}(1/2*d*x+1/2*c)^2)/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/(\text{cos}(1/2*d*x+1/2*c)/(\text{sin}(1/2*d*x+1/2*c)^2-1)+8*C*(-1/6*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/(\text{cos}(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})))+(-4*B+12*C)*(\text{cos}(1/2*d*x+1/2*c)*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)}))-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)/\text{cos}(1/2*d*x+1/2*c)/(-2*\text{sin}(1/2*d*x$

$$+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(A-B+C)*(1/5*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)^5+4/5*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)^3+18/5*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)-8/5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+18/5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+(8*B-24*C)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^4 \sec(dx+c)^3 + 3a^3 \cos(dx+c)^4 \sec(dx+c)^2 + 3a^3 \cos(dx+c)^4 \sec(dx+c) + a^3 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^4*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)^4*sec(d*x + c)^2 + 3*a^3*cos(d*x + c)^4*sec(d*x + c) + a^3*cos(d*x + c)^4), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(7/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a)^3 \cos(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*cos(d*x + c)^(7/2)), x)

$$3.1239 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=278

$$\frac{(339A - 108B + 17C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{42a^4d} - \frac{(176A - 57B + 8C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} - \frac{(43A - 15B + C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{42a^4d(\cos(c + dx) + 1)^2}$$

[Out] -((176*A - 57*B + 8*C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) + ((339*A - 108*B + 17*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) + ((339*A - 108*B + 17*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(42*a^4*d) - ((43*A - 15*B + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(42*a^4*d*(1 + Cos[c + d*x])^2) - ((176*A - 57*B + 8*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*a^4*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(9/2)*Sin[c + d*x])/(7*d*(a + a*cos[c + d*x])^4) - ((13*A - 6*B - C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(35*a*d*(a + a*cos[c + d*x])^3)

Rubi [A] time = 0.832665, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2977, 2748, 2639, 2635, 2641}

$$\frac{(339A - 108B + 17C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{42a^4d} - \frac{(176A - 57B + 8C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} - \frac{(43A - 15B + C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{42a^4d(\cos(c + dx) + 1)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] -((176*A - 57*B + 8*C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) + ((339*A - 108*B + 17*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) + ((339*A - 108*B + 17*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(42*a^4*d) - ((43*A - 15*B + C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(42*a^4*d*(1 + Cos[c + d*x])^2) - ((176*A - 57*B + 8*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*a^4*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(9/2)*Sin[c + d*x])/(7*d*(a + a*cos[c + d*x])^4) - ((13*A - 6*B - C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(35*a*d*(a + a*cos[c + d*x])^3)

Rule 4112


```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_))*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3041

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b)*Sin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2977

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
```

```
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^4} dx &= \int \frac{\cos^{\frac{7}{2}}(c + dx) (C + B \cos(c + dx) + A \cos^2(c + dx))}{(a + a \cos(c + dx))^4} dx \\
 &= -\frac{(A - B + C) \cos^{\frac{9}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \int \frac{\cos^{\frac{7}{2}}(c + dx) \left(-\frac{1}{2}a(9A - 13B - 7C)\right)}{(a + a \cos(c + dx))^4} dx \\
 &= -\frac{(A - B + C) \cos^{\frac{9}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(13A - 6B - C) \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^4} \\
 &= -\frac{(43A - 15B + C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{42a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= -\frac{(43A - 15B + C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{42a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= -\frac{(43A - 15B + C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{42a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= -\frac{(176A - 57B + 8C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} + \frac{(339A - 108B + 17C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{42a^4d}
 \end{aligned}$$

Mathematica [C] time = 7.59928, size = 2319, normalized size = 8.34

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (((-352*I)/5)*A*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/(3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^4) + (((114*I)/5)*B*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/(3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^4) - (((16*I)/5)*C*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/(3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^4) - (904*A*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^4) + (288*B*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqr

$$\frac{\begin{aligned} & t[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (7*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a*\sec[c + d*x])^4) - (136*C*\cos[c/2 + (d*x)/2]^8 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[c + d*x]^2 * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])} * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) / (21*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a*\sec[c + d*x])^4) + (\cos[c/2 + (d*x)/2]^8 * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * ((16*(96*A - 37*B + 8*C + 80*A*\cos[c] - 20*B*\cos[c]) * \text{Csc}[c]) / (5*d) + (64*A*\cos[d*x] * \sin[c]) / (3*d) - (4*\sec[c/2] * \sec[c/2 + (d*x)/2]^7 * (A*\sin[(d*x)/2] - B*\sin[(d*x)/2] + C*\sin[(d*x)/2])) / (7*d) + (16*\sec[c/2] * \sec[c/2 + (d*x)/2] * (96*A*\sin[(d*x)/2] - 37*B*\sin[(d*x)/2] + 8*C*\sin[(d*x)/2])) / (5*d) + (8*\sec[c/2] * \sec[c/2 + (d*x)/2]^5 * (33*A*\sin[(d*x)/2] - 26*B*\sin[(d*x)/2] + 19*C*\sin[(d*x)/2])) / (35*d) - (8*\sec[c/2] * \sec[c/2 + (d*x)/2]^3 * (629*A*\sin[(d*x)/2] - 363*B*\sin[(d*x)/2] + 167*C*\sin[(d*x)/2])) / (105*d) + (64*A*\cos[c] * \sin[d*x]) / (3*d) - (8*(629*A - 363*B + 167*C) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (105*d) + (8*(33*A - 26*B + 19*C) * \sec[c/2 + (d*x)/2]^4 * \tan[c/2]) / (35*d) - (4*(A - B + C) * \sec[c/2 + (d*x)/2]^6 * \tan[c/2]) / (7*d)) / (\cos[c + d*x]^(3/2) * (A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (a + a*\sec[c + d*x])^4) \end{aligned}}$$

Maple [B] time = 3.224, size = 680, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(3/2)} * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2) / (a+a*\sec(d*x+c))^4, x)$

[Out] $-1/840 * ((2*\cos(1/2*d*x+1/2*c)^{-1} * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-15*A+15*B-15*C+1902*C*\cos(1/2*d*x+1/2*c)^6+1344*C*\cos(1/2*d*x+1/2*c)^{10}+12234*A*\cos(1/2*d*x+1/2*c)^6-5598*B*\cos(1/2*d*x+1/2*c)^6-1882*A*\cos(1/2*d*x+1/2*c)^4+1224*B*\cos(1/2*d*x+1/2*c)^4-706*C*\cos(1/2*d*x+1/2*c)^4+243*A*\cos(1/2*d*x+1/2*c)^2-201*B*\cos(1/2*d*x+1/2*c)^2+159*C*\cos(1/2*d*x+1/2*c)^2+2240*A*\cos(1/2*d*x+1/2*c)^{12}+12768*A*\cos(1/2*d*x+1/2*c)^{10}-6216*B*\cos(1/2*d*x+1/2*c)^{10}-25588*A*\cos(1/2*d*x+1/2*c)^8+10776*B*\cos(1/2*d*x+1/2*c)^8-2684*C*\cos(1/2*d*x+1/2*c)^8+6780*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^7+14784*A*\cos(1/2*d*x+1/2*c)^7 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 2160*B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^7 - 4788*B*\cos(1/2*d*x+1/2*c)^7 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}$

)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+340*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^7+672*C*cos(1/2*d*x+1/2*c)^7*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/a^4/cos(1/2*d*x+1/2*c)^7/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)) \sqrt{\cos(dx + c)}}{a^4 \sec(dx + c)^4 + 4 a^4 \sec(dx + c)^3 + 6 a^4 \sec(dx + c)^2 + 4 a^4 \sec(dx + c) + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a^4*sec(d*x + c)^4 + 4*a^4*sec(d*x + c)^3 + 6*a^4*sec(d*x + c)^2 + 4*a^4*sec(d*x + c) + a^4), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**4,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))**4,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^4, x)
```

$$3.1240 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=244

$$\frac{(108A - 17B - 4C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{42a^4d} + \frac{(57A - 8B - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} - \frac{(141A - 29B - 13C) \sin(c + dx) \cos(c + dx)}{210a^4d(\cos(c + dx) + 1)^2}$$

```
[Out] ((57*A - 8*B - C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) - ((108*A - 17*B - 4*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) - ((141*A - 29*B - 13*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(210*a^4*d*(1 + Cos[c + d*x])^2) - ((108*A - 17*B - 4*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(42*a^4*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(7*d*(a + a*cos[c + d*x])^4) - ((11*A - 4*B - 3*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(35*a*d*(a + a*cos[c + d*x])^3)
```

Rubi [A] time = 0.790196, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2977, 2748, 2641, 2639}

$$\frac{(108A - 17B - 4C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{42a^4d} + \frac{(57A - 8B - C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} - \frac{(141A - 29B - 13C) \sin(c + dx) \cos^3(c + dx)}{210a^4d(\cos(c + dx) + 1)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4, x]
```

```
[Out] ((57*A - 8*B - C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) - ((108*A - 17*B - 4*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) - ((141*A - 29*B - 13*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(210*a^4*d*(1 + Cos[c + d*x])^2) - ((108*A - 17*B - 4*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(42*a^4*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(7*d*(a + a*cos[c + d*x])^4) - ((11*A - 4*B - 3*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(35*a*d*(a + a*cos[c + d*x])^3)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e
```

+ f*x]]^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])*(x_)), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^4} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx)(C+B\cos(c+dx)+A\cos^2(c+dx))}{(a+a\cos(c+dx))^4} dx \\
&= -\frac{(A-B+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \int \frac{\cos^{\frac{5}{2}}(c+dx)\left(-\frac{7}{2}a(A\right)}{7d(a+a\cos(c+dx))^4} dx \\
&= -\frac{(A-B+C)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{(11A-4B-3C)}{35ad(a+a\cos(c+dx))^4} \\
&= -\frac{(141A-29B-13C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{210a^4d(1+\cos(c+dx))^2} - \frac{(A-B+C)}{7a^4d} \\
&= -\frac{(141A-29B-13C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{210a^4d(1+\cos(c+dx))^2} - \frac{(A-B+C)}{7a^4d} \\
&= -\frac{(141A-29B-13C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{210a^4d(1+\cos(c+dx))^2} - \frac{(A-B+C)}{7a^4d} \\
&= \frac{(57A-8B-C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^4d} - \frac{(108A-17B-4C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{42a^4d}
\end{aligned}$$

Mathematica [C] time = 7.39016, size = 2286, normalized size = 9.37

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^4,x]

[Out] (((114*I)/5)*A*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos

$$\begin{aligned}
& [c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]/E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \\
& \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]] / ((-I)*d*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + \\
& d*(-1 + E^{((2*I)*d*x)} * \text{Sin}[c])) / ((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + \\
& 2*d*x]) * (a + a*\text{Sec}[c + d*x])^4) - (((16*I)/5)*B*\text{Cos}[c/2 + (d*x)/2]^8 * \text{Csc}[c \\
& /2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^2 * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * ((2 * E^{(\\
& (2*I)*d*x)} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin} \\
& [c])^2)]) * \text{Sqrt}[(2*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * \text{Si} \\
& n[c])/E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c] \\
&])) / ((3*I)*d*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) - \\
& (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2) \\
&]) * \text{Sqrt}[(2*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) / \\
& E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]]) / ((- \\
& I)*d*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)}) * \text{Sin}[c])) / ((A + 2* \\
& C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x])^4) - ((2*I \\
&)/5) * C * \text{Cos}[c/2 + (d*x)/2]^8 * \text{Csc}[c/2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^2 * (A + B*\text{Sec}[c + \\
& d*x] + C*\text{Sec}[c + d*x]^2) * ((2 * E^{((2*I)*d*x)} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4 \\
& , -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2)]) * \text{Sqrt}[(2*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c \\
&] + (2*I)*(-1 + E^{((2*I)*d*x)}) * \text{Sin}[c])/E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Co} \\
& s[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]]) / ((3*I)*d*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] - 3 \\
& *d*(-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(\\
& (2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2)]) * \text{Sqrt}[(2*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2 \\
& *I)*(-1 + E^{((2*I)*d*x)}) * \text{Sin}[c])/E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] \\
& + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]]) / ((-I)*d*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + d*(-1 + \\
& E^{((2*I)*d*x)}) * \text{Sin}[c])) / ((A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) \\
& * (a + a*\text{Sec}[c + d*x])^4) + (288 * A * \text{Cos}[c/2 + (d*x)/2]^8 * \text{Csc}[c/2] * \text{Hypergeomet} \\
& ricPFQ[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2] * \text{Sec}[c + d*x] \\
&]^2 * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[\\
& 1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - A \\
& rcTan[\text{Cot}[c]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) / (7*d*(A + 2*C + 2*B*C \\
& os[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a*\text{Sec}[c + d*x])^4 \\
&) - (136 * B * \text{Cos}[c/2 + (d*x)/2]^8 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4 \\
& \}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^2 * (A + B*\text{Sec}[c + d*x] \\
& + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Co} \\
& t[c]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])] * \text{Sqrt}[1 \\
& + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) / (21*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2* \\
& c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a*\text{Sec}[c + d*x])^4) - (32 * C * \text{Cos}[c/2 + (d \\
& *x)/2]^8 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot} \\
& [c]]]^2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^2 * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Se} \\
& c[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \\
& \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot} \\
& [c]]]) / (21*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Co} \\
& t[c]^2] * (a + a*\text{Sec}[c + d*x])^4) + (\text{Cos}[c/2 + (d*x)/2]^8 * (A + B*\text{Sec}[c + d*x] \\
& + C*\text{Sec}[c + d*x]^2) * ((-16 * (37 * A - 8 * B - C + 20 * A * \text{Cos}[c]) * \text{Csc}[c]) / (5 * d) - (\\
& 16 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (37 * A * \text{Sin}[(d*x)/2] - 8 * B * \text{Sin}[(d*x)/2] - C * \text{Si} \\
& n[(d*x)/2])) / (5 * d) + (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^7 * (A * \text{Sin}[(d*x)/2] - B * S
\end{aligned}$$

```

in[(d*x)/2] + C*Sin[(d*x)/2]))/(7*d) - (8*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(26
*A*Sin[(d*x)/2] - 19*B*Sin[(d*x)/2] + 12*C*Sin[(d*x)/2]))/(35*d) + (8*Sec[c
/2]*Sec[c/2 + (d*x)/2]^3*(363*A*Sin[(d*x)/2] - 167*B*Sin[(d*x)/2] + 41*C*Si
n[(d*x)/2]))/(105*d) + (8*(363*A - 167*B + 41*C)*Sec[c/2 + (d*x)/2]^2*Tan[c
/2]))/(105*d) - (8*(26*A - 19*B + 12*C)*Sec[c/2 + (d*x)/2]^4*Tan[c/2]))/(35*d
) + (4*(A - B + C)*Sec[c/2 + (d*x)/2]^6*Tan[c/2]))/(7*d)))/(Cos[c + d*x]^(3/
2)*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + a*Sec[c + d*x])^4
)

```

Maple [B] time = 3.206, size = 666, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^4,x)
```

```
[Out] 1/840*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(6216*A*cos(1
/2*d*x+1/2*c)^10+2160*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)
^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^7+4788
*A*cos(1/2*d*x+1/2*c)^7*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)
^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1344*B*cos(1/2*d*x+1/2*c)
^10-340*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*El
lipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^7-672*B*cos(1/2*d*x+
1/2*c)^7*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*El
lipticE(cos(1/2*d*x+1/2*c),2^(1/2))-168*C*cos(1/2*d*x+1/2*c)^10-80*C*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d
*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^7-84*C*cos(1/2*d*x+1/2*c)^7*(sin(1/2*
d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x
+1/2*c),2^(1/2))-10776*A*cos(1/2*d*x+1/2*c)^8+2684*B*cos(1/2*d*x+1/2*c)^8+8
8*C*cos(1/2*d*x+1/2*c)^8+5598*A*cos(1/2*d*x+1/2*c)^6-1902*B*cos(1/2*d*x+1/2
*c)^6+306*C*cos(1/2*d*x+1/2*c)^6-1224*A*cos(1/2*d*x+1/2*c)^4+706*B*cos(1/2*
d*x+1/2*c)^4-328*C*cos(1/2*d*x+1/2*c)^4+201*A*cos(1/2*d*x+1/2*c)^2-159*B*co
s(1/2*d*x+1/2*c)^2+117*C*cos(1/2*d*x+1/2*c)^2-15*A+15*B-15*C)/a^4/cos(1/2*d
*x+1/2*c)^7/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*
x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^4,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a^4 \sec(dx+c)^4 + 4a^4 \sec(dx+c)^3 + 6a^4 \sec(dx+c)^2 + 4a^4 \sec(dx+c) + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^4,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^4*se
c(d*x + c)^4 + 4*a^4*sec(d*x + c)^3 + 6*a^4*sec(d*x + c)^2 + 4*a^4*sec(d*x
+ c) + a^4), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)
)**4,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{(a \sec(dx+c) + a)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))  
^4,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec  
(d*x + c) + a)^4, x)
```

$$3.1241 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=232

$$\frac{(17A + 4B + 3C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{42a^4d} - \frac{(83A + B - 15C) \sin(c + dx) \sqrt{\cos(c + dx)}}{210a^4d(\cos(c + dx) + 1)^2} - \frac{(8A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} + \frac{(8A + B) \sin(c + dx)}{10a^4d}$$

[Out] $-\left((8A + B) \text{EllipticE}\left[\frac{c + dx}{2}, 2\right]\right) / (10a^4d) + \left((17A + 4B + 3C) \text{EllipticF}\left[\frac{c + dx}{2}, 2\right]\right) / (42a^4d) - \left((83A + B - 15C) \text{Sqrt}[\text{Cos}[c + dx]] \text{Sin}[c + dx]\right) / (210a^4d(1 + \text{Cos}[c + dx])^2) + \left((8A + B) \text{Sqrt}[\text{Cos}[c + dx]] \text{Sin}[c + dx]\right) / (10a^4d(1 + \text{Cos}[c + dx])) - \left((A - B + C) \text{Cos}[c + dx]^{5/2} \text{Sin}[c + dx]\right) / (7d(a + a \text{Cos}[c + dx])^4) - \left((9A - 2B - 5C) \text{Cos}[c + dx]^{3/2} \text{Sin}[c + dx]\right) / (35a^4d(a + a \text{Cos}[c + dx])^3)$

Rubi [A] time = 0.774119, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2977, 2978, 2748, 2641, 2639}

$$\frac{(17A + 4B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{42a^4d} - \frac{(83A + B - 15C) \sin(c + dx) \sqrt{\cos(c + dx)}}{210a^4d(\cos(c + dx) + 1)^2} - \frac{(8A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} + \frac{(8A + B) \sin(c + dx)}{10a^4d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B \text{Sec}[c + dx] + C \text{Sec}[c + dx]^2) / (\text{Sqrt}[\text{Cos}[c + dx]] (a + a \text{Sec}[c + dx])^4), x]$

[Out] $-\left((8A + B) \text{EllipticE}\left[\frac{c + dx}{2}, 2\right]\right) / (10a^4d) + \left((17A + 4B + 3C) \text{EllipticF}\left[\frac{c + dx}{2}, 2\right]\right) / (42a^4d) - \left((83A + B - 15C) \text{Sqrt}[\text{Cos}[c + dx]] \text{Sin}[c + dx]\right) / (210a^4d(1 + \text{Cos}[c + dx])^2) + \left((8A + B) \text{Sqrt}[\text{Cos}[c + dx]] \text{Sin}[c + dx]\right) / (10a^4d(1 + \text{Cos}[c + dx])) - \left((A - B + C) \text{Cos}[c + dx]^{5/2} \text{Sin}[c + dx]\right) / (7d(a + a \text{Cos}[c + dx])^4) - \left((9A - 2B - 5C) \text{Cos}[c + dx]^{3/2} \text{Sin}[c + dx]\right) / (35a^4d(a + a \text{Cos}[c + dx])^3)$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)(x_)](d_.))^{(n_.)}((a_.) + (b_.) \text{sec}[(e_.) + (f_.)(x_)])^{(m_.)}((A_.) + (B_.) \text{sec}[(e_.) + (f_.)(x_)] + (C_.) \text{sec}[(e_.) + (f_.)(x_)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m + 2)}, \text{Int}[(b + a \text{Cos}[e + f*x])^m (d \text{Cos}[e + f*x])^{(n - m - 2)} (C + B \text{Cos}[e + f*x] + A \text{Cos}[e + f*x]^2), x], x] /; \text{Free}$

$eQ[\{a, b, d, e, f, A, B, C, n\}, x] \&\& !\text{IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3041

$\text{Int}[\left((a_{\cdot}) + (b_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right)^{(m_{\cdot})} \left((c_{\cdot}) + (d_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right)^{(n_{\cdot})} \left((A_{\cdot}) + (B_{\cdot})\sin[e_{\cdot}] + (C_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right)^2, x_{\text{Symbol}}] \rightarrow \text{Simp}[\left((aA - bB + aC)\cos[e + fx] \cdot (a + b \sin[e + fx])^m \cdot (c + d \sin[e + fx])^{(n+1)}\right) / (f(bc - ad)(2m+1)), x] + \text{Dist}[1/(b(bc - ad)(2m+1)), \text{Int}[(a + b \sin[e + fx])^{(m+1)} \cdot (c + d \sin[e + fx])^n \cdot \text{Simp}[A(a c(m+1) - b d(2m+n+2)) + B(b c m + a d(n+1)) - C(a c m + b d(n+1)) + (d(aA - bB)(m+n+2) + C(b c(2m+1) - a d(m-n-1)) \sin[e + fx], x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 2977

$\text{Int}[\left((a_{\cdot}) + (b_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right)^{(m_{\cdot})} \left((A_{\cdot}) + (B_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right) \left((c_{\cdot}) + (d_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right)^{(n_{\cdot})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[\left((A b - a B)\cos[e + fx] \cdot (a + b \sin[e + fx])^m \cdot (c + d \sin[e + fx])^n\right) / (a f(2m+1)), x] - \text{Dist}[1/(a b(2m+1)), \text{Int}[(a + b \sin[e + fx])^{(m+1)} \cdot (c + d \sin[e + fx])^{(n-1)} \cdot \text{Simp}[A(a d n - b c(m+1)) - B(a c m + b d n) - d(a B(m-n) + A b(m+n+1)) \sin[e + fx], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2m] \&\& (\text{IntegerQ}[2n] \parallel \text{EqQ}[c, 0])$

Rule 2978

$\text{Int}[\left((a_{\cdot}) + (b_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right)^{(m_{\cdot})} \left((A_{\cdot}) + (B_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right) \left((c_{\cdot}) + (d_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right)^{(n_{\cdot})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[\left(b(A b - a B)\cos[e + fx] \cdot (a + b \sin[e + fx])^m \cdot (c + d \sin[e + fx])^{(n+1)}\right) / (a f(2m+1)(b c - a d)), x] + \text{Dist}[1/(a(2m+1)(b c - a d)), \text{Int}[(a + b \sin[e + fx])^{(m+1)} \cdot (c + d \sin[e + fx])^n \cdot \text{Simp}[B(a c m + b d(n+1)) + A(b c(m+1) - a d(2m+n+2)) + d(A b - a B)(m+n+2) \sin[e + fx], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0] \&\& \text{IntegerQ}[2m] \&\& (\text{IntegerQ}[2n] \parallel \text{EqQ}[c, 0])$

Rule 2748

$\text{Int}[\left((b_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right)^{(m_{\cdot})} \left((c_{\cdot}) + (d_{\cdot})\sin[e_{\cdot}] + (f_{\cdot})(x_{\cdot})\right), x_{\text{Symbol}}] \rightarrow \text{Dist}[c, \text{Int}[(b \sin[e + fx])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \sin[e + fx])^{(m+1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^4} dx &= \int \frac{\cos^{\frac{3}{2}}(c + dx) (C + B \cos(c + dx) + A \cos^2(c + dx))}{(a + a \cos(c + dx))^4} dx \\
 &= -\frac{(A - B + C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \int \frac{\cos^{\frac{3}{2}}(c + dx) \left(-\frac{1}{2}a(5A - 5B - 9C) + \frac{1}{2}a(13A + 13B + 9C)\right)}{(a + a \cos(c + dx))^3} dx \\
 &= -\frac{(A - B + C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(9A - 2B - 5C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
 &= -\frac{(83A + B - 15C)\sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= -\frac{(83A + B - 15C)\sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= -\frac{(83A + B - 15C)\sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= -\frac{(8A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} + \frac{(17A + 4B + 3C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{42a^4d} - \frac{(83A + B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4}
 \end{aligned}$$

Mathematica [C] time = 7.207, size = 1862, normalized size = 8.03

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^4),x]

[Out] (((-16*I)/5)*A*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/(3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^4 - (((2*I)/5)*B*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/(3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^4 - (136*A*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^4 - (32*B*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^4 - (8*C*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(7*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^4 + (Cos[c/2 + (d*x)/2]^8*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((16*(8*A + B)*Csc[c])/(5*d) + (16*Sec[c/2]*Sec[c/2 + (d*x)/2]*(8*A*Sin[(d*x)/2] + B*Sin[(d*x)/2]))/(5*d) - (8*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(167*A*Sin[(d*x)/2] - 41

$$\frac{*B*\sin[(d*x)/2] - 15*C*\sin[(d*x)/2])/(105*d) - (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^7*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2] + C*\sin[(d*x)/2]))/(7*d) + (8*\sec[c/2]*\sec[c/2 + (d*x)/2]^5*(19*A*\sin[(d*x)/2] - 12*B*\sin[(d*x)/2] + 5*C*\sin[(d*x)/2]))/(35*d) - (8*(167*A - 41*B - 15*C)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(105*d) + (8*(19*A - 12*B + 5*C)*\sec[c/2 + (d*x)/2]^4*\tan[c/2])/(35*d) - (4*(A - B + C)*\sec[c/2 + (d*x)/2]^6*\tan[c/2])/(7*d)))/(\cos[c + d*x]^(3/2)*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]))*(a + a*\sec[c + d*x])^4$$

Maple [B] time = 2.987, size = 595, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^(1/2)/(a+a*\sec(d*x+c))^4, x)$

[Out] $-1/840*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*(1344*A*\cos(1/2*d*x+1/2*c)^{10}+340*A*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))*\cos(1/2*d*x+1/2*c)^7+672*A*\cos(1/2*d*x+1/2*c)^7*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^(1/2))+168*B*\cos(1/2*d*x+1/2*c)^{10}+80*B*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))*\cos(1/2*d*x+1/2*c)^7+84*B*\cos(1/2*d*x+1/2*c)^7*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^(1/2))+60*C*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2))*\cos(1/2*d*x+1/2*c)^7-2684*A*\cos(1/2*d*x+1/2*c)^8-88*B*\cos(1/2*d*x+1/2*c)^8+60*C*\cos(1/2*d*x+1/2*c)^8+1902*A*\cos(1/2*d*x+1/2*c)^6-306*B*\cos(1/2*d*x+1/2*c)^6-30*C*\cos(1/2*d*x+1/2*c)^6-706*A*\cos(1/2*d*x+1/2*c)^4+328*B*\cos(1/2*d*x+1/2*c)^4-90*C*\cos(1/2*d*x+1/2*c)^4+159*A*\cos(1/2*d*x+1/2*c)^2-117*B*\cos(1/2*d*x+1/2*c)^2+75*C*\cos(1/2*d*x+1/2*c)^2-15*A+15*B-15*C)/a^4/\cos(1/2*d*x+1/2*c)^7/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a^4 \cos(dx+c) \sec(dx+c)^4 + 4a^4 \cos(dx+c) \sec(dx+c)^3 + 6a^4 \cos(dx+c) \sec(dx+c)^2 + 4a^4 \cos(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^4*cos(d*x + c)*sec(d*x + c)^4 + 4*a^4*cos(d*x + c)*sec(d*x + c)^3 + 6*a^4*cos(d*x + c)*sec(d*x + c)^2 + 4*a^4*cos(d*x + c)*sec(d*x + c) + a^4*cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**4,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a)^4 \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))  
^4,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^4*s  
qrt(cos(d*x + c))), x)
```

$$3.1242 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \cos^2(c+dx)(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=229

$$\frac{(4A + 3B + 4C)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{42a^4d} + \frac{(41A + 15B - C) \sin(c + dx)\sqrt{\cos(c + dx)}}{210a^4d(\cos(c + dx) + 1)^2} - \frac{(A - C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{10a^4d} + \frac{(A - C) \sin(c + dx)}{10a^4d}$$

[Out] -((A - C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) + ((4*A + 3*B + 4*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) + ((41*A + 15*B - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(210*a^4*d*(1 + Cos[c + d*x])^2) + ((A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*a^4*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(7*d*(a + a*cos[c + d*x])^4) - ((A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*a*d*(a + a*cos[c + d*x])^3)

Rubi [A] time = 0.765289, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2977, 2978, 2748, 2641, 2639}

$$\frac{(4A + 3B + 4C)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{42a^4d} + \frac{(41A + 15B - C) \sin(c + dx)\sqrt{\cos(c + dx)}}{210a^4d(\cos(c + dx) + 1)^2} - \frac{(A - C)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{10a^4d} + \frac{(A - C) \sin(c + dx)}{10a^4d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^4), x]

[Out] -((A - C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) + ((4*A + 3*B + 4*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) + ((41*A + 15*B - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(210*a^4*d*(1 + Cos[c + d*x])^2) + ((A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*a^4*d*(1 + Cos[c + d*x])) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(7*d*(a + a*cos[c + d*x])^4) - ((A - C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*a*d*(a + a*cos[c + d*x])^3)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; Fre

$\text{eQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3041

$\text{Int}[(a_ + (b_ \cdot \sin[e_ + (f_ \cdot x_)])^m) \cdot ((c_ + (d_ \cdot \sin[e_ + (f_ \cdot x_)]))^{n_}) \cdot ((A_ + (B_ \cdot \sin[e_ + (f_ \cdot x_)] + (C_ \cdot \sin[e_ + (f_ \cdot x_)]^2), x_Symbol] \rightarrow \text{Simp}[(a \cdot A - b \cdot B + a \cdot C) \cdot \text{Cos}[e + f \cdot x] \cdot (a + b \cdot \text{Sin}[e + f \cdot x])^m \cdot (c + d \cdot \text{Sin}[e + f \cdot x])^{n+1}) / (f \cdot (b \cdot c - a \cdot d) \cdot (2 \cdot m + 1)), x] + \text{Dist}[1 / (b \cdot (b \cdot c - a \cdot d) \cdot (2 \cdot m + 1)), \text{Int}[(a + b \cdot \text{Sin}[e + f \cdot x])^{m+1} \cdot (c + d \cdot \text{Sin}[e + f \cdot x])^n \cdot \text{Simp}[A \cdot (a \cdot c \cdot (m + 1) - b \cdot d \cdot (2 \cdot m + n + 2)) + B \cdot (b \cdot c \cdot m + a \cdot d \cdot (n + 1)) - C \cdot (a \cdot c \cdot m + b \cdot d \cdot (n + 1)) + (d \cdot (a \cdot A - b \cdot B) \cdot (m + n + 2) + C \cdot (b \cdot c \cdot (2 \cdot m + 1) - a \cdot d \cdot (m - n - 1))] \cdot \text{Sin}[e + f \cdot x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 2977

$\text{Int}[(a_ + (b_ \cdot \sin[e_ + (f_ \cdot x_)])^m) \cdot ((A_ + (B_ \cdot \sin[e_ + (f_ \cdot x_)]))^{n_}) \cdot ((c_ + (d_ \cdot \sin[e_ + (f_ \cdot x_)]))^{n_}), x_Symbol] \rightarrow \text{Simp}[(A \cdot b - a \cdot B) \cdot \text{Cos}[e + f \cdot x] \cdot (a + b \cdot \text{Sin}[e + f \cdot x])^m \cdot (c + d \cdot \text{Sin}[e + f \cdot x])^n / (a \cdot f \cdot (2 \cdot m + 1)), x] - \text{Dist}[1 / (a \cdot b \cdot (2 \cdot m + 1)), \text{Int}[(a + b \cdot \text{Sin}[e + f \cdot x])^{m+1} \cdot (c + d \cdot \text{Sin}[e + f \cdot x])^{n-1} \cdot \text{Simp}[A \cdot (a \cdot d \cdot n - b \cdot c \cdot (m + 1)) - B \cdot (a \cdot c \cdot m + b \cdot d \cdot n) - d \cdot (a \cdot B \cdot (m - n) + A \cdot b \cdot (m + n + 1))] \cdot \text{Sin}[e + f \cdot x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2 \cdot m] \&\& (\text{IntegerQ}[2 \cdot n] \parallel \text{EqQ}[c, 0])$

Rule 2978

$\text{Int}[(a_ + (b_ \cdot \sin[e_ + (f_ \cdot x_)])^m) \cdot ((A_ + (B_ \cdot \sin[e_ + (f_ \cdot x_)]))^{n_}) \cdot ((c_ + (d_ \cdot \sin[e_ + (f_ \cdot x_)]))^{n_}), x_Symbol] \rightarrow \text{Simp}[(b \cdot (A \cdot b - a \cdot B) \cdot \text{Cos}[e + f \cdot x] \cdot (a + b \cdot \text{Sin}[e + f \cdot x])^m \cdot (c + d \cdot \text{Sin}[e + f \cdot x])^{n+1}) / (a \cdot f \cdot (2 \cdot m + 1) \cdot (b \cdot c - a \cdot d)), x] + \text{Dist}[1 / (a \cdot (2 \cdot m + 1) \cdot (b \cdot c - a \cdot d)), \text{Int}[(a + b \cdot \text{Sin}[e + f \cdot x])^{m+1} \cdot (c + d \cdot \text{Sin}[e + f \cdot x])^n \cdot \text{Simp}[B \cdot (a \cdot c \cdot m + b \cdot d \cdot (n + 1)) + A \cdot (b \cdot c \cdot (m + 1) - a \cdot d \cdot (2 \cdot m + n + 2)) + d \cdot (A \cdot b - a \cdot B) \cdot (m + n + 2)] \cdot \text{Sin}[e + f \cdot x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{!GtQ}[n, 0] \&\& \text{IntegerQ}[2 \cdot m] \&\& (\text{IntegerQ}[2 \cdot n] \parallel \text{EqQ}[c, 0])$

Rule 2748

$\text{Int}[(b_ \cdot \sin[e_ + (f_ \cdot x_)])^m \cdot ((c_ + (d_ \cdot \sin[e_ + (f_ \cdot x_)]))^{n_}) \cdot ((A_ + (B_ \cdot \sin[e_ + (f_ \cdot x_)]))^{n_}), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b \cdot \text{Sin}[e + f \cdot x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \cdot \text{Sin}[e + f \cdot x])^{m+1}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x\}$

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^4} dx &= \int \frac{\sqrt{\cos(c + dx)} (C + B \cos(c + dx) + A \cos^2(c + dx))}{(a + a \cos(c + dx))^4} dx \\
 &= -\frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \int \frac{\sqrt{\cos(c + dx)} \left(-\frac{1}{2}a(3A - 3B - 11C) + \frac{1}{2}a(11A + 15B - C)\right)}{(a + a \cos(c + dx))^3} dx \\
 &= -\frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(A - C) \sqrt{\cos(c + dx)} \sin(c + dx)}{5ad(a + a \cos(c + dx))^3} \\
 &= \frac{(41A + 15B - C) \sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= \frac{(41A + 15B - C) \sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= \frac{(41A + 15B - C) \sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= -\frac{(A - C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} + \frac{(4A + 3B + 4C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{42a^4d} + \frac{(41A + 15B - C) \sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2}
 \end{aligned}$$

Mathematica [C] time = 7.06789, size = 1862, normalized size = 8.13

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^4), x]

```

[Out] (((-2*I)/5)*A*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*
Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3
/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x)
))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*
d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos
[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/
4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[
c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*C
os[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d
*(-1 + E^((2*I)*d*x))*Sin[c]))/((A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c +
2*d*x])*(a + a*Sec[c + d*x])^4) + (((2*I)/5)*C*Cos[c/2 + (d*x)/2]^8*Csc[c/2
]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2
*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c
])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[
c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])
/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (
2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]
*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^
(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)
*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((A + 2*C
+ 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^4) - (32*A*Co
s[c/2 + (d*x)/2]^8*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x -
ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c +
d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[
-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x -
ArcTan[Cot[c]]]])/(21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*S
qrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^4) - (8*B*Cos[c/2 + (d*x)/2]^8*Csc[c
/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c
/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan
[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin
[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(7*d*(
A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*
Sec[c + d*x])^4) - (32*C*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*HypergeometricPFQ[{1
/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A +
B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d
*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot
[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*(A + 2*C + 2*B*Cos[c + d
*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^4) + (Cos
[c/2 + (d*x)/2]^8*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((16*(A - C)*Csc[
c])/(5*d) - (8*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(12*A*Sin[(d*x)/2] - 5*B*Sin[(
d*x)/2] - 2*C*Sin[(d*x)/2]))/(35*d) + (16*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Si
n[(d*x)/2] - C*Sin[(d*x)/2]))/(5*d) + (8*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(41*
A*Sin[(d*x)/2] + 15*B*Sin[(d*x)/2] - C*Sin[(d*x)/2]))/(105*d) + (4*Sec[c/2
]*Sec[c/2 + (d*x)/2]^7*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2] + C*Sin[(d*x)/2]))/(
7*d) + (8*(41*A + 15*B - C)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(105*d) - (8*(12

```


$$\frac{(A - 5B - 2C) \operatorname{Sec}\left[\frac{c}{2} + \frac{d*x}{2}\right]^4 \operatorname{Tan}\left[\frac{c}{2}\right] + (4(A - B + C) \operatorname{Sec}\left[\frac{c}{2} + \frac{d*x}{2}\right]^6 \operatorname{Tan}\left[\frac{c}{2}\right])}{(35*d) + (7*d)} \frac{1}{\left(\cos\left[c + d*x\right]^{\frac{3}{2}} (A + 2C + 2B \cos[c + d*x]) + A \cos[2c + 2d*x]\right) (a + a \operatorname{Sec}[c + d*x])^4}$$

Maple [B] time = 3.024, size = 595, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^4,x)`

[Out]
$$\begin{aligned} & -1/840 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (168 * A * \cos(1/2 * d * x + 1/2 * c) ^ 10 + 80 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \cos(1/2 * d * x + 1/2 * c) ^ 7 + 84 * A * \cos(1/2 * d * x + 1/2 * c) ^ 7 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 60 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \cos(1/2 * d * x + 1/2 * c) ^ 7 - 168 * C * \cos(1/2 * d * x + 1/2 * c) ^ 10 + 80 * C * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \cos(1/2 * d * x + 1/2 * c) ^ 7 - 84 * C * \cos(1/2 * d * x + 1/2 * c) ^ 7 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 88 * A * \cos(1/2 * d * x + 1/2 * c) ^ 8 + 60 * B * \cos(1/2 * d * x + 1/2 * c) ^ 8 + 248 * C * \cos(1/2 * d * x + 1/2 * c) ^ 8 - 306 * A * \cos(1/2 * d * x + 1/2 * c) ^ 6 - 30 * B * \cos(1/2 * d * x + 1/2 * c) ^ 6 - 54 * C * \cos(1/2 * d * x + 1/2 * c) ^ 6 + 328 * A * \cos(1/2 * d * x + 1/2 * c) ^ 4 - 90 * B * \cos(1/2 * d * x + 1/2 * c) ^ 4 - 8 * C * \cos(1/2 * d * x + 1/2 * c) ^ 4 - 117 * A * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 75 * B * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 33 * C * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 15 * A - 15 * B + 15 * C) / a ^ 4 / \cos(1/2 * d * x + 1/2 * c) ^ 7 / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^4,x,algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\cos(dx+c)}}{a^4 \cos(dx+c)^2 \sec(dx+c)^4 + 4a^4 \cos(dx+c)^2 \sec(dx+c)^3 + 6a^4 \cos(dx+c)^2 \sec(dx+c)^2 + 4a^4 \cos(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^4*cos(d*x + c)^2*sec(d*x + c)^4 + 4*a^4*cos(d*x + c)^2*sec(d*x + c)^3 + 6*a^4*cos(d*x + c)^2*sec(d*x + c)^2 + 4*a^4*cos(d*x + c)^2*sec(d*x + c) + a^4*cos(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**4,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(a \sec(dx+c) + a)^4 \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^4*c  
os(d*x + c)^(3/2)), x)
```

$$3.1243 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=234

$$\frac{(3A+4B+17C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{42a^4d} + \frac{(15A-B-83C)\sin(c+dx)\sqrt{\cos(c+dx)}}{210a^4d(\cos(c+dx)+1)^2} + \frac{(B+8C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^4d} - \frac{(B+8C)\sin(c+dx)}{10a^4d}$$

[Out] ((B + 8*C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) + ((3*A + 4*B + 17*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) + ((15*A - B - 83*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(210*a^4*d*(1 + Cos[c + d*x])^2) - ((B + 8*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*a^4*d*(1 + Cos[c + d*x])) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(7*d*(a + a*Cos[c + d*x])^4) + ((5*A + 2*B - 9*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(35*a*d*(a + a*Cos[c + d*x])^3)

Rubi [A] time = 0.763188, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3041, 2978, 2748, 2641, 2639}

$$\frac{(3A+4B+17C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{42a^4d} + \frac{(15A-B-83C)\sin(c+dx)\sqrt{\cos(c+dx)}}{210a^4d(\cos(c+dx)+1)^2} + \frac{(B+8C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^4d} - \frac{(B+8C)\sin(c+dx)}{10a^4d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^4), x]

[Out] ((B + 8*C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) + ((3*A + 4*B + 17*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) + ((15*A - B - 83*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(210*a^4*d*(1 + Cos[c + d*x])^2) - ((B + 8*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*a^4*d*(1 + Cos[c + d*x])) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(7*d*(a + a*Cos[c + d*x])^4) + ((5*A + 2*B - 9*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(35*a*d*(a + a*Cos[c + d*x])^3)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre

$eQ[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3041

$\text{Int}[\left(\left(a_{.}\right) + \left(b_{.}\right) \sin\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^{\left(m_{.}\right)} \left(\left(c_{.}\right) + \left(d_{.}\right) \sin\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^{\left(n_{.}\right)} \left(\left(A_{.}\right) + \left(B_{.}\right) \sin\left[e_{.}\right] + \left(C_{.}\right) \sin\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^2, x_Symbol] \rightarrow \text{Simp}\left[\left(\left(aA - bB + aC\right) \cos\left[e + fx\right] \left(a + b \sin\left[e + fx\right]\right)^m \left(c + d \sin\left[e + fx\right]\right)^{\left(n + 1\right)} / \left(f \left(bc - ad\right) \left(2m + 1\right)\right), x\right] + \text{Dist}\left[1 / \left(b \left(bc - ad\right) \left(2m + 1\right)\right), \text{Int}\left[\left(a + b \sin\left[e + fx\right]\right)^{\left(m + 1\right)} \left(c + d \sin\left[e + fx\right]\right)^n \text{Simp}\left[A \left(a c \left(m + 1\right) - b d \left(2m + n + 2\right)\right) + B \left(b c m + a d \left(n + 1\right)\right) - C \left(a c m + b d \left(n + 1\right)\right) + \left(d \left(aA - bB\right) \left(m + n + 2\right) + C \left(b c \left(2m + 1\right) - a d \left(m - n - 1\right)\right)\right) \sin\left[e + fx\right], x\right], x\right] /; \text{FreeQ}\left[\{a, b, c, d, e, f, A, B, C, n\}, x\right] \&\& \text{NeQ}\left[b c - a d, 0\right] \&\& \text{EqQ}\left[a^2 - b^2, 0\right] \&\& \text{NeQ}\left[c^2 - d^2, 0\right] \&\& \text{LtQ}\left[m, -2^{(-1)}\right]$

Rule 2978

$\text{Int}\left[\left(\left(a_{.}\right) + \left(b_{.}\right) \sin\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^{\left(m_{.}\right)} \left(\left(A_{.}\right) + \left(B_{.}\right) \sin\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right) \left(\left(c_{.}\right) + \left(d_{.}\right) \sin\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^{\left(n_{.}\right)}, x_Symbol] \rightarrow \text{Simp}\left[\left(b \left(A b - a B\right) \cos\left[e + fx\right] \left(a + b \sin\left[e + fx\right]\right)^m \left(c + d \sin\left[e + fx\right]\right)^{\left(n + 1\right)} / \left(a f \left(2m + 1\right) \left(bc - ad\right)\right), x\right] + \text{Dist}\left[1 / \left(a \left(2m + 1\right) \left(bc - ad\right)\right), \text{Int}\left[\left(a + b \sin\left[e + fx\right]\right)^{\left(m + 1\right)} \left(c + d \sin\left[e + fx\right]\right)^n \text{Simp}\left[B \left(a c m + b d \left(n + 1\right)\right) + A \left(b c \left(m + 1\right) - a d \left(2m + n + 2\right)\right) + d \left(A b - a B\right) \left(m + n + 2\right)\right] \sin\left[e + fx\right], x\right], x\right] /; \text{FreeQ}\left[\{a, b, c, d, e, f, A, B, n\}, x\right] \&\& \text{NeQ}\left[b c - a d, 0\right] \&\& \text{EqQ}\left[a^2 - b^2, 0\right] \&\& \text{NeQ}\left[c^2 - d^2, 0\right] \&\& \text{LtQ}\left[m, -2^{(-1)}\right] \&\& \text{!GtQ}\left[n, 0\right] \&\& \text{IntegerQ}\left[2m\right] \&\& \left(\text{IntegerQ}\left[2n\right] \parallel \text{EqQ}\left[c, 0\right]\right)$

Rule 2748

$\text{Int}\left[\left(\left(b_{.}\right) \sin\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^{\left(m_{.}\right)} \left(\left(c_{.}\right) + \left(d_{.}\right) \sin\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right), x_Symbol] \rightarrow \text{Dist}\left[c, \text{Int}\left[\left(b \sin\left[e + fx\right]\right)^m, x\right], x\right] + \text{Dist}\left[d/b, \text{Int}\left[\left(b \sin\left[e + fx\right]\right)^{\left(m + 1\right)}, x\right], x\right] /; \text{FreeQ}\left[\{b, c, d, e, f, m\}, x\right]$

Rule 2641

$\text{Int}\left[1 / \sqrt{\sin\left[c_{.}\right] + \left(d_{.}\right) \left(x_{.}\right)}, x_Symbol] \rightarrow \text{Simp}\left[\left(2 \text{EllipticF}\left[\left(1 \left(c - \text{Pi}/2 + d x\right)\right) / 2, 2\right]\right) / d, x\right] /; \text{FreeQ}\left[\{c, d\}, x\right]$

Rule 2639

$\text{Int}\left[\sqrt{\sin\left[c_{.}\right] + \left(d_{.}\right) \left(x_{.}\right)}, x_Symbol] \rightarrow \text{Simp}\left[\left(2 \text{EllipticE}\left[\left(1 \left(c - \text{Pi}/2 + d x\right)\right) / 2, 2\right]\right) / d, x\right] /; \text{FreeQ}\left[\{c, d\}, x\right]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^4} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^4} dx \\
&= -\frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{-\frac{1}{2}a(A-B-13C) + \frac{1}{2}a(9A+5B-5C) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^3} dx}{7a^2} \\
&= -\frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(5A + 2B - 9C)\sqrt{\cos(c + dx)} \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
&= \frac{(15A - B - 83C)\sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
&= \frac{(15A - B - 83C)\sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
&= \frac{(15A - B - 83C)\sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d(1 + \cos(c + dx))^2} - \frac{(A - B + C)\sqrt{\cos(c + dx)} \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\
&= \frac{(B + 8C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} + \frac{(3A + 4B + 17C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{42a^4d} + \frac{(15A - B - 83C)\sqrt{\cos(c + dx)} \sin(c + dx)}{210a^4d}
\end{aligned}$$

Mathematica [C] time = 7.09044, size = 1862, normalized size = 7.96

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^4),x]

[Out] (((2*I)/5)*B*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2

$$\begin{aligned}
& *d*x])*(a + a*\text{Sec}[c + d*x])^4) + (((16*I)/5)*C*\text{Cos}[c/2 + (d*x)/2]^8*\text{Csc}[c/2] \\
&]*\text{Sec}[c/2]*\text{Sec}[c + d*x]^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^((2 \\
& *I)*d*x)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*\text{Sin}[c \\
&])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[\\
& c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]) \\
& /((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (\\
& 2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*\text{Sin}[c])^2)] \\
&)*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^ \\
& (I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((-I) \\
& *d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/(A + 2*C \\
& + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^4) - (8*A*\text{Cos} \\
& [c/2 + (d*x)/2]^8*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - A \\
& \text{rcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d \\
& *x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[- \\
& (\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - A \\
& \text{rcTan}[\text{Cot}[c]]]])/(7*d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*Sqr \\
& t[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^4) - (32*B*\text{Cos}[c/2 + (d*x)/2]^8*\text{Csc}[c/ \\
& 2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/ \\
& 2]*\text{Sec}[c + d*x]^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] \\
&)*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[\\
& c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(21*d*(\\
& A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*Sqrt[1 + \text{Cot}[c]^2]*(a + a* \\
& \text{Sec}[c + d*x])^4) - (136*C*\text{Cos}[c/2 + (d*x)/2]^8*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{ \\
& 1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]^2*(A + \\
& B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[\\
& d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Co} \\
& t[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(21*d*(A + 2*C + 2*B*\text{Cos}[c + \\
& d*x] + A*\text{Cos}[2*c + 2*d*x])*Sqrt[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^4) + (Co \\
& s[c/2 + (d*x)/2]^8*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((-16*(B + 8*C)* \\
& \text{Csc}[c])/(5*d) + (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(15*A*\text{Sin}[(d*x)/2] - B*\text{Sin} \\
& [(d*x)/2] - 83*C*\text{Sin}[(d*x)/2]))/(105*d) + (8*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^5* \\
& (5*A*\text{Sin}[(d*x)/2] + 2*B*\text{Sin}[(d*x)/2] - 9*C*\text{Sin}[(d*x)/2]))/(35*d) - (4*\text{Sec}[c \\
& /2]*\text{Sec}[c/2 + (d*x)/2]^7*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2] + C*\text{Sin}[(d*x)/2]) \\
&)/(7*d) - (16*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(B*\text{Sin}[(d*x)/2] + 8*C*\text{Sin}[(d*x)/2 \\
&]))/(5*d) + (8*(15*A - B - 83*C)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2))/(105*d) + (\\
& 8*(5*A + 2*B - 9*C)*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2))/(35*d) - (4*(A - B + C)* \\
& \text{Sec}[c/2 + (d*x)/2]^6*\text{Tan}[c/2))/(7*d)))/(Cos[c + d*x]^(3/2)*(A + 2*C + 2*B*C \\
& os[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*(a + a*\text{Sec}[c + d*x])^4)
\end{aligned}$$

Maple [B] time = 3.019, size = 595, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(5/2)}/(a+a*\sec(dx+c))^4,x)$

[Out] $-1/840*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(60*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^7-168*B*\cos(1/2*d*x+1/2*c)^{10}+80*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^7-84*B*\cos(1/2*d*x+1/2*c)^7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2)^{(1/2)})-1344*C*\cos(1/2*d*x+1/2*c)^{10}+340*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^7-672*C*\cos(1/2*d*x+1/2*c)^7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2)^{(1/2)})+60*A*\cos(1/2*d*x+1/2*c)^8+248*B*\cos(1/2*d*x+1/2*c)^8+1684*C*\cos(1/2*d*x+1/2*c)^8-30*A*\cos(1/2*d*x+1/2*c)^6-54*B*\cos(1/2*d*x+1/2*c)^6-282*C*\cos(1/2*d*x+1/2*c)^6-90*A*\cos(1/2*d*x+1/2*c)^4-8*B*\cos(1/2*d*x+1/2*c)^4-34*C*\cos(1/2*d*x+1/2*c)^4+75*A*\cos(1/2*d*x+1/2*c)^2-33*B*\cos(1/2*d*x+1/2*c)^2-9*C*\cos(1/2*d*x+1/2*c)^2-15*A+15*B-15*C)/a^4/\cos(1/2*d*x+1/2*c)^7/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(5/2)}/(a+a*\sec(dx+c))^4,x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{\cos(dx+c)}}{a^4 \cos(dx+c)^3 \sec(dx+c)^4 + 4a^4 \cos(dx+c)^3 \sec(dx+c)^3 + 6a^4 \cos(dx+c)^3 \sec(dx+c)^2 + 4a^4 \cos(dx+c)^2 \sec(dx+c) + 4a^4 \cos(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^4,x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^4*co
s(d*x + c)^3*sec(d*x + c)^4 + 4*a^4*cos(d*x + c)^3*sec(d*x + c)^3 + 6*a^4*c
os(d*x + c)^3*sec(d*x + c)^2 + 4*a^4*cos(d*x + c)^3*sec(d*x + c) + a^4*cos(
d*x + c)^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c)
)**4,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^4,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^4*c
os(d*x + c)^(5/2)), x)
```

$$3.1244 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{7 \cos^2(c+dx)(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=276

$$\frac{(4A+17B-108C)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{42a^4d} + \frac{(A+8B-57C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^4d} - \frac{(A+8B-57C)\sin(c+dx)}{10a^4d\sqrt{\cos(c+dx)}} + \frac{(4A+17B-108C)\sin(c+dx)}{42a^4d\sqrt{\cos(c+dx)}}$$

[Out] ((A + 8*B - 57*C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) + ((4*A + 17*B - 108*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) - ((A + 8*B - 57*C)*Sin[c + d*x])/(10*a^4*d*Sqrt[Cos[c + d*x]]) + ((13*A + 29*B - 141*C)*Sin[c + d*x])/(210*a^4*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])^2) + ((4*A + 17*B - 108*C)*Sin[c + d*x])/(42*a^4*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(7*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^4) + ((3*A + 4*B - 11*C)*Sin[c + d*x])/(35*a*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3)

Rubi [A] time = 0.826389, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3041, 2978, 2748, 2636, 2639, 2641}

$$\frac{(4A+17B-108C)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{42a^4d} + \frac{(A+8B-57C)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^4d} - \frac{(A+8B-57C)\sin(c+dx)}{10a^4d\sqrt{\cos(c+dx)}} + \frac{(4A+17B-108C)\sin(c+dx)}{42a^4d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^4), x]

[Out] ((A + 8*B - 57*C)*EllipticE[(c + d*x)/2, 2])/(10*a^4*d) + ((4*A + 17*B - 108*C)*EllipticF[(c + d*x)/2, 2])/(42*a^4*d) - ((A + 8*B - 57*C)*Sin[c + d*x])/(10*a^4*d*Sqrt[Cos[c + d*x]]) + ((13*A + 29*B - 141*C)*Sin[c + d*x])/(210*a^4*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])^2) + ((4*A + 17*B - 108*C)*Sin[c + d*x])/(42*a^4*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])) - ((A - B + C)*Sin[c + d*x])/(7*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^4) + ((3*A + 4*B - 11*C)*Sin[c + d*x])/(35*a*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)

$(x_)]^2)$, x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^(m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3041

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[((a*A - b*B + a*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m*(c + d*Sin[e + f*x])^(n + 1))/(f*(b*c - a*d)*(2*m + 1)), x] + Dist[1/(b*(b*c - a*d)*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[A*(a*c*(m + 1) - b*d*(2*m + n + 2)) + B*(b*c*m + a*d*(n + 1)) - C*(a*c*m + b*d*(n + 1)) + (d*(a*A - b*B)*(m + n + 2) + C*(b*c*(2*m + 1) - a*d*(m - n - 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P

$i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{ :> } \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^4} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^4} dx \\
 &= -\frac{(A - B + C) \sin(c + dx)}{7d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^4} + \frac{\int \frac{\frac{1}{2}a(A-B+15C) + \frac{7}{2}a(A+B-C) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^3} dx}{7a^2} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{7d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^4} + \frac{(3A + 4B - 11C) \sin(c + dx)}{35ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= \frac{(13A + 29B - 141C) \sin(c + dx)}{210a^4d\sqrt{\cos(c + dx)}(1 + \cos(c + dx))^2} - \frac{(A - B + C) \sin(c + dx)}{7d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= \frac{(13A + 29B - 141C) \sin(c + dx)}{210a^4d\sqrt{\cos(c + dx)}(1 + \cos(c + dx))^2} - \frac{(A - B + C) \sin(c + dx)}{7d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= \frac{(13A + 29B - 141C) \sin(c + dx)}{210a^4d\sqrt{\cos(c + dx)}(1 + \cos(c + dx))^2} - \frac{(A - B + C) \sin(c + dx)}{7d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
 &= \frac{(4A + 17B - 108C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{42a^4d} - \frac{(A + 8B - 57C) \sin(c + dx)}{10a^4d\sqrt{\cos(c + dx)}} + \frac{(13A + 29B - 141C) \sin(c + dx)}{210a^4d} \\
 &= \frac{(A + 8B - 57C)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^4d} + \frac{(4A + 17B - 108C)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{42a^4d} - \frac{(A + 8B - 57C) \sin(c + dx)}{10a^4d\sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 7.44565, size = 2316, normalized size = 8.39

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^4),x]

[Out] (((2*I)/5)*A*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^4 + (((16*I)/5)*B*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^4 - (((114*I)/5)*C*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + a*Sec[c + d*x])^4 - (32*A*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/((21*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^4) - (136*B*Cos[c/2 + (d*x)/2]^8*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1

$$\begin{aligned}
& + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) / (21*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a*\text{Sec}[c + d*x])^4) + (288*C*\cos[c/2 + (d*x)/2]^8 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^2 * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (7*d*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a*\text{Sec}[c + d*x])^4) + (\cos[c/2 + (d*x)/2]^8 * (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * ((8*(20*C - A*\cos[c] - 8*B*\cos[c] + 37*C*\cos[c]) * \text{Csc}[c/2] * \text{Sec}[c/2] * \text{Sec}[c]) / (5*d) - (8*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (A*\sin[(d*x)/2] + 83*B*\sin[(d*x)/2] - 237*C*\sin[(d*x)/2])) / (105*d) - (16*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (A*\sin[(d*x)/2] + 8*B*\sin[(d*x)/2] - 37*C*\sin[(d*x)/2])) / (5*d) + (4*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^7 * (A*\sin[(d*x)/2] - B*\sin[(d*x)/2] + C*\sin[(d*x)/2])) / (7*d) + (8*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (2*A*\sin[(d*x)/2] - 9*B*\sin[(d*x)/2] + 16*C*\sin[(d*x)/2])) / (35*d) + (64*C*\text{Sec}[c] * \text{Sec}[c + d*x] * \sin[d*x]) / d - (8*(A + 83*B - 237*C) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (105*d) + (8*(2*A - 9*B + 16*C) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{Tan}[c/2]) / (35*d) + (4*(A - B + C) * \text{Sec}[c/2 + (d*x)/2]^6 * \text{Tan}[c/2]) / (7*d)) / (\cos[c + d*x]^(3/2) * (A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]) * (a + a*\text{Sec}[c + d*x])^4)
\end{aligned}$$

Maple [B] time = 4.102, size = 1017, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2)/\cos(d*x+c)^(7/2)/(a+a*\text{sec}(d*x+c))^4,x)$

[Out] $1/840*(-4*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*(21*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))-20*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))+168*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))-85*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))-1197*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))+540*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2)))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+12*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*(21*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))-20*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))+168*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))-85*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))-1197*C*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))+540*C*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2)))*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-12*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)*(21*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))-20*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))$

$$\begin{aligned} & 1/2)) + 168*B*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 85*B*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1197*C*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 540*C*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) + 4 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (21*A*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 20*A*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 168*B*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 85*B*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1197*C*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 540*C*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) * \cos(1/2*d*x+1/2*c) - 168 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (A+8*B-57*C) * \sin(1/2*d*x+1/2*c)^{10} + 4 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (148*A+1259*B-9036*C) * \sin(1/2*d*x+1/2*c)^8 - 14 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (53*A+499*B-3621*C) * \sin(1/2*d*x+1/2*c)^6 + 2 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (181*A+2108*B-15597*C) * \sin(1/2*d*x+1/2*c)^4 - (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (59*A+907*B-7053*C) * \sin(1/2*d*x+1/2*c)^2 / a^4 / \cos(1/2*d*x+1/2*c)^7 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(7/2)/(a+a*sec(dx+c))^4,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{\cos(dx+c)}}{a^4 \cos(dx+c)^4 \sec(dx+c)^4 + 4a^4 \cos(dx+c)^4 \sec(dx+c)^3 + 6a^4 \cos(dx+c)^4 \sec(dx+c)^2 + 4a^4 \cos(dx+c)^4 \sec(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(7/2)/(a+a*sec(dx+c))^4,x, algorithm="fricas")

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^4*cos(d*x + c)^4*sec(d*x + c)^4 + 4*a^4*cos(d*x + c)^4*sec(d*x + c)^3 + 6*a^4*cos(d*x + c)^4*sec(d*x + c)^2 + 4*a^4*cos(d*x + c)^4*sec(d*x + c) + a^4*cos(d*x + c)^4), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(7/2)/(a+a*sec(d*x+c))**4,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^4,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^4*cos(d*x + c)^(7/2)), x)
```


$$3.1245 \quad \int \cos^{\frac{9}{2}}(c+dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C$$

Optimal. Leaf size=226

$$\frac{2a(16A + 18B + 21C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{8a(16A + 18B + 21C) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}} + \frac{16a(16A + 18B + 21C)}{315d\sqrt{\cos(c + dx)}}$$

[Out] (16*a*(16*A + 18*B + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(16*A + 18*B + 21*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(16*A + 18*B + 21*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(A + 9*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.628749, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4086, 4015, 3805, 3804}

$$\frac{2a(16A + 18B + 21C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{8a(16A + 18B + 21C) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}} + \frac{16a(16A + 18B + 21C)}{315d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (16*a*(16*A + 18*B + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(16*A + 18*B + 21*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(16*A + 18*B + 21*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(A + 9*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+a\sec(c+dx)}}{\cos^{\frac{9}{2}}(c+dx)} dx \\
&= \frac{2A\cos^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{9d} \\
&= \frac{2a(A+9B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aC\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a(16A+18B+21C)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{8a(16A+18B+21C)\sqrt{\cos(c+dx)}\sin(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{16a(16A+18B+21C)\sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{8a(16A+18B+21C)\cos(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.566825, size = 127, normalized size = 0.56

$$\frac{\sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}((752A+846B+672C)\cos(c+dx)+4(83A+54B+63C)\cos(2(c+dx)))}{1260d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(9/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[Cos[c + d*x]]*(1321*A + 1368*B + 1596*C + (752*A + 846*B + 672*C)*Cos[c + d*x] + 4*(83*A + 54*B + 63*C)*Cos[2*(c + d*x)] + 80*A*Cos[3*(c + d*x)] + 90*B*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(1260*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.401, size = 153, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) (35 A (\cos(dx + c))^4 + 40 A (\cos(dx + c))^3 + 45 B (\cos(dx + c))^3 + 48 A (\cos(dx + c))^2 + 54 B \cos(dx + c) + 27 C)}{315 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(9/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -2/315/d*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+40*A*cos(d*x+c)^3+45*B*cos(d*x+c)^3+48*A*cos(d*x+c)^2+54*B*cos(d*x+c)^2+63*C*cos(d*x+c)^2+64*A*cos(d*x+c)+72*B*cos(d*x+c)+84*C*cos(d*x+c)+128*A+144*B+168*C)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)/sin(d*x+c)
```

Maxima [B] time = 2.42619, size = 902, normalized size = 3.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(1890*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 420*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 252*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 45*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) - 1890*cos(9/2*d*x + 9/2*c) * sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 420*cos(9/2*d*x + 9/2*c) * sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 252*cos(9/2*d*x + 9/2*c) * sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 45*cos(9/2*d*x + 9/2*c) * sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*sin(9/2*d*x + 9/2*c) + 45*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 252*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 420*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 1890*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) * A * sqrt(a) - 18*sqrt(2)*(7*(15*sin(3*d*x + 3*c) + 5*sin(2*d*x + 2*c) + sin(d*x + c)) * cos(7/2*arctan2(sin(d*x + c), cos(d*x + c))) - (105*cos(3*d*x + 3*c) + 35*cos(2*d*x + 2*c) + 7*cos(d*x + c) + 10) * sin(7/2*arctan2(sin(d*x + c), cos(d*x + c))) - 7*sin(5/2*arctan2(sin(d*x + c), cos(d*x + c))) - 35*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) - 105*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) * B * sqrt(a) - 84*sqrt(2)*(5*(6*sin(2*d*x + 2*c) + sin(d*x + c)) * cos(5/2*arctan2(sin(d*x + c), cos(d*x + c))) - (30*cos(2*d*x + 2*c) + 5*cos(d*x + c) + 6) * sin(5/2*arctan2(sin(d*x + c), cos(d*x + c))) - 5*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) - 30*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) * C * sqrt(a)) / d
```

Fricas [A] time = 0.495573, size = 344, normalized size = 1.52

$$\frac{2(35A \cos(dx+c)^4 + 5(8A+9B) \cos(dx+c)^3 + 3(16A+18B+21C) \cos(dx+c)^2 + 4(16A+18B+21C) \cos(dx+c) + 128A + 144B + 168C) \sqrt{(a \cos(dx+c) + a) / \cos(dx+c)} \sqrt{\cos(dx+c)} \sin(dx+c)}{315(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 2/315*(35*A*cos(d*x + c)^4 + 5*(8*A + 9*B)*cos(d*x + c)^3 + 3*(16*A + 18*B + 21*C)*cos(d*x + c)^2 + 4*(16*A + 18*B + 21*C)*cos(d*x + c) + 128*A + 144*B + 168*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] Timed out

3.1246 $\int \cos^{\frac{7}{2}}(c+dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=178

$$\frac{2a(24A + 28B + 35C) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{4a(24A + 28B + 35C) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2a(A + 7B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d \sqrt{a \sec(c + dx) + a}}$$

[Out] (4*a*(24*A + 28*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(24*A + 28*B + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.550503, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4086, 4015, 3805, 3804}

$$\frac{2a(24A + 28B + 35C) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} + \frac{4a(24A + 28B + 35C) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2a(A + 7B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a*(24*A + 28*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(24*A + 28*B + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+a \sec(c+dx)}}{\cos(c+dx)} dx \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{7d} \\
&= \frac{2a(A+7B) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{35d \sqrt{a+a \sec(c+dx)}} + \frac{2aC \cos^{\frac{1}{2}}(c+dx) \sin(c+dx)}{35d \sqrt{a+a \sec(c+dx)}} \\
&= \frac{2a(24A+28B+35C) \sqrt{\cos(c+dx)} \sin(c+dx)}{105d \sqrt{a+a \sec(c+dx)}} \\
&= \frac{4a(24A+28B+35C) \sin(c+dx)}{105d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{2aC \sin(c+dx)}{105d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.379889, size = 105, normalized size = 0.59

$$\frac{\sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a(\sec(c+dx)+1)} ((141A+28(4B+5C)) \cos(c+dx) + 6(6A+7B) \cos(2(c+dx)) + 15A \cos(3(c+dx)))}{210d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d*x]^(7/2)*Sqrt[a+a*Sec[c+d*x]]*(A+B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (Sqrt[Cos[c+d*x]]*(228*A+266*B+280*C+(141*A+28*(4*B+5*C))*Cos[c+d*x]+6*(6*A+7*B)*Cos[2*(c+d*x)]+15*A*Cos[3*(c+d*x)])*Sqrt[a*(1+Sec[c+d*x])]*Sin[c+d*x])/(210*d*(1+Cos[c+d*x]))

Maple [A] time = 0.373, size = 120, normalized size = 0.7

$$\frac{(-2+2 \cos(dx+c)) (15 A (\cos(dx+c))^3 + 18 A (\cos(dx+c))^2 + 21 B (\cos(dx+c))^2 + 24 A \cos(dx+c) + 28 B \cos(dx+c))}{105 d \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

[Out] $-2/105/d*(-1+\cos(dx+c))*(15A*\cos(dx+c)^3+18A*\cos(dx+c)^2+21B*\cos(dx+c)^2+24A*\cos(dx+c)+28B*\cos(dx+c)+35C*\cos(dx+c)+48A+56B+70C)*(a*\cos(dx+c)+1)/\cos(dx+c)^{(1/2)}*\cos(dx+c)^{(1/2)}/\sin(dx+c)$

Maxima [B] time = 2.31795, size = 686, normalized size = 3.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(7/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="maxima")`

[Out] $1/840*(3*\sqrt{2}*(105*\cos(6/7*\arctan2(\sin(7/2*dx + 7/2*c), \cos(7/2*dx + 7/2*c)))*\sin(7/2*dx + 7/2*c) + 35*\cos(4/7*\arctan2(\sin(7/2*dx + 7/2*c), \cos(7/2*dx + 7/2*c)))*\sin(7/2*dx + 7/2*c) + 7*\cos(2/7*\arctan2(\sin(7/2*dx + 7/2*c), \cos(7/2*dx + 7/2*c)))*\sin(7/2*dx + 7/2*c) - 105*\cos(7/2*dx + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*dx + 7/2*c), \cos(7/2*dx + 7/2*c))) - 35*\cos(7/2*dx + 7/2*c)*\sin(4/7*\arctan2(\sin(7/2*dx + 7/2*c), \cos(7/2*dx + 7/2*c))) - 7*\cos(7/2*dx + 7/2*c)*\sin(2/7*\arctan2(\sin(7/2*dx + 7/2*c), \cos(7/2*dx + 7/2*c))) + 10*\sin(7/2*dx + 7/2*c) + 7*\sin(5/7*\arctan2(\sin(7/2*dx + 7/2*c), \cos(7/2*dx + 7/2*c))) + 35*\sin(3/7*\arctan2(\sin(7/2*dx + 7/2*c), \cos(7/2*dx + 7/2*c))) + 105*\sin(1/7*\arctan2(\sin(7/2*dx + 7/2*c), \cos(7/2*dx + 7/2*c))))*A*\sqrt{a} - 14*\sqrt{2}*(5*(6*\sin(2*dx + 2*c) + \sin(dx + c))*\cos(5/2*\arctan2(\sin(dx + c), \cos(dx + c))) - (30*\cos(2*dx + 2*c) + 5*\cos(dx + c) + 6)*\sin(5/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 5*\sin(3/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 30*\sin(1/2*\arctan2(\sin(dx + c), \cos(dx + c))))*B*\sqrt{a} - 140*(3*\sqrt{2}*\cos(3/2*\arctan2(\sin(dx + c), \cos(dx + c)))*\sin(dx + c) - (3*\sqrt{2}*\cos(dx + c) + 2*\sqrt{2})*\sin(3/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 3*\sqrt{2}*\sin(1/2*\arctan2(\sin(dx + c), \cos(dx + c))))*C*\sqrt{a))/d$

Fricas [A] time = 0.488651, size = 284, normalized size = 1.6

$$2\left(15A\cos(dx+c)^3 + 3(6A+7B)\cos(dx+c)^2 + (24A+28B+35C)\cos(dx+c) + 48A+56B+70C\right)\sqrt{\frac{a\cos(dx+c)}{\cos(dx+c)}} \\ \hline 105(d\cos(dx+c)+d)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] 2/105*(15*A*cos(d*x + c)^3 + 3*(6*A + 7*B)*cos(d*x + c)^2 + (24*A + 28*B +
35*C)*cos(d*x + c) + 48*A + 56*B + 70*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x
+ c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c)
)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a \cos(dx + c)}^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*
cos(d*x + c)^(7/2), x)
```

$$3.1247 \quad \int \cos^{\frac{5}{2}}(c+dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C$$

Optimal. Leaf size=129

$$\frac{2a(7A + 5B + 15C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2(A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{15d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d}$$

[Out] (2*a*(7*A + 5*B + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(A + 5*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.468495, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {4265, 4086, 4013, 3804}

$$\frac{2a(7A + 5B + 15C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2(A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{15d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*a*(7*A + 5*B + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(A + 5*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(5*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e

```

+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + a \sec(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2A \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{5d} \\
&= \frac{2(A + 5B) \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}}{15d} \\
&= \frac{2a(7A + 5B + 15C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{2(A + 5B + 15C)}{15d}
\end{aligned}$$

Mathematica [A] time = 0.188029, size = 82, normalized size = 0.64

$$\frac{2 \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a(\sec(c + dx) + 1)} ((4A + 5B) \cos(c + dx) + 3A \cos^2(c + dx) + 8A + 10B + 15C)}{15d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (2*Sqrt[Cos[c + d*x]]*(8*A + 10*B + 15*C + (4*A + 5*B)*Cos[c + d*x] + 3*A*Cos[c + d*x]^2)*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(15*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.351, size = 89, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) \left(3 A (\cos(dx + c))^2 + 4 A \cos(dx + c) + 5 B \cos(dx + c) + 8 A + 10 B + 15 C \right)}{15 d \sin(dx + c)} \sqrt{\cos(dx + c)} \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)

[Out] -2/15/d*(-1+cos(d*x+c))*(3*A*cos(d*x+c)^2+4*A*cos(d*x+c)+5*B*cos(d*x+c)+8*A+10*B+15*C)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [B] time = 2.23529, size = 433, normalized size = 3.36

$$\sqrt{2} \left(30 \cos \left(\frac{4}{5} \arctan \left(\sin \left(\frac{5}{2} dx + \frac{5}{2} c \right), \cos \left(\frac{5}{2} dx + \frac{5}{2} c \right) \right) \right) \sin \left(\frac{5}{2} dx + \frac{5}{2} c \right) + 5 \cos \left(\frac{2}{5} \arctan \left(\sin \left(\frac{5}{2} dx + \frac{5}{2} c \right), \cos \left(\frac{5}{2} dx + \frac{5}{2} c \right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/60*(sqrt(2)*(30*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) + 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) - 30*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*cos(5/2*d*x + 5/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 6*sin(5/2*d*x + 5/2*c) + 5*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 30*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))))*A*sqrt(a) + 120*sqrt(2)*C*sqrt(a)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 10*

$(3\sqrt{2}\cos(3/2\arctan2(\sin(dx+c), \cos(dx+c)))\sin(dx+c) - (3\sqrt{2}\cos(dx+c) + 2\sqrt{2})\sin(3/2\arctan2(\sin(dx+c), \cos(dx+c))) - 3\sqrt{2}\sin(1/2\arctan2(\sin(dx+c), \cos(dx+c))))B\sqrt{a})/d$

Fricas [A] time = 0.480971, size = 225, normalized size = 1.74

$$\frac{2\left(3A\cos(dx+c)^2 + (4A+5B)\cos(dx+c) + 8A+10B+15C\right)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{15(d\cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] 2/15*(3*A*cos(dx+c)^2 + (4*A + 5*B)*cos(dx+c) + 8*A + 10*B + 15*C)*sqrt((a*cos(dx+c) + a)/cos(dx+c))*sqrt(cos(dx+c))*sin(dx+c)/(d*cos(dx+c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)**2)*(a+a*sec(dx+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{a \sec(dx+c) + a \cos(dx+c)}^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))  
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*  
cos(d*x + c)^(5/2), x)
```

$$3.1248 \quad \int \cos^{\frac{3}{2}}(c+dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec(c + dx)) dx$$

Optimal. Leaf size=140

$$\frac{2a(A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{3d} + \frac{2\sqrt{a}C \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

[Out] (2*Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.446848, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4086, 4015, 3801, 215}

$$\frac{2a(A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{3d} + \frac{2\sqrt{a}C \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*Sqrt[a]*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x]


```

+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+a \sec(c+dx)}}{\cos(c+dx)} dx \\
&= \frac{2A \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{3d} \\
&= \frac{2a(A+3B) \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{2A \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{3d} \\
&= \frac{2a(A+3B) \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{2A \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{3d} \\
&= \frac{2\sqrt{a}C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.611356, size = 94, normalized size = 0.67

$$\frac{\sqrt{\cos(c+dx)} \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(2 \sin\left(\frac{1}{2}(c+dx)\right) (A \cos(c+dx) + 2A + 3B) + 3\sqrt{2}C \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])])*(3*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*(2*A + 3*B + A*Cos[c + d*x])*Sin[(c + d*x)/2])/ (3*d)

Maple [A] time = 0.38, size = 222, normalized size = 1.6

$$-\frac{-1 + \cos(dx+c)}{3d(\sin(dx+c))^2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(2A \cos(dx+c) \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} + 4A \sin(dx+c) \sqrt{-2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out]
$$-1/3/d*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(2*A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+4*A*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})+6*B*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-3*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c))))+3*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)^{(1/2)}/\sin(d*x+c)^{2/(-2/(\cos(d*x+c)+1))^{1/2}}$$

Maxima [B] time = 2.27888, size = 513, normalized size = 3.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out]
$$\frac{1}{6}*(\sqrt{2}*(3*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(3/2*d*x + 3/2*c) - 3*\cos(3/2*d*x + 3/2*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sin(3/2*d*x + 3/2*c) + 3*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*A*\sqrt{a} + 12*\sqrt{2}*B*\sqrt{a}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 3*C*\sqrt{a}*(\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)))/d$$

Fricas [A] time = 0.572159, size = 883, normalized size = 6.31

$$\left[\frac{4(A \cos(dx+c) + 2A + 3B) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + 3(C \cos(dx+c) + C) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 4\sqrt{a}}{\dots} \right)}{6(d \cos(dx+c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] [1/6*(4*(A*cos(d*x + c) + 2*A + 3*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
)*sqrt(cos(d*x + c))*sin(d*x + c) + 3*(C*cos(d*x + c) + C)*sqrt(a)*log((a*cos
os(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x
+ c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(
d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c) + d), 1/3*(2*(A*cos(d*x + c)
+ 2*A + 3*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*si
n(d*x + c) + 3*(C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(
d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)
^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c)
)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a \cos(dx + c)}^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*
cos(d*x + c)^(3/2), x)
```

3.1249 $\int \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) +$

Optimal. Leaf size=139

$$\frac{a(2A - C) \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(2B + C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{d} + \frac{C \sin(c + dx) \sqrt{a \sec(c + dx)}}{d \sqrt{\cos(c + dx)}}$$

[Out] (Sqrt[a]*(2*B + C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a*(2*A - C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.4504, antiderivative size = 139, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4088, 4015, 3801, 215}

$$\frac{a(2A - C) \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(2B + C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{d} + \frac{C \sin(c + dx) \sqrt{a \sec(c + dx)}}{d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Sqrt[a]*(2*B + C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a*(2*A - C)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[

```
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+a \sec(c+dx)}}{\cos(c+dx)} dx \\
&= \frac{C \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{d \sqrt{\cos(c+dx)}} + \frac{(\sqrt{a+a \sec(c+dx)})^2 \sin(c+dx)}{d \cos(c+dx)} \\
&= \frac{a(2A-C) \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{C \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{d \cos(c+dx)} \\
&= \frac{a(2A-C) \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{C \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{d \cos(c+dx)} \\
&= \frac{\sqrt{a}(2B+C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.74716, size = 94, normalized size = 0.68

$$\frac{\sqrt{\cos(c+dx)} \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(2 \sin\left(\frac{1}{2}(c+dx)\right) (2A+C \sec(c+dx)) + \sqrt{2}(2B+C) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])])*(Sqrt[2]*(2*B + C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*(2*A + C*Sec[c + d*x])*Sin[(c + d*x)/2])/(2*d)

Maple [B] time = 0.408, size = 304, normalized size = 2.2

$$-\frac{-1 + \cos(dx+c)}{2d(\sin(dx+c))^2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(4A \cos(dx+c) \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} + 2B\sqrt{2} \arctan\left(\frac{1}{4} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/2/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(4*A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+2*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*)*cos(d*x+c)-2*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*)*cos(d*x+c)+C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*)*cos(d*x+c)-C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*)*cos(d*x+c)+2*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2/cos(d*x+c)^(1/2)
```

Maxima [B] time = 2.32494, size = 1310, normalized size = 9.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/4*(8*sqrt(2)*A*sqrt(a)*sin(1/2*d*x + 1/2*c) + 2*B*sqrt(a)*(log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2)) - (4*sqrt(2)*cos(5/2*d*x + 5/2*c)*sin(2*d*x + 2*c) + 4*sqrt(2)*cos(3/2*d*x + 3/2*c)*sin(2*d*x + 2*c) - 4*sqrt(2)*cos(2*d*x + 2*c)*sin(3/2*d*x + 3/2*c) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2
```


$x + c), \cos(dx + c)) + 2) + (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1) \cdot \log(2\cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2} \cos(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) - 2\sqrt{2} \sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 4(\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(5/2 dx + 5/2 c) + 4(\sqrt{2} \cos(2dx + 2c)^2 + \sqrt{2} \sin(2dx + 2c)^2 + 2\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \sin(1/2 \arctan2(\sin(dx + c), \cos(dx + c))) - 4\sqrt{2} \sin(3/2 dx + 3/2 c)) \cdot C \sqrt{a} / (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)) / d$

Fricas [A] time = 0.693489, size = 986, normalized size = 7.09

$$\frac{4(2A \cos(dx + c) + C) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + ((2B+C) \cos(dx+c)^2 + (2B+C) \cos(dx+c)) \sqrt{a}}{4(d \cos(dx+c)^2 + d \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/4*(4*(2*A*cos(dx + c) + C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) + ((2*B + C)*cos(dx + c)^2 + (2*B + C)*cos(dx + c))*sqrt(a)*log((a*cos(dx + c)^3 - 4*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*(cos(dx + c) - 2)*sqrt(cos(dx + c))*sin(dx + c) - 7*a*cos(dx + c)^2 + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)))/(d*cos(dx + c)^2 + d*cos(dx + c)), 1/2*(2*(2*A*cos(dx + c) + C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) + ((2*B + C)*cos(dx + c)^2 + (2*B + C)*cos(dx + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/(a*cos(dx + c)^2 - a*cos(dx + c) - 2*a)))/(d*cos(dx + c)^2 + d*cos(dx + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

$$3.1250 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=151

$$\frac{\sqrt{a}(8A+4B+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{a(4B+C)\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}} + \frac{C\sin(c+dx)}{2\sqrt{a\sec(c+dx)+a}}$$

[Out] (Sqrt[a]*(8*A + 4*B + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a*(4*B + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.455926, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4088, 4016, 3801, 215}

$$\frac{\sqrt{a}(8A+4B+3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{a(4B+C)\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}} + \frac{C\sin(c+dx)}{2\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]

[Out] (Sqrt[a]*(8*A + 4*B + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a*(4*B + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a

```

_)^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} dx \\
&= \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a(4B + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{a + a \sec(c + dx)}}{2d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a(4B + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{a + a \sec(c + dx)}}{2d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{\sqrt{a}(8A + 4B + 3C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{4d}
\end{aligned}$$

Mathematica [A] time = 0.688137, size = 109, normalized size = 0.72

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(8A + 4B + 3C) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)\right)}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)
)/Sqrt[Cos[c + d*x]],x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(8
*A + 4*B + 3*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(4*B + 3
*C + 2*C*Sec[c + d*x])*Sin[(c + d*x)/2]))/(8*d)
```

Maple [B] time = 0.356, size = 440, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2)
,x)
```

```
[Out] 1/8/d*(-1+cos(d*x+c))*(8*A*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))))*cos(d*x+c)^2-8*A*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*cos(d*x+c)^2+4*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))))*cos(d*x+c)^2-4*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*cos(d*x+c)^2+3*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))))*cos(d*x+c)^2-3*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*cos(d*x+c)^2-8*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-6*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)-4*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c)^(3/2)
```

Maxima [B] time = 2.59101, size = 2925, normalized size = 19.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/16*(8*A*sqrt(a)*(log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2)) - 4*(4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x + 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))*sin(2*d*x + 2*c) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) +
```


$*d*x + 2*c) + 1)/d$

Fricas [A] time = 1.09178, size = 1068, normalized size = 7.07

$$\frac{4((4B + 3C)\cos(dx + c) + 2C)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c) + ((8A + 4B + 3C)\cos(dx+c)^3 + (8A + 4B + 3C)\cos(dx+c)^2)\sqrt{-a}\arctan\left(\frac{2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{a\cos(dx+c) - 2a}\right)}{16(d\cos(dx+c)^3 + d\cos(dx+c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/16*(4*((4*B + 3*C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A + 4*B + 3*C)*cos(d*x + c)^3 + (8*A + 4*B + 3*C)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/8*(2*((4*B + 3*C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A + 4*B + 3*C)*cos(d*x + c)^3 + (8*A + 4*B + 3*C)*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sec(c+dx)+1)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/cos(d*x+c)**(1/2),x)


```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)
)/sqrt(cos(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/
sqrt(cos(d*x + c)), x)
```

$$3.1251 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=199

$$\frac{a(8A + 6B + 5C) \sin(c + dx)}{8d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(8A + 6B + 5C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{8d} + \frac{a(6B + C) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx)}$$

[Out] (Sqrt[a]*(8*A + 6*B + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a*(6*B + C)*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*A + 6*B + 5*C)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 0.547987, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4088, 4016, 3803, 3801, 215}

$$\frac{a(8A + 6B + 5C) \sin(c + dx)}{8d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(8A + 6B + 5C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{8d} + \frac{a(6B + C) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (Sqrt[a]*(8*A + 6*B + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a*(6*B + C)*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*A + 6*B + 5*C)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3803

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} dx \\
&= \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{a(6B + C) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{a + a \sec(c + dx)}}{3d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{a(6B + C) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(8A + 6B + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{8d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a(6B + C) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(8A + 6B + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{8d}
\end{aligned}$$

Mathematica [A] time = 1.36067, size = 140, normalized size = 0.7

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (3(8A + 6B + 5C) \cos(2(c + dx)) + 24A + 4(6B + 5C) \cos(c + dx))\right)}{48d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2),x]
```

```
[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(8*A + 6*B + 5*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (24*A + 18*B + 31*C + 4*(6*B + 5*C)*Cos[c + d*x] + 3*(8*A + 6*B + 5*C)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2))/(48*d*Cos[c + d*x]^(5/2))
```

Maple [B] time = 0.378, size = 533, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)*(a+a*\sec(dx+c))^{1/2}/\cos(dx+c)^{3/2},x)$

[Out]
$$-1/48/d*(-1+\cos(dx+c))*(24*A*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*2^{1/2}-24*A*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))*2^{1/2}+18*B*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*2^{1/2}*\cos(dx+c)^3-18*B*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))*2^{1/2}*\cos(dx+c)^3+15*C*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*2^{1/2}-15*C*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))*2^{1/2}+48*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+36*B*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+30*C*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+24*B*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+20*C*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)*\sin(dx+c)+16*C*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c))*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)^2/(-2/(\cos(dx+c)+1))^{1/2}/\cos(dx+c)^{5/2}$$

Maxima [B] time = 3.01307, size = 5403, normalized size = 27.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)*(a+a*\sec(dx+c))^{1/2}/\cos(dx+c)^{3/2},x, \text{algorithm}="maxima")$

[Out]
$$-1/96*(24*(4*\sqrt{2}*\cos(3/2*\arctan2(\sin(dx+c), \cos(dx+c))))*\sin(2*dx+2*c) - 4*\sqrt{2}*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c))))*\sin(2*dx+2*c) - (\cos(2*dx+2*c)^2 + \sin(2*dx+2*c)^2 + 2*\cos(2*dx+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))) + 2) + (\cos(2*dx+2*c)^2 + \sin(2*dx+2*c)^2 + 2*\cos(2*dx+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))) + 2) - (\cos(2*dx+2*c)^2 + \sin(2*dx+2*c)^2 + 2*\cos(2*dx+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))^2 + 2*\sin(1/2*\arctan2(\sin(dx+c), \cos(dx+c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(dx+c), \cos(dx+c)))) + 2*$$

$$\begin{aligned}
& d*x + 2*c) + 1) + (60*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) \\
&) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c) \\
&)) + 20*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}* \\
& \sin(2*d*x + 2*c))*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 168*(\sqrt{2} \\
&)*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2* \\
& c))*\cos(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 168*(\sqrt{2}*\sin(6*d*x + \\
& 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\ar \\
& ctan2(\sin(d*x + c), \cos(d*x + c))) - 20*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2} \\
&)*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + \\
& c), \cos(d*x + c))) - 60*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + \\
& 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + \\
& c))) - 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) \\
& + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos \\
& (4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + \\
& 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin \\
& (4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) \\
& + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arcta \\
& n2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \\
& \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + \\
& 2) + 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \\
& \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4 \\
& *d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2* \\
& c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4 \\
& *d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + \\
& 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2 \\
& (\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), c \\
& os(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) \\
& - 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + c \\
& os(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d \\
& *x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c) \\
&)*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d \\
& *x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1) \\
& *\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(s \\
& in(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos \\
& (d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + \\
& 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos \\
& (6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x \\
& + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))* \\
& \sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x \\
& + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*l \\
& og(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin \\
& (d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d \\
& *x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 6 \\
& 0*(\sqrt{2}*\cos(6*d*x + 6*c) + 3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2* \\
& d*x + 2*c) + \sqrt{2})*\sin(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 20*(s
\end{aligned}$$

```

qrt(2)*cos(6*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x
+ 2*c) + sqrt(2))*sin(9/2*arctan2(sin(d*x + c), cos(d*x + c))) - 168*(sqrt(
2)*cos(6*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*
c) + sqrt(2))*sin(7/2*arctan2(sin(d*x + c), cos(d*x + c))) + 168*(sqrt(2)*c
os(6*d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) +
sqrt(2))*sin(5/2*arctan2(sin(d*x + c), cos(d*x + c))) + 20*(sqrt(2)*cos(6*
d*x + 6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt
(2))*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) + 60*(sqrt(2)*cos(6*d*x +
6*c) + 3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*
sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*C*sqrt(a)/(2*(3*cos(4*d*x + 4
*c) + 3*cos(2*d*x + 2*c) + 1)*cos(6*d*x + 6*c) + cos(6*d*x + 6*c)^2 + 6*(3*
cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + 9*cos(4*d*x + 4*c)^2 + 9*cos(2*d*x
+ 2*c)^2 + 6*(sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c) + sin(
6*d*x + 6*c)^2 + 9*sin(4*d*x + 4*c)^2 + 18*sin(4*d*x + 4*c)*sin(2*d*x + 2*c
) + 9*sin(2*d*x + 2*c)^2 + 6*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 1.10647, size = 1180, normalized size = 5.93

$$\frac{4 \left(3(8A + 6B + 5C) \cos(dx + c)^2 + 2(6B + 5C) \cos(dx + c) + 8C \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + 3 \left((8A + 6B + 5C) \cos(dx + c)^4 + (8A + 6B + 5C) \cos(dx + c)^3 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)+a}{\cos(dx+c)} \right) \sqrt{\cos(dx+c)} \sin(dx+c) - 7a \cos(dx+c)^2 + 8a}{96 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)
^(3/2),x, algorithm="fricas")

```

```

[Out] [1/96*(4*(3*(8*A + 6*B + 5*C)*cos(d*x + c)^2 + 2*(6*B + 5*C)*cos(d*x + c) +
8*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x +
c) + 3*((8*A + 6*B + 5*C)*cos(d*x + c)^4 + (8*A + 6*B + 5*C)*cos(d*x + c)^3
)*sqrt(a)*log((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x +
c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x +
c)^4 + d*cos(d*x + c)^3), 1/48*(2*(3*(8*A + 6*B + 5*C)*cos(d*x + c)^2 + 2*(6*B + 5*C)*c
os(d*x + c) + 8*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)
)*sin(d*x + c) + 3*((8*A + 6*B + 5*C)*cos(d*x + c)^4 + (8*A + 6*B + 5*C)*c
os(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x
+ c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) -
2*a)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/cos(d*x + c)^(3/2), x)

$$3.1252 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=247

$$\frac{a(48A + 40B + 35C) \sin(c + dx)}{64d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a(48A + 40B + 35C) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(48A + 40B + 35C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}$$

[Out] (Sqrt[a]*(48*A + 40*B + 35*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a*(8*B + C)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 40*B + 35*C)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 40*B + 35*C)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 0.632717, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4088, 4016, 3803, 3801, 215}

$$\frac{a(48A + 40B + 35C) \sin(c + dx)}{64d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a(48A + 40B + 35C) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(48A + 40B + 35C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (Sqrt[a]*(48*A + 40*B + 35*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a*(8*B + C)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 40*B + 35*C)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(48*A + 40*B + 35*C)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (C*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} dx \\
&= \frac{C \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{4d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{a(8B + C) \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{C \sqrt{a + a \sec(c + dx)}}{4d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{a(8B + C) \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(48A + 40B + 35C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{96d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{a(8B + C) \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(48A + 40B + 35C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{96d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{a(8B + C) \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(48A + 40B + 35C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{64d}
\end{aligned}$$

Mathematica [A] time = 2.16185, size = 178, normalized size = 0.72

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right)\right) ((432A + 77(8B + 7C)) \cos(c + dx) + 4(48A + 40B + 35C) \cos(2(c + dx)))}{64d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2),x]
```

```
[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(48*A + 40*B + 35*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (192*A + 160*B + 332*C + (432*A + 77*(8*B + 7*C))*Cos[c + d*x] + 4*(48*A + 40*B + 35*C)*Cos[2*(c + d*x)] + 144*A*Cos[3*(c + d*x)] + 120*B*Cos[3*(c + d*x)] + 105*C*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/ (768*d*Cos[c + d*x]^(7/2))
```

Maple [B] time = 0.381, size = 626, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)*(a+a*\sec(dx+c))^{1/2}/\cos(dx+c)^{5/2}, x)$

[Out]
$$\begin{aligned} & -1/384/d*(-1+\cos(dx+c))*(144*A*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))-144*A*\cos(dx+c)^4*2^{1/2} \\ & *\arctan(1/4*2^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))+120*B*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))-120*B*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))+105*C*\cos(dx+c)^4*\arctan(1/4*2^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))*2^{1/2}-105*C*\cos(dx+c)^4*\arctan(1/4*2^{1/2})*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))*2^{1/2}+288*A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2}+240*B*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2}+210*C*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+192*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+160*B*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+140*C*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+128*B*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+112*C*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)*\sin(dx+c)+96*C*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c))*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/(-2/(\cos(dx+c)+1))^{1/2}/\sin(dx+c)^2/\cos(dx+c)^{7/2} \end{aligned}$$

Maxima [B] time = 4.13899, size = 8764, normalized size = 35.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)*(a+a*\sec(dx+c))^{1/2}/\cos(dx+c)^{5/2}, x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & -1/768*(48*(12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/2*\arctan2(\sin(dx + c), \cos(dx + c))) + 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 \end{aligned}$$

$$\begin{aligned}
& + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) \log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))) + 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))) + 2) + 3(2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) \log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))) + 2) - 3(2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) \log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))) + 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))) + 2) + 3(2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) \log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))) + 2) - 12(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(7/2\arctan2(\sin(dx + c), \cos(dx + c))) - 4(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(5/2\arctan2(\sin(dx + c), \cos(dx + c)))) + 4(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(3/2\arctan2(\sin(dx + c), \cos(dx + c)))) + 12(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c)))A\sqrt{a}/(2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) + 8(60(\sqrt{2}\sin(6dx + 6c) + 3\sqrt{2}\sin(4dx + 4c) + 3\sqrt{2}\sin(2dx + 2c))\cos(11/2\arctan2(\sin(dx + c), \cos(dx + c))) + 20(\sqrt{2}\sin(6dx + 6c) + 3\sqrt{2}\sin(4dx + 4c) + 3\sqrt{2}\sin(2dx + 2c))\cos(9/2\arctan2(\sin(dx + c), \cos(dx + c)))) + 168(\sqrt{2}\sin(6dx + 6c) + 3\sqrt{2}\sin(4dx + 4c) + 3\sqrt{2}\sin(2dx + 2c))\cos(7/2\arctan2(\sin(dx + c), \cos(dx + c))) - 168(\sqrt{2}\sin(6dx + 6c) + 3\sqrt{2}\sin(4dx + 4c) + 3\sqrt{2}\sin(2dx + 2c))\cos(5/2\arctan2(\sin(dx + c), \cos(dx + c))) - 20(\sqrt{2}\sin(6dx + 6c) + 3\sqrt{2}\sin(4dx + 4c) + 3\sqrt{2}\sin(2dx + 2c))\cos(3/2\arctan2(\sin(dx + c), \cos(dx + c))) - 60(\sqrt{2}\sin(6dx + 6c) + 3\sqrt{2}\sin(4dx + 4c) + 3\sqrt{2}\sin(2dx + 2c))\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 15(2(3\cos(4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) + \cos(6dx + 6c)^2 + 6(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^2 + 9\cos(2dx + 2c)^2 + 6(\sin(4dx + 4c) + \sin(2dx + 2c))\sin(6dx + 6c) + \sin(6dx + 6c)^2 + 9\sin(4dx + 4c)^2
\end{aligned}$$

$$\begin{aligned}
& + 18\sin(4dx + 4c)\sin(2dx + 2c) + 9\sin(2dx + 2c)^2 + 6\cos(2dx \\
& x + 2c) + 1)\log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(\\
& 1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sqrt{2}\cos(1/2\arctan2(\sin(\\
& dx + c), \cos(dx + c))) + 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx \\
& + c))) + 2) + 15*(2*(3\cos(4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx \\
& + 6c) + \cos(6dx + 6c)^2 + 6*(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) \\
& + 9\cos(4dx + 4c)^2 + 9\cos(2dx + 2c)^2 + 6*(\sin(4dx + 4c) + \sin(2 \\
& *dx + 2c))*\sin(6dx + 6c) + \sin(6dx + 6c)^2 + 9\sin(4dx + 4c)^2 + \\
& 18\sin(4dx + 4c)\sin(2dx + 2c) + 9\sin(2dx + 2c)^2 + 6\cos(2dx \\
& + 2c) + 1)\log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/ \\
& 2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sqrt{2}\cos(1/2\arctan2(\sin(dx \\
& x + c), \cos(dx + c))) - 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + \\
& c))) + 2) - 15*(2*(3\cos(4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx + \\
& 6c) + \cos(6dx + 6c)^2 + 6*(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \\
& 9\cos(4dx + 4c)^2 + 9\cos(2dx + 2c)^2 + 6*(\sin(4dx + 4c) + \sin(2dx \\
& *x + 2c))*\sin(6dx + 6c) + \sin(6dx + 6c)^2 + 9\sin(4dx + 4c)^2 + 1 \\
& 8\sin(4dx + 4c)\sin(2dx + 2c) + 9\sin(2dx + 2c)^2 + 6\cos(2dx + \\
& 2c) + 1)\log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2 \\
& arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2}\cos(1/2\arctan2(\sin(dx \\
& + c), \cos(dx + c))) + 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c) \\
&)) + 2) + 15*(2*(3\cos(4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6 \\
& *c) + \cos(6dx + 6c)^2 + 6*(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9 \\
& \cos(4dx + 4c)^2 + 9\cos(2dx + 2c)^2 + 6*(\sin(4dx + 4c) + \sin(2dx \\
& + 2c))*\sin(6dx + 6c) + \sin(6dx + 6c)^2 + 9\sin(4dx + 4c)^2 + 18 \\
& \sin(4dx + 4c)\sin(2dx + 2c) + 9\sin(2dx + 2c)^2 + 6\cos(2dx + 2 \\
& c) + 1)\log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2 \\
& arctan2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + \\
& c), \cos(dx + c))) - 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) \\
& + 2) - 60*(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}(\sqrt{2} \\
&)\cos(2dx + 2c) + \sqrt{2})\sin(11/2\arctan2(\sin(dx + c), \cos(dx + c)) \\
&) - 20*(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2 \\
& *dx + 2c) + \sqrt{2})\sin(9/2\arctan2(\sin(dx + c), \cos(dx + c))) - 1 \\
& 68*(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2 \\
& *dx + 2c) + \sqrt{2})\sin(7/2\arctan2(\sin(dx + c), \cos(dx + c))) + 168*(\\
& \sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx \\
& + 2c) + \sqrt{2})\sin(5/2\arctan2(\sin(dx + c), \cos(dx + c))) + 20*(\sqrt{2} \\
&)\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2 \\
& c) + \sqrt{2})\sin(3/2\arctan2(\sin(dx + c), \cos(dx + c))) + 60*(\sqrt{2}\co \\
& s(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2c) + \\
& \sqrt{2})\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))))*B*\sqrt{a}/(2*(3\cos(\\
& 4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) + \cos(6dx + 6c)^ \\
& 2 + 6*(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^2 + 9 \\
& \cos(2dx + 2c)^2 + 6*(\sin(4dx + 4c) + \sin(2dx + 2c))*\sin(6dx + 6 \\
& c) + \sin(6dx + 6c)^2 + 9\sin(4dx + 4c)^2 + 18\sin(4dx + 4c)\sin(2 \\
& dx + 2c) + 9\sin(2dx + 2c)^2 + 6\cos(2dx + 2c) + 1) + (420*(\sqrt{2})
\end{aligned}$$

$$\begin{aligned}
& * \sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) \\
& + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(15/2*\arctan2(\sin(d*x + c), \cos(d*x + c)) \\
&) + 140*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(13/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1596*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 500*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 500*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 1596*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 140*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 420*(\sqrt{2}*\sin(8*d*x + 8*c) + 4*\sqrt{2}*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\sin(4*d*x + 4*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 +
\end{aligned}$$

$$\begin{aligned}
& 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) \\
& + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + 105*(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 420*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(15/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 140*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(13/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 1596*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 500*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 500*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1596*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 140*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 420*(\sqrt{2}*\cos(8*d*x + 8*c) + 4*\sqrt{2}*\cos(6*d*x + 6*c) + 6*\sqrt{2}*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*C*\sqrt{a}/(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 1.65971, size = 1318, normalized size = 5.34

$$\left[\frac{4 \left(3(48A + 40B + 35C) \cos(dx + c)^3 + 2(48A + 40B + 35C) \cos(dx + c)^2 + 8(8B + 7C) \cos(dx + c) + 48C \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(5/2),x, algorithm="fricas")

[Out] [1/768*(4*(3*(48*A + 40*B + 35*C)*cos(d*x + c)^3 + 2*(48*A + 40*B + 35*C)*cos(d*x + c)^2 + 8*(8*B + 7*C)*cos(d*x + c) + 48*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((48*A + 40*B + 35*C)*cos(d*x + c)^5 + (48*A + 40*B + 35*C)*cos(d*x + c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4), 1/384*(2*(3*(48*A + 40*B + 35*C)*cos(d*x + c)^3 + 2*(48*A + 40*B + 35*C)*cos(d*x + c)^2 + 8*(8*B + 7*C)*cos(d*x + c) + 48*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((48*A + 40*B + 35*C)*cos(d*x + c)^5 + (48*A + 40*B + 35*C)*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+a*sec(d*x+c))**(1/2)/cos(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/cos(d*x + c)^(5/2), x)

3.1253 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=284

$$\frac{2a^2(84A + 110B + 99C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(336A + 374B + 429C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{1155d\sqrt{a \sec(c + dx) + a}} + \frac{8a^2(336A + 374B + 429C)}{1155d}$$

[Out] (16*a^2*(336*A + 374*B + 429*C)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(336*A + 374*B + 429*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(336*A + 374*B + 429*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(84*A + 110*B + 99*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 11*B)*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(99*d) + (2*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)

Rubi [A] time = 0.885488, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4017, 4015, 3805, 3804}

$$\frac{2a^2(84A + 110B + 99C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(336A + 374B + 429C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{1155d\sqrt{a \sec(c + dx) + a}} + \frac{8a^2(336A + 374B + 429C)}{1155d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (16*a^2*(336*A + 374*B + 429*C)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(336*A + 374*B + 429*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(336*A + 374*B + 429*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(84*A + 110*B + 99*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 11*B)*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(99*d) + (2*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}}{\cos^{\frac{11}{2}}(c+dx)} dx \\
&= \frac{2A\cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{11d} \\
&= \frac{2a(3A+11B)\cos^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{99d} \\
&= \frac{2a^2(84A+110B+99C)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^2(336A+374B+429C)\cos^{\frac{3}{2}}(c+dx)\sin^2(c+dx)}{1155d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{8a^2(336A+374B+429C)\sqrt{\cos(c+dx)}\sin^2(c+dx)}{3465d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{16a^2(336A+374B+429C)\sin(c+dx)\sqrt{\cos(c+dx)}}{3465d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.10568, size = 158, normalized size = 0.56

$$\frac{a\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}((34734A+44(799B+759C))\cos(c+dx)+8(1743A+1507B+1287C))}{27720d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a*Sqrt[Cos[c + d*x]]*(55482*A + 59158*B + 65208*C + (34734*A + 44*(799*B + 759*C))*Cos[c + d*x] + 8*(1743*A + 1507*B + 1287*C))*Cos[2*(c + d*x)] + 4935*A*Cos[3*(c + d*x)] + 3740*B*Cos[3*(c + d*x)] + 1980*C*Cos[3*(c + d*x)] + 1470*A*Cos[4*(c + d*x)] + 770*B*Cos[4*(c + d*x)] + 315*A*Cos[5*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(27720*d)

Maple [A] time = 0.284, size = 187, normalized size = 0.7

$$2a(-1 + \cos(dx + c)) \left(315A(\cos(dx + c))^5 + 735A(\cos(dx + c))^4 + 385B(\cos(dx + c))^4 + 840A(\cos(dx + c))^3 + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$-2/3465/d*a*(-1+\cos(d*x+c))*(315*A*\cos(d*x+c)^5+735*A*\cos(d*x+c)^4+385*B*\cos(d*x+c)^4+840*A*\cos(d*x+c)^3+935*B*\cos(d*x+c)^3+495*C*\cos(d*x+c)^3+1008*A*\cos(d*x+c)^2+1122*B*\cos(d*x+c)^2+1287*C*\cos(d*x+c)^2+1344*A*\cos(d*x+c)+1496*B*\cos(d*x+c)+1716*C*\cos(d*x+c)+2688*A+2992*B+3432*C)*\cos(d*x+c)^{(1/2)}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)$$

Maxima [B] time = 2.49258, size = 1164, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out]
$$1/110880*(21*\sqrt{2}*(3630*a*\cos(10/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 990*a*\cos(8/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 429*a*\cos(6/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 165*a*\cos(4/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 55*a*\cos(2/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) - 3630*a*\cos(11/2*d*x + 11/2*c) * \sin(10/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 990*a*\cos(11/2*d*x + 11/2*c) * \sin(8/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 429*a*\cos(11/2*d*x + 11/2*c) * \sin(6/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 165*a*\cos(11/2*d*x + 11/2*c) * \sin(4/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 55*a*\cos(11/2*d*x + 11/2*c) * \sin(2/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 30*a*\sin(11/2*d*x + 11/2*c) + 55*a*\sin(9/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 165*a*\sin(7/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c)))$$

```

1/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 429*a*sin(5/11*arctan2(sin(11
/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 990*a*sin(3/11*arctan2(sin(11/
2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 3630*a*sin(1/11*arctan2(sin(11/
2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) * A*sqrt(a) - 44*sqrt(2)*(189*(10*
a*sin(4*d*x + 4*c) + a*sin(2*d*x + 2*c))*cos(9/4*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c))) - 7*(270*a*cos(4*d*x + 4*c) + 27*a*cos(2*d*x + 2*c) + 5*
a)*sin(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 135*a*sin(7/4*arc
tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 189*a*sin(5/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))) - 1050*a*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c))) - 1890*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))
))*B*sqrt(a) - 132*sqrt(2)*(175*a*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d
*x + 2*c)))*sin(2*d*x + 2*c) - 5*(35*a*cos(2*d*x + 2*c) + 6*a)*sin(7/4*arct
an2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 126*a*sin(5/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))) - 175*a*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c))) - 1470*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))
*C*sqrt(a))/d

```

Fricas [A] time = 0.511192, size = 437, normalized size = 1.54

$$2(315 A a \cos(dx + c)^5 + 35(21 A + 11 B)a \cos(dx + c)^4 + 5(168 A + 187 B + 99 C)a \cos(dx + c)^3 + 3(336 A + 374 B +$$

3465

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*
x+c)^2),x, algorithm="fricas")

```

```

[Out] 2/3465*(315*A*a*cos(d*x + c)^5 + 35*(21*A + 11*B)*a*cos(d*x + c)^4 + 5*(168
*A + 187*B + 99*C)*a*cos(d*x + c)^3 + 3*(336*A + 374*B + 429*C)*a*cos(d*x +
c)^2 + 4*(336*A + 374*B + 429*C)*a*cos(d*x + c) + 8*(336*A + 374*B + 429*C
)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c
)/(d*cos(d*x + c) + d)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)**(11/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(11/2), x)
```

3.1254 $\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=232

$$\frac{2a^2(52A + 72B + 63C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{315d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 156B + 189C) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(136A + 156B + 189C)}{315d\sqrt{\cos(c + dx)}}$$

[Out] (4*a^2*(136*A + 156*B + 189*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 156*B + 189*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(52*A + 72*B + 63*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(A + 3*B)*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.787625, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4017, 4015, 3805, 3804}

$$\frac{2a^2(52A + 72B + 63C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{315d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(136A + 156B + 189C) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(136A + 156B + 189C)}{315d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^2*(136*A + 156*B + 189*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 156*B + 189*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(52*A + 72*B + 63*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(A + 3*B)*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)
]*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2} \sin(c+dx)}{\cos^2(c+dx)} dx \\
&= \frac{2A \cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2} \sin(c+dx)}{9d} \\
&= \frac{2a(A+3B) \cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{21d} \\
&= \frac{2a^2(52A+72B+63C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^2(136A+156B+189C)\sqrt{\cos(c+dx)}}{315d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{4a^2(136A+156B+189C) \sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \dots
\end{aligned}$$

Mathematica [A] time = 1.42382, size = 123, normalized size = 0.53

$$\frac{a\sqrt{\cos(c+dx)} \tan\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)}(2(799A+759B+756C)\cos(c+dx)+4(137A+117B+63C)\cos(2(c+dx)))}{1260d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d*x]^(9/2)*(a+a*Sec[c+d*x])^(3/2)*(A+B*Sec[c+d*x]+C*Sec[c+d*x]^2),x]

[Out] (a*Sqrt[Cos[c+d*x]]*(2689*A+2964*B+3276*C+2*(799*A+759*B+756*C)*Cos[c+d*x]+4*(137*A+117*B+63*C)*Cos[2*(c+d*x)]+170*A*Cos[3*(c+d*x)]+90*B*Cos[3*(c+d*x)]+35*A*Cos[4*(c+d*x)])*Sqrt[a*(1+Sec[c+d*x])]*Tan[(c+d*x)/2])/(1260*d)

Maple [A] time = 0.352, size = 154, normalized size = 0.7

$$\frac{2a(-1+\cos(dx+c))(35A(\cos(dx+c))^4+85A(\cos(dx+c))^3+45B(\cos(dx+c))^3+102A(\cos(dx+c))^2+117B\cos(dx+c)+35C)}{315d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -2/315/d*a*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+85*A*cos(d*x+c)^3+45*B*cos(d*x+c)^3+102*A*cos(d*x+c)^2+117*B*cos(d*x+c)^2+63*C*cos(d*x+c)^2+136*A*cos(d*x+c)+156*B*cos(d*x+c)+189*C*cos(d*x+c)+272*A+312*B+378*C)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)
```

Maxima [B] time = 2.43354, size = 949, normalized size = 4.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(3780*a*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 1050*a*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 378*a*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 135*a*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) - 3780*a*cos(9/2*d*x + 9/2*c)*sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 1050*a*cos(9/2*d*x + 9/2*c)*sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 378*a*cos(9/2*d*x + 9/2*c)*sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 135*a*cos(9/2*d*x + 9/2*c)*sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*a*sin(9/2*d*x + 9/2*c) + 135*a*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 378*a*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 1050*a*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 3780*a*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) * A * sqrt(a) - 6*sqrt(2)*(175*a*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - 5*(35*a*cos(2*d*x + 2*c) + 6*a)*sin(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 126*a*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 175*a*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 1470*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) * B * sqrt(a) - 504*(10*sqrt(2)*a*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - 5*sqrt(2)*a*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 10*sqrt(2)*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - (10*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(5/4*arctan2(sin(2*d*x +
```

$2*c), \cos(2*d*x + 2*c))))*C*\sqrt{a})/d$

Fricas [A] time = 0.499806, size = 366, normalized size = 1.58

$$\frac{2 \left(35 A a \cos(dx + c)^4 + 5 (17 A + 9 B) a \cos(dx + c)^3 + 3 (34 A + 39 B + 21 C) a \cos(dx + c)^2 + (136 A + 156 B + 189 C) a \cos(dx + c) + 2 (136 A + 156 B + 189 C) a \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \right) \sqrt{\cos(dx + c)} \sin(dx + c)}{315 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 2/315*(35*A*a*cos(d*x + c)^4 + 5*(17*A + 9*B)*a*cos(d*x + c)^3 + 3*(34*A + 39*B + 21*C)*a*cos(d*x + c)^2 + (136*A + 156*B + 189*C)*a*cos(d*x + c) + 2*(136*A + 156*B + 189*C)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] Timed out

3.1255 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=181

$$\frac{8a^2(19A + 21B + 35C) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a(19A + 21B + 35C) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2(3A + 7B)}{105d}$$

[Out] (8*a^2*(19*A + 21*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(19*A + 21*B + 35*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*(3*A + 7*B)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.600766, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4086, 4013, 3809, 3804}

$$\frac{8a^2(19A + 21B + 35C) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a(19A + 21B + 35C) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2(3A + 7B)}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (8*a^2*(19*A + 21*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(19*A + 21*B + 35*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*(3*A + 7*B)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a


```

_)^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3809

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_), x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*
(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e
+ f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m
, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2
*m]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^3}{\cos^2(c+dx)} dx \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{7d} \\
&= \frac{2(3A+7B)\cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{35d} \\
&= \frac{2a(19A+21B+35C)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{105d} \\
&= \frac{8a^2(19A+21B+35C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.98434, size = 100, normalized size = 0.55

$$\frac{a\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}((253A+28(9B+5C))\cos(c+dx)+6(13A+7B)\cos(2(c+dx))+1)}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*Sqrt[Cos[c + d*x]]*(494*A + 546*B + 700*C + (253*A + 28*(9*B + 5*C))*Cos[c + d*x] + 6*(13*A + 7*B)*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(210*d)

Maple [A] time = 0.319, size = 121, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx+c))(15A(\cos(dx+c))^3 + 39A(\cos(dx+c))^2 + 21B(\cos(dx+c))^2 + 52A\cos(dx+c) + 63B\cos(dx+c))}{105d\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out]
$$-2/105/d*a*(-1+\cos(dx+c))*(15*A*\cos(dx+c)^3+39*A*\cos(dx+c)^2+21*B*\cos(dx+c)^2+52*A*\cos(dx+c)+63*B*\cos(dx+c)+35*C*\cos(dx+c)+104*A+126*B+175*C)*\cos(dx+c)^{(1/2)}*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}/\sin(dx+c)$$

Maxima [B] time = 2.37214, size = 693, normalized size = 3.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(7/2)*(a+a*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/840*(\sqrt{2}*(735*a*\cos(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) + 175*a*\cos(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) + 63*a*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) - 735*a*\cos(7/2*d*x + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 175*a*\cos(7/2*d*x + 7/2*c)*\sin(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 63*a*\cos(7/2*d*x + 7/2*c)*\sin(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 30*a*\sin(7/2*d*x + 7/2*c) + 63*a*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 175*a*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 735*a*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))))*A*\sqrt{a} - 84*(10*\sqrt{2}*a*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2*c) - 5*\sqrt{2}*a*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 10*\sqrt{2}*a*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - (10*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*B*\sqrt{a} + 280*(\sqrt{2}*a*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 9*\sqrt{2}*a*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*C*\sqrt{a})/d \end{aligned}$$

Fricas [A] time = 0.493011, size = 302, normalized size = 1.67

$$\frac{2(15 A a \cos(dx+c)^3 + 3(13 A + 7 B) a \cos(dx+c)^2 + (52 A + 63 B + 35 C) a \cos(dx+c) + (104 A + 126 B + 175 C) a)}{105(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 2/105*(15*A*a*cos(d*x + c)^3 + 3*(13*A + 7*B)*a*cos(d*x + c)^2 + (52*A + 63*B + 35*C)*a*cos(d*x + c) + (104*A + 126*B + 175*C)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(7/2), x)
```

3.1256 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C$

Optimal. Leaf size=192

$$\frac{2a^2(12A + 20B + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2a(3A + 5B) \sin(c + dx)}{5d}$$

[Out] $(2*a^{(3/2)}*C*\text{ArcSinh}[(\text{Sqrt}[a]*\text{Tan}[c + d*x])/(\text{Sqrt}[a + a*\text{Sec}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a^2*(12*A + 20*B + 15*C)*\text{Sin}[c + d*x])/((15*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]) + (2*a*(3*A + 5*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*A*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Sec}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*d)$

Rubi [A] time = 0.638865, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4017, 4015, 3801, 215}

$$\frac{2a^2(12A + 20B + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2a(3A + 5B) \sin(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Sec}[c + d*x])^{(3/2)}*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*a^{(3/2)}*C*\text{ArcSinh}[(\text{Sqrt}[a]*\text{Tan}[c + d*x])/(\text{Sqrt}[a + a*\text{Sec}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a^2*(12*A + 20*B + 15*C)*\text{Sin}[c + d*x])/((15*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]) + (2*a*(3*A + 5*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*A*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Sec}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*d)$

Rule 4265

$\text{Int}[(\cos[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \text{ :> } \text{Dist}[(c*\text{Cos}[a + b*x])^m*(c*\text{Sec}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sec}[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}}{\cos(c+dx)} dx \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}}{5d} \\
&= \frac{2a(3A+5B)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}}{15d} \\
&= \frac{2a^2(12A+20B+15C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \\
&= \frac{2a^2(12A+20B+15C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \\
&= \frac{2a^{3/2}C\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 1.11284, size = 115, normalized size = 0.6

$$\frac{a\sqrt{\cos(c+dx)}\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(\sin\left(\frac{1}{2}(c+dx)\right)(2(9A+5B)\cos(c+dx)+3A\cos(2(c+dx))+39A)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a*Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(15*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + (39*A + 50*B + 30*C + 2*(9*A + 5*B))*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)]*Sin[(c + d*x)/2])/(15*d)

Maple [A] time = 0.401, size = 235, normalized size = 1.2

$$-\frac{a}{30d\sin(dx+c)}\sqrt{\cos(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(-15C\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)}^{-1}(\cos(dx+c)+1)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -1/30/d*a*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-15*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*sin(d*x+c)+15*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)*sin(d*x+c)+12*A*cos(d*x+c)^3+24*A*cos(d*x+c)^2+20*B*cos(d*x+c)^2+36*A*cos(d*x+c)+80*B*cos(d*x+c)+60*C*cos(d*x+c)-72*A-100*B-60*C)/sin(d*x+c)
```

Maxima [B] time = 2.412, size = 1022, normalized size = 5.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/60*(3*sqrt(2)*(20*a*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) + 5*a*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) - 20*a*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*a*cos(5/2*d*x + 5/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 2*a*sin(5/2*d*x + 5/2*c) + 5*a*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 20*a*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))))*A*sqrt(a) + 20*(sqrt(2)*a*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 9*sqrt(2)*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*B*sqrt(a) + 30*(4*sqrt(2)*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + a*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - a*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2) + a*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 - 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2) - a*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2) - a*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2) - a*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2) - a*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2)
```


$2*c), \cos(2*d*x + 2*c))^{2} + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^{2} - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2)) * C * \sqrt[3]{a} / d$

Fricas [A] time = 0.582412, size = 1029, normalized size = 5.36

$$\frac{4 \left(3 A a \cos(dx + c)^2 + (9 A + 5 B) a \cos(dx + c) + (18 A + 25 B + 15 C) a \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + 15 C a \sqrt{a} \log\left(\frac{a \cos(dx + c)^3 - 4 \sqrt{a} \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} (\cos(dx + c) - 2) \sqrt{\cos(dx + c)} \sin(dx + c) - 7 a \cos(dx + c)^2 + 8 a}{\cos(dx + c)^3 + \cos(dx + c)^2}\right)}{30 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/30*(4*(3*A*a*cos(d*x + c)^2 + (9*A + 5*B)*a*cos(d*x + c) + (18*A + 25*B + 15*C)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*(C*a*cos(d*x + c) + C*a)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c) + d), 1/15*(2*(3*A*a*cos(d*x + c)^2 + (9*A + 5*B)*a*cos(d*x + c) + (18*A + 25*B + 15*C)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*(C*a*cos(d*x + c) + C*a)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2), x)

$$3.1257 \quad \int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C$$

Optimal. Leaf size=197

$$\frac{a^2(8A + 6B - 3C) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(2B + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(2A - 3C) \sin(c + dx)}{3d}$$

[Out] (a^(3/2)*(2*B + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^2*(8*A + 6*B - 3*C)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a*(2*A - 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.648714, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4018, 4015, 3801, 215}

$$\frac{a^2(8A + 6B - 3C) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(2B + 3C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} - \frac{a(2A - 3C) \sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(2*B + 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^2*(8*A + 6*B - 3*C)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a*(2*A - 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a \sec(c+dx))^{3/2}}{\cos(c+dx)} dx \\
&= \frac{2A\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2} \sin(c+dx)}{3d} \\
&= -\frac{a(2A-3C)\sqrt{a+a \sec(c+dx)} \sin(c+dx)}{3d\sqrt{\cos(c+dx)}} \\
&= \frac{a^2(8A+6B-3C) \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} - \frac{a^3C \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} \\
&= \frac{a^2(8A+6B-3C) \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} - \frac{a^3C \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 1.34133, size = 122, normalized size = 0.62

$$\frac{a\sqrt{\cos(c+dx)} \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(2 \sin\left(\frac{1}{2}(c+dx)\right) \sec(c+dx)(2(5A+3B) \cos(c+dx) + A \cos(2(c+dx)))\right)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a*Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(2*B + 3*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*(A + 3*C + 2*(5*A + 3*B))*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sec[c + d*x]*Sin[(c + d*x)/2])/(6*d)
```

Maple [B] time = 0.383, size = 366, normalized size = 1.9

$$-\frac{a(-1 + \cos(dx+c))}{6d(\sin(dx+c))^2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(4A(\cos(dx+c))^2 \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} + 20A \cos(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -1/6/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(4*A*cos(d*x+c)^(2)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+20*A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+12*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+6*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)-6*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)+9*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)-9*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)+6*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/sin(d*x+c)^2/cos(d*x+c)^(1/2)/(-2/(cos(d*x+c)+1))^(1/2)
```

Maxima [B] time = 2.4507, size = 2558, normalized size = 12.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/60*(20*(sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 9*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + 6*(2*sqrt(2)*a*sin(5/2*d*x + 5/2*c) + 40*sqrt(2)*a*sin(1/2*d*x + 1/2*c) - 2*sqrt(2)*a*sin(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 20*sqrt(2)*a*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 5*a*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) - 5*a*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + 5*a*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) - 5*a*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1
```

$$\begin{aligned}
& /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3 \\
& /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3 \\
& *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2))*B*\sqrt{a} - 15* \\
& (2*\sqrt{2}*a*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) + 6*\sqrt{2}*a*\cos(5/2*d* \\
& x + 5/2*c)*\sin(2*d*x + 2*c) + (2*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 6*\sqrt{2} \\
& *a*\sin(1/2*d*x + 1/2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c \\
&) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\
& *a*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(\\
& 2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x \\
& + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1 \\
& /2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
& *a*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 + (2*\sqrt{2})*a*\sin(3/2*d \\
& *x + 3/2*c) + 6*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/ \\
& 2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\
& *a*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/ \\
& 2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3* \\
& a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1 \\
& /2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 - \\
& 4*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 4*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) - 2*(\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) - 5*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 3*a*\log(\\
& 2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x \\
& + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1 \\
& /2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
& *a*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x \\
& + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\co \\
& s(2*d*x + 2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\
& + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \\
& 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos \\
& (1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2 \\
& *d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) \\
& + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + \\
& 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(\\
& 1/2*d*x + 1/2*c) + 2) - 2*(\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(7/2* \\
& d*x + 7/2*c) - 6*(\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(5/2*d*x + 5/2 \\
& *c) + 2*(3*\sqrt{2})*a*\cos(3/2*d*x + 3/2*c) + \sqrt{2}*a*\cos(1/2*d*x + 1/2*c)) \\
& *\sin(2*d*x + 2*c))*C*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*c \\
& \cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.702067, size = 1119, normalized size = 5.68

$$\frac{4 \left(2 A a \cos(dx + c)^2 + 2 (5 A + 3 B) a \cos(dx + c) + 3 C a \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + 3 \left((2 B + 3 C) a \cos(dx + c)^2 + \dots \right)}{12 \left(d \cos(dx + c) \right)^2 + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/12*(4*(2*A*a*cos(d*x + c)^2 + 2*(5*A + 3*B)*a*cos(d*x + c) + 3*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((2*B + 3*C)*a*cos(d*x + c)^2 + (2*B + 3*C)*a*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/6*(2*(2*A*a*cos(d*x + c)^2 + 2*(5*A + 3*B)*a*cos(d*x + c) + 3*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((2*B + 3*C)*a*cos(d*x + c)^2 + (2*B + 3*C)*a*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2), x)
```

3.1258 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C)$

Optimal. Leaf size=203

$$\frac{a^2(8A-4B-5C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(8A+12B+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{a(4B+3C)}{4d}$$

[Out] (a^(3/2)*(8*A + 12*B + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a^2*(8*A - 4*B - 5*C)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a*(4*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.661237, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4088, 4018, 4015, 3801, 215}

$$\frac{a^2(8A-4B-5C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{a^{3/2}(8A+12B+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4d} + \frac{a(4B+3C)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(3/2)*(8*A + 12*B + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a^2*(8*A - 4*B - 5*C)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a*(4*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_.), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a

```

_)^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4018

```

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (
a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)]*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]*Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2} \sin(c+dx)}{2d\sqrt{\cos(c+dx)}} + \frac{a(4B+3C)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d\sqrt{\cos(c+dx)}} \\
&= \frac{a^2(8A-4B-5C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{a^2(8A-4B-5C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{a^3/2(8A+12B+7C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4d}
\end{aligned}$$

Mathematica [A] time = 1.46863, size = 129, normalized size = 0.64

$$\frac{a\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(2\sin\left(\frac{1}{2}(c+dx)\right)(2(2A\cos(2(c+dx))+2A+C)+(4B+7C)\cos(c+dx))+\sqrt{2}\right)}{8d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(8*A + 12*B + 7*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + 2*((4*B + 7*C)*Cos[c + d*x] + 2*(2*A + C + 2*A*Cos[2*(c + d*x)]))*Sin[(c + d*x)/2]))/(8*d*Cos[c + d*x]^(3/2))
```

Maple [B] time = 0.326, size = 472, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{1/2}*(a+a*\sec(dx+c))^{3/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/8/d*a*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))*(16*A*\cos(dx+c) \\ & ^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+8*A*2^{1/2}*\arctan(1/4*2^{1/2}*(- \\ & 2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*\cos(dx+c)^2-8*A*2^{1/2} \\ & *\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))*\cos \\ & (dx+c)^2+12*B*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c) \\ & +1+\sin(dx+c)))*\cos(dx+c)^2-12*B*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c) \\ & +1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c)))*\cos(dx+c)^2+7*C*2^{1/2}*\arctan \\ & (1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))*\cos(dx+c) \\ &)^2-7*C*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1- \\ & \sin(dx+c)))*\cos(dx+c)^2+8*B*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2} \\ & +14*C*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)*\sin(dx+c)+4*C*(-2/(\cos(dx+c) \\ & +1))^{1/2}*\sin(dx+c))/\sin(dx+c)^2/(-2/(\cos(dx+c)+1))^{1/2}/\cos(dx+c)^3 \\ & /2) \end{aligned}$$

Maxima [B] time = 2.80763, size = 4942, normalized size = 24.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int \text{integrate}(\cos(dx+c)^{1/2}*(a+a*\sec(dx+c))^{3/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & 1/16*(4*\sqrt{2}*(\sqrt{2})*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1 \\ & /2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + \\ & 2) - \sqrt{2})*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2 \\ & *\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \sqrt{2} \\ & (2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos \\ & (1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2})*a*\log(2* \\ & \cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + \\ & 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 8*a*\sin(1/2*d*x + 1/2*c))*A \\ & *\sqrt{a} + 4*(3*(a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\ & + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a* \\ & \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2 \\ & *d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a*\log(2*\cos(1/2*d*x + \\ & 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*s \\ & \sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \end{aligned}$$

$$\begin{aligned}
& /2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x \\
& + 1/2*c) + 2))*cos(2*d*x + 2*c)^2 + 3*(a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*s \\
& in(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2* \\
& d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + \\
& a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(\\
& 1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2*cos(1/2*d* \\
& x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - \\
& 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*sin(2*d*x + 2*c)^2 + 4*sqrt(2)*a*sin(3 \\
& /2*d*x + 3/2*c) - 4*sqrt(2)*a*sin(1/2*d*x + 1/2*c) + 2*(2*sqrt(2)*a*sin(3/2 \\
& *d*x + 3/2*c) - 2*sqrt(2)*a*sin(1/2*d*x + 1/2*c) + 3*a*log(2*cos(1/2*d*x + \\
& 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sq \\
& rt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(\\
& 1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x \\
& + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^ \\
& 2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - \\
& 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos \\
& (1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c) + \\
& 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*co \\
& s(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/ \\
& 2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c \\
&) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 \\
& + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin \\
& (1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + \\
& 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) \\
& + 2) - 4*(sqrt(2)*a*cos(3/2*d*x + 3/2*c) - sqrt(2)*a*cos(1/2*d*x + 1/2*c)) \\
& *sin(2*d*x + 2*c))*B*sqrt(a)/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*c \\
& os(2*d*x + 2*c) + 1) - (56*sqrt(2)*a*cos(7/3*arctan2(sin(3/2*d*x + 3/2*c), \\
& cos(3/2*d*x + 3/2*c)))*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + \\
& 3/2*c))) - 24*sqrt(2)*a*cos(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + \\
& 3/2*c)))*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 12 \\
& *sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 28*sqrt(2)*a*sin(1/3*arctan2(sin(3/2*d*x \\
& + 3/2*c), cos(3/2*d*x + 3/2*c))) - 4*(3*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 7* \\
& sqrt(2)*a*sin(7/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 3* \\
& sqrt(2)*a*sin(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 7* \\
& sqrt(2)*a*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*cos \\
& (8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 8*(3*sqrt(2)*a* \\
& sin(3/2*d*x + 3/2*c) - 7*sqrt(2)*a*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), co \\
& s(3/2*d*x + 3/2*c))))*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3 \\
& /2*c))) - 7*(a*cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) \\
& ^2 + 4*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + a \\
& *sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*a*sin(8 \\
& /3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(4/3*arctan2(sin \\
& (3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 4*a*sin(4/3*arctan2(sin(3/2*d*x \\
& + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*cos(4/3*arctan2(sin(3/2*d*x +
\end{aligned}$$


```

*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * sin(8/3*arctan2(sin(3/2*d*x + 3/2*c)
, cos(3/2*d*x + 3/2*c))) - 28*(2*sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x + 3/
2*c), cos(3/2*d*x + 3/2*c))) + sqrt(2)*a)*sin(7/3*arctan2(sin(3/2*d*x + 3/2
*c), cos(3/2*d*x + 3/2*c))) + 12*(2*sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x +
3/2*c), cos(3/2*d*x + 3/2*c))) + sqrt(2)*a)*sin(5/3*arctan2(sin(3/2*d*x +
3/2*c), cos(3/2*d*x + 3/2*c))) + 8*(3*sqrt(2)*a*cos(3/2*d*x + 3/2*c) - 7*sq
rt(2)*a*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) * sin(4
/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * C*sqrt(a)/(2*(2*co
s(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1)*cos(8/3*arc
tan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + cos(8/3*arctan2(sin(3/2
*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*cos(4/3*arctan2(sin(3/2*d*x + 3
/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos
(3/2*d*x + 3/2*c)))^2 + 4*sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x
+ 3/2*c))) * sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) +
4*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*cos(4/
3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1))/d

```

Fricas [A] time = 1.12052, size = 1157, normalized size = 5.7

$$\frac{4 \left(8 A a \cos(dx + c)^2 + (4 B + 7 C) a \cos(dx + c) + 2 C a \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + \left((8 A + 12 B + 7 C) a \right)}{16 \left(d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x
+c)^2),x, algorithm="fricas")

```

```

[Out] [1/16*(4*(8*A*a*cos(d*x + c)^2 + (4*B + 7*C)*a*cos(d*x + c) + 2*C*a)*sqrt((
a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A +
12*B + 7*C)*a*cos(d*x + c)^3 + (8*A + 12*B + 7*C)*a*cos(d*x + c)^2)*sqrt(a
)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 +
8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)
^2), 1/8*(2*(8*A*a*cos(d*x + c)^2 + (4*B + 7*C)*a*cos(d*x + c) + 2*C*a)*sq
rt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*
A + 12*B + 7*C)*a*cos(d*x + c)^3 + (8*A + 12*B + 7*C)*a*cos(d*x + c)^2)*sq
rt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*
x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x

```


+ c)^3 + d*cos(d*x + c)^2]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c)), x)

$$3.1259 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=201

$$\frac{a^2(24A + 30B + 19C) \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(24A + 14B + 11C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{8d} + \frac{a(2B + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(3/2)*(24*A + 14*B + 11*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^2*(24*A + 30*B + 19*C)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(2*B + C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.67798, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4088, 4018, 4016, 3801, 215}

$$\frac{a^2(24A + 30B + 19C) \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(24A + 14B + 11C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{8d} + \frac{a(2B + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (a^(3/2)*(24*A + 14*B + 11*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^2*(24*A + 30*B + 19*C)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(2*B + C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} dx \\
&= \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{(\sqrt{\cos(c + dx)})^{3/2} (a + a \sec(c + dx))^{3/2} \sin(c + dx)}{4d \cos^2(c + dx)} \\
&= \frac{a(2B + C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^2(c + dx)} + \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d \cos^2(c + dx)} \\
&= \frac{a^2(24A + 30B + 19C) \sin(c + dx)}{24d \cos^2(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(2B + C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^2(c + dx)} \\
&= \frac{a^2(24A + 30B + 19C) \sin(c + dx)}{24d \cos^2(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(2B + C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^2(c + dx)} \\
&= \frac{a^{3/2}(24A + 14B + 11C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{8d}
\end{aligned}$$

Mathematica [A] time = 2.29396, size = 141, normalized size = 0.7

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (3(8A + 14B + 11C) \cos(2(c + dx)) + 24A + 4(6B + 11C) \cos(c + dx))\right)}{48d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(24*A + 14*B + 11*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (24*A + 42*B + 49*C + 4*(6*B + 11*C)*Cos[c + d*x] + 3*(8*A + 14*B + 11*C)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2))/(48*d*Cos[c + d*x]^(5/2))

Maple [B] time = 0.342, size = 534, normalized size = 2.7

result too large to display

$$\begin{aligned}
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)) * \sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 4*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 2*(2*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 2*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)) * \cos(2*d*x + 2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 4*(\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - \sqrt{2}*a*\cos(1/2*d*x + 1/2*c)) * \sin(2*d*x + 2*c)) * A*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) - 6*(56*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 24*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 28*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2}*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2}*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) * \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 8*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) * \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 +
\end{aligned}$$

$$\begin{aligned}
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * B * \sqrt{a} / (2 * (2 * \cos(\\
& 4/3 * \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) * \cos(8/3 * \arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3 * \arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4 * \cos(4/3 * \arctan2(\sin(3/2*d*x + 3/2 \\
& *c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(8/3 * \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c)))^2 + 4 * \sin(8/3 * \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) * \sin(4/3 * \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4 * \\
& \sin(4/3 * \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4 * \cos(4/3 * \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - (132 * (\sqrt{2}) * a \\
& * \sin(6*d*x + 6*c) + 3 * \sqrt{2} * a * \sin(4*d*x + 4*c) + 3 * \sqrt{2} * a * \sin(2*d*x + \\
& 2*c)) * \cos(11/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44 * (\sqrt{2}) * a \\
& * \sin(6*d*x + 6*c) + 3 * \sqrt{2} * a * \sin(4*d*x + 4*c) + 3 * \sqrt{2} * a * \sin(2*d*x + \\
& 2*c)) * \cos(9/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216 * (\sqrt{2}) * a \\
& * \sin(6*d*x + 6*c) + 3 * \sqrt{2} * a * \sin(4*d*x + 4*c) + 3 * \sqrt{2} * a * \sin(2*d*x + \\
& 2*c)) * \cos(7/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216 * (\sqrt{2}) * a \\
& * \sin(6*d*x + 6*c) + 3 * \sqrt{2} * a * \sin(4*d*x + 4*c) + 3 * \sqrt{2} * a * \sin(2*d*x + \\
& 2*c)) * \cos(5/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44 * (\sqrt{2}) * a * \\
& \sin(6*d*x + 6*c) + 3 * \sqrt{2} * a * \sin(4*d*x + 4*c) + 3 * \sqrt{2} * a * \sin(2*d*x + 2 \\
& *c)) * \cos(3/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 132 * (\sqrt{2}) * a * \\
& \sin(6*d*x + 6*c) + 3 * \sqrt{2} * a * \sin(4*d*x + 4*c) + 3 * \sqrt{2} * a * \sin(2*d*x + 2 \\
& *c)) * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 33 * (a * \cos(6*d*x \\
& + 6*c))^2 + 9 * a * \cos(4*d*x + 4*c))^2 + 9 * a * \cos(2*d*x + 2*c))^2 + a * \sin(6*d*x + \\
& 6*c))^2 + 9 * a * \sin(4*d*x + 4*c))^2 + 18 * a * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + \\
& 9 * a * \sin(2*d*x + 2*c))^2 + 2 * (3 * a * \cos(4*d*x + 4*c) + 3 * a * \cos(2*d*x + 2*c) + \\
& a) * \cos(6*d*x + 6*c) + 6 * (3 * a * \cos(2*d*x + 2*c) + a) * \cos(4*d*x + 4*c) + 6 * a * \cos \\
& (2*d*x + 2*c) + 6 * (a * \sin(4*d*x + 4*c) + a * \sin(2*d*x + 2*c)) * \sin(6*d*x + 6 \\
& *c) + a) * \log(2 * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin \\
& (1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sqrt{2} * \cos(1/4 * \arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2 * \sqrt{2} * \sin(1/4 * \arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 33 * (a * \cos(6*d*x + 6*c))^2 + 9 * a * \cos \\
& (4*d*x + 4*c))^2 + 9 * a * \cos(2*d*x + 2*c))^2 + a * \sin(6*d*x + 6*c))^2 + 9 * a * \sin(4 \\
& *d*x + 4*c))^2 + 18 * a * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 9 * a * \sin(2*d*x + 2 \\
& *c))^2 + 2 * (3 * a * \cos(4*d*x + 4*c) + 3 * a * \cos(2*d*x + 2*c) + a) * \cos(6*d*x + 6*c) \\
& + 6 * (3 * a * \cos(2*d*x + 2*c) + a) * \cos(4*d*x + 4*c) + 6 * a * \cos(2*d*x + 2*c) + 6 \\
& * (a * \sin(4*d*x + 4*c) + a * \sin(2*d*x + 2*c)) * \sin(6*d*x + 6*c) + a) * \log(2 * \cos(\\
& 1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sqrt{2} * \cos(1/4 * \arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) - 2 * \sqrt{2} * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(\\
& 2*d*x + 2*c))) + 2) - 33 * (a * \cos(6*d*x + 6*c))^2 + 9 * a * \cos(4*d*x + 4*c))^2 + 9 \\
& * a * \cos(2*d*x + 2*c))^2 + a * \sin(6*d*x + 6*c))^2 + 9 * a * \sin(4*d*x + 4*c))^2 + 18 * \\
& a * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 9 * a * \sin(2*d*x + 2*c))^2 + 2 * (3 * a * \cos(4 \\
& *d*x + 4*c) + 3 * a * \cos(2*d*x + 2*c) + a) * \cos(6*d*x + 6*c) + 6 * (3 * a * \cos(2*d*x \\
& + 2*c) + a) * \cos(4*d*x + 4*c) + 6 * a * \cos(2*d*x + 2*c) + 6 * (a * \sin(4*d*x + 4*c \\
&) + a * \sin(2*d*x + 2*c)) * \sin(6*d*x + 6*c) + a) * \log(2 * \cos(1/4 * \arctan2(\sin(2*d \\
& *x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2
\end{aligned}$$


```

*d*x + 2*c)))^2 - 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2
*c))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2)
+ 33*(a*cos(6*d*x + 6*c)^2 + 9*a*cos(4*d*x + 4*c)^2 + 9*a*cos(2*d*x + 2*c)
^2 + a*sin(6*d*x + 6*c)^2 + 9*a*sin(4*d*x + 4*c)^2 + 18*a*sin(4*d*x + 4*c)*
sin(2*d*x + 2*c) + 9*a*sin(2*d*x + 2*c)^2 + 2*(3*a*cos(4*d*x + 4*c) + 3*a*c
os(2*d*x + 2*c) + a)*cos(6*d*x + 6*c) + 6*(3*a*cos(2*d*x + 2*c) + a)*cos(4*
d*x + 4*c) + 6*a*cos(2*d*x + 2*c) + 6*(a*sin(4*d*x + 4*c) + a*sin(2*d*x + 2
*c))*sin(6*d*x + 6*c) + a)*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 - 2
*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2*sqrt(2)*s
in(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - 132*(sqrt(2)*a*c
os(6*d*x + 6*c) + 3*sqrt(2)*a*cos(4*d*x + 4*c) + 3*sqrt(2)*a*cos(2*d*x + 2*
c) + sqrt(2)*a)*sin(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 44*
(sqrt(2)*a*cos(6*d*x + 6*c) + 3*sqrt(2)*a*cos(4*d*x + 4*c) + 3*sqrt(2)*a*co
s(2*d*x + 2*c) + sqrt(2)*a)*sin(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2
*c))) - 216*(sqrt(2)*a*cos(6*d*x + 6*c) + 3*sqrt(2)*a*cos(4*d*x + 4*c) + 3*
sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(7/4*arctan2(sin(2*d*x + 2*c), c
os(2*d*x + 2*c))) + 216*(sqrt(2)*a*cos(6*d*x + 6*c) + 3*sqrt(2)*a*cos(4*d*x
+ 4*c) + 3*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(5/4*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c))) + 44*(sqrt(2)*a*cos(6*d*x + 6*c) + 3*sqrt(2)*
a*cos(4*d*x + 4*c) + 3*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(3/4*arct
an2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 132*(sqrt(2)*a*cos(6*d*x + 6*c)
+ 3*sqrt(2)*a*cos(4*d*x + 4*c) + 3*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*
sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) *C*sqrt(a)/(2*(3*cos(4
*d*x + 4*c) + 3*cos(2*d*x + 2*c) + 1)*cos(6*d*x + 6*c) + cos(6*d*x + 6*c)^2
+ 6*(3*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + 9*cos(4*d*x + 4*c)^2 + 9*c
os(2*d*x + 2*c)^2 + 6*(sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c
) + sin(6*d*x + 6*c)^2 + 9*sin(4*d*x + 4*c)^2 + 18*sin(4*d*x + 4*c)*sin(2*d
*x + 2*c) + 9*sin(2*d*x + 2*c)^2 + 6*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 1.11545, size = 1231, normalized size = 6.12

$$4 \left(3(8A + 14B + 11C)a \cos(dx + c)^2 + 2(6B + 11C)a \cos(dx + c) + 8Ca \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) +$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)
^(1/2),x, algorithm="fricas")

```

```
[Out] [1/96*(4*(3*(8*A + 14*B + 11*C)*a*cos(d*x + c)^2 + 2*(6*B + 11*C)*a*cos(d*x + c) + 8*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((24*A + 14*B + 11*C)*a*cos(d*x + c)^4 + (24*A + 14*B + 11*C)*a*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/48*(2*(3*(8*A + 14*B + 11*C)*a*cos(d*x + c)^2 + 2*(6*B + 11*C)*a*cos(d*x + c) + 8*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((24*A + 14*B + 11*C)*a*cos(d*x + c)^4 + (24*A + 14*B + 11*C)*a*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)), x)
```

$$3.1260 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=253

$$\frac{a^2(112A + 88B + 75C) \sin(c + dx)}{64d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(48A + 56B + 39C) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(112A + 88B + 75C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}$$

[Out] (a^(3/2)*(112*A + 88*B + 75*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a^2*(48*A + 56*B + 39*C)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(112*A + 88*B + 75*C)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Cos[c + d*x]^(5/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 0.790027, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4088, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(112A + 88B + 75C) \sin(c + dx)}{64d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(48A + 56B + 39C) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(112A + 88B + 75C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (a^(3/2)*(112*A + 88*B + 75*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a^2*(48*A + 56*B + 39*C)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(112*A + 88*B + 75*C)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(8*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Cos[c + d*x]^(5/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_.), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n * Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)] * (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +

$x^2/a], x], x, (b*\cot[e + f*x])/Sqrt[a + b*\csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] \&\& EqQ[a^2 - b^2, 0] \&\& GtQ[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \text{:> Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^3(c + dx)} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^3(c + dx) (a + a \sec(c + dx)) dx$$

$$= \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{4d \cos^5(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^2(c + dx) (a + a \sec(c + dx)) dx}{24d \cos^5(c + dx)}$$

$$= \frac{a^2(48A + 56B + 39C) \sin(c + dx)}{96d \cos^5(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(8B + 3C) \sin(c + dx)}{64d \cos^3(c + dx)}$$

$$= \frac{a^2(48A + 56B + 39C) \sin(c + dx)}{96d \cos^5(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(112A + 88B + 75C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{64d}$$

Mathematica [A] time = 3.75934, size = 176, normalized size = 0.7

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) ((1008A + 1048B + 1155C) \cos(c + dx) + 4(48A + 88B + 75C) \csc(c + dx))\right)}{64d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2),x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(112*A + 88*B + 75*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (192*A + 352*B + 492*C + (1008*A + 1048*B + 1155*C)*Cos[c + d*x] + 4*(48*A + 88*B + 75*C)*Cos[2*(c + d*x)] + 336*A*Cos[3*(c + d*x)] + 264*B*Cos[3*(c + d*x)] + 225*C*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/((768*d*Cos[c + d*x]^(7/2))

Maple [B] time = 0.382, size = 627, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x)

[Out] 1/384/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(336*A*cos(d*x+c)^4*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))-336*A*cos(d*x+c)^4*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+264*B*cos(d*x+c)^4*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))-264*B*cos(d*x+c)^4*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+225*C*cos(d*x+c)^4*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-225*C*cos(d*x+c)^4*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-672*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)-528*B*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)-450*C*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-192*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-352*B*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-300*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-128*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-240*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)-96*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/cos(d*x+c)^(7/2)/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2

Maxima [B] time = 4.49529, size = 10963, normalized size = 43.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/768*(48*(56*\sqrt{2})*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\ & + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2 \\ & 4*\sqrt{2})*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 28*\sqrt{2})*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2})*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2})*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2})*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 8*(3*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) - 7*\sqrt{2})*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2})*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2})*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2})*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2})*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))$$

$$\begin{aligned}
& /2*d*x + 3/2*c))\^2 + 2*(2*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2* \\
& d*x + 3/2*c))) + a)*cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2 \\
& *c))) + 4*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + \\
& a)*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))\^2 + 2 \\
& *sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))\^2 - 2*sqrt(2) \\
& *cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*s \\
& in(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + 7*(a*cos \\
& (8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))\^2 + 4*a*cos(4/3*a \\
& rctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))\^2 + a*sin(8/3*arctan2(s \\
& in(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))\^2 + 4*a*sin(8/3*arctan2(sin(3/2 \\
& *d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), \\
& cos(3/2*d*x + 3/2*c))) + 4*a*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2 \\
& *d*x + 3/2*c)))\^2 + 2*(2*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d* \\
& x + 3/2*c))) + a)*cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c \\
&))) + 4*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + a) \\
& *log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))\^2 + 2*s \\
& in(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))\^2 - 2*sqrt(2)*c \\
& os(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin \\
& (1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + 4*(3*sqrt(\\
& 2)*a*cos(3/2*d*x + 3/2*c) + 7*sqrt(2)*a*cos(7/3*arctan2(sin(3/2*d*x + 3/2*c \\
&), cos(3/2*d*x + 3/2*c))) - 3*sqrt(2)*a*cos(5/3*arctan2(sin(3/2*d*x + 3/2*c \\
&), cos(3/2*d*x + 3/2*c))) - 7*sqrt(2)*a*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c \\
&), cos(3/2*d*x + 3/2*c))))*sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d* \\
& x + 3/2*c))) - 28*(2*sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/ \\
& 2*d*x + 3/2*c))) + sqrt(2)*a)*sin(7/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2 \\
& *d*x + 3/2*c))) + 12*(2*sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos \\
& (3/2*d*x + 3/2*c))) + sqrt(2)*a)*sin(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(\\
& 3/2*d*x + 3/2*c))) + 8*(3*sqrt(2)*a*cos(3/2*d*x + 3/2*c) - 7*sqrt(2)*a*cos(\\
& 1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(4/3*arctan2(s \\
& in(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) *A*sqrt(a)/(2*(2*cos(4/3*arctan \\
& 2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1)*cos(8/3*arctan2(sin(3/2 \\
& *d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + cos(8/3*arctan2(sin(3/2*d*x + 3/2*c \\
&), cos(3/2*d*x + 3/2*c)))\^2 + 4*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3 \\
& /2*d*x + 3/2*c)))\^2 + sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3 \\
& /2*c)))\^2 + 4*sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) * \\
& sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 4*sin(4/3*ar \\
& ctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))\^2 + 4*cos(4/3*arctan2(si \\
& n(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) + 8*(132*(sqrt(2)*a*sin(6*d \\
& *x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) + 3*sqrt(2)*a*sin(2*d*x + 2*c))*co \\
& s(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 44*(sqrt(2)*a*sin(6*d \\
& *x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) + 3*sqrt(2)*a*sin(2*d*x + 2*c))*co \\
& s(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 216*(sqrt(2)*a*sin(6*d \\
& *x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) + 3*sqrt(2)*a*sin(2*d*x + 2*c))*co \\
& s(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 216*(sqrt(2)*a*sin(6*d \\
& *x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) + 3*sqrt(2)*a*sin(2*d*x + 2*c))*co
\end{aligned}$$

$$\begin{aligned}
& s(5/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 44(\sqrt{2} a \sin(6dx + 6c) + 3\sqrt{2} a \sin(4dx + 4c) + 3\sqrt{2} a \sin(2dx + 2c)) \cos \\
& (3/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 132(\sqrt{2} a \sin(6dx + 6c) + 3\sqrt{2} a \sin(4dx + 4c) + 3\sqrt{2} a \sin(2dx + 2c)) \cos \\
& (1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 33(a \cos(6dx + 6c)^2 + 9a \cos(4dx + 4c)^2 + 9a \cos(2dx + 2c)^2 + a \sin(6dx + 6c)^2 \\
& + 9a \sin(4dx + 4c)^2 + 18a \sin(4dx + 4c) \sin(2dx + 2c) + 9a \sin(2dx + 2c)^2 + 2(3a \cos(4dx + 4c) + 3a \cos(2dx + 2c) + a) \cos(6 \\
& dx + 6c) + 6(3a \cos(2dx + 2c) + a) \cos(4dx + 4c) + 6a \cos(2dx + 2c) + 6(a \sin(4dx + 4c) + a \sin(2dx + 2c)) \sin(6dx + 6c) + a \\
& \log(2 \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2 \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sqrt{2} \cos(1/4 \arctan 2(s \\
& in(2dx + 2c), \cos(2dx + 2c))) + 2 \sqrt{2} \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 33(a \cos(6dx + 6c)^2 + 9a \cos(4dx + \\
& 4c)^2 + 9a \cos(2dx + 2c)^2 + a \sin(6dx + 6c)^2 + 9a \sin(4dx + 4c)^2 + 18a \sin(4dx + 4c) \sin(2dx + 2c) + 9a \sin(2dx + 2c)^2 + 2 \\
& (3a \cos(4dx + 4c) + 3a \cos(2dx + 2c) + a) \cos(6dx + 6c) + 6(3a \cos(2dx + 2c) + a) \cos(4dx + 4c) + 6a \cos(2dx + 2c) + 6(a \sin(\\
& 4dx + 4c) + a \sin(2dx + 2c)) \sin(6dx + 6c) + a \log(2 \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2 \sin(1/4 \arctan 2(\sin(2dx + \\
& 2c), \cos(2dx + 2c)))^2 + 2 \sqrt{2} \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2 \sqrt{2} \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + \\
& 2c))) + 2) - 33(a \cos(6dx + 6c)^2 + 9a \cos(4dx + 4c)^2 + 9a \cos(2 \\
& dx + 2c)^2 + a \sin(6dx + 6c)^2 + 9a \sin(4dx + 4c)^2 + 18a \sin(4 \\
& dx + 4c) \sin(2dx + 2c) + 9a \sin(2dx + 2c)^2 + 2(3a \cos(4dx + 4 \\
& c) + 3a \cos(2dx + 2c) + a) \cos(6dx + 6c) + 6(3a \cos(2dx + 2c) \\
& + a) \cos(4dx + 4c) + 6a \cos(2dx + 2c) + 6(a \sin(4dx + 4c) + a \sin \\
& (2dx + 2c)) \sin(6dx + 6c) + a \log(2 \cos(1/4 \arctan 2(\sin(2dx + 2c) \\
&), \cos(2dx + 2c))))^2 + 2 \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2 \\
& c)))^2 - 2 \sqrt{2} \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + \\
& 2 \sqrt{2} \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 33(a \\
& \cos(6dx + 6c)^2 + 9a \cos(4dx + 4c)^2 + 9a \cos(2dx + 2c)^2 + a \sin \\
& (6dx + 6c)^2 + 9a \sin(4dx + 4c)^2 + 18a \sin(4dx + 4c) \sin(2dx \\
& x + 2c) + 9a \sin(2dx + 2c)^2 + 2(3a \cos(4dx + 4c) + 3a \cos(2dx \\
& + 2c) + a) \cos(6dx + 6c) + 6(3a \cos(2dx + 2c) + a) \cos(4dx + 4 \\
& c) + 6a \cos(2dx + 2c) + 6(a \sin(4dx + 4c) + a \sin(2dx + 2c)) \sin \\
& (6dx + 6c) + a \log(2 \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c) \\
&)))^2 + 2 \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2 \sqrt{2} \\
& \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2 \sqrt{2} \sin(1/4 \arctan 2(s \\
& in(2dx + 2c), \cos(2dx + 2c))) + 2) - 132(\sqrt{2} a \cos(6dx + 6c) \\
& + 6c) + 3\sqrt{2} a \cos(4dx + 4c) + 3\sqrt{2} a \cos(2dx + 2c) + \sqrt{2} a \\
& \sin(11/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 44(\sqrt{2} a \cos(6dx + 6c) + 3\sqrt{2} a \cos(4dx + 4c) + 3\sqrt{2} a \cos(2dx \\
& + 2c) + \sqrt{2} a \sin(9/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) - \\
& 216(\sqrt{2} a \cos(6dx + 6c) + 3\sqrt{2} a \cos(4dx + 4c) + 3\sqrt{2} a \cos(2dx + 2c) + \sqrt{2} a \sin(9/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) -
\end{aligned}$$

$$\begin{aligned}
& a \cos(2dx + 2c) + \sqrt{2}a \sin(7/4 \arctan2(\sin(2dx + 2c), \cos(2dx \\
& \quad + 2c))) + 216(\sqrt{2}a \cos(6dx + 6c) + 3\sqrt{2}a \cos(4dx + 4c) \\
& \quad + 3\sqrt{2}a \cos(2dx + 2c) + \sqrt{2}a \sin(5/4 \arctan2(\sin(2dx + 2c) \\
& \quad), \cos(2dx + 2c))) + 44(\sqrt{2}a \cos(6dx + 6c) + 3\sqrt{2}a \cos(4d \\
& \quad dx + 4c) + 3\sqrt{2}a \cos(2dx + 2c) + \sqrt{2}a \sin(3/4 \arctan2(\sin(\\
& \quad 2dx + 2c), \cos(2dx + 2c))) + 132(\sqrt{2}a \cos(6dx + 6c) + 3\sqrt{2} \\
& \quad (2)a \cos(4dx + 4c) + 3\sqrt{2}a \cos(2dx + 2c) + \sqrt{2}a \sin(1/4 * \\
& \quad \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) * B \sqrt{a} / (2 * (3 \cos(4dx + 4 \\
& \quad *c) + 3 \cos(2dx + 2c) + 1) \cos(6dx + 6c) + \cos(6dx + 6c)^2 + 6 * (3 * \\
& \quad \cos(2dx + 2c) + 1) \cos(4dx + 4c) + 9 \cos(4dx + 4c)^2 + 9 \cos(2dx \\
& \quad + 2c)^2 + 6 * (\sin(4dx + 4c) + \sin(2dx + 2c)) \sin(6dx + 6c) + \sin(\\
& \quad 6dx + 6c)^2 + 9 \sin(4dx + 4c)^2 + 18 \sin(4dx + 4c) \sin(2dx + 2c \\
& \quad) + 9 \sin(2dx + 2c)^2 + 6 \cos(2dx + 2c) + 1) + 3 * (300 * (\sqrt{2}a \sin(\\
& \quad 8dx + 8c) + 4\sqrt{2}a \sin(6dx + 6c) + 6\sqrt{2}a \sin(4dx + 4c) \\
& \quad + 4\sqrt{2}a \sin(2dx + 2c)) \cos(15/4 \arctan2(\sin(2dx + 2c), \cos(2dx \\
& \quad x + 2c))) + 100(\sqrt{2}a \sin(8dx + 8c) + 4\sqrt{2}a \sin(6dx + 6c) \\
& \quad + 6\sqrt{2}a \sin(4dx + 4c) + 4\sqrt{2}a \sin(2dx + 2c)) \cos(13/4 \ar \\
& \quad ctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1140(\sqrt{2}a \sin(8dx + 8 * \\
& \quad c) + 4\sqrt{2}a \sin(6dx + 6c) + 6\sqrt{2}a \sin(4dx + 4c) + 4\sqrt{2}(2 \\
& \quad)a \sin(2dx + 2c)) \cos(11/4 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
& \quad - 228(\sqrt{2}a \sin(8dx + 8c) + 4\sqrt{2}a \sin(6dx + 6c) + 6\sqrt{2} \\
& \quad (2)a \sin(4dx + 4c) + 4\sqrt{2}a \sin(2dx + 2c)) \cos(9/4 \arctan2(\sin(2 \\
& \quad *dx + 2c), \cos(2dx + 2c))) + 228(\sqrt{2}a \sin(8dx + 8c) + 4\sqrt{2} \\
& \quad (2)a \sin(6dx + 6c) + 6\sqrt{2}a \sin(4dx + 4c) + 4\sqrt{2}a \sin(2dx \\
& \quad x + 2c)) \cos(7/4 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 1140(\sqrt{2} \\
& \quad (2)a \sin(8dx + 8c) + 4\sqrt{2}a \sin(6dx + 6c) + 6\sqrt{2}a \sin(4d \\
& \quad *x + 4c) + 4\sqrt{2}a \sin(2dx + 2c)) \cos(5/4 \arctan2(\sin(2dx + 2c), \\
& \quad \cos(2dx + 2c))) - 100(\sqrt{2}a \sin(8dx + 8c) + 4\sqrt{2}a \sin(6dx \\
& \quad *x + 6c) + 6\sqrt{2}a \sin(4dx + 4c) + 4\sqrt{2}a \sin(2dx + 2c)) \co \\
& \quad s(3/4 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 300(\sqrt{2}a \sin(8d \\
& \quad *x + 8c) + 4\sqrt{2}a \sin(6dx + 6c) + 6\sqrt{2}a \sin(4dx + 4c) + 4 \\
& \quad * \sqrt{2}a \sin(2dx + 2c)) \cos(1/4 \arctan2(\sin(2dx + 2c), \cos(2dx + \\
& \quad 2c))) - 75(a \cos(8dx + 8c)^2 + 16a \cos(6dx + 6c)^2 + 36a \cos(4dx \\
& \quad x + 4c)^2 + 16a \cos(2dx + 2c)^2 + a \sin(8dx + 8c)^2 + 16a \sin(6dx \\
& \quad x + 6c)^2 + 36a \sin(4dx + 4c)^2 + 48a \sin(4dx + 4c) \sin(2dx + 2 * \\
& \quad c) + 16a \sin(2dx + 2c)^2 + 2 * (4a \cos(6dx + 6c) + 6a \cos(4dx + 4 \\
& \quad c) + 4a \cos(2dx + 2c) + a) \cos(8dx + 8c) + 8 * (6a \cos(4dx + 4c) + \\
& \quad 4a \cos(2dx + 2c) + a) \cos(6dx + 6c) + 12 * (4a \cos(2dx + 2c) + a) \\
& \quad * \cos(4dx + 4c) + 8a \cos(2dx + 2c) + 4 * (2a \sin(6dx + 6c) + 3a \sin \\
& \quad n(4dx + 4c) + 2a \sin(2dx + 2c)) \sin(8dx + 8c) + 16 * (3a \sin(4dx \\
& \quad + 4c) + 2a \sin(2dx + 2c)) \sin(6dx + 6c) + a) \log(2 \cos(1/4 \arctan2 \\
& \quad (\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sin(1/4 \arctan2(\sin(2dx + 2c) \\
& \quad), \cos(2dx + 2c)))^2 + 2 \sqrt{2} \cos(1/4 \arctan2(\sin(2dx + 2c), \cos(2 \\
& \quad *dx + 2c))) + 2 \sqrt{2} \sin(1/4 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c \\
& \quad))) + 2) + 75(a \cos(8dx + 8c)^2 + 16a \cos(6dx + 6c)^2 + 36a \cos(4 *
\end{aligned}$$

$$\begin{aligned}
& d*x + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6* \\
& d*x + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + \\
& 2*c) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + \\
& 4*c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) \\
& + 4*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + \\
& a)*\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a* \\
& \sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d \\
& *x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c)))) + 2) - 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(\\
& 4*d*x + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(\\
& 6*d*x + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x \\
& + 2*c) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x \\
& + 4*c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4* \\
& c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) \\
& + a)*\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3* \\
& a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4 \\
& *d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arc \\
& tan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c))) + 2) + 75*(a*\cos(8*d*x + 8*c)^2 + 16*a*\cos(6*d*x + 6*c)^2 + 36*a*co \\
& s(4*d*x + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + a*\sin(8*d*x + 8*c)^2 + 16*a*si \\
& n(6*d*x + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)*\sin(2*d* \\
& x + 2*c) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d* \\
& x + 4*c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(8*d*x + 8*c) + 8*(6*a*\cos(4*d*x + \\
& 4*c) + 4*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 12*(4*a*\cos(2*d*x + 2*c \\
&) + a)*\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + \\
& 3*a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a*\sin \\
& (4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c))) + 2) - 300*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + \\
& 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2} \\
&)*a*\sin(15/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 100*(\sqrt{2})*a \\
& *cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + \\
& 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(13/4*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))) - 1140*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})* \\
& a*\cos(6*d*x + 6*c) + 6*\sqrt{2})*a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + \\
& 2*c) + \sqrt{2})*a*\sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \\
& 228*(\sqrt{2})*a*\cos(8*d*x + 8*c) + 4*\sqrt{2})*a*\cos(6*d*x + 6*c) + 6*\sqrt{2})* \\
& a*\cos(4*d*x + 4*c) + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(9/4*\arct
\end{aligned}$$

```

an2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 228*(sqrt(2)*a*cos(8*d*x + 8*c)
+ 4*sqrt(2)*a*cos(6*d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)*a
*cos(2*d*x + 2*c) + sqrt(2)*a*sin(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c)))) + 1140*(sqrt(2)*a*cos(8*d*x + 8*c) + 4*sqrt(2)*a*cos(6*d*x + 6*c)
+ 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a*
sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 100*(sqrt(2)*a*cos(8
*d*x + 8*c) + 4*sqrt(2)*a*cos(6*d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c) +
4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a*sin(3/4*arctan2(sin(2*d*x + 2*c)
, cos(2*d*x + 2*c)))) + 300*(sqrt(2)*a*cos(8*d*x + 8*c) + 4*sqrt(2)*a*cos(6*
d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)*a*cos(2*d*x + 2*c) +
sqrt(2)*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*C*sqrt(a)/
(2*(4*cos(6*d*x + 6*c) + 6*cos(4*d*x + 4*c) + 4*cos(2*d*x + 2*c) + 1)*cos(8
*d*x + 8*c) + cos(8*d*x + 8*c)^2 + 8*(6*cos(4*d*x + 4*c) + 4*cos(2*d*x + 2*
c) + 1)*cos(6*d*x + 6*c) + 16*cos(6*d*x + 6*c)^2 + 12*(4*cos(2*d*x + 2*c) +
1)*cos(4*d*x + 4*c) + 36*cos(4*d*x + 4*c)^2 + 16*cos(2*d*x + 2*c)^2 + 4*(2
*sin(6*d*x + 6*c) + 3*sin(4*d*x + 4*c) + 2*sin(2*d*x + 2*c))*sin(8*d*x + 8*
c) + sin(8*d*x + 8*c)^2 + 16*(3*sin(4*d*x + 4*c) + 2*sin(2*d*x + 2*c))*sin(
6*d*x + 6*c) + 16*sin(6*d*x + 6*c)^2 + 36*sin(4*d*x + 4*c)^2 + 48*sin(4*d*x
+ 4*c)*sin(2*d*x + 2*c) + 16*sin(2*d*x + 2*c)^2 + 8*cos(2*d*x + 2*c) + 1))
/d

```

Fricas [A] time = 1.63185, size = 1361, normalized size = 5.38

$$4 \left(3(112A + 88B + 75C)a \cos(dx + c)^3 + 2(48A + 88B + 75C)a \cos(dx + c)^2 + 8(8B + 15C)a \cos(dx + c) + 48Ca \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)
^(3/2),x, algorithm="fricas")

```

```

[Out] [1/768*(4*(3*(112*A + 88*B + 75*C)*a*cos(d*x + c)^3 + 2*(48*A + 88*B + 75*C)
)*a*cos(d*x + c)^2 + 8*(8*B + 15*C)*a*cos(d*x + c) + 48*C*a)*sqrt((a*cos(d*
x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((112*A + 88*
B + 75*C)*a*cos(d*x + c)^5 + (112*A + 88*B + 75*C)*a*cos(d*x + c)^4)*sqrt(a)
*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 +
8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)

```

```

^4), 1/384*(2*(3*(112*A + 88*B + 75*C)*a*cos(d*x + c)^3 + 2*(48*A + 88*B +
75*C)*a*cos(d*x + c)^2 + 8*(8*B + 15*C)*a*cos(d*x + c) + 48*C*a)*sqrt((a*cos
(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((112*A +
88*B + 75*C)*a*cos(d*x + c)^5 + (112*A + 88*B + 75*C)*a*cos(d*x + c)^4)*sq
rt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d
*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*
x + c)^5 + d*cos(d*x + c)^4)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+
c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)
)/cos(d*x + c)^(3/2), x)
```

$$3.1261 \quad \int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{5/2}(c+dx)} dx$$

Optimal. Leaf size=303

$$\frac{a^2(176A+150B+133C) \sin(c+dx)}{128d \cos^{3/2}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^2(176A+150B+133C) \sin(c+dx)}{192d \cos^{5/2}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^2(80A+90B+67C) \sin(c+dx)}{240d \cos^{7/2}(c+dx) \sqrt{a \sec(c+dx)+a}} +$$

[Out] (a^(3/2)*(176*A + 150*B + 133*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^2*(80*A + 90*B + 67*C)*Sin[c + d*x])/(240*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 150*B + 133*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 150*B + 133*C)*Sin[c + d*x])/(128*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(10*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d*Cos[c + d*x]^(7/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 0.868542, antiderivative size = 303, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4088, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(176A+150B+133C) \sin(c+dx)}{128d \cos^{3/2}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^2(176A+150B+133C) \sin(c+dx)}{192d \cos^{5/2}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^2(80A+90B+67C) \sin(c+dx)}{240d \cos^{7/2}(c+dx) \sqrt{a \sec(c+dx)+a}} +$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (a^(3/2)*(176*A + 150*B + 133*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^2*(80*A + 90*B + 67*C)*Sin[c + d*x])/(240*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 150*B + 133*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(176*A + 150*B + 133*C)*Sin[c + d*x])/(128*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(10*B + 3*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d*Cos[c + d*x]^(7/2)) + (C*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(7/2))

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{\frac{5}{2}}(c + dx) (a + a \sec(c + dx)) dx$$

$$= \frac{C(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \cos^{\frac{7}{2}}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx)) dx}{40d \cos^{\frac{7}{2}}(c + dx)}$$

$$= \frac{a^2(80A + 90B + 67C) \sin(c + dx)}{240d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a(10B + 3C)}{192d \cos^{\frac{5}{2}}(c + dx)}$$

$$= \frac{a^2(80A + 90B + 67C) \sin(c + dx)}{240d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(176A + 150B + 133C)}{128d \cos^{\frac{5}{2}}(c + dx)} \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{a + a \sec(c + dx)}$$

Mathematica [A] time = 5.92914, size = 210, normalized size = 0.69

$$a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (12(880A + 1070B + 1273C) \cos(c + dx) + 4(3280A + 3450B + \dots)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(60*Sqrt[2]*(176*A + 150*B + 133*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^5 + (10480*A + 11550*B + 13313*C + 12*(880*A + 1070*B + 1273*C)*Cos[c + d*x] + 4*(3280*A + 3450*B + 3059*C)*Cos[2*(c + d*x)] + 3520*A*Cos[3*(c + d*x)] + 3000*B*Cos[3*(c + d*x)] + 2660*C*Cos[3*(c + d*x)] + 2640*A*Cos[4*(c + d*x)] + 2250*B*Cos[4*(c + d*x)] + 1995*C*Cos[4*(c + d*x)])*Sin[(c + d*x)/2])/((15360*d*Cos[c + d*x])^(9/2))

Maple [B] time = 0.382, size = 720, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2), x)

[Out] -1/3840/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(2640*A*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-2640*A*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)+2250*B*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-2250*B*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)+1995*C*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-1995*C*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)+5280*A*cos(d*x+c)^4*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+4500*B*cos(d*x+c)^4*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+3990*C*cos(d*x+c)^4*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+3520*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+3000*B*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+2660*C*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+1280*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x

$$+c)+1))^{1/2}+2400*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+2128$$

$$*C*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+960*B*\cos(d*x+c)*\sin(d$$

$$*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+1824*C*(-2/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)$$

$$*\sin(d*x+c)+768*C*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c))/\cos(d*x+c)^{(9/2)/(-$$

$$2/(\cos(d*x+c)+1))^{1/2}/\sin(d*x+c)^2$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.65031, size = 1523, normalized size = 5.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="fricas")

[Out] [1/7680*(4*(15*(176*A + 150*B + 133*C)*a*cos(d*x + c)^4 + 10*(176*A + 150*B + 133*C)*a*cos(d*x + c)^3 + 8*(80*A + 150*B + 133*C)*a*cos(d*x + c)^2 + 48*(10*B + 19*C)*a*cos(d*x + c) + 384*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((176*A + 150*B + 133*C)*a*cos(d*x + c)^6 + (176*A + 150*B + 133*C)*a*cos(d*x + c)^5)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5), 1/3840*(2*(15*(176*A + 150*B + 133*C)*a*cos(d*x + c)^4 + 10*(176*A + 150*B + 133*C)*a*cos(d*x + c)^3 + 8*(80*A + 150*B + 133*C)*a*cos(d*x + c)^2 + 48*(10*B + 19*C)*a*cos(d*x + c) + 384*C*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((176*A + 150*B + 133*C)*a*cos(d*x + c)^6 + (176*A + 150*B + 133*C)*a*cos(d*x + c)^5)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d

$(d \cos(dx + c)^2 - a \cos(dx + c) - 2a)) / (d \cos(dx + c)^6 + d \cos(dx + c)^5]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/cos(d*x + c)^(5/2), x)

3.1262 $\int \cos^{\frac{13}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=334

$$\frac{2a^2(136A + 182B + 143C) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{1287d} + \frac{2a^3(2224A + 2522B + 2717C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{9009d}$$

```
[Out] (16*a^3*(8368*A + 9230*B + 10439*C)*Sin[c + d*x])/(45045*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(8368*A + 9230*B + 10439*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(45045*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(8368*A + 9230*B + 10439*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15015*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2224*A + 2522*B + 2717*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 182*B + 143*C)*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(1287*d) + (2*a*(5*A + 13*B)*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(143*d) + (2*A*Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(13*d)
```

Rubi [A] time = 1.0976, antiderivative size = 334, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4017, 4015, 3805, 3804}

$$\frac{2a^2(136A + 182B + 143C) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{1287d} + \frac{2a^3(2224A + 2522B + 2717C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{9009d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(13/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (16*a^3*(8368*A + 9230*B + 10439*C)*Sin[c + d*x])/(45045*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(8368*A + 9230*B + 10439*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(45045*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(8368*A + 9230*B + 10439*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15015*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2224*A + 2522*B + 2717*C)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(9009*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(136*A + 182*B + 143*C)*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(1287*d) + (2*a*(5*A + 13*B)*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(143*d) + (2*A*Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(13*d)
```

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \cos^{\frac{13}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} dx$$

$$= \frac{2A \cos^{\frac{11}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} \sec(c + dx)}{13d}$$

$$= \frac{2a(5A + 13B) \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} \sec(c + dx)}{143d}$$

$$= \frac{2a^2(136A + 182B + 143C) \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} \sec(c + dx)}{1287d}$$

$$= \frac{2a^3(2224A + 2522B + 2717C) \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} \sec(c + dx)}{9009d \sqrt{a + a \sec(c + dx)}}$$

$$= \frac{2a^3(8368A + 9230B + 10439C) \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} \sec(c + dx)}{15015d \sqrt{a + a \sec(c + dx)}}$$

$$= \frac{8a^3(8368A + 9230B + 10439C) \sqrt{\cos(c + dx)} (a + a \sec(c + dx))^{5/2} \sec(c + dx)}{45045d \sqrt{a + a \sec(c + dx)}}$$

$$= \frac{16a^3(8368A + 9230B + 10439C) \sin(c + dx) (a + a \sec(c + dx))^{5/2} \sec(c + dx)}{45045d \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}}$$

Mathematica [A] time = 2.62763, size = 190, normalized size = 0.57

$$a^2 \sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} (4(453146A + 454285B + 445588C) \cos(c + dx) + (746519A + 676000B + 676000C) \sec(c + dx))$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(13/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]
] + C*Sec[c + d*x]^2),x]
```

```
[Out] (a^2*Sqrt[Cos[c + d*x]]*(2798182*A + 2980640*B + 3233516*C + 4*(453146*A +
454285*B + 445588*C)*Cos[c + d*x] + (746519*A + 676000*B + 581152*C)*Cos[2*
(c + d*x)] + 287060*A*Cos[3*(c + d*x)] + 225550*B*Cos[3*(c + d*x)] + 148720
*C*Cos[3*(c + d*x)] + 94010*A*Cos[4*(c + d*x)] + 58240*B*Cos[4*(c + d*x)] +
20020*C*Cos[4*(c + d*x)] + 23940*A*Cos[5*(c + d*x)] + 8190*B*Cos[5*(c + d*
x)] + 3465*A*Cos[6*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])
/(720720*d)
```

Maple [A] time = 0.288, size = 222, normalized size = 0.7

$$\frac{2a^2(-1 + \cos(dx + c))(3465A(\cos(dx + c))^6 + 11970A(\cos(dx + c))^5 + 4095B(\cos(dx + c))^5 + 18305A(\cos(dx + c))^4 + 20920A(\cos(dx + c))^3 + 23075B(\cos(dx + c))^3 + 18590C(\cos(dx + c))^3 + 25104A(\cos(dx + c))^2 + 27690B(\cos(dx + c))^2 + 31317C(\cos(dx + c))^2 + 33472A(\cos(dx + c)) + 36920B(\cos(dx + c)) + 41756C(\cos(dx + c)) + 66944A + 73840B + 83512C)\cos(dx + c)^{(1/2)}(a(\cos(dx + c) + 1)/\cos(dx + c))^{(1/2)}/\sin(dx + c))}{720720d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2
),x)
```

```
[Out] -2/45045/d*a^2*(-1+cos(d*x+c))*(3465*A*cos(d*x+c)^6+11970*A*cos(d*x+c)^5+40
95*B*cos(d*x+c)^5+18305*A*cos(d*x+c)^4+14560*B*cos(d*x+c)^4+5005*C*cos(d*x+
c)^4+20920*A*cos(d*x+c)^3+23075*B*cos(d*x+c)^3+18590*C*cos(d*x+c)^3+25104*A
*cos(d*x+c)^2+27690*B*cos(d*x+c)^2+31317*C*cos(d*x+c)^2+33472*A*cos(d*x+c)+
36920*B*cos(d*x+c)+41756*C*cos(d*x+c)+66944*A+73840*B+83512*C)*cos(d*x+c)^(
1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)
```

Maxima [B] time = 2.59576, size = 1532, normalized size = 4.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*
x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/2882880*(sqrt(2)*(3783780*a^2*cos(12/13*arctan2(sin(13/2*d*x + 13/2*c), c
os(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13/2*c) + 1066065*a^2*cos(10/13*arct
an2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c)))*sin(13/2*d*x + 13/2*c)
+ 459459*a^2*cos(8/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*
c)))*sin(13/2*d*x + 13/2*c) + 193050*a^2*cos(6/13*arctan2(sin(13/2*d*x + 13
```

```

/2*c), cos(13/2*d*x + 13/2*c))*sin(13/2*d*x + 13/2*c) + 70070*a^2*cos(4/13
*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))*sin(13/2*d*x + 13
/2*c) + 20475*a^2*cos(2/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 1
3/2*c)))*sin(13/2*d*x + 13/2*c) - 3783780*a^2*cos(13/2*d*x + 13/2*c)*sin(12
/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) - 1066065*a^2*
cos(13/2*d*x + 13/2*c)*sin(10/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d
*x + 13/2*c))) - 459459*a^2*cos(13/2*d*x + 13/2*c)*sin(8/13*arctan2(sin(13/
2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) - 193050*a^2*cos(13/2*d*x + 13/2*
c)*sin(6/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) - 7007
0*a^2*cos(13/2*d*x + 13/2*c)*sin(4/13*arctan2(sin(13/2*d*x + 13/2*c), cos(1
3/2*d*x + 13/2*c))) - 20475*a^2*cos(13/2*d*x + 13/2*c)*sin(2/13*arctan2(sin
(13/2*d*x + 13/2*c), cos(13/2*d*x + 13/2*c))) + 6930*a^2*sin(13/2*d*x + 13/
2*c) + 20475*a^2*sin(11/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x + 1
3/2*c))) + 70070*a^2*sin(9/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*d*x
+ 13/2*c))) + 193050*a^2*sin(7/13*arctan2(sin(13/2*d*x + 13/2*c), cos(13/2*
d*x + 13/2*c))) + 459459*a^2*sin(5/13*arctan2(sin(13/2*d*x + 13/2*c), cos(1
3/2*d*x + 13/2*c))) + 1066065*a^2*sin(3/13*arctan2(sin(13/2*d*x + 13/2*c),
cos(13/2*d*x + 13/2*c))) + 3783780*a^2*sin(1/13*arctan2(sin(13/2*d*x + 13/2
*c), cos(13/2*d*x + 13/2*c))))*A*sqrt(a) + 1144*sqrt(2)*(225*a^2*sin(7/4*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 378*a^2*sin(5/4*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c))) + 2100*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c))) + 4095*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) - 63*(65*a^2*sin(4*d*x + 4*c) + 6*a^2*sin(2*d*x + 2*c))*cos(9/4*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 7*(585*a^2*cos(4*d*x + 4*c) +
54*a^2*cos(2*d*x + 2*c) + 5*a^2)*sin(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c))))*C*sqrt(a) + 130*(770*sqrt(2)*a^2*sin(9/4*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c))) + 1287*sqrt(2)*a^2*sin(7/4*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c))) + 6930*sqrt(2)*a^2*sin(5/4*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c))) + 8778*sqrt(2)*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c))) + 63756*sqrt(2)*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d
*x + 2*c))) - 33*(266*sqrt(2)*a^2*sin(4*d*x + 4*c) + 39*sqrt(2)*a^2*sin(2*d
*x + 2*c))*cos(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 3*(2926*
sqrt(2)*a^2*cos(4*d*x + 4*c) + 429*sqrt(2)*a^2*cos(2*d*x + 2*c) + 42*sqrt(2
)*a^2)*sin(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*B*sqrt(a))/d

```

Fricas [A] time = 0.516178, size = 544, normalized size = 1.63

$$2(3465 Aa^2 \cos(dx + c)^6 + 315(38 A + 13 B)a^2 \cos(dx + c)^5 + 35(523 A + 416 B + 143 C)a^2 \cos(dx + c)^4 + 5(4184 A +$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] 2/45045*(3465*A*a^2*cos(d*x + c)^6 + 315*(38*A + 13*B)*a^2*cos(d*x + c)^5 + 35*(523*A + 416*B + 143*C)*a^2*cos(d*x + c)^4 + 5*(4184*A + 4615*B + 3718*C)*a^2*cos(d*x + c)^3 + 3*(8368*A + 9230*B + 10439*C)*a^2*cos(d*x + c)^2 + 4*(8368*A + 9230*B + 10439*C)*a^2*cos(d*x + c) + 8*(8368*A + 9230*B + 10439*C)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(13/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{13}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(13/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(13/2), x)
```

3.1263 $\int \cos^{\frac{11}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=284

$$\frac{2a^2(32A + 44B + 33C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{231d} + \frac{2a^3(1160A + 1364B + 1485C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{3465d}$$

[Out] (4*a^3*(2840*A + 3212*B + 3795*C)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2840*A + 3212*B + 3795*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(1160*A + 1364*B + 1485*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(32*A + 44*B + 33*C)*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(231*d) + (2*a*(5*A + 11*B)*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(99*d) + (2*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(11*d)

Rubi [A] time = 1.01406, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4017, 4015, 3805, 3804}

$$\frac{2a^2(32A + 44B + 33C) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{231d} + \frac{2a^3(1160A + 1364B + 1485C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{3465d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (4*a^3*(2840*A + 3212*B + 3795*C)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(2840*A + 3212*B + 3795*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(1160*A + 1364*B + 1485*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(32*A + 44*B + 33*C)*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(231*d) + (2*a*(5*A + 11*B)*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(99*d) + (2*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(11*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}}{\cos^2(c+dx)} dx \\
&= \frac{2A\cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{11d} \\
&= \frac{2a(5A+11B)\cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{99d} \\
&= \frac{2a^2(32A+44B+33C)\cos^{\frac{5}{2}}(c+dx)\sqrt{a}\sin(c+dx)}{231d} \\
&= \frac{2a^3(1160A+1364B+1485C)\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{3465d} \\
&= \frac{2a^3(2840A+3212B+3795C)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{3465d} \\
&= \frac{4a^3(2840A+3212B+3795C)\sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}}{3465d}
\end{aligned}$$

Mathematica [A] time = 2.32137, size = 157, normalized size = 0.55

$$a^2\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}((69890A+68552B+66660C)\cos(c+dx)+16(1625A+1397B+990C))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sqrt[Cos[c + d*x]]*(114640*A + 124366*B + 137280*C + (69890*A + 68552*B + 66660*C)*Cos[c + d*x] + 16*(1625*A + 1397*B + 990*C)*Cos[2*(c + d*x)] + 8675*A*Cos[3*(c + d*x)] + 5720*B*Cos[3*(c + d*x)] + 1980*C*Cos[3*(c + d*x)] + 2240*A*Cos[4*(c + d*x)] + 770*B*Cos[4*(c + d*x)] + 315*A*Cos[5*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(27720*d)

Maple [A] time = 0.28, size = 189, normalized size = 0.7

$$2a^2(-1 + \cos(dx + c)) \left(315A(\cos(dx + c))^5 + 1120A(\cos(dx + c))^4 + 385B(\cos(dx + c))^4 + 1775A(\cos(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$-2/3465/d*a^2*(-1+\cos(d*x+c))*(315*A*\cos(d*x+c)^5+1120*A*\cos(d*x+c)^4+385*B*\cos(d*x+c)^4+1775*A*\cos(d*x+c)^3+1430*B*\cos(d*x+c)^3+495*C*\cos(d*x+c)^3+2130*A*\cos(d*x+c)^2+2409*B*\cos(d*x+c)^2+1980*C*\cos(d*x+c)^2+2840*A*\cos(d*x+c)+3212*B*\cos(d*x+c)+3795*C*\cos(d*x+c)+5680*A+6424*B+7590*C)*\cos(d*x+c)^(1/2)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\sin(d*x+c)$$

Maxima [B] time = 2.50638, size = 1249, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out]
$$1/110880*(5*\sqrt{2}*(31878*a^2*\cos(10/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 8778*a^2*\cos(8/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 3465*a^2*\cos(6/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 1287*a^2*\cos(4/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) + 385*a^2*\cos(2/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * \sin(11/2*d*x + 11/2*c) - 31878*a^2*\cos(11/2*d*x + 11/2*c)*\sin(10/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 8778*a^2*\cos(11/2*d*x + 11/2*c)*\sin(8/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 3465*a^2*\cos(11/2*d*x + 11/2*c)*\sin(6/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 1287*a^2*\cos(11/2*d*x + 11/2*c)*\sin(4/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) - 385*a^2*\cos(11/2*d*x + 11/2*c)*\sin(2/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) + 126*a^2*\sin(11/2*d*x + 11/2*c) + 385*a^2*\sin(9/11*\arctan2(\sin(11/2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c)))$$

```

c))) + 1287*a^2*sin(7/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/
2*c))) + 3465*a^2*sin(5/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 1
1/2*c))) + 8778*a^2*sin(3/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x +
11/2*c))) + 31878*a^2*sin(1/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*
x + 11/2*c))))*A*sqrt(a) + 44*sqrt(2)*(225*a^2*sin(7/4*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c))) + 378*a^2*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c))) + 2100*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))
) + 4095*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 63*(65*
a^2*sin(4*d*x + 4*c) + 6*a^2*sin(2*d*x + 2*c))*cos(9/4*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c))) + 7*(585*a^2*cos(4*d*x + 4*c) + 54*a^2*cos(2*d*x +
2*c) + 5*a^2)*sin(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*B*sqrt
(a) - 660*sqrt(2)*(77*a^2*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
)))*sin(2*d*x + 2*c) - 42*a^2*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c))) - 77*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 630
*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - (77*a^2*cos(2*d
*x + 2*c) + 6*a^2)*sin(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*C*
sqrt(a))/d

```

Fricas [A] time = 0.508834, size = 459, normalized size = 1.62

$$2(315 Aa^2 \cos(dx + c)^5 + 35(32 A + 11 B)a^2 \cos(dx + c)^4 + 5(355 A + 286 B + 99 C)a^2 \cos(dx + c)^3 + 3(710 A + 803 B + 660 C)a^2 \cos(dx + c)^2 + (2840 A + 3212 B + 3795 C)a^2 \cos(dx + c) + 2(2840 A + 3212 B + 3795 C)a^2 \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sqrt{\cos(dx + c)}) \sin(dx + c) / (d \cos(dx + c) + d)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*
x+c)^2),x, algorithm="fricas")

```

```

[Out] 2/3465*(315*A*a^2*cos(d*x + c)^5 + 35*(32*A + 11*B)*a^2*cos(d*x + c)^4 + 5*
(355*A + 286*B + 99*C)*a^2*cos(d*x + c)^3 + 3*(710*A + 803*B + 660*C)*a^2*c
os(d*x + c)^2 + (2840*A + 3212*B + 3795*C)*a^2*cos(d*x + c) + 2*(2840*A + 3
212*B + 3795*C)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x +
c))*sin(d*x + c)/(d*cos(d*x + c) + d)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(11/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(11/2), x)
```

3.1264 $\int \cos^2(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=231

$$\frac{16a^2(13A + 15B + 21C) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(13A + 15B + 21C) \sin(c + dx)}{315d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2a(13A + 15B + 21C)}{315d}$$

[Out] (64*a^3*(13*A + 15*B + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(13*A + 15*B + 21*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2*a*(13*A + 15*B + 21*C)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(105*d) + (2*(5*A + 9*B)*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(63*d) + (2*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.706126, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4086, 4013, 3809, 3804}

$$\frac{16a^2(13A + 15B + 21C) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(13A + 15B + 21C) \sin(c + dx)}{315d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2a(13A + 15B + 21C)}{315d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (64*a^3*(13*A + 15*B + 21*C)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(13*A + 15*B + 21*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2*a*(13*A + 15*B + 21*C)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(105*d) + (2*(5*A + 9*B)*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(63*d) + (2*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(9*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086


```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3809

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m, x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*
(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e
+ f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m
, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2
*m]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a \sec(c+dx))^{5/2} \sin(c+dx)}{\cos^2(c+dx)} dx \\
&= \frac{2A \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} \sin(c+dx)}{9d} \\
&= \frac{2(5A+9B) \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} \sin(c+dx)}{63d} \\
&= \frac{2a(13A+15B+21C) \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} \sin(c+dx)}{105d} \\
&= \frac{16a^2(13A+15B+21C)\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)} \sin(c+dx)}{315d} \\
&= \frac{64a^3(13A+15B+21C) \sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} + \dots
\end{aligned}$$

Mathematica [A] time = 1.5739, size = 124, normalized size = 0.54

$$\frac{a^2 \sqrt{\cos(c+dx)} \tan\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} ((3116A+3030B+2352C) \cos(c+dx) + 4(254A+180B+63C) \cos(2(c+dx)))}{1260d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sqrt[Cos[c + d*x]]*(5653*A + 6240*B + 7476*C + (3116*A + 3030*B + 2352*C)*Cos[c + d*x] + 4*(254*A + 180*B + 63*C)*Cos[2*(c + d*x)] + 260*A*Cos[3*(c + d*x)] + 90*B*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(1260*d)

Maple [A] time = 0.342, size = 156, normalized size = 0.7

$$\frac{2a^2(-1 + \cos(dx+c)) (35A(\cos(dx+c))^4 + 130A(\cos(dx+c))^3 + 45B(\cos(dx+c))^3 + 219A(\cos(dx+c))^2 + 180A\cos(dx+c) + 45B\cos(dx+c) + 45C)}{315d\sqrt{\cos(dx+c)}\sqrt{a+a \sec(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -2/315/d*a^2*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+130*A*cos(d*x+c)^3+45*B*cos(d*x+c)^3+219*A*cos(d*x+c)^2+180*B*cos(d*x+c)^2+63*C*cos(d*x+c)^2+292*A*cos(d*x+c)+345*B*cos(d*x+c)+294*C*cos(d*x+c)+584*A+690*B+903*C)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)
```

Maxima [B] time = 2.44277, size = 1014, normalized size = 4.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(8190*a^2*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 2100*a^2*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 756*a^2*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 225*a^2*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) - 8190*a^2*cos(9/2*d*x + 9/2*c) * sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 2100*a^2*cos(9/2*d*x + 9/2*c) * sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 756*a^2*cos(9/2*d*x + 9/2*c) * sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 225*a^2*cos(9/2*d*x + 9/2*c) * sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) + 70*a^2*sin(9/2*d*x + 9/2*c) + 225*a^2*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 756*a^2*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 2100*a^2*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 8190*a^2*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))) * A * sqrt(a) - 30*sqrt(2)*(77*a^2*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - 42*a^2*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 77*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 630*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - (77*a^2*cos(2*d*x + 2*c) + 6*a^2)*sin(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) * B * sqrt(a) - 168*(75*sqrt(2)*a^2*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - 25*sqrt(2)*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 75*sqrt(2)*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 3*(25*sqrt(2)*a^2*cos(2*d*x + 2
```

$*c) + \sqrt{2} * a^2 * \sin(5/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) * C * \sqrt{a}) / d$

Fricas [A] time = 0.496033, size = 377, normalized size = 1.63

$$\frac{2 \left(35 A a^2 \cos(dx + c)^4 + 5 (26 A + 9 B) a^2 \cos(dx + c)^3 + 3 (73 A + 60 B + 21 C) a^2 \cos(dx + c)^2 + (292 A + 345 B + 294 C) a^2 \cos(dx + c) + (584 A + 690 B + 903 C) a^2 \right) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} * \sqrt{\cos(dx + c)} * \sin(dx + c)}{315 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] 2/315*(35*A*a^2*cos(d*x + c)^4 + 5*(26*A + 9*B)*a^2*cos(d*x + c)^3 + 3*(73*A + 60*B + 21*C)*a^2*cos(d*x + c)^2 + (292*A + 345*B + 294*C)*a^2*cos(d*x + c) + (584*A + 690*B + 903*C)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] Timed out

3.1265 $\int \cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=242

$$\frac{2a^3(160A + 224B + 245C) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(40A + 56B + 35C) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a^{5/2}C\sqrt{\cos(c + dx)}}{105d}$$

[Out] $(2*a^{(5/2)}*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/d + (2*a^3*(160*A + 224*B + 245*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(40*A + 56*B + 35*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(5*A + 7*B)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)$

Rubi [A] time = 0.836349, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4017, 4015, 3801, 215}

$$\frac{2a^3(160A + 224B + 245C) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(40A + 56B + 35C) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a^{5/2}C\sqrt{\cos(c + dx)}}{105d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(7/2)}*(a + a*\text{Sec}[c + d*x])^{(5/2)}*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*a^{(5/2)}*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/d + (2*a^3*(160*A + 224*B + 245*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(40*A + 56*B + 35*C)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(5*A + 7*B)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)$

Rule 4265

$\text{Int}[(\cos[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_), x_Symbol] \rightarrow \text{Dist}[(c*\text{Cos}[a + b*x])^m*(c*\text{Sec}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sec}[a + b*x])^m, x], x$

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}}{\cos(c+dx)} dx \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{7d} \\
&= \frac{2a(5A+7B)\cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{35d} \\
&= \frac{2a^2(40A+56B+35C)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{105d} \\
&= \frac{2a^3(160A+224B+245C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^3(160A+224B+245C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^{5/2}C\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 1.84082, size = 137, normalized size = 0.57

$$\frac{a^2\sqrt{\cos(c+dx)}\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(2\sin\left(\frac{1}{2}(c+dx)\right)\left((505A+392B+140C)\cos(c+dx)+6(20A+7B)\cos[2(c+dx)]+15A\cos[3(c+dx)]\right)\sin\left(\frac{1}{2}(c+dx)\right)\right)}{420d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(420*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*(1040*A + 1246*B + 1120*C + (505*A + 392*B + 140*C)*Cos[c + d*x] + 6*(20*A + 7*B)*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/(420*d)

Maple [A] time = 0.279, size = 270, normalized size = 1.1

$$-\frac{a^2}{210 d \sin(dx+c)} \sqrt{\cos(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(60 A (\cos(dx+c))^4 - 105 C \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c))}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] -1/210/d*a^2*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(60*A*cos(d*x+c)^4-105*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)*2^(1/2)*sin(d*x+c)+105*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)*sin(d*x+c)+180*A*cos(d*x+c)^3+84*B*cos(d*x+c)^3+220*A*cos(d*x+c)^2+308*B*cos(d*x+c)^2+140*C*cos(d*x+c)^2+460*A*cos(d*x+c)+812*B*cos(d*x+c)+980*C*cos(d*x+c)-920*A-1204*B-1120*C)/sin(d*x+c)

Maxima [B] time = 2.48745, size = 1357, normalized size = 5.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] 1/840*(5*sqrt(2)*(315*a^2*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))*sin(7/2*d*x + 7/2*c) + 77*a^2*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))*sin(7/2*d*x + 7/2*c) + 21*a^2*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))*sin(7/2*d*x + 7/2*c) - 315*a^2*cos(7/2*d*x + 7/2*c)*sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 77*a^2*cos(7/2*d*x + 7/2*c)*sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 21*a^2*cos(7/2*d*x + 7/2*c)*sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 6*a^2*sin(7/2*d*x + 7/2*c) + 21*a^2*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 77*a^2*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 315*a^2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))*A*sqrt(a) - 28*(75*sqrt(2)*a^2*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x + 2*c) - 25*sqrt(2)*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 75*sqrt(2)*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 3*

```
(25*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2)*sin(5/4*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c))) * B*sqrt(a) + 140*(2*sqrt(2)*a^2*sin(3/4*arctan2(s
in(2*d*x + 2*c), cos(2*d*x + 2*c))) + 30*sqrt(2)*a^2*sin(1/4*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c))) + 3*a^2*log(2*cos(1/4*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c)))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) +
2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - 3*a^
2*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*
arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos(1/4*arctan2(
sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))) + 2) + 3*a^2*log(2*cos(1/4*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c)))^2 - 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))
+ 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - 3*a
^2*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sqrt(2)*cos(1/4*arctan2
(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))) + 2)) * C*sqrt(a))/d
```

Fricas [A] time = 0.597701, size = 1196, normalized size = 4.94

$$\left[\frac{4 \left(15 A a^2 \cos(dx + c)^3 + 3 (20 A + 7 B) a^2 \cos(dx + c)^2 + (115 A + 98 B + 35 C) a^2 \cos(dx + c) + (230 A + 301 B + 280 C) a^2 \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x
+c)^2),x, algorithm="fricas")
```

```
[Out] [1/210*(4*(15*A*a^2*cos(d*x + c)^3 + 3*(20*A + 7*B)*a^2*cos(d*x + c)^2 + (1
15*A + 98*B + 35*C)*a^2*cos(d*x + c) + (230*A + 301*B + 280*C)*a^2)*sqrt((a
*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 105*(C*a
^2*cos(d*x + c) + C*a^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d
*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*
cos(d*x + c) + d), 1/105*(2*(15*A*a^2*cos(d*x + c)^3 + 3*(20*A + 7*B)*a^2*c
os(d*x + c)^2 + (115*A + 98*B + 35*C)*a^2*cos(d*x + c) + (230*A + 301*B + 2
80*C)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d
```

```
*x + c) + 105*(C*a^2*cos(d*x + c) + C*a^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt(
(a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d
*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d
*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x
+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2
)*cos(d*x + c)^(7/2), x)
```

3.1266 $\int \cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=243

$$\frac{a^3(64A + 70B + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(16A + 10B - 15C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{15d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(2B + 5C)\sqrt{\cos(c + dx)}}{15d}$$

```
[Out] (a^(5/2)*(2*B + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^3*(64*A + 70*B + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(16*A + 10*B - 15*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 0.875288, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4086, 4017, 4018, 4015, 3801, 215}

$$\frac{a^3(64A + 70B + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(16A + 10B - 15C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{15d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(2B + 5C)\sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (a^(5/2)*(2*B + 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^3*(64*A + 70*B + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(16*A + 10*B - 15*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x
```

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +

$x^2/a], x], x, (b*\text{Cot}[e + f*x])/ \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] :> \text{Simp}[\text{ArcSinh}[\text{Rt}[b, 2]*x]/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{d} dx \\ &= \frac{2A \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d} \\ &= \frac{2a(A + B)\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{3d} \\ &= -\frac{a^2(16A + 10B - 15C)\sqrt{a + a \sec(c + dx)}}{15d\sqrt{\cos(c + dx)}} \\ &= \frac{a^3(64A + 70B + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a + a \sec(c + dx)}} - \frac{a^2(16A + 10B - 15C)\sqrt{a + a \sec(c + dx)}}{15d\sqrt{\cos(c + dx)}} \\ &= \frac{a^3(64A + 70B + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a + a \sec(c + dx)}} - \frac{a^2(16A + 10B - 15C)\sqrt{a + a \sec(c + dx)}}{15d\sqrt{\cos(c + dx)}} \\ &= \frac{a^{5/2}(2B + 5C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 1.48285, size = 149, normalized size = 0.61

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((181A + 160B + 60C) \cos(c + dx) + 2(14A + 5B) \cos(2(c + dx)))\right)}{60d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2),x]
```

```
[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(30*Sqrt[2]*(2*B + 5*C)*Ar
cTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*(28*A + 10*B + 30*C + (181
*A + 160*B + 60*C)*Cos[c + d*x] + 2*(14*A + 5*B)*Cos[2*(c + d*x)] + 3*A*Cos
[3*(c + d*x)])*Sin[(c + d*x)/2]))/(60*d*Sqrt[Cos[c + d*x]])
```

Maple [A] time = 0.398, size = 410, normalized size = 1.7

$$-\frac{a^2}{60d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(-30B \sin(dx+c) \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -1/60/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-30*B*sin(d*x+c)*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)+30*B*sin(d*x+c)*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)-75*C*sin(d*x+c)*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)+75*C*sin(d*x+c)*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)+24*A*cos(d*x+c)^4+88*A*cos(d*x+c)^3+40*B*cos(d*x+c)^3+232*A*cos(d*x+c)^2+280*B*cos(d*x+c)^2+120*C*cos(d*x+c)^2-344*A*cos(d*x+c)-320*B*cos(d*x+c)-60*C*cos(d*x+c)-60*C/sin(d*x+c)/cos(d*x+c)^(1/2)
```

Maxima [B] time = 3.64898, size = 11426, normalized size = 47.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/1260*(42*(3*sqrt(2)*a^2*sin(5/2*d*x + 5/2*c) + 25*sqrt(2)*a^2*sin(3/2*d*x
+ 3/2*c) + 150*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + 210*(2*sqrt(2)
)*a^2*sin(3/2*d*x + 3/2*c) + 30*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c) + 3*a^2*lo
g(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d
*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a^2*log(2*cos(1/2*d*x
+ 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2
*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2
*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/
2*d*x + 1/2*c) + 2) - 3*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x +
1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c)
+ 2))*B*sqrt(a) - 5*(1449*sqrt(2)*a^2*cos(5/2*d*x + 5/2*c)^3*sin(2*d*x + 2*
c) - 1260*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c)^3 - 1449*(sqrt(2)*a^2*cos(2*d*x
+ 2*c) + sqrt(2)*a^2*sin(5/2*d*x + 5/2*c)^3 + 21*(25*sqrt(2)*a^2*cos(2*d*x
+ 2*c)^2*sin(3/2*d*x + 3/2*c) + 25*sqrt(2)*a^2*sin(2*d*x + 2*c)^2*sin(3/2*
d*x + 3/2*c) - 60*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c) + 5*(5*sqrt(2)*a^2*sin(3
/2*d*x + 3/2*c) - 12*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c))*cos(2*d*x + 2*c) + (
25*sqrt(2)*a^2*cos(3/2*d*x + 3/2*c) + 198*sqrt(2)*a^2*cos(1/2*d*x + 1/2*c))
*sin(2*d*x + 2*c))*cos(5/2*d*x + 5/2*c)^2 - 21*(12*sqrt(2)*a^2*sin(1/2*d*x
+ 1/2*c) - 25*(sqrt(2)*a^2*cos(1/2*d*x + 1/2*c)^2 + sqrt(2)*a^2*sin(1/2*d*x
+ 1/2*c)^2)*sin(3/2*d*x + 3/2*c))*cos(2*d*x + 2*c)^2 + 21*(25*sqrt(2)*a^2*
cos(2*d*x + 2*c)^2*sin(3/2*d*x + 3/2*c) + 25*sqrt(2)*a^2*sin(2*d*x + 2*c)^2
*sin(3/2*d*x + 3/2*c) + 69*sqrt(2)*a^2*cos(5/2*d*x + 5/2*c)*sin(2*d*x + 2*c
) - 198*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c) + (25*sqrt(2)*a^2*sin(3/2*d*x + 3/
2*c) - 198*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c))*cos(2*d*x + 2*c) + 5*(5*sqrt(2)
)*a^2*cos(3/2*d*x + 3/2*c) + 12*sqrt(2)*a^2*cos(1/2*d*x + 1/2*c))*sin(2*d*x
+ 2*c))*sin(5/2*d*x + 5/2*c)^2 - 21*(12*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c) -
25*(sqrt(2)*a^2*cos(1/2*d*x + 1/2*c)^2 + sqrt(2)*a^2*sin(1/2*d*x + 1/2*c)^
2)*sin(3/2*d*x + 3/2*c))*sin(2*d*x + 2*c)^2 - 35*(sqrt(2)*a^2*cos(5/2*d*x +
5/2*c)^2*sin(2*d*x + 2*c) + 2*sqrt(2)*a^2*cos(5/2*d*x + 5/2*c)*cos(1/2*d*x
+ 1/2*c)*sin(2*d*x + 2*c) + sqrt(2)*a^2*sin(5/2*d*x + 5/2*c)^2*sin(2*d*x +
2*c) + 2*sqrt(2)*a^2*sin(5/2*d*x + 5/2*c)*sin(2*d*x + 2*c)*sin(1/2*d*x + 1
/2*c) + (sqrt(2)*a^2*cos(1/2*d*x + 1/2*c)^2 + sqrt(2)*a^2*sin(1/2*d*x + 1/2
*c)^2)*sin(2*d*x + 2*c))*cos(13/2*d*x + 13/2*c) - 98*(sqrt(2)*a^2*cos(5/2*
d*x + 5/2*c)^2*sin(2*d*x + 2*c) + 2*sqrt(2)*a^2*cos(5/2*d*x + 5/2*c)*cos(1/
2*d*x + 1/2*c)*sin(2*d*x + 2*c) + sqrt(2)*a^2*sin(5/2*d*x + 5/2*c)^2*sin(2*
d*x + 2*c) + 2*sqrt(2)*a^2*sin(5/2*d*x + 5/2*c)*sin(2*d*x + 2*c)*sin(1/2*d*
x + 1/2*c) + (sqrt(2)*a^2*cos(1/2*d*x + 1/2*c)^2 + sqrt(2)*a^2*sin(1/2*d*x
+ 1/2*c)^2)*sin(2*d*x + 2*c))*cos(11/2*d*x + 11/2*c) - 98*(sqrt(2)*a^2*cos(
5/2*d*x + 5/2*c)^2*sin(2*d*x + 2*c) + 2*sqrt(2)*a^2*cos(5/2*d*x + 5/2*c)*co
s(1/2*d*x + 1/2*c)*sin(2*d*x + 2*c) + sqrt(2)*a^2*sin(5/2*d*x + 5/2*c)^2*si
n(2*d*x + 2*c) + 2*sqrt(2)*a^2*sin(5/2*d*x + 5/2*c)*sin(2*d*x + 2*c)*sin(1/
2*d*x + 1/2*c) + (sqrt(2)*a^2*cos(1/2*d*x + 1/2*c)^2 + sqrt(2)*a^2*sin(1/2*
d*x + 1/2*c)^2)*sin(2*d*x + 2*c))*cos(9/2*d*x + 9/2*c) + 390*(sqrt(2)*a^2*co
s(5/2*d*x + 5/2*c)^2*sin(2*d*x + 2*c) + 2*sqrt(2)*a^2*cos(5/2*d*x + 5/2*c)
*cos(1/2*d*x + 1/2*c)*sin(2*d*x + 2*c) + sqrt(2)*a^2*sin(5/2*d*x + 5/2*c)^2
```


$$\begin{aligned}
& * \sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin \\
& (1/2*d*x + 1/2*c) + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1 \\
& /2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c))*\cos(7/2*d*x + 7/2*c) + 21*(50*\sqrt{2}* \\
& a^2*\cos(2*d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c)*\sin(3/2*d*x + 3/2*c) + 50*\sqrt{2} \\
& (2)*a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2*\sin(3/2*d*x + 3/2*c) - 120*s \\
& \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c) + 10*(5*\sqrt{2}*a^2*\cos \\
& (1/2*d*x + 1/2*c)*\sin(3/2*d*x + 3/2*c) - 12*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2* \\
& c)*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + (50*\sqrt{2}*a^2*\cos(3/2*d*x + 3 \\
& /2*c)*\cos(1/2*d*x + 1/2*c) + 189*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + 69*\sqrt{2} \\
& (2)*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c))*\cos(5/2*d*x + 5/2*c) - \\
& 21*(60*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^3 - 25*(\sqrt{2}*a^2*\cos(1/2*d*x + 1 \\
& /2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(3/2*d*x + 3/2*c) + 12*(5* \\
& \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*a^2)*\sin(1/2*d*x + 1/2*c))*\cos \\
& (2*d*x + 2*c) - 315*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c) \\
&)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + \\
& 2*c) + a^2)*\cos(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(\\
& 1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(\\
& 2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (a^ \\
& 2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + \\
& 2*(a^2*\cos(2*d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c)* \\
& \sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*\cos(\\
& 1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^ \\
& 2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin(\\
& 1/2*d*x + 1/2*c) + a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*\cos(\\
& 2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + \\
& 5/2*c))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
&)^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*s \\
& \sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2} \\
& (2)*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 31 \\
& 5*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos(2*d*x \\
& + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(5/2* \\
& d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)* \\
& \cos(2*d*x + 2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a \\
& ^2*\cos(2*d*x + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2* \\
& c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(a^2*\cos(2*d*x + \\
& 2*c)^2*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 + \\
& 2*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c))*\cos \\
& (5/2*d*x + 5/2*c) + 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2* \\
& c)^2)*\cos(2*d*x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + a \\
& ^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*\cos(2*d*x + 2*c)*\sin(1/2 \\
& *d*x + 1/2*c) + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\log(2*\cos(1 \\
& /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2}*\cos(1/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*\arctan2 \\
& (\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 315*(a^2*\cos(1/2*d*x +
\end{aligned}$$

$$\begin{aligned}
& 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c)^2 + \\
& (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(a^2*\cos(2*d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + \\
& 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) + 315*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(a^2*\cos(2*d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) + 35*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\cos(5/2*d*x + 5/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(5/2*d*x + 5/2*c)^2 + 2*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\sin(13/2*d*x + 13/2*c) + 135*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\cos(5/2*d*x + 5/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(5/2*d*x + 5/2*c)^2 + 2*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))
\end{aligned}$$

$$\begin{aligned}
& \sqrt{2}a^2\sin(1/2dx + 1/2c))\sin(5/2dx + 5/2c))\sin(11/2dx + 11/2c) + 7*(9\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + 9\sqrt{2}a^2\sin(1/2dx + 1/2c)^2 - (5\sqrt{2}a^2\cos(2dx + 2c)^2 + 5\sqrt{2}a^2\sin(2dx + 2c)^2 - 4\sqrt{2}a^2\cos(2dx + 2c) - 9\sqrt{2}a^2)\cos(5/2dx + 5/2c)^2 - 5*(\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2\sin(1/2dx + 1/2c)^2)\cos(2dx + 2c)^2 - (5\sqrt{2}a^2\cos(2dx + 2c)^2 + 5\sqrt{2}a^2\sin(2dx + 2c)^2 - 4\sqrt{2}a^2\cos(2dx + 2c) - 9\sqrt{2}a^2)\sin(5/2dx + 5/2c)^2 - 5*(\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2\sin(1/2dx + 1/2c)^2)\sin(2dx + 2c)^2 - 2*(5\sqrt{2}a^2\cos(2dx + 2c)^2\cos(1/2dx + 1/2c) + 5\sqrt{2}a^2\cos(1/2dx + 1/2c)\sin(2dx + 2c)^2 - 4\sqrt{2}a^2\cos(2dx + 2c)\cos(1/2dx + 1/2c) - 9\sqrt{2}a^2\cos(1/2dx + 1/2c))\cos(5/2dx + 5/2c) + 4*(\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2\sin(1/2dx + 1/2c)^2)\cos(2dx + 2c) - 2*(5\sqrt{2}a^2\cos(2dx + 2c)^2\sin(1/2dx + 1/2c) + 5\sqrt{2}a^2\sin(2dx + 2c)^2\sin(1/2dx + 1/2c) - 4\sqrt{2}a^2\cos(2dx + 2c)\sin(1/2dx + 1/2c) - 9\sqrt{2}a^2\sin(1/2dx + 1/2c))\sin(5/2dx + 5/2c))\sin(9/2dx + 9/2c) - 390*(\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2\sin(1/2dx + 1/2c)^2 + (\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\cos(5/2dx + 5/2c)^2 + (\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(5/2dx + 5/2c)^2 + 2*(\sqrt{2}a^2\cos(2dx + 2c)\cos(1/2dx + 1/2c) + \sqrt{2}a^2\cos(1/2dx + 1/2c))\cos(5/2dx + 5/2c) + (\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2\sin(1/2dx + 1/2c)^2)\cos(2dx + 2c) + 2*(\sqrt{2}a^2\cos(2dx + 2c)\sin(1/2dx + 1/2c) + \sqrt{2}a^2\sin(1/2dx + 1/2c))\sin(5/2dx + 5/2c))\sin(7/2dx + 7/2c) - 21*(69\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + 189\sqrt{2}a^2\sin(1/2dx + 1/2c)^2 + 69*(\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\cos(5/2dx + 5/2c)^2 - 2*(25\sqrt{2}a^2\sin(3/2dx + 3/2c)\sin(1/2dx + 1/2c) - 6\sqrt{2}a^2)\cos(2dx + 2c)^2 - 2*(25\sqrt{2}a^2\sin(3/2dx + 3/2c)\sin(1/2dx + 1/2c) - 6\sqrt{2}a^2)\sin(2dx + 2c)^2 + 12\sqrt{2}a^2 + 138*(\sqrt{2}a^2\cos(2dx + 2c)\cos(1/2dx + 1/2c) - \sqrt{2}a^2\sin(2dx + 2c)\sin(1/2dx + 1/2c) + \sqrt{2}a^2\cos(1/2dx + 1/2c))\cos(5/2dx + 5/2c) + (69\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 - 50\sqrt{2}a^2\sin(3/2dx + 3/2c)\sin(1/2dx + 1/2c) + 189\sqrt{2}a^2\sin(1/2dx + 1/2c)^2 + 24\sqrt{2}a^2)\cos(2dx + 2c) - 10*(5\sqrt{2}a^2\cos(3/2dx + 3/2c)\sin(1/2dx + 1/2c) + 12\sqrt{2}a^2\cos(1/2dx + 1/2c)\sin(1/2dx + 1/2c))\sin(2dx + 2c)\sin(5/2dx + 5/2c) + 105*(12\sqrt{2}a^2\cos(1/2dx + 1/2c)^3 + 12\sqrt{2}a^2\cos(1/2dx + 1/2c)\sin(1/2dx + 1/2c)^2 + 5*(\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2\sin(1/2dx + 1/2c)^2)\cos(3/2dx + 3/2c))\sin(2dx + 2c) - 252*(5\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2)\sin(1/2dx + 1/2c) - 135*(\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2\sin(1/2dx + 1/2c)^2 + (\sqrt{2}a^2\cos(2dx + 2c)^2 + \sqrt{2}a^2)\sin(2dx + 2c)^2 + 2\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\cos(5/2dx + 5/2c)^2 + (\sqrt{2}a^2\cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2\sin(1/2dx + 1/2c)^2)\cos(2dx + 2c)^2 + (\sqrt{2}a^2\cos(2dx + 2c)^2 + \sqrt{2}a^2)\sin(2dx + 2c)^2 + 2\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)
\end{aligned}$$

$$\begin{aligned} & \cos(1/2*d*x + 1/2*c) + \cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x \\ & + 2*c)*\cos(1/2*d*x + 1/2*c) + \cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + \\ & 2*(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + \cos \\ & (1/2*d*x + 1/2*c)^2 + 2*(\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + \sin(2*d* \\ & x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \\ & \sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c) + \sin(1/2*d*x + 1/2*c)^2)/d \end{aligned}$$

Fricas [A] time = 0.718982, size = 1274, normalized size = 5.24

$$\left[4 \left(6 A a^2 \cos(dx + c)^3 + 2 (14 A + 5 B) a^2 \cos(dx + c)^2 + 2 (43 A + 40 B + 15 C) a^2 \cos(dx + c) + 15 C a^2 \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/60*(4*(6*A*a^2*cos(d*x + c)^3 + 2*(14*A + 5*B)*a^2*cos(d*x + c)^2 + 2*(43*A + 40*B + 15*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((2*B + 5*C)*a^2*cos(d*x + c)^2 + (2*B + 5*C)*a^2*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/30*(2*(6*A*a^2*cos(d*x + c)^3 + 2*(14*A + 5*B)*a^2*cos(d*x + c)^2 + 2*(43*A + 40*B + 15*C)*a^2*cos(d*x + c) + 15*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((2*B + 5*C)*a^2*cos(d*x + c)^2 + (2*B + 5*C)*a^2*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2), x)
```

$$3.1267 \quad \int \cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C$$

Optimal. Leaf size=253

$$\frac{a^3(56A + 12B - 27C) \sin(c + dx)}{12d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(8A - 12B - 21C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{12d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(8A + 20B + 19C)\sqrt{\cos(c + dx)}}{12d\sqrt{\cos(c + dx)}}$$

[Out] (a^(5/2)*(8*A + 20*B + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*d) + (a^3*(56*A + 12*B - 27*C)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(8*A - 12*B - 21*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) - (a*(4*A - 3*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.880585, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4018, 4015, 3801, 215}

$$\frac{a^3(56A + 12B - 27C) \sin(c + dx)}{12d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(8A - 12B - 21C) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{12d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(8A + 20B + 19C)\sqrt{\cos(c + dx)}}{12d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(8*A + 20*B + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*d) + (a^3*(56*A + 12*B - 27*C)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(8*A - 12*B - 21*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) - (a*(4*A - 3*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}}{\cos(c+dx)} dx \\
&= \frac{2A\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2} \sin(c+dx)}{3d} \\
&= -\frac{a(4A-3C)(a+a\sec(c+dx))^{3/2} \sin(c+dx)}{6d\sqrt{\cos(c+dx)}} \\
&= -\frac{a^2(8A-12B-21C)\sqrt{a+a\sec(c+dx)}}{12d\sqrt{\cos(c+dx)}} \\
&= \frac{a^3(56A+12B-27C)\sin(c+dx)}{12d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \\
&= \frac{a^3(56A+12B-27C)\sin(c+dx)}{12d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \\
&= \frac{a^{5/2}(8A+20B+19C)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4d}
\end{aligned}$$

Mathematica [A] time = 1.91004, size = 155, normalized size = 0.61

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(4 \sin\left(\frac{1}{2}(c+dx)\right) (3(2A+4B+11C) \cos(c+dx) + 4(8A+3B) \cos(2(c+dx))) + 2A \cos^3(c+dx)\right)}{48d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(8*A + 20*B + 19*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + 4*(32*A + 12*B + 6*C + 3*(2*A + 4*B + 11*C))*Cos[c + d*x] + 4*(8*A + 3*B)*Cos[2*(c + d*x)] + 2*A*Cos[3*(c + d*x)]*Sin[(c + d*x)/2]))/(48*d*Cos[c + d*x]^(3/2))

$$\begin{aligned}
& c)^2 + 2\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) \\
& + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\
& (2*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(\\
& 2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x \\
& + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2* \\
& \sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - 19*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + \\
& 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1 \\
& /2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1 \\
& /2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + \\
& 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& (2*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*c \\
& \cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + \\
& 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2))*\sin(4*d*x + 4*c)^2 - 76*(a^2* \\
& \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2 \\
& *d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2 \\
& *\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*s \\
& \sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2* \\
& d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2* \\
& c)^2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) \\
&)*\sin(2*d*x + 2*c)^2 - 2*(22*\sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) - 14*\sqrt{2}* \\
& a^2*\sin(5/2*d*x + 5/2*c) + 14*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 22*\sqrt{2} \\
& *a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2 \\
& *d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + \\
& 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^ \\
& 2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) + \\
& 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}* \\
& \cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*c \\
& \cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1/2*d*x + \\
& 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) + 38*(a^2*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sq \\
& \sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(\\
& 1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x \\
& + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^ \\
& 2 - 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - \\
& a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos \\
& (1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c))* \\
& \cos(4*d*x + 4*c) - 4*(14*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 22*\sqrt{2}*a^2* \\
& \sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c \\
&) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2 \\
& *\sqrt{2}\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) + 19*a^ \\
& 2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}\cos(1 \\
& /2*d*x + 1/2*c) + 2*\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/
\end{aligned}$$

$$\begin{aligned}
& 2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) \\
&) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 4*(11*\sqrt{2}*a \\
& ^2*\cos(7/2*d*x + 7/2*c) - 7*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c) + 7*\sqrt{2}*a^ \\
& 2*\cos(3/2*d*x + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c) - 19*(a^2*\log(\\
& 2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x \\
& + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1 \\
& /2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
& t(2)*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x \\
& + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin \\
& n(2*d*x + 2*c))*\sin(4*d*x + 4*c) - 44*(2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2} \\
& t(2)*a^2)*\sin(7/2*d*x + 7/2*c) + 28*(2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2} \\
& t(2)*a^2)*\sin(5/2*d*x + 5/2*c) + 8*(7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 11*\sqrt{2} \\
& t(2)*a^2*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*C*\sqrt{a}/(2*(2*\cos(2*d*x \\
& + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 \\
& + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + \\
& 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 1.14011, size = 1299, normalized size = 5.13

$$\left[\frac{4 \left(8 A a^2 \cos(dx+c)^3 + 8 (8 A + 3 B) a^2 \cos(dx+c)^2 + 3 (4 B + 11 C) a^2 \cos(dx+c) + 6 C a^2 \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)}}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/48*(4*(8*A*a^2*cos(d*x + c)^3 + 8*(8*A + 3*B)*a^2*cos(d*x + c)^2 + 3*(4*B + 11*C)*a^2*cos(d*x + c) + 6*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((8*A + 20*B + 19*C)*a^2*cos(d*x + c)^3 + (8*A + 20*B + 19*C)*a^2*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/24*(2*(8*A*a^2*cos(d*x + c)^3 + 8*(8*A + 3*B)*a^2*cos(d*x + c)^2 + 3*(4*B + 11*C)*a^2*cos(d*x + c) + 6*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)

```
))*sin(d*x + c) + 3*((8*A + 20*B + 19*C)*a^2*cos(d*x + c)^3 + (8*A + 20*B +
19*C)*a^2*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos
(d*x + c) - 2*a)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d
*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x
+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2
)*cos(d*x + c)^(3/2), x)
```

3.1268 $\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C)$

Optimal. Leaf size=253

$$\frac{a^3(24A-54B-49C)\sin(c+dx)}{24d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{a^2(24A+42B+31C)\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{24d\sqrt{\cos(c+dx)}} + \frac{a^{5/2}(40A+38B+25C)\sqrt{c}}{24d}$$

[Out] (a^(5/2)*(40*A + 38*B + 25*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^3*(24*A - 54*B - 49*C)*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 42*B + 31*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + (a*(6*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.873365, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4088, 4018, 4015, 3801, 215}

$$\frac{a^3(24A-54B-49C)\sin(c+dx)}{24d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{a^2(24A+42B+31C)\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{24d\sqrt{\cos(c+dx)}} + \frac{a^{5/2}(40A+38B+25C)\sqrt{c}}{24d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (a^(5/2)*(40*A + 38*B + 25*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^3*(24*A - 54*B - 49*C)*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(24*A + 42*B + 31*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + (a*(6*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
+ f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m * (csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n * Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)] * (csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx)+C\sec^2(c+dx))}{\cos(c+dx)} dx \\
&= \frac{C(a+a\sec(c+dx))^{5/2}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{a(B+C\sec(c+dx))^{5/2}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} \\
&= \frac{a(6B+5C)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{12d\sqrt{\cos(c+dx)}} \\
&= \frac{a^2(24A+42B+31C)\sqrt{a+a\sec(c+dx)}}{24d\sqrt{\cos(c+dx)}} \\
&= \frac{a^3(24A-54B-49C)\sin(c+dx)}{24d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{a^5}{24d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(24A-54B-49C)\sin(c+dx)}{24d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{a^5}{24d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^5(40A+38B+25C)\sinh^{-1}\left(\frac{\sqrt{a}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}}\right)}{8d}
\end{aligned}$$

Mathematica [A] time = 2.59182, size = 157, normalized size = 0.62

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(\sin\left(\frac{1}{2}(c+dx)\right)\right) (4(18A+6B+17C)\cos(c+dx) + 3(8A+22B+25C)\cos(2(c+dx)))}{48d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(40*A + 38*B + 25*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (24*A + 66*B + 91*C + 4*(18*A + 6*B + 17*C)*Cos[c + d*x] + 3*(8*A + 22*B + 25*C)*Cos[2*(c + d*x)] + 24*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2))/(48*d*Cos[c + d*x]^(5/2))

Maple [B] time = 0.384, size = 567, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{1/2} * (a+a*\sec(dx+c))^{5/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$-1/48/d*a^2*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))*(120*A*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*2^{1/2}-120*A*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))*2^{1/2}+96*A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2}+114*B*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*2^{1/2}*\cos(dx+c)^3-114*B*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))*2^{1/2}*\cos(dx+c)^3+75*C*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c))))*2^{1/2}-75*C*\cos(dx+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))*2^{1/2}+48*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+132*B*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+150*C*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+24*B*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+68*C*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)*\sin(dx+c)+16*C*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c))/\cos(dx+c)^{5/2}/(-2/(\cos(dx+c)+1))^{1/2}/\sin(dx+c)^2$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{1/2} * (a+a*\sec(dx+c))^{5/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 1.13413, size = 1328, normalized size = 5.25

$$\left[\frac{4 \left(48 A a^2 \cos(dx + c)^3 + 3(8A + 22B + 25C)a^2 \cos(dx + c)^2 + 2(6B + 17C)a^2 \cos(dx + c) + 8Ca^2 \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{\sqrt{C}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] [1/96*(4*(48*A*a^2*cos(d*x + c)^3 + 3*(8*A + 22*B + 25*C)*a^2*cos(d*x + c)^2 + 2*(6*B + 17*C)*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((40*A + 38*B + 25*C)*a^2*cos(d*x + c)^4 + (40*A + 38*B + 25*C)*a^2*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/48*(2*(48*A*a^2*cos(d*x + c)^3 + 3*(8*A + 22*B + 25*C)*a^2*cos(d*x + c)^2 + 2*(6*B + 17*C)*a^2*cos(d*x + c) + 8*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((40*A + 38*B + 25*C)*a^2*cos(d*x + c)^4 + (40*A + 38*B + 25*C)*a^2*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c)), x)

$$3.1269 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=253

$$\frac{a^3(432A + 392B + 299C) \sin(c + dx)}{192d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(16A + 24B + 17C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{32d \cos^{\frac{3}{2}}(c + dx)} + \frac{a^{5/2}(304A + 200B + 163C)}{192d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] (a^(5/2)*(304*A + 200*B + 163*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^3*(432*A + 392*B + 299*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 24*B + 17*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d*Cos[c + d*x]^(3/2)) + (a*(8*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.891092, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4088, 4018, 4016, 3801, 215}

$$\frac{a^3(432A + 392B + 299C) \sin(c + dx)}{192d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(16A + 24B + 17C) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{32d \cos^{\frac{3}{2}}(c + dx)} + \frac{a^{5/2}(304A + 200B + 163C)}{192d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (a^(5/2)*(304*A + 200*B + 163*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^3*(432*A + 392*B + 299*C)*Sin[c + d*x])/(192*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(16*A + 24*B + 17*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(32*d*Cos[c + d*x]^(3/2)) + (a*(8*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{5/2} dx \\
&= \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} + \frac{(\sqrt{\cos(c + dx)})^{5/2} (a + a \sec(c + dx))^{5/2}}{4d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a(8B + 5C)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx)} + \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^2(16A + 24B + 17C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{32d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^3(432A + 392B + 299C) \sin(c + dx)}{192d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(16A + 24B + 17C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^3(432A + 392B + 299C) \sin(c + dx)}{192d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(16A + 24B + 17C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^5/2(304A + 200B + 163C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}}{64d}
\end{aligned}$$

Mathematica [A] time = 4.07389, size = 178, normalized size = 0.7

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) ((1584A + 2056B + 2203C) \cos(c + dx) + 4(48A + 136B + 163C))\right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])])*(6*Sqrt[2]*(304*A + 200*B + 163*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (192*A + 544*B + 844*C + (1584*A + 2056*B + 2203*C)*Cos[c + d*x] + 4*(48*A + 136*B + 163*C))*Cos[2*(c + d*x)] + 528*A*Cos[3*(c + d*x)] + 600*B*Cos[3*(c + d*x)] + 489*

$$C \cdot \cos[3(c + d \cdot x)] \cdot \sin[(c + d \cdot x)/2]) / (768 \cdot d \cdot \cos[c + d \cdot x]^{(7/2)})$$

Maple [B] time = 0.348, size = 629, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x)`

[Out]
$$\begin{aligned} & -1/384/d \cdot a^2 \cdot (a \cdot (\cos(d \cdot x + c) + 1) / \cos(d \cdot x + c))^{(1/2)} \cdot (-1 + \cos(d \cdot x + c)) \cdot (912 \cdot A \cdot \cos(d \cdot x + c)^4 \cdot 2^{(1/2)} \cdot \arctan(1/4 \cdot 2^{(1/2)} \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot (\cos(d \cdot x + c) + 1 + \sin(d \cdot x + c))) - 912 \cdot A \cdot \cos(d \cdot x + c)^4 \cdot 2^{(1/2)} \cdot \arctan(1/4 \cdot 2^{(1/2)} \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot (\cos(d \cdot x + c) + 1 - \sin(d \cdot x + c))) + 600 \cdot B \cdot \cos(d \cdot x + c)^4 \cdot 2^{(1/2)} \cdot \arctan(1/4 \cdot 2^{(1/2)} \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot (\cos(d \cdot x + c) + 1 + \sin(d \cdot x + c))) - 600 \cdot B \cdot \cos(d \cdot x + c)^4 \cdot 2^{(1/2)} \cdot \arctan(1/4 \cdot 2^{(1/2)} \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot (\cos(d \cdot x + c) + 1 - \sin(d \cdot x + c))) + 489 \cdot C \cdot \cos(d \cdot x + c)^4 \cdot \arctan(1/4 \cdot 2^{(1/2)} \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot (\cos(d \cdot x + c) + 1 + \sin(d \cdot x + c))) \cdot 2^{(1/2)} - 489 \cdot C \cdot \cos(d \cdot x + c)^4 \cdot \arctan(1/4 \cdot 2^{(1/2)} \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot (\cos(d \cdot x + c) + 1 - \sin(d \cdot x + c))) \cdot 2^{(1/2)} + 1056 \cdot A \cdot \sin(d \cdot x + c) \cdot \cos(d \cdot x + c)^3 \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} + 1200 \cdot B \cdot \sin(d \cdot x + c) \cdot \cos(d \cdot x + c)^3 \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} + 978 \cdot C \cdot \cos(d \cdot x + c)^3 \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot \sin(d \cdot x + c) + 192 \cdot A \cdot \cos(d \cdot x + c)^2 \cdot \sin(d \cdot x + c) \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} + 544 \cdot B \cdot \cos(d \cdot x + c)^2 \cdot \sin(d \cdot x + c) \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} + 652 \cdot C \cdot \cos(d \cdot x + c)^2 \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot \sin(d \cdot x + c) + 128 \cdot B \cdot \cos(d \cdot x + c) \cdot \sin(d \cdot x + c) \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} + 368 \cdot C \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot \cos(d \cdot x + c) \cdot \sin(d \cdot x + c) + 96 \cdot C \cdot (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \cdot \sin(d \cdot x + c)) / \cos(d \cdot x + c)^{(7/2)} / \sin(d \cdot x + c)^2 / (-2 / (\cos(d \cdot x + c) + 1))^{(1/2)} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 1.64701, size = 1415, normalized size = 5.59

$$4 \left(3(176A + 200B + 163C)a^2 \cos(dx + c)^3 + 2(48A + 136B + 163C)a^2 \cos(dx + c)^2 + 8(8B + 23C)a^2 \cos(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/768*(4*(3*(176*A + 200*B + 163*C))*a^2*cos(d*x + c)^3 + 2*(48*A + 136*B + 163*C))*a^2*cos(d*x + c)^2 + 8*(8*B + 23*C))*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((304*A + 200*B + 163*C))*a^2*cos(d*x + c)^5 + (304*A + 200*B + 163*C))*a^2*cos(d*x + c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4), 1/384*(2*(3*(176*A + 200*B + 163*C))*a^2*cos(d*x + c)^3 + 2*(48*A + 136*B + 163*C))*a^2*cos(d*x + c)^2 + 8*(8*B + 23*C))*a^2*cos(d*x + c) + 48*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((304*A + 200*B + 163*C))*a^2*cos(d*x + c)^5 + (304*A + 200*B + 163*C))*a^2*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sqrt(cos(d*x + c)), x)

$$3.1270 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=301

$$\frac{a^3(400A + 326B + 283C) \sin(c + dx)}{128d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1040A + 950B + 787C) \sin(c + dx)}{960d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 110B + 79C) \sin(c + dx) \sqrt{a}}{240d \cos^{\frac{5}{2}}(c + dx)}$$

[Out] (a^(5/2)*(400*A + 326*B + 283*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^3*(1040*A + 950*B + 787*C)*Sin[c + d*x])/(960*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(400*A + 326*B + 283*C)*Sin[c + d*x])/(128*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 110*B + 79*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d*Cos[c + d*x]^(5/2)) + (a*(2*B + C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(5/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 1.00604, antiderivative size = 301, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4088, 4018, 4016, 3803, 3801, 215}

$$\frac{a^3(400A + 326B + 283C) \sin(c + dx)}{128d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1040A + 950B + 787C) \sin(c + dx)}{960d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^2(80A + 110B + 79C) \sin(c + dx) \sqrt{a}}{240d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (a^(5/2)*(400*A + 326*B + 283*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^3*(1040*A + 950*B + 787*C)*Sin[c + d*x])/(960*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(400*A + 326*B + 283*C)*Sin[c + d*x])/(128*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(80*A + 110*B + 79*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(240*d*Cos[c + d*x]^(5/2)) + (a*(2*B + C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(5/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^{5/2} dx \\
&= \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^{5/2} dx}{\cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a(2B + C)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{8d \cos^{\frac{5}{2}}(c + dx)} + \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^2(80A + 110B + 79C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{240d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{a^3(1040A + 950B + 787C) \sin(c + dx)}{960d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(80A + 110B + 79C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^3(1040A + 950B + 787C) \sin(c + dx)}{960d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(400A + 326B + 283C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{a + a \sec(c + dx)}}{128d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 6.32817, size = 212, normalized size = 0.7

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (12(1360A + 1950B + 2343C) \cos(c + dx) + 4(6640A + 6730B$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(60*Sqrt[2]*(400*A + 326*B + 283*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^5 + (20560*A + 22030*B + 24863*C + 12*(1360*A + 1950*B + 2343*C)*Cos[c + d*x] + 4*(6640*A + 6730*B + 6509*C)*Cos[2*(c + d*x)] + 5440*A*Cos[3*(c + d*x)] + 6520*B*Cos[3*(c + d*x)] + 5660*C*Cos[3*(c + d*x)] + 6000*A*Cos[4*(c + d*x)] + 4890*B*Cos[4*(c + d*x)] + 4245*C*Cos[4*(c + d*x)])*Sin[(c + d*x)/2))/(15360*d*Cos[c + d*x]^(9/2))

Maple [B] time = 0.375, size = 722, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2), x)

[Out] 1/3840/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(6000*A*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-6000*A*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)+4890*B*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-4890*B*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)+4245*C*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-4245*C*cos(d*x+c)^5*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-12000*A*cos(d*x+c)^4*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-9780*B*cos(d*x+c)^4*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-8490*C*cos(d*x+c)^4*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-5440*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)-6520*B*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)-5660*C*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-1280*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d

$$\begin{aligned} & *x+c)+1))^{(1/2)}-3680*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-45 \\ & 28*C*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-960*B*\cos(d*x+c)*\sin \\ & (d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-2784*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+ \\ & c)*\sin(d*x+c)-768*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))/\sin(d*x+c)^2/\cos \\ & (d*x+c)^{(9/2)}/(-2/(\cos(d*x+c)+1))^{(1/2)} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.67689, size = 1561, normalized size = 5.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] [1/7680*(4*(15*(400*A + 326*B + 283*C))*a^2*cos(d*x + c)^4 + 10*(272*A + 326*B + 283*C))*a^2*cos(d*x + c)^3 + 8*(80*A + 230*B + 283*C))*a^2*cos(d*x + c)^2 + 48*(10*B + 29*C))*a^2*cos(d*x + c) + 384*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((400*A + 326*B + 283*C))*a^2*cos(d*x + c)^6 + (400*A + 326*B + 283*C))*a^2*cos(d*x + c)^5)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5), 1/3840*(2*(15*(400*A + 326*B + 283*C))*a^2*cos(d*x + c)^4 + 10*(272*A + 326*B + 283*C))*a^2*cos(d*x + c)^3 + 8*(80*A + 230*B + 283*C))*a^2*cos(d*x + c)^2 + 48*(10*B + 29*C))*a^2*cos(d*x + c) + 384*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((400*A + 326*B + 283*C))*a^2*cos(d*x + c)^6 + (400*A + 326*B + 283*C))*a^2*cos(d*x + c)^5)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x

+ c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/cos(d*x + c)^(3/2), x)

$$3.1271 \quad \int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=353

$$\frac{a^3(1304A + 1132B + 1015C) \sin(c + dx)}{512d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1304A + 1132B + 1015C) \sin(c + dx)}{768d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(680A + 628B + 545C) \sin(c + dx)}{960d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(5/2)*(1304*A + 1132*B + 1015*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(512*d) + (a^3*(680*A + 628*B + 545*C)*Sin[c + d*x])/(960*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1132*B + 1015*C)*Sin[c + d*x])/(768*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1132*B + 1015*C)*Sin[c + d*x])/(512*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(120*A + 156*B + 115*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(480*d*Cos[c + d*x]^(7/2)) + (a*(12*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(60*d*Cos[c + d*x]^(7/2)) + (C*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(6*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 1.10375, antiderivative size = 353, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4088, 4018, 4016, 3803, 3801, 215}

$$\frac{a^3(1304A + 1132B + 1015C) \sin(c + dx)}{512d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(1304A + 1132B + 1015C) \sin(c + dx)}{768d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(680A + 628B + 545C) \sin(c + dx)}{960d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (a^(5/2)*(1304*A + 1132*B + 1015*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(512*d) + (a^3*(680*A + 628*B + 545*C)*Sin[c + d*x])/(960*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1132*B + 1015*C)*Sin[c + d*x])/(768*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(1304*A + 1132*B + 1015*C)*Sin[c + d*x])/(512*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(120*A + 156*B + 115*C)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(480*d*Cos[c + d*x]^(7/2)) + (a*(12*B + 5*C)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(60*d*Cos[c + d*x]^(7/2))

$\cos[c + d*x]^{(7/2)} + (C*(a + a*\sec[c + d*x])^{(5/2)}*\sin[c + d*x]) / (6*d*\cos[c + d*x]^{(7/2)})$

Rule 4265

$\text{Int}[(\cos[a] + (b)*(x))*(c)]^{(m)}*(u), x_Symbol] \rightarrow \text{Dist}[(c*\cos[a + b*x])^m*(c*\sec[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\sec[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

$\text{Int}[(A + \csc[e] + (f)*(x))*(B) + \csc[e] + (f)*(x)]^2*(C*(\csc[e] + (f)*(x))*(d)]^{(n)}*(\csc[e] + (f)*(x))*(b) + (a)]^{(m)}, x_Symbol] \rightarrow -\text{Simp}[(C*\cot[e + f*x]*(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^n*\text{Simp}[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*\csc[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4018

$\text{Int}[(\csc[e] + (f)*(x))*(d)]^{(n)}*(\csc[e] + (f)*(x))*(b) + (a)]^{(m)}*(\csc[e] + (f)*(x))*(B) + (A)], x_Symbol] \rightarrow -\text{Simp}[(b*B*\cot[e + f*x]*(a + b*\csc[e + f*x])^{(m - 1)}*(d*\csc[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\csc[e + f*x])^{(m - 1)}*(d*\csc[e + f*x])^n*\text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\csc[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

$\text{Int}[(\csc[e] + (f)*(x))*(d)]^{(n)}*\text{Sqrt}[\csc[e] + (f)*(x)]*(b) + (a)]*(\csc[e] + (f)*(x))*(B) + (A)], x_Symbol] \rightarrow \text{Simp}[(-2*b*B*\cot[e + f*x]*(d*\csc[e + f*x])^n)/(f*(2*n + 1)*\text{Sqrt}[a + b*\csc[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\csc[e + f*x]]*(d*\csc[e + f*x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

$\text{Int}[(\csc[e] + (f)*(x))*(d)]^{(n)}*\text{Sqrt}[\csc[e] + (f)*(x)]*(b) + (a)], x_Symbol] \rightarrow \text{Simp}[(-2*b*d*\cot[e + f*x]*(d*\csc[e + f*x])^{(n - 1)})/(f*(2*n - 1)*\text{Sqrt}[a + b*\csc[e + f*x]]), x] + \text{Dist}[(2*a*d*(n - 1))/(b*(2*n -$

1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^5(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{5/2}(c + dx) (a + a \sec(c + dx)) dx \\
&= \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{6d \cos^{7/2}(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{5/2}(c + dx) (a + a \sec(c + dx)) dx}{6d \cos^{7/2}(c + dx)} \\
&= \frac{a(12B + 5C)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{60d \cos^{7/2}(c + dx)} + \frac{C(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{60d \cos^{7/2}(c + dx)} \\
&= \frac{a^2(120A + 156B + 115C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{480d \cos^{7/2}(c + dx)} + \frac{a^3(680A + 628B + 545C) \sin(c + dx)}{960d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(120A + 156B + 115C) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{480d \cos^{7/2}(c + dx)} \\
&= \frac{a^3(680A + 628B + 545C) \sin(c + dx)}{960d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(1304A + 1132B + 1015C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{768d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(680A + 628B + 545C) \sin(c + dx)}{960d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(1304A + 1132B + 1015C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{768d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(680A + 628B + 545C) \sin(c + dx)}{960d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(1304A + 1132B + 1015C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{768d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(680A + 628B + 545C) \sin(c + dx)}{960d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(1304A + 1132B + 1015C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{512d}
\end{aligned}$$

Mathematica [B] time = 6.58711, size = 947, normalized size = 2.68

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(5/2), x]

[Out] (4*Sec[(c + d*x)/2]^5*(a*(1 + Sec[c + d*x]))^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sqrt[(1 - 2*Sin[(c + d*x)/2]^2)^(-1)]*Sqrt[1 - 2*Sin[(c + d

$$\begin{aligned} & *x)/2]^2 * ((C * \sin[(c + d*x)/2]) / (48 * (1 - 2 * \sin[(c + d*x)/2]^2)^6) + ((B + 2 \\ & * C) * \sin[(c + d*x)/2]) / (40 * (1 - 2 * \sin[(c + d*x)/2]^2)^5) + ((A + 2 * B + C) * \sin \\ & [(c + d*x)/2]) / (32 * (1 - 2 * \sin[(c + d*x)/2]^2)^4) + ((2 * A + B) * \sin[(c + d*x \\ &)/2]) / (24 * (1 - 2 * \sin[(c + d*x)/2]^2)^3) + (A * \sin[(c + d*x)/2]) / (16 * (1 - 2 * \sin \\ & [(c + d*x)/2]^2)^2) + (3 * A * (\sqrt{2} * \operatorname{ArcTanh}[\sqrt{2} * \sin[(c + d*x)/2]]) + (\\ & 2 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2)) / 64 + (5 * (2 * A + B) * ((4 * \sin \\ & [(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2)^2 + 3 * (\sqrt{2} * \operatorname{ArcTanh}[\sqrt{2} * \sin \\ & [(c + d*x)/2]]) + (2 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2))) / 384 + (\\ & 7 * (A + 2 * B + C) * ((16 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2)^3 + 5 * ((4 \\ & * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2)^2 + 3 * (\sqrt{2} * \operatorname{ArcTanh}[\sqrt{2} \\ &] * \sin[(c + d*x)/2]) + (2 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2))) / 3 \\ & 072 + (3 * (B + 2 * C) * ((96 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2)^4 + 7 * \\ & ((16 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2)^3 + 5 * ((4 * \sin[(c + d*x)/2 \\ &]) / (1 - 2 * \sin[(c + d*x)/2]^2)^2 + 3 * (\sqrt{2} * \operatorname{ArcTanh}[\sqrt{2} * \sin[(c + d*x)/ \\ & 2]]) + (2 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2)))) / 10240 + (11 * C * ((\\ & 256 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2)^5 + 3 * ((96 * \sin[(c + d*x)/2 \\ &]) / (1 - 2 * \sin[(c + d*x)/2]^2)^4 + 7 * ((16 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + \\ & d*x)/2]^2)^3 + 5 * ((4 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c + d*x)/2]^2)^2 + 3 * (\sqrt{2} \\ &] * \operatorname{ArcTanh}[\sqrt{2} * \sin[(c + d*x)/2]]) + (2 * \sin[(c + d*x)/2]) / (1 - 2 * \sin[(c \\ & + d*x)/2]^2)))) / 122880)) / (d * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + \\ & 2 * d*x]) * \operatorname{Sec}[c + d*x]^{(9/2)}) \end{aligned}$$

Maple [B] time = 0.414, size = 815, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (a + a \sec(dx+c))^{5/2} (A + B \sec(dx+c) + C \sec(dx+c)^2) / \cos(dx+c)^{5/2}, x$

[Out] $\frac{1}{15360 d^2 a^2} (a (\cos(dx+c)+1) / \cos(dx+c))^{1/2} (-1 + \cos(dx+c)) (19560 A \cos(dx+c)^6 2^{1/2} \arctan(1/4 2^{1/2} (-2 / (\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 - \sin(dx+c))) - 19560 A \cos(dx+c)^6 2^{1/2} \arctan(1/4 2^{1/2} (-2 / (\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 + \sin(dx+c))) + 16980 B \cos(dx+c)^6 2^{1/2} \arctan(1/4 2^{1/2} (-2 / (\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 - \sin(dx+c))) - 16980 B \cos(dx+c)^6 2^{1/2} \arctan(1/4 2^{1/2} (-2 / (\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 + \sin(dx+c))) + 15225 C \cos(dx+c)^6 2^{1/2} \arctan(1/4 2^{1/2} (-2 / (\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 - \sin(dx+c))) - 15225 C \cos(dx+c)^6 2^{1/2} \arctan(1/4 2^{1/2} (-2 / (\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 + \sin(dx+c))) - 39120 A \cos(dx+c)^5 (-2 / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 33960 B \cos(dx+c)^5 (-2 / (\cos(dx+c)+1))^{1/2} \sin(dx+c) - 30450 C \cos(dx+c)^5 (-2 / (\cos(dx+c)$

$$\begin{aligned}
&+1)^{(1/2)}*\sin(d*x+c)-26080*A*\cos(d*x+c)^4*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c) \\
&-22640*B*\cos(d*x+c)^4*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-20300*C*\cos(d*x+c) \\
&^4*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-14720*A*\sin(d*x+c)*\cos(d*x+c) \\
&^3*(-2/(\cos(d*x+c)+1))^{(1/2)}-18112*B*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos(d*x+c) \\
&+1))^{(1/2)}-16240*C*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-3840* \\
&A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-11136*B*\cos(d*x+c)^2*\sin(d*x+c) \\
&*(-2/(\cos(d*x+c)+1))^{(1/2)}-13920*C*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c) \\
&-3072*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-8960*C*(-2/(\cos(d*x+c)+1))^{(1/2)} \\
&*\cos(d*x+c)*\sin(d*x+c)-2560*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))/\cos(d*x+c)^{(11/2)}/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{(1/2)}
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.66173, size = 1736, normalized size = 4.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2),x, algorithm="fricas")

[Out] [1/30720*(4*(15*(1304*A + 1132*B + 1015*C))*a^2*cos(d*x + c)^5 + 10*(1304*A + 1132*B + 1015*C))*a^2*cos(d*x + c)^4 + 8*(920*A + 1132*B + 1015*C))*a^2*cos(d*x + c)^3 + 48*(40*A + 116*B + 145*C))*a^2*cos(d*x + c)^2 + 128*(12*B + 35*C))*a^2*cos(d*x + c) + 1280*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((1304*A + 1132*B + 1015*C))*a^2*cos(d*x + c)^7 + (1304*A + 1132*B + 1015*C))*a^2*cos(d*x + c)^6)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d

```
*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^7 + d*cos(d*x + c)^6), 1/1536
0*(2*(15*(1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^5 + 10*(1304*A + 1132*
B + 1015*C)*a^2*cos(d*x + c)^4 + 8*(920*A + 1132*B + 1015*C)*a^2*cos(d*x +
c)^3 + 48*(40*A + 116*B + 145*C)*a^2*cos(d*x + c)^2 + 128*(12*B + 35*C)*a^2
*cos(d*x + c) + 1280*C*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(co
s(d*x + c))*sin(d*x + c) + 15*((1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^
7 + (1304*A + 1132*B + 1015*C)*a^2*cos(d*x + c)^6)*sqrt(-a)*arctan(2*sqrt(-
a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/
(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^7 + d*cos(d*x +
c)^6)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+
c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)
^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2
)/cos(d*x + c)^(5/2), x)
```


$$3.1272 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=257

$$\frac{2(31A - 7B + 35C) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} - \frac{2(43A - 91B + 35C) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B + C) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

[Out] (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(43*A - 91*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A - 7*B + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.87685, antiderivative size = 257, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4022, 4013, 3808, 206}

$$\frac{2(31A - 7B + 35C) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d \sqrt{a \sec(c + dx) + a}} - \frac{2(43A - 91B + 35C) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B + C) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{105d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(43*A - 91*B + 35*C)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A - 7*B + 35*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx) (A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(A-7B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(31A-7B+35C)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2(A-7B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(43A-91B+35C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2(31A-7B+35C)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(43A-91B+35C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2(31A-7B+35C)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{2}(A-B+C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.912952, size = 178, normalized size = 0.69

$$\frac{\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)\left(2\sqrt{1-\sec(c+dx)}\left((43A-91B+35C)\sec^3(c+dx)+(7(B-5C)-31A)\sec^2(c+dx)+3(A-7B)\sec(c+dx)\right)\right)}{105d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -(Cos[c + d*x]^(5/2)*(105*Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])]/Sqrt[1 - Sec[c + d*x]])*Sec[c + d*x]^(7/2) + 2*Sqrt[1 - Sec[c + d*x]]*(-15*A + 3*(A - 7*B)*Sec[c + d*x] + (-31*A + 7*(B - 5*C))*Sec[c + d*x]^2 + (43*A - 91*B + 35*C)*Sec[c + d*x]^3)*Sin[c + d*x])/(105*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.316, size = 286, normalized size = 1.1

$$-\frac{1}{105ad \sin(dx+c)} \sqrt{\cos(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(30A(\cos(dx+c))^4 - 36A(\cos(dx+c))^3 + 105 \arctan\left(\frac{1}{2} \sin(dx+c)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)`

[Out] `-1/105/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(30*A*cos(d*x+c)^4-36*A*cos(d*x+c)^3+105*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+42*B*cos(d*x+c)^3-105*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+105*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+68*A*cos(d*x+c)^2-56*B*cos(d*x+c)^2+70*C*cos(d*x+c)^2-148*A*cos(d*x+c)+196*B*cos(d*x+c)-140*C*cos(d*x+c)+86*A-182*B+70*C)/a/sin(d*x+c)`

Maxima [B] time = 2.57553, size = 1310, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `-1/840*(sqrt(2)*(525*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 175*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 21*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 525*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 175*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) - 21*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) + 1) + 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 - 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 1) - 30*sin(7/2*d*x +`

$7/2*c) + 21*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) -$
 $175*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 525*\sin$
 $(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * A/\sqrt{a} + 28*($
 $30*\sqrt{2}*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x +$
 $2*c) - 3*(10*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2}) * \sin(5/4*\arctan2(\sin(2*d*x$
 $+ 2*c), \cos(2*d*x + 2*c))) + 15*\sqrt{2}*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*$
 $c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*$
 $c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - 15*s$
 $qrt(2)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4$
 $*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sin(1/4*\arctan2(\sin(2*d$
 $*x + 2*c), \cos(2*d*x + 2*c))) + 1) + 5*\sqrt{2}*\sin(3/4*\arctan2(\sin(2*d*x +$
 $2*c), \cos(2*d*x + 2*c))) - 30*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos$
 $(2*d*x + 2*c))) * B/\sqrt{a} - 140*(3*\sqrt{2}*\log(\cos(1/4*\arctan2(\sin(2*d*x +$
 $2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x +$
 $2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - 3$
 $*\sqrt{2}*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1$
 $/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sin(1/4*\arctan2(\sin(2$
 $*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) + 2*\sqrt{2}*\sin(3/4*\arctan2(\sin(2*d*x$
 $+ 2*c), \cos(2*d*x + 2*c))) - 6*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos$
 $(2*d*x + 2*c))) * C/\sqrt{a})/d$

Fricas [A] time = 0.554093, size = 1141, normalized size = 4.44

$$\frac{4 \left(15 A \cos(dx + c)^3 - 3(A - 7B) \cos(dx + c)^2 + (31A - 7B + 35C) \cos(dx + c) - 43A + 91B - 35C \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{210(ad \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/210*(4*(15*A*cos(d*x + c)^3 - 3*(A - 7*B)*cos(d*x + c)^2 + (31*A - 7*B + 35*C)*cos(d*x + c) - 43*A + 91*B - 35*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 105*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*log(-(cos(d*x + c))^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c)

```
) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x +
c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) +
a*d), -1/105*(105*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqr
t(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*s
qrt(cos(d*x + c))/sin(d*x + c)) - 2*(15*A*cos(d*x + c)^3 - 3*(A - 7*B)*cos(
d*x + c)^2 + (31*A - 7*B + 35*C)*cos(d*x + c) - 43*A + 91*B - 35*C)*sqrt((a
*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a*d*cos(
d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c
))**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(7/2)/sqrt(a
*sec(d*x + c) + a), x)
```

$$3.1273 \quad \int \frac{\cos^5(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=211

$$\frac{2(13A - 5B + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B + C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(A - B + C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}$$

```
[Out] -((Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])]/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (2*(13*A - 5*B + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.66737, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4086, 4022, 4013, 3808, 206}

$$\frac{2(13A - 5B + 15C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B + C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(A - B + C) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] -((Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])]/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (2*(13*A - 5*B + 15*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4086

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx) (A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{15d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(13A-5B+15C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{2(A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(13A-5B+15C)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{2(A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{\sqrt{2}(A-B+C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.56791, size = 163, normalized size = 0.77

$$\frac{\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)\left(\sqrt{1-\sec(c+dx)}\sec^2(c+dx)(-2(A-5B)\cos(c+dx)+3A\cos(2(c+dx))+29A-10B+30C)\right)}{15d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Cos[c + d*x]^(3/2)*((29*A - 10*B + 30*C - 2*(A - 5*B)*Cos[c + d*x] + 3*A*C*cos[2*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^2 + 15*Sqrt[2]*(A - B + C)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Sec[c + d*x]^(5/2))*Sin[c + d*x])/(15*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.404, size = 253, normalized size = 1.2

$$\frac{1}{15ad\sin(dx+c)}\sqrt{\cos(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(15\arctan\left(\frac{1}{2}\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}}\right)\sqrt{-2(\cos(dx+c)+1)^{-1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/15/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(15*arctan(1/2*
sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c
)-6*A*cos(d*x+c)^3-15*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/
(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+15*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/
2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+8*A*cos(d*x+c)^2-10*B*co
s(d*x+c)^2-28*A*cos(d*x+c)+20*B*cos(d*x+c)-30*C*cos(d*x+c)+26*A-10*B+30*C)/
a/sin(d*x+c)
```

Maxima [B] time = 2.46897, size = 1045, normalized size = 4.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="maxima")
```

```
[Out] 1/60*(sqrt(2)*(60*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c
)))*sin(5/2*d*x + 5/2*c) - 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*
d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) - 60*cos(5/2*d*x + 5/2*c)*sin(4/5*arcta
n2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 5*cos(5/2*d*x + 5/2*c)*si
n(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 30*log(cos(1/5
*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + sin(1/5*arctan2(s
in(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + 2*sin(1/5*arctan2(sin(5/2*d
*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 1) + 30*log(cos(1/5*arctan2(sin(5/2*d
*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + sin(1/5*arctan2(sin(5/2*d*x + 5/2*c
), cos(5/2*d*x + 5/2*c)))^2 - 2*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5
/2*d*x + 5/2*c))) + 1) + 6*sin(5/2*d*x + 5/2*c) - 5*sin(3/5*arctan2(sin(5/2
*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 60*sin(1/5*arctan2(sin(5/2*d*x + 5/
2*c), cos(5/2*d*x + 5/2*c))))*A/sqrt(a) + 10*(3*sqrt(2)*log(cos(1/4*arctan2
(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
))) + 1) - 3*sqrt(2)*log(cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sin(1/4*a
rctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) + 2*sqrt(2)*sin(3/4*arctan
2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 6*sqrt(2)*sin(1/4*arctan2(sin(2*d*
x + 2*c), cos(2*d*x + 2*c))))*B/sqrt(a) - 30*(sqrt(2)*log(cos(1/4*arctan2(s
```

```

in(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), c
os(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))
) + 1) - sqrt(2)*log(cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2
+ sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sin(1/4*arcta
n2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - 4*sqrt(2)*sin(1/4*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c))))*C/sqrt(a))/d

```

Fricas [A] time = 0.55956, size = 1023, normalized size = 4.85

$$\frac{4 \left(3 A \cos(dx + c)^2 - (A - 5 B) \cos(dx + c) + 13 A - 5 B + 15 C \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + \frac{15 \sqrt{2} (A - B + C) \sqrt{a \cos(dx + c) + a}}{30 (ad \cos(dx + c) + ad)}}{30 (ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="fricas")

```

```

[Out] [1/30*(4*(3*A*cos(d*x + c)^2 - (A - 5*B)*cos(d*x + c) + 13*A - 5*B + 15*C)*
sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 1
5*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*log(-(cos(d*x + c)^2
+ 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin
(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) +
1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), 1/15*(15*sqrt(2)*((A - B + C)*a*cos(
d*x + c) + (A - B + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) +
a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*(3*A*cos(d
*x + c)^2 - (A - 5*B)*cos(d*x + c) + 13*A - 5*B + 15*C)*sqrt((a*cos(d*x + c
) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a
*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**1/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/sqrt(a*sec(d*x + c) + a), x)
```

$$3.1274 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=163

$$\frac{\sqrt{2}(A-B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{2A\sin(c+dx)}{3d}$$

[Out] (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(A - 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.486442, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4086, 4013, 3808, 206}

$$\frac{\sqrt{2}(A-B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{2A\sin(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(A - 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{3d\sqrt{a+a\sec(c+dx)}} \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{2}(A-B+C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.700131, size = 88, normalized size = 0.54

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(3(A-B+C)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)+2\sin\left(\frac{1}{2}(c+dx)\right)(A\cos(c+dx)-A+3B)\right)}{3d\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (2*Cos[(c + d*x)/2]*(3*(A - B + C)*ArcTanh[Sin[(c + d*x)/2]] + 2*(-A + 3*B + A*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.364, size = 220, normalized size = 1.4

$$-\frac{-2+2\cos(dx+c)}{3ad(\sin(dx+c))^2}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(A\cos(dx+c)\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}}-A\sin(dx+c)\sqrt{-2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -2/3/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-A*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+3*B*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+3*A*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-3*B*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+3*C*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^(1/2)/a/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)
```

Maxima [B] time = 2.41577, size = 764, normalized size = 4.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/6*((3*sqrt(2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(3/2*d*x + 3/2*c) - 3*sqrt(2)*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) + 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - 2*sqrt(2)*sin(3/2*d*x + 3/2*c) + 3*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*A/sqrt(a) + 3*(sqrt(2)*log(cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) - sqrt(2)*log(cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) - 4*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*B/sqrt(a) - 3*(sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*C/sqrt(a))/d
```


Fricas [A] time = 0.552341, size = 914, normalized size = 5.61

$$\frac{4(A \cos(dx+c) - A + 3B) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + \frac{3\sqrt{2}((A-B+C)a \cos(dx+c) + (A-B+C)a) \log\left(\frac{\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a \cos(dx+c)+a}}{\sqrt{a}}\right)}{\sqrt{a}}}{6(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/6*(4*(A*cos(d*x + c) - A + 3*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), -1/3*(3*sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*(A*cos(d*x + c) - A + 3*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(a
*sec(d*x + c) + a), x)
```

$$3.1275 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=178

$$\frac{\sqrt{2}(A-B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{2C\sqrt{a}}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.519686, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4086, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A-B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{2C\sqrt{a}}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4023

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]]], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{(C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&\quad + \frac{(2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2A\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{(2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2C\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}} - \frac{\sqrt{2}C}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.606673, size = 96, normalized size = 0.54

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(-\left(A-B+C\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)+2A\sin\left(\frac{1}{2}(c+dx)\right)+\sqrt{2}C\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{d\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (2*Cos[(c + d*x)/2]*(-(A - B + C)*ArcTanh[Sin[(c + d*x)/2]]) + Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*A*Sin[(c + d*x)/2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.369, size = 250, normalized size = 1.4

$$-\frac{-1+\cos(dx+c)}{ad(\sin(dx+c))^2}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(2A\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}}-C\sqrt{2}\arctan\left(\frac{\sqrt{2}(\cos(dx+c)+1)}{4}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(2*A*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-2*A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+2*B*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-2*C*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)))*cos(d*x+c)^(1/2)/a/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2
```

Maxima [B] time = 2.41211, size = 1080, normalized size = 6.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/2*((sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1) - 4*sqrt(2)*sin(1/2*d*x + 1/2*c))*A/sqrt(a) - (sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*B/sqrt(a) + (sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) + log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) - log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt
```

$t(2) \cdot \sin\left(\frac{1}{3} \arctan2\left(\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right), \cos\left(\frac{3}{2}dx + \frac{3}{2}c\right)\right)\right) + 2) + \log\left(2 \cdot \cos\left(\frac{1}{3} \arctan2\left(\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right), \cos\left(\frac{3}{2}dx + \frac{3}{2}c\right)\right)\right)^2 + 2 \cdot \sin\left(\frac{1}{3} \arctan2\left(\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right), \cos\left(\frac{3}{2}dx + \frac{3}{2}c\right)\right)\right)^2 - 2 \cdot \sqrt{2} \cdot \cos\left(\frac{1}{3} \arctan2\left(\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right), \cos\left(\frac{3}{2}dx + \frac{3}{2}c\right)\right)\right) - 2 \cdot \sqrt{2} \cdot \sin\left(\frac{1}{3} \arctan2\left(\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right), \cos\left(\frac{3}{2}dx + \frac{3}{2}c\right)\right)\right) + 2\right) \cdot C / \sqrt{a} / d$

Fricas [A] time = 0.623246, size = 1353, normalized size = 7.6

$$4A \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + (C \cos(dx+c) + C) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 4\sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} (\cos(dx+c)-2) \sqrt{\cos(dx+c)}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2*(4*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), (sqrt(2)*((A - B + C)*a*cos(d*x + c) + (A - B + C)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d*cos(d*x + c) + a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sqrt{\cos(c + dx)}}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sqrt(cos(c + d*x))/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/sqrt(a*sec(d*x + c) + a), x)

$$3.1276 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=181

$$\frac{\sqrt{2}(A-B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] ((2*B - C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (C*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.525722, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4088, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A-B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2B-C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] ((2*B - C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (C*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e
 + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(
m + n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n
}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ
[m + n + 1, 0]
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
 + (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
 + (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}\sqrt{a + a \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{\sec(c + dx)}(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx \\
&= \frac{C \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx}{a} \\
&= \frac{C \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{\left((2B - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right)}{2a} \\
&= \frac{C \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} - \frac{\left((2B - C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right)}{a} \\
&= \frac{(2B - C) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} + \sqrt{2}(A - B + C)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.570939, size = 113, normalized size = 0.62

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(2(A - B + C) \cos(c + dx) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + \sqrt{2}(2B - C) \cos(c + dx) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{d \cos^{\frac{3}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (Cos[(c + d*x)/2]*(2*(A - B + C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[c + d*x] + Sqrt[2]*(2*B - C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*C*Sin[(c + d*x)/2]))/(d*Cos[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.323, size = 374, normalized size = 2.1

$$-\frac{-1 + \cos(dx + c)}{2ad(\sin(dx + c))^2} \left(-2B\sqrt{2} \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 - \sin(dx + c))}\right) \cos(dx + c) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x)$

[Out] $-1/2/d*(-1+\cos(d*x+c))*(-2*B*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))*\cos(d*x+c)+2*B*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)+C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))*\cos(d*x+c)-C*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*\cos(d*x+c)+4*A*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)-4*B*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)+2*C*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+4*C*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/a/(-2/(\cos(d*x+c)+1))^{(1/2)}/\sin(d*x+c)^2/\cos(d*x+c)^{(1/2)}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.788308, size = 1530, normalized size = 8.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x, \text{algorithm}="fricas")$

[Out] $[1/4*(4*C*\sqrt{(a*\cos(d*x+c)+a)/\cos(d*x+c)}*\sqrt{\cos(d*x+c)}*\sin(d*x+c) - ((2*B-C)*\cos(d*x+c)^2 + (2*B-C)*\cos(d*x+c))*\sqrt{a}*\log((a*\cos(d*x+c)^3 + 4*\sqrt{a}*\sqrt{(a*\cos(d*x+c)+a)/\cos(d*x+c)}*(\cos(d*x+c)$

```
x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(co
s(d*x + c)^3 + cos(d*x + c)^2)) + 2*sqrt(2)*((A - B + C)*a*cos(d*x + c)^2 +
(A - B + C)*a*cos(d*x + c))*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d
*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(
d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x
+ c)^2 + a*d*cos(d*x + c)), -1/2*(2*sqrt(2)*((A - B + C)*a*cos(d*x + c)^2 +
(A - B + C)*a*cos(d*x + c))*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*C*sqrt(
(a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - ((2*B
- C)*cos(d*x + c)^2 + (2*B - C)*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sq
rt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*co
s(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x +
c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2)/(a+a*sec(d*x+c
))**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(sqrt(a*(sec(c + d*x) + 1
))*sqrt(cos(c + d*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{a} \sec(dx + c) + a \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)
*sqrt(cos(d*x + c))), x)
```

$$3.1277 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=235

$$\frac{\sqrt{2}(A-B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(8A-4B+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{4\sqrt{ad}}$$

[Out] ((8*A - 4*B + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (C*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + ((4*B - C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.735191, antiderivative size = 235, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4265, 4088, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A-B+C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(8A-4B+7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{4\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] ((8*A - 4*B + 7*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A - B + C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (C*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + ((4*B - C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

Int[((A_) + csc[(e_) + (f_)*(x_)])*(B_) + csc[(e_) + (f_)*(x_)]^2*(C_ + (a_))*(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4021

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]*Sqrt[csc[(e_) + (f_)*(x_)]*(b_)]

+ (a_)] , x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx \\
 &= \frac{C \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx}{2a} \\
 &= \frac{C \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(4B - C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{A \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{C \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(4B - C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{A \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{C \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(4B - C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{A \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{(8A - 4B + 7C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - \sqrt{2} (A - B + C) \sin \left(\frac{1}{2}(c + dx) \right)}{4\sqrt{ad}}
 \end{aligned}$$

Mathematica [A] time = 1.08886, size = 127, normalized size = 0.54

$$\frac{\cos \left(\frac{1}{2}(c + dx) \right) \left(8(A - B + C) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) - \sqrt{2} (8A - 4B + 7C) \tanh^{-1} \left(\sqrt{2} \sin \left(\frac{1}{2}(c + dx) \right) \right) \right) + 2 \sin \left(\frac{1}{2}(c + dx) \right)}{4d \sqrt{\cos(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.


```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*Sqrt[
a + a*Sec[c + d*x]]),x]
```

```
[Out] -(Cos[(c + d*x)/2]*(8*(A - B + C)*ArcTanh[Sin[(c + d*x)/2]] - Sqrt[2]*(8*A
- 4*B + 7*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(-4*B + C -
2*C*Sec[c + d*x])*Sin[(c + d*x)/2]))/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + S
ec[c + d*x]))]
```

Maple [B] time = 0.349, size = 545, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2)
,x)
```

```
[Out] 1/8/d*(-1+cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(8*A*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2-8*A*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2-4*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2+4*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2+7*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*cos(d*x+c)^2-7*C*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*cos(d*x+c)^2+16*A*cos(d*x+c)^2*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)-16*B*cos(d*x+c)^2*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)-8*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+16*C*cos(d*x+c)^2*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)+2*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)-4*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/a/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c)^(3/2)
```

Maxima [B] time = 2.91788, size = 4501, normalized size = 19.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/16*(8*(sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(
1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c)
, cos(d*x + c))) + 1) - sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x +
c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 1) - log(2*cos(1/2*arctan2(sin(d*x + c), c
os(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt
(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), c
os(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt
(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 2) - log(2*cos(1/2*arctan2(sin(d*x + c), c
os(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt
(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), c
os(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt
(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan
2(sin(d*x + c), cos(d*x + c))) + 2))*A/sqrt(a) + 4*(4*sqrt(2)*cos(3/4*arcta
n2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x + 2*c) - 4*sqrt(2)*cos(1/
4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x + 2*c) + (cos(2*d*
x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/4*arc
tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), c
os(2*d*x + 2*c))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c
) + 1)*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin
(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos(1/4*arc
tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2*sqrt(2)*sin(1/4*arctan2(sin(2
*d*x + 2*c), cos(2*d*x + 2*c))) + 2) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*
c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2
- 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2*sqrt(
2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - (cos(2*d*x +
2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/4*arctan
2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c)))^2 - 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c))) - 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c))) + 2) - 2*(sqrt(2)*cos(2*d*x + 2*c)^2 + sqrt(2)*sin(2*d*x + 2*c)^2 + 2*
sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*log(cos(1/4*arctan2(sin(2*d*x + 2*c), c
os(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^
2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) + 2*(sqrt(2)
)*cos(2*d*x + 2*c)^2 + sqrt(2)*sin(2*d*x + 2*c)^2 + 2*sqrt(2)*cos(2*d*x +
2*c) + sqrt(2))*log(cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 +
sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sin(1/4*arctan2
(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) - 4*(sqrt(2)*cos(2*d*x + 2*c) +
sqrt(2))*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 4*(sqrt(2)*
```


$$\begin{aligned} & * \cos(2*d*x + 2*c) + \sqrt{2}) * \sin(7/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\ & 2*c))) + 20 * (\sqrt{2} * \cos(4*d*x + 4*c) + 2 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2} \\ &) * \sin(5/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 20 * (\sqrt{2} * \cos(4 \\ & *d*x + 4*c) + 2 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \sin(3/4 * \arctan2(\sin(2*d \\ & *x + 2*c), \cos(2*d*x + 2*c))) + 4 * (\sqrt{2} * \cos(4*d*x + 4*c) + 2 * \sqrt{2} * \cos \\ & (2*d*x + 2*c) + \sqrt{2}) * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\ &))) * C / ((2 * (2 * \cos(2*d*x + 2*c) + 1) * \cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + \\ & 4 * \cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4 * \sin(4*d*x + 4*c) * \sin(2*d*x + \\ & 2*c) + 4 * \sin(2*d*x + 2*c)^2 + 4 * \cos(2*d*x + 2*c) + 1) * \sqrt{a})) / d \end{aligned}$$

Fricas [A] time = 1.30974, size = 1667, normalized size = 7.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/16*(4*((4*B - C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A - 4*B + 7*C)*cos(d*x + c)^3 + (8*A - 4*B + 7*C)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 8*sqrt(2)*((A - B + C)*a*cos(d*x + c)^3 + (A - B + C)*a*cos(d*x + c)^2)*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2), 1/8*(8*sqrt(2)*((A - B + C)*a*cos(d*x + c)^3 + (A - B + C)*a*cos(d*x + c)^2)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*((4*B - C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((8*A - 4*B + 7*C)*cos(d*x + c)^3 + (8*A - 4*B + 7*C)*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**1/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2)), x)
```

$$3.1278 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \cos^2(c+dx) \sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=281

$$\frac{(8A - 2B + 7C) \sin(c + dx)}{8d \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B + C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{\sqrt{ad}} \quad (8A - 1)$$

[Out] $-\left((8*A - 14*B + 9*C)*\text{ArcSinh}[(\text{Sqrt}[a]*\text{Tan}[c + d*x])/(\text{Sqrt}[a + a*\text{Sec}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]\right)/(8*\text{Sqrt}[a]*d) + (\text{Sqrt}[2]*(A - B + C)*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[a + a*\text{Sec}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(\text{Sqrt}[a]*d) + (C*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(7/2)}*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]) + ((6*B - C)*\text{Sin}[c + d*x])/(12*d*\text{Cos}[c + d*x]^{(5/2)}*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]) + ((8*A - 2*B + 7*C)*\text{Sin}[c + d*x])/(8*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + a*\text{Sec}[c + d*x]])$

Rubi [A] time = 0.926759, antiderivative size = 281, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4265, 4088, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(8A - 2B + 7C) \sin(c + dx)}{8d \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B + C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{\sqrt{ad}} \quad (8A - 1)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/(\text{Cos}[c + d*x]^{(5/2)}*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]), x]$

[Out] $-\left((8*A - 14*B + 9*C)*\text{ArcSinh}[(\text{Sqrt}[a]*\text{Tan}[c + d*x])/(\text{Sqrt}[a + a*\text{Sec}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]\right)/(8*\text{Sqrt}[a]*d) + (\text{Sqrt}[2]*(A - B + C)*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[a + a*\text{Sec}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(\text{Sqrt}[a]*d) + (C*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(7/2)}*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]) + ((6*B - C)*\text{Sin}[c + d*x])/(12*d*\text{Cos}[c + d*x]^{(5/2)}*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]) + ((8*A - 2*B + 7*C)*\text{Sin}[c + d*x])/(8*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + a*\text{Sec}[c + d*x]])$

Rule 4265

$\text{Int}[(\cos[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\text{Cos}[a + b*x])^m*(c*\text{Sec}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sec}[a + b*x])^m, x], x$

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4088

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n*Simp[A*b*(m + n + 1) + b*C*n + (a*C*m + b*B*(m + n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)] && !LtQ[n, -2^(-1)] && NeQ[m + n + 1, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx \\
 &= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx}{3a} \\
 &= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(6B - C) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{A \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(6B - C) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{A \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(6B - C) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{A \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{C \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(6B - C) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{A \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{(8A - 14B + 9C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} + \sqrt{2} \sin(c + dx)}{8\sqrt{ad}} + \frac{A \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.11333, size = 154, normalized size = 0.55

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((A - B + C) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + \frac{1}{48} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) (3(8A - 2B + 7C) + 2(6B - \dots) \right) \right)}{d \sqrt{\cos(c + dx)} \sqrt{a(\sec(c + dx) + \dots)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] (2*Cos[(c + d*x)/2]*((A - B + C)*ArcTanh[Sin[(c + d*x)/2]] + (-3*Sqrt[2]*(8*A - 14*B + 9*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(3*(8*A - 2*B + 7*C) + 2*(6*B - C)*Sec[c + d*x] + 8*C*Sec[c + d*x]^2)*Sin[(c + d*x)/2])/48)/(d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.367, size = 638, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2), x)

[Out] -1/48/d*(-1+cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(24*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))^2^(1/2)-24*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))^2^(1/2)-42*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))^2^(1/2)*cos(d*x+c)^3+42*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))^2^(1/2)*cos(d*x+c)^3+27*C*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))^2^(1/2)-27*C*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))^2^(1/2)+48*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+96*A*cos(d*x+c)^3*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-12*B*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-96*B*cos(d*x+c)^3*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+42*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+96*C*cos(d*x+c)^3*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+24*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-4*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*sin(d*x+c)+16*C*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))/a/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)

$$/2)/\cos(d*x+c)^{(5/2)}$$

Maxima [B] time = 3.41184, size = 7547, normalized size = 26.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="maxima")
```

```
[Out] -1/96*(24*(4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c))))*sin(2*d*x
+ 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*sin(2*d*x
+ 2*c) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(s
in(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos
(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2) -
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*c
os(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x +
c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c
))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2) + (cos(2*
d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*a
rctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos
(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*
sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2) - (cos(2*d*x + 2*
c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(s
in(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c
)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*
sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))) + 2) - 2*(sqrt(2)*cos(2*d*x +
2*c)^2 + sqrt(2)*sin(2*d*x + 2*c)^2 + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))
*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + sin(1/2*arctan2(sin(d
*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))
+ 1) + 2*(sqrt(2)*cos(2*d*x + 2*c)^2 + sqrt(2)*sin(2*d*x + 2*c)^2 + 2*sqrt(
2)*cos(2*d*x + 2*c) + sqrt(2))*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x +
c))))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sin(1/2*arctan2
(sin(d*x + c), cos(d*x + c)))) + 1) - 4*(sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))
*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*cos(2*d*x + 2*c)
+ sqrt(2))*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*A/((cos(2*d*x + 2
*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*sqrt(a) - 6*(4*(sqrt(
2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(7/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c)))) - 20*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(
2*d*x + 2*c))*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 20*(sq
```


$$\begin{aligned}
&)) * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * B / ((2 * (2 * \cos(2*d*x \\
&+ 2*c) + 1) * \cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4 * \cos(2*d*x + 2*c)^2 + \\
&\sin(4*d*x + 4*c)^2 + 4 * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 4 * \sin(2*d*x + 2 \\
&*c)^2 + 4 * \cos(2*d*x + 2*c) + 1) * \sqrt{a}) + (84 * (\sqrt{2}) * \sin(6*d*x + 6*c) + \\
&3 * \sqrt{2}) * \sin(4*d*x + 4*c) + 3 * \sqrt{2}) * \sin(2*d*x + 2*c)) * \cos(11/4 * \arctan2(s \\
&\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 100 * (\sqrt{2}) * \sin(6*d*x + 6*c) + 3 * \sqrt{2}) * \sin(4*d*x + 4*c) + 3 * \sqrt{2}) * \sin(2*d*x + 2*c)) * \cos(9/4 * \arctan2(\sin(2*d \\
&*x + 2*c), \cos(2*d*x + 2*c))) + 312 * (\sqrt{2}) * \sin(6*d*x + 6*c) + 3 * \sqrt{2}) * \sin \\
&\sin(4*d*x + 4*c) + 3 * \sqrt{2}) * \sin(2*d*x + 2*c)) * \cos(7/4 * \arctan2(\sin(2*d*x + 2 \\
&*c), \cos(2*d*x + 2*c))) - 312 * (\sqrt{2}) * \sin(6*d*x + 6*c) + 3 * \sqrt{2}) * \sin(4*d \\
&*x + 4*c) + 3 * \sqrt{2}) * \sin(2*d*x + 2*c)) * \cos(5/4 * \arctan2(\sin(2*d*x + 2*c), c \\
&\cos(2*d*x + 2*c))) + 100 * (\sqrt{2}) * \sin(6*d*x + 6*c) + 3 * \sqrt{2}) * \sin(4*d*x + 4 \\
&*c) + 3 * \sqrt{2}) * \sin(2*d*x + 2*c)) * \cos(3/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
&*x + 2*c))) - 84 * (\sqrt{2}) * \sin(6*d*x + 6*c) + 3 * \sqrt{2}) * \sin(4*d*x + 4*c) + 3 \\
&* \sqrt{2}) * \sin(2*d*x + 2*c)) * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
&c))) + 27 * (2 * (3 * \cos(4*d*x + 4*c) + 3 * \cos(2*d*x + 2*c) + 1) * \cos(6*d*x + 6*c) \\
&+ \cos(6*d*x + 6*c)^2 + 6 * (3 * \cos(2*d*x + 2*c) + 1) * \cos(4*d*x + 4*c) + 9 * \cos \\
&(4*d*x + 4*c)^2 + 9 * \cos(2*d*x + 2*c)^2 + 6 * (\sin(4*d*x + 4*c) + \sin(2*d*x + \\
&2*c)) * \sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9 * \sin(4*d*x + 4*c)^2 + 18 * \sin \\
&(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 9 * \sin(2*d*x + 2*c)^2 + 6 * \cos(2*d*x + 2*c) \\
&+ 1) * \log(2 * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1 \\
&/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sqrt{2}) * \cos(1/4 * \arctan \\
&n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2 * \sqrt{2}) * \sin(1/4 * \arctan2(\sin(2*d \\
&*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 27 * (2 * (3 * \cos(4*d*x + 4*c) + 3 * \cos(2*d* \\
&x + 2*c) + 1) * \cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6 * (3 * \cos(2*d*x + 2*c) \\
&+ 1) * \cos(4*d*x + 4*c) + 9 * \cos(4*d*x + 4*c)^2 + 9 * \cos(2*d*x + 2*c)^2 + 6 * (s \\
&\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c)) * \sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + \\
&9 * \sin(4*d*x + 4*c)^2 + 18 * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 9 * \sin(2*d*x \\
&+ 2*c)^2 + 6 * \cos(2*d*x + 2*c) + 1) * \log(2 * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \\
&\cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)))^2 + 2 * \sqrt{2}) * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2 * \sqrt{2}) * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 27 * (2 * (3 \\
&* \cos(4*d*x + 4*c) + 3 * \cos(2*d*x + 2*c) + 1) * \cos(6*d*x + 6*c) + \cos(6*d*x + \\
&6*c)^2 + 6 * (3 * \cos(2*d*x + 2*c) + 1) * \cos(4*d*x + 4*c) + 9 * \cos(4*d*x + 4*c)^2 \\
&+ 9 * \cos(2*d*x + 2*c)^2 + 6 * (\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c)) * \sin(6*d*x \\
&+ 6*c) + \sin(6*d*x + 6*c)^2 + 9 * \sin(4*d*x + 4*c)^2 + 18 * \sin(4*d*x + 4*c) * s \\
&\sin(2*d*x + 2*c) + 9 * \sin(2*d*x + 2*c)^2 + 6 * \cos(2*d*x + 2*c) + 1) * \log(2 * \cos(\\
&1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \arctan2(\sin(\\
&2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2 * \sqrt{2}) * \cos(1/4 * \arctan2(\sin(2*d*x + \\
&2*c), \cos(2*d*x + 2*c))) + 2 * \sqrt{2}) * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(\\
&2*d*x + 2*c))) + 2) - 27 * (2 * (3 * \cos(4*d*x + 4*c) + 3 * \cos(2*d*x + 2*c) + 1) * \cos \\
&\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6 * (3 * \cos(2*d*x + 2*c) + 1) * \cos(4*d*x \\
&+ 4*c) + 9 * \cos(4*d*x + 4*c)^2 + 9 * \cos(2*d*x + 2*c)^2 + 6 * (\sin(4*d*x + 4*c) \\
&+ \sin(2*d*x + 2*c)) * \sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9 * \sin(4*d*x + \\
&4*c)^2 + 18 * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 9 * \sin(2*d*x + 2*c)^2 + 6 * \cos
\end{aligned}$$

$$\begin{aligned}
& s(2*d*x + 2*c) + 1) * \log(2 * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2 * \sqrt{2} * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2 * \sqrt{2} * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 48 * (\sqrt{2} * \cos(6*d*x + 6*c))^2 + 9 * \sqrt{2} * \cos(4*d*x + 4*c))^2 + 9 * \sqrt{2} * \cos(2*d*x + 2*c))^2 + \sqrt{2} * \sin(6*d*x + 6*c))^2 + 9 * \sqrt{2} * \sin(4*d*x + 4*c))^2 + 18 * \sqrt{2} * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 9 * \sqrt{2} * \sin(2*d*x + 2*c))^2 + 2 * (3 * \sqrt{2} * \cos(4*d*x + 4*c) + 3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \cos(6*d*x + 6*c) + 6 * (3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \cos(4*d*x + 4*c) + 6 * (\sqrt{2} * \sin(4*d*x + 4*c) + \sqrt{2} * \sin(2*d*x + 2*c)) * \sin(6*d*x + 6*c) + 6 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \log(\cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) + 48 * (\sqrt{2} * \cos(6*d*x + 6*c))^2 + 9 * \sqrt{2} * \cos(4*d*x + 4*c))^2 + 9 * \sqrt{2} * \cos(2*d*x + 2*c))^2 + \sqrt{2} * \sin(6*d*x + 6*c))^2 + 9 * \sqrt{2} * \sin(4*d*x + 4*c))^2 + 18 * \sqrt{2} * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 9 * \sqrt{2} * \sin(2*d*x + 2*c))^2 + 2 * (3 * \sqrt{2} * \cos(4*d*x + 4*c) + 3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \cos(6*d*x + 6*c) + 6 * (3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \cos(4*d*x + 4*c) + 6 * (\sqrt{2} * \sin(4*d*x + 4*c) + \sqrt{2} * \sin(2*d*x + 2*c)) * \sin(6*d*x + 6*c) + 6 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \log(\cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - 84 * (\sqrt{2} * \cos(6*d*x + 6*c) + 3 * \sqrt{2} * \cos(4*d*x + 4*c) + 3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \sin(11/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 100 * (\sqrt{2} * \cos(6*d*x + 6*c) + 3 * \sqrt{2} * \cos(4*d*x + 4*c) + 3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \sin(9/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 312 * (\sqrt{2} * \cos(6*d*x + 6*c) + 3 * \sqrt{2} * \cos(4*d*x + 4*c) + 3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \sin(7/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 312 * (\sqrt{2} * \cos(6*d*x + 6*c) + 3 * \sqrt{2} * \cos(4*d*x + 4*c) + 3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \sin(5/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 100 * (\sqrt{2} * \cos(6*d*x + 6*c) + 3 * \sqrt{2} * \cos(4*d*x + 4*c) + 3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \sin(3/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 84 * (\sqrt{2} * \cos(6*d*x + 6*c) + 3 * \sqrt{2} * \cos(4*d*x + 4*c) + 3 * \sqrt{2} * \cos(2*d*x + 2*c) + \sqrt{2}) * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * C / ((2 * (3 * \cos(4*d*x + 4*c) + 3 * \cos(2*d*x + 2*c) + 1) * \cos(6*d*x + 6*c) + \cos(6*d*x + 6*c))^2 + 6 * (3 * \cos(2*d*x + 2*c) + 1) * \cos(4*d*x + 4*c) + 9 * \cos(4*d*x + 4*c))^2 + 9 * \cos(2*d*x + 2*c))^2 + 6 * (\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c)) * \sin(6*d*x + 6*c) + \sin(6*d*x + 6*c))^2 + 9 * \sin(4*d*x + 4*c))^2 + 18 * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 9 * \sin(2*d*x + 2*c))^2 + 6 * \cos(2*d*x + 2*c) + 1) * \sqrt{2} * \arctan(a)) / d
\end{aligned}$$

Fricas [A] time = 1.32253, size = 1789, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] [1/96*(4*(3*(8*A - 2*B + 7*C)*cos(d*x + c)^2 + 2*(6*B - C)*cos(d*x + c) + 8
*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)
+ 3*((8*A - 14*B + 9*C)*cos(d*x + c)^4 + (8*A - 14*B + 9*C)*cos(d*x + c)^3
)*sqrt(a)*log((a*cos(d*x + c)^3 + 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d
*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x +
c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 48*sqrt(2)*((A - B + C)*a
*cos(d*x + c)^4 + (A - B + C)*a*cos(d*x + c)^3)*log(-(cos(d*x + c)^2 - 2*sq
rt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x +
c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sq
rt(a))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3), -1/48*(48*sqrt(2)*((A - B
+ C)*a*cos(d*x + c)^4 + (A - B + C)*a*cos(d*x + c)^3)*sqrt(-1/a)*arctan(sq
rt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))
/sin(d*x + c)) - 2*(3*(8*A - 2*B + 7*C)*cos(d*x + c)^2 + 2*(6*B - C)*cos(d*x
+ c) + 8*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin
(d*x + c) + 3*((8*A - 14*B + 9*C)*cos(d*x + c)^4 + (8*A - 14*B + 9*C)*cos(d
*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c
))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a
)))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c)
)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{\sqrt{a \sec(dx+c) + a} \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

$$3.1279 \quad \int \frac{\sqrt{\cos(c+dx)}(aA+(Ab+aB)\sec(c+dx)+bB\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx$$

Optimal. Leaf size=184

$$\frac{\sqrt{2}(a-b)(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2aA\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{2bB\sqrt{\cos(c+dx)}}{d\sqrt{a\sec(c+dx)+a}}$$

[Out] (2*b*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(a - b)*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (2*a*A*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.602296, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 54, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {4265, 4086, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(a-b)(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2aA\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} + \frac{2bB\sqrt{\cos(c+dx)}}{d\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(a*A + (A*b + a*B)*Sec[c + d*x] + b*B*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (2*b*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(a - b)*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (2*a*A*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4086


```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^(n + 1)*Simp[a*A*m - b*B*n - b*(A*(m + n + 1) + C*n)*Csc[e + f*x],
x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && EqQ[a^2 - b^2, 0] &
& !LtQ[m, -2^(-1)] && (LtQ[n, -2^(-1)] || EqQ[m + n + 1, 0])

```

Rule 4023

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(aA + (Ab + aB)\sec(c+dx) + bB\sec^2(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{aA + (Ab + aB)\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)})}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{((a-b)(A-B))}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{(2(a-b)(A-B))}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2bB \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.416894, size = 137, normalized size = 0.74

$$\frac{\sin(c+dx) \left(\sqrt{2}(a-b)(A-B)\sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right) + 2aA\sqrt{1-\sec(c+dx)} - 2bB\sqrt{\sec(c+dx)} \sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \right)}{d\sqrt{\cos(c+dx)-1}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(a*A + (A*b + a*B)*Sec[c + d*x] + b*B*Sec[c + d*x]^2))/Sqrt[a + a*Sec[c + d*x]], x]
```

```
[Out] ((2*a*A*Sqrt[1 - Sec[c + d*x]] - 2*b*B*ArcSin[Sqrt[Sec[c + d*x]]])*Sqrt[Sec[c + d*x]] + Sqrt[2]*(a - b)*(A - B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[-1 + Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [A] time = 0.389, size = 282, normalized size = 1.5

$$\frac{-1 + \cos(dx+c)}{ad(\sin(dx+c))^2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(-2A \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}a} - B\sqrt{2} \arctan\left(\frac{\sqrt{2}(\cos(dx+c)+1)}{4}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A*a+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(-2*A*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*a-B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*b+B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*b+2*A*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*a-2*A*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*b-2*B*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*a+2*B*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*b)*cos(d*x+c)^(1/2)/a/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)
```

Maxima [B] time = 2.69847, size = 1202, normalized size = 6.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/2*((sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1) - 4*sqrt(2)*sin(1/2*d*x + 1/2*c))*A*sqrt(a) - (sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*B*sqrt(a) - (sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*A*b/sqrt(a) + (sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) + log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) - 2*sqrt(2)*sin(1/3*arc
```

```
tan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) - log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2))*B*b/sqrt(a))/d
```

Fricas [A] time = 0.804709, size = 1439, normalized size = 7.82

$$4 Aa \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + (Bb \cos(dx+c) + Bb) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 4 \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} (\cos(dx+c)-2) \sqrt{\cos(dx+c)}}{\cos(dx+c)^3 + \cos(dx+c)} \right)$$

2 (ad cc

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/2*(4*A*a*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (B*b*cos(d*x + c) + B*b)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + sqrt(2)*((A - B)*a^2 - (A - B)*a*b + ((A - B)*a^2 - (A - B)*a*b)*cos(d*x + c))*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), (2*A*a*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + sqrt(2)*((A - B)*a^2 - (A - B)*a*b + ((A - B)*a^2 - (A - B)*a*b)*cos(d*x + c))*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + (B*b*cos(d*x + c) + B*b)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)
```

c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d*cos(d*x + c) + a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx))(a + b \sec(c + dx)) \sqrt{\cos(c + dx)}}{\sqrt{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))*sqrt(cos(c + d*x))/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)) \sqrt{\cos(dx + c)}}{\sqrt{a} \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(cos(d*x + c))/sqrt(a*sec(d*x + c) + a), x)

$$3.1280 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{3}{2}}} dx$$

Optimal. Leaf size=283

$$\frac{(15A - 11B + 7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{\frac{3}{2}}d} + \frac{(9A - 5B + 5C) \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{10ad\sqrt{a \sec(c+dx)+a}}$$

[Out] -((15*A - 11*B + 7*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((147*A - 95*B + 75*C)*Sin[c + d*x])/(30*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 35*B + 15*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((9*A - 5*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.917505, antiderivative size = 283, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4084, 4022, 4013, 3808, 206}

$$\frac{(15A - 11B + 7C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{\frac{3}{2}}d} + \frac{(9A - 5B + 5C) \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{10ad\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((15*A - 11*B + 7*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((147*A - 95*B + 75*C)*Sin[c + d*x])/(30*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 35*B + 15*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((9*A - 5*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{3}{2}}} dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{A+B \sec(c+dx) + C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx) (a+a \sec(c+dx))^{\frac{3}{2}}} dx \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d(a+a \sec(c+dx))^{\frac{3}{2}}} + \frac{(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)})}{10ad\sqrt{a+ \sec(c+dx)}} \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d(a+a \sec(c+dx))^{\frac{3}{2}}} + \frac{(9A-5B+5C) \cos(c+dx)}{10ad\sqrt{a+ \sec(c+dx)}} \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d(a+a \sec(c+dx))^{\frac{3}{2}}} - \frac{(39A-35B+15C)}{30ad\sqrt{a+ \sec(c+dx)}} \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d(a+a \sec(c+dx))^{\frac{3}{2}}} + \frac{(147A-95B+75C)}{30ad\sqrt{\cos(c+dx)}} \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d(a+a \sec(c+dx))^{\frac{3}{2}}} + \frac{(147A-95B+75C)}{30ad\sqrt{\cos(c+dx)}} \\
&= -\frac{(15A-11B+7C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)}}{2\sqrt{2}a^{\frac{3}{2}}d}
\end{aligned}$$

Mathematica [A] time = 3.06527, size = 135, normalized size = 0.48

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right) (3(39A+20(C-B)) \cos(c+dx) + (10B-6A) \cos(2(c+dx)) + 3A \cos(3(c+dx)) + 141A-85B+75C)}{30ad\sqrt{\cos(c+dx)} \sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2),x]

[Out] (-15*(15*A - 11*B + 7*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + (141*A - 85*B + 75*C + 3*(39*A + 20*(-B + C))*Cos[c + d*x] + (-6*A + 10*B)*Cos[2*(c + d*x)] + 3*A*Cos[3*(c + d*x)])*Tan[(c + d*x)/2]/(30*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.29, size = 450, normalized size = 1.6

$$-\frac{-1 + \cos(dx + c)}{60 da^2 (\sin(dx + c))^3} \sqrt{\cos(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(225 A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c)\right) \sqrt{-\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)`

[Out] `-1/60/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*
(225*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*
(-2/(cos(d*x+c)+1))^(1/2)-24*A*cos(d*x+c)^4-165*B*sin(d*x+c)*cos(d*x+c)*
arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)
+105*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)
)*(-2/(cos(d*x+c)+1))^(1/2)+225*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)
)*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+48*A*cos(d*x+c)^3-165*arctan(1/2*sin(d*x+c))*
(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)-40*B*cos(d*x+c)^3+
105*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)
)*sin(d*x+c)-240*A*cos(d*x+c)^2+160*B*cos(d*x+c)^2-120*C*cos(d*x+c)^2-78*A*cos(d*x+c)+
70*B*cos(d*x+c)-30*C*cos(d*x+c)+294*A-190*B+150*C)/a^2/sin(d*x+c)^3`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 0.565991, size = 1365, normalized size = 4.82

$$\left[\frac{15\sqrt{2}((15A - 11B + 7C)\cos(dx + c)^2 + 2(15A - 11B + 7C)\cos(dx + c) + 15A - 11B + 7C)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2+2\sqrt{2}\sqrt{a}\sqrt{\cos(dx+c)+a}}{\cos(dx+c)}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/120*(15*sqrt(2)*((15*A - 11*B + 7*C)*cos(d*x + c)^2 + 2*(15*A - 11*B + 7*C)*cos(d*x + c) + 15*A - 11*B + 7*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(12*A*cos(d*x + c)^3 - 4*(3*A - 5*B)*cos(d*x + c)^2 + 12*(9*A - 5*B + 5*C)*cos(d*x + c) + 147*A - 95*B + 75*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/60*(15*sqrt(2)*((15*A - 11*B + 7*C)*cos(d*x + c)^2 + 2*(15*A - 11*B + 7*C)*cos(d*x + c) + 15*A - 11*B + 7*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(12*A*cos(d*x + c)^3 - 4*(3*A - 5*B)*cos(d*x + c)^2 + 12*(9*A - 5*B + 5*C)*cos(d*x + c) + 147*A - 95*B + 75*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec
(d*x + c) + a)^(3/2), x)
```

$$3.1281 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{3}{2}}} dx$$

Optimal. Leaf size=233

$$\frac{(11A - 7B + 3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A - 3B + 3C)\sin(c+dx)\sqrt{\cos(c+dx)}}{6ad\sqrt{a\sec(c+dx)+a}}$$

[Out] ((11*A - 7*B + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((19*A - 15*B + 3*C)*Sin[c + d*x])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((7*A - 3*B + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.724864, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4084, 4022, 4013, 3808, 206}

$$\frac{(11A - 7B + 3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A - 3B + 3C)\sin(c+dx)\sqrt{\cos(c+dx)}}{6ad\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((11*A - 7*B + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((19*A - 15*B + 3*C)*Sin[c + d*x])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((7*A - 3*B + 3*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B \sec(c+dx) + C \sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx \\
&= -\frac{(A-B+C)\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a \sec(c+dx))^{\frac{3}{2}}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{6ad\sqrt{a+a \sec(c+dx)}} \\
&= -\frac{(A-B+C)\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a \sec(c+dx))^{\frac{3}{2}}} + \frac{(7A-3B+3C)\sqrt{\cos(c+dx)} \sin(c+dx)}{6ad\sqrt{a+a \sec(c+dx)}} \\
&= -\frac{(A-B+C)\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a \sec(c+dx))^{\frac{3}{2}}} - \frac{(19A-15B+3C)\sqrt{\cos(c+dx)} \sin(c+dx)}{6ad\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} \\
&= -\frac{(A-B+C)\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a \sec(c+dx))^{\frac{3}{2}}} - \frac{(19A-15B+3C)\sqrt{\cos(c+dx)} \sin(c+dx)}{6ad\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} \\
&= \frac{(11A-7B+3C) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)}}{2\sqrt{2}a^{\frac{3}{2}}d}
\end{aligned}$$

Mathematica [A] time = 2.06573, size = 113, normalized size = 0.48

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right) (-12(A-B) \cos(c+dx) + 2A \cos(2(c+dx)) - 17A + 15B - 3C) + 3(11A - 7B + 3C) \cos\left(\frac{1}{2}(c+dx)\right) \tan\left(\frac{1}{2}(c+dx)\right)}{6ad\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2),x]

[Out] (3*(11*A - 7*B + 3*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + (-17*A + 15*B - 3*C - 12*(A - B)*Cos[c + d*x] + 2*A*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.375, size = 359, normalized size = 1.5

$$-\frac{-1 + \cos(dx+c)}{6da^2(\sin(dx+c))^3} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(-4A\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c))^3 + 16A(\cos(dx+c))^2} \sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c))^3 + 16A(\cos(dx+c))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{3/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2},x)$

[Out]
$$-1/6/d*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))*(-4*A*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)^3+16*A*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}-12*B*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)^2+33*A*\sin(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})+7*A*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}-21*B*\sin(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})-3*B*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)+9*C*\sin(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})+3*C*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}-19*A*(-2/(\cos(dx+c)+1))^{1/2}+15*B*(-2/(\cos(dx+c)+1))^{1/2}-3*C*(-2/(\cos(dx+c)+1))^{1/2})*\cos(dx+c)^{1/2}/a^2/(-2/(\cos(dx+c)+1))^{1/2}/\sin(dx+c)^3$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{3/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.553267, size = 1235, normalized size = 5.3

$$\left[\frac{3\sqrt{2}((11A-7B+3C)\cos(dx+c)^2+2(11A-7B+3C)\cos(dx+c)+11A-7B+3C)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a}\cos(dx+c)+2a}{24(a^2+2a\cos(dx+c)+1)}\right)}{24(a^2+2a\cos(dx+c)+1)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{3/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{3/2},x, \text{algorithm}="fricas")$

```
[Out] [1/24*(3*sqrt(2)*((11*A - 7*B + 3*C)*cos(d*x + c)^2 + 2*(11*A - 7*B + 3*C)*
cos(d*x + c) + 11*A - 7*B + 3*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)
*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x
+ c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*
(4*A*cos(d*x + c)^2 - 12*(A - B)*cos(d*x + c) - 19*A + 15*B - 3*C)*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos
(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/12*(3*sqrt(2)*((11*A - 7*B
+ 3*C)*cos(d*x + c)^2 + 2*(11*A - 7*B + 3*C)*cos(d*x + c) + 11*A - 7*B + 3*
C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*(4*A*cos(d*x + c)^2 - 12*(A - B)*
cos(d*x + c) - 19*A + 15*B - 3*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*s
qrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c
) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c
))**3/2,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate(((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec
(d*x + c) + a)^(3/2), x)
```


$$3.1282 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=181

$$\frac{(7A - 3B - C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A - B + C) \sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}} - \frac{1}{2d\sqrt{2}a^{3/2}}$$

```
[Out] -((7*A - 3*B - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((5*A - B + C)*Sin[c + d*x])/(2*a*d*Sqrt[Cos[c + d*x]])*Sqrt[a + a*Sec[c + d*x]]
```

Rubi [A] time = 0.524716, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4084, 4013, 3808, 206}

$$\frac{(7A - 3B - C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A - B + C) \sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}} - \frac{1}{2d\sqrt{2}a^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2), x]
```

```
[Out] -((7*A - 3*B - C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((5*A - B + C)*Sin[c + d*x])/(2*a*d*Sqrt[Cos[c + d*x]])*Sqrt[a + a*Sec[c + d*x]]
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4084

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))} dx \\
&= -\frac{(A-B+C)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{2ad\sqrt{\cos(c+dx)}} \\
&= -\frac{(A-B+C)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}} + \frac{(5A-B+C)\sin(c+dx)}{2ad\sqrt{\cos(c+dx)}} \\
&= -\frac{(A-B+C)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}} + \frac{(5A-B+C)\sin(c+dx)}{2ad\sqrt{\cos(c+dx)}} \\
&\quad - \frac{(7A-3B-C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}}{2\sqrt{2}a^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 1.60192, size = 96, normalized size = 0.53

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)(4A\cos(c+dx)+5A-B+C)-(7A-3B-C)\cos\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{2ad\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(3/2),x]

[Out] (-((7*A - 3*B - C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]) + (5*A - B + C + 4*A*Cos[c + d*x])*Tan[(c + d*x)/2])/(2*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.362, size = 306, normalized size = 1.7

$$\frac{-1 + \cos(dx+c)}{2da^2(\sin(dx+c))^3} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(4A(\cos(dx+c))^2 \sqrt{-2(\cos(dx+c)+1)^{-1}} + A\cos(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x)`

[Out] $\frac{1}{2}d \left(a \left(\frac{\cos(dx+c)+1}{\cos(dx+c)} \right)^{1/2} (-1+\cos(dx+c)) (4A\cos(dx+c)^2 \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} + A\cos(dx+c) \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} + 7A\sin(dx+c) \arctan\left(\frac{1}{2}\sin(dx+c) \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2}\right) - B \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} \cos(dx+c) - 3B\sin(dx+c) \arctan\left(\frac{1}{2}\sin(dx+c) \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2}\right) + C\cos(dx+c) \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} - C\sin(dx+c) \arctan\left(\frac{1}{2}\sin(dx+c) \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2}\right) - 5A \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} + B \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} - C \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2} \right) \cos(dx+c)^{1/2} / a^2 \sin(dx+c)^3 \left(\frac{-2}{\cos(dx+c)+1} \right)^{1/2}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.541769, size = 1111, normalized size = 6.14

$$\left[\frac{\sqrt{2}((7A - 3B - C)\cos(dx+c)^2 + 2(7A - 3B - C)\cos(dx+c) + 7A - 3B - C)\sqrt{a} \log\left(\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)}{\cos(dx+c)}}}{\cos(dx+c)}\right)}{8(a^2d\cos(dx+c)^2 + 2a^2a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] $[-1/8 * (\sqrt{2}) * ((7A - 3B - C) * \cos(dx+c)^2 + 2 * (7A - 3B - C) * \cos(dx+c) + 7A - 3B - C) * \sqrt{a} * \log(-a * \cos(dx+c)^2 - 2 * \sqrt{2} * \sqrt{a} * \sqrt{a * \cos(dx+c)})]$

```

rt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a
*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(4*A*cos(d*
x + c) + 5*A - B + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x
+ c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d),
1/4*(sqrt(2)*((7*A - 3*B - C)*cos(d*x + c)^2 + 2*(7*A - 3*B - C)*cos(d*x +
c) + 7*A - 3*B - C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) +
a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c)))) + 2*(4*A*cos(d*x + c
) + 5*A - B + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))
*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c
))**(3/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec
(d*x + c) + a)^(3/2), x)
```

$$3.1283 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=189

$$\frac{(3A+B-5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(3/2)*d) + ((3*A + B - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.557254, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4084, 4023, 3808, 206, 3801, 215}

$$\frac{(3A+B-5C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2C\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(3/2)*d) + ((3*A + B - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4084

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4023

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}}{2a}}{2a} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\left((3A + B - 5C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{4a} \\
&= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{\left((3A + B - 5C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{4a} \\
&= \frac{2C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{3/2} d} + \frac{(3A + B - 5C) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right)}{2ad \sqrt{\cos(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}
\end{aligned}$$

Mathematica [A] time = 1.72239, size = 118, normalized size = 0.62

$$\frac{-(A - B + C) \tan \left(\frac{1}{2}(c + dx) \right) + (3A + B - 5C) \cos \left(\frac{1}{2}(c + dx) \right) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) + 4\sqrt{2}C \cos \left(\frac{1}{2}(c + dx) \right) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right)}{2ad \sqrt{\cos(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] ((3*A + B - 5*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + 4*Sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] - (A - B + C)*Tan[(c + d*x)/2])/(2*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.313, size = 374, normalized size = 2.

$$-\frac{-1 + \cos(dx + c)}{2da^2(\sin(dx + c))^3} \left(-2C \arctan \left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 - \sin(dx + c))} \right) \sin(dx + c) \sqrt{2} + \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x)`

[Out]
$$-1/2/d*(-1+\cos(d*x+c))*(-2*C*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*\sin(d*x+c)*2^{1/2}+2*C*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\sin(d*x+c)*2^{1/2}+3*A*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{1/2}+A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+B*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{1/2}-B*(-2/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)-5*C*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{1/2}+C*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}-A*(-2/(\cos(d*x+c)+1))^{1/2}+B*(-2/(\cos(d*x+c)+1))^{1/2}-C*(-2/(\cos(d*x+c)+1))^{1/2})*\cos(d*x+c)^{1/2}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/a^2/(-2/(\cos(d*x+c)+1))^{1/2}/\sin(d*x+c)^3$$

Maxima [B] time = 2.76856, size = 5785, normalized size = 30.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out]
$$1/4*((3*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c)^2 + 12*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(d*x + c)^2 + 3*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(2*d*x + 2*c)^2 + 12*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c)^2 + 2*(6*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(d*x + c) + 3*\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 3*\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 2*\sin(3/2*d*x + 3/2*c) + 2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 4*(3*\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) +$$

$$\begin{aligned}
& 1) - 3\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x \\
& + 1/2*c) + 1) + 2*\sin(1/2*d*x + 1/2*c))*\cos(d*x + c) + 4*(3*(\log(\cos(1/2*d \\
& *x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\\
& \cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + \\
& 1))*\sin(d*x + c) + \cos(3/2*d*x + 3/2*c) - \cos(1/2*d*x + 1/2*c))*\sin(2*d*x + \\
& 2*c) - 4*(2*\cos(d*x + c) + 1)*\sin(3/2*d*x + 3/2*c) + 8*\cos(3/2*d*x + 3/2*c \\
&)*\sin(d*x + c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(d*x + c) + 3*\log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 3*\log(\cos \\
& (1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& + 4*\sin(1/2*d*x + 1/2*c))*A/((\sqrt{2})*a*\cos(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*\cos \\
& s(d*x + c)^2 + \sqrt{2})*a*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*\sin(2*d*x + 2*c)* \\
& \sin(d*x + c) + 4*\sqrt{2})*a*\sin(d*x + c)^2 + 4*\sqrt{2})*a*\cos(d*x + c) + 2*(2 \\
& *\sqrt{2})*a*\cos(d*x + c) + \sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sqrt{a}) \\
& + (4*(\sin(3/2*d*x + 3/2*c) - \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&)) + 8*(\sin(3/2*d*x + 3/2*c) - \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))))*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&)) + (2*(2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + \\
& 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(4/3*a \\
& rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(2/3*\arctan2(s \\
& in(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(4/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c))*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 4*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&))^2 + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\log \\
& (\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3 \\
& *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2 \\
& (\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - (2*(2*\cos(2/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(4/3*\arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c)))^2 + \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c)))^2 + 4*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin \\
& (2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\sin(2/3*\arct \\
& an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(2/3*\arctan2(\sin(\\
& 3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\log(\cos(1/3*\arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c))) + 1) - 4*(\cos(3/2*d*x + 3/2*c) - \cos(1/3*\arctan2(\sin(3/2* \\
& d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) - 8*(\cos(3/2*d*x + 3/2*c) - \cos(1/3*\arctan2(\sin(3/2 \\
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
& , \cos(3/2*d*x + 3/2*c))) + 4*\sin(3/2*d*x + 3/2*c) - 4*\sin(1/3*\arctan2(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*B/((\sqrt{2})*a*\cos(4/3*\arctan2(\sin(\\
& 3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\sqrt{2})*a*\cos(2/3*\arctan2(si
\end{aligned}$$


```

+ 2) - 5*(cos(2*d*x + 2*c)^2 + 4*(cos(2*d*x + 2*c) + 1)*cos(1/2*arctan2(sin
(2*d*x + 2*c), cos(2*d*x + 2*c))) + 4*cos(1/2*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c)))^2 + sin(2*d*x + 2*c)^2 + 4*sin(2*d*x + 2*c)*sin(1/2*arctan2
(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 4*sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c)))^2 + 2*cos(2*d*x + 2*c) + 1)*log(cos(1/4*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d
*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1)
+ 5*(cos(2*d*x + 2*c)^2 + 4*(cos(2*d*x + 2*c) + 1)*cos(1/2*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c))) + 4*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d
*x + 2*c)))^2 + sin(2*d*x + 2*c)^2 + 4*sin(2*d*x + 2*c)*sin(1/2*arctan2(sin
(2*d*x + 2*c), cos(2*d*x + 2*c))) + 4*sin(1/2*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c)))^2 + 2*cos(2*d*x + 2*c) + 1)*log(cos(1/4*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c)))^2 - 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - 4
*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x + 2*c) - 4*
(cos(2*d*x + 2*c) + 2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))
+ 1)*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 8*cos(1/4*arcta
n2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(1/2*arctan2(sin(2*d*x + 2*c), c
os(2*d*x + 2*c))) + 4*(cos(2*d*x + 2*c) + 1)*sin(1/4*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c))) + 8*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c)))*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*C/((sqrt(2)*a*co
s(2*d*x + 2*c)^2 + 4*sqrt(2)*a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c)))^2 + sqrt(2)*a*sin(2*d*x + 2*c)^2 + 4*sqrt(2)*a*sin(2*d*x + 2*c)*si
n(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 4*sqrt(2)*a*sin(1/2*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*a*cos(2*d*x + 2*c)
+ 4*(sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*cos(1/2*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c))) + sqrt(2)*a)*sqrt(a))/d

```

Fricas [A] time = 0.684395, size = 1636, normalized size = 8.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="fricas")

```

```

[Out] [-1/8*(sqrt(2)*((3*A + B - 5*C)*cos(d*x + c)^2 + 2*(3*A + B - 5*C)*cos(d*x
+ c) + 3*A + B - 5*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sq
rt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a
*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(A - B + C)
*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) -

```

```

4*(C*cos(d*x + c)^2 + 2*C*cos(d*x + c) + C)*sqrt(a)*log((a*cos(d*x + c)^3 -
4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(
cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + co
s(d*x + c)^2))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4
*(sqrt(2)*((3*A + B - 5*C)*cos(d*x + c)^2 + 2*(3*A + B - 5*C)*cos(d*x + c)
+ 3*A + B - 5*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)
/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(A - B + C)*sqrt((a
*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 4*(C*cos
(d*x + c)^2 + 2*C*cos(d*x + c) + C)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(
d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)
^2 - a*cos(d*x + c) - 2*a)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) +
a^2*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2)/(a+a*sec(d*x+c)
)**(3/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/
2)*sqrt(cos(d*x + c))), x)
```

$$3.1284 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=242

$$\frac{(A-5B+9C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(2B-3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

[Out] ((2*B - 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(3/2)*d) + ((A - 5*B + 9*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) + ((A - B + 3*C)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.753744, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4265, 4084, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(A-5B+9C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(2B-3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] ((2*B - 3*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(3/2)*d) + ((A - 5*B + 9*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) + ((A - B + 3*C)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
```

+ (a_)] , x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\ &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx}{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)} \\ &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A - B + 3C) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A - B + 3C) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A - B + 3C) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A - B + 3C) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= \frac{(2B - 3C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{3/2} d} + \frac{(A - 5B + 9C) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 1.56391, size = 198, normalized size = 0.82

$$\frac{\cos^3 \left(\frac{1}{2}(c + dx) \right) \sqrt{\cos(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(2(A - 5B + 9C) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) - \frac{2 \left(\sin \left(\frac{1}{2}(c + dx) \right) \right)^2}{\cos \left(\frac{1}{2}(c + dx) \right)} \right)}{d(a(\sec(c + dx) + 1))^{3/2} (A \cos(2(c + dx)) + A + 2B \cos(c + dx) + C \sec^2(c + dx))}$$

Antiderivative was successfully verified.


```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)),x]
```

```
[Out] (Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(2*(A - 5*B + 9*C)*ArcTanh[Sin[(c + d*x)/2]] - (2*(2*Sqrt[2]*(2*B - 3*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^2 + (A - B + 3*C + 2*C*Sec[c + d*x])*Sin[(c + d*x)/2]))/(-1 + Sin[(c + d*x)/2]^2)))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(3/2))
```

Maple [B] time = 0.298, size = 551, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x)
```

```
[Out] -1/2/d*(-1+cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-2*B*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+2*B*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+3*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))-3*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-5*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2+9*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-3*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)+C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+2*C*(-2/(cos(d*x+c)+1))^(1/2))/a^2/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^3/cos(d*x+c)^(1/2)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.869514, size = 1905, normalized size = 7.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="fricas")
```

```
[Out] [1/8*(sqrt(2)*((A - 5*B + 9*C)*cos(d*x + c)^3 + 2*(A - 5*B + 9*C)*cos(d*x +
c)^2 + (A - 5*B + 9*C)*cos(d*x + c))*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sq
rt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*si
n(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))
+ 4*((A - B + 3*C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*((2*B - 3*C)*cos(d*x + c)^3 + 2*(2
*B - 3*C)*cos(d*x + c)^2 + (2*B - 3*C)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x
+ c)^3 + 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) -
2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x +
c)^3 + cos(d*x + c)^2)))/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a
^2*d*cos(d*x + c)), -1/4*(sqrt(2)*((A - 5*B + 9*C)*cos(d*x + c)^3 + 2*(A -
5*B + 9*C)*cos(d*x + c)^2 + (A - 5*B + 9*C)*cos(d*x + c))*sqrt(-a)*arctan(s
qrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/
(a*sin(d*x + c))) - 2*((A - B + 3*C)*cos(d*x + c) + 2*C)*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*((2*B - 3*C)*cos(
d*x + c)^3 + 2*(2*B - 3*C)*cos(d*x + c)^2 + (2*B - 3*C)*cos(d*x + c))*sqrt(
-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x
+ c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^2*d*cos(d
*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**3/2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2)), x)
```

$$3.1285 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{5 \cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=300

$$\frac{(5A - 9B + 13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(8A - 12B + 19C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{4a^{3/2}d}$$

[Out] ((8*A - 12*B + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*a^(3/2)*d) - ((5*A - 9*B + 13*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)) + ((A - B + 2*C)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - ((2*A - 6*B + 7*C)*Sin[c + d*x])/(4*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.985412, antiderivative size = 300, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4265, 4084, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(5A - 9B + 13C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(8A - 12B + 19C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{4a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] ((8*A - 12*B + 19*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*a^(3/2)*d) - ((5*A - 9*B + 13*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B + C)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)) + ((A - B + 2*C)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - ((2*A - 6*B + 7*C)*Sin[c + d*x])/(4*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
```

Q[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\
 &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx}{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A - B + 2C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A - B + 2C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A - B + 2C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A - B + 2C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(A - B + C) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(A - B + 2C) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{(8A - 12B + 19C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4a^{3/2}d} - \frac{(5A - 12B + 19C) \sin(c + dx)}{4a^{3/2}d}
 \end{aligned}$$

Mathematica [A] time = 2.28997, size = 239, normalized size = 0.8

$$\frac{\cos^3\left(\frac{1}{2}(c+dx)\right)\sqrt{\cos(c+dx)}\left(A+B\sec(c+dx)+C\sec^2(c+dx)\right)\left(2(5A-9B+13C)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)+\sqrt{\dots}\right)}{d(a(\sec(c+dx)+1))^{3/2}(A\cos(2(c+dx))+\dots)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] -((Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(2*(5*A - 9*B + 13*C)*ArcTanh[Sin[(c + d*x)/2]] + (Sqrt[2]*(8*A - 12*B + 19*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^2 + ((-2*A + 6*B - 3*C + (8*B - 6*C)*Cos[c + d*x] + (-2*A + 6*B - 7*C)*Cos[2*(c + d*x)])*Sec[c + d*x]^2*Sin[(c + d*x)/2])/2)/(-1 + Sin[(c + d*x)/2]^2)))/(d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.331, size = 731, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] -1/8/d*(-1+cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-8*A*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-12*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+12*B*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+19*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-19*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c))))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+4*A*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-20*A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)-12*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3+36*B*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)+14*C*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-52*C*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))

$$\begin{aligned} &) * \cos(dx+c)^2 * \sin(dx+c) - 4 * A * \cos(dx+c)^2 * (-2 / (\cos(dx+c)+1))^{1/2} + 4 * B * (-2 / (\cos(dx+c)+1))^{1/2} * \cos(dx+c)^2 - 8 * C * \cos(dx+c)^2 * (-2 / (\cos(dx+c)+1))^{1/2} \\ & + 8 * B * (-2 / (\cos(dx+c)+1))^{1/2} * \cos(dx+c) - 10 * C * \cos(dx+c) * (-2 / (\cos(dx+c)+1))^{1/2} + 4 * C * (-2 / (\cos(dx+c)+1))^{1/2} / a^2 / \sin(dx+c)^3 / (-2 / (\cos(dx+c)+1))^{1/2} / \cos(dx+c)^{3/2} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(5/2)/(a+a*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.58797, size = 2099, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(5/2)/(a+a*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] [1/16*(2*sqrt(2)*((5*A - 9*B + 13*C)*cos(dx + c)^4 + 2*(5*A - 9*B + 13*C)*cos(dx + c)^3 + (5*A - 9*B + 13*C)*cos(dx + c)^2)*sqrt(a)*log(-(a*cos(dx + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) - 2*a*cos(dx + c) - 3*a)/(cos(dx + c)^2 + 2*cos(dx + c) + 1)) - 4*((2*A - 6*B + 7*C)*cos(dx + c)^2 - (4*B - 3*C)*cos(dx + c) - 2*C)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) + ((8*A - 12*B + 19*C)*cos(dx + c)^4 + 2*(8*A - 12*B + 19*C)*cos(dx + c)^3 + (8*A - 12*B + 19*C)*cos(dx + c)^2)*sqrt(a)*log((a*cos(dx + c))^3 - 4*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*(cos(dx + c) - 2)*sqrt(cos(dx + c))*sin(dx + c) - 7*a*cos(dx + c)^2 + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)))/(a^2*d*cos(dx + c)^4 + 2*a^2*d*cos(dx + c)^3 + a^2*d*cos(dx + c)^2), 1/8*(2*sqrt(2)*((5*A - 9*B + 13*C)*cos(dx + c)^4 + 2*(5*A - 9*B + 13*C)*cos(dx + c)^3 + (5*A - 9*B + 13*C)*cos(dx + c)^2)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))


```
d*x + c))/(a*sin(d*x + c))) - 2*((2*A - 6*B + 7*C)*cos(d*x + c)^2 - (4*B -
3*C)*cos(d*x + c) - 2*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d
*x + c))*sin(d*x + c) + ((8*A - 12*B + 19*C)*cos(d*x + c)^4 + 2*(8*A - 12*B
+ 19*C)*cos(d*x + c)^3 + (8*A - 12*B + 19*C)*cos(d*x + c)^2)*sqrt(-a)*arct
an(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*si
n(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^2*d*cos(d*x + c)^
4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c
))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/
2)*cos(d*x + c)^(5/2)), x)
```

$$3.1286 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=333

$$\frac{(157A - 85B + 45C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{80a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A - 475B + 195C) \sin(c + dx) \sqrt{\cos(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(2671A - 1495B + 735C) \sin(c + dx)}{240a^2 d \sqrt{\cos(c + dx)}}$$

[Out] -((283*A - 163*B + 75*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((21*A - 13*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((2671*A - 1495*B + 735*C)*Sin[c + d*x])/(240*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((87*A - 475*B + 195*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((157*A - 85*B + 45*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 1.15347, antiderivative size = 333, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4084, 4020, 4022, 4013, 3808, 206}

$$\frac{(157A - 85B + 45C) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{80a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A - 475B + 195C) \sin(c + dx) \sqrt{\cos(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(2671A - 1495B + 735C) \sin(c + dx)}{240a^2 d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -((283*A - 163*B + 75*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d - ((A - B + C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((21*A - 13*B + 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((2671*A - 1495*B + 735*C)*Sin[c + d*x])/(240*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((87*A - 475*B + 195*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((157*A - 85*B + 45*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a
+ b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{(a+a \sec(c+dx))^{\frac{5}{2}}} dx &= \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \right) \int \frac{A+B \sec(c+dx) + C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx) (a+a \sec(c+dx))} dx \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} + \frac{(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)})}{16ad(a+a \sec(c+dx))^{\frac{5}{2}}} \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} - \frac{(21A-13B+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{5}{2}}} \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} - \frac{(21A-13B+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{5}{2}}} \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} - \frac{(21A-13B+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{5}{2}}} \\
&= -\frac{(A-B+C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{\frac{5}{2}}} - \frac{(21A-13B+5C) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{\frac{5}{2}}} \\
&= -\frac{(283A-163B+75C) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)}}{16\sqrt{2} a^{\frac{5}{2}} d}
\end{aligned}$$

Mathematica [A] time = 4.2826, size = 173, normalized size = 0.52

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\left(4\sin\left(\frac{1}{2}(c+dx)\right)(5(887A-479B+255C)\cos(c+dx)+16(52A-25B+15C)\cos(2(c+dx))-40A\cos(c+dx)+40B\cos(2(c+dx))+12A\cos(3(c+dx)))\right)}{(a+a\sec(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2),x]

[Out] (Sec[(c + d*x)/2]*(-120*(283*A - 163*B + 75*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + 4*(3491*A - 1895*B + 975*C + 5*(887*A - 479*B + 255*C)*Cos[c + d*x] + 16*(52*A - 25*B + 15*C)*Cos[2*(c + d*x)] - 40*A*Cos[3*(c + d*x)] + 40*B*Cos[3*(c + d*x)] + 12*A*Cos[4*(c + d*x)])*Sin[(c + d*x)/2])/(960*a*d*Cos[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.302, size = 647, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x)

[Out] 1/480/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(4245*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1)))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-192*A*cos(d*x+c)^5-2445*B*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1)))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+1125*C*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1)))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2+8490*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1)))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+512*A*cos(d*x+c)^4-4890*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1)))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-320*B*cos(d*x+c)^4+2250*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1)))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+4245*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1)))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-3456*A*cos(d*x+c)^3-2445*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1)))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+1920*B*cos(d*x+c)^3+1125*C*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1)))^(1/2))*sin(d*x+c)-960*C*cos(d*x+c)^3-5974*A*cos(d*x+c)^2+3430*B*cos(d*x+c)^2-1590*C*cos(d*x+c)^2+3768*A*cos(d*x+c)-2040*B*cos(d*x+c)

$$+1080*C*\cos(d*x+c)+5342*A-2990*B+1470*C)/a^3/\sin(d*x+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.584835, size = 1701, normalized size = 5.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="fricas")
```

```
[Out] [1/960*(15*sqrt(2)*((283*A - 163*B + 75*C)*cos(d*x + c)^3 + 3*(283*A - 163*B + 75*C)*cos(d*x + c)^2 + 3*(283*A - 163*B + 75*C)*cos(d*x + c) + 283*A - 163*B + 75*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(96*A*cos(d*x + c)^4 - 160*(A - B)*cos(d*x + c)^3 + 32*(49*A - 25*B + 15*C)*cos(d*x + c)^2 + 5*(911*A - 503*B + 255*C)*cos(d*x + c) + 2671*A - 1495*B + 735*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/480*(15*sqrt(2)*((283*A - 163*B + 75*C)*cos(d*x + c)^3 + 3*(283*A - 163*B + 75*C)*cos(d*x + c)^2 + 3*(283*A - 163*B + 75*C)*cos(d*x + c) + 283*A - 163*B + 75*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(96*A*cos(d*x + c)^4 - 160*(A - B)*cos(d*x + c)^3 + 32*(49*A - 25*B + 15*C)*cos(d*x + c)^2 + 5*(911*A - 503*B + 255*C)*cos(d*x + c) + 2671*A - 1495*B + 735*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c))** (5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^(5/2), x)

$$3.1287 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=281

$$\frac{(95A - 39B + 15C) \sin(c + dx) \sqrt{\cos(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(299A - 147B + 27C) \sin(c + dx)}{48a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A - 75B + 19C) \sqrt{\cos(c + dx)}}{48a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

[Out] ((163*A - 75*B + 19*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((17*A - 9*B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((299*A - 147*B + 27*C)*Sin[c + d*x])/(48*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((95*A - 39*B + 15*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])])

Rubi [A] time = 0.95592, antiderivative size = 281, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4265, 4084, 4020, 4022, 4013, 3808, 206}

$$\frac{(95A - 39B + 15C) \sin(c + dx) \sqrt{\cos(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(299A - 147B + 27C) \sin(c + dx)}{48a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A - 75B + 19C) \sqrt{\cos(c + dx)}}{48a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((163*A - 75*B + 19*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((17*A - 9*B + C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((299*A - 147*B + 27*C)*Sin[c + d*x])/(48*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((95*A - 39*B + 15*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])])

Rule 4265


```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4084

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^3(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^3(c+dx)(a+a\sec(c+dx))} dx \\
 &= -\frac{(A-B+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{16ad(a+a\sec(c+dx))^{3/2}} \\
 &= -\frac{(A-B+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A-9B+C)\sqrt{\cos(c+dx)}}{16ad(a+a\sec(c+dx))^{3/2}} \\
 &= -\frac{(A-B+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A-9B+C)\sqrt{\cos(c+dx)}}{16ad(a+a\sec(c+dx))^{3/2}} \\
 &= -\frac{(A-B+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A-9B+C)\sqrt{\cos(c+dx)}}{16ad(a+a\sec(c+dx))^{3/2}} \\
 &= -\frac{(A-B+C)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A-9B+C)\sqrt{\cos(c+dx)}}{16ad(a+a\sec(c+dx))^{3/2}} \\
 &= \frac{(163A-75B+19C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}}{16\sqrt{2}a^{5/2}d}
 \end{aligned}$$

Mathematica [A] time = 3.36112, size = 146, normalized size = 0.52

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\left(4\sin\left(\frac{1}{2}(c+dx)\right)\left((-479A+255B-39C)\cos(c+dx)+(48B-80A)\cos(2(c+dx))+8A\cos(3(c+dx))\right)\right)}{192ad\cos^3(c+dx)(a(\sec(c+dx)))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2),x]

[Out] (Sec[(c + d*x)/2]*(24*(163*A - 75*B + 19*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + 4*(-379*A + 195*B - 27*C + (-479*A + 255*B - 39*C)*Cos[c + d*x] + (-80*A + 48*B)*Cos[2*(c + d*x)] + 8*A*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(192*a*d*Cos[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.305, size = 550, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x)

[Out] -1/48/d*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(32*A*cos(d*x+c)^4*(-2/(cos(d*x+c)+1))^(1/2)-192*A*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3+96*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3-343*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-489*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+159*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2+225*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-39*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-57*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+204*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-489*A*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-108*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)+225*B*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+12*C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-57*C*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+299*A*(-2/(cos(d*x+c)+1))^(1/2)-147*B*(-2/(cos(d*x+c)+1))^(1/2)+27*C*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^(1/2)/a^3/sin(d*x+c)^5/(-2/(cos(d*x+c)+1))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.573833, size = 1569, normalized size = 5.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="fricas")
```

```
[Out] [1/192*(3*sqrt(2)*((163*A - 75*B + 19*C)*cos(d*x + c)^3 + 3*(163*A - 75*B +
19*C)*cos(d*x + c)^2 + 3*(163*A - 75*B + 19*C)*cos(d*x + c) + 163*A - 75*B
+ 19*C)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c)
- 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*(32*A*cos(d*x + c)^3 - 3
2*(5*A - 3*B)*cos(d*x + c)^2 - (503*A - 255*B + 39*C)*cos(d*x + c) - 299*A
+ 147*B - 27*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*
sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(
d*x + c) + a^3*d), -1/96*(3*sqrt(2)*((163*A - 75*B + 19*C)*cos(d*x + c)^3 +
3*(163*A - 75*B + 19*C)*cos(d*x + c)^2 + 3*(163*A - 75*B + 19*C)*cos(d*x +
c) + 163*A - 75*B + 19*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*(32*A*cos
(d*x + c)^3 - 32*(5*A - 3*B)*cos(d*x + c)^2 - (503*A - 255*B + 39*C)*cos(d
x + c) - 299*A + 147*B - 27*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt
(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2
+ 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)
)**(5/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(5/2), x)

$$3.1288 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=231

$$\frac{(49A - 9B + C) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} - \frac{(75A - 19B - 5C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16 \sqrt{2} a^{5/2} d} - \frac{16}{16}$$

[Out] -((75*A - 19*B - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])]/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 5*B - 3*C)*Sin[c + d*x])/(16*a*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((49*A - 9*B + C)*Sin[c + d*x])/(16*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.739262, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {4265, 4084, 4020, 4013, 3808, 206}

$$\frac{(49A - 9B + C) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} - \frac{(75A - 19B - 5C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16 \sqrt{2} a^{5/2} d} - \frac{16}{16}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -((75*A - 19*B - 5*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])]/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 5*B - 3*C)*Sin[c + d*x])/(16*a*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((49*A - 9*B + C)*Sin[c + d*x])/(16*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4084

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4020

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 4013

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))} dx \\
&= -\frac{(A-B+C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{16ad\sqrt{\cos(c+dx)}} \\
&= -\frac{(A-B+C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(13A-5B-3C)\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}} \\
&= -\frac{(A-B+C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(13A-5B-3C)\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}} \\
&= -\frac{(A-B+C)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(13A-5B-3C)\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}} \\
&= -\frac{(75A-19B-5C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}}{16\sqrt{2}a^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 2.83333, size = 128, normalized size = 0.55

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\left(4\sin\left(\frac{1}{2}(c+dx)\right)\left((85A-13B+5C)\cos(c+dx)+16A\cos(2(c+dx))+65A-9B+C\right)-8(75A-19B-5C)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\right)}{64ad\cos^{\frac{3}{2}}(c+dx)(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + a*Sec[c + d*x])^(5/2),x]

[Out] (Sec[(c + d*x)/2]*(-8*(75*A - 19*B - 5*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + 4*(65*A - 9*B + C + (85*A - 13*B + 5*C)*Cos[c + d*x] + 16*A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])/((64*a*d*Cos[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.307, size = 500, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{1/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2},x)$

[Out]
$$-1/16/d*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))^2*(32*A*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)^3+53*A*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}+75*A*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})-13*B*(-2/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)^2-19*B*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})+5*C*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{1/2}-5*C*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})-36*A*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+75*A*\sin(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})+4*B*(-2/(\cos(dx+c)+1))^{1/2})*\cos(dx+c)-19*B*\sin(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})-4*C*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}-5*C*\sin(dx+c)*\arctan(1/2*\sin(dx+c))*(-2/(\cos(dx+c)+1))^{1/2})-49*A*(-2/(\cos(dx+c)+1))^{1/2}+9*B*(-2/(\cos(dx+c)+1))^{1/2}-C*(-2/(\cos(dx+c)+1))^{1/2})*\cos(dx+c)^{1/2}/a^3/\sin(dx+c)^5/(-2/(\cos(dx+c)+1))^{1/2}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{1/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+a*\sec(dx+c))^{5/2},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.559769, size = 1430, normalized size = 6.19

$$\sqrt{2}((75A - 19B - 5C)\cos(dx+c)^3 + 3(75A - 19B - 5C)\cos(dx+c)^2 + 3(75A - 19B - 5C)\cos(dx+c) + 75A)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="fricas")
```

```
[Out] [-1/64*(sqrt(2)*((75*A - 19*B - 5*C)*cos(d*x + c)^3 + 3*(75*A - 19*B - 5*C)
*cos(d*x + c)^2 + 3*(75*A - 19*B - 5*C)*cos(d*x + c) + 75*A - 19*B - 5*C)*s
qrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)
/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(c
os(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(32*A*cos(d*x + c)^2 + (85*A - 13*
B + 5*C)*cos(d*x + c) + 49*A - 9*B + C)*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d
*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(sqrt(2)*((75*A - 19*B - 5*
C)*cos(d*x + c)^3 + 3*(75*A - 19*B - 5*C)*cos(d*x + c)^2 + 3*(75*A - 19*B -
5*C)*cos(d*x + c) + 75*A - 19*B - 5*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sq
rt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c)))
+ 2*(32*A*cos(d*x + c)^2 + (85*A - 13*B + 5*C)*cos(d*x + c) + 49*A - 9*B +
C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)
/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^
3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+a*sec(d*x+c)
)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec  
(d*x + c) + a)^(5/2), x)
```

$$3.1289 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=183

$$\frac{(19A + 5B + 3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - B - 7C)\sin(c+dx)}{16ad \cos^{\frac{3}{2}}(c+dx)(a \sec(c+dx) + a)^{3/2}}$$

[Out] ((19*A + 5*B + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)) - ((9*A - B - 7*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.559329, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4265, 4084, 4012, 3808, 206}

$$\frac{(19A + 5B + 3C)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - B - 7C)\sin(c+dx)}{16ad \cos^{\frac{3}{2}}(c+dx)(a \sec(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((19*A + 5*B + 3*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)) - ((9*A - B - 7*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4084

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e +
f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*
b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2
, 0] && LtQ[m, -2^(-1)]

```

Rule 4012

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] + Dist[(a*A*m + b*B*(m + 1))/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*
x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x
] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && LeQ[m,
-1]

```

Rule 3808

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}}{(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(9A - B - 7C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(9A - B - 7C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= \frac{(19A + 5B + 3C) \tanh^{-1} \left(\frac{\sqrt{a} \sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 2.02348, size = 119, normalized size = 0.65

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \left(8(19A + 5B + 3C) \cos^4\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - 4 \sin\left(\frac{1}{2}(c + dx)\right) ((13A - 5B - 3C) \cos(c + dx)) \right)}{64ad \cos^{\frac{3}{2}}(c + dx)(a(\sec(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)),x]

[Out] (Sec[(c + d*x)/2]*(8*(19*A + 5*B + 3*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 - 4*(9*A - B - 7*C + (13*A - 5*B - 3*C)*Cos[c + d*x])*Sin[(c + d*x)/2])/((64*a*d*Cos[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.309, size = 474, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x)

```
[Out] 1/16/d*(-1+cos(d*x+c))^2*(19*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*
(-2/(cos(d*x+c)+1))^(1/2))+13*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+5*B*
sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-5*B*
(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2+3*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2
*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-3*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))
^(1/2)+19*A*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-4*A
*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+5*B*sin(d*x+c)*arctan(1/2*sin(d*x+c)*
(-2/(cos(d*x+c)+1))^(1/2))+4*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)+3*C*sin
(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-4*C*cos(d*x+c)*(-2
/(cos(d*x+c)+1))^(1/2)-9*A*(-2/(cos(d*x+c)+1))^(1/2)+B*(-2/(cos(d*x+c)+1))^(
1/2)+7*C*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^(1/2)*(a*cos(d*x+c)+1)/cos
(d*x+c)^(1/2)/a^3/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^5
```

Maxima [B] time = 6.19342, size = 11343, normalized size = 61.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="maxima")
```

```
[Out] 1/32*((19*(log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*
d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2
*sin(1/2*d*x + 1/2*c) + 1))*cos(4*d*x + 4*c)^2 + 304*(log(cos(1/2*d*x + 1/2
*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*
d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*cos(
3*d*x + 3*c)^2 + 684*(log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 +
2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1
/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*cos(2*d*x + 2*c)^2 + 304*(log(cos(1/
2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - 1
og(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c)
+ 1))*cos(d*x + c)^2 + 19*(log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*
c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d
*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*sin(4*d*x + 4*c)^2 + 304*(log(
cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) +
1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x +
1/2*c) + 1))*sin(3*d*x + 3*c)^2 + 684*(log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2
*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c)^2
+ sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*sin(2*d*x + 2*c)^2
+ 304*(log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x
+ 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin
```

$$\begin{aligned}
& (1/2*d*x + 1/2*c) + 1)) * \sin(d*x + c)^2 + 2*(76*(\log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(3*d*x \\
& + 3*c) + 114*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c) + 76*(\log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2* \\
& d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(\\
& d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 26*\sin(7/2*d*x + 7/2*c) - 10*\sin(5/2*d*x \\
& + 5/2*c) + 10*\sin(3/2*d*x + 3/2*c) + 26*\sin(1/2*d*x + 1/2*c))*\cos(4*d*x + \\
& 4*c) + 104*(2*\sin(3*d*x + 3*c) + 3*\sin(2*d*x + 2*c) + 2*\sin(d*x + c))*\cos(7 \\
& /2*d*x + 7/2*c) + 8*(114*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c) + 76*(\log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c \\
&) + 1))*\cos(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2* \\
& d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 10*\sin(5/2*d*x + 5/2*c) + 10 \\
& * \sin(3/2*d*x + 3/2*c) + 26*\sin(1/2*d*x + 1/2*c))*\cos(3*d*x + 3*c) + 40*(3*s \\
& in(2*d*x + 2*c) + 2*\sin(d*x + c))*\cos(5/2*d*x + 5/2*c) + 12*(76*(\log(\cos(1/ \\
& 2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 1 \\
& og(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\
& + 1))*\cos(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^ \\
& 2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d \\
& *x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 10*\sin(3/2*d*x + 3/2*c) + 26* \\
& sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 8*(19*\log(\cos(1/2*d*x + 1/2*c)^2 + \\
& \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x \\
& + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 26*\sin(\\
& 1/2*d*x + 1/2*c))*\cos(d*x + c) + 4*(38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/ \\
& 2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(3*d*x + 3*c) + \\
& 57*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1))*\sin(2*d*x + 2*c) + 38*(\log(\cos(1/2*d*x + 1/2*c)^2 + s \\
& in(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) \\
& + 13*\cos(7/2*d*x + 7/2*c) + 5*\cos(5/2*d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c) \\
& - 13*\cos(1/2*d*x + 1/2*c))*\sin(4*d*x + 4*c) - 52*(4*\cos(3*d*x + 3*c) + 6*c \\
& os(2*d*x + 2*c) + 4*\cos(d*x + c) + 1)*\sin(7/2*d*x + 7/2*c) + 16*(57*(\log(co \\
& s(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/ \\
& 2*c) + 1))*\sin(2*d*x + 2*c) + 38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x
\end{aligned}$$

$$\begin{aligned}
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin \\
& (1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) + 5*\cos(5/2 \\
& *d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c) - 13*\cos(1/2*d*x + 1/2*c))*\sin(3*d*x \\
& + 3*c) - 20*(6*\cos(2*d*x + 2*c) + 4*\cos(d*x + c) + 1)*\sin(5/2*d*x + 5/2*c) \\
& + 24*(38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2* \\
& d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2 \\
& *\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) - 5*\cos(3/2*d*x + 3/2*c) - 13*\cos(\\
& 1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c) + 20*(4*\cos(d*x + c) + 1)*\sin(3/2*d*x + \\
& 3/2*c) - 80*\cos(3/2*d*x + 3/2*c)*\sin(d*x + c) - 208*\cos(1/2*d*x + 1/2*c)*\si \\
& n(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2* \\
& c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 52*\sin(1/2*d*x + 1/2*c))*A/((\sqrt{2})*a \\
& ^2*\cos(4*d*x + 4*c)^2 + 16*\sqrt{2})*a^2*\cos(3*d*x + 3*c)^2 + 36*\sqrt{2})*a^2* \\
& \cos(2*d*x + 2*c)^2 + 16*\sqrt{2})*a^2*\cos(d*x + c)^2 + \sqrt{2})*a^2*\sin(4*d*x \\
& + 4*c)^2 + 16*\sqrt{2})*a^2*\sin(3*d*x + 3*c)^2 + 36*\sqrt{2})*a^2*\sin(2*d*x + 2 \\
& *c)^2 + 48*\sqrt{2})*a^2*\sin(2*d*x + 2*c)*\sin(d*x + c) + 16*\sqrt{2})*a^2*\sin(d \\
& *x + c)^2 + 8*\sqrt{2})*a^2*\cos(d*x + c) + \sqrt{2})*a^2 + 2*(4*\sqrt{2})*a^2*\cos \\
& (3*d*x + 3*c) + 6*\sqrt{2})*a^2*\cos(2*d*x + 2*c) + 4*\sqrt{2})*a^2*\cos(d*x + c) \\
& + \sqrt{2})*a^2)*\cos(4*d*x + 4*c) + 8*(6*\sqrt{2})*a^2*\cos(2*d*x + 2*c) + 4*sq \\
& rt(2)*a^2*\cos(d*x + c) + \sqrt{2})*a^2)*\cos(3*d*x + 3*c) + 12*(4*\sqrt{2})*a^2* \\
& \cos(d*x + c) + \sqrt{2})*a^2)*\cos(2*d*x + 2*c) + 4*(2*\sqrt{2})*a^2*\sin(3*d*x + \\
& 3*c) + 3*\sqrt{2})*a^2*\sin(2*d*x + 2*c) + 2*\sqrt{2})*a^2*\sin(d*x + c))*\sin(4* \\
& d*x + 4*c) + 16*(3*\sqrt{2})*a^2*\sin(2*d*x + 2*c) + 2*\sqrt{2})*a^2*\sin(d*x + c \\
&))*\sin(3*d*x + 3*c))*\sqrt{a}) + (4*(3*\sin(3/2*d*x + 3/2*c) + 5*\sin(7/3*arct \\
& an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 3*\sin(5/3*arctan2(\sin(3/ \\
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 5*\sin(1/3*arctan2(\sin(3/2*d*x + 3/ \\
& 2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c))) - 40*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sin(2/3*arctan2(\sin(3/2*d*x + 3/2*c), co \\
& s(3/2*d*x + 3/2*c))))*\cos(7/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c))) + 24*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c)))) + 2*\sin(2/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c))))*\cos(5/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 24*(3*\sin(3/2*d*x + 3/2*c) - 5*\sin(1/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c))))*\cos(4/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + 16*(3*\sin(3/2*d*x + 3/2*c) - 5*\sin(1/3*arctan2(\sin(3/2*d*x + 3/2*c) \\
& , \cos(3/2*d*x + 3/2*c))))*\cos(2/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3* \\
& arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*\cos(2/3*arctan2(si \\
& n(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*arctan2(\sin(3/2*d*x + 3/2*c), c \\
& os(3/2*d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos(2/3*arctan2(\sin(3/ \\
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(4/3*arctan2(\sin(3/2*d*x + 3 \\
& /2*c), \cos(3/2*d*x + 3/2*c))) + 36*\cos(4/3*arctan2(\sin(3/2*d*x + 3/2*c), co \\
& s(3/2*d*x + 3/2*c)))^2 + 8*(4*\cos(3*d*x + 3*c) + 1)*\cos(2/3*arctan2(\sin(3/2
\end{aligned}$$

$$\begin{aligned}
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sin(3*d*x + 3*c)^2 + 4*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 48*(\sin(3*d*x + 3*c) + \sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 32*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*\cos(3*d*x + 3*c) + 1)*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*(4*\cos(3*d*x + 3*c) + 1)*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sin(3*d*x + 3*c)^2 + 4*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 48*(\sin(3*d*x + 3*c) + \sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 32*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*\cos(3*d*x + 3*c) + 1)*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - 48*\cos(3/2*d*x + 3/2*c)*\sin(3*d*x + 3*c) + 80*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(3*d*x + 3*c) + 48*\cos(3*d*x + 3*c)*\sin(3/2*d*x + 3/2*c) - 4*(3*\cos(3/2*d*x + 3/2*c) + 5*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 3*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 5*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 20*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*\cos(2/
\end{aligned}$$

$$\begin{aligned}
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)) + 1)*\sin(5/3*\arctan2 \\
& (\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 24*(3*\cos(3/2*d*x + 3/2*c) \\
& - 5*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*a \\
& rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 16*(3*\cos(3/2*d*x + 3 \\
& /2*c) - 5*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin \\
& (2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 20*(4*\cos(3*d*x \\
& + 3*c) + 1)*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \\
& 12*\sin(3/2*d*x + 3/2*c))*B/((16*\sqrt{2})*a^2*\cos(3*d*x + 3*c)^2 + \sqrt{2})*a \\
& ^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 36*\sqrt{ \\
& 2})*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16 \\
& *\sqrt{2})*a^2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 \\
& + 16*\sqrt{2})*a^2*\sin(3*d*x + 3*c)^2 + \sqrt{2})*a^2*\sin(8/3*\arctan2(\sin(3/2* \\
& d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 36*\sqrt{2})*a^2*\sin(4/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 32*\sqrt{2})*a^2*\sin(3*d*x + 3* \\
& c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\sqrt{2} \\
&)*a^2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*\sqrt{ \\
& 2})*a^2*\cos(3*d*x + 3*c) + \sqrt{2})*a^2 + 2*(4*\sqrt{2})*a^2*\cos(3*d*x + 3*c \\
&) + 6*\sqrt{2})*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c \\
&))) + 4*\sqrt{2})*a^2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + \sqrt{2})*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/ \\
& 2*c))) + 12*(4*\sqrt{2})*a^2*\cos(3*d*x + 3*c) + 4*\sqrt{2})*a^2*\cos(2/3*\arctan2 \\
& (\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2})*a^2*\cos(4/3*\arctan \\
& 2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 8*(4*\sqrt{2})*a^2*\cos(3*d*x \\
& + 3*c) + \sqrt{2})*a^2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) + 4*(2*\sqrt{2})*a^2*\sin(3*d*x + 3*c) + 3*\sqrt{2})*a^2*\sin(4/3*\arctan \\
& 2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2})*a^2*\sin(2/3*\arct \\
& an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 48*(\sqrt{2})*a^2*\sin(3*d*x + 3*c) + \sqrt{ \\
& 2})*a^2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin \\
& (4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sqrt{a} - (12*(\\
& \sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c)))) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 16*(11*\sin(5/4*\ar \\
& ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 11*\sin(3/4*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) - 3*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c))))*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sin(4*d \\
& *x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c))))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\si \\
& n(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c))))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1 \\
& 2*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) - 3*(2*(6*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(\\
& 4*d*x + 4*c)^2 + 36*\cos(2*d*x + 2*c)^2 + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x \\
& + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1)*\cos(3/ \\
& 2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\cos(3/2*\arctan2(\sin(2*d
\end{aligned}$$

$$\begin{aligned}
& *x + 2*c), \cos(2*d*x + 2*c)))^2 + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) \\
& + 1)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(4*d*x + 4*c)^2 + 12*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 36*\sin(2*d*x + 2*c)^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 12*\cos(2*d*x + 2*c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) + 3*(2*(6*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 36*\cos(2*d*x + 2*c)^2 + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(4*d*x + 4*c)^2 + 12*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 36*\sin(2*d*x + 2*c)^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 12*\cos(2*d*x + 2*c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) - 12*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*(11*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 11*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 3*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1)*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 48*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 12*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 48*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) *C/((sqrt(2)*a^2*\cos(4*d*x + 4*c)^2 + 36*sqrt(2)*a^2*\cos(2*d*x + 2*c)^2 + 16*sqrt(2)*a^2*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 16*sqrt(2)*a^2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + sqrt(2)*a^2*\sin(4*d*x + 4*c)^2 + 12*sqrt(2)*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c)
\end{aligned}$$

```

+ 36*sqrt(2)*a^2*sin(2*d*x + 2*c)^2 + 16*sqrt(2)*a^2*sin(3/2*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c)))^2 + 16*sqrt(2)*a^2*sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c)))^2 + 12*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a
^2 + 2*(6*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2)*cos(4*d*x + 4*c) + 8*
(sqrt(2)*a^2*cos(4*d*x + 4*c) + 6*sqrt(2)*a^2*cos(2*d*x + 2*c) + 4*sqrt(2)*
a^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sqrt(2)*a^2*cos
(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 8*(sqrt(2)*a^2*cos(4*d*
x + 4*c) + 6*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2*cos(1/2*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 8*(sqrt(2)*a^2*sin(4*d*x + 4*c) + 6*sq
rt(2)*a^2*sin(2*d*x + 2*c) + 4*sqrt(2)*a^2*sin(1/2*arctan2(sin(2*d*x + 2*c)
, cos(2*d*x + 2*c))))*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))
+ 8*(sqrt(2)*a^2*sin(4*d*x + 4*c) + 6*sqrt(2)*a^2*sin(2*d*x + 2*c))*sin(1/2
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sqrt(a))/d

```

Fricas [A] time = 0.546091, size = 1354, normalized size = 7.4

$$\frac{\sqrt{2}((19A + 5B + 3C)\cos(dx + c)^3 + 3(19A + 5B + 3C)\cos(dx + c)^2 + 3(19A + 5B + 3C)\cos(dx + c) + 19A + 5B + 3C)}{64(a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="fricas")

```

```

[Out] [1/64*(sqrt(2)*((19*A + 5*B + 3*C)*cos(d*x + c)^3 + 3*(19*A + 5*B + 3*C)*co
s(d*x + c)^2 + 3*(19*A + 5*B + 3*C)*cos(d*x + c) + 19*A + 5*B + 3*C)*sqrt(a
)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(
d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*
x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((13*A - 5*B - 3*C)*cos(d*x + c) + 9*A
- B - 7*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d
*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x +
c) + a^3*d), -1/32*(sqrt(2)*((19*A + 5*B + 3*C)*cos(d*x + c)^3 + 3*(19*A +
5*B + 3*C)*cos(d*x + c)^2 + 3*(19*A + 5*B + 3*C)*cos(d*x + c) + 19*A + 5*B
+ 3*C)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x
+ c))*sqrt(cos(d*x + c))/(a*sin(d*x + c)))) + 2*((13*A - 5*B - 3*C)*cos(d*x
+ c) + 9*A - B - 7*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x
+ c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*
d*cos(d*x + c) + a^3*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**5/2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)

$$3.1290 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=241

$$\frac{(5A + 3B - 43C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a}}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d}$$

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((5*A + 3*B - 43*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B - 11*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.749033, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.178$, Rules used = {4265, 4084, 4019, 4023, 3808, 206, 3801, 215}

$$\frac{(5A + 3B - 43C)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2C\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a}}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (2*C*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((5*A + 3*B - 43*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B - 11*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}}$$

$$= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx}{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}$$

$$= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(5A + 3B - 11C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}}$$

$$= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(5A + 3B - 11C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}}$$

$$= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(5A + 3B - 11C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}}$$

$$= \frac{2C \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{5/2} d} + \frac{(5A + 3B - 43C) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}}$$

Mathematica [A] time = 3.29063, size = 153, normalized size = 0.63

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \left((5A + 3B - 11C) \cos(c + dx) + A + 7B - 15C \right) + 2(5A + 3B - 43C) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{16a^2 d \sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)),x]

[Out] (2*(5*A + 3*B - 43*C)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + 64*sqrt[2]*C*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + (A + 7*B - 15*C + (5*A + 3*B - 11*C)*Cos[c + d*x])*Tan[(c + d*x)/2])/(16*a^2*d*sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.3, size = 675, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x)

[Out] -1/16/d*(-1+cos(d*x+c))^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(16*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))-16*C*sin(d*x+c)*2^(1/2)*cos(d*x+c)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+5*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-5*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+3*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2-3*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+16*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*sin(d*x+c)*2^(1/2)-16*C*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)*2^(1/2)-11*C*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+4*3*C*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-4*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-5*A*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+4*B*(-2/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)-3*B*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-4*C*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+43*C*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-A*(-2/(cos(d*x+c)+1))^(1/2)-7*B*(-2/(cos(d*x+c)+1))^(1/2)+15*C*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^(1/2)/a^3/sin(d*x+c)^5/(-2/(cos(d*x+c)+1))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.710573, size = 1998, normalized size = 8.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/64*(\sqrt{2})*((5*A + 3*B - 43*C)*\cos(d*x + c)^3 + 3*(5*A + 3*B - 43*C)*\cos(d*x + c)^2 + 3*(5*A + 3*B - 43*C)*\cos(d*x + c) + 5*A + 3*B - 43*C)*\sqrt{a} \\ & \log(-a*\cos(d*x + c)^2 + 2*\sqrt{2}*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 4*((5*A + 3*B - 11*C)*\cos(d*x + c) + A + 7*B - 15*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) \\ & - 32*(C*\cos(d*x + c)^3 + 3*C*\cos(d*x + c)^2 + 3*C*\cos(d*x + c) + C)*\sqrt{a}*\log((a*\cos(d*x + c)^3 - 4*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*(\cos(d*x + c) - 2)*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 7*a*\cos(d*x + c)^2 + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d), -1/32*(\sqrt{2})*((5*A + 3*B - 43*C)*\cos(d*x + c)^3 + 3*(5*A + 3*B - 43*C)*\cos(d*x + c)^2 + 3*(5*A + 3*B - 43*C)*\cos(d*x + c) + 5*A + 3*B - 43*C)*\sqrt{-a}*\arctan(\sqrt{2}*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)})/(a*\sin(d*x + c))) - 2*((5*A + 3*B - 11*C)*\cos(d*x + c) + A + 7*B - 15*C)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 32*(C*\cos(d*x + c)^3 + 3*C*\cos(d*x + c)^2 + 3*C*\cos(d*x + c) + C)*\sqrt{-a}*\arctan(2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(a*\cos(d*x + c)^2 - a*\cos(d*x + c) - 2*a)))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**5/2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2)), x)

$$3.1291 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=294

$$\frac{(3A - 11B + 35C) \sin(c + dx)}{16a^2 d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{(3A - 43B + 115C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d}$$

[Out] ((2*B - 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((3*A - 43*B + 115*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)) + ((A + 7*B - 15*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) + ((3*A - 11*B + 35*C)*Sin[c + d*x])/(16*a^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.997417, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4265, 4084, 4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(3A - 11B + 35C) \sin(c + dx)}{16a^2 d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{(3A - 43B + 115C) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((2*B - 5*C)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((3*A - 43*B + 115*C)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B + C)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)) + ((A + 7*B - 15*C)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) + ((3*A - 11*B + 35*C)*Sin[c + d*x])/(16*a^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4084

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[((a*A - b*B + a*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*B*n - b*C*n - A*b*(2*m + n + 1) - (b*B*(m + n + 1) - a*(A*(m + n + 1) - C*(m - n)))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A + 7B - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A + 7B - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A + 7B - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A + 7B - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B + C) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(A + 7B - 15C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= \frac{(2B - 5C) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{5/2} d} + \frac{(3A - 43B + 230C) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 3.96492, size = 222, normalized size = 0.76

$$\frac{\cos^5 \left(\frac{1}{2}(c + dx) \right) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left((6A - 86B + 230C) \tanh^{-1} \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) + \frac{1}{2} \tan \left(\frac{1}{2}(c + dx) \right) \right)}{4d \sqrt{\cos(c + dx)} (a + a \sec(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)),x]

[Out] (Cos[(c + d*x)/2]^5*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((6*A - 86*B + 230*C)*ArcTanh[Sin[(c + d*x)/2]] + 32*Sqrt[2]*(2*B - 5*C)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + ((3*A - 11*B + 67*C + 2*(7*A - 15*B + 55*C)*Cos[c + d*x]

$$+ (3A - 11B + 35C) \cos[2(c + dx)] \sec[(c + dx)/2]^3 \sec[c + dx] \tan[(c + dx)/2] / (4d \sqrt{\cos[c + dx]} (A + 2C + 2B \cos[c + dx] + A \cos[2(c + dx)]) (a(1 + \sec[c + dx]))^{5/2})$$

Maple [B] time = 0.322, size = 972, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{5/2}/(a+a*\sec(dx+c))^{5/2},x)$

[Out]
$$\begin{aligned} & -1/16/d * (-1 + \cos(dx+c))^{-2} * (a * (\cos(dx+c)+1) / \cos(dx+c))^{1/2} * (-16*B*\arctan(1/4*2^{1/2} * (-2/(\cos(dx+c)+1))^{1/2} * (\cos(dx+c)+1 + \sin(dx+c))) * \cos(dx+c) \\ &)^{-2} * 2^{1/2} * \sin(dx+c) + 16*B*\arctan(1/4*2^{1/2} * (-2/(\cos(dx+c)+1))^{1/2} * (\cos(dx+c)+1 - \sin(dx+c))) * \cos(dx+c) \\ &)^{-2} * 2^{1/2} * \sin(dx+c) + 40*C*\arctan(1/4*2^{1/2} * (-2/(\cos(dx+c)+1))^{1/2} * (\cos(dx+c)+1 + \sin(dx+c))) * \cos(dx+c) \\ &)^{-2} * 2^{1/2} * \sin(dx+c) - 40*C*\arctan(1/4*2^{1/2} * (-2/(\cos(dx+c)+1))^{1/2} * (\cos(dx+c)+1 - \sin(dx+c))) * \cos(dx+c) \\ &)^{-2} * 2^{1/2} * \sin(dx+c) + 3*A * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c)^3 - 3*A*\arctan(1/2*\sin(dx+c) * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c) \\ &)^{-2} * \sin(dx+c) - 11*B * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c)^3 + 43*B*\arctan(1/2*\sin(dx+c) * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c) \\ &)^{-2} * \sin(dx+c) - 16*B*\sin(dx+c) * 2^{1/2} * \cos(dx+c) * \arctan(1/4*2^{1/2} * (-2/(\cos(dx+c)+1))^{1/2} * (\cos(dx+c)+1 + \sin(dx+c))) \\ &) + 16*B*\sin(dx+c) * 2^{1/2} * \cos(dx+c) * \arctan(1/4*2^{1/2} * (-2/(\cos(dx+c)+1))^{1/2} * (\cos(dx+c)+1 - \sin(dx+c))) \\ &) + 35*C * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c)^3 - 115*C*\arctan(1/2*\sin(dx+c) * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c) \\ &)^{-2} * \sin(dx+c) + 40*C*\sin(dx+c) * 2^{1/2} * \cos(dx+c) * \arctan(1/4*2^{1/2} * (-2/(\cos(dx+c)+1))^{1/2} * (\cos(dx+c)+1 + \sin(dx+c))) \\ &) - 40*C*\sin(dx+c) * 2^{1/2} * \cos(dx+c) * \arctan(1/4*2^{1/2} * (-2/(\cos(dx+c)+1))^{1/2} * (\cos(dx+c)+1 - \sin(dx+c))) \\ &) + 4*A*\cos(dx+c)^2 * (-2/(\cos(dx+c)+1))^{1/2} - 3*A*\sin(dx+c) * \cos(dx+c) * \arctan(1/2*\sin(dx+c) * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c) \\ &)^{-2} * \sin(dx+c) - 4*B * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c)^2 + 43*B*\sin(dx+c) * \cos(dx+c) * \arctan(1/2*\sin(dx+c) * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c) \\ &)^{-2} * \sin(dx+c) + 20*C*\cos(dx+c)^2 * (-2/(\cos(dx+c)+1))^{1/2} - 15*C*\sin(dx+c) * \cos(dx+c) * \arctan(1/2*\sin(dx+c) * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c) \\ &)^{-2} * \sin(dx+c) - 7*A*\cos(dx+c) * (-2/(\cos(dx+c)+1))^{1/2} + 15*B * (-2/(\cos(dx+c)+1))^{1/2} * \cos(dx+c) - 39*C*\cos(dx+c) * (-2/(\cos(dx+c)+1))^{1/2} - 16*C * (-2/(\cos(dx+c)+1))^{1/2} \\ &) / a^3 / \sin(dx+c)^5 / (-2/(\cos(dx+c)+1))^{1/2} / \cos(dx+c)^{1/2} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.963444, size = 2329, normalized size = 7.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))
^(5/2),x, algorithm="fricas")
```

```
[Out] [1/64*(sqrt(2)*((3*A - 43*B + 115*C)*cos(d*x + c)^4 + 3*(3*A - 43*B + 115*C)
)*cos(d*x + c)^3 + 3*(3*A - 43*B + 115*C)*cos(d*x + c)^2 + (3*A - 43*B + 11
5*C)*cos(d*x + c))*sqrt(a)*log(-(a*cos(d*x + c))^2 - 2*sqrt(2)*sqrt(a)*sqrt(
(a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*co
s(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((3*A - 11*B +
35*C)*cos(d*x + c)^2 + (7*A - 15*B + 55*C)*cos(d*x + c) + 16*C)*sqrt((a*co
s(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 16*((2*B -
5*C)*cos(d*x + c)^4 + 3*(2*B - 5*C)*cos(d*x + c)^3 + 3*(2*B - 5*C)*cos(d*x
+ c)^2 + (2*B - 5*C)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c))^3 + 4*sqrt(a)
)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x +
c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c
)^2)))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c
)^2 + a^3*d*cos(d*x + c)), -1/32*(sqrt(2)*((3*A - 43*B + 115*C)*cos(d*x + c)
)^4 + 3*(3*A - 43*B + 115*C)*cos(d*x + c)^3 + 3*(3*A - 43*B + 115*C)*cos(d*
x + c)^2 + (3*A - 43*B + 115*C)*cos(d*x + c))*sqrt(-a)*arctan(sqrt(2)*sqrt(
-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x +
c))) - 2*((3*A - 11*B + 35*C)*cos(d*x + c)^2 + (7*A - 15*B + 55*C)*cos(d*x
+ c) + 16*C)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*si
n(d*x + c) - 16*((2*B - 5*C)*cos(d*x + c)^4 + 3*(2*B - 5*C)*cos(d*x + c)^3
+ 3*(2*B - 5*C)*cos(d*x + c)^2 + (2*B - 5*C)*cos(d*x + c))*sqrt(-a)*arctan(
2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d
*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^3*d*cos(d*x + c)^4 +
```

$$3*a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + a^3*d*\cos(d*x + c)]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))** (5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2)), x)

3.1292 $\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=190

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(5aB+5Ab+7bC)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(7aA+9aC+9bB)}{15d} + \frac{2\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)(7aA+9aC+9bB)}{45d}$$

[Out] $(2*(7*a*A + 9*b*B + 9*a*C)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (2*(5*A*b + 5*a*B + 7*b*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*(5*A*b + 5*a*B + 7*b*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*(7*a*A + 9*b*B + 9*a*C)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (2*(A*b + a*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d) + (2*a*A*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(9*d)$

Rubi [A] time = 0.297042, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4112, 3033, 3023, 2748, 2635, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(5aB+5Ab+7bC)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(7aA+9aC+9bB)}{15d} + \frac{2\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)(7aA+9aC+9bB)}{45d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(9/2)}*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*(7*a*A + 9*b*B + 9*a*C)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (2*(5*A*b + 5*a*B + 7*b*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*(5*A*b + 5*a*B + 7*b*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*(7*a*A + 9*b*B + 9*a*C)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (2*(A*b + a*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d) + (2*a*A*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(9*d)$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_.)] + (C_.)*\sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x \ \&\amp; \ !\text{IntegerQ}[n] \ \&\amp; \ \text{IntegerQ}[m]$

Rule 3033

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2, x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \cos^{\frac{3}{2}}(c+dx)(b+a\cos(c+dx))(C+B\sec(c+dx))dx \\
&= \frac{2aA\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{9d} + \frac{2}{9} \int \cos^{\frac{3}{2}}(c+dx)(C+B\sec(c+dx))dx \\
&= \frac{2(Ab+aB)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2aC}{7d} \int \cos^{\frac{1}{2}}(c+dx)dx \\
&= \frac{2(Ab+aB)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2aC}{7d} \int \cos^{\frac{1}{2}}(c+dx)dx \\
&= \frac{2(5Ab+5aB+7bC)\sqrt{\cos(c+dx)}\sin(c+dx)}{21d} + \frac{2aC}{7d} \int \cos^{\frac{1}{2}}(c+dx)dx \\
&= \frac{2(7aA+9bB+9aC)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2aC}{7d} \int \cos^{\frac{1}{2}}(c+dx)dx
\end{aligned}$$

Mathematica [A] time = 1.01293, size = 143, normalized size = 0.75

$$\frac{60\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(5aB+5Ab+7bC) + 84E\left(\frac{1}{2}(c+dx)\middle|2\right)(7aA+9aC+9bB) + \sin(c+dx)\sqrt{\cos(c+dx)}(7\cos(c+dx)+5)}{630d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (84*(7*a*A + 9*b*B + 9*a*C)*EllipticE[(c + d*x)/2, 2] + 60*(5*A*b + 5*a*B + 7*b*C)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(7*(43*a*A + 36*b*B + 36*a*C)*Cos[c + d*x] + 5*(78*A*b + 78*a*B + 84*b*C + 18*(A*b + a*B)*Cos[2*(c + d*x)] + 7*a*A*Cos[3*(c + d*x)]))*Sin[c + d*x])/(630*d)

Maple [B] time = 2.467, size = 565, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-1120*A*a*c
os(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(2240*A*a+720*A*b+720*B*a)*sin(1/2*
d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-2072*A*a-1080*A*b-1080*B*a-504*B*b-504*C*
a)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(952*A*a+840*A*b+840*B*a+504*B*b
+504*C*a+420*C*b)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-168*A*a-240*A*b
-240*B*a-126*B*b-126*C*a-210*C*b)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+7
5*A*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellipti
cF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/
2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a+75*B*a*(sin
(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2
*d*x+1/2*c),2^(1/2))-189*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*
c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b+105*C*b*(sin(1/2*d*x+
1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*
c),2^(1/2))-189*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a)/(-2*sin(1/2*d*x+1/2*c)^4+sin(
1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)
/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb cos(dx + c)⁴ sec(dx + c)³ + (Ca + Bb) cos(dx + c)⁴ sec(dx + c)² + Aa cos(dx + c)⁴ + (Ba + Ab) cos(dx + c)⁴ sec(dx + c)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^4*sec(d*x + c)^3 + (C*a + B*b)*cos(d*x + c)^4*se
c(d*x + c)^2 + A*a*cos(d*x + c)^4 + (B*a + A*b)*cos(d*x + c)^4*sec(d*x + c)
```

)`*sqrt(cos(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(9/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(9/2), x)`

3.1293 $\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=154

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(5aA+7aC+7bB)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(3aB+3Ab+5bC)}{5d} + \frac{2\sin(c+dx)\sqrt{\cos(c+dx)}(5aA+7aC+7bB)}{21d}$$

[Out] (2*(3*A*b + 3*a*B + 5*b*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(5*a*A + 7*b*B + 7*a*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*a*A + 7*b*B + 7*a*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*(A*b + a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.269183, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4112, 3033, 3023, 2748, 2639, 2635, 2641}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(5aA+7aC+7bB)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(3aB+3Ab+5bC)}{5d} + \frac{2\sin(c+dx)\sqrt{\cos(c+dx)}(5aA+7aC+7bB)}{21d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(3*A*b + 3*a*B + 5*b*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(5*a*A + 7*b*B + 7*a*C)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*a*A + 7*b*B + 7*a*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*(A*b + a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]

```

_.)*(x_)^2), x_Symbol] := -Simp[(C*d*cos[e + f*x]*sin[e + f*x]*(a + b*sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)^2]), x_Symbol] := -Simp[(C*cos
[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*cos[c + d*x
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \sqrt{\cos(c+dx)}(b+a\cos(c+dx))(C+ \\
&= \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c+dx)}(C+ \\
&= \frac{2(Ab+aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5} \int \sqrt{\cos(c+dx)}(C+ \\
&= \frac{2(Ab+aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5} \int \sqrt{\cos(c+dx)}(C+ \\
&= \frac{2(3Ab+3aB+5bC)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2}{5} \int \sqrt{\cos(c+dx)}(C+ \\
&= \frac{2(3Ab+3aB+5bC)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2}{5} \int \sqrt{\cos(c+dx)}(C+
\end{aligned}$$

Mathematica [A] time = 0.900022, size = 117, normalized size = 0.76

$$\frac{10\text{EllipticF}\left(\frac{1}{2}(c+dx),2\right)(5aA+7aC+7bB)+42E\left(\frac{1}{2}(c+dx)\middle|2\right)(3aB+3Ab+5bC)+\sin(c+dx)\sqrt{\cos(c+dx)}(42(42(3Ab+3aB+5bC)E\left(\frac{1}{2}(c+dx)\middle|2\right)+\sin(c+dx)\sqrt{\cos(c+dx)})}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (42*(3*A*b + 3*a*B + 5*b*C)*EllipticE[(c + d*x)/2, 2] + 10*(5*a*A + 7*b*B + 7*a*C)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(65*a*A + 70*b*B + 70*a*C + 42*(A*b + a*B)*Cos[c + d*x] + 15*a*A*Cos[2*(c + d*x)])*Sin[c + d*x])/(105*d)

Maple [B] time = 2.419, size = 515, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

```
[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*A*a*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-360*A*a-168*A*b-168*B*a)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(280*A*a+168*A*b+168*B*a+140*B*b+140*C*a)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-80*A*a-42*A*b-42*B*a-70*B*b-70*C*a)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+25*A*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b+35*B*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a+35*a*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-105*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb cos(dx + c)³ sec(dx + c)³ + (Ca + Bb) cos(dx + c)³ sec(dx + c)² + Aa cos(dx + c)³ + (Ba + Ab) cos(dx + c)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^3*sec(d*x + c)^3 + (C*a + B*b)*cos(d*x + c)^3*sec(d*x + c)^2 + A*a*cos(d*x + c)^3 + (B*a + A*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)

3.1294 $\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=116

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(aB + Ab + 3bC)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(3aA + 5aC + 5bB)}{5d} + \frac{2(aB + Ab) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d}$$

[Out] (2*(3*a*A + 5*b*B + 5*a*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(A*b + a*B + 3*b*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.251822, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4112, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(aB + Ab + 3bC)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(3aA + 5aC + 5bB)}{5d} + \frac{2(aB + Ab) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2aA \cos(c+dx)^{3/2} \sin(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(3*a*A + 5*b*B + 5*a*C)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(A*b + a*B + 3*b*C)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1) + (A + B*Sin[e + f*x])*(a + b*Sin[e + f*x])^m + C*(a + b*Sin[e + f*x])^(m + 1)), x]

```

e + f*x]^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))(C + B \cos(c + dx) + A \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aA \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{5bC + 2aA \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2(Ab + aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2aA \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} \\
&= \frac{2(Ab + aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2aA \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} \\
&= \frac{2(3aA + 5bB + 5aC)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \dots
\end{aligned}$$

Mathematica [C] time = 6.49148, size = 1569, normalized size = 13.53

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*((-4*(3*a*A + 5*b*B + 5*a*C)*Cot[c])/(5*d) + (4*(A*b + a*B)*Cos[d*x]*Sin[c])/(3*d) + (2*a*A*Cos[2*d*x]*Sin[2*c])/(5*d) + (4*(A*b + a*B)*Cos[c]*Sin[d*x])/(3*d) + (2*a*A*Cos[2*c]*Sin[2*d*x])/(5*d))/((b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (4*A*b*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*a*B*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*b*C*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - Arc

$$\begin{aligned} & \text{Tan}[\text{Cot}[c]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \\ & \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (d * \\ & (b + a * \text{Cos}[c + d*x]) * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x]) * \text{Sqrt} \\ & [1 + \text{Cot}[c]^2]) - (6*a*A * \text{Cos}[c + d*x]^3 * \text{Csc}[c] * (a + b * \text{Sec}[c + d*x]) * (A + B * \\ & \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{C} \\ & \text{os}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2] * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos} \\ & [d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos} \\ & [d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x \\ & + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan} \\ & [\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \\ & \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (5*d*(b + a * \text{Cos}[c + d*x]) * (A + 2*C + \\ & 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x])) - (2*b*B * \text{Cos}[c + d*x]^3 * \text{Csc}[c] * (a + \\ & b * \text{Sec}[c + d*x]) * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * (\text{HypergeometricPF} \\ & \text{Q}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2] * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c] \\ &] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{T} \\ & \text{an}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \\ & \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*C \\ & \text{os}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2) \\ &) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (d*(b + a * \text{Cos} \\ & [c + d*x]) * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x])) - (2*a*C * \text{Cos} \\ & [c + d*x]^3 * \text{Csc}[c] * (a + b * \text{Sec}[c + d*x]) * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x] \\ & ^2) * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2] * \text{S} \\ & \text{in}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\\ & 1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 \\ & + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqr} \\ & \text{t}[1 + \text{Tan}[c]^2] + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) \\ & / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[\\ & c]^2])) / (d*(b + a * \text{Cos}[c + d*x]) * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + \\ & 2*d*x])) \end{aligned}$$

Maple [B] time = 2.481, size = 465, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(5/2)} * (a+b*\sec(d*x+c)) * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $-2/15 * ((2 * \cos(1/2*d*x+1/2*c)^2 - 1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-24 * A * a * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^6 + (24 * A * a + 20 * A * b + 20 * B * a) * \sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + (-6 * A * a - 10 * A * b - 10 * B * a) * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) + 5 * A * b * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)}$

$$\begin{aligned} & \frac{1}{2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a + 5 \\ & * B*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & - 15*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * b \\ & + 15*C*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & - 15*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a \\ & / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Cb \cos(dx+c)^2 \sec(dx+c)^3 + (Ca+Bb) \cos(dx+c)^2 \sec(dx+c)^2 + Aa \cos(dx+c)^2 + (Ba+Ab) \cos(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^2*sec(d*x + c)^3 + (C*a + B*b)*cos(d*x + c)^2*sec(d*x + c)^2 + A*a*cos(d*x + c)^2 + (B*a + A*b)*cos(d*x + c)^2*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)
```

3.1295 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx)) (A + B \sec(c + dx) + C \sec$

Optimal. Leaf size=106

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a(A+3C)+3bB)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(aB+Ab-bC)}{d} + \frac{2aA \sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2bC}{d\sqrt{\cos(c+dx)}}$$

[Out] (2*(A*b + a*B - b*C)*EllipticE[(c + d*x)/2, 2])/d + (2*(3*b*B + a*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.260655, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4112, 3031, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(a(A+3C)+3bB)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(aB+Ab-bC)}{d} + \frac{2aA \sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2bC \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(A*b + a*B - b*C)*EllipticE[(c + d*x)/2, 2])/d + (2*(3*b*B + a*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b*C*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3031

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e

```

+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(b+a\cos(c+dx))(C+B\cos(c+dx)+\cos^{\frac{3}{2}}(c+dx))}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2bC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} - 2\int \frac{\frac{1}{2}(-bB-aC) - \frac{1}{2}(A)}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2bC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} \\
&= \frac{2bC\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} \\
&= \frac{2(Ab+aB-bC)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2(3bB)}{d}
\end{aligned}$$

Mathematica [C] time = 6.91638, size = 1904, normalized size = 17.96

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (I*A*b*Cos[c + d*x]^3*Csc[c]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (I*a*B*Cos[c + d*x]^3*Csc[c]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2

$$\begin{aligned}
& *c] + I * E^{((2 * I) * d * x) * \sin[2 * c]} / ((-I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] + d * (-1 \\
& + E^{((2 * I) * d * x)}) * \sin[c])) / ((b + a * \cos[c + d * x]) * (A + 2 * C + 2 * B * \cos[c + d * \\
& x] + A * \cos[2 * c + 2 * d * x])) - (I * b * C * \cos[c + d * x]^3 * \csc[c] * (a + b * \sec[c + d * x \\
&]) * (A + B * \sec[c + d * x] + C * \sec[c + d * x]^2) * ((2 * E^{((2 * I) * d * x)}) * \text{Hypergeometric} \\
& 2F1[1/2, 3/4, 7/4, -(E^{((2 * I) * d * x)}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{(\\
& (2 * I) * d * x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) / E^{(I * d * x)}} * \sqrt{1 + \\
& E^{((2 * I) * d * x)}) * \cos[2 * c] + I * E^{((2 * I) * d * x)}) * \sin[2 * c]} / ((3 * I) * d * (1 + E^{((2 * I) \\
& * d * x)}) * \cos[c] - 3 * d * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) - (2 * \text{Hypergeometric}2F1[-1/ \\
& 4, 1/2, 3/4, -(E^{((2 * I) * d * x)}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{((2 * I) * \\
& d * x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) / E^{(I * d * x)}} * \sqrt{1 + E^{((2 \\
& * I) * d * x)}) * \cos[2 * c] + I * E^{((2 * I) * d * x)}) * \sin[2 * c]} / ((-I) * d * (1 + E^{((2 * I) * d * x)}) * \\
& \cos[c] + d * (-1 + E^{((2 * I) * d * x)}) * \sin[c])) / ((b + a * \cos[c + d * x]) * (A + 2 * C + \\
& 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x])) + (\cos[c + d * x]^{(7/2)} * (a + b * \sec[c \\
& + d * x]) * (A + B * \sec[c + d * x] + C * \sec[c + d * x]^2) * ((-2 * (A * b + a * B - 2 * b * C + A \\
& * b * \cos[2 * c] + a * B * \cos[2 * c]) * \csc[c] * \sec[c]) / d + (4 * a * A * \cos[d * x] * \sin[c]) / (3 * d \\
&) + (4 * a * A * \cos[c] * \sin[d * x]) / (3 * d) + (4 * b * C * \sec[c] * \sec[c + d * x] * \sin[d * x]) / d \\
&)) / ((b + a * \cos[c + d * x]) * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x])) \\
& - (4 * a * A * \cos[c + d * x]^3 * \csc[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x \\
& - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b * \sec[c + d * x]) * (A + B * \sec[c + d * x] + C * \sec[c + \\
& d * x]^2) * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{[\\
& -(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d * x - \\
& \text{ArcTan}[\text{Cot}[c]]}])} / (3 * d * (b + a * \cos[c + d * x]) * (A + 2 * C + 2 * B * \cos[c + d * x] + A \\
& * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \text{Cot}[c]^2}) - (4 * b * B * \cos[c + d * x]^3 * \csc[c] * \text{Hyper} \\
& \text{geometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b * \sec[c + \\
& d * x]) * (A + B * \sec[c + d * x] + C * \sec[c + d * x]^2) * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{ \\
& 1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{[-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d * x \\
& - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d * x - \text{ArcTan}[\text{Cot}[c]]}])} / (d * (b + a * \cos[c + \\
& d * x]) * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x]) * \sqrt{1 + \text{Cot}[c]^2}) \\
& - (4 * a * C * \cos[c + d * x]^3 * \csc[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * \\
& x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b * \sec[c + d * x]) * (A + B * \sec[c + d * x] + C * \sec[c + \\
& d * x]^2) * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{[\\
& -(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d * x - \\
& \text{ArcTan}[\text{Cot}[c]]}])} / (d * (b + a * \cos[c + d * x]) * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \\
& \cos[2 * c + 2 * d * x]) * \sqrt{1 + \text{Cot}[c]^2})
\end{aligned}$$

Maple [B] time = 2.518, size = 388, normalized size = 3.7

$$-\frac{2}{3d} \left(4 A a \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4 + A a \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticF}\left(\cos\left(\frac{d}{2}\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

[Out]
$$-2/3*(4*A*a*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+A*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b-2*A*a*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+3*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+3*a*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b-6*C*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a) \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((Cb \cos(dx+c) \sec(dx+c)^3 + (Ca + Bb) \cos(dx+c) \sec(dx+c)^2 + Aa \cos(dx+c) + (Ba + Ab) \cos(dx+c)) \sqrt{\cos(dx+c)}, dx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")`

[Out] `integral((C*b*cos(d*x + c)*sec(d*x + c)^3 + (C*a + B*b)*cos(d*x + c)*sec(d*x + c)^2 + A*a*cos(d*x + c) + (B*a + A*b)*cos(d*x + c)*sec(d*x + c))*sqrt(c`

$\cos(dx + c)$, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)`

3.1296 $\int \sqrt{\cos(c + dx)}(a + b \sec(c + dx)) (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=112

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)(3aB + 3Ab + bC)}{3d} - \frac{2E\left(\frac{1}{2}(c + dx) \middle| 2\right)(bB - a(A - C))}{d} + \frac{2(aC + bB)\sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2bC \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $(-2*(b*B - a*(A - C))*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(3*A*b + 3*a*B + b*C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*b*C*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{\frac{3}{2}}) + (2*(b*B + a*C)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.27805, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {4112, 3031, 3021, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c + dx) \middle| 2\right)(3aB + 3Ab + bC)}{3d} - \frac{2E\left(\frac{1}{2}(c + dx) \middle| 2\right)(bB - a(A - C))}{d} + \frac{2(aC + bB)\sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2bC \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*(b*B - a*(A - C))*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(3*A*b + 3*a*B + b*C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*b*C*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{\frac{3}{2}}) + (2*(b*B + a*C)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(d_.)^{\wedge}(n_))*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_)])]^{\wedge}(m_)*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_)] + (C_.)*\sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \text{Dist}[d^{\wedge}(m + 2), \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{\wedge}(n - m - 2)*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3031

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]]^{\wedge}(m_)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]*(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)] + (C_.)*\sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x], x]$

```

+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+b\sec(c+dx))(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(b+a\cos(c+dx))(C+B\cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2bC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} - \frac{2}{3} \int \frac{-\frac{3}{2}(bB+aC) - \frac{1}{2}(b^2+a^2)}{\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2bC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2(bB+aC)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} \\
&= \frac{2bC\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2(bB+aC)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} \\
&= -\frac{2(bB-a(A-C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2(3bB+a^2)}{3d}
\end{aligned}$$

Mathematica [C] time = 6.99074, size = 1909, normalized size = 17.04

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (I*a*A*Cos[c + d*x]^3*Csc[c]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (I*b*B*Cos[c + d*x]^3*Csc[c]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] +
```

$$\begin{aligned}
& (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c]/E^{(I*d*x)}*\sqrt{1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]})/((-I)*d*(1 + E^{((2*I)*d*x)}*\cos[c] + d*(-1 + E^{((2*I)*d*x)}*\sin[c])))/((b + a*\cos[c + d*x])*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) - (I*a*C*\cos[c + d*x]^3*\csc[c]*(a + b*\sec[c + d*x])*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{((2*I)*d*x)}*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}*\sin[c])/E^{(I*d*x)})*\sqrt{1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]})/((3*I)*d*(1 + E^{((2*I)*d*x)}*\cos[c] - 3*d*(-1 + E^{((2*I)*d*x)}*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{((2*I)*d*x)}*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}*\sin[c])/E^{(I*d*x)})*\sqrt{1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]})/((-I)*d*(1 + E^{((2*I)*d*x)}*\cos[c] + d*(-1 + E^{((2*I)*d*x)}*\sin[c])))/((b + a*\cos[c + d*x])*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + (\cos[c + d*x]^{(7/2)}*(a + b*\sec[c + d*x])*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((-2*(a*A - 2*b*B - 2*a*C + a*A*\cos[2*c])*\csc[c]*\sec[c])/d + (4*b*C*\sec[c]*\sec[c + d*x]^2*\sin[d*x])/(3*d) + (4*\sec[c]*\sec[c + d*x]*(b*C*\sin[c] + 3*b*B*\sin[d*x] + 3*a*C*\sin[d*x]))/(3*d)))/((b + a*\cos[c + d*x])*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) - (4*A*b*\cos[c + d*x]^3*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\sec[c + d*x])*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])/(d*(b + a*\cos[c + d*x])*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*\sqrt{1 + \text{Cot}[c]^2}) - (4*a*B*\cos[c + d*x]^3*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\sec[c + d*x])*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])/(d*(b + a*\cos[c + d*x])*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*\sqrt{1 + \text{Cot}[c]^2}) - (4*b*C*\cos[c + d*x]^3*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\sec[c + d*x])*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])/(3*d*(b + a*\cos[c + d*x])*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*\sqrt{1 + \text{Cot}[c]^2})
\end{aligned}$$

Maple [B] time = 5.604, size = 666, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)`

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*A*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*A*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*C*b*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*(B*b+C*a)*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Cb \sec(dx + c)^3 + (Ca + Bb) \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)) \sqrt{\cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

$$3.1297 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=152

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a(3A+C)+bB)}{3d} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(5aB+5Ab+3bC)}{5d} + \frac{2\sin(c+dx)(5aB+5Ab+3bC)}{5d\sqrt{\cos(c+dx)}}$$

[Out] $(-2*(5*A*b + 5*a*B + 3*b*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(b*B + a*(3*A + C))*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*b*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(b*B + a*C)*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(5*A*b + 5*a*B + 3*b*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.304602, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4112, 3031, 3021, 2748, 2636, 2639, 2641}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(a(3A+C)+bB)}{3d} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(5aB+5Ab+3bC)}{5d} + \frac{2\sin(c+dx)(5aB+5Ab+3bC)}{5d\sqrt{\cos(c+dx)}} + \frac{2(aC - b^2)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)}{\text{Sqrt}[\text{Cos}[c + d*x]]}, x]$

[Out] $(-2*(5*A*b + 5*a*B + 3*b*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(b*B + a*(3*A + C))*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*b*C*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(b*B + a*C)*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(5*A*b + 5*a*B + 3*b*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_.)] + (C_.)*\sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3031


```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(b + a \cos(c + dx))(C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2bC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}(bB + aC) - \frac{1}{2}(5Ab + 5aB + 3bC)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2bC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(bB + aC) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{4}{15} \int \frac{-\frac{3}{4}(5Ab + 5aB + 3bC)}{\cos^{\frac{1}{2}}(c + dx)} dx \\
&= \frac{2bC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(bB + aC) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{1}{5}(-5Ab - 5aB - 3bC) \int \frac{1}{\cos^{\frac{1}{2}}(c + dx)} dx \\
&= \frac{2(bB + a(3A + C))F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2bC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} \\
&= -\frac{2(5Ab + 5aB + 3bC)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(bB + a(3A + C))F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2bC \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 1.55189, size = 136, normalized size = 0.89

$$\frac{10 \cos^{\frac{3}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (a(3A + C) + bB) + 3 \sin(2(c + dx))(5aB + 5Ab + 3bC) - 6 \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]

[Out] (-6*(5*A*b + 5*a*B + 3*b*C)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 10*(b*B + a*(3*A + C))*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 10*(b*B + a*C)*Sin[c + d*x] + 3*(5*A*b + 5*a*B + 3*b*C)*Sin[2*(c + d*x)] + 6*b*C*Tan[c + d*x])/(15*d*Cos[c + d*x]^(3/2))

Maple [B] time = 7.888, size = 742, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x)`

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(B*b+C*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2/5*C*b/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(A*b+B*a)*(-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb \sec(dx+c)^3 + (Ca + Bb) \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/sqrt(cos(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Integral((a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)/sqrt(cos(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)
```

$$3.1298 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=190

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(7aB+7Ab+5bC)}{21d} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(5aA+3aC+3bB)}{5d} + \frac{2\sin(c+dx)(7aB+7Ab+5bC)}{21d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] $(-2*(5*a*A + 3*b*B + 3*a*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(7*A*b + 7*a*B + 5*b*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*b*C*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*(b*B + a*C)*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(7*A*b + 7*a*B + 5*b*C)*\text{Sin}[c + d*x])/(21*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(5*a*A + 3*b*B + 3*a*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.319087, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4112, 3031, 3021, 2748, 2636, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(7aB+7Ab+5bC)}{21d} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(5aA+3aC+3bB)}{5d} + \frac{2\sin(c+dx)(7aB+7Ab+5bC)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2\sin(c+dx)(7aB+7Ab+5bC)}{21d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)}{\text{Cos}[c + d*x]^{(3/2)}}, x]$

[Out] $(-2*(5*a*A + 3*b*B + 3*a*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(7*A*b + 7*a*B + 5*b*C)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*b*C*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*(b*B + a*C)*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(7*A*b + 7*a*B + 5*b*C)*\text{Sin}[c + d*x])/(21*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(5*a*A + 3*b*B + 3*a*C)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(d_.))^{(n_)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_)])^{(m_)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_)] + (C_.)*\sec^2[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /; \text{FreeQ}[a, b, c, d, e, f, m, n, A, B, C, x]$

$eQ[\{a, b, d, e, f, A, B, C, n\}, x] \&\& !\text{IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3031

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]\}*(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2, x_Symbol] \rightarrow -\text{Simp}[\{(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}\}/(b^2*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[1/(b^2*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)}*\text{Simp}[b*(m + 1)*\{(b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)\} + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))\}*\sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 3021

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2, x_Symbol] \rightarrow -\text{Simp}[\{(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}\}/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*\sin[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2748

$\text{Int}[\{(b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]\}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2636

$\text{Int}[\{(b_.)*\sin[(c_.) + (d_.)*(x_.)]\}^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\cos[c + d*x]*(b*\sin[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\sin[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(b + a \cos(c + dx))(C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx \\ &= \frac{2bC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}(bB + aC) - \frac{1}{2}(7Ab + 7aB)}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2bC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(bB + aC) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{4}{35} \int \frac{-\frac{5}{2}(7Ab + 7aB)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2bC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(bB + aC) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{1}{5}(-5aA) \\ &= \frac{2bC \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(bB + aC) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(7Ab + 7aB)}{5d} \\ &= -\frac{2(5aA + 3bB + 3aC)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7Ab + 7aB)}{5d} \end{aligned}$$

Mathematica [A] time = 4.27779, size = 173, normalized size = 0.91

$$10\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)(7aB + 7Ab + 5bC) - 42E\left(\frac{1}{2}(c + dx) \middle| 2\right)(5aA + 3aC + 3bB) + \frac{\sin(c+dx)(21 \cos(c+dx)(15aA+13aC+13bB))}{105d}$$

105d

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]

[Out] (-42*(5*a*A + 3*b*B + 3*a*C)*EllipticE[(c + d*x)/2, 2] + 10*(7*A*b + 7*a*B + 5*b*C)*EllipticF[(c + d*x)/2, 2] + ((70*A*b + 70*a*B + 110*b*C + 21*(15*a*A + 13*b*B + 13*a*C))*Cos[c + d*x] + 10*(7*A*b + 7*a*B + 5*b*C)*Cos[2*(c + d*x)] + 105*a*A*Cos[3*(c + d*x)] + 63*b*B*Cos[3*(c + d*x)] + 63*a*C*Cos[3*(c + d*x)])*Sin[c + d*x])/(2*Cos[c + d*x]^(7/2))/(105*d)

Maple [B] time = 9.324, size = 851, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(3/2)}, x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(A*b+B*a))*(-1 \\ & /6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \\ & (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\ & *x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} *E \\ & \text{llipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*C*b*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*s \\ & \text{in}(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2-1/2)^ \\ & 4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)} / (\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(\\ & 1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)} *E\text{llipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2/5*(B*b+C*a)/(8*\sin(1/2*d*x+1/2 \\ & *c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^ \\ & 2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E\text{llipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)} \\ &)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6 \\ & *\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E\text{llipticE}(\cos(1/2*d \\ & *x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin \\ & (1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E\text{ll \\ & ipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d \\ & *x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}+2*A*a*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(\\ & 1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E\text{llipticE}(\cos(1/2 \\ & *d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d \\ & *x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb \sec(dx + c)^3 + (Ca + Bb) \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((C*b*sec(d*x + c)^3 + (C*a + B*b)*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/cos(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/cos(d*x + c)^(3/2), x)
```

3.1299 $\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx))^2 dx$

Optimal. Leaf size=250

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(5a^2B + 10aAb + 14abC + 7b^2B)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2(7A + 9C) + 18abB + 3b^2(3A + 5C))}{15d}$$

[Out] $(2*(18*a*b*B + 3*b^2*(3*A + 5*C) + a^2*(7*A + 9*C))*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (2*(10*a*A*b + 5*a^2*B + 7*b^2*B + 14*a*b*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*(10*a*A*b + 5*a^2*B + 7*b^2*B + 14*a*b*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*(4*A*b^2 + 18*a*b*B + a^2*(7*A + 9*C))*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(45*d) + (2*a*(4*A*b + 9*a*B))*\text{Cos}[c + d*x]^(5/2)*\text{Sin}[c + d*x])/(63*d) + (2*A*\text{Cos}[c + d*x]^(3/2)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d)$

Rubi [A] time = 0.603223, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3049, 3033, 3023, 2748, 2639, 2635, 2641}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(5a^2B + 10aAb + 14abC + 7b^2B)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2(7A + 9C) + 18abB + 3b^2(3A + 5C))}{15d} + \frac{2\text{Si}\left(\frac{1}{2}(c+dx)\right)(a^2(7A + 9C) + 18abB + 3b^2(3A + 5C))}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^(9/2)*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*(18*a*b*B + 3*b^2*(3*A + 5*C) + a^2*(7*A + 9*C))*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (2*(10*a*A*b + 5*a^2*B + 7*b^2*B + 14*a*b*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*(10*a*A*b + 5*a^2*B + 7*b^2*B + 14*a*b*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*(4*A*b^2 + 18*a*b*B + a^2*(7*A + 9*C))*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(45*d) + (2*a*(4*A*b + 9*a*B))*\text{Cos}[c + d*x]^(5/2)*\text{Sin}[c + d*x])/(63*d) + (2*A*\text{Cos}[c + d*x]^(3/2)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d)$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sec}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[d^(m + 2), \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e$

+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3049

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P

$i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2635

$\text{Int}[(b \cdot \sin(c + d \cdot x))^n, x_Symbol] := -\text{Simp}[(b \cdot \cos(c + d \cdot x)) \cdot (b \cdot \sin(c + d \cdot x))^{n-1} / (d \cdot n), x] + \text{Dist}[(b^2)^{n-1} / n, \text{Int}[(b \cdot \sin(c + d \cdot x))^{n-2}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2 \cdot n]$

Rule 2641

$\text{Int}[1/\sqrt{\sin(c + d \cdot x)}, x_Symbol] := \text{Simp}[(2 \cdot \text{EllipticF}[(1/2)(c - \pi/2 + d \cdot x)], 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cos^{\frac{9}{2}}(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2 (C - \\ &= \frac{2A \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\ &= \frac{2a(4Ab + 9aB) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} \\ &= \frac{2(4Ab^2 + 18abB + a^2(7A + 9C)) \cos^{\frac{3}{2}}(c + dx)}{45d} \\ &= \frac{2(4Ab^2 + 18abB + a^2(7A + 9C)) \cos^{\frac{3}{2}}(c + dx)}{45d} \\ &= \frac{2(18abB + 3b^2(3A + 5C) + a^2(7A + 9C)) \cos^{\frac{3}{2}}(c + dx)}{15d} \\ &= \frac{2(18abB + 3b^2(3A + 5C) + a^2(7A + 9C)) \cos^{\frac{3}{2}}(c + dx)}{15d} \end{aligned}$$

Mathematica [A] time = 1.33587, size = 194, normalized size = 0.78

$$\frac{60 \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) (5a^2B + 2ab(5A + 7C) + 7b^2B) + 84E\left(\frac{1}{2}(c + dx) \middle| 2\right) (a^2(7A + 9C) + 18abB + 3b^2(3A + 5C))}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (84*(18*a*b*B + 3*b^2*(3*A + 5*C) + a^2*(7*A + 9*C))*EllipticE[(c + d*x)/2, 2] + 60*(5*a^2*B + 7*b^2*B + 2*a*b*(5*A + 7*C))*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(7*(36*A*b^2 + 72*a*b*B + a^2*(43*A + 36*C))*Cos[c + d*x] + 5*(156*a*A*b + 78*a^2*B + 84*b^2*B + 168*a*b*C + 18*a*(2*A*b + a*B)*Cos[2*(c + d*x)] + 7*a^2*A*Cos[3*(c + d*x)]))*Sin[c + d*x]/(630*d)
```

Maple [B] time = 2.587, size = 784, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-1120*a^2*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(2240*A*a^2+1440*A*a*b+720*B*a^2)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-2072*A*a^2-2160*A*a*b-504*A*b^2-1080*B*a^2-1008*B*a*b-504*C*a^2)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(952*A*a^2+1680*A*a*b+504*A*b^2+840*B*a^2+1008*B*a*b+420*B*b^2+504*C*a^2+840*C*a*b)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-168*A*a^2-480*A*a*b-126*A*b^2-240*B*a^2-252*B*a*b-210*B*b^2-126*C*a^2-420*C*a*b)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+150*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-189*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2+75*B*a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+105*B*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-378*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b+210*a*b*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-189*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb² cos(dx + c)⁴ sec(dx + c)⁴ + (2Cab + Bb²) cos(dx + c)⁴ sec(dx + c)³ + Aa² cos(dx + c)⁴ + (Ca² + 2Ba

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^2*cos(d*x + c)^4*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)^4*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^4 + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^4*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^4*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*cos(d*x + c)^(9/2), x)
```


3.1300 $\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=202

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(a^2(5A+7C)+14abB+7b^2(A+3C)\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(3a^2B+6aAb+10abC+5b^2B\right)}{5d}$$

```
[Out] (2*(6*a*A*b + 3*a^2*B + 5*b^2*B + 10*a*b*C)*EllipticE[(c + d*x)/2, 2])/(5*d)
+ (2*(14*a*b*B + 7*b^2*(A + 3*C) + a^2*(5*A + 7*C))*EllipticF[(c + d*x)/2, 2])/(21*d)
+ (2*(4*A*b^2 + 14*a*b*B + a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d)
+ (2*a*(4*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d)
+ (2*A*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(7*d)
```

Rubi [A] time = 0.569767, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3049, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(a^2(5A+7C)+14abB+7b^2(A+3C)\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(3a^2B+6aAb+10abC+5b^2B\right)}{5d} + \frac{2\sin(c+dx)}{7d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*(6*a*A*b + 3*a^2*B + 5*b^2*B + 10*a*b*C)*EllipticE[(c + d*x)/2, 2])/(5*d)
+ (2*(14*a*b*B + 7*b^2*(A + 3*C) + a^2*(5*A + 7*C))*EllipticF[(c + d*x)/2, 2])/(21*d)
+ (2*(4*A*b^2 + 14*a*b*B + a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d)
+ (2*a*(4*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d)
+ (2*A*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(7*d)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[
e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))^2 (C + B \cos(c + dx) + A \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2A\sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2 \sin(c + dx)}{7d} \\ &= \frac{2a(4Ab + 7aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} \\ &= \frac{2(4Ab^2 + 14abB + a^2(5A + 7C)) \sqrt{\cos(c + dx)}}{21d} \\ &= \frac{2(4Ab^2 + 14abB + a^2(5A + 7C)) \sqrt{\cos(c + dx)}}{21d} \\ &= \frac{2(6aAb + 3a^2B + 5b^2B + 10abC) E\left(\frac{1}{2}(\frac{c + dx}{2} - \frac{c}{2})\right)}{5d} \end{aligned}$$

Mathematica [C] time = 6.85339, size = 2361, normalized size = 11.69

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(6*a*A*b + 3*a^2*B + 5*b^2*B + 10*a*b*C)*Cot[c])/(5*d) + ((23*a^2*A + 28*A*b^2 + 56*a*b*B + 28*a^2*C)*Cos[d*x]*Sin[c])/(21*d) + (2*a*(2*A*b + a*B)*Cos[2*d*x]*Sin[2*c])/(5*d) + (a^2*A*Cos[3*d*x]*Sin[3*c])/(7*d) + ((23*a^2*A + 28*A*b^2 + 56*a*b*B + 28*a^2*C)*Cos[c]*Sin[d*x])/(21*d) + (2*a*(2*A*b + a*B)*Cos[2*c]*Sin[2*d*x])/(5*d) + (a^2*A*Cos[3*c]*Sin[3*d*x])/(7*d)))/((b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (20*a^2*A*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])

$$\begin{aligned}
&]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \\
& \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]/(21*d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C + 2*B*\text{Cos} \\
& [c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*A*b^2*\text{Cos}[c + d*x] \\
& ^4*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] \\
& *(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - A \\
& \text{rcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2 \\
&]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(\\
& 3*d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x] \\
&)*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (8*a*b*B*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1 \\
& /4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + d*x])^2*(A + B \\
& *\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d* \\
& x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c] \\
& c]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(b + a*\text{Cos}[c + d*x])^2*(A \\
& + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*a^2 \\
& *C*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{Arc} \\
& \text{Tan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x] \\
& ^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqr \\
& rt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcT \\
& an}[\text{Cot}[c]]]])/(3*d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*C \\
& os[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*b^2*C*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{Hyper \\
& geometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + \\
& d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]* \\
& \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d* \\
& x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\text{Cos}[c \\
& + d*x])^2*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c] \\
& ^2]) - (12*a*A*b*\text{Cos}[c + d*x]^4*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c \\
& + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x \\
& + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcT \\
& an}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c \\
&]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/ \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan} \\
& [\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(5*d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C + 2*B* \\
& \text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (6*a^2*B*\text{Cos}[c + d*x]^4*\text{Csc}[c]*(a + b \\
& *\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPF} \\
& Q[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c] \\
&]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{T \\
& an}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \\
& \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*C \\
& os[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2) \\
&)/ \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(5*d*(b + a*C \\
& os[c + d*x])^2*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (2*b^2* \\
& B*\text{Cos}[c + d*x]^4*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[\\
& c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c \\
&]]]]^2)*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]
\end{aligned}$$

$$\begin{aligned} &]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] \\ &]*\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[1 + \text{Tan}[c]^2)) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan} \\ & [c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan} \\ & [c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[\\ & 1 + \text{Tan}[c]^2]])/(d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A* \\ & \text{Cos}[2*c + 2*d*x])) - (4*a*b*C*\text{Cos}[c + d*x]^4*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^2* \\ & (A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{ \\ & 3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[\\ & 1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos} \\ & [c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2)) - ((\text{S} \\ & \text{in}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \\ & \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos} \\ & [d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])/(d*(b + a*\text{Cos}[c + d*x])^2*(A + \\ & 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) \end{aligned}$$

Maple [B] time = 2.666, size = 706, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(7/2)}*(a+b*\sec(d*x+c))^{2*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)}, x)$

[Out]
$$\begin{aligned} & -2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*a^2*A*c \\ & \cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-360*A*a^2-336*A*a*b-168*B*a^2)*\sin \\ & (1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(280*A*a^2+336*A*a*b+140*A*b^2+168*B*a \\ & ^2+280*B*a*b+140*C*a^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-80*A*a^2- \\ & 84*A*a*b-70*A*b^2-42*B*a^2-140*B*a*b-70*C*a^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2 \\ & *d*x+1/2*c)-126*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(\\ & 1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b+25*a^2*A*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(\\ & 1/2)})+35*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2} \\ &)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-63*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\ & 2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-1 \\ & 05*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{Elliptic} \\ & \text{E}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2+70*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2* \\ & \sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-210*C*(\\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(\\ & 1/2*d*x+1/2*c), 2^{(1/2)})*a*b+35*a^2*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/ \\ & 2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+105*b^2*C*(\text{si} \\ & \text{n}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/ \\ & 2*d*x+1/2*c), 2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \end{aligned}$$

$$/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb^2 \cos(dx+c)^3 \sec(dx+c)^4 + (2Cab + Bb^2) \cos(dx+c)^3 \sec(dx+c)^3 + Aa^2 \cos(dx+c)^3 + (Ca^2 + 2Bab\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^2*cos(d*x + c)^3*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)^3*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^3 + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^3*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*cos(d*x + c)^(7/2), x)

3.1301 $\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=186

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a^2B + 2ab(A + 3C) + 3b^2B)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx) \middle| 2\right)(a^2(3A + 5C) + 10abB + 5b^2(A - C))}{5d} + \frac{2a^2(A - 5C)}{5d}$$

```
[Out] (2*(10*a*b*B + 5*b^2*(A - C) + a^2*(3*A + 5*C))*EllipticE[(c + d*x)/2, 2])/
(5*d) + (2*(a^2*B + 3*b^2*B + 2*a*b*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/
(3*d) + (2*a*(2*A*b + a*B - 6*b*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) +
(2*a^2*(A - 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*C*(b + a*cos[c
+ d*x])^2*sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 0.551769, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx) \middle| 2\right)(a^2B + 2ab(A + 3C) + 3b^2B)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx) \middle| 2\right)(a^2(3A + 5C) + 10abB + 5b^2(A - C))}{5d} + \frac{2a^2(A - 5C)}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] (2*(10*a*b*B + 5*b^2*(A - C) + a^2*(3*A + 5*C))*EllipticE[(c + d*x)/2, 2])/
(5*d) + (2*(a^2*B + 3*b^2*B + 2*a*b*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/
(3*d) + (2*a*(2*A*b + a*B - 6*b*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) +
(2*a^2*(A - 5*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*C*(b + a*cos[c
+ d*x])^2*sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)
*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e
+ f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```


Rule 3047

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2], x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3033

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)^2], x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))^2 (C + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2C(b + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{(b + a \cos(c + dx))^2 (C + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2a^2(A - 5C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2a^2(A - 5C) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} \\
 &= \frac{2a(2Ab + aB - 6bC)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\
 &= \frac{2a(2Ab + aB - 6bC)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\
 &= \frac{2(10abB + 5b^2(A - C) + a^2(3A + 5C))E}{5d}
 \end{aligned}$$

Mathematica [C] time = 7.46154, size = 3011, normalized size = 16.19

Result too large to show

Warning: Unable to verify antiderivative.

`[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C
*Sec[c + d*x]^2), x]`

`[Out] (((3*I)/5)*a^2*A*Cos[c + d*x]^4*Csc[c]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c
+ d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/
4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c
+ (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*C
os[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] -
3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E
^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2
I)(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c`

$$\begin{aligned}
& *b*B + 5*a^2*C - 10*b^2*C + 3*a^2*A*\cos[2*c] + 5*A*b^2*\cos[2*c] + 10*a*b*B* \\
& \cos[2*c] + 5*a^2*C*\cos[2*c])*\csc[c]*\sec[c])/(5*d) + (4*a*(2*A*b + a*B)*\cos[\\
& d*x]*\sin[c])/(3*d) + (2*a^2*A*\cos[2*d*x]*\sin[2*c])/(5*d) + (4*a*(2*A*b + a* \\
& B)*\cos[c]*\sin[d*x])/(3*d) + (4*b^2*C*\sec[c]*\sec[c + d*x]*\sin[d*x])/d + (2*a \\
& ^2*A*\cos[2*c]*\sin[2*d*x])/(5*d)))/((b + a*\cos[c + d*x])^2*(A + 2*C + 2*B*\cos \\
& [c + d*x] + A*\cos[2*c + 2*d*x])) - (8*a*A*b*\cos[c + d*x]^4*\csc[c]*\text{Hypergeo} \\
& \text{metricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\sec[c + d* \\
& x])^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqr} \\
& \text{t}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(b + a*\cos[c + \\
& d*x])^2*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^ \\
& 2]) - (4*a^2*B*\cos[c + d*x]^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\sec[c + d*x])^2*(A + B*\sec[c + d*x] + C* \\
& \sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]] \\
&]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \sin \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(b + a*\cos[c + d*x])^2*(A + 2*C + 2*B*\cos[c \\
& + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*b^2*B*\cos[c + d*x]^4* \\
& \csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a \\
& + b*\sec[c + d*x])^2*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcT} \\
& \text{an}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin \\
& [c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(\\
& b + a*\cos[c + d*x])^2*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqr} \\
& \text{t}[1 + \text{Cot}[c]^2]) - (8*a*b*C*\cos[c + d*x]^4*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1 \\
& /2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\sec[c + d*x])^2*(A + B*\sec[\\
& c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{A} \\
& \text{rcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) \\
&]*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\cos[c + d*x])^2*(A + 2*C + \\
& 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2])
\end{aligned}$$

Maple [B] time = 2.903, size = 932, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)`

[Out] `-2/15*(-24*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+4*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(6*A*a+10*A*b+5*B*a)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(3*A*a^2+10*A*a*b+5*B*a^2+15*C*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+10*A*a*b*(sin(1/`

$$2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-9*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-15*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2+5*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+15*B*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-30*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b+30*a*b*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-15*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2+15*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^2 cos(dx+c)^2 sec(dx+c)^4 + (2Cab + Bb^2) cos(dx+c)^2 sec(dx+c)^3 + Aa^2 cos(dx+c)^2 + (Ca^2 + 2Ba

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

```
[Out] integral((C*b^2*cos(d*x + c)^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)^2*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^2 + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^2*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^2*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c))**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c))^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*cos(d*x + c)^(5/2), x)
```

3.1302 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=180

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a^2(A+3C)+6abB+b^2(3A+C))}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2B+2ab(A-C)-b^2B)}{d} + \frac{2a^2(A-C)\sin(c+dx)}{3d\cos(c+dx)^{\frac{3}{2}}}$$

[Out] $(2*(a^2*B - b^2*B + 2*a*b*(A - C))*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(6*a*b*B + b^2*(3*A + C) + a^2*(A + 3*C))*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*b*(3*b*B + 4*a*C)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*a^2*(A - C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*C*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)})$

Rubi [A] time = 0.545494, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3031, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2(A+3C)+6abB+b^2(3A+C))}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2B+2ab(A-C)-b^2B)}{d} + \frac{2a^2(A-C)\sin(c+dx)}{3d\cos(c+dx)^{\frac{3}{2}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(3/2)}*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*(a^2*B - b^2*B + 2*a*b*(A - C))*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(6*a*b*B + b^2*(3*A + C) + a^2*(A + 3*C))*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*b*(3*b*B + 4*a*C)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*a^2*(A - C)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*C*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)})$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_)}*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_)])^{(m_)}*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_)] + (C_.)*\text{sec}[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b
*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
```


$\text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))^2 (C + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2C(b + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(b + a \cos(c + dx))^2}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2b(3bB + 4aC) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2C(b + a \cos(c + dx))^2}{3d \cos^{\frac{3}{2}}(c + dx)} \\ &= \frac{2b(3bB + 4aC) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2a^2(A - C)}{3d \sqrt{\cos(c + dx)}} \\ &= \frac{2b(3bB + 4aC) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2a^2(A - C)}{3d \sqrt{\cos(c + dx)}} \\ &= \frac{2(a^2B - b^2B + 2ab(A - C)) E\left(\frac{1}{2}(c + dx)\right)}{d} \end{aligned}$$

Mathematica [C] time = 7.54517, size = 2779, normalized size = 15.44

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] ((2*I)*a*A*b*Cos[c + d*x]^4*Csc[c]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2

$$\begin{aligned}
& *c] + I * E^{((2 * I) * d * x) * \sin[2 * c]} / ((3 * I) * d * (1 + E^{((2 * I) * d * x) * \cos[c]} - 3 * d * \\
& (-1 + E^{((2 * I) * d * x) * \sin[c]}) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2 * I) * d * x) * (\cos[c] + I * \sin[c])^2)}) * \text{sqrt}[(2 * (1 + E^{((2 * I) * d * x) * \cos[c]} + (2 * I) \\
& * (-1 + E^{((2 * I) * d * x) * \sin[c]}) / E^{(I * d * x)}] * \text{sqrt}[1 + E^{((2 * I) * d * x) * \cos[2 * c]} + \\
& I * E^{((2 * I) * d * x) * \sin[2 * c]}]) / ((-I) * d * (1 + E^{((2 * I) * d * x) * \cos[c]} + d * (-1 + E^{(\\
& (2 * I) * d * x) * \sin[c]}))) / ((b + a * \cos[c + d * x])^2 * (A + 2 * C + 2 * B * \cos[c + d * x] + \\
& A * \cos[2 * c + 2 * d * x])) + (I * a^2 * B * \cos[c + d * x]^4 * \text{Csc}[c] * (a + b * \text{Sec}[c + d * x]) \\
& ^2 * (A + B * \text{Sec}[c + d * x] + C * \text{Sec}[c + d * x]^2) * ((2 * E^{((2 * I) * d * x) * \text{Hypergeometric} \\
& 2F1[1/2, 3/4, 7/4, -(E^{((2 * I) * d * x) * (\cos[c] + I * \sin[c])^2)}) * \text{sqrt}[(2 * (1 + E^{(\\
& (2 * I) * d * x) * \cos[c]} + (2 * I) * (-1 + E^{((2 * I) * d * x) * \sin[c]}) / E^{(I * d * x)}] * \text{sqrt}[1 + \\
& E^{((2 * I) * d * x) * \cos[2 * c]} + I * E^{((2 * I) * d * x) * \sin[2 * c]}]) / ((3 * I) * d * (1 + E^{((2 * I) \\
& * d * x) * \cos[c]} - 3 * d * (-1 + E^{((2 * I) * d * x) * \sin[c]}) - (2 * \text{Hypergeometric2F1}[-1/ \\
& 4, 1/2, 3/4, -(E^{((2 * I) * d * x) * (\cos[c] + I * \sin[c])^2)}) * \text{sqrt}[(2 * (1 + E^{((2 * I) * \\
& d * x) * \cos[c]} + (2 * I) * (-1 + E^{((2 * I) * d * x) * \sin[c]}) / E^{(I * d * x)}] * \text{sqrt}[1 + E^{((2 \\
& * I) * d * x) * \cos[2 * c]} + I * E^{((2 * I) * d * x) * \sin[2 * c]}]) / ((-I) * d * (1 + E^{((2 * I) * d * x) * \\
& \cos[c]} + d * (-1 + E^{((2 * I) * d * x) * \sin[c]}))) / ((b + a * \cos[c + d * x])^2 * (A + 2 * C \\
& + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x])) - (I * b^2 * B * \cos[c + d * x]^4 * \text{Csc}[c] * \\
& (a + b * \text{Sec}[c + d * x])^2 * (A + B * \text{Sec}[c + d * x] + C * \text{Sec}[c + d * x]^2) * ((2 * E^{((2 * I) \\
& * d * x) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2 * I) * d * x) * (\cos[c] + I * \sin[c])^2)}) * \text{sqrt}[(2 * (1 + E^{((2 * I) * d * x) * \\
& \cos[c]} + (2 * I) * (-1 + E^{((2 * I) * d * x) * \sin[c]}) / E^{(I * d * x)}] * \text{sqrt}[1 + E^{((2 * I) * d * x) * \cos[2 * c]} + I * E^{((2 * I) * d * x) * \sin[2 * c]}]) / ((\\
& 3 * I) * d * (1 + E^{((2 * I) * d * x) * \cos[c]} - 3 * d * (-1 + E^{((2 * I) * d * x) * \sin[c]}) - (2 * \text{H} \\
& ypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2 * I) * d * x) * (\cos[c] + I * \sin[c])^2)}) * \text{sqrt} \\
& [(2 * (1 + E^{((2 * I) * d * x) * \cos[c]} + (2 * I) * (-1 + E^{((2 * I) * d * x) * \sin[c]}) / E^{(I * \\
& d * x) * \text{sqrt}[1 + E^{((2 * I) * d * x) * \cos[2 * c]} + I * E^{((2 * I) * d * x) * \sin[2 * c]}]) / ((-I) * d * \\
& (1 + E^{((2 * I) * d * x) * \cos[c]} + d * (-1 + E^{((2 * I) * d * x) * \sin[c]}))) / ((b + a * \cos[c \\
& + d * x])^2 * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x])) - ((2 * I) * a * b * \\
& C * \cos[c + d * x]^4 * \text{Csc}[c] * (a + b * \text{Sec}[c + d * x])^2 * (A + B * \text{Sec}[c + d * x] + C * \text{Sec}[\\
& c + d * x]^2) * ((2 * E^{((2 * I) * d * x) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2 * I) * d \\
& * x) * (\cos[c] + I * \sin[c])^2)}) * \text{sqrt}[(2 * (1 + E^{((2 * I) * d * x) * \cos[c]} + (2 * I) * (-1 \\
& + E^{((2 * I) * d * x) * \sin[c]}) / E^{(I * d * x)}] * \text{sqrt}[1 + E^{((2 * I) * d * x) * \cos[2 * c]} + I * E^{(\\
& (2 * I) * d * x) * \sin[2 * c]}]) / ((3 * I) * d * (1 + E^{((2 * I) * d * x) * \cos[c]} - 3 * d * (-1 + E^{((2 \\
& * I) * d * x) * \sin[c]}) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2 * I) * d * x) * (\cos \\
& [c] + I * \sin[c])^2)}) * \text{sqrt}[(2 * (1 + E^{((2 * I) * d * x) * \cos[c]} + (2 * I) * (-1 + E^{((\\
& 2 * I) * d * x) * \sin[c]}) / E^{(I * d * x)}] * \text{sqrt}[1 + E^{((2 * I) * d * x) * \cos[2 * c]} + I * E^{((2 * I) * \\
& d * x) * \sin[2 * c]}]) / ((-I) * d * (1 + E^{((2 * I) * d * x) * \cos[c]} + d * (-1 + E^{((2 * I) * d * x) \\
& * \sin[c]}))) / ((b + a * \cos[c + d * x])^2 * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c \\
& + 2 * d * x])) + (\cos[c + d * x]^{(9/2)} * (a + b * \text{Sec}[c + d * x])^2 * (A + B * \text{Sec}[c + d * x] \\
& + C * \text{Sec}[c + d * x]^2) * ((-2 * (2 * a * A * b + a^2 * B - 2 * b^2 * B - 4 * a * b * C + 2 * a * A * b * \text{Cos} \\
& [2 * c] + a^2 * B * \cos[2 * c]) * \text{Csc}[c] * \text{Sec}[c]) / d + (4 * a^2 * A * \cos[d * x] * \sin[c]) / (3 * d) \\
& + (4 * a^2 * A * \cos[c] * \sin[d * x]) / (3 * d) + (4 * b^2 * C * \text{Sec}[c] * \text{Sec}[c + d * x]^2 * \sin[d * x] \\
&]) / (3 * d) + (4 * \text{Sec}[c] * \text{Sec}[c + d * x] * (b^2 * C * \sin[c] + 3 * b^2 * B * \sin[d * x] + 6 * a * b * \\
& C * \sin[d * x])) / (3 * d)) / ((b + a * \cos[c + d * x])^2 * (A + 2 * C + 2 * B * \cos[c + d * x] + \\
& A * \cos[2 * c + 2 * d * x])) - (4 * a^2 * A * \cos[c + d * x]^4 * \text{Csc}[c] * \text{HypergeometricPFQ}[\{1/ \\
& 4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b * \text{Sec}[c + d * x])^2 * (A + B
\end{aligned}$$

$$\begin{aligned} & \text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x \\ & - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c] \\ &]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(3*d*(b + a*\text{Cos}[c + d*x])^2*(A + \\ & 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*A*b^ \\ & 2*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcT} \\ & \text{an}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^ \\ & 2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqr} \\ & \text{t}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTa} \\ & \text{n}[\text{Cot}[c]]]]/(d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[\\ & 2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (8*a*b*B*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{Hypergeo} \\ & \text{metricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d* \\ & x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqr} \\ & \text{t}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \\ & \text{ArcTan}[\text{Cot}[c]]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(d*(b + a*\text{Cos}[c + d \\ & *x])^2*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2] \\ &) - (4*a^2*C*\text{Cos}[c + d*x]^4*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin} \\ & [d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Se} \\ & \text{c}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] \\ & *\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])]*\text{Sqrt}[1 + \text{Sin}[\\ & d*x - \text{ArcTan}[\text{Cot}[c]]]]/(d*(b + a*\text{Cos}[c + d*x])^2*(A + 2*C + 2*B*\text{Cos}[c + d* \\ & x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*b^2*C*\text{Cos}[c + d*x]^4*\text{Csc}[\\ & c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b \\ & *\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{C} \\ & \text{ot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c] \\ & *\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(3*d*(b \\ & + a*\text{Cos}[c + d*x])^2*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[\\ & 1 + \text{Cot}[c]^2]) \end{aligned}$$

Maple [B] time = 6.998, size = 1301, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(3/2)}*(a+b*\text{sec}(d*x+c))^2*(A+B*\text{sec}(d*x+c)+C*\text{sec}(d*x+c)^2), x)$

[Out] $-2/3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(4*\sin(1/2*d*x+1/2*c)^4-4*\sin(1/2*d*x+1/2*c)^2+1)/\sin(1/2*d*x+1/2*c)^3*(-6*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b+6*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+8*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-2*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+a^2$

$$\begin{aligned}
& 2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF \\
& (\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/ \\
& 2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2* \\
& d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+ \\
& 1/2*c),2^{(1/2)})*a^2-8*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+12*B*b^ \\
& 2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-6*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/ \\
& 2*d*x+1/2*c)^2-2*C*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+6*C*(\sin(1/2 \\
& *d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x \\
& +1/2*c),2^{(1/2)})*a*b-6*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x \\
& +1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*b^2*\sin(1/2*d*x+1/2*c)^2+ \\
& 6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*s \\
& in(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*\sin(1/2*d*x+1/2*c)^2-6*B*(\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1 \\
&)^{(1/2)}*b^2*\sin(1/2*d*x+1/2*c)^2-6*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF \\
& (\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*\sin(1/2*d \\
& *x+1/2*c)^2-2*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2 \\
& ^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*b^2*\sin(1/2*d*x+1/2*c)^2-2*A*(\sin(\\
& 1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d* \\
& x+1/2*c)^2-1)^{(1/2)}*a^2*\sin(1/2*d*x+1/2*c)^2+3*a^2*C*(\sin(1/2*d*x+1/2*c)^2) \\
& ^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2) \\
&))+b^2*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Elli \\
& pticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-12*C*a*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1 \\
& /2*c)^2+24*C*a*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+3*B*(\sin(1/2*d*x+1 \\
& /2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c \\
&),2^{(1/2)})*b^2+12*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2* \\
& c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b*\sin(1/2*d*x+1/2*c)^2-12*B* \\
& (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1 \\
& /2*d*x+1/2*c)^2-1)^{(1/2)}*a*b*\sin(1/2*d*x+1/2*c)^2-12*C*(\sin(1/2*d*x+1/2*c)^ \\
& 2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(\\
& 1/2)}*a*b*\sin(1/2*d*x+1/2*c)^2)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^ \\
& 2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^(2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((C*b^2*cos(dx+c)*sec(dx+c)^4 + (2*Cab + B*b^2)*cos(dx+c)*sec(dx+c)^3 + A*a^2*cos(dx+c) + (Ca^2 + 2*Bab -

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*cos(d*x + c)*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)*sec(d*x + c)^3 + A*a^2*cos(d*x + c) + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^2 \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)

3.1303 $\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec(c+dx))^2 dx$

Optimal. Leaf size=201

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(3a^2B+2ab(3A+C)+b^2B)}{3d} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(-5a^2(A-C)+10abB+b^2(5A+3C))}{5d} + \frac{2\sin(c+dx)}{d}$$

[Out] $(-2*(10*a*b*B - 5*a^2*(A - C) + b^2*(5*A + 3*C))*\text{EllipticE}[(c + d*x)/2, 2]) / (5*d) + (2*(3*a^2*B + b^2*B + 2*a*b*(3*A + C))*\text{EllipticF}[(c + d*x)/2, 2]) / (3*d) + (2*b*(5*b*B + 4*a*C)*\text{Sin}[c + d*x]) / (15*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(5*A*b^2 + 10*a*b*B + 4*a^2*C + 3*b^2*C)*\text{Sin}[c + d*x]) / (5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x]) / (5*d*\text{Cos}[c + d*x]^{(5/2)})$

Rubi [A] time = 0.571035, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3031, 3021, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(3a^2B+2ab(3A+C)+b^2B)}{3d} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(-5a^2(A-C)+10abB+b^2(5A+3C))}{5d} + \frac{2\sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*(10*a*b*B - 5*a^2*(A - C) + b^2*(5*A + 3*C))*\text{EllipticE}[(c + d*x)/2, 2]) / (5*d) + (2*(3*a^2*B + b^2*B + 2*a*b*(3*A + C))*\text{EllipticF}[(c + d*x)/2, 2]) / (3*d) + (2*b*(5*b*B + 4*a*C)*\text{Sin}[c + d*x]) / (15*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(5*A*b^2 + 10*a*b*B + 4*a^2*C + 3*b^2*C)*\text{Sin}[c + d*x]) / (5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x]) / (5*d*\text{Cos}[c + d*x]^{(5/2)})$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_.)] + (C_.)*\sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3047

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3031

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= \int \frac{(b+a \cos(c+dx))^2 (C+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx \\
 &= \frac{2C(b+a \cos(c+dx))^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{2}{5} \int \frac{(b+a \cos(c+dx))^2 (C+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \\
 &= \frac{2b(5bB+4aC) \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{2C(b+a \cos(c+dx))^2}{5d \cos^{\frac{3}{2}}(c+dx)} \\
 &= \frac{2b(5bB+4aC) \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{2(5Ab^2+10abB-5a^2(A-C)+b^2(5A+3C))}{5d}
 \end{aligned}$$

Mathematica [C] time = 7.64808, size = 3017, normalized size = 15.01

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (I*a^2*A*Cos[c + d*x]^4*Csc[c]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*

$$\begin{aligned}
& I) * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c] / E^{(I*d*x)} * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] \\
& + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]] / ((3*I)*d * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] - 3*d * (-1 \\
& + E^{((2*I)*d*x)}) * \text{Sin}[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)* \\
& d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2]) * \text{Sqrt}[(2 * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2*I) * (-1 \\
& + E^{((2*I)*d*x)}) * \text{Sin}[c]) / E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] + I * E^{ \\
& ((2*I)*d*x)} * \text{Sin}[2*c]]) / ((-I)*d * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + d * (-1 + E^{((2*I) \\
&) * d*x)}) * \text{Sin}[c])) / ((b + a * \text{Cos}[c + d*x])^2 * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * C \\
& \text{os}[2*c + 2*d*x])) - (I * A * b^2 * \text{Cos}[c + d*x]^4 * \text{Csc}[c] * (a + b * \text{Sec}[c + d*x])^2 * (\\
& A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * ((2 * E^{((2*I)*d*x)} * \text{Hypergeometric2F1}[\\
& 1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2]) * \text{Sqrt}[(2 * (1 + E^{((2*I) \\
&) * d*x)}) * \text{Cos}[c] + (2*I) * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) / E^{(I*d*x)}] * \text{Sqrt}[1 + E^{(\\
& (2*I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]]) / ((3*I)*d * (1 + E^{((2*I)*d*x) \\
&) * \text{Cos}[c] - 3*d * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1 \\
& /2, 3/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2]) * \text{Sqrt}[(2 * (1 + E^{((2*I)*d*x) \\
&) * \text{Cos}[c] + (2*I) * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) / E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)* \\
& d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]]) / ((-I)*d * (1 + E^{((2*I)*d*x)}) * \text{Cos}[\\
& c] + d * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c])) / ((b + a * \text{Cos}[c + d*x])^2 * (A + 2*C + 2* \\
& B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x])) - ((2*I) * a * b * B * \text{Cos}[c + d*x]^4 * \text{Csc}[c] * \\
& (a + b * \text{Sec}[c + d*x])^2 * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * ((2 * E^{((2*I) \\
&) * d*x)} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^ \\
& 2]) * \text{Sqrt}[(2 * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2*I) * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) \\
& / E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]]) / ((\\
& 3*I)*d * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] - 3*d * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) - (2 * H \\
& ypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2]) * \text{Sq \\
& rt}[(2 * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2*I) * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) / E^{(I * \\
& d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]]) / ((-I)*d * \\
& (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + d * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c])) / ((b + a * \text{Cos}[c \\
& + d*x])^2 * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2*d*x])) - (I * a^2 * C * Co \\
& s[c + d*x]^4 * \text{Csc}[c] * (a + b * \text{Sec}[c + d*x])^2 * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + \\
& d*x]^2) * ((2 * E^{((2*I)*d*x)} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} * \\
& (\text{Cos}[c] + I * \text{Sin}[c])^2]) * \text{Sqrt}[(2 * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2*I) * (-1 + E^{ \\
& ((2*I)*d*x)}) * \text{Sin}[c]) / E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I) \\
&) * d*x)} * \text{Sin}[2*c]]) / ((3*I)*d * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] - 3*d * (-1 + E^{((2*I)* \\
& d*x)}) * \text{Sin}[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c \\
&] + I * \text{Sin}[c])^2]) * \text{Sqrt}[(2 * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2*I) * (-1 + E^{((2*I) \\
&) * d*x)}) * \text{Sin}[c]) / E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x) \\
& } * \text{Sin}[2*c]]) / ((-I)*d * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + d * (-1 + E^{((2*I)*d*x)}) * \text{Sin} \\
& [c])) / ((b + a * \text{Cos}[c + d*x])^2 * (A + 2*C + 2*B * \text{Cos}[c + d*x] + A * \text{Cos}[2*c + 2* \\
& d*x])) - (((3*I)/5) * b^2 * C * \text{Cos}[c + d*x]^4 * \text{Csc}[c] * (a + b * \text{Sec}[c + d*x])^2 * (A + \\
& B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * ((2 * E^{((2*I)*d*x)} * \text{Hypergeometric2F1}[1/2 \\
& , 3/4, 7/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2]) * \text{Sqrt}[(2 * (1 + E^{((2*I)*d \\
&) * x)}) * \text{Cos}[c] + (2*I) * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) / E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2* \\
& I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]]) / ((3*I)*d * (1 + E^{((2*I)*d*x)}) * \\
& \text{Cos}[c] - 3*d * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, \\
& 3/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2]) * \text{Sqrt}[(2 * (1 + E^{((2*I)*d*x)}) * C
\end{aligned}$$

$$\begin{aligned} & \cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}*Sin[c])/E^{(I*d*x)}*Sqrt[1 + E^{((2*I)*d*x)} \\ &)*Cos[2*c] + I*E^{((2*I)*d*x)*Sin[2*c]})/((-I)*d*(1 + E^{((2*I)*d*x)}*Cos[c] \\ & + d*(-1 + E^{((2*I)*d*x)}*Sin[c]))/(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*C \\ & os[c + d*x] + A*Cos[2*c + 2*d*x])) + (Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x] \\ &)^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(5*a^2*A - 10*A*b^2 - 20* \\ & a*b*B - 10*a^2*C - 6*b^2*C + 5*a^2*A*Cos[2*c])*Csc[c]*Sec[c])/(5*d) + (4*b^ \\ & 2*C*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(5*d) + (4*Sec[c]*Sec[c + d*x]^2*(3*b^2 \\ & *C*Sin[c] + 5*b^2*B*Sin[d*x] + 10*a*b*C*Sin[d*x]))/(15*d) + (4*Sec[c]*Sec[c \\ & + d*x]*(5*b^2*B*Sin[c] + 10*a*b*C*Sin[c] + 15*A*b^2*Sin[d*x] + 30*a*b*B*Si \\ & n[d*x] + 15*a^2*C*Sin[d*x] + 9*b^2*C*Sin[d*x]))/(15*d)))/(b + a*Cos[c + d* \\ & x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (8*a*A*b*Cos[c + \\ & d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c] \\ &]]^2]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d* \\ & x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot \\ & [c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c] \\ &]])]/(d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d \\ & *x])*Sqrt[1 + Cot[c]^2]) - (4*a^2*B*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ \\ & [{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*(a + b*Sec[c + d*x])^2*(A \\ & + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin \\ & [d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[C \\ & ot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(b + a*Cos[c + d*x])^2*(A \\ & + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*b^ \\ & 2*B*Cos[c + d*x]^4*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - Ar \\ & cTan[Cot[c]]]^2]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x] \\ & ^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(S \\ & qrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - Arc \\ & Tan[Cot[c]]])]/(3*d*(b + a*Cos[c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A* \\ & Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (8*a*b*C*Cos[c + d*x]^4*Csc[c]*Hype \\ & rgeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*(a + b*Sec[c \\ & + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]] \\ & *Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d \\ & *x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(b + a*Cos \\ & [c + d*x])^2*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot \\ & [c]^2]) \end{aligned}$$

Maple [B] time = 8.06, size = 1000, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x)

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+4*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B*a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2/5*b^2*C/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*(A*b^2+2*B*a*b+C*a^2)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb² sec(dx + c)⁴ + (2Cab + Bb²) sec(dx + c)³ + Aa² + (Ca² + 2Bab + Ab²) sec(dx + c)² + (Ba² + 2Aab) s

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 + (C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)

$$3.1304 \quad \int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=249

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) (7a^2(3A+C) + 14abB + b^2(7A+5C))}{21d} - \frac{2E\left(\frac{1}{2}(c+dx) \middle| 2\right) (5a^2B + 10aAb + 6abC + 3b^2B)}{5d}$$

[Out] $(-2*(10*a*A*b + 5*a^2*B + 3*b^2*B + 6*a*b*C)*\text{EllipticE}[(c+dx)/2, 2])/(5*d) + (2*(14*a*b*B + 7*a^2*(3*A+C) + b^2*(7*A+5*C))*\text{EllipticF}[(c+dx)/2, 2])/(21*d) + (2*b*(7*b*B + 4*a*C)*\text{Sin}[c+dx])/(35*d*\text{Cos}[c+dx]^{5/2}) + (2*(7*A*b^2 + 14*a*b*B + 4*a^2*C + 5*b^2*C)*\text{Sin}[c+dx])/(21*d*\text{Cos}[c+dx]^{3/2}) + (2*(10*a*A*b + 5*a^2*B + 3*b^2*B + 6*a*b*C)*\text{Sin}[c+dx])/(5*d*\text{Sqrt}[\text{Cos}[c+dx]]) + (2*C*(b+a*\text{Cos}[c+dx])^2*\text{Sin}[c+dx])/(7*d*\text{Cos}[c+dx]^{7/2})$

Rubi [A] time = 0.60521, antiderivative size = 249, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3047, 3031, 3021, 2748, 2636, 2639, 2641}

$$\frac{2F\left(\frac{1}{2}(c+dx) \middle| 2\right) (7a^2(3A+C) + 14abB + b^2(7A+5C))}{21d} - \frac{2E\left(\frac{1}{2}(c+dx) \middle| 2\right) (5a^2B + 10aAb + 6abC + 3b^2B)}{5d} + \frac{2 \sin(c+dx)}{7d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a+b*\text{Sec}[c+dx])^2*(A+B*\text{Sec}[c+dx]+C*\text{Sec}[c+dx]^2)/\text{Sqrt}[\text{Cos}[c+dx]],x]$

[Out] $(-2*(10*a*A*b + 5*a^2*B + 3*b^2*B + 6*a*b*C)*\text{EllipticE}[(c+dx)/2, 2])/(5*d) + (2*(14*a*b*B + 7*a^2*(3*A+C) + b^2*(7*A+5*C))*\text{EllipticF}[(c+dx)/2, 2])/(21*d) + (2*b*(7*b*B + 4*a*C)*\text{Sin}[c+dx])/(35*d*\text{Cos}[c+dx]^{5/2}) + (2*(7*A*b^2 + 14*a*b*B + 4*a^2*C + 5*b^2*C)*\text{Sin}[c+dx])/(21*d*\text{Cos}[c+dx]^{3/2}) + (2*(10*a*A*b + 5*a^2*B + 3*b^2*B + 6*a*b*C)*\text{Sin}[c+dx])/(5*d*\text{Sqrt}[\text{Cos}[c+dx]]) + (2*C*(b+a*\text{Cos}[c+dx])^2*\text{Sin}[c+dx])/(7*d*\text{Cos}[c+dx]^{7/2})$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_)}*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_)])^{(m_)}*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_)] + (C_.)*\text{sec}[(e_.) + (f_.)$

```
*(x_)^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
```

$b*\sin[e + f*x]^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\sin[c + d*x]^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\sin[c + d*x]^{(n + 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(b + a \cos(c + dx))^2 (C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^9(c + dx)} dx \\ &= \frac{2C(b + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{2}{7} \int \frac{(b + a \cos(c + dx))^2}{\cos^8(c + dx)} dx \\ &= \frac{2b(7bB + 4aC) \sin(c + dx)}{35d \cos^5(c + dx)} + \frac{2C(b + a \cos(c + dx))^2}{7d \cos^7(c + dx)} \\ &= \frac{2b(7bB + 4aC) \sin(c + dx)}{35d \cos^5(c + dx)} + \frac{2(7Ab^2 + 14abB + 4a^2C)}{21d \cos^3(c + dx)} \\ &= \frac{2b(7bB + 4aC) \sin(c + dx)}{35d \cos^5(c + dx)} + \frac{2(7Ab^2 + 14abB + 4a^2C)}{21d \cos^3(c + dx)} \\ &= \frac{2(14abB + 7a^2(3A + C) + b^2(7A + 5C)) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \\ &= -\frac{2(10aAb + 5a^2B + 3b^2B + 6abC) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} \end{aligned}$$

Mathematica [A] time = 4.59474, size = 218, normalized size = 0.88

$$2 \left(5 \operatorname{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) (7a^2(3A + C) + 14abB + b^2(7A + 5C)) - 21E \left(\frac{1}{2}(c + dx) \middle| 2 \right) (5a^2B + 2ab(5A + 3C) + 3b^2B) \right)$$

105d

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]

[Out] (2*(-21*(5*a^2*B + 3*b^2*B + 2*a*b*(5*A + 3*C))*EllipticE[(c + d*x)/2, 2] + 5*(14*a*b*B + 7*a^2*(3*A + C) + b^2*(7*A + 5*C))*EllipticF[(c + d*x)/2, 2] + (15*b^2*C*Sin[c + d*x])/Cos[c + d*x]^(7/2) + (21*b*(b*B + 2*a*C)*Sin[c + d*x])/Cos[c + d*x]^(5/2) + (5*(7*A*b^2 + 14*a*b*B + 7*a^2*C + 5*b^2*C)*Sin[c + d*x])/Cos[c + d*x]^(3/2) + (21*(5*a^2*B + 3*b^2*B + 2*a*b*(5*A + 3*C))*Sin[c + d*x])/Sqrt[Cos[c + d*x]]))/(105*d)

Maple [B] time = 10.196, size = 947, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2), x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-2/5*b*(B*b+2*C*a)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(A*b^2+2*B*a*b+C*a^2)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Elliptic


```
icF(cos(1/2*d*x+1/2*c),2^(1/2))+2*b^2*C*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5
/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2
*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*a*(2*A*b+B*a)*(-sin(1/2*d*x+1/2*
c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1
/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*
d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2
*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/
(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/
2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Cb^2 \sec(dx+c)^4 + (2Cab + Bb^2) \sec(dx+c)^3 + Aa^2 + (Ca^2 + 2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/
2),x, algorithm="fricas")
```

```
[Out] integral((C*b^2*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*sec(d*x + c)^3 + A*a^2 +
(C*a^2 + 2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))
/sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)

3.1305 $\int \cos^{\frac{11}{2}}(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=361

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(5a^3(9A+11C)+165a^2bB+33ab^2(5A+7C)+77b^3B\right)}{231d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(3a^2b(7A+9C)+7a^3B\right)}{15d}$$

[Out] (2*(7*a^3*B + 27*a*b^2*B + 3*b^3*(3*A + 5*C) + 3*a^2*b*(7*A + 9*C))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(165*a^2*b*B + 77*b^3*B + 33*a*b^2*(5*A + 7*C) + 5*a^3*(9*A + 11*C))*EllipticF[(c + d*x)/2, 2])/(231*d) + (2*(165*a^2*b*B + 77*b^3*B + 33*a*b^2*(5*A + 7*C) + 5*a^3*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (2*(24*A*b^3 + 77*a^3*B + 242*a*b^2*B + 33*a^2*b*(7*A + 9*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(495*d) + (2*a*(24*A*b^2 + 143*a*b*B + 9*a^2*(9*A + 11*C))*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d) + (2*(6*A*b + 11*a*B)*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(99*d) + (2*A*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])^3*Sin[c + d*x])/(11*d)

Rubi [A] time = 0.955049, antiderivative size = 361, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3049, 3033, 3023, 2748, 2639, 2635, 2641}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(5a^3(9A+11C)+165a^2bB+33ab^2(5A+7C)+77b^3B\right)}{231d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(3a^2b(7A+9C)+7a^3B\right)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(7*a^3*B + 27*a*b^2*B + 3*b^3*(3*A + 5*C) + 3*a^2*b*(7*A + 9*C))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(165*a^2*b*B + 77*b^3*B + 33*a*b^2*(5*A + 7*C) + 5*a^3*(9*A + 11*C))*EllipticF[(c + d*x)/2, 2])/(231*d) + (2*(165*a^2*b*B + 77*b^3*B + 33*a*b^2*(5*A + 7*C) + 5*a^3*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (2*(24*A*b^3 + 77*a^3*B + 242*a*b^2*B + 33*a^2*b*(7*A + 9*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(495*d) + (2*a*(24*A*b^2 + 143*a*b*B + 9*a^2*(9*A + 11*C))*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d) + (2*(6*A*b + 11*a*B)*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(99*d) + (2*A*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])^3*Sin[c + d*x])/(11*d)

Rule 4112

```
Int[((cos[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]))^ (m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]))^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]))^ (n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]))^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]))^ (n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*d*cos[e + f*x]*sin[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]))^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)]))^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
```

$b \sin[e + f x]^{m+1}, x, x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)x]], x_Symbol] \rightarrow \text{Simp}[(2 \text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2635

$\text{Int}[(b_.) \sin[(c_.) + (d_.)x]^n, x_Symbol] \rightarrow -\text{Simp}[(b \cos[c + d*x] * (b \sin[c + d*x])^{n-1}) / (d*n), x] + \text{Dist}[(b^2)^{n-1} / n, \text{Int}[(b \sin[c + d*x])^{n-2}, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)x]], x_Symbol] \rightarrow \text{Simp}[(2 \text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{11}{2}}(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \sqrt{\cos(c + dx)}(b + a \cos(c + dx))^3 (C \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^3 \sin(c + dx)}{11d} \\
 &= \frac{2(6Ab + 11aB) \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^3 \sin(c + dx)}{99d} \\
 &= \frac{2a(24Ab^2 + 143abB + 9a^2(9A + 11C)) \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^3 \sin(c + dx)}{693d} \\
 &= \frac{2(24Ab^3 + 77a^3B + 242ab^2B + 33a^2b(3A + 5C) + 3a^2b^2C) \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^3 \sin(c + dx)}{495d} \\
 &= \frac{2(24Ab^3 + 77a^3B + 242ab^2B + 33a^2b(3A + 5C) + 3a^2b^2C) \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^3 \sin(c + dx)}{495d} \\
 &= \frac{2(7a^3B + 27ab^2B + 3b^3(3A + 5C) + 3a^2b^2C) \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^3 \sin(c + dx)}{15d} \\
 &= \frac{2(7a^3B + 27ab^2B + 3b^3(3A + 5C) + 3a^2b^2C) \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^3 \sin(c + dx)}{15d}
 \end{aligned}$$

Mathematica [A] time = 2.02615, size = 286, normalized size = 0.79

$$10\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(5a^3(9A+11C)+165a^2bB+33ab^2(5A+7C)+77b^3B\right)+154E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(3a^2b(7A+9C)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (154*(7*a^3*B + 27*a*b^2*B + 3*b^3*(3*A + 5*C) + 3*a^2*b*(7*A + 9*C))*EllipticE[(c + d*x)/2, 2] + 10*(165*a^2*b*B + 77*b^3*B + 33*a*b^2*(5*A + 7*C) + 5*a^3*(9*A + 11*C))*EllipticF[(c + d*x)/2, 2] + (Sqrt[Cos[c + d*x]]*(154*(36*A*b^3 + 43*a^3*B + 108*a*b^2*B + 3*a^2*b*(43*A + 36*C))*Cos[c + d*x] + 5*(36*a*(33*A*b^2 + 33*a*b*B + a^2*(16*A + 11*C))*Cos[2*(c + d*x)] + 154*a^2*(3*A*b + a*B)*Cos[3*(c + d*x)] + 3*(1716*a^2*b*B + 616*b^3*B + 132*a*b^2*(13*A + 14*C) + a^3*(531*A + 572*C) + 21*a^3*A*Cos[4*(c + d*x)])))*Sin[c + d*x])/12)/(1155*d)

Maple [B] time = 2.615, size = 1082, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] -2/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(20160*A*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-50400*A*a^3-36960*A*a^2*b-12320*B*a^3)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(56880*A*a^3+73920*A*a^2*b+23760*A*a*b^2+24640*B*a^3+23760*B*a^2*b+7920*C*a^3)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-34920*A*a^3-68376*A*a^2*b-35640*A*a*b^2-5544*A*b^3-22792*B*a^3-35640*B*a^2*b-16632*B*a*b^2-11880*C*a^3-16632*C*a^2*b)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(13860*A*a^3+31416*A*a^2*b+27720*A*a*b^2+5544*A*b^3+10472*B*a^3+27720*B*a^2*b+16632*B*a*b^2+4620*B*b^3+9240*C*a^3+16632*C*a^2*b+13860*C*a*b^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-2790*A*a^3-5544*A*a^2*b-7920*A*a*b^2-1386*A*b^3-1848*B*a^3-7920*B*a^2*b-4158*B*a*b^2-2310*B*b^3-2640*C*a^3-4158*C*a^2*b-6930*C*a*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+675*A*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+2475*A*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c

$$\begin{aligned} &), 2^{(1/2)}) - 4851 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} \\ & * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^2 * b - 2079 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} \\ & * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b^3 + 2475 * B * a^2 * b \\ & * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & + 1155 * B * b^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), \\ & 2^{(1/2)}) - 1617 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & * a^3 - 6237 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & * a * b^2 + 825 * a^3 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & + 3465 * C * a * b^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & - 6237 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & * a^2 * b - 3465 * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & * b^3 / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^3 cos(dx + c)^5 sec(dx + c)^5 + (3Cab^2 + Bb^3) cos(dx + c)^5 sec(dx + c)^4 + Aa^3 cos(dx + c)^5 + (3Ca^2b +

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^3*cos(d*x + c)^5*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*cos(d*x + c)^5*sec(d*x + c)^4 + A*a^3*cos(d*x + c)^5 + (3*C*a^2*b + 3*B*a*b^2 + A*

```
b^3)*cos(d*x + c)^5*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*cos(d*
x + c)^5*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c)^5*sec(d*x + c))*
sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(11/2)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+
c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)
^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*co
s(d*x + c)^(11/2), x)
```


3.1306 $\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=296

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(3a^2b(5A+7C)+5a^3B+21ab^2B+7b^3(A+3C)\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(a^3(7A+9C)+27a^2bB+9ab^2C\right)}{15d}$$

```
[Out] (2*(27*a^2*b*B + 15*b^3*B + 9*a*b^2*(3*A + 5*C) + a^3*(7*A + 9*C))*Elliptic
E[(c + d*x)/2, 2])/(15*d) + (2*(5*a^3*B + 21*a*b^2*B + 7*b^3*(A + 3*C) + 3*
a^2*b*(5*A + 7*C))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(8*A*b^3 + 15*a^3
*B + 54*a*b^2*B + 9*a^2*b*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(63
*d) + (2*a*(24*A*b^2 + 99*a*b*B + 7*a^2*(7*A + 9*C))*Cos[c + d*x]^(3/2)*Sin
[c + d*x])/(315*d) + (2*(2*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d
*x])^2*Sin[c + d*x])/(21*d) + (2*A*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^
3*Sin[c + d*x])/(9*d)
```

Rubi [A] time = 0.910354, antiderivative size = 296, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3049, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(3a^2b(5A+7C)+5a^3B+21ab^2B+7b^3(A+3C)\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(a^3(7A+9C)+27a^2bB+9ab^2C\right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c
+ d*x]^2), x]
```

```
[Out] (2*(27*a^2*b*B + 15*b^3*B + 9*a*b^2*(3*A + 5*C) + a^3*(7*A + 9*C))*Elliptic
E[(c + d*x)/2, 2])/(15*d) + (2*(5*a^3*B + 21*a*b^2*B + 7*b^3*(A + 3*C) + 3*
a^2*b*(5*A + 7*C))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(8*A*b^3 + 15*a^3
*B + 54*a*b^2*B + 9*a^2*b*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(63
*d) + (2*a*(24*A*b^2 + 99*a*b*B + 7*a^2*(7*A + 9*C))*Cos[c + d*x]^(3/2)*Sin
[c + d*x])/(315*d) + (2*(2*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d
*x])^2*Sin[c + d*x])/(21*d) + (2*A*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^
3*Sin[c + d*x])/(9*d)
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x
_)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)

```

```
*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_
.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{9}{2}}(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))^3 (C + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
 &= \frac{2A \sqrt{\cos(c + dx)}(b + a \cos(c + dx))^3 \sin(c + dx)}{9d} \\
 &= \frac{2(2Ab + 3aB) \sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2 \cos(c + dx)}{21d} \\
 &= \frac{2a(24Ab^2 + 99abB + 7a^2(7A + 9C)) \cos^2(c + dx)}{315d} \\
 &= \frac{2(8Ab^3 + 15a^3B + 54ab^2B + 9a^2b(5A + 3C)) \cos^3(c + dx)}{63d} \\
 &= \frac{2(8Ab^3 + 15a^3B + 54ab^2B + 9a^2b(5A + 3C)) \cos^3(c + dx)}{63d} \\
 &= \frac{2(27a^2bB + 15b^3B + 9ab^2(3A + 5C) + 45a^3C) \cos^3(c + dx)}{15d}
 \end{aligned}$$

Mathematica [C] time = 7.27416, size = 3237, normalized size = 10.94

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*((-4*(7*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 15*b^3*B + 9*a^3*C + 45*
```

$$\begin{aligned}
& a^2 b^2 C \cot[c] / (15d) + ((69a^2 A b + 28A^2 b^3 + 23a^3 B + 84a^2 b^2 B + 84a^2 b^2 C) \cos[d x] \sin[c]) / (21d) + (a(19a^2 A + 54A^2 b^2 + 54a^2 b^2 B + 18a^2 C) \cos[2d x] \sin[2c]) / (45d) + (a^2(3A^2 b + a^2 B) \cos[3d x] \sin[3c]) / (7d) + (a^3 A \cos[4d x] \sin[4c]) / (18d) + ((69a^2 A b + 28A^2 b^3 + 23a^3 B + 84a^2 b^2 B + 84a^2 b^2 C) \cos[c] \sin[d x]) / (21d) + (a(19a^2 A + 54A^2 b^2 + 54a^2 b^2 B + 18a^2 C) \cos[2c] \sin[2d x]) / (45d) + (a^2(3A^2 b + a^2 B) \cos[3c] \sin[3d x]) / (7d) + (a^3 A \cos[4c] \sin[4d x]) / (18d)) / ((b + a \cos[c + d x])^3 (A + 2C + 2B \cos[c + d x] + A \cos[2c + 2d x])) \\
& - (20a^2 A b \cos[c + d x]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \operatorname{ArcTan}[\cot[c]]]^2] (a + b \operatorname{Sec}[c + d x])^3 (A + B \operatorname{Sec}[c + d x] + C \operatorname{Sec}[c + d x]^2) \operatorname{Sec}[d x - \operatorname{ArcTan}[\cot[c]]] \operatorname{Sqrt}[1 - \sin[d x - \operatorname{ArcTan}[\cot[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \cot[c]^2] \sin[c] \sin[d x - \operatorname{ArcTan}[\cot[c]]])] \operatorname{Sqrt}[1 + \sin[d x - \operatorname{ArcTan}[\cot[c]]]]) / (7d (b + a \cos[c + d x])^3 (A + 2C + 2B \cos[c + d x] + A \cos[2c + 2d x]) \operatorname{Sqrt}[1 + \cot[c]^2]) - (4A^2 b^3 \cos[c + d x]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \operatorname{ArcTan}[\cot[c]]]^2] (a + b \operatorname{Sec}[c + d x])^3 (A + B \operatorname{Sec}[c + d x] + C \operatorname{Sec}[c + d x]^2) \operatorname{Sec}[d x - \operatorname{ArcTan}[\cot[c]]] \operatorname{Sqrt}[1 - \sin[d x - \operatorname{ArcTan}[\cot[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \cot[c]^2] \sin[c] \sin[d x - \operatorname{ArcTan}[\cot[c]]])] \operatorname{Sqrt}[1 + \sin[d x - \operatorname{ArcTan}[\cot[c]]]]) / (3d (b + a \cos[c + d x])^3 (A + 2C + 2B \cos[c + d x] + A \cos[2c + 2d x]) \operatorname{Sqrt}[1 + \cot[c]^2]) - (20a^3 B \cos[c + d x]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \operatorname{ArcTan}[\cot[c]]]^2] (a + b \operatorname{Sec}[c + d x])^3 (A + B \operatorname{Sec}[c + d x] + C \operatorname{Sec}[c + d x]^2) \operatorname{Sec}[d x - \operatorname{ArcTan}[\cot[c]]] \operatorname{Sqrt}[1 - \sin[d x - \operatorname{ArcTan}[\cot[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \cot[c]^2] \sin[c] \sin[d x - \operatorname{ArcTan}[\cot[c]]])] \operatorname{Sqrt}[1 + \sin[d x - \operatorname{ArcTan}[\cot[c]]]]) / (21d (b + a \cos[c + d x])^3 (A + 2C + 2B \cos[c + d x] + A \cos[2c + 2d x]) \operatorname{Sqrt}[1 + \cot[c]^2]) - (4a^2 b^2 \cos[c + d x]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \operatorname{ArcTan}[\cot[c]]]^2] (a + b \operatorname{Sec}[c + d x])^3 (A + B \operatorname{Sec}[c + d x] + C \operatorname{Sec}[c + d x]^2) \operatorname{Sec}[d x - \operatorname{ArcTan}[\cot[c]]] \operatorname{Sqrt}[1 - \sin[d x - \operatorname{ArcTan}[\cot[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \cot[c]^2] \sin[c] \sin[d x - \operatorname{ArcTan}[\cot[c]]])] \operatorname{Sqrt}[1 + \sin[d x - \operatorname{ArcTan}[\cot[c]]]]) / (d (b + a \cos[c + d x])^3 (A + 2C + 2B \cos[c + d x] + A \cos[2c + 2d x]) \operatorname{Sqrt}[1 + \cot[c]^2]) - (4a^2 b^2 C \cos[c + d x]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \operatorname{ArcTan}[\cot[c]]]^2] (a + b \operatorname{Sec}[c + d x])^3 (A + B \operatorname{Sec}[c + d x] + C \operatorname{Sec}[c + d x]^2) \operatorname{Sec}[d x - \operatorname{ArcTan}[\cot[c]]] \operatorname{Sqrt}[1 - \sin[d x - \operatorname{ArcTan}[\cot[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \cot[c]^2] \sin[c] \sin[d x - \operatorname{ArcTan}[\cot[c]]])] \operatorname{Sqrt}[1 + \sin[d x - \operatorname{ArcTan}[\cot[c]]]]) / (d (b + a \cos[c + d x])^3 (A + 2C + 2B \cos[c + d x] + A \cos[2c + 2d x]) \operatorname{Sqrt}[1 + \cot[c]^2]) - (4b^3 C \cos[c + d x]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \operatorname{ArcTan}[\cot[c]]]^2] (a + b \operatorname{Sec}[c + d x])^3 (A + B \operatorname{Sec}[c + d x] + C \operatorname{Sec}[c + d x]^2) \operatorname{Sec}[d x - \operatorname{ArcTan}[\cot[c]]] \operatorname{Sqrt}[1 - \sin[d x - \operatorname{ArcTan}[\cot[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \cot[c]^2] \sin[c] \sin[d x - \operatorname{ArcTan}[\cot[c]]])] \operatorname{Sqrt}[1 + \sin[d x - \operatorname{ArcTan}[\cot[c]]]]) / (d (b + a \cos[c + d x])^3 (A + 2C + 2B \cos[c + d x] + A \cos[2c + 2d x]) \operatorname{Sqrt}[1 + \cot[c]^2]) - (14a^3 A \cos[c + d x]^5 \operatorname{Csc}[c] (a + b \operatorname{Sec}[c + d x])^3 (A + B \operatorname{Sec}[c + d x] + C \operatorname{Sec}[c + d x]^2) ((\operatorname{HypergeometricPFQ}[-1/2, -1/4], \{3/4\}, \cos[d x + \operatorname{ArcTan}[\tan[c]]]^2) \sin[d x + \operatorname{ArcTan}[\tan[c]]] \tan[c]) / (\operatorname{Sqrt}[1 - \cos[d x + \operatorname{ArcTan}[\tan[c]]]]) \operatorname{Sqrt}[1 + \cos[
\end{aligned}$$

$$\frac{(\cos[c]^2 + \sin[c]^2)/\sqrt{\cos[c]\cos[dx + \text{ArcTan}[\tan[c]]]}\sqrt{1 + \tan[c]^2}}{(d(b + a\cos[c + dx])^3(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]))}$$

Maple [B] time = 2.827, size = 975, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(9/2)}(a+b\sec(dx+c))^3(A+B\sec(dx+c)+C\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -2/315 * ((2*\cos(1/2*d*x+1/2*c)^{-1}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-1120*A*a^3 \\ & * \cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10} + (2240*A*a^3+2160*A*a^2*b+720*B*a^3) \\ & * \sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c) + (-2072*A*a^3-3240*A*a^2*b-1512*A \\ & * a*b^2-1080*B*a^3-1512*B*a^2*b-504*C*a^3)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+ \\ & 1/2*c) + (952*A*a^3+2520*A*a^2*b+1512*A*a*b^2+420*A*b^3+840*B*a^3+1512*B*a^2* \\ & b+1260*B*a*b^2+504*C*a^3+1260*C*a^2*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2 \\ & *c) + (-168*A*a^3-720*A*a^2*b-378*A*a*b^2-210*A*b^3-240*B*a^3-378*B*a^2*b-630 \\ & *B*a*b^2-126*C*a^3-630*C*a^2*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) + 225 \\ & *A*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Elli \\ & pticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 105*A*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2 \\ & * \sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 147*A* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos \\ & (1/2*d*x+1/2*c), 2^{(1/2)}) * a^3 - 567*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2* \\ & d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a*b^2 + 75*B*a^3* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos \\ & (1/2*d*x+1/2*c), 2^{(1/2)}) + 315*B*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/ \\ & 2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 567*B*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d* \\ & x+1/2*c), 2^{(1/2)}) * a^2*b - 315*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1 \\ & /2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * b^3 + 315*a^2*b*C*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2 \\ & *d*x+1/2*c), 2^{(1/2)}) + 315*C*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+ \\ & 1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 189*C*(\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2* \\ & c), 2^{(1/2)}) * a^3 - 945*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2- \\ & 1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a*b^2 / (-2*\sin(1/2*d*x+1/2*c) \\ &)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2- \\ & 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb³ cos(dx + c)⁴ sec(dx + c)⁵ + (3Cab² + Bb³) cos(dx + c)⁴ sec(dx + c)⁴ + Aa³ cos(dx + c)⁴ + (3Ca²b +

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b³*cos(d*x + c)⁴*sec(d*x + c)⁵ + (3*C*a*b² + B*b³)*cos(d*x + c)⁴*sec(d*x + c)⁴ + A*a³*cos(d*x + c)⁴ + (3*C*a²*b + 3*B*a*b² + A*b³)*cos(d*x + c)⁴*sec(d*x + c)³ + (C*a³ + 3*B*a²*b + 3*A*a*b²)*cos(d*x + c)⁴*sec(d*x + c)² + (B*a³ + 3*A*a²*b)*cos(d*x + c)⁴*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*cos(d*x + c)^(9/2), x)
```


3.1307 $\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=277

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(a^3(5A+7C)+21a^2bB+21ab^2(A+3C)+21b^3B\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(3a^2b(3A+5C)+3a^3B+15a^2b^2\right)}{5d}$$

```
[Out] (2*(3*a^3*B + 15*a*b^2*B + 5*b^3*(A - C) + 3*a^2*b*(3*A + 5*C))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(21*a^2*b*B + 21*b^3*B + 21*a*b^2*(A + 3*C) + a^3*(5*A + 7*C))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(21*a*b*B + 6*b^2*(3*A - 7*C) + a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a^2*(11*A*b + 7*a*B - 35*b*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d) + (2*a*(A - 7*C)*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(7*d) + (2*C*(b + a*Cos[c + d*x])^3*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 0.905624, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3047, 3049, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(a^3(5A+7C)+21a^2bB+21ab^2(A+3C)+21b^3B\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(3a^2b(3A+5C)+3a^3B+15a^2b^2\right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*(3*a^3*B + 15*a*b^2*B + 5*b^3*(A - C) + 3*a^2*b*(3*A + 5*C))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(21*a^2*b*B + 21*b^3*B + 21*a*b^2*(A + 3*C) + a^3*(5*A + 7*C))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(21*a*b*B + 6*b^2*(3*A - 7*C) + a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a^2*(11*A*b + 7*a*B - 35*b*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d) + (2*a*(A - 7*C)*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(7*d) + (2*C*(b + a*Cos[c + d*x])^3*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
```

+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3047

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3049

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos

```
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(b+a\cos(c+dx))^3(C+B\cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2C(b+a\cos(c+dx))^3\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + 2 \int \frac{(b+a\cos(c+dx))^3\sin(c+dx)}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2a(A-7C)\sqrt{\cos(c+dx)}(b+a\cos(c+dx))^3}{7d} \\
&= \frac{2a^2(11Ab+7aB-35bC)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{35d} \\
&= \frac{2a(21abB+6b^2(3A-7C)+a^2(5A+7C))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{21d} \\
&= \frac{2a(21abB+6b^2(3A-7C)+a^2(5A+7C))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{21d} \\
&= \frac{2(3a^3B+15ab^2B+5b^3(A-C)+3a^2b(3A-7C))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d}
\end{aligned}$$

Mathematica [C] time = 8.07596, size = 3915, normalized size = 14.13

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (((9*I)/5)*a^2*A*b*Cos[c + d*x]^5*Csc[c]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (I*A*b^3*Cos[c + d*x]^5*Csc[c]*(a + b*Sec[c +

$$\begin{aligned}
& d*x)^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeo} \\
& \text{metric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 \\
& + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sq} \\
& \text{rt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((3*I)*d*(1 + E^ \\
& ((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2} \\
& \text{F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^ \\
& ((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + \\
& E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((-I)*d*(1 + E^((2*I)* \\
& d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/((b + a*\text{Cos}[c + d*x])^3*(A \\
& + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + (((3*I)/5)*a^3*B*\text{Cos}[c + \\
& d*x]^5*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2 \\
&)*(2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\text{Cos}[c \\
&] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I) \\
& *d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x) \\
& *\text{Sin}[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))* \\
& \text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I* \\
& \text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x)) \\
& *\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2 \\
& *c]]/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c])) \\
& /((b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) \\
& + ((3*I)*a*b^2*B*\text{Cos}[c + d*x]^5*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c \\
& + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7 \\
& /4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos} \\
& [c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)* \\
& \text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - \\
& 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(\\
& E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + \\
& (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2* \\
& c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 \\
& + E^((2*I)*d*x))*\text{Sin}[c]))/((b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d \\
& *x] + A*\text{Cos}[2*c + 2*d*x])) + ((3*I)*a^2*b*C*\text{Cos}[c + d*x]^5*\text{Csc}[c]*(a + b*\text{Se} \\
& c[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hyp} \\
& \text{ergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt} \\
& [(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x) \\
&)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((3*I)*d*(1 \\
& + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeome} \\
& \text{tric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 \\
& + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqr} \\
& \text{t}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((-I)*d*(1 + E^((\\
& 2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/((b + a*\text{Cos}[c + d*x])^ \\
& 3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (I*b^3*C*\text{Cos}[c + d*x \\
&]^5*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)* \\
& ((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + \\
& I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d* \\
& x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Si}
\end{aligned}$$

$$\begin{aligned}
& n[2*c]])/((3*I)*d*(1 + E^{((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^{((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x))*(Cos[c] + I*Sin[c])^2}))*Sqrt[(2*(1 + E^{((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x))*Sin[c])/E^{(I*d*x)}]*Sqrt[1 + E^{((2*I)*d*x))*Cos[2*c] + I*E^{((2*I)*d*x))*Sin[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x))*Cos[c] + d*(-1 + E^{((2*I)*d*x))*Sin[c])))/((b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (Cos[c + d*x]^{(11/2)}*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B + 15*a^2*b*C - 10*b^3*C + 9*a^2*A*b*Cos[2*c] + 5*A*b^3*Cos[2*c] + 3*a^3*B*Cos[2*c] + 15*a*b^2*B*Cos[2*c] + 15*a^2*b*C*Cos[2*c))*Csc[c]*Sec[c])/(5*d) + (a*(23*a^2*A + 84*A*b^2 + 84*a*b*B + 28*a^2*C)*Cos[d*x]*Sin[c])/(21*d) + (2*a^2*(3*A*b + a*B)*Cos[2*d*x]*Sin[2*c])/(5*d) + (a^3*A*Cos[3*d*x]*Sin[3*c])/(7*d) + (a*(23*a^2*A + 84*A*b^2 + 84*a*b*B + 28*a^2*C)*Cos[c]*Sin[d*x])/(21*d) + (4*b^3*C*Sec[c]*Sec[c + d*x]*Sin[d*x])/d + (2*a^2*(3*A*b + a*B)*Cos[2*c]*Sin[2*d*x])/(5*d) + (a^3*A*Cos[3*c]*Sin[3*d*x])/(7*d))/((b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (20*a^3*A*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*a*A*b^2*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*a^2*b*B*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*b^3*B*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (4*a^3*C*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[1 + Cot[c]^2]) - (12*a*b^2*C*Cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*(a
\end{aligned}$$

$$+ b*\text{Sec}[c + d*x]^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2])$$

Maple [B] time = 3.283, size = 1278, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(7/2)}*(a+b*\sec(d*x+c))^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $-2/105*(240*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8-24*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(15*A*a+21*A*b+7*B*a)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+28*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(10*A*a^2+18*A*a*b+15*A*b^2+6*B*a^2+15*B*a*b+5*C*a^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(40*A*a^3+63*A*a^2*b+105*A*a*b^2+21*B*a^3+105*B*a^2*b+35*C*a^3+105*C*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-189*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2*b-105*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^3+25*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+105*A*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-63*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^3-315*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b^2+105*B*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+105*B*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-315*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2*b+105*C*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x$

$$\begin{aligned} & +1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2 \\ & *c),2^{(1/2)})*b^3+35*a^3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c \\ &)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+315*C*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*si \\ & n(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1 \\ & /2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/ \\ & d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb^3 \cos(dx+c)^3 \sec(dx+c)^5 + (3Cab^2 + Bb^3) \cos(dx+c)^3 \sec(dx+c)^4 + Aa^3 \cos(dx+c)^3 + (3Ca^2b + 3\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^3*cos(d*x + c)^3*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*cos(d*x + c)^3*sec(d*x + c)^4 + A*a^3*cos(d*x + c)^3 + (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*cos(d*x + c)^3*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*cos(d*x + c)^3*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)
)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*co
s(d*x + c)^(7/2), x)
```

3.1308 $\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=267

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(3a^2b(A+3C) + a^3B + 9ab^2B + b^3(3A+C))}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(a^3(3A+5C) + 15a^2bB + 15ab^2(A+C))}{5d}$$

[Out] $(2*(15*a^2*b*B - 5*b^3*B + 15*a*b^2*(A - C) + a^3*(3*A + 5*C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(a^3*B + 9*a*b^2*B + b^3*(3*A + C) + 3*a^2*b*(A + 3*C))*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*(a^2*B - 6*b^2*B + 3*a*b*(A - 5*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a^2*(3*a*A - 15*b*B - 3*5*a*C)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(15*d) + (2*(b*B + 2*a*C)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)})$

Rubi [A] time = 0.87886, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(3a^2b(A+3C) + a^3B + 9ab^2B + b^3(3A+C))}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(a^3(3A+5C) + 15a^2bB + 15ab^2(A+C))}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*(15*a^2*b*B - 5*b^3*B + 15*a*b^2*(A - C) + a^3*(3*A + 5*C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(a^3*B + 9*a*b^2*B + b^3*(3*A + C) + 3*a^2*b*(A + 3*C))*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*(a^2*B - 6*b^2*B + 3*a*b*(A - 5*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a^2*(3*a*A - 15*b*B - 3*5*a*C)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(15*d) + (2*(b*B + 2*a*C)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)})$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_)}*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_)])]^{(m_)}*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_)] + (C_.)*\text{sec}[(e_.) + (f_.)*(x_)]) dx$

$(x_)]^2)$, x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3047

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x] * (a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1) * (c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> -Simp[(C*d*cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> -Simp[(C*cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))^3 (C + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2C(b + a \cos(c + dx))^3 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(b + a \cos(c + dx))^3 (C + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2(bB + 2aC)(b + a \cos(c + dx))^2 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \\
 &= \frac{2a^2(3aA - 15bB - 35aC) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} \\
 &= \frac{2a(a^2B - 6b^2B + 3ab(A - 5C)) \sqrt{\cos(c + dx)}}{3d} \\
 &= \frac{2a(a^2B - 6b^2B + 3ab(A - 5C)) \sqrt{\cos(c + dx)}}{3d} \\
 &= \frac{2(15a^2bB - 5b^3B + 15ab^2(A - C) + a^3(3A - 5B)) \sqrt{\cos(c + dx)}}{5d}
 \end{aligned}$$

Mathematica [C] time = 8.29387, size = 3868, normalized size = 14.49

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

```

[Out] (((3*I)/5)*a^3*A*Cos[c + d*x]^5*Csc[c]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c
+ d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/
4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[
c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*C
os[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] -
3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E
^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (
2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c
] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 +
E^((2*I)*d*x))*Sin[c]))/(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x]
+ A*Cos[2*c + 2*d*x])) + ((3*I)*a*A*b^2*Cos[c + d*x]^5*Csc[c]*(a + b*Sec
[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hype
rgeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(
2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)
]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1
+ E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeomet
ric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 +
E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt
[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((
2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(b + a*Cos[c + d*x])^3
*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + ((3*I)*a^2*b*B*Cos[c
+ d*x]^5*Csc[c]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]
^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos
[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)
*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)
*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x)
)*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] +
I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x)
)*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin
[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]
)))/(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]
)) - (I*b^3*B*Cos[c + d*x]^5*Csc[c]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d
*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4,
-(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c]
+ (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[
2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d
*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((
2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)
)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] +
I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^
((2*I)*d*x))*Sin[c]))/(b + a*Cos[c + d*x])^3*(A + 2*C + 2*B*Cos[c + d*x]
+ A*Cos[2*c + 2*d*x])) + (I*a^3*C*Cos[c + d*x]^5*Csc[c]*(a + b*Sec[c + d*x]
)^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x)*Hypergeometri
c2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^
((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1

```

$$\begin{aligned}
& + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]]/((3*I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c]))^2])*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - ((3*I)*a*b^2*C*\text{Cos}[c + d*x]^5*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c]))^2])*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((3*I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c]))^2])*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + (\text{Cos}[c + d*x]^(11/2)*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((-2*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 10*b^3*B + 5*a^3*C - 30*a*b^2*C + 3*a^3*A*\text{Cos}[2*c] + 15*a*A*b^2*\text{Cos}[2*c] + 15*a^2*b*B*\text{Cos}[2*c] + 5*a^3*C*\text{Cos}[2*c]))*\text{Csc}[c]*\text{Sec}[c])/(5*d) + (4*a^2*(3*A*b + a*B)*\text{Cos}[d*x]*\text{Sin}[c])/(3*d) + (2*a^3*A*\text{Cos}[2*d*x]*\text{Sin}[2*c])/(5*d) + (4*a^2*(3*A*b + a*B)*\text{Cos}[c]*\text{Sin}[d*x])/(3*d) + (4*b^3*C*\text{Sec}[c]*\text{Sec}[c + d*x]^2*\text{Sin}[d*x])/(3*d) + (4*\text{Sec}[c]*\text{Sec}[c + d*x]*(b^3*C*\text{Sin}[c] + 3*b^3*B*\text{Sin}[d*x] + 9*a*b^2*C*\text{Sin}[d*x]))/(3*d) + (2*a^3*A*\text{Cos}[2*c]*\text{Sin}[2*d*x])/(5*d)))/(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (4*a^2*A*b*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*A*b^3*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*a^3*B*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (12*a*b^2*B*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}
\end{aligned}$$

$$\begin{aligned}
& [d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (12*a^2*b*C*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*b^3*C*\text{Cos}[c + d*x]^5*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (3*d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2])
\end{aligned}$$

Maple [B] time = 8.522, size = 1837, normalized size = 6.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c))^{5/2} (a+b*\sec(dx+c))^3 (A+B*\sec(dx+c)+C*\sec(dx+c)^2), x$

[Out] $2/15 * (-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (4*\sin(1/2*d*x+1/2*c)^4 - 4*\sin(1/2*d*x+1/2*c)^2+1) / \sin(1/2*d*x+1/2*c)^3 * (30*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * b^3 * \sin(1/2*d*x+1/2*c)^2 - 40*B*a^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^4 - 60*B*b^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^4 + 6*A*a^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 + 10*B*a^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 + 30*B*b^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 + 10*C*b^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 - 48*A*a^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^8 + 72*A*a^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^6 + 40*B*a^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^6 - 36*A*a^3 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^4 - 5*C*b^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 15*C * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^3 + 120*A*a^2*b * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^6 - 120*A*a^2*b * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^4 - 180*C*a*b^2 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^4 + 30*A*a^2*b * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 + 90*C*a*b^2 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 - 15*A*b^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9*A * (\sin(1/2$

$$\begin{aligned}
& *d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x \\
& +1/2*c),2^{(1/2)})*a^3-5*B*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/ \\
& 2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15*B*(\sin(1/2*d*x+1/2 \\
& *c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), \\
& 2^{(1/2)})*b^3-18*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/ \\
& 2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*\sin(1/2*d*x+1/2*c)^2+10*B*(2 \\
& *\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1 \\
& /2*d*x+1/2*c)^2)^{(1/2)}*a^3*\sin(1/2*d*x+1/2*c)^2+30*B*(2*\sin(1/2*d*x+1/2*c)^ \\
& 2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/ \\
& 2)}*b^3*\sin(1/2*d*x+1/2*c)^2+10*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF \\
& (\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3*\sin(1/2*d*x+1 \\
& /2*c)^2-30*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), \\
& 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*\sin(1/2*d*x+1/2*c)^2-15*A*a^2*b*(\\
& \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(\\
& 1/2*d*x+1/2*c),2^{(1/2)})+45*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/ \\
& 2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2-45*B*a*b^2*(\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2 \\
& *d*x+1/2*c),2^{(1/2)})+45*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c \\
&)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-45*a^2*b*C*(\sin(1/ \\
& 2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d* \\
& x+1/2*c),2^{(1/2)})-45*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2 \\
& -1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2-90*B*(2*\sin(1/2*d*x+1 \\
& /2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^ \\
& 2)^{(1/2)}*a^2*b*\sin(1/2*d*x+1/2*c)^2+90*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E \\
& llipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*b*\sin \\
& (1/2*d*x+1/2*c)^2+90*C*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d \\
& *x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*b^2*\sin(1/2*d*x+1/2*c)^2+ \\
& 30*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\
& *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*b*\sin(1/2*d*x+1/2*c)^2-90*A*(2*\sin(1/2*d* \\
& x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}*a*b^2*\sin(1/2*d*x+1/2*c)^2+90*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2 \\
&)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*b^2* \\
& \sin(1/2*d*x+1/2*c)^2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \\
& (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb³ cos(dx + c)² sec(dx + c)⁵ + (3Cab² + Bb³) cos(dx + c)² sec(dx + c)⁴ + Aa³ cos(dx + c)² + (3Ca²b +

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b³*cos(d*x + c)²*sec(d*x + c)⁵ + (3*C*a*b² + B*b³)*cos(d*x + c)²*sec(d*x + c)⁴ + A*a³*cos(d*x + c)² + (3*C*a²*b + 3*B*a*b² + A*b³)*cos(d*x + c)²*sec(d*x + c)³ + (C*a³ + 3*B*a²*b + 3*A*a*b²)*cos(d*x + c)²*sec(d*x + c)² + (B*a³ + 3*A*a²*b)*cos(d*x + c)²*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*co  
s(d*x + c)^(5/2), x)
```

3.1309 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx$

Optimal. Leaf size=274

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(a^3(A+3C)+9a^2bB+3ab^2(3A+C)+b^3B\right)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(15a^2b(A-C)+5a^3B-15ab^2B-15a^2b^2C\right)}{5d}$$

```
[Out] (2*(5*a^3*B - 15*a*b^2*B + 15*a^2*b*(A - C) - b^3*(5*A + 3*C))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(9*a^2*b*B + b^3*B + 3*a*b^2*(3*A + C) + a^3*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b*(15*A*b^2 + 35*a*b*B + 24*a^2*C + 9*b^2*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*a^2*(5*a*A - 5*b*B - 9*a*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(5*b*B + 6*a*C)*(b + a*cos[c + d*x])^2*sin[c + d*x])/(15*d*cos[c + d*x]^(3/2)) + (2*C*(b + a*cos[c + d*x])^3*sin[c + d*x])/(5*d*cos[c + d*x]^(5/2))
```

Rubi [A] time = 0.87114, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3031, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(a^3(A+3C)+9a^2bB+3ab^2(3A+C)+b^3B\right)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(15a^2b(A-C)+5a^3B-15ab^2B-15a^2b^2C\right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*(5*a^3*B - 15*a*b^2*B + 15*a^2*b*(A - C) - b^3*(5*A + 3*C))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(9*a^2*b*B + b^3*B + 3*a*b^2*(3*A + C) + a^3*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b*(15*A*b^2 + 35*a*b*B + 24*a^2*C + 9*b^2*C)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*a^2*(5*a*A - 5*b*B - 9*a*C)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*(5*b*B + 6*a*C)*(b + a*cos[c + d*x])^2*sin[c + d*x])/(15*d*cos[c + d*x]^(3/2)) + (2*C*(b + a*cos[c + d*x])^3*sin[c + d*x])/(5*d*cos[c + d*x]^(5/2))
```

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)^(m_.)])
```

```
*(x_)^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))]*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
```

$b \sin[e + f x]^{m+1}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))^3 (C + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2C(b + a \cos(c + dx))^3 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(b + a \cos(c + dx))^3 \sin(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2(5bB + 6aC)(b + a \cos(c + dx))^2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(b + a \cos(c + dx))^3 \sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2b(15Ab^2 + 35abB + 24a^2C + 9b^2C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)}} + \frac{2}{5} \int \frac{(b + a \cos(c + dx))^3 \sin(c + dx)}{\cos^{\frac{1}{2}}(c + dx)} dx \\ &= \frac{2b(15Ab^2 + 35abB + 24a^2C + 9b^2C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)}} + \frac{2}{5} \int \frac{(b + a \cos(c + dx))^3 \sin(c + dx)}{\cos^{\frac{1}{2}}(c + dx)} dx \\ &= \frac{2b(15Ab^2 + 35abB + 24a^2C + 9b^2C) \sin(c + dx)}{15d \sqrt{\cos(c + dx)}} + \frac{2(5a^3B - 15ab^2B + 15a^2b(A - C) - b^3(A - C)) \sin(c + dx)}{5d} \end{aligned}$$

Mathematica [C] time = 8.40216, size = 3871, normalized size = 14.13

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out]
$$\begin{aligned} & ((3I)a^2Ab\cos[c + dx]^5\csc[c](a + b\sec[c + dx])^3(A + B\sec[c + dx] + C\sec[c + dx]^2) \\ & \times ((2E^{(2I)dx}\operatorname{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2I)dx}(\cos[c] + I\sin[c])^2)] \\ & \times \sqrt{(2(1 + E^{(2I)dx})\cos[c] + (2I)(-1 + E^{(2I)dx})\sin[c])} \\ & / E^{(I)dx}) \times \sqrt{1 + E^{(2I)dx}\cos[2c] + IE^{(2I)dx}\sin[2c]}) \\ & / ((3I)d(1 + E^{(2I)dx})\cos[c] - 3d(-1 + E^{(2I)dx})\sin[c]) - (2\operatorname{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2I)dx}(\cos[c] + I\sin[c])^2)] \\ & \times \sqrt{(2(1 + E^{(2I)dx})\cos[c] + (2I)(-1 + E^{(2I)dx})\sin[c])} \\ & / E^{(I)dx}) \times \sqrt{1 + E^{(2I)dx}\cos[2c] + IE^{(2I)dx}\sin[2c]}) \\ & / ((-I)d(1 + E^{(2I)dx})\cos[c] + d(-1 + E^{(2I)dx})\sin[c])) \\ & / ((b + a\cos[c + dx])^3(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx])) - (IAb^3\cos[c + dx]^5\csc[c](a + b\sec[c + dx])^3 \\ & (A + B\sec[c + dx] + C\sec[c + dx]^2) \times ((2E^{(2I)dx}\operatorname{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2I)dx}(\cos[c] + I\sin[c])^2)] \\ & \times \sqrt{(2(1 + E^{(2I)dx})\cos[c] + (2I)(-1 + E^{(2I)dx})\sin[c])} \\ & / E^{(I)dx}) \times \sqrt{1 + E^{(2I)dx}\cos[2c] + IE^{(2I)dx}\sin[2c]}) \\ & / ((3I)d(1 + E^{(2I)dx})\cos[c] - 3d(-1 + E^{(2I)dx})\sin[c]) - (2\operatorname{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2I)dx}(\cos[c] + I\sin[c])^2)] \\ & \times \sqrt{(2(1 + E^{(2I)dx})\cos[c] + (2I)(-1 + E^{(2I)dx})\sin[c])} \\ & / E^{(I)dx}) \times \sqrt{1 + E^{(2I)dx}\cos[2c] + IE^{(2I)dx}\sin[2c]}) \\ & / ((-I)d(1 + E^{(2I)dx})\cos[c] + d(-1 + E^{(2I)dx})\sin[c])) \\ & / ((b + a\cos[c + dx])^3(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx])) + (Ia^3B\cos[c + dx]^5\csc[c] \\ & (a + b\sec[c + dx])^3(A + B\sec[c + dx] + C\sec[c + dx]^2) \times ((2E^{(2I)dx}\operatorname{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2I)dx}(\cos[c] + I\sin[c])^2)] \\ & \times \sqrt{(2(1 + E^{(2I)dx})\cos[c] + (2I)(-1 + E^{(2I)dx})\sin[c])} \\ & / E^{(I)dx}) \times \sqrt{1 + E^{(2I)dx}\cos[2c] + IE^{(2I)dx}\sin[2c]}) \\ & / ((3I)d(1 + E^{(2I)dx})\cos[c] - 3d(-1 + E^{(2I)dx})\sin[c]) - (2\operatorname{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2I)dx}(\cos[c] + I\sin[c])^2)] \\ & \times \sqrt{(2(1 + E^{(2I)dx})\cos[c] + (2I)(-1 + E^{(2I)dx})\sin[c])} \\ & / E^{(I)dx}) \times \sqrt{1 + E^{(2I)dx}\cos[2c] + IE^{(2I)dx}\sin[2c]}) \\ & / ((-I)d(1 + E^{(2I)dx})\cos[c] + d(-1 + E^{(2I)dx})\sin[c])) \\ & / ((b + a\cos[c + dx])^3(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx])) - ((3I)a \\ & b^2B\cos[c + dx]^5\csc[c](a + b\sec[c + dx])^3(A + B\sec[c + dx] + C\sec[c + dx]^2) \times ((2E^{(2I)dx}\operatorname{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2I)dx}(\cos[c] + I\sin[c])^2)] \\ & \times \sqrt{(2(1 + E^{(2I)dx})\cos[c] + (2I)(-1 + E^{(2I)dx})\sin[c])} \\ & / E^{(I)dx}) \times \sqrt{1 + E^{(2I)dx}\cos[2c] + IE^{(2I)dx}\sin[2c]}) \\ & / ((3I)d(1 + E^{(2I)dx})\cos[c] - 3d(-1 + E^{(2I)dx})\sin[c]) - (2\operatorname{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2I)dx}(\cos[c] + I\sin[c])^2)] \\ & \times \sqrt{(2(1 + E^{(2I)dx})\cos[c] + (2I)(-1 + E^{(2I)dx})\sin[c])} \\ & / E^{(I)dx}) \times \sqrt{1 + E^{(2I)dx}\cos[2c] + IE^{(2I)dx}\sin[2c]}) \\ & / ((-I)d(1 + E^{(2I)dx})\cos[c] + d(-1 + E^{(2I)dx})\sin[c])) \\ & / ((b + a\cos[c + dx])^3(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx])) \end{aligned}$$

$$\begin{aligned}
& 2*c + 2*d*x)) - ((3*I)*a^2*b*C*\cos[c + d*x]^5*\csc[c]*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((2*E^((2*I)*d*x)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])}/E^{(I*d*x)}}*\sqrt{1 + E^((2*I)*d*x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((3*I)*d*(1 + E^((2*I)*d*x))*\cos[c] - 3*d*(-1 + E^((2*I)*d*x))*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])}/E^{(I*d*x)}}*\sqrt{1 + E^((2*I)*d*x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((-I)*d*(1 + E^((2*I)*d*x))*\cos[c] + d*(-1 + E^((2*I)*d*x))*\sin[c]))/(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) - (((3*I)/5)*b^3*C*\cos[c + d*x]^5*\csc[c]*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((2*E^((2*I)*d*x)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])}/E^{(I*d*x)}}*\sqrt{1 + E^((2*I)*d*x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((3*I)*d*(1 + E^((2*I)*d*x))*\cos[c] - 3*d*(-1 + E^((2*I)*d*x))*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])}/E^{(I*d*x)}}*\sqrt{1 + E^((2*I)*d*x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((-I)*d*(1 + E^((2*I)*d*x))*\cos[c] + d*(-1 + E^((2*I)*d*x))*\sin[c]))/(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + (\cos[c + d*x]^{(11/2)}*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((-2*(15*a^2*A*b - 10*A*b^3 + 5*a^3*B - 30*a*b^2*B - 30*a^2*b*C - 6*b^3*C + 15*a^2*A*b*\cos[2*c] + 5*a^3*B*\cos[2*c])*csc[c]*sec[c])/(5*d) + (4*a^3*A*\cos[d*x]*\sin[c])/(3*d) + (4*a^3*A*\cos[c]*\sin[d*x])/(3*d) + (4*b^3*C*sec[c]*sec[c + d*x]^3*\sin[d*x])/(5*d) + (4*sec[c]*sec[c + d*x]^2*(3*b^3*C*\sin[c] + 5*b^3*B*\sin[d*x] + 15*a*b^2*C*\sin[d*x]))/(15*d) + (4*sec[c]*sec[c + d*x]*(5*b^3*B*\sin[c] + 15*a*b^2*C*\sin[c] + 15*A*b^3*\sin[d*x] + 45*a*b^2*B*\sin[d*x] + 45*a^2*b*C*\sin[d*x] + 9*b^3*C*\sin[d*x]))/(15*d)))/(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) - (4*a^3*A*\cos[c + d*x]^5*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}})/(3*d*(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]))*\sqrt{1 + \text{Cot}[c]^2}) - (12*a*A*b^2*\cos[c + d*x]^5*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}})/(d*(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]))*\sqrt{1 + \text{Cot}[c]^2}) - (12*a^2*b*B*\cos[c + d*x]^5*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{1 + \sin[d
\end{aligned}$$

$$\begin{aligned} & *x - \text{ArcTan}[\text{Cot}[c]]]) / (d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] \\ & + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*b^3*B*\text{Cos}[c + d*x]^5*\text{Csc}[c] \\ & * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b* \\ & \text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)* \text{Sec}[d*x - \text{ArcTan}[\text{Co} \\ & \text{t}[c]]]* \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]* \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c] \\ & * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (3*d*(b + \\ & a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 \\ & + \text{Cot}[c]^2]) - (4*a^3*C*\text{Cos}[c + d*x]^5*\text{Csc}[c]* \text{HypergeometricPFQ}[\{1/4, 1/2\} \\ & , \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + \\ & d*x] + C*\text{Sec}[c + d*x]^2)* \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]* \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcT} \\ & \text{an}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{S} \\ & \text{qrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2* \\ & B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*a*b^2*C*\text{Cos}[c \\ & + d*x]^5*\text{Csc}[c]* \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[\\ & c]]]^2]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)* \text{Sec} \\ & [d*x - \text{ArcTan}[\text{Cot}[c]]]* \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{C} \\ & \text{ot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c \\ &]]]) / (d*(b + a*\text{Cos}[c + d*x])^3*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2 \\ & *d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) \end{aligned}$$

Maple [B] time = 9.362, size = 1419, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(3/2)}*(a+b*\sec(d*x+c))^3*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4/3*A*a^3*(2*\sin \\ & (1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin \\ & (1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*(2*\sin(1 \\ & /2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}-\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(-4*A*a^3+6*A*a^2*b+2*B*a^3)*(\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2))/(-2*\sin(1/2*d*x+1/2*c) \\ & ^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{Ellip \\ & ticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2* \\ & \cos(1/2*d*x+1/2*c)^2+1)^{(1/2))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\ &)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-6*A*a^2*b*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+6*A*a*b^2*(\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2))/(-2*\sin(1/2*d*x+1 \end{aligned}$$

$$\begin{aligned} & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2 \\ & *B*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} /(-2*s \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c) \\ &),2^{(1/2)})+6*B*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+ \\ & 1)^{(1/2)} /(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos \\ & (1/2*d*x+1/2*c),2^{(1/2)})+2*a^3*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\ & *x+1/2*c)^2+1)^{(1/2)} /(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E \\ & llipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5*C*b^3/(8*\sin(1/2*d*x+1/2*c)^6-12*s \\ & \sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*s \\ & \sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d \\ & *x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), \\ & 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1 \\ & /2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos \\ & (1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^ \\ & 2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+ \\ & 2*b^2*(B*b+3*C*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)} /(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2 \\ &)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} /(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+2*b*(A*b^2+3*B*a \\ & *b+3*C*a^2)*(-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x \\ & +1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos \\ & (1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1 \\ & /2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^(2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^3 cos(dx + c) sec(dx + c)^5 + (3Cab^2 + Bb^3) cos(dx + c) sec(dx + c)^4 + Aa^3 cos(dx + c) + (3Ca^2b + 3B

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^3*cos(d*x + c)*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*cos(d*x + c)*sec(d*x + c)^4 + A*a^3*cos(d*x + c) + (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*cos(d*x + c)*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*cos(d*x + c)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c)*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*cos(d*x + c)^(3/2), x)
```

3.1310 $\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C)$

Optimal. Leaf size=294

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(21a^2b(3A+C)+21a^3B+21ab^2B+b^3(7A+5C))}{21d} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(-5a^3(A-C)+15a^2bB+3a^2C)}{5d}$$

[Out] $(-2*(15*a^2*b*B + 3*b^3*B - 5*a^3*(A - C) + 3*a*b^2*(5*A + 3*C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(21*a^3*B + 21*a*b^2*B + 21*a^2*b*(3*A + C) + b^3*(7*A + 5*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*b*(35*A*b^2 + 63*a*b*B + 24*a^2*C + 25*b^2*C)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(98*a^2*b*B + 21*b^3*B + 24*a^3*C + 21*a*b^2*(5*A + 3*C))*\text{Sin}[c + d*x])/(35*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*(7*b*B + 6*a*C)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*C*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)})$

Rubi [A] time = 0.895941, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3031, 3021, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(21a^2b(3A+C)+21a^3B+21ab^2B+b^3(7A+5C))}{21d} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(-5a^3(A-C)+15a^2bB+3a^2C)}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*(15*a^2*b*B + 3*b^3*B - 5*a^3*(A - C) + 3*a*b^2*(5*A + 3*C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(21*a^3*B + 21*a*b^2*B + 21*a^2*b*(3*A + C) + b^3*(7*A + 5*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*b*(35*A*b^2 + 63*a*b*B + 24*a^2*C + 25*b^2*C)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(98*a^2*b*B + 21*b^3*B + 24*a^3*C + 21*a*b^2*(5*A + 3*C))*\text{Sin}[c + d*x])/(35*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*(7*b*B + 6*a*C)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*C*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)})$

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^n_)*((a_) + (b_.)*sec[(e_.) + (f_.)*(x_)]^m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))]*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)]*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))^3 (C + B \cos(c + dx) + A \sec(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx \\
 &= \frac{2C(b + a \cos(c + dx))^3 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{(b + a \cos(c + dx))^3 \sin(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2(7bB + 6aC)(b + a \cos(c + dx))^2 \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(b + a \cos(c + dx))^3 \sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2b(35Ab^2 + 63abB + 24a^2C + 25b^2C)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{7} \int \frac{(b + a \cos(c + dx))^3 \sin(c + dx)}{\cos^{\frac{1}{2}}(c + dx)} dx \\
 &= \frac{2b(35Ab^2 + 63abB + 24a^2C + 25b^2C)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{7} \int \frac{(b + a \cos(c + dx))^3 \sin(c + dx)}{\cos^{\frac{1}{2}}(c + dx)} dx \\
 &= \frac{2(15a^2bB + 3b^3B - 5a^3(A - C) + 3ab^2C)}{5d}
 \end{aligned}$$

Mathematica [C] time = 8.49002, size = 3933, normalized size = 13.38

Result too large to show

$$\begin{aligned}
& I * E^{((2 * I) * d * x) * \sin[2 * c]} / ((-I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] + d * (-1 + E^{((2 * I) * d * x)}) * \sin[c])) / ((b + a * \cos[c + d * x])^3 * (A + 2 * C + 2 * B * \cos[c + d * x] \\
& + A * \cos[2 * c + 2 * d * x])) - (I * a^3 * C * \cos[c + d * x]^5 * \operatorname{Csc}[c] * (a + b * \operatorname{Sec}[c + d * x])^3 * (A + B * \operatorname{Sec}[c + d * x] + C * \operatorname{Sec}[c + d * x]^2) * ((2 * E^{((2 * I) * d * x)}) * \operatorname{Hypergeometric} \\
& \operatorname{c2F1}[1/2, 3/4, 7/4, -(E^{((2 * I) * d * x)}) * (\cos[c] + I * \sin[c])^2]) * \operatorname{Sqrt}[(2 * (1 + E^{((2 * I) * d * x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) / E^{(I * d * x)}] * \operatorname{Sqrt}[1 \\
& + E^{((2 * I) * d * x)} * \cos[2 * c] + I * E^{((2 * I) * d * x)} * \sin[2 * c]]) / ((3 * I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] - 3 * d * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) - (2 * \operatorname{Hypergeometric} \\
& \operatorname{c2F1}[-1/4, 1/2, 3/4, -(E^{((2 * I) * d * x)}) * (\cos[c] + I * \sin[c])^2]) * \operatorname{Sqrt}[(2 * (1 + E^{((2 * I) * d * x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) / E^{(I * d * x)}] * \operatorname{Sqrt}[1 + E^{((2 * I) * d * x)} * \cos[2 * c] + I * E^{((2 * I) * d * x)} * \sin[2 * c]]) / ((-I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] + d * (-1 + E^{((2 * I) * d * x)}) * \sin[c])) / ((b + a * \cos[c + d * x])^3 * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x])) - (((9 * I) / 5) * a * b^2 * C * \cos[c + d * x]^5 * \operatorname{Csc}[c] * (a + b * \operatorname{Sec}[c + d * x])^3 * (A + B * \operatorname{Sec}[c + d * x] + C * \operatorname{Sec}[c + d * x]^2) * ((2 * E^{((2 * I) * d * x)}) * \operatorname{Hypergeometric} \\
& \operatorname{c2F1}[1/2, 3/4, 7/4, -(E^{((2 * I) * d * x)}) * (\cos[c] + I * \sin[c])^2]) * \operatorname{Sqrt}[(2 * (1 + E^{((2 * I) * d * x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) / E^{(I * d * x)}] * \operatorname{Sqrt}[1 + E^{((2 * I) * d * x)} * \cos[2 * c] + I * E^{((2 * I) * d * x)} * \sin[2 * c]]) / ((3 * I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] - 3 * d * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) - (2 * \operatorname{Hypergeometric} \\
& \operatorname{c2F1}[-1/4, 1/2, 3/4, -(E^{((2 * I) * d * x)}) * (\cos[c] + I * \sin[c])^2]) * \operatorname{Sqrt}[(2 * (1 + E^{((2 * I) * d * x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) / E^{(I * d * x)}] * \operatorname{Sqrt}[1 + E^{((2 * I) * d * x)} * \cos[2 * c] + I * E^{((2 * I) * d * x)} * \sin[2 * c]]) / ((-I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] + d * (-1 + E^{((2 * I) * d * x)}) * \sin[c])) / ((b + a * \cos[c + d * x])^3 * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x])) + (\cos[c + d * x]^{(11/2)} * (a + b * \operatorname{Sec}[c + d * x])^3 * (A + B * \operatorname{Sec}[c + d * x] + C * \operatorname{Sec}[c + d * x]^2) * ((-2 * (5 * a^3 * A - 30 * a * A * b^2 - 30 * a^2 * b * B - 6 * b^3 * B - 10 * a^3 * C - 18 * a * b^2 * C + 5 * a^3 * A * \cos[2 * c]) * \operatorname{Csc}[c] * \operatorname{Sec}[c]) / (5 * d) + (4 * b^3 * C * \operatorname{Sec}[c] * \operatorname{Sec}[c + d * x]^4 * \sin[d * x]) / (7 * d) + (4 * \operatorname{Sec}[c] * \operatorname{Sec}[c + d * x]^3 * (5 * b^3 * C * \sin[c] + 7 * b^3 * B * \sin[d * x] + 21 * a * b^2 * C * \sin[d * x])) / (35 * d) + (4 * \operatorname{Sec}[c] * \operatorname{Sec}[c + d * x] * (35 * A * b^3 * \sin[c] + 105 * a * b^2 * B * \sin[c] + 105 * a^2 * b * C * \sin[c] + 25 * b^3 * C * \sin[c] + 315 * a * A * b^2 * \sin[d * x] + 315 * a^2 * b * B * \sin[d * x] + 63 * b^3 * B * \sin[d * x] + 105 * a^3 * C * \sin[d * x] + 189 * a * b^2 * C * \sin[d * x])) / (105 * d) + (4 * \operatorname{Sec}[c] * \operatorname{Sec}[c + d * x]^2 * (21 * b^3 * B * \sin[c] + 63 * a * b^2 * C * \sin[c] + 35 * A * b^3 * \sin[d * x] + 105 * a * b^2 * B * \sin[d * x] + 105 * a^2 * b * C * \sin[d * x] + 25 * b^3 * C * \sin[d * x])) / (105 * d))) / ((b + a * \cos[c + d * x])^3 * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x])) - (12 * a^2 * A * b * \cos[c + d * x]^5 * \operatorname{Csc}[c] * \operatorname{Hypergeometric} \operatorname{PFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2] * (a + b * \operatorname{Sec}[c + d * x])^3 * (A + B * \operatorname{Sec}[c + d * x] + C * \operatorname{Sec}[c + d * x]^2) * \operatorname{Sec}[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]] * \operatorname{Sqrt}[1 - \sin[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] * \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2] * \sin[c] * \sin[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] * \operatorname{Sqrt}[1 + \sin[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]]) / (d * (b + a * \cos[c + d * x])^3 * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x]) * \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (4 * A * b^3 * \cos[c + d * x]^5 * \operatorname{Csc}[c] * \operatorname{Hypergeometric} \operatorname{PFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2] * (a + b * \operatorname{Sec}[c + d * x])^3 * (A + B * \operatorname{Sec}[c + d * x] + C * \operatorname{Sec}[c + d * x]^2) * \operatorname{Sec}[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]] * \operatorname{Sqrt}[1 - \sin[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] * \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2] * \sin[c] * \sin[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] * \operatorname{Sqrt}[1 + \sin[d * x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]]) / (3 * d * (b + a * \cos[c + d * x])^3 * (A + 2 * C + 2 * B * \cos[c + d * x] + A * \cos[2 * c + 2 * d * x]) * \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (4 * a^3 *
\end{aligned}$$

$$\begin{aligned}
& B \cos[c + dx]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2\right] (a + b \operatorname{Sec}[c + dx])^3 (A + B \operatorname{Sec}[c + dx] + C \operatorname{Sec}[c + dx]^2) \operatorname{Sec}[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]] \operatorname{Sqrt}[1 - \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2] \operatorname{Sin}[c] \operatorname{Sin}[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] \operatorname{Sqrt}[1 + \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] \\
& / (d(b + a \cos[c + dx])^3 (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (4ab^2 B \cos[c + dx]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2\right] (a + b \operatorname{Sec}[c + dx])^3 (A + B \operatorname{Sec}[c + dx] + C \operatorname{Sec}[c + dx]^2) \operatorname{Sec}[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]] \operatorname{Sqrt}[1 - \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2] \operatorname{Sin}[c] \operatorname{Sin}[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] \operatorname{Sqrt}[1 + \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] \\
& / (d(b + a \cos[c + dx])^3 (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (4a^2 b C \cos[c + dx]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2\right] (a + b \operatorname{Sec}[c + dx])^3 (A + B \operatorname{Sec}[c + dx] + C \operatorname{Sec}[c + dx]^2) \operatorname{Sec}[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]] \operatorname{Sqrt}[1 - \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2] \operatorname{Sin}[c] \operatorname{Sin}[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] \operatorname{Sqrt}[1 + \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] \\
& / (d(b + a \cos[c + dx])^3 (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (20b^3 C \cos[c + dx]^5 \operatorname{Csc}[c] \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2\right] (a + b \operatorname{Sec}[c + dx])^3 (A + B \operatorname{Sec}[c + dx] + C \operatorname{Sec}[c + dx]^2) \operatorname{Sec}[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]] \operatorname{Sqrt}[1 - \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] \operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2] \operatorname{Sin}[c] \operatorname{Sin}[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] \operatorname{Sqrt}[1 + \sin[dx - \operatorname{ArcTan}[\operatorname{Cot}[c]]]] \\
& / (21d(b + a \cos[c + dx])^3 (A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2])
\end{aligned}$$

Maple [B] time = 10.504, size = 1205, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((a+b \operatorname{sec}(dx+c))^3 (A+B \operatorname{sec}(dx+c)+C \operatorname{sec}(dx+c)^2) \cos(dx+c)^{(1/2)}, x)$

[Out] $\begin{aligned}
& -(-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2)^{(1/2)} (2Aa^3 (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} (\operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)})) - 2Aa^3 (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 6Aa^2 b (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 2Ba^3 (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) -
\end{aligned}$

$$\frac{2}{5}b^2(Bb+3Ca)/(8\sin(1/2dx+1/2c)^6-12\sin(1/2dx+1/2c)^4+6\sin(1/2dx+1/2c)^2-1)/\sin(1/2dx+1/2c)^2*(12*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2dx+1/2c),2^{(1/2)})*(\sin(1/2dx+1/2c)^2)^{(1/2)}*\sin(1/2dx+1/2c)^4-24*\sin(1/2dx+1/2c)^6*\cos(1/2dx+1/2c)-12*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2dx+1/2c),2^{(1/2)})*(\sin(1/2dx+1/2c)^2)^{(1/2)}*\sin(1/2dx+1/2c)^2+24*\sin(1/2dx+1/2c)^4*\cos(1/2dx+1/2c)+3*(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2dx+1/2c),2^{(1/2)})*(\sin(1/2dx+1/2c)^2)^{(1/2)}-8*\sin(1/2dx+1/2c)^2*\cos(1/2dx+1/2c))*(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}+2Cb^3*(-1/56*\cos(1/2dx+1/2c)*(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)})/(\cos(1/2dx+1/2c)^2-1/2)^4-5/42*\cos(1/2dx+1/2c)*(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)})/(\cos(1/2dx+1/2c)^2-1/2)^2+5/21*(\sin(1/2dx+1/2c)^2)^{(1/2)}*(-2*\cos(1/2dx+1/2c)^2+1)^{(1/2)})/(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2dx+1/2c),2^{(1/2)}))+2*b*(A*b^2+3*B*a*b+3*Ca^2)*(-1/6*\cos(1/2dx+1/2c)*(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)})/(\cos(1/2dx+1/2c)^2-1/2)^2+1/3*(\sin(1/2dx+1/2c)^2)^{(1/2)}*(-2*\cos(1/2dx+1/2c)^2+1)^{(1/2)})/(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2dx+1/2c),2^{(1/2)}))+2*a*(3*A*b^2+3*B*a*b+Ca^2)*(-(\sin(1/2dx+1/2c)^2)^{(1/2)}*(2*\sin(1/2dx+1/2c)^2-1)^{(1/2)}*(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2dx+1/2c),2^{(1/2)}))+2*(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)}*\cos(1/2dx+1/2c)*\sin(1/2dx+1/2c)^2)/\sin(1/2dx+1/2c)^2/(2*\sin(1/2dx+1/2c)^2-1)/\sin(1/2dx+1/2c)/(2*\cos(1/2dx+1/2c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^3*(A+B*sec(dx+c)+C*sec(dx+c)^2)*cos(dx+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb^3 sec(dx+c)^5 + (3Cab^2 + Bb^3) sec(dx+c)^4 + Aa^3 + (3Ca^2b + 3Bab^2 + Ab^3) sec(dx+c)^3 + (Ca^3 + 3

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*b^3*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*sec(d*x + c)^4 + A*a^3 + (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*sqrt(cos(d*x + c)), x)
```

$$3.1311 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=357

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) (7a^3(3A+C) + 21a^2bB + 3ab^2(7A+5C) + 5b^3B)}{21d} - \frac{2E\left(\frac{1}{2}(c+dx) \middle| 2\right) (9a^2b(5A+3C) + 15a^3B + 2b^2C)}{15d}$$

[Out] (-2*(15*a^3*B + 27*a*b^2*B + 9*a^2*b*(5*A + 3*C) + b^3*(9*A + 7*C))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(21*a^2*b*B + 5*b^3*B + 7*a^3*(3*A + C) + 3*a*b^2*(7*A + 5*C))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*b*(63*A*b^2 + 99*a*b*B + 24*a^2*C + 49*b^2*C)*Sin[c + d*x])/(315*d*Cos[c + d*x]^(5/2)) + (2*(54*a^2*b*B + 15*b^3*B + 8*a^3*C + 9*a*b^2*(7*A + 5*C))*Sin[c + d*x])/(63*d*Cos[c + d*x]^(3/2)) + (2*(15*a^3*B + 27*a*b^2*B + 9*a^2*b*(5*A + 3*C) + b^3*(9*A + 7*C))*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*(3*b*B + 2*a*C)*(b + a*Cos[c + d*x])^2*Ssin[c + d*x])/(21*d*Cos[c + d*x]^(7/2)) + (2*C*(b + a*Cos[c + d*x])^3*Ssin[c + d*x])/(9*d*Cos[c + d*x]^(9/2))

Rubi [A] time = 0.974086, antiderivative size = 357, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3047, 3031, 3021, 2748, 2636, 2639, 2641}

$$\frac{2F\left(\frac{1}{2}(c+dx) \middle| 2\right) (7a^3(3A+C) + 21a^2bB + 3ab^2(7A+5C) + 5b^3B)}{21d} - \frac{2E\left(\frac{1}{2}(c+dx) \middle| 2\right) (9a^2b(5A+3C) + 15a^3B + 2b^2C)}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]

[Out] (-2*(15*a^3*B + 27*a*b^2*B + 9*a^2*b*(5*A + 3*C) + b^3*(9*A + 7*C))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(21*a^2*b*B + 5*b^3*B + 7*a^3*(3*A + C) + 3*a*b^2*(7*A + 5*C))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*b*(63*A*b^2 + 99*a*b*B + 24*a^2*C + 49*b^2*C)*Sin[c + d*x])/(315*d*Cos[c + d*x]^(5/2)) + (2*(54*a^2*b*B + 15*b^3*B + 8*a^3*C + 9*a*b^2*(7*A + 5*C))*Sin[c + d*x])/(63*d*Cos[c + d*x]^(3/2)) + (2*(15*a^3*B + 27*a*b^2*B + 9*a^2*b*(5*A + 3*C) + b^3*(9*A + 7*C))*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*(3*b*B + 2*a*C)*(b + a*Cos[c + d*x])^2*Ssin[c + d*x])/(21*d*Cos[c + d*x]^(7/2)) + (2*C*(b + a*Cos[c + d*x])^3*Ssin[c + d*x])/(9*d*Cos[c + d*x]^(9/2))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^ (m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3047

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^ (n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1))]*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3031

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)]*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(b + a \cos(c + dx))^3 (C + B \cos(c + dx) + A \cos^2(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} \\
&= \frac{2C(b + a \cos(c + dx))^3 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2}{9} \int \frac{(b + a \cos(c + dx))^3}{\cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(3bB + 2aC)(b + a \cos(c + dx))^2 \sin(c + dx)}{21d \cos^{\frac{7}{2}}(c + dx)} + \frac{2C(b + a \cos(c + dx))^3}{21d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{2b(63Ab^2 + 99abB + 24a^2C + 49b^2C) \sin(c + dx)}{315d \cos^{\frac{5}{2}}(c + dx)} + \frac{2C(b + a \cos(c + dx))^3}{315d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b(63Ab^2 + 99abB + 24a^2C + 49b^2C) \sin(c + dx)}{315d \cos^{\frac{3}{2}}(c + dx)} + \frac{2C(b + a \cos(c + dx))^3}{315d \cos^{\frac{1}{2}}(c + dx)} \\
&= \frac{2(21a^2bB + 5b^3B + 7a^3(3A + C) + 3ab^2(7A + 5C)) \sin(c + dx)}{21d} \\
&= -\frac{2(15a^3B + 27ab^2B + 9a^2b(5A + 3C) + b^3(9A + 7C))}{15d}
\end{aligned}$$

Mathematica [C] time = 8.2908, size = 3345, normalized size = 9.37

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]
```

```
[Out] (Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(45*a^2*A*b + 9*A*b^3 + 15*a^3*B + 27*a*b^2*B + 27*a^2*b*C + 7*b^3*C)*Csc[c]*Sec[c])/(15*d) + (4*b^3*C*Sec[c]*Sec[c + d*x]^5*Sin[d*x])/(9*d) + (4*Sec[c]*Sec[c + d*x]^4*(7*b^3*C*Sin[c] + 9*b^3*B*Sin[d*x] + 27*a*b^2*C*Sin[d*x]))/(63*d) + (4*Sec[c]*Sec[c + d*x]^2*(63*A*b^3*Sin[c] + 189*a*b^2*B*Sin[c] + 189*a^2*b*C*Sin[c] + 49*b^3*C*Sin[c] + 315*a*A*b^2*Sin[d*x] + 315*a^2*b*B*Sin[d*x] + 75*b^3*B*Sin[d*x] + 105*a^3*C*Sin[d*x] + 225*a*b^2*
```

$$\begin{aligned}
& C*\sin[d*x]))/(315*d) + (4*\sec[c]*\sec[c + d*x]^3*(45*b^3*B*\sin[c] + 135*a*b^2*C*\sin[c] + 63*A*b^3*\sin[d*x] + 189*a*b^2*B*\sin[d*x] + 189*a^2*b*C*\sin[d*x] \\
&] + 49*b^3*C*\sin[d*x]))/(315*d) + (4*\sec[c]*\sec[c + d*x]*(105*a*A*b^2*\sin[c] + 105*a^2*b*B*\sin[c] + 25*b^3*B*\sin[c] + 35*a^3*C*\sin[c] + 75*a*b^2*C*\sin \\
& [c] + 315*a^2*A*b*\sin[d*x] + 63*A*b^3*\sin[d*x] + 105*a^3*B*\sin[d*x] + 189*a*b^2*B*\sin[d*x] + 189*a^2*b*C*\sin[d*x] + 49*b^3*C*\sin[d*x]))/(105*d))/((b \\
& + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) - (4 \\
& *a^3*A*\cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + \\
& d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt} \\
& [-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A \\
& *\cos[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*a*A*b^2*\cos[c + d*x]^5*Csc[c]*H \\
& ypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec \\
& [c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c \\
&]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\cos \\
& [c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot} \\
& [c]^2]) - (4*a^2*b*B*\cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, { \\
& 5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d* \\
& x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan} \\
& [\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt} \\
& [1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*C \\
& os[c + d*x] + A*\cos[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (20*b^3*B*\cos[c + d \\
& *x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]] \\
& ^2)*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x \\
& - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c \\
&]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]) \\
&)/(21*d*(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2* \\
& d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*a^3*C*\cos[c + d*x]^5*Csc[c]*HypergeometricPF \\
& Q[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec[c + d*x])^3*(A \\
& + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan} \\
& [\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(b + a*\cos[c + d*x])^3 \\
& *(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (2 \\
& 0*a*b^2*C*\cos[c + d*x]^5*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d* \\
& x - \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c \\
& + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{S} \\
& \text{qrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x \\
& - \text{ArcTan}[\text{Cot}[c]]]])/(7*d*(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] \\
&] + A*\cos[2*c + 2*d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) + (6*a^2*A*b*\cos[c + d*x]^5*Csc \\
& [c]*(a + b*\sec[c + d*x])^3*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((Hyperg \\
& eometricPFQ[{-1/2, -1/4}, {3/4}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\sin[d*x + \text{Arc} \\
& \text{Tan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \cos[d*x \\
& + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\cos[c]*\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]
\end{aligned}$$

$(15*d*(b + a*\cos[c + d*x])^3*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x]))$

Maple [B] time = 13.236, size = 1292, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^3*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/\cos(dx+c)^{(1/2)}, x)$

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*b^2*(B*b+3*C*a)*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*a*(3*A*b^2+3*B*a*b+C*a^2)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*C*b^3*(-1/144*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^5-7/180*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))-2/5*b*(A*b^2+3*B*a*b+3*C*a^2)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a^2*(3*A*b+B*a)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2$$

$$-1)^{(1/2)} * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2)^{(1/2)} + 2 * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 / \sin(1/2 * d * x + 1/2 * c)^2 / (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Cb^3 \sec(dx+c)^5 + (3Cab^2 + Bb^3) \sec(dx+c)^4 + Aa^3 + (3Ca^2b + 3Bab^2 + Ab^3) \sec(dx+c)^3 + (Ca^3 + 3Ba^2b + 3Bab^2 + Ab^3) \sec(dx+c)^2 + (3Ca^2b + 3Bab^2 + Ab^3) \sec(dx+c) + (Ca^3 + 3Ba^2b + 3Bab^2 + Ab^3)}{\sqrt{\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*b^3*sec(d*x + c)^5 + (3*C*a*b^2 + B*b^3)*sec(d*x + c)^4 + A*a^3 + (3*C*a^2*b + 3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + (C*a^3 + 3*B*a^2*b + 3*A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**
(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/
2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sq
rt(cos(d*x + c)), x)
```

$$\mathbf{3.1312} \quad \int \cos^{\frac{11}{2}}(c+dx)(a+b \sec(c+dx))^4 \left(A + B \sec(c+dx) + C \sec(c+dx) \right) dx$$

Optimal. Leaf size=404

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(66a^2b^2(5A+7C) + 5a^4(9A+11C) + 220a^3bB + 308ab^3B + 77b^4(A+3C)\right)}{231d} + \frac{2E\left(\frac{1}{2}(c+dx)\right)}{d}$$

[Out] (2*(7*a^4*B + 54*a^2*b^2*B + 15*b^4*B + 12*a*b^3*(3*A + 5*C) + 4*a^3*b*(7*A + 9*C))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(220*a^3*b*B + 308*a*b^3*B + 77*b^4*(A + 3*C) + 66*a^2*b^2*(5*A + 7*C) + 5*a^4*(9*A + 11*C))*EllipticF[(c + d*x)/2, 2])/(231*d) + (2*(64*A*b^4 + 660*a^3*b*B + 682*a*b^3*B + 15*a^4*(9*A + 11*C) + 9*a^2*b^2*(101*A + 143*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(693*d) + (2*a*(192*A*b^3 + 539*a^3*B + 1353*a*b^2*B + 2*a^2*b*(673*A + 891*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3465*d) + (2*(16*A*b^2 + 55*a*b*B + 3*a^2*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(231*d) + (2*(8*A*b + 11*a*B)*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^3*Sin[c + d*x])/(99*d) + (2*A*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^4*Sin[c + d*x])/(11*d)

Rubi [A] time = 1.32034, antiderivative size = 404, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3049, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\right) \left(66a^2b^2(5A+7C) + 5a^4(9A+11C) + 220a^3bB + 308ab^3B + 77b^4(A+3C)\right)}{231d} + \frac{2E\left(\frac{1}{2}(c+dx)\right) (4a^3b)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(7*a^4*B + 54*a^2*b^2*B + 15*b^4*B + 12*a*b^3*(3*A + 5*C) + 4*a^3*b*(7*A + 9*C))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(220*a^3*b*B + 308*a*b^3*B + 77*b^4*(A + 3*C) + 66*a^2*b^2*(5*A + 7*C) + 5*a^4*(9*A + 11*C))*EllipticF[(c + d*x)/2, 2])/(231*d) + (2*(64*A*b^4 + 660*a^3*b*B + 682*a*b^3*B + 15*a^4*(9*A + 11*C) + 9*a^2*b^2*(101*A + 143*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(693*d) + (2*a*(192*A*b^3 + 539*a^3*B + 1353*a*b^2*B + 2*a^2*b*(673*A + 891*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3465*d) + (2*(16*A*b^2 + 55*a*b*B + 3*a^2*(9*A + 11*C))*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(231*d) + (2*(8*A*b + 11*a*B)*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^3*Sin[c + d*x])/(99*d) + (2*A*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^4*Sin[c + d*x])/(11*d)

$\frac{\sin[c + dx]}{(99d)} + \frac{(2A\sqrt{\cos[c + dx]})(b + a\cos[c + dx])^4 \sin[c + dx]}{(11d)}$

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3049

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*d*cos[e + f*x]*Sin[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{11}{2}}(c + dx)(a + b \sec(c + dx))^4 (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))^4 (C + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
 &= \frac{2A\sqrt{\cos(c + dx)}(b + a \cos(c + dx))^4 \sin(c + dx)}{11d} \\
 &= \frac{2(8Ab + 11aB)\sqrt{\cos(c + dx)}(b + a \cos(c + dx))^4}{99d} \\
 &= \frac{2(16Ab^2 + 55abB + 3a^2(9A + 11C))\sqrt{\cos(c + dx)}}{23} \\
 &= \frac{2a(192Ab^3 + 539a^3B + 1353ab^2B + 2a^2(9A + 11C))\sqrt{\cos(c + dx)}}{34} \\
 &= \frac{2(64Ab^4 + 660a^3bB + 682ab^3B + 15a^4(9A + 11C))\sqrt{\cos(c + dx)}}{11} \\
 &= \frac{2(7a^4B + 54a^2b^2B + 15b^4B + 12ab^3(3A + 11C))\sqrt{\cos(c + dx)}}{11}
 \end{aligned}$$

Mathematica [A] time = 2.51623, size = 320, normalized size = 0.79

$$10\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) \left(66a^2b^2(5A + 7C) + 5a^4(9A + 11C) + 220a^3bB + 308ab^3B + 77b^4(A + 3C)\right) + 154E\left(\frac{1}{2}(c + dx), 2\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (154*(7*a^4*B + 54*a^2*b^2*B + 15*b^4*B + 12*a*b^3*(3*A + 5*C) + 4*a^3*b*(7*A + 9*C))*EllipticE[(c + d*x)/2, 2] + 10*(220*a^3*b*B + 308*a*b^3*B + 77*b^4*(A + 3*C) + 66*a^2*b^2*(5*A + 7*C) + 5*a^4*(9*A + 11*C))*EllipticF[(c + d*x)/2, 2] + (Sqrt[Cos[c + d*x]]*(154*a*(144*A*b^3 + 43*a^3*B + 216*a*b^2*B + 4*a^2*b*(43*A + 36*C))*Cos[c + d*x] + 5*(36*a^2*(66*A*b^2 + 44*a*b*B + a^2*(16*A + 11*C))*Cos[2*(c + d*x)] + 154*a^3*(4*A*b + a*B)*Cos[3*(c + d*x)] + 3*(616*A*b^4 + 2288*a^3*b*B + 2464*a*b^3*B + 264*a^2*b^2*(13*A + 14*C) + a^4*(531*A + 572*C) + 21*a^4*A*Cos[4*(c + d*x)])))*Sin[c + d*x])/12)/(115*d)

Maple [B] time = 2.933, size = 1273, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

[Out] -2/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(20160*A*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-50400*A*a^4-49280*A*a^3*b-12320*B*a^4)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(56880*A*a^4+98560*A*a^3*b+47520*A*a^2*b^2+24640*B*a^4+31680*B*a^3*b+7920*C*a^4)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-34920*A*a^4-91168*A*a^3*b-71280*A*a^2*b^2-22176*A*a*b^3-22792*B*a^4-47520*B*a^3*b-33264*B*a^2*b^2-11880*C*a^4-22176*C*a^3*b)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(13860*A*a^4+41888*A*a^3*b+55440*A*a^2*b^2+22176*A*a*b^3+4620*A*b^4+10472*B*a^4+36960*B*a^3*b+33264*B*a^2*b^2+18480*B*a*b^3+9240*C*a^4+22176*C*a^3*b+27720*C*a^2*b^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-2790*A*a^4-7392*A*a^3*b-15840*A*a^2*b^2-5544*A*a*b^3-2310*A*b^4-1848*B*a^4-10560*B*a^3*b-8316*B*a^2*b^2-9240*B*a*b^3-2640*C*a^4-5544*C*a^3*b-13860*C*a^2*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-6468*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(co

```

s(1/2*d*x+1/2*c),2^(1/2))*a^3*b-8316*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(
1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3+675*A
*a^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Elliptic
F(cos(1/2*d*x+1/2*c),2^(1/2))+4950*A*a^2*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(
2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1155*
A*b^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellipti
cF(cos(1/2*d*x+1/2*c),2^(1/2))-1617*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1
/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^4-12474*B*
(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos
(1/2*d*x+1/2*c),2^(1/2))*a^2*b^2-3465*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin
(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^4+3300*B
*a^3*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellipt
icF(cos(1/2*d*x+1/2*c),2^(1/2))+4620*a*b^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(
2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-8316*
C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(c
os(1/2*d*x+1/2*c),2^(1/2))*a^3*b-13860*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*si
n(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3+825
*a^4*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellipt
icF(cos(1/2*d*x+1/2*c),2^(1/2))+6930*C*a^2*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)
*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+346
5*C*b^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellip
ticF(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*
c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(dx+c)^(11/2)*(a+b*sec(dx+c))^4*(A+B*sec(dx+c)+C*sec(dx+c)
^2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral((Cb^4 cos(dx+c)^5 sec(dx+c)^6 + (4Cab^3 + Bb^4) cos(dx+c)^5 sec(dx+c)^5 + Aa^4 cos(dx+c)^5 + (6Ca^2b^2 + 4

```

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)
^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^4*cos(d*x + c)^5*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*cos(d*x
+ c)^5*sec(d*x + c)^5 + A*a^4*cos(d*x + c)^5 + (6*C*a^2*b^2 + 4*B*a*b^3 +
A*b^4)*cos(d*x + c)^5*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^2*b^2 + 2*A*a*b
^3)*cos(d*x + c)^5*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*cos(d
*x + c)^5*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*cos(d*x + c)^5*sec(d*x + c))
*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(11/2)*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+
c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)
^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4*co
s(d*x + c)^(11/2), x)
```

3.1313 $\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=377

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(4a^3b(5A+7C)+42a^2b^2B+5a^4B+28ab^3(A+3C)+21b^4B\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(18a^2b^2(3A+5C)+a^4(7A+9C)\right)}{21d}$$

[Out] $(2*(36*a^3*b*B + 60*a*b^3*B + 15*b^4*(A - C) + 18*a^2*b^2*(3*A + 5*C) + a^4*(7*A + 9*C))*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (2*(5*a^4*B + 42*a^2*b^2*B + 21*b^4*B + 28*a*b^3*(A + 3*C) + 4*a^3*b*(5*A + 7*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a*(15*a^3*B + 117*a*b^2*B + 2*b^3*(31*A - 63*C) + 12*a^2*b*(5*A + 7*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(63*d) + (2*a^2*(162*a*b*B + 3*b^2*(41*A - 105*C) + 7*a^2*(7*A + 9*C))*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(315*d) + (2*a*(5*A*b + 3*a*B - 21*b*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(21*d) + (2*a*(A - 9*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(9*d) + (2*C*(b + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 1.30519, antiderivative size = 377, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3047, 3049, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(4a^3b(5A+7C)+42a^2b^2B+5a^4B+28ab^3(A+3C)+21b^4B\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(18a^2b^2(3A+5C)+a^4(7A+9C)\right)}{21d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(9/2)}*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*(36*a^3*b*B + 60*a*b^3*B + 15*b^4*(A - C) + 18*a^2*b^2*(3*A + 5*C) + a^4*(7*A + 9*C))*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (2*(5*a^4*B + 42*a^2*b^2*B + 21*b^4*B + 28*a*b^3*(A + 3*C) + 4*a^3*b*(5*A + 7*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a*(15*a^3*B + 117*a*b^2*B + 2*b^3*(31*A - 63*C) + 12*a^2*b*(5*A + 7*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(63*d) + (2*a^2*(162*a*b*B + 3*b^2*(41*A - 105*C) + 7*a^2*(7*A + 9*C))*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(315*d) + (2*a*(5*A*b + 3*a*B - 21*b*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(21*d) + (2*a*(A - 9*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(9*d) + (2*C*(b + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

$d*x]/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_.)]*(d_.))^{\text{(n_.)}}*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_.)])^{\text{(m_.)}}*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sec}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \text{ :> } \text{Dist}[d^{\text{(m + 2)}}, \text{Int}[(b + a*\text{Cos}[e + f*x])^{\text{(m)}}*(d*\text{Cos}[e + f*x])^{\text{(n - m - 2)}}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] \text{ /; } \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \ \&\& \ !\text{IntegerQ}[n] \ \&\& \ \text{IntegerQ}[m]$

Rule 3047

$\text{Int}[(\text{(a_.) + (b_.)*sin}[(e_.) + (f_.)*(x_.)])^{\text{(m_.)}}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{\text{(n_.)}}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \text{ :> } -\text{Simp}[(c^2*C - B*c*d + A*d^2)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{\text{(m)}}*(c + d*\text{Sin}[e + f*x])^{\text{(n + 1)}}/(d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{\text{(m - 1)}}*(c + d*\text{Sin}[e + f*x])^{\text{(n + 1)}}*\text{Simp}[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*\text{Sin}[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))]*\text{Sin}[e + f*x]^2, x], x], x] \text{ /; } \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ \text{LtQ}[n, -1]$

Rule 3049

$\text{Int}[(\text{(a_.) + (b_.)*sin}[(e_.) + (f_.)*(x_.)])^{\text{(m_.)}}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{\text{(n_.)}}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{\text{(m)}}*(c + d*\text{Sin}[e + f*x])^{\text{(n + 1)}})/(d*f*(m + n + 2)), x] + \text{Dist}[1/(d*(m + n + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{\text{(m - 1)}}*(c + d*\text{Sin}[e + f*x])^{\text{(n)}}*\text{Simp}[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))]*\text{Sin}[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*\text{Sin}[e + f*x]^2, x], x], x] \text{ /; } \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ !(\text{IGtQ}[n, 0] \ \&\& \ (\ !\text{IntegerQ}[m] \ || \ (\text{EqQ}[a, 0] \ \&\& \ \text{NeQ}[c, 0])))$

Rule 3033

$\text{Int}[(\text{(a_.) + (b_.)*sin}[(e_.) + (f_.)*(x_.)])^{\text{(m_.)}}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \text{ :> } -\text{Simp}[(C*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{\text{(m + 1)}})/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{\text{(m)}}*\text{Simp}[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))]*\text{Sin}[e + f*x] - (2*a*C*d - b*(c*C + B*d))*(m + 3)]*\text{Sin}[e + f*x]^2, x]$

```
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int(((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(b+a\cos(c+dx))^4(C+B\cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2C(b+a\cos(c+dx))^4\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + 2 \\
&= \frac{2a(A-9C)\sqrt{\cos(c+dx)}(b+a\cos(c+dx))}{9d} \\
&= \frac{2a(5Ab+3aB-21bC)\sqrt{\cos(c+dx)}(b+a\cos(c+dx))}{21d} \\
&= \frac{2a^2(162abB+3b^2(41A-105C)+7a^2(9A-3C))}{315d} \\
&= \frac{2a(15a^3B+117ab^2B+2b^3(31A-63C))}{21d} \\
&= \frac{2a(15a^3B+117ab^2B+2b^3(31A-63C))}{21d} \\
&= \frac{2(36a^3bB+60ab^3B+15b^4(A-C)+18ab^2(A-C))}{21d}
\end{aligned}$$

Mathematica [C] time = 8.41413, size = 4114, normalized size = 10.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^(13/2)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(7*a^4*A + 54*a^2*A*b^2 + 15*A*b^4 + 36*a^3*b*B + 60*a*b^3*B + 9*a^4*C + 90*a^2*b^2*C - 30*b^4*C + 7*a^4*A*Cos[2*c] + 54*a^2*A*b^2*Cos[2*c] + 15*A*b^4*Cos[2*c] + 36*a^3*b*B*Cos[2*c] + 60*a*b^3*B*Cos[2*c] + 9*a^4*C*Cos[2*c] + 90*a^2*b^2*C*Cos[2*c]))*Csc[c]*Sec[c])/(15*d) + (a*(92*a^2*A*b + 112*A*b^3 + 23*a^3*B + 168*a*b^2*B + 112*a^2*b*C)*Cos[d*x]*Sin[c])/(21*d) + (a^2*(19*a^2*A + 108*A*b^2 + 72*a*b*B + 18*a^2*C)*Cos[2*d*x]*Sin[2*c])/(45*d) + (a^3*(4*A*b + a*B)*Cos[3*d*x]*Sin[3*c])/(7*d) + (a^4*A*Cos[4*d*x]*

$$\begin{aligned}
& \text{Sin}[4*c])/(18*d) + (a*(92*a^2*A*b + 112*A*b^3 + 23*a^3*B + 168*a*b^2*B + 11 \\
& 2*a^2*b*C)*\text{Cos}[c]*\text{Sin}[d*x])/(21*d) + (4*b^4*C*\text{Sec}[c]*\text{Sec}[c + d*x]*\text{Sin}[d*x]) \\
& /d + (a^2*(19*a^2*A + 108*A*b^2 + 72*a*b*B + 18*a^2*C)*\text{Cos}[2*c]*\text{Sin}[2*d*x]) \\
& /(45*d) + (a^3*(4*A*b + a*B)*\text{Cos}[3*c]*\text{Sin}[3*d*x])/(7*d) + (a^4*A*\text{Cos}[4*c]*\text{S} \\
& \text{in}[4*d*x])/(18*d))/((b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A \\
& *\text{Cos}[2*c + 2*d*x])) - (80*a^3*A*b*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{ \\
& 1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + \\
& B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d \\
& *x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot} \\
& [c]])]]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(21*d*(b + a*\text{Cos}[c + d*x])^4*(\\
& A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (16* \\
& a*A*b^3*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x \\
& - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + \\
& d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt} \\
& [-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] \\
& + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (20*a^4*B*\text{Cos}[c + d*x]^6*\text{Csc}[c] \\
& *\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{S} \\
& \text{ec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot} \\
& [c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]* \\
& \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(21*d*(b + \\
& a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 \\
& + \text{Cot}[c]^2]) - (8*a^2*b^2*B*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, \\
& 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec} \\
& [c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]] \\
&)]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C \\
& + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*b^4*B*\text{Cos} \\
& [c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Co} \\
& t[c]]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Se} \\
& c[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \\
& \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot} \\
& [c]]]])/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + \\
& 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (16*a^3*b*C*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{Hypergeome} \\
& \text{tricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x] \\
&)^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[\\
& 1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - A \\
& rcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(b + a*\text{Cos}[c + d \\
& *x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2] \\
&) - (16*a*b^3*C*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \\
& \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C \\
& *\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c] \\
&]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{S} \\
& \text{in}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + \\
& d*x] + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (14*a^4*A*\text{Cos}[c + d*x]^6*
\end{aligned}$$

$$\begin{aligned}
& \text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d \\
& *x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c] \\
& ^2])*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan} \\
& [c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^ \\
& 2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])))/ \\
& (15*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d* \\
& x])) - (36*a^2*A*b^2*\text{Cos}[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Se} \\
& c[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \text{Cos} \\
& [d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d \\
& *x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d \\
& *x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[T \\
& an}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + Ar \\
& cTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])))/(5*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + \\
& 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (2*A*b^4*\text{Cos}[c + d*x]^6*\text{Csc}[c]*(a \\
& + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{Hypergeometr \\
& icPFQ}\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin}[d*x + \text{ArcTan}[Ta \\
& n}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcT} \\
& an}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])*\text{Sqrt} \\
& [1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan}[c]^2] + \\
& (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c] \\
& ^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])))/(d*(b + a \\
& *Cos[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (24*a \\
& ^3*b*B*\text{Cos}[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C \\
& *Sec[c + d*x]^2)*((\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\\
& \text{Tan}[c]]]^2)*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[Ta \\
& n}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[Ta \\
& n}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]] \\
&]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 \\
& + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]* \\
& \text{Sqrt}[1 + \text{Tan}[c]^2])))/(5*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d* \\
& x] + A*\text{Cos}[2*c + 2*d*x])) - (8*a*b^3*B*\text{Cos}[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + \\
& d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}\{-1/2, \\
& -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c] \\
&)/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] \\
& *Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])*\text{Sqrt}[1 + \text{Tan}[c]^ \\
& 2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2* \\
& \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[C \\
& os}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])))/(d*(b + a*\text{Cos}[c + d*x] \\
&)^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (6*a^4*C*\text{Cos}[c + \\
& d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2 \\
&)*((\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2)*\text{Sin} \\
& [d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1
\end{aligned}$$

$$\begin{aligned}
& + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2] - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (5 * d * (b + a * \cos[c + d*x])^4 * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x])) - (12 * a^2 * b^2 * C * \cos[c + d*x]^6 * \text{Csc}[c] * (a + b * \text{Sec}[c + d*x])^4 * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * (\text{HypergeometricPFQ}[-1/2, -1/4], \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (d * (b + a * \cos[c + d*x])^4 * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x])) + (2 * b^4 * C * \cos[c + d*x]^6 * \text{Csc}[c] * (a + b * \text{Sec}[c + d*x])^4 * (A + B * \text{Sec}[c + d*x] + C * \text{Sec}[c + d*x]^2) * (\text{HypergeometricPFQ}[-1/2, -1/4], \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \text{Sqrt}[\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]]) / (d * (b + a * \cos[c + d*x])^4 * (A + 2 * C + 2 * B * \cos[c + d*x] + A * \cos[2 * c + 2 * d*x]))
\end{aligned}$$

Maple [B] time = 3.588, size = 1652, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(9/2)} * (a+b*\sec(d*x+c))^4 * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $-2/315 * (-1120 * A * (-2 * \sin(1/2 * d * x + 1/2 * c))^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^4 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^{10} + 80 * (-2 * \sin(1/2 * d * x + 1/2 * c))^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^3 * (28 * A * a + 36 * A * b + 9 * B * a) * \sin(1/2 * d * x + 1/2 * c)^8 * \cos(1/2 * d * x + 1/2 * c) - 8 * (-2 * \sin(1/2 * d * x + 1/2 * c))^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^2 * (259 * A * a^2 + 540 * A * a * b + 378 * A * b^2 + 135 * B * a^2 + 252 * B * a * b + 63 * C * a^2) * \sin(1/2 * d * x + 1/2 * c)^6 * \cos(1/2 * d * x + 1/2 * c) + 56 * (-2 * \sin(1/2 * d * x + 1/2 * c))^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * (17 * A * a^3 + 60 * A * a^2 * b + 54 * A * a * b^2 + 30 * A * b^3 + 15 * B * a^3 + 36 * B * a^2 * b + 45 * B * a * b^2 + 9 * C * a^3 + 30 * C * a^2 * b) * \sin(1/2 * d * x + 1/2 * c)^4 * \cos(1/2 * d * x + 1/2 * c) - 6 * (-2 * \sin(1/2 * d * x + 1/2 * c))^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (28 * A * a^4 + 160 * A * a^3 * b + 126 * A * a^2 * b^2 + 140 * A * a * b^3 + 40 * B * a^4 + 84 * B * a^3 * b + 210 * B * a^2 * b^2 + 21 * C * a^4 + 140 * C * a^3 * b + 105 * C * b^4) * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) + 300 * A * a^3 * b * (\sin(1/2 * d * x + 1/2 * c)$

$$\begin{aligned}
&)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 420 * A * a * b^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} - \\
& 147 * A * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^4 - 1134 * A * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^2 * b^2 - 315 * A * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \\
& \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b^4 + 75 * B * a^4 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 630 * a^2 * b^2 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 315 * B * b^4 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} - 756 * B * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^3 * b - 1260 * B * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a * b^3 + 420 * a^3 * b * C * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 1260 * C * a * b^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} - 189 * C * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^4 - 1890 * C * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^2 * b^2 + 315 * C * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b^4 / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb⁴ cos(dx + c)⁴ sec(dx + c)⁶ + (4Cab³ + Bb⁴) cos(dx + c)⁴ sec(dx + c)⁵ + Aa⁴ cos(dx + c)⁴ + (6Ca²b² + 4

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b⁴*cos(d*x + c)⁴*sec(d*x + c)⁶ + (4*C*a*b³ + B*b⁴)*cos(d*x + c)⁴*sec(d*x + c)⁵ + A*a⁴*cos(d*x + c)⁴ + (6*C*a²*b² + 4*B*a*b³ + A*b⁴)*cos(d*x + c)⁴*sec(d*x + c)⁴ + 2*(2*C*a³*b + 3*B*a²*b² + 2*A*a*b³)*cos(d*x + c)⁴*sec(d*x + c)³ + (C*a⁴ + 4*B*a³*b + 6*A*a²*b²)*cos(d*x + c)⁴*sec(d*x + c)² + (B*a⁴ + 4*A*a³*b)*cos(d*x + c)⁴*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4*cos(d*x + c)^(9/2), x)
```

3.1314 $\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=371

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(42a^2b^2(A+3C)+a^4(5A+7C)+28a^3bB+84ab^3B+7b^4(3A+C)\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(4a^3b(3A+5C)+2a^2b^2(3A+C)+2ab^3(3A+C)+b^4(3A+C)\right)}{21d}$$

[Out] $(2*(3*a^4*B + 30*a^2*b^2*B - 5*b^4*B + 20*a*b^3*(A - C) + 4*a^3*b*(3*A + 5*C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(28*a^3*b*B + 84*a*b^3*B + 7*b^4*(3*A + C) + 42*a^2*b^2*(A + 3*C) + a^4*(5*A + 7*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a*(28*a^2*b*B - 42*b^3*B + 3*a*b^2*(13*A - 49*C) + a^3*(5*A + 7*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*a^2*(54*a*A*b + 21*a^2*B - 105*b^2*B - 350*a*b*C)*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(105*d) + (2*a*(a*A - 7*b*B - 21*a*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d) + (2*(3*b*B + 8*a*C)*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(b + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^(3/2))$

Rubi [A] time = 1.29516, antiderivative size = 371, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules used}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3047, 3049, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(42a^2b^2(A+3C)+a^4(5A+7C)+28a^3bB+84ab^3B+7b^4(3A+C)\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(4a^3b(3A+5C)+2a^2b^2(3A+C)+2ab^3(3A+C)+b^4(3A+C)\right)}{21d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^(7/2)*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*(3*a^4*B + 30*a^2*b^2*B - 5*b^4*B + 20*a*b^3*(A - C) + 4*a^3*b*(3*A + 5*C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(28*a^3*b*B + 84*a*b^3*B + 7*b^4*(3*A + C) + 42*a^2*b^2*(A + 3*C) + a^4*(5*A + 7*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a*(28*a^2*b*B - 42*b^3*B + 3*a*b^2*(13*A - 49*C) + a^3*(5*A + 7*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*a^2*(54*a*A*b + 21*a^2*B - 105*b^2*B - 350*a*b*C)*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(105*d) + (2*a*(a*A - 7*b*B - 21*a*C)*\text{Sqrt}[\text{Cos}[c + d*x]]*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d) + (2*(3*b*B + 8*a*C)*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*C*(b + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^(3/2))$

+ d*x]^(3/2))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3047

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1)/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))]*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3049

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1)/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))]*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*d*cos[e + f*x]*Sin[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))]*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x]

```
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int(((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(b+a\cos(c+dx))^4(C+B\cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2C(b+a\cos(c+dx))^4\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2}{3} \\
&= \frac{2(3bB+8aC)(b+a\cos(c+dx))^3\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} \\
&= -\frac{2a(7bB-a(A-21C))\sqrt{\cos(c+dx)}(b+a\cos(c+dx))^2}{7d} \\
&= \frac{2a^2(54aAb+21a^2B-105b^2B-350abC)}{105d} \\
&= \frac{2a(28a^2bB-42b^3B+3ab^2(13A-49C))}{2d} \\
&= \frac{2a(28a^2bB-42b^3B+3ab^2(13A-49C))}{2d} \\
&= \frac{2(3a^4B+30a^2b^2B-5b^4B+20ab^3(A-49C))}{5ad}
\end{aligned}$$

Mathematica [C] time = 9.05849, size = 4776, normalized size = 12.87

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (((12*I)/5)*a^3*A*b*Cos[c + d*x]^6*Csc[c]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)]*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]))/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4,

$$\begin{aligned}
& -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\cos[c] \\
& + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\cos[\\
& 2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]]/((-I)*d*(1 + E^{((2*I)*d*x)})*\cos[c] + d*(- \\
& 1 + E^{((2*I)*d*x)})*\sin[c]))/((b + a*\cos[c + d*x])^4*(A + 2*C + 2*B*\cos[c + \\
& d*x] + A*\cos[2*c + 2*d*x])) + ((4*I)*a*A*b^3*\cos[c + d*x]^6*\text{Csc}[c]*(a + b* \\
& \text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^{((2*I)*d*x)}*H \\
& \text{ypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\text{Sqr} \\
& \text{t}[(2*(1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d \\
& *x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]]/((3*I)*d* \\
& (1 + E^{((2*I)*d*x)})*\cos[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\sin[c]) - (2*\text{Hypergeo} \\
& \text{metric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\text{Sqrt}[(2*(\\
& 1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}]*\text{S} \\
& \text{qrt}[1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]]/((-I)*d*(1 + E^{ \\
& ((2*I)*d*x)})*\cos[c] + d*(-1 + E^{((2*I)*d*x)})*\sin[c]))/((b + a*\cos[c + d*x] \\
&)^4*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + (((3*I)/5)*a^4*B*C \\
& \cos[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + \\
& d*x]^2)*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} \\
& *(\cos[c] + I*\sin[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E \\
& ^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2* \\
& I)*d*x)}*\sin[2*c]]/((3*I)*d*(1 + E^{((2*I)*d*x)})*\cos[c] - 3*d*(-1 + E^{((2*I) \\
& *d*x)})*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\cos[\\
& c] + I*\sin[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I) \\
&)*d*x)})*\sin[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x} \\
&)*\sin[2*c]]/((-I)*d*(1 + E^{((2*I)*d*x)})*\cos[c] + d*(-1 + E^{((2*I)*d*x)})*\sin[\\
& c]))/((b + a*\cos[c + d*x])^4*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2 \\
& *d*x])) + ((6*I)*a^2*b^2*B*\cos[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A \\
& + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/ \\
& 2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)* \\
& d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2 \\
& *I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]]/((3*I)*d*(1 + E^{((2*I)*d*x)} \\
&)*\cos[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2 \\
& , 3/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})* \\
& \cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d* \\
& x)*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]]/((-I)*d*(1 + E^{((2*I)*d*x)})*\cos[c] \\
& + d*(-1 + E^{((2*I)*d*x)})*\sin[c]))/((b + a*\cos[c + d*x])^4*(A + 2*C + 2*B* \\
& \cos[c + d*x] + A*\cos[2*c + 2*d*x])) - (I*b^4*B*\cos[c + d*x]^6*\text{Csc}[c]*(a + b \\
& *\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^{((2*I)*d*x)}* \\
& \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\text{Sqr} \\
& \text{t}[(2*(1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I* \\
& d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]]/((3*I)*d \\
& *(1 + E^{((2*I)*d*x)})*\cos[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\sin[c]) - (2*\text{Hyperge} \\
& \text{ometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\text{Sqrt}[(2* \\
& (1 + E^{((2*I)*d*x)})*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\sin[c])/E^{(I*d*x)}]* \\
& \text{Sqrt}[1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]]/((-I)*d*(1 + E \\
& ^{((2*I)*d*x)})*\cos[c] + d*(-1 + E^{((2*I)*d*x)})*\sin[c]))/((b + a*\cos[c + d*x
\end{aligned}$$

$$\begin{aligned}
&])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + ((4*I)*a^3*b*C*\text{Cos}[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c])))/(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - ((4*I)*a*b^3*C*\text{Cos}[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c])))/(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + (\text{Cos}[c + d*x]^(13/2)*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((-2*(12*a^3*A*b + 20*a*A*b^3 + 3*a^4*B + 30*a^2*b^2*B - 10*b^4*B + 20*a^3*b*C - 40*a*b^3*C + 12*a^3*A*b*C*\text{os}[2*c] + 20*a*A*b^3*\text{Cos}[2*c] + 3*a^4*B*\text{Cos}[2*c] + 30*a^2*b^2*B*\text{Cos}[2*c] + 20*a^3*b*C*\text{Cos}[2*c])*Csc[c]*Sec[c])/(5*d) + (a^2*(23*a^2*A + 168*A*b^2 + 112*a*b*B + 28*a^2*C)*\text{Cos}[d*x]*\text{Sin}[c])/(21*d) + (2*a^3*(4*A*b + a*B)*\text{Cos}[2*d*x]*\text{Sin}[2*c])/(5*d) + (a^4*A*\text{Cos}[3*d*x]*\text{Sin}[3*c])/(7*d) + (a^2*(23*a^2*A + 168*A*b^2 + 112*a*b*B + 28*a^2*C)*\text{Cos}[c]*\text{Sin}[d*x])/(21*d) + (4*b^4*C*\text{Sec}[c]*\text{Sec}[c + d*x]^2*\text{Sin}[d*x])/(3*d) + (4*\text{Sec}[c]*\text{Sec}[c + d*x]*(b^4*C*\text{Sin}[c] + 3*b^4*B*\text{Sin}[d*x] + 12*a*b^3*C*\text{Sin}[d*x]))/(3*d) + (2*a^3*(4*A*b + a*B)*\text{Cos}[2*c]*\text{Sin}[2*d*x])/(5*d) + (a^4*A*\text{Cos}[3*c]*\text{Sin}[3*d*x])/(7*d)))/(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) - (20*a^4*A*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*Sqrt[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*Sqrt[-(Sqrt[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*Sqrt[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(21*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*Sqrt[1 + \text{Cot}[c]^2]) - (8*a^2*A*b^2*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*Sqrt[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*Sqrt[-(Sqrt[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*Sqrt[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])*Sqrt[1 + \text{Cot}[c]^2]) - (4*A*b^4*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[
\end{aligned}$$

$$\begin{aligned}
& d*x - \text{ArcTan}[\text{Cot}[c]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]* \\
& \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] \\
& + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (16*a^3*b*B*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + \\
& b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]* \\
& \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(3*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] \\
& + A*\text{Cos}[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (16*a*b^3*B*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]* \\
& \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \\
& \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*a^4*C*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)* \\
& \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]* \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(3*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \\
& \text{Sqrt}[1 + \text{Cot}[c]^2]) - (24*a^2*b^2*C*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]* \\
& \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \\
& \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*b^4*C*\text{Cos}[c + d*x]^6*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]* \\
& \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]/(3*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])* \\
& \text{Sqrt}[1 + \text{Cot}[c]^2])
\end{aligned}$$

Maple [B] time = 10.084, size = 2507, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] 2/105*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(4*sin(1/2*d*x+1/2*c)^4-4*sin(1/2*d*x+1/2*c)^2+1)/sin(1/2*d*x+1/2*c)^3*(252*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3*b+420*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3-210*A*a^2*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+630*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b^2-140*B*a^3*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-420*a*b^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+420*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3*b-420*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3-630*C*a^2*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1344*A*a^3*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+2016*A*a^3*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+1680*A*a^2*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+1120*B*a^3*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-1008*A*a^3*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-1680*A*a^2*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-1120*B*a^3*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-1680*C*a*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+168*A*a^3*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+420*A*a^2*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+280*B*a^3*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+840*C*a*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-126*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^4*sin(1/2*d*x+1/2*c)^2+210*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^4*sin(1/2*d*x+1/2*c)^2+70*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^4*sin(1/2*d*x+1/2*c)^2+70*C*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^4*sin(1/2*d*x+1/2*c)^2+50*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^4*sin(1/2*d*x+1/2*c)^2+210*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^4*sin(1/2*d*x+1/2*c)^2+480*A*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10-960*A*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8-336*B*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+920*A*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+504*B*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+280*C*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-440*A*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-252*B*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-420*B*b^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-280*C*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+80*A*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+42*B*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+210*B*b^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+70*C*a^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+70*C*b^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+420*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+
```

$$\begin{aligned} & (1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b^2*\sin(1/2*d*x+1/2*c) \\ & ^2-504*A*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^3*b*\sin(1/2*d*x+1/2*c)^2-840*A*Elliptic \\ & E(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1 \\ & /2*c)^2-1)^{(1/2)}*a*b^3*\sin(1/2*d*x+1/2*c)^2+280*B*EllipticF(\cos(1/2*d*x+1/2 \\ & *c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \\ & a^3*b*\sin(1/2*d*x+1/2*c)^2+840*B*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^3*\sin(1/2*d*x \\ & +1/2*c)^2-1260*B*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b^2*\sin(1/2*d*x+1/2*c)^2+1260 \\ & *C*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin \\ & (1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b^2*\sin(1/2*d*x+1/2*c)^2-25*A*a^4*(\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+ \\ & 1/2*c),2^{(1/2)})-105*A*b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c \\ &)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+63*B*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(\\ & 1/2)})*a^4-105*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/ \\ & 2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^4-35*a^4*C*(\sin(1/2*d*x+1/2*c)^2 \\ &)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/ \\ & 2)})-35*C*b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \\ & EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-840*C*EllipticE(\cos(1/2*d*x+1/2*c),2^{(\\ & 1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^3*b* \\ & \sin(1/2*d*x+1/2*c)^2+840*C*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^3*\sin(1/2*d*x+1/2*c \\ &)^2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/ \\ & 2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^4 cos(dx + c)^3 sec(dx + c)^6 + (4 Cab^3 + Bb^4) cos(dx + c)^3 sec(dx + c)^5 + Aa^4 cos(dx + c)^3 + (6 Ca^2 b^2 + 4

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^4*cos(d*x + c)^3*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*cos(d*x + c)^3*sec(d*x + c)^5 + A*a^4*cos(d*x + c)^3 + (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*cos(d*x + c)^3*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^2*b^2 + 2*A*a*b^3)*cos(d*x + c)^3*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*cos(d*x + c)^3*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4*cos(d*x + c)^(7/2), x)
```

3.1315 $\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=388

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(4a^3b(A+3C)+18a^2b^2B+a^4B+4ab^3(3A+C)+b^4B\right)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(30a^2b^2(A-C)+a^4(3A+5C)\right)}{5d}$$

[Out] (2*(20*a^3*b*B - 20*a*b^3*B + 30*a^2*b^2*(A - C) - b^4*(5*A + 3*C) + a^4*(3*A + 5*C))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(a^4*B + 18*a^2*b^2*B + b^4*B + 4*a*b^3*(3*A + C) + 4*a^3*b*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*(5*a^3*B - 105*a*b^2*B + 4*a^2*b*(5*A - 33*C) - 6*b^3*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) - (2*a^2*(50*a*b*B - a^2*(3*A - 59*C) + 3*b^2*(5*A + 3*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*(5*A*b^2 + 15*a*b*B + 16*a^2*C + 3*b^2*C)*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]) + (2*(5*b*B + 8*a*C)*(b + a*Cos[c + d*x])^3*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2)) + (2*C*(b + a*Cos[c + d*x])^4*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 1.30293, antiderivative size = 388, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules used}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3033, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(4a^3b(A+3C)+18a^2b^2B+a^4B+4ab^3(3A+C)+b^4B\right)}{3d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(30a^2b^2(A-C)+a^4(3A+5C)\right)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]

[Out] (2*(20*a^3*b*B - 20*a*b^3*B + 30*a^2*b^2*(A - C) - b^4*(5*A + 3*C) + a^4*(3*A + 5*C))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(a^4*B + 18*a^2*b^2*B + b^4*B + 4*a*b^3*(3*A + C) + 4*a^3*b*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*(5*a^3*B - 105*a*b^2*B + 4*a^2*b*(5*A - 33*C) - 6*b^3*(5*A + 3*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) - (2*a^2*(50*a*b*B - a^2*(3*A - 59*C) + 3*b^2*(5*A + 3*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*(5*A*b^2 + 15*a*b*B + 16*a^2*C + 3*b^2*C)*(b + a*Cos[c + d*x])^2*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]) + (2*(5*b*B + 8*a*C)*(b + a*Cos[c + d*x])^3*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2)) + (2*C*(b + a*Cos[c + d*x])^4*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))

)]/(5*d*Cos[c + d*x]^(5/2))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3047

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))]*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Ssin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))]*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)]*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(b+a\cos(c+dx))^4(C+B\cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)}dx \\
&= \frac{2C(b+a\cos(c+dx))^4\sin(c+dx)}{5d\cos^{\frac{5}{2}}(c+dx)} + \frac{2}{5} \\
&= \frac{2(5bB+8aC)(b+a\cos(c+dx))^3\sin(c+dx)}{15d\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2(5Ab^2+15abB+16a^2C+3b^2C)(b+a\cos(c+dx))}{5d\sqrt{\cos(c+dx)}} \\
&= -\frac{2a^2(50abB-a^2(3A-59C)+3b^2(5A-3C))}{15d} \\
&= \frac{2a(5a^3B-105ab^2B+4a^2b(5A-33C))}{15d} \\
&= \frac{2a(5a^3B-105ab^2B+4a^2b(5A-33C))}{15d} \\
&= \frac{2(20a^3bB-20ab^3B+30a^2b^2(A-C)-3a^2b(5A-33C))}{15d}
\end{aligned}$$

Mathematica [C] time = 9.20879, size = 4960, normalized size = 12.78

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (((3*I)/5)*a^4*A*Cos[c + d*x]^6*Csc[c]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E

$$\begin{aligned}
& ^{-((2*I)*d*x)*(Cos[c] + I*Sin[c])^2}] * Sqrt[(2*(1 + E^{((2*I)*d*x)}) * Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * Sin[c]) / E^{(I*d*x)}] * Sqrt[1 + E^{((2*I)*d*x)} * Cos[2*c] + I * E^{((2*I)*d*x)} * Sin[2*c]] / ((-I)*d*(1 + E^{((2*I)*d*x)}) * Cos[c] + d*(-1 + E^{((2*I)*d*x)}) * Sin[c])) / ((b + a * Cos[c + d*x])^4 * (A + 2*C + 2*B * Cos[c + d*x] + A * Cos[2*c + 2*d*x])) + ((6*I)*a^2 * A * b^2 * Cos[c + d*x]^6 * Csc[c] * (a + b * Sec[c + d*x])^4 * (A + B * Sec[c + d*x] + C * Sec[c + d*x]^2) * ((2 * E^{((2*I)*d*x)}) * Hypergeometric2F1[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}) * (Cos[c] + I * Sin[c])^2]) * Sqrt[(2*(1 + E^{((2*I)*d*x)}) * Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * Sin[c]) / E^{(I*d*x)}] * Sqrt[1 + E^{((2*I)*d*x)} * Cos[2*c] + I * E^{((2*I)*d*x)} * Sin[2*c]] / ((3*I)*d*(1 + E^{((2*I)*d*x)}) * Cos[c] - 3*d*(-1 + E^{((2*I)*d*x)}) * Sin[c]) - (2 * Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}) * (Cos[c] + I * Sin[c])^2]) * Sqrt[(2*(1 + E^{((2*I)*d*x)}) * Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * Sin[c]) / E^{(I*d*x)}] * Sqrt[1 + E^{((2*I)*d*x)} * Cos[2*c] + I * E^{((2*I)*d*x)} * Sin[2*c]] / ((-I)*d*(1 + E^{((2*I)*d*x)}) * Cos[c] + d*(-1 + E^{((2*I)*d*x)}) * Sin[c])) / ((b + a * Cos[c + d*x])^4 * (A + 2*C + 2*B * Cos[c + d*x] + A * Cos[2*c + 2*d*x])) - (I * A * b^4 * Cos[c + d*x]^6 * Csc[c] * (a + b * Sec[c + d*x])^4 * (A + B * Sec[c + d*x] + C * Sec[c + d*x]^2) * ((2 * E^{((2*I)*d*x)}) * Hypergeometric2F1[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}) * (Cos[c] + I * Sin[c])^2]) * Sqrt[(2*(1 + E^{((2*I)*d*x)}) * Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * Sin[c]) / E^{(I*d*x)}] * Sqrt[1 + E^{((2*I)*d*x)} * Cos[2*c] + I * E^{((2*I)*d*x)} * Sin[2*c]] / ((3*I)*d*(1 + E^{((2*I)*d*x)}) * Cos[c] - 3*d*(-1 + E^{((2*I)*d*x)}) * Sin[c]) - (2 * Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}) * (Cos[c] + I * Sin[c])^2]) * Sqrt[(2*(1 + E^{((2*I)*d*x)}) * Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * Sin[c]) / E^{(I*d*x)}] * Sqrt[1 + E^{((2*I)*d*x)} * Cos[2*c] + I * E^{((2*I)*d*x)} * Sin[2*c]] / ((-I)*d*(1 + E^{((2*I)*d*x)}) * Cos[c] + d*(-1 + E^{((2*I)*d*x)}) * Sin[c])) / ((b + a * Cos[c + d*x])^4 * (A + 2*C + 2*B * Cos[c + d*x] + A * Cos[2*c + 2*d*x])) + ((4*I)*a^3 * b * B * Cos[c + d*x]^6 * Csc[c] * (a + b * Sec[c + d*x])^4 * (A + B * Sec[c + d*x] + C * Sec[c + d*x]^2) * ((2 * E^{((2*I)*d*x)}) * Hypergeometric2F1[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}) * (Cos[c] + I * Sin[c])^2]) * Sqrt[(2*(1 + E^{((2*I)*d*x)}) * Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * Sin[c]) / E^{(I*d*x)}] * Sqrt[1 + E^{((2*I)*d*x)} * Cos[2*c] + I * E^{((2*I)*d*x)} * Sin[2*c]] / ((3*I)*d*(1 + E^{((2*I)*d*x)}) * Cos[c] - 3*d*(-1 + E^{((2*I)*d*x)}) * Sin[c]) - (2 * Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}) * (Cos[c] + I * Sin[c])^2]) * Sqrt[(2*(1 + E^{((2*I)*d*x)}) * Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * Sin[c]) / E^{(I*d*x)}] * Sqrt[1 + E^{((2*I)*d*x)} * Cos[2*c] + I * E^{((2*I)*d*x)} * Sin[2*c]] / ((-I)*d*(1 + E^{((2*I)*d*x)}) * Cos[c] + d*(-1 + E^{((2*I)*d*x)}) * Sin[c])) / ((b + a * Cos[c + d*x])^4 * (A + 2*C + 2*B * Cos[c + d*x] + A * Cos[2*c + 2*d*x])) - ((4*I)*a * b^3 * B * Cos[c + d*x]^6 * Csc[c] * (a + b * Sec[c + d*x])^4 * (A + B * Sec[c + d*x] + C * Sec[c + d*x]^2) * ((2 * E^{((2*I)*d*x)}) * Hypergeometric2F1[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}) * (Cos[c] + I * Sin[c])^2]) * Sqrt[(2*(1 + E^{((2*I)*d*x)}) * Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * Sin[c]) / E^{(I*d*x)}] * Sqrt[1 + E^{((2*I)*d*x)} * Cos[2*c] + I * E^{((2*I)*d*x)} * Sin[2*c]] / ((3*I)*d*(1 + E^{((2*I)*d*x)}) * Cos[c] - 3*d*(-1 + E^{((2*I)*d*x)}) * Sin[c]) - (2 * Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}) * (Cos[c] + I * Sin[c])^2]) * Sqrt[(2*(1 + E^{((2*I)*d*x)}) * Cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * Sin[c]) / E^{(I*d*x)}] * Sqrt[1 + E^{((2*I)*d*x)} * Cos[2*c] + I * E^{((2*I)*d*x)} * Sin[2*c]] / ((-I)*d*(1 + E^{((2*I)*d*x)}) * Cos[c] + d*(-1 + E^{((2*I)*d*x)}) * Sin[c])) / ((b + a * Cos[c + d*x])^4 *
\end{aligned}$$

$$\begin{aligned}
& (A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) + (Ia^4C\cos[c + dx]^6 \\
& 6\text{Csc}[c](a + b\text{Sec}[c + dx])^4(A + B\text{Sec}[c + dx] + C\text{Sec}[c + dx]^2) * ((2 \\
& *E^((2I)*dx)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2I)*dx)*(Cos[c] + I \\
& *Sin[c])^2)]*Sqrt[(2*(1 + E^((2I)*dx))*Cos[c] + (2I)*(-1 + E^((2I)*dx) \\
&)*Sin[c])/E^((I)*dx)]*Sqrt[1 + E^((2I)*dx)*Cos[2c] + I*E^((2I)*dx)*Sin[\\
& 2c]])/((3I)*d*(1 + E^((2I)*dx))*Cos[c] - 3*d*(-1 + E^((2I)*dx))*Sin[c \\
&]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2I)*dx)*(Cos[c] + I*Sin[c \\
&])^2)]*Sqrt[(2*(1 + E^((2I)*dx))*Cos[c] + (2I)*(-1 + E^((2I)*dx))*Sin[\\
& c])/E^((I)*dx)]*Sqrt[1 + E^((2I)*dx)*Cos[2c] + I*E^((2I)*dx)*Sin[2c]]) \\
& /((-I)*d*(1 + E^((2I)*dx))*Cos[c] + d*(-1 + E^((2I)*dx))*Sin[c]))/(b \\
& + a\cos[c + dx])^4(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) - ((\\
& 6I)*a^2b^2C\cos[c + dx]^6\text{Csc}[c](a + b\text{Sec}[c + dx])^4(A + B\text{Sec}[c + \\
& dx] + C\text{Sec}[c + dx]^2) * ((2E^((2I)*dx)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, \\
& -(E^((2I)*dx)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2I)*dx))*Cos[c] \\
& + (2I)*(-1 + E^((2I)*dx))*Sin[c])/E^((I)*dx)]*Sqrt[1 + E^((2I)*dx)*Cos \\
& [2c] + I*E^((2I)*dx)*Sin[2c]])/((3I)*d*(1 + E^((2I)*dx))*Cos[c] - 3* \\
& d*(-1 + E^((2I)*dx))*Sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((\\
& 2I)*dx)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2I)*dx))*Cos[c] + (2* \\
& I)*(-1 + E^((2I)*dx))*Sin[c])/E^((I)*dx)]*Sqrt[1 + E^((2I)*dx)*Cos[2c] \\
& + I*E^((2I)*dx)*Sin[2c]])/((-I)*d*(1 + E^((2I)*dx))*Cos[c] + d*(-1 + E \\
& ^((2I)*dx))*Sin[c]))/(b + a\cos[c + dx])^4(A + 2C + 2B\cos[c + dx] \\
& + A\cos[2c + 2dx]) - (((3I)/5)*b^4C\cos[c + dx]^6\text{Csc}[c](a + b\text{Sec} \\
& [c + dx])^4(A + B\text{Sec}[c + dx] + C\text{Sec}[c + dx]^2) * ((2E^((2I)*dx)*\text{Hype \\
& rgeometric2F1}[1/2, 3/4, 7/4, -(E^((2I)*dx)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(\\
& 2*(1 + E^((2I)*dx))*Cos[c] + (2I)*(-1 + E^((2I)*dx))*Sin[c])/E^((I)*dx) \\
&]*Sqrt[1 + E^((2I)*dx)*Cos[2c] + I*E^((2I)*dx)*Sin[2c]])/((3I)*d*(1 \\
& + E^((2I)*dx))*Cos[c] - 3*d*(-1 + E^((2I)*dx))*Sin[c]) - (2*\text{Hypergeomet \\
& ric2F1}[-1/4, 1/2, 3/4, -(E^((2I)*dx)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + \\
& E^((2I)*dx))*Cos[c] + (2I)*(-1 + E^((2I)*dx))*Sin[c])/E^((I)*dx)]*Sqrt \\
& [1 + E^((2I)*dx)*Cos[2c] + I*E^((2I)*dx)*Sin[2c]])/((-I)*d*(1 + E^((2 \\
& *I)*dx))*Cos[c] + d*(-1 + E^((2I)*dx))*Sin[c]))/(b + a\cos[c + dx])^4 \\
& *(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) + (\cos[c + dx]^(13/2)* \\
& (a + b\text{Sec}[c + dx])^4(A + B\text{Sec}[c + dx] + C\text{Sec}[c + dx]^2) * ((-2*(3a^4* \\
& A + 30*a^2*A*b^2 - 10*A*b^4 + 20*a^3*b*B - 40*a*b^3*B + 5*a^4*C - 60*a^2*b^ \\
& 2*C - 6*b^4*C + 3*a^4*A\cos[2c] + 30*a^2*A*b^2\cos[2c] + 20*a^3*b*B\cos[2 \\
& *c] + 5*a^4*C\cos[2c])*Csc[c]*Sec[c])/(5*d) + (4*a^3*(4*A*b + a*B)*\cos[dx] \\
&]*\sin[c])/(3*d) + (2*a^4*A\cos[2dx]*\sin[2c])/(5*d) + (4*a^3*(4*A*b + a*B) \\
&)*\cos[c]*\sin[dx])/(3*d) + (4*b^4*C*Sec[c]*Sec[c + dx]^3*\sin[dx])/(5*d) + \\
& (4*Sec[c]*Sec[c + dx]^2*(3*b^4*C*\sin[c] + 5*b^4*B*\sin[dx] + 20*a*b^3*C*S \\
& in[dx]))/(15*d) + (4*Sec[c]*Sec[c + dx]*(5*b^4*B*\sin[c] + 20*a*b^3*C*\sin[\\
& c] + 15*A*b^4*\sin[dx] + 60*a*b^3*B*\sin[dx] + 90*a^2*b^2*C*\sin[dx] + 9*b^ \\
& 4*C*\sin[dx]))/(15*d) + (2*a^4*A\cos[2c]*\sin[2dx])/(5*d)))/(b + a\cos[c \\
& + dx])^4(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx]) - (16*a^3*A*b \\
& *Cos[c + dx]^6\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[dx - \text{ArcTa} \\
& n[\text{Cot}[c]]]^2)*(a + b\text{Sec}[c + dx])^4(A + B\text{Sec}[c + dx] + C\text{Sec}[c + dx]^2
\end{aligned}$$

$$\begin{aligned}
&) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / ((3*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (16*a*A*b^3*\text{Cos}[c + d*x]^6*\text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*a^4*B*\text{Cos}[c + d*x]^6*\text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (24*a^2*b^2*B*\text{Cos}[c + d*x]^6*\text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*b^4*B*\text{Cos}[c + d*x]^6*\text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (16*a^3*b*C*\text{Cos}[c + d*x]^6*\text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (16*a*b^3*C*\text{Cos}[c + d*x]^6*\text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * (a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2])
\end{aligned}$$

Maple [B] time = 11.548, size = 1884, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{5/2} * (a+b*\sec(dx+c))^{4} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4/5*A*a^4*(-4*s \\ & \sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+14*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+ \\ & 1/2*c)+5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Elli \\ & pticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-9*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-6*\sin(1/2*d*x+ \\ & 1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}+1/3*(-12*A*a^4+16*A*a^3*b+4*B*a^4)*(2*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d \\ & *x+1/2*c)+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E \\ & llipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Ell \\ & ipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-\sin(1/2*d*x \\ & +1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}+(6*A*a^4-16*A*a^3*b+12*A*a^2*b^2-4*B*a^4+8*B*a^3*b+2*C*a^4)*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2 \\ & *c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-El \\ & lipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2*A*a^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\ & -2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ &)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+8*A*a^3*b*(\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-12*A*a^2*b^2 \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2 \\ & *d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1 \\ & /2)})+8*A*a*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/ \\ & 2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d \\ & *x+1/2*c), 2^{(1/2)})+2*B*a^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2 \\ & *c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellipti \\ & cF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-8*B*a^3*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*c \\ & \cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+12*a^2*b^2*B*(\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2*a^4*C*(\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+8 \\ & *a^3*b*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2 \\ & *sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2 \\ & *c), 2^{(1/2)})+2*b^3*(B*b+4*C*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2 \\ & *c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2/5 \\ & *C*b^4/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c) \\ & ^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(c \end{aligned}$$

```

os(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^
4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*(2*sin(1/2*d*x+1/2*c)^2-1)^
(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*si
n(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(2*sin(1/2*
d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/
2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/
2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*b^2*(A*b^2+4*B*a*b+6*C*a^2)*(-(sin(1/2
*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c
)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2
*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/
2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*
x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral((Cb^4*cos(dx+c)^2*sec(dx+c)^6+(4Cab^3+Bb^4)*cos(dx+c)^2*sec(dx+c)^5+Aa^4*cos(dx+c)^2+(6Ca^2b^2+4

```

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^
2),x, algorithm="fricas")

```

```

[Out] integral((C*b^4*cos(d*x+c)^2*sec(d*x+c)^6+(4*C*a*b^3+B*b^4)*cos(d*x
+c)^2*sec(d*x+c)^5+A*a^4*cos(d*x+c)^2+(6*C*a^2*b^2+4*B*a*b^3+
A*b^4)*cos(d*x+c)^2*sec(d*x+c)^4+2*(2*C*a^3*b+3*B*a^2*b^2+2*A*a*b
^3)*cos(d*x+c)^2*sec(d*x+c)^3+(C*a^4+4*B*a^3*b+6*A*a^2*b^2)*cos(d
*x+c)^2*sec(d*x+c)^2+(B*a^4+4*A*a^3*b)*cos(d*x+c)^2*sec(d*x+c)
*sqrt(cos(d*x+c)),x)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4*cos(d*x + c)^(5/2), x)

3.1316 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^4 (A + B \sec(c + dx) + C \sec(c + dx)) dx$

Optimal. Leaf size=384

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(42a^2b^2(3A+C)+7a^4(A+3C)+84a^3bB+28ab^3B+b^4(7A+5C)\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(20a^3b(A-C)+3b^2(3A+C)+7a^4(A+3C)+b^4(7A+5C)\right)}{21d}$$

[Out] $(2*(5*a^4*B - 30*a^2*b^2*B - 3*b^4*B + 20*a^3*b*(A - C) - 4*a*b^3*(5*A + 3*C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(84*a^3*b*B + 28*a*b^3*B + 42*a^2*b^2*(3*A + C) + 7*a^4*(A + 3*C) + b^4*(7*A + 5*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*b*(413*a^2*b*B + 63*b^3*B + 192*a^3*C + 2*a*b^2*(175*A + 10*1*C))*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[\text{Cos}[c + d*x]]) - (2*a^2*(98*a*b*B - a^2*(35*A - 87*C) + 5*b^2*(7*A + 5*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*d) + (2*(35*A*b^2 + 77*a*b*B + 48*a^2*C + 25*b^2*C)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^(3/2)) + (2*(7*b*B + 8*a*C)*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^(5/2)) + (2*C*(b + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^(7/2))$

Rubi [A] time = 1.31648, antiderivative size = 384, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3031, 3023, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(42a^2b^2(3A+C)+7a^4(A+3C)+84a^3bB+28ab^3B+b^4(7A+5C)\right)}{21d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(20a^3b(A-C)+3b^2(3A+C)+7a^4(A+3C)+b^4(7A+5C)\right)}{21d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^(3/2)*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(2*(5*a^4*B - 30*a^2*b^2*B - 3*b^4*B + 20*a^3*b*(A - C) - 4*a*b^3*(5*A + 3*C))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(84*a^3*b*B + 28*a*b^3*B + 42*a^2*b^2*(3*A + C) + 7*a^4*(A + 3*C) + b^4*(7*A + 5*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*b*(413*a^2*b*B + 63*b^3*B + 192*a^3*C + 2*a*b^2*(175*A + 10*1*C))*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[\text{Cos}[c + d*x]]) - (2*a^2*(98*a*b*B - a^2*(35*A - 87*C) + 5*b^2*(7*A + 5*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*d) + (2*(35*A*b^2 + 77*a*b*B + 48*a^2*C + 25*b^2*C)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^(3/2)) + (2*(7*b*B + 8*a*C)*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^(5/2)) + (2*C*(b + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^(7/2))$

$\text{Sin}[c + d*x]/(7*d*\text{Cos}[c + d*x]^{(7/2)})$

Rule 4112

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\text{sec}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sec}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sec}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e + f*x])^{(n-m-2)}*(C + B*\text{Cos}[e + f*x] + A*\text{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3047

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow -\text{Simp}[(c^2*C - B*c*d + A*d^2)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n+1)} / (d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[A*d*(b*d*m + a*c*(n+1)) + (c*C - B*d)*(b*c*m + a*d*(n+1)) - (d*(A*(a*d*(n+2) - b*c*(n+1)) + B*(b*d*(n+1) - a*c*(n+2))) - C*(b*c*d*(n+1) - a*(c^2 + d^2*(n+1)))]*\text{Sin}[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m+1) + d^2*(n+1)))*\text{Sin}[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3031

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)} / (b^2*f*(m+1)*(a^2 - b^2)), x] - \text{Dist}[1/(b^2*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*\text{Simp}[b*(m+1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m+1) - a*b*c*(m+2)) + (b*c - a*d)*(A*b^2*(m+2) + C*(a^2 + b^2*(m+1)))]*\text{Sin}[e + f*x] - b*C*d*(m+1)*(a^2 - b^2)*\text{Sin}[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3023

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)}) / (b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Sin}[e + f*x], x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(b+a\cos(c+dx))^4(C+B\cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} \\
&= \frac{2C(b+a\cos(c+dx))^4\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2}{7} \\
&= \frac{2(7bB+8aC)(b+a\cos(c+dx))^3\sin(c+dx)}{35d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2(35Ab^2+77abB+48a^2C+25b^2C)(b+a\cos(c+dx))^3\sin(c+dx)}{105d\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2b(413a^2bB+63b^3B+192a^3C+2ab^2C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}} \\
&= \frac{2b(413a^2bB+63b^3B+192a^3C+2ab^2C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}} \\
&= \frac{2b(413a^2bB+63b^3B+192a^3C+2ab^2C)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}} \\
&= \frac{2(5a^4B-30a^2b^2B-3b^4B+20a^3b(A-C))\sin(c+dx)}{5a^2d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 9.44671, size = 4791, normalized size = 12.48

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] ((4*I)*a^3*A*b*Cos[c + d*x]^6*Csc[c]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*

$$\begin{aligned}
& I) * (-1 + E^{(2*I)*d*x}) * \sin[c] / E^{I*d*x} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c]} \\
& + I * E^{(2*I)*d*x} * \sin[2*c] / ((-I)*d*(1 + E^{(2*I)*d*x}) * \cos[c] + d*(-1 + E^{(2*I)*d*x}) * \sin[c])) / ((b + a*\cos[c + d*x])^4 * (A + 2*C + 2*B*\cos[c + d*x] \\
& + A*\cos[2*c + 2*d*x])) - ((4*I)*a*A*b^3*\cos[c + d*x]^6 * \csc[c] * (a + b*\sec[c + d*x])^4 * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * ((2*E^{(2*I)*d*x}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2*I)*d*x}) * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{(2*I)*d*x}) * \cos[c] + (2*I)*(-1 + E^{(2*I)*d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c] + I * E^{(2*I)*d*x} * \sin[2*c]}) / ((3*I)*d*(1 + E^{(2*I)*d*x}) * \cos[c] - 3*d*(-1 + E^{(2*I)*d*x}) * \sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2*I)*d*x}) * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{(2*I)*d*x}) * \cos[c] + (2*I)*(-1 + E^{(2*I)*d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c] + I * E^{(2*I)*d*x} * \sin[2*c]}) / ((-I)*d*(1 + E^{(2*I)*d*x}) * \cos[c] + d*(-1 + E^{(2*I)*d*x}) * \sin[c])) / ((b + a*\cos[c + d*x])^4 * (A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) + (I*a^4*B*\cos[c + d*x]^6 * \csc[c] * (a + b*\sec[c + d*x])^4 * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * ((2*E^{(2*I)*d*x}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2*I)*d*x}) * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{(2*I)*d*x}) * \cos[c] + (2*I)*(-1 + E^{(2*I)*d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c] + I * E^{(2*I)*d*x} * \sin[2*c]}) / ((3*I)*d*(1 + E^{(2*I)*d*x}) * \cos[c] - 3*d*(-1 + E^{(2*I)*d*x}) * \sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2*I)*d*x}) * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{(2*I)*d*x}) * \cos[c] + (2*I)*(-1 + E^{(2*I)*d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c] + I * E^{(2*I)*d*x} * \sin[2*c]}) / ((-I)*d*(1 + E^{(2*I)*d*x}) * \cos[c] + d*(-1 + E^{(2*I)*d*x}) * \sin[c])) / ((b + a*\cos[c + d*x])^4 * (A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) - ((6*I)*a^2*b^2*B*\cos[c + d*x]^6 * \csc[c] * (a + b*\sec[c + d*x])^4 * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * ((2*E^{(2*I)*d*x}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2*I)*d*x}) * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{(2*I)*d*x}) * \cos[c] + (2*I)*(-1 + E^{(2*I)*d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c] + I * E^{(2*I)*d*x} * \sin[2*c]}) / ((3*I)*d*(1 + E^{(2*I)*d*x}) * \cos[c] - 3*d*(-1 + E^{(2*I)*d*x}) * \sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2*I)*d*x}) * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{(2*I)*d*x}) * \cos[c] + (2*I)*(-1 + E^{(2*I)*d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c] + I * E^{(2*I)*d*x} * \sin[2*c]}) / ((-I)*d*(1 + E^{(2*I)*d*x}) * \cos[c] + d*(-1 + E^{(2*I)*d*x}) * \sin[c])) / ((b + a*\cos[c + d*x])^4 * (A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) - (((3*I)/5)*b^4*B*\cos[c + d*x]^6 * \csc[c] * (a + b*\sec[c + d*x])^4 * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * ((2*E^{(2*I)*d*x}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2*I)*d*x}) * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{(2*I)*d*x}) * \cos[c] + (2*I)*(-1 + E^{(2*I)*d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c] + I * E^{(2*I)*d*x} * \sin[2*c]}) / ((3*I)*d*(1 + E^{(2*I)*d*x}) * \cos[c] - 3*d*(-1 + E^{(2*I)*d*x}) * \sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2*I)*d*x}) * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{(2*I)*d*x}) * \cos[c] + (2*I)*(-1 + E^{(2*I)*d*x}) * \sin[c]) / E^{I*d*x}} * \sqrt{1 + E^{(2*I)*d*x} * \cos[2*c] + I * E^{(2*I)*d*x} * \sin[2*c]}) / ((-I)*d*(1 + E^{(2*I)*d*x}) * \cos[c] + d*(-1 + E^{(2*I)*d*x}) * \sin[c])) / ((b + a*\cos[c + d*x])^4 * (A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])) - ((4*I)*a^3*b*C*\cos[c +
\end{aligned}$$

$$\begin{aligned}
& c \tan[\cot[c]]^2 (a + b \sec[c + d x])^4 (A + B \sec[c + d x] + C \sec[c + d x]^2) \sec[d x - \arctan[\cot[c]]] \sqrt{1 - \sin[d x - \arctan[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d x - \arctan[\cot[c]]])} \sqrt{1 + \sin[d x - \arctan[\cot[c]]]} \\
& / (3 d (b + a \cos[c + d x])^4 (A + 2 C + 2 B \cos[c + d x] + A \cos[2 c + 2 d x]) \sqrt{1 + \cot[c]^2}) - (16 a^3 b B \cos[c + d x]^6 \csc[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \arctan[\cot[c]]]^2 (a + b \sec[c + d x])^4 (A + B \sec[c + d x] + C \sec[c + d x]^2) \sec[d x - \arctan[\cot[c]]] \sqrt{1 - \sin[d x - \arctan[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d x - \arctan[\cot[c]]])} \sqrt{1 + \sin[d x - \arctan[\cot[c]]]} \\
& / (d (b + a \cos[c + d x])^4 (A + 2 C + 2 B \cos[c + d x] + A \cos[2 c + 2 d x]) \sqrt{1 + \cot[c]^2}) - (16 a b^3 B \cos[c + d x]^6 \csc[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \arctan[\cot[c]]]^2 (a + b \sec[c + d x])^4 (A + B \sec[c + d x] + C \sec[c + d x]^2) \sec[d x - \arctan[\cot[c]]] \sqrt{1 - \sin[d x - \arctan[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d x - \arctan[\cot[c]]])} \sqrt{1 + \sin[d x - \arctan[\cot[c]]]} \\
& / (d (b + a \cos[c + d x])^4 (A + 2 C + 2 B \cos[c + d x] + A \cos[2 c + 2 d x]) \sqrt{1 + \cot[c]^2}) - (4 a^4 C \cos[c + d x]^6 \csc[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \arctan[\cot[c]]]^2 (a + b \sec[c + d x])^4 (A + B \sec[c + d x] + C \sec[c + d x]^2) \sec[d x - \arctan[\cot[c]]] \sqrt{1 - \sin[d x - \arctan[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d x - \arctan[\cot[c]]])} \sqrt{1 + \sin[d x - \arctan[\cot[c]]]} \\
& / (d (b + a \cos[c + d x])^4 (A + 2 C + 2 B \cos[c + d x] + A \cos[2 c + 2 d x]) \sqrt{1 + \cot[c]^2}) - (8 a^2 b^2 C \cos[c + d x]^6 \csc[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \arctan[\cot[c]]]^2 (a + b \sec[c + d x])^4 (A + B \sec[c + d x] + C \sec[c + d x]^2) \sec[d x - \arctan[\cot[c]]] \sqrt{1 - \sin[d x - \arctan[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d x - \arctan[\cot[c]]])} \sqrt{1 + \sin[d x - \arctan[\cot[c]]]} \\
& / (d (b + a \cos[c + d x])^4 (A + 2 C + 2 B \cos[c + d x] + A \cos[2 c + 2 d x]) \sqrt{1 + \cot[c]^2}) - (20 b^4 C \cos[c + d x]^6 \csc[c] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d x - \arctan[\cot[c]]]^2 (a + b \sec[c + d x])^4 (A + B \sec[c + d x] + C \sec[c + d x]^2) \sec[d x - \arctan[\cot[c]]] \sqrt{1 - \sin[d x - \arctan[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot[c]^2} \sin[c] \sin[d x - \arctan[\cot[c]]])} \sqrt{1 + \sin[d x - \arctan[\cot[c]]]} \\
& / (21 d (b + a \cos[c + d x])^4 (A + 2 C + 2 B \cos[c + d x] + A \cos[2 c + 2 d x]) \sqrt{1 + \cot[c]^2})
\end{aligned}$$

Maple [B] time = 12.151, size = 1624, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2), x)

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4/3*A*a^4*(2*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)-sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+(-4*A*a^4+8*A*a^3*b+2*B*a^4)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+2*A*a^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-8*A*a^3*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+12*A*a^2*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2*B*a^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+8*B*a^3*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*a^4*C*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*b^2*(A*b^2+4*B*a*b+6*C*a^2)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*C*b^4*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))-2/5*b^3*(B*b+4*C*a)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+4*a*b*(2*A*b^2+3*B*a*b+2*C*a^2)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^4 cos(dx + c) sec(dx + c)^6 + (4Cab^3 + Bb^4) cos(dx + c) sec(dx + c)^5 + Aa^4 cos(dx + c) + (6Ca^2b^2 + 4Ba^3) cos(dx + c) sec(dx + c)^4 + 2*(2Ca^3b + 3Ba^2b^2 + 2Aa*b^3) cos(dx + c) sec(dx + c)^3 + (Ca^4 + 4Ba^3b + 6Aa^2b^2) cos(dx + c) sec(dx + c)^2 + (Ba^4 + 4Aa^3b) cos(dx + c) sec(dx + c)) * sqrt(cos(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^4*cos(d*x + c)*sec(d*x + c)^6 + (4*C*a*b^3 + B*b^4)*cos(d*x + c)*sec(d*x + c)^5 + A*a^4*cos(d*x + c) + (6*C*a^2*b^2 + 4*B*a*b^3 + A*b^4)*cos(d*x + c)*sec(d*x + c)^4 + 2*(2*C*a^3*b + 3*B*a^2*b^2 + 2*A*a*b^3)*cos(d*x + c)*sec(d*x + c)^3 + (C*a^4 + 4*B*a^3*b + 6*A*a^2*b^2)*cos(d*x + c)*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*cos(d*x + c)*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^4 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4*cos(d*x + c)^(3/2), x)

3.1317 $\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^4 (A+B \sec(c+dx)+C \sec(c+dx)) dx$

Optimal. Leaf size=401

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(28a^3b(3A+C) + 42a^2b^2B + 21a^4B + 4ab^3(7A+5C) + 5b^4B\right) - 2E\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(18a^2b^2(5A+3C) + b^4(9A+7C)\right)}{21d}$$

[Out] $(-2*(60*a^3*b*B + 36*a*b^3*B - 15*a^4*(A - C) + 18*a^2*b^2*(5*A + 3*C) + b^4*(9*A + 7*C))*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (2*(21*a^4*B + 42*a^2*b^2*B + 5*b^4*B + 28*a^3*b*(3*A + C) + 4*a*b^3*(7*A + 5*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*b*(261*a^2*b*B + 75*b^3*B + 64*a^3*C + 2*a*b^2*(147*A + 101*C))*\text{Sin}[c + d*x])/(315*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(1098*a^3*b*B + 756*a*b^3*B + 192*a^4*C + 21*b^4*(9*A + 7*C) + 7*a^2*b^2*(261*A + 155*C))*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*(63*A*b^2 + 117*a*b*B + 48*a^2*C + 49*b^2*C)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(315*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(9*b*B + 8*a*C)*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(63*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*C*(b + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(9*d*\text{Cos}[c + d*x]^{(9/2)})$

Rubi [A] time = 1.33063, antiderivative size = 401, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3031, 3021, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(28a^3b(3A+C) + 42a^2b^2B + 21a^4B + 4ab^3(7A+5C) + 5b^4B\right) - 2E\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(18a^2b^2(5A+3C) + b^4(9A+7C)\right)}{21d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $(-2*(60*a^3*b*B + 36*a*b^3*B - 15*a^4*(A - C) + 18*a^2*b^2*(5*A + 3*C) + b^4*(9*A + 7*C))*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (2*(21*a^4*B + 42*a^2*b^2*B + 5*b^4*B + 28*a^3*b*(3*A + C) + 4*a*b^3*(7*A + 5*C))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*b*(261*a^2*b*B + 75*b^3*B + 64*a^3*C + 2*a*b^2*(147*A + 101*C))*\text{Sin}[c + d*x])/(315*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(1098*a^3*b*B + 756*a*b^3*B + 192*a^4*C + 21*b^4*(9*A + 7*C) + 7*a^2*b^2*(261*A + 155*C))*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*(63*A*b^2 + 117*a*b*B + 48*a^2*C + 49*b^2*C)*(b + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(315*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(9*b*B + 8*a*C)*(b + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(63*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*C*(b + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(9*d*\text{Cos}[c + d*x]^{(9/2)})$

$x]^{(7/2)} + (2C*(b + a*\cos[c + d*x])^4*\sin[c + d*x])/(9*d*\cos[c + d*x]^{(9/2)})$

Rule 4112

$\text{Int}[(\cos[e_.] + (f_.)*(x_)]*(d_.)^{(n_)}*((a_.) + (b_.)*\sec[e_.] + (f_.)*(x_))]^{(m_)}*((A_.) + (B_.)*\sec[e_.] + (f_.)*(x_)] + (C_.)*\sec[e_.] + (f_.)*(x_)]^2, x_Symbol] :> \text{Dist}[d^{(m+2)}, \text{Int}[(b + a*\cos[e + f*x])^m*(d*\cos[e + f*x])^{(n-m-2)}*(C + B*\cos[e + f*x] + A*\cos[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3047

$\text{Int}[(a_.) + (b_.)*\sin[e_.] + (f_.)*(x_)]^{(m_)}*((c_.) + (d_.)*\sin[e_.] + (f_.)*(x_)]^{(n_)}*((A_.) + (B_.)*\sin[e_.] + (f_.)*(x_)] + (C_.)*\sin[e_.] + (f_.)*(x_)]^2, x_Symbol] :> -\text{Simp}[(c^2*C - B*c*d + A*d^2)*\cos[e + f*x]*(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^{(n+1)}]/(d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)}*\text{Simp}[A*d*(b*d*m + a*c*(n+1)) + (c*C - B*d)*(b*c*m + a*d*(n+1)) - (d*(A*(a*d*(n+2) - b*c*(n+1)) + B*(b*d*(n+1) - a*c*(n+2))) - C*(b*c*d*(n+1) - a*(c^2 + d^2*(n+1)))]*\sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))]*\sin[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3031

$\text{Int}[(a_.) + (b_.)*\sin[e_.] + (f_.)*(x_)]^{(m_)}*((c_.) + (d_.)*\sin[e_.] + (f_.)*(x_)]*(A_.) + (B_.)*\sin[e_.] + (f_.)*(x_)] + (C_.)*\sin[e_.] + (f_.)*(x_)]^2, x_Symbol] :> -\text{Simp}[(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)}]/(b^2*f*(m+1)*(a^2 - b^2)), x] - \text{Dist}[1/(b^2*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m+1)}*\text{Simp}[b*(m+1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m+1) - a*b*c*(m+2)) + (b*c - a*d)*(A*b^2*(m+2) + C*(a^2 + b^2*(m+1)))]*\sin[e + f*x] - b*C*d*(m+1)*(a^2 - b^2)*\sin[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3021

$\text{Int}[(a_.) + (b_.)*\sin[e_.] + (f_.)*(x_)]^{(m_)}*((A_.) + (B_.)*\sin[e_.] + (f_.)*(x_)] + (C_.)*\sin[e_.] + (f_.)*(x_)]^2, x_Symbol] :> -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)}]/(b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m+1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b$

$- a*B + b*C)*(m + 1))*\sin[e + f*x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \ \&\& \text{LtQ}[m, -1] \ \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2748

$\text{Int}[(b_*)\sin[(e_*) + (f_*)(x_*)]^{(m_*)}((c_*) + (d_*)\sin[(e_*) + (f_*)(x_*)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+b\sec(c+dx))^4(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= \int \frac{(b+a\cos(c+dx))^4(C+B\cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} \\
&= \frac{2C(b+a\cos(c+dx))^4\sin(c+dx)}{9d\cos^{\frac{9}{2}}(c+dx)} + \frac{2}{9} \\
&= \frac{2(9bB+8aC)(b+a\cos(c+dx))^3\sin(c+dx)}{63d\cos^{\frac{7}{2}}(c+dx)} \\
&= \frac{2(63Ab^2+117abB+48a^2C+49b^2C)}{315d\cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2b(261a^2bB+75b^3B+64a^3C+2ab^2(1+C))}{315d\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2b(261a^2bB+75b^3B+64a^3C+2ab^2(1+C))}{315d\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2b(261a^2bB+75b^3B+64a^3C+2ab^2(1+C))}{315d\cos^{\frac{3}{2}}(c+dx)} \\
&= -\frac{2(60a^3bB+36ab^3B-15a^4(A-C)+\dots)}{\dots}
\end{aligned}$$

Mathematica [C] time = 9.09068, size = 4150, normalized size = 10.35

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Cos[c + d*x]^(13/2)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-2*(15*a^4*A - 180*a^2*A*b^2 - 18*A*b^4 - 120*a^3*b*B - 72*a*b^3*B - 30*a^4*C - 108*a^2*b^2*C - 14*b^4*C + 15*a^4*A*Cos[2*c]))*Csc[c]*Sec[c])/((15*d) + (4*b^4*C*Sec[c]*Sec[c + d*x]^5*Sin[d*x]))/(9*d) + (4*Sec[c]*Sec[c + d*x]^4*(7*b^4*C*Sin[c] + 9*b^4*B*Sin[d*x] + 36*a*b^3*C*Sin[d*x]))/(63*d) + (4*Sec[c]*Sec[c + d*x]^2*(63*A*b^4*Sin[c] + 252*a*b^3*B*Sin[c] + 378*a^2*b^2*C*Sin[c] + 49*b^4*C*Sin[c] + 420*a*A*b^3*Sin[d*x] + 630*a^2*b^2*B*Sin[

$$\begin{aligned}
& d*x] + 75*b^4*B*\sin[d*x] + 420*a^3*b*C*\sin[d*x] + 300*a*b^3*C*\sin[d*x]))/(3 \\
& 15*d) + (4*\sec[c]*\sec[c + d*x]^3*(45*b^4*B*\sin[c] + 180*a*b^3*C*\sin[c] + 63 \\
& *A*b^4*\sin[d*x] + 252*a*b^3*B*\sin[d*x] + 378*a^2*b^2*C*\sin[d*x] + 49*b^4*C* \\
& \sin[d*x]))/(315*d) + (4*\sec[c]*\sec[c + d*x]*(140*a*A*b^3*\sin[c] + 210*a^2*b \\
& ^2*B*\sin[c] + 25*b^4*B*\sin[c] + 140*a^3*b*C*\sin[c] + 100*a*b^3*C*\sin[c] + 6 \\
& 30*a^2*A*b^2*\sin[d*x] + 63*A*b^4*\sin[d*x] + 420*a^3*b*B*\sin[d*x] + 252*a*b^ \\
& 3*B*\sin[d*x] + 105*a^4*C*\sin[d*x] + 378*a^2*b^2*C*\sin[d*x] + 49*b^4*C*\sin[d \\
& *x]))/(105*d)))/((b + a*\cos[c + d*x])^4*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos \\
& [2*c + 2*d*x])) - (16*a^3*A*b*\cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, \\
& 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec[c + d*x])^4*(A + B*\sec \\
& [c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \\
& \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]] \\
&])]*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\cos[c + d*x])^4*(A + 2*C \\
& + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (16*a*A*b^3 \\
& *\cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan} \\
& [\text{Cot}[c]]]^2)*(a + b*\sec[c + d*x])^4*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2 \\
&)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt} \\
& [1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan} \\
& [\text{Cot}[c]]]])/(3*d*(b + a*\cos[c + d*x])^4*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos \\
& [2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (4*a^4*B*\cos[c + d*x]^6*Csc[c]*Hyperge \\
& ometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec[c + d \\
& *x])^4*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqr \\
& t}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x \\
& - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\cos[c + \\
& d*x])^4*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2 \\
&]) - (8*a^2*b^2*B*\cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4} \\
& , \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec[c + d*x])^4*(A + B*\sec[c + d*x] + \\
& C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c] \\
& c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \\
& \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(b + a*\cos[c + d*x])^4*(A + 2*C + 2*B*\cos[c \\
& + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (20*b^4*B*\cos[c + d*x]^ \\
& 6*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)* \\
& (a + b*\sec[c + d*x])^4*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{Ar \\
& cTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] \\
& *\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(2 \\
& 1*d*(b + a*\cos[c + d*x])^4*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x] \\
&)*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (16*a^3*b*C*\cos[c + d*x]^6*Csc[c]*HypergeometricPFQ \\
& [{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec[c + d*x])^4*(A \\
& + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin \\
& [d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\sin[c]*\sin[d*x - \text{ArcTan}[\text{C} \\
& ot}[c]]]])*\text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(b + a*\cos[c + d*x])^4* \\
& (A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (80 \\
& *a*b^3*C*\cos[c + d*x]^6*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x \\
& - \text{ArcTan}[\text{Cot}[c]]]^2)*(a + b*\sec[c + d*x])^4*(A + B*\sec[c + d*x] + C*\sec[c \\
& + d*x]^2)*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqr}
\end{aligned}$$

$$\begin{aligned}
& t[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])]) * \text{Sqrt}[1 + \text{Sin}[d*x \\
& - \text{ArcTan}[\text{Cot}[c]])]) / (21*d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] \\
& + A*\text{Cos}[2*c + 2*d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2]) - (2*a^4*A*\text{Cos}[c + d*x]^6*\text{Csc}[c \\
&]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{Hypergeo} \\
& \text{metricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]^2 * \text{Sin}[d*x + \text{ArcTa} \\
& \text{n}[\text{Tan}[c]]) * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Cos}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \\
& \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2 \\
&] + (2*\text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{S} \\
& \text{in}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Tan}[c]^2])]) / (d*(b \\
& + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + (\\
& 12*a^2*A*b^2*\text{Cos}[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d* \\
& x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + A \\
& \text{rcTan}[\text{Tan}[c]])]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{Arc} \\
& \text{Tan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{Arc} \\
& \text{Tan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[T \\
& \text{an}[c]]) * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \\
& \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan} \\
& [c]])] * \text{Sqrt}[1 + \text{Tan}[c]^2])]) / (d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c \\
& + d*x] + A*\text{Cos}[2*c + 2*d*x])) + (6*A*b^4*\text{Cos}[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c \\
& + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/ \\
& 2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Tan} \\
& [c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]] \\
&]) * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c \\
&]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^ \\
& 2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt} \\
& [\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Tan}[c]^2])]) / (5*d*(b + a*\text{Cos}[c + \\
& d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + (8*a^3*b*B*Co \\
& s[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + \\
& d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]^ \\
& 2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{S} \\
& \text{qrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sq} \\
& \text{rt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Tan}[c]) \\
& / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Sqrt}[1 + \text{Tan}[c] \\
& ^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \\
& \text{Tan}[c]^2])]) / (d*(b + a*\text{Cos}[c + d*x])^4*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[\\
& 2*c + 2*d*x])) + (24*a*b^3*B*\text{Cos}[c + d*x]^6*\text{Csc}[c]*(a + b*\text{Sec}[c + d*x])^4*(\\
& A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3 \\
& /4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Tan}[c]) / (\text{Sqrt}[1 \\
& - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[\text{Cos} \\
& [c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Si} \\
& n}[d*x + \text{ArcTan}[\text{Tan}[c]]) * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2 * \text{Cos}[d*x + \\
& \text{ArcTan}[\text{Tan}[c]]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[\\
& d*x + \text{ArcTan}[\text{Tan}[c]])] * \text{Sqrt}[1 + \text{Tan}[c]^2])]) / (5*d*(b + a*\text{Cos}[c + d*x])^4*(A \\
& + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x])) + (2*a^4*C*\text{Cos}[c + d*x]^6*C
\end{aligned}$$

```

sc[c]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((Hype
rgeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + A
rcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*
x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^
2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[
c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2
+ Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(
d*(b + a*Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])
+ (36*a^2*b^2*C*Cos[c + d*x]^6*Csc[c]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c
+ d*x] + C*Sec[c + d*x]^2)*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x
+ ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x +
ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x +
ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcT
an[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c
]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan
[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(5*d*(b + a*Cos[c + d*x])^4*(A + 2*C + 2*B*
Cos[c + d*x] + A*Cos[2*c + 2*d*x])) + (14*b^4*C*Cos[c + d*x]^6*Csc[c]*(a +
b*Sec[c + d*x])^4*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((HypergeometricP
FQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c
]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[
Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1
+ Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*
Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2
))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(15*d*(b + a
*Cos[c + d*x])^4*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))

```

Maple [B] time = 15.119, size = 1550, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^4*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)*\cos(dx+c)^{(1/2)}, x)$

[Out] $-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*a^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2*A*a^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+8*A*a^3*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*B*a^4*(\sin$

$$\begin{aligned}
& (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+ \\
& 1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+ \\
& 4*a*b*(2*A*b^2+3*B*a*b+2*C*a^2)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/ \\
& 2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/ \\
& 2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2 \\
& *c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))+2* \\
& b^3*(B*b+4*C*a)*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\
& d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(- \\
& 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2-1/ \\
& 2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (- \\
& 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/ \\
& 2*c), 2^{(1/2)})))+2*C*b^4*(-1/144*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+ \\
& \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2-1/2)^5-7/180*\cos(1/2*d*x+ \\
& 1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/ \\
& 2*c)^2-1/2)^3-14/15*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) / (-(-2*\cos(1/2*d \\
& *x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\
& 2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-7/15*(\sin(1/2*d*x+1/2*c) \\
&)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1 \\
& /2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-EllipticE(\cos \\
& (1/2*d*x+1/2*c), 2^{(1/2)}))) -2/5*b^2*(A*b^2+4*B*a*b+6*C*a^2) / (8*\sin(1/2*d*x+1 \\
& /2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1) / \sin(1/2*d*x+1/2*c \\
&)^2*(12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/ \\
& 2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c) \\
& ^6*\cos(1/2*d*x+1/2*c)-12*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2 \\
& *d*x+1/2*c), 2^{(1/2)}))*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*s \\
& \sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E \\
& llipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2 \\
& *d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}+2*a^2*(6*A*b^2+4*B*a*b+C*a^2)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2 \\
& *sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\
& ^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*(-2*\sin(1/2*d*x+1/2*c)^4+s \\
& \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2) / \sin(1/2 \\
& *d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2-1) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x \\
& +1/2*c)^2-1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/

2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb⁴sec(dx+c)⁶ + (4Cab³ + Bb⁴)sec(dx+c)⁵ + Aa⁴ + (6Ca²b² + 4Bab³ + Ab⁴)sec(dx+c)⁴ + 2(2Ca³b

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))⁴*(A+B*sec(d*x+c)+C*sec(d*x+c)²)*cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*b⁴*sec(d*x + c)⁶ + (4*C*a*b³ + B*b⁴)*sec(d*x + c)⁵ + A*a⁴ + (6*C*a²*b² + 4*B*a*b³ + A*b⁴)*sec(d*x + c)⁴ + 2*(2*C*a³*b + 3*B*a²*b² + 2*A*a*b³)*sec(d*x + c)³ + (C*a⁴ + 4*B*a³*b + 6*A*a²*b²)*sec(d*x + c)² + (B*a⁴ + 4*A*a³*b)*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))⁴*(A+B*sec(d*x+c)+C*sec(d*x+c)²)*cos(d*x+c)^(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^4 \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))⁴*(A+B*sec(d*x+c)+C*sec(d*x+c)²)*cos(d*x+c)^(1/2),x, algorithm="giac")

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4*sq  
rt(cos(d*x + c)), x)
```

$$3.1318 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=209

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(a^2b(A+3C)+a^3(-B)-3ab^2B+3Ab^3)}{3a^4d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2(3A+5C)-5abB+5Ab^2)}{5a^3d}$$

[Out] (2*(5*A*b^2 - 5*a*b*B + a^2*(3*A + 5*C))*EllipticE[(c + d*x)/2, 2])/(5*a^3*d) - (2*(3*A*b^3 - a^3*B - 3*a*b^2*B + a^2*b*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*a^4*d) + (2*b^2*(A*b^2 - a*(b*B - a*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^4*(a + b)*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d)

Rubi [A] time = 0.965389, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2b(A+3C)+a^3(-B)-3ab^2B+3Ab^3)}{3a^4d} + \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)(a^2(3A+5C)-5abB+5Ab^2)}{5a^3d} + \frac{2b^2(A^2 - a^2)}{5a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] (2*(5*A*b^2 - 5*a*b*B + a^2*(3*A + 5*C))*EllipticE[(c + d*x)/2, 2])/(5*a^3*d) - (2*(3*A*b^3 - a^3*B - 3*a*b^2*B + a^2*b*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*a^4*d) + (2*b^2*(A*b^2 - a*(b*B - a*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^4*(a + b)*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
```

$/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[a^2 - b^2, 0] \&\& NeQ[c^2 - d^2, 0] \&\& GtQ[c + d, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{a + b \sec(c + dx)} dx &= \int \frac{\cos^3(c + dx) (C + B \cos(c + dx) + A \cos^2(c + dx))}{b + a \cos(c + dx)} dx \\ &= \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad} + \frac{2 \int \frac{\sqrt{\cos(c + dx)} \left(\frac{3Ab}{2} + \frac{1}{2}a(3A + 5C) \cos(c + dx) \right)}{b + a \cos(c + dx)} dx}{5a} \\ &= -\frac{2(Ab - aB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2d} + \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad} \\ &= -\frac{2(Ab - aB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2d} + \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad} \\ &= \frac{2(5Ab^2 - 5abB + a^2(3A + 5C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^3d} - \frac{2(Ab - aB)}{5a^3d} \\ &= \frac{2(5Ab^2 - 5abB + a^2(3A + 5C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^3d} - \frac{2(3Ab^3 - 3a^2bB + a^3C)}{5a^3d} \end{aligned}$$

Mathematica [A] time = 2.39304, size = 274, normalized size = 1.31

$$\frac{6 \sin(c + dx) (a^2(3A + 5C) - 5abB + 5Ab^2) (2b(a + b) \text{EllipticF}(\sin^{-1}(\sqrt{\cos(c + dx)}), -1) - (a^2 - 2b^2) \Pi(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c + dx)}) | -1) - 2abE(\sin^{-1}(\sqrt{\cos(c + dx)}) | -1))}{b \sqrt{\sin^2(c + dx)}} +$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] ((2*a^2*(5*A*b^2 - 5*a*b*B + 3*a^2*(3*A + 5*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + 2*a^2*(4*A*b + 5*a*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)) + 4*a^2*Sqrt[Cos[c + d*x]]*(-5*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x] + (6*(5*A*b^2 - 5*a*b*B + a^2*(3*A + 5*C))*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a^2 - 2*b

$$^2) * \text{EllipticPi}[-(a/b), -\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1] * \text{Sin}[c + d*x] / (b * \text{Sqrt}[\text{Sin}[c + d*x]^2]) / (30 * a^4 * d)$$

Maple [B] time = 6.517, size = 801, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(5/2)} * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2) / (a+b*\sec(d*x+c)), x)$

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (4/5*A/a * (-4*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+14*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} - 6*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)) / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} - 4/3/a^2 * (3*A*a+A*b-B*a) * (2*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} - \sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)) / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 2/a^3 * (3*A*a^2+2*A*a*b+A*b^2-2*B*a^2-B*a*b+C*a^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) - 2*(A*a^3+A*a^2*b+A*a*b^2+A*b^3-B*a^3-B*a^2*b-B*a*b^2+C*a^3+C*a^2*b) / a^4 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 2*b^2 * (A*b^2-B*a*b+C*a^2) / a^3 / (a^2-a*b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```



```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*sec  
(d*x + c) + a), x)
```

$$3.1319 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx) \left(A+B \sec(c+dx)+C \sec^2(c+dx) \right)}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=147

$$\frac{2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(a^2(A+3C) - 3abB + 3Ab^2 \right)}{3a^3d} - \frac{2b \left(Ab^2 - a(bB - aC) \right) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a^3d(a+b)} - \frac{2(Ab - aB)E\left(\frac{1}{2}(c+dx)\right)}{a^2d}$$

[Out] (-2*(A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + (2*(3*A*b^2 - 3*a*b*B + a^2*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*a^3*d) - (2*b*(A*b^2 - a*(b*B - a*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^3*(a + b)*d) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d)

Rubi [A] time = 0.668308, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3049, 3059, 2639, 3002, 2641, 2805}

$$2F\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(a^2(A+3C) - 3abB + 3Ab^2 \right) - \frac{2b \left(Ab^2 - a(bB - aC) \right) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a^3d(a+b)} - \frac{2(Ab - aB)E\left(\frac{1}{2}(c+dx)\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] (-2*(A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + (2*(3*A*b^2 - 3*a*b*B + a^2*(A + 3*C))*EllipticF[(c + d*x)/2, 2])/(3*a^3*d) - (2*b*(A*b^2 - a*(b*B - a*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^3*(a + b)*d) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^n]*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^m)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3049

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3002

```

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,

```

0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{3}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{a+b \sec(c+dx)} dx &= \int \frac{\sqrt{\cos(c+dx)} (C+B \cos(c+dx) + A \cos^2(c+dx))}{b+a \cos(c+dx)} dx \\
 &= \frac{2A\sqrt{\cos(c+dx)} \sin(c+dx)}{3ad} + \frac{2 \int \frac{\frac{Ab}{2} + \frac{1}{2}a(A+3C) \cos(c+dx) - \frac{3}{2}(Ab-3a^2)}{\sqrt{\cos(c+dx)}(b+a \cos(c+dx))} dx}{3a} \\
 &= \frac{2A\sqrt{\cos(c+dx)} \sin(c+dx)}{3ad} - \frac{2 \int \frac{-\frac{1}{2}aAb - \frac{1}{2}(3Ab^2 - 3abB + a^2(A+3C))}{\sqrt{\cos(c+dx)}(b+a \cos(c+dx))} dx}{3a^2} \\
 &= -\frac{2(Ab-aB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d} + \frac{2A\sqrt{\cos(c+dx)} \sin(c+dx)}{3ad} \\
 &= -\frac{2(Ab-aB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d} + \frac{2(3Ab^2 - 3abB + a^2(A+3C))}{3a^3d}
 \end{aligned}$$

Mathematica [A] time = 1.34508, size = 218, normalized size = 1.48

$$\frac{6(Ab-aB) \sin(c+dx) (2b(a+b) \text{EllipticF}(\sin^{-1}(\sqrt{\cos(c+dx)}), -1) - (a^2-2b^2) \Pi(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c+dx)}) | -1) - 2abE(\sin^{-1}(\sqrt{\cos(c+dx)}) | -1))}{a^2b\sqrt{\sin^2(c+dx)}} + \frac{4(A+3C)(a+b)}{6ad}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]),x]

[Out] ((2*(-(A*b) + 3*a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (4*(A + 3*C)*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a + b) + 4*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x] - (6*(A*b - a*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a^2*b*Sqrt[Sin[c + d*x]^2])/(6*a*d)

Maple [B] time = 3.227, size = 945, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{3/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+b*\sec(dx+c)), x)$

[Out]
$$-2/3 * ((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * ((4*A*a^3-4*A*a^2*b)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4 + (-2*A*a^3+2*A*a^2*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) + A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - A*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) + 3*A*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 3*A*b^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) + 3*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * a^2*b - 3*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * a*b^2 + 3*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{1/2}) * b^3 - 3*B*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) + 3*B*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 3*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * a^3 + 3*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * a^2*b - 3*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{1/2}) * a*b^2 + 3*a^3*C*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 3*a^2*b*C*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) + 3*C*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{1/2}) * a^2*b) / a^3 / (a-b) / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \cos(dx+c)^3}{b \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
,x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec
(d*x + c) + a), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec  
(d*x + c) + a), x)
```

$$3.1320 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=97

$$-\frac{2(Ab - aB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{a^2d} + \frac{2\left(Ab^2 - a(bB - aC)\right)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a + b)} + \frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad}$$

[Out] (2*A*EllipticE[(c + d*x)/2, 2])/(a*d) - (2*(A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(a^2*d) + (2*(A*b^2 - a*(b*B - a*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^2*(a + b)*d)

Rubi [A] time = 0.391676, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {4112, 3059, 2639, 3002, 2641, 2805}

$$\frac{2\left(Ab^2 - a(bB - aC)\right)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a + b)} - \frac{2(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] (2*A*EllipticE[(c + d*x)/2, 2])/(a*d) - (2*(A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(a^2*d) + (2*(A*b^2 - a*(b*B - a*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^2*(a + b)*d)

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^ (m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],


```
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx &= \int \frac{C+B\cos(c+dx)+A\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(b+a\cos(c+dx))} dx \\
&= -\frac{\int \frac{-aC+(Ab-aB)\cos(c+dx)}{\sqrt{\cos(c+dx)}(b+a\cos(c+dx))} dx}{a} + \frac{A \int \sqrt{\cos(c+dx)} dx}{a} \\
&= \frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(Ab-aB) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{a^2} + \left(\frac{b(Ab-a)}{a^2}\right) \\
&= \frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{2(Ab-aB)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{2\left(\frac{b(Ab-a)}{a^2}\right)}{a}
\end{aligned}$$

Mathematica [F] time = 52.3722, size = 0, normalized size = 0.

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{a+b\sec(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

[Out] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x]), x]

Maple [A] time = 2.645, size = 323, normalized size = 3.3

$$2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{(a-b)a^2 \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2} \sin(1/2 dx + c/2) \sqrt{2(\cos(1/2 dx + c/2))^2 - 1}} \left(A \text{EllipticF} \left(\right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c)), x)

[Out] 2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*a*b-A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*b^2+A*EllipticE(cos

$(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2 - A * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a * b + A * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) * b^2 - B * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2 + B * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a * b - B * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) * a * b + C * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) * a^2) / a^2 / (a-b) / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sqrt{\cos(c + dx)}}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c)),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sqrt(cos(c + d*x))/(a + b*sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a), x)
```

$$3.1321 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=118

$$\frac{2A \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{2(Ab^2 - a(bB - aC)) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{abd(a+b)} - \frac{2CE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd} + \frac{2C \sin(c+dx)}{bd\sqrt{\cos(c+dx)}}$$

[Out] $(-2*C*EllipticE[(c + d*x)/2, 2])/(b*d) + (2*A*EllipticF[(c + d*x)/2, 2])/(a*d) - (2*(A*b^2 - a*(b*B - a*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a*b*(a + b)*d) + (2*C*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]])$

Rubi [A] time = 0.599909, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3055, 3059, 2639, 3002, 2641, 2805}

$$-\frac{2(Ab^2 - a(bB - aC)) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{abd(a+b)} + \frac{2AF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{2CE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd} + \frac{2C \sin(c+dx)}{bd\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2)/(\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*(a + b*\operatorname{Sec}[c + d*x])), x]$

[Out] $(-2*C*EllipticE[(c + d*x)/2, 2])/(b*d) + (2*A*EllipticF[(c + d*x)/2, 2])/(a*d) - (2*(A*b^2 - a*(b*B - a*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a*b*(a + b)*d) + (2*C*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]])$

Rule 4112

$\operatorname{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(d_.))^n*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_.)])^{m_.}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_.)] + (C_.)*\sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \operatorname{Dist}[d^{(m+2)}, \operatorname{Int}[(b + a*\operatorname{Cos}[e + f*x])^m*(d*\operatorname{Cos}[e + f*x])^{(n-m-2)}*(C + B*\operatorname{Cos}[e + f*x] + A*\operatorname{Cos}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3055

$\operatorname{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{m_.}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{n_.}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)])$

```

+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3002

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c

```

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \sec(c + dx))} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^3(c + dx)(b + a \cos(c + dx))} dx \\
 &= \frac{2C \sin(c + dx)}{bd\sqrt{\cos(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}(bB - aC) + \frac{1}{2}b(A - C) \cos(c + dx) - \frac{1}{2}aC \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx}{b} \\
 &= \frac{2C \sin(c + dx)}{bd\sqrt{\cos(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}a(bB - aC) - \frac{1}{2}aAb \cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx}{ab} - \frac{C \int \sqrt{\cos(c + dx)} dx}{b} \\
 &= -\frac{2CE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{bd} + \frac{2C \sin(c + dx)}{bd\sqrt{\cos(c + dx)}} + \frac{A \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{a} + \left(-\frac{Ab}{a} + B \right) \\
 &= -\frac{2CE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{bd} + \frac{2AF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{ad} - \frac{2 \left(\frac{Ab}{a} - B + \frac{aC}{b} \right) \Pi \left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \right)}{(a + b)d}
 \end{aligned}$$

Mathematica [A] time = 2.79748, size = 206, normalized size = 1.75

$$\frac{C \sin(c + dx) \left(-2b(a + b) \text{EllipticF} \left(\sin^{-1}(\sqrt{\cos(c + dx)}), -1 \right) + (a^2 - 2b^2) \Pi \left(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1 \right) + 2abE \left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1 \right) \right)}{ab\sqrt{\sin^2(c + dx)}} + \frac{b(A - C) \left(2 \text{EllipticF} \left(\frac{c + dx}{2}, 2 \right) - (2 * b * \text{EllipticPi} \left[\frac{2 * a}{a + b}, \frac{c + dx}{2}, 2 \right] \right) / (a + b) \right)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])),x]

[Out] (((2*b*B - 3*a*C)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (b*(A - C)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)))/a + (2*C*Sin[c + d*x])/Sqrt[Cos[c + d*x]] + (C*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/(b*d)

Maple [B] time = 5.244, size = 409, normalized size = 3.5

$$-\frac{1}{d}\sqrt{-\left(-2\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 + 1\right)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\left(2\frac{A\sqrt{\left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2}\sqrt{-2\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 + 1}\text{EllipticF}\right)}{a\sqrt{-2\left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/cos(d*x+c)^(1/2), x)

[Out]
$$\begin{aligned} & -\left(-\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(2\frac{A}{a}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\right. \\ & \left. -\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{\frac{1}{2}}\right)/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}} \\ & \left. +\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\text{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)-2\left(-A*b^2+B*a*b-C*a^2\right)/b \\ & \left. / \left(a^2-a*b\right)\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{\frac{1}{2}}\right)/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}} \\ & \left. +\text{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2*a/(a-b),2^{\frac{1}{2}}\right)+2*C/b\left(-\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\right)\right. \\ & \left. \left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\right. \\ & \left. +\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)+2\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\right. \\ & \left. \cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2/\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/\left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/cos(d*x+c)^(1/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{(a + b \sec(c + dx)) \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/((a + b*sec(c + d*x))*sqrt(cos(c + d*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)
```

$$3.1322 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=158

$$\frac{2C \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3bd} + \frac{2(Ab^2 - a(bB - aC)) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^2d(a+b)} - \frac{2(bB - aC)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2d} + \frac{2(bB - aC) \sin(c+dx)}{b^2d \sqrt{\cos(c+dx)}}$$

[Out] $(-2*(b*B - a*C)*\operatorname{EllipticE}[(c + d*x)/2, 2])/(b^2*d) + (2*C*\operatorname{EllipticF}[(c + d*x)/2, 2])/(3*b*d) + (2*(A*b^2 - a*(b*B - a*C))*\operatorname{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(b^2*(a + b)*d) + (2*C*\operatorname{Sin}[c + d*x])/(3*b*d*\operatorname{Cos}[c + d*x]^{(3/2)}) + (2*(b*B - a*C)*\operatorname{Sin}[c + d*x])/(b^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rubi [A] time = 0.934632, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(Ab^2 - a(bB - aC)) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^2d(a+b)} - \frac{2(bB - aC)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2d} + \frac{2(bB - aC) \sin(c+dx)}{b^2d \sqrt{\cos(c+dx)}} + \frac{2CF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3bd}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2)/(\operatorname{Cos}[c + d*x]^{(3/2)}*(a + b*\operatorname{Sec}[c + d*x])), x]$

[Out] $(-2*(b*B - a*C)*\operatorname{EllipticE}[(c + d*x)/2, 2])/(b^2*d) + (2*C*\operatorname{EllipticF}[(c + d*x)/2, 2])/(3*b*d) + (2*(A*b^2 - a*(b*B - a*C))*\operatorname{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(b^2*(a + b)*d) + (2*C*\operatorname{Sin}[c + d*x])/(3*b*d*\operatorname{Cos}[c + d*x]^{(3/2)}) + (2*(b*B - a*C)*\operatorname{Sin}[c + d*x])/(b^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rule 4112

$\operatorname{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_.)] + (C_.)*\sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \operatorname{Dist}[d^{(m+2)}, \operatorname{Int}[(b + a*\operatorname{Cos}[e + f*x])^m*(d*\operatorname{Cos}[e + f*x])^{(n-m-2)}*(C + B*\operatorname{Cos}[e + f*x] + A*\operatorname{Cos}[e + f*x]^2), x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\amp; \text{!IntegerQ}[n] \&\amp; \operatorname{IntegerQ}[m]$

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x])*(c + d*Ssin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3002

```

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Ssin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)

```

```

+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(b + a \cos(c + dx))} dx \\
&= \frac{2C \sin(c + dx)}{3bd \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{\frac{3}{2}(bB - aC) + \frac{1}{2}b(3A + C) \cos(c + dx) + \frac{1}{2}aC \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))} dx}{3b} \\
&= \frac{2C \sin(c + dx)}{3bd \cos^{\frac{3}{2}}(c + dx)} + \frac{2(bB - aC) \sin(c + dx)}{b^2 d \sqrt{\cos(c + dx)}} + \frac{4 \int \frac{\frac{1}{4}(b^2(3A + C) - 3a(bB - aC)) - \frac{1}{4}b(3bB - a^2)}{\sqrt{\cos(c + dx)}} dx}{3ab^2} \\
&= \frac{2C \sin(c + dx)}{3bd \cos^{\frac{3}{2}}(c + dx)} + \frac{2(bB - aC) \sin(c + dx)}{b^2 d \sqrt{\cos(c + dx)}} - \frac{4 \int \frac{-\frac{1}{4}a(b^2(3A + C) - 3a(bB - aC)) - \frac{1}{4}a^2}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx}{3ab^2} \\
&= -\frac{2(bB - aC)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d} + \frac{2C \sin(c + dx)}{3bd \cos^{\frac{3}{2}}(c + dx)} + \frac{2(bB - aC) \sin(c + dx)}{b^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2(bB - aC)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d} + \frac{2CF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3bd} + \frac{2\left(A - \frac{a(bB - aC)}{b^2}\right)\Pi\left(\frac{2}{a + b}\right)}{(a + b)c}
\end{aligned}$$

Mathematica [A] time = 2.48184, size = 269, normalized size = 1.7

$$\frac{6(bB - aC) \sin(c + dx) (2b(a + b) \text{EllipticF}(\sin^{-1}(\sqrt{\cos(c + dx)}), -1) - (a^2 - 2b^2) \Pi(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c + dx)}) | -1) - 2abE(\sin^{-1}(\sqrt{\cos(c + dx)}) | -1))}{a \sqrt{\sin^2(c + dx)}} + \frac{b(8abC - 6b^2B)}{6b^3d}$$

Antiderivative was successfully verified.

```

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a +
b*Sec[c + d*x])), x]

```

```

[Out] ((2*b*(6*A*b^2 - 9*a*b*B + 9*a^2*C + 2*b^2*C)*EllipticPi[(2*a)/(a + b), (c
+ d*x)/2, 2])/(a + b) + (b*(-6*b^2*B + 8*a*b*C)*(2*EllipticF[(c + d*x)/2, 2

```

```
] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]/(a + b))/a + (4*b^2*C*
Sin[c + d*x])/Cos[c + d*x]^(3/2) + (12*b*(b*B - a*C)*Sin[c + d*x])/Sqrt[Cos
[c + d*x]] - (6*(b*B - a*C)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -
1] + 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a^2 - 2*b^2)*
EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x]/(a*Sqrt[
Sin[c + d*x]^2]))/(6*b^3*d)
```

Maple [B] time = 7.112, size = 472, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x)
```

```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*C/b*(-1/6*cos
(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1
/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2
*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipti
cF(cos(1/2*d*x+1/2*c),2^(1/2)))-2*(A*b^2-B*a*b+C*a^2)/b^2/(a^2-a*b)*a*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b)
,2^(1/2))+2*(B*b-C*a)/b^2*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2
*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipti
cE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2
*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/
2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))
,x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))
,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c)
)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))
,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*cos
(d*x + c)^(3/2)), x)
```

$$3.1323 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=236

$$\frac{2(bB - aC)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3b^2d} - \frac{2E\left(\frac{1}{2}(c + dx) \middle| 2\right)(5a^2C - 5abB + 5Ab^2 + 3b^2C)}{5b^3d} + \frac{2 \sin(c + dx)(5a^2C - 5abB + 5Ab^2 + 3b^2C)}{5b^3d\sqrt{\cos(c + dx)}}$$

[Out] $(-2*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*b^3*d) + (2*(b*B - a*C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^2*d) - (2*a*(A*b^2 - a*(b*B - a*C))*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(b^3*(a + b)*d) + (2*C*\text{Sin}[c + d*x])/(5*b*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(b*B - a*C)*\text{Sin}[c + d*x])/(3*b^2*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*\text{Sin}[c + d*x])/(5*b^3*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 1.2782, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{2E\left(\frac{1}{2}(c + dx) \middle| 2\right)(5a^2C - 5abB + 5Ab^2 + 3b^2C)}{5b^3d} + \frac{2 \sin(c + dx)(5a^2C - 5abB + 5Ab^2 + 3b^2C)}{5b^3d\sqrt{\cos(c + dx)}} - \frac{2a(Ab^2 - a(bB - aC))}{b^3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/(\text{Cos}[c + d*x]^{(5/2)}*(a + b*\text{Sec}[c + d*x])), x]$

[Out] $(-2*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*\text{EllipticE}[(c + d*x)/2, 2])/(5*b^3*d) + (2*(b*B - a*C)*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^2*d) - (2*a*(A*b^2 - a*(b*B - a*C))*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(b^3*(a + b)*d) + (2*C*\text{Sin}[c + d*x])/(5*b*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(b*B - a*C)*\text{Sin}[c + d*x])/(3*b^2*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*\text{Sin}[c + d*x])/(5*b^3*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_.)] + (C_.)*\sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow \text{Dist}[d^{(m + 2)}, \text{Int}[(b + a*\text{Cos}[e + f*x])^m*(d*\text{Cos}[e$

+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3002

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -

$\text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(b + a \cos(c + dx))} dx \\ &= \frac{2C \sin(c + dx)}{5bd \cos^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\frac{5}{2}(bB - aC) + \frac{1}{2}b(5A + 3C) \cos(c + dx) + \frac{3}{2}aC \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(b + a \cos(c + dx))} dx}{5b} \\ &= \frac{2C \sin(c + dx)}{5bd \cos^{\frac{5}{2}}(c + dx)} + \frac{2(bB - aC) \sin(c + dx)}{3b^2d \cos^{\frac{3}{2}}(c + dx)} + \frac{4 \int \frac{\frac{3}{4}(5Ab^2 - 5abB + 5a^2C + 3b^2C) + \frac{1}{4}}{\cos^{\frac{3}{2}}(c + dx)} dx}{3b^2d} \\ &= \frac{2C \sin(c + dx)}{5bd \cos^{\frac{5}{2}}(c + dx)} + \frac{2(bB - aC) \sin(c + dx)}{3b^2d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(5Ab^2 - 5abB + 5a^2C + 3b^2C)}{5b^3d \sqrt{\cos(c + dx)}} \\ &= \frac{2C \sin(c + dx)}{5bd \cos^{\frac{5}{2}}(c + dx)} + \frac{2(bB - aC) \sin(c + dx)}{3b^2d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(5Ab^2 - 5abB + 5a^2C + 3b^2C)}{5b^3d \sqrt{\cos(c + dx)}} \\ &= -\frac{2(5Ab^2 - 5abB + 5a^2C + 3b^2C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3d} + \frac{2C \sin(c + dx)}{5bd \cos^{\frac{5}{2}}(c + dx)} + \frac{2(bB - aC) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2d} \\ &= -\frac{2(5Ab^2 - 5abB + 5a^2C + 3b^2C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3d} + \frac{2(bB - aC) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2d} \end{aligned}$$

Mathematica [A] time = 4.82478, size = 334, normalized size = 1.42

$$\frac{2b(20a^2C - 20abB + 15Ab^2 + 9b^2C) \left(2\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - \frac{2b\Gamma\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} \right)}{a} + \frac{6 \sin(c + dx) (5a^2C - 5abB + 5Ab^2 + 3b^2C) (-2b(a + b) \text{EllipticF}(\sin^{-1}(\sqrt{\cos(c + dx)}), 2))}{a}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])),x]
```

```
[Out] ((-2*(-45*a^2*b*B - 10*b^3*B + 45*a^3*C + a*b^2*(45*A + 19*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) - (2*b*(15*A*b^2 - 20*a*b*B + 20*a^2*C + 9*b^2*C)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)))/a + (6*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]) + (2*(10*b*(b*B - a*C)*Sin[c + d*x] + 3*(5*A*b^2 - 5*a*b*B + 5*a^2*C + 3*b^2*C)*Sin[2*(c + d*x)] + 6*b^2*C*Tan[c + d*x])/Cos[c + d*x]^(3/2))/(30*b^3*d)
```

Maple [B] time = 10.045, size = 800, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x)
```

```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*(B*b-C*a)/b^2*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))-2/5*C/b/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(A*b^2-B*a*b+C*a^2)*a^2/b^3/(a^2-a*b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))+2*(A*b^2-B*a*b+C*a^2)/b^3*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c))
```

$$2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*cos(d*x + c)^(5/2)), x)
```

$$3.1324 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=346

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b^2(16A-3C)-2a^4(A+3C)+12a^3bB-9ab^3B+15Ab^4\right)}{3a^4d(a^2-b^2)} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(-a^2b(4A-C)+2a^2b^2(16A-3C)-2a^4(A+3C)\right)}{a^3d(a^2-b^2)}$$

[Out] $((5A*b^3 + 2a^3*B - 3a*b^2*B - a^2*b*(4A - C))*\text{EllipticE}[(c + d*x)/2, 2]) / (a^3*(a^2 - b^2)*d) - ((15A*b^4 + 12a^3*b*B - 9a*b^3*B - a^2*b^2*(16A - 3C) - 2a^4*(A + 3C))*\text{EllipticF}[(c + d*x)/2, 2]) / (3a^4*(a^2 - b^2)*d) + (b*(5A*b^4 + 5a^3*b*B - 3a*b^3*B - a^2*b^2*(7A - C) - 3a^4*C)*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]) / (a^4*(a - b)*(a + b)^2*d) - ((5A*b^2 - 3a*b*B - a^2*(2A - 3C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]) / (3a^2*(a^2 - b^2)*d) + ((A*b^2 - a*(b*B - a*C))*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x]) / (a*(a^2 - b^2)*d*(b + a*\text{Cos}[c + d*x]))$

Rubi [A] time = 1.21453, antiderivative size = 346, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3047, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(-a^2b^2(16A-3C)-2a^4(A+3C)+12a^3bB-9ab^3B+15Ab^4\right)}{3a^4d(a^2-b^2)} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(-a^2b(4A-C)+2a^2b^2(16A-3C)-2a^4(A+3C)\right)}{a^3d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^(3/2)*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)) / (a + b*\text{Sec}[c + d*x])^2, x]$

[Out] $((5A*b^3 + 2a^3*B - 3a*b^2*B - a^2*b*(4A - C))*\text{EllipticE}[(c + d*x)/2, 2]) / (a^3*(a^2 - b^2)*d) - ((15A*b^4 + 12a^3*b*B - 9a*b^3*B - a^2*b^2*(16A - 3C) - 2a^4*(A + 3C))*\text{EllipticF}[(c + d*x)/2, 2]) / (3a^4*(a^2 - b^2)*d) + (b*(5A*b^4 + 5a^3*b*B - 3a*b^3*B - a^2*b^2*(7A - C) - 3a^4*C)*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]) / (a^4*(a - b)*(a + b)^2*d) - ((5A*b^2 - 3a*b*B - a^2*(2A - 3C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]) / (3a^2*(a^2 - b^2)*d) + ((A*b^2 - a*(b*B - a*C))*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x]) / (a*(a^2 - b^2)*d*(b + a*\text{Cos}[c + d*x]))$

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*((a_) + (b_.)*sec[(e_.) + (f_.)*(x_)]^ (m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^ (n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1)/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1))]*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^ (n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0]))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*sin[e + f*x]]*(c + d*sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx)(C+B\cos(c+dx)+A\cos^2(c+dx))}{(b+a\cos(c+dx))^2} dx \\
&= \frac{(Ab^2-a(bB-aC))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d(b+a\cos(c+dx))} + \int \frac{\sqrt{\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)}{a(a^2-b^2)d} dx \\
&= -\frac{(5Ab^2-3abB-a^2(2A-3C))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2(a^2-b^2)d} + \frac{(5Ab^2-3abB-a^2(2A-3C))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2(a^2-b^2)d} \\
&= -\frac{(5Ab^2-3abB-a^2(2A-3C))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2(a^2-b^2)d} + \frac{(5Ab^2-3abB-a^2(2A-3C))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2(a^2-b^2)d} \\
&= \frac{(5Ab^3+2a^3B-3ab^2B-a^2b(4A-C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^3(a^2-b^2)d} - \frac{(5Ab^3+2a^3B-3ab^2B-a^2b(4A-C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^3(a^2-b^2)d} \\
&= \frac{(5Ab^3+2a^3B-3ab^2B-a^2b(4A-C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^3(a^2-b^2)d} - \frac{(5Ab^3+2a^3B-3ab^2B-a^2b(4A-C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^3(a^2-b^2)d}
\end{aligned}$$

Mathematica [A] time = 3.68558, size = 339, normalized size = 0.98

$$4\sin(c+dx)\sqrt{\cos(c+dx)}\left(\frac{3b(a(aC-bB)+Ab^2)}{(b^2-a^2)(a\cos(c+dx)+b)}+2A\right)-\frac{8(a^2(A+3C)-3abB+2Ab^2)\left((a+b)\operatorname{EllipticF}\left(\frac{1}{2}(c+dx),2\right)-b\Pi\left(\frac{2a}{a+b};\frac{1}{2}(c+dx)\middle|2\right)\right)}{a+b}-\frac{6\sin(c+dx)(a^2b(C-4))}{a+b}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2,x]

[Out] (4*Sqrt[Cos[c + d*x]]*(2*A + (3*b*(A*b^2 + a*(-(b*B) + a*C)))/((-a^2 + b^2)*(b + a*Cos[c + d*x]))*Sin[c + d*x] - ((2*(5*A*b^3 + 6*a^3*B - 3*a*b^2*B - a^2*b*(8*A + 3*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*(2*A*b^2 - 3*a*b*B + a^2*(A + 3*C))*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a + b) - (6*(5*A*b^3 + 2*a^3*B - 3*a*b^2*B + a^2*b*(-4*A + C))*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a^2)

$$2*b*\text{Sqrt}[\text{Sin}[c + d*x]^2])/((-a + b)*(a + b))/(12*a^2*d)$$

Maple [B] time = 9.059, size = 1123, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(3/2)}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^2,x)$

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/3/a^4*(4*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+6*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b-2*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-6*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2+3*a^2*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*b^2*(A*b^2-B*a*b+C*a^2)/a^4*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})))+2/a^3*b*(4*A*b^2-3*B*a*b+2*C*a^2)/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^2,x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec
(d*x + c) + a)^2, x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec
(d*x + c) + a)^2, x)
```

$$3.1325 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=257

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b(4A+C)+2a^3B-ab^2B+3Ab^3\right)}{a^3d(a^2-b^2)} - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(a^2(-2A-C)-abB+3Ab^2\right)}{a^2d(a^2-b^2)} - \frac{(-a^2b^2(5A+C))\text{EllipticE}\left[\frac{1}{2}(c+dx), 2\right]}{a^2d(a^2-b^2)}$$

[Out] -(((3*A*b^2 - a*b*B - a^2*(2*A - C))*EllipticE[(c + d*x)/2, 2])/(a^2*(a^2 - b^2)*d)) + ((3*A*b^3 + 2*a^3*B - a*b^2*B - a^2*b*(4*A + C))*EllipticF[(c + d*x)/2, 2])/(a^3*(a^2 - b^2)*d) - ((3*A*b^4 + 3*a^3*b*B - a*b^3*B - a^4*C - a^2*b^2*(5*A + C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^3*(a - b)*(a + b)^2*d) + ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*Cos[c + d*x]))

Rubi [A] time = 0.800583, antiderivative size = 257, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3047, 3059, 2639, 3002, 2641, 2805}

$$F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(-a^2b(4A+C)+2a^3B-ab^2B+3Ab^3\right) - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(a^2(-2A-C)-abB+3Ab^2\right)}{a^2d(a^2-b^2)} - \frac{(-a^2b^2(5A+C))\text{EllipticE}\left[\frac{1}{2}(c+dx), 2\right]}{a^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^2, x]

[Out] -(((3*A*b^2 - a*b*B - a^2*(2*A - C))*EllipticE[(c + d*x)/2, 2])/(a^2*(a^2 - b^2)*d)) + ((3*A*b^3 + 2*a^3*B - a*b^2*B - a^2*b*(4*A + C))*EllipticF[(c + d*x)/2, 2])/(a^3*(a^2 - b^2)*d) - ((3*A*b^4 + 3*a^3*b*B - a*b^3*B - a^4*C - a^2*b^2*(5*A + C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^3*(a - b)*(a + b)^2*d) + ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*Cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^n*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^m*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre

$eQ[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3047

$\text{Int}[\left(\frac{(a_.) + (b_.)\sin[(e_.) + (f_.)x]}{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}\right)^{n_.}, x_Symbol] \rightarrow -\text{Simp}[\left(\frac{(c^2C - Bcd + Ad^2)\cos[e + fx]}{(a + b\sin[e + fx])^{m+1}(c + d\sin[e + fx])^{n+1}}\right), x] + \text{Dist}\left[\frac{1}{d(n+1)(c^2 - d^2)}, \text{Int}[(a + b\sin[e + fx])^{m-1}(c + d\sin[e + fx])^{n+1} \text{Simp}[Ad(bd^m + ac(n+1)) + (cC - Bd)(b^cm + ad(n+1)) - (d(A(ad(n+2) - bc(n+1)) + B(bd(n+1) - ac(n+2))) - C(bc d(n+1) - a(c^2 + d^2(n+1)))\sin[e + fx] + b(d(Bc - Ad)(m+n+2) - C(c^2(m+1) + d^2(n+1)))\sin[e + fx]^2, x], x], x] \;/; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b^2c - a^2d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LtQ}[n, -1]$

Rule 3059

$\text{Int}[\left(\frac{(A_.) + (B_.)\sin[(e_.) + (f_.)x]}{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}\right)^2 / \sqrt{(a_.) + (b_.)\sin[(e_.) + (f_.)x]}, x_Symbol] \rightarrow \text{Dist}[C/(b^2d), \text{Int}[\sqrt{a + b\sin[e + fx]}, x], x] - \text{Dist}[1/(b^2d), \text{Int}[\text{Simp}[acC - Abd + (bcC - bBd + aCd)\sin[e + fx], x] / (\sqrt{a + b\sin[e + fx]}(c + d\sin[e + fx])), x], x] \;/; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b^2c - a^2d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2639

$\text{Int}[\sqrt{\sin[(c_.) + (d_.)x]}, x_Symbol] \rightarrow \text{Simp}[(2\text{EllipticE}[(1*(c - Pi/2 + dx))/2, 2])/d, x] \;/; \text{FreeQ}[\{c, d\}, x]$

Rule 3002

$\text{Int}[\left(\frac{(a_.) + (b_.)\sin[(e_.) + (f_.)x]}{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}\right)^{m_.}, x_Symbol] \rightarrow \text{Dist}[B/d, \text{Int}[(a + b\sin[e + fx])^m, x], x] - \text{Dist}[(Bc - Ad)/d, \text{Int}[(a + b\sin[e + fx])^m / (c + d\sin[e + fx]), x], x] \;/; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b^2c - a^2d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2641

$\text{Int}[1/\sqrt{\sin[(c_.) + (d_.)x]}, x_Symbol] \rightarrow \text{Simp}[(2\text{EllipticF}[(1*(c - Pi/2 + dx))/2, 2])/d, x] \;/; \text{FreeQ}[\{c, d\}, x]$

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^2} dx = \int \frac{\sqrt{\cos(c+dx)}(C+B\cos(c+dx)+A\cos^2(c+dx))}{(b+a\cos(c+dx))^2} dx$$

$$= \frac{(Ab^2 - a(bB - aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2 - b^2)d(b+a\cos(c+dx))} + \int \frac{\frac{1}{2}(Ab^2 - a(bB - aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2 - b^2)d(b+a\cos(c+dx))} dx$$

$$= \frac{(Ab^2 - a(bB - aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2 - b^2)d(b+a\cos(c+dx))} - \int \frac{\frac{1}{2}a(Ab^2 - a(bB - aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2 - b^2)d(b+a\cos(c+dx))} dx$$

$$= -\frac{(3Ab^2 - abB - a^2(2A - C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2(a^2 - b^2)d} + \frac{(Ab^2 - a(bB - aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2 - b^2)d}$$

$$= -\frac{(3Ab^2 - abB - a^2(2A - C))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2(a^2 - b^2)d} + \frac{(3Ab^3 + 2a^2b^2 - abB - a^2(2A - C))\sqrt{\cos(c+dx)}\sin(c+dx)}{a^2(a^2 - b^2)d}$$

Mathematica [A] time = 3.28709, size = 301, normalized size = 1.17

$$\frac{2\sin(c+dx)(a^2(2A-C)+abB-3Ab^2)\left(-2b(a+b)\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{\cos(c+dx)}}{b}\right),-1\right)+(a^2-2b^2)\Pi\left(-\frac{a}{b};-\sin^{-1}\left(\frac{\sqrt{\cos(c+dx)}}{b}\right)\middle|-1\right)+2abE\left(\sin^{-1}\left(\frac{\sqrt{\cos(c+dx)}}{b}\right)\middle|-1\right)\right)}{a^2b\sqrt{\sin^2(c+dx)}} - \frac{8(-aB+Ab+bC)\left((a+b)\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{\cos(c+dx)}}{b}\right)\middle|-1\right)\right)}{(a-b)(a+b)}$$

$$4ad$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a +
b*Sec[c + d*x])^2,x]
```

```
[Out] ((4*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)
*(b + a*Cos[c + d*x])) + ((2*(-(A*b^2) - a*b*B + a^2*(2*A + C))*EllipticPi
[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) - (8*(A*b - a*B + b*C))*((a + b)*El
```

```

lipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a
+ b) - (2*(-3*A*b^2 + a*b*B + a^2*(2*A - C))*(2*a*b*EllipticE[ArcSin[Sqrt[C
os[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1]
+ (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c
+ d*x])/(a^2*b*Sqrt[Sin[c + d*x]^2]))/((a - b)*(a + b)))/(4*a*d)

```

Maple [B] time = 8.351, size = 856, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x)
```

```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2/a^3/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(
2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(2*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*
b+A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a-B*EllipticF(cos(1/2*d*x+1/2*c),
2^(1/2))*a)-2*b*(A*b^2-B*a*b+C*a^2)/a^3*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)
*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)
^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^
2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(co
s(1/2*d*x+1/2*c), 2^(1/2))+1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*
d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)
)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-1/2/b
/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)
)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticP
i(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^(1/2))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2
^(1/2)))-2/a^2*(3*A*b^2-2*B*a*b+C*a^2)/(a^2-a*b)*(sin(1/2*d*x+1/2*c)^2)^(1/
2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1
/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^(1/2)))/sin(1/2*d*
x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))
^2,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))
^2,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sqrt{\cos(c + dx)}}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c)
)**2,x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sqrt(cos(c + d*x))/(a + b
*sec(c + d*x))**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))  
^2,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec  
(d*x + c) + a)^2, x)
```

$$3.1326 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=239

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(a^2(-2A+C)+abB+Ab^2\right)}{a^2d(a^2-b^2)} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(Ab^2-a(bB-aC)\right)}{abd(a^2-b^2)} + \frac{(-3a^2b^2(A+C)+a^3bB+a^4C)}{a^2bd(a^2-b^2)}$$

[Out] ((A*b^2 - a*(b*B - a*C))*EllipticE[(c + d*x)/2, 2])/(a*b*(a^2 - b^2)*d) - ((A*b^2 + a*b*B - a^2*(2*A + C))*EllipticF[(c + d*x)/2, 2])/(a^2*(a^2 - b^2)*d) + (((A*b^4 + a^3*b*B + a*b^3*B + a^4*C - 3*a^2*b^2*(A + C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^2*(a - b)*b*(a + b)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(b + a*Cos[c + d*x])))

Rubi [A] time = 0.787957, antiderivative size = 239, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(a^2(-2A+C)+abB+Ab^2\right)}{a^2d(a^2-b^2)} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(Ab^2-a(bB-aC)\right)}{abd(a^2-b^2)} + \frac{(-3a^2b^2(A+C)+a^3bB+a^4C)}{a^2bd(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^2), x]

[Out] ((A*b^2 - a*(b*B - a*C))*EllipticE[(c + d*x)/2, 2])/(a*b*(a^2 - b^2)*d) - ((A*b^2 + a*b*B - a^2*(2*A + C))*EllipticF[(c + d*x)/2, 2])/(a^2*(a^2 - b^2)*d) + (((A*b^4 + a^3*b*B + a*b^3*B + a^4*C - 3*a^2*b^2*(A + C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^2*(a - b)*b*(a + b)^2*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(b + a*Cos[c + d*x])))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre

$eQ[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])^n/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)(a + b \sec(c + dx))^2}} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\sqrt{\cos(c + dx)(b + a \cos(c + dx))^2}} dx \\ &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2) d(b + a \cos(c + dx))} - \int \frac{\frac{1}{2}(Ab^2 - abB - a^2C + 2b^2C) + b(bB - a^2C)}{\sqrt{\cos(c + dx)(b + a \cos(c + dx))^2}} dx \\ &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2) d(b + a \cos(c + dx))} + \int \frac{-\frac{1}{2}a(Ab^2 - abB - a^2C + 2b^2C) - \frac{1}{2}b^2C}{\sqrt{\cos(c + dx)(b + a \cos(c + dx))^2}} dx \\ &= \frac{(Ab^2 - a(bB - aC)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ab(a^2 - b^2) d} - \frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2) d(b + a \cos(c + dx))} \\ &= \frac{(Ab^2 - a(bB - aC)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ab(a^2 - b^2) d} - \frac{(Ab^2 + abB - a^2(2A + C)) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2(a^2 - b^2) d} \end{aligned}$$

Mathematica [A] time = 4.20234, size = 301, normalized size = 1.26

$$\frac{2 \sin(c+dx)(a(aC-bB)+Ab^2) \left(2b(a+b) \text{EllipticF}\left(\sin^{-1}(\sqrt{\cos(c+dx)}), -1\right) - (a^2-2b^2) \Pi\left(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) \right)}{a^2 b \sqrt{\sin^2(c+dx)}} + \frac{8b(a(A+C)-bB)(a+b) \text{EllipticF}\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a(a+b)}$$

(b-a)(a+b)

4bd

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a +
b*Sec[c + d*x])^2), x]
```

```
[Out] -((4*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^
2)*(b + a*Cos[c + d*x])) + ((2*(-(A*b^2) + a*b*B + 3*a^2*C - 4*b^2*C)*Ellip
```

```
ticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*b*(-(b*B) + a*(A + C))*(
(a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2
, 2]))/(a*(a + b)) + (2*(A*b^2 + a*(-(b*B) + a*C))*(-2*a*b*EllipticE[ArcSin
[Sqrt[Cos[c + d*x]]], -1] + 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]
], -1] - (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])
*Sin[c + d*x])/(a^2*b*Sqrt[Sin[c + d*x]^2]))/((-a + b)*(a + b))/(4*b*d)
```

Maple [B] time = 6.981, size = 809, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2/cos(d*x+c)^(1/2),x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A/a^2*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2/a
^2*(A*b^2-B*a*b+C*a^2)*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+
1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+
b)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin
(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),
2^(1/2))+1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2
*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipti
cF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/
2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1/2/b/(a^2-b^2)/(a^2-a
*b)*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*
sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2
*c),2*a/(a-b),2^(1/2))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x
+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2)))-2*(-2*A*
b+B*a)/a/(a^2-a*b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)
^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(
1/2*d*x+1/2*c),2*a/(a-b),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)
^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**2/cos(d*x+c)**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*s  
qrt(cos(d*x + c))), x)
```

$$3.1327 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \cos^2(c+dx)(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=307

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(Ab^2 - a(bB - aC))}{abd(a^2 - b^2)} - \frac{E\left(\frac{1}{2}(c+dx) \middle| 2\right)(3a^2C - abB + Ab^2 - 2b^2C)}{b^2d(a^2 - b^2)} + \frac{(a^2b^2(A + 5C) + a^3bB - 3a^4C - ab^2d(a + b))}{ab^2d(a + b)}$$

[Out] -(((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*EllipticE[(c + d*x)/2, 2])/(b^2*(a^2 - b^2)*d)) - ((A*b^2 - a*(b*B - a*C))*EllipticF[(c + d*x)/2, 2])/(a*b*(a^2 - b^2)*d) + ((A*b^4 + a^3*b*B - 3*a*b^3*B - 3*a^4*C + a^2*b^2*(A + 5*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a*b^2*(a + b)*(a^2 - b^2)*d) + ((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*Sin[c + d*x])/(b^2*(a^2 - b^2)*d*sqrt[Cos[c + d*x]]) - ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(b*(a^2 - b^2)*d*sqrt[Cos[c + d*x]]*(b + a*cos[c + d*x]))

Rubi [A] time = 1.1022, antiderivative size = 307, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{F\left(\frac{1}{2}(c+dx) \middle| 2\right)(Ab^2 - a(bB - aC))}{abd(a^2 - b^2)} - \frac{E\left(\frac{1}{2}(c+dx) \middle| 2\right)(3a^2C - abB + Ab^2 - 2b^2C)}{b^2d(a^2 - b^2)} + \frac{(a^2b^2(A + 5C) + a^3bB - 3a^4C - ab^2d(a + b))}{ab^2d(a + b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2), x]

[Out] -(((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*EllipticE[(c + d*x)/2, 2])/(b^2*(a^2 - b^2)*d)) - ((A*b^2 - a*(b*B - a*C))*EllipticF[(c + d*x)/2, 2])/(a*b*(a^2 - b^2)*d) + ((A*b^4 + a^3*b*B - 3*a*b^3*B - 3*a^4*C + a^2*b^2*(A + 5*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a*b^2*(a + b)*(a^2 - b^2)*d) + ((A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*Sin[c + d*x])/(b^2*(a^2 - b^2)*d*sqrt[Cos[c + d*x]]) - ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(b*(a^2 - b^2)*d*sqrt[Cos[c + d*x]]*(b + a*cos[c + d*x]))

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)

$(x_)]^2)$, x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3002

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^2} dx \\
&= \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))} - \int \frac{\frac{1}{2}(-Ab^2 + abB - 3a^2C + 2b^2C) + b(bB - aC)}{\cos(c + dx)} dx \\
&= \frac{(Ab^2 - abB + 3a^2C - 2b^2C) \sin(c + dx)}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} - \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))} \\
&= \frac{(Ab^2 - abB + 3a^2C - 2b^2C) \sin(c + dx)}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} - \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))} \\
&= -\frac{(Ab^2 - abB + 3a^2C - 2b^2C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2) d} + \frac{(Ab^2 - abB + 3a^2C - 2b^2C) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(Ab^2 - abB + 3a^2C - 2b^2C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2) d} - \frac{(Ab^2 - a(bB - aC)) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ab(a^2 - b^2) d}
\end{aligned}$$

Mathematica [A] time = 5.02124, size = 340, normalized size = 1.11

$$\frac{4\sqrt{\cos(c + dx)} \left(\frac{a \sin(c + dx)(a(c - bB) + Ab^2)}{(a^2 - b^2)(a \cos(c + dx) + b)} + 2C \tan(c + dx) \right) - \frac{4b(2a^2C - abB + Ab^2 - b^2C) \left(2\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - \frac{2b\pi \left(\frac{2a}{a+b}, \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} \right)}{a} + \frac{2 \sin(c + dx)(3a^2C - a(bB - aC))}{ab(a^2 - b^2)}}{ab(a^2 - b^2)d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2),x]
```

```
[Out] (-(((2*(-3*a^2*b*B + 4*b^3*B + 9*a^3*C - a*b^2*(A + 10*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (4*b*(A*b^2 - a*b*B + 2*a^2*C - b^2*C)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)))/a + (2*(A*b^2 - a*b*B + 3*a^2*C - 2*b^2*C)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/((a - b)*(a + b))) + 4*Sqrt[Cos[c + d*x]]*((a*(A*b^2 + a*(-(b*B) + a*C))*Sin[c + d*x])/((a^2 - b^2)*(b + a*Cos[c + d*x])) + 2*C*Tan[c + d*x]))/(4*b^2*d)
```

Maple [B] time = 9.099, size = 897, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x)
```

```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*(-A*b^2+B*a*b-C*a^2)/a/b*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2)))-2*(A*b^2-C*a^2)/b^2/(a^2-a*b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))+2*C/b^2*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2
```

$$\frac{c^2}{(2\sin(1/2dx+1/2c)^2-1)} \cdot \frac{1}{\sin(1/2dx+1/2c)} \cdot \frac{1}{(2\cos(1/2dx+1/2c)^2-1)^{1/2}} \cdot \frac{1}{d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c))**2,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(b \sec(dx+c) + a)^2 \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2)), x)

$$3.1328 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt[5]{\cos^2(c+dx)(a+b \sec(c+dx))^2}} dx$$

Optimal. Leaf size=387

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)(5a^2C - 3abB + 3Ab^2 - 2b^2C)}{3b^2d(a^2 - b^2)} - \frac{E\left(\frac{1}{2}(c+dx) \middle| 2\right)(3a^2bB - 5a^3C - ab^2(A - 4C) - 2b^3B)}{b^3d(a^2 - b^2)} - \frac{(-a^2b^2(A - 4C) - 2b^3B)}{b^3d(a^2 - b^2)}$$

[Out] -(((3*a^2*b*B - 2*b^3*B - a*b^2*(A - 4*C) - 5*a^3*C)*EllipticE[(c + d*x)/2, 2])/(b^3*(a^2 - b^2)*d)) + ((3*A*b^2 - 3*a*b*B + 5*a^2*C - 2*b^2*C)*EllipticF[(c + d*x)/2, 2])/(3*b^2*(a^2 - b^2)*d) - ((3*A*b^4 + 3*a^3*b*B - 5*a*b^3*B - a^2*b^2*(A - 7*C) - 5*a^4*C)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a - b)*b^3*(a + b)^2*d) + ((3*A*b^2 - 3*a*b*B + 5*a^2*C - 2*b^2*C)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)) + ((3*a^2*b*B - 2*b^3*B - a*b^2*(A - 4*C) - 5*a^3*C)*Sin[c + d*x])/(b^3*(a^2 - b^2)*d*sqrt[Cos[c + d*x]]) - ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x]))

Rubi [A] time = 1.4961, antiderivative size = 387, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3055, 3059, 2639, 3002, 2641, 2805}

$$F\left(\frac{1}{2}(c+dx) \middle| 2\right)(5a^2C - 3abB + 3Ab^2 - 2b^2C) - \frac{E\left(\frac{1}{2}(c+dx) \middle| 2\right)(3a^2bB - 5a^3C - ab^2(A - 4C) - 2b^3B)}{b^3d(a^2 - b^2)} - \frac{(-a^2b^2(A - 4C) - 2b^3B)}{b^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2), x]

[Out] -(((3*a^2*b*B - 2*b^3*B - a*b^2*(A - 4*C) - 5*a^3*C)*EllipticE[(c + d*x)/2, 2])/(b^3*(a^2 - b^2)*d)) + ((3*A*b^2 - 3*a*b*B + 5*a^2*C - 2*b^2*C)*EllipticF[(c + d*x)/2, 2])/(3*b^2*(a^2 - b^2)*d) - ((3*A*b^4 + 3*a^3*b*B - 5*a*b^3*B - a^2*b^2*(A - 7*C) - 5*a^4*C)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a - b)*b^3*(a + b)^2*d) + ((3*A*b^2 - 3*a*b*B + 5*a^2*C - 2*b^2*C)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)) + ((3*a^2*b*B - 2*b^3*B - a*b^2*(A - 4*C) - 5*a^3*C)*Sin[c + d*x])/(b^3*(a^2 - b^2)*d*sqrt[Cos[c + d*x]]) - ((A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x]))

$*x]^{(3/2)*(b + a*\text{Cos}[c + d*x])}$

Rule 4112

Int[(cos[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_.)] + (C_.)*sec[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3002

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[

$B/d, \text{Int}[(a + b\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^2} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(b + a \cos(c + dx))^2} dx \\
&= -\frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))} - \int \frac{\frac{1}{2}(-3Ab^2 + 3abB - 5a^2C + 2b^2C)}{\cos^{\frac{5}{2}}(c + dx)(b + a \cos(c + dx))^2} dx \\
&= \frac{(3Ab^2 - 3abB + 5a^2C - 2b^2C) \sin(c + dx)}{3b^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} - \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))} \\
&= \frac{(3Ab^2 - 3abB + 5a^2C - 2b^2C) \sin(c + dx)}{3b^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} + \frac{(3a^2bB - 2b^3B - ab^2(A - 4C)) \sin(c + dx)}{b^3(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= \frac{(3Ab^2 - 3abB + 5a^2C - 2b^2C) \sin(c + dx)}{3b^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} + \frac{(3a^2bB - 2b^3B - ab^2(A - 4C)) \sin(c + dx)}{b^3(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(3a^2bB - 2b^3B - ab^2(A - 4C) - 5a^3C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3(a^2 - b^2) d} + \frac{(3Ab^2 - 3abB) \sin(c + dx)}{3b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(3a^2bB - 2b^3B - ab^2(A - 4C) - 5a^3C) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3(a^2 - b^2) d} + \frac{(3Ab^2 - 3abB) \sin(c + dx)}{3b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 7.17638, size = 474, normalized size = 1.22

$$\frac{(-24a^2b^2B + 40a^3bC + 12aAb^3 - 28ab^3C + 12b^4B) \left(2 \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - \frac{2b \Pi\left(\frac{2a}{a+b}, \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} \right)}{a} + \frac{\sin(c + dx) \cos(2(c + dx)) (3a^2Ab^2 - 12a^2b^2C - 9a^3bB + 15a^4C + 6ab^2B)}{b^3(a^2 - b^2) d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2), x]

[Out] ((2*(9*a^2*A*b^2 - 12*A*b^4 - 27*a^3*b*B + 30*a*b^3*B + 45*a^4*C - 44*a^2*b^2*C - 4*b^4*C)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + ((12*a^2*A*b^3 - 24*a^2*b^2*B + 12*b^4*B + 40*a^3*b*C - 28*a*b^3*C)*(2*EllipticF[(c

$$\begin{aligned}
& + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b))/a \\
& + ((3*a^2*A*b^2 - 9*a^3*b*B + 6*a*b^3*B + 15*a^4*C - 12*a^2*b^2*C)*Cos[2*(c + d*x)]*(-4*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 4*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*(a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1]*Sin[c + d*x])/(a^2*b*Sqrt[1 - Cos[c + d*x]^2]*(-1 + 2*Cos[c + d*x]^2)))/(12*(a - b)*b^3*(a + b)*d + (Sqrt[Cos[c + d*x]]*((2*Sec[c + d*x]*(b*B*Ssin[c + d*x] - 2*a*C*Ssin[c + d*x]))/b^3 + (a^2*A*b^2*Ssin[c + d*x] - a^3*b*B*Ssin[c + d*x] + a^4*C*Ssin[c + d*x])/(b^3*(-a^2 + b^2)*(b + a*Cos[c + d*x])) + (2*C*Sec[c + d*x]*Tan[c + d*x])/(3*b^2)))/d
\end{aligned}$$

Maple [B] time = 12.576, size = 1031, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(5/2)}/(a+b*\sec(d*x+c))^{2,x})$

[Out] $\begin{aligned}
& -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*C/b^2*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*(A*b^2-B*a*b+C*a^2)/b^2*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}))+2*a^2*(B*b-2*C*a)/b^3/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+2*(B*b-2*C*a)/b^3*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(
\end{aligned}$

$$\frac{1}{2}dx + \frac{1}{2}c, 2^{(1/2)} + 2 * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * dx + 1/2 * c) * \sin(1/2 * dx + 1/2 * c)^2 / \sin(1/2 * dx + 1/2 * c)^2 / (2 * \sin(1/2 * dx + 1/2 * c)^2 - 1) / \sin(1/2 * dx + 1/2 * c) / (2 * \cos(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c))**2,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*cos(d*x + c)^(5/2)), x)

$$3.1329 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=538

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(a^4b^2(128A-15C)-a^2b^4(223A-9C)+8a^6(A+3C)+99a^3b^3B-72a^5bB-45ab^5B+105Ab^6\right)}{12a^5d(a^2-b^2)^2}$$

[Out] $-\left((35A*b^5 - 8*a^5*B + 29*a^3*b^2*B - 15*a*b^4*B - a^2*b^3*(65*A - 3*C) + a^4*(24*A*b - 9*b*C))*\text{EllipticE}[(c + d*x)/2, 2]\right)/(4*a^4*(a^2 - b^2)^2*d) + \left((105*A*b^6 - 72*a^5*b*B + 99*a^3*b^3*B - 45*a*b^5*B + a^4*b^2*(128*A - 15*C) - a^2*b^4*(223*A - 9*C) + 8*a^6*(A + 3*C))*\text{EllipticF}[(c + d*x)/2, 2]\right)/(12*a^5*(a^2 - b^2)^2*d) - (b*(35*A*b^6 - 35*a^5*b*B + 38*a^3*b^3*B - 15*a*b^5*B - a^2*b^4*(86*A - 3*C) + 3*a^4*b^2*(21*A - 2*C) + 15*a^6*C)*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^5*(a - b)^2*(a + b)^3*d) + \left((35*A*b^4 + 33*a^3*b*B - 15*a*b^3*B + a^4*(8*A - 21*C) - a^2*b^2*(61*A - 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]\right)/(12*a^3*(a^2 - b^2)^2*d) + \left((A*b^2 - a*(b*B - a*C))*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x]\right)/(2*a*(a^2 - b^2)*d*(b + a*\text{Cos}[c + d*x])^2) - \left((7*A*b^4 + 9*a^3*b*B - 3*a*b^3*B - 5*a^4*C - a^2*b^2*(13*A + C))*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x]\right)/(4*a^2*(a^2 - b^2)^2*d*(b + a*\text{Cos}[c + d*x]))$

Rubi [A] time = 2.04328, antiderivative size = 538, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3047, 3049, 3059, 2639, 3002, 2641, 2805}

$$F\left(\frac{1}{2}(c+dx) \middle| 2\right) \frac{\left(a^4b^2(128A-15C)-a^2b^4(223A-9C)+8a^6(A+3C)+99a^3b^3B-72a^5bB-45ab^5B+105Ab^6\right)}{12a^5d(a^2-b^2)^2} E$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^{(3/2)}*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(a + b*\text{Sec}[c + d*x])^3, x]$

[Out] $-\left((35A*b^5 - 8*a^5*B + 29*a^3*b^2*B - 15*a*b^4*B - a^2*b^3*(65*A - 3*C) + a^4*(24*A*b - 9*b*C))*\text{EllipticE}[(c + d*x)/2, 2]\right)/(4*a^4*(a^2 - b^2)^2*d) + \left((105*A*b^6 - 72*a^5*b*B + 99*a^3*b^3*B - 45*a*b^5*B + a^4*b^2*(128*A - 15*C) - a^2*b^4*(223*A - 9*C) + 8*a^6*(A + 3*C))*\text{EllipticF}[(c + d*x)/2, 2]\right)/(12*a^5*(a^2 - b^2)^2*d) - (b*(35*A*b^6 - 35*a^5*b*B + 38*a^3*b^3*B - 15*a*b^5*B - a^2*b^4*(86*A - 3*C) + 3*a^4*b^2*(21*A - 2*C) + 15*a^6*C)*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^5*(a - b)^2*(a + b)^3*d) + \left((35*A*b^4 + 33*a^3*b*B - 15*a*b^3*B + a^4*(8*A - 21*C) - a^2*b^2*(61*A - 3*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]\right)/(12*a^3*(a^2 - b^2)^2*d) + \left((A*b^2 - a*(b*B - a*C))*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x]\right)/(2*a*(a^2 - b^2)*d*(b + a*\text{Cos}[c + d*x])^2) - \left((7*A*b^4 + 9*a^3*b*B - 3*a*b^3*B - 5*a^4*C - a^2*b^2*(13*A + C))*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x]\right)/(4*a^2*(a^2 - b^2)^2*d*(b + a*\text{Cos}[c + d*x]))$

$$\frac{(2a)/(a+b), (c+dx)/2, 2]}{(4a^5(a-b)^2(a+b)^3d) + ((35Ab^4 + 33a^3bB - 15ab^3B + a^4(8A - 21C) - a^2b^2(61A - 3C))\sqrt{\cos[c+dx]}\sin[c+dx])}{(12a^3(a^2-b^2)^2d) + ((Ab^2 - a(bB - aC))\cos[c+dx]^{5/2}\sin[c+dx])}{(2a(a^2-b^2)d(b+a\cos[c+dx]))^2} - ((7Ab^4 + 9a^3bB - 3ab^3B - 5a^4C - a^2b^2(13A+C))\cos[c+dx]^{3/2}\sin[c+dx])}{(4a^2(a^2-b^2)^2d(b+a\cos[c+dx]))}$$

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Dist[d^(m+2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n-m-2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(c^2 - d^2)), x] + Dist[1/(d*(n+1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1)*Simp[A*d*(b*d*m + a*c*(n+1)) + (c*C - B*d)*(b*c*m + a*d*(n+1)) - (d*(A*(a*d*(n+2) - b*c*(n+1)) + B*(b*d*(n+1) - a*c*(n+2))) - C*(b*c*d*(n+1) - a*(c^2 + d^2*(n+1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m+n+2) - C*(c^2*(m+1) + d^2*(n+1))]*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(d*f*(m+n+2)), x] + Dist[1/(d*(m+n+2)), Int[(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m+n+2) + C*(b*c*m + a*d*(n+1)) + (d*(A*b + a*B)*(m+n+2) - C*(a*c - b*d*(m+n+1))]*Sin[e + f*x] + (C*(a*d*m - b*c*(m+1)) + b*B*d*(m+n+2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0]))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^
```

```

2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3002

```

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx) (C+B \cos(c+dx) + A \cos^2(c+dx))}{(b+a \cos(c+dx))^3} dx \\
&= \frac{(Ab^2 - a(bB - aC)) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2a(a^2 - b^2) d(b+a \cos(c+dx))^2} + \int \frac{\cos^{\frac{3}{2}}(c+dx) \left(\frac{5}{2}\right)}{(b+a \cos(c+dx))^3} dx \\
&= \frac{(Ab^2 - a(bB - aC)) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2a(a^2 - b^2) d(b+a \cos(c+dx))^2} - \frac{(7Ab^4 + 9a^3b^2)}{2a(a^2 - b^2) d(b+a \cos(c+dx))^2} \\
&= \frac{(35Ab^4 + 33a^3bB - 15ab^3B + a^4(8A - 21C) - a^2b^2(61A - 30C))}{12a^3(a^2 - b^2)^2 d} \\
&= \frac{(35Ab^4 + 33a^3bB - 15ab^3B + a^4(8A - 21C) - a^2b^2(61A - 30C))}{12a^3(a^2 - b^2)^2 d} \\
&= -\frac{(35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B + 3a^4b(8A - 3C) - a^2b^2(61A - 30C))}{4a^4(a^2 - b^2)^2 d} \\
&= -\frac{(35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B + 3a^4b(8A - 3C) - a^2b^2(61A - 30C))}{4a^4(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 7.42052, size = 604, normalized size = 1.12

$$\frac{(112a^3Ab^2 + 16a^5A + 24a^2b^3B + 24a^3b^2C - 96a^4bB + 48a^5C - 56aAb^4) \left(2\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - \frac{2b\pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{a+b} \right)}{a} + \frac{\sin(c+dx) \cos(2(c+dx)) (195a^2Ab^3 - 72a^4Ab^2)}{a}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((2*(-56*a^4*A*b + 73*a^2*A*b^3 - 35*A*b^5 + 24*a^5*B - 21*a^3*b^2*B + 15*a*b^4*B - 15*a^4*b*C - 3*a^2*b^3*C)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + ((16*a^5*A + 112*a^3*A*b^2 - 56*a*A*b^4 - 96*a^4*b*B + 24*a^2*b^3*B + 48*a^5*C + 24*a^3*b^2*C)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*Elliptic


```
icPi[(2*a)/(a + b), (c + d*x)/2, 2]]/(a + b))/a + ((-72*a^4*A*b + 195*a^2*
A*b^3 - 105*A*b^5 + 24*a^5*B - 87*a^3*b^2*B + 45*a*b^4*B + 27*a^4*b*C - 9*a
^2*b^3*C)*Cos[2*(c + d*x)]*(-4*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1
] + 4*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*(a^2 - 2*b^2)
*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x))/(a^2*b*
Sqrt[1 - Cos[c + d*x]^2]*(-1 + 2*Cos[c + d*x]^2))/(48*a^3*(a - b)^2*(a + b
)^2*d) + (Sqrt[Cos[c + d*x]]*((2*A*SIN[c + d*x])/(3*a^3) - ((A*b^4*SIN[c +
d*x]) + a*b^3*B*SIN[c + d*x] - a^2*b^2*C*SIN[c + d*x]))/(2*a^3*(a^2 - b^2)*
(b + a*COS[c + d*x])^2) + (-17*a^2*A*b^3*SIN[c + d*x] + 11*A*b^5*SIN[c + d*
x] + 13*a^3*b^2*B*SIN[c + d*x] - 7*a*b^4*B*SIN[c + d*x] - 9*a^4*b*C*SIN[c +
d*x] + 3*a^2*b^3*C*SIN[c + d*x]))/(4*a^3*(a^2 - b^2)^2*(b + a*COS[c + d*x]
)))/d
```

Maple [B] time = 14.63, size = 2289, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{3/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) / (a+b*\sec(dx+c))^3, x)$

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/3/a^5*(4*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+18*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b-2*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-9*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2+3*a^2*C*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2/a^5*b^2*(5*A*b^2-4*B*a*b+3*C*a^2)*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+$$

$$\begin{aligned}
& \frac{1}{2}c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \\
& \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)} \\
&) + 3 * 2 * b / (a^2 - b^2) / (a^2 - a * b) * a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + \\
& 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{Ellip} \\
& \text{pticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)})) + 2 / a^4 * b * (10 * A * b^2 - 6 * B * a * b + 3 * C \\
& * a^2) / (a^2 - a * b) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1 \\
& / 2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 \\
& * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) - 2 * b^3 * (A * b^2 - B * a * b + C * a^2) / a^5 * (1/2 * a^2 / b / (a^ \\
& 2 - b^2) * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1 \\
& / 2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 * a - a + b)^2 + 3 / 4 * a^2 * (a^2 - 3 * b^2) / b^2 / (a^2 - b^2)^2 * \text{co} \\
& \text{s}(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \text{co} \\
& \text{s}(1/2 * d * x + 1/2 * c)^2 * a - a + b) - 3 / 8 / (a + b) / (a^2 - b^2) / b^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1 \\
& / 2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + \\
& 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^2 - 1/4 / (a + b) / (a^2 - b^ \\
& 2) / b * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin \\
& (1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), \\
& 2^{(1/2)}) * a + 7 / 8 / (a + b) / (a^2 - b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x \\
& + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{Ell} \\
& \text{ipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 3 / 8 * a^3 / b^2 / (a^2 - b^2)^2 * (\sin(1/2 * d * x + 1/2 \\
& * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin \\
& (1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 9 / 8 * a / (a^2 - b \\
& ^2)^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \text{si} \\
& \text{n}(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c) \\
& , 2^{(1/2)}) - 3 / 8 * a^3 / b^2 / (a^2 - b^2)^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * \\
& d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \\
& \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 9 / 8 * a / (a^2 - b^2)^2 * (\sin(1/2 * d * x + 1/2 * c) \\
& ^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/ \\
& 2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3 / 8 / (a - b) / (a + b) \\
& / (a^2 - b^2) / b^2 / (a^2 - a * b) * a^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1 \\
& / 2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{Ellip} \\
& \text{ticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) + 3 / 4 / (a - b) / (a + b) / (a^2 - b^2) / (a^2 - \\
& a * b) * a^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 \\
& * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/ \\
& 2 * c), 2 * a / (a - b), 2^{(1/2)}) - 15 / 8 / (a - b) / (a + b) / (a^2 - b^2) * b^2 / (a^2 - a * b) * a * (\sin(1/2 \\
& * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * \\
& c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{ \\
& (1/2)})) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**3,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec  
(d*x + c) + a)^3, x)
```

$$3.1330 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=426

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b^3(33A+C)+a^4b(24A+7C)+5a^3b^2B-8a^5B-3ab^4B+15Ab^5\right)}{4a^4d(a^2-b^2)^2} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out] ((15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B + a^4*(8*A - 5*C) - a^2*b^2*(29*A + C))*
 EllipticE[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) - ((15*A*b^5 - 8*a^5*B +
 5*a^3*b^2*B - 3*a*b^4*B - a^2*b^3*(33*A + C) + a^4*b*(24*A + 7*C))*Ellipti
 cF[(c + d*x)/2, 2])/(4*a^4*(a^2 - b^2)^2*d) + ((15*A*b^6 - 15*a^5*b*B + 6*a
 ^3*b^3*B - 3*a*b^5*B + 3*a^6*C - a^2*b^4*(38*A + C) + 5*a^4*b^2*(7*A + 2*C)
)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^4*(a - b)^2*(a + b)^3*d)
 + ((A*b^2 - a*(b*B - a*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*a*(a^2 - b^2
)*d*(b + a*Cos[c + d*x])^2) - ((5*A*b^4 + 7*a^3*b*B - a*b^3*B - 3*a^4*C - a
 ^2*b^2*(11*A + 3*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2
 d(b + a*Cos[c + d*x]))

Rubi [A] time = 1.43768, antiderivative size = 426, normalized size of antiderivative =
 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} =$
 0.163, Rules used = {4112, 3047, 3059, 2639, 3002, 2641, 2805}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(-a^2b^3(33A+C)+a^4b(24A+7C)+5a^3b^2B-8a^5B-3ab^4B+15Ab^5\right)}{4a^4d(a^2-b^2)^2} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec
 [c + d*x])^3,x]

[Out] ((15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B + a^4*(8*A - 5*C) - a^2*b^2*(29*A + C))*
 EllipticE[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) - ((15*A*b^5 - 8*a^5*B +
 5*a^3*b^2*B - 3*a*b^4*B - a^2*b^3*(33*A + C) + a^4*b*(24*A + 7*C))*Ellipti
 cF[(c + d*x)/2, 2])/(4*a^4*(a^2 - b^2)^2*d) + ((15*A*b^6 - 15*a^5*b*B + 6*a
 ^3*b^3*B - 3*a*b^5*B + 3*a^6*C - a^2*b^4*(38*A + C) + 5*a^4*b^2*(7*A + 2*C)
)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^4*(a - b)^2*(a + b)^3*d)
 + ((A*b^2 - a*(b*B - a*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*a*(a^2 - b^2
)*d*(b + a*Cos[c + d*x])^2) - ((5*A*b^4 + 7*a^3*b*B - a*b^3*B - 3*a^4*C - a
 ^2*b^2*(11*A + 3*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2
 d(b + a*Cos[c + d*x]))

$d*(b + a*\cos[c + d*x])$

Rule 4112

$\text{Int}[(\cos[(e_.) + (f_.)*(x_)]*(d_.)^n*((a_.) + (b_.)*\sec[(e_.) + (f_.)*(x_)]))^m*((A_.) + (B_.)*\sec[(e_.) + (f_.)*(x_)] + (C_.)*\sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow \text{Dist}[d^{m+2}, \text{Int}[(b + a*\cos[e + f*x])^m*(d*\cos[e + f*x])^{n-m-2}*(C + B*\cos[e + f*x] + A*\cos[e + f*x]^2), x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{!IntegerQ}[n] \&\& \text{IntegerQ}[m]$

Rule 3047

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]]^m*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])^n*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)] + (C_.)*\sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] \rightarrow -\text{Simp}[(c^2*C - B*c*d + A*d^2)*\cos[e + f*x]*(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^{n+1}/(d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}*\text{Simp}[A*d*(b*d*m + a*c*(n+1)) + (c*C - B*d)*(b*c*m + a*d*(n+1)) - (d*(A*(a*d*(n+2) - b*c*(n+1)) + B*(b*d*(n+1) - a*c*(n+2))) - C*(b*c*d*(n+1) - a*(c^2 + d^2*(n+1)))*\sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m+1) + d^2*(n+1)))*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LtQ}[n, -1]$

Rule 3059

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)] + (C_.)*\sin[(e_.) + (f_.)*(x_)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])), x_Symbol] \rightarrow \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\sin[e + f*x], x]/(\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3002

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]]^m*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x_Symbol] \rightarrow \text{Dist}[B/d, \text{Int}[(a + b*\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B$

, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\cos(c+dx)} (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + b \sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx) (C + B \cos(c+dx) + A \cos^2(c+dx))}{(b + a \cos(c+dx))^3} dx \\
 &= \frac{(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2 - b^2) d (b + a \cos(c+dx))^2} + \int \frac{\sqrt{\cos(c+dx)}}{(b + a \cos(c+dx))^3} dx \\
 &= \frac{(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2 - b^2) d (b + a \cos(c+dx))^2} - \frac{(5Ab^4 + 7a^2b^2C)}{2a(a^2 - b^2) d (b + a \cos(c+dx))^2} \\
 &= \frac{(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2 - b^2) d (b + a \cos(c+dx))^2} - \frac{(5Ab^4 + 7a^2b^2C)}{2a(a^2 - b^2) d (b + a \cos(c+dx))^2} \\
 &= \frac{(15Ab^4 + 9a^3bB - 3ab^3B + a^4(8A - 5C) - a^2b^2(29A + C))}{4a^3(a^2 - b^2)^2 d} \\
 &= \frac{(15Ab^4 + 9a^3bB - 3ab^3B + a^4(8A - 5C) - a^2b^2(29A + C))}{4a^3(a^2 - b^2)^2 d}
 \end{aligned}$$

Mathematica [A] time = 6.3533, size = 441, normalized size = 1.04

$$\frac{16(-a^2b(4A+3C)+2a^3B+ab^2B+Ab^3)\left(\frac{1}{2}(c+dx), 2\right) - b\pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{a+b} - \frac{2\sin(c+dx)(-a^2b^2(29A+C)+a^4(8A-5C)+9a^3bB-3ab^3B+15Ab^4)\left(-2b(a+b)\text{EllipticF}\left(\sin^{-1}\left(\sqrt{\cos\left(\frac{a^2b\sqrt{\sin^2(c+dx)}}{(a-b)^2(a+b)^2}\right)}\right)\right)\right)}{(a-b)^2(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^3,x]

[Out] ((4*Sqrt[Cos[c + d*x]]*(b*(-5*A*b^4 - 7*a^3*b*B + a*b^3*B + 3*a^4*C + a^2*b^2*(11*A + 3*C)) + a*(-7*A*b^4 - 9*a^3*b*B + 3*a*b^3*B + 5*a^4*C + a^2*b^2*(13*A + C))*Cos[c + d*x]*Sin[c + d*x]))/((a^2 - b^2)^2*(b + a*Cos[c + d*x])^2) + ((2*(5*A*b^4 - 5*a^3*b*B - a*b^3*B + a^4*(8*A + C) + a^2*b^2*(-7*A + 5*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (16*(A*b^3 + 2*a^3*B + a*b^2*B - a^2*b*(4*A + 3*C))*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a + b) - (2*(15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B + a^4*(8*A - 5*C) - a^2*b^2*(29*A + C))*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a^2*b*Sqrt[Sin[c + d*x]^2]))/((a - b)^2*(a + b)^2)/(16*a^2*d)

Maple [B] time = 13.492, size = 2022, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x)

[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2/a^4/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a+3*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*b-B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*a)-2/a^4*b*(4*A*b^2-3*B*a*b+2*C*a^2)*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipt

$$\begin{aligned}
& \text{icF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/2*a/b/(a^2-b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2*a/b/(a^2-b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
& - 1/2/b/(a^2-b^2)/(a^2-a*b) * a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 3/2*b/(a^2-b^2)/(a^2-a*b) * a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) \\
& - 2/a^3 * (6*A*b^2 - 3*B*a*b + C*a^2) / (a^2-a*b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 2*b^2 * (A*b^2 - B*a*b + C*a^2) / a^4 * (1/2*a^2/b/(a^2-b^2) * \cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2 * a - a + b)^2 + 3/4*a^2 * (a^2 - 3*b^2) / b^2 / (a^2-b^2)^2 * \cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2 * a - a + b) - 3/8 / (a+b) / (a^2-b^2) / b^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2 - 1/4 / (a+b) / (a^2-b^2) / b * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a + 7/8 / (a+b) / (a^2-b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 3/8 * a^3 / b^2 / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9/8 * a / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8 * a^3 / b^2 / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8 * a / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8 / (a-b) / (a+b) / (a^2-b^2) / b^2 / (a^2-a*b) * a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 3/4 / (a-b) / (a+b) / (a^2-b^2) / (a^2-a*b) * a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 15/8 / (a-b) / (a+b) / (a^2-b^2) * b^2 / (a^2-a*b) * a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))  
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec  
(d*x + c) + a)^3, x)
```

$$3.1331 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=423

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\left(-a^2b^2(5A-3C)+a^4(8A+3C)-7a^3bB+ab^3B+3Ab^4\right)}{4a^3d(a^2-b^2)^2} - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(-a^2b^2(9A+5C)+5a^3bB\right)}{4a^2bd(a^2-b^2)^2}$$

[Out] -((3*A*b^4 + 5*a^3*b*B + a*b^3*B - a^4*C - a^2*b^2*(9*A + 5*C))*EllipticE[(c + d*x)/2, 2])/(4*a^2*b*(a^2 - b^2)^2*d) + ((3*A*b^4 - 7*a^3*b*B + a*b^3*B - a^2*b^2*(5*A - 3*C) + a^4*(8*A + 3*C))*EllipticF[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) - ((3*A*b^6 - 3*a^5*b*B - 10*a^3*b^3*B + a*b^5*B - 3*a^2*b^4*(2*A - C) - a^6*C + 5*a^4*b^2*(3*A + 2*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^3*(a - b)^2*b*(a + b)^3*d) + ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) + ((3*A*b^4 + 5*a^3*b*B + a*b^3*B - a^4*C - a^2*b^2*(9*A + 5*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*a*b*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rubi [A] time = 1.35867, antiderivative size = 423, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {4112, 3047, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)\left(-a^2b^2(5A-3C)+a^4(8A+3C)-7a^3bB+ab^3B+3Ab^4\right)}{4a^3d(a^2-b^2)^2} - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)\left(-a^2b^2(9A+5C)+5a^3bB\right)}{4a^2bd(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^3), x]

[Out] -((3*A*b^4 + 5*a^3*b*B + a*b^3*B - a^4*C - a^2*b^2*(9*A + 5*C))*EllipticE[(c + d*x)/2, 2])/(4*a^2*b*(a^2 - b^2)^2*d) + ((3*A*b^4 - 7*a^3*b*B + a*b^3*B - a^2*b^2*(5*A - 3*C) + a^4*(8*A + 3*C))*EllipticF[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) - ((3*A*b^6 - 3*a^5*b*B - 10*a^3*b^3*B + a*b^5*B - 3*a^2*b^4*(2*A - C) - a^6*C + 5*a^4*b^2*(3*A + 2*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^3*(a - b)^2*b*(a + b)^3*d) + ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) + ((3*A*b^4 + 5*a^3*b*B + a*b^3*B - a^4*C - a^2*b^2*(9*A + 5*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*a*b*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]^(m_))*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e + f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))]*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))]*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
```

```
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_))*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \sec(c + dx))^3} dx &= \int \frac{\sqrt{\cos(c + dx)}(C + B \cos(c + dx) + A \cos^2(c + dx))}{(b + a \cos(c + dx))^3} dx \\
&= \frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{\int \frac{1}{2}(Ab^2 - a(bB - aC)) - 2a(Ab - aB + a^2)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{(3Ab^4 + 5a^3bB + ab^3B - a^4C - a^2b^2(9A + 5C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ab(a^2 - b^2)d} \\
&= \frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{(3Ab^4 + 5a^3bB + ab^3B - a^4C - a^2b^2(9A + 5C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ab(a^2 - b^2)d} \\
&= -\frac{(3Ab^4 + 5a^3bB + ab^3B - a^4C - a^2b^2(9A + 5C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2b(a^2 - b^2)^2 d} + \frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \cos(c + dx))^2} \\
&= -\frac{(3Ab^4 + 5a^3bB + ab^3B - a^4C - a^2b^2(9A + 5C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2b(a^2 - b^2)^2 d} + \frac{(3Ab^2 - a^2b^2(9A + 5C)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \cos(c + dx))^2}
\end{aligned}$$

Mathematica [A] time = 5.813, size = 428, normalized size = 1.01

$$\frac{16b(a^2(2A+C) - 3abB + b^2(A+2C)) \left((a+b) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - b \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \right) - 2 \sin(c+dx) (a^2b^2(9A+5C) - 5a^3bB + a^4C - ab^3B - 3Ab^4) \left(-2b(a+b) \operatorname{EllipticF}\left(\sin^{-1}(\sqrt{\cos(c+dx)}), -1\right) - \frac{a^2b \sqrt{\sin^2(c+dx)}}{(a-b)^2(a+b)^2} \right)}{a^2b \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^3), x]

[Out] ((-4*Sqrt[Cos[c + d*x]]*(-(b*(A*b^4 + 3*a^3*b*B + 3*a*b^3*B + a^4*C - 7*a^2*b^2*(A + C))) + a*(-3*A*b^4 - 5*a^3*b*B - a*b^3*B + a^4*C + a^2*b^2*(9*A + 5*C))*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(b + a*Cos[c + d*x])^2) + ((2*(-(A*b^4) + a^3*b*B + 5*a*b^3*B + 3*a^4*C - a^2*b^2*(5*A + 9*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (16*b*(-3*a*b*B + a^2*(2*A + C) + b^2*(A + 2*C))*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a + b) - (2*(-3*A*b^4 - 5*a^3*b*B - a*b^3*B + a^4*C + a^2*b^2*(9*A + 5*C))*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]],

$$-1] - 2*b*(a + b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1] + (a^2 - 2*b^2) * \text{EllipticPi}[-(a/b), -\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1] * \text{Sin}[c + d*x] / ((a^2*b * \text{Sqrt}[\text{Sin}[c + d*x]^2])) / ((a - b)^2*(a + b)^2) / (16*a*b*d)$$

Maple [B] time = 11.946, size = 1972, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^3/\cos(d*x+c)^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2/a^3*(3*A*b^2-2*B*a*b+C*a^2)*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})-2*(-3*A*b+B*a)/a^2/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})-2*b*(A*b^2-B*a*b+C*a^2)/a^3*(1/2*a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^{-1/4}/(a+b)/(a^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \end{aligned}$$

$$\begin{aligned} & /2) * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 3/8*a^3/b^2/(a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9/8*a \\ & / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x \\ & +1/2*c), 2^{(1/2)}) - 3/8*a^3/b^2/(a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8*a/(a^2-b^2)^2 * (\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8/(a-b \\ &)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &) * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 3/4/(a-b)/(a+b)/(a^2-b^2) \\ &)/(a^2-a*b)*a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 \\ & *d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a * \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d \\ & *x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(\\ & a-b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**3/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*sqrt(cos(d*x + c))), x)

$$3.1332 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{3 \cos^2(c+dx)(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=409

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(-7a^2b^2(A+C) + 3a^3bB + a^4C + 3ab^3B + Ab^4\right)}{4a^2bd(a^2-b^2)^2} - \frac{E\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(a^2b^2(5A+9C) - a^3bB - 3a^4C - 3ab^3B - Ab^4\right)}{4ab^2d(a^2-b^2)^2}$$

[Out] -((A*b^4 - a^3*b*B - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(5*A + 9*C))*EllipticE[(c + d*x)/2, 2])/(4*a*b^2*(a^2 - b^2)^2*d) + ((A*b^4 + 3*a^3*b*B + 3*a*b^3*B + a^4*C - 7*a^2*b^2*(A + C))*EllipticF[(c + d*x)/2, 2])/(4*a^2*b*(a^2 - b^2)^2*d) - ((A*b^6 - a^5*b*B + 10*a^3*b^3*B + 3*a*b^5*B - 3*a^4*b^2*(A - 2*C) - 3*a^6*C - 5*a^2*b^4*(2*A + 3*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^2*(a - b)^2*b^2*(a + b)^3*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) + ((A*b^4 - a^3*b*B - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(5*A + 9*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rubi [A] time = 1.35396, antiderivative size = 409, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{F\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(-7a^2b^2(A+C) + 3a^3bB + a^4C + 3ab^3B + Ab^4\right)}{4a^2bd(a^2-b^2)^2} - \frac{E\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(a^2b^2(5A+9C) - a^3bB - 3a^4C - 3ab^3B - Ab^4\right)}{4ab^2d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3), x]

[Out] -((A*b^4 - a^3*b*B - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(5*A + 9*C))*EllipticE[(c + d*x)/2, 2])/(4*a*b^2*(a^2 - b^2)^2*d) + ((A*b^4 + 3*a^3*b*B + 3*a*b^3*B + a^4*C - 7*a^2*b^2*(A + C))*EllipticF[(c + d*x)/2, 2])/(4*a^2*b*(a^2 - b^2)^2*d) - ((A*b^6 - a^5*b*B + 10*a^3*b^3*B + 3*a*b^5*B - 3*a^4*b^2*(A - 2*C) - 3*a^6*C - 5*a^2*b^4*(2*A + 3*C))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^2*(a - b)^2*b^2*(a + b)^3*d) - ((A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) + ((A*b^4 - a^3*b*B - 5*a*b^3*B - 3*a^4*C + a^2*b^2*(5*A + 9*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rule 4112

```
Int[((cos[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]))^ (m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[d^(m + 2), Int[(b + a*cos[e + f*x])^m*(d*cos[e + f*x])^(n - m - 2)*(C + B*cos[e + f*x] + A*cos[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]))^ (m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]))^ (n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*sin[e + f*x]]*(c + d*sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]))^ (m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*sin[e + f*x])^m/(c + d*sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
```

, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))^3} dx \\
 &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \cos(c + dx))^2} - \int \frac{\frac{1}{2}(Ab^2 - abB - 3a^2C + 4b^2C) + 2b^2C}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))^3} dx \\
 &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{(Ab^4 - a^3bB - 5ab^3B - 3a^4C + a^2b^2(5A + 9C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2(a^2 - b^2)d} \\
 &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{(Ab^4 - a^3bB - 5ab^3B - 3a^4C + a^2b^2(5A + 9C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2(a^2 - b^2)d} \\
 &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{(Ab^4 - a^3bB - 5ab^3B - 3a^4C + a^2b^2(5A + 9C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ab^2(a^2 - b^2)^2 d} \\
 &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{\cos(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{(Ab^4 - a^3bB - 5ab^3B - 3a^4C + a^2b^2(5A + 9C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ab^2(a^2 - b^2)^2 d} + \frac{(Ab^4 - a^3bB - 5ab^3B - 3a^4C + a^2b^2(5A + 9C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2(a^2 - b^2)d}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2}c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2/b / (a^2 - b^2) / (a^2 - a*b) * a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 3/2*b / (a^2 - b^2) / (a^2 - a*b) * a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 2*A/a / (a^2 - a*b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 2*(A*b^2 - B*a*b + C*a^2) / a^2 * (1/2*a^2/b / (a^2 - b^2) * \cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2 * a - a + b)^2 + 3/4*a^2 * (a^2 - 3*b^2) / b^2 / (a^2 - b^2)^2 * \cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2 * a - a + b) - 3/8 / (a + b) / (a^2 - b^2) / b^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2 - 1/4 / (a + b) / (a^2 - b^2) / b * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a + 7/8 / (a + b) / (a^2 - b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 3/8 * a^3 / b^2 / (a^2 - b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9/8 * a / (a^2 - b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8 * a^3 / b^2 / (a^2 - b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8 * a / (a^2 - b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8 / (a - b) / (a + b) / (a^2 - b^2) / b^2 / (a^2 - a*b) * a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a - b), 2^{(1/2)}) + 3/4 / (a - b) / (a + b) / (a^2 - b^2) / (a^2 - a*b) * a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a - b), 2^{(1/2)}) - 15/8 / (a - b) / (a + b) / (a^2 - b^2) * b^2 / (a^2 - a*b) * a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a - b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^3,x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^3,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c)
)**3,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))  
^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*c  
os(d*x + c)^(3/2)), x)
```

$$3.1333 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=496

$$\frac{\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) \left(a^2 b^2 (3A+11C) + a^3 b B - 5a^4 C - 7ab^3 B + 3Ab^4\right)}{4ab^2 d (a^2 - b^2)^2} + \frac{E\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(a^2 b^2 (A+29C) + 3a^3 b B - 15a^4 C\right)}{4b^3 d (a^2 - b^2)^2}$$

[Out] $((3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) * \text{EllipticE}[(c + dx)/2, 2]) / (4b^3(a^2 - b^2)^2d) + ((3Ab^4 + a^3bB - 7ab^3B - 5a^4C + a^2b^2(3A + 11C)) * \text{EllipticF}[(c + dx)/2, 2]) / (4ab^2(a^2 - b^2)^2d) - ((3Ab^6 - 3a^5bB + 6a^3b^3B - 15ab^5B + 15a^6C + 5a^2b^4(2A + 7C) - a^4b^2(A + 38C)) * \text{EllipticPi}[(2a)/(a + b), (c + dx)/2, 2]) / (4a(a - b)^2b^3(a + b)^3d) - ((3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) * \text{Sin}[c + dx]) / (4b^3(a^2 - b^2)^2d * \text{Sqrt}[\text{Cos}[c + dx]]) - ((Ab^2 - a(bB - aC)) * \text{Sin}[c + dx]) / (2b(a^2 - b^2)d * \text{Sqrt}[\text{Cos}[c + dx]]) * (b + a * \text{Cos}[c + dx])^2 + ((3Ab^4 + a^3bB - 7ab^3B - 5a^4C + a^2b^2(3A + 11C)) * \text{Sin}[c + dx]) / (4b^2(a^2 - b^2)^2d * \text{Sqrt}[\text{Cos}[c + dx]]) * (b + a * \text{Cos}[c + dx])$

Rubi [A] time = 1.88118, antiderivative size = 496, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {4112, 3055, 3059, 2639, 3002, 2641, 2805}

$$F\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(a^2 b^2 (3A+11C) + a^3 b B - 5a^4 C - 7ab^3 B + 3Ab^4\right) / (4ab^2 d (a^2 - b^2)^2) + E\left(\frac{1}{2}(c+dx) \middle| 2\right) \left(a^2 b^2 (A+29C) + 3a^3 b B - 15a^4 C\right) / (4b^3 d (a^2 - b^2)^2)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B * \text{Sec}[c + dx] + C * \text{Sec}[c + dx]^2) / (\text{Cos}[c + dx]^{(5/2)} * (a + b * \text{Sec}[c + dx])^3), x]$

[Out] $((3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) * \text{EllipticE}[(c + dx)/2, 2]) / (4b^3(a^2 - b^2)^2d) + ((3Ab^4 + a^3bB - 7ab^3B - 5a^4C + a^2b^2(3A + 11C)) * \text{EllipticF}[(c + dx)/2, 2]) / (4ab^2(a^2 - b^2)^2d) - ((3Ab^6 - 3a^5bB + 6a^3b^3B - 15ab^5B + 15a^6C + 5a^2b^4(2A + 7C) - a^4b^2(A + 38C)) * \text{EllipticPi}[(2a)/(a + b), (c + dx)/2, 2]) / (4a(a - b)^2b^3(a + b)^3d) - ((3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) * \text{Sin}[c + dx]) / (4b^3(a^2 - b^2)^2d * \text{Sqrt}[\text{Cos}[c + dx]]) - ((Ab^2 - a(bB - aC)) * \text{Sin}[c + dx]) / (2b(a^2 - b^2)d * \text{Sqrt}[\text{Cos}[c + dx]]) * (b + a * \text{Cos}[c + dx])^2 + ((3Ab^4 + a^3bB - 7ab^3B - 5a^4C + a^2b^2(3A + 11C)) * \text{Sin}[c + dx]) / (4b^2(a^2 - b^2)^2d * \text{Sqrt}[\text{Cos}[c + dx]]) * (b + a * \text{Cos}[c + dx])$

$$\begin{aligned} &^3*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]] - ((A*b^2 - a*(b*B - a*C))*\text{Sin}[c + d \\ &*x])/(2*b*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(b + a*\text{Cos}[c + d*x])^2) + ((3*A* \\ &b^4 + a^3*b*B - 7*a*b^3*B - 5*a^4*C + a^2*b^2*(3*A + 11*C))*\text{Sin}[c + d*x])/(\\ &4*b^2*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(b + a*\text{Cos}[c + d*x])) \end{aligned}$$

Rule 4112

```
Int[(cos[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*((a_.) + (b_.)*sec[(e_.) + (f_.)*(x_)]
^m_)*((A_.) + (B_.)*sec[(e_.) + (f_.)*(x_)] + (C_.)*sec[(e_.) + (f_.)
*(x_)]^2), x_Symbol] :> Dist[d^(m + 2), Int[(b + a*Cos[e + f*x])^m*(d*Cos[e
+ f*x])^(n - m - 2)*(C + B*Cos[e + f*x] + A*Cos[e + f*x]^2), x], x] /; Fre
eQ[{a, b, d, e, f, A, B, C, n}, x] && !IntegerQ[n] && IntegerQ[m]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^3} dx &= \int \frac{C + B \cos(c + dx) + A \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^3} dx \\
&= \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{2b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2} - \int \frac{\frac{1}{2}(-Ab^2 + abB - 5a^2C + 4b^2C)}{\dots} \\
&= \frac{(Ab^2 - a(bB - aC)) \sin(c + dx)}{2b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2} + \frac{(3Ab^4 + a^3bB - 7ab^3B)}{4b^2(a^2 - b^2)^2 d} \\
&= \frac{(3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) \sin(c + dx)}{4b^3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{(3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) \sin(c + dx)}{4b^3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{(3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^3(a^2 - b^2)^2 d} \\
&= \frac{(3a^3bB - 9ab^3B + b^4(5A - 8C) - 15a^4C + a^2b^2(A + 29C)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^3(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 7.30034, size = 594, normalized size = 1.2

$$\frac{\sqrt{\cos(c + dx)} \left(\frac{a^2bB \sin(c+dx) + a^3(-C) \sin(c+dx) - aAb^2 \sin(c+dx)}{2b^2(b^2 - a^2)(a \cos(c+dx) + b)^2} + \frac{-a^3Ab^2 \sin(c+dx) + 9a^2b^3B \sin(c+dx) - 13a^3b^2C \sin(c+dx) - 3a^4bB \sin(c+dx) + 7a^5C}{4b^3(b^2 - a^2)^2(a \cos(c+dx) + b)} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^3), x]

[Out] -((2*(-3*a^3*A*b^2 + 9*a*A*b^4 - 9*a^4*b*B + 19*a^2*b^3*B - 16*b^5*B + 45*a^5*C - 95*a^3*b^2*C + 56*a*b^4*C)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + ((-8*a^2*A*b^3 - 16*A*b^5 - 8*a^3*b^2*B + 32*a*b^4*B + 40*a^4*b*C - 80*a^2*b^3*C + 16*b^5*C)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticP

$$\begin{aligned} & i[(2a)/(a+b), (c+d*x)/2, 2]/(a+b))/a + ((-a^3*A*b^2) - 5*a*A*b^4 \\ & - 3*a^4*b*B + 9*a^2*b^3*B + 15*a^5*C - 29*a^3*b^2*C + 8*a*b^4*C)*\cos[2*(c + \\ & d*x)]*(-4*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\cos[c+d*x]]], -1] + 4*b*(a+b)*\text{Elli} \\ & \text{pticF}[\text{ArcSin}[\text{Sqrt}[\cos[c+d*x]]], -1] - 2*(a^2 - 2*b^2)*\text{EllipticPi}[-(a/b), \\ & -\text{ArcSin}[\text{Sqrt}[\cos[c+d*x]]], -1])*\sin[c+d*x))/(a^2*b*\text{Sqrt}[1 - \cos[c+d*x] \\ &]^2)*(-1 + 2*\cos[c+d*x]^2)))/(16*(a-b)^2*b^3*(a+b)^2*d + (\text{Sqrt}[\cos[c \\ & +d*x]]*((-a*A*b^2*\sin[c+d*x]) + a^2*b*B*\sin[c+d*x] - a^3*C*\sin[c+d \\ & *x]))/(2*b^2*(-a^2 + b^2)*(b + a*\cos[c+d*x])^2) + (-(a^3*A*b^2*\sin[c+d*x] \\ &) - 5*a*A*b^4*\sin[c+d*x] - 3*a^4*b*B*\sin[c+d*x] + 9*a^2*b^3*B*\sin[c + \\ & d*x] + 7*a^5*C*\sin[c+d*x] - 13*a^3*b^2*C*\sin[c+d*x]))/(4*b^3*(-a^2 + b^2 \\ &)^2*(b + a*\cos[c+d*x])) + (2*C*\tan[c+d*x])/b^3)/d \end{aligned}$$

Maple [B] time = 14.485, size = 2049, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(5/2)}/(a+b*\sec(d*x+c))^3,x)$

[Out]
$$\begin{aligned} & -((-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(A*b^2-C*a^2) \\ & /b^2/a*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^ \\ & 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*a/b \\ & /(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(\\ & -2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1 \\ & /2*c), 2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\ & *x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E \\ & \text{llipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^ \\ & (1/2))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2 \\ & *d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}))+2*a^2*C/b^3/(a^2-a*b)*(s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a \\ & -b), 2^{(1/2)}))+2*(-A*b^2+B*a*b-C*a^2)/a/b*(1/2*a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/ \\ & 2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/ \\ & 2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2* \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a- \\ & a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1 \end{aligned}$$

$$\begin{aligned} & /2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^{-1/4} / (a+b) / (a^2-b^2) / b * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a + 7/8 / (a+b) / (a^2-b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 3/8 * a^3 / b^2 / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9/8 * a / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8 * a^3 / b^2 / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8 * a / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8 / (a-b) / (a+b) / (a^2-b^2) / b^2 / (a^2-a*b) * a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a / (a-b), 2^{(1/2)}) + 3/4 / (a-b) / (a+b) / (a^2-b^2) / (a^2-a*b) * a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a / (a-b), 2^{(1/2)}) - 15/8 / (a-b) / (a+b) / (a^2-b^2) * b^2 / (a^2-a*b) * a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a / (a-b), 2^{(1/2)}) + 2*C / b^3 * (-\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2-1) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c))**3,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*cos(d*x + c)^(5/2)), x)
```


$$3.1334 \quad \int \cos^{\frac{9}{2}}(c+dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C$$

Optimal. Leaf size=457

$$\frac{2(a^2 - b^2)(6a^2b(6A + 7C) - 75a^3B - 24ab^2B + 16Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) - 2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{315a^4d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

```
[Out] (-2*(a^2 - b^2)*(16*A*b^3 - 75*a^3*B - 24*a*b^2*B + 6*a^2*b*(6*A + 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(315*a^4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(16*A*b^4 - 57*a^3*b*B - 24*a*b^3*B + 6*a^2*b^2*(4*A + 7*C) - 21*a^4*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(8*A*b^3 + 75*a^3*B - 12*a*b^2*B + a^2*b*(13*A + 21*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^3*d) - (2*(6*A*b^2 - 9*a*b*B - 7*a^2*(7*A + 9*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^2*d) + (2*(A*b + 9*a*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(63*a*d) + (2*A*Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(9*d)
```

Rubi [A] time = 1.79839, antiderivative size = 457, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) (-7a^2(7A + 9C) - 9abB + 6Ab^2) \sqrt{a + b \sec(c + dx)}}{315a^2d} + \frac{2 \sin(c + dx) \sqrt{\cos(c + dx)} (a^2b(13A + 21C) + 2aB)}{63ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(a^2 - b^2)*(16*A*b^3 - 75*a^3*B - 24*a*b^2*B + 6*a^2*b*(6*A + 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(315*a^4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(16*A*b^4 - 57*a^3*b*B - 24*a*b^3*B + 6*a^2*b^2*(4*A + 7*C) - 21*a^4*(7*A + 9*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(8*A*b^3 + 75*a^3*B - 12*a*b^2*B + a^2*b*(13*A + 21*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^3*d) - (2*(6*A*b^2 - 9*a*b*B - 7*a^2*(7*A + 9*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^2*d) + (2*(A*b + 9*a*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(63*a*d) + (2*A*Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(9*d)
```

$$\frac{\sin[c + dx]}{(315a^3d) - (2(6Ab^2 - 9aB - 7a^2(7A + 9C))\cos[c + dx])^{3/2}\sqrt{a + b\sec[c + dx]}\sin[c + dx]} + \frac{2(Ab + 9aB)\cos[c + dx]^{5/2}\sqrt{a + b\sec[c + dx]}\sin[c + dx]}{(63a^4d)} + \frac{2A\cos[c + dx]^{7/2}\sqrt{a + b\sec[c + dx]}\sin[c + dx]}{(9d)}$$

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*cos[a + b*x])^m*(c*sec[a + b*x])^m, Int[ActivateTrig[u]/(c*sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x] /; FreeQ[{a,
```

b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b \sec(c+dx)}}{\cos^{\frac{9}{2}}(c+dx)} dx \\
&= \frac{2A \cos^{\frac{7}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{9d} \\
&= \frac{2(Ab+9aB) \cos^{\frac{5}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}}{63ad} \\
&= -\frac{2(6Ab^2-9abB-7a^2(7A+9C)) \cos^{\frac{3}{2}}(c+dx)}{315a^2} \\
&= \frac{2(8Ab^3+75a^3B-12ab^2B+a^2b(13A+2C)) \cos^{\frac{1}{2}}(c+dx)}{315a^2} \\
&= \frac{2(8Ab^3+75a^3B-12ab^2B+a^2b(13A+2C)) \sin(c+dx)}{315a^2} \\
&= \frac{2(8Ab^3+75a^3B-12ab^2B+a^2b(13A+2C)) \cos^{\frac{1}{2}}(c+dx)}{315a^2} \\
&= \frac{2(8Ab^3+75a^3B-12ab^2B+a^2b(13A+2C)) \sin(c+dx)}{315a^2} \\
&= \frac{2(a^2-b^2)(16Ab^3-75a^3B-24ab^2B+6a^2b(13A+2C)) \cos^{\frac{1}{2}}(c+dx)}{315a^4d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 24.3367, size = 3595, normalized size = 7.87

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(9/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(((57*a^2*A*b + 32*A*b^3 + 345*a^3*B - 48*a*b^2*B + 84*a^2*b*C)*Sin[c + d*x]))/(630*a^3) + ((133*a^2*A - 1
```

$$\begin{aligned}
& 2Ab^2 + 18abB + 126a^2C) \sin[2(c + dx)] / (630a^2) + ((Ab + 9aB) \sin[3(c + dx)] / (126a) + (A \sin[4(c + dx)] / 36)) / d - (2 \cos[c + dx])^{3/2} \cdot ((7aA \sqrt{\cos[c + dx]} / (15 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]}) - (8Ab^2 \sqrt{\cos[c + dx]} / (105a \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]}) - (16Ab^4 \sqrt{\cos[c + dx]} / (315a^3 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]}) + (19bB \sqrt{\cos[c + dx]} / (105 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]}) + (8b^3B \sqrt{\cos[c + dx]} / (105a^2 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]}) + (3aC \sqrt{\cos[c + dx]} / (5 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]}) - (2b^2C \sqrt{\cos[c + dx]} / (15a \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[c + dx]}) + (37Ab \sqrt{\cos[c + dx]} \sqrt{\sec[c + dx]} / (105 \sqrt{b + a \cos[c + dx]})) - (4Ab^3 \sqrt{\cos[c + dx]} \sqrt{\sec[c + dx]} / (315a^2 \sqrt{b + a \cos[c + dx]})) + (5aB \sqrt{\cos[c + dx]} \sqrt{\sec[c + dx]} / (21 \sqrt{b + a \cos[c + dx]})) + (2b^2B \sqrt{\cos[c + dx]} \sqrt{\sec[c + dx]} / (105a \sqrt{b + a \cos[c + dx]})) + (7bC \sqrt{\cos[c + dx]} \sqrt{\sec[c + dx]} / (15 \sqrt{b + a \cos[c + dx]})) \cdot (\cos[(c + dx)/2]^2 \sec[c + dx])^{3/2} \sqrt{a + b \sec[c + dx]} \cdot ((-I)(a + b)(-16Ab^4 + 57a^3bB + 24ab^3B - 6a^2b^2(4A + 7C) + 21a^4(7A + 9C)) \operatorname{EllipticE}[I \operatorname{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + I a (a + b)(-16Ab^3 + 12ab^2(A + 2B) - 6a^2b(6A + 3B + 7C) + 3a^3(49A + 25B + 63C)) \operatorname{EllipticF}[I \operatorname{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + (16Ab^4 - 57a^3bB - 24ab^3B + 6a^2b^2(4A + 7C) - 21a^4(7A + 9C)) (b + a \cos[c + dx]) (\sec[(c + dx)/2]^2)^{3/2} \tan[(c + dx)/2]) / (315a^4 d (b + a \cos[c + dx]) \sqrt{\sec[c + dx]} \cdot (-\cos[c + dx])^{3/2} (\cos[(c + dx)/2]^2 \sec[c + dx])^{3/2} \sin[c + dx] \cdot ((-I)(a + b)(-16Ab^4 + 57a^3bB + 24ab^3B - 6a^2b^2(4A + 7C) + 21a^4(7A + 9C)) \operatorname{EllipticE}[I \operatorname{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + I a (a + b)(-16Ab^3 + 12ab^2(A + 2B) - 6a^2b(6A + 3B + 7C) + 3a^3(49A + 25B + 63C)) \operatorname{EllipticF}[I \operatorname{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + (16Ab^4 - 57a^3bB - 24ab^3B + 6a^2b^2(4A + 7C) - 21a^4(7A + 9C)) (b + a \cos[c + dx]) (\sec[(c + dx)/2]^2)^{3/2} \tan[(c + dx)/2]) / (315a^3 (b + a \cos[c + dx])^{3/2}) + (\sqrt{\cos[c + dx]} (\cos[(c + dx)/2]^2 \sec[c + dx])^{3/2} \sin[c + dx] \cdot ((-I)(a + b)(-16Ab^4 + 57a^3bB + 24ab^3B - 6a^2b^2(4A + 7C) + 21a^4(7A + 9C)) \operatorname{EllipticE}[I \operatorname{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + I a (a + b)(-16Ab^3 + 12ab^2(A + 2B) - 6a^2b(6A + 3B + 7C) + 3a^3(49A + 25B + 63C)) \operatorname{EllipticF}[I \operatorname{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + (16Ab^4 - 57a^3bB - 24ab^3B + 6a^2b^2(4A + 7C) - 21a^4(7A + 9C)) (b + a \cos[c + dx]) (\sec[(c + dx)/2]^2)^{3/2} \tan[(c + dx)/2]) / (105a^4 \sqrt{b + a \cos[c + dx]}) - (2 \cos[c + dx])^{3/2} (\cos[(c + dx)/2]^2 \sec[c + dx])
\end{aligned}$$

$$\begin{aligned}
& ^{(3/2)} * (((16 * A * b^4 - 57 * a^3 * b * B - 24 * a * b^3 * B + 6 * a^2 * b^2 * (4 * A + 7 * C) - 21 * a \\
& ^4 * (7 * A + 9 * C)) * (b + a * \text{Cos}[c + d * x]) * (\text{Sec}[(c + d * x) / 2]^2)^{(5/2)}) / 2 - I * (a + \\
& b) * (-16 * A * b^4 + 57 * a^3 * b * B + 24 * a * b^3 * B - 6 * a^2 * b^2 * (4 * A + 7 * C) + 21 * a^4 * (7 * A + 9 * C)) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] * \text{Sec}[(c \\
& + d * x) / 2]^2 * \text{Sqrt}[(b + a * \text{Cos}[c + d * x]) * \text{Sec}[(c + d * x) / 2]^2 / (a + b)] * \text{Tan}[(c \\
& + d * x) / 2] + I * a * (a + b) * (-16 * A * b^3 + 12 * a * b^2 * (A + 2 * B) - 6 * a^2 * b * (6 * A + 3 \\
& * B + 7 * C) + 3 * a^3 * (49 * A + 25 * B + 63 * C)) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] * \text{Sec}[(c + d * x) / 2]^2 * \text{Sqrt}[(b + a * \text{Cos}[c + d * x]) * \text{Sec}[(c \\
& + d * x) / 2]^2 / (a + b)] * \text{Tan}[(c + d * x) / 2] - a * (16 * A * b^4 - 57 * a^3 * b * B - 24 * a * b^3 * B + 6 * a^2 * b^2 * (4 * A + 7 * C) - 21 * a^4 * (7 * A + 9 * C)) * (\text{Sec}[(c + d * x) / 2]^2)^{(3/2)} \\
& * \text{Sin}[c + d * x] * \text{Tan}[(c + d * x) / 2] + (3 * (16 * A * b^4 - 57 * a^3 * b * B - 24 * a * b^3 * B + 6 * a^2 * b^2 * (4 * A + 7 * C) - 21 * a^4 * (7 * A + 9 * C)) * (b + a * \text{Cos}[c + d * x]) * (\text{Sec}[(c + \\
& d * x) / 2]^2)^{(3/2)} * \text{Tan}[(c + d * x) / 2]^2) / 2 - ((I / 2) * (a + b) * (-16 * A * b^4 + 57 * a^3 \\
& * b * B + 24 * a * b^3 * B - 6 * a^2 * b^2 * (4 * A + 7 * C) + 21 * a^4 * (7 * A + 9 * C)) * \text{EllipticE}[I \\
& * \text{ArcSinh}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] * \text{Sec}[(c + d * x) / 2]^2 * (-(a * \text{Sec}[(c \\
& + d * x) / 2]^2 * \text{Sin}[c + d * x]) / (a + b)) + ((b + a * \text{Cos}[c + d * x]) * \text{Sec}[(c + d * x) \\
& / 2]^2 * \text{Tan}[(c + d * x) / 2]) / (a + b))) / \text{Sqrt}[(b + a * \text{Cos}[c + d * x]) * \text{Sec}[(c + d * x) / \\
& 2]^2 / (a + b)] + ((I / 2) * a * (a + b) * (-16 * A * b^3 + 12 * a * b^2 * (A + 2 * B) - 6 * a^2 * b \\
& * (6 * A + 3 * B + 7 * C) + 3 * a^3 * (49 * A + 25 * B + 63 * C)) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c \\
& + d * x) / 2]], (-a + b) / (a + b)] * \text{Sec}[(c + d * x) / 2]^2 * (-(a * \text{Sec}[(c + d * x) / 2]^2 * \\
& \text{Sin}[c + d * x]) / (a + b)) + ((b + a * \text{Cos}[c + d * x]) * \text{Sec}[(c + d * x) / 2]^2 * \text{Tan}[(c + \\
& d * x) / 2]) / (a + b))) / \text{Sqrt}[(b + a * \text{Cos}[c + d * x]) * \text{Sec}[(c + d * x) / 2]^2 / (a + b)] \\
& - (a * (a + b) * (-16 * A * b^3 + 12 * a * b^2 * (A + 2 * B) - 6 * a^2 * b * (6 * A + 3 * B + 7 * C) + \\
& 3 * a^3 * (49 * A + 25 * B + 63 * C)) * \text{Sec}[(c + d * x) / 2]^4 * \text{Sqrt}[(b + a * \text{Cos}[c + d * x]) * \text{Sec} \\
& [(c + d * x) / 2]^2 / (a + b)]) / (2 * \text{Sqrt}[1 + \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[1 + ((-a \\
& + b) * \text{Tan}[(c + d * x) / 2]^2) / (a + b)]) + ((a + b) * (-16 * A * b^4 + 57 * a^3 * b * B + 24 * \\
& a * b^3 * B - 6 * a^2 * b^2 * (4 * A + 7 * C) + 21 * a^4 * (7 * A + 9 * C)) * \text{Sec}[(c + d * x) / 2]^4 * \text{Sqr} \\
& \text{rt}[(b + a * \text{Cos}[c + d * x]) * \text{Sec}[(c + d * x) / 2]^2 / (a + b)] * \text{Sqrt}[1 + ((-a + b) * \text{Tan} \\
& [(c + d * x) / 2]^2) / (a + b)]) / (2 * \text{Sqrt}[1 + \text{Tan}[(c + d * x) / 2]^2])) / (315 * a^4 * \text{Sqr} \\
& \text{rt}[b + a * \text{Cos}[c + d * x]]) - (\text{Cos}[c + d * x]^{(3/2)} * \text{Sqrt}[\text{Cos}[(c + d * x) / 2]^2 * \text{Sec}[c \\
& + d * x]]) * ((-I) * (a + b) * (-16 * A * b^4 + 57 * a^3 * b * B + 24 * a * b^3 * B - 6 * a^2 * b^2 * (4 * A \\
& + 7 * C) + 21 * a^4 * (7 * A + 9 * C)) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d * x) / 2]], (-a + \\
& b) / (a + b)] * \text{Sec}[(c + d * x) / 2]^2 * \text{Sqrt}[(b + a * \text{Cos}[c + d * x]) * \text{Sec}[(c + d * x) / 2]^2 \\
& / (a + b)] + I * a * (a + b) * (-16 * A * b^3 + 12 * a * b^2 * (A + 2 * B) - 6 * a^2 * b * (6 * A + \\
& 3 * B + 7 * C) + 3 * a^3 * (49 * A + 25 * B + 63 * C)) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c + d * x) / \\
& 2]], (-a + b) / (a + b)] * \text{Sec}[(c + d * x) / 2]^2 * \text{Sqrt}[(b + a * \text{Cos}[c + d * x]) * \text{Sec}[(c \\
& + d * x) / 2]^2 / (a + b)] + (16 * A * b^4 - 57 * a^3 * b * B - 24 * a * b^3 * B + 6 * a^2 * b^2 * (4 \\
& * A + 7 * C) - 21 * a^4 * (7 * A + 9 * C)) * (b + a * \text{Cos}[c + d * x]) * (\text{Sec}[(c + d * x) / 2]^2)^{(3/2)} \\
& * \text{Tan}[(c + d * x) / 2]) * (-(\text{Cos}[(c + d * x) / 2] * \text{Sec}[c + d * x] * \text{Sin}[(c + d * x) / 2]) + \\
& \text{Cos}[(c + d * x) / 2]^2 * \text{Sec}[c + d * x] * \text{Tan}[c + d * x])) / (105 * a^4 * \text{Sqrt}[b + a * \text{Cos}[c + \\
& d * x]]))
\end{aligned}$$

Maple [B] time = 1.109, size = 4075, normalized size = 8.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{9/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) * (a+b*\sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -2/315/d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*\cos(dx+c)^{1/2}*(\cos(dx+c)+1) \\ &)^2*(-1+\cos(dx+c))^{3/2}*(45*B*((a-b)/(a+b))^{1/2}*\sin(dx+c)*\cos(dx+c)^3*a^5 \\ & *(1/(\cos(dx+c)+1))^{3/2}+63*C*((a-b)/(a+b))^{1/2}*\cos(dx+c)^3*a^5*(1/(\cos \\ & (dx+c)+1))^{3/2}*\sin(dx+c)+63*C*((a-b)/(a+b))^{1/2}*\cos(dx+c)^2*a^5*(1/ \\ & \cos(dx+c)+1))^{3/2}*\sin(dx+c)+189*C*((a-b)/(a+b))^{1/2}*\cos(dx+c)*a^5*(1 \\ & /(\cos(dx+c)+1))^{3/2}*\sin(dx+c)+147*A*((a-b)/(a+b))^{1/2}*\sin(dx+c)*\cos \\ & (dx+c)*a^5*(1/(\cos(dx+c)+1))^{3/2}+35*A*((a-b)/(a+b))^{1/2}*\sin(dx+c)*\cos \\ & (dx+c)^5*a^5*(1/(\cos(dx+c)+1))^{3/2}+147*A*((a-b)/(a+b))^{1/2}*\sin(dx+c) \\ & *a^4*b*(1/(\cos(dx+c)+1))^{3/2}+75*B*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4*b*(\\ & 1/(\cos(dx+c)+1))^{3/2}+57*B*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^3*b^2*(1/(\cos \\ & (dx+c)+1))^{3/2}-12*B*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^2*b^3*(1/(\cos(dx+c) \\ &)+1))^{3/2}+24*B*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a*b^4*(1/(\cos(dx+c)+1))^{3 \\ & /2}+189*C*((a-b)/(a+b))^{1/2}*a^4*b*(1/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)+21* \\ & C*((a-b)/(a+b))^{1/2}*a^3*b^2*(1/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)-42*C*((a- \\ & b)/(a+b))^{1/2}*a^2*b^3*(1/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)-24*A*((a-b)/(a+ \\ & b))^{1/2}*\sin(dx+c)*a^2*b^3*(1/(\cos(dx+c)+1))^{3/2}+8*A*((a-b)/(a+b))^{1/2} \\ &)*\sin(dx+c)*a*b^4*(1/(\cos(dx+c)+1))^{3/2}+49*A*((a-b)/(a+b))^{1/2}*\sin(d \\ & *x+c)*\cos(dx+c)^2*a^5*(1/(\cos(dx+c)+1))^{3/2}+49*A*((a-b)/(a+b))^{1/2}*si \\ & n(dx+c)*\cos(dx+c)^3*a^5*(1/(\cos(dx+c)+1))^{3/2}+45*B*((a-b)/(a+b))^{1/2} \\ &)*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*\cos(dx+c)^4*a^5+75*B*((a-b)/(a+b))^{1 \\ & /2}*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*\cos(dx+c)^2*a^5+75*B*((a-b)/(a+b)) \\ &)^{1/2}*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*\cos(dx+c)*a^5+35*A*((a-b)/(a+b) \\ &)^{1/2}*\sin(dx+c)*\cos(dx+c)^4*a^5*(1/(\cos(dx+c)+1))^{3/2}-16*A*(1/(a+b)* \\ & (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+ \\ & b))^{1/2}/\sin(dx+c),(-(a+b)/(a+b))^{1/2})*b^5+147*A*EllipticF((-1+\cos(dx+x \\ & c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a+b))^{1/2})*(1/(a+b)*(b+a*\cos \\ & (dx+c))/(\cos(dx+c)+1))^{1/2}*a^5-147*A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+x \\ & c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+ \\ & b)/(a+b))^{1/2})*a^5-75*B*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin \\ & (dx+c),(-(a+b)/(a+b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/ \\ & 2}*a^5+189*C*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+ \\ & b)/(a+b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^5-189*C* \\ & (1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))* \\ & (a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a+b))^{1/2})*a^5+84*C*((a-b)/(a+b))^{1 \\ & /2}*\cos(dx+c)^2*a^4*b*(1/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)+62*A*((a-b)/(a \end{aligned}$$

$$\begin{aligned}
& +b))^{(1/2)} \sin(dx+c) \cos(dx+c) a^4 b (1/(\cos(dx+c)+1))^{(3/2)} + 62 A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c)^2 a^4 b (1/(\cos(dx+c)+1))^{(3/2)} - A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c)^2 a^3 b^2 (1/(\cos(dx+c)+1))^{(3/2)} + 2 A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c)^2 a^2 b^3 (1/(\cos(dx+c)+1))^{(3/2)} + 40 A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c)^3 a^4 b (1/(\cos(dx+c)+1))^{(3/2)} - A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c)^3 a^3 b^2 (1/(\cos(dx+c)+1))^{(3/2)} + 40 A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c)^4 a^4 b (1/(\cos(dx+c)+1))^{(3/2)} - 3 B ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c) a^3 b^2 (1/(\cos(dx+c)+1))^{(3/2)} - 8 A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c) a b^4 (1/(\cos(dx+c)+1))^{(3/2)} + 54 B ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c)^3 a^4 b (1/(\cos(dx+c)+1))^{(3/2)} - 11 A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c) a^3 b^2 (1/(\cos(dx+c)+1))^{(3/2)} + 2 A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c) a^2 b^3 (1/(\cos(dx+c)+1))^{(3/2)} + 12 B ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c) a^2 b^3 (1/(\cos(dx+c)+1))^{(3/2)} + 54 B ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c)^2 a^4 b (1/(\cos(dx+c)+1))^{(3/2)} - 3 B ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c)^2 a^3 b^2 (1/(\cos(dx+c)+1))^{(3/2)} + 132 B ((a-b) / (a+b))^{(1/2)} \sin(dx+c) \cos(dx+c) a^4 b (1/(\cos(dx+c)+1))^{(3/2)} + 84 C ((a-b) / (a+b))^{(1/2)} \cos(dx+c) a^4 b (1/(\cos(dx+c)+1))^{(3/2)} \sin(dx+c) - 21 C ((a-b) / (a+b))^{(1/2)} \cos(dx+c) a^3 b^2 (1/(\cos(dx+c)+1))^{(3/2)} \sin(dx+c) + 13 A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) a^3 b^2 (1/(\cos(dx+c)+1))^{(3/2)} - 111 A \text{EllipticF}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^4 b + 57 B \text{EllipticF}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^4 b - 6 B \text{EllipticF}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^3 b^2 + 24 B \text{EllipticF}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^2 b^3 - 57 B (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) a^4 b + 57 B (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) a^3 b^2 - 24 B (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) a^2 b^3 + 24 B (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) a b^4 - 147 C \text{EllipticF}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^4 b - 42 C \text{EllipticF}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^3 b^2 + 189 C \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^4 b + 42 C \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^3 b^2 - 42 C \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * (1 / (a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^2 b^3 - 16 A ((a-b) / (a+b))^{(1/2)} \sin(dx+c) b^5 (1/(\cos(dx+c)+1))^{(3/2)} - 24 A \text{EllipticF}
\end{aligned}$$

$(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^3 * b^2 + 4 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^2 * b^3 - 16 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a * b^4 + 147 * A * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^4 * b + 24 * A * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^3 * b^2 - 24 * A * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^2 * b^3 + 16 * A * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a * b^4) / a^4 / ((a-b)/(a+b))^{1/2} / (b+a*\cos(dx+c)) / (1/(\cos(dx+c)+1))^{3/2} / \sin(dx+c)^6$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a \cos(dx+c)}^{9/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(9/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)*cos(dx+c)^(9/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \cos(dx+c)^4 \sec(dx+c)^2 + B \cos(dx+c)^4 \sec(dx+c) + A \cos(dx+c)^4) \sqrt{b \sec(dx+c) + a} \sqrt{\cos(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(9/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(dx+c)^4*sec(dx+c)^2 + B*cos(dx+c)^4*sec(dx+c) + A*cos(dx+c)^4)*sqrt(b*sec(dx+c) + a)*sqrt(cos(dx+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**1/2,x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

3.1335 $\int \cos^{\frac{7}{2}}(c+dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C$

Optimal. Leaf size=360

$$\frac{2(a^2 - b^2)(25a^2A + 35a^2C - 14abB + 8Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) - 2 \sin(c + dx) \sqrt{\cos(c + dx)} (-5}{105a^3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 8*A*b^2 - 14*a*b*B + 35*a^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19*A + 35*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(4*A*b^2 - 7*a*b*B - 5*a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a^2*d) + (2*(A*b + 7*a*B)*Cos[c + d*x])^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(35*a*d) + (2*A*Cos[c + d*x])^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(7*d)
```

Rubi [A] time = 1.29943, antiderivative size = 360, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c + dx) \sqrt{\cos(c + dx)} (-5a^2(5A + 7C) - 7abB + 4Ab^2) \sqrt{a + b \sec(c + dx)}}{105a^2d} + \frac{2(a^2 - b^2)(25a^2A + 35a^2C - 14ab}{105a^3d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 8*A*b^2 - 14*a*b*B + 35*a^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19*A + 35*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(4*A*b^2 - 7*a*b*B - 5*a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a^2*d) + (2*(A*b + 7*a*B)*Cos[c + d*x])^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(35*a*d) + (2*A*Cos[c + d*x])^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(7*d)
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
```

```
*Sin[c + d*x]]/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b \sec(c+dx)}}{\cos^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{7d} \\
&= \frac{2(Ab+7aB) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}}{35ad} \\
&= -\frac{2(4Ab^2-7abB-5a^2(5A+7C)) \sqrt{\cos(c+dx)}}{105a^2} \\
&= -\frac{2(4Ab^2-7abB-5a^2(5A+7C)) \sqrt{\cos(c+dx)}}{105a^2} \\
&= -\frac{2(4Ab^2-7abB-5a^2(5A+7C)) \sqrt{\cos(c+dx)}}{105a^2} \\
&= -\frac{2(4Ab^2-7abB-5a^2(5A+7C)) \sqrt{\cos(c+dx)}}{105a^2} \\
&= \frac{2(a^2-b^2)(25a^2A+8Ab^2-14abB+35a^2C)}{105a^3d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 22.9347, size = 3071, normalized size = 8.53

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(((115*a^2*A - 16*A*b^2 + 28*a*b*B + 140*a^2*C)*Sin[c + d*x])/(210*a^2) + ((A*b + 7*a*B)*Sin[2*(c + d*x)])/(35*a) + (A*SIN[3*(c + d*x)]/14))/d - (2*Cos[c + d*x]^(3/2)*((19*A*b*Sqrt[Cos[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (8*A*b^3*Sqrt[Cos[c + d*x]])/(105*a^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (3*a*B*Sqrt[Cos[c + d*x]])/(5*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]))
```

$$\begin{aligned}
&]]) - (2*b^2*B*Sqrt[Cos[c + d*x]])/(15*a*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[\\
& c + d*x]]) + (b*C*Sqrt[Cos[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[\\
& c + d*x]]) + (5*a*A*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*C \\
& os[c + d*x]]) + (2*A*b^2*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(105*a*Sqrt \\
& [b + a*Cos[c + d*x]]) + (7*b*B*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(15*S \\
& qrt[b + a*Cos[c + d*x]]) + (a*C*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(3*S \\
& qrt[b + a*Cos[c + d*x]])*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*Sqrt[a + \\
& b*Sec[c + d*x]]*((-I)*(a + b)*(8*A*b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19* \\
& A + 35*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c \\
& + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(\\
& a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63*B + 35*C))*EllipticF[I \\
& *ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + \\
& a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (8*A*b^3 + 63*a^3*B - 14*a* \\
& b^2*B + a^2*b*(19*A + 35*C))*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2 \\
&)*Tan[(c + d*x)/2))/(105*a^3*d*(b + a*Cos[c + d*x])*Sqrt[Sec[c + d*x]]*(-(\\
& Cos[c + d*x]^(3/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*Sin[c + d*x]*((- \\
& I)*(a + b)*(8*A*b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19*A + 35*C))*Elliptic \\
& E[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((\\
& b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b)*(8*A*b^2 - 2 \\
& *a*b*(3*A + 7*B) + a^2*(25*A + 63*B + 35*C))*EllipticF[I*ArcSinh[Tan[(c + d \\
& *x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Se \\
& c[(c + d*x)/2]^2)/(a + b)] - (8*A*b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19*A \\
& + 35*C))*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2] \\
&)/(105*a^2*(b + a*Cos[c + d*x])^(3/2)) + (Sqrt[Cos[c + d*x]]*(Cos[(c + d*x) \\
& /2]^2*Sec[c + d*x])^(3/2)*Sin[c + d*x]*((-I)*(a + b)*(8*A*b^3 + 63*a^3*B - \\
& 14*a*b^2*B + a^2*b*(19*A + 35*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (- \\
& a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x) \\
& /2]^2)/(a + b)] + I*a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63 \\
& *B + 35*C))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c \\
& + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (8*A \\
& *b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19*A + 35*C))*(b + a*Cos[c + d*x])*(S \\
& ec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2))/(35*a^3*Sqrt[b + a*Cos[c + d*x] \\
&]) - (2*Cos[c + d*x]^(3/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*((- (8*A* \\
& b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19*A + 35*C))*(b + a*Cos[c + d*x])*(Se \\
& c[(c + d*x)/2]^2)^(5/2))/2 - I*(a + b)*(8*A*b^3 + 63*a^3*B - 14*a*b^2*B + a \\
& ^2*b*(19*A + 35*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b) \\
&]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b) \\
&]*Tan[(c + d*x)/2] + I*a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + \\
& 63*B + 35*C))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec \\
& [(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Tan \\
& [(c + d*x)/2] + a*(8*A*b^3 + 63*a^3*B - 14*a*b^2*B + a^2*b*(19*A + 35*C))*(\\
& Sec[(c + d*x)/2]^2)^(3/2)*Sin[c + d*x]*Tan[(c + d*x)/2] - (3*(8*A*b^3 + 63* \\
& a^3*B - 14*a*b^2*B + a^2*b*(19*A + 35*C))*(b + a*Cos[c + d*x])*(Sec[(c + d* \\
& x)/2]^2)^(3/2)*Tan[(c + d*x)/2]^2)/2 - ((I/2)*(a + b)*(8*A*b^3 + 63*a^3*B - \\
& 14*a*b^2*B + a^2*b*(19*A + 35*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (
\end{aligned}$$

$$\begin{aligned}
& -a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * (-((a * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x]) / \\
& (a + b)) + ((b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (a + \\
& b))) / \text{Sqrt}(((b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2) / (a + b)) + ((I/2) * a * (a \\
& + b) * (8 * A * b^2 - 2 * a * b * (3 * A + 7 * B) + a^2 * (25 * A + 63 * B + 35 * C)) * \text{EllipticF}[I * A \\
& \text{rcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * (-((a * \text{Sec}[(c \\
& + d*x)/2]^2 * \text{Sin}[c + d*x]) / (a + b)) + ((b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2 \\
&]^2 * \text{Tan}[(c + d*x)/2]) / (a + b))) / \text{Sqrt}(((b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2] \\
& ^2) / (a + b)) - (a * (a + b) * (8 * A * b^2 - 2 * a * b * (3 * A + 7 * B) + a^2 * (25 * A + 63 * B + \\
& 35 * C)) * \text{Sec}[(c + d*x)/2]^4 * \text{Sqrt}(((b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2) / (\\
& a + b))) / (2 * \text{Sqrt}[1 + \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 + ((-a + b) * \text{Tan}[(c + d*x)/2] \\
& ^2) / (a + b)]) + ((a + b) * (8 * A * b^3 + 63 * a^3 * B - 14 * a * b^2 * B + a^2 * b * (19 * A + \\
& 35 * C)) * \text{Sec}[(c + d*x)/2]^4 * \text{Sqrt}(((b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2) / (a \\
& + b)) * \text{Sqrt}[1 + ((-a + b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) / (2 * \text{Sqrt}[1 + \text{Tan}[(c \\
& + d*x)/2]^2])))) / (105 * a^3 * \text{Sqrt}[b + a * \text{Cos}[c + d*x]]) - (\text{Cos}[c + d*x]^(3/2) * \text{Sqrt} \\
& [\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]) * ((-I) * (a + b) * (8 * A * b^3 + 63 * a^3 * B - 14 * \\
& a * b^2 * B + a^2 * b * (19 * A + 35 * C)) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + \\
& b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}(((b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2] \\
& ^2) / (a + b)) + I * a * (a + b) * (8 * A * b^2 - 2 * a * b * (3 * A + 7 * B) + a^2 * (25 * A + 63 * B \\
& + 35 * C)) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + \\
& d*x)/2]^2 * \text{Sqrt}(((b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2) / (a + b)) - (8 * A * b^3 \\
& + 63 * a^3 * B - 14 * a * b^2 * B + a^2 * b * (19 * A + 35 * C)) * (b + a * \text{Cos}[c + d*x]) * (\text{Sec} \\
& [(c + d*x)/2]^2)^(3/2) * \text{Tan}[(c + d*x)/2]) * (-(\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Si} \\
& n[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x]) / (35 * a^3 * \text{Sqrt} \\
& [b + a * \text{Cos}[c + d*x]]))
\end{aligned}$$

Maple [B] time = 0.837, size = 2829, normalized size = 7.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(7/2)} * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2) * (a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out] $-2/105/d * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)} * \cos(d*x+c)^{(1/2)} * (\cos(d*x+c)+1)^2 * (-1+\cos(d*x+c))^3 * (25*A*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^4 * (1/(\cos(d*x+c)+1))^{(3/2)} + 19*A*\text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}) / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a^3 * b - 2*A*\text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}) / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a^2 * b^2 + 8*A*\text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}) / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a * b^3 - 19*A * (1/(a$

$$\begin{aligned}
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/ \\
& / (a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3*b+19*A*(1/(a+b)*(b+a*\cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/ \\
&)/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2*b^2-8*A*(1/(a+b)*(b+a*\cos(d*x+c))/(c \\
& \cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c \\
&), (- (a+b)/(a-b))^{(1/2)})*a*b^3+8*A*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*b^4*(1/(c \\
& \cos(d*x+c)+1))^{(3/2)}+25*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^4*(1/(c \\
& \cos(d*x+c)+1))^{(3/2)}+35*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^4*(1/(c \\
& \cos(d*x+c)+1))^{(3/2)}+63*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^4*(1/(\\
& \cos(d*x+c)+1))^{(3/2)}+25*A*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x \\
& +c)+1))^{(3/2)}+19*A*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1) \\
&)^{(3/2)}-4*A*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}+6 \\
& 3*B*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}+7*B*((a-b \\
&)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}-14*B*((a-b)/(a+b \\
&))^{(1/2)}*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}+35*C*((a-b)/(a+b))^{(1/2) \\
& }*a^3*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}+35*C*((a-b)/(a+b))^{(1/2)}*a^2*b^2 \\
& *\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}+15*A*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}* \\
& \sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{(3/2)}+21*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/ \\
& 2)}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{(3/2)}+21*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(\\
& 1/2)}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{(3/2)}+15*A*\cos(d*x+c)^3*((a-b)/(a+b \\
&))^{(1/2)}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{(3/2)}+35*C*\cos(d*x+c)^2*((a-b)/(\\
& a+b))^{(1/2)}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{(3/2)}+63*B*(1/(a+b)*(b+a*\cos(\\
& d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/ \\
& / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3*b+14*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\
& (- (a+b)/(a-b))^{(1/2)})*a^2*b^2-14*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
&)^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a \\
& -b))^{(1/2)})*a*b^3-49*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d* \\
& x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}* \\
& a^3*b-14*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b) \\
& / (a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b^2-35*C \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))* \\
& ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3*b+35*C*(1/(a+b)*(b \\
& +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&)^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2*b^2+35*C*EllipticF((-1+\cos(d*x \\
& +c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^3*b+18*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}* \\
& \sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}+28*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(\\
& 1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}+44*A*\cos(d*x+c)*((a-b)/(a+b) \\
&)^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}-A*\cos(d*x+c)*((a-b)/(a+b) \\
&)^{(1/2)}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}+4*A*\cos(d*x+c)*((a-b)/(\\
& a+b))^{(1/2)}*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}+28*B*\cos(d*x+c)*((a-b \\
&)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}-7*B*\cos(d*x+c)*((a \\
& -b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}+70*C*\cos(d*x+c \\
&)*((a-b)/(a+b))^{(1/2)}*a^3*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}+18*A*\cos(d*
\end{aligned}$$

$$\begin{aligned}
& x+c)^2*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}-A*\cos(\\
& d*x+c)^2*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}-63 \\
& *B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c) \\
&)*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)})*a^4+63*B*EllipticF((-1+\cos(d*x+c) \\
&)*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)})*(1/(a+b) \\
&)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^4-35*C*EllipticF((-1+\cos(d*x+c) \\
&)*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x \\
& +c)))/(\cos(d*x+c)+1))^{(1/2)}*a^4-25*A*EllipticF((-1+\cos(d*x+c) *((a-b)/(a+b) \\
&)^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c) \\
&)/(\cos(d*x+c)+1))^{(1/2)}*a^4+8*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c) \\
&)*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)})*b^4/a^3/((a-b)/(a+b))^{(1/2)}/(b+a*\cos(d*x+c))/ \\
& (1/(\cos(d*x+c)+1))^{(3/2)}/\sin(d*x+c)^6
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((C*cos(dx + c)^3*sec(dx + c)^2 + B*cos(dx + c)^3*sec(dx + c) + A*cos(dx + c)^3)*sqrt(b*sec(dx + c) + a)*sqrt(cos(dx + c))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)

3.1336 $\int \cos^{\frac{5}{2}}(c+dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=273

$$\frac{2(a^2 - b^2)(2Ab - 5aB) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 2\sqrt{\cos(c+dx)}(-3a^2(3A+5C) - 5abB + 2Ab^2) \sqrt{a + b \sec(c+dx)}}{15a^2d \sqrt{\cos(c+dx)} \sqrt{a + b \sec(c+dx)}} - \frac{2\sqrt{\cos(c+dx)}(-3a^2(3A+5C) - 5abB + 2Ab^2) \sqrt{a + b \sec(c+dx)}}{15a^2d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] $(-2*(a^2 - b^2)*(2*A*b - 5*a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)])/(15*a^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - (2*(2*A*b^2 - 5*a*b*B - 3*a^2*(3*A + 5*C))*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (2*(A*b + 5*a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a*d) + (2*A*\operatorname{Cos}[c + d*x]^{(3/2)}*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*d)$

Rubi [A] time = 0.938143, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2\sqrt{\cos(c+dx)}(-3a^2(3A+5C) - 5abB + 2Ab^2) \sqrt{a + b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) - 2(a^2 - b^2)(2Ab - 5aB) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{15a^2d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} - \frac{2\sqrt{\cos(c+dx)}(-3a^2(3A+5C) - 5abB + 2Ab^2) \sqrt{a + b \sec(c+dx)}}{15a^2d \sqrt{\cos(c+dx)} \sqrt{a + b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^{(5/2)}*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-2*(a^2 - b^2)*(2*A*b - 5*a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)])/(15*a^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - (2*(2*A*b^2 - 5*a*b*B - 3*a^2*(3*A + 5*C))*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (2*(A*b + 5*a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a*d) + (2*A*\operatorname{Cos}[c + d*x]^{(3/2)}*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*d)$

Rule 4265

$\operatorname{Int}[(\operatorname{Cos}[(a_.) + (b_.)*(x_)]*(c_.)^{(m_.)}*(u_)), x_Symbol] \rightarrow \operatorname{Dist}[(c*\operatorname{Cos}[a + b*x])^m*(c*\operatorname{Sec}[a + b*x])^m, \operatorname{Int}[\operatorname{ActivateTrig}[u]/(c*\operatorname{Sec}[a + b*x])^m, x], x$

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.) * (csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)]/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b\sec(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{5d} \\
&= \frac{2(Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}{15ad} \\
&= \frac{2(Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}{15ad} \\
&= \frac{2(Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}{15ad} \\
&= \frac{2(Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}{15ad} \\
&= -\frac{2(a^2-b^2)(2Ab-5aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F}{15a^2d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 17.7665, size = 404, normalized size = 1.48

$$\frac{\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\left(\frac{2(5aB+Ab)\sin(c+dx)}{15a} + \frac{1}{5}A\sin(2(c+dx))\right)}{d} - \frac{2\cos^{\frac{3}{2}}(c+dx)\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*((2*(A*b + 5*a*B)*Sin[c + d*x])/(15*a) + (A*Sin[2*(c + d*x)]/5))/d - (2*Cos[c + d*x]^(3/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*Sqrt[a + b*Sec[c + d*x]]*((-I)*(a + b)*(-2*A*b^2 + 5*a*b*B + 3*a^2*(3*A + 5*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]]], (-a + b)/(a + b))*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2])^2/(a + b)] + I*a*(a + b)*(9*a*A - 2*A*b + 5*a*(B + 3*C))*EllipticF[I*Arc

```
Sinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (-2*A*b^2 + 5*a*b*B + 3*a^2*(3*A + 5*C))*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2])/(15*a^2*d*(b + a*Cos[c + d*x])*Sqrt[Sec[c + d*x]])
```

Maple [B] time = 0.552, size = 1966, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x)
```

```
[Out] -2/15/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(cos(d*x+c)+1)^(2*(-1+cos(d*x+c))^3*(3*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a^3*(1/(cos(d*x+c)+1))^(3/2)+9*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(3/2)+5*B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+5*B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(3/2)+15*C*((a-b)/(a+b))^(1/2)*a^2*b*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+3*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^3*(1/(cos(d*x+c)+1))^(3/2)+9*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^3*(1/(cos(d*x+c)+1))^(3/2)+5*B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^3*(1/(cos(d*x+c)+1))^(3/2)+5*B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^3*(1/(cos(d*x+c)+1))^(3/2)-2*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*b^3+9*A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^3-9*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^3-5*B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^3+15*C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^3-15*C*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^3-2*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*b^3*(1/(cos(d*x+c)+1))^(3/2)+5*B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b-5*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^2*b+5*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b^2-15*C*E
```



```

l1pticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2
))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b+15*C*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(
1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*a^2*b-7*A*EllipticF((-1+cos(d*x+c))*
((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*a^2*b-2*A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+
c)+1))^(1/2)*a*b^2+9*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elli
pticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*
a^2*b+2*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos
(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (- (a+b)/(a-b))^(1/2))*a*b^2+4*A*sin
(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+4*A
*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2*b*(1/(cos(d*x+c)+1))^(3/2)-A
*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b^2*(1/(cos(d*x+c)+1))^(3/2)+1
0*B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2*b*(1/(cos(d*x+c)+1))^(3/2
)+15*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^3*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/
2))/a^2/((a-b)/(a+b))^(1/2)/(b+a*cos(d*x+c))/(1/(cos(d*x+c)+1))^(3/2)/sin(d
*x+c)^6

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))
^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*
cos(d*x + c)^(5/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((C \cos(dx + c)^2 \sec(dx + c)^2 + B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

[Out] `integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)`

3.1337 $\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C$

Optimal. Leaf size=277

$$\frac{2(Ab^2 - a^2(A + 3C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{3ad \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(3aB + Ab) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{3ad \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] $(-2*(A*b^2 - a^2*(A + 3*C))*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)])/(3*a*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*b*C*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)])/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(A*b + 3*a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(3*a*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (2*A*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(3*d)$

Rubi [A] time = 1.02884, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4094, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(Ab^2 - a^2(A + 3C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3ad \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(3aB + Ab) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3ad \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^{(3/2)}*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $(-2*(A*b^2 - a^2*(A + 3*C))*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)])/(3*a*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*b*C*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)])/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(A*b + 3*a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(3*a*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (2*A*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(3*d)$

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,

0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \sec(c + dx)}}{\cos(c + dx)} dx$$

$$= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d}$$

$$= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d}$$

$$= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d}$$

$$= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d}$$

$$= \frac{2bC \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2}{d}$$

$$= -\frac{2 \left(\frac{Ab^2}{a} - a(A + 3C) \right) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

Mathematica [C] time = 33.2616, size = 43023, normalized size = 155.32

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.588, size = 1256, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{3/2} * (A+B*\sec(dx+c)+C*\sec(dx+c)^2) * (a+b*\sec(dx+c))^{1/2}, x)$

[Out]
$$-2/3/d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(\cos(dx+c)+1)^2*(-1+\cos(dx+c))^{3/2}*(A*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2}*\cos(dx+c)^2*a^2+A*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2}*\cos(dx+c)*a^2+2*A*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2}*\cos(dx+c)*a*b+3*B*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2}*\cos(dx+c)*a^2+A*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2}*a*b+A*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2}*b^2+3*B*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2}*a*b-A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b+A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*b^2-A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2+A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b-3*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2+3*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b+3*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2-3*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b-3*C*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2+3*C*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b-6*C*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a*b)*\cos(dx+c)^{1/2}/a/((a-b)/(a+b))^{1/2}/(b+a*\cos(dx+c))/((1/(\cos(dx+c)+1))^{3/2}/\sin(dx+c))^6$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))  
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*  
cos(d*x + c)^(3/2), x)
```

3.1338 $\int \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C$

Optimal. Leaf size=258

$$\frac{(2aB + bC) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2A - C) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{aC}{d \sqrt{\cos(c + dx)}}$$

[Out] $((2*a*B + b*C)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((2*b*B + a*C)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((2*A - C)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b)) + (C*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rubi [A] time = 0.9644, antiderivative size = 258, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2A - C) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{(2aB + bC) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{aC + 2bB}{d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x] + C*\operatorname{Sec}[c + d*x]^2), x]$

[Out] $((2*a*B + b*C)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((2*b*B + a*C)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((2*A - C)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b)) + (C*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rule 4265

$\operatorname{Int}[(\operatorname{Cos}[(a_.) + (b_.)*(x_.)]*(c_.))^m*(u_), x_Symbol] \rightarrow \operatorname{Dist}[(c*\operatorname{Cos}[a + b*x])^m*(c*\operatorname{Sec}[a + b*x])^m, \operatorname{Int}[\operatorname{ActivateTrig}[u]/(c*\operatorname{Sec}[a + b*x])^m, x], x$

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli

pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{2} \left((2bB + aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx)\right) \right. \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{(-2aB + bC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right) \frac{2a}{a+b}}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(2bB + aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx)\right) + (-2aB + bC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right) \frac{2a}{a+b}}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 32.7951, size = 64644, normalized size = 250.56

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] Result too large to show

Maple [C] time = 0.529, size = 1114, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c)+C*\sec(dx+c)^2)*\cos(dx+c)^{(1/2)}*(a+b*\sec(dx+c))^{(1/2)},x)$

[Out]
$$-1/d*(\cos(dx+c)+1)^2*(-1+\cos(dx+c))^3*(2*A*\cos(dx+c)^2*\sin(dx+c)*(1/(\cos(dx+c)+1))^{(3/2)}*((a-b)/(a+b))^{(1/2)}*a+2*A*\cos(dx+c)*\sin(dx+c)*(1/(\cos(dx+c)+1))^{(3/2)}*((a-b)/(a+b))^{(1/2)}*b+C*\cos(dx+c)*\sin(dx+c)*(1/(\cos(dx+c)+1))^{(3/2)}*((a-b)/(a+b))^{(1/2)}*a+C*\sin(dx+c)*(1/(\cos(dx+c)+1))^{(3/2)}*((a-b)/(a+b))^{(1/2)}*b+2*A*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a-2*A*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*b-2*A*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a+2*A*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*b-4*B*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b-2*B*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a+2*B*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*b-2*C*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a+C*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a-C*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c)))/(\cos(dx+c)+1)^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*b)*((b+a*\cos(dx+c))/\cos(dx+c))^{(1/2)}/((a-b)/(a+b))^{(1/2)}/(b+a*\cos(dx+c))/(1/(\cos(dx+c)+1))^{(3/2)}/\sin(dx+c)^6/\cos(dx+c)^{(1/2)}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))
^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*
sqrt(cos(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*s
qrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)*(a+b*sec(d*x+c)
)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(C \sec(dx + c)^2 + B \sec(dx + c) + A\right) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*  
sqrt(cos(d*x + c)), x)
```


$$3.1339 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=346

$$\frac{(8aA + 3aC + 4bB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(a^2(-C) + 4abB + 8Ab^2 + 4b^2C)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx)\right)}{4bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

[Out] ((8*a*A + 4*b*B + 3*a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^2 + 4*a*b*B - a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((4*b*B + a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)) + ((4*b*B + a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*b*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 1.32705, antiderivative size = 346, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(a^2(-C) + 4abB + 8Ab^2 + 4b^2C)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx)\right) \frac{2a}{a+b}}{4bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(8aA + 3aC + 4bB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx)\right) \frac{2a}{a+b}}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]

[Out] ((8*a*A + 4*b*B + 3*a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^2 + 4*a*b*B - a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((4*b*B + a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)) + ((4*b*B + a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*b*d*Sqrt[Cos[c + d*x]])

$\text{Cos}[c + d*x]])$

Rule 4265

$\text{Int}[(\cos[(a_.) + (b_.)*(x_.)]*(c_.))^m*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\cos[a + b*x])^m*(c*\sec[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\sec[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4096

$\text{Int}[(A_. + \csc[(e_.) + (f_.)*(x_.)]*(B_.) + \csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow -\text{Simp}[(C*\cot[e + f*x]*(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b*\csc[e + f*x])^{m-1}*(d*\csc[e + f*x])^n*\text{Simp}[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*\csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*\csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4102

$\text{Int}[(A_. + \csc[(e_.) + (f_.)*(x_.)]*(B_.) + \csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow -\text{Simp}[(C*d*\cot[e + f*x]*(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^{n-1})/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \text{Int}[(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^{n-1}*\text{Simp}[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*\csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4108

$\text{Int}[(A_. + \csc[(e_.) + (f_.)*(x_.)]*(B_.) + \csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[\csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d*\csc[e + f*x])^{3/2}/Sqrt[a + b*\csc[e + f*x]], x], x] + \text{Int}[(A + B*\csc[e + f*x])/(Sqrt[d*\csc[e + f*x]]*Sqrt[a + b*\csc[e + f*x]]), x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

$\text{Int}[(\csc[(e_.) + (f_.)*(x_.)]*(d_.))^{3/2}/Sqrt[\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(d*Sqrt[d*\csc[e + f*x]]*Sqrt[b + a*\sin[e + f*x]])/Sqrt[a + b*\csc[e + f*x]], \text{Int}[1/(\sin[e + f*x]*Sqrt[b + a*\sin[e + f*x]])]$

, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.) + (a_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.) + (a_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,

b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} dx \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{2} (\sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}) \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB + aC) \sqrt{a + b \sec(c + dx)}}{4bd \sqrt{\cos(c + dx)}} \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB + aC) \sqrt{a + b \sec(c + dx)}}{4bd \sqrt{\cos(c + dx)}} \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB + aC) \sqrt{a + b \sec(c + dx)}}{4bd \sqrt{\cos(c + dx)}} \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB + aC) \sqrt{a + b \sec(c + dx)}}{4bd \sqrt{\cos(c + dx)}} \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB + aC) \sqrt{a + b \sec(c + dx)}}{4bd \sqrt{\cos(c + dx)}} \\
&= \frac{(8Ab^2 + 4abB - a^2C + 4b^2C) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{4bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(8aA + 4bB + 3aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{4d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \dots
\end{aligned}$$

Mathematica [C] time = 33.4586, size = 100266, normalized size = 289.79

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]
```

[Out] Result too large to show

Maple [C] time = 0.51, size = 1579, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)*(a+b*\sec(d*x+c))^{1/2}/\cos(d*x+c)^{1/2}, x)$

[Out] $\frac{1}{4}d*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^3*(-4*B*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*a*b*(1/(\cos(d*x+c)+1))^{3/2}-C*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^2*a^2*(1/(\cos(d*x+c)+1))^{3/2}*\sin(d*x+c)-2*C*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^2*a*b*(1/(\cos(d*x+c)+1))^{3/2}*\sin(d*x+c)-4*B*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*b^2*(1/(\cos(d*x+c)+1))^{3/2}-3*C*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*a*b*(1/(\cos(d*x+c)+1))^{3/2}*\sin(d*x+c)-2*C*\sin(d*x+c)*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*b^2*(1/(\cos(d*x+c)+1))^{3/2}-2*C*\sin(d*x+c)*((a-b)/(a+b))^{1/2}*(1/(\cos(d*x+c)+1))^{3/2}*b^2+8*A*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a*b-8*A*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*b^2+16*A*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*b^2-4*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*\cos(d*x+c)^2*a*b+4*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*\cos(d*x+c)^2*b^2+8*B*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a*b-C*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*\cos(d*x+c)^2*b^2+8*B*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a^2+C*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b+2*C*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2+2*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b-4*C*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*b^2-2*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)^2*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a^2+8*C*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*b^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}/b/((a-b)/(a+b))^{1/2}/(b+a*\cos(d*x+c))/(1/(\cos(d*x$

$$+c)+1))^{\frac{3}{2}}/\sin(dx+c)^6/\cos(dx+c)^{\frac{3}{2}}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2)/cos(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)/sqrt(cos(dx+c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2)/cos(dx+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)**2)*(a+b*sec(dx+c))**(1/2)/cos(dx+c)**(1/2),x)

[Out] Integral(sqrt(a + b*sec(c + d*x))*(A + B*sec(c + d*x) + C*sec(c + d*x)**2)/
sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)
^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/
sqrt(cos(d*x + c)), x)

$$3.1340 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=447

$$\frac{(a^2(-C) + 18abB + 24Ab^2 + 16b^2C) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{24bd \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{\sin(c+dx) (-3a^2C + 6abB + 24Ab^2 + 16b^2C)}{24b^2d \sqrt{\cos(c+dx)}}$$

```
[Out] ((24*A*b^2 + 18*a*b*B - a^2*C + 16*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((2*a^2*b*B - 8*b^3*B - a^3*C - 4*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((24*A*b^2 + 6*a*b*B - 3*a^2*C + 16*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2)) + ((6*b*B + a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*b*d*Cos[c + d*x]^(3/2)) + ((24*A*b^2 + 6*a*b*B - 3*a^2*C + 16*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b^2*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 1.77156, antiderivative size = 447, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx) (-3a^2C + 6abB + 24Ab^2 + 16b^2C) \sqrt{a+b \sec(c+dx)}}{24b^2d \sqrt{\cos(c+dx)}} + \frac{(a^2(-C) + 18abB + 24Ab^2 + 16b^2C) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{24bd \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]
```

```
[Out] ((24*A*b^2 + 18*a*b*B - a^2*C + 16*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((2*a^2*b*B - 8*b^3*B - a^3*C - 4*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((24*A*b^2 + 6*a*b*B - 3*a^2*C + 16*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2)) + ((6*b*B + a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*b*d*Cos[c + d*x]^(3/2)) + ((24*A*b^2 + 6*a*b*B - 3*a^2*C + 16*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b^2*d*Sqrt[Cos[c + d*x]])
```

$$B - 3a^2C + 16b^2C) \sqrt{\cos[c + dx]} \operatorname{EllipticE}\left[\frac{c + dx}{2}, \frac{(2a)/(a + b)}{\sqrt{a + b \sec[c + dx]}}\right] / (24b^2d \sqrt{(b + a \cos[c + dx])/(a + b)}) + (C \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (3d \cos[c + dx]^{5/2}) + ((6bB + aC) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (12bd \cos[c + dx]^{3/2}) + ((24Ab^2 + 6abB - 3a^2C + 16b^2C) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (24b^2d \sqrt{\cos[c + dx]})$$

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*cos[a + b*x])^m*(c*sec[a + b*x])^m, Int[ActivateTrig[u]/(c*sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} dx \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{1}{3} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} dx \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{(6bB + aC) \sqrt{a + b \sec(c + dx)}}{12bd \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{(6bB + aC) \sqrt{a + b \sec(c + dx)}}{12bd \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{(6bB + aC) \sqrt{a + b \sec(c + dx)}}{12bd \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{(6bB + aC) \sqrt{a + b \sec(c + dx)}}{12bd \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{(6bB + aC) \sqrt{a + b \sec(c + dx)}}{12bd \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{(6bB + aC) \sqrt{a + b \sec(c + dx)}}{12bd \cos^{\frac{5}{2}}(c + dx)} \\
&= -\frac{(2a^2bB - 8b^3B - a^3C - 4ab^2(2A + C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{8b^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(24Ab^2 + 18abB - a^2C + 16b^2C) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{24bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 34.1696, size = 131249, normalized size = 293.62

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)
)/Cos[c + d*x]^(3/2), x]
```

[Out] Result too large to show

Maple [C] time = 0.663, size = 2548, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)*(a+b*\sec(d*x+c))^{1/2}/\cos(d*x+c)^{3/2}, x)$

[Out] $\frac{1}{24}d*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^3*(-18*B*\sin(d*x+c)*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{3/2}+C*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a^2*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-10*C*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-10*C*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-24*A*\sin(d*x+c)*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{3/2}-6*B*\sin(d*x+c)*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(d*x+c)+1))^{3/2}-12*B*\sin(d*x+c)*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{3/2}-2*C*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-16*C*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-24*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b+6*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2})*\cos(d*x+c)^3*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^2+24*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2})*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}))*\cos(d*x+c)^3*a*b^2+2*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2})*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}))*\cos(d*x+c)^3*a^2*b+4*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2})*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}))*\cos(d*x+c)^3*a*b^2-3*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2})*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}))*\cos(d*x+c)^3*a^2*b-16*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2})*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}))*\cos(d*x+c)^3*a*b^2+48*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2})*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}))*\cos(d*x+c)^3*a*b^2-24*A*\sin(d*x+c)*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2})*b^3*(1/(\cos(d*x+c)+1))^{3/2}-16*C*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-12*B*\cos(d*x+c)^2*\sin(d*x+c)*$

$(a-b)/(a+b)^{1/2} * (1/(\cos(dx+c)+1))^{3/2} * b^3 - 12*B*\cos(dx+c)*\sin(dx+c) * ((a-b)/(a+b))^{1/2} * (1/(\cos(dx+c)+1))^{3/2} * b^3 - 8*C*\cos(dx+c) * ((a-b)/(a+b))^{1/2} * b^3 * \sin(dx+c) * (1/(\cos(dx+c)+1))^{3/2} - 12*B*\text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * \cos(dx+c)^3 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^2 * b + 12*B*\text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * \cos(dx+c)^3 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^2 * b + 12*B*\text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * \cos(dx+c)^3 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a * b^2 + 24*A * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * \cos(dx+c)^3 * b^3 - 8*C * ((a-b)/(a+b))^{1/2} * b^3 * \sin(dx+c) * (1/(\cos(dx+c)+1))^{3/2} + 48*B * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * \cos(dx+c)^3 * b^3 - 24*B*\text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * \cos(dx+c)^3 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * b^3 + 6*C * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * \cos(dx+c)^3 * a^3 - 6*C * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * \cos(dx+c)^3 * a^3 + 3*C * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * \cos(dx+c)^3 * a^3 + 16*C * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * \cos(dx+c)^3 * b^3 + 3*C * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^3 * \sin(dx+c) * (1/(\cos(dx+c)+1))^{3/2} * ((b+a*\cos(dx+c)) / \cos(dx+c))^{1/2} / b^2 / ((a-b)/(a+b))^{1/2} / (b+a*\cos(dx+c)) / \sin(dx+c)^6 / (1/(\cos(dx+c)+1))^{3/2} / \cos(dx+c)^{5/2}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)*(a+b*sec(dx+c))^(1/2)/cos(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)/cos(dx+c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*(a+b*sec(d*x+c))**(1/2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/cos(d*x + c)^(3/2), x)

$$3.1341 \quad \int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C$$

Optimal. Leaf size=455

$$\frac{2(a^2 - b^2)(a^2(39Ab + 63bC) + 75a^3B - 18ab^2B + 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + 2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{315a^3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

```
[Out] (2*(a^2 - b^2)*(8*A*b^3 + 75*a^3*B - 18*a*b^2*B + a^2*(39*A*b + 63*b*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(315*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(4*A*b^3 - 75*a^3*B - 9*a*b^2*B - 2*a^2*b*(44*A + 63*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])*Sin[c + d*x]/(315*a^2*d) + (2*(3*A*b^2 + 72*a*b*B + 7*a^2*(7*A + 9*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d) + (2*(A*b + 3*a*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*A*Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d)
```

Rubi [A] time = 1.85682, antiderivative size = 455, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) (7a^2(7A + 9C) + 72abB + 3Ab^2) \sqrt{a + b \sec(c + dx)}}{315ad} - \frac{2 \sin(c + dx) \sqrt{\cos(c + dx)} (-2a^2b(44A + 63C) + 21a^2(7A + 9C) + 3a^2b^2(11A + 21C) + 2(8Ab^4 + 246a^3bB - 18ab^3B + 8Ab^3))}{315ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (2*(a^2 - b^2)*(8*A*b^3 + 75*a^3*B - 18*a*b^2*B + a^2*(39*A*b + 63*b*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(315*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(4*A*b^3 - 75*a^3*B - 9*a*b^2*B - 2*a^2*b*(44*A + 63*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])*Sin[c + d*x]/(315*a^2*d) + (2*(3*A*b^2 + 72*a*b*B + 7*a^2*(7*A + 9*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d) + (2*(A*b + 3*a*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*A*Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d)
```

]]*Sin[c + d*x]]/(315*a^2*d) + (2*(3*A*b^2 + 72*a*b*B + 7*a^2*(7*A + 9*C))*
 Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]]/(315*a*d) + (2*(A
 *b + 3*a*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]]/(21*d
) + (2*A*Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x]]/(9*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^m_.*(u_), x_Symbol] := Dist[(c*Cos[a
 + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x]
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
 + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
 sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
 [e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
 b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
 *Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
 (d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
 sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
 e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
)]*Sqrt[csc[(e.) + (f_.)*(x_)]*(b_.) + (a_)])], x_Symbol] := Dist[A/a, In
 t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
 (a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
 a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
 *(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
 qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,

b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+b\sec(c+dx))^{3/2}(A+B\sec(c+dx)+C\sec^2(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+b\sec(c+dx))^{3/2}}{\cos(c+dx)} dx \\
&= \frac{2A\cos^{\frac{7}{2}}(c+dx)(a+b\sec(c+dx))^{3/2}\sin(c+dx)}{9d} \\
&= \frac{2(Ab+3aB)\cos^{\frac{5}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}}{21d} \\
&= \frac{2(3Ab^2+72abB+7a^2(7A+9C))\cos^{\frac{3}{2}}(c+dx)}{315d} \\
&= -\frac{2(4Ab^3-75a^3B-9ab^2B-2a^2b(44A+9C))\cos^{\frac{1}{2}}(c+dx)}{315d} \\
&= -\frac{2(4Ab^3-75a^3B-9ab^2B-2a^2b(44A+9C))\sqrt{\cos(c+dx)}}{315d} \\
&= -\frac{2(4Ab^3-75a^3B-9ab^2B-2a^2b(44A+9C))\sqrt{\cos(c+dx)}}{315d} \\
&= -\frac{2(4Ab^3-75a^3B-9ab^2B-2a^2b(44A+9C))\sqrt{\cos(c+dx)}}{315d} \\
&= -\frac{2(a^2-b^2)(8Ab^3+75a^3B-18ab^2B+a^2C)\sqrt{\cos(c+dx)}}{315a^3d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 24.4856, size = 3703, normalized size = 8.14

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*(((402*a^2*A*b - 16*A*b^3 + 345*a^3*B + 36*a*b^2*B + 504*a^2*b*
```


$$\begin{aligned}
& 3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C)) * (b + a*\cos[c + d*x]) * (\sec[(c + d*x)/2]^2)^{(3/2)} * \tan[(c + d*x)/2]) / (105*a^3*\sqrt{b + a*\cos[c + d*x]}) - (4*\cos[c + d*x]^{(3/2)} * (\cos[(c + d*x)/2]^2 * \sec[c + d*x])^{(3/2)} * (-((8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C)) * (b + a*\cos[c + d*x]) * (\sec[(c + d*x)/2]^2)^{(5/2)}) / 2 - I*(a + b)*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C)) * \text{EllipticE}[I*\text{ArcSinh}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] * \sec[(c + d*x)/2]^2 * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2)/(a + b)} * \tan[(c + d*x)/2] + I*a*(a + b)*(8*A*b^3 - 6*a*b^2*(A + 3*B) + 3*a^2*b*(13*A + 57*B + 21*C) + 3*a^3*(49*A + 25*B + 63*C)) * \text{EllipticF}[I*\text{ArcSinh}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] * \sec[(c + d*x)/2]^2 * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2)/(a + b)} * \tan[(c + d*x)/2] + a*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C)) * (\sec[(c + d*x)/2]^2)^{(3/2)} * \sin[c + d*x] * \tan[(c + d*x)/2] - (3*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C)) * (b + a*\cos[c + d*x]) * (\sec[(c + d*x)/2]^2)^{(3/2)} * \tan[(c + d*x)/2]^2) / 2 - ((I/2)*(a + b)*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C)) * \text{EllipticE}[I*\text{ArcSinh}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] * \sec[(c + d*x)/2]^2 * (-((a*\sec[(c + d*x)/2]^2 * \sin[c + d*x])/(a + b)) + ((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2 * \tan[(c + d*x)/2])/(a + b))) / \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2)/(a + b)} + ((I/2)*a*(a + b)*(8*A*b^3 - 6*a*b^2*(A + 3*B) + 3*a^2*b*(13*A + 57*B + 21*C) + 3*a^3*(49*A + 25*B + 63*C)) * \text{EllipticF}[I*\text{ArcSinh}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] * \sec[(c + d*x)/2]^2 * (-((a*\sec[(c + d*x)/2]^2 * \sin[c + d*x])/(a + b)) + ((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2 * \tan[(c + d*x)/2])/(a + b))) / \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2)/(a + b)} - (a*(a + b)*(8*A*b^3 - 6*a*b^2*(A + 3*B) + 3*a^2*b*(13*A + 57*B + 21*C) + 3*a^3*(49*A + 25*B + 63*C)) * \sec[(c + d*x)/2]^4 * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2)/(a + b)) / (2*\sqrt{1 + \tan[(c + d*x)/2]^2} * \sqrt{1 + ((-a + b)*\tan[(c + d*x)/2]^2)/(a + b)}) + ((a + b)*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C)) * \sec[(c + d*x)/2]^4 * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2)/(a + b)} * \sqrt{1 + ((-a + b)*\tan[(c + d*x)/2]^2)/(a + b)}) / (2*\sqrt{1 + \tan[(c + d*x)/2]^2})) / (315*a^3*\sqrt{b + a*\cos[c + d*x]}) - (2*\cos[c + d*x]^{(3/2)} * \sqrt{\cos[(c + d*x)/2]^2 * \sec[c + d*x]} * ((-I)*(a + b)*(8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C)) * \text{EllipticE}[I*\text{ArcSinh}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] * \sec[(c + d*x)/2]^2 * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2)/(a + b)} + I*a*(a + b)*(8*A*b^3 - 6*a*b^2*(A + 3*B) + 3*a^2*b*(13*A + 57*B + 21*C) + 3*a^3*(49*A + 25*B + 63*C)) * \text{EllipticF}[I*\text{ArcSinh}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] * \sec[(c + d*x)/2]^2 * \sqrt{((b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2)/(a + b)} - (8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(11*A + 21*C)) * (b + a*\cos[c + d*x]) * (\sec[(c + d*x)/2]^2)^{(3/2)} * \tan[(c + d*x)/2]) * (-(\cos[(c + d*x)/2] * \sec[c + d*x] * \sin[(c + d*x)/2]) + \cos[(c + d*x)/2]^2 * \sec[c + d*x] * \tan[c + d*x])) / (105*a^3*\sqrt{b + a*\cos[c + d*x]})
\end{aligned}$$

Maple [B] time = 1.086, size = 4075, normalized size = 9.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(9/2)}*(a+b*\sec(dx+c))^{(3/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x)$

[Out]
$$\begin{aligned} & -2/315/d*((b+a*\cos(dx+c))/\cos(dx+c))^{(1/2)}*\cos(dx+c)^{(1/2)}*(\cos(dx+c)+1) \\ &)^2*(-1+\cos(dx+c))^{(3/2)}*(45*B*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*\cos(dx+c)^3*a^5 \\ & *(1/(\cos(dx+c)+1))^{(3/2)}+63*C*((a-b)/(a+b))^{(1/2)}*\cos(dx+c)^3*a^5*(1/(\cos \\ & (dx+c)+1))^{(3/2)}*\sin(dx+c)+63*C*((a-b)/(a+b))^{(1/2)}*\cos(dx+c)^2*a^5*(1/ \\ & \cos(dx+c)+1))^{(3/2)}*\sin(dx+c)+189*C*((a-b)/(a+b))^{(1/2)}*\cos(dx+c)*a^5*(1 \\ & /(\cos(dx+c)+1))^{(3/2)}*\sin(dx+c)+147*A*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*\cos \\ & (dx+c)*a^5*(1/(\cos(dx+c)+1))^{(3/2)}+35*A*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*\cos \\ & (dx+c)^5*a^5*(1/(\cos(dx+c)+1))^{(3/2)}+147*A*((a-b)/(a+b))^{(1/2)}*\sin(dx+c) \\ & *a^4*b*(1/(\cos(dx+c)+1))^{(3/2)}+75*B*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^4*b*(\\ & 1/(\cos(dx+c)+1))^{(3/2)}+246*B*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^3*b^2*(1/(\cos(dx+c) \\ & +1))^{(3/2)}+9*B*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^2*b^3*(1/(\cos(dx+c) \\ & +1))^{(3/2)}-18*B*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a*b^4*(1/(\cos(dx+c)+1))^{(3 \\ & /2)}+189*C*((a-b)/(a+b))^{(1/2)}*a^4*b*(1/(\cos(dx+c)+1))^{(3/2)}*\sin(dx+c)+126 \\ & *C*((a-b)/(a+b))^{(1/2)}*a^3*b^2*(1/(\cos(dx+c)+1))^{(3/2)}*\sin(dx+c)+63*C*((a \\ & -b)/(a+b))^{(1/2)}*a^2*b^3*(1/(\cos(dx+c)+1))^{(3/2)}*\sin(dx+c)+33*A*((a-b)/(a \\ & +b))^{(1/2)}*\sin(dx+c)*a^2*b^3*(1/(\cos(dx+c)+1))^{(3/2)}-4*A*((a-b)/(a+b))^{(1 \\ & /2)}*\sin(dx+c)*a*b^4*(1/(\cos(dx+c)+1))^{(3/2)}+49*A*((a-b)/(a+b))^{(1/2)}*\sin \\ & (dx+c)*\cos(dx+c)^2*a^5*(1/(\cos(dx+c)+1))^{(3/2)}+49*A*((a-b)/(a+b))^{(1/2)}*s \\ & in(dx+c)*\cos(dx+c)^3*a^5*(1/(\cos(dx+c)+1))^{(3/2)}+45*B*((a-b)/(a+b))^{(1/2)} \\ &)*\sin(dx+c)*(1/(\cos(dx+c)+1))^{(3/2)}*\cos(dx+c)^4*a^5+75*B*((a-b)/(a+b))^{(\\ & 1/2)}*\sin(dx+c)*(1/(\cos(dx+c)+1))^{(3/2)}*\cos(dx+c)^2*a^5+75*B*((a-b)/(a+b) \\ &)^{(1/2)}*\sin(dx+c)*(1/(\cos(dx+c)+1))^{(3/2)}*\cos(dx+c)*a^5+35*A*((a-b)/(a+b) \\ &))^{(1/2)}*\sin(dx+c)*\cos(dx+c)^4*a^5*(1/(\cos(dx+c)+1))^{(3/2)}+8*A*(1/(a+b)* \\ & (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+ \\ & b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*b^5+147*A*\text{EllipticF}((-1+\cos(dx+x \\ & c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(\\ & dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^5-147*A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+x \\ & c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+ \\ & b)/(a-b))^{(1/2)})*a^5-75*B*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin \\ & (dx+c),(-(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/ \\ & 2)}*a^5+189*C*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+ \\ & b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^5-189*C* \\ & (1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((\\ & (a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a^5+189*C*((a-b)/(a+b)) \end{aligned}$$

$$\begin{aligned}
& \wedge(1/2)*\cos(d*x+c)^2*a^4*b*(1/(\cos(d*x+c)+1))^\wedge(3/2)*\sin(d*x+c)+137*A*((a-b)/ \\
& (a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c)*a^4*b*(1/(\cos(d*x+c)+1))^\wedge(3/2)+137*A*((a \\
& -b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c)^2*a^4*b*(1/(\cos(d*x+c)+1))^\wedge(3/2)+53* \\
& A*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c)^2*a^3*b^2*(1/(\cos(d*x+c)+1))^\wedge(3 \\
& /2)-A*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c)^2*a^2*b^3*(1/(\cos(d*x+c)+1) \\
&)^\wedge(3/2)+85*A*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c)^3*a^4*b*(1/(\cos(d*x+ \\
& c)+1))^\wedge(3/2)+53*A*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c)^3*a^3*b^2*(1/(c \\
& os(d*x+c)+1))^\wedge(3/2)+85*A*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c)^4*a^4*b* \\
& (1/(\cos(d*x+c)+1))^\wedge(3/2)+81*B*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c)*a^3 \\
& *b^2*(1/(\cos(d*x+c)+1))^\wedge(3/2)+4*A*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c) \\
& *a*b^4*(1/(\cos(d*x+c)+1))^\wedge(3/2)+117*B*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d* \\
& x+c)^3*a^4*b*(1/(\cos(d*x+c)+1))^\wedge(3/2)+121*A*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)* \\
& \cos(d*x+c)*a^3*b^2*(1/(\cos(d*x+c)+1))^\wedge(3/2)-A*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c) \\
&)*\cos(d*x+c)*a^2*b^3*(1/(\cos(d*x+c)+1))^\wedge(3/2)-9*B*((a-b)/(a+b))^\wedge(1/2)*\sin(d \\
& *x+c)*\cos(d*x+c)*a^2*b^3*(1/(\cos(d*x+c)+1))^\wedge(3/2)+117*B*((a-b)/(a+b))^\wedge(1/2) \\
& *\sin(d*x+c)*\cos(d*x+c)^2*a^4*b*(1/(\cos(d*x+c)+1))^\wedge(3/2)+81*B*((a-b)/(a+b))^\wedge \\
& (1/2)*\sin(d*x+c)*\cos(d*x+c)^2*a^3*b^2*(1/(\cos(d*x+c)+1))^\wedge(3/2)+321*B*((a-b) \\
& /(a+b))^\wedge(1/2)*\sin(d*x+c)*\cos(d*x+c)*a^4*b*(1/(\cos(d*x+c)+1))^\wedge(3/2)+189*C*((\\
& a-b)/(a+b))^\wedge(1/2)*\cos(d*x+c)*a^4*b*(1/(\cos(d*x+c)+1))^\wedge(3/2)*\sin(d*x+c)+189* \\
& C*((a-b)/(a+b))^\wedge(1/2)*\cos(d*x+c)*a^3*b^2*(1/(\cos(d*x+c)+1))^\wedge(3/2)*\sin(d*x+c) \\
&)+88*A*((a-b)/(a+b))^\wedge(1/2)*\sin(d*x+c)*a^3*b^2*(1/(\cos(d*x+c)+1))^\wedge(3/2)-186* \\
& A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(\\
& 1/2))*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^\wedge(1/2)*a^4*b+246*B*\text{EllipticF} \\
& ((-1+\cos(d*x+c))*((a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2))*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^\wedge(1/2)*a^4*b-153*B*\text{EllipticF}((-1+\cos(d* \\
& x+c))*((a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2))*(1/(a+b)*(b+a*co \\
& s(d*x+c))/(\cos(d*x+c)+1))^\wedge(1/2)*a^3*b^2-18*B*\text{EllipticF}((-1+\cos(d*x+c))*((a- \\
& b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2))*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^\wedge(1/2)*a^2*b^3-246*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
&))^\wedge(1/2)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(\\
& a-b))^\wedge(1/2))*a^4*b+246*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^\wedge(1/2)*\text{E} \\
& \text{llipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2) \\
&)*a^3*b^2+18*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^\wedge(1/2)*\text{EllipticE}((- \\
& 1+\cos(d*x+c))*((a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2))*a^2*b^3- \\
& 18*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^\wedge(1/2)*\text{EllipticE}((-1+\cos(d*x+ \\
& c))*((a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2))*a*b^4-252*C*\text{Ellipt} \\
& \text{icF}((-1+\cos(d*x+c))*((a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2))*(1 \\
& /(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^\wedge(1/2)*a^4*b+63*C*\text{EllipticF}((-1+\cos(\\
& d*x+c))*((a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2))*(1/(a+b)*(b+a* \\
& cos(d*x+c))/(\cos(d*x+c)+1))^\wedge(1/2)*a^3*b^2+189*C*\text{EllipticE}((-1+\cos(d*x+c))* \\
& (a-b)/(a+b))^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2))*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^\wedge(1/2)*a^4*b-63*C*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b)) \\
& ^\wedge(1/2)/\sin(d*x+c), (-a+b)/(a-b))^\wedge(1/2))*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+ \\
& c)+1))^\wedge(1/2)*a^3*b^2+63*C*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^\wedge(1/2)/\sin \\
& (d*x+c), (-a+b)/(a-b))^\wedge(1/2))*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^\wedge(1/
\end{aligned}$$

$$2) * a^2 * b^3 + 8 * A * ((a-b)/(a+b))^{1/2} * \sin(dx+c) * b^5 * (1/(\cos(dx+c)+1))^{3/2} +$$

$$33 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^3 * b^2 - 2 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^2 * b^3 + 8 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a * b^4 + 147 * A * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^4 * b - 33 * A * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^3 * b^2 + 33 * A * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^2 * b^3 - 8 * A * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a * b^4) / a^3 / ((a-b)/(a+b))^{1/2} / (b+a * \cos(dx+c)) / \sin(dx+c)^6 / (1/(\cos(dx+c)+1))^{3/2}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(9/2)*(a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(3/2)*cos(dx+c)^(9/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((Cb \cos(dx+c)^4 \sec(dx+c)^3 + (Ca + Bb) \cos(dx+c)^4 \sec(dx+c)^2 + Aa \cos(dx+c)^4 + (Ba + Ab) \cos(dx+c)^4 \sec(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(9/2)*(a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] integral((C*b*cos(dx+c)^4*sec(dx+c)^3 + (C*a + B*b)*cos(dx+c)^4*sec(dx+c)^2 + A*a*cos(dx+c)^4 + (B*a + A*b)*cos(dx+c)^4*sec(dx+c)

```
) * sqrt(b * sec(d * x + c) + a) * sqrt(cos(d * x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

[Out] Timed out

3.1342 $\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C$

Optimal. Leaf size=359

$$\frac{2(a^2 - b^2)(25a^2A + 35a^2C + 21abB - 6Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + \frac{2 \sin(c + dx) \sqrt{\cos(c + dx)} (5a^2(5A + 7C) + 42abB + 3Ab^2) \sqrt{a + b \sec(c + dx)}}{105a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

[Out] (2*(a^2 - b^2)*(25*a^2*A - 6*A*b^2 + 21*a*b*B + 35*a^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(6*A*b^3 - 63*a^3*B - 21*a*b^2*B - 2*a^2*b*(41*A + 70*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(3*A*b^2 + 42*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a*d) + (2*(3*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 1.38295, antiderivative size = 359, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c + dx) \sqrt{\cos(c + dx)} (5a^2(5A + 7C) + 42abB + 3Ab^2) \sqrt{a + b \sec(c + dx)}}{105ad} + \frac{2(a^2 - b^2)(25a^2A + 35a^2C + 21abB - 6Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{105a^2d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] (2*(a^2 - b^2)*(25*a^2*A - 6*A*b^2 + 21*a*b*B + 35*a^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(6*A*b^3 - 63*a^3*B - 21*a*b^2*B - 2*a^2*b*(41*A + 70*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(3*A*b^2 + 42*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a*d) + (2*(3*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d)

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
```

```
*Sin[c + d*x]]/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+b \sec(c+dx))^{3/2}}{\cos^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{7d} \\
&= \frac{2(3Ab+7aB) \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}}{35d} \\
&= \frac{2(3Ab^2+42abB+5a^2(5A+7C))\sqrt{\cos(c+dx)}}{105d} \\
&= \frac{2(3Ab^2+42abB+5a^2(5A+7C))\sqrt{\cos(c+dx)}}{105d} \\
&= \frac{2(3Ab^2+42abB+5a^2(5A+7C))\sqrt{\cos(c+dx)}}{105d} \\
&= \frac{2(3Ab^2+42abB+5a^2(5A+7C))\sqrt{\cos(c+dx)}}{105d} \\
&= \frac{2(a^2-b^2)(25a^2A-6Ab^2+21abB+35a^2C)}{105a^2d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 23.2033, size = 3261, normalized size = 9.08

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(((115*a^2*A + 12*A*b^2 + 168*a*b*B + 140*a^2*C)*Sin[c + d*x])/(105*a) + (2*(8*A*b + 7*a*B)*Sin[2*(c + d*x)])/35 + (a*A*Ssin[3*(c + d*x)]/7))/(d*(b + a*Cos[c + d*x])*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])) - (4*Cos[c + d*x]^(3/2)*((164*a*A*b*Sqrt[Cos[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (4*A*b^3*Sqrt[Cos[c + d*x]])/(35*a*Sqr
```

$$\begin{aligned}
& t[b + a\cos[c + dx]]\sqrt{\sec[c + dx]} + (6a^2B\sqrt{\cos[c + dx]})/(5 \\
& \sqrt{b + a\cos[c + dx]}\sqrt{\sec[c + dx]}) + (2b^2B\sqrt{\cos[c + dx]}) \\
&)/(5\sqrt{b + a\cos[c + dx]}\sqrt{\sec[c + dx]}) + (8abC\sqrt{\cos[c + d \\
& x]})/(3\sqrt{b + a\cos[c + dx]}\sqrt{\sec[c + dx]}) + (10a^2A\sqrt{\cos[\\
& c + dx]}\sqrt{\sec[c + dx]})/(21\sqrt{b + a\cos[c + dx]}) + (34Aab^2\sqrt{ \\
& \cos[c + dx]}\sqrt{\sec[c + dx]})/(35\sqrt{b + a\cos[c + dx]}) + (8ab \\
& B\sqrt{\cos[c + dx]}\sqrt{\sec[c + dx]})/(5\sqrt{b + a\cos[c + dx]}) + (2 \\
& a^2C\sqrt{\cos[c + dx]}\sqrt{\sec[c + dx]})/(3\sqrt{b + a\cos[c + dx]}) + \\
& (2b^2C\sqrt{\cos[c + dx]}\sqrt{\sec[c + dx]})/\sqrt{b + a\cos[c + dx]})* \\
& (\cos[(c + dx)/2]^2\sec[c + dx])^{(3/2)}*(a + b\sec[c + dx])^{(3/2)}*(A + B\sec \\
& [c + dx] + C\sec[c + dx]^2)*((-1)*(a + b)*(-6Aab^3 + 63a^3B + 21ab \\
& ^2B + 2a^2b*(41A + 70C))*\text{EllipticE}[I\text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + \\
& b)/(a + b)]*\sec[(c + dx)/2]^2\sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^ \\
& 2)/(a + b)} + I*a*(a + b)*(-6Aab^2 + a^2*(25A + 63B + 35C) + 3ab*(19 \\
& A + 7*(B + 5C)))*\text{EllipticF}[I\text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]* \\
& \sec[(c + dx)/2]^2\sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} \\
& - (-6Aab^3 + 63a^3B + 21ab^2B + 2a^2b*(41A + 70C))*(b + a\cos[c + \\
& dx])*(\sec[(c + dx)/2]^2)^{(3/2)}*\text{Tan}[(c + dx)/2])/(105a^2d*(b + a\cos[\\
& c + dx])^2*(A + 2C + 2B\cos[c + dx] + A\cos[2c + 2dx])*\sec[c + dx]^{ \\
& (7/2)}*((-2\cos[c + dx])^{(3/2)}*(\cos[(c + dx)/2]^2\sec[c + dx])^{(3/2)}*\sin[\\
& c + dx]*((-1)*(a + b)*(-6Aab^3 + 63a^3B + 21ab^2B + 2a^2b*(41A + 7 \\
& 0C)))*\text{EllipticE}[I\text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*\sec[(c + dx \\
&)/2]^2\sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} + I*a*(a + b \\
&)*(-6Aab^2 + a^2*(25A + 63B + 35C) + 3ab*(19A + 7*(B + 5C)))*\text{Elliptic} \\
& \text{F}[I\text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*\sec[(c + dx)/2]^2\sqrt{ \\
& ((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} - (-6Aab^3 + 63a^3B + \\
& 21ab^2B + 2a^2b*(41A + 70C))*(b + a\cos[c + dx])*(\sec[(c + dx)/2] \\
& ^2)^{(3/2)}*\text{Tan}[(c + dx)/2])/(105a*(b + a\cos[c + dx])^{(3/2)}) + (2\sqrt{C \\
& \cos[c + dx]}*(\cos[(c + dx)/2]^2\sec[c + dx])^{(3/2)}*\sin[c + dx]*((-1)*(a \\
& + b)*(-6Aab^3 + 63a^3B + 21ab^2B + 2a^2b*(41A + 70C)))*\text{EllipticE}[I \\
& \text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*\sec[(c + dx)/2]^2\sqrt{((b + \\
& a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} + I*a*(a + b)*(-6Aab^2 + a^2 \\
& *(25A + 63B + 35C) + 3ab*(19A + 7*(B + 5C)))*\text{EllipticF}[I\text{ArcSinh}[\text{Tan} \\
& [(c + dx)/2]], (-a + b)/(a + b)]*\sec[(c + dx)/2]^2\sqrt{((b + a\cos[c + d \\
& x])\sec[(c + dx)/2]^2)/(a + b)} - (-6Aab^3 + 63a^3B + 21ab^2B + 2a \\
& ^2b*(41A + 70C))*(b + a\cos[c + dx])*(\sec[(c + dx)/2]^2)^{(3/2)}*\text{Tan}[(c \\
& + dx)/2])/(35a^2\sqrt{b + a\cos[c + dx]}) - (4\cos[c + dx]^{(3/2)}*(\cos[\\
& (c + dx)/2]^2\sec[c + dx])^{(3/2)}*((-6Aab^3 + 63a^3B + 21ab^2B + 2 \\
& a^2b*(41A + 70C))*(b + a\cos[c + dx])*(\sec[(c + dx)/2]^2)^{(5/2)})/2 - \\
& I*(a + b)*(-6Aab^3 + 63a^3B + 21ab^2B + 2a^2b*(41A + 70C))*\text{Elliptic} \\
& \text{E}[I\text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*\sec[(c + dx)/2]^2\sqrt{ \\
& ((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)]*\text{Tan}[(c + dx)/2] + I*a*(\\
& a + b)*(-6Aab^2 + a^2*(25A + 63B + 35C) + 3ab*(19A + 7*(B + 5C)))*\text{E} \\
& \text{llipticF}[I\text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*\sec[(c + dx)/2]^2* \\
& \sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)]*\text{Tan}[(c + dx)/2] +
\end{aligned}$$

$$\begin{aligned}
& a*(-6*A*b^3 + 63*a^3*B + 21*a*b^2*B + 2*a^2*b*(41*A + 70*C))*(\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (3*(-6*A*b^3 + 63*a^3*B + 21*a*b^2*B + 2*a^2*b*(41*A + 70*C))*(b + a*\text{Cos}[c + d*x])*(\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Tan}[(c + d*x)/2]^2)/2 - ((I/2)*(a + b)*(-6*A*b^3 + 63*a^3*B + 21*a*b^2*B + 2*a^2*b*(41*A + 70*C))*\text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*(-((a*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x])/(a + b)) + ((b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/(a + b)))/\text{Sqrt}(((b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b)) + ((I/2)*a*(a + b)*(-6*A*b^2 + a^2*(25*A + 63*B + 35*C) + 3*a*b*(19*A + 7*(B + 5*C)))*\text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*(-((a*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x])/(a + b)) + ((b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/(a + b)))/\text{Sqrt}(((b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b)) - (a*(a + b)*(-6*A*b^2 + a^2*(25*A + 63*B + 35*C) + 3*a*b*(19*A + 7*(B + 5*C)))*\text{Sec}[(c + d*x)/2]^4*\text{Sqrt}(((b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b)))/(2*\text{Sqrt}[1 + \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 + ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-6*A*b^3 + 63*a^3*B + 21*a*b^2*B + 2*a^2*b*(41*A + 70*C))*\text{Sec}[(c + d*x)/2]^4*\text{Sqrt}(((b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b))*\text{Sqrt}[1 + ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)))/(2*\text{Sqrt}[1 + \text{Tan}[(c + d*x)/2]^2]))/(105*a^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (2*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((-I)*(a + b)*(-6*A*b^3 + 63*a^3*B + 21*a*b^2*B + 2*a^2*b*(41*A + 70*C))*\text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}(((b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b)) + I*a*(a + b)*(-6*A*b^2 + a^2*(25*A + 63*B + 35*C) + 3*a*b*(19*A + 7*(B + 5*C)))*\text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}(((b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b)) - (-6*A*b^3 + 63*a^3*B + 21*a*b^2*B + 2*a^2*b*(41*A + 70*C))*(b + a*\text{Cos}[c + d*x])*(\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(35*a^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]))
\end{aligned}$$

Maple [B] time = 0.691, size = 2911, normalized size = 8.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(7/2)}*(a+b*\sec(d*x+c))^{(3/2)}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out] $-2/105/d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^{(1/2)}*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^{(3/2)}*(25*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{(3/2)}+82*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}$

$$\begin{aligned}
&)/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1) \\
&)^{(1/2)} * a^3*b-51*A*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c) \\
& , (- (a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^2* \\
& b^2-6*A*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a- \\
& b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a*b^3-82*A*(1/(\\
& a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b) \\
&) / (a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a^3*b+82*A*(1/(a+b) * (b+a*co \\
& s(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/ \\
& 2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a^2*b^2+6*A*(1/(a+b) * (b+a*\cos(d*x+c)) / (\\
& \cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+ \\
& c), (- (a+b)/(a-b))^{(1/2)} * a*b^3-6*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * b^4 * (1/(c \\
& os(d*x+c)+1))^{(3/2)} + 25*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^4 * (1/(\\
& \cos(d*x+c)+1))^{(3/2)} + 35*C*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^4 * (1/ \\
& (\cos(d*x+c)+1))^{(3/2)} + 63*B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^4 * (1 \\
& / (\cos(d*x+c)+1))^{(3/2)} + 25*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^3*b * (1/(\cos(d* \\
& x+c)+1))^{(3/2)} + 82*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^2*b^2 * (1/(\cos(d*x+c)+1 \\
&))^{(3/2)} + 3*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a*b^3 * (1/(\cos(d*x+c)+1))^{(3/2)} + \\
& 63*B*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^3*b * (1/(\cos(d*x+c)+1))^{(3/2)} + 42*B*((a \\
& -b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^2*b^2 * (1/(\cos(d*x+c)+1))^{(3/2)} + 21*B*((a-b)/(a \\
& +b))^{(1/2)} * \sin(d*x+c) * a*b^3 * (1/(\cos(d*x+c)+1))^{(3/2)} + 35*C*((a-b)/(a+b))^{(1/ \\
& 2)} * a^3*b*\sin(d*x+c) * (1/(\cos(d*x+c)+1))^{(3/2)} + 140*C*((a-b)/(a+b))^{(1/2)} * a^2* \\
& b^2*\sin(d*x+c) * (1/(\cos(d*x+c)+1))^{(3/2)} + 15*A*\cos(d*x+c)^4 * ((a-b)/(a+b))^{(1/ \\
& 2)} * \sin(d*x+c) * a^4 * (1/(\cos(d*x+c)+1))^{(3/2)} + 21*B*\cos(d*x+c)^3 * ((a-b)/(a+b))^{(\\
& 1/2)} * \sin(d*x+c) * a^4 * (1/(\cos(d*x+c)+1))^{(3/2)} + 21*B*\cos(d*x+c)^2 * ((a-b)/(a+b \\
&))^{(1/2)} * \sin(d*x+c) * a^4 * (1/(\cos(d*x+c)+1))^{(3/2)} + 15*A*\cos(d*x+c)^3 * ((a-b)/(\\
& a+b))^{(1/2)} * \sin(d*x+c) * a^4 * (1/(\cos(d*x+c)+1))^{(3/2)} + 35*C*\cos(d*x+c)^2 * ((a-b) \\
&) / (a+b))^{(1/2)} * \sin(d*x+c) * a^4 * (1/(\cos(d*x+c)+1))^{(3/2)} + 63*B*(1/(a+b) * (b+a*c \\
& os(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1 \\
& /2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a^3*b-21*B*(1/(a+b) * (b+a*\cos(d*x+c)) / (\\
& \cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+ \\
& c), (- (a+b)/(a-b))^{(1/2)} * a^2*b^2+21*B*(1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c) \\
& +1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b) \\
& / (a-b))^{(1/2)} * a*b^3-84*B*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin \\
& (d*x+c), (- (a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/ \\
& 2)} * a^3*b+21*B*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a \\
& +b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^2*b^2-1 \\
& 40*C*(1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+ \\
& c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a^3*b+140*C*(1/(a+ \\
& b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b) \\
& / (a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a^2*b^2+140*C*EllipticF((-1+c \\
& os(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b \\
& +a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^3*b-105*C*EllipticF((-1+\cos(d*x+c)) * \\
& ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+ \\
& c)) / (\cos(d*x+c)+1))^{(1/2)} * a^2*b^2+39*A*\cos(d*x+c)^3 * ((a-b)/(a+b))^{(1/2)} * \sin \\
& (d*x+c) * a^3*b * (1/(\cos(d*x+c)+1))^{(3/2)} + 63*B*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)}
\end{aligned}$$

```

)*sin(d*x+c)*a^3*b*(1/(cos(d*x+c)+1))^(3/2)+107*A*cos(d*x+c)*((a-b)/(a+b))^
(1/2)*sin(d*x+c)*a^3*b*(1/(cos(d*x+c)+1))^(3/2)+27*A*cos(d*x+c)*((a-b)/(a+b
))^1/2)*sin(d*x+c)*a^2*b^2*(1/(cos(d*x+c)+1))^(3/2)-3*A*cos(d*x+c)*((a-b)/
(a+b))^1/2)*sin(d*x+c)*a*b^3*(1/(cos(d*x+c)+1))^(3/2)+63*B*cos(d*x+c)*((a-
b)/(a+b))^1/2)*sin(d*x+c)*a^3*b*(1/(cos(d*x+c)+1))^(3/2)+63*B*cos(d*x+c)*
(a-b)/(a+b))^1/2)*sin(d*x+c)*a^2*b^2*(1/(cos(d*x+c)+1))^(3/2)+175*C*cos(d*
x+c)*((a-b)/(a+b))^1/2)*a^3*b*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+39*A*cos
(d*x+c)^2*((a-b)/(a+b))^1/2)*sin(d*x+c)*a^3*b*(1/(cos(d*x+c)+1))^(3/2)+27*
A*cos(d*x+c)^2*((a-b)/(a+b))^1/2)*sin(d*x+c)*a^2*b^2*(1/(cos(d*x+c)+1))^(3
/2)-63*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^1/2)*EllipticE((-1+cos(
d*x+c))*((a-b)/(a+b))^1/2)/sin(d*x+c),(-(a+b)/(a-b))^1/2)*a^4+63*B*Ellip
ticF((-1+cos(d*x+c))*((a-b)/(a+b))^1/2)/sin(d*x+c),(-(a+b)/(a-b))^1/2))*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^1/2)*a^4-35*C*EllipticF((-1+cos(d
*x+c))*((a-b)/(a+b))^1/2)/sin(d*x+c),(-(a+b)/(a-b))^1/2))*1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^1/2)*a^4-25*A*EllipticF((-1+cos(d*x+c))*((a-b)/
(a+b))^1/2)/sin(d*x+c),(-(a+b)/(a-b))^1/2))*1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^1/2)*a^4-6*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^1/2)*
EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^1/2)/sin(d*x+c),(-(a+b)/(a-b))^1/
2))*b^4/a^2/((a-b)/(a+b))^1/2)/(b+a*cos(d*x+c))/(1/(cos(d*x+c)+1))^3/2)/
sin(d*x+c)^6

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x
+c)^2),x, algorithm="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2
)*cos(d*x + c)^(7/2), x)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral((Cb cos(dx + c)^3 sec(dx + c)^3 + (Ca + Bb) cos(dx + c)^3 sec(dx + c)^2 + Aa cos(dx + c)^3 + (Ba + Ab) cos(dx +

```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^3*sec(d*x + c)^3 + (C*a + B*b)*cos(d*x + c)^3*sec(d*x + c)^2 + A*a*cos(d*x + c)^3 + (B*a + A*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(7/2), x)
```

3.1343 $\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=356

$$\frac{2(-3a^2b(A+5C) - 5a^3B + 5ab^2B + 3Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + 2\sqrt{\cos(c+dx)}(3a^2(3A+5C) + 20abB + C^2)}{15ad\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (-2*(3*A*b^3 - 5*a^3*B + 5*a*b^2*B - 3*a^2*b*(A + 5*C))*Sqrt[(b + a*Cos[c +
d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a*d*Sqrt[Cos[c +
d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b^2*C*Sqrt[(b + a*Cos[c + d*x])/(a +
b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a
+ b*Sec[c + d*x]]) + (2*(3*A*b^2 + 20*a*b*B + 3*a^2*(3*A + 5*C))*Sqrt[Cos[
c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(
15*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(3*A*b + 5*a*B)*Sqrt[Cos[c
+ d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Cos[c + d*x]^(
3/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 1.39907, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4094, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(-3a^2b(A+5C) - 5a^3B + 5ab^2B + 3Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) + 2\sqrt{\cos(c+dx)}(3a^2(3A+5C) + 20abB + C^2)}{15ad\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(3*A*b^3 - 5*a^3*B + 5*a*b^2*B - 3*a^2*b*(A + 5*C))*Sqrt[(b + a*Cos[c +
d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a*d*Sqrt[Cos[c +
d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b^2*C*Sqrt[(b + a*Cos[c + d*x])/(a +
b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a
+ b*Sec[c + d*x]]) + (2*(3*A*b^2 + 20*a*b*B + 3*a^2*(3*A + 5*C))*Sqrt[Cos[
c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(
15*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(3*A*b + 5*a*B)*Sqrt[Cos[c
+ d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Cos[c + d*x]^(
```

$$\frac{3}{2}*(a + b*\text{Sec}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x]/(5*d)$$

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a
+ b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] :> Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
```

+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos(c + dx)} dx \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2} \sec(c + dx)}{5d} \\
 &= \frac{2(3Ab + 5aB)\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{15d} \\
 &= \frac{2(3Ab + 5aB)\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{15d} \\
 &= \frac{2(3Ab + 5aB)\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{15d} \\
 &= \frac{2(3Ab + 5aB)\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{15d} \\
 &= \frac{2(3Ab + 5aB)\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{15d} \\
 &= \frac{2b^2 C \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
 &= -\frac{2(3Ab^3 - 5a^3B + 5ab^2B - 3a^2b(A + B))}{15ad \sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 35.1835, size = 56321, normalized size = 158.21

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2),x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.52, size = 2220, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)
,x)
```

```
[Out] -2/15/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(cos(d*x+c)+1)
^2*(-1+cos(d*x+c))^3*(3*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a^3*(
1/(cos(d*x+c)+1))^(3/2)+9*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*
x+c)+1))^(3/2)+6*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(
3/2)+5*B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+20*
B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(3/2)+15*C*((a-b)
/(a+b))^(1/2)*a^2*b*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+3*A*sin(d*x+c)*((a-
b)/(a+b))^(1/2)*cos(d*x+c)^2*a^3*(1/(cos(d*x+c)+1))^(3/2)+9*A*sin(d*x+c)*((
a-b)/(a+b))^(1/2)*cos(d*x+c)*a^3*(1/(cos(d*x+c)+1))^(3/2)+5*B*sin(d*x+c)*((
a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^3*(1/(cos(d*x+c)+1))^(3/2)+5*B*sin(d*x+c)*
((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^3*(1/(cos(d*x+c)+1))^(3/2)+3*A*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b)
)^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*b^3+9*A*EllipticF((-1+cos(d*x+c))*
((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*a^3-9*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-
b))^(1/2))*a^3-5*B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c)
,(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^3+
15*C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b)
)^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^3-15*C*(1/(a+b)*
(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+
b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^3+3*A*sin(d*x+c)*((a-b)/(a+b)
)^(1/2)*b^3*(1/(cos(d*x+c)+1))^(3/2)+20*B*EllipticF((-1+cos(d*x+c))*((a-b)/(
a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos
(d*x+c)+1))^(1/2)*a^2*b-20*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(
1/2))*a^2*b+20*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE(
(-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b^2-
```



```

30*C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b)
)^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b+15*C*(1/(a+b)
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(
a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^2*b-12*A*EllipticF((-1+cos(d
*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b+3*A*EllipticF((-1+cos(d*x+c))*((a-b)
/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*a*b^2+9*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/
2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(
1/2))*a^2*b-3*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE(
(-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b^2-
15*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+
c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b^2+15*C*(1/(a+b)
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(
a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b^2-30*C*(1/(a+b)*(b+a*cos(d
*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a*b^2+9*A*sin(d*x+c)*((a-
b)/(a+b))^(1/2)*cos(d*x+c)^2*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+9*A*sin(d*x+c)*((a
-b)/(a+b))^(1/2)*cos(d*x+c)*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+9*A*sin(d*x+c)*((
a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b^2*(1/(cos(d*x+c)+1))^(3/2)+25*B*sin(d*x+c)
)*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+15*C*((a-b)
/(a+b))^(1/2)*cos(d*x+c)*a^3*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2))/a/((a-b)/
(a+b))^(1/2)/(b+a*cos(d*x+c))/(1/(cos(d*x+c)+1))^(3/2)/sin(d*x+c)^6

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x
+c)^2), x, algorithm="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)
)*cos(d*x + c)^(5/2), x)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral((Cb cos(dx+c)^2 sec(dx+c)^3 + (Ca + Bb) cos(dx+c)^2 sec(dx+c)^2 + Aa cos(dx+c)^2 + (Ba + Ab) cos(dx+c)

```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b*cos(d*x + c)^2*sec(d*x + c)^3 + (C*a + B*b)*cos(d*x + c)^2*sec(d*x + c)^2 + A*a*cos(d*x + c)^2 + (B*a + A*b)*cos(d*x + c)^2*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2), x)
```

3.1344 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} (A + B \sec(c + dx) + C$

Optimal. Leaf size=340

$$\frac{(2a^2(A + 3C) + 6abB - b^2(2A - 3C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{3d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{\sqrt{\cos(c + dx)}(6aB + 8Ab - 3bC)\sqrt{a + b \sec(c + dx)}}{3d\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] $((6*a*b*B - b^2*(2*A - 3*C) + 2*a^2*(A + 3*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])]/(a + b))*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (b*(2*b*B + 3*a*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])]/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/(d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + ((8*A*b + 6*a*B - 3*b*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/(3*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])]/(a + b))] - (b*(2*A - 3*C))*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]])*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Sin}[c + d*x]/(3*d)$

Rubi [A] time = 1.38481, antiderivative size = 340, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4094, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2a^2(A + 3C) + 6abB - b^2(2A - 3C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{\sqrt{\cos(c + dx)}(6aB + 8Ab - 3bC)\sqrt{a + b \sec(c + dx)}}{3d\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{3/2}*(a + b*\text{Sec}[c + d*x])^{3/2}*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2), x]$

[Out] $((6*a*b*B - b^2*(2*A - 3*C) + 2*a^2*(A + 3*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])]/(a + b))*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (b*(2*b*B + 3*a*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])]/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/(d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + ((8*A*b + 6*a*B - 3*b*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/(3*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])]/(a + b))] - (b*(2*A - 3*C))*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]])*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Sin}[c + d*x]/(3*d)$

2)*Sin[c + d*x]]/(3*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] , x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos(c + dx)} dx \\
&= \frac{2A\sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} \\
&= -\frac{b(2A - 3C)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\cos(c + dx)}} \\
&= -\frac{b(2A - 3C)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\cos(c + dx)}} \\
&= -\frac{b(2A - 3C)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\cos(c + dx)}} \\
&= -\frac{b(2A - 3C)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\cos(c + dx)}} \\
&= \frac{b(2bB + 3aC)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx)\right)}{d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} \\
&= \frac{(6abB - b^2(2A - 3C) + 2a^2(A + 3C))}{3d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 33.6827, size = 79958, normalized size = 235.17

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2), x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.643, size = 1865, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{3/2}*(a+b*\sec(dx+c))^{3/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2), x)$

[Out]
$$\begin{aligned} & -1/3/d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(\cos(dx+c)+1)^2*(-1+\cos(dx+c)) \\ & ^3*(3*C*\sin(dx+c)*((a-b)/(a+b))^{1/2}*(1/(\cos(dx+c)+1))^{3/2}*b^2+2*A*\sin \\ & (dx+c)*(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2}*\cos(dx+c)^2*a^2-6*A*\cos \\ & (dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos \\ & (dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*b^2+8*A*\cos(d \\ & *x+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx \\ & +c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*b^2-12*B*\cos(dx+ \\ & c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c) \\ &))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*b^2+6* \\ & B*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+ \\ & \cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2+6*B*\cos \\ & (dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx \\ & +c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*b^2-6*B*\cos(dx \\ & +c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+ \\ & c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2-6*C*\cos(dx+c) \\ & *(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))* \\ & ((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2-3*C*\cos(dx+c)*(1/ \\ & (a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a- \\ & b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*b^2-12*B*\cos(dx+c)*(1/(a \\ & b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/ \\ & (a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b+3*C*((a-b)/(a+b))^{1/2}*\cos \\ & (dx+c)*a*b*(1/(\cos(dx+c)+1))^{3/2}*\sin(dx+c)+2*A*\sin(dx+c)*(1/(\cos(dx \\ & +c)+1))^{3/2}*((a-b)/(a+b))^{1/2}*\cos(dx+c)*a*b-2*A*\cos(dx+c)*(1/(a+b)* \\ & (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b) \\ &))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2+10*A*\sin(dx+c)*\cos(dx+c)^2* \\ & (1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2})*a*b+6*B*\sin(dx+c)*\cos(dx+c)* \\ & (1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2})*a*b+6*B*\cos(dx+c)*(1/(a+b)*(b \\ & +a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b) \\ &))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b-18*C*\cos(dx+c)*(1/(a+b)*(b+a* \\ & \cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2} \\ & / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a*b+6*C*\cos(dx+c)*(1/(\\ & a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b) \\ &)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b+3*C*\cos(dx+c)*(1/(a+b) \\ & *(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a \\ & +b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b+6*B*\sin(dx+c)*\cos(dx+c)^2 \\ & *(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2})*a^2+8*A*\sin(dx+c)*\cos(dx+c) \\ & *(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2})*b^2+2*A*\sin(dx+c)*\cos(dx+c) \\ & ^3*(1/(\cos(dx+c)+1))^{3/2}*((a-b)/(a+b))^{1/2})*a^2+8*A*\cos(dx+c)*(1/(a+b) \\ & *(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a \end{aligned}$$

$+b)^{1/2}/\sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * a * b - 8 * A * \cos(dx+c) * (1/(a+b) * (b + a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * a * b) / ((a-b)/(a+b))^{1/2} / (b + a * \cos(dx+c)) / (1/(\cos(dx+c)+1))^{3/2} / \cos(dx+c)^{1/2} / \sin(dx+c)^6$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{3/2} \cos(dx+c)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(3/2)*cos(dx+c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Cb cos(dx+c) sec(dx+c))^3 + (Ca + Bb) cos(dx+c) sec(dx+c)^2 + Aa cos(dx+c) + (Ba + Ab) cos(dx+c) + C^2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2),x, algorithm="fricas")

[Out] integral((C*b*cos(dx+c)*sec(dx+c)^3 + (C*a + B*b)*cos(dx+c)*sec(dx+c)^2 + A*a*cos(dx+c) + (B*a + A*b)*cos(dx+c)*sec(dx+c))*sqrt(b*sec(dx+c) + a)*sqrt(cos(dx+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2), x)
```

3.1345 $\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx) + C \sec^2(c+dx)) dx$

Optimal. Leaf size=353

$$\frac{(8a^2B + ab(8A + 7C) + 4b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(3a^2C + 12abB + 8Ab^2 + 4b^2C) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticE}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((8*a^2*B + 4*b^2*B + a*b*(8*A + 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^2 + 12*a*b*B + 3*a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*a*A - 4*b*B - 5*a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((4*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (C*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 1.34075, antiderivative size = 353, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(8a^2B + ab(8A + 7C) + 4b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(3a^2C + 12abB + 8Ab^2 + 4b^2C) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] ((8*a^2*B + 4*b^2*B + a*b*(8*A + 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^2 + 12*a*b*B + 3*a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*a*A - 4*b*B - 5*a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((4*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (C*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])
```

$\frac{\sin(c + dx)}{(2d\sqrt{\cos(c + dx)})}$

Rule 4265

$\text{Int}[(\cos(a + bx) \cdot c)^m \cdot u, x_Symbol] \rightarrow \text{Dist}[(c \cos(a + bx))^m, \text{Int}[\text{ActivateTrig}[u]/(c \sec(a + bx))^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4096

$\text{Int}[(A + \csc(e + fx) \cdot B) + \csc(e + fx)]^2 \cdot (C + \csc(e + fx) \cdot D)^n \cdot (C + \csc(e + fx) \cdot B) + A)^m, x_Symbol] \rightarrow -\text{Simp}[(C \cot(e + fx) \cdot (a + b \csc(e + fx)))^m \cdot (d \csc(e + fx))^n / (f(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b \csc(e + fx))^{m-1} \cdot (d \csc(e + fx))^n \cdot \text{Simp}[aA(m + n + 1) + aCn + (Ab + aB)(m + n + 1) + bC(m + n)] \cdot \csc(e + fx) + (bB(m + n + 1) + aCm) \cdot \csc(e + fx)^2, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4108

$\text{Int}[(A + \csc(e + fx) \cdot B) + \csc(e + fx)]^2 \cdot (C + \csc(e + fx) \cdot D)^n / (\sqrt{\csc(e + fx) \cdot D} \cdot \sqrt{\csc(e + fx) \cdot B + A}), x_Symbol] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d \csc(e + fx))^{3/2} / \sqrt{a + b \csc(e + fx)}, x], x] + \text{Int}[(A + B \csc(e + fx)) / (\sqrt{d \csc(e + fx)} \cdot \sqrt{a + b \csc(e + fx)}), x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

$\text{Int}[(\csc(e + fx) \cdot D)^{3/2} / \sqrt{\csc(e + fx) \cdot B + A}, x_Symbol] \rightarrow \text{Dist}[(d \sqrt{d \csc(e + fx)}) \cdot \sqrt{b + a \sin(e + fx)}] / \sqrt{a + b \csc(e + fx)}, \text{Int}[1/(\sin(e + fx) \cdot \sqrt{b + a \sin(e + fx)}), x], x] /;$ FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

$\text{Int}[1/((a + b \sin(e + fx)) \cdot \sqrt{(c + d \sin(e + fx))}), x_Symbol] \rightarrow \text{Dist}[\sqrt{(c + d \sin(e + fx))} / (c + d) / \sqrt{c + d \sin(e + fx)}, \text{Int}[1/((a + b \sin(e + fx)) \cdot \sqrt{c/(c + d) + (d \sin(e + fx))/(c + d)}), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
```

+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos(c + dx)} dx \\
 &= \frac{C(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{2d\sqrt{\cos(c + dx)}} + \frac{1}{2} \int \frac{(4bB + 3aC)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} dx \\
 &= \frac{(4bB + 3aC)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} \\
 &= \frac{(4bB + 3aC)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} \\
 &= \frac{(4bB + 3aC)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} \\
 &= \frac{(4bB + 3aC)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} \\
 &= \frac{(8Ab^2 + 12abB + 3a^2C + 4b^2C) \sqrt{\frac{b+a \cos(c+dx)}{a}}}{4d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(8a^2B + 4b^2B + ab(8A + 7C)) \sqrt{\frac{b+a \cos(c+dx)}{a}}}{4d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 34.7861, size = 120732, normalized size = 342.02

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2),x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.599, size = 2099, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)
,x)
```

```
[Out] -1/4/d*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))^3*(2*C*sin(d*x+c)*((a-b)/(a+b))^(1/2)
*(1/(cos(d*x+c)+1))^(3/2)*b^2+8*A*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))*
((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*b^2-16*A*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x
+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*b^2-4*B*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c
),(-a+b)/(a-b))^(1/2)*cos(d*x+c)^2*b^2+5*C*cos(d*x+c)^2*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
)/sin(d*x+c),(-a+b)/(a-b))^(1/2)*a^2-2*C*cos(d*x+c)^2*EllipticF((-1+cos(d
*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2)*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2+4*C*cos(d*x+c)^2*EllipticF((-1+cos(d*x
+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2)*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*b^2-6*C*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c
)+1))^(1/2)*cos(d*x+c)^2*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin
(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*a^2-8*C*cos(d*x+c)^2*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b
))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*b^2+8*A*(1/(a+b)*(b+
a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2)*cos(d*x+c)^2*a*b+5*C*((a-b)/(a+b))^(
1/2)*cos(d*x+c)^2*a^2*(1/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)+8*B*EllipticF((-
1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*a*b+4*B*((a-b)/(a+b))^(
1/2)*cos(d*x+c)^2*sin(d*x+c)*a*b*(1/(cos(d*x+c)+1))^(3/2)+2*C*((a-b)/(a+b)
)^(1/2)*cos(d*x+c)^2*a*b*(1/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)+7*C*((a-b)/(a+
b))^(1/2)*cos(d*x+c)*a*b*(1/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)+8*A*EllipticF(
(-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2)*(1/(a+
b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*a^2-8*A*(1/(a+b)*(b+
```

```

a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*cos(d*x+c)^2*a^2-8*B*EllipticF((-1+
cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*
(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*a^2-2*C*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))*((a-
b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b+8*A*sin(d*x+c)*cos(d*x
+c)^2*(1/(cos(d*x+c)+1))^(3/2)*((a-b)/(a+b))^(1/2)*a*b+4*B*((a-b)/(a+b))^(1
/2)*cos(d*x+c)*sin(d*x+c)*b^2*(1/(cos(d*x+c)+1))^(3/2)+2*C*sin(d*x+c)*((a-b
)/(a+b))^(1/2)*cos(d*x+c)*b^2*(1/(cos(d*x+c)+1))^(3/2)-16*A*cos(d*x+c)^2*El
lipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2)
)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a*b+4*B*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*cos(d*x+c)^2*a*b-24*B*cos(d*x+c)^2*(1/(a
+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b
)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a*b-5*C*cos(d*
x+c)^2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*
x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b+8*A*sin(d*x+
c)*cos(d*x+c)^3*(1/(cos(d*x+c)+1))^(3/2)*((a-b)/(a+b))^(1/2)*a^2)*((b+a*cos
(d*x+c))/cos(d*x+c))^(1/2)/((a-b)/(a+b))^(1/2)/(b+a*cos(d*x+c))/cos(d*x+c)^
(3/2)/sin(d*x+c)^6/(1/(cos(d*x+c)+1))^(3/2)

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)
^(1/2),x, algorithm="maxima")

```

```

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)
)*sqrt(cos(d*x + c)), x)

```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c)), x)
```

$$3.1346 \quad \int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=446

$$\frac{(a^2(48A+17C)+42abB+8b^2(3A+2C))\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{24d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{\sin(c+dx)(3a^2C+30abB+24A)}{24bd\sqrt{\cos(c+dx)}}$$

```
[Out] ((42*a*b*B + 8*b^2*(3*A + 2*C) + a^2*(48*A + 17*C))*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((6*a^2*b*B + 8*b^3*B - a^3*C + 12*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((24*A*b^2 + 30*a*b*B + 3*a^2*C + 16*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*b*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)) + ((2*b*B + a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + ((24*A*b^2 + 30*a*b*B + 3*a^2*C + 16*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d*Sqrt[Cos[c + d*x]]) + (C*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))
```

Rubi [A] time = 1.81079, antiderivative size = 446, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx)(3a^2C+30abB+24Ab^2+16b^2C)\sqrt{a+b \sec(c+dx)}}{24bd\sqrt{\cos(c+dx)}} + \frac{(a^2(48A+17C)+42abB+8b^2(3A+2C))\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{24d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]
```

```
[Out] ((42*a*b*B + 8*b^2*(3*A + 2*C) + a^2*(48*A + 17*C))*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((6*a^2*b*B + 8*b^3*B - a^3*C + 12*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((24*A*b^2 + 30*a*b*B + 3*a^2*C + 16*b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (
```

$$2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(24*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((2*b*B + a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + ((24*A*b^2 + 30*a*b*B + 3*a^2*C + 16*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d*Sqrt[Cos[c + d*x]]) + (C*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))$$
Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)
]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} (a + b \sec(c + dx)) \\
&= \frac{C(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3} (\sqrt{\cos(c + dx)} (a + b \sec(c + dx))) \\
&= \frac{(2bB + aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} + \frac{C(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(2bB + aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} + \frac{(24Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(2bB + aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} + \frac{(24Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(2bB + aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} + \frac{(24Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(2bB + aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} + \frac{(24Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(2bB + aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)} + \frac{(24Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(6a^2bB + 8b^3B - a^3C + 12ab^2(2A + C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{8bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(42abB + 8b^2(3A + 2C) + a^2(48A + 17C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{24d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 34.5252, size = 132839, normalized size = 297.85

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]
```

[Out] Result too large to show

Maple [C] time = 0.609, size = 2725, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{1/2},x)$

[Out] $\frac{1}{24}d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^{3*(-42*B*\sin(d*x+c)*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{3/2}-17*C*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a^2*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-22*C*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-22*C*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-24*A*\sin(d*x+c)*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{3/2}-30*B*\sin(d*x+c)*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2})*a^2*b*(1/(\cos(d*x+c)+1))^{3/2}-12*B*\sin(d*x+c)*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{3/2}-14*C*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-16*C*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-24*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*a*b^2+48*A*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a^2*b-48*A*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a*b^2-30*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)^3*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a^2*b+30*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)^3*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a*b^2+72*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*a*b^2+14*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*a^2*b-20*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*a*b^2+3*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*a^2*b-16*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*a*b^2+144*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*a*b^2-24*A*\sin(d*x+c)*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*b^3*(1/(\cos(d$

```

x+c)+1))^(3/2)-16*C*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*b^3*sin(d*x+c)*(1/(cos
(d*x+c)+1))^(3/2)-12*B*cos(d*x+c)^2*sin(d*x+c)*((a-b)/(a+b))^(1/2)*(1/(cos(
d*x+c)+1))^(3/2)*b^3-12*B*cos(d*x+c)*sin(d*x+c)*((a-b)/(a+b))^(1/2)*(1/(cos
(d*x+c)+1))^(3/2)*b^3-8*C*cos(d*x+c)*((a-b)/(a+b))^(1/2)*b^3*sin(d*x+c)*(1/
(cos(d*x+c)+1))^(3/2)+36*B*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/s
in(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*cos(d*x+c)^3*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b+12*B*EllipticF((-1+cos(d*x+c))*((a-b)/
(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*cos(d*x+c)^3*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b+12*B*EllipticF((-1+cos(d*x+c))*((a-b)
/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*cos(d*x+c)^3*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*a*b^2+24*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),
(-(a+b)/(a-b))^(1/2))*cos(d*x+c)^3*b^3-8*C*((a-b)/(a+b))^(1/2)*b^3*sin(d*x+c
)*(1/(cos(d*x+c)+1))^(3/2)+48*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),
I/((a-b)/(a+b))^(1/2))*cos(d*x+c)^3*b^3-24*B*EllipticF((-1+cos(d*x+c))*((a-
b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*cos(d*x+c)^3*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*b^3-6*C*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d
*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),
(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*cos(d*x+c)^3*a^3+6*C*(1/(a+b)*(b+a*cos(d*
x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/s
in(d*x+c),(-(a+b)/(a-b))^(1/2))*cos(d*x+c)^3*a^3-3*C*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin
(d*x+c),(-(a+b)/(a-b))^(1/2))*cos(d*x+c)^3*a^3+16*C*(1/(a+b)*(b+a*cos(d*x+c
)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(
d*x+c),(-(a+b)/(a-b))^(1/2))*cos(d*x+c)^3*b^3-3*C*cos(d*x+c)^3*((a-b)/(a+b)
)^(1/2)*a^3*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2))/b/((a-b)/(a+b))^(1/2)/(b+a
*cos(d*x+c))/sin(d*x+c)^6/cos(d*x+c)^(5/2)/(1/(cos(d*x+c)+1))^(3/2)

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)), x)

$$3.1347 \quad \int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=551

$$\frac{(136a^2bB - 3a^3C + 12ab^2(28A + 19C) + 128b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{\sin(c+dx)(3a^2C + 56abB)}{96bd \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}}{192bd \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((136*a^2*b*B + 128*b^3*B - 3*a^3*C + 12*a*b^2*(28*A + 19*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(192*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((8*a^3*b*B - 96*a*b^3*B - 3*a^4*C - 24*a^2*b^2*(2*A + C) - 16*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(64*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((24*a^2*b*B + 128*b^3*B - 9*a^3*C + 12*a*b^2*(20*A + 13*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(192*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((8*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Cos[c + d*x]^(5/2)) + ((48*A*b^2 + 56*a*b*B + 3*a^2*C + 36*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*b*d*Cos[c + d*x]^(3/2)) + ((24*a^2*b*B + 128*b^3*B - 9*a^3*C + 12*a*b^2*(20*A + 13*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b^2*d*Sqrt[Cos[c + d*x]]) + (C*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2))
```

Rubi [A] time = 2.34832, antiderivative size = 551, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx)(3a^2C + 56abB + 48Ab^2 + 36b^2C) \sqrt{a+b \sec(c+dx)}}{96bd \cos^{\frac{3}{2}}(c+dx)} + \frac{\sin(c+dx)(24a^2bB - 9a^3C + 12ab^2(20A + 13C) + 128b^3B)}{192b^2d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2), x]
```

```
[Out] ((136*a^2*b*B + 128*b^3*B - 3*a^3*C + 12*a*b^2*(28*A + 19*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(192*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((8*a^3*b*B - 96*a*b^3*B - 3*a^4*C - 24*a^2*b^2*(2*A + C) - 16*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(64*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((24*a^2*b*B + 128*b^3*B - 9*a^3*C + 12*a*b^2*(20*A + 13*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(192*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((8*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Cos[c + d*x]^(5/2)) + ((48*A*b^2 + 56*a*b*B + 3*a^2*C + 36*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*b*d*Cos[c + d*x]^(3/2)) + ((24*a^2*b*B + 128*b^3*B - 9*a^3*C + 12*a*b^2*(20*A + 13*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b^2*d*Sqrt[Cos[c + d*x]]) + (C*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2))
```

```

Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((8*a^3*b*B - 96*a*b^3*B - 3*a^4*
C - 24*a^2*b^2*(2*A + C) - 16*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a
+ b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(64*b^2*d*Sqrt[Cos[c + d*
x]]*Sqrt[a + b*Sec[c + d*x]]) - ((24*a^2*b*B + 128*b^3*B - 9*a^3*C + 12*a*b
^2*(20*A + 13*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*
Sqrt[a + b*Sec[c + d*x]])/(192*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) +
((8*b*B + 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Cos[c + d*x]^
(5/2)) + ((48*A*b^2 + 56*a*b*B + 3*a^2*C + 36*b^2*C)*Sqrt[a + b*Sec[c + d*x
]]*Sin[c + d*x])/(96*b*d*Cos[c + d*x]^(3/2)) + ((24*a^2*b*B + 128*b^3*B - 9
*a^3*C + 12*a*b^2*(20*A + 13*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(19
2*b^2*d*Sqrt[Cos[c + d*x]]) + (C*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(
4*d*Cos[c + d*x]^(5/2))

```

Rule 4265

```

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a
+ b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

```

Rule 4096

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

```

Rule 4102

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4108

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)

```

+ (a_)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]) * Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]) * Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{3}{2}}(c + dx) (a + b \sec(c + dx))^{3/2} dx \\
&= \frac{C(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)} + \frac{1}{4} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{3}{2}}(c + dx) (a + b \sec(c + dx))^{3/2} dx \\
&= \frac{(8bB + 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} + \frac{C(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(8bB + 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} + \frac{(48Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(8bB + 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} + \frac{(48Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(8bB + 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} + \frac{(48Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(8bB + 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} + \frac{(48Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(8bB + 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} + \frac{(48Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(8bB + 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} + \frac{(48Ab^2 + 3a^2C) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(8a^3bB - 96ab^3B - 3a^4C - 24a^2b^2(2A + C) - 16b^4C) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{64b^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(136a^2bB + 128b^3B - 3a^3C + 12ab^2(28A + 19C)) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{192bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 36.0003, size = 179293, normalized size = 325.4

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2),x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.862, size = 3943, normalized size = 7.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x)
```

```
[Out] -1/192/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))^3*(72*C*((a-b)/(a+b))^(1/2)*(1/(cos(d*x+c)+1))^(3/2)*cos(d*x+c)^2*sin(d*x+c)*b^4+240*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*sin(d*x+c)*a^2*b^2*(1/(cos(d*x+c)+1))^(3/2)+176*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*a*b^3*(1/(cos(d*x+c)+1))^(3/2)+136*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*sin(d*x+c)*a^2*b^2*(1/(cos(d*x+c)+1))^(3/2)+78*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^2*b^2*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+120*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a*b^3*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+24*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*sin(d*x+c)*a^3*b*(1/(cos(d*x+c)+1))^(3/2)+112*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*sin(d*x+c)*a^2*b^2*(1/(cos(d*x+c)+1))^(3/2)+128*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*sin(d*x+c)*a*b^3*(1/(cos(d*x+c)+1))^(3/2)+228*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a*b^3*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+78*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a^2*b^2*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+6*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*a^3*b*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+156*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*a^2*b^2*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+72*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*a*b^3*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+336*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*sin(d*x+c)*a*b^3*(1/(cos(d*x+c)+1))^(3/2)+176*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*sin(d*x+c)*a*b^3*(1/(cos(d*x+c)+1))^(3/2)+120*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b^3*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)+96*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*sin(d*x+c)*a*b^3*(1/(cos(d*x+c)+1))^(3/2)+48*B*cos(d*x+c)^4*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a^3*b-576*B*cos(d*x+c)^4*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a*b^3-48*B*cos(d*x+c)^4*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c+1))^(1/2)*a^3*b-
```

$$\begin{aligned}
& 112*B*\cos(d*x+c)^4*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), \\
& (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2* \\
& b^2+160*B*\cos(d*x+c)^4*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d* \\
& x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}* \\
& a*b^3+24*B*\cos(d*x+c)^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*Ell \\
& ipsisE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}) \\
& *a^3*b-24*B*\cos(d*x+c)^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*El \\
& lipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2} \\
&)*a^2*b^2+128*B*\cos(d*x+c)^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
&)*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2} \\
&)*a*b^3+48*C*((a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*b^4*(1/(\cos(d*x+c) \\
& +1))^{3/2}-144*C*\cos(d*x+c)^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
&)*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), \\
& I/((a-b)/(a+b))^{1/2})*a^2*b^2-6*C*\cos(d*x+c)^4*EllipticF((-1+\cos(d*x+c))* \\
& (a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{1/2}*a^3*b-84*C*\cos(d*x+c)^4*EllipticF((-1+\cos(d*x+c))* \\
& ((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{1/2}*a^2*b^2-72*C*\cos(d*x+c)^4*EllipticF((-1+\cos(d*x+c) \\
&))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d \\
& *x+c))/(\cos(d*x+c)+1))^{1/2}*a*b^3+9*C*\cos(d*x+c)^4*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(\\
& d*x+c), (-a+b)/(a-b))^{1/2})*a^3*b+156*C*\cos(d*x+c)^4*(1/(a+b)*(b+a*\cos(d*x \\
& +c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin \\
& (d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b^2-156*C*\cos(d*x+c)^4*(1/(a+b)*(b+a*\cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \\
&)/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^3-9*C*((a-b)/(a+b))^{1/2}*\cos(d*x+c) \\
& ^4*a^4*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-96*A*\cos(d*x+c)^4*EllipticF((-1+ \\
& \cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(\\
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a*b^3+240*A*\cos(d*x+c)^4*(1/(a+b)*(b+ \\
& a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b)) \\
& ^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b^2-240*A*\cos(d*x+c)^4*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a \\
& +b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^3+64*B*((a-b)/(a+b))^{1/2}* \\
& \cos(d*x+c)*\sin(d*x+c)*b^4*(1/(\cos(d*x+c)+1))^{3/2}+96*A*((a-b)/(a+b))^{1/2} \\
& *(1/(\cos(d*x+c)+1))^{3/2}*\cos(d*x+c)^3*\sin(d*x+c)*b^4+72*C*((a-b)/(a+b))^{1/2} \\
&)*\cos(d*x+c)^3*\sin(d*x+c)*b^4*(1/(\cos(d*x+c)+1))^{3/2}+96*A*((a-b)/(a+b)) \\
& ^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*b^4*(1/(\cos(d*x+c)+1))^{3/2}+128*B*((a-b)/(a \\
& +b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*b^4*(1/(\cos(d*x+c)+1))^{3/2}-96*A*\cos(d* \\
& x+c)^4*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a- \\
& b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b^2+64*B*((a \\
& -b)/(a+b))^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*b^4*(1/(\cos(d*x+c)+1))^{3/2}-288*A \\
& *\cos(d*x+c)^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((- \\
& 1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2} \\
&)*a^2*b^2-384*A*\cos(d*x+c)^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
&)*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b),
\end{aligned}$$

$$\frac{I/\left(\frac{a-b}{a+b}\right)^{1/2} * b^4 - 128 * B * \left(\frac{1}{a+b}\right) * (b + a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \cos(dx+c)^4 * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) * \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2} * b^4 - 18 * C * \cos(dx+c)^4 * \left(\frac{1}{a+b}\right) * (b + a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) * \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \frac{a+b}{a-b}, I/\left(\frac{a-b}{a+b}\right)^{1/2} * a^4 - 288 * C * \cos(dx+c)^4 * \left(\frac{1}{a+b}\right) * (b + a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) * \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \frac{a+b}{a-b}, I/\left(\frac{a-b}{a+b}\right)^{1/2} * b^4 + 18 * C * \cos(dx+c)^4 * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) * \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2} * \left(\frac{1}{a+b}\right) * (b + a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * a^4 + 144 * C * \cos(dx+c)^4 * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) * \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2} * \left(\frac{1}{a+b}\right) * (b + a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * b^4 - 9 * C * \cos(dx+c)^4 * \left(\frac{1}{a+b}\right) * (b + a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) * \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2} * a^4 + 48 * C * \left(\frac{a-b}{a+b}\right)^{1/2} * \sin(dx+c) * b^4 * \left(\frac{1}{\cos(dx+c)+1}\right)^{3/2} + 192 * A * \cos(dx+c)^4 * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) * \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2} * \left(\frac{1}{a+b}\right) * (b + a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * b^4 / b^2 / \left(\frac{a-b}{a+b}\right)^{1/2} / (b + a * \cos(dx+c)) / \sin(dx+c)^6 / \cos(dx+c)^{7/2} / \left(\frac{1}{\cos(dx+c)+1}\right)^{3/2}}{dx}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((C*sec(dx+c)^2 + B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(3/2)/cos(dx+c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/cos(d*x + c)^(3/2), x)

$$3.1348 \quad \int \cos^{\frac{11}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C$$

Optimal. Leaf size=565

$$\frac{2(a^2 - b^2)(15a^2b^2(19A + 33C) + 75a^4(9A + 11C) + 1254a^3bB - 110ab^3B + 40Ab^4) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx)\right)}{3465a^3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

```
[Out] (2*(a^2 - b^2)*(40*A*b^4 + 1254*a^3*b*B - 110*a*b^3*B + 75*a^4*(9*A + 11*C)
+ 15*a^2*b^2*(19*A + 33*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(
c + d*x)/2, (2*a)/(a + b)]/(3465*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c
+ d*x]]) + (2*(40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B + 15*a
^2*b^3*(17*A + 33*C) + 15*a^4*b*(247*A + 319*C))*Sqrt[Cos[c + d*x]]*Ellipti
cE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3465*a^3*d*Sqrt[(
b + a*Cos[c + d*x])/(a + b)] - (2*(20*A*b^4 - 1793*a^3*b*B - 55*a*b^3*B -
75*a^4*(9*A + 11*C) - 5*a^2*b^2*(205*A + 297*C))*Sqrt[Cos[c + d*x]]*Sqrt[a
+ b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a^2*d) + (2*(15*A*b^3 + 539*a^3*B + 8
25*a*b^2*B + 5*a^2*b*(229*A + 297*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c +
d*x]]*Sin[c + d*x])/(3465*a*d) + (2*(5*A*b^2 + 44*a*b*B + 3*a^2*(9*A + 11*
C))*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(231*d) + (2*
(5*A*b + 11*a*B)*Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x]
)/(99*d) + (2*A*Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x]
)/(11*d)
```

Rubi [A] time = 2.48463, antiderivative size = 565, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) (3a^2(9A + 11C) + 44abB + 5Ab^2) \sqrt{a + b \sec(c + dx)}}{231d} + \frac{2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) (5a^2b(229A + 297C) + 5a^2b(229A + 297C))}{231d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*
Sec[c + d*x]^2), x]
```

```
[Out] (2*(a^2 - b^2)*(40*A*b^4 + 1254*a^3*b*B - 110*a*b^3*B + 75*a^4*(9*A + 11*C)
+ 15*a^2*b^2*(19*A + 33*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(
c + d*x)/2, (2*a)/(a + b)]/(3465*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c
```

+ d*x]]) + (2*(40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B + 15*a^2*b^3*(17*A + 33*C) + 15*a^4*b*(247*A + 319*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3465*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(20*A*b^4 - 1793*a^3*b*B - 55*a*b^3*B - 75*a^4*(9*A + 11*C) - 5*a^2*b^2*(205*A + 297*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a^2*d) + (2*(15*A*b^3 + 539*a^3*B + 825*a*b^2*B + 5*a^2*b*(229*A + 297*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a*d) + (2*(5*A*b^2 + 44*a*b*B + 3*a^2*(9*A + 11*C))*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(231*d) + (2*(5*A*b + 11*a*B)*Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(99*d) + (2*A*Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(11*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^m*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{

a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx \\
&= \frac{2A \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{11d} \\
&= \frac{2(5Ab+11aB) \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{99d} \\
&= \frac{2(5Ab^2+44abB+3a^2(9A+11C)) \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{231d} \\
&= \frac{2(15Ab^3+539a^3B+825ab^2B+5a^2b(9A+11C)) \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{231d} \\
&= -\frac{2(20Ab^4-1793a^3bB-55ab^3B-75a^2(9A+11C)) \cos^{\frac{1}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{231d} \\
&= -\frac{2(20Ab^4-1793a^3bB-55ab^3B-75a^2(9A+11C)) \cos^{\frac{1}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{231d} \\
&= -\frac{2(20Ab^4-1793a^3bB-55ab^3B-75a^2(9A+11C)) \cos^{\frac{1}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{231d} \\
&= \frac{2(a^2-b^2)(40Ab^4+1254a^3bB-110ab^3B-75a^2(9A+11C)) \cos^{\frac{1}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{3465d}
\end{aligned}$$

Mathematica [C] time = 25.7296, size = 4170, normalized size = 7.38

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]
] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[
c + d*x]^2)*(((6525*a^4*A + 9330*a^2*A*b^2 - 160*A*b^4 + 16434*a^3*b*B + 44
0*a*b^3*B + 7590*a^4*C + 11880*a^2*b^2*C)*Sin[c + d*x])/(6930*a^2) + ((3095
*a^2*A*b + 30*A*b^3 + 1463*a^3*B + 1650*a*b^2*B + 2970*a^2*b*C)*Sin[2*(c +
d*x)])/(3465*a) + ((513*a^2*A + 452*A*b^2 + 836*a*b*B + 396*a^2*C)*Sin[3*(c
+ d*x)]/2772 + (a*(23*A*b + 11*a*B)*Sin[4*(c + d*x)]/198 + (a^2*A*Ssin[5*
(c + d*x)]/44))/(d*(b + a*cos[c + d*x])^2*(A + 2*C + 2*B*cos[c + d*x] + A*
Cos[2*c + 2*d*x])) - (4*cos[c + d*x]^(3/2)*((494*a^2*A*b*Sqrt[Cos[c + d*x]]
)/(231*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (34*A*b^3*Sqrt[Cos[c
+ d*x]])/(231*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*A*b^5*Sqrt
[Cos[c + d*x]])/(693*a^2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (14
*a^3*B*Sqrt[Cos[c + d*x]])/(15*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]])
+ (62*a*b^2*B*Sqrt[Cos[c + d*x]])/(35*Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c
+ d*x]]) - (4*b^4*B*Sqrt[Cos[c + d*x]])/(63*a*Sqrt[b + a*cos[c + d*x]]*Sqrt
[Sec[c + d*x]]) + (58*a^2*b*C*Sqrt[Cos[c + d*x]])/(21*Sqrt[b + a*cos[c + d*
x]]*Sqrt[Sec[c + d*x]]) + (2*b^3*C*Sqrt[Cos[c + d*x]])/(7*Sqrt[b + a*cos[c
+ d*x]]*Sqrt[Sec[c + d*x]]) + (30*a^3*A*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x
]])/(77*Sqrt[b + a*cos[c + d*x]]) + (442*a*A*b^2*Sqrt[Cos[c + d*x]]*Sqrt[Se
c[c + d*x]])/(231*Sqrt[b + a*cos[c + d*x]]) + (4*A*b^4*Sqrt[Cos[c + d*x]]*S
qrt[Sec[c + d*x]])/(693*a*Sqrt[b + a*cos[c + d*x]]) + (58*a^2*b*B*Sqrt[Cos[
c + d*x]]*Sqrt[Sec[c + d*x]])/(35*Sqrt[b + a*cos[c + d*x]]) + (62*b^3*B*Sqr
t[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(63*Sqrt[b + a*cos[c + d*x]]) + (10*a^3
*C*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*cos[c + d*x]]) + (
18*a*b^2*C*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(7*Sqrt[b + a*cos[c + d*x
]]))*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(a + b*Sec[c + d*x])^(5/2)*(A
+ B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-I)*(a + b)*(40*A*b^5 + 1617*a^5*B +
3069*a^3*b^2*B - 110*a*b^4*B + 15*a^2*b^3*(17*A + 33*C) + 15*a^4*b*(247*A
+ 319*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c +
d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(a
+ b)*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 121*B + 33*C)
+ 3*a^4*(225*A + 539*B + 275*C) + 6*a^3*b*(505*A + 209*B + 660*C))*Elliptic
F[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((
b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (40*A*b^5 + 1617*a^5*B +
3069*a^3*b^2*B - 110*a*b^4*B + 15*a^2*b^3*(17*A + 33*C) + 15*a^4*b*(247*A
+ 319*C))*(b + a*cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]
)/(3465*a^3*d*(b + a*cos[c + d*x])^3*(A + 2*C + 2*B*cos[c + d*x] + A*cos[2*
c + 2*d*x])*Sec[c + d*x]^(9/2)*((-2*cos[c + d*x]^(3/2)*(Cos[(c + d*x)/2]^2*
Sec[c + d*x])^(3/2)*Sin[c + d*x]*((-I)*(a + b)*(40*A*b^5 + 1617*a^5*B + 306
9*a^3*b^2*B - 110*a*b^4*B + 15*a^2*b^3*(17*A + 33*C) + 15*a^4*b*(247*A + 31
9*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x
)/2]^2*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b
)*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 121*B + 33*C) + 3*
a^4*(225*A + 539*B + 275*C) + 6*a^3*b*(505*A + 209*B + 660*C))*EllipticF[I*
ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b +
a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (40*A*b^5 + 1617*a^5*B + 306
```

$$\begin{aligned}
& 9a^3b^2B - 110ab^4B + 15a^2b^3(17A + 33C) + 15a^4b(247A + 319C)) \cdot (b + a\cos[c + dx]) \cdot (\sec[(c + dx)/2]^{3/2} \tan[(c + dx)/2]) / (3465a^2(b + a\cos[c + dx])^{3/2}) + (2\sqrt{\cos[c + dx]} \cdot (\cos[(c + dx)/2]^{2\sec[c + dx]} \sin[c + dx] \cdot (-1)(a + b) \cdot (40A^5b + 1617a^5B + 3069a^3b^2B - 110ab^4B + 15a^2b^3(17A + 33C) + 15a^4b(247A + 319C))) \cdot \text{EllipticE}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{2\sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^2)/(a + b)} + I \cdot a \cdot (a + b) \cdot (40A^4b - 10ab^3(3A + 11B) + 15a^2b^2(19A + 121B + 33C) + 3a^4(225A + 539B + 275C) + 6a^3b(505A + 209B + 660C))} \cdot \text{EllipticF}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{2\sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^2)/(a + b)} - (40A^5b + 1617a^5B + 3069a^3b^2B - 110ab^4B + 15a^2b^3(17A + 33C) + 15a^4b(247A + 319C))} \cdot (b + a\cos[c + dx]) \cdot (\sec[(c + dx)/2]^{3/2} \tan[(c + dx)/2]) / ((1155a^3\sqrt{b + a\cos[c + dx]}) - (4\cos[c + dx]^{3/2} \cdot (\cos[(c + dx)/2]^{2\sec[c + dx]} \sin[c + dx])^{3/2} \cdot (-((40A^5b + 1617a^5B + 3069a^3b^2B - 110ab^4B + 15a^2b^3(17A + 33C) + 15a^4b(247A + 319C)) \cdot (b + a\cos[c + dx]) \cdot (\sec[(c + dx)/2]^{5/2})/2 - I \cdot (a + b) \cdot (40A^5b + 1617a^5B + 3069a^3b^2B - 110ab^4B + 15a^2b^3(17A + 33C) + 15a^4b(247A + 319C))) \cdot \text{EllipticE}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{2\sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^2)/(a + b)} \cdot \tan[(c + dx)/2] + I \cdot a \cdot (a + b) \cdot (40A^4b - 10ab^3(3A + 11B) + 15a^2b^2(19A + 121B + 33C) + 3a^4(225A + 539B + 275C) + 6a^3b(505A + 209B + 660C))} \cdot \text{EllipticF}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{2\sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^2)/(a + b)} \cdot \tan[(c + dx)/2] + a \cdot (40A^5b + 1617a^5B + 3069a^3b^2B - 110ab^4B + 15a^2b^3(17A + 33C) + 15a^4b(247A + 319C))} \cdot (\sec[(c + dx)/2]^{3/2} \sin[c + dx] \cdot \tan[(c + dx)/2] - (3 \cdot (40A^5b + 1617a^5B + 3069a^3b^2B - 110ab^4B + 15a^2b^3(17A + 33C) + 15a^4b(247A + 319C)) \cdot (b + a\cos[c + dx]) \cdot (\sec[(c + dx)/2]^{3/2} \tan[(c + dx)/2]^2)/2 - ((I/2) \cdot (a + b) \cdot (40A^5b + 1617a^5B + 3069a^3b^2B - 110ab^4B + 15a^2b^3(17A + 33C) + 15a^4b(247A + 319C))) \cdot \text{EllipticE}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{2 \cdot (-((a \cdot \sec[(c + dx)/2]^2 \sin[c + dx])/(a + b)) + ((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^2 \tan[(c + dx)/2])/(a + b))} / \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^2)/(a + b)} + ((I/2) \cdot a \cdot (a + b) \cdot (40A^4b - 10ab^3(3A + 11B) + 15a^2b^2(19A + 121B + 33C) + 3a^4(225A + 539B + 275C) + 6a^3b(505A + 209B + 660C))} \cdot \text{EllipticF}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{2 \cdot (-((a \cdot \sec[(c + dx)/2]^2 \sin[c + dx])/(a + b)) + ((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^2 \tan[(c + dx)/2])/(a + b))} / \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^2)/(a + b)} - (a \cdot (a + b) \cdot (40A^4b - 10ab^3(3A + 11B) + 15a^2b^2(19A + 121B + 33C) + 3a^4(225A + 539B + 275C) + 6a^3b(505A + 209B + 660C))} \cdot \sec[(c + dx)/2]^4 \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^2)/(a + b)} / (2\sqrt{1 + \tan[(c + dx)/2]^2} \sqrt{1 + ((-a + b) \cdot \tan[(c + dx)/2]^2)/(a + b)}) + ((a + b) \cdot (40A^5b + 1617a^5B + 3069a^3b^2B - 110ab^4B + 15a^2b^3(17A + 33C) + 15a^4b(247A + 319C))) \cdot \text{Se}
\end{aligned}$$

$$\begin{aligned} & c[(c + d*x)/2]^4 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] * \text{Sqrt}[1 + ((-a + b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)] / (2 * \text{Sqrt}[1 + \text{Tan}[(c + d*x)/2]^2]) \\ &) / ((3465 * a^3 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (2 * \text{Cos}[c + d*x]^{3/2} * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * ((-1) * (a + b) * (40 * A * b^5 + 1617 * a^5 * B + 3069 * a^3 * b^2 * B - 110 * a * b^4 * B + 15 * a^2 * b^3 * (17 * A + 33 * C) + 15 * a^4 * b * (247 * A + 319 * C)) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] + I * a * (a + b) * (40 * A * b^4 - 10 * a * b^3 * (3 * A + 11 * B) + 15 * a^2 * b^2 * (19 * A + 121 * B + 33 * C) + 3 * a^4 * (225 * A + 539 * B + 275 * C) + 6 * a^3 * b * (505 * A + 209 * B + 660 * C)) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] - (40 * A * b^5 + 1617 * a^5 * B + 3069 * a^3 * b^2 * B - 110 * a * b^4 * B + 15 * a^2 * b^3 * (17 * A + 33 * C) + 15 * a^4 * b * (247 * A + 319 * C)) * (b + a*\text{Cos}[c + d*x]) * (\text{Sec}[(c + d*x)/2]^2)^{3/2} * \text{Tan}[(c + d*x)/2]) * (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x])) / (1155 * a^3 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]])) \end{aligned}$$

Maple [B] time = 1.532, size = 5307, normalized size = 9.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb² cos(dx + c)⁵ sec(dx + c)⁴ + (2Cab + Bb²) cos(dx + c)⁵ sec(dx + c)³ + Aa² cos(dx + c)⁵ + (Ca² + 2Bab

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] integral((C*b^2*cos(d*x + c)^5*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)^5*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^5 + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^5*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^5*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(11/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(11/2), x)

$$3.1349 \quad \int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C$$

Optimal. Leaf size=452

$$\frac{2(a^2 - b^2)(-6a^2b(19A + 28C) - 75a^3B - 45ab^2B + 10Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + \frac{2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) (7a^2(7A + 9C) + 90abB + 15Ab^2) \sqrt{a + b \sec(c + dx)}}{315a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}}{315a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) (a^2b(163A + 231C) + 135ab^2B + a^2b(163A + 231C)) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{315a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(10Ab^4 - 435a^3bB - 45a^2b^3B - 21a^4(7A + 9C) - 3a^2b^2(93A + 161C)) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{315a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(5Ab^3 + 75a^3B + 135ab^2B + a^2b(163A + 231C)) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{315a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(15Ab^2 + 90abB + 7a^2(7A + 9C)) \cos(c + dx)^{\frac{3}{2}} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{315d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(5Ab + 9aB) \cos(c + dx)^{\frac{5}{2}} (a + b \sec(c + dx))^{\frac{3}{2}} \sin(c + dx)}{63d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2A \cos(c + dx)^{\frac{7}{2}} (a + b \sec(c + dx))^{\frac{5}{2}} \sin(c + dx)}{9d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

```
[Out] (-2*(a^2 - b^2)*(10*A*b^3 - 75*a^3*B - 45*a*b^2*B - 6*a^2*b*(19*A + 28*C))*
Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(
315*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(10*A*b^4 - 435
*a^3*b*B - 45*a*b^3*B - 21*a^4*(7*A + 9*C) - 3*a^2*b^2*(93*A + 161*C))*Sqrt
[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x
]])/(315*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(5*A*b^3 + 75*a^3*B
+ 135*a*b^2*B + a^2*b*(163*A + 231*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c
+ d*x]]*Sin[c + d*x])/(315*a*d) + (2*(15*A*b^2 + 90*a*b*B + 7*a^2*(7*A + 9
*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2
*(5*A*b + 9*a*B)*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x
])/(63*d) + (2*A*Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])
/(9*d)
```

Rubi [A] time = 1.91044, antiderivative size = 452, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) (7a^2(7A + 9C) + 90abB + 15Ab^2) \sqrt{a + b \sec(c + dx)}}{315d} + \frac{2 \sin(c + dx) \sqrt{\cos(c + dx)} (a^2b(163A + 231C) + 135ab^2B + a^2b(163A + 231C)) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{315a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*S
ec[c + d*x]^2),x]
```

```
[Out] (-2*(a^2 - b^2)*(10*A*b^3 - 75*a^3*B - 45*a*b^2*B - 6*a^2*b*(19*A + 28*C))*
Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(
315*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(10*A*b^4 - 435
*a^3*b*B - 45*a*b^3*B - 21*a^4*(7*A + 9*C) - 3*a^2*b^2*(93*A + 161*C))*Sqrt
[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x
]])/(315*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(5*A*b^3 + 75*a^3*B
+ 135*a*b^2*B + a^2*b*(163*A + 231*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c
+ d*x]]*Sin[c + d*x])/(315*a*d) + (2*(15*A*b^2 + 90*a*b*B + 7*a^2*(7*A + 9
*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2
*(5*A*b + 9*a*B)*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x
])/(63*d) + (2*A*Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])
/(9*d)
```

$$+ 135*a*b^2*B + a^2*b*(163*A + 231*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(315*a*d) + (2*(15*A*b^2 + 90*a*b*B + 7*a^2*(7*A + 9*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]/(315*d) + (2*(5*A*b + 9*a*B)*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x]/(63*d) + (2*A*Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x]/(9*d))$$

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^m*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
```

qrt[b + a*Sin[e + f*x]], Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos(c+dx)} dx \\
&= \frac{2A \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{9d} \\
&= \frac{2(5Ab+9aB) \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{63d} \\
&= \frac{2(15Ab^2+90abB+7a^2(7A+9C)) \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{315d} \\
&= \frac{2(5Ab^3+75a^3B+135ab^2B+a^2b(163A+9C)) \cos^{\frac{1}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{315d} \\
&= \frac{2(5Ab^3+75a^3B+135ab^2B+a^2b(163A+9C)) \cos^{\frac{1}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{315d} \\
&= \frac{2(5Ab^3+75a^3B+135ab^2B+a^2b(163A+9C)) \cos^{\frac{1}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{315d} \\
&= \frac{2(5Ab^3+75a^3B+135ab^2B+a^2b(163A+9C)) \cos^{\frac{1}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{315d} \\
&= \frac{2(a^2-b^2)(10Ab^3-75a^3B-45ab^2B-5a^2b(163A+9C)) \cos^{\frac{1}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{315a^2d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 24.8359, size = 3785, normalized size = 8.37

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] (Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))*(((747*a^2*A*b + 20*A*b^3 + 345*a^3*B + 540*a*b^2*B + 924*a^2*b
```

$$\begin{aligned}
& *C) * \sin[c + dx] / (315 * a) + ((133 * a^2 * A + 150 * A * b^2 + 270 * a * b * B + 126 * a^2 * C) \\
&) * \sin[2 * (c + dx)] / 315 + (a * (19 * A * b + 9 * a * B) * \sin[3 * (c + dx)] / 63 + (a^2 * A \\
& * \sin[4 * (c + dx)] / 18) / (d * (b + a * \cos[c + dx])^2 * (A + 2 * C + 2 * B * \cos[c + dx] \\
& + A * \cos[2 * c + 2 * dx])) - (4 * \cos[c + dx]^{3/2} * ((14 * a^3 * A * \sqrt{\cos[c + dx]} \\
&)) / (15 * \sqrt{b + a * \cos[c + dx]} * \sqrt{\sec[c + dx]}) + (62 * a * A * b^2 * \sqrt{\cos[c + dx]} \\
&) / (35 * \sqrt{b + a * \cos[c + dx]} * \sqrt{\sec[c + dx]}) - (4 * A * b^4 * \sqrt{\cos[c + dx]} \\
&) / (63 * a * \sqrt{b + a * \cos[c + dx]} * \sqrt{\sec[c + dx]}) + (58 * a^2 * b * B * \sqrt{\cos[c + dx]} \\
&) / (21 * \sqrt{b + a * \cos[c + dx]} * \sqrt{\sec[c + dx]}) + (2 * b^3 * B * \sqrt{\cos[c + dx]} \\
&) / (7 * \sqrt{b + a * \cos[c + dx]} * \sqrt{\sec[c + dx]}) + (6 * a^3 * C * \sqrt{\cos[c + dx]} \\
&) / (5 * \sqrt{b + a * \cos[c + dx]} * \sqrt{\sec[c + dx]}) + (46 * a * b^2 * C * \sqrt{\cos[c + dx]} \\
&) / (15 * \sqrt{b + a * \cos[c + dx]} * \sqrt{\sec[c + dx]}) + (58 * a^2 * A * b * \sqrt{\cos[c + dx]} \\
&) * \sqrt{\sec[c + dx]} / (35 * \sqrt{b + a * \cos[c + dx]}) + (62 * A * b^3 * \sqrt{\cos[c + dx]} \\
&) * \sqrt{\sec[c + dx]} / (63 * \sqrt{b + a * \cos[c + dx]}) + (10 * a^3 * B * \sqrt{\cos[c + dx]} \\
&) * \sqrt{\sec[c + dx]} / (21 * \sqrt{b + a * \cos[c + dx]}) + (18 * a * b^2 * B * \sqrt{\cos[c + dx]} \\
&) * \sqrt{\sec[c + dx]} / (7 * \sqrt{b + a * \cos[c + dx]}) + (34 * a^2 * b * C * \sqrt{\cos[c + dx]} \\
&) * \sqrt{\sec[c + dx]} / (15 * \sqrt{b + a * \cos[c + dx]}) + (2 * b^3 * C * \sqrt{\cos[c + dx]} \\
&) * \sqrt{\sec[c + dx]} / \sqrt{b + a * \cos[c + dx]} * (\cos[(c + dx) / 2]^{2 * \sec[c + dx]^{3/2}} \\
& * (a + b * \sec[c + dx])^{5/2} * (A + B * \sec[c + dx] + C * \sec[c + dx]^2) * ((-1) * (a + b) * (-10 * A * b^4 \\
& + 435 * a^3 * b * B + 45 * a * b^3 * B + 21 * a^4 * (7 * A + 9 * C) + 3 * a^2 * b^2 * (93 * A \\
& + 161 * C)) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + dx) / 2]], (-a + b) / (a + b)] * \sec[(c + dx) / 2]^{2 * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx) / 2]^{2}) / (a + b)}} \\
& + I * a * (a + b) * (-10 * A * b^3 + 6 * a^2 * b * (19 * A + 60 * B + 28 * C) + 3 * a^3 * (49 * A + 25 * B + 63 * C) + 15 * a * b^2 * (11 * A + 3 * (B + 7 * C))) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c + dx) / 2]], (-a + b) / (a + b)] * \sec[(c + dx) / 2]^{2 * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx) / 2]^{2}) / (a + b)}} \\
& + (10 * A * b^4 - 435 * a^3 * b * B - 45 * a * b^3 * B - 21 * a^4 * (7 * A + 9 * C) - 3 * a^2 * b^2 * (93 * A + 161 * C)) * (b + a * \cos[c + dx]) * (\sec[(c + dx) / 2]^{2})^{3/2} * \tan[(c + dx) / 2]) / (315 * a^2 * d * (b + a * \cos[c + dx])^3 * (A + 2 * C + 2 * B * \cos[c + dx] + A * \cos[2 * c + 2 * dx]) * \sec[c + dx]^{9/2} \\
& * ((-2 * \cos[c + dx]^{3/2} * (\cos[(c + dx) / 2]^{2 * \sec[c + dx]^{3/2}} * \sin[c + dx] * ((-1) * (a + b) * (-10 * A * b^4 + 435 * a^3 * b * B + 45 * a * b^3 * B + 21 * a^4 * (7 * A + 9 * C) + 3 * a^2 * b^2 * (93 * A + 161 * C)) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + dx) / 2]], (-a + b) / (a + b)] * \sec[(c + dx) / 2]^{2 * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx) / 2]^{2}) / (a + b)}} \\
& + I * a * (a + b) * (-10 * A * b^3 + 6 * a^2 * b * (19 * A + 60 * B + 28 * C) + 3 * a^3 * (49 * A + 25 * B + 63 * C) + 15 * a * b^2 * (11 * A + 3 * (B + 7 * C))) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c + dx) / 2]], (-a + b) / (a + b)] * \sec[(c + dx) / 2]^{2 * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx) / 2]^{2}) / (a + b)}} \\
& + (10 * A * b^4 - 435 * a^3 * b * B - 45 * a * b^3 * B - 21 * a^4 * (7 * A + 9 * C) - 3 * a^2 * b^2 * (93 * A + 161 * C)) * (b + a * \cos[c + dx]) * (\sec[(c + dx) / 2]^{2})^{3/2} * \tan[(c + dx) / 2]) / (315 * a * (b + a * \cos[c + dx])^{3/2}) \\
& + (2 * \sqrt{\cos[c + dx]} * (\cos[(c + dx) / 2]^{2 * \sec[c + dx]^{3/2}} * \sin[c + dx] * ((-1) * (a + b) * (-10 * A * b^4 + 435 * a^3 * b * B + 45 * a * b^3 * B + 21 * a^4 * (7 * A + 9 * C) + 3 * a^2 * b^2 * (93 * A + 161 * C)) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + dx) / 2]], (-a + b) / (a + b)] * \sec[(c + dx) / 2]^{2 * \sqrt{((b + a * \cos[c + dx]) * \sec[(c + dx) / 2]^{2}) / (a + b)}} \\
& + I * a * (a + b) * (-10 * A * b^3 + 6 * a^2 * b * (19 * A + 60 * B + 28 * C) + 3 * a^3 * (49 * A + 25 * B + 63 * C) + 15 * a * b^2 * (11 * A + 3 * (B + 7 * C))) * \text{EllipticF}[I * \text{ArcSinh}
\end{aligned}$$

$$\begin{aligned}
& [\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] + (10*A*b^4 - 435*a^3*b*B - 45*a*b^3*B - 21*a^4*(7*A + 9*C) - 3*a^2*b^2*(93*A + 161*C)) * (b + a*\text{Cos}[c + d*x]) * (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Tan}[(c + d*x)/2]) / (105*a^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (4*\text{Cos}[c + d*x]^{(3/2)} * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x])^{(3/2)} * (((10*A*b^4 - 435*a^3*b*B - 45*a*b^3*B - 21*a^4*(7*A + 9*C) - 3*a^2*b^2*(93*A + 161*C)) * (b + a*\text{Cos}[c + d*x]) * (\text{Sec}[(c + d*x)/2]^2)^{(5/2)}) / 2 - I*(a + b)*(-10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(93*A + 161*C))) * \text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] * \text{Tan}[(c + d*x)/2] + I*a*(a + b)*(-10*A*b^3 + 6*a^2*b*(19*A + 60*B + 28*C) + 3*a^3*(49*A + 25*B + 63*C) + 15*a*b^2*(11*A + 3*(B + 7*C))) * \text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] * \text{Tan}[(c + d*x)/2] - a*(10*A*b^4 - 435*a^3*b*B - 45*a*b^3*B - 21*a^4*(7*A + 9*C) - 3*a^2*b^2*(93*A + 161*C)) * (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] + (3*(10*A*b^4 - 435*a^3*b*B - 45*a*b^3*B - 21*a^4*(7*A + 9*C) - 3*a^2*b^2*(93*A + 161*C)) * (b + a*\text{Cos}[c + d*x]) * (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Tan}[(c + d*x)/2]^2) / 2 - ((I/2)*(a + b)*(-10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(93*A + 161*C))) * \text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * (-((a*\text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x]) / (a + b)) + ((b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (a + b)) / \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] + ((I/2)*a*(a + b)*(-10*A*b^3 + 6*a^2*b*(19*A + 60*B + 28*C) + 3*a^3*(49*A + 25*B + 63*C) + 15*a*b^2*(11*A + 3*(B + 7*C))) * \text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * (-((a*\text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x]) / (a + b)) + ((b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (a + b)) / \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] - (a*(a + b)*(-10*A*b^3 + 6*a^2*b*(19*A + 60*B + 28*C) + 3*a^3*(49*A + 25*B + 63*C) + 15*a*b^2*(11*A + 3*(B + 7*C))) * \text{Sec}[(c + d*x)/2]^4 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] / (2*\text{Sqrt}[1 + \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 + ((-a + b)*\text{Tan}[(c + d*x)/2]^2) / (a + b)]) + ((a + b)*(-10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(93*A + 161*C)) * \text{Sec}[(c + d*x)/2]^4 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] * \text{Sqrt}[1 + ((-a + b)*\text{Tan}[(c + d*x)/2]^2) / (a + b)]) / (2*\text{Sqrt}[1 + \text{Tan}[(c + d*x)/2]^2])) / (315*a^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (2*\text{Cos}[c + d*x]^{(3/2)} * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * ((-I)*(a + b)*(-10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B + 21*a^4*(7*A + 9*C) + 3*a^2*b^2*(93*A + 161*C))) * \text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] + I*a*(a + b)*(-10*A*b^3 + 6*a^2*b*(19*A + 60*B + 28*C) + 3*a^3*(49*A + 25*B + 63*C) + 15*a*b^2*(11*A + 3*(B + 7*C))) * \text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] + (10*A*b^4 - 435*a^3*b*B - 45*a*b^3*B - 21*a^4*(7*A + 9*C) - 3*a^2*b^2*(93*A + 161*C)) * (b + a*\text{Cos}[c + d*x]) * (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Tan}[(c + d*x)/2]) * (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Sin}[(c + d*x)/2]) +
\end{aligned}$$

$\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x]) / (105*a^2 * \text{Sqrt}[b + a * \text{Cos}[c + d*x]])$

Maple [B] time = 1.032, size = 4157, normalized size = 9.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(9/2)} * (a+b*\sec(d*x+c))^{(5/2)} * (A+B*\sec(d*x+c)+C*\sec(d*x+c)^2), x)$

[Out]
$$-2/315/d * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)} * \cos(d*x+c)^{(1/2)} * (\cos(d*x+c)+1)^2 * (-1+\cos(d*x+c))^3 * (45*B*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^3 * a^5 * (1/(\cos(d*x+c)+1))^{(3/2)} + 63*C*((a-b)/(a+b))^{(1/2)} * \cos(d*x+c)^3 * a^5 * (1/(\cos(d*x+c)+1))^{(3/2)} * \sin(d*x+c) + 189*C*((a-b)/(a+b))^{(1/2)} * \cos(d*x+c) * a^5 * (1/(\cos(d*x+c)+1))^{(3/2)} * \sin(d*x+c) + 147*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c) * a^5 * (1/(\cos(d*x+c)+1))^{(3/2)} + 35*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^5 * a^5 * (1/(\cos(d*x+c)+1))^{(3/2)} + 147*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^4 * b * (1/(\cos(d*x+c)+1))^{(3/2)} + 75*B*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^4 * b * (1/(\cos(d*x+c)+1))^{(3/2)} + 435*B*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^3 * b^2 * (1/(\cos(d*x+c)+1))^{(3/2)} + 135*B*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^2 * b^3 * (1/(\cos(d*x+c)+1))^{(3/2)} + 45*B*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a * b^4 * (1/(\cos(d*x+c)+1))^{(3/2)} + 189*C*((a-b)/(a+b))^{(1/2)} * a^4 * b * (1/(\cos(d*x+c)+1))^{(3/2)} * \sin(d*x+c) + 231*C*((a-b)/(a+b))^{(1/2)} * a^3 * b^2 * (1/(\cos(d*x+c)+1))^{(3/2)} * \sin(d*x+c) + 483*C*((a-b)/(a+b))^{(1/2)} * a^2 * b^3 * (1/(\cos(d*x+c)+1))^{(3/2)} * \sin(d*x+c) + 279*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a^2 * b^3 * (1/(\cos(d*x+c)+1))^{(3/2)} + 5*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * a * b^4 * (1/(\cos(d*x+c)+1))^{(3/2)} + 49*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^2 * a^5 * (1/(\cos(d*x+c)+1))^{(3/2)} + 49*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^3 * a^5 * (1/(\cos(d*x+c)+1))^{(3/2)} + 45*B*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * (1/(\cos(d*x+c)+1))^{(3/2)} * \cos(d*x+c)^4 * a^5 + 75*B*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * (1/(\cos(d*x+c)+1))^{(3/2)} * \cos(d*x+c)^2 * a^5 + 75*B*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * (1/(\cos(d*x+c)+1))^{(3/2)} * \cos(d*x+c) * a^5 + 35*A*((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^4 * a^5 * (1/(\cos(d*x+c)+1))^{(3/2)} - 10*A * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * b^5 + 147*A * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a^5 - 147*A * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^5 - 75*B * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))$$

$$\begin{aligned}
&)^{(1/2)} * a^5 + 189 * C * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), \\
&(- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a^5 - 1 \\
&89 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1 + \cos(dx+c)) * \\
&((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- (a+b)/(a-b))^{(1/2)}) * a^5 + 294 * C * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c) \\
&^2 * a^4 * b * (1/(\cos(dx+c)+1))^{(3/2)} * \sin(dx+c) + 212 * A * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) * a^4 * b * \\
&(1/(\cos(dx+c)+1))^{(3/2)} + 212 * A * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) ^2 * a^4 * b * (1/(\cos(dx+c)+1))^{(3/2)} \\
&+ 170 * A * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) ^2 * a^3 * b^2 * (1/(\cos(dx+c)+1))^{(3/2)} + 80 * A * \\
&((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) ^2 * a^2 * b^3 * (1/(\cos(dx+c)+1))^{(3/2)} + 130 * A * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) \\
&^3 * a^4 * b * (1/(\cos(dx+c)+1))^{(3/2)} + 170 * A * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) ^3 * a^3 * b^2 * \\
&(1/(\cos(dx+c)+1))^{(3/2)} + 130 * A * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) ^4 * a^4 * b * (1/(\cos(dx+c)+1))^{(3/2)} + 270 * B * \\
&((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) * a^3 * b^2 * (1/(\cos(dx+c)+1))^{(3/2)} - 5 * A * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) * a * b^4 * \\
&(1/(\cos(dx+c)+1))^{(3/2)} + 180 * B * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) ^3 * a^4 * b * (1/(\cos(dx+c)+1))^{(3/2)} + 442 * A * \\
&((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) ^3 * a^4 * b * (1/(\cos(dx+c)+1))^{(3/2)} + 80 * A * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) * a^2 * b^3 * \\
&(1/(\cos(dx+c)+1))^{(3/2)} + 180 * B * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) ^2 * a^4 * b * (1/(\cos(dx+c)+1))^{(3/2)} + 2 \\
&70 * B * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) ^2 * a^3 * b^2 * (1/(\cos(dx+c)+1))^{(3/2)} + 510 * B * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * \cos(dx+c) * a^4 * b * \\
&(1/(\cos(dx+c)+1))^{(3/2)} + 294 * C * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c) * a^4 * b * (1/(\cos(dx+c)+1))^{(3/2)} * \sin(dx+c) + 714 * C * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c) * a^3 * b^2 * \\
&(1/(\cos(dx+c)+1))^{(3/2)} * \sin(dx+c) + 163 * A * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^3 * b^2 * (1/(\cos(dx+c)+1))^{(3/2)} - 315 * C * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), \\
&(- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a^2 * b^3 - 261 * A * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), \\
&(- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a^4 * b + 435 * B * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), \\
&(- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a^3 * b^2 + 45 * B * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), \\
&(- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a^2 * b^3 - 435 * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \\
&\text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- (a+b)/(a-b))^{(1/2)}) * a^4 * b + 435 * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \\
&\text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- (a+b)/(a-b))^{(1/2)}) * a^3 * b^2 - 45 * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \\
&\text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- (a+b)/(a-b))^{(1/2)}) * a^2 * b^3 + 45 * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \\
&\text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- (a+b)/(a-b))^{(1/2)}) * a * b^4 - 3 \\
&57 * C * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a^4 * b + 483 * C * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- (a+b)/(a-b))^{(1/2)}) * (1
\end{aligned}$$

$$\begin{aligned} & / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^3 * b^2 + 189 * C * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b + a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^4 * b - 483 * C * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^3 * b^2 + 483 * C * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^2 * b^3 - 10 * A * ((a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * b^5 * (1/(\cos(d*x+c)+1))^{(3/2)} + 279 * A * \text{EllipticF}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^3 * b^2 - 155 * A * \text{EllipticF}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^2 * b^3 - 10 * A * \text{EllipticF}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a * b^4 + 147 * A * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^4 * b - 279 * A * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^3 * b^2 + 279 * A * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2 * b^3 + 10 * A * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a * b^4) / a^2 / ((a-b)/(a+b))^{(1/2)} / (b+a * \cos(d*x+c)) / (1/(\cos(d*x+c)+1))^{(3/2)} / \sin(d*x+c)^6 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Cb^2 cos(dx+c)^4 sec(dx+c)^4 + (2Cab + Bb^2) cos(dx+c)^4 sec(dx+c)^3 + Aa^2 cos(dx+c)^4 + (Ca^2 + 2Ba

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^2*cos(d*x + c)^4*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)^4*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^4 + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^4*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^4*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")
```

```
[Out] Timed out
```

3.1350 $\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C$

Optimal. Leaf size=441

$$\frac{2(10a^2b^2(A-7C) - 5a^4(5A+7C) - 56a^3bB + 56ab^3B + 15Ab^4) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + 2 \sin(c+dx)}{105ad \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

```
[Out] (-2*(15*A*b^4 - 56*a^3*b*B + 56*a*b^3*B + 10*a^2*b^2*(A - 7*C) - 5*a^4*(5*A
+ 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a
+ b)]/(105*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b^3*C*Sq
rt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])
/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(15*A*b^3 + 63*a^3*B
+ 161*a*b^2*B + 5*a^2*b*(29*A + 49*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*
x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a*d*Sqrt[(b + a*Cos[c +
d*x])/(a + b)]) + (2*(15*A*b^2 + 56*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[Cos[c
+ d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*(5*A*b + 7*a*B)
*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*A*
Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)
```

Rubi [A] time = 1.82349, antiderivative size = 441, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4094, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) \sqrt{\cos(c+dx)} (5a^2(5A+7C) + 56abB + 15Ab^2) \sqrt{a+b \sec(c+dx)}}{105d} - \frac{2(10a^2b^2(A-7C) - 5a^4(5A+7C))}{105ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] (-2*(15*A*b^4 - 56*a^3*b*B + 56*a*b^3*B + 10*a^2*b^2*(A - 7*C) - 5*a^4*(5*A
+ 7*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a
+ b)]/(105*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b^3*C*Sq
rt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])
/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(15*A*b^3 + 63*a^3*B
+ 161*a*b^2*B + 5*a^2*b*(29*A + 49*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*
```

$$\frac{x}{2}, \frac{(2a)}{(a+b)} \sqrt{a+b \sec[c+dx]} / (105ad \sqrt{(b+a \cos[c+dx]) / (a+b)}) + (2(15A^2b^2 + 56Ab^2 + 5a^2(5A+7C)) \sqrt{\cos[c+dx]} \sqrt{a+b \sec[c+dx]} \sin[c+dx]) / (105d) + (2(5A^2b + 7a^2B) \cos[c+dx]^{3/2} (a+b \sec[c+dx])^{3/2} \sin[c+dx]) / (35d) + (2A \cos[c+dx]^{5/2} (a+b \sec[c+dx])^{5/2} \sin[c+dx]) / (7d)$$
Rule 4265

$$\text{Int}[(\cos[(a_.) + (b_.) * (x_.)] * (c_.)^m) * (u_.), x_Symbol] \rightarrow \text{Dist}[(c \cos[a + b * x])^m * (c \sec[a + b * x])^m, \text{Int}[\text{ActivateTrig}[u] / (c \sec[a + b * x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& \text{!IntegerQ}[m] \&\& \text{KnownSecantIntegrandQ}[u, x]$$
Rule 4094

$$\text{Int}[(A_.) + \csc[(e_.) + (f_.) * (x_.)] * (B_.) + \csc[(e_.) + (f_.) * (x_.)]^2 * (C_.) * (\csc[(e_.) + (f_.) * (x_.)] * (d_.)^n) * (\csc[(e_.) + (f_.) * (x_.)] * (b_.) + (a_.)^m), x_Symbol] \rightarrow \text{Simp}[(A \cot[e + f * x] * (a + b \csc[e + f * x])^m * (d \csc[e + f * x])^n) / (f * n), x] - \text{Dist}[1 / (d * n), \text{Int}[(a + b \csc[e + f * x])^{m-1} * (d \csc[e + f * x])^{n+1} * \text{Simp}[A * b * m - a * B * n - (b * B * n + a * (C * n + A * (n + 1))) * \csc[e + f * x] - b * (C * n + A * (m + n + 1)) * \csc[e + f * x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4108

$$\text{Int}[(A_.) + \csc[(e_.) + (f_.) * (x_.)] * (B_.) + \csc[(e_.) + (f_.) * (x_.)]^2 * (C_.) / (\sqrt{\csc[(e_.) + (f_.) * (x_.)] * (d_.)} * \sqrt{\csc[(e_.) + (f_.) * (x_.)] * (b_.) + (a_.)}), x_Symbol] \rightarrow \text{Dist}[C / d^2, \text{Int}[(d \csc[e + f * x])^{3/2} / \sqrt{a + b \csc[e + f * x]}], x] + \text{Int}[(A + B \csc[e + f * x]) / (\sqrt{d \csc[e + f * x]} * \sqrt{a + b \csc[e + f * x]}), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3859

$$\text{Int}[(\csc[(e_.) + (f_.) * (x_.)] * (d_.)^n) / \sqrt{\csc[(e_.) + (f_.) * (x_.)] * (b_.) + (a_.)}, x_Symbol] \rightarrow \text{Dist}[(d \sqrt{d \csc[e + f * x]} * \sqrt{b + a \sin[e + f * x]}) / \sqrt{a + b \csc[e + f * x]}, \text{Int}[1 / (\sin[e + f * x] * \sqrt{b + a \sin[e + f * x]})], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 2807

$$\text{Int}[1 / (((a_.) + (b_.) * \sin[(e_.) + (f_.) * (x_.)]) * \sqrt{(c_.) + (d_.) * \sin[(e_.) + (f_.) * (x_.)]})), x_Symbol] \rightarrow \text{Dist}[\sqrt{(c + d \sin[e + f * x])} / (c + d) / \sqrt{c + d \sin[e + f * x]}, \text{Int}[1 / ((a + b \sin[e + f * x]) * \sqrt{c / (c + d) + (d \sin[e + f * x]) / (c + d)})], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b * c - a * d]$$

, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+b \sec(c+dx))^{5/2}}{\cos^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}}{7d} \\
&= \frac{2(5Ab+7aB) \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}}{35d} \\
&= \frac{2(15Ab^2+56abB+5a^2(5A+7C)) \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{5/2}}{105ad} \\
&= \frac{2(15Ab^2+56abB+5a^2(5A+7C)) \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{5/2}}{105ad} \\
&= \frac{2(15Ab^2+56abB+5a^2(5A+7C)) \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{5/2}}{105ad} \\
&= \frac{2(15Ab^2+56abB+5a^2(5A+7C)) \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{5/2}}{105ad} \\
&= \frac{2b^3C \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} \\
&= -\frac{2(15Ab^4-56a^3bB+56ab^3B+10a^2(5A+7C)) \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{5/2}}{105ad}
\end{aligned}$$

Mathematica [C] time = 35.285, size = 64878, normalized size = 147.12

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2),x]
```

[Out] Result too large to show

Maple [C] time = 0.75, size = 3164, normalized size = 7.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{7/2}*(a+b*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2),x)$

[Out]
$$\begin{aligned} & -2/105/d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*\cos(dx+c)^{1/2}*(\cos(dx+c)+1) \\ &)^2*(-1+\cos(dx+c))^3*(25*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4 \\ & *(1/(\cos(dx+c)+1))^{3/2}+145*A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^3*b-135*A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b^2+15*A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a*b^3-145*A* \\ & (1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2})*a^3*b+145*A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2})*a^2*b^2-15*A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2})*a*b^3+15*A*((a-b)/(a+b))^{1/2}*\sin(dx+c)*b^4*(1/(\cos(dx+c)+1))^{3/2}+25*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{3/2}+35*C*\cos(dx+c)*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{3/2}+63*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{3/2}+25*A*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^3*b*(1/(\cos(dx+c)+1))^{3/2}+145*A*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^2*b^2*(1/(\cos(dx+c)+1))^{3/2}+45*A*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a*b^3*(1/(\cos(dx+c)+1))^{3/2}+63*B*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^3*b*(1/(\cos(dx+c)+1))^{3/2}+77*B*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^2*b^2*(1/(\cos(dx+c)+1))^{3/2}+161*B*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a*b^3*(1/(\cos(dx+c)+1))^{3/2}+35*C*((a-b)/(a+b))^{1/2})*a^3*b*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}+245*C*((a-b)/(a+b))^{1/2})*a^2*b^2*\sin(dx+c)*(1/(\cos(dx+c)+1))^{3/2}+15*A*\cos(dx+c)^4*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{3/2}+21*B*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{3/2}+21*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{3/2}+15*A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{3/2}+35*C*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{3/2}+63*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^3*b-161*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2*b^2+161*B*(1/(a+b)*(b+a*\cos(dx+c)) \end{aligned}$$

$$\begin{aligned}
& /(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a*b^3-119*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^3*b+161*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b^2-245*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3*b+245*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2*b^2+245*C*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^3*b+60*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}+98*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}+170*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}+90*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}+60*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}+98*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}+238*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}+280*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}+60*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{(3/2)}+90*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}-63*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^4+63*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^4-35*C*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^4-25*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^4+15*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*b^4-315*C*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b^2+105*C*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a*b^3-105*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a*b^3-210*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a*b^3)/a/((a-b)/(a+b))^{(1/2)}/(b+a*\cos(d*x+c))/\sin(d*x+c)^6/(1/(\cos(d*x+c)+1))^{(3/2)}
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Cb^2 \cos(dx+c)^3 \sec(dx+c)^4 + (2Cab + Bb^2) \cos(dx+c)^3 \sec(dx+c)^3 + Aa^2 \cos(dx+c)^3 + (Ca^2 + 2Bab)\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] integral((C*b^2*cos(d*x + c)^3*sec(d*x + c)^4 + (2*C*a*b + B*b^2)*cos(d*x + c)^3*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^3 + (C*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^3*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(7/2), x)

3.1351 $\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=419

$$\frac{(4a^2b(4A + 15C) + 10a^3B + 20ab^2B - b^3(16A - 15C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + \sqrt{\cos(c + dx)} (6a^2(3A + 5C) + 10a^2B + 20ab^2B - b^3(16A - 15C))}{15d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

```
[Out] ((10*a^3*B + 20*a*b^2*B - b^3*(16*A - 15*C) + 4*a^2*b*(4*A + 15*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (b^2*(2*b*B + 5*a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((70*a*b*B + b^2*(46*A - 15*C) + 6*a^2*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (b*(16*A*b + 10*a*B - 15*b*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*A*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 1.828, antiderivative size = 419, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4094, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(4a^2b(4A + 15C) + 10a^3B + 20ab^2B - b^3(16A - 15C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) + \sqrt{\cos(c + dx)} (6a^2(3A + 5C) + 10a^2B + 20ab^2B - b^3(16A - 15C))}{15d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((10*a^3*B + 20*a*b^2*B - b^3*(16*A - 15*C) + 4*a^2*b*(4*A + 15*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (b^2*(2*b*B + 5*a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((70*a*b*B + b^2*(46*A - 15*C) + 6*a^2*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (b*(16*A*b + 10*a*B - 15*b*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*A*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)
```

)]*Sqrt[a + b*Sec[c + d*x]]/(15*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (b*(16*A*b + 10*a*B - 15*b*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*A*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)

) + (a_)] , x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]) , x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653


```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+b \sec(c+dx))^{5/2}}{\cos(c+dx)} dx \\
&= \frac{2A \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{5d} \\
&= \frac{2(Ab+aB)\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{3d} \\
&= -\frac{b(16Ab+10aB-15bC)\sqrt{a+b \sec(c+dx)}}{15d\sqrt{\cos(c+dx)}} \\
&= -\frac{b(16Ab+10aB-15bC)\sqrt{a+b \sec(c+dx)}}{15d\sqrt{\cos(c+dx)}} \\
&= -\frac{b(16Ab+10aB-15bC)\sqrt{a+b \sec(c+dx)}}{15d\sqrt{\cos(c+dx)}} \\
&= -\frac{b(16Ab+10aB-15bC)\sqrt{a+b \sec(c+dx)}}{15d\sqrt{\cos(c+dx)}} \\
&= \frac{b^2(2bB+5aC)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx), \sqrt{\frac{b+a \cos(c+dx)}{a+b}}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} \\
&= \frac{(10a^3B+20ab^2B-b^3(16A-15C)+4a^2b^2C)}{15d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 34.8934, size = 86542, normalized size = 206.54

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2),x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.706, size = 2893, normalized size = 6.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x)
```

```
[Out] -1/15/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))
)^(3*(15*C*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^2*sin(d*x+c)*(1/(cos(d*x+c)+1))
)^(3/2)+6*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a^3*(1/(cos(d*x+c)+
1))^(3/2)+18*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^3*(1/(cos(d
*x+c)+1))^(3/2)+10*B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^3*(1/(cos(d
*x+c)+1))^(3/2)+28*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*sin(d*x+c)*a^2*b*(1/(
cos(d*x+c)+1))^(3/2)+68*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*a*b^2
*(1/(cos(d*x+c)+1))^(3/2)+80*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*
a^2*b*(1/(cos(d*x+c)+1))^(3/2)+70*B*((a-b)/(a+b))^(1/2)*cos(d*x+c)*sin(d*x+
c)*a*b^2*(1/(cos(d*x+c)+1))^(3/2)+30*C*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2*b
*(1/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)+15*C*((a-b)/(a+b))^(1/2)*b^3*sin(d*x+c
)*(1/(cos(d*x+c)+1))^(3/2)+28*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2
*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+18*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x
+c)*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+22*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(
d*x+c)*a*b^2*(1/(cos(d*x+c)+1))^(3/2)+10*B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*c
os(d*x+c)*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+18*A*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x
+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^3-30*A*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x
+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/si
n(d*x+c),(-(a+b)/(a-b))^(1/2))*b^3-18*A*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d
*x+c),(-(a+b)/(a-b))^(1/2))*a^3+46*A*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+
c),(-(a+b)/(a-b))^(1/2))*b^3-10*B*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos
(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),
(-(a+b)/(a-b))^(1/2))*a^3+30*B*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*
x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(
a+b)/(a-b))^(1/2))*b^3-60*B*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c
)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)
/(a-b),I/((a-b)/(a+b))^(1/2))*b^3+30*C*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*
x+c),(-(a+b)/(a-b))^(1/2))*a^3-30*C*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c
),(-(a+b)/(a-b))^(1/2))*a^3-15*C*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
```

$$\begin{aligned}
& (d*x+c+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2}) * b^3 + 46*A * ((a-b)/(a+b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * b^3 \\
& * (1/(\cos(d*x+c)+1))^{3/2} + 6*A * ((a-b)/(a+b))^{1/2} * \cos(d*x+c)^4 * \sin(d*x+c) * a \\
& ^3 * (1/(\cos(d*x+c)+1))^{3/2} + 70*B * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\cos(d \\
& *x+c+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2}) * a^2 * b - 90*B * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\cos(d \\
& *x+c+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2}) * a * b^2 - 70*B * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\cos(d* \\
& x+c+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2}) * a^2 * b + 70*B * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\cos(d*x \\
& +c+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2}) * a * b^2 - 90*C * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\cos(d*x+ \\
& c+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2}) * a^2 * b + 60*C * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\cos(d*x+c \\
& +1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2}) * a * b^2 + 30*C * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\cos(d*x+c \\
& +1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2}) * a^2 * b + 15*C * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\cos(d*x+c) + \\
& 1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- \\
& (a+b)/(a-b))^{1/2}) * a * b^2 - 150*C * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\cos(d*x+c) + \\
& 1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (a+b) / \\
& (a-b), I / ((a-b)/(a+b))^{1/2}) * a * b^2 - 34*A * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) \\
& / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d* \\
& x+c), (- (a+b)/(a-b))^{1/2}) * a^2 * b + 46*A * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / \\
& (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x \\
& +c), (- (a+b)/(a-b))^{1/2}) * a * b^2 + 18*A * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (\\
& \cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+ \\
& c), (- (a+b)/(a-b))^{1/2}) * a^2 * b - 46*A * \cos(d*x+c) * (1/(a+b)) * (b+a*\cos(d*x+c)) / (c \\
& \cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c \\
&), (- (a+b)/(a-b))^{1/2}) * a * b^2 + 10*B * ((a-b)/(a+b))^{1/2} * \cos(d*x+c)^3 * \sin(d*x \\
& +c) * a^3 * (1/(\cos(d*x+c)+1))^{3/2} + 30*C * ((a-b)/(a+b))^{1/2} * \cos(d*x+c)^2 * a^3 * \\
& (1/(\cos(d*x+c)+1))^{3/2} * \sin(d*x+c)) / ((a-b)/(a+b))^{1/2} / (b+a*\cos(d*x+c)) / s \\
& \sin(d*x+c)^6 / (1/(\cos(d*x+c)+1))^{3/2} / \cos(d*x+c)^{1/2}
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2), x)

3.1352 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} (A + B \sec(c + dx) + C \sec(c + dx)^2) dx$

Optimal. Leaf size=427

$$\frac{(8a^3(A+3C) + 48a^2bB + ab^2(16A+33C) + 12b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \sqrt{\cos(c+dx)}(24a^2B + ab(56A - 27C))}{12d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((48*a^2*b*B + 12*b^3*B + 8*a^3*(A + 3*C) + a*b^2*(16*A + 33*C))*Sqrt[(b + a*cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(12*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (b*(8*A*b^2 + 20*a*b*B + 15*a^2*C + 4*b^2*C)*Sqrt[(b + a*cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((24*a^2*B - 12*b^2*B + a*b*(56*A - 27*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(12*d*Sqrt[(b + a*cos[c + d*x])/(a + b)]) - (b*(8*a*A - 12*b*B - 21*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) - (b*(4*A - 3*C)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.82817, antiderivative size = 427, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4094, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(8a^3(A+3C) + 48a^2bB + ab^2(16A+33C) + 12b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) + \sqrt{\cos(c+dx)}(24a^2B + ab(56A - 27C))}{12d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2), x]
```

```
[Out] ((48*a^2*b*B + 12*b^3*B + 8*a^3*(A + 3*C) + a*b^2*(16*A + 33*C))*Sqrt[(b + a*cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(12*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (b*(8*A*b^2 + 20*a*b*B + 15*a^2*C + 4*b^2*C)*Sqrt[(b + a*cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((24*a^2*B - 12*b^2*B + a*b*(56*A - 27*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2,
```

$$\frac{(2a)/(a+b)\sqrt{a+b\sec[c+dx]}}{(12d\sqrt{(b+a\cos[c+dx])/(a+b)}) - (b(8aA - 12bB - 21aC)\sqrt{a+b\sec[c+dx]}\sin[c+dx])/(12d\sqrt{\cos[c+dx]}) - (b(4A - 3C)(a+b\sec[c+dx])^{3/2}\sin[c+dx])/(6d\sqrt{\cos[c+dx]}) + (2A\sqrt{\cos[c+dx]}(a+b\sec[c+dx])^{5/2}\sin[c+dx])/(3d)}$$
Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*cos[a + b*x])^m*(c*sec[a + b*x])^m, Int[ActivateTrig[u]/(c*sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^(n+1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*Csc[e + f*x] - b*(C*n + A*(m+n+1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m+n+1)), x] + Dist[1/(m+n+1), Int[(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^n*Simp[a*A*(m+n+1) + a*C*n + ((A*b + a*B)*(m+n+1) + b*C*(m+n))*Csc[e + f*x] + (b*B*(m+n+1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
```

```
) + (a_)] , x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)
]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653


```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx)) dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{(a + b \sec(c + dx))^{5/2}}{\cos(c + dx)} dx \\
&= \frac{2A\sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{3d} \\
&= -\frac{b(4A - 3C)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{6d\sqrt{\cos(c + dx)}} \\
&= -\frac{b(8aA - 12bB - 21aC)\sqrt{a + b \sec(c + dx)}}{12d\sqrt{\cos(c + dx)}} \\
&= -\frac{b(8aA - 12bB - 21aC)\sqrt{a + b \sec(c + dx)}}{12d\sqrt{\cos(c + dx)}} \\
&= -\frac{b(8aA - 12bB - 21aC)\sqrt{a + b \sec(c + dx)}}{12d\sqrt{\cos(c + dx)}} \\
&= -\frac{b(8aA - 12bB - 21aC)\sqrt{a + b \sec(c + dx)}}{12d\sqrt{\cos(c + dx)}} \\
&= \frac{b(8Ab^2 + 20abB + 15a^2C + 4b^2C)\sqrt{\frac{b + \sqrt{a + b \sec(c + dx)}}{\cos(c + dx)}}}{4d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} \\
&= \frac{(48a^2bB + 12b^3B + 8a^3(A + 3C) + ab^2(C + 3A))\sqrt{\frac{b + \sqrt{a + b \sec(c + dx)}}{\cos(c + dx)}}}{12d\sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 35.3315, size = 129353, normalized size = 302.93

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]
+ C*Sec[c + d*x]^2),x]
```

```
[Out] Result too large to show
```

$$\begin{aligned}
& d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (\\
& -(a+b)/(a-b))^{(1/2)})*\cos(d*x+c)^2*a^2*b-24*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c) \\
& ^2*\sin(d*x+c)*a^2*b*(1/(\cos(d*x+c)+1))^{(3/2)}-12*B*\cos(d*x+c)*\sin(d*x+c)*((a \\
& -b)/(a+b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*b^3-6*C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)} \\
& *b^3*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}-6*C*((a-b)/(a+b))^{(1/2)}*b^3*s \\
& in(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}-8*A*\sin(d*x+c)*((a-b)/(a+b))^{(1/2)}*\cos(d \\
& *x+c)^2*a^2*b*(1/(\cos(d*x+c)+1))^{(3/2)}-8*A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^4 \\
& *sin(d*x+c)*a^3*(1/(\cos(d*x+c)+1))^{(3/2)}-24*B*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c) \\
&)^3*\sin(d*x+c)*a^3*(1/(\cos(d*x+c)+1))^{(3/2)}+8*A*EllipticF((-1+\cos(d*x+c))* \\
& (a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*a^3-24*A*EllipticF((-1+\cos(d*x+c))*((\\
& a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*b^3+48*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(co \\
& s(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) \\
&), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)^2*b^3-24*B*EllipticF((-1+co \\
& s(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+ \\
& a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*a^3+24*B*(1/(a+b)*(b+a*\cos \\
& (d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2) \\
&)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*\cos(d*x+c)^2*a^3+12*B*(1/(a+b)*(b+a*\cos(\\
& d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2) \\
&)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*\cos(d*x+c)^2*b^3+24*C*EllipticF((-1+\cos(d \\
& *x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*c \\
& os(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*a^3-12*C*EllipticF((-1+\cos(d* \\
& x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*co \\
& s(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*b^3+24*C*(1/(a+b)*(b+a*\cos(d*x \\
& +c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/s \\
& in(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)^2*b^3)*((b+a*\cos(d* \\
& x+c))/\cos(d*x+c))^{(1/2)}/((a-b)/(a+b))^{(1/2)}/(b+a*\cos(d*x+c))/\cos(d*x+c)^{(3/ \\
& 2)}/\sin(d*x+c)^6/(1/(\cos(d*x+c)+1))^{(3/2)}
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2), x)

3.1353 $\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C)$

Optimal. Leaf size=453

$$\frac{(a^2b(96A+59C)+48a^3B+66ab^2B+8b^3(3A+2C))\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \sin(c+dx)(15a^2C+42abB+24Ab^2+16b^2C)\sqrt{a+b \sec(c+dx)}}{24d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((48*a^3*B + 66*a*b^2*B + 8*b^3*(3*A + 2*C) + a^2*b*(96*A + 59*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((30*a^2*b*B + 8*b^3*B + 5*a^3*C + 20*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((54*a*b*B - a^2*(48*A - 33*C) + 8*b^2*(3*A + 2*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((24*A*b^2 + 42*a*b*B + 15*a^2*C + 16*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + ((6*b*B + 5*a*C)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) + (C*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 1.8757, antiderivative size = 453, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx)(15a^2C+42abB+24Ab^2+16b^2C)\sqrt{a+b \sec(c+dx)}}{24d\sqrt{\cos(c+dx)}} + \frac{(a^2b(96A+59C)+48a^3B+66ab^2B+8b^3(3A+2C))\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \sin(c+dx)(15a^2C+42abB+24Ab^2+16b^2C)\sqrt{a+b \sec(c+dx)}}{24d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]
```

```
[Out] ((48*a^3*B + 66*a*b^2*B + 8*b^3*(3*A + 2*C) + a^2*b*(96*A + 59*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((30*a^2*b*B + 8*b^3*B + 5*a^3*C + 20*a*b^2*(2*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((54*a*b*B - a^2*(48*A - 33*C) + 8*b^2*(3*A + 2*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((24*A*b^2 + 42*a*b*B + 15*a^2*C + 16*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + ((6*b*B + 5*a*C)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(12*d*Sqrt[Cos[c + d*x]]) + (C*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])
```

$$\begin{aligned} & ((b + a \cos[c + dx]) / (a + b)) + ((24A^2b^2 + 42abB + 15a^2C + 16b^2C) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (24d \sqrt{\cos[c + dx]}) + ((6b^2B + 5a^2C) (a + b \sec[c + dx])^{3/2} \sin[c + dx]) / (12d \sqrt{\cos[c + dx]}) \\ & + (C (a + b \sec[c + dx])^{5/2} \sin[c + dx]) / (3d \sqrt{\cos[c + dx]}) \end{aligned}$$

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) / (Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x]) / (Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
```

, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx \\
&= \frac{C(a+b \sec(c+dx))^{5/2} \sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{(6bB+5aC)(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{12d\sqrt{\cos(c+dx)}} \\
&= \frac{(24Ab^2+42abB+15a^2C+16b^2C)\sqrt{\cos(c+dx)}}{24d\sqrt{\cos(c+dx)}} \\
&= \frac{(24Ab^2+42abB+15a^2C+16b^2C)\sqrt{\cos(c+dx)}}{24d\sqrt{\cos(c+dx)}} \\
&= \frac{(24Ab^2+42abB+15a^2C+16b^2C)\sqrt{\cos(c+dx)}}{24d\sqrt{\cos(c+dx)}} \\
&= \frac{(24Ab^2+42abB+15a^2C+16b^2C)\sqrt{\cos(c+dx)}}{24d\sqrt{\cos(c+dx)}} \\
&= \frac{(30a^2bB+8b^3B+5a^3C+20ab^2(2A+B))\sqrt{\cos(c+dx)}}{8d\sqrt{\cos(c+dx)}} \\
&= \frac{(48a^3B+66ab^2B+8b^3(3A+2C)+a^3C)\sqrt{\cos(c+dx)}}{24d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 36.5855, size = 157926, normalized size = 348.62

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2),x]

[Out] Result too large to show

Maple [C] time = 1.01, size = 3162, normalized size = 7.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x)

[Out]
$$-1/24/d*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^3*(66*B*\sin(d*x+c)*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{3/2}+59*C*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a^2*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+34*C*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+34*C*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+24*A*\sin(d*x+c)*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{3/2}+54*B*\sin(d*x+c)*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(d*x+c)+1))^{3/2}+12*B*\sin(d*x+c)*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{3/2}+26*C*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+16*C*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+24*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*a*b^2-144*A*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a^2*b+48*A*((a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b*(1/(\cos(d*x+c)+1))^{3/2}+48*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*a^2*b-48*A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*a^3-48*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*\cos(d*x+c)^3*a^3+96*A*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}$$

$$\begin{aligned}
& 1))^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/ \\
& (a-b))^{(1/2)} * a^2 * b^2 + 54 * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \cos \\
& (dx+c)^3 * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b) \\
& / (a-b))^{(1/2)} * a^2 * b - 54 * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \cos \\
& (dx+c)^3 * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b) \\
& / (a-b))^{(1/2)} * a * b^2 - 120 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \\
& * \text{EllipticPi}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I / ((a-b) \\
& / (a+b))^{(1/2)} * \cos(dx+c)^3 * a * b^2 - 26 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx \\
& *c)+1))^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- \\
& (a+b)/(a-b))^{(1/2)} * \cos(dx+c)^3 * a^2 * b + 44 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx \\
& *c)+1))^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- \\
& (a+b)/(a-b))^{(1/2)} * \cos(dx+c)^3 * a * b^2 - 33 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos \\
& (dx+c)+1))^{(1/2)} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), \\
& (-a+b)/(a-b))^{(1/2)} * \cos(dx+c)^3 * a^2 * b + 16 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos \\
& (dx+c)+1))^{(1/2)} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c) \\
& , (-a+b)/(a-b))^{(1/2)} * \cos(dx+c)^3 * a * b^2 - 240 * A * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos \\
& (dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx \\
& *c), (a+b)/(a-b), I / ((a-b)/(a+b))^{(1/2)} * \cos(dx+c)^3 * a * b^2 + 48 * A * (1/(a+b) * (b+ \\
& a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b)) \\
& ^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * \cos(dx+c)^3 * a^3 + 24 * A * \sin(dx+c) * \cos \\
& (dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * b^3 * (1/(\cos(dx+c)+1))^{(3/2)} + 16 * C * \cos(dx+c) \\
& ^2 * ((a-b)/(a+b))^{(1/2)} * b^3 * \sin(dx+c) * (1/(\cos(dx+c)+1))^{(3/2)} + 12 * B * \cos(dx \\
& *c)^2 * \sin(dx+c) * ((a-b)/(a+b))^{(1/2)} * (1/(\cos(dx+c)+1))^{(3/2)} * b^3 + 12 * B * \cos(dx \\
& *c) * \sin(dx+c) * ((a-b)/(a+b))^{(1/2)} * (1/(\cos(dx+c)+1))^{(3/2)} * b^3 + 8 * C * \cos(dx \\
& *c) * ((a-b)/(a+b))^{(1/2)} * b^3 * \sin(dx+c) * (1/(\cos(dx+c)+1))^{(3/2)} - 180 * B * \text{El \\
& lipticPi}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I / ((a-b) \\
& / (a+b))^{(1/2)} * \cos(dx+c)^3 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \\
&) * a^2 * b + 36 * B * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+ \\
& b)/(a-b))^{(1/2)} * \cos(dx+c)^3 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \\
&) * a^2 * b - 12 * B * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a \\
& +b)/(a-b))^{(1/2)} * \cos(dx+c)^3 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \\
&) * a * b^2 - 24 * A * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((- \\
& 1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * \cos(dx+c) \\
& ^3 * b^3 + 8 * C * ((a-b)/(a+b))^{(1/2)} * b^3 * \sin(dx+c) * (1/(\cos(dx+c)+1))^{(3/2)} - 48 \\
& * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1 + \cos(dx+c) \\
&)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{(1/2)} * \cos(dx \\
& *c)^3 * b^3 + 24 * B * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- \\
& (a+b)/(a-b))^{(1/2)} * \cos(dx+c)^3 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \\
&) * b^3 - 30 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((- \\
& 1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{(1/2)} \\
&) * \cos(dx+c)^3 * a^3 - 18 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \\
& * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} \\
&) * \cos(dx+c)^3 * a^3 + 33 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \\
& \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} \\
&) * \cos(dx+c)^3 * a^3 - 16 * C * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{E}
\end{aligned}$$

```

11ipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2
)))*cos(d*x+c)^3*b^3+33*C*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^3*sin(d*x+c)*(1
/(cos(d*x+c)+1))^(3/2)+48*A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^4*sin(d*x+c)*a^3
*(1/(cos(d*x+c)+1))^(3/2))*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/((a-b)/(a+b)
)^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^6/cos(d*x+c)^(5/2)/(1/(cos(d*x+c)+1))^(
3/2)

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)
^(1/2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)
^(1/2),x, algorithm="fricas")

```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+
c)**(1/2),x)

```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c)), x)

$$3.1354 \quad \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=550

$$\frac{(a^3(384A + 133C) + 472a^2bB + 4ab^2(132A + 89C) + 128b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{\sin(c+dx)(5a^3C + 4ab^2(132A + 89C) + 128b^3B)}{192d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}}{192d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{\sin(c+dx)(5a^3C + 4ab^2(132A + 89C) + 128b^3B)}{192d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((472*a^2*b*B + 128*b^3*B + 4*a*b^2*(132*A + 89*C) + a^3*(384*A + 133*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(192*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((40*a^3*b*B + 160*a*b^3*B - 5*a^4*C + 120*a^2*b^2*(2*A + C) + 16*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(64*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((264*a^2*b*B + 128*b^3*B + 15*a^3*C + 4*a*b^2*(108*A + 71*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(192*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((16*A*b^2 + 24*a*b*B + 5*a^2*C + 12*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(32*d*Cos[c + d*x]^(3/2)) + ((264*a^2*b*B + 128*b^3*B + 15*a^3*C + 4*a*b^2*(108*A + 71*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b*d*Sqrt[Cos[c + d*x]]) + ((8*b*B + 5*a*C)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)) + (C*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2))
```

Rubi [A] time = 2.38615, antiderivative size = 550, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx)(5a^2C + 24abB + 16Ab^2 + 12b^2C) \sqrt{a+b \sec(c+dx)}}{32d \cos^{\frac{3}{2}}(c+dx)} + \frac{\sin(c+dx)(264a^2bB + 15a^3C + 4ab^2(108A + 71C))}{192bd\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]], x]
```

```
[Out] ((472*a^2*b*B + 128*b^3*B + 4*a*b^2*(132*A + 89*C) + a^3*(384*A + 133*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(192*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((40*a^3*b*B + 160*a*b^3*B - 5*a^4*C + 120*a^2*b^2*(2*A + C) + 16*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(64*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((264*a^2*b*B + 128*b^3*B + 15*a^3*C + 4*a*b^2*(108*A + 71*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(192*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((16*A*b^2 + 24*a*b*B + 5*a^2*C + 12*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(32*d*Cos[c + d*x]^(3/2)) + ((264*a^2*b*B + 128*b^3*B + 15*a^3*C + 4*a*b^2*(108*A + 71*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b*d*Sqrt[Cos[c + d*x]]) + ((8*b*B + 5*a*C)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)) + (C*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2))
```

$$3*B - 5*a^4*C + 120*a^2*b^2*(2*A + C) + 16*b^4*(4*A + 3*C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/(64*b*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - ((264*a^2*b*B + 128*b^3*B + 15*a^3*C + 4*a*b^2*(108*A + 71*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])/(192*b*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]) + ((16*A*b^2 + 24*a*b*B + 5*a^2*C + 12*b^2*C)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])*\text{Sin}[c + d*x]/(32*d*\text{Cos}[c + d*x]^(3/2)) + ((264*a^2*b*B + 128*b^3*B + 15*a^3*C + 4*a*b^2*(108*A + 71*C))*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(192*b*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + ((8*b*B + 5*a*C)*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(24*d*\text{Cos}[c + d*x]^(3/2)) + (C*(a + b*\text{Sec}[c + d*x])^(5/2)*\text{Sin}[c + d*x])/(4*d*\text{Cos}[c + d*x]^(3/2))$$

Rule 4265

$$\text{Int}[(\text{cos}[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_.), x_Symbol] \text{ :> } \text{Dist}[(c*\text{Cos}[a + b*x])^m*(c*\text{Sec}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sec}[a + b*x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& \text{!IntegerQ}[m] \&\& \text{KnownSecantIntegrandQ}[u, x]$$

Rule 4096

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^(m - 1)*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{!LeQ}[n, -1]$$

Rule 4102

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] \text{ :> } -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m + 1)*(d*\text{Csc}[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^(n - 1)*\text{Simp}[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$$

Rule 4108

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] \text{ :> } \text{Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^(3/2)/\text{Sqrt}[a + b*Cs$$

$c[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{3/2}/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2807

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] :> \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] :> \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 4035

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> \text{Dist}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), \text{Int}[\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2655


```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{5/2} dx \\
&= \frac{C(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{4d \cos^{3/2}(c + dx)} + \frac{1}{4} (\sqrt{\cos(c + dx)})^{5/2} \int \sec(c + dx) dx \\
&= \frac{(8bB + 5aC)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{24d \cos^{3/2}(c + dx)} + \frac{C(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{4d \cos^{3/2}(c + dx)} \\
&= \frac{(16Ab^2 + 24abB + 5a^2C + 12b^2C) \sqrt{a + b \sec(c + dx)}}{32d \cos^{3/2}(c + dx)} \\
&= \frac{(16Ab^2 + 24abB + 5a^2C + 12b^2C) \sqrt{a + b \sec(c + dx)}}{32d \cos^{3/2}(c + dx)} \\
&= \frac{(16Ab^2 + 24abB + 5a^2C + 12b^2C) \sqrt{a + b \sec(c + dx)}}{32d \cos^{3/2}(c + dx)} \\
&= \frac{(16Ab^2 + 24abB + 5a^2C + 12b^2C) \sqrt{a + b \sec(c + dx)}}{32d \cos^{3/2}(c + dx)} \\
&= \frac{(16Ab^2 + 24abB + 5a^2C + 12b^2C) \sqrt{a + b \sec(c + dx)}}{32d \cos^{3/2}(c + dx)} \\
&= \frac{(16Ab^2 + 24abB + 5a^2C + 12b^2C) \sqrt{a + b \sec(c + dx)}}{32d \cos^{3/2}(c + dx)} \\
&= \frac{(16Ab^2 + 24abB + 5a^2C + 12b^2C) \sqrt{a + b \sec(c + dx)}}{32d \cos^{3/2}(c + dx)} \\
&= \frac{(40a^3bB + 160ab^3B - 5a^4C + 120a^2b^2(2A + C) + 160a^3b^2C)}{64bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(472a^2bB + 128b^3B + 4ab^2(132A + 89C) + a^3(384A + 120b^2C))}{192d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 35.9669, size = 180789, normalized size = 328.71

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[Cos[c + d*x]],x]
```

[Out] Result too large to show

Maple [C] time = 0.953, size = 4031, normalized size = 7.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{1/2}, x)$

[Out]
$$\begin{aligned} & -1/192/d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^{3/2} \\ & * (72*C*((a-b)/(a+b))^{1/2}*(1/(\cos(d*x+c)+1))^{3/2}*\cos(d*x+c)^2*\sin(d*x+c)*b^4 \\ & -384*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))* \\ & ((a-b)/(a+b))^{1/2}/\sin(d*x+c), -(a+b)/(a-b))^{1/2}*\cos(d*x+c)^4*a^3*b+432*A*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{3/2}+272*B*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^2*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{3/2}+472*B*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{3/2}+254*C*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^2*a^2*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+184*C*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^2*a*b^3*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+264*B*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^4*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{3/2}+208*B*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{3/2}+128*B*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^4*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{3/2}+356*C*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^3*a*b^3*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+133*C*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^3*a^3*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+254*C*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^3*a^2*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+118*C*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^4*a^3*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+284*C*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^4*a^2*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+72*C*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^4*a*b^3*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+528*A*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^3*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{3/2}+272*B*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^3*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{3/2}+184*C*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)*a*b^3*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+96*A*((a-b)/(a+b))^{1/2} \\ & *\cos(d*x+c)^4*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{3/2}-240*B*\cos(d*x+c)^4*(1/(a+b) \\ & *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \\ & / \sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a^3*b-960*B*\cos(d*x+c)^4*(1/(a+b) \\ & *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \\ & / \sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}))*a*b^3-144*B*\cos(d*x+c)^4* \\ & EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), -(a+b)/(a-b))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^3*b-208*B*\cos(d*x+c)^4* \\ & EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \end{aligned}$$

$$\begin{aligned}
& / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)) \\
& ^{(1/2)} * a^2 * b^2 + 352 * B * \cos(dx+c)^4 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), \\
& (-a+b)/(a-b)^{(1/2)} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a * b^3 + 264 * B * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1)) \\
&)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * a^3 * b - 264 * B * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * a^2 * b^2 + 128 * B * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * a * b^3 + 48 * C * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c) * \sin(dx+c) * b^4 * (1/(\cos(dx+c)+1))^{(3/2)} - 720 * C * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)} * a^2 * b^2 - 118 * C * \cos(dx+c)^4 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a^3 * b + 76 * C * \cos(dx+c)^4 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a^2 * b^2 - 72 * C * \cos(dx+c)^4 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a * b^3 - 15 * C * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * a^3 * b + 284 * C * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * a^2 * b^2 - 284 * C * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * a * b^3 + 15 * C * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c)^4 * a^4 * \sin(dx+c) * (1/(\cos(dx+c)+1))^{(3/2)} - 96 * A * \cos(dx+c)^4 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a * b^3 + 432 * A * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * a^2 * b^2 - 432 * A * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * a * b^3 + 64 * B * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c) * \sin(dx+c) * b^4 * (1/(\cos(dx+c)+1))^{(3/2)} + 96 * A * ((a-b)/(a+b))^{(1/2)} * (1/(\cos(dx+c)+1))^{(3/2)} * \cos(dx+c)^3 * \sin(dx+c) * b^4 + 72 * C * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c)^3 * \sin(dx+c) * b^4 * (1/(\cos(dx+c)+1))^{(3/2)} + 96 * A * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c)^2 * \sin(dx+c) * b^4 * (1/(\cos(dx+c)+1))^{(3/2)} + 128 * B * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c)^3 * \sin(dx+c) * b^4 * (1/(\cos(dx+c)+1))^{(3/2)} + 288 * A * \cos(dx+c)^4 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b)^{(1/2)} * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * a^2 * b^2 + 64 * B * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c)^2 * \sin(dx+c) * b^4 * (1/(\cos(dx+c)+1))^{(3/2)} - 1440 * A * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)} * a^2 * b^2 - 384 * A * \cos(dx+c)^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)} * b^4 - 128 * B * (1/(a+b) * (b+a \cos(dx+c)
\end{aligned}$$

$$\begin{aligned} & \left. \right) / (\cos(dx+c)+1)^{1/2} \cos(dx+c)^4 \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b)) \\ &)^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * b^4 + 30 * C * \cos(dx+c)^4 * (1/(a+b) * (b \\ & + a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b)) \\ &)^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * a^4 - 288 * C * \cos(dx+c) \\ & ^4 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticPi}((-1+\cos(dx+c) \\ &)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * b^4 - 30 \\ & * C * \cos(dx+c)^4 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- \\ & (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2}) * a^4 + 144 \\ & * C * \cos(dx+c)^4 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- \\ & (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2}) * b^4 + 15 * \\ & C * \cos(dx+c)^4 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE}((- \\ & 1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^4 + 48 * C \\ & * ((a-b)/(a+b))^{1/2} * \sin(dx+c) * b^4 * (1/(\cos(dx+c)+1))^{3/2} + 192 * A * \cos(dx+c) \\ & ^4 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b) \\ &)^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{1/2}) * b^4 / b / ((a-b)/(a+b) \\ &)^{1/2} / (b+a * \cos(dx+c)) / \cos(dx+c)^{7/2} / \sin(dx+c)^6 / (1/(\cos(dx+c)+1))^{3/2} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sqrt(cos(d*x + c)), x)

$$3.1355 \quad \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)+C \sec^2(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=674

$$\frac{(4a^2b^2(1180A + 809C) + 1330a^3bB - 15a^4C + 3560ab^3B + 256b^4(5A + 4C)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 1920bd \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}{1920bd \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((1330*a^3*b*B + 3560*a*b^3*B - 15*a^4*C + 256*b^4*(5*A + 4*C) + 4*a^2*b^2*(1180*A + 809*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(1920*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (10*a^4*b*B - 240*a^2*b^3*B - 96*b^5*B - 3*a^5*C - 40*a^3*b^2*(2*A + C) - 80*a*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(128*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((150*a^3*b*B + 2840*a*b^3*B - 45*a^4*C + 256*b^4*(5*A + 4*C) + 12*a^2*b^2*(220*A + 141*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(1920*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((80*A*b^2 + 110*a*b*B + 15*a^2*C + 64*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(240*d*Cos[c + d*x]^(5/2)) + ((590*a^2*b*B + 360*b^3*B + 15*a^3*C + 4*a*b^2*(260*A + 193*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(960*b*d*Cos[c + d*x]^(3/2)) + ((150*a^3*b*B + 2840*a*b^3*B - 45*a^4*C + 256*b^4*(5*A + 4*C) + 12*a^2*b^2*(220*A + 141*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(1920*b^2*d*Sqrt[Cos[c + d*x]]) + ((2*b*B + a*C)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(5/2)) + (C*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))
```

Rubi [A] time = 2.97369, antiderivative size = 674, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{\sin(c+dx) (590a^2bB + 15a^3C + 4ab^2(260A + 193C) + 360b^3B) \sqrt{a+b \sec(c+dx)}}{960bd \cos^{\frac{3}{2}}(c+dx)} + \frac{\sin(c+dx) (15a^2C + 110abB + 80a^3C + 4ab^2(260A + 193C) + 360b^3B)}{240d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2),x]
```

```
[Out] ((1330*a^3*b*B + 3560*a*b^3*B - 15*a^4*C + 256*b^4*(5*A + 4*C) + 4*a^2*b^2*(1180*A + 809*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(1920*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((10*a^4*b*B - 240*a^2*b^3*B - 96*b^5*B - 3*a^5*C - 40*a^3*b^2*(2*A + C) - 80*a*b^4*(4*A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(128*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((150*a^3*b*B + 2840*a*b^3*B - 45*a^4*C + 256*b^4*(5*A + 4*C) + 12*a^2*b^2*(220*A + 141*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(1920*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + ((80*A*b^2 + 110*a*b*B + 15*a^2*C + 64*b^2*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(240*d*Cos[c + d*x]^(5/2)) + ((590*a^2*b*B + 360*b^3*B + 15*a^3*C + 4*a*b^2*(260*A + 193*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(960*b*d*Cos[c + d*x]^(3/2)) + ((150*a^3*b*B + 2840*a*b^3*B - 45*a^4*C + 256*b^4*(5*A + 4*C) + 12*a^2*b^2*(220*A + 141*C))*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(1920*b^2*d*Sqrt[Cos[c + d*x]]) + ((2*b*B + a*C)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(5/2)) + (C*(a + b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```


Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
)/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
```

```
qrt[b + a*Sin[e + f*x]], Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{3}{2}}(c + dx) (a + b \sec(c + dx)) dx \\
&= \frac{C(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{1}{5} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{3}{2}}(c + dx) (a + b \sec(c + dx)) dx \\
&= \frac{(2bB + aC)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{8d \cos^{\frac{5}{2}}(c + dx)} + \frac{C(a + b \sec(c + dx))^{5/2} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(80Ab^2 + 110abB + 15a^2C + 64b^2C) \sqrt{a + b \sec(c + dx)}}{240d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(80Ab^2 + 110abB + 15a^2C + 64b^2C) \sqrt{a + b \sec(c + dx)}}{240d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(80Ab^2 + 110abB + 15a^2C + 64b^2C) \sqrt{a + b \sec(c + dx)}}{240d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(80Ab^2 + 110abB + 15a^2C + 64b^2C) \sqrt{a + b \sec(c + dx)}}{240d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(80Ab^2 + 110abB + 15a^2C + 64b^2C) \sqrt{a + b \sec(c + dx)}}{240d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(80Ab^2 + 110abB + 15a^2C + 64b^2C) \sqrt{a + b \sec(c + dx)}}{240d \cos^{\frac{5}{2}}(c + dx)} \\
&= -\frac{(10a^4bB - 240a^2b^3B - 96b^5B - 3a^5C - 40a^3b^2(2A + 3C)) \sqrt{\cos(c + dx)}}{128b^2d \sqrt{\cos(c + dx)}} \\
&= \frac{(1330a^3bB + 3560ab^3B - 15a^4C + 256b^4(5A + 4C)) \sqrt{\cos(c + dx)}}{1920bd \sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 37.5182, size = 211844, normalized size = 314.31

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Cos[c + d*x]^(3/2),x]
```

[Out] Result too large to show

Maple [C] time = 1.381, size = 5292, normalized size = 7.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x)
```

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/cos(d*x + c)^(3/2), x)

$$3.1356 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=380

$$\frac{2(2a^2b^2(16A+35C)+5a^4(5A+7C)-49a^3bB-56ab^3B+48Ab^4)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{2 \sin(c+dx)}{105a^4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*(48*A*b^4 - 49*a^3*b*B - 56*a*b^3*B + 5*a^4*(5*A + 7*C) + 2*a^2*b^2*(16*A + 35*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(48*A*b^3 - 63*a^3*B - 56*a*b^2*B + a^2*(44*A*b + 70*b*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(24*A*b^2 - 28*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a^3*d) - (2*(6*A*b - 7*a*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*a^2*d) + (2*A*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*a*d)
```

Rubi [A] time = 1.35008, antiderivative size = 380, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4265, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx)\sqrt{\cos(c+dx)}(5a^2(5A+7C)-28abB+24Ab^2)\sqrt{a+b \sec(c+dx)}}{105a^3d} + \frac{2(2a^2b^2(16A+35C)+5a^4(5A+7C))}{105a^4d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (2*(48*A*b^4 - 49*a^3*b*B - 56*a*b^3*B + 5*a^4*(5*A + 7*C) + 2*a^2*b^2*(16*A + 35*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(48*A*b^3 - 63*a^3*B - 56*a*b^2*B + a^2*(44*A*b + 70*b*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(24*A*b^2 - 28*a*b*B + 5*a^2*(5*A + 7*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a^3*d)
```

$$) - (2*(6*A*b - 7*a*B)*\cos[c + d*x]^{(3/2)}*\sqrt{a + b*\sec[c + d*x]}*\sin[c + d*x]) / (35*a^2*d) + (2*A*\cos[c + d*x]^{(5/2)}*\sqrt{a + b*\sec[c + d*x]}*\sin[c + d*x]) / (7*a*d)$$
Rule 4265

$$\text{Int}[(\cos[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\cos[a + b*x])^m*(c*\sec[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\sec[a + b*x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& \text{!IntegerQ}[m] \&\& \text{KnownSecantIntegrandQ}[u, x]$$
Rule 4104

$$\text{Int}[(A_.) + \csc[(e_.) + (f_.)*(x_.)]*(B_.) + \csc[(e_.) + (f_.)*(x_.)]^2*(C_.) * (\csc[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*\cot[e + f*x]*(a + b*\csc[e + f*x])^{(m + 1)}*(d*\csc[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^{(n + 1)}*\text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\csc[e + f*x] + A*b*(m + n + 2)*\csc[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4035

$$\text{Int}[(\csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)) / (\sqrt{\csc[(e_.) + (f_.)*(x_.)]*(d_.)} * \sqrt{\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)}), x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\sqrt{a + b*\csc[e + f*x]} / \sqrt{d*\csc[e + f*x]}, x], x] - \text{Dist}[(A*b - a*B) / (a*d), \text{Int}[\sqrt{d*\csc[e + f*x]} / \sqrt{a + b*\csc[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3856

$$\text{Int}[\sqrt{\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)} / \sqrt{\csc[(e_.) + (f_.)*(x_.)]*(d_.)}, x_Symbol] \rightarrow \text{Dist}[\sqrt{a + b*\csc[e + f*x]} / (\sqrt{d*\csc[e + f*x]}*\sqrt{b + a*\sin[e + f*x]}), \text{Int}[\sqrt{b + a*\sin[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 2655

$$\text{Int}[\sqrt{(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]}, x_Symbol] \rightarrow \text{Dist}[\sqrt{a + b*\sin[c + d*x]} / \sqrt{(a + b*\sin[c + d*x]) / (a + b)}, \text{Int}[\sqrt{a / (a + b) + (b*\sin[c + d*x]) / (a + b)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{!GtQ}[a + b, 0]$$
Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d/Sqrt[a + b], x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx) (A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^{\frac{7}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{7ad} - \frac{(2\sqrt{\cos(c+dx)})^2}{7ad} \\
&= -\frac{2(6Ab-7aB)\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{35a^2d} \\
&= \frac{2(24Ab^2-28abB+5a^2(5A+7C))\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}{105a^3d} \\
&= \frac{2(24Ab^2-28abB+5a^2(5A+7C))\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}{105a^3d} \\
&= \frac{2(24Ab^2-28abB+5a^2(5A+7C))\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}{105a^3d} \\
&= \frac{2(24Ab^2-28abB+5a^2(5A+7C))\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}{105a^3d} \\
&= \frac{2(48Ab^4-49a^3bB-56ab^3B+5a^4(5A+7C)+2a^2b^2(16A+7C))\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}{105a^4d}
\end{aligned}$$

Mathematica [C] time = 19.326, size = 492, normalized size = 1.29

$$\frac{(a\cos(c+dx)+b)\left(\frac{\sin(c+dx)(115a^2A+140a^2C-112abB+96Ab^2)}{210a^3} + \frac{(7aB-6Ab)\sin(2(c+dx))}{35a^2} + \frac{A\sin(3(c+dx))}{14a}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} - \frac{2\sqrt{\cos(c+dx)}\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] ((b + a*Cos[c + d*x])*(((115*a^2*A + 96*A*b^2 - 112*a*b*B + 140*a^2*C)*Sin[c + d*x])/(210*a^3) + ((-6*A*b + 7*a*B)*Sin[2*(c + d*x)])/(35*a^2) + (A*Sin[3*(c + d*x)]/(14*a))))/d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]] - (2*Sqrt[Cos[c + d*x]]*Cos[1/2*(c + d*x)])/d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]
```

$$\frac{[3*(c + d*x)]/(14*a)}{(d*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\sec[c + d*x]}) - (2*\sqrt{\cos[c + d*x]}*(\cos[(c + d*x)/2]^2*\sec[c + d*x])^{3/2}*((-I)*(a + b)*(-48*A*b^3 + 63*a^3*B + 56*a*b^2*B - 2*a^2*b*(22*A + 35*C))*\text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])* \sec[(c + d*x)/2]^2)/(a + b)} + I*a*(-48*A*b^3 + 4*a*b^2*(-3*A + 14*B) - 2*a^2*b*(22*A - 7*B + 35*C) + a^3*(25*A + 63*B + 35*C))*\text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])* \sec[(c + d*x)/2]^2)/(a + b)} + (48*A*b^3 - 63*a^3*B - 56*a*b^2*B + a^2*(44*A*b + 70*b*C))*(b + a*\cos[c + d*x])* (\sec[(c + d*x)/2]^2)^{3/2}*\text{Tan}[(c + d*x)/2]))/(105*a^4*d*\sqrt{\sec[c + d*x]}*\sqrt{a + b*\sec[c + d*x]}}$$

Maple [B] time = 0.771, size = 2829, normalized size = 7.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{7/2}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{1/2}, x)$

[Out] $-2/105/d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*\cos(d*x+c)^{1/2}*(\cos(d*x+c)+1)^{2*(-1+\cos(d*x+c))^3*(25*A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{3/2}-44*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^3*b+12*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b^2-48*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a*b^3+44*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^3*b-44*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b^2+48*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^3-48*A*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*b^4*(1/(\cos(d*x+c)+1))^{3/2}+25*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{3/2}+35*C*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{3/2}+63*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{3/2}+25*A*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{3/2}-44*A*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{3/2}+24*A*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{3/2}+63*B*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{3/2}-28*B$

$$\begin{aligned}
& *((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^2 * b^2 * (1/(\cos(dx+c)+1))^{(3/2)} + 56 * B * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a * b^3 * (1/(\cos(dx+c)+1))^{(3/2)} + 35 * C * ((a-b)/(a+b))^{(1/2)} * a^3 * b * \sin(dx+c) * (1/(\cos(dx+c)+1))^{(3/2)} - 70 * C * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 * \sin(dx+c) * (1/(\cos(dx+c)+1))^{(3/2)} + 15 * A * \cos(dx+c)^4 * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^4 * (1/(\cos(dx+c)+1))^{(3/2)} + 21 * B * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^4 * (1/(\cos(dx+c)+1))^{(3/2)} + 21 * B * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^4 * (1/(\cos(dx+c)+1))^{(3/2)} + 15 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^4 * (1/(\cos(dx+c)+1))^{(3/2)} + 35 * C * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^4 * (1/(\cos(dx+c)+1))^{(3/2)} + 63 * B * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^3 * b - 56 * B * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b^2 + 56 * B * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a * b^3 - 14 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * a^3 * b + 56 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * a^2 * b^2 + 70 * C * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^3 * b - 70 * C * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b^2 - 70 * C * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * a^3 * b - 3 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^3 * b * (1/(\cos(dx+c)+1))^{(3/2)} - 7 * B * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^3 * b * (1/(\cos(dx+c)+1))^{(3/2)} - 19 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^3 * b * (1/(\cos(dx+c)+1))^{(3/2)} + 6 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^2 * b^2 * (1/(\cos(dx+c)+1))^{(3/2)} - 24 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a * b^3 * (1/(\cos(dx+c)+1))^{(3/2)} - 7 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^3 * b * (1/(\cos(dx+c)+1))^{(3/2)} + 28 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^2 * b^2 * (1/(\cos(dx+c)+1))^{(3/2)} - 35 * C * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a^3 * b * \sin(dx+c) * (1/(\cos(dx+c)+1))^{(3/2)} - 3 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^3 * b * (1/(\cos(dx+c)+1))^{(3/2)} + 6 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^2 * b^2 * (1/(\cos(dx+c)+1))^{(3/2)} - 63 * B * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^4 + 63 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * a^4 - 35 * C * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * a^4 - 25 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * a^4 - 48 * A * (1/(a+b)) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * b^4 / a^4 / ((a-b)/(a+b))^{(1/2)} / (b+a * \cos(dx+c)) / \sin(dx+c)^6 / (1/(\cos(dx+c)+1))^{(3/2)}
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx+c)^3 \sec(dx+c)^2 + B \cos(dx+c)^3 \sec(dx+c) + A \cos(dx+c)^3) \sqrt{\cos(dx+c)}}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^3*sec(d*x + c)^2 + B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)*sqrt(cos(d*x + c))/sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))  
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(7/2)/sqrt(b  
*sec(d*x + c) + a), x)
```

$$3.1357 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=291

$$\frac{2(a^2b(7A+15C) - 5a^3B - 10ab^2B + 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{2\sqrt{\cos(c+dx)}(3a^2(3A+5C) - 10abB + 5a^2C)}{15a^3d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

[Out] (-2*(8*A*b^3 - 5*a^3*B - 10*a*b^2*B + a^2*b*(7*A + 15*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^2 - 10*a*b*B + 3*a^2*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(4*A*b - 5*a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^2*d) + (2*A*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*a*d)

Rubi [A] time = 0.975189, antiderivative size = 291, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4265, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2b(7A+15C) - 5a^3B - 10ab^2B + 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) + \frac{2\sqrt{\cos(c+dx)}(3a^2(3A+5C) - 10abB + 5a^2C)}{15a^3d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (-2*(8*A*b^3 - 5*a^3*B - 10*a*b^2*B + a^2*b*(7*A + 15*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^2 - 10*a*b*B + 3*a^2*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(4*A*b - 5*a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^2*d) + (2*A*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*a*d)

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{5ad} - \frac{(2\sqrt{\cos(c+dx)})^3}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} \\
&= -\frac{2(8Ab^3-5a^3B-10ab^2B+a^2b(7A+15C))\sqrt{\frac{b+a\cos(c+dx)}{a+b}}}{15a^3d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 18.2299, size = 379, normalized size = 1.3

$$2a \sin(c+dx)(a \cos(c+dx)+b)(3aA \cos(c+dx)+5aB-4Ab) + \frac{2\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)^{3/2}\left(-ia \sec^2\left(\frac{1}{2}(c+dx)\right)(a^2(9A+5(B+3C))\right)}{15a^3d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (2*a*(b + a*cos[c + d*x])*(-4*A*b + 5*a*B + 3*a*A*cos[c + d*x])*Sin[c + d*x] + (2*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(I*(a + b)*(8*A*b^2 - 10*a*b*B + 3*a^2*(3*A + 5*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a

```
+ b)] - I*a*(8*A*b^2 + 2*a*b*(A - 5*B) + a^2*(9*A + 5*(B + 3*C)))*EllipticF
[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b
+ a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (8*A*b^2 - 10*a*b*B + 3*a
^2*(3*A + 5*C))*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*
x)/2])/Sec[c + d*x]^(3/2))/(15*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c +
d*x]])
```

Maple [B] time = 0.529, size = 1885, normalized size = 6.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2)
,x)
```

```
[Out] 2/15/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(cos(d*x+c)+1)^(
2*(-1+cos(d*x+c))^3*(-3*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^3*a^3*(
1/(cos(d*x+c)+1))^(3/2)-9*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*
x+c)+1))^(3/2)+4*A*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(
3/2)-5*B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(3/2)+10*
B*sin(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(3/2)-15*C*((a-b)
/(a+b))^(1/2)*a^2*b*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)-3*A*sin(d*x+c)*((a-
b)/(a+b))^(1/2)*cos(d*x+c)^2*a^3*(1/(cos(d*x+c)+1))^(3/2)-9*A*sin(d*x+c)*((
a-b)/(a+b))^(1/2)*cos(d*x+c)*a^3*(1/(cos(d*x+c)+1))^(3/2)-5*B*sin(d*x+c)*((
a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^3*(1/(cos(d*x+c)+1))^(3/2)-5*B*sin(d*x+c)*
((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^3*(1/(cos(d*x+c)+1))^(3/2)-8*A*(1/(a+b)*(b
+a*cos(d*x+c))/cos(d*x+c+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b)
)^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*b^3-9*A*EllipticF((-1+cos(d*x+c))*
((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+
c))/cos(d*x+c+1))^(1/2)*a^3+9*A*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c+1))
^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-
b))^(1/2))*a^3+5*B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c)
, (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c+1))^(1/2)*a^3-
15*C*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b)
)^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c+1))^(1/2)*a^3+15*C*(1/(a+b)*
(b+a*cos(d*x+c))/cos(d*x+c+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+
b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3-8*A*sin(d*x+c)*((a-b)/(a+b)
)^(1/2)*b^3*(1/(cos(d*x+c)+1))^(3/2)+10*B*EllipticF((-1+cos(d*x+c))*((a-b)/(
a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/cos
(d*x+c+1))^(1/2)*a^2*b-10*B*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c+1))^(1/2)
)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(
```

$$\begin{aligned} & 1/2)) * a^2 * b + 10 * B * (1 / (a + b) * (b + a * \cos(d * x + c)) / (\cos(d * x + c) + 1))^{1/2} * \text{EllipticE} \\ & (-1 + \cos(d * x + c)) * ((a - b) / (a + b))^{1/2} / \sin(d * x + c), (- (a + b) / (a - b))^{1/2}) * a * b^2 - \\ & 15 * C * (1 / (a + b) * (b + a * \cos(d * x + c)) / (\cos(d * x + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(d * x + \\ & c)) * ((a - b) / (a + b))^{1/2} / \sin(d * x + c), (- (a + b) / (a - b))^{1/2}) * a^2 * b + 2 * A * \text{Elliptic} \\ & F((-1 + \cos(d * x + c)) * ((a - b) / (a + b))^{1/2} / \sin(d * x + c), (- (a + b) / (a - b))^{1/2}) * (1 / (\\ & a + b) * (b + a * \cos(d * x + c)) / (\cos(d * x + c) + 1))^{1/2} * a^2 * b - 8 * A * \text{EllipticF}((-1 + \cos(d * x \\ & + c)) * ((a - b) / (a + b))^{1/2} / \sin(d * x + c), (- (a + b) / (a - b))^{1/2}) * (1 / (a + b) * (b + a * \cos \\ & (d * x + c)) / (\cos(d * x + c) + 1))^{1/2} * a * b^2 - 9 * A * (1 / (a + b) * (b + a * \cos(d * x + c)) / (\cos(d * x \\ & + c) + 1))^{1/2} * \text{EllipticE}((-1 + \cos(d * x + c)) * ((a - b) / (a + b))^{1/2} / \sin(d * x + c), (- (a \\ & + b) / (a - b))^{1/2}) * a^2 * b + 8 * A * (1 / (a + b) * (b + a * \cos(d * x + c)) / (\cos(d * x + c) + 1))^{1/2} \\ & * \text{EllipticE}((-1 + \cos(d * x + c)) * ((a - b) / (a + b))^{1/2} / \sin(d * x + c), (- (a + b) / (a - b))^{1/2}) \\ & * a * b^2 + A * \sin(d * x + c) * ((a - b) / (a + b))^{1/2} * \cos(d * x + c) * a^2 * b * (1 / (\cos(d * x + \\ & c) + 1))^{3/2} + A * \sin(d * x + c) * ((a - b) / (a + b))^{1/2} * \cos(d * x + c) * a^2 * b * (1 / (\cos(d * x + \\ & c) + 1))^{3/2} - 4 * A * \sin(d * x + c) * ((a - b) / (a + b))^{1/2} * \cos(d * x + c) * a * b^2 * (1 / (\cos(d * \\ & x + c) + 1))^{3/2} + 5 * B * \sin(d * x + c) * ((a - b) / (a + b))^{1/2} * \cos(d * x + c) * a^2 * b * (1 / (\cos(\\ & d * x + c) + 1))^{3/2} - 15 * C * ((a - b) / (a + b))^{1/2} * \cos(d * x + c) * a^3 * \sin(d * x + c) * (1 / (\cos \\ & (d * x + c) + 1))^{3/2} / a^3 / ((a - b) / (a + b))^{1/2} / (b + a * \cos(d * x + c)) / \sin(d * x + c)^6 / (1 \\ & / (\cos(d * x + c) + 1))^{3/2} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx + c)^2 \sec(dx + c)^2 + B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2) \sqrt{\cos(dx + c)}}{\sqrt{b \sec(dx + c) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] `integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/sqrt(b*sec(d*x + c) + a), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/sqrt(b*sec(d*x + c) + a), x)`

$$3.1358 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=216

$$\frac{2(a^2(A+3C)-3abB+2Ab^2)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^2d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{2(2Ab-3aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}{3a^2d\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (2*(2*A*b^2 - 3*a*b*B + a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d)

Rubi [A] time = 0.665206, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4265, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2(A+3C)-3abB+2Ab^2)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3a^2d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{2(2Ab-3aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3a^2d\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*(2*A*b^2 - 3*a*b*B + a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d)

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^3(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sec^3(c + dx) \sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)})^2 \sin(c + dx)}{3ad} \\
 &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad} - \frac{(2Ab - 3a^2) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad} \\
 &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad} + \frac{2 \left(\frac{1}{2} b (2a - b) \right) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad} \\
 &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad} + \frac{2 \left(\frac{1}{2} b (2a - b) \right) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad} \\
 &= \frac{2(2Ab^2 - 3abB + a^2(A + 3C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2}{a}\right)}{3a^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 12.4673, size = 359, normalized size = 1.66

$$4 \cos^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(aA \sin(c + dx)(a \cos(c + dx) + b) - \frac{\left(\cos^2\left(\frac{1}{2}(c+dx)\right) \sec(c+dx) \right)^{3/2} \left(ia \sec^2\left(\frac{1}{2}\right) \right)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (4*Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(a*A*(b + a*Cos[c + d*x])*Sin[c + d*x] - ((Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*((-I)*(a + b)*(-2*A*b + 3*a*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(-2*A*b + a*(A + 3*(B + C)))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (2*A*b - 3*a*B)*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/Sec[c + d*x]^(3/2))/(3*a^2*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.57, size = 1012, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x)

[Out] -2/3/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))^3*(A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a^2+A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2-A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b+3*B*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2+A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*((a-b)/(a+b))^(1/2)*a*b-2*A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*((a-b)/(a+b))^(1/2)*b^2+3*B*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*((a-b)/(a+b))^(1/2)*a*b+2*A*(1/(a+b)*(b+a*cos(d*x+c))/cos(

$$\begin{aligned}
& d*x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{\frac{1}{2}}/\sin(d*x+c), \\
& -(a+b)/(a-b))^{\frac{1}{2}})*a*b-2*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}} \\
&)*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{\frac{1}{2}}/\sin(d*x+c), -(a+b)/(a-b))^{\frac{1}{2}} \\
&)^{\frac{1}{2}})*b^2-A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticF((-1+c \\
& \cos(d*x+c))*((a-b)/(a+b))^{\frac{1}{2}}/\sin(d*x+c), -(a+b)/(a-b))^{\frac{1}{2}})*a^2-2*A*(1/ \\
& (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticF((-1+\cos(d*x+c))*((a- \\
& b)/(a+b))^{\frac{1}{2}}/\sin(d*x+c), -(a+b)/(a-b))^{\frac{1}{2}})*a*b-3*B*(1/(a+b)*(b+a*\cos(\\
& d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{\frac{1}{2}} \\
&)/\sin(d*x+c), -(a+b)/(a-b))^{\frac{1}{2}})*a^2+3*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
& x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{\frac{1}{2}}/\sin(d*x+c), -(\\
& a+b)/(a-b))^{\frac{1}{2}})*a*b+3*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}* \\
& EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{\frac{1}{2}}/\sin(d*x+c), -(a+b)/(a-b))^{\frac{1}{2}} \\
&)^{\frac{1}{2}})*a^2-3*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticF((-1+c \\
& \cos(d*x+c))*((a-b)/(a+b))^{\frac{1}{2}}/\sin(d*x+c), -(a+b)/(a-b))^{\frac{1}{2}})*a^2*\cos(d* \\
& x+c)^{\frac{1}{2}}/a^2/((a-b)/(a+b))^{\frac{1}{2}}/(b+a*\cos(d*x+c))/(1/(\cos(d*x+c)+1))^{\frac{3}{2}} \\
&)/\sin(d*x+c)^6
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c) + A \cos(dx + c))\sqrt{\cos(dx + c)}}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c))/sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(b*sec(d*x + c) + a), x)

$$3.1359 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=219

$$\frac{2(Ab - aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{ad\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2C\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{d\sqrt{\cos(c+dx)}}$$

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)])

Rubi [A] time = 0.756044, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4265, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(Ab - aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2C\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) / (Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x]) / (Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]) / Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x]) / (c + d)] / Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c / (c + d) + (d*Sin[e + f*x]) / (c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]) / (f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)) / (Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]] / Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B) / (a*d), Int[Sqrt[d*Csc[e + f*x]] / Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}} dx \\
&= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}} dx \\
&\quad + \frac{(A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{\sec(c+dx)}} dx}{a} - \frac{((Ab-aB)\sqrt{\cos(c+dx)}) \int \frac{1}{\sqrt{b+a\cos(c+dx)}} dx}{a\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{(C\sqrt{\cos(c+dx)}) \int \frac{1}{\sqrt{b+a\cos(c+dx)}} dx}{a\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2C\sqrt{\frac{b+a\cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} - \frac{((Ab-aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}})}{a\sqrt{\cos(c+dx)}} + \frac{2C\sqrt{\frac{b+a\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{ad\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{2C\sqrt{\frac{b+a\cos(c+dx)}{a+b}}}{d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 33.8512, size = 36160, normalized size = 165.11

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/Sqrt
[a + b*Sec[c + d*x]],x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.514, size = 2005, normalized size = 9.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x)
```

```
[Out] 2/d*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))^2*(A*sin(d*x+c)*cos(d*x+c)^2*EllipticF
((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(c
os(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a-A*sin
(d*x+c)*cos(d*x+c)^2*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c)
, (-a+b)/(a-b))^(1/2)*a+A*sin(d*x+c)*cos(d*x+c)^2*(1/(cos(d*x+c)+1))^(3/2)
*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*
((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2)*b-B*sin(d*x+c)*cos(d*x
+c)^2*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b
))^(1/2))*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)
)^(1/2)*a+C*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(
b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a-2*C*sin(d*x+c)*cos(d*x+c)^2*(1/(cos
(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticP
i((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b)
)^(1/2))*a+2*A*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b)
)^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*
(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a-2*A*sin(d*x+c)*cos(d*x+c)*(1/(cos(
d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE(
(-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a+2*A*
sin(d*x+c)*cos(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c)
), (-a+b)/(a-b))^(1/2)*b-2*B*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c)
))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(cos(d*x+c)+1))^(
3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a+2*C*sin(d*x+c)*cos(
d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-
b))^(1/2))*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*a-4*C*sin(d*x+c)*cos(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a+A*sin(d*x+c)*Ellipti
cF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/
(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a-A*s
in(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)
)^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a
-b))^(1/2))*a+A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(
d*x+c), (-a+b)/(a-b))^(1/2)*b-B*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)
)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(cos(d*x+c)+1))^(3/2)*(1
/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a+C*sin(d*x+c)*EllipticF((-1+
cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(cos(d*
x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a-2*C*sin(d*
x+c)*(1/(cos(d*x+c)+1))^(3/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/
2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/
((a-b)/(a+b))^(1/2))*a-A*((a-b)/(a+b))^(1/2)*cos(d*x+c)^2*a+A*((a-b)/(a+b))
^(1/2)*cos(d*x+c)*a-A*((a-b)/(a+b))^(1/2)*cos(d*x+c)*b+A*((a-b)/(a+b))^(1/2
```

) * b) * cos(d*x+c)^(1/2) * ((b+a*cos(d*x+c))/cos(d*x+c))^(1/2) / a / ((a-b)/(a+b))^(1/2) / (b+a*cos(d*x+c)) / sin(d*x+c)^5

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx) + C \sec^2(c + dx)) \sqrt{\cos(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**1/2,x)

[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)*sqrt(cos(c + d*x))/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))  
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/sqrt(b  
*sec(d*x + c) + a), x)
```

$$3.1360 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=260

$$\frac{(2A+C)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(2bB-aC)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{C \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{bd\sqrt{\cos(c+dx)}}$$

```
[Out] ((2*A + C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (C*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 0.97983, antiderivative size = 260, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2A+C)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(2bB-aC)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{C \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{bd\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]), x]
```

```
[Out] ((2*A + C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (C*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]])
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
```

0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{-\frac{aC}{2} + Ab \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{b} \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{-\frac{aC}{2} + Ab \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{b} \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} - \frac{\left(C \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx}{2b} \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} + \frac{\left((2A + C) \sqrt{b + a \cos(c + dx)} \right) \int \frac{1}{\sqrt{b + a \cos(c + dx)}} dx}{2 \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(2bB - aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi \left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b} \right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} \\
 &= \frac{(2A + C) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F \left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b} \right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2bB - aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi \left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b} \right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 32.5569, size = 52620, normalized size = 202.38

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]),x]

[Out] Result too large to show

Maple [C] time = 0.462, size = 866, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(1/2)}/(a+b*\sec(d*x+c))^{(1/2)},x)$

[Out] $-1/d*(2*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*b-2*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*b+4*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b+2*C*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*a-C*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*a+C*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(- (a+b)/(a-b))^{(1/2)})*b-2*C*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a+C*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a-C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a+C*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*b-C*((a-b)/(a+b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*b)*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/b/((a-b)/(a+b))^{(1/2)}/(b+a*\cos(d*x+c))/\sin(d*x+c)/(1/(\cos(d*x+c)+1))^{(1/2)}/\cos(d*x+c)^{(1/2)}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{\sqrt{b \sec(dx+c) + a} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))
^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)
*sqrt(cos(d*x + c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))
^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(1/2)/(a+b*sec(d*x+c)
)**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x) + C*sec(c + d*x)**2)/(sqrt(a + b*sec(c + d*x))
*sqrt(cos(c + d*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))  
^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)  
*sqrt(cos(d*x + c))), x)
```


$$3.1361 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=350

$$\frac{(4bB - aC)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(3a^2C - 4abB + 8Ab^2 + 4b^2C)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4b^2d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

[Out] ((4*b*B - a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^2 - 4*a*b*B + 3*a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((4*b*B - 3*a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*b*d*Cos[c + d*x]^(3/2)) + ((4*b*B - 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 1.28481, antiderivative size = 350, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(3a^2C - 4abB + 8Ab^2 + 4b^2C)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4b^2d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(4bB - 3aC)\sin(c+dx)\sqrt{a+b \sec(c+dx)}}{4b^2d\sqrt{\cos(c+dx)}} - \frac{(4bB - aC)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]),x]

[Out] ((4*b*B - a*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^2 - 4*a*b*B + 3*a^2*C + 4*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((4*b*B - 3*a*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*b^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (C*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*b*d*Cos[c + d*x]^(3/2)) + ((4*b*B - 3*a*C)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*d*Sqrt[Cos[c + d*x]])

*Sqrt[Cos[c + d*x]])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] , x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
```

+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx}{2bd \cos^{\frac{3}{2}}(c + dx)} \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB - 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB - 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB - 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB - 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} \\
 &= \frac{C \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{(4bB - 3aC) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} \\
 &= \frac{(8Ab^2 - 4abB + 3a^2C + 4b^2C) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) + C \sqrt{a + b \sec(c + dx)}}{4b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(4bB - aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) + (8Ab^2 - 4abB + 3a^2C + 4b^2C)}{4bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(8Ab^2 - 4abB + 3a^2C + 4b^2C)}{4b^2 d \sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 33.4505, size = 98830, normalized size = 282.37

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*Sqrt[
a + b*Sec[c + d*x]]),x]
```

[Out] Result too large to show

Maple [C] time = 0.49, size = 3191, normalized size = 9.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2)
,x)
```

```
[Out] 1/4/d*(-1+cos(d*x+c))*(cos(d*x+c)+1)*(-8*B*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d
*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3*EllipticPi((-1+cos(d*
x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*sin
(d*x+c)*a*b-4*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a*b+2*C*cos(d*x+c)^3*((a-b
)/(a+b))^(1/2)*a*b-3*C*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a*b+C*cos(d*x+c)*((
a-b)/(a+b))^(1/2)*a*b-2*C*((a-b)/(a+b))^(1/2)*b^2+8*B*(1/(a+b)*(b+a*cos(d*x
+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*EllipticF(
(-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*
x+c)*a*b-4*B*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)
+1))^(1/2)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d
*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b+2*C*cos(d*x+c)^2*EllipticF((-1+c
os(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b
+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b*(1/(cos(d*x+c)+1))^(1/2
)-3*C*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*Elliptic
E((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(
d*x+c)*a*b*(1/(cos(d*x+c)+1))^(1/2)+8*B*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+
c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c)
))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b-4*B*(
1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*cos
(d*x+c)^3*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/
(a-b))^(1/2))*sin(d*x+c)*a*b+2*C*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(
1/2)*(1/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))*((a-b
```

$$\begin{aligned}
&)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*\sin(d*x+c)*a*b-3*C*(1/(a+b) \\
&*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c) \\
&^3*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2}) \\
&^{1/2})*\sin(d*x+c)*a*b-8*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(\\
&1/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)^2*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*\sin(d*x+c)*a*b+16*A* \\
&\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1 \\
&+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2} \\
&))^{1/2})*\sin(d*x+c)*b^2*(1/(\cos(d*x+c)+1))^{1/2}-8*A*\cos(d*x+c)^3*EllipticF((-1+ \\
&\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(\\
&b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b^2*(1/(\cos(d*x+c)+1))^{1/2} \\
&+4*B*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*Elliptic \\
&E((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*\sin \\
&(d*x+c)*b^2*(1/(\cos(d*x+c)+1))^{1/2}+6*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\
&+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)^3*EllipticPi((-1+\cos(d*x+ \\
&c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*\sin(d \\
&*x+c)*a^2+8*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c) \\
&+1))^{1/2}*\cos(d*x+c)^3*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin \\
&(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*\sin(d*x+c)*b^2-6*C*(1/(a+b)*(b+a \\
&*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)^3*El \\
&lipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2} \\
&)*\sin(d*x+c)*a^2-4*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(co \\
&s(d*x+c)+1))^{1/2}*\cos(d*x+c)^3*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \\
&/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*\sin(d*x+c)*b^2+3*C*(1/(a+b)*(b+a*\cos(d* \\
&x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\cos(d*x+c)^3*EllipticE \\
&((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*\sin(d \\
&*x+c)*a^2+16*A*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
&*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((\\
&a-b)/(a+b))^{1/2})*\sin(d*x+c)*b^2*(1/(\cos(d*x+c)+1))^{1/2}-8*A*\cos(d*x+c)^2 \\
&*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2} \\
&)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b^2*(1/(\cos \\
&(d*x+c)+1))^{1/2}+4*B*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
&))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a \\
&-b))^{1/2})*\sin(d*x+c)*b^2*(1/(\cos(d*x+c)+1))^{1/2}+6*C*\cos(d*x+c)^2*(1/(a \\
&b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b) \\
&/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*\sin(d*x+c)*a^2* \\
&(1/(\cos(d*x+c)+1))^{1/2}+8*C*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
&x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a \\
&+b)/(a-b), I/((a-b)/(a+b))^{1/2})*\sin(d*x+c)*b^2*(1/(\cos(d*x+c)+1))^{1/2}-6* \\
&C*\cos(d*x+c)^2*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- \\
&a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+ \\
&c)*a^2*(1/(\cos(d*x+c)+1))^{1/2}-4*C*\cos(d*x+c)^2*EllipticF((-1+\cos(d*x+c))* \\
&((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+ \\
&c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b^2*(1/(\cos(d*x+c)+1))^{1/2}+3*C*\cos(d \\
&*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d
\end{aligned}$$

$$*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * \sin(dx+c) * a^2 * (1/(\cos(dx+c)+1))^{1/2} + 4*B*\cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a*b - 3*C*\cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 + 3*C*\cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^2 + 2*C*\cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * b^2 + 4*B*\cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * b^2 - 4*B*\cos(dx+c) * ((a-b)/(a+b))^{1/2} * b^2 * ((b+a*\cos(dx+c))/\cos(dx+c))^{1/2} / b^2 / ((a-b)/(a+b))^{1/2} / (b+a*\cos(dx+c)) / \sin(dx+c)^3 / \cos(dx+c)^{3/2}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(3/2)/(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(3/2)/(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)**2)/cos(dx+c)**(3/2)/(a+b*sec(dx+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

$$3.1362 \quad \int \frac{\sqrt{\cos(c+dx)}(aA+(Ab+aB)\sec(c+dx)+bB\sec^2(c+dx))}{\sqrt{a+b}\sec(c+dx)} dx$$

Optimal. Leaf size=208

$$\frac{2aB\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b}\sec(c+dx)} + \frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b}\sec(c+dx)E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{\frac{a\cos(c+dx)+b}{a+b}}} + \frac{2bB\sqrt{\frac{a\cos(c+dx)+b}{a+b}}}{d\sqrt{\cos(c+dx)}}$$

[Out] (2*a*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)])

Rubi [A] time = 0.897641, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 54, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {4265, 4072, 4037, 3854, 3858, 2663, 2661, 3859, 2807, 2805, 3856, 2655, 2653}

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b}\sec(c+dx)E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{\frac{a\cos(c+dx)+b}{a+b}}} + \frac{2aB\sqrt{\frac{a\cos(c+dx)+b}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b}\sec(c+dx)} + \frac{2bB\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\Pi\left(2; \frac{1}{2}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(a*A + (A*b + a*B)*Sec[c + d*x] + b*B*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*a*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)])

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^m_.*(u_), x_Symbol] :> Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4072

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*((c_.) + csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.), x_Symbol] := Dist[1/b^2, Int[(a + b*Csc[e + f*x])^(m + 1)*(c + d*Csc[e + f*x])^n*(b*B - a*C + b*C*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && EqQ[A*b^2 - a*b*B + a^2*C, 0]

Rule 4037

Int[(Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.))/Sqrt[csc[(e_.) + (f_.)*(x_)])*(d_.)], x_Symbol] := Dist[B/d, Int[Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]], x], x] + Dist[A, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3854

Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.), x_Symbol] := Dist[a, Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.), x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]) , x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(aA + (Ab + aB)\sec(c+dx) + bB\sec^2(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{aA + (Ab + aB)\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b\sec(c+dx)}(-abB + aA + (Ab + aB)\sec(c+dx))}{\sqrt{\sec(c+dx)}} dx}{b^2} \\
&= (A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{\sec(c+dx)}} dx \\
&= (aB\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{(aB\sqrt{b+a\cos(c+dx)}) \int \frac{1}{\sqrt{b+a\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{(bB\sqrt{a+b\sec(c+dx)}) \int \frac{1}{\sqrt{a+b\sec(c+dx)}} dx}{\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2A\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{a+b\sec(c+dx)}}{d\sqrt{\frac{b+a\cos(c+dx)}{a+b}}} \\
&= \frac{2aB\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{2bB\sqrt{\frac{b+a\cos(c+dx)}{a+b}}}{d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.29192, size = 25325, normalized size = 121.75

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(a*A + (A*b + a*B)*Sec[c + d*x] + b*B*Sec[c + d*x]^2))/Sqrt[a + b*Sec[c + d*x]],x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.512, size = 2301, normalized size = 11.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A*a+(A*b+B*a)*\sec(d*x+c)+b*B*\sec(d*x+c)^2)*\cos(d*x+c)^{(1/2)}/(a+b*\sec(d*x+c))^{(1/2)},x)$

[Out]
$$\begin{aligned} & -2/d*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^2*(A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*b-A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a+A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*b-B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^2*b+2*B*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)^2*b+2*A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*b-2*B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*b+4*B*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\cos(d*x+c)*b+A*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a-B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*b+2*B*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b-A*((a-b)/(a+b))^{(1/2)}*b+A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a-A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a+A*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*b-A*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a+A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a-A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*b+B*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a-2*A*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a+2*A*\sin(d*x+c)*\cos(d*x+c)*(1/(\cos(d*x+c)+1) \end{aligned}$$

$$\begin{aligned} &)^{3/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * a - 2 * A * \sin(d*x+c) * \cos(d*x+c) * (1/(\cos(d*x+c)+1))^{3/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * b + 2 * B * \sin(d*x+c) * \cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(\cos(d*x+c)+1))^{3/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a - A * \sin(d*x+c) * (1/(\cos(d*x+c)+1))^{3/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * b + B * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(\cos(d*x+c)+1))^{3/2} * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a * \cos(d*x+c)^{1/2} * ((b+a * \cos(d*x+c)) / \cos(d*x+c))^{1/2} / ((a-b)/(a+b))^{1/2} / (b+a * \cos(d*x+c)) / \sin(d*x+c)^5 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)) \sqrt{\cos(dx + c)}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*sec(d*x+c)+b*B*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(cos(d*x + c))/sqrt(b*sec(d*x + c) + a), x)

$$3.1363 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{\frac{3}{2}}} dx$$

Optimal. Leaf size=461

$$\frac{2(6a^2b(2A+5C)-5a^3B-40ab^2B+48Ab^3)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx) (a^2 - b^2)}{15a^4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (-2*(48*A*b^3 - 5*a^3*B - 40*a*b^2*B + 6*a^2*b*(2*A + 5*C))*Sqrt[(b + a*Cos
[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a^4*d*Sqrt[C
os[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(48*A*b^4 + 25*a^3*b*B - 40*a*b
^3*B - 6*a^2*b^2*(4*A - 5*C) - 3*a^4*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*Ellipt
icE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^4*(a^2 - b^
2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(A*b^2 - a*(b*B - a*C))*Cos[c
+ d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2
*(24*A*b^3 + 5*a^3*B - 20*a*b^2*B - a^2*(9*A*b - 15*b*C))*Sqrt[Cos[c + d*x]
]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)*d) - (2*(6*A*b
^2 - 5*a*b*B - a^2*(A - 5*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*S
in[c + d*x])/(5*a^2*(a^2 - b^2)*d)
```

Rubi [A] time = 1.5673, antiderivative size = 461, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx) (a^2(-A-5C)) - 5abB + 6Ab^2}{5a^2d(a^2 - b^2)} \sqrt{a+b \sec(c+dx)} + \frac{2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx) (Ab^2 - a(b^2 - a^2))}{ad(a^2 - b^2) \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec
[c + d*x])^(3/2), x]
```

```
[Out] (-2*(48*A*b^3 - 5*a^3*B - 40*a*b^2*B + 6*a^2*b*(2*A + 5*C))*Sqrt[(b + a*Cos
[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a^4*d*Sqrt[C
os[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(48*A*b^4 + 25*a^3*b*B - 40*a*b
^3*B - 6*a^2*b^2*(4*A - 5*C) - 3*a^4*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*Ellipt
icE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^4*(a^2 - b^
2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(A*b^2 - a*(b*B - a*C))*Cos[c
+ d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2
*(24*A*b^3 + 5*a^3*B - 20*a*b^2*B - a^2*(9*A*b - 15*b*C))*Sqrt[Cos[c + d*x]
]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)*d) - (2*(6*A*b
^2 - 5*a*b*B - a^2*(A - 5*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*S
in[c + d*x])/(5*a^2*(a^2 - b^2)*d)
```


$$+ d*x]^{(3/2)}*\sin[c + d*x]/(a*(a^2 - b^2)*d*\sqrt{a + b*\sec[c + d*x]}) + (2*(24*A*b^3 + 5*a^3*B - 20*a*b^2*B - a^2*(9*A*b - 15*b*C))*\sqrt{\cos[c + d*x]}\sqrt{a + b*\sec[c + d*x]}\sin[c + d*x])/(15*a^3*(a^2 - b^2)*d) - (2*(6*A*b^2 - 5*a*b*B - a^2*(A - 5*C))*\cos[c + d*x]^{(3/2)}*\sqrt{a + b*\sec[c + d*x]}\sin[c + d*x])/(5*a^2*(a^2 - b^2)*d)$$

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
```

```
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{\frac{3}{2}}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+b\sec(c+dx))} dx \\
&= \frac{2(Ab^2-a(bB-aC))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{(2\sqrt{\cos(c+dx)})^3}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(6Ab^2-6a^2bC)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(24Ab^3-24a^2bC)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(24Ab^3-24a^2bC)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(24Ab^3-24a^2bC)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(24Ab^3-24a^2bC)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(24Ab^3-24a^2bC)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{2(48Ab^3-5a^3B-40ab^2B+6a^2b(2A+5C))\sqrt{\frac{b+a\cos(c+dx)}{a+b}}}{15a^4d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 24.839, size = 3870, normalized size = 8.39

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(-9*A*b + 5*a*B)*Sin[c + d*x])/(15*a^3) + (4*(A*b^4*Sin[c + d*x] - a*b^3*B*Sin[c + d*x] + a^2*b^2*C*Sin[c + d*x]))/(a^3*(a^2 - b^2)*(b + a
```

$$\begin{aligned}
& * \cos[c + dx]) + (2A \sin[2(c + dx)] / (5a^2)) / (d(A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) * (a + b \sec[c + dx])^{3/2}) - (4 \cos[c + dx]^{3/2} * (b + a \cos[c + dx]) * ((6aA \sqrt{\cos[c + dx]} / (5(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) * \sqrt{\sec[c + dx]})) + (16Ab^2 \sqrt{\cos[c + dx]} / (5a(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) * \sqrt{\sec[c + dx]}) - (32Ab^4 \sqrt{\cos[c + dx]} / (5a^3(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) * \sqrt{\sec[c + dx]}) - (10bB \sqrt{\cos[c + dx]} / (3(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) * \sqrt{\sec[c + dx]}) + (16b^3B \sqrt{\cos[c + dx]} / (3a^2(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) * \sqrt{\sec[c + dx]}) + (2aC \sqrt{\cos[c + dx]} / ((a^2 - b^2) \sqrt{b + a \cos[c + dx]}) * \sqrt{\sec[c + dx]}) - (4b^2C \sqrt{\cos[c + dx]} / (a(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) * \sqrt{\sec[c + dx]}) - (2Ab \sqrt{\cos[c + dx]} * \sqrt{\sec[c + dx]} / (5(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) - (8Ab^3 \sqrt{\cos[c + dx]} * \sqrt{\sec[c + dx]} / (5a^2(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) + (2aB \sqrt{\cos[c + dx]} * \sqrt{\sec[c + dx]} / (3(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) + (4b^2B \sqrt{\cos[c + dx]} * \sqrt{\sec[c + dx]} / (3a(a^2 - b^2) \sqrt{b + a \cos[c + dx]}) - (2bC \sqrt{\cos[c + dx]} * \sqrt{\sec[c + dx]} / ((a^2 - b^2) \sqrt{b + a \cos[c + dx]})) * (\cos[(c + dx)/2]^2 \sec[c + dx])^{3/2} * (A + B \sec[c + dx] + C \sec[c + dx]^2) * ((-I)(a + b)(-48Ab^4 - 25a^3bB + 40ab^3B + 6a^2b^2(4A - 5C) + 3a^4(3A + 5C)) * \text{EllipticE}[I \text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + I a (a + b) (-48Ab^3 + 4ab^2(9A + 10B) - 6a^2b(2A + 5(B + C)) + a^3(9A + 5(B + 3C))) * \text{EllipticF}[I \text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + (48Ab^4 + 25a^3bB - 40ab^3B - 6a^2b^2(4A - 5C) - 3a^4(3A + 5C)) * (b + a \cos[c + dx]) * (\sec[(c + dx)/2]^2)^{3/2} \tan[(c + dx)/2]) / (15a^4(a^2 - b^2) * d(A + 2C + 2B \cos[c + dx] + A \cos[2c + 2dx]) * \sqrt{\sec[c + dx]} * (a + b \sec[c + dx])^{3/2} * ((-2 \cos[c + dx])^{3/2} * (\cos[(c + dx)/2]^2 \sec[c + dx])^{3/2} * \sin[c + dx] * ((-I)(a + b) * (-48Ab^4 - 25a^3bB + 40ab^3B + 6a^2b^2(4A - 5C) + 3a^4(3A + 5C)) * \text{EllipticE}[I \text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + I a (a + b) (-48Ab^3 + 4ab^2(9A + 10B) - 6a^2b(2A + 5(B + C)) + a^3(9A + 5(B + 3C))) * \text{EllipticF}[I \text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + (48Ab^4 + 25a^3bB - 40ab^3B - 6a^2b^2(4A - 5C) - 3a^4(3A + 5C)) * (b + a \cos[c + dx]) * (\sec[(c + dx)/2]^2)^{3/2} \tan[(c + dx)/2]) / (15a^3(a^2 - b^2) * (b + a \cos[c + dx])^{3/2}) + (2 \sqrt{\cos[c + dx]} * (\cos[(c + dx)/2]^2 \sec[c + dx])^{3/2} * \sin[c + dx] * ((-I)(a + b) * (-48Ab^4 - 25a^3bB + 40ab^3B + 6a^2b^2(4A - 5C) + 3a^4(3A + 5C)) * \text{EllipticE}[I \text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + I a (a + b) (-48Ab^3 + 4ab^2(9A + 10B) - 6a^2b(2A + 5(B + C)) + a^3(9A + 5(B + 3C))) * \text{EllipticF}[I \text{ArcSinh}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * \sec[(c + dx)/2]^2 \sqrt{((b + a \cos[c + dx]) \sec[(c + dx)/2]^2) / (a + b)} + (48Ab^4 +
\end{aligned}$$

$$\begin{aligned}
& 25a^3b^3B - 40a^2b^3B - 6a^2b^2(4A - 5C) - 3a^4(3A + 5C))(b + \\
& a\cos[c + dx]) \cdot (\sec[(c + dx)/2]^{3/2} \tan[(c + dx)/2]) / (5a^4(a^2 - \\
& b^2) \sqrt{b + a\cos[c + dx]}) - (4\cos[c + dx]^{3/2} (\cos[(c + dx)/2]^{3/2} \\
& \sec[c + dx]^{3/2} ((48Ab^4 + 25a^3b^3B - 40a^2b^3B - 6a^2b^2(4A \\
& - 5C) - 3a^4(3A + 5C))(b + a\cos[c + dx]) \cdot (\sec[(c + dx)/2]^{5/2} \\
&)) / 2 - I(a + b)(-48Ab^4 - 25a^3b^3B + 40a^2b^3B + 6a^2b^2(4A - 5C) \\
& + 3a^4(3A + 5C)) \cdot \text{EllipticE}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a \\
& + b)] \cdot \sec[(c + dx)/2]^{3/2} \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^{2/2}) / (a \\
& + b)] \cdot \tan[(c + dx)/2] + I \cdot a \cdot (a + b) \cdot (-48Ab^3 + 4a^2b^2(9A + 10B) - 6a^2b \\
& \cdot (2A + 5(B + C)) + a^3(9A + 5(B + 3C))) \cdot \text{EllipticF}[I \cdot \text{ArcSinh}[\tan[\\
& (c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{3/2} \sqrt{((b + a\cos[c + dx] \\
& x)) \cdot \sec[(c + dx)/2]^{2/2}) / (a + b)] \cdot \tan[(c + dx)/2] - a \cdot (48Ab^4 + 25a^3b^3B \\
& B - 40a^2b^3B - 6a^2b^2(4A - 5C) - 3a^4(3A + 5C)) \cdot (\sec[(c + dx)/ \\
& 2]^{3/2} \sin[c + dx] \cdot \tan[(c + dx)/2] + (3(48Ab^4 + 25a^3b^3B - 40a^2b^3B - 6a^2b^2(4A - 5C) \\
& - 3a^4(3A + 5C))(b + a\cos[c + dx]) \cdot (\sec[(c + dx)/2]^{3/2} \tan[(c + dx)/2]^{2/2}) / 2 - ((I/2) \cdot (a + b) \cdot (-48Ab^4 \\
& - 25a^3b^3B + 40a^2b^3B + 6a^2b^2(4A - 5C) + 3a^4(3A + 5C)) \cdot \text{EllipticE}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], \\
& (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{2/2} \cdot (-((a \cdot \sec[(c + dx)/2]^{2/2} \sin[c + dx]) / (a + b)) + ((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^{2/2} \tan[(c + dx)/2]) / (a + b))) / \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^{2/2}) / (a + b)} + ((I/2) \cdot a \cdot (a + b) \cdot (-48Ab^3 + 4a^2b^2(9A + 10B) - 6a^2b \cdot (2A + 5(B + C)) + a^3(9A + 5(B + 3C))) \cdot \text{EllipticF}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{2/2} \cdot (-((a \cdot \sec[(c + dx)/2]^{2/2} \sin[c + dx]) / (a + b)) + ((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^{2/2} \tan[(c + dx)/2]) / (a + b))) / \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^{2/2}) / (a + b)} - (a \cdot (a + b) \cdot (-48Ab^3 + 4a^2b^2(9A + 10B) - 6a^2b \cdot (2A + 5(B + C)) + a^3(9A + 5(B + 3C))) \cdot \sec[(c + dx)/2]^{4/2} \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^{2/2}) / (a + b)) / (2 \sqrt{1 + \tan[(c + dx)/2]^{2/2}} \sqrt{1 + ((-a + b) \cdot \tan[(c + dx)/2]^{2/2}) / (a + b)}) + ((a + b) \cdot (-48Ab^4 - 25a^3b^3B + 40a^2b^3B + 6a^2b^2(4A - 5C) + 3a^4(3A + 5C)) \cdot \sec[(c + dx)/2]^{4/2} \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^{2/2}) / (a + b)} \sqrt{1 + ((-a + b) \cdot \tan[(c + dx)/2]^{2/2}) / (a + b)}) / (2 \sqrt{1 + \tan[(c + dx)/2]^{2/2}})) / (15a^4 \cdot (a^2 - b^2) \sqrt{b + a\cos[c + dx]}) - (2\cos[c + dx]^{3/2} \sqrt{\cos[(c + dx)/2]^{2/2} \sec[c + dx]} \cdot ((-I) \cdot (a + b) \cdot (-48Ab^4 - 25a^3b^3B + 40a^2b^3B + 6a^2b^2(4A - 5C) + 3a^4(3A + 5C)) \cdot \text{EllipticE}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{3/2} \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^{2/2}) / (a + b)} + I \cdot a \cdot (a + b) \cdot (-48Ab^3 + 4a^2b^2(9A + 10B) - 6a^2b \cdot (2A + 5(B + C)) + a^3(9A + 5(B + 3C))) \cdot \text{EllipticF}[I \cdot \text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \cdot \sec[(c + dx)/2]^{3/2} \sqrt{((b + a\cos[c + dx]) \cdot \sec[(c + dx)/2]^{2/2}) / (a + b)} + (48Ab^4 + 25a^3b^3B - 40a^2b^3B - 6a^2b^2(4A - 5C) - 3a^4(3A + 5C)) \cdot (b + a\cos[c + dx]) \cdot (\sec[(c + dx)/2]^{3/2} \tan[(c + dx)/2]) \cdot (-\cos[(c + dx)/2] \cdot \sec[c + dx] \cdot \sin[(c + dx)/2] + \cos[(c + dx)/2]^{2/2} \sec[c + dx] \cdot \tan[c + dx])) / (5a^4(a^2 - b^2) \sqrt{b + a\cos[c + dx]})
\end{aligned}$$

Maple [B] time = 0.613, size = 2418, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(5/2)}*(A+B*\sec(dx+c)+C*\sec(dx+c)^2)/(a+b*\sec(dx+c))^{(3/2)},x)$

[Out] $\frac{2}{15}d*((b+a*\cos(dx+c))/\cos(dx+c))^{(1/2)}*\cos(dx+c)^{(1/2)}*(\cos(dx+c)+1)^5*(-1+\cos(dx+c))^{(3/2)}*(-3*A*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{(3/2)}-12*A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^3*b-36*A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^2*b^2-48*A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a*b^3+24*A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a^2*b^2-48*A*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*b^4*(1/(\cos(dx+c)+1))^{(3/2)}+9*A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a^4+15*C*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a^4-9*A*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{(3/2)}-15*C*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{(3/2)}-5*B*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{(3/2)}-9*A*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^3*b*(1/(\cos(dx+c)+1))^{(3/2)}-24*A*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a*b^3*(1/(\cos(dx+c)+1))^{(3/2)}-5*B*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^3*b*(1/(\cos(dx+c)+1))^{(3/2)}+20*B*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^2*b^2*(1/(\cos(dx+c)+1))^{(3/2)}+40*B*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a*b^3*(1/(\cos(dx+c)+1))^{(3/2)}-15*C*((a-b)/(a+b))^{(1/2)}*a^3*b*\sin(dx+c)*(1/(\cos(dx+c)+1))^{(3/2)}-30*C*((a-b)/(a+b))^{(1/2)}*a^2*b^2*\sin(dx+c)*(1/(\cos(dx+c)+1))^{(3/2)}-5*B*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{(3/2)}-3*A*\cos(dx+c)^3*((a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^4*(1/(\cos(dx+c)+1))^{(3/2)}-25*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a^3*b+40*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*a*b^3+30*B*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^3*b+40*B*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c),(-(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^2*b^2-30*C*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*$

$$\begin{aligned} & \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(-\frac{a+b}{a-b} \right)^{1/2} \cdot a^2 b^2 - 30 C \operatorname{EllipticF} \\ & \left((-1+\cos(dx+c)) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(-\frac{a+b}{a-b} \right)^{1/2} \right) \cdot \left(\frac{1}{(a+b)} \cdot \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)} \right)^{1/2} \cdot a^3 b^3 - 3 A \cos(dx+c)^3 \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \\ & \cdot \sin(dx+c) \cdot a^3 b^3 \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} - 5 B \cos(dx+c)^2 \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \cdot \sin(dx+c) \cdot a^3 b^3 \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} \\ & - 3 A \cos(dx+c) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \cdot \sin(dx+c) \cdot a^3 b^3 \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} - 18 A \cos(dx+c) \cdot \\ & \left(\frac{a-b}{a+b} \right)^{1/2} \cdot \sin(dx+c) \cdot a^2 b^2 \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} - 24 A \cos(dx+c) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \cdot \sin(dx+c) \cdot a^2 b^2 \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} \\ & + 15 B \cos(dx+c) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \cdot \sin(dx+c) \cdot a^3 b^3 \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} + 20 B \cos(dx+c) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \cdot \sin(dx+c) \cdot a^3 b^3 \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} \\ & - 15 C \cos(dx+c) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \cdot a^3 b^3 \sin(dx+c) \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} + 3 A \cos(dx+c)^2 \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \cdot \sin(dx+c) \cdot a^3 b^3 \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} \\ & + 6 A \cos(dx+c)^2 \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \cdot \sin(dx+c) \cdot a^2 b^2 \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} + 5 B \operatorname{EllipticF} \left((-1+\cos(dx+c)) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(-\frac{a+b}{a-b} \right)^{1/2} \right) \cdot \left(\frac{1}{(a+b)} \cdot \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)} \right)^{1/2} \cdot a^4 - 15 \\ & C \operatorname{EllipticF} \left((-1+\cos(dx+c)) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(-\frac{a+b}{a-b} \right)^{1/2} \right) \cdot \left(\frac{1}{(a+b)} \cdot \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)} \right)^{1/2} \cdot a^4 - 9 A \operatorname{EllipticF} \left((-1+\cos(dx+c)) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(-\frac{a+b}{a-b} \right)^{1/2} \right) \cdot \left(\frac{1}{(a+b)} \cdot \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)} \right)^{1/2} \cdot a^4 - 48 A \cdot \left(\frac{1}{(a+b)} \cdot \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)} \right)^{1/2} \cdot \operatorname{EllipticE} \left((-1+\cos(dx+c)) \cdot \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(-\frac{a+b}{a-b} \right)^{1/2} \right) \cdot b^4 \cdot \left(\frac{a-b}{a+b} \right)^{1/2} \cdot \left(\frac{1}{(\cos(dx+c)+1)} \right)^{3/2} / a^4 / (b+a \cos(dx+c)) / (a-b) / \sin(dx+c) \right)^6 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(5/2)*(A+B*sec(dx+c)+C*sec(dx+c)^2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{\left(C \cos(dx+c)^2 \sec(dx+c)^2 + B \cos(dx+c)^2 \sec(dx+c) + A \cos(dx+c)^2 \right) \sqrt{b \sec(dx+c) + a} \sqrt{\cos(dx+c)}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) +
A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*sec(d*x
+ c)^2 + 2*a*b*sec(d*x + c) + a^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c)
)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*sec
(d*x + c) + a)^(3/2), x)
```


$$3.1364 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=350

$$\frac{2(a^2(A+3C)-6abB+8Ab^2)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - 2 \sin(c+dx) \sqrt{\cos(c+dx)} (a^2(-(A-3C)) - 3abB + 4Ab^2) \sqrt{a+b \sec(c+dx)}}{3a^3d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx) \sqrt{\cos(c+dx)} (a^2(-(A-3C)) - abB + Ab^2)}{3a^2d (a^2 - b^2) \sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*(8*A*b^2 - 6*a*b*B + a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*E
llipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a +
b*Sec[c + d*x]]) + (2*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B - a^2*(5*A*b - 3*b*C))
*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c
+ d*x]])/(3*a^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(A*b
^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[
a + b*Sec[c + d*x]]) - (2*(4*A*b^2 - 3*a*b*B - a^2*(A - 3*C))*Sqrt[Cos[c +
d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d)
```

Rubi [A] time = 1.1145, antiderivative size = 350, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{2 \sin(c+dx) \sqrt{\cos(c+dx)} (a^2(-(A-3C)) - 3abB + 4Ab^2) \sqrt{a+b \sec(c+dx)}}{3a^2d (a^2 - b^2)} + \frac{2 \sin(c+dx) \sqrt{\cos(c+dx)} (Ab^2 - a^2)}{ad (a^2 - b^2) \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec
[c + d*x])^(3/2),x]
```

```
[Out] (2*(8*A*b^2 - 6*a*b*B + a^2*(A + 3*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*E
llipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a +
b*Sec[c + d*x]]) + (2*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B - a^2*(5*A*b - 3*b*C))
*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c
+ d*x]])/(3*a^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(A*b
^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[
a + b*Sec[c + d*x]]) - (2*(4*A*b^2 - 3*a*b*B - a^2*(A - 3*C))*Sqrt[Cos[c +
d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d)
```

Rule 4265

Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))} dx \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{(2\sqrt{\cos(c+dx)})}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(4Ab^2-3a^2)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(4Ab^2-3a^2)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(4Ab^2-3a^2)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(4Ab^2-3a^2)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(8Ab^2-6abB+a^2(A+3C))\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{3a^3d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 23.1212, size = 3283, normalized size = 9.38

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2),x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])^2*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*A*Sin[c + d*x])/(3*a^2) - (4*(A*b^3*Sin[c + d*x] - a*b^2*B*Sin[c + d*x] + a^2*b*C*Sin[c + d*x]))/(a^2*(a^2 - b^2)*(b + a*Cos[c + d*x])))/((d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(3/2)) + (4*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])*((-10*A*b*Sqrt[Cos[c + d*x]])/(3*(a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*A*b^3*Sqrt[Cos[c + d*x]])/(3*a^2*(a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec
```

$$\begin{aligned}
& [c + d*x]]) + (2*a*B*Sqrt[Cos[c + d*x]])/((a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (4*b^2*B*Sqrt[Cos[c + d*x]])/(a*(a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*b*C*Sqrt[Cos[c + d*x]])/((a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]]) + (4*A*b^2*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/(3*a*(a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]]) - (2*b*B*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/((a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]]) + (2*a*C*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/((a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]])*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(I*(a + b)*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B + a^2*(-5*A*b + 3*b*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - I*a*(a + b)*(8*A*b^2 - 6*a*b*(A + B) + a^2*(A + 3*(B + C)))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (8*A*b^3 + 3*a^3*B - 6*a*b^2*B + a^2*(-5*A*b + 3*b*C))*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(3*a^3*(a^2 - b^2)*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*((2*Cos[c + d*x])^(3/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*Sin[c + d*x]*(I*(a + b)*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B + a^2*(-5*A*b + 3*b*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - I*a*(a + b)*(8*A*b^2 - 6*a*b*(A + B) + a^2*(A + 3*(B + C)))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (8*A*b^3 + 3*a^3*B - 6*a*b^2*B + a^2*(-5*A*b + 3*b*C))*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(3*a^2*(a^2 - b^2)*(b + a*Cos[c + d*x])^(3/2)) - (2*Sqrt[Cos[c + d*x]])*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*Sin[c + d*x]*(I*(a + b)*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B + a^2*(-5*A*b + 3*b*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - I*a*(a + b)*(8*A*b^2 - 6*a*b*(A + B) + a^2*(A + 3*(B + C)))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (8*A*b^3 + 3*a^3*B - 6*a*b^2*B + a^2*(-5*A*b + 3*b*C))*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(a^3*(a^2 - b^2)*Sqrt[b + a*Cos[c + d*x]]) + (4*Cos[c + d*x])^(3/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(((8*A*b^3 + 3*a^3*B - 6*a*b^2*B + a^2*(-5*A*b + 3*b*C))*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(5/2))/2 + I*(a + b)*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B + a^2*(-5*A*b + 3*b*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Tan[(c + d*x)/2] - I*a*(a + b)*(8*A*b^2 - 6*a*b*(A + B) + a^2*(A + 3*(B + C)))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)]*Tan[(c + d*x)/2] - a*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B + a^2*(-5*A*b + 3*b*C))*(Sec[(c + d*x)/2]^2)^(3/2)*Sin[c + d*x]*Tan[(c + d*x)/2] + (3*(8*A*b^3 + 3*a^3*B - 6*a*b^2*B +
\end{aligned}$$

$$\begin{aligned}
& a^2(-5Ab + 3b^2C)(b + a\cos[c + dx])(\sec[(c + dx)/2]^2)^{3/2}\tan[(c + dx)/2]^2/2 + ((I/2)(a + b)(8A^2b^3 + 3a^3B - 6a^2b^2B + a^2(-5Ab + 3b^2C))\text{EllipticE}[I\text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)]\sec[(c + dx)/2]^2 - ((a\sec[(c + dx)/2]^2\sin[c + dx])/(a + b)) + ((b + a\cos[c + dx])\sec[(c + dx)/2]^2\tan[(c + dx)/2])/(a + b))/\sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} - ((I/2)a(a + b)(8A^2b^2 - 6a^2b(A + B) + a^2(A + 3(B + C)))\text{EllipticF}[I\text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)]\sec[(c + dx)/2]^2 - ((a\sec[(c + dx)/2]^2\sin[c + dx])/(a + b)) + ((b + a\cos[c + dx])\sec[(c + dx)/2]^2\tan[(c + dx)/2])/(a + b))/\sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} + (a(a + b)(8A^2b^2 - 6a^2b(A + B) + a^2(A + 3(B + C)))\sec[(c + dx)/2]^4\sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b))}/(2\sqrt{1 + \tan[(c + dx)/2]^2})\sqrt{1 + ((-a + b)\tan[(c + dx)/2]^2)/(a + b)} - ((a + b)(8A^2b^3 + 3a^3B - 6a^2b^2B + a^2(-5Ab + 3b^2C))\sec[(c + dx)/2]^4\sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)}\sqrt{1 + ((-a + b)\tan[(c + dx)/2]^2)/(a + b)})/(2\sqrt{1 + \tan[(c + dx)/2]^2}))/((3a^3(a^2 - b^2)\sqrt{b + a\cos[c + dx]}) + (2\cos[c + dx]^{3/2}\sqrt{\cos[(c + dx)/2]^2\sec[c + dx]})\sqrt{I(a + b)(8A^2b^3 + 3a^3B - 6a^2b^2B + a^2(-5Ab + 3b^2C))\text{EllipticE}[I\text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)]\sec[(c + dx)/2]^2\sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} - I(a + b)(8A^2b^2 - 6a^2b(A + B) + a^2(A + 3(B + C)))\text{EllipticF}[I\text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)]\sec[(c + dx)/2]^2\sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} + (8A^2b^3 + 3a^3B - 6a^2b^2B + a^2(-5Ab + 3b^2C))(b + a\cos[c + dx])(\sec[(c + dx)/2]^2)^{3/2}\tan[(c + dx)/2])(-(\cos[(c + dx)/2]\sec[c + dx]\sin[(c + dx)/2]) + \cos[(c + dx)/2]^2\sec[c + dx]\tan[c + dx]))/(a^3(a^2 - b^2)\sqrt{b + a\cos[c + dx]})
\end{aligned}$$

Maple [B] time = 0.669, size = 1518, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{3/2}(A+B\sec(dx+c)+C\sec(dx+c)^2)/(a+b\sec(dx+c))^{3/2}, x)$

[Out] $-2/3/d*((b+a\cos(dx+c))/\cos(dx+c))^{1/2}(\cos(dx+c)+1)^5(-1+\cos(dx+c))^{3/2}(A\sin(dx+c)*((a-b)/(a+b))^{1/2}\cos(dx+c)^2a^3(1/(\cos(dx+c)+1))^{3/2}+A\sin(dx+c)*((a-b)/(a+b))^{1/2}\cos(dx+c)^2a^2b(1/(\cos(dx+c)+1))^{3/2}+A\sin(dx+c)*((a-b)/(a+b))^{1/2}\cos(dx+c)a^3(1/(\cos(dx+c)+1))^{3/2}-3A\sin(dx+c)*((a-b)/(a+b))^{1/2}\cos(dx+c)a^2b(1/(\cos(dx+c)+1))^{3/2}-4A\sin(dx+c)*((a-b)/(a+b))^{1/2}\cos(dx+c)a^2b^2(1/(\cos(dx+c)+1))^{3/2})$

$$\begin{aligned}
&)^{(3/2)}+3*B*\sin(d*x+c)*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^3*(1/(\cos(d*x+c)+1)) \\
&)^{(3/2)}+3*B*\sin(d*x+c)*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^2*b*(1/(\cos(d*x+c)+ \\
&1))^{(3/2)}+A*\sin(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(3/2)}-4 \\
&*A*\sin(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}-8*A*\sin(d* \\
&x+c)*((a-b)/(a+b))^{(1/2)}*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}+3*B*\sin(d*x+c)*((a-b) \\
&/ (a+b))^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(3/2)}+6*B*\sin(d*x+c)*((a-b)/(a+b))^{(\\
&1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}-3*C*((a-b)/(a+b))^{(1/2)}*a^2*b*\sin(d*x+c \\
&)*(1/(\cos(d*x+c)+1))^{(3/2)}-A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/ \\
&\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(\\
&1/2)}*a^3-6*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a \\
&+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b-8*A \\
&*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1 \\
&/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a*b^2+5*A*(1/(a+b)*(b+ \\
&a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b)) \\
&^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2*b-8*A*(1/(a+b)*(b+a*\cos(d*x+c)) \\
&/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d* \\
&x+c), (- (a+b)/(a-b))^{(1/2)})*b^3+3*B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(\\
&1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c \\
&)+1))^{(1/2)}*a^3+6*B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c \\
&), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^2 \\
&*b-3*B*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d* \\
&x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3+6*B*(1/(a+b) \\
&*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a \\
&+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a*b^2-3*C*\text{EllipticF}((-1+\cos(d*x \\
&+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos \\
&(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^3-3*C*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c \\
&)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b \\
&)/(a-b))^{(1/2)})*a^2*b)*\cos(d*x+c)^{(1/2)}*((a-b)/(a+b))^{(1/2)}*(1/(\cos(d*x+c)+ \\
&1))^{(3/2)}/a^3/(b+a*\cos(d*x+c))/(a-b)/\sin(d*x+c)^6
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.1365 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=249

$$\frac{2(2Ab - aB) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{a^2 d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{ad (a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2 \sqrt{\cos(c+dx)}}{a^2 d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

[Out] $(-2*(2*A*b - a*B)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(a^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*(2*A*b^2 - a*b*B - a^2*(A - C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])/(a^2*(a^2 - b^2)*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]) + (2*(A*b^2 - a*(b*B - a*C))*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$

Rubi [A] time = 0.755281, antiderivative size = 249, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4265, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{ad (a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2 \sqrt{\cos(c+dx)} (a^2(-A - C)) - abB + 2Ab^2}{a^2 d (a^2 - b^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Cos}[c + d*x]]*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2))/(a + b*\text{Sec}[c + d*x])^{3/2}, x]$

[Out] $(-2*(2*A*b - a*B)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(a^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*(2*A*b^2 - a*b*B - a^2*(A - C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])/(a^2*(a^2 - b^2)*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]) + (2*(A*b^2 - a*(b*B - a*C))*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$

Rule 4265

$\text{Int}[(\cos[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)*(u_.)}, x_Symbol] \rightarrow \text{Dist}[(c*\text{Cos}[a + b*x])^m*(c*\text{Sec}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sec}[a + b*x])^m, x], x]$

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.))^n * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)} (A + B \sec(c+dx) + C \sec^2(c+dx))}{(a + b \sec(c+dx))^{3/2}} dx = \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \right) \int \frac{A + B \sec(c+dx) + C \sec^2(c+dx)}{\sqrt{\sec(c+dx)} (a + b \sec(c+dx))^{3/2}} dx$$

$$= \frac{2 (Ab^2 - a(bB - aC)) \sin(c+dx)}{a (a^2 - b^2) d \sqrt{\cos(c+dx)} \sqrt{a + b \sec(c+dx)}} - \frac{(2\sqrt{\cos(c+dx)})}{a^2 \sqrt{\cos(c+dx)}}$$

$$= \frac{2 (Ab^2 - a(bB - aC)) \sin(c+dx)}{a (a^2 - b^2) d \sqrt{\cos(c+dx)} \sqrt{a + b \sec(c+dx)}} - \frac{((2Ab - aB))}{a^2 \sqrt{\cos(c+dx)}}$$

$$= \frac{2 (Ab^2 - a(bB - aC)) \sin(c+dx)}{a (a^2 - b^2) d \sqrt{\cos(c+dx)} \sqrt{a + b \sec(c+dx)}} - \frac{((2Ab - aB))}{a^2 \sqrt{\cos(c+dx)}}$$

$$= \frac{2 (Ab^2 - a(bB - aC)) \sin(c+dx)}{a (a^2 - b^2) d \sqrt{\cos(c+dx)} \sqrt{a + b \sec(c+dx)}} - \frac{((2Ab - aB))}{a^2 \sqrt{\cos(c+dx)}}$$

$$= -\frac{2(2Ab - aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{a^2 d \sqrt{\cos(c+dx)} \sqrt{a + b \sec(c+dx)}} - \frac{2(2Ab^2 - a^2 \sqrt{\cos(c+dx)})}{a^2 \sqrt{\cos(c+dx)}}$$

Mathematica [C] time = 17.6123, size = 517, normalized size = 2.08

$$\frac{4\sqrt{\cos(c+dx)}(a\cos(c+dx)+b)(A+B\sec(c+dx)+C\sec^2(c+dx))(a^2C\sin(c+dx)-abB\sin(c+dx)+Ab^2\sin(c+dx))}{ad(a^2-b^2)(a+b\sec(c+dx))^{3/2}(A\cos(2c+2dx)+A+2B\cos(c+dx)+2C)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] (4*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x])*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*(A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x] + a^2*C*Sin[c + d*x]))/(a*(a^2 - b^2)*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(3/2)) - (4*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-I)*(a + b)*(-2*A*b^2 + a*b*B + a^2*(A - C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b)*(-2*A*b + a*(A + B - C))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (2*A*b^2 - a*b*B + a^2*(-A + C))*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(a^2*(a^2 - b^2)*d*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2))
```

Maple [B] time = 0.546, size = 966, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2), x)
```

```
[Out] -2/d*(cos(d*x+c)+1)^5*(-1+cos(d*x+c))^3*(A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2))*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2+A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2))*((a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b+A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2))*((a-b)/(a+b))^(1/2)*a*b+2*A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2))*((a-b)/(a+b))^(1/2)*b^2-B*sin(d*x+c)*(1/(cos(d*x+c)+1))^(3/2))*((a-b)/(a+b))^(1/2)*a*b+C*(1/(cos(d*x+c)+1))^(3/2))*((a-b)/(a+b))^(1/2)*sin(d*x+c)*a^2+A*(1/(a+b))*(b
```

```

+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))
)^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^2+2*A*(1/(a+b)*(b+a*cos(d*x+c))/
(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x
+c),(-(a+b)/(a-b))^(1/2))*a*b-A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b)
)^(1/2))*a^2+2*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE(
(-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*b^2-B*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*
(a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^2-B*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2
)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b-C*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x
+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a
+b)/(a-b))^(1/2))*a^2+C*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ell
ipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))
*a^2)*cos(d*x+c)^(1/2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*((a-b)/(a+b))^(1
/2)*(1/(cos(d*x+c)+1))^(3/2)/a^2/(b+a*cos(d*x+c))/(a-b)/sin(d*x+c)^6

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="maxima")

```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\cos(dx+c)}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="fricas")

```

```

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*s
qrt(cos(d*x + c))/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**3/2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a)^(3/2), x)

$$3.1366 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=311

$$\frac{2A\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{ad\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{bd(a^2 - b^2) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)} (Ab^2 - a(bB - aC))}{abd(a^2 - b^2) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*b*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.16698, antiderivative size = 311, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4098, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{bd(a^2 - b^2) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)} (Ab^2 - a(bB - aC)) \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{abd(a^2 - b^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)), x]
```

```
[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b^2 - a*(b*B - a*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*b*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*cos[a
+ b*x])^m*(c*sec[a + b*x])^m, Int[ActivateTrig[u]/(c*sec[a + b*x])^m, x]
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_.), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*C
sc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
```



```

+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

```

$b^2, 0] \ \&\& \ !GtQ[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)\sin[(c_) + (d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b]), x] \ /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{3/2}} \\ &= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{(a + b \sec(c + dx))^{3/2}} \\ &= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{(a + b \sec(c + dx))^{3/2}} \\ &= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(A\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a} \\ &= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(A\sqrt{b + a \cos(c + dx)}) \int \frac{1}{\sqrt{a + b \sec(c + dx)}} dx}{a\sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\ &= \frac{2C \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\ &= \frac{2A \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{ad \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2C \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \end{aligned}$$

Mathematica [C] time = 35.0312, size = 63246, normalized size = 203.36

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)),x]

[Out] Result too large to show

Maple [C] time = 0.456, size = 950, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x)

[Out]
$$\frac{2}{d} \frac{(\cos(dx+c)+1)^5 (-1+\cos(dx+c))^3 (A \sin(dx+c) (1/(\cos(dx+c)+1))^{3/2} ((a-b)/(a+b))^{1/2} b^2 - B \sin(dx+c) (1/(\cos(dx+c)+1))^{3/2} ((a-b)/(a+b))^{1/2} a^2 + A (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 + A (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * b^2 + B (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 - C (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 + 2C (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * a^2 + 2C (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * a^2 + C (1/(a+b) (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 * \cos(dx+c)^{1/2} * ((b+a \cos(dx+c)) / \cos(dx+c))^{1/2} * ((a-b)/(a+b))^{1/2} * (1/(\cos(dx+c)+1))^{3/2} / b/a / (b+a \cos(dx+c)) / (a-b) / \sin(dx+c)}{6}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(3/2)/cos(d*x+c)**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)
```

$$3.1367 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=393

$$\frac{C \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{bd \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{bd (a^2 - b^2) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}} + \frac{\sin(c+dx) (3a^2C - 2abB + 2Ab^2 - b^2C)}{b^2d (a^2 - b^2) \sqrt{\cos(c+dx)}}$$

```
[Out] (C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]
)/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - 3*a*C)*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(
b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((2*A*b^2 - 2*a*b*B +
3*a^2*C - b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*S
qrt[a + b*Sec[c + d*x]])/(b^2*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a +
b)]) - (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d
x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b^2 - 2*a*b*B + 3*a^2*C - b^2*C)
*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x
]])
```

Rubi [A] time = 1.49248, antiderivative size = 393, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4098, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{bd (a^2 - b^2) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}} + \frac{\sin(c+dx) (3a^2C - 2abB + 2Ab^2 - b^2C) \sqrt{a+b \sec(c+dx)}}{b^2d (a^2 - b^2) \sqrt{\cos(c+dx)}} - \frac{\sqrt{\cos(c+dx)}}{b^2d (a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + b*Sec[
c + d*x])^(3/2)), x]
```

```
[Out] (C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]
)/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - 3*a*C)*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(
b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((2*A*b^2 - 2*a*b*B +
3*a^2*C - b^2*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*S
qrt[a + b*Sec[c + d*x]])/(b^2*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a +
b)]) - (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d
x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b^2 - 2*a*b*B + 3*a^2*C - b^2*C)
*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x
]])
```

$x]^{(3/2)} \sqrt{a + b \sec[c + dx]} + ((2Ab^2 - 2abB + 3a^2C - b^2C) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (b^2(a^2 - b^2) d \sqrt{\cos[c + dx]})$

Rule 4265

$\text{Int}[(\cos[a + b(x)](c))^m (u), x_Symbol] \rightarrow \text{Dist}[(c \cos[a + b(x)])^m (c \sec[a + b(x)])^m, \text{Int}[\text{ActivateTrig}[u]/(c \sec[a + b(x)])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

Rule 4098

$\text{Int}[(A + \csc[e + f(x)](B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d))^n) \csc[e + f(x)](b + A))^m, x_Symbol] \rightarrow -\text{Simp}[(d(Ab^2 - abB + a^2C) \cot[e + fx] (a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^{n-1}) / (b f (a^2 - b^2) (m+1)), x] + \text{Dist}[d / (b(a^2 - b^2)(m+1)), \text{Int}[(a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^{n-1} \text{Simp}[Ab^2(n-1) - a(bB - aC)(n-1) + b(aA - bB + aC)(m+1) \csc[e + fx] - (b(Ab - aB)(m+n+1) + C(a^2n + b^2(m+1))) \csc[e + fx]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 4102

$\text{Int}[(A + \csc[e + f(x)](B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d))^n) \csc[e + f(x)](b + A))^m, x_Symbol] \rightarrow -\text{Simp}[(C d \cot[e + fx] (a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^{n-1}) / (b f (m+n+1)), x] + \text{Dist}[d / (b(m+n+1)), \text{Int}[(a + b \csc[e + fx])^m (d \csc[e + fx])^{n-1} \text{Simp}[aC(n-1) + (Ab(m+n+1) + bC(m+n)) \csc[e + fx] + (bB(m+n+1) - aCn) \csc[e + fx]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4108

$\text{Int}[(A + \csc[e + f(x)](B + \csc[e + f(x)]^2(C + \csc[e + f(x)](d))) / (\sqrt{\csc[e + f(x)](d)} \sqrt{\csc[e + f(x)](b + A)}), x_Symbol] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d \csc[e + fx])^{3/2} / \sqrt{a + b \csc[e + fx]}], x], x] + \text{Int}[(A + B \csc[e + fx]) / (\sqrt{d \csc[e + fx]} \sqrt{a + b \csc[e + fx]}), x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

$\text{Int}[(\csc[e + f(x)](d))^{3/2} / \sqrt{\csc[e + f(x)](b + A)}$

) + (a_)] , x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]) , x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653


```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{3/2}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{b^2 (a^2 - b^2)} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{(2Ab^2 - 2abB + 3a^2C - b^2)}{b^2 (a^2 - b^2)} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{(2Ab^2 - 2abB + 3a^2C - b^2)}{b^2 (a^2 - b^2)} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{(2Ab^2 - 2abB + 3a^2C - b^2)}{b^2 (a^2 - b^2)} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{(2Ab^2 - 2abB + 3a^2C - b^2)}{b^2 (a^2 - b^2)} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{(2Ab^2 - 2abB + 3a^2C - b^2)}{b^2 (a^2 - b^2)} \\
&= \frac{(2bB - 3aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2 (Ab^2 - a(bB - aC))}{b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{C \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2bB - 3aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 34.7657, size = 111509, normalized size = 283.74

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)),x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.488, size = 1503, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(3/2)}/(a+b*\sec(d*x+c))^{(3/2)},x)$

[Out]
$$-1/d*(-1+\cos(d*x+c))^{3*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)*(\cos(d*x+c)+1)^5} \\ * (2*A*\sin(d*x+c)*\cos(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)*((a-b)/(a+b))^{(1/2)*b^2-2*B*\sin(d*x+c)*\cos(d*x+c)*(1/(\cos(d*x+c)+1))^{(3/2)*((a-b)/(a+b))^{(1/2)*a* \\ b+3*C*((a-b)/(a+b))^{(1/2)*\cos(d*x+c)*a^2*(1/(\cos(d*x+c)+1))^{(3/2)*\sin(d*x+c)} \\)+C*((a-b)/(a+b))^{(1/2)*\cos(d*x+c)*a*b*(1/(\cos(d*x+c)+1))^{(3/2)*\sin(d*x+c)+} \\ C*((a-b)/(a+b))^{(1/2)*\sin(d*x+c)*a*b*(1/(\cos(d*x+c)+1))^{(3/2)+C*\sin(d*x+c)*} \\ ((a-b)/(a+b))^{(1/2)*(1/(\cos(d*x+c)+1))^{(3/2)*b^2-2*A*\cos(d*x+c)*(1/(a+b)*(b \\ +a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b) \\)^{(1/2)/\sin(d*x+c)},(-(a+b)/(a-b))^{(1/2)})*b^2+2*A*\cos(d*x+c)*(1/(a+b)*(b+a*c \\ \cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1 \\ /2)/\sin(d*x+c)},(-(a+b)/(a-b))^{(1/2)})*b^2+4*B*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d \\ *x+c)))/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)/} \\ \sin(d*x+c)},(-(a+b)/(a-b))^{(1/2)})*a*b+2*B*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c \\)))/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)/\sin(} \\ d*x+c)},(-(a+b)/(a-b))^{(1/2)})*b^2-2*B*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\\ \cos(d*x+c)+1))^{(1/2)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)/\sin(d*x+} \\ c)},(-(a+b)/(a-b))^{(1/2)})*a*b-4*B*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(\\ d*x+c)+1))^{(1/2)*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)/\sin(d*x+c)}, \\ (a+b)/(a-b),I/((a-b)/(a+b))^{(1/2)})*a*b-4*B*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x \\ +c)))/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)/s} \\ \sin(d*x+c)},(a+b)/(a-b),I/((a-b)/(a+b))^{(1/2)})*b^2-6*C*\cos(d*x+c)*(1/(a+b)*(b \\ +a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b) \\)^{(1/2)/\sin(d*x+c)},(-(a+b)/(a-b))^{(1/2)})*a^2-4*C*\cos(d*x+c)*(1/(a+b)*(b+a*c \\ \cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1 \\ /2)/\sin(d*x+c)},(-(a+b)/(a-b))^{(1/2)})*a*b+3*C*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d \\ *x+c)))/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)/} \\ \sin(d*x+c)},(-(a+b)/(a-b))^{(1/2)})*a^2-C*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)) \\)/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)/\sin(d*} \\ x+c)},(-(a+b)/(a-b))^{(1/2)})*b^2+6*C*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(co \\ s(d*x+c)+1))^{(1/2)*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)/\sin(d*x+c} \\)},(a+b)/(a-b),I/((a-b)/(a+b))^{(1/2)})*a^2+6*C*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d \\ *x+c)))/(\cos(d*x+c)+1))^{(1/2)*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2) \\ / \sin(d*x+c)},(a+b)/(a-b),I/((a-b)/(a+b))^{(1/2)})*a*b*((a-b)/(a+b))^{(1/2)*(1/} \\ (\cos(d*x+c)+1))^{(3/2)}/b^2/(b+a*\cos(d*x+c))/\cos(d*x+c)^{(1/2)/(a-b)/\sin(d*x+c}$$

)⁶

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c)
)**(3/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))
^(3/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2)), x)
```

$$3.1368 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=663

$$\frac{2(-4a^2b^3(29A-10C) - a^4b(17A+45C) + 80a^3b^2B + 5a^5B - 80ab^4B + 128Ab^5) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15a^5d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(128*A*b^5 + 5*a^5*B + 80*a^3*b^2*B - 80*a*b^4*B - 4*a^2*b^3*(29*A - 10*C) - a^4*b*(17*A + 45*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a^5*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2*(11*A - 15*C) - 4*a^2*b^4*(53*A - 10*C) + 3*a^6*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^5*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(A*b^2 - a*(b*B - a*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(8*A*b^4 + 9*a^3*b*B - 5*a*b^3*B - 2*a^2*b^2*(6*A - C) - 6*a^4*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(64*A*b^5 - 5*a^5*B + 65*a^3*b^2*B - 40*a*b^4*B + 2*a^4*b*(7*A - 20*C) - 2*a^2*b^3*(49*A - 10*C))*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^4*(a^2 - b^2)^2*d) + (2*(48*A*b^4 + 50*a^3*b*B - 30*a*b^3*B + a^4*(3*A - 35*C) - a^2*b^2*(71*A - 15*C))*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)^2*d)

Rubi [A] time = 2.45997, antiderivative size = 663, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx) (-a^2b^2(71A-15C) + a^4(3A-35C) + 50a^3bB - 30ab^3B + 48Ab^4) \sqrt{a+b \sec(c+dx)}}{15a^3d(a^2-b^2)^2} - \frac{2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx) (-a^2b^2(71A-15C) + a^4(3A-35C) + 50a^3bB - 30ab^3B + 48Ab^4) \sqrt{a+b \sec(c+dx)}}{15a^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (2*(128*A*b^5 + 5*a^5*B + 80*a^3*b^2*B - 80*a*b^4*B - 4*a^2*b^3*(29*A - 10*C) - a^4*b*(17*A + 45*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c +

$$\begin{aligned} & d*x)/2, (2*a)/(a + b)]/(15*a^5*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + \\ & b*Sec[c + d*x]]) + (2*(128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B \\ & + 5*a^4*b^2*(11*A - 15*C) - 4*a^2*b^4*(53*A - 10*C) + 3*a^6*(3*A + 5*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d \\ & *x]])/(15*a^5*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(A*b \\ & ^2 - a*(b*B - a*C))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a \\ & + b*Sec[c + d*x])^(3/2)) - (2*(8*A*b^4 + 9*a^3*b*B - 5*a*b^3*B - 2*a^2*b^2* \\ & (6*A - C) - 6*a^4*C)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2* \\ & d*Sqrt[a + b*Sec[c + d*x]]) - (2*(64*A*b^5 - 5*a^5*B + 65*a^3*b^2*B - 40*a* \\ & b^4*B + 2*a^4*b*(7*A - 20*C) - 2*a^2*b^3*(49*A - 10*C))*Sqrt[Cos[c + d*x]]* \\ & Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^4*(a^2 - b^2)^2*d) + (2*(48*A* \\ & b^4 + 50*a^3*b*B - 30*a*b^3*B + a^4*(3*A - 35*C) - a^2*b^2*(71*A - 15*C))*C \\ & os[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2 \\ &)^2*d) \end{aligned}$$

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
```


{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{5}{2}}(c+dx) (A+B \sec(c+dx) + C \sec^2(c+dx))}{(a+b \sec(c+dx))^{\frac{5}{2}}} dx &= \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{A+B \sec(c+dx) + C \sec^2(c+dx)}{\sec^{\frac{5}{2}}(c+dx) (a+b \sec(c+dx))} dx \\
 &= \frac{2(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2 - b^2) d(a+b \sec(c+dx))^{\frac{3}{2}}} - \frac{2\sqrt{\cos(c+dx)}}{3a(a^2 - b^2) d} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2 - b^2) d(a+b \sec(c+dx))^{\frac{3}{2}}} - \frac{2(8Ab^4 + 5a^5B + 80a^3b^2B - 80ab^4B - 4a^2b^3(29A - 10C))}{15a^5(a^2 - b^2) d\sqrt{\cos(c+dx)}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2 - b^2) d(a+b \sec(c+dx))^{\frac{3}{2}}} - \frac{2(8Ab^4 + 5a^5B + 80a^3b^2B - 80ab^4B - 4a^2b^3(29A - 10C))}{15a^5(a^2 - b^2) d\sqrt{\cos(c+dx)}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2 - b^2) d(a+b \sec(c+dx))^{\frac{3}{2}}} - \frac{2(8Ab^4 + 5a^5B + 80a^3b^2B - 80ab^4B - 4a^2b^3(29A - 10C))}{15a^5(a^2 - b^2) d\sqrt{\cos(c+dx)}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2 - b^2) d(a+b \sec(c+dx))^{\frac{3}{2}}} - \frac{2(8Ab^4 + 5a^5B + 80a^3b^2B - 80ab^4B - 4a^2b^3(29A - 10C))}{15a^5(a^2 - b^2) d\sqrt{\cos(c+dx)}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2 - b^2) d(a+b \sec(c+dx))^{\frac{3}{2}}} - \frac{2(8Ab^4 + 5a^5B + 80a^3b^2B - 80ab^4B - 4a^2b^3(29A - 10C))}{15a^5(a^2 - b^2) d\sqrt{\cos(c+dx)}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2 - b^2) d(a+b \sec(c+dx))^{\frac{3}{2}}} - \frac{2(8Ab^4 + 5a^5B + 80a^3b^2B - 80ab^4B - 4a^2b^3(29A - 10C))}{15a^5(a^2 - b^2) d\sqrt{\cos(c+dx)}} \\
 &= \frac{2(Ab^2 - a(bB - aC)) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2 - b^2) d(a+b \sec(c+dx))^{\frac{3}{2}}} - \frac{2(8Ab^4 + 5a^5B + 80a^3b^2B - 80ab^4B - 4a^2b^3(29A - 10C))}{15a^5(a^2 - b^2) d\sqrt{\cos(c+dx)}} \\
 &= \frac{2(128Ab^5 + 5a^5B + 80a^3b^2B - 80ab^4B - 4a^2b^3(29A - 10C))}{15a^5(a^2 - b^2) d\sqrt{\cos(c+dx)}}
 \end{aligned}$$

Mathematica [C] time = 27.6113, size = 4917, normalized size = 7.42

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2),x]

[Out] ((b + a*cos[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(-14*A*b + 5*a*B)*Sin[c + d*x])/(15*a^4) - (4*(A*b^5*Sin[c + d*x] - a*b^4*B*Sin[c + d*x] + a^2*b^3*C*Sin[c + d*x]))/(3*a^4*(a^2 - b^2)*(b + a*cos[c + d*x])^2) - (4*(-15*a^2*A*b^4*Sin[c + d*x] + 11*A*b^6*Sin[c + d*x] + 12*a^3*b^3*B*Sin[c + d*x] - 8*a*b^5*B*Sin[c + d*x] - 9*a^4*b^2*C*Sin[c + d*x] + 5*a^2*b^4*C*Sin[c + d*x]))/(3*a^4*(a^2 - b^2)^2*(b + a*cos[c + d*x])) + (2*A*Sin[2*(c + d*x)]/(5*a^3)))/(d*Sqrt[Cos[c + d*x]]*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x])*(a + b*Sec[c + d*x])^(5/2)) - (4*Cos[c + d*x]^(3/2)*(b + a*cos[c + d*x])^2*((6*a^2*A*Sqrt[Cos[c + d*x]])/(5*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (22*A*b^2*Sqrt[Cos[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (424*A*b^4*Sqrt[Cos[c + d*x]])/(15*a^2*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (256*A*b^6*Sqrt[Cos[c + d*x]])/(15*a^4*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (16*a*b*B*Sqrt[Cos[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (56*b^3*B*Sqrt[Cos[c + d*x]])/(3*a*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (32*b^5*B*Sqrt[Cos[c + d*x]])/(3*a^3*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*a^2*C*Sqrt[Cos[c + d*x]])/((a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (10*b^2*C*Sqrt[Cos[c + d*x]])/((a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (16*b^4*C*Sqrt[Cos[c + d*x]])/(3*a^2*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (16*a*A*b*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/(15*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]]) - (88*A*b^3*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/(15*a*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]]) + (64*A*b^5*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/(15*a^3*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]]) + (2*a^2*B*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]]) + (14*b^2*B*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]]) - (8*b^4*B*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]]) - (4*a*b*C*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]]) + (4*b^3*C*Sqrt[Cos[c + d*x]])*Sqrt[Sec[c + d*x]])/(3*a*(a^2 - b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-I)*(a + b)*(128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2*(11*A - 15*C) + 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + 10*C))*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)) + I*a*(a + b)*(128*A*b^5 - 16*a*b^4*(6*A + 5*B) + 2*a^3*b^2*(36*A + 40*B - 15*C) + 4*a^2*b^3*(-29*A + 15*B + 10*C) - a^4*b*(17*A + 45*(B + C)) + a^5*(9*A + 5*(B + 3*C)))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/

$$\begin{aligned}
& (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[\frac{(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2}{(a + b)} - (128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2 \\
& *(11*A - 15*C) + 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + 10*C)) * (b + a*\text{Cos}[c \\
& + d*x]) * (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Tan}[(c + d*x)/2]] / (15*a^5*(a^2 - b^2)^{2*} \\
& d*(A + 2*C + 2*B*\text{Cos}[c + d*x] + A*\text{Cos}[2*c + 2*d*x]) * (a + b * \text{Sec}[c + d*x])^{5/2} \\
& * ((-2*\text{Cos}[c + d*x])^{3/2} * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x])^{3/2} * \text{Sin}[c \\
& + d*x] * (-I) * (a + b) * (128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B \\
& + 5*a^4*b^2 * (11*A - 15*C) + 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + 10*C)) * \text{E} \\
& \text{llipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \\
& \text{Sqrt}[\frac{(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2}{(a + b)} + I*a*(a + b) * (128*A \\
& *b^5 - 16*a*b^4*(6*A + 5*B) + 2*a^3*b^2*(36*A + 40*B - 15*C) + 4*a^2*b^3*(- \\
& -29*A + 15*B + 10*C) - a^4*b*(17*A + 45*(B + C)) + a^5*(9*A + 5*(B + 3*C))] \\
& * \text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \\
& \text{Sqrt}[\frac{(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2}{(a + b)} - (128*A*b^6 - 40 \\
& *a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2 * (11*A - 15*C) + 3*a^6*(3*A \\
& + 5*C) + 4*a^2*b^4*(-53*A + 10*C)) * (b + a*\text{Cos}[c + d*x]) * (\text{Sec}[(c + d*x)/2] \\
& ^2)^{(3/2)} * \text{Tan}[(c + d*x)/2]] / (15*a^4*(a^2 - b^2)^2 * (b + a*\text{Cos}[c + d*x])^{3/2} \\
& + (2*\text{Sqrt}[\text{Cos}[c + d*x]] * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x])^{3/2} * \text{Sin}[c + \\
& d*x] * (-I) * (a + b) * (128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + \\
& 5*a^4*b^2 * (11*A - 15*C) + 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + 10*C)) * \text{E} \\
& \text{llipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{S} \\
& \text{qrt}[\frac{(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2}{(a + b)} + I*a*(a + b) * (128*A \\
& *b^5 - 16*a*b^4*(6*A + 5*B) + 2*a^3*b^2*(36*A + 40*B - 15*C) + 4*a^2*b^3*(-2 \\
& 9*A + 15*B + 10*C) - a^4*b*(17*A + 45*(B + C)) + a^5*(9*A + 5*(B + 3*C))] * \text{E} \\
& \text{llipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d*x)/2]^2 * \\
& \text{Sqrt}[\frac{(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2}{(a + b)} - (128*A*b^6 - 40*a \\
& ^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2 * (11*A - 15*C) + 3*a^6*(3*A \\
& + 5*C) + 4*a^2*b^4*(-53*A + 10*C)) * (b + a*\text{Cos}[c + d*x]) * (\text{Sec}[(c + d \\
& *x)/2]^2)^{(3/2)} * \text{Tan}[(c + d*x)/2]] / (5*a^5*(a^2 - b^2)^2 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - \\
& (4*\text{Cos}[c + d*x]^{3/2} * (\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x])^{3/2} * (-((128*A*b^6 \\
& - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2 * (11*A - 15*C) + 3*a \\
& ^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + 10*C)) * (b + a*\text{Cos}[c + d*x]) * (\text{Sec}[(c + d \\
& *x)/2]^2)^{(5/2}))/2 - I*(a + b) * (128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80 \\
& *a*b^5*B + 5*a^4*b^2 * (11*A - 15*C) + 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + \\
& 10*C)) * \text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \text{Sec}[(c + d \\
& *x)/2]^2 * \text{Sqrt}[\frac{(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2}{(a + b)}] * \text{Tan}[(c + d \\
& *x)/2] + I*a*(a + b) * (128*A*b^5 - 16*a*b^4*(6*A + 5*B) + 2*a^3*b^2*(36*A + \\
& 40*B - 15*C) + 4*a^2*b^3*(-29*A + 15*B + 10*C) - a^4*b*(17*A + 45*(B + C)) \\
& + a^5*(9*A + 5*(B + 3*C))) * \text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/ \\
& (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[\frac{(b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2}{(a + b)}] * \text{Tan}[(c + d*x)/2] \\
& + a * (128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2 * (11*A - 15*C) + \\
& 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + 10*C)) * (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] - (3 * (128*A \\
& *b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2 * (11*A - 15*C) + \\
& 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + 10*C)) * (b + a*\text{Cos}[c + d*x]) * (\text{Sec}[(c
\end{aligned}$$

$$\begin{aligned}
& + d*x)/2]^2)^{(3/2)*\text{Tan}[(c + d*x)/2]^2)/2 - ((I/2)*(a + b)*(128*A*b^6 - 40*a \\
& ^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2*(11*A - 15*C) + 3*a^6*(3*A \\
& + 5*C) + 4*a^2*b^4*(-53*A + 10*C))*\text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (\\
& -a + b)/(a + b)]*\text{Sec}[(c + d*x)/2]^2*(-((a*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x])/ \\
& (a + b)) + ((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/(a + \\
& b)))/\text{Sqrt}(((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)) + ((I/2)*a*(a \\
& + b)*(128*A*b^5 - 16*a*b^4*(6*A + 5*B) + 2*a^3*b^2*(36*A + 40*B - 15*C) + 4 \\
& *a^2*b^3*(-29*A + 15*B + 10*C) - a^4*b*(17*A + 45*(B + C)) + a^5*(9*A + 5*(\\
& B + 3*C)))*\text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sec}[(c \\
& + d*x)/2]^2*(-((a*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x])/ (a + b)) + ((b + a*\text{Cos}[c \\
& + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/(a + b)))/\text{Sqrt}(((b + a*\text{Cos}[c \\
& + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)) - (a*(a + b)*(128*A*b^5 - 16*a*b^4*(6* \\
& A + 5*B) + 2*a^3*b^2*(36*A + 40*B - 15*C) + 4*a^2*b^3*(-29*A + 15*B + 10*C) \\
& - a^4*b*(17*A + 45*(B + C)) + a^5*(9*A + 5*(B + 3*C)))*\text{Sec}[(c + d*x)/2]^4* \\
& \text{Sqrt}(((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)))/(2*\text{Sqrt}[1 + \text{Tan}[(c \\
& + d*x)/2]^2]*\text{Sqrt}[1 + ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(\\
& 128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2*(11*A - 15* \\
& C) + 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + 10*C))*\text{Sec}[(c + d*x)/2]^4*\text{Sqrt}[\\
& ((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)]*\text{Sqrt}[1 + ((-a + b)*\text{Tan}[(c \\
& + d*x)/2]^2)/(a + b)))/(2*\text{Sqrt}[1 + \text{Tan}[(c + d*x)/2]^2]))/(15*a^5*(a^2 - \\
& b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (2*\text{Cos}[c + d*x]^(3/2)*\text{Sqrt}[\text{Cos}[(c + d*x) \\
& /2]^2*\text{Sec}[c + d*x]]*((-I)*(a + b)*(128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - \\
& 80*a*b^5*B + 5*a^4*b^2*(11*A - 15*C) + 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53* \\
& A + 10*C))*\text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sec}[(c \\
& + d*x)/2]^2*\text{Sqrt}(((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)) + I*a*(\\
& a + b)*(128*A*b^5 - 16*a*b^4*(6*A + 5*B) + 2*a^3*b^2*(36*A + 40*B - 15*C) + \\
& 4*a^2*b^3*(-29*A + 15*B + 10*C) - a^4*b*(17*A + 45*(B + C)) + a^5*(9*A + 5 \\
& *(B + 3*C)))*\text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sec}[(c \\
& + d*x)/2]^2*\text{Sqrt}(((b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2)/(a + b)) - (12 \\
& 8*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B + 5*a^4*b^2*(11*A - 15*C) \\
& + 3*a^6*(3*A + 5*C) + 4*a^2*b^4*(-53*A + 10*C))*(b + a*\text{Cos}[c + d*x])* (\text{Sec}[\\
& (c + d*x)/2]^2)^{(3/2)*\text{Tan}[(c + d*x)/2]}*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Si} \\
& n[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(5*a^5*(a^ \\
& 2 - b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]))
\end{aligned}$$

Maple [B] time = 1.135, size = 6912, normalized size = 10.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(5/2)}*(A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{(5/2)}, x)$

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \cos(dx+c)^2 \sec(dx+c)^2 + B \cos(dx+c)^2 \sec(dx+c) + A \cos(dx+c)^2) \sqrt{b \sec(dx+c) + a} \sqrt{\cos(dx+c)}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((C*cos(d*x + c)^2*sec(d*x + c)^2 + B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.1369 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=521

$$\frac{2(-2a^2b^2(8A-C) + a^4(-(A+3C)) + 9a^3bB - 8ab^3B + 16Ab^4) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{2 \sin(c+dx)}{3a^4d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}}{3a^4d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2 \sin(c+dx)}{3a^4d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

[Out] $(-2*(16*A*b^4 + 9*a^3*b*B - 8*a*b^3*B - 2*a^2*b^2*(8*A - C) - a^4*(A + 3*C)) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)] * \text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]) / (3*a^4*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*(16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B - 2*a^2*b^3*(14*A - C) + a^4*(8*A*b - 6*b*C)) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)] * \text{Sqrt}[a + b*\text{Sec}[c + d*x]]) / (3*a^4*(a^2 - b^2)^2*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]) + (2*(A*b^2 - a*(b*B - a*C)) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sin}[c + d*x]) / (3*a*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^(3/2)) + (2*(10*a^2*A*b^2 - 6*A*b^4 - 7*a^3*b*B + 3*a*b^3*B + 4*a^4*C) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sin}[c + d*x]) / (3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (2*(8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B + a^4*(A - 5*C) - a^2*b^2*(13*A - C)) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b*\text{Sec}[c + d*x]] * \text{Sin}[c + d*x]) / (3*a^3*(a^2 - b^2)^2*d)$

Rubi [A] time = 1.8131, antiderivative size = 521, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) \sqrt{\cos(c+dx)} (-a^2b^2(13A-C) + a^4(A-5C) + 8a^3bB - 4ab^3B + 8Ab^4) \sqrt{a+b \sec(c+dx)} + \frac{2 \sin(c+dx)}{3a^3d(a^2-b^2)^2}}{3a^3d(a^2-b^2)^2} + \frac{2 \sin(c+dx)}{3a^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x])^{3/2}*(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/(a + b*\text{Sec}[c + d*x])^{5/2}, x]$

[Out] $(-2*(16*A*b^4 + 9*a^3*b*B - 8*a*b^3*B - 2*a^2*b^2*(8*A - C) - a^4*(A + 3*C)) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)] * \text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]) / (3*a^4*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*(16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B - 2*a^2*b^3*(14*A - C) + a^4*(8*A*b - 6*b*C)) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)] * \text{Sqr}$

$$\frac{t[a + b \operatorname{Sec}[c + d x]]}{(3 a^4 (a^2 - b^2)^2 d \sqrt{(b + a \operatorname{Cos}[c + d x]) / (a + b)})} + \frac{(2 (A b^2 - a (b B - a C)) \sqrt{\operatorname{Cos}[c + d x]} \operatorname{Sin}[c + d x])}{(3 a (a^2 - b^2) d (a + b \operatorname{Sec}[c + d x])^{3/2})} + \frac{(2 (10 a^2 A b^2 - 6 A b^4 - 7 a^3 b B + 3 a b^3 B + 4 a^4 C) \sqrt{\operatorname{Cos}[c + d x]} \operatorname{Sin}[c + d x])}{(3 a^2 (a^2 - b^2)^2 d \sqrt{a + b \operatorname{Sec}[c + d x]})} + \frac{(2 (8 A b^4 + 8 a^3 b B - 4 a b^3 B + a^4 (A - 5 C) - a^2 b^2 (13 A - C)) \sqrt{\operatorname{Cos}[c + d x]} \sqrt{a + b \operatorname{Sec}[c + d x]} \operatorname{Sin}[c + d x])}{(3 a^3 (a^2 - b^2)^2 d)}$$

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```


Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))} dx \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{(2\sqrt{\cos(c+dx)}\sin(c+dx))}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(10a^2Ab^2-10a^2b^3)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(10a^2Ab^2-10a^2b^3)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(10a^2Ab^2-10a^2b^3)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(10a^2Ab^2-10a^2b^3)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(10a^2Ab^2-10a^2b^3)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(10a^2Ab^2-10a^2b^3)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{2(16Ab^4+9a^3bB-8ab^3B-2a^2b^2(8A-C)-a^4(A+3C))}{3a^4(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 25.9744, size = 4327, normalized size = 8.31

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] ((b + a*Cos[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*A*Sin[c + d*x]))/(3*a^3) + (4*(A*b^4*Sin[c + d*x] - a*b^3*B*Sin[c + d*x] + a^2*b^2*
```

$$\begin{aligned}
& C \sin[c + d*x]) / (3*a^3*(a^2 - b^2)*(b + a*\cos[c + d*x])^2 + (4*(-12*a^2*A \\
& *b^3*\sin[c + d*x] + 8*A*b^5*\sin[c + d*x] + 9*a^3*b^2*B*\sin[c + d*x] - 5*a*b \\
& ^4*B*\sin[c + d*x] - 6*a^4*b*C*\sin[c + d*x] + 2*a^2*b^3*C*\sin[c + d*x])) / (3* \\
& a^3*(a^2 - b^2)^2*(b + a*\cos[c + d*x])) / (d*\sqrt{\cos[c + d*x]}*(A + 2*C + \\
& 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^{5/2}) - (4*\cos \\
& [c + d*x]^{3/2}*(b + a*\cos[c + d*x])^2*((-16*a*A*b*\sqrt{\cos[c + d*x]}) / (3*(\\
& a^2 - b^2)^2*\sqrt{b + a*\cos[c + d*x]}*\sqrt{\sec[c + d*x]}) + (56*A*b^3*\sqrt{ \\
& \cos[c + d*x]}) / (3*a*(a^2 - b^2)^2*\sqrt{b + a*\cos[c + d*x]}*\sqrt{\sec[c + d*x] \\
&]]) - (32*A*b^5*\sqrt{\cos[c + d*x]}) / (3*a^3*(a^2 - b^2)^2*\sqrt{b + a*\cos[c + \\
& d*x]}*\sqrt{\sec[c + d*x]}) + (2*a^2*B*\sqrt{\cos[c + d*x]}) / ((a^2 - b^2)^2*\sqrt{ \\
& b + a*\cos[c + d*x]}*\sqrt{\sec[c + d*x]}) - (10*b^2*B*\sqrt{\cos[c + d*x]}) / \\
& ((a^2 - b^2)^2*\sqrt{b + a*\cos[c + d*x]}*\sqrt{\sec[c + d*x]}) + (16*b^4*B*\sqrt{ \\
& \cos[c + d*x]}) / (3*a^2*(a^2 - b^2)^2*\sqrt{b + a*\cos[c + d*x]}*\sqrt{\sec[c + \\
& d*x]}) + (4*a*b*C*\sqrt{\cos[c + d*x]}) / ((a^2 - b^2)^2*\sqrt{b + a*\cos[c + d* \\
& x]}*\sqrt{\sec[c + d*x]}) - (4*b^3*C*\sqrt{\cos[c + d*x]}) / (3*a*(a^2 - b^2)^2*\sqrt{ \\
& b + a*\cos[c + d*x]}*\sqrt{\sec[c + d*x]}) + (2*a^2*A*\sqrt{\cos[c + d*x]}*\sqrt{ \\
& \sec[c + d*x]}) / (3*(a^2 - b^2)^2*\sqrt{b + a*\cos[c + d*x]}) + (14*A*b^2*\sqrt{ \\
& \cos[c + d*x]}*\sqrt{\sec[c + d*x]}) / (3*(a^2 - b^2)^2*\sqrt{b + a*\cos[c + d \\
& *x]}) - (8*A*b^4*\sqrt{\cos[c + d*x]}*\sqrt{\sec[c + d*x]}) / (3*a^2*(a^2 - b^2)^ \\
& 2*\sqrt{b + a*\cos[c + d*x]}) - (4*a*b*B*\sqrt{\cos[c + d*x]}*\sqrt{\sec[c + d*x] \\
&])/((a^2 - b^2)^2*\sqrt{b + a*\cos[c + d*x]}) + (4*b^3*B*\sqrt{\cos[c + d*x]}*\sqrt{ \\
& \sec[c + d*x]}) / (3*a*(a^2 - b^2)^2*\sqrt{b + a*\cos[c + d*x]}) + (2*a^2*C* \\
& \sqrt{\cos[c + d*x]}*\sqrt{\sec[c + d*x]}) / ((a^2 - b^2)^2*\sqrt{b + a*\cos[c + d* \\
& x]}) + (2*b^2*C*\sqrt{\cos[c + d*x]}*\sqrt{\sec[c + d*x]}) / (3*(a^2 - b^2)^2*\sqrt{ \\
& b + a*\cos[c + d*x]}) * \sqrt{\sec[c + d*x]} * (\cos[(c + d*x)/2]^{2*\sec[c + d*x] \\
& }^{3/2} * (A + B*\sec[c + d*x] + C*\sec[c + d*x]^2) * ((-I)*(a + b)*(-16*A*b^5 + \\
& 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B + 2*a^2*b^3*(14*A - C) + a^4*(-8*A*b + 6 \\
& *b*C)) * \text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \sec[(c + d* \\
& x)/2]^{2*\sqrt{((b + a*\cos[c + d*x])* \sec[(c + d*x)/2]^2)/(a + b)} + I*a*(a + \\
& b)*(-16*A*b^4 + 4*a*b^3*(3*A + 2*B) + 2*a^2*b^2*(8*A - 3*B - C) + 3*a^3*b*(\\
& -3*A - 3*B + C) + a^4*(A + 3*(B + C))) * \text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2] \\
&], (-a + b)/(a + b)] * \sec[(c + d*x)/2]^{2*\sqrt{((b + a*\cos[c + d*x])* \sec[(c + \\
& d*x)/2]^2)/(a + b)} + (16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B + 2*a \\
& ^2*b^3*(-14*A + C) + a^4*(8*A*b - 6*b*C)) * (b + a*\cos[c + d*x]) * (\sec[(c + d* \\
& x)/2]^{2})^{3/2} * \text{Tan}[(c + d*x)/2]) / (3*a^4*(a^2 - b^2)^2*d*(A + 2*C + 2*B*\cos \\
& [c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^{5/2} * ((-2*\cos[c + d*x] \\
&]^{3/2} * (\cos[(c + d*x)/2]^{2*\sec[c + d*x]})^{3/2} * \sin[c + d*x] * ((-I)*(a + b)* \\
& (-16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B + 2*a^2*b^3*(14*A - C) + a^ \\
& 4*(-8*A*b + 6*b*C)) * \text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b) \\
&] * \sec[(c + d*x)/2]^{2*\sqrt{((b + a*\cos[c + d*x])* \sec[(c + d*x)/2]^2)/(a + b) \\
&] + I*a*(a + b)*(-16*A*b^4 + 4*a*b^3*(3*A + 2*B) + 2*a^2*b^2*(8*A - 3*B - C) \\
&) + 3*a^3*b*(-3*A - 3*B + C) + a^4*(A + 3*(B + C))) * \text{EllipticF}[I*\text{ArcSinh}[\text{Tan} \\
& [(c + d*x)/2]], (-a + b)/(a + b)] * \sec[(c + d*x)/2]^{2*\sqrt{((b + a*\cos[c + d \\
& *x])* \sec[(c + d*x)/2]^2)/(a + b)} + (16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8* \\
& a*b^4*B + 2*a^2*b^3*(-14*A + C) + a^4*(8*A*b - 6*b*C)) * (b + a*\cos[c + d*x])
\end{aligned}$$

$$\begin{aligned}
& *(\operatorname{Sec}[(c + d*x)/2]^2)^{(3/2)} * \operatorname{Tan}[(c + d*x)/2]) / (3*a^3*(a^2 - b^2)^2*(b + a* \\
& \operatorname{Cos}[c + d*x])^{(3/2)}) + (2*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] * (\operatorname{Cos}[(c + d*x)/2]^2 * \operatorname{Sec}[c + d* \\
& x])^{(3/2)} * \operatorname{Sin}[c + d*x] * ((-I)*(a + b)*(-16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + \\
& 8*a*b^4*B + 2*a^2*b^3*(14*A - C) + a^4*(-8*A*b + 6*b*C)) * \operatorname{EllipticE}[I*\operatorname{ArcSin} \\
& h[\operatorname{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Sqrt}[(b + a*\operatorname{Cos}[\\
& c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2] / (a + b)] + I*a*(a + b)*(-16*A*b^4 + 4*a*b^3*(\\
& 3*A + 2*B) + 2*a^2*b^2*(8*A - 3*B - C) + 3*a^3*b*(-3*A - 3*B + C) + a^4*(A \\
& + 3*(B + C))) * \operatorname{EllipticF}[I*\operatorname{ArcSinh}[\operatorname{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \operatorname{Sec}[\\
& (c + d*x)/2]^2 * \operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2] / (a + b)] + (1 \\
& 6*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B + 2*a^2*b^3*(-14*A + C) + a^4* \\
& (8*A*b - 6*b*C)) * (b + a*\operatorname{Cos}[c + d*x]) * (\operatorname{Sec}[(c + d*x)/2]^2)^{(3/2)} * \operatorname{Tan}[(c + d* \\
& x)/2]) / (a^4*(a^2 - b^2)^2 * \operatorname{Sqrt}[b + a*\operatorname{Cos}[c + d*x]]) - (4*\operatorname{Cos}[c + d*x]^{(3/2)} * \\
& (\operatorname{Cos}[(c + d*x)/2]^2 * \operatorname{Sec}[c + d*x])^{(3/2)} * (((16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B + 2*a^2*b^3*(-14*A + C) + a^4*(8*A*b - 6*b*C)) * (b + a*\operatorname{Cos}[\\
& c + d*x]) * (\operatorname{Sec}[(c + d*x)/2]^2)^{(5/2)}) / 2 - I*(a + b)*(-16*A*b^5 + 3*a^5*B - \\
& 15*a^3*b^2*B + 8*a*b^4*B + 2*a^2*b^3*(14*A - C) + a^4*(-8*A*b + 6*b*C)) * \operatorname{Ell \\
& ipticE}[I*\operatorname{ArcSinh}[\operatorname{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * \operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Sq \\
& rt}[(b + a*\operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2] / (a + b)] * \operatorname{Tan}[(c + d*x)/2] + I* \\
& a*(a + b)*(-16*A*b^4 + 4*a*b^3*(3*A + 2*B) + 2*a^2*b^2*(8*A - 3*B - C) + 3* \\
& a^3*b*(-3*A - 3*B + C) + a^4*(A + 3*(B + C))) * \operatorname{EllipticF}[I*\operatorname{ArcSinh}[\operatorname{Tan}[(c + \\
& d*x)/2]], (-a + b)/(a + b)] * \operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x]) * \operatorname{S \\
& ec}[(c + d*x)/2]^2] / (a + b)] * \operatorname{Tan}[(c + d*x)/2] - a*(16*A*b^5 - 3*a^5*B + 15*a \\
& ^3*b^2*B - 8*a*b^4*B + 2*a^2*b^3*(-14*A + C) + a^4*(8*A*b - 6*b*C)) * (\operatorname{Sec}[(c \\
& + d*x)/2]^2)^{(3/2)} * \operatorname{Sin}[c + d*x] * \operatorname{Tan}[(c + d*x)/2] + (3*(16*A*b^5 - 3*a^5*B \\
& + 15*a^3*b^2*B - 8*a*b^4*B + 2*a^2*b^3*(-14*A + C) + a^4*(8*A*b - 6*b*C)) * (\\
& b + a*\operatorname{Cos}[c + d*x]) * (\operatorname{Sec}[(c + d*x)/2]^2)^{(3/2)} * \operatorname{Tan}[(c + d*x)/2]^2) / 2 - ((I/ \\
& 2)*(a + b)*(-16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B + 2*a^2*b^3*(14* \\
& A - C) + a^4*(-8*A*b + 6*b*C)) * \operatorname{EllipticE}[I*\operatorname{ArcSinh}[\operatorname{Tan}[(c + d*x)/2]], (-a + \\
& b)/(a + b)] * \operatorname{Sec}[(c + d*x)/2]^2 * ((a*\operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Sin}[c + d*x]) / (a + \\
& b)) + ((b + a*\operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Tan}[(c + d*x)/2]) / (a + b)) \\
& / \operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2] / (a + b)] + ((I/2)*a*(a + b) \\
& * (-16*A*b^4 + 4*a*b^3*(3*A + 2*B) + 2*a^2*b^2*(8*A - 3*B - C) + 3*a^3*b*(-3* \\
& A - 3*B + C) + a^4*(A + 3*(B + C))) * \operatorname{EllipticF}[I*\operatorname{ArcSinh}[\operatorname{Tan}[(c + d*x)/2]], \\
& (-a + b)/(a + b)] * \operatorname{Sec}[(c + d*x)/2]^2 * ((a*\operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Sin}[c + d*x] \\
&) / (a + b)) + ((b + a*\operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Tan}[(c + d*x)/2]) / (a \\
& + b)) / \operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2] / (a + b)] - (a*(a + b) \\
& * (-16*A*b^4 + 4*a*b^3*(3*A + 2*B) + 2*a^2*b^2*(8*A - 3*B - C) + 3*a^3*b*(-3* \\
& A - 3*B + C) + a^4*(A + 3*(B + C))) * \operatorname{Sec}[(c + d*x)/2]^4 * \operatorname{Sqrt}[(b + a*\operatorname{Cos}[c \\
& + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2] / (a + b)) / (2*\operatorname{Sqrt}[1 + \operatorname{Tan}[(c + d*x)/2]^2] * \operatorname{Sqrt}[\\
& 1 + ((-a + b)*\operatorname{Tan}[(c + d*x)/2]^2) / (a + b)]) + ((a + b)*(-16*A*b^5 + 3*a^5*B \\
& - 15*a^3*b^2*B + 8*a*b^4*B + 2*a^2*b^3*(14*A - C) + a^4*(-8*A*b + 6*b*C)) * \\
& \operatorname{Sec}[(c + d*x)/2]^4 * \operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2] / (a + b)] * \\
& \operatorname{Sqrt}[1 + ((-a + b)*\operatorname{Tan}[(c + d*x)/2]^2) / (a + b)]) / (2*\operatorname{Sqrt}[1 + \operatorname{Tan}[(c + d*x)/ \\
& 2]^2])) / (3*a^4*(a^2 - b^2)^2 * \operatorname{Sqrt}[b + a*\operatorname{Cos}[c + d*x]]) - (2*\operatorname{Cos}[c + d*x]^{(3/2)} * \\
& \operatorname{Sqrt}[\operatorname{Cos}[(c + d*x)/2]^2 * \operatorname{Sec}[c + d*x]] * ((-I)*(a + b)*(-16*A*b^5 + 3*a^5
\end{aligned}$$

```
*B - 15*a^3*b^2*B + 8*a*b^4*B + 2*a^2*b^3*(14*A - C) + a^4*(-8*A*b + 6*b*C)
)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]
^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b)*(-
16*A*b^4 + 4*a*b^3*(3*A + 2*B) + 2*a^2*b^2*(8*A - 3*B - C) + 3*a^3*b*(-3*A
- 3*B + C) + a^4*(A + 3*(B + C)))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-
a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)
/2]^2)/(a + b)] + (16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B + 2*a^2*b^
3*(-14*A + C) + a^4*(8*A*b - 6*b*C))*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]
^(3/2)*Tan[(c + d*x)/2]*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/
2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(a^4*(a^2 - b^2)^2*Sqr
t[b + a*Cos[c + d*x]]))
```

Maple [B] time = 1.163, size = 5097, normalized size = 9.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)
,x)
```

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \cos(dx + c) \sec(dx + c)^2 + B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(5/2),x, algorithm="fricas")
```

```
[Out] integral((C*cos(d*x + c)*sec(d*x + c)^2 + B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))
)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))
^(5/2),x, algorithm="giac")
```

```
[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.1370 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx)+C \sec^2(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=401

$$\frac{2(-a^2b(9A+C)+3a^3B-2ab^2B+8Ab^3)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^3d(a^2-b^2)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx)(-2a^2b^2(4A+C)+3a^2d(a^2-b^2)^2\sqrt{\cos(c+dx)})}{3a^2d(a^2-b^2)^2\sqrt{\cos(c+dx)}}$$

```
[Out] (2*(8*A*b^3 + 3*a^3*B - 2*a*b^2*B - a^2*b*(9*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^3*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) - (2*(4*A*b^4 + 5*a^3*b*B - a*b^3*B - 2*a^4*C - 2*a^2*b^2*(4*A + C))*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.22894, antiderivative size = 401, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4265, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{2 \sin(c+dx)(-2a^2b^2(4A+C)+5a^3bB-2a^4C-ab^3B+4Ab^4)}{3a^2d(a^2-b^2)^2\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2 \sin(c+dx)(Ab^2-a(bB-aC))}{3ad(a^2-b^2)\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{3/2}} +$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] (2*(8*A*b^3 + 3*a^3*B - 2*a*b^2*B - a^2*b*(9*A + C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^3*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) - (2*(4*A*b^4 + 5*a^3*b*B - a*b^3*B - 2*a^4*C - 2*a^2*b^2*(4*A + C))*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])
```

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a + b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
```


b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx)+C\sec^2(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)+C\sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b\sec(c+dx))^{3/2}} dx \\
&= \frac{2(Ab^2-a(bB-aC))\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} - \frac{(2\sqrt{\cos(c+dx)})}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} - \frac{2(4Ab^4+a^2b^2)}{3a^3(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} - \frac{2(4Ab^4+a^2b^2)}{3a^3(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} - \frac{2(4Ab^4+a^2b^2)}{3a^3(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(Ab^2-a(bB-aC))\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} - \frac{2(4Ab^4+a^2b^2)}{3a^3(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} \\
&= \frac{2(8Ab^3+3a^3B-2ab^2B-a^2b(9A+C))\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}, \frac{b+a\cos(c+dx)}{a+b}\right)}{3a^3(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 24.8534, size = 3834, normalized size = 9.56

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2))/(a + b*Sec[c + d*x])^(5/2),x]
```

```
[Out] ((b + a*Cos[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((-4*(A*b^3*Sin[c + d*x] - a*b^2*B*Sin[c + d*x] + a^2*b*C*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (4*(9*a^2*A*b^2*Sin[c + d*x] - 5*A*b^4*Sin[c + d*x] - 6*a^3*b*B*Sin[c + d*x] + 2*a*b^3*B*Sin[c + d*x] + 3*a^4*C*Sin[c + d*x] + a^2*b^2*C*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)^2*(b + a*Cos[c + d*x])))/(d*Sqrt[Cos[c + d*x]]*(A + 2*C + 2*B*Cos[c + d*x] + A*Cos[2*c + 2*d*x]))*(a + b*Sec[c + d*x])^(5/2) - (4*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])^2
```


$$\begin{aligned}
& b*B - 2*a*b^3*B + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*(b + a*\cos[c + d*x])* \\
& (\sec[(c + d*x)/2]^{5/2})/2 - I*(a + b)*(8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B \\
& + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*\text{EllipticE}[I*\text{ArcSinh}[\tan[(c + d*x)/2]] \\
& , (-a + b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])* \\
& \sec[(c + d*x)/2]^2)/(a + b)]*\tan[(c + d*x)/2] + I*a*(a + b)*(8*A*b^3 - 2*a*b^2*(3*A \\
& + B) + 3*a^3*(A + B - C) - a^2*b*(9*A - 3*B + C))*\text{EllipticF}[I*\text{ArcSinh}[\tan[(c \\
& + d*x)/2]], (-a + b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x] \\
&)*\sec[(c + d*x)/2]^2)/(a + b)]*\tan[(c + d*x)/2] + a*(8*A*b^4 + 6*a^3*b*B - \\
& 2*a*b^3*B + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*(\sec[(c + d*x)/2]^{3/2} \\
& *\sin[c + d*x]*\tan[(c + d*x)/2] - (3*(8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B + 3*a^4 \\
& *(A - C) - a^2*b^2*(15*A + C))*(b + a*\cos[c + d*x]))*(\sec[(c + d*x)/2]^{3/2} \\
& *\tan[(c + d*x)/2]^2)/2 - ((I/2)*(a + b)*(8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B \\
& + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*\text{EllipticE}[I*\text{ArcSinh}[\tan[(c + d*x)/2] \\
&]], (-a + b)/(a + b)]*\sec[(c + d*x)/2]^2*(-((a*\sec[(c + d*x)/2]^2*\sin[c + d \\
& *x]))/(a + b)) + ((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/ \\
& (a + b))/\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)} + ((I/2)* \\
& a*(a + b)*(8*A*b^3 - 2*a*b^2*(3*A + B) + 3*a^3*(A + B - C) - a^2*b*(9*A - 3 \\
& *B + C))*\text{EllipticF}[I*\text{ArcSinh}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*\sec[(c + \\
& d*x)/2]^2*(-((a*\sec[(c + d*x)/2]^2*\sin[c + d*x]))/(a + b)) + ((b + a*\cos[c + \\
& d*x])*\sec[(c + d*x)/2]^2*\tan[(c + d*x)/2))/(a + b))/\sqrt{((b + a*\cos[c + \\
& d*x])*\sec[(c + d*x)/2]^2)/(a + b)} - (a*(a + b)*(8*A*b^3 - 2*a*b^2*(3*A + B \\
&) + 3*a^3*(A + B - C) - a^2*b*(9*A - 3*B + C))*\sec[(c + d*x)/2]^4*\sqrt{((b \\
& + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)))/(2*\sqrt{1 + \tan[(c + d*x)/2] \\
& }^2)*\sqrt{1 + ((-a + b)*\tan[(c + d*x)/2]^2)/(a + b))} + ((a + b)*(8*A*b^4 + \\
& 6*a^3*b*B - 2*a*b^3*B + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*\sec[(c + d*x)/ \\
& 2]^4*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)}*\sqrt{1 + ((-a \\
& + b)*\tan[(c + d*x)/2]^2)/(a + b)))/(2*\sqrt{1 + \tan[(c + d*x)/2]^2}))/ (3*a \\
& (a^3 - a*b^2)^2*\sqrt{b + a*\cos[c + d*x]}) - (2*\cos[c + d*x]^{3/2}*\sqrt{\cos[\\
& (c + d*x)/2]^2*\sec[c + d*x]}*(-I)*(a + b)*(8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B \\
& + 3*a^4*(A - C) - a^2*b^2*(15*A + C))*\text{EllipticE}[I*\text{ArcSinh}[\tan[(c + d*x)/2] \\
&]], (-a + b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + \\
& d*x)/2]^2)/(a + b)} + I*a*(a + b)*(8*A*b^3 - 2*a*b^2*(3*A + B) + 3*a^3*(A \\
& + B - C) - a^2*b*(9*A - 3*B + C))*\text{EllipticF}[I*\text{ArcSinh}[\tan[(c + d*x)/2]], (- \\
& a + b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x) \\
& /2]^2)/(a + b)} - (8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B + 3*a^4*(A - C) - a^2*b^2 \\
& *(15*A + C))*(b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^{3/2}*\tan[(c + d*x) \\
& /2))*(-(\cos[(c + d*x)/2]*\sec[c + d*x]*\sin[(c + d*x)/2]) + \cos[(c + d*x)/2] \\
& ^2*\sec[c + d*x]*\tan[c + d*x]))/(a*(a^3 - a*b^2)^2*\sqrt{b + a*\cos[c + d*x]}) \\
&)
\end{aligned}$$

Maple [B] time = 1.005, size = 3773, normalized size = 9.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)*\cos(d*x+c)^{(1/2)}/(a+b*\sec(d*x+c))^{(5/2)},x)$

[Out] $\frac{2}{3}d*(\cos(d*x+c)+1)^5*(-1+\cos(d*x+c))^3*(-2*B*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a^2*b^3-2*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^3*b^2-C*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a^3*b^2-C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^4*b-15*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a^3*b^2+8*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a*b^4-9*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^4*b+6*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^3*b^2-3*C*((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^5*(1/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)+5*B*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^3*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}-B*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}-2*B*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a*b^4*(1/(\cos(d*x+c)+1))^{(3/2)}-2*C*((a-b)/(a+b))^{(1/2)}*a^4*b*(1/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)+C*((a-b)/(a+b))^{(1/2)}*a^3*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)-C*((a-b)/(a+b))^{(1/2)}*a^2*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)-11*A*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}+4*A*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a*b^4*(1/(\cos(d*x+c)+1))^{(3/2)}-3*A*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*a^5*(1/(\cos(d*x+c)+1))^{(3/2)}+3*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^5-3*C*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a^5+3*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^5+3*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a^5-3*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^5+8*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*b^5-3*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)$

$$x+c)^{(1/2)}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*((a-b)/(a+b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(3/2)}/a^3/(a+b)/(a-b)^2/(b+a*\cos(d*x+c))^2/\sin(d*x+c)^6$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\cos(dx+c)}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(C \sec(dx + c)^2 + B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a)^(5/2), x)

$$3.1371 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=378

$$\frac{2(a^2(-3A+C) + abB + 2Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^2d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2 \sin(c+dx) (-5a^2b^2(A+C) + 2a^3bB + a^4C + 2ab^3B + Ab^4)}{3abd(a^2-b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

[Out] $(-2*(2*A*b^2 + a*b*B - a^2*(3*A + C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(3*a^2*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*(2*A*b^3 + 3*a^3*B + a*b^2*B - 2*a^2*b*(3*A + 2*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])/(3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]) - (2*(A*b^2 - a*(b*B - a*C))*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(3/2)) + (2*(A*b^4 + 2*a^3*b*B + 2*a*b^3*B + a^4*C - 5*a^2*b^2*(A + C))*\text{Sin}[c + d*x])/(3*a*b*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$

Rubi [A] time = 1.22934, antiderivative size = 378, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4265, 4098, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (-5a^2b^2(A+C) + 2a^3bB + a^4C + 2ab^3B + Ab^4)}{3abd(a^2-b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{3bd(a^2-b^2) \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{3/2}} - \frac{2(a^2(-3A+C) + abB + 2Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^2d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x] + C*\text{Sec}[c + d*x]^2)/(\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(5/2)), x]$

[Out] $(-2*(2*A*b^2 + a*b*B - a^2*(3*A + C))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(3*a^2*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*(2*A*b^3 + 3*a^3*B + a*b^2*B - 2*a^2*b*(3*A + 2*C))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])/(3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]) - (2*(A*b^2 - a*(b*B - a*C))*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Sec}[c + d*x])^(3/2)) + (2*(A*b^4 + 2*a^3*b*B + 2*a*b^3*B + a^4*C - 5*a^2*b^2*(A + C))*\text{Sin}[c + d*x])/(3*a*b*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$

Rule 4265

```
Int[(cos[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a
+ b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_.), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} - \frac{(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3ab (a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 + 2a^3bB + 2ab^3C)}{3ab (a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 + 2a^3bB + 2ab^3C)}{3ab (a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 + 2a^3bB + 2ab^3C)}{3ab (a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 + 2a^3bB + 2ab^3C)}{3ab (a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= -\frac{2 (2Ab^2 + abB - a^2(3A + C)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3a^2 (a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2 (2Ab^3 + ab^2C)}{3ab (a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 19.3603, size = 673, normalized size = 1.78

$$\frac{(a \cos(c + dx) + b)^3 (A + B \sec(c + dx) + C \sec^2(c + dx)) \left(\frac{4(a^2 C \sin(c + dx) - abB \sin(c + dx) + Ab^2 \sin(c + dx))}{3a(a^2 - b^2)(a \cos(c + dx) + b)^2} + \frac{4(-6a^2 Ab \sin(c + dx) - 4a^2 b C)}{3ab(a^2 - b^2)^2} \right)}{d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{5/2} (A \cos(2c + 2dx) + A + 2B \cos(c + dx) + C \sec^2(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)),x]

[Out] ((b + a*Cos[c + d*x])^3*(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)*((4*(A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x] + a^2*C*Sin[c + d*x]))/(3*a*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (4*(-6*a^2*A*b*Sin[c + d*x] + 2*A*b^3*Sin[c + d*x] + 3*a^3*B*Sin[c + d*x] + a*b^2*B*Sin[c + d*x] - 4*a^2*b*C*Sin[c + d*x]))/(

$$3*a*(a^2 - b^2)^2*(b + a*\cos[c + d*x]))/(d*\sqrt{\cos[c + d*x]}*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^{5/2}) + (4*\cos[c + d*x]^{3/2}*(b + a*\cos[c + d*x])^2*\sqrt{\sec[c + d*x]}*(\cos[(c + d*x)/2]^{2*\sec[c + d*x]})^{3/2}*(A + B*\sec[c + d*x] + C*\sec[c + d*x]^2)*((-1)*(a + b)*(2*A*b^3 + 3*a^3*B + a*b^2*B - 2*a^2*b*(3*A + 2*C))*\text{EllipticE}[\text{I}*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\sec[(c + d*x)/2]^{2*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)}} - \text{I}*(a + b)*(-2*A*b^2 + a^2*(3*A - 3*B + C) + a*b*(3*A - B + 3*C))*\text{EllipticF}[\text{I}*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\sec[(c + d*x)/2]^{2*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)}} - (2*A*b^3 + 3*a^3*B + a*b^2*B - 2*a^2*b*(3*A + 2*C))*(b + a*\cos[c + d*x])*(\sec[(c + d*x)/2]^{2})^{3/2}*\text{Tan}[(c + d*x)/2]))/(3*(a^3 - a*b^2)^{2*d}*(A + 2*C + 2*B*\cos[c + d*x] + A*\cos[2*c + 2*d*x])*(a + b*\sec[c + d*x])^{5/2})$$

Maple [B] time = 0.785, size = 2767, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/(a+b*\sec(d*x+c))^{5/2}/\cos(d*x+c)^{1/2}, x)$

[Out] $\frac{2}{3}d*(\cos(d*x+c)+1)^5*(-1+\cos(d*x+c))^3*(3*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^3*b-3*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b^2-2*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a*b^3+6*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b^2-2*A*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*b^4*(1/(\cos(d*x+c)+1))^{3/2}-C*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{3/2}-3*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^4*(1/(\cos(d*x+c)+1))^{3/2}+5*A*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{3/2}-A*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{3/2}-2*B*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^3*b*(1/(\cos(d*x+c)+1))^{3/2}+B*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a^2*b^2*(1/(\cos(d*x+c)+1))^{3/2}-B*((a-b)/(a+b))^{1/2}*\sin(d*x+c)*a*b^3*(1/(\cos(d*x+c)+1))^{3/2}-C*((a-b)/(a+b))^{1/2}*a^3*b*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}+4*C*((a-b)/(a+b))^{1/2}*a^2*b^2*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{3/2}-3*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^3*b-B*(1/(a+b)*(b+a*\cos(d*$

$$\begin{aligned}
& x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^3 * b^3 + 3 * B * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^3 * b - B * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^2 * b^2 + 4 * C * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^2 * b^2 + C * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^3 * b - B * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * \cos(d*x+c) * a^3 * b - B * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * \cos(d*x+c) * a^2 * b^2 - 3 * C * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * \cos(d*x+c) * a^3 * b + 4 * C * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * \cos(d*x+c) * a^3 * b - 3 * A * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \cos(d*x+c) * a^3 * b - 2 * A * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \cos(d*x+c) * a^2 * b^2 + 6 * A * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * \cos(d*x+c) * a^3 * b - 2 * A * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), \\
& (- (a+b)/(a-b))^{1/2}) * \cos(d*x+c) * a * b^3 - C * ((a-b)/(a+b))^{1/2} * (1/(\cos(d*x+c)+1))^{3/2} * \sin(d*x+c) * a^4 + 3 * B * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * \cos(d*x+c) * a^4 - 3 * B * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * \cos(d*x+c) * a^4 + C * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * \cos(d*x+c) * a^4 + 3 * A * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \cos(d*x+c) * a^4 + 6 * A * \cos(d*x+c) * ((a-b)/(a+b))^{1/2} * \sin(d*x+c) * a^3 * b * (1/(\cos(d*x+c)+1))^{3/2} - A * \cos(d*x+c) * ((a-b)/(a+b))^{1/2} * \sin(d*x+c) * a^2 * b^2 * (1/(\cos(d*x+c)+1))^{3/2} - 3 * A * \cos(d*x+c) * ((a-b)/(a+b))^{1/2} * \sin(d*x+c) * a * b^3 * (1/(\cos(d*x+c)+1))^{3/2} + B * \cos(d*x+c) * ((a-b)/(a+b))^{1/2} * \sin(d*x+c) * a^3 * b * (1/(\cos(d*x+c)+1))^{3/2} + 3 * C * \cos(d*x+c) * ((a-b)/(a+b))^{1/2} * a^3 * b * \sin(d*x+c) * (1/(\cos(d*x+c)+1))^{3/2} - 2 * A * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * b^4 - 3 * C * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^2 * b^2 * \cos(d*x+c)^{1/2} * ((b+a*\cos(d*x+c)) / \cos(d*x+c))^{1/2} * ((a-b)/(a+b))^{1/2} * (1/(\cos(d*x+c)+1))^{3/2} / (a+b) / (a-b)^2 / a^2 / (b+a*\cos(d*x+c))^2 / \sin(d*x+c)^6
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx+c)^2 + B \sec(dx+c) + A}{(b \sec(dx+c) + a)^{\frac{5}{2}} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(C \sec(dx+c)^2 + B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sqrt{\cos(dx+c)}}{b^3 \cos(dx+c) \sec(dx+c)^3 + 3ab^2 \cos(dx+c) \sec(dx+c)^2 + 3a^2b \cos(dx+c) \sec(dx+c) + a^3 \cos(dx+c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*cos(d*x + c)*sec(d*x + c)^3 + 3*a*b^2*cos(d*x + c)*sec(d*x + c)^2 + 3*a^2*b*cos(d*x + c)*sec(d*x + c) + a^3*cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/(a+b*sec(d*x+c))**(5/2)/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/(a+b*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)

$$3.1372 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=447

$$\frac{2(Ab^2 - a(bB - aC)) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3abd(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{3bd(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} + \dots$$

```
[Out] (-2*(A*b^2 - a*(b*B - a*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a*b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(A*b^4 - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a*b^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)) + (2*(A*b^4 - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 7*C))*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])]
```

Rubi [A] time = 1.64815, antiderivative size = 447, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {4265, 4098, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{3bd(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} + \frac{2 \sin(c+dx) (a^2b^2(3A + 7C) - 3a^4C - 4ab^3B + Ab^4)}{3b^2d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2(Ab^2 - a(bB - aC))}{3abd(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)), x]
```

```
[Out] (-2*(A*b^2 - a*(b*B - a*C))*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a*b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*C*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(A*b^4 - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 7*C))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a*b^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)) + (2*(A*b^4 - 4*a*b^3*B - 3*a^4*C + a^2*b^2*(3*A + 7*C))*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])]
```

$$b^2(a^2 - b^2)^2 d \sqrt{(b + a \cos[c + dx])/(a + b)} - (2(Ab^2 - a(bB - aC)) \sin[c + dx]) / (3b(a^2 - b^2) d \cos[c + dx]^{3/2} (a + b \sec[c + dx])^{3/2}) + (2(Ab^4 - 4a^3bB - 3a^4C + a^2b^2(3A + 7C)) \sin[c + dx]) / (3b^2(a^2 - b^2)^2 d \sqrt{\cos[c + dx]} \sqrt{a + b \sec[c + dx]})$$

Rule 4265

$$\text{Int}[(\cos[(a_.) + (b_.)(x_.)](c_.))^{(m_.)}(u_.), x_Symbol] \rightarrow \text{Dist}[(c \cos[a + bx])^m (c \sec[a + bx])^m, \text{Int}[\text{ActivateTrig}[u]/(c \sec[a + bx])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& \text{!IntegerQ}[m] \&\& \text{KnownSecantIntegrandQ}[u, x]$$

Rule 4098

$$\text{Int}[(A_.) + \csc[(e_.) + (f_.)(x_.)](B_.) + \csc[(e_.) + (f_.)(x_.)]^2(C_.) \cdot (\csc[(e_.) + (f_.)(x_.)](d_.))^{(n_.)} (\csc[(e_.) + (f_.)(x_.)](b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(d(Ab^2 - a^2C) \cot[e + fx] (a + b \csc[e + fx])^{(m+1)} (d \csc[e + fx])^{(n-1)}) / (b f (a^2 - b^2) (m+1)), x] + \text{Dist}[d / (b(a^2 - b^2)(m+1)), \text{Int}[(a + b \csc[e + fx])^{(m+1)} (d \csc[e + fx])^{(n-1)} \text{Simp}[A b^2(n-1) - a(bB - aC)(n-1) + b(aA - bB + aC)(m+1) \csc[e + fx] - (b(Ab - aB)(m+n+1) + C(a^2n + b^2(m+1))) \csc[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0]$$

Rule 4108

$$\text{Int}[(A_.) + \csc[(e_.) + (f_.)(x_.)](B_.) + \csc[(e_.) + (f_.)(x_.)]^2(C_.) / (\sqrt{\csc[(e_.) + (f_.)(x_.)](d_.)} \sqrt{\csc[(e_.) + (f_.)(x_.)](b_.) + (a_.)}), x_Symbol] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d \csc[e + fx])^{3/2} / \sqrt{a + b \csc[e + fx]}], x] + \text{Int}[(A + B \csc[e + fx]) / (\sqrt{d \csc[e + fx]} \sqrt{a + b \csc[e + fx]}), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3859

$$\text{Int}[(\csc[(e_.) + (f_.)(x_.)](d_.))^{3/2} / \sqrt{\csc[(e_.) + (f_.)(x_.)](b_.) + (a_.)}, x_Symbol] \rightarrow \text{Dist}[(d \sqrt{d \csc[e + fx]} \sqrt{b + a \sin[e + fx]}) / \sqrt{a + b \csc[e + fx]}, \text{Int}[1 / (\sin[e + fx] \sqrt{b + a \sin[e + fx]}), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2807

$$\text{Int}[1 / (((a_.) + (b_.) \sin[(e_.) + (f_.)(x_.)]) \sqrt{(c_.) + (d_.) \sin[(e_.) + (f_.)(x_.)]}), x_Symbol] \rightarrow \text{Dist}[\sqrt{(c + d \sin[e + fx])} / (c + d) / \sqrt{c + d \sin[e + fx]}, \text{Int}[1 / ((a + b \sin[e + fx]) \sqrt{c / (c + d) + (d \sin[e$$

+ f*x]]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{5/2}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{3b^2 (a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 - 4ab^3B - 3a^4C)}{3b^2 (a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 - 4ab^3B - 3a^4C)}{3b^2 (a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 - 4ab^3B - 3a^4C)}{3b^2 (a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2 (Ab^4 - 4ab^3B - 3a^4C)}{3b^2 (a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2C \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2 (Ab^2 - a(bB - aC)) \sin(c + dx)}{3b (a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= -\frac{2 (Ab^2 - a(bB - aC)) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3ab (a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2C \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{b^2 d \sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 36.9811, size = 119861, normalized size = 268.15

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)),x]

[Out] Result too large to show

Maple [C] time = 0.718, size = 3739, normalized size = 8.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c)+C*\sec(d*x+c)^2)/\cos(d*x+c)^{(3/2)}/(a+b*\sec(d*x+c))^{(5/2)},x)$

[Out]
$$\begin{aligned} & -2/3/d*(-1+\cos(d*x+c))^{3*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(\cos(d*x+c)+1) \\ & ^5*(-4*B*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a^2*b^3-B*(1/(a+b) \\ & *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^3*b^2+7*C*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a^3*b^2 \\ & +4*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^4*b^3+A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a^3*b^2 \\ & +A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b) \\ & *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a*b^4-3*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\ & *\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^3*b^2-3*C \\ & *((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^5*(1/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)+B*((a-b)/(a+b))^{(1/2)} \\ & *\sin(d*x+c)*a^3*b^2*(1/(\cos(d*x+c)+1))^{(3/2)}+B*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b^3*(1/(\cos(d*x+c)+1))^{(3/2)} \\ & -4*B*((a-b)/(a+b))^{(1/2)}*a^4*b*(1/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)-C*((a-b)/(a+b))^{(1/2)}*a^3*b^2*(1/(\cos(d*x+c)+1))^{(3/2)} \\ & *\sin(d*x+c)+7*C*((a-b)/(a+b))^{(1/2)}*a^2*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}*\sin(d*x+c)+2*A*((a-b)/(a+b))^{(1/2)} \\ & *\sin(d*x+c)*a^2*b^3*(1/(\cos(d*x+c)+1))^{(3/2)}-A*((a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a*b^4*(1/(\cos(d*x+c)+1))^{(3/2)} \\ &)-3*C*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b) \\ & *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*a^5+6*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\ & *\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*a^5+A*(1/(a+b) \\ & *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{(1/2)}*b^5-6*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), \\ & (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^4*b+6*C*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\ & *\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^3*b^2+6*C \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d \end{aligned}$$

$$\begin{aligned}
& *x+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * \cos(dx+c) * a^2 * b^3 - 9 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * \cos(dx+c) * a^3 * b^2 - 3 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * \cos(dx+c) * a^2 * b^3 + 3 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * \cos(dx+c) * a^2 * b^3 + 3 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b^4 - 6 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * a^4 * b - 6 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * a^3 * b^2 + 6 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * a^2 * b^3 + 6 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * a * b^4 - 3 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b^4 - 6 * C * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * \cos(dx+c) * a^5 + A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * \cos(dx+c) * a^2 * b^3 + B * ((a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^3 * b^2 * (1/(\cos(dx+c)+1))^{3/2} + 3 * A * ((a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^3 * b^2 * (1/(\cos(dx+c)+1))^{3/2} - A * ((a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 * b^3 * (1/(\cos(dx+c)+1))^{3/2} - 3 * B * ((a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^2 * b^3 * (1/(\cos(dx+c)+1))^{3/2} - C * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^4 * b * (1/(\cos(dx+c)+1))^{3/2} * \sin(dx+c) + 6 * C * ((a-b)/(a+b))^{1/2} * \cos(dx+c) * a^3 * b^2 * (1/(\cos(dx+c)+1))^{3/2} * \sin(dx+c) - 9 * C * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * a^2 * b^3 - B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * a^2 * b^3 - 4 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b^4 + 6 * C * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * a^4 * b + 4 * C * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * a^3 * b^2 - 3 * C * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * a^4 * b + 7 * C * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * a^2 * b^3 + A * ((a-b)/(a+b))^{1/2} * \sin(dx+c) * b^5 * (1/(\cos(dx+c)+1))^{3/2} - 3 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * a^2 * b^3 + A * \text{EllipticF}
\end{aligned}$$

$$\begin{aligned} &((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a*b^4 + 3*A * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2}) * a^2*b^3 * \cos(dx+c)^{1/2} * ((a-b)/(a+b))^{1/2} * (1/(\cos(dx+c)+1))^{3/2} / a/(a+b)/(a-b)^2/b^2/(b+a*\cos(dx+c))^2/\sin(dx+c)^6 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(3/2)/(a+b*sec(dx+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)^2)/cos(dx+c)^(3/2)/(a+b*sec(dx+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c)+C*sec(dx+c)**2)/cos(dx+c)**(3/2)/(a+b*sec(dx+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2)), x)

$$3.1373 \quad \int \frac{A+B \sec(c+dx)+C \sec^2(c+dx)}{\cos^2(c+dx)(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=563

$$\frac{(5a^2C - 2abB + 2Ab^2 - 3b^2C) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3b^2d(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2 \sin(c+dx) (a^2b^2(A+9C) + 2a^3bB - 5a^4C - \dots)}{3b^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((2*A*b^2 - 2*a*b*B + 5*a^2*C - 3*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]
*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d
*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - 5*a*C)*Sqrt[(b + a*Cos[c + d*x])
/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b^3*d*Sqrt[Cos[c + d*
x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^4 + 6*a^3*b*B - 14*a*b^3*B - 15*a^4
*C + 26*a^2*b^2*C - 3*b^4*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a
)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos
[c + d*x])/(a + b)]) - (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*b*(a^2 -
b^2)*d*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)) + (2*(3*A*b^4 + 2*a^
3*b*B - 6*a*b^3*B - 5*a^4*C + a^2*b^2*(A + 9*C))*Sin[c + d*x])/(3*b^2*(a^2
- b^2)^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) - ((8*A*b^4 + 6*a^3
*b*B - 14*a*b^3*B - 15*a^4*C + 26*a^2*b^2*C - 3*b^4*C)*Sqrt[a + b*Sec[c + d
*x]]*Sin[c + d*x])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 2.16349, antiderivative size = 563, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.311$, Rules used = {4265, 4098, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \sin(c+dx) (a^2b^2(A+9C) + 2a^3bB - 5a^4C - 6ab^3B + 3Ab^4)}{3b^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}} - \frac{2 \sin(c+dx) (Ab^2 - a(bB - aC))}{3bd(a^2 - b^2) \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} - \frac{\sin(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a + b*Sec[
c + d*x])^(5/2)), x]
```

```
[Out] ((2*A*b^2 - 2*a*b*B + 5*a^2*C - 3*b^2*C)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]
*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d
*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*b*B - 5*a*C)*Sqrt[(b + a*Cos[c + d*x])
/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b^3*d*Sqrt[Cos[c + d*
```

```

x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*A*b^4 + 6*a^3*b*B - 14*a*b^3*B - 15*a^4
*C + 26*a^2*b^2*C - 3*b^4*C)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a
)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos
[c + d*x])/(a + b)]) - (2*(A*b^2 - a*(b*B - a*C))*Sin[c + d*x])/(3*b*(a^2 -
b^2)*d*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)) + (2*(3*A*b^4 + 2*a^
3*b*B - 6*a*b^3*B - 5*a^4*C + a^2*b^2*(A + 9*C))*Sin[c + d*x])/(3*b^2*(a^2
- b^2)^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) - ((8*A*b^4 + 6*a^3
*b*B - 14*a*b^3*B - 15*a^4*C + 26*a^2*b^2*C - 3*b^4*C)*Sqrt[a + b*Sec[c + d
*x]])*Sin[c + d*x])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]])

```

Rule 4265

```

Int[(cos[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cos[a
+ b*x])^m*(c*Sec[a + b*x])^m, Int[ActivateTrig[u]/(c*Sec[a + b*x])^m, x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSecantIntegrandQ[u, x]

```

Rule 4098

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

Rule 4102

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4108

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a

```

+ b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b

```
*Sin[c + d*x]]/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx) + C \sec^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx) + C \sec^2(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{(a + b \sec(c + dx))^{5/2}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2(3Ab^4 + 2a^3bB - 6ab^3)}{3b^2(a^2 - b^2)^2 d} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2(3Ab^4 + 2a^3bB - 6ab^3)}{3b^2(a^2 - b^2)^2 d} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2(3Ab^4 + 2a^3bB - 6ab^3)}{3b^2(a^2 - b^2)^2 d} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2(3Ab^4 + 2a^3bB - 6ab^3)}{3b^2(a^2 - b^2)^2 d} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2(3Ab^4 + 2a^3bB - 6ab^3)}{3b^2(a^2 - b^2)^2 d} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2(3Ab^4 + 2a^3bB - 6ab^3)}{3b^2(a^2 - b^2)^2 d} \\
&= \frac{(2bB - 5aC) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b^3 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(Ab^2 - a(bB - aC)) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{(2Ab^2 - 2abB + 5a^2C - 3b^2C) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3b^2(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2bB - 5aC)}{b^3 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 38.0549, size = 215866, normalized size = 383.42

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x] + C*Sec[c + d*x]^2)/(Cos[c + d*x]^(5/2)*(a +

$b \cdot \sec[c + d \cdot x]^{(5/2)}, x]$

[Out] Result too large to show

Maple [C] time = 0.839, size = 5561, normalized size = 9.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B \cdot \sec(d \cdot x+c)+C \cdot \sec(d \cdot x+c)^2)/\cos(d \cdot x+c)^{(5/2)}/(a+b \cdot \sec(d \cdot x+c))^{(5/2)}, x)$

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B \cdot \sec(d \cdot x+c)+C \cdot \sec(d \cdot x+c)^2)/\cos(d \cdot x+c)^{(5/2)}/(a+b \cdot \sec(d \cdot x+c))^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B \cdot \sec(d \cdot x+c)+C \cdot \sec(d \cdot x+c)^2)/\cos(d \cdot x+c)^{(5/2)}/(a+b \cdot \sec(d \cdot x+c))^{(5/2)}, x, \text{algorithm}="fricas")$

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)**2)/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c))**5/2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{C \sec(dx + c)^2 + B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c)+C*sec(d*x+c)^2)/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((C*sec(d*x + c)^2 + B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2)), x)

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*      is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*      antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
```

```

22     If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25     "C"],
26 If[FreeQ[result,Integrate] && FreeQ[result,Int],
27     "C",
28     "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46     If[AtomQ[expn],
47         1,
48     If[ListQ[expn],
49         Max[Map[ExpnType,expn]],
50     If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52             ExpnType[expn[[1]]],
53         If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55                 1,
56                 Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58     If[Head[expn]===Plus || Head[expn]===Times,
59         Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60     If[ElementaryFunctionQ[Head[expn]],
61         Max[3,ExpnType[expn[[1]]],
62     If[SpecialFunctionQ[Head[expn]],
63         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64     If[HypergeometricFunctionQ[Head[expn]],
65         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66     If[AppellFunctionQ[Head[expn]],
67         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68     If[Head[expn]===RootSum,

```

```

69   Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
70   If[Head[expn]===Integrate || Head[expn]===Int,
71     Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
72   9]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp, Log,
78     Sin, Cos, Tan, Cot, Sec, Csc,
79     ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
80     Sinh, Cosh, Tanh, Coth, Sech, Csch,
81     ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
82   }, func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   }, func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
99
100
101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1}, func]

```

4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 #
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 #
11 see problem 156, file Apostol_Problems

```

```

11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;
14
15     leaf_count_result:=leafcount(result);
16     #do NOT call ExpnType() if leaf size is too large. Recursion problem
17     if leaf_count_result > 500000 then
18         return "B";
19     fi;
20
21     leaf_count_optimal:=leafcount(optimal);
22
23     ExpnType_result:=ExpnType(result);
24     ExpnType_optimal:=ExpnType(optimal);
25
26     if debug then
27         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
    ExpnType_optimal);
28     fi;
29
30 # If result and optimal are mathematical expressions,
31 # GradeAntiderivative[result,optimal] returns
32 #   "F" if the result fails to integrate an expression that
33 #     is integrable
34 #   "C" if result involves higher level functions than necessary
35 #   "B" if result is more than twice the size of the optimal
36 #     antiderivative
37 #   "A" if result can be considered optimal
38
39 #This check below actually is not needed, since I only
40 #call this grading only for passed integrals. i.e. I check
41 #for "F" before calling this. But no harm of keeping it here.
42 #just in case.
43
44
45 if not type(result,freeof('int')) then
46     return "F";
47 end if;
48
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then

```

```

56     if debug then
57         print("both result and optimal complex");
58     fi;
59     #both result and optimal complex
60     if leaf_count_result<=2*leaf_count_optimal then
61         return "A";
62     else
63         return "B";
64     end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71     else # result do not contain complex
72         # this assumes optimal do not as well
73         if debug then
74             print("result do not contain complex, this assumes optimal do not
as well");
75         fi;
76         if leaf_count_result<=2*leaf_count_optimal then
77             if debug then
78                 print("leaf_count_result<=2*leaf_count_optimal");
79             fi;
80             return "A";
81         else
82             if debug then
83                 print("leaf_count_result>2*leaf_count_optimal");
84             fi;
85             return "B";
86         end if
87     end if
88     else #ExpnType(result) > ExpnType(optimal)
89         if debug then
90             print("ExpnType(result) > ExpnType(optimal)");
91         fi;
92         return "C";
93     end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417

```

```

102 is_contains_complex:= proc(expression)
103   return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)
119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'^^') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'+'') or type(expn,'*') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))

```

```

149   elif AppellFunctionQ(op(0,expn)) then
150       max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152       max(8,apply(max,map(ExpnType,[op(expn)]))) else
153       9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159     member(func,[
160         exp,log,ln,
161         sin,cos,tan,cot,sec,csc,
162         arcsin,arccos,arctan,arccot,arcsec,arccsc,
163         sinh,cosh,tanh,coth,sech,csch,
164         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168     member(func,[
169         erf,erfc,erfi,
170         FresnelS,FresnelC,
171         Ei,Ei,Li,Si,Ci,Shi,Chi,
172         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173         EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181     member(func,[AppellF1])
182 end proc:
183
184 # u is a sum or product.  rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple

```

```

196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:

```



```

42     if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43         return True
44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,'^^')
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
72 ))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type
77 (expn,'*')
78         m1 = expnType(expn.args[0])
79         m2 = expnType(list(expn.args[1:]))
80         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82         return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84         m1 = max(map(expnType, list(expn.args)))
85         return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88         m1 = max(map(expnType, list(expn.args)))

```

```

85     return max(5,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
86 elif is_appell_function(expn.func):
87     m1 = max(map(expnType, list(expn.args)))
88     return max(6,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
89 elif isinstance(expn,RootSum):
90     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
91     return max(7,m1)
92 elif str(expn).find("Integral") != -1:
93     m1 = max(map(expnType, list(expn.args)))
94     return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
95 else:
96     return 9
97
98 #main function
99 def grade_antiderivative(result,optimal):
100
101     leaf_count_result  = leaf_count(result)
102     leaf_count_optimal = leaf_count(optimal)
103
104     expnType_result  = expnType(result)
105     expnType_optimal = expnType(optimal)
106
107     if str(result).find("Integral") != -1:
108         return "F"
109
110     if expnType_result <= expnType_optimal:
111         if result.has(I):
112             if optimal.has(I): #both result and optimal complex
113                 if leaf_count_result <= 2*leaf_count_optimal:
114                     return "A"
115                 else:
116                     return "B"
117             else: #result contains complex but optimal is not
118                 return "C"
119         else: # result do not contain complex, this assumes optimal do not as
well
120             if leaf_count_result <= 2*leaf_count_optimal:
121                 return "A"
122             else:
123                 return "B"
124     else:
125         return "C"

```

4.0.4 SageMath grading function

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by

```

2 #           Albert Rich to use with Sagemath. This is used to
3 #           grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #           'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len(
33         flatten(tree(anti))))
34         return round(1.35*len(flatten(tree(anti)))) #fudge factor
35         #since this estimate of leaf count is bit lower than
36         #what it should be compared to Mathematica's
37
38 def is_sqrt(expr):
39     debug=False;
40     if expr.operator() == operator.pow: #isinstance(expr,Pow):
41         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
42             if debug: print ("expr is sqrt")
43             return True
44         else:
45             return False
46     else:
47         return False

```

```

48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func ," is special_function")
83         else:
84             print ("func ", func ," is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
91     ']
92
93 def is_appell_function(func):

```

```

93     return func.name() in ['hypergeometric']    #[appellf1] can't find this in
          sagemath
94
95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
104             return expn in expn.parent().base_ring() or expn in expn.parent().
          gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list:    #isinstance(expn,list):
121         return max(map(expnType, expn))    #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
          Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0]))    #max(2,expnType(expn.
          args[0]))
127     elif expn.operator() == operator.pow:    #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer:    #isinstance(expn.args[1],Integer)
129             return expnType(expn.operands()[0])    #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational:    #isinstance(expn.args[1],
          Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
          Rational)
132                 return 1

```

```

133         else:
134             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137         elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138             m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139             m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140             return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
141         elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
142             return max(3,expnType(expn.operands()[0]))
143         elif is_special_function(expn.operator()): #is_special_function(expn.func)
144             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
145             return max(4,m1) #max(4,m1)
146         elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
148             return max(5,m1) #max(5,m1)
149         elif is_appell_function(expn.operator()):
150             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
151             return max(6,m1) #max(6,m1)
152         elif str(expn).find("Integral") != -1: #this will never happen, since it
153             #is checked before calling the grading function that is passed.
154             #but kept it here.
155             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
156             return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
157         else:
158             return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
176                     expnType_optimal)
177
178     if expnType_result <= expnType_optimal:
179         if result.has(I):
180             if optimal.has(I): #both result and optimal complex
181                 if leaf_count_result <= 2*leaf_count_optimal:
182                     return "A"
183             else:
184                 return "B"
185             else: #result contains complex but optimal is not
186                 return "C"
187         else: # result do not contain complex, this assumes optimal do not as
188             well
189                 if leaf_count_result <= 2*leaf_count_optimal:
190                     return "A"
191                 else:
192                     return "B"
193         else:
194             return "C"
```